



Ministry of Energy and Mines  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical

TOTAL COST: \$17378.69

AUTHOR(S): David J. Bridge, P. Geo

SIGNATURE(S): "David Bridge"

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): \_\_\_\_\_ YEAR OF WORK: 2010

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 4820232, 2010/DEC/21

PROPERTY NAME: Crazy Fox

CLAIM NAME(S) (on which the work was done): tenure numbers: 415379, 519513, 516738, 692104, 692124, 692137 and 692189

COMMODITIES SOUGHT: Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: \_\_\_\_\_

MINING DIVISION: Kamloops NTS/BCGS: 092P/09

LATITUDE: 51 ° 34 ' 3 " LONGITUDE: 120 ° 14 ' 41 " (at centre of work)

OWNER(S):

1) Newmac Resources Inc. 2) \_\_\_\_\_

MAILING ADDRESS:

2605 Jane Street,

Port Moody, BC, V3H 2K6

OPERATOR(S) [who paid for the work]:

1) Newmac Resources Inc. 2) \_\_\_\_\_

MAILING ADDRESS:

2605 Jane Street,

Port Moody, BC, V3H 2K6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Lemieux Creek Fault, gold shear zone, Nicola Group, Cretaceous granite

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 13312, 18480, 28838

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (Incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil 453 soils analysed for multi-element ICP	415379, 516738, 519513, 692104,		\$17,378.69
Silt	692124, 692137, 692189		
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$17,378.69

# NEWMAC RESOURCES INC.

2605 Jane Street, Port Moody, British Columbia Canada V3H 2K6

Tel. (604) 461 7211

## CRAZY FOX PROPERTY

Kamloops Mining Division

NTS 92 P 09

BCGS 092 P – 058,059,060,069

Lat. 51°35'N Long. 120°18'W

BC Geological Survey  
Assessment Report  
**32168**

### **Report on the Geochemical Program on the Crazy Fox Property**

June 13, 2010 to June 28, 2010

By:

D. J. Bridge, P.Geo

601 – 31 Elliot Street,

New Westminster, B.C. Canada V3L 5C9

April 10, 2011

## SUMMARY

The Newmac Crazy Fox Property lies approximately 25 km northwest of the village of Little Fort BC located on the Yellowhead Highway, BC Hwy 5, approximately 100 km north of Kamloops BC. The property lies within the Kamloops Mining Division.

Newmac acquired the property in 2005 from prospectors Lloyd Addie and Robert Bourdon from Nelson BC . Bourdon and Addie acquired the property by staking.

Addie and Bourdon were originally interested in the property south of 14 Mile Creek for its massive sulphide potential in that area. The molybdenum showings at Crazy Fox became available and they staked the area, naming it Crazy Fox.

Work has been done around the Crazy Fox molybdenum showings dating back to their discovery about 1928. Most of the significant work was performed by Rio Tinto, Falconbridge and Amax between 1968 and 1982. Newmac's interest was sparked when new logging roads, prospected by Addie and Bourdon, exposed new molybdenite showings almost 1000m east of the historical showing area, both hosted by leucocratic granite related rocks.

Geochemical sampling by previous operators shows erratic but significant responses over much of the poorly exposed granite bedrock. IP surveys suggest a circular feature roughly coincident with the poorly exposed granite.

Newmac commenced a sampling – prospecting program in the fall of 2005 followed by trenching. This was followed by a drill and trenching program commencing in the winter of 2006. 24,600 ft of NQ drilling was completed by end of June 2006. The drilling confirmed that a low angle fault (310°/011° SW) cuts off mineralization at a depth of about 300m posing the obvious question: Where is the lower extension of the mineralization? During the summer of 2007, the author noticed a trend in the thermal metamorphism of the underlying volcanic rocks revealed by the drilling. Further study and examination led to the postulation that the lower plate fault offset was in the order of 700 m down dip along the fault. This postulation was tested by DDH CF 07-40 and 41. DDH 07-41 penetrated the fault, and entered mineralized granite for over 400m containing 0.1%Mo.

This discovery led directly into the drilling in 2007 and 2008. By end of August 2008 a total of 13,331m (43726 ft) of additional diamond drilling composed of 6916m (22685 ft) of NQ and 6415m (21041 ft) of HQ sized hole had been completed. 3295 core and quality control samples had been submitted to Acme Labs in Vancouver for analysis.

In July 2009 a geological and geochemical program focusing on the area immediately south-west of the drilling in 2008 and collected 36 soil and 34 gravel samples and 17 rock samples and mapped over an area 118 ha.

In September 2009 977 soil samples were collected on a grid surrounding the Ace gold showing in the northern part of the Crazy Fox property and in October 2009 610.2 meters of NQ diamond drilling was

completed to test two geological structures for molybdenite mineralization where the July, 2009 program had been conducted.

In June 2010 a geochemical program was conducted in the Lemieux Creek valley on the eastern part of the Crazy Fox Property. A total of 453 soil samples and 9 rock samples were collected to test for gold mineralization in the valley related to the "Best" gold showing.

**TABLE OF CONTENTS**

	<b>page #</b>
Title Page	1
Summary	2
Table of Contents	4
List of Appendices	5
List of Figures	6
Introduction	7
Location and Access	7
General Setting	9
Mineral Claims - <u>TABLE 1</u>	<b>11</b>
History and Previous Work	12
Summary of work	14
Regional Geology	14
Local Geology	17
Geochemical Program Results	18
Mineralization	19
Interpretations and Conclusions	19
References	20
Statement of Qualifications - David J Bridge, P.Geo.	22
Statement of Costs	23

**LIST of APPENDICES**

Appendix 1	Rock Sample Descriptions	24
Appendix 2	ACME Analytical labs Certificates of Analysis	26

**LIST OF FIGURES**

		<b>page</b>
Location map of the Crazy Fox Property	Fig. 1	7
Access Map showing the Crazy Fox Property	Fig.2	8
Claim Map	Fig.3	10
Regional Geology	Fig. 4a	15
Regional Geology Legend	Fig. 4b	16
Map showing soil assay results for gold (ppb) and float rock sample locations and assay results	Fig. 5	in pocket
Map showing soil assay sample results for arsenic (ppm)	Fig. 6	in pocket

## INTRODUCTION

This report on the soil sampling along the Lemieux Creek valley has been commissioned by Newmac Resources Inc. and is prepared for the purposes of filing for assessment credit and for company records on the geochemical program on the Crazy Fox Property in 2010.

Field work was conducted during the period June 13, 2010 and June 14, 2010 by a crew of four men from Geotronics Consulting Inc. They collected a total of 453 soil and 9 rock samples from the Best showing area of the Crazy Fox Property, located south-east of the Crazy Fox Deposit.

## LOCATION AND ACCESS

The property is located on BCGS map sheet 092/P-059,069. The molybdenum and tungsten prospect area is centered on Latitude 51°36' N and Longitude 120°18' W or UTM (NAD 83, Zone 10U) 5719000 N, 0687000E. The "Ace" showing area is located at UTM 5721387 N and 686686E (NAD 83, Zone 10U). The "Best" showing area is located at UTM 5713000 N and 693000E (NAD 83, Zone 10U).

The Crazy Fox Property is situated in the Kamloops Mining Division approximately 100 km north of Kamloops or about 25 km northwest of the town of Little Fort, BC (Figures 1 and 2). Good access to the molybdenum and tungsten prospect is from Highway 24 about 20 km west of Little Fort, then north on Tawee Lake logging road onto the property at about 12 km.

Access to the Ace and Best showing area is obtained by travelling up the Lemieux Creek Road which leads to Tawee Lake from Highway 24 approximately 3.5 km north of Little Fort, BC.

Access to the VMS/Sedex prospect area on the Crazy Fox Property is described by Bourdon and Addie in their April 2000 assessment report.




Figure 1. Location map of the Crazy Fox Property.




Figure 2. Access Map showing the Crazy Fox Property with the “Ace”, “Best” and Crazy Fox prospects shown on it. Base map is excerpted from BC Backroads Mapbook, Thompson-Okanagan volume.

## GENERAL SETTING

The molybdenum and tungsten prospect area on the Crazy Fox Property is located on the north side of 14 Mile Creek between 1100 and 1400 meters elevation. Except for the major drainage valleys, which quickly become very steeply inclined with steep valley walls as the drainage descends from the Nehaliston Plateau, the topography is generally gently rolling with 100 to 300 meters relief. Valleys on the plateau commonly contain lakes and ponds. The larger lakes are known for their recreational fishing and several commercial fishing lodges are found on the lakes adjacent to the property.


The property receives an average of 1-2 meters of snow, but it is generally snow free from mid May to late October. The property can be explored or operated all year.

The property is extensively covered by overburden, consisting of basal and ablation tills and glacio-fluvial deposits. Bourdon and Addie have estimated the thickness away from the valley bottoms to be roughly 1 to 2 meters in depth. Drilling has encountered overburden up to 20 meters of boulder, clay till. Bedrock outcrop is rare and accounts for less than 1% of the claim area.

Vegetation in the area consists mainly of coniferous forest with a few scattered open areas of brush. There has been extensive clear-cut logging and corresponding new road construction which has taken place since the 1980's with earlier re-grown cut blocks evident. In recent time, there has been an endemic infestation of mountain pine bark beetle which has affected a vast area of central British Columbia including the Crazy Fox mineral claim area. During the winter of 2007-2008, new roads and drill access which were constructed did not expose any new surface mineralization.

Along the Lemieux Creek valley are extensive clearcuts which are slowly growing trees.

The settlement of Little Fort lies in the valley of the North Thompson River, and provides basic services: ie, fuel, bus depot, restaurant and motel. Additional services are found along Highway 5. The communities of Barriere and Clearwater are located south and north of Little Fort. Each is approximately 30 km distant and offer additional services such as banking, vehicle repairs and medical facilities. The North Thompson River corridor is also used by the CNR and by major power transmission lines.

D.J. Bridge,  
P.Geo.

New Westminster, BC

[davidbridge789@hotmail.com](mailto:davidbridge789@hotmail.com)**Figure 3. Claim Map**

**MINERAL CLAIMS****TABLE 1:**

Tenure Number	Claim Name	Map Number	Good To Date	Area (ha)
375102	CRAZY FOX 1	092P059	2021/feb/14	450.0
375103	CRAZY FOX 2	092P059	2021/feb/14	300.0
415379*	GOLD ZONE	092P059	2020/nov/04	25.0
501229	FoxN	092P	2021/jan/12	40.16
508381	Anticlimax	092P	2021/mar/07	401.526
516738*		092P	2021/feb/14	1024.414
517197	ACE	092P	2020/jul/12	40.142
519513*		092P	2020/aug/29	160.618
519514		092P	2020/aug/29	341.47
521899	CRAZY FOX 3	092P	2020/nov/03	341.164
521900	CRAZY FOX 4	092P	2020/nov/03	200.964
521901	CRAZY FOX 5	092P	2012/nov/03	301.65
524993	TAWEEL	092P	2021/apr/10	40.131
569445	MISS FOX #1	092P	2020/nov/05	20.0803
599539	LYNX#1	092P	2014/feb/18	120.709
599543	LYNX#2	092P	2014/feb/18	120.7145
599550	LYNX#3	092P	2014/feb/18	40.2307
599551	LYNX#4	092P	2014/feb/18	20.1154
692104*	CF#1	092P	2013/jan/01	482.341
692124*	CF#2	092P	2013/jan/01	482.0729
692137*	CF#3	092P	2013/jan/01	482.4779
692163	CF#4	092P	2013/jan/01	482.6469
692189*	CF#5	092P	2013/jan/01	241.1468
699883	CF#6	092P	2013/jan/15	502.9145
799443	LYNX#5	092P	2011/jun/26	40.2382
840570	LYNX#7	092P	2011/dec/10	120.7126
840576	LYNX#8	092P	2011/dec/10	40.2346
840581	LYNX#9	092P	2011/dec/10	40.2354
842207	CF#7	092P	2012/jan/02	341.4724
842217	CF#8	092P	2012/jan/02	502.0596
842224	CF#9	092P	2012/jan/02	60.2395
842227	CF#10	092P	2012/jan/02	502.041
842228	CF#11	092P	2012/jan/02	80.3254
847038	LYNX#10	092P	2012/feb/20	60.3628

Above dates are contingent upon acceptance of work credits presented by this report.. Work was completed on mineral claims with a (\*).

The property mineral claims a total area of approximately 8450ha or 84.5 square kilometer. The owner of which is Newmac Resources Inc. subject to a NSR. The operator of the program is Newmac Resources Inc.

## HISTORY AND PREVIOUS WORK

Claims were first staked for molybdenum at the ‘ANTICLIMAX’ prospect in 1938 when mineralization in float containing up to 10% Mo was recognized near Tintlhoten (Tulloon) Lake. Later, trenching and pitting uncovered a small flat lying pod of pegmatitic (?) material which appeared to be the source of the float. About 1958, the property was owned by Mr. G.L. Jim from Little Fort and Mr. K Calder of Vancouver. The property was optioned to the Calder Molybdenum Company during which time some diamond drilling and trenching was done.

The first report on the property was written in 1960 by H.B. Leitch, who made a generalized map of the geology and showings and directed the drilling of 3 diamond drill holes along Moly Creek in the vicinity of the granite argillite contact. Total footage was 407 feet. This core was apparently removed from the property before it could be properly examined and assayed.

In 1961, the property was optioned to Bralorne Pioneer mines for 3 months. They did some limited IP work and trenching. They also drilled three holes for a total of 529 feet. Detailed sampling of the trenches revealed low Mo and WO<sub>3</sub> values. Data for this period is not available.

In 1961 at the request of Mr. G.L. Jim, the property was examined by an independent consultant, Dr. A.P. Fawley. Fawley made no recommendations for future work.

Rio Tinto took an option on the ground in 1965. Rio did the first detailed geological mapping of the area. They also did magnetometer work and soil geochemistry over the entire property, trenching, some IP work and reconnaissance stream geochemistry over the entire general area. The reconnaissance work did not delineate any other areas of interest. Molybdenum values in the trenches were generally 0.03%Mo and lower. The report, did call attention to an apparent zone of radial fractures centered at Rong Lake. Rio dropped the property just before a large option payment was due.

Falconbridge optioned the property in 1966 for a six month period. Areas of known mineralization were remapped and 5 holes totaling 2032 feet were drilled in the vicinity of Rong Lake. No significant mineralization of interest was found. (*From company report, S. H. Pilcher, Tawee Lake property, 1969, Falconbridge Property Files, Ministry of Mines Property File Archives.*)

Falconbridge reexamined the property in 1968 and decided that the property still had untested possibilities and warranted additional work. Their objectives were to drill the known mineralized fracture zone and to drill the contact zone at several locations. Previous mapping by Rio and Falconbridge was field checked and found to be “quite accurate”. Other work completed by Falconbridge in 1969 included the following;

1. Soil geochemistry over the grid area. Approximately 900 samples collected. Samples were analyzed for copper and molybdenum.
2. Stream sediment geochemistry, approximately 300 samples were collected within a radius of about 2 miles. Samples were analyzed for copper and molybdenum and a few for lead and zinc.
3. EM-16 over grid area, 12 line miles.
4. Magnetometer over part of grid area, 10 line miles.
5. Diamond drilling – 9 holes 3233 feet (985.6m) “no significant mineralization was found” and the option was dropped.

In 1980, Amax of Canada Ltd. conducted an exploration program over the Anticlimax prospect (AR 8492). They reviewed and described the geology and conducted soil and stream sediment sampling along traverses approximately 500 m apart. Samples were collected every 100 m from “b” horizon soils. Samples were analyzed for copper, molybdenum, silver, lead and zinc. Some samples were analyzed for tungsten and fluorine. Amax concluded a broad and intense W-Mo soil anomaly overlies the southeast portion of the intrusive stock in the vicinity of Rong Lake.

Several soil samples, taken immediately east of central Tuloon Lake (Tintlhohoten Lake), range in value from 12 to 30 ppm Mo. The anomaly remains unexplained.

There is an unexplained silver-molybdenum anomaly roughly coincident with the intrusive contact area in the north eastern sector of the intrusive stock between Moosehead and Moose Lakes.

Amax also identified two zones of silver-zinc and zinc in areas now excluded from mining exploration within Tawee Park. (AR 8492, S.G. Enns for Amax of Canada Ltd.)

There were no recommendations for further work and Amax dropped their option.

The claims lapsed in 1998 and were acquired by prospectors Lloyd Addie and Robert Bourdon of Nelson BC. Bourdon and Addie initially focused their exploration efforts on the massive sulphide potential, building on data developed by the Geological Survey Branch (Bobrowsky et al; OF-1998-6)

In 2004 new roads were extended into the area of the historical molybdenite showings in preparation for salvage logging areas of blown down timber and infested by pine bark beetle.

Bourdon and Addie, while routinely prospecting the new roads, found significant new high grade mineralization (2.38% Mo) approximately 1000 m from the historical showings and on the eastern flank of the broad moly-tungsten high geochem area in the vicinity of Rong Lake, previously defined and noted by S.G. Enns.

In the summer of 2005, Newmac Resources Inc. concluded an option agreement with Addie and Bourdon and shortly thereafter commenced a program of geochemical sampling and prospecting followed by excavator trenching on some of the geochemical anomalies. Newmac completed their program in early December. At the same time logging operations were commencing over much of the area underlain by prospected granite between “new showings” and the historical showings.

In February 2006, Newmac returned to the property and commenced a drilling program utilizing a newly constructed and recently used logging roads and skid trails. A total of 7486 m (24560 ft) of NQ drilling was completed between February 16 and June 16, 2006 in 33 drill holes. A significant feature of the drilling was that several of the holes drilled through the granite and into a thrust fault bounded volcanic member of the Nicola Group. Newmac initiated regional prospecting and sampling in an attempt to locate the mineralized granite originally underlying the thrust fault.

Newmac started another drill program in June of 2007 and by the end of August 2008, from the drill program had completed a total of 13,331m (43726 ft) of diamond drilling composed of 6916m (22685 ft) of NQ and 6415m (21041 ft) of HQ sized hole. A total of 3295 core and quality control samples had been submitted to Acme Labs in Vancouver for analysis.

The Ace showing was first explored in the 1920's with a short vertical shaft to access the mineralization. Subsequent work was the drilling of three short holes by Peppa Resources Inc. in 1988 (Steiner, 1988) and a ground magnetometer survey by John Jenks in 1997 (Jenks, 1998).

In the course of the 2009 program 118 ha was geologically mapped and 17 rock samples were collected from float and outcrops. 36 soil samples and 34 gravel samples were collected from an area surrounding a small pond. This area was diamond drilled by three holes totaling 610.2 meters of NQ core. No significant mineralization was intersected. The reason for the drill holes was to locate intrusive rocks and geological structures. The program was a partial success. The drill core is covered and stored at the Tuloon Lake Camp located at UTM 5717966 N and 685665E NAD 83 Zone 10U.

In the vicinity of the old Ace showing, 977 soil samples and 12 rock samples were collected from a grid with samples spaced 25 meters apart on east – west lines spaced 50 meters apart north – south. Several anomalous gold soil samples were collected and a multi-element copper, zinc, molybdenum and lead soil anomaly was outlined in the vicinity of Lemieux Creek, southeast of Taweele Lake.


The “Best” showing was explored by Brican Resources Ltd. in the late 1980's. They discovered anomalous gold and arsenic in soil along the oil transmission line which crosscuts the Crazy Fox Property along the Lemieux Creek valley (Gilmour, 1985, Gilmour, 1989).

## SUMMARY OF WORK


A total of 453 soil samples and 9 rock samples were collected along logging roads in the Lemieux Creek valley located in the eastern portion of the Crazy Fox Property during June of 2010.

## REGIONAL GEOLOGY

The Crazy Fox Property is underlain by a sequence of Middle to Late Triassic Nicola Group volcanic sandstone, siltstone and conglomerate etc. overlying mafic volcanic breccias and massive to pillow pyroxene – phryic basalt (Figure 4). The Ace showing area is underlain by the Lemieux succession of siltstone and phyllite of the Nicola Group. These units have been locally hornfels and intruded by a swarm of small dykes and approximately 1.0 kilometer diameter granite and quartz-feldspar porphyry Cretaceous intrusions exposed at various levels of erosion on the property. The granite host for the Crazy Fox Mo – W –F mineralization has been offset and twisted by northeasterly directed compression during mineralization and cooling. The mineralization has been the focus of the 2007-2008 drilling program.



**Figure 4.** Regional Geology Map of the Crazy Fox Property and Index Map; Excerpted from Open File 2002-4, Geology of Nehalliston Plateau by P. Schiarizza, S. Israel, S. Heffernan and J. Zuber

**Figure 4b. Regional Geology legend.**

## LOCAL GEOLOGY

The lowermost Nicola Group volcanics are exposed to the northeast of the mineralized Cretaceous granite and quartz – feldspar porphyry intrusion. These volcanics are overlain by black bedded graphitic argillite which is locally highly deformed with coal and marble (limestone) intervals which is metamorphosed to graphite and locally hornblende rich hornfels next to the granite intrusion. The distance to the intrusion can be estimated by recording the first appearance of various skarn minerals (chlorite [coolest], amphibole, garnet, pyroxene and scapolite [hottest]) in the limestone beds in the sediments. The sediments were intruded by a Cretaceous leucocratic granite which was subsequently intruded by a quartz – feldspar porphyry along its western side.

The leucocratic granite (Alaskite) is composed approximately of equigranular crystals of 40% feldspar, 30% orthoclase, 20% quartz and 10% biotite with accessory minerals apatite? and rutile?

The quartz – feldspar porphyry (QFP) is composed of feldspar, quartz and biotite phenocrysts in an aphanitic matrix of quartz and feldspar.

During cooling and mineralization of the leucocratic granite, deformation occurred which separated the granite body into an upper plate (approximately 700 meters of offset to the northeast) from the lower plate. The lower plate was also deformed by a north trending shear zone , the locus of the quartz – molybdenite mineralization. During thrusting there was a 30 degree rotation of the upper plate anticlockwise, so that an earlier quartz – molybdenite – wolframite stockwork now trends N 30 W while the 1 earlier stockwork in the lower plate was superimposed by additional quartz-molybdenite veins in a north-south orientation. The N 30 W stockwork was the focus of the 2006 drilling program and the

lower plate north-south stockwork was the focus of the 2007 to 2008 drilling program. Using airphotos, the rotation of the upper plate can be observed by looking at the change in orientation of lineaments across the Mile Creek fault from south to north.

Magnetic lows evident in the vicinity of the exposed leucocratic granite intrusive may be the expression of buried granite bodies. This interpretation leads to the conclusion that there may be a cluster of buried intrusions on the Crazy Fox Property. It is a matter of speculation that additional mineralized bodies occur.

An andesitic dyke appears to have intruded erratically along the trace of the thrust fault. This dyke is locally clay altered and hosts local quartz – sphalerite veins where it is freshest. The dyke has fine grained phenocrysts of biotite in a grey matrix of feldspar and quartz? when fresh. The rock is distinctive and appears on surface at the projection of the thrust fault from 14 Mile Creek to the south east of the granitic intrusion.

The geology along the Lemieux Creek valley consists of the Lemieux Creek succession of siltstone, slate, phyllite, sandstone, quartzite, siltite and limestone in fault contact in the east with the older Fennell Formation. There is a sliver of limestone with minor granitic dykes at the fault contact. The fault is a major tectonic fault (Lemieux Creek fault) with minor gold mineralization ie: the “Best” showing. To the west of the sedimentary rocks is a package of Nicola Group volcanic rocks which are slightly younger than the sediments (Schiarizza et al., 2002).

## GEOCHEMICAL PROGRAM RESULTS

A total of 453 soil samples were collected from a sample site every 50 meters along the logging roads in the eastern portion of the Crazy Fox Property. The samples were assayed by Acme Analytical Labs Ltd. of Vancouver, British Columbia. The gold and arsenic soil results are plotted in figures 5 and 6.

The assay method for the analysis is as follows:

At Acme Analytical Labs, soil samples were dried at 60° C prior to sample preparation, they were then sieved to –80 mesh. A sample split of 15 gm was digested for one hour using a modified Aqua Regia solution of equal parts of concentrated HCl, HNO<sub>3</sub> and DI H<sub>2</sub>O. The sample is made up to volume with dilute HCl. The sample solution is analyzed for 37 elements by ICP – mass spectrometry techniques.

Full assay results appear in the appendix 2.

The gold and arsenic soil data was plotted on a topographic and geology base and contoured using the mean plus two standard deviations as a threshold to separate background values and anomalous values (Figures 5 to 6). The following cut-off values were used:

Gold                    40.6 ppb (after the outlier of 1090 ppb Au is omitted from the dataset)

Arsenic                77.3 ppm

Analysis of sample duplicates and internal standards by Acme Analytical Labs Ltd. returned assay results which were acceptable in quality.

Both soil sampled the B horizon soil layer at 10 to 40 centimeters depth along the logging road cuts.

There are spot high anomalous soil samples concentrated mostly in the southern part of the surveyed area. These need further investigation to determine the cause of the anomalous soil. There are several near anomalous and one anomalous sample on strike of the major tectonic structure (the Lemieux Creek fault) in the eastern portion of the surveyed area – this may warrant further exploration.

## MINERALIZATION

The rock sample (RLH -5) of weakly metamorphosed limy greywacke with minor pyrite in quartz – carbonate veins returned 181.3 ppb gold and 1372 ppm arsenic. This sample was collected close to the trend of the Lemieux Creek fault in the eastern portion of the surveyed area.

## INTERPRETATION and CONCLUSIONS

The spot high anomalous gold and arsenic soil samples along the Lemieux Creek valley should be followed up with prospecting and soil sampling along strike of the anomalies to determine the extent of the anomalous soil.

Trenching and drilling is warranted to expose and test the gold anomaly along the Lemieux Creek fault.

## REFERENCES

- Charteris, S.N. (1967) Report on the Drilling of the Taweele Molybdenum Option, Falconbridge Property Files, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC
- Dumont, R., Potvin, J., Carson, J.M., Harvey, B.J.A., Coyle, M., Shives, R.B.K., and Ford, K.L., 2007. Geophysical Series, Clearwater 92 P/9, British Columbia, Bonaparte Lake East Geophysical Survey; Geological Survey of Canada, Open File 5490; Geoscience BC Map 2007-3-4; Scale 1:50,000.
- Enns, S.G. (1980) Geochemical and Geological assessment Report, for AMAX of Canada Ltd. AR8492. BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC.
- Gilmour, W.R., 1985. Geochemical and Geological Assessment Report on the Best Property, Assessment Report 13,312, 20p
- Gilmour, W.R., 1989. Geochemical Assessment Report on the Best Property (Best 4 claim), Assessment Report 18,480, 15p
- Hill, Wm. J. (1972) Tuloon Property....A Geophysical Report, for Imperial Oil Limited, AR 4137. BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC
- Howell, W.A. (2007) Property Report for Newmac Resources Inc. AR 28838, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC, 302p.
- Jenks, J. 1998. Assessment Report, Magnetometer Survey, Grid Emplacement, Lem 1-3 Mineral Claims, AR 25582, 22p.
- Kirkham, R.V. and Sinclair, W.D.(1988) Comb quartz layers in felsic intrusions and their relationships to porphyry deposits. Recent Advances in Geology of Granite Related Mineral Deposits. CIMM Special Volume.
- Pilcher, S.H. (1970) Report on the Taweele Laske Property 1969. Falconbridge Property Files, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC.
- Schiarizza, P., Israel, S., Heffernan, S., and Zuber, J., 2002. Geology of Nehalliston Plateau, Open File 2002-4, map, Scale 1:50,000.
- Seedorff, E. and Einaudi, M.T. (2004) Henderson Porphyry Molybdenum System, Colorado: II. Decoupling of Introduction and Deposition of Metals during Geochemical Evolution of Hydrothermal Fluids. Economic Geology, Vol 99, pp 39-72.
- Sinclair, W.D. (2001 ?) Porphyry Deposits. Geological Survey of Canada.  
[http://gsc.nrcan.gc.ca/mindep/sunth\\_dep/porph/pdf/deposit.synthesis.porphyry.sinclair.pdf](http://gsc.nrcan.gc.ca/mindep/sunth_dep/porph/pdf/deposit.synthesis.porphyry.sinclair.pdf)

Sinclair, W.D. (1995) Porphyry Mo, (Climax Type), in Selected British Columbia Mineral Deposit Profiles, Volume 1 – Metallics and Coal, Lefebure, D.V. and Ray, G.E., Editors, British Columbia Ministry of Energy, Employment and Investment, Open File 1995-20, pp 105-108.

Sinclair, W.D. (1995) Porphyry W, in Selected British Columbia Mineral Deposit profiles, Volume 1 – Metallics and Coal, Lefebure, D.V. and Ray, G.E., Editors, British Columbia Ministry of Energy and Investment, Open File 1995-20, pp 101-104.

Stein, H. and Hannah, J. (2006) Compilation of Whole Rock Major and Trace element Data for Urad-Henderson Intrusions and Silver Plume Granite.

<http://arie.warnercnr.colostste.edu/documents/Major-TraceElementData.pdf>

Steiner, R., 1988. Diamond Drilling Report, Hit and Mark Claims, Kamloops Mining Division; AR 18219, 17p.

*Programs, software & digital data sources used in the preparation of this report include: MS Word, MS Excel, Garmin Map Source, MS Windows Vista. Corel Draw, Adobe Acrobat*

**STATEMENT OF QUALIFICATIONS**

**David J. Bridge, P.Geo.**

I, David J. Bridge, hereby certify that:

I am an geologist residing at 601-31 Elliot Street, New Westminster, BC, Canada.

I am a graduate of the University of British Columbia with a bachelor of applied science degree in geological engineering (1990) and a master of applied science degree in geological engineering (1994).

I am registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia. (APEGBC number 24944)

Dated at New Westminster, BC April 10, 2011

Respectfully submitted,

*“David Bridge”*

David J. Bridge, P.Geo., MSc.

**STATEMENT OF COSTS June 13 to June 28, 2010**

June Program

Geotronics Consulting Inc.		\$5,000.00
Assays	453 soil samples and 9 rock samples	\$9,836.10
Report		\$2,542.59
	Total	\$17,378.69

**APPENDIX 1**

**ROCK SAMPLE DESCRIPTIONS**

**SAMPLE DESCRIPTIONS OF SAMPLES FROM THE CRAZY FOX PROPERTY 2010**

Sample Number	Location (NAD 83, Zone 10)	Description	Important Assay Results
RLA-1	5714410N 692295E	Dull grey greywacke with 1% calcite? Veins	2.6 ppm As, <0.5 ppb Au
RLA-2	5714420N 692273E	Rusty – grey greywacke with 5% deformed quartz – carbonate veins upto 5 mm thick	9.7 ppm As, <0.5 ppb Au
RLH-1	5715021N 692523E	Dark black argillite	15.0 ppm As, 0.7 ppb Au
RLH-2	5715046N 692510E	Weakly oxidized schistose rock – possibly greywacke ??	24.7 ppm As, 10.3 ppb Au
RLH-3	5715451N 692388E	Dark grey marble with white marble	6.7 ppm As, <0.5 ppb Au
RLH-4	5715511N 692339E	Boulder sample – slate with 50% quartz veins	5.8 ppm As, <0.5 ppb Au
RLH-5	5715512N 692350E	Metamorphosed – grey – red/ rusty orange greywacke with trace pyrite in 10-15% milky white quartz – carbonate veins	1372 ppm As, 181.3 ppb Au
RLJ-1	5716729N 690738E	Dark grey foliated slate	3.9 ppm As, 1.8 ppb Au
RLJ-2	5717595N 690191E	Metamorphosed greywacke with metamorphic quartz veins with trace pyrite	1.2 ppm As, 0.5 ppb Au

**APPENDIX 2**

**ASSAY CERTIFICATES**



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Newmac Resources Inc.**

2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Submitted By: David Hjerpe  
Receiving Lab: Canada-Vancouver  
Received: June 18, 2010  
Report Date: June 28, 2010  
Page: 1 of 10

## CERTIFICATE OF ANALYSIS

VAN10002787.1

### CLIENT JOB INFORMATION

Project: Crazy Fox  
Shipment ID:  
P.O. Number  
Number of Samples: 257

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	257	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	257	Dry at 60C			VAN
IDX2	257	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Newmac Resources Inc.  
2605 Jane Street  
Port Moody BC V3H 2K6  
Canada

CC: David Schmidt  
David Bridge  
Bill Howell



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 2 of 10 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LH-1	Soil	2.1	41.9	9.5	145	0.3	54.5	22.3	656	3.97	52.3	0.6	5.9	2.8	17	1.0	1.8	0.2	90	0.49
LH-2	Soil	1.0	17.1	6.9	114	0.2	45.0	15.8	787	2.95	35.8	0.4	1.1	1.9	19	0.8	0.7	0.1	65	0.44
LH-3	Soil	2.6	84.6	7.1	87	0.3	70.9	26.1	649	4.92	104.3	0.5	108.6	2.0	22	0.5	2.8	<0.1	119	0.59
LH-4	Soil	1.7	56.9	6.4	102	0.2	74.8	27.3	616	5.33	81.0	0.4	6.6	2.0	18	0.6	2.9	0.1	123	0.52
LH-5	Soil	3.1	147.0	6.5	93	0.7	107.7	42.9	966	7.41	210.0	0.5	35.4	2.1	43	1.1	4.6	<0.1	148	3.57
LH-6	Soil	7.7	115.1	5.6	268	0.8	145.6	51.1	1150	10.36	289.4	1.1	37.5	1.2	65	4.0	11.8	<0.1	138	6.54
LH-7	Soil	11.9	79.9	6.0	232	0.4	111.7	31.4	931	8.40	182.2	1.1	36.7	1.1	27	3.8	14.6	<0.1	131	1.04
LH-8	Soil	1.2	72.8	9.4	56	0.2	71.0	24.7	523	4.37	113.7	0.3	8.4	2.7	29	0.3	1.7	<0.1	99	4.17
LH-9	Soil	2.6	81.6	7.0	78	0.2	74.3	27.4	586	5.16	54.2	0.6	14.3	3.3	22	0.3	2.2	0.1	120	0.60
LH-10	Soil	3.0	50.6	8.3	73	0.2	50.4	18.2	481	3.81	33.3	0.5	9.9	3.6	25	0.5	2.3	0.2	79	0.77
LH-11	Soil	3.3	75.8	13.6	195	0.5	75.1	21.0	584	4.52	42.3	0.6	9.8	4.1	29	1.9	2.4	0.5	91	0.83
LH-12	Soil	4.1	50.5	13.8	114	0.4	49.7	15.2	412	3.92	29.6	0.6	4.3	4.0	17	0.6	3.2	0.2	80	0.37
LH-13	Soil	1.8	51.7	6.1	93	0.2	60.4	21.4	422	4.20	48.6	0.8	9.9	2.5	23	0.5	1.7	0.1	115	0.64
LH-14	Soil	2.5	30.1	5.8	162	0.2	74.3	24.4	655	5.26	24.0	0.9	6.6	1.7	19	1.4	1.2	0.1	95	0.62
LH-15	Soil	3.1	48.3	11.0	92	0.4	54.7	16.5	432	4.14	65.1	0.6	10.2	3.2	27	0.6	2.6	0.2	101	0.63
LH-16	Soil	0.7	7.9	6.6	164	0.3	31.5	12.0	547	2.06	20.0	0.3	1.5	1.3	18	0.8	0.4	0.1	56	0.41
LH-17	Soil	2.0	21.2	7.0	114	0.2	43.3	14.7	337	3.12	26.7	0.3	2.8	1.7	18	0.8	1.4	0.1	80	0.52
LH-18	Soil	0.4	48.0	1.3	45	0.2	15.2	3.4	413	0.39	13.3	0.4	5.7	<0.1	109	3.7	0.9	<0.1	6	26.05
LH-19	Soil	5.4	50.3	15.5	150	0.3	49.1	11.7	324	3.11	42.7	0.6	4.1	4.1	24	0.9	4.3	0.3	65	0.43
LH-20	Soil	12.7	145.8	29.2	237	2.2	84.9	18.8	669	5.27	145.5	1.8	20.8	7.0	64	3.3	11.5	0.7	104	0.74
LH-21	Soil	0.8	36.0	8.5	89	0.3	85.7	28.0	688	3.51	137.2	0.6	8.0	3.2	24	0.5	0.9	0.2	76	0.67
LH-22	Soil	0.8	12.1	6.0	104	<0.1	40.9	15.6	1295	2.61	24.4	0.2	4.7	0.9	20	1.2	0.7	0.1	64	0.58
LH-23	Soil	2.6	40.6	8.9	132	0.6	50.3	14.1	305	3.11	16.8	0.8	8.6	2.9	27	1.6	1.9	0.1	78	0.67
LH-24	Soil	1.2	16.7	7.4	157	0.3	41.9	12.8	248	2.73	10.6	0.4	2.8	2.1	17	1.1	1.0	<0.1	62	0.46
LH-25	Soil	1.2	9.2	8.6	243	0.5	34.8	8.9	350	1.90	14.9	0.7	<0.5	2.3	18	2.5	0.5	0.1	40	0.25
LH-26	Soil	1.1	15.5	14.7	268	0.2	49.6	11.4	467	2.64	11.0	0.5	1.3	3.0	22	2.3	0.9	0.1	64	0.53
LH-27	Soil	3.6	39.3	15.7	135	1.1	50.3	15.7	378	3.38	21.6	0.7	5.8	4.2	37	2.3	2.4	0.2	74	1.10
LH-28	Soil	4.2	52.0	13.3	141	0.8	58.9	15.4	287	3.47	29.4	1.2	5.9	3.9	29	1.3	2.9	0.2	84	0.68
LH-29	Soil	3.7	60.2	12.5	169	1.9	59.5	17.3	358	3.27	26.5	0.8	7.9	3.0	50	2.4	2.5	0.1	80	1.35
LH-30	Soil	2.2	58.4	5.7	46	4.4	27.0	6.4	196	1.14	20.3	1.0	4.1	0.2	260	4.2	2.9	<0.1	37	19.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 2 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LH-1	Soil	11	70	0.94	114	0.166	1	2.69	0.015	0.09	0.1	0.05	6.7	0.1	<0.05	7	0.9	<0.2	
LH-2	Soil	6	44	0.59	123	0.130	2	2.26	0.015	0.07	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2	
LH-3	Soil	9	89	1.41	43	0.196	1	2.19	0.011	0.06	0.2	0.05	10.9	<0.1	<0.05	7	1.0	<0.2	
LH-4	Soil	8	97	1.21	65	0.188	2	2.44	0.012	0.09	0.2	0.02	9.6	<0.1	<0.05	8	0.6	<0.2	
LH-5	Soil	10	113	1.68	41	0.156	2	2.40	0.011	0.08	0.2	0.13	14.3	0.2	<0.05	8	1.0	<0.2	
LH-6	Soil	9	121	1.34	90	0.074	2	2.40	0.012	0.08	0.1	0.12	13.8	0.2	0.11	8	2.9	<0.2	
LH-7	Soil	9	118	0.93	135	0.027	4	2.20	0.008	0.16	<0.1	0.07	12.4	0.3	<0.05	7	2.4	<0.2	
LH-8	Soil	9	83	1.14	73	0.226	4	2.38	0.014	0.09	0.2	0.03	12.6	<0.1	<0.05	7	<0.5	<0.2	
LH-9	Soil	11	100	1.41	45	0.195	1	2.45	0.016	0.12	0.2	0.04	13.0	<0.1	<0.05	7	0.6	<0.2	
LH-10	Soil	14	60	0.99	34	0.153	1	1.61	0.016	0.05	0.3	0.04	6.3	<0.1	<0.05	5	0.8	<0.2	
LH-11	Soil	17	68	0.87	69	0.150	2	2.48	0.016	0.12	0.2	0.04	9.6	0.2	<0.05	7	1.3	<0.2	
LH-12	Soil	14	51	0.83	43	0.116	1	1.76	0.008	0.09	0.1	0.02	4.7	0.2	<0.05	5	1.3	<0.2	
LH-13	Soil	11	82	1.07	61	0.231	2	2.22	0.011	0.07	0.2	0.03	10.4	<0.1	<0.05	7	0.5	<0.2	
LH-14	Soil	6	82	0.71	97	0.188	3	1.97	0.010	0.08	0.1	0.02	5.0	<0.1	<0.05	6	0.7	<0.2	
LH-15	Soil	12	69	1.04	46	0.188	<1	2.03	0.016	0.07	0.2	0.04	7.6	0.1	<0.05	6	1.2	<0.2	
LH-16	Soil	5	32	0.42	90	0.115	3	1.71	0.016	0.07	<0.1	0.03	2.1	<0.1	<0.05	7	<0.5	<0.2	
LH-17	Soil	7	53	0.80	53	0.137	1	1.92	0.011	0.08	0.2	0.03	3.4	<0.1	<0.05	6	0.7	<0.2	
LH-18	Soil	2	12	0.13	36	0.008	6	0.39	0.010	0.01	<0.1	0.05	0.4	<0.1	0.08	<1	1.0	<0.2	
LH-19	Soil	14	39	0.65	62	0.067	<1	1.50	0.010	0.10	0.2	0.02	3.9	0.3	<0.05	5	2.2	<0.2	
LH-20	Soil	39	53	0.94	118	0.050	1	2.03	0.030	0.11	0.2	0.20	11.7	0.6	<0.05	6	3.7	<0.2	
LH-21	Soil	6	48	0.78	55	0.228	5	5.75	0.025	0.09	0.3	0.06	5.2	<0.1	<0.05	11	<0.5	<0.2	
LH-22	Soil	4	44	0.63	112	0.148	3	1.82	0.011	0.11	0.1	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2	
LH-23	Soil	13	57	0.82	36	0.125	2	1.74	0.017	0.08	0.2	0.03	5.7	<0.1	<0.05	5	1.0	<0.2	
LH-24	Soil	6	47	0.73	72	0.130	2	1.92	0.013	0.08	<0.1	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2	
LH-25	Soil	6	24	0.29	129	0.092	2	2.41	0.015	0.09	0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2	
LH-26	Soil	12	48	0.45	119	0.099	3	1.94	0.017	0.09	0.1	0.02	3.6	0.2	<0.05	5	<0.5	<0.2	
LH-27	Soil	19	52	0.69	91	0.097	2	1.84	0.013	0.07	0.2	0.06	5.6	0.2	<0.05	5	1.7	<0.2	
LH-28	Soil	19	59	0.76	65	0.105	2	1.93	0.013	0.10	0.1	0.05	7.3	0.2	<0.05	5	2.2	<0.2	
LH-29	Soil	13	54	0.77	77	0.114	3	1.70	0.012	0.10	0.2	0.10	5.8	0.2	<0.05	5	2.5	<0.2	
LH-30	Soil	4	24	0.33	55	0.030	3	0.53	0.012	0.05	0.1	0.16	1.0	0.1	<0.05	1	2.6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 3 of 10 Part

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LH-31	Soil	3.0	30.8	11.2	150	0.7	49.6	13.7	323	3.00	21.6	0.9	4.7	3.3	23	1.5	1.9	0.2	70	0.63 0.194
LH-32	Soil	4.5	40.2	11.8	133	0.4	56.5	14.7	513	2.85	31.0	1.2	3.4	3.0	193	3.9	2.9	0.1	67	10.05 0.141
LH-33	Soil	3.4	29.6	12.0	172	0.5	46.2	13.7	410	2.87	21.8	0.7	5.3	3.3	22	1.6	2.1	0.2	70	0.57 0.189
LH-34	Soil	2.4	21.3	11.1	186	0.4	33.7	11.7	639	2.23	13.3	0.5	3.1	2.3	25	1.6	1.4	0.1	54	0.73 0.149
LH-35	Soil	1.2	118.0	7.0	154	1.2	34.9	8.0	379	1.45	17.0	0.5	1.9	1.0	89	2.9	1.0	0.1	41	3.01 0.102
LH-36	Soil	6.7	49.4	14.1	208	2.0	61.5	15.3	343	3.66	38.8	1.3	6.7	4.8	46	2.0	3.7	0.2	90	1.17 0.078
LH-37	Soil	7.6	60.5	19.6	259	2.4	74.0	16.9	432	3.30	46.8	1.1	5.9	4.3	42	3.3	4.8	0.2	95	1.10 0.179
LH-38	Soil	5.7	57.6	19.2	179	0.9	65.9	18.4	333	3.71	33.2	1.1	5.7	4.7	31	1.6	3.8	0.2	89	0.75 0.097
LH-39	Soil	2.4	16.9	9.8	187	0.7	78.7	14.8	1566	2.79	46.0	1.1	1.5	2.0	62	2.1	1.1	0.1	47	3.29 0.074
LH-40	Soil	6.8	47.2	16.1	134	0.7	55.5	15.2	467	2.67	46.6	1.6	5.2	2.9	281	3.8	4.1	0.2	72	10.74 0.219
LH-41	Soil	2.4	13.4	11.7	172	0.4	36.2	9.7	314	2.15	13.3	0.5	2.5	2.1	40	1.0	1.3	0.1	53	1.22 0.083
LH-42	Soil	3.1	11.2	8.8	164	0.2	30.8	8.8	374	1.94	12.4	0.5	1.8	1.8	19	0.6	1.3	0.1	58	0.32 0.164
LA-1	Soil	0.6	7.7	6.6	120	0.1	22.1	9.2	332	1.66	15.0	0.3	0.5	1.6	12	0.6	0.6	0.1	50	0.21 0.048
LA-2	Soil	0.8	8.7	11.9	132	0.3	25.3	10.9	194	2.24	27.3	0.3	2.8	2.2	14	0.5	1.0	0.2	52	0.23 0.117
LA-3	Soil	2.6	35.8	16.3	148	0.3	42.8	13.6	499	3.24	24.6	0.6	1.8	3.6	26	1.1	2.3	0.2	56	0.44 0.125
LA-4	Soil	1.1	14.3	14.0	146	0.3	26.8	10.7	955	2.24	19.4	0.4	4.1	1.8	19	0.9	0.9	0.2	49	0.27 0.151
LA-5	Soil	1.2	10.5	8.7	108	0.2	19.9	8.2	202	1.93	13.1	0.3	13.7	2.1	12	0.5	0.8	0.2	48	0.20 0.052
LA-6	Soil	0.8	7.8	11.2	133	0.3	22.9	7.8	515	1.86	23.4	0.4	<0.5	2.0	21	0.8	0.3	0.2	38	0.27 0.214
LA-7	Soil	0.6	7.8	8.9	162	0.3	22.9	7.2	343	1.70	19.4	0.3	0.7	2.0	15	0.6	0.4	0.2	38	0.16 0.262
LA-8	Soil	2.6	35.6	16.1	164	0.4	46.5	14.7	536	3.29	24.6	0.7	4.3	3.8	27	1.0	2.1	0.3	65	0.41 0.165
LA-9	Soil	0.7	10.0	9.7	186	0.2	27.0	9.6	408	2.00	18.0	0.3	<0.5	2.2	17	0.7	0.5	0.2	38	0.20 0.367
LA-10	Soil	3.8	27.7	15.9	189	0.3	53.7	14.1	402	3.19	54.1	0.6	124.2	3.7	28	0.8	3.4	0.3	70	0.31 0.098
LA-11	Soil	1.0	9.6	14.3	146	0.3	14.5	7.9	1694	1.59	15.3	0.3	1.9	0.7	31	1.7	1.2	0.2	42	0.42 0.137
LA-12	Soil	4.1	59.5	17.9	161	0.2	60.8	16.8	258	3.59	41.8	0.6	3.6	3.4	24	0.6	4.8	0.3	75	0.33 0.069
LA-13	Soil	1.7	22.2	32.2	182	0.5	40.3	13.9	461	3.13	21.3	0.6	4.6	3.5	18	0.7	1.8	0.3	62	0.30 0.177
LA-14	Soil	1.9	21.3	14.4	188	0.4	35.1	13.1	619	2.75	19.2	0.5	1.2	2.7	23	1.1	1.4	0.2	57	0.34 0.165
LA-15	Soil	1.0	11.0	13.8	116	0.3	17.1	7.7	1326	1.76	10.6	0.3	1.2	1.1	30	1.3	0.5	0.2	43	0.44 0.171
LJ-1	Soil	1.8	48.5	19.6	106	0.3	43.1	15.1	431	3.92	26.8	0.6	1.8	5.0	27	0.6	2.6	0.3	44	0.42 0.074
LJ-2	Soil	1.8	41.5	19.5	97	0.2	40.1	16.0	564	3.64	16.4	0.6	7.3	4.7	21	0.5	2.3	0.3	39	0.32 0.080
LJ-3	Soil	0.8	11.3	10.4	85	0.2	19.7	12.1	485	1.91	7.6	0.7	166.3	1.4	19	0.4	0.6	0.2	42	0.23 0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 3 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LH-31	Soil	13	49	0.66	123	0.104	1	2.07	0.012	0.08	0.2	0.03	4.8	0.2	<0.05	5	1.3	<0.2	
LH-32	Soil	10	47	0.86	60	0.114	<1	1.30	0.023	0.06	0.2	0.05	4.2	0.2	<0.05	4	1.5	<0.2	
LH-33	Soil	13	47	0.68	108	0.108	2	1.82	0.013	0.11	<0.1	0.06	4.0	0.2	<0.05	5	1.2	<0.2	
LH-34	Soil	11	37	0.51	127	0.091	2	1.43	0.014	0.09	<0.1	0.05	2.9	0.1	<0.05	5	1.0	<0.2	
LH-35	Soil	10	20	0.14	117	0.058	8	1.31	0.018	0.04	<0.1	0.07	2.3	<0.1	<0.05	3	2.2	<0.2	
LH-36	Soil	21	53	0.63	120	0.084	2	1.70	0.013	0.08	0.2	0.15	7.3	0.3	<0.05	5	3.1	<0.2	
LH-37	Soil	18	58	0.72	114	0.104	2	1.74	0.017	0.13	0.2	0.13	6.1	0.3	<0.05	5	3.9	<0.2	
LH-38	Soil	21	65	0.75	111	0.118	3	2.08	0.012	0.14	0.1	0.06	7.2	0.2	<0.05	5	2.5	<0.2	
LH-39	Soil	10	28	0.31	172	0.097	4	2.27	0.029	0.11	0.1	0.08	3.6	0.4	<0.05	5	2.1	<0.2	
LH-40	Soil	12	42	0.78	68	0.087	2	1.17	0.014	0.09	0.2	0.06	4.1	0.3	<0.05	4	2.7	<0.2	
LH-41	Soil	10	32	0.40	104	0.098	3	1.71	0.014	0.12	<0.1	0.03	2.6	0.2	<0.05	5	0.8	<0.2	
LH-42	Soil	9	31	0.38	142	0.080	2	1.50	0.014	0.08	<0.1	0.02	2.4	0.1	<0.05	5	1.2	<0.2	
LA-1	Soil	7	21	0.29	81	0.088	1	1.08	0.015	0.05	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2	
LA-2	Soil	10	33	0.39	127	0.050	<1	1.66	0.011	0.04	0.1	0.04	1.5	0.1	<0.05	6	<0.5	<0.2	
LA-3	Soil	16	37	0.60	84	0.076	2	1.73	0.012	0.09	0.1	0.01	3.0	0.1	<0.05	5	1.2	<0.2	
LA-4	Soil	10	26	0.32	129	0.079	2	1.74	0.019	0.07	0.1	0.03	1.5	0.1	<0.05	6	0.5	<0.2	
LA-5	Soil	11	23	0.31	84	0.057	<1	1.40	0.016	0.05	<0.1	0.02	1.4	0.1	<0.05	5	<0.5	<0.2	
LA-6	Soil	6	18	0.19	122	0.099	2	2.17	0.019	0.05	<0.1	0.03	1.3	0.1	<0.05	8	0.7	<0.2	
LA-7	Soil	6	19	0.18	149	0.083	<1	1.81	0.016	0.08	0.1	0.03	1.3	<0.1	<0.05	6	<0.5	<0.2	
LA-8	Soil	15	45	0.69	104	0.093	2	2.03	0.013	0.12	0.1	0.03	3.3	0.2	<0.05	5	0.6	<0.2	
LA-9	Soil	6	23	0.25	148	0.093	2	2.24	0.021	0.06	0.1	0.03	1.6	0.1	<0.05	6	<0.5	<0.2	
LA-10	Soil	14	37	0.68	117	0.081	2	2.36	0.016	0.10	0.1	0.01	3.3	0.3	<0.05	7	0.6	<0.2	
LA-11	Soil	6	17	0.18	172	0.077	2	1.19	0.017	0.06	<0.1	0.05	1.1	0.1	<0.05	5	<0.5	<0.2	
LA-12	Soil	20	46	0.79	79	0.058	1	1.81	0.010	0.09	0.1	0.01	4.5	0.3	<0.05	5	1.3	<0.2	
LA-13	Soil	13	42	0.59	122	0.121	2	2.66	0.015	0.08	0.2	0.04	2.8	0.1	<0.05	7	<0.5	<0.2	
LA-14	Soil	12	35	0.53	140	0.093	2	2.02	0.021	0.10	0.1	0.04	2.3	0.2	<0.05	6	1.2	<0.2	
LA-15	Soil	6	18	0.21	164	0.088	3	1.31	0.014	0.06	<0.1	0.05	1.2	<0.1	<0.05	5	0.7	<0.2	
LJ-1	Soil	15	35	0.53	57	0.052	2	1.37	0.012	0.09	0.2	0.04	6.0	<0.1	<0.05	4	<0.5	<0.2	
LJ-2	Soil	17	30	0.59	38	0.053	<1	1.27	0.009	0.07	<0.1	0.03	4.7	<0.1	<0.05	4	1.0	<0.2	
LJ-3	Soil	6	22	0.26	54	0.072	2	1.17	0.012	0.05	<0.1	0.01	1.5	<0.1	<0.05	4	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 10 Part

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LJ-4	Soil	1.6	33.2	11.9	86	<0.1	39.4	13.2	221	3.56	16.0	0.4	<0.5	3.9	12	0.3	1.9	0.2	46	0.24
LJ-5	Soil	1.3	23.6	12.8	78	0.1	31.1	11.5	241	2.91	15.4	0.5	4.9	3.9	15	0.3	1.7	0.2	48	0.29
LJ-6	Soil	1.1	27.2	15.1	121	0.4	35.0	11.1	544	2.66	11.6	0.9	1.8	3.3	27	0.8	1.3	0.2	40	0.44
LJ-7	Soil	1.3	16.3	12.8	105	0.2	23.4	9.6	641	2.34	15.0	0.4	1.4	2.0	30	0.7	1.2	0.2	40	0.55
LJ-8	Soil	1.8	48.6	11.6	95	<0.1	44.2	13.7	235	3.28	62.2	0.4	7.4	4.4	15	0.4	1.9	0.2	48	0.30
LJ-9	Soil	1.3	42.6	15.5	112	0.4	45.2	12.9	270	4.12	9.2	0.5	2.6	6.5	19	0.5	1.9	0.3	32	0.21
LJ-10	Soil	1.3	21.8	11.2	148	0.5	39.0	13.7	386	2.99	15.8	0.6	18.4	3.0	20	0.8	1.2	0.2	55	0.38
LJ-11	Soil	2.8	39.2	14.1	125	0.4	50.0	15.8	501	3.19	15.6	0.5	1.9	4.0	29	1.1	2.5	0.2	54	0.59
LJ-12	Soil	1.7	30.8	11.0	108	0.3	38.6	15.0	471	3.02	24.6	0.6	3.3	3.0	19	0.5	1.5	0.2	63	0.41
LJ-13	Soil	2.3	33.6	11.9	122	0.2	42.4	15.5	523	3.12	24.3	0.7	1.7	2.9	23	0.8	1.7	0.3	64	0.54
LJ-14	Soil	1.3	31.7	12.5	107	0.3	37.5	13.3	576	2.47	16.0	0.7	1.4	2.4	33	0.9	1.5	0.2	59	0.77
LJ-15	Soil	1.2	18.0	12.0	98	0.2	24.7	9.6	638	2.08	14.7	0.4	2.0	1.8	41	1.7	0.9	0.2	45	0.76
LJ-16	Soil	1.4	22.6	11.4	159	0.5	29.5	12.6	918	2.61	19.0	0.4	3.8	2.7	21	1.6	1.2	0.2	57	0.38
LJ-17	Soil	1.3	30.4	11.0	127	0.2	37.0	13.9	653	2.72	19.8	0.4	0.6	1.8	28	1.7	1.2	0.2	73	0.52
LJ-18	Soil	1.7	20.2	9.3	138	0.3	34.5	12.9	235	3.15	19.4	0.5	19.0	2.7	13	0.7	1.3	0.2	71	0.27
LJ-19	Soil	2.7	40.9	9.5	94	0.2	47.9	16.8	332	3.11	29.8	0.6	3.5	3.1	16	0.6	2.1	0.2	71	0.39
LJ-20	Soil	1.8	20.2	10.1	100	0.2	36.5	12.1	261	3.25	17.7	0.4	7.9	3.2	15	0.6	1.6	0.2	69	0.33
LJ-21	Soil	2.3	49.7	12.6	87	0.4	43.4	14.9	494	3.07	25.8	0.8	20.2	4.8	30	0.9	2.4	0.2	59	0.60
LJ-22	Soil	1.8	33.6	7.0	68	0.5	35.3	11.5	238	2.49	15.7	0.5	19.9	3.5	17	0.5	1.7	0.1	55	0.41
LJ-23	Soil	2.1	39.2	11.4	87	0.3	43.1	13.7	412	3.02	20.0	0.7	7.3	4.6	28	0.9	2.1	0.2	67	0.57
LJ-24	Soil	2.7	42.3	13.8	112	0.3	47.7	16.3	506	3.44	20.6	0.8	5.0	6.0	31	1.1	1.7	0.3	73	0.63
LJ-25	Soil	1.8	29.4	9.8	137	0.3	41.7	15.9	414	3.27	18.7	0.8	1.2	3.6	20	1.0	1.7	0.2	76	0.43
LJ-26	Soil	2.0	32.7	15.2	92	0.3	45.0	18.4	471	3.17	28.3	1.1	3.2	4.0	52	1.7	1.8	0.2	78	1.12
LJ-27	Soil	1.8	35.1	12.4	120	0.3	39.1	15.2	631	2.89	15.9	0.6	2.5	3.9	28	1.2	1.4	0.2	70	0.54
LJ-28	Soil	1.7	59.6	13.7	96	0.3	44.6	18.9	644	3.04	24.9	0.5	2.8	3.0	48	1.0	2.1	0.2	78	0.93
LJ-29	Soil	2.4	85.1	14.5	102	0.5	63.9	22.1	760	3.68	56.4	0.5	5.3	2.9	43	1.4	5.3	0.2	102	0.93
LJ-30	Soil	3.3	82.2	17.9	135	0.4	54.0	22.4	680	4.04	43.2	0.8	4.7	4.3	36	1.5	3.4	0.3	104	0.64
LJ-31	Soil	1.8	39.2	10.5	101	0.5	36.0	11.6	412	2.73	19.2	0.6	3.4	3.3	26	1.3	1.9	0.2	64	0.53
LJ-32	Soil	2.6	52.3	15.6	126	0.5	48.3	16.4	592	3.39	24.7	0.8	3.7	5.4	50	1.7	2.9	0.2	72	1.24
LJ-33	Soil	3.2	57.9	16.0	148	0.5	57.7	17.9	516	3.52	18.1	1.0	4.4	6.3	54	2.0	3.3	0.3	89	1.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 4 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LJ-4	Soil	15	34	0.68	51	0.066	<1	1.56	0.010	0.04	0.1	<0.01	2.5	<0.1	<0.05	4	0.7	<0.2	
LJ-5	Soil	17	35	0.58	59	0.060	<1	1.55	0.007	0.06	0.2	0.01	2.3	<0.1	<0.05	4	0.6	<0.2	
LJ-6	Soil	13	27	0.45	98	0.069	2	1.87	0.013	0.08	<0.1	0.03	3.2	<0.1	<0.05	4	0.6	<0.2	
LJ-7	Soil	11	25	0.36	100	0.060	2	1.43	0.011	0.06	0.1	0.05	1.6	<0.1	<0.05	4	0.7	<0.2	
LJ-8	Soil	14	37	0.68	70	0.071	2	1.48	0.009	0.05	0.2	<0.01	3.0	<0.1	<0.05	4	0.8	<0.2	
LJ-9	Soil	26	33	0.72	56	0.016	2	1.98	0.008	0.10	<0.1	0.06	3.7	<0.1	<0.05	5	<0.5	<0.2	
LJ-10	Soil	12	38	0.45	106	0.093	2	2.38	0.013	0.07	0.2	0.04	2.8	<0.1	<0.05	6	0.9	<0.2	
LJ-11	Soil	17	47	0.66	99	0.093	2	1.61	0.013	0.08	0.2	0.04	4.5	0.1	<0.05	4	1.5	<0.2	
LJ-12	Soil	11	42	0.58	88	0.108	1	2.04	0.011	0.08	0.3	0.02	3.0	0.1	<0.05	5	1.0	<0.2	
LJ-13	Soil	12	45	0.71	95	0.105	2	1.94	0.012	0.09	0.3	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2	
LJ-14	Soil	11	39	0.60	88	0.104	2	1.63	0.015	0.07	0.2	0.04	3.2	<0.1	<0.05	4	1.0	<0.2	
LJ-15	Soil	8	31	0.40	132	0.103	4	1.30	0.012	0.12	0.2	0.06	2.3	<0.1	<0.05	5	0.6	<0.2	
LJ-16	Soil	10	39	0.44	132	0.093	1	1.91	0.012	0.06	0.2	0.03	2.8	<0.1	<0.05	6	0.7	<0.2	
LJ-17	Soil	8	45	0.53	88	0.102	2	1.71	0.013	0.08	0.2	0.02	2.4	<0.1	<0.05	6	<0.5	<0.2	
LJ-18	Soil	11	43	0.56	58	0.101	1	1.83	0.008	0.06	0.3	0.03	2.4	0.1	<0.05	6	0.6	<0.2	
LJ-19	Soil	12	49	0.72	54	0.114	<1	1.65	0.008	0.06	0.1	<0.01	2.8	0.2	<0.05	4	0.9	<0.2	
LJ-20	Soil	11	41	0.59	65	0.087	1	1.75	0.008	0.05	0.2	0.02	2.3	<0.1	<0.05	5	0.6	<0.2	
LJ-21	Soil	17	42	0.74	52	0.088	2	1.43	0.017	0.07	0.3	0.04	5.9	0.2	<0.05	4	1.0	<0.2	
LJ-22	Soil	13	38	0.65	32	0.109	1	1.29	0.012	0.06	0.3	<0.01	2.9	0.1	<0.05	3	0.6	<0.2	
LJ-23	Soil	16	46	0.73	54	0.118	2	1.53	0.014	0.10	0.2	0.03	4.3	0.2	<0.05	4	1.1	<0.2	
LJ-24	Soil	20	52	0.82	77	0.132	2	1.82	0.018	0.14	0.2	0.04	4.7	0.2	<0.05	6	0.6	<0.2	
LJ-25	Soil	12	54	0.79	81	0.107	2	2.08	0.012	0.09	0.2	0.02	3.9	0.1	<0.05	5	1.2	<0.2	
LJ-26	Soil	15	61	0.84	77	0.128	2	1.68	0.017	0.13	0.3	0.04	5.0	0.1	<0.05	5	3.5	<0.2	
LJ-27	Soil	15	51	0.71	96	0.134	2	1.78	0.015	0.13	0.3	0.02	4.1	0.1	<0.05	5	0.8	<0.2	
LJ-28	Soil	13	55	0.84	78	0.137	3	1.66	0.019	0.13	0.3	0.05	4.8	0.2	<0.05	5	0.8	<0.2	
LJ-29	Soil	11	81	1.12	70	0.145	4	2.15	0.014	0.13	0.4	0.03	5.7	0.1	<0.05	5	1.5	<0.2	
LJ-30	Soil	17	63	1.02	93	0.148	2	2.04	0.025	0.26	0.4	0.04	6.2	0.3	<0.05	6	1.5	<0.2	
LJ-31	Soil	15	43	0.58	86	0.113	2	1.55	0.014	0.08	0.3	0.05	3.2	0.1	<0.05	4	1.1	<0.2	
LJ-32	Soil	21	48	0.75	81	0.118	2	1.62	0.021	0.13	0.4	0.04	5.3	0.2	<0.05	4	1.4	<0.2	
LJ-33	Soil	21	56	0.88	129	0.138	3	1.96	0.021	0.22	0.3	0.06	5.8	0.3	<0.05	5	1.2	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 5 of 10 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LJ-34	Soil	2.6	74.0	18.9	144	0.3	58.6	16.1	554	3.66	25.9	0.7	6.3	6.4	32	1.0	6.7	0.3	63	0.55 0.111
LJ-35	Soil	2.3	23.6	11.0	109	0.5	40.3	14.3	357	2.94	12.3	0.6	6.4	4.9	28	1.0	2.6	0.2	65	0.50 0.073
LJ-36	Soil	2.2	120.9	14.7	211	1.1	55.8	19.8	1160	3.62	23.9	0.9	1.6	3.7	48	4.7	2.6	0.4	95	0.77 0.057
LJ-37	Soil	1.7	25.6	8.7	65	0.3	32.3	10.6	286	2.49	14.7	0.6	2.8	4.3	32	0.5	2.5	0.2	48	0.73 0.093
LJ-38	Soil	2.6	42.5	14.8	117	0.4	45.3	15.7	558	3.07	19.4	0.9	4.1	5.3	75	1.5	2.5	0.3	69	2.49 0.098
LJ-39	Soil	3.4	35.0	12.2	93	0.1	35.6	12.2	416	2.71	19.2	1.0	4.2	4.0	26	0.9	2.8	0.2	64	0.47 0.123
LJ-40	Soil	2.6	26.9	12.1	87	0.1	35.0	11.3	339	2.52	16.6	0.9	3.7	4.1	25	0.8	2.4	0.2	56	0.50 0.136
LJ-41	Soil	2.0	45.6	14.1	96	0.5	45.3	14.7	425	3.05	19.7	0.9	3.2	5.4	63	1.4	2.4	0.3	64	3.26 0.078
LJ-42	Soil	4.3	63.6	20.3	185	0.8	65.2	19.8	637	3.90	28.1	1.1	2.9	6.0	61	2.6	4.1	0.3	87	1.58 0.133
LJ-43	Soil	2.0	19.9	10.8	126	0.3	29.7	10.3	459	2.46	13.5	0.5	2.8	2.8	24	1.3	2.0	0.2	45	0.39 0.166
LJ-44	Soil	2.6	42.4	14.7	134	0.3	49.5	17.4	665	3.10	21.1	1.0	6.3	4.6	91	2.1	2.8	0.2	62	2.63 0.125
LJ-45	Soil	2.4	25.6	9.7	94	0.2	33.2	10.6	269	2.58	14.9	0.7	21.8	3.9	21	0.8	2.4	0.2	52	0.38 0.118
LJ-46	Soil	2.2	20.2	8.8	127	0.4	33.0	10.5	550	2.38	12.7	0.8	8.7	3.1	21	2.0	2.0	0.2	50	0.39 0.065
LJ-47	Soil	2.4	41.9	12.8	90	0.5	38.7	11.8	382	2.79	22.2	0.9	5.6	5.1	30	1.2	3.8	0.3	44	0.50 0.117
LJ-48	Soil	1.7	19.1	11.9	136	0.2	28.8	12.7	472	2.68	14.3	0.5	0.7	2.2	21	1.6	1.8	0.2	61	0.39 0.108
LJ-49	Soil	3.6	38.6	15.3	188	0.7	43.4	11.1	418	2.97	30.3	1.7	3.0	4.0	31	2.7	2.7	0.2	51	0.45 0.112
LJ-50	Soil	2.2	100.7	17.8	106	0.4	60.4	24.9	644	4.15	23.0	0.8	20.6	4.2	72	1.4	2.8	0.2	83	0.93 0.106
LJ-51	Soil	1.4	27.0	10.6	103	0.4	15.6	9.3	328	2.69	15.0	1.2	1.2	1.7	30	1.7	0.6	0.2	58	0.45 0.120
LJ-52	Soil	3.6	49.4	15.3	136	0.5	53.4	15.3	298	3.46	22.7	0.9	5.2	4.1	26	1.0	3.8	0.3	66	0.37 0.114
LJ-53	Soil	5.8	56.2	19.7	121	0.6	47.1	15.8	634	3.30	32.2	0.8	8.3	3.9	51	2.0	5.9	0.3	56	0.83 0.072
LJ-54	Soil	1.8	13.4	12.1	134	0.2	16.1	8.9	249	2.26	15.7	0.7	0.6	2.3	12	0.6	1.7	0.2	35	0.17 0.256
LJ-55	Soil	3.8	59.5	20.8	144	0.8	60.3	18.1	625	3.87	19.8	1.2	5.5	7.2	39	2.0	3.5	0.3	78	0.62 0.114
LJ-56	Soil	3.1	49.4	15.2	104	0.3	47.2	14.9	424	3.40	30.7	0.7	2.7	4.6	29	0.9	5.2	0.2	56	0.43 0.128
LJ-57	Soil	3.3	41.3	16.3	148	0.7	40.1	12.1	1123	2.72	20.6	0.8	4.0	3.6	43	2.4	3.7	0.3	47	0.64 0.068
LG-1	Soil	0.5	10.2	8.6	130	0.3	25.0	10.7	315	2.21	14.4	0.3	3.0	1.9	13	0.5	0.6	0.2	37	0.20 0.279
LG-2	Soil	0.8	13.5	12.6	93	0.1	19.5	7.8	574	2.63	32.4	0.4	2.4	1.6	20	0.3	0.9	0.2	35	0.22 0.184
LG-3	Soil	0.9	22.0	12.2	100	0.2	22.9	8.0	396	2.87	28.2	0.3	2.5	1.4	20	0.3	1.5	0.2	36	0.23 0.069
LG-4	Soil	0.7	17.4	14.9	103	0.3	27.6	9.6	492	2.81	4.3	0.4	1.7	2.5	62	0.6	0.8	0.2	27	0.70 0.024
LG-5	Soil	1.0	34.6	11.5	79	0.1	33.6	12.7	258	3.16	14.2	0.5	2.3	2.4	12	0.3	1.2	0.2	53	0.28 0.061
LG-6	Soil	0.9	47.0	12.1	73	0.4	26.4	9.0	682	2.01	11.1	0.6	1.9	1.2	215	1.6	1.0	0.2	31	9.79 0.088

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 5 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LJ-34	Soil	21	46	0.76	73	0.090	3	1.56	0.015	0.13	0.2	0.06	5.3	0.2	<0.05	4	1.7	<0.2	
LJ-35	Soil	20	44	0.76	79	0.121	2	1.54	0.019	0.12	0.2	0.02	3.2	0.1	<0.05	5	0.9	0.2	
LJ-36	Soil	14	62	0.88	157	0.142	3	2.14	0.026	0.12	0.4	0.03	5.4	0.2	<0.05	6	0.6	<0.2	
LJ-37	Soil	14	35	0.59	52	0.100	1	1.18	0.020	0.07	0.2	0.02	3.8	0.2	<0.05	4	0.9	<0.2	
LJ-38	Soil	16	48	0.87	104	0.139	2	1.60	0.030	0.16	0.3	0.05	5.3	0.3	<0.05	5	0.6	<0.2	
LJ-39	Soil	15	46	0.73	40	0.117	2	1.30	0.016	0.15	0.3	0.02	4.7	0.2	<0.05	4	1.5	<0.2	
LJ-40	Soil	16	41	0.63	31	0.122	1	1.21	0.012	0.10	0.1	0.02	3.9	0.2	<0.05	4	1.2	<0.2	
LJ-41	Soil	16	48	0.79	116	0.134	2	1.67	0.025	0.19	0.3	0.07	5.2	0.3	<0.05	5	1.0	<0.2	
LJ-42	Soil	19	64	0.93	100	0.144	2	1.91	0.020	0.17	0.1	0.10	7.8	0.4	<0.05	6	1.2	<0.2	
LJ-43	Soil	13	29	0.46	99	0.074	2	1.47	0.011	0.06	0.5	0.03	2.2	0.2	<0.05	4	0.7	<0.2	
LJ-44	Soil	16	42	0.69	77	0.118	2	1.35	0.022	0.09	0.2	0.05	4.7	0.3	<0.05	4	0.9	<0.2	
LJ-45	Soil	17	38	0.58	47	0.106	<1	1.33	0.011	0.07	0.3	0.02	3.3	0.1	<0.05	4	0.8	<0.2	
LJ-46	Soil	13	42	0.42	107	0.098	2	1.53	0.014	0.05	0.4	0.02	2.6	0.1	<0.05	4	1.1	<0.2	
LJ-47	Soil	17	32	0.66	49	0.076	1	1.15	0.016	0.05	0.5	0.05	5.1	0.2	<0.05	3	0.9	<0.2	
LJ-48	Soil	10	35	0.39	50	0.107	2	1.48	0.018	0.06	0.3	0.03	2.6	0.1	<0.05	5	0.8	<0.2	
LJ-49	Soil	16	38	0.33	100	0.114	2	3.35	0.019	0.06	0.3	0.09	4.4	0.3	<0.05	5	1.7	<0.2	
LJ-50	Soil	14	67	1.23	112	0.129	2	2.92	0.019	0.11	0.4	0.05	7.1	0.2	<0.05	7	0.9	<0.2	
LJ-51	Soil	7	26	0.29	97	0.130	1	2.81	0.015	0.04	0.2	0.07	2.9	<0.1	<0.05	7	1.1	<0.2	
LJ-52	Soil	16	42	0.65	122	0.093	2	2.00	0.011	0.09	0.3	0.04	4.3	0.2	<0.05	5	1.1	<0.2	
LJ-53	Soil	17	40	0.65	99	0.085	2	1.44	0.019	0.10	0.2	0.06	4.1	0.3	<0.05	4	2.3	<0.2	
LJ-54	Soil	8	20	0.23	87	0.101	2	2.19	0.015	0.04	0.4	0.05	2.0	<0.1	<0.05	7	1.0	<0.2	
LJ-55	Soil	22	58	0.84	121	0.136	2	1.97	0.019	0.19	0.2	0.07	7.3	0.3	<0.05	5	1.5	<0.2	
LJ-56	Soil	15	41	0.82	57	0.102	1	1.61	0.013	0.12	0.3	<0.01	3.4	0.2	<0.05	4	0.9	<0.2	
LJ-57	Soil	15	36	0.51	135	0.092	3	1.92	0.018	0.09	0.3	0.07	3.4	0.2	<0.05	5	0.9	<0.2	
LG-1	Soil	5	27	0.39	102	0.096	2	1.79	0.011	0.04	0.2	0.03	2.2	<0.1	<0.05	5	<0.5	<0.2	
LG-2	Soil	4	19	0.31	87	0.071	2	1.52	0.013	0.06	<0.1	0.03	2.0	<0.1	<0.05	5	0.6	<0.2	
LG-3	Soil	5	22	0.38	67	0.066	3	1.37	0.012	0.05	<0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2	
LG-4	Soil	7	24	0.43	124	0.066	6	1.88	0.021	0.08	<0.1	0.05	4.2	<0.1	<0.05	4	0.7	<0.2	
LG-5	Soil	8	41	0.67	51	0.117	1	1.60	0.009	0.04	0.1	0.02	4.2	<0.1	<0.05	5	0.8	<0.2	
LG-6	Soil	6	29	0.46	135	0.062	7	1.27	0.018	0.07	0.2	0.06	3.2	0.1	0.05	3	1.4	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page:

6 of 10 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LG-7	Soil	1.4	39.7	13.4	73	0.2	39.2	14.1	323	3.54	20.0	0.4	15.5	4.1	27	0.4	1.6	0.2	60	0.43 0.028
LG-8	Soil	0.6	13.8	8.5	101	0.3	28.1	11.0	258	2.47	10.0	0.5	1.4	1.8	26	0.4	0.6	0.1	50	0.37 0.073
LG-9	Soil	0.8	10.6	10.4	137	0.4	27.4	11.9	241	2.71	16.6	0.5	1.3	2.5	20	0.5	0.6	0.2	49	0.25 0.351
LG-10	Soil	0.9	9.2	9.1	134	0.2	20.9	8.5	490	2.07	5.9	0.5	2.2	1.5	32	0.6	0.6	0.1	42	0.47 0.051
LG-11	Soil	0.9	19.9	9.9	71	0.3	31.8	11.6	211	2.87	11.7	0.7	1.1	2.8	26	0.4	1.0	0.1	59	0.34 0.027
LG-12	Soil	1.2	38.7	15.0	105	0.2	43.9	13.2	627	3.36	18.4	0.7	28.8	3.4	36	0.8	1.2	0.2	56	0.48 0.043
LG-13	Soil	1.0	26.2	11.5	86	0.5	29.5	11.5	679	2.73	12.3	0.4	10.9	2.5	32	1.4	1.0	0.2	51	0.56 0.034
LG-14	Soil	1.1	22.8	11.7	84	0.2	34.5	12.8	250	3.24	16.4	0.6	50.8	3.1	26	0.7	1.3	0.2	56	0.45 0.050
LG-15	Soil	0.8	184.8	9.8	70	0.4	121.5	30.1	847	4.26	22.8	0.5	6.4	1.0	75	0.5	1.0	0.1	98	1.23 0.075
LG-16	Soil	0.9	14.5	11.7	87	0.3	30.0	9.7	206	2.81	14.7	0.9	2.8	2.5	19	0.5	0.8	0.2	36	0.31 0.148
LG-17	Soil	0.9	9.2	10.7	93	0.2	22.4	9.1	642	2.45	14.6	0.5	<0.5	1.5	26	0.4	0.5	0.2	40	0.42 0.317
LG-18	Soil	1.4	46.6	15.3	92	0.3	38.6	12.7	509	3.34	30.8	0.6	3.5	3.1	25	0.6	1.6	0.2	48	0.45 0.120
LG-19	Soil	0.7	8.5	9.7	93	0.4	18.3	8.8	493	2.26	11.9	0.3	5.5	1.5	14	0.4	0.6	0.3	42	0.26 0.154
LG-20	Soil	1.2	20.4	11.2	97	0.1	33.2	13.3	312	3.14	16.0	0.4	3.7	2.8	10	0.5	1.2	0.2	50	0.25 0.112
LG-21	Soil	1.3	24.6	13.0	96	0.1	33.9	13.7	345	3.25	14.8	0.4	7.2	3.0	14	0.6	1.5	0.2	49	0.32 0.063
LG-22	Soil	1.0	13.6	11.9	137	0.4	32.4	11.6	398	2.75	13.4	0.4	0.6	2.1	19	0.8	0.9	0.2	38	0.34 0.281
LG-23	Soil	1.6	38.7	16.7	92	0.4	41.0	14.4	637	3.88	21.8	0.6	2.4	3.9	32	0.7	1.8	0.2	57	0.61 0.037
LG-24	Soil	2.1	50.4	19.5	100	0.4	49.0	17.9	606	4.17	27.0	0.6	5.7	4.6	34	0.8	2.5	0.3	59	0.67 0.087
LG-25	Soil	1.4	22.9	10.8	98	0.5	33.9	11.9	318	2.99	14.5	0.4	129.2	2.5	17	0.5	1.1	0.2	47	0.27 0.111
LG-26	Soil	1.5	26.7	12.4	120	0.4	34.3	11.7	625	2.95	14.4	0.6	1.5	2.7	23	1.0	1.2	0.2	48	0.41 0.053
LG-27	Soil	1.8	22.6	11.9	94	0.2	31.0	11.9	293	3.06	11.4	0.4	1.4	2.7	22	0.5	1.4	0.2	47	0.43 0.034
LG-28	Soil	1.1	20.0	12.6	94	0.2	34.1	11.4	235	2.92	10.1	0.7	0.6	2.8	13	0.6	0.8	0.2	43	0.20 0.127
LG-29	Soil	0.8	11.3	11.3	114	0.4	17.8	8.2	327	2.41	12.3	0.4	0.6	2.1	15	0.4	0.6	0.2	39	0.23 0.244
LG-30	Soil	2.4	49.1	18.6	102	0.5	50.9	17.6	577	4.09	24.8	0.7	5.3	5.1	26	0.7	2.4	0.3	55	0.45 0.062
LG-31	Soil	1.6	19.1	10.7	101	1.0	34.4	9.6	419	2.26	8.8	0.7	1.0	1.9	26	0.7	1.2	0.2	41	0.48 0.030
LG-32	Soil	1.0	13.8	9.5	115	0.5	25.5	9.7	455	2.32	11.5	0.3	3.2	2.2	19	0.7	0.9	0.2	41	0.35 0.150
LG-33	Soil	1.7	28.7	12.5	108	0.1	40.1	15.5	319	3.17	14.8	0.4	2.3	2.9	13	0.5	1.4	0.2	59	0.31 0.042
LG-34	Soil	1.6	25.8	13.1	117	0.6	40.7	12.1	312	2.75	17.8	0.7	4.1	3.2	29	0.7	1.1	0.2	46	0.41 0.039
LG-35	Soil	1.4	16.0	11.5	101	0.3	22.6	14.2	894	2.60	16.8	0.3	3.6	1.6	18	0.8	0.9	0.2	56	0.29 0.182
LG-36	Soil	1.3	18.3	11.3	155	0.3	32.3	13.2	301	2.85	16.6	0.4	2.1	2.5	12	0.7	1.0	0.2	52	0.26 0.141

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 6 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LG-7	Soil	12	48	0.74	64	0.142	2	1.74	0.015	0.12	0.1	0.04	6.4	0.1	<0.05	5	0.6	<0.2	
LG-8	Soil	8	34	0.51	82	0.133	2	1.74	0.019	0.06	0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2	
LG-9	Soil	7	32	0.39	133	0.126	2	2.56	0.015	0.05	0.1	0.04	2.6	<0.1	<0.05	8	<0.5	<0.2	
LG-10	Soil	7	27	0.41	85	0.109	3	1.57	0.015	0.06	<0.1	0.03	2.4	<0.1	<0.05	4	0.8	<0.2	
LG-11	Soil	9	40	0.62	89	0.145	1	1.85	0.021	0.05	0.1	0.02	3.8	<0.1	<0.05	5	0.5	<0.2	
LG-12	Soil	13	45	0.58	101	0.130	2	2.32	0.017	0.07	0.2	0.04	6.8	0.1	<0.05	6	0.8	<0.2	
LG-13	Soil	10	39	0.49	60	0.126	3	1.59	0.013	0.05	<0.1	0.04	3.7	<0.1	<0.05	5	0.7	<0.2	
LG-14	Soil	11	42	0.68	66	0.131	2	1.79	0.012	0.06	0.1	0.02	3.7	<0.1	<0.05	5	0.7	<0.2	
LG-15	Soil	6	155	2.19	72	0.127	3	2.33	0.013	0.09	0.2	0.08	4.6	0.1	<0.05	7	1.3	<0.2	
LG-16	Soil	9	28	0.39	75	0.102	1	2.78	0.014	0.04	0.1	0.04	2.6	<0.1	<0.05	6	0.8	<0.2	
LG-17	Soil	5	27	0.30	111	0.084	2	2.03	0.014	0.05	<0.1	0.04	2.1	<0.1	<0.05	6	<0.5	<0.2	
LG-18	Soil	11	37	0.56	60	0.086	2	1.56	0.010	0.09	0.2	0.05	6.4	0.1	<0.05	5	0.8	<0.2	
LG-19	Soil	6	24	0.32	80	0.074	1	1.20	0.010	0.05	0.1	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2	
LG-20	Soil	9	38	0.57	66	0.087	2	1.76	0.012	0.06	0.1	0.02	2.8	<0.1	<0.05	5	0.7	<0.2	
LG-21	Soil	9	39	0.67	45	0.088	1	1.41	0.008	0.07	0.1	0.02	3.6	<0.1	<0.05	4	0.9	<0.2	
LG-22	Soil	8	29	0.44	141	0.075	2	2.16	0.013	0.09	0.1	0.04	2.3	<0.1	<0.05	7	0.6	<0.2	
LG-23	Soil	12	49	0.66	77	0.096	2	1.76	0.022	0.10	0.1	0.04	6.8	0.1	<0.05	5	1.7	<0.2	
LG-24	Soil	14	50	0.73	76	0.100	2	1.66	0.020	0.14	0.2	0.04	6.4	0.1	<0.05	5	0.9	<0.2	
LG-25	Soil	10	33	0.48	72	0.089	2	1.56	0.011	0.08	0.1	0.03	2.8	<0.1	<0.05	5	0.5	<0.2	
LG-26	Soil	12	38	0.49	89	0.087	2	1.61	0.013	0.09	0.1	0.04	4.4	0.1	<0.05	4	0.9	<0.2	
LG-27	Soil	10	34	0.54	65	0.086	2	1.37	0.012	0.06	<0.1	0.03	3.6	<0.1	<0.05	4	<0.5	<0.2	
LG-28	Soil	11	32	0.36	111	0.078	13	2.39	0.015	0.06	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2	
LG-29	Soil	8	23	0.28	128	0.074	2	1.56	0.010	0.06	<0.1	0.03	2.0	<0.1	<0.05	6	0.6	<0.2	
LG-30	Soil	16	50	0.66	88	0.089	3	1.61	0.014	0.13	0.2	0.07	6.6	0.1	<0.05	4	0.9	<0.2	
LG-31	Soil	8	34	0.41	86	0.078	2	1.46	0.012	0.06	<0.1	0.05	2.3	<0.1	<0.05	4	0.9	<0.2	
LG-32	Soil	9	34	0.47	116	0.079	2	1.40	0.008	0.05	0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2	
LG-33	Soil	11	52	0.71	61	0.099	1	1.49	0.007	0.06	0.2	0.01	3.7	0.1	<0.05	5	0.9	<0.2	
LG-34	Soil	11	46	0.56	110	0.120	2	2.15	0.013	0.05	0.1	0.08	3.7	0.1	<0.05	5	<0.5	<0.2	
LG-35	Soil	8	37	0.33	95	0.076	2	1.29	0.008	0.06	0.1	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2	
LG-36	Soil	11	39	0.51	71	0.092	2	1.60	0.008	0.05	0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 7 of 10 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
LG-37	Soil	2.0	21.9	12.1	157	0.2	44.2	14.4	306	3.35	17.3	0.4	0.6	3.4	13	0.7	1.4	0.2	60	0.26	0.116
LG-38	Soil	1.8	26.1	13.0	106	0.5	33.8	12.5	470	2.57	16.2	0.5	1.9	2.6	24	1.1	1.3	0.2	50	0.46	0.154
LG-39	Soil	1.8	28.1	11.4	138	0.2	48.6	16.0	194	3.03	16.3	0.4	3.4	2.5	16	0.5	1.4	0.2	58	0.27	0.066
LG-40	Soil	1.7	16.4	9.7	81	0.2	26.1	10.4	219	2.63	14.3	0.3	17.9	2.4	12	0.3	1.1	0.2	54	0.28	0.119
LG-41	Soil	1.1	15.5	10.8	115	0.3	31.8	11.7	249	2.62	11.1	0.5	0.6	2.7	20	0.5	0.7	0.2	52	0.35	0.122
LG-42	Soil	2.1	33.2	11.8	94	0.5	44.9	14.1	363	3.06	17.5	0.8	2.1	3.3	26	0.7	1.6	0.2	55	0.52	0.052
LG-43	Soil	3.0	57.2	19.0	127	0.3	54.8	20.2	595	3.71	32.9	0.6	4.2	4.6	48	1.2	2.9	0.3	55	0.98	0.113
LG-44	Soil	1.8	29.7	10.1	92	0.2	42.8	16.0	284	3.05	15.8	0.5	3.0	2.9	14	0.5	1.5	0.2	65	0.37	0.036
LG-45	Soil	2.0	36.9	9.3	92	0.3	47.0	12.9	255	2.97	16.8	0.7	2.0	3.3	17	0.4	1.5	0.2	60	0.36	0.037
LG-46	Soil	1.5	19.8	10.6	91	0.1	31.9	12.3	308	2.87	15.5	0.4	1.2	3.0	9	0.4	1.5	0.2	56	0.25	0.053
LG-47	Soil	1.6	33.0	11.9	124	0.3	44.1	13.4	518	2.97	12.3	0.5	5.2	3.0	18	0.9	1.3	0.2	53	0.36	0.036
LG-48	Soil	3.1	49.3	14.9	103	0.2	52.3	19.0	642	3.23	20.9	0.5	6.7	3.7	31	1.3	2.3	0.2	63	0.64	0.079
LG-49	Soil	5.1	56.2	13.4	143	0.2	50.5	17.7	350	3.46	21.5	0.8	6.4	4.8	19	1.2	3.6	0.2	59	0.38	0.084
LG-50	Soil	1.9	18.3	9.5	120	0.1	30.4	11.7	355	2.56	13.9	0.4	1.1	2.6	14	0.7	1.2	0.2	56	0.28	0.135
LG-51	Soil	2.1	41.8	15.0	99	0.3	45.1	16.7	497	3.43	23.7	0.7	2.1	3.9	24	0.7	1.9	0.2	69	0.60	0.084
LG-52	Soil	1.6	23.5	8.7	75	0.1	36.2	13.1	282	2.81	15.4	0.5	7.0	2.9	15	0.4	1.4	0.1	62	0.37	0.060
LG-53	Soil	2.3	49.2	14.9	97	0.4	49.8	17.6	546	3.42	24.2	0.8	4.0	4.0	35	1.0	2.1	0.3	71	0.83	0.073
LG-54	Soil	3.1	52.9	14.0	134	0.2	50.7	17.1	504	3.52	19.6	0.8	5.4	4.7	37	1.6	2.5	0.3	75	0.91	0.079
LG-55	Soil	1.6	22.2	9.2	77	0.1	31.5	13.6	371	2.59	12.6	0.4	1.5	2.7	19	0.6	1.2	0.2	62	0.44	0.072
LG-56	Soil	1.4	24.2	9.2	96	0.5	35.1	12.3	307	2.52	11.4	0.6	1.7	3.1	24	0.6	1.3	0.2	58	0.36	0.076
LG-57	Soil	1.5	22.3	10.1	137	0.3	41.8	13.1	516	2.64	8.6	0.4	2.3	2.5	28	0.8	1.1	0.2	57	0.47	0.027
LG-58	Soil	2.0	33.3	10.7	70	0.3	43.2	15.5	426	2.92	17.3	0.6	3.8	4.1	30	0.6	1.9	0.2	69	0.59	0.072
LG-59	Soil	2.1	89.2	17.4	132	0.4	70.4	28.0	938	4.26	32.4	0.5	1.9	2.5	39	1.5	2.2	0.2	116	0.68	0.046
LG-60	Soil	2.0	54.9	14.9	128	0.7	51.5	16.5	388	3.53	25.3	0.5	4.6	4.5	41	1.1	2.0	0.3	80	0.58	0.020
LG-61	Soil	1.8	26.4	9.4	82	0.2	35.1	15.6	323	2.91	12.4	0.5	1.8	4.2	20	0.5	1.3	0.2	72	0.41	0.045
LG-62	Soil	1.8	126.5	13.3	117	0.9	73.6	19.8	865	3.78	115.0	0.4	4.2	3.4	46	1.3	3.0	0.2	108	0.69	0.018
LG-63	Soil	1.9	45.1	13.5	142	0.3	49.4	14.8	839	2.92	30.0	0.3	1.9	2.2	28	1.3	2.8	0.2	68	0.53	0.052
LG-64	Soil	2.0	41.3	10.1	93	0.4	29.3	10.2	255	3.16	21.4	0.4	2.5	3.0	17	0.4	3.4	0.2	48	0.28	0.058
LG-65	Soil	2.3	41.0	10.0	92	0.4	29.6	10.2	248	3.17	20.8	0.4	2.6	2.9	17	0.4	3.3	0.2	47	0.28	0.057
LG-66	Soil	2.0	43.1	12.0	91	0.2	41.4	14.9	498	2.82	22.5	0.5	4.2	2.8	32	1.0	4.0	0.2	66	0.57	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 7 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LG-37	Soil	13	51	0.70	82	0.108	2	1.81	0.007	0.06	<0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
LG-38	Soil	10	37	0.50	104	0.091	2	1.61	0.009	0.06	0.1	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2
LG-39	Soil	10	50	0.58	81	0.079	2	1.88	0.008	0.05	<0.1	0.03	2.5	<0.1	<0.05	5	0.7	<0.2
LG-40	Soil	11	37	0.48	60	0.085	1	1.40	0.007	0.05	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
LG-41	Soil	10	37	0.40	119	0.101	2	2.36	0.012	0.06	0.1	0.04	2.3	0.1	<0.05	6	<0.5	<0.2
LG-42	Soil	12	48	0.65	90	0.106	1	1.70	0.009	0.06	0.1	0.05	3.8	<0.1	<0.05	5	0.8	<0.2
LG-43	Soil	14	48	0.79	51	0.084	2	1.37	0.013	0.07	0.2	0.05	5.7	0.2	<0.05	4	0.6	<0.2
LG-44	Soil	13	56	0.73	56	0.146	2	1.59	0.009	0.07	0.1	0.01	3.2	<0.1	<0.05	5	0.7	<0.2
LG-45	Soil	13	47	0.72	69	0.132	1	1.76	0.011	0.06	0.1	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
LG-46	Soil	14	38	0.57	67	0.104	1	1.45	0.008	0.05	0.1	0.02	2.3	<0.1	<0.05	5	0.6	<0.2
LG-47	Soil	13	46	0.50	124	0.100	2	1.98	0.012	0.07	0.2	0.03	3.9	0.1	<0.05	5	0.5	<0.2
LG-48	Soil	14	52	0.74	57	0.103	2	1.42	0.012	0.09	0.1	0.04	4.3	0.1	<0.05	4	1.2	<0.2
LG-49	Soil	19	48	0.61	54	0.098	1	1.32	0.008	0.12	0.1	0.03	5.3	0.2	<0.05	4	1.4	<0.2
LG-50	Soil	11	37	0.48	97	0.081	2	1.55	0.010	0.06	0.2	0.01	2.5	0.1	<0.05	5	<0.5	<0.2
LG-51	Soil	14	55	0.75	58	0.122	2	1.60	0.012	0.14	0.1	0.04	5.2	0.1	<0.05	5	0.6	<0.2
LG-52	Soil	12	44	0.69	46	0.142	1	1.47	0.008	0.07	0.2	<0.01	2.4	<0.1	<0.05	4	0.6	<0.2
LG-53	Soil	14	56	0.77	72	0.126	2	1.63	0.015	0.13	0.2	0.04	5.5	0.1	<0.05	5	1.0	<0.2
LG-54	Soil	17	58	0.82	73	0.137	2	1.71	0.013	0.13	0.2	0.04	5.4	0.2	<0.05	5	1.0	<0.2
LG-55	Soil	13	44	0.63	46	0.129	2	1.39	0.010	0.10	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LG-56	Soil	12	42	0.53	87	0.126	2	2.07	0.013	0.07	0.2	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
LG-57	Soil	13	42	0.50	76	0.128	2	2.05	0.014	0.09	0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
LG-58	Soil	16	54	0.74	45	0.137	2	1.51	0.015	0.11	0.2	0.03	4.5	0.2	<0.05	5	<0.5	<0.2
LG-59	Soil	10	108	1.11	84	0.173	2	2.48	0.013	0.09	0.2	0.02	5.1	0.1	<0.05	8	0.6	<0.2
LG-60	Soil	15	61	0.61	108	0.139	2	2.86	0.019	0.13	0.1	0.05	6.3	0.1	<0.05	6	0.5	<0.2
LG-61	Soil	18	49	0.73	44	0.157	2	1.49	0.009	0.06	0.1	<0.01	3.0	0.1	<0.05	5	<0.5	<0.2
LG-62	Soil	15	126	1.01	74	0.108	3	2.46	0.016	0.09	0.2	0.06	6.3	0.2	<0.05	6	<0.5	<0.2
LG-63	Soil	12	63	0.74	71	0.097	2	1.67	0.011	0.09	0.2	0.03	3.7	0.1	<0.05	5	<0.5	<0.2
LG-64	Soil	15	33	0.53	72	0.056	2	1.25	0.007	0.10	0.2	0.02	3.4	<0.1	<0.05	3	<0.5	<0.2
LG-65	Soil	14	33	0.54	71	0.054	2	1.24	0.007	0.09	0.2	0.03	3.4	<0.1	<0.05	3	0.5	<0.2
LG-66	Soil	13	54	0.73	73	0.115	2	1.50	0.009	0.13	0.3	0.04	4.1	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 8 of 10 Part

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LG-67	Soil	3.1	50.3	20.1	154	1.0	41.6	11.0	623	2.64	56.2	0.4	9.5	3.0	41	1.4	7.6	0.2	27	1.71 0.143
LG-68	Soil	2.0	28.9	11.7	92	0.4	28.1	8.0	320	2.26	26.2	0.3	7.4	2.4	17	0.8	4.1	0.2	39	0.28 0.076
LG-69	Soil	1.6	36.2	6.5	89	0.3	35.9	13.5	291	2.73	23.6	0.4	25.8	2.4	18	0.9	1.6	0.1	72	0.37 0.050
LG-70	Soil	1.2	21.2	5.6	92	0.4	25.4	8.0	228	1.76	12.9	0.3	2.1	1.7	12	0.9	1.3	0.1	43	0.23 0.104
LG-71	Soil	3.4	79.2	9.9	190	0.2	55.9	20.4	707	3.83	57.2	0.3	5.8	1.8	16	1.8	4.2	0.2	87	0.40 0.087
LG-72	Soil	2.4	100.7	15.8	95	0.4	58.9	23.4	807	3.76	73.1	0.4	8.9	2.6	45	0.7	5.6	0.3	91	0.93 0.067
LG-73	Soil	1.6	47.3	8.5	88	0.4	57.0	14.3	473	2.49	33.6	0.6	3.2	1.8	17	0.9	3.0	0.2	61	0.39 0.120
LG-74	Soil	2.9	119.3	15.8	104	0.2	75.2	22.1	540	3.86	45.8	0.5	7.6	2.9	23	0.6	5.9	0.3	97	0.56 0.040
LG-75	Soil	1.8	29.0	10.1	111	0.2	36.7	13.4	313	2.67	20.8	0.2	3.5	1.1	13	1.0	4.0	0.2	65	0.31 0.103
LG-76	Soil	1.5	42.3	10.9	116	0.5	41.1	16.9	475	3.05	33.5	0.3	6.3	1.8	21	0.7	4.2	0.2	70	0.35 0.088
LG-77	Soil	1.9	34.9	10.0	97	<0.1	35.4	15.6	689	2.66	15.7	0.3	3.3	2.0	16	1.1	2.4	0.2	69	0.36 0.086
LG-78	Soil	0.9	88.7	5.5	88	0.2	30.6	22.6	420	3.23	16.2	0.2	2.2	0.9	21	0.6	1.3	0.1	90	0.89 0.116
LG-79	Soil	0.6	14.7	7.0	80	0.1	17.8	9.5	552	1.84	13.6	0.2	2.7	0.7	19	0.2	1.0	0.2	50	0.29 0.112
LG-80	Soil	0.5	14.7	6.7	79	0.2	16.0	11.5	442	1.91	21.7	0.2	2.0	0.9	21	0.3	0.5	0.1	50	0.29 0.169
LG-81	Soil	0.4	7.6	9.8	65	0.2	6.7	5.1	508	1.56	10.4	0.3	1.4	1.2	12	0.2	<0.1	0.2	35	0.18 0.208
LA-16	Soil	1.0	9.2	15.8	113	0.2	19.6	7.0	469	2.06	13.5	0.2	4.1	1.2	20	1.5	0.6	0.2	39	0.31 0.152
LA-17	Soil	0.9	10.1	11.2	98	0.3	16.0	7.1	1224	1.73	12.3	0.2	2.1	0.9	34	1.6	0.4	0.2	34	0.52 0.182
LA-18	Soil	1.0	15.9	11.1	129	0.3	24.1	8.8	1901	2.19	15.2	0.3	2.0	1.5	37	1.6	0.7	0.2	43	0.68 0.206
LA-19	Soil	1.5	17.7	12.3	146	0.3	30.2	10.9	525	2.65	19.8	0.3	2.7	2.1	17	1.3	1.1	0.2	47	0.32 0.131
LA-20	Soil	0.7	8.2	13.9	135	0.4	14.9	10.4	515	2.24	23.2	0.4	1.2	2.1	18	1.0	0.2	0.3	32	0.17 0.578
LA-21	Soil	1.8	40.7	13.2	161	0.3	56.7	17.3	592	3.13	24.0	0.4	3.9	2.2	29	1.2	1.3	0.2	59	0.51 0.160
LA-22	Soil	1.2	59.8	9.0	127	0.2	82.5	20.1	614	3.09	12.8	0.3	15.7	1.7	35	1.0	0.9	0.1	69	0.68 0.085
LA-23	Soil	1.0	43.1	10.5	128	0.2	59.5	16.5	934	2.78	14.2	0.3	6.1	1.2	34	1.0	0.7	0.1	59	0.65 0.142
LA-24	Soil	2.5	51.0	15.9	166	0.3	51.7	19.8	591	3.82	31.2	0.5	4.2	3.6	29	1.4	2.3	0.3	71	0.63 0.122
LA-25	Soil	4.8	46.0	16.2	147	0.3	48.1	17.3	689	3.53	44.4	0.8	5.1	4.5	53	2.3	4.7	0.5	57	0.84 0.091
LA-26	Soil	0.6	30.0	6.4	69	0.7	30.2	8.3	666	1.71	9.5	0.2	2.9	1.2	48	5.3	0.4	0.2	30	4.53 0.082
LA-27	Soil	0.6	34.3	9.7	40	0.5	26.9	7.5	429	1.70	11.7	0.6	3.9	1.6	46	2.5	0.6	0.3	29	3.13 0.046
LA-28	Soil	1.0	14.0	12.8	291	0.3	26.7	11.5	749	2.34	17.8	0.5	1.5	2.5	25	1.8	0.6	0.2	39	0.32 0.344
LA-29	Soil	2.6	29.2	14.5	214	0.2	48.2	15.3	272	3.47	26.5	0.6	2.5	3.1	16	0.8	2.0	0.2	65	0.28 0.175
LA-30	Soil	1.6	22.1	13.5	190	0.6	37.1	12.9	310	3.12	32.6	0.6	2.1	2.6	15	1.0	1.2	0.3	61	0.22 0.230

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 8 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LG-67	Soil	13	32	0.26	90	0.010	3	0.81	0.007	0.14	0.2	0.06	3.7	0.2	<0.05	2	0.9	<0.2	
LG-68	Soil	14	33	0.48	70	0.037	1	1.11	0.007	0.10	0.2	0.03	2.8	0.1	<0.05	3	0.7	<0.2	
LG-69	Soil	11	52	0.84	56	0.107	2	1.76	0.020	0.08	0.2	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2	
LG-70	Soil	8	26	0.33	58	0.068	1	1.18	0.013	0.08	0.1	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2	
LG-71	Soil	11	67	1.33	77	0.056	2	2.17	0.008	0.10	0.2	0.01	4.1	0.2	<0.05	6	1.3	<0.2	
LG-72	Soil	10	70	1.12	67	0.098	2	2.11	0.013	0.11	0.3	0.04	6.7	0.1	<0.05	5	0.6	<0.2	
LG-73	Soil	10	65	0.68	65	0.087	1	1.85	0.011	0.11	0.2	0.03	3.2	0.1	<0.05	5	0.8	<0.2	
LG-74	Soil	11	99	1.18	65	0.107	2	2.28	0.018	0.13	0.3	0.03	7.7	0.2	<0.05	6	0.9	<0.2	
LG-75	Soil	7	54	0.74	55	0.077	2	1.67	0.007	0.06	0.2	0.03	2.4	0.1	<0.05	6	0.7	<0.2	
LG-76	Soil	9	50	0.93	106	0.093	3	2.21	0.011	0.09	0.3	0.01	3.0	0.1	<0.05	6	0.7	<0.2	
LG-77	Soil	11	44	0.67	81	0.089	2	1.63	0.009	0.10	0.3	<0.01	3.0	0.1	<0.05	5	<0.5	<0.2	
LG-78	Soil	3	31	0.94	60	0.103	3	3.26	0.010	0.06	0.3	0.03	3.9	<0.1	<0.05	9	<0.5	<0.2	
LG-79	Soil	4	23	0.30	83	0.084	2	1.35	0.012	0.06	0.2	0.02	1.4	<0.1	<0.05	6	<0.5	<0.2	
LG-80	Soil	3	24	0.27	70	0.087	2	1.84	0.014	0.06	0.2	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2	
LG-81	Soil	2	10	0.09	67	0.112	1	2.08	0.015	0.04	0.2	0.02	1.0	<0.1	<0.05	9	<0.5	<0.2	
LA-16	Soil	8	24	0.27	117	0.065	1	1.28	0.010	0.08	0.1	0.03	1.3	<0.1	<0.05	6	<0.5	<0.2	
LA-17	Soil	5	19	0.22	154	0.060	3	1.27	0.011	0.07	0.1	0.06	1.2	<0.1	<0.05	5	<0.5	<0.2	
LA-18	Soil	6	26	0.38	157	0.062	5	1.54	0.022	0.13	0.1	0.03	1.8	<0.1	<0.05	5	<0.5	<0.2	
LA-19	Soil	8	32	0.48	106	0.070	2	1.81	0.009	0.08	0.1	0.04	2.2	<0.1	<0.05	6	0.5	<0.2	
LA-20	Soil	6	20	0.17	171	0.078	2	2.35	0.012	0.08	0.1	0.05	1.9	<0.1	<0.05	8	<0.5	<0.2	
LA-21	Soil	10	59	0.92	133	0.074	2	2.07	0.016	0.12	0.1	0.04	2.9	0.1	<0.05	6	0.5	<0.2	
LA-22	Soil	7	93	1.35	100	0.097	2	2.00	0.015	0.10	<0.1	0.03	3.4	<0.1	<0.05	6	0.5	<0.2	
LA-23	Soil	6	70	1.01	133	0.084	3	1.97	0.012	0.12	0.1	0.04	2.5	<0.1	<0.05	6	<0.5	<0.2	
LA-24	Soil	15	54	0.94	107	0.092	2	2.26	0.013	0.12	0.1	0.04	4.3	0.2	<0.05	6	1.5	<0.2	
LA-25	Soil	20	41	0.88	91	0.042	5	1.54	0.020	0.15	0.7	0.04	3.3	0.3	<0.05	5	2.0	<0.2	
LA-26	Soil	8	33	0.25	122	0.052	6	1.59	0.022	0.08	0.3	0.07	2.5	0.1	0.07	4	1.5	<0.2	
LA-27	Soil	9	57	0.26	81	0.066	3	2.05	0.020	0.05	0.2	0.11	2.7	0.1	0.06	4	2.3	<0.2	
LA-28	Soil	8	25	0.28	168	0.085	3	2.28	0.015	0.08	0.2	0.03	2.2	0.1	<0.05	6	0.6	<0.2	
LA-29	Soil	13	44	0.74	118	0.089	2	2.35	0.009	0.08	0.1	0.02	3.0	0.2	<0.05	7	0.9	<0.2	
LA-30	Soil	9	37	0.50	105	0.092	2	2.53	0.011	0.07	0.2	0.04	2.6	0.1	<0.05	8	0.8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 9 of 10 Part

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LA-31	Soil	0.9	14.1	9.7	221	0.4	35.2	12.8	547	2.12	26.6	0.4	2.2	1.6	22	0.7	0.5	0.2	38	0.33 0.295
LA-32	Soil	1.5	25.0	13.4	150	0.4	40.5	12.5	570	2.78	35.7	0.5	6.3	2.2	24	1.1	1.1	0.2	55	0.43 0.220
LA-33	Soil	0.4	7.5	8.2	178	0.3	14.3	9.2	1072	1.65	16.0	0.3	1.2	1.7	24	1.4	0.1	0.2	34	0.27 0.389
LA-34	Soil	0.7	11.3	9.9	151	0.5	29.5	9.0	472	2.04	40.2	0.5	2.1	1.9	20	0.8	0.4	0.2	37	0.43 0.388
LA-35	Soil	2.0	63.5	10.4	87	0.2	57.5	28.9	645	4.46	69.9	0.4	8.7	3.8	18	0.8	1.9	0.2	97	0.73 0.032
LF-1	Soil	1.2	20.1	8.7	105	0.3	41.8	11.1	261	2.38	11.2	0.3	11.8	2.3	21	0.2	0.7	0.1	44	0.27 0.099
LF-2	Soil	1.3	15.9	8.9	97	0.2	27.0	7.8	504	2.12	8.3	0.3	2.9	1.9	17	0.4	0.8	0.2	34	0.31 0.064
LF-3	Soil	1.0	12.4	7.9	161	0.3	34.4	8.6	207	2.03	6.1	0.3	2.4	1.9	14	0.4	0.4	0.2	34	0.18 0.112
LF-4	Soil	1.2	19.8	8.4	102	0.3	29.4	8.5	314	2.31	10.1	0.3	3.1	1.9	17	0.6	0.8	0.1	37	0.29 0.098
LF-5	Soil	0.7	101.3	10.0	87	0.9	92.0	15.3	809	2.89	11.2	0.3	10.3	2.6	39	1.5	0.9	0.2	38	0.53 0.063
LF-6	Soil	1.9	59.2	10.2	115	0.5	54.1	11.3	302	3.03	15.0	0.4	2.7	2.7	26	0.8	1.3	0.2	46	0.43 0.060
LF-7	Soil	1.5	54.3	10.2	117	0.3	57.4	15.4	587	3.18	13.8	0.3	1.7	2.3	36	0.8	1.0	0.2	53	0.63 0.103
LF-8	Soil	3.0	51.7	14.1	148	0.3	47.3	11.4	353	3.31	19.0	0.5	15.0	3.4	67	1.1	1.7	0.2	45	1.88 0.172
LF-9	Soil	2.0	90.6	13.6	106	0.8	93.0	20.3	582	3.98	37.7	0.3	17.3	3.2	35	0.7	2.3	0.2	68	1.05 0.092
LF-10	Soil	1.8	36.7	11.3	116	0.2	35.4	11.7	372	2.99	14.2	0.4	3.2	2.8	66	1.0	1.4	0.2	40	2.04 0.127
LF-11	Soil	1.0	28.5	9.8	83	0.1	33.2	10.5	239	2.86	10.9	0.5	3.3	2.6	17	0.3	1.0	0.2	45	0.31 0.060
LF-12	Soil	0.9	29.5	11.3	32	0.4	21.8	6.8	141	1.71	12.2	0.6	1.8	0.5	303	0.8	1.0	0.1	20	21.21 0.080
LF-13	Soil	0.6	11.9	8.6	90	0.1	25.0	9.9	258	2.51	7.2	0.3	0.8	1.7	15	0.3	0.5	0.1	43	0.29 0.114
LF-14	Soil	1.1	31.5	12.4	87	0.1	32.1	12.5	341	3.31	12.3	0.4	7.5	2.3	25	0.4	1.0	0.2	43	0.44 0.049
LF-15	Soil	1.2	10.1	7.8	96	0.3	21.0	6.4	255	1.90	7.6	0.3	1.0	1.9	14	0.4	0.5	0.1	35	0.20 0.126
LF-16	Soil	0.7	12.7	8.6	79	0.1	20.6	9.6	325	2.32	8.2	0.3	0.9	1.7	12	0.2	0.4	0.1	42	0.20 0.105
LF-17	Soil	0.9	21.1	10.3	93	0.3	35.4	12.1	165	3.08	10.1	0.4	0.7	2.5	27	0.4	0.8	0.2	48	0.28 0.056
LF-18	Soil	1.1	17.2	9.1	93	0.1	29.6	11.1	251	2.85	10.2	0.3	2.7	1.9	10	0.4	0.8	0.1	48	0.25 0.048
LF-19	Soil	0.4	29.4	3.0	46	0.3	12.9	3.2	365	0.41	6.8	0.3	1.6	0.2	398	1.2	0.4	<0.1	6	26.13 0.081
LF-20	Soil	1.0	18.8	9.1	87	0.2	27.5	10.6	244	2.88	10.3	0.3	1.2	2.0	11	0.3	0.9	0.1	44	0.34 0.093
LF-21	Soil	1.1	26.1	12.0	138	0.2	30.9	11.2	993	2.74	15.3	0.4	2.5	1.6	17	0.7	1.0	0.2	44	0.30 0.172
LF-22	Soil	1.6	18.5	8.9	97	0.3	24.5	9.1	335	2.48	15.6	0.2	3.5	1.6	15	0.5	1.1	0.2	46	0.22 0.124
LF-23	Soil	1.0	32.2	15.2	67	0.2	35.8	18.0	678	3.02	12.4	0.4	2.3	3.1	28	0.7	1.1	0.2	45	0.51 0.061
LF-24	Soil	1.4	40.2	13.1	109	0.2	40.6	15.6	519	3.47	18.6	0.4	4.8	2.9	25	0.8	1.5	0.2	59	0.47 0.063
LF-25	Soil	1.4	31.9	10.3	79	0.2	32.2	12.4	342	3.05	17.4	0.5	9.8	2.4	12	0.5	1.3	0.1	50	0.35 0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 9 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LA-31	Soil	6	26	0.30	190	0.081	3	2.70	0.018	0.07	<0.1	0.04	2.1	0.1	<0.05	8	<0.5	<0.2	
LA-32	Soil	9	38	0.61	136	0.095	2	2.35	0.013	0.10	0.1	0.03	2.6	0.1	<0.05	6	0.7	<0.2	
LA-33	Soil	4	25	0.22	219	0.085	2	1.74	0.016	0.06	<0.1	0.03	1.6	<0.1	<0.05	6	<0.5	0.3	
LA-34	Soil	6	22	0.24	175	0.092	3	3.02	0.016	0.08	0.1	0.03	1.7	<0.1	<0.05	8	0.5	<0.2	
LA-35	Soil	15	80	1.09	84	0.156	2	2.29	0.018	0.11	0.2	0.03	8.5	0.1	<0.05	7	0.8	<0.2	
LF-1	Soil	6	34	0.44	160	0.084	3	2.33	0.014	0.09	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2	
LF-2	Soil	7	28	0.35	95	0.052	2	1.38	0.009	0.06	<0.1	0.04	2.4	<0.1	<0.05	4	<0.5	<0.2	
LF-3	Soil	6	27	0.28	145	0.066	5	1.90	0.011	0.08	0.1	0.03	2.0	<0.1	<0.05	5	<0.5	<0.2	
LF-4	Soil	7	29	0.44	93	0.057	2	1.44	0.007	0.06	0.1	0.04	3.0	<0.1	<0.05	4	0.5	<0.2	
LF-5	Soil	8	65	0.72	120	0.091	4	2.52	0.022	0.10	0.2	0.14	5.6	0.1	<0.05	4	<0.5	<0.2	
LF-6	Soil	8	51	0.74	86	0.077	2	1.65	0.011	0.08	0.1	0.07	6.4	0.2	<0.05	5	0.7	<0.2	
LF-7	Soil	7	59	0.83	102	0.067	3	1.74	0.011	0.11	0.1	0.05	4.5	<0.1	<0.05	5	0.6	<0.2	
LF-8	Soil	9	38	0.70	83	0.046	3	1.38	0.010	0.10	0.1	0.08	6.8	0.2	<0.05	4	0.7	<0.2	
LF-9	Soil	10	93	1.28	80	0.089	4	2.00	0.014	0.22	0.1	0.09	6.4	0.2	<0.05	6	0.7	<0.2	
LF-10	Soil	8	31	0.63	61	0.057	3	1.32	0.015	0.06	<0.1	0.06	4.8	0.1	<0.05	4	0.9	<0.2	
LF-11	Soil	7	36	0.54	87	0.070	2	1.69	0.012	0.08	<0.1	0.03	5.1	<0.1	<0.05	5	0.8	<0.2	
LF-12	Soil	6	19	0.50	148	0.016	5	0.91	0.009	0.04	<0.1	0.10	2.9	<0.1	0.11	2	1.2	<0.2	
LF-13	Soil	5	28	0.47	102	0.073	2	1.84	0.012	0.07	0.1	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2	
LF-14	Soil	6	32	0.60	74	0.060	2	1.77	0.010	0.06	<0.1	0.04	4.1	<0.1	<0.05	5	0.8	<0.2	
LF-15	Soil	7	20	0.23	117	0.047	2	1.80	0.012	0.06	0.1	0.03	2.2	<0.1	<0.05	5	<0.5	<0.2	
LF-16	Soil	5	24	0.30	75	0.063	2	1.63	0.013	0.06	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2	
LF-17	Soil	7	37	0.57	121	0.089	3	2.37	0.019	0.09	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2	
LF-18	Soil	7	35	0.54	71	0.082	1	1.66	0.008	0.06	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2	
LF-19	Soil	2	9	0.22	157	0.011	7	0.45	0.010	0.03	<0.1	0.05	0.5	0.1	0.10	<1	1.3	0.5	
LF-20	Soil	7	32	0.58	90	0.073	2	1.76	0.007	0.06	0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2	
LF-21	Soil	8	33	0.44	155	0.062	1	1.65	0.011	0.09	<0.1	0.05	4.0	<0.1	<0.05	5	<0.5	<0.2	
LF-22	Soil	6	31	0.37	95	0.053	1	1.29	0.007	0.07	0.1	0.01	2.4	<0.1	<0.05	5	<0.5	<0.2	
LF-23	Soil	9	38	0.70	70	0.071	2	1.45	0.012	0.11	<0.1	0.03	3.8	<0.1	<0.05	4	<0.5	<0.2	
LF-24	Soil	9	45	0.73	88	0.091	3	1.78	0.028	0.11	0.1	0.04	5.9	0.1	<0.05	5	0.6	<0.2	
LF-25	Soil	9	38	0.63	44	0.091	2	1.30	0.009	0.09	<0.1	0.01	4.1	<0.1	<0.05	4	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 10 of 10 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Analyte	Method	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LF-26	Soil	0.9	17.9	8.7	84	0.5	28.8	9.9	400	2.36	10.4	0.6	0.8	2.2	11	0.5	0.6	0.1	46	0.19	0.177
LF-27	Soil	1.3	37.6	11.8	75	0.3	37.8	13.6	325	3.39	19.6	0.6	3.7	3.2	20	0.5	1.5	0.2	52	0.43	0.048
LF-28	Soil	1.3	36.6	12.8	89	0.3	35.6	16.2	431	3.53	16.0	0.5	1.8	2.9	27	0.8	1.5	0.2	57	0.59	0.043
LF-29	Soil	2.0	53.4	17.7	98	0.2	42.6	16.0	518	4.08	32.6	0.7	5.5	3.6	24	0.7	2.1	0.2	60	0.53	0.097
LF-30	Soil	1.0	24.9	11.0	91	0.5	32.3	11.8	363	2.75	13.9	0.7	2.3	2.4	14	0.6	0.8	0.2	52	0.26	0.130
LF-31	Soil	1.4	41.0	10.8	78	0.6	42.2	15.0	411	3.17	18.0	0.5	39.4	2.9	21	0.8	1.3	0.1	58	0.45	0.032
LF-32	Soil	0.6	18.0	6.5	72	0.5	24.2	8.5	355	1.96	7.8	0.5	<0.5	1.5	17	0.5	0.5	0.1	48	0.30	0.050
LF-33	Soil	1.3	32.6	11.5	64	0.3	37.9	16.9	398	3.27	18.7	0.5	4.7	3.0	20	0.5	1.3	0.1	65	0.49	0.037
LF-34	Soil	1.0	14.3	8.7	89	0.3	25.7	11.4	222	2.75	13.0	0.3	4.3	1.8	13	0.4	0.8	0.1	58	0.38	0.101
LF-35	Soil	0.9	10.4	7.7	82	0.3	21.9	10.3	419	2.27	8.1	0.3	1.1	1.4	11	0.4	0.6	0.1	55	0.37	0.054
LF-36	Soil	0.8	15.1	8.7	63	0.3	25.2	11.4	242	2.51	10.6	0.4	<0.5	1.6	11	0.3	0.8	0.1	57	0.30	0.072
LF-37	Soil	1.2	30.0	11.8	123	0.4	50.0	16.0	1017	3.18	15.2	0.3	13.8	1.9	39	1.0	0.9	0.2	56	0.69	0.022
LF-38	Soil	0.9	14.5	9.1	74	0.2	27.3	12.6	460	2.65	9.6	0.3	2.4	1.7	9	0.5	0.7	0.1	54	0.32	0.059
LF-39	Soil	1.0	10.7	8.8	107	0.4	22.9	10.3	793	2.05	10.2	0.3	1.5	1.2	21	1.5	0.5	0.2	42	0.48	0.183
LF-40	Soil	0.6	44.5	5.5	44	0.6	21.1	5.2	429	1.05	12.5	0.5	11.8	0.2	506	2.7	0.8	0.1	14	22.57	0.113
LF-41	Soil	1.1	19.5	8.6	75	0.1	33.8	13.3	224	3.09	12.7	0.3	1.9	2.0	9	0.6	0.9	0.1	62	0.33	0.063
LF-42	Soil	1.4	21.1	9.5	137	0.3	38.4	9.8	290	2.41	14.8	0.4	4.4	2.4	21	0.6	0.9	0.2	40	0.26	0.246



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 10 of 10 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002787.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LF-26	Soil	8	30	0.25	80	0.072	1	2.03	0.014	0.07	<0.1	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2
LF-27	Soil	10	45	0.67	64	0.096	2	1.63	0.014	0.08	0.1	0.05	5.7	0.1	<0.05	5	0.8	<0.2
LF-28	Soil	10	46	0.65	67	0.095	2	1.67	0.013	0.10	0.1	0.03	5.7	<0.1	<0.05	5	0.5	<0.2
LF-29	Soil	11	47	0.73	62	0.091	2	1.59	0.020	0.11	0.2	0.05	6.9	0.1	<0.05	5	0.7	0.4
LF-30	Soil	9	38	0.49	78	0.090	1	2.15	0.012	0.07	0.1	0.05	3.9	<0.1	<0.05	6	0.6	<0.2
LF-31	Soil	10	47	0.67	72	0.115	2	1.64	0.024	0.08	0.1	0.05	5.9	0.1	<0.05	5	0.9	<0.2
LF-32	Soil	6	28	0.28	87	0.088	2	1.53	0.015	0.07	<0.1	0.05	2.5	<0.1	<0.05	4	<0.5	<0.2
LF-33	Soil	9	51	0.82	63	0.132	2	1.76	0.015	0.10	<0.1	0.03	5.0	<0.1	<0.05	5	0.5	<0.2
LF-34	Soil	7	37	0.53	53	0.101	1	1.58	0.010	0.07	0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
LF-35	Soil	7	33	0.37	57	0.107	2	1.30	0.009	0.06	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
LF-36	Soil	6	34	0.43	62	0.102	1	1.55	0.011	0.06	<0.1	0.03	2.3	<0.1	<0.05	5	<0.5	<0.2
LF-37	Soil	8	54	0.82	130	0.105	3	2.26	0.014	0.09	<0.1	0.02	4.0	0.1	<0.05	6	0.7	<0.2
LF-38	Soil	5	38	0.57	59	0.104	2	1.48	0.010	0.06	0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
LF-39	Soil	5	27	0.28	98	0.085	4	1.80	0.014	0.08	0.1	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
LF-40	Soil	4	37	0.53	165	0.015	7	0.83	0.014	0.06	0.2	0.08	1.1	<0.1	0.10	2	2.0	<0.2
LF-41	Soil	6	43	0.73	70	0.116	2	1.73	0.015	0.06	0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
LF-42	Soil	7	32	0.36	194	0.056	3	1.93	0.013	0.09	0.1	0.03	3.7	0.1	<0.05	5	<0.5	<0.2



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

**Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Crazy Fox

June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 2 Part 1

## QUALITY CONTROL REPORT

VAN10002787.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																				
LH-13	Soil	1.8	51.7	6.1	93	0.2	60.4	21.4	422	4.20	48.6	0.8	9.9	2.5	23	0.5	1.7	0.1	115	0.64
REP LH-13	QC	2.0	50.1	6.0	89	0.2	59.0	20.5	412	4.11	47.6	0.8	9.6	2.4	23	0.7	1.8	0.1	115	0.62
LH-37	Soil	7.6	60.5	19.6	259	2.4	74.0	16.9	432	3.30	46.8	1.1	5.9	4.3	42	3.3	4.8	0.2	95	1.10
REP LH-37	QC	7.3	64.1	19.0	250	2.5	72.7	17.2	436	3.32	46.6	1.0	6.1	4.4	42	3.3	5.0	0.2	96	1.10
LA-9	Soil	0.7	10.0	9.7	186	0.2	27.0	9.6	408	2.00	18.0	0.3	<0.5	2.2	17	0.7	0.5	0.2	38	0.20
REP LA-9	QC	0.9	10.2	9.8	186	0.2	27.6	10.1	420	2.06	18.2	0.3	<0.5	2.2	18	0.8	0.5	0.2	39	0.19
LJ-6	Soil	1.1	27.2	15.1	121	0.4	35.0	11.1	544	2.66	11.6	0.9	1.8	3.3	27	0.8	1.3	0.2	40	0.44
REP LJ-6	QC	1.0	28.9	15.2	116	0.4	34.3	11.5	580	2.76	12.1	0.9	2.7	3.3	28	0.8	1.5	0.2	42	0.46
LJ-23	Soil	2.1	39.2	11.4	87	0.3	43.1	13.7	412	3.02	20.0	0.7	7.3	4.6	28	0.9	2.1	0.2	67	0.57
REP LJ-23	QC	2.5	38.6	11.4	89	0.3	42.1	13.8	404	3.02	20.2	0.8	5.2	4.7	28	0.9	2.1	0.2	67	0.59
LJ-38	Soil	2.6	42.5	14.8	117	0.4	45.3	15.7	558	3.07	19.4	0.9	4.1	5.3	75	1.5	2.5	0.3	69	2.49
REP LJ-38	QC	2.6	42.3	15.0	117	0.4	46.5	15.8	550	3.17	19.8	0.9	12.7	5.4	79	1.5	2.6	0.3	68	2.57
LJ-57	Soil	3.3	41.3	16.3	148	0.7	40.1	12.1	1123	2.72	20.6	0.8	4.0	3.6	43	2.4	3.7	0.3	47	0.64
REP LJ-57	QC	3.2	43.2	15.7	152	0.7	40.8	11.9	1161	2.76	21.0	0.8	2.9	3.7	43	2.3	3.9	0.2	48	0.63
LG-16	Soil	0.9	14.5	11.7	87	0.3	30.0	9.7	206	2.81	14.7	0.9	2.8	2.5	19	0.5	0.8	0.2	36	0.31
REP LG-16	QC	0.8	14.8	11.9	88	0.4	31.3	9.7	201	2.78	14.6	1.0	0.6	2.8	19	0.5	0.8	0.2	37	0.32
LG-32	Soil	1.0	13.8	9.5	115	0.5	25.5	9.7	455	2.32	11.5	0.3	3.2	2.2	19	0.7	0.9	0.2	41	0.35
REP LG-32	QC	1.1	14.4	9.3	115	0.5	26.4	9.8	453	2.34	11.4	0.4	8.2	2.1	19	0.7	0.9	0.1	42	0.34
LG-52	Soil	1.6	23.5	8.7	75	0.1	36.2	13.1	282	2.81	15.4	0.5	7.0	2.9	15	0.4	1.4	0.1	62	0.37
REP LG-52	QC	1.6	22.8	9.2	77	0.1	36.4	13.1	286	2.79	15.8	0.5	1.8	3.0	16	0.5	1.4	0.1	64	0.39
LG-70	Soil	1.2	21.2	5.6	92	0.4	25.4	8.0	228	1.76	12.9	0.3	2.1	1.7	12	0.9	1.3	0.1	43	0.23
REP LG-70	QC	1.1	20.6	5.4	95	0.5	24.6	8.1	229	1.76	13.3	0.3	3.9	1.6	12	0.9	1.4	0.1	44	0.23
LA-22	Soil	1.2	59.8	9.0	127	0.2	82.5	20.1	614	3.09	12.8	0.3	15.7	1.7	35	1.0	0.9	0.1	69	0.68
REP LA-22	QC	1.2	59.6	9.3	125	0.2	81.3	20.7	630	3.12	13.0	0.3	30.1	1.6	33	1.0	0.9	0.1	72	0.69
LF-6	Soil	1.9	59.2	10.2	115	0.5	54.1	11.3	302	3.03	15.0	0.4	2.7	2.7	26	0.8	1.3	0.2	46	0.43
REP LF-6	QC	1.6	56.8	9.9	110	0.5	52.2	11.4	308	2.99	14.6	0.3	6.2	2.5	25	0.7	1.2	0.2	47	0.43
LF-20	Soil	1.0	18.8	9.1	87	0.2	27.5	10.6	244	2.88	10.3	0.3	1.2	2.0	11	0.3	0.9	0.1	44	0.34
REP LF-20	QC	1.0	19.3	9.3	84	0.2	27.9	11.1	235	2.93	10.8	0.3	<0.5	2.0	12	0.4	0.9	0.1	46	0.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client: **Newmac Resources Inc.**

2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 2 Part 2

## QUALITY CONTROL REPORT

VAN10002787.1

Method Analyte Unit MDL	1DX15																	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
<b>Pulp Duplicates</b>																		
LH-13	Soil	11	82	1.07	61	0.231	2	2.22	0.011	0.07	0.2	0.03	10.4	<0.1	<0.05	7	0.5	<0.2
REP LH-13	QC	10	80	1.05	59	0.218	1	2.18	0.011	0.07	0.2	0.03	10.2	<0.1	<0.05	6	1.1	<0.2
LH-37	Soil	18	58	0.72	114	0.104	2	1.74	0.017	0.13	0.2	0.13	6.1	0.3	<0.05	5	3.9	<0.2
REP LH-37	QC	18	56	0.74	110	0.101	3	1.74	0.013	0.13	0.1	0.13	6.0	0.4	<0.05	5	3.1	<0.2
LA-9	Soil	6	23	0.25	148	0.093	2	2.24	0.021	0.06	0.1	0.03	1.6	0.1	<0.05	6	<0.5	<0.2
REP LA-9	QC	6	23	0.25	149	0.095	1	2.28	0.021	0.06	0.1	0.02	1.6	0.1	<0.05	7	<0.5	<0.2
LJ-6	Soil	13	27	0.45	98	0.069	2	1.87	0.013	0.08	<0.1	0.03	3.2	<0.1	<0.05	4	0.6	<0.2
REP LJ-6	QC	14	29	0.44	99	0.072	3	1.88	0.014	0.09	0.1	0.03	3.3	0.1	<0.05	5	0.6	<0.2
LJ-23	Soil	16	46	0.73	54	0.118	2	1.53	0.014	0.10	0.2	0.03	4.3	0.2	<0.05	4	1.1	<0.2
REP LJ-23	QC	17	47	0.76	53	0.116	2	1.56	0.014	0.09	0.3	0.03	4.1	0.1	<0.05	4	0.8	<0.2
LJ-38	Soil	16	48	0.87	104	0.139	2	1.60	0.030	0.16	0.3	0.05	5.3	0.3	<0.05	5	0.6	<0.2
REP LJ-38	QC	17	49	0.88	107	0.138	2	1.64	0.025	0.17	0.4	0.04	5.4	0.3	<0.05	5	0.8	<0.2
LJ-57	Soil	15	36	0.51	135	0.092	3	1.92	0.018	0.09	0.3	0.07	3.4	0.2	<0.05	5	0.9	<0.2
REP LJ-57	QC	15	37	0.51	130	0.091	3	1.93	0.018	0.09	0.4	0.06	3.5	0.2	<0.05	5	1.2	<0.2
LG-16	Soil	9	28	0.39	75	0.102	1	2.78	0.014	0.04	0.1	0.04	2.6	<0.1	<0.05	6	0.8	<0.2
REP LG-16	QC	9	28	0.39	70	0.104	2	2.85	0.015	0.04	0.2	0.04	2.7	<0.1	<0.05	7	0.7	<0.2
LG-32	Soil	9	34	0.47	116	0.079	2	1.40	0.008	0.05	0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
REP LG-32	QC	9	34	0.46	116	0.076	2	1.38	0.007	0.05	0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
LG-52	Soil	12	44	0.69	46	0.142	1	1.47	0.008	0.07	0.2	<0.01	2.4	<0.1	<0.05	4	0.6	<0.2
REP LG-52	QC	12	44	0.70	46	0.146	<1	1.48	0.009	0.07	0.2	<0.01	2.6	<0.1	<0.05	5	0.8	<0.2
LG-70	Soil	8	26	0.33	58	0.068	1	1.18	0.013	0.08	0.1	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
REP LG-70	QC	8	26	0.35	59	0.062	2	1.17	0.012	0.08	0.1	0.02	1.6	<0.1	<0.05	4	<0.5	<0.2
LA-22	Soil	7	93	1.35	100	0.097	2	2.00	0.015	0.10	<0.1	0.03	3.4	<0.1	<0.05	6	0.5	<0.2
REP LA-22	QC	7	93	1.34	103	0.094	2	2.01	0.010	0.10	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	0.3
LF-6	Soil	8	51	0.74	86	0.077	2	1.65	0.011	0.08	0.1	0.07	6.4	0.2	<0.05	5	0.7	<0.2
REP LF-6	QC	8	51	0.72	87	0.066	2	1.60	0.012	0.08	0.1	0.07	5.9	0.1	<0.05	4	0.5	<0.2
LF-20	Soil	7	32	0.58	90	0.073	2	1.76	0.007	0.06	0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
REP LF-20	QC	7	32	0.61	92	0.077	2	1.72	0.013	0.06	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 2 of 2 Part 1

## QUALITY CONTROL REPORT

VAN10002787.1

	1DX15																			
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Reference Materials																				
STD DS7	Standard	20.8	104.8	71.0	393	1.0	53.2	8.8	621	2.39	54.0	5.2	68.1	4.7	80	6.3	6.3	4.8	84	0.94 0.076
STD DS7	Standard	22.5	124.2	73.7	404	1.0	64.0	10.5	664	2.53	51.7	5.0	71.9	5.1	78	6.3	6.3	4.7	96	1.04 0.076
STD DS7	Standard	23.8	119.1	73.9	416	1.0	62.9	10.3	681	2.52	52.4	5.0	73.9	5.1	74	6.3	6.4	4.7	98	1.03 0.079
STD DS7	Standard	22.1	114.5	72.4	413	1.0	57.5	9.9	671	2.50	53.3	5.1	65.0	4.9	80	6.0	5.8	4.8	94	1.05 0.079
STD DS7	Standard	20.8	113.3	63.7	410	1.0	56.0	9.6	626	2.38	53.0	4.6	72.1	4.4	65	6.4	5.6	4.5	85	0.95 0.079
STD DS7	Standard	21.8	113.6	65.3	404	1.1	55.6	9.3	650	2.42	51.4	4.4	105.1	4.4	72	6.8	5.5	4.5	87	0.98 0.078
STD DS7	Standard	20.6	111.8	63.5	390	1.0	57.1	9.4	600	2.33	52.8	4.4	75.6	4.2	66	6.2	5.3	4.5	85	0.92 0.077
STD DS7	Standard	23.4	137.5	79.5	472	1.2	68.1	11.5	723	2.81	57.7	5.5	90.4	5.1	78	6.9	6.7	5.0	102	1.05 0.084
STD DS7	Standard	23.7	135.6	76.9	444	1.1	65.8	11.5	709	2.69	52.2	5.2	80.5	4.9	73	6.5	6.4	4.9	102	1.03 0.072
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93 0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01 <0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01</td										



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:** Newmac Resources Inc.

2605 Jane Street  
Port Moody BC V3H 2K6 Canada

**Project:** Crazy Fox  
**Report Date:** June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

**Page:** 2 of 2    **Part** 2

## QUALITY CONTROL REPORT

VAN10002787.1

	1DX15																	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Reference Materials																		
STD DS7	Standard	13	187	1.02	413	0.130	39	1.00	0.096	0.47	3.8	0.21	2.4	3.7	0.19	5	3.6	1.0
STD DS7	Standard	14	228	1.10	426	0.144	39	1.14	0.103	0.48	3.7	0.22	2.6	4.2	0.19	5	4.0	1.0
STD DS7	Standard	14	221	1.12	444	0.141	39	1.10	0.100	0.49	4.0	0.23	2.5	4.4	0.22	5	4.3	1.8
STD DS7	Standard	13	213	1.11	420	0.138	40	1.09	0.105	0.50	3.8	0.21	2.6	4.2	0.22	5	3.7	1.4
STD DS7	Standard	12	190	1.07	429	0.108	40	1.07	0.106	0.48	3.8	0.22	2.4	4.2	0.20	5	3.6	1.8
STD DS7	Standard	12	202	1.08	420	0.111	44	1.08	0.110	0.49	3.9	0.22	2.4	4.2	0.19	5	3.8	1.2
STD DS7	Standard	11	185	1.07	406	0.106	39	1.02	0.101	0.48	3.6	0.22	2.3	4.4	0.20	5	3.3	1.1
STD DS7	Standard	13	226	1.18	422	0.141	44	1.14	0.097	0.53	4.3	0.25	2.7	4.7	0.22	6	4.3	0.8
STD DS7	Standard	13	232	1.14	408	0.147	43	1.08	0.090	0.49	3.7	0.24	2.5	4.5	0.22	5	4.6	1.2
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Newmac Resources Inc.  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Submitted By: David Hjerpe  
Receiving Lab: Canada-Vancouver  
Received: June 18, 2010  
Report Date: June 28, 2010  
Page: 1 of 8

## CERTIFICATE OF ANALYSIS

VAN10002788.1

### CLIENT JOB INFORMATION

Project: Crazy Fox  
Shipment ID:  
P.O. Number  
Number of Samples: 198

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	198	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	198	Dry at 60C			VAN
IDX2	198	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Newmac Resources Inc.  
2605 Jane Street  
Port Moody BC V3H 2K6  
Canada

CC: David Schmidt  
David Bridge  
Bill Howell



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page:

Part

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LB-1	Soil	1.2	14.9	9.8	144	0.3	30.2	11.9	296	2.34	14.5	0.3	1.4	2.1	12	0.6	0.8	0.2	48	0.17
LB-2	Soil	6.0	75.2	19.3	172	0.6	57.7	16.7	576	3.85	50.2	0.9	6.8	4.1	34	1.7	5.2	0.4	88	0.47
LB-3	Soil	3.6	33.3	13.4	184	0.3	45.1	14.8	414	3.27	37.0	0.5	2.6	2.4	17	0.8	3.0	0.3	63	0.23
LB-4	Soil	3.7	29.3	14.2	223	0.2	41.2	12.7	370	3.26	33.9	0.5	2.6	3.0	31	1.0	3.4	0.3	62	0.29
LB-5	Soil	4.3	47.4	15.0	192	0.3	52.6	15.6	288	3.63	39.5	0.6	3.7	3.0	25	0.8	3.0	0.3	87	0.35
LB-6	Soil	1.5	40.3	9.4	88	0.3	41.4	15.2	442	3.14	14.8	0.5	3.1	3.5	56	0.9	1.6	0.2	66	2.80
LB-7	Soil	1.0	23.4	6.1	92	0.2	37.7	16.2	510	2.91	14.1	0.4	3.1	1.9	20	0.6	1.1	0.1	67	0.52
LB-8	Soil	0.9	24.1	7.4	84	0.2	38.2	15.6	311	3.27	15.6	0.3	3.5	2.1	18	0.4	1.0	0.1	74	0.42
LB-9	Soil	0.8	7.0	6.3	102	0.3	18.2	7.0	327	1.77	8.8	0.2	2.0	1.4	13	0.6	0.5	0.1	35	0.23
LB-10	Soil	1.5	47.4	14.6	93	0.3	39.3	18.9	502	3.36	21.9	0.7	5.6	3.1	73	1.5	2.2	0.2	60	2.69
LB-11	Soil	0.7	9.5	7.1	129	0.2	22.5	10.1	1083	2.03	7.9	0.2	1.1	1.4	18	1.0	0.5	0.1	48	0.37
LB-12	Soil	0.9	20.8	8.4	90	0.1	28.1	10.4	316	2.69	12.2	0.3	7.3	2.3	18	0.8	0.9	0.1	49	0.48
LB-13	Soil	0.7	12.8	6.2	91	0.1	27.2	9.8	158	2.47	5.1	0.2	2.2	1.8	14	0.4	0.6	0.1	45	0.31
LB-14	Soil	1.1	31.4	7.6	73	<0.1	43.9	14.8	290	3.13	14.6	0.2	1.5	2.4	17	0.7	1.1	0.1	66	0.44
LB-15	Soil	1.1	63.5	9.9	77	0.7	42.1	14.0	480	2.58	14.4	0.4	5.0	1.0	113	2.0	1.4	0.1	36	10.90
LB-16	Soil	1.3	14.9	8.6	143	0.3	29.0	10.2	219	2.59	6.2	0.4	3.1	2.4	13	1.0	0.8	0.1	47	0.24
LB-17	Soil	1.4	28.0	9.5	98	0.2	32.7	11.4	207	3.37	8.9	0.3	6.7	2.7	14	0.4	1.6	0.2	47	0.29
LB-18	Soil	1.9	34.3	12.1	106	0.2	34.7	13.9	358	3.53	25.3	0.6	4.9	3.1	186	1.6	2.2	0.2	39	4.28
LB-19	Soil	1.9	44.8	13.9	117	0.3	48.5	14.1	395	3.80	10.5	0.5	5.5	4.5	32	0.7	1.3	0.2	50	0.44
LB-20	Soil	0.9	17.6	12.4	135	0.2	28.5	11.9	364	3.06	7.5	0.4	3.5	2.6	14	0.6	0.5	0.2	42	0.20
LB-21	Soil	1.1	25.6	10.8	75	<0.1	30.8	10.5	246	3.24	6.7	0.3	2.7	2.2	20	0.4	0.9	0.2	41	0.44
LB-22	Soil	0.6	14.2	10.5	122	0.2	28.1	11.4	577	2.74	4.7	0.2	1.4	2.0	17	0.5	0.4	0.2	39	0.22
LB-23	Soil	1.2	42.4	13.6	108	0.1	34.3	13.8	258	3.82	7.5	0.3	2.5	2.8	15	0.5	1.1	0.2	41	0.24
LD-1	Soil	1.0	27.2	9.3	71	<0.1	30.9	11.9	235	3.14	17.7	0.3	4.5	2.7	13	0.3	1.2	0.1	59	0.40
LD-2	Soil	1.1	31.6	11.9	105	<0.1	34.3	12.5	260	3.61	19.7	0.4	4.1	2.8	13	0.4	1.1	0.2	47	0.26
LD-3	Soil	0.7	21.4	14.7	107	0.2	39.4	14.0	230	3.95	10.8	0.4	6.5	3.1	18	0.4	0.5	0.3	41	0.18
LD-4	Soil	0.6	10.1	8.6	125	0.1	26.1	9.9	334	2.54	5.4	0.3	1.7	1.7	20	0.4	0.4	0.1	43	0.34
LD-5	Soil	0.7	19.5	9.8	78	<0.1	32.4	12.2	244	3.40	7.5	0.3	<0.5	2.4	11	0.3	0.8	0.2	48	0.27
LD-6	Soil	0.8	15.3	11.4	115	0.3	27.3	11.4	401	2.83	12.7	0.3	4.3	1.8	16	0.5	0.6	0.2	44	0.25
LD-7	Soil	0.7	14.3	9.6	110	0.3	28.8	10.3	344	2.65	11.2	0.3	0.9	2.1	22	0.5	0.6	0.1	43	0.30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 2 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LB-1	Soil	8	29	0.33	85	0.074	2	1.98	0.013	0.07	0.1	0.02	2.1	0.1	<0.05	7	<0.5	<0.2	
LB-2	Soil	21	45	0.82	98	0.045	3	1.84	0.015	0.13	0.1	0.04	6.0	0.3	<0.05	5	2.3	<0.2	
LB-3	Soil	13	35	0.63	120	0.043	2	1.91	0.010	0.08	0.1	0.03	3.0	0.2	<0.05	6	1.6	<0.2	
LB-4	Soil	12	33	0.59	130	0.039	2	1.91	0.010	0.09	0.1	0.04	3.0	0.2	<0.05	6	0.5	<0.2	
LB-5	Soil	13	46	0.84	78	0.060	2	2.16	0.014	0.07	0.1	0.03	4.1	0.2	<0.05	6	1.5	<0.2	
LB-6	Soil	12	53	0.74	71	0.134	3	1.68	0.022	0.11	0.1	0.04	6.0	<0.1	<0.05	5	0.9	<0.2	
LB-7	Soil	7	52	0.74	78	0.134	3	1.77	0.015	0.09	0.1	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2	
LB-8	Soil	7	49	0.81	69	0.140	2	1.96	0.011	0.08	0.2	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2	
LB-9	Soil	5	19	0.21	109	0.063	3	1.37	0.012	0.06	0.1	0.04	1.5	<0.1	<0.05	5	<0.5	<0.2	
LB-10	Soil	12	45	0.90	43	0.095	2	1.38	0.015	0.06	0.2	0.05	5.2	0.2	<0.05	4	0.6	<0.2	
LB-11	Soil	6	28	0.34	123	0.093	4	1.22	0.013	0.07	0.1	0.04	2.1	<0.1	<0.05	4	<0.5	<0.2	
LB-12	Soil	7	36	0.59	53	0.098	2	1.50	0.012	0.06	0.1	0.02	3.2	<0.1	<0.05	4	<0.5	<0.2	
LB-13	Soil	6	32	0.54	62	0.095	2	1.47	0.012	0.06	<0.1	0.02	2.7	<0.1	<0.05	4	<0.5	<0.2	
LB-14	Soil	8	56	0.86	42	0.138	2	1.68	0.011	0.07	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2	
LB-15	Soil	7	40	0.61	77	0.044	6	1.13	0.014	0.09	0.1	0.13	3.8	0.1	0.09	3	0.7	<0.2	
LB-16	Soil	6	30	0.33	104	0.093	3	2.15	0.015	0.07	0.1	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2	
LB-17	Soil	8	36	0.70	56	0.086	2	1.75	0.011	0.07	<0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2	
LB-18	Soil	9	28	0.65	38	0.064	3	1.11	0.017	0.06	0.1	0.06	5.2	<0.1	<0.05	3	0.7	<0.2	
LB-19	Soil	12	50	0.69	102	0.083	3	2.26	0.015	0.11	0.1	0.08	8.2	<0.1	<0.05	6	<0.5	<0.2	
LB-20	Soil	6	29	0.38	116	0.069	3	2.49	0.017	0.08	0.2	0.03	2.7	<0.1	<0.05	7	<0.5	<0.2	
LB-21	Soil	7	34	0.59	61	0.074	3	1.67	0.015	0.06	<0.1	0.02	2.6	<0.1	<0.05	5	0.6	<0.2	
LB-22	Soil	6	29	0.42	84	0.056	2	1.89	0.019	0.09	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2	
LB-23	Soil	6	35	0.76	46	0.058	2	1.94	0.009	0.07	<0.1	0.02	3.1	<0.1	<0.05	5	0.6	<0.2	
LD-1	Soil	8	44	0.74	54	0.119	2	1.57	0.011	0.06	0.2	0.01	3.6	<0.1	<0.05	5	<0.5	<0.2	
LD-2	Soil	8	36	0.71	62	0.076	2	1.97	0.011	0.06	<0.1	0.01	3.3	<0.1	<0.05	6	<0.5	<0.2	
LD-3	Soil	6	34	0.73	104	0.055	1	2.79	0.012	0.08	0.1	0.04	2.4	<0.1	<0.05	8	<0.5	<0.2	
LD-4	Soil	5	31	0.53	76	0.075	3	1.78	0.017	0.05	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	<0.2	
LD-5	Soil	7	38	0.75	40	0.094	3	1.91	0.010	0.05	<0.1	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2	
LD-6	Soil	6	31	0.52	109	0.080	2	1.96	0.014	0.06	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	<0.2	
LD-7	Soil	6	30	0.42	85	0.077	2	2.01	0.013	0.06	<0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 3 of 8 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LD-8	Soil	0.8	18.7	8.4	95	0.1	27.8	11.5	421	2.65	12.1	0.2	30.6	2.1	16	0.6	0.7	0.1	49	0.27	0.123
LD-9	Soil	1.5	58.7	12.1	104	0.3	73.7	18.3	497	3.23	16.8	0.3	24.5	2.5	59	1.0	1.9	0.2	59	0.96	0.113
LD-10	Soil	1.0	18.1	9.5	83	<0.1	29.5	10.3	178	2.90	31.4	0.3	19.1	2.6	14	0.3	1.0	0.2	43	0.24	0.054
LD-11	Soil	1.2	89.4	13.5	107	0.4	72.2	18.9	818	3.32	11.2	0.3	3.5	2.6	50	2.0	1.0	0.2	50	1.03	0.146
LD-12	Soil	1.0	28.3	11.7	95	0.4	34.7	11.2	282	3.06	6.1	0.3	3.4	3.4	22	0.3	0.8	0.2	39	0.40	0.037
LD-13	Soil	0.9	16.9	12.5	112	0.1	28.4	11.1	446	3.08	6.2	0.3	39.6	1.9	31	0.2	0.7	0.2	41	0.68	0.030
LD-14	Soil	1.7	51.8	14.9	86	0.2	43.5	14.9	348	4.19	17.7	0.4	4.1	4.2	25	0.4	1.5	0.3	59	0.45	0.049
LD-15	Soil	0.7	21.3	9.6	68	<0.1	28.2	12.7	275	2.76	10.7	0.3	13.0	2.1	25	0.3	0.6	0.1	47	0.70	0.060
LD-16	Soil	1.0	17.0	8.9	97	0.2	34.2	12.3	266	2.98	9.1	0.3	<0.5	2.2	15	0.3	0.6	0.2	49	0.24	0.069
LD-17	Soil	1.1	19.9	11.1	78	0.2	32.2	11.3	435	3.04	6.4	0.3	2.3	2.7	31	0.4	0.8	0.2	40	0.49	0.017
LD-18	Soil	1.4	26.3	10.3	71	0.3	31.5	9.8	176	2.29	7.7	0.6	18.1	3.1	26	0.2	0.7	0.2	33	0.28	0.048
LD-19	Soil	2.1	37.4	10.0	86	0.3	41.3	10.1	235	2.34	14.6	0.4	5.2	2.9	26	0.3	1.5	0.2	34	0.29	0.053
LD-20	Soil	2.8	73.6	11.4	124	0.9	91.1	23.3	1352	3.59	13.0	0.5	5.8	2.1	59	1.9	1.9	0.2	65	0.81	0.039
LD-21	Soil	3.2	52.0	15.1	98	0.3	70.0	20.9	845	3.79	16.5	0.4	5.0	3.8	46	1.6	2.1	0.2	56	0.63	0.025
LD-22	Soil	2.3	44.8	14.4	112	0.4	57.8	18.1	1024	3.30	13.3	0.4	11.7	3.3	45	1.2	1.7	0.2	47	0.63	0.040
LD-23	Soil	0.8	25.2	8.9	70	0.1	34.3	12.2	313	2.98	8.1	1.2	2.4	2.6	15	0.2	0.7	0.2	50	0.31	0.037
LD-24	Soil	0.5	13.8	7.5	92	<0.1	30.5	11.7	173	2.48	3.4	0.3	0.6	1.9	17	0.1	0.4	0.1	47	0.31	0.036
LD-25	Soil	1.3	28.4	12.9	91	0.3	45.4	14.9	435	3.14	7.5	0.3	3.9	4.3	39	0.5	1.0	0.2	37	0.58	0.037
LD-26	Soil	0.9	15.8	7.8	90	0.2	35.6	11.1	255	2.77	6.8	0.3	2.1	2.3	19	0.3	0.6	0.1	46	0.33	0.105
LC-1	Soil	0.5	9.4	7.2	118	0.2	27.2	11.7	413	2.20	10.1	0.3	1.6	2.0	15	0.6	0.3	0.1	43	0.24	0.192
LC-2	Soil	0.7	21.2	7.3	71	0.1	32.4	14.3	359	2.70	10.8	0.3	1.9	2.8	17	0.4	0.8	0.1	60	0.42	0.091
LC-3	Soil	0.5	11.8	6.1	109	0.2	41.6	15.8	357	2.73	7.5	0.3	0.9	1.8	17	0.4	0.3	0.1	61	0.41	0.155
LC-4	Soil	0.3	7.0	5.0	81	0.1	20.1	8.6	229	1.75	4.5	0.2	1.3	1.5	32	0.3	0.3	0.1	37	0.39	0.141
LC-5	Soil	0.7	18.2	7.3	81	0.1	34.6	11.9	300	2.76	9.0	0.4	4.5	2.5	28	0.5	0.8	0.1	52	0.50	0.037
LC-6	Soil	0.6	10.1	8.7	145	0.2	27.9	11.6	1244	2.39	12.7	0.3	<0.5	2.1	11	0.8	0.4	0.1	44	0.30	0.216
LC-7	Soil	0.5	8.9	6.8	100	0.1	28.2	10.7	531	1.96	5.3	0.2	1.0	1.8	11	0.6	0.3	0.1	41	0.23	0.077
LC-8	Soil	0.7	11.8	8.1	77	0.1	19.0	10.0	752	1.95	6.1	0.2	2.3	1.4	12	0.3	0.4	0.1	50	0.33	0.092
LC-9	Soil	0.8	10.9	9.1	100	0.1	34.2	13.9	384	2.68	9.6	0.3	1.0	2.0	12	0.4	0.5	0.1	54	0.34	0.100
LC-10	Soil	0.4	7.8	6.7	131	0.2	21.7	9.2	1060	1.85	8.8	0.2	3.3	1.9	13	0.8	0.3	<0.1	39	0.23	0.141
LC-11	Soil	0.5	8.0	7.5	136	0.3	28.7	10.0	807	1.86	7.8	0.3	1.2	1.6	15	0.7	0.3	0.1	39	0.25	0.148

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 3 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LD-8	Soil	7	37	0.57	68	0.085	2	1.42	0.011	0.07	0.4	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2	
LD-9	Soil	7	80	1.19	71	0.091	4	1.46	0.010	0.15	<0.1	0.06	4.2	0.2	<0.05	4	0.9	<0.2	
LD-10	Soil	8	32	0.59	62	0.096	1	1.51	0.011	0.06	0.1	0.02	2.4	<0.1	<0.05	5	0.5	<0.2	
LD-11	Soil	10	71	0.87	140	0.078	2	2.06	0.013	0.09	0.1	0.05	5.6	0.2	<0.05	5	0.7	<0.2	
LD-12	Soil	9	35	0.59	75	0.078	1	1.77	0.013	0.10	<0.1	0.04	5.9	<0.1	<0.05	5	<0.5	<0.2	
LD-13	Soil	6	34	0.54	70	0.088	2	1.76	0.011	0.07	<0.1	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2	
LD-14	Soil	12	49	0.73	68	0.092	1	1.80	0.011	0.12	0.1	0.06	8.8	0.1	<0.05	5	0.6	<0.2	
LD-15	Soil	6	33	0.56	49	0.117	2	1.50	0.022	0.05	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2	
LD-16	Soil	6	36	0.60	68	0.112	<1	1.86	0.013	0.06	0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2	
LD-17	Soil	8	38	0.59	67	0.105	2	2.10	0.013	0.07	<0.1	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2	
LD-18	Soil	8	33	0.35	143	0.102	1	2.67	0.018	0.07	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2	
LD-19	Soil	9	33	0.42	113	0.073	2	1.77	0.016	0.07	0.1	0.03	4.2	<0.1	<0.05	4	0.5	<0.2	
LD-20	Soil	8	97	1.31	92	0.110	2	1.93	0.012	0.09	<0.1	0.04	3.9	<0.1	<0.05	6	1.0	<0.2	
LD-21	Soil	11	75	0.96	110	0.112	3	2.05	0.015	0.13	<0.1	0.03	4.8	0.1	<0.05	6	1.1	<0.2	
LD-22	Soil	10	56	0.75	124	0.092	2	1.94	0.016	0.11	0.1	0.03	4.6	0.1	<0.05	5	1.0	<0.2	
LD-23	Soil	8	40	0.61	62	0.124	1	1.65	0.016	0.08	<0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2	
LD-24	Soil	6	34	0.47	77	0.122	<1	1.84	0.013	0.07	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2	
LD-25	Soil	11	42	0.60	134	0.086	2	2.21	0.019	0.13	0.1	0.05	5.3	0.1	<0.05	5	<0.5	<0.2	
LD-26	Soil	7	35	0.59	80	0.104	2	1.81	0.010	0.09	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2	
LC-1	Soil	6	30	0.41	99	0.122	1	1.75	0.016	0.05	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2	
LC-2	Soil	10	48	0.68	77	0.151	1	1.52	0.013	0.09	0.1	<0.01	2.8	<0.1	<0.05	5	<0.5	<0.2	
LC-3	Soil	5	48	0.64	92	0.165	1	2.35	0.015	0.07	<0.1	0.02	2.9	<0.1	<0.05	7	<0.5	<0.2	
LC-4	Soil	5	24	0.33	69	0.112	2	1.35	0.014	0.06	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2	
LC-5	Soil	8	43	0.67	54	0.151	1	1.65	0.016	0.06	0.1	0.01	2.5	<0.1	<0.05	5	0.6	<0.2	
LC-6	Soil	6	32	0.45	107	0.104	<1	1.83	0.011	0.05	<0.1	0.03	2.0	<0.1	<0.05	6	<0.5	<0.2	
LC-7	Soil	6	28	0.38	89	0.119	<1	1.55	0.012	0.06	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2	
LC-8	Soil	6	29	0.38	61	0.141	<1	1.15	0.012	0.09	0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2	
LC-9	Soil	6	37	0.50	116	0.129	1	2.01	0.012	0.07	0.1	0.03	2.3	<0.1	<0.05	6	<0.5	<0.2	
LC-10	Soil	5	28	0.34	143	0.104	2	1.40	0.012	0.06	0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2	
LC-11	Soil	5	25	0.29	117	0.110	2	1.72	0.017	0.07	0.1	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 4 of 8 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
LC-12	Soil	0.9	15.2	6.5	114	<0.1	31.9	12.5	216	2.89	9.4	0.2	5.6	1.9	13	0.6	0.8	0.1	72	0.34	0.027
LE-1	Soil	0.9	22.5	10.3	109	0.3	37.7	10.1	301	2.66	9.3	0.6	1.8	2.3	35	0.5	0.7	0.1	41	0.51	0.100
LE-2	Soil	1.2	39.6	11.6	70	0.2	36.7	11.7	368	2.98	10.0	0.5	5.8	1.9	105	0.6	0.9	0.2	43	4.44	0.068
LE-3	Soil	1.1	27.9	9.6	94	0.2	31.3	10.5	303	2.72	8.3	0.3	9.6	2.3	36	0.4	0.8	0.1	43	1.07	0.079
LE-4	Soil	1.7	38.5	11.8	82	0.2	40.3	11.0	248	3.22	11.5	0.4	5.5	3.6	25	0.3	1.2	0.2	52	0.45	0.064
LE-5	Soil	1.1	17.5	9.7	109	0.2	28.4	10.2	292	2.65	9.8	0.4	2.8	2.4	18	0.2	0.6	0.2	46	0.28	0.130
LE-6	Soil	1.7	30.9	8.5	83	0.2	38.5	11.3	180	2.56	10.9	0.5	5.9	2.9	21	0.2	1.2	0.1	51	0.33	0.034
LE-7	Soil	2.4	34.4	9.2	122	0.4	39.7	9.4	165	2.61	17.5	0.3	9.2	2.9	12	0.4	2.3	0.2	37	0.18	0.077
LE-8	Soil	1.1	9.4	7.0	104	0.2	26.5	6.9	329	1.79	6.0	0.2	1.6	1.7	15	0.5	0.5	0.1	31	0.18	0.115
LE-9	Soil	1.7	39.9	8.9	75	0.3	32.8	8.4	204	2.44	14.5	0.4	5.3	2.9	20	0.5	1.5	0.1	38	0.45	0.063
LE-10	Soil	1.1	12.7	8.7	155	0.4	27.4	9.7	442	2.25	13.2	0.4	13.8	2.2	14	0.5	0.7	0.2	35	0.18	0.312
LE-11	Soil	1.0	17.8	8.1	89	0.5	34.1	9.2	230	2.14	9.3	0.3	25.2	2.0	17	0.3	0.7	0.1	37	0.23	0.114
LE-12	Soil	2.1	32.9	8.7	88	0.2	38.8	9.4	228	2.67	11.9	0.3	7.6	2.9	12	0.2	1.5	0.1	39	0.24	0.050
LE-13	Soil	1.7	26.0	9.5	76	0.2	32.8	10.3	257	2.61	10.4	0.3	10.1	2.5	20	0.3	1.5	0.1	40	0.31	0.039
LE-14	Soil	1.0	24.6	10.3	163	0.4	45.5	11.6	471	2.73	5.5	0.3	3.1	2.6	38	0.8	0.9	0.2	39	0.58	0.031
LE-15	Soil	1.7	37.6	10.9	98	0.2	40.1	13.0	467	2.75	14.6	0.9	3.2	2.7	27	0.6	1.6	0.2	43	0.62	0.085
LI-1	Soil	0.9	14.7	12.0	208	0.4	25.9	9.3	1192	2.13	11.8	0.5	0.7	1.9	16	1.0	0.6	0.2	36	0.21	0.235
LI-2	Soil	4.5	39.1	15.1	166	0.2	50.1	13.1	425	3.13	37.9	0.5	3.1	2.4	23	1.0	3.1	0.2	62	0.35	0.069
LI-3	Soil	5.4	42.3	15.3	240	0.2	51.1	17.1	390	3.43	40.4	0.7	11.9	3.8	21	1.0	4.7	0.3	70	0.32	0.109
LI-4	Soil	3.2	25.3	14.3	237	0.4	41.4	13.5	660	3.00	31.0	0.4	1.7	1.9	27	1.1	2.7	0.2	71	0.41	0.103
LI-5	Soil	1.0	71.9	10.3	101	0.3	82.3	22.7	772	3.59	17.5	0.5	5.5	1.5	48	1.5	1.1	0.1	81	0.99	0.095
LI-6	Soil	0.9	98.3	8.2	107	0.2	117.5	30.5	899	4.28	16.5	0.3	7.9	1.4	48	0.9	0.9	0.1	101	0.93	0.063
LI-7	Soil	0.7	96.9	7.2	71	0.2	126.0	32.5	791	4.54	13.7	0.3	5.3	1.2	50	0.4	0.8	<0.1	115	0.93	0.094
LI-8	Soil	4.3	59.2	18.4	182	0.3	61.0	18.1	681	3.71	40.1	0.8	4.2	3.7	39	1.5	3.7	0.3	68	0.63	0.196
LI-9	Soil	1.2	103.7	8.8	100	0.3	113.2	27.2	713	3.97	15.6	0.3	10.2	1.7	53	0.8	1.1	0.1	89	1.52	0.093
LI-10	Soil	2.0	20.7	12.3	253	0.3	37.6	11.8	416	2.58	21.8	0.7	3.7	2.9	22	1.2	1.2	0.2	49	0.33	0.318
LI-11	Soil	1.7	27.4	12.7	127	0.2	39.0	13.4	578	3.00	21.6	0.5	2.4	3.4	18	1.0	1.6	0.2	59	0.31	0.126
LI-12	Soil	1.6	53.9	17.2	99	0.5	43.7	17.0	490	4.13	21.2	1.0	5.8	4.5	36	0.7	1.9	0.3	63	0.47	0.049
LI-13	Soil	1.5	42.3	12.1	88	0.4	41.9	14.4	302	3.55	24.7	0.6	23.5	3.9	25	0.8	1.8	0.2	59	0.44	0.035
LI-14	Soil	1.5	41.3	14.6	99	0.3	37.3	15.1	259	3.38	19.6	0.5	2.1	4.1	29	0.9	1.6	0.3	59	0.56	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 4 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LC-12	Soil	7	43	0.63	57	0.181	<1	1.66	0.011	0.05	0.1	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2	
LE-1	Soil	8	31	0.52	104	0.090	3	1.96	0.019	0.08	<0.1	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2	
LE-2	Soil	7	41	0.64	78	0.075	3	1.60	0.012	0.08	<0.1	0.07	4.6	<0.1	<0.05	4	0.8	<0.2	
LE-3	Soil	6	32	0.55	70	0.090	<1	1.44	0.012	0.07	0.1	0.04	3.4	<0.1	<0.05	4	<0.5	<0.2	
LE-4	Soil	10	41	0.65	65	0.093	1	1.48	0.013	0.09	<0.1	0.05	5.6	0.1	<0.05	4	0.6	<0.2	
LE-5	Soil	8	33	0.48	89	0.090	1	1.67	0.013	0.07	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5	<0.2	
LE-6	Soil	10	44	0.59	41	0.107	<1	1.39	0.009	0.07	0.1	0.01	3.6	<0.1	<0.05	4	<0.5	<0.2	
LE-7	Soil	11	32	0.52	80	0.037	1	1.43	0.006	0.06	0.1	0.02	2.4	<0.1	<0.05	4	1.0	<0.2	
LE-8	Soil	6	22	0.26	136	0.035	2	1.30	0.008	0.07	0.1	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2	
LE-9	Soil	9	33	0.49	38	0.063	2	1.03	0.007	0.10	<0.1	0.05	4.5	<0.1	<0.05	3	0.8	<0.2	
LE-10	Soil	6	26	0.27	214	0.064	1	2.05	0.011	0.06	<0.1	0.05	2.2	<0.1	<0.05	7	0.5	<0.2	
LE-11	Soil	7	27	0.36	129	0.068	2	1.92	0.011	0.08	<0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2	
LE-12	Soil	12	34	0.50	68	0.055	3	1.28	0.006	0.07	<0.1	0.03	4.0	0.1	<0.05	3	0.7	<0.2	
LE-13	Soil	8	36	0.53	85	0.060	2	1.53	0.016	0.10	<0.1	0.02	3.2	0.1	<0.05	4	0.6	<0.2	
LE-14	Soil	8	41	0.56	149	0.071	3	2.18	0.016	0.11	0.1	0.06	4.2	0.1	<0.05	5	<0.5	<0.2	
LE-15	Soil	9	40	0.60	73	0.062	2	1.36	0.010	0.09	0.1	0.05	3.8	<0.1	<0.05	4	0.7	<0.2	
LI-1	Soil	9	24	0.25	131	0.067	2	2.43	0.015	0.06	0.1	0.04	2.1	0.1	<0.05	6	<0.5	<0.2	
LI-2	Soil	13	37	0.62	119	0.051	2	1.62	0.009	0.10	0.1	0.04	3.7	0.3	<0.05	4	1.7	<0.2	
LI-3	Soil	15	37	0.73	143	0.048	2	1.80	0.009	0.11	0.1	0.03	3.6	0.4	<0.05	5	2.1	<0.2	
LI-4	Soil	9	35	0.59	110	0.055	2	1.86	0.015	0.10	0.1	0.04	2.8	0.2	<0.05	6	0.8	<0.2	
LI-5	Soil	6	107	1.58	76	0.099	2	2.04	0.013	0.07	<0.1	0.04	3.9	<0.1	<0.05	6	0.8	<0.2	
LI-6	Soil	6	152	2.38	97	0.144	3	2.56	0.012	0.15	0.1	0.03	4.0	<0.1	<0.05	7	0.5	<0.2	
LI-7	Soil	5	169	2.56	81	0.150	2	2.74	0.009	0.11	<0.1	0.01	4.4	<0.1	<0.05	8	0.6	<0.2	
LI-8	Soil	16	53	0.92	117	0.062	2	1.91	0.013	0.16	<0.1	0.03	4.5	0.3	<0.05	5	1.5	<0.2	
LI-9	Soil	6	135	2.02	95	0.116	3	2.48	0.016	0.12	<0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2	
LI-10	Soil	9	34	0.31	147	0.077	2	2.37	0.013	0.10	0.2	0.03	3.0	0.1	<0.05	6	<0.5	<0.2	
LI-11	Soil	13	41	0.62	100	0.082	2	1.87	0.010	0.07	0.2	0.02	3.1	0.2	<0.05	5	0.6	<0.2	
LI-12	Soil	12	52	0.98	63	0.088	2	2.25	0.016	0.10	0.1	0.07	7.4	0.1	<0.05	6	0.7	<0.2	
LI-13	Soil	13	48	0.82	61	0.094	1	2.01	0.012	0.07	<0.1	0.05	5.4	0.1	<0.05	5	0.7	<0.2	
LI-14	Soil	13	46	0.75	60	0.093	2	2.15	0.015	0.07	0.1	0.03	5.3	0.1	<0.05	6	0.9	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 5 of 8 Part

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%								
		MDL	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
LI-15	Soil	5.8	20.9	11.3	104	0.5	36.3	12.0	389	3.57	21.5	0.9	1.0	2.5	49	1.1	1.1	0.2	63	0.72	0.087
LI-16	Soil	0.8	11.9	10.6	191	0.3	23.7	11.2	305	2.30	13.5	0.3	1.3	1.7	13	0.6	0.7	0.2	49	0.25	0.108
LI-17	Soil	2.1	58.5	18.4	95	0.3	54.8	21.3	695	3.98	34.6	0.6	4.2	3.6	35	1.0	2.1	0.2	96	0.98	0.100
LI-18	Soil	0.7	18.9	10.3	154	0.7	36.6	10.9	456	2.45	8.3	0.4	1.1	2.7	30	0.9	0.5	0.2	42	0.50	0.042
LI-19	Soil	1.3	59.4	26.7	115	0.5	92.0	19.6	468	3.61	40.6	0.3	145.4	1.8	26	0.7	1.9	0.1	83	0.59	0.078
LI-20	Soil	1.0	40.8	9.5	194	0.8	87.2	21.8	532	3.32	34.0	0.3	1090	1.7	25	0.8	1.1	0.1	73	0.49	0.240
LI-21	Soil	2.2	41.2	12.1	97	0.1	48.6	19.1	411	3.85	24.0	0.5	3.5	3.7	15	0.7	2.2	0.2	77	0.40	0.080
LI-22	Soil	1.1	16.1	11.3	153	0.5	27.5	11.9	262	2.76	20.9	0.6	0.7	3.0	9	0.6	0.8	0.2	48	0.16	0.224
LI-23	Soil	1.8	101.4	25.8	141	0.5	105.1	21.0	633	4.29	48.7	0.5	19.7	2.4	40	1.2	2.8	0.3	88	0.86	0.122
LI-24	Soil	2.1	99.0	14.8	133	0.4	115.4	21.4	659	4.13	36.9	0.4	17.0	2.4	40	0.9	2.4	0.2	85	0.81	0.127
LI-25	Soil	1.9	58.6	17.2	119	0.9	54.5	18.7	617	3.63	42.9	0.7	7.1	3.6	28	1.4	2.0	0.2	75	0.72	0.081
LI-26	Soil	0.8	10.4	6.8	60	0.2	11.4	5.7	582	1.71	11.1	0.3	1.5	1.2	13	0.6	0.5	0.1	48	0.25	0.087
LI-27	Soil	1.8	34.6	13.7	106	0.2	38.5	15.6	693	3.32	24.4	0.5	2.7	2.9	21	0.7	1.8	0.2	62	0.46	0.110
LI-28	Soil	3.4	65.3	22.8	118	0.3	47.5	19.2	628	3.98	42.5	0.8	6.0	5.3	29	1.0	4.1	0.3	54	0.44	0.115
LI-29	Soil	1.0	11.4	12.5	129	0.5	19.0	10.1	1088	2.42	14.2	0.5	<0.5	1.9	17	1.1	0.8	0.2	39	0.25	0.307
LI-30	Soil	1.5	24.1	13.0	108	0.5	37.4	13.4	306	2.87	14.0	0.5	1.0	2.5	14	0.5	0.9	0.2	61	0.29	0.071
LI-31	Soil	1.7	16.3	12.1	168	0.4	35.4	12.8	417	2.95	17.6	0.4	1.0	2.2	13	1.3	1.4	0.2	57	0.27	0.147
LI-32	Soil	2.7	26.5	23.5	163	0.5	36.8	12.8	543	3.08	39.0	0.5	3.5	3.0	23	1.1	2.7	0.4	47	0.30	0.138
LI-33	Soil	2.5	35.2	27.4	165	0.5	38.1	13.4	492	3.26	51.4	0.7	3.5	3.6	23	1.2	3.0	0.4	56	0.32	0.122
LI-34	Soil	4.6	42.9	15.8	149	0.2	50.8	15.9	289	3.95	41.6	0.5	3.2	3.1	23	0.8	3.3	0.3	63	0.28	0.067
LI-35	Soil	4.0	56.4	20.0	164	0.3	48.7	13.8	412	3.98	40.3	0.9	4.3	5.3	26	1.1	4.5	0.3	62	0.31	0.086
LI-36	Soil	1.0	14.8	14.0	170	0.3	29.3	11.3	384	2.89	19.9	0.5	1.4	2.7	17	0.8	0.7	0.2	58	0.17	0.292
LI-37	Soil	2.1	59.9	16.2	102	0.2	46.8	16.9	415	4.03	33.8	0.6	4.9	4.0	18	0.6	2.4	0.2	58	0.37	0.088
LI-38	Soil	2.1	48.4	18.1	130	0.4	50.2	18.0	780	3.41	23.4	0.7	5.8	3.0	38	1.3	2.0	0.2	55	0.69	0.091
LI-39	Soil	2.3	34.7	18.4	103	0.3	36.1	14.8	772	2.98	20.4	0.4	5.8	2.1	43	1.2	2.0	0.2	46	0.80	0.122
LI-40	Soil	2.4	39.8	19.8	120	0.4	39.9	17.8	683	3.69	25.1	0.5	129.9	4.2	42	1.0	2.4	0.3	53	0.62	0.173
LI-41	Soil	3.1	19.7	11.1	125	0.2	22.8	9.2	689	2.33	10.5	0.3	<0.5	2.1	41	0.7	1.8	0.2	29	0.41	0.200
LI-42	Soil	1.0	13.5	10.2	101	0.1	16.3	8.3	673	2.05	10.7	0.3	6.0	2.2	25	0.6	0.7	0.2	42	0.34	0.170
LI-43	Soil	2.3	41.4	19.5	103	0.2	42.2	16.3	615	3.76	28.3	0.6	6.4	4.1	34	1.3	2.4	0.2	46	0.75	0.123
LK-1	Soil	1.6	35.1	17.0	107	0.2	31.5	14.3	829	3.46	22.6	0.6	3.3	3.3	31	0.7	1.8	0.3	39	0.51	0.098

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 5 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
LI-15	Soil	11	35	0.36	104	0.083	3	2.56	0.015	0.05	0.1	0.06	3.5	0.1	<0.05	6	0.7	<0.2	
LI-16	Soil	8	25	0.28	96	0.077	2	2.06	0.019	0.08	0.1	0.02	2.0	0.1	<0.05	7	<0.5	<0.2	
LI-17	Soil	12	74	1.36	55	0.152	2	2.03	0.031	0.11	0.2	0.05	7.3	0.2	<0.05	6	0.7	<0.2	
LI-18	Soil	10	30	0.31	124	0.099	2	2.53	0.024	0.07	<0.1	0.07	4.4	0.1	<0.05	5	0.6	<0.2	
LI-19	Soil	8	126	1.46	77	0.110	2	2.52	0.012	0.18	0.2	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2	
LI-20	Soil	7	104	1.13	114	0.103	3	3.14	0.013	0.09	0.2	0.04	3.0	0.1	<0.05	8	<0.5	<0.2	
LI-21	Soil	13	54	1.00	70	0.111	4	2.09	0.015	0.08	0.1	<0.01	3.8	0.2	<0.05	5	0.8	<0.2	
LI-22	Soil	7	29	0.27	90	0.097	2	3.85	0.012	0.05	0.2	0.05	2.1	0.1	<0.05	8	<0.5	<0.2	
LI-23	Soil	14	130	1.70	59	0.112	7	2.15	0.008	0.13	0.2	0.07	6.1	0.2	<0.05	5	1.1	<0.2	
LI-24	Soil	13	124	1.62	61	0.110	3	2.32	0.010	0.15	0.1	0.05	6.4	0.2	<0.05	6	0.6	<0.2	
LI-25	Soil	15	59	0.79	84	0.111	2	2.04	0.020	0.11	0.2	0.09	7.4	0.2	<0.05	6	0.8	<0.2	
LI-26	Soil	6	18	0.13	56	0.064	1	0.88	0.013	0.06	<0.1	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2	
LI-27	Soil	13	41	0.72	86	0.084	<1	1.76	0.011	0.09	0.2	0.03	3.4	0.1	<0.05	5	<0.5	<0.2	
LI-28	Soil	20	38	0.80	50	0.069	<1	1.56	0.013	0.09	0.2	0.03	6.4	0.3	<0.05	5	1.0	<0.2	
LI-29	Soil	7	22	0.28	113	0.078	2	2.49	0.012	0.07	0.1	0.05	1.9	<0.1	<0.05	7	0.5	<0.2	
LI-30	Soil	9	42	0.55	104	0.103	<1	2.19	0.011	0.05	0.2	0.03	2.9	<0.1	<0.05	6	0.6	<0.2	
LI-31	Soil	10	38	0.62	128	0.104	2	2.05	0.009	0.06	0.1	0.03	2.3	<0.1	<0.05	6	0.7	<0.2	
LI-32	Soil	16	28	0.57	108	0.051	2	1.85	0.009	0.10	<0.1	0.04	2.1	0.1	<0.05	6	1.0	<0.2	
LI-33	Soil	14	33	0.59	91	0.077	2	2.00	0.013	0.08	0.2	0.05	3.1	0.2	<0.05	6	1.1	<0.2	
LI-34	Soil	14	37	0.79	77	0.073	<1	2.03	0.006	0.06	0.2	0.03	2.6	0.2	<0.05	5	1.3	<0.2	
LI-35	Soil	20	38	0.81	47	0.064	1	1.66	0.013	0.11	0.1	0.03	4.9	0.3	<0.05	5	1.6	0.2	
LI-36	Soil	11	30	0.30	156	0.067	2	3.02	0.019	0.08	0.2	0.02	3.0	0.2	<0.05	9	<0.5	<0.2	
LI-37	Soil	14	44	0.86	38	0.087	2	1.68	0.009	0.07	0.2	0.03	5.1	<0.1	<0.05	5	0.9	<0.2	
LI-38	Soil	13	47	0.70	91	0.081	2	1.76	0.015	0.09	0.1	0.05	4.9	0.1	<0.05	5	1.6	<0.2	
LI-39	Soil	11	37	0.61	67	0.070	3	1.08	0.011	0.12	0.2	0.05	3.6	<0.1	<0.05	3	1.0	<0.2	
LI-40	Soil	15	45	0.69	56	0.076	2	1.32	0.012	0.11	0.2	0.04	4.8	0.1	<0.05	4	0.6	<0.2	
LI-41	Soil	10	18	0.24	138	0.024	3	0.95	0.009	0.09	0.1	0.04	1.5	<0.1	<0.05	4	0.6	<0.2	
LI-42	Soil	8	20	0.26	143	0.078	1	0.98	0.013	0.06	<0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2	
LI-43	Soil	16	35	0.64	46	0.067	2	1.22	0.011	0.08	0.1	0.04	4.9	<0.1	<0.05	4	1.1	<0.2	
LK-1	Soil	16	26	0.41	66	0.047	2	0.99	0.012	0.07	0.1	0.03	4.0	<0.1	<0.05	4	0.8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page:

6 of 8 Part

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%						
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LK-2	Soil	1.8	32.3	17.6	115	0.2	32.4	14.6	1677	3.54	18.2	0.5	16.9	2.4	27	0.9	1.8	0.3	35	0.43 0.087
LK-3	Soil	1.4	29.6	12.5	87	<0.1	32.7	11.8	313	3.36	16.9	0.4	2.7	3.7	15	0.4	2.2	0.2	43	0.26 0.052
LK-4	Soil	0.8	14.4	12.1	87	0.2	20.1	8.6	718	2.15	10.5	0.3	4.7	1.5	26	0.7	0.9	0.2	36	0.50 0.088
LK-5	Soil	0.7	9.1	10.9	145	0.3	20.8	9.1	1492	1.91	18.0	0.3	5.4	1.2	24	0.5	0.5	0.2	32	0.40 0.201
LK-6	Soil	1.1	18.9	10.6	90	0.2	29.2	10.6	457	2.56	13.4	0.4	23.9	2.5	17	0.4	1.2	0.2	45	0.35 0.093
LK-7	Soil	1.2	18.2	9.6	78	0.2	33.8	11.4	244	2.93	15.6	0.4	4.9	3.0	17	0.3	1.4	0.1	49	0.34 0.113
LK-8	Soil	1.0	10.0	8.2	104	0.2	23.0	9.9	258	2.41	14.0	0.4	<0.5	2.4	15	0.3	0.8	0.1	44	0.24 0.226
LK-9	Soil	1.3	20.1	7.9	71	0.2	29.6	10.8	241	2.49	15.3	0.5	1.6	3.0	22	0.4	1.3	0.1	51	0.43 0.085
LK-10	Soil	1.8	28.7	10.1	71	0.2	40.6	12.9	255	2.97	19.4	0.5	4.6	3.5	17	0.5	1.8	0.2	55	0.38 0.082
LK-11	Soil	1.3	15.8	9.7	73	0.2	25.7	10.0	532	2.26	14.2	0.4	101.4	1.8	19	0.5	1.1	0.1	48	0.37 0.100
LK-12	Soil	1.6	22.8	8.5	81	0.3	34.3	12.0	274	2.78	19.1	0.6	1.3	2.4	16	0.5	1.4	0.2	55	0.35 0.118
LK-13	Soil	1.0	8.8	4.5	39	0.1	10.8	4.5	192	1.30	7.2	0.2	2.7	1.2	10	0.3	0.8	<0.1	39	0.23 0.058
LK-14	Soil	1.6	23.2	8.9	74	0.2	28.6	10.4	374	2.39	13.9	0.4	2.0	2.2	22	0.8	1.5	0.1	52	0.47 0.070
LK-15	Soil	1.9	30.1	11.1	98	0.2	35.7	12.2	292	2.91	20.3	0.6	1.8	2.8	21	1.2	1.6	0.2	56	0.54 0.094
LK-16	Soil	1.9	28.6	11.1	119	0.2	36.1	12.8	390	2.84	17.4	0.5	2.8	2.2	25	0.9	1.6	0.2	58	0.47 0.138
LK-17	Soil	2.4	37.1	11.8	126	0.3	47.6	14.0	321	2.96	16.1	0.7	2.1	3.5	24	0.9	2.1	0.2	55	0.37 0.129
LK-18	Soil	1.7	31.9	10.9	94	0.3	35.3	12.3	495	2.70	17.6	0.5	1.6	3.1	23	0.7	1.7	0.2	56	0.35 0.128
LK-19	Soil	1.7	37.5	10.3	85	0.2	37.7	13.2	401	2.91	19.6	0.5	2.9	3.5	28	0.5	1.6	0.2	62	0.50 0.093
LK-20	Soil	1.7	39.7	11.0	96	0.1	40.2	14.3	467	3.04	17.0	0.6	2.8	3.9	33	0.8	1.6	0.2	65	0.60 0.115
LK-21	Soil	1.3	19.7	7.9	89	0.1	29.4	10.5	330	2.37	14.1	0.4	3.1	2.4	17	0.7	1.4	0.2	43	0.28 0.163
LK-22	Soil	1.5	29.1	9.9	80	0.1	32.6	13.2	395	2.69	15.8	0.4	1.0	3.2	22	0.6	1.8	0.2	56	0.40 0.065
LK-23	Soil	1.4	30.0	11.7	84	0.2	30.2	12.8	518	2.53	40.2	0.3	3.6	2.5	39	1.0	1.7	0.2	56	0.68 0.073
LK-24	Soil	2.1	64.4	14.6	101	0.5	47.8	15.5	776	3.13	29.9	0.7	3.7	3.3	57	2.1	2.6	0.3	65	0.98 0.069
LK-25	Soil	1.1	13.7	10.2	130	0.2	25.5	11.0	795	2.26	14.4	0.3	1.3	1.7	27	1.1	1.4	0.2	46	0.43 0.173
LK-26	Soil	1.1	24.7	9.3	114	0.2	32.1	11.0	497	2.31	13.0	0.3	1.2	1.8	37	1.1	1.4	0.1	58	0.66 0.119
LK-27	Soil	1.8	38.1	9.5	71	<0.1	34.9	12.6	477	2.66	15.3	0.3	1.1	1.9	29	1.0	2.3	0.1	73	0.58 0.051
LK-28	Soil	1.7	29.8	12.0	87	0.2	36.6	14.9	559	2.74	11.9	0.6	2.5	3.9	29	1.3	1.5	0.2	62	0.57 0.082
LK-29	Soil	1.8	31.2	10.4	81	<0.1	34.1	12.8	324	2.64	12.4	0.6	1.8	4.1	17	0.4	1.4	0.2	67	0.35 0.050
LK-30	Soil	1.8	27.1	10.2	83	0.1	34.3	12.8	384	2.61	11.3	0.6	<0.5	4.2	22	0.7	1.7	0.2	59	0.42 0.064
LK-31	Soil	1.6	23.9	9.3	63	<0.1	29.0	11.1	212	2.40	9.9	0.5	1.9	3.5	15	0.2	1.8	0.2	75	0.34 0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 6 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LK-2	Soil	14	23	0.37	96	0.043	2	0.90	0.011	0.08	<0.1	0.03	3.6	<0.1	<0.05	3	0.7	<0.2
LK-3	Soil	17	33	0.58	41	0.081	1	1.35	0.009	0.06	0.2	0.02	3.0	<0.1	<0.05	4	0.7	<0.2
LK-4	Soil	9	21	0.34	96	0.064	2	1.27	0.012	0.07	0.1	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
LK-5	Soil	7	19	0.27	193	0.075	2	1.79	0.016	0.07	<0.1	0.04	1.4	<0.1	<0.05	6	<0.5	<0.2
LK-6	Soil	12	31	0.46	98	0.083	1	1.67	0.014	0.06	0.1	0.02	2.8	<0.1	<0.05	5	0.8	<0.2
LK-7	Soil	13	35	0.58	72	0.081	<1	1.77	0.008	0.07	0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
LK-8	Soil	9	27	0.39	108	0.090	1	1.94	0.012	0.04	0.2	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2
LK-9	Soil	13	35	0.55	75	0.111	1	1.53	0.010	0.05	0.2	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
LK-10	Soil	14	42	0.73	48	0.096	1	1.50	0.010	0.06	0.2	0.02	3.5	<0.1	<0.05	4	0.6	<0.2
LK-11	Soil	11	32	0.47	88	0.095	<1	1.37	0.009	0.07	0.2	0.03	2.2	<0.1	<0.05	4	<0.5	<0.2
LK-12	Soil	12	39	0.60	87	0.105	<1	1.87	0.015	0.06	0.2	0.02	2.7	<0.1	<0.05	5	0.5	<0.2
LK-13	Soil	8	16	0.21	41	0.099	1	0.63	0.012	0.04	0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
LK-14	Soil	12	35	0.54	72	0.110	1	1.41	0.013	0.06	0.2	0.02	2.6	<0.1	<0.05	4	0.7	<0.2
LK-15	Soil	11	43	0.63	59	0.104	2	1.60	0.010	0.08	0.2	0.04	3.4	<0.1	<0.05	4	1.0	<0.2
LK-16	Soil	11	43	0.59	105	0.090	2	1.76	0.012	0.09	0.2	0.03	3.5	0.1	<0.05	5	0.8	<0.2
LK-17	Soil	14	45	0.67	121	0.108	1	2.15	0.016	0.10	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
LK-18	Soil	13	42	0.58	105	0.101	1	1.71	0.012	0.12	0.2	0.02	3.5	0.1	<0.05	5	<0.5	<0.2
LK-19	Soil	13	46	0.72	66	0.119	2	1.64	0.014	0.11	0.2	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
LK-20	Soil	17	50	0.82	57	0.121	2	1.59	0.016	0.12	0.3	0.01	4.4	0.1	<0.05	5	0.8	<0.2
LK-21	Soil	8	34	0.48	66	0.077	2	1.41	0.009	0.05	0.2	0.02	2.5	<0.1	<0.05	4	0.9	<0.2
LK-22	Soil	12	42	0.70	39	0.105	2	1.30	0.009	0.11	0.1	0.02	3.0	<0.1	<0.05	4	0.8	<0.2
LK-23	Soil	10	45	0.54	62	0.095	4	1.51	0.010	0.11	0.2	0.05	3.2	<0.1	<0.05	4	0.5	<0.2
LK-24	Soil	15	59	0.66	82	0.097	3	1.78	0.017	0.11	0.3	0.04	5.2	0.2	<0.05	5	1.6	<0.2
LK-25	Soil	8	33	0.45	116	0.079	3	1.51	0.010	0.08	0.2	0.03	2.0	<0.1	<0.05	5	0.6	<0.2
LK-26	Soil	7	46	0.56	99	0.080	2	1.61	0.010	0.09	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LK-27	Soil	9	50	0.78	64	0.098	2	1.56	0.009	0.08	0.2	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
LK-28	Soil	15	45	0.66	83	0.120	2	1.47	0.015	0.15	0.1	0.02	3.8	0.1	<0.05	4	<0.5	<0.2
LK-29	Soil	16	45	0.69	50	0.133	1	1.45	0.013	0.09	0.1	0.02	3.4	0.1	<0.05	4	0.8	<0.2
LK-30	Soil	16	42	0.65	63	0.124	1	1.38	0.016	0.12	0.2	<0.01	3.6	0.2	<0.05	4	0.6	<0.2
LK-31	Soil	14	43	0.60	48	0.119	1	1.47	0.011	0.05	0.2	<0.01	2.5	<0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page:

7 of 8 Part

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																		
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LK-32	Soil	1.2	18.8	13.4	109	0.4	29.0	8.9	975	1.98	8.6	0.4	1.1	1.3	23	1.8	1.1	0.2	48	0.41 0.139
LK-33	Soil	1.3	23.0	8.4	105	0.2	28.2	10.4	513	2.20	8.9	0.4	0.9	2.2	17	0.9	1.6	0.2	56	0.29 0.096
LK-34	Soil	2.2	47.1	13.9	85	0.4	47.3	14.4	412	3.05	21.6	0.6	4.5	3.9	32	0.8	3.7	0.3	68	0.61 0.034
LK-35	Soil	1.8	38.0	12.4	129	0.4	40.6	10.9	1333	2.33	16.8	0.6	<0.5	1.7	30	2.0	2.3	0.2	60	0.62 0.053
LK-36	Soil	2.5	49.9	13.7	164	0.5	66.5	13.9	439	3.21	44.2	0.9	1.4	2.8	27	1.2	3.4	0.2	63	0.51 0.249
LK-37	Soil	2.8	34.6	14.5	140	0.3	38.3	11.1	544	2.53	33.2	0.4	6.2	2.6	19	0.8	5.9	0.2	52	0.32 0.094
LK-38	Soil	1.0	7.3	7.9	55	0.3	12.4	5.9	326	1.51	5.8	0.3	<0.5	1.4	10	0.5	0.6	0.1	43	0.17 0.130
LK-39	Soil	1.6	14.0	8.4	104	0.3	30.8	9.4	240	2.33	10.5	0.4	<0.5	2.9	18	0.7	1.5	0.2	51	0.35 0.187
LK-40	Soil	1.9	18.7	11.4	146	0.4	39.2	11.2	374	2.41	21.0	0.4	1.6	2.8	14	0.7	1.9	0.2	46	0.22 0.217
LK-41	Soil	2.1	22.2	10.7	170	1.1	40.2	10.9	887	2.31	12.3	0.5	3.7	2.4	19	1.5	1.5	0.2	42	0.24 0.357
LK-42	Soil	2.2	25.7	9.0	92	0.2	36.5	9.9	258	2.43	11.2	0.5	4.1	3.8	18	0.3	3.0	0.2	47	0.28 0.025
LK-43	Soil	2.3	101.7	12.8	115	2.6	65.0	11.3	509	2.73	22.8	0.9	6.9	1.9	54	1.8	3.0	0.2	43	0.94 0.051
LK-44	Soil	2.9	20.6	9.7	116	0.3	35.7	9.9	175	2.60	14.3	0.6	1.5	3.4	16	0.5	2.7	0.2	54	0.26 0.074
LK-45	Soil	2.3	20.9	10.3	122	0.3	36.4	10.5	319	2.44	14.9	0.5	2.0	3.7	18	0.7	2.1	0.2	51	0.26 0.177
LK-46	Soil	1.9	20.8	11.6	122	0.2	34.3	11.5	386	2.41	11.0	0.5	1.7	3.2	25	0.8	2.0	0.2	53	0.50 0.167
LK-47	Soil	4.7	39.1	10.9	101	0.1	39.5	10.3	228	2.80	17.1	0.7	4.0	5.2	15	0.4	4.8	0.2	51	0.24 0.042
LK-48	Soil	8.7	49.5	13.8	162	0.3	54.7	11.2	232	3.02	22.9	0.8	5.1	4.2	19	0.7	5.0	0.2	52	0.28 0.061
LK-49	Soil	3.7	58.3	20.8	146	0.6	70.1	17.1	676	3.40	32.5	0.7	5.0	4.1	44	2.2	8.0	0.3	62	0.62 0.047
LK-50	Soil	1.4	10.7	7.6	115	0.2	20.2	8.5	689	1.89	11.2	0.5	2.1	2.3	19	0.6	1.1	0.2	43	0.28 0.262
LK-51	Soil	2.7	19.5	12.4	132	0.4	31.9	10.4	257	2.62	18.0	0.5	0.7	2.8	24	1.1	2.8	0.2	48	0.44 0.216
LK-52	Soil	4.1	25.0	12.0	116	0.2	36.4	10.5	258	2.82	19.9	0.4	1.2	3.2	15	0.5	3.8	0.2	50	0.23 0.178
LK-53	Soil	9.3	29.1	16.3	162	0.3	29.8	9.3	266	2.65	22.1	0.5	0.6	3.5	20	0.8	4.2	0.2	46	0.21 0.153
LK-54	Soil	11.0	41.0	15.2	197	0.3	50.0	11.6	257	3.10	25.0	0.7	2.0	3.2	21	1.3	6.2	0.2	46	0.24 0.105
LK-55	Soil	7.5	48.5	18.7	167	0.3	53.6	12.8	342	2.95	30.3	0.7	4.7	3.0	27	1.3	8.4	0.2	43	0.43 0.065
LK-56	Soil	2.6	20.5	10.9	102	0.1	32.7	11.8	439	2.45	15.0	0.5	1.6	3.6	15	0.6	3.0	0.2	49	0.27 0.142
LK-57	Soil	4.3	20.5	12.7	144	0.4	34.4	10.4	402	2.39	14.2	0.5	2.4	2.6	28	1.4	3.5	0.2	46	0.48 0.112
LK-58	Soil	4.3	19.5	12.8	162	0.2	32.6	10.1	233	2.48	11.8	0.6	1.3	3.4	16	0.7	3.1	0.2	51	0.20 0.127
LK-59	Soil	1.3	11.7	9.9	118	0.2	22.3	9.6	481	2.20	10.0	0.4	<0.5	2.6	13	0.6	1.6	0.2	55	0.22 0.129
LK-60	Soil	1.6	15.6	10.8	116	0.2	27.2	11.3	440	2.45	14.9	0.5	0.7	3.1	23	0.7	1.7	0.2	49	0.29 0.233
LK-61	Soil	1.9	20.8	9.3	98	0.2	32.9	11.5	511	2.49	9.7	0.5	6.8	3.7	14	0.7	1.7	0.2	55	0.25 0.103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 7 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm							
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LK-32	Soil	7	30	0.29	138	0.077	2	1.73	0.013	0.10	0.1	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
LK-33	Soil	9	35	0.42	103	0.092	2	1.55	0.010	0.08	0.2	0.01	2.5	0.1	<0.05	4	<0.5	<0.2
LK-34	Soil	14	54	0.66	111	0.119	2	1.98	0.014	0.10	0.3	0.03	5.0	0.2	<0.05	5	1.0	<0.2
LK-35	Soil	12	39	0.47	102	0.089	4	1.60	0.014	0.09	0.1	0.04	2.8	0.1	<0.05	4	<0.5	<0.2
LK-36	Soil	10	58	0.62	135	0.093	2	2.83	0.015	0.08	0.2	0.05	3.8	0.2	<0.05	7	0.8	<0.2
LK-37	Soil	12	39	0.54	108	0.077	2	1.43	0.010	0.08	0.4	0.02	2.2	0.1	<0.05	5	0.7	<0.2
LK-38	Soil	6	17	0.12	57	0.087	<1	1.19	0.013	0.03	0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
LK-39	Soil	10	31	0.40	80	0.092	1	1.76	0.009	0.07	0.4	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
LK-40	Soil	11	31	0.37	99	0.082	1	1.93	0.011	0.08	0.2	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
LK-41	Soil	10	30	0.30	167	0.079	2	2.48	0.013	0.08	0.3	0.05	2.5	<0.1	<0.05	6	0.6	<0.2
LK-42	Soil	17	37	0.55	90	0.089	1	1.56	0.015	0.06	0.4	<0.01	2.3	<0.1	<0.05	4	0.9	<0.2
LK-43	Soil	17	67	0.41	128	0.088	2	2.49	0.028	0.08	0.3	0.17	4.4	0.2	<0.05	4	1.2	<0.2
LK-44	Soil	13	33	0.42	58	0.104	1	1.65	0.010	0.05	0.2	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
LK-45	Soil	14	33	0.42	100	0.088	1	1.70	0.011	0.07	0.2	<0.01	2.3	0.1	<0.05	5	0.7	<0.2
LK-46	Soil	11	34	0.38	96	0.095	2	1.90	0.014	0.06	0.3	0.03	2.5	0.1	<0.05	6	<0.5	<0.2
LK-47	Soil	22	36	0.57	47	0.107	2	1.31	0.011	0.09	0.2	<0.01	2.8	0.2	<0.05	4	0.9	<0.2
LK-48	Soil	21	36	0.50	76	0.066	1	1.36	0.009	0.07	0.2	0.02	2.7	0.2	<0.05	5	1.1	<0.2
LK-49	Soil	19	65	0.69	130	0.077	2	2.19	0.015	0.10	0.3	0.06	5.0	0.2	<0.05	5	1.2	<0.2
LK-50	Soil	9	23	0.24	115	0.072	1	1.81	0.018	0.06	0.2	0.02	1.9	0.1	<0.05	5	0.6	<0.2
LK-51	Soil	13	30	0.41	100	0.076	1	1.57	0.013	0.08	0.3	0.02	1.9	0.1	<0.05	5	0.7	<0.2
LK-52	Soil	14	32	0.50	67	0.058	1	1.51	0.009	0.07	0.3	<0.01	2.1	0.1	<0.05	5	<0.5	<0.2
LK-53	Soil	16	20	0.22	135	0.049	1	1.02	0.010	0.07	0.3	0.02	1.9	0.3	<0.05	4	0.7	<0.2
LK-54	Soil	18	26	0.42	91	0.050	1	1.22	0.008	0.08	0.4	0.01	1.8	0.3	<0.05	3	1.4	<0.2
LK-55	Soil	17	30	0.47	80	0.061	2	1.28	0.010	0.10	0.3	0.03	2.2	0.3	<0.05	3	1.5	<0.2
LK-56	Soil	15	33	0.48	88	0.087	1	1.31	0.009	0.07	0.3	0.01	2.0	0.1	<0.05	4	<0.5	<0.2
LK-57	Soil	14	29	0.43	101	0.070	1	1.29	0.011	0.08	0.3	0.04	1.7	0.2	<0.05	4	0.9	<0.2
LK-58	Soil	15	29	0.40	111	0.074	2	1.39	0.011	0.08	0.3	<0.01	1.8	0.2	<0.05	5	0.9	<0.2
LK-59	Soil	10	27	0.32	94	0.085	1	1.30	0.011	0.06	0.5	<0.01	1.8	<0.1	<0.05	5	<0.5	<0.2
LK-60	Soil	10	31	0.35	132	0.085	1	1.55	0.013	0.06	0.4	<0.01	2.1	0.1	<0.05	5	<0.5	<0.2
LK-61	Soil	14	36	0.50	97	0.093	<1	1.52	0.011	0.07	0.3	<0.01	2.2	0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Project: Crazy Fox

Report Date: June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 8 of 8 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%									
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01		
LK-62	Soil	2.2	20.9	11.1	94	0.2	32.8	14.3	340	2.65	17.1	0.6	39.8	4.8	14	0.5	2.8	0.2	53	0.28	0.064
LK-63	Soil	1.9	21.8	10.4	105	0.5	28.4	9.4	213	2.30	10.1	1.4	1.6	2.4	35	0.7	1.8	0.3	53	0.56	0.019
LK-64	Soil	2.3	18.6	12.1	94	0.4	32.9	12.9	522	2.46	15.7	0.9	1.5	3.1	51	1.2	2.4	0.2	47	1.00	0.033
LK-65	Soil	1.7	14.2	10.8	130	0.3	22.2	10.4	340	2.38	11.6	0.4	2.9	2.4	8	0.8	1.9	0.4	50	0.13	0.158
LK-66	Soil	2.8	38.1	10.5	175	0.3	43.6	19.5	316	3.93	41.1	0.5	2.8	2.5	14	0.8	1.9	1.1	103	0.20	0.147
LK-67	Soil	2.4	32.1	13.2	111	0.5	37.4	11.6	395	2.56	23.8	0.7	2.5	2.6	29	1.1	4.8	0.2	49	0.50	0.065
LK-68	Soil	4.1	88.9	13.1	314	0.4	76.9	21.0	432	4.23	134.9	0.4	9.1	2.0	19	1.6	11.9	0.3	77	0.23	0.101
LK-69	Soil	4.1	63.0	14.2	221	0.4	48.9	18.8	513	3.75	64.3	0.6	3.4	2.4	22	0.9	3.6	1.9	100	0.29	0.113
LK-70	Soil	1.8	16.1	8.5	116	0.2	33.7	11.7	266	2.69	10.0	0.5	2.2	3.7	12	0.7	2.2	0.2	52	0.29	0.078
LK-71	Soil	2.7	21.7	12.0	117	0.1	35.2	9.6	273	2.84	19.8	0.4	2.7	3.4	13	0.6	4.6	0.4	53	0.21	0.092
LK-72	Soil	2.2	19.0	16.2	131	0.6	49.0	14.3	336	3.62	26.2	1.4	1.6	4.1	39	2.2	2.9	0.5	61	0.61	0.074
LK-73	Soil	2.6	22.7	10.5	144	0.4	29.9	11.3	579	2.69	21.9	0.5	1.2	3.2	21	1.6	2.8	0.4	53	0.33	0.127
LK-74	Soil	6.0	75.2	14.1	284	0.3	62.3	21.9	463	5.47	243.8	0.5	10.1	2.4	20	1.6	10.7	0.5	82	0.28	0.164
LK-75	Soil	2.2	30.2	11.2	189	0.4	42.2	14.9	1253	2.96	135.0	0.9	1.5	4.4	28	2.2	2.4	0.3	59	0.42	0.036
LK-76	Soil	2.9	27.2	11.5	111	0.3	24.3	10.5	1110	2.28	20.8	0.4	2.5	2.3	25	1.8	2.8	0.4	51	0.28	0.068
LK-77	Soil	5.4	34.0	13.0	246	0.2	52.6	13.5	280	3.64	46.4	0.7	3.1	2.2	38	1.6	5.6	1.0	89	0.43	0.027
LK-78	Soil	4.7	47.4	17.8	150	0.3	44.3	15.7	665	3.58	90.4	0.5	6.7	1.4	24	1.2	8.3	0.9	74	0.28	0.101
LK-79	Soil	2.9	89.2	11.6	111	0.2	85.5	30.1	898	4.34	53.2	0.6	7.2	1.7	73	1.0	2.6	1.5	126	0.86	0.113



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: June 28, 2010

Page: 8 of 8 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002788.1

Method	Analyte	1DX15																
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm							
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LK-62	Soil	17	37	0.67	64	0.097	1	1.37	0.015	0.09	0.3	0.01	2.4	0.1	<0.05	5	0.8	<0.2
LK-63	Soil	12	31	0.36	92	0.088	<1	1.62	0.012	0.05	0.3	0.03	2.3	0.1	<0.05	5	1.1	<0.2
LK-64	Soil	12	36	0.58	94	0.092	2	1.40	0.018	0.09	0.3	0.03	2.9	0.1	<0.05	5	1.7	<0.2
LK-65	Soil	10	32	0.39	89	0.079	1	1.74	0.008	0.04	1.2	0.03	1.8	0.1	<0.05	6	<0.5	<0.2
LK-66	Soil	7	61	1.00	102	0.131	<1	2.74	0.014	0.06	5.1	0.05	3.1	0.1	<0.05	8	0.6	<0.2
LK-67	Soil	15	38	0.55	79	0.079	1	1.43	0.010	0.09	0.4	0.05	2.6	0.1	<0.05	4	0.9	<0.2
LK-68	Soil	10	94	1.05	81	0.066	1	2.11	0.010	0.09	0.5	0.02	3.2	0.1	<0.05	6	2.0	<0.2
LK-69	Soil	7	55	1.00	109	0.124	1	2.14	0.016	0.09	11.3	0.03	3.2	0.1	<0.05	8	0.7	<0.2
LK-70	Soil	15	37	0.62	82	0.105	<1	1.71	0.012	0.06	0.4	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
LK-71	Soil	15	39	0.58	75	0.073	<1	1.47	0.008	0.07	0.9	0.02	2.1	0.1	<0.05	5	1.1	<0.2
LK-72	Soil	14	50	0.48	149	0.100	1	3.86	0.012	0.07	0.9	0.09	3.5	0.2	<0.05	6	3.4	<0.2
LK-73	Soil	14	36	0.55	115	0.076	1	1.66	0.010	0.11	0.7	0.05	2.2	0.1	<0.05	5	0.8	<0.2
LK-74	Soil	10	67	0.92	72	0.070	1	1.78	0.008	0.08	0.7	0.03	3.2	0.1	<0.05	6	3.9	<0.2
LK-75	Soil	16	47	0.61	112	0.115	1	1.97	0.016	0.09	0.5	0.05	3.0	0.2	<0.05	5	1.6	<0.2
LK-76	Soil	12	32	0.42	100	0.083	1	0.96	0.009	0.07	1.5	0.04	1.8	<0.1	<0.05	5	0.8	<0.2
LK-77	Soil	8	66	0.78	73	0.151	1	2.07	0.016	0.06	3.5	0.03	2.9	0.1	<0.05	7	1.6	<0.2
LK-78	Soil	10	59	0.74	67	0.071	1	1.39	0.009	0.08	2.6	0.05	2.5	0.2	<0.05	5	1.1	<0.2
LK-79	Soil	7	175	1.80	131	0.115	<1	2.13	0.024	0.30	2.3	0.03	6.6	0.3	<0.05	6	1.2	<0.2



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

## **Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

Crazy Fox

June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 2 Part 1

# QUALITY CONTROL REPORT

VAN10002788.1

Method	Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%							
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LB-4	Soil	3.7	29.3	14.2	223	0.2	41.2	12.7	370	3.26	33.9	0.5	2.6	3.0	31	1.0	3.4	0.3	62	0.29	0.245
REP LB-4	QC	3.7	31.2	14.8	229	0.3	42.7	13.0	391	3.28	35.2	0.5	12.2	3.1	34	1.0	3.0	0.3	62	0.32	0.258
LD-7	Soil	0.7	14.3	9.6	110	0.3	28.8	10.3	344	2.65	11.2	0.3	0.9	2.1	22	0.5	0.6	0.1	43	0.30	0.245
REP LD-7	QC	0.7	14.6	9.3	116	0.3	31.2	10.9	365	2.74	11.6	0.3	1.3	2.2	22	0.4	0.6	0.2	43	0.31	0.239
LD-18	Soil	1.4	26.3	10.3	71	0.3	31.5	9.8	176	2.29	7.7	0.6	18.1	3.1	26	0.2	0.7	0.2	33	0.28	0.048
REP LD-18	QC	1.4	25.7	10.5	68	0.3	29.7	9.5	174	2.24	7.1	0.6	3.8	3.2	26	0.2	0.7	0.2	33	0.28	0.047
LC-8	Soil	0.7	11.8	8.1	77	0.1	19.0	10.0	752	1.95	6.1	0.2	2.3	1.4	12	0.3	0.4	0.1	50	0.33	0.092
REP LC-8	QC	0.6	11.2	7.9	77	<0.1	20.8	10.7	760	1.94	5.9	0.2	3.2	1.7	13	0.3	0.4	0.1	49	0.31	0.094
LI-6	Soil	0.9	98.3	8.2	107	0.2	117.5	30.5	899	4.28	16.5	0.3	7.9	1.4	48	0.9	0.9	0.1	101	0.93	0.063
REP LI-6	QC	0.8	97.2	8.2	110	0.2	117.4	31.6	921	4.44	16.6	0.3	5.6	1.4	50	0.9	1.0	0.1	105	0.97	0.063
LI-19	Soil	1.3	59.4	26.7	115	0.5	92.0	19.6	468	3.61	40.6	0.3	145.4	1.8	26	0.7	1.9	0.1	83	0.59	0.078
REP LI-19	QC	1.3	60.7	27.7	117	0.5	94.0	20.4	482	3.78	40.4	0.3	85.1	1.9	27	0.7	2.0	0.1	86	0.62	0.081
LI-28	Soil	3.4	65.3	22.8	118	0.3	47.5	19.2	628	3.98	42.5	0.8	6.0	5.3	29	1.0	4.1	0.3	54	0.44	0.115
REP LI-28	QC	3.2	65.3	23.0	121	0.3	47.4	18.8	634	3.99	42.3	0.8	7.0	5.3	28	1.0	4.0	0.3	55	0.44	0.116
LK-7	Soil	1.2	18.2	9.6	78	0.2	33.8	11.4	244	2.93	15.6	0.4	4.9	3.0	17	0.3	1.4	0.1	49	0.34	0.113
REP LK-7	QC	1.2	17.9	9.5	77	0.1	34.5	11.3	240	2.88	15.2	0.4	3.4	3.2	17	0.4	1.4	0.2	50	0.35	0.109
LK-22	Soil	1.5	29.1	9.9	80	0.1	32.6	13.2	395	2.69	15.8	0.4	1.0	3.2	22	0.6	1.8	0.2	56	0.40	0.065
REP LK-22	QC	1.5	29.5	9.9	83	0.1	34.0	13.4	403	2.73	16.2	0.4	23.8	3.3	23	0.6	1.8	0.2	59	0.43	0.067
LK-30	Soil	1.8	27.1	10.2	83	0.1	34.3	12.8	384	2.61	11.3	0.6	<0.5	4.2	22	0.7	1.7	0.2	59	0.42	0.064
REP LK-30	QC	1.8	28.4	10.1	86	0.1	37.0	13.5	400	2.64	12.1	0.6	3.6	4.1	23	0.8	1.7	0.2	61	0.43	0.065
LK-51	Soil	2.7	19.5	12.4	132	0.4	31.9	10.4	257	2.62	18.0	0.5	0.7	2.8	24	1.1	2.8	0.2	48	0.44	0.216
REP LK-51	QC	3.1	19.8	11.8	131	0.4	30.2	10.7	254	2.64	17.6	0.4	1.5	2.8	23	1.0	2.9	0.2	48	0.44	0.220
LK-77	Soil	5.4	34.0	13.0	246	0.2	52.6	13.5	280	3.64	46.4	0.7	3.1	2.2	38	1.6	5.6	1.0	89	0.43	0.027
REP LK-77	QC	5.2	34.7	13.1	250	0.2	52.8	14.1	277	3.60	45.9	0.7	2.3	2.2	38	1.5	5.7	0.9	87	0.40	0.027
Reference Materials																					
STD DS7	Standard	21.8	113.6	65.3	404	1.1	55.6	9.3	650	2.42	51.4	4.4	105.1	4.4	72	6.8	5.5	4.5	87	0.98	0.078
STD DS7	Standard	20.5	114.2	64.9	415	1.0	53.6	9.4	671	2.45	52.5	4.6	66.2	4.4	70	6.6	5.6	4.5	87	0.99	0.077
STD DS7	Standard	22.9	122.1	72.1	411	1.0	60.6	10.3	659	2.56	52.6	5.0	71.2	4.8	76	6.4	5.9	4.9	91	0.97	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client: **Newmac Resources Inc.**

2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: **Crazy Fox**  
Report Date: **June 28, 2010**

[www.acmelab.com](http://www.acmelab.com)

Page: **1 of 2** Part **2**

## QUALITY CONTROL REPORT

**VAN10002788.1**

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
<b>Pulp Duplicates</b>																		
LB-4	Soil	12	33	0.59	130	0.039	2	1.91	0.010	0.09	0.1	0.04	3.0	0.2	<0.05	6	0.5	<0.2
REP LB-4	QC	12	34	0.61	137	0.043	4	2.02	0.011	0.10	0.2	0.04	3.2	0.2	<0.05	6	0.7	<0.2
LD-7	Soil	6	30	0.42	85	0.077	2	2.01	0.013	0.06	<0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2
REP LD-7	QC	7	31	0.41	89	0.083	2	2.01	0.018	0.06	0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
LD-18	Soil	8	33	0.35	143	0.102	1	2.67	0.018	0.07	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
REP LD-18	QC	8	33	0.34	143	0.096	<1	2.53	0.017	0.07	0.1	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2
LC-8	Soil	6	29	0.38	61	0.141	<1	1.15	0.012	0.09	0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
REP LC-8	QC	6	28	0.38	57	0.141	1	1.17	0.012	0.08	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
LI-6	Soil	6	152	2.38	97	0.144	3	2.56	0.012	0.15	0.1	0.03	4.0	<0.1	<0.05	7	0.5	<0.2
REP LI-6	QC	6	159	2.45	94	0.150	3	2.67	0.010	0.15	<0.1	0.03	4.3	<0.1	<0.05	7	0.8	<0.2
LI-19	Soil	8	126	1.46	77	0.110	2	2.52	0.012	0.18	0.2	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
REP LI-19	QC	9	132	1.46	87	0.117	3	2.57	0.014	0.19	0.1	0.03	4.6	0.1	<0.05	6	0.5	<0.2
LI-28	Soil	20	38	0.80	50	0.069	<1	1.56	0.013	0.09	0.2	0.03	6.4	0.3	<0.05	5	1.0	<0.2
REP LI-28	QC	19	37	0.81	48	0.068	4	1.53	0.012	0.09	0.2	0.04	6.1	0.3	<0.05	5	0.7	<0.2
LK-7	Soil	13	35	0.58	72	0.081	<1	1.77	0.008	0.07	0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
REP LK-7	QC	14	34	0.58	75	0.084	<1	1.79	0.010	0.07	0.2	0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
LK-22	Soil	12	42	0.70	39	0.105	2	1.30	0.009	0.11	0.1	0.02	3.0	<0.1	<0.05	4	0.8	<0.2
REP LK-22	QC	13	43	0.71	39	0.114	2	1.36	0.012	0.11	0.2	0.02	3.2	0.1	<0.05	4	0.7	<0.2
LK-30	Soil	16	42	0.65	63	0.124	1	1.38	0.016	0.12	0.2	<0.01	3.6	0.2	<0.05	4	0.6	<0.2
REP LK-30	QC	16	44	0.66	63	0.132	2	1.42	0.017	0.12	0.1	<0.01	3.6	0.2	<0.05	4	<0.5	<0.2
LK-51	Soil	13	30	0.41	100	0.076	1	1.57	0.013	0.08	0.3	0.02	1.9	0.1	<0.05	5	0.7	<0.2
REP LK-51	QC	13	30	0.41	105	0.075	2	1.59	0.010	0.08	0.2	0.03	1.8	0.1	<0.05	6	<0.5	<0.2
LK-77	Soil	8	66	0.78	73	0.151	1	2.07	0.016	0.06	3.5	0.03	2.9	0.1	<0.05	7	1.6	<0.2
REP LK-77	QC	8	64	0.78	71	0.151	1	2.06	0.016	0.06	4.2	0.03	2.9	0.2	<0.05	7	2.2	<0.2
<b>Reference Materials</b>																		
STD DS7	Standard	12	202	1.08	420	0.111	44	1.08	0.110	0.49	3.9	0.22	2.4	4.2	0.19	5	3.8	1.2
STD DS7	Standard	12	203	1.10	419	0.106	41	1.08	0.114	0.50	3.7	0.22	2.6	4.1	0.21	5	3.9	1.3
STD DS7	Standard	13	210	1.10	414	0.137	43	1.10	0.104	0.47	3.8	0.22	2.6	4.6	0.20	5	3.5	1.1



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

## Acme Analytical Laboratories (Vancouver) Ltd.

**Client:**

Newmac Resources Inc.

2605 Jane Street  
Port Moody BC V3H 2K6 Canada

## Project

Crazy Fox

Report Date:

June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page:

2 of 2 Part

## QUALITY CONTROL REPORT

VAN10002788.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:** **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

**Project:** Crazy Fox  
**Report Date:** June 28, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 2 of 2 Part 2

## QUALITY CONTROL REPORT

VAN10002788.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD DS7	Standard	14	220	1.09	400	0.140	36	1.10	0.105	0.47	3.6	0.23	2.6	4.1	0.23	5	3.3	1.2	
STD DS7	Standard	13	206	1.03	407	0.131	38	1.02	0.092	0.45	3.6	0.21	2.3	3.7	0.18	4	3.0	1.3	
STD DS7	Standard	12	197	1.08	410	0.130	44	1.05	0.095	0.48	3.9	0.23	2.4	4.3	0.20	5	4.0	1.5	
STD DS7	Standard	13	205	1.13	431	0.136	44	1.11	0.101	0.50	4.3	0.22	2.6	4.4	0.19	5	3.4	1.4	
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Newmac Resources Inc.  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Submitted By: David Hjerpe  
Receiving Lab: Canada-Vancouver  
Received: June 28, 2010  
Report Date: July 12, 2010  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

VAN10002962.1

### CLIENT JOB INFORMATION

Project: Crazy Fox  
Shipment ID:  
P.O. Number  
Number of Samples: 9

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	9	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	9	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Newmac Resources Inc.  
511 - 475 Howe Street  
Vancouver BC V6C 2B3  
Canada

CC: David Schmidt  
David Bridge  
Bill Howell



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:** **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: Crazy Fox  
Report Date: July 12, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 2 of 2 Part 1

## CERTIFICATE OF ANALYSIS

VAN10002962.1

Method	Analyte	WGHT	1DX15																		
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%							
		MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	2	0.01	
RLA-1	Rock	0.55	0.4	54.5	0.4	61	<0.1	61.8	30.9	586	3.16	2.6	0.1	<0.5	0.2	15	0.3	0.2	<0.1	94	2.18
RLA-2	Rock	0.48	0.4	3.2	7.1	19	<0.1	6.9	2.1	694	2.56	9.7	0.1	<0.5	1.2	181	<0.1	0.4	<0.1	4	3.34
RLH-1	Rock	0.52	1.1	28.3	0.8	82	<0.1	55.0	28.6	1478	7.04	15.0	<0.1	0.7	0.1	22	0.2	4.8	<0.1	169	1.51
RLH-2	Rock	1.43	0.4	43.4	0.8	78	<0.1	57.0	24.7	1490	5.86	24.7	<0.1	10.3	<0.1	88	0.3	4.5	<0.1	119	10.14
RLH-3	Rock	1.39	0.5	44.6	0.5	60	<0.1	64.8	32.4	1029	5.02	6.7	0.1	<0.5	0.1	72	0.1	1.2	<0.1	101	6.47
RLH-4	Rock	2.32	0.4	8.8	6.7	66	<0.1	19.1	8.1	918	2.58	5.8	0.3	<0.5	3.9	24	0.6	1.1	0.3	20	0.52
RLH-5	Rock	3.82	0.3	22.4	0.6	40	<0.1	36.2	20.2	1839	3.85	1372	0.1	181.3	<0.1	249	<0.1	3.3	<0.1	105	11.74
RLJ-1	Rock	0.98	0.2	22.9	15.1	73	<0.1	29.6	11.0	469	3.37	3.9	0.4	1.8	6.7	25	0.2	0.1	0.3	20	0.51
RLJ-2	Rock	1.33	0.3	3.7	10.0	29	<0.1	7.9	4.2	320	1.57	1.2	0.2	0.5	2.3	7	0.2	0.3	<0.1	12	0.09



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

Project: Crazy Fox  
Report Date: July 12, 2010

Page: 2 of 2 Part 2

## CERTIFICATE OF ANALYSIS

VAN10002962.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
		MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
RLA-1	Rock	0.069	2	90	1.52	25	0.425	2	1.70	0.063	0.02	0.3	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
RLA-2	Rock	0.026	5	8	0.81	25	<0.001	1	0.37	0.017	0.04	<0.1	<0.01	1.2	<0.1	<0.05	<1	<0.5	<0.2
RLH-1	Rock	0.069	1	158	3.58	107	0.507	1	4.08	0.021	0.08	0.1	<0.01	13.1	<0.1	0.91	11	<0.5	<0.2
RLH-2	Rock	0.050	2	116	2.97	85	0.014	2	2.89	0.010	0.11	<0.1	0.03	9.5	<0.1	0.48	7	<0.5	0.2
RLH-3	Rock	0.061	1	98	2.09	78	0.447	863	2.83	0.033	0.02	0.1	<0.01	5.1	<0.1	1.99	8	<0.5	<0.2
RLH-4	Rock	0.042	14	21	0.81	71	0.006	2	1.53	0.016	0.11	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
RLH-5	Rock	0.043	1	102	1.91	86	0.103	8	2.19	0.014	0.10	<0.1	<0.01	8.2	<0.1	0.91	6	<0.5	<0.2
RLJ-1	Rock	0.061	25	21	0.75	59	0.001	2	1.93	0.038	0.14	<0.1	0.01	3.3	<0.1	<0.05	5	<0.5	<0.2
RLJ-2	Rock	0.034	7	21	0.37	19	0.003	<1	0.76	0.042	0.02	<0.1	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2



# AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:**

Newmac Resources Inc.

2605 Jane Street

Port Moody BC V3H 2K6 Canada

## Project:

Crazy Fox

Report Date: July 12, 2010

July 12, 2010

[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 1 Part 1

## QUALITY CONTROL REPORT

VAN10002962.1

Method	WGHT	1DX15																				
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	Unit	kg	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm									
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																						
RLH-2	Rock	1.43	0.4	43.4	0.8	78	<0.1	57.0	24.7	1490	5.86	24.7	<0.1	10.3	<0.1	88	0.3	4.5	<0.1	119	10.14	
REP RLH-2	QC		0.5	47.9	0.7	82	<0.1	62.8	25.1	1571	6.04	26.2	<0.1	12.2	<0.1	97	0.3	4.6	<0.1	123	10.59	
Reference Materials																						
STD DS7	Standard		21.6	115.0	74.1	391	1.0	53.4	9.3	639	2.47	50.1	5.3	67.8	4.4	71	6.1	6.1	4.9	86	1.02	
STD DS7	Standard		21.5	116.0	67.9	412	1.1	56.9	10.0	637	2.46	52.8	4.8	74.8	4.5	73	6.4	6.3	4.7	85	1.02	
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																						
G1	Prep Blank		<0.01	0.3	4.0	3.7	49	<0.1	2.4	3.7	593	2.16	0.5	1.8	2.1	5.8	57	<0.1	0.2	<0.1	40	0.57



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

**Client:** **Newmac Resources Inc.**  
2605 Jane Street  
Port Moody BC V3H 2K6 Canada

**Project:** Crazy Fox  
**Report Date:** July 12, 2010


[www.acmelab.com](http://www.acmelab.com)

Page: 1 of 1 Part 2

## QUALITY CONTROL REPORT

VAN10002962.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
RLH-2	Rock	0.050	2	116	2.97	85	0.014	2	2.89	0.010	0.11	<0.1	0.03	9.5	<0.1	0.48	7	<0.5	0.2
REP RLH-2	QC	0.047	2	126	3.15	86	0.015	1	3.04	0.010	0.12	<0.1	0.03	10.1	<0.1	0.49	8	<0.5	<0.2
Reference Materials																			
STD DS7	Standard	0.076	13	186	1.09	411	0.132	43	1.07	0.099	0.45	4.1	0.20	2.3	4.0	0.21	5	3.5	0.9
STD DS7	Standard	0.090	13	200	1.10	410	0.135	44	1.08	0.099	0.48	3.7	0.21	2.4	4.1	0.20	5	3.8	0.8
STD DS7 Expected		0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.074	15	7	0.49	116	0.137	<1	0.87	0.095	0.46	0.9	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2



BASE MAP EXCERPTED FROM GEOLOGY  
MAP OPEN FILE 2002-4 (SCHIARIZZA ET AL.,  
2002)

LEGEND

QUATERNARY  
Qal - Unconsolidated glacial, fluvial and  
alluvial deposits

MIDDLE AND LATE TRIASSIC  
Nicola Group

u>Nv - Mafic volcanic breccia, massive to  
pillowed pyroxene-phryic basalt

Lemieux Creek succession

mu>Ns - Siltstone, argillite, phyllite, sandstone,  
quartzite, siltite and limestone

mu>Ns - Limestone, lesser amounts of slate  
and siltstone

FLOAT ROCK SAMPLES ASSAY RESULTS

RLA-1 2.6 ppm As, <0.5 ppb Au  
RLA-2 9.7 ppm As, <0.5 ppb Au  
RLH-1 15 ppm As, 0.7 ppb Au  
RLH-2 24.7 ppm As, 10.3 ppb Au  
RLH-3 6.7 ppm As, <0.5 ppb Au  
RLH-4 5.8 ppm As, <0.5 ppb Au  
RLH-5 13.9 ppm As, 161.3 ppb Au  
RLJ-1 3.9 ppm As, 1.0 ppb Au  
RLJ-2 1.2 ppm As, 0.5 ppb Au

MAP 092P059 UTM NAD 83, ZONE 10

400 METERS

X RLA-1 ROCK SAMPLE

40.6 GOLD SOIL ANOMALY  
40.6 ppb CONTOUR

— MINERAL CLAIM BOUNDARIES

NEWMAC RESOURCES INC.

CRAZY FOX PROPERTY

KAMLOOPS MINING DIVISION, LITTLE FORT, BRITISH COLUMBIA

MAP SHOWING SOIL ASSAY RESULTS FOR  
GOLD (ppb) and FLOAT ROCK SAMPLE LOCATIONS  
AND ASSAY RESULTS

DATE: April, 2011  
DRAWN BY: DJB

FIGURE 5

