BC Geological Survey Assessment Report 32275



GEOLOGICAL & TOPOGRAPHICAL MAPPING REPORT

on the

ONUCKI COPPER CLAIM

NTS Map Sheet 93A5

by

D.K. BRAGG OWNER-OPERATOR-AUTHOR Surrey, B.C.

February 25, 2010



GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORT

TABLE OF CONTENTS

		Page No.
SUMMARY 8	INTRODUCTION	. 1
LOCATION 8	ACCESSIBILITY	. 1
GEOLOGY		6
FIELD WOR	« REPORT PREPARATION	6
RESULTS		. 7
CONCLUSIO	NS	. 7
RECOMMEN	IDATIONS	. 7
STATEMENT	OF COSTS	. 8
QUALIFICAT	TONS - Donald K. Bragg	9
BIBLIOGRAF	PHY	11
Figure 1	Index Map	. 2
Figure 2	Claim Map	_
Figure 3	Google of the Area	•
Figure 4	Google of the Area	
Figure 5	1:5000 Scale Map	•

Appendix 1 Sample Description & Certificates of Analyses

SUMMARY & INTRODUCTION

The Onucki Copper Claim, Tenure Number 6222103, was staked on August 20, 2009 to cover an area where a geochemical survey had been conducted in 1970 by Grandeur Mines Ltd. that resulted in five small copper anomalies of over 100 ppm. Although the survey only covered about 150 ha, the anomalies did suggest a 15° northeast trend.

During 1971, a magnetometer survey was conducted over the same area and a small anomaly 300 metres by 200 metres was found in the southwest of the claim group but within the copper geochemical trend.

On August 17, 2010, 'cash in lieu' was paid to advance the anniversary date to October 20, 2010 of Tenure No. 622103.


The property was visited by D.K. Bragg on September 30 and October 1, 2010 during which time the property was prospected and mapped. On October 1, D.K. Bragg was accompanied by Barry J. Price, M.Sc., P.Geo., for a short four hour period where Bragg was able to quickly show Price the outcrops and observations that were formed during mapping and prospecting of the area.

LOCATION & ACCESSIBILITY


The Onucki Gold Claim, Tenure 622103, is immediately north of Rose Lake and is centred 22.5 km northeast of 150 Mile House and can be reached via the road to Miocene.

Elevations on the property range from 1000 m to 1150 m and the topography is gentle and rolling with no sharp changes in elevation. Most of the area has been selectively logged over the past century and more than forty percent of the area has been seeded for pasture. Some of the area is now under cultivated pasture.


Most of the remaining area is fir and poplar forest with some spruce in creek beds and more wet areas. Jack pine is seen in some of the dryer areas.



LAIM MAP



F192



GEOLOGY

The Onucki Copper Claim is underlying mainly by Cache Creek Group rocks of Permian and Earlier Age consisting of chert, argillite, greenstones and minor limestone. Some of the rocks may be of a volcanic origin.

Based on this survey, it would appear that most of the area is covered by glacier debris and glacial land forms in an area where outcrop rocks may constitute less than two percent of the area.

The only rocks found during this examination of the area form a northerly trending ridge where the rocks are carbonitized ultramafics that are rusty to buff coloured on surface exposures. Minor sulphides were observed within the samples collected. Chalcopyrite was observed but some of the finer grained sulphides could not be identified.

Within these rocks were green carbonates. Malachite was observed but garnierite was also suspected.

FIELD WORK & REPORT PREPARATION

On September 30 and October 1, 2010, the writer visited the property and spent two days mapping and prospecting the area using GPS for control. During this period, a 1:5000 scale map was produced showing the main topographical features and where rock outcrops were found.

On one of the Google maps, the Fir Ridge showing has been plotted. Considerable time was spent in this area looking for outcrops. None were found and the area seemed to be mostly overburden that may be more than five metres in depth.

One rock sample and one soil sample were taken during the mapping process and Barry Price also took one rock sample.

RESULTS

Outcrop on the Onucki Copper Claim is minimal and may be less than two percent of the surface area and seems to be restricted to a north-south trending ridge about 800 metres in length. On Fig. 4, the Fir Ridge Showing has been plotted. Some time was spent prospecting this area but no outcrops could be seen.

CONCLUSIONS

The true position of the Fir Ridge Showing should be plotted centred about 550 metres southwest of the position as shown on Fig. 4.

The linear feature of the outcrops of carbonitized ultramafic rocks may suggest a tension fault along which the emplacement of the ultramafic rocks exhibit an en echelon feature.

In reviewing the results of the Geochemical Survey done by Grandier Mines in 1969 (Assessment Report 2216), it would appear that the copper anomalies may only exhibit a down slope deposition especially on the east side of the ridge.

RECOMMENDATIONS

The writer feels the property has sufficient merit to warrant some followup work especially on the west side of the ridge. Some limited geochomical work should be done in the areas where the previous copper anomalies were found. However, analysis should be 32 or 36 ICP.

The magnetometer anomaly shown in Assessment Report 3120 should be followed up with detailed prospecting in the area to see if there are any outcrops. This should be accompanied by some geochemistry.

The area to the west and north of the Fir Ridge outcrops should be prospected and mapped in more detail.

STATEMENT OF COSTS

D.K. Bragg - Wa	ages: Sept 30, Oct. 1, 2010 22 hrs @ \$40/hr	\$	880.00
Prorated prepar	ation and transportation time 12 hrs @ \$35/hr		420.00
B. Price	Geological Inspection Vehicle		550.00 50.00
D.K. Bragg	Truck: 3 days @ \$80/day		240.00
Food	3 days @ \$25/day		75.00
Expenses	Maps, photocopies, consumables, etc.		291.18
Gas			288.98
Assays			105.59
Report Prepara	tion		750. <u>00</u>
	TOTAL COST	\$ 3	3,650.75
	D.K. BRAGG PAC		1,09 <u>5.21</u>
	TOTAL	\$ <u>_</u> 4	1 <u>,745.96</u>

QUALIFICATIONS OF DONALD K. BRAGG

- i, Donald K. Bragg, Prospector, state as follows:
- Graduated Armstrong High School, Armstrong, B.C.
- Attended U.B.C. from 1958 to 1962, Faculty of Arts and Science, in Honours Geology.
- Worked in mineral exploration since 1956.
- Worked for Kenco Explorations during the summers of 1956, 1957 and 1959 in the Yukon and Northern B.C. as an assistant prospector, head prospector and geochemical sampler under the direction of Dr. R. Cambell and R. Woodcock.
- Worked as head prospector for the Nahanni Syndicate in the Northwest Territories in 1960 under the direction of Doug Wilmont.
- Worked as head prospector in the Yukon for Dualco in 1961 under the direction of E. Wozniak.
- Worked as head prospector for Mining Corp. of Canada, Southwestern B.C. in 1962 under J.S. Scott and Dr. K. Northcote.
- Worked as head prospector during the summer of 1963 for the Francis River Syndicate in central Yukon under the direction of Dr A. Aho.
- Worked as field geologist in the Greenwood area of B.C. for Scurry Rainbow Oil in 1965 under the direction of Bill Quinn.
- Worked as field supervisor for Alrae Explorations Ltd. from September 1965 to April 1967 under the direction of Rae Jury.
- Since 1956, self-employed contractor hired by various mining companies in the following fields: prospecting, property examination, claim staking, line cutting, topographical mapping, geological mapping, reconnaissance mineral sampling, draughting, air photo interpretation, geochemistry, geophysics, supervising property exploration programs, setting up bush camps, and camp manager.
- Since 1956, self-employed prospector working in various areas in British Columbia and on self-owned properties.

- Assisted in teaching field procedures for Geochemical Explorations Section of the Ministry of Energy, Mines and Petroleum Resources Mineral Exploration Course For Prospectors under the direction of Dr. S. Hoffman in 1984, 1985, 1986, 1987, 1988.
- Received the B.C. Provincial Grubstake Award for the years 1964, 1968, 1969, 1970, 1980, 1981, 1982, 1983, 1984, 1986, 1987, and 1988.
- Worked in the Rossland Camp from 1971 to 1991 as prospector/miner on the Snowdrop and Blue Bird Claims, and mining exploration contractor.
- Worked in the Osilinka and Cut Mountain area with Lysander Mining Corporation during the 2004, 2005, 2006, 2007, 2008 field seasons under the direction of Peter E. Fox, Ph.D., P.Eng., in setting up and managing the camp, prospecting, and mapping the area.

Respectfully submitted,

D. K. Bragg

February 25, 2011

Vancouver, B.C.

<u>BIBLIOGRAPHY</u>

EMPR ASS RPT 2216, 3129

EMPR GEM 1971 - 132

EMPR PF (Claim Map, 1970)

GSC MAP 1424A

APPENDIX I

SAMPLE DESCRIPTIONS

and

CERTIFICATES OF ANALYSES

SAMPLE DESCRIPTIONS

O Cu Rx 001

Carbonitized ultramafic with up to 40% introduced silica in some of the rock. Nonmagnetic. Any magnetic minerals that may have been in the original rock has been mobilized out. Only minor amounts of sulphides can be seen. Some chalcopyrite was recognized. Rest of sulphides are very fine grained and cannot be identified. Less than 0.5% of sulphides in the rock. Considerable green minerals in the rock, probably up to 5% by volume. Malachite, garnierite, fuchsite?? Sample quite dense.

WPT 89 Rx

Carbonitized ultramafic similar to O Cu Rx 001, however, the carbonitization is not as intense and there is more remnant of the original rock. In places, more sulphides can be found and may comprise as much as 1%. Chalcopyrite can be recognized. There is much less green minerals and may only be about 1% by volume. Rock nonmagnetic. Quite dense.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

VAN10006784.1

Submitted By:

Don Bragg

Receiving Lab:

Canada-Vancouver

Received:

December 13, 2010

Report Date:

December 31, 2010

Page:

1 of 2

CERTIFICATE OF ANALYSIS

GLIENT JOB INFORMATION

Project:

None Given

Shipment ID:

P.O. Number

Number of Samples:

2

SAMPLE DISPOSAL

STOR-PLP

Store After 90 days Invoice for Storage

STOR-RJT

Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Bragg, Don

6588 152nd Street Surrey BC V3S 3L1

Canada

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method	Number of	Code Description	Test	Report	Lab
Code	Samples		Wgt (g)	Status	
R200-250	2	Crush, split and pulverize 250 g rock to 200 mesh			VAN
3B02	2	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
1DX1	2	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS





This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client, Acme assumes the liabilities for actual cost of analysis only, *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements,



Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Project

None Given

1020 Cordova St. East. Vancouver BC V6A 4A3 Canada

Report Date:

December 31, 2010

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Page:

CERTIFIC	ATE OF AN	IALY	SIS													VA	N10	006	784	.1	
	Method	WGHT	38	3B	3B	1DX	1DX	1DX	1DX	10X	10X	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zπ	Ag	Ni	Co	Mn	Fe	As	υ	Au	Īh	Sr	Cd	Sb
	Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm
	MDL	0.01	2	3	2	0.1	0.1	0.1	. 1	0.1	0.1	0,1	1	0.01	0.5	0.1	0.5	0.1	. 1	0.1	0.1
OCU RX-001	Rock	3.28	28	4	2	0.3	13.9	0.5	19	<0,1	8,008	50.2	595	3.50	7.6	<0.1	19.6	<0.1	151	< 0.1	1.2
WPT 89	Rock	2.07	<2	<3	<2	0.3	136.8	0.5	43	<0.1	738.7	51,5	806	4.09	1.6	<0.1	<0.5	<0.1	195	0.1	0.1



Phone (604) 253-3158 Fax (604) 253-1716

Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

Project.

None Given

Report Date:

December 31, 2010

www.acmejab.com

Page:

2 of 2

CERTIFICA	ATE OF AN	IALY	SIS							• • • • • • • • • • • • • • • • • • • •						VA	N10	006	784	.1	
	Method Analyte	1DX BI	1DX V	1DX Ca	1DX P	1DX La	1DX Cr	1DX Mg	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX TI	1DX S	1DX Ga	1DX Se
	Unit	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
OCU RX-001	Rock	<0.1	17	2 15	0.005	<1	209	12.40	29	<0.001	<20	0.07	0.008	0.02	0.2	0.15	4.7	<0.1	<0.05	<1	<0.5
WPT 89	Rock	<0.1	67	4.56	0.008	<1	219	10.12	49	< 0.001	<20	0.06	0.010	0.02	<0.1	0.07	19.5	<0.1	<0.05	<1	<0.5



1020 Cordova St. East. Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

Project:

Client:

None Given

Report Date:

December 31, 2010

Bragg, Don 6588 152nd Street Surrey BC V3S 3L1 Canada

www.acmelab.com

Page:

2 of 2

Part 3

CERTIFICATE OF ANALYSIS

VAN10006784.1

	Method Analyte Unit MDL	1DX Te ppm 0.2
OCU RX-001	Rock	<0.2
WPT 89	Rock	<0.2



Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Project

None Given

Report Date:

Bragg, Don 6588 152nd Street Surrey BC V3S 3L1 Canada

Client:

December 31, 2010

www.acmelab.com

Page.

1 of 1

QUALITY CO	NIROL	KEP	UKI													VAI	V10 0	JUbi	∕8 4 .		
	Method	WGRT	3B	39	3B	1DX	fDX	1DX	1DX	1DX	1DX	1DX	10%	1DX	YORP	1DX	1DX	1DX	JKOL.	10°X	t D
	Analyte	Wgt	Αu	Pt	Pd	Мо	Çu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	5
	Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	pp
	MDL	0.01	2	3	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0,01	0.5	0.1	0.5	0.1	1	0,1	0
Reference Materials																					
STD D\$7	Standard					20.4	98,2	63,1	385	0,9	52.1	9.1	641	2.39	52.6	4.2	63.3	4.4	76	6.3	- 4
STD DS8	Standard					14.1	115.5	133.9	342	1,7	41.1	8.2	628	2.55	28.9	2.7	92.8	6.9	 70	2.4	_ 5
STD OREAS45PA	Standard	- "		-		0.9	628.9	18.8	129	0.3	309.1	109.8	1173	16.76	4,7	1.1	52.9	6.9	15	0.2	ō
STD PD1	Standard		534	452	551			–													
STD DS7 Expected						20.5	109	70.6	411	0.9	56	9.7	627	2,39	50	4.9	70	4.4	72	6.4	4
STD OREAS45PA Expected		·				0.9	600	19	119	0.3	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.1
STD DS8 Expected				-		13,44	110	123	312	1.69	38.1	7.5	615	2.46	26	2,8	107	6.89	67.7	2.38	4
STD PD1 Expected			542	456	563																
BLK	Blank		_			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	. ≺0
BLK	Blank		<2	<3	<2																
BLK	Blank		< ₂	<3	<2					.—					-				_		-
Prep Wash						_								_							
G1	Prep Blank	<0.01	<2	<3	<2	0.1	3.6	3.1	48	<0,1	3,9	5.8	607	2.09	1,0	1,5	<0.5	5.1	6à	<0.1	<0



Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Project:

Bragg, Don

6588 152nd Street

Surrey BC V3S 3L1 Canada

Client:

None Given

Report Date:

December 31, 2010

www.acmelab.com

Page:

1 of 1

QUALITY CO	NTROL	REP	OR	T												VAI	V100	006	784.	1	
	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	107	1DX	"тох	1DX	1DX	1DX	ЮX	1UX	1DX
	Analyte	Bi	٧	Ca	P	La	Cr	Mg	Ba	Ti	В	Al	Na	K	W	Hg	Sc	ΥI	\$	Ga	\$e
	Unit	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.1	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Reference Materials																					
STD DS7	Standard	4.5	18	0.97	0.083	13	166	1,06	430	0.118	35	1.06	0.098	0.52	3.4	0.22	2.4	3.7	0.20	5	3,2
STD DS8	Standard	7.1	42	0.73	0.086	15	114	0.63	320	0.117	<20	0.95	0.090	0.45	2.7	0.18	2.1	5.6	0.17	5	5.7
STD OREAS45PA	Standard	0.2	231	0.24	0.038	17	852	0.11	199	0.151	<20	3.67	0.007	0.08	<0.1	0,04	44.9	<0.1	<0.05	17	0.6
STD PD1	Standard																		_		
STD DS7 Expected		4.5	84	0.93	0.08	13	192	1,05	410	0.124	39	1,0195	0.089	0.44	3.4	0.21	2,5	4.2	0.19	_ 5	3,5
STD OREAS45PA Expected		0.18	221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	0.03	43	0.07	0.03	16.8	0.54
STD DS8 Expected		6.67	41.1	0.7	80.0	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23
STD PD1 Expected			-	-																	
BLK	Blank	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank																		-		
BLK	Blank					_														. –	-
Prep Wash											- ·								_		· 1
G1	Prep Blank	<0.1	42	0.53	0.094	13	8	0.56	197	0.136	<20	1.08	0.089	0,59	₹0,1	<0.01	2.0	0.3	<0.05	· 5	< 0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Project:

None Given

Report Date.

December 31, 2010

Page

1 01 1

Part 3

CONTROL REPORT

VAN10006784.1

	Method	1DX
	Analyte	Tę
	Unit	ppm
	MDL	0.2
Reference Materials		
STD DS7	Standard	1.3
STD DS8	Standard	8.1
STD OREAS45PA	Standard	0.4
STO PD1	Standard	_ ··\
STD DS7 Expected		1.18
STD OREAS45PA Expected		
STD DS8 Expected		5
STD PD1 Expected		1 1
BLK	Blank	<0.2
BLK	Blank	
BLK	Blank	Γ 1
Prep Wash		
G1	Prep Blank	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client:

Bragg, Don

6588 152nd Street Surrey BC V3S 3L1 Canada

Submitted By: Don Bragg

Receiving Lab:

Canada-Vancouver

Received:

December 13, 2010

Report Date:

December 24, 2010

Page:

1 of 2

CERTIFICATE OF ANALYSIS

CLIENT JOB INFORMATION

Project:

None Given

Shipment ID:

P.O. Number

Number of Samples:

1

SAMPLE DISPOSAL

STOR-PLP

Store After 90 days Invoice for Storage

STOR-RJT-SOIL

Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To:

Bragg, Don

6588 152nd Street Surrey BC V3S 3L1

Canada

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method	Number of	Code Description	Test	Report	Lab
Code	Samples		Wgt (g)	Status	
SS80	1	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	1	Dry at 60C			VAN
RJSV	1	Saving all or part of Soil Reject			VAN
3B02	1	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
1DX1	1	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

CC:



VAN10006785.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate, Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

All results are considered the confidential property of the client, Acme assumes the liabilities for actual cost of analysis only.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

Project:

None Given

Report Date:

December 24, 2010

1020 Cordova St. East. Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Page:

2 of 2

															41,					
CERTIFICATE OF AN	IALY	SIS													VA	N10	006	785	.1	
Method	3B	3B	38	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	10X	1DX	10X	1DX
Analyte	Au	₽t	Pd	Мо	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	St	Cd	Sb	Bi
Unit	ենք	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	þþm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL	2	3	2	0,1	0.1	D.1	1_	D.1	1,0	0,1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0,1	0.1
OCU SS 002 Soil	3	<3	<2	0.7	14.5	4.4	173	0.1	98.7	19.4	368	2.61	3.3	0.2	5.1	0.9	19	9.7	0.3	<0.1



Client:

Bragg, Don

6588 152nd Street

Surrey BC V3S 3L1 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

Project[.]

None Given

Report Date:

December 24, 2010

1020 Cordova St. East Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Page:

2 of 2

CERTIFICA	TE O	FAN	IALY	SIS											2 012		VA	N10	0006	785	.1	
		Method Analyte	1DX V	1DX Ca	1DX P	1DX La	1DX Cr	1DX Mg	1DX Ba	1DX Ti	1DX B	1DX Al	1DX Na	1DX K	1DX W	1DX Hg	1DX Sc	1DX TI	1DX S	1DX Ga	1DX Se	1DX Te
		Unit	ppm	%	%	ppm	ррт	%	ppm	%	ppm	%	*	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	2	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0,1	0.05	1	0,5	0.2
OCU SS 002	Soil		62	0.21	0.055	5	45	0.51	201	0.082	<20	1.32	0.007	0.06	<0.1	0.04	2.1	0,1	<0.05	5	<0.5	<0.2



1020 Cordova St. East. Vancouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716

Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Project:

None Given

Report Dale:

December 24, 2010

www.acmelab.com

Page:

1 of 1

QUALITY COI	NTROL REPORT															VAN10006785.1						
	Method Analyte Unit MDL	3B Au ppb 2	3B Pt ppb	3B Pd ppb	1DX Mo ppm 0.1	1DX Gu ppm 0.1	1DX Pb ppm 0,1	1DX Zn ppm	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm	1DX Fe % 0.01	1DX As ppm 0.5	U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0,1	1DX Sr ppm	1DX** Cd ppm	1DX Sb ppm	1D) E ppri	
Pulp Duplicates	IND'L	<u>-</u>			· · · · · · · · · · · · · · · · · · ·				V. I	V.1			0.01	0.0	0.1	0,3	0,1	'		0.1	0.	
OCU SS 002	Soil .	3	<3	<2	0.7	14.5	4.4	173	0.1	98.7	19.4	368	2.61	3,3	0.2	5.1	0.9	19	0.7	- 0.3	<0.	
REP OCU SS 002		<2	<3	<u></u>											2	•				-	0,	
Reference Materials					. —															:	-	
STD DS7	Standard				20.7	99.6	63.6	399	1.0	52.0	9.4	612	2.33	51.0	5.0	55,6	4.7	71	6.4	4,4	4.	
STD DS8	Standard				13,9	114.0	122,6	316	1,7	38,5	7,9	608	2.38	26.4	2.7	136.3	6.9	62	2.5	4.8	6.	
STD OREAS45PA	Standard				1.0	647.4	17.0	123	0.3	287.1	111.2	1120	16.61	4.9	1.1	51.4	6.4	13	<0.1	0.2	D.	
STD PD1	Standard	541	460	560										_								
STD DS7 Expected					20.5	109	70.6	411	0.9	56	9,7	627	2,39	50	4.9	70	4.4	72	6.4	4.5	4	
STD OREAS45PA Expected					0,9	600	19	119	0.3	281	104	1130	16.559	4,2	1.2	43	6	14	0.09	0.13	0.1	
STD DS8 Expected		[— —			13.44	110	123	312	1.69	38.1	7.5	615	2,46	26	2.8	107	6.89	67.7	2.38	4.8	6.6	
STD PD1 Expected		542	456	563																. –	-	
BLK	Blank]			<0.1	<0,1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0,1	<0.5	<0.1	<1	<0.1	<0,1	<0.	
BLK	Blank	<2	<3	<2			· · -														-	



1020 Cordova St. East Varicouver BC V6A 4A3 Canada Phone (604) 253-3158 Fax (604) 253-1716 Client:

Bragg, Don 6588 152nd Street

Surrey BC V3S 3L1 Canada

Project:

None Given

Report Date:

December 24, 2010

www.acmelab.com

Page:

1 of 1

QUALITY CO	CONTROL REPORT VAN10006785.1															1					
	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	†DX Ti % 0,001	1DX B ppm 20	1DX Al % 0,01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	Xarr	1DX	1DX	1DX	S Ga % ppm	מטו	102
	Analyte Unit MDL	V ppm 2	Ca	Р	La	Cr ppm 1	Mg	Ba ppm 1							Нģ	Sc	TI	s		Se	Te
			%	%	ppm		% 0.01								ppm 0.01	ppm 0.1	ppm 0.1	%		ppm 0.5	ppn
			0.01	0.001	1													0,05			0.
Pulp Duplicates																					
OCU \$\$ 002	Soil	62	0.21	0,055	5	45	0,51	201	0,082	<20	1.32	0,007	0.06	<0.1	0.04	2.1	0.1	<0.05	5	<0.5	<0.3
REP OCU SS 002	QC																. –				
Reference Materials																					_
STD DS7	Standard	88	0,91	0.072	13	188	1.07	400	0.130	31	1,01	0.080	0.46	3.6	0.20	2.5	4.1	0.21	5	3.0	0 9
STD DS8	Standard	45	0.67	0.079	15	123	0.62	288	0.121	<20	0.92	0.073	0.41	2.7	0.17	2.0	5.6	0.20	5	5.0	- 6.
STD OREAS45PA	Standard	233	0.24	0.036	15	876	0.12	173	0.151	<20	3.44	0.010	0.08	<0.1	0.03	44.5	<0.1	<0.05	16	0.6	<0.3
STD PD1	Standard																				
STD DS7 Expected		84	0,93	0.08	13	192	1.05	410	0.124	39	1.0195	0.089	0,44	3,4	0.21	2.5	4.2	0.19	5	3.5	1.1
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	0.03	43	0.07	0.03	16.8	0.54	_
STD OS8 Expected		41.1	0,7	0,08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	
STD PD1 Expected													. — -		- /						
BLK	Blank	<2	< 0.01	<0.001	<1	<1	< 0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0,1	<0,1	<0.05	<1	<0.5	<0.
BLK	Blank	···· · -	_						_										_		

BJ PRICE GEOLOGICAL CONSULTANTS INC.

Barry J. Price, M.Sc., P.Geo. Qualified Person Suite 831 - 470 Granville Street, Vancouver, BC, Canada Phone: 604 682 1501 Fax: 604 642 4217 bpricegeol@telus.net

Tuesday, April 05, 2011

LETTER REPORT

Onucki Copper 622103 (24 cells) 150 Mile House area Williams Lake area BC.

On October 1, 2010 I accompanied prospector Don Bragg on the Onucki Copper property situated near Rose Lake, east of 150 Mile House.

The property covers the old Rose Lake or Fir Ridge property explored by Grandeur Mines (Ron Philp) in 1970 and 1971 and has scattered copper mineralization reported to be "in limy units of the Cache Creek Group". The property covers about 474 hectares or roughly 190 acres. The claims were in good standing to October 20, 2010, but the owner was completing a small exploration program to advance the claim 1-2 years.

GEOLOGY

Regional mapping by the Geological Survey of Canada covering the area of the Rose Lake Property has been published at a scale of 1 inch = 4 miles as Map 3-1961.

The claims appear to be underlain by sedimentary rocks belonging to the Cache Creek Group of Permian Age. They have been mapped as chert, argillite, greenstone and minor limestone.

The original claims followed a northerly trending-ridge along which "limestone outcrops" were reported at a few points. Much of the ridge is covered by overburden.

Minfile reports that Copper-mineralization was historically exposed by trenching in limestone near the south end of the ridge, near the number 2 post for the Pine Tree No. 1 and Fir Point claim. The total outcrop is approximately 10×4 feet. Very minor malachite is also exposed in a small outcrop approximately 500 feet to the north.

Our observations walking along the trend of alteration is that the reported "limestone" is actually rusty colored silica-carbonate alteration product of probable serpentine or ultramafic rocks. Numerous ultramafic bodies occur within the Cache Creek group rocks in this area extending northwestward along what may be the extension of the Pinchi Fault. Width of the altered zone is not known and would have to be determined by trenching or drilling. However, the favourable alteration, which in other locations in BC can be host to gold mineralization, appears to be traceable up the ridge and along the fenceline for several hundred meters.

The adjacent large Miocene Copper property is held by Eagle Peak Resources, a private company. The Miocene (Wiggins) Minfile showing is approximately 2 miles (3.2 km) to the northeast.

Chief focus of activity at Miocene has been widespread malachite staining and lesser chalcopyrite in a dark grey trachyte (volcanic) porphyry. In 1981, Gibraltar Mines (Placer Dome) had an I.P. survey run which outlined several large IP (Induced Polarization) anomalies. Later a diamond drill program in 1982 evaluated an IP anomaly with six vertical diamond drill holes totaling 2350 feet.

Previous work at Franks Copper outlined geochemical and ground magnetic anomalies, but no work has been done here since 1971.

The Franks Copper property requires geological mapping, prospecting and sampling. Sampling of rocks, soils and heavy minerals is suggested.

Several maps are included showing geology and traverse location.


Suggested work for the future would be:

- Magnetic survey to outline ultramafic contacts
- Soil sampling lines at regular intervals across the body
- Hand trenching and sampling of mineralized zones
- · Additional prospecting
- Preparation of orthophoto basemaps


Respectfully submitted

Barry J. Price, M.Sc., P.Geo.


LOCATION MAP




CLAIM MAP



GEOLOGY MAP



TOPOGRAPHY



ORTHOPHOTO



DUE DILIGENCE TRAVERSE

