

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Technical Report(percussion drilling)

TOTAL COST: \$168,353.00

AUTHOR(S): Andrew Watson,
Daniel Takagawa

SIGNATURE(S):



NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): 1620699

YEAR OF WORK: 2011

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 4878389

PROPERTY NAME: Miner Mountain, Iris, Big Dog

CLAIM NAME(S) (on which the work was done): 534935,544511,544512,544513,569453,569455,573962,573963,573964,573965,
591613,597750,597751,597780,599412,599415,628003,810322,810382,810402,831885,832766

COMMODITIES SOUGHT: Copper,Gold, Silver

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092HSE078,092HSE204,092HSE203

MINING DIVISION: Similkameen

NTS/BCGS: 92H/8w

LATITUDE: 49 ° 29 '21 " LONGITUDE: 120 ° 28 '3 " (at centre of work)

OWNER(S):

1) Sego Resources Inc. 2) Al Hilton

MAILING ADDRESS:

#718 - 744 West Hastings St. Vancouver BC v6c1a5

989 Nicolani Dr. Kamloops BC v2b 8c6

OPERATOR(S) [who paid for the work]:

1) Sego Resources Inc. 2)

MAILING ADDRESS:

same as above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Nicola, Eastern Facies, Andesite, Microdiorite, Copper-Gold Alkalic Porphyry

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 29549, 30277 and 31730

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core	2002 metres, 34 holes Percussion	573962	\$168353.00
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grld (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			\$168353.00

2011 Assessment Report

Iris Property, Big Dog Property, Miner Mountain Property

Claims 534935, 544511, 544512, 544513, 569453, 569455, 573962, 573963, 573964, 573965, 591613, 831885, 832766, 597750, 597751, 597780, 599412, 599415, 628003, 597750, 597751, 597780, 810322, 810382, 810402

Summary Report of the 2011 Phase 1 Percussion Drilling Program

Similkameen Mining Division
NTS 92H/8W

Claim Owner & Operator- Sego Resources Inc.

Report by Andrew Watson
&
Daniel Takagawa

July 2011

Suite 718 – 744 West Hastings St.
Vancouver, British Columbia, Canada
V6C 1A5

Summary

The Miner Mountain property is an alkalic porphyry copper-gold project located in the Similkameen region of British Columbia. The property is located 15 kilometres north of the Copper Mountain Mining Corp – Mitsubishi Materials Corporation, Copper Mountain project (359.56 MT of 0.37% Cu). It is located on trend with other deposits such as the Axe (38 MT of 0.38% Cu), the Big Kidd (9 MT of 0.15% Cu and 0.33 G/T Au) and New Afton (66.6 MT of 1.02% Cu, 0.77 G/T Au and 2.59 G/T Ag).

The Miner Mountain property is fully owned by Sego Resources Inc. , subject to an NSR, and is within 15 minutes of the town of Princeton B.C. with access via paved roads. The Big Dog and Iris properties are owned by Al Hilton, adjoin the Miner Mountain property to the east and northwest respectively.

Previous operators had focused on the high grade Regal slide block at the base of Miner Mountain, and the Granby zone above it. Long widths of mineralization had been intercepted, but were not pursued by further exploration.

From 2007 to 2008 Sego Resources mapped, trenched and drilled ten NQ diamond drill holes on the Miner Mountain property with success in finding long widths of alkalic copper gold porphyry style alteration and mineralization, in both trenches and drill core.

In 2009 Sego followed up this exploration with further mapping, a Titan 24 survey, and further trenching. In addition various studies including Petrographic Reports and Terrain Analysis were done to further understand the formation of the mineralization and post-glacial mass wastage. In late 2009 and 2010 Sego drilled a further ten HQ holes which expanded the area of known mineralization.

In 2011 Sego performed a 34 hole percussion drilling program which is the subject of this report.

The Big Dog property was prospected in 2009 and 2010.

Table of Contents

Property Description and Location 3

Accessibility, Climate, Local Resources, Infrastructure and Physiography 6

History..... 6

Geological Setting..... 8

 Regional Geology..... 8

 Property Geology 10

 Mineral Deposits Style 11

Sego Exploration 2007 -2010 11

 2007 12

 2008 12

 2009 12

 2010 13

 2011 14

Sego Resources Inc. 2011 Percussion Drilling 14

Recommendations 17

Signature Pages 19

References 20

List of Figures

Figure 1- Project Location 2

Figure 2 Project Location and Claims..... 5

List of Tables

Table 1 Claim Information Miner Mountain..... 3

Table 2 Claim Information Big Dog Group 4

Table 3 Claim Information Iris Group 4

Table 4 Sego! 2011 Percussion Drilling..... 14

List of Maps & Sections

- Map 1 – Percussion Drilling Locations
- Map 2 – Percussion Drilling Locations with Chargeability Anomaly

PDH Section 1 – 5484270 North
PDH Section 2 – 5484300 North
PDH Section 3 – 5484330 North
PDH Section 4 – 5484360 North
PDH Section 5 – 5484380 North

Appendices

Appendix 1 PDH 2011 Logs

Appendix 2 Statement of Costs

Appendix 3 Assays




Figure 1- Project Location

Property Description and Location

The Miner Mountain Property totals 2056.54 hectares in 15 mineral claims within NTS map sheet, 92H/8W at 5484400 North and longitude 694500 East (UTM Zone 10 NAD 83). The claims are situated in the Similkameen Mining Division and occur immediately northeast of the town of Princeton, British Columbia.

On June 22nd 2009 Seg0 fulfilled the terms of the Option Agreement and acquired a 100% interest in the claims. There remains a 3% net smelter return to the vendors of which one-half of the net smelter return can be purchased by Seg0 for the sum of \$1,500,000.00. As of June 16th 2011 three claims of 335.62 hectares were acquired. There is no NSR on these new claims.

Table 1 Claim Information Miner Mountain

Tenure #	Issue Date	Good To Date	Owned by Seg0	Area in Ha
534935	2006/jun/06	2017/oct/29	100%	104.897
544511	2006/oct/27	2017/oct/29	100%	83.9097
544512	2006/oct/27	2017/oct/29	100%	83.9097
544513	2006/oct/27	2017/oct/29	100%	83.9238
569453	2007/nov/05	2017/oct/29	100%	41.9673
569455	2007/nov/05	2017/oct/29	100%	125.9551
573962	2008/jan/17	2017/oct/29	100%	692.585
573963	2008/jan/17	2017/oct/29	100%	125.9396
573964	2008/jan/17	2017/oct/29	100%	104.9058
573965	2008/jan/17	2017/oct/29	100%	230.9461
591613	2008/sep/19	2017/oct/29	100%	20.9908
831885	2010/aug/20	2017/oct/29	100%	251.6758
832766	2010/sep/04	2017/oct/29	100%	20.9943
856632	2011/jun/10	2012/jun/10	100%	62.9615
856634	2011/jun/10	2012/jun/10	100%	20.9801

The claims have not undergone a legal survey. All known mineralized zones that will be described and referenced in this report are within the Property and the mineral tenures listed in Table 1 above. Prior to acquisition of the Property by Seg0, the environmental liabilities on the Property consisted of over 3200 m of unreclaimed bulldozer trenches from previous exploration programs. As part of the current exploration program, Seg0 has reopened, sampled, mapped, and reclaimed those trenches and has received a citation from the B.C. Technical and Research Committee on Reclamation, for the high quality of its reclamation work.

Seg0 has been granted permit number MX-04-501 for drilling, trenching and reclamation on the

Property.

The project lies within the Traditional Territory of the Upper Similkameen Indian Band. On September 28th 2007, Chief Rick Holmes, of the Upper Similkameen Indian Band and Sege! announced that they had signed a comprehensive Memorandum of Understanding to enable the exploration and potential future mine development of the Property.

The Big Dog group comprises six claims totaling 1573.79 hectares. They are 100% owned by J. Allan Hilton and adjoin the Miner Mountain Project to the east

Table 2 Claim Information Big Dog Group

Tenure #	Issue Date	Good To Date	Area in Ha
597750	2009/jan/17	2017/oct/29	356.75
597751	2009/jan/17	2017/oct/29	335.88
597780	2009/jan/18	2017/oct/29	20.97
599412	2009/feb/16	2017/oct/29	251.71
599415	2009/feb/16	2017/oct/29	335.74
628003	2009/sep/03	2017/oct/29	272.71

The Iris group comprises three claims totaling 1363.08 hectares. They are 100% owned by J. Allan Hilton and adjoin the Miner Mountain project to the northwest.

Table 3 Claim Information Iris Group

Tenure #	Issue Date	Good To Date	Area in Ha
810322	2010/jul/06	2017/oct/29	356.612
810382	2010/jul/06	2017/oct/29	524.2211
810402	2010/jul/06	2017/oct/29	482.2467




Figure 2 Project Location and Claims

Accessibility, Climate, Local Resources, Infrastructure, and Physiography

(the text in italics below is abstracted from Preto 2011)

Main access to the Miner Mountain Property is by traveling 2 km northeast of Princeton, B.C., on the Summerland road and then 0.5 km northeast on the Iron Mountain road. A number of smaller roads and tracks traverse most of the Property. Princeton, the main population centre in the area, lies 4.5 km southwest of the centre of the Property and provides the infrastructure required to base and carry out an exploration program, including accommodation, communication services, supplies and ease of access.

The area is at the southern boundary of the Interior Plateau, borders the Cascade Mountains to the south and west, and receives an average of 40 cm of annual precipitation. Higher elevations are generally moister and well timbered, with lower elevations being semi-arid open grassland sparsely timbered by Ponderosa pine, Douglas fir, lodgepole pine and aspen.

The Property ranges in elevation from 700 to 1,310 metres, and consists of benches and moderate slopes of open grassland and a few rocky bluffs.

Winters on the Property are generally mild with little or no snow, lasting from November to February. Summers are hot and dry with temperatures reaching 30 degrees Celsius or higher. Exploration on the Property can generally be carried out year round.

The entire area of the Property has been extensively glaciated and drift cover ranges from nil to more than 15 metres.

History

(the text in italics below is abstracted from Preto 2011)

Initial work on the Property was by United Empire in 1908. A total of 450 feet of mine shafts were driven for coal exploration and mining in which the company encountered “diorite flecked with Bornite” (unpublished Climax Copper report). The British Columbia Ministry of Mines Annual Report (A.R.) for 1915 notes that “a shaft 40 feet deep, was sunk about half-way up the hill, at the bottom of which blocks of quartz carrying chalcopyrite occurred in the decomposed rock” (p 241). In 1918 the Annual Report states that “Development work done consists of an open-cut 150 feet in length by 25 feet in depth, this cut being continued as a tunnel for 50 feet, also extensive stripping,” and that “Assays of samples taken on the surface give from 1.15 to 5 per cent. Copper’. The sulphides in the tunnel assay from 1.37 to 2.3 per cent copper and \$1.50 in gold and silver.” (p214). The 1929 Annual Report reported that some diamond drilling had been done but was abandoned due to poor ground (p 278). All this work was in the general area of the Regal Zone (see Figure 3).

Granby Consolidated Mining held the ground from 1951 to 1962 and conducted diamond drilling, trenching, geochemical, electromagnetic and magnetic surveys in the Regal and Granby zones. While the geophysical surveys were filed as assessment work (Fahrni,K., 1958, A.R. 251), the results of

drilling were not.

In 1959 Kennco Explorations (Western) Ltd. performed a wide ranging geochemical, geological and geophysical exploration program in the Princeton area. The company performed an 83 sq mile (215 sq kilometres) aeromagnetic survey covering the region from the Copper Mountain mine in the south to Separation Lakes, 5 kilometres north of the Property, covering what is now the Miner Mountain Project (M.M.A.R., 1959, p.142).

Climax Copper Mines Ltd (a Silver Standard Inc. subsidiary) conducted trenching, geochemical surveys, thin section analysis, Induced Polarization surveys, percussion and diamond drilling programs in 1962 and 1963 (unpublished internal report, M.M.A.R. 1963 p.63). The area covered by Climax Copper's exploration was extensive, including the Granby, Regal and South zones. (See Figure 3.) A total of 10 diamond drill holes totaling 3,535 feet (1,078 metres) were completed finding native copper, chalcopyrite and pyrite in several holes, but no assays were reported. In addition to the drilling, an Induced Polarization survey completed on the south of the Property located several anomalies.

Granby re-optioned the Property in 1965 and drilled 41 percussion holes totaling 1782 meters (5880 ft) in the area of the Granby trenches in the central portion of the Property. Copper mineralization above 0.30% Cu was intercepted in 3 of these holes, and between 0.10% Cu - 0.30% Cu in 5 other holes (BCGS Property file 92HSE079-06, M.M.A.R. 1965 p.252).

In 1968 an Induced Polarization survey was performed on the Regal Zone by Great Slave Mines which indicated that the Regal zone was a slide block. (Cochrane, D., 1968, A.R. 1721)

In 1970 Joy Mining Ltd optioned the ground at and near the Regal Trenches and increased the land position to 343 claims. Trenching of 152 metres and ¼ sq mile (0.12 hectares) of stripping was done. Saracen Mines Ltd., operators for Joy, in 1971 carried out surface geological mapping at approximately 1:20,000 scale, 103 kilometers of soil geochemistry at 30.5 metre spacings, 37 kilometres of Induced Polarization, 3 diamond drill holes totaling 457 metres and constructed a small acid leach plant at the Regal Zone. An attempt to acid leach some highly oxidized material was unsuccessful and the data was subsequently lost (G.E.M. 1971 p 275, Taylor, K.J., 1988, A.R. 17 715).

In 1973 Bethlehem Copper Corporation optioned the Property from Joy and completed five diamond drill holes. Bethlehem Copper DDH 73-4, located on the eastern margin of the Granby zone, averaged 0.27% copper from 66 ft to 300 ft and 0.05% copper from 300 ft to the bottom at 598 ft. The other four Bethlehem Copper holes had no anomalous intersections and three of these holes were not on the Property. (G.E.M. 1974 p 118)

In 1977 Quintana Mining carried out an Induced Polarization survey on the B.T.U. claims which covered the Granby and Regal Zones, was unable to locate significant anomalies and dropped the claims. (Nielsen, P., 1977, A.R. 6336)

In 1979 K.W. Livingstone drilled four percussion holes on the Property but abandoned them in overburden (Livingstone, K.W., 1979, A.R. 7477).

In 1981 A geochemical survey of rock chip and soil sampling was done by K.W. Livingstone focusing on copper mineralization. This survey located many areas of anomalous (> 100 ppm Cu) Copper zones

in the Granby and Regal Zones. (Livingstone, K.W., 1981, A.R. 9634) This was followed in 1982 by a similar survey focusing on lead-zinc geochemistry, but the results were inconclusive (Livingstone, K.W., 1982, A.R. 10 379).

Also in 1981 Peter Christopher and Associates explored and mapped the historic working on the G.E. Claims (Granby Zone area), and recommended no further work be done. (Christopher, P.A., 1981, A.R. 10 565)

In 1988 Mingold optioned the Property and did a soil geochemical survey for copper, gold, and silver. They reported that though modest, the survey was successful in locating low grade gold along with the copper anomalies. Further exploration was recommended. (Taylor, K.J., 1988, A.R. 17 715). In 1989 the soil geochemical survey was extended to the northwest of the initial survey area and was successful in extending the known anomalous zones (Reynolds, P., 1990, A.R. 20 221)

In 1995 Douglas Hopper did a soil geochemical survey to the south and north of the historical workings encountering encouraging copper, gold and silver anomalies (Hopper, D., 1995, A.R. 24 070). Further work in 1999 consisted of lineament analysis, structural analysis and the compilation of historical data on the Property. (Sookchoff, L., 1999, A.R. 25 864)

In 1997 Big I Developments Ltd. (subsequently Nustar Resources Inc.) drilled five diamond drill holes totaling 717 m (2,354 ft). Only selective portions of two drill holes were assayed. DDH 97-1, 220 ft to 355 ft, averaged 0.115% copper; and DDH 97-2, 175 ft to 350 ft, averaged 0.18% copper with some gold-palladium values. In 2000 Nustar completed five diamond drill holes for a total footage of 565 m (1,854 ft). Only DDH 00-1 was partially assayed and from 300 ft to the bottom at 430 ft the hole averaged 0.252% copper with appreciable gold and palladium values. In addition to the drilling, a magnetometer and VLF EM survey was completed on the western half of the Property (McLeod, J.W., 2000, A.R. 26 296)

In 2000 a soil geochemical survey was conducted along the northern edge of the Property by Diamet Resources. Several copper-gold soil anomalies from this program, referred to as the North Zone, are in the northern part of the Segoe! Property (Rodgers, G., 2000, A.R. 26 305).

In 2002 Nustar drilled four short diamond drill holes which totaled 296 m (970 ft). The holes were collared in an east-west trending fault zone and core recovery from all four holes was extremely poor. Only random grab samples were assayed. In addition to the drilling the 2000 magnetometer survey was extended further west. (McLeod, J.W., 2002, A.R. 26 902, Unpublished Report by R.J. Nethery, P. Eng, 2003)

The Property was acquired by Segoe! in July 2007.

Geological Setting

Regional Geology

(the text in italics below is abstracted from Preto 2011)

The Miner Mountain property is located within the southern portion of the Quesnel Terrane, or Quesnellia, of the Intermontane Tectonic Belt of British Columbia. Quesnellia is a northwesterly trending belt of Upper Triassic to Lower Jurassic submarine and subaerial alkalic and calc-alkalic volcanic rocks, related sedimentary rocks, and comagmatic intrusive rocks some 40 to 50 kilometres wide and traceable from the 49th parallel along the full length of the Intermontane Belt into northern British Columbia and Yukon.

In the southern part of the Province this assemblage of volcanoplutonic arc rocks is known as the Nicola Group, a name derived from Nicola Lake near Merritt and coined by G.M. Dawson who in 1877 did the earliest geological work on these rocks (Dawson, 1879). In northern British Columbia and Yukon these rocks are known as the Takla and Stuhini volcanoplutonic assemblages. Throughout the Intermontane Tectonic Belt these rocks are noted for their mineral deposits, principally copper-gold porphyry deposits, and copper and gold skarns.

The central part of the Nicola Group between Merritt and Princeton has been subdivided into three subparallel structural belts, referred to as the Western, Central, and Eastern Belt, on the basis of physical and chemical differences of the rock assemblages. The three belts are separated by two northerly trending high-angle fault systems (Preto, 1979). North of the Property, the Summers Creek Fault separates rocks of the Central Belt from those of the Eastern Belt which underlie the Property. Farther north and west, the Allison Fault system separates Central Belt from Western Belt rocks (Preto, 1979).

North of the Property, in the area between Missezeula Lake and Merritt, Eastern Belt rocks consist of an assemblage of westerly facing volcanic siltstone, sandstone and conglomerate, tuff, laharic deposits, and distinctly alkaline trachybasalt flows which occur near numerous stocks of micromonzonite porphyry which may have associated copper-gold porphyry style mineralization. On the Property itself, Nicola Group rocks are separated from much younger sedimentary rocks of the Eocene Princeton Group by the northerly trending Boundary Fault, a probable southern extension of the Summers Creek Fault.

Central Belt rocks are dominated by massive pyroxene and plagioclase-rich andesitic and basaltic flows of alkalic and calc-alkalic composition, breccia and lahar deposits, and subordinate amounts of conglomerate and finer grained pyroclastic and sedimentary rocks. Comagmatic intrusive rocks are mostly diorite with subordinate syenite, occur mostly along major faults in the eastern half of the Belt, and may contain copper-gold porphyry type deposits such as the Axe Deposit.

Western Belt rocks include andesite to rhyolite flows of distinctly calc-alkalic composition and tuff, which are interbedded with limestone of Lower to Middle Norian age, volcanic conglomerate, and sandstone (Preto, 1979).

The large northerly trending fault systems such as Allison and Summers Creek, are believed (Preto, 1979) to represent deep-seated crustal fractures which dominated the geology of the region in Late Triassic time and caused volcanic centres to be aligned in a northerly direction, thus producing a central zone of dominantly volcanic and intrusive rocks, the Central Belt and part of the Eastern Belt, flanked to the west and east by sedimentary basins. Some of these eruptive centres can be identified with stocks or clusters of stocks of micromonzonite or microdiorite which may have associated copper-

gold mineralization such as at the Miner Mountain and Axe Properties, and at Copper Mountain 15 kilometres south of Princeton.

Property Geology

(the text in italics below is abstracted from Preto 2011)

The geology of the Miner Mountain property is dominated by volcanic flows of the Upper Triassic Nicola Group and associated microdiorite-diorite intrusions. To the west the northerly trending Boundary Fault separates these rocks from sedimentary and volcanic rocks of the Eocene Princeton Group.

The Nicola Group flows consist of green and maroon to nearly black, massive and flow banded andesites, basalts and cherty tuffs. Weak alteration is ubiquitous and commonly consists of chlorite, hematite, hematite stained albite and epidote. Less common, but locally intense, are gypsum, sericite, silica and potassic (k-feldspar/biotite/magnetite) alteration. Co-magmatic intrusions of diorite and micro-diorite crosscut the volcanics and have similar styles of alteration. Aphanitic, mafic dykes are present but uncommon and only seen in drill core.

The Princeton Group exposures on the Property are composed of oxidized buff to orange arkosic sandstones, conglomerates and, in places, coal measures. These beds are poorly lithified and easily eroded, and the contact with the underlying Nicola Group is a steep scarp which marks the Boundary Fault.

The older Nicola Group rocks are ubiquitously altered and strongly faulted. On the Property limited outcrop and heavy alteration have obscured the attitude of the volcanic units. The beds of the Princeton Group dip towards the east following the half-graben created by the Boundary Fault.

After the last glaciation, a large block of oxidized porphyry style copper-gold mineralization hosted by Nicola volcanic rocks and microdiorite, slid downward and to the west from the Granby Zone to the Regal Zone in a landslide event. Similar mineralization remains in situ upslope in the Granby Zone. As in other similar porphyry systems hosted by Nicola rocks in south central British Columbia, such as the Afton Deposit, the extensive oxidation of the hypogene sulphide mineralization required a long period of warm and humid climate which prevailed in the region in Late Cretaceous-Early Tertiary time prior to the formation of the Tertiary grabens.

The Big Dog property has the same geology as the Miner Mountain Property. It is composed of Nicola group volcanic flows, and lahars with minor microdioritic intrusions. Alteration is composed of ubiquitous carbonate/calcite stringers, with chlorite and quartz. Sulphide mineralization consists of minor pyrite disseminations, and trace chalcopyrite on a few samples. (Kauss, 2010, 2009)

The Iris property is located over the sediments of the Eocene Princeton Basin. According to Massey 2000-10 the area of the Iris claims is underlain by the Sunday Conglomerate, Summers Creek Sandstone, and the Vermillion Bluffs Shale.

Mineral Deposits Style

(the text in italics below is abstracted from Preto 2011)

The deposit type sought on the Property is alkalic copper-gold porphyry deposits similar to those found throughout Quesnellia and particularly at Copper Mountain some fifteen kilometres south of the Property, at Afton twelve kilometres west of Kamloops, and at Mt. Polley fifty-six kilometres northeast of Williams Lake.

Alkalic porphyry systems are known worldwide and their significance as important sources of copper and gold is continuously enhanced by new discoveries. The best known mineral provinces hosting these deposits are the Upper Triassic to Lower Jurassic volcanoplutonic arcs of Quesnellia and Stikinia in British Columbia and the Late Ordovician Lachlan Fold Belt of New South Wales.

Key characteristics of Alkalic copper-gold systems in the Mesozoic arcs of British Columbia include:

- *Association with coeval and comagmatic volcano-plutonic complexes that formed at intermediate (≤ 5 km) to very shallow, subvolcanic (≤ 1.5 km) depth.*
- *Association with small pipe-like or dyke-like subvolcanic intrusions, which may occur in clusters (e.g. Mt. Polley), or with larger stocks that were emplaced at intermediate depth .*
- *Association with large fault structures or intersections of such structures which may have localized the emplacement of the mineralizing intrusions.*
- *Mineralization may be largely intrusive-hosted (e.g. Mt. Polley, Afton), volcanic-hosted (e.g. most of Copper Mountain), or both (e.g. Copper Mountain-Ingerbelle; Preto, 1972)*
- *Can be high-grade in gold and copper and may contain significant palladium.*
- *Mineralization may be hosted in pre- or early-mineral magmatic-hydrothermal breccias (Sillitoe, 1985). If so, grade in the breccias is usually considerably higher than the rest of the system(e.g. Mt. Polley)*
- *Association with moderate to strong albitic and potassic alteration of the intrusive and volcanic rocks, but lack of an advanced argillic alteration assemblage. Phyllic alteration, if present, is limited to fault zones.*
- *Zones of alteration can terminate abruptly due to structural control which would also determine the shape and extent of intrusions and mineralized zones.*
- *Absence of a wide alteration halo.*
- *Low sulphide content of the hypogene mineral assemblage, resulting in limited or no supergene enrichment, though oxidation can be very extensive (e.g. Afton)*

Exploration 2007 - 2011

Since acquiring the Miner Mountain Property in July 2007, Sego has performed the following exploration work summarized below. For detailed discussions, figures, and maps the reader is referred to B.C. Assessment Reports 29549, 30277 and 31730 (the text in italics below is abstracted from Preto 2011 and deals exclusively with the Miner Mountain Property).

Since staking there have been two prospecting visits to the Big Dog property one in 2009 and the other in 2010 as described by Kauss (2009, 2010) a total of 26 rock samples were taken and minor geologic mapping was done. There has been no work on the Iris Property since staking.

2007

In the fall of 2007 geological mapping of natural exposures was started and continued until the onset of winter.

2008

In April approximately 99 line kilometres of soil sampling was done by SabreX Contracting Ltd. Nineteen hundred and seventy-three samples of the B Horizon were collected at 50 m intervals along east-west lines spaced 100 m apart and covering most of the Property from a northerly line at UTM 5486700 to a southerly line at UTM 5482800. A north-south baseline for the grid was established at UTM 684300 east. Samples were sent to Acme Analytical Laboratories Ltd. for analysis. The results of this survey are shown in Figure 6. Soil anomalies coincide well with areas of mineralization, particularly the Granby, South and Regal Zones.

As soon as ground conditions allowed, an excavator trenching program was started. All old bulldozer trenches were reopened, deepened and, where practicable, extended. In total 5,306 metres of trenches were excavated, mapped and 2,170 samples taken. The location of each trench and sample was determined by GPS. Trench mapping and sample results were entered in the geological database. Because all trenches are in grazing land and when open pose a danger to livestock, mapping and sampling was done as soon as possible after excavation and the trenches closed and reclaimed as soon as practicable. Excavator trenching proved to be a very cost effective method of exploration in the largely drift covered, open range land of the Property. Zones of known mineralization determined by previous operators were confirmed, in some cases extended, opened and re-sampled.

In August and September ten NQ drill holes totaling 1039.89 metres were completed.

Field mapping, sampling and core logging was done by Segol! geologists with consulting services provided by the author of this report and by Chris Sampson, P.Eng.

2009

A Titan 24 IP survey was performed by Quantec Geoscience between April 25th 2009 to May 14th 2009. The survey grid includes 13 DC/IP parallel lines along a total of 31.2 km (38.7 km with extension) (Figure 8). Each line was surveyed with dipole spacing of 100 m and line separation of 200 m. Survey line length was approximately 2.4 km plus additional current injections up to 500 m beyond the end of the line. The data were inverted using the 2D inversion algorithms to produce maps of resistivity and chargeability of the subsurface.

The resistivity distribution over the survey area can be characterized as a resistive low associated with the Princeton Group and a resistive high associated with the Nicola Group. The resistivity of the Princeton Group in the northwest part of the survey grid is generally less than 50 Ω m. The resistivity of the Nicola Group, which covers most of the survey area, is on the order of several hundreds of Ω m. These results are in agreement with the known geology of the area

The chargeability maps show a relatively heterogeneous distribution of the anomalies over the survey area. The chargeability varies between 0 mrad to 20 mrad with a background chargeability of ~6 mrad. Chargeable anomalies, as high as 20 mrad, are mainly located in the western and eastern parts of the survey grid. A moderate elongated chargeable anomaly is resolved at a depth of ~400 m. The elongated anomaly has a SW-NE orientation and traverses the grid in the south part of the survey area.

Mapping was carried out in July and August 2009 to look for zones of alteration and mineralization associated with the geophysical anomalies outlined by the Titan 24 survey, and also to locate new zones outside of the areas of known mineralization. The mapping was concentrated to the Southeast and Northeast of the claim blocks away from the known areas of mineralization.

The results were successful in locating three new zones of alteration and mineralization in the Southeast co-incident with the MT 1 anomaly and to the Northeast where previous trenching had located scattered lead-zinc-copper mineralization. The new zones include the Schissler and Miner Zones in the South East of the property and the North Zone in the centre north of the property.

In September and October of 2009, trenching was focused on the South Zone to test the potential for precious metal mineralization indicated by the 2008 exploration Figure 7 and in the Schissler Zone to test near surface chargeability anomalies

Three HQ diamond drill holes totalling 496.45 metres were completed in 2009, two in the South Zone and one in the Granby Zone.

Thin section work by K. Dunne, P. Geo was done in October 2009 on trench and drill core samples from the South and Granby Zones respectively.

2010

A geomorphological study of the property was done by Dr. Selina Tribe P. Geo of Carta Explorations on March 17th 2010. This was an overview of the surficial geology of the property looking at the immediate post-glacial history. The emphasis was on analyzing the mass wastage events to determine possible source areas of the high grade Regal slide block. This study was successful in delineating the history and located several potential slide routes (Tribe, S. 2010) which Segor began testing in 2010 by trenching the slopes above the Regal Zone, and in the Southwest corner of the Granby Zone.

Of these trenches, trenches 95, 96 and 97 were also excavated to test for surface expression of the mineralization located by diamond drill hole MM-10-19. Trench 96 successfully located excellent grade mineralization above the drill hole (see press release dated Dec 15th 2010), while trenches 97 and 98 located a zone leached gossanous rock that could not be penetrated by the excavator and extended at least 150 metres to the east of trench 96.

Seven HQ drill holes totalling 1001.1 metres were completed on the Granby Zone. Details are given in section 13.2 below.

A second petrographic study was completed by K. Dunne, P. Geo on May 7, 2010. In total the 2009 and 2010 studies included 28 samples taken from drill core and trench material. The work confirmed the presence of multiple intrusives and intrusive phases from microdiorite and quartz monzonite to syenite, and elucidated the variety of volcanic rocks from crystal tuffs to amygdaloidal basalts. In many cases the work discovered previously unsuspected phases of alteration, and defined multiple stages of veining.

2011

Exploration work completed to date in 2011 consists of 34 percussion drill holes totalling 2002 metres. This is phase 1 of a program of such drilling designed to test a broad east-west zone across the southern part of the Granby Zone, which is underlain by a chargeability anomaly, and to penetrate underneath the leach cap encountered in trenches 97 and 98 in 2010. The program was started and completed in March, 2011. The hole spacing's are approximately 30 metres and contained within 5484250 to 5484390 northing and 683735 to 684045 easting.

Sego Resources Inc. 2011 Percussion Drilling

Table 4 Sego! 2011 Percussion Drilling

PDH No.	Easting	Northing	Elevation	Depth(m)	Angle	Azimuth	Year	Zone
MM-11-PDH-01	5484272	684049	965	82	-90	N/A	2011	Granby
MM-11-PDH-02	5484268	684019	962	74	-90	N/A	2011	Granby
MM-11-PDH-03	5484261	683991	953	62	-90	N/A	2011	Granby
MM-11-PDH-04	5484270	683959	950	62	-90	N/A	2011	Granby
MM-11-PDH-05	5484269	683929	949	66	-90	N/A	2011	Granby
MM-11-PDH-06	5484267	683899	948	62	-90	N/A	2011	Granby
MM-11-PDH-07	5484273	683877	947	68	-90	N/A	2011	Granby
MM-11-PDH-08	5484299	683871	944	80	-90	N/A	2011	Granby
MM-11-PDH-09	5484300	683901	948	64	-90	N/A	2011	Granby
MM-11-PDH-10	5484298	683931	958	76	-90	N/A	2011	Granby
MM-11-PDH-11	5484300	683963	957	82	-90	N/A	2011	Granby
MM-11-PDH-12	5484299	683989	967	82	-90	N/A	2011	Granby
MM-11-PDH-13	5484297	684019	962	68	-90	N/A	2011	Granby
MM-11-PDH-14	5484299	684049	965	68	-90	N/A	2011	Granby
MM-11-PDH-15	5484270	684080	956	68	-90	N/A	2011	Granby
MM-11-PDH-16	5484332	684018	960	56	-90	N/A	2011	Granby
MM-11-PDH-17	5484330	683984	956	62	-90	N/A	2011	Granby
MM-11-PDH-18	5484331	683962	957	82	-90	N/A	2011	Granby
MM-11-PDH-19	5484331	683930	950	48	-90	N/A	2011	Granby
MM-11-PDH-20	5484332	683900	943	50	-90	N/A	2011	Granby
MM-11-PDH-21	5484334	683871	936	50	-90	N/A	2011	Granby
MM-11-PDH-22	5484364	683962	945	52	-90	N/A	2011	Granby
MM-11-PDH-23	5484382	683994	945	44	-90	N/A	2011	Granby
MM-11-PDH-24	5484361	683990	947	46	-90	N/A	2011	Granby
MM-11-PDH-25	5484387	684021	947	48	-90	N/A	2011	Granby
MM-11-PDH-26	5484359	684019	950	42	-90	N/A	2011	Granby

MM-11-PDH-27	5484270	683838	934	40	-90	N/A	2011	Granby
MM-11-PDH-28	5484299	683839	927	50	-90	N/A	2011	Granby
MM-11-PDH-29	5484306	683771	913	34	-90	N/A	2011	Granby
MM-11-PDH-30	5484333	683782	891	44	-90	N/A	2011	Granby
MM-11-PDH-31	5484360	683774	889	42	-90	N/A	2011	Granby
MM-11-PDH-32	5484340	683780	885	22	-90	N/A	2011	Granby
MM-11-PDH-33	5484372	683731	880	74	-90	N/A	2011	Granby
MM-11-PDH-34	5484335	683780	878	52	-90	N/A	2011	Granby

These holes were drilled at approximately 30 metre intervals along east-west and north-south grid lines, across the southern portion of the Granby Zone and cover an area approximately 300 metres east-west and 125 metres north-south (See Map 1). PDH 32 was abandoned due to poor ground conditions and was not logged or assayed.

Mineralization highlights are as follows:

PDH 1 From 24 to 48 m 0.156% Cu.

PDH 2 From 60 to 70 m 0.355% Cu, 0.446 G/T Au, 1.2 G/T Ag.

PDH 6 From 16 to 20 m 0.128% Cu, 0.179 G/T Au (and Isolated hits between 10 to 30m)

PDH 8 From 38 to 56 m 0.186% Cu, 0.138 G/T Au, and from 68 to 72 m 0.226 G/T Au.

PDH 9 From 12 to 64 m 1.264% Cu, 1.061 G/T Au , 3.79 G/T Ag, Including 12 to 44 m 1.845% Cu, 1.628 G/T Au 5.569 G/T Ag including from 16 to 24 m 3.681% Cu 5.256 G/T Au and 15.975 G/T Ag which includes from 18 to 22 m 3.999% Cu 6.925 G/T Au and 23.450 G/T Ag.

PDH 12 Isolated 0.1% Copper from 70 to 82 m.

PDH 13 from 36 to 38 m from 0.139% Cu, 0.083 G/T Au, 64 to 68 m 0.272% Cu, 0.237 G/T Au 0.50 G/T Ag.

PDH 14 From 20 to 70m 0.126% Cu, 0.087 G/T Au.

PDH 15 From 24 to 50m 0.161% Cu, 0.4 G/T Au, 0.43 G/T Ag including from 32 to 38 m 0.191% Cu, 1.053 G/t Au.

PDH 16 From 14 to 20 m 0.237% Cu, 0.16 G/T Au, and from 28 to 40 m 0.141% Cu, 0.096 G/T Au.

PDH 17 From 32 to 44 m 0.135% Cu, 0.094 G/T Au (isolated Cu and Au from 28 to 48 m)

PDH 18 From 34 to 38 0.216% Cu, 0.030 G/T Au, and from 40 to 56 m 0.186% Cu, 0.046 G/T Au and from 68 to 74m 0.112% Cu, and 0.021 G/t Au.

PDH 19 From 44 to 46 0.121% Cu, 0.029 G/T Au.

PDH 20 From 10 to 22 m 0.197%, Cu, 0.257 G/T Au.

PDH 21 From 16 to 28 m 0.8 % Cu, 0.647 G/T Au, 1.367 G/T Ag including 18 to 24 m 1.342% Cu, 1.064 G/T Au and 2.067 G/T Ag and from 44 to 50 m 0.295% Cu 0.173 G/T Au.

PDH 22 From 12 to 22 m 0.142% Cu, 0.071 G/T Au and from 32 to 42m 0.145% Cu 0.122 G/T Au.

PDH 26 From 38 to 42 metres 0.14% Cu, 0.056 G/T Au.

PDH 28 From 14 to 28 metres 0.15% Copper, 0.261 G/T Au. 40 – 44 metres 0.16% Cu, 0.769 G/T Au.

PDH 31 From 32 to 42 metres 0.21% Cu r, 0.121 G/T Au.

PDH 34 From 24 to 48 metres 0.22% Cu, 0.144 G/T Au, includes 30 – 36 metres 0.38% Cu, 0.234 G/T Au, and, 30 – 32 metres 0.52% Cu, 0.238 G/T Au.

The percussion chips were collected and split every two metres with half sent for assay and half kept for logging. The chips were initially logged in the Sege warehouse in Princeton and later at Sege head office in Vancouver. Logging showed similar rocks to those described in previous assessment reports. They are primarily eastern facies of the Nicola Group, composed of dark-grey green to black basaltic andesites, microdiorite, with minor brick red (hematized) basalt and very minor crystal tuff in one hole. The basaltic andesites range from an aphanitic to porphyritic texture with plagioclase and/or augite phenocrysts. The brick red basalt unit is devoid of mineralization and mostly limited to the southwest area of the percussion drill grid in PDH 6, 27, 28, and 29, The Microdiorite is found at depth and to the east, and it is distinguished from the volcanics by its equant phenocrysts and epidote-chlorite highlighting of the plagioclase and relict pyroxenes. There is minor buff coloured rock chips with linear hornblende crystals at the base of PDH 1 which is thought to be a dyke.

The volcanics and intrusives subjected to a pervasive, weak to intense chloritization and with a lesser degree and prevalence of epidotization. Albitic alteration is also widespread, but more common at lower depths. Potassium feldspar is present but mostly sparsely dispersed, without a coherent zonation. Biotite is found at the top of one hole. There is a blanket of limonitic alteration near surface ranging in thickness from 3 to 50 metres, from where the casing ends. Fracture-controlled weak to intense hematite is also common. Gypsum, calcite, and quartz fragments, with colours ranging from white, orange-pink, and translucent, suggest that these stringer/vein types are common, and sometimes associated with sulphide mineralization. In the area around PDH 9 alteration is so intense that it obliterated much of the host rock, leaving only quartz fragments and fine white grey clay.

The phase I percussion program successfully intercepted consistent significant intervals of copper and gold mineralization. PDH 2, located in the south-east area of the grid, intersected 0.329% Cu and 0.343 G/T Au from 58 to 68 metres and ended in mineralization. PDH 9 had the best mineralization of program, with 52 m of 1.264% Cu and 1.061 G/T Au. Inferring from the pulverized bleached rubble sample taken, the rocks are thought to have been an andesite which were subjected to intense albitic

alteration with significant copper sulphide disseminated throughout. The main sulphides in this hole are chalcopyrite, bornite, and pyrite. PDH 21 had 12 metres of 0.8% Cu with 0.647 G/T Au, and appears to be part of the same mineralization as PDH 9. PDH 34, the most westerly percussion hole of this program, also intersected 24 metres of 0.22% Cu and 0.144 G/T Au with pyrite and chalcopyrite and bottoming in mineralization. The andesites intersected by PDH 34 are chloritized, and epidotized with fracture-controlled limonite/hematite with abundant calcite chips. Most holes had values greater than 0.1% Cu and 0.1 G/T Au indicating a wide zone of Copper-Gold mineralization associated with the chargeability anomaly.

The copper mineralization in this area appears to trend northwest from PDH 9 to PDH 21 and is open to the northwest. These two percussion holes may be associated with the mineralization in PDH 31 and PDH 34 to the west-northwest. It was suggested by the geological consultant that there is a copper mineralization trend running northwest to southeast from PDH 9. There also appears to be a sub-parallel northwest-southeast trend 50-80 metres northeast from PDH 9. This trend runs northwest from PDH 1 to PDH 13 through to PDH 17. The neighbouring east and west of the above mentioned three holes also have good copper and/or gold mineralization. The mineralization is open to both the northwest and southeast.

Rough sulphide zonation has been defined by drilling. There is a pyrite dominant interval found proximal to surface, with a deeper more copper-rich pyrite-chalcopyrite interval below. Further down there is a richer copper interval of bornite-chalcopyrite-pyrite. The thicknesses of these intervals vary substantially from one hole to the next and are discontinuous at parts. Initial indications are that the intervals dip to the west.

Geochemical associations discovered during this program include an elevated zinc anomaly (up to 1000 ppm) along 683 930 easting running N-S located in the middle of the percussion grid. Higher grades of copper and gold were associated to both the east and west of this trend. Also, the brick red basalt unit had a pronounced geochemical signature being anomalously high in nickel and extremely depleted in copper and gold.

Conclusions & Recommendations

Copper mineralization is pervasive on and peripheral to the chargeability anomaly. Mineralization is open to the west and northwest in the western part of the grid and east, southeast, and northeast in the eastern part. Expanding the current percussion grid by drilling in the direction mentioned above should increase tonnage and define the target further. More specifically, an additional line of holes along 5 484 400 northing and filling in the gaps, a set of holes along 683 700 easting to define the western mineralization, and another set of holes to the south from PDH 5 across to PDH 15 and to the east of PDH 15 up to PDH 16. Additional holes southwest of PDH 27 would be unnecessary as they would intersect the depleted brick red unit.

The area around PDH 09 should be diamond drilled to confirm and define the extent of copper mineralization. Since mineralization is very strongly structurally controlled, orientated core drilling could prove to be useful in providing accurate structural data.

Less than 400 metres strike east-west has been percussion drilled to date and there still remains a large area to be explored. It is recommended that the chargeability anomaly be completely drilled and

prospective areas followed up with HQ diamond drilling to evaluate the full economic potential of this area. Further and deeper drilling to the southeast and northeast from the current grid should extend current known copper and gold mineralization. A 35 hole Phase II percussion drilling program is recommended as the next step, with further drilling of the areas to the east of PDH 1 and 15 and to the west of PDH 34 and northwest of PDH 9 and 21. A minimum depth of 50 metres for all holes is recommended and all holes should be checked for mineralization before the drill is moved.

Budget for Phase II PDH program

3500 metres at \$42 per metre	\$ 147,000
1750 ICP assays at \$30.55	\$ 56,000
3 Geologists for 1.5 Months	\$ 45,640
Supplies, Accomodations etc..	\$ 30,000
Reclamation	\$ 25,000
10% Variance	\$ 30,000
Total	\$ 333 640

Signature Pages

I, Daniel J. Takagawa, do hereby certify that:

1. I am a graduate (2007) of the University of British Columbia with a Bachelor of Science degree in Geology
2. I have practiced my profession of mineral exploration since 2007
3. The report is based on work carried out on the Miner Mountain Project Similkameen Mining Division in 2011
4. I am an employee of Sego Resources Inc.

Dated at Vancouver B.C. this July 22nd 2011

Daniel J. Takagawa, B.Sc.
Project Geologist

A handwritten signature in black ink, appearing to read 'D. Takagawa', with a long, sweeping flourish extending to the right.

I Andrew Watson do hereby certify that;

1. I am a Geologic/GIS Data Manager for J. Paul Stevenson and Associates
2. I am a graduate of SFU with a B.A. 2000
3. I am a graduate of Cambridge University U.K. Mphil. 2003
4. I have practiced my profession since 2004
5. The report is based on work carried out on the Miner Mountain Project Similkameen Mining Division in 2011
6. I am a Director of Sego Resources Inc.

Dated at Vancouver B.C. this July 22nd 2011

Andrew Watson B.A. Mphil.

A handwritten signature in black ink, appearing to read 'A. Watson', written in a cursive style.

Anderson, J.; Gower, J. 1960

Report on the Geological, Geochemical and Geophysical Surveys on the F.H. Group,
Assessment Report: 318

Christopher, P.A. 1981

Geological and Prospecting Report on GE 1 and GE 3 Claims Princeton B.C.(92H/8W)
Assessment Report: 10 565

Cochrane, D. 1968

Geophysical Report on the G.E. and Vi Mineral Claims, Bald (Holmes) Mountain
Property, Princeton, BC, Assessment Report: 1721

Daly, S. 2007

Report on Geology and Rock Sampling on the Miner Mountain Property for Sego
Resources Inc. Assessment Report: 29549

Daly, S., Watson, A., 2010

Summary Report of the 2009 – 2010 Field Work on the Alkalic Copper-Gold Porphyry
Geological Mapping, Titan 24 IP Survey, Trenching, Diamond Drilling
Assessment Report: 31730

Dolmage, V., Campbell, D.D. 1963

Report on the Geology of Climax Copper Co. Property Princeton B.C. (unpublished
report)

Hopper, D. 1995

Geochemical report on the Concha Claim Group, Princeton B.C. Area Assessment
Report 24 070

Fahrni, K. 1958

Geophysical Investigation of 22 Claims Of Regal Group of Mineral Claims, Assessment
Report: 251

Kauss, C. 2009, 2010

Prospecting and Geological Mapping of the Big Dog Claim Block Near Princeton B.C.
Physical Exploration Reports

Livingstone, K.W. 1979

Drilling Report Old Baldy and JW 6 Mineral Claims, Assessment Report 7477

Livingstone, K.W. 1981

Geochemical Survey Report on the Old Baldy Property, Princeton B.C. Assessment
Report 9634

Livingstone, K.W. 1982

Lead -Zinc Geochemistry Report, Old Baldy Project, Princeton B.C. Assessment Report
10 379

Massey, N. W.D. 2000

Geologic Compilation of the Similkameen Coal Basins, Southwestern British Columbia:
Tertiary Geology. GeoFile 2000-10

McLeod, J.W. 2000

Report on the Miner Mountain Project, Princeton Area, Assessment Report 26 296

McLeod, J.W. 2002

Report on the Miner Mountain Project, Princeton Area, Assessment Report 26 902

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1908 pp.130,131

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1915 p. 241

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1918 p. 214

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1929 p. 278

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1959 p.142

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1963 pp.63-65

Ministry of Energy, Mines, and Petroleum Resources *Annual Report* - 1965 pp. 191,252

Ministry of Energy, Mines, and Petroleum Resources *Geology, Exploration, and Mining* - 1969
p.353

Ministry of Energy, Mines, and Petroleum Resources *Geology, Exploration, and Mining* - 1970
p.388

Ministry of Energy, Mines, and Petroleum Resources *Geology, Exploration, and Mining* - 1971
p.275

Ministry of Energy, Mines, and Petroleum Resources *Geology, Exploration, and Mining* - 1974
pp.117-118

Ministry of Energy, Mines, and Petroleum Resources *Property File 092HSE203:*

Preto, V.A. (1974):

Summary Report on Part of the G.E. Group, with 1 to 2400 scale map of geology,
trenches and drill holes, and five 1 to 600 scale cross sections of drilling

Nethery, R.J. 2003

Review and Recommendations. Guy Claims, Similkameen Mining Division, British
Columbia, For Javelin Capital Corp. (Unpublished Reported)

Nielsen, P. 1977

Geophysical Report on the B.T.U. Claim (44 units), Princeton Area, Assessment Report:
6336

Preto, V.A. 1974

GE, VI (92 H/SE-78). B.C. Department of Mines and Petroleum Resources, G.E.M., pp.
117-119

Preto, V.A. 2009

Review and Recommendations, Miner Mountain Project, Near Princeton, B.C. 43 101
Report for Sego Resources Inc (*Available on www.Sedar.com*).

Quantec Geoscience, 2009

Geophysical Survey Interpretation Report (Internal report)

Reynolds, P. 1990

Geochemical Report on the TNT Claim, Mingold Resources, Assessment Report 20 221

Rodgers, G. 2000

Geological and Geochemical Report, JR 1-25 Mineral Claims, Rafter Ranch Area,
Princeton B.C. Diamet Minerals Assessment Report 26 305

Sookochoff, L. 1999

Geological Assessment report on the Concha Property for Doug Hopper Assessment
Report 25 864

Takagawa, D. 2008





Report on Geochemical Sampling, Trenching and Drilling on the Miner Mountain
Property for Sego Resources Inc. Assessment Report: 30277

Taylor, K.J. 1988

Soil Geochemistry Report for Assessment on TNT Claims, Princeton Area, for Mingold
Resources Inc. Assessment Report 17 715

2011 GRANBY PERCUSSION HOLES

Date: 05/07/2011



Legend

MM_2011_DH.Collar

- Climax Copper 1963
- Granby 1965
- Bethlehem 1973
- Nustar/ Copper Mtn Syndicate 1997 - 2004
- Sego Resources 2008 -2010
- SegoResources PDH 2011

DH_Hole

- Drill Traces

Trench_Nam

- Existing Trenches
- Powerline
- Pipeline
- Footpath
- Fence
- Tracks
- Major Roads
- trail
- Wetland
- Lakes and Rivers
- Channels

Highres Contours Regional

CONTOUR

- Index Contour
- Supplementary Contour

Coordinate System: WGS 1984 UTM Zone 10N
 Projection: Transverse Mercator
 Datum: WGS 1984
 False Easting: 500,000.0000
 False Northing: 0.0000
 Central Meridian: -123.0000
 Scale Factor: 0.9996
 Latitude Of Origin: 0.0000
 Units: Meter





Map scale 1:750



Map Base - TRIM - 1:20000
 UTM Zone 10 - NAD83
 Contours in Metres A.S.L.

2011 GRANBY PERCUSSION HOLES WITH TITAN 24 CHARGEABILITY ANOMALY

Date: 25/07/2011



Legend

MM_2011_DH.Collar

DH_Hole

- Climax Copper 1963
- Granby 1965
- Bethlehem 1973
- Nustar/ Copper Mtn Syndicate 1997 - 2004
- Sego Resources 2008 -2010
- SegoResources PDH 2011

— Drill Traces

Trench_Nam

- Existing Trenches
- Powerline
- Pipeline
- Footpath
- Fence
- Tracks
- Major Roads
- trail
- Wetland
- Lakes and Rivers
- Channels

Highres Contours

CONTOUR

- Index Contours
- Supplementary Contour

Chargeability (in ms)

Value

- High : 42.9952
- Low : -3.38139

— Contours in Ms



Coordinate System: WGS 1984 UTM Zone 10N
 Projection: Transverse Mercator
 Datum: WGS 1984
 False Easting: 500,000.0000
 False Northing: 0.0000
 Central Meridian: -123.0000
 Scale Factor: 0.9996
 Latitude Of Origin: 0.0000
 Units: Meter



Map scale 1:750



Map Base - TRIM - 1:20000
 UTM Zone 10 - NAD83
 Contours in Metres A.S.L



HOLES PLOTTED
 TOTAL 9
 MM-11-PDH-01 MM-11-PDH-02 MM-11-PDH-03
 MM-11-PDH-04 MM-11-PDH-05 MM-11-PDH-06
 MM-11-PDH-07 MM-11-PDH-15 MM-11-PDH-27

TOPOGRAPHY
 HighReswithTr.GRD

BAR GRAPHS L/R COL
 Cu_ppm L
 Au_PPb R


POSTED TEXT L/R TEXT ITEMS
 Sample R All

SECTION SPECS:
 REF. PT. E, N 683960 m 5484270 m
 EXTENTS 366.7 m 188.8 m
 SECTION TOP, BOT 1027 m 838.3 m
 TOLERANCE +/- 16.82 m


SCALE
 (m)
 -5 0 5 10 15 20
 NAD83 / UTM zone 10N

AZIMUTH = 90°
 N
 W E S

Sego Resources
Miner Mountain
Granby Zone
2011



HOLES PLOTTED
 TOTAL 9
 MM-11-PDH-08 MM-11-PDH-09 MM-11-PDH-10
 MM-11-PDH-11 MM-11-PDH-12 MM-11-PDH-13
 MM-11-PDH-14 MM-11-PDH-28 MM-11-PDH-29




5484300 NorthSection - Granby Zone Copper PPM/Gold PPB/Sample Numbers

TOPOGRAPHY
 HighReswithTr.GRD



BAR GRAPHS L/R COL
 Cu_ppm L █
 Au_PPb R █

POSTED TEXT L/R TEXT ITEMS
 Sample R ----- All

SECTION SPECS:
 REF. PT. E, N 683922 m 5484300 m
 EXTENTS 366.7 m 188.8 m
 SECTION TOP, BOT 1027 m 838.3 m
 TOLERANCE +/- 12.51 m



Sego Resources
 Miner Mountain
 Ganby Zone
 2011



HOLES PLOTTED

TOTAL 8


MM-11-PDH-16	MM-11-PDH-17	MM-11-PDH-18
MM-11-PDH-19	MM-11-PDH-20	MM-11-PDH-21
MM-11-PDH-30	MM-11-PDH-32	

TOPOGRAPHY
 HighReswithTr.GRD



BAR GRAPHS L/R COL
 Cu_ppm L
 Au_PPb R

POSTED TEXT L/R TEXT ITEMS
 Sample R

SECTION SPECS:
 REF. PT. E, N 683922 m 5484330 m
 EXTENTS 366.7 m 188.8 m
 SECTION TOP, BOT 1027 m 838.3 m
 TOLERANCE +/- 11.51 m



Sego Resources
 Miner Mountain
 Ganby Zone
 2011



5484360 NorthSection - Granby Zone Copper PPM/Gold PPB/Sample Numbers

HOLES PLOTTED

TOTAL 6		
MM-11-PDH-22	MM-11-PDH-24	MM-11-PDH-26
MM-11-PDH-31	MM-11-PDH-33	MM-11-PDH-34

TOPOGRAPHY

HighReswithTr.GRD

BAR GRAPHS


L/R	COL
Cu_ppm	L
Au_PPb	R



POSTED TEXT

L/R	TEXT	ITEMS
Sample	R	All

SECTION SPECS:

REF. PT. E, N 683900 m 5484360 m
 EXTENTS 366.7 m 188.8 m
 SECTION TOP, BOT 953.9 m 765.1 m
 TOLERANCE +/- 12.51 m





**5484360 NorthSection - Granby Zone
Copper PPM/Gold PPB/Sample Numbers**


HOLES PLOTTED
TOTAL 3
MM-11-PGH-23 MM-11-PGH-25 MM-11-PGH-33

TOPOGRAPHY
HighReswithTr.GRD

BAR GRAPHS L/R COL
Cu_ppm L
Au_PPb R

POSTED TEXT L/R TEXT ITEMS
Sample R ----- All

SECTION SPECS:
REF. PT. E, N 683900 m 5484380 m
EXTENTS 366.7 m 188.8 m
SECTION TOP, BOT 953.9 m 765.1 m
TOLERANCE +/- 12.51 m



Sego Resources
Miner Mountain
Ganby Zone
2011

Appendix 1

Sego Resources PDH -11-01

N	E	Z
5484272	684049	965

Length	Dip	Azimuth
82	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From	To	Cu ppm	Au PPB
0	18	Cas					
18	30	Ad	Medium grey oxidized Andesite, with Moderate-Strong Magnetism, and limonite - hematite coated fragementes. White and pink calcite present. Chalcopyrite and Pyrite present with malachite and azurite. Fault from 27m to 45m	18	20	684.3	72.5
				20	22	854.2	69
				22	24	645.4	33.4
				24	26	1761	93.6
				26	28	1623.8	92.7
				28	30	1486.9	61.3
				30	32	2040.8	96.8
30	60	Ad	Green - grey Andesite with malachite and azurite, with magnetite and epidote . Calcite and quartz as fracture fillings Chalcopyrite and Pyrite present. Oxide ends at 36m. From 52m onwards strongly albitized with 4-5% pyrite, minor Cpy in quartz Fault 56 - 58m	32	34	1756.6	86.4
				34	36	1737.3	98.7
				36	38	1601.1	71
				38	40	1370.6	84.1
				40	42	1330.7	68.9
				42	44	1040.1	70
				44	46	1025.1	73.8
				46	48	1029.6	70.2
				48	50	931.6	83
				50	52	837.9	60.5
				52	54	781.7	62.7
				54	56	681.1	55.9
				56	58	621.4	43.9
				58	60	626.8	36.1
				60	62	1149.4	48.5
				62	64	858.3	62.6
64	82	Md	Green-Grey chlorite, epidote Microdiorite with buff brown dyke fragments, red-pink quartz(k-spar?) , dark grey-black magnetite with chalcopyrite. minor albite near top. (Fault 72 - 74 M)	64	66	1051.8	49.4
				66	68	947.9	28.6
				68	70	830.8	28
				70	72	919.3	41.8
				72	74	914.4	54.5
				74	76	1013.9	87.4
				76	78	822.6	61.4
				78	80	896.6	58.5

Sego Resources PDH -11- 02

N	E	Z
5484268	684019	962

Length	Dip	Azimuth
68	-90	0

Geologists	Relogged	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPB
0	14	Cas					
14	32	Ad	Green-Grey Andesite, with black magnetite(hematizing) and Strongly Magnetic. Chlorite, albite, epidote and white to beige quartz. 2% pyrite with trace chalcopyrite.	14	16	328.8	12.6
				16	18	461.7	29.8
				18	20	552.7	30.4
				20	22	591.5	23.4
				22	24	373.2	22.7
				24	26	418.6	28.2
				26	28	449	22.9
				28	30	548.9	23.4
				30	32	397.4	15.1
32	38	Ad	Dark Grey-black andesite with 1-2% pyrite in lighter zones, minor beige quartz. (26-32 transition zone with bot green-grey and dark grey Ad fragments) (Chlorite-Albite)	32	34	430	15
				34	36	164.2	20.2
				36	38	175.2	13.8
38	46	Ar	Clay rich interval with white quartz fragments and green-grey Microdiorite fragments (same alteration as 14-32)	38	40	234	24.3
				40	42	326.4	56.6
				42	44	304.8	91.1
				44	46	137.7	54.5
46	50	Ad	Dark gray Andesite, heavily pyritized (6-8%) with minor white-beige quartz (2% pyrite)	46	48	466.7	130.9
				48	50	440.2	199.2
50	56	Ar	Clay rich interval with white quartz fragments, green-grey Microdiorite and dark grey Andesite fragments	50	52	236.6	126.1
				52	54	206.1	72.7
				54	56	200.2	45.5
56	68	Ad	Dark grey Andesite with 2% disseminated chalcopyrite, 1% pyrite and weak magnetism with white pink calcite with chalcopyrite and pyrite mineralization	56	58	614.4	89.4
				58	60	1606.5	165.1
				60	62	4315.8	395
				62	64	3256.9	421.5
				64	66	3821.8	394.5
				66	68	3466.5	339.5

Sego Resources PDH -11- 03

N	E	Z
5484261	683991	953

Length	Dip	Azimuth
62	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	16	Cas					
16	18	Ox	Oxidized Material - medium brown calcareous powder	16	18	175.3	17.3
				18	20	469	59
20	26	Md	Microdiorite with, Chlorite, Actinolite, Epidote, hematite, with 0.1 -0.5% Pyrite, calcite strong magentism facture controlled limonite.	20	22	188.4	16.5
				22	24	183.6	26.4
				24	26	74.8	24.4
26	32	Ar	Very light, fine grained clay	26	28	85.8	20.2
				28	30	261.6	23.8
				30	32	86.3	17
32	54	Ad	Dark -greenish grey Andesite with trace pyrite. Moderately calcareous with variable magnetism 1-2% Pyrite 54 -56 m	32	34	417.5	20.8
				34	36	200.5	9.5
				36	38	293.2	31
				38	40	389.2	18.5
				40	42	520.4	13.6
				42	44	355.1	24.3
				44	46	318.7	12.5
				46	48	447.8	11.2
				48	50	340.9	14.7
				50	52	373.9	21
				52	54	463.8	31.2
				54	56	549.6	16.5
54	62	Md	Pale grey MicroDiorite(?) trace pyrite, K-spar seen on on chip (60 - 62) Moderate to strong Magentism gypsum with no calcite seen.	56	58	264.3	10.3
				58	60	586.8	21.8
				60	62	372	11.5

Sego Resources PDH -11- 04

N	E	Z
5484270	683959	950

Length	Dip	Azimuth
62	-90	0

Geologists	Core Size	Date of Log
S.Daly and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	16	Ox	Oxidized Zone, trace pyrite, Calcite stringers	10	12	242	20
				12	14	212.1	16
				14	16	542.7	15.1
				16	18	339.9	42.4
16	38	Md	Pale Greenish - grey MicroDiorite with epidote spots and trace to 2% pyrite, moderate magnetism Very calcitic	18	20	534.6	48.1
				20	22	552.8	21.1
				22	24	201.9	20
				24	26	167.2	20.1
				26	28	225.8	18.7
				28	30	76.6	6.5
				30	32	66.9	9.6
				32	34	51.2	5.5
				34	36	274.3	14.1
				36	38	216.4	13.3
38	40	Ar	Fault Zone weakly calcitic	38	40	286.7	10.3
40	62	Md	Fine Grained gray greenish MicroDiorite with epidote, hematite 1-2% pyrite, very calcitic and moderately magnetic	40	42	177.2	9.4
				42	44	393.8	16.8
				44	46	84.9	5.8
				46	48	664.1	11.8
			40 - 44 Fault Zone, 52 - 58 Fault Zone	48	50	166.1	4.8
				50	52	111.6	5.2
				52	54	108	5.8
				54	56	81.9	8.9
				56	58	102.3	4.7
				58	60	79	8.7
				60	62	57.6	6.4
				62	64	323.3	27.3

Sego Resources PDH -11- 05

N	E	Z
5484269	683929	949

Length	Dip	Azimuth
66	-90	0

Geologists	Core Size	Date of Log
S.Daly and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	16	Ar	Clay rich hematized, oxidized unit with faint magnetism, calcite with trace pyrite near top	10	12	849.6	195.2
				12	14	146.4	17.5
				14	16	95.6	13.4
16	28	Ad	Green- grey Andesite calcitic, with chlorite-albite altn, trace pyrite and weakly magnetic hematite on fracture surfaces to 26m, fracture controlled quartz	16	18	121.8	14
				18	20	109.7	13.8
				20	22	167	12.9
				22	24	163.4	18.6
				24	26	165.9	9.7
				26	28	170.6	15.8
28	40	Ad	Green-Grey Andesite with 1-3% disseminated pyrite, biege-white quartz, calcite, 1-2 red hematized chips.	28	30	598.6	23.2
				30	32	435	30.8
				32	34	788.2	20.6
				34	36	719.8	28.7
				36	38	307.5	9.7
				38	40	549.8	11.4
40	60	Ad	40-54m Clay rich interval, with minor green-grey Ad chips, trace pyrite to no sulfides, minor hematite	40	42	337.8	10.4
				42	44	321.2	12.9
				44	46	377.7	15.1
				46	48	240.7	12.9
				48	50	233.7	11.5
				50	52	115.7	6.2
				52	54	227.7	17.6
				54	56	107	4.9
				56	58	218.5	5.6
				58	60	161.1	3.5
60	66	Ad	Green-Dark Grey Andesite with weak-mod magnetism, fracture controlled calcite and trace disseminated Pyrite	60	62	147.6	5.1
				62	64	192.1	7.4
				64	66	182	5.8

Sego Resources PDH -11- 06

N	E	Z
5484267	683899	948

Length	Dip	Azimuth
62	-90	0

Geologists	Core Size	Date of Log
S.Daly and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	12	Ox	Pale grey and Orange Limonitic clay 0.5% Subhedral Pyrite	10	12	303.3	15.5
12	18	Md	Pale Greenish grey Microdiorite with weak-moderate pervasive epidote weak hematite, 3-4% pyrite very calcareous, weakly magnetic	12	14	167	10.5
				14	16	794.7	147.1
				16	18	1015.7	120.1
18	34	Md	Pale Greenish grey Microdiorite with weak mod pervasive epidote. Very calcareous with pink quartz chips, moderately magnetic, pyrite 1-2%. Hematite starts at 22m and becomes stronger towards 34m.	18	20	1445.6	239.2
				20	22	378.6	55.1
				22	24	318.7	25
				24	26	904.2	28.3
				26	28	1102	21.2
				28	30	1630.4	29.5
				30	32	777.8	32.5
				32	34	775	22.7
34	50	Ad	Maroon to Pale Grey Andesite with weak epidote near top of section very strong hematite throughout, weakly magnetic very calcareous pyrite 3-4 %	34	36	296.6	8.7
				36	38	404.2	52.1
				38	40	191.3	16.6
				40	42	257.2	13.4
				42	44	192.4	63.6
				44	46	185.7	14.4
				46	48	70.2	6.1
				48	50	153.4	9
50	64	Brb	Brick red unit with intense hematite, no pyrite or epidote very weak magnetism. Same nickelt signature as other Brb units	50	52	19.8	1.6
				52	54	49	3.5
				54	56	26.6	2
				56	58	39.4	1.6
				58	60	6.8	1.7
				60	62	8.9	0.9

Sego Resources PDH -11- 07

N	E	Z
5484273	683877	947

Length	Dip	Azimuth
72	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From	To	Cu_ppm	Au_PPb
0	16	Cas					
16	32	Ad	Dark- Grey Andesite with weak-mod pervasive epidote alteration. Trace disseminated pyrite to 0.5% Chalcopyrite seen 20 - 22m very calcareous, weakly magnetic Fracture controlled hematite, locally strong k-spar	16	18	582	20.9
				18	20	477.4	11.4
				20	22	301.4	15.3
				22	24	373.8	11.9
				24	26	256.1	13
				26	28	457.4	7.1
				28	30	304.8	8.8
				30	32	471.4	12.1
				32	34	445.6	10.4
32	54	Ad	Pale grey Andesite with trace pyrite. Weakly magenetic, with calcite and quartz 36 -38m and weak hematite 50 - 52 intermittent k-spar Fracture controlled hematite	34	36	322	5.3
				36	38	284.8	74.2
				38	40	256.3	16.2
				40	42	250.5	20.6
				42	44	309.3	26.9
				44	46	389.5	10
				46	48	196.2	9.1
				48	50	207.1	27.1
				50	52	189.1	12.4
				52	54	52.5	0.8
54	62	Ad	Pale Gougey Moist Andesite with trace to 1% pyrite and weakly magnetic, calcareous. Hematite and Chalcopyrite seen 56 - 58 54m to 72m Fault Zone	54	56	72.5	4.4
				56	58	209.3	5.2
				58	60	316.3	5.3
				60	62	321.8	5.7
62	66	Ad	Pale Grey-Greenish Andesite moist gougy andesite with chlorite/hematite (Fault Zone) no pyrite non magnetic weakly calcareous.	62	64	286	6.7
				64	66	184.1	2.8
66	68	Ar	Pale Grey moist altered rock with trace epidote, hematite, trace to 1% pyrite	66	68	138.7	1.6
68	72	Ad	Pale grey Andsite very wet, with weak hematite Alteration, very weakly calcareous, non magnetic and no pyrite.	68	70	126.9	3
				70	72	73.4	0.5

Sego Resources PDH -11- 08

N	E	Z
5484299	683871	944

Length	Dip	Azimuth
80	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson and D.Takagawa	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	14	Ox	Oxidized material	12	14	762.7	54.4
14	18	Ad	Grey green with orange spots, limonitic Andesite with 0.5% Pyrite (up to 5% on chips) with chalcopyrite in veins and disseminations, albitized, weakly magnetic moderate calcite	14	16	394.9	18.4
				16	18	982.8	50.8
18	40	Ad	Dark grey - green Andesite(?) with epidote, chlorite, pink quartz, chalcopyrite and 0.5% pyrite in veins and and disseminations. weakly magnetic, and moderate calcite. K-Spar from 32 -38m	18	20	3681.8	395.1
				20	22	496.4	50.6
				22	24	327.4	37.3
				24	26	3422.4	180.9
				26	28	1509.5	93.6
				28	30	777.9	65.7
				30	32	1687.1	79.5
				32	34	1145	98.6
				34	36	758.7	47.6
				36	38	864.5	55.6
				38	40	1643.4	108.7
40	52	Ad	medium grey volcanic with weak-moderate magnetism and moderate calcite. Weakly epidotizing albite. trace to 2% pyrite (up to 8% on vein Chips) chalcopyrite associated with pink quartz.	40	42	1551.7	79.3
				42	44	2313.6	143.4
				44	46	925.1	48.2
				46	48	1584.6	116.3
				48	50	1150	72.7
				50	52	2235.8	220.9

Sheet1

52	58	Md	Medium Grey- Green Micro Diorite strongly magnetic, moderate calcite 1-0.5% pyrite, maroon crystals, pink quartz 54 - 56m. Epidote and chlorite with sericite(?)	52	54	1966.3	191.6
				54	56	2206.7	224.3
				56	58	652.1	47.8
58	64	Md	Pale Greenish - Grey fine grained Micro Diorite with epidote, chlorite, weak hematite, trace pyrite and chalco weakly magnetic, strong calcite. (from 62-64 looks like volcanic)	58	60	514.1	23.7
				60	62	435.9	20.3
				62	64	901.8	37.1
64	70	Ad	Dark Gray - green Andesite, with weak magnetism, very calcareous strong pervasive epidote, chlorite, hematite on fractures (K-Spar 64-66) 0.5% Pyrite with trace sericite 68 -70m	64	66	729.7	34.1
				66	68	677.6	49.8
				68	70	671.7	110.8
70	74	Ad	Dark gray-green Andesite with weakly magnetism, strong calcite, pink white gypsum 3-5% , sericite 1-2% disseminated pyrite	70	72	1334.5	277.1
				72	74	459.4	35.3
74	80	Md	Pale grey-dark green Micro Diorite with 0.5% pyrite in quartz veins, maroon hematite, on fractures with very weak magnetism, strong calcite. Epidote, chlorite, and pink quartz (which may be kspar needs more contextual information) clear fibrous selenite.	74	76	455.1	22
				76	78	712.4	38.7
				78	80	408.8	18.1

Sego Resources PDH -11- 09

N	E	Z
5484300	683901	948

Length	Dip	Azimuth
64	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	D.Takagawa	July.2011

From (m)	To (m)	Rock Code	Geology	From	To	Cu_ppm	Au_PPb
0	12	Cas					
12	48	Ad	Medium to Pale grey Andesite, with 1% chalcopyrite and 0.5 - 3% pyrite, calcite rich, weakly magnetic with less calcite down section. K-Spar noted from 12 -14m, 30 -32m Clay rich section Fine Grained Bornite through out, also up to 7-8% chalcopyrite and up to 5% cubic pyrite	12	14	10000	98.9
				14	16	3437.2	44.5
				16	18	10000	681.8
				18	20	10000	2518.7
				20	22	10000	10597.1
				22	24	10000	5182.6
				24	26	10000	428.7
				26	28	10000	725.1
				28	30	10000	744.3
				30	32	7491.8	236.8
				32	34	10000	418.5
				34	36	10000	681.7
				36	38	8245.3	254.7
				38	40	10000	419.9
				40	42	7529.8	182.9
				42	44	10000	244.3
				44	46	3411.2	183.6
46	58	Br	Quartz -Sulfide breccia, 2 -4% Pyrite, trace to 0.5% Chalcopyrite, local Bornite up 0.5%	46	48	1115.6	70
				48	50	1750.1	100.2
				50	52	1651.2	97.4
				52	54	2885.4	86.3
				54	56	1302.1	41.3
				56	58	2389.9	76.2
58	64	Ad	Medium grey Andesite with very sparse pyrite, (cubic where seen) very local weak magnetism, non calcareous Quartz 56 - 58, 60 - 64m, K -Spar 60-62, Epidote 58 to 60m. Also light pink quartz chips seen. Mineralization is pyrite, Chalcopyrite and Bornite, trace to 1% overall, up to 5-7% on individual chips. Moist zone 54- 64m (Fault?)	58	60	8631.1	384.4
				60	62	4620.9	327.2
				62	64	5432.8	241.3

Sego Resources PDH -11- 10

N	E	Z
5484298	683931	958

Length	Dip	Azimuth
76	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From	To	Cu ppm	Au PPB
0	18	Cas					
18	26	Ad	Dark grey green Andesite with 1-4% disseminated euhedral - subhedral pyrite, pale orange quartz, chlorite, epidote Moderately magnetic, non calcareous.	18	20	411.7	44.3
				20	22	311.6	36.2
				22	24	213.6	24.3
				24	26	491.6	39
26	30	Ad	Dark Grey Andesite 1-2% Cubic pyrite, white gypsum with pyrite,weak moderate magnetism,non calcareous Fault Zone 28 - 30m (hematite on fractures)	26	28	972.9	39.2
				28	30	347.9	13
				30	32	293	12.4
30	42	Md	Medium greenish-grey Microdiorite, with chlorite, epidote and with pink quartz fragments 1-2% pyrite in quartz moderately magnetic, non calcareous. Minor white gypsum, minor chalcopyrite	32	34	185.6	12.2
				34	36	218	10
				36	38	302.9	16.7
				38	40	240.5	13.5
				40	42	174.2	8.9
42	56	Ad	Medium Grey Andesite with locally strongly magnetic zones but mainly non magnetic . Albitized, with white and pink quartz and 1-2% pyrite (disseminated cubes) and in quartz veins, weak local Hematite, epidote, chlorite. 46 -50m the magnetite is dark grey with red-purple alteration.	42	44	212.7	9.6
				44	46	260	27
				46	48	249.2	27.1
				48	50	222	16.1
				50	52	219.7	21.3
52	76	Md	Pale Grey-Green fine grained microdiorite with chlorite, epidote, hematite on fractures, pale pink quartz and pyrite 1% overall in veins and disseminations (up to 12% on vein chips) non calcareous (slight in places), weakly magnetic Note: From 66-76 albitized volcanics (like 42-56) are commonly seen. Sparse gypsum chips seen.	52	54	314.2	157
				54	56	293.6	35.1
				56	58	268.6	23.4
				58	60	234.2	12.4
				60	62	623.4	20.7
				62	64	229.7	8.5
				64	66	233.3	12.2
				66	68	214.2	10.6
				68	70	243.3	11.2
				70	72	284.6	14.5
				72	74	237.7	17.7
				74	76	294.7	22.3

Sego Resources PDH -11- 11

N	E	Z
5484300	683963	957

Length	Dip	Azimuth
80	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	24	Ad	Dark Greenish Grey Andesite with epidote, chlorite with actinolite(?) sparse to trace pyrite moist, calcite rich, moderately magnetic. (limonite 10-20m on fracture surfaces)	10	12	78.2	6.9
				12	14	290.5	14.1
				14	16	279.4	25.7
				16	18	117.4	15.5
				18	20	251.7	20.1
				20	22	86.1	18.1
				22	24	77.5	15.8
				24	26	125.8	18.9
24	38	Ad	Pale grey Andesite, albitized with sparse disseminated pyrite, quartz, weak to moderate magnetism and weakly to moderate calcite. (30-32m quartz vein?)	26	28	585.5	8.1
				28	30	385	14.7
				30	32	259.3	23
				32	34	331.8	27.9
				34	36	405.6	34.5
				36	38	321	25.8
38	70	Ad	Dark grey andesite, highly magnetic (dark grey magnetite fragments) and weakly calcareous. Some Chlorite, Epidote Altn, with pink-orange quartz (40-44m 56-58m) clear and white gypsum. Disseminated pyrite 2-3% pyrite overall up to 12% on chips. From 60-68 little preserved rock, all clay + minor orange-pink quartz. 64 -66 minor dark grey andesite fragments	38	40	589.3	12.4
				40	42	392.9	10.7
				42	44	343.4	10.2
				44	46	276.7	6.1
				46	48	452	8.9
				48	50	359.1	13.1
				50	52	328.5	13.2
				52	54	568.4	11.3
				54	56	293.1	5.6

Sheet1

				56	58	304.4	5.5
				58	60	306.5	6.5
				60	62	480.3	12.8
				62	64	1212.5	30.3
				64	66	540.6	24.2
				66	68	105.5	11.8
				68	70	375.9	13.5
70	80	Ad	Dark to light grey (albitized) Andesite, moderate calcite, moderately magnetic 1-2% disseminated pyrite opaque gypsum (78-80 hint of propylitic microdiorite)	70	72	492.1	16.9
				72	74	743.1	21.4
				74	76	258.3	11.4
				76	78	862.3	32
				78	80	214.9	13.7

Sego Resources PDH -11- 12

N	E	Z
5484299	683989	967

Length	Dip	Azimuth
82	-90	0

Geologists	Core Size	Date of Log
S.Daly and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	14	Cas					
14	16	Ox	White to orange (oxide zone?) powder with limonite and hematite with trace to 0.5% pyrite, gypsum	14	16	441.4	13.5
16	32	Ad	Pale Grey Andesite with strong gypsum Very weak magnetism and strong calcite. 1-2% Pyrite. Epidote 28 - 32m	16	18	655.5	44.9
				18	20	268.2	21.9
				20	22	310.2	26.9
				22	24	448.8	22.5
				24	26	390.8	19.6
				26	28	275.7	18
				28	30	264.8	12.6
				30	32	231	31.8
32	34	Ad	Pale grey-green Andesite with epidote and pink/white quartz, weak gypsum, weak magnetism and very weak calcite 1-2% Pyrite (Fault Zone 32 -34)	32	34	196.1	8.5
34	48	Md	Medium grey fine Grained Microdiorite with weak pervasive epidote, suspect K-spar and/or pink quartz. Strongly magnetic 1-2% disseminated pyrite (Chips to 15%) weak gypsum. Non calcareous. 44- 46m	34	36	182.7	8.4
				36	38	231.1	10.3
				38	40	285.4	7
				40	42	324.2	10.9
				42	44	209.8	9.6
				44	46	204	9.1
				46	48	238.5	17.9
48	58	Md	Dark Grey MicroDiorite with hematite and trace chalcopyrite, no epidote, weak gypsum with strong magnetism but non calcareous	48	50	372.3	10
				50	52	199.4	8.6
				52	54	414.1	18.6

Sheet1

				54	56	312.2	16.9
				56	58	436.7	26
58	80	Md	Dark grey MicroDiorite with hematite and gypsum with very weak calcite and trace disseminated pyrite with very strong magnetism - magnetite, also Epidote and Chlorite with K-Spar	58	60	315.7	23.2
				60	62	305	22.2
				62	64	368.9	22.4
			62-64 Chalcopyrite, 70 -74m Chalcopyrite	64	66	332.3	30.9
				66	68	455.7	34.3
				68	70	609.6	63.9
				70	72	643.7	39.4
				72	74	822.3	54.9
				74	76	1038.5	50.1
				76	78	863.6	21.7
				78	80	1246.1	38.9
				80	82	1140.7	27

Sego Resources PDH -11- 13

N	E	Z
5484297	684019	962

Length	Dip	Azimuth
68	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	18	Cas					
18	24	Ar	Light grey, very calcareous altered rock, rich in quartz and gypsum weakly magnetic with trace disseminated pyrite, suspect Biotite.	18	20	707.1	33
				20	22	347.3	23.5
				22	24	432	16.6
24	32	Ar	Dark grey-green, quartz rich rock with epidote and hematite alteration, strongly calcareous with pyrite in veins and moderate magnetism, Pink Gypsum.	24	26	471.3	18.7
				26	28	651.8	25
				28	30	694.4	49.9
				30	32	766	85.3
32	40	Ar	Grey-green rock with trace to 2% pyrite, rich in quartz, very calcareous. Strongly magnetic -hematitic	32	34	817.4	78.8
				34	36	856.2	96.1
				36	38	1425.8	92.6
				38	40	584.9	45.6
40	54	Ad	Dark grey-green Andesite with pale pink -orange quartz and epidote. 0.5% disseminated cubic pyrite, with calcite moderate to strong magnetism	40	42	430.8	52.9
				42	44	472.6	34.2
				44	46	429.7	27.3
				46	48	474.9	22.7
				48	50	198.8	10.6
				50	52	283.9	18.7
				52	54	228.4	50.7
54	58	Ad	Pale grey Andesite (albitized?) Strongly magnetic with magnetite/Hematite weak-moderate calcite	54	56	428	30.1
				56	58	294.4	10.4
58	68	Ad	Dark grey - green Porphyritic Andesite with trace to 0.5% pyrite, gypsum, calcite (64-68 pyrite and Chalcopyrite in quartz)	58	60	604.9	18.2
				60	62	647.4	27.8
				62	64	702.4	34.9
				64	66	1247.5	107.2
				66	68	3990.1	321.5

Sego Resources PDH -11- 14

N	E	Z
5484299	684049	965

Length	Dip	Azimuth
70	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code
0	20	Cas

20	70	Ad
----	----	----

Geology
 Dark Grey-green Andesite with epidote, chlorite with pink orange quartz (with sulfides), 1-4% Pyrite with trace bornite and chalcopryrite with weak -moderate calcite. Entire hole is limonitized and hematized Very strongy oxidized bewteen 24 -26, 42-54 and 68-70m . 38 - 40 dark grey, (reducing environment?)

From_	To_	Cu_ppm	Au_PPb
20	22	1372.3	94.6
22	24	1199.6	116.2
24	26	782	98.3
26	28	1482.9	184.3
28	30	1258.1	95.8
30	32	1321.5	84.8
32	34	1134.4	69.7
34	36	1100.4	69.2
36	38	1137.3	105.7
38	40	2279	138.1
40	42	1687.8	81.4
42	44	1322.1	76.2
44	46	1394.2	62
46	48	1296.3	58.5
48	50	1278.5	63.9
50	52	1049.8	65.9
52	54	1177.9	61
54	56	1088.9	57.6
56	58	931.1	46
58	60	1006.2	72.6
60	62	930.7	60.7
62	64	1104.7	82.5
64	66	1228.9	85.8
66	68	1293.3	80.3
68	70	1338.7	110.6

Sego Resources PDH -11- 15

N	E	Z
5484270	684080	956

Length	Dip	Azimuth
64	-90	0

Geologists	Relogg	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	14	Cas					
14	42	Md	Green-Black, epidote chlorite, albite altered Microdiorite with 3-4% disseminated pyrite, minor calcite Weakly magnetic and weakly calcareous, oxidized to 22m, from 22m 3-5% pyrite with 1% Chalcopyrite 18-22 subordinate heavily oxidized dark-grey volcanics (dyke?) with large pyrite crystals	14	16	204	12.5
				16	18	397.2	13.3
				18	20	354.4	35.3
				20	22	368.8	22.1
				22	24	493.2	22
				24	26	2357.3	379.5
				26	28	2277.4	383.3
				28	30	1695.3	238.6
				30	32	1138.7	124.6
				32	34	1890.6	592.6
				34	36	1499.5	1284
				36	38	1736.1	876.8
				38	40	1234.3	227.8
				40	42	1167.5	195.2
42	50	Ar	Clay rich interval with light grey extremely albitized(?) rock 2-3% disseminated pyrite, 0.5% Chalcopyrite strongly calcareous and weakly magnetic	42	44	1110.5	113.4
				44	46	208.3	28.6
				46	48	1353.7	78.9
				48	50	1102.7	153.9
50	64	Md	same MD as 14-42m with dark grey volcanics (Dyke?) strongly calcareous and weakly magnetic, 1-3% Pyrite and 1% chalcopyrite in white calcite veins, and disseminated , pink quartz, 60-64 K-spar?.	50	52	912.8	113.1
				52	54	943.4	122.4
				54	56	323.4	84.3
				56	58	186.4	45.4
				58	60	824.1	137.6
				62	64	1104.7	82.5

Sego Resources PDH -11- 16

N	E	Z
5484332	684018	960

Length	Dip	Azimuth
56	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology
0	12	Cas	
12	28	Ad	Dark Grey volcanic rock, weakly magnetic, moderately calcareous 0.5-1% pyrite, 1% chalcopryrite and trace bornite 22-24m Gypsum and quartz fragments, fracture controlled hematite.
28	36	Ad	Medium grey-green volcanic with epidote, trace hematite, chalcopryrite and pyrite with bornite(?) strongly magentic (up to 1% magnetite) with gypsum and quartz fragments.
36	56	Ad	Pale grey, weakly magnetic volcanic, weakly calcareous with trace to 1% pyrite with , gypsum and quartz and local chalcopryrite, bornite

From_	To_	Cu_ppm	Au_PPb
12	14	885.7	70.8
14	16	2063.2	174.3
16	18	2849.1	200
18	20	1521.8	101.3
20	22	493.9	41.4
22	24	713.4	65.7
24	26	659.9	54.4
26	28	767.9	38
28	30	1709.3	122.1
30	32	1450.3	109.6
32	34	1302.9	65.4
34	36	745	38.4
36	38	1037.1	74.2
38	40	2328	105.1
40	42	564.4	43.5
42	44	155.8	16.9
44	46	731.1	46.1
46	48	584.3	91.5
48	50	481.8	53.1
50	52	576.5	69.2
52	54	531.4	43.9
54	56	312.6	77

Sego Resources PDH -11- 17

N	E	Z
5484330	683984	956

Length	Dip	Azimuth
62	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	16	Cas					
16	20	Ad	Orange-Limonitic Andesite with trace pyrite and strong magnetism and strongly calcareous	16	18	691.9	95.5
				18	20	792.4	49.2
20	26	Ad	Pale greenish-grey Andesite with epidote alteration and trace to 0.5% pyrite. Strongly magnetic and Strong calcite. Section is very fine clay	20	22	494.5	22.5
				22	24	454.5	11.5
				24	26	1039.6	26
26	32	Ad	Dark green grey Andesite with chlorite, epidote, K-spar(?) with albitized zones trace disseminated pyrite in veins, and fractures, moderate-strong magnetism, Strong calcite	26	28	531.8	18.3
				28	30	316.8	12.8
				30	32	468.5	18
32	38	Ad	same as above but very gougy with weak calcite and traces of chalcopyrite and native copper	32	34	1374.5	55
			32 - 38m Fault Zone	34	36	1707.7	80.9
				36	38	2001.4	106.5
38	62	Ad	same as 26-32m with trace chalcopyrite and (pyrite 4-8% 38-42m)	38	40	1737.1	139.8
				40	42	380.3	93.7
				42	44	973.9	91.1
				44	46	793.4	66.6
				46	48	1038.9	53.1
				48	50	535.3	168.3
				50	52	499.5	216
				52	54	120.7	47.2
				54	56	145.6	52.1
				56	58	777.2	27.3

Sheet1

58	60	411.6	34
60	62	383.2	22.2

Sego Resources PDH -11- 18

N	E	Z
5484331	683962	957

Length	Dip	Azimuth
82	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	D.Takagawa	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	16	Cas					
16	24	Ar	Grey-green Altered rock with gypsum and quartz fragments and trace to 0.5% pyrite weakly calcareous, moderate to weak magnetism, weak -moderate chlorite epidote and strong albite	16	18	271.3	20.1
				18	20	218.8	29.3
				20	22	701.8	25.5
				22	24	490.8	17
24	34	Ad	Pale grey gougy Andesite with quartz fragments. Non magentic, weakly calcaerous up to 8% euhedral pyrite crystals, with mod chlorite, epidote and albite (24 - 26 Strong albite) (22 to 34m Fault Zone)	24	26	249	18.2
				26	28	284.7	15.5
				28	30	419.4	14
				30	32	925.7	35.5
				32	34	904.8	31.4
34	42	Ad	Dark grey andesitic volcanic with epidote, quartz, trace to 1% pyrite (7-8% on chips) very calcareous moderatley magnetic trace chalcopyrite 38 -40m pink gypsum 0.5 -1% Chalcopyrite, weak to moderate chlorite, very local K-Spar	34	36	2227.1	32.6
				36	38	1781	23.1
				38	40	925.1	20
				40	42	2548.8	68.9
42	80	Ad	Medium to dark Grey andesite with pink quartz chips, and trace to 2% pyrite and trace chalcopyrite throughout, Bornite 46-48 and 72-7, moderatley strong calcite with hematite, weak to mod epidote, chlorite, albite, moderately pervasive magentism, strong magnetism (with magnetite) 76 - 80m.	42	44	2269	37.8
				44	46	1361.2	40.9
				46	48	1941.8	71.4
				48	50	1987.9	57.3
				50	52	1297.3	33.5
				52	54	1570.3	24.4
				54	56	1132.3	39.9
				56	58	941.6	31.4
				58	60	875.4	47.3
				60	62	529.8	28.7
				62	64	689.6	22.6
				64	66	942.2	21.4
				66	68	782.5	13.9
				68	70	1017.9	17.3
				70	72	1028.4	17.9
				72	74	1064.6	22.1
				74	76	886.9	21.8
				76	78	644.6	18.8
				78	80	529.8	23.4

Sego Resources PDH -11- 19

N	E	Z
5484331	683930	950

Length	Dip	Azimuth
46	-90	0

Geologists	ReLog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	14	Ad	Medium Grey -Orange hematized volcanic with 0.5% pyrite and milky quartz	12	14	273.1	33.8
14	26	Ad	Dark Grey - Green andesite with 1-2% disseminated fracture controlled cubic pyrite (trace cpy) with minor white-beige quartz with pyrite, fracture controlled calcite	14	16	465.6	27.4
				16	18	404	69
				18	20	602.9	32.1
				20	22	303.1	38.7
				22	24	244.3	21.8
				24	26	225.5	11
26	38	Ar	Clay rich interval- quartz fragments with reddish-brown stains, 3-4% Euhedral pyrite in clusters, minor fragments from Ad above	26	28	247.7	16.2
				28	30	463.7	31.4
				30	32	375.8	26
				32	34	428.4	28
				34	36	430	34.7
				36	38	366.2	22.5
38	46	Ad	Dark Grey-Green Andesite, pervasively chloritized, with minor white quartz fragments. pyrite and cpy concentrated in quartz fragments. 44-46m pyrite and chalcopyrite in volcanics and quartz, calcite in fractures	38	40	472.7	15.9
				40	42	283.1	10.6
				42	44	244.5	9.9
				44	46	1155.6	24.7

Sego Resources PDH -11- 20

N	E	Z
5484332	683900	943

Length	Dip	Azimuth
50	-90	0

Geologists	Core Size	Date of Log
S.Daly and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	22	Ad	Green - Grey volcanics with chlorite and albite, with white-beige quartz fragments. Trace disseminated pyrite and chalcopyrite in volcanics and 2-3% pyrite, chalcopyrite and bornite in quartz, weakly magnetic 10-12 dark grey Andesite chips, 14-16 epidote-chlorite Microdiorite chips.	10	12	1558.1	58.4
				12	14	3101.2	236.9
				14	16	1300.8	127.6
				16	18	2012.1	118.8
				18	20	1014.4	79.8
				20	22	2132.2	748.3
22	24	Ar	White - oxidizing quartz fragments with 2% pyrite	22	24	366	47.4
				24	26	680.3	30.6
26	50	Ad	Green-grey andesite as above, but with 2-3% disseminated pyrite only. (trace chalcopyrite 30-32) very weak calcite weak moderate magnetism	26	28	386.6	20.5
				28	30	321.2	22.4
				30	32	805.1	42.5
				32	34	161.1	7.9
				34	36	169.8	19.8
				36	38	258.4	23
				38	40	346	25.7
				40	42	196.9	14.4
				42	44	64.7	3.8
				44	46	106	5
				46	48	341.1	19.5
				48	50	539.7	28.5

Sego Resources PDH -11- 21

N	E	Z
5484334	683871	936

Length	Dip	Azimuth
50	-90	0

Geologists	Relog	Date of Log
S.Daly and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	16	Ar	Pale grey-orange-brown Altered rock with limonite, and gypsum.	12	14	384.1	16.3
				14	16	259.9	33.4
16	28	Ar	White -beige sulfide rich quartz with minor green grey volcanic fragments (22-28) Weakly magnetic with moderate calcite. 2-3% pyrite and 2% Chalcopyrite and 1% Bornite	16	18	1354.7	332.6
				18	20	10000	1745
				20	22	10000	689.5
				22	24	9220.9	280.4
				24	26	4159.7	180.9
				26	28	1479.8	87.1
28	40	Ar	Clay rich interval, with minor white -beige quartz with chalcopyrite and pyrite. Non calcareous and non magnetic (34-36 bornite and chalcopyrite, no pyrite)	28	30	562.4	51.7
				30	32	462.4	30.9
				32	34	693.6	75.5
				34	36	2304	100
				36	38	825.4	44.1
				38	40	418.9	121
40	50	Ar	White-Beige quartz, with disseminated magnetite and 2-3% disseminated chalcopyrite and pyrite.	40	42	962.5	100.6
				42	44	613.7	58.9
				44	46	1061.4	47.6
				46	48	5198.5	241
				48	50	1550.1	91.5

Sego Resources PDH -11- 22

N	E	Z
5484364	683962	945

Length	Dip	Azimuth
52	-90	0

Geologists	ReLog	Date of Log
C. Kauss and D.Takagawa	D.Takagawa	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	30	Ad	Light to medium grey - orange, andesite with limonite, quartz, 1-2% pyrite and trace chalcopyrite very weak calcite, weak magnetism 20 to 22m Intermittent Faulting	12 14 16 18 20 22 24 26 28	14 16 18 20 22 24 26 30	1204 2130.5 2051.8 1089.4 1068.8 713.8 564 872 875.4	21.8 40 124.8 80.1 79.8 39.6 54.5 38 68.6
30	36	Ad	Pale grey with orange spots, Andesite rich in magnetite (highly magnetic) and quartz. Limonite present with 1-3% fine grained cubic pyrite and trace chalcopyrite	30 32 34	32 34 36	883.6 1358.3 1006	48.8 90.1 29.3
36	44	Ad	Andsite with weak-moderate patchy epidote and pink-orange quartz with 5% semi massive pyrite and trace chalk strongly magnetic and strongly calcareous with spotty weak hematite. 42-44m gypsum (melange of pink quartz, white quartz, calcite, gypsum, magnetite, hematite, epidote chips)	36 38 40 42	38 40 42 44	1810.7 1959.1 1133.3 724	60.3 106.9 172.6 58.1
44	52	Ad	Pale green-gray Andesite with gypsum, epidote, and orange and milky quartz. Moderately magnetic, weakly calcareous with trace to 0.5% chalcopyrite and 3-5% fine grained disseminated pyrite cubes.	44 46 48 50	46 48 50 52	633.6 500.2 922.9 566	119.5 331.3 66.1 55.4

Sego Resources PDH -11- 23

N	E	Z
5484382	683994	945

Length	Dip	Azimuth
44	-90	0

Geologists	ReLog	Date of Log
C. Kauss and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	14	Ad	Dark grey Andesite, strongly limonitized on fracture surfaces, with minor disseminated chalcopyrite and pyrite	12	14	1144.7	53.9
14	18	Ad	Dark-grey Porphyritic Andesite with minor orange limonite, weak spotty hematite, weak-moderate sericite strongly calcareous, strongly magnetic. 2% subhedral pyrite in veins, 18 - 20m Chalcopyrite	14	16	856.5	28.7
18	42	Ad	Very pale to light grey porphyritic Andesite with gypsum and trace chalcopyrite 20 -22m. 28 - 32 clots of specular hematite. Subhedral disseminated Pyrite goes from 10 -15% 20 -24, to 0.5 -1% to 40m.	16	18	773.5	32.3
				18	20	1828	83.9
				20	22	1193.5	78.2
				22	24	534.6	24.6
				24	26	649.5	26.3
				26	28	1261	27.6
				28	30	539.2	15.7
				30	32	540.1	14.4
32	34	335.8	51.6				
34	36	359.2	33.9				
36	38	330.1	24.5				
38	40	486.3	23.9				
40	44	Ar	Quartz vein, with 5-10% pyrite with dark grey Andesite fragments adhering to quartz fragments, clay otherwise	40	42	656.7	23.2
				42	44	254	29

Sego Resources PDH -11- 24

N	E	Z
5484361	683990	947

Length	Dip	Azimuth
46	-90	0

Geologists	Core Size	Date of Log
C. Kauss and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	8	Cas					
8	12	Ox	Orange -Brown Altered rock (oxide cap) with strong limonite and hematite and malachite trace bornite with 1% Chalcopryrite local biotite and magnetite. Strongly magnetic and calcareous.	8	10	1436.2	83.9
				10	12	555.9	19.5
14	38	Ad	Green-Gray chlorite -albite strong calcite, weak magnetism, with 5-4% pyrite going to 1-2% downhole white-beige quartz fragments, and calcite veins. 30-40m clay rich interval	12	14	393	10.6
				14	16	279.4	67
				16	18	713.7	87.1
				18	20	474.4	25.5
				20	22	343.8	54
				22	24	843	207.4
				24	26	135.5	143.4
				26	28	297	64.7
				28	30	157.5	42.3
				30	32	141.7	34.6
				32	34	252.3	83.7
				34	36	287.4	47
				36	38	250.8	61.4
38	46	Ad	Light Grey albitized Andesite with 1% disseminated pyrite, and white quartz chips with pyrite and chalcopryrite. Chalcopryrite increases from trace to 1% downhole.	38	40	247	27.7
				40	42	270.2	19.2
				42	44	288.8	29.5
				44	46	305.4	25.4

Sego Resources PDH -11- 25

N	E	Z
5484387	684021	947

Length	Dip	Azimuth
48	-90	0

Geologists	ReLog	Date of Log
C. Kauss, and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	16	Ad	Light -Medium orange Andesite with moderate-strong limonite. Gypsum and 1-3% disseminated pyrite. 1-2% Chalcopyrite (trace bornite?)	12	14	704.3	13.8
				14	16	675	18.4
16	34	Ad	dark grey-green Andesite with gypsum, epidote, chlorite, strong calcite and moderate-pervasive magnetism. 0.5-2% disseminated pyrite (chips to 5%) and in quartz . Limonite present but decreasing in frequency towards section base. 26 to 28m Fault Gouge	16	18	882.8	8.5
				18	20	739.2	9.4
				20	22	329.8	16.3
				22	24	480.5	21
				24	26	424.9	11
				26	28	313.1	11.8
				28	30	249.1	19
				30	32	173.6	28
				32	34	338.5	14.6
34	48	Ad	Medium grey green gougy Andesitic material with same properties as above. No limonite. 1% pyrite in quartz, 38 - 40 trace Chalcopyrite 32-36 Gougey	34	36	381.1	8.4
				36	38	540.6	10.1
				38	40	413.6	12.7
				40	42	362.1	21.9
				42	44	366.5	18.2
				44	46	347.7	24.9
				46	48	305.4	16.3

Sego Resources PDH -11- 26

N	E	Z
5484359	684019	950

Length	Dip	Azimuth
42	-90	0

Geologists	ReLog	Date of Log
C. Kauss and D.Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	14	Ar	Light Orange-Brown oxide zone with limonite hematite, and calcite with weak gypsum. Trace to 0.5% pyrite	12	14	536.5	76.8
14	16	Tu	Light grey brown tuffaceous unit, dark crystals in similar orientations	14	16	348.3	33.4
16	22	Ad	Pale grey green weakly magnetic, strongly calcareous Andesite with weak, fracture controlled limonite and hematite. 2-5% euhedral to sub-hedral disseminated pyrite. Weak pervasive gypsum.	16	18	491.7	66
				18	20	692.1	24.1
				20	22	564.7	18.2
22	32	Ad	Medium - Dark grey green Andesite with moderately pervasive gypsum, epidote, chlorite, quartz. Strongly Magnetic and strongly calcareous. 0.5 to 1% disseminated subhedral pyrite	22	24	257.4	7.6
				24	26	376.2	7.4
				26	28	124.9	8.4
				28	30	86.7	19.8
				30	32	381.6	42.7
32	42	Ad	Same as above but weakly magnetic and moderately calcareous. Chalcopyrite in calcite veins 38-42m more albitized near end of section.	32	34	352.2	34.8
				34	36	175.9	36.5
				36	38	310.3	15.6
				38	40	1333.3	59.9
				40	42	1193.1	44.7

Sego Resources PDH -11- 27

N	E	Z
5484270	683838	934

Length	Dip	Azimuth
40m	-90	0

Geologists	Core Size	Date of Log
C. Kauss, A Watson and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	24	Ad	Dark Green to red Andesite with trace pyrite. Hematite with chloritic groundmass. Strongly magnetic and strong calcite	12	14	39.8	4.5
				14	16	40.6	3.6
				16	18	18.4	6.3
				18	20	166.4	2.7
				20	22	11.9	2
				22	24	102.1	1.5
24	32	Brb	Brick red unit with strong hematite, weak to no magnetism, strong calcite, quartz, limonite on fractures no sulfide	24	26	17.5	1.3
				26	28	7.1	2.1
				28	30	7.7	0.5
				30	32	9.8	0.5
32	40	Ad	Dark Green to red Andesite with trace pyrite. Hematite with chloritic groundmass. Strongly magnetic and strong calcite	32	34	181.5	1.4
				34	36	192.7	2
				36	38	230.5	3.3
				38	40	85.7	5.7

Sego Resources PDH -11- 28

N	E	Z
5484299	683839	927

Length	Dip	Azimuth
50	-90	0

Geologists	Core Size	Date of Log
A Watson and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	14	Cas					
14	16	Ox	Orange - Brown oxidized material				
16	32	Ad	Light brown to dark grey-green porphyritic Andesite with limonite on fractures, hematite, epidote, chlorite, gypsur and secondary magnetite. From 16 -22 heavily oxidized. Trace to 1% pyrite and trace chalcopyrite. Moderate to strong magnetism with strong calcite, from 26 to 28 metres, 0.5% chalcopyrite with K-spar. Moderate calcite entire interval.	14	16	1495.4	166
				16	18	1473.8	284.3
				18	20	1418.6	127.4
				20	22	1189.6	143.1
				22	24	882.7	132.8
				24	26	1939.9	418.6
				26	28	1665.1	396.5
				28	30	718.2	74.6
				30	32	661.6	67.1
32	50	Md	Dark grey - green Microdiorite with gypsum, calcite, albitized, chlorite, epidote and quartz. Locally strongly magnetic and strongly calcareous. 1-3% disseminated pyrite (up to 5% on individual chips), in veins with chalcopyrite and bornite (?). 32 - 50 m disseminated Chalcopyrite. 38 -40 abundant translucent quartz chips. 44- 46 metres mostly non-magnetic, with intense albitization with weak chlorite.	32	34	936.8	80.9
				34	36	1620.7	121.5
				36	38	853.5	62.3
				38	40	782.8	46.4
				40	42	777.4	410.8
				42	44	1923.3	754.1
				44	46	843.8	252
				46	48	689	122.1
				48	50	624.3	76.5

Sego Resources PDH -11- 29

N	E	Z
5484306	683771	913

Length	Dip	Azimuth
34	-90	0

Geologists	Core Size	Date of Log
A Watson and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	10	Cas					
10	24	Ad	Dark-Grey Green andesite with Chlorite, epidote and fracture controlled limonite. Gypsum and trace disseminated pyrite with calcite stringers. Moderately Magnetic.	10	12	17.8	28.7
				12	14	13.7	17.3
				14	16	21.8	3.7
				16	18	71.9	0.6
				18	20	93.4	4
				20	22	106.3	4.3
				22	24	70	9.3
24	34	Brb	Brick red basalt with strong pervasive hematite, epidote + chlorite and calcite infills in vesicles. Strongly magnetic, strongly calcareous with fracture controlled limonite From 30-32 rock has same properties but is a dull grey colour (no hematite) Reducing environment?	24	26	92.8	3
				26	28	492.2	0.5
				28	30	641	0.5
				30	32	496.7	19.9
				32	34	18.5	3.2

Sego Resources PDH -11- 30

N	E	Z
5484333	683782	891

Length	Dip	Azimuth
44	-90	0

Geologists	Core Size	Date of Log
A Watson and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	8	Cas					
8	14	Ad	Medium Green-Slightly orange Andesite with fracture controlled limonite, maganese oxide with gypsum. Local epidote with trace to 1% pyrite, weakly magnetic and strongly calcareous.	8	10	544.5	31.5
				10	12	408.2	25.5
				12	14	352.9	24.9
14	34	Ad	Pale grey Andesite with moderate fracture controlled limonite, local manganese oxide, variable magnetism. Strongly calcareous, with chlorite and trace gypsum 0.5 - 2% pyrite with chips up to 10% 16 - 18m Kspar?	14	16	199.6	8
				16	18	97.3	8.1
				18	20	118.5	4
				20	22	151.1	0.5
				22	24	135.7	1.5
				24	26	159.8	9.5
				26	28	320.3	14.5
				28	30	261.4	6.9
				30	32	116.3	7.3
				32	34	154.2	15.4
34	42	Brb	Brick red unit. strongly hematitized, and chlorite, epidote, quartz, calcite in vesicles. Strongly magnetic strongly calcareous with limonitic fractures	34	36	121.3	3.7
				36	38	70.1	0.5
				38	40	59.6	0.5
				40	42	261.5	8.1
42	44	Ad	Pale grey Andesite with gypsum, quartz, calcite weakly magnetic with 1-2% pyrite (with 5% on chips)	42	44	222	9.2

Sego Resources PDH -11- 31

N	E	Z
5484360	683774	889

Length	Dip	Azimuth
42	-90	0

Geologists	Core Size	Date of Log
A Watson and D.Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	8	Cas					
8	22	Ar	Medium orange-brown leached zone(?) with limonite, gypsum with calcite and fracture controlled hematite weakly magnetic (8 -10m Manganese oxide)	8	10	252.4	15.2
				10	12	182.1	10.1
				12	14	125.8	14.2
				14	16	399.7	18.1
				16	18	331.4	18.7
				18	20	444.5	14.6
				20	22	327.4	8.8
22	28	Ad	Medium orange to dark and light green Andesite with calcite, quartz, and fracture controlled chlorite, epidote, limonite, hematite. Disseminated magnetite with trace disseminated pyrite. Gypsum - 24 - 26m	22	24	1261.6	37.3
				24	26	748.5	32.7
				26	28	1462.5	33.4
28	30	Ar	Highly ground up powder (Fz)	28	30	487.9	20.7
30	42	Ad	Green-black, grey Andesite with sparse gypsum, quartz. Weak to non magnetic with trace to 1% disseminated pyrite (up to 5% on chips). From 36 - 40m 1% pyrite/ chalcocopyrite with pyrite increasing to 3% overall downsection. From 30 -34, 36 -42 pale grey albitization is dominant. (32 - 42 Fault Gouge)	30	32	474.1	29
				32	34	2024.8	153.2
				34	36	2198	105.9
				36	38	1956.1	100.9
				38	40	1579.4	94.4
				40	42	1509.5	73.2

Sego Resources PDH -11- 33

N	E	Z
5484372	683731	880

Length	Dip	Azimuth
74	-90	0

Geologists	Relog	Date of Log
C Kauss D Takagawa	A.Watson	July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	12	Cas					
12	36	Ad	Green-Grey Andesite with oxidized fragments, white-beige quartz, with 3%disseminated cubic pyrite minor (0.5%) chalcopryrite Hematite, limonite to 26m fracture controlled non magnetic, non calcareous from 24 -34 more quartz rich with fracture controlled pyrite and chalcopryrite.	12	14	273.6	11.1
				14	16	485.5	14.4
				16	18	341.4	16.1
				18	20	559.7	36.8
				20	22	544.4	28.6
				22	24	510.7	27
				24	26	525.2	27.8
				26	28	586.9	59.1
				28	30	470.9	37.7
				30	32	439.5	58.7
				32	34	306.1	55.7
				34	36	498.1	38.5
36	60	Ad	Light - Grey Green Andesite with 5% pyrite, minor white quartz (with pyrite and chalcopryrite) non magnetic and non calcareous (becoming more microdiorite like 56 - 60)	36	38	668.2	18.7
				38	40	537	29.4
				40	42	520.1	39.4
				42	44	360.5	33.7
				44	46	188.1	19.8
				46	48	344.5	14.4
				48	50	312.7	27.5
				50	52	491.5	17.3
				52	54	434.7	23.2
				54	56	457.2	21.1
				56	58	676.8	36.2
				58	60	672.4	38.1
60	74	Md	Dark Green Microdiorite mixed in with light green -grey Andesite and grey-biege quartz and 1-3% pyrite, 0.5% chalcopryrite in quartz. non magnetic, weakly calcareous.	60	62	793.2	64
				62	64	460.9	115.8
				64	66	309	21.7
				66	68	427.7	22
				68	70	441.8	25.8
				70	72	409.4	28.4
				72	74	507.7	27.8

Sego Resources PDH -11- 34

N	E	Z
5484355	683742	878

Length	Dip	Azimuth
52	-90	0

Geologists	Core Size	Date of Log
A. Watson D. Takagawa		July.2011

From (m)	To (m)	Rock Code	Geology	From_	To_	Cu_ppm	Au_PPb
0	18	Cas					
18	20	Ti	Till Assemblage (mix of rock types, and sizes)	18	20	63	3.5
20	26	Ad	Light brown -oxide dust on dark green chloritized andesite. Sulphides are to limonitized to identify. Weakly magnetic and strongly calcareous	20	22	747.2	25.6
				22	24	885.7	30.8
				24	26	1953.4	94.1
26	50	Ad	Light grey gouge over dark grey -green chloritized Andesite, with fracture controlled hematite, calcite. Quartz veinlets with 0.5% chalcopryrite (but up to 3 to 5% on chips) with 1% pyrite. Variable magnetism. 44 - 46m Limonite and brown soil (?)	26	28	1004.2	80.5
				28	30	1599.6	84.4
				30	32	5954.7	241.4
				32	34	2135.9	89.2
				34	36	5000.1	395.7
				36	38	1961.3	139.1
				38	40	1650.5	100.5
				40	42	1473.5	130.3
				42	44	1800	122.8
				44	46	1748.7	111.8
				46	48	1626.9	110
				48	50	1695.9	108.9

34 - 50m Fault Zone

Appendix 2

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days (list actual days)	Days	Rate	Subtotal*	
Curt Kauss – Geologist	March 1 st 2011- March 31 st 2011	30	\$340.00	\$10,200.00	
Sean Daly– Geologist	March 19 th 2011- March 31 st 2011	22	\$624.00	\$13,728.00	
Daniel Takagawa – Geologist	March 1 st 2011- March 31 st 2011	30	\$342.00	\$10,260.00	
Al Hilton - Director	March 14 st 2011- March 16 th 2011	3	\$600.00	\$1,800.00	
Jpaul Stevenson – CEO	March 14 st 2011- March 16 th 2011 March 24 th 2011- March 28 th 2011	8	\$500.00	\$4,000.00	
Dr. Vic Preto Consultant	March 15 th - March 16 th 2011	2	\$800.00	\$1,600.00	
				\$41,588.00	\$41,588.00
Office Studies	List Personnel (note - Office only, do not include field days)				
			\$0.00	\$0.00	
				\$0.00	\$0.00
Ground Exploration Surveys	Area in Hectares/List Personnel				
				\$0.00	\$0.00
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Percussion Chips	373 Samples Submitted To Acme Labs	373	\$30.55	\$11,395.15	
			\$0.00	\$0.00	
				\$11,395.15	\$11,395.15
Drilling	No. of Holes, Size of Core and Metres	No.	Rate	Subtotal	
Percussion	34, Percussion, 2002 metres			\$70,860.00	
				\$70,860.00	\$70,860.00
Other Operations	Clarify	No.	Rate	Subtotal	
Reclamation of PDH	Upper Similikameen Indian Band		\$10,340.00	\$10,340.00	
				\$10,340.00	\$10,340.00
Transportation		No.	Rate	Subtotal	
Truck rental	30 Days Total over Time Period	30.00	\$75.00	\$2,250.00	
Fuel (litres/hour)	4.27 L/pH over 79 Hours	336.00	\$0.85	\$285.96	
				\$2,535.96	\$2,535.96
Accommodation & Food	Rates per day	Days			
Hotel	\$100 a day including Tax for 167 Days**	90.00	\$100.00	\$9,000.00	
Meals	\$81.64 per day for 167 Days**	90.00	81.64	\$7,347.60	
				\$16,347.60	\$16,347.60
Equipment Rentals					
Upper Similikameen Indian Band	CAT Rental (For reclamation)		\$13,718.48	\$13,718.48	
Upper Similikameen Indian Band	CAT Fuel (For reclamation)		\$1,200.00	\$1,200.00	
				\$14,918.48	\$14,918.48
Freight, rock samples					
Clark Freightways			\$368.41	\$368.41	
				\$368.41	\$368.41

<i>TOTAL Expenditures</i>					\$168,353.60
----------------------------------	--	--	--	--	---------------------

Appendix 3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 07, 2011
Report Date: April 03, 2011
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN11000978.3

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 162

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	162	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	162	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	12	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	24	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 3: G601 for sample 944658 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	0.001
944601	Rock	2.18	6.1	684.3	54.9	43	0.2	16.0	30.7	522	4.27	46.6	72.5	2.6	97	<0.1	0.3	0.2	159	6.29	0.190
944602	Rock	2.63	5.5	854.2	23.4	33	0.2	9.1	22.3	479	4.08	23.9	69.0	3.4	195	<0.1	0.2	0.2	158	6.97	0.263
944603	Rock	3.19	6.6	645.4	33.7	25	0.1	8.7	17.3	404	2.47	9.7	33.4	2.8	2610	<0.1	0.2	0.1	114	7.71	0.205
944604	Rock	2.99	6.5	1761	71.0	70	0.7	24.2	38.7	528	6.06	3.9	93.6	2.2	175	<0.1	0.2	0.3	228	0.93	0.180
944605	Rock	1.97	5.0	1624	8.7	53	0.5	24.4	36.4	648	6.66	3.7	92.7	1.8	351	<0.1	0.1	0.2	226	2.36	0.170
944606	Rock	2.63	5.5	1487	9.9	74	0.5	17.9	32.8	485	5.59	3.2	61.3	1.3	361	0.1	<0.1	0.2	208	2.58	0.150
944607	Rock	2.55	6.4	2041	9.4	52	0.6	21.0	43.0	586	6.06	4.7	96.8	1.3	295	0.1	0.1	0.3	198	4.04	0.159
944608	Rock	1.95	6.1	1757	7.3	53	0.5	17.9	37.0	475	5.58	3.5	86.4	1.5	419	0.1	0.1	0.2	201	3.43	0.158
944609	Rock	1.52	5.4	1737	9.9	116	0.6	14.8	35.5	586	5.80	5.0	98.7	1.6	243	0.8	0.1	0.2	191	3.20	0.172
944610	Rock	2.10	5.6	1601	7.6	101	0.5	14.1	32.6	653	5.36	4.4	71.0	1.7	332	0.6	0.2	0.2	178	4.26	0.174
944611	Rock	1.86	4.3	1371	9.2	92	0.5	15.1	35.1	623	5.93	3.5	84.1	1.6	253	0.6	0.1	0.2	195	3.21	0.172
944612	Rock	2.14	5.4	1331	7.8	73	0.5	16.3	31.9	530	5.46	3.5	68.9	1.8	242	0.3	0.2	0.2	199	2.73	0.176
944613	Rock	2.80	6.1	1040	5.8	50	0.4	15.8	29.9	446	4.68	3.7	70.0	1.9	315	0.2	0.2	0.2	179	2.87	0.179
944614	Rock	2.05	5.6	1025	5.0	41	0.5	15.3	30.9	431	4.73	3.7	73.8	2.1	266	<0.1	<0.1	0.2	187	2.54	0.173
944615	Rock	2.37	5.4	1030	4.3	40	0.5	14.7	30.9	425	4.62	3.2	70.2	2.2	299	<0.1	0.1	0.2	184	2.66	0.174
944616	Rock	1.77	6.1	931.6	4.5	36	0.5	13.0	28.3	383	4.40	3.3	83.0	2.1	350	<0.1	0.1	0.2	180	3.23	0.160
944617	Rock	2.77	6.0	837.9	4.2	31	0.4	12.5	25.4	339	3.66	3.0	60.5	2.0	357	<0.1	0.1	0.2	140	3.22	0.139
944618	Rock	2.21	6.9	781.7	4.8	35	0.4	12.0	30.1	367	3.93	3.6	62.7	2.1	418	<0.1	0.1	0.2	149	3.51	0.146
944619	Rock	2.38	6.4	681.1	3.7	33	0.3	10.7	28.1	347	3.76	3.7	55.9	1.9	358	<0.1	0.1	0.3	129	3.14	0.146
944620	Rock	1.87	4.9	621.4	3.5	27	0.3	9.7	24.1	285	3.27	3.1	43.9	1.9	432	<0.1	<0.1	0.2	122	3.89	0.141
944621	Rock	2.01	5.0	626.8	2.7	25	0.2	8.9	19.1	247	2.72	2.3	36.1	2.0	451	<0.1	<0.1	0.2	120	3.76	0.148
944622	Rock	1.97	4.7	1149	4.6	25	0.3	8.6	20.0	290	2.98	2.9	48.5	1.8	456	0.1	0.1	0.1	137	4.26	0.131
944623	Rock	2.75	5.9	858.3	5.5	36	0.5	12.3	27.3	372	4.19	3.1	62.6	2.1	339	0.2	0.1	0.2	174	2.83	0.151
944624	Rock	2.31	4.8	1052	2.6	34	0.3	14.9	22.9	402	3.55	3.2	49.4	2.0	376	<0.1	0.1	0.2	162	3.44	0.153
944625	Rock	1.98	5.0	947.9	2.6	36	0.3	12.0	25.1	407	4.05	3.0	28.6	2.0	365	<0.1	0.1	0.1	185	3.13	0.173
944626	Rock	2.18	4.3	830.8	4.7	34	0.3	9.8	23.4	393	3.99	3.1	28.0	1.7	353	0.3	0.1	0.1	173	2.63	0.169
944627	Rock	2.02	4.0	919.3	7.8	36	0.3	11.7	23.4	410	4.53	3.6	41.8	2.3	341	0.3	0.1	<0.1	220	3.31	0.226
944628	Rock	1.77	3.5	914.4	4.5	39	0.2	12.5	23.8	473	5.09	3.5	54.5	2.4	343	<0.1	0.1	<0.1	233	3.76	0.259
944629	Rock	2.19	3.5	1014	2.3	43	0.3	14.8	29.7	545	6.17	3.7	87.4	3.2	351	<0.1	0.2	0.1	292	4.04	0.384
944630	Rock	2.53	3.3	822.6	2.1	41	0.2	12.9	26.6	558	5.59	3.3	61.4	2.8	368	0.1	0.1	<0.1	267	4.57	0.363

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: None Given
Report Date: April 03, 2011

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
944601	Rock	18	18	1.21	164	0.020	27	1.51	0.032	0.32	<0.1	0.10	12.8	0.2	1.00	6	2.4	<0.2	N.A.	N.A.
944602	Rock	17	33	1.06	186	0.010	33	1.25	0.039	0.16	<0.1	0.09	11.4	<0.1	0.98	5	2.8	0.3	N.A.	N.A.
944603	Rock	37	12	0.92	239	0.003	9	1.08	0.023	0.26	0.1	0.07	7.8	<0.1	1.24	3	2.7	0.3	N.A.	N.A.
944604	Rock	16	45	3.00	138	0.019	5	2.73	0.029	0.19	<0.1	0.17	11.3	<0.1	0.80	12	10.6	<0.2	N.A.	0.187
944605	Rock	13	56	3.22	135	0.030	4	3.00	0.018	0.27	<0.1	0.10	11.6	<0.1	1.42	12	6.7	<0.2	N.A.	0.168
944606	Rock	9	39	2.77	83	0.080	3	2.52	0.030	0.19	0.1	0.10	9.0	<0.1	2.39	11	5.9	0.2	N.A.	0.161
944607	Rock	7	46	2.96	60	0.134	2	2.62	0.019	0.17	0.2	0.20	9.2	<0.1	3.52	10	6.4	0.2	N.A.	0.211
944608	Rock	8	36	2.53	58	0.111	3	2.39	0.041	0.19	0.2	0.15	8.7	<0.1	3.43	10	6.2	0.3	N.A.	0.185
944609	Rock	9	25	2.49	71	0.093	2	2.34	0.025	0.09	0.1	0.21	7.2	<0.1	2.69	11	5.0	<0.2	N.A.	0.180
944610	Rock	10	26	2.29	85	0.090	3	2.25	0.043	0.18	0.1	0.17	6.9	<0.1	2.66	9	4.0	<0.2	N.A.	0.163
944611	Rock	10	23	2.33	77	0.080	3	2.26	0.023	0.17	<0.1	0.12	6.3	<0.1	2.33	10	4.0	<0.2	N.A.	0.152
944612	Rock	12	28	2.49	81	0.072	3	2.37	0.042	0.15	0.1	0.15	8.1	<0.1	2.32	11	4.2	<0.2	N.A.	0.149
944613	Rock	14	30	2.18	82	0.033	3	2.10	0.023	0.17	<0.1	0.12	8.6	<0.1	2.37	9	3.8	0.3	N.A.	0.110
944614	Rock	16	28	2.29	75	0.028	4	2.29	0.042	0.25	<0.1	0.12	8.7	<0.1	2.48	10	5.6	<0.2	N.A.	0.104
944615	Rock	17	28	2.26	75	0.024	5	2.19	0.028	0.25	<0.1	0.11	8.5	<0.1	2.56	9	4.7	<0.2	N.A.	0.104
944616	Rock	16	23	2.09	49	0.024	3	1.98	0.036	0.29	<0.1	0.14	7.6	0.1	3.42	9	3.8	<0.2	N.A.	N.A.
944617	Rock	15	22	1.77	50	0.020	2	1.71	0.021	0.24	<0.1	0.10	6.2	<0.1	3.25	7	4.0	0.3	N.A.	N.A.
944618	Rock	15	19	1.75	43	0.020	4	1.85	0.037	0.27	<0.1	0.09	6.7	<0.1	3.62	8	3.1	0.3	N.A.	N.A.
944619	Rock	13	16	1.73	44	0.022	3	1.70	0.016	0.24	<0.1	0.10	5.9	<0.1	3.41	7	4.0	0.4	N.A.	N.A.
944620	Rock	13	15	1.50	37	0.046	2	1.55	0.026	0.30	<0.1	0.11	5.4	<0.1	3.99	6	3.0	0.5	N.A.	N.A.
944621	Rock	14	14	1.40	44	0.067	3	1.47	0.026	0.30	<0.1	0.08	5.4	<0.1	3.31	6	3.1	0.3	N.A.	N.A.
944622	Rock	13	12	1.50	43	0.071	3	1.46	0.016	0.20	<0.1	0.08	6.0	<0.1	3.37	6	3.0	0.3	N.A.	0.115
944623	Rock	16	21	2.07	59	0.025	3	1.99	0.035	0.29	<0.1	0.12	7.2	<0.1	3.12	9	3.6	0.2	N.A.	N.A.
944624	Rock	14	18	1.98	71	0.068	3	1.92	0.033	0.22	<0.1	0.07	6.4	<0.1	2.12	9	2.1	0.2	N.A.	0.111
944625	Rock	13	16	2.11	84	0.083	3	2.18	0.047	0.26	<0.1	0.06	6.3	<0.1	1.89	10	2.1	<0.2	N.A.	N.A.
944626	Rock	12	12	2.16	135	0.093	2	2.12	0.032	0.19	<0.1	0.04	5.4	<0.1	1.71	9	2.4	0.2	N.A.	N.A.
944627	Rock	16	17	2.30	135	0.106	4	2.31	0.058	0.25	<0.1	0.04	7.2	<0.1	2.20	10	2.5	<0.2	N.A.	N.A.
944628	Rock	15	17	2.37	105	0.091	3	2.27	0.031	0.20	<0.1	0.05	6.8	<0.1	2.34	9	2.7	<0.2	N.A.	N.A.
944629	Rock	19	23	2.55	81	0.124	3	2.51	0.043	0.34	0.2	0.05	7.2	<0.1	2.46	9	2.9	<0.2	N.A.	0.099
944630	Rock	17	23	2.34	81	0.115	2	2.21	0.025	0.36	0.2	0.03	6.0	<0.1	2.70	8	2.0	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 3 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944631	Rock	2.49	3.2	896.6	4.1	46	0.3	12.4	27.0	659	5.29	4.0	58.5	2.6	325	0.1	0.1	0.1	247	3.63	0.358
944632	Rock	2.06	2.0	328.8	17.5	37	0.1	15.7	32.6	593	6.39	28.0	12.6	1.9	62	<0.1	<0.1	0.2	219	4.04	0.180
944633	Rock	1.95	2.8	461.7	5.6	39	0.2	15.7	35.5	524	5.82	8.9	29.8	2.7	42	<0.1	0.1	0.2	231	1.82	0.247
944634	Rock	1.81	5.0	552.7	5.9	68	0.2	19.3	42.3	841	7.20	10.6	30.4	1.9	25	<0.1	0.1	0.3	266	1.68	0.200
944635	Rock	1.52	2.3	591.5	4.7	55	0.3	18.9	32.6	750	5.99	5.4	23.4	2.1	23	<0.1	<0.1	0.1	277	1.73	0.214
944636	Rock	1.70	5.0	373.2	5.9	32	0.2	9.7	43.3	403	4.80	8.1	22.7	1.8	17	<0.1	<0.1	0.4	178	1.14	0.228
944637	Rock	1.37	3.3	418.6	7.1	27	0.2	9.1	44.9	327	4.72	11.9	28.2	1.8	14	<0.1	0.1	0.5	162	0.87	0.221
944638	Rock	1.61	2.4	449.0	5.5	21	0.1	14.3	40.1	320	4.63	5.7	22.9	2.1	16	<0.1	<0.1	0.3	183	0.87	0.232
944639	Rock	1.73	1.7	548.9	4.6	19	0.1	16.8	39.8	330	4.72	5.5	23.4	2.3	16	<0.1	<0.1	0.3	207	0.73	0.232
944640	Rock	1.49	2.1	397.4	3.4	16	<0.1	14.1	34.4	210	4.23	4.8	15.1	1.6	364	<0.1	<0.1	0.2	180	7.50	0.169
944641	Rock	1.47	1.0	430.0	2.6	18	<0.1	15.2	26.5	252	6.27	3.3	15.0	1.8	275	<0.1	<0.1	0.1	251	3.57	0.192
944642	Rock	1.37	1.3	164.2	3.0	11	<0.1	6.0	32.5	186	3.99	5.5	20.2	1.9	418	<0.1	<0.1	0.3	114	5.77	0.175
944643	Rock	1.53	0.6	175.2	2.2	15	<0.1	4.4	22.2	276	4.45	3.1	13.8	1.9	225	<0.1	<0.1	0.1	151	3.05	0.201
944644	Rock	1.04	2.6	234.0	3.5	18	0.1	7.1	24.1	158	2.87	6.8	24.3	2.0	424	<0.1	<0.1	0.1	74	6.35	0.175
944645	Rock	1.33	6.0	326.4	3.7	6	0.2	8.5	29.4	52	1.98	11.4	56.6	2.3	533	<0.1	0.1	0.2	23	7.90	0.148
944646	Rock	1.70	4.7	304.8	22.5	95	0.3	8.0	35.6	365	3.34	13.1	91.1	1.8	310	0.6	0.2	0.3	48	6.39	0.162
944647	Rock	1.82	4.0	137.7	37.3	224	0.1	6.5	25.0	819	4.25	6.0	54.5	1.7	185	1.7	0.2	0.3	113	8.63	0.133
944648	Rock	1.91	2.4	466.7	12.7	98	0.3	10.3	33.6	1108	7.14	17.6	130.9	1.3	168	<0.1	0.3	0.4	185	5.34	0.143
944649	Rock	1.72	1.2	440.2	16.6	95	0.4	10.9	29.3	1173	7.79	16.9	199.2	1.5	145	<0.1	0.3	0.3	163	5.57	0.177
944650	Rock	1.92	0.9	236.6	14.7	82	0.3	3.3	16.8	989	5.03	4.7	126.1	1.4	107	<0.1	0.3	0.2	93	4.35	0.184
944651	Rock	1.35	6.1	206.1	4.7	30	0.2	8.9	36.1	262	2.87	9.8	72.7	1.8	582	<0.1	<0.1	0.2	45	7.59	0.167
944652	Rock	1.48	3.1	200.2	5.4	28	0.2	7.4	27.0	337	3.75	4.2	45.5	1.6	432	<0.1	0.1	<0.1	110	8.04	0.156
944653	Rock	1.66	3.3	614.4	11.4	33	0.3	8.8	26.0	430	4.25	7.2	89.4	1.8	404	0.2	0.2	0.2	143	5.23	0.176
944654	Rock	1.47	3.8	1606	9.0	36	0.6	9.8	27.1	494	4.33	9.7	165.1	1.9	456	<0.1	0.2	0.2	153	6.42	0.177
944655	Rock	1.26	3.1	4316	4.9	44	1.3	10.9	34.7	525	4.72	10.6	395.0	1.7	267	<0.1	0.1	0.3	196	2.91	0.167
944656	Rock	1.22	3.1	3257	5.7	45	1.3	11.1	29.5	884	4.92	12.7	421.5	1.8	212	0.1	0.3	0.3	163	3.87	0.152
944657	Rock	1.54	3.4	3822	5.6	39	1.4	10.1	33.7	603	4.45	12.3	394.5	1.8	247	0.2	0.2	0.3	165	3.06	0.149
944658	Rock	1.59	2.1	3467	5.5	47	1.4	10.4	31.3	880	4.88	13.2	339.5	1.6	180	0.1	0.2	0.3	171	3.71	0.107
944659	Rock	1.42	1.2	175.3	4.0	30	0.2	12.0	30.9	462	5.30	3.1	17.3	0.3	173	<0.1	0.7	<0.1	133	3.80	0.042
944660	Rock	1.74	0.9	469.0	5.6	87	0.3	15.2	47.7	778	7.01	8.9	59.0	0.3	163	2.8	0.6	0.1	138	6.87	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944631	Rock	18	21	2.50	123	0.110	3	2.39	0.044	0.37	0.1	0.05	6.6	<0.1	2.09	8	1.8	<0.2	N.A.	N.A.
944632	Rock	17	26	1.63	114	0.006	24	1.83	0.032	0.04	<0.1	0.11	13.6	0.1	1.57	8	4.7	0.3	N.A.	N.A.
944633	Rock	20	40	2.22	104	0.015	9	2.14	0.029	0.23	<0.1	0.10	10.8	<0.1	1.63	9	2.6	0.2	N.A.	N.A.
944634	Rock	19	56	3.55	71	0.012	6	3.10	0.014	0.10	<0.1	0.14	11.4	<0.1	1.84	12	3.9	0.5	N.A.	N.A.
944635	Rock	21	47	3.82	111	0.010	2	3.29	0.017	0.10	0.1	0.38	11.2	<0.1	1.27	14	2.0	0.3	N.A.	N.A.
944636	Rock	12	13	2.35	38	0.005	2	2.20	0.017	0.16	<0.1	0.18	6.1	<0.1	2.14	9	3.1	0.4	N.A.	N.A.
944637	Rock	10	7	2.19	30	0.008	1	2.01	0.031	0.17	<0.1	0.28	5.6	<0.1	2.84	9	4.8	0.8	N.A.	N.A.
944638	Rock	15	31	2.48	57	0.010	2	2.22	0.016	0.17	<0.1	0.44	7.1	<0.1	2.05	9	4.4	0.9	N.A.	N.A.
944639	Rock	17	37	2.79	77	0.014	2	2.56	0.041	0.27	<0.1	0.43	7.8	<0.1	1.75	10	4.3	1.0	N.A.	N.A.
944640	Rock	13	28	1.67	34	0.017	2	1.71	0.004	0.12	<0.1	0.23	5.5	<0.1	7.12	7	5.1	0.6	N.A.	N.A.
944641	Rock	11	45	2.75	61	0.069	1	2.45	0.015	0.29	<0.1	0.23	10.6	<0.1	3.13	10	1.7	0.4	N.A.	N.A.
944642	Rock	13	7	1.46	34	0.016	2	1.48	0.010	0.19	<0.1	0.31	2.9	<0.1	6.80	6	5.7	1.1	N.A.	N.A.
944643	Rock	13	6	2.29	47	0.031	1	2.30	0.019	0.12	<0.1	0.10	3.6	<0.1	3.38	9	2.4	0.6	N.A.	N.A.
944644	Rock	10	8	1.10	34	0.006	3	1.21	0.009	0.17	<0.1	0.16	2.3	<0.1	6.60	4	5.0	0.8	N.A.	N.A.
944645	Rock	12	4	0.30	36	0.003	4	0.42	0.007	0.22	0.1	0.21	1.2	<0.1	7.66	1	4.7	1.2	N.A.	N.A.
944646	Rock	12	4	0.91	32	0.004	3	1.04	0.010	0.21	0.1	0.26	2.7	<0.1	5.61	3	4.3	0.9	N.A.	N.A.
944647	Rock	15	4	1.35	51	0.038	3	1.70	0.011	0.24	0.1	0.59	7.2	<0.1	3.41	5	1.9	0.4	N.A.	N.A.
944648	Rock	8	3	2.50	31	0.036	3	2.55	0.012	0.11	0.1	0.17	11.6	<0.1	4.80	9	1.4	0.5	0.133	N.A.
944649	Rock	13	2	2.34	26	0.010	2	2.57	0.017	0.22	0.1	0.22	10.1	<0.1	6.16	9	2.1	0.7	0.194	N.A.
944650	Rock	14	2	2.15	39	0.007	2	2.11	0.018	0.22	0.2	0.18	3.2	<0.1	4.07	7	1.0	0.4	0.116	N.A.
944651	Rock	11	3	0.64	28	0.003	2	0.87	0.008	0.17	0.1	0.23	2.7	<0.1	7.63	3	4.0	1.3	N.A.	N.A.
944652	Rock	23	7	1.44	30	0.012	2	1.64	0.013	0.24	0.1	0.14	5.1	<0.1	7.09	6	2.3	0.5	N.A.	N.A.
944653	Rock	20	14	1.50	36	0.015	3	1.73	0.026	0.28	0.1	0.18	5.8	<0.1	4.73	7	2.7	0.5	N.A.	N.A.
944654	Rock	22	13	1.80	37	0.013	3	1.86	0.023	0.24	0.1	0.25	6.4	<0.1	5.84	8	4.9	0.7	0.147	0.156
944655	Rock	12	16	2.22	28	0.011	2	1.94	0.038	0.18	<0.1	0.36	7.2	<0.1	4.27	10	9.8	1.2	0.399	0.443
944656	Rock	11	20	1.64	28	0.010	2	1.58	0.027	0.14	0.1	0.28	7.5	<0.1	3.97	8	7.1	0.9	0.517	0.356
944657	Rock	10	16	1.63	30	0.009	2	1.52	0.030	0.15	<0.1	0.33	7.0	<0.1	3.99	8	8.5	1.1	0.434	0.422
944658	Rock	12	18	2.30	31	0.008	2	1.93	0.025	0.10	<0.1	0.32	7.7	<0.1	3.49	10	6.3	0.9	0.360	0.398
944659	Rock	1	2	1.64	114	0.245	5	1.47	0.027	0.02	<0.1	0.05	8.0	<0.1	0.25	5	1.8	<0.2	N.A.	N.A.
944660	Rock	2	4	1.73	71	0.240	5	1.54	0.022	0.02	0.1	0.12	14.4	<0.1	0.86	6	4.9	<0.2	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
944661	Rock	1.83	0.4	188.4	1.9	37	0.1	11.5	30.9	433	4.86	3.1	16.5	0.2	128	0.2	0.4	<0.1	97	3.71	0.023
944662	Rock	1.49	0.5	183.6	8.0	39	0.1	12.7	32.8	454	5.05	3.8	26.4	0.2	133	0.4	0.4	<0.1	104	3.89	0.026
944663	Rock	1.63	0.3	74.8	2.4	34	0.1	14.2	38.6	617	6.92	4.0	24.4	0.1	142	<0.1	0.5	<0.1	159	6.07	0.022
944664	Rock	1.91	0.5	85.8	1.8	42	0.1	11.9	31.5	600	6.16	2.9	20.2	0.2	86	<0.1	0.3	<0.1	144	3.81	0.026
944665	Rock	2.11	4.0	261.6	3.5	23	0.2	20.8	38.8	355	5.19	11.2	23.8	1.8	39	<0.1	0.2	0.3	78	1.97	0.192
944666	Rock	1.94	2.9	86.3	8.6	16	<0.1	13.4	27.0	337	4.20	7.2	17.0	1.6	65	0.2	0.2	0.3	58	4.74	0.155
944667	Rock	2.61	3.8	417.5	11.4	12	0.1	16.9	39.1	313	6.01	14.6	20.8	3.3	56	0.3	0.2	0.9	61	3.46	0.292
944668	Rock	1.32	1.1	200.5	3.1	30	<0.1	16.4	38.4	939	6.63	4.3	9.5	2.0	50	<0.1	<0.1	<0.1	200	1.39	0.175
944669	Rock	1.81	1.6	293.2	4.2	29	<0.1	18.6	39.6	793	7.30	4.8	31.0	2.0	93	<0.1	0.2	0.2	213	1.80	0.177
944670	Rock	1.90	6.6	389.2	1.8	22	<0.1	15.9	27.7	445	7.15	3.3	18.5	2.4	434	<0.1	0.2	0.2	230	1.32	0.218
944671	Rock	1.83	13.7	520.4	1.4	22	<0.1	14.7	28.2	334	6.37	2.4	13.6	1.8	518	<0.1	0.1	<0.1	239	4.51	0.177
944672	Rock	1.74	12.6	355.1	3.2	11	<0.1	12.4	24.3	188	3.79	3.8	24.3	1.9	579	<0.1	0.1	0.3	106	6.17	0.162
944673	Rock	1.62	5.6	318.7	1.7	10	<0.1	6.9	23.0	173	3.58	2.7	12.5	2.4	444	<0.1	0.1	0.1	79	4.68	0.202
944674	Rock	1.61	2.7	447.8	1.0	11	<0.1	6.6	17.8	203	4.35	1.8	11.2	1.6	459	<0.1	0.1	<0.1	120	4.73	0.148
944675	Rock	1.19	3.9	340.9	1.4	11	<0.1	12.0	21.7	178	4.07	2.4	14.7	1.7	431	<0.1	0.1	0.2	123	5.94	0.175
944676	Rock	2.15	6.4	373.9	1.6	12	<0.1	11.6	23.7	194	3.79	3.5	21.0	2.5	586	<0.1	<0.1	0.2	111	5.66	0.222
944677	Rock	1.83	9.2	463.8	2.2	12	<0.1	11.9	27.5	195	4.07	6.1	31.2	2.0	448	<0.1	0.1	0.3	104	5.15	0.176
944678	Rock	1.89	9.6	549.6	2.0	6	<0.1	7.1	26.5	151	2.93	4.2	16.5	5.9	561	<0.1	0.2	0.3	65	6.56	0.506
944679	Rock	1.69	7.1	264.3	1.1	7	<0.1	10.2	18.5	129	2.44	2.0	10.3	1.8	633	<0.1	0.1	0.1	77	6.34	0.175
944680	Rock	1.38	5.6	586.8	2.2	11	0.1	12.0	35.5	217	5.06	5.2	21.8	1.9	532	<0.1	0.1	0.3	121	5.27	0.155
944681	Rock	2.10	2.7	372.0	1.2	16	<0.1	19.3	27.7	285	6.26	2.3	11.5	1.6	451	<0.1	<0.1	0.2	177	4.76	0.162
944682	Rock	1.55	1.3	242.0	2.8	40	<0.1	6.6	23.0	399	4.84	2.6	20.0	1.5	52	0.1	<0.1	0.1	245	1.59	0.160
944683	Rock	3.12	1.2	212.1	3.2	39	<0.1	6.8	30.0	414	7.33	2.7	16.0	1.5	50	0.1	0.1	0.1	282	1.75	0.152
944684	Rock	2.81	1.2	542.7	2.2	29	0.1	7.3	19.1	351	6.76	2.0	15.1	1.9	57	<0.1	<0.1	<0.1	248	1.91	0.156
944685	Rock	2.61	4.9	339.9	4.8	21	<0.1	8.3	27.5	263	6.16	2.8	42.4	2.2	43	<0.1	0.1	<0.1	266	1.55	0.181
944686	Rock	2.85	3.6	534.6	1.9	14	0.1	9.0	25.0	233	5.48	2.4	48.1	2.0	73	<0.1	<0.1	<0.1	228	2.13	0.200
944687	Rock	3.68	1.4	552.8	1.7	43	0.1	15.3	42.3	538	7.78	3.8	21.1	1.5	129	0.1	0.1	<0.1	232	3.05	0.127
944688	Rock	3.23	1.7	201.9	2.5	38	0.1	13.0	60.8	470	7.43	3.5	20.0	0.2	88	<0.1	0.2	0.2	120	3.43	0.028
944689	Rock	3.57	0.4	167.2	2.2	45	0.1	15.9	59.3	572	9.06	3.3	20.1	<0.1	68	<0.1	0.2	0.2	159	3.81	0.015
944690	Rock	3.64	0.8	225.8	2.8	30	0.1	15.7	55.8	412	7.25	3.3	18.7	0.1	90	<0.1	0.2	0.2	110	3.11	0.020

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
944661	Rock	1	1	1.67	89	0.190	4	1.33	0.016	0.01	<0.1	0.04	7.6	<0.1	0.44	5	2.5	<0.2	N.A.	N.A.
944662	Rock	1	2	1.73	100	0.199	3	1.43	0.017	0.01	<0.1	0.04	6.7	<0.1	0.56	6	2.8	<0.2	N.A.	N.A.
944663	Rock	<1	<1	2.11	15	0.280	5	1.56	0.021	<0.01	<0.1	0.07	10.1	<0.1	0.57	6	1.6	<0.2	N.A.	N.A.
944664	Rock	<1	<1	2.13	18	0.189	4	1.53	0.032	0.01	<0.1	0.05	7.2	<0.1	0.65	7	2.5	<0.2	N.A.	N.A.
944665	Rock	14	13	1.19	28	0.006	9	1.03	0.028	0.25	0.1	0.30	5.9	<0.1	4.23	3	7.4	0.7	N.A.	N.A.
944666	Rock	19	4	2.37	48	0.007	6	0.80	0.047	0.25	<0.1	0.14	3.8	<0.1	3.51	2	6.6	0.7	N.A.	N.A.
944667	Rock	23	4	1.45	28	0.005	8	0.85	0.043	0.36	<0.1	0.42	3.4	0.2	5.61	2	11.2	1.4	N.A.	N.A.
944668	Rock	14	40	1.48	66	0.006	13	1.26	0.043	0.04	<0.1	0.07	17.7	<0.1	2.17	6	1.8	<0.2	N.A.	N.A.
944669	Rock	16	38	3.00	42	0.009	5	2.41	0.026	0.04	<0.1	0.17	13.5	<0.1	3.33	11	2.8	0.4	N.A.	N.A.
944670	Rock	17	37	2.63	100	0.042	2	2.48	0.023	0.25	<0.1	0.09	8.7	<0.1	1.43	11	2.4	0.5	N.A.	N.A.
944671	Rock	8	44	2.16	50	0.144	2	1.97	0.017	0.19	0.2	0.04	9.6	<0.1	3.64	9	1.6	<0.2	N.A.	N.A.
944672	Rock	14	17	1.33	42	0.016	2	1.51	0.015	0.30	<0.1	0.11	5.3	<0.1	6.31	6	2.1	0.5	N.A.	N.A.
944673	Rock	13	13	1.28	41	0.015	1	1.53	0.020	0.29	<0.1	0.05	3.1	<0.1	4.14	5	1.4	0.3	N.A.	N.A.
944674	Rock	10	12	1.63	47	0.044	<1	1.74	0.022	0.19	<0.1	0.08	3.6	<0.1	3.88	6	1.9	0.3	N.A.	N.A.
944675	Rock	8	25	1.58	38	0.072	2	1.64	0.013	0.29	<0.1	0.11	5.2	<0.1	5.38	6	2.1	0.4	N.A.	N.A.
944676	Rock	10	25	1.51	36	0.034	2	1.66	0.015	0.26	<0.1	0.19	5.5	<0.1	5.29	5	2.4	0.6	N.A.	N.A.
944677	Rock	8	22	1.50	35	0.042	2	1.57	0.014	0.26	<0.1	0.18	4.8	<0.1	5.70	5	3.1	0.5	N.A.	N.A.
944678	Rock	18	10	0.73	34	0.011	2	1.05	0.014	0.33	0.1	0.18	2.9	0.1	6.47	3	3.7	0.5	N.A.	N.A.
944679	Rock	10	19	0.99	35	0.011	2	1.16	0.012	0.24	<0.1	0.08	3.7	<0.1	5.70	4	1.0	0.2	N.A.	N.A.
944680	Rock	12	30	1.49	38	0.045	2	1.69	0.021	0.21	<0.1	0.17	6.6	<0.1	5.41	6	5.3	0.6	N.A.	N.A.
944681	Rock	8	74	2.37	53	0.081	1	2.39	0.013	0.18	<0.1	0.13	10.5	<0.1	4.35	8	2.9	0.5	N.A.	N.A.
944682	Rock	14	1	2.64	126	0.029	13	2.43	0.039	0.67	<0.1	0.03	11.8	0.3	0.72	12	4.2	0.3	N.A.	N.A.
944683	Rock	13	<1	3.02	60	0.023	10	2.50	0.030	0.38	<0.1	0.03	22.1	0.1	0.66	12	4.1	0.3	N.A.	N.A.
944684	Rock	15	5	2.79	137	0.031	11	2.44	0.028	0.52	<0.1	0.02	17.4	0.2	0.51	12	3.6	<0.2	N.A.	N.A.
944685	Rock	17	6	2.89	83	0.016	11	2.38	0.037	0.28	<0.1	0.05	13.8	<0.1	1.58	11	5.4	<0.2	N.A.	N.A.
944686	Rock	24	42	3.22	132	0.015	9	2.41	0.030	0.30	<0.1	0.03	10.8	<0.1	0.58	11	4.1	<0.2	N.A.	N.A.
944687	Rock	11	5	3.73	89	0.084	6	2.46	0.029	0.10	<0.1	0.04	19.0	<0.1	1.06	12	1.7	<0.2	N.A.	N.A.
944688	Rock	2	1	2.17	24	0.224	3	1.43	0.027	0.03	<0.1	0.05	6.3	<0.1	1.70	6	2.3	0.2	N.A.	N.A.
944689	Rock	<1	<1	2.63	16	0.273	3	1.76	0.028	0.02	<0.1	0.07	5.9	<0.1	1.82	8	1.7	0.5	N.A.	N.A.
944690	Rock	<1	1	1.74	13	0.248	4	1.19	0.026	0.02	<0.1	0.06	5.9	<0.1	2.36	5	3.0	0.4	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
944691	Rock	4.07	0.3	76.6	1.2	32	<0.1	13.9	37.0	453	6.56	2.5	6.5	0.2	107	<0.1	0.2	<0.1	123	3.62	0.021
944692	Rock	4.82	0.3	66.9	1.6	30	<0.1	12.5	39.6	439	6.34	2.4	9.6	<0.1	92	<0.1	0.2	<0.1	118	3.29	0.020
944693	Rock	3.64	0.2	51.2	1.4	40	<0.1	11.8	32.8	511	5.59	2.0	5.5	0.1	142	<0.1	0.2	<0.1	105	3.47	0.019
944694	Rock	4.83	4.3	274.3	1.8	150	0.1	16.0	46.2	690	7.10	3.3	14.1	0.1	77	1.2	0.2	0.2	127	3.27	0.019
944695	Rock	3.41	1.3	216.4	1.2	42	0.1	15.3	52.8	565	7.61	4.8	13.3	0.1	83	<0.1	<0.1	0.6	152	2.42	0.016
944696	Rock	3.87	2.4	286.7	1.0	30	0.1	12.4	42.9	494	5.74	4.2	10.3	0.1	164	<0.1	0.1	0.4	122	3.15	0.028
944697	Rock	1.37	2.0	177.2	1.4	35	0.1	15.9	45.2	451	6.78	3.6	9.4	0.1	168	<0.1	0.2	0.1	125	3.34	0.019
944698	Rock	0.94	0.7	393.8	3.2	38	0.1	15.3	51.3	449	7.61	3.5	16.8	0.2	111	<0.1	0.2	0.1	149	3.19	0.030
944699	Rock	1.18	0.6	84.9	0.9	37	<0.1	14.5	37.7	425	8.15	1.7	5.8	0.2	97	<0.1	<0.1	<0.1	172	2.60	0.027
944700	Rock	1.45	8.3	664.1	2.5	36	<0.1	15.9	43.5	350	8.41	2.2	11.8	0.2	59	<0.1	0.1	<0.1	159	2.03	0.024
944701	Rock	3.20	1.3	166.1	1.4	36	<0.1	17.6	37.7	445	7.66	2.6	4.8	0.2	115	<0.1	0.2	<0.1	148	3.12	0.032
944702	Rock	4.14	0.7	111.6	0.9	30	<0.1	17.5	38.4	350	6.54	1.9	5.2	0.2	80	<0.1	0.1	<0.1	109	1.99	0.029
944703	Rock	2.04	0.5	108.0	1.7	25	<0.1	15.1	35.7	389	5.57	2.1	5.8	0.2	144	<0.1	0.2	<0.1	115	2.52	0.033
944704	Rock	1.64	0.8	81.9	1.5	31	<0.1	14.2	36.7	463	6.42	3.3	8.9	0.2	123	0.1	0.3	0.1	126	3.31	0.024
944705	Rock	1.94	0.6	102.3	1.3	25	<0.1	13.0	33.4	380	5.91	2.2	4.7	0.2	103	<0.1	0.1	<0.1	109	2.47	0.025
944706	Rock	2.28	0.7	79.0	1.4	32	<0.1	14.9	36.1	467	6.38	3.2	8.7	0.1	116	<0.1	0.3	0.1	127	3.14	0.025
944707	Rock	5.15	0.4	57.6	1.4	40	<0.1	15.9	37.7	483	6.74	2.9	6.4	0.1	90	<0.1	0.2	0.2	135	2.82	0.028
944708	Rock	1.42	2.9	323.3	4.9	166	0.2	8.7	26.0	1415	4.57	4.7	27.3	3.4	157	0.2	0.2	0.3	158	6.50	0.435
944709	Rock	1.11	7.9	849.6	9.9	604	0.7	19.4	37.0	1613	5.47	22.0	195.2	1.8	256	10.5	0.7	0.2	166	8.03	0.258
944710	Rock	1.09	1.2	146.4	12.4	79	0.2	12.0	21.7	1065	3.98	24.5	17.5	0.9	260	0.3	0.7	0.1	68	5.02	0.138
944711	Rock	1.49	2.0	95.6	4.9	76	<0.1	8.2	15.6	1004	3.39	4.0	13.4	0.7	238	0.3	0.3	<0.1	54	5.04	0.100
944712	Rock	1.66	2.5	121.8	5.6	85	0.1	9.5	17.6	1042	3.86	5.0	14.0	0.8	260	0.3	0.4	<0.1	64	5.41	0.122
944713	Rock	1.93	1.1	109.7	12.5	86	0.2	9.6	19.7	1197	3.91	18.7	13.8	0.9	234	0.2	0.6	0.1	74	5.67	0.131
944714	Rock	1.67	2.3	167.0	10.4	91	0.2	11.1	20.2	1189	4.09	15.4	12.9	0.9	249	0.3	0.5	0.1	73	5.71	0.141
944715	Rock	1.77	1.7	163.4	14.9	93	0.3	12.5	24.5	1277	4.22	21.8	18.6	0.9	229	0.4	0.5	0.1	68	5.99	0.153
944716	Rock	1.13	1.0	165.9	9.0	83	0.1	11.1	18.7	1197	4.39	11.8	9.7	1.1	209	0.3	0.5	<0.1	97	6.09	0.139
944717	Rock	1.92	1.8	170.6	11.2	86	0.2	14.3	20.0	1228	3.77	16.0	15.8	1.0	183	0.2	0.5	0.1	72	5.91	0.149
944718	Rock	2.01	1.5	598.6	3.0	67	0.4	3.2	20.8	686	3.74	4.1	23.2	2.8	61	<0.1	0.3	0.4	112	2.20	0.202
944719	Rock	1.98	4.5	435.0	6.4	108	0.3	8.4	31.5	1044	5.15	15.2	30.8	2.0	97	0.2	0.3	0.4	146	3.45	0.194
944720	Rock	1.85	1.3	788.2	3.1	66	0.4	3.5	18.8	890	3.85	4.0	20.6	2.7	103	<0.1	0.2	0.1	134	3.15	0.204

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
944691	Rock	1	3	2.07	23	0.257	6	1.37	0.042	0.03	<0.1	0.03	8.7	<0.1	0.72	5	1.0	<0.2	N.A.	N.A.
944692	Rock	<1	1	1.98	20	0.237	5	1.24	0.031	0.02	<0.1	0.05	7.4	<0.1	0.87	5	0.8	0.4	N.A.	N.A.
944693	Rock	<1	<1	2.15	123	0.212	5	1.34	0.043	0.02	<0.1	0.04	7.0	<0.1	0.76	5	0.7	<0.2	N.A.	N.A.
944694	Rock	<1	<1	2.46	78	0.229	5	1.74	0.037	0.02	<0.1	0.12	8.1	<0.1	1.41	7	2.2	0.3	N.A.	N.A.
944695	Rock	<1	<1	3.12	54	0.218	2	1.77	0.043	0.03	<0.1	0.06	10.4	<0.1	2.06	8	4.0	0.8	N.A.	N.A.
944696	Rock	<1	<1	2.65	67	0.238	3	1.49	0.033	0.02	<0.1	0.07	10.9	<0.1	1.57	6	2.5	0.7	N.A.	N.A.
944697	Rock	<1	1	2.14	48	0.239	4	1.23	0.032	0.02	<0.1	0.07	9.2	<0.1	1.21	5	1.8	0.7	N.A.	N.A.
944698	Rock	1	2	1.98	43	0.223	5	1.22	0.032	0.05	<0.1	0.08	8.5	<0.1	1.73	6	2.5	0.7	N.A.	N.A.
944699	Rock	2	2	1.96	46	0.236	5	1.30	0.031	0.06	<0.1	0.03	7.1	<0.1	0.47	7	0.9	<0.2	N.A.	N.A.
944700	Rock	1	1	1.88	33	0.216	4	1.25	0.029	0.05	<0.1	0.07	5.1	<0.1	1.25	6	1.3	0.4	N.A.	N.A.
944701	Rock	1	2	2.00	27	0.256	7	1.35	0.039	0.04	<0.1	0.04	8.2	<0.1	0.65	6	0.8	<0.2	N.A.	N.A.
944702	Rock	1	1	1.94	18	0.204	5	1.31	0.024	0.04	<0.1	0.03	5.3	<0.1	0.64	5	1.1	0.3	N.A.	N.A.
944703	Rock	2	1	1.77	44	0.200	6	1.44	0.042	0.07	<0.1	0.04	7.8	<0.1	0.76	5	1.3	0.4	N.A.	N.A.
944704	Rock	<1	1	2.08	80	0.208	6	1.37	0.055	0.03	<0.1	0.07	8.2	<0.1	1.01	6	0.9	0.2	N.A.	N.A.
944705	Rock	<1	1	1.68	40	0.181	6	1.26	0.040	0.03	<0.1	0.03	6.7	<0.1	0.73	4	1.2	0.2	N.A.	N.A.
944706	Rock	<1	1	1.97	78	0.210	6	1.33	0.048	0.02	<0.1	0.06	7.5	<0.1	0.95	6	1.0	<0.2	N.A.	N.A.
944707	Rock	<1	1	2.32	83	0.196	5	1.31	0.041	0.03	<0.1	0.05	7.6	<0.1	1.19	6	2.2	<0.2	N.A.	N.A.
944708	Rock	15	6	2.19	186	0.010	5	2.33	0.017	0.10	<0.1	0.03	7.7	<0.1	0.77	9	0.8	<0.2	N.A.	N.A.
944709	Rock	12	37	1.55	351	0.005	9	2.30	0.009	0.22	<0.1	1.96	8.5	<0.1	0.43	7	2.4	<0.2	0.234	N.A.
944710	Rock	8	11	1.36	356	0.004	9	1.95	0.009	0.26	<0.1	0.09	4.7	0.1	0.37	4	0.8	<0.2	N.A.	N.A.
944711	Rock	7	8	1.18	672	0.005	7	1.59	0.010	0.22	<0.1	0.02	3.6	<0.1	0.11	4	<0.5	<0.2	N.A.	N.A.
944712	Rock	8	9	1.29	660	0.004	8	1.70	0.012	0.24	<0.1	0.02	3.8	<0.1	0.14	4	<0.5	<0.2	N.A.	N.A.
944713	Rock	8	9	1.33	513	0.007	9	1.90	0.011	0.27	<0.1	0.06	5.5	<0.1	0.30	5	0.8	<0.2	N.A.	N.A.
944714	Rock	8	12	1.42	624	0.004	8	2.14	0.011	0.27	<0.1	0.06	5.3	<0.1	0.26	5	0.6	<0.2	N.A.	N.A.
944715	Rock	9	14	1.49	442	0.003	10	2.08	0.010	0.23	<0.1	0.09	5.3	<0.1	0.38	5	0.9	<0.2	N.A.	N.A.
944716	Rock	9	24	1.41	479	0.004	9	1.94	0.011	0.21	<0.1	0.03	6.3	<0.1	0.22	5	0.5	<0.2	N.A.	N.A.
944717	Rock	10	25	1.30	542	0.004	8	1.99	0.010	0.28	<0.1	0.05	5.9	<0.1	0.24	5	0.7	<0.2	N.A.	N.A.
944718	Rock	12	2	1.34	80	0.008	5	1.44	0.028	0.16	<0.1	0.03	4.9	<0.1	1.92	6	2.2	0.8	N.A.	N.A.
944719	Rock	11	7	2.20	65	0.004	8	2.03	0.019	0.13	<0.1	0.04	8.2	<0.1	2.23	8	2.9	0.4	N.A.	N.A.
944720	Rock	11	2	1.50	101	0.004	4	1.68	0.022	0.09	<0.1	0.04	4.6	<0.1	1.24	8	1.2	0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	1	0.1	0.1	2	0.01	0.001
944721	Rock	1.64	5.1	719.8	5.4	127	0.4	6.5	27.8	1100	5.02	15.4	28.7	2.1	98	0.2	0.3	0.3	156	3.11	0.175
944722	Rock	1.53	0.9	307.5	3.4	72	0.1	3.5	21.3	1043	4.41	3.8	9.7	2.4	153	<0.1	0.2	<0.1	185	3.57	0.216
944723	Rock	1.69	0.9	549.8	3.8	76	0.3	3.4	21.1	1011	4.29	4.1	11.4	2.9	166	0.1	0.2	<0.1	160	3.45	0.226
944724	Rock	1.37	0.6	337.8	3.0	76	0.2	3.1	20.4	1037	4.35	3.5	10.4	2.5	235	0.2	0.2	<0.1	179	3.86	0.209
944725	Rock	1.48	0.7	321.2	2.7	78	0.2	2.8	19.7	1097	4.19	3.2	12.9	2.3	199	0.1	0.2	<0.1	168	3.69	0.186
944726	Rock	1.64	1.7	377.7	2.7	66	0.2	2.4	22.3	958	3.94	3.6	15.1	2.4	121	<0.1	0.3	<0.1	140	3.08	0.210
944727	Rock	1.76	0.8	240.7	3.5	87	0.2	6.4	26.4	1267	5.31	3.9	12.9	2.1	172	0.2	0.5	<0.1	226	5.81	0.265
944728	Rock	2.19	1.2	233.7	7.1	97	0.1	13.0	25.0	1417	5.32	17.9	11.5	1.0	209	0.2	0.6	<0.1	156	7.31	0.166
944729	Rock	1.26	0.9	115.7	7.1	73	0.1	7.2	16.1	1021	3.58	18.5	6.2	1.1	180	0.3	0.6	<0.1	74	5.35	0.126
944730	Rock	1.11	1.4	227.7	12.5	112	0.3	16.8	23.6	1207	4.05	36.6	17.6	1.0	182	0.9	0.7	0.1	79	6.00	0.159
944731	Rock	1.26	0.6	107.0	6.7	90	0.1	14.7	18.7	1311	4.35	10.3	4.9	1.0	179	0.3	0.6	<0.1	98	6.39	0.154
944732	Rock	2.00	0.7	218.5	5.6	132	0.3	13.9	18.6	1363	3.84	7.3	5.6	1.3	173	0.5	0.5	<0.1	102	6.57	0.179
944733	Rock	1.61	3.4	161.1	6.0	157	0.2	12.4	20.9	1538	4.31	7.2	3.5	1.1	144	0.9	0.4	<0.1	130	6.24	0.172
944734	Rock	1.61	3.2	147.6	5.3	125	0.3	7.3	23.9	1900	5.10	9.9	5.1	1.0	113	0.4	0.4	<0.1	146	5.72	0.152
944735	Rock	1.49	2.2	192.1	4.7	103	0.2	8.5	21.1	1732	4.59	11.9	7.4	0.9	103	0.3	0.3	<0.1	132	5.05	0.143
944736	Rock	1.85	3.4	182.0	5.6	100	0.2	10.2	24.5	1801	5.32	7.8	5.8	0.9	129	0.2	0.3	<0.1	174	6.76	0.143
944737	Rock	1.17	1.4	303.3	2.9	50	0.2	5.3	19.2	870	3.71	4.2	15.5	3.3	89	<0.1	0.1	<0.1	154	3.50	0.316
944738	Rock	1.76	1.2	167.0	3.5	68	0.1	8.2	23.9	1140	4.67	4.2	10.5	2.5	197	<0.1	0.2	<0.1	176	5.16	0.237
944739	Rock	1.63	8.9	794.7	7.3	889	0.6	10.1	42.4	1272	7.06	7.7	147.1	3.5	112	7.2	0.2	0.8	250	5.02	0.284
944740	Rock	1.82	9.1	1016	5.2	118	0.7	13.1	51.4	1307	6.78	13.0	120.1	3.5	152	0.3	0.3	0.7	224	4.83	0.367
944741	Rock	2.00	5.7	1446	4.8	91	0.6	12.0	41.9	1133	7.70	14.7	239.2	1.6	132	0.2	0.3	0.4	265	4.34	0.202
944742	Rock	2.65	2.4	378.6	4.5	69	0.2	3.3	28.4	945	4.53	5.9	55.1	2.9	73	0.1	0.3	0.2	156	4.40	0.251
944743	Rock	1.54	1.1	318.7	2.7	91	0.2	4.2	24.3	1070	4.88	3.3	25.0	4.5	93	<0.1	0.2	<0.1	206	4.63	0.333
944744	Rock	1.86	1.6	904.2	3.2	73	0.4	3.8	20.2	996	4.15	2.7	28.3	3.3	112	<0.1	0.2	<0.1	166	4.63	0.249
944745	Rock	1.95	1.6	1102	2.3	86	0.4	14.4	49.8	1463	8.20	4.3	21.2	1.5	310	<0.1	0.2	0.1	268	5.14	0.203
944746	Rock	1.98	1.2	1630	3.5	100	0.6	12.8	43.3	1485	6.81	5.4	29.5	1.8	264	0.1	0.3	0.1	218	5.24	0.232
944747	Rock	1.84	1.3	777.8	2.7	88	0.4	5.6	27.6	1218	5.56	2.5	32.5	2.8	250	0.1	0.2	<0.1	209	4.02	0.241
944748	Rock	1.71	1.7	775.0	2.8	80	0.4	3.2	25.7	1059	4.40	3.5	22.7	4.5	298	0.1	0.2	<0.1	185	4.27	0.501
944749	Rock	1.51	1.0	296.6	2.1	80	0.2	2.8	24.1	982	4.05	2.9	8.7	3.4	358	<0.1	0.3	<0.1	157	3.08	0.256
944750	Rock	2.06	2.0	404.2	2.0	91	0.3	2.8	21.6	1179	4.15	1.7	52.1	2.8	247	<0.1	0.3	<0.1	128	4.57	0.194

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944721	Rock	11	6	2.41	88	0.005	6	2.27	0.017	0.11	<0.1	0.03	8.6	<0.1	1.76	9	1.7	0.4	N.A.	N.A.
944722	Rock	15	3	2.00	92	0.007	4	2.03	0.021	0.05	<0.1	0.03	7.9	<0.1	0.65	9	1.5	0.3	N.A.	N.A.
944723	Rock	15	2	1.88	92	0.005	4	2.09	0.020	0.07	<0.1	0.05	5.7	<0.1	0.65	9	1.1	0.2	N.A.	N.A.
944724	Rock	14	2	1.96	80	0.008	5	2.22	0.020	0.06	<0.1	0.02	6.7	<0.1	0.39	9	0.6	0.2	N.A.	N.A.
944725	Rock	14	2	2.02	65	0.007	6	2.22	0.018	0.06	<0.1	0.05	6.5	<0.1	0.57	9	1.0	<0.2	N.A.	N.A.
944726	Rock	11	2	1.69	115	0.004	4	1.78	0.020	0.11	<0.1	0.06	4.8	<0.1	1.16	7	1.0	0.2	N.A.	N.A.
944727	Rock	15	11	2.16	250	0.007	5	2.41	0.018	0.10	0.1	0.05	9.3	<0.1	0.69	9	1.1	<0.2	N.A.	N.A.
944728	Rock	9	21	2.05	419	0.004	10	2.57	0.011	0.26	<0.1	0.08	9.1	<0.1	0.52	8	0.8	<0.2	N.A.	N.A.
944729	Rock	8	9	1.07	650	0.004	10	1.62	0.016	0.27	<0.1	0.03	5.1	<0.1	0.24	4	<0.5	<0.2	N.A.	N.A.
944730	Rock	9	21	1.36	436	0.007	11	2.21	0.011	0.44	<0.1	0.22	6.0	<0.1	0.44	5	0.9	<0.2	N.A.	N.A.
944731	Rock	10	21	1.68	609	0.007	11	2.00	0.021	0.24	<0.1	0.05	5.8	<0.1	0.19	5	<0.5	<0.2	N.A.	N.A.
944732	Rock	13	15	1.36	592	0.012	10	1.92	0.021	0.30	<0.1	0.03	4.9	<0.1	0.15	6	<0.5	<0.2	N.A.	N.A.
944733	Rock	11	14	1.53	287	0.012	9	2.16	0.022	0.23	<0.1	0.03	6.4	<0.1	0.24	7	<0.5	<0.2	N.A.	N.A.
944734	Rock	9	11	1.81	194	0.004	6	2.54	0.019	0.16	<0.1	0.06	7.9	<0.1	0.58	9	<0.5	<0.2	N.A.	N.A.
944735	Rock	8	12	1.89	150	0.003	6	2.39	0.020	0.15	<0.1	0.06	6.8	<0.1	0.46	8	0.5	<0.2	N.A.	N.A.
944736	Rock	9	22	2.26	188	0.005	5	2.77	0.019	0.11	<0.1	0.04	11.8	<0.1	0.72	10	0.5	<0.2	N.A.	N.A.
944737	Rock	17	4	2.10	121	0.006	4	1.81	0.035	0.07	<0.1	0.01	6.2	<0.1	0.89	8	1.4	0.4	N.A.	N.A.
944738	Rock	11	7	2.23	51	0.007	5	2.26	0.014	0.03	<0.1	0.02	9.7	<0.1	0.71	7	<0.5	<0.2	N.A.	N.A.
944739	Rock	9	9	2.49	60	0.014	3	1.96	0.024	0.04	<0.1	0.73	6.0	<0.1	3.14	8	3.1	0.8	0.141	N.A.
944740	Rock	12	23	2.67	74	0.016	6	2.25	0.019	0.02	<0.1	0.08	12.5	<0.1	2.84	9	4.7	0.8	0.131	0.099
944741	Rock	12	18	3.05	59	0.015	4	2.40	0.015	0.03	<0.1	0.04	15.0	<0.1	2.84	10	3.3	0.5	0.226	0.156
944742	Rock	15	1	1.91	80	0.011	3	1.83	0.021	0.06	<0.1	0.03	5.6	<0.1	2.39	9	2.2	0.5	N.A.	N.A.
944743	Rock	19	1	2.31	81	0.017	2	2.27	0.021	0.05	<0.1	0.03	6.9	<0.1	1.12	11	1.2	0.3	N.A.	N.A.
944744	Rock	15	2	2.11	117	0.010	3	1.95	0.021	0.06	<0.1	0.02	7.0	<0.1	0.81	9	1.1	<0.2	N.A.	N.A.
944745	Rock	8	18	2.70	54	0.045	4	2.21	0.013	0.02	<0.1	0.03	14.0	<0.1	1.07	9	1.4	0.3	N.A.	0.108
944746	Rock	8	14	2.79	90	0.040	4	2.46	0.011	0.03	<0.1	0.03	13.0	<0.1	1.23	9	2.5	0.3	N.A.	0.155
944747	Rock	17	4	2.54	132	0.006	3	2.52	0.020	0.10	<0.1	0.01	7.9	<0.1	0.57	11	1.5	<0.2	N.A.	N.A.
944748	Rock	26	1	2.31	127	0.007	4	2.49	0.023	0.07	<0.1	0.02	6.0	<0.1	0.58	10	0.8	0.2	N.A.	N.A.
944749	Rock	16	1	2.04	102	0.009	5	2.52	0.023	0.06	<0.1	0.01	5.4	<0.1	0.22	9	<0.5	<0.2	N.A.	N.A.
944750	Rock	17	2	1.85	246	0.009	3	2.18	0.024	0.19	<0.1	0.01	3.8	<0.1	0.19	8	<0.5	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11000978.3

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
944751	Rock	1.64	1.5	191.3	12.2	79	0.3	13.4	28.0	1388	4.28	27.4	16.6	1.5	636	0.2	1.2	0.1	88	6.94	0.149	
944752	Rock	1.70	1.1	257.2	4.7	86	0.2	6.8	21.6	1368	4.06	4.9	13.4	2.3	1034	0.2	0.7	<0.1	93	6.10	0.171	
944753	Rock	1.22	5.5	192.4	8.2	92	0.3	16.3	23.5	1385	4.45	8.7	63.6	1.9	1192	0.1	0.9	<0.1	113	6.44	0.181	
944754	Rock	1.60	0.9	185.7	8.7	74	0.2	17.8	22.2	1523	3.81	9.2	14.4	2.3	4129	0.2	1.0	<0.1	91	7.55	0.181	
944755	Rock	1.40	0.9	70.2	10.0	101	0.2	35.3	22.0	1402	4.04	11.2	6.1	1.8	643	0.3	0.8	<0.1	117	5.47	0.153	
944756	Rock	1.31	1.5	153.4	11.8	80	0.3	12.7	26.4	1529	3.90	17.0	9.0	1.5	1252	0.3	0.9	<0.1	75	6.68	0.143	
944757	Rock	1.86	0.5	19.8	8.5	94	<0.1	9.3	18.9	1278	4.29	4.6	1.6	1.4	618	<0.1	1.1	<0.1	114	4.70	0.152	
944758	Rock	1.59	0.5	49.0	8.0	135	0.1	43.3	28.3	1719	4.47	5.0	3.5	1.7	676	0.1	1.0	<0.1	137	6.64	0.146	
944759	Rock	1.65	0.5	26.6	7.4	115	<0.1	37.2	23.6	1467	4.07	5.0	2.0	1.7	367	0.1	1.1	<0.1	129	5.47	0.166	
944760	Rock	1.61	0.5	39.4	8.7	126	0.1	80.8	29.6	1784	4.66	7.9	1.6	2.2	493	<0.1	1.3	<0.1	181	7.61	0.183	
944761	Rock	1.30	0.3	6.8	7.6	129	<0.1	98.2	30.7	1843	3.91	7.4	1.7	2.3	547	0.2	0.6	<0.1	142	8.27	0.192	
944762	Rock	1.60	0.3	8.9	7.3	151	<0.1	112.4	33.2	1833	4.28	6.9	0.9	2.4	578	0.1	0.7	<0.1	162	7.62	0.194	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11000978.3

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
944751	Rock	11	16	1.50	372	0.004	14	2.24	0.011	0.30	<0.1	0.14	7.0	<0.1	0.63	6	0.6	<0.2	N.A.	N.A.
944752	Rock	13	5	1.70	596	0.003	8	2.20	0.012	0.25	0.1	0.04	4.2	<0.1	0.35	6	<0.5	<0.2	N.A.	N.A.
944753	Rock	12	31	1.71	430	0.006	9	2.04	0.015	0.21	<0.1	0.04	5.2	<0.1	0.51	6	<0.5	<0.2	N.A.	N.A.
944754	Rock	13	31	1.57	564	0.010	10	1.90	0.011	0.21	<0.1	0.03	5.7	<0.1	0.45	5	<0.5	<0.2	N.A.	N.A.
944755	Rock	14	72	2.22	437	0.009	10	2.02	0.016	0.16	<0.1	0.03	6.6	<0.1	0.21	6	<0.5	<0.2	N.A.	N.A.
944756	Rock	11	13	1.83	427	0.003	11	1.86	0.015	0.26	<0.1	0.10	5.3	<0.1	0.57	4	<0.5	<0.2	N.A.	N.A.
944757	Rock	12	5	2.61	462	0.023	10	1.38	0.030	0.20	0.1	<0.01	4.3	<0.1	0.06	4	<0.5	<0.2	N.A.	N.A.
944758	Rock	14	91	3.87	655	0.016	8	2.16	0.033	0.13	<0.1	<0.01	6.2	<0.1	0.06	6	<0.5	<0.2	N.A.	N.A.
944759	Rock	13	83	2.61	330	0.022	8	1.71	0.027	0.14	0.1	<0.01	6.6	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.
944760	Rock	16	165	2.91	285	0.026	8	2.44	0.024	0.11	0.1	<0.01	9.8	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944761	Rock	17	208	3.13	382	0.024	6	2.49	0.025	0.09	0.1	<0.01	9.0	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944762	Rock	18	227	3.73	493	0.028	9	2.85	0.022	0.08	0.1	<0.01	10.0	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: None Given
Report Date: April 03, 2011

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN11000978.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
944606	Rock	2.63	5.5	1487	9.9	74	0.5	17.9	32.8	485	5.59	3.2	61.3	1.3	361	0.1	<0.1	0.2	208	2.58	0.150
REP 944606	QC		5.2	1434	9.7	72	0.5	17.8	32.5	460	5.48	3.6	63.6	1.4	350	0.1	<0.1	0.2	203	2.53	0.143
944660	Rock	1.74	0.9	469.0	5.6	87	0.3	15.2	47.7	778	7.01	8.9	59.0	0.3	163	2.8	0.6	0.1	138	6.87	0.028
REP 944660	QC		0.9	457.6	5.6	86	0.3	14.1	44.5	734	6.88	8.2	64.5	0.3	152	3.1	0.7	0.1	135	6.75	0.026
944674	Rock	1.61	2.7	447.8	1.0	11	<0.1	6.6	17.8	203	4.35	1.8	11.2	1.6	459	<0.1	0.1	<0.1	120	4.73	0.148
REP 944674	QC		2.7	439.2	0.8	12	<0.1	5.7	17.4	200	4.27	1.6	12.0	1.6	456	<0.1	<0.1	<0.1	119	4.63	0.145
944709	Rock	1.11	7.9	849.6	9.9	604	0.7	19.4	37.0	1613	5.47	22.0	195.2	1.8	256	10.5	0.7	0.2	166	8.03	0.258
REP 944709	QC		8.1	834.9	9.9	596	0.7	19.9	36.3	1602	5.47	22.7	178.9	1.7	255	10.3	0.8	0.2	167	7.91	0.256
944755	Rock	1.40	0.9	70.2	10.0	101	0.2	35.3	22.0	1402	4.04	11.2	6.1	1.8	643	0.3	0.8	<0.1	117	5.47	0.153
REP 944755	QC		1.1	79.1	11.2	115	0.2	40.5	24.6	1509	4.43	12.1	6.3	2.1	702	0.2	0.9	<0.1	130	6.14	0.168
Core Reject Duplicates																					
944623	Rock	2.75	5.9	858.3	5.5	36	0.5	12.3	27.3	372	4.19	3.1	62.6	2.1	339	0.2	0.1	0.2	174	2.83	0.151
DUP 944623	QC		5.8	852.6	5.2	35	0.5	13.3	27.4	362	4.20	3.5	64.4	2.1	340	0.1	0.1	0.2	173	2.86	0.149
944658	Rock	1.59	2.1	3467	5.5	47	1.4	10.4	31.3	880	4.88	13.2	339.5	1.6	180	0.1	0.2	0.3	171	3.71	0.107
DUP 944658	QC		2.3	3582	5.4	49	1.4	10.5	31.7	926	5.06	13.6	381.0	1.7	190	0.1	0.3	0.4	180	3.88	0.112
944693	Rock	3.64	0.2	51.2	1.4	40	<0.1	11.8	32.8	511	5.59	2.0	5.5	0.1	142	<0.1	0.2	<0.1	105	3.47	0.019
DUP 944693	QC		0.2	51.7	1.5	41	<0.1	12.1	31.9	506	5.58	2.4	6.1	0.1	136	<0.1	0.1	<0.1	105	3.40	0.017
944728	Rock	2.19	1.2	233.7	7.1	97	0.1	13.0	25.0	1417	5.32	17.9	11.5	1.0	209	0.2	0.6	<0.1	156	7.31	0.166
DUP 944728	QC		1.2	237.1	7.4	101	0.2	12.9	25.9	1427	5.45	17.9	17.8	1.1	211	0.3	0.7	<0.1	160	7.33	0.179
Reference Materials																					
STD DS8	Standard		12.6	109.9	128.3	315	1.7	37.2	7.8	616	2.55	26.1	109.2	7.1	62	2.3	5.6	6.5	40	0.71	0.077
STD DS8	Standard		13.2	110.0	128.5	318	1.8	38.2	7.6	630	2.50	26.6	105.7	7.0	64	2.4	5.6	6.5	40	0.72	0.080
STD DS8	Standard		11.8	103.2	115.7	291	1.5	35.1	6.9	589	2.28	24.4	107.8	6.0	58	2.1	5.4	6.5	37	0.64	0.071
STD DS8	Standard		13.0	110.6	124.5	327	1.8	38.4	7.8	637	2.48	27.2	104.4	6.3	66	2.5	5.6	6.7	40	0.69	0.081
STD DS8	Standard		11.8	101.7	116.0	296	1.6	34.1	7.1	580	2.33	25.9	117.2	6.5	64	2.4	5.5	6.8	36	0.64	0.073
STD DS8	Standard		12.5	104.2	121.1	316	1.5	37.1	7.1	622	2.43	27.1	102.2	6.9	70	2.6	5.5	6.8	38	0.69	0.080
STD DS8	Standard		13.6	110.0	129.1	322	1.6	38.1	7.6	629	2.48	26.3	99.9	7.0	67	2.2	5.6	7.0	41	0.70	0.078
STD DS8	Standard		13.0	108.1	123.0	311	1.6	37.4	7.6	617	2.45	26.0	114.7	6.8	70	2.1	5.7	7.0	41	0.72	0.079



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: None Given
Report Date: April 03, 2011

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN11000978.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Pulp Duplicates																				
944606	Rock	9	39	2.77	83	0.080	3	2.52	0.030	0.19	0.1	0.10	9.0	<0.1	2.39	11	5.9	0.2	N.A.	0.161
REP 944606	QC	9	37	2.68	76	0.076	4	2.45	0.029	0.18	0.1	0.09	8.7	<0.1	2.36	11	5.1	<0.2		
944660	Rock	2	4	1.73	71	0.240	5	1.54	0.022	0.02	0.1	0.12	14.4	<0.1	0.86	6	4.9	<0.2	N.A.	N.A.
REP 944660	QC	2	3	1.68	71	0.231	5	1.43	0.022	0.02	<0.1	0.13	14.0	<0.1	0.84	6	4.0	0.3		
944674	Rock	10	12	1.63	47	0.044	<1	1.74	0.022	0.19	<0.1	0.08	3.6	<0.1	3.88	6	1.9	0.3	N.A.	N.A.
REP 944674	QC	10	12	1.60	43	0.044	2	1.72	0.022	0.20	<0.1	0.07	3.6	<0.1	3.80	6	1.7	0.3		
944709	Rock	12	37	1.55	351	0.005	9	2.30	0.009	0.22	<0.1	1.96	8.5	<0.1	0.43	7	2.4	<0.2	0.234	N.A.
REP 944709	QC	12	37	1.53	364	0.005	8	2.22	0.009	0.23	<0.1	2.06	8.6	<0.1	0.43	6	2.1	<0.2		
944755	Rock	14	72	2.22	437	0.009	10	2.02	0.016	0.16	<0.1	0.03	6.6	<0.1	0.21	6	<0.5	<0.2	N.A.	N.A.
REP 944755	QC	15	79	2.36	495	0.009	9	2.25	0.017	0.18	<0.1	0.05	7.1	<0.1	0.22	6	<0.5	<0.2		
Core Reject Duplicates																				
944623	Rock	16	21	2.07	59	0.025	3	1.99	0.035	0.29	<0.1	0.12	7.2	<0.1	3.12	9	3.6	0.2	N.A.	N.A.
DUP 944623	QC	16	21	2.10	59	0.026	3	1.91	0.031	0.26	<0.1	0.10	7.4	<0.1	3.18	9	3.9	0.2	N.A.	N.A.
944658	Rock	12	18	2.30	31	0.008	2	1.93	0.025	0.10	<0.1	0.32	7.7	<0.1	3.49	10	6.3	0.9	0.360	0.398
DUP 944658	QC	12	19	2.42	33	0.010	3	2.07	0.031	0.12	0.1	0.31	8.5	<0.1	3.58	10	7.1	1.3	0.353	0.386
944693	Rock	<1	<1	2.15	123	0.212	5	1.34	0.043	0.02	<0.1	0.04	7.0	<0.1	0.76	5	0.7	<0.2	N.A.	N.A.
DUP 944693	QC	<1	<1	2.12	120	0.211	4	1.31	0.039	0.02	<0.1	0.03	6.9	<0.1	0.76	5	0.8	<0.2	N.A.	N.A.
944728	Rock	9	21	2.05	419	0.004	10	2.57	0.011	0.26	<0.1	0.08	9.1	<0.1	0.52	8	0.8	<0.2	N.A.	N.A.
DUP 944728	QC	10	21	2.03	412	0.004	9	2.58	0.012	0.25	<0.1	0.09	9.1	<0.1	0.54	8	0.8	<0.2	N.A.	N.A.
Reference Materials																				
STD DS8	Standard	14	113	0.59	264	0.108	4	0.88	0.087	0.42	3.0	0.18	1.9	5.5	0.16	4	5.1	4.7		
STD DS8	Standard	15	113	0.60	286	0.116	2	0.93	0.090	0.43	3.0	0.19	2.2	5.6	0.16	5	4.9	4.5		
STD DS8	Standard	12	111	0.55	250	0.104	3	0.84	0.079	0.38	2.9	0.18	1.8	5.1	0.15	4	4.6	4.3		
STD DS8	Standard	13	118	0.63	283	0.111	3	0.93	0.087	0.44	2.9	0.19	1.7	5.3	0.16	5	6.3	4.8		
STD DS8	Standard	13	107	0.56	270	0.103	3	0.86	0.099	0.40	2.8	0.16	1.9	5.1	0.14	4	5.0	3.8		
STD DS8	Standard	14	112	0.60	275	0.113	3	0.94	0.096	0.42	3.0	0.18	2.0	5.3	0.15	5	4.6	4.8		
STD DS8	Standard	15	116	0.61	279	0.114	2	0.95	0.100	0.44	3.1	0.19	2.0	5.5	0.16	5	5.7	4.9		
STD DS8	Standard	16	115	0.60	286	0.121	2	0.95	0.098	0.43	3.1	0.20	2.2	5.3	0.16	5	5.6	5.0		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN11000978.3

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS8	Standard		15.0	114.5	137.6	323	1.8	39.9	7.7	618	2.50	25.0	108.8	8.0	67	2.2	6.4	7.5	41	0.72	0.076
STD DS8	Standard		14.8	111.7	132.0	319	1.7	39.0	7.8	632	2.55	25.1	108.1	8.2	73	2.1	5.8	7.1	42	0.76	0.075
STD DS8	Standard		14.0	110.3	130.0	324	2.0	40.9	8.2	630	2.53	28.6	114.5	7.1	56	2.5	5.5	6.7	42	0.72	0.088
STD DS8	Standard		12.9	97.9	114.6	298	1.7	35.8	7.2	589	2.37	26.2	113.2	6.5	56	2.0	4.9	5.8	37	0.68	0.080
STD DS8	Standard		12.5	107.4	127.3	304	1.7	37.9	7.5	605	2.41	26.0	109.9	6.9	64	2.3	5.7	7.1	38	0.66	0.074
STD DS8	Standard		13.0	113.5	135.1	310	1.9	37.7	7.5	594	2.44	26.4	110.1	7.0	65	2.4	5.8	7.1	39	0.68	0.075
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS8 Expected			13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
STD R4A Expected																					
STD OXH82 Expected																					
STD OXK79 Expected																					
BLK	Blank		<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	2.8	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	4.3	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: None Given
 Report Date: April 03, 2011

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN11000978.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
STD DS8	Standard	16	121	0.62	283	0.123	2	0.97	0.090	0.41	3.1	0.20	2.1	5.7	0.16	4	4.8	4.9		
STD DS8	Standard	17	122	0.62	285	0.127	2	0.96	0.094	0.43	3.1	0.19	2.3	5.5	0.16	5	5.9	5.6		
STD DS8	Standard	15	127	0.63	293	0.112	2	0.98	0.089	0.45	3.5	0.24	1.9	6.5	0.16	5	5.9	5.7		
STD DS8	Standard	14	112	0.57	271	0.105	2	0.90	0.091	0.40	3.3	0.21	1.8	5.7	0.15	5	5.2	4.4		
STD DS8	Standard	13	116	0.59	271	0.111	3	0.88	0.083	0.40	3.0	0.19	1.8	5.2	0.15	4	5.9	5.2		
STD DS8	Standard	14	118	0.59	278	0.115	2	0.89	0.085	0.41	3.0	0.19	1.9	5.5	0.16	4	5.5	5.2		
STD OXH82	Standard																			1.310
STD OXH82	Standard																			1.276
STD OXK79	Standard																			3.591
STD OXK79	Standard																			3.639
STD R4A	Standard																			0.509
STD R4A	Standard																			0.508
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5		
STD R4A Expected																				0.502
STD OXH82 Expected																				1.278
STD OXK79 Expected																				3.532
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<0.001
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
BLK	Blank																			<0.005
Prep Wash																				<0.005

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

Suite 718 - 744 W. Hastings St.

Vancouver BC V6A 1A5 Canada

Project: None Given

Report Date: April 03, 2011

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN11000978.3

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
G1	Prep Blank	<0.01	<0.1	3.4	3.9	50	<0.1	3.1	4.2	561	1.88	0.8	2.6	5.8	53	<0.1	<0.1	<0.1	34	0.52	0.075
G1	Prep Blank	<0.01	<0.1	1.8	3.7	52	<0.1	3.3	4.4	585	1.84	0.7	<0.5	6.1	56	<0.1	<0.1	<0.1	34	0.54	0.079



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: None Given

Report Date: April 03, 2011

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

VAN11000978.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
G1	Prep Blank	11	13	0.58	205	0.116	2	1.03	0.113	0.52	0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.
G1	Prep Blank	11	14	0.60	207	0.121	1	1.12	0.134	0.54	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 08, 2011
Report Date: March 31, 2011
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN11001002.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 188

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	186	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	186	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	29	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	44	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2: G601 & 7AR1 Cu included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944763	Rock	1.20	1.7	582.0	4.6	45	0.3	4.6	21.0	768	3.10	3.2	20.9	2.6	121	<0.1	0.3	<0.1	112	5.02	0.158
944764	Rock	1.22	0.7	477.4	3.1	49	0.2	3.6	24.3	791	4.04	2.8	11.4	2.3	163	<0.1	0.2	<0.1	141	5.37	0.171
944765	Rock	1.47	1.1	301.4	3.0	66	0.2	3.9	24.6	825	3.78	3.2	15.3	2.9	245	<0.1	0.3	<0.1	122	4.02	0.206
944766	Rock	1.36	1.0	373.8	2.8	57	0.1	3.1	21.8	775	3.69	3.2	11.9	3.6	250	<0.1	0.2	<0.1	121	4.01	0.231
944767	Rock	1.53	1.0	256.1	3.2	54	0.1	3.9	27.2	749	4.37	3.7	13.0	2.4	185	<0.1	0.3	<0.1	129	3.98	0.179
944768	Rock	1.92	2.1	457.4	2.4	75	0.3	5.9	36.5	1085	4.48	2.6	7.1	2.7	398	<0.1	0.3	<0.1	168	4.83	0.176
944769	Rock	1.84	2.5	304.8	2.3	80	0.2	6.1	33.6	1173	4.45	2.6	8.8	2.2	233	0.1	0.2	<0.1	163	4.48	0.162
944770	Rock	1.57	1.2	471.4	3.3	80	0.3	5.6	36.3	1025	5.41	4.8	12.1	2.4	258	<0.1	0.3	<0.1	203	4.08	0.173
944771	Rock	1.41	2.1	445.6	3.1	81	0.2	4.2	30.0	1448	4.32	3.2	10.4	3.2	399	0.1	0.2	<0.1	147	5.07	0.244
944772	Rock	1.60	1.3	322.0	4.1	91	0.2	5.8	28.3	1431	5.60	2.1	5.3	2.1	355	<0.1	0.1	<0.1	226	5.38	0.152
944773	Rock	1.75	0.8	284.8	2.7	118	0.2	11.6	34.5	1830	8.01	2.7	74.2	1.9	242	<0.1	0.2	<0.1	310	7.19	0.217
944774	Rock	1.87	1.3	256.3	3.4	110	0.2	11.0	32.2	1683	6.43	2.5	16.2	1.7	264	<0.1	0.1	<0.1	244	6.28	0.151
944775	Rock	1.81	1.3	250.5	4.7	114	0.2	11.4	36.3	1712	6.58	2.9	20.6	1.8	228	<0.1	0.1	<0.1	250	6.72	0.149
944776	Rock	2.01	2.1	309.3	3.4	84	0.2	5.4	26.3	1433	4.84	3.0	26.9	3.0	298	<0.1	0.1	<0.1	199	6.39	0.250
944777	Rock	1.49	1.5	389.5	3.3	94	0.3	8.4	31.3	1557	5.57	2.7	10.0	2.1	207	0.1	0.2	<0.1	225	6.11	0.196
944778	Rock	1.86	1.2	196.2	5.5	97	0.1	5.6	25.5	1400	4.73	2.0	9.1	2.8	334	<0.1	0.2	<0.1	195	5.70	0.216
944779	Rock	1.43	1.7	207.1	5.0	105	0.2	7.5	28.8	1380	5.50	2.8	27.1	2.5	539	<0.1	0.2	<0.1	222	5.66	0.218
944780	Rock	2.11	1.2	189.1	8.1	78	0.2	19.6	26.0	1317	4.29	15.3	12.4	1.4	787	0.2	0.7	<0.1	99	6.62	0.160
944781	Rock	1.73	0.6	52.5	1.3	47	<0.1	90.9	28.5	1393	4.35	3.1	0.8	0.6	453	0.1	0.2	<0.1	102	7.43	0.069
944782	Rock	0.60	0.8	72.5	3.2	50	0.1	73.9	29.7	1414	4.38	4.8	4.4	0.7	485	0.2	0.2	<0.1	108	6.63	0.081
944783	Rock	0.74	0.9	209.3	10.7	86	0.2	45.1	26.2	1224	4.41	4.9	5.2	2.4	447	0.4	0.2	<0.1	144	6.12	0.223
944784	Rock	1.15	1.2	316.3	5.7	73	0.2	22.6	24.4	1161	4.27	4.1	5.3	2.4	456	0.3	0.3	<0.1	154	5.39	0.188
944785	Rock	1.17	1.2	321.8	5.3	75	0.2	12.0	24.1	1086	4.05	3.7	5.7	2.9	473	0.2	0.2	<0.1	150	5.12	0.233
944786	Rock	1.50	1.0	286.0	4.6	78	0.2	13.3	23.1	1244	4.27	3.2	6.7	1.8	486	0.1	0.2	<0.1	160	5.82	0.153
944787	Rock	0.68	0.7	184.1	5.8	68	0.1	14.7	19.4	1488	3.59	8.4	2.8	1.2	956	0.3	0.3	<0.1	103	8.36	0.133
944788	Rock	0.45	0.9	138.7	7.6	87	0.2	14.0	20.5	1262	3.77	9.7	1.6	1.2	621	0.3	0.4	<0.1	101	6.34	0.136
944789	Rock	1.10	0.5	126.9	6.7	99	0.1	14.9	24.0	1210	4.31	5.9	3.0	1.0	377	0.3	0.4	<0.1	132	5.54	0.116
944790	Rock	1.74	0.3	73.4	5.1	80	<0.1	16.5	23.9	1081	4.18	4.1	<0.5	0.8	406	0.1	0.2	<0.1	129	4.98	0.096
944791	Rock	1.55	2.7	762.7	2.5	36	0.2	7.0	20.4	616	4.32	2.6	54.4	2.8	81	<0.1	0.2	<0.1	218	3.54	0.192
944792	Rock	1.99	2.5	394.9	1.5	33	0.1	6.1	15.7	542	2.97	2.7	18.4	2.1	89	<0.1	0.2	<0.1	130	4.08	0.152

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944763	Rock	11	1	1.71	125	0.008	4	1.38	0.020	0.05	<0.1	0.06	7.5	<0.1	1.37	6	0.7	<0.2	N.A.	N.A.
944764	Rock	12	1	1.96	51	0.017	4	1.80	0.026	0.04	<0.1	0.04	6.1	<0.1	2.13	7	0.7	0.4	N.A.	N.A.
944765	Rock	13	<1	1.95	107	0.011	5	1.93	0.015	0.02	<0.1	0.04	6.1	<0.1	1.23	6	<0.5	<0.2	N.A.	N.A.
944766	Rock	14	<1	1.95	79	0.011	4	1.71	0.018	0.02	<0.1	0.06	6.3	<0.1	1.47	6	<0.5	0.2	N.A.	N.A.
944767	Rock	10	1	2.21	60	0.017	3	1.56	0.026	0.03	<0.1	0.05	5.5	<0.1	2.69	6	1.3	0.5	N.A.	N.A.
944768	Rock	13	5	2.04	71	0.008	6	2.07	0.019	0.02	<0.1	0.03	8.3	<0.1	0.78	8	0.8	<0.2	N.A.	N.A.
944769	Rock	10	7	2.38	68	0.020	5	1.83	0.021	0.02	<0.1	<0.01	10.5	<0.1	0.60	7	<0.5	<0.2	N.A.	N.A.
944770	Rock	11	2	1.93	96	0.017	4	2.01	0.018	0.03	<0.1	0.03	7.1	<0.1	0.81	8	0.7	<0.2	N.A.	N.A.
944771	Rock	17	1	2.97	67	0.022	6	1.83	0.027	0.03	<0.1	0.02	7.2	<0.1	0.61	7	0.6	<0.2	N.A.	N.A.
944772	Rock	12	4	2.29	85	0.013	3	2.09	0.017	0.05	<0.1	0.01	10.2	<0.1	0.21	9	<0.5	<0.2	N.A.	N.A.
944773	Rock	12	16	2.94	58	0.014	3	2.66	0.018	0.04	<0.1	<0.01	20.4	<0.1	0.08	12	<0.5	<0.2	N.A.	N.A.
944774	Rock	13	12	2.80	73	0.010	3	2.44	0.024	0.05	<0.1	<0.01	16.3	<0.1	0.40	11	<0.5	<0.2	N.A.	N.A.
944775	Rock	12	11	2.82	67	0.009	4	2.66	0.026	0.07	<0.1	0.01	16.1	<0.1	0.74	12	<0.5	<0.2	N.A.	N.A.
944776	Rock	15	6	1.94	106	0.009	4	1.89	0.022	0.07	<0.1	0.01	10.0	<0.1	0.58	9	<0.5	<0.2	N.A.	N.A.
944777	Rock	14	8	2.29	99	0.007	3	2.30	0.020	0.05	<0.1	0.02	11.7	<0.1	0.57	10	0.6	<0.2	N.A.	N.A.
944778	Rock	15	11	2.17	163	0.008	3	2.10	0.021	0.10	<0.1	0.02	8.8	<0.1	0.16	9	<0.5	<0.2	N.A.	N.A.
944779	Rock	14	8	2.16	385	0.008	3	2.44	0.021	0.09	<0.1	0.02	8.2	<0.1	0.52	11	<0.5	<0.2	N.A.	N.A.
944780	Rock	11	13	1.50	455	0.003	11	2.19	0.015	0.31	0.1	0.10	6.8	<0.1	0.54	6	0.8	<0.2	N.A.	N.A.
944781	Rock	6	139	4.39	148	0.003	12	1.92	0.058	0.10	<0.1	0.05	13.8	<0.1	0.84	4	<0.5	<0.2	N.A.	N.A.
944782	Rock	7	126	4.04	184	0.002	14	2.07	0.056	0.12	<0.1	0.08	12.9	<0.1	0.74	5	0.6	<0.2	N.A.	N.A.
944783	Rock	13	71	3.16	152	0.006	11	2.42	0.044	0.12	<0.1	0.07	10.4	<0.1	1.23	7	0.6	<0.2	N.A.	N.A.
944784	Rock	12	29	2.67	162	0.008	8	2.26	0.031	0.09	<0.1	0.05	8.7	<0.1	0.89	8	0.6	0.3	N.A.	N.A.
944785	Rock	14	15	2.20	134	0.009	7	2.27	0.027	0.08	<0.1	0.04	7.9	<0.1	0.98	8	<0.5	<0.2	N.A.	N.A.
944786	Rock	12	17	2.18	215	0.008	6	2.13	0.036	0.10	<0.1	0.04	8.6	<0.1	0.86	8	0.7	<0.2	N.A.	N.A.
944787	Rock	11	24	1.71	335	0.004	7	1.89	0.029	0.17	<0.1	0.04	7.0	<0.1	0.60	5	<0.5	<0.2	N.A.	N.A.
944788	Rock	10	23	2.03	358	0.004	9	2.03	0.037	0.24	<0.1	0.04	6.9	<0.1	0.57	6	<0.5	<0.2	N.A.	N.A.
944789	Rock	9	35	2.57	169	0.007	9	2.50	0.040	0.18	<0.1	0.03	10.2	<0.1	0.29	7	<0.5	<0.2	N.A.	N.A.
944790	Rock	7	41	2.75	133	0.006	8	2.67	0.056	0.22	<0.1	0.02	11.6	<0.1	0.22	8	<0.5	<0.2	N.A.	N.A.
944791	Rock	20	5	2.65	50	0.005	11	1.73	0.041	0.03	<0.1	0.02	13.3	<0.1	0.96	6	1.6	0.2	N.A.	N.A.
944792	Rock	17	6	2.89	72	0.006	9	1.51	0.058	0.08	<0.1	0.02	9.5	<0.1	0.58	6	1.3	0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944793	Rock	2.73	1.4	982.8	2.7	57	0.4	13.0	26.7	763	4.41	3.3	50.8	1.8	99	0.1	0.2	0.1	177	3.56	0.202
944794	Rock	1.71	5.1	3682	3.6	67	1.4	10.4	25.1	773	4.65	3.9	395.1	2.9	80	0.2	0.2	0.4	226	3.87	0.276
944795	Rock	1.64	2.5	496.4	3.0	46	0.2	5.8	23.3	583	3.88	3.4	50.6	3.2	63	<0.1	0.1	0.2	142	2.57	0.333
944796	Rock	1.86	2.1	327.4	4.2	26	0.1	6.5	20.2	493	3.22	2.5	37.3	10.7	105	<0.1	0.2	0.2	144	5.16	0.909
944797	Rock	1.82	1.7	3422	2.5	41	0.7	12.8	26.2	698	4.89	1.6	180.9	2.7	100	0.1	0.3	0.1	218	3.21	0.306
944798	Rock	1.47	2.0	1509	1.9	35	0.4	12.2	30.8	685	5.15	2.0	93.6	4.2	159	0.1	0.2	<0.1	221	3.45	0.543
944799	Rock	2.04	1.9	777.9	2.3	45	0.2	8.3	29.7	661	4.35	2.1	65.7	2.5	145	<0.1	0.2	0.1	154	2.74	0.248
944800	Rock	2.50	1.5	1687	3.0	40	0.4	7.8	21.9	691	3.94	8.0	79.5	11.7	145	<0.1	0.2	0.2	205	6.28	1.577
944801	Rock	1.50	1.4	1145	2.5	37	0.3	9.7	24.8	575	3.94	6.0	98.6	7.8	143	0.1	0.4	0.2	208	4.39	1.067
944802	Rock	2.06	1.2	758.7	1.4	34	0.2	9.1	19.8	639	3.83	3.2	47.6	4.0	151	<0.1	0.2	<0.1	145	3.27	0.546
944803	Rock	2.39	8.2	864.5	2.9	31	0.4	8.2	26.9	574	4.04	7.5	55.6	2.6	89	<0.1	0.1	0.2	136	3.82	0.366
944804	Rock	2.02	1.0	1643	6.5	50	0.4	10.1	28.0	760	5.72	2.4	108.7	1.4	95	<0.1	0.2	0.1	170	2.88	0.152
944805	Rock	2.15	1.3	1552	1.8	47	0.3	8.0	18.2	628	2.93	3.3	79.3	2.2	89	0.1	0.2	<0.1	151	3.22	0.351
944806	Rock	1.79	1.1	2314	2.6	51	0.4	7.8	21.6	640	3.94	6.7	143.4	8.9	132	0.1	0.1	<0.1	207	5.20	1.168
944807	Rock	1.61	1.4	925.1	1.5	52	0.2	7.0	16.4	582	2.96	3.6	48.2	5.2	90	<0.1	0.1	<0.1	180	3.02	0.658
944808	Rock	1.81	1.7	1585	1.5	67	0.3	9.0	24.3	632	5.01	7.2	116.3	10.4	133	<0.1	0.2	0.2	326	3.58	1.051
944809	Rock	1.66	3.5	1150	3.1	51	0.3	9.1	18.7	692	3.87	4.2	72.7	2.5	102	0.2	0.2	0.1	193	3.16	0.276
944810	Rock	1.68	2.8	2236	1.5	82	0.3	10.7	23.8	677	4.49	5.6	220.9	7.2	175	0.3	0.2	<0.1	226	3.60	0.773
944811	Rock	1.67	2.8	1966	1.5	348	0.3	11.1	38.7	821	9.44	11.7	191.6	21.5	202	2.6	0.2	<0.1	418	5.62	1.689
944812	Rock	1.65	3.5	2207	2.2	52	0.3	6.2	20.2	712	3.72	7.2	224.3	6.2	183	0.2	0.2	0.2	166	3.68	0.575
944813	Rock	1.68	1.9	652.1	1.8	43	0.2	13.4	32.2	1046	7.45	4.7	47.8	1.9	135	<0.1	0.2	0.1	390	5.14	0.140
944814	Rock	1.75	2.0	514.1	1.9	41	0.1	7.4	24.1	862	4.83	3.1	23.7	2.7	153	<0.1	0.2	<0.1	216	3.97	0.232
944815	Rock	1.74	1.9	435.9	2.2	52	0.1	6.3	25.3	884	5.03	3.7	20.3	2.3	484	<0.1	0.1	0.1	198	2.91	0.204
944816	Rock	2.24	1.5	901.8	1.5	36	0.3	2.4	16.2	599	3.31	2.5	37.1	2.1	486	<0.1	0.1	<0.1	112	2.51	0.172
944817	Rock	2.17	2.1	729.7	1.9	31	0.2	4.3	18.3	503	3.43	4.1	34.1	1.6	639	<0.1	0.2	0.2	137	4.13	0.155
944818	Rock	1.96	1.8	677.6	2.1	30	0.2	3.9	20.2	643	4.18	3.5	49.8	2.3	313	<0.1	0.2	0.1	150	3.48	0.202
944819	Rock	1.57	2.1	671.7	1.5	27	0.3	3.0	16.2	516	3.28	3.0	110.8	1.8	315	<0.1	<0.1	0.2	113	5.00	0.151
944820	Rock	1.31	4.5	1334	1.4	28	0.5	4.7	19.8	533	4.03	4.1	277.1	2.1	465	<0.1	0.1	0.2	145	4.42	0.250
944821	Rock	1.54	2.0	459.4	1.6	23	0.1	2.6	15.5	434	3.05	2.7	35.3	1.7	380	<0.1	0.1	<0.1	115	3.84	0.190
944822	Rock	1.54	2.1	455.1	1.9	45	0.1	2.9	22.6	786	4.52	3.9	22.0	1.9	404	<0.1	0.2	<0.1	137	4.21	0.229

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
944793	Rock	8	9	3.07	72	0.016	8	1.70	0.034	0.06	<0.1	0.03	10.4	<0.1	2.10	7	2.6	0.5	N.A.	N.A.
944794	Rock	17	7	2.48	56	0.015	8	1.45	0.041	0.10	<0.1	0.09	13.7	<0.1	3.04	7	6.7	1.3	0.421	0.362
944795	Rock	21	3	1.81	106	0.012	9	1.44	0.027	0.16	<0.1	0.03	7.8	<0.1	1.62	6	1.9	0.3	N.A.	N.A.
944796	Rock	42	5	1.91	85	0.011	10	1.27	0.032	0.23	0.1	0.04	9.8	<0.1	1.90	5	1.2	<0.2	N.A.	N.A.
944797	Rock	14	9	2.75	91	0.019	10	1.96	0.026	0.22	<0.1	0.05	12.1	<0.1	1.57	7	3.7	0.3	0.222	0.344
944798	Rock	13	7	2.54	45	0.029	8	1.80	0.024	0.03	<0.1	0.03	9.2	<0.1	0.93	6	2.1	<0.2	N.A.	0.151
944799	Rock	9	4	2.72	19	0.024	5	2.19	0.024	0.03	<0.1	0.03	7.7	<0.1	1.04	7	1.2	0.2	N.A.	N.A.
944800	Rock	47	7	2.33	57	0.018	10	2.09	0.030	0.04	0.1	0.03	6.1	<0.1	0.90	7	2.8	<0.2	N.A.	0.179
944801	Rock	27	6	2.21	47	0.014	9	1.59	0.030	0.04	<0.1	0.03	4.6	<0.1	0.90	6	2.6	<0.2	N.A.	0.120
944802	Rock	12	6	2.35	34	0.017	7	1.60	0.025	0.04	<0.1	0.01	6.4	<0.1	0.36	5	1.3	<0.2	N.A.	N.A.
944803	Rock	10	21	2.23	36	0.010	4	1.61	0.028	0.02	<0.1	0.03	7.2	<0.1	2.24	6	2.9	0.2	N.A.	N.A.
944804	Rock	7	5	3.15	30	0.016	5	1.99	0.030	0.04	<0.1	0.05	10.8	<0.1	3.28	7	4.3	<0.2	0.147	0.184
944805	Rock	13	12	3.08	87	0.016	6	1.74	0.040	0.16	<0.1	0.04	6.8	<0.1	0.90	7	2.2	0.3	N.A.	0.161
944806	Rock	32	5	2.93	114	0.024	7	2.30	0.032	0.16	<0.1	0.06	5.5	<0.1	1.75	9	3.5	0.2	0.167	0.249
944807	Rock	20	9	3.54	89	0.022	8	2.30	0.026	0.22	<0.1	0.04	6.7	<0.1	0.57	8	1.5	0.2	N.A.	N.A.
944808	Rock	31	7	3.03	64	0.023	8	2.23	0.036	0.10	<0.1	0.03	6.1	<0.1	1.09	10	2.1	<0.2	0.136	0.177
944809	Rock	12	8	3.32	81	0.019	8	1.96	0.029	0.18	<0.1	0.02	10.2	<0.1	0.70	8	2.2	<0.2	N.A.	0.123
944810	Rock	19	15	2.95	72	0.024	7	1.97	0.031	0.11	<0.1	0.03	6.9	<0.1	0.75	7	2.6	<0.2	0.218	0.230
944811	Rock	40	15	2.74	18	0.037	5	1.85	0.022	0.01	0.1	0.18	4.9	<0.1	0.58	6	2.9	<0.2	0.250	0.225
944812	Rock	29	8	2.23	75	0.008	7	1.39	0.037	0.08	<0.1	0.05	8.8	<0.1	0.85	5	3.0	<0.2	0.128	0.235
944813	Rock	15	26	2.77	73	0.004	9	1.90	0.024	0.03	<0.1	0.01	16.1	<0.1	0.65	7	1.6	0.2	N.A.	N.A.
944814	Rock	16	13	2.46	118	0.006	5	1.94	0.023	0.06	<0.1	0.01	11.0	<0.1	0.61	8	1.1	<0.2	N.A.	N.A.
944815	Rock	13	10	2.69	87	0.008	4	2.44	0.017	0.06	<0.1	0.01	9.0	<0.1	0.71	10	1.1	0.2	N.A.	N.A.
944816	Rock	8	2	1.86	101	0.008	2	1.70	0.025	0.07	<0.1	<0.01	2.7	<0.1	1.15	8	1.4	0.3	N.A.	N.A.
944817	Rock	9	4	1.77	81	0.005	4	1.78	0.015	0.05	<0.1	0.05	4.8	<0.1	3.15	7	1.7	0.4	N.A.	N.A.
944818	Rock	10	4	2.13	91	0.008	4	2.08	0.021	0.09	<0.1	0.05	3.7	<0.1	2.44	8	1.0	<0.2	N.A.	N.A.
944819	Rock	8	2	1.61	69	0.010	2	1.45	0.020	0.12	<0.1	0.06	3.4	<0.1	4.20	6	1.5	0.3	0.102	N.A.
944820	Rock	12	4	1.95	69	0.010	2	1.78	0.021	0.13	<0.1	0.07	3.9	<0.1	4.50	7	2.3	0.7	0.350	0.139
944821	Rock	11	2	1.66	75	0.011	3	1.50	0.026	0.18	<0.1	0.03	2.8	<0.1	3.59	7	1.9	<0.2	N.A.	N.A.
944822	Rock	10	1	2.18	92	0.007	3	2.22	0.028	0.08	<0.1	0.04	3.0	<0.1	2.58	9	1.0	0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method Analyte	Unit	MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944823	Rock		1.98	1.6	712.4	1.8	27	0.2	5.2	21.1	604	3.95	3.1	38.7	2.1	372	<0.1	0.2	<0.1	171	4.40	0.178
944824	Rock		2.15	2.0	408.8	2.1	34	0.1	3.3	21.6	659	4.06	4.7	18.1	1.8	389	<0.1	0.1	<0.1	135	3.66	0.190
944825	Rock		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
944826	Rock		1.32	2.6	>10000	2.6	76	1.2	16.3	31.0	702	5.10	5.8	98.9	2.1	30	0.2	0.2	0.4	208	0.92	0.190
944827	Rock		1.42	0.9	3437	1.6	60	0.3	32.9	38.1	1248	6.01	2.3	44.5	1.1	89	<0.1	0.1	<0.1	228	4.83	0.127
944828	Rock		1.82	4.1	>10000	6.5	31	4.1	13.2	14.6	520	4.27	2.7	681.8	3.4	78	0.4	0.4	0.6	103	2.95	0.234
944829	Rock		1.56	3.8	>10000	12.6	11	30.0	6.4	5.1	136	2.89	2.1	2519	5.5	32	0.3	0.5	1.8	36	1.12	0.301
944830	Rock		2.24	5.2	>10000	18.4	18	16.9	6.7	5.6	200	2.49	2.3	10597	6.1	47	0.5	0.3	2.0	36	2.12	0.438
944831	Rock		1.84	7.3	>10000	8.8	9	12.9	5.5	4.0	76	3.34	2.3	5183	5.0	26	<0.1	0.4	5.9	29	0.77	0.318
944832	Rock		1.55	5.6	>10000	4.0	23	2.0	6.4	8.8	165	2.00	1.8	428.7	3.7	30	<0.1	0.3	0.3	56	0.65	0.235
944833	Rock		1.72	4.3	>10000	4.9	21	3.7	5.7	8.7	229	2.19	2.7	725.1	4.6	45	0.3	1.1	0.7	66	1.34	0.300
944834	Rock		1.51	4.9	>10000	3.5	19	2.5	5.1	8.8	295	2.31	3.1	744.3	5.3	58	0.4	1.2	0.6	51	1.79	0.281
944835	Rock		1.54	4.9	7492	1.6	14	0.8	5.0	26.9	174	2.86	2.3	236.8	3.5	39	<0.1	0.9	0.1	61	1.09	0.204
944836	Rock		2.09	2.6	>10000	5.3	16	2.6	4.3	11.9	210	2.30	3.7	418.5	3.4	54	0.3	1.7	0.5	37	1.68	0.183
944837	Rock		2.04	4.1	>10000	4.5	21	4.1	4.4	8.7	322	3.20	3.8	681.7	5.1	87	0.3	1.3	2.8	42	3.00	0.342
944838	Rock		1.78	1.8	8245	2.6	67	1.8	22.4	27.2	1164	5.10	6.1	254.7	1.5	135	<0.1	0.4	0.4	194	4.57	0.151
944839	Rock		1.73	3.6	>10000	3.1	50	2.3	17.4	27.2	830	4.66	4.8	419.9	2.2	126	0.1	0.5	0.4	187	3.74	0.154
944840	Rock		1.76	4.2	7530	3.3	41	1.7	12.4	14.6	457	4.56	1.5	182.9	3.9	77	0.1	0.2	0.2	199	1.51	0.187
944841	Rock		1.89	3.9	>10000	3.5	37	2.2	11.5	12.9	428	4.45	1.4	244.3	3.5	81	0.1	0.3	0.2	187	1.72	0.174
944842	Rock		1.93	4.7	3411	3.0	33	0.7	16.2	18.9	479	5.05	2.9	183.6	3.8	117	<0.1	0.2	0.1	227	2.39	0.222
944843	Rock		1.70	5.6	1116	2.6	42	0.4	7.7	16.2	523	4.06	2.0	70.0	3.5	77	<0.1	0.1	<0.1	162	2.25	0.210
944844	Rock		2.00	10.3	1750	2.5	31	0.5	6.7	15.9	480	3.23	1.0	100.2	3.2	91	<0.1	0.2	<0.1	126	2.99	0.182
944845	Rock		2.09	8.8	1651	2.3	29	0.5	6.8	16.3	439	3.16	1.5	97.4	3.5	93	<0.1	0.2	<0.1	129	2.96	0.202
944846	Rock		1.73	6.4	2885	2.0	37	0.8	11.2	27.6	439	4.06	2.9	86.3	2.8	57	<0.1	0.1	0.1	142	1.67	0.186
944847	Rock		2.48	8.2	1302	1.7	25	0.5	10.0	11.5	393	2.42	<0.5	41.3	2.6	55	<0.1	0.1	0.1	136	2.04	0.111
944848	Rock		1.45	7.0	2390	2.6	38	0.7	9.9	18.7	610	3.45	3.6	76.2	2.7	75	<0.1	0.1	0.2	146	2.76	0.121
944849	Rock		1.75	7.0	8631	3.6	41	2.6	9.6	19.3	506	3.30	8.2	384.4	2.6	65	<0.1	0.4	0.3	108	2.30	0.142
944850	Rock		1.82	7.0	4621	3.1	54	1.3	9.1	24.2	673	3.80	5.0	327.2	2.4	73	<0.1	0.2	0.2	135	2.83	0.136
944851	Rock		1.55	4.6	5433	3.9	64	1.5	11.3	23.0	783	3.91	2.9	241.3	2.4	81	<0.1	0.3	0.2	161	3.31	0.142
944852	Rock		2.36	0.6	411.7	6.6	115	0.4	4.6	30.6	1383	6.60	4.3	44.3	2.3	60	<0.1	0.1	0.1	289	1.39	0.185

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944823	Rock	11	3	2.23	79	0.008	3	2.17	0.027	0.06	<0.1	0.03	5.3	<0.1	2.71	8	1.5	<0.2	N.A.	N.A.
944824	Rock	9	2	2.04	98	0.008	3	2.03	0.027	0.06	<0.1	0.02	4.6	<0.1	2.07	8	0.8	<0.2	N.A.	N.A.
944825	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
944826	Rock	19	26	3.21	77	0.013	10	2.57	0.024	0.15	<0.1	0.04	10.4	<0.1	2.38	11	6.3	0.9	N.A.	1.268
944827	Rock	10	113	3.42	145	0.025	14	2.82	0.013	0.33	<0.1	0.04	22.0	<0.1	0.51	9	1.5	0.2	N.A.	0.357
944828	Rock	10	17	1.94	56	0.005	10	1.21	0.031	0.27	<0.1	0.20	6.8	<0.1	2.58	4	15.0	0.9	0.995	2.883
944829	Rock	16	6	0.68	53	0.011	5	0.67	0.015	0.38	<0.1	0.31	2.0	<0.1	2.32	3	19.9	1.8	3.849	4.248
944830	Rock	23	4	1.01	75	0.008	5	0.80	0.019	0.32	<0.1	0.48	2.3	<0.1	1.97	2	31.8	5.1	N.A.	3.750
944831	Rock	21	3	0.43	53	0.008	5	0.69	0.013	0.37	<0.1	0.28	1.6	0.1	2.82	2	26.6	5.7	6.178	3.844
944832	Rock	19	10	0.59	100	0.006	7	0.70	0.018	0.22	<0.1	0.07	3.6	<0.1	1.46	3	7.6	0.8	0.485	1.248
944833	Rock	21	8	0.67	89	0.005	8	0.74	0.026	0.23	<0.1	0.10	5.1	<0.1	1.65	3	28.5	1.3	0.886	1.779
944834	Rock	19	6	0.89	93	0.003	8	0.81	0.036	0.23	0.1	0.23	4.5	<0.1	1.74	2	27.0	1.1	0.779	1.568
944835	Rock	17	3	1.05	49	0.003	6	0.87	0.035	0.19	<0.1	0.12	2.0	<0.1	2.50	3	13.0	0.4	0.302	0.834
944836	Rock	11	5	0.87	43	0.002	5	0.52	0.034	0.15	0.1	0.18	2.0	<0.1	2.01	2	21.0	1.2	0.582	1.506
944837	Rock	12	6	1.22	53	0.004	6	0.65	0.029	0.17	0.2	0.14	3.1	<0.1	2.53	2	26.1	2.3	0.709	2.284
944838	Rock	10	120	3.34	77	0.010	13	1.79	0.035	0.20	<0.1	0.04	21.1	<0.1	1.77	6	7.4	1.0	0.311	0.911
944839	Rock	11	39	2.86	71	0.004	11	1.60	0.035	0.10	<0.1	0.06	13.5	<0.1	2.11	6	14.7	0.9	0.368	1.198
944840	Rock	31	14	2.25	108	0.007	6	1.85	0.035	0.06	<0.1	0.05	12.4	<0.1	1.06	8	10.1	0.6	0.184	0.745
944841	Rock	29	13	2.18	124	0.007	7	1.64	0.034	0.07	<0.1	0.07	10.8	<0.1	1.22	7	14.6	1.0	0.282	1.104
944842	Rock	25	57	2.76	32	0.009	7	2.95	0.025	0.06	<0.1	0.04	13.2	<0.1	0.67	10	3.5	0.3	0.152	0.327
944843	Rock	30	7	1.88	86	0.005	6	1.72	0.031	0.10	<0.1	0.03	8.5	<0.1	1.04	7	2.0	0.3	N.A.	0.109
944844	Rock	25	8	1.57	83	0.004	7	1.50	0.049	0.13	<0.1	0.04	7.4	<0.1	0.75	6	2.5	0.3	0.095	0.167
944845	Rock	26	7	1.48	91	0.005	7	1.58	0.039	0.12	<0.1	0.03	7.2	0.1	0.64	6	2.5	0.2	N.A.	0.166
944846	Rock	25	10	1.78	59	0.006	7	1.79	0.039	0.09	<0.1	0.03	8.9	<0.1	1.68	7	3.9	0.5	N.A.	0.289
944847	Rock	18	16	1.61	77	0.007	8	0.99	0.060	0.11	<0.1	0.03	6.2	<0.1	1.09	5	2.5	0.4	N.A.	0.138
944848	Rock	17	15	1.95	76	0.009	8	1.24	0.069	0.13	<0.1	0.03	9.2	<0.1	1.65	5	4.2	0.6	N.A.	0.237
944849	Rock	15	17	1.58	99	0.008	7	1.11	0.038	0.18	<0.1	0.07	7.1	<0.1	1.61	5	9.4	0.6	0.445	0.919
944850	Rock	15	13	1.78	97	0.006	7	1.49	0.048	0.16	<0.1	0.04	7.5	<0.1	1.43	6	5.2	0.5	0.171	0.457
944851	Rock	13	15	2.02	121	0.009	7	1.89	0.030	0.18	<0.1	0.05	10.5	<0.1	1.25	7	5.4	0.4	0.284	0.524
944852	Rock	16	1	2.79	100	0.008	11	2.33	0.024	0.05	<0.1	0.02	9.2	<0.1	1.56	11	1.5	0.4	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
944853	Rock	3.89	0.7	311.6	8.4	80	0.6	4.0	32.9	1368	6.86	4.3	36.2	2.4	69	<0.1	0.2	0.1	276	1.64	0.188
944854	Rock	3.37	0.8	213.6	13.8	96	0.4	6.8	37.9	936	6.01	10.3	24.3	2.4	37	<0.1	0.2	0.2	212	0.87	0.191
944855	Rock	3.75	0.5	491.6	22.0	872	1.0	20.6	51.5	3003	10.29	7.7	39.0	2.3	71	3.8	0.1	0.2	317	1.77	0.185
944856	Rock	3.06	2.4	972.9	14.4	117	1.4	6.5	34.5	1203	4.77	7.2	39.2	2.4	74	0.2	0.2	0.4	167	2.54	0.202
944857	Rock	0.96	1.7	347.9	7.7	82	0.4	3.5	21.7	1055	4.78	6.0	13.0	2.4	84	0.1	0.3	0.1	202	1.84	0.199
944858	Rock	3.15	0.8	293.0	7.8	66	0.2	6.2	28.2	792	5.90	8.4	12.4	2.3	43	0.2	0.2	0.2	223	1.14	0.177
944859	Rock	3.10	0.9	185.6	7.5	43	0.1	4.0	30.2	661	5.19	4.1	12.2	2.5	68	<0.1	0.1	0.4	185	2.43	0.165
944860	Rock	3.26	0.6	218.0	6.4	91	<0.1	3.3	26.6	715	5.40	3.3	10.0	2.5	61	0.2	0.1	0.2	235	1.16	0.177
944861	Rock	3.98	0.7	302.9	5.9	102	0.1	3.3	26.4	941	5.51	3.5	16.7	2.3	59	<0.1	0.2	0.1	246	1.39	0.179
944862	Rock	3.01	0.6	240.5	8.9	103	0.1	5.0	30.9	823	5.68	4.7	13.5	2.5	77	0.1	0.2	0.3	232	1.53	0.184
944863	Rock	3.30	0.4	174.2	6.7	107	0.2	3.8	28.8	1550	5.74	4.2	8.9	2.1	88	<0.1	0.2	0.2	257	2.24	0.171
944864	Rock	4.29	0.5	212.7	5.9	114	0.2	6.2	28.5	1820	6.10	4.0	9.6	2.0	77	<0.1	0.1	0.1	262	2.20	0.163
944865	Rock	3.39	0.8	260.0	14.3	1847	0.3	4.8	30.7	1423	5.69	6.4	27.0	2.2	55	14.1	0.2	0.2	229	1.70	0.165
944866	Rock	2.97	16.7	249.2	12.5	1143	0.3	5.2	31.1	1440	5.88	7.6	27.1	2.0	79	8.0	0.2	0.3	231	2.37	0.174
944867	Rock	3.94	1.3	222.0	6.8	453	0.2	4.1	26.7	1771	5.62	6.9	16.1	2.1	48	1.7	0.1	0.2	250	1.35	0.192
944868	Rock	2.86	4.7	219.7	27.3	443	0.4	4.3	31.0	1075	5.47	8.0	21.3	2.3	77	4.1	0.2	0.2	171	2.72	0.177
944869	Rock	2.73	1.9	314.2	14.3	576	0.4	6.7	36.3	1103	6.41	15.0	157.0	1.9	56	4.9	0.3	0.5	205	1.83	0.172
944870	Rock	3.10	1.0	293.6	8.7	316	0.3	8.5	38.7	1588	6.59	9.7	35.1	2.0	55	1.9	0.1	0.5	266	1.54	0.185
944871	Rock	2.74	0.6	268.6	7.8	263	0.3	6.4	31.4	1702	7.20	9.0	23.4	2.5	61	1.2	0.2	0.2	276	1.39	0.182
944872	Rock	2.93	0.3	234.2	5.7	171	0.3	5.9	29.0	1996	6.49	6.4	12.4	2.7	64	0.2	0.1	0.3	281	1.49	0.211
944873	Rock	3.25	0.3	623.4	6.3	159	0.7	4.9	31.5	1744	6.00	7.3	20.7	2.7	46	0.2	0.1	0.3	272	1.08	0.230
944874	Rock	3.54	0.3	229.7	5.9	137	0.2	12.3	30.9	1826	5.71	4.9	8.5	1.2	149	0.2	0.2	0.1	181	1.76	0.161
944875	Rock	3.29	0.3	233.3	6.0	128	0.2	12.0	32.2	1867	5.85	5.2	12.2	1.4	168	0.2	0.2	0.2	186	2.42	0.188
944876	Rock	2.44	0.8	214.2	6.9	126	0.2	6.1	32.3	1601	5.70	6.3	10.6	1.4	232	0.3	0.2	0.1	188	2.15	0.167
944877	Rock	3.14	0.6	243.3	6.1	129	0.1	8.0	29.8	1744	6.39	6.5	11.2	1.6	117	0.2	0.2	0.2	215	1.77	0.167
944878	Rock	2.66	1.4	284.6	6.9	129	0.2	7.6	37.7	1631	5.62	7.7	14.5	1.6	104	0.2	0.2	0.2	193	2.20	0.184
944879	Rock	2.10	0.8	237.7	7.5	350	0.2	11.7	31.3	1805	6.35	9.3	17.7	1.7	123	1.5	0.2	0.1	205	2.99	0.167
944880	Rock	2.84	0.6	294.7	15.4	421	0.3	14.7	34.6	1281	5.93	10.9	22.3	1.8	80	2.9	0.5	0.2	214	2.43	0.171
944881	Rock	2.76	0.5	78.2	1.7	47	<0.1	16.6	35.4	943	7.97	4.0	6.9	0.2	113	0.2	0.3	<0.1	212	7.41	0.016
944882	Rock	3.75	1.0	290.5	3.6	42	0.2	18.8	45.2	819	8.16	5.3	14.1	0.1	80	0.3	0.5	<0.1	197	5.71	0.017



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944853	Rock	18	<1	2.84	55	0.011	8	2.28	0.029	0.08	<0.1	0.03	9.3	<0.1	2.24	11	2.7	0.7	N.A.	N.A.
944854	Rock	16	2	2.31	16	0.012	9	1.97	0.021	0.11	<0.1	0.01	7.2	<0.1	4.30	10	3.9	0.6	N.A.	N.A.
944855	Rock	16	6	4.58	40	0.008	11	3.63	0.020	0.03	<0.1	0.08	25.3	<0.1	4.12	15	2.9	0.4	N.A.	N.A.
944856	Rock	14	3	2.49	66	0.008	8	1.88	0.027	0.23	<0.1	0.02	7.9	<0.1	2.40	8	3.9	0.8	N.A.	N.A.
944857	Rock	13	<1	2.33	119	0.010	7	2.23	0.025	0.14	<0.1	0.01	6.0	<0.1	1.01	9	1.7	0.3	N.A.	N.A.
944858	Rock	15	2	2.80	65	0.015	6	2.39	0.030	0.14	<0.1	0.02	9.3	<0.1	2.44	10	2.8	0.5	N.A.	N.A.
944859	Rock	19	<1	2.31	58	0.011	6	1.64	0.028	0.16	<0.1	0.02	8.4	<0.1	2.62	7	4.4	0.3	N.A.	N.A.
944860	Rock	14	<1	2.59	75	0.016	4	2.34	0.032	0.09	<0.1	0.02	7.1	<0.1	0.93	10	2.0	0.2	N.A.	N.A.
944861	Rock	14	<1	2.49	86	0.013	6	2.23	0.025	0.09	<0.1	0.01	7.8	<0.1	0.64	10	1.3	<0.2	N.A.	N.A.
944862	Rock	14	<1	2.59	95	0.017	7	2.31	0.029	0.13	<0.1	0.01	8.4	<0.1	1.76	10	3.5	0.2	N.A.	N.A.
944863	Rock	11	<1	2.94	169	0.013	5	2.80	0.016	0.07	<0.1	0.01	7.7	<0.1	0.75	11	1.2	<0.2	N.A.	N.A.
944864	Rock	12	2	3.22	144	0.014	6	2.60	0.027	0.08	<0.1	0.02	11.7	<0.1	1.12	11	1.4	0.2	N.A.	N.A.
944865	Rock	14	<1	2.93	57	0.012	8	2.21	0.030	0.08	<0.1	0.18	8.4	<0.1	2.60	10	2.9	0.4	N.A.	N.A.
944866	Rock	15	1	2.88	55	0.011	6	2.13	0.032	0.10	<0.1	0.12	8.7	<0.1	2.46	10	4.2	0.5	N.A.	N.A.
944867	Rock	14	<1	2.81	80	0.010	7	2.36	0.023	0.06	<0.1	0.03	7.0	<0.1	1.68	11	2.0	0.2	N.A.	N.A.
944868	Rock	16	1	2.37	29	0.010	6	1.50	0.025	0.15	<0.1	0.07	6.7	<0.1	3.59	7	3.9	0.5	N.A.	N.A.
944869	Rock	13	2	2.43	25	0.012	8	1.81	0.031	0.13	<0.1	0.12	10.5	<0.1	3.95	9	5.4	0.6	0.206	N.A.
944870	Rock	15	2	3.26	55	0.010	9	2.46	0.022	0.06	<0.1	0.06	14.2	<0.1	2.51	11	3.3	0.5	N.A.	N.A.
944871	Rock	13	2	3.23	56	0.010	7	2.63	0.029	0.06	<0.1	0.02	11.3	<0.1	2.20	12	1.8	0.3	N.A.	N.A.
944872	Rock	14	2	3.60	117	0.009	6	2.85	0.021	0.04	<0.1	0.01	10.4	<0.1	1.24	13	1.1	<0.2	N.A.	N.A.
944873	Rock	14	2	3.47	77	0.012	7	2.82	0.023	0.05	<0.1	0.02	7.9	<0.1	1.71	14	2.6	0.4	N.A.	N.A.
944874	Rock	5	5	2.85	109	0.097	8	2.16	0.020	0.05	<0.1	0.01	8.0	<0.1	1.07	8	1.0	0.2	N.A.	N.A.
944875	Rock	5	5	3.01	74	0.068	6	2.27	0.019	0.06	<0.1	<0.01	8.3	<0.1	1.43	9	2.1	0.4	N.A.	N.A.
944876	Rock	6	3	2.81	90	0.046	7	2.21	0.024	0.05	<0.1	<0.01	8.6	<0.1	1.48	9	1.3	0.2	N.A.	N.A.
944877	Rock	7	1	3.40	104	0.022	6	2.64	0.020	0.11	<0.1	0.02	9.9	<0.1	1.37	11	1.5	0.4	N.A.	N.A.
944878	Rock	11	2	3.09	77	0.013	6	2.35	0.036	0.09	<0.1	0.02	11.6	<0.1	1.88	9	1.5	0.4	N.A.	N.A.
944879	Rock	12	4	3.50	98	0.013	7	2.31	0.031	0.14	<0.1	0.10	16.5	<0.1	1.55	9	1.2	0.4	N.A.	N.A.
944880	Rock	14	3	3.55	54	0.018	8	2.38	0.044	0.19	<0.1	0.18	13.4	<0.1	2.88	10	3.2	0.6	N.A.	N.A.
944881	Rock	2	1	3.27	111	0.198	4	2.53	0.007	0.01	<0.1	0.01	7.2	<0.1	0.24	12	<0.5	<0.2	N.A.	N.A.
944882	Rock	2	1	3.13	90	0.165	4	2.39	0.011	<0.01	<0.1	0.07	10.0	<0.1	1.11	11	2.0	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944883	Rock	4.39	0.3	279.4	4.1	32	0.2	15.9	45.3	598	7.48	5.7	25.7	0.1	73	0.3	0.6	<0.1	154	5.34	0.017
944884	Rock	3.44	0.2	117.4	2.4	28	<0.1	15.2	40.6	580	7.42	3.7	15.5	<0.1	98	0.2	0.5	<0.1	158	5.47	0.013
944885	Rock	3.62	0.7	251.7	3.4	36	0.1	14.7	35.9	620	6.53	3.2	20.1	0.3	82	0.2	0.5	<0.1	165	4.57	0.056
944886	Rock	2.20	0.5	86.1	3.8	38	0.1	14.5	38.3	790	6.85	4.2	18.1	0.4	126	0.2	0.5	<0.1	187	6.61	0.067
944887	Rock	2.71	0.1	77.5	4.0	42	0.2	20.4	50.3	991	9.29	5.0	15.8	0.1	151	0.4	0.5	<0.1	222	8.71	0.017
944888	Rock	2.71	0.3	125.8	5.0	48	0.2	20.3	49.9	980	9.51	5.3	18.9	0.1	173	0.4	0.5	0.2	249	8.44	0.013
944889	Rock	2.65	2.8	585.5	2.6	59	0.2	15.0	43.4	989	6.85	4.1	8.1	0.3	127	0.2	0.3	0.2	224	7.15	0.042
944890	Rock	3.25	1.1	385.0	4.8	73	0.3	13.6	34.7	993	6.59	8.5	14.7	0.6	105	0.2	0.6	0.2	213	5.04	0.086
944891	Rock	3.50	4.6	259.3	3.6	17	0.3	11.8	28.4	208	4.61	8.8	23.0	1.6	39	<0.1	0.5	0.5	79	2.33	0.185
944892	Rock	3.04	5.2	331.8	5.4	35	0.3	14.6	41.2	358	5.59	28.2	27.9	1.4	94	<0.1	0.7	0.6	118	1.98	0.197
944893	Rock	3.55	5.2	405.6	4.8	38	0.3	13.6	42.3	372	5.88	28.5	34.5	1.5	35	<0.1	0.4	0.6	161	1.48	0.204
944894	Rock	1.91	6.2	321.0	5.7	31	0.3	23.9	39.7	421	7.02	13.1	25.8	1.7	44	<0.1	0.3	0.6	175	2.53	0.169
944895	Rock	1.91	4.8	589.3	2.8	38	0.1	25.1	36.2	1149	7.30	6.0	12.4	2.1	107	<0.1	0.1	0.5	252	2.05	0.172
944896	Rock	3.40	2.7	392.9	2.4	38	0.1	27.2	45.6	1205	7.28	4.2	10.7	2.0	366	<0.1	0.2	0.3	270	3.01	0.165
944897	Rock	1.66	2.8	343.4	1.6	35	<0.1	24.8	33.5	1057	6.61	4.2	10.2	1.7	432	<0.1	<0.1	0.3	249	4.10	0.150
944898	Rock	2.14	3.4	276.7	1.9	37	<0.1	24.3	31.9	1230	6.42	3.6	6.1	1.4	434	<0.1	<0.1	0.2	247	5.54	0.131
944899	Rock	3.34	2.8	452.0	1.2	29	<0.1	20.7	26.4	1062	5.98	2.9	8.9	1.1	343	<0.1	<0.1	0.2	218	5.88	0.122
944900	Rock	3.02	4.0	359.1	2.1	22	0.1	21.8	31.1	641	5.91	3.6	13.1	1.2	500	<0.1	0.1	0.4	223	5.34	0.128
944901	Rock	3.29	2.9	328.5	1.7	21	<0.1	20.9	29.4	639	5.85	3.4	13.2	1.5	335	<0.1	0.1	0.3	219	5.26	0.125
944902	Rock	2.62	4.3	568.4	2.3	22	0.1	20.6	28.1	496	6.26	3.7	11.3	1.1	484	<0.1	0.3	0.2	255	4.60	0.135
944903	Rock	3.54	2.4	293.1	1.1	35	<0.1	15.5	27.5	1072	6.37	4.0	5.6	1.1	402	<0.1	0.1	<0.1	255	3.92	0.148
944904	Rock	2.77	4.0	304.4	1.3	29	0.1	17.4	20.7	860	4.72	3.0	5.5	0.8	595	<0.1	0.2	<0.1	202	6.39	0.101
944905	Rock	3.08	3.0	306.5	1.2	29	<0.1	20.3	23.9	1003	5.07	2.7	6.5	0.8	417	<0.1	0.1	0.1	208	5.40	0.111
944906	Rock	1.82	5.7	480.3	1.6	16	0.1	17.2	26.6	496	4.50	3.8	12.8	1.1	573	<0.1	0.2	0.2	187	6.35	0.115
944907	Rock	3.03	6.9	1212	2.3	16	0.3	22.9	32.3	555	5.16	12.7	30.3	1.1	551	<0.1	0.2	0.4	225	6.34	0.138
944908	Rock	2.45	2.6	540.6	1.2	11	<0.1	11.8	23.2	236	4.67	4.5	24.2	1.4	584	<0.1	0.1	0.2	144	6.57	0.132
944909	Rock	3.11	11.5	105.5	1.0	3	<0.1	6.5	16.1	51	2.39	3.4	11.8	0.8	684	<0.1	<0.1	0.1	22	9.02	0.089
944910	Rock	2.80	1.9	375.9	2.6	9	<0.1	7.8	18.6	151	3.56	4.2	13.5	1.8	520	<0.1	0.1	0.2	93	8.86	0.107
944911	Rock	2.63	1.2	492.1	2.9	29	0.1	12.0	28.4	411	7.10	10.5	16.9	1.4	238	<0.1	0.1	0.4	310	3.32	0.159
944912	Rock	2.49	0.7	743.1	3.3	25	0.2	13.7	29.9	401	7.24	13.7	21.4	1.3	254	<0.1	0.2	0.5	284	4.11	0.170

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
944883	Rock	1	3	2.69	56	0.160	3	1.87	0.020	<0.01	<0.1	0.08	6.7	<0.1	1.83	10	2.1	0.3	N.A.	N.A.
944884	Rock	<1	3	2.61	30	0.181	4	1.89	0.023	0.01	<0.1	0.06	4.3	<0.1	1.24	9	1.3	0.2	N.A.	N.A.
944885	Rock	2	2	2.58	15	0.137	4	1.80	0.024	<0.01	0.1	0.07	4.8	<0.1	2.26	9	0.8	<0.2	N.A.	N.A.
944886	Rock	3	2	2.66	28	0.146	3	1.89	0.026	<0.01	<0.1	0.06	8.1	<0.1	2.37	9	<0.5	<0.2	N.A.	N.A.
944887	Rock	2	3	3.54	11	0.168	5	2.54	0.016	<0.01	<0.1	0.07	13.8	<0.1	1.66	12	0.8	<0.2	N.A.	N.A.
944888	Rock	2	2	4.27	68	0.120	10	2.49	0.022	<0.01	<0.1	0.07	23.9	<0.1	3.01	12	2.8	0.5	N.A.	N.A.
944889	Rock	3	1	5.27	64	0.005	14	2.02	0.038	<0.01	<0.1	0.06	24.6	<0.1	2.01	7	3.0	0.3	N.A.	N.A.
944890	Rock	5	7	3.32	88	0.003	16	1.43	0.054	0.08	<0.1	0.13	18.4	<0.1	1.77	6	2.0	0.3	N.A.	N.A.
944891	Rock	3	9	1.92	29	0.002	6	1.11	0.022	0.12	<0.1	0.57	4.4	<0.1	4.44	4	7.9	2.4	N.A.	N.A.
944892	Rock	9	7	1.89	27	0.002	7	1.44	0.034	0.16	<0.1	0.47	8.0	<0.1	4.94	5	8.3	1.6	N.A.	N.A.
944893	Rock	11	4	2.57	29	0.002	6	1.80	0.026	0.10	<0.1	0.51	9.7	<0.1	5.29	7	9.2	1.2	N.A.	N.A.
944894	Rock	12	37	2.97	24	0.002	9	1.89	0.032	0.09	<0.1	0.31	13.3	<0.1	6.37	7	9.3	1.0	N.A.	N.A.
944895	Rock	17	53	3.65	102	0.023	9	2.78	0.028	0.26	<0.1	0.16	22.7	0.1	1.80	10	3.2	0.6	N.A.	N.A.
944896	Rock	18	58	4.30	142	0.024	5	3.80	0.018	0.20	<0.1	0.13	23.4	<0.1	1.48	13	2.0	0.3	N.A.	N.A.
944897	Rock	16	51	3.73	92	0.021	4	3.45	0.007	0.20	<0.1	0.13	20.2	<0.1	2.90	12	2.1	0.4	N.A.	N.A.
944898	Rock	12	55	3.68	67	0.043	2	3.39	0.012	0.22	<0.1	0.05	17.4	<0.1	3.98	12	1.7	0.2	N.A.	N.A.
944899	Rock	9	49	3.32	54	0.060	1	3.15	0.005	0.11	<0.1	0.06	15.1	<0.1	4.22	11	1.4	<0.2	N.A.	N.A.
944900	Rock	12	52	3.24	49	0.024	1	3.05	0.011	0.09	<0.1	0.11	15.0	<0.1	5.21	11	2.4	0.4	N.A.	N.A.
944901	Rock	12	46	3.13	52	0.024	2	2.84	0.008	0.19	<0.1	0.09	13.7	<0.1	4.73	11	1.4	0.2	N.A.	N.A.
944902	Rock	6	50	3.32	78	0.145	2	2.89	0.012	0.27	0.2	0.08	13.0	<0.1	4.46	11	1.7	<0.2	N.A.	N.A.
944903	Rock	5	22	3.55	81	0.123	3	3.31	0.006	0.18	0.2	0.03	13.2	<0.1	2.66	12	0.8	<0.2	N.A.	N.A.
944904	Rock	6	46	2.64	41	0.145	2	2.26	0.007	0.55	0.3	0.04	10.1	0.2	5.26	9	1.4	0.2	N.A.	N.A.
944905	Rock	6	50	3.08	51	0.150	2	2.63	0.008	0.67	0.3	0.05	12.8	0.2	4.08	10	1.1	<0.2	N.A.	N.A.
944906	Rock	8	34	2.66	43	0.113	1	2.20	0.008	0.52	0.3	0.15	11.3	0.2	6.77	9	3.4	0.4	N.A.	N.A.
944907	Rock	9	52	3.23	47	0.105	2	2.82	0.009	0.68	0.2	0.28	15.1	0.2	6.66	10	4.2	0.6	N.A.	0.122
944908	Rock	9	20	2.19	43	0.055	1	2.10	0.008	0.12	0.1	0.19	6.0	<0.1	6.74	8	2.5	0.6	N.A.	N.A.
944909	Rock	6	3	0.35	38	0.003	1	0.39	0.004	0.12	<0.1	0.24	1.3	<0.1	>10	1	3.6	0.9	N.A.	N.A.
944910	Rock	15	4	1.42	35	0.004	2	1.61	0.007	0.11	<0.1	0.13	2.8	<0.1	8.60	5	1.8	0.4	N.A.	N.A.
944911	Rock	15	6	3.96	42	0.008	3	3.82	0.011	0.03	<0.1	0.16	11.0	<0.1	4.41	15	3.4	1.0	N.A.	N.A.
944912	Rock	12	10	3.85	35	0.027	2	3.61	0.011	0.03	<0.1	0.11	11.6	<0.1	5.43	14	3.6	1.4	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944913	Rock	2.94	0.4	258.3	0.9	26	<0.1	9.6	15.8	413	6.42	4.7	11.4	1.5	187	<0.1	<0.1	0.1	349	2.98	0.202
944914	Rock	3.01	2.2	862.3	4.2	25	0.3	8.5	36.5	339	6.69	24.0	32.0	1.3	167	<0.1	0.2	0.5	184	3.31	0.167
944915	Rock	2.22	4.1	214.9	1.7	7	<0.1	9.6	22.3	108	3.05	5.5	13.7	1.3	514	<0.1	0.1	0.3	68	7.08	0.155
944916	Rock	1.93	4.1	441.4	1.0	36	0.1	20.0	26.7	782	6.72	3.1	13.5	2.5	45	<0.1	0.1	<0.1	225	1.00	0.212
944917	Rock	2.08	4.9	655.5	2.9	18	0.1	16.9	43.8	424	5.88	9.9	44.9	2.3	29	<0.1	0.2	0.5	130	0.87	0.206
944918	Rock	2.64	1.2	268.2	2.6	25	<0.1	13.9	33.0	695	5.78	11.4	21.9	2.1	33	<0.1	0.2	0.3	147	1.04	0.198
944919	Rock	2.81	2.3	310.2	2.9	13	<0.1	9.0	28.1	299	4.49	15.3	26.9	2.1	54	<0.1	0.1	0.3	86	2.30	0.210
944920	Rock	2.08	26.8	448.8	2.5	21	<0.1	18.3	36.0	374	7.30	9.3	22.5	2.7	36	<0.1	0.2	0.3	244	1.44	0.265
944921	Rock	2.32	6.1	390.8	1.8	9	<0.1	11.8	26.8	253	4.12	13.9	19.6	2.6	44	<0.1	0.1	0.2	103	2.38	0.213
944922	Rock	2.31	1.8	275.7	2.1	21	<0.1	5.3	29.7	371	4.79	13.2	18.0	2.8	22	<0.1	0.1	0.2	147	0.75	0.206
944923	Rock	2.33	0.8	264.8	1.7	25	<0.1	5.2	25.0	510	4.67	12.5	12.6	2.9	36	<0.1	<0.1	0.2	164	1.07	0.223
944924	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
944925	Rock	3.02	3.6	231.0	0.9	33	<0.1	8.8	28.1	828	5.85	3.7	31.8	2.3	174	<0.1	<0.1	0.1	197	3.54	0.182
944926	Rock	3.17	4.4	196.1	1.6	26	<0.1	7.0	28.2	506	5.48	3.8	8.5	2.4	73	<0.1	<0.1	0.1	174	1.27	0.209
944927	Rock	1.34	1.8	182.7	1.4	23	<0.1	3.4	24.8	485	4.77	4.1	8.4	2.2	63	<0.1	0.1	<0.1	146	1.09	0.221
944928	Rock	2.72	2.7	231.1	1.5	21	<0.1	4.9	26.2	455	4.66	4.6	10.3	1.8	171	<0.1	<0.1	0.1	172	2.22	0.184
944929	Rock	3.21	4.0	285.4	1.0	32	<0.1	8.9	32.8	549	6.47	3.7	7.0	1.7	381	<0.1	<0.1	<0.1	217	3.37	0.186
944930	Rock	2.74	3.5	324.2	1.1	25	<0.1	10.6	30.5	620	6.63	3.6	10.9	2.1	383	<0.1	<0.1	<0.1	218	3.39	0.285
944931	Rock	2.31	2.8	209.8	0.9	12	<0.1	13.7	33.1	303	7.81	2.8	9.6	1.9	421	<0.1	<0.1	0.1	262	4.54	0.265
944932	Rock	1.64	1.5	204.0	1.6	11	<0.1	13.2	32.5	257	7.77	2.8	9.1	1.6	512	<0.1	<0.1	0.1	238	4.83	0.232
944933	Rock	1.49	2.8	238.5	1.6	16	<0.1	13.6	30.7	239	6.82	4.2	17.9	1.6	499	<0.1	<0.1	0.2	196	5.04	0.201
944934	Rock	3.13	1.9	372.3	1.0	12	<0.1	13.5	27.0	265	7.02	3.5	10.0	1.7	505	<0.1	<0.1	<0.1	230	4.51	0.225
944935	Rock	2.96	3.8	199.4	0.9	14	<0.1	12.2	30.4	254	5.59	2.7	8.6	1.5	526	<0.1	<0.1	0.1	208	4.64	0.217
944936	Rock	3.31	3.6	414.1	1.0	15	<0.1	14.1	36.2	284	6.64	3.5	18.6	1.7	451	<0.1	<0.1	0.2	254	4.24	0.227
944937	Rock	3.01	2.6	312.2	1.1	24	<0.1	30.9	34.2	346	5.35	3.6	16.9	1.8	495	<0.1	<0.1	<0.1	168	4.86	0.228
944938	Rock	2.25	5.5	436.7	3.1	17	<0.1	13.4	33.1	194	5.02	3.5	26.0	1.5	504	<0.1	0.1	0.2	182	4.85	0.186
944939	Rock	1.54	6.9	315.7	2.3	27	<0.1	16.9	28.4	399	4.64	4.0	23.2	1.8	611	<0.1	0.1	0.1	185	5.50	0.223
944940	Rock	0.44	3.5	305.0	1.3	39	<0.1	12.8	29.1	586	6.47	2.6	22.2	1.8	466	<0.1	0.1	<0.1	311	4.92	0.228
944941	Rock	1.99	3.3	368.9	1.0	50	0.1	13.9	34.0	760	7.46	2.3	22.4	1.5	402	<0.1	<0.1	<0.1	355	4.28	0.225
944942	Rock	3.29	4.8	332.3	1.7	58	<0.1	11.8	26.9	937	6.09	2.6	30.9	1.4	534	<0.1	<0.1	<0.1	315	5.76	0.226

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.01	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
944913	Rock	11	2	3.93	44	0.048	1	3.70	0.013	0.02	<0.1	0.08	10.0	<0.1	2.93	16	2.0	0.5	N.A.	N.A.
944914	Rock	7	5	2.87	34	0.030	2	2.46	0.018	0.06	0.3	0.24	6.3	<0.1	6.60	10	7.2	1.4	N.A.	N.A.
944915	Rock	8	8	0.95	81	0.011	2	0.97	0.009	0.15	<0.1	0.14	3.4	<0.1	7.90	3	4.3	1.3	N.A.	N.A.
944916	Rock	21	44	2.23	298	0.005	10	1.29	0.032	0.09	<0.1	0.06	13.0	<0.1	0.24	5	5.1	<0.2	N.A.	N.A.
944917	Rock	16	27	1.76	39	0.005	13	1.17	0.024	0.19	<0.1	0.35	8.5	<0.1	3.25	4	5.7	1.4	N.A.	N.A.
944918	Rock	14	10	2.37	53	0.003	9	1.60	0.033	0.12	<0.1	0.26	12.6	<0.1	2.36	5	3.2	1.0	N.A.	N.A.
944919	Rock	17	2	1.79	40	0.004	9	0.91	0.029	0.20	<0.1	0.67	4.3	<0.1	3.25	3	5.7	1.7	N.A.	N.A.
944920	Rock	21	37	1.91	61	0.007	13	1.33	0.030	0.16	<0.1	0.22	8.2	<0.1	1.84	5	3.7	0.9	N.A.	N.A.
944921	Rock	21	24	1.23	93	0.003	11	1.04	0.031	0.28	<0.1	0.17	6.0	<0.1	1.62	3	2.5	0.6	N.A.	N.A.
944922	Rock	18	3	1.45	67	0.006	11	1.31	0.028	0.10	<0.1	0.15	4.3	<0.1	2.15	6	2.5	0.5	N.A.	N.A.
944923	Rock	23	2	1.92	83	0.006	13	1.72	0.042	0.10	<0.1	0.11	5.1	<0.1	1.86	8	2.1	<0.2	N.A.	N.A.
944924	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
944925	Rock	22	9	2.51	293	0.012	5	2.43	0.021	0.09	<0.1	0.05	10.1	<0.1	0.44	11	0.7	<0.2	N.A.	N.A.
944926	Rock	16	8	2.34	86	0.068	2	2.25	0.028	0.20	<0.1	0.09	5.0	<0.1	2.00	10	4.4	<0.2	N.A.	N.A.
944927	Rock	10	4	2.07	88	0.095	3	2.09	0.029	0.22	0.2	0.07	3.3	<0.1	2.11	9	2.9	<0.2	N.A.	N.A.
944928	Rock	9	5	1.98	66	0.096	2	1.92	0.026	0.13	0.2	0.10	3.9	<0.1	2.57	9	2.0	<0.2	N.A.	N.A.
944929	Rock	10	9	2.57	76	0.166	3	2.39	0.017	0.11	0.4	0.04	6.1	<0.1	2.76	11	0.9	<0.2	N.A.	N.A.
944930	Rock	13	13	2.18	77	0.095	3	2.06	0.016	0.26	0.2	0.05	5.8	<0.1	2.99	9	1.5	0.2	N.A.	N.A.
944931	Rock	11	15	2.05	53	0.119	2	1.93	0.011	0.66	0.2	0.04	5.5	0.1	4.42	7	2.8	0.2	N.A.	N.A.
944932	Rock	11	20	2.06	54	0.121	3	2.04	0.013	0.51	0.2	0.05	6.1	<0.1	4.72	7	2.0	0.2	N.A.	N.A.
944933	Rock	10	19	1.89	47	0.087	2	1.98	0.012	0.29	0.1	0.06	5.8	<0.1	5.56	7	2.6	0.3	N.A.	N.A.
944934	Rock	11	19	2.26	54	0.111	3	2.24	0.016	0.41	0.2	0.04	6.2	<0.1	4.16	8	1.0	0.3	N.A.	N.A.
944935	Rock	12	16	1.98	47	0.120	2	1.88	0.014	0.54	0.3	0.04	6.8	<0.1	4.78	7	2.4	<0.2	N.A.	N.A.
944936	Rock	15	23	2.37	53	0.126	2	2.15	0.016	0.95	0.3	0.04	8.2	0.2	4.35	8	4.2	0.2	N.A.	N.A.
944937	Rock	18	33	2.13	68	0.065	6	2.20	0.036	0.45	<0.1	0.04	6.4	<0.1	3.96	7	2.2	<0.2	N.A.	N.A.
944938	Rock	14	13	1.76	49	0.105	2	1.77	0.017	0.49	0.2	0.06	6.6	<0.1	5.68	7	4.1	0.4	N.A.	N.A.
944939	Rock	20	18	1.81	51	0.060	5	1.92	0.023	0.50	0.1	0.05	6.9	<0.1	4.76	8	2.4	0.3	N.A.	N.A.
944940	Rock	16	17	2.84	73	0.142	2	2.57	0.016	1.38	0.2	0.01	12.8	0.3	3.86	10	0.7	<0.2	N.A.	N.A.
944941	Rock	13	16	3.28	74	0.175	2	2.84	0.014	1.61	0.2	0.01	14.0	0.4	3.20	11	<0.5	<0.2	N.A.	N.A.
944942	Rock	14	18	2.44	66	0.194	2	2.10	0.014	1.09	0.4	0.01	10.4	0.2	3.81	8	0.6	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001002.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
944943	Rock	2.49	4.7	455.7	1.5	48	0.1	12.6	28.1	624	6.19	2.3	34.3	1.7	446	<0.1	0.6	<0.1	367	4.81	0.197
944944	Rock	2.24	4.7	609.6	11.1	73	0.5	12.3	33.2	373	5.32	8.2	63.9	1.9	387	0.3	0.2	0.2	216	5.08	0.250
944946	Rock	3.35	3.6	822.3	3.0	21	0.3	14.1	37.5	400	5.61	9.5	54.9	2.8	300	<0.1	<0.1	0.3	342	4.37	0.335
944947	Rock	3.35	2.6	1038	2.1	45	0.3	11.0	32.0	753	6.28	5.4	50.1	1.8	276	<0.1	<0.1	0.3	231	4.24	0.162
944948	Rock	2.47	2.5	863.6	1.2	31	0.2	11.3	26.3	803	4.86	2.3	21.7	1.2	300	<0.1	<0.1	<0.1	181	3.97	0.140
944949	Rock	2.83	2.6	1246	1.1	36	0.3	12.4	28.7	875	5.79	2.4	38.9	1.1	259	<0.1	0.2	<0.1	211	3.46	0.146
944950	Rock	1.54	3.0	1141	0.9	34	0.2	12.0	27.6	882	6.02	2.4	27.0	1.1	254	<0.1	<0.1	<0.1	216	3.51	0.146
944945	Rock	2.46	3.9	643.7	3.8	24	0.3	14.4	31.0	366	7.06	6.0	39.4	2.8	302	0.1	0.1	0.2	346	4.36	0.342



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001002.2

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
944943	Rock	16	18	2.88	74	0.233	2	2.49	0.014	1.32	0.4	0.01	14.1	0.3	3.60	10	0.6	<0.2	N.A.	N.A.	
944944	Rock	12	13	2.09	26	0.084	2	1.73	0.017	0.21	0.1	0.14	7.7	<0.1	6.45	7	4.3	0.7	N.A.	N.A.	
944946	Rock	16	19	3.28	50	0.069	2	2.71	0.023	0.17	0.2	0.10	9.4	<0.1	4.13	11	3.8	1.1	N.A.	N.A.	
944947	Rock	14	10	2.83	67	0.032	2	2.38	0.025	0.25	<0.1	0.07	9.7	<0.1	3.08	10	3.9	0.6	N.A.	0.111	
944948	Rock	9	8	2.69	81	0.107	2	2.30	0.026	1.08	<0.1	0.02	7.3	0.2	2.02	8	2.3	0.2	N.A.	N.A.	
944949	Rock	9	12	3.05	120	0.167	2	2.56	0.022	1.07	0.2	0.01	7.1	0.3	1.57	10	1.8	<0.2	N.A.	0.131	
944950	Rock	8	12	2.93	111	0.167	2	2.44	0.024	1.07	0.2	0.02	7.2	0.2	1.62	9	2.4	<0.2	N.A.	0.125	
944945	Rock	21	19	2.78	47	0.067	1	2.35	0.013	0.24	0.3	0.06	7.7	<0.1	3.71	10	2.7	0.3	N.A.	N.A.	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: March 31, 2011

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN11001002.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
944781	Rock	1.73	0.6	52.5	1.3	47	<0.1	90.9	28.5	1393	4.35	3.1	0.8	0.6	453	0.1	0.2	<0.1	102	7.43	0.069
REP 944781	QC		0.6	51.6	1.4	46	<0.1	85.3	26.6	1336	4.16	3.0	<0.5	0.5	438	<0.1	0.2	<0.1	98	7.07	0.067
944798	Rock	1.47	2.0	1509	1.9	35	0.4	12.2	30.8	685	5.15	2.0	93.6	4.2	159	0.1	0.2	<0.1	221	3.45	0.543
REP 944798	QC		2.3	1523	1.8	35	0.4	12.0	30.9	687	5.24	1.3	101.8	4.0	144	<0.1	0.2	<0.1	219	3.51	0.562
944819	Rock	1.57	2.1	671.7	1.5	27	0.3	3.0	16.2	516	3.28	3.0	110.8	1.8	315	<0.1	<0.1	0.2	113	5.00	0.151
REP 944819	QC																				
944826	Rock	1.32	2.6	>10000	2.6	76	1.2	16.3	31.0	702	5.10	5.8	98.9	2.1	30	0.2	0.2	0.4	208	0.92	0.190
REP 944826	QC		2.8	>10000	2.5	76	1.2	17.2	30.3	708	5.21	6.0	89.5	2.1	30	0.1	0.1	0.4	212	0.95	0.188
944844	Rock	2.00	10.3	1750	2.5	31	0.5	6.7	15.9	480	3.23	1.0	100.2	3.2	91	<0.1	0.2	<0.1	126	2.99	0.182
REP 944844	QC																				
944849	Rock	1.75	7.0	8631	3.6	41	2.6	9.6	19.3	506	3.30	8.2	384.4	2.6	65	<0.1	0.4	0.3	108	2.30	0.142
REP 944849	QC																				
REP 944874	QC		0.3	231.3	5.9	143	0.2	12.1	31.6	1853	5.72	4.7	7.8	1.2	158	0.3	0.2	0.1	183	1.77	0.165
944887	Rock	2.71	0.1	77.5	4.0	42	0.2	20.4	50.3	991	9.29	5.0	15.8	0.1	151	0.4	0.5	<0.1	222	8.71	0.017
REP 944887	QC		0.1	74.7	3.2	40	0.2	18.4	47.6	934	8.61	4.4	16.0	0.1	142	0.4	0.5	<0.1	219	8.05	0.016
944927	Rock	1.34	1.8	182.7	1.4	23	<0.1	3.4	24.8	485	4.77	4.1	8.4	2.2	63	<0.1	0.1	<0.1	146	1.09	0.221
REP 944927	QC		1.9	180.1	1.3	22	<0.1	3.9	24.6	458	4.64	4.1	8.8	2.1	61	<0.1	0.1	<0.1	142	1.06	0.231
944947	Rock	3.35	2.6	1038	2.1	45	0.3	11.0	32.0	753	6.28	5.4	50.1	1.8	276	<0.1	<0.1	0.3	231	4.24	0.162
REP 944947	QC		2.5	1037	1.9	43	0.3	9.8	31.0	757	6.11	5.2	41.2	1.7	274	<0.1	<0.1	0.2	224	4.12	0.163
Core Reject Duplicates																					
944769	Rock	1.84	2.5	304.8	2.3	80	0.2	6.1	33.6	1173	4.45	2.6	8.8	2.2	233	0.1	0.2	<0.1	163	4.48	0.162
DUP 944769	QC		2.6	327.8	2.6	83	0.2	6.9	35.5	1205	4.69	2.6	4.4	2.4	249	<0.1	0.2	<0.1	173	4.68	0.173
944804	Rock	2.02	1.0	1643	6.5	50	0.4	10.1	28.0	760	5.72	2.4	108.7	1.4	95	<0.1	0.2	0.1	170	2.88	0.152
DUP 944804	QC		1.0	1690	5.9	49	0.4	10.1	28.7	758	5.73	2.5	119.4	1.4	98	<0.1	0.2	0.1	171	2.88	0.152
944874	Rock	3.54	0.3	229.7	5.9	137	0.2	12.3	30.9	1826	5.71	4.9	8.5	1.2	149	0.2	0.2	0.1	181	1.76	0.161
DUP 944874	QC		0.2	213.6	5.6	143	0.2	11.6	28.8	1735	5.33	4.2	7.9	1.2	147	0.3	0.2	0.1	171	1.66	0.154
944944	Rock	2.24	4.7	609.6	11.1	73	0.5	12.3	33.2	373	5.32	8.2	63.9	1.9	387	0.3	0.2	0.2	216	5.08	0.250
DUP 944944	QC		5.2	612.7	12.8	66	0.5	11.5	33.1	370	5.11	8.5	71.3	1.9	382	0.3	0.2	0.3	204	5.04	0.249

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: March 31, 2011

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001002.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Pulp Duplicates																				
944781	Rock	6	139	4.39	148	0.003	12	1.92	0.058	0.10	<0.1	0.05	13.8	<0.1	0.84	4	<0.5	<0.2	N.A.	N.A.
REP 944781	QC	6	131	4.12	137	0.003	14	1.82	0.055	0.10	<0.1	0.04	13.1	<0.1	0.81	4	<0.5	<0.2		
944798	Rock	13	7	2.54	45	0.029	8	1.80	0.024	0.03	<0.1	0.03	9.2	<0.1	0.93	6	2.1	<0.2	N.A.	0.151
REP 944798	QC	13	7	2.52	45	0.024	7	1.76	0.024	0.04	<0.1	0.04	9.4	<0.1	0.94	6	1.8	0.2		
944819	Rock	8	2	1.61	69	0.010	2	1.45	0.020	0.12	<0.1	0.06	3.4	<0.1	4.20	6	1.5	0.3	0.102	N.A.
REP 944819	QC																		0.112	
944826	Rock	19	26	3.21	77	0.013	10	2.57	0.024	0.15	<0.1	0.04	10.4	<0.1	2.38	11	6.3	0.9	N.A.	1.268
REP 944826	QC	19	26	3.18	68	0.012	8	2.46	0.024	0.15	<0.1	0.04	10.4	<0.1	2.47	11	6.5	0.7		
944844	Rock	25	8	1.57	83	0.004	7	1.50	0.049	0.13	<0.1	0.04	7.4	<0.1	0.75	6	2.5	0.3	0.095	0.167
REP 944844	QC																			0.167
944849	Rock	15	17	1.58	99	0.008	7	1.11	0.038	0.18	<0.1	0.07	7.1	<0.1	1.61	5	9.4	0.6	0.445	0.919
REP 944849	QC																			0.887
REP 944874	QC	5	5	2.86	108	0.098	7	2.24	0.020	0.05	<0.1	0.02	8.1	<0.1	1.07	9	1.3	0.3		
944887	Rock	2	3	3.54	11	0.168	5	2.54	0.016	<0.01	<0.1	0.07	13.8	<0.1	1.66	12	0.8	<0.2	N.A.	N.A.
REP 944887	QC	2	3	3.42	10	0.158	4	2.34	0.016	<0.01	<0.1	0.06	13.1	<0.1	1.65	12	0.9	0.2		
944927	Rock	10	4	2.07	88	0.095	3	2.09	0.029	0.22	0.2	0.07	3.3	<0.1	2.11	9	2.9	<0.2	N.A.	N.A.
REP 944927	QC	10	4	2.02	74	0.090	2	2.08	0.028	0.21	0.2	0.07	3.0	<0.1	2.06	9	2.8	<0.2		
944947	Rock	14	10	2.83	67	0.032	2	2.38	0.025	0.25	<0.1	0.07	9.7	<0.1	3.08	10	3.9	0.6	N.A.	0.111
REP 944947	QC	13	10	2.86	63	0.031	2	2.40	0.023	0.26	<0.1	0.08	9.8	<0.1	3.00	10	2.6	0.5		
Core Reject Duplicates																				
944769	Rock	10	7	2.38	68	0.020	5	1.83	0.021	0.02	<0.1	<0.01	10.5	<0.1	0.60	7	<0.5	<0.2	N.A.	N.A.
DUP 944769	QC	11	8	2.47	69	0.021	5	1.97	0.020	0.02	<0.1	0.02	11.1	<0.1	0.63	7	0.6	<0.2	N.A.	N.A.
944804	Rock	7	5	3.15	30	0.016	5	1.99	0.030	0.04	<0.1	0.05	10.8	<0.1	3.28	7	4.3	<0.2	0.147	0.184
DUP 944804	QC	7	5	3.18	29	0.014	5	2.04	0.036	0.04	<0.1	0.06	10.7	<0.1	3.25	8	4.1	0.3	0.134	0.185
944874	Rock	5	5	2.85	109	0.097	8	2.16	0.020	0.05	<0.1	0.01	8.0	<0.1	1.07	8	1.0	0.2	N.A.	N.A.
DUP 944874	QC	5	5	2.68	102	0.091	6	2.03	0.019	0.04	<0.1	<0.01	7.7	<0.1	1.01	8	0.6	0.3	N.A.	N.A.
944944	Rock	12	13	2.09	26	0.084	2	1.73	0.017	0.21	0.1	0.14	7.7	<0.1	6.45	7	4.3	0.7	N.A.	N.A.
DUP 944944	QC	12	13	2.06	28	0.079	2	1.68	0.014	0.20	0.2	0.11	7.3	<0.1	6.53	7	3.9	0.7	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN11001002.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																						
STD DS8	Standard		11.3	101.6	117.7	296	1.6	34.0	6.7	557	2.31	25.3	108.1	6.1	60	2.2	5.7	6.9	36	0.63	0.073	
STD DS8	Standard		13.4	120.0	124.4	317	1.7	36.7	7.3	636	2.52	27.1	112.1	7.0	66	2.4	6.1	7.4	41	0.72	0.082	
STD DS8	Standard		11.7	108.6	127.7	329	1.8	37.9	7.4	613	2.47	27.9	103.3	6.8	62	2.3	5.8	7.4	40	0.69	0.083	
STD DS8	Standard		12.0	107.2	123.9	323	1.7	37.9	7.3	610	2.49	27.3	106.2	6.5	64	2.5	5.9	7.0	39	0.70	0.083	
STD DS8	Standard		12.0	105.8	122.9	322	1.7	37.2	7.2	621	2.52	26.2	102.5	6.4	61	2.6	5.6	7.0	40	0.70	0.081	
STD DS8	Standard		12.8	111.0	128.4	326	1.8	39.2	7.5	616	2.49	27.3	109.2	6.8	62	2.2	6.0	7.2	40	0.69	0.084	
STD DS8	Standard		12.4	112.2	135.1	314	1.8	39.9	7.9	613	2.48	24.9	112.9	6.5	58	2.5	5.3	7.6	40	0.67	0.080	
STD DS8	Standard		11.3	104.4	122.2	304	1.7	36.7	7.0	593	2.36	23.9	93.3	6.0	55	2.3	5.2	7.2	36	0.63	0.072	
STD DS8	Standard		14.1	122.6	132.6	331	1.8	42.8	8.5	646	2.60	27.4	119.1	7.1	64	2.6	5.8	6.9	41	0.74	0.079	
STD DS8	Standard		12.9	115.7	119.8	308	1.7	39.7	7.9	604	2.45	25.1	112.0	7.0	62	2.2	5.0	6.4	39	0.72	0.073	
STD DS8	Standard		13.8	122.2	119.2	315	1.8	40.8	7.9	604	2.48	24.7	150.0	6.9	62	2.3	5.5	6.5	40	0.68	0.074	
STD DS8	Standard		14.0	118.3	119.6	317	1.8	40.9	7.9	616	2.50	25.1	105.4	6.8	61	2.5	5.6	6.4	40	0.72	0.076	
STD DS8	Standard		13.2	115.3	128.7	323	1.7	39.9	8.0	635	2.61	26.9	107.7	7.4	67	2.3	5.9	7.2	43	0.74	0.083	
STD DS8	Standard		13.1	110.1	119.4	301	1.6	37.0	7.3	609	2.44	25.9	90.4	6.9	65	2.2	5.4	6.7	39	0.70	0.080	
STD OXH82	Standard																					
STD OXH82	Standard																					
STD OXH82	Standard																					
STD OXK79	Standard																					
STD OXK79	Standard																					
STD OXK79	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD R4A	Standard																					
STD DS8 Expected			13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	
STD R4A Expected																						
STD OXH82 Expected																						
STD OXK79 Expected																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: March 31, 2011

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001002.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au	Cu	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Reference Materials																					
STD DS8	Standard	12	105	0.56	267	0.097	2	0.83	0.078	0.38	2.8	0.19	1.7	4.9	0.15	4	5.3	4.3			
STD DS8	Standard	15	116	0.61	294	0.113	3	0.94	0.092	0.44	2.9	0.19	2.1	5.4	0.16	5	4.8	4.8			
STD DS8	Standard	13	113	0.61	282	0.104	3	0.91	0.085	0.43	3.2	0.20	2.0	5.8	0.16	5	4.6	5.1			
STD DS8	Standard	13	112	0.60	284	0.103	2	0.90	0.088	0.41	3.1	0.18	1.9	5.6	0.16	5	5.5	5.7			
STD DS8	Standard	13	114	0.60	276	0.105	3	0.90	0.088	0.41	3.2	0.20	1.9	5.2	0.15	5	4.9	5.2			
STD DS8	Standard	13	116	0.62	287	0.110	3	0.93	0.087	0.42	3.1	0.20	2.0	5.5	0.16	5	5.6	5.6			
STD DS8	Standard	12	118	0.61	259	0.108	3	0.90	0.087	0.40	2.8	0.22	1.9	5.6	0.16	4	4.7	5.1			
STD DS8	Standard	12	107	0.57	248	0.098	2	0.87	0.079	0.37	3.0	0.20	1.6	5.2	0.15	4	3.9	5.0			
STD DS8	Standard	15	131	0.64	274	0.126	3	0.97	0.092	0.45	3.0	0.21	2.4	5.7	0.16	5	5.0	5.2			
STD DS8	Standard	16	122	0.60	261	0.127	4	0.94	0.091	0.43	2.7	0.19	2.2	5.2	0.15	5	4.6	4.8			
STD DS8	Standard	15	121	0.61	262	0.125	3	0.93	0.088	0.44	2.9	0.22	2.1	5.3	0.15	5	5.2	5.2			
STD DS8	Standard	14	124	0.62	260	0.124	3	0.93	0.088	0.45	2.7	0.19	2.2	5.1	0.16	5	5.6	4.9			
STD DS8	Standard	13	121	0.64	276	0.120	2	0.96	0.086	0.42	3.2	0.19	2.1	5.4	0.17	5	5.6	5.0			
STD DS8	Standard	12	117	0.60	256	0.123	1	0.90	0.085	0.41	3.0	0.20	2.1	5.2	0.15	5	4.6	5.4			
STD OXH82	Standard																		1.310		
STD OXH82	Standard																		1.291		
STD OXH82	Standard																		1.299		
STD OXK79	Standard																		3.591		
STD OXK79	Standard																		3.689		
STD OXK79	Standard																		3.639		
STD R4A	Standard																			0.509	
STD R4A	Standard																			0.508	
STD R4A	Standard																			0.509	
STD R4A	Standard																			0.504	
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5			
STD R4A Expected																				0.502	
STD OXH82 Expected																			1.278		
STD OXK79 Expected																			3.532		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: March 31, 2011

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN11001002.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	2.4	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	2.5	3.0	45	<0.1	3.1	4.1	542	1.83	0.6	4.8	5.3	53	<0.1	<0.1	<0.1	33	0.46	0.074
G1	Prep Blank	<0.01	<0.1	2.9	3.1	48	<0.1	3.3	4.5	566	1.91	<0.5	0.8	5.4	59	<0.1	<0.1	<0.1	34	0.48	0.073



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

Suite 718 - 744 W. Hastings St.

Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: March 31, 2011

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001002.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																			<0.001	
BLK	Blank																				<0.001
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
Prep Wash																					
G1	Prep Blank	10	13	0.53	185	0.124	2	0.91	0.066	0.46	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	
G1	Prep Blank	10	11	0.56	202	0.125	<1	1.03	0.088	0.52	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 14, 2011
Report Date: April 04, 2011
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN11001106.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 228

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	227	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	227	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	93	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	93	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G601 & 7AR-Cu included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
942801	Rock	1.77	3.8	707.1	4.2	30	0.2	11.9	20.6	440	4.50	26.0	33.0	3.0	68	<0.1	0.2	<0.1	108	2.62	0.331
942802	Rock	2.14	5.4	347.3	5.4	22	0.1	5.9	26.7	390	4.14	10.8	23.5	3.0	46	<0.1	0.2	0.2	118	2.92	0.204
942803	Rock	2.91	3.5	432.0	2.9	20	0.1	12.6	24.0	467	4.00	18.8	16.6	2.5	64	<0.1	0.2	<0.1	141	5.46	0.181
942804	Rock	3.21	5.3	471.3	4.0	12	0.1	11.3	31.5	485	2.94	63.7	18.7	2.4	165	<0.1	0.2	<0.1	112	9.90	0.170
942805	Rock	3.28	3.6	651.8	2.5	21	0.2	5.6	18.9	443	3.50	29.8	25.0	2.6	119	<0.1	0.2	<0.1	103	7.18	0.177
942806	Rock	3.20	2.2	694.4	3.9	35	0.2	6.2	26.0	505	4.73	16.2	49.9	2.5	100	<0.1	0.2	0.1	144	4.45	0.189
942807	Rock	2.12	1.8	766.0	4.5	59	0.3	11.0	24.6	537	5.22	5.4	85.3	2.6	285	<0.1	1.3	0.2	156	3.82	0.178
942808	Rock	2.29	1.7	817.4	4.3	48	0.3	6.5	24.5	643	5.06	4.7	78.8	2.4	292	<0.1	0.2	0.1	190	4.69	0.160
942809	Rock	2.58	2.5	856.2	4.0	37	0.3	6.0	21.3	459	4.59	4.7	96.1	2.5	464	0.1	0.2	0.1	161	3.91	0.172
942810	Rock	2.32	3.3	1426	4.3	45	0.4	6.0	27.5	553	4.65	6.2	92.6	2.2	298	<0.1	0.2	0.1	172	4.68	0.191
942811	Rock	2.65	4.2	584.9	3.1	26	0.2	5.7	22.1	421	3.34	4.3	45.6	2.4	390	<0.1	0.2	0.1	125	5.45	0.160
942812	Rock	2.68	3.1	430.8	2.5	36	0.2	6.5	26.3	506	4.67	3.3	52.9	1.8	470	<0.1	0.2	<0.1	173	4.24	0.162
942813	Rock	3.16	1.8	472.6	1.9	21	0.1	8.8	26.4	313	4.42	3.0	34.2	1.8	434	<0.1	0.1	<0.1	165	4.32	0.174
942814	Rock	3.11	2.4	429.7	2.1	10	<0.1	8.1	19.2	189	3.57	2.6	27.3	1.6	432	<0.1	0.1	<0.1	133	5.10	0.168
942815	Rock	3.14	2.4	474.9	1.3	12	0.1	6.7	20.2	272	4.12	2.3	22.7	1.3	435	<0.1	0.1	0.2	209	4.64	0.148
942816	Rock	2.51	1.3	198.8	0.9	12	<0.1	2.8	18.1	260	4.08	2.3	10.6	1.9	379	<0.1	<0.1	<0.1	180	4.23	0.171
942817	Rock	3.13	4.3	283.9	1.7	8	<0.1	8.8	27.5	198	3.73	2.6	18.7	2.4	477	<0.1	<0.1	<0.1	144	5.51	0.194
942818	Rock	3.09	2.4	228.4	5.0	18	<0.1	2.8	18.6	341	4.61	4.0	50.7	2.3	179	<0.1	0.2	0.1	170	4.06	0.173
942819	Rock	2.13	3.0	428.0	1.3	10	<0.1	14.3	28.0	196	7.35	5.1	30.1	2.2	486	<0.1	0.1	0.1	431	6.06	0.288
942820	Rock	2.78	3.2	294.4	0.8	5	<0.1	4.7	15.3	113	1.98	2.2	10.4	1.4	582	<0.1	0.1	<0.1	93	7.32	0.175
942821	Rock	3.22	1.4	604.9	0.7	19	0.1	18.8	39.6	337	11.31	2.9	18.2	3.5	445	<0.1	0.1	<0.1	533	5.18	0.456
942822	Rock	3.03	1.9	647.4	0.7	18	<0.1	12.1	28.5	333	7.55	2.9	27.8	1.9	475	<0.1	0.1	<0.1	351	5.53	0.228
942823	Rock	3.18	2.1	702.4	0.5	17	0.1	12.9	28.3	299	7.37	2.9	34.9	3.1	522	<0.1	<0.1	<0.1	352	5.07	0.364
942824	Rock	3.46	1.7	1248	1.5	36	0.3	11.4	28.3	783	5.00	6.6	107.2	3.4	348	<0.1	0.2	0.2	249	4.88	0.454
942825	Rock	2.88	5.3	3990	1.7	30	0.7	9.8	28.7	553	5.42	6.1	321.5	1.3	233	<0.1	0.2	0.2	224	5.94	0.172
942826	Rock	2.63	8.3	1372	3.4	30	0.3	8.3	23.7	509	4.46	45.8	94.6	2.4	72	<0.1	1.2	0.4	80	6.10	0.153
942827	Rock	2.27	10.0	1200	2.1	38	0.4	5.7	24.9	766	3.81	35.7	116.2	2.6	68	<0.1	0.3	0.2	111	3.57	0.165
942828	Rock	2.14	4.8	782.0	2.4	49	0.2	7.6	26.5	1313	3.90	8.3	98.3	2.2	196	<0.1	0.4	0.2	127	5.57	0.146
942829	Rock	2.13	3.9	1483	4.0	59	0.5	10.2	29.5	1023	5.87	7.2	184.3	2.0	157	<0.1	0.3	0.5	149	2.84	0.176
942830	Rock	1.98	7.6	1258	2.5	39	0.3	7.8	27.0	552	4.73	14.4	95.8	2.1	96	<0.1	0.2	0.2	104	1.44	0.168

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
942801	Rock	39	11	0.81	47	0.008	23	0.84	0.035	0.33	0.1	1.55	4.6	0.1	1.81	3	0.6	<0.2	N.A.	N.A.
942802	Rock	25	3	0.76	55	0.014	15	1.01	0.032	0.39	<0.1	0.65	5.3	<0.1	2.01	4	1.8	0.3	N.A.	N.A.
942803	Rock	24	24	1.13	123	0.033	19	1.48	0.027	0.63	<0.1	0.24	8.9	0.3	1.07	4	1.7	<0.2	N.A.	N.A.
942804	Rock	25	4	0.74	162	0.018	15	1.12	0.025	0.46	<0.1	0.08	5.5	1.1	0.93	4	1.5	<0.2	N.A.	N.A.
942805	Rock	26	2	0.54	124	0.015	14	0.94	0.028	0.50	<0.1	0.08	6.9	0.1	1.00	4	1.2	<0.2	N.A.	N.A.
942806	Rock	21	3	1.36	65	0.013	14	1.75	0.030	0.35	<0.1	0.17	7.6	<0.1	2.08	7	2.1	0.4	N.A.	N.A.
942807	Rock	20	16	2.01	34	0.019	10	2.03	0.023	0.29	<0.1	0.16	9.3	<0.1	3.25	8	1.7	0.4	N.A.	N.A.
942808	Rock	16	4	2.17	49	0.027	6	2.22	0.025	0.31	<0.1	0.14	9.4	<0.1	3.37	9	2.0	0.3	N.A.	N.A.
942809	Rock	21	7	1.56	34	0.007	5	1.71	0.020	0.15	<0.1	0.13	7.6	<0.1	3.50	8	0.6	0.3	N.A.	N.A.
942810	Rock	24	5	2.05	31	0.010	3	2.02	0.028	0.14	<0.1	0.14	7.8	<0.1	4.17	9	1.2	0.3	0.083	0.139
942811	Rock	21	5	1.38	30	0.010	2	1.40	0.019	0.14	<0.1	0.08	6.3	<0.1	4.14	6	0.8	0.2	N.A.	N.A.
942812	Rock	12	5	2.15	42	0.036	2	2.06	0.021	0.17	<0.1	0.07	6.9	<0.1	3.33	10	1.2	<0.2	N.A.	N.A.
942813	Rock	9	11	1.66	38	0.098	<1	1.67	0.026	0.36	0.1	0.06	5.6	<0.1	3.91	8	2.2	0.2	N.A.	N.A.
942814	Rock	9	11	1.07	41	0.102	2	1.18	0.022	0.21	0.3	0.06	4.9	<0.1	4.03	5	1.0	<0.2	N.A.	N.A.
942815	Rock	8	6	1.99	52	0.152	<1	1.87	0.023	0.16	0.2	0.08	6.7	<0.1	4.18	9	3.2	0.4	N.A.	N.A.
942816	Rock	10	2	1.88	41	0.107	1	2.00	0.066	0.16	<0.1	0.08	4.2	<0.1	3.50	9	3.7	0.3	N.A.	N.A.
942817	Rock	18	7	1.06	33	0.021	2	1.18	0.021	0.31	0.1	0.09	5.9	<0.1	5.01	5	3.5	0.5	N.A.	N.A.
942818	Rock	15	2	1.80	38	0.034	2	1.84	0.039	0.31	0.2	0.09	4.7	<0.1	4.05	8	1.3	0.3	N.A.	N.A.
942819	Rock	10	19	2.14	40	0.167	1	1.87	0.018	0.64	0.3	0.05	7.7	0.1	4.89	8	2.1	0.3	N.A.	N.A.
942820	Rock	8	6	0.77	34	0.115	2	0.89	0.017	0.27	0.4	0.02	3.5	<0.1	5.92	3	2.0	<0.2	N.A.	N.A.
942821	Rock	16	13	2.33	66	0.124	<1	2.06	0.022	1.00	0.3	0.03	7.4	0.2	3.11	10	1.2	<0.2	N.A.	N.A.
942822	Rock	9	9	2.21	76	0.171	<1	1.92	0.022	0.50	0.3	0.04	6.1	<0.1	4.06	9	1.2	<0.2	N.A.	N.A.
942823	Rock	19	10	2.09	49	0.095	<1	1.86	0.019	0.55	0.3	0.03	6.6	<0.1	3.25	9	1.4	<0.2	N.A.	N.A.
942824	Rock	20	19	2.71	57	0.082	2	2.44	0.022	0.09	0.2	0.08	7.3	<0.1	3.21	8	5.5	0.3	0.118	0.131
942825	Rock	8	9	2.44	52	0.164	2	2.07	0.019	0.30	0.4	0.11	7.4	<0.1	4.64	9	8.1	0.4	0.355	0.413
942826	Rock	26	4	0.55	28	0.011	12	0.90	0.036	0.17	<0.1	0.44	4.7	<0.1	3.75	4	11.9	2.0	0.097	0.139
942827	Rock	26	7	1.03	59	0.007	10	1.38	0.035	0.15	<0.1	0.07	7.9	<0.1	1.96	5	5.4	1.0	0.125	0.122
942828	Rock	15	5	1.35	110	0.018	3	1.89	0.020	0.02	<0.1	0.06	6.1	<0.1	1.59	6	2.6	0.5	N.A.	N.A.
942829	Rock	12	4	2.06	37	0.044	3	2.35	0.020	0.06	<0.1	0.19	6.8	<0.1	2.79	8	7.4	1.6	0.193	0.158
942830	Rock	14	6	1.27	56	0.022	4	1.59	0.027	0.23	<0.1	0.10	6.2	<0.1	2.07	6	15.5	0.8	0.099	0.118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
942831	Rock	1.85	7.9	1322	2.1	31	0.4	6.6	22.2	399	3.97	13.2	84.8	2.1	74	<0.1	0.2	0.2	80	1.02	0.166
942832	Rock	2.07	6.5	1134	1.9	29	0.3	6.5	21.9	424	3.68	10.3	69.7	2.0	191	<0.1	0.2	0.2	84	2.28	0.162
942833	Rock	2.34	7.2	1100	2.0	28	0.4	6.1	21.5	405	3.65	10.6	69.2	2.0	201	<0.1	0.2	0.2	79	2.38	0.165
942834	Rock	1.73	7.4	1137	1.9	31	0.3	6.6	21.9	440	3.76	11.2	105.7	1.8	186	<0.1	0.2	0.2	85	2.16	0.166
942835	Rock	2.42	3.0	2279	2.2	14	0.6	4.7	12.9	306	2.07	3.3	138.1	2.1	465	<0.1	0.2	0.2	55	4.90	0.221
942836	Rock	2.40	10.1	1688	2.1	32	0.5	6.8	21.4	436	3.47	6.2	81.4	2.0	388	<0.1	0.2	0.2	105	3.63	0.208
942837	Rock	3.00	6.6	1322	2.1	31	0.4	6.0	22.5	427	3.95	10.3	76.2	2.0	168	<0.1	0.2	0.2	98	2.10	0.176
942838	Rock	2.51	8.3	1394	1.8	27	0.4	5.9	20.5	367	3.79	12.7	62.0	1.9	117	<0.1	0.1	0.2	86	1.59	0.166
942839	Rock	2.48	7.8	1296	1.9	28	0.4	6.5	21.7	371	3.86	13.5	58.5	2.0	101	<0.1	0.1	0.2	86	1.51	0.166
942840	Rock	2.46	7.9	1279	1.9	27	0.4	6.5	21.2	369	3.82	12.1	63.9	2.0	93	<0.1	0.2	0.2	83	1.44	0.178
942841	Rock	2.04	7.5	1050	1.6	26	0.4	5.5	19.5	346	3.77	12.0	65.9	1.9	92	<0.1	0.1	0.2	90	1.44	0.169
942842	Rock	2.00	7.3	1178	1.8	27	0.4	5.6	21.1	376	3.87	12.3	61.0	2.0	89	<0.1	0.1	0.2	90	1.35	0.160
942843	Rock	2.29	5.8	1089	1.5	29	0.3	5.9	19.8	393	3.94	10.0	57.6	2.5	165	<0.1	0.1	0.2	125	2.06	0.257
942844	Rock	2.51	4.7	931.1	1.5	29	0.3	5.6	19.7	383	4.07	8.2	46.0	2.7	208	<0.1	<0.1	0.2	145	2.40	0.293
942845	Rock	3.12	4.4	1006	1.8	34	0.3	6.2	23.3	455	4.51	8.4	72.6	2.3	178	<0.1	0.1	0.2	156	2.32	0.247
942846	Rock	2.54	4.8	930.7	1.9	35	0.3	5.9	23.1	469	4.49	9.3	60.7	2.1	155	<0.1	0.1	0.2	156	2.18	0.220
942847	Rock	2.26	5.0	1105	2.1	34	0.3	6.7	22.7	476	4.55	9.1	82.5	2.1	138	<0.1	0.1	0.2	161	2.30	0.218
942848	Rock	2.30	5.1	1229	2.1	30	0.3	6.8	21.6	429	4.40	9.5	85.8	2.0	150	<0.1	0.1	0.2	150	2.76	0.210
942849	Rock	2.74	5.5	1293	1.9	30	0.3	7.3	22.8	444	4.43	10.4	80.3	2.1	128	<0.1	0.1	0.2	145	2.29	0.209
942850	Rock	2.62	5.0	1339	1.9	32	0.4	7.0	22.3	445	4.48	9.7	110.6	2.0	119	<0.1	0.2	0.2	129	2.52	0.199
942851	Rock	2.99	6.2	204.0	1.9	62	<0.1	2.9	14.7	978	5.03	7.5	12.5	2.2	83	<0.1	0.2	<0.1	166	4.01	0.164
942852	Rock	2.28	2.3	397.2	2.2	58	0.1	3.5	18.9	911	4.44	7.3	13.3	2.0	114	<0.1	0.3	<0.1	152	3.62	0.171
942853	Rock	2.56	4.7	354.4	1.7	48	0.1	4.9	28.5	594	4.85	6.6	35.3	2.3	136	<0.1	0.1	0.2	155	1.80	0.199
942854	Rock	3.99	3.8	368.8	1.5	44	0.1	3.9	26.9	548	4.34	6.3	22.1	1.7	290	<0.1	0.2	0.1	136	3.16	0.174
942855	Rock	2.86	11.3	493.2	0.9	19	0.1	4.0	19.3	479	2.85	4.0	22.0	1.8	479	<0.1	0.2	<0.1	91	5.84	0.156
942856	Rock	3.39	3.5	2357	2.8	48	0.6	2.6	28.7	717	4.17	8.4	379.5	2.1	361	<0.1	0.2	0.2	124	3.81	0.152
942857	Rock	2.38	1.9	2277	2.2	59	0.5	2.7	30.7	801	4.67	8.0	383.3	1.6	212	<0.1	0.1	0.2	157	2.99	0.161
942858	Rock	2.47	3.1	1695	3.7	42	0.4	3.2	28.1	471	3.94	10.7	238.6	1.8	379	<0.1	0.3	0.2	122	3.27	0.166
942859	Rock	2.52	5.2	1139	1.3	19	0.2	2.0	19.9	343	2.74	4.1	124.6	1.7	303	<0.1	0.1	0.2	85	3.49	0.170
942860	Rock	2.59	2.8	1891	1.7	26	0.4	2.3	18.6	443	3.47	4.1	592.6	1.7	237	<0.1	0.1	0.2	123	2.79	0.170

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
942831	Rock	14	4	0.94	62	0.014	3	1.27	0.019	0.26	<0.1	0.08	5.5	<0.1	1.76	5	16.6	0.8	0.084	0.141
942832	Rock	14	5	0.96	55	0.025	4	1.30	0.020	0.28	<0.1	0.07	4.9	<0.1	2.21	5	11.4	0.8	0.073	0.122
942833	Rock	14	5	0.92	45	0.021	4	1.28	0.017	0.28	<0.1	0.08	4.8	<0.1	2.47	5	13.1	0.9	0.069	0.114
942834	Rock	14	5	0.98	54	0.021	4	1.23	0.018	0.28	<0.1	0.06	4.5	<0.1	2.19	4	12.8	0.6	0.116	0.114
942835	Rock	20	<1	0.55	29	0.012	2	0.74	0.014	0.28	<0.1	0.05	2.1	<0.1	3.92	3	5.3	0.4	0.147	0.231
942836	Rock	22	4	1.08	30	0.019	4	1.27	0.019	0.32	<0.1	0.06	3.8	<0.1	3.35	5	12.2	0.5	0.101	0.177
942837	Rock	15	3	1.27	35	0.016	3	1.36	0.017	0.22	<0.1	0.05	4.0	<0.1	2.62	5	14.8	0.6	0.089	0.137
942838	Rock	13	3	1.02	45	0.014	4	1.26	0.021	0.27	<0.1	0.06	4.4	<0.1	2.13	4	16.3	0.7	0.071	0.142
942839	Rock	13	4	1.06	49	0.015	4	1.26	0.021	0.25	<0.1	0.07	4.5	<0.1	2.10	5	15.1	0.9	0.073	0.132
942840	Rock	12	3	1.04	41	0.016	4	1.23	0.020	0.24	<0.1	0.06	4.3	<0.1	2.14	4	17.0	0.7	0.078	0.130
942841	Rock	11	3	1.05	55	0.024	5	1.29	0.024	0.27	<0.1	0.05	4.3	<0.1	2.04	5	13.8	0.5	0.079	0.102
942842	Rock	12	3	1.08	49	0.022	4	1.35	0.024	0.27	<0.1	0.06	4.3	<0.1	1.98	5	16.1	0.7	0.072	0.122
942843	Rock	18	4	1.39	54	0.031	4	1.55	0.029	0.28	<0.1	0.05	4.6	<0.1	2.12	6	11.1	0.6	0.066	0.116
942844	Rock	19	5	1.58	52	0.040	4	1.69	0.032	0.29	<0.1	0.05	4.5	<0.1	2.28	7	9.9	0.6	N.A.	N.A.
942845	Rock	16	4	1.84	45	0.042	3	1.82	0.022	0.21	<0.1	0.04	4.6	<0.1	2.64	7	10.4	0.7	0.070	0.100
942846	Rock	14	3	1.82	43	0.037	4	1.87	0.033	0.26	<0.1	0.08	4.6	<0.1	2.58	7	10.4	0.7	N.A.	N.A.
942847	Rock	14	6	1.75	46	0.035	4	1.81	0.032	0.23	<0.1	0.09	5.1	<0.1	2.54	7	10.7	0.8	0.088	0.109
942848	Rock	17	7	1.59	37	0.025	3	1.61	0.028	0.19	<0.1	0.09	4.9	<0.1	2.81	6	9.1	0.5	0.098	0.131
942849	Rock	16	6	1.52	39	0.028	4	1.62	0.031	0.22	<0.1	0.07	4.8	<0.1	2.58	6	10.3	0.7	0.102	0.128
942850	Rock	16	6	1.41	32	0.020	3	1.51	0.029	0.19	<0.1	0.11	5.1	<0.1	2.61	6	11.1	0.9	0.132	0.150
942851	Rock	15	<1	1.32	124	0.005	11	1.81	0.028	0.05	<0.1	0.02	9.1	<0.1	0.49	7	1.0	<0.2	N.A.	N.A.
942852	Rock	14	<1	1.70	80	0.007	11	2.14	0.021	0.05	<0.1	0.02	8.6	<0.1	0.73	8	1.6	<0.2	N.A.	N.A.
942853	Rock	15	1	1.84	51	0.008	4	1.91	0.032	0.14	<0.1	0.04	6.6	<0.1	2.12	9	4.2	0.6	N.A.	N.A.
942854	Rock	10	1	1.75	44	0.010	2	1.77	0.016	0.08	<0.1	0.02	4.2	<0.1	3.21	9	3.6	0.3	N.A.	N.A.
942855	Rock	10	1	1.24	36	0.010	2	1.42	0.019	0.05	<0.1	0.03	4.4	<0.1	4.08	6	2.1	0.3	N.A.	N.A.
942856	Rock	14	<1	1.89	43	0.003	2	1.81	0.013	0.05	<0.1	0.11	4.1	<0.1	3.84	8	4.8	0.8	0.479	0.268
942857	Rock	9	1	2.44	47	0.013	1	2.22	0.025	0.04	<0.1	0.10	3.9	<0.1	3.07	10	5.8	0.7	0.408	0.247
942858	Rock	15	1	1.69	31	0.013	2	1.56	0.024	0.11	0.1	0.06	3.3	<0.1	4.01	7	6.8	0.7	0.203	0.190
942859	Rock	8	<1	1.34	35	0.072	2	1.33	0.027	0.12	0.3	0.06	1.7	<0.1	3.32	6	3.8	0.8	0.136	0.125
942860	Rock	7	1	1.46	43	0.094	1	1.44	0.020	0.08	0.5	0.07	1.9	<0.1	2.85	7	4.9	0.5	0.724	0.209

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
942861	Rock	2.98	1.2	1499	1.7	68	0.5	3.4	25.3	608	4.78	5.1	1284	1.4	126	<0.1	0.1	0.3	207	1.80	0.145
942862	Rock	2.88	1.1	1736	2.7	73	0.8	3.3	28.3	707	5.40	6.4	876.8	1.2	124	<0.1	0.2	0.5	207	2.79	0.157
942863	Rock	2.75	1.4	1234	2.9	82	0.5	3.8	26.9	800	5.68	5.6	227.8	1.4	85	<0.1	0.2	0.3	182	2.06	0.153
942864	Rock	2.83	1.4	1168	3.5	55	0.4	6.5	29.2	677	5.54	6.2	195.2	1.6	125	<0.1	0.2	0.5	148	3.31	0.147
942865	Rock	2.52	1.8	1110	3.0	24	0.4	4.7	28.1	313	5.06	4.9	113.4	1.5	179	<0.1	0.2	0.4	110	2.41	0.148
942866	Rock	2.17	4.1	208.3	0.8	2	<0.1	1.9	17.4	35	1.63	3.2	28.6	1.4	527	<0.1	<0.1	<0.1	16	6.90	0.136
942867	Rock	2.73	3.4	1354	1.8	45	0.4	8.9	26.8	537	6.09	7.1	78.9	1.7	379	<0.1	0.1	0.2	157	3.17	0.123
942868	Rock	2.57	2.8	1103	3.0	38	0.4	10.6	31.4	548	5.09	8.7	153.9	2.5	356	<0.1	0.2	0.3	148	5.70	0.179
942869	Rock	3.10	3.0	912.8	2.8	41	0.3	3.4	19.1	690	3.97	5.8	113.1	2.1	167	<0.1	0.2	0.2	127	5.21	0.158
942870	Rock	2.66	4.2	943.4	3.1	46	0.4	3.7	20.3	697	4.23	4.2	122.4	2.2	202	<0.1	0.2	0.2	128	3.88	0.167
942871	Rock	1.82	3.7	323.4	3.3	54	0.2	5.0	19.2	994	4.43	4.3	84.3	1.8	281	<0.1	0.2	0.1	170	6.16	0.154
942872	Rock	2.03	2.0	186.4	2.5	45	0.1	7.9	19.2	1016	4.01	6.1	45.4	1.8	293	<0.1	0.2	<0.1	140	7.85	0.156
942873	Rock	2.44	2.1	824.1	3.8	46	0.3	16.0	37.8	667	6.86	8.2	137.6	3.4	214	<0.1	0.2	0.3	210	5.35	0.311
942874	Rock	2.52	1.1	885.7	2.4	33	0.2	17.2	33.1	472	4.84	12.4	70.8	2.3	28	<0.1	0.2	0.3	204	1.55	0.160
942875	Rock	2.65	3.1	2063	2.1	52	0.5	14.2	32.9	681	8.66	72.5	174.3	2.6	63	<0.1	0.1	0.3	261	3.99	0.184
942876	Rock	2.23	8.3	2849	3.2	24	0.5	14.7	42.0	264	4.69	37.4	200.0	3.3	27	<0.1	0.2	0.4	152	1.39	0.265
942877	Rock	2.71	9.9	1522	3.0	19	0.3	14.6	30.1	267	4.41	12.0	101.3	2.3	27	<0.1	0.1	0.5	170	1.46	0.192
942878	Rock	2.43	5.1	493.9	1.2	22	<0.1	7.7	21.4	333	4.64	4.3	41.4	1.9	69	<0.1	<0.1	0.2	202	0.97	0.188
942879	Rock	2.45	7.2	713.4	1.6	15	0.1	12.0	21.0	211	3.16	4.1	65.7	1.9	87	<0.1	0.1	0.2	179	0.84	0.214
942880	Rock	3.02	6.4	659.9	1.1	7	0.1	10.0	11.0	123	1.77	2.7	54.4	1.2	554	<0.1	<0.1	<0.1	150	4.86	0.111
942881	Rock	2.64	5.3	767.9	0.9	18	0.1	13.1	16.7	248	4.07	2.6	38.0	1.4	469	<0.1	<0.1	0.1	208	4.12	0.139
942882	Rock	2.56	5.0	1709	1.2	23	0.3	9.3	22.8	341	4.60	2.4	122.1	1.9	427	<0.1	<0.1	<0.1	168	4.37	0.131
942883	Rock	2.81	4.6	1450	1.5	31	0.3	11.6	30.3	608	6.28	3.5	109.6	1.8	457	<0.1	0.1	0.2	208	5.60	0.124
942884	Rock	3.00	5.4	1303	1.9	18	0.3	8.1	25.4	277	6.02	3.6	65.4	1.4	416	<0.1	0.1	0.4	159	5.52	0.083
942885	Rock	2.97	6.6	745.0	1.5	11	0.1	7.4	14.2	189	5.48	3.5	38.4	2.7	598	<0.1	0.1	0.2	134	6.03	0.341
942886	Rock	2.62	10.3	1037	1.6	11	0.2	7.0	17.2	192	5.21	4.6	74.2	2.0	610	<0.1	0.1	0.2	129	5.86	0.188
942887	Rock	3.09	13.4	2328	1.5	7	0.3	5.8	14.0	105	4.16	3.6	105.1	1.8	580	<0.1	0.1	0.1	81	5.53	0.164
942888	Rock	2.43	7.3	564.4	1.0	4	<0.1	7.4	19.9	71	2.76	4.8	43.5	0.9	660	<0.1	<0.1	0.1	50	9.03	0.135
942889	Rock	2.56	9.7	155.8	1.2	3	<0.1	9.1	23.5	60	2.41	8.0	16.9	1.3	524	<0.1	<0.1	0.2	35	7.86	0.133
942890	Rock	3.00	8.5	731.1	1.9	25	0.3	5.8	17.2	464	4.14	6.4	46.1	1.6	379	<0.1	0.1	0.2	89	6.46	0.150

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
942861	Rock	7	2	2.50	31	0.121	<1	2.03	0.026	0.05	0.2	0.21	4.2	<0.1	3.20	10	5.7	1.6	1.467	0.175
942862	Rock	9	1	2.48	32	0.028	2	2.11	0.025	0.06	0.2	0.06	4.1	<0.1	4.00	10	5.5	0.7	0.967	0.189
942863	Rock	6	2	2.50	33	0.086	1	2.26	0.030	0.08	0.1	0.06	4.1	<0.1	3.10	10	2.7	0.3	0.237	0.138
942864	Rock	9	5	1.96	30	0.065	1	1.79	0.024	0.11	0.1	0.04	4.2	<0.1	4.41	8	4.7	0.7	0.207	0.129
942865	Rock	7	3	1.84	23	0.128	1	1.33	0.024	0.10	0.3	0.07	3.0	<0.1	5.69	6	10.4	0.9	0.116	0.130
942866	Rock	5	<1	0.20	24	0.019	1	0.28	0.008	0.15	<0.1	0.04	0.6	<0.1	6.72	<1	3.4	0.5	N.A.	N.A.
942867	Rock	15	9	2.91	39	0.007	2	2.57	0.022	0.05	<0.1	0.06	7.2	<0.1	4.22	10	3.0	0.5	0.085	0.149
942868	Rock	21	12	1.95	29	0.004	1	1.85	0.018	0.10	<0.1	0.12	6.3	<0.1	5.75	7	4.2	1.0	0.172	0.119
942869	Rock	18	3	1.62	61	0.003	1	1.63	0.028	0.08	0.1	0.07	3.5	<0.1	2.91	7	3.2	0.5	N.A.	N.A.
942870	Rock	13	2	1.72	77	0.022	1	1.84	0.026	0.09	<0.1	0.09	3.3	<0.1	2.17	8	3.8	0.4	N.A.	N.A.
942871	Rock	10	3	2.09	75	0.027	2	2.28	0.023	0.15	<0.1	0.07	3.1	<0.1	1.97	9	2.2	0.5	N.A.	N.A.
942872	Rock	8	14	1.86	83	0.068	1	1.94	0.018	0.14	<0.1	0.04	3.0	<0.1	2.10	7	2.4	0.4	N.A.	N.A.
942873	Rock	12	18	2.14	49	0.061	<1	2.15	0.023	0.09	0.1	0.12	5.0	<0.1	4.26	7	22.3	0.9	N.A.	N.A.
942874	Rock	19	14	1.77	52	0.009	18	1.75	0.020	0.14	<0.1	0.14	12.3	<0.1	2.20	8	4.5	0.7	N.A.	N.A.
942875	Rock	29	20	1.46	57	0.010	23	1.45	0.029	0.17	<0.1	0.11	15.8	<0.1	1.58	7	4.7	0.5	0.164	0.228
942876	Rock	28	15	1.18	24	0.011	22	1.21	0.018	0.27	<0.1	0.12	8.5	<0.1	2.70	6	9.4	0.9	0.202	0.314
942877	Rock	23	14	1.60	26	0.011	7	1.44	0.019	0.30	<0.1	0.13	7.9	<0.1	2.37	6	7.3	0.6	0.114	0.169
942878	Rock	17	7	2.16	94	0.017	3	1.92	0.019	0.31	<0.1	0.06	8.4	<0.1	1.03	10	3.0	0.3	N.A.	N.A.
942879	Rock	20	15	1.59	83	0.088	3	1.54	0.018	0.62	0.1	0.10	7.3	0.1	1.07	8	2.8	0.3	N.A.	N.A.
942880	Rock	11	16	1.12	26	0.137	2	1.07	0.011	0.55	0.3	0.05	6.0	0.1	3.86	5	1.6	<0.2	N.A.	N.A.
942881	Rock	14	15	1.61	38	0.108	2	1.66	0.014	0.89	0.2	0.04	6.6	0.2	3.15	7	1.8	<0.2	N.A.	N.A.
942882	Rock	11	8	1.44	34	0.109	1	1.47	0.013	0.49	0.3	0.07	5.1	0.1	3.23	7	2.6	<0.2	0.170	0.185
942883	Rock	18	17	1.61	35	0.099	2	1.63	0.017	0.39	0.3	0.06	9.1	<0.1	4.01	8	2.3	<0.2	0.117	0.149
942884	Rock	11	14	0.91	28	0.151	<1	0.99	0.013	0.19	0.4	0.08	5.6	<0.1	4.83	5	3.3	0.2	0.082	0.144
942885	Rock	23	6	0.83	31	0.096	3	1.01	0.013	0.24	0.6	0.08	4.1	<0.1	4.46	4	2.3	<0.2	N.A.	N.A.
942886	Rock	14	6	1.08	30	0.119	3	1.21	0.012	0.25	0.7	0.08	4.2	<0.1	4.89	5	3.3	0.3	0.081	0.114
942887	Rock	12	4	0.56	32	0.094	2	0.79	0.011	0.24	0.8	0.07	2.3	<0.1	4.81	2	5.1	0.2	0.125	0.255
942888	Rock	4	2	0.41	30	0.022	4	0.59	0.006	0.18	0.1	0.27	1.8	<0.1	8.57	2	6.5	0.8	N.A.	N.A.
942889	Rock	8	2	0.36	23	0.005	3	0.56	0.011	0.19	0.1	0.13	1.4	<0.1	7.49	2	5.7	0.7	N.A.	N.A.
942890	Rock	15	5	1.50	34	0.008	3	1.57	0.020	0.16	0.2	0.09	3.5	<0.1	3.99	6	2.7	0.3	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
942891	Rock	3.16	4.8	584.3	3.6	43	0.3	9.7	25.4	431	4.84	8.3	91.5	1.9	296	<0.1	0.4	0.4	106	4.26	0.180
942892	Rock	3.03	5.5	481.8	2.0	45	0.3	9.7	25.0	293	3.39	6.7	53.1	1.3	271	<0.1	0.1	0.2	108	3.64	0.101
942893	Rock	2.60	9.5	576.5	3.8	20	0.3	11.7	21.2	308	4.15	4.4	69.2	1.6	260	<0.1	0.2	0.1	139	5.78	0.137
942894	Rock	2.78	7.6	531.4	1.9	19	0.3	10.3	20.7	305	4.81	3.6	43.9	1.8	346	<0.1	0.1	0.1	129	4.98	0.153
942895	Rock	2.48	6.4	312.6	1.7	16	0.2	8.6	26.9	360	2.67	5.8	77.0	2.2	156	<0.1	0.2	0.2	67	4.98	0.185
942896	Rock	2.51	2.9	691.9	4.4	34	0.2	8.3	31.7	651	5.53	33.7	95.5	2.2	53	<0.1	0.2	0.2	183	4.79	0.186
942897	Rock	2.32	1.5	792.4	1.6	58	0.2	9.3	25.6	862	8.89	12.1	49.2	2.4	74	<0.1	0.1	0.1	263	3.36	0.251
942898	Rock	2.23	1.2	494.5	1.5	44	0.1	9.1	32.1	944	7.39	13.9	22.5	2.4	465	<0.1	0.1	0.2	268	5.83	0.247
942899	Rock	2.23	1.9	454.5	1.5	60	0.2	9.5	24.9	1073	7.04	9.9	11.5	2.3	643	<0.1	0.1	<0.1	282	5.03	0.190
942900	Rock	2.18	3.1	1040	2.3	68	0.3	10.7	27.7	1148	6.93	6.3	26.0	2.2	583	<0.1	0.1	0.1	253	4.35	0.175
942901	Rock	2.28	1.8	531.8	1.6	40	0.2	3.9	19.6	561	4.65	6.2	18.3	2.4	135	<0.1	0.1	<0.1	224	1.47	0.201
942902	Rock	2.55	1.3	316.8	1.5	46	0.1	6.9	24.6	527	5.65	7.3	12.8	1.5	454	<0.1	0.1	<0.1	226	4.25	0.158
942903	Rock	2.79	1.5	468.5	1.0	53	0.1	8.9	25.3	722	6.37	5.0	18.0	1.5	289	<0.1	<0.1	<0.1	245	3.71	0.173
942904	Rock	2.68	2.5	1374	2.5	69	0.4	10.1	23.0	922	6.66	4.7	55.0	1.7	291	<0.1	0.1	0.2	259	4.51	0.179
942905	Rock	2.40	2.8	1708	4.5	65	0.5	13.6	28.5	868	8.43	8.2	80.9	1.7	230	<0.1	0.2	0.2	281	4.40	0.169
942906	Rock	2.66	4.5	2001	4.0	60	0.5	11.5	25.3	864	7.39	6.3	106.5	1.7	230	<0.1	0.2	0.3	271	5.53	0.172
942907	Rock	2.71	4.4	1737	6.0	66	0.5	13.0	28.3	928	7.42	9.0	139.8	1.5	284	<0.1	0.3	0.6	279	5.59	0.163
942908	Rock	1.72	3.8	380.3	2.2	31	0.2	4.0	25.0	493	3.64	5.7	93.7	1.9	250	<0.1	0.1	0.4	178	4.16	0.184
942909	Rock	2.54	4.4	973.9	4.1	44	0.4	9.0	24.3	668	4.99	6.5	91.1	1.9	283	<0.1	0.2	0.4	211	6.08	0.184
942910	Rock	1.90	4.3	793.4	4.7	46	0.3	10.1	23.9	631	4.93	5.8	66.6	1.9	284	<0.1	0.2	0.4	218	4.95	0.156
942911	Rock	2.23	3.5	1039	1.2	26	0.3	9.7	21.9	416	5.04	3.3	53.1	1.7	574	<0.1	<0.1	0.2	201	5.43	0.136
942912	Rock	2.25	3.4	535.3	3.7	31	0.3	7.1	28.0	490	4.93	7.1	168.3	1.8	304	<0.1	0.1	0.5	178	4.98	0.168
942913	Rock	2.47	2.1	499.5	4.8	42	0.3	6.1	26.3	537	4.88	6.9	216.0	1.8	167	<0.1	0.2	0.4	170	4.28	0.178
942914	Rock	1.74	6.5	120.7	1.4	18	<0.1	18.1	21.9	265	2.60	5.4	47.2	1.7	992	<0.1	0.1	0.2	57	6.99	0.200
942915	Rock	1.76	6.6	145.6	1.5	18	<0.1	16.6	21.9	267	2.68	5.2	52.1	1.7	888	<0.1	0.1	0.2	61	7.03	0.210
942916	Rock	1.62	2.5	777.2	1.7	48	0.2	51.8	26.0	918	4.87	4.9	27.3	1.5	387	0.1	0.2	<0.1	122	4.74	0.134
942917	Rock	2.17	1.9	411.6	2.2	45	0.2	39.4	28.8	933	4.93	6.1	34.0	1.5	231	<0.1	0.2	<0.1	143	3.72	0.159
942918	Rock	1.85	7.7	383.2	2.2	27	0.1	10.8	25.4	748	4.28	4.8	22.2	2.6	136	<0.1	0.2	0.2	135	3.55	0.172
942919	Rock	2.16	16.7	271.3	1.8	13	<0.1	7.6	29.1	450	4.89	6.8	20.1	2.2	98	<0.1	0.2	0.4	77	4.31	0.199
942920	Rock	1.64	7.4	218.8	2.4	16	<0.1	6.4	34.9	456	5.09	12.7	29.3	2.0	74	<0.1	<0.1	0.5	122	3.19	0.187

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
942891	Rock	15	9	1.85	27	0.010	4	1.60	0.018	0.23	0.1	0.11	4.2	<0.1	4.76	5	3.5	0.6	N.A.	N.A.
942892	Rock	9	9	1.55	36	0.014	2	1.20	0.032	0.20	<0.1	0.11	4.9	<0.1	3.90	5	3.9	0.6	N.A.	N.A.
942893	Rock	16	16	2.12	28	0.017	3	1.64	0.019	0.29	<0.1	0.10	6.0	0.1	4.70	7	2.5	0.4	N.A.	N.A.
942894	Rock	18	15	1.94	35	0.013	4	1.59	0.024	0.22	<0.1	0.05	4.6	<0.1	3.35	6	2.4	0.3	N.A.	N.A.
942895	Rock	14	7	1.03	45	0.008	3	0.95	0.017	0.24	0.1	0.08	2.7	<0.1	2.35	3	5.7	0.7	N.A.	N.A.
942896	Rock	20	6	1.38	58	0.024	27	1.64	0.018	0.44	<0.1	0.13	9.2	<0.1	2.35	7	3.2	0.3	N.A.	N.A.
942897	Rock	25	20	1.68	103	0.012	18	1.62	0.033	0.20	<0.1	0.04	11.8	<0.1	1.07	6	2.4	0.3	N.A.	N.A.
942898	Rock	25	17	1.21	103	0.010	23	1.54	0.046	0.20	<0.1	0.04	11.4	<0.1	1.32	5	2.6	0.4	N.A.	N.A.
942899	Rock	24	17	1.74	274	0.012	19	2.29	0.078	0.20	<0.1	0.01	16.9	<0.1	0.38	7	1.6	<0.2	N.A.	N.A.
942900	Rock	26	18	1.91	126	0.030	19	1.89	0.026	0.45	<0.1	0.03	17.9	<0.1	0.94	7	2.7	0.3	0.034	0.111
942901	Rock	19	3	2.63	149	0.020	6	2.43	0.023	0.30	<0.1	0.03	5.9	<0.1	0.82	11	2.6	0.3	N.A.	N.A.
942902	Rock	13	6	2.60	58	0.039	3	2.19	0.017	0.58	<0.1	0.03	8.7	<0.1	2.61	10	1.5	0.2	N.A.	N.A.
942903	Rock	13	7	2.57	104	0.038	3	2.17	0.020	0.34	<0.1	0.01	9.1	<0.1	1.47	10	1.3	<0.2	N.A.	N.A.
942904	Rock	15	13	2.87	58	0.064	3	2.46	0.022	0.24	0.1	0.07	10.8	<0.1	2.84	10	1.7	0.5	0.060	0.149
942905	Rock	19	18	3.63	41	0.046	3	2.91	0.020	0.37	<0.1	0.10	12.9	<0.1	5.00	12	3.0	0.8	0.090	0.178
942906	Rock	18	18	3.13	51	0.029	3	2.50	0.023	0.19	<0.1	0.10	12.5	<0.1	4.29	11	3.7	0.7	0.125	0.205
942907	Rock	17	13	3.40	46	0.026	3	2.67	0.019	0.21	<0.1	0.19	15.9	<0.1	4.82	12	3.7	0.8	0.169	0.179
942908	Rock	13	3	1.99	46	0.014	2	1.71	0.032	0.15	0.1	0.08	6.6	<0.1	3.65	8	3.3	0.4	N.A.	N.A.
942909	Rock	17	11	2.23	37	0.015	3	1.96	0.027	0.15	0.2	0.13	9.1	<0.1	4.35	9	3.2	0.6	0.117	0.098
942910	Rock	16	10	2.38	41	0.010	2	2.02	0.022	0.09	<0.1	0.08	9.3	<0.1	3.61	10	3.1	0.7	N.A.	N.A.
942911	Rock	19	12	2.14	34	0.024	2	1.96	0.018	0.21	<0.1	0.04	9.4	<0.1	4.31	9	3.0	0.4	0.065	0.118
942912	Rock	13	9	2.47	41	0.019	1	2.05	0.025	0.12	<0.1	0.08	7.2	<0.1	5.38	9	3.2	0.7	N.A.	N.A.
942913	Rock	12	5	2.57	37	0.008	2	2.10	0.026	0.11	<0.1	0.13	6.1	<0.1	4.48	9	2.4	0.7	N.A.	N.A.
942914	Rock	12	15	0.87	40	0.008	5	1.05	0.030	0.20	<0.1	0.07	4.0	<0.1	5.80	3	3.4	0.6	N.A.	N.A.
942915	Rock	12	14	0.94	38	0.007	6	1.03	0.028	0.19	<0.1	0.08	4.4	<0.1	5.89	3	3.5	0.6	N.A.	N.A.
942916	Rock	14	33	2.26	101	0.044	8	1.99	0.143	0.16	<0.1	0.03	9.6	<0.1	1.42	6	1.1	<0.2	N.A.	N.A.
942917	Rock	11	24	2.62	71	0.047	6	2.18	0.137	0.12	<0.1	0.03	9.0	<0.1	1.35	7	1.1	<0.2	N.A.	N.A.
942918	Rock	29	15	2.52	89	0.008	8	1.50	0.057	0.20	<0.1	0.18	11.4	<0.1	1.51	6	3.2	0.7	N.A.	N.A.
942919	Rock	19	4	2.34	30	0.004	6	0.79	0.042	0.25	<0.1	0.56	6.1	<0.1	3.62	2	6.8	1.5	N.A.	N.A.
942920	Rock	19	5	2.36	29	0.004	6	1.17	0.051	0.14	<0.1	0.62	6.1	<0.1	3.43	5	7.9	2.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
942921	Rock	0.57	8.7	701.8	2.4	27	0.2	11.4	33.5	564	6.85	7.3	25.5	2.2	67	<0.1	0.2	0.5	181	1.93	0.197
942922	Rock	1.45	8.2	490.8	3.5	29	0.1	9.9	28.5	617	5.36	7.0	17.0	2.5	67	<0.1	0.1	0.5	155	1.88	0.196
942923	Rock	1.46	5.2	249.0	3.4	17	<0.1	7.1	29.1	432	4.94	5.7	18.2	2.4	67	<0.1	0.2	0.5	91	3.50	0.212
942924	Rock	0.59	8.0	284.7	2.5	46	<0.1	9.6	26.6	696	5.99	5.2	15.5	2.2	80	<0.1	0.6	0.3	164	2.45	0.163
942925	Rock	0.29	7.5	419.4	2.5	47	<0.1	11.6	25.7	731	6.43	5.7	14.0	2.5	129	<0.1	0.1	0.2	208	1.67	0.165
942926	Rock	1.30	7.9	925.7	5.1	27	0.2	13.7	27.7	555	5.99	4.8	35.5	1.8	254	<0.1	0.2	0.2	215	3.46	0.172
942927	Rock	1.82	6.1	904.8	4.2	23	0.3	13.3	31.5	409	5.69	4.5	31.4	1.8	238	<0.1	0.2	0.4	188	2.48	0.170
942928	Rock	1.76	5.7	2227	3.6	29	0.8	12.0	27.6	607	5.73	3.8	32.6	1.8	268	0.1	0.2	0.3	224	2.46	0.169
942929	Rock	1.54	4.6	1781	2.4	35	0.6	13.0	28.8	761	6.32	3.7	23.1	1.7	326	<0.1	0.2	0.2	240	3.05	0.166
942930	Rock	1.79	6.0	925.1	2.0	30	0.3	8.0	21.6	551	4.31	4.4	20.0	1.9	268	<0.1	0.1	0.1	171	2.69	0.174
942931	Rock	2.07	2.4	2549	1.9	37	0.9	9.0	23.0	679	5.31	3.3	68.9	1.8	180	0.2	0.2	0.1	198	2.05	0.166
942932	Rock	1.87	3.5	2269	3.8	41	0.6	8.8	19.7	649	4.87	3.9	37.8	1.9	192	0.2	0.1	0.1	191	2.11	0.168
942933	Rock	1.61	2.8	1361	2.2	31	0.3	9.3	23.5	704	4.92	3.1	40.9	1.6	201	<0.1	0.1	0.2	197	1.87	0.163
942934	Rock	1.89	3.7	1942	1.8	35	0.4	10.2	21.5	730	4.53	3.8	71.4	1.3	245	0.1	0.1	0.1	161	2.56	0.148
942935	Rock	2.15	2.5	1988	1.9	42	0.4	10.7	15.7	700	4.61	2.7	57.3	1.6	219	<0.1	0.1	<0.1	169	1.98	0.168
942936	Rock	2.02	4.2	1297	1.5	41	0.3	10.7	27.0	728	4.83	3.3	33.5	1.3	357	<0.1	0.1	<0.1	163	3.28	0.160
942937	Rock	2.03	4.5	1570	1.4	42	0.3	11.5	24.4	715	5.54	3.7	24.4	1.2	275	<0.1	0.1	<0.1	200	2.94	0.152
942938	Rock	2.42	3.6	1132	1.4	45	0.3	12.3	21.9	583	5.95	4.6	39.9	1.3	323	<0.1	<0.1	<0.1	260	2.75	0.174
942939	Rock	2.06	3.4	941.6	1.6	48	0.2	22.8	23.2	581	4.91	3.6	31.4	1.5	238	<0.1	0.1	0.1	164	2.99	0.152
942940	Rock	2.06	3.7	875.4	2.8	29	0.2	11.0	26.8	447	4.16	4.7	47.3	1.5	239	<0.1	0.1	0.2	142	2.90	0.143
942941	Rock	2.46	4.2	529.8	2.5	11	0.1	9.7	30.6	298	3.81	5.0	28.7	1.4	193	<0.1	0.1	0.3	82	6.23	0.146
942942	Rock	1.81	2.8	689.6	2.2	26	0.2	7.1	22.5	297	3.98	3.8	22.6	1.5	211	<0.1	0.1	0.2	139	2.96	0.164
942943	Rock	2.31	4.5	942.2	1.1	22	0.1	11.1	25.9	353	5.25	3.0	21.4	1.4	306	<0.1	<0.1	0.2	196	2.95	0.148
942944	Rock	2.78	6.1	782.5	0.8	31	0.1	12.9	27.4	575	5.12	1.9	13.9	1.3	310	<0.1	<0.1	0.1	225	3.17	0.159
942945	Rock	2.10	4.3	1018	0.8	36	0.2	11.0	28.4	771	6.19	2.0	17.3	1.3	299	<0.1	<0.1	0.1	223	3.43	0.143
942946	Rock	2.53	3.9	1028	0.7	31	0.2	12.3	25.3	528	5.66	1.9	17.9	1.2	272	<0.1	<0.1	0.1	241	2.73	0.142
942947	Rock	2.42	3.7	1065	0.9	34	0.2	11.9	31.5	589	6.33	2.0	22.1	1.2	311	<0.1	0.1	0.1	248	2.58	0.160
942948	Rock	2.83	2.7	886.9	0.6	21	0.1	9.7	23.1	424	4.97	1.6	21.8	1.4	353	<0.1	<0.1	<0.1	218	2.74	0.153
942949	Rock	2.04	4.8	644.6	1.6	33	0.2	8.1	20.4	390	4.63	4.6	18.8	1.3	350	<0.1	<0.1	0.2	201	2.96	0.156
942950	Rock	2.71	2.9	529.8	2.0	29	0.1	10.0	20.9	384	4.37	2.4	23.4	1.4	367	<0.1	<0.1	<0.1	212	3.66	0.158



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
942921	Rock	23	9	2.35	42	0.012	11	1.27	0.044	0.29	<0.1	0.32	8.6	0.2	2.50	5	5.9	1.1	N.A.	N.A.
942922	Rock	25	8	2.31	44	0.013	17	1.28	0.046	0.25	<0.1	0.19	6.5	<0.1	2.29	5	3.3	0.8	N.A.	N.A.
942923	Rock	13	3	2.18	36	0.005	9	0.94	0.035	0.29	<0.1	0.28	4.3	<0.1	3.26	3	5.9	1.3	N.A.	N.A.
942924	Rock	25	10	2.15	75	0.014	10	1.08	0.048	0.26	<0.1	0.22	13.0	<0.1	1.63	4	3.5	0.6	N.A.	N.A.
942925	Rock	26	16	2.48	129	0.020	14	1.87	0.038	0.27	<0.1	0.11	14.2	<0.1	1.04	8	2.5	0.5	N.A.	N.A.
942926	Rock	18	17	2.64	56	0.035	3	2.22	0.020	0.25	<0.1	0.11	11.5	<0.1	2.59	10	2.6	0.4	N.A.	N.A.
942927	Rock	15	16	2.36	37	0.054	3	1.93	0.018	0.25	<0.1	0.14	9.6	<0.1	3.20	9	4.7	0.6	N.A.	N.A.
942928	Rock	14	16	2.46	55	0.130	2	2.11	0.018	0.16	0.2	0.10	11.0	<0.1	2.49	11	3.8	0.5	0.033	0.248
942929	Rock	14	16	2.71	67	0.155	1	2.43	0.013	0.16	0.2	0.07	12.3	<0.1	2.06	12	2.9	0.4	0.027	0.183
942930	Rock	12	10	1.97	81	0.108	3	1.80	0.026	0.14	0.1	0.09	6.6	<0.1	2.06	9	2.6	0.3	N.A.	N.A.
942931	Rock	11	10	2.09	112	0.129	2	1.87	0.030	0.18	0.1	0.06	7.1	<0.1	1.30	10	3.7	0.2	0.078	0.266
942932	Rock	11	10	2.17	103	0.138	3	1.85	0.027	0.21	0.1	0.07	6.8	<0.1	1.57	9	3.7	0.3	0.043	0.237
942933	Rock	8	11	2.41	93	0.181	2	2.07	0.030	0.27	0.2	0.07	6.1	<0.1	1.63	10	3.3	0.2	0.049	0.147
942934	Rock	8	13	2.15	104	0.133	3	1.88	0.023	0.19	0.2	0.05	5.7	<0.1	1.26	9	3.3	0.3	0.065	0.202
942935	Rock	7	13	2.20	78	0.133	2	2.06	0.032	0.19	0.2	0.04	4.8	<0.1	0.94	10	2.1	<0.2	0.045	0.210
942936	Rock	11	11	2.26	99	0.160	3	2.15	0.021	0.34	0.3	0.04	6.1	<0.1	1.82	8	2.2	<0.2	0.029	0.139
942937	Rock	8	13	2.55	86	0.188	1	2.26	0.018	0.33	0.3	0.05	7.2	<0.1	1.66	9	2.7	<0.2	0.025	0.169
942938	Rock	9	15	2.98	93	0.235	2	2.51	0.023	0.78	0.2	0.04	10.8	0.2	2.16	12	2.6	0.3	0.037	0.120
942939	Rock	14	28	2.21	90	0.045	6	2.12	0.039	0.34	<0.1	0.05	7.9	<0.1	1.56	9	1.6	<0.2	N.A.	N.A.
942940	Rock	12	10	1.90	60	0.018	4	1.59	0.032	0.19	<0.1	0.06	5.9	<0.1	2.76	8	3.6	0.5	N.A.	N.A.
942941	Rock	11	6	1.05	41	0.006	2	1.04	0.022	0.19	<0.1	0.07	4.1	<0.1	3.66	4	5.6	0.8	N.A.	N.A.
942942	Rock	8	6	1.90	42	0.008	3	1.57	0.031	0.13	<0.1	0.07	5.0	<0.1	2.89	7	4.0	1.0	N.A.	N.A.
942943	Rock	10	12	2.34	45	0.065	2	2.03	0.028	0.20	0.1	0.06	8.9	<0.1	3.01	9	4.0	0.6	N.A.	N.A.
942944	Rock	13	17	2.70	59	0.125	2	2.28	0.028	0.30	0.2	0.02	10.9	<0.1	2.40	11	2.1	<0.2	N.A.	N.A.
942945	Rock	14	13	2.73	75	0.148	2	2.34	0.025	0.30	0.3	0.02	11.5	<0.1	2.03	11	1.7	<0.2	0.021	0.110
942946	Rock	9	16	2.61	63	0.190	2	2.19	0.026	0.62	0.3	0.03	11.7	0.2	2.14	10	2.2	<0.2	0.023	0.114
942947	Rock	10	15	2.79	79	0.216	2	2.42	0.025	0.79	0.3	0.02	11.9	0.2	2.07	11	2.3	<0.2	0.020	0.111
942948	Rock	9	14	2.93	73	0.178	2	2.47	0.027	0.81	0.2	0.02	10.7	0.2	2.32	10	3.0	<0.2	N.A.	N.A.
942949	Rock	10	8	2.37	46	0.138	3	1.99	0.026	0.58	0.2	0.04	9.0	0.2	2.93	9	3.2	0.5	N.A.	N.A.
942950	Rock	11	10	2.42	58	0.186	3	2.07	0.027	0.84	0.4	0.03	9.6	0.3	2.95	9	1.3	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
942951	Rock	1.80	1.8	273.1	19.9	152	0.4	9.2	33.7	1776	6.43	11.8	33.8	1.6	68	0.1	0.4	0.2	244	3.07	0.168
942952	Rock	1.97	1.8	465.6	13.8	934	0.4	10.9	36.7	1992	6.84	15.6	27.4	1.6	78	7.7	0.3	0.2	240	3.92	0.150
942953	Rock	2.03	0.7	404.0	15.3	670	0.6	15.4	41.3	2484	7.74	13.9	69.0	1.4	74	3.2	0.3	0.2	251	4.75	0.169
942954	Rock	2.04	1.0	602.9	9.5	352	0.5	10.7	39.2	2151	6.87	12.3	32.1	1.4	63	0.7	0.3	0.2	236	3.41	0.171
942955	Rock	1.81	7.7	303.1	7.6	1076	0.4	11.9	40.8	2644	7.34	21.8	38.7	1.5	81	8.1	0.4	0.3	250	4.59	0.140
942956	Rock	2.34	0.8	244.3	3.5	234	0.2	9.1	30.9	2464	6.60	9.5	21.8	1.9	72	0.4	0.2	0.2	227	2.96	0.169
942957	Rock	1.75	0.4	225.5	3.5	191	0.2	14.1	34.3	2544	8.07	10.4	11.0	1.7	83	0.1	0.2	0.2	275	3.49	0.169
942958	Rock	2.27	1.7	247.7	5.3	541	0.2	9.2	23.4	1192	5.00	7.9	16.2	1.7	71	5.9	0.2	0.2	210	2.89	0.167
942959	Rock	2.17	5.8	463.7	5.1	125	0.3	13.9	28.5	810	5.08	7.4	31.4	1.6	62	0.5	0.3	0.2	143	2.73	0.167
942960	Rock	2.19	2.8	375.8	6.5	81	0.3	21.9	36.0	640	5.99	8.4	26.0	1.5	64	0.3	0.3	0.3	179	2.58	0.138
942961	Rock	1.95	2.7	428.4	5.7	87	0.3	18.3	32.7	678	5.61	8.7	28.0	1.4	59	0.3	0.3	0.3	163	2.49	0.153
942962	Rock	1.95	3.9	430.0	6.0	84	0.4	12.0	31.5	711	4.95	10.5	34.7	1.5	61	0.2	0.3	0.3	113	2.94	0.184
942963	Rock	1.50	2.3	366.2	4.9	45	0.3	16.3	33.4	553	6.95	8.2	22.5	1.6	48	0.2	0.4	0.4	103	2.41	0.181
942964	Rock	1.72	2.1	472.7	2.9	33	0.2	12.7	30.9	495	5.79	4.4	15.9	1.7	33	<0.1	0.2	0.2	164	0.97	0.181
942965	Rock	1.86	1.1	283.1	1.5	60	0.1	7.3	20.1	824	5.18	3.3	10.6	2.2	49	<0.1	0.1	<0.1	130	1.63	0.168
942966	Rock	1.37	1.4	244.5	2.0	66	0.1	9.1	20.6	862	5.42	3.3	9.9	1.9	56	<0.1	0.2	0.1	133	2.22	0.174
942967	Rock	1.63	1.5	1156	2.1	81	0.3	8.6	20.1	1050	5.74	4.8	24.7	1.8	58	<0.1	0.1	0.1	181	2.18	0.176
942968 A	Rock	0.95	2.5	766.3	3.7	92	0.3	11.0	27.0	927	5.85	8.2	29.7	1.8	58	0.3	0.2	0.2	166	2.40	0.180
942968 B	Rock	2.23	3.4	1558	2.2	51	0.4	14.7	18.4	665	6.13	2.3	58.4	2.3	76	<0.1	0.1	<0.1	207	2.65	0.186
942969	Rock	2.41	4.3	3101	3.6	36	0.7	8.3	32.1	418	5.11	3.4	236.9	2.5	61	0.1	0.1	0.3	172	1.84	0.173
942970	Rock	2.38	4.0	1301	3.3	38	0.3	6.3	12.5	402	4.47	1.7	127.6	2.3	75	0.2	<0.1	<0.1	173	1.63	0.164
942971	Rock	2.52	5.1	2012	2.3	30	0.6	7.1	19.7	489	4.63	3.5	118.8	2.4	66	0.2	0.1	0.2	150	2.49	0.151
942972	Rock	2.80	3.3	1014	1.8	38	0.3	5.3	13.8	752	5.27	3.9	79.8	1.8	52	<0.1	0.1	<0.1	156	2.08	0.166
942973	Rock	2.41	1.6	2132	11.9	50	0.7	8.8	22.3	539	4.68	3.7	748.3	2.0	67	0.2	0.2	0.1	177	2.02	0.145
942974	Rock	2.28	1.0	366.0	10.0	42	0.2	9.7	16.6	334	2.82	3.0	47.4	2.3	50	0.5	0.1	<0.1	131	1.89	0.139
942975	Rock	2.42	3.1	680.3	7.8	26	0.3	7.2	27.2	215	3.64	3.3	30.6	2.3	33	<0.1	0.1	0.2	102	0.96	0.184
942976	Rock	2.95	1.7	386.6	6.0	35	0.2	4.6	25.7	347	4.71	4.0	20.5	2.2	70	0.1	0.1	0.2	114	2.16	0.154
942977	Rock	2.42	2.5	321.2	4.5	28	0.1	5.4	21.6	249	3.96	2.3	22.4	2.2	68	<0.1	<0.1	0.1	132	1.40	0.169
942978	Rock	2.54	2.1	805.1	5.3	23	0.2	7.9	26.7	182	4.15	5.1	42.5	2.4	35	<0.1	0.2	0.5	108	0.65	0.160
942979	Rock	2.96	2.1	161.1	4.7	11	<0.1	6.3	24.0	125	3.19	1.8	7.9	2.4	40	<0.1	0.1	<0.1	80	1.17	0.164



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: April 04, 2011

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
942951	Rock	12	4	3.62	30	0.011	8	2.40	0.022	0.06	<0.1	0.12	13.0	<0.1	3.02	12	1.8	0.3	N.A.	N.A.	
942952	Rock	12	4	3.04	34	0.011	10	2.41	0.014	0.05	<0.1	0.68	15.1	<0.1	2.77	11	1.4	0.2	N.A.	N.A.	
942953	Rock	9	7	3.23	34	0.014	7	2.73	0.015	0.05	<0.1	0.40	19.1	<0.1	3.60	12	0.9	0.2	N.A.	N.A.	
942954	Rock	10	4	3.41	36	0.010	5	2.59	0.025	0.03	<0.1	0.10	12.4	<0.1	2.91	12	2.3	0.3	N.A.	N.A.	
942955	Rock	11	2	3.63	91	0.010	7	3.08	0.014	0.03	<0.1	0.80	17.4	<0.1	1.61	12	0.6	<0.2	N.A.	N.A.	
942956	Rock	11	2	3.79	120	0.010	5	3.22	0.015	0.05	<0.1	0.04	14.4	<0.1	1.12	12	0.6	<0.2	N.A.	N.A.	
942957	Rock	12	7	4.88	173	0.006	10	3.38	0.031	0.02	<0.1	0.03	19.9	<0.1	0.74	13	0.6	<0.2	N.A.	N.A.	
942958	Rock	14	13	2.88	144	0.006	11	1.94	0.047	0.13	<0.1	0.41	10.5	<0.1	1.10	8	1.1	<0.2	N.A.	N.A.	
942959	Rock	15	24	2.48	91	0.003	11	1.56	0.039	0.22	<0.1	0.17	9.7	<0.1	1.68	6	3.9	0.7	N.A.	N.A.	
942960	Rock	12	38	2.81	59	0.002	12	1.95	0.041	0.16	<0.1	0.20	14.1	<0.1	2.46	8	6.7	0.8	N.A.	N.A.	
942961	Rock	10	33	2.79	48	0.002	13	1.84	0.037	0.16	<0.1	0.16	11.5	<0.1	2.42	7	3.8	0.7	N.A.	N.A.	
942962	Rock	9	16	2.26	48	0.001	15	1.52	0.033	0.25	<0.1	0.19	6.0	<0.1	2.39	5	3.1	0.8	N.A.	N.A.	
942963	Rock	7	14	2.50	21	0.001	12	1.54	0.035	0.18	<0.1	0.27	4.3	<0.1	5.86	5	8.9	1.1	N.A.	N.A.	
942964	Rock	14	11	2.20	32	0.003	12	1.74	0.037	0.15	<0.1	0.14	7.5	<0.1	3.40	7	6.6	0.6	N.A.	N.A.	
942965	Rock	14	6	2.53	139	0.004	10	1.93	0.036	0.16	<0.1	0.05	6.8	<0.1	0.77	7	1.3	<0.2	N.A.	N.A.	
942966	Rock	14	8	2.61	118	0.003	6	1.95	0.035	0.19	<0.1	0.07	6.1	<0.1	1.07	7	1.7	<0.2	N.A.	N.A.	
942967	Rock	18	8	3.21	153	0.002	10	2.31	0.034	0.11	<0.1	0.05	7.8	<0.1	0.81	9	1.8	0.2	0.029	0.121	
942968 A	Rock	15	13	2.84	66	0.003	10	2.01	0.036	0.15	<0.1	0.11	9.0	<0.1	1.65	8	3.8	0.3	0.031	0.079	
942968 B	Rock	20	40	2.99	36	0.005	9	2.24	0.031	0.04	<0.1	0.01	18.6	<0.1	0.22	8	1.2	<0.2	0.060	0.163	
942969	Rock	17	7	2.11	78	0.007	10	1.89	0.041	0.08	<0.1	0.04	11.7	<0.1	1.60	7	4.0	0.8	0.268	0.314	
942970	Rock	17	6	2.04	36	0.006	9	2.01	0.038	0.03	<0.1	0.01	11.0	<0.1	0.42	8	1.4	<0.2	0.106	0.137	
942971	Rock	17	5	2.07	48	0.008	6	1.51	0.057	0.08	<0.1	0.04	9.9	<0.1	2.07	7	3.4	0.8	0.108	0.209	
942972	Rock	16	3	2.23	53	0.007	6	1.78	0.047	0.06	<0.1	<0.01	10.2	<0.1	0.87	8	1.5	<0.2	0.069	0.109	
942973	Rock	12	9	2.00	23	0.007	9	1.81	0.031	0.03	<0.1	0.05	11.9	<0.1	1.10	8	4.4	0.3	0.929	0.250	
942974	Rock	18	12	1.72	27	0.004	12	1.26	0.036	0.05	<0.1	0.03	8.1	<0.1	0.95	5	1.8	<0.2	N.A.	N.A.	
942975	Rock	14	7	1.55	49	0.005	6	1.49	0.035	0.13	<0.1	0.03	4.8	<0.1	2.19	6	3.9	0.4	N.A.	N.A.	
942976	Rock	16	3	1.83	42	0.004	8	1.31	0.042	0.10	<0.1	0.02	6.5	<0.1	2.50	6	2.0	0.4	N.A.	N.A.	
942977	Rock	13	4	1.54	68	0.004	9	1.36	0.033	0.09	<0.1	0.03	9.6	<0.1	1.63	6	1.4	0.4	N.A.	N.A.	
942978	Rock	15	3	1.46	40	0.005	7	1.46	0.028	0.18	<0.1	0.04	8.5	<0.1	2.72	6	3.9	0.6	N.A.	N.A.	
942979	Rock	15	4	1.39	47	0.006	6	1.11	0.040	0.15	<0.1	0.02	4.4	<0.1	2.37	5	6.5	<0.2	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: April 04, 2011

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method Analyte Unit MDL	WGHT Wgt kg	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P			
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.1	0.1	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001		
942980	Rock	2.73	1.5	169.8	3.7	17	<0.1	5.8	13.2	160	3.63	1.5	19.8	2.6	49	<0.1	<0.1	0.1	123	1.18	0.166		
942981	Rock	2.72	1.6	258.4	4.9	24	0.1	6.7	16.3	190	5.08	2.1	23.0	3.1	50	<0.1	0.1	<0.1	160	1.23	0.172		
942982	Rock	2.53	1.2	346.0	2.8	26	0.2	16.3	36.5	350	5.11	3.7	25.7	2.0	69	<0.1	0.1	0.2	172	1.71	0.145		
942983	Rock	2.34	0.9	196.9	2.4	26	<0.1	18.1	26.0	431	4.52	2.6	14.4	1.8	112	<0.1	0.1	<0.1	164	2.50	0.135		
942984	Rock	2.11	4.6	64.7	2.1	12	<0.1	4.4	7.8	135	1.09	1.0	3.8	2.2	45	<0.1	<0.1	<0.1	79	1.39	0.164		
942985	Rock	2.33	5.5	106.0	3.3	16	<0.1	3.8	7.5	165	1.31	1.3	5.0	2.2	57	<0.1	0.1	<0.1	76	2.18	0.171		
942986	Rock	2.67	3.3	341.1	2.4	26	0.1	5.2	11.2	291	2.31	2.6	19.5	2.0	81	<0.1	0.1	<0.1	103	2.76	0.166		
942987	Rock	2.74	4.1	539.7	2.7	22	0.2	4.7	8.3	287	2.19	3.4	28.5	2.0	75	<0.1	0.1	0.1	95	3.09	0.150		
942988	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
100001	Rock	1.88	3.8	384.1	3.7	55	0.2	9.2	17.1	468	2.30	1.9	16.3	3.3	23	0.4	0.2	<0.1	54	0.65	0.174		
100002	Rock	2.24	2.2	259.9	2.6	59	0.2	4.2	18.9	309	3.44	3.3	33.4	2.2	28	<0.1	<0.1	0.1	123	0.78	0.213		
100003	Rock	2.33	3.9	1355	7.1	114	1.2	6.9	23.0	929	3.88	8.8	332.6	1.8	109	0.6	0.3	0.5	45	5.29	0.137		
100004	Rock	2.23	7.3	>10000	6.8	37	3.0	3.4	4.8	336	2.07	4.5	1745	3.3	69	0.3	0.5	0.9	43	3.37	0.294		
100005	Rock	2.01	4.5	>10000	4.6	18	2.0	3.7	2.5	211	1.49	3.1	689.5	4.3	59	0.2	0.2	0.7	47	2.88	0.343		
100006	Rock	2.13	2.9	9221	3.7	27	1.2	7.1	16.5	331	3.31	6.0	280.4	3.1	58	0.1	0.4	0.4	89	2.59	0.238		
100007	Rock	2.98	9.9	4160	2.5	33	0.5	7.5	22.2	349	3.56	3.4	180.9	3.0	54	0.4	0.3	0.3	89	2.44	0.226		
100008	Rock	2.60	3.7	1480	2.6	29	0.3	10.4	35.9	359	4.71	3.2	87.1	2.2	40	0.4	0.2	0.4	122	1.69	0.199		
100009	Rock	2.59	16.3	562.4	3.5	40	0.2	11.6	29.2	323	3.50	2.0	51.7	2.5	26	0.2	0.1	0.1	108	0.92	0.140		
100010	Rock	2.84	14.4	462.4	2.0	17	0.1	7.1	25.0	145	2.18	1.5	30.9	2.7	28	<0.1	<0.1	<0.1	49	1.07	0.159		
100011	Rock	2.76	6.5	693.6	2.7	33	0.2	6.1	44.0	235	4.68	4.3	75.5	2.3	31	0.1	0.1	0.3	104	1.22	0.230		
100012	Rock	1.98	6.0	2304	2.5	24	0.4	5.7	19.4	250	2.54	2.3	100.0	3.1	52	0.2	0.2	0.1	89	2.00	0.365		
100013	Rock	2.52	14.0	825.4	2.2	26	0.2	12.3	32.5	378	4.28	3.3	44.1	2.9	85	0.1	0.2	0.1	88	4.11	0.235		
100014	Rock	3.04	1.3	418.9	3.4	42	0.2	8.6	25.4	355	4.82	3.0	121.0	3.4	45	<0.1	0.1	0.2	118	2.13	0.263		
100015	Rock	2.66	2.7	962.5	1.6	24	0.3	4.8	20.0	168	2.60	2.8	100.6	3.5	28	<0.1	0.1	0.1	72	0.92	0.189		
100016	Rock	2.20	4.0	613.7	1.5	17	0.2	4.2	24.2	180	2.48	1.7	58.9	3.7	38	<0.1	<0.1	0.1	29	1.78	0.162		
100017	Rock	2.30	3.4	1061	1.5	16	0.2	5.5	22.7	160	2.41	2.0	47.6	6.2	42	<0.1	<0.1	0.1	41	1.63	0.444		
100018	Rock	2.24	7.0	5198	2.0	17	0.6	3.9	10.8	134	2.12	1.9	241.0	4.0	35	0.1	0.2	0.2	40	1.44	0.173		
100019	Rock	2.41	9.3	1550	1.6	9	0.2	2.7	4.9	130	1.37	2.2	91.5	5.6	84	<0.1	<0.1	0.2	17	4.09	0.546		
100020	Rock	2.25	3.5	1204	2.5	40	0.3	16.4	26.4	476	5.19	2.9	21.8	2.0	95	<0.1	0.2	0.2	259	2.92	0.138		
100021	Rock	2.62	5.9	2130	2.6	46	0.4	20.2	33.9	491	7.12	3.2	40.0	2.8	94	0.1	0.3	0.2	338	2.49	0.205		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
942980	Rock	12	4	1.68	60	0.008	7	1.46	0.039	0.09	<0.1	0.02	6.1	<0.1	1.97	7	1.1	<0.2	N.A.	N.A.
942981	Rock	16	4	2.02	41	0.007	8	1.72	0.037	0.09	<0.1	0.03	7.8	<0.1	3.09	8	1.0	<0.2	N.A.	N.A.
942982	Rock	13	41	2.79	41	0.007	14	1.95	0.031	0.03	<0.1	0.04	18.3	<0.1	2.57	9	3.2	0.7	N.A.	N.A.
942983	Rock	10	57	3.42	53	0.009	13	2.27	0.036	0.05	<0.1	0.03	19.4	<0.1	1.59	8	1.1	0.4	N.A.	N.A.
942984	Rock	8	6	1.32	64	0.006	6	0.89	0.045	0.14	<0.1	<0.01	4.6	<0.1	0.37	4	0.9	<0.2	N.A.	N.A.
942985	Rock	7	5	1.47	67	0.007	7	0.80	0.049	0.15	<0.1	<0.01	4.4	<0.1	0.50	4	1.4	<0.2	N.A.	N.A.
942986	Rock	13	4	1.96	67	0.003	10	1.17	0.048	0.11	<0.1	0.02	5.6	<0.1	1.05	5	1.7	<0.2	N.A.	N.A.
942987	Rock	14	4	1.70	59	0.005	8	0.77	0.059	0.10	<0.1	0.02	5.4	<0.1	1.07	3	1.9	0.2	N.A.	N.A.
942988	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
100001	Rock	19	4	0.45	178	0.002	6	0.78	0.032	0.24	0.1	0.02	4.3	<0.1	0.28	2	1.7	0.2	N.A.	N.A.
100002	Rock	14	2	0.89	113	0.004	9	1.28	0.036	0.15	<0.1	0.01	4.4	<0.1	0.92	5	1.2	0.7	N.A.	N.A.
100003	Rock	8	4	2.14	44	0.002	7	0.63	0.049	0.20	0.1	0.05	2.7	<0.1	2.46	2	4.2	0.6	0.401	0.159
100004	Rock	19	2	1.25	69	0.004	5	0.53	0.034	0.24	<0.1	0.11	3.1	<0.1	1.37	1	33.6	0.9	1.879	1.615
100005	Rock	22	5	1.19	66	0.005	5	0.60	0.039	0.19	<0.1	0.10	4.1	<0.1	1.00	2	26.0	0.9	1.017	1.361
100006	Rock	17	3	1.50	40	0.004	8	0.83	0.038	0.17	<0.1	0.10	5.4	<0.1	2.34	3	19.5	0.6	0.295	1.051
100007	Rock	22	3	1.39	48	0.005	9	0.76	0.034	0.23	<0.1	0.09	5.2	<0.1	2.38	3	7.9	0.6	0.181	0.451
100008	Rock	15	5	1.24	35	0.006	10	0.93	0.030	0.21	<0.1	0.07	8.2	<0.1	3.03	4	6.1	0.6	0.078	0.161
100009	Rock	16	7	0.79	57	0.007	16	0.72	0.036	0.15	<0.1	0.03	7.9	<0.1	1.89	3	3.4	<0.2	N.A.	N.A.
100010	Rock	17	4	0.56	59	0.005	6	0.49	0.032	0.24	<0.1	0.01	3.7	<0.1	1.47	2	3.5	<0.2	N.A.	N.A.
100011	Rock	12	2	0.92	26	0.007	12	0.79	0.032	0.25	<0.1	0.02	4.3	<0.1	3.80	3	6.1	0.5	N.A.	N.A.
100012	Rock	24	6	0.85	59	0.008	15	0.78	0.034	0.23	<0.1	0.02	4.7	<0.1	1.44	3	4.3	<0.2	0.160	0.254
100013	Rock	18	8	1.81	42	0.003	12	0.69	0.050	0.18	0.1	0.06	5.5	0.1	2.45	3	5.0	<0.2	N.A.	N.A.
100014	Rock	19	3	1.47	28	0.010	12	0.77	0.047	0.21	<0.1	0.04	7.0	<0.1	3.25	4	2.1	0.3	N.A.	N.A.
100015	Rock	17	2	0.69	56	0.009	12	0.70	0.027	0.30	<0.1	0.01	4.6	<0.1	1.50	3	3.4	<0.2	N.A.	N.A.
100016	Rock	17	1	0.86	59	0.004	5	0.44	0.021	0.28	<0.1	0.01	2.3	<0.1	1.62	1	3.2	0.3	N.A.	N.A.
100017	Rock	31	2	0.67	73	0.005	6	0.60	0.019	0.33	<0.1	0.01	3.1	<0.1	1.54	2	3.7	0.4	0.062	0.118
100018	Rock	16	3	0.73	73	0.005	6	0.49	0.022	0.28	<0.1	0.03	2.3	<0.1	1.35	2	9.5	0.3	0.341	0.599
100019	Rock	25	2	1.39	168	0.004	5	0.59	0.020	0.29	0.2	0.04	2.0	<0.1	0.64	<1	3.6	0.3	0.116	0.167
100020	Rock	24	20	2.94	114	0.059	31	1.91	0.045	0.99	<0.1	0.05	16.1	0.3	0.99	8	2.2	<0.2	0.027	0.135
100021	Rock	29	23	3.32	174	0.088	27	2.25	0.045	1.43	<0.1	0.10	22.6	0.4	0.87	9	3.4	0.3	0.033	0.203

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 9 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
100022	Rock	4.25	2.7	2052	3.7	27	0.3	16.3	26.1	381	5.33	13.7	124.8	1.9	110	<0.1	0.6	0.2	304	4.46	0.177
100023	Rock	3.35	2.3	1089	4.8	30	0.3	16.4	26.5	375	5.55	12.4	80.1	1.8	128	0.1	0.6	0.2	267	5.15	0.199
100024	Rock	2.84	2.4	583.8	5.3	23	0.2	14.8	24.5	414	5.11	5.8	46.1	1.8	162	<0.1	0.4	0.1	260	6.71	0.145
100025	Rock	2.90	2.5	713.8	4.5	40	0.2	12.0	27.9	615	5.92	8.7	39.6	1.7	129	0.1	0.2	0.1	250	7.63	0.175
100026	Rock	3.38	2.3	564.0	4.8	24	0.2	14.7	23.3	430	5.27	6.3	54.5	1.6	151	<0.1	0.3	0.1	237	7.92	0.165
100027	Rock	3.38	2.9	872.0	5.0	46	0.3	16.0	24.2	750	5.78	4.5	38.0	2.0	93	<0.1	0.2	<0.1	207	5.41	0.161
100028	Rock	3.48	3.6	875.4	5.0	36	0.4	10.5	28.9	754	4.93	9.3	68.6	1.6	306	<0.1	0.2	0.4	153	8.26	0.147
100029	Rock	3.71	2.2	883.6	5.6	51	0.4	13.8	28.7	942	7.10	7.3	48.8	1.8	79	<0.1	0.2	0.2	242	3.89	0.168
100030	Rock	3.76	3.6	1358	3.1	37	0.5	15.7	32.4	696	5.93	4.8	90.1	1.6	112	0.1	0.2	0.2	275	2.79	0.187
100031	Rock	2.77	4.7	1006	2.4	30	0.3	15.2	30.1	546	4.54	3.8	29.3	1.4	83	<0.1	0.1	0.1	244	1.98	0.198
100032	Rock	2.29	3.6	1811	4.0	38	0.7	12.5	27.3	772	5.24	4.1	60.3	1.3	227	<0.1	0.1	0.2	223	4.19	0.175
100033	Rock	2.37	4.7	1959	5.2	43	0.7	12.5	27.5	882	5.34	4.4	106.9	1.4	282	<0.1	0.2	0.2	218	5.03	0.190
100034	Rock	1.81	5.0	1133	5.1	66	0.4	12.5	25.6	984	5.36	3.9	172.6	1.8	302	0.1	0.2	0.1	255	5.17	0.274
100035	Rock	1.46	4.7	724.0	4.5	46	0.3	13.8	26.7	659	5.28	2.4	58.1	1.7	377	<0.1	<0.1	0.1	244	4.18	0.254
100036	Rock	1.65	2.2	633.6	4.1	52	0.3	7.1	32.4	714	5.86	4.9	119.5	1.4	157	<0.1	0.1	0.3	219	2.35	0.194
100037	Rock	2.24	3.2	500.2	2.9	43	0.2	6.4	32.6	525	4.70	7.8	331.3	1.5	162	<0.1	<0.1	0.6	205	2.75	0.186
100038	Rock	1.37	3.9	922.9	2.8	25	0.3	12.6	28.3	450	4.63	4.0	66.1	1.3	125	<0.1	0.1	0.2	220	2.33	0.178
100039	Rock	1.55	2.7	566.0	2.1	18	0.2	11.9	28.5	320	4.97	4.0	55.4	1.5	270	<0.1	0.1	0.2	209	2.45	0.161



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11001106.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
100022	Rock	27	23	3.15	57	0.056	25	1.75	0.065	1.03	<0.1	0.35	17.2	0.3	2.01	8	3.8	0.3	0.134	0.205
100023	Rock	24	17	2.65	43	0.039	18	1.57	0.051	0.70	0.1	0.42	13.9	0.2	2.85	7	3.1	0.4	0.097	0.104
100024	Rock	22	16	2.32	40	0.030	20	1.47	0.038	0.47	<0.1	0.13	12.1	<0.1	3.24	6	1.2	0.3	0.063	0.062
100025	Rock	23	13	2.06	45	0.020	18	1.66	0.031	0.38	0.1	0.10	13.0	<0.1	2.67	7	2.6	0.6	N.A.	N.A.
100026	Rock	22	15	2.23	41	0.029	15	1.39	0.036	0.48	<0.1	0.14	13.2	0.1	3.17	6	1.6	0.4	N.A.	N.A.
100027	Rock	18	22	2.39	46	0.024	13	2.00	0.023	0.36	<0.1	0.07	11.8	<0.1	2.61	9	3.1	0.3	N.A.	N.A.
100028	Rock	15	9	2.55	53	0.018	5	1.68	0.019	0.26	<0.1	0.08	8.8	<0.1	2.80	7	4.4	1.1	N.A.	N.A.
100029	Rock	16	17	2.71	37	0.011	9	2.18	0.024	0.13	<0.1	0.06	11.9	<0.1	3.31	10	3.4	0.4	N.A.	N.A.
100030	Rock	13	15	3.15	71	0.168	5	2.58	0.023	0.54	0.3	0.05	12.6	<0.1	1.92	12	3.9	0.6	0.155	0.122
100031	Rock	11	16	2.92	89	0.184	4	2.28	0.027	0.39	0.3	0.03	11.9	<0.1	1.46	11	3.2	0.5	0.037	0.100
100032	Rock	12	13	2.35	42	0.152	1	2.10	0.022	0.24	0.3	0.04	9.8	<0.1	2.76	9	4.0	0.4	0.072	0.182
100033	Rock	12	13	2.57	42	0.164	3	2.21	0.020	0.31	0.4	0.07	9.9	<0.1	3.35	10	5.4	0.6	0.124	0.194
100034	Rock	15	18	2.24	42	0.153	2	2.02	0.017	0.32	0.5	0.04	9.3	<0.1	2.88	9	2.3	0.2	0.220	0.127
100035	Rock	16	18	2.25	39	0.105	2	2.06	0.018	0.51	0.2	0.02	9.5	<0.1	2.70	9	1.8	<0.2	N.A.	N.A.
100036	Rock	8	5	2.38	31	0.045	2	2.17	0.030	0.20	0.2	0.03	7.7	<0.1	3.25	10	2.0	0.4	N.A.	N.A.
100037	Rock	6	4	2.56	37	0.040	2	2.10	0.031	0.15	0.1	0.05	8.2	<0.1	3.30	10	2.5	0.6	N.A.	N.A.
100038	Rock	9	14	2.58	43	0.112	2	2.08	0.029	0.25	0.2	0.03	10.2	<0.1	2.62	10	4.7	0.5	N.A.	N.A.
100039	Rock	10	13	2.39	40	0.060	2	2.07	0.026	0.18	0.1	0.03	9.0	<0.1	3.05	10	4.8	0.5	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: April 04, 2011

Page: 1 of 4 Part 1

QUALITY CONTROL REPORT

VAN11001106.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
942814	Rock	3.11	2.4	429.7	2.1	10	<0.1	8.1	19.2	189	3.57	2.6	27.3	1.6	432	<0.1	0.1	<0.1	133	5.10	0.168
REP 942814	QC		2.4	433.3	2.4	9	<0.1	7.8	19.6	189	3.59	2.5	30.4	1.6	424	<0.1	0.1	<0.1	135	5.11	0.173
942826	Rock	2.63	8.3	1372	3.4	30	0.3	8.3	23.7	509	4.46	45.8	94.6	2.4	72	<0.1	1.2	0.4	80	6.10	0.153
REP 942826	QC																				
942835	Rock	2.42	3.0	2279	2.2	14	0.6	4.7	12.9	306	2.07	3.3	138.1	2.1	465	<0.1	0.2	0.2	55	4.90	0.221
REP 942835	QC		3.0	2320	2.2	14	0.6	4.7	12.6	305	2.08	3.4	158.6	2.2	465	<0.1	0.1	0.2	55	4.93	0.213
942857	Rock	2.38	1.9	2277	2.2	59	0.5	2.7	30.7	801	4.67	8.0	383.3	1.6	212	<0.1	0.1	0.2	157	2.99	0.161
REP 942857	QC																				
942859	Rock	2.52	5.2	1139	1.3	19	0.2	2.0	19.9	343	2.74	4.1	124.6	1.7	303	<0.1	0.1	0.2	85	3.49	0.170
REP 942859	QC		5.3	1113	1.2	18	0.2	1.7	19.3	337	2.68	4.1	106.2	1.7	303	<0.1	0.1	0.2	84	3.44	0.163
942891	Rock	3.16	4.8	584.3	3.6	43	0.3	9.7	25.4	431	4.84	8.3	91.5	1.9	296	<0.1	0.4	0.4	106	4.26	0.180
REP 942891	QC		4.9	584.6	3.7	41	0.3	8.8	24.6	430	4.83	8.4	103.4	1.8	292	<0.1	0.3	0.4	105	4.28	0.186
942920	Rock	1.64	7.4	218.8	2.4	16	<0.1	6.4	34.9	456	5.09	12.7	29.3	2.0	74	<0.1	<0.1	0.5	122	3.19	0.187
REP 942920	QC		7.0	213.1	2.3	16	<0.1	6.1	34.8	449	4.98	11.9	27.7	1.9	73	<0.1	0.1	0.5	122	3.13	0.185
942934	Rock	1.89	3.7	1942	1.8	35	0.4	10.2	21.5	730	4.53	3.8	71.4	1.3	245	0.1	0.1	0.1	161	2.56	0.148
REP 942934	QC																				
942937	Rock	2.03	4.5	1570	1.4	42	0.3	11.5	24.4	715	5.54	3.7	24.4	1.2	275	<0.1	0.1	<0.1	200	2.94	0.152
REP 942937	QC																				
942964	Rock	1.72	2.1	472.7	2.9	33	0.2	12.7	30.9	495	5.79	4.4	15.9	1.7	33	<0.1	0.2	0.2	164	0.97	0.181
REP 942964	QC		1.9	459.0	2.7	33	0.2	12.5	29.5	496	5.69	4.5	17.2	1.6	34	<0.1	0.2	0.2	162	0.95	0.181
942987	Rock	2.74	4.1	539.7	2.7	22	0.2	4.7	8.3	287	2.19	3.4	28.5	2.0	75	<0.1	0.1	0.1	95	3.09	0.150
REP 942987	QC		4.2	538.0	2.7	22	0.2	4.5	8.6	294	2.21	3.0	30.3	2.0	79	<0.1	<0.1	0.1	96	3.10	0.147
100004	Rock	2.23	7.3	>10000	6.8	37	3.0	3.4	4.8	336	2.07	4.5	1745	3.3	69	0.3	0.5	0.9	43	3.37	0.294
REP 100004	QC																				
100006	Rock	2.13	2.9	9221	3.7	27	1.2	7.1	16.5	331	3.31	6.0	280.4	3.1	58	0.1	0.4	0.4	89	2.59	0.238
REP 100006	QC																				
Core Reject Duplicates																					
942816	Rock	2.51	1.3	198.8	0.9	12	<0.1	2.8	18.1	260	4.08	2.3	10.6	1.9	379	<0.1	<0.1	<0.1	180	4.23	0.171

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: April 04, 2011

Page: 1 of 4 Part 2

QUALITY CONTROL REPORT

VAN11001106.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Pulp Duplicates																				
942814	Rock	9	11	1.07	41	0.102	2	1.18	0.022	0.21	0.3	0.06	4.9	<0.1	4.03	5	1.0	<0.2	N.A.	N.A.
REP 942814	QC	10	11	1.08	43	0.106	1	1.18	0.022	0.21	0.2	0.06	5.1	<0.1	4.09	5	2.1	0.2		
942826	Rock	26	4	0.55	28	0.011	12	0.90	0.036	0.17	<0.1	0.44	4.7	<0.1	3.75	4	11.9	2.0	0.097	0.139
REP 942826	QC																			0.138
942835	Rock	20	<1	0.55	29	0.012	2	0.74	0.014	0.28	<0.1	0.05	2.1	<0.1	3.92	3	5.3	0.4	0.147	0.231
REP 942835	QC	20	2	0.56	29	0.009	3	0.74	0.014	0.27	<0.1	0.05	2.0	<0.1	3.93	3	5.2	0.4		
942857	Rock	9	1	2.44	47	0.013	1	2.22	0.025	0.04	<0.1	0.10	3.9	<0.1	3.07	10	5.8	0.7	0.408	0.247
REP 942857	QC																			0.389
942859	Rock	8	<1	1.34	35	0.072	2	1.33	0.027	0.12	0.3	0.06	1.7	<0.1	3.32	6	3.8	0.8	0.136	0.125
REP 942859	QC	8	<1	1.34	42	0.072	1	1.31	0.026	0.12	0.3	0.06	1.6	<0.1	3.24	5	3.4	0.6		
942891	Rock	15	9	1.85	27	0.010	4	1.60	0.018	0.23	0.1	0.11	4.2	<0.1	4.76	5	3.5	0.6	N.A.	N.A.
REP 942891	QC	15	9	1.84	28	0.010	3	1.62	0.018	0.23	0.2	0.10	4.4	<0.1	4.79	5	3.6	0.5		
942920	Rock	19	5	2.36	29	0.004	6	1.17	0.051	0.14	<0.1	0.62	6.1	<0.1	3.43	5	7.9	2.2	N.A.	N.A.
REP 942920	QC	18	5	2.31	25	0.004	6	1.14	0.050	0.14	<0.1	0.61	6.0	<0.1	3.34	4	8.0	1.8		
942934	Rock	8	13	2.15	104	0.133	3	1.88	0.023	0.19	0.2	0.05	5.7	<0.1	1.26	9	3.3	0.3	0.065	0.202
REP 942934	QC																			0.071
942937	Rock	8	13	2.55	86	0.188	1	2.26	0.018	0.33	0.3	0.05	7.2	<0.1	1.66	9	2.7	<0.2	0.025	0.169
REP 942937	QC																			0.168
942964	Rock	14	11	2.20	32	0.003	12	1.74	0.037	0.15	<0.1	0.14	7.5	<0.1	3.40	7	6.6	0.6	N.A.	N.A.
REP 942964	QC	13	11	2.17	35	0.003	13	1.74	0.036	0.17	<0.1	0.14	7.7	<0.1	3.33	7	6.9	0.6		
942987	Rock	14	4	1.70	59	0.005	8	0.77	0.059	0.10	<0.1	0.02	5.4	<0.1	1.07	3	1.9	0.2	N.A.	N.A.
REP 942987	QC	14	4	1.66	60	0.005	8	0.85	0.059	0.10	<0.1	0.02	5.4	<0.1	1.08	4	1.3	0.3		
100004	Rock	19	2	1.25	69	0.004	5	0.53	0.034	0.24	<0.1	0.11	3.1	<0.1	1.37	1	33.6	0.9	1.879	1.615
REP 100004	QC																			1.605
100006	Rock	17	3	1.50	40	0.004	8	0.83	0.038	0.17	<0.1	0.10	5.4	<0.1	2.34	3	19.5	0.6	0.295	1.051
REP 100006	QC																			0.342
Core Reject Duplicates																				
942816	Rock	10	2	1.88	41	0.107	1	2.00	0.066	0.16	<0.1	0.08	4.2	<0.1	3.50	9	3.7	0.3	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 2 of 4 Part 1

QUALITY CONTROL REPORT

VAN11001106.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
DUP 942816	QC		1.5	206.2	0.8	12	<0.1	2.6	18.8	276	4.32	2.4	11.2	2.0	385	<0.1	<0.1	<0.1	178	4.49	0.172
942851	Rock	2.99	6.2	204.0	1.9	62	<0.1	2.9	14.7	978	5.03	7.5	12.5	2.2	83	<0.1	0.2	<0.1	166	4.01	0.164
DUP 942851	QC		6.6	201.0	1.8	59	<0.1	2.7	14.1	938	4.84	7.0	10.6	2.1	81	<0.1	0.2	<0.1	160	3.84	0.160
942886	Rock	2.62	10.3	1037	1.6	11	0.2	7.0	17.2	192	5.21	4.6	74.2	2.0	610	<0.1	0.1	0.2	129	5.86	0.188
DUP 942886	QC		9.8	1030	1.6	11	0.2	7.7	17.6	192	5.20	4.8	61.3	1.9	595	<0.1	0.1	0.2	132	5.87	0.197
942921	Rock	0.57	8.7	701.8	2.4	27	0.2	11.4	33.5	564	6.85	7.3	25.5	2.2	67	<0.1	0.2	0.5	181	1.93	0.197
DUP 942921	QC		8.7	716.6	2.4	28	0.2	10.9	32.1	555	6.62	7.0	26.2	2.2	67	<0.1	0.2	0.5	179	1.88	0.200
942956	Rock	2.34	0.8	244.3	3.5	234	0.2	9.1	30.9	2464	6.60	9.5	21.8	1.9	72	0.4	0.2	0.2	227	2.96	0.169
DUP 942956	QC		0.8	268.3	3.7	265	0.2	10.7	34.0	2646	7.18	10.3	21.8	1.9	75	0.4	0.2	0.2	249	3.14	0.182
100002	Rock	2.24	2.2	259.9	2.6	59	0.2	4.2	18.9	309	3.44	3.3	33.4	2.2	28	<0.1	<0.1	0.1	123	0.78	0.213
DUP 100002	QC		2.3	270.3	2.3	61	0.2	4.3	20.2	329	3.56	3.6	33.6	2.2	28	0.1	<0.1	0.2	118	0.82	0.219
100037	Rock	2.24	3.2	500.2	2.9	43	0.2	6.4	32.6	525	4.70	7.8	331.3	1.5	162	<0.1	<0.1	0.6	205	2.75	0.186
DUP 100037	QC		3.6	500.3	3.1	42	0.2	6.4	32.9	517	4.71	8.3	315.8	1.5	175	<0.1	<0.1	0.7	206	2.80	0.188
Reference Materials																					
STD DS8	Standard		12.7	106.9	128.5	317	1.7	36.9	7.3	597	2.40	25.6	108.3	7.3	67	2.4	5.9	7.3	41	0.72	0.076
STD DS8	Standard		13.0	106.4	130.8	314	1.7	38.1	7.5	626	2.44	25.9	109.0	7.5	68	2.3	6.3	7.1	41	0.73	0.078
STD DS8	Standard		11.5	104.8	112.1	306	1.6	34.4	6.9	574	2.30	25.4	98.9	6.2	62	2.4	5.2	6.7	37	0.66	0.075
STD DS8	Standard		11.8	101.5	110.0	296	1.7	33.2	6.7	572	2.23	25.4	95.2	6.5	64	2.3	5.6	6.6	37	0.67	0.071
STD DS8	Standard		12.6	108.5	116.3	314	1.7	37.0	7.4	599	2.38	25.4	94.6	5.8	54	2.0	4.7	5.8	39	0.70	0.079
STD DS8	Standard		13.3	106.5	112.5	314	1.7	36.9	7.5	640	2.42	25.6	114.1	6.3	58	2.4	4.9	5.8	41	0.74	0.080
STD DS8	Standard		13.0	107.5	117.3	300	1.7	37.3	7.5	613	2.40	27.2	106.1	6.4	62	2.2	5.1	5.7	39	0.68	0.079
STD DS8	Standard		13.4	109.4	122.6	306	1.7	37.7	7.5	624	2.44	26.5	149.2	6.9	63	2.5	5.3	6.1	40	0.70	0.080
STD DS8	Standard		13.5	109.6	127.8	297	1.7	36.1	7.2	591	2.39	27.3	99.9	7.0	61	2.4	5.2	6.1	41	0.70	0.074
STD DS8	Standard		12.3	104.4	121.3	291	1.6	37.0	7.1	590	2.37	26.5	108.1	6.5	58	2.4	5.1	5.9	39	0.68	0.074
STD DS8	Standard		13.5	117.6	125.8	328	1.8	38.6	8.3	620	2.50	27.2	131.8	7.1	66	2.8	5.7	6.8	41	0.73	0.082
STD DS8	Standard		13.2	110.7	117.4	314	1.6	37.0	7.9	592	2.41	26.3	118.7	6.9	64	2.4	5.5	6.5	39	0.71	0.081
STD DS8	Standard		13.9	105.9	114.6	311	1.7	35.5	7.4	604	2.37	26.6	106.9	7.1	71	2.3	5.4	6.5	40	0.72	0.076
STD DS8	Standard		12.3	100.6	109.3	294	1.5	33.2	6.7	561	2.24	24.6	114.6	6.5	64	2.1	5.2	6.3	38	0.66	0.075
STD DS8	Standard		13.1	108.0	116.4	317	1.6	37.4	7.8	598	2.43	27.1	102.8	7.0	66	2.6	5.4	6.6	40	0.70	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 2 of 4 Part 2

QUALITY CONTROL REPORT

VAN11001106.2

		1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	G6 Au gm/t	7AR Cu %
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
DUP 942816	QC	10	2	1.94	44	0.103	2	2.00	0.033	0.16	<0.1	0.08	4.3	<0.1	3.74	9	3.7	0.3	N.A.	N.A.
942851	Rock	15	<1	1.32	124	0.005	11	1.81	0.028	0.05	<0.1	0.02	9.1	<0.1	0.49	7	1.0	<0.2	N.A.	N.A.
DUP 942851	QC	14	1	1.25	116	0.005	11	1.77	0.027	0.05	<0.1	0.02	8.6	<0.1	0.47	7	1.2	<0.2	N.A.	N.A.
942886	Rock	14	6	1.08	30	0.119	3	1.21	0.012	0.25	0.7	0.08	4.2	<0.1	4.89	5	3.3	0.3	0.081	0.114
DUP 942886	QC	15	6	1.08	28	0.123	3	1.23	0.013	0.27	0.7	0.07	4.4	<0.1	4.89	5	2.9	0.3	0.068	0.115
942921	Rock	23	9	2.35	42	0.012	11	1.27	0.044	0.29	<0.1	0.32	8.6	0.2	2.50	5	5.9	1.1	N.A.	N.A.
DUP 942921	QC	22	9	2.27	43	0.012	11	1.26	0.045	0.29	<0.1	0.29	8.3	0.1	2.41	5	5.9	0.9	N.A.	N.A.
942956	Rock	11	2	3.79	120	0.010	5	3.22	0.015	0.05	<0.1	0.04	14.4	<0.1	1.12	12	0.6	<0.2	N.A.	N.A.
DUP 942956	QC	11	2	4.12	125	0.010	8	3.58	0.016	0.05	<0.1	0.04	14.7	<0.1	1.17	13	0.7	<0.2	N.A.	N.A.
100002	Rock	14	2	0.89	113	0.004	9	1.28	0.036	0.15	<0.1	0.01	4.4	<0.1	0.92	5	1.2	0.7	N.A.	N.A.
DUP 100002	QC	14	2	0.92	98	0.003	7	1.19	0.035	0.13	<0.1	0.02	4.1	<0.1	1.04	5	1.7	0.6	N.A.	N.A.
100037	Rock	6	4	2.56	37	0.040	2	2.10	0.031	0.15	0.1	0.05	8.2	<0.1	3.30	10	2.5	0.6	N.A.	N.A.
DUP 100037	QC	6	4	2.58	38	0.039	2	2.15	0.032	0.15	0.1	0.05	8.4	<0.1	3.35	10	2.6	0.8	N.A.	N.A.
Reference Materials																				
STD DS8	Standard	15	113	0.60	269	0.116	3	0.92	0.088	0.42	2.9	0.21	2.1	5.3	0.16	5	4.9	5.2		
STD DS8	Standard	16	115	0.62	285	0.123	2	0.96	0.093	0.42	3.2	0.19	2.2	5.5	0.17	5	5.1	5.0		
STD DS8	Standard	13	105	0.57	260	0.106	2	0.84	0.077	0.40	2.7	0.16	1.8	4.8	0.15	4	5.1	5.1		
STD DS8	Standard	14	102	0.56	262	0.110	2	0.86	0.080	0.40	2.9	0.19	1.9	4.8	0.15	4	4.9	4.4		
STD DS8	Standard	13	114	0.59	258	0.101	3	0.93	0.101	0.44	3.0	0.20	2.2	5.3	0.15	5	5.3	4.8		
STD DS8	Standard	14	118	0.61	272	0.104	2	0.98	0.109	0.45	2.9	0.20	2.3	5.4	0.16	5	4.8	4.7		
STD DS8	Standard	14	114	0.60	270	0.107	3	0.91	0.088	0.41	2.6	0.17	1.7	4.8	0.16	5	5.4	4.9		
STD DS8	Standard	14	117	0.62	276	0.110	3	0.92	0.091	0.43	2.9	0.17	1.9	5.0	0.16	5	5.7	5.0		
STD DS8	Standard	15	114	0.59	281	0.110	3	0.91	0.087	0.41	2.8	0.19	1.8	5.3	0.17	4	5.2	4.7		
STD DS8	Standard	13	112	0.59	263	0.103	2	0.86	0.085	0.40	2.7	0.19	1.7	5.0	0.15	4	5.3	4.7		
STD DS8	Standard	15	121	0.63	284	0.120	3	0.96	0.089	0.42	3.1	0.18	2.1	5.5	0.16	5	5.1	4.9		
STD DS8	Standard	14	115	0.61	263	0.117	2	0.91	0.084	0.40	2.8	0.19	2.0	5.2	0.15	5	4.7	4.7		
STD DS8	Standard	16	112	0.59	279	0.123	3	0.95	0.097	0.42	2.9	0.19	2.1	4.9	0.15	5	4.6	4.6		
STD DS8	Standard	14	107	0.56	264	0.113	3	0.86	0.085	0.39	2.9	0.18	1.9	5.1	0.15	4	4.6	4.5		
STD DS8	Standard	14	116	0.61	269	0.118	2	0.90	0.089	0.43	2.9	0.18	1.9	5.2	0.16	5	5.1	4.6		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 04, 2011

Page: 3 of 4 Part 1

QUALITY CONTROL REPORT

VAN11001106.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS8	Standard		12.5	102.8	114.8	298	1.6	34.8	7.2	585	2.33	26.1	107.3	6.7	63	2.3	5.2	6.5	39	0.68	0.075
STD DS8	Standard		12.7	108.3	129.6	287	1.5	37.3	7.3	583	2.33	23.2	96.7	7.2	62	2.0	5.2	6.4	41	0.68	0.070
STD DS8	Standard		12.9	112.2	130.8	312	1.6	38.4	7.6	588	2.39	23.7	94.6	7.4	64	2.1	5.3	6.6	43	0.67	0.071
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD OXH82 Expected																					
STD OXK79 Expected																					
STD R4A Expected																					
STD DS8 Expected			13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

Suite 718 - 744 W. Hastings St.

Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: April 04, 2011

Page: 3 of 4 Part 2

QUALITY CONTROL REPORT

VAN11001106.2

		1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	G6 Au gm/t	7AR Cu %
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
STD DS8	Standard	13	111	0.58	262	0.111	3	0.86	0.084	0.41	2.9	0.18	2.1	5.1	0.15	4	4.8	4.7		
STD DS8	Standard	14	120	0.57	241	0.113	3	0.85	0.081	0.38	2.7	0.18	1.6	4.8	0.16	4	4.3	4.7		
STD DS8	Standard	14	118	0.57	247	0.117	2	0.88	0.083	0.40	2.9	0.18	1.8	5.2	0.16	4	4.1	4.5		
STD OXH82	Standard																			1.281
STD OXH82	Standard																			1.326
STD OXH82	Standard																			1.291
STD OXK79	Standard																			3.677
STD OXK79	Standard																			3.680
STD OXK79	Standard																			3.689
STD R4A	Standard																			0.508
STD R4A	Standard																			0.507
STD R4A	Standard																			0.513
STD R4A	Standard																			0.513
STD R4A	Standard																			0.505
STD R4A	Standard																			0.503
STD R4A	Standard																			0.524
STD R4A	Standard																			0.515
STD OXH82 Expected																				1.278
STD OXK79 Expected																				3.532
STD R4A Expected																				0.502
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: April 04, 2011

Page: 4 of 4 Part 2

QUALITY CONTROL REPORT

VAN11001106.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR			
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu		
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%		
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001		
BLK	Blank																			<0.005		
BLK	Blank																				<0.005	
BLK	Blank																				<0.005	
BLK	Blank																				<0.005	
BLK	Blank																				<0.001	
BLK	Blank																				<0.001	
BLK	Blank																				<0.005	
BLK	Blank																				<0.005	
BLK	Blank																				<0.001	
BLK	Blank																				<0.001	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
Prep Wash																						
G1	Prep Blank	10	7	0.55	198	0.119	<1	0.94	0.078	0.46	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.		
G1	Prep Blank	11	7	0.57	206	0.119	<1	0.98	0.085	0.47	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 18, 2011
Report Date: April 10, 2011
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN11001195.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 195

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	195	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	195	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	37	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	37	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G6-Au & 7AR-Cu included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
100040	Rock	2.06	6.8	1145	6.1	45	0.4	8.7	29.2	1001	5.16	4.0	53.9	2.2	93	<0.1	0.3	<0.1	109	4.01	0.147
100041	Rock	2.43	4.7	856.5	3.7	51	0.3	8.5	21.9	925	5.00	4.1	28.7	1.5	67	<0.1	0.1	<0.1	176	3.02	0.148
100042	Rock	2.63	2.5	773.5	4.4	42	0.3	6.2	25.2	626	5.04	10.5	32.3	1.6	61	<0.1	0.3	0.1	166	2.39	0.139
100043	Rock	2.58	4.3	1828	5.3	47	0.8	9.7	30.8	652	5.11	28.9	83.9	1.3	61	0.2	0.5	0.4	153	3.21	0.130
100044	Rock	1.78	1.3	1194	10.8	98	0.6	12.0	32.7	826	8.11	48.2	78.2	1.6	67	<0.1	0.2	0.8	230	2.07	0.150
100045	Rock	2.38	6.6	534.6	2.9	19	0.2	10.4	37.3	228	4.27	32.3	24.6	2.1	52	<0.1	<0.1	0.5	91	1.13	0.191
100046	Rock	2.15	6.6	649.5	3.0	21	0.2	10.5	36.9	230	4.27	43.4	26.3	1.8	62	<0.1	0.1	0.4	86	1.42	0.167
100047	Rock	2.12	3.7	1261	5.3	48	0.3	9.6	26.9	577	5.63	76.5	27.6	2.0	91	<0.1	0.2	0.3	195	2.26	0.170
100048	Rock	2.43	1.5	539.2	3.1	42	0.2	5.5	21.3	580	5.07	27.4	15.7	2.1	293	<0.1	0.1	0.2	196	2.82	0.184
100049	Rock	2.61	7.1	540.1	3.0	38	0.2	8.6	20.6	441	4.44	19.3	14.4	1.9	845	<0.1	<0.1	0.1	174	2.62	0.173
100050	Rock	2.43	4.1	335.8	3.5	30	0.2	10.4	37.4	313	4.90	13.9	51.6	2.1	835	<0.1	0.1	0.5	115	1.34	0.175
100051	Rock	2.23	8.4	359.2	2.8	13	0.2	10.2	48.4	123	4.66	10.3	33.9	1.8	1847	<0.1	0.1	0.4	71	0.79	0.180
100052	Rock	2.13	6.4	330.1	2.8	9	0.1	7.4	39.1	166	3.74	6.9	24.5	1.9	2613	<0.1	<0.1	0.3	57	2.69	0.170
100053	Rock	2.22	5.3	486.3	2.7	16	0.2	9.0	32.9	207	4.45	10.6	23.9	1.6	1195	<0.1	<0.1	0.4	93	1.65	0.145
100054	Rock	2.04	3.6	656.7	2.3	22	0.2	9.5	28.4	270	4.64	8.7	23.2	1.8	386	<0.1	<0.1	0.4	138	1.07	0.145
100055	Rock	2.25	6.2	254.0	1.4	6	0.1	8.1	27.6	79	2.86	5.8	29.0	1.4	700	<0.1	<0.1	0.3	34	5.44	0.146
100056	Rock	1.57	5.5	1436	1.8	56	0.5	12.1	28.7	688	4.72	35.4	83.9	2.6	172	<0.1	0.2	0.3	180	2.51	0.274
100057	Rock	1.66	5.8	555.9	0.9	51	0.2	13.8	27.7	582	5.21	13.5	19.5	2.0	72	<0.1	<0.1	0.2	214	1.53	0.145
100058	Rock	2.03	5.2	393.0	0.5	24	<0.1	8.4	17.6	386	3.90	29.7	10.6	2.2	75	<0.1	<0.1	<0.1	146	1.34	0.160
100059	Rock	2.03	2.4	279.4	2.9	27	0.2	4.9	21.2	687	3.91	12.7	67.0	1.6	89	0.1	0.1	0.4	133	5.08	0.158
100060	Rock	2.45	3.4	713.7	2.9	49	0.3	14.9	28.9	915	5.14	9.0	87.1	1.6	138	<0.1	0.1	0.4	199	6.08	0.152
100061	Rock	2.21	5.4	474.4	1.4	18	0.2	12.2	27.9	332	2.91	6.3	25.5	1.8	176	<0.1	<0.1	0.2	113	4.57	0.162
100062	Rock	1.81	4.2	343.8	3.6	15	0.2	10.5	24.6	432	3.78	9.0	54.0	1.8	174	<0.1	0.1	0.2	124	7.03	0.129
100063	Rock	2.19	2.9	843.0	2.4	21	0.3	10.8	26.5	421	3.90	9.0	207.4	1.6	367	<0.1	<0.1	0.3	199	4.09	0.163
100064	Rock	2.20	2.0	135.5	0.9	8	<0.1	8.8	16.7	205	2.00	2.9	143.4	1.8	1243	<0.1	<0.1	<0.1	96	3.68	0.162
100065	Rock	2.33	2.6	297.0	1.7	9	0.1	10.1	16.0	181	2.54	3.0	64.7	1.5	319	<0.1	<0.1	0.3	110	2.19	0.168
100066	Rock	2.15	3.1	157.5	0.8	7	<0.1	10.9	20.6	120	1.92	1.9	42.3	1.7	149	<0.1	<0.1	<0.1	98	1.21	0.183
100067	Rock	1.28	4.5	141.7	1.0	12	<0.1	10.0	21.4	199	2.63	3.1	34.6	1.8	120	<0.1	<0.1	0.1	79	1.50	0.179
100068	Rock	1.59	3.9	252.3	1.6	13	<0.1	11.1	25.7	214	3.28	3.3	83.7	1.5	93	<0.1	<0.1	0.3	97	1.37	0.165
100069	Rock	0.84	3.9	287.4	1.5	12	<0.1	11.0	25.0	214	3.38	3.4	47.0	1.7	137	<0.1	<0.1	0.2	97	1.67	0.166

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
100040	Rock	19	5	2.10	27	0.010	7	1.46	0.030	0.28	<0.1	0.07	9.5	<0.1	2.58	5	2.9	0.2	0.074	0.126
100041	Rock	14	14	2.15	35	0.009	8	2.10	0.023	0.12	<0.1	0.09	8.9	<0.1	1.87	8	1.2	<0.2	N.A.	N.A.
100042	Rock	12	3	1.77	17	0.006	12	1.43	0.042	0.10	<0.1	0.37	7.6	<0.1	3.26	6	2.3	0.4	N.A.	N.A.
100043	Rock	11	10	1.43	13	0.005	15	1.30	0.026	0.09	<0.1	0.35	8.6	<0.1	4.11	6	5.7	1.3	0.117	0.214
100044	Rock	16	6	1.48	11	0.004	25	1.36	0.028	0.04	<0.1	0.18	13.7	<0.1	5.31	6	6.8	1.4	0.095	0.136
100045	Rock	18	7	0.69	22	0.003	22	0.87	0.026	0.21	<0.1	0.05	5.2	<0.1	2.86	3	7.2	0.8	N.A.	N.A.
100046	Rock	13	8	0.84	19	0.002	23	0.85	0.027	0.20	<0.1	0.07	5.2	<0.1	3.29	3	7.1	1.3	N.A.	N.A.
100047	Rock	19	12	1.07	38	0.003	36	1.18	0.028	0.04	<0.1	0.06	10.9	<0.1	2.32	5	3.7	0.7	0.030	0.137
100048	Rock	14	4	1.28	79	0.004	28	1.44	0.035	0.07	<0.1	0.05	9.1	<0.1	1.67	7	3.3	0.3	N.A.	N.A.
100049	Rock	23	16	1.12	95	0.005	26	1.28	0.030	0.09	<0.1	0.02	14.6	<0.1	1.17	6	1.5	0.4	N.A.	N.A.
100050	Rock	14	9	1.54	33	0.005	13	1.46	0.017	0.17	<0.1	0.09	6.8	<0.1	4.04	6	9.3	1.9	N.A.	N.A.
100051	Rock	16	10	0.89	36	0.004	9	0.95	0.013	0.23	<0.1	0.04	5.6	<0.1	4.71	3	13.6	2.2	N.A.	N.A.
100052	Rock	14	2	0.98	56	0.007	6	1.04	0.011	0.24	<0.1	0.02	5.3	<0.1	3.92	3	9.8	1.4	N.A.	N.A.
100053	Rock	13	7	1.95	45	0.003	8	1.54	0.018	0.13	<0.1	0.03	4.6	<0.1	4.11	6	8.0	1.2	N.A.	N.A.
100054	Rock	9	10	2.96	36	0.004	3	2.22	0.034	0.11	<0.1	0.02	5.5	<0.1	3.60	9	7.0	1.3	N.A.	N.A.
100055	Rock	5	4	0.61	27	0.004	3	0.75	0.008	0.19	<0.1	0.03	1.8	<0.1	6.99	2	8.2	1.7	N.A.	N.A.
100056	Rock	29	12	1.10	111	0.014	25	1.10	0.046	0.22	<0.1	0.02	10.2	<0.1	0.95	5	3.6	0.5	0.090	0.153
100057	Rock	25	23	1.05	141	0.025	25	1.31	0.025	0.42	<0.1	0.02	15.3	<0.1	0.61	6	2.4	0.4	N.A.	N.A.
100058	Rock	21	8	0.98	474	0.021	20	1.00	0.030	0.36	<0.1	<0.01	8.7	0.2	0.18	4	<0.5	<0.2	N.A.	N.A.
100059	Rock	12	3	1.34	59	0.006	9	1.42	0.022	0.11	<0.1	0.08	4.7	<0.1	1.79	6	1.8	0.5	N.A.	N.A.
100060	Rock	11	7	2.34	53	0.004	12	2.12	0.025	0.10	<0.1	0.04	12.0	<0.1	2.79	8	4.2	0.5	N.A.	N.A.
100061	Rock	10	23	1.42	58	0.005	9	1.38	0.029	0.20	<0.1	0.02	6.2	<0.1	1.98	5	6.1	0.6	N.A.	N.A.
100062	Rock	16	10	1.34	49	0.005	12	1.36	0.025	0.14	<0.1	0.03	7.9	<0.1	2.80	5	3.0	0.6	N.A.	N.A.
100063	Rock	15	16	1.93	58	0.004	11	1.81	0.038	0.07	<0.1	0.02	9.7	<0.1	2.17	8	3.8	0.4	0.248	0.091
100064	Rock	13	10	0.79	90	0.009	11	1.02	0.031	0.42	<0.1	<0.01	5.8	<0.1	1.42	4	3.6	<0.2	N.A.	N.A.
100065	Rock	13	10	1.24	53	0.007	5	1.23	0.039	0.37	<0.1	0.01	5.0	<0.1	1.86	5	3.6	<0.2	N.A.	N.A.
100066	Rock	13	13	1.15	78	0.009	6	1.21	0.034	0.47	<0.1	<0.01	4.6	<0.1	1.29	4	4.1	<0.2	N.A.	N.A.
100067	Rock	11	8	0.97	41	0.005	3	1.05	0.028	0.35	<0.1	<0.01	4.5	<0.1	2.12	4	6.5	0.2	N.A.	N.A.
100068	Rock	9	8	1.38	29	0.004	4	1.24	0.019	0.24	<0.1	0.03	4.6	<0.1	2.74	5	6.0	0.2	N.A.	N.A.
100069	Rock	9	8	1.33	30	0.005	5	1.26	0.028	0.27	<0.1	<0.01	5.0	<0.1	2.98	5	4.9	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
100070	Rock	1.19	3.7	250.8	1.5	11	0.1	10.7	25.7	177	3.29	3.8	61.4	1.7	104	<0.1	<0.1	0.2	102	1.52	0.172
100071	Rock	1.06	3.8	247.0	1.4	10	0.1	10.7	25.0	199	3.25	3.4	27.7	1.8	107	<0.1	<0.1	0.3	97	1.73	0.176
100072	Rock	1.30	4.2	270.2	1.4	10	<0.1	10.3	25.1	170	3.12	3.0	19.2	1.8	113	<0.1	<0.1	0.2	100	1.60	0.178
100073	Rock	1.83	3.6	288.8	1.7	11	0.1	12.6	27.0	173	3.22	3.7	29.5	1.9	99	<0.1	0.1	0.3	98	1.49	0.159
100074	Rock	0.67	4.5	305.4	2.1	13	0.1	13.6	31.2	199	3.72	3.9	25.4	2.2	119	<0.1	0.1	0.3	106	1.76	0.171
100075	Rock	0.79	6.5	704.3	4.5	65	0.4	12.4	28.0	555	5.17	20.6	13.8	2.4	67	0.2	0.1	0.2	184	1.43	0.151
100076	Rock	1.89	8.4	675.0	3.5	52	0.4	10.4	34.3	549	6.07	21.1	18.4	1.9	59	<0.1	0.2	0.3	154	1.34	0.145
100077	Rock	1.34	12.7	882.8	2.5	34	0.4	8.5	33.1	583	5.12	30.0	8.5	1.6	69	<0.1	0.1	0.4	134	1.28	0.142
100078	Rock	1.91	14.0	739.2	1.5	29	0.2	6.5	26.0	693	5.00	21.4	9.4	1.6	124	<0.1	0.1	0.3	142	1.82	0.141
100079	Rock	1.74	5.2	329.8	2.8	19	0.1	6.1	25.7	472	4.30	9.4	16.3	1.7	121	<0.1	<0.1	0.3	108	4.49	0.115
100080	Rock	1.60	10.8	480.5	2.7	19	0.2	8.6	39.8	478	5.18	23.1	21.0	1.6	82	<0.1	0.1	0.4	92	4.94	0.143
100081	Rock	1.71	8.6	424.9	2.0	12	<0.1	7.3	24.9	376	4.17	26.6	11.0	1.7	100	<0.1	0.1	0.4	55	7.03	0.118
100082	Rock	1.59	6.7	313.1	2.0	11	0.1	7.3	22.8	351	2.93	15.2	11.8	1.8	94	<0.1	<0.1	0.3	43	6.84	0.125
100083	Rock	1.49	1.6	249.1	2.5	23	0.1	3.7	25.8	402	4.27	13.0	19.0	1.7	96	<0.1	<0.1	0.3	130	4.87	0.148
100084	Rock	2.10	2.3	173.6	2.0	17	0.1	4.8	36.1	282	4.28	7.5	28.0	2.1	887	<0.1	<0.1	0.4	100	3.01	0.186
100085	Rock	1.64	8.3	338.5	2.0	17	0.1	6.5	23.6	351	3.51	11.8	14.6	1.7	5386	<0.1	<0.1	0.3	76	5.12	0.154
100086	Rock	2.01	11.4	381.1	1.7	13	<0.1	8.0	19.7	271	3.31	9.7	8.4	1.8	4191	<0.1	<0.1	0.3	59	4.43	0.138
100087	Rock	1.67	10.6	540.6	2.3	15	<0.1	11.6	27.1	295	4.17	10.1	10.1	2.2	3805	<0.1	0.1	0.3	110	3.18	0.157
100088	Rock	1.57	11.2	413.6	2.0	14	<0.1	11.2	28.1	255	4.24	8.9	12.7	1.9	2546	<0.1	0.1	0.3	86	2.70	0.144
100089	Rock	1.89	9.6	362.1	2.9	23	0.1	10.9	25.6	350	4.21	7.2	21.9	1.8	2349	<0.1	0.1	0.3	91	2.77	0.133
100090	Rock	1.82	9.3	366.5	2.2	18	0.1	11.8	29.4	311	4.38	8.0	18.2	1.9	2827	<0.1	0.2	0.3	86	3.08	0.140
100091	Rock	1.51	8.5	347.7	2.5	18	0.1	13.3	30.7	325	4.60	9.0	24.9	2.1	2319	<0.1	0.1	0.3	93	3.06	0.157
100092	Rock	0.80	8.0	305.4	1.9	15	0.1	12.6	27.5	243	4.18	6.6	16.3	1.6	831	<0.1	<0.1	0.3	80	1.84	0.145
100093	Rock	1.27	1.6	740.5	2.3	36	0.2	7.9	32.7	643	5.72	24.2	41.2	1.7	132	<0.1	0.1	0.3	215	1.83	0.160
100094	Rock	1.43	5.5	536.5	2.0	38	0.3	13.1	30.1	776	5.94	33.1	76.8	2.1	121	0.1	0.2	0.3	168	3.52	0.169
100095	Rock	2.29	2.3	348.3	2.3	44	0.2	13.1	32.6	763	5.56	25.7	33.4	2.4	85	<0.1	0.2	0.4	183	4.74	0.176
100096	Rock	1.52	4.7	491.7	4.4	30	0.3	16.6	38.1	622	6.29	11.1	66.0	2.0	89	<0.1	0.2	0.5	129	4.37	0.175
100097	Rock	1.84	6.9	692.1	2.0	12	0.2	7.3	29.2	224	5.08	6.3	24.1	2.7	71	<0.1	0.2	0.3	58	3.17	0.192
100098	Rock	2.44	6.6	564.7	1.6	8	0.1	6.4	25.7	204	4.92	3.8	18.2	1.9	407	<0.1	0.1	0.3	102	1.56	0.165
100099	Rock	2.70	1.6	257.4	1.6	18	0.1	2.5	18.8	387	3.58	5.7	7.6	2.2	341	<0.1	0.1	0.1	110	4.39	0.170

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
100070	Rock	9	9	1.40	32	0.006	3	1.32	0.025	0.30	<0.1	<0.01	4.6	<0.1	3.10	5	7.2	<0.2	N.A.	N.A.
100071	Rock	10	9	1.35	37	0.005	3	1.29	0.031	0.28	<0.1	<0.01	4.5	<0.1	2.96	5	5.7	0.3	N.A.	N.A.
100072	Rock	10	10	1.39	26	0.005	2	1.32	0.027	0.28	<0.1	0.02	4.4	<0.1	2.93	5	6.0	0.4	N.A.	N.A.
100073	Rock	10	8	1.38	52	0.006	2	1.28	0.036	0.29	<0.1	0.02	5.0	0.1	2.87	5	6.6	0.3	N.A.	N.A.
100074	Rock	11	10	1.50	46	0.008	4	1.47	0.039	0.35	<0.1	0.04	5.3	<0.1	3.44	5	7.3	0.3	N.A.	N.A.
100075	Rock	24	16	1.01	200	0.006	27	0.96	0.043	0.08	<0.1	0.06	11.5	<0.1	0.73	5	13.1	0.3	N.A.	N.A.
100076	Rock	23	6	1.23	84	0.006	21	1.16	0.043	0.16	<0.1	0.08	10.2	<0.1	1.42	5	6.3	0.4	N.A.	N.A.
100077	Rock	26	4	1.18	108	0.006	24	1.02	0.039	0.15	<0.1	0.04	8.0	<0.1	1.06	4	3.0	<0.2	N.A.	N.A.
100078	Rock	24	3	1.51	174	0.010	24	1.12	0.048	0.18	<0.1	0.03	8.6	0.1	0.85	5	1.6	0.2	N.A.	N.A.
100079	Rock	13	4	1.85	51	0.005	13	0.96	0.033	0.16	<0.1	0.05	7.6	<0.1	2.27	4	4.3	0.7	N.A.	N.A.
100080	Rock	20	4	1.07	42	0.009	16	1.12	0.027	0.32	<0.1	0.04	5.3	<0.1	2.74	4	5.9	0.7	N.A.	N.A.
100081	Rock	17	3	0.68	54	0.006	9	0.84	0.017	0.41	<0.1	0.04	3.5	0.1	2.50	2	6.2	0.6	N.A.	N.A.
100082	Rock	15	3	0.68	71	0.003	5	0.71	0.022	0.25	<0.1	0.03	2.5	<0.1	1.82	2	3.2	0.5	N.A.	N.A.
100083	Rock	13	2	1.85	57	0.004	10	1.71	0.031	0.10	<0.1	0.05	3.9	<0.1	2.98	7	2.8	0.9	N.A.	N.A.
100084	Rock	10	2	1.64	60	0.005	5	1.52	0.033	0.16	<0.1	0.05	3.9	<0.1	3.47	5	5.6	1.4	N.A.	N.A.
100085	Rock	18	5	1.19	109	0.003	5	1.11	0.025	0.22	<0.1	0.03	4.8	<0.1	2.04	4	3.5	1.0	N.A.	N.A.
100086	Rock	17	6	0.81	146	0.004	4	0.86	0.023	0.25	<0.1	0.02	5.4	<0.1	1.53	3	2.4	0.5	N.A.	N.A.
100087	Rock	20	12	1.59	142	0.007	6	1.73	0.026	0.22	<0.1	0.03	8.2	<0.1	1.72	6	3.6	0.5	N.A.	N.A.
100088	Rock	17	9	1.51	101	0.005	6	1.46	0.024	0.21	<0.1	0.03	5.8	<0.1	2.38	5	4.8	0.6	N.A.	N.A.
100089	Rock	16	8	1.63	89	0.004	5	1.54	0.021	0.18	<0.1	0.04	5.5	<0.1	2.45	5	4.3	0.6	N.A.	N.A.
100090	Rock	17	10	1.46	89	0.004	5	1.37	0.023	0.18	<0.1	0.04	5.5	<0.1	2.77	5	5.5	0.6	N.A.	N.A.
100091	Rock	17	14	1.58	77	0.003	8	1.54	0.025	0.20	<0.1	0.05	5.8	<0.1	3.06	5	5.9	0.7	N.A.	N.A.
100092	Rock	12	10	1.48	79	0.004	5	1.50	0.021	0.19	<0.1	0.03	4.5	<0.1	2.71	5	5.2	0.5	N.A.	N.A.
100093	Rock	14	4	1.55	129	0.003	22	1.48	0.036	0.08	<0.1	0.06	9.8	<0.1	1.14	7	2.0	0.4	N.A.	N.A.
100094	Rock	22	17	1.63	89	0.004	17	1.37	0.042	0.13	<0.1	0.09	12.6	<0.1	1.54	5	3.4	0.2	N.A.	N.A.
100095	Rock	20	10	1.45	81	0.006	17	1.75	0.027	0.11	<0.1	0.06	11.4	<0.1	1.84	8	3.4	<0.2	N.A.	N.A.
100096	Rock	17	28	1.67	30	0.005	13	1.74	0.028	0.18	0.1	0.10	10.6	<0.1	4.03	7	3.9	0.6	N.A.	N.A.
100097	Rock	19	3	0.69	29	0.003	5	0.84	0.017	0.37	0.2	0.09	3.0	<0.1	4.40	2	5.9	0.6	N.A.	N.A.
100098	Rock	19	4	1.28	45	0.007	5	1.46	0.032	0.35	<0.1	0.05	4.4	<0.1	2.78	6	4.4	<0.2	N.A.	N.A.
100099	Rock	15	<1	1.87	57	0.004	2	1.76	0.026	0.14	<0.1	0.05	2.6	0.1	3.87	7	1.9	0.4	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
100100	Rock	2.23	3.9	376.2	39.0	11	0.2	4.5	13.3	235	2.38	2.0	7.4	1.6	375	<0.1	<0.1	0.1	88	5.57	0.149
100101	Rock	2.53	1.8	124.9	1.8	15	0.1	2.3	12.9	300	3.39	3.7	8.4	1.7	407	<0.1	0.1	0.1	105	5.46	0.154
100102	Rock	2.78	2.8	86.7	1.3	15	0.1	2.5	15.6	182	2.26	3.7	19.8	1.5	376	<0.1	0.1	0.2	53	5.69	0.149
100103	Rock	2.82	4.5	381.6	2.8	43	0.4	4.3	20.3	733	4.66	7.4	42.7	1.5	349	<0.1	0.2	0.3	141	5.63	0.149
100104	Rock	2.95	2.7	352.2	2.2	63	0.3	4.4	21.5	941	4.49	5.1	34.8	1.9	363	<0.1	0.2	0.2	113	4.78	0.148
100105	Rock	2.71	3.1	175.9	3.5	27	0.2	3.0	20.1	319	3.22	3.9	36.5	2.1	372	<0.1	0.2	0.1	70	4.29	0.174
100106	Rock	2.47	3.5	310.3	1.1	26	0.2	5.1	14.6	373	3.00	2.7	15.6	1.7	474	<0.1	0.1	<0.1	74	6.87	0.163
100107	Rock	2.92	3.8	1333	4.6	39	0.7	7.5	26.9	442	5.26	5.6	59.9	1.4	238	<0.1	0.3	0.2	145	4.24	0.147
100108	Rock	2.86	4.7	1193	2.8	26	0.6	7.5	18.0	417	3.33	5.6	44.7	1.5	176	<0.1	0.2	0.1	99	6.51	0.148
100109	Rock	2.79	0.5	39.8	4.7	65	<0.1	7.8	18.4	1277	4.13	2.9	4.5	1.1	601	<0.1	0.3	<0.1	90	4.96	0.120
100110	Rock	2.21	0.5	40.6	5.2	76	0.1	8.7	22.9	1357	5.00	7.7	3.6	0.8	452	0.2	0.3	<0.1	95	5.67	0.107
100111	Rock	2.78	0.3	18.4	6.6	53	<0.1	8.7	15.7	1051	3.77	3.3	6.3	1.5	1120	<0.1	0.5	<0.1	73	5.28	0.092
100112	Rock	2.24	0.3	166.4	6.0	59	0.2	8.1	18.4	1243	4.71	3.7	2.7	1.0	320	<0.1	0.4	<0.1	104	5.40	0.102
100113	Rock	2.41	0.5	11.9	6.2	62	<0.1	12.6	22.9	1363	4.12	7.2	2.0	1.5	233	<0.1	0.4	<0.1	104	6.27	0.192
100114	Rock	2.92	0.4	102.1	4.8	68	0.3	16.5	24.6	1275	3.92	6.8	1.5	1.3	190	0.1	0.2	<0.1	95	5.17	0.182
100115	Rock	2.54	0.4	17.5	6.5	67	<0.1	94.2	29.2	1249	3.97	11.4	1.3	2.2	237	0.2	0.5	<0.1	128	5.34	0.195
100116	Rock	2.05	0.4	7.1	5.8	71	<0.1	75.5	27.8	1474	3.92	10.4	2.1	1.8	229	0.2	0.3	<0.1	108	6.50	0.169
100117	Rock	2.59	0.4	7.7	5.8	78	<0.1	103.1	30.5	1374	4.34	13.6	<0.5	2.0	219	0.2	0.3	<0.1	138	5.56	0.198
100118	Rock	1.43	0.5	9.8	5.4	67	<0.1	97.1	31.0	1398	4.36	9.0	<0.5	2.0	242	0.3	0.3	<0.1	129	6.68	0.194
100119	Rock	2.80	0.5	181.5	4.4	67	0.2	70.8	25.4	1267	4.51	5.1	1.4	1.8	163	0.2	0.2	<0.1	134	6.40	0.203
100120	Rock	3.08	1.1	192.7	2.9	64	0.1	18.0	22.5	1301	4.43	3.5	2.0	1.1	132	0.2	0.2	<0.1	140	5.69	0.126
100121	Rock	2.66	0.5	230.5	3.7	75	0.2	13.1	24.2	1330	4.84	3.2	3.3	1.0	114	0.2	0.2	<0.1	161	4.42	0.113
100122	Rock	2.77	0.6	85.7	3.5	84	<0.1	13.6	24.6	1481	5.10	3.6	5.7	0.9	169	0.1	0.2	<0.1	161	5.17	0.119
100123	Rock	2.07	5.7	1495	2.3	44	0.4	11.7	39.8	996	4.34	3.8	166.0	4.5	167	<0.1	0.3	0.1	138	2.66	0.294
100124	Rock	2.27	3.0	1474	2.0	40	0.5	6.1	20.0	756	3.93	2.4	284.3	2.5	204	<0.1	0.2	<0.1	108	2.45	0.175
100125	Rock	2.36	3.3	1419	1.6	51	0.5	11.7	26.7	934	4.63	3.1	127.4	2.8	247	<0.1	0.2	<0.1	134	3.09	0.180
100126	Rock	2.95	1.7	1190	1.4	31	0.4	4.9	23.0	701	4.07	2.5	143.1	2.5	149	<0.1	0.1	<0.1	172	3.09	0.157
100127	Rock	2.13	1.8	882.7	1.7	25	0.3	5.2	26.8	403	4.11	2.7	132.8	2.7	181	<0.1	<0.1	<0.1	184	1.18	0.162
100128	Rock	2.72	2.1	1940	2.5	49	0.7	7.1	28.8	764	4.51	4.0	418.6	3.1	211	<0.1	0.2	0.2	136	2.82	0.274
100129	Rock	3.21	2.0	1665	1.4	36	0.5	4.7	24.5	599	4.01	3.0	396.5	3.2	181	<0.1	0.2	0.2	138	2.57	0.281

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
100100	Rock	14	2	1.92	50	0.004	2	1.64	0.021	0.16	<0.1	0.05	3.2	<0.1	4.85	6	1.9	0.3	N.A.	N.A.
100101	Rock	10	1	1.85	42	0.003	1	1.70	0.019	0.13	<0.1	0.03	2.7	<0.1	5.33	6	1.9	0.3	N.A.	N.A.
100102	Rock	4	1	1.07	43	0.002	2	1.06	0.015	0.20	<0.1	0.06	2.1	<0.1	5.52	3	2.0	0.6	N.A.	N.A.
100103	Rock	11	3	1.93	36	0.005	2	1.96	0.021	0.12	<0.1	0.05	4.7	<0.1	4.63	8	1.4	0.2	N.A.	N.A.
100104	Rock	12	3	1.80	46	0.006	2	1.84	0.023	0.15	<0.1	0.04	4.7	<0.1	3.55	7	1.3	0.2	N.A.	N.A.
100105	Rock	12	2	1.18	43	0.003	3	1.22	0.022	0.23	<0.1	0.06	2.5	<0.1	4.59	4	2.0	0.4	N.A.	N.A.
100106	Rock	14	3	1.39	32	0.004	1	1.38	0.021	0.22	<0.1	0.03	3.6	<0.1	5.26	4	1.3	<0.2	N.A.	N.A.
100107	Rock	12	3	2.22	28	0.005	3	1.81	0.029	0.14	<0.1	0.12	6.3	<0.1	4.58	7	3.9	0.7	0.064	0.147
100108	Rock	9	4	1.86	54	0.002	5	1.55	0.027	0.16	<0.1	0.12	5.4	<0.1	2.93	5	3.5	0.6	0.047	0.124
100109	Rock	9	12	1.61	90	0.017	5	2.20	0.017	0.16	<0.1	0.01	6.4	<0.1	0.19	6	<0.5	<0.2	N.A.	N.A.
100110	Rock	8	11	1.92	222	0.017	4	2.56	0.008	0.22	<0.1	0.01	7.7	<0.1	0.08	6	<0.5	<0.2	N.A.	N.A.
100111	Rock	8	12	1.40	158	0.032	5	1.74	0.015	0.18	<0.1	0.05	6.6	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.
100112	Rock	8	10	1.52	68	0.025	4	2.14	0.011	0.20	<0.1	0.02	7.0	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.
100113	Rock	12	8	1.93	729	0.064	3	1.03	0.031	0.17	0.1	0.03	6.8	<0.1	<0.05	4	<0.5	<0.2	N.A.	N.A.
100114	Rock	11	12	2.49	456	0.048	3	0.72	0.030	0.19	0.1	0.01	7.1	<0.1	<0.05	3	<0.5	<0.2	N.A.	N.A.
100115	Rock	15	145	3.70	275	0.020	3	1.34	0.027	0.12	0.1	0.01	11.9	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.
100116	Rock	13	124	4.02	684	0.015	3	1.34	0.024	0.14	<0.1	0.01	8.3	<0.1	<0.05	4	<0.5	<0.2	N.A.	N.A.
100117	Rock	15	177	4.25	453	0.024	3	1.79	0.020	0.12	<0.1	0.01	12.0	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.
100118	Rock	15	171	4.12	525	0.029	3	1.49	0.027	0.17	<0.1	<0.01	11.8	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.
100119	Rock	15	126	1.99	461	0.014	4	1.67	0.019	0.16	<0.1	<0.01	10.0	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.
100120	Rock	11	23	1.79	206	0.018	3	1.63	0.028	0.15	<0.1	0.01	9.0	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
100121	Rock	10	20	2.18	81	0.017	2	2.21	0.024	0.10	<0.1	0.02	9.0	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
100122	Rock	10	21	2.32	139	0.026	3	2.06	0.025	0.14	<0.1	0.02	9.3	<0.1	0.13	8	<0.5	<0.2	N.A.	N.A.
100123	Rock	15	43	2.22	112	0.014	5	2.24	0.020	0.04	<0.1	0.08	12.6	<0.1	0.89	7	3.5	0.3	0.188	0.135
100124	Rock	13	8	1.61	262	0.013	4	1.65	0.027	0.07	<0.1	0.04	7.6	<0.1	0.43	6	3.0	0.2	0.329	0.142
100125	Rock	12	27	1.84	183	0.016	5	1.92	0.021	0.05	<0.1	0.05	10.3	<0.1	0.45	7	2.9	0.3	0.127	0.144
100126	Rock	14	5	1.50	120	0.010	6	1.40	0.031	0.05	<0.1	0.04	8.2	<0.1	0.72	6	3.3	0.3	0.150	0.128
100127	Rock	14	5	1.43	73	0.010	7	1.32	0.036	0.06	<0.1	0.05	9.0	<0.1	1.58	6	5.4	0.3	0.122	0.096
100128	Rock	12	5	1.73	99	0.014	5	1.63	0.025	0.09	<0.1	0.07	5.5	<0.1	1.84	6	6.6	0.4	0.426	0.204
100129	Rock	15	4	1.41	90	0.010	6	1.49	0.025	0.04	<0.1	0.10	4.4	<0.1	0.79	6	4.6	0.4	0.484	0.181

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
100130	Rock	2.99	2.0	718.2	1.2	19	0.2	4.0	23.8	392	3.55	2.2	74.6	2.6	67	<0.1	0.1	0.1	146	2.12	0.164
100131	Rock	2.08	2.0	661.6	1.6	20	0.1	4.2	25.0	388	3.44	2.4	67.1	2.9	82	<0.1	<0.1	<0.1	156	2.04	0.159
100132	Rock	1.84	1.4	936.8	1.9	26	0.2	5.0	22.7	470	4.11	2.3	80.9	2.6	71	<0.1	0.1	<0.1	163	1.34	0.159
100133	Rock	2.31	1.6	1621	1.7	23	0.4	4.4	28.1	518	3.70	3.1	121.5	2.2	107	<0.1	0.1	0.1	157	2.44	0.164
100134	Rock	2.14	1.3	853.5	1.5	21	0.2	4.0	23.9	497	3.98	2.4	62.3	2.6	110	<0.1	<0.1	<0.1	161	1.73	0.155
100135	Rock	2.52	2.0	782.8	1.0	16	0.1	5.0	27.2	239	3.90	2.4	46.4	2.7	96	<0.1	<0.1	<0.1	145	0.55	0.168
100136	Rock	2.39	4.6	777.4	1.6	18	0.4	4.9	29.8	301	4.22	3.9	410.8	2.6	112	<0.1	0.2	0.3	84	1.89	0.151
100137	Rock	2.92	2.2	1923	1.7	43	1.1	5.1	40.5	806	4.74	6.2	754.1	2.6	80	<0.1	0.1	0.7	98	3.08	0.174
100138	Rock	2.07	2.7	843.8	1.1	27	0.4	4.5	26.8	544	3.69	2.9	252.0	2.3	71	<0.1	0.1	0.2	121	1.90	0.150
100139	Rock	2.28	2.3	689.0	1.6	34	0.2	5.2	21.5	588	4.71	3.3	122.1	2.0	106	<0.1	0.1	0.2	165	1.84	0.185
100140	Rock	1.89	1.8	624.3	1.0	41	0.2	6.3	24.6	577	4.53	2.4	76.5	1.9	208	<0.1	0.1	0.1	168	1.58	0.204
100141	Rock	2.00	0.3	17.8	4.0	89	<0.1	11.3	27.7	1441	5.20	4.4	28.7	0.8	318	<0.1	0.3	<0.1	180	4.93	0.133
100142	Rock	2.49	0.2	13.7	4.1	80	<0.1	8.4	22.3	1215	4.25	2.9	17.3	0.6	164	0.1	0.3	<0.1	116	4.19	0.099
100143	Rock	2.63	0.5	21.8	5.2	81	<0.1	16.5	24.4	1408	4.12	2.6	3.7	0.6	135	0.2	0.4	<0.1	106	6.56	0.100
100144	Rock	2.89	0.8	71.9	8.4	80	<0.1	23.1	23.2	1342	4.32	6.9	0.6	0.8	116	0.4	0.3	<0.1	133	5.46	0.128
100145	Rock	2.35	0.5	93.4	3.5	68	<0.1	20.2	26.9	1311	4.81	10.0	4.0	0.7	191	0.1	0.2	<0.1	162	4.47	0.124
100146	Rock	2.15	1.0	106.3	10.7	85	0.2	17.5	23.1	1086	4.60	24.2	4.3	1.0	145	0.3	0.3	<0.1	133	4.83	0.133
100147	Rock	2.46	10.0	70.0	14.3	70	0.4	6.1	20.7	1543	3.47	22.3	9.3	0.8	171	0.8	0.4	<0.1	76	10.86	0.110
100148	Rock	2.52	0.5	92.8	5.2	98	0.1	7.7	23.3	1354	4.41	5.4	3.0	1.2	99	<0.1	0.4	<0.1	169	4.21	0.160
100149	Rock	2.29	0.4	492.2	2.1	73	0.6	41.6	29.7	1277	4.77	6.4	<0.5	1.2	139	<0.1	0.2	<0.1	166	3.83	0.188
100150	Rock	2.64	0.4	641.0	2.4	64	0.7	97.0	29.9	1125	4.20	7.9	0.5	1.6	170	<0.1	0.3	<0.1	138	3.97	0.188
100151	Rock	2.28	0.3	496.7	3.3	61	0.5	93.8	30.1	1217	3.81	7.1	19.9	2.1	176	0.2	0.3	<0.1	145	4.19	0.191
100152	Rock	1.95	0.3	18.5	4.9	58	<0.1	95.6	29.5	1049	3.94	14.5	3.2	2.7	134	<0.1	0.5	<0.1	129	4.58	0.197
100153	Rock	2.01	4.2	544.5	2.9	26	0.3	10.1	20.8	624	4.10	2.0	31.5	3.0	102	<0.1	0.1	0.2	119	5.49	0.187
100154	Rock	3.87	3.4	408.2	3.0	47	0.2	10.2	19.1	784	5.62	3.9	25.5	2.7	52	<0.1	0.1	0.1	179	2.43	0.179
100155	Rock	3.45	7.4	352.9	3.2	44	0.2	14.6	27.2	823	5.77	4.1	24.9	3.3	53	<0.1	0.2	0.1	204	3.65	0.188
100156	Rock	3.55	7.6	199.6	3.4	53	0.1	11.4	29.6	853	3.91	4.7	8.0	2.9	88	<0.1	0.2	<0.1	101	3.75	0.213
100157	Rock	3.42	3.3	97.3	8.0	83	0.2	14.8	33.6	1464	4.93	19.1	8.1	1.0	141	0.2	0.4	<0.1	118	7.80	0.126
100158	Rock	3.01	7.3	118.5	6.1	66	0.1	11.2	20.8	1413	4.37	12.0	4.0	1.0	323	0.4	0.3	<0.1	118	6.97	0.136
100159	Rock	3.73	0.9	151.1	3.8	70	<0.1	9.9	24.4	1347	4.98	4.0	<0.5	1.3	282	<0.1	0.3	<0.1	150	5.52	0.140

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005	0.001	
100130	Rock	14	4	1.55	67	0.009	6	1.10	0.040	0.09	<0.1	0.05	7.4	<0.1	2.00	5	5.1	0.3	N.A.	N.A.
100131	Rock	15	4	1.46	76	0.008	7	1.03	0.039	0.08	<0.1	0.05	8.1	<0.1	1.80	5	5.4	0.3	N.A.	N.A.
100132	Rock	14	4	1.39	73	0.006	8	1.30	0.023	0.06	<0.1	0.06	7.7	<0.1	1.39	6	4.3	0.4	N.A.	N.A.
100133	Rock	12	3	1.64	77	0.009	7	1.22	0.038	0.04	<0.1	0.07	7.2	<0.1	1.63	5	6.7	0.3	0.145	0.182
100134	Rock	14	4	1.58	70	0.007	7	1.12	0.036	0.04	<0.1	0.07	8.2	<0.1	1.39	5	4.7	0.3	N.A.	N.A.
100135	Rock	14	4	1.46	48	0.009	5	1.28	0.037	0.09	<0.1	0.06	6.5	<0.1	2.50	6	6.4	0.5	N.A.	N.A.
100136	Rock	17	2	1.16	32	0.005	5	0.72	0.027	0.21	<0.1	0.11	4.7	<0.1	3.31	3	8.1	0.3	0.540	0.093
100137	Rock	17	4	1.78	53	0.004	6	1.04	0.026	0.21	<0.1	0.10	3.6	<0.1	2.54	3	7.9	0.6	0.998	0.234
100138	Rock	14	4	1.43	60	0.006	7	0.91	0.034	0.12	<0.1	0.08	5.6	<0.1	1.98	4	4.8	0.3	N.A.	N.A.
100139	Rock	9	4	1.87	70	0.049	3	1.60	0.032	0.06	<0.1	0.05	4.0	<0.1	2.32	8	2.4	0.4	N.A.	N.A.
100140	Rock	9	4	1.88	85	0.051	2	1.67	0.026	0.07	<0.1	0.06	3.9	<0.1	1.56	7	3.1	0.3	N.A.	N.A.
100141	Rock	7	17	2.69	68	0.034	6	2.66	0.012	0.07	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
100142	Rock	6	12	2.12	71	0.021	6	2.10	0.009	0.11	<0.1	0.01	6.9	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
100143	Rock	7	22	1.88	124	0.019	6	1.95	0.009	0.25	<0.1	<0.01	6.9	<0.1	<0.05	6	<0.5	<0.2	N.A.	N.A.
100144	Rock	7	42	1.94	161	0.013	6	2.32	0.013	0.16	<0.1	<0.01	11.4	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
100145	Rock	5	40	2.87	74	0.015	5	2.98	0.010	0.04	<0.1	<0.01	18.2	<0.1	0.16	9	<0.5	<0.2	N.A.	N.A.
100146	Rock	7	31	2.08	395	0.007	7	2.51	0.013	0.13	<0.1	<0.01	12.2	<0.1	0.17	8	<0.5	<0.2	N.A.	N.A.
100147	Rock	8	3	1.03	125	0.005	7	1.25	0.010	0.28	<0.1	0.06	7.2	<0.1	1.35	4	0.5	<0.2	N.A.	N.A.
100148	Rock	10	9	2.17	50	0.037	4	1.84	0.028	0.08	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
100149	Rock	8	72	2.86	23	0.093	1	1.87	0.022	0.03	<0.1	<0.01	8.7	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
100150	Rock	9	200	3.18	79	0.101	2	1.82	0.031	0.02	0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
100151	Rock	13	189	4.08	157	0.046	4	1.95	0.026	0.03	<0.1	0.07	10.1	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
100152	Rock	12	188	3.56	73	0.101	4	1.66	0.033	0.04	0.1	0.02	8.5	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
100153	Rock	16	9	1.06	70	0.009	2	1.42	0.018	0.09	<0.1	0.05	6.2	<0.1	1.93	5	1.8	0.3	N.A.	N.A.
100154	Rock	15	8	1.97	60	0.012	3	2.14	0.026	0.06	<0.1	0.04	9.3	<0.1	1.54	9	1.4	<0.2	N.A.	N.A.
100155	Rock	20	9	1.68	109	0.013	4	2.18	0.015	0.11	<0.1	0.07	11.6	<0.1	1.34	9	3.9	<0.2	N.A.	N.A.
100156	Rock	18	14	1.68	232	0.005	5	1.76	0.023	0.22	<0.1	0.04	7.0	<0.1	0.63	5	1.8	<0.2	N.A.	N.A.
100157	Rock	8	30	2.05	166	0.004	4	2.38	0.009	0.15	<0.1	0.03	9.0	<0.1	1.01	7	0.7	<0.2	N.A.	N.A.
100158	Rock	8	22	1.70	384	0.004	5	2.06	0.014	0.17	<0.1	0.02	7.3	0.1	0.39	6	<0.5	<0.2	N.A.	N.A.
100159	Rock	10	22	2.10	189	0.014	6	2.35	0.011	0.14	<0.1	<0.01	10.6	<0.1	0.11	8	<0.5	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
100160	Rock	3.32	2.7	135.7	4.6	76	0.1	10.8	25.4	1507	5.12	4.8	1.5	1.2	930	0.2	0.2	<0.1	158	6.12	0.137
100161	Rock	4.24	3.5	159.8	8.8	135	0.2	14.7	25.1	1471	4.80	16.5	9.5	0.9	375	1.6	0.2	<0.1	140	6.79	0.136
100162	Rock	2.40	2.0	320.3	11.6	68	0.5	3.7	16.5	1055	3.02	41.7	14.5	1.1	1311	0.3	0.4	0.1	48	8.07	0.137
100163	Rock	2.82	2.1	261.4	7.2	74	0.3	6.7	19.8	1070	3.72	14.4	6.9	1.2	518	0.2	0.4	<0.1	92	6.15	0.139
100164	Rock	2.96	1.6	116.3	8.3	79	0.2	17.0	21.6	1288	4.63	22.0	7.3	0.8	182	0.7	0.2	<0.1	136	5.84	0.142
100165	Rock	2.54	4.3	154.2	8.1	98	0.3	15.4	27.2	1463	5.11	22.2	15.4	0.9	154	0.4	0.1	<0.1	166	6.16	0.136
100166	Rock	2.94	2.2	121.3	5.6	76	0.2	41.5	26.3	1331	4.56	15.0	3.7	1.4	287	0.1	0.2	<0.1	165	6.48	0.155
100167	Rock	3.74	0.6	70.1	1.9	63	<0.1	61.5	26.4	938	3.56	7.6	<0.5	1.7	188	<0.1	0.3	<0.1	147	3.25	0.210
100168	Rock	2.46	0.6	59.6	2.0	61	<0.1	60.8	26.0	1108	3.97	6.9	<0.5	2.0	274	<0.1	0.3	<0.1	167	4.46	0.190
100169	Rock	2.27	5.9	261.5	5.3	25	0.1	34.6	26.8	766	3.62	19.0	8.1	1.1	714	0.2	0.3	<0.1	50	7.08	0.103
100170	Rock	2.14	4.7	222.0	6.7	32	0.2	17.1	23.5	402	4.03	25.9	9.2	1.1	602	0.2	0.4	0.1	69	6.59	0.128
100171	Rock	1.54	10.7	252.4	2.0	23	0.1	3.7	8.3	122	2.95	3.0	15.2	2.3	31	<0.1	0.2	0.2	72	0.89	0.127
100172	Rock	1.42	25.4	182.1	1.2	14	<0.1	3.8	6.6	57	2.85	2.7	10.1	2.7	55	<0.1	0.1	<0.1	61	0.79	0.143
100173	Rock	1.58	29.1	125.8	1.0	6	<0.1	2.2	3.0	40	2.87	2.7	14.2	3.2	32	<0.1	0.1	0.1	44	0.71	0.292
100174	Rock	1.99	14.1	399.7	1.3	19	0.1	8.2	19.8	93	3.60	2.4	18.1	2.9	35	<0.1	0.2	0.2	90	1.02	0.187
100175	Rock	2.28	15.1	331.4	1.3	22	0.1	5.4	13.7	101	3.75	4.1	18.7	2.4	29	<0.1	0.1	0.2	93	1.23	0.173
100176	Rock	2.38	7.8	444.5	1.2	30	0.2	9.6	35.5	283	3.79	2.8	14.6	2.3	35	<0.1	0.1	0.1	100	1.39	0.148
100177	Rock	2.42	7.2	327.4	1.2	13	<0.1	6.4	26.6	122	3.34	2.6	8.8	2.7	19	<0.1	0.2	<0.1	71	0.79	0.170
100178	Rock	2.28	4.7	1262	3.5	32	0.3	22.1	51.3	799	6.48	3.7	37.3	4.0	71	0.2	0.2	0.2	293	2.51	0.361
100179	Rock	2.37	5.6	748.5	1.7	20	0.2	10.0	20.0	562	4.11	2.1	32.7	3.3	147	<0.1	0.1	<0.1	183	3.86	0.280
100180	Rock	2.13	5.0	1463	1.4	15	0.3	8.8	21.1	282	3.77	1.7	33.4	3.3	78	<0.1	0.2	0.1	179	2.88	0.251
100181	Rock	2.33	7.3	487.9	1.1	30	0.1	10.2	33.7	333	5.32	1.3	20.7	1.8	39	<0.1	0.1	0.2	196	1.21	0.162
100182	Rock	1.94	7.3	474.1	1.8	21	0.2	13.1	33.7	291	4.30	2.4	29.0	2.2	65	0.1	0.2	0.2	97	2.59	0.158
100183	Rock	2.66	4.7	2025	1.6	16	0.2	11.0	17.3	218	3.52	2.3	153.2	4.9	147	<0.1	0.2	0.2	185	2.05	0.533
100184	Rock	2.40	6.0	2198	1.0	10	0.2	9.1	12.1	158	2.56	1.1	105.9	3.6	293	<0.1	0.1	0.2	139	1.84	0.339
100185	Rock	1.98	5.8	1956	0.9	9	0.1	7.8	11.1	135	2.39	1.2	100.9	3.6	536	<0.1	0.1	0.2	135	3.60	0.362
100186	Rock	1.39	6.4	1579	0.9	8	0.1	8.1	11.1	132	2.31	1.2	94.4	3.6	373	<0.1	0.1	0.1	133	2.40	0.341
100187	Rock	1.03	7.6	1509	1.4	9	0.1	7.4	14.1	123	2.38	1.7	73.2	3.8	587	<0.1	0.1	0.2	101	5.00	0.442
100188	Rock	1.32	3.7	273.6	2.4	42	0.1	9.4	24.6	350	3.69	2.2	11.1	2.0	68	0.1	0.2	0.1	94	2.28	0.152
100189	Rock	1.62	10.5	485.5	1.7	41	1.4	11.6	32.0	320	4.23	1.9	14.4	1.9	69	0.1	0.2	0.1	102	2.63	0.157

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
100160	Rock	10	27	2.38	241	0.007	4	2.60	0.014	0.10	<0.1	0.02	11.3	<0.1	0.58	9	<0.5	<0.2	N.A.	N.A.
100161	Rock	8	30	2.02	273	0.004	6	2.52	0.011	0.12	<0.1	0.06	8.1	<0.1	0.54	8	<0.5	<0.2	N.A.	N.A.
100162	Rock	9	4	0.69	102	0.005	6	0.83	0.014	0.28	0.1	0.02	5.2	<0.1	2.21	2	0.9	<0.2	N.A.	N.A.
100163	Rock	10	9	0.96	192	0.012	7	1.44	0.018	0.28	0.1	0.02	6.2	<0.1	0.79	4	0.9	<0.2	N.A.	N.A.
100164	Rock	7	36	1.81	145	0.005	5	2.53	0.016	0.13	<0.1	0.01	7.3	<0.1	0.26	8	0.7	<0.2	N.A.	N.A.
100165	Rock	8	31	2.04	116	0.005	3	2.64	0.015	0.12	<0.1	0.02	9.9	<0.1	0.65	9	0.7	<0.2	N.A.	N.A.
100166	Rock	11	85	2.71	93	0.018	2	2.33	0.018	0.07	<0.1	0.03	10.3	<0.1	0.33	9	<0.5	<0.2	N.A.	N.A.
100167	Rock	14	105	2.72	38	0.136	4	1.73	0.027	0.05	0.2	<0.01	5.3	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
100168	Rock	15	116	2.89	101	0.085	2	1.78	0.027	0.06	<0.1	0.01	8.8	<0.1	0.07	8	<0.5	<0.2	N.A.	N.A.
100169	Rock	5	38	2.41	57	0.002	4	1.13	0.023	0.30	<0.1	0.13	5.4	<0.1	3.62	3	3.9	<0.2	N.A.	N.A.
100170	Rock	4	21	1.39	38	0.003	3	1.52	0.012	0.28	<0.1	0.11	5.4	<0.1	5.97	4	3.5	<0.2	N.A.	N.A.
100171	Rock	7	6	0.44	155	0.003	4	0.97	0.047	0.36	<0.1	0.06	3.5	<0.1	0.87	3	7.0	0.2	N.A.	N.A.
100172	Rock	31	8	0.39	125	0.001	4	0.76	0.036	0.34	<0.1	0.06	3.0	<0.1	0.99	2	3.5	0.2	N.A.	N.A.
100173	Rock	15	6	0.26	182	0.002	3	0.71	0.042	0.34	<0.1	0.05	3.8	<0.1	0.78	2	10.0	0.3	N.A.	N.A.
100174	Rock	21	10	0.53	142	0.004	6	1.00	0.028	0.29	<0.1	0.09	5.6	<0.1	0.88	4	5.7	0.5	N.A.	N.A.
100175	Rock	16	6	0.62	96	0.002	4	0.95	0.044	0.25	<0.1	0.15	5.8	<0.1	1.24	4	7.5	0.5	N.A.	N.A.
100176	Rock	15	7	1.29	122	0.004	3	1.38	0.032	0.22	<0.1	0.03	8.2	<0.1	1.11	5	2.7	0.3	N.A.	N.A.
100177	Rock	8	4	0.68	52	0.004	3	1.21	0.030	0.28	<0.1	0.04	3.8	<0.1	2.04	4	5.1	0.2	N.A.	N.A.
100178	Rock	28	18	1.46	54	0.012	12	1.83	0.018	0.20	<0.1	0.09	11.9	<0.1	2.48	7	2.7	0.5	0.034	0.144
100179	Rock	22	10	1.64	256	0.018	8	1.23	0.028	0.25	<0.1	0.02	11.9	<0.1	0.50	6	2.0	0.2	N.A.	N.A.
100180	Rock	24	10	1.53	124	0.012	9	1.04	0.033	0.30	<0.1	0.07	8.5	0.2	1.14	4	3.0	<0.2	0.045	0.162
100181	Rock	13	7	1.82	65	0.006	8	1.37	0.036	0.13	<0.1	0.09	11.9	<0.1	2.16	6	4.9	0.7	N.A.	N.A.
100182	Rock	16	15	1.62	37	0.005	7	1.11	0.030	0.22	<0.1	0.10	6.0	<0.1	3.38	4	5.2	0.3	N.A.	N.A.
100183	Rock	29	9	1.58	59	0.019	11	1.32	0.028	0.40	<0.1	0.17	8.2	<0.1	2.36	6	7.5	0.5	0.170	0.235
100184	Rock	19	3	1.33	60	0.031	6	1.36	0.019	0.68	<0.1	0.09	5.9	0.2	1.96	5	4.1	0.3	0.116	0.251
100185	Rock	15	3	1.39	37	0.036	5	1.47	0.016	0.74	<0.1	0.10	5.1	0.2	3.20	4	4.8	0.5	0.116	0.231
100186	Rock	17	3	1.30	49	0.031	5	1.40	0.017	0.71	<0.1	0.09	5.0	0.2	2.32	4	4.1	0.4	0.114	0.183
100187	Rock	18	3	1.01	32	0.019	6	1.12	0.014	0.48	0.1	0.12	4.4	0.1	4.49	4	6.1	0.4	0.089	0.169
100188	Rock	8	6	1.11	72	0.014	6	1.18	0.038	0.13	0.1	0.02	4.1	<0.1	1.86	4	2.6	0.2	N.A.	N.A.
100189	Rock	9	10	1.21	64	0.002	6	1.39	0.039	0.15	0.1	0.03	6.1	<0.1	2.17	4	4.4	0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
100190	Rock	2.26	2.4	341.4	2.1	54	0.1	7.4	27.8	505	4.19	2.8	16.1	1.3	68	<0.1	0.2	0.2	91	3.29	0.158
100191	Rock	1.09	3.7	559.7	2.9	60	0.2	9.1	26.8	447	3.99	2.8	36.8	1.6	73	0.4	0.2	0.2	79	3.28	0.148
100192	Rock	1.58	4.0	544.4	3.7	49	0.2	9.4	30.5	426	4.12	3.0	28.6	1.6	66	0.3	0.1	0.2	79	3.02	0.165
100193	Rock	1.25	6.3	510.7	2.7	30	0.2	8.3	26.6	319	3.52	3.3	27.0	1.8	61	0.1	0.2	0.2	63	2.79	0.171
100194	Rock	0.83	7.4	525.2	2.0	35	0.2	7.4	23.9	299	3.18	2.9	27.8	1.9	59	0.2	0.2	0.1	59	2.61	0.166
100195	Rock	0.78	9.3	586.9	3.4	53	0.3	11.0	28.6	630	4.09	4.9	59.1	2.1	73	0.2	0.2	0.3	66	3.66	0.182
100196	Rock	2.05	4.7	470.9	2.7	44	0.2	15.4	31.0	871	4.45	4.6	37.7	1.5	66	0.1	0.1	0.2	100	4.62	0.148
100197	Rock	2.33	5.5	439.5	2.7	44	0.3	11.8	28.1	910	4.20	5.3	58.7	1.4	65	<0.1	0.1	0.2	79	4.72	0.164
100198	Rock	2.43	3.7	306.1	2.4	39	0.2	9.5	24.7	729	3.82	4.0	55.7	1.2	53	0.1	0.1	0.2	60	3.96	0.150
100199	Rock	1.22	3.9	498.1	3.0	38	0.2	12.6	26.5	564	4.21	4.2	38.5	1.7	52	0.2	0.2	0.2	71	2.74	0.143
100200	Rock	1.85	2.2	668.2	1.9	29	0.2	23.6	40.2	531	4.16	3.3	18.7	1.4	146	<0.1	<0.1	0.2	135	4.12	0.156
100201	Rock	2.41	3.2	537.0	2.2	29	0.2	17.8	27.1	620	4.52	3.7	29.4	1.4	163	<0.1	0.1	0.2	120	4.34	0.159
100202	Rock	2.52	3.3	520.1	2.3	26	0.2	16.2	27.2	577	4.02	3.9	39.4	1.3	155	<0.1	0.1	0.2	93	3.94	0.156
100203	Rock	1.99	5.0	360.5	3.3	29	0.3	18.0	34.9	694	4.62	5.6	33.7	1.3	195	<0.1	0.2	0.3	68	4.30	0.155
100204	Rock	3.17	3.6	188.1	3.2	31	0.2	13.3	35.0	644	4.65	5.2	19.8	1.1	122	<0.1	0.1	0.2	77	3.61	0.167
100205	Rock	2.86	4.5	344.5	2.4	28	0.2	12.8	32.3	559	4.30	4.6	14.4	1.3	116	<0.1	<0.1	0.2	81	3.78	0.164
100206	Rock	2.60	5.8	312.7	2.5	31	0.2	10.7	30.0	638	4.16	4.4	27.5	1.2	90	0.1	<0.1	0.2	62	3.76	0.150
100207	Rock	2.44	3.7	491.5	2.5	26	0.3	13.4	31.7	614	4.00	4.3	17.3	1.3	110	<0.1	0.1	0.2	95	4.48	0.168
100208	Rock	2.89	2.8	434.7	4.4	30	0.3	13.1	24.8	599	4.71	4.2	23.2	1.2	126	<0.1	0.2	0.2	110	4.09	0.163
100209	Rock	2.86	3.8	457.2	3.2	33	0.3	14.0	30.3	673	4.72	4.4	21.1	1.3	127	<0.1	0.1	0.2	108	4.01	0.162
100210	Rock	2.81	3.3	676.8	4.9	58	0.5	15.6	36.5	885	4.66	5.1	36.2	1.3	146	0.1	0.1	0.2	116	4.88	0.150
100211	Rock	2.72	2.9	672.4	4.2	50	0.4	15.5	29.1	858	4.73	4.1	38.1	1.2	148	0.1	0.1	0.2	118	4.41	0.147
100212	Rock	2.63	2.4	793.2	2.9	53	0.5	13.9	26.0	1022	4.31	4.2	64.0	1.3	128	0.1	0.1	0.2	119	4.25	0.169
100213	Rock	2.51	3.2	460.9	3.5	38	0.3	12.7	27.7	784	4.32	1.7	115.8	1.2	206	0.1	0.1	0.3	91	4.33	0.141
100214	Rock	2.48	3.3	309.0	2.7	28	0.1	17.8	27.5	399	4.17	<0.5	21.7	1.6	268	0.1	<0.1	0.3	97	2.93	0.141
100215	Rock	2.29	2.7	427.7	2.1	26	0.1	18.2	26.9	460	4.41	0.8	22.0	1.6	235	<0.1	0.1	0.2	106	2.70	0.140
100216	Rock	2.41	2.7	441.8	2.2	29	0.1	17.8	24.8	479	4.18	0.9	25.8	1.5	242	<0.1	<0.1	0.2	106	2.99	0.130
100217	Rock	2.65	4.4	409.4	2.9	34	0.2	17.1	31.0	558	4.58	1.9	28.4	1.7	184	<0.1	0.1	0.2	98	3.63	0.153
100218	Rock	2.08	3.0	507.7	2.3	31	0.2	29.6	31.2	662	4.97	1.0	27.8	1.6	193	<0.1	<0.1	0.2	112	3.26	0.135
100219	Rock	1.83	1.1	63.0	4.0	29	0.1	6.6	7.0	295	1.78	0.8	3.5	3.5	41	<0.1	0.2	0.2	49	0.76	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	0.01	0.5	0.2	0.005	0.001	
100190	Rock	6	4	1.60	40	0.001	6	1.30	0.049	0.15	0.1	0.04	5.1	<0.1	2.26	4	3.9	0.2	N.A.	N.A.
100191	Rock	6	6	1.55	49	0.003	6	1.05	0.039	0.17	<0.1	0.06	5.4	<0.1	2.28	3	3.3	0.2	N.A.	N.A.
100192	Rock	6	7	1.46	50	0.002	7	1.15	0.039	0.20	0.1	0.06	5.8	<0.1	2.53	3	4.8	0.4	N.A.	N.A.
100193	Rock	8	7	1.23	55	0.002	5	0.91	0.039	0.26	0.1	0.04	4.0	<0.1	2.22	2	3.8	<0.2	N.A.	N.A.
100194	Rock	8	6	1.18	55	0.002	7	0.88	0.037	0.26	0.1	0.07	3.8	<0.1	2.02	2	2.8	<0.2	N.A.	N.A.
100195	Rock	8	9	1.50	66	0.009	5	0.92	0.035	0.26	<0.1	0.10	4.5	<0.1	2.63	3	6.0	0.5	N.A.	N.A.
100196	Rock	5	25	2.08	60	0.002	4	1.11	0.037	0.16	<0.1	0.06	7.9	0.1	2.64	4	4.4	0.4	N.A.	N.A.
100197	Rock	5	14	2.08	43	0.002	3	0.93	0.039	0.18	0.1	0.06	6.2	<0.1	2.66	3	3.3	0.3	N.A.	N.A.
100198	Rock	4	8	1.82	36	0.001	2	0.89	0.033	0.17	<0.1	0.06	4.3	<0.1	2.86	3	4.5	0.5	N.A.	N.A.
100199	Rock	7	14	1.49	43	0.006	3	0.85	0.036	0.14	<0.1	0.04	5.1	<0.1	2.65	3	4.6	0.4	N.A.	N.A.
100200	Rock	10	46	2.01	41	0.004	2	1.21	0.043	0.08	<0.1	0.04	7.2	<0.1	2.70	6	4.1	0.9	N.A.	N.A.
100201	Rock	9	28	1.88	47	0.004	2	1.35	0.035	0.10	<0.1	0.04	6.7	<0.1	2.59	6	2.6	0.7	N.A.	N.A.
100202	Rock	7	22	1.77	36	0.003	1	1.12	0.034	0.10	0.1	0.04	5.4	<0.1	2.75	5	3.7	0.6	N.A.	N.A.
100203	Rock	5	23	2.01	31	0.002	2	1.00	0.039	0.15	0.1	0.05	6.0	<0.1	3.86	4	5.0	1.0	N.A.	N.A.
100204	Rock	4	18	2.36	35	0.002	2	1.02	0.035	0.14	0.1	0.03	6.8	<0.1	3.82	4	4.4	1.0	N.A.	N.A.
100205	Rock	5	15	2.09	36	0.002	4	0.95	0.037	0.16	<0.1	0.03	6.8	<0.1	3.43	4	5.0	0.5	N.A.	N.A.
100206	Rock	4	13	1.96	32	0.002	3	0.85	0.032	0.14	<0.1	0.04	5.6	<0.1	3.24	3	4.5	0.5	N.A.	N.A.
100207	Rock	5	19	2.38	40	0.002	2	1.25	0.038	0.13	<0.1	0.05	6.5	<0.1	3.10	5	5.5	0.4	N.A.	N.A.
100208	Rock	5	18	2.18	32	0.004	1	1.38	0.036	0.10	<0.1	0.04	5.9	<0.1	3.63	6	3.0	0.5	N.A.	N.A.
100209	Rock	5	18	2.34	34	0.003	2	1.46	0.036	0.12	<0.1	0.04	6.5	<0.1	3.44	6	3.9	0.6	N.A.	N.A.
100210	Rock	5	18	2.18	36	0.003	4	1.46	0.030	0.12	<0.1	0.04	7.8	<0.1	3.63	7	4.4	0.7	N.A.	N.A.
100211	Rock	4	17	2.49	40	0.003	3	1.58	0.033	0.11	<0.1	0.04	8.6	<0.1	3.36	7	4.1	0.6	N.A.	N.A.
100212	Rock	8	18	2.34	61	0.004	1	1.65	0.030	0.12	<0.1	0.03	7.6	<0.1	2.50	7	2.4	0.5	N.A.	N.A.
100213	Rock	4	12	1.91	34	0.002	2	1.21	0.035	0.13	<0.1	0.05	5.9	<0.1	3.99	4	3.7	0.5	N.A.	N.A.
100214	Rock	7	23	1.70	35	0.003	<1	1.47	0.036	0.12	<0.1	0.07	5.8	<0.1	3.44	5	3.3	0.6	N.A.	N.A.
100215	Rock	7	26	2.06	40	0.005	2	1.77	0.029	0.09	<0.1	0.04	6.1	<0.1	2.95	6	3.6	0.5	N.A.	N.A.
100216	Rock	8	30	2.02	44	0.005	2	1.66	0.039	0.11	<0.1	0.04	6.7	<0.1	2.93	6	3.6	0.4	N.A.	N.A.
100217	Rock	6	25	1.95	37	0.003	2	1.37	0.035	0.13	<0.1	0.05	5.8	<0.1	3.53	5	4.4	0.5	N.A.	N.A.
100218	Rock	7	56	2.30	45	0.008	2	2.00	0.036	0.11	<0.1	0.04	7.1	<0.1	2.86	6	2.9	0.5	N.A.	N.A.
100219	Rock	9	10	0.47	88	0.067	1	0.72	0.037	0.12	0.2	<0.01	2.0	0.1	0.07	3	<0.5	<0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
100220	Rock	1.79	7.1	747.2	3.8	30	0.2	5.0	32.4	329	5.33	2.4	25.6	3.4	38	0.3	0.1	0.2	212	0.71	0.215
100221	Rock	2.10	5.9	885.7	2.7	30	0.2	5.4	28.4	449	4.62	1.1	30.8	2.6	56	0.2	0.1	0.1	166	1.14	0.193
100222	Rock	1.60	8.5	1953	4.6	37	0.5	16.5	42.8	525	5.74	2.4	94.1	2.7	53	0.2	0.2	0.3	220	3.21	0.190
100223	Rock	1.75	5.7	1004	4.6	90	0.3	10.4	25.7	305	5.21	1.8	80.5	3.2	56	0.9	0.2	<0.1	234	1.92	0.277
100224	Rock	1.23	6.2	1600	2.1	27	0.3	16.1	22.6	358	7.45	1.9	84.4	3.7	54	0.1	0.2	<0.1	335	2.19	0.357
100225	Rock	1.60	7.9	5955	3.6	39	0.9	30.4	44.8	916	8.85	3.3	241.4	2.8	92	<0.1	0.2	0.2	464	5.00	0.221
100226	Rock	1.33	6.2	2136	2.8	27	0.4	8.6	28.1	429	4.95	2.2	89.2	3.4	47	<0.1	0.2	0.1	251	1.86	0.247
100227	Rock	1.05	8.0	5000	3.8	36	0.8	9.6	21.8	497	4.77	2.6	395.7	4.2	70	0.2	0.3	0.1	248	2.43	0.328
100228	Rock	0.83	7.9	1961	2.6	35	0.3	19.6	25.9	387	6.21	2.1	139.1	5.4	69	0.1	0.2	0.1	289	2.47	0.452
100229	Rock	0.27	4.5	1651	2.3	29	0.3	19.5	22.1	350	5.55	2.8	100.5	4.1	65	0.1	0.2	0.1	275	2.25	0.385
100230	Rock	1.31	4.4	1474	2.1	26	0.2	16.2	19.3	309	5.00	2.2	130.3	4.2	60	<0.1	0.1	<0.1	238	2.07	0.449
100231	Rock	1.86	5.2	1800	2.1	27	0.3	17.6	22.6	334	5.34	2.3	122.8	4.4	65	<0.1	0.1	<0.1	248	2.32	0.402
100232	Rock	1.19	5.3	1749	2.2	30	0.3	22.9	22.6	352	4.89	3.0	111.8	4.9	68	<0.1	0.1	0.1	232	2.37	0.459
100233	Rock	0.84	5.3	1627	1.9	23	0.2	14.0	18.6	289	4.37	2.4	110.0	4.1	56	<0.1	0.1	0.1	198	2.01	0.372
100234	Rock	0.70	11.5	1696	1.9	26	0.3	15.3	21.2	284	5.56	1.3	108.9	4.2	59	<0.1	0.1	<0.1	261	2.09	0.338



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11001195.2

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t		
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	0.001	
100220	Rock	16	3	1.38	183	0.020	4	1.90	0.020	0.26	<0.1	0.06	6.5	<0.1	0.05	8	2.8	<0.2	N.A.	N.A.
100221	Rock	14	2	1.64	96	0.022	4	1.91	0.018	0.23	<0.1	0.05	6.4	<0.1	0.16	8	1.4	<0.2	N.A.	N.A.
100222	Rock	12	28	2.24	124	0.025	6	2.37	0.018	0.25	<0.1	0.09	12.9	0.1	0.63	9	4.5	0.4	0.096	0.202
100223	Rock	18	4	1.64	159	0.017	4	1.55	0.021	0.31	<0.1	0.10	6.6	<0.1	0.88	6	18.7	0.3	0.093	0.102
100224	Rock	23	21	1.68	207	0.034	5	1.79	0.017	0.60	<0.1	0.07	9.2	0.1	0.77	5	2.6	0.3	0.099	0.167
100225	Rock	18	105	4.48	132	0.060	7	3.73	0.017	0.50	<0.1	0.09	32.6	0.1	1.42	14	6.5	0.3	0.238	0.524
100226	Rock	16	11	2.23	163	0.047	6	2.17	0.030	0.66	<0.1	0.06	10.9	0.1	1.41	9	4.1	0.3	0.099	0.194
100227	Rock	25	15	2.01	217	0.026	7	2.13	0.030	0.40	<0.1	0.14	10.6	<0.1	1.14	9	6.9	0.3	0.365	0.409
100228	Rock	31	19	1.84	208	0.027	6	1.89	0.028	0.55	<0.1	0.10	7.7	0.1	1.18	7	4.3	0.2	0.114	0.155
100229	Rock	25	25	1.70	119	0.022	7	1.66	0.027	0.44	<0.1	0.08	7.2	<0.1	1.13	5	4.0	0.3	0.097	0.176
100230	Rock	26	19	1.54	132	0.020	7	1.40	0.020	0.41	<0.1	0.07	6.1	<0.1	0.94	4	3.3	0.2	0.135	0.166
100231	Rock	25	24	1.62	92	0.022	6	1.48	0.025	0.45	<0.1	0.09	6.9	<0.1	1.29	5	4.7	<0.2	0.129	0.195
100232	Rock	30	30	1.75	133	0.018	8	1.64	0.022	0.38	<0.1	0.09	7.4	0.2	1.11	5	3.6	0.2	0.134	0.184
100233	Rock	25	16	1.45	136	0.018	6	1.26	0.020	0.39	<0.1	0.06	5.9	0.1	0.95	5	3.4	<0.2	0.127	0.191
100234	Rock	25	14	1.55	108	0.022	4	1.29	0.022	0.45	<0.1	0.08	6.0	<0.1	1.22	5	4.0	0.2	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN11001195.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
REP G1	QC	<0.1	0.8	1.1	21	<0.1	1.8	1.7	249	0.81	<0.5	<0.5	2.1	26	<0.1	<0.1	<0.1	15	0.23	0.031	
100078	Rock	1.91	14.0	739.2	1.5	29	0.2	6.5	26.0	693	5.00	21.4	9.4	1.6	124	<0.1	0.1	0.3	142	1.82	0.141
REP 100078	QC		14.0	748.1	1.6	30	0.2	6.9	26.3	710	4.98	21.7	10.7	1.7	123	<0.1	0.1	0.3	144	1.88	0.143
100115	Rock	2.54	0.4	17.5	6.5	67	<0.1	94.2	29.2	1249	3.97	11.4	1.3	2.2	237	0.2	0.5	<0.1	128	5.34	0.195
REP 100115	QC		0.4	18.0	6.7	70	<0.1	96.4	30.1	1316	4.15	11.5	<0.5	2.3	242	0.2	0.5	<0.1	135	5.61	0.208
100132	Rock	1.84	1.4	936.8	1.9	26	0.2	5.0	22.7	470	4.11	2.3	80.9	2.6	71	<0.1	0.1	<0.1	163	1.34	0.159
REP 100132	QC		1.5	958.9	2.3	25	0.2	5.1	23.3	476	4.27	2.4	79.3	2.7	74	<0.1	0.1	<0.1	172	1.39	0.168
100133	Rock	2.31	1.6	1621	1.7	23	0.4	4.4	28.1	518	3.70	3.1	121.5	2.2	107	<0.1	0.1	0.1	157	2.44	0.164
REP 100133	QC																				
100167	Rock	3.74	0.6	70.1	1.9	63	<0.1	61.5	26.4	938	3.56	7.6	<0.5	1.7	188	<0.1	0.3	<0.1	147	3.25	0.210
REP 100167	QC		0.5	69.5	1.9	63	<0.1	60.1	26.1	932	3.53	7.5	<0.5	1.7	178	<0.1	0.3	<0.1	145	3.24	0.206
100211	Rock	2.72	2.9	672.4	4.2	50	0.4	15.5	29.1	858	4.73	4.1	38.1	1.2	148	0.1	0.1	0.2	118	4.41	0.147
REP 100211	QC		2.6	674.1	4.3	50	0.4	16.5	28.8	861	4.74	3.9	34.4	1.1	146	0.1	0.1	0.2	119	4.42	0.147
100223	Rock	1.75	5.7	1004	4.6	90	0.3	10.4	25.7	305	5.21	1.8	80.5	3.2	56	0.9	0.2	<0.1	234	1.92	0.277
REP 100223	QC																				
Core Reject Duplicates																					
100061	Rock	2.21	5.4	474.4	1.4	18	0.2	12.2	27.9	332	2.91	6.3	25.5	1.8	176	<0.1	<0.1	0.2	113	4.57	0.162
DUP 100061	QC		5.5	485.0	1.4	18	0.2	11.8	27.8	327	2.91	6.0	31.1	1.8	175	<0.1	0.1	0.2	114	4.62	0.159
100096	Rock	1.52	4.7	491.7	4.4	30	0.3	16.6	38.1	622	6.29	11.1	66.0	2.0	89	<0.1	0.2	0.5	129	4.37	0.175
DUP 100096	QC		5.0	475.0	4.1	29	0.3	16.6	37.2	603	6.00	11.2	66.5	1.9	89	<0.1	0.2	0.4	125	4.18	0.164
100131	Rock	2.08	2.0	661.6	1.6	20	0.1	4.2	25.0	388	3.44	2.4	67.1	2.9	82	<0.1	<0.1	<0.1	156	2.04	0.159
DUP 100131	QC		1.9	627.1	1.6	18	0.1	4.0	24.3	380	3.25	2.0	60.1	2.7	81	<0.1	<0.1	<0.1	148	1.95	0.157
100166	Rock	2.94	2.2	121.3	5.6	76	0.2	41.5	26.3	1331	4.56	15.0	3.7	1.4	287	0.1	0.2	<0.1	165	6.48	0.155
DUP 100166	QC		2.2	121.9	5.7	77	0.2	41.7	27.3	1368	4.67	15.3	4.3	1.5	292	0.1	0.2	<0.1	172	6.50	0.158
100201	Rock	2.41	3.2	537.0	2.2	29	0.2	17.8	27.1	620	4.52	3.7	29.4	1.4	163	<0.1	0.1	0.2	120	4.34	0.159
DUP 100201	QC		2.9	529.1	2.3	30	0.2	17.8	29.1	593	4.67	3.9	38.5	1.4	165	<0.1	0.2	0.2	123	4.29	0.158
Reference Materials																					
STD DS8	Standard		13.9	112.7	120.4	311	1.9	39.3	7.8	599	2.40	24.8	139.9	7.2	63	2.2	5.6	6.2	40	0.71	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
Report Date: April 10, 2011

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001195.2

Method	Analyte	Unit	MDL	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	G6 Au gm/t	7AR Cu %
Pulp Duplicates																						
REP G1	QC			4	5	0.25	83	0.054	<1	0.40	0.038	0.21	<0.1	<0.01	0.8	0.1	<0.05	2	<0.5	<0.2		
100078	Rock			24	3	1.51	174	0.010	24	1.12	0.048	0.18	<0.1	0.03	8.6	0.1	0.85	5	1.6	0.2	N.A.	N.A.
REP 100078	QC			25	4	1.53	161	0.010	24	1.13	0.047	0.19	<0.1	0.03	8.6	<0.1	0.89	5	2.4	0.4		
100115	Rock			15	145	3.70	275	0.020	3	1.34	0.027	0.12	0.1	0.01	11.9	<0.1	<0.05	5	<0.5	<0.2	N.A.	N.A.
REP 100115	QC			15	146	3.84	287	0.021	3	1.40	0.027	0.12	0.1	<0.01	12.7	<0.1	<0.05	5	<0.5	<0.2		
100132	Rock			14	4	1.39	73	0.006	8	1.30	0.023	0.06	<0.1	0.06	7.7	<0.1	1.39	6	4.3	0.4	N.A.	N.A.
REP 100132	QC			14	4	1.44	77	0.007	7	1.37	0.024	0.07	<0.1	0.06	7.9	<0.1	1.43	6	4.6	<0.2		
100133	Rock			12	3	1.64	77	0.009	7	1.22	0.038	0.04	<0.1	0.07	7.2	<0.1	1.63	5	6.7	0.3	0.145	0.182
REP 100133	QC																				0.158	
100167	Rock			14	105	2.72	38	0.136	4	1.73	0.027	0.05	0.2	<0.01	5.3	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
REP 100167	QC			14	102	2.71	38	0.130	2	1.71	0.026	0.05	0.2	<0.01	5.3	<0.1	<0.05	7	<0.5	<0.2		
100211	Rock			4	17	2.49	40	0.003	3	1.58	0.033	0.11	<0.1	0.04	8.6	<0.1	3.36	7	4.1	0.6	N.A.	N.A.
REP 100211	QC			5	17	2.51	40	0.003	2	1.60	0.034	0.12	<0.1	0.04	8.9	<0.1	3.34	7	4.0	0.6		
100223	Rock			18	4	1.64	159	0.017	4	1.55	0.021	0.31	<0.1	0.10	6.6	<0.1	0.88	6	18.7	0.3	0.093	0.102
REP 100223	QC																					0.105
Core Reject Duplicates																						
100061	Rock			10	23	1.42	58	0.005	9	1.38	0.029	0.20	<0.1	0.02	6.2	<0.1	1.98	5	6.1	0.6	N.A.	N.A.
DUP 100061	QC			10	22	1.38	53	0.004	7	1.36	0.033	0.20	<0.1	0.02	6.3	<0.1	2.00	5	6.7	0.5	N.A.	N.A.
100096	Rock			17	28	1.67	30	0.005	13	1.74	0.028	0.18	0.1	0.10	10.6	<0.1	4.03	7	3.9	0.6	N.A.	N.A.
DUP 100096	QC			16	27	1.62	29	0.006	9	1.69	0.028	0.19	0.1	0.09	10.6	<0.1	3.85	6	3.4	0.5	N.A.	N.A.
100131	Rock			15	4	1.46	76	0.008	7	1.03	0.039	0.08	<0.1	0.05	8.1	<0.1	1.80	5	5.4	0.3	N.A.	N.A.
DUP 100131	QC			15	3	1.41	78	0.008	6	0.95	0.035	0.08	<0.1	0.06	7.2	<0.1	1.70	5	5.0	0.2	N.A.	N.A.
100166	Rock			11	85	2.71	93	0.018	2	2.33	0.018	0.07	<0.1	0.03	10.3	<0.1	0.33	9	<0.5	<0.2	N.A.	N.A.
DUP 100166	QC			12	91	2.74	88	0.019	3	2.39	0.017	0.07	<0.1	0.03	10.9	<0.1	0.33	9	<0.5	<0.2	N.A.	N.A.
100201	Rock			9	28	1.88	47	0.004	2	1.35	0.035	0.10	<0.1	0.04	6.7	<0.1	2.59	6	2.6	0.7	N.A.	N.A.
DUP 100201	QC			9	29	1.88	40	0.004	3	1.34	0.036	0.11	<0.1	0.05	6.8	<0.1	2.78	6	3.3	0.8	N.A.	N.A.
Reference Materials																						
STD DS8	Standard			16	119	0.60	253	0.125	2	0.91	0.086	0.46	2.7	0.21	2.4	5.3	0.16	5	4.8	4.8		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN11001195.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS8	Standard		13.7	118.5	121.2	323	2.1	41.5	8.0	625	2.49	24.9	117.7	6.7	62	2.1	5.3	6.1	42	0.71	0.075
STD DS8	Standard		14.4	116.8	129.0	314	1.9	40.3	7.9	576	2.35	24.6	127.0	7.2	61	2.1	5.6	6.6	39	0.69	0.070
STD DS8	Standard		13.7	118.0	125.3	310	1.8	41.1	8.2	600	2.37	25.0	115.6	6.8	60	2.3	5.2	6.3	39	0.70	0.070
STD DS8	Standard		12.9	118.5	125.2	311	1.7	40.1	7.9	572	2.30	23.9	106.3	7.0	59	2.3	5.3	6.2	39	0.66	0.068
STD DS8	Standard		12.8	114.0	120.5	309	1.9	39.9	7.9	597	2.38	24.5	110.0	6.8	60	2.1	5.1	6.2	39	0.68	0.073
STD DS8	Standard		15.2	125.4	141.2	332	2.0	42.6	8.7	641	2.57	26.7	116.4	8.1	67	2.4	6.0	7.1	43	0.73	0.076
STD DS8	Standard		15.3	125.0	136.4	332	1.9	43.9	8.5	654	2.58	26.7	108.9	8.0	70	2.3	5.7	7.1	43	0.75	0.077
STD DS8	Standard		12.6	109.6	122.7	307	1.6	39.6	7.5	608	2.43	25.8	117.1	6.7	63	2.4	5.8	6.6	36	0.64	0.076
STD DS8	Standard		13.1	109.9	127.1	322	1.7	40.0	7.8	605	2.42	26.1	111.7	6.9	64	2.5	5.9	6.8	36	0.64	0.078
STD DS8	Standard		14.0	116.5	129.0	313	1.6	40.8	7.7	601	2.49	23.7	96.5	7.0	59	2.3	5.1	6.0	38	0.63	0.073
STD DS8	Standard		12.9	112.1	121.9	298	1.6	38.9	7.8	572	2.34	22.5	91.8	6.8	57	2.2	4.8	5.7	38	0.62	0.070
STD DS8	Standard		11.0	92.8	110.1	276	1.4	34.1	6.5	531	2.08	22.7	98.0	6.3	59	2.0	5.2	5.8	35	0.61	0.066
STD DS8	Standard		12.6	105.3	123.9	309	1.6	37.3	7.5	595	2.37	25.4	108.7	7.2	71	2.2	5.7	6.8	40	0.71	0.078
STD DS8	Standard		12.1	98.5	111.5	286	1.6	34.2	6.9	556	2.22	23.5	81.4	6.3	61	1.8	4.7	6.4	36	0.64	0.073
STD DS8	Standard		12.1	107.2	122.2	304	1.7	37.2	7.4	600	2.40	26.3	105.5	6.6	65	2.2	5.3	7.0	38	0.68	0.079
STD DS8	Standard		13.7	109.8	121.7	322	1.7	36.1	7.5	615	2.44	26.3	97.9	6.5	64	2.0	5.4	6.6	41	0.70	0.086
STD DS8	Standard		13.1	102.7	123.5	308	1.6	34.9	7.6	583	2.38	26.0	105.6	6.9	63	2.4	5.6	6.7	40	0.66	0.075
STD OXH82	Standard																				
STD OXH82	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS8 Expected			13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
STD OXH82 Expected																					
STD OXK79 Expected																					
STD R4A Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 Suite 718 - 744 W. Hastings St.
 Vancouver BC V6A 1A5 Canada

Project: Miner Mountain
 Report Date: April 10, 2011

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001195.2

		1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm	G6 Au gm/t	7AR Cu %
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
STD DS8	Standard	15	124	0.63	255	0.124	2	0.91	0.086	0.47	2.7	0.20	2.4	5.2	0.17	4	5.4	4.9		
STD DS8	Standard	16	121	0.60	269	0.125	2	0.91	0.086	0.41	2.9	0.22	2.2	5.4	0.15	4	4.7	4.8		
STD DS8	Standard	16	124	0.60	257	0.127	2	0.93	0.089	0.42	2.8	0.21	2.2	5.3	0.15	4	4.7	4.8		
STD DS8	Standard	14	120	0.57	251	0.119	1	0.87	0.079	0.40	2.8	0.21	2.0	5.2	0.16	4	4.9	5.0		
STD DS8	Standard	15	119	0.60	243	0.119	1	0.88	0.083	0.44	2.8	0.19	2.1	5.1	0.16	4	4.8	4.6		
STD DS8	Standard	16	134	0.65	274	0.136	3	0.96	0.089	0.45	3.3	0.22	2.2	5.6	0.17	5	5.4	4.7		
STD DS8	Standard	17	132	0.65	285	0.139	<1	0.97	0.094	0.45	3.0	0.20	2.3	5.7	0.17	5	5.3	5.0		
STD DS8	Standard	13	119	0.60	271	0.115	2	0.90	0.080	0.41	3.1	0.20	2.0	5.3	0.15	4	4.2	4.8		
STD DS8	Standard	14	119	0.60	277	0.115	3	0.90	0.081	0.41	3.1	0.20	2.0	5.5	0.15	5	4.7	4.7		
STD DS8	Standard	14	121	0.60	246	0.121	2	0.88	0.081	0.40	2.9	0.20	1.7	5.2	0.15	4	5.1	4.6		
STD DS8	Standard	13	115	0.57	242	0.117	2	0.87	0.080	0.38	2.7	0.19	1.7	4.9	0.14	4	4.4	4.4		
STD DS8	Standard	14	99	0.51	240	0.103	2	0.80	0.075	0.37	2.6	0.16	1.7	4.6	0.14	4	4.6	4.3		
STD DS8	Standard	16	113	0.59	286	0.118	3	0.90	0.084	0.43	3.0	0.20	2.1	5.2	0.16	4	5.2	4.5		
STD DS8	Standard	13	105	0.55	246	0.105	1	0.84	0.080	0.38	2.8	0.17	1.7	4.9	0.14	4	5.5	4.6		
STD DS8	Standard	13	111	0.60	260	0.110	1	0.88	0.082	0.40	2.9	0.19	2.0	5.2	0.15	4	5.3	5.2		
STD DS8	Standard	14	117	0.60	274	0.112	3	0.89	0.082	0.43	2.9	0.18	1.9	5.2	0.16	5	5.5	4.7		
STD DS8	Standard	14	117	0.58	278	0.111	2	0.86	0.080	0.41	3.0	0.18	1.8	5.1	0.15	4	5.5	5.5		
STD OXH82	Standard																		1.289	
STD OXH82	Standard																		1.196	
STD OXK79	Standard																		3.552	
STD OXK79	Standard																		3.308	
STD R4A	Standard																			0.508
STD R4A	Standard																			0.502
STD R4A	Standard																			0.503
STD R4A	Standard																			0.502
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5		
STD OXH82 Expected																			1.278	
STD OXK79 Expected																			3.532	
STD R4A Expected																				0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
Suite 718 - 744 W. Hastings St.
Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: April 10, 2011

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

VAN11001195.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	1.5	2.9	45	<0.1	3.3	3.9	533	1.86	<0.5	5.3	4.9	62	<0.1	<0.1	<0.1	35	0.51	0.077
G1	Prep Blank	<0.01																			
G1	Prep Blank		<0.1	1.2	1.6	27	<0.1	2.1	2.4	335	1.11	<0.5	<0.5	2.9	36	<0.1	<0.1	<0.1	21	0.31	0.047



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

Suite 718 - 744 W. Hastings St.

Vancouver BC V6A 1A5 Canada

Project: Miner Mountain

Report Date: April 10, 2011

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN11001195.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	%	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																			<0.005	
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.001
BLK	Blank																				<0.001
Prep Wash																					
G1	Prep Blank	9	12	0.57	191	0.121	1	0.94	0.083	0.49	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	
G1	Prep Blank																		N.A.	N.A.	
G1	Prep Blank	5	7	0.35	122	0.073	<1	0.56	0.050	0.29	<0.1	<0.01	1.1	0.2	<0.05	3	<0.5	<0.2			