Assessment Report on Diamond Drilling performed on the Mount Guy Property

Located in the Cariboo Mining District, British Columbia, Canada

NTS: 93A.041

BC Geological Survey
Assessment Report
32423

Located at Map Center at approximately
Easting: 0574500
Northing: 5813900
UTM NAD 83, Zone 10

Owner: Gibraltar Mines Limited
Operator: Taseko Mines Limited

Tenure Numbers:
560525, 604694

Authors:
Michael Galicki, B.Sc. (Hons)
Jeremy Crozier, MBA, MSc, BSc (Hons)
September 20, 2011

Table of Contents

Summary....1
Location and Access....1
Previous Work....2
Physiography and Climate....2
Claims....2
Exploration History....6
Regional Geology....6
Property Geology....7
2010 Diamond Drilling....8
Recommendations for further work....11
Statement of Costs....11
References....11

APPENDIX 1: DRILL LOGS
APPENDIX 2: ASSAY CERTIFICATES
APPENDIX 3: DRILL COLLAR COORDINATES
APPENDIX 4: COMPILED RESULTS
APPENDIX 5: STATEMENT OF WORK

Summary

The Mount Guy property comprises an assemblage of moderately well silicified limestones, marls and calcareous pelitic sediments interpreted as being related to the Permian-Triassic age Marble Canyon Formation. This assemblage is considered to be of interest with respect to derivation of feed material for purposes of preparation of a refined lime product.

Based on observation of outcrop within three existing cut blocks in the claims, an area of approximately 220m north-south by 125m east-west was selected for drill testing. A program comprising 23 NQ diameter diamond drill holes was undertaken for a collective meterage of 783.6m. All samples were consigned to Acme Labs of Cordova Street, Vancouver, where each was subjected to crushing to P85 -200 mesh, and 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis thereafter. Drill logs are presented in Appendix 1 of this report and assay certificates in Appendix 2. Assay results indicate mean, minimum and maximum CaO grades of 39.74%, 3.84% and 81.16% respectively, and mean, minimum and maximum Loss On Ignition (LOI, interpreted as being an indicator of volatile content) of 40.7%, 1.2% and 45.9% respectively.

Subsequent to the completion of exploration work Hazen Research Inc. of Golden, CO, was contracted to undertake an initial test program on the limestone collected in the 2010 exploration program at Mount Guy. Such work is ongoing, and it is recommended that an investigation be carried out to determine typical operating and processing parameters associated with the recovery of a lime product, subsequent to which further test work could be performed to determine whether Mount Guy limestone has potential to perform under the same conditions. Should this recovery and process test work return negative results, it may be desirable to conduct further exploration drilling at Mount Guy with the objective of identifying more suitable material. In this regard it is noted that the current area of exploration covers only a small portion of the Mount Guy topographic feature, and while it would be speculative to infer that the entire rock mass is of calcareous affinity, showings observed in cut blocks and along access trails within the claim block suggest that further exploration could be warranted.

Assessment credit to a value of $130,614.48 is sought with respect to the work presented in this report.

Location and Access

The Mount Guy claims are located in the Cariboo Mining District in central BC (Figure 1), centered at 0574500m E, 5813900m N (UTM NAD 83, Zone 10). The only named topographic feature on NTS topographic sheet 94B/05 (1:50,000 scale) occurring within the property is Huxtable Creek.

The property is situated approximately 40km northeast of Williams Lake and 25 km east of the Gibraltar Mine, owned and operated by Taseko Mines Ltd. The property can be easily accessed via traveling north on Highway 97 from Williams Lake for approximate 40km and then turning east onto Beaver Lake Road and travelling a further 30km. The Mount Guy property is situated immediately to the north of the Beaver Lake Road and to the north east of Hart Lake. Several logging roads on the claims may be used for further access within the property.

Previous Work

No previous work mineral exploration work has been reported upon, or within the vicinity of the Mt. Guy property.

Physiography and Climate

Elevation ranges from approximately 860m at the north east of the claim block, to approximately 1130m in the centre of the claim block. In essence, the claims extend over, and surround an 1130m high ridge located 3 km east of the Beaver Valley. Apart from the nearby and well-incised Beaver Valley, the topography of the surrounding area is relatively flat, comprising valleys and ridges typical of the Cariboo Plateau. One narrow, south-east flowing creek can be found in the southern part of the claim block which is draining from a <200 m long and <100m wide lake.

Forest cover is almost 100% throughout the claim block, except where logging has occurred.

The Cariboo Plateau has a typical pacific northwestern continental climate with cold winters and warm summers with most precipitation occurring in late spring or early summer. The area lies in the rain shadow area leeward of the Coastal Mountains and is subject to the moderating influences of the Pacific Ocean. Intense surface heating and convective showers are common in the summer whereas in the winter there are frequent influx of Arctic air. Snow can be expected as early as October and stays on the ground until May.

Claims

Taseko Mines Limited, through its wholly owned subsidiary Gibraltar Mines Limited, is the 100% owner of the Mount Guy mineral claims and was the operator of the programs described in this report. In the period from October 18 through November 2, 2010, work was conducted on two mineral claims (see below) that together constitute the Mount Guy property.

A map of all claims relative to topography and road access is presented in Figure 2; Figure 3 illustrates the claims in which drill sites were located thereby indicating in which work was conducted. Table 1 provides a summary of claims upon which work was conducted and Table 2 a listing of claims to which assessment work has been applied.



Figure 1 - Property Location Map



Figure 2 - Overview Claims Map



Figure 3 - Detailed Claims Map illustrating claims upon which work was conducted

Table 1 - Claims on which Work was Conducted

Tenure Number	Total Holes Drilled on Claim	Drill Hole Numbers
560525	17	MG10-01
		MG10-02
		MG10-03
		MG10-04
		MG10-05
		MG10-06
		MG10-07
		MG10-08
		MG10-09
		MG10-10
		MG10-11
		MG10-12
		MG10-13
		MG10-14
		MG10-15
		MG10-22
		MG10-23

Tenure Number	Total Holes Drilled on Claim	Drill Hole Numbers
604694	6	MG10-16
		MG10-17
		MG10-18
		MG10-19
		MG10-20
		MG10-21

Table 2 - Claims to which Work was applied

Tenure Number	Tenure Type	Owner	Map Number	Good To Date	Status	Area
560525	Mineral	141999 (100 %)	093A	2011/jun/12	GOOD	315.08
604694	Mineral	141999 (100 %)	093A	2011/jun/19	GOOD	177.27

Exploration History

No previous exploration work has been performed on the Mount Guy claim block.

Regional Geology

The Mount Guy property is situated within the Intermontane Belt of the Canadian Cordilerra, which consists of 3 major crustal blocks, specifically the Slide Mountain Terrane, the Quesnel Terrane and the Cache Creek Complex (Figure 4.1 and 4.2). Crustal rocks underlying the Mount Guy claim blocks belong to the Cache Creek Complex which is the accretionary prism to the Mesozoic Quesnellian magmatic arc (the Nicola and Rossland Groups). Cache Creek assemblages

underlying the Mount Guy claim block belong to the Marble Range Subterrane (Price and Monger, 2000) and can be divided into 2 groups: (1) marine sedimentary and mafic volcanic rocks containing Early Permian to Late Triassic radiolarians and conodonts, and (2) the approximately 300 m thick Marble Canyon Formation which consists of limestones, marble and calcareous sediments containing Middle Permian to Late Triassic fusulininds and conodonts. Historically (Johnson and Danner, 1966), both groups belonged to the Marble Canyon Formation which was divided into a 75m thick basal division containing interbedded limestone and chert, and an upper division varying in thickness from 900-2000 m containing chert, argillite, limestone, tuffs and volcanic flows.

Carbonate successions in the Cache Creek terrane contain Tethyan fauna, which contrasts with coeval fauna in adjacent terranes that show closer linkages with ancestral North America, indicating that the Cache Creek carbonate rocks are far traveled. Alkaline volcanic rocks are stratigraphically interlayered with these carbonate strata and are compositionally enriched and identical to ocean island basalt, and are interpreted to represent oceanic seamounts and/or plateaus that were the elevated oceanic basement on which the shallow-water carbonate platforms, reefs and banks of the Cache Creek terrane were deposited. During subduction of the oceanic basement, the alkaline volcanic rocks were scraped off the downgoing Cache Creek slab and became interlayered with carbonate successions such as the Marble Canyon Formation. Biochronological data constrain the age of the oceanic seamounts to older than the Permo-Carboniferous carbonates that stratigraphically overlie the alkaline volcanic rocks. The deposition of Upper Carboniferous to Lower Triassic shallow water limestones requires that the Cache Creek terrane remained within the tropics throughout this period

Property Geology

The Mount Guy property forms a pronounced topographic high comprising an assemblage of moderately well silicified limestones, marls and calcareous pelitic sediments interpreted as being related to the Permian-Triassic age Marble Canyon Formation. For the purposes of this report, these rocks have been collectively termed “Limestone” however since certain of the consitituent facies variants are not strictly speak of true limestone character, caution is advised. types

The upstanding nature of the rocks that form the greater part of the property (and there with the exploration target) may potentially be attributable to more pronounced silicification thereof than the surrounding rocks, giving rise to a significant erosion differential of which Mount Guy is an erosional remnant. The topographic form of the occurrence is an elongate ridge over 2km in length and in the order of 1km in width that in contrast to surrounding grassland and bush, supports significant forest growth seen to commence at the point of topographic inflection with its surroundings. Investigation of outcrop within the Mount Guy claims confirmed the existence of variably calcareous sedimentary rocks in outcrop in three principal clear-cuts and associated trail infrastructure; outcrop is not however adequate to confirm the continuity of calcareous material between these showings.

Deformation of the calcareous sedimentary assemblage is negligible. No large scale tectonic features are observed, and deformation is limited to a sedimentary scale, interpreted to be the product of syn-depositional slumping and subaerial desiccation. Later fracturing, interpreted to be fluid related, gives rise to variable degrees of brecciation, with matrix fillings frequently of carbonaceous composition.

At a local scale, and in the area of the 2010 drilling program, the rocks are pale grey in colour and comprise, very fine-grained muddy calcareous sediments that are well silicified and contain quartz and carbonate fracture fillings that typically display a significantly greater degree of effervescence than the host material. A moderate sulphide content is inferred on the basis of the odour generated when dilute HCl is applied. Elsewhere, intensely silicified zones of veining and quartz flooding are seen, the latter occurring to the point where significant replacement of host pelites has occurred obliterating many protolithic characteristics. On the basis that no lower greenschist facies minerals appear to be present, this replacement is interpreted to be a 'sweat' distal to a remote metasomatic system. Some chalcedonic quartz may be seen within 20m of the surface.

Facies differentiation within the 2010 drill core can pose a significant challenge and in the case of hole MG10-20, the core was logged as a single interval due to relative facies homogeneity. The Basal lithology comprises a fine-grained pelitic marl of pale to mid grey coloration that has undergone variable auto brecciation (which is presumed to have occurred as a function of some kind of rip-up even as might typically be seen during a flood event or in a turbidite sequence) and is seen to be fractured in places. Where fractured, the resultant fissures (none of which exceed 3mm in width) have been infilled by calcite and/or quarts. Pervasive calcification and silicification of the rock mass is seen beyond the fracture fillings. Between 48' and 49', decalcification textures are observed, potentially as a function of groundwater movement which may have mobilized the carbonaceous component of the rocks.

2010 Diamond Drilling

Based on observation of outcrop within three existing cut blocks in the claims, an area of approximately 220m north-south by 125m east-west was selected for drill testing. A program comprising 23 NQ diameter diamond drill holes was undertaken for a collective meterage of 783.6m, thus to an average depth of 34m, this being the approximate projected depth of a shallow limestone quarry. Drillhole spacing was in the order of 30m-50m in each direction with final collar locations being determined as a function of accessibility and minimization of site disturbance. Drilling was undertaken by Atlas Drilling Limited of Kamloops, BC, using a skid-mounted Hydracore 2000 rig, which was moved from site to site by means of bulldozer along light, temporary skid trails.. All drill core was transported to the Gibraltar Mine for geological logging, sawing and sampling at approximately 3m intervals. All samples were consigned to Acme Labs of Cordova Street, Vancouver, where each was subjected to crushing to P85 -200 mesh, and 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis thereafter. Drill logs are presented in Appendix 1 of this report, assay certificates in Appendix 2 and collar co-ordinates in Appendix 3. All holes were drilled vertically. A compilation by hole of assay results versus depth has been included in Appendix 4.

Assay results indicate mean, minimum and maximum CaO grades of 39.74%, 3.84% and 81.16% respectively, and mean, minimum and maximum Loss on Ignition (LoI, interpreted as being an indicator of volatile content) of 40.7%, 1.2% and 45.9% respectively.

Subsequent to the completion of the work contemplated by this report Hazen Research Inc. of Golden, CO, was contracted to undertake an initial test program on the limestone collected in the 2010 exploration program at Mount Guy. The purpose of this program was to determine the suitability of the limestone for conversion to a lime product, in which regard work is ongoing. The costs associated with this test program have not been incorporated in the Statement of Work with which this report is associated, and as such no Assessment Credit is to this end sought.



Figure 4.1 Property Geology Map



Figure 5.2 Property Geology Legend

Recommendations for further work

It is recommended that an investigation be carried out to establish typical operating and processing parameters associated with the recovery of a lime product, subsequent to which further test work could be performed to determine whether Mount Guy limestone has potential to perform under the same conditions.

Should the above-described recovery and process test work return negative results, it may be desirable to conduct further exploration drilling at Mount Guy with the objective of identifying more suitable material. In this regard it is noted that the current area of exploration covers only a small portion of the Mount Guy topographic feature, and while it would be speculative to infer that the entire rock mass is of calcareous affinity, showings observed in cut blocks and along access trails within the claim block suggest that further exploration could be warranted. A program comprising between 10 and 20 widely-spaced shallow diamond drill holes across the topographic feature would provide clarity as to the extent and nature of the limestone, and if positive would need to be followed up by more closely-spaced drill testing.

Air rotary drilling is not recommended unless full recovery of fine material can be established with certainty. As much of the carbonate material present in the Mt. Guy limestone occurs as friable matric filling in breccia, care should be taken to ensure that air drilling equipment gives rise to winnowing of fines, and consequent distortion of CaO grade.

Statement of Costs

Please see Appendix 5.

References

Johnson, J.H. and Danner, W.R., 1966, Permian Calcareous algae from northwestern Washington and southwestern British Columbia, Journal of Paleontology, vol. 40, no. 2, p. 424-432.

Price, R.A. and Monger, J.W.H., 2000, A transect of the southern Canadian Cordillera from Calgary to Vancouver, Geological Association of Canada, 164p.

Statements of Authors' Qualifications

I, Jeremy Crozier do hereby state:

1. That I am the Exploration Projects Manager for Taseko Mines Ltd., with offices located on the 15th floor of 1040 West Georgia St, Vancouver, B.C.
2. That I am a graduate of the University of St. Andrews, Scotland (B.Sc., 1995) and have been employed as an exploration geologist since that time. I subsequently earned an MSc degree from the University of the Orange Free State, South Africa (2001, part time) and an MBA from the Ecole des Hautes Etudes Commerciales, Montreal (2004).
3. That my experience has given me considerable knowledge in geological, geochemical and geophysical prospecting techniques as well as in the planning, execution and evaluation of exploration drilling programs.
4. That the accompanying Statement of Costs is an accurate statement of expenditures on the project.

Signed on the 20th day of September, 2011

Jeremy Crozier, MBA, MSc BSc.(Hons)

Statements of Authors' Qualifications

I, Michael Galicki do hereby state:

1. That I am an exploration geologist working for Hunter Dickinson Services Inc., with offices located at 15th floor 1040 West Georgia St, Vancouver, B.C.
2. That I am a graduate of Laurentian University, Sudbury ON, (B.Sc. Hons, 2008) and Simon Fraser University, Burnaby BC (M.Sc., 2011) and have been employed as an exploration geologist since June 2010.
3. That I am one of the authors of this report.

Signed on the 20th day of September, 2011

Michael Galicki, M.Sc., BSc. (Hons)

APPENDIX 1: DRILL LOGS

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_10	0	25	-	7.55	Pale grey, very fine-grained muddy sediment; well silicified and containing quartz fracture fillings. Darker in colour towards base, where it is moderately brecciated.	Negligible	Crozier	13-Nov-10
MG10_10	25	97.9	7.55	29.58	Mid to dark grey muddy argillite displaying variable autolithic brecciation. Very fine (<1mm) quart fracture fillings in places.	Weak to negligible	Crozier	13-Nov-10
MG10_10	97.9	131.9	29.58	39.85	Largely unbrecciated unit comprising well-silicified, fine grained, mid to dark grey pelitic sediments. Centre of unit contains approximately 3m of a distinctive "blotchy" facies consisting of well-rounded, elongate blobs of paler pelites 5-12mm in length. Unclear as to whether these blotches are of sedimentary or chemical origin.	Weak	Crozier	13-Nov-10
MG10_10	131.9	148.3	39.85	44.80	Interval predominantly comprising autolithic breccia of dark grey carbonaceous sediments that have been heated and silicified by a network of very fine-grained quartz stringers and fracture fillings.	Weak to moderate	Crozier	13-Nov-10
MG10_10	148.3	160	44.80	48.34	Zone of higher vein intensity, hosted by pale grey unbrecciated pelitic sediments. Calcite appears to occur sporadically as a matrix filling	Weak to moderate	Crozier	13-Nov-10
MG10_01	10	47.8	3.02	14.44	Mid to dark grey autolithic to heterolithic breccia exhibiting bimodal size distribution. Clasts are invariably angular, do not appear to have undergone much transport and are interpreted as being derived by means of rip-up, potentially as some form of turbidite. Rock is well silicified.	Weak	Crozier	13-Nov-10
MG10_01	47.8	64	14.44	19.34	Very dark grey clast-supported autolithic breccia horizon comprising an array of pelitic clasts of variable carbonate content in an ultra-fine grained pelitic matrix. Probably sulphide presence as indicated by odour.	Moderate to strong	Crozier	13-Nov-10
MG10_01	64	97	19.34	29.31	Pale grey brecciated unit comprising large, irregular pelitic fragments healed by quartz fracture fillings and pervasive silicification.	Negligible	Crozier	13-Nov-10
MG10_02	10	57	3.02	17.22	Jumbled mid-grey autolithic breccia comprising a variety of different coloured pelitic fragments ranging in size from 4mm to several centimeters. In places, the breccias give way to fine grey muds containing fine quartz stringers and fracture fillings. All rocks in this unit are very well silicified.	Negligible	Crozier	13-Nov-10
MG10_02	57	96.2	17.22	29.06	Pale grey brecciated unit of slump-like affinity comprising large, irregular pelitic fragments healed by quartz fracture fillings and pervasive silicification.	Weak to moderate	Crozier	13-Nov-10
MG10_02	96.2	110	29.06	33.23	Relatively continuous unit of very pale greenish grey silicified pelite of reduced, or bleached character, containing occasional autolithic breccia fragments interpreted as having been derived by means of rip up.	Negligible	Crozier	13-Nov-10
MG10_08	5	60.6	1.51	18.31	Mid to pale grey, fine-grained silicified and calcified pelitic sediments of possible marl-like character bearing thin carbonaceous and silicic vein fillings. Moderate to strong decalcification texture are observed.	Moderate to strong	Crozier	13-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_08	60.6	145	18.31	43.81	Variably auto-brecciated silicified mid grey pelitic/carbonaceous sediments of possible marl affinity. In places, an elevated matricial mud content brings a darker hue to the rock. This interval is invariable silicified; in places, quartz vein fillings are observed.	Moderate to strong	Crozier	13-Nov-10
MG10_09	5	57.4	1.51	17.34	Well fractured and occasionally brecciated mid grey pelitic sediments hosting relatively extensive quartz and carbonate fracture fillings. A moderate sulphide content is inferred on the basis of the odour generated when dilute HCl is applied.	Weak to moderate	Crozier	13-Nov-10
MG10_09	57.4	81.1	17.34	24.50	Zone of intense fracturing and quartz carbonate fracture filling within sedimentary host similar to the overlying unit. Moderate bleaching is also seen in a limited manner, suggestive of some form of limited metasomatic event. All the rocks of this unit are well silicified.	Moderate to strong	Crozier	13-Nov-10
MG10_09	81.1	150	24.50	45.32	Well fractured and occasionally brecciated mid grey pelitic sediments hosting relatively extensive quartz and carbonate fracture fillings. A moderate sulphide content is inferred on the basis of the odour generated when dilute HCl is applied.	Moderate to strong	Crozier	13-Nov-10
MG10_11	10	114.9	3.02	34.71	Well fractured and moderately brecciated mid grey pelitic sediments containing moderate to intense quartz fracture fillings accompanied in places by carbonaceous material. Autolithic brecciation more evident towards the base of the unit.	Weak to negligible	Crozier	14-Nov-10
MG10_11	114.9	133.1	34.71	40.21	Relatively well-defined interval of pale to dark grey marly pelites containing quartz fracture fillings and veining. Unlike the underlying and overlying intervals, brecciation is largely absent from this horizon. Vey well silicified.	Weak to moderate	Crozier	14-Nov-10
MG10_11	133.1	160	40.21	48.34	Mid to dark grey autolithic pelitic breccia, containing a fine, closely spaced network of quartz fracture fillings.	Weak to negligible	Crozier	14-Nov-10
MG10_12	5	84.8	1.51	25.62	Dark grey pelitic horizon exhibiting extensive fracturing and small scale brecciation, the latter of which is interpreted as being of potentially tubiditic origin. In places, and where fracture fillings are at their most intense, veining appears to have left behind relict clasts of the pelitic host material, giving rise to material of brecciated appearance.	Weak	Crozier	14-Nov-10
MG10_12	84.8	113.5	25.62	34.29	Well-silicified dark grey to black pelite giving host to variable degrees of fine grained (90% <2.5mm) fracture fillings. Unit appears to be of largely non-carbonaceous composition. Rotten odour upon introduction of 10% HCl is suggestive of a sulphide content.	Weak	Crozier	14-Nov-10
MG10_12	113.5	145	34.29	43.81	Zone of intense fracturing and quartz carbonate fracture filling within a marly pelitic host. Moderate bleaching is also seen in a limited manner, suggestive of some form of limited metasomatic event. All the rocks of this unit are well silicified.	Weak to moderate	Crozier	14-Nov-10
MG10_13	10	26.9	3.02	8.13	Dark grey moderately brecciated pelitic unit; hosting clasts ranging in size from 5mm to 3cm	Negligible	Crozier	14-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_13	26.9	57.2	8.13	17.28	Brecciated and fractured pelitic horizon somewhat similar to the above unit, though paler grey in colour and far more intensely brecciated. Fragments are angular, poorly sorted and of autolithic origin, potentially derived by means of rip-up in a turbidite sequence or similar, as evident in the contortion of some clasts. Horizon is characterized by a prominent, strongly effervescent carbonate matrix, in addition to fine fracture fillings of quartz.	Strong	Crozier	14-Nov-10
MG10_13	57.2	77.1	17.28	23.29	Pale to mid grey carbonaceous pelite. Contains occasional quartz fracture fillings and sporadic autolithic rip-up clasts.	Strong	Crozier	14-Nov-10
MG10_13	77.1	125	23.29	37.76	Zone of intense fracturing and quartz carbonate fracture filling within a marly pelitic host. Moderate bleaching is also seen in a limited manner, most particularly at 34m, suggestive of some form of limited metasomatic event. All the rocks of this unit are well silicified.	Moderate to strong	Crozier	14-Nov-10
MG10_18	10	35.5	3.02	10.73	Dark grey pelitic unit containing approximately 20-25% autolithic breccia fragments. Calcite and quartz fracture filling is more pronounced towards the base of the interval, giving rise to pronounced effervescence on a localized scale. Well silicified	Weak to moderate	Crozier	14-Nov-10
MG10_18	35.5	57.4	10.73	17.34	Fragmental unit of dark grey pelite, hosting only very moderate autolithic brecciation. Quartz and calcite fracture fillings are less common than in the overlying horizon.	Weak to moderate	Crozier	14-Nov-10
MG10_18	57.4	105	17.34	31.72	Well-fragmented and brecciated interval comprising extensive clastic material of autolithic origin held together in a thin muddy matrix that has subsequently undergone pervasive silicification. Quartz is seen in frcature fillings where it is variably accompanies by carbonates.	Weak	Crozier	14-Nov-10
MG10_17	10	36.6	3.02	11.06	Interval comprises approximately 65% autolithic breccia of pelitic provenance. Moderately extensive later stage fracturing has been healed in many cases by quartz +/- carbonate veining. Well silicified.	Moderate	Crozier	14-Nov-10
MG10_17	36.6	53.9	11.06	16.28	Horizon of moderately undisturbed pelitic marl of pale grey colour, exhibiting well developed calcite and quartz fracture fillings to its middle and base. Calcite:quartz ratio in these fracture fillings is more elevated than in other examples from Mt. Guy.	Strong	Crozier	14-Nov-10
MG10_17	53.9	76.4	16.28	23.08	Zone of banded, vuggy quartz and calcite veins up to 20cm in width hosted by pale to mid grey pelites similar to those described in the overlying unit. Occasional brecciation present.	Strong	Crozier	14-Nov-10
MG10_17	76.4	120	23.08	36.25	Pale to mid grey carbonaceous pelite. Contains significant quartz-carbonate fracture fillings and sporadic autolithic rip-up clasts.	Moderate	Crozier	14-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_20	10	95	3.02	28.70	Hole logged as a single interval due to relative facies homogeneity. Base lithology comprises a fine-grained pelitic marl of pale to mid grey coloration that has undergone variable auto brecciation (which is presumed to have occurred as a function of some kind of rip-up even as might typically be seen during a flood event or in a turbidite sequence) and is seen to be fractured in places. Where fractured, the resultant fissures (none of which exceed 3mm in width) have been infilled by calcite and/or quarts. Pervasive calcification and silicification of the rock mass is seen beyond the fracture fillings. Between 14m and 15m, decalcification textures are observed, potentially as a function of groundwater movement which may have mobilized the carbonaceous component of the rocks.	Strong	Crozier	14-Nov-10
MG10_21	10	42	3.02	12.69	Intensely fractured and brecciated silicified pelitic material suggestive of pervasive fluid movement along fissures. It is to some degree possible that the fine breccia clasts seen in this horizon (generally <7mm in diameter) were derived in situ and are essentially kernels that were left between solution fissures Fracture fillings are of carbonaceous material and quartz.	Strong	Crozier	14-Nov-10
MG10_21	42	79.9	12.69	24.14	To a moderate degree, a somewhat gradational contact is inferred between this interval and he overlying material. A key characteristic of the interval is its relatively coarse clastic texture: the clastic component being 0.2-5cm in long-axis length. Clastic composition appears to be more or less universally autolithic and thus of pelitic marl. Several color varieties are seen in the clastic debris (ranging from light to dark grey); otherwise the material is uniform. Sporadic calcite veining is recorded.	Strong	Crozier	14-Nov-10
MG10_21	79.9	90	24.14	27.19	Mid to dark grey marly pelite exhibiting moderate autolithic brecciation and weak calcitic veining.	Moderate	Crozier	14-Nov-10
MG10_22	10	30.2	3.02	9.12	Generally well-fractured and for much of the interval, the rock is (where fractured) pervasively calcified and silicified. Host sequence comprises mid to dark grey marly pelite exhibiting very occasional autolithic brecciation.	Strong	Crozier	14-Nov-10
MG10_22	30.2	42	9.12	12.69	Largely unveined and moderately brecciated dark to mid grey pelitic horizon exhibiting only very weak effervescence upon exposure to 10% HCl. It is worthy of note that the rocks of this interval appear to be of similar primary sedimentary nature to those of the over and underlying horizons, albeit in uncarbonaceous form. On this basis, it is tentatively assumed that fracturing, autobrecciation and the introduction of carbonaceous material into the fracture fillings in a potentially significant source and causative process in the formation of carbonaceous units.	Weak to moderate	Crozier	14-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_22	42	47.4	12.69	14.32	Intensely fractured pelitic interval of pale grey colour that has undergone intense calcification and silicification along fractures planes.	Strong	Crozier	14-Nov-10
MG10_22	47.4	88.2	14.32	26.65	Mid to dark grey marly pelite exhibiting moderate autolithic brecciation. Effervescence upon introduction of 10% HCl appears to be limited to selected clasts and to matrix carbonates. Breccia is largely clast supported.	Weak to moderate	Crozier	14-Nov-10
MG10_22	88.2	110	26.65	33.23	Interval bears similarity to the overlying facies , though appears to have undergone a greater degree of brecciation/autobrecciation, fracturing and calcification. As was seen between 12.5m and 14m, localized calcification (or at least remobilization and concentration of carbonaceous material by secondary means) may make a significant contribution to the overall calcification of the Mt. Guy rock series.	Moderate to strong	Crozier	14-Nov-10
MG10_23	10	37.1	3.02	11.21	Relatively well fractured and calcified pelitic horizon; pale to mid grey in colour, including an autolithic breccia component that accounts for approximately 20% of the interval.	Strong	Crozier	14-Nov-10
MG10_23	37.1	110	11.21	33.23	Mid to dark grey pelitic horizon: while some quartz and carbonate veining is present in this interval, the preponderance of this material is significantly less than in the overlying facies. Larges (~3cm long-axis) rip-up clasts were recorded towards the lower extend of the interval.	Moderate to strong	Crozier	14-Nov-10
MG10_14	10	38.1	3.02	11.51	Mid to dark grey calcareous mudstone, very moderate autobrecciation, though otherwise relatively undisturbed. Occasional quartz stringers are seen in the horizon through are by no means ubiquitous. Silicification is nonetheless pervasive. Highly elevated carbonate content is evident from effervescence upon introduction of 10% HCl.	Strong	Crozier	28-Nov-10
MG10_14	38.1	51.1	11.51	15.44	Zone of well-developed, high-intensity quartz veining and moderate brecciation of host pelites similar to thse seen in the over and underlying horizons.	Moderate	Crozier	28-Nov-10
MG10_14	51.1	117	15.44	35.35	Interval comprises variably brecciated, well-silicified and well-calcified mid-grey pelite. Some intervals are almost completely undisturbed; other comprise texturally immature autolithic breccia.	Strong	Crozier	28-Nov-10
MG10_14	117	120	35.35	36.25	Shortly prior to the end of the hole, a well-brecciated matrix-supported, relatively fine-grained pale-coloured horizon is observed. Matrix of silica (quartz) and carbonate.	Strong	Crozier	28-Nov-10
MG10_13	10	41	3.02	12.39	Moderately brecciated mid to dark grey pelitic mud bound by predominantly siliceous matrix. Carbonaceous component of the rock appear to be focussed in clastic element; particularly well-silicified unit between 5.7m and 7.5m.	Moderate	Crozier	28-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_13	41	81.3	12.39	24.56	Predominantly dark grey carbonaceous mud hosting weak to moderate brecciation and quartz fracture fillings, the latter being less well-developed than in the overlying horizon. Morphology of fracture fillings is suggestive of localized dislocation of host on a millimeter to centimeter scale.	Moderate to strong	Crozier	28-Nov-10
MG10_13	81.3	120	24.56	36.25	Horizon is similar in characteristic to the material seen between 3m and 12m, is more brecciated than the overlying unit. Material is very well silicified and contains common quartz fracture fillings.	Weak to moderate	Crozier	28-Nov-10
MG10_19	10	23	3.02	6.95	Moderately autolithic to polymictic breccia comprising an array of different coloured, angular clasts of pelitic debris 2-20mm n log axis length, though most typically in the order of 5mm.	Moderate	Crozier	28-Nov-10
MG10_19	23	44	6.95	13.29	Largely unbrecciated unit comprising well-silicified, fine grained, mid to dark grey pelitic sediments. Sparse quartz fracture fillings are observed throughout the unit.	Moderate	Crozier	28-Nov-10
MG10_19	44	72.8	13.29	21.99	Fractured and moderately brecciated unit of fine grained mud. Extremely well silicified, both by means of widespread flooding and quartz fracture filling.	Weak	Crozier	28-Nov-10
MG10_19	72.8	103	21.99	31.12	Similar to the material recorded in the immediately overlying horizon, though more intensely brecciated and with extensive quartz fracture fillings. Minimal carbonate content.	Weak	Crozier	28-Nov-10
MG10_19	103	105	31.12	31.72	EOH interval comprises relatively undisturbed carbonaceous muddy pelite of marl-like affinity. Some quartz veining observed.	Moderate to strong	Crozier	28-Nov-10
MG10_16	10	14	3.02	4.23	Thin upper zone pale grey generally unbrecciated muds of coarse, giving host to very prominent unusually coarse milky-white vein bull-quartz up to 20mm in thickness and accounting for approximately 15-20% of the rock mass.	Weak	Crozier	28-Nov-10
MG10_16	14	37.4	4.23	11.30	Horizon comprises finely fractured mid to dark grey mudstone exhibiting occasional remnant laminae. Very fine quartz fracture fillings are recorded throughout the unit.	Weak to negligible	Crozier	28-Nov-10
MG10_16	37.4	66.3	11.30	20.03	Intensely silicified zone of veining and quartz flooding, the latter occurring to the point where significant replacement of host pelites has occurred obliterating many protolithic characteristics. On the basis that no lower greenschist facies minerals appear to be present, this replacement is interpreted to be a 'sweat' distal to a remote metasomatic system. Some chalcedonic quartz is seen at 18m	Weak to moderate	Crozier	28-Nov-10
MG10_16	66.3	90.6	20.03	27.37	Moderately brecciated mid to dark grey pelitic mud bound by predominantly siliceous matrix variable carbonaceous component, including occasional secondary Fe-carbonate. Silica flooding and bleaching seen at 22m	Weak to moderate	Crozier	28-Nov-10
MG10_16	90.6	120	27.37	36.25	Similar to the material of pelitic origin recorded in the immediately overlying horizon, though containing more extensive bull quartz fracture fillings. Well silicified and moderately brecciated.	Weak to moderate	Crozier	28-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_04	10	43.1	3.02	13.02	Interval of well-broken (defined as clasts greater than 10cm) and brecciated pelitic mud. Pervasively silicified; fractures are generally filled with quartz. Carbonaceous component is low.	Weak to negligible	Crozier	29-Nov-10
MG10_04	43.1	64.3	13.02	19.43	Similar to the above material, though more finely broken and brecciated and with correspondingly finer fracture fillings that together give the rock a paler hue than the overlying unit. Some sedimentary unit tops are discernable through the apparent ponding of silica at the bedding interface.	Weak	Crozier	29-Nov-10
MG10_04	64.3	72.2	19.43	21.81	Short, dark interval of fine breccia of wacke-like material, though as elsewhere at Mount Guy, the material is autogenic. Well-silicified.	Weak to negligible	Crozier	29-Nov-10
MG10_04	72.2	100	21.81	30.21	Pale coloured, well-silicified and well-brecciated material of pelitic origin. Sporadic calcification that where present appears to be concentrated in certain breccia clasts and to a more limited extent, as a matrix filling.	Weak	Crozier	29-Nov-10
MG10_03	10	38.8	3.02	11.72	Zone of unusually consistent autolithic breccia (clasts 2-10mm), pale grey in colour, generally matrix supported, though locally clast supported in places. While occasional quartz fracture fillings are observed, silicification more typically takes the form of matrix-filling and pervasive replacement.	Negligible	Crozier	29-Nov-10
MG10_03	38.8	47.3	11.72	14.29	Largely similar to the material recorded in the overlying unit, though typically more matrix supported and lighter, this difference in coloration being consistent with the more dominant matrix, which is in turn silicified. Localised and sporadic carbonaceous component appears to be closely associated with the larger of the quartz veins seen in the horizon.	Weak to negligible	Crozier	29-Nov-10
MG10_03	47.3	66.3	14.29	20.03	Dark grey fractured pelite exhibiting localized autobrecciation, with clasts typically <10mm iun long axis. Stung silicification and weak quartz fracture filling.	Weak to negligible	Crozier	29-Nov-10
MG10_03	66.3	78.7	20.03	23.78	Coarse, irregular fractured and brecciated pelite exhibiting moderate to coarse brecciation and pervasive silicification; calcification appears to be restricted to certain pelite clasts and well as carbonaceous fracture fillings.	Weak to moderate	Crozier	29-Nov-10
MG10_03	78.7	101.3	23.78	30.60	Zone comprises fractured and largely unbrecciated interval hosting pronounce bull quartz veins and sweats. Away from fracture planes, intense silicification is recorded.	Weak to moderate	Crozier	29-Nov-10
MG10_03	101.3	110	30.60	33.23	Dark grey pelite of ripped-up and brecciated appearance interpreted as being of autogenic formation.	Negligible	Crozier	29-Nov-10
MG10_06	25	93.2	7.55	28.16	Overburden of pale brown to orange weathered sedimentary rock with moderate carbonate content. 25% recovery	Not applicable	Crozier	29-Nov-10

Drillhole_ID	From (feet)	To (feet)	From (meters)	To (meters)	Description	Effervescence	Geologist	Date
MG10_06	93.2	125	28.16	37.76	Dark grey pelite of ripped-up and brecciated appearance interpreted as being of autogenic formation. Moderate, though irregular quartz veining is also observed. At 35m an isolated clay parting is observed. Rock is well silicified, though carbonate content is low and appear to be restricted to occasional fracture fillings.	Weak to negligible	Crozier	29-Nov-10
MG10_05	10	32	3.02	9.67	Mid to dark grey silicified pelite, moderate to well fractured with fracture fillings of quartz. Very weak carbonaceous component appears to be restricted to certain fracture fillings.	Weak	Crozier	29-Nov-10
MG10_05	32	67.4	9.67	20.36	Mid to dark grey silicified pelite similar to the overlying material, though more fractured and with more widesperad quartz fracture fillings and a more elevated carbonaceous component occurring as fracture fillings and in disseminated form in the muddy, marly sediments.	Moderate	Crozier	29-Nov-10
MG10_05	67.4	90.7	20.36	27.40	Brecciated and well-fractured pelitic horizon of paler grey in colour than the overlying horizon. Extensive matrix and clast silicification are observed.	Moderate to strong	Crozier	29-Nov-10
MG10_05	90.7	125	27.40	37.76	Dark grey pelite of ripped-up and brecciated appearance interpreted as being of autogenic formation. Moderate, though iregular quartz veining is also observed. Rock is well silicified, though carbonate content is low and appear to be restricted to occasional fracture fillings.	Moderate	Crozier	29-Nov-10
MG10_07	70	87	21.15	26.28	Overburden of pale whitish brown to orange weathered sedimentary rock with very low carbonate content, assumed to be due to reasons of decalcification. 70% recovery. Corresponds to topographic depression.	Negligible	Crozier	29-Nov-10
MG10_07	87	110	26.28	33.23	Relatively coarse autolithic breccia displaying "pudding like" (albeit angular) characteristics, comprising pelitic clastic material of a variety of different shades of grey. Carbonaceous component appears to be concentrated in certain pelitic clasts, as well as the matrix. Material is tentatively inferred to be of tubiditic origin.	Moderate to strong	Crozier	29-Nov-10

APPENDIX 2: ASSAY CERTIFICATES

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 13, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006482.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-01
P.O. Number MT. GUY 197
Number of Samples: 11

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	10	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	11	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	11	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

CERTIFICATE OF ANALYSIS VAN10006482.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913601	Drill Core	5.40	0.41	0.15	<0.04	14.30	38.62	0.03	0.04	<0.01	0.20	<0.01	0.003	69	<20	234	<5	8	<5	<1	46.0
913602	Drill Core	5.56	0.59	0.17	0.06	13.90	39.18	0.02	0.05	<0.01	0.23	<0.01	<0.002	97	<20	229	<5	7	<5	<1	45.5
913603	Drill Core	5.92	0.88	0.25	0.11	16.29	35.74	0.04	0.07	0.01	0.15	<0.01	<0.002	51	<20	203	<5	5	<5	<1	46.1
913604	Drill Core	5.50	0.76	0.17	0.09	15.51	36.90	0.03	0.05	<0.01	0.13	<0.01	<0.002	83	<20	211	<5	5	<5	<1	46.1
913605	Drill Core	5.77	1.85	0.23	0.10	11.92	40.39	0.03	0.07	0.01	0.14	<0.01	0.003	147	<20	250	<5	7	<5	<1	45.0
913606	Drill Core	5.50	1.24	0.27	0.13	12.34	40.80	0.02	0.07	0.01	0.13	<0.01	<0.002	216	<20	271	<5	6	<5	<1	44.7
913607	Rock	1.45	66.55	15.77	3.58	1.31	3.91	3.55	3.70	0.42	0.21	0.10	0.003	970	<20	752	140	18	20	7	0.7
913608	Drill Core	5.69	0.77	0.23	0.11	17.92	33.92	0.03	0.03	0.01	0.08	<0.01	<0.002	209	<20	220	<5	<3	<5	<1	46.5
913609	Drill Core	5.95	0.65	0.21	0.12	17.78	34.91	0.03	0.02	0.01	0.07	<0.01	<0.002	161	<20	209	<5	<3	<5	<1	45.8
913610	Rock Chip	0.24	1.25	0.22	0.15	0.43	90.24	0.01	0.02	0.02	0.16	0.03	<0.002	51	<20	195	6	<3	<5	<1	7.4
913611	Drill Core	6.22	0.79	0.25	0.12	15.80	37.09	0.03	0.02	0.01	0.08	<0.01	<0.002	130	<20	222	<5	3	<5	<1	45.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

CERTIFICATE OF ANALYSIS VAN10006482.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913601	Drill Core	99.77	13.24	<0.02	0.30	1.23	0.42	14.1	10	2.7	<0.1	26	0.02	0.7	4.1	<0.2	0.2	212.1	0.73	0.36	<0.02
913602	Drill Core	99.76	13.03	<0.02	0.23	1.08	0.45	23.1	9	4.0	0.1	34	0.02	0.6	3.8	<0.2	0.1	187.7	0.76	0.33	<0.02
913603	Drill Core	99.73	13.32	0.03	0.48	1.24	0.45	17.1	13	3.2	0.2	31	0.04	1.0	4.0	1.0	0.2	177.4	0.61	0.33	0.04
913604	Drill Core	99.74	13.00	0.02	0.27	1.02	0.40	20.3	9	3.2	<0.1	33	0.03	0.7	3.4	0.5	<0.1	181.3	0.76	0.36	<0.02
913605	Drill Core	99.79	13.01	0.04	1.51	1.44	0.44	20.3	15	4.6	0.2	25	0.04	1.3	3.8	0.6	0.1	209.6	0.78	0.47	<0.02
913606	Drill Core	99.78	12.67	0.04	0.67	2.00	0.56	27.4	20	4.0	0.6	32	0.03	1.5	4.3	<0.2	0.2	256.1	0.89	0.42	<0.02
913607	Rock	99.99	0.07	<0.02	0.04	1.62	2.43	47.6	12	3.3	4.5	577	2.08	0.3	2.4	<0.2	4.5	65.8	0.02	<0.02	0.06
913608	Drill Core	99.69	12.84	<0.02	0.28	1.69	0.37	22.9	17	2.5	0.4	40	0.05	1.1	5.3	<0.2	0.2	207.8	0.82	0.30	<0.02
913609	Drill Core	99.69	12.89	0.02	0.66	1.24	0.34	25.9	5	2.5	0.2	47	0.05	1.0	5.6	<0.2	0.1	194.5	0.99	0.25	<0.02
913610	Rock Chip	99.99	0.69	<0.02	0.81	7.12	0.62	8.1	7	4.1	0.3	209	<0.01	<0.1	0.4	<0.2	<0.1	179.0	0.59	0.09	<0.02
913611	Drill Core	99.71	13.02	<0.02	0.26	0.85	0.43	20.4	5	2.8	0.2	40	0.04	0.3	3.7	<0.2	0.1	183.7	0.83	0.18	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

CERTIFICATE OF ANALYSIS VAN10006482.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913601	Drill Core	12	25.43	0.086	4.2	13.6	7.27	59.8	<0.001	<20	0.03	0.013	0.01	<0.1	0.2	<0.02	<0.02	108	0.4	<0.02	<0.1
913602	Drill Core	12	27.33	0.087	3.3	13.9	7.00	82.0	<0.001	<20	0.04	0.014	0.01	<0.1	0.2	<0.02	<0.02	100	0.2	0.03	<0.1
913603	Drill Core	12	24.74	0.061	2.2	12.0	8.26	43.1	<0.001	<20	0.04	0.021	0.02	<0.1	0.2	<0.02	<0.02	71	0.6	0.03	<0.1
913604	Drill Core	11	25.92	0.055	2.6	11.4	8.16	61.6	<0.001	<20	0.03	0.015	0.01	<0.1	0.2	<0.02	<0.02	73	0.3	<0.02	<0.1
913605	Drill Core	13	27.73	0.057	4.8	12.7	6.18	129.5	<0.001	<20	0.04	0.014	0.02	<0.1	0.2	0.02	<0.02	125	0.9	<0.02	0.1
913606	Drill Core	14	31.24	0.055	4.1	17.0	6.60	191.5	<0.001	<20	0.06	0.012	0.02	<0.1	0.3	<0.02	<0.02	100	0.4	0.06	0.2
913607	Rock	43	0.63	0.086	9.7	9.7	0.68	288.6	0.161	<20	1.10	0.086	0.61	<0.1	2.3	0.36	<0.02	<5	<0.1	<0.02	5.4
913608	Drill Core	14	25.51	0.032	1.3	10.9	9.65	178.1	<0.001	<20	0.05	0.018	<0.01	<0.1	0.2	<0.02	<0.02	86	0.2	0.02	0.2
913609	Drill Core	13	24.91	0.028	1.3	11.3	9.20	137.6	<0.001	<20	0.05	0.016	<0.01	<0.1	0.1	<0.02	<0.02	57	0.2	<0.02	0.2
913610	Rock Chip	4	>40	0.070	1.1	2.1	0.23	47.5	0.007	<20	0.10	0.004	<0.01	<0.1	0.7	<0.02	<0.02	<5	0.5	<0.02	0.3
913611	Drill Core	12	25.36	0.036	2.7	12.3	8.12	99.6	<0.001	<20	0.04	0.016	<0.01	<0.1	0.2	<0.02	<0.02	56	0.3	0.05	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

CERTIFICATE OF ANALYSIS VAN10006482.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913601	Drill Core	0.04	<0.1	0.02	0.07	0.6	<0.1	<0.05	1.0	7.53	1.8	<0.02	1	<0.1	1.4	<10	<2
913602	Drill Core	0.04	<0.1	0.02	0.03	0.5	<0.1	<0.05	0.8	6.19	1.6	<0.02	<1	<0.1	1.1	<10	<2
913603	Drill Core	0.05	<0.1	0.02	0.02	0.7	<0.1	<0.05	0.9	3.46	1.7	<0.02	2	<0.1	1.5	<10	<2
913604	Drill Core	0.04	<0.1	<0.02	0.02	0.6	<0.1	<0.05	0.8	4.39	1.4	<0.02	<1	<0.1	0.9	<10	<2
913605	Drill Core	0.08	<0.1	<0.02	<0.02	0.6	<0.1	<0.05	0.9	6.91	2.2	<0.02	14	<0.1	1.1	<10	<2
913606	Drill Core	0.10	<0.1	<0.02	0.03	1.0	<0.1	<0.05	1.2	6.07	2.1	<0.02	12	<0.1	1.1	<10	<2
913607	Rock	4.14	<0.1	0.08	0.31	50.5	0.6	<0.05	1.0	5.70	19.5	<0.02	<1	0.3	34.4	<10	<2
913608	Drill Core	0.03	<0.1	0.03	0.05	0.4	<0.1	<0.05	0.8	1.83	1.4	<0.02	3	<0.1	1.2	<10	<2
913609	Drill Core	0.03	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.7	1.39	1.3	<0.02	6	0.1	1.0	<10	<2
913610	Rock Chip	0.04	<0.1	0.06	0.19	0.3	<0.1	<0.05	2.4	2.12	1.2	<0.02	<1	<0.1	0.7	<10	<2
913611	Drill Core	0.03	<0.1	0.03	0.03	0.1	<0.1	<0.05	0.7	3.16	1.7	<0.02	<1	<0.1	0.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																						
913606	Drill Core		5.50	1.24	0.27	0.13	12.34	40.80	0.02	0.07	0.01	0.13	<0.01	<0.002	216	<20	271	<5	6	<5	<1	44.7
REP 913606	QC			1.22	0.27	0.14	12.37	40.80	0.02	0.07	0.01	0.13	<0.01	<0.002	213	<20	272	<5	6	<5	<1	44.7
913608	Drill Core		5.69	0.77	0.23	0.11	17.92	33.92	0.03	0.03	0.01	0.08	<0.01	<0.002	209	<20	220	<5	<3	<5	<1	46.5
REP 913608	QC																					
Reference Materials																						
STD CSC	Standard																					
STD CSC	Standard																					
STD DS7	Standard																					
STD DS7	Standard																					
STD DS8	Standard																					
STD DS8	Standard																					
STD OREAS45PA	Standard																					
STD OREAS45PA	Standard																					
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard			58.08	14.10	7.62	3.36	6.34	3.71	2.15	0.68	0.85	0.40	0.560	501	40	388	301	31	14	25	1.9
STD SO-18	Standard			58.00	14.16	7.65	3.35	6.34	3.70	2.15	0.69	0.84	0.40	0.570	500	43	387	301	31	22	25	1.9
STD SO-18	Standard			58.00	14.11	7.64	3.36	6.37	3.72	2.15	0.69	0.85	0.40	0.556	497	48	390	298	30	12	25	1.9
STD SO-18	Standard			58.02	14.11	7.63	3.38	6.37	3.71	2.12	0.69	0.85	0.40	0.563	505	45	393	306	31	14	25	1.9
STD SO-18 Expected				58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD DS7 Expected																						
STD OREAS45PA Expected																						
STD DS8 Expected																						
STD CSC Expected																						
STD OREAS76A Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank			<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
913606	Drill Core		99.78	12.67	0.04	0.67	2.00	0.56	27.4	20	4.0	0.6	32	0.03	1.5	4.3	<0.2	0.2	256.1	0.89	0.42	<0.02
REP 913606	QC		99.78																			
913608	Drill Core		99.69	12.84	<0.02	0.28	1.69	0.37	22.9	17	2.5	0.4	40	0.05	1.1	5.3	<0.2	0.2	207.8	0.82	0.30	<0.02
REP 913608	QC					0.27	1.58	0.27	23.3	16	2.3	0.3	39	0.04	1.6	4.8	<0.2	0.1	190.0	0.84	0.30	0.06
Reference Materials																						
STD CSC	Standard			2.94	4.05																	
STD CSC	Standard			3.16	4.17																	
STD DS7	Standard					20.45	104.7	74.01	415.7	924	52.0	9.0	636	2.25	52.9	5.0	62.3	4.4	69.4	6.39	5.88	5.01
STD DS7	Standard					21.13	108.0	70.84	405.1	915	56.8	9.6	617	2.43	54.3	5.1	70.1	4.8	82.5	6.32	4.45	4.43
STD DS8	Standard					11.24	107.4	125.9	317.3	1507	36.4	7.1	605	2.44	25.8	2.7	97.5	6.6	62.1	2.41	5.30	6.35
STD DS8	Standard					13.42	107.6	127.0	302.8	1633	35.2	6.9	612	2.42	24.5	2.9	86.2	6.7	66.4	2.41	4.46	6.25
STD OREAS45PA	Standard					1.03	550.3	19.45	108.8	290	254.4	91.5	1087	14.95	4.6	1.2	43.3	7.2	13.2	0.10	0.28	0.21
STD OREAS45PA	Standard					0.82	638.8	19.62	121.1	302	324.5	101.9	1166	17.03	4.3	1.2	47.1	7.2	15.6	0.08	0.09	0.19
STD OREAS76A	Standard			0.16	17.20																	
STD OREAS76A	Standard			0.20	17.55																	
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.90																			
STD SO-18 Expected																						
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						12.87	113	126	313	1710	40.6	7.9	622	2.54	27.73	2.89	99	7.91	70.74	2.35	4.89	6.67
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
BLK	Blank			<0.02	<0.02																	
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.01																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
913606	Drill Core		14	31.24	0.055	4.1	17.0	6.60	191.5	<0.001	<20	0.06	0.012	0.02	<0.1	0.3	<0.02	<0.02	100	0.4	0.06	0.2
REP 913606	QC																					
913608	Drill Core		14	25.51	0.032	1.3	10.9	9.65	178.1	<0.001	<20	0.05	0.018	<0.01	<0.1	0.2	<0.02	<0.02	86	0.2	0.02	0.2
REP 913608	QC		14	24.48	0.029	1.3	10.8	9.47	163.7	<0.001	<20	0.05	0.017	<0.01	<0.1	0.2	<0.02	<0.02	78	0.1	<0.02	0.2
Reference Materials																						
STD CSC	Standard																					
STD CSC	Standard																					
STD DS7	Standard		76	0.88	0.079	11.9	181.9	1.02	435.4	0.116	35	0.96	0.087	0.45	3.6	2.4	4.18	0.19	224	3.7	1.44	4.9
STD DS7	Standard		84	0.99	0.073	14.6	190.1	1.10	415.1	0.135	34	1.11	0.101	0.48	3.2	2.7	4.05	0.20	212	3.2	1.25	5.3
STD DS8	Standard		40	0.66	0.083	12.8	107.5	0.59	303.8	0.106	<20	0.89	0.085	0.41	3.2	2.0	5.44	0.17	185	5.6	4.99	4.4
STD DS8	Standard		42	0.68	0.077	15.7	107.8	0.61	300.6	0.117	<20	0.95	0.082	0.41	2.5	2.0	5.31	0.16	188	5.2	5.56	4.7
STD OREAS45PA	Standard		212	0.21	0.035	15.9	672.5	0.10	180.8	0.117	<20	2.86	0.011	0.06	<0.1	41.8	0.06	0.02	28	0.5	0.04	15.5
STD OREAS45PA	Standard		231	0.22	0.031	17.5	774.6	0.12	184.9	0.153	<20	3.83	0.011	0.08	<0.1	47.1	0.07	0.02	32	0.6	0.03	17.6
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18 Expected																						
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41	0.76	0.08	17.2	117.9	0.62	279	0.13	12	0.96	0.09	0.4	3.18	2.77	5.58	0.17	192	5.9	5.15	5
STD CSC Expected																						
STD OREAS76A Expected																						
BLK	Blank																					
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																		
913606	Drill Core		0.10	<0.1	<0.02	0.03	1.0	<0.1	<0.05	1.2	6.07	2.1	<0.02	12	<0.1	1.1	<10	<2
REP 913606	QC																	
913608	Drill Core		0.03	<0.1	0.03	0.05	0.4	<0.1	<0.05	0.8	1.83	1.4	<0.02	3	<0.1	1.2	<10	<2
REP 913608	QC		0.03	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.7	1.73	1.3	<0.02	1	0.1	0.8	<10	<2
Reference Materials																		
STD CSC	Standard																	
STD CSC	Standard																	
STD DS7	Standard		6.69	0.2	0.08	0.53	39.2	5.1	<0.05	5.3	5.52	38.0	1.65	2	1.8	29.0	76	37
STD DS7	Standard		6.72	0.2	0.11	0.39	38.3	5.1	<0.05	5.1	6.42	40.6	1.68	10	1.8	28.9	56	43
STD DS8	Standard		2.56	<0.1	0.06	1.02	40.4	7.0	<0.05	1.8	5.25	24.2	2.41	52	5.4	25.4	104	319
STD DS8	Standard		2.59	0.1	0.06	0.88	38.2	7.0	<0.05	1.8	5.91	30.1	2.34	50	5.0	26.1	100	348
STD OREAS45PA	Standard		0.87	<0.1	0.50	0.29	7.8	1.6	<0.05	19.9	8.65	36.5	0.09	<1	0.6	4.5	37	70
STD OREAS45PA	Standard		1.28	0.1	0.53	0.15	10.7	1.9	<0.05	20.6	9.62	38.4	0.11	<1	0.6	6.6	43	78
STD OREAS76A	Standard																	
STD OREAS76A	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18 Expected																		
STD DS7 Expected			6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected			1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected			2.47	0.13	0.06	1.71	39	6.76	0.01	3.03	7.12	31.7	2.14	55	5.9	28.8	110	339
STD CSC Expected																		
STD OREAS76A Expected																		
BLK	Blank																	
BLK	Blank		<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		66.96	16.11	3.36	1.20	3.72	3.73	3.99	0.40	0.20	0.09	0.002	1113	<20	727	138	18	26	6	0.0
G1	Prep Blank		67.11	16.14	3.31	1.18	3.76	3.74	3.83	0.40	0.20	0.10	<0.002	1060	<20	739	145	17	31	6	0.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.02	<0.02																	
Prep Wash																					
G1	Prep Blank	99.98	0.10	<0.02	0.08	2.35	4.47	47.4	11	3.2	4.0	556	1.73	0.3	2.0	<0.2	5.4	46.6	0.01	0.03	0.18
G1	Prep Blank	99.99	0.10	<0.02	0.06	1.80	4.80	42.6	11	2.5	4.0	552	1.73	<0.1	1.9	<0.2	5.5	51.8	<0.01	<0.02	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	34	0.62	0.086	10.3	6.1	0.57	182.2	0.130	<20	0.85	0.066	0.51	<0.1	1.8	0.32	<0.02	<5	0.2	<0.02	4.7
G1	Prep Blank	35	0.59	0.086	11.1	5.8	0.55	189.7	0.125	<20	0.87	0.081	0.50	<0.1	1.8	0.32	<0.02	<5	0.2	<0.02	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 13, 2010

QUALITY CONTROL REPORT VAN10006482.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.60	<0.1	0.08	0.42	48.6	0.5	<0.05	1.1	4.45	20.6	<0.02	<1	0.1	28.8	<10	3
G1	Prep Blank	3.29	<0.1	0.07	0.39	45.5	0.5	<0.05	1.1	4.96	21.1	<0.02	<1	0.2	29.3	<10	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 30, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006483.2

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-02
P.O. Number MT. GUY 197
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	13	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 4A02 for Sample ID 913620DP 913619 PULP included

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

CERTIFICATE OF ANALYSIS VAN10006483.2

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913612	Drill Core	5.30	0.30	0.05	0.04	18.89	34.45	0.03	0.02	<0.01	0.05	<0.01	0.002	30	<20	157	<5	8	<5	<1	45.8
913613	Drill Core	6.17	0.18	<0.01	<0.04	14.51	39.25	0.02	0.01	<0.01	0.03	<0.01	<0.002	27	<20	208	<5	6	<5	<1	45.7
913614	Drill Core	6.15	0.20	<0.01	<0.04	13.35	40.48	0.01	0.01	<0.01	0.06	<0.01	<0.002	24	<20	211	<5	6	<5	<1	45.6
913615	Drill Core	6.04	0.18	0.01	<0.04	12.04	42.30	0.02	<0.01	<0.01	0.01	<0.01	<0.002	35	<20	256	<5	6	<5	<1	45.2
913616	Drill Core	5.92	0.17	0.01	0.04	10.33	44.38	0.02	0.01	<0.01	0.03	<0.01	0.003	50	<20	283	<5	7	<5	<1	44.8
913617	Rock	1.30	65.96	15.67	3.70	1.42	3.91	3.47	3.91	0.43	0.21	0.10	<0.002	1048	<20	743	155	17	13	7	1.0
913618	Drill Core	5.47	0.40	0.05	<0.04	14.70	38.99	0.02	0.02	<0.01	0.07	<0.01	<0.002	36	<20	189	<5	7	<5	<1	45.5
913619	Drill Core	5.91	0.31	0.02	<0.04	15.35	38.47	0.01	0.01	<0.01	0.18	<0.01	0.002	37	<20	197	<5	10	<5	<1	45.3
913620DP 913619 PULP	Incline		0.26	0.03	<0.04	15.38	37.84	0.02	0.02	<0.01	0.19	<0.01	<0.002	37	<20	190	<5	10	<5	<1	46.0
913621	Drill Core	6.08	0.44	0.08	0.06	14.32	39.39	0.02	0.02	<0.01	0.13	<0.01	<0.002	86	<20	227	<5	8	<5	<1	45.2
913622	Drill Core	6.15	0.98	0.24	0.12	14.46	37.34	0.02	0.05	0.01	0.15	<0.01	<0.002	164	<20	235	10	7	<5	<1	46.3
913623	Drill Core	6.03	0.74	0.17	0.09	16.81	35.68	0.03	0.05	<0.01	0.10	<0.01	<0.002	72	<20	156	7	<3	<5	<1	46.0
913624	Drill Core	2.19	1.85	0.96	0.34	15.16	35.56	0.04	0.26	0.05	0.38	<0.01	0.004	596	<20	366	10	4	<5	1	45.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

CERTIFICATE OF ANALYSIS VAN10006483.2

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913612	Drill Core	99.68	13.08	<0.02	0.29	0.52	3.29	13.3	8	2.8	<0.1	37	<0.01	<0.1	2.8	<0.2	0.1	132.9	0.52	0.08	<0.02
913613	Drill Core	99.75	12.58	<0.02	0.17	0.25	1.17	10.7	7	2.3	<0.1	13	<0.01	0.1	2.3	<0.2	<0.1	169.2	0.88	0.05	<0.02
913614	Drill Core	99.77	12.44	<0.02	0.15	0.19	0.17	11.3	3	2.4	<0.1	18	<0.01	0.7	2.4	<0.2	<0.1	171.4	0.78	0.04	<0.02
913615	Drill Core	99.80	12.81	<0.02	0.15	0.30	0.15	8.7	4	3.6	<0.1	3	<0.01	0.4	2.6	<0.2	<0.1	206.2	0.48	0.06	<0.02
913616	Drill Core	99.82	12.63	<0.02	0.20	0.24	0.23	13.2	8	3.0	<0.1	8	<0.01	0.3	3.3	0.6	<0.1	228.5	0.87	0.19	<0.02
913617	Rock	99.97	0.11	<0.02	0.06	1.71	2.41	48.4	13	3.6	4.6	612	2.11	<0.1	2.3	0.9	3.9	62.4	0.03	<0.02	0.08
913618	Drill Core	99.76	12.64	<0.02	0.19	0.96	0.30	15.8	9	2.5	<0.1	24	<0.01	<0.1	2.8	0.3	<0.1	168.8	0.85	0.16	<0.02
913619	Drill Core	99.73	12.80	<0.02	0.17	0.35	0.27	11.8	5	1.4	<0.1	40	<0.01	<0.1	2.8	<0.2	<0.1	175.8	0.60	0.09	<0.02
913620DP 913619 PULP	Incline	99.74	12.86	<0.02	0.37	0.52	0.40	10.7	<2	3.9	0.5	38	0.16	0.7	3.0	1.1	<0.1	157.0	0.57	0.08	<0.02
913621	Drill Core	99.74	12.98	<0.02	0.17	0.60	0.39	15.7	6	2.6	0.1	33	<0.01	<0.1	3.3	<0.2	<0.1	206.5	0.71	0.31	<0.02
913622	Drill Core	99.75	12.43	<0.02	0.24	1.17	0.41	15.1	11	1.5	0.1	36	0.02	1.5	3.4	<0.2	0.1	201.1	0.59	0.32	0.03
913623	Drill Core	99.72	12.67	<0.02	0.10	1.05	0.36	19.3	6	2.6	0.2	48	0.02	1.2	2.1	<0.2	0.1	136.0	0.78	0.49	<0.02
913624	Drill Core	99.72	12.38	0.05	0.18	2.71	1.06	35.7	10	4.7	0.2	49	0.21	6.0	3.3	0.3	0.6	269.9	0.73	1.33	0.03

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

CERTIFICATE OF ANALYSIS VAN10006483.2

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913612	Drill Core	7	24.05	0.021	3.2	21.6	9.70	23.0	<0.001	<20	0.02	0.016	<0.01	<0.1	<0.1	<0.02	<0.02	117	0.4	0.03	<0.1
913613	Drill Core	10	25.82	0.011	2.1	15.5	7.32	24.9	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	164	0.3	0.03	<0.1
913614	Drill Core	10	28.12	0.023	1.7	14.5	6.86	23.2	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	148	0.5	0.03	<0.1
913615	Drill Core	9	28.14	0.005	1.7	12.4	6.04	30.6	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	105	0.4	<0.02	<0.1
913616	Drill Core	11	30.37	0.013	2.3	15.0	5.22	42.5	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	203	0.5	0.03	<0.1
913617	Rock	44	0.72	0.094	7.9	8.9	0.72	263.6	0.149	<20	1.08	0.106	0.62	0.1	2.4	0.40	<0.02	<5	<0.1	<0.02	5.2
913618	Drill Core	9	27.94	0.029	1.9	13.0	8.13	26.4	<0.001	<20	0.02	0.009	<0.01	<0.1	0.1	<0.02	<0.02	96	0.3	<0.02	<0.1
913619	Drill Core	9	27.64	0.078	4.8	14.5	8.62	30.6	<0.001	<20	0.01	0.009	<0.01	<0.1	0.1	<0.02	<0.02	84	0.2	<0.02	<0.1
913620DP 913619 PULP	Incline	9	25.52	0.065	4.8	13.8	7.71	30.7	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	0.04	<0.02	88	<0.1	<0.02	<0.1
913621	Drill Core	12	29.70	0.056	3.7	14.1	8.25	64.9	<0.001	<20	0.02	0.012	<0.01	0.2	0.2	<0.02	<0.02	201	0.3	<0.02	<0.1
913622	Drill Core	13	27.38	0.065	3.0	13.8	8.21	109.8	<0.001	<20	0.04	0.012	0.01	<0.1	0.3	<0.02	<0.02	170	0.6	<0.02	0.2
913623	Drill Core	9	26.38	0.043	0.9	9.5	9.50	49.8	<0.001	<20	0.04	0.016	0.01	<0.1	0.2	<0.02	<0.02	66	0.3	0.03	0.1
913624	Drill Core	21	26.01	0.157	3.0	19.9	8.53	334.9	<0.001	<20	0.17	0.023	0.05	<0.1	0.9	0.03	<0.02	263	0.4	<0.02	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

CERTIFICATE OF ANALYSIS VAN10006483.2

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913612	Drill Core	<0.02	<0.1	<0.02	0.04	0.3	3.7	<0.05	0.4	7.35	1.3	<0.02	<1	<0.1	0.5	<10	<2
913613	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	1.2	<0.05	0.3	5.30	0.7	<0.02	<1	<0.1	0.4	<10	<2
913614	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	4.43	0.6	<0.02	<1	<0.1	0.2	<10	<2
913615	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	5.19	0.7	<0.02	<1	<0.1	0.3	<10	<2
913616	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	6.04	0.9	<0.02	<1	<0.1	0.3	<10	<2
913617	Rock	3.88	0.1	0.05	0.23	51.4	0.5	<0.05	0.9	5.14	16.1	<0.02	<1	<0.1	33.0	<10	<2
913618	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	5.77	0.8	<0.02	<1	<0.1	0.5	<10	<2
913619	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.6	8.89	1.5	<0.02	2	<0.1	0.3	<10	<2
913620DP 913619 PULP	Incline	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	8.37	1.4	<0.02	<1	<0.1	0.3	<10	<2
913621	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.7	7.32	1.4	<0.02	2	<0.1	0.5	<10	<2
913622	Drill Core	0.05	<0.1	<0.02	0.02	0.5	<0.1	<0.05	0.8	5.21	1.6	<0.02	3	<0.1	0.8	<10	<2
913623	Drill Core	0.04	<0.1	<0.02	<0.02	0.5	<0.1	<0.05	0.7	1.30	0.9	<0.02	<1	<0.1	0.9	<10	<2
913624	Drill Core	0.24	<0.1	0.04	0.02	2.0	<0.1	<0.05	1.7	2.94	4.5	<0.02	<1	<0.1	1.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913617	Rock	1.30	65.96	15.67	3.70	1.42	3.91	3.47	3.91	0.43	0.21	0.10	<0.002	1048	<20	743	155	17	13	7	1.0
REP 913617	QC																				
913620DP 913619 PULP	Incline		0.26	0.03	<0.04	15.38	37.84	0.02	0.02	<0.01	0.19	<0.01	<0.002	37	<20	190	<5	10	<5	<1	46.0
913620DP 913619 PULP	QC																				
913622	Drill Core	6.15	0.98	0.24	0.12	14.46	37.34	0.02	0.05	0.01	0.15	<0.01	<0.002	164	<20	235	10	7	<5	<1	46.3
REP 913622	QC																				
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.00	14.11	7.64	3.36	6.37	3.72	2.15	0.69	0.85	0.40	0.556	497	48	390	298	30	12	25	1.9
STD SO-18	Standard		58.02	14.11	7.63	3.38	6.37	3.71	2.12	0.69	0.85	0.40	0.563	505	45	393	306	31	14	25	1.9
STD SO-18	Standard		58.00	14.08	7.62	3.37	6.34	3.71	2.19	0.69	0.85	0.40	0.569	509	44	404	294	31	25	25	1.9
STD SO-18	Standard		58.03	14.10	7.63	3.37	6.32	3.70	2.17	0.69	0.83	0.39	0.564	504	44	400	304	31	25	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
913617	Rock	99.97	0.11	<0.02	0.06	1.71	2.41	48.4	13	3.6	4.6	612	2.11	<0.1	2.3	0.9	3.9	62.4	0.03	<0.02	0.08
REP 913617	QC		0.11	<0.02																	
913620DP 913619 PULP	Incline	99.74	12.86	<0.02	0.37	0.52	0.40	10.7	<2	3.9	0.5	38	0.16	0.7	3.0	1.1	<0.1	157.0	0.57	0.08	<0.02
913620DP 913619 PULP	QC		12.82	<0.02	0.16	0.46	0.37	11.1	<2	3.2	0.6	39	0.16	1.2	3.1	<0.2	<0.1	165.5	0.58	0.09	<0.02
913622	Drill Core	99.75	12.43	<0.02	0.24	1.17	0.41	15.1	11	1.5	0.1	36	0.02	1.5	3.4	<0.2	0.1	201.1	0.59	0.32	0.03
REP 913622	QC				0.25	1.23	0.47	16.1	10	2.1	0.3	37	0.02	1.0	3.5	0.2	0.1	208.6	0.58	0.36	0.02
Reference Materials																					
STD CSC	Standard		3.16	4.17																	
STD CSC	Standard		2.92	4.37																	
STD DS7	Standard				20.45	104.7	74.01	415.7	924	52.0	9.0	636	2.25	52.9	5.0	62.3	4.4	69.4	6.39	5.88	5.01
STD DS7	Standard				19.09	99.57	65.29	380.6	931	49.9	8.8	613	2.43	51.2	4.2	63.4	3.9	70.8	6.18	4.07	4.19
STD DS7	Standard				19.86	103.9	71.60	379.5	956	53.5	9.4	617	2.37	48.5	4.7	53.8	4.5	73.0	6.05	4.39	4.86
STD DS8	Standard				11.24	107.4	125.9	317.3	1507	36.4	7.1	605	2.44	25.8	2.7	97.5	6.6	62.1	2.41	5.30	6.35
STD DS8	Standard				12.93	110.9	117.7	308.0	1749	38.0	7.4	636	2.53	24.6	2.5	110.3	6.1	66.9	2.39	4.87	6.51
STD DS8	Standard				12.48	110.7	135.0	304.7	1638	39.0	7.7	608	2.41	24.1	2.8	90.4	7.4	66.4	2.20	4.38	7.29
STD OREAS45PA	Standard				1.03	550.3	19.45	108.8	290	254.4	91.5	1087	14.95	4.6	1.2	43.3	7.2	13.2	0.10	0.28	0.21
STD OREAS45PA	Standard				0.90	629.9	17.93	119.2	304	310.5	109.5	1178	17.19	3.6	1.1	43.0	6.4	14.7	0.09	0.14	0.17
STD OREAS45PA	Standard				0.84	593.2	19.99	115.7	322	294.0	107.2	1132	16.33	4.0	1.2	45.7	7.1	14.0	0.09	0.12	0.21
STD OREAS76A	Standard		0.20	17.55																	
STD OREAS76A	Standard		0.15	17.90																	
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.88																			
STD SO-18	Standard	99.87																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913617	Rock	44	0.72	0.094	7.9	8.9	0.72	263.6	0.149	<20	1.08	0.106	0.62	0.1	2.4	0.40	<0.02	<5	<0.1	<0.02	5.2
REP 913617	QC																				
913620DP 913619 PULP	Incline	9	25.52	0.065	4.8	13.8	7.71	30.7	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	0.04	<0.02	88	<0.1	<0.02	<0.1
913620DP 913619 PULP	QC	9	26.55	0.069	4.9	14.4	7.95	30.9	<0.001	<20	0.01	0.008	<0.01	<0.1	0.2	0.03	<0.02	86	0.1	0.03	<0.1
913622	Drill Core	13	27.38	0.065	3.0	13.8	8.21	109.8	<0.001	<20	0.04	0.012	0.01	<0.1	0.3	<0.02	<0.02	170	0.6	<0.02	0.2
REP 913622	QC	13	28.41	0.070	3.2	13.6	8.42	114.1	<0.001	<20	0.05	0.013	0.01	0.1	0.3	<0.02	<0.02	149	0.7	<0.02	0.1
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	76	0.88	0.079	11.9	181.9	1.02	435.4	0.116	35	0.96	0.087	0.45	3.6	2.4	4.18	0.19	224	3.7	1.44	4.9
STD DS7	Standard	84	0.95	0.084	12.2	169.1	1.06	388.0	0.112	37	1.03	0.105	0.47	3.2	2.7	3.83	0.21	197	3.3	1.34	4.6
STD DS7	Standard	81	0.91	0.078	12.6	179.2	1.05	403.3	0.117	33	1.03	0.095	0.47	3.2	2.6	4.09	0.20	199	3.2	1.20	4.8
STD DS8	Standard	40	0.66	0.083	12.8	107.5	0.59	303.8	0.106	<20	0.89	0.085	0.41	3.2	2.0	5.44	0.17	185	5.6	4.99	4.4
STD DS8	Standard	43	0.71	0.090	15.6	117.5	0.62	296.4	0.116	<20	0.94	0.094	0.42	2.6	2.5	5.34	0.17	175	5.3	5.18	4.6
STD DS8	Standard	40	0.70	0.080	14.6	117.4	0.59	288.1	0.111	<20	0.91	0.085	0.41	3.1	2.3	5.71	0.17	202	5.4	4.96	4.6
STD OREAS45PA	Standard	212	0.21	0.035	15.9	672.5	0.10	180.8	0.117	<20	2.86	0.011	0.06	<0.1	41.8	0.06	0.02	28	0.5	0.04	15.5
STD OREAS45PA	Standard	237	0.25	0.040	17.3	800.2	0.11	180.5	0.143	<20	3.53	0.013	0.07	<0.1	50.3	0.06	<0.02	32	0.6	0.02	17.0
STD OREAS45PA	Standard	220	0.24	0.035	17.0	781.4	0.11	183.2	0.135	<20	3.30	0.012	0.07	<0.1	45.1	0.14	0.02	22	0.4	0.05	16.7
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913617	Rock	3.88	0.1	0.05	0.23	51.4	0.5	<0.05	0.9	5.14	16.1	<0.02	<1	<0.1	33.0	<10	<2
REP 913617	QC																
913620DP 913619 PULP	Incline	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	8.37	1.4	<0.02	<1	<0.1	0.3	<10	<2
913620DP 913619 PULP	QC	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	8.80	1.4	<0.02	2	<0.1	0.3	<10	<2
913622	Drill Core	0.05	<0.1	<0.02	0.02	0.5	<0.1	<0.05	0.8	5.21	1.6	<0.02	3	<0.1	0.8	<10	<2
REP 913622	QC	0.05	<0.1	<0.02	0.03	0.5	<0.1	<0.05	0.8	5.45	1.7	<0.02	4	<0.1	0.8	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	6.69	0.2	0.08	0.53	39.2	5.1	<0.05	5.3	5.52	38.0	1.65	2	1.8	29.0	76	37
STD DS7	Standard	6.11	<0.1	0.09	0.37	36.0	4.8	<0.05	4.9	5.48	35.1	1.65	2	1.4	25.7	74	31
STD DS7	Standard	6.35	<0.1	0.10	0.36	35.9	4.9	<0.05	5.7	5.70	37.9	1.68	4	1.8	28.2	79	40
STD DS8	Standard	2.56	<0.1	0.06	1.02	40.4	7.0	<0.05	1.8	5.25	24.2	2.41	52	5.4	25.4	104	319
STD DS8	Standard	2.61	0.1	0.07	1.04	38.2	7.2	<0.05	1.9	5.81	28.3	2.51	52	4.1	24.0	118	333
STD DS8	Standard	2.45	0.1	0.07	0.96	38.9	6.7	<0.05	2.2	5.87	27.1	2.13	53	4.9	26.6	109	330
STD OREAS45PA	Standard	0.87	<0.1	0.50	0.29	7.8	1.6	<0.05	19.9	8.65	36.5	0.09	<1	0.6	4.5	37	70
STD OREAS45PA	Standard	1.13	<0.1	0.54	0.29	9.2	1.8	<0.05	21.6	8.92	37.1	0.10	<1	0.7	6.2	54	72
STD OREAS45PA	Standard	1.07	0.2	0.56	0.29	9.1	1.7	<0.05	22.8	9.06	37.7	0.10	<1	0.6	5.8	63	76
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		66.64	15.86	3.54	1.14	3.57	3.68	3.81	0.41	0.21	0.10	<0.002	1050	<20	749	151	18	22	6	0.8
G1	Prep Blank		66.40	16.11	3.43	1.12	3.62	3.67	3.93	0.39	0.20	0.10	<0.002	1101	<20	774	156	17	21	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																					
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.98	0.02	<0.02	0.67	2.27	3.29	44.0	11	2.9	4.1	580	1.94	0.3	2.2	<0.2	6.6	57.2	0.02	<0.02	0.06
G1	Prep Blank	100.00	0.02	<0.02	0.07	2.85	3.47	45.6	30	3.2	4.0	580	1.88	0.5	2.0	0.6	7.7	59.8	0.02	<0.02	0.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	38	0.57	0.093	12.4	7.5	0.55	196.0	0.132	<20	0.99	0.092	0.53	<0.1	2.1	0.30	<0.02	<5	0.3	<0.02	4.6
G1	Prep Blank	36	0.50	0.091	11.7	6.8	0.54	188.6	0.131	<20	0.95	0.095	0.51	<0.1	2.1	0.32	<0.02	<5	0.3	<0.02	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 30, 2010

QUALITY CONTROL REPORT VAN10006483.2

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.33	0.1	0.08	0.41	45.2	0.5	<0.05	1.2	5.22	23.6	<0.02	<1	0.3	27.7	<10	<2
G1	Prep Blank	3.38	0.1	0.08	0.42	45.8	0.5	<0.05	1.3	5.30	22.8	<0.02	<1	0.2	28.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 16, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006484.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-03
P.O. Number MT. GUY 197
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	13	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006484.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913625	Drill Core	5.30	0.19	0.02	<0.04	19.20	34.07	0.02	<0.01	<0.01	0.02	<0.01	<0.002	17	<20	136	<5	5	<5	<1	46.1
913626	Drill Core	5.96	0.23	0.02	<0.04	19.35	33.78	0.02	0.01	<0.01	0.03	<0.01	<0.002	24	<20	143	<5	5	<5	<1	46.2
913627	Drill Core	6.12	0.20	0.02	<0.04	19.04	33.84	0.02	<0.01	<0.01	0.02	<0.01	<0.002	19	<20	138	7	5	<5	<1	46.5
913628	Drill Core	5.82	0.30	0.02	<0.04	17.49	35.86	0.02	0.01	<0.01	0.08	<0.01	0.002	52	<20	177	9	9	<5	<1	45.9
913629	Drill Core	6.17	0.16	0.02	<0.04	18.87	34.10	0.02	<0.01	<0.01	0.04	<0.01	0.003	27	<20	155	<5	9	<5	<1	46.4
913630	Rock Chip	0.26	0.94	0.18	0.13	0.37	80.08	0.01	0.02	0.02	0.12	0.03	0.003	44	<20	166	<5	3	14	<1	18.1
913631	Drill Core	6.20	0.29	0.02	0.04	18.37	34.21	0.02	<0.01	<0.01	0.04	<0.01	<0.002	26	<20	151	<5	8	<5	<1	46.7
913632	Rock	1.29	66.30	15.73	3.58	1.29	3.82	3.55	3.69	0.42	0.20	0.10	<0.002	978	<20	743	143	17	17	6	1.1
913633	Drill Core	6.40	0.11	0.02	<0.04	16.67	36.39	0.02	<0.01	<0.01	0.46	<0.01	<0.002	28	<20	161	7	11	<5	<1	46.0
913634	Drill Core	6.21	0.49	<0.01	<0.04	7.55	47.35	<0.01	<0.01	<0.01	0.36	<0.01	0.003	49	<20	254	<5	9	<5	<1	44.0
913635	Drill Core	6.04	0.31	0.05	0.05	1.52	54.61	0.01	0.01	<0.01	0.02	<0.01	0.003	97	<20	322	<5	10	<5	<1	43.3
913636	Drill Core	5.55	0.37	0.12	0.09	6.84	47.90	0.02	0.04	<0.01	0.04	<0.01	0.002	72	<20	262	9	8	<5	<1	44.4
913637	Drill Core	1.68	0.68	0.14	0.08	12.67	40.83	0.03	0.04	<0.01	0.69	<0.01	0.003	73	<20	254	10	12	<5	<1	44.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006484.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913625	Drill Core	99.68	12.94	<0.02	0.22	0.48	0.24	10.0	3	0.6	<0.1	21	<0.01	<0.1	1.9	<0.2	<0.1	124.2	0.32	0.06	<0.02
913626	Drill Core	99.67	12.40	<0.02	0.20	0.26	0.21	9.5	<2	1.0	0.2	28	<0.01	<0.1	2.3	0.6	<0.1	129.2	0.35	0.06	<0.02
913627	Drill Core	99.68	13.73	<0.02	0.20	0.23	0.20	9.9	3	0.8	<0.1	26	<0.01	<0.1	2.1	<0.2	<0.1	127.3	0.29	0.05	<0.02
913628	Drill Core	99.71	12.85	<0.02	0.17	0.12	0.24	13.9	4	1.2	<0.1	23	<0.01	<0.1	2.6	<0.2	<0.1	161.6	0.52	0.06	<0.02
913629	Drill Core	99.68	13.09	<0.02	0.26	0.50	0.35	15.5	2	1.4	0.1	21	<0.01	<0.1	2.8	<0.2	<0.1	141.0	0.58	0.05	<0.02
913630	Rock Chip	100.01	0.86	<0.02	0.66	5.04	0.37	4.9	9	2.2	<0.1	165	<0.01	<0.1	0.3	<0.2	<0.1	139.4	0.46	0.07	0.03
913631	Drill Core	99.69	13.06	<0.02	0.23	0.77	0.23	12.0	2	1.4	<0.1	33	<0.01	<0.1	2.4	<0.2	<0.1	131.9	0.42	0.06	<0.02
913632	Rock	100.00	0.05	<0.02	0.07	1.60	2.40	47.7	15	3.8	4.7	623	2.17	<0.1	2.9	<0.2	4.0	63.5	0.01	<0.02	0.09
913633	Drill Core	99.71	12.61	<0.02	0.21	1.07	0.33	14.3	3	0.5	<0.1	75	<0.01	<0.1	3.8	<0.2	<0.1	141.7	0.55	0.06	<0.02
913634	Drill Core	99.87	12.46	<0.02	0.11	0.61	0.22	12.4	4	0.5	<0.1	24	<0.01	<0.1	3.9	0.6	<0.1	228.3	1.16	0.07	<0.02
913635	Drill Core	99.98	12.39	<0.02	0.45	0.78	0.39	14.1	6	3.9	<0.1	17	<0.01	0.3	3.5	<0.2	<0.1	253.9	0.77	0.29	<0.02
913636	Drill Core	99.87	12.64	<0.02	1.47	1.01	0.42	17.0	23	4.3	<0.1	17	<0.01	1.7	4.2	4.5	<0.1	233.0	0.65	0.34	<0.02
913637	Drill Core	99.78	12.43	<0.02	0.61	1.42	0.44	18.3	11	2.8	0.1	32	<0.01	0.8	4.4	<0.2	<0.1	220.9	0.91	0.24	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006484.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913625	Drill Core	7	25.11	0.010	1.5	9.6	10.98	13.7	<0.001	<20	0.01	0.010	<0.01	<0.1	0.2	<0.02	<0.02	52	0.4	<0.02	<0.1
913626	Drill Core	10	25.20	0.017	1.6	13.5	11.13	19.4	<0.001	<20	0.02	0.012	<0.01	<0.1	0.2	<0.02	<0.02	69	0.3	<0.02	<0.1
913627	Drill Core	7	25.56	0.014	1.5	12.0	11.17	13.9	<0.001	<20	0.01	0.012	<0.01	<0.1	0.1	<0.02	<0.02	40	0.2	<0.02	<0.1
913628	Drill Core	9	26.40	0.037	4.1	13.1	10.13	34.7	<0.001	<20	0.01	0.011	<0.01	<0.1	0.2	<0.02	<0.02	84	0.2	<0.02	<0.1
913629	Drill Core	10	24.98	0.019	4.6	18.1	10.84	21.9	<0.001	<20	0.01	0.014	<0.01	<0.1	0.1	<0.02	<0.02	85	0.3	<0.02	<0.1
913630	Rock Chip	4	>40	0.054	0.8	1.6	0.18	32.5	0.005	<20	0.07	0.001	<0.01	<0.1	0.6	<0.02	<0.02	<5	0.3	<0.02	0.2
913631	Drill Core	8	24.93	0.018	3.4	14.7	10.42	21.7	<0.001	<20	0.01	0.011	<0.01	<0.1	0.1	<0.02	<0.02	68	0.3	<0.02	<0.1
913632	Rock	45	0.61	0.094	9.8	12.7	0.67	291.8	0.159	<20	1.10	0.110	0.63	<0.1	2.8	0.39	<0.02	<5	0.2	<0.02	5.3
913633	Drill Core	13	26.82	0.204	5.0	13.4	9.44	22.7	<0.001	<20	0.01	0.011	<0.01	<0.1	0.2	<0.02	<0.02	89	0.3	<0.02	<0.1
913634	Drill Core	9	33.98	0.150	4.2	15.4	4.03	42.1	<0.001	<20	0.01	0.004	<0.01	<0.1	0.1	0.02	<0.02	61	0.4	<0.02	<0.1
913635	Drill Core	6	37.78	0.009	3.6	17.0	0.78	63.2	<0.001	<20	0.01	0.003	<0.01	0.1	0.1	0.04	<0.02	217	0.4	0.02	<0.1
913636	Drill Core	7	34.90	0.016	3.2	19.1	3.50	54.7	<0.001	<20	0.02	0.008	0.01	0.2	0.2	0.05	<0.02	181	0.5	0.03	<0.1
913637	Drill Core	15	29.84	0.281	5.5	17.6	6.91	54.4	<0.001	<20	0.04	0.014	0.02	<0.1	0.4	<0.02	<0.02	163	0.6	<0.02	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006484.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913625	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	4.50	0.7	<0.02	2	<0.1	0.2	<10	<2
913626	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.60	0.7	<0.02	2	<0.1	0.4	<10	<2
913627	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.4	4.70	0.6	<0.02	1	<0.1	0.3	<10	<2
913628	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.5	7.59	1.4	<0.02	<1	<0.1	0.3	<10	<2
913629	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.5	8.13	1.6	<0.02	3	<0.1	0.4	<10	<2
913630	Rock Chip	0.03	<0.1	0.03	0.13	0.2	<0.1	<0.05	1.7	1.53	0.9	<0.02	2	<0.1	0.5	<10	<2
913631	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.4	6.66	1.1	<0.02	<1	<0.1	0.3	<10	<2
913632	Rock	4.09	0.1	0.07	0.28	51.6	0.6	<0.05	1.0	5.89	20.4	<0.02	1	0.3	30.6	<10	<2
913633	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	1.1	9.99	1.3	<0.02	3	<0.1	0.3	<10	<2
913634	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.8	8.49	1.1	<0.02	2	<0.1	0.2	<10	<2
913635	Drill Core	0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.4	8.19	1.1	<0.02	1	<0.1	0.2	<10	<2
913636	Drill Core	0.04	<0.1	<0.02	0.02	0.4	<0.1	<0.05	0.6	6.87	1.5	<0.02	16	<0.1	0.4	<10	<2
913637	Drill Core	0.04	<0.1	<0.02	0.03	0.7	<0.1	<0.05	1.3	11.40	1.7	<0.02	11	<0.1	1.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913631	Drill Core	6.20	0.29	0.02	0.04	18.37	34.21	0.02	<0.01	<0.01	0.04	<0.01	<0.002	26	<20	151	<5	8	<5	<1	46.7
Pulp Duplicates																					
REP 913637	QC		0.70	0.14	0.07	12.52	40.95	0.03	0.04	<0.01	0.70	<0.01	0.004	72	<20	256	10	13	<5	<1	44.6
Core Reject Duplicates																					
913637	Drill Core	1.68	0.68	0.14	0.08	12.67	40.83	0.03	0.04	<0.01	0.69	<0.01	0.003	73	<20	254	10	12	<5	<1	44.6
DUP 913637	QC		0.66	0.14	0.06	12.42	41.10	0.03	0.04	<0.01	0.70	<0.01	0.003	74	<20	257	5	13	<5	<1	44.6
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.00	14.11	7.64	3.36	6.37	3.72	2.15	0.69	0.85	0.40	0.556	497	48	390	298	30	12	25	1.9
STD SO-18	Standard		58.02	14.11	7.63	3.38	6.37	3.71	2.12	0.69	0.85	0.40	0.563	505	45	393	306	31	14	25	1.9
STD SO-18	Standard		58.27	13.97	7.58	3.30	6.33	3.73	2.19	0.69	0.86	0.39	0.554	503	48	389	299	31	20	25	1.9
STD SO-18	Standard		58.14	14.12	7.56	3.33	6.32	3.69	2.19	0.69	0.85	0.40	0.564	503	49	396	301	32	16	25	1.9
STD SO-18	Standard		58.04	14.19	7.64	3.37	6.32	3.67	2.16	0.68	0.83	0.40	0.566	498	47	391	294	31	21	24	1.9
STD SO-18	Standard		58.30	14.05	7.55	3.32	6.34	3.68	2.15	0.69	0.83	0.39	0.560	499	50	390	297	32	22	24	1.9
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913631	Drill Core		99.69	13.06	<0.02	0.23	0.77	0.23	12.0	2	1.4	<0.1	33	<0.01	<0.1	2.4	<0.2	<0.1	131.9	0.42	0.06	<0.02
Pulp Duplicates																						
REP 913637	QC		99.78																			
Core Reject Duplicates																						
913637	Drill Core		99.78	12.43	<0.02	0.61	1.42	0.44	18.3	11	2.8	0.1	32	<0.01	0.8	4.4	<0.2	<0.1	220.9	0.91	0.24	<0.02
DUP 913637	QC		99.78	12.48	<0.02	0.59	1.18	0.40	17.4	12	2.5	0.2	31	<0.01	0.7	4.6	0.4	<0.1	211.9	0.93	0.25	<0.02
Reference Materials																						
STD CSC	Standard			3.16	4.17																	
STD DS7	Standard					19.09	99.57	65.29	380.6	931	49.9	8.8	613	2.43	51.2	4.2	63.4	3.9	70.8	6.18	4.07	4.19
STD DS8	Standard					12.93	110.9	117.7	308.0	1749	38.0	7.4	636	2.53	24.6	2.5	110.3	6.1	66.9	2.39	4.87	6.51
STD OREAS45PA	Standard					0.90	629.9	17.93	119.2	304	310.5	109.5	1178	17.19	3.6	1.1	43.0	6.4	14.7	0.09	0.14	0.17
STD OREAS76A	Standard			0.20	17.55																	
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.92																			
STD SO-18	Standard		99.92																			
STD SO-18	Standard		99.91																			
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD SO-18 Expected																						
BLK	Blank		<0.01																			
BLK	Blank		<0.01																			
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank			<0.02	<0.02																	
BLK	Blank		<0.01																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913631	Drill Core		8	24.93	0.018	3.4	14.7	10.42	21.7	<0.001	<20	0.01	0.011	<0.01	<0.1	0.1	<0.02	<0.02	68	0.3	<0.02	<0.1
Pulp Duplicates																						
REP 913637	QC																					
Core Reject Duplicates																						
913637	Drill Core		15	29.84	0.281	5.5	17.6	6.91	54.4	<0.001	<20	0.04	0.014	0.02	<0.1	0.4	<0.02	<0.02	163	0.6	<0.02	0.1
DUP 913637	QC		15	30.23	0.291	5.4	18.5	6.81	55.0	<0.001	<20	0.04	0.014	0.02	<0.1	0.3	<0.02	<0.02	177	0.5	<0.02	0.2
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard		84	0.95	0.084	12.2	169.1	1.06	388.0	0.112	37	1.03	0.105	0.47	3.2	2.7	3.83	0.21	197	3.3	1.34	4.6
STD DS8	Standard		43	0.71	0.090	15.6	117.5	0.62	296.4	0.116	<20	0.94	0.094	0.42	2.6	2.5	5.34	0.17	175	5.3	5.18	4.6
STD OREAS45PA	Standard		237	0.25	0.040	17.3	800.2	0.11	180.5	0.143	<20	3.53	0.013	0.07	<0.1	50.3	0.06	<0.02	32	0.6	0.02	17.0
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																						
STD OREAS76A Expected																						
STD SO-18 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																					
BLK	Blank																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913631	Drill Core		<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.4	6.66	1.1	<0.02	<1	<0.1	0.3	<10	<2
Pulp Duplicates																		
REP 913637	QC																	
Core Reject Duplicates																		
913637	Drill Core		0.04	<0.1	<0.02	0.03	0.7	<0.1	<0.05	1.3	11.40	1.7	<0.02	11	<0.1	1.0	<10	<2
DUP 913637	QC		0.04	<0.1	0.02	0.02	0.7	<0.1	<0.05	1.3	10.73	1.8	<0.02	8	<0.1	0.9	<10	<2
Reference Materials																		
STD CSC	Standard																	
STD DS7	Standard		6.11	<0.1	0.09	0.37	36.0	4.8	<0.05	4.9	5.48	35.1	1.65	2	1.4	25.7	74	31
STD DS8	Standard		2.61	0.1	0.07	1.04	38.2	7.2	<0.05	1.9	5.81	28.3	2.51	52	4.1	24.0	118	333
STD OREAS45PA	Standard		1.13	<0.1	0.54	0.29	9.2	1.8	<0.05	21.6	8.92	37.1	0.10	<1	0.7	6.2	54	72
STD OREAS76A	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD DS7 Expected			6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected			1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected			2.48	0.13	0.08	1.65	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																		
STD OREAS76A Expected																		
STD SO-18 Expected																		
BLK	Blank																	
BLK	Blank																	
BLK	Blank		<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																	
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Prep Wash																					
G1	Prep Blank		66.58	16.06	3.45	1.11	3.69	3.62	3.76	0.40	0.20	0.10	<0.002	1034	<20	752	151	18	22	6	0.8
G1	Prep Blank		66.79	15.90	3.56	1.14	3.62	3.64	3.62	0.40	0.20	0.10	0.003	1039	<20	736	143	18	19	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Prep Wash																					
G1	Prep Blank	99.99	<0.02	<0.02	0.08	1.85	4.68	44.2	12	2.9	4.0	573	1.99	<0.1	1.6	0.3	5.1	58.2	0.03	<0.02	0.10
G1	Prep Blank	99.99	0.03	<0.02	0.09	2.30	4.67	47.4	8	2.8	4.3	588	2.06	<0.1	2.3	0.5	6.3	60.8	0.02	0.04	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
Prep Wash																					
G1	Prep Blank	39	0.52	0.089	11.5	11.1	0.55	181.6	0.131	<20	1.01	0.102	0.52	<0.1	2.3	0.31	<0.02	<5	0.1	<0.02	4.7
G1	Prep Blank	41	0.57	0.087	12.2	11.9	0.57	187.9	0.138	<20	1.04	0.104	0.53	<0.1	2.4	0.32	<0.02	<5	0.1	<0.02	5.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006484.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
Prep Wash																	
G1	Prep Blank	3.12	<0.1	0.07	0.33	43.1	0.6	<0.05	1.2	5.46	21.7	<0.02	2	0.3	28.0	<10	<2
G1	Prep Blank	3.27	0.1	0.08	0.35	46.2	0.6	<0.05	1.3	5.93	23.3	0.02	<1	0.4	28.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 04, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006485.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-04
P.O. Number MT.GUY 197
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	11	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	13	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006485.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913638	Drill Core	6.02	0.21	0.04	<0.04	14.73	39.24	0.02	<0.01	<0.01	0.65	<0.01	<0.002	32	<20	175	<5	11	6	<1	44.8
913639	Drill Core	7.00	0.23	0.04	<0.04	6.09	50.17	<0.01	0.01	<0.01	0.62	<0.01	0.003	57	<20	304	<5	10	7	<1	42.7
913640DP 913639 PULP	Incline		0.25	0.04	0.07	5.87	51.80	0.02	0.02	<0.01	0.62	<0.01	0.005	61	<20	315	34	11	7	<1	41.1
913641	Drill Core	7.57	0.64	0.13	0.05	14.07	40.63	0.03	0.02	0.01	1.98	0.01	0.004	108	<20	206	46	17	<5	<1	42.1
913642	Drill Core	7.79	0.37	0.06	<0.04	17.84	36.43	0.02	<0.01	<0.01	0.06	<0.01	<0.002	52	<20	162	<5	9	<5	<1	44.9
913643	Rock	0.52	66.42	16.04	3.54	1.31	3.85	3.55	3.63	0.43	0.21	0.10	<0.002	995	<20	756	152	18	21	6	0.7
913644	Drill Core	8.20	0.20	0.04	<0.04	18.13	35.38	0.02	<0.01	<0.01	0.05	<0.01	<0.002	76	<20	164	<5	10	<5	<1	45.8
913645	Drill Core	8.19	0.33	0.10	<0.04	16.76	36.67	0.02	0.02	<0.01	0.06	<0.01	<0.002	54	<20	183	<5	11	<5	<1	45.7
913646	Drill Core	8.02	0.28	0.06	<0.04	16.23	37.30	0.02	<0.01	<0.01	0.44	<0.01	<0.002	69	<20	199	<5	11	5	<1	45.4
913647	Drill Core	7.23	0.55	0.06	<0.04	15.38	38.16	0.02	<0.01	<0.01	0.13	<0.01	0.002	129	<20	203	<5	9	<5	<1	45.4
913648	Drill Core	7.96	0.94	0.12	<0.04	15.43	37.79	0.03	0.02	0.01	0.44	0.01	0.002	63	<20	172	7	13	<5	<1	44.9
913649	Drill Core	2.51	0.60	0.05	0.05	14.33	39.59	0.03	<0.01	<0.01	1.12	<0.01	0.004	64	<20	218	30	15	6	<1	43.9
913650	Rock Chip	0.21	0.93	0.17	0.08	0.48	82.33	0.01	0.02	0.01	0.13	0.03	<0.002	40	<20	176	5	<3	<5	<1	15.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006485.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913638	Drill Core	99.77	12.70	<0.02	0.17	0.55	0.41	17.8	4	2.9	<0.1	59	<0.01	<0.1	4.0	<0.2	<0.1	158.9	0.82	0.09	<0.02
913639	Drill Core	99.91	12.47	<0.02	0.11	0.54	0.35	10.6	5	2.6	<0.1	26	<0.01	<0.1	2.6	<0.2	<0.1	275.8	0.81	0.10	<0.02
913640DP 913639 PULP	Incline	99.87	12.03	<0.02	0.10	0.51	0.35	10.4	5	2.7	<0.1	25	<0.01	0.2	2.6	<0.2	<0.1	264.8	0.84	0.11	<0.02
913641	Drill Core	99.73	12.30	<0.02	0.14	1.45	0.73	25.2	6	3.9	<0.1	80	<0.01	1.0	5.9	<0.2	0.1	178.8	0.90	0.38	<0.02
913642	Drill Core	99.72	12.96	<0.02	0.25	0.75	0.30	23.9	5	4.1	<0.1	43	<0.01	0.2	2.3	<0.2	<0.1	138.5	0.51	0.13	<0.02
913643	Rock	100.00	0.06	<0.02	0.06	1.57	1.91	46.4	13	4.7	4.4	546	1.92	<0.1	2.3	<0.2	3.1	50.3	0.02	<0.02	0.06
913644	Drill Core	99.72	12.64	<0.02	0.19	0.42	0.34	20.9	7	2.4	<0.1	30	<0.01	0.1	2.3	<0.2	<0.1	144.5	0.71	0.09	<0.02
913645	Drill Core	99.73	12.86	<0.02	0.18	0.61	0.47	21.9	8	1.5	<0.1	22	<0.01	0.8	2.5	<0.2	<0.1	170.8	0.65	0.18	<0.02
913646	Drill Core	99.74	12.00	<0.02	0.17	0.48	0.40	16.6	8	1.6	0.2	30	<0.01	<0.1	3.3	<0.2	<0.1	180.4	0.51	0.11	<0.02
913647	Drill Core	99.75	12.77	<0.02	0.13	0.67	0.31	23.1	8	2.8	0.1	35	<0.01	0.1	3.1	<0.2	<0.1	169.2	0.65	0.12	0.03
913648	Drill Core	99.75	12.38	<0.02	0.20	1.53	0.54	30.6	11	3.0	0.5	68	<0.01	1.4	3.8	<0.2	<0.1	151.1	0.92	0.11	<0.02
913649	Drill Core	99.72	12.53	<0.02	0.14	<0.01	0.54	23.3	8	2.0	0.3	42	<0.01	0.9	5.0	0.2	<0.1	199.0	0.76	0.16	<0.02
913650	Rock Chip	100.00	0.77	0.03	0.76	6.46	0.49	5.3	7	<0.1	0.1	155	<0.01	0.3	0.3	<0.2	<0.1	141.0	0.42	0.08	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006485.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913638	Drill Core	10	27.22	0.249	4.3	15.4	7.95	30.8	0.001	<20	0.02	0.010	<0.01	<0.1	0.1	<0.02	<0.02	84	0.1	0.15	<0.1
913639	Drill Core	5	33.58	0.227	3.6	13.1	3.04	54.4	<0.001	<20	0.01	0.005	<0.01	<0.1	0.2	<0.02	<0.02	104	0.1	0.17	<0.1
913640DP 913639 PULP	Incline	5	33.82	0.231	3.5	13.0	3.01	54.7	<0.001	<20	0.01	0.005	<0.01	<0.1	0.1	<0.02	<0.02	108	0.1	0.15	<0.1
913641	Drill Core	10	27.02	0.809	4.6	18.2	7.63	100.9	0.003	<20	0.04	0.009	<0.01	<0.1	0.4	<0.02	<0.02	208	0.2	0.12	0.2
913642	Drill Core	8	25.00	0.020	3.8	13.5	9.77	40.3	<0.001	<20	0.02	0.009	<0.01	<0.1	0.1	<0.02	<0.02	82	0.1	0.13	<0.1
913643	Rock	39	0.58	0.087	6.4	8.8	0.63	272.9	0.130	<20	0.93	0.075	0.56	<0.1	2.0	0.36	<0.02	<5	<0.1	<0.02	4.7
913644	Drill Core	9	24.67	0.020	4.8	12.4	9.92	51.8	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	49	<0.1	0.10	<0.1
913645	Drill Core	8	25.29	0.025	5.8	12.2	8.80	38.5	<0.001	<20	0.03	0.012	<0.01	<0.1	0.2	<0.02	<0.02	157	0.5	0.03	<0.1
913646	Drill Core	9	25.78	0.172	4.9	13.2	8.52	56.6	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	<0.02	<0.02	155	0.7	<0.02	0.1
913647	Drill Core	9	26.81	0.052	5.0	12.2	7.85	89.2	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	<0.02	<0.02	123	0.5	0.04	0.1
913648	Drill Core	10	26.61	0.173	6.0	13.7	8.04	53.4	<0.001	<20	0.04	0.012	<0.01	<0.1	0.3	<0.02	<0.02	107	0.6	<0.02	0.2
913649	Drill Core	13	27.69	0.432	5.7	14.6	7.43	58.4	0.001	21	0.02	0.014	<0.01	<0.1	0.2	<0.02	<0.02	123	0.6	<0.02	0.2
913650	Rock Chip	3	>40	0.047	0.8	1.4	0.21	32.8	0.004	<20	0.06	0.002	<0.01	<0.1	0.5	<0.02	<0.02	<5	0.7	<0.02	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006485.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913638	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	1.4	10.32	1.3	<0.02	2	0.1	0.3	<10	3
913639	Drill Core	<0.02	<0.1	<0.02	0.06	0.2	<0.1	<0.05	1.2	9.47	1.2	<0.02	<1	<0.1	0.3	<10	<2
913640DP 913639 PULP	Incline	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	1.2	9.14	1.2	<0.02	2	<0.1	0.2	<10	<2
913641	Drill Core	0.03	<0.1	0.03	0.04	0.4	<0.1	<0.05	3.2	14.22	1.3	<0.02	1	0.1	0.4	<10	<2
913642	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.8	7.69	1.5	<0.02	2	<0.1	0.4	<10	<2
913643	Rock	3.91	<0.1	0.07	0.29	47.6	0.4	<0.05	1.0	4.55	14.6	<0.02	<1	0.2	33.6	<10	5
913644	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.7	9.05	1.7	<0.02	<1	<0.1	0.3	<10	<2
913645	Drill Core	0.02	<0.1	<0.02	0.05	0.3	<0.1	<0.05	0.5	8.82	2.1	<0.02	2	<0.1	0.5	<10	4
913646	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.9	9.26	1.5	<0.02	3	0.1	0.5	<10	4
913647	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.7	7.95	1.6	<0.02	<1	<0.1	0.4	<10	6
913648	Drill Core	0.04	<0.1	0.02	0.04	0.4	<0.1	<0.05	1.4	10.79	2.8	<0.02	4	0.1	0.6	<10	4
913649	Drill Core	<0.02	<0.1	<0.02	0.02	0.3	<0.1	<0.05	2.1	12.45	1.4	<0.02	2	<0.1	0.7	<10	4
913650	Rock Chip	0.03	<0.1	0.04	0.12	0.3	<0.1	<0.05	1.5	1.44	0.9	<0.02	2	<0.1	0.4	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																						
REP G1	QC																					
913647	Drill Core		7.23	0.55	0.06	<0.04	15.38	38.16	0.02	<0.01	<0.01	0.13	<0.01	0.002	129	<20	203	<5	9	<5	<1	45.4
REP 913647	QC																					
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard																					
STD DS7	Standard																					
STD DS8	Standard																					
STD DS8	Standard																					
STD OREAS45PA	Standard																					
STD OREAS45PA	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard			58.25	14.04	7.55	3.35	6.36	3.70	2.15	0.69	0.83	0.39	0.556	496	39	390	305	31	23	25	1.9
STD SO-18	Standard			58.35	14.01	7.54	3.33	6.32	3.69	2.16	0.69	0.82	0.39	0.555	495	45	390	308	30	22	24	1.9
STD SO-18	Standard			58.20	14.08	7.53	3.33	6.35	3.72	2.15	0.69	0.83	0.39	0.564	506	44	401	303	31	26	25	1.9
STD SO-18	Standard			58.22	14.05	7.56	3.35	6.32	3.71	2.16	0.69	0.83	0.40	0.561	507	44	399	310	31	25	25	1.9
STD DS7 Expected																						
STD OREAS45PA Expected																						
STD DS8 Expected																						
STD CSC Expected																						
STD OREAS76A Expected																						
STD SO-18 Expected				58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																					
BLK	Blank			<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																					
BLK	Blank																					
BLK	Blank			<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
REP G1	QC			0.02	<0.02																	
913647	Drill Core		99.75	12.77	<0.02	0.13	0.67	0.31	23.1	8	2.8	0.1	35	<0.01	0.1	3.1	<0.2	<0.1	169.2	0.65	0.12	0.03
REP 913647	QC					0.16	0.73	0.36	24.3	8	3.2	<0.1	35	<0.01	0.5	3.1	<0.2	<0.1	171.4	0.68	0.14	<0.02
Reference Materials																						
STD CSC	Standard			2.79	4.03																	
STD DS7	Standard					20.73	106.3	66.40	386.0	1082	55.5	9.8	611	2.33	49.6	4.4	64.6	4.2	64.7	5.87	3.92	4.13
STD DS7	Standard					22.13	104.9	69.29	412.7	941	57.1	9.4	642	2.42	52.3	4.9	60.9	4.6	77.5	6.60	4.03	4.70
STD DS8	Standard					13.16	106.0	126.9	302.5	1658	38.3	7.5	600	2.47	23.9	2.5	94.2	6.1	56.9	2.29	4.27	6.01
STD DS8	Standard					13.51	107.7	116.8	306.1	1491	35.6	7.5	612	2.47	24.2	2.5	90.2	6.2	63.4	2.33	4.26	6.34
STD OREAS45PA	Standard					0.89	589.0	17.56	108.4	306	285.6	104.8	1101	15.67	3.6	1.1	40.9	6.4	12.4	0.08	0.13	0.17
STD OREAS45PA	Standard					0.81	621.2	18.18	112.8	301	305.6	102.1	1149	16.22	3.9	1.1	44.9	6.4	14.9	0.10	0.08	0.18
STD OREAS76A	Standard			0.15	17.97																	
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD SO-18 Expected																						
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.01																			
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank			<0.02	<0.02																	
BLK	Blank		<0.01																			
Prep Wash																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
REP G1	QC																					
913647	Drill Core		9	26.81	0.052	5.0	12.2	7.85	89.2	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	<0.02	<0.02	123	0.5	0.04	0.1
REP 913647	QC		9	25.63	0.052	4.9	12.2	7.94	88.0	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	0.02	<0.02	131	0.6	<0.02	0.1
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard		81	0.93	0.075	11.8	179.5	1.03	398.6	0.109	34	0.98	0.092	0.45	3.4	2.4	4.07	0.20	192	3.1	1.21	4.7
STD DS7	Standard		86	0.94	0.080	13.4	187.0	1.10	431.9	0.120	44	1.09	0.104	0.49	3.3	2.8	4.18	0.21	213	3.4	1.38	5.0
STD DS8	Standard		42	0.67	0.079	12.8	112.8	0.61	285.2	0.102	<20	0.88	0.085	0.41	2.8	2.1	5.41	0.16	255	5.3	5.00	4.5
STD DS8	Standard		42	0.62	0.081	14.2	103.9	0.65	290.8	0.107	<20	0.94	0.083	0.42	2.7	2.2	5.05	0.17	191	5.0	4.86	4.3
STD OREAS45PA	Standard		221	0.19	0.031	14.8	836.6	0.10	178.3	0.124	<20	3.21	0.008	0.07	<0.1	40.2	0.07	<0.02	23	0.3	0.05	15.5
STD OREAS45PA	Standard		228	0.25	0.035	16.3	746.3	0.11	178.5	0.131	<20	3.54	0.012	0.08	<0.1	46.6	0.07	<0.02	33	0.7	0.04	15.5
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																						
STD OREAS76A Expected																						
STD SO-18 Expected																						
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																					
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																					
BLK	Blank																					
Prep Wash																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
REP G1	QC																
913647	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.7	7.95	1.6	<0.02	<1	<0.1	0.4	<10	6
REP 913647	QC	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.7	8.10	1.6	<0.02	3	0.2	0.4	<10	5
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.09	<0.1	0.13	0.44	34.9	4.4	<0.05	5.6	5.45	36.0	1.48	<1	1.8	28.3	71	41
STD DS7	Standard	6.50	<0.1	0.12	0.29	37.9	5.0	<0.05	5.5	5.83	39.2	1.69	5	1.5	24.6	78	49
STD DS8	Standard	2.37	0.1	0.07	1.07	36.5	6.0	<0.05	2.2	5.32	25.8	2.00	51	6.1	26.5	114	358
STD DS8	Standard	2.38	<0.1	0.07	0.87	36.8	7.0	<0.05	1.8	5.23	26.4	2.23	52	4.7	23.4	111	340
STD OREAS45PA	Standard	1.03	<0.1	0.59	0.32	8.5	1.5	<0.05	23.2	8.17	35.5	0.08	<1	0.7	5.6	37	84
STD OREAS45PA	Standard	1.04	<0.1	0.53	0.18	9.2	1.6	<0.05	20.9	8.62	35.9	0.08	<1	0.8	5.9	33	78
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																	
STD OREAS76A Expected																	
STD SO-18 Expected																	
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
Prep Wash																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
G1	Prep Blank		67.09	16.07	3.29	1.12	3.48	3.64	3.79	0.40	0.19	0.10	<0.002	1009	<20	729	143	18	28	6	0.6
G1	Prep Blank		66.95	16.13	3.28	1.12	3.52	3.71	3.78	0.39	0.19	0.10	<0.002	970	<20	729	146	17	26	5	0.6
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
G1	Prep Blank	100.00	0.02	<0.02	0.06	2.66	2.77	45.1	14	2.8	4.1	550	1.80	<0.1	1.5	<0.2	4.6	46.6	0.02	<0.02	0.08
G1	Prep Blank	99.99			0.09	2.08	2.65	42.6	13	2.8	3.8	525	1.73	<0.1	2.0	0.2	4.9	45.9	0.02	<0.02	0.07
G1	Prep Blank		0.02	<0.02																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
G1	Prep Blank	36	0.44	0.079	9.5	7.6	0.51	177.8	0.112	<20	0.84	0.070	0.48	<0.1	1.8	0.31	<0.02	<5	<0.1	<0.02	4.5
G1	Prep Blank	35	0.42	0.077	10.1	6.8	0.50	175.5	0.108	<20	0.82	0.072	0.46	<0.1	1.7	0.30	<0.02	<5	<0.1	<0.02	4.4
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006485.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
G1	Prep Blank	3.32	<0.1	0.08	0.36	40.9	0.5	<0.05	1.2	4.64	19.9	<0.02	<1	0.1	30.1	<10	<2
G1	Prep Blank	3.00	<0.1	0.06	0.45	40.5	0.4	<0.05	1.3	4.94	21.0	<0.02	<1	<0.1	30.0	<10	2
G1	Prep Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 16, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006486.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-05
P.O. Number MT. GUY 197
Number of Samples: 14

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	14	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006486.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913651	Drill Core	5.32	0.17	0.03	<0.04	9.30	45.84	0.02	0.01	<0.01	0.03	<0.01	<0.002	31	<20	279	<5	5	6	<1	44.4
913652	Drill Core	6.31	0.10	0.01	<0.04	15.66	38.07	0.03	0.01	<0.01	0.02	<0.01	<0.002	18	32	176	8	5	<5	<1	45.8
913653	Drill Core	5.77	0.18	0.02	<0.04	10.91	43.85	0.03	0.01	<0.01	0.04	<0.01	<0.002	34	22	246	<5	6	<5	<1	44.7
913654	Drill Core	6.04	0.30	0.02	0.04	12.25	42.06	0.02	<0.01	<0.01	0.05	<0.01	<0.002	29	<20	223	<5	6	<5	<1	45.0
913655	Drill Core	6.38	0.15	0.03	0.05	16.09	37.47	0.03	0.02	<0.01	0.03	<0.01	0.003	20	<20	217	<5	5	8	<1	45.9
913656	Drill Core	6.29	0.14	0.01	<0.04	12.58	41.80	0.03	<0.01	<0.01	0.03	<0.01	<0.002	28	<20	230	<5	7	<5	<1	45.1
913657	Rock	1.61	66.36	15.90	3.53	1.34	3.99	3.52	3.60	0.43	0.20	0.10	<0.002	944	<20	730	148	17	27	6	0.8
913658	Drill Core	5.67	0.42	0.11	0.07	6.26	48.96	0.02	0.02	<0.01	0.24	<0.01	<0.002	76	<20	239	<5	9	5	<1	43.7
913659	Drill Core	6.30	0.26	0.06	0.05	11.52	42.99	0.02	0.02	<0.01	0.36	<0.01	0.002	62	<20	255	<5	11	9	<1	44.5
913660DP 913659 PULP	Incline		0.27	0.06	<0.04	11.59	42.80	0.02	0.01	<0.01	0.34	<0.01	0.005	61	<20	257	<5	10	<5	<1	44.6
913661	Drill Core	6.37	0.36	0.04	0.04	15.37	38.17	0.03	0.01	<0.01	0.13	<0.01	<0.002	47	<20	167	<5	11	7	<1	45.6
913662	Drill Core	6.24	0.35	0.03	<0.04	16.22	37.35	0.03	0.01	<0.01	0.10	<0.01	<0.002	28	<20	190	<5	9	7	<1	45.6
913663	Drill Core	6.33	0.47	0.03	0.05	16.76	36.48	0.04	0.01	<0.01	0.06	<0.01	<0.002	24	<20	211	<5	11	7	<1	45.8
913664	Drill Core	5.03	0.34	0.04	<0.04	15.94	37.70	0.03	0.01	<0.01	0.08	<0.01	0.002	30	<20	187	<5	13	<5	<1	45.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006486.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913651	Drill Core	99.85	12.85	<0.02	0.20	0.75	0.47	9.0	8	<0.1	0.1	12	<0.01	0.8	2.7	<0.2	<0.1	237.5	0.30	0.07	<0.02
913652	Drill Core	99.75	13.19	<0.02	0.20	0.31	0.03	9.7	8	0.1	<0.1	8	<0.01	0.6	2.3	<0.2	<0.1	151.3	0.37	0.03	<0.02
913653	Drill Core	99.83	12.88	<0.02	0.20	0.46	0.23	12.0	14	<0.1	<0.1	14	<0.01	0.6	2.5	0.3	<0.1	211.1	0.61	0.06	<0.02
913654	Drill Core	99.80	13.36	<0.02	0.20	0.65	0.21	14.9	11	0.4	0.1	27	<0.01	0.8	2.4	0.4	<0.1	202.9	0.82	0.11	<0.02
913655	Drill Core	99.74	13.32	<0.02	0.22	0.47	0.17	8.4	11	1.3	0.2	9	<0.01	0.6	2.6	0.3	<0.1	190.6	0.44	0.08	<0.02
913656	Drill Core	99.79	13.13	<0.02	0.20	0.54	0.28	10.2	11	<0.1	0.1	9	<0.01	0.8	2.7	0.4	<0.1	205.7	0.67	0.07	<0.02
913657	Rock	100.01	0.09	<0.02	0.10	1.46	2.31	47.4	11	3.6	4.8	590	1.94	<0.1	2.8	<0.2	3.9	63.3	0.01	<0.02	0.08
913658	Drill Core	99.89	13.03	<0.02	0.14	1.34	0.65	33.8	22	3.9	0.2	40	0.02	0.4	2.7	0.6	<0.1	214.2	1.49	0.20	<0.02
913659	Drill Core	99.80	13.09	<0.02	0.14	0.82	0.53	21.8	13	2.8	0.2	34	<0.01	0.8	3.5	<0.2	<0.1	237.6	0.78	0.23	<0.02
913660DP 913659 PULP	Incline	99.80	13.22	<0.02	0.15	0.91	2.34	20.5	11	1.3	0.1	35	<0.01	0.8	3.6	<0.2	<0.1	233.7	0.75	0.24	<0.02
913661	Drill Core	99.75	12.98	<0.02	0.21	0.62	0.43	19.0	8	0.5	0.1	36	<0.01	0.3	3.1	<0.2	<0.1	147.5	0.63	0.10	<0.02
913662	Drill Core	99.73	12.97	<0.02	0.18	0.37	0.25	11.5	5	<0.1	<0.1	24	<0.01	<0.1	2.8	<0.2	<0.1	176.0	0.56	0.09	<0.02
913663	Drill Core	99.72	13.06	<0.02	0.27	0.34	0.32	12.7	7	0.7	0.2	22	<0.01	0.8	3.0	<0.2	<0.1	196.3	0.47	0.07	<0.02
913664	Drill Core	99.75	13.20	<0.02	0.20	0.50	0.32	17.5	9	0.5	<0.1	36	<0.01	0.2	3.1	<0.2	<0.1	165.7	0.63	0.09	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006486.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913651	Drill Core	6	27.54	0.010	1.1	13.3	4.91	26.8	<0.001	<20	<0.01	0.008	<0.01	<0.1	0.1	<0.02	0.06	143	0.5	0.04	<0.1
913652	Drill Core	3	23.53	0.006	0.9	7.5	8.32	16.6	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	0.03	0.02	59	0.5	0.05	<0.1
913653	Drill Core	9	26.84	0.016	1.8	13.0	5.83	28.9	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	0.02	0.04	184	0.5	<0.02	<0.1
913654	Drill Core	9	25.73	0.018	1.9	12.5	6.76	27.1	<0.001	<20	0.01	0.006	<0.01	<0.1	0.1	<0.02	0.05	190	0.3	<0.02	<0.1
913655	Drill Core	8	23.14	0.010	1.5	15.8	8.93	18.3	<0.001	<20	0.01	0.010	<0.01	<0.1	0.1	<0.02	0.03	107	0.6	0.06	<0.1
913656	Drill Core	8	25.71	0.009	1.7	13.1	6.98	26.3	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	<0.02	0.05	156	0.4	0.04	<0.1
913657	Rock	40	0.66	0.083	7.8	9.4	0.64	258.9	0.147	<20	0.99	0.080	0.56	<0.1	2.3	0.40	<0.02	<5	0.2	<0.02	4.9
913658	Drill Core	5	30.22	0.090	3.0	12.9	3.41	56.1	<0.001	<20	0.03	0.004	<0.01	<0.1	0.2	0.03	0.08	512	0.3	<0.02	<0.1
913659	Drill Core	7	26.79	0.135	5.0	17.2	6.42	49.7	<0.001	<20	0.02	0.006	<0.01	<0.1	0.2	<0.02	0.04	227	0.6	<0.02	<0.1
913660DP 913659 PULP	Incline	8	27.11	0.134	5.4	16.6	6.48	53.0	<0.001	<20	0.02	0.007	<0.01	<0.1	0.2	<0.02	0.05	252	0.5	<0.02	0.1
913661	Drill Core	8	24.17	0.047	5.0	11.8	8.73	35.8	<0.001	<20	0.02	0.009	<0.01	<0.1	0.1	<0.02	0.02	154	0.5	0.03	0.1
913662	Drill Core	9	23.41	0.038	4.6	13.7	8.93	25.2	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	<0.02	<0.02	105	0.4	<0.02	<0.1
913663	Drill Core	9	23.25	0.024	5.7	15.2	9.57	24.6	<0.001	<20	0.01	0.014	<0.01	<0.1	0.2	<0.02	0.02	92	0.7	<0.02	0.1
913664	Drill Core	10	23.41	0.030	6.6	16.0	9.04	26.6	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	<0.02	0.03	111	0.7	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

CERTIFICATE OF ANALYSIS VAN10006486.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913651	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	4.09	0.6	<0.02	<1	<0.1	<0.1	<10	<2
913652	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	3.08	0.4	<0.02	<1	<0.1	0.3	<10	<2
913653	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	5.47	0.8	<0.02	<1	<0.1	0.2	<10	<2
913654	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	4.96	0.8	<0.02	<1	<0.1	0.2	<10	<2
913655	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	4.58	0.7	<0.02	<1	<0.1	0.2	<10	<2
913656	Drill Core	<0.02	<0.1	<0.02	0.07	<0.1	<0.1	<0.05	0.4	5.30	0.8	<0.02	<1	<0.1	0.2	<10	<2
913657	Rock	3.84	0.1	0.10	0.32	48.1	0.5	<0.05	1.1	5.26	16.8	<0.02	2	0.3	30.3	<10	<2
913658	Drill Core	0.03	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.0	7.42	1.3	<0.02	<1	<0.1	0.1	<10	<2
913659	Drill Core	0.03	<0.1	<0.02	0.03	0.2	<0.1	<0.05	1.1	9.85	1.6	<0.02	<1	<0.1	0.3	<10	<2
913660DP 913659 PULP	Incline	0.03	<0.1	<0.02	0.03	0.2	<0.1	<0.05	1.2	10.06	1.5	<0.02	<1	<0.1	0.2	<10	<2
913661	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.7	9.67	1.7	<0.02	1	0.1	0.4	<10	<2
913662	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.6	8.55	1.4	<0.02	3	<0.1	0.3	<10	<2
913663	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	9.46	1.7	<0.02	1	<0.1	0.6	<10	<2
913664	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	11.49	2.4	<0.02	<1	<0.1	0.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006486.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913654	Drill Core	6.04	0.30	0.02	0.04	12.25	42.06	0.02	<0.01	<0.01	0.05	<0.01	<0.002	29	<20	223	<5	6	<5	<1	45.0
Pulp Duplicates																					
913656	Drill Core	6.29	0.14	0.01	<0.04	12.58	41.80	0.03	<0.01	<0.01	0.03	<0.01	<0.002	28	<20	230	<5	7	<5	<1	45.1
REP 913656	QC																				
913662	Drill Core	6.24	0.35	0.03	<0.04	16.22	37.35	0.03	0.01	<0.01	0.10	<0.01	<0.002	28	<20	190	<5	9	7	<1	45.6
REP 913662	QC		0.34	0.03	<0.04	16.19	37.34	0.03	0.01	<0.01	0.11	<0.01	0.002	30	<20	192	<5	10	<5	<1	45.6
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.21	14.13	7.59	3.33	6.32	3.69	2.15	0.68	0.82	0.39	0.543	486	47	383	304	30	26	24	1.9
STD SO-18	Standard		58.25	14.12	7.55	3.34	6.32	3.69	2.15	0.69	0.82	0.39	0.541	487	46	383	300	30	21	24	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.00	15.92	3.47	1.16	3.60	3.64	3.70	0.40	0.19	0.10	<0.002	1057	<20	706	153	17	28	5	0.6
G1	Prep Blank		67.09	15.89	3.44	1.14	3.64	3.68	3.61	0.41	0.20	0.10	<0.002	952	<20	706	143	16	25	6	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006486.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913654	Drill Core	99.80	13.36	<0.02	0.20	0.65	0.21	14.9	11	0.4	0.1	27	<0.01	0.8	2.4	0.4	<0.1	202.9	0.82	0.11	<0.02
Pulp Duplicates																					
913656	Drill Core	99.79	13.13	<0.02	0.20	0.54	0.28	10.2	11	<0.1	0.1	9	<0.01	0.8	2.7	0.4	<0.1	205.7	0.67	0.07	<0.02
REP 913656	QC				0.20	0.59	0.26	11.4	11	<0.1	0.3	10	<0.01	0.7	2.9	0.3	<0.1	214.0	0.65	0.07	<0.02
913662	Drill Core	99.73	12.97	<0.02	0.18	0.37	0.25	11.5	5	<0.1	<0.1	24	<0.01	<0.1	2.8	<0.2	<0.1	176.0	0.56	0.09	<0.02
REP 913662	QC	99.72																			
Reference Materials																					
STD CSC	Standard		3.21	4.00																	
STD DS7	Standard				18.83	95.97	59.32	371.5	871	49.9	8.9	582	2.24	46.1	4.1	45.6	3.9	68.0	5.52	4.29	4.02
STD DS8	Standard				14.04	109.9	130.6	310.6	1864	38.3	7.3	631	2.40	24.9	2.7	105.2	6.4	65.6	2.46	5.02	7.14
STD OREAS45PA	Standard				0.87	592.4	17.55	112.8	288	293.4	99.7	1049	15.84	3.4	1.1	45.7	6.2	13.0	0.08	0.14	0.18
STD OREAS76A	Standard		0.16	17.22																	
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.92																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																					
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	100.00	0.03	<0.02	0.25	9.44	2.64	43.8	23	2.7	3.9	594	1.90	0.2	1.8	0.6	5.5	53.4	0.02	<0.02	0.06
G1	Prep Blank	100.01	<0.02	<0.02	0.39	2.58	2.73	44.1	12	2.7	4.3	587	1.91	<0.1	1.8	0.3	5.1	54.8	0.03	<0.02	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006486.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913654	Drill Core	9	25.73	0.018	1.9	12.5	6.76	27.1	<0.001	<20	0.01	0.006	<0.01	<0.1	0.1	<0.02	0.05	190	0.3	<0.02	<0.1
Pulp Duplicates																					
913656	Drill Core	8	25.71	0.009	1.7	13.1	6.98	26.3	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	<0.02	0.05	156	0.4	0.04	<0.1
REP 913656	QC	8	26.24	0.008	1.8	13.6	6.89	27.3	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	0.04	168	0.3	0.02	<0.1
913662	Drill Core	9	23.41	0.038	4.6	13.7	8.93	25.2	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	<0.02	<0.02	105	0.4	<0.02	<0.1
REP 913662	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	76	0.89	0.068	11.1	164.6	0.97	343.3	0.113	42	0.95	0.085	0.44	3.0	2.5	3.52	0.19	181	3.2	1.08	4.5
STD DS8	Standard	41	0.69	0.075	15.4	122.8	0.59	309.6	0.113	<20	0.89	0.078	0.40	3.3	2.4	5.66	0.16	222	5.6	5.50	4.7
STD OREAS45PA	Standard	221	0.23	0.034	15.3	780.6	0.11	156.7	0.140	<20	3.47	0.010	0.08	<0.1	44.1	0.07	<0.02	24	0.6	0.06	16.0
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	37	0.55	0.077	12.2	6.9	0.53	158.5	0.131	<20	0.93	0.084	0.48	<0.1	2.2	0.31	<0.02	<5	0.3	0.07	4.7
G1	Prep Blank	37	0.54	0.083	11.3	8.7	0.54	154.9	0.136	<20	0.97	0.093	0.51	<0.1	2.2	0.31	<0.02	8	0.2	<0.02	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 16, 2010

QUALITY CONTROL REPORT VAN10006486.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913654	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	4.96	0.8	<0.02	<1	<0.1	0.2	<10	<2
Pulp Duplicates																	
913656	Drill Core	<0.02	<0.1	<0.02	0.07	<0.1	<0.1	<0.05	0.4	5.30	0.8	<0.02	<1	<0.1	0.2	<10	<2
REP 913656	QC	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	5.48	0.8	<0.02	<1	<0.1	0.1	<10	<2
913662	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.6	8.55	1.4	<0.02	3	<0.1	0.3	<10	<2
REP 913662	QC																
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	5.59	0.1	0.11	0.43	33.7	4.4	<0.05	5.1	5.47	32.1	1.42	4	1.2	27.6	79	34
STD DS8	Standard	2.65	0.1	0.08	1.18	37.6	7.1	<0.05	2.1	5.73	29.3	2.28	63	4.7	24.2	128	366
STD OREAS45PA	Standard	1.06	0.2	0.54	0.22	8.7	1.7	<0.05	21.9	8.47	34.2	0.06	<1	0.6	6.1	33	68
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.65	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.00	0.1	0.10	0.45	40.9	0.6	<0.05	1.3	5.48	23.2	<0.02	<1	0.3	30.5	<10	<2
G1	Prep Blank	2.89	<0.1	0.07	0.41	43.7	0.5	<0.05	1.3	5.56	21.8	<0.02	<1	0.2	30.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 22, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006487.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-06
P.O. Number MT. GUY 197
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	13	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006487.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913665	Drill Core	0.25	64.81	12.44	6.21	2.05	3.55	2.55	1.45	0.70	0.23	0.18	0.008	1163	28	234	98	30	<5	19	5.6
913666	Drill Core	0.50	83.57	6.92	3.09	0.77	0.31	0.07	1.80	0.34	0.10	0.03	0.009	1298	23	23	78	28	<5	10	2.8
913667	Drill Core	1.76	77.25	9.89	4.56	0.92	0.16	0.06	2.28	0.64	0.14	0.07	0.012	1437	32	20	110	27	<5	13	3.8
913668	Drill Core	0.25	80.01	7.64	4.52	0.46	0.13	0.03	1.03	0.61	0.14	1.07	0.015	1290	158	15	85	22	<5	12	4.0
913669	Drill Core	1.24	74.28	10.95	6.03	0.85	0.17	0.05	1.92	0.80	0.18	0.11	0.016	1717	44	27	120	28	16	16	4.4
913670	Drill Core	0.24	1.05	0.16	0.11	0.37	81.50	0.01	0.02	0.01	0.14	0.03	<0.002	43	<20	179	7	<3	5	<1	16.6
913671	Drill Core	2.15	80.03	8.22	4.52	0.71	0.21	0.06	1.77	0.55	0.20	0.18	0.014	1345	117	76	110	87	10	11	3.3
913672	Rock	0.53	66.62	15.74	3.52	1.29	3.76	3.54	3.54	0.43	0.21	0.10	0.002	1053	<20	753	139	17	18	6	1.0
913673	Drill Core	0.59	77.85	8.30	4.44	0.74	1.05	0.06	1.71	0.55	0.77	0.25	0.013	1588	223	137	102	107	<5	12	4.0
913674	Drill Core	3.71	15.83	2.76	1.21	11.65	29.75	0.04	0.39	0.16	0.29	0.06	0.006	484	55	183	33	46	<5	4	37.5
913675	Drill Core	6.52	0.47	0.11	0.08	14.72	38.06	0.03	0.02	<0.01	0.14	<0.01	0.002	53	<20	247	8	9	<5	<1	46.1
913676	Drill Core	6.96	0.35	0.07	<0.04	17.65	34.89	0.03	0.02	<0.01	0.10	<0.01	<0.002	50	<20	190	<5	11	<5	<1	46.5
913677	Drill Core	4.87	0.28	0.06	0.07	16.62	36.47	0.03	0.01	<0.01	0.11	<0.01	0.002	32	<20	247	<5	12	<5	<1	46.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006487.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913665	Drill Core	99.94	0.98	0.09	5.14	71.49	4.01	66.9	3945	19.4	28.6	1352	3.65	5.8	0.7	4.6	1.9	84.8	0.35	0.44	0.10
913666	Drill Core	100.00	0.18	<0.02	4.52	108.6	3.95	37.7	12165	16.9	5.5	196	1.80	5.1	0.8	19.1	3.1	11.6	2.64	0.29	0.19
913667	Drill Core	99.97	0.07	<0.02	8.32	110.4	7.68	43.2	5060	23.8	25.5	540	2.74	7.9	1.3	0.8	4.1	9.2	0.38	0.40	0.19
913668	Drill Core	99.86	0.10	<0.02	8.10	419.7	8.58	88.2	12469	152.2	634.7	8338	2.91	5.5	1.0	1.7	2.4	9.8	0.42	0.22	0.12
913669	Drill Core	99.96	0.08	<0.02	6.19	134.2	9.27	65.7	3772	30.4	14.8	746	3.76	8.5	1.2	0.5	4.0	11.6	0.41	0.33	0.20
913670	Drill Core	99.99	0.77	<0.02	0.36	4.62	0.44	5.2	17	1.1	0.2	148	<0.01	<0.1	0.3	<0.2	<0.1	141.4	0.47	0.07	<0.02
913671	Drill Core	99.92	0.06	<0.02	8.28	246.1	9.43	160.7	28581	106.5	42.4	1377	2.70	10.2	1.4	4.6	3.5	22.4	2.34	0.64	0.19
913672	Rock	99.98	0.03	<0.02	0.13	2.35	2.25	47.7	54	3.8	5.0	561	2.04	<0.1	2.7	1.1	4.0	61.2	0.01	<0.02	0.07
913673	Drill Core	99.93	0.08	<0.02	7.59	209.1	12.60	230.4	5363	203.1	40.3	1909	2.72	12.3	6.0	2.0	3.9	60.6	2.41	1.16	0.21
913674	Drill Core	99.77	10.53	<0.02	1.87	50.05	3.07	91.2	1575	44.3	11.6	429	0.63	4.1	3.8	1.4	1.2	132.3	1.93	0.57	0.07
913675	Drill Core	99.75	13.03	<0.02	0.22	1.12	0.42	17.5	19	1.8	0.2	30	<0.01	1.3	4.0	<0.2	0.1	200.1	0.64	0.25	<0.02
913676	Drill Core	99.70	12.74	<0.02	0.17	0.60	0.37	15.7	8	1.7	0.1	34	<0.01	0.8	3.1	<0.2	<0.1	151.8	0.42	0.15	<0.02
913677	Drill Core	99.72	13.33	<0.02	0.19	0.54	0.34	17.1	8	1.6	<0.1	43	<0.01	0.4	3.4	<0.2	<0.1	202.3	0.51	0.16	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006487.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913665	Drill Core	72	2.12	0.079	13.6	16.4	0.89	471.2	0.016	<20	1.67	0.025	0.16	6.7	7.3	0.23	0.10	540	0.5	<0.02	6.2
913666	Drill Core	19	0.21	0.041	15.7	25.5	0.14	317.2	0.003	<20	0.63	0.010	0.22	29.6	3.7	0.14	<0.02	412	0.8	<0.02	3.2
913667	Drill Core	36	0.10	0.051	16.9	34.1	0.08	250.1	0.003	<20	0.66	0.006	0.16	7.6	4.9	0.17	<0.02	508	1.4	0.06	3.6
913668	Drill Core	58	0.08	0.055	10.0	68.2	0.07	800.2	0.005	<20	1.19	0.006	0.13	19.1	6.8	1.45	<0.02	977	0.5	0.04	5.7
913669	Drill Core	56	0.11	0.071	16.1	57.6	0.09	336.7	0.004	<20	0.78	0.007	0.14	4.6	6.4	0.24	<0.02	377	1.2	0.05	4.8
913670	Drill Core	4	>40	0.051	0.9	1.5	0.17	36.0	0.004	<20	0.06	0.001	<0.01	0.1	0.6	<0.02	<0.02	5	0.5	<0.02	0.2
913671	Drill Core	49	0.14	0.071	28.4	36.7	0.08	421.4	0.004	<20	0.74	0.008	0.18	73.4	4.7	0.68	<0.02	1290	1.1	<0.02	3.8
913672	Rock	43	0.56	0.089	8.3	8.8	0.65	283.8	0.149	<20	1.03	0.075	0.59	<0.1	2.3	0.42	<0.02	<5	0.1	<0.02	5.1
913673	Drill Core	57	0.72	0.328	66.4	38.3	0.12	548.3	0.006	<20	1.07	0.011	0.21	16.1	5.1	0.70	<0.02	1365	1.4	0.05	4.1
913674	Drill Core	23	21.94	0.112	21.4	20.8	6.05	165.5	0.004	<20	0.50	0.002	0.07	9.8	1.7	0.16	<0.02	1281	0.4	0.04	1.4
913675	Drill Core	12	29.43	0.053	4.6	16.1	7.57	36.6	<0.001	<20	0.03	0.014	<0.01	0.2	0.3	<0.02	<0.02	64	<0.1	0.04	0.1
913676	Drill Core	10	25.69	0.035	5.4	13.4	8.82	30.5	<0.001	<20	0.02	0.014	<0.01	0.2	0.2	<0.02	<0.02	91	<0.1	<0.02	<0.1
913677	Drill Core	9	26.83	0.041	4.9	14.9	8.41	21.8	<0.001	<20	0.02	0.014	<0.01	<0.1	0.2	<0.02	<0.02	125	0.2	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006487.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913665	Drill Core	0.33	<0.1	0.11	<0.02	6.1	0.4	<0.05	4.8	12.89	33.6	0.04	1	0.5	11.2	<10	<2
913666	Drill Core	0.47	<0.1	0.07	0.02	9.9	0.5	<0.05	3.1	16.82	33.0	0.03	3	0.7	1.8	<10	<2
913667	Drill Core	0.39	0.1	0.08	<0.02	6.6	0.3	<0.05	3.3	12.70	41.2	0.03	3	0.7	3.5	<10	<2
913668	Drill Core	0.33	<0.1	0.05	<0.02	5.9	0.4	<0.05	2.1	14.03	59.9	0.04	1	0.7	80.8	<10	<2
913669	Drill Core	0.41	<0.1	0.08	<0.02	6.4	0.6	<0.05	3.0	14.45	40.3	0.05	<1	0.7	2.7	<10	<2
913670	Drill Core	0.03	<0.1	0.04	0.11	0.3	<0.1	<0.05	1.5	1.50	1.0	<0.02	3	<0.1	0.3	<10	<2
913671	Drill Core	0.44	<0.1	0.06	<0.02	8.6	1.5	<0.05	3.9	72.37	47.9	0.03	2	1.1	8.1	<10	<2
913672	Rock	4.51	0.1	0.07	0.23	51.0	0.5	<0.05	0.9	5.16	17.4	<0.02	1	0.3	29.4	<10	<2
913673	Drill Core	0.77	0.1	<0.02	0.03	11.4	1.4	<0.05	1.2	91.63	59.0	0.04	<1	1.6	6.2	<10	<2
913674	Drill Core	0.28	<0.1	0.22	0.09	4.3	0.3	<0.05	7.8	38.97	12.9	<0.02	4	0.2	4.1	10	<2
913675	Drill Core	0.03	<0.1	<0.02	0.03	0.5	<0.1	<0.05	1.2	8.12	1.6	<0.02	3	0.2	1.6	<10	<2
913676	Drill Core	<0.02	<0.1	<0.02	0.04	0.3	<0.1	<0.05	1.0	9.38	1.7	<0.02	<1	<0.1	1.0	<10	<2
913677	Drill Core	<0.02	<0.1	<0.02	<0.02	0.3	<0.1	<0.05	1.1	9.21	1.6	<0.02	1	<0.1	0.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006487.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Core Reject Duplicates																					
913666	Drill Core	0.50	83.57	6.92	3.09	0.77	0.31	0.07	1.80	0.34	0.10	0.03	0.009	1298	23	23	78	28	<5	10	2.8
DUP 913666	QC		83.92	6.75	3.13	0.74	0.29	0.07	1.64	0.33	0.10	0.03	0.010	1278	22	22	73	27	6	10	2.8
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.27	13.97	7.58	3.30	6.33	3.73	2.19	0.69	0.86	0.39	0.554	503	48	389	299	31	20	25	1.9
STD SO-18	Standard		58.14	14.12	7.56	3.33	6.32	3.69	2.19	0.69	0.85	0.40	0.564	503	49	396	301	32	16	25	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		66.23	16.34	3.39	1.16	3.69	3.70	3.74	0.40	0.20	0.10	<0.002	1179	<20	784	165	17	26	6	0.8
G1	Prep Blank		66.50	16.00	3.37	1.21	3.73	3.72	3.70	0.41	0.21	0.10	<0.002	1133	<20	766	155	18	27	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006487.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Core Reject Duplicates																					
913666	Drill Core	100.00	0.18	<0.02	4.52	108.6	3.95	37.7	12165	16.9	5.5	196	1.80	5.1	0.8	19.1	3.1	11.6	2.64	0.29	0.19
DUP 913666	QC	100.01	0.18	<0.02	4.87	101.6	4.29	35.2	9685	15.5	5.3	203	1.85	4.4	0.9	2.0	3.1	11.4	1.32	0.29	0.20
Reference Materials																					
STD CSC	Standard		3.22	4.14																	
STD DS7	Standard				19.09	99.57	65.29	380.6	931	49.9	8.8	613	2.43	51.2	4.2	63.4	3.9	70.8	6.18	4.07	4.19
STD DS7	Standard				19.54	99.86	67.60	381.3	907	51.2	8.6	604	2.36	48.6	4.6	48.5	4.9	78.9	5.64	3.91	4.38
STD DS8	Standard				12.93	110.9	117.7	308.0	1749	38.0	7.4	636	2.53	24.6	2.5	110.3	6.1	66.9	2.39	4.87	6.51
STD DS8	Standard				12.89	107.1	124.0	323.9	1698	36.5	7.4	618	2.51	24.3	2.6	91.8	7.0	69.4	2.20	3.92	6.38
STD OREAS45PA	Standard				0.90	629.9	17.93	119.2	304	310.5	109.5	1178	17.19	3.6	1.1	43.0	6.4	14.7	0.09	0.14	0.17
STD OREAS45PA	Standard				0.82	598.5	18.18	120.5	286	290.2	104.3	1107	16.23	3.6	1.1	39.3	6.6	14.0	0.08	0.10	0.18
STD OREAS76A	Standard		0.17	17.53																	
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.92																			
STD SO-18 Expected																					
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.3	<0.1	<0.5	<0.01	<0.02	<0.02
Prep Wash																					
G1	Prep Blank	100.00	0.07	<0.02	0.08	2.30	3.37	47.1	12	2.8	4.2	586	1.98	<0.1	2.0	<0.2	5.7	62.7	0.03	<0.02	0.07
G1	Prep Blank	99.99	0.09	<0.02	0.09	2.02	3.15	44.5	12	2.7	4.4	569	1.96	<0.1	1.9	<0.2	6.3	62.5	0.01	<0.02	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006487.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Core Reject Duplicates																					
913666	Drill Core	19	0.21	0.041	15.7	25.5	0.14	317.2	0.003	<20	0.63	0.010	0.22	29.6	3.7	0.14	<0.02	412	0.8	<0.02	3.2
DUP 913666	QC	18	0.20	0.039	15.7	26.3	0.12	287.0	0.003	<20	0.56	0.009	0.19	29.3	3.6	0.14	<0.02	412	0.6	0.02	3.0
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	84	0.95	0.084	12.2	169.1	1.06	388.0	0.112	37	1.03	0.105	0.47	3.2	2.7	3.83	0.21	197	3.3	1.34	4.6
STD DS7	Standard	82	0.90	0.071	13.0	174.0	1.05	402.6	0.124	<20	1.03	0.106	0.46	3.2	2.7	4.06	0.20	209	3.2	1.03	4.9
STD DS8	Standard	43	0.71	0.090	15.6	117.5	0.62	296.4	0.116	<20	0.94	0.094	0.42	2.6	2.5	5.34	0.17	175	5.3	5.18	4.6
STD DS8	Standard	43	0.69	0.078	15.4	112.8	0.63	282.6	0.119	<20	0.96	0.097	0.43	2.4	2.4	5.37	0.17	209	5.5	4.92	4.8
STD OREAS45PA	Standard	237	0.25	0.040	17.3	800.2	0.11	180.5	0.143	<20	3.53	0.013	0.07	<0.1	50.3	0.06	<0.02	32	0.6	0.02	17.0
STD OREAS45PA	Standard	222	0.25	0.038	16.2	794.5	0.10	175.5	0.142	<20	3.35	0.004	0.07	<0.1	46.0	0.07	0.02	33	0.6	<0.02	17.3
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	40	0.62	0.085	13.5	6.4	0.59	179.6	0.133	<20	1.01	0.095	0.53	<0.1	2.2	0.33	<0.02	<5	<0.1	<0.02	4.8
G1	Prep Blank	40	0.68	0.089	15.0	6.3	0.60	188.0	0.137	<20	0.98	0.093	0.50	<0.1	2.2	0.34	<0.02	<5	<0.1	<0.02	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006487.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Core Reject Duplicates																	
913666	Drill Core	0.47	<0.1	0.07	0.02	9.9	0.5	<0.05	3.1	16.82	33.0	0.03	3	0.7	1.8	<10	<2
DUP 913666	QC	0.48	<0.1	0.08	<0.02	9.1	0.4	<0.05	3.2	16.65	33.4	0.03	1	0.3	1.8	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.11	<0.1	0.09	0.37	36.0	4.8	<0.05	4.9	5.48	35.1	1.65	2	1.4	25.7	74	31
STD DS7	Standard	6.06	<0.1	0.09	0.45	36.7	4.9	<0.05	5.9	5.83	38.4	1.57	5	1.3	27.2	70	29
STD DS8	Standard	2.61	0.1	0.07	1.04	38.2	7.2	<0.05	1.9	5.81	28.3	2.51	52	4.1	24.0	118	333
STD DS8	Standard	2.40	<0.1	0.06	1.06	37.1	6.3	<0.05	2.4	6.02	28.4	2.05	55	4.6	26.8	106	336
STD OREAS45PA	Standard	1.13	<0.1	0.54	0.29	9.2	1.8	<0.05	21.6	8.92	37.1	0.10	<1	0.7	6.2	54	72
STD OREAS45PA	Standard	1.07	<0.1	0.68	0.37	9.5	1.5	<0.05	25.1	8.57	35.5	0.09	<1	0.6	6.9	46	75
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																	
G1	Prep Blank	3.34	0.1	0.07	0.34	46.8	0.8	<0.05	1.2	5.92	24.9	<0.02	<1	0.3	26.2	<10	<2
G1	Prep Blank	3.44	0.1	0.09	0.39	46.8	0.6	<0.05	1.3	5.99	28.3	<0.02	1	0.3	25.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 11, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006488.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-07
P.O. Number MT. GUY 197
Number of Samples: 7

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	6	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	7	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	7	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006488.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913678	Drill Core	1.95	74.39	10.42	5.75	0.94	0.48	0.09	2.17	0.86	0.19	0.10	0.017	2454	58	68	120	26	19	15	4.3
913679	Drill Core	2.45	58.54	7.42	3.92	0.78	15.05	0.04	1.53	0.50	0.24	0.19	0.012	2092	62	87	87	46	12	11	11.5
913680DP 913679 PULP	Incline		58.56	7.41	3.91	0.78	14.86	0.04	1.55	0.50	0.24	0.19	0.011	2090	63	87	85	47	8	11	11.6
913681	Drill Core	2.28	0.31	0.08	0.05	11.95	43.50	0.02	<0.01	<0.01	0.06	<0.01	0.002	47	22	193	<5	10	9	<1	43.8
913682	Drill Core	1.37	67.25	15.28	3.71	1.32	3.66	3.46	3.65	0.43	0.21	0.10	<0.002	1016	<20	733	173	17	27	7	0.7
913683	Drill Core	5.77	0.14	0.04	<0.04	16.02	37.81	0.02	<0.01	<0.01	0.13	<0.01	0.004	32	<20	195	5	12	5	<1	45.5
913684	Drill Core	1.92	0.34	0.08	0.06	13.14	41.07	0.02	0.02	<0.01	0.08	<0.01	0.002	33	<20	227	19	9	<5	<1	44.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006488.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913678	Drill Core	99.97	0.12	<0.02	6.78	108.2	8.87	101.5	1965	46.7	21.4	721	3.31	9.5	1.2	0.7	3.6	36.2	0.49	0.46	0.16
913679	Drill Core	99.95	3.17	<0.02	6.21	115.8	7.87	124.3	1031	57.2	49.8	1425	2.20	10.6	1.8	19.6	2.7	55.2	2.73	0.42	0.14
913680DP 913679 PULP	Incline	99.96	3.20	<0.02	6.14	114.1	7.79	122.2	854	55.8	48.7	1389	2.19	10.4	1.7	18.6	2.7	56.7	2.62	0.40	0.13
913681	Drill Core	99.80	12.85	<0.02	0.28	1.85	0.30	21.9	32	3.6	0.6	50	<0.01	0.6	2.8	1.7	<0.1	170.6	0.92	0.10	<0.02
913682	Drill Core	99.98	0.05	<0.02	0.09	1.96	2.64	43.1	22	3.6	4.3	540	1.98	0.1	2.1	<0.2	4.0	61.8	0.01	<0.02	0.08
913683	Drill Core	99.74	12.97	<0.02	0.27	0.48	0.34	15.9	8	2.2	<0.1	31	<0.01	0.6	3.4	0.4	<0.1	165.1	0.65	0.13	<0.02
913684	Drill Core	99.77	12.46	<0.02	0.42	1.50	0.30	16.6	9	4.1	0.2	20	0.01	1.0	2.9	0.2	<0.1	200.9	0.70	0.22	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006488.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913678	Drill Core	36	0.29	0.063	19.1	29.2	0.14	552.8	0.003	<20	0.67	0.006	0.18	2.4	5.1	0.24	<0.02	308	0.5	<0.02	2.5
913679	Drill Core	30	10.29	0.089	22.3	21.8	0.16	652.6	0.002	<20	0.55	0.004	0.13	1.0	3.8	0.43	<0.02	1278	0.4	0.02	1.7
913680DP 913679 PULP	Incline	32	10.19	0.091	22.8	22.3	0.16	680.0	0.002	<20	0.60	0.004	0.14	1.0	4.0	0.43	<0.02	1277	0.5	0.08	1.8
913681	Drill Core	9	25.32	0.024	5.1	13.0	6.58	38.9	<0.001	<20	0.02	0.008	<0.01	0.4	0.2	0.02	<0.02	209	0.4	<0.02	<0.1
913682	Drill Core	41	0.54	0.082	8.3	10.8	0.61	254.4	0.151	<20	0.97	0.070	0.55	0.1	2.4	0.35	<0.02	5	<0.1	<0.02	4.7
913683	Drill Core	12	22.93	0.050	6.3	21.9	8.44	25.9	<0.001	<20	0.01	0.010	<0.01	0.3	0.1	<0.02	<0.02	96	0.3	<0.02	<0.1
913684	Drill Core	13	24.99	0.030	4.2	17.8	7.09	27.9	<0.001	<20	0.01	0.007	<0.01	0.3	0.1	<0.02	<0.02	118	0.4	0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006488.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913678	Drill Core	0.56	<0.1	0.05	<0.02	7.2	0.5	<0.05	2.7	12.05	43.5	0.03	3	0.5	3.8	<10	4
913679	Drill Core	0.50	<0.1	0.04	<0.02	5.9	0.2	<0.05	2.6	33.52	37.6	0.03	<1	0.6	9.1	<10	<2
913680DP 913679 PULP	Incline	0.55	<0.1	0.05	<0.02	6.5	0.3	<0.05	3.5	33.33	39.7	0.03	<1	0.6	8.2	<10	3
913681	Drill Core	0.02	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.6	9.22	1.9	<0.02	1	<0.1	0.6	<10	<2
913682	Drill Core	3.55	<0.1	0.07	0.23	47.7	0.6	<0.05	0.9	4.85	17.1	<0.02	<1	0.2	30.6	<10	<2
913683	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.7	9.89	2.0	<0.02	3	<0.1	0.5	<10	<2
913684	Drill Core	<0.02	<0.1	<0.02	0.21	0.3	<0.1	<0.05	0.5	7.51	1.7	<0.02	2	<0.1	0.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006488.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913684	Drill Core	1.92	0.34	0.08	0.06	13.14	41.07	0.02	0.02	<0.01	0.08	<0.01	0.002	33	<20	227	19	9	<5	<1	44.9
Pulp Duplicates																					
913682	Drill Core	1.37	67.25	15.28	3.71	1.32	3.66	3.46	3.65	0.43	0.21	0.10	<0.002	1016	<20	733	173	17	27	7	0.7
REP 913682	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.10	14.15	7.50	3.35	6.35	3.74	2.18	0.69	0.83	0.39	0.565	500	47	400	308	31	19	25	1.9
STD SO-18	Standard		57.97	14.21	7.58	3.36	6.33	3.73	2.20	0.69	0.83	0.39	0.565	503	42	397	307	31	26	25	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		67.56	15.50	3.28	1.10	3.41	3.55	3.82	0.37	0.19	0.09	<0.002	1116	<20	732	141	17	26	6	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006488.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913684	Drill Core	99.77	12.46	<0.02	0.42	1.50	0.30	16.6	9	4.1	0.2	20	0.01	1.0	2.9	0.2	<0.1	200.9	0.70	0.22	<0.02
Pulp Duplicates																					
913682	Drill Core	99.98	0.05	<0.02	0.09	1.96	2.64	43.1	22	3.6	4.3	540	1.98	0.1	2.1	<0.2	4.0	61.8	0.01	<0.02	0.08
REP 913682	QC		0.05	<0.02																	
Reference Materials																					
STD CSC	Standard		3.12	4.19																	
STD DS7	Standard				20.87	130.5	66.05	397.9	959	52.4	9.0	608	2.28	48.7	4.2	55.7	4.0	68.4	6.26	3.74	4.50
STD DS7	Standard				20.52	102.9	71.36	371.3	906	52.7	9.4	607	2.27	47.4	5.1	53.1	4.8	85.5	5.59	4.08	4.36
STD DS8	Standard				12.53	106.8	118.0	307.3	1695	36.2	6.8	598	2.35	23.3	2.4	89.0	5.5	60.2	2.15	3.98	6.41
STD DS8	Standard				13.67	109.1	129.7	313.1	1644	37.6	7.1	616	2.54	23.9	3.0	92.3	7.1	69.7	2.24	3.97	6.90
STD OREAS45PA	Standard				0.89	646.8	21.56	123.8	346	314.5	112.1	1153	16.90	4.5	1.3	51.1	7.8	16.0	0.11	0.12	0.22
STD OREAS76A	Standard		0.17	17.34																	
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.92																			
STD SO-18 Expected																					
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
BLK	Blank	<0.01																			
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
Prep Wash																					
G1	Prep Blank	100.00	0.03	<0.02	0.08	2.13	3.34	40.5	12	2.8	3.7	505	1.67	0.1	1.3	1.1	4.8	49.5	0.02	<0.02	0.14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006488.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913684	Drill Core	13	24.99	0.030	4.2	17.8	7.09	27.9	<0.001	<20	0.01	0.007	<0.01	0.3	0.1	<0.02	<0.02	118	0.4	0.02	<0.1
Pulp Duplicates																					
913682	Drill Core	41	0.54	0.082	8.3	10.8	0.61	254.4	0.151	<20	0.97	0.070	0.55	0.1	2.4	0.35	<0.02	5	<0.1	<0.02	4.7
REP 913682	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	78	0.92	0.075	11.7	180.3	1.03	411.6	0.111	32	0.98	0.092	0.45	3.7	2.4	4.08	0.19	206	3.5	1.37	4.6
STD DS7	Standard	77	0.95	0.073	13.9	184.9	1.00	389.2	0.133	33	1.02	0.098	0.44	3.0	2.9	3.71	0.18	218	3.0	1.20	4.6
STD DS8	Standard	39	0.66	0.075	13.2	109.6	0.59	282.7	0.102	<20	0.88	0.082	0.40	2.9	2.0	5.27	0.16	188	5.2	4.53	4.3
STD DS8	Standard	42	0.69	0.082	15.8	118.8	0.62	292.0	0.123	<20	0.94	0.089	0.41	2.4	2.5	5.33	0.16	199	5.0	5.14	4.5
STD OREAS45PA	Standard	226	0.25	0.037	18.6	838.6	0.13	192.4	0.175	<20	3.92	0.013	0.08	<0.1	49.4	0.08	<0.02	30	0.5	0.06	17.9
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	32	0.41	0.072	11.2	7.3	0.47	199.4	0.104	<20	0.79	0.063	0.44	0.3	1.6	0.30	<0.02	<5	<0.1	<0.02	3.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006488.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913684	Drill Core	<0.02	<0.1	<0.02	0.21	0.3	<0.1	<0.05	0.5	7.51	1.7	<0.02	2	<0.1	0.5	<10	<2
Pulp Duplicates																	
913682	Drill Core	3.55	<0.1	0.07	0.23	47.7	0.6	<0.05	0.9	4.85	17.1	<0.02	<1	0.2	30.6	<10	<2
REP 913682	QC																
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	5.93	<0.1	0.10	0.32	36.2	4.9	<0.05	5.3	5.31	36.3	1.46	6	1.3	26.5	68	31
STD DS7	Standard	5.81	0.1	0.10	0.38	35.4	4.5	<0.05	5.3	6.43	38.7	1.45	7	1.7	26.6	59	36
STD DS8	Standard	2.31	<0.1	0.08	0.93	37.0	6.2	<0.05	2.1	5.26	25.7	2.07	57	5.0	24.0	114	328
STD DS8	Standard	2.43	<0.1	0.08	0.85	36.8	6.8	<0.05	1.9	5.84	29.4	2.21	60	4.8	27.1	114	360
STD OREAS45PA	Standard	1.36	<0.1	0.59	0.22	10.4	1.7	<0.05	22.7	9.13	40.6	0.12	<1	0.5	7.5	68	86
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	2.1	6.1	29.8	2.19	55	5.2	26.34	110	339
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																	
G1	Prep Blank	2.79	<0.1	0.06	0.24	39.0	0.4	<0.05	1.1	4.11	21.1	<0.02	<1	0.1	25.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 04, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006489.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-08
P.O. Number MT. GUY 197
Number of Samples: 18

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	16	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	18	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	18	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006489.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913685	Drill Core	1.27	0.22	0.07	0.05	0.38	56.18	0.02	0.01	<0.01	<0.01	<0.01	0.004	44	<20	361	<5	8	<5	<1	43.0
913686	Drill Core	5.11	0.12	0.01	<0.04	0.36	56.42	0.01	0.01	<0.01	<0.01	<0.01	0.004	28	<20	279	<5	8	<5	<1	43.0
913687	Drill Core	6.81	0.19	<0.01	<0.04	1.18	55.60	0.01	<0.01	<0.01	0.01	<0.01	0.003	45	<20	270	<5	7	<5	<1	42.9
913688	Drill Core	5.45	0.88	0.03	<0.04	4.68	50.88	0.04	<0.01	<0.01	0.06	<0.01	0.002	47	<20	224	11	8	<5	<1	43.3
913689	Drill Core	5.86	0.77	0.05	<0.04	2.83	53.17	0.04	0.01	<0.01	0.06	<0.01	0.003	37	<20	199	<5	9	<5	<1	43.0
913690	Rock Chip	0.23	1.53	0.18	0.09	0.40	78.85	0.16	0.02	0.01	0.13	0.02	<0.002	39	<20	169	5	<3	<5	<1	18.6
913691	Drill Core	6.09	0.38	<0.01	<0.04	1.16	55.58	0.06	<0.01	<0.01	0.02	<0.01	<0.002	38	<20	232	<5	8	<5	<1	42.7
913692	Drill Core	6.12	2.20	0.03	<0.04	8.25	45.57	0.02	<0.01	<0.01	0.07	<0.01	0.005	39	<20	164	24	10	10	<1	43.6
913693	Drill Core	5.88	0.37	0.03	<0.04	5.10	50.70	0.01	<0.01	<0.01	0.03	<0.01	0.003	59	<20	262	<5	6	<5	<1	43.6
913694	Drill Core	0.51	65.96	15.87	3.64	1.38	3.91	3.45	3.83	0.43	0.21	0.10	<0.002	1092	<20	744	150	18	24	6	1.0
913695	Drill Core	5.83	0.16	0.06	0.06	5.49	49.94	<0.01	<0.01	<0.01	0.02	<0.01	0.003	53	<20	238	<5	9	<5	<1	44.1
913696	Drill Core	5.99	0.44	0.11	<0.04	5.61	49.83	<0.01	0.01	<0.01	0.03	<0.01	0.003	73	<20	291	15	6	<5	<1	43.8
913697	Drill Core	6.04	0.49	0.07	<0.04	11.82	42.39	0.01	0.01	<0.01	0.03	<0.01	0.002	34	<20	239	<5	6	<5	<1	44.9
913698	Drill Core	6.26	0.22	0.07	<0.04	9.57	44.89	0.02	0.02	<0.01	0.03	<0.01	0.011	47	<20	270	39	7	<5	<1	44.9
913699	Drill Core	6.35	0.55	0.02	<0.04	16.47	36.90	0.01	<0.01	<0.01	0.19	<0.01	0.003	26	<20	169	<5	7	<5	<1	45.6
913700DP 913699 PULP	Incline		0.50	0.02	<0.04	16.71	36.77	0.01	<0.01	<0.01	0.19	<0.01	<0.002	25	<20	170	<5	7	<5	<1	45.5
913701	Drill Core	6.31	0.39	0.04	0.13	15.21	38.69	0.02	0.01	<0.01	0.26	<0.01	0.007	45	<20	188	7	9	6	<1	44.9
913702	Drill Core	5.30	0.35	0.09	<0.04	17.70	35.75	0.02	0.02	<0.01	0.05	<0.01	<0.002	86	<20	188	5	9	7	<1	45.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006489.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913685	Drill Core	100.00	12.53	<0.02	0.03	0.50	0.30	5.8	6	1.2	<0.1	12	<0.01	<0.1	1.6	<0.2	<0.1	311.7	0.58	0.04	<0.02
913686	Drill Core	100.00	12.56	<0.02	0.05	0.53	0.30	5.6	5	2.1	<0.1	14	<0.01	<0.1	1.6	<0.2	<0.1	233.4	0.67	0.06	<0.02
913687	Drill Core	99.99	12.44	<0.02	0.04	0.33	0.31	6.0	3	1.8	<0.1	11	<0.01	<0.1	1.5	<0.2	<0.1	228.6	0.90	0.04	<0.02
913688	Drill Core	99.93	11.10	<0.02	0.10	0.45	0.19	22.1	11	3.3	<0.1	24	<0.01	0.3	2.0	<0.2	<0.1	191.7	1.26	0.12	0.02
913689	Drill Core	99.96	12.61	<0.02	0.04	0.69	0.37	18.4	10	3.0	<0.1	21	<0.01	0.2	1.5	0.8	<0.1	166.5	1.41	0.09	<0.02
913690	Rock Chip	100.00	1.21	0.03	0.33	4.46	0.43	5.4	9	1.9	<0.1	165	<0.01	<0.1	0.3	0.8	<0.1	142.4	0.44	0.06	<0.02
913691	Drill Core	99.98	12.66	<0.02	0.02	0.18	0.14	7.5	4	2.1	<0.1	15	<0.01	<0.1	1.0	<0.2	<0.1	190.4	0.62	0.06	<0.02
913692	Drill Core	99.78	12.58	<0.02	0.17	0.35	0.23	13.5	4	3.3	<0.1	35	<0.01	0.5	3.4	0.3	<0.1	143.2	0.70	0.18	<0.02
913693	Drill Core	99.91	12.58	<0.02	0.08	0.52	0.27	20.6	17	4.3	<0.1	12	<0.01	<0.1	2.5	0.5	<0.1	214.5	1.25	0.08	<0.02
913694	Drill Core	99.99	0.10	<0.02	0.07	1.82	2.10	45.6	9	3.9	4.7	552	1.98	<0.1	2.0	<0.2	3.3	50.2	0.01	<0.02	0.06
913695	Drill Core	99.91	12.90	<0.02	0.16	0.88	0.49	27.8	30	4.6	<0.1	18	<0.01	0.5	3.0	0.4	<0.1	201.1	1.80	0.21	<0.02
913696	Drill Core	99.92	12.44	<0.02	0.12	0.82	0.30	18.6	17	4.4	<0.1	10	<0.01	<0.1	1.8	0.7	<0.1	252.0	0.96	0.11	<0.02
913697	Drill Core	99.81	12.73	<0.02	0.24	0.66	0.30	16.7	11	4.1	<0.1	9	<0.01	0.1	2.3	<0.2	<0.1	218.4	1.16	0.11	<0.02
913698	Drill Core	99.83	12.94	<0.02	0.24	0.46	0.28	13.8	12	3.9	<0.1	8	<0.01	<0.1	2.8	<0.2	<0.1	245.1	0.99	0.10	<0.02
913699	Drill Core	99.74	11.54	<0.02	0.12	0.26	0.21	15.7	5	2.4	<0.1	21	<0.01	0.2	2.2	0.6	<0.1	152.9	0.82	0.03	<0.02
913700DP 913699 PULP	Incline	99.73	13.03	<0.02	0.13	0.25	0.24	16.1	6	2.9	<0.1	20	<0.01	<0.1	2.2	<0.2	<0.1	148.5	0.84	0.04	<0.02
913701	Drill Core	99.74	13.09	<0.02	0.14	0.40	0.29	16.9	8	3.0	<0.1	27	<0.01	<0.1	3.0	<0.2	<0.1	171.6	0.67	0.08	<0.02
913702	Drill Core	99.73	13.04	<0.02	0.34	0.45	0.37	15.9	5	3.5	<0.1	25	<0.01	0.4	2.2	<0.2	<0.1	162.8	0.41	0.16	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006489.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913685	Drill Core	6	36.59	0.004	3.4	13.7	0.17	39.7	<0.001	<20	0.01	0.001	<0.01	<0.1	<0.1	<0.02	<0.02	59	<0.1	0.16	<0.1
913686	Drill Core	4	36.24	0.004	3.7	13.4	0.16	26.8	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	74	<0.1	0.16	<0.1
913687	Drill Core	4	36.78	0.007	2.4	9.8	0.62	43.9	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.1	<0.02	<0.02	49	0.2	0.13	<0.1
913688	Drill Core	5	34.87	0.024	3.2	11.1	2.32	42.8	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	137	<0.1	0.14	<0.1
913689	Drill Core	3	35.45	0.022	2.8	11.8	1.41	31.9	<0.001	<20	0.01	0.004	<0.01	<0.1	<0.1	0.02	<0.02	121	0.1	0.22	<0.1
913690	Rock Chip	4	>40	0.047	0.8	1.4	0.17	32.8	0.004	<20	0.06	0.007	<0.01	<0.1	0.5	<0.02	<0.02	<5	0.2	0.23	0.2
913691	Drill Core	4	35.75	0.007	3.1	14.3	0.59	36.1	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	53	0.2	0.13	<0.1
913692	Drill Core	6	30.24	0.029	3.6	12.6	4.49	36.0	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	94	0.2	0.15	<0.1
913693	Drill Core	7	34.06	0.011	1.6	11.1	2.47	45.2	<0.001	<20	0.01	0.002	<0.01	<0.1	0.1	0.03	<0.02	231	0.1	0.09	<0.1
913694	Drill Core	40	0.64	0.084	7.0	7.0	0.66	265.4	0.134	<20	0.97	0.087	0.58	<0.1	2.1	0.38	<0.02	<5	<0.1	<0.02	5.0
913695	Drill Core	14	34.26	0.008	2.8	12.9	2.76	40.0	<0.001	<20	0.02	0.005	<0.01	<0.1	<0.1	0.02	<0.02	443	0.1	0.14	<0.1
913696	Drill Core	8	34.37	0.011	2.0	12.9	2.84	49.7	<0.001	<20	0.03	0.002	<0.01	<0.1	0.2	<0.02	<0.02	190	<0.1	0.12	<0.1
913697	Drill Core	14	29.90	0.011	2.1	13.5	6.58	31.3	<0.001	<20	0.02	0.006	<0.01	<0.1	0.1	<0.02	<0.02	126	0.1	0.14	<0.1
913698	Drill Core	14	30.65	0.014	2.5	17.0	5.46	41.4	<0.001	<20	0.02	0.005	<0.01	<0.1	0.1	<0.02	<0.02	115	0.1	0.13	<0.1
913699	Drill Core	7	25.48	0.074	2.3	15.4	9.15	26.5	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	126	0.1	0.12	<0.1
913700DP 913699 PULP	Incline	7	25.50	0.076	2.3	15.7	9.17	26.8	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	137	<0.1	0.13	<0.1
913701	Drill Core	9	26.29	0.104	3.0	17.0	8.30	41.5	<0.001	<20	0.01	0.009	<0.01	<0.1	0.1	<0.02	<0.02	105	0.2	0.12	<0.1
913702	Drill Core	7	24.81	0.017	4.0	14.3	9.80	51.3	<0.001	<20	0.02	0.013	<0.01	<0.1	0.1	<0.02	<0.02	98	0.2	0.12	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006489.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913685	Drill Core	0.02	<0.1	<0.02	0.09	0.2	<0.1	<0.05	0.3	6.37	1.1	<0.02	<1	<0.1	0.3	<10	<2
913686	Drill Core	<0.02	<0.1	<0.02	0.07	0.1	<0.1	<0.05	0.4	6.86	1.1	<0.02	<1	<0.1	<0.1	<10	<2
913687	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.4	5.51	0.7	<0.02	<1	<0.1	<0.1	<10	3
913688	Drill Core	<0.02	<0.1	<0.02	0.06	<0.1	<0.1	<0.05	0.6	7.26	1.0	<0.02	<1	<0.1	0.1	<10	<2
913689	Drill Core	<0.02	<0.1	<0.02	0.06	0.2	<0.1	<0.05	0.6	7.05	0.9	<0.02	<1	<0.1	<0.1	<10	<2
913690	Rock Chip	0.03	<0.1	0.03	0.14	0.2	<0.1	<0.05	1.9	1.47	0.8	<0.02	2	<0.1	0.4	<10	<2
913691	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	6.63	0.9	<0.02	<1	<0.1	<0.1	<10	<2
913692	Drill Core	<0.02	<0.1	<0.02	0.09	<0.1	<0.1	<0.05	0.7	7.43	1.1	<0.02	<1	<0.1	0.4	<10	<2
913693	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.6	5.30	0.7	<0.02	<1	<0.1	0.2	<10	<2
913694	Drill Core	3.76	0.1	0.08	0.27	47.5	0.5	<0.05	1.0	4.75	15.3	0.02	<1	0.4	34.2	<10	<2
913695	Drill Core	<0.02	<0.1	<0.02	0.07	0.2	<0.1	<0.05	0.8	7.42	1.3	<0.02	3	<0.1	0.2	<10	<2
913696	Drill Core	0.03	<0.1	<0.02	0.07	0.3	<0.1	<0.05	0.7	5.95	1.0	<0.02	3	<0.1	0.3	<10	<2
913697	Drill Core	0.02	<0.1	<0.02	0.08	0.3	<0.1	<0.05	0.6	5.60	1.0	<0.02	3	<0.1	0.3	<10	2
913698	Drill Core	0.02	<0.1	<0.02	0.09	0.2	<0.1	<0.05	0.6	6.54	1.2	<0.02	3	<0.1	0.4	<10	<2
913699	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.6	6.09	0.8	<0.02	2	<0.1	0.3	<10	<2
913700DP 913699 PULP	Incline	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.6	5.94	0.8	<0.02	<1	<0.1	0.3	<10	<2
913701	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.9	7.86	1.0	<0.02	1	<0.1	0.5	<10	<2
913702	Drill Core	0.03	<0.1	<0.02	0.08	0.3	<0.1	<0.05	0.7	8.40	1.9	<0.02	<1	<0.1	0.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006489.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913691	Drill Core	6.09	0.38	<0.01	<0.04	1.16	55.58	0.06	<0.01	<0.01	0.02	<0.01	<0.002	38	<20	232	<5	8	<5	<1	42.7
REP 913691	QC		0.43	<0.01	<0.04	1.18	55.51	0.06	<0.01	<0.01	0.02	<0.01	0.002	39	<20	235	<5	8	<5	<1	42.7
913692	Drill Core	6.12	2.20	0.03	<0.04	8.25	45.57	0.02	<0.01	<0.01	0.07	<0.01	0.005	39	<20	164	24	10	10	<1	43.6
REP 913692	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.25	14.04	7.55	3.35	6.36	3.70	2.15	0.69	0.83	0.39	0.556	496	39	390	305	31	23	25	1.9
STD SO-18	Standard		58.35	14.01	7.54	3.33	6.32	3.69	2.16	0.69	0.82	0.39	0.555	495	45	390	308	30	22	24	1.9
STD SO-18	Standard		58.20	14.08	7.53	3.33	6.35	3.72	2.15	0.69	0.83	0.39	0.564	506	44	401	303	31	26	25	1.9
STD SO-18	Standard		58.22	14.05	7.56	3.35	6.32	3.71	2.16	0.69	0.83	0.40	0.561	507	44	399	310	31	25	25	1.9
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank	<0.01	66.55	16.10	3.67	1.09	3.52	3.69	3.82	0.40	0.19	0.10	0.002	1116	<20	768	166	17	32	6	0.6
G1	Prep Blank	<0.01	66.84	16.12	3.41	1.11	3.47	3.72	3.77	0.41	0.19	0.10	0.002	1095	<20	757	167	17	28	5	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006489.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
913691	Drill Core	99.98	12.66	<0.02	0.02	0.18	0.14	7.5	4	2.1	<0.1	15	<0.01	<0.1	1.0	<0.2	<0.1	190.4	0.62	0.06	<0.02
REP 913691	QC	99.99																			
913692	Drill Core	99.78	12.58	<0.02	0.17	0.35	0.23	13.5	4	3.3	<0.1	35	<0.01	0.5	3.4	0.3	<0.1	143.2	0.70	0.18	<0.02
REP 913692	QC		12.38	<0.02																	
Reference Materials																					
STD CSC	Standard		3.02	4.27																	
STD DS7	Standard				20.73	106.3	66.40	386.0	1082	55.5	9.8	611	2.33	49.6	4.4	64.6	4.2	64.7	5.87	3.92	4.13
STD DS8	Standard				13.16	106.0	126.9	302.5	1658	38.3	7.5	600	2.47	23.9	2.5	94.2	6.1	56.9	2.29	4.27	6.01
STD OREAS45PA	Standard				0.89	589.0	17.56	108.4	306	285.6	104.8	1101	15.67	3.6	1.1	40.9	6.4	12.4	0.08	0.13	0.17
STD OREAS76A	Standard		0.17	17.73																	
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.91																			
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD SO-18 Expected																					
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank		<0.02	<0.02																	
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.99	<0.02	<0.02	0.10	2.76	3.38	45.0	11	3.2	4.5	595	2.09	0.4	1.9	0.2	6.5	58.3	0.01	<0.02	0.09
G1	Prep Blank	99.99	0.02	<0.02	0.09	1.65	3.26	46.7	12	3.7	4.6	574	1.88	0.2	2.0	<0.2	6.5	51.7	0.01	<0.02	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006489.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913691	Drill Core	4	35.75	0.007	3.1	14.3	0.59	36.1	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	53	0.2	0.13	<0.1
REP 913691	QC																				
913692	Drill Core	6	30.24	0.029	3.6	12.6	4.49	36.0	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	94	0.2	0.15	<0.1
REP 913692	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	81	0.93	0.075	11.8	179.5	1.03	398.6	0.109	34	0.98	0.092	0.45	3.4	2.4	4.07	0.20	192	3.1	1.21	4.7
STD DS8	Standard	42	0.67	0.079	12.8	112.8	0.61	285.2	0.102	<20	0.88	0.085	0.41	2.8	2.1	5.41	0.16	255	5.3	5.00	4.5
STD OREAS45PA	Standard	221	0.19	0.031	14.8	836.6	0.10	178.3	0.124	<20	3.21	0.008	0.07	<0.1	40.2	0.07	<0.02	23	0.3	0.05	15.5
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected																					
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	38	0.54	0.082	13.2	7.8	0.52	192.7	0.126	<20	0.92	0.094	0.50	0.1	2.0	0.35	<0.02	<5	<0.1	<0.02	4.7
G1	Prep Blank	38	0.51	0.083	12.9	8.6	0.52	181.8	0.125	<20	0.88	0.087	0.49	<0.1	2.0	0.37	<0.02	<5	<0.1	<0.02	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006489.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913691	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	6.63	0.9	<0.02	<1	<0.1	<0.1	<10	<2
REP 913691	QC																
913692	Drill Core	<0.02	<0.1	<0.02	0.09	<0.1	<0.1	<0.05	0.7	7.43	1.1	<0.02	<1	<0.1	0.4	<10	<2
REP 913692	QC																
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.09	<0.1	0.13	0.44	34.9	4.4	<0.05	5.6	5.45	36.0	1.48	<1	1.8	28.3	71	41
STD DS8	Standard	2.37	0.1	0.07	1.07	36.5	6.0	<0.05	2.2	5.32	25.8	2.00	51	6.1	26.5	114	358
STD OREAS45PA	Standard	1.03	<0.1	0.59	0.32	8.5	1.5	<0.05	23.2	8.17	35.5	0.08	<1	0.7	5.6	37	84
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																	
STD OREAS76A Expected																	
STD SO-18 Expected																	
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.24	<0.1	0.10	0.48	45.0	0.6	<0.05	1.6	5.50	26.9	<0.02	<1	0.4	33.0	<10	3
G1	Prep Blank	3.33	0.1	0.09	0.38	45.6	0.6	<0.05	1.6	5.35	25.1	<0.02	<1	0.3	33.4	<10	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 24, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006490.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-09
P.O. Number MT.GUY 197
Number of Samples: 19

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	19	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	19	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006490.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913703	Drill Core	1.50	1.28	0.36	0.26	18.40	33.50	0.09	0.04	0.06	0.03	<0.01	0.003	35	<20	143	<5	9	<5	<1	45.6
913704	Drill Core	7.06	0.45	0.01	0.04	18.17	34.60	0.03	<0.01	<0.01	0.03	<0.01	0.003	34	<20	140	<5	9	<5	<1	46.3
913705	Drill Core	5.46	0.33	<0.01	<0.04	18.70	34.28	0.02	<0.01	<0.01	0.02	<0.01	0.002	27	<20	130	<5	10	<5	<1	46.3
913706	Drill Core	6.50	0.12	<0.01	0.04	18.90	34.05	0.03	<0.01	<0.01	0.03	<0.01	<0.002	21	<20	128	<5	8	<5	<1	46.5
913707	Drill Core	7.27	0.39	<0.01	<0.04	18.69	34.07	0.03	<0.01	<0.01	0.02	<0.01	0.005	21	<20	136	<5	9	<5	<1	46.4
913708	Drill Core	7.75	0.44	0.01	<0.04	18.78	34.06	0.02	<0.01	<0.01	0.02	<0.01	<0.002	28	<20	133	<5	7	5	<1	46.3
913709	Drill Core	7.56	2.79	0.03	0.05	15.26	37.04	0.02	<0.01	<0.01	0.05	<0.01	0.003	99	32	207	<5	9	<5	<1	44.5
913710	Rock Chip	0.20	1.03	0.16	0.11	0.37	75.27	<0.01	0.01	0.01	0.12	0.02	<0.002	41	<20	163	5	<3	<5	<1	22.8
913711	Drill Core	7.44	5.63	0.08	0.13	15.01	35.56	0.02	<0.01	<0.01	0.05	<0.01	0.002	206	<20	214	<5	9	<5	<1	43.2
913712	Drill Core	6.85	3.40	0.07	<0.04	8.58	44.48	0.01	<0.01	<0.01	0.04	<0.01	0.002	210	<20	293	<5	6	<5	<1	43.2
913713	Rock	0.53	66.63	15.61	3.60	1.29	3.84	3.44	3.76	0.42	0.21	0.10	0.002	1063	<20	730	137	17	25	6	0.9
913714	Drill Core	6.49	0.16	0.02	<0.04	8.33	47.33	0.01	<0.01	<0.01	0.02	<0.01	<0.002	78	<20	304	<5	9	8	<1	43.9
913715	Drill Core	6.33	0.18	0.03	0.05	5.92	49.65	0.01	<0.01	<0.01	0.01	<0.01	0.004	63	<20	298	<5	8	5	<1	44.0
913716	Drill Core	7.40	0.21	0.05	0.05	11.34	42.93	0.02	0.01	<0.01	0.02	<0.01	0.003	50	<20	242	<5	5	<5	<1	45.2
913717	Drill Core	7.20	0.11	0.02	<0.04	11.52	43.00	0.01	<0.01	<0.01	0.01	<0.01	0.002	34	<20	245	<5	4	7	<1	45.1
913718	Drill Core	6.97	0.21	0.03	0.04	9.27	45.71	0.01	<0.01	<0.01	0.02	<0.01	0.002	73	<20	297	<5	6	<5	<1	44.5
913719	Drill Core	7.26	0.33	0.02	<0.04	14.88	38.84	0.01	<0.01	<0.01	0.07	<0.01	0.003	43	<20	150	<5	7	9	<1	45.5
913720DP 913719 PULP	Incline		0.36	0.02	<0.04	14.93	38.80	0.01	<0.01	<0.01	0.08	<0.01	0.003	41	<20	149	<5	7	<5	<1	45.5
913721	Drill Core	2.30	0.21	0.03	0.08	15.69	38.22	0.02	0.01	<0.01	0.04	<0.01	0.004	23	<20	164	5	5	<5	<1	45.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006490.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913703	Drill Core	99.69	12.96	<0.02	0.22	1.14	0.54	9.9	11	3.4	1.0	48	0.10	<0.1	3.2	<0.2	<0.1	126.0	0.28	0.02	<0.02
913704	Drill Core	99.71	13.35	<0.02	0.19	0.55	0.32	10.6	7	0.2	<0.1	11	<0.01	0.2	3.3	<0.2	<0.1	126.0	0.30	0.03	<0.02
913705	Drill Core	99.69	13.20	<0.02	0.22	0.22	0.25	9.8	8	2.7	0.4	14	<0.01	<0.1	3.8	<0.2	<0.1	122.7	0.30	0.06	0.02
913706	Drill Core	99.70	13.28	<0.02	0.18	0.23	0.21	8.1	<2	1.3	<0.1	13	<0.01	0.2	3.4	<0.2	<0.1	117.1	0.34	0.05	<0.02
913707	Drill Core	99.69	13.39	<0.02	0.21	0.21	0.28	10.9	8	1.2	0.1	13	<0.01	<0.1	3.5	<0.2	<0.1	122.9	0.41	0.05	<0.02
913708	Drill Core	99.70	13.31	<0.02	0.17	0.24	0.19	9.2	5	1.1	<0.1	10	<0.01	<0.1	2.5	0.8	<0.1	120.3	0.29	0.08	<0.02
913709	Drill Core	99.75	12.92	<0.02	0.12	0.08	0.14	12.0	3	<0.1	<0.1	17	<0.01	<0.1	1.8	0.4	<0.1	172.5	0.53	0.06	<0.02
913710	Rock Chip	99.96	0.58	<0.02	0.80	7.92	0.48	4.9	8	<0.1	0.1	158	0.05	0.9	0.3	0.6	<0.1	126.6	0.38	0.07	<0.02
913711	Drill Core	99.75	12.60	<0.02	0.21	0.39	0.97	18.8	6	1.3	0.2	24	0.01	0.8	3.0	0.3	<0.1	171.9	0.49	0.14	<0.02
913712	Drill Core	99.86	12.50	<0.02	0.12	0.26	0.60	16.4	6	4.7	<0.1	20	<0.01	1.0	2.5	0.7	<0.1	239.5	0.72	0.22	<0.02
913713	Rock	100.01	0.05	<0.02	0.06	1.69	2.86	47.0	13	3.6	4.4	552	1.95	0.2	2.0	<0.2	3.6	50.8	<0.01	<0.02	0.07
913714	Drill Core	99.86	12.95	<0.02	0.12	0.16	0.47	11.4	11	3.7	<0.1	6	<0.01	0.7	2.5	<0.2	<0.1	256.8	0.90	0.11	<0.02
913715	Drill Core	99.90	12.48	<0.02	0.14	0.21	0.40	18.8	11	4.3	<0.1	7	<0.01	1.2	2.8	<0.2	<0.1	257.9	1.26	0.20	<0.02
913716	Drill Core	99.82	12.53	<0.02	0.26	0.15	0.36	12.5	12	3.6	<0.1	8	<0.01	0.3	2.2	<0.2	<0.1	203.0	0.77	0.11	<0.02
913717	Drill Core	99.81	12.64	<0.02	0.18	<0.01	0.25	7.9	12	2.7	<0.1	4	<0.01	0.4	1.8	<0.2	<0.1	209.5	0.58	0.04	<0.02
913718	Drill Core	99.83	12.58	<0.02	0.11	0.18	0.29	8.4	11	3.4	<0.1	8	<0.01	<0.1	1.8	<0.2	<0.1	239.5	0.69	0.08	<0.02
913719	Drill Core	99.75	12.78	<0.02	0.11	0.41	0.37	18.9	10	4.2	<0.1	35	<0.01	0.5	2.3	<0.2	<0.1	119.6	0.66	0.11	<0.02
913720DP 913719 PULP	Incline	99.75	12.77	<0.02	0.10	0.32	0.27	20.4	13	3.9	<0.1	37	<0.01	0.6	2.3	1.0	<0.1	125.8	0.68	0.11	<0.02
913721	Drill Core	99.73	12.73	<0.02	0.13	0.20	0.33	12.3	5	2.9	<0.1	15	<0.01	0.6	1.7	0.6	<0.1	148.9	0.62	0.05	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006490.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913703	Drill Core	13	20.81	0.012	5.7	15.1	10.31	25.7	0.020	<20	0.06	0.011	<0.01	0.1	0.1	<0.02	<0.02	32	0.4	<0.02	0.2
913704	Drill Core	13	21.81	0.009	5.3	16.7	10.06	28.5	<0.001	<20	0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	40	0.4	<0.02	<0.1
913705	Drill Core	15	21.72	0.010	6.0	17.7	10.85	26.7	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	53	0.6	<0.02	<0.1
913706	Drill Core	11	21.38	0.012	4.0	10.3	10.68	19.7	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	91	0.4	<0.02	<0.1
913707	Drill Core	9	21.82	0.009	5.0	14.3	10.98	21.7	<0.001	<20	<0.01	0.012	<0.01	<0.1	0.1	<0.02	<0.02	64	0.3	0.04	<0.1
913708	Drill Core	5	22.33	0.009	3.6	14.8	11.46	26.0	<0.001	<20	0.01	0.010	<0.01	<0.1	0.1	<0.02	<0.02	59	0.2	<0.02	<0.1
913709	Drill Core	7	23.57	0.017	4.4	11.9	8.67	75.9	<0.001	<20	0.02	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	92	0.4	<0.02	0.2
913710	Rock Chip	4	>40	0.046	0.8	0.7	0.18	33.2	0.005	<20	0.06	0.001	0.01	<0.1	0.6	<0.02	0.36	<5	0.4	<0.02	0.2
913711	Drill Core	10	22.86	0.019	4.3	12.5	8.49	142.9	<0.001	<20	0.03	0.007	<0.01	<0.1	0.2	<0.02	<0.02	95	0.4	<0.02	0.3
913712	Drill Core	11	27.94	0.008	2.0	13.1	4.68	104.6	<0.001	<20	0.02	0.004	<0.01	<0.1	<0.1	<0.02	0.04	156	<0.1	0.13	0.2
913713	Rock	40	0.63	0.078	6.6	7.6	0.62	239.9	0.130	<20	0.99	0.076	0.58	<0.1	2.4	0.36	<0.02	<5	<0.1	<0.02	5.1
913714	Drill Core	14	29.48	0.004	2.1	12.4	4.50	51.6	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	0.06	165	<0.1	0.10	<0.1
913715	Drill Core	13	31.21	0.004	2.0	12.5	3.22	45.0	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	0.08	171	<0.1	0.11	<0.1
913716	Drill Core	11	27.60	0.006	1.4	11.9	6.23	33.0	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.05	90	0.2	0.10	<0.1
913717	Drill Core	8	26.57	0.004	1.1	8.5	6.20	29.8	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	0.05	78	0.1	0.12	<0.1
913718	Drill Core	9	28.20	0.007	1.4	11.0	4.93	44.5	<0.001	<20	0.01	0.005	<0.01	<0.1	<0.1	<0.02	0.06	78	0.2	0.12	<0.1
913719	Drill Core	6	24.49	0.027	1.9	14.0	8.06	25.0	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.02	92	0.2	0.13	<0.1
913720DP 913719 PULP	Incline	6	23.89	0.026	2.0	14.1	8.21	25.3	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	0.02	0.02	94	<0.1	0.09	<0.1
913721	Drill Core	5	24.09	0.016	1.4	9.9	8.60	19.2	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	69	0.1	0.09	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006490.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913703	Drill Core	<0.02	<0.1	0.06	0.36	0.2	<0.1	<0.05	2.6	7.31	2.6	<0.02	4	<0.1	0.3	<10	<2
913704	Drill Core	<0.02	<0.1	<0.02	0.07	0.1	<0.1	<0.05	0.5	8.28	1.5	<0.02	<1	0.1	0.3	<10	<2
913705	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.5	8.59	1.6	<0.02	9	<0.1	0.2	<10	<2
913706	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	7.06	1.0	<0.02	<1	<0.1	0.2	<10	<2
913707	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	8.07	1.3	<0.02	2	<0.1	0.4	<10	<2
913708	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	5.73	0.8	<0.02	<1	<0.1	0.2	<10	<2
913709	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	7.58	1.3	<0.02	<1	<0.1	0.7	<10	<2
913710	Rock Chip	0.03	<0.1	0.04	0.15	0.2	<0.1	<0.05	1.6	1.40	0.9	<0.02	3	<0.1	0.4	<10	<2
913711	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.7	6.99	1.2	<0.02	<1	<0.1	0.9	<10	<2
913712	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.7	5.33	0.8	<0.02	2	<0.1	0.5	<10	<2
913713	Rock	3.65	0.1	0.08	0.30	45.2	0.4	<0.05	0.9	4.55	14.6	<0.02	<1	0.2	35.9	<10	<2
913714	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.3	6.95	1.0	<0.02	<1	<0.1	0.2	<10	<2
913715	Drill Core	<0.02	<0.1	<0.02	0.06	0.1	<0.1	<0.05	0.5	6.75	0.9	<0.02	1	<0.1	0.3	<10	<2
913716	Drill Core	<0.02	<0.1	<0.02	0.07	0.2	<0.1	<0.05	0.4	4.63	0.8	<0.02	2	<0.1	0.3	<10	<2
913717	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.3	3.59	0.5	<0.02	3	<0.1	0.3	<10	<2
913718	Drill Core	<0.02	<0.1	<0.02	0.06	0.1	<0.1	<0.05	0.4	4.11	0.7	<0.02	<1	<0.1	0.3	<10	<2
913719	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	5.33	0.7	<0.02	<1	<0.1	0.3	<10	<2
913720DP 913719 PULP	Incline	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.5	5.59	0.6	<0.02	1	<0.1	0.3	<10	<2
913721	Drill Core	<0.02	<0.1	<0.02	0.09	0.1	<0.1	<0.05	0.4	3.97	0.6	<0.02	<1	<0.1	0.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913717	Drill Core	7.20	0.11	0.02	<0.04	11.52	43.00	0.01	<0.01	<0.01	0.01	<0.01	0.002	34	<20	245	<5	4	7	<1	45.1
Pulp Duplicates																					
913710	Rock Chip	0.20	1.03	0.16	0.11	0.37	75.27	<0.01	0.01	0.01	0.12	0.02	<0.002	41	<20	163	5	<3	<5	<1	22.8
REP 913710	QC		1.06	0.17	0.16	0.36	75.14	0.01	0.02	0.02	0.13	0.02	0.004	37	<20	165	32	<3	<5	<1	22.8
913712	Drill Core	6.85	3.40	0.07	<0.04	8.58	44.48	0.01	<0.01	<0.01	0.04	<0.01	0.002	210	<20	293	<5	6	<5	<1	43.2
REP 913712	QC																				
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.11	14.08	7.59	3.34	6.36	3.71	2.17	0.69	0.83	0.39	0.558	494	42	388	299	31	22	25	1.9
STD SO-18	Standard		58.01	14.07	7.69	3.35	6.36	3.71	2.17	0.69	0.84	0.39	0.561	506	49	390	325	31	24	25	1.9
STD SO-18	Standard		58.21	14.13	7.59	3.33	6.32	3.69	2.15	0.68	0.82	0.39	0.543	486	47	383	304	30	26	24	1.9
STD SO-18	Standard		58.25	14.12	7.55	3.34	6.32	3.69	2.15	0.69	0.82	0.39	0.541	487	46	383	300	30	21	24	1.9
STD SO-18	Standard		58.35	14.00	7.54	3.33	6.29	3.69	2.16	0.69	0.83	0.39	0.558	507	38	401	311	31	20	25	1.9
STD SO-18	Standard		58.22	14.03	7.57	3.36	6.31	3.71	2.16	0.69	0.84	0.39	0.558	511	42	404	352	31	24	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913717	Drill Core	99.81	12.64	<0.02	0.18	<0.01	0.25	7.9	12	2.7	<0.1	4	<0.01	0.4	1.8	<0.2	<0.1	209.5	0.58	0.04	<0.02
Pulp Duplicates																					
913710	Rock Chip	99.96	0.58	<0.02	0.80	7.92	0.48	4.9	8	<0.1	0.1	158	0.05	0.9	0.3	0.6	<0.1	126.6	0.38	0.07	<0.02
REP 913710	QC	99.97																			
913712	Drill Core	99.86	12.50	<0.02	0.12	0.26	0.60	16.4	6	4.7	<0.1	20	<0.01	1.0	2.5	0.7	<0.1	239.5	0.72	0.22	<0.02
REP 913712	QC		12.87	<0.02																	
Reference Materials																					
STD CSC	Standard		3.21	4.00																	
STD CSC	Standard		3.05	4.22																	
STD DS7	Standard				18.92	93.11	61.19	359.7	904	50.5	8.7	596	2.23	45.8	4.0	88.0	3.8	67.4	5.79	4.17	4.04
STD DS7	Standard				18.83	95.97	59.32	371.5	871	49.9	8.9	582	2.24	46.1	4.1	45.6	3.9	68.0	5.52	4.29	4.02
STD DS8	Standard				13.84	102.8	120.7	300.9	1766	39.2	7.8	605	2.42	22.8	2.6	98.2	6.1	66.0	2.48	4.82	6.07
STD DS8	Standard				14.04	109.9	130.6	310.6	1864	38.3	7.3	631	2.40	24.9	2.7	105.2	6.4	65.6	2.46	5.02	7.14
STD OREAS45PA	Standard				0.93	607.2	15.83	108.7	293	307.1	103.5	1069	16.15	3.3	0.9	40.7	5.4	12.5	0.10	0.14	0.15
STD OREAS45PA	Standard				0.87	592.4	17.55	112.8	288	293.4	99.7	1049	15.84	3.4	1.1	45.7	6.2	13.0	0.08	0.14	0.18
STD OREAS76A	Standard		0.16	17.22																	
STD OREAS76A	Standard		0.15	18.28																	
STD SO-18	Standard	99.89																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.89																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913717	Drill Core	8	26.57	0.004	1.1	8.5	6.20	29.8	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	0.05	78	0.1	0.12	<0.1
Pulp Duplicates																					
913710	Rock Chip	4	>40	0.046	0.8	0.7	0.18	33.2	0.005	<20	0.06	0.001	0.01	<0.1	0.6	<0.02	0.36	<5	0.4	<0.02	0.2
REP 913710	QC																				
913712	Drill Core	11	27.94	0.008	2.0	13.1	4.68	104.6	<0.001	<20	0.02	0.004	<0.01	<0.1	<0.1	<0.02	0.04	156	<0.1	0.13	0.2
REP 913712	QC																				
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	79	0.89	0.069	11.3	183.2	0.98	376.6	0.101	37	0.96	0.093	0.43	3.3	2.4	3.58	0.19	207	3.0	1.35	4.5
STD DS7	Standard	76	0.89	0.068	11.1	164.6	0.97	343.3	0.113	42	0.95	0.085	0.44	3.0	2.5	3.52	0.19	181	3.2	1.08	4.5
STD DS8	Standard	41	0.71	0.079	15.6	113.8	0.59	291.6	0.104	<20	0.90	0.098	0.40	2.5	2.4	5.28	0.16	205	5.4	5.26	4.8
STD DS8	Standard	41	0.69	0.075	15.4	122.8	0.59	309.6	0.113	<20	0.89	0.078	0.40	3.3	2.4	5.66	0.16	222	5.6	5.50	4.7
STD OREAS45PA	Standard	226	0.22	0.032	15.5	853.0	0.09	166.8	0.122	<20	3.49	0.011	0.08	<0.1	42.2	0.06	<0.02	21	0.6	0.09	15.6
STD OREAS45PA	Standard	221	0.23	0.034	15.3	780.6	0.11	156.7	0.140	<20	3.47	0.010	0.08	<0.1	44.1	0.07	<0.02	24	0.6	0.06	16.0
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913717	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.3	3.59	0.5	<0.02	3	<0.1	0.3	<10	<2
Pulp Duplicates																	
913710	Rock Chip	0.03	<0.1	0.04	0.15	0.2	<0.1	<0.05	1.6	1.40	0.9	<0.02	3	<0.1	0.4	<10	<2
REP 913710	QC																
913712	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.7	5.33	0.8	<0.02	2	<0.1	0.5	<10	<2
REP 913712	QC																
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	5.85	<0.1	0.12	0.46	31.9	4.3	<0.05	5.5	5.47	34.2	1.48	4	1.6	28.8	87	36
STD DS7	Standard	5.59	0.1	0.11	0.43	33.7	4.4	<0.05	5.1	5.47	32.1	1.42	4	1.2	27.6	79	34
STD DS8	Standard	2.54	0.1	0.09	1.16	36.3	6.6	<0.05	2.3	6.17	29.8	2.18	59	5.0	24.9	123	353
STD DS8	Standard	2.65	0.1	0.08	1.18	37.6	7.1	<0.05	2.1	5.73	29.3	2.28	63	4.7	24.2	128	366
STD OREAS45PA	Standard	1.07	0.1	0.53	0.24	8.6	1.5	<0.05	22.3	8.29	35.4	0.08	<1	0.7	6.3	60	76
STD OREAS45PA	Standard	1.06	0.2	0.54	0.22	8.7	1.7	<0.05	21.9	8.47	34.2	0.06	<1	0.6	6.1	33	68
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.22	15.83	3.50	1.14	3.62	3.60	3.58	0.41	0.19	0.10	<0.002	968	<20	703	163	18	27	6	0.6
G1	Prep Blank		66.86	16.08	3.34	1.11	3.61	3.77	3.71	0.40	0.19	0.10	0.002	988	<20	738	159	17	27	6	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.99	0.02	<0.02	0.11	2.31	3.64	45.0	12	3.0	4.3	553	1.93	0.1	1.9	<0.2	6.6	60.6	0.03	0.02	0.07
G1	Prep Blank	100.00	<0.02	<0.02	0.14	5.02	4.56	49.0	16	3.2	4.2	573	1.85	<0.1	2.3	0.2	6.9	62.9	0.03	<0.02	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	38	0.52	0.074	16.7	7.0	0.53	177.5	0.137	<20	0.97	0.080	0.51	<0.1	2.3	0.35	<0.02	<5	<0.1	<0.02	4.9
G1	Prep Blank	37	0.53	0.076	15.2	9.3	0.52	190.4	0.141	<20	0.92	0.080	0.48	<0.1	2.3	0.34	<0.02	<5	<0.1	<0.02	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006490.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.48	<0.1	0.08	0.50	45.8	0.7	<0.05	1.4	6.12	30.9	<0.02	<1	0.2	28.5	<10	<2
G1	Prep Blank	3.47	0.1	0.11	0.60	44.3	0.6	<0.05	1.8	6.29	28.5	<0.02	<1	0.1	28.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 15, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006491.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-10
P.O. Number MT.GUY 197
Number of Samples: 20

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	18	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	20	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	20	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

CERTIFICATE OF ANALYSIS VAN10006491.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913722	Drill Core	0.87	0.18	0.04	0.06	4.88	50.96	0.02	0.02	<0.01	0.02	<0.01	0.005	46	<20	335	<5	25	<5	<1	43.7
913723	Drill Core	8.78	0.35	0.04	<0.04	13.94	40.13	0.03	0.01	<0.01	0.04	<0.01	0.003	26	<20	185	<5	15	<5	<1	45.2
913724	Drill Core	7.67	0.26	<0.01	0.06	16.95	36.50	0.02	<0.01	<0.01	0.02	<0.01	<0.002	15	<20	158	<5	10	<5	<1	45.9
913725	Drill Core	7.43	0.14	0.01	<0.04	18.39	35.15	0.02	<0.01	<0.01	0.03	<0.01	0.004	14	70	151	17	9	<5	<1	45.9
913726	Drill Core	7.22	0.13	<0.01	0.04	18.74	34.96	0.02	<0.01	<0.01	0.03	<0.01	<0.002	11	<20	153	<5	9	<5	<1	45.7
913727	Drill Core	7.44	0.09	<0.01	<0.04	18.56	34.66	0.02	<0.01	<0.01	0.02	<0.01	<0.002	11	<20	158	7	7	<5	<1	46.3
913728	Drill Core	7.62	0.23	<0.01	0.07	19.15	34.17	0.02	<0.01	<0.01	0.03	<0.01	0.003	10	30	141	<5	9	<5	<1	46.0
913729	Drill Core	7.26	0.19	<0.01	<0.04	19.34	33.96	0.02	<0.01	<0.01	0.03	<0.01	0.004	13	<20	131	<5	9	<5	<1	46.1
913730	Rock Chip	0.25	0.95	0.16	0.12	0.67	74.81	<0.01	0.02	0.01	0.12	0.02	<0.002	35	<20	159	15	<3	<5	<1	23.1
913731	Drill Core	7.17	0.13	<0.01	<0.04	19.10	34.41	0.01	<0.01	<0.01	0.03	<0.01	<0.002	11	<20	129	<5	10	<5	<1	46.0
913732	Rock	0.52	62.16	14.72	3.26	1.38	7.97	3.31	3.38	0.39	0.20	0.09	<0.002	908	<20	703	133	16	19	6	2.9
913733	Drill Core	7.27	0.05	<0.01	<0.04	19.08	34.58	0.01	<0.01	<0.01	0.03	<0.01	<0.002	11	<20	124	<5	10	<5	<1	45.9
913734	Drill Core	6.64	0.04	<0.01	<0.04	4.35	52.08	<0.01	<0.01	<0.01	0.01	<0.01	0.004	41	<20	315	<5	19	<5	<1	43.4
913735	Drill Core	6.46	0.04	<0.01	<0.04	9.31	46.45	<0.01	<0.01	<0.01	0.01	<0.01	0.002	22	<20	239	13	15	5	<1	44.0
913736	Drill Core	6.33	0.08	0.03	<0.04	14.27	40.35	<0.01	<0.01	<0.01	0.02	<0.01	0.004	17	<20	176	85	14	<5	<1	44.9
913737	Drill Core	6.14	0.02	<0.01	<0.04	15.91	38.51	<0.01	<0.01	<0.01	0.02	<0.01	0.003	17	<20	162	<5	11	<5	<1	45.2
913738	Drill Core	6.16	0.06	<0.01	0.07	17.34	36.59	<0.01	<0.01	<0.01	<0.01	<0.01	0.006	12	24	137	11	14	<5	<1	45.6
913739	Drill Core	6.24	0.15	<0.01	0.06	7.05	48.98	<0.01	<0.01	<0.01	0.02	<0.01	0.005	41	<20	249	6	11	5	<1	43.6
913740DP 913739 PULP	Incline		0.16	<0.01	<0.04	7.11	48.94	<0.01	<0.01	<0.01	0.01	<0.01	0.003	41	<20	250	<5	11	<5	<1	43.6
913741	Drill Core	1.81	0.03	<0.01	<0.04	10.74	44.08	<0.01	<0.01	<0.01	0.01	<0.01	0.004	30	<20	220	14	8	<5	<1	44.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

CERTIFICATE OF ANALYSIS VAN10006491.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913722	Drill Core	99.90	12.35	<0.02	0.40	0.37	0.62	20.6	13	3.4	<0.1	12	<0.01	0.6	1.9	0.2	<0.1	327.0	1.17	0.07	<0.02
913723	Drill Core	99.76	12.53	<0.02	0.28	0.31	0.50	18.3	9	3.0	<0.1	17	<0.01	0.4	2.4	<0.2	<0.1	163.7	0.78	0.06	<0.02
913724	Drill Core	99.71	13.02	<0.02	0.59	0.27	0.30	18.3	10	4.1	0.1	12	<0.01	0.3	1.3	<0.2	<0.1	141.6	0.76	0.08	<0.02
913725	Drill Core	99.69	12.89	<0.02	0.44	0.29	0.33	12.4	9	4.1	0.1	11	<0.01	0.3	0.8	0.3	<0.1	133.6	0.54	0.08	<0.02
913726	Drill Core	99.69	13.03	<0.02	0.51	0.24	0.27	12.5	10	3.5	<0.1	11	<0.01	0.5	0.7	0.2	<0.1	134.1	0.53	0.06	<0.02
913727	Drill Core	99.69	13.02	<0.02	0.52	0.46	0.28	11.9	8	3.9	0.1	11	<0.01	0.4	0.8	0.4	<0.1	140.2	0.40	0.06	<0.02
913728	Drill Core	99.68	12.85	<0.02	0.39	0.29	0.23	12.2	7	2.9	0.1	11	<0.01	0.3	0.5	0.7	<0.1	129.2	0.39	0.05	<0.02
913729	Drill Core	99.68	12.86	<0.02	0.58	0.29	0.25	11.4	8	3.5	<0.1	10	<0.01	<0.1	0.6	0.6	<0.1	116.9	0.36	0.05	<0.02
913730	Rock Chip	99.98	1.01	0.03	0.95	5.35	0.49	6.4	8	2.5	0.2	154	<0.01	<0.1	0.2	<0.2	<0.1	142.2	0.43	0.06	<0.02
913731	Drill Core	99.67	12.87	<0.02	0.50	0.19	0.37	13.2	6	3.0	<0.1	11	<0.01	0.3	0.9	<0.2	<0.1	110.9	0.57	0.06	<0.02
913732	Rock	99.98	0.26	<0.02	0.17	2.22	1.93	44.5	16	3.7	4.7	550	1.85	0.1	1.9	0.4	3.3	64.7	0.06	<0.02	0.06
913733	Drill Core	99.68	13.03	<0.02	0.52	0.19	0.24	17.3	8	3.1	0.1	12	<0.01	0.4	0.9	<0.2	<0.1	110.7	0.63	0.06	<0.02
913734	Drill Core	99.91	12.29	<0.02	0.34	0.19	0.34	14.9	8	3.2	<0.1	8	<0.01	0.3	1.2	0.4	<0.1	279.3	0.87	0.08	<0.02
913735	Drill Core	99.83	12.41	<0.02	0.49	0.18	0.31	15.4	7	3.8	<0.1	8	<0.01	0.5	0.8	0.3	<0.1	207.8	0.65	0.09	<0.02
913736	Drill Core	99.76	12.81	<0.02	0.45	0.07	0.31	14.6	7	3.0	<0.1	8	<0.01	0.2	0.8	<0.2	<0.1	149.4	0.61	0.06	<0.02
913737	Drill Core	99.73	12.70	<0.02	0.44	0.10	0.29	13.2	8	3.8	<0.1	8	<0.01	0.9	0.9	<0.2	<0.1	143.2	0.54	0.15	<0.02
913738	Drill Core	99.70	12.81	<0.02	0.53	0.04	0.37	20.1	7	3.5	<0.1	8	<0.01	<0.1	1.0	0.3	<0.1	122.3	0.69	0.07	<0.02
913739	Drill Core	99.87	12.41	<0.02	0.18	<0.01	0.22	19.8	15	3.7	<0.1	6	<0.01	0.6	1.3	<0.2	<0.1	217.1	0.53	0.05	<0.02
913740DP 913739 PULP	Incline	99.86	12.60	<0.02	0.21	<0.01	0.32	19.3	13	3.4	<0.1	5	<0.01	0.4	1.3	0.6	<0.1	216.4	0.56	0.06	<0.02
913741	Drill Core	99.81	12.44	<0.02	0.09	<0.01	0.32	9.4	3	2.5	<0.1	5	<0.01	0.1	1.3	<0.2	<0.1	194.5	0.37	0.03	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

CERTIFICATE OF ANALYSIS VAN10006491.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913722	Drill Core	10	33.56	0.006	15.7	24.1	2.85	37.8	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.10	305	0.2	0.12	<0.1
913723	Drill Core	14	25.49	0.014	8.7	18.7	7.72	22.3	<0.001	<20	0.01	0.010	<0.01	<0.1	0.1	<0.02	0.03	223	0.2	0.11	<0.1
913724	Drill Core	7	23.67	0.010	6.2	7.6	9.58	15.2	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	0.03	221	0.3	0.09	<0.1
913725	Drill Core	5	22.77	0.010	6.1	6.1	10.32	12.6	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	190	0.3	0.12	<0.1
913726	Drill Core	4	22.05	0.010	6.2	5.5	10.26	11.1	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	173	0.3	0.10	<0.1
913727	Drill Core	4	21.82	0.009	4.3	4.8	10.40	10.6	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	170	0.2	0.09	<0.1
913728	Drill Core	<2	22.09	0.011	5.9	6.4	10.65	9.7	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	101	0.2	0.13	<0.1
913729	Drill Core	3	21.29	0.011	6.7	6.4	10.61	12.5	<0.001	<20	<0.01	0.010	<0.01	<0.1	0.1	<0.02	<0.02	103	0.3	0.07	<0.1
913730	Rock Chip	4	>40	0.041	0.8	1.7	0.34	30.7	0.004	<20	0.06	0.002	<0.01	<0.1	0.6	<0.02	0.33	<5	0.2	0.14	0.1
913731	Drill Core	6	21.43	0.010	7.2	6.8	10.42	10.7	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	160	0.2	0.10	<0.1
913732	Rock	40	3.62	0.080	7.4	8.2	0.70	246.0	0.128	<20	1.06	0.083	0.58	<0.1	2.2	0.35	<0.02	<5	<0.1	<0.02	4.8
913733	Drill Core	3	21.77	0.013	7.2	6.8	10.66	9.9	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	303	0.2	0.10	<0.1
913734	Drill Core	9	32.75	0.005	9.9	15.3	2.38	33.5	<0.001	<20	<0.01	0.004	<0.01	<0.1	0.1	<0.02	0.09	193	0.3	0.10	<0.1
913735	Drill Core	7	28.53	0.004	8.2	9.4	5.03	18.6	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	0.07	123	0.1	0.14	<0.1
913736	Drill Core	6	25.41	0.006	8.3	9.7	7.67	15.0	<0.001	<20	<0.01	0.004	<0.01	<0.1	0.1	<0.02	<0.02	125	0.2	0.08	<0.1
913737	Drill Core	9	24.44	0.008	7.2	9.1	8.97	14.0	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	148	0.2	0.10	<0.1
913738	Drill Core	9	23.24	0.006	9.3	12.3	9.62	11.6	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	198	0.3	0.12	<0.1
913739	Drill Core	8	30.70	0.005	6.1	10.3	3.93	38.7	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	0.08	222	0.1	0.14	<0.1
913740DP 913739 PULP	Incline	8	30.95	0.006	6.0	10.2	3.94	37.6	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	0.07	215	<0.1	0.13	<0.1
913741	Drill Core	5	28.57	0.005	2.7	11.0	6.07	28.9	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	0.05	103	<0.1	0.09	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

CERTIFICATE OF ANALYSIS VAN10006491.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913722	Drill Core	<0.02	<0.1	<0.02	0.11	0.2	<0.1	<0.05	0.3	24.23	3.8	<0.02	2	<0.1	0.2	<10	<2
913723	Drill Core	<0.02	<0.1	<0.02	0.10	0.2	<0.1	<0.05	0.4	13.05	2.2	<0.02	2	<0.1	0.4	<10	<2
913724	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.5	8.49	1.7	<0.02	3	<0.1	0.3	<10	<2
913725	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	7.74	1.7	<0.02	<1	<0.1	0.3	<10	<2
913726	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.4	7.67	1.7	<0.02	1	<0.1	0.2	<10	<2
913727	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	5.85	1.3	<0.02	1	<0.1	0.2	<10	<2
913728	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	7.44	1.8	<0.02	<1	<0.1	0.2	<10	<2
913729	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	7.97	2.1	<0.02	2	<0.1	0.2	<10	<2
913730	Rock Chip	0.03	<0.1	0.03	0.15	0.2	<0.1	<0.05	1.9	1.58	0.9	<0.02	2	<0.1	0.5	<10	<2
913731	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	8.39	2.0	<0.02	1	<0.1	0.2	<10	<2
913732	Rock	3.71	0.1	0.08	0.36	44.6	0.5	<0.05	1.1	5.11	15.7	<0.02	<1	0.2	34.0	<10	<2
913733	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	8.67	1.6	<0.02	2	<0.1	0.2	<10	<2
913734	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.3	16.34	2.3	<0.02	3	<0.1	0.1	<10	<2
913735	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.3	13.07	2.2	<0.02	2	<0.1	0.1	<10	<2
913736	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	11.51	2.4	<0.02	3	<0.1	<0.1	<10	<2
913737	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.3	9.39	2.0	<0.02	2	<0.1	0.1	<10	<2
913738	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	12.46	2.8	<0.02	3	<0.1	0.1	<10	<2
913739	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.3	9.26	1.7	<0.02	<1	<0.1	0.1	<10	<2
913740DP 913739 PULP	Incline	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.3	9.14	1.7	<0.02	2	<0.1	0.1	<10	<2
913741	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.2	6.81	0.8	<0.02	<1	<0.1	0.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

QUALITY CONTROL REPORT VAN10006491.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913727	Drill Core	7.44	0.09	<0.01	<0.04	18.56	34.66	0.02	<0.01	<0.01	0.02	<0.01	<0.002	11	<20	158	7	7	<5	<1	46.3
REP 913727	QC																				
913734	Drill Core	6.64	0.04	<0.01	<0.04	4.35	52.08	<0.01	<0.01	<0.01	0.01	<0.01	0.004	41	<20	315	<5	19	<5	<1	43.4
REP 913734	QC																				
Core Reject Duplicates																					
913733	Drill Core	7.27	0.05	<0.01	<0.04	19.08	34.58	0.01	<0.01	<0.01	0.03	<0.01	<0.002	11	<20	124	<5	10	<5	<1	45.9
DUP 913733	QC		0.30	0.06	0.05	18.96	34.34	0.02	0.02	<0.01	0.03	<0.01	<0.002	14	<20	126	<5	10	7	<1	45.9
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.11	14.08	7.59	3.34	6.36	3.71	2.17	0.69	0.83	0.39	0.558	494	42	388	299	31	22	25	1.9
STD SO-18	Standard		58.01	14.07	7.69	3.35	6.36	3.71	2.17	0.69	0.84	0.39	0.561	506	49	390	325	31	24	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		65.93	15.87	3.20	1.44	4.18	3.56	3.81	0.39	0.19	0.09	<0.002	1008	<20	711	157	17	27	6	1.1
G1	Prep Blank		66.17	15.98	3.37	1.35	3.84	3.60	3.67	0.39	0.19	0.09	<0.002	952	<20	715	152	17	26	6	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

QUALITY CONTROL REPORT VAN10006491.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
913727	Drill Core	99.69	13.02	<0.02	0.52	0.46	0.28	11.9	8	3.9	0.1	11	<0.01	0.4	0.8	0.4	<0.1	140.2	0.40	0.06	<0.02
REP 913727	QC				0.51	0.34	0.41	12.3	10	3.9	0.1	11	<0.01	0.3	0.8	0.6	<0.1	143.6	0.45	0.06	<0.02
913734	Drill Core	99.91	12.29	<0.02	0.34	0.19	0.34	14.9	8	3.2	<0.1	8	<0.01	0.3	1.2	0.4	<0.1	279.3	0.87	0.08	<0.02
REP 913734	QC		12.38	<0.02																	
Core Reject Duplicates																					
913733	Drill Core	99.68	13.03	<0.02	0.52	0.19	0.24	17.3	8	3.1	0.1	12	<0.01	0.4	0.9	<0.2	<0.1	110.7	0.63	0.06	<0.02
DUP 913733	QC	99.68	12.96	<0.02	0.46	0.41	0.26	17.8	8	3.9	0.2	14	<0.01	<0.1	0.9	0.4	<0.1	111.8	0.59	0.06	<0.02
Reference Materials																					
STD CSC	Standard		3.05	4.22																	
STD DS7	Standard				18.92	93.11	61.19	359.7	904	50.5	8.7	596	2.23	45.8	4.0	88.0	3.8	67.4	5.79	4.17	4.04
STD DS8	Standard				13.84	102.8	120.7	300.9	1766	39.2	7.8	605	2.42	22.8	2.6	98.2	6.1	66.0	2.48	4.82	6.07
STD OREAS45PA	Standard				0.93	607.2	15.83	108.7	293	307.1	103.5	1069	16.15	3.3	0.9	40.7	5.4	12.5	0.10	0.14	0.15
STD OREAS76A	Standard		0.15	18.28																	
STD SO-18	Standard	99.89																			
STD SO-18	Standard	99.90																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					12.87	113	126	313	1710	40.6	7.9	622	2.54	27.73	2.89	99	7.91	70.74	2.35	4.89	6.67
STD SO-18 Expected																					
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.99	0.27	<0.02	0.21	2.94	3.53	41.7	16	3.2	4.0	524	1.75	0.2	1.9	0.4	4.8	56.4	0.03	0.02	0.07
G1	Prep Blank	99.97	0.17	<0.02	0.15	3.58	3.44	45.9	15	3.3	4.4	548	1.91	0.3	1.6	0.6	5.0	58.8	0.02	<0.02	0.10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

QUALITY CONTROL REPORT VAN10006491.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913727	Drill Core	4	21.82	0.009	4.3	4.8	10.40	10.6	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	170	0.2	0.09	<0.1
REP 913727	QC	4	21.83	0.009	4.4	4.8	10.40	11.1	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	176	0.3	0.11	<0.1
913734	Drill Core	9	32.75	0.005	9.9	15.3	2.38	33.5	<0.001	<20	<0.01	0.004	<0.01	<0.1	0.1	<0.02	0.09	193	0.3	0.10	<0.1
REP 913734	QC																				
Core Reject Duplicates																					
913733	Drill Core	3	21.77	0.013	7.2	6.8	10.66	9.9	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	303	0.2	0.10	<0.1
DUP 913733	QC	3	21.56	0.013	6.9	6.8	10.50	11.2	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	275	0.1	0.08	<0.1
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	79	0.89	0.069	11.3	183.2	0.98	376.6	0.101	37	0.96	0.093	0.43	3.3	2.4	3.58	0.19	207	3.0	1.35	4.5
STD DS8	Standard	41	0.71	0.079	15.6	113.8	0.59	291.6	0.104	<20	0.90	0.098	0.40	2.5	2.4	5.28	0.16	205	5.4	5.26	4.8
STD OREAS45PA	Standard	226	0.22	0.032	15.5	853.0	0.09	166.8	0.122	<20	3.49	0.011	0.08	<0.1	42.2	0.06	<0.02	21	0.6	0.09	15.6
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41	0.76	0.08	17.2	117.9	0.62	279	0.13	12	0.96	0.09	0.4	3.18	2.77	5.58	0.17	192	5.9	5.15	5
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	35	0.98	0.074	10.6	6.9	0.71	159.0	0.114	<20	0.94	0.093	0.50	<0.1	2.1	0.28	<0.02	<5	0.2	<0.02	4.4
G1	Prep Blank	37	0.81	0.074	11.3	7.2	0.65	169.8	0.122	<20	0.96	0.099	0.51	<0.1	2.3	0.30	<0.02	<5	<0.1	<0.02	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 15, 2010

QUALITY CONTROL REPORT VAN10006491.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913727	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	5.85	1.3	<0.02	1	<0.1	0.2	<10	<2
REP 913727	QC	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	6.05	1.3	<0.02	3	<0.1	0.2	<10	<2
913734	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.3	16.34	2.3	<0.02	3	<0.1	0.1	<10	<2
REP 913734	QC																
Core Reject Duplicates																	
913733	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	8.67	1.6	<0.02	2	<0.1	0.2	<10	<2
DUP 913733	QC	<0.02	<0.1	<0.02	0.10	0.2	<0.1	<0.05	0.4	8.62	1.7	<0.02	<1	<0.1	0.4	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	5.85	<0.1	0.12	0.46	31.9	4.3	<0.05	5.5	5.47	34.2	1.48	4	1.6	28.8	87	36
STD DS8	Standard	2.54	0.1	0.09	1.16	36.3	6.6	<0.05	2.3	6.17	29.8	2.18	59	5.0	24.9	123	353
STD OREAS45PA	Standard	1.07	0.1	0.53	0.24	8.6	1.5	<0.05	22.3	8.29	35.4	0.08	<1	0.7	6.3	60	76
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.47	0.13	0.06	1.71	39	6.76	0.01	3.03	7.12	31.7	2.14	55	5.9	28.8	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	2.81	0.1	0.09	0.48	40.3	0.6	<0.05	1.3	5.43	21.5	<0.02	<1	0.3	31.0	<10	<2
G1	Prep Blank	2.92	0.1	0.11	0.52	41.4	0.6	<0.05	1.5	5.88	22.2	<0.02	<1	0.3	31.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 11, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006492.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-11
P.O. Number MT.GUY 197
Number of Samples: 19

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	19	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	19	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006492.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913742	Drill Core	4.05	0.62	0.02	<0.04	17.39	35.73	0.02	<0.01	<0.01	0.02	<0.01	<0.002	27	26	139	<5	11	<5	<1	45.8
913743	Drill Core	6.13	0.38	0.02	<0.04	18.19	35.16	0.03	<0.01	<0.01	0.01	<0.01	<0.002	20	<20	139	<5	10	<5	<1	45.9
913744	Drill Core	3.49	0.36	0.01	<0.04	15.54	38.35	0.02	<0.01	<0.01	0.03	<0.01	0.004	40	<20	138	<5	10	<5	<1	45.4
913745	Drill Core	7.79	0.12	<0.01	<0.04	18.87	34.66	0.03	<0.01	<0.01	0.04	<0.01	<0.002	17	<20	134	<5	12	6	<1	45.9
913746	Drill Core	6.39	0.07	<0.01	<0.04	18.99	35.05	0.03	<0.01	<0.01	0.03	<0.01	0.004	17	<20	134	7	12	8	<1	45.5
913747	Drill Core	4.55	0.34	<0.01	<0.04	19.23	34.93	0.03	<0.01	<0.01	0.04	<0.01	0.002	22	<20	141	6	11	6	<1	45.1
913748	Drill Core	0.77	66.69	15.81	3.60	1.31	3.78	3.57	3.68	0.42	0.21	0.10	<0.002	992	<20	757	155	17	25	6	0.6
913749	Drill Core	6.30	0.41	<0.01	<0.04	18.84	34.94	0.02	<0.01	<0.01	0.03	<0.01	<0.002	29	<20	146	<5	10	6	<1	45.4
913750	Rock Chip	0.24	1.08	0.19	0.11	0.41	86.45	0.01	0.03	0.02	0.14	0.03	<0.002	46	<20	186	5	<3	5	<1	11.5
913751	Drill Core	6.34	0.51	0.01	<0.04	17.34	36.55	0.02	<0.01	<0.01	0.05	<0.01	0.002	32	<20	146	<5	12	<5	<1	45.2
913752	Drill Core	6.16	0.27	<0.01	<0.04	18.41	35.28	0.02	<0.01	<0.01	0.03	<0.01	<0.002	19	<20	141	7	9	<5	<1	45.6
913753	Drill Core	6.33	0.12	<0.01	<0.04	19.12	34.42	0.02	<0.01	<0.01	0.04	<0.01	0.003	18	<20	140	<5	10	<5	<1	46.0
913754	Drill Core	6.32	0.35	<0.01	<0.04	15.92	38.31	0.01	<0.01	<0.01	0.09	<0.01	0.002	32	<20	135	8	13	<5	<1	45.0
913755	Drill Core	6.48	0.31	<0.01	<0.04	9.98	45.48	<0.01	<0.01	<0.01	0.03	<0.01	0.002	41	<20	233	<5	9	<5	<1	44.0
913756	Drill Core	6.09	0.26	<0.01	<0.04	13.76	40.81	<0.01	<0.01	<0.01	0.02	<0.01	<0.002	31	<20	160	7	11	6	<1	44.8
913757	Drill Core	6.03	0.39	0.02	<0.04	16.02	38.11	0.02	<0.01	<0.01	0.03	<0.01	<0.002	21	<20	120	<5	9	<5	<1	45.1
913758	Drill Core	6.90	0.19	<0.01	<0.04	19.09	34.52	0.03	<0.01	<0.01	0.02	<0.01	<0.002	19	<20	141	<5	8	6	<1	45.8
913759	Drill Core	1.63	0.09	<0.01	<0.04	19.03	34.50	0.04	<0.01	<0.01	0.05	<0.01	0.003	16	<20	141	<5	12	<5	<1	45.9
913760DP 913759 PULP	Incline		0.09	<0.01	<0.04	19.17	34.51	0.04	<0.01	<0.01	0.05	<0.01	0.004	16	<20	139	6	12	6	<1	45.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006492.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913742	Drill Core	99.69	12.80	<0.02	0.15	0.68	0.32	18.2	8	1.9	<0.1	17	<0.01	0.5	2.8	0.4	<0.1	116.8	0.67	0.07	<0.02
913743	Drill Core	99.70	13.09	<0.02	0.21	0.59	0.27	15.3	6	1.8	<0.1	13	<0.01	0.6	2.7	<0.2	<0.1	113.1	0.51	0.13	<0.02
913744	Drill Core	99.72	12.67	<0.02	0.17	0.26	0.26	23.7	14	2.7	<0.1	15	<0.01	0.2	2.8	0.4	<0.1	116.2	0.50	0.07	<0.02
913745	Drill Core	99.68	13.14	<0.02	0.17	0.12	0.23	13.3	5	1.2	<0.1	20	<0.01	0.4	3.5	<0.2	<0.1	110.2	0.46	0.04	<0.02
913746	Drill Core	99.68	13.13	<0.02	0.21	0.10	0.27	15.9	5	1.6	<0.1	15	<0.01	0.2	3.4	<0.2	<0.1	114.7	0.51	0.04	<0.02
913747	Drill Core	99.68	12.78	<0.02	0.23	0.24	0.20	12.3	4	2.6	<0.1	13	<0.01	0.3	3.0	<0.2	<0.1	115.0	0.37	0.04	<0.02
913748	Drill Core	99.99	0.05	<0.02	0.08	1.60	2.10	44.5	8	3.6	4.6	555	1.95	<0.1	2.4	0.5	3.9	55.5	0.01	<0.02	0.06
913749	Drill Core	99.68	12.96	<0.02	0.23	<0.01	0.23	10.0	10	1.3	<0.1	9	<0.01	0.4	3.0	<0.2	<0.1	124.8	0.29	0.04	<0.02
913750	Rock Chip	99.98	0.72	0.05	0.57	4.15	0.54	6.2	7	2.7	0.3	178	0.02	1.0	0.3	0.2	<0.1	158.7	0.46	0.08	<0.02
913751	Drill Core	99.70	13.15	<0.02	0.16	0.09	0.27	20.2	4	1.9	<0.1	16	<0.01	0.4	3.4	1.4	<0.1	123.1	0.49	0.10	<0.02
913752	Drill Core	99.70	12.98	<0.02	0.24	0.10	0.17	11.5	3	2.4	<0.1	9	<0.01	0.4	2.5	<0.2	<0.1	116.5	0.32	0.06	<0.02
913753	Drill Core	99.69	12.74	<0.02	0.22	<0.01	0.16	8.7	3	1.8	<0.1	8	<0.01	0.5	2.6	<0.2	<0.1	114.9	0.34	0.04	<0.02
913754	Drill Core	99.73	12.62	<0.02	0.16	0.18	0.21	15.3	5	3.0	<0.1	14	<0.01	0.8	2.1	<0.2	<0.1	112.0	0.55	0.08	<0.02
913755	Drill Core	99.82	12.57	<0.02	0.08	0.12	0.29	12.3	4	1.9	<0.1	9	<0.01	0.4	1.8	<0.2	<0.1	216.6	0.75	0.05	<0.02
913756	Drill Core	99.75	12.90	<0.02	0.17	0.30	0.28	17.1	8	3.0	<0.1	20	<0.01	0.5	2.5	<0.2	<0.1	143.7	0.99	0.05	<0.02
913757	Drill Core	99.72	12.91	<0.02	0.15	0.26	0.27	23.1	7	4.0	0.1	15	<0.01	0.4	3.7	<0.2	<0.1	105.9	0.62	0.06	<0.02
913758	Drill Core	99.67	12.94	<0.02	0.23	0.11	0.25	13.6	<2	3.0	<0.1	9	<0.01	0.6	4.6	<0.2	<0.1	123.2	0.33	0.04	<0.02
913759	Drill Core	99.67	12.98	<0.02	0.20	0.21	0.40	29.8	7	2.0	<0.1	22	<0.01	0.2	4.1	<0.2	<0.1	117.1	0.91	0.05	<0.02
913760DP 913759 PULP	Incline	99.68	12.93	<0.02	0.20	0.31	0.38	30.1	5	2.6	<0.1	24	0.02	0.4	4.2	<0.2	<0.1	117.9	0.85	0.05	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006492.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913742	Drill Core	5	21.10	0.006	3.9	11.3	9.06	23.3	<0.001	<20	<0.01	0.009	<0.01	0.2	<0.1	<0.02	<0.02	107	0.4	<0.02	<0.1
913743	Drill Core	5	21.07	0.006	3.7	9.0	9.17	16.9	<0.001	<20	<0.01	0.010	<0.01	0.2	<0.1	<0.02	<0.02	69	0.3	<0.02	<0.1
913744	Drill Core	10	22.70	0.010	5.5	15.3	8.50	28.7	<0.001	<20	<0.01	0.008	<0.01	0.2	<0.1	<0.02	<0.02	221	0.2	<0.02	<0.1
913745	Drill Core	15	20.67	0.016	7.4	16.8	9.97	15.6	<0.001	<20	<0.01	0.011	<0.01	0.2	<0.1	<0.02	<0.02	48	0.3	<0.02	<0.1
913746	Drill Core	13	20.84	0.013	8.5	19.3	10.08	16.6	<0.001	<20	<0.01	0.011	<0.01	0.2	<0.1	<0.02	<0.02	67	0.4	<0.02	<0.1
913747	Drill Core	10	20.28	0.014	6.3	16.5	9.86	20.6	<0.001	<20	<0.01	0.009	<0.01	0.2	<0.1	<0.02	<0.02	69	0.3	<0.02	<0.1
913748	Drill Core	40	0.52	0.079	7.4	9.4	0.63	258.9	0.154	<20	0.93	0.070	0.57	<0.1	2.3	0.35	<0.02	<5	<0.1	0.04	4.8
913749	Drill Core	10	20.39	0.012	5.8	16.7	10.23	24.6	<0.001	<20	<0.01	0.009	<0.01	0.1	<0.1	<0.02	<0.02	51	0.3	<0.02	<0.1
913750	Rock Chip	4	>40	0.051	1.0	1.4	0.17	40.1	0.005	<20	0.06	<0.001	<0.01	0.2	0.6	<0.02	0.06	<5	0.5	<0.02	0.2
913751	Drill Core	15	21.95	0.019	7.3	22.2	9.44	25.2	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	93	0.4	<0.02	<0.1
913752	Drill Core	8	21.47	0.011	5.5	15.4	9.93	18.3	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	80	0.3	0.02	<0.1
913753	Drill Core	12	20.81	0.015	6.5	18.4	10.16	16.5	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	53	0.3	<0.02	<0.1
913754	Drill Core	6	22.97	0.035	6.4	12.4	8.63	26.9	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	63	0.2	0.02	<0.1
913755	Drill Core	4	27.58	0.013	4.7	13.8	5.68	42.5	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	107	0.4	<0.02	<0.1
913756	Drill Core	12	25.21	0.009	5.7	14.0	7.67	30.5	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	160	0.3	<0.02	<0.1
913757	Drill Core	8	23.27	0.011	4.4	8.8	8.79	19.1	<0.001	<20	<0.01	0.009	<0.01	<0.1	0.1	<0.02	<0.02	116	0.2	0.03	<0.1
913758	Drill Core	9	20.84	0.008	4.4	8.8	10.41	17.8	<0.001	<20	<0.01	0.012	<0.01	<0.1	<0.1	<0.02	<0.02	63	0.3	0.02	<0.1
913759	Drill Core	25	20.82	0.019	7.1	21.8	10.18	16.0	<0.001	<20	<0.01	0.016	<0.01	<0.1	<0.1	<0.02	<0.02	83	0.3	<0.02	<0.1
913760DP 913759 PULP	Incline	25	21.01	0.018	7.3	22.4	10.17	15.9	<0.001	<20	<0.01	0.017	<0.01	<0.1	<0.1	<0.02	<0.02	87	0.3	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

CERTIFICATE OF ANALYSIS VAN10006492.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913742	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.3	8.82	1.3	<0.02	<1	<0.1	0.4	<10	<2
913743	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.3	7.52	1.4	<0.02	1	<0.1	0.3	<10	<2
913744	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	8.85	1.5	<0.02	2	<0.1	0.3	<10	<2
913745	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	9.62	1.8	<0.02	2	<0.1	0.5	<10	<2
913746	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	10.30	2.1	<0.02	4	<0.1	0.3	<10	<2
913747	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	8.45	1.6	<0.02	2	<0.1	0.5	<10	<2
913748	Drill Core	3.54	0.1	0.08	0.23	48.3	0.5	<0.05	0.9	4.48	14.8	<0.02	<1	0.2	32.4	<10	<2
913749	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	0.1	<0.05	0.3	8.03	1.4	<0.02	3	<0.1	0.3	<10	<2
913750	Rock Chip	0.03	<0.1	0.04	0.13	0.4	<0.1	<0.05	1.9	1.65	1.1	<0.02	<1	<0.1	0.6	<10	<2
913751	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	10.37	1.9	<0.02	2	<0.1	0.4	<10	<2
913752	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	7.31	1.4	<0.02	3	<0.1	0.4	<10	<2
913753	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	8.60	1.7	<0.02	<1	<0.1	0.3	<10	<2
913754	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	10.53	1.7	<0.02	3	<0.1	0.2	<10	<2
913755	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	8.51	1.3	<0.02	<1	<0.1	0.2	<10	<2
913756	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	8.99	1.5	<0.02	<1	<0.1	0.2	<10	<2
913757	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	7.69	1.4	<0.02	2	<0.1	0.2	<10	<2
913758	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	7.22	1.3	<0.02	3	<0.1	0.4	<10	<2
913759	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	10.19	1.7	<0.02	5	<0.1	0.5	<10	<2
913760DP 913759 PULP	Incline	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.5	10.18	1.7	<0.02	4	<0.1	0.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006492.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913751	Drill Core	6.34	0.51	0.01	<0.04	17.34	36.55	0.02	<0.01	<0.01	0.05	<0.01	0.002	32	<20	146	<5	12	<5	<1	45.2
REP 913751	QC		0.53	<0.01	<0.04	17.11	36.75	0.02	<0.01	<0.01	0.05	<0.01	0.003	33	<20	143	<5	12	6	<1	45.2
913752	Drill Core	6.16	0.27	<0.01	<0.04	18.41	35.28	0.02	<0.01	<0.01	0.03	<0.01	<0.002	19	<20	141	7	9	<5	<1	45.6
REP 913752	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.10	14.15	7.50	3.35	6.35	3.74	2.18	0.69	0.83	0.39	0.565	500	47	400	308	31	19	25	1.9
STD SO-18	Standard		57.97	14.21	7.58	3.36	6.33	3.73	2.20	0.69	0.83	0.39	0.565	503	42	397	307	31	26	25	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		66.95	15.96	3.19	1.04	3.47	3.73	3.88	0.38	0.18	0.09	<0.002	1096	<20	764	176	16	30	5	0.9
G1	Prep Blank		67.14	15.59	3.43	1.09	3.45	3.65	3.83	0.41	0.20	0.10	<0.002	1036	<20	744	166	18	28	6	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006492.1

		Method	4A 2A Leco	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
913751	Drill Core		99.70	13.15	<0.02	0.16	0.09	0.27	20.2	4	1.9	<0.1	16	<0.01	0.4	3.4	1.4	<0.1	123.1	0.49	0.10	<0.02
REP 913751	QC		99.71																			
913752	Drill Core		99.70	12.98	<0.02	0.24	0.10	0.17	11.5	3	2.4	<0.1	9	<0.01	0.4	2.5	<0.2	<0.1	116.5	0.32	0.06	<0.02
REP 913752	QC					0.28	0.06	0.17	11.8	4	2.1	<0.1	9	<0.01	0.8	2.5	<0.2	<0.1	116.4	0.33	0.06	<0.02
Reference Materials																						
STD CSC	Standard			3.12	4.19																	
STD DS7	Standard					20.87	130.5	66.05	397.9	959	52.4	9.0	608	2.28	48.7	4.2	55.7	4.0	68.4	6.26	3.74	4.50
STD DS7	Standard					20.52	102.9	71.36	371.3	906	52.7	9.4	607	2.27	47.4	5.1	53.1	4.8	85.5	5.59	4.08	4.36
STD DS8	Standard					12.53	106.8	118.0	307.3	1695	36.2	6.8	598	2.35	23.3	2.4	89.0	5.5	60.2	2.15	3.98	6.41
STD DS8	Standard					13.67	109.1	129.7	313.1	1644	37.6	7.1	616	2.54	23.9	3.0	92.3	7.1	69.7	2.24	3.97	6.90
STD OREAS45PA	Standard					0.89	646.8	21.56	123.8	346	314.5	112.1	1153	16.90	4.5	1.3	51.1	7.8	16.0	0.11	0.12	0.22
STD OREAS76A	Standard			0.17	17.34																	
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.92																			
STD SO-18 Expected																						
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
BLK	Blank		<0.01																			
BLK	Blank			<0.02	<0.02																	
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
Prep Wash																						
G1	Prep Blank		100.00	0.03	<0.02	0.09	3.91	3.18	40.9	21	2.6	3.6	508	1.73	0.3	1.7	0.4	4.8	53.5	0.01	0.11	0.11
G1	Prep Blank		99.99	<0.02	<0.02	0.13	3.30	3.40	45.9	25	3.0	3.9	557	1.89	0.3	1.7	0.4	5.4	55.0	<0.01	0.08	0.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006492.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913751	Drill Core	15	21.95	0.019	7.3	22.2	9.44	25.2	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	93	0.4	<0.02	<0.1
REP 913751	QC																				
913752	Drill Core	8	21.47	0.011	5.5	15.4	9.93	18.3	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	80	0.3	0.02	<0.1
REP 913752	QC	8	21.08	0.011	5.3	15.5	9.84	18.6	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	64	0.3	<0.02	<0.1
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	78	0.92	0.075	11.7	180.3	1.03	411.6	0.111	32	0.98	0.092	0.45	3.7	2.4	4.08	0.19	206	3.5	1.37	4.6
STD DS7	Standard	77	0.95	0.073	13.9	184.9	1.00	389.2	0.133	33	1.02	0.098	0.44	3.0	2.9	3.71	0.18	218	3.0	1.20	4.6
STD DS8	Standard	39	0.66	0.075	13.2	109.6	0.59	282.7	0.102	<20	0.88	0.082	0.40	2.9	2.0	5.27	0.16	188	5.2	4.53	4.3
STD DS8	Standard	42	0.69	0.082	15.8	118.8	0.62	292.0	0.123	<20	0.94	0.089	0.41	2.4	2.5	5.33	0.16	199	5.0	5.14	4.5
STD OREAS45PA	Standard	226	0.25	0.037	18.6	838.6	0.13	192.4	0.175	<20	3.92	0.013	0.08	<0.1	49.4	0.08	<0.02	30	0.5	0.06	17.9
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	33	0.46	0.071	10.8	5.9	0.44	166.9	0.108	<20	0.85	0.082	0.45	0.1	1.7	0.31	<0.02	7	0.1	<0.02	4.0
G1	Prep Blank	36	0.46	0.076	11.4	7.1	0.53	180.1	0.121	<20	0.89	0.085	0.50	<0.1	1.8	0.34	<0.02	<5	<0.1	<0.02	4.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 11, 2011

QUALITY CONTROL REPORT VAN10006492.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913751	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	10.37	1.9	<0.02	2	<0.1	0.4	<10	<2
REP 913751	QC																
913752	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	7.31	1.4	<0.02	3	<0.1	0.4	<10	<2
REP 913752	QC	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	7.26	1.3	<0.02	1	<0.1	0.4	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	5.93	<0.1	0.10	0.32	36.2	4.9	<0.05	5.3	5.31	36.3	1.46	6	1.3	26.5	68	31
STD DS7	Standard	5.81	0.1	0.10	0.38	35.4	4.5	<0.05	5.3	6.43	38.7	1.45	7	1.7	26.6	59	36
STD DS8	Standard	2.31	<0.1	0.08	0.93	37.0	6.2	<0.05	2.1	5.26	25.7	2.07	57	5.0	24.0	114	328
STD DS8	Standard	2.43	<0.1	0.08	0.85	36.8	6.8	<0.05	1.9	5.84	29.4	2.21	60	4.8	27.1	114	360
STD OREAS45PA	Standard	1.36	<0.1	0.59	0.22	10.4	1.7	<0.05	22.7	9.13	40.6	0.12	<1	0.5	7.5	68	86
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	2.1	6.1	29.8	2.19	55	5.2	26.34	110	339
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																	
G1	Prep Blank	2.96	<0.1	0.07	0.27	39.8	0.5	<0.05	1.1	4.73	20.9	<0.02	<1	0.1	25.8	<10	<2
G1	Prep Blank	3.19	<0.1	0.07	0.28	43.5	0.5	<0.05	1.3	5.18	22.7	0.02	<1	0.4	26.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 22, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006493.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-12
P.O. Number MT. GUY 197
Number of Samples: 17

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	16	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	17	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	17	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006493.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913761	Drill Core	1.03	0.09	0.02	0.05	19.34	33.08	0.03	<0.01	<0.01	0.02	<0.01	0.003	17	<20	142	<5	14	<5	<1	47.0
913762	Drill Core	6.70	<0.01	0.01	<0.04	18.92	33.66	0.02	<0.01	<0.01	0.03	<0.01	0.002	18	<20	139	<5	12	<5	<1	47.0
913763	Drill Core	6.23	0.11	0.01	<0.04	19.45	32.84	0.03	<0.01	<0.01	0.03	<0.01	<0.002	18	<20	139	7	8	<5	<1	47.1
913764	Drill Core	6.32	0.08	<0.01	<0.04	18.83	33.42	0.02	<0.01	<0.01	0.03	<0.01	0.002	15	<20	124	<5	9	<5	<1	47.3
913765	Drill Core	6.60	0.24	<0.01	<0.04	18.68	33.86	0.03	<0.01	<0.01	0.08	<0.01	0.004	24	<20	138	<5	10	<5	<1	46.7
913766	Drill Core	6.29	0.64	0.04	<0.04	18.63	33.70	0.03	0.01	<0.01	0.06	<0.01	0.003	23	<20	137	<5	10	<5	<1	46.5
913767	Drill Core	6.19	0.97	0.01	<0.04	18.75	33.19	0.03	<0.01	<0.01	0.06	<0.01	0.003	30	<20	148	<5	11	<5	<1	46.6
913768	Rock	0.44	65.89	15.39	3.50	1.41	4.03	3.48	3.48	0.41	0.20	0.10	<0.002	952	<20	733	148	17	21	6	1.9
913769	Drill Core	6.46	0.19	0.01	<0.04	18.30	34.90	0.03	<0.01	<0.01	0.02	<0.01	<0.002	29	<20	177	<5	4	<5	<1	46.2
913770	Rock Chip	0.22	1.08	0.18	0.16	0.40	82.39	0.02	0.03	0.02	0.14	0.03	<0.002	41	<20	176	<5	<3	<5	<1	15.5
913771	Drill Core	6.68	0.21	0.05	0.05	17.76	34.93	0.03	<0.01	<0.01	0.03	<0.01	0.003	48	<20	156	<5	9	<5	<1	46.6
913772	Drill Core	6.61	0.12	0.02	0.05	18.91	33.42	0.03	<0.01	<0.01	0.03	<0.01	0.003	47	<20	169	<5	8	<5	<1	47.1
913773	Drill Core	6.33	0.31	0.02	0.05	18.86	33.73	0.03	<0.01	<0.01	0.02	<0.01	<0.002	31	<20	148	<5	8	<5	<1	46.6
913774	Drill Core	6.50	0.31	<0.01	<0.04	14.52	39.05	0.02	<0.01	<0.01	0.08	<0.01	<0.002	39	<20	171	<5	10	<5	<1	45.7
913775	Drill Core	6.24	0.25	<0.01	<0.04	18.40	34.37	0.02	<0.01	<0.01	0.03	<0.01	0.003	15	<20	108	<5	9	<5	<1	46.6
913776	Drill Core	6.76	0.48	<0.01	<0.04	18.43	34.14	0.02	<0.01	<0.01	0.35	<0.01	0.003	19	<20	117	<5	9	6	<1	46.3
913777	Drill Core	5.63	0.38	<0.01	<0.04	18.68	34.42	0.01	<0.01	<0.01	0.05	<0.01	0.003	22	<20	127	<5	9	<5	<1	46.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006493.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913761	Drill Core	99.67	13.92	<0.02	0.15	0.67	0.22	10.4	5	0.4	<0.1	13	<0.01	0.6	2.8	<0.2	<0.1	125.0	0.22	0.03	<0.02
913762	Drill Core	99.67	13.74	<0.02	0.18	0.23	0.22	9.4	7	0.7	<0.1	14	<0.01	0.3	2.6	<0.2	<0.1	126.9	0.34	0.04	<0.02
913763	Drill Core	99.67	13.76	<0.02	0.21	0.28	0.17	7.7	<2	1.0	0.2	16	<0.01	0.8	3.0	<0.2	<0.1	119.4	0.20	0.04	<0.02
913764	Drill Core	99.67	14.03	<0.02	0.22	0.26	0.16	10.0	2	1.0	<0.1	10	<0.01	0.5	2.4	<0.2	<0.1	119.0	0.33	0.02	<0.02
913765	Drill Core	99.69	13.01	<0.02	0.22	0.30	0.20	11.0	5	1.8	<0.1	20	<0.01	0.4	3.5	<0.2	<0.1	123.4	0.30	0.05	<0.02
913766	Drill Core	99.69	11.94	<0.02	0.23	0.70	0.17	16.6	5	2.0	<0.1	37	<0.01	0.6	3.6	<0.2	<0.1	121.5	0.44	0.07	<0.02
913767	Drill Core	99.69	13.14	<0.02	0.15	<0.01	0.23	15.2	26	0.8	<0.1	34	<0.01	0.9	2.9	<0.2	<0.1	127.8	0.56	0.05	<0.02
913768	Rock	99.98	0.17	<0.02	0.10	1.81	2.19	48.5	19	4.0	4.5	602	2.00	0.4	2.3	<0.2	3.7	70.7	<0.01	<0.02	0.10
913769	Drill Core	99.70	13.39	<0.02	0.17	0.33	0.18	16.3	4	0.2	<0.1	13	<0.01	0.3	2.1	<0.2	<0.1	169.0	0.35	0.04	<0.02
913770	Rock Chip	99.99	0.94	<0.02	0.39	5.73	0.44	5.9	7	1.7	<0.1	164	<0.01	1.1	0.3	<0.2	<0.1	135.8	0.43	0.06	<0.02
913771	Drill Core	99.70	13.77	<0.02	0.27	0.52	0.37	17.1	8	1.9	<0.1	22	<0.01	0.5	3.5	<0.2	<0.1	144.1	0.47	0.10	<0.02
913772	Drill Core	99.68	13.64	<0.02	0.20	0.25	0.25	15.7	3	0.6	<0.1	23	<0.01	0.8	2.8	<0.2	<0.1	155.4	0.41	0.06	<0.02
913773	Drill Core	99.69	13.03	<0.02	0.13	0.37	0.28	22.9	<2	0.7	<0.1	21	<0.01	0.2	2.8	<0.2	<0.1	133.7	0.58	0.07	<0.02
913774	Drill Core	99.74	13.89	<0.02	0.10	0.38	0.29	20.4	<2	1.0	<0.1	31	<0.01	0.8	2.2	<0.2	<0.1	153.5	1.01	0.06	<0.02
913775	Drill Core	99.68	13.59	<0.02	0.17	0.47	0.32	25.2	<2	2.1	<0.1	51	<0.01	1.0	2.8	<0.2	<0.1	104.9	1.12	0.10	<0.02
913776	Drill Core	99.69	13.58	<0.02	0.12	0.54	0.45	23.0	2	1.2	0.2	37	<0.01	0.2	2.5	<0.2	<0.1	116.2	1.30	0.09	<0.02
913777	Drill Core	99.68	13.76	<0.02	0.17	0.24	0.29	14.1	<2	1.3	<0.1	20	<0.01	0.6	3.0	<0.2	<0.1	119.2	0.67	0.06	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006493.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913761	Drill Core	18	24.16	0.007	7.2	18.2	10.28	14.3	<0.001	<20	0.01	0.014	<0.01	0.2	<0.1	<0.02	<0.02	49	<0.1	<0.02	<0.1
913762	Drill Core	13	24.24	0.012	6.5	21.4	10.03	16.0	<0.001	<20	0.01	0.013	<0.01	<0.1	0.2	<0.02	<0.02	70	<0.1	<0.02	<0.1
913763	Drill Core	6	24.36	0.013	4.1	16.2	10.15	14.2	<0.001	23	0.01	0.018	<0.01	<0.1	0.1	<0.02	<0.02	47	0.2	0.03	<0.1
913764	Drill Core	7	24.00	0.010	6.6	17.6	9.84	12.4	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	37	<0.1	<0.02	<0.1
913765	Drill Core	10	24.55	0.032	5.6	22.8	9.72	16.8	<0.001	<20	<0.01	0.013	<0.01	0.1	<0.1	<0.02	<0.02	57	0.2	<0.02	<0.1
913766	Drill Core	16	25.87	0.027	5.9	18.5	10.05	17.5	<0.001	<20	0.02	0.011	<0.01	<0.1	0.1	<0.02	<0.02	70	0.2	<0.02	<0.1
913767	Drill Core	22	24.88	0.024	6.2	20.1	10.03	22.5	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	68	<0.1	<0.02	<0.1
913768	Rock	41	0.89	0.081	7.5	7.8	0.73	247.2	0.149	<20	1.04	0.096	0.59	<0.1	2.2	0.36	<0.02	8	0.3	0.02	5.7
913769	Drill Core	9	25.55	0.010	1.1	12.5	9.65	21.9	<0.001	<20	0.01	0.013	<0.01	<0.1	0.1	<0.02	<0.02	65	0.2	<0.02	<0.1
913770	Rock Chip	3	>40	0.048	0.7	1.7	0.17	30.6	0.005	<20	0.06	<0.001	<0.01	0.2	0.4	<0.02	<0.02	<5	0.3	<0.02	0.2
913771	Drill Core	17	25.94	0.015	4.0	19.3	9.83	32.2	<0.001	<20	0.02	0.017	<0.01	<0.1	0.1	<0.02	<0.02	72	0.2	<0.02	0.1
913772	Drill Core	14	25.07	0.012	2.9	20.1	10.32	30.5	<0.001	<20	0.01	0.019	<0.01	<0.1	<0.1	<0.02	<0.02	55	0.2	<0.02	<0.1
913773	Drill Core	9	24.65	0.011	3.1	18.6	10.07	24.1	<0.001	<20	0.01	0.015	<0.01	<0.1	<0.1	<0.02	<0.02	56	0.2	<0.02	<0.1
913774	Drill Core	10	28.92	0.032	4.5	17.2	7.43	32.9	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	108	0.5	<0.02	<0.1
913775	Drill Core	13	25.68	0.013	5.4	17.0	9.94	13.1	<0.001	<20	<0.01	0.009	<0.01	0.2	<0.1	<0.02	<0.02	84	0.3	<0.02	<0.1
913776	Drill Core	11	24.55	0.155	5.6	15.0	9.91	18.2	<0.001	<20	0.01	0.010	<0.01	<0.1	0.1	<0.02	<0.02	135	0.1	<0.02	<0.1
913777	Drill Core	16	25.07	0.018	4.6	17.4	9.77	20.4	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	127	0.2	0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006493.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913761	Drill Core	<0.02	<0.1	<0.02	0.09	0.1	<0.1	<0.05	1.0	12.39	1.9	<0.02	1	<0.1	0.6	<10	<2
913762	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	1.1	10.25	1.6	<0.02	2	<0.1	0.4	<10	<2
913763	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	1.1	6.94	1.1	<0.02	4	0.2	0.2	<10	<2
913764	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.9	8.45	1.5	<0.02	4	<0.1	0.4	<10	<2
913765	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.1	8.50	1.3	<0.02	<1	0.1	0.5	<10	<2
913766	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.9	8.81	1.3	<0.02	5	0.2	0.7	<10	<2
913767	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.1	10.14	1.4	<0.02	<1	0.2	0.3	<10	<2
913768	Rock	3.59	<0.1	0.08	0.37	46.8	0.4	<0.05	1.1	4.81	15.1	<0.02	<1	0.4	33.6	<10	<2
913769	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.9	3.47	0.4	<0.02	<1	<0.1	0.4	<10	<2
913770	Rock Chip	0.02	<0.1	0.04	0.12	0.3	<0.1	<0.05	2.0	1.43	0.8	<0.02	<1	<0.1	0.6	<10	<2
913771	Drill Core	<0.02	<0.1	<0.02	<0.02	0.2	<0.1	<0.05	0.9	8.45	1.3	<0.02	4	0.1	0.6	<10	<2
913772	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.0	6.46	0.9	<0.02	6	0.1	0.5	<10	<2
913773	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.9	6.79	1.0	<0.02	<1	<0.1	0.5	<10	<2
913774	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.1	8.63	1.3	<0.02	<1	<0.1	0.3	<10	<2
913775	Drill Core	<0.02	<0.1	0.03	0.02	<0.1	<0.1	<0.05	1.4	8.96	1.4	<0.02	3	<0.1	0.3	<10	<2
913776	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	1.5	9.25	1.6	<0.02	3	0.1	0.2	<10	<2
913777	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.1	8.49	1.2	<0.02	2	<0.1	0.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913763	Drill Core	6.23	0.11	0.01	<0.04	19.45	32.84	0.03	<0.01	<0.01	0.03	<0.01	<0.002	18	<20	139	7	8	<5	<1	47.1
REP 913763	QC																				
913775	Drill Core	6.24	0.25	<0.01	<0.04	18.40	34.37	0.02	<0.01	<0.01	0.03	<0.01	0.003	15	<20	108	<5	9	<5	<1	46.6
REP 913775	QC		0.24	<0.01	<0.04	18.31	34.49	0.02	<0.01	<0.01	0.03	<0.01	0.003	13	<20	109	<5	9	<5	<1	46.6
913777	Drill Core	5.63	0.38	<0.01	<0.04	18.68	34.42	0.01	<0.01	<0.01	0.05	<0.01	0.003	22	<20	127	<5	9	<5	<1	46.1
REP 913777	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		57.98	14.20	7.59	3.37	6.35	3.70	2.16	0.70	0.84	0.40	0.566	495	40	391	300	31	22	24	1.9
STD SO-18	Standard		58.06	14.10	7.56	3.36	6.37	3.69	2.22	0.69	0.84	0.39	0.555	488	44	387	294	30	21	24	1.9
STD SO-18	Standard		58.27	13.97	7.58	3.30	6.33	3.73	2.19	0.69	0.86	0.39	0.554	503	48	389	299	31	20	25	1.9
STD SO-18	Standard		58.14	14.12	7.56	3.33	6.32	3.69	2.19	0.69	0.85	0.40	0.564	503	49	396	301	32	16	25	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		67.01	15.56	3.37	1.18	3.64	3.58	3.71	0.41	0.20	0.10	<0.002	1018	<20	706	170	20	34	5	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

	Method	4A 2A Leco	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
913763	Drill Core	99.67	13.76	<0.02	0.21	0.28	0.17	7.7	<2	1.0	0.2	16	<0.01	0.8	3.0	<0.2	<0.1	119.4	0.20	0.04	<0.02
REP 913763	QC				0.23	0.28	0.20	7.7	<2	0.9	<0.1	16	<0.01	0.3	2.9	<0.2	<0.1	124.3	0.22	0.03	<0.02
913775	Drill Core	99.68	13.59	<0.02	0.17	0.47	0.32	25.2	<2	2.1	<0.1	51	<0.01	1.0	2.8	<0.2	<0.1	104.9	1.12	0.10	<0.02
REP 913775	QC	99.68																			
913777	Drill Core	99.68	13.76	<0.02	0.17	0.24	0.29	14.1	<2	1.3	<0.1	20	<0.01	0.6	3.0	<0.2	<0.1	119.2	0.67	0.06	<0.02
REP 913777	QC		13.75	<0.02																	
Reference Materials																					
STD CSC	Standard		3.22	4.14																	
STD DS7	Standard				19.54	99.86	67.60	381.3	907	51.2	8.6	604	2.36	48.6	4.6	48.5	4.9	78.9	5.64	3.91	4.38
STD DS8	Standard				12.89	107.1	124.0	323.9	1698	36.5	7.4	618	2.51	24.3	2.6	91.8	7.0	69.4	2.20	3.92	6.38
STD OREAS45PA	Standard				0.82	598.5	18.18	120.5	286	290.2	104.3	1107	16.23	3.6	1.1	39.3	6.6	14.0	0.08	0.10	0.18
STD OREAS76A	Standard		0.17	17.53																	
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.92																			
STD SO-18 Expected																					
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.3	<0.1	<0.5	<0.01	<0.02	<0.02
Prep Wash																					
G1	Prep Blank	99.99	0.10	<0.02	0.08	1.48	2.94	41.6	6	2.1	3.5	525	1.75	0.4	1.9	<0.2	7.3	60.5	<0.01	<0.02	0.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
913763	Drill Core		6	24.36	0.013	4.1	16.2	10.15	14.2	<0.001	23	0.01	0.018	<0.01	<0.1	0.1	<0.02	<0.02	47	0.2	0.03	<0.1
REP 913763	QC		6	24.90	0.013	4.2	16.9	10.29	13.9	<0.001	21	0.01	0.017	<0.01	<0.1	0.2	<0.02	<0.02	46	0.3	<0.02	<0.1
913775	Drill Core		13	25.68	0.013	5.4	17.0	9.94	13.1	<0.001	<20	<0.01	0.009	<0.01	0.2	<0.1	<0.02	<0.02	84	0.3	<0.02	<0.1
REP 913775	QC																					
913777	Drill Core		16	25.07	0.018	4.6	17.4	9.77	20.4	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	127	0.2	0.02	<0.1
REP 913777	QC																					
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard		82	0.90	0.071	13.0	174.0	1.05	402.6	0.124	<20	1.03	0.106	0.46	3.2	2.7	4.06	0.20	209	3.2	1.03	4.9
STD DS8	Standard		43	0.69	0.078	15.4	112.8	0.63	282.6	0.119	<20	0.96	0.097	0.43	2.4	2.4	5.37	0.17	209	5.5	4.92	4.8
STD OREAS45PA	Standard		222	0.25	0.038	16.2	794.5	0.10	175.5	0.142	<20	3.35	0.004	0.07	<0.1	46.0	0.07	0.02	33	0.6	<0.02	17.3
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18 Expected																						
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
Prep Wash																						
G1	Prep Blank		36	0.56	0.068	12.7	4.6	0.55	150.9	0.122	<20	0.87	0.086	0.47	<0.1	2.0	0.29	<0.02	<5	<0.1	<0.02	4.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913763	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	1.1	6.94	1.1	<0.02	4	0.2	0.2	<10	<2
REP 913763	QC	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	1.2	7.18	1.1	<0.02	<1	<0.1	0.4	<10	<2
913775	Drill Core	<0.02	<0.1	0.03	0.02	<0.1	<0.1	<0.05	1.4	8.96	1.4	<0.02	3	<0.1	0.3	<10	<2
REP 913775	QC																
913777	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	1.1	8.49	1.2	<0.02	2	<0.1	0.4	<10	<2
REP 913777	QC																
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.06	<0.1	0.09	0.45	36.7	4.9	<0.05	5.9	5.83	38.4	1.57	5	1.3	27.2	70	29
STD DS8	Standard	2.40	<0.1	0.06	1.06	37.1	6.3	<0.05	2.4	6.02	28.4	2.05	55	4.6	26.8	106	336
STD OREAS45PA	Standard	1.07	<0.1	0.68	0.37	9.5	1.5	<0.05	25.1	8.57	35.5	0.09	<1	0.6	6.9	46	75
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																	
G1	Prep Blank	2.76	<0.1	0.09	0.48	39.5	0.5	<0.05	1.4	5.01	22.9	0.03	<1	0.2	26.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
G1	Prep Blank		66.63	16.18	3.19	1.14	3.73	3.70	3.75	0.38	0.18	0.09	<0.002	1106	<20	772	155	18	30	5	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
G1	Prep Blank	100.00	0.10	<0.02	0.06	1.51	3.16	44.3	6	2.7	3.9	580	1.90	0.6	2.1	1.0	8.6	63.7	0.02	<0.02	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
G1	Prep Blank	38	0.69	0.078	15.5	6.3	0.59	169.3	0.136	<20	0.90	0.092	0.49	<0.1	2.2	0.31	<0.02	9	<0.1	<0.02	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006493.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
G1	Prep Blank	3.17	<0.1	0.09	0.61	43.4	0.6	<0.05	1.7	6.55	27.9	0.02	<1	0.6	31.5	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 24, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006494.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-13
P.O. Number MT.GUY 197
Number of Samples: 15

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	15	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	15	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006494.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913778	Drill Core	5.43	1.13	0.17	0.14	14.73	39.42	0.05	0.02	0.02	0.07	0.01	0.004	34	<20	140	<5	5	<5	<1	44.0
913779	Drill Core	7.57	0.18	0.01	0.06	19.08	35.08	0.03	0.01	<0.01	0.19	<0.01	0.003	15	<20	141	<5	3	6	<1	45.0
913780DP 913779 PULP	Incline		0.22	0.01	<0.04	19.07	34.99	0.02	<0.01	<0.01	0.21	<0.01	<0.002	17	<20	151	<5	5	<5	<1	45.1
913781	Drill Core	7.64	0.25	0.02	<0.04	17.28	37.21	0.01	<0.01	<0.01	0.06	<0.01	<0.002	20	<20	143	7	3	<5	<1	44.8
913782	Drill Core	7.51	0.26	0.04	<0.04	15.23	39.73	0.01	<0.01	<0.01	0.06	<0.01	<0.002	30	<20	169	14	4	<5	<1	44.3
913783	Drill Core	7.28	0.16	0.03	0.05	8.27	48.10	0.01	0.02	<0.01	0.07	<0.01	0.003	56	<20	251	<5	6	7	<1	43.1
913784	Drill Core	7.62	0.30	0.06	<0.04	6.74	49.98	0.01	<0.01	<0.01	0.22	<0.01	0.004	103	<20	330	<5	9	<5	<1	42.5
913785	Drill Core	0.52	66.27	15.64	3.56	1.42	3.98	3.44	3.59	0.42	0.21	0.10	<0.002	1073	<20	739	136	16	20	6	1.1
913786	Drill Core	5.55	0.16	0.03	<0.04	8.29	48.06	0.01	<0.01	<0.01	0.47	<0.01	0.003	40	<20	272	<5	9	<5	<1	42.7
913787	Drill Core	6.88	0.32	0.04	<0.04	13.64	40.77	0.01	<0.01	<0.01	0.42	<0.01	<0.002	31	<20	187	<5	9	<5	<1	44.5
913788	Drill Core	7.87	0.22	0.03	0.06	16.58	38.56	0.02	0.02	<0.01	0.12	<0.01	0.003	28	<20	187	<5	6	<5	<1	44.0
913789	Drill Core	6.94	0.80	0.04	0.05	14.85	39.93	0.02	0.02	<0.01	0.06	<0.01	<0.002	27	<20	213	<5	8	<5	<1	44.0
913790	Rock Chip	0.30	1.10	0.21	0.12	0.41	85.51	<0.01	0.02	0.02	0.14	0.03	<0.002	43	<20	183	7	<3	<5	<1	12.4
913791	Drill Core	7.41	0.33	0.09	0.07	11.42	44.59	0.02	0.01	<0.01	0.13	<0.01	0.003	43	<20	237	<5	10	<5	<1	43.1
913792	Drill Core	6.26	0.37	0.08	0.06	16.30	38.87	0.02	0.03	<0.01	0.13	<0.01	0.003	29	<20	193	<5	10	<5	<1	43.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006494.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913778	Drill Core	99.75	12.88	<0.02	0.15	1.71	0.48	27.1	13	3.6	0.4	91	0.02	<0.1	2.2	1.4	<0.1	119.8	1.06	0.04	<0.02
913779	Drill Core	99.66	13.21	<0.02	0.17	0.45	0.33	13.1	<2	0.8	0.1	25	<0.01	<0.1	2.5	0.8	<0.1	120.1	0.34	0.07	<0.02
913780DP 913779 PULP	Incline	99.68	13.21	<0.02	0.16	0.45	0.33	13.0	<2	0.7	<0.1	25	<0.01	<0.1	2.3	0.6	<0.1	122.1	0.36	0.07	<0.02
913781	Drill Core	99.70	13.27	<0.02	0.14	0.61	0.31	18.2	5	2.4	0.1	26	<0.01	0.5	2.0	0.9	<0.1	113.3	0.72	0.12	<0.02
913782	Drill Core	99.74	12.94	<0.02	0.19	0.82	0.36	22.9	13	3.0	<0.1	18	<0.01	0.4	2.0	1.0	<0.1	132.8	1.18	0.13	<0.02
913783	Drill Core	99.83	13.18	<0.02	0.21	0.85	0.35	17.8	12	2.7	<0.1	9	<0.01	0.2	2.3	1.1	<0.1	206.3	1.20	0.12	<0.02
913784	Drill Core	99.87	13.25	<0.02	0.12	0.86	0.32	12.2	6	1.5	<0.1	17	<0.01	0.3	2.4	1.1	<0.1	242.4	1.11	0.14	<0.02
913785	Drill Core	99.97	0.14	<0.02	0.12	2.10	2.03	44.6	9	3.5	4.3	541	1.84	<0.1	1.7	0.7	2.7	46.2	0.01	<0.02	0.04
913786	Drill Core	99.85	13.27	<0.02	0.15	0.71	0.38	12.4	2	1.1	<0.1	26	<0.01	<0.1	2.6	0.7	<0.1	220.0	1.09	0.10	<0.02
913787	Drill Core	99.76	13.37	<0.02	0.17	0.72	0.42	18.6	6	2.2	0.1	33	<0.01	0.2	3.2	0.5	<0.1	146.3	0.68	0.11	<0.02
913788	Drill Core	99.70	13.46	<0.02	0.17	0.67	0.28	13.0	4	2.0	0.1	29	<0.01	0.3	2.3	0.9	<0.1	146.9	0.58	0.09	<0.02
913789	Drill Core	99.76	13.59	<0.02	0.17	0.63	0.31	13.8	4	1.2	<0.1	24	<0.01	<0.1	2.0	1.1	<0.1	169.6	0.58	0.09	<0.02
913790	Rock Chip	99.97	0.90	0.08	0.81	6.16	0.43	4.5	4	0.6	0.2	138	<0.01	<0.1	0.2	1.0	<0.1	117.4	0.37	0.06	<0.02
913791	Drill Core	99.80	13.42	<0.02	0.20	1.17	0.35	18.7	11	3.5	0.1	23	<0.01	0.4	2.1	1.1	<0.1	176.7	0.94	0.12	<0.02
913792	Drill Core	99.71	12.73	<0.02	0.20	0.68	0.38	14.0	5	2.1	0.1	25	<0.01	0.4	2.2	0.8	<0.1	143.5	0.53	0.16	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006494.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913778	Drill Core	7	26.16	0.026	1.2	11.4	7.33	27.0	0.003	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	<0.02	145	0.3	0.11	<0.1
913779	Drill Core	9	22.30	0.071	1.3	14.2	9.56	14.8	<0.001	<20	<0.01	0.012	<0.01	<0.1	0.1	<0.02	<0.02	78	0.3	0.12	<0.1
913780DP 913779 PULP	Incline	9	22.82	0.070	1.2	14.3	9.50	14.4	<0.001	<20	<0.01	0.012	<0.01	<0.1	<0.1	<0.02	<0.02	63	0.3	0.16	<0.1
913781	Drill Core	8	24.09	0.021	0.8	11.3	8.54	15.0	<0.001	<20	<0.01	0.008	<0.01	<0.1	0.1	<0.02	<0.02	156	0.4	0.15	<0.1
913782	Drill Core	9	25.62	0.022	0.9	12.6	7.40	19.5	<0.001	<20	0.01	0.008	<0.01	<0.1	0.1	<0.02	<0.02	160	0.4	0.15	<0.1
913783	Drill Core	13	30.89	0.022	1.3	16.1	4.20	34.8	<0.001	<20	<0.01	0.005	<0.01	<0.1	0.1	<0.02	<0.02	214	0.4	0.20	<0.1
913784	Drill Core	9	30.85	0.065	3.6	19.3	3.18	46.9	<0.001	<20	0.01	0.006	<0.01	<0.1	0.2	<0.02	<0.02	64	0.5	0.18	<0.1
913785	Drill Core	38	0.65	0.080	5.7	7.4	0.67	241.9	0.124	<20	0.93	0.073	0.58	<0.1	2.0	0.31	<0.02	<5	0.2	<0.02	4.5
913786	Drill Core	9	32.74	0.158	3.9	18.4	4.04	30.2	<0.001	<20	<0.01	0.007	<0.01	<0.1	0.1	<0.02	<0.02	74	0.4	0.17	<0.1
913787	Drill Core	8	26.59	0.140	3.2	12.5	6.58	23.9	<0.001	<20	0.01	0.008	<0.01	<0.1	0.2	<0.02	<0.02	107	0.4	0.16	<0.1
913788	Drill Core	9	24.90	0.039	2.3	16.1	7.93	20.9	<0.001	<20	0.01	0.009	<0.01	<0.1	0.1	<0.02	<0.02	62	0.4	0.14	<0.1
913789	Drill Core	10	26.54	0.020	3.4	14.3	7.21	20.2	<0.001	<20	0.01	0.009	<0.01	<0.1	0.1	<0.02	<0.02	59	0.4	0.12	<0.1
913790	Rock Chip	4	>40	0.039	0.7	1.4	0.13	28.5	0.004	<20	0.06	0.001	0.01	<0.1	0.6	<0.02	<0.02	<5	0.4	0.17	0.2
913791	Drill Core	6	27.90	0.043	4.6	12.0	5.65	30.1	<0.001	<20	0.02	0.009	<0.01	<0.1	0.2	<0.02	<0.02	131	0.4	0.12	0.1
913792	Drill Core	10	25.07	0.046	4.6	12.8	7.95	21.7	<0.001	<20	0.02	0.011	0.01	<0.1	0.2	<0.02	<0.02	94	0.3	0.11	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006494.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913778	Drill Core	<0.02	<0.1	<0.02	0.15	0.2	<0.1	<0.05	1.2	4.40	0.8	<0.02	1	<0.1	0.5	<10	<2
913779	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.6	4.06	0.4	<0.02	2	<0.1	0.5	<10	<2
913780DP 913779 PULP	Incline	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.5	4.10	0.4	<0.02	2	<0.1	0.6	<10	<2
913781	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	3.08	0.3	<0.02	1	<0.1	0.3	<10	<2
913782	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	3.23	0.4	<0.02	2	<0.1	0.5	<10	<2
913783	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.6	4.46	0.6	<0.02	<1	<0.1	0.3	<10	<2
913784	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.7	6.86	1.0	<0.02	<1	<0.1	0.3	<10	<2
913785	Drill Core	3.44	0.1	0.06	0.25	43.3	0.4	<0.05	0.8	3.84	12.5	<0.02	<1	0.2	32.0	<10	<2
913786	Drill Core	<0.02	<0.1	<0.02	0.05	0.1	<0.1	<0.05	0.9	7.21	1.1	<0.02	1	0.1	0.3	<10	<2
913787	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.0	7.71	0.9	<0.02	1	<0.1	0.6	<10	<2
913788	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	5.35	0.7	<0.02	1	<0.1	0.6	<10	<2
913789	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.5	6.62	1.2	<0.02	1	<0.1	0.4	<10	<2
913790	Rock Chip	0.03	<0.1	0.04	0.14	0.2	<0.1	<0.05	1.9	1.35	0.9	<0.02	1	<0.1	0.4	<10	<2
913791	Drill Core	0.03	<0.1	<0.02	0.04	0.2	<0.1	<0.05	0.9	7.99	1.4	<0.02	2	<0.1	0.6	<10	<2
913792	Drill Core	<0.02	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.7	7.77	1.8	<0.02	1	<0.1	0.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913779	Drill Core	7.57	0.18	0.01	0.06	19.08	35.08	0.03	0.01	<0.01	0.19	<0.01	0.003	15	<20	141	<5	3	6	<1	45.0
REP 913787	QC																				
Core Reject Duplicates																					
913787	Drill Core	6.88	0.32	0.04	<0.04	13.64	40.77	0.01	<0.01	<0.01	0.42	<0.01	<0.002	31	<20	187	<5	9	<5	<1	44.5
DUP 913787	QC		0.33	0.04	<0.04	13.58	40.79	0.01	<0.01	<0.01	0.44	<0.01	<0.002	33	<20	185	<5	10	<5	<1	44.5
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.34	13.95	7.58	3.33	6.29	3.71	2.16	0.69	0.84	0.39	0.556	501	45	393	303	31	17	25	1.9
STD SO-18	Standard		58.21	14.04	7.52	3.34	6.34	3.72	2.18	0.69	0.84	0.40	0.566	501	42	397	299	31	22	25	1.9
STD SO-18	Standard		58.32	13.98	7.52	3.33	6.34	3.70	2.15	0.69	0.82	0.39	0.550	493	<20	391	296	30	18	25	1.9
STD SO-18	Standard		58.13	14.03	7.60	3.36	6.35	3.70	2.17	0.69	0.84	0.39	0.556	498	21	390	303	30	20	25	1.9
STD SO-18	Standard		58.13	14.08	7.64	3.32	6.37	3.71	2.14	0.69	0.82	0.39	0.545	503	39	395	308	30	25	25	1.9
STD SO-18	Standard		58.18	14.10	7.60	3.35	6.32	3.67	2.15	0.69	0.83	0.39	0.554	501	46	393	298	30	22	25	1.9
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913779	Drill Core	99.66	13.21	<0.02	0.17	0.45	0.33	13.1	<2	0.8	0.1	25	<0.01	<0.1	2.5	0.8	<0.1	120.1	0.34	0.07	<0.02
REP 913787	QC				0.17	0.79	0.46	19.4	4	2.2	<0.1	33	<0.01	0.1	3.2	0.7	<0.1	154.9	0.73	0.11	<0.02
Core Reject Duplicates																					
913787	Drill Core	99.76	13.37	<0.02	0.17	0.72	0.42	18.6	6	2.2	0.1	33	<0.01	0.2	3.2	0.5	<0.1	146.3	0.68	0.11	<0.02
DUP 913787	QC	99.76	13.32	<0.02	0.17	0.77	0.42	19.2	6	2.1	0.1	33	<0.01	0.2	3.2	0.6	<0.1	150.3	0.70	0.12	<0.02
Reference Materials																					
STD CSC	Standard		2.96	4.44																	
STD CSC	Standard		3.17	4.26																	
STD DS7	Standard				19.30	99.44	63.17	363.3	1317	53.1	9.0	591	2.29	45.4	4.5	87.2	4.0	64.7	5.96	4.22	4.12
STD DS8	Standard				11.94	102.0	136.4	312.9	2193	37.0	7.2	549	2.31	21.1	2.7	148.8	6.2	53.6	2.35	5.12	7.16
STD OREAS45PA	Standard				0.84	567.8	16.54	114.9	357	279.0	98.9	1071	15.54	3.1	1.0	44.8	5.7	11.9	0.09	0.13	0.16
STD OREAS76A	Standard		0.15	17.19																	
STD OREAS76A	Standard		0.17	17.90																	
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.84																			
STD SO-18	Standard	99.88																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.90																			
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD SO-18 Expected																					
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913779	Drill Core	9	22.30	0.071	1.3	14.2	9.56	14.8	<0.001	<20	<0.01	0.012	<0.01	<0.1	0.1	<0.02	<0.02	78	0.3	0.12	<0.1
REP 913787	QC	8	27.79	0.144	3.4	12.4	6.76	25.0	<0.001	<20	0.01	0.009	<0.01	<0.1	0.2	<0.02	<0.02	107	0.5	0.17	<0.1
Core Reject Duplicates																					
913787	Drill Core	8	26.59	0.140	3.2	12.5	6.58	23.9	<0.001	<20	0.01	0.008	<0.01	<0.1	0.2	<0.02	<0.02	107	0.4	0.16	<0.1
DUP 913787	QC	8	27.44	0.146	3.3	13.0	6.85	24.1	<0.001	<20	0.01	0.009	<0.01	<0.1	0.2	<0.02	<0.02	101	0.4	0.13	<0.1
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	79	0.87	0.075	10.9	188.7	1.04	398.5	0.101	40	0.97	0.093	0.45	3.1	2.4	3.55	0.20	190	3.2	1.46	4.4
STD DS8	Standard	39	0.63	0.082	14.3	109.8	0.58	300.7	0.098	<20	0.85	0.086	0.39	3.2	2.0	5.99	0.16	239	5.0	5.57	4.2
STD OREAS45PA	Standard	215	0.24	0.034	16.0	815.0	0.10	176.7	0.117	<20	3.11	0.011	0.07	<0.1	42.6	0.05	<0.02	32	0.5	0.07	14.5
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913779	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.6	4.06	0.4	<0.02	2	<0.1	0.5	<10	<2
REP 913787	QC	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	1.1	8.02	1.0	<0.02	2	<0.1	0.6	<10	3
Core Reject Duplicates																	
913787	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.0	7.71	0.9	<0.02	1	<0.1	0.6	<10	<2
DUP 913787	QC	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	1.1	7.97	1.0	<0.02	<1	<0.1	0.6	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	5.87	<0.1	0.10	0.42	32.3	4.5	<0.05	5.5	5.13	35.6	1.48	3	1.6	28.3	76	38
STD DS8	Standard	2.69	0.1	0.08	1.10	35.7	6.8	<0.05	2.0	5.15	29.4	2.31	74	5.4	25.8	164	425
STD OREAS45PA	Standard	1.02	0.1	0.56	0.25	8.1	1.5	<0.05	21.4	8.13	38.9	0.09	<1	0.7	5.7	70	85
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																	
STD OREAS76A Expected																	
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.15	16.06	3.33	1.13	3.52	3.73	3.66	0.40	0.19	0.10	0.002	997	<20	736	140	17	32	6	0.5
G1	Prep Blank		66.88	16.11	3.32	1.17	3.56	3.63	3.91	0.40	0.19	0.10	0.003	993	<20	722	157	16	23	6	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.98	0.03	<0.02	0.11	2.40	3.19	44.9	11	3.1	4.1	536	1.73	0.2	1.8	1.1	5.4	45.4	0.01	0.02	0.05
G1	Prep Blank	99.98	0.03	<0.02	0.07	2.13	2.91	41.6	7	2.6	3.7	523	1.66	0.2	1.8	0.5	5.5	45.2	<0.01	<0.02	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	35	0.42	0.074	8.7	8.0	0.54	162.2	0.106	<20	0.81	0.057	0.47	<0.1	2.0	0.29	<0.02	<5	0.2	<0.02	4.3
G1	Prep Blank	33	0.40	0.071	7.7	7.2	0.51	154.9	0.103	<20	0.80	0.059	0.47	<0.1	1.8	0.30	<0.02	<5	0.1	<0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006494.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	2.74	<0.1	0.06	0.36	38.7	0.4	<0.05	1.1	4.36	17.0	<0.02	<1	0.3	30.9	<10	<2
G1	Prep Blank	3.02	<0.1	0.06	0.38	38.0	0.4	<0.05	1.0	3.98	15.3	<0.02	<1	0.2	29.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 24, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006495.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-14
P.O. Number MT.GUY 197
Number of Samples: 14

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	14	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006495.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913793	Drill Core	4.76	0.19	0.03	0.08	5.54	52.06	0.02	0.01	<0.01	<0.01	<0.01	0.002	50	<20	348	<5	4	<5	<1	41.9
913794	Drill Core	5.12	0.11	0.01	<0.04	7.34	49.28	0.02	0.01	<0.01	<0.01	<0.01	0.002	41	<20	322	<5	5	<5	<1	43.0
913795	Drill Core	6.12	0.13	0.01	<0.04	6.00	49.23	0.02	<0.01	<0.01	0.01	<0.01	0.003	35	<20	341	<5	7	<5	<1	44.4
913796	Drill Core	5.74	0.12	0.01	<0.04	9.13	45.58	0.02	<0.01	<0.01	0.01	<0.01	<0.002	26	<20	237	<5	5	<5	<1	44.9
913797	Drill Core	6.49	0.24	0.03	0.04	14.90	41.91	0.02	<0.01	<0.01	0.05	<0.01	0.003	30	<20	216	<5	7	<5	<1	42.5
913798	Rock	0.47	66.32	15.45	3.64	1.31	3.85	3.48	3.55	0.43	0.21	0.10	0.002	983	<20	739	145	17	22	6	1.4
913799	Drill Core	6.63	0.13	0.02	0.04	14.37	39.47	0.02	<0.01	<0.01	0.05	<0.01	0.004	23	<20	194	6	4	<5	<1	45.6
913800DP 913799 PULP	Incline		0.13	0.02	0.04	14.55	39.47	0.02	<0.01	<0.01	0.05	<0.01	0.004	22	<20	198	<5	4	<5	<1	45.4
913801	Drill Core	6.32	0.08	0.01	<0.04	9.60	46.31	0.01	<0.01	<0.01	0.01	<0.01	0.003	35	<20	281	<5	6	<5	<1	43.7
913802	Drill Core	5.34	0.09	<0.01	0.06	9.55	48.06	0.02	<0.01	<0.01	0.02	<0.01	0.002	31	<20	291	<5	4	<5	<1	42.0
913803	Drill Core	6.33	0.12	0.02	<0.04	10.41	46.04	0.02	<0.01	<0.01	0.02	<0.01	0.003	31	<20	287	<5	8	<5	<1	43.1
913804	Drill Core	6.39	0.15	0.03	0.08	12.39	42.29	0.02	<0.01	<0.01	0.03	<0.01	<0.002	34	<20	246	<5	5	<5	<1	44.8
913805	Drill Core	5.63	0.11	0.02	0.05	16.64	36.97	0.02	<0.01	<0.01	0.03	<0.01	0.002	29	<20	172	<5	4	<5	<1	45.9
913806	Drill Core	2.01	0.27	0.02	<0.04	16.88	36.33	0.03	<0.01	<0.01	0.04	<0.01	0.003	22	<20	132	<5	6	5	<1	46.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006495.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913793	Drill Core	99.90	12.23	<0.02	0.11	0.43	0.26	8.8	15	1.4	<0.1	17	<0.01	0.3	2.2	<0.2	<0.1	307.2	0.58	0.04	<0.02
913794	Drill Core	99.88	12.31	<0.02	0.09	0.45	0.30	8.2	8	1.0	<0.1	6	<0.01	0.5	2.2	<0.2	<0.1	275.2	0.40	0.04	<0.02
913795	Drill Core	99.88	12.15	<0.02	0.10	0.29	0.22	8.0	9	0.9	<0.1	5	<0.01	0.3	2.7	<0.2	<0.1	308.1	0.81	0.04	<0.02
913796	Drill Core	99.83	12.34	<0.02	0.15	0.73	0.26	14.4	24	2.5	<0.1	7	<0.01	0.7	2.4	<0.2	<0.1	221.7	1.58	0.06	<0.02
913797	Drill Core	99.76	12.78	<0.02	0.16	0.74	0.36	12.9	11	2.6	<0.1	20	<0.01	0.6	2.6	<0.2	<0.1	199.2	0.66	0.12	<0.02
913798	Rock	99.99	0.07	<0.02	0.10	1.94	3.07	51.0	14	4.3	4.4	599	2.08	<0.1	2.7	<0.2	4.2	61.9	0.02	<0.02	0.08
913799	Drill Core	99.76	12.66	<0.02	0.21	0.35	0.18	14.7	15	2.0	<0.1	29	<0.01	0.5	2.4	0.6	<0.1	195.0	1.08	0.05	<0.02
913800DP 913799 PULP	Incline	99.74	12.63	<0.02	0.22	0.55	0.29	16.0	11	1.5	<0.1	27	<0.01	0.5	2.4	<0.2	<0.1	182.1	1.05	0.05	<0.02
913801	Drill Core	99.83	12.49	<0.02	0.26	0.71	0.26	12.4	17	2.3	<0.1	6	<0.01	0.6	3.0	<0.2	<0.1	260.1	1.28	0.08	<0.02
913802	Drill Core	99.84	12.51	<0.02	0.19	0.43	0.22	11.6	12	1.8	<0.1	5	<0.01	0.5	2.9	<0.2	<0.1	263.6	0.91	0.05	<0.02
913803	Drill Core	99.81	12.56	<0.02	0.15	0.41	0.31	13.0	13	1.9	<0.1	4	<0.01	0.4	3.5	<0.2	<0.1	267.6	0.74	0.09	<0.02
913804	Drill Core	99.77	12.39	<0.02	0.21	0.54	0.22	11.1	8	2.6	<0.1	9	<0.01	0.4	2.5	<0.2	<0.1	227.4	0.61	0.08	<0.02
913805	Drill Core	99.72	12.67	<0.02	0.16	<0.01	0.23	10.1	7	1.1	<0.1	16	<0.01	0.4	2.3	<0.2	<0.1	172.7	0.35	0.03	<0.02
913806	Drill Core	99.70	12.83	<0.02	0.22	1.05	0.25	16.0	8	2.8	<0.1	39	<0.01	0.6	2.1	<0.2	<0.1	125.8	0.65	0.06	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006495.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913793	Drill Core	4	33.78	0.003	1.0	12.7	2.85	49.2	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	67	0.1	<0.02	<0.1
913794	Drill Core	4	32.00	0.003	1.1	12.8	3.70	40.3	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	66	0.2	0.03	<0.1
913795	Drill Core	13	33.42	0.004	3.0	14.1	3.19	33.2	<0.001	<20	<0.01	0.006	<0.01	<0.1	0.1	<0.02	<0.02	79	0.2	0.03	<0.1
913796	Drill Core	8	30.86	0.005	1.8	8.8	5.01	29.1	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	251	0.1	<0.02	<0.1
913797	Drill Core	10	27.41	0.020	3.2	19.5	7.99	31.0	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	117	<0.1	<0.02	<0.1
913798	Rock	42	0.68	0.087	9.1	10.0	0.65	287.4	0.143	<20	1.04	0.109	0.60	<0.1	2.3	0.40	<0.02	<5	<0.1	<0.02	5.4
913799	Drill Core	9	27.86	0.022	1.1	17.8	8.27	23.0	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	148	0.2	<0.02	<0.1
913800DP 913799 PULP	Incline	8	27.04	0.022	1.0	17.0	7.94	23.1	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	149	<0.1	<0.02	<0.1
913801	Drill Core	13	31.47	0.008	1.4	17.9	5.30	36.5	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	208	0.3	<0.02	<0.1
913802	Drill Core	9	30.56	0.008	1.3	16.6	4.95	27.8	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	160	<0.1	<0.02	<0.1
913803	Drill Core	13	30.10	0.007	2.9	17.6	5.57	30.4	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	84	0.3	<0.02	<0.1
913804	Drill Core	9	28.22	0.010	1.7	12.7	6.78	33.4	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	0.02	<0.02	135	0.1	<0.02	<0.1
913805	Drill Core	5	25.76	0.010	1.4	12.3	9.24	27.8	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	91	0.2	<0.02	<0.1
913806	Drill Core	3	25.09	0.015	3.2	6.9	9.37	23.8	<0.001	<20	0.01	0.011	<0.01	<0.1	0.1	<0.02	<0.02	128	0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006495.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913793	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	3.67	0.5	<0.02	<1	<0.1	0.2	<10	<2
913794	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.3	4.08	0.5	<0.02	2	<0.1	0.2	<10	<2
913795	Drill Core	<0.02	<0.1	<0.02	<0.02	0.2	<0.1	<0.05	0.3	7.24	1.2	<0.02	<1	<0.1	0.2	<10	2
913796	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	5.34	0.7	<0.02	1	<0.1	0.2	<10	4
913797	Drill Core	<0.02	<0.1	<0.02	<0.02	0.2	<0.1	<0.05	0.5	7.24	1.2	<0.02	2	<0.1	0.2	<10	5
913798	Rock	3.94	0.2	0.07	0.21	52.7	0.4	<0.05	1.0	5.55	19.1	<0.02	<1	0.3	34.2	<10	<2
913799	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	3.84	0.4	<0.02	3	<0.1	0.2	<10	4
913800DP 913799 PULP	Incline	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.5	3.69	0.5	<0.02	1	<0.1	0.3	<10	3
913801	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.31	0.6	<0.02	2	<0.1	0.3	<10	<2
913802	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.3	4.07	0.6	<0.02	4	<0.1	0.3	<10	<2
913803	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.4	6.87	1.2	<0.02	6	<0.1	0.5	<10	<2
913804	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.4	4.86	0.8	<0.02	2	<0.1	0.4	<10	<2
913805	Drill Core	<0.02	<0.1	<0.02	<0.02	0.2	<0.1	<0.05	0.4	4.13	0.6	<0.02	1	<0.1	0.4	<10	<2
913806	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	0.5	6.05	1.1	<0.02	1	<0.1	0.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006495.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913801	Drill Core	6.32	0.08	0.01	<0.04	9.60	46.31	0.01	<0.01	<0.01	0.01	<0.01	0.003	35	<20	281	<5	6	<5	<1	43.7
Pulp Duplicates																					
REP 913798	QC																				
Core Reject Duplicates																					
913798	Rock	0.47	66.32	15.45	3.64	1.31	3.85	3.48	3.55	0.43	0.21	0.10	0.002	983	<20	739	145	17	22	6	1.4
DUP 913798	QC		66.30	15.54	3.56	1.28	3.84	3.55	3.55	0.41	0.20	0.10	0.002	971	<20	745	152	16	20	6	1.4
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.22	14.06	7.62	3.31	6.31	3.68	2.15	0.68	0.85	0.39	0.554	506	47	393	300	31	22	25	1.9
STD SO-18	Standard		58.40	13.90	7.61	3.32	6.30	3.69	2.15	0.69	0.84	0.40	0.559	504	48	395	300	31	21	25	1.9
STD SO-18	Standard		58.13	14.08	7.64	3.32	6.37	3.71	2.14	0.69	0.82	0.39	0.545	503	39	395	308	30	25	25	1.9
STD SO-18	Standard		58.18	14.10	7.60	3.35	6.32	3.67	2.15	0.69	0.83	0.39	0.554	501	46	393	298	30	22	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		66.96	15.89	3.55	1.13	3.53	3.74	3.66	0.40	0.19	0.10	<0.002	1026	<20	713	147	17	28	6	0.6
G1	Prep Blank		67.25	15.57	3.64	1.14	3.55	3.67	3.62	0.41	0.20	0.10	<0.002	932	<20	739	146	17	33	6	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006495.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913801	Drill Core		99.83	12.49	<0.02	0.26	0.71	0.26	12.4	17	2.3	<0.1	6	<0.01	0.6	3.0	<0.2	<0.1	260.1	1.28	0.08	<0.02
Pulp Duplicates																						
REP 913798	QC					0.11	1.81	3.13	50.2	18	3.8	4.7	613	2.10	<0.1	2.1	<0.2	3.8	61.8	0.01	<0.02	0.08
Core Reject Duplicates																						
913798	Rock		99.99	0.07	<0.02	0.10	1.94	3.07	51.0	14	4.3	4.4	599	2.08	<0.1	2.7	<0.2	4.2	61.9	0.02	<0.02	0.08
DUP 913798	QC		99.99	0.08	<0.02	0.10	1.67	2.85	51.2	12	3.7	4.7	613	2.08	<0.1	2.5	<0.2	3.8	63.6	<0.01	<0.02	0.07
Reference Materials																						
STD CSC	Standard			2.96	4.44																	
STD DS7	Standard					20.20	105.1	68.72	400.4	1005	55.3	9.3	630	2.37	50.1	4.4	56.4	4.3	72.2	6.37	3.76	4.53
STD DS8	Standard					12.89	112.8	130.4	323.8	1923	40.4	7.5	629	2.48	26.9	2.8	134.4	6.4	65.8	2.46	4.18	7.26
STD OREAS45PA	Standard					0.83	612.8	18.77	119.4	321	303.9	106.2	1123	16.54	3.5	1.1	42.9	6.8	14.1	0.08	0.11	0.19
STD OREAS76A	Standard			0.15	17.19																	
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank		<0.01																			
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.01																			
Prep Wash																						
G1	Prep Blank		99.99	<0.02	<0.02	0.12	2.14	5.05	46.3	19	3.2	4.4	587	1.96	0.2	2.1	0.5	4.9	56.1	0.02	<0.02	0.36
G1	Prep Blank		99.98	0.03	<0.02	0.11	2.18	5.61	48.5	20	2.7	4.0	584	2.07	0.2	2.5	<0.2	8.0	72.3	0.01	<0.02	0.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006495.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913801	Drill Core	13	31.47	0.008	1.4	17.9	5.30	36.5	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	208	0.3	<0.02	<0.1
Pulp Duplicates																					
REP 913798	QC	42	0.71	0.090	9.2	10.7	0.65	288.1	0.150	<20	1.04	0.108	0.60	<0.1	2.4	0.42	<0.02	<5	<0.1	<0.02	5.3
Core Reject Duplicates																					
913798	Rock	42	0.68	0.087	9.1	10.0	0.65	287.4	0.143	<20	1.04	0.109	0.60	<0.1	2.3	0.40	<0.02	<5	<0.1	<0.02	5.4
DUP 913798	QC	42	0.70	0.093	8.1	11.0	0.66	288.5	0.146	<20	1.02	0.099	0.58	0.2	2.3	0.40	<0.02	<5	<0.1	<0.02	5.3
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	79	0.97	0.076	11.9	180.7	1.04	410.6	0.114	30	1.01	0.097	0.46	3.2	2.6	4.02	0.20	230	3.1	1.31	4.7
STD DS8	Standard	41	0.73	0.081	15.7	118.4	0.62	328.4	0.109	<20	0.93	0.089	0.41	3.3	2.2	5.89	0.16	191	5.4	5.07	4.6
STD OREAS45PA	Standard	225	0.24	0.035	16.3	858.0	0.11	185.2	0.139	<20	3.58	0.011	0.07	<0.1	47.0	0.07	<0.02	31	0.2	0.03	16.5
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	36	0.53	0.078	10.3	7.3	0.53	198.2	0.129	<20	0.94	0.095	0.51	<0.1	2.0	0.33	<0.02	<5	<0.1	<0.02	5.1
G1	Prep Blank	40	0.59	0.085	13.7	5.9	0.52	190.6	0.132	<20	0.98	0.117	0.51	<0.1	2.3	0.33	<0.02	<5	<0.1	<0.02	5.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006495.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913801	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.31	0.6	<0.02	2	<0.1	0.3	<10	<2
Pulp Duplicates																	
REP 913798	QC	3.95	0.1	0.08	0.23	51.3	0.5	<0.05	1.1	5.60	20.2	<0.02	<1	0.3	35.7	<10	2
Core Reject Duplicates																	
913798	Rock	3.94	0.2	0.07	0.21	52.7	0.4	<0.05	1.0	5.55	19.1	<0.02	<1	0.3	34.2	<10	<2
DUP 913798	QC	4.05	<0.1	0.07	0.21	49.7	0.4	<0.05	1.0	5.05	17.3	<0.02	<1	0.3	35.7	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.25	<0.1	0.11	0.33	36.5	4.8	<0.05	5.7	5.66	37.6	1.54	2	1.8	28.1	62	41
STD DS8	Standard	2.60	<0.1	0.08	0.99	39.1	6.8	<0.05	2.0	5.81	30.6	2.19	62	5.5	25.3	129	376
STD OREAS45PA	Standard	1.11	0.1	0.65	0.24	9.3	1.5	<0.05	23.1	8.89	38.1	0.10	<1	0.5	6.5	45	88
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.13	<0.1	0.07	0.31	46.6	0.5	<0.05	1.3	5.51	21.1	<0.02	<1	0.4	31.5	<10	3
G1	Prep Blank	2.90	<0.1	0.11	0.33	46.4	0.6	<0.05	1.7	6.65	28.8	<0.02	<1	0.3	30.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 24, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006496.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-15
P.O. Number MT.GUY 197
Number of Samples: 15

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	15	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	15	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006496.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913807	Drill Core	5.38	0.23	0.05	<0.04	6.47	48.85	<0.01	0.01	<0.01	0.01	<0.01	<0.002	46	<20	302	<5	8	6	<1	44.2
913808	Drill Core	6.57	0.13	0.02	<0.04	14.23	39.61	<0.01	<0.01	<0.01	0.02	<0.01	0.002	32	<20	179	<5	4	<5	<1	45.7
913809	Drill Core	7.30	0.20	0.03	0.05	13.76	40.13	0.02	<0.01	<0.01	0.06	<0.01	<0.002	30	<20	167	<5	<3	<5	<1	45.5
913810	Rock Chip	0.32	1.13	0.22	0.13	0.42	85.50	0.01	0.02	0.02	0.14	0.03	<0.002	47	<20	189	<5	<3	<5	<1	12.3
913811	Drill Core	6.61	0.13	0.01	<0.04	8.90	45.31	<0.01	<0.01	<0.01	0.01	<0.01	<0.002	40	<20	257	<5	4	<5	<1	45.4
913812	Drill Core	6.50	0.11	<0.01	<0.04	8.50	45.61	0.01	<0.01	<0.01	<0.01	<0.01	0.003	45	<20	287	<5	7	<5	<1	45.6
913813	Drill Core	6.27	0.18	0.02	<0.04	8.36	45.84	0.02	<0.01	<0.01	0.01	<0.01	0.002	37	<20	291	<5	7	<5	<1	45.4
913814	Rock	0.54	65.13	15.71	3.54	1.42	4.56	3.45	3.56	0.44	0.20	0.10	<0.002	941	<20	753	154	17	21	6	1.7
913815	Drill Core	6.48	0.12	0.02	<0.04	6.81	48.55	0.02	<0.01	<0.01	0.02	<0.01	0.004	56	<20	360	<5	8	<5	<1	44.2
913816	Drill Core	7.24	0.37	0.09	<0.04	15.93	36.91	0.02	0.01	<0.01	0.02	<0.01	0.004	43	<20	226	<5	4	<5	<1	46.3
913817	Drill Core	7.30	0.47	0.02	<0.04	15.61	37.79	0.01	<0.01	<0.01	0.02	<0.01	0.002	46	<20	197	<5	6	6	<1	45.8
913818	Drill Core	7.54	0.14	0.01	<0.04	18.79	34.26	0.02	<0.01	<0.01	0.02	<0.01	0.002	21	<20	173	<5	5	<5	<1	46.4
913819	Drill Core	7.16	0.16	0.02	<0.04	14.30	39.77	0.01	<0.01	<0.01	0.06	<0.01	0.003	43	<20	226	<5	6	<5	<1	45.4
913820DP 913819 PULP	Incline		0.16	0.01	<0.04	13.96	39.98	<0.01	<0.01	<0.01	0.06	<0.01	0.003	43	<20	221	<5	6	<5	<1	45.5
913821	Drill Core	2.06	0.14	0.02	<0.04	15.57	37.95	<0.01	<0.01	<0.01	0.04	<0.01	0.003	29	<20	184	<5	6	<5	<1	45.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006496.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913807	Drill Core	99.87	12.09	<0.02	0.11	0.89	1.14	14.1	14	2.6	<0.1	7	<0.01	0.7	2.1	<0.2	<0.1	278.0	0.67	0.11	<0.02
913808	Drill Core	99.75	12.70	<0.02	0.14	0.97	1.21	14.4	9	3.4	<0.1	22	<0.01	0.3	2.0	<0.2	<0.1	170.7	0.79	0.06	<0.02
913809	Drill Core	99.76	12.56	<0.02	0.15	0.78	0.49	10.3	5	1.4	<0.1	19	<0.01	0.3	2.2	<0.2	<0.1	158.0	0.65	0.07	<0.02
913810	Rock Chip	99.97	0.43	0.02	0.45	3.39	0.48	6.7	9	3.6	0.1	195	0.03	1.2	0.3	<0.2	<0.1	142.9	0.58	0.09	<0.02
913811	Drill Core	99.84	12.30	<0.02	0.12	0.49	0.48	9.8	9	2.3	<0.1	11	<0.01	0.8	2.3	<0.2	<0.1	240.5	0.75	0.10	<0.02
913812	Drill Core	99.86	12.45	<0.02	0.10	0.29	0.35	8.4	9	1.1	<0.1	5	<0.01	0.3	2.7	<0.2	<0.1	268.5	0.65	0.06	<0.02
913813	Drill Core	99.85	12.42	<0.02	0.16	0.26	0.44	13.0	9	2.0	<0.1	6	<0.01	0.4	3.7	<0.2	<0.1	274.1	0.70	0.06	<0.02
913814	Rock	99.98	0.26	<0.02	0.07	1.61	3.59	50.3	14	4.1	4.6	597	1.97	<0.1	2.7	<0.2	3.7	58.3	0.03	<0.02	0.07
913815	Drill Core	99.87	12.50	<0.02	0.23	0.45	0.39	17.6	19	2.5	<0.1	17	<0.01	1.1	3.1	<0.2	<0.1	316.2	1.36	0.11	<0.02
913816	Drill Core	99.74	12.76	<0.02	0.20	0.81	0.41	8.7	10	2.9	0.3	10	0.02	0.7	3.0	<0.2	<0.1	215.8	0.36	0.12	<0.02
913817	Drill Core	99.73	12.75	<0.02	0.22	0.41	0.30	13.7	5	2.5	<0.1	27	<0.01	0.7	2.6	<0.2	<0.1	180.4	0.58	0.07	<0.02
913818	Drill Core	99.68	13.07	<0.02	0.23	0.08	0.09	7.5	6	1.0	<0.1	12	<0.01	0.3	2.9	<0.2	<0.1	165.8	0.28	0.03	<0.02
913819	Drill Core	99.75	12.75	<0.02	0.21	0.26	0.34	13.1	9	2.9	<0.1	20	<0.01	0.6	3.0	0.3	<0.1	207.6	1.04	0.07	<0.02
913820DP 913819 PULP	Incline	99.76	12.68	<0.02	0.21	0.23	0.34	12.6	5	3.1	<0.1	21	<0.01	0.3	3.1	<0.2	<0.1	208.7	1.15	0.07	<0.02
913821	Drill Core	99.74	12.83	<0.02	0.18	0.34	0.33	13.5	7	2.1	<0.1	15	<0.01	0.5	2.2	<0.2	<0.1	178.2	0.62	0.08	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006496.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913807	Drill Core	8	33.47	0.005	3.1	14.8	3.46	43.2	<0.001	<20	0.01	0.004	<0.01	<0.1	0.1	0.04	<0.02	155	<0.1	<0.02	<0.1
913808	Drill Core	9	27.87	0.007	1.7	12.0	7.97	32.9	<0.001	<20	0.01	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	100	0.2	<0.02	<0.1
913809	Drill Core	6	27.33	0.024	0.5	9.2	7.54	23.7	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	57	<0.1	<0.02	<0.1
913810	Rock Chip	6	>40	0.057	1.0	1.7	0.15	38.5	0.004	<20	0.07	<0.001	<0.01	<0.1	0.5	<0.02	<0.02	<5	0.4	<0.02	0.2
913811	Drill Core	6	31.89	0.004	1.2	11.1	4.92	36.2	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	73	0.2	0.02	<0.1
913812	Drill Core	9	31.33	0.004	2.4	12.3	4.57	46.1	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	63	0.2	<0.02	<0.1
913813	Drill Core	13	31.76	0.003	2.4	11.3	4.44	35.2	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	71	0.2	<0.02	<0.1
913814	Rock	40	1.18	0.090	8.0	8.8	0.71	285.5	0.142	<20	0.97	0.077	0.58	<0.1	2.1	0.40	<0.02	<5	<0.1	<0.02	5.1
913815	Drill Core	11	33.13	0.008	2.3	16.1	3.47	50.7	<0.001	<20	<0.01	0.006	<0.01	<0.1	0.1	<0.02	<0.02	221	0.2	<0.02	<0.1
913816	Drill Core	5	26.00	0.007	1.3	16.9	9.00	38.9	<0.001	<20	0.02	0.011	<0.01	<0.1	0.1	<0.02	<0.02	83	0.3	<0.02	0.1
913817	Drill Core	7	25.94	0.009	2.0	13.9	8.72	36.2	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	86	0.1	<0.02	<0.1
913818	Drill Core	8	24.13	0.007	1.7	12.3	10.85	18.5	<0.001	<20	<0.01	0.015	<0.01	<0.1	<0.1	<0.02	<0.02	28	<0.1	0.04	<0.1
913819	Drill Core	11	27.31	0.028	2.0	15.4	7.56	38.8	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	220	<0.1	<0.02	<0.1
913820DP 913819 PULP	Incline	11	27.79	0.027	2.1	15.4	7.80	41.2	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	223	0.2	<0.02	<0.1
913821	Drill Core	10	26.15	0.018	2.3	14.6	8.65	27.2	<0.001	<20	0.01	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	107	0.2	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

CERTIFICATE OF ANALYSIS VAN10006496.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913807	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.5	7.08	1.4	<0.02	3	<0.1	0.2	<10	<2
913808	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.48	0.6	<0.02	2	<0.1	0.3	<10	<2
913809	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	1.96	0.3	<0.02	3	<0.1	0.3	<10	<2
913810	Rock Chip	0.03	<0.1	0.04	0.09	0.3	<0.1	<0.05	2.0	1.99	1.1	<0.02	2	<0.1	0.5	<10	<2
913811	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	3.80	0.5	<0.02	<1	<0.1	0.3	<10	<2
913812	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	5.89	0.9	<0.02	2	<0.1	0.2	<10	<2
913813	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.3	6.42	1.2	<0.02	2	<0.1	0.2	<10	4
913814	Rock	4.04	0.2	0.08	0.20	51.6	0.4	<0.05	0.9	4.72	16.7	<0.02	<1	0.2	34.6	<10	<2
913815	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.5	6.57	1.1	<0.02	3	<0.1	0.3	<10	3
913816	Drill Core	0.03	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.5	3.90	0.9	<0.02	2	<0.1	0.5	<10	<2
913817	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	5.60	0.7	<0.02	<1	<0.1	0.3	<10	<2
913818	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	4.33	0.6	<0.02	5	<0.1	0.4	<10	4
913819	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.4	5.45	0.8	<0.02	2	<0.1	0.3	<10	<2
913820DP 913819 PULP	Incline	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	5.57	0.8	<0.02	<1	<0.1	0.3	<10	<2
913821	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	5.44	0.8	<0.02	<1	0.1	0.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
REP G1	QC																				
REP 913816	QC		0.35	0.09	0.04	15.78	37.07	0.02	0.01	<0.01	0.02	<0.01	0.003	44	<20	224	<5	4	<5	<1	46.3
Core Reject Duplicates																					
913816	Drill Core	7.24	0.37	0.09	<0.04	15.93	36.91	0.02	0.01	<0.01	0.02	<0.01	0.004	43	<20	226	<5	4	<5	<1	46.3
DUP 913816	QC		0.37	0.11	<0.04	15.94	36.86	0.03	0.01	<0.01	0.02	<0.01	0.004	42	<20	226	<5	5	<5	<1	46.3
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.22	14.06	7.62	3.31	6.31	3.68	2.15	0.68	0.85	0.39	0.554	506	47	393	300	31	22	25	1.9
STD SO-18	Standard		58.40	13.90	7.61	3.32	6.30	3.69	2.15	0.69	0.84	0.40	0.559	504	48	395	300	31	21	25	1.9
STD SO-18	Standard		58.13	14.08	7.64	3.32	6.37	3.71	2.14	0.69	0.82	0.39	0.545	503	39	395	308	30	25	25	1.9
STD SO-18	Standard		58.18	14.10	7.60	3.35	6.32	3.67	2.15	0.69	0.83	0.39	0.554	501	46	393	298	30	22	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.47	15.76	3.34	1.08	3.30	3.50	4.03	0.38	0.19	0.09	<0.002	1277	<20	707	151	16	24	5	0.6
G1	Prep Blank		67.53	15.76	3.39	1.04	3.38	3.54	3.86	0.38	0.18	0.10	<0.002	1089	<20	729	142	17	28	5	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
REP G1	QC			<0.02	<0.02																	
REP 913816	QC		99.74																			
Core Reject Duplicates																						
913816	Drill Core		99.74	12.76	<0.02	0.20	0.81	0.41	8.7	10	2.9	0.3	10	0.02	0.7	3.0	<0.2	<0.1	215.8	0.36	0.12	<0.02
DUP 913816	QC		99.73	12.83	<0.02	0.21	0.82	0.38	8.2	9	3.1	0.2	9	0.01	0.7	3.0	<0.2	<0.1	215.3	0.37	0.12	<0.02
Reference Materials																						
STD CSC	Standard			2.96	4.44																	
STD DS7	Standard					20.20	105.1	68.72	400.4	1005	55.3	9.3	630	2.37	50.1	4.4	56.4	4.3	72.2	6.37	3.76	4.53
STD DS8	Standard					12.89	112.8	130.4	323.8	1923	40.4	7.5	629	2.48	26.9	2.8	134.4	6.4	65.8	2.46	4.18	7.26
STD OREAS45PA	Standard					0.83	612.8	18.77	119.4	321	303.9	106.2	1123	16.54	3.5	1.1	42.9	6.8	14.1	0.08	0.11	0.19
STD OREAS76A	Standard			0.15	17.19																	
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank		<0.01																			
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.01																			
Prep Wash																						
G1	Prep Blank		99.98			0.08	4.91	12.16	55.8	38	3.2	4.1	513	1.81	0.1	1.7	<0.2	5.2	44.4	0.14	0.02	0.06
G1	Prep Blank		99.99	<0.02	<0.02	0.09	2.14	13.69	57.4	43	2.6	3.6	565	1.85	0.1	1.7	<0.2	5.8	54.9	0.12	0.04	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
REP G1	QC																					
REP 913816	QC																					
Core Reject Duplicates																						
913816	Drill Core	5	26.00	0.007	1.3	16.9	9.00	38.9	<0.001	<20	0.02	0.011	<0.01	<0.1	0.1	<0.02	<0.02	83	0.3	<0.02	0.1	
DUP 913816	QC	6	25.89	0.008	1.4	18.6	9.06	36.8	<0.001	<20	0.02	0.013	<0.01	<0.1	0.2	<0.02	<0.02	82	0.2	0.02	0.1	
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard	79	0.97	0.076	11.9	180.7	1.04	410.6	0.114	30	1.01	0.097	0.46	3.2	2.6	4.02	0.20	230	3.1	1.31	4.7	
STD DS8	Standard	41	0.73	0.081	15.7	118.4	0.62	328.4	0.109	<20	0.93	0.089	0.41	3.3	2.2	5.89	0.16	191	5.4	5.07	4.6	
STD OREAS45PA	Standard	225	0.24	0.035	16.3	858.0	0.11	185.2	0.139	<20	3.58	0.011	0.07	<0.1	47.0	0.07	<0.02	31	0.2	0.03	16.5	
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6	
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8	
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7	
STD SO-18 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	34	0.44	0.081	13.7	5.7	0.49	156.6	0.112	<20	0.84	0.073	0.46	<0.1	1.7	0.30	0.02	<5	<0.1	<0.02	4.4	
G1	Prep Blank	34	0.44	0.075	9.8	4.2	0.53	172.0	0.117	<20	0.85	0.082	0.46	<0.1	1.8	0.31	<0.02	<5	<0.1	<0.02	4.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																		
REP G1	QC																	
REP 913816	QC																	
Core Reject Duplicates																		
913816	Drill Core	0.03	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.5	3.90	0.9	<0.02	2	<0.1	0.5	<10	<2	
DUP 913816	QC	0.02	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.4	4.00	0.8	<0.02	1	<0.1	0.6	<10	3	
Reference Materials																		
STD CSC	Standard																	
STD DS7	Standard	6.25	<0.1	0.11	0.33	36.5	4.8	<0.05	5.7	5.66	37.6	1.54	2	1.8	28.1	62	41	
STD DS8	Standard	2.60	<0.1	0.08	0.99	39.1	6.8	<0.05	2.0	5.81	30.6	2.19	62	5.5	25.3	129	376	
STD OREAS45PA	Standard	1.11	0.1	0.65	0.24	9.3	1.5	<0.05	23.1	8.89	38.1	0.10	<1	0.5	6.5	45	88	
STD OREAS76A	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD SO-18	Standard																	
STD CSC Expected																		
STD OREAS76A Expected																		
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40	
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72	
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339	
STD SO-18 Expected																		
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2	
BLK	Blank																	
Prep Wash																		
G1	Prep Blank	2.78	<0.1	0.08	0.25	43.7	0.5	<0.05	1.1	4.64	25.0	<0.02	<1	0.2	28.1	<10	3	
G1	Prep Blank	2.87	0.1	0.08	0.27	41.7	0.5	<0.05	1.4	5.01	20.6	<0.02	<1	0.3	30.0	<10	2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
G1	Prep Blank		<0.02	<0.02																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 24, 2010

QUALITY CONTROL REPORT VAN10006496.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
G1	Prep Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 22, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006497.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-16
P.O. Number MT. GUY 197
Number of Samples: 14

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	14	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006497.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913822	Drill Core	4.36	0.06	<0.01	<0.04	10.82	43.84	0.02	<0.01	<0.01	0.01	<0.01	<0.002	30	<20	340	<5	4	<5	<1	45.0
913823	Drill Core	7.18	0.15	0.02	<0.04	17.97	34.93	0.03	<0.01	<0.01	0.01	<0.01	<0.002	21	<20	144	<5	4	<5	<1	46.6
913824	Drill Core	7.73	0.36	0.01	<0.04	17.98	34.97	0.02	<0.01	<0.01	0.01	<0.01	<0.002	28	<20	155	<5	4	<5	<1	46.3
913825	Drill Core	5.50	1.65	0.08	<0.04	9.93	43.69	0.01	0.01	<0.01	0.02	<0.01	0.003	33	<20	139	<5	5	7	<1	44.4
913826	Drill Core	6.18	0.27	<0.01	<0.04	1.14	55.26	<0.01	<0.01	<0.01	0.05	<0.01	<0.002	46	<20	861	<5	4	<5	<1	43.1
913827	Drill Core	5.22	1.93	0.03	<0.04	1.16	54.24	<0.01	<0.01	<0.01	0.02	<0.01	<0.002	76	<20	370	<5	5	<5	<1	42.5
913828	Rock	0.44	65.68	15.47	3.58	1.30	4.16	3.42	3.50	0.42	0.20	0.10	<0.002	995	<20	738	130	17	20	6	1.9
913829	Drill Core	6.56	0.40	0.11	0.06	6.73	48.16	<0.01	0.02	<0.01	0.04	<0.01	<0.002	62	<20	241	<5	8	5	<1	44.3
913830	Rock Chip	0.30	0.91	0.11	0.07	0.40	85.91	<0.01	0.01	0.01	0.14	0.03	<0.002	45	<20	188	<5	<3	6	<1	12.4
913831	Drill Core	6.64	0.21	0.03	<0.04	9.38	45.31	0.01	<0.01	<0.01	0.01	<0.01	0.004	48	<20	237	<5	8	<5	<1	44.8
913832	Drill Core	7.12	0.58	0.04	<0.04	9.27	45.22	<0.01	<0.01	<0.01	0.04	<0.01	0.003	59	<20	227	<5	5	<5	<1	44.6
913833	Drill Core	7.11	0.57	0.03	<0.04	16.47	36.43	0.02	<0.01	<0.01	0.60	<0.01	<0.002	24	<20	151	<5	7	<5	<1	45.6
913834	Drill Core	7.89	0.08	0.01	<0.04	19.23	33.67	0.02	<0.01	<0.01	0.07	<0.01	0.003	14	<20	146	<5	5	<5	<1	46.6
913835	Drill Core	1.93	0.09	0.01	<0.04	19.30	34.14	0.02	<0.01	<0.01	0.03	<0.01	0.003	17	<20	140	<5	8	<5	<1	46.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006497.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913822	Drill Core	99.82	12.54	<0.02	0.20	0.37	0.14	6.0	8	0.8	<0.1	11	<0.01	1.2	2.3	<0.2	<0.1	309.7	0.32	0.06	<0.02
913823	Drill Core	99.70	12.57	<0.02	0.37	0.38	0.13	7.9	2	1.6	<0.1	6	<0.01	0.6	3.0	<0.2	<0.1	133.1	0.24	0.04	<0.02
913824	Drill Core	99.69	13.12	<0.02	0.38	0.36	0.13	8.5	<2	0.8	<0.1	5	<0.01	0.5	2.7	<0.2	<0.1	148.6	0.27	0.04	<0.02
913825	Drill Core	99.82	12.48	<0.02	0.20	3.03	0.23	37.3	29	6.2	<0.1	35	<0.01	0.5	2.5	0.5	<0.1	134.2	0.86	0.14	<0.02
913826	Drill Core	99.97	12.15	<0.02	0.09	1.43	0.20	14.9	8	1.9	<0.1	25	<0.01	1.0	1.8	<0.2	<0.1	800.2	1.04	0.17	<0.02
913827	Drill Core	99.96	12.16	<0.02	0.08	2.65	0.24	34.6	24	5.3	<0.1	47	<0.01	0.4	2.4	<0.2	<0.1	358.0	1.24	0.10	<0.02
913828	Rock	99.97	0.16	<0.02	0.11	1.62	2.14	45.5	12	3.6	4.2	565	1.98	0.3	2.5	<0.2	3.5	76.3	0.02	<0.02	0.06
913829	Drill Core	99.87	12.60	<0.02	0.15	4.38	0.28	40.0	33	7.8	<0.1	28	<0.01	0.4	2.9	<0.2	0.1	226.2	1.22	0.18	<0.02
913830	Rock Chip	99.99	0.77	0.05	0.71	5.33	0.42	6.5	8	0.3	<0.1	153	<0.01	0.3	0.3	<0.2	<0.1	143.9	0.40	0.07	<0.02
913831	Drill Core	99.83	12.59	<0.02	0.13	1.88	0.29	25.2	19	3.8	<0.1	11	<0.01	1.0	2.8	<0.2	<0.1	230.0	0.70	0.12	<0.02
913832	Drill Core	99.84	12.68	<0.02	0.13	1.75	0.24	16.9	15	3.1	<0.1	16	<0.01	0.5	2.8	<0.2	<0.1	193.9	0.62	0.17	<0.02
913833	Drill Core	99.72	12.57	<0.02	0.20	1.16	0.15	11.9	6	3.6	0.1	17	<0.01	0.5	3.1	<0.2	<0.1	132.6	0.50	0.10	<0.02
913834	Drill Core	99.67	13.00	<0.02	0.20	0.40	0.11	9.0	2	0.6	<0.1	16	<0.01	0.3	2.7	<0.2	<0.1	131.5	0.39	0.03	<0.02
913835	Drill Core	99.68	13.02	<0.02	0.17	0.30	0.27	15.2	3	1.4	0.2	37	<0.01	0.4	2.6	<0.2	<0.1	126.1	0.63	0.05	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006497.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913822	Drill Core	5	31.47	0.004	1.0	8.4	5.34	26.6	<0.001	<20	<0.01	0.006	<0.01	<0.1	0.1	<0.02	<0.02	65	0.4	0.05	<0.1
913823	Drill Core	6	25.85	0.005	1.2	11.7	9.21	17.8	<0.001	<20	0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	45	0.3	<0.02	<0.1
913824	Drill Core	6	25.85	0.006	1.2	14.7	9.47	25.2	<0.001	<20	0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	54	0.3	<0.02	<0.1
913825	Drill Core	5	33.13	0.010	1.8	12.1	4.99	26.8	<0.001	<20	0.04	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	239	0.4	0.03	0.1
913826	Drill Core	<2	38.39	0.020	1.0	4.5	0.54	41.0	<0.001	<20	0.01	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	120	0.2	0.05	<0.1
913827	Drill Core	<2	38.17	0.010	1.2	6.2	0.57	66.3	<0.001	<20	0.02	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	143	0.2	0.04	<0.1
913828	Rock	41	0.85	0.081	7.7	7.3	0.66	264.8	0.138	<20	1.02	0.094	0.60	<0.1	2.1	0.37	<0.02	<5	0.2	<0.02	5.0
913829	Drill Core	6	34.09	0.014	2.9	14.8	3.30	49.2	<0.001	<20	0.04	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	181	0.6	<0.02	0.1
913830	Rock Chip	2	>40	0.046	0.6	1.4	0.16	30.4	0.003	<20	0.04	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	<5	0.4	0.04	<0.1
913831	Drill Core	11	34.00	0.006	2.9	14.7	4.66	42.6	<0.001	<20	0.02	0.004	<0.01	<0.1	0.1	<0.02	<0.02	117	0.3	<0.02	<0.1
913832	Drill Core	6	30.80	0.013	1.8	15.5	4.99	45.8	<0.001	<20	0.01	0.003	<0.01	<0.1	0.1	0.02	<0.02	114	0.2	0.03	<0.1
913833	Drill Core	8	24.98	0.231	2.3	13.2	9.20	21.8	0.001	<20	0.02	0.008	<0.01	<0.1	0.1	<0.02	<0.02	31	0.2	<0.02	<0.1
913834	Drill Core	10	23.84	0.029	1.7	13.3	10.99	12.2	<0.001	<20	<0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	71	0.2	0.02	<0.1
913835	Drill Core	18	23.68	0.011	2.9	21.3	10.66	15.7	<0.001	<20	<0.01	0.010	<0.01	0.1	<0.1	<0.02	<0.02	89	0.3	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006497.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913822	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	1.0	3.60	0.4	<0.02	<1	<0.1	0.2	<10	<2
913823	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.7	4.04	0.6	<0.02	<1	<0.1	0.4	<10	<2
913824	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.8	4.29	0.6	<0.02	<1	<0.1	0.5	<10	<2
913825	Drill Core	0.03	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.9	5.82	0.9	<0.02	1	0.2	0.4	<10	<2
913826	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.9	3.92	0.4	<0.02	<1	0.1	<0.1	<10	<2
913827	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.2	5.16	0.6	<0.02	<1	<0.1	0.2	<10	<2
913828	Rock	3.49	0.1	0.10	0.24	46.2	0.5	<0.05	1.1	4.74	15.8	<0.02	<1	0.1	31.6	<10	<2
913829	Drill Core	0.04	<0.1	<0.02	0.06	0.4	<0.1	<0.05	1.3	7.28	1.3	<0.02	2	0.2	0.4	<10	<2
913830	Rock Chip	0.02	<0.1	<0.02	0.09	0.2	<0.1	<0.05	1.5	1.31	0.6	<0.02	2	<0.1	0.2	<10	<2
913831	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.1	8.18	1.3	<0.02	<1	<0.1	0.3	<10	<2
913832	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.5	5.34	0.9	<0.02	2	<0.1	0.2	<10	<2
913833	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	1.0	6.74	0.7	<0.02	1	<0.1	0.4	<10	4
913834	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	4.84	0.6	<0.02	2	<0.1	0.2	<10	<2
913835	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	6.98	0.9	<0.02	3	0.1	0.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913825	Drill Core	5.50	1.65	0.08	<0.04	9.93	43.69	0.01	0.01	<0.01	0.02	<0.01	0.003	33	<20	139	<5	5	7	<1	44.4
Pulp Duplicates																					
913833	Drill Core	7.11	0.57	0.03	<0.04	16.47	36.43	0.02	<0.01	<0.01	0.60	<0.01	<0.002	24	<20	151	<5	7	<5	<1	45.6
REP 913833	QC																				
913835	Drill Core	1.93	0.09	0.01	<0.04	19.30	34.14	0.02	<0.01	<0.01	0.03	<0.01	0.003	17	<20	140	<5	8	<5	<1	46.1
REP 913835	QC																				
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		57.98	14.20	7.59	3.37	6.35	3.70	2.16	0.70	0.84	0.40	0.566	495	40	391	300	31	22	24	1.9
STD SO-18	Standard		58.06	14.10	7.56	3.36	6.37	3.69	2.22	0.69	0.84	0.39	0.555	488	44	387	294	30	21	24	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913825	Drill Core	99.82	12.48	<0.02	0.20	3.03	0.23	37.3	29	6.2	<0.1	35	<0.01	0.5	2.5	0.5	<0.1	134.2	0.86	0.14	<0.02
Pulp Duplicates																					
913833	Drill Core	99.72	12.57	<0.02	0.20	1.16	0.15	11.9	6	3.6	0.1	17	<0.01	0.5	3.1	<0.2	<0.1	132.6	0.50	0.10	<0.02
REP 913833	QC		12.95	<0.02																	
913835	Drill Core	99.68	13.02	<0.02	0.17	0.30	0.27	15.2	3	1.4	0.2	37	<0.01	0.4	2.6	<0.2	<0.1	126.1	0.63	0.05	<0.02
REP 913835	QC				0.16	0.62	0.18	15.3	6	1.3	0.1	36	<0.01	0.4	2.6	<0.2	<0.1	123.6	0.69	0.05	<0.02
Reference Materials																					
STD CSC	Standard		3.22	4.14																	
STD CSC	Standard		2.92	4.41																	
STD DS7	Standard				19.21	204.5	74.72	441.3	929	52.9	8.7	600	2.26	49.8	4.7	59.5	4.6	72.1	6.75	5.02	4.88
STD DS7	Standard				19.54	99.86	67.60	381.3	907	51.2	8.6	604	2.36	48.6	4.6	48.5	4.9	78.9	5.64	3.91	4.38
STD DS8	Standard				11.91	113.3	119.1	306.3	1652	36.0	7.2	583	2.35	24.2	2.7	195.1	6.8	61.2	2.47	5.14	7.07
STD DS8	Standard				12.89	107.1	124.0	323.9	1698	36.5	7.4	618	2.51	24.3	2.6	91.8	7.0	69.4	2.20	3.92	6.38
STD OREAS45PA	Standard				0.98	584.6	20.76	107.4	316	285.6	102.7	1094	16.25	4.2	1.3	43.8	7.4	14.3	0.11	0.17	0.19
STD OREAS45PA	Standard				0.82	598.5	18.18	120.5	286	290.2	104.3	1107	16.23	3.6	1.1	39.3	6.6	14.0	0.08	0.10	0.18
STD OREAS76A	Standard		0.17	17.53																	
STD OREAS76A	Standard		0.13	18.16																	
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.91																			
STD SO-18 Expected																					
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank		<0.02	<0.02																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913825	Drill Core	5	33.13	0.010	1.8	12.1	4.99	26.8	<0.001	<20	0.04	<0.001	<0.01	<0.1	0.2	<0.02	<0.02	239	0.4	0.03	0.1
Pulp Duplicates																					
913833	Drill Core	8	24.98	0.231	2.3	13.2	9.20	21.8	0.001	<20	0.02	0.008	<0.01	<0.1	0.1	<0.02	<0.02	31	0.2	<0.02	<0.1
REP 913833	QC																				
913835	Drill Core	18	23.68	0.011	2.9	21.3	10.66	15.7	<0.001	<20	<0.01	0.010	<0.01	0.1	<0.1	<0.02	<0.02	89	0.3	<0.02	<0.1
REP 913835	QC	18	24.08	0.010	3.0	20.3	10.71	15.4	<0.001	<20	<0.01	0.010	<0.01	0.1	<0.1	<0.02	<0.02	100	0.3	<0.02	<0.1
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	79	0.92	0.074	12.4	172.3	1.01	408.2	0.122	33	0.98	0.090	0.45	3.3	2.6	3.88	0.19	205	3.0	1.14	4.5
STD DS7	Standard	82	0.90	0.071	13.0	174.0	1.05	402.6	0.124	<20	1.03	0.106	0.46	3.2	2.7	4.06	0.20	209	3.2	1.03	4.9
STD DS8	Standard	39	0.67	0.077	13.8	106.5	0.58	282.1	0.109	<20	0.86	0.077	0.39	3.2	2.1	5.09	0.16	173	4.8	4.80	4.2
STD DS8	Standard	43	0.69	0.078	15.4	112.8	0.63	282.6	0.119	<20	0.96	0.097	0.43	2.4	2.4	5.37	0.17	209	5.5	4.92	4.8
STD OREAS45PA	Standard	217	0.22	0.033	17.3	733.3	0.12	193.0	0.140	<20	3.27	0.011	0.07	<0.1	45.1	0.07	<0.02	30	0.5	0.05	15.7
STD OREAS45PA	Standard	222	0.25	0.038	16.2	794.5	0.10	175.5	0.142	<20	3.35	0.004	0.07	<0.1	46.0	0.07	0.02	33	0.6	<0.02	17.3
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913825	Drill Core	0.03	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.9	5.82	0.9	<0.02	1	0.2	0.4	<10	<2
Pulp Duplicates																	
913833	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	1.0	6.74	0.7	<0.02	1	<0.1	0.4	<10	4
REP 913833	QC																
913835	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	6.98	0.9	<0.02	3	0.1	0.3	<10	<2
REP 913835	QC	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	7.01	0.9	<0.02	1	<0.1	0.3	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	6.25	0.1	0.09	0.41	33.8	5.4	<0.05	4.9	5.67	35.4	1.62	3	1.6	26.7	52	40
STD DS7	Standard	6.06	<0.1	0.09	0.45	36.7	4.9	<0.05	5.9	5.83	38.4	1.57	5	1.3	27.2	70	29
STD DS8	Standard	2.34	0.1	0.06	1.01	34.5	6.9	<0.05	1.8	5.19	24.7	2.25	51	4.9	24.4	108	337
STD DS8	Standard	2.40	<0.1	0.06	1.06	37.1	6.3	<0.05	2.4	6.02	28.4	2.05	55	4.6	26.8	106	336
STD OREAS45PA	Standard	1.07	0.2	0.51	0.27	8.6	1.7	<0.05	20.3	8.66	36.5	0.08	<1	0.7	5.7	59	76
STD OREAS45PA	Standard	1.07	<0.1	0.68	0.37	9.5	1.5	<0.05	25.1	8.57	35.5	0.09	<1	0.6	6.9	46	75
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		67.10	16.15	3.34	1.11	3.55	3.77	3.58	0.39	0.19	0.10	0.003	1061	<20	759	145	16	27	5	0.5
G1	Prep Blank		67.64	15.76	3.30	1.08	3.47	3.65	3.67	0.40	0.20	0.10	0.003	1025	<20	733	154	17	26	6	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	0.3	<0.1	<0.5	<0.01	<0.02	<0.02
Prep Wash																					
G1	Prep Blank	99.99	0.04	<0.02	0.08	2.01	3.32	43.4	14	2.9	3.6	572	1.97	0.2	2.2	<0.2	7.9	67.6	0.03	0.02	0.14
G1	Prep Blank	99.98	0.03	<0.02	0.11	1.96	3.45	48.0	10	3.1	3.9	579	1.91	0.4	2.6	<0.2	8.5	71.0	<0.01	<0.02	0.12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
Prep Wash																					
G1	Prep Blank	39	0.52	0.081	17.4	8.6	0.55	161.5	0.133	<20	0.95	0.091	0.50	<0.1	2.1	0.30	<0.02	<5	0.2	<0.02	5.0
G1	Prep Blank	38	0.58	0.080	18.2	10.2	0.54	166.0	0.133	<20	0.92	0.094	0.49	<0.1	2.3	0.29	<0.02	<5	0.1	<0.02	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006497.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash																	
G1	Prep Blank	2.94	<0.1	0.10	0.58	41.8	0.5	<0.05	1.7	5.60	29.7	0.02	<1	0.3	29.4	<10	<2
G1	Prep Blank	2.90	<0.1	0.10	0.68	42.4	0.7	<0.05	1.8	6.19	32.3	<0.02	<1	0.5	29.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 06, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006498.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-17
P.O. Number MT.GUY 197
Number of Samples: 15

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	13	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	15	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	15	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006498.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913848	Drill Core	5.60	0.61	0.05	0.05	16.27	36.86	0.01	<0.01	<0.01	0.03	<0.01	<0.002	70	<20	133	14	4	<5	<1	45.8
913849	Drill Core	6.51	0.50	0.06	0.06	17.65	35.08	0.02	<0.01	<0.01	0.04	<0.01	0.004	59	<20	142	120	5	<5	<1	46.2
913850	Rock Chip	0.33	1.24	0.22	0.14	0.39	79.14	0.02	0.02	0.02	0.13	0.03	<0.002	41	<20	166	41	<3	<5	<1	11.2
913851	Drill Core	6.70	0.32	<0.01	<0.04	18.46	34.39	0.02	<0.01	<0.01	0.11	<0.01	0.003	12	<20	128	<5	4	<5	<1	46.3
913852	Drill Core	6.49	0.26	0.01	<0.04	14.54	39.29	0.01	<0.01	<0.01	0.07	<0.01	0.005	23	<20	149	7	4	<5	<1	45.5
913853	Drill Core	5.72	1.36	0.02	<0.04	3.12	52.24	<0.01	<0.01	<0.01	0.02	<0.01	<0.002	58	<20	572	35	4	<5	<1	43.1
913854	Drill Core	5.04	0.39	<0.01	<0.04	5.34	50.21	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	37	<20	561	9	4	<5	<1	43.9
913855	Rock	0.54	66.67	15.89	3.42	1.25	3.80	3.45	3.68	0.40	0.19	0.10	<0.002	1000	<20	743	190	16	19	6	0.9
913856	Drill Core	6.06	0.11	0.02	<0.04	6.48	48.91	<0.01	<0.01	<0.01	<0.01	<0.01	0.004	41	<20	801	10	5	<5	<1	44.2
913857	Drill Core	5.65	0.29	<0.01	<0.04	12.92	41.13	0.01	<0.01	<0.01	0.04	<0.01	0.004	25	<20	412	7	4	<5	<1	45.3
913858	Drill Core	6.51	0.14	0.01	0.05	2.04	54.14	<0.01	<0.01	<0.01	0.01	<0.01	<0.002	30	<20	1043	65	4	<5	<1	43.4
913859	Drill Core	5.47	0.21	0.01	<0.04	8.80	46.19	<0.01	<0.01	<0.01	0.02	<0.01	<0.002	37	<20	401	15	3	<5	<1	44.5
913860DP 913859 PULP	Incline		0.30	0.03	0.08	9.06	45.90	0.01	<0.01	<0.01	0.02	<0.01	0.004	37	<20	407	42	<3	<5	<1	44.4
913861	Drill Core	4.05	0.73	0.02	<0.04	17.92	34.93	0.02	<0.01	<0.01	0.02	<0.01	0.002	30	<20	154	32	5	<5	<1	46.0
913862	Drill Core	2.00	0.70	0.01	<0.04	17.52	35.37	0.02	<0.01	<0.01	0.03	<0.01	<0.002	25	<20	164	19	5	<5	<1	46.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006498.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913848	Drill Core	99.72	12.73	<0.02	0.35	1.11	0.22	13.6	16	1.7	0.1	15	0.01	0.4	1.8	<0.2	<0.1	129.1	0.30	0.13	<0.02
913849	Drill Core	99.69	12.34	<0.02	0.21	0.14	0.18	11.8	<2	0.5	<0.1	18	<0.01	0.2	1.9	<0.2	<0.1	129.6	0.35	0.06	<0.02
913850	Rock Chip	92.58	0.37	0.03	0.70	3.96	0.47	5.3	19	<0.1	0.3	173	0.02	0.5	0.3	0.8	<0.1	160.8	0.49	0.08	<0.02
913851	Drill Core	99.69	12.88	<0.02	0.24	0.20	0.22	13.7	5	0.2	<0.1	25	<0.01	<0.1	2.4	0.3	<0.1	129.2	0.67	0.10	<0.02
913852	Drill Core	99.77	13.16	<0.02	0.17	0.52	0.19	13.5	6	0.7	<0.1	16	<0.01	0.3	1.9	<0.2	<0.1	152.4	0.98	0.04	<0.02
913853	Drill Core	99.93	12.73	<0.02	0.09	0.07	0.18	7.5	13	0.3	<0.1	9	<0.01	0.4	1.7	<0.2	<0.1	552.5	0.51	0.12	<0.02
913854	Drill Core	99.90	12.88	<0.02	0.13	0.29	0.15	6.3	7	<0.1	<0.1	5	<0.01	0.4	2.2	<0.2	<0.1	549.7	0.25	0.08	<0.02
913855	Rock	99.98	0.05	<0.02	0.06	1.44	2.18	47.2	10	3.7	4.2	555	1.94	0.1	1.9	<0.2	4.6	72.7	<0.01	<0.02	0.06
913856	Drill Core	99.88	12.92	<0.02	0.13	0.40	0.19	10.2	9	0.2	<0.1	9	<0.01	0.5	1.9	<0.2	<0.1	777.9	0.46	0.09	<0.02
913857	Drill Core	99.78	12.70	<0.02	0.16	0.28	0.15	8.9	10	0.2	<0.1	16	<0.01	0.7	1.9	<0.2	<0.1	391.1	0.52	0.08	<0.02
913858	Drill Core	99.96	12.39	<0.02	0.05	0.23	0.14	6.1	8	<0.1	<0.1	6	<0.01	0.4	1.7	<0.2	<0.1	957.3	0.54	0.09	<0.02
913859	Drill Core	99.85	12.77	<0.02	0.12	0.28	0.16	8.8	20	0.2	<0.1	14	<0.01	0.4	2.1	<0.2	<0.1	390.1	0.64	0.08	0.02
913860DP 913859 PULP	Incline	99.84	12.63	<0.02	0.14	0.24	0.17	8.3	13	<0.1	<0.1	13	<0.01	0.3	1.9	0.4	<0.1	367.5	0.56	0.07	<0.02
913861	Drill Core	99.70	12.78	<0.02	0.18	<0.01	0.19	13.6	8	0.2	<0.1	16	<0.01	0.1	2.4	<0.2	<0.1	135.3	0.64	0.04	<0.02
913862	Drill Core	99.70	12.50	<0.02	0.22	<0.01	0.19	10.7	2	0.5	<0.1	17	<0.01	0.4	2.3	<0.2	<0.1	141.5	0.50	0.03	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006498.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913848 Drill Core	8	22.37	0.012	1.4	13.5	9.37	46.4	<0.001	<20	0.02	0.003	<0.01	<0.1	<0.1	<0.02	0.11	74	0.3	0.05	<0.1
913849 Drill Core	6	20.79	0.013	1.4	13.1	9.98	36.6	<0.001	<20	0.01	0.005	<0.01	<0.1	<0.1	<0.02	0.11	50	0.4	0.03	<0.1
913850 Rock Chip	4	>40	0.044	0.9	1.8	0.16	38.1	0.005	<20	0.07	<0.001	<0.01	<0.1	0.4	<0.02	0.26	<5	0.7	0.13	0.2
913851 Drill Core	6	20.68	0.051	1.2	14.4	10.39	15.6	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	0.11	48	0.2	0.04	<0.1
913852 Drill Core	4	23.73	0.030	1.4	13.6	8.42	23.6	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	0.12	84	0.4	0.04	<0.1
913853 Drill Core	2	33.48	0.004	1.0	8.0	1.73	46.8	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	0.15	129	0.5	0.08	<0.1
913854 Drill Core	4	32.22	0.002	0.9	6.7	2.98	38.2	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	0.15	78	0.5	0.10	<0.1
913855 Rock	39	0.65	0.080	6.5	7.4	0.61	224.6	0.126	<20	0.94	0.059	0.51	<0.1	1.8	0.30	<0.02	<5	<0.1	<0.02	5.1
913856 Drill Core	4	30.59	0.003	1.3	8.6	3.59	38.2	<0.001	<20	<0.01	0.001	<0.01	<0.1	<0.1	<0.02	0.14	123	0.4	0.10	<0.1
913857 Drill Core	6	25.09	0.015	1.4	12.5	7.37	24.0	<0.001	<20	<0.01	0.004	<0.01	<0.1	<0.1	<0.02	0.12	83	0.4	0.10	<0.1
913858 Drill Core	<2	34.31	0.004	0.9	4.8	1.09	28.8	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	0.15	91	0.3	0.13	<0.1
913859 Drill Core	3	29.25	0.008	0.9	6.1	5.29	40.6	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.1	<0.02	0.13	68	0.2	0.07	<0.1
913860DP 913859 PULP Incline	3	28.22	0.007	0.9	6.0	5.17	36.8	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.1	<0.02	0.13	65	0.3	0.07	<0.1
913861 Drill Core	8	20.82	0.006	1.6	12.8	10.41	29.0	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	0.11	69	0.2	0.02	<0.1
913862 Drill Core	6	21.17	0.011	1.5	11.2	10.52	24.7	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	0.12	86	<0.1	0.06	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006498.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913848	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.8	3.54	0.7	<0.02	3	<0.1	0.4	<10	<2
913849	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.8	3.95	0.6	<0.02	3	<0.1	0.2	<10	<2
913850	Rock Chip	0.03	<0.1	0.05	0.16	0.3	<0.1	<0.05	2.8	1.80	1.2	<0.02	2	<0.1	0.5	<10	<2
913851	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	1.0	3.98	0.4	<0.02	2	<0.1	0.2	<10	<2
913852	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	1.0	4.78	0.6	<0.02	2	<0.1	0.2	<10	<2
913853	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.8	3.46	0.6	<0.02	<1	<0.1	0.2	<10	<2
913854	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	3.61	0.5	<0.02	<1	<0.1	0.2	<10	<2
913855	Rock	3.32	0.1	0.07	0.26	40.9	0.4	<0.05	1.2	4.22	13.9	<0.02	<1	0.2	32.8	<10	<2
913856	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.7	4.47	0.7	<0.02	2	<0.1	0.2	<10	<2
913857	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.8	4.10	0.6	<0.02	2	<0.1	0.2	<10	<2
913858	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.6	2.77	0.4	<0.02	<1	<0.1	0.1	<10	<2
913859	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.7	2.85	0.5	<0.02	<1	<0.1	<0.1	<10	<2
913860DP 913859 PULP	Incline	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.7	2.62	0.5	<0.02	2	<0.1	0.2	<10	<2
913861	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.7	4.15	0.6	<0.02	3	0.1	0.4	<10	<2
913862	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.6	3.66	0.6	<0.02	2	<0.1	0.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913849	Drill Core		6.51	0.50	0.06	0.06	17.65	35.08	0.02	<0.01	<0.01	0.04	<0.01	0.004	59	<20	142	120	5	<5	<1	46.2
Pulp Duplicates																						
913858	Drill Core		6.51	0.14	0.01	0.05	2.04	54.14	<0.01	<0.01	<0.01	0.01	<0.01	<0.002	30	<20	1043	65	4	<5	<1	43.4
REP 913858	QC																					
913861	Drill Core		4.05	0.73	0.02	<0.04	17.92	34.93	0.02	<0.01	<0.01	0.02	<0.01	0.002	30	<20	154	32	5	<5	<1	46.0
REP 913861	QC																					
Core Reject Duplicates																						
913859	Drill Core		5.47	0.21	0.01	<0.04	8.80	46.19	<0.01	<0.01	<0.01	0.02	<0.01	<0.002	37	<20	401	15	3	<5	<1	44.5
DUP 913859	QC			0.27	0.01	<0.04	8.95	45.97	0.01	<0.01	<0.01	0.02	<0.01	<0.002	38	<20	407	12	3	<5	<1	44.5
Reference Materials																						
STD CSC	Standard																					
STD CSC	Standard																					
STD DS7	Standard																					
STD DS8	Standard																					
STD OREAS45PA	Standard																					
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard			58.30	13.96	7.60	3.34	6.35	3.68	2.15	0.69	0.82	0.39	0.556	487	40	383	303	30	21	24	1.9
STD SO-18	Standard			58.17	13.99	7.62	3.38	6.34	3.71	2.16	0.69	0.82	0.39	0.557	486	36	383	306	30	16	24	1.9
STD SO-18	Standard			58.16	14.09	7.58	3.35	6.35	3.70	2.16	0.69	0.84	0.39	0.547	498	43	389	285	30	12	24	1.9
STD SO-18	Standard			58.30	14.06	7.56	3.34	6.30	3.70	2.14	0.69	0.80	0.39	0.553	495	40	388	317	30	19	24	1.9
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected																						
STD OREAS45PA Expected																						
STD DS8 Expected																						
STD SO-18 Expected				58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																					
BLK	Blank																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		Method	4A 2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913849	Drill Core		99.69	12.34	<0.02	0.21	0.14	0.18	11.8	<2	0.5	<0.1	18	<0.01	0.2	1.9	<0.2	<0.1	129.6	0.35	0.06	<0.02
Pulp Duplicates																						
913858	Drill Core		99.96	12.39	<0.02	0.05	0.23	0.14	6.1	8	<0.1	<0.1	6	<0.01	0.4	1.7	<0.2	<0.1	957.3	0.54	0.09	<0.02
REP 913858	QC			12.56	<0.02																	
913861	Drill Core		99.70	12.78	<0.02	0.18	<0.01	0.19	13.6	8	0.2	<0.1	16	<0.01	0.1	2.4	<0.2	<0.1	135.3	0.64	0.04	<0.02
REP 913861	QC					0.18	<0.01	0.18	13.1	7	0.1	<0.1	15	<0.01	0.3	2.3	<0.2	<0.1	132.3	0.65	0.04	<0.02
Core Reject Duplicates																						
913859	Drill Core		99.85	12.77	<0.02	0.12	0.28	0.16	8.8	20	0.2	<0.1	14	<0.01	0.4	2.1	<0.2	<0.1	390.1	0.64	0.08	0.02
DUP 913859	QC		99.85	12.77	<0.02	0.14	0.29	0.19	9.0	29	0.3	<0.1	14	<0.01	0.4	2.0	<0.2	<0.1	371.5	0.62	0.07	<0.02
Reference Materials																						
STD CSC	Standard			3.04	4.09																	
STD CSC	Standard			2.92	4.28																	
STD DS7	Standard					21.41	100.3	64.84	393.5	956	55.6	8.8	602	2.36	42.8	4.3	52.5	4.2	79.5	6.21	3.72	4.23
STD DS8	Standard					15.18	109.3	132.0	325.1	1999	40.4	7.6	637	2.53	24.2	2.7	107.3	7.0	71.2	2.49	4.09	6.96
STD OREAS45PA	Standard					0.97	639.8	17.22	123.3	334	317.9	117.6	1109	17.43	3.3	1.0	47.2	6.2	14.2	0.09	0.13	0.17
STD OREAS76A	Standard			0.13	17.54																	
STD OREAS76A	Standard			0.16	17.55																	
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.89																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank			<0.02	<0.02																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913849	Drill Core	6	20.79	0.013	1.4	13.1	9.98	36.6	<0.001	<20	0.01	0.005	<0.01	<0.1	<0.1	<0.02	0.11	50	0.4	0.03	<0.1
Pulp Duplicates																					
913858	Drill Core	<2	34.31	0.004	0.9	4.8	1.09	28.8	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	0.15	91	0.3	0.13	<0.1
REP 913858	QC																				
913861	Drill Core	8	20.82	0.006	1.6	12.8	10.41	29.0	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	0.11	69	0.2	0.02	<0.1
REP 913861	QC	8	20.84	0.006	1.6	12.6	10.44	28.4	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	0.11	69	<0.1	0.04	<0.1
Core Reject Duplicates																					
913859	Drill Core	3	29.25	0.008	0.9	6.1	5.29	40.6	<0.001	<20	<0.01	0.002	<0.01	<0.1	<0.1	<0.02	0.13	68	0.2	0.07	<0.1
DUP 913859	QC	3	28.51	0.007	0.9	6.0	5.24	38.1	<0.001	<20	<0.01	0.003	<0.01	0.1	<0.1	<0.02	0.13	62	0.1	0.07	<0.1
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	82	0.97	0.073	12.5	204.6	1.05	399.0	0.117	<20	1.04	0.101	0.46	3.1	2.5	3.70	0.21	213	3.4	1.37	4.9
STD DS8	Standard	42	0.74	0.078	16.7	121.3	0.62	302.6	0.114	<20	0.95	0.096	0.43	2.9	2.2	5.50	0.17	217	5.8	5.84	4.8
STD OREAS45PA	Standard	220	0.26	0.033	16.8	945.2	0.09	184.7	0.144	<20	3.66	0.005	0.07	<0.1	46.1	0.06	0.03	25	0.5	0.07	17.5
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913849	Drill Core	<0.02	<0.1	<0.02	0.02	0.1	<0.1	<0.05	0.8	3.95	0.6	<0.02	3	<0.1	0.2	<10	<2
Pulp Duplicates																	
913858	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.6	2.77	0.4	<0.02	<1	<0.1	0.1	<10	<2
REP 913858	QC																
913861	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.7	4.15	0.6	<0.02	3	0.1	0.4	<10	<2
REP 913861	QC	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	4.12	0.6	<0.02	3	<0.1	0.4	<10	<2
Core Reject Duplicates																	
913859	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.7	2.85	0.5	<0.02	<1	<0.1	<0.1	<10	<2
DUP 913859	QC	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	2.67	0.5	<0.02	<1	<0.1	0.2	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	6.16	0.1	0.12	0.41	35.4	4.6	<0.05	6.2	6.42	38.4	1.53	2	1.6	28.4	64	34
STD DS8	Standard	2.65	<0.1	0.12	1.12	39.0	6.9	<0.05	2.6	6.21	32.5	2.39	62	5.0	27.3	135	384
STD OREAS45PA	Standard	1.23	0.1	0.62	0.36	10.2	1.7	<0.05	29.0	9.53	38.9	0.10	<1	0.5	6.3	29	69
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	2.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	34	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.74	15.65	3.45	1.07	3.34	3.73	3.58	0.37	0.19	0.09	<0.002	865	<20	674	159	17	32	6	0.6
G1	Prep Blank		66.50	16.25	3.46	1.14	3.69	3.71	3.76	0.38	0.18	0.10	<0.002	1035	<20	737	172	17	35	6	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.98	0.03	<0.02	0.11	1.83	3.74	44.2	16	2.8	3.8	540	1.91	0.1	1.7	1.1	5.7	58.2	<0.01	<0.02	0.10
G1	Prep Blank	99.98	0.06	<0.02	0.15	2.41	3.87	46.6	15	2.9	4.2	592	2.09	0.2	1.9	0.7	6.3	68.5	0.02	<0.02	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	36	0.53	0.074	13.7	5.1	0.51	155.3	0.122	<20	0.90	0.089	0.50	<0.1	1.9	0.26	<0.02	<5	<0.1	<0.02	4.8
G1	Prep Blank	39	0.65	0.073	12.0	5.3	0.58	172.9	0.133	<20	1.05	0.116	0.56	<0.1	2.1	0.30	<0.02	<5	0.1	<0.02	5.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006498.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	2.94	0.1	0.09	0.47	42.1	0.6	<0.05	1.6	5.53	26.3	0.02	<1	0.3	30.8	<10	<2
G1	Prep Blank	3.44	0.1	0.12	0.40	45.9	0.6	<0.05	1.8	6.43	24.2	<0.02	<1	0.4	31.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 22, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006499.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-18
P.O. Number MT. GUY 197
Number of Samples: 12

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	11	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	12	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	12	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006499.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913863	Drill Core	4.48	0.21	0.05	<0.04	15.70	37.56	0.01	<0.01	<0.01	0.04	<0.01	<0.002	27	<20	213	<5	9	<5	<1	46.1
913864	Drill Core	5.82	0.15	0.03	<0.04	18.21	34.29	0.01	<0.01	<0.01	0.04	<0.01	0.002	24	<20	149	<5	8	<5	<1	46.9
913865	Drill Core	6.87	0.17	0.02	<0.04	12.57	41.49	0.01	<0.01	<0.01	0.03	<0.01	<0.002	45	<20	261	<5	7	<5	<1	45.5
913866	Drill Core	6.49	0.10	0.01	<0.04	18.86	34.00	0.02	<0.01	<0.01	0.01	<0.01	<0.002	17	<20	166	<5	5	<5	<1	46.7
913867	Drill Core	6.70	0.16	0.02	<0.04	18.85	33.95	0.03	<0.01	<0.01	0.01	<0.01	<0.002	19	<20	164	<5	5	<5	<1	46.7
913868	Rock	0.62	66.56	15.53	3.58	1.33	3.78	3.49	3.50	0.42	0.19	0.10	<0.002	935	<20	729	145	18	23	6	1.3
913869	Drill Core	6.24	0.27	0.02	0.05	18.00	34.69	0.02	<0.01	<0.01	0.10	<0.01	<0.002	40	<20	152	<5	5	<5	<1	46.5
913870	Rock Chip	0.28	1.08	0.20	0.15	0.40	81.47	0.02	0.03	0.02	0.14	0.03	<0.002	41	<20	175	<5	<3	6	<1	16.4
913871	Drill Core	6.65	0.22	0.03	<0.04	15.76	37.25	0.02	<0.01	<0.01	0.04	<0.01	<0.002	29	<20	151	<5	4	<5	<1	46.4
913872	Drill Core	5.44	0.18	0.04	<0.04	14.53	38.84	0.02	<0.01	<0.01	0.02	<0.01	<0.002	33	<20	185	<5	5	<5	<1	46.1
913873	Drill Core	6.36	0.05	0.02	<0.04	16.81	36.35	0.02	<0.01	<0.01	0.06	<0.01	<0.002	20	<20	169	<5	6	<5	<1	46.4
913874	Drill Core	4.76	0.11	0.02	0.04	17.79	35.12	0.02	<0.01	<0.01	0.04	<0.01	<0.002	20	<20	151	<5	6	<5	<1	46.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006499.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913863	Drill Core	99.74	12.96	<0.02	0.23	0.58	0.34	10.8	11	1.0	0.4	19	<0.01	0.7	2.4	0.2	<0.1	200.8	0.86	0.15	<0.02
913864	Drill Core	99.69	13.32	<0.02	0.21	0.52	0.30	14.4	8	1.6	0.2	29	<0.01	<0.1	2.8	<0.2	<0.1	142.7	0.62	0.08	<0.02
913865	Drill Core	99.78	13.00	<0.02	0.21	0.62	0.31	12.6	13	1.5	0.2	14	<0.01	0.6	2.9	<0.2	<0.1	238.6	0.57	0.14	<0.02
913866	Drill Core	99.69	12.96	<0.02	0.33	0.24	0.31	9.9	2	1.3	0.2	14	<0.01	<0.1	3.3	<0.2	<0.1	158.2	0.33	0.03	<0.02
913867	Drill Core	99.69	13.27	<0.02	0.25	0.48	0.23	10.3	2	1.2	0.3	13	<0.01	0.1	3.6	<0.2	<0.1	159.9	0.27	0.15	<0.02
913868	Rock	99.99	0.09	<0.02	0.07	1.67	2.98	51.1	12	4.1	5.1	610	2.11	0.1	2.3	<0.2	5.0	56.4	0.01	<0.02	0.07
913869	Drill Core	99.71	12.88	<0.02	0.20	0.04	0.07	10.8	5	1.0	0.3	24	<0.01	<0.1	3.3	<0.2	<0.1	152.5	0.32	0.05	<0.02
913870	Rock Chip	99.98	1.07	<0.02	0.38	5.39	0.65	4.4	5	<0.1	0.3	136	<0.01	0.8	0.3	2.7	<0.1	108.2	0.33	0.06	<0.02
913871	Drill Core	99.74	12.88	<0.02	0.18	0.90	0.50	14.7	3	1.4	0.2	21	<0.01	0.6	2.2	1.4	<0.1	114.1	0.48	0.09	<0.02
913872	Drill Core	99.75	13.33	<0.02	0.20	0.89	0.38	12.3	5	2.3	0.2	20	<0.01	0.5	2.3	1.3	<0.1	141.7	0.56	0.07	<0.02
913873	Drill Core	99.72	13.60	0.02	0.20	<0.01	0.43	12.0	2	0.3	0.1	20	<0.01	0.3	2.6	0.7	<0.1	127.7	0.53	0.05	<0.02
913874	Drill Core	99.70	13.25	<0.02	0.22	0.55	0.41	8.0	<2	0.5	0.1	17	<0.01	0.2	2.1	1.1	<0.1	108.2	0.34	0.06	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006499.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913863	Drill Core	11	27.03	0.019	4.0	24.0	9.83	24.2	<0.001	<20	0.02	0.007	<0.01	<0.1	0.1	<0.02	0.03	124	0.1	0.04	<0.1
913864	Drill Core	9	24.78	0.014	3.2	22.9	11.24	19.3	<0.001	<20	0.02	0.010	<0.01	<0.1	<0.1	<0.02	0.03	107	0.2	0.06	<0.1
913865	Drill Core	8	29.08	0.012	2.9	19.3	7.39	38.5	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.05	112	0.2	0.08	<0.1
913866	Drill Core	9	24.43	0.006	1.6	14.9	11.71	16.4	<0.001	<20	0.01	0.016	<0.01	<0.1	<0.1	<0.02	0.03	54	0.2	0.06	<0.1
913867	Drill Core	8	24.58	0.006	1.8	14.8	12.07	18.5	<0.001	<20	0.01	0.017	<0.01	<0.1	<0.1	<0.02	0.03	40	0.2	0.09	<0.1
913868	Rock	40	0.72	0.079	8.6	9.8	0.66	253.0	0.154	<20	1.05	0.060	0.54	<0.1	2.2	0.37	<0.02	<5	0.1	<0.02	5.6
913869	Drill Core	6	25.00	0.039	1.6	14.5	11.35	36.1	<0.001	<20	0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	46	0.2	0.05	<0.1
913870	Rock Chip	3	>40	0.044	0.7	1.3	0.17	27.6	0.005	<20	0.06	0.001	<0.01	<0.1	0.6	<0.02	0.37	<5	<0.1	0.03	0.2
913871	Drill Core	8	22.06	0.015	1.4	12.7	8.81	21.3	<0.001	<20	0.02	0.007	<0.01	<0.1	0.2	<0.02	0.16	83	<0.1	<0.02	<0.1
913872	Drill Core	9	23.40	0.011	1.6	13.4	8.04	23.2	<0.001	<20	0.02	0.005	<0.01	<0.1	0.1	<0.02	0.16	116	<0.1	0.02	<0.1
913873	Drill Core	8	21.88	0.027	1.8	14.0	9.30	17.1	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	0.16	102	<0.1	<0.02	<0.1
913874	Drill Core	7	20.95	0.014	1.7	12.0	9.78	15.0	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.15	88	0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

CERTIFICATE OF ANALYSIS VAN10006499.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913863	Drill Core	<0.02	<0.1	<0.02	0.06	0.2	<0.1	<0.05	0.6	9.37	1.3	<0.02	2	<0.1	0.6	<10	<2
913864	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	1.3	8.78	1.0	<0.02	1	<0.1	0.5	<10	<2
913865	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.6	7.33	1.0	<0.02	2	<0.1	0.2	<10	3
913866	Drill Core	<0.02	<0.1	<0.02	0.05	<0.1	<0.1	<0.05	0.5	4.61	0.6	<0.02	2	<0.1	0.3	<10	4
913867	Drill Core	<0.02	0.1	<0.02	0.09	<0.1	<0.1	<0.05	0.5	5.35	0.8	<0.02	2	<0.1	0.5	<10	3
913868	Rock	3.55	0.1	0.11	0.28	45.4	0.5	<0.05	1.2	5.47	17.4	<0.02	<1	0.3	22.0	<10	<2
913869	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.6	5.63	0.7	<0.02	3	<0.1	0.3	<10	<2
913870	Rock Chip	0.03	<0.1	0.03	0.14	0.2	<0.1	<0.05	1.4	1.31	0.9	<0.02	<1	<0.1	0.5	<10	<2
913871	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.25	0.6	<0.02	2	<0.1	0.3	<10	<2
913872	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.4	4.59	0.7	<0.02	2	<0.1	0.2	<10	3
913873	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	5.32	0.6	<0.02	3	<0.1	0.4	<10	<2
913874	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.50	0.7	<0.02	2	<0.1	0.3	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
REP G1	QC																				
913873	Drill Core	6.36	0.05	0.02	<0.04	16.81	36.35	0.02	<0.01	<0.01	0.06	<0.01	<0.002	20	<20	169	<5	6	<5	<1	46.4
REP 913873	QC		0.09	0.02	<0.04	16.68	36.44	0.02	<0.01	<0.01	0.07	<0.01	0.003	21	<20	165	<5	6	<5	<1	46.4
913874	Drill Core	4.76	0.11	0.02	0.04	17.79	35.12	0.02	<0.01	<0.01	0.04	<0.01	<0.002	20	<20	151	<5	6	<5	<1	46.5
REP 913874	QC																				
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.11	14.17	7.56	3.36	6.36	3.69	2.16	0.69	0.83	0.39	0.548	486	42	384	303	30	21	24	1.9
STD SO-18	Standard		58.21	14.11	7.57	3.33	6.35	3.67	2.15	0.69	0.82	0.39	0.546	488	46	382	301	31	23	24	1.9
STD SO-18	Standard		58.15	14.10	7.53	3.36	6.34	3.74	2.16	0.70	0.82	0.39	0.563	498	42	394	299	31	22	25	1.9
STD SO-18	Standard		58.03	14.12	7.59	3.37	6.36	3.72	2.18	0.69	0.83	0.40	0.562	501	53	395	302	32	20	25	1.9
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

	Method	4A 2A Leco	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
REP G1	QC				0.12	2.34	3.08	43.1	11	3.2	4.3	554	2.01	1.3	1.8	1.8	6.8	60.9	0.01	<0.02	0.05
913873	Drill Core	99.72	13.60	0.02	0.20	<0.01	0.43	12.0	2	0.3	0.1	20	<0.01	0.3	2.6	0.7	<0.1	127.7	0.53	0.05	<0.02
REP 913873	QC	99.72																			
913874	Drill Core	99.70	13.25	<0.02	0.22	0.55	0.41	8.0	<2	0.5	0.1	17	<0.01	0.2	2.1	1.1	<0.1	108.2	0.34	0.06	<0.02
REP 913874	QC				0.21	0.57	0.42	8.1	<2	1.0	0.1	18	<0.01	<0.1	2.2	1.9	<0.1	110.6	0.35	0.05	<0.02
Reference Materials																					
STD CSC	Standard		3.18	4.01																	
STD CSC	Standard		3.09	4.17																	
STD CSC	Standard		3.03	4.07																	
STD DS7	Standard				21.87	113.0	72.64	402.4	1047	59.1	10.7	617	2.40	47.5	4.9	102.6	4.8	69.3	6.30	4.00	4.54
STD DS7	Standard				20.68	107.7	71.24	412.9	1112	55.7	9.2	615	2.34	49.3	5.0	61.7	4.9	67.3	6.28	3.93	4.51
STD DS8	Standard				14.75	112.1	143.7	325.4	1722	40.9	8.5	644	2.54	25.4	3.2	113.2	7.7	63.9	2.53	4.56	6.97
STD DS8	Standard				12.02	115.9	131.6	306.5	1773	38.3	8.0	595	2.39	21.8	2.8	95.8	6.7	56.2	2.22	3.98	6.44
STD OREAS45PA	Standard				0.98	650.2	20.53	131.3	341	320.6	118.4	1133	18.13	4.5	1.3	51.2	7.0	14.6	0.10	0.10	0.18
STD OREAS45PA	Standard				0.89	605.0	19.52	117.2	339	292.7	107.0	1082	16.65	3.5	1.2	50.6	7.1	12.9	0.10	0.10	0.17
STD OREAS76A	Standard		0.20	17.02																	
STD OREAS76A	Standard		0.17	17.55																	
STD OREAS76A	Standard		0.18	16.93																	
STD SO-18	Standard	99.92																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.91																			
STD SO-18 Expected																					
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
REP G1	QC		37	0.53	0.075	14.8	9.0	0.54	169.7	0.144	<20	1.04	0.094	0.53	<0.1	2.3	0.27	<0.02	<5	0.2	<0.02	4.9
913873	Drill Core		8	21.88	0.027	1.8	14.0	9.30	17.1	<0.001	<20	<0.01	0.009	<0.01	<0.1	<0.1	<0.02	0.16	102	<0.1	<0.02	<0.1
REP 913873	QC																					
913874	Drill Core		7	20.95	0.014	1.7	12.0	9.78	15.0	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	0.15	88	0.1	<0.02	<0.1
REP 913874	QC		8	21.06	0.014	1.7	12.7	9.86	15.1	<0.001	<20	0.01	0.007	<0.01	<0.1	<0.1	<0.02	0.15	82	<0.1	<0.02	<0.1
Reference Materials																						
STD CSC	Standard																					
STD CSC	Standard																					
STD CSC	Standard																					
STD DS7	Standard		84	0.97	0.072	14.2	203.6	1.05	413.0	0.132	33	1.07	0.085	0.47	3.2	2.7	4.31	0.19	225	3.1	1.32	5.0
STD DS7	Standard		80	0.95	0.078	13.6	193.8	1.03	396.3	0.132	26	1.03	0.092	0.46	3.4	2.8	4.22	0.20	231	3.1	1.22	5.1
STD DS8	Standard		42	0.76	0.075	17.2	126.4	0.63	306.9	0.128	<20	0.97	0.073	0.43	3.0	2.4	6.08	0.16	192	5.7	5.43	5.1
STD DS8	Standard		39	0.68	0.084	14.8	120.5	0.59	278.8	0.122	<20	0.87	0.082	0.40	2.5	2.3	5.52	0.16	178	5.1	4.89	4.6
STD OREAS45PA	Standard		244	0.23	0.035	18.4	962.9	0.13	192.8	0.157	<20	3.52	0.013	0.08	<0.1	49.1	0.09	<0.02	34	0.8	0.07	19.3
STD OREAS45PA	Standard		208	0.24	0.035	16.9	805.3	0.11	175.0	0.147	<20	3.47	0.011	0.07	<0.1	46.0	0.10	0.03	24	0.4	0.06	16.4
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18 Expected																						
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																						
STD OREAS76A Expected																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
REP G1	QC	2.97	0.1	0.09	0.48	44.7	0.6	<0.05	1.6	6.62	26.4	<0.02	<1	0.2	26.8	<10	3
913873	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	5.32	0.6	<0.02	3	<0.1	0.4	<10	<2
REP 913873	QC																
913874	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.50	0.7	<0.02	2	<0.1	0.3	<10	3
REP 913874	QC	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.61	0.7	<0.02	3	<0.1	0.3	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	6.59	<0.1	0.11	0.40	36.0	4.7	<0.05	5.8	6.41	39.6	1.63	3	1.3	23.1	68	42
STD DS7	Standard	6.77	0.1	0.13	0.33	36.9	5.0	<0.05	5.2	6.35	40.8	1.62	4	1.8	25.8	89	50
STD DS8	Standard	2.72	0.1	0.08	1.27	40.2	7.0	<0.05	2.4	6.68	30.4	2.42	61	3.7	18.9	119	378
STD DS8	Standard	2.60	0.1	0.08	1.03	38.6	6.4	<0.05	1.9	5.85	27.3	2.27	57	5.2	23.8	164	367
STD OREAS45PA	Standard	1.26	0.1	0.56	0.28	10.6	1.7	<0.05	23.4	9.97	38.9	0.10	<1	0.6	6.5	63	82
STD OREAS45PA	Standard	1.12	0.1	0.58	0.34	9.4	1.6	<0.05	22.0	9.23	38.1	0.09	<1	0.7	5.9	66	92
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18 Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																	
STD OREAS76A Expected																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	60.67	67.38	15.44	3.62	1.15	3.47	3.49	3.64	0.41	0.19	0.10	<0.002	950	<20	709	157	17	25	6	0.9
G1	Prep Blank		66.37	16.33	3.54	1.11	3.45	3.71	3.67	0.40	0.19	0.10	<0.002	1043	<20	752	162	18	28	6	0.9
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
BLK	Blank		<0.02	<0.02																	
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.02	<0.02																	
BLK	Blank		<0.02	<0.02																	
Prep Wash																					
G1	Prep Blank	99.99	0.02	<0.02																	
G1	Prep Blank	99.99	0.13	<0.02	0.11	2.37	3.32	47.9	14	3.1	4.7	612	2.13	0.9	2.0	1.0	6.2	65.6	0.01	<0.02	0.09
G1	Prep Blank				0.12	2.30	3.16	46.9	13	3.4	4.8	604	2.15	43.1	2.0	2.7	6.8	64.3	0.02	0.03	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank																				
G1	Prep Blank	39	0.58	0.087	14.5	9.4	0.57	181.2	0.151	<20	1.16	0.100	0.58	<0.1	2.5	0.32	<0.02	<5	0.2	<0.02	5.3
G1	Prep Blank	40	0.56	0.080	16.0	9.4	0.57	183.6	0.151	<20	1.10	0.101	0.56	0.1	2.6	0.27	<0.02	<5	0.2	<0.02	5.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 22, 2010

QUALITY CONTROL REPORT VAN10006499.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank																
G1	Prep Blank	3.39	0.1	0.10	0.44	48.8	0.7	<0.05	1.7	6.82	26.1	<0.02	<1	0.3	29.8	<10	4
G1	Prep Blank	3.22	<0.1	0.10	0.50	48.1	0.6	<0.05	1.8	6.80	27.4	<0.02	<1	0.3	29.1	<10	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 04, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006500.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-19
P.O. Number MT.GUY 197
Number of Samples: 12

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	11	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	12	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	12	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006500.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913836	Drill Core	4.89	2.55	0.64	0.31	10.43	41.98	0.12	0.09	0.03	0.14	<0.01	0.002	94	<20	317	<5	4	<5	1	43.5
913837	Drill Core	6.98	0.54	0.07	0.06	10.46	43.73	0.01	0.01	<0.01	0.24	<0.01	0.002	63	<20	243	<5	6	<5	<1	44.7
913838	Drill Core	6.79	0.11	<0.01	<0.04	4.49	51.34	<0.01	<0.01	<0.01	0.01	<0.01	<0.002	52	<20	337	<5	5	<5	<1	43.9
913839	Drill Core	7.04	0.12	0.02	0.04	9.66	45.30	0.01	<0.01	<0.01	0.01	<0.01	<0.002	45	<20	290	<5	6	<5	<1	44.6
913840DP 913839 PULP	Incline		0.12	0.02	0.04	9.74	45.37	0.01	<0.01	<0.01	0.01	<0.01	0.002	47	<20	293	<5	6	<5	<1	44.5
913841	Drill Core	8.19	0.17	0.01	<0.04	18.93	34.19	0.02	<0.01	<0.01	0.02	<0.01	0.002	21	<20	149	<5	4	<5	<1	46.3
913842	Rock	0.50	66.23	15.58	3.46	1.31	3.89	3.47	3.54	0.41	0.20	0.10	<0.002	993	<20	732	143	17	18	6	1.6
913843	Drill Core	7.82	0.11	0.02	<0.04	18.35	35.04	0.02	<0.01	<0.01	0.02	<0.01	<0.002	22	<20	155	<5	5	<5	<1	46.1
913844	Drill Core	7.75	0.18	0.02	0.04	18.62	34.33	0.02	<0.01	<0.01	0.02	<0.01	0.002	19	<20	146	<5	5	<5	<1	46.4
913845	Drill Core	7.54	0.15	0.02	<0.04	18.69	34.30	0.02	<0.01	<0.01	0.02	<0.01	0.004	19	<20	150	<5	7	5	<1	46.4
913846	Drill Core	7.06	0.12	0.01	0.05	18.60	34.58	0.02	<0.01	<0.01	0.02	<0.01	0.005	23	<20	164	<5	12	<5	<1	46.3
913847	Drill Core	6.85	1.11	0.01	0.04	15.78	37.35	0.02	<0.01	<0.01	0.04	<0.01	0.002	25	<20	198	7	7	<5	<1	45.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006500.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913836	Drill Core	99.82	12.07	<0.02	0.29	2.14	0.45	21.0	16	2.0	1.0	54	0.15	0.9	2.7	0.9	0.1	283.6	0.85	0.24	<0.02
913837	Drill Core	99.83	12.60	<0.02	0.18	0.57	0.34	17.2	121	1.6	0.3	20	<0.01	0.8	3.6	0.3	<0.1	242.0	0.79	0.17	<0.02
913838	Drill Core	99.92	12.63	<0.02	0.10	0.51	0.20	12.4	8	0.8	0.1	6	<0.01	0.4	2.0	1.1	<0.1	342.3	0.86	0.08	<0.02
913839	Drill Core	99.83	12.87	<0.02	0.16	0.48	0.15	14.0	12	1.0	0.2	16	<0.01	0.7	2.6	0.3	<0.1	289.7	0.96	0.10	0.02
913840DP 913839 PULP	Incline	99.83	12.86	<0.02	0.19	0.53	0.25	15.9	14	2.1	0.1	15	<0.01	0.6	2.6	1.3	<0.1	286.7	0.99	0.09	<0.02
913841	Drill Core	99.69	12.99	<0.02	0.25	0.31	0.16	11.1	<2	0.5	0.2	14	<0.01	0.6	2.1	<0.2	<0.1	138.9	0.35	0.03	<0.02
913842	Rock	99.99	0.10	<0.02	0.04	1.31	2.17	43.2	10	3.4	4.2	563	1.93	<0.1	2.1	1.1	3.4	52.8	0.01	<0.02	0.07
913843	Drill Core	99.70	12.85	<0.02	0.17	0.15	0.13	10.0	4	0.9	0.2	13	<0.01	0.6	2.4	0.3	<0.1	144.2	0.35	0.08	<0.02
913844	Drill Core	99.69	12.98	<0.02	0.22	0.53	0.15	11.8	14	1.1	0.2	15	<0.01	0.6	1.8	<0.2	<0.1	140.3	0.33	0.07	<0.02
913845	Drill Core	99.68	12.63	<0.02	0.25	0.43	0.22	14.6	3	1.2	<0.1	16	<0.01	0.5	2.1	0.2	<0.1	163.4	0.40	0.05	<0.02
913846	Drill Core	99.70	12.06	<0.02	0.29	0.41	0.21	11.7	3	2.4	0.2	14	<0.01	1.0	2.1	<0.2	<0.1	177.8	0.42	0.05	<0.02
913847	Drill Core	99.74	12.85	<0.02	0.21	0.50	0.18	11.7	7	3.1	0.2	19	0.01	0.6	2.4	0.2	<0.1	210.5	0.50	0.04	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006500.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913836 Drill Core	15	27.97	0.060	2.1	13.1	6.00	61.9	0.012	<20	0.13	0.011	<0.01	<0.1	0.7	0.02	<0.02	192	0.3	0.02	0.4
913837 Drill Core	8	29.16	0.105	2.0	16.8	6.30	53.8	<0.001	<20	0.02	0.005	<0.01	<0.1	<0.1	<0.02	<0.02	158	0.5	0.06	<0.1
913838 Drill Core	8	35.49	0.005	1.1	14.6	2.67	48.4	<0.001	<20	<0.01	0.003	<0.01	<0.1	<0.1	<0.02	<0.02	287	0.5	0.09	<0.1
913839 Drill Core	10	31.04	0.006	1.9	13.6	5.80	45.2	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	185	0.4	0.07	<0.1
913840DP 913839 PULP Incline	10	30.71	0.005	1.9	13.4	5.70	44.9	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	0.03	<0.02	171	0.3	0.10	<0.1
913841 Drill Core	6	22.99	0.006	1.2	12.8	11.03	17.0	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	45	0.2	0.07	<0.1
913842 Rock	38	0.74	0.093	6.4	6.0	0.66	233.5	0.120	<20	0.98	0.089	0.52	<0.1	2.0	0.32	<0.02	<5	<0.1	<0.02	4.7
913843 Drill Core	8	23.19	0.007	1.4	12.1	10.68	17.5	<0.001	<20	<0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	47	0.4	0.06	<0.1
913844 Drill Core	6	23.61	0.008	1.1	10.9	10.93	14.9	<0.001	<20	<0.01	0.011	<0.01	0.1	<0.1	<0.02	<0.02	32	0.4	0.04	<0.1
913845 Drill Core	11	23.46	0.009	2.7	14.4	11.19	17.4	<0.001	<20	<0.01	0.012	<0.01	<0.1	0.1	<0.02	<0.02	61	0.4	0.08	<0.1
913846 Drill Core	13	23.48	0.009	5.8	15.5	11.23	20.5	<0.001	<20	<0.01	0.011	<0.01	<0.1	0.1	<0.02	<0.02	52	0.5	0.07	<0.1
913847 Drill Core	8	24.87	0.017	3.9	13.4	9.19	24.8	<0.001	<20	<0.01	0.010	<0.01	<0.1	0.1	<0.02	<0.02	75	0.6	0.10	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

CERTIFICATE OF ANALYSIS VAN10006500.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913836	Drill Core	0.02	<0.1	0.05	0.05	0.4	<0.1	<0.05	2.2	4.00	1.8	<0.02	2	<0.1	1.1	<10	<2
913837	Drill Core	0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	0.8	5.60	1.0	<0.02	1	<0.1	0.5	<10	<2
913838	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	4.60	0.4	<0.02	1	<0.1	0.1	<10	<2
913839	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	5.97	0.8	<0.02	1	<0.1	0.2	<10	<2
913840DP 913839 PULP	Incline	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	5.79	0.9	<0.02	3	<0.1	0.2	<10	<2
913841	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	3.62	0.5	<0.02	3	<0.1	0.5	<10	<2
913842	Rock	3.05	<0.1	0.08	0.20	37.6	0.4	<0.05	1.0	4.37	14.4	<0.02	<1	0.3	37.3	<10	<2
913843	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	4.42	0.7	<0.02	<1	<0.1	0.4	<10	<2
913844	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.3	4.27	0.6	<0.02	1	<0.1	0.5	<10	<2
913845	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.3	6.57	1.1	<0.02	3	<0.1	0.5	<10	<2
913846	Drill Core	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.4	12.18	2.2	<0.02	1	<0.1	0.5	<10	<2
913847	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.5	7.59	1.3	<0.02	4	<0.1	0.3	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																						
913836	Drill Core		4.89	2.55	0.64	0.31	10.43	41.98	0.12	0.09	0.03	0.14	<0.01	0.002	94	<20	317	<5	4	<5	1	43.5
REP 913836	QC																					
913840DP 913839 PULP	Incline			0.12	0.02	0.04	9.74	45.37	0.01	<0.01	<0.01	0.01	<0.01	0.002	47	<20	293	<5	6	<5	<1	44.5
913840DP 913839 PULP	QC			0.12	0.01	0.04	9.50	45.62	0.01	<0.01	<0.01	0.02	<0.01	<0.002	44	<20	287	<5	6	<5	<1	44.5
REP 913843	QC																					
913847	Drill Core		6.85	1.11	0.01	0.04	15.78	37.35	0.02	<0.01	<0.01	0.04	<0.01	0.002	25	<20	198	7	7	<5	<1	45.4
REP 913847	QC			1.18	0.02	<0.04	15.87	37.23	0.02	<0.01	<0.01	0.03	<0.01	0.002	25	<20	197	44	8	<5	<1	45.4
Core Reject Duplicates																						
913843	Drill Core		7.82	0.11	0.02	<0.04	18.35	35.04	0.02	<0.01	<0.01	0.02	<0.01	<0.002	22	<20	155	<5	5	<5	<1	46.1
DUP 913843	QC			0.17	0.02	0.04	18.22	35.08	0.02	<0.01	<0.01	0.02	<0.01	<0.002	21	<20	154	<5	5	<5	<1	46.1
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard																					
STD DS8	Standard																					
STD OREAS45PA	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard			58.13	14.08	7.64	3.32	6.37	3.71	2.14	0.69	0.82	0.39	0.545	503	39	395	308	30	25	25	1.9
STD SO-18	Standard			58.18	14.10	7.60	3.35	6.32	3.67	2.15	0.69	0.83	0.39	0.554	501	46	393	298	30	22	25	1.9
STD SO-18	Standard			58.20	14.08	7.53	3.33	6.35	3.72	2.15	0.69	0.83	0.39	0.564	506	44	401	303	31	26	25	1.9
STD SO-18	Standard			58.22	14.05	7.56	3.35	6.32	3.71	2.16	0.69	0.83	0.40	0.561	507	44	399	310	31	25	25	1.9
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected																						
STD OREAS45PA Expected																						
STD DS8 Expected																						
STD SO-18 Expected				58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																					
BLK	Blank																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
913836	Drill Core		99.82	12.07	<0.02	0.29	2.14	0.45	21.0	16	2.0	1.0	54	0.15	0.9	2.7	0.9	0.1	283.6	0.85	0.24	<0.02
REP 913836	QC					0.29	2.00	0.44	20.2	16	1.1	0.9	54	0.15	0.8	2.6	0.8	0.1	289.0	0.81	0.25	<0.02
913840DP 913839 PULP	Incline		99.83	12.86	<0.02	0.19	0.53	0.25	15.9	14	2.1	0.1	15	<0.01	0.6	2.6	1.3	<0.1	286.7	0.99	0.09	<0.02
913840DP 913839 PULP	QC		99.84																			
REP 913843	QC			12.93	<0.02																	
913847	Drill Core		99.74	12.85	<0.02	0.21	0.50	0.18	11.7	7	3.1	0.2	19	0.01	0.6	2.4	0.2	<0.1	210.5	0.50	0.04	<0.02
REP 913847	QC		99.74																			
Core Reject Duplicates																						
913843	Drill Core		99.70	12.85	<0.02	0.17	0.15	0.13	10.0	4	0.9	0.2	13	<0.01	0.6	2.4	0.3	<0.1	144.2	0.35	0.08	<0.02
DUP 913843	QC		99.70	13.02	<0.02	0.17	0.21	0.14	10.1	2	1.0	0.1	14	<0.01	0.5	2.4	<0.2	<0.1	151.9	0.36	0.07	<0.02
Reference Materials																						
STD CSC	Standard			2.99	4.23																	
STD DS7	Standard					21.10	96.70	61.08	398.1	903	55.7	9.7	634	2.42	49.3	4.5	54.4	4.1	67.3	5.84	3.25	4.02
STD DS8	Standard					13.58	106.1	121.5	311.9	1751	37.9	7.8	630	2.52	25.1	2.5	106.1	6.2	60.4	2.25	3.53	6.32
STD OREAS45PA	Standard					0.83	640.4	16.43	110.1	300	316.9	106.5	1175	16.11	3.6	1.0	43.6	5.7	12.6	0.09	0.08	0.16
STD OREAS76A	Standard			0.14	17.21																	
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.91																			
STD SO-18	Standard		99.91																			
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913836	Drill Core	15	27.97	0.060	2.1	13.1	6.00	61.9	0.012	<20	0.13	0.011	<0.01	<0.1	0.7	0.02	<0.02	192	0.3	0.02	0.4
REP 913836	QC	16	28.99	0.064	2.2	14.7	6.20	62.2	0.012	<20	0.14	0.012	0.01	<0.1	0.7	<0.02	<0.02	190	0.4	0.05	0.5
913840DP 913839 PULP	Incline	10	30.71	0.005	1.9	13.4	5.70	44.9	<0.001	<20	<0.01	0.006	<0.01	<0.1	<0.1	0.03	<0.02	171	0.3	0.10	<0.1
913840DP 913839 PULP	QC																				
REP 913843	QC																				
913847	Drill Core	8	24.87	0.017	3.9	13.4	9.19	24.8	<0.001	<20	<0.01	0.010	<0.01	<0.1	0.1	<0.02	<0.02	75	0.6	0.10	<0.1
REP 913847	QC																				
Core Reject Duplicates																					
913843	Drill Core	8	23.19	0.007	1.4	12.1	10.68	17.5	<0.001	<20	<0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	47	0.4	0.06	<0.1
DUP 913843	QC	8	23.69	0.008	1.5	12.6	10.73	18.7	<0.001	<20	0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	38	0.4	0.05	<0.1
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	84	0.98	0.083	11.6	207.0	1.08	410.8	0.111	39	1.06	0.114	0.48	3.3	2.6	3.95	0.21	212	3.1	1.18	5.0
STD DS8	Standard	41	0.73	0.089	13.5	116.3	0.64	296.0	0.105	<20	0.96	0.108	0.43	2.6	2.3	5.30	0.17	207	5.5	4.86	4.9
STD OREAS45PA	Standard	227	0.23	0.032	14.9	888.0	0.08	182.0	0.116	<20	3.75	0.008	0.08	<0.1	42.4	0.07	<0.02	27	0.4	0.05	16.3
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913836	Drill Core	0.02	<0.1	0.05	0.05	0.4	<0.1	<0.05	2.2	4.00	1.8	<0.02	2	<0.1	1.1	<10	<2
REP 913836	QC	0.03	<0.1	0.05	0.06	0.5	<0.1	<0.05	2.1	4.12	1.8	<0.02	2	<0.1	1.5	<10	<2
913840DP 913839 PULP	Incline	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	5.79	0.9	<0.02	3	<0.1	0.2	<10	<2
913840DP 913839 PULP	QC																
REP 913843	QC																
913847	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.5	7.59	1.3	<0.02	4	<0.1	0.3	<10	<2
REP 913847	QC																
Core Reject Duplicates																	
913843	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.4	4.42	0.7	<0.02	<1	<0.1	0.4	<10	<2
DUP 913843	QC	<0.02	<0.1	<0.02	0.02	<0.1	<0.1	<0.05	0.3	4.54	0.7	<0.02	2	<0.1	0.5	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	6.21	0.1	0.10	0.32	33.2	4.4	<0.05	5.7	5.75	37.3	1.37	3	1.8	31.4	94	35
STD DS8	Standard	2.38	0.1	0.08	0.94	35.0	6.3	<0.05	2.2	5.77	28.0	2.14	66	6.5	31.8	117	344
STD OREAS45PA	Standard	1.09	0.1	0.50	0.21	8.5	1.5	<0.05	21.5	8.37	35.9	0.09	<1	0.6	6.4	40	72
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.46	15.19	3.91	1.17	3.33	3.46	3.62	0.42	0.21	0.10	0.003	919	<20	708	154	18	27	6	0.9
G1	Prep Blank		66.33	16.22	3.46	1.14	3.66	3.66	3.71	0.40	0.19	0.10	<0.002	1055	<20	760	135	17	25	6	0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.98	0.02	<0.02	0.17	2.32	3.70	48.2	9	3.3	4.4	634	2.30	0.1	2.5	0.3	7.2	52.3	<0.01	0.02	0.06
G1	Prep Blank	99.99	<0.02	<0.02	0.05	2.21	2.80	46.1	12	3.1	4.4	596	1.94	<0.1	1.6	0.4	5.2	54.7	<0.01	<0.02	0.12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	41	0.51	0.093	14.5	8.6	0.60	169.6	0.128	<20	1.03	0.125	0.56	<0.1	2.2	0.34	<0.02	<5	<0.1	<0.02	5.1
G1	Prep Blank	38	0.54	0.091	11.4	6.8	0.58	177.8	0.120	<20	1.01	0.107	0.53	0.2	2.1	0.28	<0.02	<5	<0.1	<0.02	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 04, 2011

QUALITY CONTROL REPORT VAN10006500.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.02	<0.1	0.09	0.35	43.8	0.6	<0.05	1.5	5.93	28.7	<0.02	<1	0.3	38.3	<10	<2
G1	Prep Blank	3.27	<0.1	0.08	0.27	42.3	0.5	<0.05	1.4	5.26	22.9	<0.02	<1	0.2	34.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 06, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006501.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-20
P.O. Number MT.GUY 197
Number of Samples: 10

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	9	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	10	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	10	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006501.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913875	Drill Core	2.25	7.52	1.36	0.79	3.82	45.38	0.06	0.15	0.09	0.08	0.04	<0.002	403	178	347	<5	17	20	3	40.1
913876	Drill Core	6.73	0.38	0.04	<0.04	9.90	44.90	0.02	<0.01	<0.01	0.04	<0.01	<0.002	51	<20	288	<5	6	6	<1	44.5
913877	Drill Core	7.73	0.11	0.03	<0.04	8.32	46.78	0.01	0.01	<0.01	1.30	<0.01	0.002	32	<20	297	6	19	<5	<1	43.2
913878	Drill Core	0.49	62.73	14.45	3.29	1.79	6.48	3.23	3.39	0.38	0.19	0.09	<0.002	939	<20	709	136	15	19	5	3.7
913879	Drill Core	7.04	0.08	0.01	<0.04	3.61	52.35	<0.01	0.01	<0.01	0.10	<0.01	<0.002	38	<20	344	<5	6	<5	<1	43.7
913880DP 913879 PULP	Incline		0.11	0.01	<0.04	3.63	52.23	<0.01	<0.01	<0.01	0.11	<0.01	0.002	38	<20	347	<5	6	7	<1	43.8
913881	Drill Core	6.24	0.21	0.03	<0.04	11.16	43.40	0.01	<0.01	<0.01	0.15	<0.01	0.003	50	<20	278	<5	8	<5	<1	44.8
913882	Drill Core	7.51	0.20	0.06	<0.04	13.61	40.10	0.02	0.01	<0.01	0.23	<0.01	0.003	32	<20	217	57	8	<5	<1	45.5
913883	Drill Core	8.04	1.37	0.09	<0.04	16.61	35.74	0.23	0.02	<0.01	0.21	<0.01	0.002	33	<20	163	<5	10	<5	<1	45.4
913884	Drill Core	4.10	0.32	0.03	<0.04	15.13	38.53	0.02	0.01	<0.01	0.14	<0.01	0.002	41	<20	213	<5	9	<5	<1	45.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006501.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913875	Drill Core	99.47	11.25	<0.02	0.58	925.0	2.12	37.9>100000		193.0	30.1	207	0.35	2.7	2.3	1.0	0.4	281.5	1.42	0.43	0.03
913876	Drill Core	99.84	10.22	<0.02	0.19	0.94	0.52	9.2	62	2.0	0.1	16	<0.01	0.3	2.7	<0.2	<0.1	276.0	0.54	0.15	0.05
913877	Drill Core	99.85	12.09	<0.02	0.11	34.13	1.19	14.1	7163	10.0	<0.1	27	<0.01	0.7	5.2	<0.2	<0.1	293.7	1.20	0.17	0.02
913878	Drill Core	99.98	0.85	<0.02	0.11	1.46	2.27	42.9	22	3.3	3.9	509	1.74	0.3	1.9	0.6	3.1	69.6	0.06	<0.02	0.05
913879	Drill Core	99.94	12.38	<0.02	0.08	0.96	0.57	9.9	99	1.1	<0.1	19	<0.01	1.2	2.1	<0.2	<0.1	319.9	0.99	0.11	<0.02
913880DP 913879 PULP	Incline	99.94	12.42	<0.02	0.08	0.95	0.68	10.4	112	1.7	<0.1	20	<0.01	0.3	2.2	<0.2	<0.1	325.8	0.96	0.12	<0.02
913881	Drill Core	99.81	12.67	<0.02	0.16	0.48	0.34	9.6	5	2.0	<0.1	18	<0.01	1.0	3.4	<0.2	<0.1	250.0	0.74	0.14	<0.02
913882	Drill Core	99.78	12.45	<0.02	0.17	0.56	0.39	14.3	12	1.9	<0.1	32	<0.01	0.5	2.9	<0.2	<0.1	200.4	0.67	0.17	<0.02
913883	Drill Core	99.72	12.07	<0.02	0.25	0.96	0.60	16.1	51	2.0	<0.1	56	<0.01	0.4	3.0	<0.2	<0.1	143.7	0.54	0.14	<0.02
913884	Drill Core	99.74	12.57	<0.02	0.25	0.77	0.33	13.0	13	2.0	<0.1	33	<0.01	0.7	3.5	<0.2	<0.1	183.5	0.67	0.12	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006501.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913875	Drill Core	13	30.05	0.031	7.0	20.3	1.79	231.3	0.004	<20	0.15	0.004	0.01	>100	0.8	0.05	<0.02	199	<0.1	0.04	0.6
913876	Drill Core	6	34.31	0.019	3.4	10.5	5.15	41.8	<0.001	<20	0.02	0.008	<0.01	2.2	0.2	<0.02	<0.02	123	<0.1	0.09	<0.1
913877	Drill Core	11	35.39	0.551	6.3	16.0	4.26	35.3	0.002	34	0.02	0.012	<0.01	>100	0.3	<0.02	<0.02	165	0.5	<0.02	0.1
913878	Drill Core	34	2.43	0.079	6.0	6.7	0.90	205.1	0.123	<20	0.86	0.077	0.48	0.2	2.0	0.28	<0.02	7	<0.1	<0.02	4.3
913879	Drill Core	4	37.80	0.044	1.8	10.6	1.88	37.7	<0.001	<20	<0.01	0.004	<0.01	2.3	0.1	<0.02	<0.02	122	<0.1	<0.02	<0.1
913880DP 913879 PULP	Incline	4	>40	0.045	1.9	10.6	1.87	36.6	<0.001	<20	<0.01	0.005	<0.01	2.0	0.1	<0.02	<0.02	141	<0.1	<0.02	<0.1
913881	Drill Core	12	32.04	0.061	3.6	15.5	5.72	41.3	<0.001	<20	0.02	0.008	<0.01	<0.1	0.2	<0.02	<0.02	135	<0.1	<0.02	<0.1
913882	Drill Core	9	29.06	0.089	3.1	14.7	6.89	26.7	<0.001	<20	0.01	0.011	<0.01	0.1	0.1	<0.02	<0.02	95	<0.1	<0.02	<0.1
913883	Drill Core	9	25.29	0.084	4.1	13.7	8.47	24.5	<0.001	<20	0.02	0.015	<0.01	0.7	0.2	<0.02	<0.02	75	0.3	<0.02	<0.1
913884	Drill Core	12	27.28	0.055	4.0	16.5	7.51	35.9	<0.001	<20	0.01	0.010	<0.01	0.5	<0.1	<0.02	<0.02	168	0.1	0.05	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

CERTIFICATE OF ANALYSIS VAN10006501.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913875	Drill Core	0.10	<0.1	0.06	0.07	1.3	0.1	<0.05	3.2	13.86	5.0	<0.02	<1	<0.1	1.0	<10	3
913876	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	0.6	6.97	1.1	<0.02	<1	<0.1	0.5	<10	6
913877	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	2.1	17.91	1.4	<0.02	<1	<0.1	0.4	<10	8
913878	Drill Core	2.57	<0.1	0.06	0.19	34.3	0.5	<0.05	0.8	4.03	12.6	<0.02	<1	0.2	32.6	<10	<2
913879	Drill Core	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.6	5.67	0.7	<0.02	<1	<0.1	<0.1	<10	4
913880DP 913879 PULP	Incline	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.6	5.67	0.7	<0.02	<1	<0.1	0.1	<10	4
913881	Drill Core	<0.02	<0.1	<0.02	0.04	0.2	<0.1	<0.05	0.7	7.32	1.0	<0.02	<1	<0.1	0.1	<10	<2
913882	Drill Core	<0.02	<0.1	<0.02	<0.02	0.2	<0.1	<0.05	0.6	7.19	1.0	<0.02	3	<0.1	0.3	<10	4
913883	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.8	8.37	1.4	<0.02	<1	<0.1	0.5	<10	<2
913884	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.7	7.98	1.2	<0.02	3	<0.1	0.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006501.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913878	Drill Core	0.49	62.73	14.45	3.29	1.79	6.48	3.23	3.39	0.38	0.19	0.09	<0.002	939	<20	709	136	15	19	5	3.7
REP 913878	QC																				
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.22	14.06	7.62	3.31	6.31	3.68	2.15	0.68	0.85	0.39	0.554	506	47	393	300	31	22	25	1.9
STD SO-18	Standard		58.40	13.90	7.61	3.32	6.30	3.69	2.15	0.69	0.84	0.40	0.559	504	48	395	300	31	21	25	1.9
STD SO-18	Standard		58.03	14.07	7.62	3.39	6.40	3.67	2.17	0.69	0.83	0.40	0.558	493	43	394	304	30	21	24	1.9
STD SO-18	Standard		58.22	14.00	7.61	3.35	6.37	3.68	2.16	0.69	0.83	0.40	0.550	494	44	390	300	30	18	24	1.9
STD SO-18	Standard		58.07	14.04	7.62	3.37	6.36	3.71	2.20	0.69	0.85	0.40	0.554	504	43	395	291	30	22	24	1.9
STD SO-18	Standard		58.25	14.01	7.54	3.33	6.31	3.72	2.17	0.69	0.84	0.39	0.563	511	39	403	292	31	22	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		67.01	16.03	3.32	1.14	3.50	3.64	3.81	0.41	0.19	0.10	0.003	1164	<20	759	147	19	28	6	0.6
G1	Prep Blank		66.18	16.27	3.58	1.18	3.76	3.62	3.65	0.41	0.21	0.10	<0.002	1041	<20	732	158	17	26	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006501.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
913878	Drill Core		99.98	0.85	<0.02	0.11	1.46	2.27	42.9	22	3.3	3.9	509	1.74	0.3	1.9	0.6	3.1	69.6	0.06	<0.02	0.05
REP 913878	QC					0.28	2.07	2.56	44.7	20	4.1	4.0	520	1.78	0.2	1.7	<0.2	3.3	72.0	0.05	<0.02	0.06
Reference Materials																						
STD CSC	Standard			3.03	4.04																	
STD DS7	Standard					19.13	102.2	64.47	393.8	1147	52.2	9.3	625	2.32	51.7	4.7	56.9	4.2	78.5	6.02	3.92	4.41
STD DS8	Standard					12.21	118.6	121.9	309.9	1851	48.4	7.8	589	2.42	23.2	2.8	93.1	7.1	63.2	2.11	3.72	6.11
STD OREAS45PA	Standard					0.80	613.9	18.68	122.2	301	294.9	107.7	1160	16.61	3.5	1.1	46.5	6.9	14.0	0.08	0.09	0.18
STD OREAS76A	Standard			0.15	18.22																	
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.89																			
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank		<0.01																			
BLK	Blank		<0.01																			
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank		<0.01																			
Prep Wash																						
G1	Prep Blank		99.99	0.04	<0.02	0.14	1.98	11.30	51.6	16	2.9	4.2	562	1.77	0.4	2.0	0.7	6.6	52.5	0.04	<0.02	0.09
G1	Prep Blank		99.98	0.04	<0.02	0.50	3.25	7.21	46.5	28	3.0	4.2	569	1.89	0.5	3.2	0.9	5.2	64.1	<0.01	0.02	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006501.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913878	Drill Core	34	2.43	0.079	6.0	6.7	0.90	205.1	0.123	<20	0.86	0.077	0.48	0.2	2.0	0.28	<0.02	7	<0.1	<0.02	4.3
REP 913878	QC	34	2.66	0.082	6.6	8.6	0.90	223.9	0.126	<20	0.86	0.075	0.49	0.2	2.1	0.30	<0.02	<5	<0.1	<0.02	4.5
Reference Materials																					
STD CSC	Standard																				
STD DS7	Standard	78	0.96	0.080	12.4	174.4	1.04	401.6	0.115	42	1.02	0.109	0.46	4.2	2.7	3.76	0.20	206	3.1	1.20	4.9
STD DS8	Standard	40	0.71	0.072	14.4	119.3	0.62	278.6	0.110	<20	0.91	0.078	0.41	2.7	2.1	5.28	0.17	167	4.9	4.71	4.2
STD OREAS45PA	Standard	232	0.23	0.037	16.6	836.2	0.11	180.3	0.141	<20	3.51	0.012	0.07	<0.1	45.4	0.07	0.02	31	0.2	0.04	16.1
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	34	0.57	0.092	12.1	7.5	0.53	177.6	0.126	<20	0.84	0.083	0.48	<0.1	2.2	0.31	<0.02	<5	<0.1	<0.02	4.6
G1	Prep Blank	35	0.64	0.093	11.9	7.5	0.56	192.1	0.135	<20	1.00	0.118	0.51	<0.1	2.2	0.31	<0.02	<5	<0.1	<0.02	5.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 06, 2011

QUALITY CONTROL REPORT VAN10006501.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913878	Drill Core	2.57	<0.1	0.06	0.19	34.3	0.5	<0.05	0.8	4.03	12.6	<0.02	<1	0.2	32.6	<10	<2
REP 913878	QC	2.82	<0.1	0.08	0.18	37.6	0.4	<0.05	1.0	4.42	12.7	<0.02	<1	0.3	32.5	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	5.88	<0.1	0.13	0.34	35.5	4.7	<0.05	5.4	5.56	37.4	1.35	2	1.4	28.6	69	45
STD DS8	Standard	2.36	<0.1	0.07	0.80	36.1	6.2	<0.05	2.0	5.44	26.3	2.11	52	4.6	25.3	118	368
STD OREAS45PA	Standard	1.07	<0.1	0.45	0.26	8.8	1.6	<0.05	22.6	8.88	37.2	0.07	<1	0.5	6.5	34	88
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	2.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	2.98	<0.1	0.07	0.26	44.1	0.5	<0.05	1.2	5.18	23.1	<0.02	<1	<0.1	32.8	<10	<2
G1	Prep Blank	3.07	<0.1	0.09	0.30	44.8	0.6	<0.05	1.5	5.67	22.5	<0.02	<1	0.1	34.4	<10	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 29, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006502.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-21
P.O. Number MT.GUY 197
Number of Samples: 11

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	10	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	11	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	11	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

CERTIFICATE OF ANALYSIS VAN10006502.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913885	Drill Core	3.63	1.30	0.15	0.05	10.63	43.25	0.03	0.01	<0.01	0.02	<0.01	<0.002	76	<20	170	13	5	<5	<1	44.3
913886	Drill Core	5.45	0.41	0.04	<0.04	14.25	39.57	0.01	<0.01	<0.01	0.05	<0.01	<0.002	69	<20	212	<5	7	<5	<1	45.4
913887	Drill Core	5.77	0.21	0.05	0.05	9.56	45.10	<0.01	<0.01	<0.01	0.06	<0.01	<0.002	79	<20	247	<5	7	<5	<1	44.7
913888	Rock	0.49	63.37	14.82	3.25	1.87	5.65	3.30	3.39	0.38	0.19	0.09	0.002	909	<20	719	143	15	21	6	3.4
913889	Drill Core	6.21	0.32	0.09	0.04	14.20	39.17	0.02	0.02	<0.01	0.13	<0.01	0.003	89	<20	217	<5	8	<5	<1	45.7
913890	Rock Chip	0.30	0.99	0.18	0.12	0.38	78.25	0.02	0.02	0.01	0.13	0.03	<0.002	39	<20	173	<5	<3	<5	<1	19.8
913891	Drill Core	6.18	0.31	0.08	0.05	12.18	42.08	0.02	0.02	<0.01	0.28	<0.01	0.003	58	<20	282	<5	9	<5	<1	44.7
913892	Drill Core	6.14	0.55	0.14	0.06	13.64	40.13	0.02	0.03	<0.01	0.13	<0.01	0.002	55	<20	222	<5	8	<5	<1	45.0
913893	Drill Core	6.37	0.58	0.17	0.06	14.39	38.97	0.02	0.02	<0.01	0.13	<0.01	0.002	53	<20	234	<5	6	<5	<1	45.4
913894	Drill Core	6.23	0.85	0.19	0.10	16.37	36.12	0.09	<0.01	0.01	0.20	<0.01	0.002	45	<20	218	<5	<3	<5	<1	45.8
913895	Drill Core	1.66	2.82	0.20	0.04	16.60	34.48	0.51	0.03	0.01	0.09	<0.01	<0.002	55	<20	184	<5	4	<5	<1	44.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

CERTIFICATE OF ANALYSIS VAN10006502.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913885	Drill Core	99.81	12.54	<0.02	0.13	0.82	0.48	16.0	8	2.7	0.1	19	<0.01	0.4	2.4	1.2	<0.1	112.6	0.47	0.11	<0.02
913886	Drill Core	99.76	12.77	<0.02	0.13	0.38	0.37	12.1	5	<0.1	0.1	37	<0.01	0.2	2.5	0.3	<0.1	193.3	0.73	0.08	<0.02
913887	Drill Core	99.81	12.62	<0.02	0.14	0.73	0.27	22.6	11	1.6	0.2	23	0.01	0.5	2.9	0.6	<0.1	243.8	0.94	0.15	<0.02
913888	Rock	99.97	0.69	<0.02	0.08	1.74	6.19	45.9	18	4.0	4.5	511	1.87	<0.1	2.2	1.8	4.5	78.4	0.08	<0.02	0.08
913889	Drill Core	99.75	12.84	<0.02	0.22	0.92	0.48	17.9	9	2.6	0.2	34	<0.01	1.1	3.7	0.4	<0.1	202.2	0.72	0.26	<0.02
913890	Rock Chip	99.97	0.73	0.02	0.75	4.75	0.41	4.9	9	<0.1	0.3	150	<0.01	2.6	0.3	1.3	<0.1	153.1	0.44	0.07	<0.02
913891	Drill Core	99.79	12.70	<0.02	0.30	0.84	0.42	15.8	13	2.0	0.4	21	<0.01	0.9	4.4	0.3	<0.1	258.0	0.81	0.25	<0.02
913892	Drill Core	99.77	12.47	<0.02	0.28	1.42	0.51	19.8	11	2.7	0.3	26	<0.01	0.6	3.4	<0.2	0.1	208.3	0.71	0.40	<0.02
913893	Drill Core	99.75	12.80	0.03	0.36	0.70	0.49	15.7	10	1.9	0.4	30	<0.01	0.7	3.8	<0.2	0.1	222.5	0.69	0.31	<0.02
913894	Drill Core	99.72	12.69	0.03	0.25	0.77	0.23	15.2	11	0.6	0.4	24	<0.01	1.1	4.3	<0.2	0.2	206.0	0.64	0.17	<0.02
913895	Drill Core	99.73	12.40	0.03	0.30	0.77	0.39	12.9	6	1.5	0.3	21	0.01	1.3	4.0	0.6	<0.1	160.4	0.54	0.16	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

CERTIFICATE OF ANALYSIS VAN10006502.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913885	Drill Core	7	29.20	0.006	1.3	8.3	5.47	37.2	0.001	<20	0.02	0.004	<0.01	<0.1	0.2	<0.02	<0.02	103	0.1	0.12	<0.1
913886	Drill Core	12	27.47	0.022	2.4	13.9	8.66	50.2	<0.001	<20	0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	81	0.3	0.04	<0.1
913887	Drill Core	10	30.64	0.029	2.8	13.6	5.94	57.5	<0.001	<20	0.02	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	124	0.5	0.05	<0.1
913888	Rock	38	2.04	0.083	9.1	8.3	0.99	261.5	0.140	<20	0.98	0.062	0.49	0.2	2.1	0.32	0.02	13	0.2	<0.02	4.8
913889	Drill Core	9	24.70	0.055	5.3	14.3	8.35	74.2	<0.001	<20	0.02	0.011	<0.01	<0.1	0.2	<0.02	0.18	146	0.4	0.06	<0.1
913890	Rock Chip	4	>40	0.051	0.9	1.6	0.22	37.6	0.005	<20	0.07	0.003	<0.01	<0.1	0.7	<0.02	0.38	<5	0.5	0.04	0.2
913891	Drill Core	11	26.60	0.100	4.6	16.4	7.08	57.1	<0.001	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	0.19	154	0.5	0.04	<0.1
913892	Drill Core	10	25.62	0.052	4.5	15.3	8.06	55.3	<0.001	<20	0.04	0.010	0.01	<0.1	0.2	0.02	0.18	111	0.5	0.05	0.1
913893	Drill Core	12	25.10	0.050	4.5	17.4	8.62	56.9	<0.001	<20	0.03	0.011	<0.01	<0.1	0.2	<0.02	0.18	86	0.6	0.04	<0.1
913894	Drill Core	14	22.42	0.075	2.4	14.4	9.62	50.4	<0.001	<20	0.04	0.020	<0.01	<0.1	0.2	<0.02	0.18	54	0.5	0.04	0.1
913895	Drill Core	11	20.90	0.036	2.1	13.3	9.80	49.4	<0.001	<20	0.04	0.033	<0.01	<0.1	0.2	<0.02	0.17	45	0.7	0.03	0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

CERTIFICATE OF ANALYSIS VAN10006502.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913885	Drill Core	<0.02	<0.1	<0.02	0.06	0.2	<0.1	<0.05	0.7	4.03	0.9	<0.02	3	<0.1	0.3	<10	<2
913886	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.5	6.12	0.9	<0.02	1	<0.1	0.3	<10	<2
913887	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.6	6.63	1.1	<0.02	<1	<0.1	0.2	<10	<2
913888	Rock	3.34	0.1	0.09	0.22	39.1	0.5	<0.05	1.2	5.37	17.6	0.03	<1	0.3	23.6	<10	<2
913889	Drill Core	<0.02	<0.1	<0.02	0.07	0.2	<0.1	<0.05	0.8	8.62	2.0	<0.02	4	<0.1	0.5	<10	<2
913890	Rock Chip	0.02	<0.1	0.05	0.14	0.2	<0.1	<0.05	2.0	1.66	1.0	<0.02	5	<0.1	0.4	<10	<2
913891	Drill Core	0.02	<0.1	<0.02	0.04	0.4	<0.1	<0.05	0.8	8.11	1.6	<0.02	3	<0.1	0.6	<10	<2
913892	Drill Core	0.05	<0.1	<0.02	0.04	0.6	<0.1	<0.05	0.9	7.73	1.8	<0.02	<1	0.1	0.8	<10	<2
913893	Drill Core	0.05	<0.1	<0.02	0.03	0.4	<0.1	<0.05	0.9	6.30	2.0	<0.02	5	<0.1	1.1	<10	<2
913894	Drill Core	0.03	<0.1	0.03	0.02	0.1	<0.1	<0.05	0.9	3.42	1.7	<0.02	4	<0.1	1.3	<10	<2
913895	Drill Core	0.04	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.7	3.70	1.3	<0.02	5	<0.1	1.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																						
REP G1	QC			66.80	15.40	3.62	1.22	3.60	3.49	3.73	0.42	0.21	0.10	0.002	995	<20	716	157	18	28	6	1.2
913893	Drill Core		6.37	0.58	0.17	0.06	14.39	38.97	0.02	0.02	<0.01	0.13	<0.01	0.002	53	<20	234	<5	6	<5	<1	45.4
REP 913893	QC																					
913894	Drill Core		6.23	0.85	0.19	0.10	16.37	36.12	0.09	<0.01	0.01	0.20	<0.01	0.002	45	<20	218	<5	<3	<5	<1	45.8
REP 913894	QC																					
913895	Drill Core		1.66	2.82	0.20	0.04	16.60	34.48	0.51	0.03	0.01	0.09	<0.01	<0.002	55	<20	184	<5	4	<5	<1	44.9
REP 913895	QC			2.82	0.20	0.05	16.86	34.21	0.51	0.03	0.01	0.09	<0.01	<0.002	55	<20	185	<5	4	<5	<1	44.9
Core Reject Duplicates																						
913886	Drill Core		5.45	0.41	0.04	<0.04	14.25	39.57	0.01	<0.01	<0.01	0.05	<0.01	<0.002	69	<20	212	<5	7	<5	<1	45.4
DUP 913886	QC			0.37	0.02	<0.04	14.49	39.40	<0.01	<0.01	<0.01	0.06	<0.01	0.003	68	<20	208	<5	7	<5	<1	45.4
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard																					
STD DS7	Standard																					
STD DS8	Standard																					
STD DS8	Standard																					
STD OREAS45PA	Standard																					
STD OREAS45PA	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard			58.34	13.95	7.58	3.33	6.29	3.71	2.16	0.69	0.84	0.39	0.556	501	45	393	303	31	17	25	1.9
STD SO-18	Standard			58.21	14.04	7.52	3.34	6.34	3.72	2.18	0.69	0.84	0.40	0.566	501	42	397	299	31	22	25	1.9
STD SO-18	Standard			58.19	14.06	7.57	3.35	6.34	3.71	2.16	0.69	0.83	0.39	0.559	495	40	391	299	30	19	24	1.9
STD SO-18	Standard			58.07	14.07	7.64	3.36	6.35	3.71	2.15	0.69	0.83	0.39	0.555	503	42	390	303	31	22	24	1.9
STD SO-18	Standard			58.13	14.08	7.64	3.32	6.37	3.71	2.14	0.69	0.82	0.39	0.545	503	39	395	308	30	25	25	1.9
STD SO-18	Standard			58.18	14.10	7.60	3.35	6.32	3.67	2.15	0.69	0.83	0.39	0.554	501	46	393	298	30	22	25	1.9
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
REP G1	QC	99.98																			
913893	Drill Core	99.75	12.80	0.03	0.36	0.70	0.49	15.7	10	1.9	0.4	30	<0.01	0.7	3.8	<0.2	0.1	222.5	0.69	0.31	<0.02
REP 913893	QC				0.37	0.81	0.51	14.9	9	0.6	0.2	28	0.02	1.9	3.8	<0.2	0.1	216.1	0.64	0.31	<0.02
913894	Drill Core	99.72	12.69	0.03	0.25	0.77	0.23	15.2	11	0.6	0.4	24	<0.01	1.1	4.3	<0.2	0.2	206.0	0.64	0.17	<0.02
REP 913894	QC		12.81	0.04																	
913895	Drill Core	99.73	12.40	0.03	0.30	0.77	0.39	12.9	6	1.5	0.3	21	0.01	1.3	4.0	0.6	<0.1	160.4	0.54	0.16	<0.02
REP 913895	QC	99.72																			
Core Reject Duplicates																					
913886	Drill Core	99.76	12.77	<0.02	0.13	0.38	0.37	12.1	5	<0.1	0.1	37	<0.01	0.2	2.5	0.3	<0.1	193.3	0.73	0.08	<0.02
DUP 913886	QC	99.75	12.78	<0.02	0.15	0.26	0.31	11.1	5	0.4	0.2	35	<0.01	0.4	2.5	0.4	<0.1	192.1	0.66	0.09	<0.02
Reference Materials																					
STD CSC	Standard		2.86	4.16																	
STD DS7	Standard				25.97	114.1	79.20	429.0	1072	58.3	11.3	628	2.52	55.6	5.5	69.1	5.4	89.8	7.34	4.52	5.46
STD DS7	Standard				21.10	96.70	61.08	398.1	903	55.7	9.7	634	2.42	49.3	4.5	54.4	4.1	67.3	5.84	3.25	4.02
STD DS8	Standard				15.24	123.6	148.2	357.6	1970	42.1	9.4	588	2.53	26.4	3.2	157.8	8.4	72.1	2.79	5.04	8.71
STD DS8	Standard				13.58	106.1	121.5	311.9	1751	37.9	7.8	630	2.52	25.1	2.5	106.1	6.2	60.4	2.25	3.53	6.32
STD OREAS45PA	Standard				0.94	668.1	21.99	130.2	358	338.7	126.7	1158	18.46	4.4	1.3	54.7	7.7	15.9	0.12	0.11	0.22
STD OREAS45PA	Standard				0.83	640.4	16.43	110.1	300	316.9	106.5	1175	16.11	3.6	1.0	43.6	5.7	12.6	0.09	0.08	0.16
STD OREAS76A	Standard		0.15	17.48																	
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.91																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.89																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.90																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
REP G1	QC																					
913893	Drill Core	12	25.10	0.050	4.5	17.4	8.62	56.9	<0.001	<20	0.03	0.011	<0.01	<0.1	0.2	<0.02	0.18	86	0.6	0.04	<0.1
REP 913893	QC	12	25.05	0.053	4.5	15.6	8.66	55.0	<0.001	<20	0.04	0.011	<0.01	<0.1	0.3	<0.02	0.18	84	0.5	0.06	0.2
913894	Drill Core	14	22.42	0.075	2.4	14.4	9.62	50.4	<0.001	<20	0.04	0.020	<0.01	<0.1	0.2	<0.02	0.18	54	0.5	0.04	0.1
REP 913894	QC																					
913895	Drill Core	11	20.90	0.036	2.1	13.3	9.80	49.4	<0.001	<20	0.04	0.033	<0.01	<0.1	0.2	<0.02	0.17	45	0.7	0.03	0.1
REP 913895	QC																					
Core Reject Duplicates																						
913886	Drill Core	12	27.47	0.022	2.4	13.9	8.66	50.2	<0.001	<20	0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	81	0.3	0.04	<0.1
DUP 913886	QC	11	26.77	0.021	2.2	13.8	8.61	49.3	<0.001	<20	0.01	0.006	<0.01	<0.1	<0.1	<0.02	<0.02	88	0.3	<0.02	<0.1
Reference Materials																						
STD CSC	Standard																					
STD DS7	Standard	86	1.04	0.082	16.3	197.9	1.12	490.8	0.143	38	1.13	0.090	0.50	3.6	2.9	4.69	0.20	269	3.7	1.40	5.4
STD DS7	Standard	84	0.98	0.083	11.6	207.0	1.08	410.8	0.111	39	1.06	0.114	0.48	3.3	2.6	3.95	0.21	212	3.1	1.18	5.0
STD DS8	Standard	41	0.72	0.079	18.7	128.0	0.63	372.8	0.122	<20	0.94	0.070	0.42	3.4	2.2	6.67	0.17	233	5.5	5.84	5.0
STD DS8	Standard	41	0.73	0.089	13.5	116.3	0.64	296.0	0.105	<20	0.96	0.108	0.43	2.6	2.3	5.30	0.17	207	5.5	4.86	4.9
STD OREAS45PA	Standard	220	0.24	0.038	20.3	920.3	0.15	222.4	0.168	<20	4.11	0.011	0.07	<0.1	51.2	0.09	0.03	41	0.6	0.10	18.3
STD OREAS45PA	Standard	227	0.23	0.032	14.9	888.0	0.08	182.0	0.116	<20	3.75	0.008	0.08	<0.1	42.4	0.07	<0.02	27	0.4	0.05	16.3
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD CSC Expected																						
STD OREAS76A Expected																						
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
REP G1	QC																
913893	Drill Core	0.05	<0.1	<0.02	0.03	0.4	<0.1	<0.05	0.9	6.30	2.0	<0.02	5	<0.1	1.1	<10	<2
REP 913893	QC	0.05	<0.1	0.02	0.04	0.4	<0.1	<0.05	0.9	6.49	2.1	<0.02	4	<0.1	1.2	<10	<2
913894	Drill Core	0.03	<0.1	0.03	0.02	0.1	<0.1	<0.05	0.9	3.42	1.7	<0.02	4	<0.1	1.3	<10	<2
REP 913894	QC																
913895	Drill Core	0.04	<0.1	<0.02	0.03	0.3	<0.1	<0.05	0.7	3.70	1.3	<0.02	5	<0.1	1.4	<10	<2
REP 913895	QC																
Core Reject Duplicates																	
913886	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.5	6.12	0.9	<0.02	1	<0.1	0.3	<10	<2
DUP 913886	QC	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.5	6.01	0.8	<0.02	<1	<0.1	0.2	<10	<2
Reference Materials																	
STD CSC	Standard																
STD DS7	Standard	7.62	0.1	0.14	0.37	41.4	5.9	<0.05	6.6	7.10	46.8	1.81	6	1.8	23.7	90	48
STD DS7	Standard	6.21	0.1	0.10	0.32	33.2	4.4	<0.05	5.7	5.75	37.3	1.37	3	1.8	31.4	94	35
STD DS8	Standard	3.07	0.1	0.10	1.07	41.7	8.0	<0.05	2.3	6.40	35.7	2.61	74	4.7	22.5	143	435
STD DS8	Standard	2.38	0.1	0.08	0.94	35.0	6.3	<0.05	2.2	5.77	28.0	2.14	66	6.5	31.8	117	344
STD OREAS45PA	Standard	1.47	0.2	0.62	0.20	11.3	2.1	<0.05	24.2	9.62	43.8	0.11	<1	0.7	6.8	72	88
STD OREAS45PA	Standard	1.09	0.1	0.50	0.21	8.5	1.5	<0.05	21.5	8.37	35.9	0.09	<1	0.6	6.4	40	72
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank	<0.01																			
G1	Prep Blank	<0.01	66.37	15.91	3.39	1.14	3.69	3.69	3.69	0.40	0.19	0.10	<0.002	1024	<20	769	145	17	26	6	1.2
G1	Prep Blank		66.59	15.45	3.57	1.22	3.62	3.55	3.85	0.42	0.21	0.10	<0.002	998	<20	726	159	17	27	6	1.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																					
BLK	Blank		<0.02	<0.02																	
BLK	Blank	<0.01																			
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank		0.08	<0.02	0.11	3.75	3.82	50.6	16	3.0	4.5	545	1.99	0.1	2.2	1.8	8.0	48.5	0.02	<0.02	0.11
G1	Prep Blank	99.98	0.06	<0.02	0.11	2.57	5.76	49.0	111	2.6	4.1	540	1.82	0.2	1.4	1.4	4.9	60.1	0.02	<0.02	0.10
G1	Prep Blank	99.97																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	40	0.60	0.084	14.2	8.4	0.58	195.0	0.125	<20	0.91	0.097	0.53	<0.1	2.2	0.40	<0.02	<5	<0.1	<0.02	4.5
G1	Prep Blank	37	0.59	0.075	12.5	6.3	0.54	188.8	0.123	<20	0.95	0.101	0.51	1.5	2.3	0.34	<0.02	<5	<0.1	<0.02	4.5
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 29, 2010

QUALITY CONTROL REPORT VAN10006502.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.76	0.1	0.11	0.47	44.3	0.6	<0.05	1.6	5.68	31.0	<0.02	<1	0.3	30.9	12	4
G1	Prep Blank	3.64	0.1	0.10	0.45	42.5	0.6	<0.05	1.5	5.61	27.5	<0.02	<1	0.3	27.4	11	3
G1	Prep Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: December 20, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006503.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-22
P.O. Number MT.GUY 197
Number of Samples: 13

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush split and pulverize 250g drill core to 200 mesh			VAN
4A02	13	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	13	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

CERTIFICATE OF ANALYSIS VAN10006503.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913896	Drill Core	4.86	1.61	0.13	0.06	7.02	47.61	0.02	0.04	0.01	0.04	<0.01	<0.002	40	<20	279	14	3	<5	<1	43.3
913897	Drill Core	5.91	0.17	0.03	0.05	15.69	37.58	0.02	<0.01	<0.01	0.05	<0.01	0.003	21	<20	152	<5	4	<5	<1	46.1
913898	Drill Core	6.07	0.29	0.03	0.07	15.67	37.76	0.02	<0.01	<0.01	0.02	<0.01	0.004	32	<20	195	<5	5	<5	<1	45.9
913899	Drill Core	5.79	0.22	<0.01	<0.04	16.35	37.11	0.01	<0.01	<0.01	0.03	<0.01	0.002	45	<20	161	<5	6	<5	<1	46.0
913900DP 913899 PULP	Incline		0.28	0.02	0.06	16.07	37.50	0.01	<0.01	<0.01	0.03	<0.01	0.005	47	<20	160	<5	6	<5	<1	45.7
913901	Drill Core	6.14	0.14	0.02	<0.04	17.20	36.38	0.02	<0.01	<0.01	0.04	<0.01	0.003	23	<20	182	14	5	<5	<1	45.8
913902	Rock	0.47	65.17	15.41	3.39	1.54	4.43	3.45	3.61	0.39	0.19	0.09	0.008	966	<20	728	148	16	24	6	2.1
913903	Drill Core	6.20	0.05	0.01	0.06	17.59	35.74	0.02	<0.01	<0.01	0.05	<0.01	0.003	18	<20	157	<5	5	<5	<1	46.1
913904	Drill Core	6.59	0.28	0.03	<0.04	18.23	35.10	0.02	<0.01	<0.01	0.09	<0.01	0.003	18	<20	145	7	5	6	<1	45.9
913905	Drill Core	6.35	0.26	0.01	<0.04	18.04	35.28	0.02	<0.01	<0.01	0.08	<0.01	0.003	20	<20	164	<5	6	<5	<1	45.9
913906	Drill Core	6.01	0.33	0.04	0.07	17.30	35.79	0.02	<0.01	<0.01	0.05	<0.01	0.005	50	32	177	<5	8	<5	<1	46.1
913907	Drill Core	6.37	0.49	0.09	0.06	17.26	36.00	0.02	0.02	<0.01	0.08	<0.01	0.003	81	23	208	<5	7	<5	<1	45.6
913908	Drill Core	1.95	0.62	0.07	0.04	16.30	36.94	0.02	0.01	<0.01	0.08	<0.01	0.003	36	<20	186	11	8	<5	<1	45.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

CERTIFICATE OF ANALYSIS VAN10006503.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913896	Drill Core	99.87	12.36	<0.02	0.12	0.30	0.46	10.2	5	0.7	0.1	12	<0.01	0.6	2.2	1.5	0.2	254.0	0.66	0.11	<0.02
913897	Drill Core	99.73	12.75	<0.02	0.10	0.25	0.21	13.5	5	1.2	<0.1	21	<0.01	0.4	1.9	0.7	<0.1	137.5	0.80	0.10	<0.02
913898	Drill Core	99.73	12.84	<0.02	0.18	0.37	0.24	8.6	4	0.9	<0.1	11	<0.01	0.4	2.6	0.4	<0.1	172.2	0.42	0.07	<0.02
913899	Drill Core	99.72	12.89	<0.02	0.17	0.18	0.16	13.5	<2	2.3	<0.1	20	<0.01	0.6	2.5	0.4	<0.1	136.8	0.49	0.06	<0.02
913900DP 913899 PULP	Incline	99.73	13.01	<0.02	0.17	<0.01	0.19	14.1	<2	1.6	0.1	21	<0.01	0.3	2.6	0.3	<0.1	138.8	0.50	0.06	<0.02
913901	Drill Core	99.70	13.10	<0.02	0.22	0.19	0.24	10.1	3	0.7	<0.1	21	<0.01	<0.1	2.5	0.3	<0.1	156.7	0.41	0.04	<0.02
913902	Rock	99.97	0.32	<0.02	0.24	1.76	2.39	46.0	10	4.5	4.3	561	2.02	0.1	1.8	0.6	3.7	61.4	0.03	<0.02	0.07
913903	Drill Core	99.70	12.98	<0.02	0.28	0.57	0.24	9.8	<2	1.3	0.1	20	<0.01	<0.1	2.6	0.3	<0.1	140.7	0.38	0.04	<0.02
913904	Drill Core	99.69	13.10	<0.02	0.19	0.19	0.22	10.0	2	0.9	<0.1	32	<0.01	<0.1	1.7	0.3	<0.1	122.2	0.42	0.05	<0.02
913905	Drill Core	99.69	13.31	<0.02	0.20	3.01	0.20	10.3	3	1.3	0.6	22	<0.01	0.1	1.8	0.4	<0.1	144.0	0.44	0.03	<0.02
913906	Drill Core	99.70	12.75	<0.02	0.29	0.30	0.25	10.7	2	1.5	<0.1	20	<0.01	0.1	1.7	0.7	<0.1	150.7	0.33	0.08	<0.02
913907	Drill Core	99.70	13.15	<0.02	0.24	0.49	0.23	10.8	4	1.6	<0.1	25	<0.01	0.7	2.1	0.7	<0.1	175.4	0.35	0.22	<0.02
913908	Drill Core	99.72	13.15	<0.02	0.20	0.39	0.18	10.1	3	1.4	<0.1	25	<0.01	0.8	2.1	0.7	<0.1	157.9	0.48	0.15	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

CERTIFICATE OF ANALYSIS VAN10006503.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913896	Drill Core	5	30.64	0.018	1.1	10.3	4.06	33.3	0.001	<20	0.02	0.004	<0.01	<0.1	<0.1	<0.02	<0.02	91	0.2	0.21	<0.1
913897	Drill Core	7	25.56	0.020	0.9	10.2	9.33	19.0	<0.001	<20	0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	120	0.3	0.19	<0.1
913898	Drill Core	10	24.85	0.008	1.4	10.9	9.08	25.1	<0.001	<20	0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	93	0.3	0.18	<0.1
913899	Drill Core	7	24.40	0.013	1.6	12.5	9.43	33.2	<0.001	<20	<0.01	0.008	<0.01	<0.1	<0.1	<0.02	<0.02	48	0.2	0.13	<0.1
913900DP 913899 PULP	Incline	7	24.51	0.012	1.7	12.7	9.57	33.7	<0.001	<20	<0.01	0.007	<0.01	<0.1	<0.1	<0.02	<0.02	46	0.3	0.16	<0.1
913901	Drill Core	8	24.10	0.015	1.6	13.7	9.82	21.2	<0.001	<20	<0.01	0.011	<0.01	<0.1	<0.1	<0.02	<0.02	68	0.3	0.16	<0.1
913902	Rock	40	1.21	0.081	7.8	9.7	0.82	217.3	0.139	<20	1.06	0.097	0.53	0.1	2.3	0.30	<0.02	<5	<0.1	<0.02	5.1
913903	Drill Core	7	23.50	0.019	1.5	12.4	10.22	17.2	<0.001	<20	<0.01	0.013	<0.01	<0.1	<0.1	<0.02	<0.02	46	0.3	0.15	<0.1
913904	Drill Core	8	22.49	0.035	1.6	11.3	10.07	16.0	<0.001	<20	0.01	0.009	<0.01	<0.1	<0.1	<0.02	<0.02	38	0.3	0.17	<0.1
913905	Drill Core	7	23.16	0.030	2.2	12.3	10.44	18.2	<0.001	<20	<0.01	0.012	<0.01	<0.1	<0.1	<0.02	<0.02	44	0.3	0.16	<0.1
913906	Drill Core	7	23.95	0.020	3.5	12.4	10.24	38.4	<0.001	<20	0.02	0.010	<0.01	<0.1	0.1	<0.02	<0.02	60	0.3	0.14	<0.1
913907	Drill Core	8	23.85	0.031	3.0	15.5	10.06	60.1	<0.001	<20	0.02	0.012	<0.01	<0.1	0.2	<0.02	<0.02	77	0.3	0.15	0.1
913908	Drill Core	10	24.40	0.031	3.7	14.6	9.27	28.7	<0.001	<20	0.02	0.010	0.02	<0.1	0.2	<0.02	<0.02	84	0.3	0.16	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

CERTIFICATE OF ANALYSIS VAN10006503.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913896	Drill Core	<0.02	<0.1	<0.02	0.10	0.3	<0.1	<0.05	0.5	2.82	0.8	<0.02	2	<0.1	0.3	<10	<2
913897	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.5	3.16	0.4	<0.02	2	<0.1	0.4	<10	<2
913898	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.4	4.13	0.6	<0.02	2	<0.1	0.5	<10	<2
913899	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.6	4.66	0.6	<0.02	2	<0.1	0.4	<10	<2
913900DP 913899 PULP	Incline	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.6	4.74	0.6	<0.02	2	<0.1	0.4	<10	<2
913901	Drill Core	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.5	4.22	0.6	<0.02	1	<0.1	0.4	<10	<2
913902	Rock	3.00	0.1	0.10	0.33	38.6	0.5	<0.05	1.3	5.12	16.0	<0.02	<1	0.4	31.2	<10	<2
913903	Drill Core	<0.02	<0.1	<0.02	0.04	<0.1	<0.1	<0.05	0.4	4.15	0.6	<0.02	3	<0.1	0.4	<10	<2
913904	Drill Core	<0.02	<0.1	<0.02	0.05	0.2	<0.1	<0.05	0.5	4.33	0.6	<0.02	1	<0.1	0.3	<10	<2
913905	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	0.7	<0.05	0.6	5.24	0.8	<0.02	<1	<0.1	0.3	<10	<2
913906	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	6.87	1.3	<0.02	2	<0.1	0.3	<10	<2
913907	Drill Core	0.03	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.7	6.21	1.3	<0.02	1	<0.1	0.5	<10	<2
913908	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.6	7.24	1.5	<0.02	2	<0.1	0.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
REP G1	QC		66.53	15.81	3.34	1.28	3.82	3.57	3.63	0.40	0.19	0.10	0.002	964	<20	704	147	18	27	6	1.1
913906	Drill Core	6.01	0.33	0.04	0.07	17.30	35.79	0.02	<0.01	<0.01	0.05	<0.01	0.005	50	32	177	<5	8	<5	<1	46.1
REP 913906	QC																				
913907	Drill Core	6.37	0.49	0.09	0.06	17.26	36.00	0.02	0.02	<0.01	0.08	<0.01	0.003	81	23	208	<5	7	<5	<1	45.6
REP 913907	QC		0.47	0.09	<0.04	17.22	36.10	0.02	0.01	<0.01	0.07	<0.01	0.002	83	<20	205	<5	7	<5	<1	45.6
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.11	14.08	7.59	3.34	6.36	3.71	2.17	0.69	0.83	0.39	0.558	494	42	388	299	31	22	25	1.9
STD SO-18	Standard		58.01	14.07	7.69	3.35	6.36	3.71	2.17	0.69	0.84	0.39	0.561	506	49	390	325	31	24	25	1.9
STD SO-18	Standard		58.15	14.07	7.59	3.34	6.33	3.73	2.17	0.69	0.83	0.39	0.560	499	51	396	304	30	22	24	1.9
STD SO-18	Standard		58.21	14.03	7.60	3.33	6.33	3.72	2.16	0.69	0.83	0.39	0.559	499	54	394	312	30	22	24	1.9
STD DS7 Expected																					
STD OREAS45PA Expected																					
STD DS8 Expected																					
STD CSC Expected																					
STD OREAS76A Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																						
REP G1	QC		99.98																			
913906	Drill Core		99.70	12.75	<0.02	0.29	0.30	0.25	10.7	2	1.5	<0.1	20	<0.01	0.1	1.7	0.7	<0.1	150.7	0.33	0.08	<0.02
REP 913906	QC					0.16	0.28	0.14	9.5	2	1.7	<0.1	19	<0.01	<0.1	1.6	0.7	<0.1	144.6	0.32	0.07	<0.02
913907	Drill Core		99.70	13.15	<0.02	0.24	0.49	0.23	10.8	4	1.6	<0.1	25	<0.01	0.7	2.1	0.7	<0.1	175.4	0.35	0.22	<0.02
REP 913907	QC		99.71																			
Reference Materials																						
STD CSC	Standard			3.05	4.22																	
STD CSC	Standard			2.96	4.26																	
STD DS7	Standard					18.92	93.11	61.19	359.7	904	50.5	8.7	596	2.23	45.8	4.0	88.0	3.8	67.4	5.79	4.17	4.04
STD DS7	Standard					20.71	100.2	63.46	389.6	978	53.6	9.3	612	2.44	48.0	4.1	52.9	4.1	72.8	6.28	4.03	4.38
STD DS8	Standard					13.84	102.8	120.7	300.9	1766	39.2	7.8	605	2.42	22.8	2.6	98.2	6.1	66.0	2.48	4.82	6.07
STD DS8	Standard					13.60	110.8	115.5	312.1	1646	40.2	7.6	603	2.49	23.8	2.3	113.4	5.8	63.7	2.48	4.24	6.10
STD OREAS45PA	Standard					0.93	607.2	15.83	108.7	293	307.1	103.5	1069	16.15	3.3	0.9	40.7	5.4	12.5	0.10	0.14	0.15
STD OREAS45PA	Standard					0.92	660.4	15.87	116.4	316	324.6	106.6	1213	16.13	3.4	0.9	41.5	5.5	13.3	0.11	0.11	0.17
STD OREAS76A	Standard			0.15	18.28																	
STD OREAS76A	Standard			0.15	17.39																	
STD SO-18	Standard		99.89																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD SO-18	Standard		99.90																			
STD DS7 Expected						20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected						0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18
STD DS8 Expected						13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD CSC Expected				2.94	4.25																	
STD OREAS76A Expected				0.16	18																	
STD SO-18 Expected																						
BLK	Blank			<0.02	<0.02																	
BLK	Blank					<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																						
REP G1	QC																					
913906	Drill Core		7	23.95	0.020	3.5	12.4	10.24	38.4	<0.001	<20	0.02	0.010	<0.01	<0.1	0.1	<0.02	<0.02	60	0.3	0.14	<0.1
REP 913906	QC		7	23.13	0.019	3.3	11.0	9.72	36.8	<0.001	<20	0.01	0.010	<0.01	<0.1	<0.1	<0.02	<0.02	54	0.3	0.15	<0.1
913907	Drill Core		8	23.85	0.031	3.0	15.5	10.06	60.1	<0.001	<20	0.02	0.012	<0.01	<0.1	0.2	<0.02	<0.02	77	0.3	0.15	0.1
REP 913907	QC																					
Reference Materials																						
STD CSC	Standard																					
STD CSC	Standard																					
STD DS7	Standard		79	0.89	0.069	11.3	183.2	0.98	376.6	0.101	37	0.96	0.093	0.43	3.3	2.4	3.58	0.19	207	3.0	1.35	4.5
STD DS7	Standard		82	0.96	0.076	12.5	196.0	1.08	401.4	0.112	31	1.07	0.109	0.47	3.0	2.7	3.86	0.20	213	3.3	1.23	4.9
STD DS8	Standard		41	0.71	0.079	15.6	113.8	0.59	291.6	0.104	<20	0.90	0.098	0.40	2.5	2.4	5.28	0.16	205	5.4	5.26	4.8
STD DS8	Standard		40	0.69	0.079	13.5	125.8	0.61	302.4	0.102	<20	0.90	0.088	0.41	2.5	2.2	5.09	0.16	173	5.6	5.08	4.5
STD OREAS45PA	Standard		226	0.22	0.032	15.5	853.0	0.09	166.8	0.122	<20	3.49	0.011	0.08	<0.1	42.2	0.06	<0.02	21	0.6	0.09	15.6
STD OREAS45PA	Standard		234	0.24	0.032	16.2	867.6	0.09	172.1	0.129	<20	3.80	0.010	0.08	<0.1	44.0	0.06	<0.02	27	0.5	0.08	16.1
STD OREAS76A	Standard																					
STD OREAS76A	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD SO-18	Standard																					
STD DS7 Expected			84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected			221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8
STD DS8 Expected			41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD CSC Expected																						
STD OREAS76A Expected																						
STD SO-18 Expected																						
BLK	Blank																					
BLK	Blank		<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
REP G1	QC																
913906	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.5	6.87	1.3	<0.02	2	<0.1	0.3	<10	<2
REP 913906	QC	<0.02	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.5	6.65	1.2	<0.02	<1	<0.1	0.3	<10	<2
913907	Drill Core	0.03	<0.1	<0.02	0.04	0.3	<0.1	<0.05	0.7	6.21	1.3	<0.02	1	<0.1	0.5	<10	<2
REP 913907	QC																
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	5.85	<0.1	0.12	0.46	31.9	4.3	<0.05	5.5	5.47	34.2	1.48	4	1.6	28.8	87	36
STD DS7	Standard	6.14	<0.1	0.12	0.48	35.2	4.8	<0.05	6.0	5.79	37.7	1.50	3	1.9	29.6	82	37
STD DS8	Standard	2.54	0.1	0.09	1.16	36.3	6.6	<0.05	2.3	6.17	29.8	2.18	59	5.0	24.9	123	353
STD DS8	Standard	2.47	<0.1	0.07	1.05	37.0	6.8	<0.05	2.2	5.41	25.3	2.26	50	5.0	26.4	123	332
STD OREAS45PA	Standard	1.07	0.1	0.53	0.24	8.6	1.5	<0.05	22.3	8.29	35.4	0.08	<1	0.7	6.3	60	76
STD OREAS45PA	Standard	1.08	0.1	0.53	0.25	9.2	1.6	<0.05	23.1	8.44	38.6	0.09	<1	0.6	6.0	57	66
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72
STD DS8 Expected		2.48	0.13	0.08	1.65	39	6.7	0.003	1.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD CSC Expected																	
STD OREAS76A Expected																	
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		66.34	16.01	3.43	1.26	3.77	3.54	3.62	0.40	0.19	0.10	0.003	925	<20	698	159	18	23	6	1.1
G1	Prep Blank																				
G1	Prep Blank		66.60	15.73	3.42	1.31	3.79	3.48	3.62	0.40	0.19	0.10	0.003	990	<20	710	159	17	27	6	1.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		4A 2A Leco Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
BLK	Blank		<0.02	<0.02																	
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.97	0.09	<0.02	0.35	2.94	3.70	46.5	13	3.4	4.3	564	1.94	0.3	2.0	0.4	5.1	58.7	0.02	<0.02	0.11
G1	Prep Blank		0.11	<0.02	0.32	2.91	3.22	47.5	16	4.1	4.8	565	1.96	0.4	1.8	<0.2	5.0	61.8	0.02	<0.02	0.08
G1	Prep Blank	99.98																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	37	0.67	0.079	13.5	7.2	0.62	185.6	0.126	<20	1.02	0.105	0.52	<0.1	2.2	0.33	<0.02	<5	<0.1	<0.02	4.9
G1	Prep Blank	38	0.72	0.084	13.7	8.3	0.64	191.1	0.124	<20	0.98	0.094	0.52	<0.1	2.3	0.33	<0.02	<5	<0.1	<0.02	5.0
G1	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: December 20, 2010

QUALITY CONTROL REPORT VAN10006503.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
BLK	Blank																
BLK	Blank																
Prep Wash																	
G1	Prep Blank	3.40	<0.1	0.11	0.53	44.5	0.7	<0.05	1.5	5.92	25.8	<0.02	<1	0.3	30.4	<10	<2
G1	Prep Blank	3.28	<0.1	0.09	0.45	44.0	0.6	<0.05	1.4	5.60	25.2	<0.02	<1	0.2	31.8	<10	<2
G1	Prep Blank																

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Submitted By: Eric Titley
Receiving Lab: Canada-Vancouver
Received: November 27, 2010
Report Date: January 19, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN10006504.1

CLIENT JOB INFORMATION

Project: Mt. Guy
Shipment ID: MG10-23
P.O. Number MT.GUY 197
Number of Samples: 14

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	1	Pulverize to 85% - 200 mesh			VAN
4A02	14	LiBO2/Li2B4O7 fusion ICP-ES analysis	0.2	Completed	VAN
1F04	14	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Taseko Mines Limited
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

CERTIFICATE OF ANALYSIS VAN10006504.1

Method		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
Analyte		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
Unit		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
913909	Drill Core	6.56	0.50	0.07	<0.04	17.11	36.13	0.02	0.01	<0.01	0.04	<0.01	0.002	48	<20	138	6	15	<5	<1	45.8
913910	Rock Chip	0.28	1.15	0.19	0.13	0.33	71.90	0.01	0.02	0.01	0.11	0.02	<0.002	37	<20	153	<5	<3	<5	<1	26.1
913911	Drill Core	6.96	0.42	0.05	<0.04	17.72	35.40	0.02	0.01	<0.01	0.05	<0.01	<0.002	33	<20	176	<5	10	<5	<1	46.0
913912	Drill Core	6.98	0.41	0.06	<0.04	17.21	35.93	0.02	0.01	<0.01	0.06	<0.01	<0.002	43	<20	178	<5	9	<5	<1	46.0
913913	Drill Core	2.55	3.28	0.56	0.28	12.90	38.60	0.02	0.06	0.04	0.09	0.01	0.003	108	<20	133	7	13	<5	<1	43.9
913914	Drill Core	7.69	0.32	0.05	<0.04	16.51	37.75	0.02	0.01	<0.01	0.17	<0.01	<0.002	35	<20	155	<5	9	<5	<1	44.8
913915	Drill Core	7.36	0.39	0.07	<0.04	17.18	36.19	0.02	0.01	<0.01	0.09	<0.01	0.003	64	<20	175	<5	8	<5	<1	45.7
913916	Rock	0.47	65.10	15.42	3.51	1.65	4.48	3.37	3.59	0.40	0.20	0.10	<0.002	974	<20	711	144	16	19	6	1.9
913917	Drill Core	7.11	0.33	0.07	<0.04	17.28	35.74	0.02	0.01	<0.01	0.09	<0.01	<0.002	43	<20	176	<5	9	<5	<1	46.1
913918	Drill Core	7.54	0.40	0.06	0.05	18.88	33.88	0.03	0.01	<0.01	0.13	<0.01	0.003	41	<20	168	<5	11	<5	<1	46.2
913919	Drill Core	7.56	3.10	0.06	<0.04	15.69	36.13	0.02	<0.01	<0.01	0.22	<0.01	0.002	106	<20	244	<5	10	<5	<1	44.4
913920DP 913919 PULP	Incline		3.09	0.06	<0.04	15.69	36.54	0.02	<0.01	<0.01	0.22	<0.01	0.003	106	<20	244	<5	10	<5	<1	44.0
913921	Drill Core	6.86	0.23	0.03	<0.04	7.38	47.90	<0.01	<0.01	<0.01	0.32	<0.01	0.005	54	<20	335	<5	14	<5	<1	43.9
913922	Drill Core	2.57	0.18	0.01	<0.04	6.31	49.33	0.03	<0.01	<0.01	0.05	<0.01	0.003	57	<20	383	<5	9	<5	<1	43.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

CERTIFICATE OF ANALYSIS VAN10006504.1

Method		4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
Unit		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
913909	Drill Core	99.71	12.87	<0.02	0.17	0.87	0.47	29.8	5	2.7	<0.1	45	<0.01	<0.1	2.3	<0.2	<0.1	122.7	0.50	0.08	<0.02
913910	Rock Chip	100.00	0.83	0.03	0.72	5.12	0.74	6.5	5	3.4	<0.1	189	<0.01	2.2	0.3	<0.2	<0.1	158.1	0.42	0.08	<0.02
913911	Drill Core	99.71	12.88	<0.02	0.12	0.44	0.29	17.0	6	1.2	<0.1	24	<0.01	0.3	2.4	<0.2	<0.1	150.4	0.30	0.09	<0.02
913912	Drill Core	99.71	12.78	<0.02	0.19	0.66	0.32	19.1	7	2.9	0.1	33	<0.01	0.8	3.0	<0.2	<0.1	160.0	0.52	0.10	<0.02
913913	Drill Core	99.77	12.22	<0.02	0.36	10.97	0.81	43.1	208	11.3	0.8	90	0.13	1.3	2.8	0.8	0.3	115.7	1.37	0.28	<0.02
913914	Drill Core	99.71	12.02	<0.02	0.24	0.91	0.53	17.7	5	3.0	<0.1	48	<0.01	0.4	3.5	<0.2	<0.1	141.9	0.55	0.10	<0.02
913915	Drill Core	99.71	12.79	<0.02	0.18	0.59	0.64	25.2	6	2.6	0.1	40	<0.01	0.2	4.4	<0.2	<0.1	160.3	0.67	0.19	<0.02
913916	Rock	99.98	0.33	<0.02	0.33	1.59	3.09	48.0	10	4.1	4.4	602	2.04	0.3	2.1	<0.2	4.5	73.6	0.02	<0.02	0.08
913917	Drill Core	99.71	12.73	<0.02	0.28	0.53	0.37	22.7	3	2.2	<0.1	37	<0.01	0.6	4.1	<0.2	<0.1	163.9	0.61	0.16	<0.02
913918	Drill Core	99.68	12.96	<0.02	0.12	0.38	0.53	19.9	<2	2.1	<0.1	41	<0.01	0.9	3.7	<0.2	<0.1	152.2	0.56	0.11	<0.02
913919	Drill Core	99.74	12.23	<0.02	0.16	0.73	0.92	17.8	2	1.6	<0.1	45	<0.01	0.5	2.9	0.5	<0.1	232.3	0.71	0.12	<0.02
913920DP 913919 PULP	Incline	99.74	12.33	<0.02	0.15	0.71	0.47	20.0	<2	2.4	<0.1	47	<0.01	0.5	2.8	<0.2	<0.1	236.9	0.71	0.12	<0.02
913921	Drill Core	99.87	12.59	<0.02	0.14	1.04	0.48	17.0	7	1.9	<0.1	23	<0.01	0.6	3.7	<0.2	<0.1	344.0	1.20	0.20	<0.02
913922	Drill Core	99.88	12.41	<0.02	0.14	0.64	0.34	13.0	9	1.8	<0.1	11	<0.01	0.1	4.7	<0.2	<0.1	388.2	1.13	0.10	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

CERTIFICATE OF ANALYSIS VAN10006504.1

Method		1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
Analyte		V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
913909	Drill Core	8	26.10	0.013	7.4	14.2	8.72	32.1	<0.001	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	<0.02	52	<0.1	<0.02	<0.1
913910	Rock Chip	4	>40	0.053	0.9	1.8	0.20	35.8	0.006	<20	0.09	0.002	<0.01	<0.1	0.7	<0.02	<0.02	<5	<0.1	<0.02	0.2
913911	Drill Core	9	26.99	0.021	4.8	11.7	9.13	28.0	<0.001	<20	0.02	0.013	<0.01	<0.1	0.1	<0.02	<0.02	81	<0.1	<0.02	0.1
913912	Drill Core	10	26.73	0.022	4.7	14.1	8.90	35.6	<0.001	<20	0.02	0.012	<0.01	<0.1	<0.1	<0.02	<0.02	95	<0.1	0.03	<0.1
913913	Drill Core	11	28.23	0.033	6.1	15.4	6.79	54.3	0.002	<20	0.13	0.008	0.02	1.5	0.6	0.05	<0.02	188	0.3	0.03	0.4
913914	Drill Core	11	29.16	0.066	3.9	14.6	8.40	31.6	<0.001	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	<0.02	84	<0.1	<0.02	<0.1
913915	Drill Core	14	27.04	0.034	3.9	15.1	9.20	53.5	<0.001	<20	0.02	0.013	<0.01	<0.1	0.3	<0.02	<0.02	80	<0.1	<0.02	0.1
913916	Rock	40	1.29	0.079	9.4	11.7	0.85	245.2	0.150	<20	1.09	0.110	0.54	<0.1	2.4	0.34	<0.02	7	<0.1	<0.02	5.2
913917	Drill Core	14	26.54	0.033	4.2	16.2	9.01	36.6	<0.001	<20	0.02	0.013	<0.01	<0.1	0.3	<0.02	<0.02	71	<0.1	<0.02	0.2
913918	Drill Core	12	24.64	0.052	5.4	15.5	10.10	35.5	<0.001	<20	0.02	0.014	<0.01	<0.1	0.2	<0.02	<0.02	86	<0.1	0.05	0.2
913919	Drill Core	11	24.67	0.101	4.8	14.1	8.33	93.7	<0.001	<20	0.02	0.009	<0.01	<0.1	0.2	<0.02	<0.02	89	0.2	0.03	0.4
913920DP 913919 PULP	Incline	11	26.32	0.104	4.9	14.4	8.42	94.7	<0.001	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	<0.02	84	0.2	0.03	0.4
913921	Drill Core	12	31.71	0.142	7.5	23.5	3.77	54.9	<0.001	<20	0.02	0.006	<0.01	<0.1	0.2	<0.02	<0.02	117	0.2	0.05	0.1
913922	Drill Core	21	33.77	0.021	5.0	21.8	3.18	58.2	<0.001	<20	<0.01	0.008	<0.01	<0.1	0.1	<0.02	<0.02	212	0.2	0.04	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

CERTIFICATE OF ANALYSIS VAN10006504.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
913909	Drill Core	<0.02	<0.1	<0.02	0.04	0.1	<0.1	<0.05	0.6	13.43	2.8	<0.02	<1	<0.1	0.6	<10	2
913910	Rock Chip	0.04	<0.1	0.04	0.14	0.4	<0.1	<0.05	2.4	1.79	1.0	<0.02	<1	<0.1	0.9	<10	4
913911	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.5	8.48	1.7	<0.02	2	<0.1	0.6	<10	8
913912	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.6	8.34	1.5	<0.02	1	<0.1	0.2	<10	6
913913	Drill Core	0.12	<0.1	0.05	0.06	1.1	0.1	<0.05	2.7	11.54	2.8	<0.02	<1	<0.1	0.9	<10	<2
913914	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	1.0	8.28	1.2	<0.02	3	<0.1	0.6	<10	6
913915	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	0.7	8.25	1.2	<0.02	<1	<0.1	0.4	<10	6
913916	Rock	3.24	<0.1	0.08	0.20	41.8	0.5	<0.05	1.3	6.04	18.2	<0.02	<1	<0.1	32.0	<10	4
913917	Drill Core	0.03	<0.1	<0.02	0.03	0.1	<0.1	<0.05	0.6	8.24	1.3	<0.02	2	<0.1	0.7	<10	4
913918	Drill Core	<0.02	<0.1	<0.02	0.03	0.2	<0.1	<0.05	0.6	9.58	1.6	<0.02	2	<0.1	0.5	<10	3
913919	Drill Core	0.03	<0.1	<0.02	0.02	0.2	0.3	<0.05	0.8	9.90	1.5	<0.02	2	0.1	0.9	<10	<2
913920DP 913919 PULP	Incline	0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.9	10.05	1.5	<0.02	1	<0.1	0.9	<10	<2
913921	Drill Core	0.03	<0.1	<0.02	0.03	0.2	<0.1	<0.05	1.3	13.96	2.2	<0.02	1	<0.1	0.3	<10	<2
913922	Drill Core	<0.02	<0.1	<0.02	0.03	<0.1	<0.1	<0.05	0.7	9.12	1.3	<0.02	1	<0.1	0.2	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

	Method	WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
	Analyte	Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
	Unit	kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
Pulp Duplicates																					
913910	Rock Chip	0.28	1.15	0.19	0.13	0.33	71.90	0.01	0.02	0.01	0.11	0.02	<0.002	37	<20	153	<5	<3	<5	<1	26.1
REP 913910	QC		1.18	0.19	0.12	0.33	71.88	0.01	0.02	0.01	0.10	0.02	<0.002	36	<20	153	<5	<3	<5	<1	26.1
913912	Drill Core	6.98	0.41	0.06	<0.04	17.21	35.93	0.02	0.01	<0.01	0.06	<0.01	<0.002	43	<20	178	<5	9	<5	<1	46.0
REP 913912	QC		0.41	0.07	<0.04	17.31	35.84	0.02	0.01	<0.01	0.06	<0.01	<0.002	44	<20	176	<5	9	<5	<1	46.0
913914	Drill Core	7.69	0.32	0.05	<0.04	16.51	37.75	0.02	0.01	<0.01	0.17	<0.01	<0.002	35	<20	155	<5	9	<5	<1	44.8
REP 913914	QC																				
Core Reject Duplicates																					
913921	Drill Core	6.86	0.23	0.03	<0.04	7.38	47.90	<0.01	<0.01	<0.01	0.32	<0.01	0.005	54	<20	335	<5	14	<5	<1	43.9
DUP 913921	QC		0.31	0.03	<0.04	7.36	47.87	<0.01	0.01	<0.01	0.30	<0.01	0.006	57	<20	336	<5	14	<5	<1	43.9
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard																				
STD DS7	Standard																				
STD DS8	Standard																				
STD DS8	Standard																				
STD OREAS45PA	Standard																				
STD OREAS45PA	Standard																				
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard		58.03	14.07	7.62	3.39	6.40	3.67	2.17	0.69	0.83	0.40	0.558	493	43	394	304	30	21	24	1.9
STD SO-18	Standard		58.22	14.00	7.61	3.35	6.37	3.68	2.16	0.69	0.83	0.40	0.550	494	44	390	300	30	18	24	1.9
STD SO-18	Standard		58.12	14.10	7.57	3.35	6.31	3.72	2.16	0.69	0.83	0.39	0.567	502	52	407	303	31	28	25	1.9
STD SO-18	Standard		58.09	14.09	7.60	3.36	6.33	3.71	2.16	0.69	0.83	0.40	0.569	503	46	406	302	32	25	25	1.9
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected																					
STD OREAS45PA Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

	Method	4A	2A Leco	2A Leco	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Sum	TOT/C	TOT/S	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
Pulp Duplicates																					
913910	Rock Chip	100.00	0.83	0.03	0.72	5.12	0.74	6.5	5	3.4	<0.1	189	<0.01	2.2	0.3	<0.2	<0.1	158.1	0.42	0.08	<0.02
REP 913910	QC	100.00																			
913912	Drill Core	99.71	12.78	<0.02	0.19	0.66	0.32	19.1	7	2.9	0.1	33	<0.01	0.8	3.0	<0.2	<0.1	160.0	0.52	0.10	<0.02
REP 913912	QC	99.72																			
913914	Drill Core	99.71	12.02	<0.02	0.24	0.91	0.53	17.7	5	3.0	<0.1	48	<0.01	0.4	3.5	<0.2	<0.1	141.9	0.55	0.10	<0.02
REP 913914	QC		12.30	<0.02																	
Core Reject Duplicates																					
913921	Drill Core	99.87	12.59	<0.02	0.14	1.04	0.48	17.0	7	1.9	<0.1	23	<0.01	0.6	3.7	<0.2	<0.1	344.0	1.20	0.20	<0.02
DUP 913921	QC	99.87	12.40	<0.02	0.13	1.04	0.48	15.7	7	2.8	<0.1	25	<0.01	0.6	3.6	<0.2	<0.1	345.4	1.21	0.22	<0.02
Reference Materials																					
STD CSC	Standard		3.03	4.04																	
STD CSC	Standard		2.86	4.16																	
STD DS7	Standard				19.13	102.2	64.47	393.8	1147	52.2	9.3	625	2.32	51.7	4.7	56.9	4.2	78.5	6.02	3.92	4.41
STD DS7	Standard				20.00	102.8	59.06	393.2	895	53.7	9.2	658	2.46	59.0	4.2	45.2	4.0	75.1	6.94	4.41	4.11
STD DS8	Standard				12.21	118.6	121.9	309.9	1851	48.4	7.8	589	2.42	23.2	2.8	93.1	7.1	63.2	2.11	3.72	6.11
STD DS8	Standard				13.39	118.3	131.5	327.0	1632	40.1	8.1	649	2.59	28.8	3.1	90.3	6.8	70.8	2.77	4.85	6.71
STD OREAS45PA	Standard				0.80	613.9	18.68	122.2	301	294.9	107.7	1160	16.61	3.5	1.1	46.5	6.9	14.0	0.08	0.09	0.18
STD OREAS45PA	Standard				0.89	608.9	17.07	117.4	310	301.1	101.8	1142	16.85	3.8	1.0	38.2	5.9	15.9	0.11	0.14	0.15
STD OREAS76A	Standard		0.15	18.22																	
STD OREAS76A	Standard		0.15	17.48																	
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.90																			
STD SO-18	Standard	99.88																			
STD SO-18	Standard	99.89																			
STD CSC Expected			2.94	4.25																	
STD OREAS76A Expected			0.16	18																	
STD DS7 Expected					20.5	109	70.6	411	890	56	9.7	627	2.39	50	4.9	70	4.4	72.3	6.38	4.6	4.51
STD OREAS45PA Expected					0.9	600	19	119	300	281	104	1130	16.559	4.2	1.2	43	6	14	0.09	0.13	0.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
	MDL	2	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																					
913910	Rock Chip	4	>40	0.053	0.9	1.8	0.20	35.8	0.006	<20	0.09	0.002	<0.01	<0.1	0.7	<0.02	<0.02	<5	<0.1	<0.02	0.2
REP 913910	QC																				
913912	Drill Core	10	26.73	0.022	4.7	14.1	8.90	35.6	<0.001	<20	0.02	0.012	<0.01	<0.1	<0.1	<0.02	<0.02	95	<0.1	0.03	<0.1
REP 913912	QC																				
913914	Drill Core	11	29.16	0.066	3.9	14.6	8.40	31.6	<0.001	<20	0.02	0.010	<0.01	<0.1	0.2	<0.02	<0.02	84	<0.1	<0.02	<0.1
REP 913914	QC																				
Core Reject Duplicates																					
913921	Drill Core	12	31.71	0.142	7.5	23.5	3.77	54.9	<0.001	<20	0.02	0.006	<0.01	<0.1	0.2	<0.02	<0.02	117	0.2	0.05	0.1
DUP 913921	QC	12	32.85	0.132	8.0	25.5	3.88	58.4	<0.001	<20	0.02	0.006	<0.01	<0.1	0.2	<0.02	<0.02	116	0.3	0.04	0.1
Reference Materials																					
STD CSC	Standard																				
STD CSC	Standard																				
STD DS7	Standard	78	0.96	0.080	12.4	174.4	1.04	401.6	0.115	42	1.02	0.109	0.46	4.2	2.7	3.76	0.20	206	3.1	1.20	4.9
STD DS7	Standard	82	0.98	0.088	12.6	166.9	1.08	415.2	0.132	37	1.07	0.105	0.49	3.1	2.9	3.59	0.20	198	3.4	1.22	5.1
STD DS8	Standard	40	0.71	0.072	14.4	119.3	0.62	278.6	0.110	<20	0.91	0.078	0.41	2.7	2.1	5.28	0.17	167	4.9	4.71	4.2
STD DS8	Standard	43	0.77	0.100	15.1	116.6	0.65	305.5	0.125	<20	0.95	0.093	0.43	2.7	2.6	5.34	0.17	199	5.5	5.04	5.1
STD OREAS45PA	Standard	232	0.23	0.037	16.6	836.2	0.11	180.3	0.141	<20	3.51	0.012	0.07	<0.1	45.4	0.07	0.02	31	0.2	0.04	16.1
STD OREAS45PA	Standard	240	0.23	0.040	16.8	753.3	0.08	195.6	0.144	<20	3.43	0.013	0.07	<0.1	49.1	0.03	0.02	24	0.4	0.04	17.1
STD OREAS76A	Standard																				
STD OREAS76A	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD CSC Expected																					
STD OREAS76A Expected																					
STD DS7 Expected		84	0.93	0.08	12.7	192	1.05	410	0.124	38.6	1.0195	0.089	0.44	3.4	2.5	4.19	0.19	210	3.5	1.18	4.6
STD OREAS45PA Expected		221	0.2411	0.034	16.2	873	0.095	187	0.124		3.34	0.011	0.0665	0.011	43	0.07	0.03	30	0.54		16.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

	Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
	Analyte	Cs	Ge	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
	MDL	0.02	0.1	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates																	
913910	Rock Chip	0.04	<0.1	0.04	0.14	0.4	<0.1	<0.05	2.4	1.79	1.0	<0.02	<1	<0.1	0.9	<10	4
REP 913910	QC																
913912	Drill Core	<0.02	<0.1	<0.02	0.02	0.2	<0.1	<0.05	0.6	8.34	1.5	<0.02	1	<0.1	0.2	<10	6
REP 913912	QC																
913914	Drill Core	<0.02	<0.1	<0.02	<0.02	0.1	<0.1	<0.05	1.0	8.28	1.2	<0.02	3	<0.1	0.6	<10	6
REP 913914	QC																
Core Reject Duplicates																	
913921	Drill Core	0.03	<0.1	<0.02	0.03	0.2	<0.1	<0.05	1.3	13.96	2.2	<0.02	1	<0.1	0.3	<10	<2
DUP 913921	QC	0.03	<0.1	<0.02	0.03	0.3	<0.1	<0.05	1.4	14.21	2.3	<0.02	<1	<0.1	0.5	<10	<2
Reference Materials																	
STD CSC	Standard																
STD CSC	Standard																
STD DS7	Standard	5.88	<0.1	0.13	0.34	35.5	4.7	<0.05	5.4	5.56	37.4	1.35	2	1.4	28.6	69	45
STD DS7	Standard	6.47	<0.1	0.11	0.35	38.9	5.3	<0.05	6.1	6.24	35.6	1.64	4	1.4	26.3	56	32
STD DS8	Standard	2.36	<0.1	0.07	0.80	36.1	6.2	<0.05	2.0	5.44	26.3	2.11	52	4.6	25.3	118	368
STD DS8	Standard	2.73	<0.1	0.07	1.07	41.3	7.5	<0.05	2.4	6.23	28.1	2.39	57	5.6	27.6	144	347
STD OREAS45PA	Standard	1.07	<0.1	0.45	0.26	8.8	1.6	<0.05	22.6	8.88	37.2	0.07	<1	0.5	6.5	34	88
STD OREAS45PA	Standard	1.17	0.1	0.53	0.37	10.2	1.9	<0.05	24.4	9.58	36.0	0.09	<1	0.6	5.6	46	75
STD OREAS76A	Standard																
STD OREAS76A	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD SO-18	Standard																
STD CSC Expected																	
STD OREAS76A Expected																	
STD DS7 Expected		6.36	0.1	0.11	0.71	35.8	4.61		5.4	5.18	36	1.57	4	1.6	29.3	70	40
STD OREAS45PA Expected		1		0.51	0.21	8.9	1.6		20.5		34	0.09		0.6	5.8	54	72

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

		WGHT	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A	4A
		Wgt	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	Ba	Ni	Sr	Zr	Y	Nb	Sc	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.002	5	20	2	5	3	5	1	-5.1
STD DS8 Expected																					
STD SO-18 Expected			58.47	14.23	7.67	3.35	6.42	3.71	2.17	0.69	0.83	0.39	0.55	515	44	402	280	31	21.3	25	
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.01	<0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.002	<5	<20	<2	<5	<3	<5	<1	0.0
Prep Wash																					
G1	Prep Blank		66.67	16.01	3.56	1.11	3.62	3.68	3.64	0.40	0.19	0.10	<0.002	976	<20	745	167	18	27	6	0.8
G1	Prep Blank		66.77	15.92	3.42	1.12	3.59	3.68	3.78	0.39	0.19	0.10	<0.002	982	<20	737	147	17	24	6	0.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

		4A Sum	2A Leco TOT/C	2A Leco TOT/S	1F Mo	1F Cu	1F Pb	1F Zn	1F Ag	1F Ni	1F Co	1F Mn	1F Fe	1F As	1F U	1F Au	1F Th	1F Sr	1F Cd	1F Sb	1F Bi
		%	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.02	0.02	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02
STD DS8 Expected					13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	4.8	6.67
STD SO-18 Expected																					
BLK	Blank		<0.02	<0.02																	
BLK	Blank		<0.02	<0.02																	
BLK	Blank	<0.01																			
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank				<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02
BLK	Blank	<0.01																			
Prep Wash																					
G1	Prep Blank	99.99	0.04	<0.02	0.11	7.98	3.23	42.7	9	2.5	3.9	567	1.94	0.3	2.0	<0.2	6.2	63.1	0.01	0.07	0.06
G1	Prep Blank	99.98	0.04	<0.02	0.11	1.67	3.24	48.7	9	2.9	4.0	596	1.85	0.4	2.0	<0.2	6.2	62.2	0.01	<0.02	0.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

		1F V ppm 2	1F Ca % 0.01	1F P % 0.001	1F La ppm 0.5	1F Cr ppm 0.5	1F Mg % 0.01	1F Ba ppm 0.5	1F Ti % 0.001	1F B ppm 20	1F Al % 0.01	1F Na % 0.001	1F K % 0.01	1F W ppm 0.1	1F Sc ppm 0.1	1F Tl ppm 0.02	1F S % 0.02	1F Hg ppb 5	1F Se ppm 0.1	1F Te ppm 0.02	1F Ga ppm 0.1
STD DS8 Expected		41.1	0.7	0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
STD SO-18 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<2	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	36	0.56	0.078	12.4	7.0	0.53	176.5	0.132	<20	0.97	0.106	0.51	<0.1	2.4	0.31	<0.02	<5	<0.1	<0.02	4.7
G1	Prep Blank	36	0.60	0.082	11.3	7.6	0.55	172.0	0.133	<20	0.94	0.100	0.49	<0.1	2.2	0.32	<0.02	<5	<0.1	<0.02	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Taseko Mines Limited**
1020 - 800 W. Pender St.
Vancouver BC V6C 1R6 Canada

Project: Mt. Guy
Report Date: January 19, 2011

QUALITY CONTROL REPORT VAN10006504.1

		1F Cs ppm 0.02	1F Ge ppm 0.1	1F Hf ppm 0.02	1F Nb ppm 0.02	1F Rb ppm 0.1	1F Sn ppm 0.1	1F Ta ppm 0.05	1F Zr ppm 0.1	1F Y ppm 0.01	1F Ce ppm 0.1	1F In ppm 0.02	1F Re ppb 1	1F Be ppm 0.1	1F Li ppm 0.1	1F Pd ppb 10	1F Pt ppb 2
STD DS8 Expected		2.48	0.13	0.08	1.1	39	6.7	0.003	2.1	6.1	29.8	2.19	55	5.2	26.34	110	339
STD SO-18 Expected																	
BLK	Blank																
BLK	Blank																
BLK	Blank																
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.1	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank																
Prep Wash																	
G1	Prep Blank	2.98	<0.1	0.11	0.28	43.3	0.5	<0.05	1.4	5.74	23.7	<0.02	<1	0.3	29.1	<10	8
G1	Prep Blank	3.05	<0.1	0.09	0.25	42.4	0.5	<0.05	1.4	5.50	21.3	<0.02	<1	0.2	31.1	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

APPENDIX 3: DRILL COLLAR COORDINATES

GIBRALTAR MINES LIMITED
SUMMARY OF DRILL COLLAR POSITIONS, MOUNT GUY PROPERTY

HOLE-ID	UTM Easting	UTM Northing
MG10-01	574383	5813993
MG10-02	574336	5813999
MG10-03	574318	5814025
MG10-04	574365	5814039
MG10-05	574348	5814080
MG10-06	574359	5814056
MG10-07	574301	5814080
MG10-08	574294	5814111
MG10-09	574271	5814087
MG10-10	574257	5814125
MG10-11	574206	5814117
MG10-12	574240	5814087
MG10-13	574273	5814039
MG10-14	574312	5813997
MG10-15	574287	5813963
MG10-16	574282	5813933
MG10-17	574277	5813902
MG10-18	574315	5813950
MG10-19	574315	5813915
MG10-20	574351	5813910
MG10-21	574359	5813959
MG10-22	574401	5814030
MG10-23	574334	5813965

Coordinates presented in NAD83 datum, Zone 10; all holes are vertical.

APPENDIX 4: COMPILED RESULTS

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-01

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,383.00		Azimuth	0 °	Date Start	19-Oct-10
Laboratory	Acme	Northing	5,813,993.00		Inclination	-90 °	Date End	20-Oct-10
File No.	VAN10006482	Elevation	1000.00		Length	97 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913601	38.62	14.30	0.41	46.00	Weak	1/2 Core Sawn
17.00	27.00	10.0	913602	39.18	13.90	0.59	45.50	Weak	1/2 Core Sawn
27.00	37.00	10.0	913603	35.74	16.29	0.88	46.10	Weak	1/2 Core Sawn
37.00	47.00	10.0	913604	36.90	15.51	0.76	46.10	Weak	1/2 Core Sawn
47.00	57.00	10.0	913605	40.39	11.92	1.85	45.00	Moderate to strong	1/2 Core Sawn
57.00	67.00	10.0	913606	40.80	12.34	1.24	44.70	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913607	3.91	1.31	66.55	0.70		Quality Control
67.00	77.00	10.0	913608	33.92	17.92	0.77	46.50	Negligible	1/2 Core Sawn
77.00	87.00	10.0	913609	34.91	17.78	0.65	45.80	Negligible	1/2 Core Sawn
Standard	96-4M2	-	913610	90.24	0.43	1.25	7.40		Quality Control
87.00	97.00	10.0	913611	37.09	15.80	0.79	45.50	Negligible	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-02

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,336.00		Azimuth	0 °	Date Start	20-Oct-10
Laboratory	Acme	Northing	5,813,999.00		Inclination	-90 °	Date End	20-Oct-10
File No.	VAN10006483	Elevation	1000.00		Length	110 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913612	34.45	18.89	0.30	45.80	Negligible	1/2 Core Sawn
17.00	27.00	10.0	913613	39.25	14.51	0.18	45.70	Negligible	1/2 Core Sawn
27.00	37.00	10.0	913614	40.48	13.35	0.20	45.60	Negligible	1/2 Core Sawn
37.00	47.00	10.0	913615	42.30	12.04	0.18	45.20	Negligible	1/2 Core Sawn
47.00	57.00	10.0	913616	44.38	10.33	0.17	44.80	Negligible	1/2 Core Sawn
Blank	Granite	-	913617	3.91	1.42	65.96	1.00		Quality Control
57.00	67.00	10.0	913618	38.99	14.70	0.40	45.50	Weak to moderate	1/2 Core Sawn
67.00	77.00	10.0	913619	38.47	15.35	0.31	45.30	Weak to moderate	1/2 Core Sawn
Duplicate	Previous	-	913620						Quality Control
77.00	87.00	10.0	913621	39.39	14.32	0.44	45.20	Weak to moderate	1/2 Core Sawn
87.00	97.00	10.0	913622	37.34	14.46	0.98	46.30	Weak to moderate	1/2 Core Sawn
97.00	107.00	10.0	913623	35.68	16.81	0.74	46.00	Negligible	1/2 Core Sawn
107.00	110.00	3.0	913624	35.56	15.16	1.85	45.00	Negligible	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-03

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,318.00		Azimuth	0 °	Date Start	20-Oct-10
Laboratory	Acme	Northing	5,814,025.00		Inclination	-90 °	Date End	20-Oct-10
File No.	VAN10006484	Elevation	1000.00		Length	110 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913625	34.07	19.20	0.19	46.10	Negligible	1/2 Core Sawn
17.00	27.00	10.0	913626	33.78	19.35	0.23	46.20	Negligible	1/2 Core Sawn
27.00	37.00	10.0	913627	33.84	19.04	0.20	46.50	Negligible	1/2 Core Sawn
37.00	47.00	10.0	913628	35.86	17.49	0.30	45.90	Weak to negligible	1/2 Core Sawn
47.00	57.00	10.0	913629	34.10	18.87	0.16	46.40	Weak to negligible	1/2 Core Sawn
Standard	96-4M2	-	913630	80.08	0.37	0.94	18.10		Quality Control
57.00	67.00	10.0	913631	34.21	18.37	0.29	46.70	Weak to negligible	1/2 Core Sawn
Blank	Granite	-	913632	3.82	1.29	66.30	1.10		Quality Control
67.00	77.00	10.0	913633	36.39	16.67	0.11	46.00	Weak to moderate	1/2 Core Sawn
77.00	87.00	10.0	913634	47.35	7.55	0.49	44.00	Weak to moderate	1/2 Core Sawn
87.00	97.00	10.0	913635	54.61	1.52	0.31	43.30	Weak to moderate	1/2 Core Sawn
97.00	107.00	10.0	913636	47.90	6.84	0.37	44.40	Negligible	1/2 Core Sawn
107.00	110.00	3.0	913637	40.83	12.67	0.68	44.60	Negligible	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-04

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,365.00		Azimuth	0 °	Date Start	20-Oct-10
Laboratory	Acme	Northing	5,814,039.00		Inclination	-90 °	Date End	21-Oct-10
File No.	VAN10006485	Elevation	1000.00		Length	100 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913638	39.24	14.73	0.21	44.80	Weak to negligible	1/2 Core Sawn
17.00	27.00	10.0	913639	50.17	6.09	0.23	42.70	Weak to negligible	1/2 Core Sawn
Duplicate	Previous	-	913640	51.80	5.87	0.25	41.10		Quality Control
27.00	37.00	10.0	913641	40.63	14.07	0.64	42.10	Weak to negligible	1/2 Core Sawn
37.00	47.00	10.0	913642	36.43	17.84	0.37	44.90	Weak to negligible	1/2 Core Sawn
Blank	Granite	-	913643	3.85	1.31	66.42	0.70		Quality Control
47.00	57.00	10.0	913644	35.38	18.13	0.20	45.80	Weak	1/2 Core Sawn
57.00	67.00	10.0	913645	36.67	16.76	0.33	45.70	Weak	1/2 Core Sawn
67.00	77.00	10.0	913646	37.30	16.23	0.28	45.40	Weak to negligible	1/2 Core Sawn
77.00	87.00	10.0	913647	38.16	15.38	0.55	45.40	Weak	1/2 Core Sawn
87.00	97.00	10.0	913648	37.79	15.43	0.94	44.90	Weak	1/2 Core Sawn
97.00	100.00	3.0	913649	39.59	14.33	0.60	43.90	Weak	1/2 Core Sawn
Standard	96-4M2	-	913650	82.33	0.48	0.93	15.80		Quality Control

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-05

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,348.00		Azimuth	0 °	Date Start	21-Oct-10
Laboratory	Acme	Northing	5,814,680.00		Inclination	-90 °	Date End	21-Oct-10
File No.	VAN10006486	Elevation	1000.00		Length	125 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913651	45.84	9.30	0.17	44.40	Weak	1/2 Core Sawn
17.00	27.00	10.0	913652	38.07	15.66	0.10	45.80	Weak	1/2 Core Sawn
27.00	37.00	10.0	913653	43.85	10.91	0.18	44.70	Weak	1/2 Core Sawn
37.00	47.00	10.0	913654	42.06	12.25	0.30	45.00	Moderate	1/2 Core Sawn
47.00	57.00	10.0	913655	37.47	16.09	0.15	45.90	Moderate	1/2 Core Sawn
57.00	67.00	10.0	913656	41.80	12.58	0.14	45.10	Moderate	1/2 Core Sawn
Blank	Granite	-	913657	3.99	1.34	66.36	0.80		Quality Control
67.00	77.00	10.0	913658	48.96	6.26	0.42	43.70	Moderate to strong	1/2 Core Sawn
77.00	87.00	10.0	913659	42.99	11.52	0.26	44.50	Moderate to strong	1/2 Core Sawn
Duplicate	Previous	-	913660	42.80	11.59	0.27	44.60		Quality Control
87.00	97.00	10.0	913661	38.17	15.37	0.36	45.60	Moderate	1/2 Core Sawn
97.00	107.00	10.0	913662	37.35	16.22	0.35	45.60	Moderate	1/2 Core Sawn
107.00	117.00	10.0	913663	36.48	16.76	0.47	45.80	Moderate	1/2 Core Sawn
117.00	125.00	8.0	913664	37.70	15.94	0.34	45.60	Moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-06

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,359.00		Azimuth	0 °	Date Start	21-Oct-10
Laboratory	Acme	Northing	5,814,056.00		Inclination	-90 °	Date End	21-Oct-10
File No.	VAN10006487	Elevation	1000.00		Length	38.13 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	25.00	25.0	NS						Not Sampled
25.00	27.00	2.0	913665	3.55	2.05	64.81	5.60	Not applicable	1/2 Core Sawn
27.00	37.00	10.0	913666	0.31	0.77	83.57	2.80	Not applicable	1/2 Core Sawn
37.00	47.00	10.0	913667	0.16	0.92	77.25	3.80	Not applicable	1/2 Core Sawn
47.00	57.00	10.0	913668	0.13	0.46	80.01	4.00	Not applicable	1/2 Core Sawn
57.00	67.00	10.0	913669	0.17	0.85	74.28	4.40	Not applicable	1/2 Core Sawn
Standard	96-4M2	-	913670	81.50	0.37	1.05	16.60		Quality Control
67.00	77.00	10.0	913671	0.21	0.71	80.03	3.30	Not applicable	1/2 Core Sawn
Blank	Granite	-	913672	3.76	1.29	66.62	1.00		Quality Control
77.00	87.00	10.0	913673	1.05	0.74	77.85	4.00	Not applicable	1/2 Core Sawn
87.00	97.00	10.0	913674	29.75	11.65	15.83	37.50	Not applicable	1/2 Core Sawn
97.00	107.00	10.0	913675	38.06	14.73	0.47	46.10	Weak to negligible	1/2 Core Sawn
107.00	117.00	10.0	913676	34.89	17.65	0.35	46.50	Weak to negligible	1/2 Core Sawn
117.00	125.00	8.0	913677	36.47	16.62	0.28	46.00	Weak to negligible	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-07

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,301.00		Azimuth	0 °	Date Start	22-Oct-10
Laboratory	Acme	Northing	5,814,080.00		Inclination	-90 °	Date End	22-Oct-10
File No.	VAN10006488	Elevation	1000.00		Length	33.55 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	70.00	70.0	NS						Not Sampled
70.00	77.00	7.0	913678	0.48	0.94	74.39	4.30	Negligible	1/2 Core Sawn
77.00	87.00	10.0	913679	15.05	0.78	58.54	11.50	Negligible	1/2 Core Sawn
Duplicate	Previous	-	913680	14.86	0.78	58.56	11.60		Quality Control
87.00	97.00	10.0	913681	43.50	11.95	0.31	43.80	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913682	3.66	1.32	67.25	0.70		Quality Control
97.00	107.00	10.0	913683	37.81	16.02	0.14	45.50	Moderate to strong	1/2 Core Sawn
107.00	110.00	3.0	913684	41.07	13.14	0.34	44.90	Moderate to strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-08

Drill Core Samples	
Logged By	Ashley Nystrom
Laboratory	Acme
File No.	VAN10006489

Location	UTM NAD 83	Comment
Easting	574,294.00	
Northing	5,814,111.00	
Elevation	1000.00	

Direction / Length	
Azimuth	0 °
Inclination	-90 °
Length	145 Metres

Drill Hole Information	
Date Start	22-Oct-10
Date End	23-Oct-10
Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	5.00	5.0	NS						Not Sampled
5.00	7.00	2.0	913685	56.18	0.38	0.22	43.00	Moderate to strong	1/2 Core Sawn
7.00	17.00	10.0	913686	56.42	0.36	0.12	43.00	Moderate to strong	1/2 Core Sawn
17.00	27.00	10.0	913687	55.60	1.18	0.19	42.90	Moderate to strong	1/2 Core Sawn
27.00	37.00	10.0	913688	50.88	4.68	0.88	43.30	Moderate to strong	1/2 Core Sawn
37.00	47.00	10.0	913689	53.17	2.83	0.77	43.00	Moderate to strong	1/2 Core Sawn
Standard	96-4M2	-	913690	78.85	0.40	1.53	18.60		Quality Control
47.00	57.00	10.0	913691	55.58	1.16	0.38	42.70	Moderate to strong	1/2 Core Sawn
57.00	67.00	10.0	913692	45.57	8.25	2.20	43.60	Moderate to strong	1/2 Core Sawn
67.00	77.00	10.0	913693	50.70	5.10	0.37	43.60	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913694	3.91	1.38	65.96	1.00		Quality Control
77.00	87.00	10.0	913695	49.94	5.49	0.16	44.10	Moderate to strong	1/2 Core Sawn
87.00	97.00	10.0	913696	49.83	5.61	0.44	43.80	Moderate to strong	1/2 Core Sawn
97.00	107.00	10.0	913697	42.39	11.82	0.49	44.90	Moderate to strong	1/2 Core Sawn
107.00	117.00	10.0	913698	44.89	9.57	0.22	44.90	Moderate to strong	1/2 Core Sawn
117.00	127.00	10.0	913699	36.90	16.47	0.55	45.60	Moderate to strong	1/2 Core Sawn
Duplicate	Previous	-	913700	36.77	16.71	0.50	45.50		Quality Control
127.00	137.00	10.0	913701	38.69	15.21	0.39	44.90	Moderate to strong	1/2 Core Sawn
137.00	145.00	8.0	913702	35.75	17.70	0.35	45.70	Moderate to strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-09

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,271.00		Azimuth	0 °	Date Start	23-Oct-10
Laboratory	Acme	Northing	5,814,087.00		Inclination	-90 °	Date End	24-Oct-10
File No.	VAN10006490	Elevation	1000.00		Length	150 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	5.00	5.0	NS						Not Sampled
5.00	7.00	2.0	913703	33.50	18.40	1.28	45.60	Weak to moderate	1/2 Core Sawn
7.00	17.00	10.0	913704	34.60	18.17	0.45	46.30	Weak to moderate	1/2 Core Sawn
17.00	27.00	10.0	913705	34.28	18.70	0.33	46.30	Weak to moderate	1/2 Core Sawn
27.00	37.00	10.0	913706	34.05	18.90	0.12	46.50	Weak to moderate	1/2 Core Sawn
37.00	47.00	10.0	913707	34.07	18.69	0.39	46.40	Weak to moderate	1/2 Core Sawn
47.00	57.00	10.0	913708	34.06	18.78	0.44	46.30	Weak to moderate	1/2 Core Sawn
57.00	67.00	10.0	913709	37.04	15.26	2.79	44.50	Moderate to strong	1/2 Core Sawn
Standard	96-4M2	-	913710	75.27	0.37	1.03	22.80		Quality Control
67.00	77.00	10.0	913711	35.56	15.01	5.63	43.20	Moderate to strong	1/2 Core Sawn
77.00	87.00	10.0	913712	44.48	8.58	3.40	43.20	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913713	3.84	1.29	66.63	0.90		Quality Control
87.00	97.00	10.0	913714	47.33	8.33	0.16	43.90	Moderate to strong	1/2 Core Sawn
97.00	107.00	10.0	913715	49.65	5.92	0.18	44.00	Moderate to strong	1/2 Core Sawn
107.00	117.00	10.0	913716	42.93	11.34	0.21	45.20	Moderate to strong	1/2 Core Sawn
117.00	127.00	10.0	913717	43.00	11.52	0.11	45.10	Moderate to strong	1/2 Core Sawn
127.00	137.00	10.0	913718	45.71	9.27	0.21	44.50	Moderate to strong	1/2 Core Sawn
137.00	147.00	10.0	913719	38.84	14.88	0.33	45.50	Moderate to strong	1/2 Core Sawn
Duplicate	Previous	-	913720	38.80	14.93	0.36	45.50		Quality Control
147.00	150.00	3.0	913721	38.22	15.69	0.21	45.40	Moderate to strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-10

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,257.00		Azimuth	0 °	Date Start	24-Oct-10
Laboratory	Acme	Northing	5,814,125.00		Inclination	-90 °	Date End	24-Oct-10
File No.	VAN10006491	Elevation	1000.00		Length	160 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	5.00	5.0	NS						Not Sampled
5.00	7.00	2.0	913722	50.96	4.88	0.18	43.70	Case	1/2 Core Sawn
7.00	17.00	10.0	913723	40.13	13.94	0.35	45.20	Case	1/2 Core Sawn
17.00	27.00	10.0	913724	36.50	16.95	0.26	45.90	Case	1/2 Core Sawn
27.00	37.00	10.0	913725	35.15	18.39	0.14	45.90	Weak to negligible	1/2 Core Sawn
37.00	47.00	10.0	913726	34.96	18.74	0.13	45.70	Weak to negligible	1/2 Core Sawn
47.00	57.00	10.0	913727	34.66	18.56	0.09	46.30	Weak to negligible	1/2 Core Sawn
57.00	67.00	10.0	913728	34.17	19.15	0.23	46.00	Weak to negligible	1/2 Core Sawn
67.00	77.00	10.0	913729	33.96	19.34	0.19	46.10	Weak to negligible	1/2 Core Sawn
Standard	96-4M2	-	913730	74.81	0.67	0.95	23.10		Quality Control
77.00	87.00	10.0	913731	34.41	19.10	0.13	46.00	Weak to negligible	1/2 Core Sawn
Blank	Granite	-	913732	7.97	1.38	62.16	2.90		Quality Control
87.00	97.00	10.0	913733	34.58	19.08	0.05	45.90	Weak to negligible	1/2 Core Sawn
97.00	107.00	10.0	913734	52.08	4.35	0.04	43.40	Weak	1/2 Core Sawn
107.00	117.00	10.0	913735	46.45	9.31	0.04	44.00	Weak	1/2 Core Sawn
117.00	127.00	10.0	913736	40.35	14.27	0.08	44.90	Weak	1/2 Core Sawn
127.00	137.00	10.0	913737	38.51	15.91	0.02	45.20	Weak to moderate	1/2 Core Sawn
137.00	147.00	10.0	913738	36.59	17.34	0.06	45.60	Weak to moderate	1/2 Core Sawn
147.00	157.00	10.0	913739	48.98	7.05	0.15	43.60	Weak to moderate	1/2 Core Sawn
Duplicate	Previous	-	913740	48.94	7.11	0.16	43.60		Quality Control
157.00	160.00	3.0	913741	44.08	10.74	0.03	44.90	Weak to moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-11

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,206.00		Azimuth	0 °	Date Start	24-Oct-10
Laboratory	Acme	Northing	5,814,117.00		Inclination	-90 °	Date End	24-Oct-10
File No.	VAN10006492	Elevation	1000.00		Length	160 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913742	35.73	17.39	0.62	45.80	Weak to negligible	1/2 Core Sawn
17.00	27.00	10.0	913743	35.16	18.19	0.38	45.90	Weak to negligible	1/2 Core Sawn
27.00	37.00	10.0	913744	38.35	15.54	0.36	45.40	Weak to negligible	1/2 Core Sawn
37.00	47.00	10.0	913745	34.66	18.87	0.12	45.90	Weak to negligible	1/2 Core Sawn
47.00	57.00	10.0	913746	35.05	18.99	0.07	45.50	Weak to negligible	1/2 Core Sawn
57.00	67.00	10.0	913747	34.93	19.23	0.34	45.10	Weak to negligible	1/2 Core Sawn
Blank	Granite	-	913748	3.78	1.31	66.69	0.60		Quality Control
67.00	77.00	10.0	913749	34.94	18.84	0.41	45.40	Weak to negligible	1/2 Core Sawn
Standard	96-4M2	-	913750	86.45	0.41	1.08	11.50		Quality Control
77.00	87.00	10.0	913751	36.55	17.34	0.51	45.20	Weak to negligible	1/2 Core Sawn
87.00	97.00	10.0	913752	35.28	18.41	0.27	45.60	Weak to negligible	1/2 Core Sawn
97.00	107.00	10.0	913753	34.42	19.12	0.12	46.00	Weak to negligible	1/2 Core Sawn
107.00	117.00	10.0	913754	38.31	15.92	0.35	45.00	Weak to negligible	1/2 Core Sawn
117.00	127.00	10.0	913755	45.48	9.98	0.31	44.00	Weak to moderate	1/2 Core Sawn
127.00	137.00	10.0	913756	40.81	13.76	0.26	44.80	Weak to moderate	1/2 Core Sawn
137.00	147.00	10.0	913757	38.11	16.02	0.39	45.10	Weak to negligible	1/2 Core Sawn
147.00	157.00	10.0	913758	34.52	19.09	0.19	45.80	Weak to negligible	1/2 Core Sawn
157.00	160.00	3.0	913759	34.50	19.03	0.09	45.90	Weak to negligible	1/2 Core Sawn
Duplicate	Previous	-	913760	34.51	19.17	0.09	45.80		Quality Control

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-12

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,240.00		Azimuth	0 °	Date Start	25-Oct-10
Laboratory	Acme	Northing	5,814,087.00		Inclination	-90 °	Date End	25-Oct-10
File No.	VAN10006493	Elevation	1000.00		Length	145 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	5.00	5.0	NS						Not Sampled
5.00	7.00	2.0	913761	33.08	19.34	0.09	47.00	Weak	1/2 Core Sawn
7.00	17.00	10.0	913762	33.66	18.92	<0.01	47.00	Weak	1/2 Core Sawn
17.00	27.00	10.0	913763	32.84	19.45	0.11	47.10	Weak	1/2 Core Sawn
27.00	37.00	10.0	913764	33.42	18.83	0.08	47.30	Weak	1/2 Core Sawn
37.00	47.00	10.0	913765	33.86	18.68	0.24	46.70	Weak	1/2 Core Sawn
47.00	57.00	10.0	913766	33.70	18.63	0.64	46.50	Weak	1/2 Core Sawn
57.00	67.00	10.0	913767	33.19	18.75	0.97	46.60	Weak	1/2 Core Sawn
Blank	Granite	-	913768	4.03	1.41	65.89	1.90		Quality Control
67.00	77.00	10.0	913769	34.90	18.30	0.19	46.20	Weak	1/2 Core Sawn
Standard	96-4M2	-	913770	82.39	0.40	1.08	15.50		Quality Control
77.00	87.00	10.0	913771	34.93	17.76	0.21	46.60	Weak	1/2 Core Sawn
87.00	97.00	10.0	913772	33.42	18.91	0.12	47.10	Weak	1/2 Core Sawn
97.00	107.00	10.0	913773	33.73	18.86	0.31	46.60	Weak	1/2 Core Sawn
107.00	117.00	10.0	913774	39.05	14.52	0.31	45.70	Weak	1/2 Core Sawn
117.00	127.00	10.0	913775	34.37	18.40	0.25	46.60	Weak to moderate	1/2 Core Sawn
127.00	137.00	10.0	913776	34.14	18.43	0.48	46.30	Weak to moderate	1/2 Core Sawn
137.00	145.00	8.0	913777	34.42	18.68	0.38	46.10	Weak to moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-13

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,273.00		Azimuth	0 °	Date Start	25-Oct-10
Laboratory	Acme	Northing	5,814,039.00		Inclination	-90 °	Date End	25-Oct-10
File No.	VAN10006494	Elevation	1000.00		Length	125 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913778	39.42	14.73	1.13	44.00	70.69	26.41	2.03	Negligible	1/2 Core Sawn
17.00	27.00	10.0	913779	35.08	19.08	0.18	45.00	64.19	34.91	0.33	Negligible	1/2 Core Sawn
Duplicate	Previous	-	913780	34.99	19.07	0.22	45.10					Quality Control
27.00	37.00	10.0	913781	37.21	17.28	0.25	44.80	67.82	31.49	0.46	Strong	1/2 Core Sawn
37.00	47.00	10.0	913782	39.73	15.23	0.26	44.30	71.76	27.51	0.47	Strong	1/2 Core Sawn
47.00	57.00	10.0	913783	48.10	8.27	0.16	43.10	84.80	14.58	0.28	Strong	1/2 Core Sawn
57.00	67.00	10.0	913784	49.98	6.74	0.30	42.50	87.15	11.75	0.52	Strong	1/2 Core Sawn
Blank	Granite	-	913785	3.98	1.42	66.27	1.10	4.04	1.44	67.19		Quality Control
67.00	77.00	10.0	913786	48.06	8.29	0.16	42.70	84.23	14.53	0.28	Strong	1/2 Core Sawn
77.00	87.00	10.0	913787	40.77	13.64	0.32	44.50	73.81	24.69	0.58	Moderate to strong	1/2 Core Sawn
87.00	97.00	10.0	913788	38.56	16.58	0.22	44.00	69.32	29.81	0.40	Moderate to strong	1/2 Core Sawn
97.00	107.00	10.0	913789	39.93	14.85	0.80	44.00	71.58	26.62	1.43	Moderate to strong	1/2 Core Sawn
Standard	96-4M2	-	913790	85.51	0.41	1.10	12.40	97.65	0.47	1.26		Quality Control
107.00	117.00	10.0	913791	44.59	11.42	0.33	43.10	78.68	20.15	0.58	Moderate to strong	1/2 Core Sawn
117.00	125.00	8.0	913792	38.87	16.30	0.37	43.80	69.57	29.17	0.66	Moderate to strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-14

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,312.00		Azimuth	0 °	Date Start	25-Oct-10
Laboratory	Acme	Northing	5,813,997.00		Inclination	-90 °	Date End	26-Oct-10
File No.	VAN10006495	Elevation	1000.00		Length	120 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	Effervescence	Sample Method
From	To	Int.							
0.00	10.00	10.0	NS						Not Sampled
10.00	17.00	7.0	913793	52.06	5.54	0.19	41.90	Strong	1/2 Core Sawn
17.00	27.00	10.0	913794	49.28	7.34	0.11	43.00	Strong	1/2 Core Sawn
27.00	37.00	10.0	913795	49.23	6.00	0.13	44.40	Strong	1/2 Core Sawn
37.00	47.00	10.0	913796	45.58	9.13	0.12	44.90	Moderate	1/2 Core Sawn
47.00	57.00	10.0	913797	41.91	14.91	0.24	42.50	Strong	1/2 Core Sawn
Blank	Granite	-	913798	3.85	1.31	66.32	1.40		Quality Control
57.00	67.00	10.0	913799	39.47	14.37	0.13	45.60	Strong	1/2 Core Sawn
Duplicate	Previous	-	913800	39.47	14.55	0.13	45.40		Quality Control
67.00	77.00	10.0	913801	46.31	9.60	0.08	43.70	Strong	1/2 Core Sawn
77.00	87.00	10.0	913802	48.06	9.55	0.09	42.00	Strong	1/2 Core Sawn
87.00	97.00	10.0	913803	46.04	10.41	0.12	43.10	Strong	1/2 Core Sawn
97.00	107.00	10.0	913804	42.29	12.39	0.15	44.80	Strong	1/2 Core Sawn
107.00	117.00	10.0	913805	36.97	16.64	0.11	45.90	Strong	1/2 Core Sawn
117.00	120.00	3.0	913806	36.33	16.88	0.27	46.10	Strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-15

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,287.00		Azimuth	0 °	Date Start	26-Oct-10
Laboratory	Acme	Northing	5,813,963.00		Inclination	-90 °	Date End	28-Oct-10
File No.	VAN10006496	Elevation	1000.00		Length	120 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913807	48.85	6.47	0.23	44.20	87.77	11.62	0.41	Moderate	1/2 Core Sawn
17.00	27.00	10.0	913808	39.61	14.23	0.13	45.70	73.28	26.33	0.24	Moderate	1/2 Core Sawn
27.00	37.00	10.0	913809	40.13	13.76	0.20	45.50	73.95	25.36	0.37	Moderate	1/2 Core Sawn
Standard	96-4M2	-	913810	85.50	0.42	1.13	12.30	97.58	0.48	1.29		Quality Control
37.00	47.00	10.0	913811	45.31	8.90	0.13	45.40	83.29	16.36	0.24	Moderate to strong	1/2 Core Sawn
47.00	57.00	10.0	913812	45.61	8.50	0.11	45.60	84.03	15.66	0.20	Moderate to strong	1/2 Core Sawn
57.00	67.00	10.0	913813	45.84	8.36	0.18	45.40	84.16	15.35	0.33	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913814	4.56	1.42	65.13	1.70	4.65	1.45	66.38		Quality Control
67.00	77.00	10.0	913815	48.55	6.81	0.12	44.20	87.35	12.25	0.22	Moderate to strong	1/2 Core Sawn
77.00	87.00	10.0	913816	36.91	15.93	0.37	46.30	69.14	29.84	0.69	Weak to moderate	1/2 Core Sawn
87.00	97.00	10.0	913817	37.79	15.61	0.47	45.80	70.04	28.93	0.87	Weak to moderate	1/2 Core Sawn
97.00	107.00	10.0	913818	34.26	18.79	0.14	46.40	64.31	35.27	0.26	Weak to moderate	1/2 Core Sawn
107.00	117.00	10.0	913819	39.77	14.30	0.16	45.40	73.16	26.31	0.29	Weak to moderate	1/2 Core Sawn
Duplicate	Previous	-	913820	39.98	13.96	0.16	45.50					Quality Control
117.00	120.00	3.0	913821	37.95	15.57	0.14	45.90	70.59	28.96	0.26	Weak to moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-16

Drill Core Samples	
Logged By	Ashley Nystrom
Laboratory	Acme
File No.	VAN10006497

Location	UTM NAD 83	Comment
Easting	574,282.00	
Northing	5,813,933.00	
Elevation	1000.00	

Direction / Length	
Azimuth	0 °
Inclination	-90 °
Length	120 Metres

Drill Hole Information	
Date Start	28-Oct-10
Date End	28-Oct-10
Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913822	43.84	10.82	0.06	45.00	80.01	19.75	0.11	Weak	1/2 Core Sawn
17.00	27.00	10.0	913823	34.93	17.97	0.15	46.60	65.72	33.81	0.28	Weak to negligible	1/2 Core Sawn
27.00	37.00	10.0	913824	34.97	17.98	0.36	46.30	65.50	33.68	0.67	Weak to negligible	1/2 Core Sawn
37.00	47.00	10.0	913825	43.69	9.93	1.65	44.40	78.83	17.92	2.98	Weak to moderate	1/2 Core Sawn
47.00	57.00	10.0	913826	55.26	1.14	0.27	43.10	97.35	2.01	0.48	Weak to moderate	1/2 Core Sawn
57.00	67.00	10.0	913827	54.24	1.16	1.93	42.50	94.46	2.02	3.36	Weak to moderate	1/2 Core Sawn
Blank	Granite	-	913828	4.16	1.30	65.68	1.90	4.25	1.33	67.14		Quality Control
67.00	77.00	10.0	913829	48.16	6.73	0.40	44.30	86.72	12.12	0.72	Weak to moderate	1/2 Core Sawn
Standard	96-4M2	-	913830	85.91	0.40	0.91	12.40	98.08	0.46	1.04		Quality Control
77.00	87.00	10.0	913831	45.31	9.38	0.21	44.80	82.40	17.06	0.38	Weak to moderate	1/2 Core Sawn
87.00	97.00	10.0	913832	45.22	9.27	0.58	44.60	81.93	16.80	1.05	Weak to moderate	1/2 Core Sawn
97.00	107.00	10.0	913833	36.43	16.47	0.57	45.60	67.27	30.41	1.05	Weak to moderate	1/2 Core Sawn
107.00	117.00	10.0	913834	33.67	19.23	0.08	46.60	63.39	36.20	0.15	Weak to moderate	1/2 Core Sawn
117.00	120.00	3.0	913835	34.14	19.30	0.09	46.10	63.66	35.99	0.17	Weak to moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-17

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,277.00		Azimuth	0 °	Date Start	28-Oct-10
Laboratory	Acme	Northing	5,813,902.00		Inclination	-90 °	Date End	29-Oct-10
File No.	VAN10006498	Elevation	1000.00		Length	120 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913848	36.86	16.27	0.61	45.80	68.39	30.19	1.13	Moderate	1/2 Core Sawn
17.00	27.00	10.0	913849	35.08	17.65	0.50	46.20	65.66	33.03	0.94	Moderate	1/2 Core Sawn
Standard	96-4M2	-	913850	79.14	0.39	1.24	11.20	97.28	0.48	1.52		Quality Control
27.00	37.00	10.0	913851	34.39	18.46	0.32	46.30	64.47	34.61	0.60	Moderate	1/2 Core Sawn
37.00	47.00	10.0	913852	39.29	14.54	0.26	45.50	72.46	26.82	0.48	Strong	1/2 Core Sawn
47.00	57.00	10.0	913853	52.24	3.12	1.36	43.10	91.97	5.49	2.39	Strong	1/2 Core Sawn
57.00	67.00	10.0	913854	50.21	5.34	0.39	43.90	89.68	9.54	0.70	Strong	1/2 Core Sawn
Blank	Granite	-	913855	3.80	1.25	66.67	0.90	3.84	1.26	67.44		Quality Control
67.00	77.00	10.0	913856	48.91	6.48	0.11	44.20	88.02	11.66	0.20	Strong	1/2 Core Sawn
77.00	87.00	10.0	913857	41.13	12.92	0.29	45.30	75.56	23.74	0.53	Moderate	1/2 Core Sawn
87.00	97.00	10.0	913858	54.14	2.04	0.14	43.40	95.97	3.62	0.25	Moderate	1/2 Core Sawn
97.00	107.00	10.0	913859	46.19	8.80	0.21	44.50	83.57	15.92	0.38	Moderate	1/2 Core Sawn
Duplicate	Previous	-	913860	45.90	9.06	0.30	44.40					Quality Control
107.00	117.00	10.0	913861	34.93	17.92	0.73	46.00	65.07	33.38	1.36	Moderate	1/2 Core Sawn
117.00	120.00	3.0	913862	35.37	17.52	0.70	46.00	65.88	32.63	1.30	Moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-18

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,315.00		Azimuth	0 °	Date Start	29-Oct-10
Laboratory	Acme	Northing	5,813,950.00		Inclination	-90 °	Date End	29-Oct-10
File No.	VAN10006499	Elevation	1000.00		Length	105 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								case	Not Sampled
10.00	17.00	7.0	913863	37.56	15.70	0.21	46.10	70.07	29.29	0.39	Weak to moderate	1/2 Core Sawn
17.00	27.00	10.0	913864	34.29	18.21	0.15	46.90	64.98	34.51	0.28	Weak to moderate	1/2 Core Sawn
27.00	37.00	10.0	913865	41.49	12.57	0.17	45.50	76.37	23.14	0.31	Weak to moderate	1/2 Core Sawn
37.00	47.00	10.0	913866	34.00	18.86	0.10	46.70	64.11	35.56	0.19	Weak to moderate	1/2 Core Sawn
47.00	57.00	10.0	913867	33.95	18.85	0.16	46.70	63.99	35.53	0.30	Weak to moderate	1/2 Core Sawn
Blank	Granite	-	913868	3.78	1.33	66.56	1.30	3.84	1.35	67.59		Quality Control
57.00	67.00	10.0	913869	34.69	18.00	0.27	46.50	65.25	33.86	0.51	Weak	1/2 Core Sawn
Standard	96-4M2	-	913870	81.47	0.40	1.08	16.40	97.52	0.48	1.29		Quality Control
67.00	77.00	10.0	913871	37.25	15.76	0.22	46.40	69.81	29.54	0.41	Weak	1/2 Core Sawn
77.00	87.00	10.0	913872	38.84	14.53	0.18	46.10	72.37	27.07	0.34	Weak	1/2 Core Sawn
87.00	97.00	10.0	913873	36.35	16.81	0.05	46.40	68.14	31.51	0.09	Weak	1/2 Core Sawn
97.00	105.00	8.0	913874	35.12	17.79	0.11	46.50	66.07	33.47	0.21	Weak	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-19

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,315.00		Azimuth	0 °	Date Start	29-Oct-29
Laboratory	Acme	Northing	5,813,915.00		Inclination	-90 °	Date End	29-Oct-10
File No.	VAN10006500	Elevation	1000.00		Length	105 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913836	41.98	10.43	2.55	43.50	74.57	18.53	4.53	Moderate	1/2 Core Sawn
17.00	27.00	10.0	913837	43.73	10.46	0.54	44.70	79.32	18.97	0.98	Moderate	1/2 Core Sawn
27.00	37.00	10.0	913838	51.34	4.49	0.11	43.90	91.69	8.02	0.20	Moderate	1/2 Core Sawn
37.00	47.00	10.0	913839	45.30	9.66	0.12	44.60	82.10	17.51	0.22	Moderate	1/2 Core Sawn
Duplicate	Previous	-	913840	45.37	9.74	0.12	44.50					Quality Control
47.00	57.00	10.0	913841	34.19	18.93	0.17	46.30	64.05	35.46	0.32	Weak	1/2 Core Sawn
Blank	Granite	-	913842	3.89	1.31	66.23	1.60	3.96	1.33	67.45		Quality Control
57.00	67.00	10.0	913843	35.04	18.35	0.11	46.10	65.38	34.24	0.21	Weak	1/2 Core Sawn
67.00	77.00	10.0	913844	34.33	18.62	0.18	46.40	64.47	34.97	0.34	Weak	1/2 Core Sawn
77.00	87.00	10.0	913845	34.30	18.69	0.15	46.40	64.43	35.11	0.28	Weak	1/2 Core Sawn
87.00	97.00	10.0	913846	34.58	18.60	0.12	46.30	64.73	34.82	0.22	Weak	1/2 Core Sawn
97.00	105.00	8.0	913847	37.35	15.78	1.11	45.40	68.70	29.02	2.04	Weak	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-20

Drill Core Samples	
Logged By	Ashley Nystrom
Laboratory	Acme
File No.	VAN10006501

Location	UTM NAD 83	Comment
Easting	574,351.00	
Northing	5,813,910.00	
Elevation	1000.00	

Direction / Length	
Azimuth	0 °
Inclination	-90 °
Length	95 Metres

Drill Hole Information	
Date Start	29-Oct-10
Date End	30-Oct-10
Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	20.00	20.0	NS								Case	Not Sampled
20.00	27.00	7.0	913875	45.38	3.82	7.52	40.10	76.54	6.44	12.68	Strong	1/2 Core Sawn
27.00	37.00	10.0	913876	44.90	9.90	0.38	44.50	81.17	17.90	0.69	Strong	1/2 Core Sawn
37.00	47.00	10.0	913877	46.78	8.32	0.11	43.20	82.66	14.70	0.19	Strong	1/2 Core Sawn
Blank	Granite	-	913878	6.48	1.79	62.73	3.70	6.75	1.86	65.33		Quality Control
47.00	57.00	10.0	913879	52.35	3.61	0.08	43.70	93.16	6.42	0.14	Strong	1/2 Core Sawn
Duplicate	Previous	-	913880	52.23	3.63	0.11	43.80					Quality Control
57.00	67.00	10.0	913881	43.40	11.16	0.21	44.80	78.91	20.29	0.38	Strong	1/2 Core Sawn
67.00	77.00	10.0	913882	40.10	13.61	0.20	45.50	73.90	25.08	0.37	Strong	1/2 Core Sawn
77.00	87.00	10.0	913883	35.74	16.61	1.37	45.40	65.82	30.59	2.52	Strong	1/2 Core Sawn
87.00	95.00	8.0	913884	38.53	15.13	0.32	45.50	71.07	27.91	0.59	Strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-21

Drill Core Samples	
Logged By	Ashley Nystrom
Laboratory	Acme
File No.	VAN10006502

Location	UTM NAD 83	Comment
Easting	574,359.00	
Northing	5,813,959.00	
Elevation	1000.00	

Direction / Length	
Azimuth	0 °
Inclination	-90 °
Length	90 Metres

Drill Hole Information	
Date Start	30-Oct-10
Date End	30-Oct-10
Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913885	43.25	10.63	1.30	44.30	78.00	19.17	2.34	Strong	1/2 Core Sawn
17.00	27.00	10.0	913886	39.57	14.25	0.41	45.40	72.78	26.21	0.75	Strong	1/2 Core Sawn
27.00	37.00	10.0	913887	45.10	9.56	0.21	44.70	81.92	17.37	0.38	Strong	1/2 Core Sawn
Blank	Granite	-	913888	5.65	1.87	63.37	3.40	5.87	1.94	65.80		Quality Control
37.00	47.00	10.0	913889	39.17	14.20	0.32	45.70	72.53	26.29	0.59	Strong	1/2 Core Sawn
Standard	96-4M2	-	913890	78.25	0.38	0.99	19.80	97.65	0.47	1.24		Quality Control
47.00	57.00	10.0	913891	42.08	12.18	0.31	44.70	76.46	22.13	0.56	Strong	1/2 Core Sawn
57.00	67.00	10.0	913892	40.13	13.64	0.55	45.00	73.35	24.93	1.01	Strong	1/2 Core Sawn
67.00	77.00	10.0	913893	38.97	14.39	0.58	45.40	71.70	26.48	1.07	Strong	1/2 Core Sawn
77.00	87.00	10.0	913894	36.12	16.37	0.85	45.80	66.96	30.35	1.58	Moderate	1/2 Core Sawn
87.00	90.00	3.0	913895	34.48	16.60	2.82	44.90	62.94	30.30	5.15	Moderate	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-22

Drill Core Samples		Location	UTM NAD 83	Comment	Direction / Length		Drill Hole Information	
Logged By	Ashley Nystrom	Easting	574,401.00		Azimuth	0 °	Date Start	30-Oct-10
Laboratory	Acme	Northing	5,814,030.00		Inclination	-90 °	Date End	30-Oct-10
File No.	VAN10006503	Elevation	1000.00		Length	110 Metres	Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913896	47.61	7.02	1.61	43.30	84.20	12.41	2.85	Strong	1/2 Core Sawn
17.00	27.00	10.0	913897	37.58	15.69	0.17	46.10	70.10	29.27	0.32	Strong	1/2 Core Sawn
27.00	37.00	10.0	913898	37.76	15.67	0.29	45.90	70.08	29.08	0.54	Weak to moderate	1/2 Core Sawn
37.00	47.00	10.0	913899	37.11	16.35	0.22	46.00	69.03	30.41	0.41	Weak to moderate	1/2 Core Sawn
Duplicate	Previous	-	913900	37.50	16.07	0.28	45.70					Quality Control
47.00	57.00	10.0	913901	36.38	17.20	0.14	45.80	67.57	31.95	0.26	Weak to moderate	1/2 Core Sawn
57.00	67.00	10.0	913903	35.74	17.59	0.05	46.10	66.76	32.86	0.09	Weak to moderate	1/2 Core Sawn
Blank	Granite	-	913902	4.43	1.54	65.17	2.10	4.54	1.58	66.72		Quality Control
67.00	77.00	10.0	913904	35.10	18.23	0.28	45.90	65.26	33.89	0.52	Weak to moderate	1/2 Core Sawn
77.00	87.00	10.0	913905	35.28	18.04	0.26	45.90	65.66	33.58	0.48	Weak to moderate	1/2 Core Sawn
87.00	97.00	10.0	913906	35.79	17.30	0.33	46.10	66.75	32.26	0.62	Moderate to strong	1/2 Core Sawn
97.00	107.00	10.0	913907	36.00	17.26	0.49	45.60	66.63	31.94	0.91	Moderate to strong	1/2 Core Sawn
107.00	110.00	3.0	913908	36.94	16.30	0.62	45.60	68.29	30.13	1.15	Moderate to strong	1/2 Core Sawn

Taseko Mines Limited Mount Guy Project

ANALYTICAL RESULTS

Hole ID

MG10-23

Drill Core Samples	
Logged By	Ashley Nystrom
Laboratory	Acme
File No.	VAN10006504

Location	UTM NAD 83	Comment
Easting	574,334.00	
Northing	5,813,965.00	
Elevation	1000.00	

Direction / Length	
Azimuth	0 °
Inclination	-90 °
Length	110 Metres

Drill Hole Information	
Date Start	30-Oct-10
Date End	30-Oct-10
Operator	Taseko

Sample Interval (metres)			Sample Number	CAO %	MGO %	SIO2 %	LOI %	CAO Net LOI	MGO Net LOI	SIO2 NET LOI	Effervescence	Sample Method
From	To	Int.										
0.00	10.00	10.0	NS								Case	Not Sampled
10.00	17.00	7.0	913909	36.13	17.11	0.50	45.80	67.02	31.74	0.93	Strong	1/2 Core Sawn
Standard	96-4M2	-	913910	71.90	0.33	1.15	26.10	97.33	0.45	1.56		Quality Control
17.00	27.00	10.0	913911	35.40	17.72	0.42	46.00	65.92	33.00	0.78	Strong	1/2 Core Sawn
27.00	37.00	10.0	913912	35.93	17.21	0.41	46.00	66.87	32.03	0.76	Strong	1/2 Core Sawn
37.00	47.00	10.0	913913	38.60	12.90	3.28	43.90	69.12	23.10	5.87	Moderate to strong	1/2 Core Sawn
47.00	57.00	10.0	913914	37.75	16.51	0.32	44.80	68.81	30.09	0.58	Moderate to strong	1/2 Core Sawn
57.00	67.00	10.0	913915	36.19	17.18	0.39	45.70	67.04	31.82	0.72	Moderate to strong	1/2 Core Sawn
Blank	Granite	-	913916	4.48	1.65	65.10	1.90	4.58	1.69	66.55		Quality Control
67.00	77.00	10.0	913917	35.74	17.28	0.33	46.10	66.72	32.26	0.62	Moderate to strong	1/2 Core Sawn
77.00	87.00	10.0	913918	33.88	18.88	0.40	46.20	63.38	35.32	0.75	Moderate to strong	1/2 Core Sawn
87.00	97.00	10.0	913919	36.13	15.69	3.10	44.40	65.39	28.39	5.61	Moderate to strong	1/2 Core Sawn
Duplicate	Previous	-	913920	36.54	15.69	3.09	44.00					Quality Control
97.00	107.00	10.0	913921	47.90	7.38	0.23	43.90	85.68	13.20	0.41	Moderate to strong	1/2 Core Sawn
107.00	110.00	3.0	913922	49.33	6.31	0.18	43.90	88.17	11.28	0.32	Moderate to strong	1/2 Core Sawn

APPENDIX 5: STATEMENT OF WORK

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	**Field Days (list actual days)**	**Days**	**Rate**	**Subtotal***	
Jeremy Crozier (HD) / Project Manager	Oct 19, Oct 25, various part days	8	$1,200.00	$9,600.00	
Ashley Nystrom (TKO) / Technician	Oct 18-31, Nov 02	15	$400.00	$6,000.00	
Steve O'Hara (Gibraltar) Env. Tech	Oct 19-20	1	$400.00	$400.00	
Joel Martin (Gibraltar) Core Splitter	Oct 18-31	14	$220.00	$3,080.00	
David Nakada (Gibraltar) Core Splitter	Oct 18-31	14	$220.00	$3,080.00	
				$22,160.00	**$22,160.00**
Office Studies	**List Personnel (note - Office only, do not include field days)**				
Project Supervision	Jeremy Crozier	4	$1,200.00	$4,800.00	
Database compilation	Ted Oliver	4	$650.00	$2,600.00	
Computer modelling			$0.00	$0.00	
Reprocessing of data	Romero Taras	4	$650.00	$2,600.00	
General research			$0.00	$0.00	
Report preparation			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$10,000.00	**$10,000.00**
Airborne Exploration Surveys	**Line Kilometres / Enter total invoiced amount**				
Aeromagnetics			$0.00	$0.00	
Radiometrics			$0.00	$0.00	
Electromagnetics			$0.00	$0.00	
Gravity			$0.00	$0.00	
Digital terrain modelling			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$0.00	**$0.00**
Remote Sensing	**Area in Hectares / Enter total invoiced amount or list personnel**				
Aerial photography			$0.00	$0.00	
LANDSAT			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$0.00	**$0.00**
Ground Exploration Surveys	**Area in Hectares/List Personnel**				
Geological mapping			$0.00	$0.00	
Regional			$0.00	$0.00	
Reconnaissance			$0.00	$0.00	
Prospect			$0.00	$0.00	
Underground			$0.00	$0.00	
Test Pits			$0.00	$0.00	**$0.00**
Ground geophysics	**Line Kilometres / Enter total amount invoiced list personnel**				
Radiometrics			$0.00	$0.00	
Magnetics			$0.00	$0.00	
Gravity			$0.00	$0.00	
Digital terrain modelling			$0.00	$0.00	
Electromagnetics			$0.00	$0.00	
SP/AP/EP			$0.00	$0.00	
IP			$0.00	$0.00	
AMT/CSAMT			$0.00	$0.00	
Resistivity			$0.00	$0.00	
Complex resistivity			$0.00	$0.00	
Seismic reflection			$0.00	$0.00	
Seismic refraction			$0.00	$0.00	
Well logging			$0.00	$0.00	
Geophysical interpretation			$0.00	$0.00	
Petrophysics			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
					$0.00
Geochemical Surveying	**Number of Samples**	**No.**	**Rate**	**Subtotal**	
Drill (cuttings, core, etc.)	Sampling was undertaken at approximate 10' intervals; ACME labs		$0.00	$16,443.34	
Stream sediment			$0.00	$0.00	
Soil			$0.00	$0.00	
Rock			$0.00	$0.00	
Water			$0.00	$0.00	
Biogeochemistry			$0.00	$0.00	
Whole rock			$0.00	$0.00	
Petrology			$0.00	$0.00	
Other (specify)			$0.00	$0.00	
				$16,443.34	**$16,443.34**
Drilling	**No. of Holes, Size of Core and Metres**	**No.**	**Rate**	**Subtotal**	
Diamond	23 holes, 2747ft (837m), incl. drillers dayrate for drillers	23.0	$2,643.98	$60,811.63	
Reverse circulation (RC)					
Rotary air blast (RAB)					
Other (specify)					
				$60,811.63	**$60,811.63**

Other Operations	**Clarify**	**No.**	**Rate**	**Subtotal**	
Trenching			$0.00	$0.00	
Bulk sampling			$0.00	$0.00	
Underground development			$0.00	$0.00	
Trail access development	2 x 10 hour days @ $130/hour, Peterson Contracting	20.0	$130.00	$2,600.00	
				$2,600.00	**$2,600.00**
Reclamation	**Clarify**	**No.**	**Rate**	**Subtotal**	
After drilling			$0.00	$0.00	
Monitoring			$0.00	$0.00	
Other (specify)	Tree purchase		$1,200.00	$1,200.00	
				$1,200.00	**$1,200.00**
Technical Exploration / Development	**Clarify**	**No.**	**Rate**	**Subtotal**	
Archaeological	Williams Lake Indian Band, Natural Resource Department			$1,333.32	
Archaeological	IR Wilson desktop study			$6,529.56	
				$7,862.88	**$7,862.88**
Transportation		**No.**	**Rate**	**Subtotal**	
Airfare	2 flights from YVR to Williams Lake for J. Crozier; 1 for A. Nystrom	3.00	$375.00	$1,125.00	
Taxi			$0.00	$0.00	
truck rental	Ron Ridley Rentals, Williams Lake	1.00	$3,170.00	$3,170.00	
kilometers			$0.00	$0.00	
ATV			$0.00	$0.00	
fuel			$0.00	$0.00	
Helicopter (hours)			$0.00	$0.00	
Fuel (litres/hour)			$0.00	$0.00	
Other			$0.00	$0.00	
				$4,295.00	**$4,295.00**
Accommodation & Food	**Rates per day**				
Hotel			$0.00	$0.00	
Camp			$0.00	$0.00	
Meals	Ashley, N.	1.00	$517.21	$517.21	
				$517.21	**$517.21**
Miscellaneous					
Telephone	Ashley N., field telephone	1.00	$316.00	$316.00	
Other (Specify)	Ashley, N., sundry field supplies	1.00	$526.51	$526.51	
	Canadian Tire, Rona and Deakin field supplies	1.00	$481.91	$481.91	
				$1,324.42	**$1,324.42**
Equipment Rentals					
Field Gear (Specify)			$0.00	$0.00	
Other (Specify)			$0.00	$0.00	
				$0.00	**$0.00**
Freight, rock samples					
Sample shipment and expediting	Moog courier from Gibraltar Mine to Vancouver		$3,000.00	$3,000.00	
Storage				$400.00	
				$3,400.00	**$3,400.00**
TOTAL Expenditures					**$130,614.48**