

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

**TITLE OF REPORT: 2011 SOIL GEOCHEMICAL SURVEY on the PINE
MINERAL CLAIM GROUP**

TOTAL COST: \$26,268.00

**AUTHOR(S): Robert E. "Ned" Reid P.Geo., John F. Childs, PhD, and
Fran Macpherson M.A.**

SIGNATURE(S) "signed"

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): N/A

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S):

4929274, 2011/Jul/29; 5148438, 2011/Dec/03

YEAR OF WORK: **2011**

PROPERTY NAME: **PINE**

CLAIM NAME(S) (on which work was done): **Pine 1, 384113; Pine 2, 384112**

COMMODITIES SOUGHT: **Gold (Au)**

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: **093H 054**

MINING DIVISION : Cariboo

NTS / BCGS: **093H/04; 093H.002**

LATITUDE **53° 04'**

LONGITUDE **-121° 43' 30"** (at centre of work)

UTM Zone **10** EASTING **585500** NORTHING **5880000**

OWNER(S): **Williams Creek Gold Limited**

MAILING ADDRESS: **600-666 Burrard Street, Vancouver, BC, V6C 3P6**

OPERATOR(S) [who paid for the work]: **Williams Creek Gold Limited**

MAILING ADDRESS: **As above**

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude **do not use abbreviations or codes**): **metamorphosed sedimentary, Precambrian Richfield formation, Eaglesnest succession, quartzite, argillite, galena, gold, silver**

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT
NUMBERS:

05554, 06668, 07734, 11672, 11886, 14311, 15832, 18011, 28967

**2011 SOIL GEOCHEMICAL, GEOLOGICAL
MAPPING AND SAMPLING SURVEYS
on the
PINE MINERAL CLAIM GROUP**

NTS: 093H04
BCGS : 093H002

Latitude: 53°04'N Longitude: 121°43.5'W
UTM Zone 10 585500E 5880000N
Cariboo Mining Division

Owner/ Operator
Williams Creek Gold Limited
600-666 Burrard Street
Vancouver, B.C.
V6C 3P6

December 4, 2011

Report Prepared by:

Robert E. "Ned" Reid, P.Geo.
#16 – 231 Hartley St., Quesnel, B.C.
Email: nedreid@shaw.ca

John F. Childs, PhD
Childs Geoscience Inc., Consulting Economic Geologists
109 Sourdough Ridge Road, Bozeman, MT 59715
Email: jfchildsgeo@msn.com

Fran Macpherson, MA
Accurate Mining Services Ltd.
282 March Road, Quesnel B.C.
Email: fmacpherson@accurateminng.com

**BC Geological Survey
Assessment Report
32542**

TABLE OF CONTENTS

TABLE OF CONTENTS.....	1
LIST OF TABLES.....	1
LIST OF FIGURES.....	1
APPENDICES.....	1
SUMMARY.....	2
INTRODUCTION.....	3
PROPERTY DESCRIPTION AND LOCATION.....	4
HISTORY.....	7
GEOLOGY.....	7
STRUCTURAL GEOLOGY.....	9
PROPERTY GEOLOGY.....	9
2011 SOIL SAMPLING - GEOCHEMICAL PROGRAM.....	10
INTERPRETATION OF RESULTS.....	12
CONCLUSIONS AND RECOMMENDATIONS.....	12
REFERENCES.....	13

LIST OF TABLES

TABLE 1 Mineral Tenures.....	4
------------------------------	---

LIST OF FIGURES

Figure 1 Pine Property Location.....	4
Figure 2 Tenure Detail, Topography & Soil Grid Area of Interest.....	6
Figure 3 2011 Pine Geochemical Grid.....	12
Figures 4-6 (Geological Maps).....	APPENDIX 'D'

APPENDICES

APPENDIX 'A'	Statement of Costs
APPENDIX 'B'	Certificates of Qualification
APPENDIX 'C'	Certificates of Analysis (Soils)
APPENDIX 'D'	Certificates of Analysis (Rock)
APPENDIX 'E'	Geological Mapping & Sampling

SUMMARY

The 750 hectare Pine Property, NTS map sheet 93H4E, BCGS map sheet 093H.002, is located 12 km west of the town of Wells, British Columbia, within the Cariboo Mining District. The northern portion of the group is on the south flank of Mt. Nelson with the southern portion covering the historic town site of Stanley and a stretch of Lightening Creek. The property is bisected by Provincial Highway 26, the Wells - Barkerville highway.

The property is composed of two 2-post and two 4-post legacy mineral claims. The properties were purchased from Melvin L. Zeiler and are now owned 100% by Williams Creek Gold Limited.

The primary target in the area was gold bearing, pyritic quartz veins, usually found associated with northerly trending faults. The northerly trending Last Chance - Nelson Creek fault (Holland) dissects the Pine property. A secondary target is the possibility of silver, lead, zinc bearing veins. The primary target now is an explanation for the Au in the soils geochemical anomaly. A limited trenching program utilizing a rubber tired back hoe, by Zeiler in 2008, unearthed massive pyritic material in the anomalous area. The samples collected returned negligible amounts of gold and it is suspected this was due to the shallow depths excavated with the equipment available to Zeiler at that time .

The Pine claims cover what is historically known as the Acme group and, as described by Holland, cover a number of narrow quartz veins containing some "economic" values for gold and silver. Following a spurt of exploration activity during the 1930s the area remained relatively dormant until 1986 - 1987 when Winex Resources Inc. completed a fairly comprehensive geophysical and geochemical program on the property (ARIS 15832 and 18011).

The Winex programs revealed silver, lead and zinc geochem anomalies (gold for reasons not explained was not included or reported), coincidental with magnetometer and VLF anomalies and further programs were recommended, although no reports of further programs were submitted.

Melvin Zeiler began acquiring the claims in 1999 and added additional claims in 2001. After some unfulfilled option agreements, Zeiler in 2005 and 2006 completed soil sampling programs, which returned positive results for anomalous gold. In the fall of 2006 Zeiler conducted a limited trenching program with a rubber-tired back hoe, which uncovered some massive pyritic material, but the program was severely hampered due to water, which exceeded the limitations of the machine.

The property was purchased by Williams Creek Gold Limited in April 2011, who undertook a soil sampling program extending the sampling grid to the northern boundary of the properties. A permit application was submitted by Williams Creek to conduct mechanical trenching in the area, already disturbed by previous trenching, but due to the

amount of time it now takes to get approvals, the trenching program will be conducted in 2012.

INTRODUCTION

Reid and Macpherson have been commissioned by Williams Creek Gold Limited, the owner of the Pine Group of mineral claims, to compile a technical report for assessment purposes on soil-sampling, geologic mapping and rock sampling programs completed during 2011.


This report presents a compilation of the data obtained from the 2005 through 2011 surveys. Reference is made to previous surveys, particularly by Winex, but no compilation of data from the earlier Winex and Zeiler surveys will be presented.

Reid visited the property on several occasions during the current soil survey. Childs conducted the geological mapping and sampling component.

It is noted that on the Mineral Claim Exploration and Development Work form submitted (Event Number 4929274) that the start and end dates for the work were incorrectly entered, and should be July 12 to 20, 2011.

The re-sampling results and costs of lines A&B, conducted between September 6-7 2011, are included in this report and the cost statement, but were not claimed in the original online assessment filing.

The geological mapping and sampling component (see APPENDIX 'D' for maps), conducted by Childs between September 4-7 2011, is also included in the cost statement and narrative, but likewise was not claimed in the original online assessment filing. A secondary filing, included in this report (Event Number 5148438), was filed on December 3 2011 to cover the additional costs.



PROPERTY DESCRIPTION AND LOCATION

The Pine group of mineral claims currently consists of two 2- post and two 4-post, "legacy" claims. The claims are located within the Cariboo Mining District on map sheet 93H04E, BCGS map sheet 093H.002, with an approximate center location of Latitude 53°04 N Longitude 121°43.5' W. The claim group is bisected by Provincial Highway 26, the Wells - Barkerville Highway, and located 12 km west of Wells or 72 km east of Quesnel and covers, in part, the historic town site of Stanley.

With acceptance of this assessment report the claims will be in good standing as per the following table:

TABLE 1: Mineral Tenures

Tenure #	Claim	Area Ha	Issue Date	Good To
367954	Pine#24	25	1999/Feb/23	2015/DEC/30
367955	Pine#25	25	1999/Feb/23	2015/DEC/30
384112	Pine 2	300	2001/Feb/19	2015/DEC/30
384113	Pine 1	400	2001/Feb/19	2015/DEC/30

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTRE AND PHYSIOGRAPHY

Access to the southern portion of the Pine group is via highway 26, the Stanley town site road and a number of mining and logging tote roads and trails in the Stanley area. The northern portion of the property is accessed from the 72C logging road, which departs north from highway 26 at Timon Creek, located between Stanley and Beaver Pass.

The property covers a portion of the southern flank of Mt. Nelson as well as a stretch of the Lightening Creek valley. Relief is moderate with elevations ranging from 1200 m in the Stanley area to 1500 m on the northern claim boundary. The area is forest covered with some commercial Pine and Spruce along with a majority of decadent Balsam. Undergrowth is generally thick. Roughly 15% of the claim group has been clear cut logged.

The area is in a moist climatic belt, subject to heavy snowfall in winter and generally rainy conditions in summer. The area is usually snow free from late May to early November.

The town of Wells, 12 km east of the property, has small town amenities such as food, lodging and occasionally fuel, whereas the town of Quesnel, (a 50 minute drive from the property) provides a full range of services.

HISTORY

Lode discoveries were made in the Stanley area in the 1870s (Beedy-Perkins, Standard, Foster Ledge, Acme) and although a small amount of gold was recovered from the Perkins vein on Burns Mountain, there has been little lode mining of consequence.

The Pine claims cover the historic Acme workings and the Foster Ledge adits are situated just outside the northeast boundary. The most comprehensive description of the properties, known to be available, is found in Holland's 1948 report on the Stanley Area.

According to Holland, the majority of the work on the Acme group, consisting of trenching and an adit, was conducted by Adolph Gustafson of Stanley, shortly prior to and/or ongoing during Holland's examination of the area in 1945 - 46.

The area of the Acme prospect was traversed as part of the geologic mapping reported here but the old working appears to be completely caved and overgrown. No outcrop was found in this area so rock samples could not be collected.

1984: American Volcano Mineral Corp. - Alkey Industries Ltd. conducts a heavy mineral geochemical survey on stream gravels from Davis Creek

1986 - 87: Winex Resource Inc. conducts Mag-VLF and soil sampling programs over a portion of what is now the Pine property and adjoining Foster Ledge workings

1999: Zeiler begins acquiring claims

2005-2006: Limited soil sampling surveys; 2006 limited trenching program

2011: Extend 2005 – 2006 soil sampling grid to north, and re-sampled Zeiler's lines A & B

GEOLOGY

In general terms the area is heavily forested, with the lower elevations covered with overburden, and moderate sloping topography cut by numerous gullies. Massively bedded quartzites in the intermediate elevations underlie steep cliffs. Drainage of the area is mostly within mossy draws leading into a few placer gold bearing creeks, making the practicality of a "silt sampling survey" almost redundant.

Areas of rock exposure are restricted to "fault related" bluffs, massive quartzite outcrops in steep slopes and, in the northern part of the property, ridge lines and summits.

Regional and local geology is described in reports by Holland (BCDM Bulletin 26) and most recently by Struik (GSC Memoir 421). Both of these reports expand upon previous reports by Bowman: Johnston and Uglov; Hansen and others.

Holland's description of the geology is believed (by the writers) to be the most prolific, and taken partially out of context, is quoted as follows:

“The Stanley area is underlain by a succession of metamorphosed sedimentary rocks belonging to the Precambrian Richfield formation. The rocks cannot be correlated with members of the Barkerville Gold Belt. The area straddles the regional anticlinal axis which has been mapped previously (Johnston and Uglow, 1926 p. 31) as running between Mount Amador and Mount Nelson.” (Struick has moved the anticlinal axis a bit to the south-west and has differentiated the main units as the Eaglesnest succession and Harveys Ridge succession, within the Paleozoic Snowshoe Group of the Barkerville Terrane)

Quartzite in almost bewildering variety is the predominating rock in the area, displaying variations in colour from white and light grey, through medium grey, brown, to black; in granularity from fine quartzite to coarse grits with interbeds of metamorphosed pebble conglomerate; in composition through admixture with varying amounts of dark argillaceous material; and in fissility either through variations in amount of mica developed in the rock or through the rock's relation to the axial plane and minor folds. Individual beds, ranging from a fraction of an inch to several tens of feet in thickness, are interbedded with others which may vary in colour, granularity, and general composition.

Dominantly argillaceous rocks are considerably less common than quartzites. They are present as black slate and dark schistose quartzitic argillite, grey argillaceous schists, and as thin partings and interbeds of dark argillaceous material in a dominantly quartzitic succession. The grey colours of most quartzites are due to the variable content of dark argillaceous and, in some instances, graphitic material.

For the most part the rocks are not calcareous. The few thin limestone beds could not be traced for any great distance and their correlation was not possible. Many of the rocks have a low to moderate amount of carbonate mineral which, when determined, was found to be ankerite.

Green chloritic schists, some weathering brown and some exceedingly brightly coloured, are also present. Some chloritic schists contain thin layers and lenses of grey or white limestone. In several places pale, greenish-grey quartzite schists are exposed; their green caste evidently is a result of the development of small amounts of chlorite.

The rocks represent a sedimentary succession that has been subjected to regional metamorphism. Cleavage, in varying degrees of perfection, is developed in all rocks and is the result of the oriented development mainly of sericite and less commonly of chlorite. The perfection of the cleavage depends primarily on the initial composition of the rock and the amount of argillaceous material that was available to form mica. To a lesser

The perfection of the cleavage depends primarily on the initial composition of the rock and the amount of argillaceous material that was available to form mica. To a lesser extent the position of the rock in relation to the axial plane of a fold contributes to the degree to which the cleaner, more massive quartzites are cleaved."

With respect to cleavage, the term, "flaggy quartzite" is mentioned by Holland as well as by Johnston and Uglow. This terminology was a bit of a mystery to the writer (Reid), until he made a field examination. It is now believed that this term applies to rocks that are cleaved into relatively flat slabs, or "flagstone" like material. However, this rock type does not appear to be present in quantities that would be of commercial interest.

STRUCTURAL GEOLOGY

After 100 plus years of geological study in the area, structural geology is still poorly defined. The consensus of opinions leans towards broad regional folding with strong local deformation associated with faulting, and/or regional thrusts (with several dissenting voices). The writers are in agreement with the majority, in that there is almost a total lack of minor fold structures, and an extensive record of recognizable, and some very subtle faults.

PROPERTY GEOLOGY

Holland's (Bulletin 26) description of the geology of the Acme claims is as follows:

"The claims are underlain by hard, light-grey, slabby quartzite which near the south-west corner of Lot 10435 grades into a bed of pea-pebble conglomerate. The rocks strike about north 5 degrees east and dip 20 to 30 degrees east. The Last Chance-Nelson Creek fault runs through the claims, and it is believed that a strand of the fault is exposed in the westernmost open-cut where 2 feet of gouge and crushed quartz strike about north 30 degrees east"

The Pine Property was mapped and sampled during September 2011 by John F. Childs, PhD. Summary sample results and geologic maps are attached to this report (see APPENDICES 'D' and 'E'). The entire property is underlain by quartzites and phyllites of the Harveys Ridge and Eaglesnest successions. Numerous vein systems were mapped but most of these appear barren of sulphides. Known prospects, such as the Galena veins, are either overgrown and unexposed or appear to consist of thin veins with a maximum thickness of approximately one foot. Although the veins have a wide range of orientations, the predominant strikes of exposed veins on the property are north-northeast and west-northwest. Faults are present especially along Davis Creek in the western part of the property but where sampled appear to be of little economic interest. Exposures are generally limited to steep stream bottoms except in the northern part of the property where good exposures are found along roads and prominent ridges.

Most of the surface samples collected during the geological mapping program in September 2011 yielded uniformly low gold and silver values. The best gold values were obtained in an old trench in the area where the soil sampling grid was done (0.385 ppm gold) and in vein material from a one-foot thick vein that has been mined in a slot trench at the historical Galena prospect (0.207 ppm gold and 2.08 ppm silver). The highest silver assay (6.38 ppm) was obtained from volumetrically minor quartz veins in the area of the soil grid. None of these results represents a viably economic scenario.

Results for the 17 surface rock samples collected on the Pine property in 2011 are shown in the attached chart (see APPENDIX 'E'). The samples were analyzed by ALS Minerals using fire assay method Au-AA23 for gold and method ME-MS61 for silver and other elements. For more information on the analysis refer to www.alsglobal.com.

2011 SOIL SAMPLING - GEOCHEMICAL PROGRAM

During the period July 12th through July 20th 2011, the Williams Creek crew; composed of Devin Grinder, Wyatt Brown and occasionally Jake Hupman; collected 135 soil samples on a hip chain – compass grid on the Pine 1 mineral claim (384113).


A baseline was established, running North from a point on the clear cut haulage road at what was believed to be the western extent of the previous (Zeiler 2005 – 2006) anomalous zone. Line N was started 50 meters north of an old Zeiler flag which was on line M. A total of 7 lines, run on an azimuth of 90-270 degrees, were sampled (N – T) on a 20 metre sample interval for a distance of 400 metres East of the baseline. The start and end points of each line were GPS'd and recorded, but due to the inaccuracy of the readings +/- 7 to 17 metres, this caused more problems with the grid location than the exercise was worth.

Samples were taken by shovel, from the “B” horizon, or the horizon below “root” level. Sample depth was generally 12 to 18 inches. The samples were placed in labelled kraft soil bags and dried prior to shipment via Greyhound to ALS Canada Limited at 2103 Dollarton Hwy, Noth Vancouver B.C. V7H 0A7

As requested, ALS analysed the samples following analytical code ME-MS411; an ultra trace method using ICP-MS and ICP-AES; Aqua Regia digestion with ultra low detection limits for soil and sediment analysis. For more information on the analysis refer to www.alsglobal.com.


Following receipt of the results from ALS, it was deemed necessary to re-sample Zeiler's original lines A & B. This was undertaken by Devin Grinder and Jake Hupman on Sept 6-7. 2011, who were able to find and collect the samples by digging in the same holes as those originally established by Zeiler

585000 m 585500 m 586000 m



5880000 m

5880000 m



	Claims
	Creeks
	Roads
	Grid Lines
	B
Gold in Soil	
	Points : Aupp
	<10
	10...40
	40...100
	>100



Anomalous Gold in Soil

Date: Oct. 2011 BCGS: 93H.002

CaseyMap CAD & Graphics

Fig. 3

585000 m 585500 m

384113

INTERPRETATION OF RESULTS

The extension and expansion of the of the geochemical soil grid completed in 2011 indicates only spot high anomalous results for gold, as shown on accompanying Fig. 3. Background gold value is 5 ppb and values greater than four times background were considered anomalous. The re-sampling of lines A & B did not return the same results as those previously obtained by Zeiler.

Results for the 2011 soil samples are shown below the previous results on Fig 3, and although GPS coordinates as plotted indicate that the original sample sites were not re-occupied, the sampling crew indicated that they found and sampled the previous grid sites.

The reason for the sample result variation may be the use of different labs in different years, using different analytical methods or, more likely, the difference in results is either due to the “nugget effect” or placer gold.

Some "spot" highs for silver, lead and zinc occur. cursory scanning of results for these elements indicated no apparent trend and therefore these results were not plotted.

All analytical results from the 2011 survey are appended.

CONCLUSIONS AND RECOMMENDATIONS

The 2011 grid extension returned only spot high anomalous results and the re-sampling of lines A & B did not confirm the results of the original survey. The probable explanation is placer gold and not a bedrock source. The results of the geologic mapping, rock sampling, soil sampling and the lack of alteration in the area does not appear to be favourable for an economic ore deposit.

However, anomalous gold in soils is apparent on the central portion of the grid, (Figure 3), suggesting that a limited follow-up program is warranted. When these results are viewed in the context of the earlier anomalies reported by Borovic for Winex in 1988 (ARIS 18011) the anomalies for the two surveys appear to be coincident.. This indicates a real possibility for a mineralised system in the immediate area. This in conjunction with the fact that Zeiler encountered pyrite in the 2006 trenching (which has not been noted elsewhere in the area) leads to the recommendation that the area must be trenched, using suitably sized equipment.

REFERENCES

Benedict, P.C. 1945. Structure at Island Mountain Mine, Wells, B.C.; in The Canadian Institute of Mining and Metallurgy 1945 (Transactions, Volume XLVIII, 1945, pp.755-770).

Borovic I. 1981. Assessment Report 8820 – Progress Report on the 1980 – 1981 Exploration Program of the Beau Group of Mineral Claims, Burns Mtn. Cariboo Mining District

Borovic I. 1988. Assessment Report 18011 - Report on the Mineral Exploration of the Mt. Nelson Project.

Bowman A. 1888. Report on the Geology of the Mining District Of Cariboo, British Columbia. Geological and Natural History Survey of Canada

Burnsnall, J.T. et al. 1989. Mineralization And Shear Zones; Geological Association of Canada, Short Course Notes, Volume 6.

Fipke C. and Capell R. 1983. Assessment Report 11672 - Geochemical Assessment Report

Geological Survey of Canada, O.F.1109; Outcrop Lithology, Wells (sheet 3 of 5).

Glover, M.J. and Reid, RE. 2003. Assessment Report 27084 - Diamond Drilling and Trenching Report, Craze Creek Property.

Hall, RD. 1999. Cariboo Gold Project At Wells, British Columbia. www.wayside-gold.com/i/pdf/RHALL_report.pdf.

Hall R.D. 2000. Burns Mountain Gold Property near Wells B.C. Internal Memo to Firstline Recovery Systems Inc.

Hodgson, C.Jay. 1987. The Structure of Shear-Related, Vein-Type Gold Deposits: A Review. Ore Geology Reviews, 4 (1989) pp232-273. Elsevier Science Publishers B.V.

Holland, S.S. 1948. Report on the Stanley Area; British Columbia Department of Mines, Bulletin 26.

Holland, S.S. 1950. Placer Gold Production of British Columbia; British Columbia Department of Mines, Bulletin 28 (reprinted 1986).

Johnston, W.A. and Uglow, W.L. 1926. Placer and Vein Gold Deposits of Barkerville, Cariboo District, British Columbia; Geological Survey of Canada, Memoir 149.

Lammle, C.A.R. 20 April 2003. Mineral and Placer Prospects at Mount Burns, A Summary from Published Information; Personal Communication to Rick Plotnikoff (Goldin Rock Resources Inc.).

Levson, V.M. and Giles, T.R. 1993. Geology of Tertiary and Quaternary Gold-Bearing Placers in the Cariboo Region, British Columbia (93A, B, G, H); British Columbia Ministry of Energy, Mines and Petroleum Resources, Bulletin 89. McTaggart, K.C. and Knight, J. 1993. Geochemistry of Lode and Placer Gold of the Cariboo District, B.C.; British Columbia Ministry of Energy, Mines and Petroleum Resources, Open File 1993-30.

Merrick D.W. 1999 Notes and Progress Reports (Internal Firstline Files)

Myers, W.H. 1985. Assessment Report # 14636, Geophysical Report on 43 Mineral Claims owned by Robert H. Davie in the Devils Canyon area of the Barkerville Gold Belt.

Olfert, E.G. 1984. Assessment Report # 13,252, Report on a Geochemical and Geological Survey of the Devils Canyon claim Group.

Outtrim C. 1987. Assessment Report 15832 - Report on the Mineral Exploration of the MT. Nelson Project

Pickett, J.W. 2000. Report on the Mosquito Creek and Island Mountain Claim Groups; www.wayside-gold.com/i/pdf/isle-mtn.pdf

Plenderleith D. 1983. Assessment Report 11,886. Preliminary Geophysical Report – Ground Magnetometer Survey – Foster Group of Mineral Claims –Mount Nelson _ Cariboo Mining District.

Price, B. 1984. Assessment Report # 13,497; Geological and Geochemical Report, Till Claims – Wells, B.C., Cariboo M.D.

Ray, G., Webster, I., Ross, K. and Hall, R. 2000. Geochemistry of Auriferous pyrite Mineralization at the Bonanza Ledge, Mosquito Creek Mine and Other Properties in the Wells-Barkerville Area, British Columbia; British Columbia Ministry of Energy and Mines, Geological Fieldwork 2000, Paper 2001-1.

Reid R.E. 2003. Preliminary Evaluation Of Mount Burns Property, for Goldin Rock Resources Inc. (Internal)

Reid R.E. 2005. AR 27684, Mount Burns Claim Group, 2004 Exploration Program, Target Selection and Geochemical Surveys.

Reid R.E. 2006. AR 28967. 2006 Soil Geochemical Survey on the Pine Mineral Claim Group.

Robert, F., Poulsen, K.H. and Dube, B. 1994. Structural Analysis of Lode Gold Deposits in Deformed Terranes; Geological Survey of Canada, Open File Report #2850

Skерl, A.C. 1948. Geology of the Cariboo Gold Quartz Mine; Economic Geology, V.43. pp. 571-597.

Struik, L.C. 1988. Structural Geology of the Cariboo Gold Mining District, East-Central British Columbia; Geological Survey of Canada, Memoir 421.

Sutherland, W.D. 1987. Assessment Report # 16174; Diamond Drilling Assessment Work Report

APPENDIX 'A'
Statement of Costs

**2011 Pine Geochemical Soil Sampling Survey & Geological Mapping/Sampling Costs
Work Performed from July 15 to September 6, 2011**

Item	Cost	Day/Hr	Rate	Total
Project Geologist, Mapping	J.F. Childs, PhD	3.9	\$800.00	\$3,120.00
Project Geologist, Soils	R.E. Reid, P.Geo.	4	\$625.00	\$2,500.00
Soil Sampling Lead	CKG Contracting	8.6	\$275.00	\$2,365.00
Soil Sampler	Wyatt Brown	6	\$200.00	\$1,200.00
Soil Sampler	Sisyphian Enterprises	2.6	\$270.00	\$702.00
Soil Assay 135 samples	ALS Canada VA1113855			\$3,979.58
Soil Assay 32 samples	ALS Canada VA11197337			\$957.47
Geological Mapping, 9 samples	ALS Canada VA11185717			\$483.39
Geological Mapping, 8 samples	ALS Canada VA11193413			\$429.86
Shipping (x 4)	Greyhound Courier Express			\$214.20
Airfare (prorated by project)	J.F. Childs, PhD			\$250.00
Per Diem	J.F. Childs, PhD	4	\$30.00	\$120.00
Trucks	Ford 4WHD Truck	16.5	\$75.00	\$1,237.50
Regulatory Compliance	F. Macpherson	1.5	\$720.00	\$1,080.00
Drafting, Soils	CaseyMapCAD	20	\$30.00	\$600.00
Drafting, Geological Mapping	Mariana Johnston	30.2	\$45.00	\$1,359.00
Drafting, Geological Mapping	Sandy Underwood	12	\$45.00	\$540.00
Geological Map Compilation	J. F Childs, PhD	3.5	\$800.00	\$2,800.00
Assessment Report	Robert E. Reid, P.Geo.	2	\$625.00	\$1,250.00
Assessment Report Compilation	Accurate Mining Services Ltd.	1.5	\$720.00	\$1,080.00

2011 Expenditures

\$26,268.00

Total Person Days = 27.4

Sample Assays: 167 soil; 17 rock

APPENDIX 'B'

Certificates of Qualification

Robert E. "Ned" Reid P.Geo.


**#16 - 231 Hartley Street
Quesnel, BC V2J 1V8
Ph/Fax 250 992 3782**

Certificate of Qualifications

I, Robert E. "Ned" Reid currently residing at apt #16 – 231 Hartley Street, Quesnel, British Columbia, do hereby certify that:

1. I am a graduate of the University of British Columbia, B.Sc. 1971, geology major.
2. I have been practicing my profession as an exploration and mine geologist / mine supervisor continuously since 1971.
3. I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of British Columbia.(License # 20910) with sufficient relevant experience to be a "Qualified Person" as per National Instrument 43-101.
4. I prepared along with John F Childs and Fran Macpherson this report titled "*2011 Soil Geochemical, Geological Mapping and Sampling Surveys on the Pine Mineral Claim Group*" on data collected by the Williams Creek Gold Limited crew, which I directly supervised, and I believe that this report accurately depicts the information obtained to date and I am unaware of any material changes.
5. I was on the property during the 2011 survey and have past experience in the area.

Dated at Quesnel B.C. this 3rd day of December, 2011



Robert E. "Ned" Reid P.Geo.
"Signed and Sealed"

**Certificate of Qualifications
John F. Childs**


I, John F. Childs, do hereby certify that:

1. I am President of
Childs Geoscience, Inc.
109 Sourdough Ridge Road
Bozeman, Montana 59715 U.S.A.
2. I graduated with a PhD in Geology from the University of California, Santa Cruz (1982). I have an MSc from the University of British Columbia (1969) and a BSc from Syracuse University (1966).
3. I am a member of the Geological Society of America, the Geological Association of Canada, the Society of Economic Geologists, and the Association of Applied Geochemists. I am a Registered Geologist in the States of Arizona, California, and Idaho and I am a Founding Registered Member of the Society for Mining, Metallurgy and Exploration, Inc.
4. I have practiced my profession in excess of 35 years
5. I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101. My relevant experience for the purpose of this report is:

President, Exploration, Childs Geoscience Inc; Senior Consulting Geologist, Golden Sunlight Mine, Barrick Gold Corp.; Mine Geologist, Stillwater Mining Company, Big Timber, MT; General Manager, Exploration, Pegasus Gold Corporation, Spokane, WA; Vice President, Lupine Minerals Corporation, Denver, CO; Senior Geologist, Cyprus Georesearch Company, Los Angeles, CA; and Consulting Geologist to a variety of large and small precious metals and industrial minerals mining and exploration companies.
6. During September 2011 I carried out a four day geological mapping and sampling program on the Pine Properties, the results of which are quoted in this report titled "*2011 Soil Geochemical, Geological Mapping and Sampling Surveys on the Pine Mineral Claim Group*", with the maps appended as Appendix 'E'.
7. Since November of 2010 I have been contracted as the "qualified person" under the definition of NI 43-101 for Williams Creek Gold Limited.

Signed,

Dated December 3,, 2011



Signature of John F. Childs, Registered Professional Geologist in the State of Arizona, License No. 19192, License Expires June 30, 2014

**Frances J. 'Fran' Macpherson
1282 Marsh Road
Quesnel, BC, Canada, V2J 6H3**

**Phone: (250) 992-2801 Fax: 888-515-9204
Email: fmacpherson@accurateminig.com**

Statement of Qualifications

I, Frances J. (Fran) Macpherson, currently residing at 1282 Marsh Road, Quesnel, British Columbia, V2J 6H3, Canada, do hereby certify that:

1. I graduated with a B.A. (Psychology) from McGill University, P.Q. in 1972
2. I graduated with an M.A. (Clinical Psychology) from the University of New Brunswick, Fredericton NB in 1975
3. I have been employed in the mining industry since 1993
4. I was employed as mine manager on a large mineral exploration and underground bulk sample project in Wells, B.C. from 1998 to 2005 during which period I was involved in the drafting and compilation of numerous technical reports
5. I have owned and operated an independent consulting firm "Accurate Mining Services Ltd." since 2005 and have continued involvement in the drafting and compilation of technical reports
6. I have visited the Pine Properties on several occasions, but was not on site during the 2011 soil sampling or geological mapping programs
7. I am currently under contract in the capacity of Regional Operations Manager for Williams Creek Gold Limited and am therefore responsible for the overall supervision and management of the exploration programs

Dated at Quesnel B.C. this 3rd day of December 2011



Fran Macpherson, M.A.

APPENDIX 'C'

Certificates of Analysis (Soils)



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
 Finalized Date: 16-SEP-2011
 Account: WILLCR

CERTIFICATE VA11138550


Project: BARKERVILLE
 P.O. No.:
 This report is for 135 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2011.
 The following have access to data associated with this certificate:
 JOHN CHILDS FRAN MACPHERSON ROBERT E. REID

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample loqin - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **WILLIAMS CREEK EXPLORATION LTD.**
ATTN: FRAN MACPHERSON
REGIONAL OFFICE & OPERATIONS CENTRE
2307 CORBETT ROAD
QUESNEL BC V2J 6T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
LN-1E		0.16	0.0010	0.344	1.54	17.05	<10	56.5	0.50	0.49	0.08	0.14	35.6	9.9	24.8	1.49
LN-2E		0.20	0.0011	0.599	1.49	4.57	<10	26.5	0.12	0.50	0.03	0.08	50.4	10.2	22.2	0.54
LN-3E		0.24	0.0154	0.202	1.29	8.75	<10	30.4	0.19	0.49	0.02	0.08	50.4	9.7	19.6	0.87
LN-4E		0.24	0.0161	0.282	1.41	6.87	<10	27.3	0.24	0.51	0.02	0.13	40.9	10.0	14.2	0.78
LN-5E		0.32	0.0022	0.235	1.21	8.34	<10	25.1	0.31	0.51	0.01	0.08	49.4	7.9	13.7	0.80
LN-6E		0.20	0.0052	0.473	0.59	3.44	<10	14.7	0.12	0.26	0.01	0.04	37.3	5.3	6.1	0.65
LN-7E		0.24	0.0005	0.697	1.34	5.42	<10	20.8	0.13	0.42	0.02	0.07	41.7	6.4	21.7	0.54
LN-8E		0.18	0.0011	0.561	1.16	6.46	<10	17.5	0.17	0.45	0.02	0.07	44.6	7.3	25.9	0.77
LN-9E		0.24	0.0047	0.431	1.20	6.23	<10	24.5	0.19	0.35	0.01	0.19	42.7	6.1	10.6	0.82
LN-10E		0.24	0.0029	0.224	0.98	5.56	<10	38.5	0.15	0.30	0.01	0.12	51.1	4.1	9.2	0.71
LN-11E		0.16	0.0008	0.459	1.30	3.55	<10	29.0	0.17	0.37	0.02	0.14	39.8	4.7	11.6	0.89
LN-12E		0.22	0.0004	0.302	1.29	4.91	<10	21.3	0.11	0.33	0.01	0.12	40.6	5.3	16.3	0.62
LN-13E		0.22	0.0004	0.215	0.52	1.15	<10	15.0	<0.05	0.24	0.01	0.07	37.3	3.7	6.2	0.42
LN-14E		0.22	0.0004	0.339	1.05	3.67	<10	36.7	0.20	0.46	0.03	0.22	46.6	5.1	12.8	0.91
LN-15E		0.14	0.0009	0.235	1.22	2.74	<10	26.8	0.19	0.47	0.08	0.13	50.1	4.6	18.8	0.45
LN-17E		0.24	0.0003	0.077	1.08	5.61	<10	47.6	0.20	0.27	0.02	0.03	58.4	6.9	15.7	0.49
LO-1E		0.32	<0.0002	0.141	0.72	13.20	<10	59.3	0.20	0.41	0.10	0.21	53.7	10.7	9.2	1.61
LO-2E		0.32	0.0009	0.204	0.96	16.10	<10	95.4	0.25	0.24	0.08	0.07	41.0	5.2	16.1	2.27
LO-3E		0.26	0.0010	0.177	0.79	6.75	<10	48.8	0.12	0.40	0.05	0.13	46.6	4.6	10.0	0.85
LO-4E		0.28	0.0008	0.116	0.65	5.12	<10	23.5	0.07	0.35	0.01	0.06	53.1	8.2	9.1	0.49
LO-5E		0.20	0.0008	0.169	1.97	2.49	<10	18.7	0.16	0.34	0.01	0.06	44.7	5.2	25.6	0.38
LO-6E		0.22	0.0012	0.244	1.25	4.12	<10	30.7	0.14	0.28	0.01	0.04	53.8	5.7	14.6	0.44
LO-7E		0.28	0.0022	0.295	1.16	3.23	<10	29.7	0.13	0.29	0.02	0.09	52.6	3.4	10.8	0.71
LO-8E		0.20	0.0005	0.248	1.12	4.73	<10	25.8	0.11	0.44	0.01	0.05	67.5	2.9	15.7	0.65
LO-9E		0.20	0.0002	0.155	1.04	4.45	<10	19.0	0.06	0.41	0.01	0.04	37.4	3.1	14.6	0.47
LO-10E		0.22	0.0015	0.415	1.33	2.38	<10	24.2	0.15	0.32	0.01	0.24	39.7	7.1	13.1	0.67
LO-11E		0.24	0.0024	0.579	2.15	9.58	<10	28.7	0.33	0.59	0.02	0.15	42.1	9.2	27.8	0.99
LO-12E		0.24	0.0086	0.723	0.84	11.15	<10	19.8	0.10	0.72	0.01	0.12	56.6	8.7	12.2	0.65
LO-13E		0.18	0.0003	0.393	0.93	6.79	<10	26.4	0.10	0.37	0.02	0.18	45.2	4.8	11.4	0.62
LO-14E		0.18	0.0003	0.480	0.88	3.45	<10	30.2	0.06	0.25	0.01	0.06	41.2	5.0	11.3	0.52
LO-15E		0.20	0.0004	0.265	1.32	6.77	<10	31.0	0.13	0.39	0.02	0.10	43.7	5.0	19.7	0.53
LO-16E		0.20	0.0007	0.587	0.86	3.86	<10	26.8	0.10	0.48	0.02	0.09	38.2	4.1	11.1	0.68
LO-17E		0.22	0.0005	0.283	1.44	3.92	<10	39.8	0.30	0.33	0.02	0.21	43.6	19.8	17.3	1.29
LO-18E		0.22	0.0010	0.265	0.48	1.30	<10	21.3	<0.05	0.24	0.01	0.05	41.4	1.0	4.4	0.52
LO-19E		0.22	0.0009	0.049	0.78	3.43	<10	29.7	<0.05	0.30	0.02	0.03	52.5	1.4	8.3	0.53
LO-20E		0.28	0.0008	0.104	1.19	7.34	<10	69.6	0.22	0.25	0.03	0.06	56.0	5.0	19.5	0.63
LO-21E		0.28	0.0016	0.073	1.05	5.74	<10	65.3	0.14	0.28	0.03	0.03	55.0	3.6	16.8	0.47
LP-1E		0.22	0.0011	1.350	2.08	16.25	<10	81.5	0.86	0.45	0.19	0.59	30.1	31.5	16.5	0.86
LP-2E		0.20	0.0015	0.767	1.85	6.00	<10	58.8	0.44	0.41	0.12	0.14	38.7	13.4	17.7	0.64
LP-3E		0.28	0.0061	0.312	1.10	24.8	<10	45.0	0.27	0.60	0.02	0.11	57.9	8.8	26.4	1.19

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
LN-1E		23.4	3.38	3.98	0.09	0.05	0.077	0.020	0.06	18.3	14.9	0.19	397	0.72	<0.01	0.38
LN-2E		53.6	6.06	6.85	0.09	0.02	0.050	0.019	0.03	25.6	12.0	0.44	270	1.71	<0.01	0.41
LN-3E		25.4	7.93	4.51	0.10	0.05	0.067	0.036	0.04	25.6	4.4	0.09	340	1.71	<0.01	0.62
LN-4E		37.4	5.49	4.93	0.08	0.05	0.044	0.026	0.04	20.2	8.5	0.19	204	1.53	<0.01	0.65
LN-5E		23.8	4.93	3.63	0.11	0.03	0.071	0.023	0.04	25.5	3.4	0.06	264	1.06	<0.01	0.72
LN-6E		11.05	2.37	4.23	0.09	<0.02	0.008	0.007	0.03	19.4	0.7	0.02	161	0.54	<0.01	0.21
LN-7E		23.6	6.25	7.55	0.11	<0.02	0.055	0.019	0.03	22.6	7.8	0.21	208	1.64	<0.01	0.88
LN-8E		31.9	7.17	8.13	0.11	0.03	0.052	0.017	0.03	24.0	5.0	0.14	227	1.98	<0.01	0.87
LN-9E		17.90	3.18	4.41	0.09	<0.02	0.055	0.019	0.04	22.6	6.8	0.10	226	0.74	<0.01	0.54
LN-10E		13.95	2.58	3.02	0.10	0.02	0.026	0.011	0.04	26.7	5.6	0.10	116	0.56	<0.01	0.31
LN-11E		19.65	3.42	5.25	0.10	0.03	0.043	0.015	0.04	20.7	7.4	0.14	124	1.18	<0.01	0.52
LN-12E		16.65	4.31	5.84	0.10	<0.02	0.031	0.017	0.03	22.7	6.1	0.15	158	1.10	<0.01	0.67
LN-13E		10.90	1.63	5.41	0.09	<0.02	<0.005	0.007	0.02	19.3	0.8	0.02	107	1.66	<0.01	0.18
LN-14E		17.85	3.02	6.12	0.09	<0.02	0.031	0.011	0.04	24.0	9.5	0.14	94	0.97	<0.01	0.65
LN-15E		17.55	4.89	5.66	0.10	<0.02	0.017	0.011	0.03	26.7	13.0	0.51	97	1.00	<0.01	0.32
LN-17E		11.85	2.38	3.47	0.10	0.02	0.016	0.011	0.05	30.8	17.1	0.31	240	0.76	<0.01	0.25
LO-1E		25.9	3.99	3.35	0.09	<0.02	0.011	0.011	0.06	27.2	2.4	0.07	234	1.18	<0.01	0.32
LO-2E		15.70	3.46	3.17	0.10	<0.02	0.019	0.021	0.05	21.6	3.6	0.11	152	1.05	<0.01	0.31
LO-3E		15.50	3.16	4.70	0.09	<0.02	0.045	0.011	0.05	24.2	2.7	0.08	173	0.97	<0.01	0.39
LO-4E		27.1	4.72	3.59	0.09	<0.02	0.019	0.013	0.04	27.3	1.2	0.04	232	1.22	<0.01	0.29
LO-5E		22.1	4.83	6.03	0.10	0.05	0.054	0.019	0.02	25.1	20.1	0.62	82	1.28	<0.01	0.24
LO-6E		17.15	3.26	2.87	0.10	0.05	0.044	0.015	0.04	26.7	12.1	0.25	109	0.90	<0.01	0.29
LO-7E		12.50	2.58	4.19	0.11	0.02	0.039	0.012	0.04	26.5	7.8	0.15	95	0.85	<0.01	0.52
LO-8E		19.15	4.91	8.60	0.12	<0.02	0.025	0.012	0.04	36.6	6.3	0.25	274	1.44	<0.01	0.48
LO-9E		12.30	3.15	5.53	0.09	<0.02	0.021	0.012	0.03	19.9	4.2	0.10	112	0.76	<0.01	0.75
LO-10E		22.1	3.62	6.94	0.08	<0.02	0.042	0.012	0.03	20.2	7.2	0.24	197	1.36	<0.01	0.32
LO-11E		29.8	6.77	7.54	0.11	0.03	0.084	0.031	0.04	20.6	14.5	0.20	308	1.45	<0.01	1.57
LO-12E		35.3	5.64	3.35	0.12	0.02	0.056	0.023	0.04	29.1	3.4	0.11	428	1.08	<0.01	0.54
LO-13E		16.30	3.02	5.43	0.09	<0.02	0.020	0.012	0.04	23.4	3.5	0.12	174	0.71	<0.01	0.67
LO-14E		15.80	3.20	4.57	0.10	<0.02	0.045	0.010	0.03	21.0	6.0	0.17	148	0.84	<0.01	0.33
LO-15E		19.85	5.45	5.68	0.10	0.02	0.064	0.014	0.05	24.1	8.0	0.27	232	1.37	<0.01	0.71
LO-16E		14.30	3.28	4.60	0.10	<0.02	0.056	0.011	0.04	19.9	3.2	0.11	151	0.90	<0.01	0.42
LO-17E		31.3	3.11	4.97	0.11	<0.02	0.053	0.019	0.05	22.8	18.9	0.19	841	0.97	0.01	0.48
LO-18E		5.02	0.73	3.15	0.10	<0.02	0.011	<0.005	0.02	22.6	1.1	0.03	38	0.33	0.01	0.29
LO-19E		7.56	1.43	4.33	0.11	<0.02	<0.005	0.008	0.03	26.3	4.9	0.13	31	0.48	0.01	0.27
LO-20E		20.7	2.98	4.22	0.13	0.02	0.025	0.014	0.04	31.0	16.9	0.30	106	0.94	0.01	0.25
LO-21E		9.23	2.66	4.57	0.13	<0.02	0.014	0.011	0.05	29.9	16.3	0.29	105	1.39	0.01	0.28
LP-1E		37.5	5.76	4.00	0.11	0.07	0.077	0.030	0.05	14.9	29.1	0.21	3120	2.55	0.01	0.38
LP-2E		28.7	3.85	4.75	0.10	0.04	0.056	0.015	0.05	19.7	26.8	0.36	331	1.05	0.01	0.41
LP-3E		33.6	3.95	3.75	0.12	<0.02	0.031	0.022	0.04	29.6	7.6	0.08	371	3.15	0.01	0.26

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
LN-1E		23.7	0.061	70.5	10.5	<0.001	0.02	0.162	0.9	0.4	0.3	5.6	<0.01	0.04	2.2	0.009
LN-2E		28.1	0.083	16.45	4.4	<0.001	0.02	0.261	0.8	0.7	0.3	2.8	<0.01	0.06	2.8	0.013
LN-3E		21.1	0.067	31.0	8.5	<0.001	0.02	0.214	1.0	0.4	0.4	2.7	<0.01	0.06	9.9	0.011
LN-4E		23.4	0.064	25.3	8.0	<0.001	0.02	0.193	1.1	0.5	0.3	2.6	<0.01	0.06	6.1	0.013
LN-5E		13.1	0.066	25.1	7.6	<0.001	0.02	0.149	1.1	0.4	0.3	2.1	<0.01	0.05	7.1	0.010
LN-6E		14.3	0.028	8.17	3.8	0.001	<0.01	0.096	0.5	0.1	0.4	1.5	<0.01	0.03	2.4	0.007
LN-7E		17.6	0.093	16.90	7.0	<0.001	0.02	0.275	0.9	0.4	0.4	3.0	<0.01	0.07	4.3	0.027
LN-8E		22.4	0.131	19.00	6.6	<0.001	0.02	0.342	1.1	0.5	0.4	2.8	<0.01	0.06	5.0	0.034
LN-9E		11.1	0.050	35.5	8.5	<0.001	0.01	0.138	0.8	0.5	0.3	2.0	<0.01	0.06	3.0	0.012
LN-10E		11.7	0.032	19.60	6.9	<0.001	0.01	0.084	0.6	0.4	0.2	1.9	<0.01	0.04	4.4	0.007
LN-11E		10.7	0.046	22.7	8.6	<0.001	0.02	0.143	0.9	0.2	0.3	4.6	<0.01	0.06	4.7	0.013
LN-12E		13.8	0.075	14.65	6.9	<0.001	0.01	0.184	0.9	0.5	0.3	2.1	<0.01	0.05	3.5	0.016
LN-13E		10.6	0.033	5.23	2.7	<0.001	0.01	0.092	0.3	<0.1	0.3	1.8	<0.01	0.04	1.5	0.009
LN-14E		13.2	0.031	25.1	6.5	<0.001	0.01	0.122	0.7	0.5	0.4	4.3	<0.01	0.04	2.4	0.020
LN-15E		15.2	0.035	13.75	5.4	<0.001	0.02	0.133	0.6	<0.1	0.2	7.0	<0.01	0.05	3.9	0.012
LN-17E		14.6	0.018	27.8	7.6	<0.001	0.01	0.116	0.9	0.1	0.2	2.7	<0.01	0.04	4.8	0.008
LO-1E		18.3	0.046	19.75	10.1	<0.001	0.02	0.412	0.6	0.5	0.2	6.0	<0.01	0.05	3.2	0.009
LO-2E		14.5	0.035	36.8	12.1	<0.001	0.02	0.344	1.0	0.4	0.3	5.9	<0.01	0.03	5.5	0.003
LO-3E		11.6	0.068	14.70	10.6	<0.001	0.02	0.154	0.5	0.3	0.3	3.8	<0.01	0.05	1.2	0.011
LO-4E		22.7	0.085	10.75	6.9	<0.001	0.02	0.120	0.5	0.4	0.3	1.8	<0.01	0.05	2.7	0.006
LO-5E		12.6	0.048	17.90	5.9	<0.001	0.03	0.114	0.9	0.5	0.2	2.9	<0.01	0.05	5.9	0.006
LO-6E		14.5	0.035	18.55	8.9	<0.001	0.01	0.086	0.7	0.5	0.2	1.5	<0.01	0.05	5.6	0.004
LO-7E		8.6	0.038	16.20	10.7	<0.001	0.01	0.078	0.8	0.3	0.3	2.0	<0.01	0.04	5.6	0.009
LO-8E		7.1	0.126	21.2	7.7	<0.001	0.02	0.137	0.5	0.2	0.4	5.7	<0.01	0.05	4.4	0.012
LO-9E		7.8	0.034	22.7	6.0	<0.001	0.02	0.112	0.6	<0.1	0.3	2.3	<0.01	0.04	3.1	0.018
LO-10E		11.1	0.074	25.8	7.0	<0.001	0.04	0.145	0.5	0.2	0.4	6.2	<0.01	0.05	1.1	0.014
LO-11E		18.4	0.096	43.7	7.5	<0.001	0.05	0.282	1.5	0.5	0.5	4.0	<0.01	0.08	5.2	0.028
LO-12E		17.4	0.070	24.9	9.5	<0.001	0.03	0.177	0.7	0.6	0.3	2.5	<0.01	0.06	5.2	0.011
LO-13E		11.5	0.033	19.05	8.6	<0.001	0.02	0.138	0.6	0.4	0.4	2.4	<0.01	0.07	1.9	0.021
LO-14E		11.2	0.061	15.45	6.4	<0.001	0.02	0.125	0.5	<0.1	0.2	4.6	<0.01	0.05	4.0	0.009
LO-15E		11.2	0.136	28.6	7.5	<0.001	0.02	0.184	0.9	0.3	0.3	4.2	<0.01	0.05	5.6	0.016
LO-16E		11.9	0.064	26.5	7.6	<0.001	0.02	0.128	0.3	0.4	0.3	2.7	<0.01	0.04	0.7	0.015
LO-17E		14.9	0.039	62.1	11.2	<0.001	0.02	0.102	0.8	0.3	0.4	3.7	<0.01	0.02	1.1	0.014
LO-18E		2.7	0.020	9.86	5.0	<0.001	0.01	0.038	0.3	<0.1	0.2	2.3	<0.01	<0.01	1.8	0.009
LO-19E		3.5	0.017	16.30	5.2	<0.001	0.01	0.045	0.5	0.1	0.2	2.3	<0.01	0.01	2.7	0.007
LO-20E		13.7	0.025	25.3	5.4	<0.001	0.02	0.102	1.3	0.3	0.2	4.2	<0.01	0.02	3.9	0.009
LO-21E		10.0	0.029	19.75	7.8	<0.001	0.01	0.084	0.8	0.1	0.2	3.3	<0.01	0.03	3.4	0.010
LP-1E		44.1	0.080	86.2	8.9	0.001	0.04	0.161	1.4	2.0	0.3	11.7	<0.01	0.04	3.6	0.007
LP-2E		21.2	0.043	30.9	12.5	0.001	0.03	0.094	1.0	0.8	0.3	6.4	<0.01	0.05	3.3	0.007
LP-3E		18.4	0.036	72.5	8.8	<0.001	0.02	0.873	1.4	0.6	0.4	2.7	<0.01	0.05	6.9	0.003



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BARRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.02	0.05	1	0.0001	0.05	0.1	0.5
LN-1E		0.08	1.88	18	0.340	3.12	66.3	1.4
LN-2E		0.04	1.40	24	0.860	1.83	84.6	1.7
LN-3E		0.06	0.97	21	0.693	1.67	71.2	3.4
LN-4E		0.05	1.17	20	0.449	1.69	72.5	2.2
LN-5E		0.06	1.18	19	0.593	2.01	46.1	1.3
LN-6E		0.06	0.28	18	0.126	0.86	30.8	<0.5
LN-7E		0.05	0.61	32	0.460	1.27	55.4	0.7
LN-8E		0.04	1.27	36	0.660	1.75	55.3	1.6
LN-9E		0.06	0.93	20	2.06	2.15	40.7	0.6
LN-10E		0.06	0.60	11	0.694	1.99	37.4	0.7
LN-11E		0.05	0.88	25	0.902	1.66	40.9	1.1
LN-12E		0.06	0.61	27	0.832	1.36	44.5	0.7
LN-13E		0.05	0.37	22	0.299	0.98	23.4	<0.5
LN-14E		0.05	0.83	29	0.743	2.15	43.4	<0.5
LN-15E		0.03	0.72	24	3.14	1.69	60.4	0.5
LN-17E		0.04	0.99	13	0.489	2.17	43.4	0.5
LO-1E		0.07	1.07	14	0.466	2.29	90.4	<0.5
LO-2E		0.15	0.58	15	0.340	2.00	52.1	0.5
LO-3E		0.07	0.51	24	1.010	1.45	37.6	<0.5
LO-4E		0.06	0.78	14	0.348	1.44	59.8	0.5
LO-5E		0.04	0.77	17	0.134	1.19	65.4	2.5
LO-6E		0.05	0.78	10	0.741	1.60	48.3	1.9
LO-7E		0.06	0.49	17	0.874	1.38	32.8	0.8
LO-8E		0.07	0.63	40	0.973	1.46	39.6	<0.5
LO-9E		0.06	0.51	31	2.17	1.11	22.1	<0.5
LO-10E		0.05	1.00	30	0.472	1.37	39.5	<0.5
LO-11E		0.06	1.37	40	2.82	1.94	59.9	1.7
LO-12E		0.05	0.93	16	9.78	1.77	52.5	0.9
LO-13E		0.06	0.57	29	1.160	1.62	40.1	<0.5
LO-14E		0.06	0.95	17	0.432	1.19	46.5	0.5
LO-15E		0.06	0.61	26	1.035	1.31	48.0	0.9
LO-16E		0.06	0.64	22	2.13	1.17	33.0	<0.5
LO-17E		0.05	2.76	22	1.060	3.52	50.2	<0.5
LO-18E		0.05	0.35	11	0.697	1.04	10.7	<0.5
LO-19E		0.05	0.45	16	0.403	1.38	17.0	<0.5
LO-20E		0.05	1.51	17	0.560	2.61	41.8	0.5
LO-21E		0.06	0.68	19	0.714	1.63	36.6	<0.5
LP-1E		0.08	2.95	16	0.338	6.17	83.1	2.2
LP-2E		0.06	1.65	18	0.574	4.22	77.8	1.2
LP-3E		0.15	1.31	18	0.285	2.44	61.5	0.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
LP-4E		0.22	0.0008	0.252	0.73	7.09	<10	26.4	0.06	0.35	0.02	0.12	38.7	3.5	11.3	0.54
LP-5E		0.22	0.0024	0.285	1.10	7.17	<10	30.4	0.09	0.38	0.01	0.13	50.7	6.1	14.4	0.49
LP-6E		0.26	0.0004	0.103	1.00	5.93	<10	31.6	0.11	0.29	0.01	0.08	49.1	5.0	13.6	0.54
LP-7E		0.24	<0.0002	0.196	0.90	5.54	<10	23.7	0.08	0.35	0.01	0.06	45.8	2.9	10.7	0.56
LP-8E		0.22	0.0052	0.196	1.70	4.21	<10	29.7	0.21	0.33	0.01	0.06	47.9	5.3	17.8	0.62
LP-9E		0.22	0.0008	0.180	1.52	5.22	<10	31.2	0.15	0.39	0.01	0.08	44.3	5.2	22.0	0.47
LP-10E		0.24	0.0004	0.271	2.04	3.23	<10	32.0	0.27	0.40	0.02	0.17	51.3	7.7	25.3	0.60
LP-11E		0.24	0.0011	0.236	1.09	10.95	<10	23.2	0.11	0.62	0.01	0.05	39.5	5.9	14.6	0.66
LP-12E		0.22	0.0050	0.779	1.47	25.2	<10	27.7	0.24	3.73	0.02	0.19	41.6	8.3	18.7	1.13
LP-13E		0.20	0.0002	0.349	0.41	7.02	<10	18.0	0.07	0.48	0.01	0.04	49.1	7.1	11.0	1.01
LP-14E		0.16	0.0080	0.299	0.57	13.10	<10	33.3	0.16	0.53	0.03	0.18	45.1	7.5	9.1	1.16
LP-15E		0.22	0.0005	0.122	1.13	5.59	<10	38.2	0.21	0.44	0.04	0.08	47.2	7.1	13.1	0.67
LP-16E		0.22	<0.0002	0.187	1.15	5.92	<10	36.6	0.17	0.36	0.03	0.20	46.9	5.2	13.9	0.75
LP-17E		0.32	0.0021	0.288	1.54	4.66	<10	49.2	0.32	0.45	0.04	0.09	51.9	21.0	17.8	0.71
LP-19E		0.26	0.0013	0.170	1.14	1.14	<10	56.9	0.17	0.30	0.03	0.03	48.3	2.1	13.5	0.80
LP-20E		0.22	0.0016	0.521	1.46	2.53	<10	122.0	0.30	0.22	0.03	0.09	44.2	5.2	19.3	0.64
LP-21E		0.34	0.0013	0.303	1.14	3.97	<10	105.5	0.23	0.27	0.07	0.10	45.7	9.9	17.6	0.55
LQ-1E		0.24	0.0004	0.172	1.24	3.08	<10	33.0	0.14	0.26	0.01	0.10	47.1	4.9	11.8	0.74
LQ-2E		0.24	0.0016	0.143	1.16	6.79	<10	34.6	0.08	0.28	0.02	0.08	44.0	4.4	14.1	0.58
LQ-3E		0.28	0.0091	0.149	1.21	7.49	<10	39.1	0.16	0.34	0.01	0.09	47.1	5.6	13.3	0.59
LQ-4E		0.22	0.0012	0.373	1.93	9.58	<10	48.8	0.21	0.27	0.02	0.15	35.4	10.4	22.0	0.88
LQ-5E		0.28	0.0031	0.138	1.08	6.89	<10	33.8	0.14	0.29	0.02	0.13	46.3	4.8	13.7	0.97
LQ-6E		0.24	0.0018	0.217	0.89	5.68	<10	32.4	0.09	0.34	0.01	0.11	43.9	4.4	10.2	0.64
LQ-8E		0.18	0.0003	0.231	0.97	4.81	<10	23.4	0.07	0.36	0.01	0.08	40.0	3.5	12.3	0.62
LQ-9E		0.28	0.0009	0.248	0.88	5.55	<10	26.4	0.11	0.31	0.02	0.12	45.1	3.8	10.6	1.39
LQ-10E		0.16	0.0002	0.520	1.22	3.63	<10	28.4	0.20	0.38	0.03	0.17	41.7	4.5	15.2	1.17
LQ-11E		0.24	0.0007	0.455	1.73	5.36	<10	21.2	0.24	0.44	0.02	0.17	37.6	7.0	20.5	0.72
LQ-12E		0.22	0.0006	0.401	1.36	5.87	<10	25.9	0.19	0.38	0.03	0.26	38.5	6.2	16.5	0.92
LQ-13E		0.28	0.227	0.267	1.19	8.56	<10	26.9	0.17	0.41	0.03	0.30	43.1	10.1	14.6	0.88
LQ-14E		0.32	0.0039	0.211	1.21	7.76	<10	30.1	0.16	0.45	0.02	0.16	36.7	7.2	15.4	0.73
LQ-15E		0.30	0.0007	0.175	0.91	6.56	<10	24.8	0.15	0.34	0.02	0.13	49.2	5.9	12.5	0.51
LQ-16E		0.22	0.0021	0.434	1.78	4.89	<10	31.6	0.53	0.34	0.03	0.26	37.0	10.4	18.8	1.15
LQ-17E		0.24	0.0008	0.250	0.97	3.89	<10	36.5	0.23	0.38	0.05	0.08	44.1	7.0	13.5	0.77
LQ-19E		0.20	0.0021	0.686	1.40	3.22	<10	72.3	0.38	0.42	0.13	0.19	30.3	3.4	18.2	0.94
LQ-21E		0.22	0.0037	0.426	1.00	7.99	<10	89.0	0.27	0.34	0.12	0.41	27.6	9.5	17.0	0.69
LR-1E		0.22	0.0081	0.121	0.89	8.21	<10	40.1	0.10	0.37	0.01	0.10	45.4	5.8	11.1	0.54
LR-2E		0.22	0.0013	0.174	1.44	6.90	<10	32.8	0.17	0.38	0.02	0.12	40.4	8.5	15.7	0.69
LR-3E		0.18	0.0022	0.184	1.70	9.08	<10	34.5	0.26	0.40	0.02	0.17	38.6	8.2	16.3	0.75
LR-4E		0.26	0.0596	0.079	1.32	10.00	<10	45.1	0.19	0.42	0.01	0.13	55.3	7.5	13.8	0.58
LR-5E		0.24	0.0012	0.117	1.40	6.97	<10	50.4	0.29	0.38	0.04	0.05	45.3	5.1	15.1	0.86

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
LP-4E		13.15	4.30	4.39	0.10	<0.02	0.036	0.011	0.03	20.9	2.5	0.08	141	0.98	0.01	0.97
LP-5E		24.7	4.98	3.60	0.11	0.02	0.031	0.017	0.05	27.2	6.1	0.20	248	0.79	0.01	0.49
LP-6E		15.75	3.56	3.76	0.11	<0.02	0.024	0.013	0.05	26.9	7.0	0.14	261	0.85	0.01	0.49
LP-7E		9.84	2.88	4.65	0.11	<0.02	0.031	0.012	0.04	23.6	3.3	0.07	203	0.82	0.01	0.70
LP-8E		27.3	4.37	5.20	0.12	0.02	0.035	0.016	0.04	24.7	14.3	0.33	192	1.14	0.01	0.61
LP-9E		22.7	5.88	5.00	0.13	0.04	0.041	0.019	0.04	24.3	11.0	0.34	148	1.28	0.01	0.54
LP-10E		34.9	5.80	7.67	0.12	0.04	0.069	0.022	0.04	27.3	21.3	0.55	237	1.63	0.01	0.57
LP-11E		17.85	3.47	6.34	0.10	<0.02	0.027	0.012	0.03	20.8	7.9	0.24	595	0.70	0.01	0.48
LP-12E		36.3	4.74	5.85	0.11	<0.02	0.062	0.022	0.03	21.8	9.5	0.15	712	1.46	0.01	0.81
LP-13E		22.4	2.87	3.76	0.11	<0.02	0.009	0.009	0.03	25.0	0.8	0.02	340	1.68	0.01	0.28
LP-14E		29.6	3.47	4.72	0.11	<0.02	0.021	0.013	0.03	23.8	0.8	0.03	145	1.11	0.01	0.37
LP-15E		17.30	3.15	3.83	0.12	0.02	0.015	0.013	0.04	24.8	15.2	0.26	201	0.80	0.01	0.27
LP-16E		19.20	3.54	4.58	0.12	<0.02	0.029	0.014	0.04	25.1	11.5	0.20	194	0.86	0.01	0.51
LP-17E		35.6	2.54	4.06	0.12	0.04	0.042	0.017	0.05	25.8	20.6	0.33	121	0.96	0.01	0.24
LP-19E		23.1	0.90	4.44	0.10	0.02	0.046	0.009	0.06	25.4	12.3	0.18	44	0.48	0.01	0.27
LP-20E		21.8	1.57	4.17	0.10	0.04	0.047	0.014	0.06	23.5	19.2	0.33	109	0.65	0.01	0.20
LP-21E		17.75	2.52	3.63	0.13	0.03	0.051	0.014	0.06	23.8	16.5	0.28	487	1.41	0.01	0.21
LQ-1E		13.65	2.66	5.03	0.11	0.02	0.022	0.009	0.04	24.9	13.3	0.28	205	0.95	0.01	0.34
LQ-2E		11.65	3.26	5.72	0.10	<0.02	0.025	0.010	0.04	22.6	10.4	0.25	322	0.86	0.01	0.52
LQ-3E		19.55	3.50	4.19	0.11	0.02	0.032	0.014	0.05	24.3	10.1	0.19	185	1.00	0.01	0.47
LQ-4E		31.3	4.76	4.81	0.11	0.08	0.051	0.025	0.05	18.3	21.4	0.38	453	0.93	0.01	0.42
LQ-5E		18.80	2.96	3.83	0.11	<0.02	0.031	0.016	0.04	24.5	8.0	0.13	176	0.89	0.01	0.50
LQ-6E		15.10	3.66	4.53	0.11	<0.02	0.021	0.011	0.05	23.0	3.7	0.11	420	1.07	0.01	0.41
LQ-8E		14.50	3.87	5.93	0.10	<0.02	0.028	0.011	0.03	21.0	3.1	0.09	185	0.99	0.01	0.55
LQ-9E		16.20	2.81	4.45	0.11	<0.02	0.031	0.011	0.04	23.3	6.3	0.09	127	0.79	0.01	0.53
LQ-10E		25.3	3.87	6.61	0.11	<0.02	0.049	0.013	0.04	22.6	9.5	0.25	240	1.96	0.01	0.29
LQ-11E		34.5	4.92	6.13	0.11	0.03	0.066	0.017	0.03	19.5	17.3	0.43	173	1.27	0.01	0.43
LQ-12E		28.6	4.08	5.75	0.10	<0.02	0.059	0.017	0.04	20.1	8.7	0.17	307	1.16	0.01	0.60
LQ-13E		28.3	3.42	5.92	0.06	<0.02	0.024	0.014	0.04	22.7	9.4	0.25	390	0.95	<0.01	0.29
LQ-14E		23.5	4.20	3.84	0.05	0.02	0.044	0.019	0.04	19.0	10.6	0.21	248	1.06	<0.01	0.35
LQ-15E		19.40	3.32	3.81	0.05	<0.02	0.025	0.015	0.04	25.4	10.1	0.24	199	0.99	<0.01	0.31
LQ-16E		84.7	3.14	4.09	0.07	0.08	0.094	0.021	0.04	18.8	17.5	0.23	205	1.31	<0.01	0.42
LQ-17E		25.9	2.21	4.04	0.06	0.02	0.036	0.013	0.04	23.5	10.1	0.23	188	1.22	<0.01	0.30
LQ-19E		34.5	1.47	4.09	0.05	0.16	0.060	0.016	0.05	17.4	16.3	0.23	54	0.76	<0.01	0.27
LQ-21E		25.1	3.69	2.85	0.05	0.11	0.047	0.024	0.03	13.3	9.6	0.18	510	1.78	<0.01	0.13
LR-1E		18.20	3.62	3.47	0.06	<0.02	0.026	0.014	0.05	22.7	5.3	0.15	353	0.87	<0.01	0.34
LR-2E		25.3	4.09	5.01	0.05	0.05	0.043	0.018	0.04	21.6	17.2	0.30	244	1.47	<0.01	0.42
LR-3E		29.3	3.95	3.92	0.06	0.08	0.035	0.023	0.04	20.6	19.7	0.29	212	1.12	<0.01	0.44
LR-4E		26.6	4.12	3.21	0.07	0.03	0.026	0.019	0.06	28.8	13.8	0.23	190	0.97	<0.01	0.31
LR-5E		16.70	3.00	3.90	0.07	0.07	0.031	0.018	0.05	24.3	19.7	0.27	110	1.22	<0.01	0.36

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
LP-4E		9.5	0.092	17.50	6.2	0.001	0.02	0.165	0.7	0.3	0.3	2.4	<0.01	0.03	2.8	0.020
LP-5E		16.5	0.052	22.6	7.1	<0.001	0.02	0.118	0.8	0.1	0.2	1.7	<0.01	0.03	4.7	0.005
LP-6E		11.6	0.057	20.3	8.7	<0.001	0.02	0.109	0.7	0.1	0.3	2.1	<0.01	0.03	3.1	0.009
LP-7E		6.4	0.081	18.90	10.7	<0.001	0.01	0.100	0.7	0.1	0.3	2.0	<0.01	0.02	3.1	0.013
LP-8E		12.8	0.049	27.3	8.0	<0.001	0.03	0.132	1.1	0.3	0.3	8.3	<0.01	0.03	5.3	0.012
LP-9E		12.9	0.061	28.5	6.6	<0.001	0.03	0.181	1.0	<0.1	0.3	6.2	<0.01	0.04	5.8	0.010
LP-10E		17.5	0.081	32.5	7.2	<0.001	0.05	0.147	1.2	0.4	0.3	28.5	<0.01	0.05	3.5	0.012
LP-11E		13.5	0.107	15.50	6.7	<0.001	0.02	0.112	0.7	0.2	0.3	2.4	<0.01	0.06	1.7	0.014
LP-12E		16.4	0.100	32.9	8.3	<0.001	0.03	0.235	0.9	0.2	0.4	2.9	<0.01	0.12	1.7	0.018
LP-13E		21.4	0.049	30.6	7.4	<0.001	0.08	0.222	0.5	0.1	0.3	1.7	<0.01	0.06	1.4	0.010
LP-14E		19.1	0.035	25.0	7.0	<0.001	0.02	0.166	0.6	0.2	0.3	3.8	<0.01	0.03	1.1	0.018
LP-15E		13.9	0.040	34.4	6.8	<0.001	0.02	0.086	0.7	<0.1	0.2	3.3	<0.01	0.02	2.4	0.008
LP-16E		12.5	0.033	36.0	7.1	<0.001	0.02	0.112	0.8	0.3	0.3	3.1	<0.01	0.03	3.2	0.012
LP-17E		37.3	0.044	58.7	5.4	<0.001	0.03	0.148	0.9	0.5	0.2	5.0	<0.01	0.03	2.0	0.009
LP-19E		6.8	0.041	24.0	11.7	<0.001	0.03	0.031	0.6	<0.1	0.4	4.0	<0.01	<0.01	1.0	0.008
LP-20E		21.2	0.030	31.7	4.3	<0.001	0.06	0.078	1.1	0.2	0.2	4.7	<0.01	0.02	1.9	0.007
LP-21E		18.5	0.041	23.5	7.0	<0.001	0.03	0.093	1.1	0.2	0.2	6.0	<0.01	0.01	2.1	0.009
LQ-1E		10.3	0.050	15.85	9.3	<0.001	0.02	0.078	0.7	0.1	0.2	2.2	<0.01	0.02	3.1	0.006
LQ-2E		9.4	0.043	12.35	8.1	<0.001	0.02	0.085	0.8	0.2	0.3	2.0	<0.01	0.03	4.1	0.009
LQ-3E		13.1	0.046	21.8	8.4	<0.001	0.02	0.157	0.8	0.2	0.2	2.3	<0.01	0.02	2.7	0.010
LQ-4E		28.9	0.057	27.8	9.6	<0.001	0.03	0.214	1.1	0.2	0.2	2.5	<0.01	0.03	3.8	0.005
LQ-5E		11.0	0.034	34.6	7.5	<0.001	0.02	0.150	0.7	0.4	0.3	2.4	<0.01	0.02	1.4	0.013
LQ-6E		8.6	0.126	19.00	10.3	<0.001	0.02	0.102	0.5	0.1	0.3	1.9	<0.01	0.04	1.6	0.009
LQ-8E		8.4	0.054	19.55	6.6	<0.001	0.02	0.145	0.5	0.1	0.4	2.1	<0.01	0.02	0.8	0.018
LQ-9E		10.6	0.035	30.3	7.8	<0.001	0.02	0.110	0.5	<0.1	0.3	2.8	<0.01	0.02	1.1	0.017
LQ-10E		9.2	0.087	28.1	9.1	<0.001	0.04	0.159	0.5	0.1	0.3	3.9	<0.01	0.02	0.6	0.015
LQ-11E		16.1	0.061	28.8	6.7	<0.001	0.04	0.194	0.9	0.2	0.2	2.4	<0.01	0.03	3.0	0.012
LQ-12E		12.2	0.058	35.5	7.1	<0.001	0.04	0.163	0.7	0.2	0.3	3.2	<0.01	0.03	1.0	0.018
LQ-13E		15.9	0.053	25.1	11.8	<0.001	0.02	0.172	0.5	0.3	0.3	3.5	<0.01	0.03	0.6	0.010
LQ-14E		17.5	0.047	37.0	7.3	<0.001	0.02	0.158	0.7	0.5	0.2	2.6	<0.01	0.05	1.8	0.011
LQ-15E		14.1	0.030	17.00	7.6	<0.001	0.01	0.111	0.7	0.2	0.2	2.4	<0.01	0.05	5.6	0.008
LQ-16E		25.1	0.047	49.1	8.4	<0.001	0.03	0.155	1.2	1.1	0.2	4.0	<0.01	0.07	2.0	0.013
LQ-17E		16.7	0.029	31.0	8.6	<0.001	0.01	0.068	0.8	0.1	0.2	4.9	<0.01	0.02	2.7	0.011
LQ-19E		16.6	0.076	53.0	5.6	<0.001	0.04	0.039	1.4	0.4	0.3	9.4	<0.01	0.03	1.8	0.010
LQ-21E		24.4	0.086	33.7	4.5	0.001	0.05	0.130	1.6	0.6	0.2	9.0	<0.01	0.06	2.4	0.006
LR-1E		14.2	0.054	22.2	8.6	<0.001	0.01	0.140	0.6	0.3	0.2	2.1	<0.01	0.05	2.7	0.008
LR-2E		18.8	0.056	23.4	9.1	<0.001	0.02	0.229	0.9	0.6	0.2	2.9	<0.01	0.05	5.9	0.008
LR-3E		18.5	0.048	31.6	9.9	<0.001	0.02	0.139	1.1	0.7	0.2	2.4	<0.01	0.05	6.1	0.008
LR-4E		20.7	0.039	35.7	9.9	<0.001	0.01	0.168	1.1	0.6	0.2	2.2	<0.01	0.05	5.9	0.004
LR-5E		14.3	0.037	31.5	9.3	<0.001	0.02	0.101	0.9	0.5	0.2	3.5	<0.01	0.06	3.9	0.008

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.0001	0.05	0.1	0.5
LP-4E		0.06	0.44	25	0.757	1.17	33.6	<0.5
LP-5E		0.07	0.75	14	3.60	1.59	55.8	0.8
LP-6E		0.05	0.58	17	0.941	1.50	45.7	<0.5
LP-7E		0.06	0.51	28	1.020	1.19	27.0	<0.5
LP-8E		0.06	1.07	21	0.952	1.81	52.7	1.0
LP-9E		0.04	0.99	20	1.175	1.43	60.4	1.3
LP-10E		0.05	1.27	27	0.444	1.99	65.8	1.5
LP-11E		0.06	0.50	23	1.180	1.24	42.3	<0.5
LP-12E		0.04	1.06	26	1.240	1.91	57.1	0.5
LP-13E		0.09	0.67	20	0.815	1.30	52.4	<0.5
LP-14E		0.05	0.80	24	0.956	2.09	52.4	<0.5
LP-15E		0.05	1.11	16	0.660	2.58	50.4	0.5
LP-16E		0.04	0.92	18	0.554	2.08	47.4	0.5
LP-17E		0.08	2.37	14	1.060	3.10	76.8	1.0
LP-19E		0.08	2.13	13	0.338	2.10	24.7	<0.5
LP-20E		0.08	1.63	16	0.242	3.42	43.7	0.9
LP-21E		0.07	1.57	17	0.337	2.60	56.4	0.9
LQ-1E		0.07	0.63	18	0.542	1.60	41.6	0.6
LQ-2E		0.06	0.38	22	0.443	1.21	37.1	<0.5
LQ-3E		0.05	1.00	20	0.883	2.11	48.6	0.5
LQ-4E		0.08	0.87	15	0.398	1.73	82.9	2.3
LQ-5E		0.08	1.21	20	0.707	1.91	40.6	<0.5
LQ-6E		0.08	0.54	19	1.090	1.35	33.6	<0.5
LQ-8E		0.07	0.56	30	0.966	1.14	35.1	0.5
LQ-9E		0.07	0.72	25	1.275	1.58	35.8	<0.5
LQ-10E		0.05	1.42	27	0.350	1.70	41.9	<0.5
LQ-11E		0.04	1.31	21	0.428	2.35	62.5	1.2
LQ-12E		0.06	1.94	27	1.265	3.12	41.8	<0.5
LQ-13E		0.06	1.23	24	0.702	2.41	50.6	<0.5
LQ-14E		0.05	1.24	17	0.941	2.44	55.8	0.7
LQ-15E		0.03	0.70	12	0.584	1.59	48.7	0.5
LQ-16E		0.04	4.98	16	0.614	6.51	55.0	2.5
LQ-17E		0.05	1.31	15	0.613	2.48	46.8	<0.5
LQ-19E		0.07	4.37	15	0.210	6.46	34.5	3.7
LQ-21E		0.09	2.33	12	0.205	4.20	99.8	3.4
LR-1E		0.06	0.66	15	0.783	1.53	48.4	0.5
LR-2E		0.05	1.06	18	0.558	1.71	54.6	1.6
LR-3E		0.05	1.42	19	0.695	2.28	60.5	2.6
LR-4E		0.05	0.98	12	0.898	2.47	66.1	1.1
LR-5E		0.06	1.00	15	0.649	2.11	46.2	2.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
LR-6E		0.28	0.0041	0.304	2.01	8.02	<10	69.7	0.47	0.39	0.05	0.08	36.7	18.2	20.8	0.70
LR-7E		0.22	0.0021	0.316	1.18	7.81	<10	34.8	0.11	0.35	0.02	0.12	41.5	4.6	12.6	0.80
LR-8E		0.28	0.0004	0.231	0.92	3.22	<10	24.9	0.05	0.27	0.01	0.07	37.1	2.8	10.7	0.66
LR-9E		0.28	0.0027	0.262	1.15	7.74	<10	29.7	0.10	0.38	0.02	0.12	43.4	6.3	17.4	0.73
LR-10E		0.22	0.0018	0.750	1.42	5.66	<10	28.6	0.28	0.36	0.02	0.34	35.4	10.8	13.0	0.90
LR-11E		0.20	0.0011	0.326	0.90	8.01	<10	30.3	0.12	0.45	0.03	0.06	41.2	4.5	12.7	0.76
LR-12E		0.34	0.0013	0.141	0.46	2.05	<10	24.1	<0.05	0.32	0.04	0.03	46.7	7.7	6.2	0.66
LR-13E		0.34	0.0014	0.250	1.46	5.57	<10	44.7	0.44	0.45	0.04	0.10	37.5	7.1	16.0	1.29
LR-14E		0.26	0.0011	0.396	1.26	5.13	<10	40.2	0.31	0.45	0.04	0.21	37.1	7.1	16.4	1.04
LR-15E		0.34	0.0008	0.097	1.35	2.93	<10	20.1	0.21	0.37	0.03	0.07	46.6	6.3	16.5	0.46
LR-16E		0.26	0.0078	0.423	1.33	3.37	<10	60.7	0.42	0.49	0.19	0.35	33.9	11.9	13.3	1.11
LR-17E		0.28	0.0021	0.240	0.77	5.42	<10	62.3	0.25	0.48	0.32	0.17	39.5	6.7	10.3	0.57
LR-18E		0.28	0.0033	0.080	0.62	4.06	<10	44.8	0.05	0.31	0.03	0.09	50.2	2.1	7.0	0.45
LR-19E		0.20	0.0027	0.242	1.78	17.95	<10	157.0	0.53	0.44	0.11	0.39	31.7	30.5	16.3	0.83
LR-20E		0.30	0.0035	0.264	1.76	16.50	<10	128.0	0.51	0.43	0.11	0.43	31.0	22.9	16.3	0.80
LR-21E		0.22	0.0158	0.481	1.72	9.55	<10	106.5	0.53	0.53	0.27	0.34	31.5	22.6	19.9	0.96
LS-1E		0.22	0.0018	0.074	0.81	6.98	<10	118.5	0.10	0.34	0.03	0.17	45.4	6.1	20.9	3.32
LS-2E		0.26	<0.0002	0.086	0.94	6.40	<10	13.8	0.08	0.10	<0.01	0.03	32.2	4.4	11.3	0.47
LS-3E		0.32	0.0028	0.054	0.52	4.99	<10	18.9	<0.05	0.45	0.01	0.05	53.0	3.4	6.1	0.69
LS-4E		0.28	0.0005	0.176	0.84	7.13	<10	33.8	0.10	0.39	0.03	0.06	52.4	6.2	10.4	0.47
LS-5E		0.26	0.0005	0.142	1.06	8.17	<10	62.3	0.20	0.33	0.19	0.13	43.1	4.6	9.9	0.29
LS-6E		0.18	0.0022	0.458	2.59	9.44	<10	61.0	0.77	0.44	0.90	0.57	39.0	19.8	23.8	0.68
LS-7E		0.22	0.0017	0.478	1.93	7.73	<10	99.0	0.56	0.42	0.69	0.69	40.1	15.4	23.3	0.92
LS-8E		0.22	0.0010	0.116	1.14	4.82	<10	55.5	0.20	0.28	0.22	0.09	41.9	5.8	16.0	0.59
LS-9E		0.28	<0.0002	0.046	0.86	3.69	<10	39.9	0.10	0.23	0.07	0.02	46.3	4.2	18.2	0.43
LS-10E		0.16	0.0005	0.290	1.90	8.02	<10	168.5	0.41	0.43	0.16	0.20	32.7	38.3	30.1	0.80
LS-11E		0.26	0.0102	0.202	1.32	5.40	<10	86.7	0.30	0.51	0.16	0.11	32.9	9.8	18.2	0.64
LS-12E		0.26	0.0010	0.291	1.64	5.24	<10	71.3	0.42	0.54	0.07	0.14	45.0	13.8	26.0	0.80
LS-13E		0.28	0.0209	0.195	1.18	6.44	<10	52.0	0.34	0.42	0.05	0.08	38.1	14.6	19.1	0.67
LS-14E		0.28	0.0007	0.147	1.70	7.47	<10	33.0	0.25	0.48	0.03	0.06	53.3	8.0	27.2	0.49
LS-15E		0.22	0.0008	0.265	0.88	8.06	<10	48.1	0.12	0.63	0.07	0.18	24.1	5.9	14.3	0.32
LS-16E		0.24	0.0016	0.120	0.59	5.39	<10	22.0	0.07	0.70	0.02	0.13	36.9	10.5	17.3	0.54
LS-17E		0.24	0.0324	0.184	0.64	23.5	<10	99.2	0.20	0.58	0.09	0.16	40.5	18.3	12.0	0.43
LS-18E		0.22	0.0017	0.377	1.56	9.53	<10	126.5	0.36	0.46	0.19	0.38	30.5	17.9	23.1	0.84
LS-19E		0.20	0.0032	0.278	0.98	1.82	<10	44.5	0.13	0.39	0.04	0.09	30.7	3.8	12.2	0.61
LS-20E		0.18	0.0013	0.561	1.49	3.80	<10	45.7	0.43	0.50	0.06	0.17	29.2	20.6	22.1	0.72
LS-21E		0.20	0.0013	0.216	0.84	4.11	<10	50.8	0.15	0.34	0.04	0.20	38.6	3.1	10.1	0.54
LT-1E		0.30	0.0016	0.177	1.34	10.30	<10	91.0	0.23	0.36	0.02	0.15	37.5	9.9	37.7	3.07
LT-2E		0.22	0.0006	0.215	1.55	4.63	<10	70.6	0.21	0.24	0.01	0.10	34.6	12.9	70.0	2.93
LT-3E		0.26	0.0005	0.052	1.23	5.53	<10	36.2	0.11	0.31	0.02	0.05	51.7	7.1	17.1	0.95

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
LR-6E		24.4	3.47	3.49	0.06	0.18	0.078	0.035	0.06	18.9	18.6	0.19	541	0.96	<0.01	0.43
LR-7E		20.6	3.30	3.99	0.06	0.02	0.045	0.017	0.04	22.2	9.9	0.17	127	0.91	<0.01	0.45
LR-8E		9.01	2.64	4.46	0.06	<0.02	0.030	0.011	0.03	19.1	2.8	0.07	353	0.67	<0.01	0.41
LR-9E		17.65	4.45	4.67	0.06	<0.02	0.032	0.015	0.05	22.3	8.1	0.21	298	0.96	<0.01	0.62
LR-10E		40.1	3.93	4.91	0.05	0.02	0.063	0.023	0.05	17.9	10.5	0.17	429	0.99	<0.01	0.44
LR-11E		16.50	3.37	5.09	0.05	<0.02	0.020	0.015	0.05	20.9	5.1	0.14	143	1.01	<0.01	0.56
LR-12E		4.34	1.04	3.58	0.07	<0.02	0.005	<0.005	0.03	24.8	2.9	0.08	539	0.53	<0.01	0.22
LR-13E		32.2	2.42	4.26	0.07	<0.02	0.025	0.022	0.05	20.4	18.1	0.25	117	1.15	<0.01	0.26
LR-14E		45.1	3.00	4.31	0.06	0.06	0.029	0.018	0.05	20.1	15.4	0.23	307	1.01	<0.01	0.33
LR-15E		19.75	3.11	3.75	0.07	0.04	0.009	0.009	0.03	25.2	24.7	0.56	136	0.86	<0.01	0.10
LR-16E		34.3	3.10	3.92	0.05	0.12	0.043	0.020	0.05	19.5	18.2	0.29	717	0.95	<0.01	0.22
LR-17E		22.8	3.27	3.68	0.07	0.02	0.027	0.015	0.04	21.3	6.0	0.13	179	0.90	<0.01	0.26
LR-18E		9.26	1.45	4.23	0.07	<0.02	0.006	0.007	0.02	26.8	1.8	0.05	45	0.71	<0.01	0.26
LR-19E		33.4	9.38	3.84	0.08	0.23	0.134	0.025	0.04	17.8	12.3	0.17	5550	1.61	<0.01	0.23
LR-20E		35.9	8.97	3.31	0.08	0.28	0.168	0.024	0.04	20.1	9.8	0.15	5980	1.34	<0.01	0.20
LR-21E		39.7	5.00	4.26	0.07	0.18	0.070	0.027	0.06	16.5	17.4	0.36	2350	1.19	<0.01	0.19
LS-1E		18.80	3.32	4.84	0.07	<0.02	0.024	0.012	0.05	22.1	4.6	0.15	255	1.70	<0.01	0.23
LS-2E		8.16	3.03	2.76	0.06	0.03	0.028	0.013	0.02	16.1	15.4	0.37	157	0.59	<0.01	0.15
LS-3E		12.60	2.05	4.53	0.07	<0.02	0.012	0.006	0.03	27.5	0.9	0.02	173	0.84	<0.01	0.50
LS-4E		18.35	4.38	4.44	0.06	<0.02	0.034	0.017	0.04	27.1	2.9	0.07	790	1.96	<0.01	0.55
LS-5E		16.70	4.08	4.21	0.06	<0.02	0.025	0.016	0.03	21.8	6.5	0.08	203	2.16	<0.01	0.46
LS-6E		40.0	5.28	4.53	0.07	0.22	0.084	0.028	0.06	23.2	32.4	0.37	415	1.66	<0.01	0.40
LS-7E		41.4	3.94	5.37	0.07	0.13	0.067	0.030	0.08	27.0	18.8	0.30	917	1.53	<0.01	0.63
LS-8E		15.65	2.51	3.69	0.06	0.02	0.019	0.014	0.04	23.3	9.9	0.20	216	0.80	<0.01	0.34
LS-9E		6.62	2.35	3.63	0.05	<0.02	0.025	0.011	0.03	24.7	12.5	0.30	111	0.89	<0.01	0.22
LS-10E		24.6	5.93	5.15	0.06	0.19	0.051	0.033	0.08	18.1	24.9	0.37	645	1.71	<0.01	0.34
LS-11E		22.1	3.50	4.27	<0.05	0.05	0.035	0.018	0.06	18.4	19.3	0.33	296	1.33	<0.01	0.30
LS-12E		40.3	4.68	5.08	0.06	0.05	0.048	0.025	0.05	24.8	22.7	0.44	406	1.74	<0.01	0.28
LS-13E		21.9	3.23	3.46	0.05	0.05	0.041	0.019	0.04	20.4	15.2	0.30	526	1.39	<0.01	0.21
LS-14E		23.2	5.50	6.18	0.06	0.06	0.030	0.022	0.02	28.4	23.1	0.57	117	1.43	<0.01	0.46
LS-15E		21.6	7.12	5.11	<0.05	<0.02	0.064	0.022	0.02	12.7	1.7	0.06	174	1.51	<0.01	0.59
LS-16E		31.3	5.29	4.11	0.05	<0.02	0.030	0.020	0.02	19.0	2.7	0.09	409	2.83	<0.01	0.21
LS-17E		35.7	5.30	2.87	0.05	0.02	0.032	0.023	0.04	19.7	2.8	0.07	397	1.57	<0.01	0.26
LS-18E		23.7	4.45	4.18	0.05	0.16	0.075	0.025	0.05	16.3	16.3	0.35	1990	1.33	<0.01	0.22
LS-19E		17.40	2.38	4.34	<0.05	0.02	0.038	0.012	0.03	15.2	8.2	0.21	92	1.21	<0.01	0.28
LS-20E		29.2	5.25	3.95	<0.05	0.10	0.086	0.019	0.04	15.1	12.7	0.27	1770	1.14	<0.01	0.24
LS-21E		10.50	2.25	3.59	<0.05	<0.02	0.042	0.011	0.04	19.8	7.6	0.15	95	0.85	<0.01	0.34
LT-1E		25.3	4.31	4.83	0.06	0.05	0.071	0.026	0.05	18.0	8.7	0.29	867	1.70	<0.01	0.35
LT-2E		15.95	3.75	7.06	<0.05	<0.02	0.047	0.016	0.04	17.1	11.0	0.53	953	1.94	<0.01	0.42
LT-3E		15.85	4.47	4.71	0.06	0.03	0.041	0.015	0.04	24.9	9.7	0.24	723	1.08	<0.01	0.57

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
LR-6E		22.8	0.071	44.2	9.5	<0.001	0.03	0.118	1.1	0.6	0.2	4.1	<0.01	0.04	3.9	0.008
LR-7E		11.8	0.048	30.9	8.5	<0.001	0.02	0.138	0.7	0.4	0.2	3.3	<0.01	0.05	1.6	0.011
LR-8E		6.0	0.040	18.40	6.3	<0.001	0.01	0.075	0.4	0.2	0.3	2.2	<0.01	0.04	1.2	0.011
LR-9E		15.6	0.058	32.0	11.1	<0.001	0.02	0.182	0.8	0.3	0.3	2.8	<0.01	0.04	1.9	0.016
LR-10E		22.8	0.084	40.9	10.5	<0.001	0.03	0.166	0.7	0.8	0.2	3.1	<0.01	0.05	1.0	0.010
LR-11E		13.6	0.053	25.8	9.8	<0.001	0.02	0.148	0.6	0.4	0.3	3.6	<0.01	0.04	1.4	0.021
LR-12E		6.0	0.022	14.40	10.3	<0.001	0.01	0.051	0.2	0.2	0.2	3.9	<0.01	0.03	0.8	0.015
LR-13E		20.5	0.063	70.8	12.0	<0.001	0.02	0.090	0.6	0.4	0.3	4.9	<0.01	0.01	0.7	0.013
LR-14E		22.4	0.042	31.5	10.5	<0.001	0.02	0.121	0.6	0.5	0.3	4.6	<0.01	0.03	0.6	0.013
LR-15E		16.7	0.026	14.20	3.8	<0.001	0.01	0.077	0.9	0.3	<0.2	2.6	<0.01	0.03	4.6	0.005
LR-16E		29.7	0.118	33.4	10.4	<0.001	0.04	0.098	1.4	0.3	0.2	12.2	<0.01	0.04	1.9	0.007
LR-17E		15.8	0.047	20.6	8.1	<0.001	0.02	0.110	0.8	0.5	0.2	13.2	<0.01	0.07	2.3	0.009
LR-18E		5.9	0.019	11.40	5.5	<0.001	0.01	0.068	0.5	0.3	0.2	3.5	<0.01	0.04	3.5	0.008
LR-19E		38.2	0.132	27.7	9.7	<0.001	0.05	0.177	2.7	1.8	0.2	12.4	<0.01	0.06	3.4	0.008
LR-20E		30.2	0.146	33.6	6.6	<0.001	0.06	0.227	2.9	2.2	0.2	12.2	<0.01	0.07	3.2	0.007
LR-21E		32.5	0.126	45.1	9.9	0.001	0.05	0.193	2.0	1.0	0.2	18.4	<0.01	0.07	2.4	0.011
LS-1E		13.6	0.059	21.8	11.2	<0.001	0.01	0.156	0.4	0.2	0.2	4.3	<0.01	0.04	0.7	0.014
LS-2E		11.4	0.040	9.41	4.7	<0.001	0.02	0.098	0.5	0.2	<0.2	1.3	<0.01	0.02	6.4	0.005
LS-3E		7.8	0.039	8.54	8.1	<0.001	0.01	0.314	0.4	0.3	0.3	2.0	<0.01	0.05	2.4	0.017
LS-4E		13.6	0.080	30.6	6.0	<0.001	0.02	0.328	0.8	0.4	0.3	3.5	<0.01	0.05	4.4	0.011
LS-5E		8.6	0.041	30.1	5.0	<0.001	0.01	0.330	0.7	0.2	0.3	9.6	<0.01	0.05	2.0	0.012
LS-6E		37.3	0.119	61.8	9.1	<0.001	0.07	0.272	1.8	1.3	0.2	35.8	0.01	0.06	4.6	0.010
LS-7E		29.2	0.097	58.9	15.3	<0.001	0.04	0.166	1.8	0.9	0.3	27.7	<0.01	0.07	3.0	0.014
LS-8E		12.4	0.034	24.6	7.5	<0.001	0.01	0.080	1.0	0.5	0.2	9.4	<0.01	0.02	2.2	0.014
LS-9E		10.3	0.022	19.15	7.0	<0.001	<0.01	0.076	0.7	0.4	<0.2	4.8	<0.01	0.02	3.2	0.011
LS-10E		37.4	0.120	82.5	10.3	0.001	0.03	0.151	1.3	1.0	0.2	10.4	<0.01	0.04	2.4	0.013
LS-11E		22.3	0.062	32.6	9.3	<0.001	0.02	0.124	0.8	0.6	0.2	8.7	<0.01	0.04	1.7	0.009
LS-12E		32.0	0.066	33.4	9.4	<0.001	0.03	0.159	1.0	0.7	0.3	5.6	<0.01	0.04	1.5	0.013
LS-13E		24.4	0.056	26.2	6.2	<0.001	0.02	0.127	0.8	0.6	0.2	4.0	<0.01	0.03	1.4	0.011
LS-14E		20.1	0.027	24.6	4.6	<0.001	0.02	0.133	1.3	0.4	0.2	2.9	<0.01	0.05	9.1	0.012
LS-15E		18.2	0.053	31.1	3.3	<0.001	0.03	0.238	0.5	0.5	0.3	3.6	<0.01	0.06	1.1	0.013
LS-16E		35.9	0.061	28.3	3.3	<0.001	0.02	0.204	0.6	0.4	0.2	2.6	<0.01	0.05	1.2	0.009
LS-17E		35.0	0.051	32.0	5.4	<0.001	0.02	0.191	0.9	0.5	0.2	6.4	<0.01	0.06	2.4	0.008
LS-18E		37.4	0.090	39.1	7.9	<0.001	0.03	0.157	1.8	1.1	0.2	14.4	<0.01	0.04	2.0	0.012
LS-19E		10.5	0.045	24.9	5.2	<0.001	0.02	0.069	0.6	0.3	0.2	3.8	<0.01	0.02	1.5	0.009
LS-20E		20.5	0.096	60.1	6.8	<0.001	0.04	0.102	1.0	0.8	0.2	5.4	<0.01	0.05	1.7	0.009
LS-21E		9.8	0.029	30.8	8.7	<0.001	0.01	0.078	0.6	0.4	0.2	3.5	<0.01	0.03	1.9	0.010
LT-1E		18.9	0.083	43.5	9.2	<0.001	0.02	0.250	0.9	0.8	0.2	3.6	<0.01	0.04	1.6	0.010
LT-2E		19.9	0.082	19.50	9.1	<0.001	0.02	0.153	0.9	0.3	0.3	3.3	<0.01	0.03	0.7	0.014
LT-3E		16.2	0.141	21.1	9.4	<0.001	0.02	0.129	0.8	0.6	0.2	2.3	<0.01	0.04	3.4	0.010

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.02	0.05	1	0.0001	0.05	0.1	0.5
LR-6E		0.05	2.19	14	0.889	3.33	71.5	4.9
LR-7E		0.05	1.23	20	1.100	2.13	42.3	0.8
LR-8E		0.09	0.45	19	0.921	1.13	24.0	<0.5
LR-9E		0.06	0.65	23	1.170	1.73	59.5	<0.5
LR-10E		0.05	2.02	20	0.722	4.61	57.9	0.7
LR-11E		0.05	0.71	26	1.410	1.70	41.4	<0.5
LR-12E		0.04	0.34	14	0.487	1.30	15.2	<0.5
LR-13E		0.05	3.76	24	0.559	3.83	58.2	<0.5
LR-14E		0.04	3.00	20	0.469	4.12	55.4	0.5
LR-15E		0.02	1.08	10	0.329	2.17	61.2	1.3
LR-16E		0.05	3.07	13	0.373	4.95	74.4	2.7
LR-17E		0.03	1.33	15	0.297	3.34	63.3	<0.5
LR-18E		0.05	0.40	17	0.594	1.41	24.2	<0.5
LR-19E		0.07	4.64	18	0.288	7.92	117.5	6.8
LR-20E		0.07	5.64	16	0.305	13.65	101.5	7.5
LR-21E		0.05	3.88	19	0.217	8.36	98.0	5.0
LS-1E		0.05	0.65	33	0.540	1.57	47.5	0.5
LS-2E		0.02	1.05	7	0.116	1.02	61.6	0.8
LS-3E		0.07	0.36	30	0.688	1.34	33.7	<0.5
LS-4E		0.07	0.65	23	0.595	1.63	50.4	<0.5
LS-5E		0.05	0.80	25	0.166	1.87	47.4	<0.5
LS-6E		0.07	9.61	20	0.443	7.78	82.0	6.6
LS-7E		0.08	4.33	26	0.673	7.22	91.1	3.5
LS-8E		0.05	1.51	21	0.771	2.66	52.5	0.5
LS-9E		0.04	0.55	16	0.372	1.42	38.7	<0.5
LS-10E		0.08	2.33	27	0.442	3.36	130.0	4.5
LS-11E		0.04	1.48	18	0.620	2.32	82.8	1.1
LS-12E		0.04	3.08	21	0.401	3.57	105.0	1.0
LS-13E		0.04	2.09	16	0.551	2.53	70.3	1.2
LS-14E		0.03	1.81	21	0.339	2.47	82.3	2.6
LS-15E		0.04	0.72	22	0.347	1.03	56.1	<0.5
LS-16E		0.03	0.91	15	0.241	1.63	63.1	<0.5
LS-17E		0.04	1.31	14	0.215	1.72	98.5	0.5
LS-18E		0.07	3.04	22	0.252	6.04	98.0	3.2
LS-19E		0.04	1.26	16	0.272	1.87	37.3	<0.5
LS-20E		0.06	4.06	14	0.427	4.56	58.4	2.0
LS-21E		0.05	0.81	17	0.606	1.81	36.4	<0.5
LT-1E		0.07	1.03	32	0.571	2.27	57.7	1.3
LT-2E		0.06	0.61	58	0.639	1.28	53.1	<0.5
LT-3E		0.07	0.95	24	0.877	1.46	49.5	0.9

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
LT-4E		0.24	0.0425	0.118	1.47	4.17	<10	29.9	0.12	0.32	0.01	0.06	53.8	11.6	20.6	0.66
LT-5E		0.18	0.0009	0.131	1.18	3.03	<10	33.8	0.12	0.36	0.02	0.11	52.2	3.2	13.0	0.72
LT-6E		0.18	0.0012	0.135	0.77	2.73	<10	29.9	0.09	0.36	0.01	0.06	45.9	3.7	8.4	0.89
LT-7E		0.26	0.0010	0.067	1.41	7.30	<10	34.0	0.18	0.35	0.01	0.10	49.3	8.1	18.7	0.61
LT-8E		0.34	0.0056	0.067	1.29	5.43	<10	37.4	0.16	0.36	0.02	0.04	53.8	4.3	17.1	0.66
LT-9E		0.30	0.0628	0.043	0.91	4.69	<10	29.5	0.10	0.26	0.02	0.03	46.7	3.4	13.2	0.39
LT-12E		0.26	0.0089	0.048	1.38	6.15	<10	80.3	0.21	0.33	0.05	0.11	47.6	7.1	23.0	0.45
LT-13E		0.26	0.0009	0.194	1.06	6.24	<10	92.1	0.30	0.42	0.10	0.14	33.0	14.2	18.0	0.84
LT-14E		0.22	0.0011	0.113	1.39	7.26	<10	98.9	0.32	0.38	0.12	0.14	36.4	11.3	22.8	0.78
LT-15E		0.30	0.0142	0.162	1.29	9.03	<10	85.1	0.27	0.47	0.14	0.15	34.2	14.7	24.4	0.50
LT-16E		0.34	0.0013	0.227	1.20	4.62	<10	46.1	0.19	0.40	0.07	0.12	35.5	10.5	17.5	0.52
LT-17E		0.24	0.0008	0.153	1.03	3.83	<10	47.8	0.20	0.34	0.06	0.08	47.9	6.0	14.9	0.89
LT-18E		0.28	0.0010	0.142	1.01	3.91	<10	45.1	0.24	0.46	0.05	0.09	41.4	5.3	17.2	0.95
LT-20E		0.36	0.0165	0.061	0.84	9.43	<10	30.7	0.17	0.37	0.01	0.05	41.3	7.5	8.7	0.52
LT-21E		0.26	0.0238	0.329	1.49	4.00	<10	30.9	0.16	0.79	0.02	0.13	42.7	3.8	18.3	0.49

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
LT-4E		12.40	4.45	6.62	0.06	0.03	0.042	0.017	0.03	24.9	17.9	0.35	868	1.22	<0.01	0.40
LT-5E		18.10	2.46	4.64	0.05	0.03	0.047	0.011	0.05	31.4	12.9	0.17	144	1.13	<0.01	0.49
LT-6E		13.70	1.75	4.52	0.05	<0.02	0.023	0.007	0.04	24.3	3.9	0.11	182	1.10	<0.01	0.24
LT-7E		28.6	4.34	3.74	0.05	0.05	0.043	0.021	0.05	25.7	12.6	0.26	242	1.05	<0.01	0.46
LT-8E		42.9	2.73	3.71	0.06	0.03	0.062	0.016	0.05	29.6	12.6	0.26	95	0.96	<0.01	0.41
LT-9E		10.85	2.62	3.52	<0.05	<0.02	0.011	0.008	0.04	25.5	9.7	0.29	91	0.85	<0.01	0.22
LT-12E		19.65	4.08	4.34	0.05	0.03	0.030	0.019	0.04	24.6	16.8	0.41	189	1.31	<0.01	0.26
LT-13E		21.5	3.55	4.67	<0.05	<0.02	0.034	0.018	0.04	16.3	7.6	0.15	1080	1.50	<0.01	0.25
LT-14E		18.40	3.76	4.19	0.05	0.13	0.034	0.019	0.06	18.9	17.0	0.37	1190	1.10	<0.01	0.20
LT-15E		20.4	4.15	3.48	<0.05	0.08	0.030	0.020	0.05	15.8	13.8	0.38	653	1.38	0.01	0.18
LT-16E		25.7	3.18	3.44	<0.05	0.05	0.022	0.017	0.03	18.5	13.4	0.36	107	1.18	<0.01	0.18
LT-17E		15.85	3.03	3.68	0.05	0.03	0.024	0.011	0.04	24.2	11.4	0.22	165	0.98	0.01	0.29
LT-18E		23.0	2.96	3.84	0.06	0.02	0.025	0.014	0.04	21.8	10.5	0.23	160	1.14	<0.01	0.27
LT-20E		19.50	3.19	2.30	<0.05	0.03	0.044	0.018	0.03	21.0	6.6	0.13	453	0.87	<0.01	0.18
LT-21E		18.30	4.01	5.27	0.06	0.03	0.075	0.019	0.03	22.1	13.8	0.39	101	0.98	<0.01	0.43

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
LT-4E		20.6	0.117	22.3	9.7	<0.001	0.02	0.126	0.8	0.6	0.2	2.2	<0.01	0.05	3.4	0.009
LT-5E		9.1	0.047	27.8	8.4	<0.001	0.02	0.056	0.6	0.3	0.3	2.5	<0.01	0.03	3.5	0.008
LT-6E		8.0	0.055	20.9	9.3	<0.001	0.02	0.068	0.3	0.2	0.3	2.4	<0.01	0.03	0.8	0.011
LT-7E		20.6	0.032	33.9	7.1	<0.001	0.02	0.158	1.0	0.4	0.2	1.7	<0.01	0.05	4.9	0.007
LT-8E		15.0	0.029	38.4	7.9	<0.001	0.02	0.092	0.8	0.6	0.2	2.7	<0.01	0.03	2.8	0.013
LT-9E		10.6	0.026	16.90	6.3	<0.001	0.01	0.087	0.6	0.5	<0.2	1.8	<0.01	0.02	3.4	0.009
LT-12E		19.9	0.032	20.2	5.8	<0.001	0.02	0.168	1.1	0.7	0.2	4.6	<0.01	0.03	3.5	0.010
LT-13E		20.8	0.063	42.1	8.0	<0.001	0.03	0.190	0.6	0.5	0.3	10.1	<0.01	0.04	0.5	0.013
LT-14E		27.0	0.064	27.1	8.8	0.001	0.02	0.139	1.5	0.8	0.2	10.6	<0.01	0.04	2.4	0.012
LT-15E		31.1	0.055	29.8	5.2	<0.001	0.02	0.180	1.4	0.8	0.2	9.3	<0.01	0.06	2.0	0.015
LT-16E		21.8	0.040	39.9	3.8	<0.001	0.02	0.149	1.2	0.6	<0.2	4.1	<0.01	0.04	2.7	0.012
LT-17E		16.8	0.034	20.6	6.3	<0.001	0.02	0.102	0.9	0.5	0.2	4.4	<0.01	0.04	2.6	0.009
LT-18E		19.1	0.039	21.3	6.6	<0.001	0.02	0.110	0.7	0.5	0.2	4.4	<0.01	0.03	1.3	0.013
LT-20E		15.2	0.034	36.8	6.2	<0.001	0.01	0.072	0.7	0.3	<0.2	1.7	<0.01	0.04	3.1	0.005
LT-21E		10.6	0.038	19.60	5.5	<0.001	0.01	0.320	0.9	0.1	0.2	2.6	<0.01	0.04	4.1	0.006

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.02	0.05	1	0.0001	0.05	0.1	0.5
LT-4E		0.06	0.55	24	0.486	1.38	52.4	4.2
LT-5E		0.06	0.60	18	0.565	1.63	34.1	0.8
LT-6E		0.06	0.62	21	0.609	1.36	26.5	<0.5
LT-7E		0.06	0.87	14	1.390	2.32	65.0	1.5
LT-8E		0.04	1.77	16	0.839	2.22	48.6	0.6
LT-9E		0.04	0.55	14	1.055	1.35	39.6	0.5
LT-12E		0.05	0.92	22	0.236	2.05	64.2	0.7
LT-13E		0.06	1.70	27	0.358	3.00	57.3	<0.5
LT-14E		0.06	2.11	20	0.212	3.62	81.9	2.9
LT-15E		0.04	1.67	20	3.32	3.51	89.3	2.0
LT-16E		0.04	2.16	16	0.270	2.69	70.1	1.2
LT-17E		0.05	1.51	16	0.548	2.97	53.5	0.5
LT-18E		0.05	2.10	17	0.678	2.45	60.0	<0.5
LT-20E		0.03	1.21	9	0.373	1.76	42.9	0.8
LT-21E		0.05	0.71	17	0.452	1.71	48.3	0.8

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-SEP-2011
Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11138550

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
 Finalized Date: 26-OCT-2011
 Account: WILLCR

CERTIFICATE VA11197337

Project: Pine Property
 P.O. No.:
 This report is for 32 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2011.
 The following have access to data associated with this certificate:


JOHN F. CHILDS	FRAN MACPHERSON	ROBERT E. REID
----------------	-----------------	----------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **WILLIAMS CREEK EXPLORATION LTD.**
ATTN: FRAN MACPHERSON
REGIONAL OFFICE & OPERATIONS CENTRE
2307 CORBETT ROAD
QUESNEL BC V2J 6T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-OCT-2011
 Account: WILLCR

Project: Pine Property

CERTIFICATE OF ANALYSIS VA11197337

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm	ME-MS41L Cs ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
LA-1E-11		0.20	0.0027	0.258	0.80	12.40	<10	142.5	0.26	0.47	0.09	0.27	43.4	10.1	20.5	1.12
LA-2E-11		0.20	0.0033	0.434	1.13	9.77	<10	51.3	0.34	0.44	0.16	0.21	31.5	18.6	14.9	0.92
LA-3E-11		0.24	0.0082	0.083	0.36	1.67	<10	9.8	<0.05	0.16	0.01	0.01	48.1	0.8	2.4	0.48
LA-4E-11		0.20	0.0052	0.111	0.29	15.80	<10	13.0	<0.05	0.32	0.03	0.03	47.4	6.7	3.0	0.29
LA-5E-11		0.24	0.0025	0.294	0.98	6.02	<10	29.1	0.14	0.36	0.01	0.07	45.0	4.8	13.2	0.51
LA-6E-11		0.20	0.0038	0.308	0.50	4.64	<10	15.8	<0.05	0.29	0.02	0.05	41.3	1.7	5.8	0.61
LA-7E-11		0.16	0.0020	0.724	1.02	6.19	<10	32.2	0.15	0.48	0.02	0.14	35.0	6.7	13.8	0.81
LA-8E-11		0.20	0.0003	0.165	0.61	0.97	<10	42.3	0.06	0.18	0.03	0.03	43.4	1.1	4.5	0.47
LA-9E-11		0.22	0.0010	0.354	0.81	5.80	<10	20.6	0.09	0.36	0.02	0.04	41.8	3.2	9.7	0.41
LA-10E-11		0.20	0.0232	0.150	1.16	6.95	<10	36.7	0.18	0.35	0.02	0.07	42.0	5.5	13.7	0.53
LA-11E-11		0.22	0.0010	0.076	0.96	6.13	<10	40.3	0.13	0.31	0.02	0.04	52.0	4.9	11.7	0.67
LA-12E-11		0.18	0.0016	0.150	0.61	3.46	<10	23.4	0.05	0.26	0.03	0.04	53.2	1.8	5.8	0.38
LA-13E-11		0.18	0.0045	0.421	0.59	3.22	<10	23.2	0.08	0.87	0.03	0.05	51.1	4.7	5.3	0.57
LA-14E-11		0.22	0.0085	0.554	0.34	2.35	<10	10.7	<0.05	0.14	0.03	0.02	42.8	2.2	3.4	0.29
LA-15E-11		0.18	0.0011	0.821	1.13	5.84	<10	22.8	0.19	0.52	0.03	0.07	38.4	5.0	16.7	0.85
LA-16E-11		0.16	0.0011	0.590	1.48	4.54	<10	30.7	0.25	0.35	0.01	0.07	38.3	4.9	13.8	0.63
LB-0E-11		0.28	0.0015	0.194	0.26	3.55	<10	11.5	0.09	0.26	0.01	0.04	72.2	7.0	3.5	0.23
LB-1E-11		0.24	0.0025	0.271	0.60	6.12	<10	18.5	0.08	0.40	0.05	0.05	40.5	6.8	9.6	0.53
LB-2E-11		0.22	3.69	1.035	0.28	8.38	<10	15.9	0.06	0.23	0.01	0.03	54.2	7.1	4.8	0.64
LB-3E-11		0.26	0.0057	0.258	0.70	6.58	<10	51.0	0.20	0.33	0.04	0.10	48.6	7.1	11.5	0.51
LB-4E-11		0.26	0.0166	0.305	0.86	9.97	<10	34.6	0.16	0.40	0.02	0.16	44.4	7.8	10.5	0.73
LB-5E-11		0.24	0.0085	0.537	0.57	2.70	<10	16.6	0.05	0.35	0.05	0.06	52.8	3.6	6.7	0.36
LB-6E-11		0.28	0.0049	0.727	0.49	8.17	<10	14.1	0.06	0.37	0.03	0.04	46.9	4.1	5.7	0.33
LB-7E-11		0.24	0.951	0.338	0.42	22.8	<10	17.7	0.06	0.69	0.03	0.05	44.3	9.5	6.2	0.30
LB-8E-11		0.24	0.0032	0.387	0.87	2.17	<10	64.3	0.21	0.25	0.09	0.07	47.0	4.8	10.6	0.60
LB-9E-11		0.24	0.0019	0.205	0.55	1.02	<10	40.3	0.09	0.16	0.06	0.03	41.0	1.4	5.1	0.49
LB-10E-11		0.18	0.0016	0.604	0.64	3.71	<10	17.7	0.07	0.43	0.03	0.04	52.6	5.3	9.9	0.28
LB-11E-11		0.24	0.0026	0.605	0.99	4.22	<10	26.4	0.13	0.30	0.02	0.07	33.9	3.4	10.8	0.52
LB-12E-11		0.22	0.0093	1.435	0.88	3.46	<10	21.6	0.09	0.29	0.02	0.05	45.4	2.3	8.7	0.48
LB-13E-11		0.20	0.0021	0.498	1.32	4.78	<10	33.3	0.23	0.38	0.03	0.14	40.7	6.2	16.9	0.77
LB-14E-11		0.20	0.0028	0.360	1.01	4.25	<10	22.8	0.16	0.26	0.03	0.08	47.0	5.0	11.3	0.62
LB-15E-11		0.18	0.0012	1.115	1.39	5.25	<10	27.6	0.32	0.46	0.02	0.42	40.5	6.6	12.4	1.83

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-OCT-2011
 Account: WILLCR

Project: Pine Property

CERTIFICATE OF ANALYSIS VA11197337

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01	0.01	0.05
LA-1E-11		31.3	4.18	4.86	0.11	<0.02	0.022	0.030	0.04	19.7	4.3	0.10	474	1.05	<0.01	0.35
LA-2E-11		29.8	4.13	3.86	0.10	<0.02	0.035	0.022	0.05	12.6	19.0	0.21	2420	0.82	0.01	0.28
LA-3E-11		2.77	0.36	4.17	0.11	<0.02	0.005	<0.005	0.02	23.0	0.4	0.01	44	0.25	<0.01	0.25
LA-4E-11		20.8	2.13	2.60	0.12	<0.02	0.023	0.007	0.03	22.9	0.4	0.02	191	0.78	0.01	0.19
LA-5E-11		17.05	3.68	3.27	0.11	0.03	0.059	0.016	0.04	21.8	7.3	0.12	197	0.81	<0.01	0.57
LA-6E-11		7.83	1.99	3.35	0.10	<0.02	0.039	0.006	0.03	18.7	1.3	0.04	76	0.69	<0.01	0.45
LA-7E-11		19.45	3.49	3.72	0.10	<0.02	0.049	0.014	0.05	16.4	8.4	0.16	186	0.88	0.01	0.40
LA-8E-11		2.37	0.46	2.55	0.11	<0.02	0.013	<0.005	0.03	21.6	1.6	0.05	59	0.19	<0.01	0.19
LA-9E-11		9.82	2.59	3.59	0.11	<0.02	0.034	0.010	0.03	20.4	2.8	0.08	188	0.59	<0.01	0.63
LA-10E-11		14.35	3.93	3.75	0.11	0.02	0.071	0.014	0.04	19.2	8.4	0.15	414	0.69	<0.01	0.46
LA-11E-11		11.35	2.43	3.95	0.12	<0.02	0.013	0.007	0.04	24.5	12.0	0.23	119	0.63	0.01	0.40
LA-12E-11		6.25	1.57	3.70	0.11	<0.02	0.013	0.006	0.03	23.8	2.2	0.07	102	0.52	<0.01	0.34
LA-13E-11		12.90	1.42	3.28	0.10	0.02	0.030	0.007	0.04	24.0	2.4	0.05	247	0.62	0.01	0.27
LA-14E-11		5.13	0.90	4.20	0.09	<0.02	0.006	<0.005	0.03	19.5	0.2	0.01	59	0.71	<0.01	0.18
LA-15E-11		15.10	4.90	4.67	0.11	0.02	0.070	0.016	0.05	18.2	5.5	0.11	186	0.96	0.01	0.91
LA-16E-11		14.50	3.24	4.72	0.10	0.04	0.066	0.019	0.05	17.0	15.4	0.09	172	0.82	0.01	0.59
LB-0E-11		27.6	4.03	1.16	0.13	0.02	0.030	0.009	0.02	32.5	0.2	0.01	110	0.79	<0.01	0.13
LB-1E-11		22.8	3.53	4.15	0.10	<0.02	0.038	0.010	0.03	18.1	1.1	0.05	165	1.49	0.01	0.19
LB-2E-11		22.5	2.24	3.31	0.12	<0.02	0.006	0.005	0.02	27.2	0.3	0.02	113	0.66	<0.01	0.24
LB-3E-11		17.30	2.52	2.51	0.10	<0.02	0.015	0.014	0.04	22.0	11.2	0.17	203	0.51	<0.01	0.26
LB-4E-11		20.6	3.19	3.59	0.10	<0.02	0.026	0.011	0.04	22.1	7.5	0.10	277	0.82	<0.01	0.53
LB-5E-11		13.70	2.74	4.25	0.11	<0.02	0.021	0.006	0.03	24.2	2.4	0.09	139	1.03	<0.01	0.27
LB-6E-11		13.90	2.48	2.75	0.11	<0.02	0.016	0.008	0.03	21.5	0.9	0.03	124	0.69	<0.01	0.42
LB-7E-11		47.1	4.07	2.81	0.12	0.04	0.024	0.011	0.03	20.4	0.5	0.03	210	1.72	0.01	0.40
LB-8E-11		7.07	1.85	2.56	0.10	0.02	0.005	0.009	0.03	20.3	19.3	0.24	75	0.42	0.01	0.19
LB-9E-11		4.70	0.49	2.43	0.10	<0.02	0.014	<0.005	0.03	18.7	3.1	0.09	78	0.23	0.01	0.14
LB-10E-11		20.4	3.53	4.73	0.12	<0.02	0.038	0.007	0.04	26.8	3.2	0.11	205	1.07	<0.01	0.32
LB-11E-11		10.30	2.79	3.65	0.11	<0.02	0.049	0.011	0.03	16.5	5.6	0.08	118	0.67	0.01	0.69
LB-12E-11		8.90	2.48	3.82	0.11	0.02	0.035	0.009	0.04	21.3	4.4	0.08	84	0.60	<0.01	0.54
LB-13E-11		17.35	4.85	4.67	0.11	0.02	0.042	0.015	0.04	18.7	8.5	0.16	270	1.01	0.01	0.60
LB-14E-11		30.2	2.37	3.87	0.11	0.03	0.062	0.008	0.04	22.1	7.1	0.12	105	0.75	<0.01	0.49
LB-15E-11		33.3	3.53	4.73	0.06	0.04	0.090	0.023	0.04	21.4	10.1	0.12	135	1.06	0.01	0.75

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-OCT-2011
 Account: WILLCR

Project: Pine Property

CERTIFICATE OF ANALYSIS VA11197337

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
LA-1E-11		19.2	0.072	43.7	9.3	<0.001	0.02	0.425	0.6	0.7	0.7	6.4	<0.01	0.04	0.8	0.016
LA-2E-11		34.3	0.089	38.2	9.6	<0.001	0.03	0.224	0.8	0.8	0.4	11.3	<0.01	0.02	0.6	0.014
LA-3E-11		1.8	0.013	2.84	3.2	<0.001	<0.01	0.044	0.2	0.3	0.3	1.5	<0.01	<0.01	3.4	0.008
LA-4E-11		12.9	0.042	6.31	4.7	<0.001	0.02	0.154	0.3	0.5	0.2	1.9	<0.01	0.01	3.2	0.005
LA-5E-11		11.5	0.051	27.1	7.2	<0.001	0.01	0.153	0.7	0.7	0.2	1.7	<0.01	0.05	5.7	0.007
LA-6E-11		4.5	0.058	10.65	8.0	<0.001	0.01	0.089	0.3	0.4	0.3	1.7	<0.01	<0.01	2.6	0.008
LA-7E-11		15.3	0.045	29.6	9.2	<0.001	0.02	0.171	0.5	0.5	0.3	3.1	<0.01	0.04	1.0	0.014
LA-8E-11		2.2	0.025	10.75	7.1	<0.001	<0.01	0.020	0.3	0.3	0.2	2.9	<0.01	<0.01	2.5	0.005
LA-9E-11		7.4	0.058	22.9	6.5	<0.001	0.01	0.131	0.6	0.5	0.3	1.9	<0.01	0.04	4.4	0.010
LA-10E-11		10.8	0.061	26.9	7.9	<0.001	0.01	0.136	0.7	0.7	0.2	1.9	<0.01	0.02	4.3	0.006
LA-11E-11		10.6	0.022	23.3	9.7	<0.001	0.01	0.084	0.6	0.7	0.2	2.8	<0.01	0.02	3.6	0.008
LA-12E-11		4.4	0.023	11.55	5.2	<0.001	0.01	0.082	0.4	0.5	0.2	1.9	<0.01	<0.01	5.3	0.008
LA-13E-11		9.0	0.036	26.0	8.0	<0.001	0.01	0.094	0.5	0.2	0.3	3.2	<0.01	0.04	2.7	0.007
LA-14E-11		4.8	0.020	3.80	2.9	<0.001	0.01	0.051	0.2	0.6	0.4	1.5	<0.01	0.01	2.0	0.006
LA-15E-11		11.9	0.079	32.9	7.0	<0.001	0.02	0.175	0.8	0.5	0.3	2.0	<0.01	0.06	3.7	0.013
LA-16E-11		9.5	0.045	24.8	7.4	<0.001	0.01	0.130	0.9	0.7	0.4	2.2	<0.01	0.03	5.2	0.008
LB-0E-11		18.2	0.039	13.05	3.3	<0.001	0.01	0.085	0.3	0.5	<0.2	1.2	<0.01	0.05	4.9	0.002
LB-1E-11		17.8	0.079	14.90	5.6	<0.001	0.02	0.188	0.3	0.4	0.3	2.1	<0.01	0.03	0.9	0.007
LB-2E-11		17.8	0.033	5.37	3.8	<0.001	0.01	0.154	0.3	0.6	0.3	2.0	<0.01	0.02	2.4	0.011
LB-3E-11		17.6	0.034	21.2	7.4	<0.001	0.01	0.119	0.6	0.7	0.2	4.4	<0.01	0.02	2.4	0.012
LB-4E-11		14.3	0.033	25.7	8.3	<0.001	0.01	0.153	0.7	0.6	0.3	3.1	<0.01	0.05	3.6	0.010
LB-5E-11		7.3	0.054	13.10	4.9	<0.001	0.01	0.104	0.3	0.5	0.2	2.0	<0.01	0.03	3.0	0.007
LB-6E-11		8.9	0.037	18.95	4.1	<0.001	0.01	0.128	0.4	0.5	0.2	1.9	<0.01	0.02	5.1	0.010
LB-7E-11		30.5	0.046	15.55	3.0	<0.001	0.02	0.369	0.8	0.4	0.3	1.6	<0.01	0.06	5.5	0.009
LB-8E-11		13.0	0.018	45.7	6.7	<0.001	0.01	0.061	0.8	0.4	<0.2	5.9	<0.01	<0.01	4.3	0.005
LB-9E-11		3.6	0.024	10.85	6.5	<0.001	0.01	0.025	0.4	0.3	0.2	4.8	<0.01	<0.01	2.2	0.005
LB-10E-11		14.2	0.116	15.50	4.0	<0.001	0.01	0.155	0.4	0.8	0.3	2.2	<0.01	0.03	2.2	0.010
LB-11E-11		8.1	0.069	24.4	6.9	<0.001	0.02	0.129	0.5	0.2	0.3	2.1	<0.01	<0.01	2.3	0.013
LB-12E-11		5.1	0.042	19.80	8.0	<0.001	0.01	0.099	0.5	0.3	0.2	1.9	<0.01	0.03	6.1	0.010
LB-13E-11		15.2	0.059	27.1	6.2	<0.001	0.02	0.171	0.8	0.4	0.2	2.3	<0.01	0.03	4.5	0.012
LB-14E-11		14.8	0.032	25.2	4.9	<0.001	0.01	0.124	0.8	0.5	0.2	2.7	<0.01	0.02	5.7	0.010
LB-15E-11		19.7	0.035	46.5	7.1	<0.001	0.03	0.217	1.2	0.4	0.4	3.1	<0.01	0.03	5.6	0.017

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-OCT-2011
 Account: WILLCR

Project: Pine Property

CERTIFICATE OF ANALYSIS VA11197337

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.0001	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
LA-1E-11		0.08	1.36	27	0.246	2.01	73.0	<0.5
LA-2E-11		0.06	2.50	23	0.325	6.06	79.1	<0.5
LA-3E-11		0.04	0.19	8	0.185	1.00	6.2	<0.5
LA-4E-11		0.03	0.43	9	0.294	1.10	33.4	<0.5
LA-5E-11		0.06	0.58	15	0.626	1.34	41.2	1.1
LA-6E-11		0.06	0.27	15	0.498	0.91	15.9	<0.5
LA-7E-11		0.04	0.99	19	0.689	2.04	47.2	<0.5
LA-8E-11		0.05	0.22	7	0.482	1.09	10.7	<0.5
LA-9E-11		0.05	0.39	18	1.370	1.13	31.8	0.6
LA-10E-11		0.06	0.54	14	1.245	1.40	52.5	0.9
LA-11E-11		0.04	0.49	16	0.835	1.78	46.7	<0.5
LA-12E-11		0.06	0.32	14	0.696	1.16	18.4	<0.5
LA-13E-11		0.04	0.38	14	0.290	1.26	29.8	<0.5
LA-14E-11		0.03	0.18	12	0.488	0.80	13.7	<0.5
LA-15E-11		0.04	0.58	26	1.255	1.19	38.9	0.8
LA-16E-11		0.07	0.52	21	0.655	1.17	34.8	1.5
LB-0E-11		0.03	0.88	4	0.0972	1.65	55.2	0.6
LB-1E-11		0.04	0.81	19	0.250	1.08	46.4	0.5
LB-2E-11		0.05	0.54	16	0.465	1.27	39.3	0.5
LB-3E-11		0.03	0.89	13	0.295	2.43	47.2	<0.5
LB-4E-11		0.05	1.01	17	0.607	1.94	50.9	<0.5
LB-5E-11		0.04	0.74	15	0.384	1.32	33.2	<0.5
LB-6E-11		0.04	0.42	13	1.055	1.14	29.5	0.5
LB-7E-11		0.04	1.71	15	0.580	1.49	83.2	2.4
LB-8E-11		0.03	0.51	12	0.205	2.38	48.4	0.7
LB-9E-11		0.04	0.45	6	0.321	1.66	12.6	<0.5
LB-10E-11		0.04	0.73	20	0.397	1.54	42.1	<0.5
LB-11E-11		0.05	0.48	17	0.882	1.15	33.3	<0.5
LB-12E-11		0.05	0.42	19	0.864	1.21	23.3	0.6
LB-13E-11		0.03	0.77	21	0.622	1.90	54.4	0.9
LB-14E-11		0.04	1.21	13	0.785	2.34	38.7	1.0
LB-15E-11		0.05	1.74	24	0.954	6.10	50.1	1.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-OCT-2011
Account: WILLCR

Project: Pine Property

CERTIFICATE OF ANALYSIS VA11197337

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

APPENDIX 'D'

Certificates of Analysis (Rock)



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
 Finalized Date: 20-OCT-2011
 Account: WILLCR

CERTIFICATE VA11185717

Project: BARKERVILLE
 P.O. No.: DDH-11
 This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2011.
 The following have access to data associated with this certificate:


JOHN CHILDS ROBERT E. REID	JOHN F. CHILDS	FRAN MACPHERSON
-------------------------------	----------------	-----------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-AA23	Au 30g FA-AA finish	AAS

To: **WILLIAMS CREEK EXPLORATION LTD.**
ATTN: JOHN CHILDS
CHILDS GEOSCIENCE INC.
109 SOURDOUGH RIDGE ROAD
BOZEMAN MT 59715
USA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11185717

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
110911 JC 507		1.08	0.800	12.50	0.22	423	20	0.10	20.2	0.01	0.09	1.76	3.1	13	0.22	5.2
110911 JC 524		3.04	1.075	0.73	1.75	278	150	0.62	7.17	0.02	0.06	20.4	4.7	17	1.23	10.6
100911 JC 483		0.98	0.011	0.15	4.12	15.0	560	1.37	0.31	0.03	0.43	57.1	13.7	78	2.30	37.3
100911 JC 468		1.62	0.014	0.16	3.81	3.4	500	0.99	0.46	0.12	0.11	42.7	5.0	30	1.29	21.2
110911 JC 539		2.10	0.035	0.47	4.46	375	290	1.36	0.12	1.82	0.21	72.6	91.9	556	3.17	84.3
120911 JC 496		3.38	0.013	0.10	0.83	45.2	170	0.19	0.38	0.04	0.04	7.77	3.7	39	0.52	5.1
100911 JC 487		2.32	0.017	0.06	0.05	31.8	10	<0.05	0.20	0.01	0.04	0.49	1.4	25	0.09	4.5
100911 JC 471		1.18	0.070	0.17	2.37	184.5	200	0.65	0.27	0.01	0.06	31.6	3.3	25	0.91	10.8
100911 JC 470		1.74	1.605	0.21	1.58	59.6	140	0.63	0.34	<0.01	0.03	21.9	1.4	23	0.54	2.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11185717

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
110911 JC 507		3.95	0.76	0.06	0.1	<0.005	0.08	0.9	1.5	0.01	101	0.45	0.01	0.4	3.5	80
110911 JC 524		2.67	5.12	0.06	0.9	0.016	0.77	9.4	1.7	0.05	166	15.10	0.04	1.3	11.3	80
100911 JC 483		3.40	11.15	0.15	2.2	0.031	1.77	31.0	50.2	0.23	1300	1.09	0.10	8.0	63.0	480
100911 JC 468		2.11	9.99	0.11	1.1	0.018	1.83	20.7	12.2	0.23	716	0.43	0.31	4.9	11.8	520
110911 JC 539		9.58	15.10	0.36	0.8	0.084	1.63	34.9	61.9	1.59	2180	1.16	0.09	9.3	622	1450
120911 JC 496		3.67	2.49	0.07	0.4	0.021	0.28	4.2	1.3	0.31	251	1.08	0.04	1.1	10.1	130
100911 JC 487		0.64	0.33	<0.05	<0.1	<0.005	0.02	<0.5	0.9	0.01	67	0.21	<0.01	0.2	8.2	50
100911 JC 471		2.53	5.80	0.08	1.2	0.013	0.89	14.7	4.7	0.06	151	0.25	0.04	2.4	6.3	100
100911 JC 470		1.06	4.35	<0.05	0.9	0.023	0.71	10.0	2.1	0.04	275	0.19	0.03	1.8	2.9	30

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11185717

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
110911 JC 507		14.7	4.6	<0.002	0.03	1.59	0.4	3	0.3	2.8	<0.05	0.12	0.7	0.007	0.03	0.5
110911 JC 524		29.9	38.7	<0.002	0.02	0.69	2.1	1	2.0	8.7	0.09	0.07	3.9	0.039	0.17	1.0
100911 JC 483		11.0	99.6	<0.002	0.09	0.47	9.6	1	1.3	21.3	0.53	<0.05	9.4	0.230	0.48	1.5
100911 JC 468		44.9	85.7	<0.002	<0.01	0.15	4.8	1	1.1	27.2	0.30	0.08	8.8	0.097	0.39	1.5
110911 JC 539		10.8	107.0	<0.002	0.07	9.29	18.8	1	1.8	289	0.67	<0.05	3.4	0.258	0.51	0.6
120911 JC 496		11.9	15.2	0.003	0.43	0.99	3.5	2	0.3	32.0	0.07	<0.05	1.3	0.037	0.28	0.6
100911 JC 487		2.2	1.0	<0.002	<0.01	0.71	0.3	1	<0.2	2.1	<0.05	<0.05	<0.2	0.006	<0.02	0.1
100911 JC 471		30.5	51.2	<0.002	0.07	1.09	3.0	1	1.0	12.4	0.20	<0.05	6.0	0.056	0.24	1.0
100911 JC 470		7.3	40.8	<0.002	0.15	0.42	2.1	1	3.0	9.2	0.15	<0.05	3.3	0.049	0.19	0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11185717

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
110911 JC 507		2	0.7	0.6	12	4.6
110911 JC 524		11	1.7	2.2	14	29.2
100911 JC 483		59	1.2	15.6	59	75.5
100911 JC 468		26	0.8	5.5	32	38.6
110911 JC 539		142	5.3	12.5	98	29.8
120911 JC 496		34	2.7	1.8	29	11.3
100911 JC 487		1	0.1	0.3	7	0.7
100911 JC 471		17	0.8	2.8	24	34.9
100911 JC 470		10	1.3	2.3	5	25.0

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-OCT-2011
Account: WILLCR

Project: BARKERVILLE

CERTIFICATE OF ANALYSIS VA11185717

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WILLIAMS CREEK EXPLORATION LTD.**
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
 Finalized Date: 20-OCT-2011
 Account: WILLCR

CERTIFICATE VA11193413


Project: PINE
 P.O. No.:
 This report is for 8 Rock samples submitted to our lab in Vancouver, BC, Canada on 13-SEP-2011.
 The following have access to data associated with this certificate:
 JOHN CHILDS FRAN MACPHERSON ROBERT E. REID

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-AA23	Au 30g FA-AA finish	AAS

To: **WILLIAMS CREEK EXPLORATION LTD.**
ATTN: JOHN CHILDS
CHILDS GEOSCIENCE INC.
109 SOURDOUGH RIDGE ROAD
BOZEMAN MT 59715
USA

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: PINE

CERTIFICATE OF ANALYSIS VA11193413

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
020911 JC-PN3		0.52	<0.005	0.04	0.91	1.3	70	0.22	0.19	0.05	0.05	11.50	2.1	18	0.24	6.2
020911 JP-PN2		1.18	0.007	0.02	0.12	2.4	20	<0.05	0.14	0.01	0.07	2.16	0.6	16	0.06	10.2
020911 PN1		2.14	0.207	2.08	0.02	4.1	<10	<0.05	5.63	0.01	0.08	0.27	0.5	29	<0.05	5.7
090911 JC 448		1.54	<0.005	0.05	1.33	<0.2	80	0.26	0.31	0.01	0.03	11.45	1.9	20	0.40	5.7
090911 JC 421		1.24	<0.005	0.03	4.34	1.0	640	1.06	0.18	0.01	0.02	40.8	3.5	37	1.47	10.4
090911 JC 437		1.34	<0.005	0.20	2.36	1.7	220	0.48	0.48	0.02	0.03	28.6	4.0	28	0.59	5.5
090911 JC 419		1.52	<0.005	0.06	0.77	0.3	90	0.17	0.24	0.03	0.02	8.24	1.0	23	0.30	2.6
090911 JC 420		0.92	<0.005	0.01	0.60	0.3	70	0.10	0.05	<0.01	0.02	8.09	0.5	17	0.16	2.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: PINE

CERTIFICATE OF ANALYSIS VA11193413

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
020911 JC-PN3		0.96	2.46	<0.05	0.5	0.007	0.31	5.6	3.5	0.11	504	0.17	0.15	1.8	4.7	40
020911 JP-PN2		0.34	0.51	<0.05	0.1	0.006	0.05	1.1	0.6	0.01	68	0.24	0.01	0.2	0.8	10
020911 PN1		0.59	0.26	<0.05	<0.1	<0.005	0.01	<0.5	0.3	<0.01	53	0.21	<0.01	0.1	1.1	20
090911 JC 448		0.77	3.17	<0.05	0.9	0.008	0.31	5.5	2.5	0.09	200	0.13	0.44	1.1	5.6	100
090911 JC 421		1.88	11.45	0.10	2.1	0.022	2.07	20.3	10.9	0.27	154	0.20	0.21	6.2	7.1	140
090911 JC 437		1.27	6.02	0.06	1.1	0.012	0.68	13.4	4.8	0.15	196	0.19	0.62	2.8	7.7	80
090911 JC 419		0.58	1.93	<0.05	0.5	<0.005	0.29	4.0	1.9	0.05	100	0.32	0.05	0.8	2.0	110
090911 JC 420		0.43	1.57	<0.05	0.3	<0.005	0.21	3.9	1.2	0.03	54	0.16	0.15	0.8	1.3	50

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: PINE

CERTIFICATE OF ANALYSIS VA11193413

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
020911 JC-PN3		7.8	16.4	<0.002	<0.01	0.13	1.0	1	0.3	8.8	0.12	<0.05	2.0	0.033	0.08	0.3
020911 JP-PN2		2.6	2.6	<0.002	<0.01	0.10	0.2	1	0.2	1.1	<0.05	<0.05	0.4	<0.005	0.02	0.1
020911 PN1		173.5	0.4	<0.002	0.01	0.11	0.1	1	<0.2	0.5	<0.05	0.15	<0.2	<0.005	<0.02	0.1
090911 JC 448		9.6	17.4	<0.002	0.01	0.09	1.6	1	0.3	10.9	0.09	0.05	2.9	0.034	0.08	0.6
090911 JC 421		11.9	99.4	<0.002	0.01	0.16	5.3	1	1.2	9.7	0.44	<0.05	9.4	0.136	0.47	1.6
090911 JC 437		38.6	37.3	<0.002	<0.01	0.13	3.0	1	0.7	17.8	0.23	0.05	6.0	0.061	0.17	0.8
090911 JC 419		16.1	14.8	<0.002	<0.01	0.12	0.8	1	0.3	4.3	0.06	<0.05	2.0	0.022	0.07	0.3
090911 JC 420		2.7	11.2	<0.002	<0.01	0.08	0.6	1	0.2	2.7	0.05	<0.05	2.3	0.020	0.05	0.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
 600 - 666 BURRARD STREET
 VANCOUVER BC V6C 2X8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2011
 Account: WILLCR

Project: PINE

CERTIFICATE OF ANALYSIS VA11193413

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
020911 JC-PN3		5	0.2	3.4	26	17.0
020911 JP-PN2		1	0.3	0.4	16	1.7
020911 PN1		<1	0.1	0.2	9	0.5
090911 JC 448		8	0.2	1.9	17	27.6
090911 JC 421		29	1.1	3.7	40	75.5
090911 JC 437		17	0.3	2.4	21	33.7
090911 JC 419		5	0.6	1.2	11	13.9
090911 JC 420		3	1.1	0.7	9	7.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: WILLIAMS CREEK EXPLORATION LTD.
600 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-OCT-2011
Account: WILLCR

Project: PINE

CERTIFICATE OF ANALYSIS VA11193413

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

APPENDIX 'E'

Geological Mapping & Sampling

ROCK SAMPLES FROM THE PINE PROPERTY, COLLECTED BY JOHN CHILDS, SEPTEMBER, 2011

Waypoint	Easting	Northing	Sample Number	Descriptions	Au_ppm	Ag_ppm
134	586040	5878650	02-09-11-JCPN-2	Representative sample of quartz vein material from dump, abundant hematite and vugs	0.007	0.02
138	586096	5878590	02-09-11JC-PN-1	Representative grab sample of vein qtz along slot trench where vein was mined out at the Galena prospect, white quartz with bright orange hematitic boxworks, siderite present at vein margins, abundant sericite and muscovite	0.207	2.08
151	586449	5878724	02-09-11-JCPN-3	Representative grab sample of quartz-siderite-hematite vein material a 1.5 meter float block containing 40% vein quartz in quartzite host rock	<0.005	0.04
267	585915	5878765	06-09-11-JC1	Representative grab sample of abundant angular colluvium blocks of white vein quartz with abundant siderite and hematite at vein margins.	0.015	0.16
369	585620	5879920	07-09-11-JC369	Select grab sample of pyrite and vein quartz in phyllite in old dozer trench with 3-7% coarse euhedral pyrite overall.	0.385	0.13
380	586003	5878799	08-09-11-JC380	Representative sample of punky tan quartzite with voids, may originally have had siderite matrix.	<0.005	0.03
385	586071	5878852	08-09-11-JC385	Select sample of vein material & some phyllitic quartzite wall rock in massive coarse grained quartzite and grits. Wall rocks have hematite after 2mm pyrite cubes and 2cm siderite-quartz veins	<0.005	0.13
394	586107	5879051	08-09-11-JC394	Select grab sample of iron oxide stained quartz vein material from outcrop and angular float.	<0.005	0.58
395	586092	5879090	08-09-11-JC395	Representative grab sample of vein quartz with iron oxide and clay, this rock type makes up 10% of blocks that have been ripped up over a large area by a bulldozer.	0.009	0.04
396	586094	5879091	08-09-11-JC396	Select sample of dark grey iron stained phyllite layers up to 0.3 meters thick with abundant 1mm siderite/iron oxide clots and strong iron oxide staining, silty to quartzitic.	<0.005	0.04
412	585975	5879645	08-09-11-JC412	Select sample of hematite-quartz veinlets that make up <1 % of grey quartzite with phyllite partings	<0.005	6.38
418	585571	5879417	09-09-11-JC419	Select sample of quartz vein material containing <1 % orange iron oxide after siderite, host rock is green to tan quartzite	<0.005	0.06
420	585725	5878979	09-09-11-JC420	Select sample of quartz vein material in small prospect pit, no sulfide seen.	<0.005	0.01
421	585735	5878943	09-09-11-JC421	Representative sample of hematite stained phyllitic rock with abundant siderite(?) spots in medium to coarse grained grey quartzite and siltite, few small quartz veinlets.	<0.005	0.03
437	585720	5879581	09-09-11-JC437	Grab sample of float blocks of hematite stained quartzite and vein quartz, quartzite bleached.	<0.005	0.2
448	585701	5880096	09-09-11-JC448	Grab sample of float blocks of hematite stained quartzite and vein quartz, quartzite sheared and recrystallized quartzite bleached.	<0.005	0.05
468	586380	5878296	10-09-11-JC468	Grab sample of float blocks of vein quartz with red siderite casts/boxworks	0.014	0.16

Pine Property Geological Evaluation

for

Williams Creek Gold

by

CHILDS GEOSCIENCE, INC.



12/1/2011 by SJU

Structural Summary

Regional Metasediments

Compositional Layering

Foliation





n = 48

n = 48

Quartz Veins

n = 39




Poles to planes

Rose Diagram

Legend

- JF Childs Sample Location
- Eaglesnest Succession: Olive & grey micaceous quartzite and phyllite
- Harveys Ridge Succession: Dark grey & grey micaceous quartzite, black quartzite & interbedded dark grey phyllite, schist, siltite, and minor micritic limestone and undifferentiated rocks.
- Tregillus Succession: Grey & olive-grey micaceous quartzite, phyllite & schist.
- ┆ Compositional Layering
Dip direction shown on map
- Fault
- ◀ Lightning Creek Anticlinorium

Reference: Struik, L.C. 1988. Geology, Wells, Cariboo Land District, British Columbia, Geological Survey of Canada, Map 1635A, scale 1:50,000



Stanley



Pine Property Geological Evaluation



for
Williams Creek Gold
 by
 CHILDS GEOSCIENCE, INC.
 12/1/2011 by SJU

Structural Summary

Regional Metasediments

Compositional Layering



Foliation



n = 48

n = 48

Quartz Veins
n = 39




Poles to planes

Rose Diagram

Legend

- JF Childs Sample Location
- Eaglesnest Succession: Olive & grey micaceous quartzite and phyllite
- Harveys Ridge Succession: Dark grey & grey micaceous quartzite, black quartzite & interbedded dark grey phyllite, schist, siltite, and minor micritic limestone and undifferentiated rocks.
- Tregillus Succession: Grey & olive-grey micaceous quartzite, phyllite & schist.
- | Quartz Vein Orientation
- Fault
- ◆ Lightning Creek Anticlinorium


Reference: Struik, L.C. 1988. Geology, Wells, Cariboo Land District, British Columbia, Geological Survey of Canada, Map 1635A, scale 1:50,000



Stanley



GOLD AND SILVER VALUES IN PINE SAMPLES



1:10,000

0 125 250 500 Meters

Prepared for
Williams Creek Gold
 by
 CHILDS GEOSCIENCE, INC.
 12/1/2011 SJU