

Assessment Report

**Diamond Drilling
on the
Bing Property
(Formerly the Icy Lake Property)**

Atlin Mining Division

104K/08

**UTM Zone 08 NAD83
664000E 6474000N**

**58⁰ 22' North Latitude
132⁰ 12' West Longitude**

For

Paget Minerals Corp.

By

David Volkert

October 2011

Table of Contents

Introduction.....	3
Location and Access.....	3
Physiography, Climate and Vegetation.....	3
Claims and Ownership.....	4
Exploration History.....	7
Regional Geological Setting.....	8
Property Geology.....	10
Mineralization and Alteration.....	10
<i>Bing</i>	10
Work Completed 2011.....	12
Diamond Drilling.....	12
<i>PB-11-01 – Moly Creek</i>	16
<i>PB-11-02 – Chalco Creek</i>	16
<i>PB-11-03 – South Zone</i>	17
Conclusions and Recommendations.....	17
<i>Bing</i>	17
References.....	18
Appendix A: Statement of Qualifications.....	20
Appendix B: Statement of Costs.....	21
Appendix C: Cross Sections.....	22
Appendix D: Core Logs.....	29
<i>BC-11-01</i>	29
<i>BC-11-02</i>	42
<i>BC-11-03</i>	53
Appendix E: Analytical Certificates.....	61

List of Figures

Figure 1	Location Map
Figure 2	Claim Map
Figure 3	Regional Geology
Figure 4	Drill Hole Locations (1:50,000)

List of Tables

Table 1	Claim Status
Table 2	Historical exploration work in the Icy Lake Property area
Table 3	Diamond Drill Hole Locations
Table 4	Notable Diamond Drill Intercepts

Diamond Drilling on the Bing Property

Introduction

The Bing Property was examined by the author and geologists Jim Ashleman, Chris Weldon, Eric Alexander and Kayla Dell from June 1st to August 1st, 2011. The area, previously known as the Icy Lake Property, has been renamed the Bing Property as most of the Icy Lake claims have been dropped and exploration is now focused on the Bing claims. The purpose of the visit was to evaluate the economic potential of the claims by a diamond drilling program on previously determined targets. A 1005.8m drill program consisting of three diamond drill holes was completed on the eastern side of the Bing Porphyry during Summer 2011. All work including report writing was completed at a cost of \$1,001,951.63

Location and Access

The Bing Property is located in northwestern B.C. about 100 kilometers northwest of Telegraph Creek and 125 kilometers west of Dease Lake (Figure 1). The property is located in NTS 104K/08, latitude 58°22'N, longitude 132°12'W. Formerly road access to within about 11 kilometers of the southern property boundary was provided by the Golden Bear mine access road, which is presently not usable due to landslides and washouts. From the Golden Bear road access could be easily constructed to the southeastern part of the property along the Samatua River drainage. Work on the property during the 2011 program was helicopter-based from the Shelsay hunting camp operated by the Day Brothers of the Tahltan First Nation. Camp mobilization was facilitated by use of fixed wing access from Dease Lake to the Sheslay air strip, located at the junction of the Sheslay and Hackett Rivers, 22 kilometers southeast of the property.

Physiography, Climate and Vegetation

Elevations range from 800 meters in the western part of the property at Tatsamenie Lake, to 1900 meters in the central part of the property. The area is characterized by high relief and steep slopes, and topography is rugged, with prominent ridges rising above glaciated U-shaped valleys. Climate is typical of the interior parts of northern B.C. with moderate snowfalls, long, cold winters and short cool summers. The upper slopes and ridges of the property are typical alpine terrain, characterized by grassy meadows on flatter ridges, rock and talus-strewn slopes in steeper areas. The lower parts of the property (below 1400-1500 meters) are characterized by moderate to dense vegetation including cedar, fir, spruce, and aspen.

Claims and Ownership

The Bing Property, formerly known as the Icy Lake property consists of 6 contiguous claims which total 848.9 hectares, as indicated on Figure 2. The name of the claim blocks was changed from Icy Lake to Bing in 2011 when the number of claim blocks was reduced from 17 to 6 and the Icy Lake claims were discarded. The current claim tenures focus on the Bing property. They are owned 100% by Paget Minerals Corp. (BCE ID number 213190) of 1210-1130 W. Pender St., Vancouver, BC. The claims are currently valid until November 1, 2014.

Table 1 Claim Status

Tenure Number	Claim Name	Owner	Good To Date	Status	Area
549122	BING TOP	213190 (100%)	2014/Nov 01	GOOD	271.700
549125	TAT2	213190 (100%)	2014/Nov 01	GOOD	84.893
549130	BING CHERRY	213190 (100%)	2014/Nov 01	GOOD	135.803
549156	MC HAMMER	213190 (100%)	2014/Nov 01	GOOD	84.863
549157	ICY LAKE 2	213190 (100%)	2014/Nov 01	GOOD	101.915
549674	WOLFMOTHER	213190 (100%)	2014/Nov 01	GOOD	169.761
Total					848.935



Figure 1: Location Map




Figure 2: Claim Map

Exploration History

The Tatsamenie Lake area has been explored sporadically by numerous companies since early exploration of the Bing porphyry system by Newmont in 1964-1966. Exploration in the area of the Icy Lake Property is documented in nine assessment reports available on the B.C. Ministry of Mines ARIS website (<http://www.em.gov.bc.ca/cf/aris/>). In 1971, Souther published a 1:250,000 scale regional map of the Tulsequah map area which outlined a large alteration zone extending from the west side of Tatsamenie Lake to the Bing area, a distance of over 20 kilometers (Souther, 1971). The Icy Lake (MC or Ant) porphyry was identified initially by V. Cukor and P.H. Sevensma in 1970 for the Colorado Corporation; it was subsequently worked by Skyline Exploration and Brinex in 1971, and by Rio Tinto in 1976-1977. Discovery of the Golden Bear gold deposit in the 1980's spurred a renewed look at the area by Chevron and North American Metals as well as a number of junior exploration companies.

Table 2 Historical exploration work in the Icy Lake Property area.

Report #	Year Work Done	Company	Work Done
653	1965	Newmont	Geological mapping
668	1965	Newmont	Ground and airborne magnetics, IP, soil sampling (789 samples), geological mapping
3075	1970	Colorado Corp.	Geological mapping, soil sampling (318 samples), rock sampling (18 samples)
3475	1971	Brinex/Skyline	Geological mapping, trenching, soil and silt sampling (227 samples), rock sampling (84 samples)
6019	1976	Rio Tinto	Geological mapping, trenching, soil sampling (298 samples), rock sampling (84 samples)
21987	1990	Waterford Res.	Geological mapping, rock sampling (315 samples), ground VLF/mag
23431	1993	Allan Res.	Trenching, rock sampling, ground EM/mag
23554	1994	Tahltan Holdings	Soil sampling (66 samples)

25150	1996	Premier Minerals/Inukshuk Capital	Geological mapping, rock and soil sampling
29345	2007	Paget Resources Corporation	Geologic mapping, rock sampling (83 samples)

Regional Geological Setting

The Icy Lake Property is located within northern Stikine Terrane, which comprises a series of mid-Paleozoic to Middle Jurassic volcano-plutonic arc sequences west of oceanic rocks of the Cache Creek Terrane. Paleozoic basement rocks are informally known as Stikine Assemblage. A prominent Permian limestone unit cores a series of structural culminations in the area and is structurally overlain by Carboniferous felsic to mafic volcanics (Figure 3).

The Paleozoic supracrustal rocks are intruded by voluminous diorite to quartz diorite plutons of Middle to Late Triassic age. These plutons have a widely developed structural fabric not found in more felsic Jurassic to Eocene intrusive rocks. Except in the southeastern part of the Icy Lake property, Paleozoic volcanics occur only as widespread roof pendants within the larger masses of Triassic batholiths.

The development of regional thrust faults placing Carboniferous volcanics on Permian limestone, widely developed tectonic foliations and a variety of mesoscopic fold orientations testifies to the complex structural history of the area. In the western part of the property near Tatsamenie Lake, earlier structures are truncated and offset by younger north-south trending faults, which comprise the Ophir Break. These faults may be traced south to the Golden Bear mine area, where they include the ore-hosting structures of the Golden Bear gold deposit. The Ophir Break is a deep crust-transecting structure, as suggested by the presence of several slices of mantle tectonite (serpentinite) along the main fault strands.




Figure 3: Regional Geology

Property Geology

Bing Area

The Bing area is a flat-topped plateau in the eastern part of the property east of a major north-flowing tributary of the Sheslay River. This part of the property was visited from August 9 through Aug 14, 2007. The principle lithologies include siliciclastic and calcareous sediments, chert, limestone, and andesitic to mafic volcanics (Figure 4). These are intruded by a diorite pluton and a number of intermediate to felsic dykes and stocks (monzonite-quartz monzonite, feldspar-hornblende porphyry, quartz-feldspar porphyry). The intermediate to felsic intrusive lithologies are younger than the weakly foliated diorite which they have intruded. The main body of quartz monzonite appears to be a north trending dyke which has been traced over a strike length of 2.5 kilometers along the upper eastern slope of the plateau. Limestone and calcareous and siliciclastic sedimentary rocks exposed on the north end of the pluton are variably silicified, hornfelsed and skarned. Intercalated volcanic rocks are skarned and strongly epidotized. Intercalated volcanic and sedimentary rocks exposed on the southeastern slope of the plateau have been metamorphosed to amphibolite and calcsilicate.

Mineralization and Alteration

Bing

The Bing showing (MINFILE 104K 035) is a porphyry copper-molybdenum system with peripheral skarn-type copper mineralization. Alteration and mineralization in the Bing area are widespread and complex. Diorite, which underlies much of the property, has undergone polyphase alteration characterized by strong early stage actinolite-magnetite overprinted by K-feldspar-magnetite and quartz veining as well as retrograde chlorite and epidote. This alteration sequence is seen in the upper reaches of Chalco Creek, the southern of the two creeks with good rock exposures draining the eastern slope of the plateau. The zone is here exposed over a width of 75 meters. Similar alteration is exposed in the lower part of Moly Creek, the northern of the two creeks. More evolved felsic dykes (monzonite, quartz feldspar porphyry, quartz monzonite and granodiorite) cross-cut the altered diorite and appear to postdate the main alteration system, as they typically contain unaltered feldspars and mafic minerals. Some remobilization of secondary copper minerals has taken place along dyke contacts. The felsic intrusions are strongly altered in the vicinity of quartz veins where thick (1 to 2 meter) envelopes of quartz-pyrite-sericite/clay are present. A second, weak K-feldspar alteration and veining event is widespread across the property and cross-cuts earlier alteration including the earlier potassic assemblages, and the felsic intrusive bodies.

Three main types of mineralization were identified on the Bing property: (1) Cu ± Mo associated with quartz veins and potassic alteration in diorite (porphyry style); (2) Mo ± Cu associated with quartz, carbonate, kaolinite veins (epithermal style); and (3) Cu in skarn altered volcanics and calcareous sediments intruded by diorite (skarn style).

1. The upper reaches of Chalco Creek and the lower portion of Moly Creek, where potassic alteration is most intense, have significant amounts of chalcopyrite. The chalcopyrite is mainly associated with K-feldspar-magnetite veins and with potassic selvages of quartz veins. Where the alteration is most intense, up to 30% of the rock is k-feldspar and large patches of exposed surfaces are stained with malachite and azurite. These rocks also contain trace disseminated and fracture controlled molybdenite, and up to 5% disseminated and stringer pyrite. This porphyry style mineralization is hosted within diorite, and appears to be truncated by more felsic dykes and/or stocks which intrude both Chalco and Moly creeks. While this system is hosted in diorite, it could be related to an underlying intrusive body; a possible candidate is a phyllic altered plagioclase pyritic monzonite which is only exposed in a few outcrops along the lower reaches of Moly Creek.
2. A number of northeast striking and moderate to steeply dipping 5-40 cm wide quartz(-carbonate)-kaolinite-sulphide veins are exposed throughout the length of Moly Creek. These veins crosscut the diorite and quartz monzonite intrusive rocks that are exposed in the creek. These laminated veins are composed primarily of clear to white quartz with wispy layers of kaolinite. Pods of massive to semi-massive sulphide are common in these veins and in places can occupy the entire width. Sulfides are mainly pyrite with a trace copper minerals (Cu staining is common), and 1 mm thick bands of molybdenite; molybdenite is also disseminated throughout the veins and wall rock. In some locations these veins contain up to 3% molybdenite. Fine stockworks of a grey sulfosalt are associated with a few of the veins. In the upper reaches of Moly Creek, a banded quartz vein contains approximately 5% galena and 2% sphalerite; however this was the only occurrence of Pb and Zn sulfides. Alteration envelopes to the veins are up to 2 meters wide and consist mainly of sericite-clay-quartz-pyrite with local quartz flooding. These envelopes consist of highly weathered, fractured and broken rock. When silica flooding has stabilized the rock against weathering prominent outcrops of intense boxwork after pyrite are present. These veins represent a low-pH meteoric water-dominated fluid developed in the waning stages of the porphyry system. Their superposition on typical porphyry style alteration and mineralization suggests that the hydrothermal center underwent rapid uplift and erosion as the magmatic-hydrothermal system evolved.
3. On both the northern and southeastern slopes of the Bing area volcanic and sedimentary country rock adjacent to the diorite are intensely hornfelsed and altered to calcsilicate phases. On the northern slope, calcareous sedimentary rocks have been intruded by a hornblende leucodiorite which has undergone variable actinolite-magnetite to epidote-chlorite-pyrite alteration. Pyrite is

widespread in the diorite and chalcopyrite is locally present in minor amounts. The sedimentary rocks have undergone strong metasomatic alteration with development of fine grained garnet, diopside and epidote over a strike length of over 400 meters and thicknesses in excess of 20 meters. Locally, coarse grained cm-scale euhedral brown garnet crystals are also present. Volcanic rocks adjacent to the skarn have undergone intense metasomatic epidote alteration. Copper mineralization in the skarn is strong and pervasive, with 1-3% chalcocite, chalcopyrite and bornite as disseminated blebs (up to 1 cm diameter), and rarely in veinlets. Copper staining is abundant on fracture surfaces.

Adjacent to the skarn in the northeastern part of the zone, there are a number of outcrops of volcanic rocks which have undergone extensive metasomatic alteration and which are also copper bearing. These volcanic rocks are primarily red siliceous plagioclase pyritic dacites which in places are brecciated (possibly due to metasomatism) with silica cement. Up to 20% pyrite in these rocks has been weathered out on exposed surfaces exposing an orange boxwork. In addition 2-3% of the rock volume consists of chalcopyrite veins that are responsible for heavy malachite staining.

On the southeastern slope east of the prominent quartz monzonite dyke, white calcsilicate intercalated with amphibolite is pervasively fractured with malachite and azurite staining on fracture surfaces. This secondary copper mineralization is related to in situ blebs of chalcocite which are widespread within the calcsilicate.

Work Completed 2011

The Bing Property was examined by Paget Minerals personnel from June 1 to August 1, 2011. The purpose of the visit was to evaluate the economic potential of the claims by a diamond drilling program on previously determined targets. A 1005.8m drill program consisting of three diamond drill holes was completed on the eastern side of the Bing Porphyry.

Diamond Drilling

A three hole, 1005.8 meter diamond drilling program was conducted between June 1 and August 1, 2011 on the Bing Property. Tahltan Drilling Services, a partner of Blackhawk Drilling Ltd out of Smithers, BC, was the drill contractor. A JT-2000 heli-portable drill rig was used and transported onsite with a B2 Astar helicopter. The drill holes began in HQ core and then reduced to NQ when necessary.

The purpose of the drill program was to attempt to intersect mineralized outcrops at depth that had been sampled during a 2007 rock sampling program. The drill holes were also selected to fill in gaps from the 1965 Newmont drill program.

Core logging of diamond drill core was performed by a geologist and recorded onto a logging form in Excel. Core logging is focused on the identification of major lithological units and alteration assemblages as well as mineralized intervals and faults.

Core intervals for sampling were tagged, logged and split. One half of each interval is sampled for assay, while the other half is kept for reference in the core box on site, presently stored at the Sheslay Camp, UTM 337150E, 6461600N, Zone 9. Assay samples were placed in plastic sample bags closed with zip ties. Several samples, depending on weight, were placed in rice bags and security sealed with security tags. Assay samples were flown to the Tsayta Airbase in Dease Lake where they were palletized and shipped with Bandstra Transportation Systems to ALS Minerals in Terrace. At the laboratory, the samples were dried crushed and pulverized using standard rock preparation procedures. The pulps were then analyzed for Au using a 30 gram fire assay with AA finish and for 30 elements by ICP. Quality control at the laboratory is maintained by submitting blanks and standards every 10 samples on average.

Drill core logs and analytical results are in Appendix C. Drill collar locations are plotted on Figure 4.

Drill collar locations and information are as follows:

Table 3: Diamond Drill Hole Locations

Drill Hole	East-UTM83	North-UTM83	Elev (m)	UTM-zone	Azm	Incl	TD (m)
PB-11-01	668190	6471684	1422	8	90	-60	374.3
PB-11-02	668170	6471360	1428	8	90	-60	394.7
PB-11-03	668428	6470839	1333	8	90	-60	236.8

Table 4: Notable Diamond Drill Intercepts

Drill Hole	From (m)	To (m)	Interval (m)	Cu (%)	Mo (%)
PB-11-01	12.8	374.3	361.5	0.0607	0.0340
<i>including</i>	34.8	46.7	11.9	0.1342	0.0488
	130.6	132.7	1.1	0.3390	0.0258
	150.7	154.7	4	0.1755	0.0173
	166.7	174.7	8	0.1263	0.0255
PB-11-02	14.9	394.7	379.8	0.0663	0.0149
<i>including</i>	14.9	88.1	73.2	0.1104	0.0112
	74.1	88.1	14	0.1773	0.0308

PB-11-03	6	236.8	230.8	0.0429	0.0076
<i>including</i>	11.6	25.9	14.3	0.1316	0.0182
	228	234.4	6.4	0.2402	0.0224




Figure 4: Drill Hole Locations

PB-11-01 – Moly Creek

Diamond drill hole PB-11-01 is located to the south of Moly Creek and drilled due East, following the topography downslope. The purpose of this drill hole was to test for subsurface mineralization based on a rock sampling program in 2007 by Paget that returned values up to 0.2% Cu and 0.26% Mo. Previous drilling had been conducted in this area to the north of Moly Creek in 1965 with some favorable intercepts such as 109 meters at an average 0.24% Cu including 21 meters at 0.86% Cu. These previous drill holes were all drilled with a dip of -45 degrees, at to a maximum depth of 174m. PB-11-01 was drilled with the intent of drilling deeper at a steeper dip to determine the extent at which mineralization occurs at depth.

The hole was comprised almost exclusively of a fine to medium grained diorite except for a few later stage quartz monzonite dykes between 0.9m and 4m wide. The main alteration present throughout the hole was a quartz-chlorite (QC) that resulted in intense silica replacement throughout and 10-20% of the mafics being replaced to chlorite, more in some places. Down hole, epidote alteration began to show up and along with some carbonate veining. The strongest epidote was associated with quartz veins and was commonly associated with minor potassium feldspar alteration. Mineralization tended to decrease downhole. Pyrite is the most abundant sulphide in this hole, occurring as veinlets, fracture coatings, salvages on quartz veins and also finely disseminated throughout. Uphole the pyrite content ranged from 1-3% and decreased downhole to consistent trace amounts. Molybdenite and chalcopyrite typically occur as salvages along the edges of quartz veins, veinlets and fracture coating.

PB-11-02 – Chalco Creek

Diamond drill hole PB-11-02 is located on the north edge of Chalco Creek and drilled due East, following the topography downslope. The purpose of this drill hole was to test subsurface mineralization that is visible in Chalco Creek at to attempt to intersect the main body of quartz monzonite that intrudes the diorite. There had also been no previous drilling in the immediate area of Chalco Creek by Newmont in 1965, so this hole attempted to fill this gap. As with PB-11-01, this hole was drilled at a steeper dip and deeper than the holes in the Newmont drilling program.

The major lithology throughout the hole was an intensely silicified diorite that trended into a quartz diorite at 318 meters. A few monzonite dykes and sills were encountered, but none larger than 0.8m. The main quartz monzonite body was never intersected. Silica, Chlorite and epidote alteration was dominant for the first 180 meters of the hole, after which K-spar, silica and sericite alteration began to take over. Pyrite is the most abundant sulphide in the hole, occurring as veinlets, associated with quartz veins and finely disseminated throughout. Chalcopyrite is fairly consistent throughout the hole in trace amounts, usually associated with pyrite, but sometime in 1-3cm blebs by itself. Moly is found in trace amounts throughout the hole, typically associated with the chalcopyrite, and in some thin veinlets and coating fractures.

PB-11-03 – South Zone

Diamond drill hole PB-11-03 is located approximately 0.5 km south of Calcho Creek and about 100 meters lower in elevation than the first two drill holes. This location was selected based on previous drilling in the area that contained anomalous Cu values, rock samples in 2007 and mineralized outcrop in the area that was observed in the 2011 season. The previous holes in the area were drilled in 1965 by Newmont to a maximum depth of 174 meters at a dip of -45. This hole attempted to drill deeper at a steeper dip of -60 and reached a total depth of 236.8 meters.

As with the first two drill holes, the main lithology is an intensely silicified diorite. Quartz monzonite dykes and sills were encountered sporadically from 123 meters to the bottom of the hole. Alteration is fairly consistent throughout the hole with silica being the most intense. Chlorite and epidote alteration is fairly consistent, the mafics in the diorite were altered to chlorite about 20-30% of the time and epidote was commonly associated along the edges of quartz veins and zones in increased K-spar alteration. Mineralization is fairly consistent with pyrite being the dominant sulfide occurring along quartz veins, in thin veinlets and disseminated throughout. Chalcopyrite occurs with quartz veins and as thin stringers in the diorite. Molybdenum is typically found associated with the chalcopyrite and infilling thin fractures. One area of particular note is that the bottom of this hole ended in some of the stronger mineralization of any of the drill holes. Three of the last four samples were anomalous in Cu, Mo and Au and included the only anomalous Au in any of the three drill holes.

Conclusions and Recommendations

Bing

The Bing porphyry may host a number of additional drill targets. However, further geologic mapping and rock sampling should occur prior to drilling, specifically in the heavily treed areas along the eastern and southern ends of the porphyry. Numerous unmapped outcrops likely exist in these areas and 4-6 days of mapping and sampling would help to better define alteration zones and mineralized outcrops. The main quartz monzonite body that intrudes the diorite was not intersected in the drilling, so further mapping of the monzonite would help to locate it in the subsurface.

The high grade of the skarn mineralization in the northern part of the system suggests that this may be a significant target. Limited mapping in this area suggests a potential strike length of at least 500 meters; whether or not this is continuously mineralized is not known. Observed thicknesses of mineralized skarn in outcrop are up to 20 meters. In the southeastern part of the system similar mineralization hosted by fractured intercalated calcsilicate and amphibolite is dominated by secondary copper minerals and should be examined in detail for its leachable copper potential. During the 2011 season, these skarn targets were not located in the field and it is recommended to reassess the mineralization potential for future drilling.

A well-constructed grid exists on the property from historical exploration and could easily be reclaimed for the purpose of sampling and geophysics. The Bing area has well developed soils and a comprehensive soil sampling survey with modern analytical techniques has never been carried out. It may be possible to use ground magnetics to define early stage actinolite-magnetite alteration as well as magnetite-destructive alteration associated with late-stage polymetallic veins and their associated clay-pyrite-silica overprint. The spatial relationship between the diorite hosted copper-molybdenum mineralization and potassic alteration in Chalco Creek and the quartz monzonite associated molybdenum vein mineralization in Moly Creek may be difficult to define without significant drilling.

References

Awram, David I. and Bridge, Dane A. (1997) Report of 1996 Geological, Geochemical, and Geophysical Exploration Work Done on Ant 1-6, Bing 1-5, and Samo 1-4 Mineral

Bradford, J. (2007): Rock Geochemistry and Geological Mapping on the Icy Lake Property. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 29345.

Claims. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 25,150.

Canon, D.M. and Gutrath, G. (1965): Report on Geological Survey Bing No. 15 Claim Group. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 653.

Canon, D.M. and Gutrath, G (1965): Report of Geophysical Surveys, Geological Survey and Geochemical Survey, Bing #48 and Bing # 83 Claim Groups. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 668.

Cukor, V. and Sevensma, P.H (1970): Geochemical Report. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 3,075.

Cukor, V. and Sevensma, P.H (1971): Geological-Geochemical Report. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 3,475.

Dynes, B. (1994): Geochemical Report on the Bind Mineral Claims. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 23,554.

Holtby, M. (1976): Icy Lake Option 104 K/8 E Geological and Soil Geochemistry Report. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 6,019.

Olfert, E.G. (1993): Geological and Geochemical Report on the Chid Property. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 23,431.

Oliver, J. (1991): Geological Evaluation of the Tab Project Tatsa, And Bing Mineral Claims. B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 21,987.

Souther J.G. (1971): Geology and Mineral Deposits of the Tulsequah Map-Area, British Columbia; Geological Survey of Canada Memoir 362 and Map1262A.

Appendix A: Statement of Qualifications

STATEMENT OF QUALIFICATIONS

I, David F. Volkert, P.Geo., certify that:

1. I am presently President/CEO of Paget Minerals Corporation with a business address located at:
1210 – 1130 West Pender St.
Vancouver, BC, Canada
V6E 4A4
2. I am a member in good standing of the American Association of Professional Geologists (AAPG)
3. I graduated from the Colorado School of Mines in 1977 with a Bachelor of Science in Geological Engineering.
4. Since 1977 I have been continuously employed in exploration for base and precious metals in North America, South America, Africa and Asia.
5. I supervised and participated in the 2011 exploration program and am therefore personally familiar with the geology of the Bing Property and the work conducted in 2011. I have prepared all sections of this report.

Dated this 8 Day of November, 2011





Signature

David F. Volkert, B. Sc., PGeo


Item	Name	Date	#	Cost	Item total	Sub-total
BING (ICY LAKE) DRILLING WORK COSTS						
Geological - salaries and wages						
			days	daily rate		
	Chris Weldon		36.50	\$416.00	15,322.67	
	Eric Alexander		26.50	\$312.00	8,519.76	
	Kayla Dell		30.50	\$260.00	8,005.00	
	Christian John		23.50	\$260.00	6,185.00	
	Jessica Pitman		8.00	\$208.00	1,664.96	
	Global Geological Services Ltd.		30.00	\$908.50	27,255.00	
	David Volkert		4.00	\$752.11	3,008.45	
	William Young		25.00	\$289.68	7,241.89	
						77202.73
Support personnel						
	0912581 BC Ltd. DBA All day Logistics				75207.00	
	Matrix Aviation Solutions Inc.				39041.30	
	Norad Electric		5.25	600	3150.00	
						117398.30
Camp Rental						
	Matrix Aviation Solutions Inc.		49.00	\$995.00	48755.00	
	Matrix Aviation Solutions Inc.				638.53	
						49393.53
Camp supplies, Camp fuel, first aid equipment, food, expediting						
	D Volkert				48.63	
	Pembrook Mining				21513.60	
	William Young				3116.55	
	Matrix				23310.18	
	ALS Canada				472.50	
	Deakin Industries				1615.16	
	Norad Electrical				1320.14	
	C Weldon				194.41	
	0912581 BC Ltd. DBA All Day Logistics				9298.80	
						60889.97
Communications - satellite phones, radios, satellite data service						
	Matrix				585.52	
	Pembrook				510.60	
	StarLynx Communications				2642.50	
	Tower Communications				2119.50	
	William Young				58.00	
						5916.12
Geochemical						
	Rock sample assays CDN Resource Lab				549.38	
	ALS Canada				20195.70	
	Phils Boxes		555 boxes	\$9 each	4995.00	
	Freight - ALS Canada				1144.76	
						26884.84
Drilling						
	Black Hawk Drilling				207884.38	
						207884.38
MOB/DEMOB COSTS						
Food & Accommodation: travel to/from site						
			man-days	rate		
	Food		14.75	75	1106.25	
	Accommodations		14.75	95	1401.25	
						2507.50
Wages: travel to/from site						
			days	daily rate		
	Salary Geologist C Weldon		1.20	416	500.68	
	Salary Jr Geologist E Alexander		1.25	312	338.84	
	James Ashleman		1.25	750	905.47	
	Project Manager - W Young		11.00	289.68	2900.53	
						4645.52
Vehicle						
	Enterprise Rent a Car				7113.00	
	Matrix Aviation Solutions				2614.14	
	Fuel C Weldon				421.83	
	Fuel W Young				771.79	
						10920.76
						SUBTOTAL drilling/mob-demob 563643.65
Transportation on-site - Helicopter & Fixed Wing						
	Matrix Aviation Solutions				288649.31	
	Pacific Western Helicopter				1039.95	
	Tsayta Aviation Ltd				24116.35	
	Matrix Aviation Solutions - Fuel				62254.49	
						SUBTOTAL helicopter costs: 376060.10
						Allowable helicopter costs (maximum of 50% work) 156902.80
						Assessment work to claim: \$720,546.45

Appendix C: Cross Sections




- Drill Collar
 - Topography (DEM NTS 50k)
 - Drill Trace
 - ✕ End of Hole
 - Downhole Depths
- Lithology**
- Overburden
 - Quartz Diorite
 - Felsic Dyke
 - Feldspar Porphyry
 - Silicified Quartz Diorite
 - Fault Zone



Section Details:
 Orientation: East-West
 Viewing: North
 Thickness: 50m +/-



BING PROPERTY
 British Columbia, Canada
Drill Cross Section 6471700N
Downhole Lithology

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08





Legend

- Topography (NTS 50k DEM)
- Drill Collar
- Drill Trace
- Downhole Depth
- End of Hole

Lithology


- Overburden
- Quartz Diorite
- Felsic Dyke
- Feldspar Porphyry
- Silicified Quartz Diorite
- Fault Zone



Section Details:
Orientation: East-West
Viewing: North
Thickness: 50m +/-



BING PROPERTY
British Columbia, Canada
Drill Cross Section 6471300N
Downhole Lithology

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08







- Topography (NTS 50k DEM)
 - Drill Collar
 - Drill Trace
 - Downhole Depth
 - ✕ End of Hole
- | Lithology | |
|-----------|-------------------|
| | Overburden |
| | Quartz Diorite |
| | Felsic Dyke |
| | Feldspar Porphyry |
| | Fault Zone |

Section Details:
 Orientation: East-West
 Viewing: North
 Thickness: 50m +/-


BING PROPERTY
 British Columbia, Canada
Drill Cross Section 6470900N
Downhole Lithology

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08

Meters






<ul style="list-style-type: none"> Topography (NTS 50k DEM) Drill Collar Drill Trace Downhole Depth End of Hole <p>Section Details: Orientation: East-West Viewing: North Thickness: 50m +/-</p>	<p>Downhole Gold Assays</p> <p>Au (ppm) Left Side</p> <ul style="list-style-type: none"> 0.11 - 0.20 0.06 - 0.10 0.04 - 0.05 0.01 - 0.03 0.00 	<p>Downhole Copper Assays</p> <p>Cu (ppm) Right Side</p> <ul style="list-style-type: none"> 2000.01 - 4000.00 1000.01 - 2000.00 500.01 - 1000.00 200.01 - 500.00 38.00 - 200.00
--	---	---




BING PROPERTY
British Columbia, Canada
Drill Cross Section 6471700N
Downhole Assays

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08








<ul style="list-style-type: none"> Topography (NTS 50k DEM) Drill Collar Drill Trace Downhole Depth End of Hole <p>Section Details: Orientation: East-West Viewing: North Thickness: 50m +/-</p>	<p>Downhole Gold Assays</p> <p>Au (ppm) Left Side</p> <ul style="list-style-type: none"> 0.11 - 0.20 0.06 - 0.10 0.04 - 0.05 0.01 - 0.03 0.00 	<p>Downhole Copper Assays</p> <p>Cu (ppm) Right Side</p> <ul style="list-style-type: none"> 2000 - 4000 1000 - 2000 500 - 1000 200 - 500 38 - 200
--	---	---




BING PROPERTY
British Columbia, Canada
Drill Cross Section 6471300N
Downhole Assays

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08






<ul style="list-style-type: none"> Topography (NTS 50k DEM) Drill Collar Drill Trace Downhole Depth End of Hole <p>Section Details: Orientation: East-West Viewing: North Thickness: 50m +/-</p>	<p>Downhole Gold Assays</p> <p>Au (ppm) Left Side</p> <ul style="list-style-type: none"> 0.11 - 0.20 0.06 - 0.10 0.04 - 0.05 0.01 - 0.03 0.00 	<p>Downhole Copper Assays</p> <p>Cu (ppm) Right Side</p> <ul style="list-style-type: none"> 2000.01 - 4000.00 1000.01 - 2000.00 500.01 - 1000.00 200.01 - 500.00 38.00 - 200.00
--	---	---



BING PROPERTY
British Columbia, Canada
Drill Cross Section 6470900N
Downhole Assays

Date: July 2012 Scale 1 : 500 Coordinates: NAD83 UTM Zone 08



BC-11-03

PROJECT: BING
 ID Hole: PB-11-03
 Core Inclination: -60
 Azimuth: 90
 Length: 300m

Start Date: 18-Jul-11
 End Date:
 Size: HQ 0- NQ

Collar: UTM (NAD83)
 UTM_E: 668428
 UTM_N: 6470839
 UTM_Zone: 8
 Elev: 1333

Paget Minerals Corp.
 Geologist:
 Date Log completed: Pg ____ of ____

Drill Contractor:

Sample Number	From	To	Length	Geology - Lithology			Lithology	Rock type/texture	Rock composition	Structure						Veins/1m					Alteration								Mineralization					Description				
				Graph Log	Redox O/M/S	Alter. Code				Rock Code	Type (F, f, B, v)-Angle						Breccia	Sulfide	Qtz-Sulf/Ox	Quartz	Mnt-qtz	Other	biotite	K-fspar	Sericite	Silica	Clays	Chlorite	Epidote	Calcite	Other	Oxide / Limonite	Sulfides		Pyrite	Cpy	Bornite	Moly
											Fault, fract, bed, vnl																											
	(m)	(m)	(m)						1	<	2	<	3	<																							Ore__py, cpy, bor, cv, sph, gal; Structure__Bx, F, f, V, v, B; Other__stk, dsm, prvs, mtx, slvg.	
	0	6	6				OB																												Overburden			
L480731	6	7.9	1.9	S	EC	Di	Silicified Diorite	fdsp, mafics	f	20	v	40																								Silicified Diorite: dark grey diorite, original texture destroyed, severely alt, fine grained. Tr sulphides, py as salvages on qtz/carb veins		
L480732	7.9	10.3	2.4	S	EC	Di	Silicified Diorite	fdsp, mafics	v	30	f	45																								Lithology continues. Oxide staining on fracture surfaces. Beginning to pick up small blebs of cpy. Moly salvages on qtz veins. Trace K-spar alt. increase in qtz carb veins.		
L480733	10.3	11.6	1.3	S	EC	Di	Silicified Diorite	fdsp, mafics	v	20																										Lithology continues. Mostly broken core and rubble. Thin moly vnlt.		
L480734	11.6	13.7	2.1	S	EC	Di	Silicified Diorite	fdsp, mafics	v	25	v	35																								Lithology continues. Small section of AR alt, softer Di. Cpy and moly salvages on qtz veins. Increase in sulphides in the Ar alt. sections.		
L480735	Standard	CDN-CGS-23																																				
L480736	13.7	15.6	1.9	S	EC	Di	Silicified Diorite	fdsp, mafics	v	15																										Lithology continues. Slight increase in py. Increase in chlorite alt. magnetite confined to fracture fillings. Thin moly vnlt. Cpy and py salvages on qtz veins.		
L480737	15.6	17.8	2.2	S	EC	Di	Silicified Diorite	fdsp, mafics	f	20																										Lithology continues. Trace k-spar alt. associated with qtz veining. Hematite staining. 30 cm section of brecciated qtz, cabinate clay matrix with qtz clasts.		
L480738	17.8	19.8	2	S	EC	Di	Silicified Diorite	fdsp, mafics	v	20	v	50																								Lithology continues. Slight increase in epidote alt. cpy and py salvages on qtz veins.		
L480739	19.8	21.9	2.1	S	EC	Di	Silicified Diorite	fdsp, mafics	v	40	v	20																								Lithology continues.		
L480740	21.9	23.9	2	S	EC	Di	Silicified Diorite	fdsp, mafics	v	40	f	20																								Lithology continues. More silicified, darker rock, fine grained. Few qtz veins. Thin py vnlt. Increase in magnetite.		
L480741	23.9	25.9	2	S	EC	Di	Silicified Diorite	fdsp, mafics	v	35																									Lithology continues. Still dark, finer grained diorite. Some leached calcite and sulphide veins. Blebs of cpy, moly salvages on qtz veins. Increase in qtz veining.			

L480862	230	232	2		S	EC	Di	Silicified Di	fdsp, hornblende, mafics	v	60								1	0	1		1			2	0	5	2	4	4	2			tr	tr	0.25			lithology continues. Cpy in country rock. K-spar alt. along joint surfaces, strong epidote alt.
L480863	232	234.4	2.4		S	EC	Di	Silicified Di	fdsp, hornblende, mafics	v	25								1	0	2		2			2	0	5	2	4	4	2			tr	tr	0.25			Lithology continues.
L480864	234.4	236.8	2.4		S	EC	Di	Silicified Di	fdsp, hornblende, mafics	C	70	C	65						2	0	1		1			3	0	5	2	3	4	2			tr	tr	tr			Lithology continues. 2 small scale felsic dykes. Contacts at 70 65 deg. FP, Mz comp. KF alt. margins of dyke associated with brecciations and increased epidote alt.
L480865	Blank	CDN-BL-8																																						
L480866	EOH																																							

Appendix E: Analytical Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date: 7-AOUT-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11133620

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 36 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 14-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
CRU-QC	Test concassage QC
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um
LOG-23	Entrée pulpe - Reçu avec code barre

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 2 (A - C)
 Finalisée date: 7-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11133620

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480523		7.97	0.2	0.82	5	<10	50	<0.5	2	0.69	<0.5	12	17	249	2.13	<10
L480524		9.84	0.3	1.07	5	<10	50	<0.5	2	1.02	<0.5	15	21	432	3.02	10
L480525		0.07	0.2	0.98	4	<10	70	<0.5	<2	0.61	<0.5	6	29	21	1.86	<10
L480526		9.14	0.6	0.99	7	<10	50	<0.5	6	0.94	<0.5	18	18	526	2.94	10
L480527		8.90	0.5	1.01	6	<10	60	<0.5	3	0.93	<0.5	13	18	409	2.99	10
L480528		9.30	0.4	1.07	6	<10	50	<0.5	2	1.11	<0.5	15	26	430	2.87	10
L480529		9.38	0.6	1.21	5	<10	60	<0.5	8	1.19	<0.5	16	19	663	2.93	10
L480530		8.92	0.5	2.20	5	<10	80	<0.5	5	1.01	<0.5	15	64	367	3.42	10
L480531		7.94	0.2	0.81	6	<10	60	<0.5	<2	0.73	<0.5	9	17	218	2.11	<10
L480532		7.51	0.2	0.88	4	<10	60	<0.5	<2	0.66	<0.5	7	18	308	1.63	<10
L480533		9.59	0.2	0.82	4	<10	70	<0.5	<2	0.67	<0.5	6	20	221	1.49	<10
L480534		8.49	0.3	0.91	4	<10	50	<0.5	<2	0.63	<0.5	5	20	264	1.43	<10
L480535		0.07	1.7	1.19	14	<10	120	<0.5	2	0.64	<0.5	7	29	3350	2.97	<10
L480536		7.88	0.9	1.10	4	<10	60	<0.5	<2	1.11	<0.5	11	16	994	2.01	<10
L480537		3.87	1.0	0.84	5	<10	50	<0.5	2	1.18	<0.5	12	18	1080	2.23	<10
L480538		4.48	0.7	0.96	5	<10	60	<0.5	<2	1.25	<0.5	11	19	758	1.95	<10
L480539		4.83	1.5	0.83	6	<10	50	<0.5	2	1.13	<0.5	14	22	1650	1.97	<10
L480540		4.33	2.0	1.18	7	<10	60	<0.5	10	1.46	<0.5	23	6	2230	2.17	10
L480541		4.87	0.9	0.90	27	<10	50	<0.5	5	2.04	<0.5	191	19	501	6.88	<10
L480542		4.64	1.0	1.13	193	<10	140	0.6	2	5.13	<0.5	22	13	651	2.59	<10
L480543		4.44	0.4	0.71	17	<10	490	<0.5	<2	2.08	<0.5	9	11	408	1.93	<10
L480544		4.45	0.8	0.57	32	<10	30	<0.5	15	2.69	<0.5	66	5	376	4.82	<10
L480545		0.07	0.3	0.98	8	<10	80	<0.5	<2	0.64	<0.5	6	30	21	1.95	<10
L480546		4.68	0.5	0.64	7	<10	70	<0.5	<2	1.13	<0.5	13	10	504	2.03	<10
L480547		4.99	0.6	0.74	5	<10	60	<0.5	<2	1.15	<0.5	13	11	613	2.19	<10
L480548		4.55	0.6	0.56	7	<10	50	<0.5	2	1.16	<0.5	11	9	649	1.53	<10
L480549		4.55	0.3	0.54	5	<10	50	<0.5	2	1.15	<0.5	13	10	427	1.69	<10
L480550		4.96	0.5	0.67	7	<10	40	<0.5	<2	1.17	<0.5	18	11	589	1.84	<10
L480551		4.72	0.4	0.66	8	<10	30	<0.5	2	1.11	<0.5	26	10	585	1.89	<10
L480552		4.79	0.3	0.76	16	<10	40	<0.5	2	1.02	<0.5	76	23	394	2.56	<10
L480553		4.80	0.2	0.89	11	<10	50	<0.5	<2	1.08	<0.5	16	19	387	1.44	<10
L480554		4.39	0.3	0.82	13	<10	60	<0.5	<2	1.08	<0.5	38	21	751	1.62	<10
L480555		0.07	2.0	1.48	30	<10	230	<0.5	2	1.82	0.8	16	62	1885	4.10	<10
L480556		4.50	0.4	0.63	3	<10	40	<0.5	<2	1.10	<0.5	13	18	631	1.28	<10
L480557		5.00	0.3	0.79	2	<10	130	<0.5	<2	1.50	<0.5	8	24	564	1.74	<10
L480558		2.99	<0.2	0.71	3	<10	80	<0.5	<2	0.73	<0.5	5	24	266	1.16	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 2 (A - C)
 Finalisée date: 7-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11133620

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Th ppm 20
L480523		<1	0.28	<10	0.54	124	150	0.08	9	1090	3	0.69	<2	3	43	<20
L480524		<1	0.33	<10	0.62	134	312	0.09	13	1100	3	1.26	<2	3	70	<20
L480525		<1	0.06	<10	0.44	292	4	0.05	20	470	2	0.05	<2	4	29	<20
L480526		<1	0.46	<10	0.82	147	224	0.09	13	1280	5	1.61	<2	3	40	<20
L480527		<1	0.38	<10	0.65	152	117	0.09	10	1310	<2	0.99	<2	3	59	<20
L480528		<1	0.32	<10	0.61	141	205	0.09	13	1270	2	0.97	<2	3	59	<20
L480529		<1	0.31	<10	0.68	135	132	0.09	13	1340	2	1.05	<2	4	52	<20
L480530		<1	1.30	<10	2.35	282	479	0.10	19	1320	5	1.82	<2	11	44	<20
L480531		<1	0.28	<10	0.53	98	361	0.09	9	650	5	1.41	<2	2	33	<20
L480532		<1	0.33	<10	0.53	107	316	0.09	8	550	2	0.50	<2	3	35	<20
L480533		<1	0.29	<10	0.53	102	291	0.07	8	550	2	0.48	<2	3	52	<20
L480534		<1	0.35	<10	0.53	98	530	0.09	7	570	2	0.40	<2	3	33	<20
L480535		<1	0.10	<10	0.52	408	249	0.08	28	500	21	0.41	4	4	37	<20
L480536		<1	0.31	<10	0.56	113	411	0.10	10	1270	<2	0.64	<2	4	70	<20
L480537		<1	0.19	<10	0.55	148	505	0.08	9	1330	9	0.73	<2	3	45	<20
L480538		<1	0.22	<10	0.54	134	369	0.09	11	1240	4	0.73	<2	2	52	<20
L480539		<1	0.19	<10	0.51	128	394	0.10	16	910	7	0.90	<2	2	56	<20
L480540		<1	0.29	<10	0.68	119	760	0.10	8	1330	6	1.21	<2	4	58	<20
L480541		<1	0.57	<10	0.93	170	164	0.05	22	1020	10	8.18	2	6	35	<20
L480542		<1	0.26	<10	0.80	272	749	0.03	19	890	7	1.54	7	8	125	<20
L480543		<1	0.21	<10	0.53	182	489	0.07	5	790	3	0.66	<2	4	116	<20
L480544		<1	0.22	<10	0.54	181	252	0.04	10	1080	12	4.84	<2	5	68	<20
L480545		<1	0.06	<10	0.46	303	4	0.05	20	480	2	0.06	<2	4	29	<20
L480546		<1	0.16	<10	0.58	119	926	0.09	7	1240	7	1.01	<2	3	39	<20
L480547		<1	0.18	10	0.48	137	351	0.09	6	1370	3	0.75	<2	2	40	<20
L480548		<1	0.16	<10	0.34	110	1330	0.09	7	1240	6	0.72	<2	2	34	<20
L480549		<1	0.13	<10	0.30	99	405	0.09	7	1190	5	0.81	<2	2	37	<20
L480550		<1	0.15	<10	0.32	94	313	0.10	8	1210	2	1.02	<2	2	43	<20
L480551		<1	0.15	<10	0.42	97	828	0.08	10	1100	4	1.16	<2	2	38	<20
L480552		<1	0.17	<10	0.40	100	426	0.10	27	1010	5	1.62	<2	2	49	<20
L480553		<1	0.18	<10	0.36	81	470	0.12	15	1010	7	0.75	<2	2	78	<20
L480554		<1	0.20	<10	0.41	109	945	0.13	16	650	8	0.86	<2	2	41	<20
L480555		1	0.49	20	0.82	352	153	0.06	16	710	22	1.91	8	6	74	<20
L480556		<1	0.13	<10	0.33	93	234	0.10	10	680	6	0.47	<2	2	39	<20
L480557		<1	0.16	<10	0.50	140	684	0.08	12	630	4	0.49	<2	2	49	<20
L480558		<1	0.18	<10	0.48	108	351	0.10	9	440	4	0.23	<2	2	37	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 2 (A - C)
 Finalisée date: 7-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11133620

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480523		0.16	<10	<10	72	50	32	0.015
L480524		0.20	<10	<10	102	130	19	0.033
L480525		0.10	<10	<10	43	10	33	0.002
L480526		0.25	<10	<10	116	40	25	0.037
L480527		0.20	<10	<10	100	120	18	0.021
L480528		0.20	<10	<10	103	30	18	0.016
L480529		0.20	<10	<10	107	20	21	0.017
L480530		0.24	<10	<10	135	30	43	0.024
L480531		0.13	<10	<10	48	20	15	0.015
L480532		0.13	<10	<10	53	20	14	0.005
L480533		0.12	<10	<10	51	30	12	0.010
L480534		0.12	<10	<10	56	10	12	0.009
L480535		0.11	<10	<10	49	<10	50	1.025
L480536		0.17	<10	<10	81	30	18	0.040
L480537		0.16	<10	<10	81	10	20	0.016
L480538		0.17	<10	<10	74	40	15	0.016
L480539		0.17	<10	<10	65	20	18	0.028
L480540		0.21	<10	<10	91	20	25	0.071
L480541		0.08	<10	<10	70	<10	32	0.035
L480542		<0.01	<10	<10	49	<10	34	0.027
L480543		0.03	<10	<10	43	10	14	0.011
L480544		0.01	<10	<10	29	90	19	0.215
L480545		0.10	<10	<10	44	10	34	0.002
L480546		0.15	<10	<10	53	10	16	0.014
L480547		0.18	<10	<10	66	20	17	0.019
L480548		0.17	<10	<10	48	30	17	0.039
L480549		0.16	<10	<10	48	20	12	0.019
L480550		0.16	<10	<10	49	30	11	0.018
L480551		0.14	<10	<10	51	40	15	0.032
L480552		0.15	<10	<10	53	10	17	0.020
L480553		0.13	<10	<10	43	20	14	0.021
L480554		0.11	<10	<10	40	10	22	0.017
L480555		0.04	<10	<10	56	<10	67	0.203
L480556		0.10	<10	<10	40	10	15	0.018
L480557		0.08	<10	<10	45	20	17	0.030
L480558		0.10	<10	<10	42	10	13	0.006



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date:
13-AOUT-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11138182

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 172 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 21-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
CRU-QC	Test concassage QC
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um
LOG-23	Entrée pulpe - Reçu avec code barre

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480559		3.38	0.2	0.56	16	<10	50	<0.5	<2	0.58	<0.5	4	22	196	0.98	<10
L480560		4.39	0.8	0.66	6	<10	50	<0.5	<2	0.94	<0.5	6	23	810	1.31	<10
L480561		4.54	0.3	0.77	10	<10	30	<0.5	3	1.19	<0.5	8	26	279	1.64	<10
L480562		5.08	<0.2	0.84	4	<10	30	<0.5	<2	1.21	<0.5	7	30	163	2.07	<10
L480563		5.04	<0.2	0.93	6	<10	20	<0.5	2	1.32	<0.5	7	38	130	2.08	10
L480564		4.79	0.4	0.92	3	<10	40	<0.5	<2	1.21	<0.5	8	28	551	1.77	<10
L480565		0.08	0.5	1.03	4	<10	80	<0.5	<2	0.63	<0.5	8	29	20	2.00	<10
L480566		4.88	0.7	0.88	8	<10	40	<0.5	4	2.08	<0.5	39	42	446	2.22	<10
L480567		4.40	0.8	0.99	12	<10	50	<0.5	<2	1.87	<0.5	50	41	859	2.10	<10
L480568		4.49	0.8	0.74	9	<10	40	<0.5	<2	1.08	<0.5	21	31	826	1.72	<10
L480569		4.71	0.4	0.74	5	<10	30	<0.5	5	1.02	<0.5	14	37	460	1.58	<10
L480570		4.84	0.3	0.92	2	<10	50	<0.5	<2	1.22	<0.5	9	43	416	1.98	<10
L480571		4.59	0.3	0.73	3	<10	60	<0.5	2	1.02	<0.5	6	23	349	1.57	<10
L480572		4.63	0.5	0.78	4	<10	40	<0.5	3	1.04	<0.5	9	32	618	1.74	<10
L480573		4.88	1.0	1.49	3	<10	40	<0.5	<2	1.40	<0.5	12	56	809	2.12	<10
L480574		4.80	0.3	1.10	5	<10	40	<0.5	2	1.14	<0.5	13	34	490	1.81	<10
L480575		0.08	3.6	1.74	33	<10	130	<0.5	4	1.00	1.1	19	57	8940	4.51	10
L480576		4.52	0.4	1.32	3	<10	50	<0.5	5	1.12	<0.5	8	32	421	1.84	<10
L480577		5.38	0.7	0.88	4	<10	40	<0.5	2	1.17	<0.5	10	19	606	1.90	<10
L480578		4.28	0.4	0.71	3	<10	30	<0.5	4	0.97	<0.5	9	10	360	1.78	<10
L480579		4.91	0.6	0.53	3	<10	40	<0.5	4	0.86	<0.5	7	8	613	1.26	<10
L480580		4.91	0.6	0.65	4	<10	30	<0.5	5	1.08	<0.5	10	18	655	1.86	<10
L480581		4.86	0.6	0.84	6	<10	40	<0.5	<2	1.35	<0.5	9	21	424	1.84	<10
L480582		4.97	0.3	0.72	4	<10	40	<0.5	<2	1.09	<0.5	10	19	422	1.80	<10
L480583		4.56	0.3	0.71	3	<10	50	<0.5	2	0.94	<0.5	7	18	250	1.61	<10
L480584		4.83	0.5	0.42	2	<10	50	<0.5	<2	0.84	<0.5	6	11	481	0.96	<10
L480585		0.08	0.2	1.05	5	<10	80	<0.5	<2	0.64	<0.5	7	29	20	2.00	<10
L480586		4.74	0.3	0.77	4	<10	50	<0.5	<2	1.09	<0.5	8	18	562	1.62	<10
L480587		4.32	<0.2	1.16	3	<10	50	<0.5	2	1.91	<0.5	7	23	117	2.41	10
L480588		5.28	0.9	0.75	5	<10	50	<0.5	<2	1.08	<0.5	7	20	440	2.25	<10
L480589		4.53	0.4	0.57	4	<10	40	<0.5	4	0.86	<0.5	14	17	529	1.55	<10
L480590		4.94	2.8	1.42	99	<10	40	<0.5	8	0.79	<0.5	180	19	3390	9.53	10
L480591		4.99	0.5	0.53	4	<10	40	<0.5	2	0.99	<0.5	14	10	437	1.64	<10
L480592		5.14	0.2	0.59	3	<10	30	<0.5	<2	0.83	<0.5	7	11	296	1.74	<10
L480593		4.77	0.6	0.57	3	<10	30	<0.5	4	1.00	<0.5	6	12	903	1.01	<10
L480594		4.95	0.7	0.52	3	<10	30	<0.5	2	0.97	<0.5	7	12	890	1.28	<10
L480595		0.08	3.6	1.78	35	<10	130	<0.5	9	1.00	1.0	18	57	9170	4.49	<10
L480596		4.76	0.5	0.46	4	<10	30	<0.5	33	0.80	<0.5	16	12	594	1.63	<10
L480597		4.93	0.7	0.86	5	<10	140	<0.5	4	1.85	<0.5	11	45	481	2.26	<10
L480598		4.53	0.5	0.53	<2	<10	40	<0.5	2	1.20	<0.5	7	12	682	0.97	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480559		<1	0.13	10	0.30	90	322	0.08	6	280	5	0.17	<2	1	27	<20
L480560		<1	0.15	<10	0.28	94	714	0.08	9	730	4	0.33	<2	1	45	<20
L480561		<1	0.12	<10	0.43	136	616	0.09	11	760	3	0.38	<2	2	51	<20
L480562		<1	0.10	<10	0.46	156	415	0.10	10	880	2	0.25	<2	2	67	<20
L480563		<1	0.13	<10	0.61	180	794	0.10	12	910	3	0.20	<2	3	52	<20
L480564		<1	0.18	<10	0.58	144	742	0.10	12	930	2	0.32	2	2	58	<20
L480565		<1	0.06	<10	0.47	302	4	0.05	18	480	<2	0.05	<2	4	29	<20
L480566		<1	0.15	10	0.91	230	884	0.10	27	820	5	1.08	<2	5	47	<20
L480567		<1	0.28	10	0.84	222	450	0.09	21	900	4	0.78	<2	4	41	<20
L480568		<1	0.14	<10	0.53	120	1400	0.09	20	790	3	0.94	<2	2	33	<20
L480569		<1	0.14	<10	0.63	127	536	0.09	20	800	3	0.61	<2	2	30	<20
L480570		<1	0.14	<10	0.50	148	72	0.10	16	910	<2	0.36	<2	3	48	<20
L480571		<1	0.12	<10	0.25	93	290	0.10	7	860	2	0.37	<2	1	68	<20
L480572		<1	0.11	<10	0.25	92	177	0.10	11	880	2	0.39	<2	1	111	<20
L480573		<1	0.22	<10	0.54	143	589	0.19	25	970	2	0.44	<2	3	210	<20
L480574		<1	0.19	<10	0.37	116	106	0.15	11	890	<2	0.41	<2	2	88	<20
L480575		<1	0.52	10	1.02	513	908	0.11	32	870	38	2.12	6	9	49	<20
L480576		<1	0.26	<10	0.51	128	928	0.17	8	800	2	0.34	<2	3	87	<20
L480577		<1	0.13	<10	0.37	105	201	0.10	7	840	2	0.58	<2	2	78	<20
L480578		<1	0.12	<10	0.22	82	512	0.10	4	810	2	0.82	<2	1	73	<20
L480579		<1	0.11	<10	0.15	73	461	0.09	3	740	2	0.50	<2	1	68	<20
L480580		<1	0.10	<10	0.26	105	374	0.10	8	970	2	0.66	<2	2	56	<20
L480581		<1	0.13	10	0.35	114	397	0.10	8	910	2	0.50	<2	2	61	<20
L480582		<1	0.10	10	0.30	101	186	0.10	7	810	<2	0.36	<2	2	62	<20
L480583		<1	0.11	<10	0.25	89	252	0.09	4	720	2	0.27	<2	1	58	<20
L480584		<1	0.10	<10	0.17	71	3590	0.07	3	610	2	0.48	<2	1	40	<20
L480585		<1	0.06	<10	0.47	302	9	0.06	18	480	<2	0.05	<2	4	30	<20
L480586		<1	0.14	<10	0.34	98	340	0.11	6	790	<2	0.36	<2	2	67	<20
L480587		<1	0.13	10	0.89	202	102	0.12	9	830	<2	0.20	<2	5	58	<20
L480588		<1	0.10	10	0.47	155	137	0.12	7	830	2	0.22	2	2	56	<20
L480589		<1	0.14	<10	0.29	87	637	0.09	6	730	3	0.48	<2	1	58	<20
L480590		<1	0.11	<10	0.53	133	258	0.07	28	720	10	6.20	3	3	37	<20
L480591		<1	0.09	10	0.14	70	1090	0.09	3	870	3	0.66	<2	1	79	<20
L480592		<1	0.10	<10	0.18	66	274	0.09	7	820	6	0.46	<2	1	56	<20
L480593		<1	0.14	<10	0.17	67	1200	0.08	5	810	3	0.44	<2	1	47	<20
L480594		<1	0.11	10	0.12	55	378	0.08	4	880	2	0.45	<2	1	55	<20
L480595		<1	0.53	10	1.02	512	916	0.12	33	870	35	2.16	6	9	51	<20
L480596		<1	0.11	<10	0.16	58	429	0.08	5	740	3	1.04	<2	1	35	<20
L480597		<1	0.17	10	0.59	160	629	0.07	16	840	3	1.02	<2	2	38	<20
L480598		<1	0.14	<10	0.47	91	203	0.06	7	750	2	0.32	<2	2	25	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480559		0.07	<10	<10	28	10	14	0.005
L480560		0.13	<10	<10	43	10	18	0.014
L480561		0.14	<10	<10	52	20	14	0.007
L480562		0.15	<10	<10	68	20	15	0.003
L480563		0.16	<10	<10	70	40	16	0.002
L480564		0.18	<10	<10	66	70	19	0.012
L480565		0.10	<10	<10	44	10	33	0.001
L480566		0.12	<10	<10	70	<10	22	0.025
L480567		0.15	<10	<10	70	30	24	0.024
L480568		0.14	<10	<10	52	10	18	0.055
L480569		0.15	<10	<10	56	10	19	0.028
L480570		0.16	<10	<10	69	20	14	0.008
L480571		0.13	<10	<10	50	70	11	0.008
L480572		0.14	<10	<10	59	30	11	0.006
L480573		0.15	<10	<10	74	80	22	0.016
L480574		0.15	<10	<10	61	80	14	0.008
L480575		0.15	<10	<10	100	20	151	0.693
L480576		0.17	<10	<10	68	20	15	0.013
L480577		0.14	<10	<10	57	20	17	0.008
L480578		0.13	<10	<10	42	20	11	0.008
L480579		0.11	<10	<10	32	30	12	0.014
L480580		0.16	<10	<10	54	20	14	0.019
L480581		0.14	<10	<10	58	40	15	0.003
L480582		0.14	<10	<10	57	20	14	0.016
L480583		0.12	<10	<10	48	20	9	0.004
L480584		0.09	<10	<10	28	20	9	0.007
L480585		0.11	<10	<10	45	10	32	0.001
L480586		0.13	<10	<10	52	10	12	0.011
L480587		0.10	<10	<10	78	10	16	0.002
L480588		0.15	<10	<10	72	10	21	0.004
L480589		0.15	<10	<10	49	20	11	0.012
L480590		0.11	<10	<10	49	20	39	0.087
L480591		0.13	<10	<10	44	30	16	0.057
L480592		0.13	<10	<10	48	10	10	0.007
L480593		0.13	<10	<10	32	10	17	0.026
L480594		0.14	<10	<10	38	10	13	0.023
L480595		0.15	<10	<10	101	20	145	0.703
L480596		0.13	<10	<10	34	20	12	0.024
L480597		0.13	<10	<10	61	20	17	0.014
L480598		0.10	<10	<10	32	20	15	0.018



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - A
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480599		5.17	0.4	0.88	5	<10	40	<0.5	3	1.32	<0.5	12	84	646	2.48	<10
L480600		4.38	0.6	0.91	6	<10	60	<0.5	2	0.97	<0.5	15	59	826	2.13	<10
L480601		4.52	1.2	0.50	5	<10	40	<0.5	8	0.95	<0.5	10	18	2430	1.12	<10
L480602		4.65	1.2	0.56	4	<10	50	<0.5	5	0.93	<0.5	6	33	1080	1.47	<10
L480603		4.86	0.6	0.56	4	<10	40	<0.5	7	0.98	<0.5	10	24	728	1.29	<10
L480604		4.85	0.5	0.62	2	<10	50	<0.5	7	0.96	<0.5	8	35	695	1.47	<10
L480605		0.08	0.2	1.52	4	<10	140	<0.5	<2	0.92	<0.5	7	41	29	3.14	<10
L480606		5.59	0.3	0.76	3	<10	50	<0.5	<2	0.94	<0.5	6	58	358	1.92	<10
L480607		4.63	0.8	0.63	5	<10	40	<0.5	5	0.97	<0.5	7	38	1025	1.88	<10
L480608		4.95	0.2	0.60	2	<10	50	<0.5	2	0.91	<0.5	5	40	187	1.83	<10
L480609		4.42	<0.2	0.61	<2	<10	40	<0.5	3	1.02	<0.5	6	43	327	1.47	<10
L480610		5.40	0.8	0.72	2	<10	40	<0.5	<2	1.10	<0.5	7	30	1165	1.34	<10
L480611		4.29	0.9	0.72	3	<10	40	<0.5	<2	1.08	<0.5	9	34	1385	1.37	<10
L480612		4.88	0.8	0.72	5	<10	40	<0.5	<2	1.18	<0.5	8	30	1085	1.28	<10
L480613		4.62	1.5	0.63	11	<10	40	<0.5	2	1.65	<0.5	5	23	1415	1.05	<10
L480614		4.61	2.3	0.39	250	<10	270	0.5	2	3.82	1.0	14	8	718	2.33	<10
L480615		0.08	1.8	1.24	15	<10	130	<0.5	<2	0.69	<0.5	7	31	3360	3.19	<10
L480616		4.94	0.9	0.68	87	<10	90	<0.5	2	2.27	<0.5	8	23	653	1.32	<10
L480617		4.88	0.7	0.68	6	<10	40	<0.5	<2	1.21	<0.5	13	23	1075	1.37	<10
L480618		4.48	0.4	0.72	4	<10	50	<0.5	<2	1.24	<0.5	8	31	663	1.37	<10
L480619		4.77	3.0	0.76	3	<10	50	<0.5	3	1.11	<0.5	6	31	805	1.08	<10
L480620		4.77	0.4	0.41	2	<10	60	<0.5	3	1.06	<0.5	3	17	635	0.51	<10
L480621		4.33	0.7	0.71	4	<10	80	<0.5	2	1.64	<0.5	5	27	1110	0.95	<10
L480622		4.93	0.6	0.77	5	<10	50	<0.5	<2	1.31	<0.5	7	35	641	1.50	<10
L480623		4.83	0.6	0.78	4	<10	40	<0.5	3	1.19	<0.5	8	39	942	1.66	<10
L480624		4.98	0.4	0.82	5	<10	50	<0.5	2	1.74	<0.5	9	40	557	1.80	<10
L480625		0.08	0.2	1.06	4	<10	90	<0.5	<2	0.66	<0.5	7	30	22	2.04	<10
L480626		5.31	0.8	0.73	98	<10	410	<0.5	2	2.29	1.0	11	32	711	2.30	<10
L480627		4.77	<0.2	0.75	5	<10	50	<0.5	<2	1.03	<0.5	9	38	350	1.91	<10
L480628		5.14	0.5	0.75	5	<10	50	<0.5	2	0.98	<0.5	9	37	642	1.46	<10
L480629		5.13	0.6	0.59	5	<10	40	<0.5	2	0.87	<0.5	6	27	665	0.90	<10
L480630		3.85	0.9	0.99	43	<10	70	<0.5	7	2.85	1.4	10	32	887	2.12	<10
L480631		3.76	0.3	0.56	3	<10	60	<0.5	<2	1.08	<0.5	3	19	351	0.50	<10
L480632		3.97	0.2	0.60	2	<10	50	<0.5	<2	1.11	<0.5	3	20	236	0.61	<10
L480633		5.66	0.8	0.63	7	<10	50	<0.5	<2	1.42	<0.5	9	31	885	1.37	<10
L480634		4.72	0.3	0.46	3	<10	40	<0.5	<2	0.97	<0.5	5	21	306	0.84	<10
L480635		0.08	1.9	1.51	29	<10	110	<0.5	2	1.81	0.9	15	63	1860	4.00	<10
L480636		4.99	0.4	0.56	5	<10	60	<0.5	5	0.88	<0.5	7	26	631	1.24	<10
L480637		4.41	0.6	0.71	7	<10	80	<0.5	2	1.24	<0.5	12	36	703	2.01	<10
L480638		5.25	1.7	0.93	13	<10	40	<0.5	51	2.78	<0.5	20	33	2520	2.15	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - B
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480599		<1	0.24	10	0.74	154	140	0.10	23	1200	<2	0.37	<2	3	44	<20
L480600		<1	0.34	<10	0.68	129	68	0.09	28	1040	<2	0.50	<2	2	55	<20
L480601		<1	0.11	<10	0.19	62	132	0.07	21	840	9	0.57	<2	1	28	<20
L480602		<1	0.11	10	0.26	74	213	0.07	13	900	4	0.37	<2	1	38	<20
L480603		<1	0.09	<10	0.20	62	376	0.07	15	870	5	0.49	<2	1	53	<20
L480604		<1	0.11	<10	0.24	74	444	0.09	14	940	3	0.37	<2	1	41	<20
L480605		<1	0.16	10	0.53	444	6	0.20	22	480	<2	0.04	<2	5	55	<20
L480606		<1	0.21	10	0.50	101	149	0.09	18	1040	<2	0.21	<2	2	57	<20
L480607		<1	0.08	<10	0.22	65	174	0.09	14	960	<2	0.37	<2	1	68	<20
L480608		<1	0.10	10	0.25	73	202	0.10	14	970	<2	0.25	<2	1	73	<20
L480609		<1	0.10	<10	0.31	80	164	0.09	15	990	<2	0.33	<2	2	58	<20
L480610		<1	0.10	<10	0.23	64	239	0.08	15	940	2	0.44	<2	1	74	<20
L480611		<1	0.10	<10	0.27	74	252	0.08	19	970	<2	0.46	<2	2	103	<20
L480612		<1	0.11	10	0.32	84	230	0.08	16	940	<2	0.40	<2	2	78	<20
L480613		<1	0.14	10	0.47	176	300	0.06	13	890	4	0.37	15	3	38	<20
L480614		<1	0.24	10	1.28	655	219	0.01	19	850	23	0.88	122	10	91	<20
L480615		<1	0.10	10	0.56	425	309	0.09	28	520	21	0.41	3	4	36	<20
L480616		<1	0.15	10	0.53	222	314	0.05	16	900	4	0.40	51	5	52	<20
L480617		<1	0.10	<10	0.34	88	324	0.08	19	910	3	0.55	<2	2	65	<20
L480618		<1	0.13	<10	0.46	111	188	0.08	17	910	<2	0.35	<2	2	94	<20
L480619		<1	0.17	<10	0.43	91	789	0.08	18	910	2	0.27	<2	2	90	<20
L480620		<1	0.15	10	0.35	81	1595	0.05	7	880	4	0.23	<2	1	23	<20
L480621		<1	0.13	<10	0.38	108	770	0.07	13	920	2	0.29	<2	2	47	<20
L480622		<1	0.14	<10	0.37	122	168	0.10	17	910	<2	0.32	<2	3	52	<20
L480623		<1	0.15	<10	0.44	110	269	0.09	19	980	2	0.41	<2	3	46	<20
L480624		<1	0.17	10	0.50	150	191	0.09	20	950	<2	0.43	<2	4	134	<20
L480625		<1	0.06	<10	0.49	308	4	0.06	20	490	2	0.04	<2	4	30	<20
L480626		<1	0.18	10	0.60	437	226	0.06	21	970	23	0.64	59	5	92	<20
L480627		<1	0.18	<10	0.43	90	122	0.11	20	1020	<2	0.49	<2	2	43	<20
L480628		<1	0.19	10	0.41	75	316	0.10	21	970	2	0.57	<2	2	49	<20
L480629		<1	0.11	<10	0.30	60	501	0.09	16	970	<2	0.38	<2	2	40	<20
L480630		<1	0.21	10	0.58	346	312	0.07	22	910	34	0.74	14	5	69	<20
L480631		<1	0.18	10	0.33	71	225	0.08	8	880	3	0.13	<2	1	31	<20
L480632		<1	0.19	10	0.41	77	634	0.08	8	1010	2	0.15	<2	2	32	<20
L480633		<1	0.16	10	0.47	127	370	0.09	17	930	2	0.52	<2	2	41	<20
L480634		<1	0.13	10	0.28	78	216	0.09	10	950	<2	0.23	<2	1	62	<20
L480635		1	0.51	20	0.82	349	152	0.06	15	700	19	1.89	6	6	72	<20
L480636		<1	0.21	10	0.37	80	284	0.09	13	880	3	0.43	<2	1	36	<20
L480637		<1	0.28	10	0.61	144	502	0.09	18	1140	5	0.70	<2	3	46	<20
L480638		<1	0.16	10	0.80	267	262	0.07	18	940	8	0.80	2	6	43	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - C
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480599		0.23	<10	<10	101	20	21	0.013
L480600		0.19	<10	<10	74	30	22	0.024
L480601		0.13	<10	<10	32	40	27	0.058
L480602		0.13	<10	<10	53	10	21	0.026
L480603		0.12	<10	<10	38	20	12	0.054
L480604		0.14	<10	<10	53	10	16	0.045
L480605		0.15	<10	<10	56	10	36	<0.001
L480606		0.17	<10	<10	72	10	16	0.015
L480607		0.13	<10	<10	60	10	14	0.020
L480608		0.15	<10	<10	63	40	9	0.004
L480609		0.13	<10	<10	55	20	10	0.007
L480610		0.13	<10	<10	50	10	14	0.017
L480611		0.13	<10	<10	50	120	15	0.022
L480612		0.13	<10	<10	50	30	13	0.017
L480613		0.12	<10	<10	43	20	21	0.016
L480614		<0.01	<10	<10	29	<10	62	0.218
L480615		0.11	<10	<10	52	<10	54	1.025
L480616		0.07	<10	<10	45	<10	33	0.064
L480617		0.13	<10	<10	46	10	13	0.017
L480618		0.14	<10	<10	54	10	14	0.011
L480619		0.15	<10	<10	53	<10	14	0.015
L480620		0.14	<10	<10	33	<10	10	0.008
L480621		0.12	<10	<10	45	10	13	0.016
L480622		0.14	<10	<10	59	10	12	0.008
L480623		0.14	<10	<10	67	10	14	0.014
L480624		0.13	<10	<10	65	10	13	0.008
L480625		0.11	<10	<10	47	10	34	0.003
L480626		0.08	<10	<10	56	<10	68	0.025
L480627		0.18	<10	<10	71	<10	11	0.006
L480628		0.17	<10	<10	58	10	13	0.012
L480629		0.14	<10	<10	44	10	11	0.015
L480630		0.10	<10	<10	62	10	77	0.023
L480631		0.16	<10	<10	36	<10	10	0.005
L480632		0.17	<10	<10	46	<10	12	0.005
L480633		0.15	<10	<10	54	10	16	0.013
L480634		0.14	<10	<10	40	10	8	0.004
L480635		0.04	<10	<10	57	<10	65	0.183
L480636		0.15	<10	<10	49	<10	14	0.011
L480637		0.17	<10	<10	81	<10	21	0.017
L480638		0.11	<10	<10	70	10	32	0.027



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - A
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480639		5.36	0.6	0.59	3	<10	60	<0.5	15	1.56	<0.5	10	10	870	1.27	<10
L480640		4.70	0.8	0.69	34	<10	210	<0.5	3	2.55	<0.5	9	11	1230	1.71	<10
L480641		4.52	0.8	0.58	7	<10	50	<0.5	<2	0.84	<0.5	8	13	879	1.39	<10
L480642		4.73	1.2	0.90	6	<10	40	<0.5	52	1.31	<0.5	14	41	1270	1.63	<10
L480643		5.48	0.8	1.04	5	<10	50	<0.5	2	1.27	<0.5	12	53	1225	1.89	<10
L480644		5.21	0.9	0.85	6	<10	40	<0.5	5	1.16	<0.5	10	34	866	1.60	<10
L480645		0.07	0.2	0.99	4	<10	70	<0.5	<2	0.62	<0.5	7	30	28	1.97	<10
L480646		4.68	0.6	0.93	5	<10	70	<0.5	2	1.01	<0.5	11	44	577	1.95	<10
L480647		5.46	0.9	0.75	4	<10	60	<0.5	2	2.16	<0.5	10	38	920	1.44	<10
L480648		3.18	0.8	0.80	5	<10	110	<0.5	<2	2.77	<0.5	13	37	786	1.93	<10
L480649		4.00	1.2	0.96	19	<10	250	0.5	97	8.7	<0.5	12	26	618	2.00	<10
L480650		5.20	0.8	1.00	5	<10	330	<0.5	6	3.34	<0.5	16	45	987	2.81	<10
L480651		5.16	0.7	0.79	8	<10	50	<0.5	<2	1.44	<0.5	10	32	694	1.45	<10
L480652		4.95	1.0	0.94	10	<10	80	<0.5	9	2.82	<0.5	10	35	965	1.92	<10
L480653		5.58	0.9	0.62	10	<10	40	<0.5	13	1.33	<0.5	9	24	868	1.54	<10
L480654		5.36	0.5	0.69	6	<10	50	<0.5	4	0.96	<0.5	8	24	506	1.47	<10
L480655		0.08	3.6	1.71	38	<10	120	<0.5	<2	0.99	1.1	18	58	9310	4.46	10
L480656		5.22	1.4	0.52	30	<10	320	<0.5	14	2.07	2.2	7	18	665	1.18	<10
L480657		5.16	0.7	0.58	4	<10	30	<0.5	18	1.02	<0.5	7	18	720	1.19	<10
L480658		4.61	0.7	0.73	5	<10	30	<0.5	2	1.18	<0.5	11	29	948	2.14	<10
L480659		5.07	0.7	0.56	5	<10	30	<0.5	3	1.08	<0.5	8	19	814	1.06	<10
L480660		5.10	4.5	0.66	4	<10	50	<0.5	11	1.04	<0.5	12	21	1305	1.50	<10
L480661		2.33	0.3	1.22	23	<10	150	<0.5	2	2.42	<0.5	12	34	424	2.33	<10
L480662		3.98	1.0	0.64	146	<10	260	0.5	<2	4.04	0.5	8	11	357	1.98	<10
L480663		5.21	0.5	0.62	3	<10	110	<0.5	2	1.67	<0.5	6	26	573	1.08	<10
L480664		5.23	0.7	0.44	6	<10	30	<0.5	4	1.07	<0.5	6	14	748	0.75	<10
L480665		0.08	0.2	0.98	5	<10	80	<0.5	<2	0.62	<0.5	7	30	22	1.98	<10
L480666		5.39	0.5	0.50	4	<10	160	<0.5	7	1.20	<0.5	6	6	587	1.48	<10
L480667		4.76	0.5	0.36	4	<10	80	<0.5	17	0.83	<0.5	4	9	544	1.00	<10
L480668		4.68	0.2	0.44	3	<10	60	<0.5	16	0.82	<0.5	4	13	269	0.80	<10
L480669		5.48	0.3	0.32	3	<10	50	<0.5	8	0.93	<0.5	3	12	348	0.51	<10
L480670		4.98	0.4	0.45	17	<10	80	<0.5	4	1.39	<0.5	3	12	364	0.65	<10
L480671		4.56	0.3	0.43	3	<10	40	<0.5	3	0.74	<0.5	4	22	327	0.86	<10
L480672		5.07	0.2	0.35	3	<10	50	<0.5	8	0.61	<0.5	3	16	239	0.45	<10
L480673		5.17	0.7	0.57	3	<10	50	<0.5	3	0.93	<0.5	6	24	631	1.15	<10
L480674		5.08	0.8	0.57	79	<10	170	<0.5	3	2.29	<0.5	7	20	547	1.62	<10
L480675		0.08	1.6	1.30	15	<10	140	<0.5	<2	0.73	<0.5	7	32	3440	3.29	<10
L480676		5.21	0.3	0.62	3	<10	60	<0.5	<2	0.96	<0.5	5	28	266	1.20	<10
L480677		4.82	0.4	0.34	2	<10	40	<0.5	2	0.64	<0.5	3	17	396	0.65	<10
L480678		5.19	0.6	0.45	23	<10	220	<0.5	<2	2.33	<0.5	4	18	415	0.93	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - B
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
L480639		<1	0.19	10	0.51	150	418	0.09	8	830	4	0.48	<2	2	39	<20
L480640		<1	0.18	10	0.68	231	160	0.07	8	770	3	0.52	7	3	53	<20
L480641		<1	0.16	<10	0.33	83	121	0.10	8	770	4	0.57	<2	2	34	<20
L480642		<1	0.17	<10	0.46	94	108	0.11	21	980	5	0.70	<2	2	43	<20
L480643		<1	0.23	<10	0.64	116	110	0.12	22	930	3	0.44	<2	4	45	<20
L480644		<1	0.21	<10	0.57	92	267	0.10	20	780	4	0.64	<2	3	37	<20
L480645		<1	0.06	<10	0.47	301	6	0.05	21	480	2	0.04	<2	4	27	<20
L480646		<1	0.41	<10	0.77	120	200	0.11	19	880	3	0.51	<2	4	37	<20
L480647		<1	0.19	<10	0.82	169	87	0.10	17	830	2	0.41	<2	5	79	<20
L480648		<1	0.17	10	0.83	210	317	0.11	25	970	2	0.80	<2	7	87	<20
L480649		<1	0.16	10	0.77	702	564	0.03	20	860	40	0.66	10	10	112	<20
L480650		<1	0.15	10	1.13	280	391	0.09	30	980	3	0.84	<2	9	122	<20
L480651		<1	0.19	<10	0.69	108	99	0.10	23	1000	5	0.60	<2	3	44	<20
L480652		<1	0.19	10	0.92	188	434	0.10	21	970	4	0.67	<2	6	59	<20
L480653		<1	0.17	<10	0.56	103	195	0.10	16	850	3	0.57	3	3	41	<20
L480654		<1	0.19	<10	0.60	82	535	0.11	15	880	3	0.64	<2	3	39	<20
L480655		1	0.51	10	1.03	516	889	0.11	37	880	41	2.14	7	9	47	<20
L480656		1	0.13	10	0.49	140	240	0.07	13	820	145	0.53	29	3	67	<20
L480657		<1	0.10	<10	0.30	66	135	0.10	12	870	5	0.64	<2	2	38	<20
L480658		<1	0.12	<10	0.50	104	111	0.11	18	820	3	0.90	<2	2	44	<20
L480659		<1	0.11	10	0.33	78	287	0.10	16	880	5	0.53	2	2	42	<20
L480660		<1	0.16	<10	0.50	97	236	0.09	16	860	3	0.73	<2	2	47	<20
L480661		<1	0.35	10	0.85	215	212	0.05	23	850	3	0.47	16	14	157	<20
L480662		<1	0.27	10	1.20	490	147	0.02	16	730	47	0.48	67	12	123	<20
L480663		<1	0.16	<10	0.51	110	128	0.10	16	790	6	0.36	<2	4	57	<20
L480664		<1	0.10	<10	0.25	72	296	0.09	10	730	5	0.44	<2	1	37	<20
L480665		<1	0.06	<10	0.47	303	4	0.05	21	480	2	0.04	<2	3	28	<20
L480666		<1	0.12	20	0.34	133	109	0.09	6	1100	7	0.62	<2	2	65	<20
L480667		<1	0.13	10	0.16	76	188	0.08	5	910	6	0.52	<2	1	44	<20
L480668		<1	0.14	<10	0.14	49	233	0.09	7	780	6	0.57	<2	1	38	<20
L480669		<1	0.11	<10	0.19	61	238	0.08	6	760	8	0.29	<2	1	27	<20
L480670		<1	0.13	10	0.36	98	301	0.07	6	750	7	0.28	18	2	38	<20
L480671		<1	0.12	<10	0.17	57	154	0.11	9	790	4	0.31	<2	1	32	<20
L480672		<1	0.13	<10	0.13	41	129	0.10	5	720	5	0.16	<2	1	24	<20
L480673		<1	0.15	10	0.41	101	113	0.12	15	730	7	0.44	<2	2	35	<20
L480674		<1	0.20	10	0.56	215	369	0.07	14	730	8	0.89	39	4	65	<20
L480675		<1	0.11	10	0.57	438	311	0.09	28	530	20	0.44	4	5	38	<20
L480676		<1	0.18	10	0.39	106	262	0.11	10	750	4	0.36	<2	2	34	<20
L480677		<1	0.13	10	0.17	61	331	0.09	6	450	5	0.28	<2	1	27	<20
L480678		<1	0.17	10	0.42	208	324	0.06	8	590	6	0.25	14	4	75	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - C
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480639		0.12	<10	<10	45	20	16	0.015
L480640		0.08	<10	<10	45	<10	22	0.022
L480641		0.13	<10	<10	42	10	17	0.011
L480642		0.15	<10	<10	61	10	19	0.017
L480643		0.17	<10	<10	80	<10	23	0.012
L480644		0.13	<10	<10	57	<10	20	0.024
L480645		0.10	<10	<10	45	10	34	<0.001
L480646		0.17	<10	<10	76	<10	23	0.014
L480647		0.14	<10	<10	65	<10	27	0.025
L480648		0.13	<10	<10	74	<10	25	0.024
L480649		0.01	<10	<10	59	<10	33	0.015
L480650		0.11	<10	<10	95	<10	29	0.027
L480651		0.15	<10	<10	57	<10	21	0.032
L480652		0.12	<10	<10	85	10	28	0.023
L480653		0.13	<10	<10	54	10	18	0.017
L480654		0.15	<10	<10	56	<10	14	0.012
L480655		0.14	<10	<10	101	20	153	0.624
L480656		0.10	<10	<10	37	10	160	0.053
L480657		0.13	<10	<10	40	10	11	0.012
L480658		0.14	<10	<10	61	<10	18	0.016
L480659		0.14	<10	<10	41	20	14	0.013
L480660		0.15	<10	<10	49	20	18	0.021
L480661		0.07	<10	<10	86	<10	31	0.011
L480662		0.01	<10	<10	39	<10	45	0.187
L480663		0.14	<10	<10	55	10	17	0.025
L480664		0.11	<10	<10	27	20	13	0.022
L480665		0.10	<10	<10	45	10	35	<0.001
L480666		0.12	<10	<10	42	10	16	0.006
L480667		0.12	<10	<10	26	10	11	0.008
L480668		0.12	<10	<10	23	10	9	0.006
L480669		0.12	<10	<10	21	10	11	0.009
L480670		0.10	<10	<10	25	10	13	0.006
L480671		0.13	<10	<10	32	10	10	0.008
L480672		0.13	<10	<10	22	10	7	0.002
L480673		0.14	<10	<10	44	20	16	0.010
L480674		0.08	<10	<10	38	<10	31	0.043
L480675		0.12	<10	<10	54	<10	55	0.997
L480676		0.14	<10	<10	47	<10	12	0.006
L480677		0.09	<10	<10	20	10	9	0.011
L480678		0.07	<10	<10	32	20	16	0.012



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - A
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480679		5.30	0.4	0.36	3	<10	40	<0.5	<2	0.75	<0.5	3	17	417	0.74	<10
L480680		5.16	0.6	0.36	7	<10	40	<0.5	9	1.11	<0.5	3	15	408	0.69	<10
L480681		5.00	0.9	0.51	24	<10	250	<0.5	4	1.89	<0.5	5	18	667	1.14	<10
L480682		4.11	0.5	0.36	4	<10	40	<0.5	2	0.88	<0.5	2	13	592	0.41	<10
L480683		3.65	0.2	0.36	<2	<10	50	<0.5	8	1.29	<0.5	2	13	143	0.53	<10
L480684		5.06	0.4	0.49	21	<10	160	<0.5	41	3.41	<0.5	4	9	223	1.57	<10
L480685		0.08	0.5	1.11	4	<10	90	<0.5	<2	0.69	<0.5	7	31	21	2.08	<10
L480686		5.23	32.7	0.52	108	<10	80	<0.5	7	1.34	14.6	5	20	1125	1.50	<10
L480687		4.98	0.9	0.45	6	<10	40	<0.5	23	1.29	<0.5	6	19	835	1.30	<10
L480688		5.32	0.4	0.63	6	<10	60	<0.5	<2	1.22	<0.5	5	26	326	1.54	<10
L480689		5.37	0.4	0.54	3	<10	60	<0.5	3	0.94	<0.5	4	26	297	1.28	<10
L480690		5.37	0.7	1.25	7	<10	110	<0.5	12	2.19	<0.5	9	53	507	2.63	<10
L480691		5.40	0.5	0.59	2	<10	50	<0.5	5	1.17	<0.5	5	30	433	1.33	<10
L480692		5.16	0.4	0.59	4	<10	40	<0.5	3	1.00	<0.5	4	22	360	1.05	<10
L480693		5.30	0.3	0.59	3	<10	50	<0.5	4	1.00	<0.5	5	25	292	1.07	<10
L480694		5.31	2.1	1.69	29	<10	90	0.5	3	1.92	0.9	16	68	2010	4.27	<10
L480695		0.08	2.0	1.50	26	<10	100	<0.5	<2	1.71	0.8	14	61	1790	3.81	<10
L480696		5.18	0.4	0.71	2	<10	60	<0.5	14	0.94	<0.5	7	52	327	1.41	<10
L480697		5.16	0.2	0.94	3	<10	50	<0.5	<2	1.23	<0.5	7	55	190	1.68	<10
L480698		3.50	0.3	0.96	<2	<10	50	<0.5	16	1.31	<0.5	8	47	306	1.98	<10
L480699		2.78	0.5	0.59	3	<10	70	<0.5	21	1.70	<0.5	7	5	195	2.32	<10
L480700		4.94	<0.2	0.93	3	<10	50	<0.5	10	1.50	<0.5	7	35	186	1.57	<10
L480701		5.13	0.2	0.85	4	<10	50	<0.5	4	1.34	<0.5	6	36	279	1.56	<10
L480702		5.25	0.5	0.89	3	<10	60	<0.5	12	1.19	<0.5	9	37	570	1.63	<10
L480703		5.43	0.3	0.90	2	<10	80	<0.5	<2	0.81	<0.5	8	41	227	1.53	<10
L480704		5.46	0.3	0.79	4	<10	60	<0.5	12	1.00	<0.5	9	29	268	1.54	<10
L480705		0.08	0.2	1.08	4	<10	90	<0.5	<2	0.67	<0.5	6	31	21	2.01	<10
L480706		5.43	0.3	0.89	4	<10	70	<0.5	9	1.12	<0.5	7	38	390	1.54	<10
L480707		5.01	0.3	0.91	5	<10	60	<0.5	13	1.51	<0.5	7	49	219	1.66	<10
L480708		5.35	0.2	0.80	4	<10	50	<0.5	2	1.34	<0.5	5	24	226	1.32	<10
L480709		4.26	0.2	0.72	6	<10	40	<0.5	11	1.09	<0.5	7	27	246	1.56	<10
L480710		4.23	<0.2	0.87	3	<10	90	<0.5	<2	2.87	<0.5	6	25	232	2.09	<10
L480711		2.65	2.4	0.47	44	<10	60	<0.5	4	5.63	0.8	9	5	136	2.32	<10
L480712		4.91	0.3	0.88	4	<10	40	<0.5	6	1.32	<0.5	7	37	217	2.64	<10
L480713		5.06	0.2	0.86	3	<10	50	<0.5	24	1.23	<0.5	6	29	208	1.58	<10
L480714		4.95	0.2	1.00	3	<10	60	<0.5	7	1.23	<0.5	9	45	262	1.79	<10
L480715		0.08	3.6	1.81	35	<10	110	<0.5	<2	1.02	1.1	18	60	9770	4.72	10
L480716		4.87	0.3	0.88	3	<10	70	<0.5	8	1.12	<0.5	9	39	318	1.72	<10
L480717		4.87	1.9	0.71	3	<10	40	<0.5	53	1.40	<0.5	11	37	1730	2.05	<10
L480718		5.08	0.2	0.83	3	<10	60	<0.5	13	1.15	<0.5	9	35	270	1.65	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - B
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Th ppm 20
L480679		<1	0.11	<10	0.27	69	188	0.09	8	710	2	0.24	<2	1	32	<20
L480680		<1	0.11	10	0.30	105	345	0.07	6	720	9	0.27	2	2	38	<20
L480681		<1	0.20	10	0.41	187	240	0.07	10	740	8	0.34	11	3	114	<20
L480682		<1	0.13	<10	0.26	62	71	0.08	4	780	5	0.14	<2	1	33	<20
L480683		<1	0.13	10	0.38	88	160	0.07	5	770	5	0.16	<2	2	37	<20
L480684		<1	0.12	10	1.12	445	138	0.02	11	720	14	0.44	21	8	76	<20
L480685		<1	0.06	10	0.50	316	3	0.06	20	510	<2	0.05	<2	4	31	<20
L480686		<1	0.14	<10	0.53	239	276	0.05	10	660	905	0.86	416	3	38	<20
L480687		<1	0.13	<10	0.40	118	173	0.07	10	690	3	0.80	<2	2	32	<20
L480688		<1	0.18	10	0.48	137	128	0.11	11	760	2	0.47	<2	2	34	<20
L480689		<1	0.15	<10	0.39	114	91	0.09	9	680	5	0.33	<2	2	29	<20
L480690		<1	0.32	10	0.78	229	173	0.19	19	1530	7	0.72	<2	4	70	<20
L480691		<1	0.12	<10	0.30	97	129	0.09	10	850	2	0.54	<2	2	34	<20
L480692		<1	0.13	<10	0.34	90	82	0.09	8	670	<2	0.19	<2	2	30	<20
L480693		<1	0.17	10	0.35	99	128	0.10	9	820	2	0.25	<2	2	33	<20
L480694		<1	0.55	20	0.88	371	164	0.07	16	760	20	2.05	7	7	78	<20
L480695		<1	0.49	20	0.78	332	149	0.06	15	670	19	1.83	6	6	69	<20
L480696		<1	0.24	<10	0.54	121	49	0.09	23	770	<2	0.33	<2	3	36	<20
L480697		<1	0.16	10	0.58	151	81	0.14	20	940	<2	0.29	<2	3	48	<20
L480698		<1	0.16	10	0.53	131	89	0.11	17	1080	2	0.51	<2	3	36	<20
L480699		<1	0.11	20	0.47	192	19	0.08	5	1160	10	1.21	<2	3	56	<20
L480700		<1	0.13	10	0.57	168	190	0.14	12	910	<2	0.39	<2	3	51	<20
L480701		<1	0.14	10	0.51	135	68	0.13	11	870	<2	0.38	<2	3	50	<20
L480702		<1	0.24	<10	0.58	140	153	0.13	13	770	<2	0.58	<2	3	77	<20
L480703		<1	0.45	10	0.79	131	193	0.12	14	840	<2	0.38	<2	4	51	<20
L480704		<1	0.27	<10	0.59	117	234	0.10	13	690	<2	0.68	<2	3	37	<20
L480705		<1	0.06	10	0.48	306	3	0.06	20	490	<2	0.05	<2	4	30	<20
L480706		<1	0.30	10	0.77	126	273	0.10	16	750	<2	0.59	<2	3	35	<20
L480707		<1	0.21	10	0.72	156	167	0.13	17	920	<2	0.52	<2	4	50	<20
L480708		<1	0.15	10	0.33	109	232	0.12	9	760	<2	0.46	<2	2	57	<20
L480709		<1	0.25	<10	0.60	139	167	0.07	11	790	4	0.63	<2	3	29	<20
L480710		<1	0.21	<10	0.78	322	145	0.05	13	800	2	0.45	<2	5	62	<20
L480711		<1	0.28	<10	0.59	1445	126	0.01	15	700	388	1.86	37	5	157	<20
L480712		<1	0.23	<10	0.88	184	69	0.07	15	850	3	1.51	2	3	35	<20
L480713		<1	0.23	<10	0.56	150	133	0.10	12	770	4	0.46	<2	3	60	<20
L480714		<1	0.32	<10	0.68	144	113	0.11	18	970	3	0.52	<2	3	76	<20
L480715		1	0.53	10	1.05	543	881	0.11	35	920	41	2.16	9	9	50	<20
L480716		1	0.38	10	0.74	147	103	0.10	17	960	4	0.61	<2	3	61	<20
L480717		<1	0.21	<10	0.59	110	146	0.08	21	940	5	1.43	<2	2	56	<20
L480718		<1	0.34	10	0.71	128	83	0.12	19	960	3	0.68	<2	3	39	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - C
 Nombre total de pages: 6 (A - C)
 Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.001
L480679		0.12	<10	<10	30	10	9	0.011
L480680		0.10	<10	<10	27	<10	13	0.009
L480681		0.09	<10	<10	37	<10	21	0.018
L480682		0.13	<10	<10	25	10	10	0.005
L480683		0.12	<10	<10	30	10	10	0.005
L480684		<0.01	<10	<10	29	<10	24	0.004
L480685		0.12	<10	<10	48	10	35	<0.001
L480686		0.07	<10	<10	35	<10	545	0.049
L480687		0.11	<10	<10	36	40	14	0.012
L480688		0.15	<10	<10	52	<10	14	0.004
L480689		0.14	<10	<10	47	<10	12	0.003
L480690		0.26	<10	<10	97	10	24	0.003
L480691		0.13	<10	<10	40	40	10	0.002
L480692		0.14	<10	<10	46	<10	11	0.009
L480693		0.16	<10	<10	43	50	10	0.006
L480694		0.04	<10	<10	62	<10	68	0.003
L480695		0.04	<10	<10	55	<10	62	0.232
L480696		0.15	<10	<10	53	10	14	0.003
L480697		0.17	<10	<10	66	10	15	0.002
L480698		0.19	<10	<10	73	<10	15	0.008
L480699		0.14	<10	<10	58	10	18	0.003
L480700		0.17	<10	<10	65	10	15	0.002
L480701		0.16	<10	<10	59	10	15	0.004
L480702		0.16	<10	<10	60	60	15	0.005
L480703		0.18	<10	<10	69	10	18	0.003
L480704		0.15	<10	<10	54	10	14	0.005
L480705		0.12	<10	<10	47	10	34	0.007
L480706		0.17	<10	<10	65	10	20	0.015
L480707		0.19	<10	<10	69	10	16	0.003
L480708		0.14	<10	<10	45	10	11	0.005
L480709		0.13	<10	<10	52	10	15	0.006
L480710		0.08	<10	<10	57	<10	24	0.003
L480711		<0.01	<10	<10	11	<10	43	0.043
L480712		0.14	<10	<10	64	<10	16	0.004
L480713		0.15	<10	<10	55	10	13	0.003
L480714		0.18	<10	<10	64	<10	16	0.004
L480715		0.15	<10	<10	106	20	154	0.713
L480716		0.19	<10	<10	70	10	19	0.009
L480717		0.16	<10	<10	52	20	16	0.017
L480718		0.20	<10	<10	65	20	16	0.007



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 6 - A
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480719		4.91	0.4	0.89	4	<10	60	<0.5	6	1.16	<0.5	13	51	462	1.98	<10
L480720		5.01	<0.2	0.83	4	<10	50	<0.5	<2	1.14	<0.5	5	41	170	1.38	<10
L480721		5.35	0.2	0.96	12	<10	70	<0.5	11	1.37	<0.5	7	21	202	1.56	<10
L480722		4.87	0.2	1.02	5	<10	80	<0.5	5	1.37	<0.5	8	29	351	2.17	<10
L480723		5.14	0.3	0.51	5	<10	30	<0.5	6	0.97	<0.5	6	27	286	1.34	<10
L480724		4.96	1.0	0.52	3	<10	30	<0.5	26	1.16	<0.5	7	36	422	1.37	<10
L480725		0.07	<0.2	0.99	5	<10	70	<0.5	<2	0.62	<0.5	6	29	21	1.96	<10
L480726		4.65	0.4	0.74	6	<10	30	<0.5	24	1.71	<0.5	9	25	377	1.91	<10
L480727		3.69	0.3	1.00	3	<10	50	<0.5	<2	2.49	<0.5	7	57	268	1.87	<10
L480728		3.95	0.3	0.96	6	<10	80	<0.5	<2	2.83	<0.5	6	52	213	1.83	<10
L480729		2.03	0.3	0.37	5	<10	140	<0.5	<2	2.95	<0.5	3	11	96	1.39	<10
L480730		1.79	0.2	0.49	3	<10	80	<0.5	<2	2.45	<0.5	4	22	172	1.24	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 6 - B
 Nombre total de pages: 6 (A - C)

Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480719		<1	0.31	<10	0.67	129	178	0.11	29	970	<2	0.88	<2	3	40	<20
L480720		<1	0.24	10	0.59	126	176	0.10	18	1020	2	0.40	<2	2	38	<20
L480721		<1	0.33	10	0.70	143	329	0.07	13	890	6	0.48	4	4	45	<20
L480722		<1	0.34	10	0.61	215	200	0.11	19	700	2	0.84	<2	3	39	<20
L480723		<1	0.15	10	0.42	97	274	0.09	15	950	<2	0.59	3	2	31	<20
L480724		<1	0.16	10	0.53	124	316	0.07	15	970	12	0.64	<2	2	32	<20
L480725		<1	0.06	<10	0.45	301	4	0.04	20	470	<2	0.05	<2	4	28	<20
L480726		<1	0.20	10	0.81	170	140	0.08	13	980	3	1.01	<2	3	43	<20
L480727		<1	0.36	<10	1.16	277	71	0.09	20	1240	9	0.38	<2	7	50	<20
L480728		1	0.35	10	1.17	365	395	0.06	18	1090	5	0.53	<2	6	72	<20
L480729		<1	0.12	10	0.74	1145	117	0.01	9	470	20	0.50	4	5	53	<20
L480730		<1	0.13	10	0.62	293	414	0.04	13	680	6	0.61	2	4	98	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 6 - C
 Nombre total de pages: 6 (A - C)
 Finalisée date:
 13-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11138182

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480719		0.18	<10	<10	63	20	16	0.009
L480720		0.17	<10	<10	60	10	15	0.004
L480721		0.15	<10	<10	70	10	17	0.004
L480722		0.17	<10	<10	80	10	18	0.009
L480723		0.15	<10	<10	47	10	11	0.005
L480724		0.15	<10	<10	47	10	12	0.006
L480725		0.11	<10	<10	45	10	34	0.001
L480726		0.14	<10	<10	57	30	17	0.006
L480727		0.20	<10	<10	92	10	25	0.005
L480728		0.14	<10	<10	77	40	27	0.003
L480729		<0.01	<10	<10	21	<10	20	0.002
L480730		0.08	<10	<10	40	20	18	0.002



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date: 25-JUIL-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11125472

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 83 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 6-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
LOG-23	Entrée pulpe - Reçu avec code barre
CRU-QC	Test concassage QC
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480309		6.04	2.2	0.77	6	<10	40	<0.5	3	0.34	<0.5	18	20	1660	2.90	<10
L480310		7.01	1.3	0.68	5	<10	40	<0.5	2	0.49	<0.5	13	31	1265	2.49	<10
L480311		8.58	0.5	0.71	3	<10	40	<0.5	2	0.62	<0.5	9	14	490	2.43	<10
L480312		9.68	0.4	0.60	4	<10	30	<0.5	<2	0.47	<0.5	7	14	352	1.88	<10
L480313		7.22	0.4	0.72	4	<10	40	<0.5	<2	0.57	<0.5	10	14	466	2.38	<10
L480314		9.02	1.5	0.72	3	<10	40	<0.5	2	0.55	<0.5	13	24	1380	2.60	<10
L480315		0.06	1.7	1.21	14	<10	120	<0.5	<2	0.67	<0.5	7	31	3290	3.26	<10
L480316		9.58	1.1	1.17	5	<10	50	<0.5	<2	0.91	<0.5	20	37	1125	3.71	10
L480317		7.93	1.0	0.94	5	<10	50	<0.5	<2	1.05	<0.5	13	41	991	3.16	<10
L480318		9.65	0.6	1.12	8	<10	40	<0.5	2	1.15	<0.5	17	43	942	3.47	10
L480319		8.38	0.7	1.43	7	<10	50	<0.5	2	1.31	<0.5	13	38	760	3.63	10
L480320		10.07	0.9	0.85	6	<10	40	<0.5	2	0.94	<0.5	19	22	867	3.59	<10
L480321		7.84	1.3	0.97	8	<10	40	<0.5	<2	0.79	<0.5	17	52	1380	3.02	10
L480322		8.57	1.5	0.79	11	<10	40	<0.5	<2	0.80	<0.5	20	73	1600	3.20	<10
L480323		9.20	1.9	0.82	7	<10	30	<0.5	<2	1.30	<0.5	14	70	1500	2.33	<10
L480324		8.58	0.9	0.97	6	<10	30	<0.5	<2	1.62	<0.5	13	33	1010	2.64	10
L480325		0.06	<0.2	1.03	3	<10	80	<0.5	<2	0.63	<0.5	7	31	25	2.00	<10
L480326		9.66	0.5	1.08	4	<10	50	<0.5	<2	1.25	<0.5	12	39	566	3.66	10
L480327		9.96	0.9	0.90	5	<10	30	<0.5	8	1.01	<0.5	13	35	955	3.23	<10
L480328		9.76	1.2	0.86	5	<10	40	<0.5	3	1.03	<0.5	16	30	1215	3.17	<10
L480329		9.05	1.3	1.03	3	<10	40	<0.5	<2	0.93	<0.5	17	38	1950	3.14	10
L480330		9.11	1.4	0.95	4	<10	40	<0.5	<2	0.95	<0.5	15	64	1825	2.72	<10
L480331		9.00	1.4	0.98	6	<10	40	<0.5	<2	0.99	<0.5	23	32	1490	3.06	<10
L480332		7.69	0.5	0.75	3	<10	40	<0.5	<2	0.74	<0.5	8	16	595	1.87	<10
L480333		8.49	0.3	0.64	2	<10	30	<0.5	<2	0.89	<0.5	9	44	418	2.24	<10
L480334		9.70	0.3	0.85	6	<10	40	<0.5	<2	0.94	<0.5	12	29	439	3.15	<10
L480335		0.06	3.8	1.76	39	<10	120	<0.5	9	1.01	1.0	18	58	9360	4.52	10
L480336		8.61	0.2	0.71	4	<10	40	<0.5	3	1.11	<0.5	7	15	246	3.04	<10
L480337		5.29	0.9	0.69	6	<10	40	<0.5	<2	0.97	<0.5	11	17	870	2.72	<10
L480338		4.81	0.4	0.60	2	<10	40	<0.5	<2	0.89	<0.5	7	14	439	2.17	<10
L480339		4.82	0.4	0.73	4	<10	40	<0.5	<2	0.84	<0.5	7	21	390	2.12	<10
L480340		4.96	0.8	0.79	3	<10	40	<0.5	2	0.89	<0.5	11	18	693	2.85	<10
L480341		4.90	0.6	0.81	4	<10	40	<0.5	<2	0.92	<0.5	11	21	570	1.67	<10
L480342		4.10	1.6	0.70	6	<10	40	<0.5	2	1.44	<0.5	12	19	1480	1.99	<10
L480343		5.35	1.0	0.85	5	<10	40	<0.5	2	1.48	<0.5	12	19	1050	2.50	<10
L480344		4.94	1.9	0.80	6	<10	40	<0.5	6	1.22	<0.5	13	26	1760	3.21	<10
L480345		0.06	0.2	1.08	3	<10	80	<0.5	<2	0.68	<0.5	7	31	24	2.07	<10
L480346		4.98	3.7	1.06	6	<10	30	<0.5	11	1.82	<0.5	14	19	2530	3.71	10
L480347		4.74	2.6	1.09	5	<10	20	<0.5	24	2.28	<0.5	16	15	2380	3.89	10
L480348		4.92	2.3	0.91	4	<10	30	<0.5	16	1.63	<0.5	14	12	2010	2.51	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480309		<1	0.15	10	0.49	149	92	0.06	10	680	4	1.24	<2	4	24	<20
L480310		<1	0.14	<10	0.55	143	39	0.08	12	750	3	1.07	<2	3	25	<20
L480311		<1	0.18	<10	0.50	146	30	0.08	8	630	4	0.89	<2	3	25	<20
L480312		<1	0.13	<10	0.37	118	31	0.09	4	530	3	0.67	<2	2	28	<20
L480313		<1	0.17	<10	0.47	144	42	0.09	8	850	3	0.61	<2	2	30	<20
L480314		<1	0.15	<10	0.49	149	40	0.09	11	740	3	1.00	<2	3	28	<20
L480315		<1	0.10	<10	0.55	421	284	0.08	28	510	22	0.41	4	4	38	<20
L480316		<1	0.37	<10	0.88	225	62	0.12	19	1340	2	1.36	<2	5	50	<20
L480317		<1	0.21	<10	0.51	178	36	0.11	18	1420	4	0.76	<2	3	48	<20
L480318		<1	0.28	<10	0.82	216	28	0.12	24	1420	3	1.14	<2	4	131	<20
L480319		<1	0.37	10	1.03	259	41	0.12	18	1760	4	0.72	<2	6	105	<20
L480320		<1	0.21	<10	0.56	175	144	0.10	19	1270	3	1.73	<2	3	39	<20
L480321		<1	0.26	10	0.85	207	23	0.09	45	1330	2	0.97	<2	3	29	<20
L480322		<1	0.17	<10	0.61	147	58	0.09	69	1000	3	1.54	<2	2	29	<20
L480323		<1	0.13	<10	0.51	162	20	0.09	33	1180	2	0.87	<2	3	36	<20
L480324		<1	0.18	<10	0.66	182	43	0.12	16	3380	2	0.94	<2	5	45	<20
L480325		<1	0.06	<10	0.48	303	4	0.05	21	490	3	0.04	<2	4	30	<20
L480326		<1	0.28	10	0.87	260	37	0.12	17	1760	2	0.59	<2	4	36	<20
L480327		<1	0.20	<10	0.65	209	35	0.13	15	1040	3	0.64	<2	5	34	<20
L480328		<1	0.23	<10	0.61	195	267	0.11	16	1340	2	1.04	<2	4	30	<20
L480329		<1	0.43	10	0.88	190	31	0.12	22	1370	4	1.04	<2	5	27	<20
L480330		<1	0.27	10	0.68	162	42	0.11	26	1260	3	1.03	<2	4	33	<20
L480331		<1	0.22	<10	0.53	150	29	0.13	25	1200	6	1.59	<2	3	41	<20
L480332		<1	0.17	<10	0.32	117	25	0.12	6	790	4	0.49	<2	2	34	<20
L480333		<1	0.12	<10	0.26	130	32	0.11	14	960	4	0.46	<2	2	33	<20
L480334		<1	0.22	<10	0.50	182	208	0.12	12	1330	3	0.47	<2	3	36	<20
L480335		<1	0.53	10	1.05	513	917	0.12	35	910	40	2.13	8	9	51	<20
L480336		<1	0.15	10	0.45	180	169	0.11	8	1410	3	0.25	<2	3	43	<20
L480337		<1	0.18	10	0.41	148	23	0.10	11	1340	3	0.74	<2	2	40	<20
L480338		<1	0.14	10	0.34	114	95	0.10	8	1180	4	0.58	<2	2	37	<20
L480339		<1	0.15	<10	0.43	151	68	0.09	8	840	3	0.56	<2	3	38	<20
L480340		<1	0.18	<10	0.46	160	68	0.12	9	890	4	1.01	<2	3	40	<20
L480341		<1	0.15	<10	0.33	115	145	0.12	8	650	4	0.76	<2	3	56	<20
L480342		<1	0.15	<10	0.50	182	527	0.08	10	690	5	0.81	<2	4	36	<20
L480343		<1	0.17	10	0.62	193	179	0.11	12	1400	4	0.78	<2	4	38	<20
L480344		<1	0.16	10	0.50	166	229	0.12	14	1390	3	0.88	<2	3	45	<20
L480345		<1	0.06	<10	0.50	315	4	0.06	20	500	3	0.05	<2	4	32	<20
L480346		<1	0.15	10	0.76	240	92	0.11	14	1610	2	1.13	<2	4	55	<20
L480347		1	0.11	10	0.90	283	151	0.08	11	1450	5	1.36	<2	5	64	<20
L480348		<1	0.14	10	0.65	200	222	0.12	11	1290	3	1.27	<2	3	55	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480309		0.08	<10	<10	63	70	26	0.027
L480310		0.13	<10	<10	65	60	26	0.016
L480311		0.11	<10	<10	62	50	18	0.008
L480312		0.10	<10	<10	46	60	15	0.009
L480313		0.14	<10	<10	65	40	20	0.007
L480314		0.15	<10	<10	69	50	24	0.011
L480315		0.11	<10	<10	50	<10	51	1.035
L480316		0.23	<10	<10	126	50	36	0.017
L480317		0.20	<10	<10	111	10	24	0.012
L480318		0.22	<10	<10	112	30	30	0.013
L480319		0.27	<10	<10	131	60	37	0.010
L480320		0.18	<10	<10	94	60	23	0.014
L480321		0.22	<10	<10	95	20	29	0.016
L480322		0.15	<10	<10	68	60	23	0.021
L480323		0.16	<10	<10	66	30	26	0.014
L480324		0.17	<10	<10	80	110	22	0.010
L480325		0.11	<10	<10	46	10	35	0.001
L480326		0.26	<10	<10	126	50	29	0.009
L480327		0.20	<10	<10	106	130	25	0.032
L480328		0.21	<10	<10	103	40	31	0.022
L480329		0.25	<10	<10	116	50	33	0.015
L480330		0.21	<10	<10	106	30	27	0.026
L480331		0.18	<10	<10	91	20	31	0.019
L480332		0.14	<10	<10	61	20	16	0.007
L480333		0.14	<10	<10	82	40	16	0.010
L480334		0.20	<10	<10	116	10	25	0.012
L480335		0.15	<10	<10	103	20	153	0.426
L480336		0.20	<10	<10	117	20	22	0.006
L480337		0.18	<10	<10	93	10	21	0.018
L480338		0.16	<10	<10	81	30	17	0.009
L480339		0.13	<10	<10	70	30	19	0.003
L480340		0.15	<10	<10	74	40	22	0.008
L480341		0.12	<10	<10	61	30	16	0.009
L480342		0.12	<10	<10	66	50	27	0.017
L480343		0.21	<10	<10	102	30	26	0.026
L480344		0.20	<10	<10	115	30	41	0.049
L480345		0.11	<10	<10	48	10	36	<0.001
L480346		0.21	<10	<10	123	20	49	0.040
L480347		0.15	<10	<10	128	50	39	0.025
L480348		0.17	<10	<10	79	70	25	0.022



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480349		5.08	1.4	0.72	5	<10	30	<0.5	7	1.15	<0.5	7	11	1200	1.57	<10
L480350		4.97	0.7	0.58	5	<10	30	<0.5	<2	1.23	<0.5	5	13	662	1.52	<10
L480351		4.41	0.3	0.70	3	<10	20	<0.5	2	0.67	<0.5	8	11	310	1.47	<10
L480352		5.49	0.8	0.80	11	<10	30	<0.5	3	1.51	<0.5	12	13	699	2.43	<10
L480353		4.85	0.6	1.11	5	<10	40	<0.5	5	1.82	<0.5	11	16	621	2.93	10
L480354		4.91	1.2	1.18	6	<10	40	<0.5	2	1.15	<0.5	12	36	1155	3.13	10
L480355		0.07	2.0	1.56	29	<10	140	0.5	3	1.85	0.7	16	64	1860	4.10	<10
L480356		4.95	0.5	0.98	5	<10	50	<0.5	3	0.96	<0.5	7	23	438	2.10	10
L480357		4.40	0.6	0.68	5	<10	40	<0.5	9	0.99	<0.5	5	19	434	1.55	<10
L480358		4.68	0.3	0.51	3	<10	40	<0.5	<2	0.87	<0.5	5	16	357	1.42	<10
L480359		4.65	<0.2	0.53	3	<10	40	<0.5	<2	0.79	<0.5	4	11	188	1.29	<10
L480360		4.37	<0.2	0.67	4	<10	40	<0.5	<2	0.87	<0.5	4	11	109	1.23	<10
L480361		4.18	0.5	0.93	3	<10	20	<0.5	3	1.35	<0.5	7	20	499	1.99	<10
L480362		4.73	0.4	1.43	8	<10	20	<0.5	<2	2.71	<0.5	10	31	479	2.51	10
L480363		4.47	0.8	1.09	3	<10	10	<0.5	2	2.36	<0.5	12	50	986	2.51	<10
L480364		5.28	1.4	0.84	7	<10	30	<0.5	<2	1.35	<0.5	12	41	1985	2.47	<10
L480365		0.06	1.7	1.29	16	<10	130	<0.5	<2	0.73	<0.5	7	31	3440	3.36	<10
L480366		3.60	1.1	0.71	4	<10	20	<0.5	5	1.78	<0.5	8	33	847	2.13	<10
L480367		3.88	0.2	0.75	<2	<10	<10	<0.5	3	0.82	<0.5	5	17	203	1.34	<10
L480368		1.83	0.2	0.27	2	<10	<10	<0.5	3	0.67	<0.5	3	11	201	0.88	<10
L480369		5.16	0.8	0.63	4	<10	<10	<0.5	<2	1.29	<0.5	10	34	682	2.55	<10
L480370		5.08	0.5	0.50	4	<10	<10	<0.5	<2	0.98	<0.5	8	28	561	1.99	<10
L480371		4.54	0.9	0.47	6	<10	10	<0.5	3	1.23	<0.5	8	11	787	2.20	<10
L480372		5.05	0.8	0.89	4	<10	50	<0.5	2	1.98	<0.5	11	15	540	3.07	<10
L480373		4.66	0.3	0.76	5	<10	170	<0.5	<2	2.30	<0.5	5	8	211	1.54	<10
L480374		4.87	<0.2	0.58	2	<10	30	<0.5	<2	0.62	<0.5	4	12	154	1.31	<10
L480375		0.06	3.6	1.69	35	<10	110	<0.5	8	1.02	1.1	18	58	9080	4.61	<10
L480376		4.63	0.2	0.55	2	<10	10	<0.5	<2	0.97	<0.5	5	11	266	1.41	<10
L480377		5.35	0.6	0.90	5	<10	<10	<0.5	<2	1.48	<0.5	11	28	696	2.44	<10
L480378		5.14	0.6	0.91	2	<10	30	<0.5	2	2.00	<0.5	10	28	544	2.51	<10
L480379		4.42	0.7	0.85	15	<10	230	0.7	<2	4.28	<0.5	10	16	558	2.86	<10
L480380		4.69	1.3	0.45	27	<10	400	<0.5	3	2.38	1.7	5	11	343	1.61	<10
L480381		5.24	0.7	0.77	12	<10	150	<0.5	5	2.27	0.9	6	13	506	1.71	<10
L480382		4.76	1.0	0.59	2	<10	20	<0.5	2	1.63	2.6	7	42	648	1.77	<10
L480383		5.03	0.7	0.40	2	<10	<10	<0.5	3	0.75	<0.5	6	17	878	1.32	<10
L480384		5.18	0.6	0.35	2	<10	<10	<0.5	3	0.81	<0.5	5	17	670	1.32	<10
L480385		0.06	0.4	1.00	4	<10	50	<0.5	<2	0.65	<0.5	7	30	22	2.02	<10
L480386		4.92	0.5	0.63	8	<10	<10	<0.5	3	0.91	<0.5	5	16	511	1.42	<10
L480387		4.75	0.8	0.77	3	<10	20	<0.5	4	1.13	<0.5	9	41	894	2.49	<10
L480388		4.96	0.4	0.99	3	<10	40	<0.5	11	1.05	<0.5	9	30	452	2.50	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Th ppm 20
L480349		<1	0.14	10	0.52	149	757	0.11	6	820	3	0.69	<2	2	41	<20
L480350		<1	0.13	<10	0.41	163	452	0.06	5	470	5	0.51	<2	2	29	<20
L480351		<1	0.16	<10	0.53	135	310	0.09	6	490	5	0.58	<2	2	25	<20
L480352		<1	0.12	<10	0.59	182	85	0.08	10	1070	7	1.15	<2	4	35	<20
L480353		<1	0.17	<10	0.97	233	217	0.09	9	1280	6	0.80	<2	5	48	<20
L480354		<1	0.30	10	0.96	202	92	0.11	14	1280	5	0.80	<2	5	48	<20
L480355		<1	0.51	20	0.85	357	160	0.06	15	720	21	1.92	7	6	78	<20
L480356		<1	0.29	<10	0.87	185	185	0.10	9	670	4	0.41	<2	4	35	<20
L480357		<1	0.15	10	0.47	168	165	0.11	10	550	6	0.34	<2	3	33	<20
L480358		<1	0.11	10	0.40	139	231	0.08	5	600	5	0.34	<2	2	29	<20
L480359		<1	0.12	<10	0.40	140	124	0.08	3	420	5	0.23	<2	2	25	<20
L480360		<1	0.16	<10	0.52	160	123	0.08	4	460	4	0.14	<2	3	26	<20
L480361		<1	0.14	10	0.60	188	96	0.11	9	770	5	0.36	<2	3	38	<20
L480362		<1	0.18	10	0.96	341	165	0.14	16	1300	6	0.55	<2	6	62	<20
L480363		<1	0.13	<10	0.90	320	211	0.09	21	810	3	0.53	<2	5	42	<20
L480364		<1	0.14	10	0.75	245	162	0.11	24	1360	3	0.63	<2	3	36	<20
L480365		<1	0.11	<10	0.58	438	312	0.09	29	530	22	0.44	4	5	40	<20
L480366		<1	0.13	10	0.51	201	213	0.09	13	930	4	0.63	<2	3	33	<20
L480367		<1	0.20	<10	0.47	145	58	0.09	11	680	5	0.16	<2	3	23	<20
L480368		<1	0.14	10	0.13	96	51	0.05	5	310	7	0.27	<2	1	14	20
L480369		<1	0.13	<10	0.57	212	87	0.09	16	1260	5	0.59	<2	3	27	<20
L480370		<1	0.13	10	0.35	147	93	0.09	11	1130	4	0.33	<2	2	23	<20
L480371		<1	0.12	10	0.40	185	800	0.09	8	1330	5	0.73	<2	2	29	<20
L480372		<1	0.26	10	0.90	341	147	0.07	11	1130	3	0.89	<2	5	35	<20
L480373		<1	0.23	<10	0.52	260	176	0.04	5	510	3	0.32	<2	3	49	<20
L480374		<1	0.22	<10	0.39	128	77	0.10	4	530	3	0.15	<2	2	23	<20
L480375		<1	0.53	10	1.05	520	880	0.11	35	870	40	2.06	7	9	48	<20
L480376		<1	0.18	<10	0.39	145	58	0.08	6	720	3	0.25	<2	2	23	<20
L480377		<1	0.18	<10	0.64	193	154	0.13	17	1210	7	0.50	<2	4	36	<20
L480378		<1	0.24	10	0.78	284	90	0.09	14	1250	3	0.42	<2	5	295	<20
L480379		<1	0.30	10	1.23	569	231	0.06	11	1600	4	0.34	6	8	157	<20
L480380		<1	0.21	<10	0.66	529	197	0.04	7	620	73	0.46	14	4	147	<20
L480381		<1	0.22	<10	0.66	373	231	0.06	8	580	28	0.47	5	4	140	<20
L480382		<1	0.17	<10	0.68	282	160	0.06	11	770	14	0.46	<2	4	48	<20
L480383		<1	0.12	<10	0.28	109	192	0.08	7	530	4	0.41	<2	1	25	<20
L480384		<1	0.11	<10	0.25	108	224	0.07	6	610	4	0.32	<2	1	21	<20
L480385		<1	0.06	<10	0.49	306	4	0.05	21	490	3	0.02	<2	4	29	<20
L480386		<1	0.19	<10	0.39	131	196	0.10	8	670	4	0.25	<2	2	21	<20
L480387		<1	0.32	<10	0.66	176	312	0.10	13	940	2	0.49	<2	4	24	<20
L480388		<1	0.53	<10	0.85	231	126	0.12	14	1100	3	0.31	<2	5	23	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480349		0.13	<10	<10	54	30	17	0.031
L480350		0.06	<10	<10	42	20	17	0.006
L480351		0.10	<10	<10	43	10	16	0.005
L480352		0.15	<10	<10	71	10	41	0.009
L480353		0.22	<10	<10	104	10	31	0.009
L480354		0.25	<10	<10	132	10	31	0.024
L480355		0.04	<10	<10	57	<10	67	0.215
L480356		0.17	<10	<10	84	10	26	0.006
L480357		0.11	<10	<10	53	10	18	0.009
L480358		0.10	<10	<10	49	10	15	0.003
L480359		0.08	<10	<10	39	10	14	0.004
L480360		0.08	<10	<10	43	10	16	<0.001
L480361		0.12	<10	<10	69	20	19	0.010
L480362		0.16	<10	<10	110	20	29	0.008
L480363		0.12	<10	<10	88	20	29	0.010
L480364		0.18	<10	<10	83	30	35	0.016
L480365		0.12	<10	<10	54	<10	52	0.961
L480366		0.14	<10	<10	66	50	18	0.008
L480367		0.12	<10	<10	55	10	17	0.001
L480368		0.05	<10	10	21	10	8	0.002
L480369		0.18	<10	<10	101	10	22	0.009
L480370		0.16	<10	<10	79	20	19	0.016
L480371		0.16	<10	<10	73	30	19	0.009
L480372		0.15	<10	<10	99	10	35	0.004
L480373		0.03	<10	<10	34	10	20	0.001
L480374		0.11	<10	<10	47	20	13	0.001
L480375		0.15	<10	<10	100	20	157	0.698
L480376		0.11	<10	<10	48	20	13	0.002
L480377		0.17	<10	<10	96	30	18	0.009
L480378		0.15	<10	<10	94	10	24	0.005
L480379		0.03	<10	<10	64	10	43	0.010
L480380		0.01	<10	<10	27	10	76	0.008
L480381		0.04	<10	<10	38	10	51	0.006
L480382		0.08	<10	<10	51	20	138	0.010
L480383		0.09	<10	<10	38	30	13	0.007
L480384		0.10	<10	<10	41	10	12	0.007
L480385		0.11	<10	<10	45	10	34	0.003
L480386		0.13	<10	<10	49	10	13	0.006
L480387		0.19	<10	<10	100	20	24	0.013
L480388		0.24	<10	<10	106	20	26	0.006



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480389		5.33	0.5	1.03	4	<10	20	<0.5	<2	1.28	<0.5	11	43	559	2.87	<10
L480390		4.62	0.9	0.76	5	<10	30	<0.5	<2	1.30	<0.5	9	20	891	2.49	<10
L480391		5.23	0.5	1.02	3	<10	50	<0.5	2	1.29	<0.5	8	59	569	2.58	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480389		<1	0.41	<10	0.73	240	61	0.12	16	1970	2	0.42	<2	4	31	<20
L480390		<1	0.27	10	0.65	194	344	0.12	14	1660	3	0.51	<2	4	97	<20
L480391		<1	0.29	<10	0.78	204	223	0.15	28	1070	3	0.39	<2	4	97	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 25-JUIL-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11125472

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480389		0.23	<10	<10	121	10	26	0.006
L480390		0.21	<10	<10	98	50	22	0.015
L480391		0.17	<10	<10	99	10	23	0.011



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date: 9-AOUT-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11126835

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 98 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 13-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
CRU-QC	Test concassage QC
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um
LOG-23	Entrée pulpe - Reçu avec code barre

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480392		4.77	0.5	0.63	4	<10	40	<0.5	5	1.55	<0.5	5	12	423	1.54	<10
L480393		4.84	0.6	0.63	3	<10	60	<0.5	5	1.00	<0.5	6	7	569	1.87	<10
L480394		4.59	0.9	0.75	5	<10	120	<0.5	7	2.73	<0.5	6	14	831	1.90	<10
L480395		0.06	2.1	1.48	30	<10	150	<0.5	3	1.83	0.8	16	62	1825	3.99	<10
L480396		5.03	2.0	0.55	10	<10	300	0.6	19	3.57	0.7	9	10	1065	2.18	<10
L480397		5.03	1.1	0.61	3	<10	250	0.5	4	2.85	<0.5	10	7	1195	2.09	<10
L480398		4.43	1.8	0.54	7	<10	580	0.5	<2	3.29	<0.5	6	9	1155	1.94	<10
L480399		5.32	2.7	0.36	25	<10	370	<0.5	<2	3.69	1.1	8	3	367	1.83	<10
L480400		4.96	1.2	0.39	8	<10	270	<0.5	3	2.74	<0.5	6	3	455	1.64	<10
L480401		4.24	0.6	0.40	6	<10	380	0.5	<2	2.71	<0.5	5	8	495	1.60	<10
L480402		4.78	0.4	0.38	6	<10	290	<0.5	2	2.89	<0.5	5	5	301	1.42	<10
L480403		4.52	0.8	0.65	5	<10	140	<0.5	6	3.04	<0.5	7	10	415	1.82	<10
L480404		3.97	0.6	0.67	3	<10	90	<0.5	<2	2.06	<0.5	6	10	300	1.70	<10
L480405		0.06	0.2	0.99	2	<10	70	<0.5	<2	0.62	<0.5	6	30	21	1.96	<10
L480406		5.11	0.6	0.81	2	<10	160	<0.5	<2	1.19	<0.5	6	36	314	1.89	<10
L480407		5.21	1.0	0.98	8	<10	80	0.6	<2	3.68	<0.5	9	36	491	2.43	<10
L480408		4.77	0.6	1.25	9	<10	90	0.8	2	4.17	<0.5	10	14	403	2.60	<10
L480409		5.05	0.6	0.62	5	<10	140	0.5	3	2.81	<0.5	7	7	622	1.94	<10
L480410		5.00	0.8	0.55	4	<10	160	<0.5	3	1.62	<0.5	8	9	708	1.89	<10
L480411		5.31	0.4	0.52	6	<10	70	<0.5	<2	1.06	<0.5	5	28	349	1.36	<10
L480412		4.57	0.5	0.44	3	<10	40	<0.5	9	0.83	<0.5	6	14	668	1.37	<10
L480413		4.19	0.2	0.48	3	<10	30	<0.5	8	0.96	<0.5	7	12	412	1.64	<10
L480414		4.88	0.6	0.44	2	<10	40	<0.5	6	1.18	<0.5	7	10	919	1.54	<10
L480415		0.06	1.7	1.34	13	<10	130	<0.5	3	0.74	<0.5	9	33	3540	3.39	<10
L480416		4.93	0.6	0.53	3	<10	40	<0.5	32	0.97	<0.5	7	14	789	1.47	<10
L480417		4.37	0.4	0.41	<2	<10	100	<0.5	11	1.13	<0.5	5	15	504	1.34	<10
L480418		5.00	2.3	0.60	36	<10	60	<0.5	40	2.10	1.3	8	16	1175	1.64	<10
L480419		4.65	1.0	0.92	5	<10	90	<0.5	10	2.53	<0.5	10	19	639	2.33	<10
L480420		4.63	0.5	0.81	6	<10	330	<0.5	4	1.98	<0.5	12	29	783	2.45	<10
L480421		4.65	0.2	0.46	4	<10	40	<0.5	2	0.81	<0.5	8	26	406	1.54	<10
L480422		4.92	2.4	0.52	6	<10	60	<0.5	7	0.97	1.0	26	23	2080	2.57	<10
L480423		5.44	0.9	0.45	18	<10	50	<0.5	4	1.27	1.3	7	25	536	1.26	<10
L480424		4.63	0.4	0.39	2	<10	40	<0.5	4	0.97	<0.5	6	19	521	1.31	<10
L480425		0.06	<0.2	1.08	4	<10	80	<0.5	<2	0.67	<0.5	7	30	23	2.07	<10
L480426		5.06	0.5	0.40	<2	<10	40	<0.5	4	0.80	<0.5	6	25	539	1.17	<10
L480427		5.17	0.6	0.46	4	<10	30	<0.5	3	0.97	<0.5	7	20	691	1.38	<10
L480428		4.23	<0.2	0.37	<2	<10	30	<0.5	3	0.71	<0.5	4	25	224	0.97	<10
L480429		4.95	0.2	0.40	<2	<10	160	<0.5	3	1.29	<0.5	5	20	310	1.18	<10
L480430		4.85	0.2	0.61	5	<10	60	<0.5	6	1.63	<0.5	7	30	369	1.65	<10
L480431		4.88	0.2	0.47	5	<10	40	<0.5	4	0.70	<0.5	6	30	333	1.42	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
L480392	<1	0.15	10	0.68	239	448	0.07	5	1050	3	0.32	<2	3	52	<20
L480393	<1	0.19	10	0.84	149	389	0.09	5	1330	3	0.39	<2	3	61	<20
L480394	<1	0.13	10	0.75	329	353	0.04	5	910	5	0.44	<2	5	101	<20
L480395	<1	0.50	20	0.83	345	157	0.05	15	690	19	1.82	7	6	72	<20
L480396	<1	0.23	10	0.75	422	84	0.03	6	830	8	0.67	9	6	427	<20
L480397	<1	0.20	10	0.64	305	382	0.04	8	1700	3	0.55	<2	5	125	<20
L480398	<1	0.25	10	0.83	366	86	0.03	7	810	4	0.48	4	7	372	<20
L480399	<1	0.23	10	0.88	664	153	0.01	5	600	15	0.78	25	4	150	<20
L480400	<1	0.22	10	0.74	547	459	0.02	3	790	11	0.76	3	3	91	<20
L480401	<1	0.21	10	0.79	373	43	0.02	5	670	4	0.45	3	4	118	<20
L480402	<1	0.21	10	0.69	529	239	0.02	3	570	5	0.40	2	4	115	<20
L480403	<1	0.18	10	0.68	444	127	0.02	5	730	12	0.52	3	4	78	<20
L480404	<1	0.15	10	0.66	264	494	0.05	5	590	4	0.39	<2	3	256	<20
L480405	<1	0.06	<10	0.47	293	3	0.04	18	470	<2	0.05	<2	4	28	<20
L480406	<1	0.23	10	1.01	211	53	0.07	7	760	2	0.29	<2	4	342	<20
L480407	<1	0.19	10	1.08	456	232	0.05	9	1670	11	0.77	2	7	121	<20
L480408	<1	0.22	20	0.86	463	205	0.03	15	1710	10	0.75	2	9	137	<20
L480409	<1	0.20	20	0.66	317	165	0.04	6	1560	6	0.47	<2	5	100	<20
L480410	<1	0.16	10	0.63	215	164	0.07	7	1300	5	0.53	2	3	89	<20
L480411	<1	0.19	10	0.68	154	200	0.08	7	720	5	0.22	4	2	86	<20
L480412	<1	0.16	10	0.51	123	137	0.08	7	910	5	0.27	<2	2	36	<20
L480413	<1	0.15	10	0.44	133	45	0.09	6	900	4	0.32	<2	2	35	<20
L480414	<1	0.13	10	0.41	165	112	0.07	6	730	5	0.27	<2	2	44	<20
L480415	<1	0.11	10	0.58	456	312	0.10	29	540	21	0.44	4	5	40	<20
L480416	<1	0.17	10	0.51	138	329	0.09	6	860	6	0.31	<2	2	51	<20
L480417	<1	0.13	10	0.29	169	29	0.06	5	440	7	0.19	<2	2	38	<20
L480418	<1	0.17	10	0.53	282	199	0.05	8	820	42	0.53	40	4	69	<20
L480419	<1	0.15	10	0.77	392	96	0.05	9	770	13	0.57	4	5	107	<20
L480420	<1	0.35	10	0.92	278	148	0.07	17	1640	3	0.57	2	3	80	<20
L480421	<1	0.19	10	0.39	105	125	0.08	12	900	4	0.35	<2	2	32	<20
L480422	<1	0.14	<10	0.43	163	380	0.07	13	740	30	1.04	<2	2	30	<20
L480423	<1	0.15	<10	0.37	179	400	0.07	10	730	87	0.29	17	2	30	<20
L480424	<1	0.13	10	0.24	95	48	0.08	10	820	5	0.28	2	1	27	<20
L480425	<1	0.07	<10	0.48	315	4	0.06	20	500	<2	0.05	<2	4	31	<20
L480426	<1	0.15	10	0.29	99	47	0.08	10	750	6	0.25	<2	1	25	<20
L480427	<1	0.15	10	0.30	111	247	0.09	12	820	5	0.33	<2	2	29	<20
L480428	<1	0.14	<10	0.28	89	430	0.08	8	710	5	0.21	<2	1	23	<20
L480429	<1	0.10	10	0.43	170	83	0.07	9	600	4	0.25	<2	2	42	<20
L480430	<1	0.18	10	0.52	186	65	0.07	13	730	4	0.22	6	3	35	<20
L480431	<1	0.20	<10	0.37	105	44	0.10	11	770	3	0.22	<2	2	25	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480392		0.11	<10	<10	61	40	16	0.006
L480393		0.14	<10	<10	76	40	17	0.011
L480394		0.06	<10	<10	64	20	26	0.006
L480395		0.04	<10	<10	56	<10	63	0.212
L480396		0.01	<10	<10	42	20	37	0.015
L480397		0.04	<10	<10	49	20	22	0.018
L480398		0.01	<10	<10	43	10	25	0.011
L480399		<0.01	<10	<10	16	<10	42	0.014
L480400		<0.01	<10	<10	12	<10	19	0.010
L480401		<0.01	<10	<10	21	<10	19	0.005
L480402		<0.01	<10	<10	18	<10	23	0.006
L480403		0.03	<10	10	43	10	28	0.014
L480404		0.06	<10	<10	53	10	17	0.008
L480405		0.10	<10	<10	44	10	33	0.001
L480406		0.10	<10	<10	64	<10	20	0.008
L480407		0.08	<10	<10	72	<10	33	0.008
L480408		0.01	<10	<10	60	<10	37	0.007
L480409		0.08	<10	<10	44	10	24	0.015
L480410		0.13	<10	<10	52	140	19	0.016
L480411		0.11	<10	<10	55	<10	16	0.009
L480412		0.12	<10	<10	57	10	13	0.010
L480413		0.14	<10	<10	62	<10	13	0.010
L480414		0.10	<10	<10	52	20	17	0.015
L480415		0.12	<10	<10	55	<10	55	1.095
L480416		0.13	<10	<10	57	20	14	0.013
L480417		0.05	<10	<10	37	20	14	0.006
L480418		0.07	<10	<10	51	30	61	0.056
L480419		0.04	<10	<10	65	10	31	0.012
L480420		0.18	<10	<10	91	<10	27	0.014
L480421		0.13	<10	<10	55	<10	14	0.011
L480422		0.11	<10	<10	54	10	84	0.028
L480423		0.11	<10	<10	46	<10	70	0.019
L480424		0.12	<10	<10	49	<10	14	0.014
L480425		0.11	<10	<10	46	10	34	0.002
L480426		0.13	<10	<10	47	10	17	0.016
L480427		0.13	<10	<10	53	10	19	0.020
L480428		0.12	<10	<10	42	<10	11	0.010
L480429		0.09	<10	<10	45	10	12	0.006
L480430		0.10	<10	<10	61	10	19	0.010
L480431		0.14	<10	<10	58	<10	14	0.008



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
L480432		4.64	<0.2	0.50	<2	<10	50	<0.5	3	0.92	<0.5	5	26	203	1.15	<10
L480433		4.75	0.5	0.90	31	<10	300	<0.5	3	2.71	0.6	8	26	339	1.98	<10
L480434		4.40	0.2	0.55	3	<10	60	<0.5	7	1.06	<0.5	7	31	262	1.59	<10
L480435		0.06	3.8	1.89	36	<10	130	<0.5	9	1.04	0.9	19	61	9630	4.73	10
L480436		4.72	<0.2	0.44	2	<10	40	<0.5	3	1.18	<0.5	6	26	267	1.28	<10
L480437		5.03	<0.2	0.52	<2	<10	80	<0.5	4	1.51	<0.5	5	26	148	1.02	<10
L480438		4.93	0.2	0.48	<2	<10	40	<0.5	4	1.21	<0.5	6	28	238	1.35	<10
L480439		4.66	0.3	0.51	<2	<10	40	<0.5	3	1.33	<0.5	6	30	302	1.40	<10
L480440		4.87	0.3	0.43	2	<10	40	<0.5	5	0.97	<0.5	6	23	392	1.19	<10
L480441		4.54	0.5	0.36	<2	<10	50	<0.5	10	1.11	<0.5	5	19	432	0.96	<10
L480442		4.54	0.3	0.31	<2	<10	60	<0.5	6	0.75	<0.5	4	17	271	0.85	<10
L480443		4.69	0.4	0.46	<2	<10	30	<0.5	6	1.70	<0.5	4	19	319	1.02	<10
L480444		4.61	1.3	0.57	12	<10	110	<0.5	20	2.51	<0.5	6	21	698	1.37	<10
L480445		0.06	<0.2	1.10	3	<10	80	<0.5	<2	0.68	<0.5	7	30	22	2.07	<10
L480446		4.84	0.3	0.33	<2	<10	60	<0.5	6	0.98	<0.5	4	18	414	0.77	<10
L480447		5.00	0.3	0.29	<2	<10	50	<0.5	21	0.94	<0.5	3	13	399	0.63	<10
L480448		5.26	0.4	0.29	3	<10	60	<0.5	5	1.05	<0.5	3	19	371	0.84	<10
L480449		5.03	0.3	0.39	<2	<10	100	<0.5	3	1.10	<0.5	3	16	262	1.11	<10
L480450		4.68	0.9	0.47	2	<10	130	<0.5	79	2.36	<0.5	6	25	765	1.45	<10
L480451		4.38	0.5	0.46	2	<10	60	<0.5	9	1.63	<0.5	4	19	461	1.16	<10
L480452		5.02	0.4	0.38	<2	<10	60	<0.5	24	1.17	<0.5	4	19	534	0.96	<10
L480453		4.65	1.4	0.43	2	<10	80	<0.5	22	1.15	<0.5	5	18	1425	1.39	<10
L480454		5.02	4.1	0.79	<2	<10	130	<0.5	24	3.36	<0.5	6	21	367	1.81	<10
L480455		0.06	2.1	1.58	30	<10	140	0.5	4	1.93	1.0	17	66	1875	4.10	<10
L480456		4.25	1.0	0.77	2	<10	200	<0.5	6	3.65	<0.5	6	18	556	1.69	<10
L480457		4.44	0.4	0.74	2	<10	140	<0.5	2	3.52	<0.5	5	39	394	1.84	<10
L480458		4.47	<0.2	0.45	<2	<10	80	<0.5	6	1.09	<0.5	5	58	180	1.74	<10
L480459		4.70	0.2	0.44	<2	<10	110	<0.5	<2	1.02	<0.5	4	46	329	1.33	<10
L480460		4.20	0.3	0.40	<2	<10	80	<0.5	6	0.98	<0.5	3	27	336	1.42	<10
L480461		5.28	1.4	0.58	<2	<10	100	<0.5	6	1.36	<0.5	5	18	671	1.70	<10
L480462		4.31	1.5	0.78	17	<10	430	<0.5	8	2.78	0.5	8	9	874	2.19	<10
L480463		4.79	1.0	0.55	16	<10	350	<0.5	11	2.46	<0.5	6	18	851	1.53	<10
L480464		5.20	1.1	0.46	4	<10	100	<0.5	29	1.66	<0.5	7	11	1040	2.21	<10
L480465		0.06	0.2	1.02	4	<10	80	<0.5	<2	0.66	<0.5	7	30	22	1.94	<10
L480466		4.81	0.8	0.30	3	<10	120	<0.5	16	0.93	<0.5	7	21	822	1.45	<10
L480467		4.45	0.5	0.32	3	<10	100	<0.5	5	0.86	<0.5	5	18	505	1.08	<10
L480468		4.88	0.4	0.26	2	<10	80	<0.5	5	0.78	<0.5	4	14	405	1.26	<10
L480469		4.97	0.4	0.31	3	<10	100	<0.5	3	0.96	<0.5	4	10	421	1.14	<10
L480470		4.49	0.5	0.37	<2	<10	200	<0.5	17	1.30	<0.5	6	6	675	1.61	<10
L480471		5.15	0.3	0.33	3	<10	150	<0.5	5	1.06	<0.5	4	7	355	0.71	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Th ppm 20
L480432		<1	0.19	10	0.59	152	60	0.08	9	640	4	0.18	<2	2	28	<20
L480433		<1	0.25	10	0.70	290	148	0.06	13	660	32	0.33	5	5	67	<20
L480434		<1	0.20	10	0.61	172	208	0.07	13	900	17	0.25	2	2	30	<20
L480435		<1	0.56	10	1.06	542	951	0.12	36	920	40	2.22	5	10	51	<20
L480436		<1	0.14	10	0.40	162	55	0.08	9	580	16	0.20	<2	2	33	<20
L480437		<1	0.11	10	0.54	169	138	0.09	9	730	5	0.14	<2	3	71	<20
L480438		<1	0.13	10	0.47	159	74	0.08	10	690	4	0.16	<2	2	38	<20
L480439		<1	0.11	10	0.41	155	125	0.06	11	650	2	0.23	<2	3	49	<20
L480440		<1	0.14	<10	0.37	121	109	0.08	10	640	4	0.25	<2	2	30	<20
L480441		<1	0.10	<10	0.29	125	272	0.06	7	640	4	0.29	<2	2	41	<20
L480442		<1	0.12	10	0.29	98	60	0.08	6	730	4	0.20	<2	1	31	<20
L480443		<1	0.09	10	0.48	224	69	0.06	8	660	4	0.20	<2	3	48	<20
L480444		<1	0.12	<10	0.62	297	268	0.05	9	670	12	0.59	7	4	69	<20
L480445		<1	0.07	<10	0.48	317	4	0.06	20	500	2	0.05	<2	4	32	<20
L480446		<1	0.11	10	0.41	120	45	0.07	6	770	4	0.21	<2	1	37	<20
L480447		<1	0.10	10	0.21	90	54	0.08	4	860	5	0.18	<2	1	36	<20
L480448		<1	0.10	10	0.27	100	52	0.07	6	890	5	0.26	<2	1	47	<20
L480449		<1	0.10	10	0.49	163	183	0.09	4	840	8	0.22	<2	2	55	<20
L480450		<1	0.09	10	0.52	259	179	0.06	8	870	8	0.55	<2	4	123	<20
L480451		<1	0.10	10	0.65	170	72	0.08	8	950	6	0.26	<2	3	70	<20
L480452		<1	0.09	10	0.56	133	195	0.08	7	880	7	0.37	<2	2	77	<20
L480453		<1	0.11	10	0.64	159	116	0.08	7	810	8	0.45	<2	2	69	<20
L480454		<1	0.12	10	0.94	395	106	0.06	9	730	178	0.58	<2	6	99	<20
L480455		1	0.53	20	0.85	366	159	0.07	17	690	23	1.91	7	6	75	<20
L480456		<1	0.12	10	0.84	408	252	0.06	9	730	11	0.54	<2	6	133	<20
L480457		<1	0.16	10	0.70	338	183	0.05	14	820	4	0.24	<2	6	153	<20
L480458		<1	0.14	10	0.68	119	56	0.09	15	850	4	0.25	<2	2	78	<20
L480459		<1	0.16	10	0.68	128	166	0.08	10	870	3	0.20	<2	2	89	<20
L480460		<1	0.10	10	0.54	135	328	0.09	5	810	5	0.17	<2	2	64	<20
L480461		<1	0.10	10	0.79	234	963	0.08	6	860	123	0.42	<2	4	92	<20
L480462		<1	0.14	10	0.56	326	109	0.05	6	770	18	0.71	17	5	302	<20
L480463		<1	0.10	10	0.34	251	77	0.06	5	720	7	0.38	20	3	151	<20
L480464		<1	0.09	20	0.37	189	112	0.09	6	1070	6	0.66	<2	2	86	<20
L480465		1	0.06	<10	0.47	301	4	0.06	20	470	2	0.05	<2	4	30	<20
L480466		<1	0.07	10	0.29	104	45	0.08	7	890	7	0.60	<2	1	52	<20
L480467		<1	0.09	10	0.23	86	59	0.10	5	870	6	0.44	<2	1	50	<20
L480468		<1	0.07	10	0.17	96	107	0.08	4	780	6	0.51	<2	1	46	<20
L480469		<1	0.09	10	0.27	123	56	0.09	4	780	5	0.36	<2	1	55	<20
L480470		<1	0.08	10	0.33	137	32	0.08	4	1120	6	0.63	<2	2	157	<20
L480471		<1	0.09	10	0.34	104	56	0.09	4	820	5	0.25	<2	1	68	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480432		0.11	<10	<10	49	<10	13	0.004
L480433		0.06	<10	<10	55	<10	47	0.005
L480434		0.12	<10	<10	55	10	36	0.010
L480435		0.16	<10	<10	108	20	161	0.719
L480436		0.11	<10	<10	49	10	33	0.005
L480437		0.11	<10	<10	49	10	15	0.005
L480438		0.12	<10	<10	55	<10	16	0.006
L480439		0.09	<10	<10	53	10	15	0.007
L480440		0.11	<10	<10	45	10	13	0.006
L480441		0.08	<10	<10	35	10	11	0.007
L480442		0.10	<10	<10	32	20	9	0.003
L480443		0.08	<10	<10	40	10	14	0.005
L480444		0.07	<10	<10	44	20	26	0.005
L480445		0.12	<10	<10	47	10	34	0.002
L480446		0.11	<10	<10	34	20	10	0.003
L480447		0.12	<10	<10	32	20	7	0.005
L480448		0.11	<10	<10	37	50	13	0.004
L480449		0.12	<10	<10	45	10	13	0.004
L480450		0.08	<10	<10	56	50	17	0.004
L480451		0.11	<10	<10	55	20	13	0.003
L480452		0.12	<10	<10	41	60	12	0.005
L480453		0.12	<10	<10	54	60	18	0.007
L480454		0.06	<10	<10	60	20	36	0.004
L480455		0.04	<10	<10	58	<10	68	0.209
L480456		0.06	<10	<10	58	50	31	0.006
L480457		0.07	<10	<10	69	30	24	0.006
L480458		0.14	<10	<10	80	30	13	0.004
L480459		0.13	<10	<10	58	50	13	0.006
L480460		0.12	<10	<10	58	30	13	0.005
L480461		0.10	<10	<10	61	160	23	0.006
L480462		0.02	<10	10	52	230	35	0.011
L480463		0.05	<10	<10	42	20	23	0.009
L480464		0.11	<10	<10	66	50	17	0.009
L480465		0.11	<10	<10	44	10	34	0.001
L480466		0.10	<10	<10	45	90	12	0.008
L480467		0.11	<10	<10	39	30	11	0.005
L480468		0.09	<10	10	38	70	9	0.006
L480469		0.11	<10	<10	38	110	10	0.006
L480470		0.11	<10	<10	50	60	14	0.009
L480471		0.11	<10	<10	31	10	9	0.004



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - A
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480472		4.77	0.4	0.32	3	<10	110	<0.5	21	0.77	<0.5	5	11	438	0.82	<10
L480473		4.51	0.3	0.27	3	<10	190	<0.5	9	0.76	<0.5	4	11	334	0.70	<10
L480474		5.10	0.8	0.30	4	<10	100	<0.5	33	0.85	<0.5	5	17	678	1.02	<10
L480475		0.06	1.7	1.28	14	<10	130	<0.5	2	0.74	0.5	8	32	3450	3.22	<10
L480476		4.44	0.9	0.37	3	<10	80	<0.5	23	1.36	<0.5	8	23	946	1.38	<10
L480477		4.78	0.6	0.51	<2	<10	280	<0.5	10	2.90	<0.5	7	12	692	2.09	<10
L480478		4.50	0.7	0.46	2	<10	240	<0.5	4	1.52	<0.5	6	7	803	1.95	<10
L480479		3.06	0.6	0.48	2	<10	160	<0.5	13	1.90	<0.5	7	5	503	2.58	<10
L480480		4.54	<0.2	0.54	3	<10	480	0.6	15	4.41	<0.5	5	2	332	1.90	<10
L480481		3.40	0.4	0.57	<2	<10	540	0.5	6	3.09	<0.5	7	4	623	2.25	<10
L480482		3.57	0.4	0.50	4	<10	380	0.5	7	3.91	<0.5	7	3	337	2.03	<10
L480483		4.65	0.4	0.49	<2	<10	180	<0.5	2	2.44	<0.5	7	5	681	2.22	<10
L480484		4.78	0.7	0.65	3	<10	410	<0.5	<2	3.14	<0.5	7	4	681	1.99	<10
L480485		0.06	0.3	1.02	3	<10	80	<0.5	<2	0.64	<0.5	7	29	22	1.98	<10
L480486		5.07	0.5	0.67	<2	<10	200	<0.5	2	2.42	<0.5	7	5	433	2.11	<10
L480487		4.84	0.5	0.73	<2	<10	290	<0.5	<2	1.32	<0.5	7	6	329	2.24	<10
L480488		4.54	0.6	0.39	4	<10	270	<0.5	<2	1.09	<0.5	5	7	460	1.61	<10
L480489		4.76	0.9	0.36	3	<10	170	<0.5	3	1.13	<0.5	5	8	672	1.47	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - B
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480472		<1	0.10	10	0.21	73	27	0.09	5	760	7	0.36	<2	1	40	<20
L480473		<1	0.13	10	0.22	78	30	0.08	4	740	8	0.29	<2	1	44	<20
L480474		<1	0.12	10	0.26	79	259	0.08	8	950	7	0.51	<2	1	38	<20
L480475		<1	0.11	<10	0.57	439	299	0.10	29	510	23	0.42	4	5	40	<20
L480476		<1	0.10	10	0.43	133	79	0.08	12	860	4	0.61	<2	3	64	<20
L480477		<1	0.10	20	0.69	370	49	0.06	6	1010	5	0.37	<2	5	468	<20
L480478		<1	0.10	20	0.61	218	35	0.09	2	1210	4	0.50	<2	3	285	<20
L480479		<1	0.10	20	0.57	268	94	0.08	3	1270	7	0.59	<2	4	201	<20
L480480		<1	0.25	20	0.79	501	515	0.05	2	1110	9	0.76	<2	6	1830	<20
L480481		<1	0.18	30	0.59	381	93	0.06	3	1170	3	0.57	<2	6	819	<20
L480482		<1	0.18	20	0.87	460	918	0.06	6	970	14	0.89	<2	5	1410	<20
L480483		<1	0.10	20	0.50	292	123	0.07	3	1150	6	1.00	<2	5	340	<20
L480484		1	0.13	20	0.40	322	156	0.07	3	1080	7	0.96	<2	5	1110	<20
L480485		1	0.06	<10	0.47	304	4	0.05	20	480	2	0.06	<2	4	31	<20
L480486		2	0.09	20	0.49	288	131	0.07	3	1090	4	0.75	<2	4	381	<20
L480487		1	0.13	10	0.80	262	40	0.10	3	1070	8	0.69	<2	3	283	<20
L480488		1	0.09	10	0.42	156	14	0.09	3	1150	5	0.59	<2	2	137	<20
L480489		<1	0.09	10	0.28	136	27	0.08	4	940	5	0.60	<2	2	82	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - C
 Nombre total de pages: 4 (A - C)
 Finalisée date: 9-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11126835

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480472		0.11	<10	<10	30	30	10	0.009
L480473		0.12	<10	<10	28	30	9	0.005
L480474		0.12	<10	<10	38	280	10	0.010
L480475		0.12	<10	<10	53	<10	53	1.060
L480476		0.11	<10	<10	52	250	15	0.013
L480477		0.04	<10	<10	60	40	22	0.009
L480478		0.07	<10	<10	56	10	24	0.008
L480479		0.05	<10	<10	64	40	22	0.006
L480480		<0.01	<10	<10	29	<10	17	0.005
L480481		0.01	<10	<10	39	<10	23	0.005
L480482		<0.01	<10	<10	41	<10	21	0.003
L480483		0.03	<10	<10	51	30	22	0.005
L480484		0.02	<10	<10	41	10	20	0.007
L480485		0.11	<10	<10	45	10	34	0.002
L480486		0.03	<10	<10	51	20	19	0.004
L480487		0.08	<10	<10	56	60	20	0.004
L480488		0.10	<10	<10	51	140	11	0.005
L480489		0.09	<10	<10	46	100	11	0.008



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date: 6-AOUT-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11131429

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 33 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 14-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um
LOG-23	Entrée pulpe - Reçu avec code barre

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 2 (A - C)
 Finalisée date: 6-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11131429

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480490		4.66	0.4	0.32	3	<10	170	<0.5	4	0.81	<0.5	3	18	440	0.95	<10
L480491		4.94	0.6	0.31	4	<10	190	<0.5	<2	0.91	<0.5	3	8	652	0.95	<10
L480492		4.28	0.5	0.39	4	<10	220	<0.5	<2	0.93	<0.5	4	9	411	1.37	<10
L480493		3.42	0.5	0.59	6	<10	260	<0.5	16	1.36	<0.5	5	6	416	1.93	<10
L480494		4.62	0.7	0.58	4	<10	460	<0.5	4	2.30	<0.5	4	31	630	1.50	<10
L480495		0.05	3.9	1.75	38	<10	120	<0.5	<2	0.98	1.1	18	58	9540	4.41	10
L480496		5.29	0.2	0.49	3	<10	160	<0.5	<2	1.28	<0.5	3	7	165	1.69	<10
L480497		4.98	0.2	0.58	3	<10	330	0.5	<2	3.23	<0.5	4	9	188	1.05	<10
L480498		4.90	0.4	0.39	4	<10	210	<0.5	3	1.15	<0.5	2	3	388	0.82	<10
L480499		4.31	0.2	0.37	3	<10	220	<0.5	<2	1.60	<0.5	3	4	268	0.70	<10
L480500		4.83	0.2	0.28	4	<10	250	<0.5	<2	0.58	<0.5	1	3	183	0.43	<10
L480501		5.19	0.2	0.29	2	<10	260	<0.5	2	0.63	<0.5	1	6	208	0.52	<10
L480502		4.70	<0.2	0.29	2	<10	230	<0.5	<2	0.73	<0.5	2	3	138	0.46	<10
L480503		4.88	0.4	0.32	2	<10	240	<0.5	2	0.73	<0.5	2	4	344	0.48	<10
L480504		5.69	0.6	0.86	6	<10	770	0.5	<2	2.91	<0.5	6	19	625	1.83	<10
L480505		0.05	0.2	1.00	5	<10	80	<0.5	<2	0.60	<0.5	6	30	21	1.90	<10
L480506		4.77	0.6	0.44	4	<10	220	<0.5	4	0.76	<0.5	5	5	507	1.86	<10
L480507		3.50	0.3	0.54	3	<10	300	<0.5	<2	1.12	<0.5	5	5	282	2.23	<10
L480508		4.95	0.4	0.58	19	<10	560	<0.5	3	1.97	<0.5	5	4	367	1.69	<10
L480509		4.74	0.3	0.50	3	<10	340	<0.5	<2	1.31	<0.5	5	5	376	1.70	<10
L480510		4.91	1.0	0.39	4	<10	210	<0.5	<2	0.79	<0.5	5	6	1020	1.45	<10
L480511		4.47	0.6	0.44	2	<10	210	<0.5	5	0.81	<0.5	4	8	522	1.67	<10
L480512		4.50	0.2	0.50	<2	<10	260	<0.5	<2	1.00	<0.5	4	6	277	1.71	<10
L480513		5.12	2.8	0.59	8	<10	260	<0.5	11	1.67	<0.5	5	5	149	2.18	<10
L480514		5.10	0.2	0.46	3	<10	240	<0.5	2	0.90	<0.5	4	11	193	1.63	<10
L480515		0.06	2.1	1.51	28	<10	100	<0.5	4	1.80	0.8	16	62	1900	3.90	<10
L480516		5.10	0.3	0.50	2	<10	330	<0.5	<2	0.99	<0.5	3	6	234	1.74	<10
L480517		4.26	0.3	0.43	3	<10	260	<0.5	2	0.85	<0.5	4	9	88	1.70	<10
L480518		4.82	0.2	0.58	4	<10	300	<0.5	<2	1.34	<0.5	4	7	172	1.79	<10
L480519		4.74	0.3	0.55	<2	<10	350	<0.5	2	1.38	<0.5	5	6	218	1.80	<10
L480520		4.78	0.2	0.46	2	<10	270	<0.5	<2	0.89	<0.5	4	8	225	1.63	<10
L480521		3.89	0.5	0.73	5	<10	240	<0.5	<2	1.72	<0.5	6	7	636	1.88	<10
L480522		3.81	0.8	0.71	4	<10	310	<0.5	11	1.81	<0.5	5	5	367	1.72	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 2 (A - C)
 Finalisée date: 6-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11131429

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Th ppm 20
L480490		<1	0.15	10	0.21	112	43	0.08	4	750	5	0.33	<2	1	71	<20
L480491		<1	0.11	10	0.19	108	154	0.09	3	840	4	0.39	<2	1	77	<20
L480492		<1	0.11	10	0.29	142	42	0.11	3	960	5	0.42	<2	1	117	<20
L480493		<1	0.09	20	0.57	215	36	0.08	3	990	5	0.47	<2	3	283	<20
L480494		<1	0.12	20	0.62	272	147	0.07	9	1400	5	0.39	<2	3	708	<20
L480495		<1	0.51	10	1.01	517	923	0.11	36	900	41	2.20	8	9	50	<20
L480496		<1	0.10	20	0.48	210	190	0.10	3	960	5	0.34	<2	3	202	<20
L480497		<1	0.15	10	0.42	358	140	0.05	5	840	6	0.15	<2	4	253	<20
L480498		<1	0.11	20	0.23	154	80	0.06	2	860	6	0.19	<2	2	121	<20
L480499		<1	0.13	10	0.33	225	202	0.06	3	880	5	0.16	<2	2	104	<20
L480500		<1	0.17	10	0.15	79	42	0.08	2	910	7	0.10	<2	1	80	<20
L480501		<1	0.15	20	0.16	93	44	0.08	2	950	6	0.16	<2	1	88	<20
L480502		<1	0.13	20	0.17	96	11	0.08	1	1040	7	0.15	<2	1	77	<20
L480503		<1	0.11	20	0.24	93	75	0.08	2	900	5	0.21	<2	1	120	<20
L480504		<1	0.15	20	0.60	339	170	0.06	5	1050	7	0.46	<2	4	621	<20
L480505		<1	0.06	<10	0.45	297	4	0.05	20	490	<2	0.05	<2	4	31	<20
L480506		<1	0.11	10	0.37	144	13	0.09	2	1050	5	0.56	<2	1	202	<20
L480507		<1	0.11	20	0.53	236	80	0.08	3	1120	4	0.33	<2	3	378	<20
L480508		<1	0.17	20	0.35	314	102	0.05	3	790	6	0.49	6	3	456	<20
L480509		<1	0.16	20	0.40	228	23	0.07	3	800	3	0.49	<2	2	264	<20
L480510		<1	0.13	10	0.21	109	120	0.07	2	790	4	0.66	<2	1	83	<20
L480511		<1	0.13	10	0.26	155	99	0.08	2	820	5	0.47	<2	1	84	<20
L480512		<1	0.14	10	0.36	190	45	0.08	2	840	4	0.41	<2	2	176	<20
L480513		<1	0.13	20	0.37	266	23	0.06	2	850	68	0.95	<2	2	249	<20
L480514		<1	0.13	20	0.34	188	7	0.08	2	770	5	0.47	<2	2	149	<20
L480515		<1	0.48	20	0.80	353	159	0.06	16	720	20	1.94	8	6	76	<20
L480516		<1	0.16	20	0.30	253	22	0.08	2	760	5	0.32	<2	2	172	<20
L480517		<1	0.16	20	0.28	227	19	0.08	2	820	15	0.38	<2	1	104	<20
L480518		<1	0.16	20	0.41	283	17	0.07	2	790	4	0.40	<2	3	208	<20
L480519		<1	0.15	20	0.44	313	12	0.07	2	790	4	0.51	<2	3	300	<20
L480520		<1	0.15	10	0.38	216	70	0.08	1	760	5	0.41	<2	2	131	<20
L480521		<1	0.14	20	0.46	259	477	0.06	2	770	9	0.57	<2	3	185	20
L480522		<1	0.14	20	0.52	309	116	0.06	2	740	18	0.39	<2	3	237	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 2 (A - C)
 Finalisée date: 6-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11131429

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480490		0.09	<10	<10	31	60	9	0.005
L480491		0.10	<10	<10	32	40	11	0.007
L480492		0.10	<10	<10	44	30	11	0.003
L480493		0.06	<10	<10	49	10	19	0.005
L480494		0.07	<10	<10	45	20	17	0.005
L480495		0.15	<10	<10	101	20	156	0.458
L480496		0.08	<10	<10	52	10	14	0.002
L480497		0.02	<10	<10	35	20	16	0.002
L480498		0.05	<10	<10	25	10	9	0.007
L480499		0.06	<10	<10	23	40	13	0.004
L480500		0.08	<10	<10	13	10	7	0.003
L480501		0.08	<10	<10	15	10	7	0.003
L480502		0.08	<10	<10	14	10	6	0.002
L480503		0.08	<10	<10	16	20	7	0.004
L480504		0.03	<10	<10	38	10	24	0.006
L480505		0.10	<10	<10	44	10	34	0.001
L480506		0.08	<10	<10	46	10	14	0.004
L480507		0.08	<10	<10	63	130	16	0.003
L480508		0.02	<10	<10	31	<10	20	0.008
L480509		0.06	<10	<10	39	10	14	0.004
L480510		0.08	<10	<10	33	50	17	0.011
L480511		0.09	<10	<10	44	10	14	0.014
L480512		0.09	<10	<10	46	10	12	0.003
L480513		0.05	<10	<10	42	10	14	0.003
L480514		0.08	<10	<10	41	10	11	0.002
L480515		0.04	<10	<10	56	<10	65	0.233
L480516		0.08	<10	<10	44	<10	18	0.002
L480517		0.08	<10	<10	44	10	15	0.001
L480518		0.06	<10	<10	44	10	17	0.003
L480519		0.06	<10	<10	42	<10	17	0.002
L480520		0.08	<10	<10	43	<10	13	0.003
L480521		0.03	<10	<10	43	80	20	0.007
L480522		0.03	<10	<10	41	30	18	0.004



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Téléphone: 604 984 0221 Télécopieur: 604 984 0218
www.alsglobal.com

À: PAGET MINERALS CORPORATION
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Page: 1
Finalisée date:
25-AOUT-2011
Cette copie a fait un rapport sur
9-NOV-2011
Compte: PAGMIN

CERTIFICAT TR11147259

Projet: Icy Lake

Bon de commande #:

Ce rapport s'applique aux 135 échantillons de carotte forage soumis à notre laboratoire de Terrace, BC, Canada le 28-JUIL-2011.

Les résultats sont transmis à:

SONIA JEYACHANDRAN

ROD OGILVIE

DAVID VOLKERT

PRÉPARATION ÉCHANTILLONS

CODE ALS	DESCRIPTION
WEI-21	Poids échantillon reçu
LOG-22	Entrée échantillon - Reçu sans code barre
CRU-QC	Test concassage QC
PUL-QC	Test concassage QC
CRU-31	Granulation - 70 % <2 mm
SPL-21	Échant. fractionné - div. riffles
PUL-31	Pulvérisé à 85 % <75 um
LOG-23	Entrée pulpe - Reçu avec code barre

PROCÉDURES ANALYTIQUES

CODE ALS	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30 g FA fini ICP-AES	ICP-AES
ME-ICP41	Aqua regia ICP-AES 35 éléments	ICP-AES

À: PAGET MINERALS CORPORATION
ATTN: DAVID VOLKERT
1160 - 1040 W. GEORGIA ST.
VANCOUVER BC V6E 4H1

Ce rapport est final et remplace tout autre rapport préliminaire portant ce numéro de certificat. Les résultats s'appliquent aux échantillons soumis. Toutes les pages de ce rapport ont été vérifiées et approuvées avant publication.

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - A
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480731		9.99	0.6	0.35	6	<10	20	<0.5	<2	1.17	<0.5	6	21	380	1.07	<10
L480732		8.72	2.9	0.56	21	<10	30	<0.5	2	2.85	4.3	11	18	764	1.88	<10
L480733		4.68	1.9	0.47	54	<10	230	<0.5	<2	2.03	1.6	6	12	587	1.47	<10
L480734		4.70	2.6	1.11	75	<10	60	<0.5	<2	4.84	1.6	25	34	1620	3.51	<10
L480735		0.08	1.9	1.49	26	<10	130	<0.5	2	1.78	0.7	16	60	1750	4.04	<10
L480736		4.96	1.6	0.92	31	<10	20	<0.5	<2	2.56	<0.5	14	40	1370	2.59	<10
L480737		4.32	1.6	0.98	37	<10	220	<0.5	<2	3.66	1.0	12	27	832	2.28	<10
L480738		4.83	2.8	1.13	36	<10	100	<0.5	<2	3.51	0.7	11	31	1950	1.85	<10
L480739		4.96	1.0	0.96	21	<10	50	<0.5	<2	2.14	<0.5	13	22	845	3.02	<10
L480740		4.88	0.6	1.65	8	<10	110	<0.5	<2	1.80	<0.5	17	17	536	4.96	10
L480741		4.97	3.5	1.16	77	<10	80	<0.5	<2	2.88	1.0	32	10	2060	4.17	<10
L480742		4.93	0.5	1.25	15	<10	50	<0.5	<2	1.82	<0.5	17	12	513	4.27	10
L480743		5.05	1.0	1.18	15	<10	70	<0.5	<2	2.26	<0.5	17	13	703	3.66	<10
L480744		4.39	0.3	1.70	9	<10	190	<0.5	<2	2.48	<0.5	17	17	218	4.77	10
L480745		0.08	<0.2	1.01	3	<10	70	<0.5	<2	0.64	<0.5	7	28	23	1.98	<10
L480746		5.07	0.6	1.29	21	<10	70	<0.5	<2	3.17	<0.5	18	11	650	4.27	10
L480747		4.97	1.2	1.18	9	<10	80	<0.5	43	2.86	<0.5	14	34	419	2.90	<10
L480748		4.95	2.3	1.31	17	<10	60	<0.5	3	4.72	2.9	13	80	272	3.18	<10
L480749		5.16	0.6	1.29	12	<10	40	<0.5	<2	2.25	<0.5	15	62	394	2.74	<10
L480750		4.89	0.5	0.73	5	<10	50	<0.5	<2	2.31	<0.5	9	28	459	1.83	<10
L480751		5.57	0.6	1.25	6	<10	40	<0.5	5	1.75	<0.5	12	81	390	2.08	<10
L480752		4.39	<0.2	0.77	5	<10	40	<0.5	<2	1.06	<0.5	6	20	139	1.30	<10
L480753		5.69	0.5	0.69	6	<10	40	<0.5	3	1.32	<0.5	6	33	204	1.24	<10
L480754		5.19	0.5	0.67	7	<10	100	<0.5	5	2.49	<0.5	7	27	276	1.33	<10
L480755		0.08	3.6	1.77	32	10	120	<0.5	3	0.98	1.0	18	56	8860	4.54	10
L480756		4.50	0.3	1.54	3	<10	90	<0.5	2	3.72	<0.5	14	122	243	2.51	<10
L480757		5.64	0.2	2.22	4	<10	50	<0.5	<2	2.68	<0.5	15	151	137	2.39	10
L480758		5.69	0.4	1.48	7	<10	40	<0.5	3	1.69	<0.5	14	110	197	2.22	<10
L480759		7.19	0.3	1.25	6	<10	30	<0.5	<2	1.85	<0.5	8	53	187	1.19	<10
L480760		4.12	0.3	0.84	2	<10	30	<0.5	2	1.26	<0.5	4	23	108	0.88	<10
L480761		3.95	0.8	1.45	7	<10	50	<0.5	4	1.71	<0.5	12	109	240	2.21	<10
L480762		5.15	1.3	0.68	6	<10	60	<0.5	17	2.21	<0.5	5	17	154	1.33	<10
L480763		5.71	<0.2	0.84	3	<10	20	<0.5	<2	1.58	<0.5	5	23	39	1.33	<10
L480764		4.98	0.7	0.49	7	<10	30	<0.5	<2	1.01	<0.5	7	20	359	1.27	<10
L480765		0.08	0.2	0.98	2	<10	70	<0.5	<2	0.58	<0.5	6	28	20	1.94	<10
L480766		4.56	1.3	0.72	22	<10	60	<0.5	4	2.62	<0.5	8	47	236	1.51	<10
L480767		5.00	0.8	0.47	6	<10	40	<0.5	2	1.15	<0.5	5	23	299	0.91	<10
L480768		5.25	0.6	0.64	4	<10	40	<0.5	<2	1.01	<0.5	6	28	236	1.05	<10
L480769		4.97	0.6	0.74	7	<10	30	<0.5	3	1.15	<0.5	7	30	250	1.37	<10
L480770		5.19	0.5	1.07	5	<10	30	<0.5	<2	1.76	<0.5	8	74	158	2.01	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - B
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
L480731		<1	0.09	<10	0.47	196	68	0.03	17	670	3	0.35	<2	1	21	<20
L480732		<1	0.12	<10	0.60	485	41	0.03	23	420	362	0.84	10	3	46	<20
L480733		<1	0.10	<10	0.29	480	99	0.01	17	440	70	0.39	49	3	45	<20
L480734		1	0.32	<10	1.30	834	162	0.05	41	600	33	1.03	138	14	89	<20
L480735		<1	0.50	20	0.81	350	152	0.05	17	670	20	1.88	8	6	73	<20
L480736		<1	0.17	<10	1.07	386	84	0.06	43	580	3	0.72	2	7	49	<20
L480737		<1	0.15	<10	0.81	738	243	0.04	39	510	27	0.51	42	7	80	<20
L480738		<1	0.17	<10	0.81	599	77	0.09	27	530	13	0.63	39	6	80	<20
L480739		<1	0.26	<10	0.93	397	363	0.07	38	510	5	0.55	4	8	48	<20
L480740		1	0.70	<10	1.40	457	157	0.12	14	760	2	0.74	<2	12	46	<20
L480741		<1	0.29	<10	0.93	432	187	0.06	19	820	18	1.16	46	13	61	<20
L480742		1	0.35	<10	1.11	392	47	0.09	13	950	3	0.73	2	12	52	<20
L480743		<1	0.36	<10	0.90	378	33	0.09	14	910	3	0.66	<2	12	68	<20
L480744		1	0.54	<10	1.09	503	26	0.06	15	690	<2	0.42	2	16	69	<20
L480745		<1	0.06	<10	0.45	298	6	0.04	20	460	<2	0.05	<2	4	30	<20
L480746		<1	0.26	<10	0.90	486	63	0.06	14	670	5	0.62	3	16	76	<20
L480747		<1	0.24	<10	1.06	339	42	0.10	27	640	15	0.52	<2	8	77	<20
L480748		<1	0.41	<10	1.71	788	162	0.04	34	570	232	0.96	27	10	106	<20
L480749		<1	0.36	<10	1.41	343	89	0.08	26	750	<2	0.44	<2	10	58	<20
L480750		1	0.13	<10	0.84	264	114	0.06	21	740	2	0.45	<2	6	60	<20
L480751		<1	0.28	<10	1.23	261	127	0.13	42	950	7	0.48	<2	5	95	<20
L480752		<1	0.18	<10	0.82	188	55	0.08	14	690	3	0.19	<2	3	72	<20
L480753		<1	0.14	<10	0.85	202	383	0.07	19	690	11	0.27	2	4	60	<20
L480754		<1	0.12	<10	0.64	268	113	0.05	20	650	6	0.35	<2	4	58	<20
L480755		1	0.53	10	1.03	507	919	0.10	34	850	37	2.14	5	9	49	<20
L480756		<1	0.36	<10	1.44	399	169	0.07	52	770	2	0.24	<2	8	97	<20
L480757		<1	0.71	<10	1.78	393	38	0.22	63	970	2	0.20	<2	7	110	<20
L480758		<1	0.49	<10	1.35	325	53	0.15	53	1070	<2	0.30	3	5	57	<20
L480759		1	0.19	<10	0.71	217	17	0.17	31	1030	3	0.16	2	4	90	<20
L480760		<1	0.18	<10	0.56	145	39	0.10	11	540	4	0.05	<2	3	51	<20
L480761		<1	0.39	<10	1.22	303	38	0.16	43	1010	43	0.30	<2	5	63	<20
L480762		<1	0.10	<10	0.64	270	37	0.07	10	450	64	0.28	<2	3	43	<20
L480763		<1	0.13	<10	0.80	231	18	0.09	11	540	4	0.09	<2	4	35	<20
L480764		1	0.12	<10	0.44	153	14	0.08	10	580	26	0.38	<2	2	31	<20
L480765		<1	0.06	<10	0.45	282	3	0.05	19	470	<2	0.04	<2	3	28	<20
L480766		<1	0.14	<10	0.86	400	47	0.09	24	780	131	0.35	3	5	65	<20
L480767		<1	0.14	<10	0.45	136	156	0.07	10	660	26	0.23	<2	2	31	<20
L480768		<1	0.19	<10	0.52	144	112	0.08	13	660	5	0.19	<2	2	34	<20
L480769		<1	0.20	<10	0.68	184	58	0.08	15	740	4	0.29	<2	2	39	<20
L480770		<1	0.23	<10	1.04	295	26	0.10	30	750	5	0.28	<2	4	60	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 2 - C
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480731		0.07	<10	<10	30	20	17	0.005
L480732		0.04	<10	<10	37	<10	235	0.013
L480733		0.01	<10	<10	24	<10	116	0.010
L480734		0.07	<10	<10	86	<10	150	0.034
L480735		0.04	<10	<10	55	<10	65	0.224
L480736		0.16	<10	<10	88	<10	43	0.017
L480737		0.06	<10	<10	57	<10	96	0.023
L480738		0.05	<10	<10	60	20	71	0.019
L480739		0.16	<10	<10	112	30	38	0.032
L480740		0.24	<10	<10	200	<10	50	0.011
L480741		0.18	<10	<10	126	<10	89	0.031
L480742		0.27	<10	<10	160	<10	37	0.013
L480743		0.23	<10	<10	131	10	41	0.019
L480744		0.18	<10	<10	161	<10	46	0.004
L480745		0.11	<10	<10	44	10	35	0.001
L480746		0.14	<10	<10	158	<10	43	0.013
L480747		0.19	<10	<10	106	10	28	0.010
L480748		0.12	<10	<10	78	10	229	0.007
L480749		0.28	<10	<10	100	<10	35	0.005
L480750		0.14	<10	<10	73	<10	22	0.005
L480751		0.12	<10	<10	63	<10	26	0.007
L480752		0.14	<10	<10	51	<10	18	0.001
L480753		0.11	<10	<10	50	10	22	0.002
L480754		0.09	<10	<10	50	10	21	0.003
L480755		0.14	<10	<10	99	20	152	0.700
L480756		0.07	<10	<10	75	10	37	0.003
L480757		0.18	<10	<10	85	10	37	0.001
L480758		0.19	<10	<10	70	10	34	0.002
L480759		0.11	<10	<10	46	10	21	0.001
L480760		0.08	<10	<10	43	<10	18	0.001
L480761		0.15	<10	<10	73	10	29	0.003
L480762		0.05	<10	<10	49	<10	21	0.002
L480763		0.08	<10	<10	52	10	20	<0.001
L480764		0.09	<10	<10	37	10	18	0.003
L480765		0.09	<10	<10	42	10	32	0.001
L480766		0.08	<10	<10	49	10	27	0.003
L480767		0.11	<10	<10	34	10	15	0.003
L480768		0.11	<10	<10	37	<10	17	0.002
L480769		0.12	<10	<10	45	30	19	0.003
L480770		0.13	<10	<10	64	10	25	0.002



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - A
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480771		5.19	0.4	0.58	6	<10	20	<0.5	<2	0.99	<0.5	7	37	174	1.36	<10
L480772		5.39	0.7	0.53	8	<10	30	<0.5	<2	1.18	<0.5	12	39	408	1.32	<10
L480773		4.83	2.3	0.70	5	<10	40	<0.5	14	1.55	0.5	8	37	479	1.63	<10
L480774		3.56	3.4	0.73	12	<10	30	<0.5	15	1.28	0.6	15	35	1190	1.80	<10
L480775		0.08	1.7	1.20	12	<10	120	<0.5	<2	0.65	<0.5	7	29	3220	3.16	<10
L480776		3.55	0.5	0.65	8	<10	40	<0.5	9	2.02	<0.5	7	28	191	1.59	<10
L480777		5.03	4.3	0.46	53	<10	450	<0.5	6	4.10	9.3	8	20	363	1.81	<10
L480778		5.50	1.1	1.26	9	<10	30	<0.5	13	1.92	<0.5	13	114	342	2.61	10
L480779		5.68	1.0	1.59	12	<10	50	<0.5	5	1.68	<0.5	18	117	467	2.35	<10
L480780		5.52	0.6	0.69	8	<10	30	<0.5	4	1.20	<0.5	9	96	277	1.50	<10
L480781		4.84	2.3	0.64	5	<10	20	<0.5	18	1.91	<0.5	9	52	833	1.38	<10
L480782		5.18	5.0	0.55	3	<10	30	<0.5	22	1.45	<0.5	4	32	510	1.52	<10
L480783		4.67	0.3	0.79	5	<10	30	<0.5	<2	1.59	<0.5	4	31	138	1.21	<10
L480784		6.55	0.3	0.70	7	<10	20	<0.5	4	1.35	<0.5	7	55	168	1.30	<10
L480785		0.08	0.2	1.00	4	<10	70	<0.5	<2	0.60	<0.5	6	29	19	1.96	<10
L480786		4.72	0.2	0.59	5	<10	70	<0.5	2	1.62	<0.5	5	25	126	1.53	<10
L480787		5.06	0.3	0.87	11	<10	30	<0.5	6	1.05	<0.5	6	33	138	1.96	<10
L480788		5.33	0.3	0.68	6	<10	40	<0.5	4	1.56	<0.5	7	41	180	1.80	<10
L480789		5.55	0.7	1.18	6	<10	40	<0.5	2	1.98	1.8	7	59	135	1.63	<10
L480790		3.51	0.5	0.55	3	<10	30	<0.5	2	1.44	<0.5	3	26	164	1.10	<10
L480791		3.02	0.6	0.55	<2	<10	20	<0.5	15	1.52	<0.5	3	17	176	0.97	<10
L480792		5.01	0.3	1.27	7	<10	30	<0.5	4	1.77	<0.5	9	40	166	1.63	<10
L480793		4.78	0.5	1.56	15	<10	50	<0.5	5	1.62	<0.5	13	59	308	2.29	<10
L480794		5.48	<0.2	0.77	7	<10	30	<0.5	<2	1.04	<0.5	5	34	59	1.18	<10
L480795		5.84	7.1	1.80	16	<10	50	<0.5	15	2.39	2.3	15	44	421	3.93	10
L480796		4.10	10.5	1.44	27	<10	150	<0.5	21	6.26	19.0	18	130	551	3.85	<10
L480797		5.28	2.2	1.14	2	<10	40	<0.5	8	3.07	<0.5	10	86	344	2.42	<10
L480798		5.73	0.9	1.57	6	<10	40	<0.5	12	1.79	<0.5	16	48	582	2.79	<10
L480799		5.51	2.4	1.32	6	<10	40	<0.5	25	1.81	0.6	15	19	1545	3.74	<10
L480800		5.43	0.9	1.77	9	<10	60	<0.5	6	2.55	0.5	20	39	857	3.76	10
L480801		5.14	0.5	2.77	13	<10	40	<0.5	3	2.84	<0.5	18	32	320	3.52	10
L480802		6.34	0.9	1.43	23	<10	30	<0.5	<2	2.14	0.5	16	75	562	2.65	<10
L480803		3.17	0.8	1.17	9	<10	30	<0.5	27	1.92	<0.5	11	23	342	2.46	<10
L480804		5.78	0.3	2.22	21	<10	20	<0.5	<2	2.09	<0.5	15	49	227	3.60	10
L480805		0.08	0.2	1.01	2	<10	70	<0.5	2	0.62	<0.5	6	30	19	1.99	<10
L480806		5.05	0.3	1.10	9	<10	30	<0.5	<2	1.53	<0.5	9	29	255	2.53	<10
L480807		5.28	1.6	0.74	20	<10	20	<0.5	8	2.17	<0.5	27	24	1135	3.64	<10
L480808		5.38	0.6	0.75	35	<10	20	<0.5	3	1.61	<0.5	17	58	397	2.04	<10
L480809		5.35	0.5	0.70	10	<10	30	<0.5	2	1.29	<0.5	10	41	239	1.46	<10
L480810		5.02	<0.2	0.74	2	<10	40	<0.5	<2	1.80	<0.5	4	35	41	1.40	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - B
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
L480771		<1	0.13	<10	0.53	164	35	0.07	19	640	3	0.30	<2	2	27	<20
L480772		<1	0.16	<10	0.47	149	83	0.07	23	680	2	0.51	<2	2	34	<20
L480773		<1	0.19	<10	0.58	238	82	0.07	15	690	59	0.59	<2	3	49	<20
L480774		<1	0.20	<10	0.70	204	98	0.08	33	790	16	0.85	<2	3	37	<20
L480775		<1	0.10	<10	0.53	402	259	0.08	26	490	19	0.39	3	4	35	<20
L480776		<1	0.12	<10	0.79	276	22	0.06	16	740	9	0.32	<2	5	53	<20
L480777		<1	0.20	<10	0.97	1275	87	0.03	20	580	444	0.67	102	6	187	<20
L480778		1	0.41	<10	1.27	343	21	0.09	35	1090	13	0.45	3	5	53	<20
L480779		1	0.71	<10	1.17	298	23	0.12	56	770	10	0.45	2	4	54	<20
L480780		<1	0.23	<10	0.76	218	41	0.07	48	730	13	0.27	<2	2	26	<20
L480781		<1	0.17	<10	0.64	214	65	0.08	29	880	29	0.40	<2	3	36	<20
L480782		<1	0.15	<10	0.52	194	108	0.06	12	640	189	0.55	<2	3	33	<20
L480783		<1	0.18	<10	0.50	192	128	0.10	12	680	4	0.13	<2	2	46	<20
L480784		<1	0.19	<10	0.72	194	81	0.07	24	780	8	0.17	<2	2	29	<20
L480785		<1	0.06	<10	0.45	284	3	0.06	19	470	<2	0.04	<2	3	29	<20
L480786		<1	0.13	<10	0.49	203	72	0.07	9	620	<2	0.22	<2	2	46	<20
L480787		1	0.19	<10	0.59	190	20	0.10	12	670	<2	0.37	<2	3	44	<20
L480788		1	0.16	<10	0.61	192	93	0.08	18	880	<2	0.31	<2	3	40	<20
L480789		1	0.32	<10	1.04	334	70	0.10	27	790	103	0.18	5	5	51	<20
L480790		<1	0.16	<10	0.48	210	80	0.06	10	630	14	0.18	<2	2	32	<20
L480791		<1	0.15	<10	0.47	164	67	0.07	13	780	15	0.18	<2	2	32	<20
L480792		<1	0.29	<10	0.79	233	49	0.14	45	1020	4	0.18	<2	3	68	<20
L480793		1	0.43	<10	0.99	236	12	0.16	36	990	2	0.30	<2	3	63	<20
L480794		<1	0.20	<10	0.45	149	73	0.10	15	670	<2	0.10	<2	2	36	<20
L480795		1	0.60	<10	1.28	690	75	0.16	22	1120	392	0.53	52	9	75	<20
L480796		<1	0.31	<10	2.15	2550	44	0.05	66	890	1665	1.51	40	12	143	<20
L480797		<1	0.40	<10	1.21	452	33	0.12	33	1520	81	0.52	<2	6	71	<20
L480798		<1	0.45	<10	1.09	309	39	0.17	28	920	5	0.62	<2	5	59	<20
L480799		1	0.43	<10	1.03	373	41	0.14	20	970	8	0.84	<2	7	45	<20
L480800		1	0.81	<10	1.59	517	148	0.10	24	1230	5	0.71	<2	10	46	<20
L480801		<1	0.72	<10	1.37	452	46	0.26	21	1140	3	0.65	2	6	86	<20
L480802		<1	0.38	<10	0.98	307	88	0.11	40	1500	4	0.46	<2	4	51	<20
L480803		<1	0.35	<10	1.40	403	78	0.07	17	1150	10	0.37	<2	4	38	<20
L480804		1	0.33	<10	1.32	482	12	0.13	19	1140	<2	0.28	2	9	75	<20
L480805		<1	0.06	<10	0.46	289	3	0.05	20	470	<2	0.03	<2	3	30	<20
L480806		<1	0.22	<10	0.78	259	34	0.11	14	1120	<2	0.15	<2	6	37	<20
L480807		<1	0.11	<10	0.51	286	81	0.06	31	1270	3	1.17	2	3	37	<20
L480808		<1	0.16	<10	0.57	202	68	0.09	37	1480	5	0.67	<2	3	39	<20
L480809		1	0.21	<10	0.83	241	159	0.07	21	1170	<2	0.24	<2	2	31	<20
L480810		<1	0.24	<10	0.95	358	151	0.07	15	740	13	0.11	<2	3	46	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 3 - C
 Nombre total de pages: 5 (A - C)
 Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480771		0.09	<10	<10	38	10	16	0.002
L480772		0.10	<10	<10	38	10	18	0.005
L480773		0.10	<10	<10	53	10	42	0.005
L480774		0.12	<10	<10	53	20	32	0.008
L480775		0.10	<10	<10	49	<10	52	1.075
L480776		0.07	<10	<10	56	20	24	0.003
L480777		<0.01	<10	<10	26	<10	559	0.012
L480778		0.14	<10	<10	83	10	37	0.002
L480779		0.17	<10	<10	80	10	35	0.004
L480780		0.11	<10	<10	40	10	24	0.002
L480781		0.11	<10	<10	45	10	32	0.010
L480782		0.11	<10	<10	46	10	22	0.002
L480783		0.10	<10	<10	43	10	19	0.001
L480784		0.11	<10	<10	45	<10	23	0.001
L480785		0.10	<10	<10	42	10	32	<0.001
L480786		0.10	<10	<10	45	10	17	0.001
L480787		0.12	<10	<10	57	20	18	0.001
L480788		0.11	<10	<10	54	10	17	0.002
L480789		0.13	<10	<10	72	<10	146	0.002
L480790		0.10	<10	<10	39	10	37	0.001
L480791		0.11	<10	<10	37	10	17	0.006
L480792		0.15	<10	<10	48	10	23	0.001
L480793		0.17	<10	<10	61	10	30	0.003
L480794		0.12	<10	<10	46	10	14	<0.001
L480795		0.22	<10	<10	136	50	155	0.011
L480796		0.04	<10	<10	89	130	1220	0.024
L480797		0.16	<10	<10	111	20	43	0.005
L480798		0.20	<10	<10	102	10	34	0.008
L480799		0.25	10	<10	141	20	53	0.014
L480800		0.27	10	<10	138	20	62	0.005
L480801		0.21	<10	<10	119	10	42	0.003
L480802		0.18	<10	<10	103	10	48	0.012
L480803		0.23	<10	<10	105	10	37	0.003
L480804		0.31	<10	<10	143	10	40	0.003
L480805		0.10	<10	<10	44	10	33	<0.001
L480806		0.24	<10	<10	115	10	25	0.006
L480807		0.16	<10	<10	87	10	27	0.015
L480808		0.13	<10	<10	82	10	19	0.005
L480809		0.15	<10	<10	45	<10	18	0.001
L480810		0.14	<10	<10	60	<10	22	<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - A
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480811		5.63	0.6	1.21	6	<10	30	<0.5	<2	1.82	<0.5	17	27	352	4.78	10
L480812		5.52	0.8	2.10	7	<10	100	<0.5	28	2.89	<0.5	19	41	211	4.83	10
L480813		5.60	0.4	1.15	6	<10	320	<0.5	<2	5.94	<0.5	9	50	114	2.52	<10
L480814		3.22	<0.2	1.39	<2	<10	130	<0.5	<2	4.44	<0.5	9	104	38	2.73	<10
L480815		0.08	1.6	1.25	13	<10	120	<0.5	2	0.68	<0.5	7	30	3230	3.23	<10
L480816		4.36	0.8	1.35	5	<10	80	<0.5	4	2.79	<0.5	21	13	358	5.20	10
L480817		2.73	3.0	1.46	12	<10	150	0.6	13	7.3	9.6	10	8	190	3.76	<10
L480818		5.01	0.2	2.14	5	<10	30	0.5	<2	5.88	<0.5	11	48	226	3.41	<10
L480819		4.42	2.4	2.90	6	<10	50	<0.5	3	4.61	6.4	18	34	736	4.43	10
L480820		5.53	3.0	2.36	36	<10	190	0.7	4	9.6	12.9	16	21	198	5.22	<10
L480821		5.35	1.1	1.51	9	<10	20	<0.5	5	4.77	<0.5	13	38	799	5.68	10
L480822		5.75	0.5	1.69	6	<10	30	<0.5	3	2.35	<0.5	12	36	132	3.44	10
L480823		5.36	0.3	0.81	4	<10	30	<0.5	4	1.75	<0.5	7	5	206	2.17	<10
L480824		4.07	0.5	1.00	8	<10	20	<0.5	4	1.99	<0.5	8	7	232	2.45	<10
L480825		0.08	0.2	1.04	5	<10	70	<0.5	<2	0.63	<0.5	6	30	20	1.99	<10
L480826		4.60	0.4	0.83	3	<10	30	<0.5	2	1.72	<0.5	5	23	239	1.70	<10
L480827		1.58	0.5	0.35	4	<10	40	<0.5	6	1.68	<0.5	1	5	39	0.45	<10
L480828		5.43	2.4	2.04	5	<10	70	<0.5	46	1.99	<0.5	9	110	217	2.56	10
L480829		3.15	<0.2	1.31	8	<10	50	<0.5	8	1.43	<0.5	10	107	182	2.57	<10
L480830		2.02	0.2	0.34	<2	<10	40	<0.5	<2	1.33	<0.5	2	13	49	0.53	<10
L480831		3.71	0.2	1.68	7	<10	60	<0.5	2	1.56	<0.5	8	23	161	2.69	10
L480832		3.40	0.3	1.26	3	<10	50	<0.5	<2	1.65	<0.5	11	28	249	2.63	<10
L480833		3.53	0.2	0.71	<2	<10	120	<0.5	2	1.96	<0.5	6	4	300	1.37	<10
L480834		3.80	0.3	0.60	<2	<10	80	<0.5	<2	2.03	<0.5	4	4	195	1.10	<10
L480835		0.08	1.8	1.42	25	<10	120	<0.5	<2	1.74	0.9	16	60	1725	3.88	<10
L480836		5.19	0.3	1.31	<2	<10	70	<0.5	<2	2.69	<0.5	11	72	330	2.57	<10
L480837		4.91	<0.2	1.00	<2	<10	70	<0.5	<2	2.18	<0.5	5	35	110	1.32	<10
L480838		5.32	<0.2	1.63	<2	<10	140	<0.5	<2	2.26	<0.5	8	43	260	2.39	<10
L480839		5.36	<0.2	1.48	<2	<10	80	<0.5	3	5.21	<0.5	9	55	74	2.38	<10
L480840		5.29	0.2	1.34	<2	<10	90	<0.5	2	4.56	<0.5	11	84	361	2.78	<10
L480841		6.55	<0.2	2.01	<2	<10	180	<0.5	<2	2.04	<0.5	12	146	178	2.43	10
L480842		1.62	0.3	0.36	2	<10	50	<0.5	<2	0.91	<0.5	4	5	306	0.60	<10
L480843		5.80	0.3	1.05	3	<10	50	<0.5	2	1.27	<0.5	8	33	319	2.48	<10
L480844		4.07	0.3	0.91	9	<10	30	<0.5	3	1.43	<0.5	10	46	705	2.77	<10
L480845		0.08	0.4	0.99	<2	<10	70	<0.5	2	0.61	<0.5	8	30	22	1.92	<10
L480846		4.88	0.3	0.31	<2	<10	190	<0.5	5	0.95	<0.5	3	4	155	0.41	<10
L480847		5.55	0.7	0.95	8	<10	40	<0.5	11	1.77	<0.5	10	31	681	2.66	<10
L480848		1.20	<0.2	0.39	<2	<10	90	<0.5	3	1.97	<0.5	3	6	180	0.73	<10
L480849		4.47	0.2	1.34	<2	<10	110	<0.5	96	1.00	<0.5	9	37	287	2.62	<10
L480850		4.25	0.2	0.91	<2	<10	110	<0.5	5	1.00	<0.5	8	23	209	2.47	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - B
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
L480811		<1	0.30	<10	1.16	464	47	0.11	12	780	<2	0.75	3	8	39	<20
L480812		<1	0.61	<10	1.87	867	34	0.14	20	900	19	0.84	<2	14	91	<20
L480813		<1	0.27	<10	1.88	669	164	0.04	32	770	28	0.20	9	10	194	<20
L480814		1	0.45	10	1.82	592	162	0.07	39	880	3	0.05	<2	12	109	<20
L480815		<1	0.10	<10	0.55	414	287	0.09	28	500	18	0.40	3	4	37	<20
L480816		1	0.32	<10	1.27	732	33	0.09	9	1170	<2	0.93	<2	16	56	<20
L480817		1	0.25	<10	1.96	1165	223	0.03	16	680	201	0.94	17	10	152	<20
L480818		<1	0.41	<10	1.53	729	373	0.13	38	1150	<2	0.30	4	14	127	<20
L480819		1	0.81	<10	1.78	935	17	0.26	19	950	317	0.52	2	17	114	<20
L480820		<1	0.45	<10	2.26	1695	7	0.07	21	860	383	0.55	51	16	193	<20
L480821		<1	0.31	<10	1.20	901	92	0.10	23	930	6	0.58	<2	8	54	<20
L480822		<1	0.31	<10	1.16	467	46	0.17	19	1540	12	0.22	<2	10	60	<20
L480823		<1	0.17	10	0.65	257	80	0.12	6	1720	3	0.29	<2	5	39	<20
L480824		<1	0.19	<10	0.95	291	93	0.09	9	1640	3	0.35	<2	6	31	<20
L480825		<1	0.06	<10	0.46	290	3	0.06	20	480	<2	0.03	<2	4	30	<20
L480826		<1	0.17	<10	0.60	198	148	0.09	11	1490	2	0.34	<2	5	31	<20
L480827		<1	0.14	10	0.20	110	68	0.06	3	870	37	0.09	<2	1	29	<20
L480828		1	0.55	<10	1.32	277	14	0.15	33	780	187	0.54	<2	6	75	<20
L480829		<1	0.50	<10	1.31	286	31	0.11	36	1100	<2	0.35	<2	5	35	<20
L480830		<1	0.15	10	0.28	123	29	0.06	4	940	7	0.06	<2	1	28	<20
L480831		<1	0.56	<10	1.41	331	35	0.14	15	1450	2	0.26	<2	7	57	<20
L480832		1	0.46	<10	1.41	355	88	0.10	18	890	3	0.37	<2	7	41	<20
L480833		<1	0.11	20	0.75	278	159	0.05	6	840	6	0.33	<2	5	80	<20
L480834		<1	0.12	20	0.64	276	18	0.05	5	830	5	0.23	<2	4	59	<20
L480835		<1	0.46	20	0.80	343	148	0.04	15	660	19	1.78	7	6	71	<20
L480836		<1	0.60	<10	1.45	378	38	0.07	38	1040	6	0.28	<2	8	61	<20
L480837		<1	0.18	10	1.12	286	26	0.11	15	1170	3	0.09	<2	5	71	<20
L480838		<1	0.28	10	1.95	352	24	0.13	19	1550	5	0.10	<2	10	96	<20
L480839		1	0.32	<10	1.69	567	10	0.07	27	1150	3	0.10	<2	14	110	<20
L480840		1	0.41	<10	1.39	511	48	0.06	30	1470	5	0.23	<2	11	97	<20
L480841		1	0.82	<10	1.58	338	19	0.18	57	1240	2	0.19	<2	6	76	<20
L480842		<1	0.13	10	0.21	91	81	0.06	4	890	9	0.25	<2	1	38	<20
L480843		<1	0.44	10	0.88	224	35	0.09	15	1490	3	0.21	<2	5	35	<20
L480844		<1	0.15	10	0.66	202	36	0.08	22	1600	3	0.22	<2	4	31	<20
L480845		<1	0.06	<10	0.46	296	4	0.03	20	470	2	0.04	<2	3	30	<20
L480846		<1	0.17	10	0.16	87	14	0.05	3	1000	11	0.20	<2	1	69	<20
L480847		1	0.30	10	0.81	242	28	0.08	16	1110	3	0.35	<2	6	49	<20
L480848		<1	0.14	10	0.36	181	17	0.04	4	900	6	0.10	<2	3	47	<20
L480849		<1	0.72	10	1.12	264	29	0.13	18	930	7	0.29	<2	7	46	<20
L480850		<1	0.43	10	0.80	238	19	0.11	11	1020	3	0.17	<2	5	35	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 4 - C
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480811		0.24	<10	<10	165	10	36	0.003
L480812		0.24	<10	<10	188	10	70	0.002
L480813		0.02	<10	<10	77	<10	59	0.001
L480814		0.10	<10	<10	98	<10	38	<0.001
L480815		0.11	<10	<10	50	<10	53	0.917
L480816		0.13	<10	<10	164	<10	53	0.003
L480817		<0.01	<10	<10	56	<10	661	0.009
L480818		0.07	<10	<10	109	<10	45	0.003
L480819		0.20	<10	<10	159	<10	458	0.002
L480820		0.02	<10	<10	104	<10	759	0.014
L480821		0.19	<10	<10	122	10	49	0.011
L480822		0.23	<10	<10	113	20	33	0.001
L480823		0.28	<10	<10	81	20	18	0.004
L480824		0.27	<10	<10	92	10	24	0.002
L480825		0.11	<10	<10	44	10	33	<0.001
L480826		0.26	<10	<10	82	10	17	0.003
L480827		0.10	<10	<10	22	10	11	<0.001
L480828		0.25	<10	<10	119	<10	51	0.001
L480829		0.25	10	<10	105	10	29	0.004
L480830		0.10	<10	<10	22	<10	10	<0.001
L480831		0.24	<10	<10	120	10	31	0.003
L480832		0.22	<10	<10	121	<10	31	0.003
L480833		0.05	<10	<10	54	<10	20	0.007
L480834		0.05	<10	<10	48	<10	17	0.003
L480835		0.04	<10	<10	54	<10	62	0.248
L480836		0.20	<10	<10	114	<10	36	0.010
L480837		0.17	<10	<10	73	10	19	0.003
L480838		0.23	<10	<10	119	<10	32	0.009
L480839		0.14	<10	<10	112	<10	35	0.002
L480840		0.10	<10	<10	118	<10	39	0.010
L480841		0.25	<10	<10	119	<10	34	0.004
L480842		0.08	<10	<10	19	<10	12	0.009
L480843		0.26	<10	<10	120	<10	28	0.010
L480844		0.23	<10	<10	120	<10	29	0.032
L480845		0.10	<10	<10	44	10	33	<0.001
L480846		0.09	<10	<10	15	<10	10	0.006
L480847		0.20	<10	<10	118	10	41	0.012
L480848		0.08	<10	<10	40	<10	12	0.001
L480849		0.26	<10	<10	125	<10	37	0.004
L480850		0.25	<10	<10	133	<10	27	0.006



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - A
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Poids reçu kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
L480851		3.99	0.2	0.72	<2	<10	100	<0.5	4	1.01	<0.5	5	24	171	1.30	<10
L480852		3.47	0.9	1.06	10	<10	20	<0.5	5	1.82	<0.5	5	7	215	1.88	<10
L480853		3.60	0.3	0.85	4	<10	30	<0.5	2	1.70	<0.5	5	25	131	2.28	<10
L480854		3.21	0.7	0.51	2	<10	120	<0.5	7	1.76	<0.5	4	16	206	0.97	<10
L480855		0.07	1.5	1.25	15	<10	120	<0.5	<2	0.70	0.5	8	31	3330	3.16	<10
L480856		3.35	0.4	0.54	3	<10	210	<0.5	3	2.08	<0.5	3	7	138	0.75	<10
L480857		4.88	<0.2	1.40	2	<10	120	<0.5	2	0.79	<0.5	10	162	188	2.18	<10
L480858		5.02	0.4	0.90	<2	<10	60	<0.5	4	1.20	<0.5	7	18	158	1.68	<10
L480859		4.79	<0.2	1.18	2	<10	60	<0.5	2	1.63	<0.5	12	2	121	3.12	<10
L480860		5.51	3.4	0.86	13	<10	150	<0.5	13	3.79	0.5	6	10	151	1.66	<10
L480861		4.91	3.4	0.93	6	<10	50	<0.5	3	2.61	0.7	15	16	3670	3.69	<10
L480862		5.59	0.9	1.41	2	<10	30	<0.5	<2	1.57	<0.5	10	44	2160	2.04	<10
L480863		5.80	0.6	1.97	4	<10	90	<0.5	2	1.70	<0.5	11	60	1375	2.64	10
L480864		6.35	0.4	1.42	<2	<10	100	<0.5	<2	1.12	<0.5	9	29	809	1.89	10
L480865		0.08	0.2	1.00	<2	<10	70	<0.5	<2	0.62	<0.5	7	29	24	1.92	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - B
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm
L480851		<1	0.41	10	0.60	175	15	0.07	9	970	6	0.18	<2	3	42	<20
L480852		<1	0.11	<10	0.31	138	13	0.11	7	1200	83	0.27	<2	2	69	<20
L480853		<1	0.26	10	0.66	214	10	0.09	12	1200	29	0.29	<2	3	50	<20
L480854		<1	0.15	10	0.54	230	12	0.05	7	960	20	0.23	<2	3	58	<20
L480855		<1	0.10	<10	0.55	424	296	0.07	29	500	20	0.41	2	4	38	<20
L480856		<1	0.17	10	0.46	234	9	0.03	5	890	12	0.14	2	3	89	<20
L480857		<1	0.91	<10	1.50	249	13	0.08	37	700	2	0.10	3	6	34	<20
L480858		<1	0.51	10	0.90	213	18	0.07	10	1050	7	0.25	<2	4	35	<20
L480859		<1	0.66	10	1.37	327	15	0.08	11	1630	6	0.25	<2	9	37	<20
L480860		<1	0.34	10	1.32	1150	60	0.04	12	1010	112	0.54	25	8	132	<20
L480861		1	0.35	<10	0.96	417	350	0.06	20	1020	19	0.92	<2	9	55	<20
L480862		<1	0.24	10	0.69	156	252	0.13	26	980	2	0.39	2	4	55	<20
L480863		<1	0.82	<10	1.59	266	70	0.11	28	810	<2	0.30	<2	7	43	<20
L480864		<1	0.68	<10	1.14	184	32	0.08	20	870	3	0.21	<2	5	36	<20
L480865		<1	0.06	<10	0.46	296	4	0.04	20	460	2	0.04	<2	3	30	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Téléphone: 604 984 0221 Télécopieur: 604 984 0218
 www.alsglobal.com

À: PAGET MINERALS CORPORATION
 1160 - 1040 W. GEORGIA ST.
 VANCOUVER BC V6E 4H1

Page: 5 - C
 Nombre total de pages: 5 (A - C)

Finalisée date:
 25-AOUT-2011
 Compte: PAGMIN

Projet: Icy Lake

CERTIFICAT D'ANALYSE TR11147259

Description échantillon	Méthode élément unités L.D.	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
L480851		0.16	<10	<10	58	<10	18	0.003
L480852		0.16	<10	<10	76	10	14	0.005
L480853		0.17	<10	<10	94	10	21	0.004
L480854		0.12	<10	<10	52	<10	16	0.005
L480855		0.11	<10	<10	51	<10	56	0.996
L480856		0.05	<10	<10	34	<10	17	0.003
L480857		0.23	<10	<10	101	<10	32	0.005
L480858		0.23	<10	<10	94	10	26	0.001
L480859		0.35	<10	<10	203	<10	42	0.002
L480860		0.12	<10	<10	68	30	41	0.049
L480861		0.21	<10	<10	148	<10	80	0.158
L480862		0.25	<10	<10	116	<10	43	0.139
L480863		0.27	<10	<10	141	<10	55	0.072
L480864		0.23	<10	<10	102	<10	40	0.045
L480865		0.10	<10	<10	43	10	32	<0.001