

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)] Report on the Geochemical Program on the Crazy Fox Property TOTAL COST \$18,923.58
AUTHOR(S) David Bridge SIGNATURE(S) David Bridge

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) _____ YEAR OF WORK 2011
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 5016384 / 2011/sep/23

PROPERTY NAME Crazy Fox
CLAIM NAME(S) (on which work was done) Tennies 692157, 692159

COMMODITIES SOUGHT Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN _____

MINING DIVISION Kamloops NTS 092P/09

LATITUDE 51 ° 35 ' 00 " LONGITUDE 120 ° 18 ' 00 " (at centre of work)

OWNER(S)
1) Newmac Resources Inc. 2) _____

MAILING ADDRESS
(Temporary) 601-31 Elliot Street,
New Westminster, B.C. V3L 5C9

OPERATOR(S) [who paid for the work]
1) Newmac Resources Inc. 2) _____

MAILING ADDRESS
(Temporary) 601-31 Elliot Street,
New Westminster, B.C. V3L 5C9

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Fennel Formation, Cretaceous age, Nicola Group. Gold in
quartz veins

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 13,312, 18480,
32168

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL:			
(number of samples analysed for ...)			
Soil <u>415 for multi-element ICP</u>	<u>692137, 692189</u>		<u>\$18,923.58</u>
Silt _____			
Rock _____			
Other _____			
DRILLING			
(total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
TOTAL COST			<u>\$18,923.58</u>

NEWMAC RESOURCES INC.

(Temporary) 601-31 Elliot Street, New Westminster, BC V3L 5C9

CRAZY FOX PROPERTY

Kamloops Mining Division

NTS 92 P 09

BCGS 092 P – 058,059,060,069

Lat. 51°35'N Long. 120°18'W

Report on the Geochemical Program on the Crazy Fox Property

July 5, 2010 to July 31, 2011

**BC Geological Survey
Assessment Report
32616**

By:

D. J. Bridge, P.Geol.

601 – 31 Elliot Street,

New Westminster, B.C. Canada V3L 5C9

January 3, 2012

SUMMARY

The Newmac Crazy Fox Property lies approximately 25 km northwest of the village of Little Fort BC located on the Yellowhead Highway, BC Hwy 5, approximately 100 km north of Kamloops BC. The property lies within the Kamloops Mining Division.

Newmac acquired the property in 2005 from prospectors Lloyd Addie and Robert Bourdon from Nelson BC. Bourdon and Addie acquired the property by staking.

Addie and Bourdon were originally interested in the property south of 14 Mile Creek for its massive sulphide potential in that area. The molybdenum showings at Crazy Fox became available and they staked the area, naming it Crazy Fox.

Work has been done around the Crazy Fox molybdenum showings dating back to their discovery about 1928. Most of the significant work was performed by Rio Tinto, Falconbridge and Amax between 1968 and 1982. Newmac's interest was sparked when new logging roads, prospected by Addie and Bourdon, exposed new molybdenite showings almost 1000m east of the historical showing area, both hosted by leucocratic granite related rocks.

Geochemical sampling by previous operators shows erratic but significant responses over much of the poorly exposed granite bedrock. IP surveys suggest a circular feature roughly coincident with the poorly exposed granite.

Newmac commenced a sampling – prospecting program in the fall of 2005 followed by trenching. This was followed by a drill and trenching program commencing in the early spring of 2006. 24,600 ft of NQ drilling was completed by end of June 2006. The drilling confirmed that a low angle fault (310°/011° SW) cuts off mineralization at a depth of about 300m posing the obvious question: Where is the lower extension of the mineralization? During the summer of 2007, the author noticed a trend in the thermal metamorphism of the underlying volcanic rocks revealed by the drilling. Further study and examination led to the postulation that the lower plate fault offset was in the order of 700 m down dip along the fault. This postulation was tested by DDH CF 07-40 and 41. DDH 07-41 penetrated the fault, and entered mineralized granite for over 400m containing 0.1%Mo.

This discovery led directly into the drilling in 2007 and 2008. By end of August 2008 a total of 13,331m (43726 ft) of additional diamond drilling composed of 6916m (22685 ft) of NQ and 6415m (21041 ft) of HQ sized hole had been completed. 3295 core and quality control samples had been submitted to Acme Labs in Vancouver for analysis.

In July 2009 a geological and geochemical program focused on an area south-west of the 2008 drilling, near the headwaters of 14 Mile creek. The program collected 36 soil samples, 34 gravel samples and 17 rock samples. Mapping was also completed over 118 ha.

In September 2009, 977 soil samples were collected on a grid surrounding the Ace gold showing in the northern part of the Crazy Fox property.

In October 2009, 610.2 meters of NQ diamond drilling was completed to test two geological structures for molybdenite mineralization where the July, 2009 program had been conducted.

In June 2010 a geochemical program was conducted in the Lemieux Creek valley on the eastern part of the Crazy Fox Property. A total of 453 soil samples and 9 rock samples were collected to test for gold mineralization related to the historical "Best" gold showing,

In July 2011 a geochemical program was conducted in the vicinity of anomalous soil samples along a logging road on the eastern side of Lemieux creek immediately north of the "Best" gold showing. A total of 415 soils were collected in 2011. Spot high anomalous samples (up to 1409 ppb gold) were found on the slope above the 2010 anomaly.

TABLE OF CONTENTS

	page #
Title Page	1
Summary	2
Table of Contents	4
List of Appendices	4
List of Figures	5
Introduction	6
Location and Access	6
General Setting	8
Mineral Claims - <u>TABLE 1</u>	9
History and Previous Work	10
Summary of work	13
Regional Geology	13
Local Geology	16
Geochemical Program Results	17
Mineralization	18
Interpretations and Conclusions	18
References	19
Statement of Qualifications - David J Bridge, P.Geo.	21
Statement of Costs	22

LIST of APPENDICES

Appendix 1	ACME Analytical labs Certificates of Analysis	23
------------	---	----

LIST OF FIGURES**page**

Location map of the Crazy Fox Property	Fig. 1	6
Access Map showing the Crazy Fox Property	Fig.2	7
Claim Map	Fig.3	9
Regional Geology	Fig. 4a	14
Regional Geology Legend	Fig. 4b	15
Plan map showing gold (ppb) soil sample results	Fig. 5	in pocket
Plan map showing arsenic (ppm) soil sample results	Fig. 6	in pocket

INTRODUCTION

This report on the soil sampling along the Lemieux Creek valley has been commissioned by Newmac Resources Inc. and is prepared for the purposes of filing for assessment credit and for company records on the geochemical program on the Crazy Fox Property in 2011.

Field work was conducted during the period July 5, 2011 to July 10, 2010 by a crew of two men from Geotronics Consulting Inc. They collected a total of 415 soil samples from the Best showing area of the Crazy Fox Property, located south-east of the Crazy Fox Deposit.

LOCATION AND ACCESS

The property is located on BCGS map sheet 092/P-059,069. The molybdenum and tungsten prospect area is centered on Latitude 51°36' N and Longitude 120°18' W or UTM (NAD 83, Zone 10U) 5719000 N, 0687000E. The "Ace" showing area is located at UTM 5721387 N and 686686E (NAD 83, Zone 10U). The "Best" showing area is located at UTM 5713000 N and 693000E (NAD 83, Zone 10U)

The Crazy Fox Property is situated in the Kamloops Mining Division approximately 100 km north of Kamloops or about 25 km northwest of the town of Little Fort, BC (Figures 1 and 2). Good access to the molybdenum and tungsten prospect is from Highway 24 about 20 km west of Little Fort, then north on Taweel Lake logging road onto the property at about 12 km.

Access to the Ace and Best showing area is obtained by travelling up the Lemieux Creek Road which leads to Taweel Lake from Highway 24 approximately 3.5 km north of Little Fort, BC.

Access to the VMS/Sedex prospect area on the Crazy Fox Property is described by Bourdon and Addie in their April 2000 assessment report.




Figure 1. Location map of the Crazy Fox Property.




Figure 2. Access Map showing the Crazy Fox Property with the “Ace”, “Best” and Crazy Fox prospects shown on it. Base map is excerpted from BC Backroads Mapbook, Thompson-Okanagan volume.

GENERAL SETTING

The molybdenum and tungsten prospect area on the Crazy Fox Property is located on the north side of 14 Mile Creek between 1100 and 1400 meters elevation. Except for the major drainage valleys, which quickly become very steeply inclined with steep valley walls as the drainage descends from the Nehaliston Plateau, the topography is generally gently rolling with 100 to 300 meters relief. Valleys on the plateau commonly contain lakes and ponds. The larger lakes are known for their recreational fishing and several commercial fishing lodges are found on the lakes adjacent to the property.

The property receives an average of 1-2 meters of snow, but it is generally snow free from mid May to late October. The property can be explored or operated all year.

The property is extensively covered by overburden, consisting of basal and ablation tills and glacio-fluvial deposits. Bourdon and Addie have estimated the thickness away from the valley bottoms to be roughly 1 to 2 meters in depth. Drilling has encountered overburden up to 20 meters of boulder, clay till. Bedrock outcrop is rare and accounts for less than 1% of the claim area.

Vegetation in the area consists mainly of coniferous forest with a few scattered open areas of brush. There has been extensive clear-cut logging and corresponding new road construction which has taken place since the 1980's with earlier re-grown cut blocks evident. In recent time, there has been an endemic infestation of mountain pine bark beetle which has affected a vast area of central British Columbia including the Crazy Fox mineral claim area. During the winter of 2007-2008, new roads and drill access which were constructed did not expose any new surface mineralization.

Along the Lemieux Creek valley are extensive clearcuts which are slowly growing trees.

The settlement of Little Fort lies in the valley of the North Thompson River, and provides basic services: ie, fuel, bus depot, restaurant and motel. Additional services are found along Highway 5. The communities of Barriere and Clearwater are located south and north of Little Fort. Each is approximately 30 km distant and offer additional services such as banking, vehicle repairs and medical facilities. The North Thompson River corridor is also used by the CNR and by major power transmission lines.




Figure 3. Claim Map

MINERAL CLAIMS

Table 1:

Tenure Number	Claim Name	Map Number	Good To Date	Area (ha)
375102	CRAZY FOX 1	092P059	2021/feb/14	450.0
375103	CRAZY FOX 2	092P059	2021/feb/14	300.0
415379	GOLD ZONE	092P059	2020/nov/04	25.0
501229	FoxN	092P	2021/jan/12	40.16
508381	Anticlimax	092P	2021/mar/07	401.526
516738		092P	2021/feb/14	1024.414
517197	ACE	092P	2020/jul/12	40.142
519513		092P	2020/aug/29	160.618
519514		092P	2020/aug/29	341.47
521899	CRAZY FOX 3	092P	2020/nov/03	341.164
521900	CRAZY FOX 4	092P	2020/nov/03	200.964
521901	CRAZY FOX 5	092P	2013/nov/03	301.65
524993	TAWEEL	092P	2021/apr/10	40.131

569445	MISS FOX #1	092P	2020/nov/05	20.0803
599539	LYNX#1	092P	2015/feb/18	120.709
599543	LYNX#2	092P	2015/feb/18	120.7145
599550	LYNX#3	092P	2015/feb/18	40.2307
599551	LYNX#4	092P	2015/feb/18	20.1154
692104	CF#1	092P	2014/jan/01	482.341
692124	CF#2	092P	2014/jan/01	482.0729
692137*	CF#3	092P	2014/jan/01	482.4779
692163	CF#4	092P	2014/jan/01	482.6469
692189*	CF#5	092P	2014/jan/01	241.1468
699883	CF#6	092P	2014/jan/15	502.9145
799443	LYNX#5	092P	2012/sep/26	40.2382
840570	LYNX#7	092P	2012/dec/10	120.7126
840576	LYNX#8	092P	2012/dec/10	40.2346
840581	LYNX#9	092P	2012/dec/10	40.2354
842207	CF#7	092P	2013/jan/02	341.4724
842217	CF#8	092P	2013/jan/02	502.0596
842224	CF#9	092P	2013/jan/02	60.2395
842227	CF#10	092P	2013/jan/02	502.041
842228	CF#11	092P	2013/jan/02	80.3254
847038	LYNX#10	092P	2013/feb/20	60.3628
860287	LYNX#11	092P	2013/jun/27	20.1153
876849	EXT#1	092P	2012/jul/31	361.5524
876909	EXT#2	092P	2012/jul/31	401.7059
876949	EXT#3	092P	2012/jul/31	401.8932

Above dates are contingent upon acceptance of work credits presented by this report.. Work was completed on mineral claims with a ().*

The property mineral claims a total area of approximately 9610 ha or 96.1 square kilometer. The owner of which is Newmac Resources Inc. subject to a NSR. The operator of the program is Newmac Resources Inc.

HISTORY AND PREVIOUS WORK

Claims were first staked for molybdenum at the 'ANTICLIMAX' prospect in 1938 when mineralization in float containing up to 10% Mo was recognized near Tintlhoten (Tuloon) Lake. Later, trenching and pitting uncovered a small flat lying pod of pegmatitic (?) material which appeared to be the source of the float. About 1958, the property was owned by Mr. G.L. Jim from Little Fort and Mr. K Calder of Vancouver. The property was optioned to the Calder Molybdenum Company during which time some diamond drilling and trenching was done.

The first report on the property was written in 1960 by H.B. Leitch, who made a generalized map of the geology and showings and directed the drilling of 3 diamond drill holes along Moly Creek in the vicinity of the granite argillite contact. Total footage was 407 feet. This core was apparently removed from the property before it could be properly examined and assayed.

In 1961, the property was optioned to Bralorne Pioneer mines for 3 months. They did some limited IP work and trenching. They also drilled three holes for a total of 529 feet. Detailed sampling of the trenches revealed low Mo and WO₃ values. Data for this period is not available.

In 1961 at the request of Mr. G.L. Jim, the property was examined by an independent consultant, Dr. A.P. Fawley. Fawley made no recommendations for future work.

Rio Tinto took an option on the ground in 1965. Rio did the first detailed geological mapping of the area. They also did magnetometer work and soil geochemistry over the entire property, trenching, some IP work and reconnaissance stream geochemistry over the entire general area. The reconnaissance work did not delineate any other areas of interest. Molybdenum values in the trenches were generally 0.03%Mo and lower. The report, did call attention to an apparent zone of radial fractures centered at Rong Lake. Rio dropped the property just before a large option payment was due. At the time, the Company was financing the Lornex deposit (Highland Valley).

Falconbridge optioned the property in 1966 for a six month period. Areas of known mineralization were remapped and 5 holes totaling 2032 feet were drilled in the vicinity of Rong Lake. No significant mineralization of interest was found. (*From company report, S. H. Pilcher, Taweel Lake property, 1969, Falconbridge Property Files, Ministry of Mines Property File Archives.*)

Falconbridge reexamined the property in 1968 and decided that the property still had untested possibilities and warranted additional work. Their objectives were to drill the known mineralized fracture zone and to drill the contact zone at several locations. Previous mapping by Rio and Falconbridge was field checked and found to be “quite accurate”. Other work completed by Falconbridge in 1969 included the following;

1. Soil geochemistry over the grid area. Approximately 900 samples collected. Samples were analyzed for copper and molybdenum.
2. Stream sediment geochemistry, approximately 300 samples were collected within a radius of about 2 miles. Samples were analyzed for copper and molybdenum and a few for lead and zinc.
3. EM-16 over grid area, 12 line miles.
4. Magnetometer over part of grid area, 10 line miles.
5. Diamond drilling – 9 holes 3233 feet (985.6m) “no significant mineralization was found” and the option was dropped.

In 1980, Amax of Canada Ltd. conducted an exploration program over the Anticlimax prospect (AR 8492). They reviewed and described the geology and conducted soil and stream sediment sampling along traverses approximately 500 m apart. Samples were collected every 100 m from “b” horizon soils. Samples were analyzed for copper, molybdenum, silver, lead and zinc. Some samples were analyzed for tungsten and fluorine. Amax concluded a broad and intense W-Mo soil anomaly overlies the southeast portion of the intrusive stock in the vicinity of Rong Lake.

Several soil samples, taken immediately east of central Tuloon Lake (Tintilhohten Lake), range in value from 12 to 30 ppm Mo. The anomaly remains unexplained.

There is an unexplained silver-molybdenum anomaly roughly coincident with the intrusive contact area in the north eastern sector of the intrusive stock between Moosehead and Moose Lakes.

Amax also identified two zones of silver-zinc and zinc in areas now excluded from mining exploration within Taweel Park. (*AR 8492, S.G.Enns for Amax of Canada Ltd.*)

There were no recommendations for further work and Amax dropped their option.

The claims lapsed in 1998 and were acquired by prospectors Lloyd Addie and Robert Bourdon of Nelson BC. Bourdon and Addie initially focused their exploration efforts on the massive sulphide potential, building on data developed by the Geological Survey Branch (Bobrowsky et al; OF-1998-6)

In 2004 new roads were extended into the area of the historical molybdenite showings in preparation for salvage logging areas of blown down timber and infested by pine bark beetle.

Bourdon and Addie, while routinely prospecting the new roads, found significant new high grade mineralization (2.38% Mo) approximately 1000 m from the historical showings and on the eastern flank of the broad moly-tungsten high geochem area in the vicinity of Rong Lake, previously defined and noted by S.G.Enns.

In the summer of 2005, Newmac Resources Inc. concluded an option agreement with Addie and Bourdon and shortly thereafter commenced a program of geochemical sampling and prospecting followed by excavator trenching on some of the geochemical anomalies. Newmac completed their program in early December. At the same time logging operations were commencing over much of the area underlain by prospected granite between “new showings” and the historical showings.

In February 2006, Newmac returned to the property and commenced a drilling program utilizing newly constructed and recently used logging roads and skid trails. A total of 7486 m (24560 ft) of NQ drilling was completed between February 16 and June 16, 2006 in 33 drill holes. A significant feature of the drilling was that several of the holes drilled through the granite and into a thrust fault bounded volcanic member of the Nicola Group. Newmac initiated regional prospecting and sampling in an attempt to locate the mineralized granite originally underlying the thrust fault.

Newmac started another drill program on the Crazy Fox Molybdenum showing area in June of 2007 and by the end of August 2008, the drill program had completed a total of 13,331m (43726 ft) of diamond drilling composed of 6916m (22685 ft) of NQ and 6415m (21041 ft) of HQ sized hole. A total of 3295 core and quality control samples had been submitted to Acme Labs in Vancouver for analysis.

The Crazy Fox Ace showing was first explored in the 1920's with a short vertical shaft to access mineralization. Subsequent drilling of three short holes by Peppa Resources Inc. in 1988 (Steiner, 1988) and a ground magnetometer survey by John Jenks in 1997 (Jenks, 1998) was completed.

In the course of the Newmac 2009 program on the area southwest of the 2006 to 2008 drilling, 118 ha was geologically mapped and 17 rock samples were collected from float and outcrops. 36 soil samples and 34 gravel samples were collected from an area surrounding a small pond. This area was diamond drilled by three holes totalling 610.2 meters of NQ core. No significant mineralization was intersected. The reason for the drill holes was to locate intrusive rocks and geological structures. The program was a partial success. The drill core is covered and stored at the Tuloon Lake Camp located at UTM 5717966 N and 685665E NAD 83 Zone 10U.

In the vicinity of the old Ace showing, 977 soil samples and 12 rock samples were collected from a grid with samples spaced 25 meters apart on east – west lines spaced 50 meters apart north – south. Several anomalous gold soil samples were collected and a multi-element copper, zinc, molybdenum and lead soil anomaly was outlined in the vicinity of Lemieux Creek, southeast of Taweel Lake.

The “Best” showing had been explored by Brican Resources Ltd. in the late 1980’s. They discovered anomalous gold and arsenic in soil along the oil transmission line which crosscuts the Crazy Fox Property along the Lemieux Creek valley (Gilmour, 1985, Gilmour, 1989).

A total of 453 soil samples and 9 rock samples were collected along logging roads in the Lemieux Creek valley located in the eastern portion of the Crazy Fox Property during June of 2010 (Bridge, 2011).

SUMMARY OF WORK

A total of 415 soil samples were collected on a grid on the eastern side of the Lemieux Creek valley located in the eastern portion of the Crazy Fox Property during July of 2011. The soil samples were collected every 25 meters on east – west lines either 50 or 100 meters apart.

REGIONAL GEOLOGY

The Crazy Fox Property is underlain by a sequence of Middle to Late Triassic Nicola Group volcanic sandstone, siltstone and conglomerate etc. overlying mafic volcanic breccias and massive to pillowed pyroxene – phyric basalt (Figure 4). The Ace showing area is underlain by the Lemieux succession of siltstone and phyllite of the Nicola Group. These units have been locally altered to hornfels and intruded by a swarm of small dykes and an approximately 1.0 kilometer diameter granite plug. Quartz-feldspar porphyry Cretaceous intrusions are exposed at various levels of erosion on the property. The granite host for the Crazy Fox Mo – W – F mineralization has been offset and twisted by northeasterly directed compression during mineralization and cooling. The mineralization has been the focus of the 2007-2008 drilling program. The “Best” showing area which is subject of this report is at the faulted contact between the Carboniferous to Permian Fennell Formation and the Nicola Group.




Figure 4. Regional Geology Map of the Crazy Fox Property and Index Map; Excerpted from Open File 2002-4, Geology of Nehaliston Plateau by P. Scharizza, S. Israel, S. Heffernan and J. Zuber

QUATERNARY

Qal Unconsolidated glacial, fluvial and alluvial deposits

Qv Basalt

'OCENE

Kamloops Group

'v Skull Hill Formation: andesite, basalt, dacite, volcanic breccia; minor amounts of sandstone, siltstone, conglomerate

's Chu Chua Formation: conglomerate, sandstone

CRETACEOUS

Kg Granite, quartz-feldspar porphyry

EARLY JURASSIC

IJs Siltstone, sandstone, conglomerate

EJgd Granodiorite; locally includes quartz diorite, diorite and monzonite

LATE TRIASSIC(?) and EARLY JURASSIC

>Js Syenite, monzonite, quartz monzonite

>Ja Diorite, microdiorite, syenite, intrusion breccia; pyrite-silica-altered rock, skarn and chloritic schist derived from these intrusive rocks and/or associated country rocks

>Jd Diorite, microdiorite, gabbro; locally includes clinopyroxenite and intrusion breccia

>Jum Dunite, wehrlite, clinopyroxenite, serpentinite

MIDDLE AND LATE TRIASSIC

Nicola Group

u>Nsv Volcanic sandstone, siltstone, conglomerate, volcanic breccia, tuff, basalt, chert, limestone

u>Nv Mafic volcanic breccia, massive to pillowed pyroxene-phyric basalt; minor amounts of volcanic sandstone, siltstone and conglomerate

u>Nfv Dacite, sericite schist with felsic volcanic fragments

Meridian Lake succession

u>Nms Siltstone, argillite, slate, sandstone, conglomerate, limestone

u>Nmsl Limestone; locally includes slate, siltstone and chert

Lemieux Creek succession

mu>Ns Siltstone, slate, phyllite, sandstone, quartzite, siltite, limestone

mu>Nsl Limestone; lesser amounts of slate and siltstone

Wavy Lake succession

>Nwv Volcanic breccia, tuff, volcanic sandstone

>Nws Chert, slate, siltstone, volcanic sandstone, conglomerate

CARBONIFEROUS - PERMIAN

Harper Ranch Group

CPHR Siltstone, argillite, chert, limestone

Fennell Formation

CPFu Upper Structural Division: pillowed and massive basalt; minor amounts of chert, diabase, gabbro; CPFuc - chert

CPFi Lower Structural Division: chert, slate, siltstone, basalt, gabbro, diabase

Figure 4b. Regional Geology legend.

LOCAL GEOLOGY

The lowermost Nicola Group volcanics are exposed to the northeast of the mineralized Cretaceous granite and quartz – feldspar porphyry intrusion. These volcanics are overlain by black bedded graphitic argillite which is locally highly deformed with coal and marble (limestone) intervals which is metamorphosed to graphite and locally hornblende rich hornfels next to the granite intrusion. The distance to the intrusion can be estimated by recording the first appearance of various skarn minerals (chlorite [coolest], amphibole, garnet, pyroxene and scapolite [hottest]) in the limestone beds in the sediments. The sediments were intruded by a Cretaceous leucocratic granite which was subsequently intruded by a quartz – feldspar porphyry along its western side.

The leucocratic granite (Alaskite) is composed approximately of equigranular crystals of 40% feldspar, 30% orthoclase, 20% quartz and 10% biotite with accessory minerals apatite? and rutile?

The quartz – feldspar porphyry (QFP) is composed of feldspar, quartz and biotite phenocrysts in an aphanitic matrix of quartz and feldspar.

During cooling and mineralization of the leucocratic granite, deformation occurred which separated the granite body into an upper plate (approximately 700 meters of offset to the northeast) from the lower plate. The lower plate was also deformed by a north trending shear zone, the locus of the quartz – molybdenite mineralization. During thrusting there was a 30 degree rotation of the upper plate anticlockwise, so that an earlier quartz – molybdenite – wolframite stockwork now trends N 30 W while the earlier stockwork in the lower plate was superimposed by additional quartz-molybdenite veins in a north-south orientation. The N 30 W stockwork was the focus of the 2006 drilling program and the lower plate north-south stockwork was the focus of the 2007 to 2008 drilling program. Using airphotos, the rotation of the upper plate can be observed by looking at the change in orientation of lineaments across the Mile Creek fault from south to north.

Magnetic lows evident in the vicinity of the exposed leucocratic granite intrusive may be the expression of buried granite bodies. This interpretation leads to the conclusion that there may be a cluster of buried intrusions on the Crazy Fox Property. It is a matter of speculation that additional mineralized bodies occur.

An andesitic dyke appears to have intruded erratically along the trace of the thrust fault. This dyke is locally clay altered and hosts local quartz – sphalerite veins where it is freshest. The dyke has fine grained phenocrysts of biotite in a grey matrix of feldspar and quartz? when fresh. The rock is distinctive and appears on surface at the projection of the thrust fault from 14 Mile Creek to the south east of the granitic intrusion.

The geology along the Lemieux Creek valley consists of the Lemieux Creek succession of siltstone, slate, phyllite, sandstone, quartzite, siltite and limestone in fault contact in the east with the older Fennell Formation. There is a sliver of limestone with minor granitic dykes at the fault contact. The fault is a major tectonic fault (Lemieux Creek fault) with minor gold mineralization ie: the “Best” showing. To the west of the sedimentary rocks is a package of Nicola Group volcanic rocks which are slightly younger than the sediments (Schiarizza et al., 2002).

GEOCHEMICAL PROGRAM RESULTS

A total of 415 soil samples were collected from sample sites every 25 meters on a grid in the eastern portion of the Crazy Fox Property. The samples were assayed by Acme Analytical Labs Ltd. of Vancouver, British Columbia. The gold and arsenic soil results are plotted in figures 5 and 6.

The assay method for the analysis is as follows:

At Acme Analytical Labs, soil samples were dried at 60° C prior to sample preparation, they were then sieved to -80 mesh. A sample split of 15 gm was digested for one hour using a modified Aqua Regia solution of equal parts of concentrated HCl, HNO₃ and DI H₂O. The sample is made up to volume with dilute HCl. The sample solution is analyzed for 37 elements by ICP – mass spectrometry techniques.

Full assay results appear in the appendix 2.

The gold and arsenic soil data was plotted on a topographic and geology base and contoured using the mean plus two standard deviations as a threshold to separate background values and anomalous values (Figures 5 to 6). The following cut-off values were used:

Gold	27.7 ppb (after the outliers of 841 and 1409.4 ppb Au are omitted from the dataset)
Arsenic	139 ppm

Analysis of sample duplicates and internal standards by Acme Analytical Labs Ltd. returned assay results which were acceptable in quality.

The soil samples sampled the B horizon soil layer or colluvium at 10 to 40 centimeters depth on the grid. There are numerous anomalous spot high soil samples above the strike of the major tectonic structure (the Lemieux Creek fault) in the eastern portion of the surveyed area. The highest anomalous sample returned 1409 ppb gold. These anomalous soil samples occur on bedrock composed of basaltic rocks of the Fennell Formation and may indicate gold mineralization along the trace of the Lemieux Creek fault.

MINERALIZATION

A rock sample (RLH -5) collected in 2010 of weakly metamorphosed limy greywacke with minor pyrite in quartz – carbonate veins returned 181.3 ppb gold and 1372 ppm arsenic. This sample may indicate the style of the gold mineralization hosted by quartz – carbonate veins in the area covered by the grid sampled in 2011.

INTERPRETATION and CONCLUSIONS

The spot high anomalous gold and arsenic soil samples along the Lemieux Creek valley should be followed up with prospecting to determine the nature and extent gold mineralization. This mineralization is possibly similar to that of the “Best” gold showing which is exposed roughly a kilometer to the south.

Trenching and drilling is warranted to expose and test the gold anomaly along the Lemieux Creek fault.

REFERENCES

- Bridge, D.J. 2011 Report on the Geochemical Program on the Crazy Fox Property. Assessment Report 32168, 73p.
- Charteris, S.N. (1967) Report on the Drilling of the Taweel Molybdenum Option, Falconbridge Property Files, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC
- Dumont, R., Potvin, J., Carson, J.M., Harvey, B.J.A., Coyle, M., Shives, R.B.K., and Ford, K.L., 2007. Geophysical Series, Clearwater 92 P/9, British Columbia, Bonaparte Lake East Geophysical Survey; Geological Survey of Canada, Open File 5490; Geoscience BC Map 2007-3-4; Scale 1:50,000.
- Enns, S.G. (1980) Geochemical and Geological assessment Report, for AMAX of Canada Ltd. AR8492. BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC.
- Gilmour, W.R., 1985. Geochemical and Geological Assessment Report on the Best Property, Assessment Report 13,312, 20p
- Gilmour, W.R., 1989. Geochemical Assessment Report on the Best Property (Best 4 claim), Assessment Report 18,480, 15p
- Hill, Wm. J. (1972) Tuloon Property....A Geophysical Report, for Imperial Oil Limited, AR 4137. BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC
- Howell, W.A. (2007) Property Report for Newmac Resources Inc. AR 28838, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC, 302p.
- Jenks, J. 1998. Assessment Report, Magnetometer Survey, Grid Emplacement, Lem 1-3 Mineral Claims, AR 25582, 22p.
- Kirkham, R.V. and Sinclair, W.D.(1988) Comb quartz layers in felsic intrusions and their relationships to porphyry deposits. Recent Advances in Geology of Granite Related Mineral Deposits. CIMM Special Volume.
- Pilcher, S.H. (1970) Report on the Taweel Laske Property 1969. Falconbridge Property Files, BCGS, Ministry of Energy, Mines and Petroleum Resources, Province of BC.
- Schiarizza, P., Israel, S., Heffernan, S., and Zuber, J., 2002. Geology of Nehalliston Plateau, Open File 2002-4, map, Scale 1:50,000.

- Seedorff, E. and Einaudi, M.T. (2004) Henderson Porphyry Molybdenum System, Colorado: II. Decoupling of Introduction and Deposition of Metals during Geochemical Evolution of Hydrothermal Fluids. *Economic Geology*, Vol 99, pp 39-72.
- Sinclair, W.D. (2001 ?) Porphyry Deposits. Geological Survey of Canada.
http://gsc.nrcan.gc.ca/mindep/sunth_dep/porph/pdf/deposit.synthesis.porphyry.sinclair.pdf
- Sinclair, W.D. (1995) Porphyry Mo, (Climax Type), in Selected British Columbia Mineral Deposit Profiles, Volume 1 – Metallics and Coal, Lefebure, D.V. and Ray, G.E., Editors, British Columbia Ministry of Energy, Employment and Investment, Open File 1995-20, pp 105-108.
- Sinclair, W.D. (1995) Porphyry W, in Selected British Columbia Mineral Deposit profiles, Volume 1 – Metallics and Coal, Lefebure, D.V. and Ray, G.E., Editors, British Columbia Ministry of Energy and Investment, Open File 1995-20, pp 101-104.
- Stein, H. and Hannah, J. (2006) Compilation of Whole Rock Major and Trace element Data for Urad-Henderson Intrusions and Silver Plume Granite.
<http://airie.warnercnr.colostate.edu/documents/Major-TraceElementData.pdf>
- Steiner, R., 1988. Diamond Drilling Report, Hit and Mark Claims, Kamloops Mining Division; AR 18219, 17p.

Programs, software & digital data sources used in the preparation of this report include: MS Word, MS Excel, Garmin Map Source, MS Windows Vista. Corel Draw, Adobe Acrobat, Rockworks

STATEMENT OF QUALIFICATIONS

David J. Bridge, P.Ge.

I, David J. Bridge, hereby certify that:

I am an geologist residing at 601-31 Elliot Street, New Westminster, BC, Canada.

I am a graduate of the University of British Columbia with a bachelor of applied science degree in geological engineering (1990) and a master of applied science degree in geological engineering (1994).

I am registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia. (APEGBC number 24944)

Dated at New Westminster, BC January 3, 2012

Respectfully submitted,

"David Bridge"

David J. Bridge, P.Ge., MASc.

STATEMENT OF COSTS July 5 to July 31, 2011

July Program

Geotronics Consulting Inc.		\$6,800.00
Assays	415 soils	\$8,108.60
Cook – Donna Holland	7 days at \$200.00/day	\$1,400.00
Supplies		\$ 114.98
Report		\$2,500.00
	Total	\$18,923.58

APPENDIX 1

ASSAY CERTIFICATES



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Newmac Resources Inc.**

511 - 475 Howe Street
Vancouver BC V6C 2B3 Canada

Submitted By: David Hjerpe
Receiving Lab: Canada-Vancouver
Received: July 11, 2011
Report Date: July 31, 2011
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN11003086.1

CLIENT JOB INFORMATION

Project: Crazy Fox
Shipment ID:
P.O. Number
Number of Samples: 210

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Newmac Resources Inc.
511 - 475 Howe Street
Vancouver BC V6C 2B3
Canada

CC: David Schmidt
William A. Howell
David Bridge

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	209	Dry at 60C			VAN
SS80	209	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	208	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	0.1	0.1	0.1	2	0.01	0.001	1	
L4350N 2550E	Soil		0.9	9.1	12.7	249	0.3	29.3	10.3	1052	2.25	31.9	2.3	2.1	14	1.5	0.5	0.3	38	0.18	0.347	5
L4350N 2575E	Soil		0.9	9.0	11.7	167	0.4	23.3	7.9	812	1.67	12.2	0.6	1.2	12	1.1	0.4	0.2	40	0.15	0.120	5
L4350N 2600E	Soil		1.9	30.4	15.3	123	0.5	33.5	14.2	412	2.76	28.4	35.2	1.7	17	0.5	2.0	0.2	56	0.30	0.133	11
L4350N 2625E	Soil		0.7	5.2	11.7	131	0.2	13.8	7.7	642	1.77	13.6	1.3	1.7	13	1.5	0.2	0.2	36	0.28	0.265	4
L4350N 2650E	Soil		2.6	12.0	8.9	220	0.6	35.8	6.5	413	1.72	8.7	0.7	1.9	14	1.2	1.9	0.2	38	0.26	0.150	9
L4350N 2675E	Soil		3.3	15.3	9.1	405	0.8	81.7	6.3	166	1.79	4.7	0.6	2.2	22	4.0	1.7	0.2	43	0.30	0.204	11
L4350N 2700E	Soil		1.0	11.0	6.2	265	0.6	46.9	13.3	329	2.13	12.2	1.0	2.1	12	1.9	1.4	0.1	45	0.23	0.148	8
L4350N 2725E	Soil		0.4	13.1	5.0	94	<0.1	36.2	18.8	1228	2.76	13.6	0.8	0.8	23	0.2	1.4	<0.1	74	0.46	0.057	3
L4350N 2750E	Soil		0.9	81.2	4.7	83	0.2	98.2	49.3	903	5.54	35.5	13.2	0.8	24	0.3	5.0	<0.1	151	1.44	0.042	6
L4350N 2775E	Soil		1.3	81.5	6.8	147	0.2	105.5	75.4	2730	6.20	56.4	6.8	1.2	28	1.0	5.5	0.1	163	0.83	0.072	8
L4350N 2800E	Soil		0.6	21.1	6.8	80	<0.1	35.8	21.1	1473	2.73	10.9	<0.5	0.9	23	0.7	0.6	0.1	80	0.69	0.027	3
L4350N 2825E	Soil		0.8	41.7	7.0	113	0.2	155.7	27.8	795	3.53	50.1	3.0	2.1	25	1.1	1.3	0.2	75	0.86	0.028	13
L4350N 2850E	Soil		0.8	8.5	9.5	187	0.1	34.8	11.6	514	2.34	46.3	<0.5	1.9	19	1.0	0.4	0.2	42	0.30	0.169	4
L4350N 2875E	Soil		0.5	9.5	4.1	279	<0.1	37.2	19.6	1677	2.47	14.3	2.3	0.6	25	1.2	0.3	<0.1	78	0.81	0.101	2
L4350N 2900E	Soil		2.1	15.4	11.4	143	0.4	35.6	12.0	297	2.20	26.2	1.0	2.0	19	0.5	1.5	0.2	58	0.33	0.045	10
L4350N 2925E	Soil		0.4	9.5	6.3	174	0.1	23.7	10.5	1385	1.67	21.1	<0.5	1.3	11	1.1	0.3	0.1	41	0.21	0.164	4
L4350N 2950E	Soil		0.3	12.9	5.5	95	<0.1	28.4	20.5	896	2.40	14.5	0.5	0.7	15	0.6	0.3	0.1	67	0.37	0.064	2
L4350N 2975E	Soil		0.4	12.5	6.2	109	<0.1	42.2	20.5	556	2.57	63.8	4.6	1.2	11	0.3	0.3	0.1	69	0.32	0.052	4
L4350N 3000E	Soil		0.7	26.8	8.7	69	0.1	47.0	28.1	1721	3.58	52.3	2.0	0.9	26	0.8	0.7	0.1	109	1.27	0.029	3
L4350N 3025E	Soil		0.9	45.5	8.1	105	0.1	60.9	30.5	1485	4.02	56.5	6.5	1.2	28	0.7	0.9	0.1	109	0.99	0.062	5
L4350N 3050E	Soil		0.5	23.0	7.6	98	<0.1	65.3	28.8	1285	3.66	45.0	4.3	1.3	25	0.5	0.6	0.1	88	0.71	0.096	4
L4400N 2550E	Soil		0.8	9.7	14.3	146	0.2	15.4	7.7	2455	1.51	10.2	0.9	0.8	21	1.4	0.5	0.2	37	0.32	0.131	5
L4400N 2575E	Soil		0.8	16.3	8.7	185	0.2	42.4	17.4	459	2.94	25.2	0.9	2.3	12	0.7	0.7	0.1	64	0.27	0.174	7
L4400N 2600E	Soil		1.1	15.7	12.7	162	0.2	36.5	14.0	418	3.07	25.1	1.3	2.9	16	1.0	0.9	0.2	58	0.31	0.266	8
L4400N 2625E	Soil		1.4	16.5	10.5	417	0.1	106.2	13.9	306	2.83	17.3	0.7	2.9	16	2.4	1.2	0.3	58	0.46	0.028	13
L4400N 2650E	Soil		7.7	36.0	10.0	351	0.6	63.3	8.9	134	2.10	16.9	2.2	2.8	12	3.2	4.2	0.2	48	0.26	0.128	17
L4400N 2675E	Soil		2.3	42.1	5.9	182	<0.1	81.3	41.4	1589	7.90	37.4	1.4	0.8	23	1.0	2.9	0.1	132	0.80	0.206	4
L4400N 2700E	Soil		1.7	38.1	5.8	147	<0.1	82.6	40.6	1678	5.70	32.8	2.5	0.8	31	0.7	4.3	<0.1	97	0.93	0.135	5
L4400N 2725E	Soil		1.5	43.3	5.5	73	<0.1	78.0	33.8	582	5.45	44.8	1.3	1.3	18	0.2	3.6	<0.1	108	0.49	0.025	8
L4400N 2750E	Soil		0.8	44.0	9.0	59	<0.1	70.1	27.4	835	3.74	38.7	8.4	2.7	28	0.3	1.5	0.2	74	0.92	0.024	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L4350N 2550E	Soil	22	0.21	162	0.109	2	2.63	0.011	0.06	0.1	0.04	1.5	<0.1	<0.05	7	<0.5	<0.2
L4350N 2575E	Soil	18	0.23	133	0.079	2	1.46	0.013	0.06	<0.1	0.04	1.3	<0.1	<0.05	5	<0.5	<0.2
L4350N 2600E	Soil	34	0.48	84	0.073	1	1.50	0.009	0.07	0.1	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
L4350N 2625E	Soil	18	0.19	109	0.097	1	1.32	0.010	0.05	0.1	0.03	1.3	<0.1	<0.05	6	<0.5	<0.2
L4350N 2650E	Soil	21	0.14	151	0.031	1	1.08	0.007	0.04	0.1	0.03	2.0	0.1	<0.05	3	1.3	<0.2
L4350N 2675E	Soil	38	0.32	146	0.035	2	1.56	0.011	0.08	<0.1	0.03	1.8	0.1	<0.05	4	2.2	<0.2
L4350N 2700E	Soil	30	0.32	98	0.068	2	1.82	0.012	0.07	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
L4350N 2725E	Soil	45	0.48	111	0.061	3	1.61	0.014	0.12	<0.1	0.02	5.1	<0.1	<0.05	6	<0.5	<0.2
L4350N 2750E	Soil	119	1.25	71	0.048	4	2.54	0.012	0.07	<0.1	0.05	17.6	<0.1	<0.05	9	<0.5	<0.2
L4350N 2775E	Soil	99	1.17	175	0.063	3	3.10	0.011	0.07	<0.1	0.05	16.8	<0.1	<0.05	10	<0.5	<0.2
L4350N 2800E	Soil	43	0.49	143	0.117	4	1.37	0.013	0.05	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
L4350N 2825E	Soil	59	0.66	77	0.115	2	2.43	0.020	0.05	<0.1	0.05	8.4	<0.1	<0.05	5	0.6	<0.2
L4350N 2850E	Soil	20	0.20	109	0.130	3	2.29	0.016	0.07	0.1	0.03	1.8	0.1	<0.05	7	<0.5	<0.2
L4350N 2875E	Soil	41	0.61	150	0.205	3	1.36	0.012	0.06	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
L4350N 2900E	Soil	28	0.47	84	0.065	2	1.74	0.009	0.07	<0.1	0.03	1.9	0.2	<0.05	6	0.6	<0.2
L4350N 2925E	Soil	19	0.23	106	0.107	2	1.35	0.016	0.05	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
L4350N 2950E	Soil	30	0.47	72	0.167	2	1.08	0.016	0.05	0.2	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2
L4350N 2975E	Soil	37	0.55	80	0.191	2	1.87	0.013	0.04	<0.1	0.03	2.4	<0.1	<0.05	7	<0.5	<0.2
L4350N 3000E	Soil	66	1.15	154	0.345	3	2.28	0.009	0.04	0.1	0.04	5.0	<0.1	<0.05	7	<0.5	<0.2
L4350N 3025E	Soil	69	1.16	138	0.251	2	2.58	0.010	0.08	0.1	0.03	5.5	<0.1	<0.05	7	<0.5	<0.2
L4350N 3050E	Soil	59	1.02	132	0.223	3	2.75	0.014	0.10	0.1	0.01	4.4	<0.1	<0.05	8	<0.5	<0.2
L4400N 2550E	Soil	16	0.22	211	0.066	2	1.04	0.010	0.10	<0.1	0.03	1.0	<0.1	<0.05	5	<0.5	<0.2
L4400N 2575E	Soil	46	0.65	154	0.130	<1	2.47	0.012	0.07	0.2	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
L4400N 2600E	Soil	42	0.58	131	0.119	<1	2.83	0.011	0.07	0.2	0.02	2.6	<0.1	<0.05	8	<0.5	<0.2
L4400N 2625E	Soil	46	0.64	58	0.123	1	1.96	0.010	0.05	0.3	0.02	3.4	0.2	<0.05	5	1.0	<0.2
L4400N 2650E	Soil	27	0.18	82	0.030	1	1.48	0.007	0.07	0.2	0.09	3.6	0.4	<0.05	4	4.3	<0.2
L4400N 2675E	Soil	85	0.82	125	0.174	3	1.82	0.010	0.06	0.1	0.03	7.5	<0.1	<0.05	8	<0.5	<0.2
L4400N 2700E	Soil	91	0.64	215	0.039	5	1.99	0.009	0.15	<0.1	0.03	10.9	<0.1	<0.05	6	0.5	<0.2
L4400N 2725E	Soil	85	0.81	106	0.099	4	2.66	0.011	0.17	<0.1	0.01	12.1	<0.1	<0.05	8	<0.5	<0.2
L4400N 2750E	Soil	58	0.68	121	0.133	6	2.41	0.018	0.22	<0.1	0.03	9.4	0.1	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001		1	
L4400N 2775E	Soil	1.4	72.0	8.9	65	<0.1	98.0	48.7	1203	7.14	51.5	5.2	1.9	30	0.4	3.9	<0.1	114	1.17	0.020	12
L4400N 2800E	Soil	1.4	53.2	7.8	125	<0.1	156.6	52.5	1487	6.77	155.5	91.3	1.6	20	0.8	2.0	0.1	105	0.87	0.046	7
L4400N 2825E	Soil	0.2	4.1	5.3	85	<0.1	16.2	9.9	524	1.41	12.2	12.9	0.7	10	0.5	0.1	0.1	49	0.23	0.025	2
L4400N 2850E	Soil	1.5	23.5	10.4	197	0.2	62.8	19.8	636	3.31	76.4	2.7	2.3	15	0.6	1.4	0.2	76	0.23	0.090	8
L4400N 2875E	Soil	0.5	6.8	4.9	89	0.1	20.3	13.4	492	1.67	45.1	0.8	1.0	11	0.3	0.2	0.1	45	0.20	0.116	2
L4400N 2900E	Soil	0.5	30.6	5.0	114	<0.1	83.9	35.6	1494	3.92	152.6	4.9	0.8	17	0.5	0.9	<0.1	62	0.68	0.035	3
L4400N 2925E	Soil	0.6	15.0	6.9	190	<0.1	52.1	20.7	925	2.92	70.3	9.9	1.2	11	0.6	0.6	0.1	59	0.39	0.061	3
L4400N 2950E	Soil	0.7	32.8	8.0	146	0.1	87.6	29.8	458	4.26	49.4	1.8	2.1	17	0.4	0.8	0.2	65	0.42	0.162	4
L4400N 2975E	Soil	0.3	4.6	4.4	68	<0.1	12.8	8.7	598	1.45	8.9	<0.5	0.5	12	0.4	0.1	<0.1	42	0.42	0.054	2
L4400N 3000E	Soil	0.3	6.8	4.0	57	<0.1	19.3	9.9	577	1.44	15.7	<0.5	0.5	12	0.2	0.1	<0.1	40	0.31	0.040	2
L4400N 3025E	Soil	0.6	32.6	7.1	85	<0.1	47.1	23.8	1141	3.87	48.3	0.7	0.9	16	0.7	0.7	0.1	93	0.84	0.045	3
L4400N 3050E	Soil	0.6	18.7	9.3	90	<0.1	47.4	21.3	1590	2.89	27.9	1.9	1.0	27	0.6	0.4	0.1	59	0.76	0.132	4
L4450N 2525E	Soil	0.6	6.9	9.0	180	0.4	15.0	6.1	667	1.52	24.9	1.8	1.2	13	0.7	0.3	0.4	27	0.23	0.297	4
L4450N 2550E	Soil	0.4	3.9	5.4	108	0.1	8.3	4.8	523	1.25	14.2	<0.5	0.8	7	0.6	0.1	<0.1	32	0.13	0.150	3
L4450N 2575E	Soil	0.6	7.0	8.3	153	0.2	23.8	6.9	1344	1.65	20.1	<0.5	1.4	10	1.0	0.3	0.1	25	0.15	0.391	4
L4450N 2600E	Soil	1.1	15.1	10.1	148	0.2	38.3	13.0	421	2.57	34.6	<0.5	2.4	10	0.6	0.7	0.2	47	0.22	0.189	7
L4450N 2625E	Soil	0.9	12.6	8.2	195	0.3	41.8	12.2	342	2.56	24.5	3.2	2.6	12	1.2	0.7	0.1	43	0.27	0.238	7
L4450N 2650E	Soil	1.2	14.4	6.7	270	0.4	53.9	17.9	891	3.01	33.4	6.6	1.3	17	2.9	0.8	0.1	56	0.46	0.241	4
L4450N 2675E	Soil	0.3	7.0	4.1	125	<0.1	26.7	10.8	563	1.71	10.9	<0.5	0.6	12	0.2	0.5	<0.1	41	0.26	0.061	2
L4450N 2700E	Soil	1.8	32.2	5.4	110	<0.1	66.4	28.4	605	4.89	30.4	1.5	1.2	13	0.3	1.3	<0.1	110	0.38	0.037	4
L4450N 2725E	Soil	1.3	38.2	6.6	84	0.1	55.5	23.3	1102	3.93	50.1	27.2	1.1	18	0.5	1.3	<0.1	91	0.55	0.050	4
L4450N 2750E	Soil	0.5	9.1	5.4	88	<0.1	42.8	15.3	574	2.53	25.8	88.2	0.9	15	0.3	0.5	<0.1	62	0.47	0.024	3
L4450N 2775E	Soil	1.6	21.9	10.2	96	<0.1	39.5	15.5	868	2.92	42.4	1.6	1.8	14	0.5	1.4	0.2	71	0.41	0.032	7
L4450N 2800E	Soil	0.6	24.7	5.8	87	0.2	61.5	23.6	1107	3.10	54.2	67.5	0.9	16	0.3	0.8	0.1	73	0.43	0.067	3
L4450N 2825E	Soil	1.1	76.4	6.2	121	0.2	145.0	45.6	2016	7.24	58.4	1.8	0.9	36	0.8	1.3	<0.1	115	1.97	0.066	6
L4450N 2850E	Soil	1.2	58.8	5.0	124	0.2	109.6	43.2	1811	8.64	151.9	89.2	0.7	16	0.5	2.0	<0.1	161	0.90	0.069	4
L4450N 2875E	Soil	0.7	35.5	5.5	215	0.3	78.8	43.7	1712	5.27	117.5	1409	0.6	15	1.1	1.7	<0.1	82	0.53	0.073	3
L4450N 2900E	Soil	0.8	29.6	8.6	215	<0.1	80.3	34.4	1273	4.63	134.6	30.7	1.0	20	1.2	0.5	0.1	63	0.63	0.054	3
L4450N 2925E	Soil	0.8	29.5	262.2	501	0.3	64.9	29.1	597	3.91	63.1	10.7	0.8	12	3.1	2.0	0.1	85	0.35	0.031	3
L4450N 2950E	Soil	0.6	40.4	4.8	250	<0.1	54.7	32.5	2546	2.93	35.0	1.2	0.7	22	1.0	0.4	<0.1	72	1.06	0.061	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L4400N 2775E	Soil			97	1.11	216	0.109	5	3.59	0.015	0.19	<0.1	0.03	17.1	<0.1	<0.05	9	<0.5	<0.2
L4400N 2800E	Soil			72	0.96	143	0.164	4	3.24	0.014	0.06	<0.1	0.02	9.7	<0.1	<0.05	9	<0.5	<0.2
L4400N 2825E	Soil			16	0.16	52	0.098	<1	0.67	0.013	0.04	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
L4400N 2850E	Soil			46	0.79	119	0.097	1	2.59	0.012	0.06	<0.1	0.02	3.0	0.1	<0.05	8	<0.5	<0.2
L4400N 2875E	Soil			15	0.18	57	0.096	1	1.12	0.014	0.05	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
L4400N 2900E	Soil			35	0.88	90	0.123	3	1.93	0.012	0.04	<0.1	0.05	3.8	<0.1	<0.05	6	0.6	<0.2
L4400N 2925E	Soil			37	0.61	96	0.140	2	2.05	0.009	0.04	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
L4400N 2950E	Soil			46	0.72	78	0.156	2	3.92	0.009	0.04	0.2	0.05	4.0	<0.1	<0.05	10	<0.5	<0.2
L4400N 2975E	Soil			19	0.31	51	0.115	1	0.76	0.008	0.04	<0.1	0.01	1.6	<0.1	<0.05	4	<0.5	<0.2
L4400N 3000E	Soil			17	0.28	57	0.098	2	0.90	0.012	0.04	<0.1	0.04	1.4	<0.1	<0.05	4	<0.5	<0.2
L4400N 3025E	Soil			66	1.22	118	0.228	3	2.33	0.007	0.04	0.1	0.02	5.6	<0.1	<0.05	7	<0.5	<0.2
L4400N 3050E	Soil			45	0.81	157	0.133	4	2.10	0.010	0.08	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
L4450N 2525E	Soil			15	0.17	167	0.063	1	1.64	0.012	0.05	<0.1	0.04	1.3	<0.1	<0.05	5	<0.5	<0.2
L4450N 2550E	Soil			9	0.08	89	0.065	<1	1.08	0.011	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
L4450N 2575E	Soil			18	0.22	272	0.071	2	2.22	0.012	0.06	0.1	0.03	1.6	<0.1	<0.05	6	<0.5	<0.2
L4450N 2600E	Soil			33	0.47	167	0.098	2	2.29	0.010	0.07	0.2	0.03	2.6	0.1	<0.05	7	<0.5	<0.2
L4450N 2625E	Soil			35	0.48	75	0.099	<1	2.67	0.013	0.05	0.2	0.04	3.4	<0.1	<0.05	7	0.8	<0.2
L4450N 2650E	Soil			38	0.60	118	0.102	3	2.12	0.014	0.08	0.1	0.03	3.5	0.2	<0.05	7	0.6	<0.2
L4450N 2675E	Soil			24	0.34	69	0.062	2	1.19	0.016	0.06	<0.1	0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
L4450N 2700E	Soil			75	0.84	104	0.138	2	2.66	0.011	0.08	0.1	0.02	7.6	<0.1	<0.05	8	0.5	<0.2
L4450N 2725E	Soil			60	0.91	90	0.174	2	1.98	0.010	0.06	0.1	0.03	5.7	<0.1	<0.05	6	<0.5	<0.2
L4450N 2750E	Soil			36	0.55	114	0.148	5	2.02	0.015	0.08	<0.1	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
L4450N 2775E	Soil			42	0.70	106	0.124	2	1.85	0.008	0.09	0.1	0.01	4.0	0.1	<0.05	6	<0.5	<0.2
L4450N 2800E	Soil			39	0.70	78	0.152	2	1.73	0.014	0.05	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
L4450N 2825E	Soil			69	1.23	98	0.208	5	2.45	0.011	0.05	<0.1	0.07	12.7	<0.1	<0.05	9	0.6	<0.2
L4450N 2850E	Soil			86	1.87	71	0.227	3	2.85	0.007	0.03	0.4	0.05	10.8	<0.1	0.06	12	0.6	<0.2
L4450N 2875E	Soil			47	0.93	92	0.125	3	2.03	0.009	0.05	<0.1	0.04	4.8	<0.1	<0.05	7	<0.5	<0.2
L4450N 2900E	Soil			30	0.58	84	0.139	4	2.09	0.016	0.06	0.2	0.04	3.0	<0.1	<0.05	7	<0.5	<0.2
L4450N 2925E	Soil			48	0.79	82	0.087	2	2.15	0.013	0.05	<0.1	0.02	4.1	<0.1	<0.05	7	<0.5	<0.2
L4450N 2950E	Soil			35	0.69	151	0.165	2	1.50	0.014	0.05	0.1	0.04	4.8	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L4450N 2975E	Soil		0.9	20.7	11.2	95	<0.1	43.2	20.4	807	2.90	25.5	3.3	1.2	19	0.5	0.6	0.1	73	0.69	0.042	4
L4450N 3000E	Soil		0.3	5.9	3.7	56	0.1	14.5	8.8	427	1.38	11.0	0.7	0.6	11	0.3	0.1	<0.1	42	0.24	0.067	2
L4450N 3025E	Soil		0.5	18.0	6.8	124	0.2	34.8	13.2	599	1.90	25.7	0.9	1.4	17	0.5	0.3	0.1	39	0.40	0.133	3
L4500N 2525E	Soil		0.4	5.8	5.1	112	0.1	17.4	6.7	725	1.47	13.0	1.4	1.0	8	0.5	0.2	<0.1	33	0.23	0.165	3
L4500N 2550E	Soil		0.6	8.0	7.9	135	0.3	20.1	8.3	539	1.59	12.7	6.5	1.4	9	0.6	0.4	0.1	31	0.16	0.172	6
L4500N 2575E	Soil		0.5	6.8	6.3	88	0.3	22.1	7.2	469	1.63	15.4	0.5	1.5	10	0.6	0.3	0.1	34	0.19	0.211	5
L4500N 2600E	Soil		0.7	10.5	7.0	106	0.3	37.7	11.1	587	2.27	38.1	0.7	1.8	12	0.7	0.5	0.1	37	0.23	0.302	4
L4500N 2625E	Soil		1.0	12.0	4.4	99	<0.1	31.1	11.9	391	2.40	14.9	<0.5	1.2	8	0.6	1.1	0.2	52	0.22	0.076	5
L4500N 2650E	Soil		1.1	17.4	7.9	130	0.1	66.2	18.5	1013	3.01	40.2	0.8	0.9	21	0.7	0.7	0.1	62	0.79	0.082	3
L4500N 2675E	Soil		0.6	11.6	7.8	146	<0.1	35.6	15.6	2115	1.99	32.8	1.4	0.8	27	0.9	0.4	0.1	42	0.66	0.112	3
L4500N 2700E	Soil		1.3	26.2	8.2	121	0.1	67.8	23.0	1339	3.48	48.9	<0.5	1.3	39	1.1	1.0	0.2	59	0.87	0.119	6
L4500N 2725E	Soil		0.7	24.6	6.0	135	0.1	65.7	29.6	1795	3.32	42.9	<0.5	1.1	37	0.9	0.6	0.1	56	0.78	0.221	5
L4500N 2750E	Soil		0.8	19.1	6.3	96	<0.1	56.4	27.0	1629	2.86	31.5	4.8	0.9	27	0.3	0.5	0.1	62	0.63	0.062	4
L4500N 2775E	Soil		1.0	46.4	7.6	98	<0.1	81.9	34.7	1203	4.69	49.9	2.0	1.4	29	0.3	1.3	0.1	85	0.68	0.101	5
L4500N 2800E	Soil		1.1	158.9	4.9	103	0.4	139.6	53.4	3895	7.67	49.6	<0.5	0.3	127	0.8	1.0	<0.1	100	4.45	0.112	4
L4500N 2825E	Soil		1.5	23.5	7.3	175	0.1	79.4	36.2	3350	5.08	33.6	0.6	1.2	25	0.9	1.3	0.2	94	0.61	0.069	4
L4500N 2850E	Soil		0.5	26.4	5.1	194	0.1	65.3	31.7	1012	3.40	30.6	45.8	0.8	20	0.7	1.2	0.1	81	0.78	0.037	3
L4500N 2875E	Soil		0.8	46.1	6.3	74	<0.1	70.7	29.0	975	4.60	21.1	<0.5	1.3	25	0.4	1.9	0.1	58	1.43	0.031	6
L4500N 2900E	Soil		0.6	11.1	9.7	359	0.1	45.0	19.4	1567	2.83	38.3	4.9	1.5	10	1.2	0.4	0.2	50	0.18	0.130	4
L4500N 2925E	Soil		1.3	30.3	7.7	63	<0.1	43.1	19.0	398	3.07	36.4	5.5	1.9	13	0.1	1.1	0.1	79	0.45	0.029	7
L4500N 2950E	Soil		0.4	12.1	7.5	109	<0.1	37.4	20.6	650	2.09	29.9	2.2	1.3	13	0.2	0.2	0.2	47	0.24	0.072	4
L4500N 2975E	Soil		0.7	19.8	7.2	81	<0.1	49.2	21.1	908	2.59	31.6	<0.5	1.3	27	0.5	0.5	0.1	64	0.63	0.044	5
L4500N 3000E	Soil		0.6	15.9	8.3	115	<0.1	39.5	16.2	458	2.62	38.1	0.9	1.8	17	0.4	0.4	0.1	53	0.38	0.174	4
L4500N 3025E	Soil		0.4	11.6	4.7	89	0.1	29.0	12.7	626	1.83	17.1	1.0	0.9	22	0.3	0.3	<0.1	47	0.46	0.069	3
L4550N 2500E	Soil		0.6	12.1	8.2	198	0.2	18.5	9.8	1149	2.25	23.0	<0.5	1.5	77	0.5	0.7	0.1	53	1.76	0.221	6
L4550N 2525E	Soil		1.2	14.7	12.8	194	0.4	36.2	12.1	534	2.58	27.0	0.6	2.0	35	1.3	1.1	0.2	47	0.66	0.199	9
L4550N 2550E	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4550N 2575E	Soil		0.8	6.6	7.5	80	0.1	17.2	9.1	1051	1.78	7.3	1.4	1.4	13	0.6	0.4	0.2	40	0.29	0.111	6
L4550N 2600E	Soil		0.4	9.4	6.8	112	0.1	22.1	10.4	1465	2.00	6.3	<0.5	1.5	20	0.8	0.4	0.1	47	0.50	0.096	6
L4550N 2625E	Soil		0.4	11.1	5.8	57	<0.1	26.0	9.8	472	2.12	11.5	0.9	2.1	15	0.1	0.3	0.1	51	0.39	0.049	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L4450N 2975E	Soil			44	0.81	98	0.178	2	2.01	0.009	0.06	0.1	0.03	3.4	<0.1	<0.05	6	<0.5	<0.2
L4450N 3000E	Soil			14	0.18	58	0.104	<1	0.79	0.012	0.03	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
L4450N 3025E	Soil			25	0.42	100	0.106	3	1.78	0.013	0.07	<0.1	0.03	1.9	<0.1	<0.05	6	<0.5	<0.2
L4500N 2525E	Soil			16	0.17	81	0.077	2	1.53	0.016	0.04	<0.1	0.03	1.5	<0.1	<0.05	5	<0.5	<0.2
L4500N 2550E	Soil			19	0.25	134	0.071	1	1.54	0.012	0.06	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
L4500N 2575E	Soil			20	0.23	103	0.084	2	1.88	0.014	0.05	0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
L4500N 2600E	Soil			30	0.40	131	0.084	2	2.46	0.013	0.07	0.2	0.03	2.3	<0.1	<0.05	6	<0.5	<0.2
L4500N 2625E	Soil			35	0.44	65	0.083	1	1.30	0.011	0.05	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
L4500N 2650E	Soil			43	0.72	103	0.139	4	2.14	0.012	0.08	0.1	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2
L4500N 2675E	Soil			26	0.37	165	0.076	4	1.58	0.015	0.10	<0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
L4500N 2700E	Soil			42	0.66	141	0.105	7	2.63	0.017	0.15	0.1	0.02	4.1	<0.1	<0.05	7	0.7	<0.2
L4500N 2725E	Soil			40	0.60	134	0.097	4	1.99	0.016	0.07	<0.1	0.02	3.6	<0.1	<0.05	6	0.5	<0.2
L4500N 2750E	Soil			37	0.58	101	0.152	4	1.73	0.018	0.09	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
L4500N 2775E	Soil			64	1.08	130	0.168	4	2.68	0.013	0.10	0.2	0.03	6.1	<0.1	<0.05	8	0.9	<0.2
L4500N 2800E	Soil			61	1.18	169	0.139	8	2.19	0.006	0.04	0.1	0.08	6.6	<0.1	0.09	7	1.4	<0.2
L4500N 2825E	Soil			60	0.94	213	0.149	3	2.56	0.012	0.06	<0.1	0.02	4.8	0.1	<0.05	9	0.6	<0.2
L4500N 2850E	Soil			42	0.64	73	0.151	3	1.55	0.014	0.06	0.1	0.02	4.2	<0.1	<0.05	6	0.8	<0.2
L4500N 2875E	Soil			33	0.54	100	0.110	4	1.73	0.017	0.06	<0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
L4500N 2900E	Soil			30	0.40	124	0.137	2	2.35	0.014	0.04	0.1	0.03	2.3	<0.1	<0.05	7	0.6	<0.2
L4500N 2925E	Soil			43	0.66	51	0.189	1	2.01	0.011	0.05	0.1	<0.01	3.9	<0.1	<0.05	6	0.6	<0.2
L4500N 2950E	Soil			22	0.35	95	0.126	2	1.46	0.013	0.06	<0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
L4500N 2975E	Soil			37	0.61	127	0.190	3	2.22	0.013	0.07	0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
L4500N 3000E	Soil			35	0.57	72	0.159	2	2.21	0.014	0.07	0.1	0.02	2.4	<0.1	<0.05	7	0.6	<0.2
L4500N 3025E	Soil			24	0.41	79	0.130	4	1.36	0.014	0.07	<0.1	0.03	1.7	<0.1	<0.05	5	0.5	<0.2
L4550N 2500E	Soil			30	0.43	197	0.090	10	1.86	0.079	0.18	0.1	<0.01	2.8	<0.1	<0.05	6	0.6	<0.2
L4550N 2525E	Soil			33	0.53	142	0.086	3	2.19	0.012	0.09	0.2	0.02	2.2	<0.1	<0.05	7	<0.5	<0.2
L4550N 2550E	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4550N 2575E	Soil			24	0.31	128	0.096	3	1.40	0.013	0.07	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
L4550N 2600E	Soil			32	0.54	171	0.118	2	1.33	0.011	0.09	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
L4550N 2625E	Soil			35	0.56	98	0.134	1	1.78	0.013	0.08	<0.1	<0.01	2.5	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P	1DX15 La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L4550N 2650E	Soil			0.6	10.0	7.7	133	0.1	26.9	12.9	2113	2.12	19.6	1.3	1.2	10	0.4	0.4	0.2	50	0.23	0.113	4
L4550N 2675E	Soil			0.8	17.5	6.2	121	<0.1	49.7	21.2	757	3.74	32.2	0.9	1.3	20	0.2	1.3	<0.1	86	0.58	0.066	6
L4550N 2700E	Soil			1.6	48.7	5.6	164	0.3	91.8	47.0	1997	5.93	56.1	3.0	0.9	35	0.6	3.2	<0.1	116	0.94	0.120	7
L4550N 2725E	Soil			1.2	25.9	4.1	92	0.2	75.9	26.3	1312	4.03	59.9	2.9	0.9	31	0.4	0.9	<0.1	90	0.90	0.091	4
L4550N 2750E	Soil			1.0	42.9	4.0	34	0.1	32.9	14.6	466	2.39	48.4	8.4	0.4	115	0.5	2.1	<0.1	54	14.50	0.078	3
L4550N 2775E	Soil			7.0	68.6	7.1	137	0.1	102.2	42.5	2596	7.00	95.1	5.7	1.1	50	1.0	1.5	0.1	120	1.87	0.101	7
L4550N 2800E	Soil			0.6	35.2	4.1	46	0.1	35.5	13.6	1151	2.22	30.5	2.0	0.7	52	0.5	0.6	<0.1	35	8.20	0.102	6
L4550N 2825E	Soil			2.0	18.1	4.6	99	0.1	34.0	19.7	1772	2.95	20.6	1.7	0.6	28	0.5	0.5	<0.1	63	1.01	0.065	3
L4550N 2850E	Soil			0.9	32.0	6.0	155	0.1	62.3	24.9	1514	4.28	35.1	2.4	1.0	27	0.5	1.0	0.1	89	1.04	0.067	4
L4550N 2875E	Soil			0.6	8.8	6.5	123	<0.1	43.0	22.6	1869	2.66	19.3	0.8	0.9	24	0.4	0.4	0.1	64	0.63	0.069	4
L4550N 2900E	Soil			0.5	12.5	5.8	126	0.2	49.0	22.2	1099	2.63	19.2	2.7	1.0	24	0.5	0.5	0.1	56	0.67	0.126	3
L4550N 2925E	Soil			0.3	11.9	4.7	89	0.1	30.3	16.1	1224	1.94	18.6	2.1	1.0	16	0.4	0.3	0.1	46	0.36	0.107	3
L4550N 2950E	Soil			0.3	9.5	4.1	75	0.1	22.9	12.2	938	1.49	8.1	<0.5	0.6	27	0.6	0.2	0.2	41	0.69	0.057	3
L4550N 2975E	Soil			0.2	5.9	3.3	81	0.1	15.5	12.1	519	1.62	5.8	1.3	0.7	18	0.3	0.1	0.1	45	0.39	0.052	3
L4550N 3000E	Soil			0.2	8.8	3.9	87	<0.1	23.8	10.6	489	1.41	7.3	1.1	0.9	21	0.2	0.2	<0.1	37	0.37	0.075	3
L4600N 2500E	Soil			1.4	36.7	11.6	106	0.3	40.3	16.1	635	3.21	43.5	5.3	2.4	19	0.8	1.6	0.2	62	0.67	0.082	10
L4600N 2525E	Soil			0.6	33.5	9.6	124	0.1	38.9	14.6	563	2.81	25.7	1.5	2.3	17	0.6	0.9	0.2	48	0.53	0.023	9
L4600N 2550E	Soil			4.9	55.6	17.6	91	0.3	58.4	21.3	654	3.98	42.0	5.9	2.7	19	1.0	1.8	0.3	59	0.80	0.033	11
L4600N 2575E	Soil			1.4	48.5	8.1	172	0.3	70.7	27.4	879	4.62	34.6	4.8	1.7	19	1.0	2.5	0.2	71	0.83	0.028	7
L4600N 2600E	Soil			0.6	15.1	5.1	64	<0.1	29.4	13.0	325	2.50	13.9	4.5	1.6	8	0.1	0.5	0.1	60	0.33	0.067	5
L4600N 2625E	Soil			0.6	10.5	7.5	107	<0.1	33.9	12.3	577	2.30	17.3	2.3	1.6	11	0.2	0.4	0.2	41	0.28	0.258	5
L4600N 2650E	Soil			0.7	15.0	6.2	72	<0.1	38.3	17.1	1047	2.83	25.0	3.9	1.2	16	0.3	0.8	0.1	68	0.51	0.068	5
L4600N 2675E	Soil			1.0	20.2	5.0	84	0.1	46.8	19.7	648	3.33	29.9	202.8	0.7	11	0.2	0.8	<0.1	75	0.41	0.056	3
L4600N 2700E	Soil			0.8	49.9	5.0	92	<0.1	79.2	32.4	1304	5.15	46.7	5.9	1.2	32	0.7	1.2	<0.1	102	1.81	0.127	10
L4600N 2725E	Soil			0.7	21.7	4.4	66	<0.1	61.9	26.3	829	3.60	32.5	38.9	0.8	16	0.2	1.1	<0.1	78	0.60	0.027	3
L4600N 2750E	Soil			0.7	51.8	4.7	82	<0.1	84.1	38.9	1029	5.06	55.1	4.8	1.2	20	0.3	1.2	<0.1	97	0.75	0.015	6
L4600N 2775E	Soil			0.9	28.6	5.4	68	<0.1	69.8	32.8	944	4.81	57.9	1.5	0.8	26	0.4	0.9	<0.1	110	1.07	0.017	3
L4600N 2800E	Soil			1.2	27.1	5.3	75	<0.1	52.7	22.2	722	3.71	54.2	1.6	1.3	15	0.3	0.9	<0.1	107	0.59	0.030	5
L4600N 2825E	Soil			0.5	9.3	5.3	130	<0.1	27.3	11.8	1060	1.89	13.9	1.9	1.0	14	0.7	0.3	0.2	45	0.29	0.170	4
L4600N 2850E	Soil			0.3	7.9	2.9	95	0.1	17.2	12.0	986	1.54	10.4	5.7	0.4	15	0.3	0.1	<0.1	43	0.42	0.096	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L4550N 2650E	Soil			30	0.37	123	0.113	2	1.57	0.013	0.05	<0.1	<0.01	2.4	<0.1	<0.05	6	0.5	<0.2
L4550N 2675E	Soil			66	1.00	94	0.158	3	2.28	0.010	0.12	<0.1	<0.01	4.7	<0.1	<0.05	7	<0.5	<0.2
L4550N 2700E	Soil			79	1.08	147	0.091	5	2.55	0.012	0.08	<0.1	0.05	8.6	<0.1	0.08	8	0.6	<0.2
L4550N 2725E	Soil			45	0.86	68	0.149	4	2.04	0.016	0.04	<0.1	0.03	5.0	<0.1	0.07	6	0.9	<0.2
L4550N 2750E	Soil			41	0.74	30	0.121	4	0.95	0.009	0.03	0.1	0.06	3.7	<0.1	0.22	3	1.1	<0.2
L4550N 2775E	Soil			82	1.37	179	0.189	7	2.98	0.012	0.09	0.1	0.05	9.7	<0.1	0.10	9	0.6	<0.2
L4550N 2800E	Soil			30	0.53	117	0.099	9	1.61	0.016	0.09	<0.1	0.06	3.1	<0.1	0.18	4	1.2	<0.2
L4550N 2825E	Soil			30	0.51	95	0.159	3	1.25	0.013	0.06	<0.1	0.04	2.5	<0.1	0.10	4	0.7	<0.2
L4550N 2850E	Soil			60	1.16	105	0.245	5	2.41	0.012	0.10	<0.1	0.02	4.4	<0.1	0.06	8	0.7	<0.2
L4550N 2875E	Soil			37	0.53	120	0.151	3	1.79	0.019	0.08	<0.1	0.01	2.6	<0.1	0.06	6	0.6	<0.2
L4550N 2900E	Soil			34	0.55	86	0.128	3	1.73	0.017	0.08	<0.1	0.02	2.5	<0.1	<0.05	6	1.0	<0.2
L4550N 2925E	Soil			24	0.41	77	0.124	2	1.53	0.017	0.05	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
L4550N 2950E	Soil			13	0.24	69	0.102	3	0.87	0.019	0.07	<0.1	0.02	1.1	<0.1	0.09	3	<0.5	<0.2
L4550N 2975E	Soil			15	0.20	49	0.114	2	0.76	0.016	0.05	<0.1	0.03	1.1	<0.1	<0.05	4	<0.5	<0.2
L4550N 3000E	Soil			15	0.23	60	0.107	3	1.00	0.015	0.07	<0.1	0.03	1.1	<0.1	<0.05	4	<0.5	<0.2
L4600N 2500E	Soil			50	0.74	74	0.106	4	2.10	0.011	0.06	0.2	0.03	5.2	<0.1	0.09	5	1.0	<0.2
L4600N 2525E	Soil			42	0.62	77	0.129	4	2.36	0.013	0.04	0.1	0.01	6.1	0.1	<0.05	6	0.6	<0.2
L4600N 2550E	Soil			54	0.90	63	0.120	3	1.99	0.013	0.05	0.1	0.02	7.0	0.1	0.06	5	1.0	<0.2
L4600N 2575E	Soil			67	1.03	70	0.139	3	2.57	0.011	0.04	<0.1	0.03	8.9	<0.1	0.08	6	1.2	<0.2
L4600N 2600E	Soil			46	0.67	47	0.150	2	1.71	0.007	0.06	0.1	<0.01	3.1	<0.1	<0.05	5	0.5	<0.2
L4600N 2625E	Soil			36	0.42	134	0.096	2	2.21	0.009	0.08	0.1	<0.01	2.4	<0.1	<0.05	6	0.6	<0.2
L4600N 2650E	Soil			53	0.73	118	0.143	4	1.79	0.009	0.09	<0.1	<0.01	3.6	<0.1	<0.05	5	0.7	<0.2
L4600N 2675E	Soil			56	0.79	95	0.163	3	1.97	0.008	0.06	<0.1	0.01	4.3	<0.1	<0.05	6	0.7	<0.2
L4600N 2700E	Soil			79	1.14	152	0.109	10	2.55	0.010	0.12	0.1	0.01	11.3	<0.1	<0.05	8	1.0	<0.2
L4600N 2725E	Soil			55	0.69	134	0.179	5	2.43	0.011	0.09	0.1	<0.01	5.4	<0.1	<0.05	7	0.8	<0.2
L4600N 2750E	Soil			74	1.01	168	0.166	5	3.32	0.014	0.10	<0.1	<0.01	10.4	<0.1	<0.05	9	0.6	<0.2
L4600N 2775E	Soil			79	1.09	133	0.257	5	2.94	0.007	0.07	<0.1	<0.01	8.2	<0.1	<0.05	8	0.7	<0.2
L4600N 2800E	Soil			68	1.03	113	0.259	4	2.41	0.007	0.07	0.1	<0.01	6.1	<0.1	<0.05	7	0.7	<0.2
L4600N 2825E	Soil			25	0.33	143	0.095	2	1.39	0.010	0.06	<0.1	0.01	1.9	0.1	<0.05	5	0.7	<0.2
L4600N 2850E	Soil			16	0.18	71	0.081	3	0.71	0.010	0.05	<0.1	0.02	1.1	<0.1	<0.05	3	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P	1DX15 La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L4600N 2875E	Soil			0.8	18.5	4.5	104	<0.1	51.0	20.7	589	2.44	17.5	2.6	0.8	16	0.3	0.4	<0.1	53	0.60	0.132	3
L4600N 2900E	Soil			0.3	10.4	3.9	132	<0.1	19.3	14.1	2077	1.74	8.1	1.6	0.5	21	0.8	0.2	<0.1	49	0.73	0.071	3
L4600N 2925E	Soil			0.4	10.2	5.4	184	0.2	26.7	13.1	1356	1.89	13.6	1.7	0.8	27	0.7	0.2	0.1	44	0.53	0.151	3
L4600N 2950E	Soil			0.4	36.4	4.9	155	0.2	58.8	36.6	2125	3.01	27.6	80.6	0.6	39	1.0	0.5	<0.1	51	1.08	0.180	3
L4600N 2975E	Soil			0.5	16.8	5.6	126	0.1	40.4	21.4	956	2.23	24.0	1.9	0.8	29	0.5	0.3	0.1	51	0.65	0.088	3
L4600N 3000E	Soil			0.7	19.0	6.9	150	0.1	46.3	16.9	1105	2.13	22.5	<0.5	1.3	16	0.5	0.5	0.1	46	0.39	0.135	5
L4650N 2475E	Soil			0.6	8.2	10.8	372	0.8	40.9	5.6	130	1.59	26.4	<0.5	2.3	19	1.4	0.4	0.2	24	0.58	0.073	7
L4650N 2500E	Soil			2.3	69.5	9.2	82	0.3	63.9	27.4	597	4.39	72.7	16.9	3.0	15	0.9	2.5	0.1	94	0.58	0.043	13
L4650N 2525E	Soil			0.7	37.3	8.3	100	0.2	44.1	16.6	472	3.20	25.4	2.3	1.5	16	0.5	1.1	0.1	76	0.79	0.020	5
L4650N 2550E	Soil			0.9	17.8	5.6	91	0.1	39.1	14.9	385	2.67	23.3	3.4	1.5	10	0.4	0.7	0.1	65	0.33	0.057	6
L4650N 2575E	Soil			0.8	18.8	9.5	135	0.2	49.7	15.6	317	2.90	49.8	2.6	1.8	14	0.6	0.9	0.1	56	0.46	0.179	6
L4650N 2600E	Soil			1.5	23.1	11.3	143	0.1	40.8	13.3	431	2.48	23.0	2.6	1.8	13	0.5	0.9	0.2	50	0.39	0.082	8
L4650N 2625E	Soil			0.5	10.4	3.6	156	0.1	31.2	12.0	707	2.30	17.6	1.7	0.7	13	0.2	0.5	<0.1	58	0.37	0.113	3
L4650N 2650E	Soil			1.0	15.7	5.9	101	<0.1	49.4	17.6	910	2.91	25.0	1.0	0.7	9	0.4	0.7	<0.1	67	0.30	0.092	2
L4650N 2675E	Soil			0.6	13.5	2.7	83	<0.1	34.9	13.4	483	2.45	19.2	1.7	0.6	9	<0.1	0.7	0.1	67	0.23	0.025	2
L4650N 2700E	Soil			1.1	17.5	4.2	114	<0.1	63.5	22.7	742	3.60	30.0	2.5	0.8	18	0.3	0.9	<0.1	83	0.58	0.048	3
L4650N 2725E	Soil			3.0	48.7	5.7	90	0.1	64.0	31.1	976	4.23	49.5	64.5	1.0	27	0.6	1.9	<0.1	86	0.95	0.037	7
L4650N 2750E	Soil			0.8	10.8	3.3	75	<0.1	34.2	12.3	306	2.44	17.0	3.1	0.4	9	0.1	0.4	<0.1	56	0.25	0.023	2
L4650N 2775E	Soil			0.4	19.1	5.1	59	<0.1	48.3	22.2	989	2.34	41.2	5.2	1.0	18	0.3	0.5	0.1	56	0.52	0.036	4
L4650N 2800E	Soil			0.6	18.1	4.9	53	<0.1	40.9	21.3	1325	2.45	32.4	1.2	0.7	30	0.3	0.3	<0.1	66	0.94	0.022	3
L4650N 2825E	Soil			1.1	27.3	5.7	75	<0.1	60.0	24.9	514	4.52	57.9	13.8	1.0	13	0.2	1.1	0.4	103	0.55	0.019	4
L4650N 2850E	Soil			0.3	7.9	4.2	91	0.1	25.2	11.7	938	1.73	15.8	0.7	0.6	13	0.3	0.2	0.3	48	0.33	0.069	3
L4650N 2875E	Soil			0.7	21.2	4.6	142	<0.1	59.0	35.4	723	4.49	35.8	3.8	1.1	13	0.4	0.6	0.3	85	0.62	0.070	3
L4650N 2900E	Soil			0.5	27.7	5.0	107	<0.1	46.6	31.3	1654	4.07	62.5	2.2	0.8	19	0.6	0.6	0.2	71	0.79	0.109	3
L4650N 2925E	Soil			0.3	14.9	6.1	129	0.1	34.8	18.3	1391	1.89	17.6	2.2	0.9	18	0.5	0.3	0.2	45	0.40	0.123	3
L4650N 2950E	Soil			0.4	10.7	7.8	217	0.1	26.3	12.2	1171	1.70	11.9	2.2	1.3	23	0.9	0.3	0.2	33	0.45	0.204	3
L4650N 2975E	Soil			0.9	31.0	5.9	79	0.1	52.6	24.7	910	3.64	30.6	11.7	1.3	29	0.4	0.8	0.1	76	0.89	0.063	5
L4700N 2475E	Soil			0.9	14.0	9.6	161	0.2	31.8	12.3	1059	2.32	23.8	1.9	1.3	20	1.3	0.7	0.4	46	0.38	0.237	6
L4700N 2500E	Soil			1.2	16.3	14.5	192	0.4	44.5	15.0	323	3.44	52.4	<0.5	2.7	18	0.7	1.0	0.3	52	0.32	0.329	8
L4700N 2525E	Soil			0.8	17.0	6.5	140	0.1	43.5	16.1	1049	2.73	43.3	71.5	1.6	14	1.1	0.7	0.2	56	0.31	0.205	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L4600N 2875E	Soil	28	0.44	56	0.111	2	1.68	0.011	0.07	0.1	0.02	3.0	<0.1	<0.05	6	0.8	<0.2
L4600N 2900E	Soil	22	0.23	111	0.114	2	0.86	0.009	0.05	<0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
L4600N 2925E	Soil	27	0.40	118	0.100	3	1.43	0.011	0.07	<0.1	0.03	2.1	<0.1	<0.05	6	0.9	<0.2
L4600N 2950E	Soil	38	0.69	141	0.116	4	1.56	0.011	0.07	0.1	0.07	3.9	<0.1	0.05	5	0.6	<0.2
L4600N 2975E	Soil	27	0.48	87	0.116	4	1.44	0.012	0.07	<0.1	0.03	2.2	<0.1	<0.05	6	1.1	<0.2
L4600N 3000E	Soil	33	0.45	132	0.120	3	2.04	0.009	0.08	<0.1	0.02	2.2	<0.1	<0.05	6	0.8	<0.2
L4650N 2475E	Soil	45	0.19	58	0.112	3	3.24	0.021	0.04	<0.1	0.03	2.0	<0.1	<0.05	5	1.1	<0.2
L4650N 2500E	Soil	79	1.11	73	0.145	2	1.98	0.012	0.07	0.1	0.03	8.7	<0.1	<0.05	6	0.7	<0.2
L4650N 2525E	Soil	65	0.96	46	0.225	2	2.01	0.010	0.06	0.1	<0.01	5.7	<0.1	<0.05	6	0.6	<0.2
L4650N 2550E	Soil	44	0.63	68	0.124	2	1.90	0.008	0.07	0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
L4650N 2575E	Soil	42	0.58	73	0.103	3	2.38	0.011	0.05	0.1	<0.01	3.6	<0.1	<0.05	6	0.7	<0.2
L4650N 2600E	Soil	33	0.45	73	0.091	3	1.86	0.010	0.07	<0.1	0.02	2.8	0.1	<0.05	6	1.4	<0.2
L4650N 2625E	Soil	37	0.58	103	0.112	8	1.49	0.010	0.08	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
L4650N 2650E	Soil	44	0.67	97	0.137	3	1.88	0.010	0.07	<0.1	0.03	2.9	<0.1	<0.05	7	0.6	<0.2
L4650N 2675E	Soil	44	0.58	94	0.116	3	1.67	0.011	0.05	<0.1	0.01	2.8	<0.1	<0.05	6	<0.5	<0.2
L4650N 2700E	Soil	58	0.88	102	0.158	3	2.71	0.011	0.09	<0.1	0.01	4.5	<0.1	<0.05	8	0.6	<0.2
L4650N 2725E	Soil	60	0.97	137	0.123	4	2.71	0.009	0.07	<0.1	0.04	8.9	<0.1	<0.05	7	1.0	<0.2
L4650N 2750E	Soil	39	0.61	94	0.081	2	2.19	0.013	0.06	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
L4650N 2775E	Soil	30	0.38	90	0.144	3	2.25	0.014	0.08	<0.1	0.01	3.4	<0.1	<0.05	6	0.6	<0.2
L4650N 2800E	Soil	36	0.40	142	0.182	4	1.63	0.010	0.08	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
L4650N 2825E	Soil	66	0.99	80	0.215	2	2.36	0.008	0.06	0.1	<0.01	5.3	<0.1	<0.05	7	1.0	<0.2
L4650N 2850E	Soil	21	0.27	67	0.096	1	1.11	0.011	0.05	<0.1	0.01	1.6	<0.1	<0.05	5	0.7	<0.2
L4650N 2875E	Soil	44	0.66	64	0.179	2	1.96	0.009	0.04	0.3	0.03	3.7	<0.1	<0.05	8	0.8	<0.2
L4650N 2900E	Soil	36	0.53	108	0.155	2	1.53	0.010	0.06	0.1	0.03	2.6	<0.1	<0.05	7	<0.5	<0.2
L4650N 2925E	Soil	23	0.29	134	0.105	2	1.35	0.013	0.06	<0.1	0.04	1.8	<0.1	<0.05	5	0.6	<0.2
L4650N 2950E	Soil	20	0.24	145	0.087	2	1.23	0.009	0.05	<0.1	0.03	1.5	<0.1	<0.05	5	0.6	<0.2
L4650N 2975E	Soil	49	0.67	93	0.176	1	1.90	0.010	0.06	0.1	0.03	4.7	<0.1	<0.05	7	0.7	<0.2
L4700N 2475E	Soil	33	0.42	176	0.086	2	1.97	0.009	0.07	<0.1	0.05	2.4	0.2	<0.05	7	<0.5	<0.2
L4700N 2500E	Soil	39	0.48	160	0.085	<1	3.20	0.011	0.06	0.2	0.04	2.5	0.1	<0.05	7	<0.5	<0.2
L4700N 2525E	Soil	45	0.60	174	0.108	2	1.98	0.010	0.07	0.1	0.01	3.5	<0.1	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L4700N 2550E	Soil		21.6	46.1	4.8	106	0.1	59.2	21.1	386	4.68	85.5	4.1	2.1	14	0.6	1.6	0.1	96	0.37	0.049	7
L4700N 2575E	Soil		2.0	40.5	4.5	58	<0.1	46.4	17.9	387	3.73	34.5	4.7	1.9	12	0.2	1.4	<0.1	79	0.43	0.054	7
L4700N 2600E	Soil		1.3	30.1	5.0	93	<0.1	56.9	22.5	393	4.71	58.1	123.5	1.2	11	0.3	1.3	<0.1	111	0.49	0.052	4
L4700N 2625E	Soil		1.3	40.8	5.4	148	0.2	70.1	23.6	710	4.31	55.2	841.2	1.1	19	1.2	1.6	0.1	75	1.29	0.072	5
L4700N 2650E	Soil		0.5	129.2	4.6	230	0.2	78.1	7.1	588	0.94	16.2	5.7	<0.1	86	7.1	1.7	0.2	13	22.84	0.098	3
L4700N 2675E	Soil		0.3	47.9	4.6	132	0.1	39.3	11.2	565	1.83	27.9	3.5	0.2	55	1.9	1.0	<0.1	29	15.16	0.047	4
L4700N 2700E	Soil		0.7	52.4	11.0	77	0.1	54.0	24.1	857	4.70	49.7	1.7	1.4	18	0.2	1.0	<0.1	103	0.88	0.022	5
L4700N 2725E	Soil		0.3	10.6	4.6	97	<0.1	37.4	13.9	479	1.93	16.4	2.1	0.9	15	0.3	0.2	0.1	43	0.45	0.100	3
L4700N 2750E	Soil		0.8	34.4	6.4	78	<0.1	62.5	27.1	485	5.07	37.9	24.9	1.2	13	0.2	1.5	<0.1	109	0.46	0.028	4
L4700N 2775E	Soil		0.5	20.4	7.0	67	<0.1	66.9	27.3	687	3.19	51.0	8.7	0.8	27	0.3	0.8	0.1	76	0.85	0.022	3
L4700N 2800E	Soil		0.6	29.6	5.7	82	<0.1	75.2	35.2	1411	4.61	55.6	<0.5	1.1	22	0.4	1.0	0.1	107	0.93	0.037	5
L4700N 2825E	Soil		1.7	43.3	5.9	107	<0.1	100.7	48.4	647	7.49	77.3	2.5	1.0	15	0.2	3.0	0.1	132	1.00	0.046	5
L4700N 2850E	Soil		0.4	9.0	7.1	48	0.1	20.4	8.3	375	1.74	26.1	0.7	1.6	13	0.1	0.3	0.1	29	0.32	0.143	4
L4700N 2875E	Soil		0.4	17.4	5.0	105	0.1	36.2	23.1	1630	2.66	34.7	<0.5	0.7	21	0.4	1.1	<0.1	65	0.45	0.084	3
L4700N 2900E	Soil		0.7	27.2	8.9	135	<0.1	65.6	23.5	760	2.84	35.9	<0.5	1.6	24	0.3	0.8	0.2	61	0.56	0.126	5
L4700N 2925E	Soil		0.4	6.6	6.8	129	<0.1	27.2	16.2	419	1.64	14.7	<0.5	1.0	12	0.3	0.2	0.1	40	0.29	0.056	4
L4700N 2950E	Soil		0.9	87.0	8.6	114	0.2	102.7	45.7	2088	6.08	130.3	63.0	0.8	46	0.5	3.0	<0.1	78	1.69	0.079	7
L4700N 2975E	Soil		0.3	9.0	6.0	125	<0.1	23.9	12.7	1245	1.89	17.1	<0.5	1.2	17	0.6	0.2	0.1	46	0.41	0.040	4
L4750N 2450E	Soil		1.6	24.5	13.6	136	0.3	34.9	11.5	644	2.68	35.7	1.7	2.5	22	1.0	1.3	0.4	47	0.35	0.180	10
L4750N 2475E	Soil		1.1	12.0	8.7	107	<0.1	27.6	12.8	1189	2.32	11.1	1.1	1.8	14	1.3	0.6	0.1	54	0.39	0.056	8
L4750N 2500E	Soil		0.8	11.3	6.3	109	0.1	33.2	11.9	700	2.36	13.9	2.7	1.9	16	0.9	0.6	0.1	54	0.44	0.062	8
L4750N 2525E	Soil		0.9	11.3	5.1	123	0.1	32.1	11.8	712	2.42	26.0	4.7	1.6	10	0.6	0.6	0.3	54	0.28	0.204	5
L4750N 2550E	Soil		2.2	67.3	7.6	86	0.2	62.4	25.4	892	4.90	94.0	24.6	1.6	28	0.8	2.2	0.2	111	1.30	0.079	8
L4750N 2575E	Soil		1.1	17.9	5.6	131	0.1	61.8	18.3	343	3.68	67.3	5.5	1.5	13	0.4	0.8	0.2	76	0.33	0.090	4
L4750N 2600E	Soil		1.2	36.4	4.8	63	0.1	49.8	20.0	578	4.05	38.6	8.7	1.3	18	0.3	2.5	0.1	96	0.75	0.046	6
L4750N 2625E	Soil		1.3	23.3	6.1	76	<0.1	53.1	20.7	521	3.69	55.5	3.7	1.3	12	0.2	0.8	0.1	99	0.45	0.048	5
L4750N 2650E	Soil		1.1	52.8	6.3	81	0.1	53.2	22.3	894	3.75	63.4	9.4	1.5	18	0.4	1.1	<0.1	92	0.72	0.087	6
L4750N 2675E	Soil		0.6	12.4	4.0	102	<0.1	43.9	19.5	1162	2.94	40.4	28.1	0.7	11	0.3	0.6	<0.1	72	0.35	0.084	3
L4750N 2700E	Soil		0.7	51.7	4.7	98	0.2	62.0	25.8	892	3.62	69.3	20.0	0.8	24	0.8	0.9	<0.1	71	2.52	0.044	6
L4750N 2725E	Soil		1.1	44.2	8.7	176	0.1	109.9	31.5	542	3.96	99.7	9.6	1.6	16	0.4	0.9	0.2	82	0.38	0.163	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	0.2		
L4700N 2550E	Soil	72	1.13	43	0.149	<1	1.97	0.007	0.05	0.1	0.02	8.1	<0.1	<0.05	6	1.0	<0.2
L4700N 2575E	Soil	60	0.84	50	0.142	<1	1.69	0.007	0.07	0.1	<0.01	6.4	<0.1	<0.05	5	0.8	<0.2
L4700N 2600E	Soil	79	1.33	60	0.186	<1	2.27	0.006	0.04	<0.1	<0.01	5.5	<0.1	<0.05	7	0.8	<0.2
L4700N 2625E	Soil	56	0.58	95	0.115	4	1.80	0.010	0.07	<0.1	0.03	5.4	<0.1	<0.05	5	0.7	<0.2
L4700N 2650E	Soil	15	0.19	41	0.015	6	0.50	0.009	0.02	0.1	0.11	0.9	<0.1	0.14	<1	1.1	<0.2
L4700N 2675E	Soil	31	0.30	52	0.043	8	1.09	0.010	0.03	<0.1	0.05	2.8	<0.1	0.11	2	1.5	<0.2
L4700N 2700E	Soil	72	0.74	107	0.235	2	2.56	0.011	0.10	0.2	0.01	11.1	<0.1	<0.05	8	<0.5	<0.2
L4700N 2725E	Soil	23	0.39	83	0.115	2	1.44	0.014	0.06	<0.1	0.03	1.8	<0.1	<0.05	5	0.5	<0.2
L4700N 2750E	Soil	75	1.26	65	0.160	2	2.71	0.008	0.06	0.1	0.01	6.1	<0.1	<0.05	8	1.1	<0.2
L4700N 2775E	Soil	45	0.70	85	0.143	7	2.18	0.011	0.15	<0.1	0.03	4.3	<0.1	<0.05	7	<0.5	<0.2
L4700N 2800E	Soil	63	0.62	135	0.201	5	2.62	0.013	0.07	<0.1	0.06	7.7	<0.1	<0.05	8	<0.5	<0.2
L4700N 2825E	Soil	83	0.71	73	0.155	3	3.06	0.008	0.07	<0.1	0.02	10.2	<0.1	<0.05	9	0.5	<0.2
L4700N 2850E	Soil	16	0.14	72	0.098	3	2.57	0.017	0.03	<0.1	0.02	1.7	<0.1	<0.05	7	<0.5	<0.2
L4700N 2875E	Soil	35	0.40	131	0.080	3	1.31	0.012	0.04	<0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
L4700N 2900E	Soil	37	0.54	93	0.140	4	2.63	0.013	0.06	0.1	0.03	2.9	<0.1	<0.05	8	0.7	<0.2
L4700N 2925E	Soil	19	0.26	57	0.097	2	1.54	0.014	0.05	<0.1	0.02	1.5	<0.1	<0.05	6	0.8	<0.2
L4700N 2950E	Soil	64	0.67	170	0.072	5	2.54	0.006	0.17	<0.1	0.06	8.9	<0.1	<0.05	7	0.9	<0.2
L4700N 2975E	Soil	24	0.28	119	0.144	2	1.51	0.013	0.05	<0.1	0.03	1.8	<0.1	<0.05	6	0.6	<0.2
L4750N 2450E	Soil	34	0.46	109	0.098	1	2.24	0.012	0.07	0.1	0.03	2.6	0.1	<0.05	6	1.3	<0.2
L4750N 2475E	Soil	36	0.48	100	0.112	<1	1.49	0.014	0.06	0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
L4750N 2500E	Soil	37	0.51	101	0.118	<1	1.70	0.009	0.06	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
L4750N 2525E	Soil	38	0.54	112	0.116	<1	1.81	0.011	0.05	<0.1	0.02	2.4	0.1	<0.05	6	1.0	<0.2
L4750N 2550E	Soil	79	1.39	51	0.192	4	2.01	0.010	0.08	0.2	0.06	8.9	<0.1	<0.05	6	1.7	<0.2
L4750N 2575E	Soil	48	0.68	63	0.158	2	2.39	0.012	0.07	0.1	0.03	3.8	<0.1	<0.05	7	0.7	<0.2
L4750N 2600E	Soil	70	0.70	65	0.171	2	1.98	0.013	0.10	<0.1	0.04	6.1	<0.1	<0.05	6	0.9	<0.2
L4750N 2625E	Soil	71	1.05	98	0.184	1	2.20	0.009	0.08	<0.1	<0.01	4.9	<0.1	<0.05	7	<0.5	<0.2
L4750N 2650E	Soil	69	1.01	94	0.175	4	1.99	0.009	0.10	0.1	0.01	6.6	<0.1	<0.05	6	<0.5	<0.2
L4750N 2675E	Soil	49	0.49	112	0.121	3	1.67	0.010	0.08	<0.1	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
L4750N 2700E	Soil	58	0.33	108	0.106	7	1.61	0.010	0.08	<0.1	0.05	9.1	<0.1	<0.05	5	<0.5	<0.2
L4750N 2725E	Soil	61	0.98	117	0.140	3	3.11	0.010	0.07	<0.1	0.04	4.5	<0.1	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P	1DX15 La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L4750N 2750E	Soil			0.2	9.2	3.9	120	<0.1	20.2	9.7	574	1.34	12.9	<0.5	0.8	16	0.3	0.2	<0.1	41	0.33	0.277	3
L4750N 2775E	Soil			0.5	28.4	5.7	94	<0.1	50.2	27.9	639	2.96	34.8	5.3	1.2	15	0.5	0.4	<0.1	63	0.42	0.116	4
L4750N 2800E	Soil			0.5	33.9	8.6	181	<0.1	72.5	39.6	1013	4.54	24.2	1.4	2.0	19	0.7	0.5	0.2	90	0.48	0.161	7
L4750N 2825E	Soil			0.3	21.5	3.7	86	<0.1	34.0	18.6	677	2.07	21.2	0.9	0.8	15	0.8	0.3	<0.1	52	0.52	0.115	3
L4750N 2850E	Soil			1.1	45.6	4.5	113	<0.1	79.8	47.3	789	5.02	29.7	3.5	1.0	15	0.2	1.3	<0.1	132	0.48	0.064	5
L4750N 2875E	Soil			0.3	3.7	4.5	48	<0.1	7.6	5.8	501	1.01	3.0	1.0	0.6	10	0.3	<0.1	<0.1	38	0.28	0.138	2
L4750N 2900E	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L4750N 2925E	Soil			0.6	22.7	9.0	139	0.1	28.7	22.5	1156	2.93	14.2	2.9	1.1	16	0.6	0.7	0.2	71	0.41	0.143	5
L4750N 2950E	Soil			0.9	48.2	9.6	141	0.2	53.8	46.4	3630	3.75	28.9	<0.5	1.0	44	0.9	0.5	0.2	75	0.97	0.110	6
L4800N 2450E	Soil			1.2	31.8	8.2	99	0.2	51.5	18.7	690	3.30	38.2	<0.5	2.2	16	0.6	0.9	0.1	75	0.44	0.128	8
L4800N 2475E	Soil			1.3	17.5	8.0	152	0.3	48.8	16.0	738	2.99	50.6	3.0	1.4	10	0.7	0.7	0.2	68	0.21	0.154	5
L4800N 2500E	Soil			1.2	16.5	7.0	141	0.1	42.0	15.7	511	2.90	36.6	11.8	1.6	13	0.7	0.7	0.1	69	0.39	0.085	6
L4800N 2525E	Soil			0.8	24.1	8.6	164	0.3	75.0	20.5	303	3.90	39.9	2.6	2.3	14	0.8	1.1	0.1	86	0.43	0.127	7
L4800N 2550E	Soil			2.6	67.2	6.8	90	0.2	68.4	27.5	805	4.74	98.0	14.5	1.7	40	0.8	2.5	<0.1	109	3.66	0.091	7
L4800N 2575E	Soil			1.8	27.7	5.4	105	<0.1	61.3	21.6	749	3.68	64.5	5.9	1.0	17	0.6	1.1	<0.1	86	0.46	0.107	4
L4800N 2600E	Soil			1.5	43.8	5.4	115	<0.1	83.0	28.2	891	5.15	72.6	2.1	1.2	13	0.4	1.9	<0.1	122	0.48	0.053	5
L4800N 2625E	Soil			0.7	27.7	5.2	87	<0.1	85.1	24.9	746	4.75	85.7	4.4	1.3	20	0.3	1.3	<0.1	113	0.67	0.038	6
L4800N 2650E	Soil			0.6	26.1	5.9	59	<0.1	51.8	18.4	519	3.59	69.3	2.3	1.5	14	0.3	0.6	<0.1	85	0.70	0.040	6
L4800N 2675E	Soil			1.0	22.6	5.3	79	0.1	42.9	17.8	512	3.51	47.4	65.1	1.3	11	0.3	0.7	<0.1	97	0.52	0.053	5
L4800N 2700E	Soil			0.7	18.8	8.2	132	<0.1	75.2	28.1	1028	4.09	121.8	<0.5	1.4	17	0.4	0.6	0.1	86	0.48	0.094	5
L4800N 2725E	Soil			0.5	15.7	7.0	165	<0.1	30.7	12.3	1310	2.45	24.9	<0.5	1.0	21	0.6	0.2	0.1	56	0.71	0.220	3
L4800N 2750E	Soil			0.3	68.2	6.0	163	0.1	58.1	11.1	432	1.56	27.9	2.0	1.2	24	0.3	0.5	0.1	30	2.26	0.051	8
L4800N 2775E	Soil			0.9	51.7	6.6	134	<0.1	101.7	43.0	1186	5.51	112.1	2.7	1.6	21	0.5	0.9	<0.1	115	0.66	0.116	6
L4800N 2800E	Soil			0.6	14.6	6.9	328	0.1	38.5	15.9	1095	2.07	36.2	<0.5	1.2	17	2.5	0.2	0.1	46	0.60	0.118	4
L4800N 2825E	Soil			0.7	54.0	8.1	117	<0.1	74.7	39.3	1975	4.04	78.4	2.7	1.7	20	0.6	0.5	0.1	94	0.65	0.106	7
L4800N 2850E	Soil			0.9	36.5	12.3	175	0.1	72.0	36.6	1035	4.70	23.6	1.3	1.5	19	0.9	0.7	0.1	109	0.56	0.084	5
L4800N 2875E	Soil			0.3	5.0	5.6	149	<0.1	13.8	8.8	478	2.05	7.3	<0.5	0.7	13	1.0	0.3	<0.1	59	0.31	0.126	2
L4800N 2900E	Soil			0.7	23.5	13.4	194	0.2	21.2	19.2	1663	2.88	20.9	17.6	1.1	48	1.7	0.3	0.2	60	0.80	0.200	4
L4800N 2925E	Soil			0.7	29.3	13.7	219	<0.1	60.2	34.3	2522	3.43	25.3	0.7	1.3	31	1.5	0.3	0.2	75	0.71	0.128	6
L4800N 2950E	Soil			0.7	11.6	13.5	197	<0.1	21.4	15.7	1878	2.83	30.5	<0.5	1.2	25	1.6	0.4	0.2	66	0.75	0.087	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003086.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L4750N 2750E	Soil	17	0.18	119	0.091	2	1.07	0.010	0.04	<0.1	0.02	1.5	<0.1	<0.05	3	<0.5	<0.2
L4750N 2775E	Soil	33	0.37	87	0.158	2	1.86	0.012	0.04	0.1	0.03	2.7	<0.1	<0.05	5	0.6	<0.2
L4750N 2800E	Soil	56	0.91	115	0.179	3	3.26	0.011	0.04	0.1	0.04	4.8	<0.1	<0.05	9	<0.5	<0.2
L4750N 2825E	Soil	25	0.31	86	0.117	3	1.29	0.012	0.03	<0.1	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
L4750N 2850E	Soil	79	1.03	58	0.234	2	2.54	0.009	0.03	0.2	0.03	7.0	<0.1	<0.05	8	<0.5	<0.2
L4750N 2875E	Soil	10	0.07	70	0.091	2	0.61	0.010	0.02	<0.1	0.02	0.6	<0.1	<0.05	3	<0.5	<0.2
L4750N 2900E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L4750N 2925E	Soil	31	0.35	75	0.163	<1	1.74	0.009	0.04	0.1	0.05	2.4	<0.1	<0.05	8	<0.5	<0.2
L4750N 2950E	Soil	39	0.46	281	0.161	2	2.32	0.009	0.07	0.2	0.08	2.9	<0.1	<0.05	8	<0.5	<0.2
L4800N 2450E	Soil	53	0.56	119	0.136	1	2.28	0.010	0.09	0.2	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
L4800N 2475E	Soil	43	0.47	128	0.125	1	2.04	0.010	0.05	<0.1	0.05	3.1	<0.1	<0.05	7	<0.5	<0.2
L4800N 2500E	Soil	40	0.47	82	0.132	1	1.92	0.011	0.08	0.2	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
L4800N 2525E	Soil	71	0.83	125	0.152	2	3.29	0.017	0.05	0.1	0.01	6.1	0.1	<0.05	8	<0.5	<0.2
L4800N 2550E	Soil	84	1.33	46	0.178	2	1.98	0.009	0.08	0.1	0.04	8.2	<0.1	<0.05	6	0.7	<0.2
L4800N 2575E	Soil	58	0.63	86	0.145	2	1.97	0.011	0.10	<0.1	0.01	4.2	<0.1	<0.05	6	<0.5	<0.2
L4800N 2600E	Soil	92	1.15	87	0.165	2	2.46	0.009	0.08	<0.1	0.02	7.4	<0.1	<0.05	8	<0.5	<0.2
L4800N 2625E	Soil	87	0.92	115	0.148	3	3.41	0.010	0.13	0.1	0.03	8.5	0.1	<0.05	9	<0.5	<0.2
L4800N 2650E	Soil	61	0.56	104	0.203	5	2.88	0.013	0.13	<0.1	0.02	6.5	<0.1	<0.05	7	<0.5	<0.2
L4800N 2675E	Soil	66	0.99	78	0.222	1	2.15	0.010	0.10	<0.1	<0.01	5.1	<0.1	<0.05	7	<0.5	<0.2
L4800N 2700E	Soil	60	0.59	164	0.121	5	2.67	0.012	0.14	<0.1	0.01	4.8	<0.1	<0.05	8	<0.5	<0.2
L4800N 2725E	Soil	32	0.35	125	0.116	3	1.86	0.013	0.05	<0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2
L4800N 2750E	Soil	24	0.21	53	0.081	2	1.70	0.025	0.04	<0.1	0.02	5.1	<0.1	<0.05	3	<0.5	<0.2
L4800N 2775E	Soil	87	1.10	191	0.191	2	3.10	0.011	0.10	<0.1	0.03	8.7	<0.1	<0.05	9	<0.5	<0.2
L4800N 2800E	Soil	26	0.29	124	0.126	3	1.96	0.015	0.05	<0.1	0.05	2.5	<0.1	<0.05	5	0.5	<0.2
L4800N 2825E	Soil	39	0.53	148	0.191	4	3.05	0.013	0.05	<0.1	0.04	5.0	<0.1	<0.05	8	<0.5	<0.2
L4800N 2850E	Soil	61	0.82	108	0.204	3	3.03	0.011	0.04	0.1	0.05	5.3	<0.1	<0.05	9	<0.5	<0.2
L4800N 2875E	Soil	22	0.21	73	0.142	<1	0.81	0.012	0.03	<0.1	0.02	1.5	<0.1	<0.05	4	<0.5	<0.2
L4800N 2900E	Soil	34	0.31	135	0.169	2	1.40	0.008	0.08	<0.1	0.08	2.5	<0.1	<0.05	8	<0.5	<0.2
L4800N 2925E	Soil	42	0.49	206	0.168	4	3.05	0.013	0.13	0.1	0.06	3.5	0.1	<0.05	9	<0.5	<0.2
L4800N 2950E	Soil	35	0.47	121	0.205	3	1.68	0.010	0.08	0.2	0.07	1.8	<0.1	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN11003086.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L4350N 2700E	Soil	1.0	11.0	6.2	265	0.6	46.9	13.3	329	2.13	12.2	1.0	2.1	12	1.9	1.4	0.1	45	0.23	0.148	8
REP L4350N 2700E	QC	1.2	11.2	6.4	264	0.6	46.1	13.4	320	2.04	11.8	2.3	2.2	12	2.0	1.3	0.1	42	0.24	0.151	8
L4400N 2625E	Soil	1.4	16.5	10.5	417	0.1	106.2	13.9	306	2.83	17.3	0.7	2.9	16	2.4	1.2	0.3	58	0.46	0.028	13
REP L4400N 2625E	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4400N 2675E	Soil	2.3	42.1	5.9	182	<0.1	81.3	41.4	1589	7.90	37.4	1.4	0.8	23	1.0	2.9	0.1	132	0.80	0.206	4
REP L4400N 2675E	QC	2.1	43.2	6.3	187	<0.1	84.5	43.9	1724	7.81	39.1	0.8	0.9	25	1.2	2.9	0.1	129	0.83	0.214	4
L4400N 2925E	Soil	0.6	15.0	6.9	190	<0.1	52.1	20.7	925	2.92	70.3	9.9	1.2	11	0.6	0.6	0.1	59	0.39	0.061	3
REP L4400N 2925E	QC	0.6	15.0	6.9	195	<0.1	50.7	20.7	912	2.81	71.1	2.7	1.3	12	0.6	0.6	0.1	56	0.39	0.059	3
L4500N 2525E	Soil	0.4	5.8	5.1	112	0.1	17.4	6.7	725	1.47	13.0	1.4	1.0	8	0.5	0.2	<0.1	33	0.23	0.165	3
REP L4500N 2525E	QC	0.4	5.5	4.9	110	0.1	16.9	6.4	705	1.41	12.7	<0.5	1.0	8	0.6	0.2	<0.1	31	0.24	0.171	3
L4500N 3000E	Soil	0.6	15.9	8.3	115	<0.1	39.5	16.2	458	2.62	38.1	0.9	1.8	17	0.4	0.4	0.1	53	0.38	0.174	4
REP L4500N 3000E	QC	0.6	15.9	8.7	114	0.1	39.0	16.4	439	2.53	38.3	1.5	1.7	18	0.4	0.4	0.1	51	0.41	0.178	4
L4550N 2600E	Soil	0.4	9.4	6.8	112	0.1	22.1	10.4	1465	2.00	6.3	<0.5	1.5	20	0.8	0.4	0.1	47	0.50	0.096	6
REP L4550N 2600E	QC	0.5	10.6	7.1	122	0.1	22.5	10.9	1643	2.30	6.9	1.3	1.6	22	0.9	0.4	0.1	49	0.57	0.103	7
L4600N 2600E	Soil	0.6	15.1	5.1	64	<0.1	29.4	13.0	325	2.50	13.9	4.5	1.6	8	0.1	0.5	0.1	60	0.33	0.067	5
REP L4600N 2600E	QC	0.7	14.0	5.2	59	<0.1	31.4	12.9	299	2.33	12.5	1.2	1.4	8	0.1	0.6	0.1	53	0.30	0.066	5
L4650N 2575E	Soil	0.8	18.8	9.5	135	0.2	49.7	15.6	317	2.90	49.8	2.6	1.8	14	0.6	0.9	0.1	56	0.46	0.179	6
REP L4650N 2575E	QC	0.7	18.4	7.8	138	0.2	47.9	14.7	311	2.76	49.1	3.5	1.8	14	0.6	0.8	0.1	54	0.45	0.173	6
L4650N 2925E	Soil	0.3	14.9	6.1	129	0.1	34.8	18.3	1391	1.89	17.6	2.2	0.9	18	0.5	0.3	0.2	45	0.40	0.123	3
REP L4650N 2925E	QC	0.3	15.2	6.0	128	0.1	38.0	19.0	1451	1.95	18.0	1.8	0.9	19	0.7	0.2	0.2	45	0.42	0.126	3
L4750N 2450E	Soil	1.6	24.5	13.6	136	0.3	34.9	11.5	644	2.68	35.7	1.7	2.5	22	1.0	1.3	0.4	47	0.35	0.180	10
REP L4750N 2450E	QC	1.5	24.3	15.1	135	0.4	33.7	11.5	650	2.61	36.1	<0.5	2.5	21	0.9	1.3	0.3	48	0.32	0.182	10
L4750N 2625E	Soil	1.3	23.3	6.1	76	<0.1	53.1	20.7	521	3.69	55.5	3.7	1.3	12	0.2	0.8	0.1	99	0.45	0.048	5
REP L4750N 2625E	QC	1.2	23.2	6.1	76	<0.1	53.7	20.3	519	3.73	55.6	73.9	1.3	12	0.3	0.8	<0.1	100	0.47	0.051	5
L4800N 2800E	Soil	0.6	14.6	6.9	328	0.1	38.5	15.9	1095	2.07	36.2	<0.5	1.2	17	2.5	0.2	0.1	46	0.60	0.118	4
REP L4800N 2800E	QC	0.5	14.3	7.3	327	0.1	38.9	16.3	1089	2.10	36.8	<0.5	1.1	17	2.6	0.2	0.1	47	0.59	0.118	4
Reference Materials																					
STD DS8	Standard	13.8	111.3	125.8	309	1.8	40.1	7.5	631	2.58	26.6	129.9	6.9	63	2.4	5.8	6.1	43	0.69	0.079	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN11003086.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L4350N 2700E	Soil	30	0.32	98	0.068	2	1.82	0.012	0.07	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
REP L4350N 2700E	QC	29	0.33	104	0.066	2	1.80	0.013	0.07	<0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
L4400N 2625E	Soil	46	0.64	58	0.123	1	1.96	0.010	0.05	0.3	0.02	3.4	0.2	<0.05	5	1.0	<0.2
REP L4400N 2625E	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L4400N 2675E	Soil	85	0.82	125	0.174	3	1.82	0.010	0.06	0.1	0.03	7.5	<0.1	<0.05	8	<0.5	<0.2
REP L4400N 2675E	QC	87	0.83	133	0.174	2	1.86	0.010	0.07	0.1	0.03	7.7	<0.1	<0.05	8	<0.5	<0.2
L4400N 2925E	Soil	37	0.61	96	0.140	2	2.05	0.009	0.04	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
REP L4400N 2925E	QC	36	0.59	96	0.142	3	1.94	0.010	0.04	0.1	0.04	2.9	<0.1	<0.05	6	<0.5	<0.2
L4500N 2525E	Soil	16	0.17	81	0.077	2	1.53	0.016	0.04	<0.1	0.03	1.5	<0.1	<0.05	5	<0.5	<0.2
REP L4500N 2525E	QC	15	0.17	79	0.081	<1	1.58	0.016	0.04	<0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
L4500N 3000E	Soil	35	0.57	72	0.159	2	2.21	0.014	0.07	0.1	0.02	2.4	<0.1	<0.05	7	0.6	<0.2
REP L4500N 3000E	QC	34	0.54	74	0.149	2	2.27	0.015	0.07	0.1	0.02	2.3	<0.1	<0.05	7	0.7	<0.2
L4550N 2600E	Soil	32	0.54	171	0.118	2	1.33	0.011	0.09	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
REP L4550N 2600E	QC	34	0.54	197	0.140	4	1.44	0.023	0.10	0.1	0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
L4600N 2600E	Soil	46	0.67	47	0.150	2	1.71	0.007	0.06	0.1	<0.01	3.1	<0.1	<0.05	5	0.5	<0.2
REP L4600N 2600E	QC	42	0.65	49	0.138	2	1.55	0.007	0.06	<0.1	<0.01	3.0	<0.1	0.09	5	0.6	<0.2
L4650N 2575E	Soil	42	0.58	73	0.103	3	2.38	0.011	0.05	0.1	<0.01	3.6	<0.1	<0.05	6	0.7	<0.2
REP L4650N 2575E	QC	40	0.58	75	0.104	3	2.40	0.011	0.05	0.1	0.02	3.3	<0.1	<0.05	6	0.6	<0.2
L4650N 2925E	Soil	23	0.29	134	0.105	2	1.35	0.013	0.06	<0.1	0.04	1.8	<0.1	<0.05	5	0.6	<0.2
REP L4650N 2925E	QC	24	0.29	137	0.106	2	1.32	0.012	0.06	<0.1	0.06	1.9	<0.1	<0.05	5	0.7	<0.2
L4750N 2450E	Soil	34	0.46	109	0.098	1	2.24	0.012	0.07	0.1	0.03	2.6	0.1	<0.05	6	1.3	<0.2
REP L4750N 2450E	QC	34	0.44	111	0.095	1	2.22	0.011	0.07	0.2	0.03	2.6	0.2	<0.05	6	1.1	<0.2
L4750N 2625E	Soil	71	1.05	98	0.184	1	2.20	0.009	0.08	<0.1	<0.01	4.9	<0.1	<0.05	7	<0.5	<0.2
REP L4750N 2625E	QC	70	1.04	93	0.191	1	2.18	0.008	0.08	0.1	0.02	4.8	<0.1	<0.05	7	<0.5	<0.2
L4800N 2800E	Soil	26	0.29	124	0.126	3	1.96	0.015	0.05	<0.1	0.05	2.5	<0.1	<0.05	5	0.5	<0.2
REP L4800N 2800E	QC	27	0.29	124	0.131	3	2.00	0.016	0.05	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	122	0.61	277	0.121	3	0.94	0.086	0.40	3.2	0.17	2.1	5.3	0.17	5	5.5	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN11003086.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD DS8	Standard	14.0	110.2	128.1	313	1.8	38.3	7.5	624	2.57	26.5	104.6	7.2	63	2.3	5.2	6.0	43	0.69	0.082	15
STD DS8	Standard	14.5	122.9	131.9	336	1.8	44.5	8.5	640	2.58	27.4	120.7	7.0	58	2.6	4.4	5.9	46	0.67	0.086	14
STD DS8	Standard	15.0	124.1	130.0	337	1.8	43.4	8.5	671	2.70	27.8	114.5	7.1	58	2.4	4.8	5.7	49	0.71	0.090	14
STD DS8	Standard	11.8	103.1	118.1	290	1.7	36.0	7.2	582	2.32	25.2	97.3	6.1	55	2.1	4.7	5.3	39	0.64	0.073	12
STD DS8	Standard	12.2	104.9	122.1	298	1.6	35.8	7.1	564	2.32	25.5	133.8	6.5	56	2.4	4.2	5.7	39	0.65	0.074	13
STD DS8	Standard	11.9	104.0	114.0	290	1.7	35.9	7.4	579	2.31	25.9	106.9	6.0	59	2.1	5.0	5.8	38	0.62	0.082	14
STD DS8	Standard	13.2	100.3	109.9	287	1.6	36.0	7.4	563	2.26	25.0	98.7	5.9	59	2.0	5.2	5.5	39	0.62	0.078	13
STD DS8	Standard	15.3	125.0	132.5	317	2.0	41.2	8.4	646	2.56	26.3	115.6	7.8	72	2.3	5.9	7.3	45	0.72	0.082	16
STD DS8	Standard	14.7	123.6	132.4	325	1.8	43.6	8.6	651	2.62	27.1	112.8	7.7	70	2.5	6.0	7.1	47	0.72	0.078	16
STD DS8	Standard	12.8	105.7	125.0	297	1.7	35.7	7.6	595	2.40	26.0	118.7	6.7	60	2.2	5.1	5.6	41	0.66	0.072	14
STD DS8	Standard	13.3	102.8	125.2	290	1.6	36.3	7.2	578	2.44	25.5	119.8	6.9	64	2.3	5.3	5.5	39	0.67	0.072	16
STD DS8	Standard	12.9	96.6	136.1	287	1.8	33.3	6.5	573	2.29	24.0	106.1	6.8	69	2.2	5.9	6.8	39	0.68	0.069	14
STD DS8	Standard	13.6	106.5	142.4	305	1.8	37.2	7.4	602	2.42	25.4	147.9	7.4	74	2.2	6.1	6.6	40	0.76	0.075	17
STD DS8	Standard	12.6	108.1	126.2	316	1.7	38.3	7.5	612	2.45	27.0	99.7	7.0	66	2.3	5.9	7.0	41	0.71	0.083	14
STD DS8	Standard	13.2	106.8	123.0	308	1.7	36.9	7.3	605	2.43	26.8	111.3	6.8	68	2.4	6.1	6.8	42	0.67	0.081	14
STD DS8	Standard	11.4	107.5	109.0	287	1.6	35.3	7.1	552	2.27	24.4	102.2	5.6	54	2.3	4.6	5.6	40	0.62	0.073	11
STD DS8	Standard	11.7	107.2	112.5	296	1.7	36.5	7.2	557	2.31	25.2	106.0	5.8	54	2.3	4.8	5.9	41	0.61	0.076	11
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN11003086.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8	Standard	118	0.60	271	0.119	2	0.94	0.084	0.41	3.0	0.18	2.0	5.2	0.13	5	5.0	5.5
STD DS8	Standard	132	0.52	283	0.129	2	0.96	0.071	0.43	3.0	0.21	1.9	5.2	0.15	5	5.9	4.7
STD DS8	Standard	135	0.53	274	0.134	3	0.98	0.086	0.44	2.9	0.17	2.0	5.4	0.17	5	5.6	4.9
STD DS8	Standard	110	0.57	247	0.100	2	0.85	0.081	0.40	2.8	0.20	2.2	4.9	0.12	4	4.9	4.0
STD DS8	Standard	107	0.59	257	0.100	3	0.88	0.084	0.40	2.7	0.20	2.3	5.1	0.11	4	4.5	4.8
STD DS8	Standard	115	0.59	259	0.106	3	0.85	0.083	0.40	2.7	0.18	2.0	4.9	0.20	4	5.1	4.5
STD DS8	Standard	113	0.59	263	0.108	2	0.87	0.083	0.40	2.8	0.19	2.0	4.8	0.19	5	5.1	4.6
STD DS8	Standard	130	0.62	287	0.132	3	0.92	0.087	0.42	3.1	0.22	2.2	5.3	0.15	5	5.1	5.2
STD DS8	Standard	129	0.63	277	0.131	2	0.92	0.088	0.41	2.7	0.19	2.2	5.4	0.16	5	5.2	5.3
STD DS8	Standard	118	0.54	252	0.108	3	0.90	0.069	0.39	2.7	0.20	1.8	5.6	0.06	5	5.2	4.6
STD DS8	Standard	115	0.54	268	0.116	2	0.91	0.073	0.38	2.6	0.17	2.2	5.3	<0.05	5	5.7	4.9
STD DS8	Standard	110	0.55	265	0.114	3	0.83	0.079	0.40	2.9	0.18	1.9	5.1	0.11	4	5.5	4.4
STD DS8	Standard	114	0.63	271	0.123	3	0.91	0.093	0.43	3.1	0.19	2.0	5.4	0.21	5	4.7	4.9
STD DS8	Standard	119	0.61	285	0.116	3	0.90	0.090	0.41	3.1	0.20	2.0	5.4	0.16	5	5.0	5.2
STD DS8	Standard	119	0.60	279	0.117	3	0.92	0.088	0.40	3.1	0.19	2.1	5.3	0.15	5	4.5	5.5
STD DS8	Standard	110	0.56	251	0.103	2	0.80	0.073	0.38	2.9	0.20	1.7	4.9	0.14	4	5.3	4.1
STD DS8	Standard	110	0.57	252	0.099	2	0.79	0.072	0.38	2.6	0.20	1.8	5.2	0.14	4	5.4	4.5
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Newmac Resources Inc.

511 - 475 Howe Street
Vancouver BC V6C 2B3 Canada

Submitted By: David Hjerpe
Receiving Lab: Canada-Vancouver
Received: July 12, 2011
Report Date: July 31, 2011
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN11003118.1

CLIENT JOB INFORMATION

Project: Crazy Fox
Shipment ID:
P.O. Number
Number of Samples: 210

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Newmac Resources Inc.
511 - 475 Howe Street
Vancouver BC V6C 2B3
Canada

CC: David Schmidt
William A. Howell
David Bridge

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include Dry at 60C, SS80, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L4850N 2425E	Soil		1.2	13.9	9.3	168	0.4	29.5	8.9	560	1.87	19.7	2.0	1.5	19	1.2	0.6	0.2	31	0.25	0.195	6
L4850N 2450E	Soil		1.1	38.0	12.0	235	0.3	48.3	15.9	954	3.36	61.4	4.6	3.3	20	2.1	1.6	0.2	52	0.75	0.023	10
L4850N 2475E	Soil		0.9	17.5	7.0	102	0.1	34.4	14.2	505	2.72	23.3	6.7	1.7	13	0.4	0.5	0.1	61	0.44	0.071	6
L4850N 2500E	Soil		1.7	61.9	2.2	79	0.2	66.5	30.1	1492	6.20	116.9	16.8	0.2	45	1.1	6.6	<0.1	129	4.17	0.092	4
L4850N 2525E	Soil		1.2	26.9	8.5	80	0.2	54.6	16.3	327	3.19	68.0	1.4	2.7	17	0.5	1.2	0.2	53	0.30	0.141	8
L4850N 2550E	Soil		0.8	21.9	5.1	116	<0.1	67.5	22.7	644	3.93	71.5	1.8	1.1	17	0.5	2.3	0.1	69	0.31	0.142	4
L4850N 2575E	Soil		0.7	23.1	3.6	80	<0.1	49.2	14.9	346	3.25	60.0	4.0	0.9	14	0.5	1.8	<0.1	62	0.36	0.063	4
L4850N 2600E	Soil		1.3	41.5	5.3	87	<0.1	69.5	24.4	978	5.13	113.0	1.9	1.2	27	0.4	2.4	<0.1	95	0.63	0.043	6
L4850N 2625E	Soil		1.9	43.7	5.5	71	<0.1	62.9	22.3	470	4.85	61.0	2.3	1.7	16	0.5	2.2	0.1	98	0.56	0.034	7
L4850N 2650E	Soil		1.5	52.8	4.2	93	<0.1	88.4	32.4	746	5.40	99.1	6.2	1.4	24	0.5	2.1	<0.1	95	0.60	0.069	6
L4850N 2675E	Soil		0.5	25.0	6.3	113	0.2	53.3	18.4	617	3.45	74.5	1.9	1.5	22	0.4	1.1	0.2	65	0.45	0.220	4
L4850N 2700E	Soil		1.4	56.9	5.7	69	<0.1	51.8	21.4	470	4.30	53.8	15.0	2.4	23	0.2	1.5	0.1	99	0.66	0.033	9
L4850N 2725E	Soil		0.3	24.4	4.4	68	<0.1	56.8	21.5	672	3.26	57.4	4.2	1.0	14	0.3	0.7	<0.1	69	0.51	0.058	4
L4850N 2750E	Soil		0.6	55.0	3.7	65	0.2	84.7	31.8	692	3.68	358.6	31.5	0.8	24	0.7	2.6	<0.1	71	1.14	0.043	5
L4850N 2775E	Soil		0.9	43.1	7.0	124	<0.1	69.2	28.1	951	3.48	46.0	4.4	2.3	19	0.4	0.9	0.2	72	0.34	0.212	6
L4850N 2800E	Soil		0.6	19.3	5.8	117	0.1	55.8	22.6	515	3.36	60.4	1.8	1.5	9	0.3	0.7	0.1	74	0.26	0.173	4
L4850N 2825E	Soil		0.9	28.3	6.4	101	<0.1	59.8	25.4	867	4.40	50.4	10.5	1.7	17	0.4	0.9	<0.1	116	0.55	0.041	7
L4850N 2850E	Soil		0.9	37.9	7.7	152	<0.1	81.0	31.3	1084	4.03	73.6	0.5	1.3	11	0.3	0.7	0.1	99	0.45	0.056	4
L4850N 2875E	Soil		0.4	11.9	3.6	77	<0.1	24.0	13.9	762	1.93	19.1	0.8	0.6	9	0.3	0.2	<0.1	51	0.41	0.036	2
L4850N 2900E	Soil		0.6	19.5	8.4	164	<0.1	45.6	24.2	930	2.77	48.3	1.2	1.8	21	0.5	0.4	0.2	51	0.55	0.132	5
L4850N 2925E	Soil		1.0	24.4	9.7	117	0.2	54.3	20.5	363	3.68	40.2	1.9	1.9	14	0.3	0.9	0.2	91	0.44	0.061	6
L4900N 2425E	Soil		0.4	12.3	8.8	96	0.3	23.5	8.4	338	1.91	37.1	1.1	2.7	17	0.8	0.2	0.1	27	0.32	0.417	6
L4900N 2450E	Soil		0.7	26.0	8.8	146	0.2	41.4	12.1	457	2.42	42.2	2.9	2.3	14	0.7	0.7	0.1	44	0.51	0.065	8
L4900N 2475E	Soil		0.3	62.4	2.1	52	0.2	29.3	7.3	771	1.17	25.4	3.9	0.1	81	1.1	1.1	<0.1	24	21.34	0.114	3
L4900N 2500E	Soil		0.8	65.2	3.2	93	0.2	52.5	14.8	1156	2.56	52.7	4.5	0.3	71	0.9	2.1	<0.1	55	14.86	0.113	4
L4900N 2525E	Soil		1.3	60.5	2.7	98	0.1	76.2	28.0	1235	6.53	99.1	10.7	0.5	13	0.8	5.0	<0.1	146	0.79	0.105	5
L4900N 2550E	Soil		1.7	71.1	2.4	121	0.1	82.8	30.2	1450	7.50	139.3	11.4	0.5	22	1.2	7.1	<0.1	151	1.09	0.141	5
L4900N 2575E	Soil		2.9	158.2	3.3	152	0.1	120.4	35.6	1214	10.22	238.5	42.8	1.0	16	1.9	8.7	<0.1	167	0.44	0.059	8
L4900N 2600E	Soil		1.6	125.2	3.7	89	<0.1	123.3	38.3	675	8.71	255.7	6.6	1.3	25	0.5	6.1	<0.1	145	0.84	0.021	12
L4900N 2625E	Soil		2.1	47.5	4.5	74	<0.1	96.6	38.9	769	5.82	78.1	3.3	1.3	15	0.5	2.0	<0.1	114	0.45	0.031	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L4850N 2425E	Soil			21	0.30	204	0.089	4	2.55	0.014	0.06	0.2	0.03	1.9	0.1	<0.05	6	0.7	<0.2
L4850N 2450E	Soil			49	0.62	99	0.110	4	2.06	0.013	0.07	0.1	0.04	5.2	0.1	<0.05	5	1.1	<0.2
L4850N 2475E	Soil			45	0.58	76	0.121	2	1.96	0.009	0.05	0.1	0.04	3.1	<0.1	<0.05	6	0.6	<0.2
L4850N 2500E	Soil			119	0.99	96	0.030	4	1.60	0.005	0.04	<0.1	0.03	7.9	<0.1	<0.05	7	1.2	<0.2
L4850N 2525E	Soil			43	0.51	129	0.124	3	3.82	0.016	0.04	0.1	0.03	3.9	0.1	<0.05	8	0.7	<0.2
L4850N 2550E	Soil			47	0.59	87	0.099	2	1.93	0.011	0.06	<0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
L4850N 2575E	Soil			38	0.54	62	0.088	3	1.48	0.012	0.07	<0.1	0.02	3.6	<0.1	<0.05	5	0.5	<0.2
L4850N 2600E	Soil			67	0.86	154	0.111	5	2.65	0.010	0.17	0.1	0.02	7.8	<0.1	<0.05	8	0.8	<0.2
L4850N 2625E	Soil			70	1.22	100	0.151	1	2.65	0.007	0.06	0.1	0.01	6.1	<0.1	<0.05	7	0.9	<0.2
L4850N 2650E	Soil			70	1.25	167	0.150	3	2.87	0.011	0.11	0.1	0.02	7.8	<0.1	<0.05	8	0.8	<0.2
L4850N 2675E	Soil			44	0.55	196	0.095	2	2.67	0.012	0.04	0.1	0.03	3.6	0.1	<0.05	8	<0.5	<0.2
L4850N 2700E	Soil			76	0.98	110	0.185	4	2.44	0.010	0.15	0.2	0.02	9.8	<0.1	<0.05	7	1.0	<0.2
L4850N 2725E	Soil			37	0.55	142	0.178	3	2.03	0.014	0.06	0.1	0.02	4.5	<0.1	<0.05	5	0.7	<0.2
L4850N 2750E	Soil			39	0.44	106	0.091	4	1.40	0.012	0.07	<0.1	0.03	9.9	<0.1	<0.05	4	1.0	<0.2
L4850N 2775E	Soil			45	0.70	102	0.162	2	2.72	0.012	0.06	0.1	0.01	3.5	<0.1	<0.05	8	0.7	<0.2
L4850N 2800E	Soil			47	0.79	61	0.135	2	2.04	0.010	0.04	<0.1	0.02	3.3	<0.1	<0.05	7	<0.5	<0.2
L4850N 2825E	Soil			75	1.34	124	0.128	4	2.82	0.009	0.06	<0.1	0.02	7.6	<0.1	<0.05	8	<0.5	<0.2
L4850N 2850E	Soil			49	0.97	77	0.209	<1	2.77	0.010	0.03	0.1	0.04	4.0	<0.1	<0.05	10	0.8	<0.2
L4850N 2875E	Soil			24	0.33	61	0.146	1	0.91	0.012	0.02	<0.1	0.02	1.7	<0.1	<0.05	4	0.5	<0.2
L4850N 2900E	Soil			32	0.42	111	0.155	3	2.44	0.011	0.04	0.1	0.05	2.7	<0.1	<0.05	8	<0.5	<0.2
L4850N 2925E	Soil			56	0.78	135	0.196	2	2.85	0.009	0.08	0.2	0.03	3.6	0.1	<0.05	8	0.7	<0.2
L4900N 2425E	Soil			20	0.21	112	0.121	2	3.72	0.015	0.05	0.2	0.04	2.2	<0.1	<0.05	8	<0.5	<0.2
L4900N 2450E	Soil			35	0.44	83	0.103	2	2.26	0.015	0.04	0.1	0.02	3.8	<0.1	<0.05	5	0.6	<0.2
L4900N 2475E	Soil			21	0.26	84	0.028	5	0.69	0.008	0.02	<0.1	0.03	1.5	<0.1	<0.05	2	0.7	<0.2
L4900N 2500E	Soil			48	0.47	95	0.047	7	1.21	0.010	0.03	<0.1	0.03	3.2	<0.1	<0.05	3	1.2	<0.2
L4900N 2525E	Soil			127	1.05	133	0.074	2	1.92	0.005	0.06	<0.1	0.03	10.7	<0.1	<0.05	7	0.7	<0.2
L4900N 2550E	Soil			129	1.02	154	0.052	3	1.85	0.005	0.07	0.1	0.01	10.5	<0.1	<0.05	7	0.9	<0.2
L4900N 2575E	Soil			120	1.53	81	0.098	1	2.52	0.004	0.07	<0.1	0.04	18.7	<0.1	<0.05	8	1.9	<0.2
L4900N 2600E	Soil			111	1.29	152	0.146	2	3.15	0.006	0.09	<0.1	0.02	18.3	<0.1	<0.05	9	0.6	<0.2
L4900N 2625E	Soil			70	1.12	153	0.134	3	3.19	0.010	0.06	<0.1	0.02	7.5	<0.1	<0.05	8	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L4900N 2650E	Soil		0.9	61.2	5.1	95	<0.1	99.7	34.0	705	6.39	143.8	3.1	1.3	17	0.4	1.7	<0.1	133	0.51	0.056	6
L4900N 2675E	Soil		0.6	29.7	4.5	92	<0.1	63.6	19.3	431	5.07	178.7	0.9	1.1	20	0.5	6.2	<0.1	117	0.41	0.072	5
L4900N 2700E	Soil		0.4	65.8	4.4	105	<0.1	104.4	38.7	864	6.22	73.7	0.6	1.1	18	0.5	2.7	<0.1	86	0.52	0.061	8
L4900N 2725E	Soil		0.6	31.1	4.3	100	<0.1	71.8	28.6	1272	5.74	146.5	0.8	1.0	20	0.4	1.1	<0.1	144	0.69	0.088	4
L4900N 2750E	Soil		0.6	16.7	5.2	75	<0.1	49.6	22.3	785	3.45	53.1	1.3	0.9	15	0.3	0.4	0.1	83	0.51	0.047	3
L4900N 2775E	Soil		0.8	31.8	7.0	149	0.1	86.6	43.2	1214	4.92	43.7	<0.5	1.2	23	0.6	1.6	0.2	97	0.61	0.079	4
L4900N 2800E	Soil		1.2	24.7	7.8	126	0.1	48.7	20.0	1554	3.20	53.0	2.9	1.3	17	0.7	0.8	0.1	70	0.35	0.104	5
L4900N 2825E	Soil		0.9	128.2	5.8	105	0.1	146.9	63.8	1071	7.76	202.0	44.7	1.3	45	1.1	2.9	0.1	107	1.39	0.242	7
L4900N 2850E	Soil		0.6	41.5	5.9	152	<0.1	97.0	36.1	445	3.84	227.1	14.0	1.4	15	0.4	1.6	0.1	82	0.44	0.069	4
L4900N 2875E	Soil		0.7	31.9	6.1	151	<0.1	79.1	36.8	354	4.11	171.5	69.7	1.4	10	0.3	0.8	0.1	99	0.52	0.056	4
L4900N 2900E	Soil		1.2	31.2	6.2	75	<0.1	49.0	22.7	534	3.70	34.7	<0.5	1.5	16	0.3	1.1	0.1	94	0.56	0.016	6
L4900N 2925E	Soil		1.0	27.7	8.1	134	<0.1	65.3	25.3	449	3.50	45.1	1.4	1.8	19	0.4	0.7	0.2	83	0.42	0.053	5
L4950N 2400E	Soil		0.8	7.3	9.9	144	0.4	23.8	8.1	426	1.93	19.4	1.2	1.7	12	0.8	0.5	0.3	36	0.24	0.168	5
L4950N 2425E	Soil		0.9	12.6	6.8	120	0.2	25.3	8.8	987	2.03	12.1	3.0	1.8	16	0.7	0.9	0.1	45	0.30	0.081	8
L4950N 2450E	Soil		0.5	4.1	6.5	55	<0.1	7.7	4.6	504	1.22	8.4	<0.5	1.1	15	0.6	0.2	0.2	30	0.27	0.156	5
L4950N 2475E	Soil		1.2	25.9	7.5	72	0.1	35.1	13.1	443	2.71	18.4	2.5	2.7	15	0.3	1.1	0.1	58	0.46	0.047	9
L4950N 2500E	Soil		0.4	13.3	4.6	63	<0.1	20.5	7.5	418	1.69	18.1	<0.5	1.1	8	0.3	0.5	0.1	44	0.72	0.032	4
L4950N 2525E	Soil		0.2	37.4	1.7	34	<0.1	20.4	2.9	295	0.35	14.3	1.2	<0.1	84	0.6	0.5	<0.1	7	24.18	0.061	1
L4950N 2550E	Soil		0.3	34.6	2.1	14	<0.1	24.5	1.8	264	0.13	11.3	1.3	<0.1	83	0.5	0.7	<0.1	3	25.84	0.071	<1
L4950N 2575E	Soil		2.9	33.2	3.2	71	<0.1	58.6	22.0	732	5.07	122.1	3.6	0.7	11	0.3	5.3	<0.1	124	0.43	0.024	4
L4950N 2600E	Soil		1.6	51.4	1.2	74	0.2	63.2	34.5	731	5.00	42.7	6.6	0.2	37	0.9	6.7	<0.1	168	6.21	0.066	3
L4950N 2625E	Soil		1.0	49.7	6.1	147	<0.1	113.4	33.2	570	5.61	109.9	1.2	1.8	18	0.4	1.8	0.1	98	0.45	0.037	4
L4950N 2650E	Soil		1.0	54.0	5.2	96	<0.1	90.7	33.0	984	6.45	149.9	9.9	1.3	19	0.3	2.9	<0.1	113	0.84	0.056	8
L4950N 2675E	Soil		0.6	44.8	5.6	116	<0.1	69.2	19.5	962	3.31	51.8	<0.5	1.6	13	0.4	1.4	0.1	75	0.33	0.063	8
L4950N 2700E	Soil		0.3	11.9	3.9	92	0.1	29.1	13.1	550	2.65	16.5	<0.5	0.8	16	0.1	0.3	0.1	60	0.41	0.104	3
L4950N 2725E	Soil		0.5	42.5	3.5	64	<0.1	54.6	25.0	392	3.87	34.0	<0.5	0.6	18	0.1	1.6	<0.1	79	0.47	0.042	4
L4950N 2750E	Soil		1.7	111.3	3.5	76	<0.1	69.4	82.4	1145	8.06	27.5	<0.5	0.7	25	0.3	1.6	0.1	158	0.48	0.191	5
L4950N 2775E	Soil		0.9	31.0	3.9	85	<0.1	64.6	27.2	393	4.34	33.7	26.9	1.0	17	0.1	0.9	<0.1	119	0.38	0.036	5
L4950N 2800E	Soil		0.6	12.0	4.7	104	0.1	40.7	15.5	698	2.36	39.1	<0.5	1.1	14	0.4	0.4	<0.1	62	0.36	0.048	4
L4950N 2825E	Soil		1.5	29.3	6.0	71	<0.1	43.9	19.1	394	3.74	39.2	1.7	1.4	17	0.3	1.4	<0.1	111	0.68	0.031	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L4900N 2650E	Soil			62	1.16	147	0.144	2	2.77	0.012	0.05	<0.1	0.02	8.5	<0.1	<0.05	9	0.7	<0.2
L4900N 2675E	Soil			71	0.41	224	0.040	3	2.23	0.009	0.11	0.3	0.04	7.0	0.4	<0.05	7	0.5	<0.2
L4900N 2700E	Soil			71	1.21	216	0.084	4	2.74	0.010	0.09	0.1	0.02	9.4	<0.1	<0.05	7	<0.5	<0.2
L4900N 2725E	Soil			99	1.26	222	0.164	3	2.87	0.008	0.06	0.2	0.03	10.5	<0.1	<0.05	10	<0.5	<0.2
L4900N 2750E	Soil			40	0.77	101	0.200	1	2.27	0.012	0.05	0.1	0.03	3.4	<0.1	<0.05	8	<0.5	<0.2
L4900N 2775E	Soil			52	0.55	152	0.189	4	2.11	0.009	0.06	0.2	0.03	5.9	<0.1	<0.05	7	<0.5	<0.2
L4900N 2800E	Soil			45	0.69	150	0.143	3	2.08	0.009	0.07	0.1	0.03	3.4	<0.1	<0.05	6	0.8	<0.2
L4900N 2825E	Soil			70	1.48	107	0.073	3	2.45	0.008	0.04	0.2	0.03	10.9	<0.1	<0.05	8	<0.5	<0.2
L4900N 2850E	Soil			45	0.66	81	0.138	2	2.18	0.015	0.04	<0.1	<0.01	4.7	<0.1	<0.05	7	<0.5	<0.2
L4900N 2875E	Soil			60	0.57	54	0.229	2	2.55	0.009	0.04	0.3	<0.01	4.0	<0.1	<0.05	9	<0.5	<0.2
L4900N 2900E	Soil			60	0.98	77	0.176	2	2.46	0.009	0.05	0.1	0.02	4.1	<0.1	<0.05	7	<0.5	<0.2
L4900N 2925E	Soil			48	0.76	147	0.158	2	2.92	0.012	0.07	0.2	0.01	3.4	<0.1	<0.05	8	<0.5	<0.2
L4950N 2400E	Soil			24	0.30	104	0.102	2	1.88	0.010	0.06	0.4	0.02	1.6	<0.1	<0.05	6	<0.5	<0.2
L4950N 2425E	Soil			30	0.43	155	0.095	2	1.26	0.009	0.07	0.2	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
L4950N 2450E	Soil			13	0.14	126	0.070	2	0.76	0.009	0.05	0.1	<0.01	0.9	<0.1	<0.05	4	0.6	<0.2
L4950N 2475E	Soil			48	0.70	56	0.133	1	1.51	0.009	0.08	0.2	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
L4950N 2500E	Soil			22	0.30	52	0.105	2	0.99	0.012	0.04	<0.1	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
L4950N 2525E	Soil			9	0.13	41	0.012	6	0.25	0.006	0.01	<0.1	0.04	0.5	<0.1	<0.05	<1	0.8	<0.2
L4950N 2550E	Soil			5	0.09	30	0.006	9	0.11	0.005	0.02	<0.1	0.05	0.3	<0.1	0.05	<1	1.0	<0.2
L4950N 2575E	Soil			96	0.64	154	0.047	3	2.33	0.008	0.11	<0.1	0.01	8.8	<0.1	<0.05	8	<0.5	<0.2
L4950N 2600E	Soil			142	1.38	28	0.132	2	1.53	0.003	0.02	<0.1	0.07	8.3	<0.1	<0.05	7	<0.5	<0.2
L4950N 2625E	Soil			67	0.83	178	0.161	3	3.49	0.013	0.07	<0.1	0.03	7.7	<0.1	<0.05	8	<0.5	<0.2
L4950N 2650E	Soil			78	0.91	144	0.127	4	2.56	0.009	0.09	0.1	0.04	17.2	<0.1	<0.05	7	<0.5	<0.2
L4950N 2675E	Soil			54	0.56	173	0.087	2	2.50	0.012	0.09	<0.1	0.04	7.9	<0.1	<0.05	6	<0.5	<0.2
L4950N 2700E	Soil			42	0.92	197	0.099	3	1.98	0.009	0.09	<0.1	0.03	2.7	<0.1	<0.05	7	<0.5	<0.2
L4950N 2725E	Soil			51	0.73	188	0.062	7	1.95	0.008	0.08	<0.1	0.03	8.3	<0.1	<0.05	6	<0.5	<0.2
L4950N 2750E	Soil			82	1.24	109	0.203	1	2.87	0.009	0.06	<0.1	0.06	16.5	<0.1	0.05	8	2.2	<0.2
L4950N 2775E	Soil			84	1.55	72	0.126	1	2.87	0.008	0.04	<0.1	0.03	4.8	<0.1	<0.05	9	<0.5	<0.2
L4950N 2800E	Soil			37	0.57	101	0.171	2	1.94	0.011	0.08	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
L4950N 2825E	Soil			69	1.16	69	0.241	1	2.23	0.008	0.06	0.1	0.03	5.1	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L4950N 2850E	Soil		0.7	59.6	3.8	194	0.1	106.0	38.8	1860	6.21	71.3	4.9	0.9	43	0.7	2.2	<0.1	143	1.57	0.271	8
L4950N 2875E	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L4950N 2900E	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5000N 2400E	Soil		0.8	9.6	9.4	117	0.2	16.5	6.6	1093	1.42	14.3	<0.5	1.2	22	1.1	0.6	0.1	31	0.38	0.102	5
L5000N 2425E	Soil		1.4	14.9	9.8	158	0.2	35.1	11.0	355	2.39	23.4	0.8	2.7	15	0.8	0.9	0.2	41	0.25	0.187	8
L5000N 2450E	Soil		1.6	19.9	5.4	102	<0.1	39.2	15.0	279	2.93	17.8	<0.5	2.4	13	0.6	1.2	<0.1	72	0.36	0.041	7
L5000N 2475E	Soil		0.6	7.7	5.5	119	<0.1	31.4	12.2	648	1.95	14.4	<0.5	1.4	16	0.3	0.3	0.1	41	0.30	0.184	4
L5000N 2500E	Soil		0.5	17.4	6.3	65	<0.1	31.0	12.0	638	2.18	13.2	<0.5	3.0	20	0.2	0.4	0.2	45	0.39	0.071	9
L5000N 2525E	Soil		4.6	20.9	4.7	66	<0.1	36.2	13.8	335	3.01	22.5	0.8	1.2	9	0.2	1.1	<0.1	77	0.34	0.025	5
L5000N 2550E	Soil		0.5	11.7	4.8	54	<0.1	36.0	14.6	480	2.39	26.9	1.4	1.2	15	0.2	0.5	<0.1	59	0.41	0.039	4
L5000N 2575E	Soil		0.9	19.2	5.8	48	<0.1	41.2	15.8	277	2.90	32.4	63.8	1.6	12	<0.1	0.8	<0.1	79	0.44	0.015	5
L5000N 2600E	Soil		<0.1	80.8	1.0	9	0.1	49.6	2.7	428	0.31	11.8	0.7	<0.1	77	0.9	0.6	<0.1	6	19.78	0.058	1
L5000N 2625E	Soil		0.6	13.9	4.9	39	<0.1	30.1	12.9	204	2.22	17.5	0.8	1.8	10	<0.1	0.3	0.3	56	0.29	0.010	5
L5000N 2650E	Soil		0.8	42.7	5.7	70	<0.1	76.5	31.7	422	4.42	83.5	4.0	1.1	16	0.2	1.0	0.3	102	0.63	0.033	4
L5000N 2675E	Soil		0.4	8.6	4.1	65	<0.1	32.8	14.0	272	2.29	34.8	6.4	0.8	12	0.2	0.6	0.2	63	0.28	0.030	3
L5000N 2700E	Soil		0.7	72.1	9.2	56	0.3	61.3	21.9	811	2.83	66.0	9.2	1.4	45	1.0	1.3	0.2	49	6.54	0.049	14
L5000N 2725E	Soil		0.2	65.3	1.6	21	0.4	15.8	2.9	321	0.42	9.1	3.9	<0.1	70	2.6	0.4	0.2	6	25.07	0.098	3
L5000N 2750E	Soil		0.3	11.6	5.7	58	<0.1	33.8	15.8	352	2.80	9.7	1.1	1.3	12	0.2	0.5	0.2	80	0.64	0.026	4
L5000N 2775E	Soil		0.6	10.9	4.2	65	<0.1	25.7	12.4	607	2.22	28.7	4.3	0.7	12	0.1	0.6	0.1	60	0.37	0.039	3
L5000N 2800E	Soil		1.6	22.1	5.0	70	<0.1	43.0	19.2	676	3.69	46.7	1.6	1.2	12	0.3	1.2	0.1	101	0.52	0.017	5
L5000N 2825E	Soil		0.5	9.9	6.4	150	0.2	31.1	14.4	1187	1.96	32.6	1.6	1.1	10	0.4	0.4	0.2	39	0.26	0.125	3
L5000N 2850E	Soil		1.0	132.6	8.1	170	0.4	53.4	14.7	2892	2.47	42.7	3.1	1.3	42	2.8	1.4	0.3	57	2.20	0.109	11
L5000N 2875E	Soil		1.7	45.0	5.1	101	<0.1	62.8	24.3	417	5.10	62.6	12.6	1.8	10	0.4	2.1	0.1	118	0.44	0.055	7
L5000N 2900E	Soil		0.8	14.2	5.5	80	<0.1	46.7	18.8	546	3.12	36.6	1.3	1.2	12	0.3	0.7	<0.1	82	0.37	0.025	5
L5100N 2375E	Soil		1.2	11.9	8.0	81	0.1	28.2	9.7	191	2.44	16.9	0.9	2.7	13	0.3	1.1	0.3	49	0.31	0.033	10
L5100N 2400E	Soil		1.2	14.6	7.6	148	0.2	30.0	10.9	697	2.29	23.0	1.9	1.8	21	1.3	1.0	0.2	46	0.46	0.120	7
L5100N 2425E	Soil		0.9	12.0	6.6	139	0.1	39.2	13.0	424	2.51	22.8	5.6	1.6	19	1.3	0.8	0.2	56	0.43	0.071	7
L5100N 2450E	Soil		1.1	14.2	7.4	151	0.2	29.2	10.1	490	2.22	13.7	1.3	1.6	19	1.1	0.9	0.1	65	0.48	0.061	7
L5100N 2475E	Soil		0.6	6.5	6.3	75	0.2	22.1	7.1	546	1.45	12.8	1.2	0.9	26	0.7	0.3	0.1	33	0.74	0.123	4
L5100N 2500E	Soil		3.2	18.8	5.7	125	0.2	43.7	14.5	450	3.09	23.3	<0.5	1.4	12	0.7	1.4	0.2	64	0.33	0.050	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L4950N 2850E	Soil	113	1.50	188	0.071	4	2.91	0.007	0.06	<0.1	0.04	14.0	<0.1	<0.05	11	<0.5	<0.2
L4950N 2875E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L4950N 2900E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5000N 2400E	Soil	17	0.24	128	0.074	2	0.95	0.008	0.06	0.1	0.04	1.2	<0.1	<0.05	4	<0.5	<0.2
L5000N 2425E	Soil	31	0.45	105	0.092	2	2.37	0.009	0.06	0.1	0.02	2.2	<0.1	<0.05	6	<0.5	<0.2
L5000N 2450E	Soil	57	0.74	50	0.161	<1	1.68	0.009	0.05	0.1	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
L5000N 2475E	Soil	28	0.33	90	0.099	3	1.66	0.012	0.07	0.1	0.02	2.1	<0.1	<0.05	5	<0.5	<0.2
L5000N 2500E	Soil	35	0.45	133	0.120	2	1.90	0.017	0.17	0.1	0.01	3.3	0.1	<0.05	5	<0.5	<0.2
L5000N 2525E	Soil	52	0.73	53	0.127	2	1.60	0.008	0.06	0.1	0.01	3.3	<0.1	<0.05	5	<0.5	<0.2
L5000N 2550E	Soil	41	0.54	125	0.136	2	1.71	0.010	0.06	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
L5000N 2575E	Soil	56	0.84	63	0.187	2	1.86	0.008	0.08	<0.1	<0.01	3.8	<0.1	<0.05	5	<0.5	<0.2
L5000N 2600E	Soil	6	0.10	37	0.013	6	0.19	0.006	<0.01	<0.1	0.04	0.5	<0.1	<0.05	<1	1.4	<0.2
L5000N 2625E	Soil	37	0.56	50	0.140	1	1.48	0.009	0.05	<0.1	<0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
L5000N 2650E	Soil	66	0.87	126	0.204	5	3.21	0.013	0.15	0.1	0.02	5.1	<0.1	<0.05	10	<0.5	<0.2
L5000N 2675E	Soil	38	0.58	79	0.122	4	1.85	0.014	0.06	<0.1	0.02	1.8	<0.1	<0.05	7	<0.5	<0.2
L5000N 2700E	Soil	49	0.55	61	0.093	4	1.52	0.016	0.04	0.1	0.06	6.4	<0.1	0.08	4	0.8	<0.2
L5000N 2725E	Soil	14	0.14	46	0.013	5	0.48	0.009	0.01	<0.1	0.07	0.6	<0.1	0.14	<1	0.7	<0.2
L5000N 2750E	Soil	58	0.89	44	0.237	<1	1.96	0.012	0.08	<0.1	<0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
L5000N 2775E	Soil	30	0.52	65	0.141	2	1.32	0.012	0.07	<0.1	<0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
L5000N 2800E	Soil	63	1.04	75	0.251	2	2.12	0.008	0.06	0.1	0.02	4.3	<0.1	<0.05	7	<0.5	<0.2
L5000N 2825E	Soil	18	0.28	80	0.114	2	1.65	0.015	0.05	<0.1	0.03	1.4	<0.1	<0.05	6	<0.5	<0.2
L5000N 2850E	Soil	52	0.60	92	0.087	7	1.86	0.021	0.06	<0.1	0.04	5.5	0.1	0.06	6	1.2	<0.2
L5000N 2875E	Soil	86	1.35	37	0.206	2	2.22	0.006	0.06	0.2	<0.01	7.7	<0.1	<0.05	7	0.5	<0.2
L5000N 2900E	Soil	50	0.76	98	0.192	3	2.30	0.016	0.05	<0.1	0.01	3.5	<0.1	<0.05	7	<0.5	<0.2
L5100N 2375E	Soil	32	0.55	74	0.109	1	1.69	0.012	0.06	0.2	<0.01	2.7	0.1	<0.05	5	<0.5	<0.2
L5100N 2400E	Soil	30	0.48	100	0.090	2	1.57	0.010	0.09	0.1	0.02	2.3	<0.1	<0.05	5	0.7	<0.2
L5100N 2425E	Soil	38	0.56	88	0.127	3	2.05	0.010	0.09	0.2	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
L5100N 2450E	Soil	36	0.55	65	0.122	2	1.51	0.009	0.04	0.3	0.02	2.5	<0.1	<0.05	5	0.5	<0.2
L5100N 2475E	Soil	17	0.16	60	0.076	3	1.33	0.015	0.04	<0.1	0.02	1.3	<0.1	<0.05	4	0.6	<0.2
L5100N 2500E	Soil	36	0.57	76	0.100	1	1.61	0.009	0.06	0.2	0.01	2.7	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
L5100N 2525E	Soil	0.9	11.2	4.9	164	<0.1	50.0	18.0	1491	2.66	27.0	<0.5	0.9	14	0.7	0.8	0.1	67	0.45	0.067	4
L5100N 2550E	Soil	2.2	17.6	6.4	107	<0.1	39.5	15.0	523	3.42	23.4	0.9	1.6	19	0.3	0.3	0.1	43	0.47	0.011	5
L5100N 2575E	Soil	0.4	18.0	5.3	88	0.2	44.1	16.8	667	3.11	46.4	0.6	1.3	32	0.8	0.5	0.1	73	0.83	0.162	10
L5100N 2600E	Soil	1.1	21.3	10.7	108	<0.1	60.7	23.8	936	4.59	76.3	11.9	1.8	27	0.4	1.3	0.3	97	0.71	0.038	8
L5100N 2625E	Soil	2.5	28.6	5.8	98	<0.1	63.0	24.5	562	4.82	123.6	4.0	1.1	12	0.3	2.1	0.1	126	0.40	0.020	5
L5100N 2650E	Soil	0.6	25.3	3.9	121	<0.1	70.1	23.7	847	4.20	94.4	7.8	0.8	19	0.4	1.9	<0.1	111	0.51	0.096	5
L5100N 2675E	Soil	0.8	76.4	7.3	76	<0.1	92.9	39.3	1055	6.71	224.5	62.7	1.4	21	0.5	2.8	0.2	112	0.67	0.060	10
L5100N 2700E	Soil	0.2	35.9	2.4	15	0.5	14.3	5.3	594	0.71	14.9	5.2	0.1	89	3.2	0.6	<0.1	8	20.83	0.160	8
L5100N 2725E	Soil	0.5	28.3	6.7	56	<0.1	75.5	24.4	292	3.40	132.9	12.1	1.3	18	0.3	0.6	0.2	75	0.57	0.053	4
L5100N 2750E	Soil	0.9	15.2	9.4	130	0.2	39.8	17.2	643	2.45	96.0	1.3	1.2	15	0.6	0.7	0.2	62	0.37	0.065	4
L5100N 2775E	Soil	0.2	4.7	5.1	100	0.1	10.1	6.8	992	1.25	16.9	0.6	0.7	10	0.4	0.2	0.1	36	0.20	0.058	4
L5100N 2800E	Soil	0.5	17.4	5.6	66	<0.1	63.6	16.9	281	3.10	30.6	3.5	2.2	12	0.1	0.7	0.1	81	0.39	0.028	4
L5100N 2825E	Soil	0.8	26.1	5.8	135	<0.1	91.4	33.5	666	5.22	90.5	6.1	1.4	14	0.2	1.1	0.1	110	0.40	0.129	4
L5100N 2850E	Soil	0.7	12.1	5.6	109	0.1	33.5	14.7	1222	2.47	23.4	0.6	1.3	21	0.5	0.5	0.1	66	0.51	0.097	5
L5100N 2875E	Soil	1.5	32.9	6.5	76	0.1	47.5	21.7	511	4.15	39.1	10.6	1.9	15	0.3	1.5	0.1	119	0.61	0.019	9
L5200N 2350E	Soil	1.4	26.7	5.3	97	0.2	48.0	19.4	948	3.39	28.2	1.9	1.7	40	0.9	1.1	<0.1	84	0.89	0.121	7
L5200N 2375E	Soil	26.8	37.5	7.7	131	0.1	69.3	25.3	775	4.79	45.8	0.9	1.4	20	0.6	1.6	0.2	121	0.51	0.057	5
L5200N 2400E	Soil	0.8	14.4	4.6	138	0.3	33.1	12.4	666	2.53	19.9	<0.5	1.0	19	1.1	0.6	0.1	60	0.38	0.083	5
L5200N 2425E	Soil	1.0	15.5	5.1	106	0.2	38.8	13.2	365	2.75	31.5	4.2	1.3	16	0.8	0.8	0.1	69	0.38	0.062	5
L5200N 2450E	Soil	0.4	10.2	4.5	156	0.2	41.3	14.2	266	2.73	73.0	2.6	0.7	13	0.7	0.4	<0.1	46	0.14	0.038	3
L5200N 2475E	Soil	1.1	15.8	9.1	142	0.6	32.2	11.6	354	2.57	48.4	<0.5	2.0	23	0.7	1.0	0.2	51	0.28	0.166	7
L5200N 2500E	Soil	0.7	8.7	6.2	106	0.2	27.0	9.6	504	1.99	42.5	1.9	1.2	12	0.5	0.4	0.1	43	0.26	0.155	4
L5200N 2525E	Soil	0.7	19.6	4.5	97	<0.1	53.2	17.5	351	3.26	52.0	2.5	0.9	10	0.3	1.3	<0.1	68	0.18	0.045	3
L5200N 2550E	Soil	1.6	37.8	12.0	104	0.1	72.9	21.4	510	3.71	69.6	<0.5	2.9	20	0.6	1.6	0.2	76	0.50	0.040	13
L5200N 2575E	Soil	2.7	30.7	9.5	99	0.1	53.2	21.0	1297	4.40	105.5	6.1	1.6	29	0.8	1.9	0.2	93	0.96	0.066	8
L5200N 2600E	Soil	2.2	75.2	8.5	88	0.3	73.8	33.1	1041	6.08	496.7	132.8	2.4	20	0.7	4.7	0.1	127	0.84	0.033	13
L5200N 2625E	Soil	2.1	31.4	11.6	117	0.2	47.4	15.2	307	3.16	95.3	5.8	2.0	24	0.7	2.5	0.3	73	0.56	0.054	10
L5200N 2650E	Soil	1.1	28.0	10.8	111	<0.1	49.9	20.4	772	3.36	150.7	39.7	1.7	20	0.6	1.8	0.2	80	0.55	0.054	8
L5200N 2675E	Soil	1.1	15.3	9.1	149	0.2	38.6	13.4	423	2.39	56.8	1.8	1.4	18	0.7	1.1	0.2	52	0.31	0.091	6
L5200N 2700E	Soil	1.8	17.9	11.9	182	0.3	41.4	12.6	411	2.53	59.5	10.6	1.9	11	0.8	1.8	0.3	52	0.18	0.135	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L5100N 2525E	Soil			44	0.40	211	0.093	3	1.76	0.014	0.09	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
L5100N 2550E	Soil			37	0.50	210	0.136	4	3.25	0.019	0.06	<0.1	0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
L5100N 2575E	Soil			59	0.75	131	0.130	3	2.66	0.018	0.07	<0.1	0.05	6.8	<0.1	<0.05	8	<0.5	<0.2
L5100N 2600E	Soil			91	1.09	155	0.104	3	2.87	0.010	0.13	<0.1	0.02	10.2	<0.1	<0.05	9	<0.5	<0.2
L5100N 2625E	Soil			82	1.25	79	0.202	<1	2.39	0.009	0.05	0.1	0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
L5100N 2650E	Soil			80	1.04	122	0.064	3	1.84	0.013	0.08	<0.1	<0.01	9.7	<0.1	<0.05	7	<0.5	<0.2
L5100N 2675E	Soil			81	1.31	156	0.067	4	3.10	0.010	0.11	<0.1	0.02	16.9	<0.1	<0.05	9	<0.5	<0.2
L5100N 2700E	Soil			10	0.16	71	0.015	6	0.83	0.012	0.02	<0.1	0.07	1.2	<0.1	0.16	<1	<0.5	<0.2
L5100N 2725E	Soil			47	0.77	84	0.187	4	3.22	0.014	0.12	0.1	0.02	3.8	<0.1	<0.05	9	<0.5	<0.2
L5100N 2750E	Soil			29	0.46	101	0.158	2	2.11	0.015	0.06	0.1	0.03	2.2	<0.1	<0.05	8	<0.5	<0.2
L5100N 2775E	Soil			13	0.15	81	0.087	2	0.86	0.013	0.05	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
L5100N 2800E	Soil			53	0.67	81	0.171	3	3.59	0.019	0.05	<0.1	0.02	7.3	<0.1	<0.05	9	0.6	<0.2
L5100N 2825E	Soil			61	0.85	71	0.201	2	3.10	0.012	0.05	0.1	0.03	5.0	<0.1	<0.05	11	<0.5	<0.2
L5100N 2850E	Soil			36	0.57	92	0.165	3	1.77	0.014	0.09	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
L5100N 2875E	Soil			75	1.35	50	0.290	2	2.29	0.009	0.09	<0.1	<0.01	5.2	<0.1	<0.05	7	<0.5	<0.2
L5200N 2350E	Soil			58	0.83	124	0.159	4	2.10	0.013	0.11	0.2	0.03	5.4	<0.1	<0.05	6	0.6	<0.2
L5200N 2375E	Soil			72	1.03	93	0.196	3	2.45	0.013	0.05	<0.1	0.02	5.8	0.1	<0.05	8	0.6	<0.2
L5200N 2400E	Soil			44	0.65	70	0.109	2	1.69	0.008	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
L5200N 2425E	Soil			47	0.71	63	0.133	2	1.90	0.008	0.09	0.1	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
L5200N 2450E	Soil			32	0.72	133	0.080	2	2.07	0.015	0.08	<0.1	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
L5200N 2475E	Soil			29	0.43	81	0.084	1	2.08	0.011	0.05	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
L5200N 2500E	Soil			26	0.32	89	0.094	1	1.76	0.010	0.04	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
L5200N 2525E	Soil			39	0.49	106	0.078	3	1.72	0.012	0.06	<0.1	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
L5200N 2550E	Soil			51	0.62	153	0.106	3	2.51	0.015	0.11	0.1	0.02	7.6	0.1	<0.05	7	<0.5	<0.2
L5200N 2575E	Soil			55	0.72	147	0.100	3	1.86	0.008	0.13	0.1	0.02	6.8	<0.1	<0.05	5	<0.5	<0.2
L5200N 2600E	Soil			81	0.91	92	0.095	2	1.96	0.007	0.10	0.1	0.04	15.2	<0.1	<0.05	7	0.5	<0.2
L5200N 2625E	Soil			40	0.65	69	0.064	2	1.85	0.010	0.09	0.1	0.04	3.5	0.2	<0.05	5	<0.5	<0.2
L5200N 2650E	Soil			47	0.76	97	0.112	3	2.15	0.010	0.11	0.2	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
L5200N 2675E	Soil			32	0.52	89	0.103	2	2.05	0.014	0.06	<0.1	0.02	2.4	0.1	<0.05	6	<0.5	<0.2
L5200N 2700E	Soil			31	0.49	135	0.090	2	2.08	0.011	0.07	0.1	0.02	2.1	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L5200N 2725E	Soil		1.9	40.6	4.8	90	0.1	47.2	18.4	398	3.64	34.8	6.3	1.6	13	0.4	1.5	<0.1	102	0.51	0.046	6
L5200N 2750E	Soil		1.4	24.1	6.6	93	0.2	46.4	18.7	437	3.55	42.1	14.8	1.5	10	0.3	0.8	0.1	91	0.35	0.066	6
L5200N 2775E	Soil		0.3	30.9	4.3	46	0.3	18.4	5.0	985	0.90	21.4	4.9	0.3	50	1.3	0.6	<0.1	13	7.05	0.068	8
L5200N 2800E	Soil		0.5	24.5	6.4	34	0.2	63.3	10.8	288	2.66	63.8	1.1	1.9	20	0.2	0.5	0.1	43	0.77	0.075	8
L5200N 2825E	Soil		0.6	60.5	7.2	251	0.3	71.2	30.1	3490	3.55	22.9	1.8	1.2	28	4.1	1.5	0.2	79	2.05	0.216	11
L5200N 2850E	Soil		0.9	12.3	7.2	105	0.2	37.4	15.0	385	2.46	26.6	7.3	1.4	10	0.4	0.5	0.2	66	0.33	0.052	6
L5300N 2325E	Soil		1.5	22.4	6.3	77	0.1	49.1	18.9	467	3.75	9.9	9.6	1.8	21	0.3	0.6	0.1	85	0.44	0.022	7
L5300N 2350E	Soil		5.9	18.6	6.5	126	0.1	34.3	13.9	339	5.72	66.0	4.2	1.3	9	0.5	2.8	0.1	83	0.22	0.063	5
L5300N 2375E	Soil		1.1	18.2	6.4	155	0.1	41.3	12.3	317	2.59	25.1	2.0	1.7	15	0.8	0.9	0.1	66	0.35	0.063	7
L5300N 2400E	Soil		0.9	10.6	6.6	198	0.1	34.9	11.2	518	2.09	19.6	2.4	1.3	13	1.9	0.5	<0.1	54	0.38	0.065	5
L5300N 2425E	Soil		0.8	10.0	4.2	149	0.1	30.1	8.8	387	2.23	17.0	2.1	1.2	15	0.8	0.4	<0.1	62	0.37	0.049	5
L5300N 2450E	Soil		1.4	18.1	6.4	156	0.2	35.5	12.0	360	2.50	21.1	1.9	1.4	17	1.2	0.8	<0.1	73	0.46	0.058	6
L5300N 2475E	Soil		3.1	26.4	4.3	104	<0.1	41.5	18.1	661	4.30	37.3	2.3	1.0	15	0.8	1.8	<0.1	77	0.49	0.054	4
L5300N 2500E	Soil		0.5	34.0	2.5	76	0.1	36.0	18.5	529	3.68	19.1	0.5	0.5	11	0.4	0.8	<0.1	73	0.42	0.062	2
L5300N 2525E	Soil		1.6	20.5	5.9	83	<0.1	41.3	15.8	387	3.17	39.4	1.8	1.6	13	0.3	1.2	0.1	74	0.33	0.042	8
L5300N 2550E	Soil		0.9	14.2	6.0	101	0.1	47.4	18.7	873	2.76	53.8	2.2	1.1	13	0.6	0.8	0.1	56	0.26	0.085	4
L5300N 2575E	Soil		1.5	26.8	6.0	85	0.1	54.3	19.4	385	3.47	52.2	3.6	1.6	18	0.3	1.2	<0.1	94	0.53	0.039	6
L5300N 2600E	Soil		1.0	18.7	4.6	92	0.1	64.7	20.8	469	3.46	153.3	2.9	1.1	10	0.2	0.9	<0.1	84	0.37	0.071	4
L5300N 2625E	Soil		0.5	25.9	3.2	54	<0.1	68.2	21.0	694	4.41	130.3	5.1	0.6	14	0.3	1.4	<0.1	82	0.63	0.074	3
L5300N 2650E	Soil		0.5	16.9	4.5	100	0.2	49.2	22.2	1200	3.07	67.9	1.4	0.8	19	0.5	0.7	<0.1	63	0.51	0.128	3
L5300N 2675E	Soil		5.0	31.4	3.6	100	0.2	76.4	27.3	948	6.86	34.9	1.6	0.9	15	0.5	1.8	<0.1	169	0.43	0.066	3
L5300N 2700E	Soil		0.4	5.9	5.8	114	0.2	12.8	7.3	929	1.31	10.9	1.4	0.8	15	0.9	0.1	0.1	33	0.32	0.117	3
L5300N 2725E	Soil		0.4	5.8	8.1	61	0.2	12.3	6.3	379	1.67	40.4	<0.5	1.4	12	0.3	0.1	0.2	32	0.23	0.388	3
L5300N 2750E	Soil		2.2	11.6	6.2	165	0.1	34.5	13.8	469	2.31	14.5	1.0	1.1	13	0.4	0.5	0.1	61	0.43	0.094	5
L5300N 2775E	Soil		1.9	17.4	6.6	112	0.1	34.9	12.4	537	2.58	15.3	<0.5	1.7	10	0.4	1.1	0.1	67	0.33	0.073	7
L5300N 2800E	Soil		0.5	5.6	4.3	82	0.2	14.9	8.6	748	1.40	5.7	<0.5	0.6	13	0.7	0.2	<0.1	38	0.30	0.117	3
L5300N 2825E	Soil		0.7	7.4	5.2	104	0.2	18.9	9.5	351	1.84	10.4	<0.5	1.0	7	0.4	0.4	0.1	53	0.24	0.067	4
L5400N 2300E	Soil		1.0	48.9	5.7	31	1.1	27.2	8.6	1021	1.36	23.5	4.4	0.4	79	4.2	1.7	0.1	25	12.19	0.083	16
L5400N 2325E	Soil		0.3	34.8	2.4	40	0.2	14.6	2.6	823	0.47	10.5	1.0	<0.1	72	1.2	0.8	<0.1	11	14.87	0.080	3
L5400N 2350E	Soil		0.6	74.1	2.6	43	0.3	27.4	4.2	1142	0.61	16.0	2.5	<0.1	99	2.3	1.2	<0.1	10	17.78	0.116	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L5200N 2725E	Soil	67	1.19	56	0.233	1	1.98	0.008	0.06	0.1	0.02	4.6	<0.1	<0.05	6	<0.5	<0.2
L5200N 2750E	Soil	59	1.02	90	0.175	1	2.77	0.010	0.06	0.1	0.02	3.7	<0.1	<0.05	8	<0.5	<0.2
L5200N 2775E	Soil	11	0.13	59	0.046	3	1.32	0.028	0.04	<0.1	0.05	2.2	<0.1	0.13	2	0.8	<0.2
L5200N 2800E	Soil	38	0.48	49	0.100	3	3.73	0.021	0.03	<0.1	0.05	5.7	<0.1	<0.05	5	0.5	<0.2
L5200N 2825E	Soil	71	1.40	421	0.105	5	2.68	0.011	0.06	<0.1	0.07	10.0	<0.1	0.06	6	<0.5	<0.2
L5200N 2850E	Soil	36	0.59	77	0.174	2	2.28	0.013	0.08	0.1	0.02	2.2	<0.1	<0.05	7	<0.5	<0.2
L5300N 2325E	Soil	56	0.63	170	0.219	2	3.13	0.021	0.06	0.1	0.02	7.2	<0.1	<0.05	9	<0.5	<0.2
L5300N 2350E	Soil	48	0.50	92	0.110	2	1.91	0.010	0.04	0.1	0.03	3.7	0.1	<0.05	6	0.9	<0.2
L5300N 2375E	Soil	41	0.63	74	0.127	2	1.94	0.010	0.08	<0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
L5300N 2400E	Soil	36	0.52	78	0.124	2	1.64	0.010	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
L5300N 2425E	Soil	31	0.40	74	0.125	2	1.80	0.014	0.08	<0.1	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2
L5300N 2450E	Soil	39	0.54	51	0.127	2	1.65	0.012	0.08	0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
L5300N 2475E	Soil	52	0.90	49	0.190	3	1.75	0.007	0.07	0.1	0.03	3.6	<0.1	<0.05	5	0.7	<0.2
L5300N 2500E	Soil	38	0.78	23	0.215	2	1.37	0.013	0.04	<0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
L5300N 2525E	Soil	49	0.83	58	0.139	<1	2.10	0.009	0.07	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
L5300N 2550E	Soil	35	0.60	101	0.128	2	1.93	0.013	0.07	<0.1	0.03	2.4	<0.1	<0.05	7	<0.5	<0.2
L5300N 2575E	Soil	65	1.06	50	0.183	2	2.24	0.010	0.07	0.1	0.03	4.6	<0.1	<0.05	6	0.6	<0.2
L5300N 2600E	Soil	56	0.92	53	0.196	2	2.33	0.010	0.04	0.1	0.02	3.2	<0.1	<0.05	7	<0.5	<0.2
L5300N 2625E	Soil	34	0.82	36	0.130	1	1.38	0.014	0.03	0.1	0.04	4.9	<0.1	0.05	5	<0.5	<0.2
L5300N 2650E	Soil	38	0.75	61	0.147	3	1.99	0.018	0.09	<0.1	0.04	2.9	<0.1	<0.05	7	<0.5	<0.2
L5300N 2675E	Soil	98	1.39	52	0.178	2	2.63	0.012	0.05	0.1	0.04	6.8	<0.1	<0.05	10	0.7	<0.2
L5300N 2700E	Soil	15	0.20	100	0.086	1	0.92	0.013	0.07	<0.1	0.04	1.2	<0.1	<0.05	4	<0.5	<0.2
L5300N 2725E	Soil	16	0.15	83	0.103	2	1.57	0.010	0.04	<0.1	0.02	1.4	<0.1	<0.05	6	<0.5	<0.2
L5300N 2750E	Soil	32	0.57	69	0.112	3	2.08	0.011	0.07	<0.1	0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
L5300N 2775E	Soil	43	0.79	74	0.127	2	1.77	0.007	0.07	<0.1	<0.01	2.3	<0.1	<0.05	5	<0.5	<0.2
L5300N 2800E	Soil	19	0.29	105	0.080	2	1.03	0.010	0.05	<0.1	0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
L5300N 2825E	Soil	25	0.45	57	0.122	2	1.16	0.008	0.04	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
L5400N 2300E	Soil	25	0.29	53	0.043	5	0.89	0.012	0.04	0.2	0.12	2.4	0.1	0.14	2	1.2	<0.2
L5400N 2325E	Soil	6	0.09	34	0.020	4	0.43	0.012	0.02	<0.1	0.03	0.3	<0.1	0.12	<1	0.7	<0.2
L5400N 2350E	Soil	14	0.15	48	0.017	9	0.54	0.011	0.02	<0.1	0.06	0.5	<0.1	0.15	1	1.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	Analyte	Unit	MDL	1DX15 Mo	1DX15 Cu	1DX15 Pb	1DX15 Zn	1DX15 Ag	1DX15 Ni	1DX15 Co	1DX15 Mn	1DX15 Fe	1DX15 As	1DX15 Au	1DX15 Th	1DX15 Sr	1DX15 Cd	1DX15 Sb	1DX15 Bi	1DX15 V	1DX15 Ca	1DX15 P	1DX15 La
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
				0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L5400N 2375E	Soil			0.4	46.0	2.7	52	0.3	18.8	4.2	542	0.66	15.5	7.1	<0.1	74	2.8	1.0	<0.1	9	16.83	0.097	3
L5400N 2400E	Soil			1.0	75.0	4.3	60	0.5	46.1	10.2	976	1.80	51.2	13.1	0.3	66	4.9	1.6	<0.1	23	10.88	0.077	11
L5400N 2425E	Soil			0.6	7.1	8.6	208	0.4	31.1	9.3	156	1.77	22.5	<0.5	1.8	11	1.1	0.3	0.1	43	0.33	0.106	5
L5400N 2450E	Soil			1.1	15.2	5.6	126	0.1	48.6	16.8	654	2.46	45.1	<0.5	0.8	20	0.7	0.5	0.1	66	0.47	0.051	4
L5400N 2475E	Soil			1.7	16.9	5.3	86	<0.1	32.8	14.8	489	2.76	35.0	2.0	1.3	9	0.5	1.2	<0.1	75	0.29	0.049	7
L5400N 2500E	Soil			1.2	20.8	5.4	116	0.3	52.6	19.2	739	2.64	75.8	2.4	1.4	19	0.5	0.9	0.1	53	0.38	0.112	5
L5400N 2525E	Soil			0.8	9.5	4.6	113	0.2	22.3	14.3	1013	2.64	30.5	2.4	0.8	19	1.0	1.1	0.3	45	0.30	0.155	3
L5400N 2550E	Soil			2.7	24.5	5.8	79	0.1	51.1	19.2	463	4.20	99.7	2.7	1.3	14	0.3	2.2	<0.1	82	0.41	0.041	5
L5400N 2575E	Soil			1.3	21.8	6.4	110	0.3	44.9	17.2	1486	2.69	38.3	0.9	1.3	16	0.7	1.0	0.1	64	0.39	0.089	5
L5400N 2600E	Soil			0.7	8.5	5.7	77	0.1	36.1	15.1	835	2.45	50.0	<0.5	1.0	17	0.3	0.4	<0.1	65	0.44	0.052	4
L5400N 2625E	Soil			2.7	24.1	5.0	127	0.2	65.3	24.4	853	3.83	41.9	<0.5	1.3	19	0.9	1.1	0.1	90	0.52	0.118	5
L5400N 2650E	Soil			1.9	25.0	6.0	86	0.2	40.1	15.9	393	3.29	25.2	2.5	1.8	15	0.5	1.3	<0.1	88	0.47	0.056	7
L5400N 2675E	Soil			1.2	10.9	7.0	126	0.2	30.6	12.9	737	1.88	13.7	<0.5	1.1	11	0.6	0.5	0.1	44	0.22	0.180	4
L5400N 2700E	Soil			0.5	9.3	5.8	127	0.1	23.0	12.0	991	1.69	7.8	<0.5	1.0	26	1.0	0.2	0.1	45	0.49	0.125	4
L5400N 2725E	Soil			1.3	21.8	6.9	129	0.3	42.5	14.2	402	2.75	22.1	2.3	2.1	17	0.5	0.8	0.1	70	0.41	0.072	8
L5400N 2750E	Soil			0.4	5.5	5.6	107	0.1	16.3	6.6	576	1.45	15.5	<0.5	1.2	7	0.6	0.2	0.1	38	0.11	0.154	3
L5400N 2775E	Soil			0.5	10.6	6.3	146	0.5	38.2	15.1	621	2.39	25.0	144.0	1.0	13	0.7	0.4	0.1	54	0.31	0.115	4
L5400N 2800E	Soil			1.6	20.0	5.7	114	0.2	35.1	17.1	629	2.82	14.7	<0.5	1.5	11	0.5	0.9	<0.1	78	0.41	0.041	7
L5500N 2275E	Soil			2.9	23.1	9.5	160	0.2	39.3	11.8	407	2.19	27.2	<0.5	1.7	27	1.0	1.7	0.2	55	0.35	0.047	7
L5500N 2300E	Soil			1.5	39.3	4.6	92	0.2	96.0	38.3	1108	4.75	30.3	<0.5	1.1	30	0.3	0.6	<0.1	135	0.68	0.033	4
L5500N 2325E	Soil			1.2	27.5	10.7	162	0.1	53.2	17.9	883	2.83	68.7	1.6	1.8	23	0.6	0.7	0.2	74	0.42	0.046	5
L5500N 2350E	Soil			2.1	16.7	9.9	199	0.2	36.3	11.9	306	2.24	23.5	0.8	2.3	22	0.8	1.5	0.2	50	0.34	0.058	9
L5500N 2375E	Soil			0.7	9.2	9.4	99	0.2	34.6	10.0	344	2.14	69.1	<0.5	2.4	16	0.5	0.5	0.2	36	0.27	0.391	5
L5500N 2400E	Soil			0.6	16.3	3.5	112	<0.1	36.9	18.0	769	2.97	21.0	<0.5	0.7	13	0.9	0.5	<0.1	68	0.50	0.080	2
L5500N 2425E	Soil			3.1	23.2	4.0	238	0.3	80.8	22.4	789	3.52	31.2	<0.5	1.0	21	1.7	1.2	<0.1	91	0.68	0.064	3
L5500N 2450E	Soil			3.2	61.6	5.6	101	0.2	54.2	21.0	428	3.97	78.2	14.8	2.2	11	0.4	2.2	<0.1	102	0.47	0.040	8
L5500N 2475E	Soil			0.7	60.5	7.5	78	0.5	64.7	14.8	378	2.21	40.7	4.5	1.5	19	0.9	1.1	0.1	38	0.64	0.021	8
L5500N 2500E	Soil			0.5	7.1	6.5	55	0.1	22.1	9.1	417	1.97	25.4	4.1	1.2	9	0.1	0.3	0.3	48	0.25	0.076	5
L5500N 2525E	Soil			2.2	33.5	7.0	74	0.2	40.5	15.0	400	3.59	48.2	7.1	1.7	15	0.4	1.9	0.2	65	0.47	0.084	8
L5500N 2550E	Soil			1.2	32.4	7.6	104	0.4	46.2	15.9	512	3.76	23.9	2.8	2.0	21	1.2	1.2	0.2	57	0.81	0.037	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L5400N 2375E	Soil	15	0.13	41	0.019	7	0.72	0.015	0.02	0.1	0.05	0.5	<0.1	0.14	<1	0.9	<0.2
L5400N 2400E	Soil	26	0.26	52	0.039	6	1.15	0.017	0.03	0.2	0.09	2.9	<0.1	0.14	2	1.3	<0.2
L5400N 2425E	Soil	21	0.22	51	0.118	1	2.30	0.015	0.04	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
L5400N 2450E	Soil	41	0.59	86	0.133	2	2.21	0.011	0.05	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	<0.2
L5400N 2475E	Soil	42	0.62	63	0.124	2	1.47	0.008	0.04	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
L5400N 2500E	Soil	37	0.60	99	0.119	3	1.88	0.011	0.06	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
L5400N 2525E	Soil	23	0.53	116	0.079	2	1.34	0.011	0.06	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
L5400N 2550E	Soil	56	0.97	49	0.146	2	1.99	0.009	0.07	<0.1	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
L5400N 2575E	Soil	43	0.70	135	0.114	1	1.81	0.010	0.05	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
L5400N 2600E	Soil	35	0.50	99	0.125	2	1.78	0.016	0.06	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
L5400N 2625E	Soil	54	1.13	69	0.185	3	2.36	0.009	0.08	<0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
L5400N 2650E	Soil	60	1.05	42	0.180	2	1.82	0.010	0.09	0.1	<0.01	4.1	<0.1	<0.05	5	0.5	<0.2
L5400N 2675E	Soil	25	0.41	125	0.098	3	1.59	0.012	0.08	<0.1	0.01	1.9	<0.1	<0.05	6	<0.5	<0.2
L5400N 2700E	Soil	24	0.37	96	0.113	3	1.24	0.012	0.08	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
L5400N 2725E	Soil	47	0.80	109	0.163	3	2.29	0.012	0.09	0.1	0.03	3.1	<0.1	<0.05	7	0.6	<0.2
L5400N 2750E	Soil	17	0.23	107	0.096	2	1.26	0.013	0.04	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
L5400N 2775E	Soil	28	0.45	82	0.125	2	1.64	0.017	0.07	<0.1	0.03	1.8	<0.1	<0.05	6	0.5	<0.2
L5400N 2800E	Soil	48	0.82	60	0.190	2	1.66	0.009	0.08	<0.1	0.02	3.4	<0.1	<0.05	5	0.5	<0.2
L5500N 2275E	Soil	26	0.42	103	0.073	3	1.71	0.015	0.09	<0.1	0.02	2.1	0.2	<0.05	5	0.9	<0.2
L5500N 2300E	Soil	80	1.31	76	0.303	4	2.92	0.020	0.04	0.1	0.04	6.7	<0.1	<0.05	9	<0.5	<0.2
L5500N 2325E	Soil	44	0.61	137	0.166	4	2.84	0.015	0.07	<0.1	0.02	3.3	0.1	<0.05	8	<0.5	<0.2
L5500N 2350E	Soil	28	0.51	104	0.078	2	1.78	0.010	0.07	<0.1	0.02	2.0	0.2	<0.05	5	<0.5	<0.2
L5500N 2375E	Soil	20	0.23	72	0.127	2	3.22	0.016	0.05	0.1	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
L5500N 2400E	Soil	42	0.78	49	0.221	2	1.72	0.012	0.04	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
L5500N 2425E	Soil	63	1.04	62	0.266	4	2.68	0.015	0.09	0.1	<0.01	5.6	<0.1	<0.05	8	<0.5	<0.2
L5500N 2450E	Soil	66	1.03	49	0.181	2	1.83	0.008	0.05	0.1	0.02	7.0	<0.1	<0.05	5	0.6	<0.2
L5500N 2475E	Soil	31	0.31	48	0.111	3	1.58	0.024	0.04	<0.1	0.05	3.5	<0.1	<0.05	3	<0.5	<0.2
L5500N 2500E	Soil	28	0.39	58	0.128	1	1.56	0.010	0.05	<0.1	0.02	1.9	<0.1	<0.05	6	0.9	<0.2
L5500N 2525E	Soil	41	0.65	71	0.127	2	1.79	0.011	0.07	0.1	0.01	4.0	<0.1	<0.05	5	1.5	<0.2
L5500N 2550E	Soil	45	0.54	58	0.141	3	2.36	0.016	0.08	<0.1	0.02	6.2	<0.1	<0.05	6	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L5500N 2575E	Soil	1.1	13.7	7.6	66	0.3	37.7	10.5	351	2.47	28.2	1.5	1.7	13	1.0	0.5	0.2	50	0.42	0.072	7
L5500N 2600E	Soil	0.4	4.2	3.1	32	0.1	8.1	5.7	198	1.49	9.0	0.9	0.5	7	0.2	0.2	<0.1	51	0.30	0.016	2
L5500N 2625E	Soil	0.7	16.7	7.2	134	0.5	30.3	7.5	598	1.58	18.8	0.6	1.2	22	1.7	0.3	0.2	38	0.71	0.099	6
L5500N 2650E	Soil	0.5	17.0	7.8	257	0.5	28.3	7.2	1167	1.59	16.0	1.5	1.5	19	1.8	0.4	0.1	35	0.64	0.080	8
L5500N 2675E	Soil	0.4	5.9	7.2	124	0.2	10.0	6.5	778	1.69	17.3	<0.5	1.0	22	0.8	0.2	0.3	38	0.44	0.278	3
L5500N 2700E	Soil	0.6	13.9	5.8	154	0.5	28.6	8.6	1061	1.84	7.3	1.7	1.2	19	1.3	0.4	0.1	45	0.50	0.098	5
L5500N 2725E	Soil	1.7	10.5	5.8	149	0.2	23.2	8.0	600	1.74	7.0	1.0	1.3	17	0.7	0.8	<0.1	53	0.25	0.154	4
L5500N 2750E	Soil	1.3	21.2	7.7	180	0.7	35.3	10.3	598	2.65	21.5	2.7	2.2	22	1.2	0.8	0.1	55	0.35	0.414	6
L5500N 2775E	Soil	0.3	4.8	4.4	94	0.2	12.2	6.2	429	1.43	7.5	1.5	0.8	9	0.4	0.2	<0.1	42	0.20	0.111	3
L5600N 2250E	Soil	3.3	41.0	13.8	129	0.3	46.2	18.1	1019	5.58	33.3	4.5	2.9	19	0.9	3.9	0.1	75	0.53	0.067	11
L5600N 2275E	Soil	1.3	43.0	6.9	241	0.2	76.1	17.3	2553	3.70	26.1	3.6	1.2	23	4.6	0.8	0.1	61	1.30	0.170	9
L5600N 2300E	Soil	3.6	37.1	7.1	156	0.1	89.0	37.6	1945	11.21	143.6	39.2	1.0	24	1.6	6.6	<0.1	146	0.48	0.108	4
L5600N 2325E	Soil	1.6	46.3	7.3	145	0.3	60.7	18.9	553	4.86	103.4	37.7	1.6	19	1.4	2.3	<0.1	79	0.35	0.101	7
L5600N 2350E	Soil	1.7	15.8	7.7	302	0.2	65.9	15.2	519	3.07	36.6	29.2	1.1	21	2.2	0.7	<0.1	59	0.43	0.139	5
L5600N 2375E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5600N 2400E	Soil	1.2	7.7	7.6	183	0.2	28.6	7.4	281	1.93	9.0	6.0	1.5	22	1.4	0.7	0.1	54	0.40	0.100	7
L5600N 2425E	Soil	2.9	10.5	8.2	265	0.3	33.3	8.0	349	2.08	12.1	7.4	1.6	20	2.4	1.1	0.1	58	0.37	0.132	8
L5600N 2450E	Soil	2.2	13.7	7.3	192	0.2	45.0	12.8	448	3.07	32.8	3.7	1.6	16	1.0	1.0	0.2	57	0.32	0.131	7
L5600N 2475E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5600N 2500E	Soil	0.8	8.1	5.5	68	0.2	29.5	12.0	309	2.30	28.9	0.6	1.1	16	0.2	0.4	0.1	60	0.41	0.063	5
L5600N 2525E	Soil	1.1	15.9	7.2	90	0.1	34.9	14.0	752	2.91	37.3	3.3	1.4	15	0.3	0.9	<0.1	70	0.44	0.057	7
L5600N 2550E	Soil	0.6	35.9	7.3	103	0.6	40.2	15.5	1219	3.56	22.8	30.4	1.3	21	1.8	0.8	0.1	53	0.83	0.032	10
L5600N 2575E	Soil	166.6	31.7	5.9	91	0.5	49.5	18.6	565	6.66	57.6	1.2	1.2	13	0.7	2.1	<0.1	78	0.43	0.128	5
L5600N 2600E	Soil	0.2	9.6	5.3	125	0.3	28.7	9.5	458	1.84	22.4	<0.5	1.1	10	0.5	0.2	<0.1	46	0.24	0.082	4
L5600N 2625E	Soil	0.3	3.0	3.7	41	0.1	5.1	3.6	145	1.11	2.9	<0.5	0.6	7	0.4	<0.1	<0.1	36	0.10	0.136	2
L5600N 2650E	Soil	0.2	7.7	4.3	103	0.4	14.4	5.9	199	1.39	7.6	2.1	0.9	11	0.4	0.1	<0.1	37	0.22	0.085	3
L5600N 2675E	Soil	2.2	27.8	6.2	136	0.2	33.7	14.5	375	3.36	11.0	2.3	1.7	15	0.6	1.1	<0.1	87	0.48	0.057	9
L5600N 2700E	Soil	0.5	5.7	8.1	144	0.4	8.5	4.8	650	1.46	13.3	0.8	1.3	21	1.7	<0.1	0.1	21	0.30	0.552	3
L5600N 2725E	Soil	1.0	19.1	7.9	162	0.5	25.1	9.0	659	1.98	12.3	<0.5	1.6	19	1.3	0.6	0.1	44	0.47	0.236	6
L5600N 2750E	Soil	0.4	8.5	8.1	116	0.3	19.6	5.7	258	1.78	33.1	<0.5	1.8	10	0.6	0.2	0.1	28	0.22	0.430	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11003118.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L5500N 2575E	Soil			28	0.30	51	0.131	2	2.42	0.017	0.05	<0.1	0.02	2.9	<0.1	<0.05	5	1.6	<0.2
L5500N 2600E	Soil			14	0.18	14	0.131	1	0.51	0.014	0.03	<0.1	0.01	1.6	<0.1	<0.05	3	<0.5	<0.2
L5500N 2625E	Soil			23	0.19	40	0.108	3	2.16	0.020	0.05	<0.1	0.02	2.1	<0.1	<0.05	3	1.1	<0.2
L5500N 2650E	Soil			28	0.18	52	0.107	3	2.20	0.022	0.05	<0.1	0.06	2.5	<0.1	<0.05	3	1.1	<0.2
L5500N 2675E	Soil			14	0.19	135	0.111	3	1.39	0.012	0.07	<0.1	0.02	1.4	<0.1	<0.05	6	1.2	<0.2
L5500N 2700E	Soil			24	0.48	175	0.108	2	1.61	0.018	0.08	<0.1	0.03	2.3	<0.1	<0.05	6	2.1	<0.2
L5500N 2725E	Soil			26	0.36	115	0.075	2	1.37	0.011	0.08	<0.1	0.01	1.8	0.1	<0.05	5	1.7	<0.2
L5500N 2750E	Soil			34	0.51	210	0.097	<1	2.30	0.011	0.08	0.1	0.04	2.5	0.1	<0.05	7	0.8	<0.2
L5500N 2775E	Soil			16	0.22	76	0.100	2	0.94	0.013	0.05	0.1	0.01	1.1	<0.1	<0.05	4	0.9	<0.2
L5600N 2250E	Soil			43	0.66	84	0.073	3	1.74	0.010	0.12	0.3	0.02	4.6	0.1	<0.05	5	2.1	<0.2
L5600N 2275E	Soil			38	0.34	167	0.102	5	2.12	0.017	0.06	0.1	0.04	4.2	0.1	<0.05	6	1.0	<0.2
L5600N 2300E	Soil			74	0.97	160	0.151	5	2.74	0.013	0.07	0.3	0.01	7.7	<0.1	<0.05	9	1.6	<0.2
L5600N 2325E	Soil			45	0.42	97	0.088	3	2.18	0.014	0.10	0.1	0.02	6.0	0.1	<0.05	6	1.2	<0.2
L5600N 2350E	Soil			38	0.59	84	0.102	3	2.37	0.011	0.13	<0.1	0.02	2.9	<0.1	<0.05	7	0.9	<0.2
L5600N 2375E	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5600N 2400E	Soil			29	0.41	96	0.092	4	1.53	0.011	0.07	0.1	<0.01	2.1	0.1	<0.05	5	1.5	<0.2
L5600N 2425E	Soil			33	0.42	109	0.088	3	1.54	0.008	0.10	0.3	0.01	2.2	0.1	<0.05	5	1.1	<0.2
L5600N 2450E	Soil			37	0.53	124	0.111	3	2.11	0.012	0.10	<0.1	0.01	2.6	0.1	<0.05	6	1.2	<0.2
L5600N 2475E	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L5600N 2500E	Soil			32	0.37	67	0.127	2	1.75	0.011	0.07	<0.1	0.01	2.3	<0.1	<0.05	5	1.1	<0.2
L5600N 2525E	Soil			43	0.60	98	0.145	2	1.87	0.008	0.08	0.1	0.01	2.8	<0.1	<0.05	6	0.9	<0.2
L5600N 2550E	Soil			43	0.44	65	0.112	4	2.06	0.015	0.12	<0.1	0.05	6.8	<0.1	<0.05	5	<0.5	<0.2
L5600N 2575E	Soil			52	0.91	58	0.126	3	2.21	0.008	0.06	0.1	0.04	4.5	0.2	<0.05	6	1.1	<0.2
L5600N 2600E	Soil			27	0.38	90	0.105	2	1.70	0.012	0.05	<0.1	0.02	2.1	<0.1	<0.05	6	1.2	<0.2
L5600N 2625E	Soil			10	0.10	83	0.078	2	0.50	0.009	0.04	<0.1	0.01	0.7	<0.1	<0.05	3	1.6	<0.2
L5600N 2650E	Soil			17	0.23	59	0.100	2	1.03	0.013	0.05	0.2	0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
L5600N 2675E	Soil			57	0.89	50	0.165	<1	2.04	0.007	0.08	0.1	0.02	3.6	<0.1	<0.05	6	2.0	<0.2
L5600N 2700E	Soil			13	0.09	196	0.100	2	2.18	0.011	0.07	<0.1	0.03	1.6	<0.1	<0.05	6	1.1	<0.2
L5600N 2725E	Soil			29	0.38	121	0.097	3	1.91	0.010	0.09	<0.1	0.03	2.3	<0.1	<0.05	6	1.3	<0.2
L5600N 2750E	Soil			17	0.16	117	0.111	1	2.70	0.011	0.05	0.1	0.04	1.6	<0.1	<0.05	8	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN11003118.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L4850N 2650E	Soil	1.5	52.8	4.2	93	<0.1	88.4	32.4	746	5.40	99.1	6.2	1.4	24	0.5	2.1	<0.1	95	0.60	0.069	6
REP L4850N 2650E	QC	1.4	52.9	4.0	91	<0.1	87.4	31.2	720	5.28	95.5	4.9	1.4	23	0.4	2.0	<0.1	94	0.57	0.069	6
L4900N 2675E	Soil	0.6	29.7	4.5	92	<0.1	63.6	19.3	431	5.07	178.7	0.9	1.1	20	0.5	6.2	<0.1	117	0.41	0.072	5
REP L4900N 2675E	QC	0.6	29.2	4.3	89	<0.1	62.5	18.7	421	4.99	174.3	3.7	1.0	19	0.5	6.0	<0.1	114	0.41	0.073	5
L4950N 2575E	Soil	2.9	33.2	3.2	71	<0.1	58.6	22.0	732	5.07	122.1	3.6	0.7	11	0.3	5.3	<0.1	124	0.43	0.024	4
REP L4950N 2575E	QC	3.1	35.5	3.5	73	0.1	61.3	22.9	772	5.35	129.0	4.2	0.8	12	0.3	5.7	0.1	129	0.32	0.026	4
L5000N 2600E	Soil	<0.1	80.8	1.0	9	0.1	49.6	2.7	428	0.31	11.8	0.7	<0.1	77	0.9	0.6	<0.1	6	19.78	0.058	1
REP L5000N 2600E	QC	<0.1	78.4	0.7	9	0.1	45.3	2.5	415	0.25	11.0	3.8	<0.1	71	0.6	0.7	<0.1	4	19.30	0.057	1
L5000N 2875E	Soil	1.7	45.0	5.1	101	<0.1	62.8	24.3	417	5.10	62.6	12.6	1.8	10	0.4	2.1	0.1	118	0.44	0.055	7
REP L5000N 2875E	QC	2.0	44.9	5.2	101	<0.1	62.9	24.3	424	5.15	62.2	11.6	2.0	11	0.5	2.2	0.1	119	0.45	0.055	7
L5100N 2500E	Soil	3.2	18.8	5.7	125	0.2	43.7	14.5	450	3.09	23.3	<0.5	1.4	12	0.7	1.4	0.2	64	0.33	0.050	6
REP L5100N 2500E	QC	3.2	17.6	5.7	125	0.2	42.4	14.5	456	3.13	23.0	4.2	1.3	13	0.7	1.5	0.1	65	0.34	0.049	6
L5200N 2650E	Soil	1.1	28.0	10.8	111	<0.1	49.9	20.4	772	3.36	150.7	39.7	1.7	20	0.6	1.8	0.2	80	0.55	0.054	8
REP L5200N 2650E	QC	1.1	28.7	10.9	114	<0.1	52.4	21.2	791	3.53	153.1	33.7	1.7	20	0.7	1.9	0.2	85	0.57	0.054	9
L5300N 2400E	Soil	0.9	10.6	6.6	198	0.1	34.9	11.2	518	2.09	19.6	2.4	1.3	13	1.9	0.5	<0.1	54	0.38	0.065	5
REP L5300N 2400E	QC	0.8	11.0	6.5	208	0.1	35.6	11.5	538	2.13	20.3	2.8	1.3	14	1.8	0.5	<0.1	55	0.39	0.065	5
L5400N 2500E	Soil	1.2	20.8	5.4	116	0.3	52.6	19.2	739	2.64	75.8	2.4	1.4	19	0.5	0.9	0.1	53	0.38	0.112	5
REP L5400N 2500E	QC	1.1	21.0	5.5	117	0.2	52.7	18.9	737	2.61	75.5	3.3	1.3	18	0.5	0.9	<0.1	52	0.37	0.112	5
L5400N 2525E	Soil	0.8	9.5	4.6	113	0.2	22.3	14.3	1013	2.64	30.5	2.4	0.8	19	1.0	1.1	0.3	45	0.30	0.155	3
REP L5400N 2525E	QC	0.7	9.4	4.3	115	0.2	21.8	14.4	1009	2.69	31.4	2.9	0.7	20	0.6	0.7	<0.1	47	0.30	0.161	3
L5500N 2475E	Soil	0.7	60.5	7.5	78	0.5	64.7	14.8	378	2.21	40.7	4.5	1.5	19	0.9	1.1	0.1	38	0.64	0.021	8
REP L5500N 2475E	QC	0.7	58.7	7.5	78	0.5	63.4	14.9	376	2.14	39.6	5.2	1.7	19	1.0	1.2	0.1	40	0.64	0.022	7
L5500N 2775E	Soil	0.3	4.8	4.4	94	0.2	12.2	6.2	429	1.43	7.5	1.5	0.8	9	0.4	0.2	<0.1	42	0.20	0.111	3
REP L5500N 2775E	QC	0.3	4.6	4.5	86	0.1	11.4	6.1	409	1.38	7.5	1.2	0.7	8	0.3	0.2	<0.1	39	0.18	0.113	3
L5600N 2450E	Soil	2.2	13.7	7.3	192	0.2	45.0	12.8	448	3.07	32.8	3.7	1.6	16	1.0	1.0	0.2	57	0.32	0.131	7
REP L5600N 2450E	QC	2.2	13.8	7.2	188	0.2	45.7	12.5	453	3.09	32.3	3.2	1.6	15	0.9	1.1	0.1	57	0.31	0.130	7
Reference Materials																					
STD DS8	Standard	13.7	111.0	128.0	318	1.8	37.7	7.5	637	2.58	27.1	116.4	6.7	63	1.9	5.8	5.8	45	0.68	0.086	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Newmac Resources Inc.
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
Report Date: July 31, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN11003118.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L4850N 2650E	Soil	70	1.25	167	0.150	3	2.87	0.011	0.11	0.1	0.02	7.8	<0.1	<0.05	8	0.8	<0.2
REP L4850N 2650E	QC	68	1.19	162	0.146	3	2.82	0.011	0.11	0.1	0.01	7.5	<0.1	<0.05	8	0.7	<0.2
L4900N 2675E	Soil	71	0.41	224	0.040	3	2.23	0.009	0.11	0.3	0.04	7.0	0.4	<0.05	7	0.5	<0.2
REP L4900N 2675E	QC	70	0.41	220	0.038	3	2.24	0.008	0.11	0.3	0.03	6.8	0.4	<0.05	7	0.7	<0.2
L4950N 2575E	Soil	96	0.64	154	0.047	3	2.33	0.008	0.11	<0.1	0.01	8.8	<0.1	<0.05	8	<0.5	<0.2
REP L4950N 2575E	QC	99	0.66	152	0.042	2	2.45	0.008	0.12	<0.1	0.01	9.6	0.1	<0.05	8	<0.5	<0.2
L5000N 2600E	Soil	6	0.10	37	0.013	6	0.19	0.006	<0.01	<0.1	0.04	0.5	<0.1	<0.05	<1	1.4	<0.2
REP L5000N 2600E	QC	7	0.10	35	0.013	6	0.18	0.006	<0.01	<0.1	0.04	0.4	<0.1	<0.05	<1	1.6	<0.2
L5000N 2875E	Soil	86	1.35	37	0.206	2	2.22	0.006	0.06	0.2	<0.01	7.7	<0.1	<0.05	7	0.5	<0.2
REP L5000N 2875E	QC	85	1.38	37	0.212	1	2.25	0.007	0.07	0.1	0.01	8.0	<0.1	<0.05	7	<0.5	<0.2
L5100N 2500E	Soil	36	0.57	76	0.100	1	1.61	0.009	0.06	0.2	0.01	2.7	0.1	<0.05	5	<0.5	<0.2
REP L5100N 2500E	QC	38	0.57	77	0.105	2	1.62	0.010	0.07	0.2	0.01	2.7	0.1	<0.05	5	<0.5	<0.2
L5200N 2650E	Soil	47	0.76	97	0.112	3	2.15	0.010	0.11	0.2	0.03	4.8	<0.1	<0.05	6	<0.5	<0.2
REP L5200N 2650E	QC	48	0.77	102	0.121	2	2.17	0.010	0.11	0.2	0.03	5.1	<0.1	<0.05	7	<0.5	<0.2
L5300N 2400E	Soil	36	0.52	78	0.124	2	1.64	0.010	0.08	<0.1	0.02	2.5	<0.1	<0.05	5	<0.5	<0.2
REP L5300N 2400E	QC	37	0.52	79	0.131	2	1.69	0.010	0.08	0.1	0.03	2.4	<0.1	<0.05	5	<0.5	<0.2
L5400N 2500E	Soil	37	0.60	99	0.119	3	1.88	0.011	0.06	<0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
REP L5400N 2500E	QC	36	0.61	100	0.115	3	1.88	0.011	0.06	0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
L5400N 2525E	Soil	23	0.53	116	0.079	2	1.34	0.011	0.06	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
REP L5400N 2525E	QC	23	0.55	117	0.083	1	1.33	0.011	0.06	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
L5500N 2475E	Soil	31	0.31	48	0.111	3	1.58	0.024	0.04	<0.1	0.05	3.5	<0.1	<0.05	3	<0.5	<0.2
REP L5500N 2475E	QC	31	0.31	51	0.116	4	1.58	0.028	0.05	<0.1	0.04	3.7	<0.1	<0.05	3	0.7	<0.2
L5500N 2775E	Soil	16	0.22	76	0.100	2	0.94	0.013	0.05	0.1	0.01	1.1	<0.1	<0.05	4	0.9	<0.2
REP L5500N 2775E	QC	14	0.21	76	0.089	2	0.94	0.011	0.04	<0.1	<0.01	1.1	<0.1	<0.05	4	1.1	<0.2
L5600N 2450E	Soil	37	0.53	124	0.111	3	2.11	0.012	0.10	<0.1	0.01	2.6	0.1	<0.05	6	1.2	<0.2
REP L5600N 2450E	QC	38	0.52	120	0.104	2	2.10	0.013	0.09	0.1	0.02	2.6	<0.1	<0.05	6	1.4	<0.2
Reference Materials																	
STD DS8	Standard	121	0.59	269	0.114	3	0.93	0.076	0.43	3.3	0.20	1.9	5.4	0.13	5	7.3	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada

Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN11003118.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001	1DX15 La ppm 1
STD DS8	Standard	14.7	115.7	133.1	339	2.0	38.9	7.7	670	2.82	27.7	115.1	5.8	67	2.5	6.0	6.1	45	0.72	0.085	15
STD DS8	Standard	14.0	111.4	122.0	301	1.7	38.2	7.5	593	2.37	24.2	106.2	6.7	61	2.1	5.3	6.5	41	0.65	0.074	14
STD DS8	Standard	14.2	116.7	122.6	307	1.8	39.5	7.9	604	2.49	25.0	102.6	6.6	63	2.3	5.5	6.2	43	0.66	0.079	14
STD DS8	Standard	12.3	108.1	117.7	305	1.8	36.3	7.3	595	2.40	27.0	113.2	6.4	62	2.2	5.2	6.3	42	0.64	0.077	13
STD DS8	Standard	13.6	110.1	122.8	309	1.8	37.6	7.5	606	2.44	27.2	116.7	6.7	66	2.1	5.3	6.3	44	0.67	0.074	15
STD DS8	Standard	13.1	110.3	120.7	316	1.8	37.8	7.7	606	2.47	26.0	114.6	6.4	67	2.4	5.7	6.2	41	0.66	0.079	14
STD DS8	Standard	13.0	107.2	120.8	307	1.8	37.4	7.5	601	2.43	25.2	118.6	6.7	69	2.4	6.0	6.2	42	0.66	0.075	15
STD DS8	Standard	12.6	106.3	121.4	299	1.5	36.8	7.4	584	2.37	25.1	103.6	6.4	61	2.3	5.4	6.2	40	0.65	0.074	12
STD DS8	Standard	13.6	109.2	126.7	299	1.7	37.6	7.6	602	2.36	25.1	106.7	7.2	64	2.2	5.6	6.6	43	0.64	0.075	14
STD DS8	Standard	12.7	109.6	120.8	310	1.7	38.3	7.5	600	2.40	25.7	122.8	6.1	57	2.2	5.2	6.0	41	0.63	0.078	13
STD DS8	Standard	12.7	108.5	121.0	305	1.6	38.9	7.3	597	2.37	24.4	106.3	6.2	58	2.1	5.0	6.1	40	0.65	0.077	13
STD DS8	Standard	13.1	107.9	123.4	322	1.8	39.3	7.9	625	2.50	27.0	105.7	6.2	61	2.1	5.2	6.2	41	0.66	0.083	13
STD DS8	Standard	13.8	108.5	120.1	317	1.8	40.1	8.2	645	2.58	29.3	112.5	6.6	65	2.4	5.7	6.4	41	0.72	0.082	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Newmac Resources Inc.**
 511 - 475 Howe Street
 Vancouver BC V6C 2B3 Canada


Project: Crazy Fox
 Report Date: July 31, 2011

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN11003118.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS8	Standard	127	0.57	287	0.125	3	0.94	0.077	0.47	3.3	0.21	2.2	5.7	0.09	5	6.6	5.1
STD DS8	Standard	118	0.60	272	0.117	3	0.86	0.080	0.39	2.9	0.19	1.9	5.1	0.12	4	5.0	4.9
STD DS8	Standard	120	0.60	278	0.122	3	0.86	0.086	0.40	3.2	0.19	1.9	5.1	0.14	4	5.3	5.0
STD DS8	Standard	115	0.60	271	0.115	2	0.87	0.089	0.41	2.9	0.21	1.7	5.2	0.17	4	4.8	4.4
STD DS8	Standard	119	0.62	276	0.123	2	0.91	0.092	0.40	3.0	0.18	2.0	5.1	0.18	5	4.8	4.6
STD DS8	Standard	118	0.60	265	0.113	2	0.90	0.088	0.41	2.9	0.20	2.0	5.2	0.16	5	4.7	4.6
STD DS8	Standard	116	0.60	272	0.117	3	0.90	0.090	0.42	2.9	0.21	2.0	5.2	0.14	5	6.1	4.9
STD DS8	Standard	112	0.58	250	0.108	2	0.86	0.086	0.38	2.7	0.19	1.9	4.9	0.14	4	5.0	4.6
STD DS8	Standard	115	0.56	259	0.118	2	0.86	0.088	0.39	2.7	0.17	2.2	5.2	0.14	4	5.3	4.3
STD DS8	Standard	115	0.58	266	0.107	3	0.87	0.074	0.39	3.0	0.18	1.9	5.2	0.15	4	5.7	5.2
STD DS8	Standard	111	0.56	263	0.109	2	0.86	0.074	0.39	2.8	0.18	1.9	5.1	0.14	4	5.5	5.1
STD DS8	Standard	118	0.64	295	0.112	2	0.94	0.084	0.43	3.0	0.20	2.1	5.3	0.16	5	5.3	5.0
STD DS8	Standard	119	0.64	305	0.121	2	0.94	0.088	0.45	3.2	0.20	2.3	5.3	0.19	5	5.4	5.2
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2




BASE MAP: GEOLOGY OF NEHALLISTON PLATEAU: OPEN FILE 2002-4

- - - - Road
- Claim Boundary
- 139 ppm Contour for Arsenic

200 meters
NAD 83, ZONE 10

NEWMAC RESOURCES INC. CRAZY FOX PROPERTY <small>KAMLOOPS MINING DIVISION, LITTLE FORT, BC</small>	
PLAN MAP SHOWING ARSENIC (ppm) SOIL SAMPLE RESULTS	
<small>DATE: DEC. 2011 DRAWN BY: DJB</small>	<small>FIGURE 6</small>





BASE MAP: GEOLOGY OF NEHALLISTON PLATEAU: OPEN FILE 2002-4

200 meters

NAD 83, ZONE 10

- - - Road
- Claim Boundary
- 27.7 ppb Contour for Gold

NEWMAC RESOURCES INC. CRAZY FOX PROPERTY <small>KAMLOOPS MINING DIVISION, LITTLE FORT, BC</small>	
PLAN MAP SHOWING GOLD (ppb) SOIL SAMPLE RESULTS	
DATE: DEC. 2011 DRAWN BY: DJB	FIGURE 5