



Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Diamond Drilling

TOTAL COST: 153,934.11

AUTHOR(S): Douglas Anderson SIGNATURE(S): _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): _____ YEAR OF WORK: 2011

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): SOW - M (5138007)/Nov28,2011

PROPERTY NAME: Dewdney Trail

CLAIM NAME(S) (on which the work was done): 515885

COMMODITIES SOUGHT: Gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: _____

MINING DIVISION: Fort Steele NTS/BCGS: 082G073

LATITUDE: 49 ° 79 ' 85 " LONGITUDE: 115 ° 56 ' 75 " (at centre of work)

OWNER(S):
1) PJX Resources Inc. - option from SG Spirit Gold 2) _____

MAILING ADDRESS:
5600 - 100 King Street West, Toronto, Ontario, Canada
MX5 1C9

OPERATOR(S) [who paid for the work]:
1) PJX Resources Inc. 2) _____

MAILING ADDRESS:
As Above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Dewdney Trail overlies a sequence of Mesoproterozoic sedimentary rocks including the Middle and Upper Aldridge Formation sub-divisions, Creston Formation, and Kitchener Formation. The property straddles a major overturned anticline with upright rocks on the west side and an overturned sequence on the east. Gold has been found in quartz veins within a package of Middle Aldridge-style quartzitic turbidites.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 31441,31437,30557,27888,26714,223934

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core 796.46 metres in four holes - NQ		515885	94324.27
Non-core -support activities for program -logging, report,		maps, company overheads (12%)	33336.07
RELATED TECHNICAL			
Sampling/assaying			12663.77
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail haul water			13610
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			153,934.11

DIAMOND DRILLING REPORT FOR THE DEWDNEY TRAIL PROPERTY

Fort Steele Mining Division

Tenure Numbers – PJX Option from Spirit Gold
515881 through 515899 (except 515886);
515901,515902,515909,515910,516196,516197,516199; 516201 through
516210(excepting516204);525611,530860,530861,525380,545974,561745,5742
48,574250 through 574252; 598117 through 598121; 719042,831942.

UTM's Drilling 605000E; 5509600

Claim Owners – SG Spirit Gold Inc. optioned to PJX Resources

**Operator – PJX Resources Inc.
5600 – 100 King Street West
Toronto, Ontario
Canada, M5X 1C9**

**BC Geological Survey
Assessment Report
32758**

Report by:

D. Anderson, P.Eng.
Geological Consultant
Anderson Minsearch Consultants
#100-2100 13th. St. S.
Cranbrook, B.C.
V1C 7J5

Date: February, 2012

Diamond Drilling on the Dewdney Trail Property

TABLE OF CONTENTS

	Page
1.0 Introduction.....	1
2.0 Property Definition, History, and Background Information.....	1
2.10 Property Definition.....	1
2.20 History of Exploration.....	1
3.0 Regional Geology.....	4
4.0 Property Geology and Summary of Work Done.....	5
5.0 Diamond Drilling Results.....	5
6.0 Summary and Conclusions.....	7
7.0 Itemized Cost Statement.....	7
8.0 Author's Qualifications.....	8
9.0 References.....	8

List of Figures:

Figure 1	Dewdney Trail Property Location Map (page 2)	Scale 1:11,514,525
Figure 2	Dewdney Trail Property Claim Map (page 3)	Scale 1:299,876
Figure 3	M1 Target Area Geology	Scale 1~10000
Figure 4	Dewdney Trail – Drill Section Hole 1	Scale 1:1000
Figure 5	Dewdney Trail – Drill Section Hole 2	Scale 1:1000

Appendices:

Appendix A Diamond Drill Hole Logs – DT-11-1,2,3,and 4

Appendix B Acme Lab Analyses (2 sets)

Appendix C Mineral Titles Online Report – PJX Claims

DIAMOND DRILLING REPORT FOR THE DEWDNEY TRAIL PROPERTY

1.0 Introduction

The Dewdney Trail property is located in the Rocky Mountains of southeastern B.C. about 30 kilometres NNE of Cranbrook, B.C. It straddles the front range of the mountains west of the Wild Horse Creek drainage. It is an area of high relief from 1100 to 2100 metres in the area of the drilling program reported on herein. Access is via the Wild Horse forest service road then along the Victoria Creek road to an unnamed drainage about 1.5 kilometres northeast of Victoria Creek.

2.0 Property Definition, History, and Background Information


2.10 Property Definition

The Dewdney Trail claims encompass 53 claims totaling 18879.36 Ha. The claims cover west of the Wild Horse Drainage north to Lewis Creek. The claims are owned by SG Spirit Gold but are under option to purchase to PJX Resources Inc. The drilling was completed on one claim – Tenure number 515885.


2.20 History of Exploration

The history of exploration for the current Dewdney Trail claims involves an extended period of work done in the areas of the Estella and the Kootenay King Mines. This brief history will deal only with the current area of drilling and the property work done a few kilometers to the south (Spirit Dream) and north (Tac – Little Tackle and Tackle drainages). Some of the earlier work which bears on the area drilled in 2011 was started by Placer Dome to the north (AR20202) on the Tac property (late 1980s) where they completed mapping, soil geochem and some geophysics. The outcome was they identified anomalous gold on two soil grids and in rock samples. They noted Ag, Pb, Zn and Cu was associated with the gold and considered some syenitic intrusives as a possible source for the metals. Next for the southern portion of the Dewdney Trail (Spirit Dream at the time) were soil lines done on the drill area with some positive gold numbers. Mapping was conducted to the south with soil geochem done as a follow-up. Trail excavation and trenching followed. During this several years of work, explorers were noting gold in soils and rocks over a series of quartzites hosting quartz veins. Several contour soil lines were done on the ridge above the drilling and down into the Little Tackle drainage. Anomalous gold was erratically distributed on these lines. The entire property was mapped in 2009 and reported on in AR31437.


Dewdney Trail Location Map



Dewdney Trail Claim Map



SCALE 1 : 299,876



3.0 Regional Geology

The Dewdney Trail property is a Rocky Mountain claim block lying west of the Wild Horse drainage, encompassing the Little Tackle, Tackle, Trail, and Lewis Creek drainages. The 52 claims cover a large area of about 12 by 10 kilometres.

The property is underlain by Mesoproterozoic sedimentary rocks of the Fort Steele, Aldridge, Creston and Kitchener Formations. These rocks have been deformed into a large, east verging, overturned, asymmetric anticline. This Wild Horse anticline is straddled by the property meaning the east portion of the claim block is overturned stratigraphy. The sediments generally strike approximately north-south, dipping east on the west flank and dipping west on the east side of the anticline.

Briefly the **stratigraphy** as described by T.Hoy:

Fort Steele Fm – Base of the succession (Base not exposed) is some 2000 metres of several fining-upward sequences of coarse-grained, massive to cross-bedded quartzites each grading up into laminated siltstone at the top.

Aldridge Fm – 3500 to 3800 metres thinning to the north. T. Hoy divides the lower Aldridge into six sub-divisions of A1:

- a. A basal grey to black siltstone and argillite
- b. Silty dolomite horizon
- c. Grey siltstone and argillite with tan and black graphitic argillite
- d. Buff colored dolomitic siltstones and argillites
- e. Thick bedded quartzite package
- f. Dark grey siltstone and argillite

A2 is quartzite and siltstone interbedded with dark argillites.

A3 is dark grey to black, laminated to thin bedded argillites and lesser siltstones.

Creston Fm – About 1500 metres of green, purple, and white quartzite, siltstone, and argillite. Crudely divided into three segments:

A massive, medium bedded, greenish-grey to buff colored siltstone overlies the Aldridge. Above are dark, thin laminated argillites and white quartzites. Next are siltstone/argillite couplets, purple and green with a few white quartzites. The upper section is interlayered thin, irregular and discontinuous white and green quartzites with some green or purple argillites.

Kitchener Fm – 500 to 1000 metres of interlayered dolomite, silty dolomite and green siltstones overlain by massive dolomite with dark grey argillite partings.

Intrusive rocks are not that common but do occur along the front range of the mountains including:

- a. Purcell sills and dykes within the Aldridge Fm – these are generally gabbroic in composition.

- b. East of the Estella Mine there are small bodies of white, coarse crystalline syenite intruding Aldridge rocks.
- c. Very small occurrences of buff colored sills and dykes named the JudyLu intrusions. These occur throughout the property and appear to be very young.

Structurally the Dewdney Trail property overlies the Wild Horse recumbent anticline with its axial plane dipping to the west. The anticline is cut by a number of high angle normal and reverse faults. There are several E-W faults, particularly to the north with the Nicol and Lewis Creek faults offsetting the N-S stratigraphy varying amounts. In the much smaller area of concern to this report there appear to be several E-W faults offsetting the stratigraphic units present. Normal faults striking N-S also complicate the setting on this southern end to the property.

4.0 Local Geology (proximal to drilling)

Because the property is so large, the regional geology covers the setting for the Dewdney Trail claims. However, the area where the 2011 diamond drilling was conducted is addressed here. This M1 target area which was drilled is a portion of the southern extent of the DT claims. It is a 4 square kilometre area, the preliminary geologic map of which is included as Figure 3. The area has not been mapped in a comprehensive manner so the geology shown is based on several sources of peripheral information, the trenching/road exposures, and on the airborne Mag flown in 2011.

The area is overturned stratigraphy of the Lower Creston through upper Middle Aldridge. The focus for drilling is a series of quartzite units within a black argillite package which is probably part of the upper Middle Aldridge but questions remain about this interpretation because the quartzites do not resemble the quartzitic turbidites of the upper Middle Aldridge seen elsewhere. The pyrrhotitic, finely laminated to couplet-style bedded black argillites of the Upper Aldridge are diagnostic of the stratigraphic level involved. The area around the drilling is interpreted to be block faulted with several E-W strike-slip faults and at least one N-S striking normal fault.

The principal economic interest are the light grey, fine-grained quartzites which are silicified and sericitally altered. These medium to thick bedded quartzites are host to several generations of quartz vein which have been demonstrated to be host to gold to multiple grams in individual hand samples.

5.0 Diamond Drilling Program

During the fall of 2011, PJX initiated a diamond drilling program to test for gold in a small area about 300 by 400 metres in size. Four holes were drilled totalling 796.46 metres. The holes were positioned to test below excavated quartzites which host gold in at least three different quartz vein sets. The target area also

displays airborne magnetic linears and some weak EM responses which were also incorporated into the drilling plans.

Past rock sampling of the individual quartz veins in this area yielded consistently anomalous gold up to 1.7 grams. Rocks up slope of the drilling produced similar or even higher isolated numbers from quartz veins some 300 metres in elevation above the drill area.

Hole number 1 was collared the lowest in elevation at about 1520 metres. It was drilled at -45 degrees to azimuth 045° to a total depth of 249 metres. It was positioned to drill approximately at 90° to bedding and to depth beneath the trench area where anomalous gold is present. The hole intersected about 115 metres of dominantly quartzite with some intervals of dark grey argillite over 1 to 5 metres with visual evidence that some of the interbedded argillite is now largely replaced by silica. Below 115 metres the hole is in exclusively dark grey argillite which is laminated and quite highly sulphidic due to pyrrhotite and some pyrite. There is the occasional quartzite within but they are rare.

The quartzites are very clean, pale grey, fine-grained rocks without bedding features excepting where remnant argillite can be found. They have been silicified and have pale green sericite along most fractures/breaks.

The quartzites are cut by at least three different sets of quartz veins to several centimeters thick which all carry varying amounts of pyrite and produce the anomalous gold at various points in the hole. Micro-fractures are also present in each of the drill holes and when combined with the quartz veining yield a brecciated appearance to the quartzites. In hole 1 the thickest interval with anomalous gold is 7.6m of 79ppb with numerous shorter intervals up to 164ppb gold.

Hole number 2 was collared 80 metres upslope from Hole 1 and slightly off section to test the same section but at a shallower depth beneath the trenching. It confirms the section of Hole 1 with the interval dominated by 75% quartzite about 115 metres thick. In this hole the brecciation produced by quartz veining and micro-fractures with quartz seams is more intense to about 60 metres depth. This has resulted in more anomalous gold over thicker intervals such as 6.7m of 209.5ppb. There is one interval from 11 to 13 metres of 559.2ppb.

Hole 3 was drilled across the trenched zone at a steeper angle and in a direction opposing that of Holes 1 and 2. It was to attempt to test the sets of quartz veins with a different orientation and was somewhat successful in achieving thicker zones of anomalous gold. The highest gold value from the drilling was 608.9ppb Au from 47 to 48 metres. The thickest interval was 12.15 metres of 138.15ppb.

Hole 4 was collared near Hole 3 but drilled to the north-northeast to attempt to cross a fault and test the section near it. It was unsuccessful, hitting a continuous section but again intersected anomalous gold over several metres at a time.

6.0 Summary and Conclusions

A program of almost 800 metres of diamond drilling was drilled in a small area on the southernmost target area of the Dewdney Trail property. This target defined by the geological setting, airborne EM, airborne Mag and trenching results yielded some interesting drill intersections. The quartz veining carrying the gold is restricted to three sets of quartz veins in quartzites overlying a thick interval of sulphidic black argillite/siltite. The holes yielded anomalous gold over intervals from one to 12 metres. The highest gold values were 559.2ppb over 2 metres and 608ppb over one metre.

The Dewdney Trail drill program tested a very small area where trenching of individual quartzites had yielded numerous anomalous gold values in grab samples taken from quartz veins. The results from the drilling are disappointing not achieving >gram values for gold but are significant in defining a thick package of dominantly quartzites which are highly altered due to pervasive silica and sericite. The quartz veining is widespread and carries anomalous gold scattered throughout the package of quartzites. The geological setting needs to be resolved to better understand the host stratigraphy, sources of the alteration and gold, and how the overall setting here relates to potential targets going north on the property.

7.0 Itemized Cost Statement

Permitting, amendments, coordination (M.Best)	1246.88
Dorado Drilling – direct drilling costs	94324.27
D.Anderson – coordination, logging core, sampling etc.	10123.50
EK Expediting – sampling, tagging, storing core	2113.77
Water Truck – hauling	12547.50
Ron Pighin – trucking; road improvements	1062.50
Supplies for core logging, sampling	574.75
Kevin Franck – maps (GIS)	348.00
Acme Core Analyses – 422 samples	10550.00
Report writing and assembly – DA	1500.00
Vine storage of core and rental of facility	<u>3050.00</u>
Sub-total	\$137441.17
12% administration (PJX)	<u>16492.94</u>
Total	\$153934.11

9.00 Author's Qualifications

I, Douglas Anderson, Consulting Geological Engineer, have my office at #100 – 2100 13th St. South in Cranbrook, B.C. V1C 7J5.

I graduated from the University of British Columbia in 1969 with a Bachelor of Applied Science in Geological Engineering.

I have practiced my profession since 1969, predominantly with one large mining company, in a number of capacities all over Western Canada and since 1998 within southeastern B.C. as a mineral exploration consultant.


I am a Registered Professional Engineer and member of the Association of Professional Engineers and Geoscientists of B.C., and I am authorized to use their seal.






Douglas Anderson

Douglas Anderson, P.Eng.

10.0 References

- Hoy, T. Geology of the Estella-Kootenay King Area, Hughes Range, Southeastern BC, Notes to Accompany Preliminary Map 36.
- Fox Geological Services Inc. Diamond Drilling Report on the Tackle 1+3 and Elque 1+2 Claims, 1995, Ministry of Energy and Mines Assessment Report, 24211.
- Kennedy, S. Rock Geochem and Trenching Report, Spirit Dream Mineral Claims, 2008, Ministry of Energy and Mines Assessment Report, 30757.
- Klewchuk, P. Trail Access Construction, Trenching and Rock Geochem, Rockies Claim Block 2009, Ministry of Energy and Mines Assessment Report, Number 31441.



-  Lower Creston
LCF
-  Upper Aldridge
UA
-  Middle Aldridge Turbidites
MAT
-  Kootenay King Quartzite
-  Drilled Section

PJX RESOURCES
DEWDNEY TRAIL PROPERTY
M1 TARGET AREA GEOLOGY

Scale 1:10000

APPENDIX A

DIAMOND DRILL LOGS

Drill Holes DT-11- 1,2,3,4

Drill Hole Record

Property:	Dewdney Trail	Horizontal Comp:	179.5	Hole Number:	DT-11-1
Location:	Wild Horse Creek - tributary north of Victoria Creek	Vertical Comp:	174	Length:	249.0m
Commenced:	Oct.17	% Recovery:	94%	Drill Contractor:	Dorado Drilling
Completed:	Oct.19,2011	Logged Dates:	Oct.18		
UTM Coordinates:		Logged by:	DA	Core Size:	NQ
East:	605120			Casing:	~2.0m
North:	5509585				
Elevation:	1520				
Azimuth of Hole:	45	Collar Dip:	-45		
Core Storage Location:	Vine Property				
Objective:	To test brecciated quartzites with multiple quartz veins				
Surveys:		Other Details:	Lowest hole on the hillside.		
Depth	9m 96 147 249				
Azimuth	020 022 024 028.5				
Dip	43.7 44 44 43.7				
End of Hole:	249.0m				

From (m)	To (m)	Description
6.0m	8.5m	Lithology: Dark grey, laminated argillite - soft with diskings. Black, oxidized with poor core recovery.
		Primary Structure: Bedding at 50 degrees to ca.
		Tectonic Structure: Broken core.
		General Alteration: Little noted.
		Mineralization and Associated Alteration: Oxidized with poor recovery

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581284	12	14.3m	2.3m	66.4				
1581285	14.3	15.3m	1.0m	6.8				
86	15.3	16.3m	1.0m	23.2				
87	16.3	17.0m	0.7m	10.3				
88	17	18.0m	1.0m	40.5				
89	18	19.3m	1.3m	2.9				
90	19.3	20.3m	1.0m	11.6				
91	20.3	21.1m	0.8m	1.6				
92	21.1	22.0m	0.9m	19.3				
93	22	23.0m	1.0m	41.3				
94	23	24.0m	1.0m	61.1				
1581295	24	25.0m	1.0m	10.7				

From (m)	To (m)	Description
11	31.0m	Lithology: Continued alternating fine-grained light grey quartzite and darker, still oxidized argillites. Quartzites are micro-brecciated but not intensely so. No thicker veins. Interval was limited only because the veining lessens beyond ~ 31 metres. Thickest argillite unit is about 1.0m - most are interbedded with the quartzites as 5 to 15cm thick units.
		Primary Structure: No bedding in the quartzites.
		Tectonic Structure: Hairline fractures but not intense - narrow and not enough to produce a breccia.
		General Alteration: Little noted - quartzites appear as fine-grained, vitreous, silicified quartzite
		Mineralization and Associated Alteration: Hairline fractures - white with quartz and dolomite - contain some pyrite and grey specularite at 20 to 40 degrees to ca. White veinlets cut the mineralized ones. Thickest veins are 0.5 cm - most are 1 to 5mm. Thicker one contains the pyrite. Overall the veinlets are not well mineralized.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581301	30	31.0m	1.0m	8.1				
1581302	31	32.0m	1.0m	46.7				
303	32	33.0m	1.0m	51.3				
304	33	34.0m	1.0m	21.3				
305	34	35.0m	1.0m	1				
306	35	36.0m	1.0m	<0.5				
307	36	37.0m	1.0m	0.7				
308	37	37.9m	0.9m	<0.5				
309	37.9	38.9m	1.0m	<0.5				
310	38.9	40.3m	1.4m	<0.5				
1581311	40.3	41.7m	1.4m	3.4				

From (m)	To (m)	Description
31	54.6m	Lithology: Same lithologies continue but darker grey laminated to thin bedded dark grey argillites are more intermixed with the light colored, fine-grained quartzites. The lighter beds in the overall dark argillites are harder siltstones but very thin. Get clasts of argillite in the fine sands. Overall pale greenish grey with minor dark grey units.
		Primary Structure: Bedding defined by the darker argillaceous units at 45 degrees to core axis.
		Tectonic Structure: The fine-grained clean quartzites are competent, not fractured.
		General Alteration: Sericite in the fractures. The grey thin beds of argillite have been highly silicified so only remnants remain.
		Mineralization and Associated Alteration: Micro veins/veinlets not that abundant - most are 1 to 5mm and at 25 degrees to ca except over short intervals (<0.5m) where several veinlets are white quartz-dolomite at 10, 25 and 40 degrees to ca. Pyrite, pyrrhotite, and a dark magnetic mineral are minor components within the veinlets.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581312	41.7	42.5m	0.8m	<0.5				
13	42.5	43.7m	1.2m	<0.5				
14	43.7	45.0m	1.3m	<0.5				
15	45	46.0m	1.0m	0.7				
16	46	46.5m	0.5m	<0.5				
17	46.5	47.5m	1.0m	<0.5				
18	47.5	49.0m	1.5m	2.4				
19	49	50.0m	1.0m	1.3				
20	50	51.0m	1.0m	6				
21	51	52.0m	1.0m	10				
22	52	53.0m	1.0m	0.8				
1581323	53	54.6m	1.6m	0.7				

From (m)	To (m)	Description
54.6	58.5m	Lithology: Dark and light grey striped with dark grey argillites very dominant. Regular bedding/planar. Beds can be lenticular. Base of zone is mixed with lighter more silica-rich units interbedded with argillite - transitional change from quartzites.
		Primary Structure: Bedding is thin bedded to laminated, variably grey. At ~50 degrees to core axis. Beds probably near vertical.
		Tectonic Structure: Little for structure - no veining, no fracturing
		General Alteration: Nothing noted.
		Mineralization and Associated Alteration: Pyrite, lesser pyrrhotite in some of the lighter grey thin beds (some conductive across the core). Pyrite cubes late - growth across the bedding. Dark 'sheared' argillite partings - not conductive, not graphitic.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581324	54.6	56.5	1.9m	<0.5				
1581325	56.5	58.5	2.0m	<0.5				
26	58.5	60.0m	1.5m	6.8				
27	60	61.4m	1.4m	0.8				
28	61.4	63.4m	2.0m	6.9				
29	63.4	65.4m	2.0m	<0.5				
30	65.4	67.0m	1.6m	<0.5				
31	67	67.4m	0.4m	<0.5				
32	67.4	69.4m	2.0m	<0.5				
33	69.4	71.4m	2.0m	<0.5				
34	71.4	73.6m	2.2m	<0.5				
1581335	73.6	75.0m	1.4m	<0.5				

From (m)	To (m)	Description
73.65	106.9m	Lithology: Dominated (85%) by pale greenish-grey quartzites. Fine-grained, relatively pure except where there are remnant argillite beds.
		Primary Structure: Bedding at 50 to 60 degrees to ca. Argillite intervals: 74.8-75.4m; 78.2-81.0m; 85.8-86.3m; 88.4-89.0m; 91.0-91.55m; 94.6-95.6m; 98.75-99.3m; and 103.2-103.7m. Some shredding of the argillite interbeds by the sands.
		Tectonic Structure: Competent core with good core recovery.
		General Alteration: Little to be noted.
		Mineralization and Associated Alteration: Scattered quartz-dolomite veins 0.25 to 1cm thick at 15 to 30 degrees to ca. Pyrite (po) but not well developed (low %) Some oxidized around 86 - 87.5m along bedding partings. 89.5 - 98.7m More quartz veins in the quartzites at 0 to 40 degrees - most ~20 degrees to ca. Most <1cm thick. Two patches of quartz veins all with pyrite and specularite. Minor chlorite along some vein margins.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581346	86	87.0m	1.0m	2.2				
47	87	88.4m	1.4m	84.5				
48	88.4	89.4	1.0m	11.2				
49	89.4	91.0m	1.6m	44.9				
1581350	91	91.5m	0.5m	<0.5				
51	91.5	93.0m	1.5m	193.4				
52	93	94.6m	1.6m	68.6				
53	94.6	95.6m	1.0m	4.8				
54	95.6	96.3m	0.7m	7.3				
55	96.3	97.3m	1.0m	116.5				
56	97.3	98.5m	1.2m	166.4				
1581357	98.5	99.3m	0.8m	11.3				

Drill Hole Record

Property:	Dewdney Trail	Horizontal Comp:	136.0m	Hole Number:	DT-11-2
Location:	Wild Horse Creek - tributary north of Victoria Creek	Vertical Comp:	136.5m	Length:	195m
Commenced:	Oct.20,2011	% Recovery:	92%	Drill Contractor:	Dorado Drilling
Completed:	Oct.21,2011	Logged Dates:	~Oct.20		
UTM Coordinates:		Logged by:	DA	Core Size:	NQ
East:	605205			Casing:	6.3m
North:	5509694				
Elevation:	1598m				
Azimuth of Hole:	45	Collar Dip:	-45		
Core Storage Location:	Vine Property				
Objective:	To test brecciated quartzites with multiple quartz veins				
Surveys:		Other Details:	Higher hole above Hole 1		
Depth	15m 60m 150m 215m				
Azimuth	030 031 035.5 014				
Dip	42.5 43 43.5 46.4				
End of Hole:	195m				

From (m)	To (m)	Description
60.3	65.8m	Lithology: Dominated by the finer-grained, very hard, clean silicified quartzites.
		Primary Structure: Bedding reconized wher argillite intervals at 60 degrees to ca.
		Tectonic Structure: Brecciated locally - micro fractures.
		General Alteration: Sericite and silica.
		Mineralization and Associated Alteration: Only 6 quartz veins up to 5mm thick. There is fine pyrite along the micro fractures.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581201	21	22	1.0m	1.7				
2	22	24	2.0m	7.1				
3	24	27	3.0m	2.9				
4	27	28	1.0m	22.7				
1581205	28	29	1.0m	62.3				
6	29	30	1.0m	8.8				
7	30	31	1.0m	6				
8	31	31.8	0.8m	34.4				
9	31.8	33	1.2m	1.3				
1581210	33	33.5	0.5m	20.8				
11	33.5	34.5	1.0m	149.8				
1581212	34.5	36	1.5m	13.9				

From (m)	To (m)	Description
65.8	73.2m	Lithology: Again the dark grey, laminated to thin bedded (stiped) argillite. Some couplet-style beds of argillite and siltite.
		Primary Structure: Bedding is at 40/45 degrees to core axis.
		Tectonic Structure: None except some internal folding within the units. 68.1 - 68.35m Pale dyke rock with several clast types - irregular, replacement contacts.
		General Alteration: None
		Mineralization and Associated Alteration: Dominated by pyrite seams.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581213	36	37	1.0m	11.4				
14	37	38	1.0m	3				
15	38	39	1.0m	1.6				
16	39	40	1.0m	1.9				
17	40	40.9	0.9m	116.2				
1581218	40.9	42	1.1m	6.4				
19	42	43.3	1.3m	25.6				
1581220	43.3	45.7	2.4m	2				
21	45.7	46.4	0.7m	24.1				
22	46.4	47.6	1.2m	0.6				
23	47.6	48.1	0.5	1.8				
1581224	48.1	49.0m	0.9m	19.1				

From (m)	To (m)		Description
73.2	102.1	Lithology:	Dominated by the fine-grained, hard silicified quartzites - amalgamated so bedding not recognized. Vague argillite beds which appear replaced by silica. A few argillite intervals to 0.5m thick - very finely laminated. Where the quartzites are more interbedded with the argillite they are more of a siltstone. Note: from 74.7 - 79.5m mix of JudyLu dyke and altered sediments.
		Primary Structure:	There is 'ghostly' bedding from slightly argillaceous intervals - bedding mainly from dark argillites at 55 to 72 degees to ca.
		Tectonic Structure:	Micro-fracturing present but the unit is not as brecciated as the first interval from 0 to 57m.
		General Alteration:	Silicification and sericite
		Mineralization and Associated Alteration:	Pyrite - fine along fractures and in small quartz veins. Quartz veins contain white dolomite - veins at 15 to 30 degrees to ca but are generally not abundant.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581225	49	50	1.0m	14.7				
26	50	51	1.0m	5.4				
27	51	52.4	1.4	2.9				
28	52.4	54	1.6	15.2				
29	54	55.3	1.3	99.9				
1581230	55.3	57.1	1.8	6.3				
31	57.1	59	1.9	3.2				
32	59	60.2	1.2	2				
33	60.2	61.2	1.0m	3				
34	61.2	62.7	1.5	5.2				
1581235	62.7	64	1.3	2.4				
36	64	65.8	1.8	1.2				

<u>From</u> (m)	<u>To</u> (m)		Description
102.1	105.65m	Lithology:	Mixed finely laminated black argillite and a single pale grey quartzite bed which is more a siltite.
		Primary Structure:	Bedding - lams a t 70 degrees to ca.
		Tectonic Structure:	None
		General Alteration:	Low level - sericite in the siltite.
		Mineralization and Associated Alteration:	Pyrite patches and scattered 'blebs' with the bedding. Lenses of pyrrhotite which are weakly magnetic.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
1581237	65.8	67	1.2m	<0.5				
38	67	69	2.0m	0.9				
39	69	71	2.0m	0.7				
1581240	71	73.2	2.2m	0.8				
41	73.2	74.7	1.5m	1.3				
42	74.7	76.4	1.7m	2.4				
43	76.4	78	1.6m	1.5				
44	78	79.5	1.5m	2.6				
1581245	79.5	81	1.5m	1				
46	81	83	2.0m	1.5				
47	83	84	1.0m	4.3				
48	84	85	1.0m	4.8				

<u>From</u> (m)	<u>To</u> (m)		Description
105.65	112.8m	Lithology:	Pale greenish-grey, very fine-grained, very hard siliceous quartzite. <5% interbedded black argillite.
		Primary Structure:	Bedding from a few argillite beds at 70 degrees to ca.
		Tectonic Structure:	Minor micro-fracturing
		General Alteration:	Silica and sericite
		Mineralization and Associated Alteration:	A few quartz-dolomite veins mostly at 15 to 30 degrees to ca. Veins are all <5mm thick. Low % of pyrite in the veins and micro fractures.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
1581249	85	86	1.0m	6.1				
50	86	87	1.0m	3.7				
51	87	88	1.0m	4.5				
52	88	88.8	0.8m	84.2				
53	88.8	89.6	0.8m	3.3				
54	89.6	90.7	1.1m	57.5				
1581255	90.7	91.7	1.0m	14.9				
56	91.7	92.8	1.1m	35.5				
57	92.8	93.8	1.0m	91.4				
58	93.8	95	1.2m	8.7				
59	95	96	1.0m	1.6				
1581260	96	97.7	1.7m	9.3				

From (m)	To (m)	Description
112.8	195m EOH	Lithology: Dominated by laminated to thin bedded dark grey argillite. Some couplet-style bedding down the hole. Lighter beds seem siltier. Good planar contacts minor internal folding. Load casting upside down.
		Primary Structure: Bedding - 50 at 131m; 68 at 162m; 60 at 170m; 65 at 181m. More couplet-style bedding in this hole than hole 1.
		Tectonic Structure: The argillites seem more prone to diskings down to ~125m.
		General Alteration: Not recognized as such - some silicification locally. 117.5-118.3m Light green dyke rock (calcareous) with quartz-dolomite and veining - contains sediment clasts and is crudely conformable.
		Mineralization and Associated Alteration: Sulphides as pyrite and pyrrhotite with more po with depth - occur as bedding-parallel discontinuous lams and patches. Irregular cross-cutting seams also. Late pyrite as cubic growths across the bedding. Quartz-dolomite veins not present then a few below 152m.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581261	97.7	99	1.3m	2.4				
62	99	100.2	1.2m	1				
63	100.2	102.1	1.9m	4.3				
64	102.1	103.35	1.25	<0.5				
1581265	103.35	104.35	1.0m	<0.5				
66	104.35	105.65	1.3m	<0.5				
67	105.65	107	1.35m	13.8				
68	107	108	1.0m	1.8				
69	108	109	1.0m	<0.5				
1581270	109	110.5	1.5m	2.2				
71	110.5	111.5	1.0m	33.1				
72	111.5	112.8	1.3m	79.2				

Drill Hole Record

Property:	Dewdney Trail	Horizontal Comp:	56 m.	Hole Number:	DT-11-3
Location:	Wild Horse Creek-N.of Victoria Creek	Vertical Comp:	122 m.	Length:	137.46 m.
Commenced :	Oct.21, 2011	% Recovery:	92 percent	Drill Contractor:	Dorado Drilling
Completed:	Oct. 23, 2011	Logged Dates:	October 24,2011		
UTM Coordinates:		Logged by:	Doug Anderson	Core Size:	NQ
East:	605236			Casing:	HQ to ~ 8m.
North:	5509785				
Elevation:	1623 m.				
Azimuth of Hole:	210 degrees	Collar Dip:	-65		
Core Storage Location:	Vine Property				
Objective:	to test the quartzites with a steeper hole cutting the brecciating and veins at a different angle				
Surveys:	no survey	Other Details:			
Depth					
Azimuth					
Dip					
End of Hole:					

From (m)	To (m)	Description	
8	33.4m	Lithology:	Rubble of HQ boulders to about 8 m., then better NQ recovery. Light greenish-grey silicious quartzites with thin breaks to rusty, limoniticargillite beds (less than 10 cm.) Pale grey.
		Primary Structure:	Bedding only represented by thin bedded, rusty weathering argillites and a few green argillite tops. Bedding at 40 at 17m; 45 at 21.5m; and 50 at 27.5m.
		Tectonic Structure:	Micro-fracturing of the quartzites - multiple veining - 2 minor vein sets and third as micro-fractures.
		General Alteration:	Silicification and sericite of the quartzites and almost obliteration of argillites also.
		Mineralization and Associated Alteration:	White quartz-dolomite (ankerite?) veins to 1 cm. thick contain pyrite (speculerite). Pyrite is finely spread through veins and is finely disseminated spotting locally.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
866902	8	9	1	22.9				
866903	9	10	1	77.3				
866904	10	11	1	42.2				
866905	11	12	1	127.6				
866906	12	13	1	13.1				
866907	13	14	1	108				
866908	14	15	1	22.9				
9	15	16	1	176				
10	16	17	1	11.8				
11	17	18	1	139.7				
12	18	19	1	34.3				
866913	19	20	1	10.4				

<u>From</u> (m)	<u>To</u> (m)		Description
33.4	34.9m	Lithology:	Dark grey, very finely laminated argillites - some lighter siltite within package.
		Primary Structure:	Bedding at 55 degrees to ca.
		Tectonic Structure:	None
		General Alteration:	White spotting of calcite; limonitic partings
		Mineralization and Associated Alteration:	Pyrite occurs along the bedding.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866914	20	21	1	4.8				
15	21	22	1	8.4				
16	22	23	1	35.8				
17	23	24	1	21.4				
18	24	25	1	99.8				
19	25	26	1	14.3				
866920	26	27	1	16.7				
21	27	28	1	15.8				
22	28	29	1	28.3				
23	29	30	1	3.2				
24	30	31	1	41.6				
866925	31	32	1	140.2				

<u>From</u> (m)	<u>To</u> (m)		Description
34.9	36.85m	Lithology:	Light greenish-grey colored, very fine grained, hard quartzites.
		Primary Structure:	Minor argillite remnants after alteration.
		Tectonic Structure:	Fractured and veined
		General Alteration:	Silicification is widespread.
		Mineralization and Associated Alteration:	Several vein sets - magnetite replacing specularite. Quartz-ankerite(cream colored) veins.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866926	32	33.4	1.4m	95.3				
27	33.4	34.9	1.5m	45.5				
28	34.9	36	1.1	15.1				
29	36	36.8m	0.8	154.2				
866930	36.8	38	1.2	55.8				
31	38	39.25	1.25	16.9				
32	39.25	40.3	1.05	7.3				
33	40.3	41.3	1	2				
34	41.3	43.2	1.9	1.2				
866935	43.2	44	0.8	1.7				
36	44	44.85	0.85	0.9				
37	44.85	45.85	1	15.8				

<u>From</u> (m)	<u>To</u> (m)		Description
36.85	40.5m	Lithology:	Dominated by a dyke rock (known as Judy Lu type) - intrusive with minor intermixed dark argillite and pale, oxidized quartzite. Pale yellow-green color.
		Primary Structure:	Bedding at 50 degrees to ca.
		Tectonic Structure:	Poor core recovery but not a fault or structure.
		General Alteration:	Sericite seems intense with the same angle as the bedding in hole.
		Mineralization and Associated Alteration:	Oxidized fractures in the short quartzite sections.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866938	45.85	47	1.15m	328.5				
39	47	48	1m	608.9				
40	48	49	1m	44.8				
41	49	50	1m	53.1				
42	50	51	1m	13.4				
43	51	52	1m	85.2				
44	52	53	1m	4.9				
866945	53	54	1m	39.2				
46	54	55	1m	284.4				
47	55	56	1m	41.7				
48	56	57	1m	42				
49	57	58	1m	128.8				

<u>From</u> (m)	<u>To</u> (m)		Description
40.5	43.2m	Lithology:	Dark grey to black, very finely laminated argillites.
		Primary Structure:	Bedding at 40 degrees to ca.
		Tectonic Structure:	No veining/fracturing
		General Alteration:	Nil
		Mineralization and Associated Alteration:	Pyrite in the light grey silty beds. Also pyrite as late stage cubic growth.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866950	58	59m	1.0m	11.2				
51	59	60	1.0m	15.4				
52	60	61	1.0m	6.2				
53	61	62	1.0m	32.3				
54	62	63	1.0m	125				
866955	63	63.5	0.5m	26.8				
56	63.5	64.5	1.0m	18.3				
57	64.5	65.8	1.3m	140.7				
58	65.8	66.7	0.9m	119.5				
59	66.7	69.2	2.5m	30.4				
866960	69.2	70.2	1.0m	47.3				
61	70.2	71.2	1.0m	15.7				

From (m)	To (m)	Description
43.2	66.8m	Lithology: Dominated by the light colored, fine-grained altered quartzites. Light grey.
		Primary Structure: Bedding indicated by remnant argillites - at 45 degrees to ca.
		Tectonic Structure: Some micro-brecciation for short intervals.
		General Alteration: Still limonite on fractures and in veins (oxide zone). Silicification (sericite) is remarkable.
		Mineralization and Associated Alteration: Most veins (<1cm) are at ~20 degrees to core axis or at 60 degrees to ca. Contain pyrite in quartz-dolomite or ankerite. Occassional quartz veins with the hole(cream colored).

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
866962	71.2	72.5	1.3m	3.2				
63	72.5	73.3	0.8m	<0.5				
64	73.3	74.3	1.0m	<0.5				
866965	74.3	75.3	1.0m	39.6				
66	75.3	76.3	1.0m	68.6				
67	76.3	77.5	1.2m	6				
68	77.5	78.4	0.9m	2.2				
69	78.4	79	0.6m	6.4				
866970	79	80	1.0m	21.3				
71	80	81	1.0m	232.8				
72	81	82	1.0m	6.6				
73	82	83	1.0m	10.2				

From (m)	To (m)	Description
66.8	92.4m	Lithology: Dominantly the light colored, fine-grained siliceous quartzites. Scattered dark grey argillite beds, some partially replaced bands. Limonitic argillite units: 66.7 - 69.2m; 72.45 - 73.4m mixed Q and A; 78.4 - 79.0m; Numerous <10cm argillite beds which are limonitic.
		Primary Structure: Bedding at 30 to 38 degrees to ca.
		Tectonic Structure: Micro-fracturing locally but not intense. Quartz veins but not on strong structures.
		General Alteration: Silicification - replacing some thin bedded units as well. Still some oxidation down to 88m.
		Mineralization and Associated Alteration: Quartz veining - 2 main sets both at 55 degrees to core axis. Locally boxworks over intervals to 1cm. - some are leached with only limonite remaining. Widely dispersed pyrite spotting within the altered quartzites. Only some of the quartz veins carry pyrite.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
866974	83	84	1.0m	14.9				
75	84	85	1.0m	4.9				
76	85	86	1.0m	16				
77	86	87	1.0m	15				
78	87	88	1.0m	12.3				
79	88	89	1.0m	<0.5				
866980	89	90	1.0m	7.5				
81	90	91	1.0m	0.7				
82	91	92.4	1.4m	0.6				
83	92.4	94	1.6m	<0.5				
84	94	96	2.0m	<0.5				
866985	96	98	2.0m	83.7				

<u>From</u> (m)	<u>To</u> (m)		Description
92.4	99.0m	Lithology:	Dark grey, laminated to thin bedded argillites - some light grey siltite beds interbedded.
		Primary Structure:	Bedding at 30 degrees to core axis.
		Tectonic Structure:	None
		General Alteration:	Nothing identified.
		Mineralization and Associated Alteration:	The argillites are quite sulphidic - principally pyrite lams; scattered within the siltites and as overgrowths. Only one quartz vein in the interval.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866986	98	99	1.0m	4.4				
87	99	100	1.0m	<0.5				
88	100	101	1.0m	5.9				
89	101	102	1.0m	11.7				
866990	102	104.4	2.4m	1.7				
91	104.4	106	1.6m	<0.5				
92	106	107.5	1.5m	0.7				
93	107.5	109	1.5m	<0.5				
94	109	110.5	1.5m	<0.5				
95	110.5	112	1.5m	0.5				
96	112	113.5	1.5m	1.1				
97	113.5	115	1.5m	<0.5				

From (m)	To (m)	Description
99	104.4m	Lithology: Light grey, fine-grained siliceous quartzites again.
		Primary Structure: Pale grey with greenish fractures. Bedding at 45 degrees to ca. Represented by 'ghosty' argillite.
		Tectonic Structure: Some micro-fracturing with rubbly core as a result.
		General Alteration: Green epidote color on fractures. High siliceous again (very hard).
		Mineralization and Associated Alteration: Less quartz veining than above units - minor pyrite.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
866998	115	116.5	1.5m	<0.5				
99	116.5	117.4	0.9m	0.6				
867000	117.4	119	1.6m	3				
866869	119	120.45	1.45m	39.8				
70	120.45	121.5	1.05m	<0.5				
71	121.5	122.5	1.0m	1				
72	122.5	123.5	1.0m	3				
73	123.5	125	1.5m	18.7				
74	125	126.2	1.2m	22.9				
866875	126.2	127.2	1.0m	20.2				
76	127.2	128	0.8m	13.3				
77	128	129	1.0m	9.4				

Drill Hole Record

Property:	Dewdney trail	Horizontal Comp:	~149.5m	Hole Number:	DT-11-4
Location:	Wild Horse creek - North of Victoria Creek	Vertical Comp:	~149.5m	Length:	215m
Commenced:	Oct.24/11	% Recovery:	92%	Drill Contractor:	Dorado Drilling
Completed:	Oct.25/11	Logged Dates:	Oct.26/27		
UTM Coordinates:		Logged by:	DA	Core Size:	NQ
East:	605239			Casing:	0-6.8m
North:	5509788				
Elevation:	1624m				
Azimuth of Hole:	30	Collar Dip:	-45		
Core Storage Location:	Vine Property				
Objective:	Test NW from other holes for a fault and improved brecciation.				
Surveys:		Other Details:			
Depth	11m 62m 113m 215m				
Azimuth	9.9 11 11.8 12.7				
Dip	44.9 45.4 45.4 45.6				
End of Hole:	215 metres				

<u>From</u> (m)	<u>To</u> (m)		Description
10	14.5m	Lithology:	Grey quartzite, very fine-grained, featureless - reddish, hematitic fronts within and around the veins - no intense/close-spaced fracturing through the interval.
		Primary Structure:	Narrow Argillite breaks at 25 degrees to core axis.
		Tectonic Structure:	Local micro-fracturing in a least three orientations.
		General Alteration:	Silicification
		Mineralization and Associated Alteration:	Quartz veins up to 1cm thick at 20 to 30 degrees to ca mainly. Veins contain white dolomite, pyrite, oxide (mostly).

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866897	20	21	1.0m	14				
98	21	22	1.0m	20.1				
99	22	23	1.0m	157.3				
866900	23	24	1.0m	53				
866482	24	25	1.0m	11.4				
83	25	26	1.0m	2.2				
866484	26	27.3	1.3m	26.9				
85	27.3	28.8	1.5m	<0.5				
86	28.8	30.2	1.4m	0.8				
87	30.2	31	0.8m	1.1				
88	31	32	1.0m	80				
866489	32	33	1.0m	21.1				

<u>From</u> (m)	<u>To</u> (m)		Description
14.5	16.6m	Lithology:	Primarily rusty weathered argillite, limonitic and greenish. Laminated but with a few siltite beds included.
		Primary Structure:	Bedding at <10 degrees to ca.
		Tectonic Structure:	Nothing notable
		General Alteration:	Not recognized
		Mineralization and Associated Alteration:	Everything is oxidized along fractures and quartz veins.

<u>Sample Number</u>	<u>From</u> (m)	<u>To</u> (m)	<u>Length (m)</u>	<u>Au ppb</u>				
866490	33	34	1.0m	18.7				
866491	34	35	1.0m	31.1				
92	35	36	1.0m	4.4				
93	36	37	1.0m	2.9				
94	37	38	1.0m	1.4				
95	38	39	1.0m	7.6				
96	39	40	1.0m	46.2				
97	40	41	1.0m	9.1				
98	41	42	1.0m	9.2				
99	42	43	1.0m	22				
866500	43	44	1.0m	0.6				

From (m)	To (m)	Description
67.2	69.9m	Lithology: Black, laminated to thin bedded argillite - lighter grey, silty thin beds within.
		Primary Structure: Dark grey to black with bedding at 60 degrees to ca.
		Tectonic Structure: None
		General Alteration: None
		Mineralization and Associated Alteration: A few quartz-dolomite veins with the bedding. Pyrite in patches, a few weakly developed lams. Pyrite overgrowths.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581131	77.2	78.2	1.0m	<0.5				
132	78.2	79.7	1.5m	0.7				
133	79.7	81.3	1.6m	<0.5				
134	81.3	83	1.7m	0.5				
135	83	85.1	2.1	4.2				
136	85.1	86.3	1.2m	<0.5				
137	86.3	88	1.7m	<0.5				
138	88	89	1.0m	<0.5				
139	89	90	1.0m	<0.5				
1581140	90	91.5	1.5m	<0.5				
141	91.5	92.9	1.4m	<0.5				
142	92.9	93.8	0.9m	<0.5				

From (m)	To (m)		Description
69.9	79.7m	Lithology:	Dominated by light grey, fine grained, altered quartzites. Clean, uniform quartzites with "ghosty" argillites and thin bedded sequences. Mostly thin argillite 76 to 77.2m.
		Primary Structure:	Bedding only recognized because of the interbedded dark argillites. Bedding at 60 to 65 degrees to core axis.
		Tectonic Structure:	None
		General Alteration:	Silicification has altered both the quartzite and argillites - obliterated some of the dark argillite. Sericitization also.
		Mineralization and Associated Alteration:	Quartz veining (dolomite) in the quartzites - two main sets at 60 degrees to each other. Most of the quartz veins are devoid of sulphides or contain only low concentrations.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581143	93.8	95.6	1.8m	1.2				
144	95.6	96.7	1.1m	2.8				
1581145	96.7	98.2	1.5m	<0.5				
146	98.2	100.4	2.2m	2.6				
147	100.4	101.5	1.1m	<0.5				
148	101.5	103.6	1.1m	12.3				
149	103.6	104.8	1.2m	30.8				
1581150	104.8	105.75	0.95m	62.7				
151	105.75	107.05	1.3m	23				
152	107.05	108.3	1.25	76.7				
153	108.3	109.2	0.9m	38.5				
154	109.2	110.6	1.4m	4.2				

From (m)	To (m)	Description
79.7	83.0m	Lithology: Varying shades of grey - thin bedded and laminated with more disrupted bedding than other similar intervals above.
		Primary Structure: Bedding disrupted - folding internal to the interval (unit). Beds down to parallel to core axis but bedding above and below at 60 to 65 degrees to core axis.
		Tectonic Structure: Folded within
		General Alteration: Some widespread replacement by silica.
		Mineralization and Associated Alteration: Pyrite within the folds as patches. Also pyrite overgrowths. Low levels of pyrite disseminated in the thin quartzites.

Sample Number	From (m)	To (m)	Length (m)	Au ppb				
1581155	110.6	112.5	2.1m	7.1				
156	112.5	113.25	0.75	62.4				
157	113.25	115.1	1.85m	37.2				
158	115.1	115.9	0.8m	2.5				
159	115.9	117.2	1.3m	0.9				
1581160	117.2	118.6	1.4m	1				
161	118.6	1120	1.4m	10.1				
162	120	121.68	1.68	114.3				
163	121.68	123	1.32m	22.6				
164	123	123.75	0.75m	12.3				
1581165	123.75	125.05	1.3m	111.8				

APPENDIX B

Acme Labs Analyses for Drill Core



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Submitted By: John Keating
Receiving Lab: Canada-Vancouver
Received: November 14, 2011
Report Date: December 08, 2011
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN11006153.1

CLIENT JOB INFORMATION

Project: Dewdney Trail
Shipment ID:
P.O. Number
Number of Samples: 224

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	221	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	221	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PJX Resources Inc.
5600 - 100 King Street West
Toronto ON M5X 1C9
Canada

CC: Douglas Anderson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866901	Drill Core	10.09	0.7	14.4	7.4	17	0.2	7.6	5.4	177	1.26	0.9	57.3	7.8	4	<0.1	0.1	0.2	3	0.02	0.013
866902	Drill Core	1.26	0.5	22.2	5.6	15	<0.1	5.0	4.1	150	0.85	0.6	22.9	5.8	6	0.1	<0.1	0.2	3	0.08	0.013
866903	Drill Core	2.49	0.5	13.2	12.2	29	<0.1	5.8	5.1	226	1.34	<0.5	77.3	6.8	7	0.1	0.1	0.2	3	0.05	0.013
866904	Drill Core	2.48	0.9	21.1	7.2	24	<0.1	10.0	8.0	312	1.64	2.6	42.2	7.7	10	<0.1	0.1	0.3	3	0.03	0.020
866905	Drill Core	1.82	0.9	5.3	4.4	19	<0.1	8.2	4.9	392	1.56	4.4	127.6	7.9	5	0.1	<0.1	0.2	4	0.01	0.012
866906	Drill Core	2.35	0.4	2.8	2.4	10	<0.1	4.2	3.1	277	0.80	<0.5	13.1	11.0	4	<0.1	<0.1	<0.1	3	0.01	0.011
866907	Drill Core	2.09	1.1	4.3	3.9	23	<0.1	7.4	4.9	631	1.55	1.5	108.0	11.4	6	0.1	<0.1	0.2	3	0.02	0.015
866908	Drill Core	2.57	0.8	12.8	4.6	21	<0.1	7.8	6.1	423	1.58	1.4	22.9	10.3	6	<0.1	0.1	0.2	3	0.02	0.015
866909	Drill Core	2.02	0.5	39.7	6.9	22	<0.1	6.0	5.8	138	1.32	<0.5	176.0	8.5	4	<0.1	0.1	0.2	3	0.02	0.015
866910	Drill Core	2.59	0.6	30.3	30.5	50	0.1	11.9	12.0	188	2.26	2.4	11.8	14.2	4	0.1	<0.1	0.4	3	0.03	0.023
866911	Drill Core	2.30	0.8	8.6	4.7	30	<0.1	8.6	6.4	195	1.55	2.6	139.7	10.8	5	0.1	<0.1	0.2	3	0.02	0.018
866912	Drill Core	2.20	0.3	4.3	2.1	11	<0.1	4.1	2.9	287	0.87	<0.5	34.3	7.2	8	0.1	<0.1	<0.1	2	0.06	0.011
866913	Drill Core	2.61	0.7	20.5	16.8	36	<0.1	8.4	7.0	195	1.76	1.2	10.4	10.7	6	<0.1	<0.1	0.3	4	0.05	0.028
866914	Drill Core	2.72	0.6	21.2	18.1	42	<0.1	8.4	7.7	128	1.97	3.0	4.8	11.7	4	0.1	<0.1	0.4	3	0.04	0.025
866915	Drill Core	2.71	0.6	19.3	15.6	36	0.1	7.9	6.5	194	1.71	<0.5	8.4	9.6	5	0.1	0.2	0.4	4	0.04	0.028
866916	Drill Core	2.86	0.3	3.9	1.9	11	<0.1	3.9	2.8	276	0.83	<0.5	35.8	6.7	8	0.1	<0.1	0.1	2	0.05	0.010
866917	Drill Core	2.91	0.4	7.7	3.0	15	<0.1	6.9	5.3	110	1.10	<0.5	21.4	7.6	5	<0.1	<0.1	0.2	3	0.03	0.015
866918	Drill Core	2.98	0.8	15.0	15.5	26	0.1	8.9	9.3	190	1.50	2.8	99.8	7.6	19	<0.1	0.1	0.3	3	0.16	0.022
866919	Drill Core	2.46	0.7	10.1	5.0	25	<0.1	5.9	5.3	222	1.40	<0.5	14.3	9.8	17	<0.1	<0.1	0.1	4	0.18	0.018
866920	Drill Core	2.99	0.5	12.1	14.1	31	<0.1	9.5	7.4	180	1.49	1.2	16.7	7.8	12	<0.1	0.2	0.3	3	0.15	0.018
866921	Drill Core	2.69	4.1	30.5	8.6	26	<0.1	15.4	12.7	268	1.91	3.8	15.8	8.4	31	<0.1	0.2	0.4	3	0.33	0.027
866922	Drill Core	2.77	0.5	10.1	5.8	28	<0.1	6.8	5.6	377	1.42	1.4	28.3	6.5	53	<0.1	0.1	0.1	3	0.64	0.014
866923	Drill Core	2.72	0.6	17.1	13.3	36	<0.1	9.3	9.2	299	1.91	2.7	3.2	9.3	39	<0.1	0.2	0.3	3	0.48	0.023
866924	Drill Core	2.75	0.4	7.7	4.6	33	<0.1	8.6	6.5	236	1.68	0.7	41.6	7.2	11	<0.1	0.1	0.1	3	0.12	0.018
866925	Drill Core	2.78	0.8	10.6	3.9	40	<0.1	8.1	7.5	498	1.60	3.9	140.2	7.8	40	0.2	0.1	0.1	4	0.35	0.015
866926	Drill Core	3.69	2.1	19.6	5.9	28	<0.1	10.8	7.0	608	2.21	7.4	95.3	5.8	78	0.2	0.2	0.4	3	0.88	0.015
866927	Drill Core	4.94	5.8	27.0	36.0	87	0.1	22.7	12.7	463	2.52	11.5	45.5	6.6	33	0.2	0.2	0.8	3	0.49	0.044
866928	Drill Core	2.81	2.4	11.4	9.7	21	<0.1	11.5	8.7	352	1.75	2.3	15.1	6.0	52	<0.1	0.2	0.2	3	0.66	0.017
866929	Drill Core	2.83	1.5	12.6	5.0	32	<0.1	12.3	9.9	1123	3.01	2.4	154.2	6.3	113	0.3	0.1	0.2	5	1.25	0.021
866930	Drill Core	2.34	1.6	18.8	9.7	100	<0.1	62.3	54.2	729	8.27	14.8	55.8	2.5	90	0.1	1.0	0.7	19	1.33	0.230

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
866901	Drill Core	25	5	0.03	187	0.002	<1	0.36	0.036	0.25	0.3	<0.01	0.9	<0.1	0.06	<1	<0.5	<0.2
866902	Drill Core	22	4	0.03	151	0.002	<1	0.23	0.047	0.15	0.3	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
866903	Drill Core	25	5	0.04	255	0.003	<1	0.28	0.047	0.21	0.1	<0.01	0.8	<0.1	0.06	<1	<0.5	<0.2
866904	Drill Core	24	4	0.05	491	0.001	<1	0.30	0.037	0.21	0.1	<0.01	1.2	<0.1	0.11	<1	<0.5	<0.2
866905	Drill Core	25	5	0.02	154	0.002	<1	0.29	0.053	0.17	0.2	<0.01	1.7	<0.1	<0.05	<1	<0.5	<0.2
866906	Drill Core	32	5	0.02	94	0.002	<1	0.26	0.050	0.14	0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
866907	Drill Core	32	5	0.02	265	0.002	<1	0.32	0.055	0.16	0.2	<0.01	1.7	0.1	<0.05	<1	<0.5	<0.2
866908	Drill Core	31	4	0.05	227	0.001	<1	0.36	0.030	0.26	0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2
866909	Drill Core	24	4	0.05	85	0.002	<1	0.36	0.036	0.27	<0.1	<0.01	0.9	<0.1	0.07	<1	<0.5	<0.2
866910	Drill Core	35	3	0.15	83	<0.001	<1	0.35	0.010	0.34	<0.1	<0.01	1.1	<0.1	0.13	<1	<0.5	<0.2
866911	Drill Core	27	5	0.05	161	0.001	<1	0.32	0.032	0.26	0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
866912	Drill Core	22	5	0.03	317	0.001	<1	0.23	0.054	0.14	<0.1	<0.01	1.1	<0.1	0.06	<1	<0.5	<0.2
866913	Drill Core	31	4	0.10	98	0.001	1	0.45	0.028	0.35	<0.1	<0.01	1.1	<0.1	0.10	1	<0.5	<0.2
866914	Drill Core	29	3	0.12	71	0.001	<1	0.37	0.012	0.33	<0.1	<0.01	1.0	<0.1	0.12	<1	<0.5	<0.2
866915	Drill Core	25	5	0.09	91	0.001	2	0.40	0.034	0.35	<0.1	<0.01	1.2	<0.1	0.08	1	<0.5	<0.2
866916	Drill Core	19	6	0.03	291	<0.001	<1	0.20	0.057	0.12	<0.1	<0.01	1.2	<0.1	0.05	<1	<0.5	<0.2
866917	Drill Core	21	6	0.12	133	0.002	1	0.34	0.042	0.24	<0.1	<0.01	1.0	<0.1	0.13	<1	<0.5	<0.2
866918	Drill Core	16	4	0.23	323	0.001	<1	0.30	0.029	0.26	<0.1	<0.01	1.2	<0.1	0.39	<1	<0.5	<0.2
866919	Drill Core	24	5	0.30	244	0.002	<1	0.37	0.026	0.33	<0.1	<0.01	1.1	<0.1	0.14	<1	<0.5	<0.2
866920	Drill Core	20	4	0.20	70	<0.001	<1	0.32	0.021	0.29	<0.1	<0.01	0.9	<0.1	0.26	<1	<0.5	<0.2
866921	Drill Core	14	4	0.25	85	0.001	<1	0.38	0.016	0.35	<0.1	<0.01	1.5	<0.1	0.67	<1	<0.5	<0.2
866922	Drill Core	16	4	0.45	162	0.001	<1	0.28	0.039	0.23	<0.1	<0.01	1.4	<0.1	0.25	<1	<0.5	<0.2
866923	Drill Core	23	5	0.45	73	0.001	2	0.38	0.023	0.34	<0.1	<0.01	1.4	<0.1	0.17	<1	<0.5	<0.2
866924	Drill Core	19	4	0.32	80	0.001	<1	0.30	0.037	0.25	<0.1	<0.01	1.4	<0.1	0.17	<1	<0.5	<0.2
866925	Drill Core	16	7	0.30	136	0.001	<1	0.32	0.046	0.26	0.1	<0.01	1.9	<0.1	0.45	<1	<0.5	<0.2
866926	Drill Core	9	6	0.61	78	0.001	<1	0.28	0.036	0.25	<0.1	<0.01	2.1	<0.1	1.07	<1	<0.5	<0.2
866927	Drill Core	12	4	0.54	82	0.001	1	0.44	0.006	0.36	<0.1	<0.01	1.3	<0.1	0.72	<1	<0.5	0.2
866928	Drill Core	13	4	0.45	56	0.001	1	0.32	0.022	0.29	<0.1	<0.01	1.4	<0.1	0.58	<1	<0.5	<0.2
866929	Drill Core	11	5	1.00	53	<0.001	1	0.30	0.033	0.27	0.8	<0.01	3.1	<0.1	0.76	<1	<0.5	<0.2
866930	Drill Core	14	18	1.86	52	0.006	1	0.47	0.008	0.38	<0.1	<0.01	4.4	0.2	0.68	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 3 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866931	Drill Core	3.47	1.3	4.9	7.8	91	<0.1	66.7	57.6	284	5.71	24.4	16.9	2.9	72	<0.1	0.9	0.7	17	0.82	0.312
866932	Drill Core	2.94	1.8	3.8	8.1	21	<0.1	18.1	7.8	329	1.85	3.4	7.3	6.7	51	<0.1	0.1	0.1	8	0.99	0.081
866933	Drill Core	2.60	4.7	30.0	11.9	36	<0.1	22.3	11.3	381	2.59	5.0	2.0	5.6	24	<0.1	0.1	0.3	4	0.34	0.049
866934	Drill Core	5.39	3.8	33.5	19.6	45	<0.1	25.3	11.9	460	2.88	1.8	1.2	6.0	34	0.1	0.1	0.5	4	0.61	0.038
866935	Drill Core	2.30	2.0	16.6	11.0	30	<0.1	10.8	7.7	288	1.98	2.5	1.7	5.8	19	<0.1	0.2	0.2	2	0.32	0.018
866936	Drill Core	3.52	0.7	13.8	8.4	30	<0.1	9.6	7.6	392	1.91	9.1	0.9	7.9	41	0.1	<0.1	0.2	2	0.65	0.021
866937	Drill Core	2.78	0.8	31.9	17.1	47	<0.1	17.9	11.5	149	2.52	10.1	15.8	13.9	8	<0.1	<0.1	0.6	3	0.06	0.028
866938	Drill Core	2.85	0.5	4.1	2.0	15	<0.1	6.4	3.6	290	1.43	3.6	328.5	4.7	61	<0.1	0.1	0.1	<2	0.49	0.012
866939	Drill Core	2.60	0.6	10.6	2.4	24	0.1	10.0	9.2	220	1.79	1.9	608.9	7.0	15	0.1	<0.1	0.2	3	0.12	0.016
866940	Drill Core	3.28	0.4	12.0	2.8	21	<0.1	5.6	5.4	197	1.12	1.5	44.8	9.5	19	<0.1	0.1	0.2	3	0.20	0.013
866941	Drill Core	3.08	0.5	18.5	7.3	33	<0.1	8.5	8.2	164	1.43	1.8	53.1	10.3	13	<0.1	152.7	0.4	5	0.14	0.018
866942	Drill Core	3.29	0.3	8.1	3.3	23	<0.1	4.4	4.3	186	1.07	0.8	13.4	9.7	14	<0.1	<0.1	0.2	4	0.22	0.016
866943	Drill Core	3.28	0.4	11.7	12.9	57	<0.1	6.5	5.5	245	1.54	1.2	85.2	7.6	20	0.1	<0.1	0.2	3	0.26	0.018
866944	Drill Core	2.34	0.4	23.3	13.1	30	<0.1	8.9	9.2	222	1.74	2.1	4.9	9.3	14	0.1	0.1	0.4	2	0.21	0.020
866945	Drill Core	3.08	0.5	16.7	7.5	27	<0.1	9.6	8.4	242	1.94	2.4	39.2	8.9	18	<0.1	<0.1	0.2	3	0.19	0.023
866946	Drill Core	2.64	0.9	5.7	2.9	17	<0.1	5.8	3.6	305	1.25	1.0	284.4	8.5	60	0.1	<0.1	0.2	2	0.53	0.013
866947	Drill Core	2.76	0.5	18.9	14.5	75	0.1	7.7	6.7	225	1.64	1.3	41.7	9.6	10	0.3	0.1	0.4	3	0.09	0.020
866948	Drill Core	2.79	0.5	8.2	2.4	23	<0.1	6.0	5.3	182	1.18	2.1	42.0	10.7	20	0.1	0.1	0.2	3	0.22	0.018
866949	Drill Core	2.64	0.5	6.8	3.0	19	<0.1	7.4	5.5	210	1.39	1.8	128.8	10.0	13	0.1	<0.1	0.2	3	0.14	0.012
866950	Drill Core	2.37	0.3	10.1	2.7	15	<0.1	4.0	4.2	161	1.01	<0.5	11.2	10.7	7	<0.1	<0.1	0.2	3	0.10	0.015
866951	Drill Core	3.53	0.3	12.5	2.9	13	<0.1	5.2	5.2	150	0.98	<0.5	15.4	8.9	12	<0.1	<0.1	0.2	3	0.18	0.015
866952	Drill Core	3.21	0.4	9.0	4.1	15	<0.1	4.2	4.6	167	1.18	0.6	6.2	7.3	8	<0.1	<0.1	0.2	3	0.06	0.017
866953	Drill Core	2.52	0.4	8.5	3.4	14	<0.1	5.1	4.6	185	1.08	<0.5	32.3	10.7	12	<0.1	<0.1	0.2	3	0.15	0.014
866954	Drill Core	3.25	0.3	6.4	3.4	17	<0.1	5.6	5.1	267	1.21	<0.5	125.0	12.4	24	0.1	<0.1	0.1	3	0.59	0.013
866955	Drill Core	1.36	0.2	8.1	3.6	19	<0.1	7.9	6.3	235	1.42	0.6	26.8	7.8	12	<0.1	<0.1	0.2	3	0.26	0.011
866956	Drill Core	3.02	0.4	11.4	2.1	17	<0.1	4.5	4.0	327	1.12	<0.5	18.3	9.5	24	<0.1	<0.1	0.1	2	0.69	0.012
866957	Drill Core	3.85	0.5	5.6	3.2	21	<0.1	5.4	4.2	337	1.36	<0.5	140.7	10.0	17	0.2	<0.1	0.1	3	0.20	0.016
866958	Drill Core	2.86	0.4	5.0	4.1	20	<0.1	5.7	3.8	406	1.20	1.8	119.5	7.5	52	0.1	<0.1	0.1	2	0.84	0.013
866959	Drill Core	5.00	1.0	33.0	13.8	30	0.1	12.2	14.2	192	2.32	3.6	30.4	11.8	8	<0.1	0.1	0.6	3	0.10	0.035
866960	Drill Core	2.73	0.6	13.5	15.3	45	<0.1	7.0	5.2	324	1.50	1.8	47.3	7.8	28	0.2	<0.1	0.2	3	0.57	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
866931	Drill Core	18	17	1.35	58	0.004	2	0.50	0.009	0.41	<0.1	<0.01	3.0	0.2	0.51	1	<0.5	<0.2
866932	Drill Core	23	10	0.45	59	0.002	<1	0.50	0.020	0.31	<0.1	<0.01	2.2	<0.1	0.09	1	<0.5	<0.2
866933	Drill Core	13	4	0.41	66	0.001	2	0.62	0.004	0.34	<0.1	<0.01	1.2	<0.1	0.71	1	<0.5	<0.2
866934	Drill Core	10	5	0.58	81	0.002	2	0.94	0.005	0.36	<0.1	<0.01	1.7	0.1	0.93	2	<0.5	<0.2
866935	Drill Core	14	3	0.34	59	<0.001	1	0.37	0.016	0.28	<0.1	<0.01	1.2	<0.1	0.46	<1	<0.5	<0.2
866936	Drill Core	21	3	0.32	60	<0.001	2	0.33	0.017	0.25	<0.1	<0.01	1.5	<0.1	0.16	<1	<0.5	<0.2
866937	Drill Core	26	3	0.42	79	<0.001	1	0.38	0.005	0.34	<0.1	<0.01	1.3	<0.1	0.43	<1	<0.5	<0.2
866938	Drill Core	9	4	0.33	21	0.001	<1	0.16	0.057	0.08	<0.1	<0.01	1.9	<0.1	0.79	<1	<0.5	<0.2
866939	Drill Core	15	4	0.24	87	0.001	1	0.30	0.040	0.20	0.1	<0.01	1.5	<0.1	0.73	<1	<0.5	<0.2
866940	Drill Core	22	5	0.18	61	0.001	1	0.25	0.032	0.17	<0.1	<0.01	1.2	<0.1	0.21	<1	<0.5	<0.2
866941	Drill Core	26	5	0.22	90	0.003	1	0.39	0.053	0.34	0.1	<0.01	1.1	<0.1	0.23	1	<0.5	<0.2
866942	Drill Core	27	5	0.19	155	0.003	<1	0.30	0.051	0.24	0.1	<0.01	0.8	<0.1	0.07	<1	<0.5	<0.2
866943	Drill Core	23	4	0.32	392	0.001	1	0.34	0.046	0.27	<0.1	<0.01	0.9	<0.1	0.13	<1	<0.5	<0.2
866944	Drill Core	23	3	0.32	63	<0.001	2	0.30	0.014	0.28	<0.1	<0.01	1.3	<0.1	0.24	<1	<0.5	<0.2
866945	Drill Core	19	3	0.38	95	<0.001	1	0.33	0.018	0.29	0.1	<0.01	1.4	<0.1	0.28	<1	<0.5	<0.2
866946	Drill Core	15	5	0.36	190	0.001	1	0.20	0.041	0.13	<0.1	<0.01	1.6	<0.1	0.55	<1	<0.5	<0.2
866947	Drill Core	24	3	0.19	84	0.001	1	0.35	0.016	0.30	<0.1	<0.01	1.1	<0.1	0.21	<1	<0.5	<0.2
866948	Drill Core	21	5	0.24	350	0.002	1	0.30	0.030	0.21	<0.1	<0.01	1.4	<0.1	0.29	<1	<0.5	<0.2
866949	Drill Core	21	5	0.18	224	0.003	<1	0.26	0.040	0.18	0.1	<0.01	1.3	<0.1	0.35	<1	<0.5	<0.2
866950	Drill Core	29	5	0.16	137	0.002	1	0.33	0.027	0.23	<0.1	<0.01	1.2	<0.1	0.06	<1	<0.5	<0.2
866951	Drill Core	25	4	0.16	202	0.002	1	0.34	0.030	0.24	<0.1	<0.01	1.1	<0.1	0.10	<1	<0.5	<0.2
866952	Drill Core	19	4	0.14	83	0.002	1	0.25	0.031	0.20	<0.1	<0.01	0.5	<0.1	0.09	<1	<0.5	<0.2
866953	Drill Core	28	5	0.17	345	0.004	1	0.29	0.035	0.18	0.2	<0.01	1.0	<0.1	0.09	<1	<0.5	<0.2
866954	Drill Core	23	5	0.32	60	0.003	<1	0.27	0.032	0.17	<0.1	<0.01	1.3	<0.1	0.18	<1	<0.5	<0.2
866955	Drill Core	19	4	0.34	137	0.002	<1	0.27	0.028	0.20	<0.1	<0.01	1.1	<0.1	0.19	<1	<0.5	<0.2
866956	Drill Core	23	4	0.37	106	0.002	1	0.28	0.029	0.19	<0.1	<0.01	1.4	<0.1	0.11	<1	<0.5	<0.2
866957	Drill Core	25	5	0.15	224	0.001	<1	0.32	0.038	0.19	0.1	<0.01	1.8	<0.1	0.14	<1	<0.5	<0.2
866958	Drill Core	16	5	0.39	415	0.001	<1	0.17	0.043	0.10	<0.1	<0.01	1.7	<0.1	0.27	<1	<0.5	<0.2
866959	Drill Core	31	3	0.13	87	0.001	2	0.38	0.011	0.33	0.2	<0.01	1.4	<0.1	0.16	<1	<0.5	<0.2
866960	Drill Core	17	4	0.36	387	0.002	1	0.28	0.028	0.20	<0.1	<0.01	1.4	<0.1	0.21	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866961	Drill Core	2.85	0.4	20.1	32.0	52	0.1	6.9	6.3	312	1.46	1.0	15.7	8.1	15	0.2	<0.1	0.4	3	0.40	0.016
866962	Drill Core	3.78	0.3	14.7	23.2	48	<0.1	10.9	7.0	199	1.88	1.8	3.2	9.2	6	<0.1	<0.1	0.4	3	0.05	0.018
866963	Drill Core	2.74	0.5	31.7	14.9	54	<0.1	16.6	10.8	232	2.72	4.2	<0.5	11.0	6	<0.1	0.1	0.4	3	0.06	0.024
866964	Drill Core	2.91	0.4	25.8	19.8	42	<0.1	12.0	8.2	205	2.06	3.9	<0.5	8.7	6	<0.1	<0.1	0.4	3	0.06	0.017
866965	Drill Core	2.65	0.4	20.9	49.3	31	0.2	14.3	11.8	388	1.81	5.5	39.6	7.1	24	0.1	0.1	0.8	2	0.28	0.012
866966	Drill Core	2.06	0.4	17.0	6.1	38	<0.1	11.2	9.8	269	1.62	1.4	68.6	8.8	8	<0.1	0.2	0.2	3	0.07	0.020
866967	Drill Core	2.69	0.5	14.0	31.7	71	0.2	7.6	6.5	243	1.49	0.6	6.0	11.4	14	<0.1	<0.1	0.5	3	0.15	0.027
866968	Drill Core	2.50	0.2	13.6	16.8	30	<0.1	8.3	6.2	166	1.54	0.9	2.2	8.0	6	<0.1	<0.1	0.3	2	0.05	0.015
866969	Drill Core	1.84	0.8	28.5	25.7	43	0.1	11.5	10.9	133	2.32	2.6	6.4	14.2	7	0.1	0.1	0.4	4	0.06	0.030
866970	Drill Core	2.71	0.8	8.6	7.8	25	<0.1	6.4	5.7	326	1.35	1.2	21.3	14.8	14	0.1	0.1	0.3	4	0.21	0.021
866971	Drill Core	2.38	0.8	8.4	10.8	38	<0.1	8.6	6.9	271	1.76	7.8	232.8	15.5	35	0.2	0.1	0.3	5	0.45	0.028
866972	Drill Core	3.18	0.4	7.2	20.7	36	<0.1	6.0	5.9	236	1.60	1.0	6.6	13.0	18	0.1	<0.1	0.2	4	0.31	0.021
866973	Drill Core	2.64	0.5	8.1	20.0	41	0.1	8.8	7.2	200	1.47	0.8	10.2	11.1	13	<0.1	0.1	0.3	4	0.26	0.018
866974	Drill Core	2.55	0.6	13.2	15.7	43	<0.1	6.0	5.7	254	1.60	1.3	14.9	17.6	11	<0.1	0.1	0.2	5	0.07	0.022
866975	Drill Core	3.25	0.4	13.1	56.7	143	0.2	8.0	7.4	187	1.66	2.0	4.9	15.3	8	0.4	<0.1	0.3	4	0.08	0.023
866976	Drill Core	3.03	0.3	5.9	13.7	46	<0.1	5.7	5.1	215	1.36	0.9	16.0	12.9	23	<0.1	<0.1	0.1	9	0.37	0.019
866977	Drill Core	2.37	0.8	27.0	23.8	47	0.1	9.4	10.9	206	2.04	1.3	15.0	12.7	15	<0.1	0.1	0.3	6	0.16	0.020
866978	Drill Core	2.82	0.5	14.4	18.0	80	<0.1	6.1	4.9	182	1.60	0.6	12.3	11.5	8	0.1	<0.1	0.1	3	0.10	0.018
866979	Drill Core	3.62	0.5	4.2	2.4	25	<0.1	4.6	4.2	264	1.30	<0.5	<0.5	10.7	27	<0.1	<0.1	<0.1	5	0.48	0.017
866980	Drill Core	2.60	0.7	14.9	9.6	40	<0.1	12.8	11.9	182	2.19	7.7	7.5	13.0	8	<0.1	0.2	0.4	4	0.08	0.024
866981	Drill Core	2.12	0.6	8.5	10.7	33	<0.1	7.1	5.5	269	2.08	3.0	0.7	10.7	23	<0.1	<0.1	0.1	4	0.36	0.019
866982	Drill Core	4.06	0.6	17.1	15.8	86	<0.1	11.7	8.8	294	2.19	4.2	0.6	8.6	28	0.2	0.1	0.2	4	0.57	0.020
866983	Drill Core	4.66	5.8	33.6	19.8	91	<0.1	18.3	9.2	650	2.44	1.2	<0.5	8.8	48	0.4	0.2	0.3	5	0.81	0.036
866984	Drill Core	5.65	6.3	46.8	22.1	65	<0.1	31.1	14.2	464	3.60	1.0	<0.5	9.3	30	0.1	0.2	0.5	8	0.54	0.037
866985	Drill Core	4.59	1.0	39.6	33.6	46	0.1	23.9	12.1	488	3.27	4.8	83.7	8.5	46	0.1	0.3	0.5	6	0.92	0.035
866986	Drill Core	2.62	5.4	39.1	28.9	14	0.1	31.9	19.6	487	3.16	11.2	4.4	8.2	38	<0.1	0.5	0.7	6	0.90	0.039
866987	Drill Core	3.84	0.8	9.3	14.4	26	<0.1	7.1	5.4	733	1.57	2.3	<0.5	8.4	91	<0.1	0.1	0.1	4	1.69	0.020
866988	Drill Core	2.96	0.4	18.1	20.3	68	0.1	15.0	11.0	526	1.98	3.6	5.9	11.5	61	0.2	0.3	0.3	5	0.89	0.023
866989	Drill Core	2.57	0.2	9.8	16.6	52	0.1	8.6	6.8	306	2.03	1.3	11.7	8.3	31	0.1	0.1	0.1	5	0.42	0.016
866990	Drill Core	3.78	0.3	12.6	18.0	59	<0.1	8.6	5.7	260	2.14	2.2	1.7	8.8	13	0.2	0.1	0.2	4	0.17	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
866961	Drill Core	19	5	0.40	125	0.002	<1	0.32	0.031	0.23	<0.1	<0.01	1.4	<0.1	0.19	<1	<0.5	<0.2
866962	Drill Core	23	3	0.35	77	<0.001	2	0.38	0.017	0.30	<0.1	<0.01	1.1	<0.1	0.20	<1	<0.5	<0.2
866963	Drill Core	24	3	0.41	66	<0.001	2	0.37	0.009	0.32	<0.1	<0.01	1.3	<0.1	0.38	<1	<0.5	<0.2
866964	Drill Core	21	3	0.23	61	<0.001	1	0.34	0.015	0.29	<0.1	<0.01	1.0	<0.1	0.29	<1	<0.5	<0.2
866965	Drill Core	15	5	0.23	46	0.001	<1	0.29	0.032	0.20	0.1	<0.01	1.7	<0.1	0.44	<1	<0.5	<0.2
866966	Drill Core	23	1	0.21	57	<0.001	1	0.33	0.026	0.23	<0.1	<0.01	1.3	<0.1	0.24	<1	<0.5	<0.2
866967	Drill Core	32	5	0.18	66	0.001	1	0.39	0.029	0.26	0.1	<0.01	1.3	<0.1	0.09	<1	<0.5	<0.2
866968	Drill Core	23	3	0.25	53	<0.001	1	0.31	0.022	0.24	<0.1	<0.01	1.0	<0.1	0.12	<1	<0.5	<0.2
866969	Drill Core	34	4	0.15	81	0.001	3	0.47	0.018	0.41	<0.1	<0.01	1.3	<0.1	0.13	1	<0.5	<0.2
866970	Drill Core	26	5	0.18	75	0.002	2	0.36	0.040	0.22	<0.1	<0.01	1.5	<0.1	0.12	<1	<0.5	<0.2
866971	Drill Core	25	8	0.33	266	0.003	2	0.47	0.045	0.30	0.1	<0.01	2.1	<0.1	0.41	1	<0.5	0.2
866972	Drill Core	32	5	0.35	187	0.002	2	0.36	0.044	0.22	<0.1	<0.01	1.5	<0.1	0.08	<1	<0.5	<0.2
866973	Drill Core	29	5	0.34	125	0.003	2	0.45	0.049	0.30	0.2	<0.01	1.3	<0.1	0.17	1	<0.5	<0.2
866974	Drill Core	39	7	0.17	399	0.006	2	0.41	0.051	0.28	0.2	<0.01	1.6	<0.1	0.08	1	<0.5	<0.2
866975	Drill Core	39	6	0.28	196	0.003	2	0.49	0.036	0.34	<0.1	<0.01	1.6	0.1	0.06	2	<0.5	<0.2
866976	Drill Core	28	10	0.32	478	0.006	<1	0.30	0.054	0.18	<0.1	<0.01	1.8	<0.1	0.15	<1	<0.5	<0.2
866977	Drill Core	27	5	0.44	333	0.002	2	0.49	0.035	0.40	<0.1	<0.01	1.7	<0.1	0.27	1	<0.5	<0.2
866978	Drill Core	31	5	0.25	60	0.001	2	0.38	0.037	0.23	0.1	<0.01	1.1	<0.1	0.10	1	<0.5	<0.2
866979	Drill Core	27	6	0.38	496	0.005	1	0.39	0.052	0.24	0.1	<0.01	1.7	<0.1	0.08	1	<0.5	<0.2
866980	Drill Core	31	5	0.42	107	0.001	1	0.50	0.035	0.35	<0.1	<0.01	1.5	0.1	0.30	1	<0.5	<0.2
866981	Drill Core	31	5	0.55	106	0.001	1	0.45	0.038	0.34	<0.1	<0.01	1.5	<0.1	<0.05	1	<0.5	<0.2
866982	Drill Core	20	4	0.54	111	0.001	2	0.40	0.023	0.31	0.1	<0.01	1.2	<0.1	0.39	<1	<0.5	<0.2
866983	Drill Core	16	4	0.55	91	0.001	2	0.59	0.013	0.43	0.1	<0.01	1.4	0.1	0.68	1	<0.5	<0.2
866984	Drill Core	14	9	0.76	87	0.001	1	1.27	0.009	0.42	<0.1	<0.01	1.6	0.1	1.06	3	<0.5	0.2
866985	Drill Core	14	5	0.74	97	0.002	1	0.85	0.007	0.47	<0.1	<0.01	1.6	0.2	1.27	2	<0.5	0.3
866986	Drill Core	11	4	0.59	95	0.001	2	0.65	0.006	0.48	<0.1	<0.01	1.5	0.2	1.60	1	<0.5	0.2
866987	Drill Core	21	5	0.85	67	0.001	2	0.36	0.033	0.24	<0.1	<0.01	1.8	<0.1	0.11	1	<0.5	<0.2
866988	Drill Core	25	6	0.66	87	0.002	1	0.46	0.045	0.28	<0.1	<0.01	2.2	<0.1	0.23	1	<0.5	<0.2
866989	Drill Core	21	5	0.50	53	0.001	<1	0.33	0.056	0.18	0.3	<0.01	1.8	<0.1	0.20	1	<0.5	<0.2
866990	Drill Core	26	4	0.44	78	0.001	<1	0.46	0.035	0.33	<0.1	<0.01	1.2	<0.1	0.12	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 5 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866991	Drill Core	4.80	0.4	24.4	25.7	66	<0.1	21.1	12.9	229	3.16	5.1	<0.5	12.4	12	<0.1	0.2	0.4	8	0.16	0.025
866992	Drill Core	4.45	0.5	23.4	21.5	38	<0.1	15.9	8.5	430	2.56	1.3	0.7	9.6	39	<0.1	0.1	0.4	7	0.67	0.019
866993	Drill Core	4.56	8.1	55.7	21.2	42	<0.1	36.1	17.3	475	3.69	3.9	<0.5	8.2	26	<0.1	0.3	0.8	7	0.45	0.041
866994	Drill Core	4.81	0.3	22.5	24.2	81	<0.1	18.2	9.1	463	2.75	0.8	<0.5	10.7	29	0.2	0.2	0.4	7	0.45	0.024
866995	Drill Core	4.38	0.9	32.6	53.2	335	0.2	26.4	15.0	321	3.02	0.6	0.5	10.9	21	0.8	0.3	0.6	8	0.38	0.024
866996	Drill Core	5.21	0.4	38.5	40.1	66	0.1	26.1	15.8	277	3.42	3.2	1.1	11.9	24	<0.1	0.3	0.7	10	0.34	0.026
866997	Drill Core	4.51	0.9	32.5	21.1	68	<0.1	25.5	16.6	585	4.07	1.6	<0.5	8.6	84	<0.1	0.4	0.4	13	1.40	0.091
866998	Drill Core	4.48	0.6	34.6	19.8	81	<0.1	23.1	11.3	251	3.32	1.4	<0.5	12.0	10	0.2	0.3	0.4	8	0.12	0.029
866999	Drill Core	2.78	0.9	44.7	18.2	57	<0.1	28.2	16.4	252	3.35	3.4	0.6	12.5	12	<0.1	0.2	0.5	6	0.15	0.031
867000	Drill Core	3.73	0.5	16.6	10.4	32	<0.1	14.6	9.7	419	2.10	4.6	3.0	11.6	57	<0.1	0.3	0.2	5	0.78	0.021
866869	Drill Core	4.19	0.4	11.1	15.1	31	<0.1	8.2	7.6	707	1.75	4.7	39.8	10.9	111	0.2	0.3	0.3	4	1.50	0.015
866870	Drill Core	3.00	0.4	12.1	13.4	44	<0.1	9.0	7.8	264	1.99	4.9	<0.5	15.7	12	<0.1	0.2	0.2	4	0.17	0.023
866871	Drill Core	3.18	0.3	22.9	28.7	64	<0.1	13.3	9.5	340	2.62	3.4	1.0	12.1	24	0.2	0.1	0.3	4	0.44	0.022
866872	Drill Core	3.73	0.7	28.8	16.3	74	<0.1	32.2	18.4	664	3.89	10.0	3.0	6.7	130	<0.1	0.5	0.2	15	2.30	0.113
866873	Drill Core	3.82	0.4	18.7	48.4	48	<0.1	10.3	8.3	690	2.11	5.0	18.7	8.1	62	0.1	0.2	0.5	4	1.27	0.018
866874	Drill Core	3.63	0.4	23.7	34.4	46	0.2	13.1	9.2	279	2.22	3.4	22.9	12.5	19	<0.1	0.1	0.5	5	0.32	0.021
866875	Drill Core	3.04	0.2	6.6	21.0	34	<0.1	5.9	4.8	1418	1.86	1.5	20.2	7.6	90	0.1	0.1	0.2	4	2.70	0.012
866876	Drill Core	1.83	0.2	36.5	33.9	187	0.2	17.9	18.1	623	2.13	17.3	13.3	9.5	55	0.4	0.1	1.6	4	1.25	0.017
866877	Drill Core	2.54	0.3	40.6	24.7	53	0.2	20.2	14.0	219	2.73	4.6	9.4	15.2	8	<0.1	<0.1	1.0	5	0.09	0.033
866878	Drill Core	2.54	0.2	20.0	21.5	78	0.1	7.8	7.1	224	1.60	1.3	4.7	12.1	25	0.1	0.1	0.3	4	0.35	0.016
866879	Drill Core	3.08	0.3	18.2	21.9	46	0.1	10.6	6.4	241	1.99	3.6	4.2	15.1	14	<0.1	<0.1	0.2	4	0.23	0.025
866880	Drill Core	3.53	0.2	8.3	3.6	13	<0.1	5.9	3.8	485	1.68	1.6	<0.5	14.9	58	<0.1	<0.1	<0.1	4	1.02	0.018
866881	Drill Core	2.51	0.2	22.5	4.7	28	<0.1	13.5	9.4	296	2.28	6.4	4.5	10.7	40	<0.1	<0.1	0.2	5	0.62	0.033
866882	Drill Core	2.60	0.4	39.8	10.7	31	<0.1	15.7	11.7	274	2.48	8.1	<0.5	15.9	14	<0.1	<0.1	0.3	5	0.25	0.035
866883	Drill Core	3.39	0.4	12.5	3.8	25	<0.1	7.3	7.0	536	1.63	1.5	39.4	12.1	52	<0.1	<0.1	0.2	5	0.89	0.014
866884	Drill Core	3.08	0.3	9.1	2.5	38	<0.1	6.2	6.0	235	1.23	1.4	28.6	12.1	20	<0.1	<0.1	0.1	5	0.33	0.016
866885	Drill Core	3.32	0.6	24.7	21.6	29	0.1	10.2	10.7	269	2.50	3.1	69.7	18.4	11	<0.1	0.1	0.6	5	0.15	0.029
866886	Drill Core	12.72	0.3	12.4	4.7	16	<0.1	6.3	4.6	178	1.26	1.2	51.7	12.3	6	<0.1	0.1	0.1	4	0.06	0.018
866887	Drill Core	3.57	0.6	27.7	16.0	38	0.4	7.5	6.2	261	1.54	2.1	37.3	11.7	5	<0.1	<0.1	0.3	4	0.03	0.020
866888	Drill Core	3.73	0.9	35.1	28.7	42	1.1	14.3	11.4	232	2.62	3.2	15.1	17.7	4	<0.1	0.1	0.4	4	0.02	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
866991	Drill Core	22	10	0.66	93	0.003	2	1.23	0.029	0.43	<0.1	<0.01	2.1	0.1	0.46	3	<0.5	<0.2
866992	Drill Core	18	8	0.67	86	0.002	2	1.06	0.039	0.42	<0.1	<0.01	2.3	0.1	0.53	2	<0.5	<0.2
866993	Drill Core	11	9	0.71	73	0.003	2	1.10	0.012	0.33	<0.1	<0.01	1.4	<0.1	1.16	3	<0.5	<0.2
866994	Drill Core	20	9	0.65	108	0.002	2	1.20	0.028	0.38	<0.1	<0.01	1.7	<0.1	0.47	3	<0.5	<0.2
866995	Drill Core	20	10	0.66	88	0.002	2	1.26	0.025	0.37	<0.1	<0.01	1.7	<0.1	0.51	3	<0.5	<0.2
866996	Drill Core	20	11	0.75	113	0.002	3	1.47	0.027	0.45	<0.1	<0.01	1.9	0.1	0.85	4	<0.5	<0.2
866997	Drill Core	22	10	1.20	98	0.003	2	1.40	0.016	0.40	<0.1	<0.01	2.7	<0.1	0.57	3	<0.5	<0.2
866998	Drill Core	22	10	0.65	94	0.002	2	1.35	0.018	0.41	<0.1	<0.01	1.6	0.1	0.68	3	<0.5	<0.2
866999	Drill Core	22	6	0.55	90	0.002	1	0.86	0.015	0.44	0.1	<0.01	1.6	<0.1	0.77	2	<0.5	<0.2
867000	Drill Core	25	6	0.61	80	0.005	2	0.48	0.046	0.33	<0.1	<0.01	2.2	0.1	0.44	1	<0.5	<0.2
866869	Drill Core	21	8	0.84	59	0.001	<1	0.34	0.051	0.21	<0.1	<0.01	2.6	<0.1	0.31	1	<0.5	<0.2
866870	Drill Core	42	5	0.40	99	0.001	2	0.53	0.025	0.39	<0.1	<0.01	1.4	0.1	0.08	1	<0.5	<0.2
866871	Drill Core	28	4	0.60	85	0.001	2	0.47	0.025	0.38	<0.1	<0.01	1.4	<0.1	0.24	1	<0.5	<0.2
866872	Drill Core	17	16	1.48	73	0.002	2	0.64	0.022	0.37	<0.1	<0.01	3.7	<0.1	0.19	1	<0.5	<0.2
866873	Drill Core	13	5	0.79	67	0.001	3	0.41	0.029	0.30	<0.1	<0.01	1.3	<0.1	0.44	1	<0.5	0.2
866874	Drill Core	28	5	0.47	82	0.001	3	0.59	0.032	0.37	<0.1	<0.01	1.3	0.1	0.19	1	<0.5	<0.2
866875	Drill Core	15	6	1.21	39	0.001	1	0.25	0.046	0.17	<0.1	<0.01	1.3	<0.1	0.19	<1	<0.5	<0.2
866876	Drill Core	15	4	0.60	61	0.001	2	0.40	0.038	0.26	<0.1	<0.01	1.2	<0.1	0.53	1	<0.5	<0.2
866877	Drill Core	30	5	0.44	94	0.002	3	0.63	0.018	0.42	<0.1	<0.01	1.7	0.1	0.32	1	<0.5	<0.2
866878	Drill Core	27	6	0.35	66	0.001	2	0.47	0.036	0.25	<0.1	<0.01	1.3	<0.1	0.11	1	<0.5	<0.2
866879	Drill Core	36	6	0.39	94	0.001	2	0.48	0.026	0.35	<0.1	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
866880	Drill Core	39	7	0.60	60	0.001	<1	0.42	0.043	0.24	<0.1	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
866881	Drill Core	22	7	0.57	68	0.002	2	0.64	0.039	0.32	<0.1	<0.01	1.4	<0.1	0.22	1	<0.5	<0.2
866882	Drill Core	40	5	0.53	80	0.001	2	0.66	0.020	0.37	<0.1	<0.01	1.4	<0.1	0.06	2	<0.5	<0.2
866883	Drill Core	27	9	0.61	59	0.002	2	0.39	0.049	0.24	<0.1	<0.01	1.9	<0.1	0.18	1	<0.5	<0.2
866884	Drill Core	29	6	0.31	63	0.003	2	0.43	0.042	0.27	<0.1	<0.01	1.3	<0.1	0.13	1	<0.5	<0.2
866885	Drill Core	37	5	0.49	88	0.001	2	0.53	0.019	0.42	<0.1	<0.01	1.4	<0.1	0.23	1	<0.5	<0.2
866886	Drill Core	33	6	0.04	192	0.004	2	0.45	0.065	0.24	0.4	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
866887	Drill Core	35	5	0.06	150	0.002	2	0.48	0.045	0.26	1.5	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
866888	Drill Core	44	4	0.04	111	0.001	2	0.44	0.009	0.35	2.2	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 6 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866889	Drill Core	3.00	0.7	5.0	6.3	19	0.1	6.8	4.6	496	1.14	2.1	114.2	9.0	51	0.3	<0.1	0.2	3	1.11	0.023
866890	Drill Core	2.60	0.5	14.5	2.8	21	<0.1	6.8	6.2	284	1.31	1.6	36.0	15.8	23	<0.1	<0.1	0.1	4	0.38	0.017
866891	Drill Core	3.03	0.6	6.2	5.2	37	0.3	5.5	3.6	296	1.30	1.9	53.1	9.3	27	0.1	<0.1	0.1	4	0.38	0.015
866892	Drill Core	2.68	0.5	22.4	8.1	107	3.3	9.3	7.2	124	1.93	1.3	26.9	9.6	4	0.4	0.2	0.2	3	0.02	0.020
866893	Drill Core	5.36	0.7	27.4	33.5	28	0.6	10.5	8.3	169	2.08	1.9	23.2	15.9	5	<0.1	0.2	0.5	4	0.03	0.030
866894	Drill Core	4.70	0.6	28.5	14.0	42	0.5	9.9	9.9	221	1.86	2.1	11.8	12.7	5	<0.1	0.2	0.5	4	0.03	0.024
866895	Drill Core	2.69	1.3	7.1	6.2	20	0.1	7.9	6.4	1344	1.20	1.0	11.9	10.8	8	0.2	<0.1	0.2	4	0.02	0.014
866896	Drill Core	2.25	0.6	15.4	24.3	69	0.2	9.7	8.4	671	2.15	2.1	6.5	12.9	6	0.2	0.1	0.3	4	0.03	0.022
866897	Drill Core	2.30	0.4	13.9	17.9	57	0.2	7.9	6.3	367	1.76	1.0	14.0	13.6	6	0.2	0.2	0.2	4	0.03	0.020
866898	Drill Core	2.74	0.6	20.9	19.5	43	0.2	10.1	8.3	215	1.83	3.8	20.1	12.5	4	0.1	0.2	0.2	4	0.03	0.026
866899	Drill Core	2.66	3.7	32.4	11.6	25	0.1	12.6	12.5	337	2.49	5.3	157.3	11.4	11	<0.1	0.2	0.4	5	0.20	0.030
866900	Drill Core	2.55	0.6	24.5	19.8	60	0.2	10.3	9.8	439	1.88	4.8	53.0	13.3	8	0.2	0.1	0.2	4	0.03	0.025
866482	Drill Core	2.82	0.7	16.0	18.0	50	0.1	9.2	8.5	222	2.02	4.5	11.4	14.6	6	0.1	0.1	0.3	4	0.03	0.025
866483	Drill Core	2.86	1.1	10.4	7.5	44	<0.1	8.1	6.8	296	1.60	0.7	2.2	14.5	7	<0.1	0.2	0.1	4	0.04	0.021
866484	Drill Core	2.57	1.0	25.8	9.5	44	<0.1	12.2	7.2	325	1.83	1.2	26.9	10.7	8	0.3	0.2	0.2	3	0.05	0.023
866485	Drill Core	3.86	3.5	35.8	24.9	78	0.2	22.3	11.2	571	2.94	2.6	<0.5	8.3	51	0.2	0.2	0.4	6	0.82	0.041
866486	Drill Core	4.12	1.3	14.9	14.6	44	<0.1	10.5	6.9	612	1.96	6.2	0.8	8.0	64	<0.1	0.2	0.2	5	1.24	0.021
866487	Drill Core	2.03	0.9	40.9	17.3	54	<0.1	19.2	14.8	215	3.25	15.0	1.1	19.9	12	<0.1	0.2	0.5	4	0.08	0.039
866488	Drill Core	2.85	0.7	9.3	8.2	26	<0.1	11.4	6.7	396	1.72	2.3	80.0	6.7	25	0.2	0.2	0.3	<2	0.18	0.016
866489	Drill Core	2.73	0.5	29.0	6.8	30	<0.1	5.6	6.1	356	1.61	<0.5	21.1	10.8	20	0.2	0.2	0.2	<2	0.30	0.018
866490	Drill Core	2.95	0.4	17.3	16.4	47	0.1	7.0	7.1	320	1.70	0.6	18.7	9.7	7	0.1	0.1	0.3	<2	0.05	0.020
866491	Drill Core	2.80	0.5	8.9	4.0	26	<0.1	5.2	4.7	203	1.20	<0.5	31.1	9.5	7	<0.1	0.1	0.1	3	0.04	0.019
866492	Drill Core	2.50	0.2	11.3	6.7	38	<0.1	8.7	7.2	249	1.92	0.5	4.4	8.6	9	<0.1	0.2	0.2	<2	0.14	0.020
866493	Drill Core	1.74	0.6	32.9	35.4	46	0.2	12.1	10.6	375	2.71	4.4	2.9	11.7	7	<0.1	0.1	0.5	<2	0.05	0.024
866494	Drill Core	2.01	0.2	6.1	11.4	42	<0.1	7.0	5.2	342	1.37	2.0	1.4	5.4	17	0.1	0.1	0.3	<2	0.25	0.016
866495	Drill Core	2.64	0.5	18.1	18.3	38	<0.1	7.9	6.2	205	1.77	1.2	7.6	9.4	6	<0.1	0.1	0.3	<2	0.04	0.020
866496	Drill Core	2.79	0.6	7.8	2.7	20	<0.1	6.0	4.3	306	1.36	2.2	46.2	8.5	27	0.1	<0.1	0.1	<2	0.28	0.016
866497	Drill Core	3.10	0.5	18.6	6.5	27	<0.1	10.1	9.0	169	2.31	2.2	9.1	10.5	9	<0.1	0.1	0.3	<2	0.07	0.034
866498	Drill Core	2.81	0.8	15.6	6.0	22	<0.1	7.4	6.6	268	2.03	0.7	9.2	13.0	7	<0.1	0.1	0.3	<2	0.05	0.017
866499	Drill Core	2.14	0.4	4.0	1.9	9	<0.1	4.3	4.0	201	1.01	<0.5	22.0	10.8	6	<0.1	<0.1	0.1	<2	0.02	0.015

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
866889	Drill Core	20	8	0.49	219	0.002	<1	0.25	0.057	0.13	0.2	<0.01	2.0	<0.1	0.21	<1	<0.5	<0.2
866890	Drill Core	29	8	0.16	358	0.002	<1	0.38	0.033	0.24	0.1	<0.01	1.5	<0.1	0.16	<1	<0.5	<0.2
866891	Drill Core	23	8	0.19	815	0.002	<1	0.34	0.051	0.19	0.8	<0.01	1.2	<0.1	0.11	<1	<0.5	<0.2
866892	Drill Core	29	5	0.06	170	0.003	1	0.43	0.026	0.28	8.5	0.01	1.0	<0.1	0.11	1	<0.5	<0.2
866893	Drill Core	42	3	0.07	94	0.001	2	0.49	0.012	0.38	1.1	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
866894	Drill Core	35	6	0.05	100	0.002	1	0.49	0.034	0.31	1.2	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
866895	Drill Core	31	5	0.03	326	0.002	<1	0.38	0.051	0.17	0.5	<0.01	1.4	<0.1	<0.05	<1	<0.5	<0.2
866896	Drill Core	33	5	0.07	194	0.002	2	0.54	0.032	0.35	0.3	<0.01	1.8	<0.1	0.07	1	<0.5	<0.2
866897	Drill Core	38	7	0.05	121	0.002	1	0.47	0.043	0.26	0.2	<0.01	1.9	<0.1	<0.05	1	<0.5	<0.2
866898	Drill Core	33	5	0.07	106	0.001	1	0.50	0.018	0.34	0.5	<0.01	1.4	<0.1	0.10	1	<0.5	<0.2
866899	Drill Core	21	6	0.07	94	0.003	2	0.49	0.035	0.36	0.5	<0.01	2.6	<0.1	0.31	1	<0.5	<0.2
866900	Drill Core	36	5	0.06	332	0.002	1	0.53	0.040	0.31	0.3	<0.01	1.9	<0.1	<0.05	1	<0.5	<0.2
866482	Drill Core	38	5	0.07	105	0.004	2	0.52	0.027	0.33	0.2	<0.01	1.6	<0.1	<0.05	1	<0.5	<0.2
866483	Drill Core	39	6	0.06	107	0.003	2	0.55	0.051	0.32	0.1	<0.01	2.2	<0.1	<0.05	1	<0.5	<0.2
866484	Drill Core	27	6	0.09	76	0.002	1	0.47	0.043	0.25	0.2	<0.01	2.0	<0.1	0.17	1	<0.5	<0.2
866485	Drill Core	16	6	0.59	91	0.002	2	0.92	0.006	0.40	0.2	<0.01	1.9	0.1	0.70	2	<0.5	0.3
866486	Drill Core	18	6	0.65	65	0.002	1	0.59	0.038	0.29	<0.1	<0.01	1.8	<0.1	0.25	2	<0.5	<0.2
866487	Drill Core	37	4	0.52	97	0.001	2	0.49	0.005	0.43	0.1	<0.01	1.8	0.1	0.41	1	<0.5	<0.2
866488	Drill Core	16	5	0.16	79	0.001	<1	0.25	0.058	0.14	0.1	<0.01	1.8	<0.1	0.57	<1	<0.5	<0.2
866489	Drill Core	28	4	0.20	277	0.002	<1	0.34	0.035	0.25	<0.1	<0.01	1.2	<0.1	0.08	<1	<0.5	<0.2
866490	Drill Core	29	4	0.15	109	0.002	1	0.36	0.027	0.28	0.1	<0.01	1.1	<0.1	0.08	<1	<0.5	<0.2
866491	Drill Core	27	5	0.04	181	0.004	<1	0.29	0.050	0.18	0.1	<0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2
866492	Drill Core	25	4	0.28	57	0.001	2	0.37	0.031	0.28	0.1	<0.01	1.1	<0.1	0.13	<1	<0.5	<0.2
866493	Drill Core	29	4	0.23	71	0.001	1	0.37	0.024	0.34	<0.1	<0.01	1.3	<0.1	0.11	<1	<0.5	<0.2
866494	Drill Core	17	4	0.23	40	0.001	<1	0.25	0.037	0.18	<0.1	<0.01	0.9	<0.1	0.19	<1	<0.5	<0.2
866495	Drill Core	26	3	0.15	63	0.001	<1	0.35	0.027	0.27	0.1	<0.01	1.0	<0.1	0.11	<1	<0.5	<0.2
866496	Drill Core	20	5	0.21	46	0.001	1	0.27	0.045	0.18	<0.1	<0.01	1.6	<0.1	0.21	<1	<0.5	<0.2
866497	Drill Core	27	4	0.19	77	0.001	1	0.44	0.032	0.37	0.1	<0.01	1.3	<0.1	0.17	<1	<0.5	<0.2
866498	Drill Core	30	4	0.10	67	0.001	<1	0.30	0.024	0.24	0.1	<0.01	1.1	<0.1	0.08	<1	<0.5	<0.2
866499	Drill Core	29	4	0.02	49	0.001	<1	0.29	0.050	0.16	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 7 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
866500	Drill Core	2.59	0.2	7.0	2.8	13	<0.1	4.5	4.0	200	1.21	<0.5	0.6	11.7	6	<0.1	<0.1	0.2	<2	0.04	0.013
1581101	Drill Core	2.83	0.2	7.8	8.0	21	<0.1	7.0	6.3	175	1.52	0.6	2.3	9.7	9	<0.1	<0.1	0.3	<2	0.12	0.016
1581102	Drill Core	3.11	0.2	10.4	15.0	22	<0.1	5.4	5.0	238	1.48	0.8	2.3	10.9	27	<0.1	0.1	0.3	<2	0.45	0.017
1581103	Drill Core	2.99	0.3	15.0	18.2	20	0.1	6.4	6.0	227	1.51	1.0	3.6	10.4	10	<0.1	<0.1	0.3	<2	0.15	0.019
1581104	Drill Core	2.95	0.2	5.4	7.4	12	<0.1	3.4	3.9	173	1.01	3.3	19.6	6.7	26	<0.1	0.1	0.2	<2	0.23	0.014
1581105	Drill Core	2.95	0.5	15.3	29.4	28	0.1	5.7	6.8	197	1.63	0.9	3.5	11.4	6	<0.1	<0.1	0.3	<2	0.06	0.018
1581106	Drill Core	2.65	0.2	7.8	4.5	11	<0.1	3.5	3.9	177	1.00	0.6	23.8	9.1	21	<0.1	<0.1	0.5	<2	0.25	0.015
1581107	Drill Core	2.80	0.2	7.0	4.6	12	<0.1	3.5	4.1	150	1.06	1.4	31.5	10.9	13	<0.1	<0.1	0.1	2	0.17	0.015
1581108	Drill Core	2.90	0.3	5.9	5.1	15	<0.1	3.6	4.1	189	1.30	0.6	13.2	11.9	8	<0.1	<0.1	0.2	<2	0.10	0.015
1581109	Drill Core	3.38	0.4	8.0	6.8	12	<0.1	5.2	4.8	184	1.09	1.1	20.0	10.1	23	<0.1	<0.1	0.3	<2	0.31	0.014
1581110	Drill Core	2.62	0.4	2.4	1.5	17	<0.1	5.2	3.9	212	1.30	2.1	240.9	9.1	30	<0.1	<0.1	0.1	<2	0.24	0.014
1581111	Drill Core	2.27	0.5	15.7	264.9	53	0.1	10.1	8.6	280	2.31	2.9	368.4	7.5	7	<0.1	0.1	0.3	<2	0.06	0.024
1581112	Drill Core	4.35	0.7	33.0	42.2	155	0.1	16.4	13.8	296	2.94	14.0	1.8	11.0	7	0.4	0.3	0.6	<2	0.09	0.025
1581113	Drill Core	2.78	0.4	6.1	6.6	24	<0.1	5.3	4.1	459	1.82	0.6	7.8	7.9	59	<0.1	0.2	0.2	<2	1.03	0.017
1581114	Drill Core	2.89	0.3	8.9	12.3	20	<0.1	5.9	4.6	402	1.81	0.8	54.8	6.5	44	<0.1	0.1	0.2	<2	0.79	0.016
1581115	Drill Core	3.04	0.4	10.1	9.4	31	<0.1	10.6	8.4	208	2.01	3.9	27.1	7.5	6	<0.1	0.2	0.4	<2	0.05	0.021
1581116	Drill Core	4.83	0.7	12.0	13.7	22	<0.1	7.9	6.3	118	2.53	6.6	20.4	8.2	5	<0.1	0.1	0.3	<2	0.04	0.020
1581117	Drill Core	1.61	0.7	11.7	10.7	14	<0.1	4.7	7.9	103	1.85	10.3	<0.5	13.4	7	<0.1	0.1	0.3	<2	0.04	0.023
1581118	Drill Core	2.63	0.3	8.9	7.1	14	<0.1	5.1	5.6	101	2.55	3.3	1.1	12.4	6	<0.1	<0.1	0.2	<2	0.05	0.021
1581119	Drill Core	2.98	0.5	7.2	1.8	15	<0.1	3.3	4.4	58	1.47	0.5	50.7	10.2	10	<0.1	0.2	0.1	2	0.05	0.018
1581120	Drill Core	2.72	0.4	14.2	8.3	14	0.1	5.3	4.6	143	1.87	1.0	5.7	7.4	6	<0.1	0.1	0.9	<2	0.05	0.017
1581121	Drill Core	2.87	0.4	18.6	10.2	10	<0.1	6.2	5.6	112	2.13	4.6	1.5	8.5	6	<0.1	0.1	0.2	<2	0.05	0.016
1581122	Drill Core	4.09	1.2	28.3	167.0	30	0.4	12.0	8.8	486	2.01	5.8	3.4	5.8	62	0.1	0.4	1.0	<2	1.02	0.021
1581123	Drill Core	3.45	12.6	48.6	11.7	25	<0.1	34.1	14.8	414	3.28	1.3	1.3	9.7	24	<0.1	0.3	0.8	5	0.39	0.040
1581124	Drill Core	4.49	1.8	49.8	37.8	113	0.1	29.6	13.3	523	3.39	2.7	1.4	8.9	53	0.4	0.3	0.9	5	0.71	0.035
1581125	Drill Core	3.03	0.6	14.2	11.2	155	<0.1	9.7	7.4	309	1.75	3.0	4.9	10.5	41	0.6	0.3	0.2	4	0.64	0.019
1581126	Drill Core	2.40	0.4	4.9	7.8	22	<0.1	7.0	4.8	246	1.54	0.7	4.2	10.1	42	<0.1	0.1	0.2	3	0.47	0.017
1581127	Drill Core	2.32	0.3	7.0	18.1	27	<0.1	6.6	5.2	286	1.76	1.8	0.7	11.4	36	<0.1	0.1	0.3	3	0.58	0.018
1581128	Drill Core	3.00	0.5	15.6	13.1	41	<0.1	11.9	8.7	168	2.18	5.1	1.1	10.7	11	<0.1	0.2	0.3	4	0.11	0.021
1581129	Drill Core	3.50	0.4	22.5	14.8	68	<0.1	14.8	8.9	186	2.52	5.1	0.6	12.8	8	0.1	0.2	0.3	6	0.07	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
866500	Drill Core	30	3	0.09	45	0.001	<1	0.25	0.031	0.19	0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1581101	Drill Core	28	4	0.24	63	0.001	<1	0.36	0.036	0.27	<0.1	<0.01	1.0	<0.1	0.09	<1	<0.5	<0.2
1581102	Drill Core	29	3	0.35	101	0.001	<1	0.28	0.028	0.22	<0.1	<0.01	0.9	<0.1	0.06	<1	<0.5	<0.2
1581103	Drill Core	31	4	0.20	108	0.001	1	0.37	0.034	0.28	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1581104	Drill Core	19	3	0.18	255	0.002	<1	0.23	0.035	0.17	<0.1	<0.01	0.8	<0.1	0.13	<1	<0.5	<0.2
1581105	Drill Core	33	4	0.17	79	0.002	2	0.43	0.029	0.34	0.1	<0.01	1.0	<0.1	0.07	<1	<0.5	<0.2
1581106	Drill Core	22	4	0.24	240	0.004	<1	0.25	0.036	0.18	0.1	<0.01	0.8	<0.1	0.09	<1	<0.5	<0.2
1581107	Drill Core	25	4	0.21	200	0.003	<1	0.27	0.036	0.20	0.1	<0.01	0.9	<0.1	0.11	<1	<0.5	<0.2
1581108	Drill Core	28	3	0.22	69	0.002	<1	0.32	0.025	0.26	0.2	<0.01	0.9	<0.1	0.07	<1	<0.5	<0.2
1581109	Drill Core	23	4	0.22	222	0.002	<1	0.29	0.031	0.22	0.1	<0.01	0.9	<0.1	0.11	<1	<0.5	<0.2
1581110	Drill Core	18	4	0.30	304	0.001	<1	0.19	0.049	0.13	<0.1	<0.01	1.1	<0.1	0.35	<1	<0.5	<0.2
1581111	Drill Core	19	3	0.32	98	0.002	1	0.35	0.030	0.29	0.3	<0.01	1.1	<0.1	0.43	<1	<0.5	<0.2
1581112	Drill Core	27	3	0.43	81	0.001	2	0.40	0.010	0.37	<0.1	<0.01	1.1	<0.1	0.27	<1	<0.5	<0.2
1581113	Drill Core	19	3	0.59	60	<0.001	1	0.31	0.023	0.26	<0.1	<0.01	1.2	<0.1	0.17	<1	<0.5	<0.2
1581114	Drill Core	19	3	0.54	46	<0.001	<1	0.28	0.029	0.22	<0.1	<0.01	1.0	<0.1	0.14	<1	<0.5	<0.2
1581115	Drill Core	19	3	0.27	52	0.001	1	0.32	0.028	0.25	<0.1	<0.01	1.0	<0.1	0.48	<1	<0.5	<0.2
1581116	Drill Core	23	3	0.21	58	<0.001	1	0.34	0.006	0.29	0.1	<0.01	0.9	<0.1	0.18	<1	<0.5	<0.2
1581117	Drill Core	39	2	0.15	73	<0.001	2	0.36	0.005	0.35	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2
1581118	Drill Core	37	3	0.41	66	<0.001	<1	0.37	0.006	0.33	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2
1581119	Drill Core	29	3	0.25	79	0.002	<1	0.44	0.007	0.39	0.2	<0.01	1.0	<0.1	0.22	<1	<0.5	<0.2
1581120	Drill Core	22	3	0.30	60	<0.001	1	0.34	0.005	0.29	1.0	<0.01	0.7	<0.1	0.16	<1	<0.5	<0.2
1581121	Drill Core	25	3	0.37	62	<0.001	1	0.35	0.011	0.29	<0.1	<0.01	0.8	<0.1	0.07	<1	<0.5	<0.2
1581122	Drill Core	12	3	0.58	67	<0.001	2	0.36	0.015	0.30	<0.1	<0.01	1.0	<0.1	0.57	<1	<0.5	<0.2
1581123	Drill Core	16	5	0.54	101	0.001	3	0.61	0.006	0.44	<0.1	<0.01	1.4	0.1	1.04	1	<0.5	<0.2
1581124	Drill Core	14	6	0.65	88	0.001	3	0.71	0.005	0.37	0.1	<0.01	1.4	0.1	1.22	2	<0.5	0.2
1581125	Drill Core	23	6	0.51	68	0.001	2	0.41	0.036	0.30	<0.1	<0.01	1.4	<0.1	0.31	1	<0.5	<0.2
1581126	Drill Core	25	6	0.42	43	0.001	1	0.27	0.042	0.19	<0.1	<0.01	1.3	<0.1	0.11	<1	<0.5	<0.2
1581127	Drill Core	30	6	0.52	58	0.001	1	0.35	0.041	0.24	<0.1	<0.01	1.1	<0.1	0.06	<1	<0.5	<0.2
1581128	Drill Core	27	6	0.42	70	0.001	1	0.58	0.017	0.30	<0.1	<0.01	1.1	<0.1	0.15	1	<0.5	<0.2
1581129	Drill Core	33	8	0.48	90	0.002	2	0.87	0.014	0.42	<0.1	<0.01	1.6	<0.1	0.15	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 8 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581130	Drill Core	3.00	0.4	9.6	15.3	231	<0.1	7.3	4.0	252	1.63	1.1	2.0	8.0	30	0.6	0.2	0.2	3	0.33	0.023
1581131	Drill Core	3.54	3.7	37.3	23.0	53	<0.1	23.1	11.7	370	2.87	3.7	<0.5	9.9	24	<0.1	0.3	0.7	6	0.26	0.033
1581132	Drill Core	2.96	0.6	11.5	12.4	29	<0.1	11.7	7.4	344	1.91	5.7	0.7	7.5	53	<0.1	0.2	0.2	4	0.82	0.016
1581133	Drill Core	8.59	0.4	21.2	14.4	67	<0.1	15.8	8.6	216	2.57	1.2	<0.5	11.3	21	0.1	0.2	0.5	7	0.30	0.025
1581134	Drill Core	5.20	0.6	30.6	24.7	56	<0.1	23.0	12.6	275	2.99	3.4	0.5	10.7	29	<0.1	0.2	0.6	8	0.37	0.025
1581135	Drill Core	5.33	0.2	8.8	9.1	21	<0.1	6.8	5.4	313	1.62	2.2	4.2	10.4	41	<0.1	0.2	0.2	4	0.59	0.015
1581136	Drill Core	3.91	0.5	21.3	43.5	121	<0.1	14.6	9.8	318	2.28	8.6	<0.5	12.2	28	0.2	0.1	0.5	5	0.39	0.021
1581137	Drill Core	3.98	0.3	35.8	46.1	106	0.1	21.7	15.2	218	2.73	11.6	<0.5	14.3	13	0.2	0.2	0.9	8	0.11	0.030
1581138	Drill Core	2.90	0.3	14.0	16.4	35	<0.1	10.7	7.9	246	1.93	6.8	<0.5	9.5	29	<0.1	0.1	0.3	4	0.34	0.025
1581139	Drill Core	2.57	0.3	13.4	20.7	166	<0.1	7.4	5.6	282	1.76	4.0	<0.5	9.6	31	0.2	0.1	0.2	4	0.39	0.018
1581140	Drill Core	3.93	0.4	12.7	17.3	47	<0.1	8.9	7.0	233	2.00	5.5	<0.5	12.4	18	<0.1	0.1	0.3	3	0.20	0.020
1581141	Drill Core	4.00	0.2	9.6	14.9	43	<0.1	5.9	5.0	250	1.49	3.1	<0.5	9.9	29	<0.1	<0.1	0.3	3	0.36	0.015
1581142	Drill Core	2.94	0.5	34.1	33.6	77	0.1	12.9	11.0	255	2.64	9.2	<0.5	17.3	14	0.1	0.2	0.6	3	0.11	0.034
1581143	Drill Core	5.26	0.4	16.3	11.6	37	<0.1	7.1	6.6	271	1.86	0.9	1.2	11.8	27	<0.1	0.1	0.3	3	0.26	0.018
1581144	Drill Core	3.36	0.4	9.3	2.2	18	<0.1	5.9	4.7	200	1.17	0.5	2.8	12.2	30	<0.1	0.1	0.2	4	0.29	0.016
1581145	Drill Core	3.97	0.6	18.0	25.4	40	<0.1	9.6	7.9	254	2.27	5.7	<0.5	13.3	18	<0.1	<0.1	0.4	4	0.18	0.026
1581146	Drill Core	5.76	0.3	9.7	12.2	42	<0.1	6.3	5.1	274	1.51	0.7	2.6	10.3	32	<0.1	<0.1	0.2	3	0.40	0.019
1581147	Drill Core	3.56	0.6	22.1	30.7	53	0.1	10.1	9.1	233	2.46	5.7	<0.5	16.4	10	<0.1	<0.1	0.5	3	0.07	0.024
1581148	Drill Core	6.18	0.3	8.6	9.6	31	<0.1	7.6	5.7	252	1.61	1.7	12.3	9.5	31	<0.1	0.1	0.3	4	0.31	0.015
1581149	Drill Core	6.34	0.6	20.3	15.4	35	<0.1	11.8	9.6	276	2.40	6.2	30.8	14.1	38	<0.1	0.1	0.4	4	0.29	0.027
1581150	Drill Core	3.83	0.5	10.7	3.0	25	<0.1	8.0	6.0	271	1.72	2.4	62.7	10.8	31	<0.1	0.1	0.2	4	0.24	0.021
1581151	Drill Core	3.30	0.6	24.2	22.0	32	0.1	9.4	7.6	240	2.06	3.6	23.0	14.3	14	<0.1	0.1	0.4	4	0.11	0.021
1581152	Drill Core	3.16	0.6	9.4	4.8	23	<0.1	7.4	5.9	244	1.42	2.4	76.7	12.9	39	<0.1	0.2	0.2	4	0.33	0.018
1581153	Drill Core	3.02	0.4	9.4	10.9	51	<0.1	9.3	7.2	209	1.78	3.1	38.5	8.8	27	0.1	0.1	0.2	3	0.21	0.017
1581154	Drill Core	7.36	0.9	23.8	36.5	58	<0.1	11.5	7.8	391	2.04	4.6	4.2	10.2	45	0.1	0.2	0.3	3	0.54	0.025
1581155	Drill Core	6.43	3.0	36.3	66.7	65	0.2	17.2	12.1	418	2.60	5.6	7.1	10.7	43	0.2	0.4	0.9	3	0.52	0.025
1581156	Drill Core	2.11	0.7	4.7	3.2	20	<0.1	4.8	3.2	616	1.50	1.1	62.4	11.1	116	0.1	0.1	<0.1	4	1.34	0.014
1581157	Drill Core	3.31	0.9	11.4	15.4	85	<0.1	8.9	4.8	418	1.75	2.8	37.2	9.5	63	0.4	0.3	0.2	4	0.70	0.017
1581158	Drill Core	4.41	1.2	34.3	18.6	81	<0.1	21.1	11.6	232	2.91	4.6	2.5	10.7	21	0.2	0.2	0.7	3	0.18	0.029
1581159	Drill Core	3.71	0.6	11.0	28.4	40	<0.1	7.2	3.9	565	1.31	1.8	0.9	10.9	73	<0.1	0.2	0.5	<2	1.10	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1581130	Drill Core	23	5	0.40	59	0.001	1	0.38	0.023	0.26	<0.1	<0.01	1.0	<0.1	0.14	<1	<0.5	<0.2
1581131	Drill Core	18	7	0.50	90	0.002	1	0.93	0.009	0.43	<0.1	<0.01	1.6	0.1	0.77	2	<0.5	<0.2
1581132	Drill Core	17	7	0.61	59	0.001	2	0.63	0.027	0.27	<0.1	<0.01	1.2	<0.1	0.26	1	<0.5	<0.2
1581133	Drill Core	24	8	0.59	88	0.002	2	1.05	0.014	0.42	<0.1	<0.01	1.6	<0.1	0.35	2	<0.5	<0.2
1581134	Drill Core	20	10	0.65	79	0.002	1	1.23	0.020	0.39	<0.1	<0.01	1.6	<0.1	0.59	3	<0.5	<0.2
1581135	Drill Core	25	5	0.45	60	0.001	2	0.40	0.042	0.26	<0.1	<0.01	1.4	<0.1	0.11	1	<0.5	<0.2
1581136	Drill Core	32	6	0.51	66	0.001	1	0.70	0.026	0.30	<0.1	<0.01	1.5	<0.1	0.06	2	<0.5	<0.2
1581137	Drill Core	36	9	0.50	105	0.002	1	1.10	0.030	0.44	0.2	<0.01	1.9	<0.1	0.21	3	<0.5	<0.2
1581138	Drill Core	23	5	0.39	63	0.001	2	0.45	0.030	0.27	<0.1	<0.01	1.2	<0.1	0.14	1	<0.5	<0.2
1581139	Drill Core	29	6	0.41	61	0.001	1	0.40	0.038	0.27	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581140	Drill Core	33	5	0.37	71	0.001	2	0.42	0.028	0.31	<0.1	<0.01	1.2	<0.1	0.06	1	<0.5	<0.2
1581141	Drill Core	26	5	0.35	53	<0.001	1	0.36	0.049	0.25	<0.1	<0.01	1.1	<0.1	0.06	<1	<0.5	<0.2
1581142	Drill Core	39	4	0.44	78	<0.001	2	0.38	0.013	0.36	<0.1	<0.01	1.5	<0.1	0.15	<1	<0.5	<0.2
1581143	Drill Core	28	5	0.38	75	<0.001	1	0.35	0.032	0.27	<0.1	<0.01	1.3	<0.1	0.14	<1	<0.5	<0.2
1581144	Drill Core	29	7	0.28	203	0.003	1	0.33	0.050	0.22	<0.1	<0.01	1.1	<0.1	0.12	<1	<0.5	<0.2
1581145	Drill Core	34	5	0.41	77	<0.001	1	0.41	0.026	0.32	<0.1	<0.01	1.2	<0.1	0.08	1	<0.5	<0.2
1581146	Drill Core	27	6	0.37	61	0.001	1	0.35	0.036	0.25	<0.1	<0.01	1.2	<0.1	0.08	<1	<0.5	<0.2
1581147	Drill Core	41	4	0.42	77	0.001	<1	0.42	0.018	0.35	<0.1	<0.01	1.3	<0.1	0.09	1	<0.5	<0.2
1581148	Drill Core	23	6	0.37	60	0.001	2	0.36	0.035	0.27	<0.1	<0.01	1.2	<0.1	0.19	<1	<0.5	<0.2
1581149	Drill Core	33	5	0.45	76	0.001	1	0.42	0.022	0.34	0.2	<0.01	1.6	<0.1	0.23	1	<0.5	<0.2
1581150	Drill Core	26	6	0.39	67	0.001	2	0.35	0.033	0.27	<0.1	<0.01	1.6	<0.1	0.22	<1	<0.5	<0.2
1581151	Drill Core	33	6	0.37	84	0.001	2	0.43	0.025	0.35	<0.1	<0.01	1.3	<0.1	0.17	1	<0.5	<0.2
1581152	Drill Core	28	7	0.37	57	0.001	2	0.35	0.040	0.25	<0.1	<0.01	1.7	<0.1	0.24	<1	<0.5	<0.2
1581153	Drill Core	23	6	0.37	53	0.001	1	0.33	0.038	0.24	<0.1	<0.01	1.3	<0.1	0.22	<1	<0.5	<0.2
1581154	Drill Core	22	6	0.49	71	0.001	2	0.43	0.020	0.31	<0.1	<0.01	1.2	<0.1	0.25	1	<0.5	<0.2
1581155	Drill Core	21	5	0.57	74	0.001	2	0.45	0.017	0.33	<0.1	<0.01	1.3	0.1	0.68	1	<0.5	<0.2
1581156	Drill Core	29	10	0.75	27	0.001	<1	0.21	0.064	0.12	0.1	<0.01	2.3	<0.1	0.19	<1	<0.5	<0.2
1581157	Drill Core	24	7	0.50	42	0.002	<1	0.29	0.050	0.20	<0.1	<0.01	1.6	<0.1	0.37	<1	<0.5	<0.2
1581158	Drill Core	14	4	0.60	65	<0.001	2	0.49	0.006	0.32	<0.1	<0.01	1.3	<0.1	0.71	1	<0.5	<0.2
1581159	Drill Core	20	2	0.54	73	0.001	2	0.39	0.009	0.32	<0.1	<0.01	0.8	<0.1	0.15	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 9 of 9 Part 1

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581160	Drill Core	4.88	4.4	37.7	24.2	81	<0.1	24.0	11.4	358	2.49	7.8	1.0	8.9	26	0.3	0.2	0.8	2	0.26	0.043
1581161	Drill Core	2.72	6.5	20.8	12.3	41	<0.1	10.9	8.0	727	1.94	3.7	10.1	7.2	207	0.3	0.3	0.5	3	1.77	0.014
1581162	Drill Core	3.07	0.6	5.9	5.3	27	<0.1	6.6	4.3	181	1.40	2.0	114.3	9.3	36	<0.1	0.1	0.2	4	0.33	0.012
1581163	Drill Core	6.39	0.7	12.6	14.5	28	<0.1	8.6	7.2	302	1.73	4.0	22.6	11.6	55	0.1	0.2	0.3	3	0.46	0.014
1581164	Drill Core	2.57	3.3	20.3	15.9	62	<0.1	15.5	9.4	340	2.26	2.9	12.3	10.1	42	0.2	0.2	0.4	4	0.35	0.019
1581165	Drill Core	2.16	0.8	20.2	6.5	34	<0.1	10.6	6.6	345	1.96	5.8	111.8	7.6	87	0.2	0.2	0.3	3	0.62	0.011
1581166	Drill Core	3.87	0.7	13.2	11.0	43	<0.1	7.2	5.7	353	2.05	2.2	79.6	9.7	60	0.1	0.2	0.3	2	0.55	0.019
1581167	Drill Core	2.57	0.5	14.5	25.0	43	<0.1	8.5	7.1	245	1.91	6.5	2.8	9.4	30	<0.1	0.1	0.3	2	0.29	0.016
1581168	Drill Core	5.59	3.8	35.3	26.4	69	<0.1	25.1	11.1	416	3.09	3.1	1.7	8.4	44	0.1	0.5	0.6	6	0.53	0.035
1581169	Drill Core	4.33	2.8	34.2	29.9	77	<0.1	19.6	11.0	352	2.84	4.9	0.8	9.5	43	0.2	0.3	0.7	5	0.47	0.038
1581170	Drill Core	2.72	0.5	39.1	30.1	86	<0.1	26.4	13.0	309	3.46	4.5	<0.5	8.4	29	0.1	0.5	0.9	7	0.27	0.043
1581171	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1581172	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1581173	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN11006153.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1581160	Drill Core	14	3	0.43	70	<0.001	1	0.39	0.006	0.34	<0.1	<0.01	1.1	<0.1	0.86	<1	<0.5	<0.2
1581161	Drill Core	12	8	0.98	46	<0.001	2	0.28	0.047	0.19	<0.1	<0.01	3.1	<0.1	0.66	<1	<0.5	<0.2
1581162	Drill Core	22	7	0.41	44	0.001	1	0.35	0.049	0.21	0.1	<0.01	1.5	<0.1	0.19	1	<0.5	<0.2
1581163	Drill Core	25	6	0.51	66	<0.001	2	0.41	0.036	0.29	<0.1	<0.01	1.9	<0.1	0.27	1	<0.5	<0.2
1581164	Drill Core	15	8	0.60	192	<0.001	2	0.60	0.023	0.23	<0.1	<0.01	1.7	<0.1	0.53	1	<0.5	<0.2
1581165	Drill Core	15	7	0.53	128	<0.001	1	0.25	0.060	0.17	<0.1	<0.01	2.5	<0.1	0.98	<1	<0.5	<0.2
1581166	Drill Core	23	4	0.61	93	<0.001	<1	0.30	0.025	0.24	<0.1	<0.01	1.2	<0.1	0.26	<1	<0.5	<0.2
1581167	Drill Core	27	4	0.48	131	<0.001	2	0.33	0.028	0.25	<0.1	<0.01	0.9	0.1	0.08	<1	<0.5	<0.2
1581168	Drill Core	13	9	0.75	73	0.002	1	1.18	0.018	0.29	<0.1	<0.01	1.5	<0.1	0.73	3	<0.5	<0.2
1581169	Drill Core	16	8	0.67	105	0.002	2	0.96	0.021	0.32	<0.1	<0.01	1.5	<0.1	0.66	2	<0.5	<0.2
1581170	Drill Core	13	10	0.79	63	0.004	<1	1.40	0.018	0.28	<0.1	<0.01	1.5	<0.1	0.93	3	<0.5	<0.2
1581171	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1581172	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1581173	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
Report Date: December 08, 2011

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN11006153.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
866911	Drill Core	2.30	0.8	8.6	4.7	30	<0.1	8.6	6.4	195	1.55	2.6	139.7	10.8	5	0.1	<0.1	0.2	3	0.02	0.018
REP 866911	QC		0.8	8.8	5.0	29	<0.1	8.6	6.3	200	1.56	2.7	143.2	11.2	5	<0.1	<0.1	0.2	3	0.02	0.017
866926	Drill Core	3.69	2.1	19.6	5.9	28	<0.1	10.8	7.0	608	2.21	7.4	95.3	5.8	78	0.2	0.2	0.4	3	0.88	0.015
REP 866926	QC		2.1	19.3	6.2	28	<0.1	10.8	7.1	606	2.21	7.3	106.1	6.1	77	0.2	0.2	0.4	3	0.88	0.015
866942	Drill Core	3.29	0.3	8.1	3.3	23	<0.1	4.4	4.3	186	1.07	0.8	13.4	9.7	14	<0.1	<0.1	0.2	4	0.22	0.016
REP 866942	QC		0.3	7.9	3.2	23	<0.1	4.3	4.1	183	0.99	<0.5	106.8	9.5	14	<0.1	<0.1	0.2	2	0.21	0.016
866956	Drill Core	3.02	0.4	11.4	2.1	17	<0.1	4.5	4.0	327	1.12	<0.5	18.3	9.5	24	<0.1	<0.1	0.1	2	0.69	0.012
REP 866956	QC		0.3	11.7	2.0	17	<0.1	5.3	4.1	341	1.12	<0.5	20.1	8.9	24	<0.1	<0.1	0.1	2	0.67	0.012
866976	Drill Core	3.03	0.3	5.9	13.7	46	<0.1	5.7	5.1	215	1.36	0.9	16.0	12.9	23	<0.1	<0.1	0.1	9	0.37	0.019
REP 866976	QC		0.3	5.8	14.1	46	<0.1	5.3	5.2	220	1.39	1.1	11.8	12.9	23	0.2	<0.1	<0.1	9	0.35	0.019
866991	Drill Core	4.80	0.4	24.4	25.7	66	<0.1	21.1	12.9	229	3.16	5.1	<0.5	12.4	12	<0.1	0.2	0.4	8	0.16	0.025
REP 866991	QC		0.5	24.2	26.0	66	<0.1	21.8	13.0	239	3.24	5.1	<0.5	12.2	11	<0.1	0.2	0.4	8	0.16	0.025
866886	Drill Core	12.72	0.3	12.4	4.7	16	<0.1	6.3	4.6	178	1.26	1.2	51.7	12.3	6	<0.1	0.1	0.1	4	0.06	0.018
REP 866886	QC		0.3	13.1	4.6	18	0.1	6.4	4.7	187	1.29	1.2	41.4	13.0	7	<0.1	<0.1	0.2	4	0.06	0.016
866900	Drill Core	2.55	0.6	24.5	19.8	60	0.2	10.3	9.8	439	1.88	4.8	53.0	13.3	8	0.2	0.1	0.2	4	0.03	0.025
REP 866900	QC		0.6	23.5	18.8	58	0.2	10.3	9.7	402	1.85	4.7	42.1	13.2	9	0.2	0.1	0.3	4	0.03	0.026
866497	Drill Core	3.10	0.5	18.6	6.5	27	<0.1	10.1	9.0	169	2.31	2.2	9.1	10.5	9	<0.1	0.1	0.3	<2	0.07	0.034
REP 866497	QC		0.6	19.6	6.9	28	<0.1	10.0	9.1	176	2.35	2.2	19.1	11.4	10	<0.1	0.1	0.3	<2	0.07	0.033
1581113	Drill Core	2.78	0.4	6.1	6.6	24	<0.1	5.3	4.1	459	1.82	0.6	7.8	7.9	59	<0.1	0.2	0.2	<2	1.03	0.017
REP 1581113	QC		0.3	6.2	6.8	24	<0.1	5.5	4.4	469	1.83	0.7	4.4	8.1	61	0.1	0.2	0.2	<2	1.06	0.017
1581134	Drill Core	5.20	0.6	30.6	24.7	56	<0.1	23.0	12.6	275	2.99	3.4	0.5	10.7	29	<0.1	0.2	0.6	8	0.37	0.025
REP 1581134	QC		0.6	29.5	24.2	54	<0.1	23.3	12.5	268	2.96	3.4	<0.5	10.4	28	<0.1	0.2	0.6	8	0.35	0.025
1581151	Drill Core	3.30	0.6	24.2	22.0	32	0.1	9.4	7.6	240	2.06	3.6	23.0	14.3	14	<0.1	0.1	0.4	4	0.11	0.021
REP 1581151	QC		0.6	24.6	21.8	31	0.1	9.4	7.7	238	2.03	3.4	9.2	13.9	14	<0.1	0.1	0.4	4	0.11	0.021
1581160	Drill Core	4.88	4.4	37.7	24.2	81	<0.1	24.0	11.4	358	2.49	7.8	1.0	8.9	26	0.3	0.2	0.8	2	0.26	0.043
REP 1581160	QC		4.4	38.2	25.7	84	0.1	23.7	11.5	355	2.47	7.9	0.8	9.6	27	0.2	0.2	0.8	2	0.27	0.043
Core Reject Duplicates																					
866916	Drill Core	2.86	0.3	3.9	1.9	11	<0.1	3.9	2.8	276	0.83	<0.5	35.8	6.7	8	0.1	<0.1	0.1	2	0.05	0.010

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN11006153.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
866911	Drill Core	27	5	0.05	161	0.001	<1	0.32	0.032	0.26	0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
REP 866911	QC	27	5	0.05	160	0.001	<1	0.33	0.033	0.26	<0.1	<0.01	1.1	<0.1	0.10	<1	<0.5	<0.2
866926	Drill Core	9	6	0.61	78	0.001	<1	0.28	0.036	0.25	<0.1	<0.01	2.1	<0.1	1.07	<1	<0.5	<0.2
REP 866926	QC	10	6	0.61	81	0.001	<1	0.30	0.037	0.25	<0.1	<0.01	2.0	<0.1	1.06	<1	<0.5	<0.2
866942	Drill Core	27	5	0.19	155	0.003	<1	0.30	0.051	0.24	0.1	<0.01	0.8	<0.1	0.07	<1	<0.5	<0.2
REP 866942	QC	25	4	0.19	147	0.002	<1	0.27	0.028	0.19	<0.1	<0.01	1.2	<0.1	0.06	<1	<0.5	<0.2
866956	Drill Core	23	4	0.37	106	0.002	1	0.28	0.029	0.19	<0.1	<0.01	1.4	<0.1	0.11	<1	<0.5	<0.2
REP 866956	QC	22	4	0.37	98	0.002	1	0.27	0.028	0.19	<0.1	<0.01	1.2	<0.1	0.11	<1	<0.5	<0.2
866976	Drill Core	28	10	0.32	478	0.006	<1	0.30	0.054	0.18	<0.1	<0.01	1.8	<0.1	0.15	<1	<0.5	<0.2
REP 866976	QC	29	11	0.33	465	0.006	<1	0.30	0.055	0.18	0.1	<0.01	1.6	<0.1	0.15	<1	<0.5	<0.2
866991	Drill Core	22	10	0.66	93	0.003	2	1.23	0.029	0.43	<0.1	<0.01	2.1	0.1	0.46	3	<0.5	<0.2
REP 866991	QC	21	10	0.67	93	0.003	2	1.28	0.030	0.44	<0.1	<0.01	2.2	0.1	0.47	3	<0.5	<0.2
866886	Drill Core	33	6	0.04	192	0.004	2	0.45	0.065	0.24	0.4	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
REP 866886	QC	35	6	0.04	196	0.003	1	0.48	0.069	0.25	0.4	<0.01	1.7	<0.1	<0.05	1	<0.5	0.2
866900	Drill Core	36	5	0.06	332	0.002	1	0.53	0.040	0.31	0.3	<0.01	1.9	<0.1	<0.05	1	<0.5	<0.2
REP 866900	QC	34	6	0.06	322	0.003	2	0.53	0.041	0.32	0.3	<0.01	2.1	<0.1	<0.05	1	<0.5	<0.2
866497	Drill Core	27	4	0.19	77	0.001	1	0.44	0.032	0.37	0.1	<0.01	1.3	<0.1	0.17	<1	<0.5	<0.2
REP 866497	QC	30	4	0.18	83	0.001	2	0.48	0.032	0.38	0.1	<0.01	1.4	<0.1	0.18	<1	<0.5	<0.2
1581113	Drill Core	19	3	0.59	60	<0.001	1	0.31	0.023	0.26	<0.1	<0.01	1.2	<0.1	0.17	<1	<0.5	<0.2
REP 1581113	QC	20	3	0.62	62	<0.001	1	0.32	0.024	0.28	<0.1	<0.01	1.1	<0.1	0.17	<1	<0.5	<0.2
1581134	Drill Core	20	10	0.65	79	0.002	1	1.23	0.020	0.39	<0.1	<0.01	1.6	<0.1	0.59	3	<0.5	<0.2
REP 1581134	QC	19	10	0.64	78	0.004	1	1.22	0.020	0.38	<0.1	<0.01	1.6	<0.1	0.59	3	<0.5	<0.2
1581151	Drill Core	33	6	0.37	84	0.001	2	0.43	0.025	0.35	<0.1	<0.01	1.3	<0.1	0.17	1	<0.5	<0.2
REP 1581151	QC	34	6	0.36	83	0.001	<1	0.44	0.025	0.35	<0.1	<0.01	1.2	<0.1	0.17	1	<0.5	<0.2
1581160	Drill Core	14	3	0.43	70	<0.001	1	0.39	0.006	0.34	<0.1	<0.01	1.1	<0.1	0.86	<1	<0.5	<0.2
REP 1581160	QC	15	3	0.43	72	<0.001	2	0.39	0.006	0.34	<0.1	<0.01	1.1	<0.1	0.85	<1	<0.5	<0.2
Core Reject Duplicates																		
866916	Drill Core	19	6	0.03	291	<0.001	<1	0.20	0.057	0.12	<0.1	<0.01	1.2	<0.1	0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 08, 2011

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN11006153.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
DUP 866916	QC		0.4	4.1	2.0	11	<0.1	4.2	3.0	291	0.87	<0.5	24.3	7.3	8	0.1	<0.1	0.1	2	0.05	0.012
866951	Drill Core	3.53	0.3	12.5	2.9	13	<0.1	5.2	5.2	150	0.98	<0.5	15.4	8.9	12	<0.1	<0.1	0.2	3	0.18	0.015
DUP 866951	QC		0.3	15.3	3.1	13	<0.1	5.6	5.9	163	1.05	<0.5	16.6	9.4	13	<0.1	<0.1	0.2	3	0.20	0.016
866986	Drill Core	2.62	5.4	39.1	28.9	14	0.1	31.9	19.6	487	3.16	11.2	4.4	8.2	38	<0.1	0.5	0.7	6	0.90	0.039
DUP 866986	QC		5.5	41.0	31.5	16	0.1	34.0	21.2	502	3.29	11.8	2.2	8.3	38	<0.1	0.5	0.8	5	0.90	0.040
866889	Drill Core	3.00	0.7	5.0	6.3	19	0.1	6.8	4.6	496	1.14	2.1	114.2	9.0	51	0.3	<0.1	0.2	3	1.11	0.023
DUP 866889	QC		0.6	4.6	5.9	18	<0.1	6.2	4.2	465	1.06	1.8	80.9	7.7	47	0.1	<0.1	0.2	3	1.04	0.023
1581105	Drill Core	2.95	0.5	15.3	29.4	28	0.1	5.7	6.8	197	1.63	0.9	3.5	11.4	6	<0.1	<0.1	0.3	<2	0.06	0.018
DUP 1581105	QC		0.4	12.7	26.8	26	0.1	5.0	6.1	174	1.52	0.9	2.7	10.2	5	<0.1	<0.1	0.3	<2	0.06	0.018
1581140	Drill Core	3.93	0.4	12.7	17.3	47	<0.1	8.9	7.0	233	2.00	5.5	<0.5	12.4	18	<0.1	0.1	0.3	3	0.20	0.020
DUP 1581140	QC		0.4	12.0	16.3	45	<0.1	9.1	7.1	236	1.97	5.2	<0.5	12.1	18	<0.1	0.1	0.2	3	0.20	0.019
Reference Materials																					
STD DS8	Standard		13.4	111.2	129.5	300	1.8	37.5	7.5	594	2.45	25.5	113.8	7.1	68	2.3	5.8	6.9	43	0.70	0.072
STD DS8	Standard		12.8	101.6	117.2	281	1.8	35.1	7.0	580	2.38	24.3	99.5	6.7	64	2.3	5.0	6.5	39	0.73	0.070
STD DS8	Standard		12.5	107.6	120.3	305	1.8	36.3	7.0	579	2.40	26.6	105.4	6.6	64	2.4	5.7	6.6	37	0.69	0.077
STD DS8	Standard		13.3	107.7	126.9	308	1.9	37.4	7.5	623	2.56	26.6	101.1	8.0	61	1.9	4.8	5.2	43	0.75	0.077
STD DS8	Standard		13.1	118.0	140.4	332	2.1	40.7	7.9	659	2.72	29.8	141.2	8.3	67	2.7	6.5	5.8	46	0.78	0.088
STD DS8	Standard		13.6	110.3	127.3	315	1.8	39.3	7.8	629	2.53	25.9	108.7	6.8	64	2.3	5.4	6.4	40	0.71	0.081
STD DS8	Standard		11.9	104.9	125.4	298	1.8	37.1	7.3	578	2.35	26.1	141.8	6.7	69	2.1	5.5	7.0	40	0.67	0.076
STD DS8	Standard		14.3	114.0	128.9	313	1.8	40.0	7.8	630	2.63	27.5	107.8	7.9	71	2.5	6.0	7.6	44	0.75	0.080
STD DS8	Standard		13.4	114.7	126.6	320	1.8	37.7	7.4	602	2.48	27.0	124.8	7.6	67	2.6	5.8	7.9	40	0.71	0.082
STD DS8	Standard		14.0	114.7	131.3	328	1.9	39.5	8.1	664	2.73	29.1	117.5	6.9	66	2.5	5.5	6.8	46	0.80	0.082
STD DS8 Expected			13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
Report Date: December 08, 2011

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN11006153.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
DUP 866916	QC	21	6	0.03	323	<0.001	1	0.22	0.054	0.12	<0.1	<0.01	1.2	<0.1	0.06	<1	<0.5	<0.2
866951	Drill Core	25	4	0.16	202	0.002	1	0.34	0.030	0.24	<0.1	<0.01	1.1	<0.1	0.10	<1	<0.5	<0.2
DUP 866951	QC	25	5	0.18	211	0.002	1	0.36	0.031	0.24	<0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
866986	Drill Core	11	4	0.59	95	0.001	2	0.65	0.006	0.48	<0.1	<0.01	1.5	0.2	1.60	1	<0.5	0.2
DUP 866986	QC	11	4	0.61	93	0.001	2	0.67	0.006	0.48	<0.1	<0.01	1.5	0.3	1.76	1	<0.5	<0.2
866889	Drill Core	20	8	0.49	219	0.002	<1	0.25	0.057	0.13	0.2	<0.01	2.0	<0.1	0.21	<1	<0.5	<0.2
DUP 866889	QC	16	7	0.45	194	0.001	<1	0.20	0.052	0.11	0.2	<0.01	1.6	<0.1	0.19	<1	<0.5	<0.2
1581105	Drill Core	33	4	0.17	79	0.002	2	0.43	0.029	0.34	0.1	<0.01	1.0	<0.1	0.07	<1	<0.5	<0.2
DUP 1581105	QC	28	3	0.16	66	0.001	1	0.35	0.023	0.28	0.1	<0.01	0.9	<0.1	0.06	<1	<0.5	<0.2
1581140	Drill Core	33	5	0.37	71	0.001	2	0.42	0.028	0.31	<0.1	<0.01	1.2	<0.1	0.06	1	<0.5	<0.2
DUP 1581140	QC	32	5	0.37	72	<0.001	2	0.40	0.028	0.31	<0.1	<0.01	1.3	<0.1	0.06	1	<0.5	<0.2
Reference Materials																		
STD DS8	Standard	15	119	0.60	287	0.120	2	0.93	0.091	0.42	3.0	0.21	2.1	5.5	0.16	4	4.5	5.0
STD DS8	Standard	16	109	0.59	270	0.113	2	0.91	0.085	0.40	2.8	0.18	2.3	4.9	0.16	4	4.6	4.2
STD DS8	Standard	14	114	0.60	268	0.115	2	0.88	0.082	0.41	2.9	0.22	2.0	5.2	0.16	4	5.1	4.6
STD DS8	Standard	17	120	0.63	281	0.131	2	0.97	0.098	0.43	3.0	0.19	2.4	5.2	0.16	5	4.9	5.3
STD DS8	Standard	17	122	0.67	296	0.132	3	1.03	0.101	0.45	3.4	0.21	2.4	6.1	0.17	5	4.7	5.3
STD DS8	Standard	15	123	0.62	263	0.114	2	0.96	0.096	0.43	3.1	0.20	2.4	5.5	0.16	5	5.1	5.0
STD DS8	Standard	13	112	0.61	256	0.120	2	0.95	0.097	0.42	2.8	0.19	2.0	5.1	0.16	4	5.6	4.4
STD DS8	Standard	17	121	0.64	275	0.124	2	0.97	0.089	0.43	3.0	0.21	2.3	5.6	0.17	5	5.2	4.8
STD DS8	Standard	15	117	0.63	273	0.115	2	0.94	0.085	0.42	2.9	0.20	2.1	5.5	0.17	5	5.1	4.9
STD DS8	Standard	17	127	0.67	295	0.121	2	1.08	0.119	0.48	3.2	0.20	2.2	5.8	0.18	5	4.9	5.5
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**

5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail

Report Date: December 08, 2011

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN11006153.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.4	3.0	45	<0.1	3.2	4.1	535	1.79	<0.5	<0.5	6.2	55	<0.1	<0.1	<0.1	37	0.43	0.072
G1	Prep Blank	<0.01	0.8	2.7	3.3	45	<0.1	3.4	4.2	544	1.89	<0.5	<0.5	5.7	57	<0.1	<0.1	<0.1	39	0.44	0.071



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**

5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail

Report Date: December 08, 2011

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN11006153.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	13	6	0.50	178	0.125	<1	0.89	0.080	0.50	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	13	7	0.51	174	0.126	<1	0.89	0.076	0.49	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Submitted By: John Keating
Receiving Lab: Canada-Vancouver
Received: November 21, 2011
Report Date: December 13, 2011
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN11006382.1

CLIENT JOB INFORMATION

Project: Dewdney Trail
Shipment ID:
P.O. Number
Number of Samples: 201

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	201	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	201	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PJX Resources Inc.
5600 - 100 King Street West
Toronto ON M5X 1C9
Canada

CC: Douglas Anderson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581190	Drill Core	14.99	0.6	6.9	6.1	18	<0.1	6.4	4.3	142	1.22	1.4	91.3	9.4	4	<0.1	0.1	0.2	4	0.01	0.013
1581191	Drill Core	5.65	0.6	20.6	33.5	57	0.8	9.2	7.4	170	1.81	3.7	59.5	11.5	5	0.2	0.5	0.4	4	0.03	0.025
1581192	Drill Core	4.89	0.4	8.4	4.1	17	<0.1	5.3	4.0	327	1.20	<0.5	62.3	9.8	5	<0.1	0.1	0.1	3	0.02	0.015
1581193	Drill Core	4.31	0.8	25.9	9.7	35	0.2	11.8	11.2	186	2.10	3.5	559.2	12.6	5	<0.1	0.2	0.4	5	0.02	0.023
1581194	Drill Core	3.69	0.7	13.0	4.1	27	<0.1	8.4	5.0	191	1.36	0.9	6.6	11.7	5	<0.1	<0.1	0.2	4	0.02	0.016
1581195	Drill Core	2.89	0.6	17.0	17.2	98	0.2	8.6	6.0	215	1.78	1.8	2.9	9.9	4	0.2	0.2	0.3	4	0.03	0.018
1581196	Drill Core	2.31	0.6	16.9	26.2	56	<0.1	8.0	7.3	275	1.67	3.8	0.6	9.2	4	0.1	<0.1	0.3	3	0.03	0.019
1581197	Drill Core	2.15	2.6	34.4	31.4	40	0.2	13.4	11.8	261	2.27	6.3	1.6	12.7	5	0.2	0.2	0.5	4	0.03	0.029
1581198	Drill Core	2.70	0.3	7.0	10.7	52	<0.1	6.5	5.2	288	1.39	1.4	4.2	8.7	5	0.2	0.1	0.2	3	0.03	0.014
1581199	Drill Core	2.54	0.4	13.5	17.4	36	<0.1	8.5	7.6	303	1.88	5.2	<0.5	8.7	5	0.1	0.1	0.2	4	0.03	0.019
1581200	Drill Core	2.59	0.4	15.2	13.1	34	<0.1	9.1	8.6	202	1.97	2.7	<0.5	9.8	5	<0.1	0.1	0.2	5	0.04	0.020
1581201	Drill Core	2.81	0.3	9.7	7.2	33	<0.1	7.7	6.3	655	2.06	<0.5	1.7	9.4	86	0.1	0.1	0.2	4	1.50	0.016
1581202	Drill Core	3.54	0.7	12.7	9.5	35	<0.1	10.2	7.4	389	1.89	3.3	7.1	8.5	25	0.1	0.3	0.3	4	0.39	0.019
1581203	Drill Core	3.20	0.7	9.4	10.8	46	<0.1	8.6	5.6	558	2.13	3.0	2.9	7.9	18	0.2	0.2	0.2	3	0.25	0.017
1581204	Drill Core	3.13	0.8	25.8	20.1	40	0.2	15.8	11.8	340	2.59	3.7	22.7	11.4	12	0.2	0.2	0.7	4	0.10	0.051
1581205	Drill Core	1.57	0.4	8.3	4.1	28	<0.1	7.3	4.0	770	1.60	1.7	62.3	9.4	9	0.2	0.1	0.1	3	0.03	0.014
1581206	Drill Core	3.25	0.4	12.7	6.6	27	<0.1	6.0	6.4	348	1.78	1.2	8.8	11.1	12	<0.1	0.2	0.2	4	0.12	0.018
1581207	Drill Core	3.00	0.3	18.6	14.0	27	<0.1	5.6	5.9	284	1.76	1.1	6.0	9.9	18	<0.1	<0.1	0.2	5	0.27	0.018
1581208	Drill Core	2.14	0.3	21.2	176.7	20	1.6	7.2	5.5	261	1.57	<0.5	34.4	9.2	15	<0.1	0.1	3.7	4	0.13	0.018
1581209	Drill Core	3.75	0.3	15.5	12.9	20	<0.1	6.2	5.2	245	1.81	1.0	1.3	11.0	14	<0.1	0.1	0.2	5	0.15	0.021
1581210	Drill Core	1.37	0.6	28.8	29.1	28	0.1	10.4	9.7	161	2.10	1.1	20.8	12.4	8	<0.1	0.1	0.6	5	0.06	0.028
1581211	Drill Core	3.07	0.4	21.7	19.3	21	<0.1	9.2	6.5	399	1.65	3.0	149.8	6.6	85	0.2	0.1	0.3	4	0.91	0.013
1581212	Drill Core	3.88	0.4	13.7	8.9	21	<0.1	7.0	7.0	229	1.56	1.8	13.9	11.7	19	<0.1	<0.1	0.3	4	0.25	0.019
1581213	Drill Core	2.80	0.3	5.4	2.8	13	<0.1	4.7	4.1	165	1.12	0.8	11.4	9.1	8	<0.1	<0.1	0.2	4	0.08	0.015
1581214	Drill Core	2.77	0.3	9.1	27.0	22	<0.1	5.6	5.5	157	1.42	<0.5	3.0	9.7	6	<0.1	<0.1	0.2	2	0.06	0.017
1581215	Drill Core	2.67	0.2	14.5	29.8	21	0.1	5.0	5.9	168	1.43	0.6	1.6	11.4	9	<0.1	<0.1	0.4	5	0.10	0.017
1581216	Drill Core	2.82	0.4	9.3	4.0	18	<0.1	4.7	4.9	178	1.30	1.0	1.9	11.2	16	<0.1	<0.1	0.1	4	0.20	0.019
1581217	Drill Core	2.45	0.3	3.9	4.1	20	<0.1	8.1	6.3	480	1.48	3.4	116.2	7.6	80	0.1	<0.1	0.2	4	0.87	0.013
1581218	Drill Core	2.80	0.7	22.8	14.8	45	<0.1	9.4	8.5	226	2.16	1.8	6.4	13.8	7	<0.1	<0.1	0.4	4	0.06	0.023
1581219	Drill Core	4.10	0.5	8.8	13.9	40	<0.1	6.8	5.8	314	1.88	1.8	25.6	10.6	18	<0.1	0.1	0.2	5	0.20	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1581190	Drill Core	28	5	0.02	148	0.002	2	0.33	0.054	0.21	0.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2
1581191	Drill Core	36	4	0.03	174	0.001	2	0.45	0.036	0.34	10.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2
1581192	Drill Core	29	4	0.05	120	0.002	1	0.32	0.047	0.23	0.2	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
1581193	Drill Core	32	3	0.05	127	0.001	2	0.49	0.028	0.37	0.5	<0.01	1.4	<0.1	0.07	1	<0.5	<0.2
1581194	Drill Core	32	4	0.04	93	0.001	2	0.42	0.036	0.28	0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581195	Drill Core	28	3	0.04	87	<0.001	2	0.39	0.023	0.31	0.3	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2
1581196	Drill Core	29	3	0.05	76	0.001	2	0.37	0.022	0.31	<0.1	<0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2
1581197	Drill Core	34	3	0.05	94	0.001	2	0.42	0.011	0.38	<0.1	<0.01	1.6	<0.1	<0.05	1	<0.5	<0.2
1581198	Drill Core	25	4	0.04	64	0.001	1	0.31	0.053	0.24	0.1	<0.01	1.2	<0.1	0.06	<1	<0.5	<0.2
1581199	Drill Core	28	3	0.08	86	0.001	1	0.40	0.044	0.32	<0.1	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
1581200	Drill Core	28	3	0.08	85	0.001	2	0.38	0.040	0.36	<0.1	<0.01	1.5	<0.1	0.07	1	<0.5	<0.2
1581201	Drill Core	26	4	0.55	71	0.001	1	0.32	0.059	0.25	0.2	<0.01	1.9	<0.1	<0.05	1	<0.5	<0.2
1581202	Drill Core	17	4	0.20	67	0.001	<1	0.33	0.056	0.26	<0.1	<0.01	1.7	<0.1	0.23	1	<0.5	<0.2
1581203	Drill Core	20	4	0.18	74	0.002	1	0.33	0.019	0.31	0.2	<0.01	1.3	<0.1	0.11	<1	<0.5	<0.2
1581204	Drill Core	24	4	0.13	82	0.001	2	0.38	0.020	0.37	0.2	<0.01	1.7	0.1	0.27	1	<0.5	<0.2
1581205	Drill Core	27	4	0.02	68	<0.001	<1	0.28	0.065	0.17	0.1	<0.01	2.3	<0.1	<0.05	<1	<0.5	<0.2
1581206	Drill Core	28	4	0.09	71	0.001	<1	0.36	0.055	0.30	<0.1	<0.01	1.5	<0.1	0.05	1	<0.5	<0.2
1581207	Drill Core	28	4	0.16	75	0.002	2	0.39	0.064	0.35	<0.1	<0.01	1.5	<0.1	<0.05	1	<0.5	<0.2
1581208	Drill Core	22	5	0.08	68	0.001	1	0.36	0.077	0.30	<0.1	<0.01	1.8	<0.1	0.26	1	<0.5	0.2
1581209	Drill Core	32	4	0.19	93	0.002	1	0.48	0.039	0.42	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581210	Drill Core	26	4	0.16	91	0.001	1	0.43	0.020	0.41	<0.1	<0.01	1.3	<0.1	0.13	1	<0.5	<0.2
1581211	Drill Core	15	6	0.46	62	0.002	<1	0.25	0.088	0.15	<0.1	<0.01	2.5	<0.1	0.60	<1	<0.5	<0.2
1581212	Drill Core	27	6	0.26	326	0.002	1	0.36	0.026	0.31	<0.1	<0.01	1.4	<0.1	0.11	1	<0.5	<0.2
1581213	Drill Core	26	6	0.14	134	0.004	1	0.31	0.056	0.21	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2
1581214	Drill Core	27	5	0.15	68	0.001	<1	0.34	0.024	0.27	<0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2
1581215	Drill Core	29	4	0.18	88	0.001	1	0.46	0.040	0.37	<0.1	<0.01	1.1	<0.1	0.07	1	<0.5	<0.2
1581216	Drill Core	29	5	0.26	110	0.002	2	0.41	0.039	0.30	<0.1	<0.01	0.9	<0.1	0.07	1	<0.5	<0.2
1581217	Drill Core	15	6	0.43	42	0.001	<1	0.27	0.084	0.17	<0.1	<0.01	2.1	<0.1	0.39	<1	<0.5	<0.2
1581218	Drill Core	30	2	0.27	97	<0.001	2	0.43	0.012	0.42	<0.1	<0.01	1.3	0.2	0.16	1	<0.5	<0.2
1581219	Drill Core	27	5	0.22	92	0.001	1	0.46	0.049	0.33	<0.1	<0.01	1.6	0.1	0.09	1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581220	Drill Core	7.05	0.5	26.3	20.8	45	<0.1	14.9	9.8	266	2.42	2.7	2.0	11.7	17	<0.1	0.1	0.4	7	0.22	0.028
1581221	Drill Core	2.04	0.4	6.4	7.8	22	<0.1	6.3	3.8	280	1.71	1.2	24.1	8.0	25	<0.1	<0.1	0.2	4	0.22	0.016
1581222	Drill Core	2.58	0.5	11.2	9.4	21	<0.1	6.0	4.3	220	1.85	1.9	0.6	11.2	12	<0.1	<0.1	0.2	4	0.11	0.017
1581223	Drill Core	1.17	0.3	19.5	18.3	17	<0.1	6.6	5.2	412	2.19	3.8	1.8	7.7	38	<0.1	<0.1	0.4	3	0.46	0.019
1581224	Drill Core	2.98	0.5	20.5	11.1	27	<0.1	9.8	7.3	202	1.97	1.9	19.1	9.5	13	<0.1	<0.1	0.3	4	0.14	0.020
1581225	Drill Core	3.16	0.4	10.3	15.0	32	<0.1	7.5	7.5	246	1.89	1.8	14.7	8.6	8	<0.1	<0.1	0.3	4	0.07	0.019
1581226	Drill Core	2.18	0.3	5.7	22.5	66	<0.1	14.2	16.7	319	2.53	6.7	5.4	7.0	28	<0.1	1.9	0.3	3	0.41	0.018
1581227	Drill Core	4.10	0.4	11.4	11.0	44	0.1	5.9	5.3	259	1.64	<0.5	2.9	10.0	15	0.2	<0.1	0.3	4	0.18	0.018
1581228	Drill Core	3.67	0.3	6.7	4.9	23	<0.1	5.3	4.0	240	1.53	<0.5	15.2	10.5	43	<0.1	<0.1	0.1	4	0.48	0.019
1581229	Drill Core	3.54	0.4	8.1	4.0	27	<0.1	5.5	3.6	167	1.24	<0.5	99.9	7.9	21	0.1	<0.1	0.1	4	0.14	0.016
1581230	Drill Core	5.09	0.6	10.8	12.6	108	<0.1	8.2	6.1	213	1.71	2.1	6.3	9.1	14	0.4	0.1	0.2	4	0.17	0.019
1581231	Drill Core	4.40	6.5	44.0	36.6	147	0.1	34.4	14.7	615	3.45	0.6	3.2	6.6	74	0.5	0.3	0.9	7	1.00	0.059
1581232	Drill Core	3.23	1.6	53.9	19.7	78	<0.1	28.6	14.3	574	3.05	2.2	2.0	7.1	42	0.2	0.2	0.8	4	0.68	0.037
1581233	Drill Core	2.39	0.6	10.2	19.1	80	<0.1	7.2	4.4	488	1.72	<0.5	3.0	7.1	64	0.3	0.1	0.2	4	1.08	0.018
1581234	Drill Core	3.99	0.2	6.1	12.1	44	<0.1	9.5	6.5	264	1.49	2.2	5.2	8.9	46	0.1	0.2	0.3	5	0.54	0.019
1581235	Drill Core	3.50	0.3	12.3	19.2	39	<0.1	8.3	6.2	311	2.21	2.6	2.4	8.6	27	0.1	0.2	0.3	4	0.34	0.019
1581236	Drill Core	5.23	0.3	18.9	12.7	59	<0.1	13.2	7.3	338	2.18	2.5	1.2	8.1	35	0.1	0.2	0.3	4	0.57	0.019
1581237	Drill Core	3.36	4.7	28.4	17.8	72	<0.1	18.1	8.9	453	2.54	1.1	<0.5	9.3	32	0.2	0.2	0.6	5	0.56	0.026
1581238	Drill Core	5.90	0.5	27.9	27.2	126	<0.1	26.4	14.0	479	3.02	1.6	0.9	7.2	76	0.3	0.6	0.4	9	1.19	0.064
1581239	Drill Core	6.28	0.7	30.1	11.4	33	<0.1	18.1	9.9	309	2.72	1.1	0.7	10.7	18	<0.1	0.2	0.5	5	0.26	0.030
1581240	Drill Core	5.76	0.8	21.8	12.5	37	<0.1	14.9	9.2	328	2.64	1.8	0.8	10.2	19	<0.1	0.2	0.4	4	0.28	0.029
1581241	Drill Core	2.97	0.3	12.4	9.3	38	<0.1	9.1	6.1	372	2.07	1.2	1.3	7.3	92	<0.1	0.3	0.2	4	1.54	0.019
1581242	Drill Core	4.83	1.6	38.7	7.5	34	<0.1	34.4	28.9	882	5.56	6.5	2.4	2.7	197	<0.1	0.8	<0.1	24	3.81	0.241
1581243	Drill Core	4.21	0.3	17.6	10.9	15	<0.1	13.6	9.2	423	2.75	1.7	1.5	8.8	69	<0.1	0.3	0.2	5	1.21	0.026
1581244	Drill Core	4.47	1.7	32.5	13.0	44	<0.1	40.5	29.4	1109	6.34	9.7	2.6	2.9	215	<0.1	0.6	<0.1	28	4.20	0.246
1581245	Drill Core	4.32	0.2	18.7	10.7	11	<0.1	7.3	6.8	265	1.83	1.5	1.0	8.4	45	<0.1	0.2	0.2	4	0.90	0.020
1581246	Drill Core	5.27	0.3	12.5	14.6	75	<0.1	6.4	5.4	245	1.49	1.4	1.5	8.0	48	0.2	<0.1	0.2	4	0.76	0.016
1581247	Drill Core	2.44	0.4	35.8	35.7	49	0.1	18.5	14.1	335	2.66	4.0	4.3	12.8	23	<0.1	0.1	0.7	5	0.36	0.025
1581248	Drill Core	2.93	0.3	7.5	4.0	15	<0.1	6.1	5.1	315	1.70	<0.5	4.8	9.0	51	<0.1	<0.1	0.3	4	0.71	0.024
1581249	Drill Core	2.84	0.3	11.4	4.5	14	<0.1	5.4	5.5	234	1.53	<0.5	6.1	13.1	26	<0.1	<0.1	0.2	4	0.32	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1581220	Drill Core	26	7	0.46	93	0.002	2	0.97	0.019	0.48	<0.1	<0.01	1.5	0.1	0.20	2	<0.5	<0.2
1581221	Drill Core	21	6	0.24	57	0.001	1	0.39	0.082	0.23	<0.1	<0.01	1.7	<0.1	0.27	1	<0.5	<0.2
1581222	Drill Core	32	4	0.25	80	0.001	1	0.42	0.038	0.34	<0.1	<0.01	1.1	<0.1	<0.05	1	<0.5	<0.2
1581223	Drill Core	22	3	0.25	58	<0.001	2	0.34	0.050	0.22	<0.1	<0.01	1.1	<0.1	0.07	<1	<0.5	<0.2
1581224	Drill Core	20	4	0.31	88	0.001	2	0.45	0.019	0.40	<0.1	<0.01	1.2	<0.1	0.34	1	<0.5	<0.2
1581225	Drill Core	24	3	0.10	83	0.002	2	0.46	0.043	0.36	<0.1	<0.01	1.4	<0.1	0.07	1	<0.5	<0.2
1581226	Drill Core	17	4	0.27	85	<0.001	3	0.39	0.023	0.32	<0.1	<0.01	1.1	<0.1	0.48	1	<0.5	<0.2
1581227	Drill Core	26	4	0.18	78	0.001	1	0.36	0.041	0.28	<0.1	<0.01	1.2	<0.1	0.06	1	<0.5	<0.2
1581228	Drill Core	25	4	0.34	81	0.002	2	0.40	0.041	0.26	0.1	<0.01	1.4	<0.1	0.14	1	<0.5	<0.2
1581229	Drill Core	23	5	0.19	68	0.001	1	0.36	0.050	0.23	<0.1	<0.01	1.2	<0.1	0.13	1	<0.5	<0.2
1581230	Drill Core	24	4	0.27	89	0.001	2	0.46	0.031	0.34	<0.1	<0.01	1.2	<0.1	0.12	1	<0.5	<0.2
1581231	Drill Core	11	10	0.81	90	0.001	2	0.63	0.009	0.40	<0.1	<0.01	2.2	0.1	1.04	1	<0.5	<0.2
1581232	Drill Core	11	3	0.59	92	<0.001	3	0.50	0.006	0.40	<0.1	<0.01	1.4	0.2	1.18	1	<0.5	0.2
1581233	Drill Core	17	4	0.65	62	<0.001	1	0.36	0.032	0.26	<0.1	<0.01	1.1	<0.1	0.25	<1	<0.5	<0.2
1581234	Drill Core	22	5	0.43	56	0.001	1	0.36	0.055	0.21	<0.1	<0.01	1.6	<0.1	0.25	1	<0.5	<0.2
1581235	Drill Core	25	4	0.49	85	<0.001	2	0.46	0.028	0.35	<0.1	<0.01	1.4	<0.1	0.13	1	<0.5	<0.2
1581236	Drill Core	19	4	0.54	76	<0.001	2	0.44	0.022	0.33	<0.1	<0.01	1.1	<0.1	0.25	1	<0.5	<0.2
1581237	Drill Core	19	4	0.50	97	0.001	3	0.58	0.013	0.42	<0.1	<0.01	1.3	0.1	0.58	1	<0.5	<0.2
1581238	Drill Core	16	7	0.94	83	0.003	2	0.65	0.017	0.39	<0.1	<0.01	2.1	<0.1	0.51	1	<0.5	<0.2
1581239	Drill Core	24	4	0.58	102	0.001	2	0.64	0.016	0.44	<0.1	<0.01	1.4	0.1	0.46	2	<0.5	<0.2
1581240	Drill Core	22	4	0.56	83	0.001	3	0.50	0.012	0.37	<0.1	<0.01	1.2	0.1	0.41	1	<0.5	<0.2
1581241	Drill Core	16	3	0.85	56	<0.001	1	0.45	0.015	0.31	<0.1	<0.01	2.0	<0.1	0.25	1	<0.5	<0.2
1581242	Drill Core	16	9	2.39	98	0.003	2	0.65	0.013	0.39	<0.1	<0.01	5.1	<0.1	0.40	1	<0.5	<0.2
1581243	Drill Core	19	4	0.94	67	<0.001	2	0.54	0.013	0.34	<0.1	<0.01	2.1	<0.1	0.18	1	<0.5	<0.2
1581244	Drill Core	14	14	2.74	74	0.005	2	0.86	0.012	0.34	<0.1	<0.01	6.0	<0.1	0.37	2	<0.5	<0.2
1581245	Drill Core	22	4	0.62	65	<0.001	1	0.47	0.031	0.33	<0.1	<0.01	1.8	<0.1	0.10	1	<0.5	<0.2
1581246	Drill Core	20	4	0.51	52	<0.001	1	0.35	0.036	0.24	<0.1	<0.01	1.1	<0.1	0.12	<1	<0.5	<0.2
1581247	Drill Core	26	4	0.57	104	0.001	3	0.61	0.016	0.41	<0.1	<0.01	1.5	<0.1	0.27	2	<0.5	<0.2
1581248	Drill Core	21	5	0.51	63	0.001	1	0.38	0.035	0.27	<0.1	<0.01	1.3	<0.1	0.14	1	<0.5	<0.2
1581249	Drill Core	31	5	0.36	76	0.001	2	0.43	0.031	0.32	<0.1	<0.01	1.4	<0.1	0.08	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581250	Drill Core	2.80	0.3	12.1	9.6	35	<0.1	8.4	7.0	227	1.97	1.6	3.7	11.2	20	<0.1	<0.1	0.3	3	0.21	0.041
1581251	Drill Core	2.70	0.2	4.1	1.2	12	<0.1	3.6	2.9	153	1.02	<0.5	4.5	7.1	18	<0.1	<0.1	0.1	3	0.22	0.012
1581252	Drill Core	2.20	0.5	9.6	2.5	21	<0.1	6.7	6.9	292	1.58	1.1	84.2	9.3	35	<0.1	<0.1	0.3	4	0.48	0.015
1581253	Drill Core	2.04	0.3	25.1	5.7	25	<0.1	10.3	9.2	195	2.33	1.6	3.3	12.7	8	<0.1	<0.1	0.3	4	0.07	0.032
1581254	Drill Core	2.82	0.3	4.2	1.5	21	<0.1	5.8	4.0	309	1.35	<0.5	57.5	8.4	47	<0.1	<0.1	0.1	4	0.61	0.012
1581255	Drill Core	2.77	0.3	5.9	2.6	24	<0.1	6.4	4.9	251	1.62	<0.5	14.9	8.8	25	<0.1	<0.1	0.1	4	0.36	0.021
1581256	Drill Core	3.34	0.7	29.1	18.7	48	<0.1	13.6	12.3	226	2.61	1.9	35.5	13.7	12	<0.1	0.2	0.5	4	0.09	0.029
1581257	Drill Core	2.65	0.3	12.6	4.3	42	<0.1	14.2	8.0	278	1.71	2.7	91.4	6.9	46	<0.1	0.2	0.3	4	0.53	0.017
1581258	Drill Core	2.88	0.3	9.3	12.0	25	<0.1	6.0	5.1	212	1.52	1.3	8.7	8.1	14	<0.1	<0.1	0.2	3	0.17	0.020
1581259	Drill Core	3.24	0.4	11.8	32.2	57	<0.1	6.6	5.8	326	1.99	3.8	1.6	9.9	33	0.1	<0.1	0.3	2	0.57	0.031
1581260	Drill Core	4.12	0.3	10.7	9.0	27	<0.1	7.5	5.4	374	1.56	2.8	9.3	9.3	42	<0.1	<0.1	0.3	3	0.64	0.016
1581261	Drill Core	4.09	0.7	24.0	15.5	53	<0.1	19.0	10.7	237	2.41	5.0	2.4	8.7	19	<0.1	0.1	0.4	5	0.23	0.035
1581262	Drill Core	3.26	3.6	29.0	28.5	50	<0.1	18.2	10.3	390	2.58	4.4	1.0	8.4	35	<0.1	0.2	0.6	4	0.55	0.023
1581263	Drill Core	5.29	0.4	9.1	19.4	69	<0.1	11.8	8.3	408	1.81	4.2	4.3	8.1	49	0.2	0.4	0.4	3	0.72	0.015
1581264	Drill Core	3.40	1.2	35.8	20.4	88	<0.1	25.3	11.6	204	3.08	2.7	<0.5	10.1	18	0.2	0.2	0.7	7	0.20	0.031
1581265	Drill Core	2.67	0.5	7.5	26.7	33	<0.1	4.5	2.9	573	1.14	1.1	<0.5	10.9	63	<0.1	0.1	0.4	<2	0.88	0.020
1581266	Drill Core	3.71	5.4	42.4	26.6	41	0.1	28.0	13.7	327	2.72	7.5	<0.5	9.2	28	0.1	0.3	0.8	5	0.27	0.040
1581267	Drill Core	3.76	2.6	13.8	6.7	30	<0.1	10.0	5.7	522	1.60	1.9	13.8	6.2	120	0.2	0.2	0.3	2	1.18	0.010
1581268	Drill Core	3.58	0.5	16.1	12.6	38	<0.1	31.3	12.7	209	2.05	4.7	1.8	10.8	29	<0.1	0.3	0.4	7	0.30	0.016
1581269	Drill Core	2.66	0.3	10.1	12.1	32	<0.1	7.7	5.1	234	1.57	1.6	<0.5	9.1	32	<0.1	0.1	0.3	4	0.34	0.013
1581270	Drill Core	3.65	0.5	17.2	22.9	66	<0.1	11.2	6.9	207	2.15	4.3	2.2	11.6	21	0.1	<0.1	0.4	5	0.21	0.016
1581271	Drill Core	2.92	0.6	5.7	9.3	27	<0.1	7.9	4.3	296	1.51	3.5	33.1	9.2	50	<0.1	0.1	0.2	5	0.49	0.012
1581272	Drill Core	3.72	0.6	16.0	14.9	49	<0.1	10.7	8.8	340	2.17	5.9	79.2	9.2	40	0.1	0.4	0.3	3	0.42	0.014
1581273	Drill Core	2.84	2.1	28.5	34.3	108	<0.1	19.6	10.5	241	3.05	2.4	7.9	10.2	17	0.3	0.2	0.6	10	0.18	0.024
1581274	Drill Core	4.88	1.2	30.1	35.6	118	<0.1	23.2	10.0	395	3.20	2.4	2.8	8.2	40	0.4	0.4	0.6	8	0.48	0.033
1581275	Drill Core	3.63	7.2	49.1	35.4	50	<0.1	29.7	14.6	612	3.26	5.8	1.2	7.5	80	0.1	0.5	0.8	9	1.19	0.041
1581276	Drill Core	2.12	1.6	29.1	12.1	110	<0.1	93.5	34.4	1355	6.68	19.3	0.8	3.4	438	0.2	2.4	0.1	75	5.11	0.266
1581277	Drill Core	4.88	0.4	32.9	24.6	89	<0.1	26.5	12.3	227	3.84	6.0	<0.5	10.6	19	0.2	0.4	0.7	14	0.29	0.021
1581278	Drill Core	11.82	0.4	9.9	10.6	49	<0.1	8.1	6.9	230	1.71	2.1	17.8	8.9	9	<0.1	0.1	0.3	4	0.09	0.019
1581279	Drill Core	3.29	0.8	12.6	20.8	38	<0.1	11.9	7.1	338	1.98	2.3	16.2	10.1	8	0.1	0.2	0.3	5	0.05	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1581250	Drill Core	26	2	0.41	73	0.001	2	0.41	0.020	0.33	<0.1	<0.01	1.1	0.1	0.12	1	<0.5	<0.2
1581251	Drill Core	20	4	0.25	48	0.002	2	0.34	0.040	0.22	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1581252	Drill Core	20	4	0.45	65	0.001	1	0.38	0.029	0.31	<0.1	<0.01	1.2	<0.1	0.24	1	<0.5	<0.2
1581253	Drill Core	36	4	0.44	85	0.001	2	0.47	0.017	0.40	<0.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2
1581254	Drill Core	19	5	0.46	103	0.002	<1	0.26	0.047	0.18	<0.1	<0.01	1.6	<0.1	0.12	<1	<0.5	<0.2
1581255	Drill Core	21	4	0.41	73	0.001	1	0.43	0.035	0.31	<0.1	<0.01	1.3	<0.1	0.13	1	<0.5	<0.2
1581256	Drill Core	26	3	0.48	75	<0.001	1	0.39	0.013	0.36	0.1	<0.01	1.2	<0.1	0.39	1	<0.5	<0.2
1581257	Drill Core	16	5	0.44	51	0.001	1	0.33	0.049	0.24	<0.1	<0.01	2.0	<0.1	0.37	1	<0.5	<0.2
1581258	Drill Core	24	4	0.34	56	<0.001	4	0.32	0.029	0.25	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1581259	Drill Core	27	3	0.52	57	<0.001	4	0.31	0.019	0.27	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1581260	Drill Core	25	4	0.51	78	0.001	3	0.30	0.033	0.23	<0.1	<0.01	1.3	<0.1	0.09	<1	<0.5	<0.2
1581261	Drill Core	19	7	0.51	69	0.001	3	0.83	0.024	0.32	<0.1	<0.01	1.3	<0.1	0.33	2	<0.5	<0.2
1581262	Drill Core	14	6	0.59	82	0.001	2	0.73	0.018	0.37	<0.1	<0.01	1.3	<0.1	0.70	2	<0.5	<0.2
1581263	Drill Core	18	4	0.57	46	<0.001	2	0.27	0.032	0.21	<0.1	<0.01	1.3	<0.1	0.35	<1	<0.5	<0.2
1581264	Drill Core	17	9	0.70	81	0.001	3	1.33	0.011	0.39	<0.1	<0.01	1.3	<0.1	0.96	3	<0.5	<0.2
1581265	Drill Core	24	1	0.41	61	<0.001	2	0.34	0.009	0.28	<0.1	<0.01	0.7	<0.1	0.13	<1	<0.5	<0.2
1581266	Drill Core	17	5	0.49	88	0.001	2	0.78	0.009	0.44	<0.1	<0.01	1.3	<0.1	1.05	2	<0.5	<0.2
1581267	Drill Core	14	5	0.71	37	<0.001	1	0.20	0.043	0.15	<0.1	<0.01	2.1	<0.1	0.45	<1	<0.5	<0.2
1581268	Drill Core	24	18	0.63	85	0.001	2	0.75	0.023	0.40	<0.1	<0.01	1.4	<0.1	0.29	2	<0.5	<0.2
1581269	Drill Core	27	9	0.44	69	0.001	2	0.50	0.045	0.30	<0.1	<0.01	1.1	<0.1	0.10	1	<0.5	<0.2
1581270	Drill Core	27	7	0.54	84	0.001	1	0.85	0.030	0.39	<0.1	<0.01	1.3	<0.1	0.18	2	<0.5	<0.2
1581271	Drill Core	26	22	0.50	57	0.002	<1	0.41	0.068	0.26	<0.1	<0.01	2.1	<0.1	0.20	2	<0.5	<0.2
1581272	Drill Core	21	7	0.55	63	<0.001	2	0.41	0.027	0.31	<0.1	<0.01	1.6	<0.1	0.48	1	<0.5	<0.2
1581273	Drill Core	24	12	0.74	95	0.003	2	1.71	0.024	0.49	<0.1	<0.01	1.6	0.1	0.71	4	<0.5	<0.2
1581274	Drill Core	20	10	0.77	75	0.002	2	1.40	0.018	0.37	<0.1	<0.01	1.4	<0.1	0.71	4	<0.5	<0.2
1581275	Drill Core	16	11	0.92	87	0.002	1	1.34	0.027	0.43	<0.1	<0.01	1.7	0.1	0.98	3	<0.5	<0.2
1581276	Drill Core	23	131	3.34	58	0.013	2	3.01	0.022	0.23	<0.1	<0.01	8.0	<0.1	0.20	7	<0.5	<0.2
1581277	Drill Core	25	16	1.05	100	0.002	2	2.17	0.025	0.49	<0.1	<0.01	2.0	0.1	0.87	6	<0.5	<0.2
1581278	Drill Core	27	7	0.10	75	0.002	1	0.39	0.042	0.27	<0.1	<0.01	1.3	<0.1	0.07	1	<0.5	<0.2
1581279	Drill Core	28	9	0.13	91	0.002	1	0.54	0.061	0.34	0.1	<0.01	1.9	<0.1	0.14	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581280	Drill Core	1.84	4.0	42.5	17.3	71	0.1	23.9	11.8	372	2.56	2.2	<0.5	10.9	19	0.2	0.2	0.5	5	0.28	0.048
1581281	Drill Core	2.57	0.8	7.9	17.8	116	<0.1	7.4	4.0	501	1.56	1.0	<0.5	7.2	46	0.6	<0.1	0.1	4	0.93	0.015
1581282	Drill Core	3.22	1.2	22.3	15.4	72	<0.1	22.7	10.9	294	2.71	3.5	<0.5	11.9	18	0.2	0.1	0.4	7	0.23	0.037
1581283	Drill Core	1.29	6.2	27.1	19.4	45	<0.1	17.2	8.5	316	2.28	0.9	19.0	9.9	14	0.2	0.2	0.4	6	0.13	0.043
1581284	Drill Core	4.07	0.7	12.9	17.1	55	<0.1	9.0	5.6	546	1.57	1.4	66.4	6.5	48	0.3	0.2	0.2	3	0.70	0.016
1581285	Drill Core	3.29	0.6	27.5	14.9	51	0.1	18.1	11.1	200	2.76	6.1	6.8	16.5	10	<0.1	0.1	0.6	5	0.08	0.039
1581286	Drill Core	2.82	0.5	9.6	4.9	33	<0.1	6.6	4.9	422	1.83	1.8	23.2	7.5	59	0.1	0.1	0.2	3	0.71	0.014
1581287	Drill Core	2.41	0.4	9.8	4.7	36	<0.1	10.0	8.4	219	1.84	2.4	10.3	10.0	6	<0.1	0.2	0.3	5	0.03	0.016
1581288	Drill Core	2.48	0.2	11.2	17.0	28	<0.1	6.7	5.9	224	1.53	1.5	40.5	7.8	17	<0.1	0.1	0.3	3	0.25	0.019
1581289	Drill Core	3.26	0.2	9.8	39.1	100	0.1	6.4	5.3	212	1.78	0.8	2.9	12.4	9	0.3	<0.1	0.3	5	0.12	0.019
1581290	Drill Core	2.88	0.2	5.4	6.7	19	<0.1	3.9	3.9	383	1.40	0.7	11.6	9.6	28	<0.1	<0.1	0.1	3	0.56	0.015
1581291	Drill Core	2.11	0.2	9.2	8.7	15	<0.1	4.6	4.2	231	1.27	0.8	1.6	12.8	15	<0.1	<0.1	0.1	5	0.26	0.019
1581292	Drill Core	2.69	0.3	8.0	36.2	38	0.2	6.0	5.6	359	1.57	1.2	19.3	10.6	19	<0.1	<0.1	0.5	3	0.26	0.018
1581293	Drill Core	2.63	0.3	7.5	8.6	21	<0.1	4.4	4.6	199	1.29	1.2	41.3	10.4	17	<0.1	0.1	0.3	6	0.22	0.015
1581294	Drill Core	2.72	0.2	9.2	33.0	42	0.1	4.2	4.0	218	1.41	<0.5	61.1	12.2	11	0.1	<0.1	0.4	2	0.20	0.016
1581295	Drill Core	2.46	0.2	5.5	5.0	13	<0.1	3.8	3.1	313	1.05	<0.5	10.7	12.0	35	<0.1	<0.1	0.1	2	0.55	0.014
1581296	Drill Core	2.49	0.2	9.3	8.8	20	<0.1	5.7	4.8	366	1.32	<0.5	1.6	11.8	20	<0.1	0.3	0.2	2	0.48	0.016
1581297	Drill Core	2.76	0.3	10.1	9.7	20	<0.1	5.5	5.2	279	1.36	<0.5	15.9	10.3	26	<0.1	<0.1	0.2	2	0.38	0.017
1581298	Drill Core	2.52	0.3	11.5	15.5	23	<0.1	5.9	6.3	219	1.51	<0.5	4.2	8.9	12	<0.1	0.1	0.3	<2	0.16	0.020
1581299	Drill Core	3.00	0.3	9.1	7.3	26	<0.1	5.7	5.2	244	1.47	<0.5	2.8	11.3	18	<0.1	0.1	0.2	3	0.26	0.021
1581300	Drill Core	3.26	0.3	9.8	7.9	21	<0.1	5.5	5.3	212	1.35	<0.5	24.3	10.6	12	<0.1	<0.1	0.2	3	0.11	0.017
1581301	Drill Core	2.78	0.3	9.0	3.4	20	<0.1	8.1	6.8	284	1.60	<0.5	8.1	11.1	25	<0.1	0.1	0.2	4	0.30	0.024
1581302	Drill Core	2.70	0.3	4.5	3.0	22	<0.1	5.8	4.2	282	1.39	<0.5	46.7	12.2	26	<0.1	0.1	0.1	3	0.28	0.014
1581303	Drill Core	2.15	0.5	17.0	9.6	30	<0.1	10.7	7.9	254	2.11	1.3	51.6	11.8	16	<0.1	0.1	0.3	3	0.14	0.023
1581304	Drill Core	3.09	1.2	27.7	15.9	50	<0.1	15.0	11.9	242	2.61	1.9	21.3	12.5	8	<0.1	0.2	0.5	4	0.06	0.022
1581305	Drill Core	2.85	0.3	14.2	10.5	53	<0.1	7.1	4.8	259	1.53	2.0	1.0	10.6	24	<0.1	0.1	0.2	3	0.36	0.018
1581306	Drill Core	2.69	0.4	14.7	24.2	52	<0.1	11.7	8.7	224	2.22	3.7	<0.5	11.9	9	<0.1	0.1	0.3	3	0.10	0.025
1581307	Drill Core	3.17	0.3	9.8	15.0	55	<0.1	10.4	5.8	267	1.77	0.8	0.7	8.1	16	<0.1	<0.1	0.3	3	0.22	0.017
1581308	Drill Core	2.27	0.4	18.4	22.2	57	<0.1	17.9	8.4	277	2.44	<0.5	<0.5	10.7	8	<0.1	0.1	0.4	5	0.08	0.021
1581309	Drill Core	2.29	0.6	37.1	12.7	60	<0.1	20.5	12.3	199	2.69	0.7	<0.5	14.3	8	<0.1	0.2	0.5	8	0.06	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1581280	Drill Core	34	5	0.19	112	0.001	3	0.78	0.009	0.47	<0.1	<0.01	1.3	0.1	<0.05	2	<0.5	<0.2
1581281	Drill Core	25	8	0.58	70	0.002	1	0.65	0.048	0.30	<0.1	<0.01	1.3	<0.1	0.08	2	<0.5	<0.2
1581282	Drill Core	26	8	0.43	106	0.001	1	1.08	0.008	0.47	<0.1	<0.01	1.5	0.1	0.27	3	<0.5	<0.2
1581283	Drill Core	20	5	0.17	129	0.002	2	0.75	0.017	0.58	0.1	<0.01	1.5	0.2	0.73	2	<0.5	<0.2
1581284	Drill Core	16	10	0.27	44	0.001	1	0.25	0.066	0.16	<0.1	<0.01	2.2	<0.1	0.26	<1	<0.5	<0.2
1581285	Drill Core	39	5	0.15	137	0.002	2	0.70	0.008	0.58	<0.1	<0.01	1.6	0.1	0.16	2	<0.5	<0.2
1581286	Drill Core	19	11	0.49	49	0.001	<1	0.24	0.050	0.19	<0.1	<0.01	2.1	<0.1	0.23	<1	<0.5	<0.2
1581287	Drill Core	27	8	0.16	92	0.002	3	0.49	0.054	0.37	<0.1	<0.01	1.4	<0.1	0.15	2	<0.5	<0.2
1581288	Drill Core	24	6	0.21	64	0.001	1	0.34	0.039	0.26	<0.1	<0.01	1.0	<0.1	0.16	1	<0.5	<0.2
1581289	Drill Core	38	7	0.26	100	0.002	2	0.59	0.044	0.43	<0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2
1581290	Drill Core	26	8	0.36	137	0.003	<1	0.28	0.041	0.22	<0.1	<0.01	1.0	<0.1	0.09	<1	<0.5	<0.2
1581291	Drill Core	35	8	0.22	93	0.002	<1	0.58	0.039	0.43	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2
1581292	Drill Core	29	6	0.20	171	0.002	<1	0.36	0.030	0.29	<0.1	<0.01	1.1	<0.1	0.09	1	<0.5	<0.2
1581293	Drill Core	28	10	0.24	297	0.006	2	0.49	0.063	0.34	0.1	<0.01	1.5	<0.1	0.20	1	<0.5	<0.2
1581294	Drill Core	36	6	0.26	62	0.002	1	0.34	0.040	0.27	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2
1581295	Drill Core	26	14	0.35	400	0.003	<1	0.26	0.065	0.18	<0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
1581296	Drill Core	30	7	0.33	96	0.003	2	0.37	0.037	0.29	<0.1	<0.01	1.2	<0.1	0.07	<1	<0.5	<0.2
1581297	Drill Core	27	9	0.28	341	0.003	1	0.38	0.044	0.30	<0.1	<0.01	1.1	<0.1	0.15	1	<0.5	<0.2
1581298	Drill Core	30	6	0.30	141	0.002	1	0.38	0.037	0.34	<0.1	<0.01	1.1	<0.1	0.10	1	<0.5	<0.2
1581299	Drill Core	33	10	0.33	116	0.002	1	0.47	0.053	0.39	<0.1	<0.01	1.3	<0.1	0.08	1	<0.5	<0.2
1581300	Drill Core	33	8	0.25	187	0.002	1	0.36	0.041	0.31	<0.1	<0.01	1.1	<0.1	0.09	1	<0.5	<0.2
1581301	Drill Core	29	11	0.32	302	0.006	1	0.43	0.048	0.37	<0.1	<0.01	1.3	<0.1	0.15	1	<0.5	<0.2
1581302	Drill Core	28	13	0.29	65	0.002	<1	0.31	0.049	0.25	<0.1	<0.01	1.7	<0.1	0.17	1	<0.5	<0.2
1581303	Drill Core	29	11	0.33	101	0.002	1	0.53	0.036	0.45	<0.1	<0.01	1.7	<0.1	0.31	1	<0.5	<0.2
1581304	Drill Core	31	6	0.39	113	0.002	2	0.60	0.022	0.52	<0.1	<0.01	1.6	0.1	0.44	2	<0.5	<0.2
1581305	Drill Core	31	10	0.34	91	0.002	2	0.50	0.034	0.40	<0.1	<0.01	1.2	0.1	0.12	1	<0.5	<0.2
1581306	Drill Core	36	6	0.41	93	0.001	1	0.52	0.022	0.39	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581307	Drill Core	29	11	0.40	72	0.002	1	0.58	0.055	0.31	<0.1	<0.01	1.2	<0.1	0.08	2	<0.5	<0.2
1581308	Drill Core	32	10	0.48	97	0.002	1	1.03	0.027	0.43	<0.1	<0.01	1.4	<0.1	0.17	2	<0.5	<0.2
1581309	Drill Core	29	12	0.52	134	0.002	2	1.53	0.021	0.65	<0.1	<0.01	1.9	0.1	0.44	3	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte	Unit	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1581310	Drill Core	3.65	0.6	22.0	15.6	39	<0.1	16.1	9.2	326	2.60	<0.5	<0.5	12.4	10	<0.1	0.1	0.4	3	0.14	0.023
1581311	Drill Core	4.10	0.4	9.7	9.5	25	<0.1	7.5	4.4	331	1.66	1.6	3.4	8.5	29	<0.1	0.1	0.2	2	0.45	0.016
1581312	Drill Core	1.81	0.5	21.6	22.6	74	<0.1	10.7	7.6	230	2.19	2.4	<0.5	10.8	12	0.1	0.1	0.3	<2	0.12	0.022
1581313	Drill Core	3.23	0.4	12.3	11.4	19	<0.1	10.5	7.0	254	1.94	1.6	<0.5	9.7	19	<0.1	0.1	0.2	3	0.30	0.019
1581314	Drill Core	2.88	0.3	15.1	13.5	35	<0.1	7.8	6.2	504	1.89	0.8	<0.5	9.6	67	<0.1	<0.1	0.2	<2	1.43	0.016
1581315	Drill Core	2.63	0.4	9.4	8.6	24	0.1	6.4	5.1	262	1.53	<0.5	0.7	10.1	26	<0.1	0.1	0.2	3	0.41	0.015
1581316	Drill Core	1.45	0.3	24.2	42.5	363	0.1	4.8	5.0	189	1.40	3.1	<0.5	7.7	19	0.7	<0.1	0.3	<2	0.29	0.015
1581317	Drill Core	2.63	0.5	18.9	40.7	142	0.1	10.0	9.6	224	2.17	9.1	<0.5	11.1	8	0.3	0.1	0.3	3	0.09	0.020
1581318	Drill Core	4.03	0.4	10.3	17.6	46	<0.1	6.5	5.5	304	1.66	<0.5	2.4	9.8	31	0.1	0.1	0.2	<2	0.57	0.016
1581319	Drill Core	2.98	0.2	12.6	13.9	47	<0.1	5.8	5.8	286	1.58	<0.5	1.3	11.2	30	0.1	0.1	0.2	3	0.52	0.021
1581320	Drill Core	3.02	0.3	25.9	12.1	46	<0.1	7.8	6.8	271	1.54	1.1	6.0	10.8	32	<0.1	0.1	0.3	2	0.43	0.015
1581321	Drill Core	3.31	0.6	5.5	5.6	32	<0.1	8.1	6.1	241	1.48	<0.5	10.0	11.1	33	<0.1	0.1	0.2	5	0.40	0.021
1581322	Drill Core	2.52	0.8	10.9	7.4	39	<0.1	9.5	7.5	235	2.03	2.5	0.8	10.6	19	<0.1	0.1	0.2	2	0.28	0.022
1581323	Drill Core	3.71	0.7	13.3	10.1	39	<0.1	11.5	7.1	262	1.87	1.9	0.7	8.6	22	<0.1	0.2	0.2	4	0.35	0.018
1581324	Drill Core	5.10	8.0	45.4	21.2	66	<0.1	30.0	13.0	439	3.20	<0.5	<0.5	8.8	23	0.2	0.3	0.5	5	0.33	0.036
1581325	Drill Core	6.20	2.7	51.0	37.2	91	<0.1	33.8	15.7	463	3.46	<0.5	<0.5	9.1	25	0.3	0.3	0.8	7	0.37	0.039
1581326	Drill Core	4.49	0.4	9.3	11.5	32	<0.1	8.1	6.1	529	1.82	1.5	6.8	8.6	41	<0.1	0.2	0.2	<2	0.89	0.016
1581327	Drill Core	3.87	0.2	5.4	12.9	25	<0.1	6.3	5.5	756	1.98	<0.5	0.8	9.9	68	<0.1	0.3	0.2	2	1.63	0.016
1581328	Drill Core	5.27	0.3	16.7	12.2	57	<0.1	12.3	7.9	310	2.06	1.9	6.9	8.4	22	0.1	0.2	0.3	3	0.38	0.018
1581329	Drill Core	5.86	0.7	26.3	18.9	75	<0.1	21.0	11.3	292	2.77	2.6	<0.5	11.1	14	0.1	0.3	0.5	6	0.17	0.025
1581330	Drill Core	3.97	15.2	47.9	21.8	46	<0.1	31.0	13.8	521	3.01	0.9	<0.5	7.7	39	<0.1	0.4	0.8	4	0.54	0.040
1581331	Drill Core	0.98	0.6	4.2	6.5	14	<0.1	7.7	3.5	780	1.79	<0.5	<0.5	4.0	84	<0.1	0.2	0.2	<2	1.57	0.017
1581332	Drill Core	5.34	0.3	14.5	9.7	47	<0.1	13.3	6.7	365	2.07	<0.5	<0.5	10.2	27	<0.1	0.3	0.2	5	0.44	0.024
1581333	Drill Core	4.65	0.7	32.3	28.9	235	<0.1	23.9	11.7	350	2.87	0.8	<0.5	12.0	23	0.7	0.4	0.5	6	0.32	0.028
1581334	Drill Core	5.87	0.9	49.2	23.2	62	<0.1	30.1	14.3	335	3.32	<0.5	<0.5	9.5	15	<0.1	0.4	0.6	6	0.18	0.033
1581335	Drill Core	4.02	0.8	19.9	22.7	87	<0.1	17.1	9.3	716	2.34	3.0	<0.5	6.8	58	0.3	0.2	0.3	3	1.11	0.021
1581336	Drill Core	2.81	0.4	10.3	11.1	36	<0.1	14.6	12.0	205	2.25	8.5	4.9	8.8	13	<0.1	0.2	0.4	3	0.23	0.021
1581337	Drill Core	2.69	0.3	4.2	1.8	18	<0.1	5.4	6.0	224	1.12	2.0	18.2	8.1	28	<0.1	0.6	0.2	3	0.41	0.011
1581338	Drill Core	2.81	0.3	8.2	5.7	14	<0.1	5.8	4.8	226	1.56	<0.5	<0.5	9.7	16	<0.1	0.1	0.1	2	0.29	0.018
1581339	Drill Core	4.38	0.4	15.7	21.8	46	<0.1	12.8	8.4	293	2.00	3.4	<0.5	8.8	28	<0.1	<0.1	0.3	4	0.45	0.020

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1581310	Drill Core	31	7	0.50	96	0.001	1	0.68	0.019	0.43	<0.1	<0.01	1.4	<0.1	0.24	2	<0.5	<0.2
1581311	Drill Core	25	11	0.42	73	0.002	<1	0.40	0.054	0.29	<0.1	<0.01	1.3	<0.1	0.15	1	<0.5	<0.2
1581312	Drill Core	31	5	0.32	88	0.001	1	0.47	0.020	0.38	<0.1	<0.01	1.2	<0.1	0.07	1	<0.5	<0.2
1581313	Drill Core	30	7	0.39	98	0.001	1	0.54	0.030	0.43	<0.1	<0.01	1.3	<0.1	0.09	1	<0.5	<0.2
1581314	Drill Core	23	6	0.80	53	<0.001	<1	0.28	0.031	0.23	<0.1	<0.01	1.3	<0.1	0.11	<1	<0.5	<0.2
1581315	Drill Core	31	10	0.38	79	0.002	1	0.46	0.053	0.33	0.1	<0.01	1.3	<0.1	0.08	1	<0.5	<0.2
1581316	Drill Core	27	6	0.31	54	0.001	<1	0.30	0.037	0.21	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1581317	Drill Core	38	6	0.41	119	0.002	1	0.64	0.038	0.48	0.1	<0.01	1.4	<0.1	<0.05	2	<0.5	<0.2
1581318	Drill Core	31	7	0.49	66	0.001	<1	0.36	0.042	0.27	<0.1	<0.01	1.1	<0.1	0.06	1	<0.5	<0.2
1581319	Drill Core	35	8	0.44	92	0.002	<1	0.53	0.052	0.37	<0.1	<0.01	1.4	0.1	0.07	1	<0.5	<0.2
1581320	Drill Core	29	8	0.44	117	0.002	<1	0.31	0.044	0.24	<0.1	<0.01	1.1	<0.1	0.12	1	<0.5	<0.2
1581321	Drill Core	30	13	0.43	137	0.003	1	0.46	0.066	0.30	<0.1	<0.01	1.8	<0.1	0.20	2	<0.5	<0.2
1581322	Drill Core	28	7	0.51	79	0.001	<1	0.46	0.024	0.35	<0.1	<0.01	1.2	<0.1	0.20	1	<0.5	<0.2
1581323	Drill Core	26	9	0.50	90	0.002	1	0.75	0.040	0.41	<0.1	<0.01	1.4	<0.1	0.18	2	<0.5	<0.2
1581324	Drill Core	19	10	0.62	105	0.002	1	1.12	0.012	0.47	<0.1	<0.01	1.6	0.1	1.02	3	<0.5	<0.2
1581325	Drill Core	21	11	0.72	128	0.002	2	1.38	0.015	0.60	<0.1	<0.01	1.8	0.1	1.04	3	<0.5	<0.2
1581326	Drill Core	22	7	0.65	53	0.001	<1	0.29	0.040	0.22	<0.1	<0.01	1.3	<0.1	0.25	<1	<0.5	<0.2
1581327	Drill Core	31	7	1.06	79	0.002	1	0.45	0.055	0.31	<0.1	<0.01	1.6	<0.1	<0.05	1	<0.5	<0.2
1581328	Drill Core	25	6	0.56	67	0.002	1	0.63	0.032	0.27	<0.1	<0.01	1.3	<0.1	0.13	2	<0.5	<0.2
1581329	Drill Core	25	11	0.61	82	0.002	2	1.14	0.022	0.38	<0.1	<0.01	1.5	<0.1	0.37	3	<0.5	<0.2
1581330	Drill Core	13	9	0.61	76	0.002	2	0.95	0.011	0.34	<0.1	<0.01	1.5	<0.1	0.88	2	<0.5	<0.2
1581331	Drill Core	13	4	0.72	42	0.001	1	0.36	0.025	0.18	<0.1	<0.01	1.0	<0.1	0.22	<1	<0.5	<0.2
1581332	Drill Core	27	9	0.57	76	0.002	2	1.07	0.019	0.34	<0.1	<0.01	1.4	<0.1	0.20	2	<0.5	<0.2
1581333	Drill Core	28	11	0.71	86	0.002	1	1.37	0.016	0.38	<0.1	<0.01	1.6	<0.1	0.39	3	<0.5	<0.2
1581334	Drill Core	19	11	0.64	84	0.002	2	1.22	0.012	0.37	<0.1	<0.01	1.3	<0.1	0.77	3	<0.5	<0.2
1581335	Drill Core	19	8	0.81	69	0.002	2	0.78	0.024	0.30	<0.1	<0.01	1.4	<0.1	0.33	2	<0.5	<0.2
1581336	Drill Core	26	6	0.48	70	0.001	1	0.68	0.023	0.31	0.2	<0.01	1.3	<0.1	0.18	2	<0.5	<0.2
1581337	Drill Core	24	8	0.29	45	0.002	1	0.24	0.052	0.16	0.1	<0.01	1.1	<0.1	0.18	<1	<0.5	<0.2
1581338	Drill Core	28	4	0.34	49	<0.001	<1	0.30	0.031	0.21	<0.1	<0.01	1.0	<0.1	0.08	<1	<0.5	<0.2
1581339	Drill Core	27	8	0.51	69	0.002	1	0.71	0.033	0.32	<0.1	<0.01	1.6	<0.1	0.13	2	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1581340	Drill Core	3.69	0.4	32.2	63.1	78	0.1	21.8	13.4	236	2.74	7.0	0.9	11.0	8	<0.1	0.1	0.6	6	0.08	0.021
1581341	Drill Core	2.66	0.3	13.1	12.5	35	<0.1	10.1	6.2	305	1.94	2.3	3.7	8.5	23	<0.1	<0.1	0.2	2	0.39	0.017
1581342	Drill Core	2.72	0.4	13.3	13.6	36	<0.1	10.4	7.7	238	1.90	2.7	<0.5	9.8	18	0.1	0.1	0.3	3	0.25	0.022
1581343	Drill Core	2.77	0.3	27.8	11.6	69	<0.1	13.6	10.2	301	2.02	3.0	13.6	9.9	23	0.2	0.1	0.5	2	0.37	0.029
1581344	Drill Core	2.93	0.3	10.0	3.3	17	<0.1	5.5	5.1	492	1.53	0.5	49.9	8.6	54	<0.1	<0.1	0.2	2	0.97	0.015
1581345	Drill Core	2.88	0.3	11.3	20.8	42	<0.1	8.6	7.4	384	2.02	2.1	5.0	9.9	30	<0.1	<0.1	0.3	<2	0.60	0.019
1581346	Drill Core	2.50	0.5	21.3	15.0	26	<0.1	10.3	11.2	467	2.35	5.5	2.2	11.3	15	<0.1	0.1	0.3	<2	0.22	0.026
1581347	Drill Core	3.89	0.3	17.5	22.1	40	<0.1	8.6	7.0	345	1.97	2.0	84.5	9.4	28	<0.1	<0.1	0.3	2	0.45	0.016
1581348	Drill Core	2.79	0.6	20.3	21.6	38	<0.1	11.5	11.4	215	2.38	7.3	11.2	12.7	8	<0.1	0.1	0.3	2	0.07	0.031
1581349	Drill Core	4.20	0.3	9.2	3.3	18	<0.1	6.1	5.4	412	1.68	0.7	44.9	7.9	44	<0.1	0.1	0.2	3	0.77	0.013
1581350	Drill Core	1.76	0.6	22.5	22.2	35	0.1	9.1	10.2	212	2.35	1.3	<0.5	17.7	8	<0.1	0.1	0.3	2	0.07	0.029
1581351	Drill Core	4.12	0.4	6.6	3.4	20	<0.1	7.7	6.4	371	1.90	2.7	193.4	8.1	35	<0.1	<0.1	0.2	4	0.54	0.013
1581352	Drill Core	4.17	0.2	9.2	7.6	21	<0.1	6.2	5.2	258	1.51	0.7	68.6	7.3	29	<0.1	<0.1	0.2	<2	0.36	0.014
1581353	Drill Core	2.79	0.5	34.0	17.2	62	<0.1	20.7	14.0	232	2.74	6.1	4.8	13.9	9	<0.1	<0.1	0.6	3	0.06	0.027
1581354	Drill Core	1.82	0.5	23.7	14.0	47	<0.1	13.4	9.5	202	2.36	3.5	7.3	11.2	9	<0.1	0.1	0.2	2	0.09	0.032
1581355	Drill Core	2.87	0.3	14.2	2.1	17	<0.1	6.9	4.9	248	1.34	2.5	116.5	6.7	26	<0.1	<0.1	0.1	3	0.31	0.015
1581356	Drill Core	3.30	0.4	16.8	3.4	24	<0.1	9.8	7.6	344	1.70	2.3	166.4	7.6	40	<0.1	0.1	0.2	5	0.61	0.017
1581357	Drill Core	2.78	0.6	29.4	21.6	83	<0.1	12.5	10.2	322	2.73	5.5	11.3	13.8	9	0.3	<0.1	0.3	2	0.08	0.033
1581358	Drill Core	1.83	0.4	12.8	10.6	32	<0.1	8.0	5.8	256	1.86	1.3	2.6	9.1	22	<0.1	<0.1	0.1	2	0.25	0.027
1581359	Drill Core	2.32	0.4	7.8	5.0	20	<0.1	7.0	5.8	250	1.64	1.2	6.7	8.8	32	<0.1	0.1	0.1	2	0.34	0.021
1581360	Drill Core	2.36	0.4	25.1	7.1	25	<0.1	10.6	7.5	322	1.77	1.8	38.2	8.7	43	<0.1	<0.1	0.2	3	0.43	0.016
1581361	Drill Core	5.11	1.4	36.8	31.3	73	<0.1	21.5	16.1	333	2.92	3.5	7.2	8.8	23	0.1	1.0	0.7	2	0.24	0.026
1581362	Drill Core	2.74	0.4	27.9	15.3	46	<0.1	16.0	12.3	310	2.35	6.0	88.0	8.2	22	0.1	0.5	0.3	<2	0.21	0.027
1581363	Drill Core	3.29	0.5	6.7	7.4	21	<0.1	8.6	5.2	394	1.65	5.0	51.0	10.0	79	<0.1	<0.1	0.2	3	0.74	0.015
1581364	Drill Core	3.33	2.0	47.9	23.1	94	<0.1	29.2	16.4	274	3.79	3.0	4.3	10.1	13	0.2	<0.1	0.7	8	0.12	0.031
1581365	Drill Core	2.37	0.8	22.1	86.7	31	0.2	14.2	13.1	590	2.55	10.6	28.1	8.6	53	<0.1	0.3	1.4	<2	0.84	0.024
1581366	Drill Core	2.92	15.1	46.4	24.9	85	0.1	27.5	11.5	297	2.83	2.1	2.4	10.4	17	0.2	0.1	0.7	7	0.17	0.044
1581367	Drill Core	3.57	1.7	8.4	4.5	19	<0.1	5.9	3.8	611	1.43	2.5	10.6	8.5	92	0.1	<0.1	0.2	2	1.50	0.012
1581368	Drill Core	2.58	0.6	12.4	4.4	40	<0.1	8.3	5.7	257	1.72	4.8	19.6	10.8	32	0.1	<0.1	0.2	4	0.36	0.016
1581369	Drill Core	2.81	0.6	23.8	4.8	45	<0.1	11.0	7.5	213	1.79	4.2	165.1	8.2	24	<0.1	<0.1	0.3	6	0.20	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1581340	Drill Core	30	11	0.57	70	0.002	1	1.22	0.024	0.34	<0.1	<0.01	1.5	<0.1	0.12	3	<0.5	<0.2
1581341	Drill Core	26	7	0.49	56	0.001	1	0.48	0.027	0.27	<0.1	<0.01	1.2	<0.1	0.08	1	<0.5	<0.2
1581342	Drill Core	29	4	0.42	70	0.001	1	0.40	0.024	0.33	<0.1	<0.01	1.3	<0.1	0.11	1	<0.5	<0.2
1581343	Drill Core	29	7	0.45	67	0.001	1	0.38	0.030	0.31	<0.1	<0.01	1.4	<0.1	0.24	1	<0.5	<0.2
1581344	Drill Core	27	5	0.60	242	0.002	<1	0.32	0.038	0.23	<0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
1581345	Drill Core	32	5	0.58	59	0.001	1	0.35	0.028	0.28	<0.1	<0.01	1.4	<0.1	0.09	<1	<0.5	<0.2
1581346	Drill Core	34	4	0.34	77	0.001	2	0.40	0.018	0.33	<0.1	<0.01	1.4	<0.1	0.09	1	<0.5	<0.2
1581347	Drill Core	23	7	0.43	58	0.002	<1	0.30	0.032	0.22	<0.1	<0.01	1.1	<0.1	0.25	<1	<0.5	<0.2
1581348	Drill Core	39	4	0.44	79	0.001	1	0.43	0.018	0.39	<0.1	<0.01	1.3	<0.1	0.13	1	<0.5	<0.2
1581349	Drill Core	20	9	0.53	166	0.003	<1	0.27	0.047	0.19	<0.1	<0.01	1.2	<0.1	0.26	<1	<0.5	<0.2
1581350	Drill Core	51	4	0.45	79	<0.001	2	0.43	0.010	0.41	<0.1	<0.01	1.6	<0.1	0.09	1	<0.5	<0.2
1581351	Drill Core	18	12	0.47	193	0.005	<1	0.26	0.054	0.18	0.1	<0.01	1.6	<0.1	0.59	<1	<0.5	<0.2
1581352	Drill Core	17	4	0.35	93	0.001	<1	0.24	0.041	0.18	<0.1	<0.01	1.1	<0.1	0.40	<1	<0.5	<0.2
1581353	Drill Core	38	6	0.50	74	0.001	1	0.66	0.011	0.38	<0.1	<0.01	1.4	<0.1	0.18	2	<0.5	<0.2
1581354	Drill Core	32	5	0.45	75	0.001	1	0.49	0.018	0.38	<0.1	<0.01	1.2	<0.1	0.18	1	<0.5	<0.2
1581355	Drill Core	22	8	0.34	44	0.003	<1	0.27	0.044	0.19	<0.1	<0.01	1.1	<0.1	0.18	<1	<0.5	<0.2
1581356	Drill Core	19	6	0.48	210	0.005	<1	0.38	0.039	0.28	<0.1	<0.01	1.4	<0.1	0.41	1	<0.5	<0.2
1581357	Drill Core	42	5	0.52	82	0.001	1	0.47	0.014	0.39	<0.1	<0.01	1.5	<0.1	0.10	1	<0.5	<0.2
1581358	Drill Core	32	4	0.43	63	0.001	1	0.38	0.026	0.30	<0.1	<0.01	1.1	<0.1	<0.05	1	<0.5	<0.2
1581359	Drill Core	28	6	0.40	64	0.001	1	0.37	0.031	0.27	<0.1	<0.01	1.2	<0.1	0.13	1	<0.5	<0.2
1581360	Drill Core	25	4	0.50	78	0.002	<1	0.33	0.029	0.28	<0.1	<0.01	1.4	<0.1	0.28	<1	<0.5	<0.2
1581361	Drill Core	20	6	0.53	74	<0.001	2	0.49	0.015	0.33	<0.1	<0.01	1.0	<0.1	0.77	1	<0.5	<0.2
1581362	Drill Core	25	4	0.46	81	0.001	1	0.40	0.024	0.31	<0.1	<0.01	1.2	<0.1	0.58	1	<0.5	<0.2
1581363	Drill Core	20	9	0.54	41	0.001	1	0.24	0.045	0.17	<0.1	<0.01	2.0	<0.1	0.43	<1	<0.5	<0.2
1581364	Drill Core	17	7	0.72	73	0.001	2	1.19	0.010	0.45	<0.1	<0.01	1.4	<0.1	1.05	2	<0.5	<0.2
1581365	Drill Core	13	3	0.47	68	<0.001	2	0.39	0.012	0.34	<0.1	<0.01	0.7	<0.1	1.40	<1	0.6	<0.2
1581366	Drill Core	21	5	0.55	75	0.001	2	1.02	0.009	0.46	<0.1	<0.01	1.3	<0.1	0.74	2	<0.5	<0.2
1581367	Drill Core	23	8	0.79	43	<0.001	1	0.25	0.039	0.17	<0.1	<0.01	1.4	<0.1	0.22	<1	<0.5	<0.2
1581368	Drill Core	29	4	0.48	66	0.001	1	0.39	0.037	0.31	<0.1	<0.01	1.2	<0.1	0.24	1	<0.5	<0.2
1581369	Drill Core	21	7	0.42	295	0.003	1	0.47	0.047	0.27	<0.1	<0.01	1.1	<0.1	0.47	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	Analyte	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1581370	Drill Core	2.75	0.5	18.6	5.6	37	<0.1	8.4	5.1	281	1.59	9.1	162.7	7.9	52	0.1	<0.1	0.2	5	0.46	0.011
1581371	Drill Core	2.75	0.5	16.4	19.9	79	<0.1	10.5	8.2	266	2.16	7.3	15.6	8.8	35	0.2	<0.1	0.5	3	0.42	0.013
1581372	Drill Core	2.58	0.5	14.5	14.3	21	<0.1	7.7	7.9	250	2.11	9.5	4.3	12.3	22	<0.1	<0.1	0.3	4	0.25	0.018
1581373	Drill Core	2.77	0.5	41.4	9.8	18	<0.1	6.0	4.1	456	2.12	6.8	68.0	9.9	60	<0.1	<0.1	0.2	3	0.78	0.012
1581374	Drill Core	2.36	0.4	9.8	8.0	8	<0.1	3.6	3.4	392	1.63	3.8	23.5	10.6	40	<0.1	<0.1	0.1	3	0.61	0.012
1581375	Drill Core	2.46	0.4	4.2	8.6	15	<0.1	5.9	3.9	593	2.69	3.2	6.4	7.0	167	<0.1	<0.1	0.1	2	3.63	0.015
1581376	Drill Core	2.40	0.2	16.6	17.3	19	<0.1	9.4	6.3	315	1.91	4.7	1.9	8.5	42	<0.1	<0.1	0.3	2	0.70	0.029
1581377	Drill Core	4.38	0.7	17.9	16.4	357	<0.1	11.0	15.7	225	2.19	19.7	1.7	12.6	18	0.8	<0.1	0.2	4	0.26	0.014
1581378	Drill Core	2.43	0.2	14.1	35.7	86	<0.1	11.0	6.8	356	2.30	6.8	<0.5	8.4	34	0.2	<0.1	0.4	3	0.56	0.013
1581379	Drill Core	3.74	0.8	24.8	54.6	372	0.2	14.7	18.0	287	2.43	20.9	1.3	13.2	16	0.9	<0.1	0.6	4	0.17	0.015
1581380	Drill Core	1.90	0.6	15.8	15.1	60	<0.1	9.2	5.2	444	2.16	3.7	30.6	7.0	50	0.2	0.1	0.2	3	0.73	0.013
1581381	Drill Core	4.83	1.0	27.5	30.1	145	0.1	15.9	10.7	235	2.39	7.5	1.7	13.8	15	0.4	<0.1	0.4	4	0.19	0.023
1581382	Drill Core	6.23	3.1	32.8	41.6	93	0.1	22.4	13.8	326	3.46	2.7	0.9	9.1	26	0.2	0.1	0.7	10	0.33	0.024
1581383	Drill Core	5.78	0.8	41.9	24.7	80	<0.1	26.5	12.5	331	3.41	2.2	<0.5	10.0	29	<0.1	0.1	0.6	11	0.39	0.023
1581384	Drill Core	6.18	0.4	57.5	61.2	255	0.1	32.4	17.5	301	4.09	5.5	0.7	9.0	26	0.8	1.0	1.1	11	0.31	0.023
1581385	Drill Core	5.21	1.3	30.4	19.9	104	<0.1	21.2	9.0	363	2.88	1.9	0.7	9.1	38	0.2	0.3	0.5	9	0.47	0.037
1581386	Drill Core	3.08	1.5	13.1	16.9	61	0.1	28.3	14.6	258	5.04	20.3	48.4	8.6	58	0.1	0.9	0.8	17	0.48	0.025
1581387	Drill Core	2.65	0.4	3.2	5.3	18	<0.1	15.5	7.9	428	2.86	8.2	3.3	5.9	86	<0.1	0.6	0.3	11	1.60	0.032
1581388	Drill Core	2.68	9.6	46.5	11.9	25	0.2	13.6	4.9	501	3.50	13.8	88.4	6.8	160	<0.1	0.5	0.4	9	1.84	0.033
1581389	Drill Core	3.14	1.2	11.3	11.3	53	<0.1	19.7	14.2	536	3.83	13.2	12.2	6.9	83	0.1	0.6	0.6	7	1.56	0.022
1581390	Drill Core	3.13	0.9	24.7	17.7	258	0.1	35.5	21.3	307	3.83	27.1	17.6	10.1	40	0.5	1.1	0.9	6	0.54	0.027



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN11006382.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1581370	Drill Core	21	5	0.44	223	0.001	<1	0.35	0.057	0.21	<0.1	<0.01	1.5	<0.1	0.48	1	<0.5	<0.2
1581371	Drill Core	25	5	0.50	52	<0.001	<1	0.38	0.032	0.25	0.2	<0.01	1.0	<0.1	0.25	1	<0.5	<0.2
1581372	Drill Core	37	3	0.48	68	<0.001	2	0.46	0.028	0.33	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581373	Drill Core	28	5	0.61	65	<0.001	<1	0.34	0.033	0.23	<0.1	<0.01	1.1	<0.1	0.23	<1	<0.5	<0.2
1581374	Drill Core	31	4	0.49	43	<0.001	1	0.30	0.034	0.19	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1581375	Drill Core	23	4	1.78	42	<0.001	2	0.35	0.021	0.26	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1581376	Drill Core	25	4	0.53	32	<0.001	1	0.33	0.039	0.18	<0.1	<0.01	0.9	<0.1	0.08	<1	<0.5	<0.2
1581377	Drill Core	29	4	0.53	61	<0.001	2	0.41	0.022	0.34	<0.1	<0.01	1.2	<0.1	0.10	1	<0.5	<0.2
1581378	Drill Core	27	4	0.60	38	<0.001	2	0.42	0.039	0.21	<0.1	<0.01	1.0	<0.1	0.08	1	<0.5	<0.2
1581379	Drill Core	28	4	0.55	67	<0.001	2	0.49	0.022	0.34	<0.1	<0.01	1.1	<0.1	0.11	1	<0.5	<0.2
1581380	Drill Core	18	6	0.62	43	<0.001	2	0.37	0.044	0.21	<0.1	<0.01	1.1	<0.1	0.27	1	<0.5	<0.2
1581381	Drill Core	35	4	0.55	77	<0.001	2	0.49	0.029	0.37	<0.1	<0.01	1.3	<0.1	0.10	1	<0.5	<0.2
1581382	Drill Core	15	9	0.74	66	0.003	1	1.53	0.052	0.48	1.0	<0.01	1.6	<0.1	0.84	3	<0.5	<0.2
1581383	Drill Core	16	11	0.83	72	0.003	1	1.71	0.054	0.48	<0.1	<0.01	1.9	<0.1	0.73	4	<0.5	<0.2
1581384	Drill Core	13	11	0.77	71	0.005	2	1.59	0.053	0.48	<0.1	<0.01	1.9	0.1	1.31	3	0.5	<0.2
1581385	Drill Core	20	9	0.70	68	0.003	2	1.31	0.042	0.43	<0.1	<0.01	1.5	<0.1	0.50	3	<0.5	<0.2
1581386	Drill Core	15	16	1.32	38	0.001	2	1.26	0.122	0.28	<0.1	<0.01	3.6	<0.1	1.76	4	<0.5	<0.2
1581387	Drill Core	8	14	1.04	9	<0.001	<1	0.39	0.103	0.05	<0.1	<0.01	2.1	<0.1	0.67	2	<0.5	<0.2
1581388	Drill Core	12	7	1.24	35	<0.001	<1	0.46	0.059	0.25	0.1	<0.01	3.5	<0.1	1.58	2	<0.5	0.5
1581389	Drill Core	12	5	1.17	29	<0.001	1	0.32	0.052	0.22	<0.1	<0.01	3.2	<0.1	1.10	1	<0.5	<0.2
1581390	Drill Core	20	5	0.73	41	<0.001	2	0.40	0.030	0.33	<0.1	<0.01	1.6	<0.1	1.65	1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN11006382.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1581199	Drill Core	2.54	0.4	13.5	17.4	36	<0.1	8.5	7.6	303	1.88	5.2	<0.5	8.7	5	0.1	0.1	0.2	4	0.03	0.019
REP 1581199	QC		0.5	14.2	18.1	39	<0.1	9.3	7.6	314	1.90	5.5	<0.5	9.3	6	0.1	0.1	0.2	4	0.03	0.020
1581214	Drill Core	2.77	0.3	9.1	27.0	22	<0.1	5.6	5.5	157	1.42	<0.5	3.0	9.7	6	<0.1	<0.1	0.2	2	0.06	0.017
REP 1581214	QC		0.3	9.4	27.0	23	<0.1	5.8	5.5	165	1.44	1.0	1.7	9.9	6	<0.1	<0.1	0.3	<2	0.07	0.016
1581223	Drill Core	1.17	0.3	19.5	18.3	17	<0.1	6.6	5.2	412	2.19	3.8	1.8	7.7	38	<0.1	<0.1	0.4	3	0.46	0.019
REP 1581223	QC		0.3	19.9	19.5	18	<0.1	7.4	5.3	422	2.20	3.9	1.6	7.6	37	<0.1	<0.1	0.4	3	0.45	0.018
1581254	Drill Core	2.82	0.3	4.2	1.5	21	<0.1	5.8	4.0	309	1.35	<0.5	57.5	8.4	47	<0.1	<0.1	0.1	4	0.61	0.012
REP 1581254	QC		0.3	4.2	1.5	20	<0.1	5.5	4.1	306	1.33	<0.5	56.3	8.6	47	<0.1	<0.1	0.1	4	0.60	0.012
1581265	Drill Core	2.67	0.5	7.5	26.7	33	<0.1	4.5	2.9	573	1.14	1.1	<0.5	10.9	63	<0.1	0.1	0.4	<2	0.88	0.020
REP 1581265	QC		0.5	7.7	26.9	33	<0.1	5.1	2.7	582	1.13	0.7	<0.5	11.1	62	0.1	0.1	0.4	<2	0.85	0.020
1581281	Drill Core	2.57	0.8	7.9	17.8	116	<0.1	7.4	4.0	501	1.56	1.0	<0.5	7.2	46	0.6	<0.1	0.1	4	0.93	0.015
REP 1581281	QC		0.9	7.8	17.2	118	<0.1	7.5	4.0	505	1.60	1.4	<0.5	6.5	45	0.5	<0.1	0.1	4	0.94	0.017
1581306	Drill Core	2.69	0.4	14.7	24.2	52	<0.1	11.7	8.7	224	2.22	3.7	<0.5	11.9	9	<0.1	0.1	0.3	3	0.10	0.025
REP 1581306	QC		0.4	14.0	24.6	54	<0.1	12.1	8.8	226	2.21	3.9	<0.5	11.8	9	<0.1	0.1	0.3	3	0.10	0.025
1581322	Drill Core	2.52	0.8	10.9	7.4	39	<0.1	9.5	7.5	235	2.03	2.5	0.8	10.6	19	<0.1	0.1	0.2	2	0.28	0.022
REP 1581322	QC		0.8	10.4	6.9	37	<0.1	9.2	7.2	230	1.99	2.3	0.8	9.6	19	<0.1	0.1	0.2	2	0.28	0.021
1581344	Drill Core	2.93	0.3	10.0	3.3	17	<0.1	5.5	5.1	492	1.53	0.5	49.9	8.6	54	<0.1	<0.1	0.2	2	0.97	0.015
REP 1581344	QC		0.3	9.7	3.3	18	<0.1	5.7	5.2	502	1.57	<0.5	18.7	8.4	53	<0.1	<0.1	0.2	2	0.97	0.015
1581359	Drill Core	2.32	0.4	7.8	5.0	20	<0.1	7.0	5.8	250	1.64	1.2	6.7	8.8	32	<0.1	0.1	0.1	2	0.34	0.021
REP 1581359	QC		0.4	7.6	5.2	20	<0.1	6.8	5.9	257	1.62	1.5	6.8	8.6	31	<0.1	0.1	0.1	2	0.33	0.020
1581373	Drill Core	2.77	0.5	41.4	9.8	18	<0.1	6.0	4.1	456	2.12	6.8	68.0	9.9	60	<0.1	<0.1	0.2	3	0.78	0.012
REP 1581373	QC		0.5	41.2	9.8	18	<0.1	6.4	4.0	448	2.05	6.5	59.2	9.8	58	<0.1	<0.1	0.2	3	0.76	0.013
1581388	Drill Core	2.68	9.6	46.5	11.9	25	0.2	13.6	4.9	501	3.50	13.8	88.4	6.8	160	<0.1	0.5	0.4	9	1.84	0.033
REP 1581388	QC		9.3	43.7	11.2	23	0.2	12.9	4.7	470	3.37	12.6	67.6	6.6	150	<0.1	0.5	0.3	8	1.78	0.033
Core Reject Duplicates																					
1581200	Drill Core	2.59	0.4	15.2	13.1	34	<0.1	9.1	8.6	202	1.97	2.7	<0.5	9.8	5	<0.1	0.1	0.2	5	0.04	0.020
DUP 1581200	QC		0.4	16.1	14.8	36	<0.1	9.0	9.2	218	1.97	3.6	0.8	10.4	6	<0.1	<0.1	0.3	4	0.04	0.022
1581235	Drill Core	3.50	0.3	12.3	19.2	39	<0.1	8.3	6.2	311	2.21	2.6	2.4	8.6	27	0.1	0.2	0.3	4	0.34	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN11006382.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1581199	Drill Core	28	3	0.08	86	0.001	1	0.40	0.044	0.32	<0.1	<0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
REP 1581199	QC	29	3	0.08	90	0.001	2	0.41	0.045	0.32	0.1	<0.01	1.6	<0.1	<0.05	1	<0.5	<0.2
1581214	Drill Core	27	5	0.15	68	0.001	<1	0.34	0.024	0.27	<0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2
REP 1581214	QC	28	5	0.16	71	0.001	1	0.40	0.030	0.29	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2
1581223	Drill Core	22	3	0.25	58	<0.001	2	0.34	0.050	0.22	<0.1	<0.01	1.1	<0.1	0.07	<1	<0.5	<0.2
REP 1581223	QC	23	4	0.25	57	0.002	1	0.32	0.050	0.22	<0.1	<0.01	1.3	<0.1	0.07	<1	<0.5	<0.2
1581254	Drill Core	19	5	0.46	103	0.002	<1	0.26	0.047	0.18	<0.1	<0.01	1.6	<0.1	0.12	<1	<0.5	<0.2
REP 1581254	QC	18	5	0.45	106	0.001	1	0.26	0.045	0.17	<0.1	<0.01	1.5	<0.1	0.12	<1	<0.5	<0.2
1581265	Drill Core	24	1	0.41	61	<0.001	2	0.34	0.009	0.28	<0.1	<0.01	0.7	<0.1	0.13	<1	<0.5	<0.2
REP 1581265	QC	23	1	0.40	62	<0.001	2	0.33	0.009	0.27	<0.1	<0.01	0.6	<0.1	0.14	<1	<0.5	<0.2
1581281	Drill Core	25	8	0.58	70	0.002	1	0.65	0.048	0.30	<0.1	<0.01	1.3	<0.1	0.08	2	<0.5	<0.2
REP 1581281	QC	22	7	0.59	64	0.001	1	0.61	0.047	0.29	<0.1	<0.01	1.2	0.1	0.08	2	<0.5	<0.2
1581306	Drill Core	36	6	0.41	93	0.001	1	0.52	0.022	0.39	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
REP 1581306	QC	37	6	0.42	94	0.001	1	0.54	0.023	0.41	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1581322	Drill Core	28	7	0.51	79	0.001	<1	0.46	0.024	0.35	<0.1	<0.01	1.2	<0.1	0.20	1	<0.5	<0.2
REP 1581322	QC	27	6	0.51	75	0.001	1	0.43	0.024	0.35	<0.1	<0.01	1.2	<0.1	0.20	1	<0.5	<0.2
1581344	Drill Core	27	5	0.60	242	0.002	<1	0.32	0.038	0.23	<0.1	<0.01	1.2	<0.1	0.10	<1	<0.5	<0.2
REP 1581344	QC	26	5	0.60	244	0.002	<1	0.32	0.039	0.25	<0.1	<0.01	1.1	<0.1	0.10	<1	<0.5	<0.2
1581359	Drill Core	28	6	0.40	64	0.001	1	0.37	0.031	0.27	<0.1	<0.01	1.2	<0.1	0.13	1	<0.5	<0.2
REP 1581359	QC	28	6	0.39	63	0.001	1	0.35	0.031	0.27	<0.1	<0.01	1.2	<0.1	0.13	1	<0.5	<0.2
1581373	Drill Core	28	5	0.61	65	<0.001	<1	0.34	0.033	0.23	<0.1	<0.01	1.1	<0.1	0.23	<1	<0.5	<0.2
REP 1581373	QC	28	5	0.60	64	<0.001	2	0.34	0.033	0.23	<0.1	<0.01	1.2	<0.1	0.23	<1	<0.5	<0.2
1581388	Drill Core	12	7	1.24	35	<0.001	<1	0.46	0.059	0.25	0.1	<0.01	3.5	<0.1	1.58	2	<0.5	0.5
REP 1581388	QC	11	7	1.19	32	<0.001	1	0.45	0.054	0.24	<0.1	<0.01	3.2	<0.1	1.52	1	<0.5	0.5
Core Reject Duplicates																		
1581200	Drill Core	28	3	0.08	85	0.001	2	0.38	0.040	0.36	<0.1	<0.01	1.5	<0.1	0.07	1	<0.5	<0.2
DUP 1581200	QC	29	3	0.08	91	0.002	2	0.43	0.041	0.35	<0.1	<0.01	1.4	<0.1	0.07	1	<0.5	<0.2
1581235	Drill Core	25	4	0.49	85	<0.001	2	0.46	0.028	0.35	<0.1	<0.01	1.4	<0.1	0.13	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
Report Date: December 13, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN11006382.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
DUP 1581235	QC		0.2	11.4	19.5	37	<0.1	8.8	6.2	293	2.17	2.8	2.0	8.8	27	<0.1	0.2	0.3	4	0.34	0.019
1581270	Drill Core	3.65	0.5	17.2	22.9	66	<0.1	11.2	6.9	207	2.15	4.3	2.2	11.6	21	0.1	<0.1	0.4	5	0.21	0.016
DUP 1581270	QC		0.5	19.5	25.3	66	<0.1	11.2	7.7	212	2.24	4.6	3.4	10.7	21	0.1	<0.1	0.5	5	0.23	0.015
1581305	Drill Core	2.85	0.3	14.2	10.5	53	<0.1	7.1	4.8	259	1.53	2.0	1.0	10.6	24	<0.1	0.1	0.2	3	0.36	0.018
DUP 1581305	QC		0.4	16.1	14.6	74	<0.1	7.6	5.8	302	1.57	2.8	<0.5	9.7	35	0.2	0.1	0.3	3	0.47	0.019
1581340	Drill Core	3.69	0.4	32.2	63.1	78	0.1	21.8	13.4	236	2.74	7.0	0.9	11.0	8	<0.1	0.1	0.6	6	0.08	0.021
DUP 1581340	QC		0.4	38.1	69.8	88	0.1	22.5	13.0	241	2.66	6.9	<0.5	11.2	8	<0.1	0.1	0.6	6	0.08	0.022
1581375	Drill Core	2.46	0.4	4.2	8.6	15	<0.1	5.9	3.9	593	2.69	3.2	6.4	7.0	167	<0.1	<0.1	0.1	2	3.63	0.015
DUP 1581375	QC		0.4	4.9	8.2	14	<0.1	6.0	4.1	498	2.42	3.6	2.3	7.9	129	<0.1	<0.1	0.1	2	2.71	0.016
Reference Materials																					
STD DS8	Standard		14.0	114.7	131.3	328	1.9	39.5	8.1	664	2.73	29.1	117.5	6.9	66	2.5	5.5	6.8	46	0.80	0.082
STD DS8	Standard		13.2	117.1	121.9	318	1.8	39.3	8.0	588	2.56	27.8	103.8	6.7	64	2.6	5.4	6.7	44	0.73	0.073
STD DS8	Standard		13.8	114.4	121.1	306	1.8	39.4	7.8	597	2.52	25.6	107.7	6.7	65	2.6	5.7	6.3	39	0.72	0.078
STD DS8	Standard		13.3	111.8	130.1	327	1.7	39.0	7.4	606	2.47	26.5	104.1	7.0	69	2.3	5.5	6.9	43	0.71	0.079
STD DS8	Standard		13.8	109.3	115.1	292	1.6	38.8	7.7	602	2.43	24.1	100.4	6.7	63	2.4	5.3	6.0	39	0.73	0.074
STD DS8	Standard		12.9	105.3	124.7	297	1.8	36.6	7.3	592	2.41	24.7	100.4	7.0	71	2.5	5.4	6.9	39	0.70	0.071
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank	<0.01	0.2	3.5	8.7	49	0.2	2.9	4.0	544	2.00	<0.5	2.7	5.5	64	0.1	0.4	0.1	38	0.60	0.066
G1	Prep Blank	<0.01	0.2	4.7	9.6	56	0.2	3.2	4.2	563	1.96	0.7	2.0	6.0	68	0.1	0.4	0.1	38	0.58	0.072



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 13, 2011

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN11006382.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
DUP 1581235	QC	24	4	0.48	90	0.001	3	0.50	0.031	0.38	<0.1	<0.01	1.3	0.1	0.13	1	<0.5	<0.2
1581270	Drill Core	27	7	0.54	84	0.001	1	0.85	0.030	0.39	<0.1	<0.01	1.3	<0.1	0.18	2	<0.5	<0.2
DUP 1581270	QC	25	7	0.54	72	0.001	2	0.78	0.026	0.34	<0.1	<0.01	1.3	<0.1	0.23	2	<0.5	<0.2
1581305	Drill Core	31	10	0.34	91	0.002	2	0.50	0.034	0.40	<0.1	<0.01	1.2	0.1	0.12	1	<0.5	<0.2
DUP 1581305	QC	29	11	0.37	87	0.002	2	0.49	0.042	0.38	<0.1	<0.01	1.3	<0.1	0.15	1	<0.5	<0.2
1581340	Drill Core	30	11	0.57	70	0.002	1	1.22	0.024	0.34	<0.1	<0.01	1.5	<0.1	0.12	3	<0.5	<0.2
DUP 1581340	QC	31	11	0.53	81	0.002	1	1.23	0.023	0.37	<0.1	<0.01	1.6	<0.1	0.14	3	<0.5	<0.2
1581375	Drill Core	23	4	1.78	42	<0.001	2	0.35	0.021	0.26	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
DUP 1581375	QC	24	3	1.44	46	<0.001	2	0.41	0.019	0.29	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																		
STD DS8	Standard	17	127	0.67	295	0.121	2	1.08	0.119	0.48	3.2	0.20	2.2	5.8	0.18	5	4.9	5.5
STD DS8	Standard	16	111	0.64	292	0.111	2	0.94	0.095	0.42	3.1	0.19	2.0	5.2	0.17	4	4.9	5.0
STD DS8	Standard	17	125	0.64	280	0.134	2	0.92	0.090	0.43	2.8	0.19	2.3	5.2	0.16	5	5.5	4.8
STD DS8	Standard	16	118	0.61	277	0.115	2	0.90	0.087	0.41	2.9	0.19	2.0	5.2	0.16	5	5.1	5.2
STD DS8	Standard	17	122	0.65	263	0.133	2	0.91	0.095	0.43	2.7	0.19	2.5	4.8	0.16	4	4.7	4.4
STD DS8	Standard	16	110	0.59	276	0.123	3	0.93	0.089	0.42	3.0	0.19	2.2	5.2	0.15	5	4.7	5.1
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	13	7	0.54	167	0.128	1	1.00	0.121	0.48	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	14	7	0.52	179	0.129	2	1.00	0.124	0.48	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2

APPENDIX C

Mineral Titles Online Report

PJX Claims



Mineral Titles Online Report

Click on Tenure Numbers for more information.

Click column headings to sort results.

[Download to Excel](#)

Tenure Number	Type	Claim Name	Good Until	Area (ha)
515881	Mineral		20141128	125.286
515882	Mineral		20141128	83.509
515883	Mineral		20141128	62.633
515884	Mineral		20141201	125.28
515885	Mineral		20141201	187.948
515887	Mineral		20141128	501.166
515888	Mineral		20141128	501.332
515889	Mineral		20141128	167.055
515890	Mineral		20141128	500.96
515891	Mineral		20141128	459.172
515892	Mineral		20141128	521.552
515893	Mineral		20141128	375.533
515894	Mineral		20141128	500.728
515895	Mineral		20141128	604.808
515896	Mineral		20141128	521.389
515897	Mineral		20141128	521.164
515898	Mineral		20141128	625.662
515899	Mineral		20141128	542.047
515901	Mineral		20141128	708.544
515902	Mineral		20141128	254.357
515909	Mineral		20141128	438.072
515910	Mineral		20141128	604.705
516196	Mineral		20141128	187.756
516197	Mineral		20141128	354.679
516199	Mineral		20141128	500.417
516201	Mineral		20141128	83.427
516202	Mineral		20141128	437.915
516203	Mineral		20141128	666.957
516205	Mineral		20141128	479.195
516206	Mineral		20141128	270.86
516207	Mineral		20141128	291.773
516208	Mineral		20141128	666.697
516209	Mineral		20141128	437.374
516210	Mineral		20141128	437.26
525611	Mineral	WILD HORSE	20141128	229.324
530860	Mineral	JACLEG	20141128	125.071
530861	Mineral	JACLEG	20141128	354.285
535380	Mineral		20141128	125.327
545974	Mineral	DIO	20141128	125.0271
561745	Mineral	SPIRIT WEST 2	20141128	313.304
574248	Mineral	SURE BET	20141128	437.8526
574250	Mineral	TAC NORTH	20141128	437.7401
574251	Mineral	SURE BET NORTH	20141128	375.1632

574252	Mineral	WYALD NORTH	20141128	500.8403
598117	Mineral	ROCKY 01-09	20141128	521.8374
598118	Mineral	ROCKY 02-09	20141128	459.3639
598119	Mineral	ROCKY 03-09	20141128	20.869
598120	Mineral	ROCKY 03-09	20141128	480.0112
598121	Mineral	ROCKY 05-09	20141128	480.0274
719042	Mineral		20141128	20.8705
831942	Mineral	MERLE HAGGERD	20141128	125.2408

Total Area: 18879.3665 ha

LIBC Metadata

Mineral Title Online
BC Geological Survey
British Columbia Ministry of Energy and Mines
Last updated in April 2007

DT-11-2

1600m

Interbedded fine-grained pale quartzites and dark grey, thin bedded argillites (beds to 25cm) Some brecciation. Quartz-dolomite veins <1cm thick with pyrite mostly at 10 to 30° to ca.

Dominated by fine-grained, clean light grey to buff quartzites; no bedding; remnant argillites present – replaced by silica.

Quartzites end by 112.8m

Dominated exclusively by laminated to thin bedded grey argillites with couplet-style bedding and some silty beds. Pyrite and pyrrhotite. Few QV.

Interval	Metres	Auppb
0-6.3	6.3m	91.3
6.3-13.0	6.7m	209.5
33-34.5	1.5m	106.8
54-55.3	1.3m	100
88-93.8	5.8m	48.3
110.5-112.8	2.3m	59.1

EOH
195m

Dewdney Trail Property

Drill Hole DT – 11 – 2
Scale 1:1000

DT-11-1

Very hard, pale grey quartzite – vuggy quartz veins to 7mm

Fine grained quartzite and darker argillite interbedded. Hairline fractures with quartz and dolomite. Thickest vein to 0.5cm Most 1 to 5mm Pyrite and specularite

1500m

Quartz veinlets at 10, 25, and 40° to ca. Pyrite and pyrrhotite.

Dominantly f.g. quartzite with thin argillite interbeds; Q-D veins 0.25 to 1cm at 15 to 30° to ca. 89.5 to 98.7m more qv at 0 to 40°. Pyrite and specularite, minor chlorite margins.

Dominated by dark grey argillite. Quite sulfidic with pyrite and pyrrhotite. Judy – Lu dykes

Fault Zone – near vertical

Dark argillite with lighter siltier beds – py and po

Interval	Metres	Auppb
22-24	2m	51.2
31-33	2m	49.15
87-94.6	7.6m	79.1
96.3-98.5	2.2	143.7
111-113	2m	163.9
163-166	3m	46.7

Dewdney Trail Property

Drill Hole DT-11-1

Scale 1:1000

EOH 249m