

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geology and Geochemistry

TOTAL COST: \$271,950.37

AUTHOR(S): Dave Swanton, M.Sc. **SIGNATURE(S):** _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): N/A **YEAR OF WORK:** 2011

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5191468 / February 16, 2012

PROPERTY NAME: Mt. Bisson

CLAIM NAME(S) (on which the work was done): BISS1, BISS2, BISS3, BISS4, BISS5, BISS6, LAURA1, LAURA2, LAURA3, LAURA4
YETI1, YETI2

COMMODITIES SOUGHT: Rare Earth Elements

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 093N201, 093O021, 093O041

MINING DIVISION: Omineca **NTS/BCGS:** 93N/9, 93O/5, 93O/12

LATITUDE: 55 ° 33 ' 00 " **LONGITUDE:** 123 ° 58 ' 0 " (at centre of work)

OWNER(S):
1) Paget Minerals Corp. 2) _____

MAILING ADDRESS:
1210-1130 West Pender St, Vancouver, BC V6E 4A4

OPERATOR(S) [who paid for the work]:
1) Rare Earth Industries 2) _____

MAILING ADDRESS:
820-750 West Pender St, Vancouver, BC V6C 1K6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Wolverine Gneiss, Ingenika Group, paragneiss, pegmatite, Wolverine Range Intrusive Suite, 73Ma, rare earth element, allanite.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: Halleran 1985 - 1989 (AR# 14545, 16781, 17734, 17872, 19404), Leighton 1997 AR#24861, Luckman 2007 AR# 28377, Young 2008 AR# 29693

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	1:5000m 1.5 sq km	BISS2, BISS5, LUARA2	\$2,500
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	1681, analyzed for rare earths, traces, base metals	LAURA 1-3, BISS 1-5, YETI1-2	\$107,780
Silt			
Rock	231, REE, base metal + traces, whole-rock	LAURA 1-4, BISS 1-6, YETI1-2	\$107,780
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
38.5 sq km.		LAURA 1-4, BISS 1-6, YETI1-2	\$53,890
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$271,950

**BC Geological Survey
Assessment Report
32770**

Rare Earth Industries Ltd.

**2011 GEOLOGY AND GEOCHEMISTRY
REPORT ON THE MOUNT BISSON
PROPERTY**

Located in the Williston Lake area
Omineca Mining Division
NTS 93N/9, 93O/5, 93O/12
55°33' N, 123°58' W
440000E, 6155000N (NAD83, Zone 10)
Work performed June 6 – July 1 and September 6 – September 20, 2011

-prepared for-

RARE EARTH INDUSTRIES LTD.
Suite 820, 750 W. Pender Street
Vancouver, British Columbia, Canada V6C 2T8

-prepared by-

David Swanton, M.Sc.
EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

January 2012

TABLE OF CONTENTS

TABLE OF CONTENTS	1
LIST OF APPENDICES.....	1
LIST OF TABLES	2
LIST OF FIGURES.....	2
1.0 SUMMARY.....	3
2.0 INTRODUCTION.....	4
3.0 RELIANCE ON OTHER EXPERTS.....	4
4.0 PROPERTY DESCRIPTION AND LOCATION.....	4
5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY.....	7
6.0 HISTORY.....	7
6.1 Previous Work	7
6.2 2011 Exploration Program	11
7.0 REGIONAL GEOLOGY AND MINERALIZATION.....	12
7.1 Regional Geology	12
7.2 General Rare Earth Element Mineralization models.....	12
8.0 PROPERTY GEOLOGY AND MINERALIZATION.....	13
9.0 GEOCHEMISTRY	22
9.1 Soil Geochemistry.....	22
9.1.1 Correlation and Percentile	22
9.1.2 Rare Earth Element Geochemistry	24
9.1.3 Niobium Geochemistry	24
9.1.4 Thorium Geochemistry	25
9.1.5 Field XRF vs. Laboratory Comparison.....	25
9.2 Rock Geochemistry	28
9.2.1 Correlation Matrices	28
9.2.2 Grab samples	30
9.2.3 Trench Samples	31
10.0 DISCUSSION AND CONCLUSIONS	35

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Rock Sample Descriptions
Appendix D: QA/QC
Appendix E: Certificates of Analysis
Appendix F: Data Disc
Appendix G: Geologist's Certificate

LIST OF TABLES

Table 1: Tenure details for Mt. Bisson claims	4
Table 2: Correlation matrix between rare earth elements and yttrium in soil	23
Table 3: Correlation matrix between elements of interest in soil	23
Table 4: Percentile cut-offs for elements of interest in soil	23
Table 5: Correlation coefficients between XRF and lab element concentrations.....	25
Table 6: Correlation between rare earth elements	29
Table 7: Correlation Matrix between elements of interest in rock.....	29
Table 8: Significant Intercepts from Central and Laura Trenches	33

LIST OF FIGURES

Figure 1: Location Map.....	5
Figure 2: Tenure Map.....	6
Figure 3: Regional Geology.....	9
Figure 4: Total field magnetic map.....	10
Figure 5: Property Geology Map.....	16
Figure 6: Gneiss-granodiorite contact.....	17
Figure 7: Contact between leucocratic pegmatite and gneiss	18
Figure 8: Contact between leucocratic pegmatite, allanite-rich pegmatite and gneiss.....	19
Figure 9: Pyroxene-bearing pegmatite.....	19
Figure 10: Allanite-rich pegmatite at station L651820	20
Figure 11: In-situ allanite-rich pegmatite at Central occurrence	20
Figure 12: Geologic map of the Central occurrence.....	21
Figure 13: Garnet and anthophyllite in gneiss from Will NE showing	22
Figure 14a: Soil Sample Locations	Volume II
Figure 14b: Rare Earth Element Geochemistry	Volume II
Figure 14c: Niobium Geochemistry.....	Volume II
Figure 14d: Thorium Geochemistry	Volume II
Figure 15a: XRF vs. assay value comparison for Ce	26
Figure 15b: XRF vs. assay value comparison for La.....	26
Figure 15c: XRF vs. assay value comparison for Y	27
Figure 15d: XRF vs. assay value comparison for Ba	27
Figure 15e: XRF vs. assay value comparison for Cu	28
Figure 16: Percentage of heavy rare earths compared to total	30
Figure 17a: Grab Sample Locations	Volume II
Figure 17b: Grab Sample TREO+Y Geochemistry	Volume II
Figure 17c: Grab Sample Niobium Geochemistry.....	Volume II
Figure 17d: Grab Sample Thorium Geochemistry.....	Volume II
Figure 17e: Grab Sample Barium Geochemistry	Volume II
Figure 18a: Central Occurrence Northern Trench TREO+Y and Thorium Geochemistry	Volume II
Figure 18b: Central Occurrence Southern Trench TREO+Y and Thorium Geochemistry.....	Volume II
Figure 18c: Laura Occurrence Trench TREO+Y and Thorium Geochemistry	Volume II
Figure 18d: Central Occurrence Northern Trench Barium and Niobium Geochemistry	Volume II
Figure 18e: Central Occurrence Southern Trench Barium and Niobium Geochemistry.....	Volume II
Figure 18f: Laura Occurrence Trench Barium and Niobium Geochemistry	Volume II
Figure 19: Projected surface exposure of allanite-monzite mineralized structure.....	38

1.0 SUMMARY

During the summer of 2011, an extensive surface exploration program was conducted on the Mount Bisson property. Work was accomplished in two phases, starting with a property-wide soil and rock sampling program, followed later in the season by a more focussed trench sampling and mapping program on areas identified during the initial work.

The claims are located 65 km west of Mackenzie BC, within the Omineca mining division. A total area of just under 4000 hectares is encompassed by the property, and is the subject of an option agreement between the current title holder, Paget Minerals Corp. ("Paget") and Rare Earth Industries Ltd. ("REI"), on whose behalf Equity Exploration Consultants Ltd. ("Equity") conducted the program which is the subject of this report.

The property is located in moderately mountainous, densely forested terrain immediately southeast of the Rocky Mountain Trench. Extensive logging in the area has left a substantial legacy of logging roads in the area, meaning that almost the entire property apart from the higher topographic zones can be accessed via four wheel drive vehicle from the nearby town of Mackenzie. The area has relatively short summers, such that surface work is only possible from early June until late September owing to snow cover at higher elevations. Regionally, the property lies within the Cassiar terrane, an Upper Proterozoic continental margin assemblage which has been subjected to high grade regional metamorphism and intruded by a set of sub-alkaline biotite granite to granodiorite plutons. Geology on the property exemplifies both these rock types, with the addition of several generations of pegmatite dykes which have formed the focus of much of the mineral exploration work in the area.

Exploration work dates back to the mid-1980's, when the Laura, Ursa and Will occurrences were all initially discovered and described. Follow-up work described the showings as hosting rare earth mineralization within alkalic allanite-monazite pegmatite dykes but did very little systematic sampling to determine the true size of the zones. Only sporadic work was conducted until 2005, when the ground was re-staked by Paget. Paget advanced exploration on the property by airborne geophysics, mapping and reconnaissance sampling over the course of several programs between 2006 and 2010. The most notable result of this period of work was the definition of a linear northwest-southeast trending magnetic high connecting several of the known anomalies, and the discovery of one very high grade rare earth sample at a new occurrence, termed Central.

The first stage of the 2011 exploration program was composed of soil sampling over the Will, Ursa and Laura occurrences plus rock sampling over the full extent of well-exposed ridge-tops, most notably at the Central and Laura occurrences. Soil grids and rock sampling at Will and Ursa failed to re-locate the mineral occurrences previously described, though a well-defined mineralized trend was successfully defined in both soil and rock samples at the Laura occurrence. Even more significant, multiple metre-scale allanite-rich coarse-grained dykes with up to 10% total rare earth oxides plus yttrium (TREO+Y) were discovered in a 500m x 200m zone at the Central Occurrence. The second stage of work later in the summer focussed on better defining the anomalies shown to exist at the Laura and Central occurrences, primarily through hand trenching and 1:5000 scale mapping of the Central Occurrence. Mapping showed that the mineralized structures are generally north-south trending and linear, much longer than wide, and hosted in a metasomatized sub-zone of the surrounding gneissic unit. To the north and south of this zone are loosely spaced rare earth and niobium soil anomalies that may represent a continuation of the mineralized zone under the thick soil cover which obscures outcrop on most of the property. Trenching at the Central occurrence showed that though TREO+Y grades immediately outside of the mineralized dykes are not significantly elevated, the dykes themselves have substantial linear extent and can occur as closely spaced swarms. Similar trenching at Laura showed a different style of lower grade but more diffuse mineralization associated with feldspar-rich allanite-bearing dykes. The two types of dyke are interpreted to represent different phases/zones of the same mineralizing system.

Future exploration should focus on determining the true size and extent of the mineralized system at Central, and to a lesser degree, at Laura. To this end, a small drilling program focussed on the known mineralization accompanied by more detailed soil and rock sampling represents the next stage in advancing the economic viability of the Mount Bisson property.

2.0 INTRODUCTION

Equity Exploration Consultants (“Equity”) was contracted by Rare Earth Industries Ltd (“REI”) to conduct a surface exploration program on the Mt. Bisson property in central British Columbia. Initial work consisted of an extensive soil sampling program, prospecting over the majority of exposed rock on the property and geological evaluation of the several known rare earth element (REE) occurrences on the claim block. Follow-up work later in the field season focused on more detailed sampling and geological mapping of anomalous zones established by the initial phase.

The work was directly supervised by the author, who was onsite for the duration of the program and has first-hand knowledge of the property. Following completion of the field work, Equity was requested by REI to compile and interpret the results of the 2011 program. Along with new data generated by the current work, the information used in preparing this report consists of peer-reviewed scientific papers and assessment reports filed with British Columbia Ministry of Energy and Mines.

3.0 RELIANCE ON OTHER EXPERTS

The author has not relied on a report, opinion or statement of an expert for information concerning legal, environmental, political or other issues.


4.0 PROPERTY DESCRIPTION AND LOCATION

The Mt. Bisson claims are located in central British Columbia 40 km west of Williston Lake in Omineca mining division (Figure 1). The property consists of 12 contiguous mineral claims with a total area of approximately 3845 hectares (Figure 2, Table 1). Property boundaries have not been legally surveyed. The claims straddle the division between NTS map sheets 93N/9, 93O/5, and 93O/12. Claims are centred at 55°33' N, 123°58'W, equivalent to 440000E, 6155000N (UTM co-ordinates referenced to NAD83, Zone 10). The claims are currently registered to Paget Minerals Corp. (“Paget”), with REI having the option to acquire a 60% interest for past and future payments of cash and stock, in addition to work commitments. Details of the option agreement are provided in a press release issued by Seymour Ventures (the parent company of REI) on November 18, 2010.

Surface rights are owned by the province of British Columbia. No significant surface disturbance or any major environmental liabilities was noted during the author’s field visit. Depending on the nature of the program, exploration permits may be required from the BC ministry of energy and mines prior to carrying out further exploration on the property.

Table 1: Tenure details for Mt. Bisson claims


Tenure Number	Claim Name	Issue Date	Good To Date
522747	BISS 3	2005/nov/25	2012/feb/24
568812	YETI 1	2007/oct/29	2012/feb/24
522745	BISS 1	2005/nov/25	2012/feb/24
522746	BISS 2	2005/nov/25	2012/feb/24
522749	BISS 4	2005/nov/25	2012/feb/24
522751	LAURA 1	2005/nov/25	2012/feb/24
522753	LAURA 2	2005/nov/25	2012/feb/24
522755	LAURA 3	2005/nov/25	2012/feb/24
522756	LAURA 4	2005/nov/25	2012/feb/24
547760	BISS 5	2006/dec/20	2012/feb/24
547761	BISS 6	2006/dec/20	2012/feb/24
568815	YETI 2	2007/oct/29	2012/feb/24



RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
LOCATION
MAP**

	Date: JAN 2012	Scale: 1:6,000,000	Figure
	U.T.M. Zone UTM 9 - NAD83	Mining District LIARD	1
	N.T.S. 094L11/12	State/Province BC	



- ◆ 2011 Camps
- Tenure Boundary
- Roads



RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

TENURE MAP

	Date: JAN 2012	Scale: 1:75,000	Figure
	U.T.M. Zone: UTM 10 - NAD83	Mining District: OMINECA	2
	N.T.S. 0930 05/12	State/Province: BC	

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Mount Bisson claim group is situated in the Swannell Ranges of the Omineca Mountains physiographic region (Holland 1976) in north-central B.C. (Figure 1) and adjacent to the southeastern margins of the northern Rocky Mountain trench, the most striking physiographic feature of the region. The claim-group is situated 65 km northwest of the town of Mackenzie and is accessible by a 120 km drive via a network of generally well-maintained, gravel logging roads that infiltrate the region, i.e., the Mackenzie, Manson River, Munro Camp and Nation River forestry service roads. Canfor operates a large (100+ person capacity) logging camp on the southern margin of the property which can be used as a base of operations for exploration work on the claims. This camp is also available to serve a source of both helicopter and vehicle fuel.

The main service centre for the region is the town of Mackenzie with a population of 5,450 that is located within the Rocky Mountain Trench at the southern end of Williston Lake, one of the largest man-made reservoirs in North America. The town was named after the famous explorer Alexander Mackenzie, who camped near the town site on his journey to the Pacific in 1793. The economy of the town is mainly supported by two pulp and paper operations and by tourism. The town of Mackenzie, at 701 m elevation, lies in the Northern and Central Plateau and Mountains climatic zone that is marked by a range in January temperatures of -7 to -14 C and July temperatures of 8 to 20 C. Summers are short, generally cool with little precipitation. The length of a normal field season runs from late June to late September as road access is impacted by snow cover especially at higher elevations.

Extensive logging on the claim block has left a substantial legacy of un-maintained logging roads which allow access to almost the entire property (Figure 2). All parts of the claim block can be reached on foot from roads, during a single day's traverse of several kilometers, though the more remote areas would require helicopter support if extensive work using any sort of heavy equipment was to be conducted. Several helicopter companies operate out of the town of Mackenzie and would be able to provide this service. The elevations within the claim-group vary from about 1600 m at the summit of Mount Bisson to about 1000 m at the lowest elevations in Munro Creek. The claim group lies in the Subalpine Forest vegetation region in which the characteristic dominant species are Englemann spruce (*Picea engelmannii*), Alpine fir (*Picea alpestris*) and Lodgepole pine (*Pinus contorta*).

6.0 HISTORY

6.1 Previous Work

The area surrounding the Mount Bisson property was initially mapped on a regional scale by Gabrielse (1975) who concluded that the area was underlain by rocks of the Omineca crystalline belt, including both high-grade metamorphic and igneous units (Figure 3). Geology to the west was the focus of a mapping program by Ferri and Melville (1988) but the property area itself has received very little government sponsored mapping.

Mineral exploration began in the Mount Bisson area in the mid-1980s with the discovery of graphite mineralization near Munro Creek (Halleran 1985). Follow-up work discovered rare earth mineralization at the Ursa, Laura and Will occurrences (Figure 2), and led to the staking of the Mt. Bisson claims (Halleran 1988a, 1988b, 1988c). Exploration work during this period consisted mainly of rock sampling and mapping, with small soil sampling and ground radiometric surveys over the Laura and Ursa occurrences. The Ursa occurrence is described as fine grained disseminated to clotty monazite hosted within mylonite gneiss/pegmatite containing up to 3% total rare earths (Halleran 1988a). This differs from Halleran's initial description of the Laura showing, in which he suggests rare earth mineralization is hosted in monazite within a layered syenite/pegmatite complex (Halleran 1988b). Follow-up work (Halleran 1988c) contains the first recorded mention of allanite as an additional REE-bearing phase. This same report also outlines Ce and Sr soil anomalies surrounding the Laura and Will occurrences. The Will #1 occurrence is described as being associated with an alkali feldspar aegerine-augite syenite dyke hosted within the surrounding Wolverine

Gneiss (see section 7 for a description of regional geology). Following this work, the claim block was optioned to Chevron Minerals Ltd.


Based on previous field work, Halleran and Russel (1990) describe the geology of the Laura occurrence as being dominated by a unit they term the Laura alkalic unit, a metasomatic overprint of the Wolverine Gneiss characterized by the presence of aegerine-augite, titanite, allanite and alkali feldspar. Metasomatism is suggested to be related to the intrusion of a set of allanite pegmatite dykes, mapped as being several metres wide and up to 20 m in exposed strike length. They describe Will #1 and #2 showings as hosting similar alkali-feldspar dykes with metasomatic halos, though soil cover is thick in the area and descriptions are based on single outcrops. The Ursa occurrence is briefly mentioned and confirmed to be a gneissic mylonitized quartz-feldspar-monazite pegmatite.

No significant additional work was conducted until the 1996 field season, when a small field ground-truth program was conducted on behalf of Argonauts Group Ltd on the ERZ claim group encompassing only the Laura occurrence. Four rock samples containing significant light rare earths, yttrium and niobium were collected, and a more significant follow-up program was recommended (Leighton 1997).




The recommended program was never conducted, and the claims were subsequently allowed to lapse. The group was re-staked by Paget over two stages in 2005 and 2007. Paget engaged Fugro Airborne Surveys to conduct an airborne geophysical (magnetic and radiometric) survey over the claims in December 2006 (Luckman 2007). The most significant result of the survey was identification of a 1-2 km wide north-northwest trending magnetic high stretching from the Laura occurrence to the north end of the property beneath the Will showings (Figure 4). Mapping and sampling during the same field season focussed on the Ursa showing, low-lying road-accessible zones to the west of the present claim boundaries and on the Manson River zone immediately north of the property. The only geochemical results of note were slightly elevated base metal values from the Manson River zone, and further work focussing on the other showings (Laura in particular) was recommended (Young 2008).

This recommended work was conducted during the 2008 field season, focussing on the Ursa, Laura and M-12000 Road (north of the present claim block) occurrences. The Ursa occurrence was confirmed to host REE mineralization, though at a low level not exceeding 667 ppm. Mineralization at the Laura occurrence was also confirmed, though again not at the historically reported levels of several percent total REE. The highest REE values came from rust-weathered, foliated, titanite-biotite-green pyroxene syenite. Samples of allanite-titanite-biotite granite from the same zone were also shown to host anomalous TREE concentrations. Breaks (2008) notes anomalously high barium and strontium in granitic and syenitic rocks from the Laura occurrence and hypothesizes that rare earth mineralization may be controlled by entrapment of pegmatite-forming melts along the margins of the Mount Bisson set of granitic intrusions. A different mineralization style consisting of higher relative heavy REE, elevated tungsten and dominance of strontium over barium was noted at the M-12000 occurrence and detailed mapping was recommended.



A new zone of mineralization, termed the Central occurrence, was discovered during the course of a property-wide mapping and sampling program in the summer of 2010. One sample from the middle of a radiometric high on a previously unexplored portion of the property returned 8.6% rare earth elements. The sample was collected from quartzofeldspathic biotite gneiss along the margin of a fine-grained granitoid intrusion, and is composed of approximately 50% coarse-grained allanite in a matrix of diopside, quartz, apatite, magnetite, titanite and scheelite (Barresi 2010). Note that the pyroxene component of this rock is identified as green diopside as opposed to the aegerine-augite previously described by Halleran. Silt samples collected during the same program have an overall high concentration of REEs, suggesting widespread REE-bearing zones throughout the property.





Intrusive Rocks

-  Wolverine Range Intrusive Suite
-  Germansen Batholith
-  Tonalite and quartz diorite migmatite

Volcanic and Sedimentary Rocks

-  Ingenika Group:
Wolverine Gneiss
Paragneiss, amphibolite, quartz arenite/calc-silicate gneiss and marble
-  Slide Mountain and Nina Creek Groups


Geology modified from Breaks (2010)



-  Tenure Boundary
-  Roads

RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

REGIONAL GEOLOGY

 EQUITY	Date: JAN 2012	Scale: 1:125,000	Figure 3
	U.T.M. Zone: UTM 10 - NAD83	Mining District: OMINECA	
	N.T.S.: 0930 05/12	State/Province: BC	



RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT
TOTAL MAGNETIC FIELD

	Date:	JAN 2012	Scale:	1:75,000	<i>Figure</i> 4
	U.T.M. Zone:	UTM 10 - NAD83	Mining District:	OMINECA	
	N.T.S.:	0930 05/12	State/Province:	BC	

6.2 2011 Exploration Program

A two-phase surface exploration program was conducted during the 2011 field season, consisting of property-scale soil sampling and prospecting (phase I) followed by focussed trench sampling and geological mapping (phase II). Phase I was conducted in June 2011 and was based out of the Yogi Camp tent camp constructed at the end of a decommissioned logging road near the Ursa occurrence on the south end of the property (Figure 5). Five field personnel were onsite for approximately four weeks. Work areas were accessed on foot from the road network established during logging of the area, most of which were (as of summer 2010) passable to a 4x4 vehicle. Phase II was based out of Canfor's Munro Camp near the southern margin of the property (Figure 5), with four field personnel on the property for slightly more than two weeks in September. Sampling areas were primarily accessed over the same road network and hiking routes as during Phase I, with limited helicopter support employed to mobilize the heavier trenching equipment. Helicopter support was provided by Pacific Western Helicopters based out of Mackenzie and Altoft Helicopters of Prince George.

A total of 1483 soil samples (including blanks and duplicates for QA/QC purposes) were taken during Phase I. Four grids with 25m spacing on lines 100m apart were sampled over the Will, Ursa and Laura occurrences. Note that historically the two Will showings have been designated Will #1 and Will #2; however there has been confusion between authors as to which showing is assigned which designation. To avoid this confusion, the showings will be referred to in this report as Will NE and Will SW, referring to the northeast and southwest areas respectively. In addition, reconnaissance soil samples at either 25m or 50m spacing were taken along contour lines south of the Central occurrence to the Ursa occurrence. All soil samples were analyzed with an InnovX X-5000 bench-top X-Ray Fluorescence (XRF) unit. The results of these analyses were compiled in the field and used to guide prospecting. Samples were taken from the B-horizon soil layer (typically 20-30 cm depth) with a GeoTul spade-hammer and placed into individually numbered Kraft paper bags. Site locations were recorded with a handheld GPS and marked in the field with orange flagging tape and a Tyvek tag with the sample number written on it. Samples were then packed into rice sacks and sealed with individually numbered security straps to prevent tampering during shipping. The shipments were delivered by Equity personnel to Bandstra Transportation Systems in Prince George, and shipped from there overland to the ALS Chemex analytical lab in Vancouver. Analysis for base metals was done via ALS method ME-AQ81, and trace plus rare earth suite via ALS method ME-MS81. All exposed ridge-tops and cut-blocks were mapped, prospected and sampled during Phase I for a total of 73 rock samples, which were packed and shipped to ALS Chemex in the same manner as the soil samples. XRF analysis was also done on rock samples in the field. In addition to the analytical methods described for the soil samples, rock samples were analyzed for gold via fire assay (Au-AA23) and whole rock geochemistry (method ME-MS81d in place of ME-MS81). Sample locations were recorded with a handheld GPS and marked in the field by pink and blue flagging tape accompanied by a metal tag with the sample number, sampler initials and date inscribed. Rock sample descriptions are attached in Appendix C; analytical certificates in Appendix E. Procedures and results of the QA/QC program form Appendix D.

Phase II of the program was conducted in September 2011, and focussed on the Central and Laura occurrences. Data from Phase I was used to guide and focus sampling efforts. A total of 18 trenches with a total length of 142 metres were dug with hand tools in the Laura and Central areas. Locations were chosen based on mineralized samples found during Phase I. The trenches were then sampled using a portable diamond-blade rock saw, hammer and chisel over 1 m intervals, except where dictated by lithological contacts, for a total of 158 samples. 37 additional grab rock samples were taken from elsewhere on the property. 198 soil samples were taken at 25m spacing on three parallel lines north of the Central occurrence. Sample shipping and analysis methods were the same as in Phase I. Concurrent with this sampling work, several days of detailed geological mapping were conducted over the Central occurrence.

All locations used for navigation during the program and provided in this report are given in the UTM co-ordinate system, referenced to the NAD83 projection, Zone 10. Compass measurements were taken using a magnetic declination of 19° east.

7.0 REGIONAL GEOLOGY AND MINERALIZATION

7.1 Regional Geology

The Mount Bisson area lies within the Cassiar terrane, an Upper Proterozoic continental margin assemblage (Colpron et al. 2006) which is part of a larger belt of clastic metasedimentary rocks which stretches from southeastern BC to northwestern Yukon (Roots 1998). In the project area (Figure 3), the Cassiar terrane is composed of lithologies subjected to complex deformation and regional metamorphism during the middle to late Jurassic (Ferri and Melville 1994). These units have been included in the Ingenika Group of the Omineca crystalline belt as defined by Gabrielse (1975).

Metamorphic grade throughout the Ingenika Group is variable, and in a ~150km long belt that includes the Mount Bisson area has been subjected to high-grade metamorphism and severe deformation (including partial melting) such that recognition of protoliths is extremely difficult. Locally, the terms Wolverine Metamorphic Complex and Wolverine Gneiss have been applied to these high-grade members of the Ingenika Group. Several kilometres to the west of the Mount Bisson area, the Wolverine Gneiss is in fault contact with much lower-grade metasedimentary rocks of the Slide Mountain terrane (Breaks 2011, Figure 3).

Several generations of igneous activity are present throughout the region surrounding the Mount Bisson claims. A set of leucocratic peraluminous granitic pegmatites are intruded generally subconcordant to regional foliation of the Wolverine Gneiss, locally exhibiting boudinage and strong mineral stretching lineations. Breaks (2011) suggests that these melts were generated from partial melting of the Wolverine Gneiss protolith during the Jurassic deformation. A suite of massive to weakly foliated biotite granite-granodiorite plutons, stocks and dykes has been termed the Wolverine Range intrusive suite. Pegmatite bodies interpreted to be related to the Wolverine Range intrusive suite commonly contain peraluminous minerals such as garnet and muscovite. The age of this suite has been interpreted to be no older than Late Cretaceous (Ferri and Melville 1994). The largest member of this group has been termed the Chamberland Creek Pluton (Breaks 2011) and yielded a U/Pb monazite age of 72.6 ± 0.2 Ma (Ferri and Melville 1994).

Pegmatite dykes related to REE-mineralization on the Mount Bisson property (Halleran 1988, Baressi 2010) are of unknown age and genesis.

7.2 General Rare Earth Element Mineralization models

Rare earth element (“REE”) mineralization has been found to occur in a wide range of igneous, metamorphic and sedimentary settings. Concentration of REE minerals to economically significant levels can occur through primary enrichment processes associated with magmatic or hydrothermal fluids and through secondary remobilizing and concentration through weathering and other surficial processes (Walters et al. 2010). Secondary processes include placers of weathering-resistant heavy REE-bearing minerals, and laterite/clay deposits left behind by the chemical weathering of REE-enriched igneous rocks. Such processes will not be discussed further, as there is no evidence of their occurrence on the Mount Bisson property. Of more interest are the primary REE-enrichment processes, which can be sub-divided into carbonatite-associated, peralkaline igneous-associated, iron-rich REE deposits (IOCG - Iron Oxide Copper Gold - deposits fall into this category), and hydrothermal/vein/pegmatite deposits at significant distances from any igneous body. The categories often overlap; for example, the massive Bayan Obo deposit in northern China is very iron-rich and has thus been classified as IOCG by some authors (e.g. Castor and Hedrick 2006) while other authors suggest that proximity to numerous carbonatite dykes suggests a carbonatite magmatism-related origin (e.g. Walters et al. 2010).

REE deposits associated with carbonatite intrusions generally form through late-stage crystallization of REE-bearing minerals such as bastnäsite, allanite, apatite and monazite. This late-stage formation often makes it difficult to determine if mineralization is associated with late-stage magmatic fluids or subsequent hydrothermal remobilization (Walters et al. 2010). Note that most carbonatites are at least moderately enriched in REEs, even if economic concentrations are absent. Carbonatite intrusions are commonly surrounded by a sodium and/or potassium metasomatized halo termed a fenite, which may provide a favourable environment for the formation of REE-bearing minerals in situations where there is significant remobilization in hydrothermal fluids. These types of deposits generally favour the light rare earth elements

(generally defined to be La, Ce, Pr, Nd, Sm and Eu) at the expense of the heavy REEs (Gd, Tb, Dy, Ho, Er, Tm, Yb, and Lu). Note that in general REE deposits contain a higher percentage of lights than heavies, and so-called HREE-rich deposits simply contain a slightly lower proportion of LREEs. This is important when considering economic potential as the heavies have a much higher market value than the far more plentiful lights.

Peralkaline igneous bodies form a continuous compositional series with carbonatites, and REE deposits associated with such intrusions share many characteristics with carbonatite-associated mineralization. There are however several key differences: peralkaline-associated deposits tend to be more enriched in yttrium and HREEs than carbonatites, though they are generally slightly lower grade (Castor and Hedrick 2006). Note that yttrium, though not technically a REE (i.e. not a member of the lanthanide series) has similar ionic radius and chemical properties to the HREEs, and thus generally co-occurs and can be considered a good indicator for HREE enrichment. In addition, peralkaline REE deposits tend to also have anomalous concentrations of Zr, Nb and Ta as compared to other REE deposit classes; REE-bearing minerals such as loparite, eudialyte, mosandrite, britholite, or bastnäsite often form as part of the primary assemblage of the rock. Neither elevated Nb/Ta/Zr or REE-bearing minerals are typical primary crystallization products in carbonatite-related deposits. In consequence of having REEs and Nb/Ta present in primary minerals, hydrothermal/late stage enrichment of the mineralization appears to be a less important factor in peralkaline deposits than in carbonatite-associated ones, though in many cases still is a factor and it is possible to have mineralization associated with fenite zones surrounding such bodies.

When these deposits contain significant quantities of iron, copper and gold they are often placed within the Iron Oxide Copper-Gold (IOCG) classification scheme. The IOCG classification is applied to a varied set of deposits, related to both calc-alkaline and alkaline carbonatite intrusions. Common features of this deposit type include (often) paucity of sulphides and abundance of low-Ti magnetite and/or hematite. Ore bodies are of hydrothermal origin within breccias, veins, lenses or disseminated throughout the rock-mass. Two sub-types related to alkaline-carbonatite magma, the Phalaborwa and Bayan Obo types, were defined by Corrieveau (2005) as being proximal and distal, respectively, to the causative intrusion. The Phalaborwa type is unusual for IOCG deposits in that it contains appreciable quantities of sulphides (pyrite and Cu-sulphides), in addition to low-Ti magnetite, apatite, fluorine, extremely high LREE (light rare earth element) to HREE (heavy rare earth element) ratios and strong fenitization. The Bayan Obo sub-type is characterized by magnetite-rich, REE-rich, Cu-Au-deficient ores distal to the causative intrusion. Alteration is dominated by apatite, aegerine, fluorite, alkali amphibole, phlogopite and barite (Corrieveau 2005).

Some REE deposits are also hosted in structures (generally veins or dykes) without close proximity to a major igneous body. For example, the Hoidas Lake deposit in Saskatchewan is composed of structurally-controlled pyroxene-apatite-allanite-rich veins hosted within high grade metamorphic rocks (Harvey et al. 2002). Genesis of these veins is not well understood, though they are thought to be related to metasomatism/metamorphism of a pyroxene-rich dyke system which intruded along brittle fault lines and was subsequently enriched in calcium. REEs have also been mined from REE-bearing quartz/carbonate veins and granitic pegmatites, though these deposits are generally quite small in size and do not represent major resources (Castor and Hedrick 2006).

8.0 PROPERTY GEOLOGY AND MINERALIZATION

Bedrock geology of the Mt. Bisson property is dominated by high-grade metamorphic rocks of the Wolverine Gneiss and later intrusive units (Figure 5). A full description of the sub-units of the metamorphic suite is provided in Breaks (2010); at the property scale, the unit is extremely varied and thus it is pointless to attempt to sub-divide this larger gneiss unit on a large-scale map. However, the zones of the unit encompassed by the claim block consist mainly of highly deformed to migmatitic tonalite and quartz diorite accompanied by schist, gneiss, marble, calc-silicate and hornfels of sedimentary protolith. The latter is found primarily on the southwestern part of the property, near the Ursa occurrence (Barresi 2010), though metasedimentary layers are present throughout the property. The eastern extent of the claims is underlain by augen gneiss interpreted by Barresi (2010) to be derived from a felsic porphyritic granitoid protolith. Locally, there are layers composed of nearly massive biotite; the genesis of these zones immediately proximal to

more polymineralic layers is uncertain, though it may be related to the intrusion of mafic-bearing pegmatite described below. Within this metamorphic unit there is a strongly developed S1 gneissic foliation which trends generally southeast and dips moderately towards the southwest. Foliation is generally defined by gneissic segregations in the meta-igneous lithology which dominates the property, though primary bedding has been reported to be transposed into alignment with this fabric in areas of meta-sedimentary protolith.

Intruded into the tectonized igneous units is a biotite-magnetite medium-grained granodiorite that is almost entirely unfoliated. Field relationships (Figure 6) and lack of foliation demonstrate that this unit post-dates the regional metamorphism which introduced deformation into the Wolverine Gneiss. This unit has been previously related to the 72 Ma Chamberland Pluton (e.g. Breaks 2010), and included in the Wolverine Range Intrusive Suite. The current work does not suggest any reason to question this assignment.

Throughout the property are abundant leucocratic quartz-feldspar pegmatite dykes, interpreted to be of the same set described in section 7.1. Mafics are almost entirely absent and the quartz often has a dark grey, smoky appearance. The current work shows that these dykes cross-cut all lithologies on the property, including the allanite-bearing pegmatite dykes and the unfoliated granodiorite (Figures 7, 8) and are of highly variable orientation, ruling out the possibility that they are syn-tectonic and derived from partial melting of the Wolverine Gneiss protolith. The dykes range in size from tens of centimetres up to over a metre in width, and typically extend for tens of metres before pinching out. It is this boudinaged appearance that was historically used to interpret the bodies as syntectonic with the deformation of the Wolverine Gneiss.

Of more cryptic origin are a second set of coarse-grained to pegmatitic dykes composed of feldspar, quartz, amphibole (hornblende), and pyroxene (diopside) with varying amounts of allanite, magnetite, monazite and (fluoro)apatite. These bodies are generally aligned sub-parallel to the regional foliation and are often surrounded by a metasomatic halo. This halo can extend into the country rock several times the width of the dyke itself, and is identified by a fine-grained crystalline overprinting of white feldspar on top of the existing gneissic fabric, often to the extent of nearly destroying the original fabric. The dykes are found only within the Wolverine Gneiss unit and are observed to be best developed at the Central and Laura occurrences, though extensive soil cover in the areas surrounding the topographic highs on which the occurrences are located allows for the possibility of as-yet undetected buried dykes. There is substantial variability in the width of the dykes along their length, ranging in size from several centimetres up to one metre. In length, the dykes can range from several metres to the full extent of an exposed outcrop, up to 10m (and potentially beyond, under soil cover). There is also compositional variability; many of the larger and thicker bodies are almost entirely lacking in allanite, monazite and magnetite, instead hosting large pyroxene and amphibole crystals within a coarse matrix of feldspar with subordinate quartz (Figure 9). Previous workers (e.g. Halleran 1988) have identified the feldspar as potassic and termed the dykes syenite, though this mineral identification has not been confirmed by the current work. At the Central occurrence, some of these dykes are highly enriched in allanite and magnetite, to the point where the rock is up to 50% modal allanite, 10% magnetite, 10% diopside, 10% orange monazite, with the remainder composed of minor quartz and feldspar (Figures 10 and 11). These rocks are highly radioactive, and host the REE mineralization which makes the Mount Bisson property an economically interesting exploration target. Similar dykes at the Laura occurrence tend to be lower in REE-bearing minerals but still display a significant alteration halo.


Detailed mapping at the Central occurrence (Figure 12) showed a broad zone of weak feldspathic alteration (fentization?) trending sub-parallel to the regional fabric and dyke strike within the foliated tonalite/diorite of the Wolverine Gneiss. Stocks of Wolverine Range Intrusive Suite granite which are present on the east and west border of the zone do not show any evidence of this fentization. The fentitized zone remains open at its north and south ends, terminating against soil cover on both sides of the ridge on which the Central occurrence is exposed. This alteration appears to be a discontinuous, weaker version of the same metasomatic halo found on the margins of the allanite-rich pegmatite dykes, suggesting that there exists a broad zone of fluid/melt incursion which may host as-yet undiscovered REE-mineralized structures. Despite being on a relatively well-exposed topographic high, the Central area still has less than 50% exposure; given that the mineralized structures are generally less than a metre in width it is quite likely that soil cover is obscuring a number of them.

If the fenitized zone is projected along strike to the south, it intersects the Laura occurrence; though the almost total lack of exposure in the creek valley which separates the two zones makes exploration difficult, this area presents a very attractive exploration target. The high magnetite content of the allanite dykes implies they are likely related to the strong north-northwest trending magnetic high which extends from south of the Laura occurrence, through the Central and towards the Will showings in the north (Figure 4). That this magnetic high is quite strong in the drainage between Central and Laura provides an additional indication that the mineralized zone may continue under this soil cover.

For the purposes of discussion, the REE-rich zones have been termed dykes, though this categorization is not entirely certain. The metasomatic halos surrounding them suggest a late-stage fluid-rich intrusive event following lines of structural weakness along the previously developed metamorphic fabric. However, the extreme pinching and swelling observed along the length of the bodies suggests a syn-, rather than post-tectonic origin. If this is the case, then these units are best described as gneissic segregations. However, this origin fails to account for the extremely high levels of REE enrichment found in these bodies as compared to the surrounding orthogneiss and for the texture-destructive feldspar overprinting adjacent to them.

It is also possible that the allanite-rich dykes represent an entirely different event than the pyroxene-amphibole-quartz-feldspar dykes. The mineralogy of the two are markedly different in some locations (e.g. the Central occurrence) and no field relationships have been observed between them. However, the Laura occurrence hosts several bodies which appear to have mineralogy transitional between the two extremes (dominated by feldspar, but still with substantial REE-enrichment in allanite and monazite) and so for the present, a compositional spectrum within a single intrusive event is assumed. More study is required to conclusively establish the relationship between the multiple types of intrusive unit on the Mt. Bisson property.

The area near the Will NE showing hosts (apparently within the Wolverine Gneiss) an unusual, complex assemblage of metamorphosed intermediate, mafic and ultramafic rocks. The assemblage is composed of metadiorite, metagabbro, iron-rich meta-ultramafic rocks and layered felsic to intermediate gneiss characterized by anthophyllite-gedrite associated with cordierite and corundum (Breaks 2010). The anthophyllite gneiss has a 'clotty' texture of aggregates of anthophyllite-gedrite and garnet in a matrix of cordierite, quartz and feldspar (Figure 13). Contorted bands of this same lithology and of meta-ultramafic bands of almost pure amphibole can be found interbedded with more 'typical' rocks and Wolverine Gneiss. The origin of this unusual unit is unclear, though it has been speculated that it may represent a band of metavolcanic rock (Breaks 2010). Relatively little work was done on this unit during the current program, and what samples were taken were not found to contain anomalous levels of rare earths or base metals.



Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micacious Quartzite

Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)

Central Occurrence Geology

- Wolverine Gneiss
 - Orthogneiss
- Wolverine Range Intrusive Suite
 - Granodiorite
- Alteration
 - Metasomatic/fenite alteration of orthogneiss
- Contact
- Contact, approx.

- ▲ Historic Occurrences
- Tenure Boundary
- Roads



RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

PROPERTY GEOLOGY

	Date:	JAN 2012	Scale:	1:75,000	Figure
	U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA	
	N.T.S.	0930 05/12	State/province	BC	

5




Figure 6: Gneiss-granodiorite contact




Figure 7: Contact between leucocratic pegmatite and gneiss



Figure 8: Contact between leucocratic pegmatite, allanite-rich pegmatite and gneiss




Figure 9: Pyroxene-bearing pegmatite



Figure 10: Allanite-rich pegmatite at station L651820



Figure 11: In-situ allanite-rich pegmatite at Central occurrence



RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT
CENTRAL OCCURRENCE
with Mapping Stations

	Date:	JAN 2012	Scale:	1:7500	<i>Figure</i> 12
	U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA	
	N.T.S.	0930 05/12	State/province	BC	



Figure 13: Garnet and anthophyllite in gneiss from Will NE showing

9.0 GEOCHEMISTRY

9.1 Soil Geochemistry

9.1.1 Correlation and Percentile

The majority of the soil samples taken during the 2011 exploration program were collected during Phase I: 1483 samples including blanks and duplicates (see Appendix D for QA/QC analysis) were collected from grids and reconnaissance contour lines. During Phase II an additional 198 soil samples were taken along three reconnaissance lines. Tables 2 and 3 show correlation matrices between the members of the REE suite and yttrium for all samples and between the total weight percent oxides of the rare earths plus Yttrium (TREO+Y) and other elements of interest. Correlation is better between members of the rare earth suite with similar weights, and relatively poor between the more dissimilar ones. It is standard practice to consider the rare earth suite as a single variable, and the degree of correlation between the individual elements (though lower between the lights and heavies) means that this practice is valid for the Mt. Bisson claims. Table 3 shows TREO+Y correlated with other elements of potential significance; the only moderate correlations are with Nb and Th. The thorium correlation is not unexpected given the radioactivity observed associated with the mineralized samples. It is also common for niobium to be associated with rare earth mineralization. The best correlation in the dataset is between Ni-Cu and Ni-Zn. The property is not known to be extensively enriched in base metals, so this correlation may simply be a side-effect of overall low concentrations (see table 4).

Table 2: Correlation matrix between rare earth elements and yttrium in soil

	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Y
La	0.92	0.95	0.91	0.82	0.65	0.55	0.57	0.55	0.5	0.44	0.43	0.42	0.42	0.56
Ce		0.9	0.85	0.76	0.53	0.5	0.52	0.5	0.46	0.41	0.4	0.41	0.4	0.46
Pr			0.98	0.94	0.76	0.66	0.68	0.67	0.62	0.55	0.52	0.52	0.5	0.68
Nd				0.97	0.79	0.7	0.73	0.73	0.67	0.6	0.56	0.56	0.54	0.74
Sm					0.81	0.75	0.78	0.79	0.73	0.66	0.62	0.61	0.6	0.81
Eu						0.87	0.88	0.87	0.83	0.77	0.74	0.71	0.69	0.75
Gd							0.98	0.95	0.92	0.89	0.86	0.84	0.83	0.69
Tb								0.98	0.96	0.93	0.9	0.88	0.87	0.77
Dy									0.98	0.96	0.93	0.92	0.91	0.84
Ho										0.98	0.96	0.95	0.94	0.84
Er											0.97	0.97	0.96	0.8
Tm												0.98	0.97	0.78
Yb													0.99	0.79
Lu														0.78

Table 3: Correlation matrix between elements of interest in soil

	Nb	Zr	Ba	Th	Ni	Cu	Zn
TREO+Y	0.54	0.37	0.53	0.59	0.07	0.15	0.082
Nb		0.41	0.53	0.26	-0.18	-0.12	-0.083
Zr			0.36	0.38	-0.34	-0.35	-0.26
Ba				0.34	0.078	0.015	0.083
Th					-0.013	-0.043	0.0057
Ni						0.71	0.76
Cu							0.51

Table 4: Percentile cut-offs for elements of interest in soil

	TREO+Y (wt. %)	Nb (ppm)	Ba (ppm)	Zr (ppm)	Th (ppm)	Ni (ppm)	Cu (ppm)	Zn (ppm)
75 th percentile	0.0368	20.2	951	349	19.1	26	25	64
80 th percentile	0.0381	20.9	970	362	20.2	28	27	68
90 th percentile	0.0425	23.7	1040	398	23.2	33	36	81
95 th percentile	0.0476	27.2	1100	441	26.6	39	44	91
98 th percentile	0.0547	34.7	1185	489	32.3	48	58	109
99 th percentile	0.0671	43.3	1295	558	36.4	57	69	123

The major objective of the soil sampling program was to re-locate and better define the Will NE, Will SW and Ursa occurrences which had been previously described but which were either poorly located (as in the case of the Will occurrences) or too poorly exposed to properly evaluate (as in the case of most of the property below the ridge-tops). In addition to the tightly-spaced grids over the three lower-elevation anomalies, a small grid was completed over the Laura anomaly (there is only moderate outcrop exposure at this location) and lines were sampled running across the slopes of the ridge to either side of the Central occurrence (Figure 14a).

9.1.2 Rare Earth Element Geochemistry

The TREO+Y-in-soil concentrations show generally weak patterns over most of the property when contoured by the percentiles shown in Table 4 (Figure 14b). Over the Will NE and Will SW showings at the northern end of the property, there are several stretches of samples which exceed the 95th percentile, but they are insufficiently defined to provide a target for future exploration work. Samples from over top of the (poorly located in historical work) showings failed to register an anomalous geochemical response. The southeast corner of the Ursa grid yielded a much better anomaly, with a 300 x 100 m zone of samples mainly above the 90th percentile for TREO+Y. Interestingly, this is not the same area which has been previously reported to host REE mineralization. Halleran (1988a) focussed on a reportedly monazite-rich sample from the north side of the creek, several hundred metres from the soil anomaly shown by this year's data. Note that though subsequent work has failed to locate rock samples of similar grades, this does not necessarily discount the area as a host for mineralization. The new soil anomaly is directly southeast of the sample site identified by Halleran, along strike of a calc-silicate lens mapped by Barresi (2010), suggesting an association with this sub-unit of the larger Wolverine Gneiss.

The grid over the Laura occurrence confirmed that a REE mineralized system is present in the area, and that it is possible for the elevated concentrations of rare earths to mobilize into soils to at least a minor degree. A 300 m x 150 m zone of samples above the 95th percentile for TREO+Y is found in the same area as REE mineralization has been previously described, and subsequently re-located by rock sampling during the current program. One anomalous sample on the northeast portion of the grid suggests more widespread mineralization may be present. Despite this Laura occurrence being a zone of known mineralization, many of the soil samples are surprisingly low in TREO+Y (many below the 75th percentile). The lesson from these anomalously low numbers is that rare earths may not be extremely mobile in the geochemical environment found in the Mount Bisson area. It may be possible that many small-scale but high-grade soil anomalies are being simply missed in the current work because the grid spacing is too wide to prevent zones of mineralization from simply being "skipped over". Alternatively, weathering conditions may not be favourable for dissolving/precipitating or physically abrading REE minerals from rock into soil. These considerations should be kept in mind when interpreting present and historical soil data. Samples from surrounding the Central occurrence suggest that the mineralized system does continue downslope under soil cover, though the patterns are not well developed enough to provide much indication as to the location of further allanite-bearing pegmatites such as those described in section 8. Isolated highs can be found on both the north and south sides of the ridge, rarely in sustained groupings (Figure 14b). The exception is a line of six samples to the northeast of the ridge, five of which have TREO+Y values above the 98th percentile. This represents a significant soil anomaly and should be followed up on by any future work. Contour lines from south of the Central extending towards the Ursa zone display a number of point anomalies, but no sustained highs. Given that all these samples are on densely forested slopes, the chance of finding significant mineralization in outcrop near any of them is low, and work to follow up should be considered of low priority.

9.1.3 Niobium Geochemistry

Patterns of niobium-in-soil show much better defined anomalies than rare earths. As the degree of correlation is only moderate (0.54), it is to be expected that while the patterns will be similar, they will not be identical. The Will occurrences have only a few samples each above the 95th percentile, and these do not form any easily recognizable pattern which would be indicative of a mineralization source. Similarly, the Ursa occurrence contains only spot anomalies, and the zone defined by rare earths is notably poor in niobium. Reconnaissance contour lines also host only isolated anomalies. In contrast, there is excellent anomaly definition near the Central and Laura occurrences. At the Laura occurrence, niobium highs are present both to the south and west of areas which have been sampled and found to contain mineralization (Figure 14c). Though both these locations are downslope from the known mineralized zones (raising the possibility of mass transport accounting for the anomalous samples), these highs show potential for a larger system than presently defined and should be followed up by detailed surface work. Surrounding the Central occurrence are more samples which suggest extensions to the known mineralized zone. Southwest of the alteration zone defined by mapping is a 400 m x 300 m zone of samples which mostly fall above the 90th percentile. This zone is in line with where the mineralization would be expected to outcrop if it was in fact controlled by a

series of structures oriented sub-parallel to the regional metamorphic fabric (striking northwest-southeast with a dip towards the southwest), as suggested by observations described in section 8.

9.1.4 Thorium Geochemistry

The strong radioactivity associated with rare earth mineralization on the Mount Bisson property makes thorium (the dominant radioactive species) a good geochemical pathfinder for finding more economically valuable commodities. Figure 14d shows thorium-in-soil distribution over the property, and it can be seen that it mostly correlates with rare earth values. A small, poor quality anomaly is present in roughly the same location as the historical Will SW showing, co-incident with a similar size rare earth high. Similarly at the Ursa occurrence, a zone south of the creek matching with the REE high shows consistently elevated thorium. Anomaly patterns at Central and Laura are also similar to REE patterns and do not define zones as well as the niobium results. Along the contour reconnaissance lines, there are two especially notable zones that may be evidence of previously undetected mineralization. Along the line extending west from the Central occurrence, there are two ~300m long sections of samples with thorium levels above the 90th percentile. These zones coincide with smaller, less consistent REE anomalies.

9.1.5 Field XRF vs. Laboratory Comparison

As an ongoing process during Phase I of the program, non-reconnaissance soil samples were analyzed with a bench-top X5000 XRF from InnovX in an attempt to detect geochemical anomalies in “real-time” and thereby guide exploration. Despite yielding informative results when used to spot-assay grab samples, results from soil analysis proved to be less reliable. Table 5 lists correlation coefficients between XRF-derived concentrations and the same values as assayed by ALS Minerals for the 980 samples analyzed by XRF. The highest values do not exceed 0.3 for any of the rare earths and 0.5 for any element at all. The best correlations are for Ba and Zr, and though Ba is associated with mineralization at Mt. Bisson (see section 9.2) that level of correlation is still far too low to make for reliable targeting. Figures 15 a – e show this graphically: even if any systematic bias in the XRF data were to be corrected for (i.e. doubling the values to account for attenuation of signal from scanning inside a sample bag) there is still very significant deviation from the “ideal” relationship of 1:1, shown by the red lines on the graphs. Correlation this poor means that the XRF soil data is essentially unreliable and should not be used to guide future exploration.

Table 5: Correlation coefficients between XRF and lab element concentrations

La	Ce	Pr	Nd	Sm	Nb	Y	Ba	Cu	Ni	Zr	Pb	Zn
0.185	0.228	-0.364	0.296	-0.037	0.088	0.266	0.487	0.400	-0.127	0.495	0.370	0.433




Figure 15a: XRF vs. assay value comparison for Ce




Figure 15b: XRF vs. assay value comparison for La




Figure 15c: XRF vs. assay value comparison for Y




Figure 15d: XRF vs. assay value comparison for Ba




Figure 15e: XRF vs. assay value comparison for Cu

9.2 Rock Geochemistry

9.2.1 Correlation Matrices

Geochemical data from grab samples and trenches were analyzed together for statistical purposes, though are by nature slightly different (selective vs representative) and deserve separate discussion. Over the whole dataset, correlation between members of the rare earth suite and yttrium is generally quite good: better than 0.95 for most samples of similar weight and no less than 0.7 between the most dissimilar members of the suite (La and Lu). Yttrium correlates best with the heavier rare earths, though still relatively well with the lights (Table 6). Weight percent oxide values have been used in the correlation calculation instead of raw (ppm) numbers as delivered from the lab; however the transformation from ppm to weight percent oxide is linear and therefore does not affect correlation. The rare earth oxide suite plus yttrium is thus considered one commodity for the rest of the discussion, abbreviated TREO+Y.

TREO+Y shows highly significant correlation with two other elements: thorium and phosphorus. The correlation with thorium is expected given the high degree of radioactivity detected from spectrometer readings of mineralized samples. That P_2O_5 shows an even higher degree of co-variance (Table 7) suggests that phosphate minerals (e.g. monazite) are of crucial importance to the mineralized system. Moderate positive correlation with iron represents the strong association of rare earth mineralization with magnetite observed in hand specimen. Increased calcium is most likely due to the presence of calcium in allanite. Moderate negative correlation with Si, Al, Na and K is likely indicative of the relative paucity of other minerals (e.g. quartz, feldspar, hornblende, biotite) in the highly mineralized samples. Niobium and barium are present in spatial association with REE-enriched samples, but do not show a strong mathematical connection, implying that these elements are related to differing zones of the system.

Table 6: Correlation between rare earth elements

	Ce2O3	Nd2O3	Pr2O3	Sm2O3	Eu2O3	Gd2O3	Tb2O3	Dy2O3	Ho2O3	Er2O3	Tm2O3	Yb2O3	Lu2O3	Y2O3
La2O3	1	0.99	1	0.99	0.98	0.92	0.93	0.91	0.89	0.84	0.72	0.78	0.7	0.87
Ce2O3		1	1	0.99	0.98	0.93	0.94	0.91	0.89	0.84	0.73	0.78	0.7	0.88
Nd2O3			1	1	0.99	0.93	0.94	0.92	0.9	0.85	0.74	0.79	0.71	0.89
Pr2O3				0.99	0.98	0.93	0.94	0.92	0.9	0.85	0.74	0.79	0.71	0.88
Sm2O3					0.99	0.94	0.95	0.94	0.92	0.88	0.77	0.82	0.74	0.91
Eu2O3						0.94	0.96	0.96	0.94	0.89	0.78	0.83	0.75	0.92
Gd2O3							0.96	0.95	0.92	0.91	0.79	0.81	0.74	0.92
Tb2O3								0.98	0.97	0.94	0.84	0.88	0.8	0.96
Dy2O3									0.99	0.98	0.88	0.93	0.85	0.99
Ho2O3										0.98	0.9	0.95	0.87	0.99
Er2O3											0.92	0.96	0.89	0.99
Tm2O3												0.93	0.96	0.91
Yb2O3													0.93	0.96
Lu2O3														0.88

Table 7: Correlation Matrix between elements of interest in rock

	BaO	Nb2O3	Th	K2O	CaO	Fe2O3	Na2O	P2O5	SiO2	Al2O3
TREO+Y	0.12	0.4	0.84	-0.32	0.59	0.62	-0.55	0.91	-0.59	-0.49
BaO		0.34	0.13	0.28	0.043	0.053	-0.18	0.095	-0.16	-0.1
Nb2O3			0.42	0.029	0.29	0.26	-0.31	0.36	-0.31	-0.32
Th				-0.23	0.44	0.47	-0.43	0.81	-0.46	-0.4
K2O					-0.55	-0.48	-0.015	-0.33	0.41	0.12
CaO						0.75	-0.59	0.61	-0.83	-0.31
Fe2O3							-0.59	0.61	-0.84	-0.47
Na2O								-0.51	0.47	0.64
P2O5									-0.63	-0.43
SiO2										0.1

Of non-trivial economic consideration when discussing rare earth concentration is the percentage of the heavier REEs as compared to the lights. The heavy elements are considerably rarer and consequently have a higher value. Castor and Hedrick (2006) define the light rare earths to be La, Ce, Nd, Pr, Sm and Eu; the heavies are Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu and Y. While yttrium is not a member of the lanthanide series, it is included with the heavy rare earths on account of similar atomic radius and chemical similarity. The average percentage of light to heavy rare earths for samples from the Mount Bisson property is 9.3%, with a maximum of 40%. However, none of the samples with greater than 7.5% HREO have any appreciable percentage of TREO+Y (Figure 16), making the mineralized system one that is overall rich in the light REEs at the expense of the heavies.




Figure 16: Percentage of heavy rare earths compared to total

9.2.2 Grab samples

103 grab samples were taken from outcrop and/or float over the entire extent of the Mount Bisson claim block. Samples taken from bedrock were preferentially selected over those from float; however the extensive soil cover which blankets most of the property away from the ridge tops made it impossible to reach true outcrop in all locations. Notably at the Will showings, thick second-growth forest made it impossible to re-locate the outcrops described by Halleran (1988b) as hosting rare earth mineralization. Along topographic highs however, exposure is relatively good and sample traverses were completed along all ridges on the property (Figure 17a).

Almost none of the samples taken from the Ursa, Will NE or Will SW zones contain TREO+Y values greater than 0.1%, a result which differs from the higher levels reported by previous work (Figure 17b). Lack of exposure could account for the occurrences being not found, though the absence of any kind of geochemical response from the samples taken suggests that any REE mineralization present is erratic and localized, and does not likely represent individually viable economic targets. One sample from the forested zone above the Will NE showing within a magnetic high does provide some encouragement; one very radioactive outcrop composed of syenite with layers of massive pyroxene and an orange prismatic mineral (monazite?) contains 0.14% TREO+Y. While this is not an extremely high value, it does suggest that the mineralizing system extends along the length of the magnetic anomaly and raises the possibility that more highly mineralized zones may be present.

Most of the samples with elevated TREO+Y values came from the Laura and Central occurrences. Mineralization at the Laura has been known about since the earliest work on the property, and is confirmed by the present sampling. Six select samples with better than 0.3% TREO+Y and two samples with better 1% TREO+Y were taken from allanite and monazite-bearing pegmatite and fenite. Sample locations were roughly co-incident with the anomaly defined by the soil sampling grid discussed in section 9.2.1 (Figure 17b). One sample from along the ridge to the northwest of the Laura zone which contains 0.34% TREO+Y suggests that there is at least spotty continuation of the mineralized zone in that direction.

Of greater importance are the multiple, high grade samples taken from the Central occurrence. Previous to this year's program, the only significant sample taken from this zone was one 8.64% TREO+Y grab sample taken by Barresi (2010) during his reconnaissance of the zone. While this is an extremely high percentage, it was only from a single outcrop. The present work shows that this grade of sample is not confined to a single locality, but extends over a 550 m x 100 m area, with carefully selected samples having TREO+Y values of up to 11.4%. As described in section 8, this mineralization is hosted in multiple en-echelon tabular bodies which strike sub-parallel to the regional foliation. Note also that the zone is open at both ends, terminating against thick soil cover to the north and south.

The same zones which show enrichment in rare earths also show, to a lesser degree, niobium mineralization. Most of the samples from the Central occurrence which host significant TREO+Y also have elevated niobium concentrations, most notably three samples from near the Barresi discovery zone which all host greater than 0.1% Nb₂O₃ (Figure 17c). Mineralized samples from the Laura occurrence also host good niobium numbers, the best of which exceeded the analytical detection limit of 2500 ppm (0.35% Nb₂O₃). Interestingly, this was not one of the best REE samples, containing only 0.57% TREO+Y, as compared to a sample 75m away which contained 1.4% TREO+Y (the best found at Laura this season) but only 0.02% Nb₂O₃. Both samples appear, in hand specimen, to be banded feldspar-pyroxene-allanite-monazite rock. The significance of this is that Nb and REE mineralization would seem to be distributed slightly differently within the same alteration zone. Further work is needed to determine the host minerals for Nb. No grab samples from outside the Central and Laura zones contain any significant concentrations of niobium.

Thorium enrichment at high levels is almost entirely confined to the Central occurrence (Figure 17d). As would be expected from strong geochemical association between thorium and TREO+Y (Table 7) the samples with the higher thorium generally also have the highest rare earth content. The most likely host mineral for the thorium is monazite, abundant throughout the mineralized samples and in which Th can substitute for La, Ce or Nd. What is slightly more unusual, however, is the poor association between TREO+Y and Th at the Laura occurrence. Monazite is found there in association with elevated TREO+Y, but does not appear to host elevated Th (none of the samples exceed 125 ppm). One sample from near the Will NE showing hosted greater than 1000 ppm Th in association with minor REE mineralization (the same sample discussed above). This provides further confirmation that there is at least an extension of the system north of the Central occurrence.

Also apparently associated with the mineralized system are anomalously high concentrations of barium. Most of the REE-enriched samples from both the Laura and Central occurrences contain over 0.5% BaO, with one very unusual sample hosting 9.25% BaO (Figure 17e). This sample is not from the allanite-rich dyke, but instead from the border zone of metasomatically overprinted foliated igneous rock (now dominantly feldspar and pyroxene) with only minor allanite. This particular sample contains only 0.35% TREO+Y, as opposed to the directly adjacent allanite-rich dyke which is significantly poorer in BaO (0.42%) but richer in TREO+Y (6.9%).

None of the samples contained any significant quantities of gold, copper, lead, zinc or nickel.

9.2.3 Trench Samples

Hand trenching during Phase II of the exploration program at Mt. Bisson successfully exposed continuous outcrop for at minimum several meters to either side of almost all the high-REE sample sites found at the Central (Figure 18a, 18c) and Laura (Figure 18b, 18d) zones during Phase I of the program. Trenches were oriented roughly perpendicular to the strike of the allanite-rich dykes, thereby ensuring that the samples taken were as close to the true width of the veins as possible from a surface sample. As the

orientation of the dykes is generally north-south, this means that most (though not all) of the trenches are oriented roughly east-west. In cases where they strike at a different azimuth, it is due to the orientation of the allanite dyke being sampled at that location.

Table 8 and Figures 18a-d provide details as to sample locations and grades-over-widths. The best results are from TR11-05 and TR11-08 which contain just under 2% average TREO+Y over 4m and 3.4m respectively. In Table 8, samples taken from allanite dykes have been highlighted in yellow to distinguish them from the surrounding host rock. Trenches TR11-01 through TR11-12 are from the Central Zone; TR11-13 through TR11-17 are from Laura (see maps). In most cases, a cut-off of 0.1% TREO+Y was used to start and end the weighted average zones. Note that this criteria was softened slightly when dealing with samples at the Laura zone, where mineralization appeared to be lower grade but more diffuse, as opposed to the highly concentrated dykes at Central. In most cases, the TREO+Y percentage drops off sharply outside the margins of the allanite-monazite dykes, though it is still enriched generally above the background values for the country rock.

Niobium values in trenches follow the same pattern as defined by the rock samples where there is good, but not perfect correlation between which samples have elevated niobium and elevated rare earths. As seen in Figures 18a and 18c, at the Central occurrence, most of the samples which are REE-mineralized are also Nb-mineralized, though not always to the same degree. That is, the samples with the best REE do not necessarily have the best Nb and vice-versa, and there are cases where zones which did not host very good REE values do host elevated Nb (e.g. TR11-04). This pattern is especially evident at the Laura occurrence, where TR11-15 and TR11-07 both host non-trivial Nb anomalies without any associated rare earth mineralization (Figures 18b, d). Correspondence between barium and niobium is slightly better, especially at Laura. There are some samples at Central which show discrepancy between the intensity of barium and niobium enrichment, but almost no such difference at Laura.

The four close-spaced trenches at the Barresi discovery zone (TR11-05, 7, 8 and 9) and the group of two further north (TR11-02 and 3) show that though the allanite-rich dykes are relatively narrow, they have substantial linear extent. The high-REE zones in TR11-02 and TR11-03 are part of the same structure, which can be traced on surface between the two, and continuing to the south of TR11-03 where it vanishes under soil cover. Similarly, a single structure can be traced out as shown in Figure 18a between TR11-08, TR11-07 and TR11-05. The second mineralized zone in TR11-08 is directly along strike from the high-grade sample E004360, representing a distinct parallel structure. The narrow zone in TR11-09 appears to be a third structure unconnected to the other two, though no extensions of it were located. Note that the two zones are directly along strike from each other, and possibly are part of the same set of structures.

Table 8: Significant Intercepts from Central and Laura Trenches

Trench	Sample	Length (m)	TREO+Y (wt. %)	Average (wt. % TREO+Y)	Over (m)
TR11-02	I986923	0.6	1.6217	0.71	1.6
	I986924	1	0.1575		
TR11-03	I986935	0.4	6.6056	2.05	1.4
	I986936	1	0.2298		
TR11-05	I984602	1	0.1598	1.97	4
	I984603	1	0.0582		
	I984604	1	7.557		
	I984605	1	0.107		
TR11-06	I984612	0.9	0.1281	0.61	3.1
	I984613	0.9	0.1876		
	I984614	0.3	3.7863		
	I984615	1	0.4801		
TR11-07	I984620	1	0.0653	0.75	3.7
	I984621	1.1	0.0748		
	I984622	0.6	4.1627		
	I984623	1	0.1188		
TR11-08	I984627	0.95	1.3828	1.98	3.4
	I984628	0.95	1.1934		
	I984629	0.5	8.0771		
	I984630	1	0.2485		
TR11-08	I984635	1	0.193	0.70	3
	I984636	1	1.7764		
	I984637	1	0.1292		
TR11-09	I984650	0.1	10.4062	2.02	0.6
	I984651	0.5	0.3437		
TR11-10	I984657	0.8	4.4754	2.39	1.6
TR11-10	I984658	0.8	0.3013		
TR11-11	I984665	0.9	0.217	1.08	2.15
TR11-11	I984666	0.25	8.057		
TR11-11	I984667	1	0.1105		

Trench	Sample	Length (m)	TREO+Y (wt. %)	Average (wt. % TREO+Y)	Over (m)
TR11-12	I984675	1	0.3888		
TR11-12	I984676	1	0.0983		
TR11-12	I984677	1	0.1751	0.22	3
TR11-13	I984685	0.8	0.1351		
TR11-13	I984686	0.8	0.1008		
TR11-13	I984687	1	0.2211	0.16	2.6
TR11-14A	I984691	0.5	0.246	0.5	0.2 46
TR11-14B	I984694	1	0.5642		
TR11-14B	I984695	1	0.1548	0.36	2
TR11-15	I984699	0.4	0.1483		
	I984700	1.1	0.3017		
	I984701	0.6	0.1126		
	I984702	0.9	0.1487		
	I984703	0.9	0.2434		
	I984704	0.8	0.2373	0.20	5.4
TR11-16	I984705	1	0.2636		
	I984706	1	0.4491		
	I984707	1	0.3153		
	I984708	1	0.2202	0.31	4
TR11-17	I984709	0.8	0.2523		
	I984710	0.8	0.1462		
	I984711	0.7	0.0035		
	I984712	0.7	0.0069		
	I984713	1.1	0.4599		
	I984714	0.8	0.0841		
	I984715	0.8	0.1704	0.18	5.7

10.0 DISCUSSION AND CONCLUSIONS

The results of the 2011 exploration work on the Mount Bisson property show that REE-Nb-Th mineralization is hosted within allanite-rich pegmatitic dykes which intrude high-grade metamorphic rocks of the Wolverine Gneiss unit and, to a lesser degree, in metasomatic halos surrounding these dykes. Previous work (e.g. Barresi 2010) has suggested that these structures may be melanocratic segregations within the gneiss unit as opposed to post-tectonic intrusive bodies. While this hypothesis cannot be entirely discounted (strike of the bodies is generally sub-parallel to the highly variable regional foliation), it is the interpretation of the current work that the mineralization is connected not to a syn-tectonic segregation of incompatible elements, but to a later magmatic/hydrothermal event. The evidence to support this interpretation was collected during the systematic mapping and sampling of the property in a manner that had not been done previously.

While both the Laura and Central occurrences host anomalous rare earth concentrations, there are important distinctions between the styles of mineralization in the two areas. At the Central Occurrence, the dominant rock type of the Wolverine Gneiss is a foliated biotite diorite. Exposure of the rock surrounding the allanite-bearing REE-rich dykes showed in a way not previously evident that a metasomatic alteration (fenite) halo exists immediately adjacent to the dykes. Mapping of the area surrounding the Central Occurrence indicates that this alteration style is not totally restricted to the margins of the dykes, though it is most intense there. Within these alteration zones, barium and potassium are enriched to unusually high levels, especially in the case of barium, where some of the samples returned BaO values up to several percent. Similar barium percentages can be found in the dykes themselves. This appears to differ from elements of the rare earth element suite which, while present at anomalous levels in the metasomatic halo, are strongly concentrated within the dykes at the expense of the larger alteration zone. This is exemplified by the start of TR11-08, where the dyke itself contains 8% TREO+Y, but in the adjacent metasomatic zone values drop off to slightly better than 1%. The effect is even more pronounced in other locations, such as TR11-11, where the flanking zones of an 8% TREO+Y dyke sample contain only 0.11 and 0.22% TREO+Y (Table 8). Despite this unfortunate drop in grade within the metasomatic halo, it is a favourable result that there is a well-developed alteration zone with rare earth mineralization in it, albeit at levels which are low relative to the extremely high grades within the dykes themselves.

At the Laura occurrence, these metre-scale pegmatites with mineralogy dominated by allanite, monazite, magnetite and diopside are absent, replaced by feldspar-diopside dominated pegmatite. These feldspar pegmatites do have minor metasomatic effects and allanite-monazite associated with them, resulting in REE mineralization, though at lower levels than at Central. The connection between these mineralization styles is not entirely clear; the most likely situation based on the current evidence is that both styles are representative of a zoned alkaline intrusive event. In some areas the mineralogy of the dykes is dominated by more REE-rich minerals (as at Central) whereas in other areas it is dominated by more typical rock-forming minerals (feldspar, etc) with subordinate REE-bearing phases. The reason for this zoning is not clear, and more work will be needed to establish if the situation just described is in fact accurate, and if so, the controls on zonation.

The main line of evidence used to suggest that the mineralization at Central is related to melanocratic segregations in the gneiss is that the zones are sub-parallel to the strike of the regional foliation. While this observation has been confirmed for more than just the original discovery outcrop, such an orientation does not rule out the hypothesis of post-tectonic pegmatitic intrusion. Regional faulting is also sub-parallel to this direction, and a swarm of pegmatites could conceivably have been emplaced along a zone of structural weakness generated by this faulting. If this were the case, then mineralization would likely be concentrated within a planar structure encompassing both the Laura and Central occurrences. If such a plane is constructed (the two ends of the zone at Central are far enough to be used as two of the three points required to define a plane; the Laura occurrence is the third), it projects almost directly through L651951, one of the few samples outside either of the main occurrences to host any elevated REE/barium (0.64% BaO, 0.34% TREO+Y). Figure 19 shows the continued surface trace of this supposed structure, with a strike and dip of approximately 158°/13°W, through the valley which separates the topographic highs on which Central and Laura reside. While this represents only a rough approximation of where the zone might outcrop if indeed both the occurrences are part of a single large planar zone, the outlined area should be the subject of

detailed field work in any future program. It should also be noted that this zone deviates significantly from the magnetic high (Figure 19) in which both anomalies reside and with which the mineralization may be associated (given the abundance of magnetite in all mineralized samples). If indeed mineralization is directly associated with this magnetic high, the deviation represents a significant problem for the existence of mineralization in the non-magnetic zone. Despite this, the possibility of a planar mineralization zone should not be discounted without further investigation, as the magnetic high detected by the airborne survey may not be directly correlated with the mineralized dykes, which are likely too small to be seen with data resolution of an airborne survey. It is possible that the magnetic high is instead showing the outlines of a deeper buried magnetic intrusive, which though likely related to the mineralization may not represent the direct exploration target.

Overall, the mineralization discovered this season represents a significant increase to the previously known rare earth content of the property and indicates good potential for significant future discovery. The most drastic change to the overall picture is the emergence of the Central occurrence as a host of high-grade coarse-grained allanite-magnetite-monazite dyke-hosted rare earth mineralization. The limitation of this zone is, as shown during the trenching, the relative narrowness of individual mineralized bodies. While there is a well-developed alteration halo around these dykes, it does not host grades of consistently greater than several percent total rare earths, as do the dykes themselves. Thus, the situation appears to be one where economically interesting rock is confined to the dykes. The central question going forward is therefore one of dyke density; work near the original Barresi discovery zone shows that it is possible for multiple parallel dykes to occur in close proximity. The task of any future exploration is to discover if the property hosts areally significant zones of these close-spaced dykes, or if mineralization is confined to known dykes. Significant soil cover over most of the property (including directly adjacent to the highly mineralized zones) leaves this possibility open. A more closely-spaced soil grid directly downslope from the exposure on top of Central may be helpful in locating more zones, if they exist. Soil sampling and prospecting down in the valley between the showings would also be beneficial; though if the structure does extend as described above, the extensive soil cover will make mineralization difficult to locate. Ground-based geophysics has the potential to better constrain dyke locations in soil-covered areas where mineralization is known to exist. Any rocks with elevated rare earths will likely show up very well on both magnetic and radiometric surveys, given the close association of rare earth elements, thorium and magnetite. A magnetic survey will have significantly greater success in locating buried targets, as radiometric signals are masked by anything more than the thinnest soil cover and would certainly be obscured if a structure was shallowly buried under unmineralized rock. The pinch-and-swell nature of the dykes implies the possibility of pinched-out dykes being present at shallow depths but not visible on surface, even where there is little soil cover. A detailed ground-based magnetic survey would have the potential to detect these zones, which would not be located from surface examination, and which the existing airborne magnetic data lacks the resolution to discern from the overall magnetic high signal in the area. Following this geophysical survey, drilling would likely be necessary to test geophysical targets and the known surface showings. If the dykes pinch out laterally and vertically to an extent such that they cannot be traced underground, then it will likely be very difficult to define any kind of resource on the property. Drilling will allow a longer and more representative sample across any mineralized zones than possible with surface work alone, and will be the only feasible way to test any anomalies found underneath thick soil cover by the geophysical work.

At the present time, it is not clear if the mineralization at Mount Bisson represents a deposit of economically viable proportions or simply a geologically interesting and complicated rare earth occurrence. However, given the positive future value potential of rare earth elements and possibility of the property to host a high-grade deposit in a location from which extraction would not be excessively difficult, further work should be undertaken to better understand the full extent of the mineralized system.


Respectfully submitted,

David Swanton, M.Sc.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

January 16, 2012



Appendix A: Bibliography

- Barresi, T. 2010. Geological mapping and Rock and Silt Sampling on the Mount Bisson property. Paget Minerals Corporation.
- Breaks, F.W. 2008. 2008 Assessment report: Geological reconnaissance and rock sampling on the Mount Bisson property. Paget Resources Corporation.
- Breaks, F.W. 2011. Geological Report on the Mount Bisson Rare-Earth Element Claim Group. NI43-101 Technical Report for Seymour Ventures Corporation.
- Castor, S.B and Hedrick, J.B. 2006. Rare Earth Elements *in* Industrial Minerals and Rocks, J.E. Kogel, N.C. Trivedi and J.M. Barker (eds). Society of Mining Metallurgy and Exploration. pp 769 – 792.
- Colpron, M., Nelson, J.L. and Murphy, D.C. 2006. A tectono-stratigraphic framework for the pericratonic terranes of the northern Cordillera; p.1-24 in Maurice Colpron and JoAnne Nelson (editors), Paleozoic Evolution and Metallogeny of Pericratonic Terranes at the Ancient Pacific Margin of North America, Geological Association of Canada Special Volume 45, 523pp.
- Corriveau, L. 2007. Iron oxide copper-gold deposits: a Canadian perspective *in* Mineral deposits of Canada: a synthesis of major deposit-types, district metallogeny, the evolution of geological provinces, and exploration methods; by Goodfellow, W D (ed.); Geological Association of Canada, Mineral Deposits Division, Special Publication no. 5, pages 307-328
- Ferri, F. and Melville, D.M. 1994. Bedrock geology of the Germansen Landing-Manson Creek project, British Columbia (93N/9, 10, 15; 94C/2); British Columbia Ministry of Energy and Mines, Bulletin 91, 147p.
- Gabrielse, H. 1975. Geology of the Fort Graham East one-half map sheet, British Columbia; Geological Survey of Canada, Paper 75-33.
- Halleran, A.A.D. 1985. Mon property, Omineca Mining Division NTS 93N/9E and 93O/12W; B.C. Geological Branch Assessment Report 14545.
- Halleran, A.A.D. 1988a. Geology and Geochemistry Ursa #1, Omineca, NTS 93O/5W; B.C. Geological Branch Assessment Report 16781.
- Halleran, A.A.D. 1988b. Geology and Geochemistry Ursa 2 and 3, Omineca, NTS 93N/9E; B.C. Geological Branch Assessment Report 17734.
- Halleran, A.A.D. 1988c. Geology, Geochemistry and Geophysics Ursa Property, Omineca, NTS 93N/9E; B.C. Geological Branch Assessment Report 17872 (2 parts).
- Halleran, A.A.D. 1989. Laura Property, Omineca Mining Division NTS 93O/5W; B.C. Geological Branch Assessment Report 19404.
- Halleran, A.A.D. 1991. Geology, geochemistry and origins of the Mount Bisson alkaline complex, Munroe Creek, British Columbia, Canada; unpublished M.Sc. thesis, The University of British Columbia, 176pp.
- Halleran, A.A.D. and Russell, J.K. 1990. Geology and descriptive petrology of the Mount Bisson alkaline complex, Munroe Creek, British Columbia (93N/9E, 93O/12W, 5W), p. 297-304 *in* Geological Fieldwork 1989, B.C. Department of Energy, Mines and Petroleum Resources, Paper 1990-1.
- Halleran, A.A.D. and Russell, J.K. 1993. Rare-earth element bearing pegmatites in the Wolverine metamorphic complex: a new exploration target (93N/9E, 93O/12W, 5W), p. 301-306 *in* Geological Fieldwork 1992, B.C. Department of Energy, Mines and Petroleum Resources, Paper 1993-1.
- Halleran, A.A.D. and Russell, J.K. 1996. REE-bearing alkaline pegmatites and associated light REE-enriched fenites at Mount Bisson, British Columbia; Economic Geology, volume 91, 451-459.
- Harvey, S.E., Young, I. and Billingsley, G. 2002. Geology of the Hoidas Lake Area, Ena Domain, Northwestern Saskatchewan. Summary of Investigations 2002, Volume 2. Saskatchewan Geological Survey. pp 1 – 13.
- Holland, S.S. 1976. Landforms of British Columbia: a physiographic outline. British Columbia Department of Mines and Petroleum Resources, Bulletin 48, 2nd Edition.

- Leighton, D.G. 1997. Geological report on the ERZ property, Mt. Bisson area, North Central B.C. for Argonauts Group Ltd. B.C. geological survey branch assessment report 24861.
- Luckman, N.L. 2007. Airborne geophysical survey on the Mount Bisson property. Paget Resources Corporation. Geological Survey Branch Assessment Report 28377.
- Roots, C. 1988. Regional tectonic setting and evolution of the Late Proterozoic Mount Harper volcanic complex, Olgilvie Mountains, Yukon; Unpublished Ph.D. thesis, Carleton University, Ottawa, 218p.
- Walters, A., Lusty, P., Chetwyn, C., and Hill, A. 2010. Rare Earth Elements (commodity profile). British Geological Survey, available at www.mineralsuk.com
- Young, J. 2008. 2007 Assessment report: Geological reconnaissance and rock sampling on the Mount Bisson property. Paget Resources Corporation. B.C. Geological survey branch assessment report 29693

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES
Mt. BISSON PROPERTY
June 6 - June 26 and September 5 - September 23, 2011

PROFESSIONAL FEES AND WAGES:

Robin Black, P.Geo.				
	0.25 days @	\$700/day	\$	175.00
Shay Brennan, Geologist				
	1.13 days @	\$575/day		649.75
Joseph Byrne, Sr. Sampler				
	22.00 days @	\$325/day		7,150.00
Dan Gainer, Sampler				
	22.00 days @	\$275/day		6,050.00
Dan McCreery, Prospector				
	16.00 days @	\$525/day		8,400.00
Joe McCreery, Prospector				
	26.00 days @	\$525/day		13,650.00
Scott Parker, GIS / Logistics				
	1.00 hour @	\$75/hour		75.00
Blaine Smit, Sampler				
	16.00 days @	\$275/day		4,400.00
Cam Spurr, Sampler				
	22.00 days @	\$275/day		6,050.00
Phillip Sullivan, Sampler				
	16.00 days @	\$275/day		4,400.00
Dave Swanton, Project Geologist				
	76.38 days @	\$700/day		53,466.00
Agata Zurek, GIS				
	9.25 hours @	\$75/hour		693.75
Clerical				
	21.50 hours @	\$35/hour		752.50
				\$ 105,912.00

EQUIPMENT RENTALS

Chain Saw				
	26.00 days @	\$30/day	\$	780.00
Channel Saw				
	42.00 days @	\$50/day		2,100.00
Field Camp				
	100.00 days @	\$40/manday		4,000.00
Field Computers				
	84.00 days @	\$40/day		3,360.00
Generator (1kVA)				
	26.00 days @	\$20/day		520.00
Satellite Phones (Iridium)				
	6 weeks @	\$75.00/week		450.00
	74 minutes @	\$1.89/min		139.86
				11,349.86

EXPENSES:

Chemical Analyses	\$ 65,470.78
Materials and Supplies	2,036.36
Plot Charges	105.03
Camp Food	2,042.37



Meals	1,474.87	
Accommodation	6,866.82	
Taxis and Airporters	194.64	
Parking	147.32	
Truck Rental (Non-Equity)	7,434.12	
Automotive Fuel	1,727.46	
Automotive Expenses	376.53	
Helicopter Charters	4,157.79	
Busfare	160.89	
Airfare	4,677.01	
Telephone Distance Charges	25.22	
Courier	166.32	
Freight	3,180.33	
Bulk Fuel	221.39	
Geophysical Equipment Rental	15,250.46	
Satellite Phone Rental (Non-Equity)	5,033.68	
Radio Rental (Non-Equity)	2,123.00	
Project Supervision Charge	28,816.12	
Report (estimated)	3,000.00	154,688.51

TOTAL:

\$ 271,950.37

Appendix C: Rock Sample Descriptions

MINERALS AND ALTERATION TYPES

AC	Actinolite	FP	feldspar	PF	plagioclase
AL	alunite	GA	garnet	PH	phlogopite
AM	amphibole	GE	goethite	PL	pyrolusite
AS	arsenopyrite	GL	galena	PO	pyrrhotite
AU	augite	GR	graphite	PY	pyrite
AZ	azurite	HB	hornblende	QZ	quartz veining
BA	barite	HE	haematite	RE	realgar
BI	biotite	HS	specularite	RN	rhodonite
BO	bornite	HZ	hydrozincite	SB	stibnite
BT	pyrobitumen	IL	illite	SD	siderite
CA	calcite	JA	jarosite	SI	silicification
CB	Fe-carbonate	KF	potassium feldspar	SK	skarn
CC	chalcocite	MC	malachite	SM	smithsonite
CD	chalcedony	MG	magnetite	SP	sphalerite
CL	chlorite	MI	mica	SR	scorodite
CP	chalcopyrite	MN	Mn-oxides	SS	sulphosalts
CU	native copper	MO	molybdenite	ST	smectite
CV	covellite	MR	mariposite/fuchsite	TP	topaz
CY	clay	MS	sericite	TT	tetrahedrite
DC	dickite	MT	marcasite	VG	gold
DS	diaspore	MU	muscovite	ZE	Zeolite
DU	dumortierite	NA	natroalunite	ZN	zunyite
EN	enargite	NE	neotocite		
EP	epidote	PA	pyrargyrite		

ALTERATION INTENSITY

w	weak	s	strong
m	moderate	i	intense

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

E004351 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156600	N	UTM 439148	E	Strike Length Exp:	Metallics:	0.0123	0.0011
	Elevation: 1544	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : granodiorite		17.15	0.19
Sampled By: DS 09-Sep-11	Biotite +/- magnetite granodiorite. Medium-grained. Same site as DSB-01							
E004352 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156520	N	UTM 439115	E	Strike Length Exp:	Metallics:	0.0358	0.002
	Elevation:		Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pegmatite		45.7	0.18
Sampled By: DS 09-Sep-11	5mx2m o/c of plagioclase-quartz pegmatite, surrounded by same granodiorite as DSB-01. Contact is likely intrusive. Same site as DSB-02							
E004353 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156447	N	UTM 438950	E	Strike Length Exp:	Metallics:	0.0237	0.0016
	Elevation: 1536	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
		Foliation 142°/40°			Host : Gneiss		9.21	0.2
Sampled By: DS 09-Sep-11								
E004354 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156178	N	UTM 438778	E	Strike Length Exp:	Metallics:	8.767	0.0441
	Elevation: 1520	m	Sample Width: 10	cm	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : allanite vein		757	0.4
Sampled By: DS 09-Sep-11	15-cm wide allanite vein							
E004355 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156216	N	UTM 438775	E	Strike Length Exp:	Metallics:	0.0393	0.0019
	Elevation: 1538	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
		Foliation 148°/30°			Host : Foliated Tonalite		17.45	0.16
Sampled By: DS 09-Sep-11								
E004356 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156176	N	UTM 438759	E	Strike Length Exp:	Metallics:	0.0608	0.0043
	Elevation: 1521	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : Foliated tonalite		27.6	0.19
Sampled By: DS 09-Sep-11	Same foliated tonalite? as elsewhere, but here it has an orange prismatic mineral that may be titanite							

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

E004357 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156233	N	UTM 438560	E	Strike Length Exp:	Metallics:	0.0589	0.0012
	Elevation: 1535	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : granodiorite		12.2	0.08
Sampled By: DS 09-Sep-11								
E004358 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156617	N	UTM 438475	E	Strike Length Exp:	Metallics:	0.0288	0.002
	Elevation: 1565	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : granodiorite		33.7	0.23
Sampled By: DS 09-Sep-11 Unfoliated								
E004359 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156666	N	UTM 438448	E	Strike Length Exp:	Metallics:	0.0304	0.0019
	Elevation: 1563	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Foliated tonalite		17.6	0.11
Sampled By: DS 12-Sep-11								
E004360 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156258	N	UTM 438854	E	Strike Length Exp:	Metallics:	11.4903	0.1123
	Elevation: 1520	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Allanite vein		737	0.16
Sampled By: DS 14-Sep-11 allanite vein/pegmatite. Downslope from head of TR11-08, at ~20 degrees. 1400 cps.								
E004361 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152638	N	UTM 439068	E	Strike Length Exp:	Metallics:	0.0361	0.0028
	Elevation: 1359	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : gneiss		2.84	0.01
Sampled By: DS 17-Sep-11 hornblende-epidote-biotite gneiss. Magnetic, with feldspar-pyroxene layers								
E004362 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152679	N	UTM 439125	E	Strike Length Exp:	Metallics:	0.0207	0.0021
	Elevation: 1382	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : pegmatite		26.5	0.02
Sampled By: DS 17-Sep-11 quartz-feldspar-magnetite pegmatite								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

E004363 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152485	N	UTM 438863	E	Strike Length Exp:	Metallics:	0.0157	0.0012
	Elevation: 1276	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : porphyritic basalt		4.91	0.11
Sampled By: DS	likely a dyke. Float of feldspar-phyric basalt is quite common in the magnetic high "blob" in this area.							
17-Sep-11								
E004364 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153212	N	UTM 440605	E	Strike Length Exp:	Metallics:	0.6849	0.0772
	Elevation: 1623	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		75.9	1.01
Sampled By: DS	Feldspar-pyroxene-allanite-titanite "skarn". 1% allanite+titanite. 400 cps.							
18-Sep-11								
E004365 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153234	N	UTM 440584	E	Strike Length Exp:	Metallics:	0.2377	0.0189
	Elevation: 1627	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		4.61	0.69
Sampled By: DS	Foliated, biotite-amphibole-pyroxene-feldspar rock. May be part of the alteration zone surrounding allanite. No allanite observed in sample.							
18-Sep-11								
E004366 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153176	N	UTM 440736	E	Strike Length Exp:	Metallics:	0.3075	0.0212
	Elevation: 1640	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : metasomatized gneiss		5.29	0.45
Sampled By: DS	Banded rock composed of feldspar, hornblende(?), green pyroxene, biotite+titanite. 150 cps. Green mineral may be epidote.							
19-Sep-11								
E004367 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153160	N	UTM 440769	E	Strike Length Exp:	Metallics:	0.5788	0.3576
	Elevation: 1641	m	Sample Width: 10	cm	True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		62.8	1.16
Sampled By: DS	Banded feldspar-pyroxene-biotite-titanite-allanite rock. 375 cps.							
19-Sep-11								
E004368 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153192	N	UTM 440697	E	Strike Length Exp:	Metallics:	1.4317	0.0214
	Elevation: 1634	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		35.9	2.32
Sampled By: DS	Feldspar-pyroxene-allanite-titanite banded rock.							
19-Sep-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1637251 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156272	N	UTM 438879	E	Strike Length Exp:	Metallics:	9.9878	0.0396
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Allanite-rich vein		415	0.24
Sampled By:	DS Massive, c.g., melanocratic, 40-50% black allanite, rest consists of diopside, titanite, epidote, magnetite and plagioclase with rare chevkinite							
1637253 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245	N	UTM 438871	E	Strike Length Exp:	Metallics:	5.4095	0.0369
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		205	2.03
Sampled By:	JMC Widest allanite-rich vein found to date. Chip sample across 1m.							
1637254 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245	N	UTM 438871	E	Strike Length Exp:	Metallics:	7.2326	0.033
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : allanite-rich vein		348	0.27
Sampled By:	DS Second chip sample across 1m vein but in different section							
1637255 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156580	N	UTM 438768	E	Strike Length Exp:	Metallics:	6.8567	0.0241
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : allanite-rich vein		295	0.42
Sampled By:	DS Diopside-allanite vein approximately 10cm width. Hosted in foliated mg monzonite-monzodiorite. Diopside is rusty to faint green and contains inclusions of procellaneous white, euhedral possible beryl partly enclosed in grey quartz. Vein apparently gradational into granitic host rocks. Coarse biotite-rich masses occur near contact. A granular deep red							
1637256 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156580	N	UTM 438768	E	Strike Length Exp:	Metallics:	0.3519	0.0418
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Monzodiorite		23.6	9.25
Sampled By:	DS Foliated, fg-mg monzodiorite border zone of allanite-rich vein, 10-15 cm width. Rock contains approx 30% green diopside, 50% plagioclase and rest = titanite, biotite, allanite and quartz							
1637257 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156681	N	UTM 438686	E	Strike Length Exp:	Metallics:	0.1272	0.0125
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Monzonite		62.3	0.52
Sampled By:	DS Host rock of allanite-rich partially rotated boudin. Rock is fg-mg, white, massive and has ~ 5% faint green diopside.							

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984601 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245.36490 N	UTM 438862.549538 E	Strike Length Exp:	Metallics:	0.0286	0.0028
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		17.45	0.12
Sampled By: DS	TR11-05:4 - 5m 225 cps. Gneiss becomes more feldspathic with chloritized mafics. Texture is almost metasomatic now. Cut by vein of smokey quartz+magnetite					
1984602 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156244.94229 N	UTM 438863.455846 E	Strike Length Exp:	Metallics:	0.1598	0.0076
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		111	0.06
Sampled By: DS	TR11-05:5 - 6m 270 cps. Zones of feldspar-quartz-biotite in with zones of mafics, largely gone to chlorite. Again, could be a metasomatic texture. Mafics are pyroxene + amphibole, with trace magnetite					
1984603 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156244.51967 N	UTM 438864.362154 E	Strike Length Exp:	Metallics:	0.0582	0.0058
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		38.9	0.31
Sampled By: DS	TR11-05:6 - 7m 400 cps. Feldspar+/-quartz metasomatized looking rock. Clumps of unknown mafic with epidote? And needles of what could be allanite. Contact with allanite. Ref sample taken					
1984604 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156244.09705 N	UTM 438865.268462 E	Strike Length Exp:	Metallics:	7.557	0.0717
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		317	0.06
Sampled By: DS	TR11-05:7 - 8m 1100 cps. Pegmatitic allanite-pyroxene-quartz vein/dyke. Highly magnetic.					
1984605 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156243.67443 N	UTM 438866.174770 E	Strike Length Exp:	Metallics:	0.107	0.0139
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		40.2	1.21
Sampled By: DS	TR11-05:8 - 9m 450 cps. Metasomatically overprinted gneiss/schist. Feldspar+quartz+pyroxene+minor titanite?. Cm-size zones of magnetite-allanite					
1984606 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156243.25181 N	UTM 438867.081077 E	Strike Length Exp:	Metallics:	0.0299	0.0024
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		12.1	0.29
Sampled By: DS	TR11-05:9 - 10m 300 cps. Same as I984605, but metasomatic effect seems a little weaker. ~25cm zone is biotite-rich, oxidized. Small quartz-feldspar pegmatite near end.					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984607 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156242.95598 N	UTM 438867.715493 E	Strike Length Exp:	Metallics:	0.1105	0.0045
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		21.7	0.48
Sampled By: DS TR11-05:10 - 10.7m 350 cps. Quartz-feldspar leucocratic pegmatite						
1984608 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156242.78693 N	UTM 438868.078016 E	Strike Length Exp:	Metallics:	0.0546	0.0084
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		39.3	0.22
Sampled By: DS TR11-05:10.7 - 11.1m 440 cps. Magnetite-hornblende biotite granite. Only weakly foliated, crystalline, equigranular, medium-grained. May just be a layer in gneiss, may be a dyke.						
1984609 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156242.40658 N	UTM 438868.893693 E	Strike Length Exp:	Metallics:	0.0789	0.0085
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		48.5	0.45
Sampled By: DS TR11-05:11.1 - 12m 440 cps. Quartz-mica-hornblende-feldspar schist						
1984610 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156241.98396 N	UTM 438869.800001 E	Strike Length Exp:	Metallics:	0.0685	0.0046
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		51	0.13
Sampled By: DS TR11-05:12 - 13m 440 cps. Same as I984609						
1984611 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156241.56134 N	UTM 438870.706309 E	Strike Length Exp:	Metallics:	0.0629	0.0044
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		49.6	0.08
Sampled By: DS TR11-05:13 - 14m 410 cps. Same as I984609						
1984612 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156178.328 N	UTM 438775.755422 E	Strike Length Exp:	Metallics:	0.1281	0.0452
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		28.8	2.91
Sampled By: DS TR11-06:0 - 0.9m 300 cps. quartz-biotite schist, partly overprinted by feldspar-pyroxene metasomatism. Minor allanite in "fenite"						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
1984613 MtBisson	UTM 6156177.878 N	UTM 438776.534845 E	Strike Length Exp:	Metallics:	0.1876	0.0101
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		25.1	0.84
Sampled By: DS	TR11-06:0.9 - 1.8m 300 cps. same as 1984612, with metasomatic overprint becoming more pervasive					
1984614 MtBisson	UTM 6156177.728 N	UTM 438776.794653 E	Strike Length Exp:	Metallics:	3.7863	0.1279
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : allanite vein		477	1.71
Sampled By: DS	TR11-06:1.8 - 2.1m 850 cps. Allanite pegmatite, almost pure allanite					
1984615 MtBisson	UTM 6156177.228 N	UTM 438777.660678 E	Strike Length Exp:	Metallics:	0.4801	0.0172
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		56.3	3.02
Sampled By: DS	TR11-06:2.1 - 3.1m 350 cps. Metamorphic unit, with layers of weakly foliated quartz+magnetite+biotite and pyroxene-feldspar layers					
1984616 MtBisson	UTM 6156176.878 N	UTM 438778.266896 E	Strike Length Exp:	Metallics:	0.0674	0.0055
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		26.5	0.19
Sampled By: DS	TR11-06:3.1 - 3.8m 350 cps. quartz-biotite-magnetite schist					
1984617 MtBisson	UTM 6156176.728 N	UTM 438778.526704 E	Strike Length Exp:	Metallics:	0.2307	0.0597
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		264	1.96
Sampled By: DS	TR11-06:3.8 - 4.1m 750 cps. Fenite/metasomatic looking layer, with feldspar + large clumps of magnetite+allanite? Ref sample taken.					
1984618 MtBisson	UTM 6156176.228 N	UTM 438779.392729 E	Strike Length Exp:	Metallics:	0.0603	0.0058
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		27.9	0.22
Sampled By: DS	TR11-06:4.1 - 5.1m 375 cps. Quartz-biotite schist with layers of less foliated, magnetite-rich rock					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984619 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156175.528 N	UTM 438780.605165 E	Strike Length Exp:	Metallics:	0.0703	0.0124
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		16.85	0.18
Sampled By: DS	TR11-06:5.1 - 6.5m 300 cps. Same unit, but with more biotite-rich layers. End of TR11-06					
1984620 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156254.417 N	UTM 438864.642025 E	Strike Length Exp:	Metallics:	0.0653	0.0046
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		43.3	0.11
Sampled By: DS	TR11-07:0 - 1m 350 cps. Quartz-feldspar-biotite-magnetite, weakly foliated rock. Maybe metasomatized.					
1984621 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156253.867 N	UTM 438865.594653 E	Strike Length Exp:	Metallics:	0.0748	0.0071
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		51.1	0.17
Sampled By: DS	TR11-07:1 - 2.1m 450 cps. Metasomatized host rock, now quartz-feldspar-iron oxide patches (after mafics?). Quartz is smokey in spots. Increasing allanite+magnetite towards end of sample.					
1984622 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156253.567 N	UTM 438866.114268 E	Strike Length Exp:	Metallics:	4.1627	0.115
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		393	0.73
Sampled By: DS	TR11-07:2.1 - 2.7m 1300 cps. Extremely hematized (redish-orange alteration) host rock transitioning into allanite + unknown red-orange prismatic mineral (stained quartz?)					
1984623 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156253.067 N	UTM 438866.980293 E	Strike Length Exp:	Metallics:	0.1188	0.0095
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		60.6	0.26
Sampled By: DS	TR11-07:2.7 - 3.7m 600 cps. Moderately Fe-Ox altered (reddish-orange stained) quartz feldspar mafic (amphibole?) rock. Weakly foliated. Likely metasomatic, though it has a slightly granitic appearance.					
1984624 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156252.567 N	UTM 438867.846319 E	Strike Length Exp:	Metallics:	0.0517	0.0071
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		41.1	0.02
Sampled By: DS	TR11-07:3.7 - 4.7m 400 cps. Same as 1984623, but less reddish alteration					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984625 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156252.317 N	UTM 438868.279332 E	Strike Length Exp:	Metallics:	0.0958	0.0122
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		51.6	0.38
Sampled By: DS TR11-07:4.7 - 5.2m 420 cps. Same as above, but cut by small granitic pegmatite. End of TR11-07						
1984626 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267.73635 N	UTM 438855.600807 E	Strike Length Exp:	Metallics:	0.1467	0.0233
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		33.6	0.33
Sampled By: DS TR11-08:0 - 1m 350 cps. Amphibolite-quartz-mica layers in gneissic unit. Start of TR11-08						
1984627 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267.57138 N	UTM 438856.536375 E	Strike Length Exp:	Metallics:	1.3828	0.0847
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		83.5	2.65
Sampled By: DS TR11-08:1 - 1.95m 500 cps. Biotite-feldspar zones mixed with pyroxene-amphibole-biotite-quartz-feldspar layers. Possibly metasomatized gneiss						
1984628 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267.40642 N	UTM 438857.471942 E	Strike Length Exp:	Metallics:	1.1934	0.0196
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		146.5	4.79
Sampled By: DS TR11-08:1.95 - 2.9m 500 cps. Quartz-feldspar-pyroxene metasomatized rock, up to 40% allanite. Ref sample taken.						
1984629 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267.31959 N	UTM 438857.964346 E	Strike Length Exp:	Metallics:	8.0771	0.0299
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		352	0.08
Sampled By: DS TR11-08:2.9 - 3.4m 900 cps. Coarse-grained allanite dyke/vein with epidote, pyroxene + feldspar. Ref sample taken.						
1984630 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267.14594 N	UTM 438858.949154 E	Strike Length Exp:	Metallics:	0.2485	0.0343
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		64.1	2.4
Sampled By: DS TR11-08:3.4 - 4.4m 500 cps. Metasomatized country rock. Zones of quartz-biotite-hornblende interbedded with feldspar-pyroxene+/-allanite? Zones.						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984631 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.97229 N	UTM 438859.933961 E	Strike Length Exp:	Metallics:	0.0385	0.0031
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		19.55	0.19
Sampled By: DS TR11-08:4.4 - 5.4m 300 cps. Same as 1984630						
1984632 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.79865 N	UTM 438860.918769 E	Strike Length Exp:	Metallics:	0.0511	0.0035
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		15.8	0.14
Sampled By: DS TR11-08:5.4 - 6.4m 250 cps. Same as 1984630						
1984633 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.62500 N	UTM 438861.903577 E	Strike Length Exp:	Metallics:	0.0388	0.0036
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		69.5	0.12
Sampled By: DS TR11-08:6.4 - 7.4m 250 cps. Same as 1984630						
1984634 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.45135 N	UTM 438862.888385 E	Strike Length Exp:	Metallics:	0.0381	0.0054
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		18.35	0.1
Sampled By: DS TR11-08:7.4 - 8.4m 260 cps. Same as 1984630						
1984635 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.27770 N	UTM 438863.873192 E	Strike Length Exp:	Metallics:	0.193	0.0136
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		41.1	0.69
Sampled By: DS TR11-08:8.4 - 9.4m 400 cps. Same as 1984630						
1984636 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.10405 N	UTM 438864.858000 E	Strike Length Exp:	Metallics:	1.7764	0.0333
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		391	1.02
Sampled By: DS TR11-08:9.4 - 10.4m 1700 cps. Feldspar pegmatite with black, euhedral allanite? (15%). Ref sample taken						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984637 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.93041 N	UTM 438865.842808 E	Strike Length Exp:	Metallics:	0.1292	0.0162
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		48.8	0.39
Sampled By: DS TR11-08:10.4 - 11.4m 600 cps. Coarse-grained feldspar + quartz + pyroxene +/- allanite						
1984638 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.75676 N	UTM 438866.827616 E	Strike Length Exp:	Metallics:	0.0635	0.0069
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		53.2	0.21
Sampled By: DS TR11-08:11.4 - 12.4m 375 cps. same as I984637						
1984639 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.58311 N	UTM 438867.812423 E	Strike Length Exp:	Metallics:	0.056	0.0059
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		42.5	0.12
Sampled By: DS TR11-08:12.4 - 13.4m 400 cps. same as I984637. Ref sample taken						
1984640 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.40946 N	UTM 438868.797231 E	Strike Length Exp:	Metallics:	0.0552	0.0079
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		40.5	0.26
Sampled By: DS TR11-08:13.4 - 14.4m 375 cps. same as I984637						
1984641 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.23581 N	UTM 438869.782039 E	Strike Length Exp:	Metallics:	0.076	0.0065
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		63.2	0.07
Sampled By: DS TR11-08:14.4 - 15.4m 450 cps. Similar to above, but better-foliated and more mafic-rich						
1984642 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.06216 N	UTM 438870.766847 E	Strike Length Exp:	Metallics:	0.0773	0.0059
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		53.5	0.11
Sampled By: DS TR11-08:15.4 - 16.4m 450 cps. Same as I984641						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984643 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156264.88852 N	UTM 438871.751654 E	Strike Length Exp:	Metallics:	0.0823	0.0074
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		62.5	0.06
Sampled By: DS TR11-08:16.4 - 17.4m 500 cps. Same as I984641						
1984644 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156264.71487 N	UTM 438872.736462 E	Strike Length Exp:	Metallics:	0.0554	0.0057
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		33.7	0.12
Sampled By: DS TR11-08:17.4 - 18.4m 400 cps. Same as I984641						
1984645 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156264.54122 N	UTM 438873.721270 E	Strike Length Exp:	Metallics:	0.0376	0.0058
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		10.35	0.1
Sampled By: DS TR11-08:18.4 - 19.4m 200 cps. hornblende-quartz-biotite schist. Probably melanosome of gneiss						
1984646 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156264.41967 N	UTM 438874.410635 E	Strike Length Exp:	Metallics:	0.0381	0.0057
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		9.26	0.06
Sampled By: DS TR11-08:19.4 - 20.1m 230 cps. Same as I984645, but cut by 10cm quartz-feldspar pegmatite. End of TR11-08						
1984647 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.53718 N	UTM 438873.940925 E	Strike Length Exp:	Metallics:	0.0456	0.0108
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		30.8	0.26
Sampled By: DS TR11-09:0 - 1m 350 cps. Quartz-feldspar-pyroxene pegmatite. Start of TR11-06						
1984648 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.40777 N	UTM 438874.423888 E	Strike Length Exp:	Metallics:	0.0057	0.002
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		11.3	0.49
Sampled By: DS TR11-09:1 - 1.5m 250 cps. Quartz-feldspar pegmatite						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984649 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.27836 N	UTM 438874.906851 E	Strike Length Exp:	Metallics:	0.0764	0.0095
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		55.8	0.05
Sampled By: DS TR11-09:1.5 - 2m 420 cps. Weakly foliated quartz-feldspar-amphibolite-biotite schist.						
1984650 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.25248 N	UTM 438875.003444 E	Strike Length Exp:	Metallics:	10.4062	0.0288
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		498	0.65
Sampled By: DS TR11-09:2 - 2.1m 790 cps. Allanite dyke/vein						
1984651 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156266.12307 N	UTM 438875.486407 E	Strike Length Exp:	Metallics:	0.3437	0.0524
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		48.8	3.49
Sampled By: DS TR11-09:2.1 - 2.6m 550 cps. Similar to I984649, but with pyroxene + iron oxide alteration						
1984652 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156265.99366 N	UTM 438875.969370 E	Strike Length Exp:	Metallics:	0.0808	0.0083
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		58.2	0.22
Sampled By: DS TR11-09:2.6 - 3.1m 450 cps. Same as I984649. End of TR11-09						
1984653 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.07364 N	UTM 438762.099807 E	Strike Length Exp:	Metallics:	0.0283	0.0022
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : granodiorite		14.55	0.19
Sampled By: DS TR11-10:0 - 1m 300 cps. Weakly foliated biotite granodiorite						
1984654 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.24729 N	UTM 438763.084615 E	Strike Length Exp:	Metallics:	0.0317	0.0047
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : granodiorite		46.9	0.23
Sampled By: DS TR11-10:1 - 2m 420 cps. Similar to I984653, but grading into a more biotite-rich zone						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984655 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.39489 N	UTM 438763.921702 E	Strike Length Exp:	Metallics:	0.0936	0.0062
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		73.2	0.45
Sampled By: DS TR11-10:2 - 2.85m 475 cps. Biotite-pyroxene-amphibole layer						
1984656 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.54249 N	UTM 438764.758788 E	Strike Length Exp:	Metallics:	0.0524	0.0216
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		58.2	1.06
Sampled By: DS TR11-10:2.85 - 3.7m 450 cps. Same as 1984655, in contact with allanite dyke						
1984657 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.68141 N	UTM 438765.546634 E	Strike Length Exp:	Metallics:	4.4754	0.0767
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		279	2.88
Sampled By: DS TR11-10:3.7 - 4.5m 850 cps. Allanite dyke/vein						
1984658 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.82033 N	UTM 438766.334481 E	Strike Length Exp:	Metallics:	0.3013	0.0383
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		102	6.9
Sampled By: DS TR11-10:4.5 - 5.3m 700 cps. Same as 1984656						
1984659 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156578.92452 N	UTM 438766.925365 E	Strike Length Exp:	Metallics:	0.0329	0.007
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		42.7	2.45
Sampled By: DS TR11-10:5.3 - 5.9m 475 cps. Quartz-feldspar pegmatite, much of the quartz is smokey						
1984660 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156579.09817 N	UTM 438767.910173 E	Strike Length Exp:	Metallics:	0.0794	0.0065
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		41.9	0.75
Sampled By: DS TR11-10:5.9 - 6.9m 475 cps. Quartz-feldspar-biotite-amphibole schist/foliated granodiorite						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984661 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156579.27182 N	UTM 438768.894981 E	Strike Length Exp:	Metallics:	0.0987	0.0059
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		58.9	0.11
Sampled By: DS	TR11-10:6.9 - 7.9m 450 cps. Same as above, but with more mafic-rich layers					
1984662 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156579.44546 N	UTM 438769.879789 E	Strike Length Exp:	Metallics:	0.0493	0.0028
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		21.5	0.12
Sampled By: DS	TR11-10:7.9 - 8.9m 375 cps. Same as above. End of TR11-10					
1984663 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156675.66815 N	UTM 438687.853576 E	Strike Length Exp:	Metallics:	0.0359	0.0022
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		14.45	0.09
Sampled By: DS	TR11-11:0 - 1m cps. Quartz-feldspar-biotite schist. Magnetic. F=140/44					
1984664 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156676.40538 N	UTM 438688.369795 E	Strike Length Exp:	Metallics:	0.0371	0.0119
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		6.95	0.4
Sampled By: DS	TR11-11:1 - 1.9m cps. Melanocratic layer in gneiss. Biotite-hornblende-quartz, foliated similar to I984663					
1984665 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156677.14262 N	UTM 438688.886014 E	Strike Length Exp:	Metallics:	0.217	0.0416
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		55.4	0.6
Sampled By: DS	TR11-11:1.9 - 2.8m cps. Biotite-feldspar rock, slightly foliated. Looks to have been unit as I984664, but metasomatically overprinted with feldspar					
1984666 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156677.34741 N	UTM 438689.029408 E	Strike Length Exp:	Metallics:	8.057	0.0309
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		1000.1	1.03
Sampled By: DS	TR11-11:2.8 - 3.05m cps. Allanite pegmatite					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984667 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156678.16656 N	UTM 438689.602984 E	Strike Length Exp:	Metallics:	0.1105	0.0063
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		65.2	0.23
Sampled By: DS	TR11-11:3.05 - 4.05m cps. Quartz-feldspar-pyroxene-magnetite+/-allanite					
1984668 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156678.98571 N	UTM 438690.176561 E	Strike Length Exp:	Metallics:	0.0625	0.0051
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		59.6	0.26
Sampled By: DS	TR11-11:4.05 - 5.05m cps. Feldspar-smokey quartz+/-epidote pegmatite cutting quartz-feldspar-biotite schist					
1984669 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156679.35433 N	UTM 438690.434670 E	Strike Length Exp:	Metallics:	0.106	0.0083
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		59	0.3
Sampled By: DS	TR11-11:5.05 - 5.5m cps. Weakly foliated, feldspar+quartz+mafic					
1984670 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156679.60008 N	UTM 438690.606743 E	Strike Length Exp:	Metallics:	0.0445	0.0039
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		21.3	0.13
Sampled By: DS	TR11-11:5.5 - 5.8m cps. pyroxene-biotite-quartz-feldspar layer, concordant to foliation					
1984671 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156680.41923 N	UTM 438691.180319 E	Strike Length Exp:	Metallics:	0.0623	0.006
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		50.6	0.12
Sampled By: DS	TR11-11:5.8 - 6.8m cps. Similar to 1984668					
1984672 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156681.23838 N	UTM 438691.753896 E	Strike Length Exp:	Metallics:	0.0646	0.0056
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		55	0.08
Sampled By: DS	TR11-11:6.8 - 7.8m cps. Similar to unaltered foliated unit from top of trench, except mafics are hematized					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984673 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156682.22136 N	UTM 438692.442187 E	Strike Length Exp:	Metallics:	0.0454	0.0059
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		48.2	0.09
Sampled By: DS TR11-11:7.8 - 9m cps. same as I984672						
1984674 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156709.98892 N	UTM 438656.344180 E	Strike Length Exp:	Metallics:	0.0604	0.0051
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		30.9	0.27
Sampled By: DS TR11-12:0 - 1m cps. Weakly foliated quartz-feldspar rock. Foliation defined by very fine grained mafics. Overall, rock is fine to medium grained. Maybe foliated igneous, or leucosome of gneiss						
1984675 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156710.95485 N	UTM 438656.085361 E	Strike Length Exp:	Metallics:	0.3888	0.0207
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		104	1.09
Sampled By: DS TR11-12:1 - 2m cps. Similar to I984674, but more coarse grained						
1984676 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156711.92077 N	UTM 438655.826542 E	Strike Length Exp:	Metallics:	0.0983	0.0022
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		19	0.06
Sampled By: DS TR11-12:2 - 3m cps. Layer of what looks like high grade quartzite/metawacke						
1984677 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156712.88670 N	UTM 438655.567723 E	Strike Length Exp:	Metallics:	0.1751	0.005
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		48.6	0.6
Sampled By: DS TR11-12:3 - 4m cps. Similar to I984675						
1984678 MtBisson	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156483.638 N	UTM 438814 E	Strike Length Exp:	Metallics:	0.1475	0.0292
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		63.1	0.94
Sampled By: DS N/A: - m cps. 1m west of L651910, weakly foliated quartz-feldspar-mafic rock. Likely metasomatic.						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984679 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156483.638 N	UTM 438814.1 E	Strike Length Exp:	Metallics:	7.068	0.1953
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		894	1.36
Sampled By: DS N/A: - m cps. 10cm allanite dyke, resample of L651910						
1984680 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156483.638 N	UTM 438815 E	Strike Length Exp:	Metallics:	0.0109	0.0009
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		3.34	0.24
Sampled By: DS N/A: - m cps. Barren looking quartz-feldspar pegmatite directly east of L651910/I984679						
1984681 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156490 N	UTM 438815 E	Strike Length Exp:	Metallics:	0.0297	0.0057
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		26.2	0.53
Sampled By: DS N/A: - m cps. Mixed metasomite and small quartz-feldspar pegmatite						
1984682 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156495 N	UTM 438815 E	Strike Length Exp:	Metallics:	0.0612	0.0074
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		46.3	0.31
Sampled By: DS N/A: - m cps. Mixed metasomite and small quartz-feldspar pegmatite						
1984683 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156495 N	UTM 438816 E	Strike Length Exp:	Metallics:	4.1424	0.0332
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		222	1.55
Sampled By: DS N/A: - m cps. allanite vein						
1984684 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156495 N	UTM 438817 E	Strike Length Exp:	Metallics:	0.4008	0.0439
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		63.9	0.7
Sampled By: DS N/A: - m cps. Mixed metasomite and small quartz-feldspar pegmatite						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
1984685 MtBisson	UTM 6153204.966 N	UTM 440682.998820 E	Strike Length Exp:	Metallics:	0.1351	0.0157
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		7.87	0.73
Sampled By: DS	TR11-13:0 - 0.8m 225 cps. Banded quartz-feldspar-pyroxene rock with trace allanite+titanite					
1984686 MtBisson	UTM 6153204.566 N	UTM 440683.691640 E	Strike Length Exp:	Metallics:	0.1008	0.0128
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		15.15	0.59
Sampled By: DS	TR11-13:0.8 - 1.6m 214 cps. Similar to I984685, but without the prominent banding					
1984687 MtBisson	UTM 6153204.066 N	UTM 440684.557666 E	Strike Length Exp:	Metallics:	0.2211	0.0058
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		104	0.27
Sampled By: DS	TR11-13:1.6 - 2.6m 300 cps. Same as I984686					
1984688 MtBisson	UTM 6153203.516 N	UTM 440685.510293 E	Strike Length Exp:	Metallics:	0.0399	0.0013
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		44.4	0.36
Sampled By: DS	TR11-13:2.6 - 3.7m 300 cps. fine grained biotite diorite					
1984689 MtBisson	UTM 6153251.843 N	UTM 440673.47 E	Strike Length Exp:	Metallics:	0.0405	0.0048
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		23.1	0.28
Sampled By: DS	TR11-14A:0 - 0.7m 190 cps. Foliated biotite-hornblende diorite					
1984690 MtBisson	UTM 6153251.843 N	UTM 440672.77 E	Strike Length Exp:	Metallics:	0.0411	0.0048
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		27.9	0.4
Sampled By: DS	TR11-14A:0.7 - 1.4m 270 cps. Similar to I984689, grading into "rusty" alteration zone					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984691 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153251.843 N	UTM 440672.27 E	Strike Length Exp:	Metallics:	0.246	0.0073
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		149	0.47
Sampled By: DS	TR11-14A:1.4 - 1.9m 450 cps. Quartz-feldspar pegmatite with smokey quartz					
1984692 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153251.843 N	UTM 440671.47 E	Strike Length Exp:	Metallics:	0.0659	0.0097
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		20.6	0.36
Sampled By: DS	TR11-14A:1.9 - 2.7m 225 cps. quartz-feldspar-pyroxene-titanite metasomite					
1984693 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153251.843 N	UTM 440670.67 E	Strike Length Exp:	Metallics:	0.0911	0.0066
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		32.6	0.37
Sampled By: DS	TR11-14A:2.7 - 3.5m 325 cps. Similar to 1984692					
1984694 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153256 N	UTM 440677 E	Strike Length Exp:	Metallics:	0.5642	0.0117
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		283	0.42
Sampled By: DS	TR11-14B:0 - 1m 625 cps. Feldspar-smokey quartz pegmatite with fine grained titanite+allanite? Ref sample taken.					
1984695 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153256 N	UTM 440676 E	Strike Length Exp:	Metallics:	0.1548	0.0085
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		61.6	0.35
Sampled By: DS	TR11-14B:1 - 2m 325 cps. Rusty alteration zone with samll zone of pegmatitic smokey quartz + allanite?					
1984696 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153256 N	UTM 440675 E	Strike Length Exp:	Metallics:	0.0393	0.0052
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		25.5	0.34
Sampled By: DS	TR11-14B:2 - 3m 220 cps. Zone of feldspathic alteration in foliated host rock					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984697 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153256 N	UTM 440674 E	Strike Length Exp:	Metallics:	0.0377	0.0043
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		18.65	0.25
Sampled By: DS TR11-14B:3 - 4m 180 cps. Same as I984696						
1984698 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153221.78763 N	UTM 440662.318553 E	Strike Length Exp:	Metallics:	0.1347	0.241
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		12.05	2.62
Sampled By: DS TR11-15:0 - 0.7m 200 cps. Very rusty feldspar, some parts with fine grained mafic (mostly biotite)						
1984699 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153221.39371 N	UTM 440662.388012 E	Strike Length Exp:	Metallics:	0.1483	0.069
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		4.91	2.54
Sampled By: DS TR11-15:0.7 - 1.1m 240 cps. Feldspar-pyroxene?-biotite-titanite-allanite. Medium to coarse grained.						
1984700 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153220.31042 N	UTM 440662.579025 E	Strike Length Exp:	Metallics:	0.3017	0.0385
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		5.43	2.05
Sampled By: DS TR11-15:1.1 - 2.2m 190 cps. Similar to I984699, but overall richer in mafics. Feldspar is rusty orange.						
1984701 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153219.71953 N	UTM 440662.683214 E	Strike Length Exp:	Metallics:	0.1126	0.0217
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		2.8	1.07
Sampled By: DS TR11-15:2.2 - 2.8m 135 cps. Feldspathic version of the same units as earlier in the trench						
1984702 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153218.83321 N	UTM 440662.839498 E	Strike Length Exp:	Metallics:	0.1487	0.08
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		2.56	1.27
Sampled By: DS TR11-15:2.8 - 3.7m 150 cps. Same as I984701						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
1984703 MtBisson	UTM 6153217.94688 N	UTM 440662.995781 E	Strike Length Exp:	Metallics:	0.2434	0.079
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		3.36	1.25
Sampled By: DS	TR11-15:3.7 - 4.6m 220 cps. Slightly banded metasomite, rusty feldspar, biotite, pyroxene + fine grained allanite? In trace amounts. Ref sample taken.					
1984704 MtBisson	UTM 6153217.15903 N	UTM 440663.134700 E	Strike Length Exp:	Metallics:	0.2373	0.0144
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		4.03	0.91
Sampled By: DS	TR11-15:4.6 - 5.4m 175 cps. Back into feldspathic alteration zone					
1984705 MtBisson	UTM 6153214.969 N	UTM 440621.89 E	Strike Length Exp:	Metallics:	0.2636	0.0181
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		22.5	0.65
Sampled By: DS	TR11-16:0 - 1m 325 cps. Biotite-foliated medium grained feldspathic rock with green pyroxene? And minor titanite+allanite					
1984706 MtBisson	UTM 6153213.969 N	UTM 440621.89 E	Strike Length Exp:	Metallics:	0.4491	0.0425
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		42.7	1.6
Sampled By: DS	TR11-16:1 - 2m 250 cps. Same as I984705					
1984707 MtBisson	UTM 6153212.969 N	UTM 440621.89 E	Strike Length Exp:	Metallics:	0.3153	0.0215
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		10.35	1.09
Sampled By: DS	TR11-16:2 - 3m 225 cps. Same as I984705					
1984708 MtBisson	UTM 6153211.969 N	UTM 440621.89 E	Strike Length Exp:	Metallics:	0.2202	0.013
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		49.8	0.51
Sampled By: DS	TR11-16:3 - 4m 375 cps. Same as I984705					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1984709 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153158.54790 N	UTM 440769.385046 E	Strike Length Exp:	Metallics:	0.2523	0.0114
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		19.85	0.98
Sampled By: DS TR11-17:0 - 0.8m 200 cps. Amphibole-magnetite bearing quartzite.						
1984710 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153158.20981 N	UTM 440770.110092 E	Strike Length Exp:	Metallics:	0.1462	0.0023
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		21.3	0.56
Sampled By: DS TR11-17:0.8 - 1.6m 180 cps. Mostly unfoliated quartz-feldspar-biotite rock, in contact with pegmatite						
1984711 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153157.91397 N	UTM 440770.744507 E	Strike Length Exp:	Metallics:	0.0035	0.0009
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		0.28	0.51
Sampled By: DS TR11-17:1.6 - 2.3m 114 cps. leucocratic quartz-feldspar pegmatite						
1984712 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153157.61814 N	UTM 440771.378923 E	Strike Length Exp:	Metallics:	0.0069	0.0059
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		0.78	0.63
Sampled By: DS TR11-17:2.3 - 3m 130 cps. Same as 1984711						
1984713 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153157.15326 N	UTM 440772.375861 E	Strike Length Exp:	Metallics:	0.4599	0.3576
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		57.1	0.83
Sampled By: DS TR11-17:3 - 4.1m 350 cps. same unit as sampled in E004367. Transition in trench into more mafic zones						
1984714 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153156.81517 N	UTM 440773.100908 E	Strike Length Exp:	Metallics:	0.0841	0.0064
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		4.69	0.83
Sampled By: DS TR11-17:4.1 - 4.9m 170 cps. Unfoliated feldspar-quartz-chloritized amphibole rock. Perhaps metasomatic, or simply a "dirty" quartzite						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

	Grid North:	Grid East:	Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
1984715 MtBisson	UTM 6153156.47707 N	UTM 440773.825954 E	Strike Length Exp:	Metallics:	0.1704	0.0162
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		9.92	0.7
Sampled By: DS	TR11-17:4.9 - 5.7m 150 cps. Amphibole-rich version of 1984714 in contact with small white pegmatite dyke					
1986901 MtBisson	UTM 6156388.742 N	UTM 438817.97 E	Strike Length Exp:	Metallics:	0.0184	0.0031
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		11.55	0.09
Sampled By: DS	TR11-01:0 - 0.5m cps. Foliated biotite-amphibole-plagioclase-quartz tonalite? Cut by minor leucocratic quartz-feldspar pegmatite. Start of TR11-01					
1986902 MtBisson	UTM 6156388.742 N	UTM 438818.47 E	Strike Length Exp:	Metallics:	0.161	0.0149
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		77.3	0.52
Sampled By: DS	TR11-01:0.5 - 1m cps. quartz-biotite schist					
1986903 MtBisson	UTM 6156388.742 N	UTM 438819.47 E	Strike Length Exp:	Metallics:	0.0977	0.0048
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : gneiss		52.7	0.47
Sampled By: DS	TR11-01:1 - 2m cps. Foliated biotite-quartz-feldspar schist, cut by small leucocratic unfoliated granite					
1986904 MtBisson	UTM 6156388.742 N	UTM 438820.47 E	Strike Length Exp:	Metallics:	0.0569	0.003
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : fenite		15.25	0.03
Sampled By: DS	TR11-01:2 - 3m cps. 70% mafics (biotite+amphibole+pyroxene?), 30% quartz+/-feldspar. Accessory epidote					
1986905 MtBisson	UTM 6156388.742 N	UTM 438821.67 E	Strike Length Exp:	Metallics:	0.0989	0.003
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
			Host : mafic dyke		21.1	0.1
Sampled By: DS	TR11-01:3 - 4.2m cps. Unfoliated pyroxene-feldspar rock. Mafic dyke? Accessory epidote, some feldspar stained yellow-green (sericitized?)					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986906 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438823.17 E	Strike Length Exp:	Metallics:	0.0812	0.0038
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : mafic dyke		26.8	0.04
Sampled By: DS TR11-01:4.2 - 5.7m cps. Same as I986905						
1986907 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438824.17 E	Strike Length Exp:	Metallics:	0.066	0.0025
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		58.9	0.36
Sampled By: DS TR11-01:5.7 - 6.7m cps. lightly foliated biotite tonalite						
1986908 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438825.17 E	Strike Length Exp:	Metallics:	0.0596	0.0029
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		54.2	0.33
Sampled By: DS TR11-01:6.7 - 7.7m cps. same foliated tonalite as I986907, vut by 10cm-wide quartz-feldspar pegmatite @6.8m						
1986909 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438826.17 E	Strike Length Exp:	Metallics:	0.0714	0.0019
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		66.9	0.41
Sampled By: DS TR11-01:7.7 - 8.7m cps. weakly foliated fine to medium grained granodiorite						
1986910 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438827.17 E	Strike Length Exp:	Metallics:	0.0652	0.0019
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		53.8	0.37
Sampled By: DS TR11-01:8.7 - 9.7m cps. Same as I986909						
1986911 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438828.17 E	Strike Length Exp:	Metallics:	0.076	0.0017
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		80.6	0.44
Sampled By: DS TR11-01:9.7 - 10.7m cps. Same as I986909						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986912 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438829.17 E	Strike Length Exp:	Metallics:	0.0822	0.0025
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		58.5	0.46
Sampled By: DS TR11-01:10.7 - 11.7m cps. Same as I986909						
1986913 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438830.57 E	Strike Length Exp:	Metallics:	0.0995	0.0105
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		60.7	0.14
Sampled By: DS TR11-01:11.7 - 13.1m cps. Same as I986909						
1986914 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438831.57 E	Strike Length Exp:	Metallics:	0.0449	0.0049
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		33.7	0.33
Sampled By: DS TR11-01:13.1 - 14.1m cps. Quartz-feldspar-biotite pegmatite						
1986915 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156388.742 N	UTM 438832.57 E	Strike Length Exp:	Metallics:	0.0363	0.0015
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		37.7	0.26
Sampled By: DS TR11-01:14.1 - 15.1m cps. Same as I986914. End of TR11-01						
1986916 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156354.953 N	UTM 438852.531025 E	Strike Length Exp:	Metallics:	0.1178	0.0197
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		36.5	1.14
Sampled By: DS TR11-02:0 - 1m cps. Foliated biotite tonalite. Start of TR11-02						
1986917 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156354.453 N	UTM 438853.397050 E	Strike Length Exp:	Metallics:	0.0656	0.0062
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		23.6	0.13
Sampled By: DS TR11-02:1 - 2m cps. Very weakly foliated, biotite-quartz-plagioclase rock. Loosely termed tonalite. Small pegmatite dyke included in sample						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986918 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156353.953 N	UTM 438854.263076 E	Strike Length Exp:	Metallics:	0.027	0.0048
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		10.25	0.2
Sampled By: DS TR11-02:2 - 3m cps. Medium grained hornblende granite/granodiorite. Also contains some unknown mafic gone to chlorite.						
1986919 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156353.453 N	UTM 438855.129101 E	Strike Length Exp:	Metallics:	0.0027	0.0012
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		1.59	0.1
Sampled By: DS TR11-02:3 - 4m cps. Quartz-feldspar pegmatite						
1986920 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156352.953 N	UTM 438855.995127 E	Strike Length Exp:	Metallics:	0.0235	0.0028
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		10.05	0.13
Sampled By: DS TR11-02:4 - 5m cps. Pegmatite contact with fine grained foliated granodiorite						
1986921 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156352.453 N	UTM 438856.861152 E	Strike Length Exp:	Metallics:	0.0703	0.0117
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		44.2	0.19
Sampled By: DS TR11-02:5 - 6m cps. Foliated granodiorite						
1986922 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156351.853 N	UTM 438857.900382 E	Strike Length Exp:	Metallics:	0.0606	0.006
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		33.8	0.43
Sampled By: DS TR11-02:6 - 7.2m cps. same as I986921. May be a fine-grained version of the pegmatite						
1986923 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156351.553 N	UTM 438858.419998 E	Strike Length Exp:	Metallics:	1.6217	0.0891
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vien		167.5	3.3
Sampled By: DS TR11-02:7.2 - 7.8m cps. Allanite vein						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986924 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156351.053 N	UTM 438859.286023 E	Strike Length Exp:	Metallics:	0.1575	0.0121
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : fenite		29.9	2.29
Sampled By: DS TR11-02:7.8 - 8.8m cps. Similar to other side of allanite vein. Quartz+feldspar+mafic (maybe allanite?)						
1986925 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156350.553 N	UTM 438860.152048 E	Strike Length Exp:	Metallics:	0.0304	0.0033
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		20.1	0.19
Sampled By: DS TR11-02:8.8 - 9.8m cps. Foliated tonalite						
1986926 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156350.053 N	UTM 438861.018074 E	Strike Length Exp:	Metallics:	0.0227	0.0019
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		32	0.39
Sampled By: DS TR11-02:9.8 - 10.8m cps. Quartz-feldspar pegmatite						
1986927 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156349.553 N	UTM 438861.884099 E	Strike Length Exp:	Metallics:	0.0381	0.0029
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		15.45	0.11
Sampled By: DS TR11-02:10.8 - 11.8m cps. weakly foliated tonalite						
1986928 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156349.053 N	UTM 438862.750125 E	Strike Length Exp:	Metallics:	0.0319	0.0032
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		12.9	0.12
Sampled By: DS TR11-02:11.8 - 12.8m cps. Same as I986927						
1986929 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156348.553 N	UTM 438863.616150 E	Strike Length Exp:	Metallics:	0.0393	0.0048
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		34.5	0.12
Sampled By: DS TR11-02:12.8 - 13.8m cps. Same tonalite, but with less mafics, and unfoliated. Fine to medium grained						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986930 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156348.053 N	UTM 438864.482175 E	Strike Length Exp:	Metallics:	0.0386	0.0041
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		38.9	0.07
Sampled By:	DS TR11-02:13.8 - 14.8m cps. Same unit as before, but now in contact with the mafic, foliated domain					
1986931 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156347.553 N	UTM 438865.348201 E	Strike Length Exp:	Metallics:	0.0061	0.0018
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : leucocratic pegmatite		2.76	0.3
Sampled By:	DS TR11-02:14.8 - 15.8m cps. Quartz-feldspar pegmatite					
1986932 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156347.053 N	UTM 438866.214226 E	Strike Length Exp:	Metallics:	0.0174	0.0033
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		11.05	0.15
Sampled By:	DS TR11-02:15.8 - 16.8m cps. 50cm pegmatite, 50cm tonalite. End of TR11-02					
1986933 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156334.49742 N	UTM 438858.938152 E	Strike Length Exp:	Metallics:	0.0362	0.0054
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		19.75	0.58
Sampled By:	DS TR11-03:0 - 1m 250 cps. Foliated magnetite-biotite tonalite, ~10% mafics, fine grained. Could be a leucosome of the gneiss. Start of TR11-03					
1986934 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156333.92384 N	UTM 438859.757304 E	Strike Length Exp:	Metallics:	0.0403	0.0072
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		21.2	0.34
Sampled By:	DS TR11-03:1 - 2m 400 cps. Similar to previous, but there are more mafic zones (melanosomes), up to 40% biotite+magnetite. Reference sample taken					
1986935 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156333.69441 N	UTM 438860.084964 E	Strike Length Exp:	Metallics:	6.6056	0.2604
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : allanite vein		733	0.79
Sampled By:	DS TR11-03:2 - 2.4m 2600 cps. Allanite-feldspar vein. Ref sample taken.					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986936 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156333.12084 N	UTM 438860.904116 E	Strike Length Exp:	Metallics:	0.2298	0.0132
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		61.9	0.82
Sampled By: DS	TR11-03:2.4 - 3.4m 500 cps. Magnetite-rich foliated biotite-tonalite/paragneiss. F=195/25					
1986937 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156332.54726 N	UTM 438861.723268 E	Strike Length Exp:	Metallics:	0.032	0.0031
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		11.05	0.19
Sampled By: DS	TR11-03:3.4 - 4.4m 250 cps. Same as 1986939, but becomes slightly more biotite-rich near east end					
1986938 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156331.97368 N	UTM 438862.542421 E	Strike Length Exp:	Metallics:	0.0327	0.0025
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		12.15	0.04
Sampled By: DS	TR11-03:4.4 - 5.4m 275 cps. Primarily quartz-biotite-amphibole (non-magnetic) melanosome of gneiss. Ref sample taken					
1986939 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156331.40011 N	UTM 438863.361573 E	Strike Length Exp:	Metallics:	0.0283	0.0031
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		21.4	0.24
Sampled By: DS	TR11-03:5.4 - 6.4m 300 cps. Half melanosome, transitioning into leucosome of gneiss. End of TR11-03					
1986940 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.71099 N	UTM 438829.606336 E	Strike Length Exp:	Metallics:	0.0249	0.0017
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		10.8	0.12
Sampled By: DS	TR11-04:0 - 0.7m 175 cps. Quartz-feldspar-biotite-magnetite gneiss. Mineral alignment looks weak, almost unfoliated. Ref samle taken. Start of TR11-04					
1986941 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.64998 N	UTM 438830.303672 E	Strike Length Exp:	Metallics:	0.1023	0.0147
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		17.55	0.52
Sampled By: DS	TR11-04:0.7 - 1.4m 250 cps. Same as 1986941					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986942 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.57154 N	UTM 438831.200247 E	Strike Length Exp:	Metallics:	0.949	0.1566
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : pegmatite		157.5	1.46
Sampled By: DS	TR11-04:1.4 - 2.3m 250 cps. Coarse-grained granitic dyke. 75% feldspar, minor quartz, megnetite, pyroxene, amphibole, orange titanite +/- allanite? (in small veinlets). Ref sample taken					
1986943 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.48438 N	UTM 438832.196442 E	Strike Length Exp:	Metallics:	0.0241	0.0041
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		16.35	0.15
Sampled By: DS	TR11-04:2.3 - 3.3m 350 cps. Slightly coarser grained, more melanocratic version of the gneiss from the start of the trench. Sample contains a small quartz-feldspar pegmatite dyke					
1986944 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.39723 N	UTM 438833.192637 E	Strike Length Exp:	Metallics:	0.0723	0.0023
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		45.8	0.41
Sampled By: DS	TR11-04:3.3 - 4.3m 400 cps. Essentially unfoliated rock with same grain size and apparent mineralogy as start of trench					
1986945 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.31007 N	UTM 438834.188831 E	Strike Length Exp:	Metallics:	0.078	0.0022
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		48.7	0.44
Sampled By: DS	TR11-04:4.3 - 5.3m 375 cps. same as previous					
1986946 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156295.22291 N	UTM 438835.185026 E	Strike Length Exp:	Metallics:	0.0719	0.002
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		54.6	0.42
Sampled By: DS	TR11-04:5.3 - 6.3m 375 cps. Same as 1986944. End of TR11-04					
1986947 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156247.05538 N	UTM 438858.924307 E	Strike Length Exp:	Metallics:	0.0419	0.0033
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		29.8	0.03
Sampled By: DS	TR11-05:0 - 1m 350 cps. Quartz-biotite-feldspar +/- hornblende? Schist. Magnetic in spots. Weak foliation defined by alignment of biotite. Mafics appear chloritized.					

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

1986948 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156246.63276 N	UTM 438859.830615 E	Strike Length Exp:	Metallics:	0.0299	0.0029
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		13.1	0.08
Sampled By: DS TR11-05:1 - 2m 250 cps. Same as I986947						
1986949 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156246.21014 N	UTM 438860.736923 E	Strike Length Exp:	Metallics:	0.0348	0.0033
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		20.8	0.09
Sampled By: DS TR11-05:2 - 3m 250 cps. Same as I986947. Ref sample taken						
1986950 MtBisson	Grid North:	Grid East:	Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245.78752 N	UTM 438861.643231 E	Strike Length Exp:	Metallics:	0.0247	0.0027
	Elevation:	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : gneiss		18.1	0.12
Sampled By: DS TR11-05:3 - 4m 250 cps. Relatively mafic (50% biotite + other mafics) zone of same schistose/gneissic unit as above						
L651651 MtBisson	Grid North:	Grid East:	Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158686 N	UTM 437836 E	Strike Length Exp:	Metallics:	0.0276	0.0027
	Elevation: 1406 m	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : Granite		10.1	0.05
Sampled By: DJM 16-Sep-11						
L651652 MtBisson	Grid North:	Grid East:	Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158706 N	UTM 437907 E	Strike Length Exp:	Metallics:	0.0391	0.0035
	Elevation: 1419 m	Sample Width:	True Width:	Secondaries:	Th (ppm)	BaO %
			Host : Granite		16.25	0.1
Sampled By: DJM 16-Sep-11						
L651653 MtBisson	Grid North:	Grid East:	Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158456 N	UTM 438064 E	Strike Length Exp:	Metallics:	0.0199	0.0016
	Elevation: 1498 m	Sample Width: 10 cm	True Width:	Secondaries:	Th (ppm)	BaO %
			Host :		19.55	0.12
Sampled By: DJM 330 cps 16-Sep-11						

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651654 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158265	N	UTM 438129	E	Strike Length Exp:	Metallics:	0.0167	0.0015
	Elevation: 1452	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			21.5	0.1
Sampled By: DJM 250 cps 16-Sep-11								
L651655 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6157598	N	UTM 438395	E	Strike Length Exp:	Metallics:	0.052	0.0018
	Elevation: 1420	m	Sample Width: 10	cm	True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			15.9	0.09
Sampled By: DJM 16-Sep-11								
L651656 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6157418	N	UTM 438389	E	Strike Length Exp:	Metallics:	0.0194	0.002
	Elevation: 1445	m	Sample Width: 5	cm	True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			6.95	0.07
Sampled By: DJM 16-Sep-11								
L651657 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156961	N	UTM 438434	E	Strike Length Exp:	Metallics:	0.053	0.0118
	Elevation: 1486	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			492	0.14
Sampled By: DJM 1200 cps when read on ground 16-Sep-11								
L651658 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152716	N	UTM 439046	E	Strike Length Exp:	Metallics:	0.0359	0.0085
	Elevation: 1383	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			9.9	0.14
Sampled By: DJM 17-Sep-11								
L651659 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152731	N	UTM 438994	E	Strike Length Exp:	Metallics:	0.0078	0.0036
	Elevation: 1368	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			10.1	0.26
Sampled By: DJM 17-Sep-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651660 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6152441	N	UTM 438840	E	Strike Length Exp:	Metallics:	0.0185	0.002
	Elevation: 1256	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		43.9	0.03
Sampled By: DJM 17-Sep-11								
L651661 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6153315	N	UTM 440620	E	Strike Length Exp:	Metallics:	0.0328	0.0028
	Elevation: 1587	m	Sample Width: 5	cm	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		19.05	0.33
Sampled By: DJM 18-Sep-11								
L651662 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6153192	N	UTM 440430	E	Strike Length Exp:	Metallics:	0.0715	0.0035
	Elevation: 1506	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		109.5	0.3
Sampled By: DJM 18-Sep-11								
L651751 MtBisson	Grid North:		Grid East:		Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6150240	N	UTM 439098	E	Strike Length Exp:	Metallics:	0.0131	0.0019
	Elevation: 1124	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		9.73	0.33
Sampled By: DS 08-Jun-11								
L651752 MtBisson	Grid North:		Grid East:		Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6150438	N	UTM 438774	E	Strike Length Exp:	Metallics:	0.0218	0.0009
	Elevation: 1109	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		14.85	0.04
Sampled By: DS 08-Jun-11								
L651753 MtBisson	Grid North:		Grid East:		Type:	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6150514	N	UTM 438488	E	Strike Length Exp:	Metallics:	0.0713	0.0016
	Elevation: 1124	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		59.6	0.13
Sampled By: DS 08-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651754 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6150664	N	UTM 439050	E	Strike Length Exp:	Metallics:	0.0114	0.0004
	Elevation: 1194	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			4.77	0.08
Sampled By: DS 08-Jun-11								
L651755 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6152943	N	UTM 439536	E	Strike Length Exp:	Metallics:	0.0094	0.0003
	Elevation: 1501	m	Sample Width:		True Width:	Secondaries: Ti?	Th (ppm)	BaO %
				Host : quartz-feldspar pegmatite			6.46	0.04
Sampled By: DS 09-Jun-11 possible minor titanite in feldspar pegmatite. feldspar has orange tint								
L651756 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: 5% alomite	TREO+Y %	Nb2O3 %
	UTM 6153355	N	UTM 440342	E	Strike Length Exp:	Metallics:	0.0159	0.0006
	Elevation: 1593	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			8.84	0.57
Sampled By: DS 09-Jun-11 orange-red pegmatite with 5mm-1cm crystals of black alomite? mostly feldspar								
L651801 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: BI	TREO+Y %	Nb2O3 %
	UTM 6150655	N	UTM 439060	E	Strike Length Exp:	Metallics:	0.0033	0.0017
	Elevation: 1188	m	Sample Width: 10	cm	True Width: 10	Secondaries: weak JA	Th (ppm)	BaO %
				Host : pegmatite			4.75	0.17
Sampled By: JMC 08-Jun-11 mostly made up of larger white coloured crystals (plagioclase?). some crystals are medium grey coloured. weak gossan								
L651802 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6150812	N	UTM 439113	E	Strike Length Exp:	Metallics: CP?, 2 PO	0.0192	0.004
	Elevation: 1223	m	Sample Width: 5	cm	True Width: 5	Secondaries: mod GE, mod JA	Th (ppm)	BaO %
				Host : schist			5.71	0.02
Sampled By: JMC 08-Jun-11 thin, light green coloured zone with PO and maybe CP?. contacted by dark schist								
L651803 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: CL?	TREO+Y %	Nb2O3 %
	UTM 6152910	N	UTM 439391	E	Strike Length Exp:	Metallics: Ti?	0.0023	0.0001
	Elevation: 1481	m	Sample Width: 5	cm	True Width: 5	Secondaries:	Th (ppm)	BaO %
				Host : quartz feldspar pegmatite			1.34	0.03
Sampled By: JMC 09-Jun-11 possible titanite, more likely chlorite. Very dark green mineral								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651804 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: mod CL, mod PX	TREO+Y %	Nb2O3 %
	UTM 6152938	N	UTM 439546	E	Strike Length Exp:	Metallics: trace CP, PY	0.0324	0.0025
	Elevation: 1508	m	Sample Width: 5	cm	True Width: 50	cm	Secondaries: GE, JA, weak MC	Th (ppm)
					Host : skarn?		16.55	0.02
Sampled By: JMC skarn looking rock with trace copper and pyroxene, actinolite, chlorite alteration. Medium grained and light coloured 09-Jun-11								
L651805 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: strong CB, mod QZ	TREO+Y %	Nb2O3 %
	UTM 6159886	N	UTM 438308	E	Strike Length Exp:	Metallics: trace CP, trace PY	0.0078	0.0006
	Elevation: 1125	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries: strong GE	Th (ppm)
					Host :		0.37	0.03
Sampled By: JMC light green coloured, medium to fine grained rock. Outside of rock is brown and strongly carbonate altered. trace chalco which i think are in quartz carbonate stringer veins 11-Jun-11								
L651806 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod PX	TREO+Y %	Nb2O3 %
	UTM 6160194	N	UTM 437848	E	Strike Length Exp: 1 m	Metallics: 5 MG	0.0241	0.003
	Elevation: 1139	m	Sample Width: 10	cm	True Width: 50	cm	Secondaries: strong GE, strong JA	Th (ppm)
					Host : metamorphosed intrusion? (schist?)		3.04	0.01
Sampled By: JMC very gossanous and weathered out. Grano-diorite looking texture (maybe?). pyroxene/amphibole crystals. lots of magnetite 11-Jun-11								
L651807 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160005	N	UTM 437853	E	Strike Length Exp:	Metallics: trace CP?, 5 PO, 5 PY	0.0484	0.0026
	Elevation: 1095	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries: strong Ge, strong JA	Th (ppm)
					Host :		22.7	0.06
Sampled By: JMC foliated intrusive, medium to fine grained, 20-30% biotite (mafic minerals), 70% felsic. has a layer that is quartz rich and seems to carry all the mineralization. Strong gossan! 11-Jun-11								
L651808 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: weak CB, CL?, PX?	TREO+Y %	Nb2O3 %
	UTM 6159642	N	UTM 438549	E	Strike Length Exp:	Metallics:	0.0118	0.001
	Elevation: 1146	m	Sample Width: 10	cm	True Width: 30	cm	Secondaries:	Th (ppm)
					Host : quartz feldspar pegmatite		18.75	0.07
Sampled By: JMC rusty pegmatite with biotite and/or alanite 11-Jun-11								
L651809 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6159148	N	UTM 436473	E	Strike Length Exp: 5 m	Metallics:	0.0174	0.0014
	Elevation: 1080	m	Sample Width: 20	cm	True Width: 50	cm	Secondaries:	Th (ppm)
					Host : pegmatite		5.22	0.2
Sampled By: JMC pegmatite dyke with allanite (?). sample taken from what looks like the will #1 occurrence 11-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651810 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6159163	N	UTM 436465	E	Strike Length Exp: 3 m	Metallics:	0.0101	0.0018
	Elevation: 1074	m	Sample Width: 10	cm	True Width: 1 m	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pegmatite		2.27	0.12
Sampled By: JMC similar sample to L651809 11-Jun-11								
L651811 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: EP?	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6159512	N	UTM 438566	E	Strike Length Exp:	Metallics: 1 Allanite	0.0042	0.0018
	Elevation: 1169	m	Sample Width: 10	cm	True Width: 10 cm	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : quartz feldspar pegmatite		0.82	0.09
Sampled By: JMC medium grey quartz, white feldspar. Large crystals. Blackish mineral (slight green tinge), strong stepped cleavage. Could be allanite 12-Jun-11								
L651812 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6158898	N	UTM 438242	E	Strike Length Exp:	Metallics:	0.0065	0.0004
	Elevation:		Sample Width: 10	cm	True Width: 20 cm	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pegmatite		3.55	0.05
Sampled By: JMC usual pegmatite but with reddish opaque crystals. I don't think that they are garnets. 12-Jun-11								
L651813 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod EP	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6158799	N	UTM 438119	E	Strike Length Exp: 2 m	Metallics:	0.0216	0.0016
	Elevation: 1349	m	Sample Width: 20	cm	True Width: 40 cm	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : intrusive (foliated?)		15.3	0.01
Sampled By: JMC host rock is medium grained intrusive with maybe 30-50 mafic (amphibole?) and 50-70 felsic. sampled material has lots of garnet and epidote. Dark minerals replaced by medium green coloured crystals. 12-Jun-11								
L651814 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: weak BI, weak CL	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6158873	N	UTM 437536	E	Strike Length Exp: 2 m	Metallics:	0.0018	0.0003
	Elevation: 1376	m	Sample Width: 20	cm	True Width: 1 m	Secondaries: weak GE, weak JA	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pegmatite quartz feldspar		3.3	0.66
Sampled By: JMC pegmatite dyke in outcrop. medium grey coloured quartz and white (feldspar?). unidentified silvery blue looking mineral. 12-Jun-11								
L651815 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6158608	N	UTM 437434	E	Strike Length Exp:	Metallics:	0.0394	0.0108
	Elevation: 1317	m	Sample Width: 10	cm	True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pyroxene-amphibole syenite pegmatite		6.95	0.32
Sampled By: DS 60% megacrystic feldspar, 20% pyroxene, 20% amphibole? based on cleavages 13-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651816 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158867	N	UTM 437495	E	Strike Length Exp:	Metallics:	0.0146	0.0026
	Elevation: 1376	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries:	Th (ppm)
					Host : metaultramafic? 80% pyroxene, 20% feldspar		6.55	0.14
Sampled By: DS	appears similar to some of the rocks sampled in Will NE cut-block							
13-Jun-11								
L651818 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6158808	N	UTM 437437	E	Strike Length Exp: .3 m	Metallics: 1 MG	0.0023	0.0009
	Elevation: 1390	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries:	Th (ppm)
					Host : quartz feldspar pegmatite		26.4	0.32
Sampled By: JMC	small 5-10cm wide dyke of pegmatite with magnetite							
13-Jun-11								
L651819 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156525	N	UTM 438735	E	Strike Length Exp: 2 m	Metallics: Allantite?	0.0182	0.0026
	Elevation: 1588	m	Sample Width: 10	cm	True Width: 15	cm	Secondaries:	Th (ppm)
					Host : pegmatite		4.19	0.51
Sampled By: JMC	small pegmatite dyke that follows foliation of country rock. 10-15cm at the widest part, pinches to 1-2cm. sample taken near older orange flagging. have not found central occurrence yet!							
14-Jun-11								
L651820 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156580	N	UTM 438769	E	Strike Length Exp: 3 m	Metallics: 50 Allantite?, 20 Titanite?	7.729	0.0085
	Elevation: 1581	m	Sample Width: 15	cm	True Width: 20	cm	Secondaries:	Th (ppm)
					Host : pegmatite		297	0.56
Sampled By: JMC	looks like what could be massive Allantite/Titanite?							
14-Jun-11								
L651821 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod BI, mod EP, mod QZ,	TREO+Y %	Nb2O3 %
	UTM 6156566	N	UTM 438808	E	Strike Length Exp: .2 m	Metallics: trace MG	0.0492	0.0046
	Elevation: 1574	m	Sample Width: 10	cm	True Width: 20	cm	Secondaries:	Th (ppm)
					Host :		10.5	0.07
Sampled By: JMC	thin layer of biotite, pyroxene, epidote, quartz and magnetite. (possible skarn?). near pegmatite formation							
14-Jun-11								
L651822 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod EP, QZ	TREO+Y %	Nb2O3 %
	UTM 6156354	N	UTM 438859	E	Strike Length Exp: 5 m	Metallics: 50 Allantite, 20 Titanite?	10.2878	0.0546
	Elevation: 1548	m	Sample Width: 15	cm	True Width: 30	cm	Secondaries:	Th (ppm)
					Host : pegmatite		1000.1	0.39
Sampled By: JMC	massive allantite in layer that pinches and swells within matamorphic layers. widest part 30cm, smallest section probably 5cm.							
15-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01

2011

NTS: 93O/051

L651823 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod EP, mod QZ	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156246	N	UTM 438872	E	Strike Length Exp: 5 m	Metallics: 50 allanite, 10 titanite?	10.0502	0.0172
	Elevation: 1518	m	Sample Width: 20	cm	True Width: 30	cm	Secondaries: mod GE, weak JA, weak	<u>Th (ppm)</u>
					Host : pegmatite		1000.1	0.04
Sampled By: JMC	massive allanite showing SW of central occurrence. 30-40cm wide (massive) over about 2-3m. Also found trace copper (weak malachite)							
17-Jun-11								
L651824 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: strong QZ	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156718	N	UTM 438652	E	Strike Length Exp: .5 m	Metallics: 15 MG, trace allanite?	1.5066	0.0308
	Elevation: 1542	m	Sample Width: 10	cm	True Width: 30	cm	Secondaries: mod GE, mod JA	<u>Th (ppm)</u>
					Host : pegmatite? (gneiss maybe?)		568	0.85
Sampled By: JMC	light coloured (mostly quartz), medium grained rock. lots of magnetite and maybe allanite in concentrated layers/blobs							
17-Jun-11								
L651825 MtBisson	Grid North:		Grid East:		Type: Float	Alteration: mod EP	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6156710	N	UTM 438634	E	Strike Length Exp:	Metallics: 20 allanite	3.4692	0.0624
	Elevation: 1537	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries: mod GE	<u>Th (ppm)</u>
					Host :		259	0.3
Sampled By: JMC	thin zone (2-5cm) massive allanite in a medium to fine grained, light coloured intrusive rock. might be subcrop where sample is taken, not far from source							
17-Jun-11								
L651826 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod CL, strong QZ	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6152949	N	UTM 441076	E	Strike Length Exp:	Metallics: trace PY	0.0947	0.0016
	Elevation: 1655	m	Sample Width: 15	cm	True Width:	Secondarys: weak GE	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : pegmatite		46.1	0.12
Sampled By: JMC	medium grained, Quartz (feldspar?) pegmatite. I think its mostly quartz. Interest light green colouration on what I think is the feldspar							
18-Jun-11								
L651827 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod CL	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6153216	N	UTM 440623	E	Strike Length Exp: 1 m	Metallics: 2 Allanite, 2 Titanite	1.1758	0.0697
	Elevation: 1624	m	Sample Width: 20	cm	True Width: 20	cm	Secondarys:	<u>Th (ppm)</u>
					Host : gneiss?		78.4	0.89
Sampled By: JMC	gneiss looking rock, medium grained. Lots of pyroxene with chlorite alteration. Dark mineral that could be allanite and yellowy orange resinous mineral that could be titanite							
18-Jun-11								
L651828 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6155600	N	UTM 436687	E	Strike Length Exp: 5 m	Metallics: 2 PO, 2 PY	0.0416	0.0026
	Elevation: 1478	m	Sample Width: 20	cm	True Width: 40	cm	Secondarys: strong GE. strong JA	<u>Th (ppm)</u>
					Host : gneiss?		18.05	0.07
Sampled By: JMC	strong gossan on layer following foliation							
19-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651829 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod CL, weak EP	TREO+Y %	Nb2O3 %
	UTM 6155600	N	UTM 436730	E	Strike Length Exp: 3 m	Metallics:	0.0068	0.0008
	Elevation: 1467	m	Sample Width: 10	cm	True Width: 30	cm	Secondaries: mod GE, mod JA	Th (ppm)
					Host: gneiss?		1.61	0.02
Sampled By: JMC massive pyroxene with gossan 19-Jun-11								
L651830 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: weak BI, mod EP, mod QZ	TREO+Y %	Nb2O3 %
	UTM 6156963	N	UTM 441369	E	Strike Length Exp: 3 m	Metallics:	0.0926	0.0071
	Elevation: 1753	m	Sample Width: 10	cm	True Width:		Secondaries:	Th (ppm)
					Host: pegmatite?		33.7	0.03
Sampled By: JMC 30-40% pyroxene with quartz and some epidote. not sure about whether its hosted in pegmatite or not. 20-Jun-11								
L651831 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: BI, EP, QZ	TREO+Y %	Nb2O3 %
	UTM 6156697	N	UTM 441360	E	Strike Length Exp: 5 m	Metallics:	0.0204	0.0028
	Elevation: 1688	m	Sample Width: 5	cm	True Width: 50	cm	Secondaries: mod GE, mod JA	Th (ppm)
					Host: ?		1.74	0.03
Sampled By: JMC massive pyroxene with rusty quartz. medium to large grained crystals 20-Jun-11								
L651832 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod CL	TREO+Y %	Nb2O3 %
	UTM 6160371	N	UTM 437816	E	Strike Length Exp: 2 m	Metallics:	0.0136	0.0007
	Elevation: 1159	m	Sample Width: 10	cm	True Width: 50	cm	Secondaries:	Th (ppm)
					Host: pegmatite		4.62	0.12
Sampled By: JMC quartz (pegmatite?) with small to large crystals of pyroxene 23-Jun-11								
L651833 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration: mod BI	TREO+Y %	Nb2O3 %
	UTM 6151365	N	UTM 439904	E	Strike Length Exp: 5 m	Metallics:	0.0132	0.0025
	Elevation: 1497	m	Sample Width: 10	cm	True Width: 2	m	Secondaries:	Th (ppm)
					Host: pegmatite		10.2	0.14
Sampled By: JMC outcrop of quartz feldspar pegmatite. pretty dead looking 24-Jun-11								
L651851 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160070	N	UTM 438200	E	Strike Length Exp:	Metallics:	0.0516	0.0029
	Elevation:		Sample Width:		True Width:		Secondaries:	Th (ppm)
					Host:		25.2	0.01
Sampled By: JMC small float chunk of green-black pyroxene-feldspar +or- biotite + trace sulphide. may be part of the dykes described by Halloran. from beside easternmost outcrop in west will #2 cut block. UTM approximate 10-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651852 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160120	N	UTM 437920	E	Strike Length Exp:	Metallics:	0.0362	0.0021
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		13.35	0.03
Sampled By: DS	same as last but in-place 50m west of other site. magnetic							
10-Jun-11								
L651853 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160130	N	UTM 437700	E	Strike Length Exp:	Metallics:	0.0133	0.0014
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : magnetic m.s. puroxene-feldspar dyke		1.73	0.01
Sampled By: DS	adjacent to 852, good exposure of augite-feldspar dike of Halloran. photo taken							
10-Jun-11								
L651901 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156194	N	UTM 438447	E	Strike Length Exp:	Metallics:	0.0132	0.0022
	Elevation: 1506	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries:	Th (ppm)
					Host : quartzofeldspathic pegmatite		19.05	0.09
Sampled By: DS	contains 1-2cm phenocrysts (rare) of pyroxene							
14-Jun-11								
L651902 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156289	N	UTM 438533	E	Strike Length Exp:	Metallics:	0.0138	0.0024
	Elevation: 1562	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		7.86	0.02
Sampled By: DS	Felsenmear- has not come far. Coarse grained granitoid dyke with coarse black mineral (pyroxene? allanite?)							
14-Jun-11								
L651903 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156536	N	UTM 438735	E	Strike Length Exp:	Metallics:	0.0219	0.0062
	Elevation: 1589	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		11.5	0.02
Sampled By: DS	felsenmear. Large crystals of black mineral in matrix of coarse grained feldspar. black mineral has ~90degree cleavages weathers purple-blue. pyroxene? near a piece of orange flagging, 2010 sample?							
14-Jun-11								
L651904 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156576	N	UTM 438800	E	Strike Length Exp:	Metallics:	0.0419	0.0053
	Elevation: 1574	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : qtz-feldpsar-magnetite pegmatite		29.6	0.28
Sampled By: DS	5% allanite? From a more weathered lager in feldspar pegmatite. magnetite present as inclusions in black-green mineral.							
14-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651905 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156637	N	UTM 438874	E	Strike Length Exp:	Metallics:	0.0056	0.0008
	Elevation: 1550	m	Sample Width: 10	cm	True Width:	Secondaries:	Th (ppm)	BaO %
	Host : same as previous - qtz-feldspar pegmatite						2.25	0.05
Sampled By: DS	10% allanite? Allanite is mildly magnetic but clearly not magnetite. previous samples showed inclusions of magnetite. Excellent exposure, continues down cliff face, photo taken.							
14-Jun-11								
L651906 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245	N	UTM 438881	E	Strike Length Exp:	Metallics:	0.0162	0.0034
	Elevation: 1509	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
	Host : qtz-feldspar-pyroxene pegmatite						9.73	0.06
Sampled By: DS	pegmatite from cliff ~20m west of main (old) showing. Little visible allanite but pyroxenes up to 5cm							
15-Jun-11								
L651907 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156245	N	UTM 438874	E	Strike Length Exp:	Metallics:	0.1632	0.0068
	Elevation: 1510	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
	Host :						52.9	0.26
Sampled By: DS	gneiss from same spot as L651906. taken to see if host rock runs. Abundant mafics, also large pyroxene crystals							
15-Jun-11								
L651908 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156267	N	UTM 438880	E	Strike Length Exp:	Metallics:	1.4685	0.116
	Elevation: 1572	m	Sample Width: 15	cm	True Width:	Secondaries:	Th (ppm)	BaO %
	Host : pegmatite						179.5	1.75
Sampled By: DS	North along cliff from previous sample. contact between allanite vein and pegmatite. sample is half of each							
15-Jun-11								
L651909 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156390	N	UTM 438816	E	Strike Length Exp:	Metallics:	0.0768	0.0026
	Elevation: 1557	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
	Host : ?						17.85	0.01
Sampled By: DS	fine grained green-yellow rock with small black phenocrysts and 1-5cm megacrysts of pyroxene? dark is extremely hard (silicified?) and moderately radioactive (~500 or GR-135)							
15-Jun-11								
L651910 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156484	N	UTM 438815	E	Strike Length Exp:	Metallics:	8.1924	0.0937
	Elevation: 1572	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
	Host :						882	0.54
Sampled By: DS	taken from 5-10cm wide "vein"/dyke trending 160/steep. very magnetic and also radioactive (3000 counts). Black allanite? crystals in a white matrix							
15-Jun-11								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651911 MtBisson	Grid North:		Grid East:		Type:	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156212	N	UTM 438801	E	Strike Length Exp:	Metallics:	10.8162	0.0741
	Elevation: 1527	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			942	1.34
Sampled By: DS 17-Jun-11	50% allanite in a matrix of qtz feldspar. occurs in a layer that has massive pyroxene and allanite associated with it							
L651912 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156297	N	UTM 438832	E	Strike Length Exp:	Metallics:	8.4396	0.2275
	Elevation: 1538	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			1000.1	1.9
Sampled By: DS 17-Jun-11	same rock as L651911. may be felsenmear							
L651913 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156682	N	UTM 438686	E	Strike Length Exp:	Metallics:	6.9814	0.0838
	Elevation: 1552	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			1000.1	1.49
Sampled By: DS 17-Jun-11	15cm x 50cm pod of allanite on contact between pegmatite and country rock							
L651914 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156598	N	UTM 438317	E	Strike Length Exp:	Metallics:	0.0313	0.0038
	Elevation: 1555	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			6.17	0.08
Sampled By: DS 17-Jun-11	biotite pyroxene feldspar layer in pegmatite							
L651915 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153205	N	UTM 440625	E	Strike Length Exp:	Metallics:	0.0411	0.0032
	Elevation: 1633	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			11.05	0.41
Sampled By: DS 18-Jun-11	Rusty pegmatite with blue-black slightly metallic looking x-stals							
L651916 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153228	N	UTM 440719	E	Strike Length Exp:	Metallics:	0.2536	0.0051
	Elevation: 1643	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
				Host :			112	0.5
Sampled By: DS 18-Jun-11	qtz-feldspar-pyroxene pegmatite. near sample site for pegmatite 541. Scintilometer was a little excited (400 cps) not clear why, no visible allanite							

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651917 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6157127	N	UTM 441389	E	Strike Length Exp:	Metallics:	0.0095	0.0005
	Elevation: 1723	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		2.21	0.01
Sampled By: DS 20-Jun-11 40% magnetite, 40% pyroxene, 20% felsics (feldspar). felsenmear on slope, still half snow covered. No o/c located to sample								
L651951 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6153916	N	UTM 439909	E	Strike Length Exp:	Metallics:	0.3444	0.0205
	Elevation: 1556	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		5.77	0.46
Sampled By: DS 21-Jun-11 mildly radioactive (300cps) biotite-pyroxene layer in gneiss								
L651952 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6150231	N	UTM 440287	E	Strike Length Exp:	Metallics:	0.0174	0.0014
	Elevation:		Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		11.05	0.06
Sampled By: DS 22-Jun-11 pegmatite, appears dead								
L651953 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6160385	N	UTM 438306	E	Strike Length Exp:	Metallics:	0.0328	0.0021
	Elevation:		Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		12.5	0.02
Sampled By: DS 23-Jun-11 pyroxene-epidote? gneiss								
L651954 MtBisson	Grid North:		Grid East:		Type: Chip	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6160333	N	UTM 437808	E	Strike Length Exp:	Metallics:	0.1453	0.016
	Elevation: 1194	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host :		1000.1	0.4
Sampled By: DS 23-Jun-11 dug out o/c of syenite? with massive pyroxene layers and unknown orange prismatic mineral (titanite?) Extremely high reading on GR-135 (6000)								
L651955 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	<u>TREO+Y %</u>	<u>Nb2O3 %</u>
	UTM 6160334	N	UTM 437782	E	Strike Length Exp:	Metallics:	0.0184	0.0007
	Elevation: 1202	m	Sample Width:		True Width:	Secondaries:	<u>Th (ppm)</u>	<u>BaO %</u>
					Host : foliated diorite?		28.6	0.08
Sampled By: DS 23-Jun-11 mildly radioactive (400cps) orange stained feldspar? with quartz epidote? and pyroxene. this assemblage forms a zone in the host rock								

Rock Sample Descriptions

MtBisson

Operator: Rare Earth Industries

Project: REI11-01 2011

NTS: 93O/051

L651956 MtBisson	Grid North:		Grid East:		Type: Float	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6153308	N	UTM 440865	E	Strike Length Exp:	Metallics:	0.6558	0.011
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		32.9	0.27
Sampled By: JB pyroxene-biotite pegmatite with a few orange x-stals of titanite? 26-Jun-11								
L651957 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6156253	N	UTM 438859	E	Strike Length Exp:	Metallics:	0.1019	0.0121
	Elevation: 1515	m	Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host :		56.6	0.39
Sampled By: DS foliated diorite (syenite?) from contact of allanite vein of sample L651823 28-Jun-11								
L651959 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160333	N	UTM 437808	E	Strike Length Exp:	Metallics:	0.0362	0.0042
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : granodiorite		227	0.06
Sampled By: DS from same site as L651954. medium-grained granodiorite that may be the radioactive unit. Contains orange titanite 29-Jun-11								
L651960 MtBisson	Grid North:		Grid East:		Type: Grab	Alteration:	TREO+Y %	Nb2O3 %
	UTM 6160333	N	UTM 437808	E	Strike Length Exp:	Metallics:	0.0502	0.0031
	Elevation:		Sample Width:		True Width:	Secondaries:	Th (ppm)	BaO %
					Host : Aplite?		36.5	0.16
Sampled By: DS fine grained aplite qtz feldspar with no mafics. same site as L651959 and L651954 29-Jun-11								

Appendix D: QA/QC

1. Chain of Custody

All samples were packed into rice sacks and sealed with uniquely-numbered straps to deter and identify evidence of tampering. Rice sacks were shipped via Bandstra Transportation Systems to the ALS Laboratory Group (ALS) lab in Vancouver, BC which has been certified compliant with ISO9001:2008 requirements. ALS reported no evidence of tampering with any of the security straps. Chain of custody is thus deemed to be secure between the project site and analysis lab.

2. Blanks

Blanks are samples which are known to be barren of mineralization. For the 2011 soil sampling program, flour ground silica sourced from The US Silica Company was used as blank material. The following table displays analyses for elements of interest for all samples submitted as blanks. When compared to the mean value of non-blank samples from the Mount Bisson soil dataset, all blank samples return universally low values. Blank analysis is thus judged to be acceptable.

Sample ID	Ba (ppm)	TREO+Y (wt. %)	Nb (ppm)	Th (ppm)
Dataset Mean	855	.03	18	16
L649230	11.4	0.001	0.2	0.37
L650130	10.7	0.0011	-0.2	0.37
L648143	10.7	0.001	-0.2	0.33
L648174	11.7	0.001	0.2	0.35
L648870	10.2	0.001	-0.2	0.29
L648270	10.2	0.001	-0.2	0.36
L648647	12	0.0017	0.2	0.44
L650270	10.1	0.001	0.2	0.41
L649070	10.2	0.001	0.2	0.38
L648830	11.1	0.0012	-0.2	0.51
L649470	10.5	0.0012	0.2	0.6
L650330	25.2	0.0011	0.3	0.38
L650170	10.4	0.001	-0.2	0.32
L649170	9.6	0.001	-0.2	0.27
L648771	16.3	0.0018	0.3	0.61
L651030	9.7	0.001	-0.2	0.37
L650370	10.9	0.0011	0.2	0.46
L649030	11	0.001	0.2	0.38
L650230	10.7	0.001	0.2	0.31
L649130	10.8	0.0013	0.2	0.4
L649430	10	0.001	0.2	0.36
L650430	10.7	0.0011	-0.2	0.4


3. Analytical Accuracy: Standard Performance

Standards were not inserted into the sample stream for this year's sampling program.


4. Analytical Precision: Duplicate Analysis

Field duplicates analysis is collection and analysis of two separate samples from the same field location. In this case of this year's soil sampling program, sample duplication involved taking two soil samples from the same hole, where possible. In rare instances, lack of acceptable soil within a single hole necessitated the digging a second hole less than a meter away from the first one to obtain enough material for two samples.


As the following charts show, percentage relative difference between duplicate pairs for Ba, TREO+Y, Nb and Th is generally quite low. The generally accepted criteria for field duplicate pairs collected under controlled conditions is less than 30% difference for the 90th percentile. In the case of barium, 90% of the samples have better less than 20% absolute relative difference (ARD), a very good number considering the error factors which can be introduced by duplication of soil samples in the field. Correlation is similarly good for TREO+Y and Nb, both of which have nearly the same level of ARD at the 90th percentile of the dataset. Repeatability is not as good for thorium, where only 80% of the samples have less than 30% ARD. While this is not an ideal level of repeatability, it is still acceptable for the early-stage type of sampling conducted in this program, and it must simply be acknowledged when interpreting the data that thorium values contain slightly more inherent variability than other elements.




Absolute Relative Difference vs Rank (TREG+Y)



Absolute Relative Difference vs Rank (Nb)





5. Conclusions

- There is no evidence of tampering with the samples between collection and the laboratory.
- All blank samples returned values within tolerance for all elements of interest.
- The overall level of precision for field duplicate soil samples is acceptable.

Appendix E: Certificates of Analysis



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 9-NOV-2011
 Account: EIAREI

CERTIFICATE VA11194660

Project: REI11-01
 P.O. No.: REI11-01_9
 This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES
Ce-OGREE	Overlimit Ce by ICPAES	VARIABLE
La-OGREE	Overlimit La by ICPAES	VARIABLE
Pr-OGREE	Overlimit Pr by ICPAES	VARIABLE
ME-OGREE	Overlimit REE by ICPAES	ICP-AES
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - E)
 Finalized Date: 9-NOV-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11194660

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
E004351		0.74	<1	1800	44.7	2.2	10	4.94	<5	1.17	0.69	0.47	17.8	1.49	4.2	0.23
E004352		0.66	<1	1595	148.0	0.5	20	1.27	6	2.15	1.21	0.84	15.0	2.54	3.3	0.41
E004353		0.50	<1	1660	77.8	18.2	60	2.44	5	3.38	1.88	1.14	19.7	4.25	3.8	0.67
E004354		1.34	<1	3530	>10000	10.8	40	0.16	<5	86.7	32.6	108.5	127.0	165.5	3.0	14.30
E004355		1.18	<1	1400	147.0	11.0	40	0.92	6	3.42	1.90	1.40	20.6	3.75	5.6	0.65
E004356		0.84	<1	1610	214	6.5	20	0.61	44	7.76	4.48	1.89	17.5	7.91	8.9	1.56
E004357		0.88	<1	749	239	2.2	10	1.62	5	1.33	0.64	1.16	19.2	1.86	4.0	0.23
E004358		0.92	<1	2070	115.5	1.6	10	3.96	<5	1.84	0.93	0.66	16.9	2.86	5.3	0.33
E004359		0.84	<1	970	109.5	14.9	60	2.77	22	3.35	1.83	1.65	21.3	4.27	6.3	0.66
E004360		0.92	<1	1580	>10000	12.7	20	0.41	9	92.6	30.3	141.5	224	199.5	2.4	14.20
E004361		1.22	<1	96.7	122.0	36.6	140	1.61	5	3.89	2.27	2.11	21.8	4.58	2.9	0.81
E004362		0.94	<1	148.0	76.3	16.3	70	1.06	197	2.44	0.73	0.58	74.4	4.80	5.6	0.36
E004363		1.14	<1	951	43.3	20.3	60	0.86	119	3.57	2.19	1.27	20.7	3.94	3.2	0.77
E004364		1.24	<1	8910	2870	25.2	60	4.21	35	6.32	2.38	9.59	26.6	16.10	7.2	1.02
E004365		1.02	<1	6060	970	27.1	70	1.21	59	6.91	3.04	6.28	20.9	12.30	5.9	1.26
E004366		1.56	<1	4190	1245	28.4	120	1.60	25	9.56	4.34	7.85	24.3	15.80	4.2	1.73
E004367		1.44	<1	>10000	2310	19.3	110	1.26	18	15.20	5.48	18.50	22.5	32.7	6.9	2.51
E004368		1.16	<1	>10000	5500	36.1	30	0.92	23	12.85	4.31	16.15	31.5	29.5	4.3	2.13
L651651		0.96	<1	464	84.9	28.4	210	0.55	23	5.00	2.65	1.88	19.5	6.21	5.2	1.04
L651652		1.64	<1	905	121.0	21.4	30	1.77	38	7.02	4.15	2.27	24.7	7.38	7.1	1.51
L651653		2.66	<1	1120	67.3	13.8	50	2.28	16	2.95	1.64	1.16	19.8	3.44	3.8	0.60
L651654		1.68	<1	943	49.3	10.6	60	0.78	8	3.51	2.09	1.13	19.1	3.82	4.6	0.77
L651655		2.34	<1	800	188.5	21.4	240	3.13	5	3.46	1.87	1.75	20.9	4.80	3.7	0.69
L651656		1.82	<1	688	52.1	49.1	190	0.38	42	4.99	2.77	1.77	20.9	5.39	4.0	1.06
L651657		1.90	<1	1430	141.0	9.7	80	0.57	22	14.35	7.66	4.47	20.3	15.85	8.0	2.93
L651658		1.84	<1	1310	111.5	31.9	190	2.07	7	5.94	3.38	2.10	20.4	6.88	8.9	1.26
L651659		1.44	<1	2570	27.5	5.1	10	2.42	26	0.87	0.53	0.65	17.7	1.21	7.0	0.18
L651660		2.30	<1	278	60.2	2.5	10	2.45	<5	2.85	1.38	0.83	29.8	4.19	3.5	0.56
L651661		1.82	<1	3220	107.0	14.7	110	0.90	7	4.65	2.56	2.16	28.8	6.20	5.5	0.97
L651662		1.38	<1	2870	283	2.7	10	2.03	11	2.75	1.44	1.34	23.0	4.09	5.8	0.55

Comments: Samples with high rare earth elements will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 2 (A - E)
 Finalized Date: 9-NOV-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11194660

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
E004351		26.0	0.10	<2	7.5	15.4	<5	15	4.51	199.5	2.63	1	275	0.8	0.19	17.15
E004352		70.5	0.19	<2	14.1	45.8	<5	25	14.95	115.5	6.05	1	397	1.5	0.34	45.7
E004353		36.4	0.27	<2	11.0	35.6	17	17	9.31	219	6.78	2	431	1.0	0.53	9.21
E004354		>10000	3.47	<2	308	7420	<5	9	>1000	4.5	588	76	7610	0.5	16.10	757
E004355		84.6	0.29	<2	13.0	47.2	11	17	14.55	94.2	7.19	4	504	1.0	0.50	17.45
E004356		109.5	0.66	3	30.1	78.1	<5	30	22.8	140.0	13.55	5	317	2.7	1.16	27.6
E004357		171.5	0.11	<2	8.4	53.7	<5	24	19.60	100.5	5.32	1	499	0.6	0.22	12.20
E004358		67.5	0.14	<2	14.0	31.8	<5	18	10.35	175.0	4.12	1	280	0.7	0.35	33.7
E004359		55.7	0.30	<2	13.1	40.4	17	16	11.45	162.5	6.67	2	638	0.9	0.59	17.60
E004360		>10000	3.63	<2	785	9800	10	15	>1000	7.7	777	46	3890	2.7	20.6	737
E004361		90.4	0.34	<2	19.5	37.4	89	10	11.45	24.4	6.01	4	965	1.3	0.68	2.84
E004362		37.7	0.10	<2	14.6	27.1	25	20	8.00	47.6	6.72	14	236	0.5	0.60	26.5
E004363		22.4	0.36	<2	8.2	20.0	23	<5	5.01	65.9	4.54	4	771	0.5	0.57	4.91
E004364		2020	0.33	<2	540	615	35	18	227	177.0	48.5	15	4210	1.6	1.58	75.9
E004365		625	0.42	2	132.0	255	35	34	83.6	96.5	26.3	5	5640	0.9	1.43	4.61
E004366		818	0.57	2	148.5	325	47	15	105.5	98.5	34.3	6	2210	1.2	1.89	5.29
E004367		1420	0.56	10	>2500	755	67	18	238	132.0	77.1	32	4850	18.7	3.47	62.8
E004368		5000	0.50	<2	149.5	1095	53	12	422	98.9	78.5	5	3360	1.3	2.94	35.9
L651651		43.6	0.40	<2	18.9	41.1	22	12	10.45	27.6	7.83	2	465	0.7	0.87	10.10
L651652		65.2	0.63	<2	24.4	51.2	10	11	13.90	102.0	9.22	3	490	2.5	1.16	16.25
L651653		34.3	0.27	<2	10.9	26.0	12	14	7.27	146.5	4.77	3	418	0.8	0.52	19.55
L651654		25.1	0.35	<2	10.6	23.2	9	35	5.87	79.7	4.64	2	353	0.9	0.60	21.5
L651655		137.5	0.28	<2	12.3	56.8	55	12	17.95	97.3	7.69	3	559	0.6	0.64	15.90
L651656		26.6	0.39	<2	14.2	26.3	73	14	6.47	45.7	5.68	2	481	0.8	0.86	6.95
L651657		62.6	1.08	<2	82.6	73.6	22	15	18.20	26.0	17.95	6	440	2.2	2.51	492
L651658		62.1	0.55	<2	59.2	50.1	66	56	13.55	158.5	8.70	8	288	2.9	1.04	9.90
L651659		15.5	0.14	<2	24.9	10.4	5	42	2.92	171.0	1.70	4	395	1.7	0.17	10.10
L651660		32.2	0.24	<2	14.1	24.3	<5	15	6.93	84.9	5.54	<1	277	1.5	0.58	43.9
L651661		54.9	0.39	2	19.5	49.9	20	18	12.95	77.3	8.87	4	963	1.0	0.88	19.05
L651662		199.0	0.23	<2	24.2	66.8	<5	31	24.4	155.5	7.68	1	450	1.1	0.54	109.5

Comments: Samples with high rare earth elements will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - E)
 Finalized Date: 9-NOV-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11194660

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
E004351		0.7	0.10	5.66	23	1	7.4	0.66	32	153	72.4	13.65	1.67	1.44	0.40	3.37
E004352		<0.5	0.20	4.74	5	<1	13.0	1.25	8	104	75.3	13.10	0.73	1.13	0.07	3.88
E004353		0.6	0.28	3.42	129	6	20.4	1.91	73	135	61.1	15.15	7.07	3.51	3.45	3.65
E004354		<0.5	4.15	16.00	271	7	363	26.0	228	67	36.8	6.52	19.90	19.80	1.93	0.12
E004355		<0.5	0.31	4.10	77	1	20.3	2.03	70	212	62.3	15.50	4.99	3.91	1.99	5.06
E004356		<0.5	0.71	7.65	52	1	46.9	4.61	39	332	68.5	13.30	3.86	2.45	1.01	3.21
E004357		<0.5	0.10	2.86	15	1	7.2	0.77	21	135	72.5	14.40	1.43	2.49	0.35	4.04
E004358		0.9	0.13	4.05	20	2	9.5	0.90	37	198	71.7	13.95	1.66	1.33	0.36	3.19
E004359		0.5	0.27	2.59	95	1	20.2	1.92	84	261	64.1	15.95	5.34	4.23	2.30	3.86
E004360		<0.5	3.65	87.9	262	11	374	23.8	201	60	37.7	9.92	12.95	15.45	0.83	0.14
E004361		<0.5	0.33	1.93	281	2	24.0	2.07	93	113	49.8	15.70	12.90	12.15	4.89	2.26
E004362		<0.5	0.09	3.21	91	1	9.8	0.55	212	187	51.6	13.40	25.2	2.37	0.65	4.30
E004363		<0.5	0.32	1.92	263	1	22.8	2.15	57	130	51.7	17.40	10.15	7.45	2.70	3.56
E004364		0.5	0.31	2.30	201	<1	26.4	1.95	174	297	55.5	11.80	8.82	7.75	5.20	2.35
E004365		<0.5	0.41	0.98	209	<1	35.3	2.71	164	249	51.8	13.20	8.55	7.51	3.84	4.02
E004366		<0.5	0.59	1.94	214	1	50.0	3.81	154	179	49.7	12.40	9.68	8.05	4.36	3.55
E004367		<0.5	0.67	55.4	224	5	57.7	3.84	156	348	54.0	11.35	6.38	7.60	2.96	2.26
E004368		<0.5	0.50	11.35	105	<1	51.7	2.98	136	214	53.4	8.87	8.62	12.50	6.10	1.37
L651651		<0.5	0.38	1.97	239	1	27.0	2.48	117	221	55.1	12.90	10.80	8.18	5.64	2.88
L651652		<0.5	0.61	5.51	149	<1	40.0	4.02	96	282	58.3	16.65	8.22	5.86	2.73	3.93
L651653		<0.5	0.25	2.92	87	<1	16.5	1.61	56	135	65.2	15.25	4.79	3.91	1.96	3.50
L651654		<0.5	0.32	4.28	76	1	20.2	2.08	79	167	65.4	14.70	3.48	3.80	2.20	5.10
L651655		<0.5	0.27	3.08	140	1	18.6	1.73	82	140	62.5	14.25	6.35	5.69	4.52	4.13
L651656		<0.5	0.40	0.81	338	2	26.5	2.41	120	155	53.9	11.90	12.65	8.66	5.65	2.14
L651657		<0.5	1.11	20.2	69	1	78.5	6.93	53	302	69.0	13.40	3.97	4.51	1.27	4.82
L651658		0.6	0.51	3.52	185	1	32.9	3.28	235	374	57.9	12.75	9.77	5.12	3.80	1.86
L651659		0.6	0.09	5.68	17	2	4.9	0.71	35	255	74.4	13.15	3.06	0.67	0.27	2.39
L651660		<0.5	0.21	8.20	15	<1	14.9	1.40	18	85	69.1	16.95	1.07	3.42	0.37	5.36
L651661		<0.5	0.35	4.65	105	1	25.7	2.42	88	212	56.2	18.90	4.96	9.84	2.91	3.60
L651662		0.5	0.21	14.85	12	1	15.0	1.39	20	237	72.5	13.75	1.70	1.12	0.27	3.73

Comments: Samples with high rare earth elements will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - E)
 Finalized Date: 9-NOV-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11194660

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1	1
E004351		3.93	<0.01	0.21	0.03	0.05	0.03	0.19	1.49	98.9	<0.5	<5	<0.5	2	1	<1
E004352		3.82	<0.01	0.05	0.02	0.04	0.05	0.18	0.99	99.4	<0.5	<5	<0.5	<1	5	<1
E004353		3.24	0.01	0.67	0.09	0.45	0.05	0.20	1.60	100.0	<0.5	<5	<0.5	14	4	<1
E004354		0.07	<0.01	0.41	0.71	3.19	0.91	0.40	0.70	91.5	<0.5	19	0.5	2	2	3
E004355		2.85	<0.01	0.60	0.10	0.25	0.06	0.16	1.20	99.0	<0.5	<5	<0.5	3	5	<1
E004356		4.92	<0.01	0.60	0.07	0.30	0.04	0.19	1.20	99.7	<0.5	<5	<0.5	5	49	<1
E004357		2.47	<0.01	0.14	0.03	0.10	0.06	0.08	0.60	98.7	<0.5	<5	<0.5	2	3	<1
E004358		5.11	<0.01	0.26	0.03	0.10	0.03	0.23	0.80	98.8	<0.5	<5	<0.5	1	1	<1
E004359		2.08	0.01	0.68	0.08	0.23	0.07	0.11	0.60	99.6	<0.5	<5	<0.5	11	13	<1
E004360		0.14	<0.01	0.46	0.44	3.17	0.46	0.16	0.90	82.7	<0.5	17	<0.5	6	4	2
E004361		0.45	0.02	1.73	0.24	0.33	0.11	0.01	0.30	101.0	<0.5	<5	<0.5	10	1	<1
E004362		0.67	0.01	0.67	0.10	0.04	0.03	0.02	-0.40	98.7	<0.5	<5	<0.5	11	164	<1
E004363		1.90	0.01	0.91	0.14	0.48	0.09	0.11	1.70	98.3	<0.5	<5	<0.5	13	101	<1
E004364		5.42	0.01	1.06	0.20	0.30	0.50	1.01	0.90	101.0	<0.5	<5	<0.5	13	26	<1
E004365		3.11	0.01	1.27	0.19	0.39	0.64	0.69	1.28	96.5	<0.5	<5	<0.5	13	48	<1
E004366		2.30	0.01	1.33	0.21	0.25	0.24	0.45	1.10	93.6	<0.5	<5	<0.5	11	17	<1
E004367		5.42	0.02	6.19	0.19	0.08	0.58	1.16	0.10	98.3	<0.5	<5	<0.5	5	33	<1
E004368		3.76	<0.01	0.39	0.28	0.98	0.41	2.32	0.30	99.3	<0.5	<5	<0.5	5	22	<1
L651651		1.19	0.03	1.21	0.19	0.40	0.06	0.05	1.00	99.6	<0.5	<5	<0.5	10	22	<1
L651652		2.48	<0.01	1.04	0.13	0.34	0.06	0.10	0.80	100.5	<0.5	<5	<0.5	12	38	<1
L651653		3.61	0.01	0.51	0.08	0.12	0.05	0.12	0.60	99.7	<0.5	<5	<0.5	9	15	<1
L651654		2.45	0.01	0.62	0.08	0.09	0.04	0.10	1.19	99.3	<0.5	<5	<0.5	3	7	<1
L651655		1.86	0.03	0.66	0.12	0.33	0.07	0.09	0.99	101.5	<0.5	<5	<0.5	10	4	<1
L651656		2.09	0.02	1.89	0.20	0.18	0.06	0.07	0.60	100.0	<0.5	<5	<0.5	13	42	<1
L651657		0.97	0.01	0.56	0.10	0.28	0.05	0.14	0.60	99.7	<0.5	<5	<0.5	4	20	<1
L651658		5.01	0.02	1.48	0.23	0.29	0.04	0.14	1.39	99.8	<0.5	<5	<0.5	14	13	<1
L651659		5.69	<0.01	0.63	0.04	0.01	0.05	0.26	0.70	101.5	<0.5	<5	<0.5	4	22	<1
L651660		1.67	<0.01	0.12	0.01	0.04	0.03	0.03	0.40	98.6	<0.5	<5	<0.5	2	1	<1
L651661		2.28	0.01	0.69	0.14	0.18	0.11	0.33	0.79	101.0	<0.5	<5	<0.5	3	5	<1
L651662		4.67	<0.01	0.23	0.02	0.05	0.05	0.30	0.60	99.0	<0.5	<5	<0.5	2	10	<1

Comments: Samples with high rare earth elements will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - E
 Total # Pages: 2 (A - E)
 Finalized Date: 9-NOV-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11194660

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Ce % 0.01	La % 0.01	Pr % 0.01
E004351		<1	<1	2	31			
E004352		<1	<1	6	5			
E004353		<1	11	3	62			
E004354		1	<1	18	83	3.51	2.81	0.28
E004355		<1	3	3	23			
E004356		1	2	5	19			
E004357		<1	<1	3	18			
E004358		<1	<1	3	33			
E004359		<1	11	3	61			
E004360		1	2	16	49	4.50	3.81	0.35
E004361		<1	21	4	26			
E004362		<1	16	3	36			
E004363		<1	14	2	27			
E004364		<1	21	7	79			
E004365		<1	18	8	77			
E004366		<1	20	6	60			
E004367		2	20	4	30			
E004368		<1	6	4	20			
L651651		<1	7	5	37			
L651652		<1	5	3	51			
L651653		<1	7	3	36			
L651654		<1	3	25	34			
L651655		<1	26	5	43			
L651656		<1	18	4	34			
L651657		<1	10	6	21			
L651658		<1	28	38	136			
L651659		<1	3	11	25			
L651660		<1	2	3	13			
L651661		<1	4	5	22			
L651662		<1	<1	8	13			

Comments: Samples with high rare earth elements will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 31-OCT-2011
 Account: EIAREI

CERTIFICATE VA11192008

Project: REI11-01
 P.O. No.: REI11-01_10
 This report is for 165 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES
Ce-OGREE	Overlimit Ce by ICPAES	VARIABLE
La-OGREE	Overlimit La by ICPAES	VARIABLE
Pr-OGREE	Overlimit Pr by ICPAES	VARIABLE
ME-OGREE	Overlimit REE by ICPAES	ICP-AES
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
1984601		1.84	<1	1100	93.5	12.0	50	0.91	100	4.32	2.51	1.67	19.4	5.16	5.3	0.84
1984602		2.38	<1	1615	572	27.5	120	5.21	91	18.50	10.50	5.50	66.3	23.5	24.8	3.56
1984603		2.08	<1	3000	209	9.4	20	1.55	10	6.27	3.44	2.08	23.2	7.85	8.0	1.19
1984604		2.72	<1	567	>10000	20.3	50	0.38	129	56.9	18.75	91.1	89.9	159.0	4.4	8.44
1984605		2.02	<1	>10000	402	11.1	50	1.31	49	4.51	2.21	2.95	21.5	7.02	5.9	0.80
1984606		2.12	<1	2600	100.5	10.3	70	2.18	28	3.64	2.08	1.64	20.7	4.37	4.8	0.72
1984607		1.10	<1	4650	408	2.3	10	2.13	33	4.68	2.38	2.36	19.4	6.38	1.8	0.87
1984608		0.60	<1	1990	171.0	4.9	10	1.28	56	10.65	6.31	2.63	26.4	11.35	7.8	2.09
1984609		1.66	<1	4000	268	6.1	10	0.62	114	10.10	5.87	3.18	25.5	12.45	9.4	1.97
1984610		1.50	<1	1070	236	9.5	10	0.60	83	8.88	5.10	2.36	24.5	10.95	10.1	1.73
1984611		2.32	<1	717	211	4.8	10	0.41	26	9.91	5.73	2.29	24.0	11.50	9.7	1.91
1984612		0.88	<1	>10000	462	5.1	20	0.83	10	9.20	4.63	4.56	21.9	13.60	9.6	1.66
1984613		1.02	<1	8210	702	5.7	20	1.43	10	6.52	2.97	4.12	24.9	11.15	8.0	1.13
1984614		0.60	<1	>10000	>10000	18.8	80	0.19	10	25.2	7.73	37.9	35.3	71.7	3.9	3.62
1984615		1.62	<1	>10000	1895	12.0	70	1.35	14	11.60	4.94	7.82	20.0	21.2	6.8	1.99
1984616		1.32	<1	1710	222	6.5	20	0.37	22	11.10	6.10	3.48	16.2	12.10	9.0	2.12
1984617		1.22	<1	>10000	903	11.3	150	1.01	47	13.75	5.11	8.79	19.4	23.2	3.8	2.14
1984618		1.50	<1	1980	200	9.3	20	0.69	33	9.68	5.43	2.96	18.1	10.70	7.9	1.87
1984619		1.14	<1	1610	232	7.3	20	0.77	14	10.90	5.22	4.62	16.7	14.55	7.9	1.94
1984620		2.38	<1	974	226	3.7	20	0.54	58	9.07	4.98	1.72	23.5	10.00	8.3	1.76
1984621		1.04	<1	1545	255	4.6	10	0.38	81	10.60	6.20	2.25	25.6	11.65	10.1	2.08
1984622		0.98	<1	7110	>10000	8.7	30	0.81	72	40.3	14.15	46.7	51.1	91.4	6.1	6.19
1984623		1.14	<1	2470	439	4.3	10	1.28	59	11.15	6.54	2.70	26.1	13.05	10.2	2.15
1984624		1.52	<1	212	170.5	1.9	10	26.4	13	8.72	5.19	1.61	25.4	8.45	5.8	1.69
1984625		1.16	<1	3610	321	2.3	10	1.99	9	15.25	8.62	3.24	21.4	14.95	4.7	2.96
1984626		0.98	<1	3100	556	18.4	310	1.94	<5	9.65	4.60	4.63	25.1	15.90	5.8	1.68
1984627		1.30	<1	>10000	5510	16.7	90	3.53	42	20.9	7.17	21.4	30.3	43.8	4.6	3.17
1984628		1.30	<1	>10000	4680	9.0	70	2.17	17	17.50	7.14	15.45	30.7	37.4	3.8	2.89
1984629		1.22	<1	777	>10000	13.3	10	0.43	153	76.1	25.3	99.4	81.2	188.0	2.3	11.40
1984630		2.40	<1	>10000	984	20.5	130	4.10	39	8.79	4.01	5.88	24.4	14.95	5.1	1.53
1984631		2.10	<1	1785	131.5	13.5	90	3.10	26	4.83	2.64	1.39	20.6	5.96	5.4	0.95
1984632		2.38	<1	1295	175.5	9.7	60	1.18	9	6.20	3.53	2.39	21.1	7.13	5.8	1.19
1984633		2.82	<1	1130	119.0	10.3	50	1.38	6	7.57	3.98	2.58	20.9	8.57	6.0	1.42
1984634		2.48	<1	897	110.5	12.8	60	3.18	8	8.31	4.77	2.19	22.9	8.77	6.2	1.63
1984635		1.40	<1	6440	757	14.1	60	3.73	6	6.12	3.08	3.10	24.1	8.94	7.7	1.12
1984636		2.02	<1	9440	7210	3.9	20	1.98	<5	6.16	2.21	10.45	30.1	15.90	6.2	0.93
1984637		1.76	<1	3710	516	2.0	10	1.64	13	3.89	1.92	1.93	21.7	5.52	4.4	0.69
1984638		2.20	<1	1850	225	5.3	10	1.22	49	7.89	4.53	1.88	23.1	8.73	8.5	1.56
1984639		2.20	<1	1095	195.0	5.2	10	1.03	67	8.24	4.70	1.81	23.5	8.97	8.6	1.60
1984640		1.06	<1	2470	182.0	4.8	10	1.72	57	9.28	5.29	1.89	21.8	9.38	7.1	1.80

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
1984601		50.6	0.42	<2	19.9	39.2	19	15	11.30	55.3	6.61	9	446	1.1	0.74	17.45
1984602		316	1.74	<2	53.4	205	42	52	63.4	184.5	29.9	17	2150	5.0	3.23	111.0
1984603		116.0	0.57	<2	40.2	76.7	11	18	23.7	57.9	11.00	6	1370	1.7	1.08	38.9
1984604		>10000	2.17	5	501	6120	8	9	>1000	4.8	412	65	2040	1.2	14.10	317
1984605		302	0.37	<2	96.9	114.0	13	20	39.0	102.5	12.15	9	2210	1.0	0.84	40.2
1984606		64.3	0.36	<2	16.6	38.1	18	20	11.40	125.5	5.67	6	679	0.9	0.61	12.10
1984607		344	0.30	<2	31.3	99.3	<5	37	36.9	259	10.20	3	674	1.9	0.83	21.7
1984608		89.1	0.90	<2	58.5	69.9	<5	22	20.7	88.3	13.15	9	796	4.4	1.74	39.3
1984609		150.5	0.94	<2	59.2	106.0	<5	19	32.0	43.3	16.35	8	970	2.6	1.75	48.5
1984610		132.5	0.87	<2	32.3	88.0	6	15	26.7	47.0	14.00	8	888	2.6	1.56	51.0
1984611		107.5	0.96	<2	31.0	84.1	<5	16	25.2	31.1	14.20	9	857	3.0	1.67	49.6
1984612		321	0.71	<2	316	153.5	<5	18	49.3	61.4	19.85	6	2830	1.9	1.72	28.8
1984613		560	0.45	<2	70.7	191.5	<5	16	67.8	87.7	19.50	5	1140	1.0	1.29	25.1
1984614		>10000	1.01	2	894	3360	8	8	>1000	6.7	217	11	3790	1.1	6.36	477
1984615		1415	0.67	<2	120.0	470	29	12	164.5	87.3	43.2	5	3060	1.5	2.43	56.3
1984616		106.5	0.80	<2	38.6	96.3	9	11	26.6	26.7	16.60	4	349	1.9	1.79	26.5
1984617		511	0.70	<2	417	305	25	18	93.3	104.5	38.7	5	710	1.3	2.76	264
1984618		94.6	0.76	9	40.4	88.3	8	14	24.0	44.7	14.95	4	376	1.9	1.62	27.9
1984619		101.5	0.66	<2	86.6	114.5	6	13	29.7	49.5	20.9	5	246	1.8	1.99	16.85
1984620		111.5	0.72	<2	32.1	90.1	<5	20	25.8	33.7	14.85	6	1145	2.8	1.50	43.3
1984621		126.0	0.93	<2	49.3	105.5	<5	14	29.5	20.0	17.05	8	2060	3.2	1.74	51.1
1984622		>10000	1.43	4	804	3700	<5	16	>1000	51.2	251	16	2970	2.4	8.70	393
1984623		251	0.96	2	66.2	147.5	<5	22	45.0	37.8	20.7	9	1395	3.2	1.86	60.6
1984624		84.3	0.80	<2	49.5	66.9	<5	18	19.15	220	11.80	8	482	7.1	1.41	41.1
1984625		177.0	1.01	<2	85.2	116.5	<5	28	34.1	156.5	19.65	7	1090	7.5	2.41	51.6
1984626		310	0.68	<2	163.0	205	65	12	60.0	106.5	28.3	11	1245	1.2	1.84	33.6
1984627		4210	0.77	<2	592	1320	29	19	469	154.5	107.0	8	2590	1.5	4.47	83.5
1984628		3760	0.90	<2	137.0	1085	12	24	397	186.5	89.5	11	4150	3.6	3.83	146.5
1984629		>10000	2.59	3	209	7290	5	8	>1000	5.0	524	76	2530	1.2	17.50	352
1984630		649	0.53	<2	240	281	32	17	92.3	169.5	28.6	6	2410	1.1	1.69	64.1
1984631		71.8	0.38	<2	21.6	53.1	22	18	14.95	139.0	8.62	5	692	1.3	0.80	19.55
1984632		101.0	0.53	<2	24.3	67.5	13	18	18.90	73.2	10.60	7	774	1.4	1.03	15.80
1984633		55.0	0.50	<2	24.9	58.7	13	16	14.75	84.5	11.45	4	717	1.3	1.24	69.5
1984634		51.2	0.62	<2	37.7	55.7	15	19	14.05	115.0	11.20	5	714	2.6	1.37	18.35
1984635		553	0.49	<2	95.4	190.5	17	17	66.4	128.0	18.20	5	1090	1.3	1.09	41.1
1984636		5920	0.35	<2	233	1355	<5	25	550	152.0	68.5	3	1400	1.1	1.30	391
1984637		362	0.30	<2	113.0	130.0	<5	24	45.3	129.5	11.85	2	905	1.5	0.68	48.8
1984638		113.5	0.70	<2	48.4	86.1	<5	21	24.9	87.8	13.45	6	873	2.6	1.31	53.2
1984639		93.3	0.69	<2	41.2	75.1	<5	18	21.2	67.8	12.50	6	836	3.4	1.37	42.5
1984640		90.7	0.76	<2	55.0	72.9	<5	24	20.3	135.5	12.65	6	721	4.0	1.49	40.5

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
1984601		<0.5	0.38	5.30	73	5	22.7	2.40	57	186	64.8	14.50	4.85	4.06	2.45	5.09
1984602		0.8	1.61	16.85	186	10	93.7	10.10	151	832	60.9	19.00	4.78	4.44	2.23	7.01
1984603		<0.5	0.54	5.85	62	4	32.5	3.31	59	281	58.1	19.25	4.27	4.66	2.16	6.83
1984604		<0.5	2.35	29.2	204	252	210	13.45	203	160	39.6	7.80	21.4	16.40	1.87	0.11
1984605		<0.5	0.33	6.19	65	5	22.5	2.09	73	214	60.9	16.65	4.91	4.37	2.54	4.80
1984606		<0.5	0.32	5.21	79	3	19.7	2.06	60	173	62.8	15.75	5.45	4.10	2.57	4.11
1984607		0.8	0.35	3.84	16	10	24.1	2.04	19	60	67.0	16.00	1.43	1.11	0.31	2.78
1984608		<0.5	0.98	8.88	46	6	57.4	5.91	44	251	59.9	19.55	3.54	3.95	0.97	6.16
1984609		<0.5	0.90	8.67	59	3	54.2	5.60	44	311	58.7	20.5	4.24	4.79	0.93	6.89
1984610		<0.5	0.78	9.87	56	4	47.5	5.04	45	333	58.8	20.5	4.33	5.03	1.22	6.80
1984611		<0.5	0.88	9.29	55	3	51.6	5.76	48	314	57.6	20.1	3.98	5.13	1.15	7.01
1984612		<0.5	0.68	4.50	53	2	44.1	4.09	63	366	62.3	16.65	3.72	3.80	0.99	5.83
1984613		<0.5	0.44	4.24	79	2	29.1	2.60	55	307	66.1	13.95	5.02	2.34	1.15	4.89
1984614		<0.5	0.92	6.36	154	9	86.2	6.08	351	101	46.5	2.97	16.05	17.65	5.21	0.26
1984615		<0.5	0.67	4.62	81	5	52.8	4.40	84	243	62.2	12.20	5.38	3.77	2.25	3.79
1984616		<0.5	0.87	5.08	52	2	60.0	5.78	34	326	70.2	13.20	3.11	2.25	1.09	6.19
1984617		<0.5	0.65	12.05	183	6	54.6	4.21	84	149	61.7	10.50	8.21	5.63	3.73	2.22
1984618		<0.5	0.77	7.65	63	2	51.9	4.99	45	292	67.7	13.85	3.88	2.38	1.56	6.33
1984619		<0.5	0.70	3.63	48	4	52.9	4.37	44	293	70.0	12.80	3.33	2.03	2.32	5.56
1984620		<0.5	0.73	9.68	43	2	50.0	4.85	28	285	64.8	18.40	2.92	4.03	0.46	7.08
1984621		<0.5	0.89	12.60	52	3	59.3	6.06	37	350	61.9	19.10	3.13	4.49	0.30	7.19
1984622		<0.5	1.70	26.1	156	107	159.5	10.30	100	215	44.6	11.70	12.70	11.25	1.28	2.43
1984623		<0.5	0.97	12.05	56	3	62.7	6.41	50	350	59.5	19.35	4.05	4.64	0.72	7.00
1984624		0.7	0.79	8.25	30	3	50.4	5.58	34	174	67.9	17.20	1.87	2.69	0.41	6.16
1984625		0.5	1.23	8.00	33	3	85.8	7.76	29	150	66.5	16.85	1.78	2.98	0.53	4.81
1984626		<0.5	0.66	6.29	124	5	47.1	4.43	124	212	52.3	15.10	8.57	7.24	5.59	4.05
1984627		0.5	0.86	13.10	101	3	78.5	5.28	142	192	50.7	13.20	8.50	7.38	4.85	2.49
1984628		0.6	0.96	13.00	73	4	80.2	6.08	83	114	56.2	14.50	5.83	4.23	1.79	2.42
1984629		<0.5	3.06	32.7	219	108	291	18.65	171	50	41.8	6.78	20.4	15.40	0.95	0.06
1984630		0.5	0.56	4.00	115	4	41.8	3.51	101	200	53.7	15.90	7.29	5.58	4.25	3.61
1984631		0.5	0.37	3.49	95	3	27.4	2.46	66	201	63.2	14.55	5.21	4.01	2.93	4.56
1984632		<0.5	0.50	5.21	92	4	34.5	3.41	55	223	60.6	16.20	4.92	4.97	2.71	5.87
1984633		<0.5	0.54	10.00	79	3	39.1	3.37	46	226	58.0	16.40	4.81	4.28	2.36	5.89
1984634		<0.5	0.67	4.62	71	2	46.1	4.39	64	225	57.9	17.60	5.69	4.00	3.03	5.44
1984635		<0.5	0.44	3.94	77	3	31.9	3.07	82	290	56.1	17.95	6.41	4.05	3.47	5.55
1984636		0.5	0.31	5.07	27	3	23.2	2.16	36	257	63.3	17.95	2.49	2.93	1.06	5.20
1984637		0.5	0.28	7.14	16	2	20.1	1.93	24	172	67.1	16.55	1.48	2.26	0.46	5.18
1984638		<0.5	0.68	9.39	47	3	44.3	4.54	38	281	63.1	17.80	3.12	3.35	0.95	6.30
1984639		<0.5	0.70	8.32	44	2	46.7	4.76	31	264	64.8	17.55	2.90	3.37	0.75	6.49
1984640		<0.5	0.77	8.40	35	2	52.4	5.09	31	217	66.1	16.00	2.66	2.68	0.85	4.85

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
1984601		1.59	0.01	0.52	0.09	0.15	0.05	0.12	1.49	99.8	<0.5	<5	<0.5	6	99	<1
1984602		1.06	<0.01	0.59	0.05	0.15	0.09	0.06	1.40	102	<0.5	<5	<0.5	6	39	<1
1984603		1.21	<0.01	0.52	0.09	0.15	0.17	0.31	1.00	98.7	<0.5	<5	<0.5	4	9	<1
1984604		0.06	0.01	0.58	0.59	1.70	0.28	0.06	1.39	91.9	<0.5	<5	<0.5	10	130	1
1984605		3.53	0.01	0.62	0.14	0.17	0.28	1.21	1.30	101.5	<0.5	<5	<0.5	5	50	<1
1984606		3.65	0.01	0.58	0.10	0.16	0.09	0.29	1.59	101.5	<0.5	<5	<0.5	6	29	<1
1984607		8.22	<0.01	0.18	0.03	0.08	0.08	0.48	1.09	98.8	<0.5	<5	<0.5	2	27	<1
1984608		3.05	<0.01	0.47	0.07	0.16	0.10	0.22	1.79	99.9	<0.5	<5	<0.5	3	55	<1
1984609		1.67	<0.01	0.58	0.06	0.19	0.12	0.45	0.70	99.8	<0.5	<5	<0.5	5	120	<1
1984610		1.79	<0.01	0.58	0.07	0.18	0.12	0.13	1.30	101.0	<0.5	<5	<0.5	8	89	<1
1984611		1.36	<0.01	0.57	0.08	0.18	0.11	0.08	0.80	98.2	<0.5	<5	<0.5	2	27	<1
1984612		2.22	<0.01	0.63	0.11	0.24	0.34	2.91	0.90	100.5	<0.5	<5	<0.5	2	11	<1
1984613		2.44	<0.01	0.57	0.09	0.25	0.14	0.84	1.39	99.2	<0.5	<5	<0.5	4	8	<1
1984614		0.15	0.01	0.42	0.97	0.90	0.42	1.71	1.19	94.4	<0.5	<5	<0.5	5	18	1
1984615		2.69	0.01	0.52	0.16	0.34	0.33	3.02	1.79	98.5	<0.5	<5	<0.5	9	17	<1
1984616		1.11	<0.01	0.53	0.06	0.22	0.04	0.19	0.90	99.1	<0.5	<5	<0.5	4	25	<1
1984617		4.43	0.02	0.47	0.22	0.30	0.08	1.96	1.40	101.0	<0.5	<5	<0.5	8	57	<1
1984618		1.44	<0.01	0.63	0.06	0.24	0.04	0.22	0.80	99.1	<0.5	<5	<0.5	7	35	<1
1984619		1.41	<0.01	0.59	0.07	0.23	0.03	0.18	1.29	99.8	<0.5	<5	<0.5	6	15	<1
1984620		1.27	<0.01	0.47	0.05	0.16	0.12	0.11	1.10	101.0	<0.5	<5	<0.5	3	71	<1
1984621		0.83	<0.01	0.53	0.08	0.17	0.22	0.17	1.79	99.9	<0.5	<5	<0.5	4	92	<1
1984622		1.39	<0.01	0.80	0.29	2.44	0.33	0.73	1.89	91.8	<0.5	<5	<0.5	3	85	1
1984623		1.24	<0.01	0.55	0.09	0.22	0.15	0.26	1.00	98.8	<0.5	<5	<0.5	3	69	<1
1984624		2.21	<0.01	0.33	0.08	0.13	0.05	0.02	0.70	99.8	<0.5	<5	<0.5	1	14	<1
1984625		4.82	<0.01	0.52	0.06	0.17	0.11	0.38	0.80	100.5	<0.5	<5	<0.5	1	10	<1
1984626		1.82	0.04	0.93	0.21	0.27	0.14	0.33	2.08	98.7	<0.5	<5	<0.5	8	3	<1
1984627		3.61	0.01	1.22	0.26	0.50	0.29	2.65	1.50	97.2	<0.5	<5	<0.5	9	49	<1
1984628		5.79	0.01	0.41	0.19	0.39	0.43	4.79	1.20	98.2	<0.5	<5	<0.5	5	22	<1
1984629		0.07	<0.01	0.37	0.65	1.07	0.29	0.08	0.79	88.7	<0.5	<5	0.6	7	156	1
1984630		4.04	0.02	0.82	0.18	0.30	0.25	2.40	1.59	99.9	<0.5	<5	<0.5	12	47	<1
1984631		2.86	0.01	0.64	0.10	0.18	0.07	0.19	1.30	99.8	<0.5	<5	<0.5	8	28	<1
1984632		2.08	0.01	0.70	0.10	0.20	0.08	0.14	1.00	99.6	<0.5	<5	<0.5	4	9	<1
1984633		2.21	0.01	0.71	0.08	0.27	0.08	0.12	1.09	96.3	<0.5	<5	<0.5	5	6	<1
1984634		2.90	0.01	0.76	0.09	0.21	0.08	0.10	1.49	99.3	<0.5	<5	<0.5	9	8	<1
1984635		2.80	0.01	0.87	0.11	0.30	0.12	0.69	1.60	100.0	<0.5	<5	<0.5	10	6	<1
1984636		5.21	<0.01	0.35	0.06	0.62	0.15	1.02	0.50	101.0	<0.5	<5	<0.5	2	5	<1
1984637		4.27	<0.01	0.18	0.05	0.08	0.10	0.39	0.89	99.0	<0.5	<5	<0.5	1	14	<1
1984638		2.79	<0.01	0.45	0.06	0.15	0.09	0.21	0.00	98.4	<0.5	<5	<0.5	3	57	<1
1984639		2.12	<0.01	0.41	0.05	0.15	0.09	0.12	0.50	99.3	<0.5	<5	<0.5	4	78	<1
1984640		4.21	<0.01	0.37	0.05	0.10	0.08	0.26	0.70	98.9	<0.5	<5	<0.5	4	66	<1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - E
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Ce % 0.01	La % 0.01	Pr % 0.01
I984601		<1	12	8	24			
I984602		<1	11	6	37			
I984603		<1	5	5	27			
I984604		3	1	10	56	2.99	2.52	0.23
I984605		<1	4	7	29			
I984606		<1	11	7	39			
I984607		<1	1	5	9			
I984608		<1	2	6	19			
I984609		<1	2	3	20			
I984610		1	4	4	24			
I984611		<1	1	3	20			
I984612		<1	1	4	21			
I984613		<1	2	3	31			
I984614		1	5	10	91	1.52	1.21	0.12
I984615		<1	24	4	44			
I984616		<1	6	3	13			
I984617		<1	21	6	42			
I984618		8	8	4	27			
I984619		<1	5	3	32			
I984620		<1	2	6	17			
I984621		<1	2	2	22			
I984622		3	<1	9	32	1.61	1.38	0.13
I984623		2	2	7	22			
I984624		<1	1	3	15			
I984625		<1	<1	4	10			
I984626		<1	27	5	61			
I984627		<1	17	7	66			
I984628		<1	6	10	35			
I984629		3	1	12	50	3.18	2.60	0.26
I984630		<1	19	4	56			
I984631		<1	15	4	40			
I984632		<1	5	3	18			
I984633		<1	8	2	24			
I984634		<1	11	5	43			
I984635		<1	13	4	64			
I984636		<1	3	6	15			
I984637		<1	1	4	13			
I984638		<1	2	5	18			
I984639		<1	2	4	14			
I984640		<1	2	7	12			

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
1984641		1.22	<1	634	261	7.1	10	0.53	78	11.45	7.12	2.02	25.7	11.75	11.5	2.30
1984642		0.56	<1	998	262	5.5	10	0.84	77	11.10	6.71	2.11	25.1	11.90	10.5	2.22
1984643		0.88	<1	586	276	5.7	10	0.87	54	12.50	7.34	2.74	25.7	13.80	12.7	2.45
1984644		1.08	<1	1110	179.0	19.8	30	1.00	42	9.17	5.28	3.07	21.9	10.75	8.4	1.81
1984645		0.82	<1	899	112.5	36.2	50	1.01	51	7.29	3.94	3.81	20.6	9.41	6.0	1.38
1984646		1.28	<1	535	115.0	29.9	50	1.00	47	7.12	3.68	4.01	21.0	9.39	6.3	1.36
1984647		0.96	<1	2400	107.0	4.5	10	1.34	42	15.85	8.70	2.52	17.6	14.80	1.9	3.09
1984648		1.20	<1	4450	12.5	0.5	10	1.90	8	2.12	1.16	0.53	15.0	1.92	1.9	0.41
1984649		0.48	<1	476	257	5.4	20	0.61	22	13.35	7.87	2.91	24.0	14.05	10.2	2.60
1984650		0.50	<1	5890	>10000	22.8	20	0.67	239	58.7	17.85	91.8	94.4	177.5	5.7	8.34
1984651		0.62	<1	>10000	1340	9.0	10	2.54	116	8.68	4.07	4.98	21.0	13.90	7.9	1.51
1984652		0.74	<1	1915	271	4.1	20	0.75	31	12.50	7.35	2.68	22.2	13.60	10.5	2.43
1984653		0.68	<1	1655	97.1	5.1	20	2.34	13	3.87	1.95	1.24	18.9	5.01	7.6	0.71
1984654		0.86	<1	1905	81.8	9.7	20	2.18	<5	9.43	6.37	1.03	18.4	6.62	12.1	2.03
1984655		0.72	<1	4040	317	12.8	20	3.84	<5	15.35	9.59	2.16	25.0	13.65	15.4	3.17
1984656		1.64	<1	9610	159.0	13.5	20	4.23	5	11.30	7.55	1.36	22.2	8.46	11.9	2.42
1984657		2.72	<1	>10000	>10000	13.2	10	0.72	24	75.2	30.1	67.5	49.8	137.0	5.7	12.25
1984658		1.48	<1	>10000	1225	14.8	20	5.57	21	4.33	2.06	3.34	20.1	9.57	13.1	0.76
1984659		1.24	<1	>10000	119.5	5.4	10	1.25	33	3.04	1.94	0.76	17.8	3.71	4.0	0.62
1984660		1.50	<1	6680	281	8.0	20	1.39	7	9.03	5.22	2.41	22.8	10.50	9.5	1.76
1984661		1.50	<1	938	346	7.6	10	1.90	10	13.20	7.39	3.01	29.0	14.95	11.6	2.53
1984662		2.52	<1	1145	189.0	11.2	40	1.19	8	6.96	3.95	2.50	25.1	8.24	8.1	1.37
1984663		1.88	<1	754	127.5	15.3	40	0.95	13	4.18	2.33	1.88	22.2	5.27	6.5	0.82
1984664		2.64	<1	3430	111.5	38.4	50	0.53	34	7.34	3.68	4.10	18.7	9.67	6.3	1.37
1984665		0.56	<1	5140	877	13.4	40	3.41	8	6.02	2.51	4.89	21.4	10.80	6.0	0.96
1984666		0.60	<1	9540	>10000	16.0	240	0.85	31	48.9	14.80	77.5	69.4	142.0	5.6	6.86
1984667		1.26	<1	2100	412	4.6	10	0.80	5	10.65	6.11	3.05	22.9	12.45	10.0	2.05
1984668		1.40	<1	2350	228	3.5	10	1.62	9	8.73	4.94	1.85	18.8	9.12	8.4	1.70
1984669		0.54	<1	2670	393	4.1	10	0.90	34	10.15	6.28	2.92	21.1	11.95	10.2	2.01
1984670		0.46	<1	1150	124.0	42.0	440	5.49	6	10.20	6.59	2.02	35.4	10.00	5.4	2.12
1984671		1.54	<1	1065	233	4.7	10	1.04	32	9.25	5.58	1.75	21.2	9.68	9.0	1.84
1984672		1.04	<1	726	222	4.2	10	0.58	15	10.15	6.01	2.11	20.8	11.20	10.1	2.00
1984673		1.54	<1	824	148.5	3.2	10	0.95	7	8.15	5.06	1.56	21.5	8.16	6.7	1.62
1984674		0.72	<1	2450	229	1.7	10	1.05	5	4.45	2.33	1.05	17.6	4.97	4.0	0.82
1984675		1.70	<1	9540	1565	9.1	150	2.49	7	7.86	3.42	5.66	20.7	12.90	5.9	1.31
1984676		1.30	<1	539	399	<0.5	20	0.07	6	1.16	0.47	1.05	2.6	2.13	0.4	0.19
1984677		2.18	<1	5580	691	1.0	20	0.64	6	5.87	3.13	2.52	18.5	7.99	5.6	1.07
1984678		0.56	<1	8740	558	3.5	10	0.72	5	10.55	5.90	3.52	22.7	13.15	9.4	1.98
1984679		0.70	<1	>10000	>10000	12.6	30	0.59	21	45.7	14.60	68.5	66.4	114.5	4.3	6.54
1984680		0.46	<1	2010	40.3	0.5	10	0.70	<5	0.73	0.46	0.44	18.3	0.74	0.4	0.15

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
1984641		125.0	1.18	<2	45.3	98.1	5	23	28.2	30.2	16.70	9	968	5.0	1.84	63.2
1984642		130.0	1.06	<2	41.4	106.0	6	18	30.3	94.2	17.20	8	1195	3.6	1.81	53.5
1984643		133.0	1.18	<2	51.9	115.0	5	16	32.3	52.2	19.45	9	1095	3.9	2.05	62.5
1984644		83.9	0.79	2	39.8	81.0	17	15	21.6	61.9	14.40	6	836	2.8	1.54	33.7
1984645		51.2	0.52	2	40.2	61.2	38	16	14.75	54.5	11.25	4	508	2.3	1.29	10.35
1984646		52.1	0.47	2	39.7	61.2	26	12	14.85	41.4	11.85	2	649	1.9	1.27	9.26
1984647		46.2	0.85	<2	75.8	60.3	<5	26	14.35	147.0	16.20	5	588	6.7	2.50	30.8
1984648		6.2	0.14	<2	13.7	8.1	<5	23	1.84	213	2.15	<1	626	1.3	0.34	11.30
1984649		118.5	1.04	<2	66.3	98.7	5	18	28.0	18.8	18.15	9	773	4.9	2.10	55.8
1984650		>10000	1.90	5	201	7420	7	10	>1000	28.2	499	66	2060	1.0	14.95	498
1984651		1085	0.54	<2	366	291	7	22	107.0	182.0	27.2	8	2960	2.9	1.64	48.8
1984652		142.5	1.04	<2	58.0	104.0	5	22	30.2	36.9	18.30	9	1240	3.8	1.99	58.2
1984653		46.0	0.26	<2	15.7	43.2	5	14	11.55	138.5	7.48	2	355	1.0	0.67	14.55
1984654		39.8	0.89	<2	33.0	32.8	9	23	9.24	163.5	6.61	5	541	2.3	1.22	46.9
1984655		152.0	1.30	<2	43.1	117.0	9	20	34.8	220	18.60	7	519	3.1	2.26	73.2
1984656		84.9	1.07	<2	151.0	56.6	10	24	16.90	219	9.69	6	1745	2.5	1.56	58.2
1984657		>10000	3.32	2	536	3870	9	21	>1000	33.2	308	36	2730	1.1	14.95	279
1984658		890	0.36	<2	268	286	9	35	103.5	270	22.6	6	2000	2.2	0.94	102.0
1984659		77.0	0.35	<2	48.9	35.7	<5	17	11.35	89.1	4.88	2	3590	2.6	0.50	42.7
1984660		160.5	0.74	<2	45.2	99.3	7	19	29.7	121.5	15.55	5	1485	2.1	1.51	41.9
1984661		178.0	1.08	<2	40.9	129.5	5	20	37.8	101.0	21.5	7	793	3.4	2.14	58.9
1984662		73.5	0.58	<2	19.9	60.9	10	27	16.65	68.3	10.95	4	874	1.2	1.17	21.5
1984663		64.4	0.32	<2	15.5	50.9	14	15	14.30	41.8	8.11	3	722	0.8	0.70	14.45
1984664		49.6	0.46	3	83.5	59.1	39	16	14.45	47.7	11.70	3	769	2.1	1.29	6.95
1984665		586	0.31	<2	291	233	13	24	79.6	179.0	23.1	3	1290	0.7	1.19	55.4
1984666		>10000	1.45	<2	216	6750	12	16	>1000	64.0	444	17	1810	1.6	11.70	>1000
1984667		234	0.94	<2	43.8	130.5	<5	30	40.8	87.6	19.00	7	938	3.8	1.74	65.2
1984668		106.5	0.71	<2	35.5	77.4	<5	33	22.9	142.0	13.05	4	698	3.8	1.39	59.6
1984669		219	1.01	<2	58.1	129.5	<5	24	39.6	71.0	19.00	7	1170	3.1	1.69	59.0
1984670		61.9	1.11	<2	27.4	58.5	25	11	15.15	289	12.15	11	619	3.1	1.54	21.3
1984671		91.8	0.85	<2	41.7	76.3	<5	25	21.8	96.6	13.60	6	1005	3.7	1.45	50.6
1984672		100.5	0.91	<2	39.4	86.6	<5	21	24.7	41.9	15.75	7	1055	3.5	1.65	55.0
1984673		68.9	0.86	<2	41.4	57.9	10	21	16.60	87.3	11.15	8	663	4.2	1.25	48.2
1984674		154.0	0.29	<2	35.8	62.1	<5	14	21.2	111.0	8.07	3	465	1.7	0.76	30.9
1984675		1165	0.44	<2	144.5	354	29	14	130.0	155.5	29.9	9	802	1.9	1.46	104.0
1984676		311	0.05	<2	15.1	82.2	<5	<5	31.8	5.4	6.06	<1	116.0	0.3	0.21	19.00
1984677		497	0.48	<2	35.3	171.5	<5	19	60.2	102.5	16.95	4	660	2.2	1.00	48.6
1984678		355	0.88	<2	204	165.5	<5	19	52.9	70.0	22.0	8	2350	3.8	1.77	63.1
1984679		>10000	1.61	<2	1365	5800	5	14	>1000	56.4	389	18	2680	3.6	9.79	894
1984680		30.6	0.07	<2	6.5	9.6	<5	28	3.34	88.5	1.14	<1	724	0.5	0.12	3.34

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
1984641		<0.5	1.11	12.00	51	3	69.5	7.73	41	374	61.0	18.90	3.93	4.25	1.14	7.37
1984642		<0.5	1.01	11.65	58	3	65.4	6.99	32	355	58.8	18.45	4.50	4.07	1.02	5.80
1984643		<0.5	1.11	13.70	56	2	72.3	7.53	46	435	61.0	19.15	4.03	4.34	1.19	7.19
1984644		<0.5	0.79	7.69	151	3	50.9	5.23	83	306	55.4	16.45	7.92	6.27	2.63	5.21
1984645		<0.5	0.51	3.28	276	7	36.5	3.31	121	251	48.9	13.55	12.50	8.56	4.56	3.47
1984646		<0.5	0.50	2.35	232	3	36.3	3.17	102	269	48.4	14.45	12.45	8.70	4.42	4.19
1984647		0.5	1.19	8.28	18	2	83.5	7.30	22	48	70.2	14.65	2.27	1.65	0.28	4.03
1984648		0.6	0.16	4.48	<5	2	11.7	0.97	8	49	75.0	13.65	0.43	0.58	0.03	2.75
1984649		<0.5	1.10	9.19	41	2	75.6	7.59	54	332	60.0	19.45	3.59	4.34	0.99	7.52
1984650		<0.5	2.07	67.1	214	200	219	13.70	177	138	37.7	10.60	20.6	12.45	0.78	0.31
1984651		0.6	0.56	8.79	23	11	40.6	3.66	62	270	56.3	18.50	3.92	2.88	0.86	4.14
1984652		<0.5	1.05	14.00	39	2	72.0	7.20	50	338	59.8	20.1	3.25	4.16	0.84	7.53
1984653		0.5	0.26	2.28	38	2	19.7	1.80	41	286	69.8	14.85	3.30	2.36	0.76	3.38
1984654		<0.5	0.92	3.20	47	5	61.1	6.29	61	400	51.8	19.30	4.48	1.16	7.94	4.44
1984655		0.5	1.35	6.78	71	15	94.2	9.03	73	541	44.1	22.5	5.81	1.32	8.61	2.83
1984656		0.6	1.08	2.44	69	10	71.8	7.54	94	408	47.4	20.9	6.06	3.52	7.82	3.72
1984657		<0.5	3.63	21.0	210	14	344	23.3	127	307	36.6	7.83	18.25	21.1	2.91	0.18
1984658		0.8	0.30	2.39	63	9	21.0	2.04	173	484	43.6	19.60	7.55	1.49	8.70	2.76
1984659		<0.5	0.29	11.60	14	10	19.1	2.09	25	117	68.0	14.70	2.08	2.25	0.73	3.85
1984660		<0.5	0.74	5.61	70	5	51.4	4.96	46	317	54.7	20.0	4.45	4.09	3.61	5.10
1984661		<0.5	1.04	9.79	76	8	74.7	7.13	48	374	52.9	22.5	5.51	5.92	3.30	5.24
1984662		<0.5	0.54	7.17	102	3	38.9	3.63	56	296	59.3	17.90	5.62	5.96	2.35	4.77
1984663		<0.5	0.32	3.30	108	3	22.6	2.15	70	245	58.9	17.85	6.14	4.57	2.59	6.85
1984664		<0.5	0.47	2.70	284	4	35.7	3.11	145	253	47.5	13.05	13.65	9.39	4.89	3.75
1984665		0.6	0.31	1.69	99	3	25.5	1.99	83	240	58.5	15.30	6.56	3.63	2.82	4.85
1984666		<0.5	1.65	57.9	223	5	171.0	10.65	166	248	42.3	9.28	16.10	13.45	1.70	0.63
1984667		<0.5	0.87	14.85	49	2	59.9	6.03	42	308	60.2	18.25	3.63	4.11	0.85	6.23
1984668		<0.5	0.69	10.85	24	2	47.5	4.92	31	255	64.4	17.95	2.48	2.70	0.78	5.47
1984669		<0.5	0.88	13.10	37	2	59.4	6.54	36	325	59.1	19.60	3.56	5.25	0.95	6.32
1984670		0.5	0.98	10.00	140	2	62.1	6.95	199	172	40.3	17.75	15.60	9.33	7.77	1.67
1984671		<0.5	0.80	12.55	32	2	53.3	5.74	36	295	62.3	18.30	3.08	3.88	0.63	5.99
1984672		<0.5	0.90	13.40	39	2	57.3	6.09	40	324	59.8	20.3	4.00	4.42	0.62	7.58
1984673		<0.5	0.77	14.50	36	2	48.9	5.58	44	197	62.6	18.00	3.54	4.08	0.86	6.28
1984674		<0.5	0.32	7.72	17	2	23.3	2.07	25	118	70.7	14.10	1.71	1.30	0.39	4.82
1984675		0.6	0.43	7.07	115	5	36.2	2.85	87	238	62.7	12.85	6.72	2.50	1.99	4.49
1984676		<0.5	0.06	3.33	7	2	5.1	0.36	<5	11	99.2	1.11	0.49	0.11	<0.01	0.44
1984677		<0.5	0.44	8.90	17	2	30.5	3.04	17	150	76.2	12.85	1.78	0.61	0.07	4.99
1984678		<0.5	0.82	11.05	29	2	57.4	5.79	39	300	60.5	18.10	3.39	4.08	0.85	6.01
1984679		<0.5	1.69	121.5	152	13	171.5	11.40	138	158	43.2	11.05	17.25	9.89	1.42	1.27
1984680		<0.5	0.06	1.08	5	1	4.4	0.41	10	11	67.4	18.35	0.66	2.15	0.14	5.95

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
1984641		1.17	<0.01	0.53	0.06	0.16	0.10	0.07	0.89	99.6	<0.5	<5	<0.5	5	89	<1
1984642		3.36	<0.01	0.60	0.05	0.19	0.13	0.11	1.58	98.7	<0.5	<5	<0.5	3	89	<1
1984643		1.61	<0.01	0.60	0.08	0.19	0.12	0.06	0.99	100.5	<0.5	<5	<0.5	3	60	<1
1984644		2.09	<0.01	1.32	0.15	0.38	0.09	0.12	1.89	99.9	<0.5	<5	<0.5	8	49	<1
1984645		1.69	0.01	2.33	0.22	0.61	0.06	0.10	1.50	98.1	<0.5	<5	<0.5	13	64	<1
1984646		1.15	0.01	2.11	0.20	0.58	0.07	0.06	1.39	98.2	<0.5	<5	<0.5	12	57	<1
1984647		5.08	<0.01	0.35	0.03	0.06	0.06	0.26	1.10	100.0	<0.5	<5	<0.5	4	45	<1
1984648		7.06	<0.01	0.06	0.01	0.01	0.07	0.49	0.80	101.0	<0.5	<5	<0.5	1	8	<1
1984649		0.91	<0.01	0.60	0.10	0.19	0.09	0.05	1.10	98.9	<0.5	<5	<0.5	2	21	<1
1984650		0.80	<0.01	0.46	0.32	2.58	0.26	0.65	1.20	88.7	0.8	<5	<0.5	13	241	1
1984651		6.18	<0.01	0.41	0.10	0.16	0.31	3.49	1.19	98.4	<0.5	<5	<0.5	6	121	<1
1984652		1.44	<0.01	0.56	0.07	0.17	0.14	0.22	0.99	99.3	<0.5	<5	<0.5	2	31	<1
1984653		3.51	<0.01	0.45	0.04	0.16	0.04	0.19	0.89	99.7	<0.5	<5	<0.5	4	11	<1
1984654		5.26	<0.01	0.68	0.06	0.14	0.06	0.23	2.99	98.5	<0.5	<5	<0.5	8	3	<1
1984655		6.16	<0.01	0.88	0.07	0.31	0.06	0.45	3.09	96.2	<0.5	<5	<0.5	10	2	<1
1984656		4.90	<0.01	0.82	0.13	0.22	0.19	1.06	2.29	99.0	<0.5	<5	<0.5	10	4	<1
1984657		0.71	<0.01	0.78	0.61	1.24	0.32	2.88	1.60	95.0	<0.5	<5	<0.5	4	23	1
1984658		6.81	<0.01	0.81	0.19	0.12	0.22	6.90	1.79	100.5	<0.5	<5	<0.5	10	24	<1
1984659		2.89	<0.01	0.13	0.03	0.03	0.38	2.45	0.89	98.4	<0.5	<5	<0.5	5	33	<1
1984660		3.64	<0.01	0.63	0.07	0.20	0.16	0.75	1.29	98.7	<0.5	<5	<0.5	5	7	<1
1984661		2.46	<0.01	0.58	0.07	0.19	0.09	0.11	1.29	100.0	<0.5	<5	<0.5	5	8	1
1984662		2.00	<0.01	0.75	0.04	0.18	0.09	0.12	0.90	100.0	<0.5	<5	<0.5	5	7	<1
1984663		1.16	0.01	0.77	0.11	0.20	0.08	0.09	0.70	100.0	<0.5	<5	<0.5	7	12	<1
1984664		1.94	0.01	2.50	0.26	0.68	0.09	0.40	1.10	99.2	<0.5	<5	<0.5	16	39	<1
1984665		4.83	<0.01	0.76	0.16	0.21	0.15	0.60	0.89	99.3	<0.5	<5	<0.5	9	8	<1
1984666		2.06	0.03	0.43	0.50	2.61	0.22	1.03	0.59	90.9	0.9	<5	<0.5	6	30	2
1984667		3.12	<0.01	0.49	0.05	0.16	0.09	0.23	0.79	98.2	<0.5	<5	<0.5	2	3	<1
1984668		4.84	<0.01	0.36	0.01	0.12	0.08	0.26	0.40	99.9	<0.5	<5	<0.5	2	6	<1
1984669		2.90	<0.01	0.51	0.07	0.19	0.13	0.30	1.60	100.5	<0.5	<5	<0.5	2	36	<1
1984670		3.81	0.06	1.00	0.24	0.37	0.07	0.13	2.20	100.5	<0.5	<5	<0.5	29	6	<1
1984671		3.27	<0.01	0.47	0.02	0.09	0.11	0.12	0.59	98.9	<0.5	<5	<0.5	3	39	<1
1984672		1.59	<0.01	0.53	0.07	0.18	0.12	0.08	0.89	100.0	<0.5	<5	<0.5	3	15	<1
1984673		3.23	<0.01	0.32	0.08	0.11	0.07	0.09	0.80	100.0	<0.5	<5	<0.5	2	5	<1
1984674		3.46	<0.01	0.18	0.04	0.05	0.05	0.27	1.00	98.1	<0.5	<5	<0.5	1	4	<1
1984675		3.46	0.02	0.54	0.12	0.18	0.09	1.09	1.49	98.2	<0.5	<5	<0.5	5	6	<1
1984676		0.18	<0.01	0.04	<0.01	0.02	0.01	0.06	0.40	102	<0.5	<5	<0.5	1	7	<1
1984677		2.92	<0.01	0.15	<0.01	0.14	0.09	0.60	0.60	101.0	<0.5	<5	<0.5	1	4	<1
1984678		2.59	<0.01	0.48	0.05	0.17	0.25	0.94	1.09	98.5	<0.5	<5	<0.5	2	4	1
1984679		1.94	<0.01	0.50	0.37	1.68	0.31	1.36	0.99	91.2	0.6	<5	<0.5	5	21	1
1984680		3.79	<0.01	0.03	0.02	0.02	0.08	0.24	0.99	99.8	<0.5	<5	<0.5	<1	<1	<1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - E
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Ce % 0.01	La % 0.01	Pr % 0.01
1984641		<1	3	10	19			
1984642		<1	3	4	16			
1984643		<1	2	4	21			
1984644		<1	10	4	35			
1984645		<1	18	10	46			
1984646		<1	13	6	41			
1984647		<1	1	5	12			
1984648		<1	<1	5	4			
1984649		<1	2	3	21			
1984650		4	2	10	68	4.08	3.65	0.30
1984651		<1	2	9	41			
1984652		<1	1	11	23			
1984653		<1	2	3	34			
1984654		<1	5	2	60			
1984655		<1	5	2	68			
1984656		<1	5	3	79			
1984657		<1	1	18	38	1.71	1.48	0.14
1984658		<1	4	6	164			
1984659		<1	<1	5	17			
1984660		<1	2	3	30			
1984661		<1	1	5	39			
1984662		<1	4	5	29			
1984663		<1	5	4	27			
1984664		<1	17	7	61			
1984665		<1	7	8	54			
1984666		1	3	13	70	3.25	2.60	0.26
1984667		<1	<1	7	20			
1984668		<1	<1	7	18			
1984669		<1	<1	4	12			
1984670		<1	15	7	172			
1984671		<1	1	6	19			
1984672		<1	<1	6	26			
1984673		<1	<1	5	19			
1984674		<1	<1	4	10			
1984675		<1	21	10	60			
1984676		<1	2	2	3			
1984677		<1	<1	12	10			
1984678		<1	<1	7	13			
1984679		<1	<1	10	37	2.81	2.34	0.22
1984680		<1	<1	6	5			

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
1984681		1.02	<1	4650	94.4	3.0	10	1.22	38	6.23	3.86	1.35	16.1	6.17	5.2	1.23
1984682		1.72	<1	2710	209	3.2	10	0.69	30	8.75	5.27	1.83	18.8	9.14	9.0	1.79
1984683		0.22	<1	>10000	>10000	5.0	20	0.69	39	26.9	8.90	39.1	61.9	73.9	5.9	4.09
1984684		2.00	<1	6390	1570	2.8	10	0.74	28	10.45	5.25	6.00	23.6	16.40	8.3	1.99
1984685		1.58	<1	6640	521	22.1	60	2.33	111	8.05	3.52	4.62	22.7	12.30	2.4	1.43
1984686		1.02	<1	5130	383	12.4	40	1.50	28	7.18	3.23	4.29	18.2	10.40	2.8	1.30
1984687		2.12	<1	2370	880	7.8	20	0.58	15	8.12	3.64	4.59	22.1	12.75	2.0	1.43
1984688		1.72	<1	3190	159.5	4.1	10	1.03	16	1.67	0.76	1.24	20.7	3.16	7.0	0.30
1984689		1.08	<1	2540	131.0	17.0	30	1.02	33	6.91	3.30	3.40	21.6	9.54	6.3	1.28
1984690		0.54	<1	3620	138.5	4.2	20	1.97	25	5.88	2.81	2.65	19.0	7.74	5.1	1.09
1984691		0.62	<1	4140	1025	4.1	20	1.21	13	8.92	3.92	4.95	16.8	14.45	4.1	1.60
1984692		1.88	<1	3130	221	17.8	50	1.06	7	9.29	4.46	5.17	20.6	12.65	6.6	1.74
1984693		1.50	<1	3330	344	10.9	30	1.23	41	7.71	3.86	3.67	17.7	10.25	6.2	1.48
1984694		0.68	<1	3840	2400	3.0	20	1.51	10	16.20	6.69	8.87	22.3	26.6	3.3	2.76
1984695		1.08	<1	3130	616	10.5	50	1.56	27	8.32	4.18	4.08	17.0	10.85	5.7	1.60
1984696		0.66	<1	2860	128.5	6.0	20	0.82	22	6.16	3.32	2.60	15.9	7.37	10.4	1.22
1984697		1.14	<1	2210	125.5	10.0	40	0.81	9	5.60	2.85	2.60	19.1	7.38	5.8	1.05
1984698		0.76	<1	>10000	517	5.4	60	1.52	22	6.14	1.93	6.30	19.7	12.25	3.7	0.90
1984699		0.60	<1	>10000	572	26.0	210	1.96	28	4.92	1.65	4.96	15.0	9.95	1.4	0.77
1984700		1.44	<1	>10000	1180	35.5	500	2.39	32	6.80	2.67	6.59	19.1	13.50	1.8	1.14
1984701		0.82	<1	9370	448	8.7	20	0.73	39	3.13	1.14	3.13	20.9	6.49	4.1	0.51
1984702		1.34	<1	>10000	584	17.1	60	0.57	26	5.10	1.71	5.27	20.1	10.75	5.8	0.76
1984703		1.56	<1	>10000	968	16.7	140	0.66	25	4.79	1.63	5.27	19.3	10.40	3.1	0.75
1984704		0.48	<1	8220	933	18.4	280	1.31	31	3.73	1.26	4.42	19.0	9.09	3.8	0.59
1984705		1.96	<1	5110	1070	16.2	40	1.61	48	4.70	1.80	4.85	19.9	9.65	4.2	0.78
1984706		1.38	<1	>10000	1850	15.3	40	1.66	9	5.44	1.85	7.96	23.0	15.05	3.3	0.84
1984707		1.76	<1	9160	1295	10.0	10	1.95	12	6.00	2.13	7.13	21.7	14.45	5.0	0.94
1984708		1.74	<1	4610	892	13.9	20	1.05	67	5.24	2.22	4.52	23.2	9.92	5.1	0.91
1984709		1.52	<1	8120	1025	8.3	40	1.49	12	5.09	2.10	4.68	20.3	10.45	1.8	0.89
1984710		1.64	<1	5020	600	6.7	10	1.77	26	3.06	1.35	2.28	20.4	5.51	1.9	0.53
1984711		1.26	<1	4550	12.3	0.6	10	1.17	8	0.33	0.16	0.49	15.8	0.56	<0.2	0.06
1984712		1.90	<1	5710	25.0	1.6	10	1.62	7	0.60	0.30	0.68	15.7	0.93	0.4	0.11
1984713		1.94	2	7480	1875	29.0	120	1.37	12	13.10	4.37	16.10	19.0	29.9	7.0	2.00
1984714		1.30	<1	7000	331	4.7	20	1.23	<5	2.99	1.31	2.16	17.8	5.17	1.2	0.53
1984715		1.10	<1	6150	681	10.4	50	0.92	11	5.54	2.43	3.97	17.0	9.58	1.2	0.98
1986901		1.10	<1	788	57.7	3.3	10	1.33	8	3.25	1.86	0.92	16.8	3.52	3.4	0.66
1986902		0.70	1	4810	628	18.9	190	4.57	<5	6.07	3.56	3.61	27.8	8.27	6.0	1.23
1986903		1.56	<1	4250	336	7.9	10	4.65	<5	13.40	7.49	3.91	40.9	15.55	10.1	2.75
1986904		1.02	<1	256	189.5	11.6	200	2.46	<5	7.91	4.52	2.91	35.4	9.72	6.7	1.63
1986905		0.94	1	891	326	17.7	160	2.97	6	14.95	7.90	5.39	48.2	18.15	8.3	3.05

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
1984681		40.6	0.53	<2	40.1	37.2	<5	27	10.20	161.0	7.70	3	1065	3.2	0.97	26.2
1984682		117.0	0.82	<2	51.4	72.1	<5	23	21.1	94.3	12.45	6	1005	3.9	1.38	46.3
1984683		>10000	1.08	<2	232	3060	<5	20	>1000	91.6	217	10	2010	2.3	6.79	222
1984684		1245	0.80	2	307	345	<5	23	120.5	100.5	32.5	8	1545	3.8	1.98	63.9
1984685		305	0.42	<2	110.0	176.5	29	18	52.1	169.0	21.6	7	1135	1.6	1.57	7.87
1984686		214	0.37	<2	89.4	137.5	19	21	40.1	145.0	18.00	4	884	2.7	1.35	15.15
1984687		591	0.41	<2	40.3	237	9	16	78.3	56.2	23.5	3	1070	3.2	1.56	104.0
1984688		98.9	0.10	<2	8.9	45.8	<5	17	14.40	125.5	5.80	1	742	0.5	0.36	44.4
1984689		55.8	0.42	3	33.4	65.2	19	18	16.30	109.5	12.35	4	443	1.1	1.30	23.1
1984690		72.8	0.35	<2	33.6	58.6	5	28	15.30	191.5	10.65	2	556	1.2	1.10	27.9
1984691		608	0.38	<2	50.8	264	6	26	90.7	171.0	28.0	3	610	3.4	1.80	149.0
1984692		98.8	0.57	<2	67.6	103.5	23	20	26.5	119.0	18.05	4	572	1.8	1.74	20.6
1984693		187.0	0.50	<2	46.4	116.5	11	24	34.9	146.5	16.10	3	605	2.8	1.39	32.6
1984694		1485	0.63	2	81.8	534	<5	27	194.0	175.0	51.9	4	630	6.0	3.24	283
1984695		395	0.51	<2	59.1	153.5	19	21	52.4	143.5	18.00	4	612	3.4	1.51	61.6
1984696		65.2	0.46	<2	36.2	53.6	6	20	14.30	104.5	9.93	3	538	1.7	1.09	25.5
1984697		60.7	0.39	<2	29.9	56.6	18	18	14.65	81.5	10.15	3	549	1.0	1.04	18.65
1984698		306	0.17	2	1685	194.0	11	18	56.4	157.5	24.6	11	3210	23.8	1.40	12.05
1984699		400	0.19	<2	482	174.0	60	13	54.5	151.5	19.95	5	3930	5.3	1.13	4.91
1984700		914	0.31	<2	269	289	124	13	98.0	124.0	27.3	6	4110	2.0	1.50	5.43
1984701		301	0.15	<2	151.5	129.0	16	9	41.1	69.4	13.10	4	2180	0.8	0.71	2.80
1984702		367	0.19	<2	559	194.5	25	11	58.0	66.4	21.7	6	2430	5.0	1.15	2.56
1984703		711	0.22	<2	552	248	53	12	82.7	86.2	23.0	5	2970	7.7	1.11	3.36
1984704		729	0.20	<2	100.5	230	179	10	78.2	89.4	19.90	4	2690	0.5	0.91	4.03
1984705		764	0.24	<2	126.5	259	13	17	90.1	98.8	22.5	7	2170	0.6	1.03	22.5
1984706		1265	0.23	<2	297	466	8	32	158.0	138.0	38.6	5	5580	0.5	1.40	42.7
1984707		827	0.25	<2	150.5	361	<5	31	117.0	129.5	33.1	4	3620	0.8	1.46	10.35
1984708		598	0.29	2	90.8	239	8	15	79.0	78.7	21.4	5	1685	1.0	1.08	49.8
1984709		696	0.26	<2	79.8	270	14	25	90.1	180.0	22.9	5	2640	1.2	1.11	19.85
1984710		416	0.19	<2	16.3	140.5	7	25	48.6	179.0	11.50	3	1935	0.7	0.62	21.3
1984711		6.0	0.02	<2	6.6	5.9	<5	22	1.47	140.5	0.87	<1	2550	0.2	0.07	0.28
1984712		13.1	0.05	<2	41.3	10.8	<5	27	2.88	177.0	1.49	1	2670	0.5	0.12	0.78
1984713		1045	0.47	6	>2500	628	83	18	190.5	108.5	65.9	23	3540	10.4	3.06	57.1
1984714		225	0.18	<2	44.5	93.5	7	25	29.8	172.5	9.72	3	2750	1.4	0.60	4.69
1984715		449	0.26	<2	113.0	189.5	33	19	62.5	116.0	18.70	5	2480	3.5	1.12	9.92
1986901		28.7	0.23	<2	21.7	24.7	<5	21	6.64	59.0	4.61	1	373	1.7	0.55	11.55
1986902		458	0.65	<2	104.5	152.0	31	16	52.8	122.0	14.45	7	1100	1.2	1.09	77.3
1986903		175.0	1.21	<2	33.4	121.5	9	28	35.5	101.0	20.8	11	1420	2.5	2.40	52.7
1986904		103.0	0.76	<2	21.2	73.0	20	19	20.7	40.1	12.85	10	1350	1.0	1.44	15.25
1986905		180.5	1.23	3	21.2	119.5	28	22	34.7	82.2	20.8	11	1350	1.1	2.73	21.1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
1984681		0.6	0.54	5.21	19	2	36.4	3.70	22	160	68.2	15.35	2.32	1.90	0.41	3.54
1984682		<0.5	0.79	9.88	34	2	52.1	5.41	29	283	64.1	15.90	2.99	3.69	0.79	5.27
1984683		<0.5	1.14	34.0	137	2	111.5	7.10	65	201	52.5	14.15	9.24	7.73	1.07	2.70
1984684		<0.5	0.77	15.05	44	1	56.6	5.11	32	283	60.4	17.70	3.63	4.15	0.68	5.36
1984685		0.5	0.49	2.71	131	2	40.0	2.93	111	87	57.8	13.50	7.44	5.03	3.24	2.45
1984686		0.5	0.44	2.72	88	1	34.9	2.57	63	105	61.1	14.20	4.68	5.84	2.42	3.15
1984687		<0.5	0.48	4.33	72	1	40.0	2.94	54	70	60.7	15.35	4.17	7.05	2.16	4.86
1984688		<0.5	0.10	3.45	32	<1	8.0	0.62	41	294	69.5	14.95	2.84	1.90	0.63	3.84
1984689		<0.5	0.46	2.72	151	2	35.6	2.84	92	250	59.1	14.45	7.67	5.38	2.43	3.76
1984690		0.5	0.39	3.79	32	1	30.9	2.34	27	196	68.6	15.00	2.56	2.48	0.72	3.41
1984691		0.5	0.51	4.57	33	2	43.3	2.95	26	164	71.6	13.35	1.85	2.12	0.57	2.54
1984692		<0.5	0.64	4.42	122	1	49.9	3.96	94	265	57.7	14.85	7.08	6.21	2.87	3.63
1984693		0.5	0.55	3.25	65	1	42.6	3.43	52	253	64.6	14.15	4.25	4.57	1.58	3.31
1984694		0.6	0.88	7.95	32	1	75.7	4.97	31	124	68.0	13.95	2.46	3.11	0.71	2.73
1984695		0.5	0.59	3.62	67	2	46.4	3.59	57	237	63.0	14.00	4.45	5.07	1.95	3.23
1984696		<0.5	0.47	3.07	43	2	35.2	3.05	37	459	66.8	14.15	3.55	3.76	1.16	3.93
1984697		<0.5	0.39	2.73	64	1	30.1	2.61	57	223	65.2	15.25	4.26	3.84	1.63	4.85
1984698		0.5	0.24	5.68	46	1	21.3	1.24	61	237	61.3	16.30	2.84	2.45	1.06	4.15
1984699		0.5	0.21	7.16	64	3	20.3	1.27	128	57	57.7	13.00	5.32	5.57	4.27	3.26
1984700		<0.5	0.34	3.91	129	3	31.1	2.02	192	75	52.8	11.80	8.96	7.78	6.07	2.84
1984701		<0.5	0.15	0.38	114	<1	12.5	0.93	56	163	62.0	14.95	5.24	3.52	1.51	5.51
1984702		<0.5	0.20	1.45	132	1	19.0	1.21	74	231	59.5	12.95	6.16	5.33	2.79	4.60
1984703		<0.5	0.21	35.6	94	1	19.5	1.29	80	122	59.2	12.85	5.33	5.43	3.27	4.16
1984704		<0.5	0.16	2.53	84	<1	14.7	1.05	111	161	60.6	11.75	5.57	4.49	5.23	3.91
1984705		<0.5	0.25	1.97	125	<1	20.6	1.50	117	170	57.7	14.25	6.67	5.16	2.94	4.50
1984706		<0.5	0.24	2.62	72	1	21.0	1.46	115	137	58.7	15.40	4.83	4.73	2.72	4.13
1984707		<0.5	0.27	2.55	68	1	24.7	1.66	108	225	58.0	15.85	4.78	4.21	2.71	4.78
1984708		<0.5	0.31	3.52	74	1	24.2	1.90	75	203	62.3	15.20	4.26	3.55	2.07	6.00
1984709		0.6	0.29	2.43	101	<1	23.8	1.75	57	62	60.9	15.30	4.35	4.61	2.15	3.06
1984710		0.6	0.19	2.93	65	1	15.2	1.19	44	64	65.8	14.90	3.25	3.14	1.24	3.47
1984711		<0.5	0.02	0.17	8	2	1.8	0.14	6	2	73.0	15.20	0.48	0.88	0.08	4.12
1984712		0.5	0.05	1.05	7	1	3.5	0.30	11	11	72.8	14.75	0.74	0.82	0.21	3.38
1984713		<0.5	0.56	34.8	204	3	48.0	3.24	183	295	55.1	9.18	8.66	7.73	5.21	1.84
1984714		0.5	0.19	1.10	49	1	14.4	1.13	36	47	64.1	16.45	2.37	2.79	1.21	3.84
1984715		<0.5	0.33	1.79	56	1	27.1	1.94	67	38	66.3	13.45	3.39	2.95	1.90	3.50
1986901		<0.5	0.27	2.31	13	3	19.5	1.66	19	126	75.2	13.70	1.30	2.14	0.24	4.57
1986902		0.5	0.55	5.19	102	27	37.5	3.93	110	239	52.2	18.20	7.08	4.75	6.23	4.72
1986903		<0.5	1.09	19.15	91	4	84.6	7.26	79	366	48.2	22.6	6.92	8.87	3.66	3.60
1986904		<0.5	0.66	15.30	143	14	49.8	4.47	88	257	46.8	20.3	8.46	11.65	4.71	3.08
1986905		<0.5	1.11	32.8	173	21	96.4	7.22	92	330	40.1	21.5	11.20	13.90	5.63	1.09

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
1984681		6.29	<0.01	0.27	0.05	0.07	0.12	0.53	0.89	99.9	<0.5	<5	<0.5	2	39	<1
1984682		3.75	<0.01	0.44	0.08	0.16	0.12	0.31	0.69	98.3	<0.5	<5	<0.5	2	32	<1
1984683		3.55	<0.01	0.45	0.20	0.77	0.26	1.55	1.50	95.7	<0.5	<5	<0.5	3	42	1
1984684		3.91	<0.01	0.65	0.04	0.21	0.18	0.70	0.99	98.6	<0.5	<5	<0.5	1	29	<1
1984685		5.65	0.01	0.78	0.17	0.15	0.13	0.73	1.39	98.5	<0.5	<5	<0.5	14	113	<1
1984686		5.37	0.01	0.65	0.14	0.11	0.11	0.59	1.49	99.9	<0.5	<5	<0.5	5	29	<1
1984687		2.19	<0.01	0.42	0.13	0.26	0.13	0.27	0.99	98.7	<0.5	<5	<0.5	3	14	<1
1984688		4.21	<0.01	0.39	0.03	0.11	0.09	0.36	1.00	99.9	<0.5	<5	<0.5	4	13	<1
1984689		3.83	<0.01	1.25	0.13	0.22	0.05	0.28	1.40	100.0	<0.5	<5	<0.5	5	32	<1
1984690		6.44	<0.01	0.30	0.06	0.13	0.06	0.40	1.99	102	<0.5	<5	<0.5	2	22	<1
1984691		6.63	<0.01	0.43	0.05	0.09	0.07	0.47	0.69	100.5	<0.5	<5	<0.5	2	10	<1
1984692		4.73	0.01	1.11	0.16	0.24	0.07	0.36	0.70	99.7	<0.5	<5	<0.5	7	6	<1
1984693		5.61	<0.01	0.56	0.12	0.16	0.07	0.37	0.90	100.5	<0.5	<5	<0.5	6	38	<1
1984694		6.14	<0.01	0.62	0.03	0.13	0.08	0.42	1.00	99.4	<0.5	<5	<0.5	1	7	<1
1984695		5.27	0.01	0.75	0.12	0.16	0.07	0.35	0.40	98.8	<0.5	<5	<0.5	5	25	<1
1984696		4.43	<0.01	0.51	0.08	0.15	0.07	0.34	0.70	99.6	<0.5	<5	<0.5	3	22	<1
1984697		3.26	0.01	0.51	0.09	0.14	0.06	0.25	0.40	99.8	<0.5	<5	<0.5	3	7	<1
1984698		7.27	0.01	1.52	0.05	0.14	0.35	2.62	1.09	101.0	<0.5	<5	<0.5	2	25	<1
1984699		5.91	0.03	0.74	0.14	0.22	0.45	2.54	1.30	100.5	<0.5	<5	<0.5	10	29	<1
1984700		4.26	0.06	0.82	0.19	0.23	0.46	2.05	1.80	100.0	<0.5	<5	<0.5	17	32	<1
1984701		4.53	<0.01	0.53	0.09	0.21	0.26	1.07	1.39	101.0	<0.5	<5	<0.5	4	38	<1
1984702		4.50	0.01	0.81	0.11	0.44	0.28	1.27	1.49	100.0	<0.5	<5	<0.5	5	26	<1
1984703		5.02	0.02	0.65	0.12	0.29	0.34	1.25	1.39	99.3	<0.5	<5	<0.5	5	24	<1
1984704		4.26	0.03	0.38	0.15	0.42	0.31	0.91	0.89	98.9	<0.5	<5	<0.5	7	29	<1
1984705		4.53	0.01	0.73	0.16	0.26	0.29	0.65	1.49	99.3	<0.5	<5	<0.5	11	52	<1
1984706		5.89	<0.01	0.50	0.13	0.29	0.62	1.60	0.80	100.5	<0.5	<5	<0.5	8	7	<1
1984707		5.22	<0.01	0.71	0.10	0.46	0.44	1.09	1.00	99.4	<0.5	<5	<0.5	7	11	<1
1984708		3.84	<0.01	0.61	0.10	0.25	0.19	0.51	1.20	100.0	<0.5	<5	<0.5	9	66	<1
1984709		7.54	0.01	0.32	0.13	0.23	0.33	0.98	0.90	101.0	<0.5	<5	<0.5	3	11	<1
1984710		6.35	<0.01	0.14	0.09	0.28	0.22	0.56	1.09	100.5	<0.5	<5	<0.5	3	23	<1
1984711		5.91	<0.01	0.03	0.01	0.03	0.28	0.51	0.79	101.5	<0.5	<5	<0.5	<1	6	<1
1984712		7.13	<0.01	0.06	0.02	0.03	0.30	0.63	0.79	101.5	<0.5	<5	<0.5	1	4	<1
1984713		3.84	0.02	3.20	0.22	0.10	0.41	0.83	1.10	97.4	<0.5	<5	<0.5	9	23	<1
1984714		7.59	<0.01	0.22	0.07	0.15	0.33	0.83	0.30	100.5	<0.5	<5	<0.5	1	2	<1
1984715		4.98	0.01	0.46	0.08	0.09	0.29	0.70	1.10	99.2	<0.5	<5	<0.5	4	9	<1
1986901		2.16	<0.01	0.17	0.02	0.06	0.04	0.09	0.80	100.5	<0.5	<5	<0.5	2	6	<1
1986902		2.86	0.02	0.99	0.14	0.32	0.12	0.52	1.50	99.7	0.5	<5	<0.5	14	2	<1
1986903		1.99	<0.01	0.60	0.11	0.19	0.16	0.47	1.19	98.6	<0.5	<5	<0.5	5	1	1
1986904		1.04	0.03	1.16	0.15	0.33	0.16	0.03	1.00	98.9	<0.5	<5	<0.5	4	<1	<1
1986905		1.68	0.02	1.08	0.14	0.27	0.16	0.10	2.39	99.3	0.9	<5	<0.5	10	5	<1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - E
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Ce % 0.01	La % 0.01	Pr % 0.01
I984681		<1	<1	6	9			
I984682		<1	<1	5	10			
I984683		<1	<1	7	13	1.63	1.43	0.12
I984684		<1	<1	4	9			
I984685		<1	18	6	44			
I984686		<1	8	4	14			
I984687		<1	1	5	12			
I984688		<1	1	5	34			
I984689		1	7	3	23			
I984690		<1	<1	5	7			
I984691		<1	2	5	5			
I984692		<1	8	5	32			
I984693		<1	4	5	11			
I984694		<1	<1	6	5			
I984695		<1	8	3	17			
I984696		<1	2	5	9			
I984697		<1	4	4	16			
I984698		<1	5	9	8			
I984699		<1	32	6	39			
I984700		<1	73	4	98			
I984701		<1	11	6	14			
I984702		<1	12	6	9			
I984703		<1	20	8	10			
I984704		<1	74	6	38			
I984705		<1	7	7	65			
I984706		<1	2	11	56			
I984707		<1	<1	10	75			
I984708		<1	1	6	23			
I984709		<1	4	6	17			
I984710		<1	2	6	18			
I984711		<1	1	3	2			
I984712		<1	<1	5	2			
I984713		1	26	11	56			
I984714		<1	1	8	11			
I984715		<1	12	7	32			
I986901		<1	2	4	9			
I986902		<1	21	3	78			
I986903		<1	4	16	65			
I986904		<1	7	9	39			
I986905		<1	14	13	50			

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
I986906		1.36	<1	375	259	13.4	70	1.94	13	13.65	7.38	4.52	43.4	15.20	10.3	2.78
I986907		1.06	2	3170	263	14.6	10	0.98	15	2.82	1.13	1.91	24.3	5.13	8.4	0.48
I986908		1.16	1	2940	235	11.3	10	1.51	15	3.11	1.32	1.63	24.8	4.87	8.1	0.53
I986909		1.00	2	3600	289	18.8	10	1.74	22	2.50	0.96	1.93	24.0	4.82	9.4	0.40
I986910		0.92	2	3310	261	17.2	10	1.81	20	2.61	0.98	1.82	23.9	5.01	9.2	0.42
I986911		1.06	<1	3830	312	8.0	10	1.04	11	2.02	0.77	1.86	24.0	4.35	9.5	0.33
I986912		1.22	<1	4000	326	8.6	10	1.39	13	3.74	1.38	2.41	24.7	6.88	10.2	0.61
I986913		1.08	<1	1290	330	6.6	20	0.75	10	17.85	8.83	3.80	29.0	19.45	8.6	3.40
I986914		1.50	<1	2760	153.0	7.6	30	0.94	7	7.22	3.84	1.84	22.4	8.00	5.7	1.44
I986915		0.72	<1	2280	143.0	4.9	10	0.80	5	2.42	1.20	1.02	19.4	3.45	2.2	0.46
I986916		1.24	<1	9830	443	13.5	20	3.99	12	8.36	4.19	3.95	22.7	10.95	5.9	1.57
I986917		2.08	<1	1145	228	14.7	20	1.40	<5	8.39	4.33	3.52	24.8	10.65	6.8	1.66
I986918		1.68	<1	1795	80.2	13.3	20	1.86	6	5.69	3.33	1.91	20.8	5.99	5.7	1.18
I986919		2.08	<1	879	5.8	3.1	10	0.66	<5	0.97	0.61	0.35	17.6	0.84	2.0	0.21
I986920		1.56	<1	1150	72.1	12.0	20	0.80	8	4.90	2.79	1.47	19.5	5.13	4.8	0.99
I986921		0.84	<1	1650	247	6.5	10	0.71	8	9.02	4.63	3.17	19.3	11.70	9.4	1.72
I986922		0.96	<1	3690	206	5.2	10	0.79	6	8.51	4.22	3.06	19.4	11.25	7.5	1.60
I986923		0.78	<1	>10000	6470	12.6	20	0.95	117	36.3	12.65	31.9	35.3	76.7	4.1	5.77
I986924		0.84	<1	>10000	559	4.6	10	1.69	6	18.70	6.30	10.70	21.0	34.5	7.1	2.90
I986925		1.16	<1	1705	95.9	9.5	20	0.58	<5	5.70	3.23	1.45	21.6	6.39	6.4	1.15
I986926		1.12	<1	3400	88.3	5.1	10	2.13	5	1.90	1.03	1.05	17.3	2.55	9.9	0.37
I986927		1.34	1	941	130.5	21.9	20	2.22	8	5.46	2.78	2.20	21.3	7.01	6.1	1.06
I986928		1.94	<1	1065	99.1	16.7	20	1.48	9	5.97	3.22	2.00	20.7	6.76	6.1	1.17
I986929		1.30	<1	1080	136.0	6.7	10	1.09	5	5.97	3.13	1.48	21.2	6.68	4.7	1.17
I986930		1.74	<1	631	122.5	6.9	10	0.59	26	7.71	4.45	1.49	21.1	8.03	5.9	1.55
I986931		1.16	1	2690	12.6	7.0	10	1.57	9	2.29	1.28	0.61	16.7	2.07	0.5	0.45
I986932		1.48	1	1295	56.1	7.6	10	1.18	13	3.18	1.55	1.00	15.8	3.72	2.5	0.60
I986933		1.12	<1	5070	120.5	11.4	20	1.30	22	5.86	3.02	2.08	20.7	7.33	7.1	1.16
I986934		0.96	<1	3040	124.0	9.3	20	0.96	16	8.07	4.28	2.16	22.2	8.59	6.5	1.57
I986935		0.96	<1	7420	>10000	22.7	20	0.55	168	51.6	16.00	75.9	97.4	139.5	3.9	7.79
I986936		1.64	<1	7380	901	14.0	20	1.52	21	6.70	3.34	3.82	23.9	9.56	6.3	1.26
I986937		1.50	<1	1750	108.0	13.5	20	1.35	12	5.00	3.09	1.72	19.0	5.90	5.7	1.02
I986938		1.56	<1	352	110.5	15.0	20	1.83	20	5.03	3.12	1.72	19.8	6.13	5.8	1.06
I986939		1.26	<1	2270	95.5	7.8	20	1.96	22	4.27	2.47	1.48	18.2	5.15	5.1	0.87
I986940		0.90	<1	1070	85.4	12.4	40	0.60	7	3.64	2.11	1.63	21.1	4.78	6.4	0.72
I986941		1.10	<1	4650	399	12.6	40	0.69	14	5.13	2.73	3.01	21.4	7.78	5.3	1.01
I986942		1.06	<1	>10000	3840	10.3	20	1.17	40	13.30	6.01	11.75	33.0	27.4	4.2	2.32
I986943		1.56	<1	1325	75.0	9.0	40	0.90	10	4.54	2.35	2.04	19.6	5.93	4.4	0.87
I986944		1.42	<1	4060	287	4.3	10	1.78	18	2.76	1.18	1.87	23.7	5.08	8.5	0.48
I986945		1.22	<1	4110	314	4.7	10	3.03	11	2.83	1.11	2.09	24.1	5.80	9.3	0.46

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
1986906		140.5	1.24	<2	26.9	96.8	12	22	27.9	28.1	17.40	10	1505	1.4	2.41	26.8
1986907		172.0	0.15	<2	17.3	68.5	14	24	23.7	158.0	8.81	1	1000	0.9	0.64	58.9
1986908		151.0	0.16	<2	20.5	62.6	10	22	21.3	178.0	8.22	1	950	1.3	0.63	54.2
1986909		187.5	0.11	<2	13.4	74.7	18	20	25.8	166.5	9.34	1	1130	0.6	0.57	66.9
1986910		169.5	0.12	<2	13.4	69.6	16	21	23.4	170.5	8.96	1	1035	0.7	0.59	53.8
1986911		203	0.09	<2	11.7	79.3	6	19	27.7	138.5	8.92	<1	1210	0.4	0.48	80.6
1986912		211	0.14	<2	17.5	88.4	7	20	29.6	151.0	11.75	1	1210	0.9	0.84	58.5
1986913		170.5	0.89	<2	73.5	121.0	8	19	35.2	61.4	24.0	7	833	5.8	3.20	60.7
1986914		80.6	0.47	<2	34.1	53.4	13	28	16.00	127.0	9.65	4	677	1.9	1.29	33.7
1986915		82.3	0.16	<2	10.2	41.2	7	24	13.80	100.5	5.32	1	628	0.7	0.48	37.7
1986916		297	0.60	<2	138.0	123.0	9	22	40.5	186.5	16.20	6	1435	2.0	1.58	36.5
1986917		126.5	0.65	<2	43.3	81.1	8	17	23.7	53.2	14.05	5	943	1.7	1.57	23.6
1986918		38.8	0.48	<2	33.8	34.4	8	29	9.13	159.0	6.91	3	506	2.4	0.96	10.25
1986919		2.9	0.09	<2	8.3	2.9	<5	23	0.74	59.6	0.75	1	441	0.8	0.14	1.59
1986920		35.1	0.40	<2	19.6	30.2	8	22	8.36	87.3	6.16	3	400	1.2	0.83	10.05
1986921		117.5	0.75	<2	81.6	99.0	5	16	27.8	81.1	17.25	9	466	2.9	1.71	44.2
1986922		102.5	0.63	<2	42.2	83.3	<5	20	23.6	109.5	15.90	5	741	2.5	1.64	33.8
1986923		4960	1.40	2	623	1410	7	24	516	80.9	142.0	43	2540	1.8	8.80	167.5
1986924		247	0.62	<2	84.5	256	6	20	67.6	130.5	49.8	6	1715	2.1	4.27	29.9
1986925		46.9	0.51	<2	23.1	39.0	5	20	10.80	62.9	8.07	2	824	1.9	1.01	20.1
1986926		48.3	0.20	<2	13.5	26.6	<5	24	8.61	174.0	3.81	1	598	0.6	0.36	32.0
1986927		66.6	0.41	<2	20.1	50.6	13	10	14.15	115.5	9.14	2	383	0.8	1.01	15.45
1986928		50.5	0.47	<2	22.3	42.1	10	18	11.30	110.0	8.47	3	401	1.3	1.04	12.90
1986929		72.2	0.42	<2	33.8	46.1	6	20	14.00	83.2	8.50	3	454	3.1	1.07	34.5
1986930		57.1	0.69	<2	28.6	45.5	6	15	13.15	30.3	9.67	5	562	3.3	1.35	38.9
1986931		4.8	0.14	<2	12.6	8.5	9	31	1.94	158.5	2.39	1	529	1.4	0.38	2.76
1986932		24.7	0.21	<2	22.8	24.2	8	23	6.49	89.4	4.97	2	425	1.7	0.59	11.05
1986933		57.8	0.45	<2	37.5	49.6	<5	18	13.50	125.5	9.49	5	656	1.3	1.06	19.75
1986934		62.8	0.60	<2	50.3	51.5	<5	20	14.05	83.5	10.85	6	768	2.5	1.41	21.2
1986935		>10000	1.77	62	1820	5550	<5	22	>1000	27.6	419	89	2450	4.3	13.55	733
1986936		706	0.48	<2	92.3	194.5	6	15	71.5	116.5	18.95	3	1190	1.1	1.30	61.9
1986937		53.8	0.47	<2	21.9	41.5	6	13	11.90	87.9	7.20	3	456	1.1	0.86	11.05
1986938		55.2	0.49	<2	17.2	41.9	6	10	11.80	84.4	7.26	3	343	1.0	0.86	12.15
1986939		51.3	0.37	<2	21.6	36.0	5	16	10.45	115.0	6.23	5	629	0.9	0.72	21.4
1986940		40.6	0.31	<2	11.9	34.9	13	17	9.78	27.2	5.81	2	667	0.8	0.63	10.80
1986941		273	0.41	<2	103.0	104.5	12	21	35.8	66.1	11.25	3	1080	1.0	0.97	17.55
1986942		2900	0.69	<2	1095	848	8	24	324	126.0	58.1	6	1490	3.8	3.07	157.5
1986943		37.7	0.32	<2	29.0	34.6	11	16	9.25	46.7	6.87	3	602	0.8	0.80	16.35
1986944		189.0	0.14	<2	15.9	77.6	6	19	26.5	137.5	9.67	3	1160	0.8	0.58	45.8
1986945		206	0.13	<2	15.7	81.4	<5	21	28.1	140.5	9.89	2	1225	0.7	0.64	48.7

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
1986906		<0.5	1.06	30.5	127	19	90.2	7.05	52	407	46.8	20.8	8.84	13.80	2.59	2.45
1986907		0.6	0.16	5.53	35	18	13.1	0.99	31	348	69.8	14.90	2.60	1.70	0.56	3.80
1986908		0.6	0.18	7.96	34	12	14.8	1.09	34	344	69.1	14.75	2.48	1.58	0.53	3.82
1986909		0.6	0.12	4.35	43	20	10.8	0.77	40	410	68.0	15.40	3.15	1.90	0.69	4.07
1986910		0.6	0.13	3.95	39	19	11.5	0.80	39	387	64.3	14.55	2.87	1.64	0.61	3.88
1986911		0.5	0.10	4.49	44	6	8.8	0.65	39	417	67.8	15.55	3.11	1.96	0.67	3.95
1986912		0.6	0.19	3.23	45	7	16.5	1.04	41	443	68.3	15.65	3.21	1.92	0.71	3.93
1986913		<0.5	1.23	7.11	55	4	97.7	7.28	51	318	62.4	18.10	3.74	3.63	0.73	6.07
1986914		<0.5	0.56	4.48	42	5	39.8	3.45	41	206	64.6	17.20	3.45	2.90	1.07	5.14
1986915		<0.5	0.17	3.89	17	4	13.3	1.11	19	74	73.0	14.65	1.46	1.84	0.28	4.49
1986916		0.6	0.62	6.38	63	3	45.9	4.02	91	226	58.9	16.65	5.28	4.81	3.26	4.51
1986917		<0.5	0.65	6.51	77	5	46.9	4.24	91	258	58.9	17.80	5.58	6.28	2.99	6.23
1986918		0.5	0.51	4.46	66	5	33.7	3.30	58	213	62.0	15.85	4.56	4.36	1.99	4.47
1986919		<0.5	0.10	1.02	<5	4	6.1	0.64	8	60	72.2	15.60	0.78	1.88	0.10	5.64
1986920		<0.5	0.42	2.76	72	4	28.6	2.70	56	183	64.7	14.80	4.99	3.98	1.60	4.85
1986921		<0.5	0.70	10.55	73	4	51.0	4.82	34	377	70.5	13.90	3.48	2.42	0.84	4.92
1986922		<0.5	0.63	9.43	41	2	46.7	4.16	30	268	68.1	15.15	2.98	2.85	0.78	4.93
1986923		<0.5	1.59	9.42	159	44	153.5	9.64	97	125	52.2	8.20	13.80	13.00	1.38	1.16
1986924		<0.5	0.77	6.16	60	3	77.6	4.41	43	236	64.6	15.95	3.54	3.20	0.79	5.14
1986925		<0.5	0.49	6.10	78	3	33.4	3.23	46	225	62.1	16.95	4.24	4.08	1.25	6.49
1986926		0.5	0.17	4.28	18	4	10.9	1.21	28	368	72.6	13.80	1.99	1.17	0.53	3.55
1986927		<0.5	0.40	2.11	97	9	29.6	2.65	69	240	63.0	15.45	5.62	3.59	2.83	5.46
1986928		<0.5	0.48	3.30	92	7	33.9	3.10	65	237	62.5	15.25	5.69	3.83	2.05	5.04
1986929		<0.5	0.48	8.81	34	6	33.0	3.04	33	153	68.7	16.00	2.56	3.35	0.64	5.65
1986930		<0.5	0.69	13.05	31	5	47.8	4.62	27	173	69.0	16.85	2.29	3.75	0.27	6.30
1986931		0.5	0.18	0.96	6	9	12.9	1.15	8	14	70.5	16.80	0.56	1.36	0.06	4.69
1986932		<0.5	0.23	4.16	14	7	17.3	1.50	16	80	74.1	14.65	1.23	2.02	0.24	5.06
1986933		<0.5	0.44	5.26	73	1	32.3	2.93	54	273	66.8	15.00	4.96	3.32	1.47	4.93
1986934		<0.5	0.64	5.53	60	1	45.2	4.12	51	238	65.3	15.95	4.44	3.52	1.33	5.85
1986935		<0.5	1.99	78.0	220	2830	196.5	12.25	219	107	36.6	7.93	18.65	18.40	1.49	0.18
1986936		<0.5	0.50	3.77	85	13	36.8	3.22	77	243	62.1	15.15	5.83	4.18	1.73	5.59
1986937		<0.5	0.44	2.81	82	2	27.2	3.02	62	212	62.1	15.90	5.71	3.43	2.42	5.61
1986938		<0.5	0.47	3.23	81	1	27.9	3.11	60	216	59.7	16.95	5.72	3.02	2.87	5.78
1986939		<0.5	0.36	5.54	49	1	22.8	2.42	47	191	67.5	15.45	3.48	2.39	1.31	4.90
1986940		<0.5	0.30	3.34	93	1	19.0	1.98	58	258	61.3	16.95	5.30	4.71	2.62	6.55
1986941		<0.5	0.40	2.89	89	1	26.1	2.60	63	208	61.5	16.45	5.31	4.76	2.28	5.51
1986942		<0.5	0.79	8.72	58	3	58.1	4.82	57	154	62.7	14.35	4.72	4.02	1.46	2.83
1986943		<0.5	0.33	2.97	68	1	22.9	2.10	62	154	66.5	15.90	4.00	4.28	1.86	5.21
1986944		<0.5	0.15	3.06	42	3	13.5	0.90	39	365	66.9	15.45	3.08	1.74	0.66	3.84
1986945		0.5	0.15	2.95	40	2	11.5	0.87	40	394	67.8	16.10	3.22	1.80	0.69	4.05

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
1986906		0.72	0.01	0.98	0.11	0.24	0.18	0.04	2.17	99.7	<0.5	<5	<0.5	9	12	<1
1986907		4.82	<0.01	0.46	0.02	0.11	0.12	0.36	0.90	100.0	2.0	<5	<0.5	14	15	<1
1986908		4.64	<0.01	0.43	0.02	0.11	0.10	0.33	0.50	98.4	1.3	<5	<0.5	11	15	<1
1986909		4.29	<0.01	0.54	0.03	0.14	0.13	0.41	0.60	99.4	2.0	<5	<0.5	18	21	<1
1986910		4.15	<0.01	0.48	0.03	0.11	0.12	0.37	1.06	94.2	1.9	<5	<0.5	17	21	<1
1986911		4.50	<0.01	0.56	0.03	0.14	0.14	0.44	0.80	99.7	<0.5	<5	<0.5	7	10	<1
1986912		4.66	<0.01	0.57	0.03	0.14	0.14	0.46	0.50	100.0	0.6	<5	<0.5	9	13	<1
1986913		2.14	<0.01	0.64	0.01	0.18	0.10	0.14	0.70	98.6	<0.5	<5	<0.5	5	6	<1
1986914		4.74	<0.01	0.33	0.06	0.09	0.08	0.33	0.70	100.5	<0.5	<5	<0.5	5	6	<1
1986915		3.62	<0.01	0.09	0.02	0.08	0.07	0.26	0.20	100.0	<0.5	<5	<0.5	4	4	<1
1986916		4.49	<0.01	0.69	0.14	0.19	0.16	1.14	0.60	101.0	<0.5	<5	<0.5	8	11	<1
1986917		1.20	<0.01	0.74	0.13	0.26	0.11	0.13	1.79	102	<0.5	<5	<0.5	7	3	<1
1986918		4.80	<0.01	0.57	0.12	0.15	0.06	0.20	0.70	99.8	<0.5	<5	<0.5	7	4	<1
1986919		2.68	<0.01	0.05	0.01	0.01	0.05	0.10	0.20	99.3	<0.5	<5	<0.5	3	2	<1
1986920		3.22	<0.01	0.56	0.10	0.14	0.05	0.13	0.30	99.4	<0.5	<5	<0.5	6	7	<1
1986921		2.69	<0.01	0.51	0.07	0.14	0.06	0.19	0.30	100.0	<0.5	<5	<0.5	4	8	<1
1986922		4.16	<0.01	0.39	0.07	0.14	0.09	0.43	0.80	101.0	<0.5	<5	<0.5	2	5	<1
1986923		2.47	<0.01	0.45	0.56	0.50	0.31	3.30	1.09	98.4	<0.5	6	<0.5	6	110	<1
1986924		3.92	<0.01	0.33	0.09	0.49	0.19	2.29	0.79	101.5	<0.5	<5	<0.5	2	2	<1
1986925		2.14	<0.01	0.52	0.07	0.13	0.09	0.19	0.80	99.1	<0.5	<5	<0.5	3	3	<1
1986926		5.49	<0.01	0.17	0.03	0.04	0.07	0.39	0.50	100.5	<0.5	<5	<0.5	4	3	<1
1986927		2.06	<0.01	0.69	0.10	0.17	0.04	0.11	1.10	100.0	0.9	<5	<0.5	17	7	<1
1986928		2.98	<0.01	0.67	0.10	0.17	0.05	0.12	0.40	98.9	0.6	<5	<0.5	10	8	1
1986929		2.77	<0.01	0.23	0.06	0.08	0.05	0.12	0.89	101.0	0.5	<5	<0.5	5	4	<1
1986930		1.25	<0.01	0.20	0.06	0.06	0.06	0.07	0.90	101.0	0.5	<5	<0.5	6	24	<1
1986931		6.03	<0.01	0.08	0.01	0.01	0.06	0.30	0.60	101.0	0.9	<5	<0.5	7	5	<1
1986932		3.18	<0.01	0.09	0.03	0.04	0.05	0.15	0.40	101.0	0.8	<5	<0.5	6	12	<1
1986933		3.53	<0.01	0.61	0.09	0.16	0.07	0.58	0.70	102	<0.5	<5	<0.5	6	22	<1
1986934		2.70	<0.01	0.47	0.10	0.13	0.09	0.34	1.40	101.5	<0.5	<5	<0.5	4	16	<1
1986935		0.63	<0.01	0.78	0.71	1.86	0.29	0.79	1.30	89.6	3.2	7	0.5	9	164	<1
1986936		2.43	<0.01	0.69	0.13	0.22	0.13	0.82	0.30	99.3	<0.5	<5	<0.5	7	21	<1
1986937		2.01	<0.01	0.72	0.10	0.20	0.05	0.19	1.20	99.6	<0.5	<5	<0.5	9	11	1
1986938		1.98	<0.01	0.75	0.09	0.21	0.04	0.04	1.90	99.1	<0.5	<5	<0.5	12	20	<1
1986939		3.01	<0.01	0.48	0.06	0.14	0.07	0.24	1.09	100.0	<0.5	<5	<0.5	5	22	<1
1986940		1.11	0.01	0.72	0.11	0.22	0.08	0.12	0.90	100.5	<0.5	<5	<0.5	5	6	<1
1986941		2.71	0.01	0.72	0.13	0.24	0.13	0.52	0.79	101.0	<0.5	<5	<0.5	5	13	<1
1986942		5.05	<0.01	0.90	0.12	0.42	0.18	1.46	0.99	99.2	<0.5	<5	<0.5	6	44	<1
1986943		1.61	0.01	0.52	0.09	0.17	0.07	0.15	1.10	101.5	<0.5	<5	<0.5	5	13	<1
1986944		4.56	<0.01	0.52	0.03	0.15	0.13	0.41	0.99	98.5	<0.5	<5	<0.5	3	12	<1
1986945		4.64	<0.01	0.57	0.03	0.15	0.14	0.44	0.79	100.5	<0.5	<5	<0.5	4	9	<1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - E
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo	Ni	Pb	Zn	Ce	La	Pr
		ppm	ppm	ppm	ppm	%	%	%
		1	1	2	2	0.01	0.01	0.01
1986906		<1	5	11	22			
1986907		<1	15	3	28			
1986908		<1	10	4	29			
1986909		<1	18	3	34			
1986910		<1	17	3	34			
1986911		<1	4	4	33			
1986912		<1	7	4	36			
1986913		<1	4	4	17			
1986914		<1	8	5	12			
1986915		<1	5	5	7			
1986916		<1	5	8	51			
1986917		<1	4	6	41			
1986918		<1	4	5	24			
1986919		<1	3	4	3			
1986920		<1	4	4	21			
1986921		<1	3	4	16			
1986922		<1	1	4	8			
1986923		<1	2	19	33			
1986924		<1	1	9	18			
1986925		<1	1	6	17			
1986926		<1	2	5	14			
1986927		<1	10	2	52			
1986928		<1	6	4	34			
1986929		<1	4	4	16			
1986930		<1	4	5	11			
1986931		<1	8	8	3			
1986932		<1	7	6	6			
1986933		<1	2	5	22			
1986934		<1	2	6	18			
1986935		49	<1	23	65	2.63	2.15	0.21
1986936		<1	2	4	40			
1986937		<1	3	4	45			
1986938		<1	3	2	51			
1986939		<1	3	4	32			
1986940		<1	5	4	24			
1986941		<1	5	4	20			
1986942		<1	5	6	18			
1986943		<1	6	5	22			
1986944		<1	2	5	30			
1986945		<1	1	5	33			

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Recvd Wt. kg	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
1986946		0.80	<1	3780	292	4.6	10	3.14	10	2.05	0.88	1.81	23.5	4.67	8.9	0.34
1986947		1.94	<1	217	151.5	6.7	40	0.32	13	6.52	3.59	1.99	24.3	8.29	8.7	1.26
1986948		2.10	<1	712	103.0	9.0	50	0.81	9	4.78	2.72	1.86	22.4	6.07	6.5	0.94
1986949		1.92	<1	819	122.5	8.4	40	1.40	7	5.12	3.01	1.60	22.0	6.20	7.9	1.03
1986950		2.22	<1	1055	87.0	10.4	50	1.88	<5	3.60	2.11	1.33	20.8	4.56	4.6	0.73

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	
	Analyte	La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
1986946		192.0	0.11	<2	13.7	75.6	<5	21	26.4	137.0	8.36	2	1140	0.6	0.47	54.6
1986947		63.9	0.53	<2	23.3	54.0	12	19	15.35	13.8	9.87	5	1010	1.5	1.14	29.8
1986948		46.3	0.41	<2	20.0	41.5	11	14	11.35	42.1	7.42	7	628	1.1	0.84	13.10
1986949		57.7	0.47	<2	22.8	45.5	18	18	13.15	48.4	7.60	5	1000	1.5	0.86	20.8
1986950		40.0	0.32	<2	19.2	32.7	12	14	9.32	50.5	5.69	5	1120	1.1	0.63	18.10

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	ICP06	ICP06	ICP06	ICP06	ICP06	
	Analyte	TI	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
	LOR	0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
1986946		0.5	0.11	3.52	42	1	8.5	0.69	39	379	67.8	16.05	3.28	1.81	0.71	3.99
1986947		<0.5	0.51	6.06	62	2	34.3	3.43	31	315	60.2	19.75	3.87	5.56	1.94	7.18
1986948		<0.5	0.39	4.08	79	3	25.0	2.58	44	248	62.9	17.50	4.11	4.33	2.14	6.86
1986949		<0.5	0.45	3.71	59	1	27.3	2.95	40	285	62.9	18.45	3.85	3.62	1.78	7.28
1986950		<0.5	0.30	3.79	70	1	20.0	2.03	45	146	65.1	16.35	3.94	3.32	2.24	6.41

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1	1
1986946		4.51	<0.01	0.58	0.03	0.16	0.13	0.42	0.50	100.0	<0.5	<5	<0.5	4	10	<1
1986947		0.59	<0.01	0.63	0.06	0.17	0.11	0.03	0.30	100.5	<0.5	<5	<0.5	3	12	<1
1986948		0.95	0.01	0.65	0.08	0.18	0.07	0.08	0.40	100.5	<0.5	<5	<0.5	4	8	<1
1986949		1.09	0.01	0.58	0.07	0.16	0.12	0.09	0.30	100.5	<0.5	<5	<0.5	5	6	<1
1986950		1.05	0.01	0.53	0.07	0.13	0.13	0.12	0.90	100.5	<0.5	<5	<0.5	5	4	<1

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - E
 Total # Pages: 6 (A - E)
 Finalized Date: 31-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192008

Sample Description	Method Analyte Units LOR	ME-AQ81 Mo ppm	ME-AQ81 Ni ppm	ME-AQ81 Pb ppm	ME-AQ81 Zn ppm	Ce-OGREE Ce %	La-OGREE La %	Pr-OGREE Pr %
		1	1	2	2	0.01	0.01	0.01
1986946		<1	2	5	34			
1986947		<1	4	4	11			
1986948		<1	5	6	19			
1986949		<1	6	4	25			
1986950		<1	6	3	25			

Comments: Low whole rock total confirmed by re-analysis. Samples with high rare earth elements will have low whole rock total.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 8-AUG-2011
 Account: EIAREI

CERTIFICATE VA11123143

Project: REI11-01
 P.O. No.: REI11-01_5
 This report is for 24 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
EXTRA-01	Extra Sample received in Shipment
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
Ce-OGREE	Overlimit Ce by ICPAES	VARIABLE
La-OGREE	Overlimit La by ICPAES	VARIABLE
Pr-OGREE	Overlimit Pr by ICPAES	VARIABLE
ME-OGREE	Overlimit REE by ICPAES	ICP-AES
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - E)
 Finalized Date: 8-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123143

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
L637251		.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
L637253																
L637254																
L637255																
L637256																
L637257																
L651257																
L651832		0.50	<1	1015	45.8	13.5	50	1.30	<5	1.68	0.90	0.90	11.9	2.47	3.0	0.33
L651833		0.68	<1	1160	38.0	1.8	10	2.80	<5	2.91	1.46	1.08	18.0	3.74	1.8	0.56
L651951		0.88	<1	3800	1360	40.5	200	1.46	9	9.97	4.41	8.78	25.9	17.45	3.4	1.77
L651952		0.76	<1	518	38.5	1.0	10	1.76	<5	5.34	4.56	0.82	16.8	4.01	1.5	1.32
L651953		0.60	<1	130.5	109.0	8.7	60	0.22	<5	4.05	2.44	1.96	46.1	5.44	6.3	0.85
L651954		0.74	<1	3460	371	14.3	160	4.15	<5	42.6	15.30	19.90	21.9	68.7	5.5	6.80
L651955		0.58	<1	681	57.9	29.6	230	1.28	15	3.00	1.83	1.58	19.2	4.16	2.9	0.62
L651956		1.76	<1	2430	2630	29.6	160	9.02	<5	18.30	6.20	20.0	36.8	42.8	7.9	2.84
L651959		0.78	<1	503	98.8	6.9	30	1.20	<5	9.70	3.99	4.55	16.5	13.55	5.1	1.59
L651960		0.86	<1	1325	191.5	1.5	20	1.82	<5	4.50	2.26	1.58	24.2	5.80	7.4	0.83
I637251		0.32	1	1965	>10000	27.0	10	0.44	368	54.3	17.70	90.6	188.0	151.0	4.6	7.69
I637253		0.74	<1	>10000	>10000	21.7	30	0.92	123	53.5	19.85	60.5	110.0	117.0	4.7	8.15
I637254		0.82	<1	2420	>10000	15.6	40	0.62	86	65.6	23.4	84.8	141.5	166.0	3.8	9.82
I637255		1.90	<1	3740	>10000	8.7	10	0.10	13	85.4	32.6	98.0	127.0	211	2.0	13.10
I637256		0.42	<1	>10000	1380	12.1	10	1.19	48	6.34	2.30	5.48	22.5	15.25	5.9	0.96
I637257		0.98	<1	4430	477	4.5	10	0.38	11	12.70	7.38	3.65	25.6	15.40	12.5	2.45
L651957		0.32	<1	3330	390	6.7	20	0.65	15	8.42	4.66	2.84	23.2	11.10	8.5	1.62

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 2 (A - E)
 Finalized Date: 8-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123143

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm
L637251 L637253 L637254 L637255 L637256		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
L637257 L651257 L651832 L651833 L651951		24.0 19.5 956	0.14 0.14 0.53	<2 <2 <2	4.9 17.3 143.5	20.4 17.7 365	24 <5 71	17 37 12	5.27 4.39 122.0	87.0 205 68.5	3.57 4.08 37.2	1 <1 8	431 318 2340	0.3 1.0 1.0	0.32 0.55 2.17	4.62 10.20 5.77
L651952 L651953 L651954 L651955 L651956		20.4 58.8 198.0 27.1 1655	0.70 0.37 1.22 0.30 0.54	<2 <2 <2 <2 <2	9.6 14.8 111.5 5.0 77.0	16.6 47.1 194.5 27.2 800	<5 6 43 55 70	33 15 20 10 8	4.41 12.45 42.0 6.56 252	134.5 5.2 176.5 56.1 262	3.73 7.93 71.5 5.36 88.7	1 2 3 2 11	252 1750 451 361 535	0.8 0.9 2.4 0.2 5.9	0.74 0.73 8.95 0.55 4.53	11.05 12.50 >1000 28.6 32.9
L651959 L651960 l637251 l637253 l637254		50.3 116.5 >10000 >10000 >10000	0.43 0.32 1.76 1.99 2.23	<2 <2 7 3 5	29.3 21.7 277 258 231	50.2 53.5 7040 4270 5710	18 <5 5 8 5	13 17 11 11 10	11.15 16.50 >1000 >1000 >1000	24.8 121.0 9.6 55.4 23.0	13.95 7.71 462 296 390	2 2 57 40 59	377 670 1615 3420 2450	1.0 1.9 0.7 0.6 0.7	1.93 0.86 17.40 14.20 18.75	227 36.5 415 205 348
l637255 l637256 l637257 L651957		>10000 1115 279 232	3.36 0.32 1.14 0.66	2 <2 2 <2	168.5 292 87.7 84.3	5830 318 143.5 116.0	<5 <5 <5 5	13 15 14 14	>1000 104.0 42.7 34.6	1.8 146.0 36.2 32.3	444 28.6 20.0 15.55	40 5 7 7	2620 6290 2210 2750	0.5 0.5 4.9 1.9	23.3 1.75 2.30 1.57	295 23.6 62.3 56.6

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - E)
 Finalized Date: 8-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123143

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	
		Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %
L637251		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
L637253																
L637254																
L637255																
L637256																
L637257																
L651257																
L651832		<0.5	0.14	1.10	77	1	9.1	0.80	47	113	71.0	11.15	4.21	3.17	2.12	1.86
L651833		0.6	0.20	2.00	12	1	15.7	0.95	33	44	69.8	14.95	1.66	1.28	0.49	2.95
L651951		<0.5	0.60	2.42	256	1	49.0	3.29	246	162	47.1	13.55	14.45	8.54	5.96	3.48
L651952		<0.5	0.72	4.13	<5	2	39.4	4.17	10	42	73.6	14.40	0.83	1.10	0.19	3.89
L651953		<0.5	0.38	3.13	197	2	24.5	2.28	56	248	42.5	23.6	10.90	16.15	3.01	2.01
L651954		0.5	1.80	572	88	2	179.5	8.48	58	258	58.0	16.60	3.77	5.32	2.74	3.13
L651955		<0.5	0.28	3.32	158	1	17.7	1.75	97	108	52.4	15.05	9.96	7.90	5.53	3.87
L651956		0.6	0.73	6.53	188	1	72.7	3.52	293	116	44.3	9.30	12.50	11.90	10.15	1.39
L651959		<0.5	0.50	17.40	39	1	42.3	3.02	35	195	71.5	14.25	2.22	4.97	1.55	3.93
L651960		<0.5	0.33	3.58	22	1	23.9	2.15	19	262	62.5	21.1	1.03	3.75	0.26	6.39
I637251		<0.5	1.95	47.3	188	303	197.5	12.35	188	199	36.8	9.33	23.0	13.25	1.26	0.08
I637253		<0.5	2.30	20.0	171	81	214	13.55	169	184	43.6	9.96	19.80	12.35	1.46	0.57
I637254		<0.5	2.63	26.3	185	251	245	15.40	155	141	41.8	9.77	20.1	13.75	1.32	0.64
I637255		<0.5	3.85	29.6	175	39	353	23.5	101	66	33.8	7.25	21.7	23.3	0.72	0.04
I637256		<0.5	0.31	1.95	37	2	23.3	1.79	108	309	53.0	16.15	5.74	5.31	2.20	2.32
I637257		<0.5	1.07	16.10	53	4	66.7	7.40	44	434	61.6	19.35	3.26	5.30	0.65	7.34
L651957		<0.5	0.68	7.40	61	2	43.2	4.45	56	303	61.1	18.40	4.15	4.52	1.81	7.04

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - E)
 Finalized Date: 8-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123143

Sample Description	Method Analyte Units LOR	ME-ICP06 K2O %	ME-ICP06 Cr2O3 %	ME-ICP06 TiO2 %	ME-ICP06 MnO %	ME-ICP06 P2O5 %	ME-ICP06 SrO %	ME-ICP06 BaO %	OA-GRA05 LOI %	TOT-ICP06 Total %	ME-AQ81 Ag ppm	ME-AQ81 As ppm	ME-AQ81 Cd ppm	ME-AQ81 Co ppm	ME-AQ81 Cu ppm	ME-AQ81 Hg ppm
L637251 L637253 L637254 L637255 L637256		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1	1
L637257 L651257 L651832 L651833 L651951		3.78 6.06 2.60	0.01 <0.01 0.03	0.39 0.25 1.82	0.08 0.02 0.34	0.08 0.18 0.29	0.06 0.04 0.31	0.12 0.14 0.46	0.90 1.20 0.90	98.9 99.0 99.8	<0.5 <0.5 <0.5	<5 <5 5	<0.5 <0.5 <0.5	7 2 19	2 1 12	<1 <1 <1
L651952 L651953 L651954 L651955 L651956		3.71 0.28 5.36 1.91 3.77	<0.01 0.01 0.02 0.03 0.02	0.08 0.96 0.76 0.78 0.73	0.02 0.11 0.11 0.19 0.34	0.03 0.28 0.67 0.30 2.41	0.03 0.23 0.06 0.04 0.07	0.06 0.02 0.40 0.08 0.27	0.70 1.00 1.10 0.80 0.80	98.6 101.0 98.0 98.8 98.0	<0.5 <0.5 <0.5 <0.5 <0.5	<5 <5 <5 <5 <5	<0.5 <0.5 0.7 <0.5 <0.5	1 3 4 11 15	1 <1 <1 16 1	1 <1 <1 <1 1
L651959 L651960 l637251 l637253 l637254		0.76 3.73 0.23 1.74 0.57	<0.01 <0.01 <0.01 0.01 0.01	0.32 0.45 0.44 0.50 0.46	0.05 0.02 0.35 0.50 0.51	0.17 0.09 2.53 0.45 1.19	0.04 0.07 0.20 0.37 0.27	0.06 0.16 0.24 2.03 0.27	1.00 0.40 1.37 2.19 2.85	101.0 100.0 89.1 95.5 93.5	<0.5 <0.5 4.0 1.5 2.0	<5 <5 <5 <5 <5	<0.5 <0.5 0.7 <0.5 <0.5	3 1 18 13 8	1 1 393 134 89	<1 <1 1 1 <1
l637255 l637256 l637257 L651957		<0.01 5.72 1.60 1.11	<0.01 <0.01 <0.01 <0.01	0.39 0.36 0.68 0.58	0.60 0.27 0.10 0.10	1.49 0.12 0.26 0.25	0.28 0.70 0.24 0.29	0.42 9.25 0.52 0.39	2.19 0.40 0.20 0.70	92.2 101.5 101.0 100.5	0.9 <0.5 <0.5 <0.5	<5 <5 <5 <5	<0.5 <0.5 <0.5 <0.5	1 7 1 2	13 53 13 16	1 <1 <1 <1

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - E
 Total # Pages: 2 (A - E)
 Finalized Date: 8-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123143

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Au-AA23	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm	Ni ppm	Pb ppm	Zn ppm	Au ppm	Ce %	La %	Pr %
L637251		1	1	2	2	0.005	0.01	0.01	0.01
L637253									
L637254									
L637255									
L637256									
L637257									
L651257									
L651832		<1	13	6	28	<0.005			
L651833		<1	2	9	32	<0.005			
L651951		<1	38	7	157	<0.005			
L651952		<1	1	10	11	<0.005			
L651953		<1	4	8	27	<0.005			
L651954		<1	11	33	21	<0.005			
L651955		<1	22	4	41	<0.005			
L651956		<1	46	5	205	<0.005			
L651959		<1	7	9	19	<0.005			
L651960		<1	2	8	10	<0.005			
I637251		6	4	16	93	<0.005	3.97	3.46	0.29
I637253		2	5	9	69	<0.005	2.16	1.79	0.16
I637254		4	2	11	53	<0.005	2.89	2.40	0.21
I637255		1	<1	13	22	<0.005	2.71	2.22	0.21
I637256		<1	3	9	34	<0.005			
I637257		<1	2	4	20	<0.005			
L651957		<1	2	7	19	<0.005			

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 12-AUG-2011
 Account: EIAREI

CERTIFICATE VA11115796

Project: REI11-01
 P.O. No.: REI11-01_1
 This report is for 56 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
Ce-OGREE	Overlimit Ce by ICPAES	VARIABLE
ME-OGREE	Overlimit REE by ICPAES	ICP-AES
La-OGREE	Overlimit La by ICPAES	VARIABLE
Pr-OGREE	Overlimit Pr by ICPAES	VARIABLE
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.


Signature:
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Recvd Wt. kg	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
L651751		1.14	<1	2870	46.7	1.4	<10	8.80	12	0.86	0.51	0.56	13.9	1.34	2.0	0.16
L651752		0.94	<1	337	81.7	2.3	20	0.99	<5	0.99	0.23	1.88	21.3	2.77	1.4	0.12
L651753		2.02	<1	1270	278	6.3	50	1.33	5	4.16	1.59	1.29	15.4	9.90	8.2	0.65
L651754		0.78	<1	680	18.9	0.8	<10	1.42	<5	4.03	4.39	1.07	18.5	2.12	2.6	1.17
L651755		0.38	<1	396	34.9	1.8	<10	0.71	<5	0.67	0.17	1.18	13.9	1.58	1.2	0.09
L651756		1.44	<1	5180	58.2	5.6	<10	1.27	45	1.52	0.75	1.03	16.4	1.81	0.2	0.30
L651801		0.84	<1	1550	7.9	1.2	<10	2.92	6	1.05	0.67	0.96	19.5	0.91	8.6	0.21
L651802		1.00	<1	220	53.1	42.9	150	1.58	43	4.52	2.24	1.92	22.7	5.56	3.2	0.85
L651803		0.66	<1	306	6.2	0.5	10	0.49	<5	0.62	0.42	0.27	3.6	0.49	<0.2	0.14
L651804		0.72	<1	160.0	102.0	18.7	110	0.94	29	4.34	2.50	1.46	26.3	5.22	3.5	0.85
L651805		0.96	<1	303	10.0	42.5	80	0.67	217	3.65	2.32	0.89	11.3	3.16	1.7	0.80
L651806		0.74	<1	57.2	58.6	20.7	60	0.33	64	7.42	4.42	1.42	19.7	7.16	6.7	1.50
L651807		1.18	<1	532	142.5	24.8	130	2.96	73	8.27	4.51	2.21	31.1	9.38	4.0	1.57
L651808		1.06	<1	586	42.3	2.0	10	1.64	<5	1.43	0.67	0.66	18.1	2.13	2.7	0.25
L651809		0.60	<1	1760	59.5	2.0	<10	1.81	14	2.40	1.81	0.76	19.7	2.13	2.0	0.53
L651810		1.24	<1	990	28.7	0.8	10	0.89	<5	2.55	1.61	0.68	11.1	2.06	1.1	0.55
L651811		1.56	<1	825	7.2	3.5	10	0.82	29	1.78	1.49	0.41	17.1	1.15	4.6	0.42
L651812		0.74	<1	433	17.5	0.7	10	1.31	<5	1.62	1.40	0.68	14.6	1.12	2.4	0.41
L651813		0.80	<1	125.5	66.7	18.3	90	0.48	<5	4.24	2.31	1.20	19.6	4.76	4.4	0.80
L651814		0.68	<1	6150	6.5	1.5	<10	2.52	12	0.12	0.07	0.44	13.1	0.15	0.3	0.03
L651815		0.52	<1	2820	64.4	24.9	50	2.28	12	15.80	8.87	4.48	18.8	16.60	3.7	3.61
L651816		1.54	<1	1210	28.6	40.8	760	1.72	<5	4.54	2.77	1.41	22.1	5.05	2.5	1.06
L651818		0.80	<1	2770	8.5	2.2	10	1.90	15	0.25	0.19	0.46	12.7	0.26	2.1	0.06
L651819		0.54	<1	4350	47.4	9.3	<10	1.47	<5	4.15	2.11	1.90	17.3	5.75	2.7	0.87
L651820		0.84	<1	4960	>10000	9.6	20	0.12	<5	67.6	19.95	98.3	236	99.4	1.5	12.25
L651821		0.90	<1	597	128.0	41.6	630	4.68	<5	9.07	8.27	2.71	23.6	8.07	2.0	2.59
L651822		1.36	<1	3740	>10000	21.5	30	0.55	83	44.7	16.80	96.7	293	142.0	3.6	7.79
L651823		1.12	<1	425	>10000	41.7	10	0.42	247	60.2	15.15	108.0	298	95.7	2.1	10.45
L651824		1.10	<1	7130	6250	9.5	30	0.79	29	17.55	7.04	17.60	51.0	26.1	11.8	3.43
L651825		0.84	<1	2710	>10000	10.0	260	0.38	41	26.4	8.47	36.8	107.5	42.0	6.3	4.84
L651826		0.60	1	1090	385	8.6	10	1.97	135	2.34	0.81	1.60	19.8	4.46	2.6	0.44
L651827		1.62	<1	8200	4920	17.5	40	0.74	6	9.95	3.02	13.90	42.8	16.30	5.3	1.81
L651828		0.96	<1	665	137.5	16.2	80	0.93	149	5.26	3.05	1.53	20.0	6.46	7.1	1.21
L651829		1.18	<1	186.0	16.8	17.9	20	0.60	42	2.18	1.31	0.36	15.4	2.03	1.8	0.46
L651830		1.08	<1	238	321	25.8	40	0.66	<5	12.40	6.95	4.09	40.2	15.15	15.7	2.49
L651831		1.12	<1	269	46.9	37.9	100	1.29	106	7.14	3.82	2.13	27.7	7.36	5.0	1.41
L651851		0.98	<1	119.5	178.5	17.8	<10	2.92	39	7.46	4.20	2.67	48.5	8.68	12.6	1.53
L651852		1.18	<1	217	124.0	43.2	300	16.70	<5	5.31	2.82	1.89	38.8	7.19	6.7	1.04
L651853		0.66	<1	105.0	30.3	44.2	150	0.96	38	4.71	2.51	1.45	21.7	5.02	3.4	0.94
L651901		0.82	<1	752	47.3	4.3	20	1.32	29	1.54	0.85	0.61	18.0	1.88	2.9	0.31

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		La ppm	Lu ppm	Mo ppm	Nb ppm	Nd ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
L651751		28.3	0.10	<2	13.2	17.3	<5	45	5.42	311	2.67	2	274	1.2	0.19	9.73
L651752		46.6	0.02	2	6.1	33.6	<5	24	9.79	57.4	5.18	1	526	0.4	0.29	14.85
L651753		147.0	0.20	<2	11.0	99.4	17	13	30.6	106.0	15.95	1	209	0.6	1.01	59.6
L651754		10.1	0.97	<2	3.1	8.0	<5	29	2.20	114.0	1.88	<1	336	0.6	0.49	4.77
L651755		19.1	0.02	<2	2.4	13.4	<5	25	3.93	44.9	2.44	<1	249	0.1	0.17	6.46
L651756		33.8	0.10	<2	4.1	19.4	<5	30	6.15	219	2.75	2	886	0.2	0.28	8.84
L651801		4.4	0.13	<2	11.7	2.8	<5	32	0.86	214	0.77	<1	389	0.9	0.16	4.75
L651802		28.2	0.26	<2	28.2	27.8	102	11	6.90	59.9	6.22	4	634	1.8	0.83	5.71
L651803		3.3	0.06	<2	0.8	2.6	<5	7	0.75	36.2	0.57	<1	131.0	0.1	0.10	1.34
L651804		62.5	0.35	3	17.7	46.3	40	28	13.30	33.5	7.73	6	739	1.1	0.80	16.55
L651805		4.3	0.34	<2	4.0	7.7	38	<5	1.55	4.8	2.45	1	93.1	0.2	0.57	0.37
L651806		24.8	0.65	<2	20.9	31.3	<5	5	7.31	4.8	6.86	4	109.0	1.3	1.19	3.04
L651807		86.9	0.61	3	17.9	69.8	51	7	19.30	75.5	12.05	1	492	1.2	1.39	22.7
L651808		21.5	0.11	<2	6.7	15.2	<5	36	4.48	159.5	2.98	1	195.0	0.4	0.27	18.75
L651809		31.3	0.33	<2	9.7	18.4	<5	12	5.71	102.5	2.83	2	604	0.9	0.37	5.22
L651810		14.6	0.17	<2	12.3	10.1	<5	12	2.90	79.5	2.04	1	374	1.8	0.38	2.27
L651811		2.7	0.23	<2	12.3	4.0	<5	16	0.94	68.0	1.02	1	460	1.8	0.24	0.82
L651812		8.8	0.27	<2	2.9	6.3	<5	41	1.80	112.0	1.31	1	240	0.2	0.21	3.55
L651813		30.5	0.35	<2	11.5	29.7	25	11	7.52	12.1	6.05	10	254	1.0	0.72	15.30
L651814		4.0	0.02	<2	2.0	1.7	<5	35	0.56	193.5	0.23	<1	725	0.1	0.02	3.30
L651815		16.9	1.17	3	75.2	55.1	23	21	11.05	191.0	17.05	7	336	5.8	2.78	6.95
L651816		10.4	0.51	<2	18.4	19.7	147	31	4.16	100.5	5.36	4	219	0.7	0.80	6.55
L651818		4.2	0.07	<2	6.1	2.6	<5	30	0.80	231	0.43	<1	364	0.3	0.04	26.4
L651819		17.9	0.40	<2	18.3	29.1	<5	35	6.70	168.0	7.12	4	317	0.6	0.82	4.19
L651820		>10000	3.14	14	59.3	6760	<5	26	>1000	1.8	528	37	2650	0.2	17.10	297
L651821		71.3	2.27	2	32.3	50.0	173	6	13.90	92.8	10.35	19	299	1.5	1.45	10.50
L651822		>10000	1.74	<2	382	8890	<5	9	>1000	12.4	605	43	2670	0.9	11.30	>1000
L651823		>10000	2.19	32	120.5	8410	<5	16	>1000	5.0	594	38	2090	0.6	17.50	>1000
L651824		4550	1.28	<2	215	1290	<5	13	485	64.5	97.2	18	779	3.0	3.99	568
L651825		>10000	1.52	<2	436	2740	10	17	>1000	29.7	196.0	20	1175	3.6	6.62	259
L651826		235	0.11	3	11.3	113.5	<5	160	37.6	121.5	12.90	2	476	0.3	0.54	46.1
L651827		3550	0.51	<2	487	1010	13	16	381	74.8	76.3	12	3780	1.9	2.57	78.4
L651828		80.6	0.55	2	18.3	51.7	20	5	15.20	65.2	8.83	5	236	1.1	0.95	18.05
L651829		7.4	0.25	3	5.8	8.8	18	<5	2.11	41.1	2.00	5	245	0.4	0.35	1.61
L651830		164.5	1.12	5	49.3	124.0	9	13	34.2	46.5	19.30	7	1180	3.3	2.19	33.7
L651831		22.2	0.54	6	19.4	26.3	59	6	5.96	128.5	6.39	7	220	1.2	1.18	1.74
L651851		87.6	0.66	3	20.0	68.2	10	8	19.00	48.9	10.70	3	847	1.5	1.28	25.2
L651852		60.0	0.42	2	15.0	52.4	79	5	13.60	175.0	8.90	3	477	0.9	0.98	13.35
L651853		12.9	0.35	2	9.5	18.3	70	5	4.05	17.8	4.50	1	273	0.6	0.82	1.73
L651901		26.5	0.17	26	15.2	16.6	<5	95	4.90	153.0	2.59	1	349	2.0	0.28	19.05

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
L651751		1.2	0.08	2.14	<5	1	6.1	0.60	53	66	72.2	13.55	1.01	0.33	0.26	2.06
L651752		<0.5	0.02	1.29	13	2	3.9	0.14	25	40	66.6	18.70	1.39	3.92	0.40	5.24
L651753		<0.5	0.20	3.95	46	1	18.4	1.29	49	356	72.9	10.25	3.25	1.44	1.05	2.10
L651754		<0.5	0.82	1.53	<5	4	32.9	5.83	8	90	70.4	15.75	1.41	2.49	0.11	4.21
L651755		<0.5	<0.01	0.70	<5	3	2.3	0.13	15	49	75.0	13.90	0.68	2.35	0.14	4.32
L651756		0.5	0.09	0.83	27	6	8.8	0.63	27	13	67.9	15.95	1.70	1.31	0.42	3.48
L651801		0.6	0.09	4.83	<5	1	7.0	0.77	15	321	72.3	14.30	0.75	1.20	0.18	2.46
L651802		<0.5	0.30	1.73	298	6	24.0	1.87	172	129	45.8	15.80	11.05	14.60	5.62	1.58
L651803		<0.5	0.06	0.60	<5	2	4.3	0.43	5	6	94.9	3.05	0.40	0.39	0.05	0.55
L651804		<0.5	0.38	2.36	105	4	25.4	2.45	153	129	49.6	17.50	6.27	17.90	4.52	1.38
L651805		<0.5	0.35	0.13	285	3	23.8	2.27	79	73	45.1	9.31	9.01	11.25	5.10	0.02
L651806		<0.5	0.67	2.07	532	3	43.3	4.07	120	224	51.8	12.20	16.00	1.66	5.45	4.00
L651807		<0.5	0.68	4.95	132	3	45.5	4.17	67	147	50.3	23.2	7.07	10.40	2.34	1.71
L651808		0.7	0.09	2.05	<5	1	7.5	0.67	15	75	72.9	14.60	1.08	1.00	0.30	3.03
L651809		<0.5	0.30	4.08	9	1	19.6	2.13	78	57	65.0	17.45	3.19	2.44	0.13	6.01
L651810		<0.5	0.22	1.37	<5	3	17.2	1.32	24	35	77.0	10.70	1.00	1.31	0.14	3.51
L651811		<0.5	0.23	2.41	18	2	13.6	1.54	24	109	70.8	14.60	1.51	2.23	0.44	5.03
L651812		<0.5	0.23	2.32	<5	1	12.4	1.66	5	60	73.6	14.40	0.83	1.50	0.09	3.36
L651813		<0.5	0.35	3.79	117	22	24.9	2.20	114	152	50.1	11.40	10.85	20.6	2.35	2.06
L651814		0.7	0.01	0.75	<5	1	0.9	0.11	12	10	66.4	16.90	0.64	1.27	0.11	2.46
L651815		0.5	1.46	7.39	208	5	101.5	9.25	127	108	55.4	14.05	8.74	4.70	3.57	2.04
L651816		<0.5	0.47	2.15	211	2	33.9	3.28	189	72	51.1	11.95	12.70	6.95	6.50	2.49
L651818		0.7	0.03	6.30	24	3	2.3	0.37	18	61	72.3	13.10	1.61	0.40	0.20	1.93
L651819		<0.5	0.34	3.32	87	1	26.9	2.35	78	90	66.4	12.65	5.40	2.88	1.47	2.01
L651820		<0.5	3.48	32.0	226	236	<0.5	335	22.7	113	33.4	7.91	20.7	22.3	0.41	0.06
L651821		<0.5	1.72	5.51	268	7	90.7	13.65	196	64	42.4	9.96	18.35	16.15	7.35	1.00
L651822		<0.5	1.95	32.9	244	17	196.5	11.55	172	109	33.9	7.15	20.6	14.05	1.76	0.13
L651823		<0.5	2.64	51.8	224	2080	260	16.50	137	52	35.8	9.00	22.0	12.25	0.51	0.02
L651824		<0.5	1.22	35.1	268	19	99.1	8.20	114	434	62.7	9.66	11.70	5.92	2.39	3.76
L651825		<0.5	1.51	62.4	269	12	134.5	10.05	97	188	46.4	9.42	16.05	14.95	1.17	2.53
L651826		0.5	0.11	1.85	70	15	11.9	0.76	139	97	67.6	12.60	3.23	0.59	1.02	3.62
L651827		<0.5	0.51	3.69	220	2	46.9	3.43	139	202	55.9	9.98	8.32	10.30	4.33	2.81
L651828		<0.5	0.52	4.14	107	4	36.2	3.56	42	263	59.7	14.20	5.24	10.10	2.36	0.47
L651829		<0.5	0.22	0.87	82	881	12.6	1.58	151	62	50.7	3.96	12.95	14.40	12.20	0.29
L651830		<0.5	1.13	10.00	249	5	69.9	7.59	130	610	41.1	20.2	12.40	15.85	4.58	1.08
L651831		<0.5	0.55	2.14	368	7	36.9	3.56	162	182	45.5	12.90	15.55	9.60	5.20	2.19
L651851		<0.5	0.65	7.79	146	4	41.7	4.31	177	483	43.6	21.9	11.75	8.74	7.93	3.30
L651852		0.5	0.42	3.94	222	4	28.1	2.69	436	265	39.2	20.8	13.45	8.36	9.77	1.42
L651853		<0.5	0.37	1.00	305	3	24.4	2.34	144	114	49.4	14.30	12.85	7.86	7.27	4.44
L651901		0.5	0.13	6.18	30	9	8.6	1.06	75	91	72.4	12.95	1.92	0.92	0.56	3.74

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
L651751		7.75	<0.01	0.15	0.01	0.02	0.03	0.33	0.60	98.3	<0.5	<5	<0.5	2	15	<1
L651752		1.57	<0.01	0.19	0.02	0.05	0.06	0.04	1.00	99.2	<0.5	<5	<0.5	2	1	<1
L651753		2.67	0.01	0.50	0.05	0.30	0.02	0.13	0.79	95.5	<0.5	<5	<0.5	6	5	<1
L651754		3.06	<0.01	0.01	0.11	0.07	0.04	0.08	0.80	98.5	<0.5	<5	<0.5	<1	2	<1
L651755		1.52	<0.01	0.06	0.01	0.05	0.03	0.04	1.20	99.3	<0.5	<5	<0.5	1	1	<1
L651756		7.35	<0.01	0.08	0.03	0.13	0.10	0.57	1.30	100.5	<0.5	<5	<0.5	3	39	<1
L651801		6.78	<0.01	0.08	0.01	0.04	0.04	0.17	1.29	99.6	<0.5	<5	<0.5	1	6	<1
L651802		1.07	0.02	1.87	0.12	0.30	0.08	0.02	2.50	100.5	<0.5	<5	<0.5	20	45	<1
L651803		1.01	<0.01	0.02	0.01	0.01	0.02	0.03	1.10	101.5	<0.5	<5	<0.5	<1	1	<1
L651804		0.42	0.01	0.72	0.12	0.08	0.09	0.02	2.68	101.5	<0.5	<5	<0.5	3	28	<1
L651805		0.12	0.01	0.95	0.19	0.08	0.01	0.03	19.75	101.0	<0.5	<5	<0.5	31	227	<1
L651806		0.13	0.01	3.40	0.09	0.52	0.01	0.01	1.79	97.1	<0.5	<5	<0.5	4	83	<1
L651807		1.27	0.02	0.70	0.09	0.20	0.06	0.06	3.20	100.5	<0.5	<5	<0.5	17	95	1
L651808		5.83	<0.01	0.11	0.01	0.02	0.03	0.07	1.79	101.0	<0.5	<5	<0.5	2	3	<1
L651809		4.65	<0.01	0.04	0.25	<0.01	0.08	0.20	1.40	101.0	<0.5	<5	<0.5	1	15	<1
L651810		3.46	<0.01	0.05	0.05	0.27	0.05	0.12	0.70	98.4	<0.5	<5	<0.5	<1	2	<1
L651811		2.55	<0.01	0.14	0.03	<0.01	0.06	0.09	0.40	97.9	<0.5	<5	<0.5	1	29	<1
L651812		4.27	<0.01	0.02	0.04	0.03	0.03	0.05	1.19	99.4	<0.5	<5	<0.5	<1	2	<1
L651813		0.31	0.01	0.50	0.27	0.14	0.03	0.01	1.50	100.0	<0.5	<5	<0.5	1	5	<1
L651814		9.05	<0.01	0.04	0.01	<0.01	0.09	0.66	1.09	98.7	<0.5	<5	<0.5	1	10	<1
L651815		6.77	0.01	2.01	0.16	0.05	0.04	0.32	1.60	99.5	<0.5	<5	<0.5	10	16	<1
L651816		3.52	0.10	0.83	0.24	0.09	0.03	0.14	1.59	98.2	<0.5	<5	<0.5	11	2	<1
L651818		7.89	<0.01	0.10	0.01	<0.01	0.05	0.32	1.49	99.4	<0.5	<5	<0.5	2	14	<1
L651819		6.18	<0.01	0.36	0.13	0.20	0.04	0.51	1.00	99.2	<0.5	<5	<0.5	3	2	<1
L651820		<0.01	<0.01	0.30	0.52	1.45	0.33	0.56	1.60	89.5	<0.5	<5	<0.5	<1	4	<1
L651821		1.53	0.09	0.72	0.43	0.13	0.04	0.07	1.30	99.5	<0.5	<5	<0.5	15	1	<1
L651822		0.24	<0.01	0.43	0.48	2.22	0.34	0.39	0.69	82.4	<0.5	9	<0.5	9	77	2
L651823		0.03	<0.01	0.32	0.28	2.58	0.26	0.04	1.48	84.6	<0.5	6	<0.5	20	210	2
L651824		1.91	<0.01	0.65	0.26	0.45	0.11	0.85	1.10	101.5	<0.5	<5	<0.5	3	30	<1
L651825		1.10	0.03	0.33	0.39	0.66	0.14	0.30	-0.20	93.3	<0.5	5	0.7	3	39	1
L651826		2.80	<0.01	0.26	0.08	0.23	0.05	0.12	2.25	94.5	1.9	11	0.6	7	136	<1
L651827		3.81	<0.01	0.90	0.22	0.58	0.44	0.89	0.00	98.5	<0.5	<5	<0.5	3	9	<1
L651828		1.53	0.01	0.76	0.16	0.16	0.03	0.07	2.90	97.7	<0.5	<5	<0.5	12	157	<1
L651829		0.60	<0.01	0.25	0.36	<0.01	0.03	0.02	1.90	97.7	<0.5	<5	<0.5	6	45	<1
L651830		1.32	0.01	2.15	0.19	0.64	0.14	0.03	1.70	101.5	<0.5	<5	<0.5	11	2	<1
L651831		2.43	0.01	2.73	0.26	0.33	0.03	0.03	1.10	97.9	<0.5	<5	<0.5	17	118	<1
L651851		1.37	<0.01	0.87	0.17	0.15	0.10	0.01	1.00	101.0	<0.5	<5	<0.5	9	45	<1
L651852		2.99	0.04	1.18	0.20	0.54	0.06	0.03	2.49	100.5	<0.5	<5	<0.5	24	1	<1
L651853		0.64	0.02	1.94	0.22	0.19	0.03	0.01	0.90	100.0	<0.5	<5	<0.5	13	43	<1
L651901		4.79	<0.01	0.21	0.04	0.04	0.04	0.09	0.40	98.1	<0.5	<5	<0.5	3	31	<1

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - E
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Au-AA23	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Au ppm 0.005	Ce % 0.01	La % 0.01	Pr % 0.01
L651751		<1	2	20	53	<0.005			
L651752		<1	4	5	25	<0.005			
L651753		<1	18	4	52	<0.005			
L651754		<1	<1	6	5	<0.005			
L651755		<1	3	5	7	<0.005			
L651756		<1	2	8	11	<0.005			
L651801		<1	<1	9	13	<0.005			
L651802		<1	67	11	61	<0.005			
L651803		<1	1	3	2	<0.005			
L651804		2	12	25	58	<0.005			
L651805		1	31	2	67	<0.005			
L651806		1	2	4	12	<0.005			
L651807		2	44	5	49	<0.005			
L651808		<1	4	7	10	<0.005			
L651809		<1	1	8	45	<0.005			
L651810		<1	<1	10	14	<0.005			
L651811		<1	1	7	26	<0.005			
L651812		<1	<1	7	4	<0.005			
L651813		1	2	11	17	<0.005			
L651814		<1	1	8	7	<0.005			
L651815		1	11	5	71	<0.005			
L651816		<1	46	27	93	<0.005			
L651818		<1	1	6	16	<0.005			
L651819		<1	<1	7	39	<0.005			
L651820		10	<1	22	30	<0.005	3.05	2.51	0.24
L651821		1	78	7	84	<0.005			
L651822		1	1	13	49	<0.005	4.16	3.30	0.32
L651823		23	2	19	51	<0.005	4.02	3.29	0.31
L651824		1	3	15	48	<0.005			
L651825		1	6	17	39	<0.005	1.39	1.15	0.10
L651826		2	4	167	156	0.005			
L651827		<1	3	11	28	<0.005			
L651828		1	19	5	6	<0.005			
L651829		<1	11	4	26	<0.005			
L651830		<1	5	7	59	0.006			
L651831		1	37	5	57	<0.005			
L651851		<1	7	4	39	<0.005			
L651852		<1	48	5	146	<0.005			
L651853		<1	22	2	42	<0.005			
L651901		19	4	92	73	<0.005			

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ag ppm	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Cu ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm
		0.02	1	0.5	0.5	0.5	10	0.01	5	0.05	0.03	0.03	0.1	0.05	0.2	0.01
L651902		0.94	<1	149.0	26.0	16.4	220	1.28	7	5.66	3.68	0.91	21.0	4.45	2.5	1.22
L651903		1.16	<1	140.0	53.0	14.0	40	0.86	<5	5.17	3.97	1.34	28.3	5.39	3.1	1.20
L651904		1.16	<1	2370	149.0	4.0	20	0.91	<5	6.44	3.56	1.68	17.6	7.24	10.6	1.29
L651905		0.90	<1	384	15.9	2.5	<10	0.31	28	1.31	0.68	0.53	19.2	1.31	0.8	0.25
L651906		0.74	<1	505	39.2	11.2	<10	0.67	136	5.12	2.79	0.97	20.8	4.76	1.1	1.02
L651907		0.88	<1	2180	618	7.6	10	1.17	52	12.60	6.93	5.06	24.4	21.9	9.9	2.33
L651908		1.32	<1	>10000	5960	15.0	30	1.19	43	15.85	5.91	19.65	43.9	38.7	3.9	2.50
L651909		1.30	<1	105.5	245	4.5	70	2.14	<5	11.65	7.13	4.39	48.6	12.30	8.1	2.43
L651910		1.32	<1	5070	>10000	16.8	30	2.10	30	43.1	14.20	71.1	253	122.0	7.7	6.43
L651911		1.24	<1	>10000	>10000	10.9	20	0.68	58	83.8	29.3	113.0	188.5	347	3.9	12.70
L651912		0.74	<1	>10000	>10000	6.9	30	1.07	41	70.9	26.5	75.0	149.5	271	3.2	11.15
L651913		0.96	<1	>10000	>10000	10.2	100	0.94	15	50.7	19.35	66.7	121.5	119.5	9.1	7.95
L651914		0.58	<1	661	82.7	30.1	60	2.64	174	7.78	4.56	2.50	23.8	7.97	5.4	1.65
L651915		0.92	<1	3890	144.5	6.9	<10	1.80	41	4.44	2.70	1.28	18.1	5.50	1.6	0.82
L651916		0.78	<1	4910	1075	2.6	10	1.54	<5	6.16	3.18	3.49	19.4	11.70	12.5	1.05
L651917		0.96	<1	79.5	15.1	45.0	10	0.19	<5	3.89	3.30	0.35	27.1	1.87	1.3	0.99

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-MS81 La ppm	ME-MS81 Lu ppm	ME-MS81 Mo ppm	ME-MS81 Nb ppm	ME-MS81 Nd ppm	ME-MS81 Ni ppm	ME-MS81 Pb ppm	ME-MS81 Pr ppm	ME-MS81 Rb ppm	ME-MS81 Sm ppm	ME-MS81 Sn ppm	ME-MS81 Sr ppm	ME-MS81 Ta ppm	ME-MS81 Tb ppm	ME-MS81 Th ppm
L651902		12.5	0.59	2	16.6	13.5	13	12	3.22	59.7	3.58	3	288	1.3	0.84	7.86
L651903		27.1	1.02	4	43.3	27.8	6	19	6.98	36.1	5.67	5	735	2.1	0.85	11.50
L651904		68.7	0.51	3	37.0	52.1	<5	36	15.35	172.0	8.50	4	433	3.2	1.12	29.6
L651905		8.0	0.13	3	5.6	7.0	<5	15	1.84	23.0	1.46	1	501	0.5	0.21	2.25
L651906		20.4	0.42	3	23.6	20.7	<5	17	5.16	30.6	4.86	5	567	2.6	0.82	9.73
L651907		305	0.95	3	47.3	241	<5	14	66.4	86.7	34.8	9	981	4.1	2.58	52.9
L651908		4390	0.97	3	811	1420	<5	12	504	102.5	103.5	11	1800	3.7	4.15	179.5
L651909		134.0	1.16	<2	18.2	99.3	6	30	28.6	15.3	17.65	12	1905	1.0	1.94	17.85
L651910		>10000	1.75	<2	655	6630	12	9	>1000	92.4	468	18	1345	1.7	11.35	882
L651911		>10000	2.79	<2	518	9030	8	8	>1000	38.5	688	20	3660	0.9	25.1	942
L651912		>10000	2.48	2	1590	7230	<5	19	>1000	96.4	478	12	2010	7.7	20.2	>1000
L651913		>10000	1.80	<2	586	5810	8	11	>1000	67.5	361	18	1985	2.4	15.00	>1000
L651914		49.9	0.74	3	26.8	38.3	26	8	9.43	110.5	8.45	5	157.5	1.7	1.23	6.17
L651915		98.6	0.28	2	22.5	43.5	<5	29	13.70	185.5	6.73	3	730	1.4	0.71	11.05
L651916		681	0.33	<2	35.4	236	<5	30	88.3	196.5	22.2	2	818	2.3	1.23	112.0
L651917		10.3	0.61	<2	3.6	5.6	11	<5	1.54	9.2	1.39	6	74.0	0.5	0.45	2.21

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
L651902		<0.5	0.60	4.19	96	1	34.6	4.03	87	66	62.9	13.05	6.94	6.30	4.48	2.89
L651903		<0.5	0.79	10.20	103	6	37.9	6.06	120	87	55.6	18.50	6.97	8.92	2.93	5.34
L651904		<0.5	0.56	4.83	31	1	35.4	3.60	43	333	67.5	14.70	3.28	2.42	0.82	4.03
L651905		<0.5	0.10	1.01	27	1	7.1	0.78	27	16	68.9	16.55	1.92	3.08	0.61	7.15
L651906		<0.5	0.42	3.02	53	1	28.4	2.79	59	21	64.2	15.55	4.42	4.62	2.61	5.89
L651907		<0.5	0.99	13.85	43	1	65.0	6.52	38	346	61.0	17.90	4.12	4.05	1.04	5.90
L651908		<0.5	0.85	22.1	106	2	64.0	5.65	133	88	56.7	8.61	10.60	10.45	2.84	1.16
L651909		<0.5	1.01	42.7	168	9	78.5	6.82	35	304	38.5	24.4	10.65	20.2	1.93	0.60
L651910		<0.5	1.77	116.5	242	12	155.0	11.15	192	319	35.2	8.77	25.9	9.04	2.78	0.48
L651911		<0.5	3.21	21.1	172	6	374	17.40	119	179	36.3	10.55	13.40	14.45	1.52	0.27
L651912		<0.5	3.07	39.0	123	9	334	16.70	83	94	45.7	12.30	7.96	7.92	1.04	1.20
L651913		<0.5	2.18	31.7	195	6	226	12.35	138	464	43.2	8.91	14.25	14.05	1.82	0.83
L651914		<0.5	0.70	3.55	341	5	43.5	4.32	143	165	50.2	12.20	16.15	7.11	4.99	2.10
L651915		0.5	0.31	2.78	54	3	25.4	1.97	47	41	64.6	15.35	4.10	2.61	0.99	3.40
L651916		0.5	0.37	5.42	23	4	32.2	2.25	19	552	61.0	16.00	1.49	2.01	0.54	3.00
L651917		<0.5	0.53	0.59	60	<1	28.4	3.57	125	23	36.1	4.54	42.8	7.71	4.23	1.19

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1	1
L651902		1.78	0.03	0.41	0.18	0.07	0.04	0.02	0.30	99.4	<0.5	<5	<0.5	6	8	<1
L651903		0.71	0.01	0.68	0.24	0.10	0.09	0.02	0.80	101.0	<0.5	<5	<0.5	4	2	<1
L651904		5.85	<0.01	0.30	0.09	0.04	0.05	0.28	0.10	99.5	<0.5	<5	<0.5	2	27	<1
L651905		1.16	<0.01	0.04	0.07	0.02	0.06	0.05	-0.30	99.3	<0.5	<5	<0.5	2	30	<1
L651906		1.18	<0.01	0.17	0.11	0.05	0.07	0.06	-0.10	98.8	<0.5	<5	<0.5	6	143	<1
L651907		2.97	<0.01	0.60	0.06	0.23	0.12	0.26	0.00	98.3	<0.5	<5	<0.5	5	58	<1
L651908		3.56	<0.01	0.58	0.53	0.33	0.22	1.75	0.30	97.6	<0.5	<5	<0.5	6	48	1
L651909		0.30	0.01	0.90	0.12	0.19	0.25	0.01	2.80	101.0	<0.5	<5	<0.5	2	1	<1
L651910		1.71	<0.01	0.64	0.38	1.61	0.18	0.54	0.60	87.8	<0.5	<5	<0.5	8	36	1
L651911		1.04	<0.01	0.44	0.39	3.53	0.44	1.34	1.00	84.7	<0.5	<5	<0.5	5	61	1
L651912		3.60	0.04	1.41	0.22	1.89	0.23	1.90	1.09	86.5	<0.5	<5	<0.5	4	43	1
L651913		2.23	0.02	0.58	0.58	1.95	0.24	1.49	1.40	91.6	<0.5	<5	<0.5	3	15	1
L651914		2.30	0.01	3.18	0.24	0.33	0.02	0.08	1.59	100.5	<0.5	<5	<0.5	16	222	1
L651915		7.11	<0.01	0.24	0.10	0.28	0.08	0.41	0.60	99.9	<0.5	<5	<0.5	5	43	<1
L651916		6.90	<0.01	0.22	0.04	0.07	0.09	0.50	0.70	92.6	<0.5	<5	<0.5	1	3	<1
L651917		0.21	<0.01	0.39	1.33	0.07	0.01	0.01	-0.30	98.3	<0.5	<5	<0.5	20	2	<1

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - E
 Total # Pages: 3 (A - E)
 Finalized Date: 12-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115796

Sample Description	Method Analyte Units LOR	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	Au-AA23	Ce-OGREE	La-OGREE	Pr-OGREE
		Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2	Au ppm 0.005	Ce % 0.01	La % 0.01	Pr % 0.01
L651902		<1	7	3	36	<0.005			
L651903		<1	2	10	44	<0.005			
L651904		<1	3	11	30	<0.005			
L651905		<1	1	4	16	<0.005			
L651906		<1	3	7	19	<0.005			
L651907		<1	4	6	16	<0.005			
L651908		<1	2	4	25	<0.005			
L651909		<1	2	11	18	<0.005			
L651910		1	6	7	67	<0.005	3.28	2.71	0.25
L651911		1	3	10	32	<0.005	4.34	3.49	0.33
L651912		1	2	12	16	0.005	3.45	2.62	0.28
L651913		1	2	10	44	0.008	2.84	2.23	0.22
L651914		1	18	3	83	<0.005			
L651915		2	1	6	27	<0.005			
L651916		<1	2	5	7	<0.005			
L651917		<1	4	<2	27	<0.005			

Comments: Low whole rock total confirmed by re-analysis.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 25-OCT-2011
 Account: EIAREI

CERTIFICATE VA11192009

Project: REI11-01
 P.O. No.: REI11-01-8
 This report is for 205 Soil samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
G092351		0.42	821	103.0	5.6	110	2.92	4.48	2.68	1.36	18.1	5.34	10.5	0.93	52.3	0.44
G092352		0.38	916	118.0	12.9	110	3.09	4.98	2.80	1.59	18.5	6.07	10.0	0.99	63.8	0.42
G092353		0.34	777	116.5	11.1	110	3.44	4.52	2.50	1.50	22.0	5.90	10.9	0.89	63.3	0.39
G092354		0.46	852	113.5	12.4	120	3.08	4.80	2.78	1.49	19.4	5.97	9.1	0.96	61.8	0.41
G092355		0.36	841	132.5	10.3	100	3.61	5.48	3.20	1.87	21.7	6.80	12.1	1.12	71.5	0.51
G092356		0.28	867	125.0	16.6	110	7.61	5.26	3.19	1.71	23.0	6.01	9.2	1.09	69.0	0.51
G092357		0.36	830	114.5	29.6	130	5.57	5.14	2.93	1.87	21.8	5.98	9.8	1.04	61.8	0.44
G092358		0.36	921	120.5	15.1	100	3.86	4.95	2.74	1.92	20.9	6.27	8.6	0.97	67.4	0.39
G092359		0.34	804	154.5	11.6	140	4.97	6.08	3.63	2.14	23.3	7.29	14.7	1.24	83.9	0.58
G092360		0.40	755	105.0	15.2	130	3.58	4.35	2.52	1.39	24.8	5.26	10.5	0.87	55.0	0.38
G092361		0.40	798	99.2	9.0	110	5.49	4.23	2.52	1.29	20.0	4.78	9.4	0.86	49.7	0.39
G092362		0.44	884	95.2	8.4	100	3.19	4.23	2.51	1.38	20.8	4.88	10.6	0.87	53.6	0.40
G092363		0.32	633	89.5	7.9	100	2.79	3.54	1.90	1.10	18.9	4.58	6.6	0.69	45.8	0.28
G092364		0.32	870	121.5	10.5	100	2.77	5.06	2.81	1.54	20.4	6.27	7.9	0.99	67.4	0.40
G092365		0.36	812	119.0	12.0	120	3.77	4.49	2.43	1.41	18.4	5.68	9.3	0.88	67.1	0.37
G092366		0.30	917	105.5	9.2	90	2.40	4.06	2.29	1.44	17.8	5.02	9.3	0.81	59.2	0.35
G092367		0.46	830	113.5	7.2	90	2.28	4.91	2.81	1.56	17.9	5.79	10.6	0.97	62.9	0.44
G092368		0.36	752	73.8	7.8	110	3.13	3.49	2.10	1.09	17.5	3.86	7.6	0.73	37.3	0.33
G092369		0.40	985	104.0	5.9	90	2.42	4.06	2.40	1.42	22.6	4.97	12.7	0.83	58.0	0.38
G092370		0.30	889	101.0	11.2	120	4.23	4.25	2.46	1.46	23.8	5.05	9.4	0.84	56.1	0.38
G092371		0.28	883	99.4	10.6	110	4.16	4.37	2.53	1.44	23.7	5.05	9.9	0.89	55.1	0.39
G092372		0.38	903	111.0	3.7	90	3.52	4.69	2.71	1.40	18.8	5.36	13.3	0.95	61.7	0.45
G092373		0.32	852	104.5	4.2	90	4.08	4.38	2.53	1.32	20.4	4.97	11.9	0.88	57.8	0.41
G092374		0.26	878	142.5	16.6	100	4.74	5.79	3.15	1.90	17.9	7.56	5.1	1.13	91.1	0.45
G092375		0.44	1055	130.5	9.9	100	3.25	5.10	3.02	1.68	18.5	6.39	13.9	1.03	73.7	0.48
G092376		0.44	1020	94.9	7.4	80	1.87	3.81	2.16	1.43	17.5	4.61	7.7	0.75	53.2	0.32
G092377		0.22	901	108.0	15.0	100	4.47	4.52	2.52	1.55	17.9	5.46	8.7	0.90	61.9	0.38
G092378		0.42	969	100.5	8.5	100	2.78	3.66	2.07	1.29	20.6	4.48	8.0	0.73	54.0	0.31
G092379		0.28	767	82.9	6.1	110	3.39	3.82	2.34	1.19	20.0	4.23	8.5	0.79	41.1	0.37
G092380		0.32	848	106.0	10.5	120	3.45	3.90	2.17	1.32	19.6	4.76	8.5	0.79	55.0	0.34
G092381		0.40	1000	97.7	7.4	110	2.24	3.75	2.13	1.30	20.3	4.71	10.6	0.73	56.0	0.35
G092382		0.34	914	93.4	6.5	100	2.88	3.94	2.24	1.27	17.4	4.61	8.3	0.80	47.5	0.35
G092383		0.32	733	76.9	8.3	120	3.18	3.86	2.38	1.14	18.1	4.07	7.8	0.80	38.2	0.38
G092384		0.38	898	76.9	7.0	100	3.04	3.43	2.18	1.16	22.7	3.71	8.0	0.72	38.8	0.35
G092385		0.32	955	99.1	7.5	100	2.26	4.01	2.29	1.35	18.2	4.62	8.9	0.81	50.9	0.36
G092386		0.42	951	102.5	8.0	90	2.62	3.72	2.12	1.25	20.4	4.51	8.7	0.77	52.9	0.34
G092387		0.32	934	92.0	7.4	90	3.03	3.84	2.32	1.32	20.4	4.62	9.2	0.81	48.1	0.34
G092388		0.46	967	85.9	8.6	110	3.30	4.07	2.56	1.26	22.2	4.66	9.8	0.90	45.1	0.39
G092389		0.34	797	69.6	8.4	100	2.96	3.70	2.35	1.19	19.0	4.24	6.8	0.79	36.1	0.35
G092390		0.32	903	66.0	8.7	110	2.72	3.43	2.18	1.09	18.9	3.64	7.0	0.72	34.8	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
G092351		2	18.2	38.8	11.05	112.0	6.82	2	269	1.5	0.81	14.40	<0.5	0.42	3.65	120
G092352		2	20.5	47.4	13.60	104.0	8.04	2	313	1.5	0.91	18.15	<0.5	0.42	3.43	132
G092353		3	21.6	47.8	13.60	103.5	8.31	3	292	1.6	0.86	20.7	<0.5	0.39	3.99	146
G092354		3	18.4	46.8	13.10	104.5	8.12	2	293	1.4	0.87	18.35	<0.5	0.42	4.13	134
G092355		4	28.4	54.2	15.45	135.5	9.13	3	331	2.1	1.00	14.85	0.5	0.49	4.30	135
G092356		9	27.1	50.3	14.45	196.0	8.39	4	364	2.0	0.92	17.35	0.6	0.50	14.30	157
G092357		14	28.7	47.3	13.35	138.0	7.92	3	312	2.2	0.91	15.15	<0.5	0.43	18.50	155
G092358		5	26.2	50.1	14.25	117.0	8.51	3	328	1.9	0.92	16.85	<0.5	0.40	12.95	122
G092359		4	35.2	60.6	17.70	161.5	9.67	3	292	2.5	1.07	19.50	0.5	0.56	6.17	133
G092360		<2	18.7	42.6	12.25	80.6	7.09	3	298	1.4	0.79	16.50	<0.5	0.38	4.76	122
G092361		2	19.4	36.4	10.50	117.5	6.22	2	241	1.5	0.74	13.25	0.5	0.39	3.85	121
G092362		2	19.7	38.1	11.00	88.6	6.52	3	293	1.4	0.74	13.60	0.5	0.38	3.87	122
G092363		2	14.9	32.8	9.30	63.7	5.71	2	176.5	1.1	0.67	17.85	<0.5	0.29	3.57	112
G092364		<2	22.4	48.7	13.85	79.8	8.17	2	310	1.6	0.93	23.3	<0.5	0.42	5.88	125
G092365		<2	16.8	46.7	13.50	82.7	7.81	2	266	1.3	0.84	22.0	<0.5	0.37	4.20	122
G092366		<2	19.0	41.1	11.90	80.2	6.85	2	311	1.4	0.74	18.55	<0.5	0.34	3.62	93
G092367		4	18.4	45.4	13.00	80.8	8.01	2	290	1.4	0.90	19.50	<0.5	0.44	5.69	94
G092368		<2	16.3	28.2	7.89	79.1	4.89	2	236	1.2	0.61	12.50	<0.5	0.32	4.16	125
G092369		<2	22.7	41.7	11.85	86.8	6.96	3	310	1.8	0.74	18.10	0.5	0.37	4.19	97
G092370		<2	24.0	41.0	11.65	96.0	6.95	3	293	1.7	0.75	14.65	<0.5	0.37	3.54	127
G092371		2	24.4	40.9	11.60	96.2	6.96	3	294	1.8	0.78	15.70	<0.5	0.39	3.66	123
G092372		4	24.1	43.7	12.65	103.0	7.28	3	293	1.9	0.82	17.55	<0.5	0.44	4.32	103
G092373		4	22.3	41.1	11.90	97.4	6.75	3	301	1.7	0.78	15.90	<0.5	0.39	5.09	99
G092374		12	16.2	68.2	19.90	89.1	10.95	2	238	1.2	1.09	24.8	0.6	0.46	35.6	134
G092375		2	20.0	52.3	15.25	107.0	8.54	2	351	1.5	0.93	25.0	<0.5	0.47	8.15	86
G092376		2	17.5	37.3	10.80	93.7	6.28	2	336	1.2	0.68	17.45	<0.5	0.33	4.39	79
G092377		5	19.0	44.4	12.80	101.0	7.44	2	287	1.7	0.82	17.65	0.5	0.39	19.95	108
G092378		<2	17.6	36.0	10.55	99.0	5.93	2	294	1.3	0.67	18.90	<0.5	0.32	3.27	111
G092379		<2	17.5	30.9	8.76	115.0	5.34	2	230	1.4	0.66	10.85	0.5	0.36	3.04	127
G092380		<2	17.9	38.2	11.00	99.9	6.48	2	277	1.4	0.71	23.6	<0.5	0.34	3.99	122
G092381		2	18.6	37.5	11.05	96.4	6.18	3	306	1.4	0.67	18.25	<0.5	0.33	3.95	87
G092382		<2	16.4	34.7	9.74	97.8	5.89	2	300	1.3	0.70	14.30	<0.5	0.35	3.50	89
G092383		<2	16.8	29.2	8.21	100.5	5.10	2	209	1.3	0.66	9.88	<0.5	0.37	2.70	143
G092384		4	17.4	27.9	7.98	114.0	4.75	2	278	1.4	0.59	12.55	0.5	0.34	2.84	143
G092385		<2	17.0	37.1	10.45	108.0	6.35	2	320	1.4	0.73	14.05	<0.5	0.36	3.44	91
G092386		<2	18.2	36.7	10.45	99.2	5.87	2	293	1.4	0.67	19.05	<0.5	0.34	3.95	90
G092387		<2	22.4	36.0	10.40	88.1	6.14	2	286	1.4	0.70	14.85	<0.5	0.34	3.38	97
G092388		<2	19.7	34.0	9.82	96.1	5.88	2	301	1.5	0.72	13.70	<0.5	0.39	3.21	121
G092389		<2	17.7	28.8	8.10	80.6	5.11	2	274	1.3	0.63	13.25	<0.5	0.35	3.28	130
G092390		<2	15.3	26.1	7.48	77.2	4.45	2	315	1.2	0.57	11.15	<0.5	0.32	2.39	104



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	2	2	
G092351		2	30.1	2.62	393	<0.5	<5	<0.5	2	6	<1	1	7	8	25
G092352		2	32.1	2.61	382	<0.5	<5	<0.5	6	15	<1	1	15	7	50
G092353		6	28.5	2.45	420	<0.5	<5	<0.5	4	14	<1	1	12	10	46
G092354		2	30.5	2.58	327	<0.5	6	<0.5	6	17	1	2	20	7	54
G092355		2	34.8	3.13	463	<0.5	<5	<0.5	5	25	1	2	11	17	48
G092356		3	34.4	3.19	340	<0.5	<5	<0.5	9	30	<1	7	16	12	70
G092357		2	31.9	2.70	365	<0.5	<5	<0.5	21	42	1	10	26	12	82
G092358		2	31.1	2.45	322	<0.5	<5	<0.5	8	25	<1	3	17	6	45
G092359		2	39.4	3.50	561	<0.5	<5	<0.5	6	13	<1	2	18	9	53
G092360		2	26.9	2.48	394	<0.5	<5	<0.5	7	10	<1	1	16	8	47
G092361		2	27.7	2.42	355	<0.5	<5	<0.5	5	10	1	1	18	10	47
G092362		2	27.9	2.44	398	<0.5	5	<0.5	4	11	1	1	12	9	30
G092363		1	21.2	1.77	242	<0.5	6	<0.5	5	19	2	1	19	14	45
G092364		2	31.2	2.63	296	<0.5	<5	<0.5	6	17	<1	<1	16	10	44
G092365		2	27.5	2.31	343	<0.5	5	<0.5	7	19	<1	1	22	9	55
G092366		1	25.5	2.18	348	<0.5	<5	<0.5	4	10	<1	<1	12	5	27
G092367		2	32.1	2.82	388	<0.5	<5	<0.5	3	10	<1	1	9	7	23
G092368		2	23.1	2.09	286	<0.5	<5	<0.5	5	11	1	<1	15	9	42
G092369		2	26.4	2.34	466	<0.5	<5	<0.5	2	5	<1	<1	6	9	12
G092370		2	27.6	2.38	346	<0.5	<5	<0.5	6	11	<1	<1	18	10	43
G092371		2	28.4	2.53	369	<0.5	<5	<0.5	5	11	<1	1	18	7	40
G092372		2	30.8	2.79	488	<0.5	<5	<0.5	1	2	<1	2	3	8	7
G092373		2	28.6	2.48	441	<0.5	<5	<0.5	1	7	1	2	7	13	12
G092374		2	35.0	2.81	203	0.8	<5	<0.5	12	41	1	9	22	10	64
G092375		4	32.0	2.96	503	<0.5	<5	<0.5	5	12	<1	1	17	4	46
G092376		1	23.6	2.01	288	<0.5	<5	<0.5	3	7	1	1	7	6	18
G092377		2	28.0	2.47	324	<0.5	<5	<0.5	10	17	1	3	18	8	65
G092378		1	22.7	2.01	293	<0.5	<5	<0.5	4	11	1	<1	13	9	34
G092379		2	25.5	2.36	312	<0.5	<5	<0.5	3	7	1	<1	9	10	27
G092380		2	24.7	2.11	304	<0.5	<5	<0.5	6	14	1	<1	17	10	50
G092381		2	23.6	2.11	393	<0.5	<5	<0.5	3	9	1	<1	15	9	26
G092382		1	24.7	2.20	308	<0.5	<5	<0.5	4	7	<1	<1	11	9	26
G092383		2	25.7	2.33	289	<0.5	<5	<0.5	5	10	1	<1	15	9	47
G092384		2	23.1	2.17	294	<0.5	<5	<0.5	3	8	1	2	11	8	29
G092385		2	26.0	2.27	324	<0.5	<5	<0.5	3	7	1	<1	10	7	26
G092386		1	23.8	2.17	318	<0.5	<5	<0.5	3	12	<1	<1	10	9	34
G092387		2	21.9	2.31	349	<0.5	<5	<0.5	4	10	1	<1	10	11	35
G092388		2	23.8	2.57	376	<0.5	<5	<0.5	5	10	1	<1	13	7	39
G092389		2	21.6	2.30	266	<0.5	<5	<0.5	6	11	1	<1	13	8	46
G092390		1	19.7	2.11	269	<0.5	<5	<0.5	6	10	<1	<1	14	7	31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
G092391		0.24	818	71.5	9.2	110	2.74	3.76	2.35	1.25	19.6	4.26	8.8	0.79	36.8	0.34
G092392		0.36	900	100.5	9.2	110	2.78	4.48	2.67	1.41	21.8	5.39	9.9	0.90	51.6	0.39
G092393		0.40	779	86.9	7.2	90	3.22	3.74	2.17	1.29	20.4	4.85	7.8	0.77	45.0	0.31
G092394		0.34	790	67.0	10.0	120	3.11	3.68	2.23	1.20	20.6	4.23	8.4	0.79	34.1	0.33
G092395		0.44	945	103.0	14.0	110	2.78	4.40	2.47	1.49	19.4	5.49	7.2	0.90	52.6	0.33
G092396		0.34	882	97.8	8.5	110	3.75	4.39	2.76	1.50	21.0	5.54	8.2	0.93	51.3	0.38
G092397		0.30	888	90.3	9.6	110	2.51	4.52	2.80	1.52	23.7	5.25	11.9	0.97	46.9	0.42
G092398		0.32	697	73.1	7.1	100	3.85	3.85	2.39	1.18	20.7	4.40	7.3	0.83	38.6	0.35
G092399		0.36	450	99.7	27.5	110	4.48	6.34	3.90	2.29	27.8	7.10	8.0	1.37	48.5	0.53
G092400		0.32	822	109.5	9.1	100	5.03	5.08	3.07	1.57	22.1	6.46	9.7	1.06	56.0	0.44
G092401		0.36	750	87.5	13.0	130	4.17	4.14	2.72	1.43	22.8	4.80	12.1	0.91	45.1	0.41
G092402		0.30	771	100.5	12.4	170	4.46	4.78	2.94	1.57	22.4	5.68	10.2	1.02	51.9	0.41
G092403		0.40	772	174.0	15.2	120	3.96	8.97	5.10	3.25	22.4	10.95	15.3	1.84	88.9	0.62
G092404		0.34	835	111.5	13.1	110	4.54	5.18	3.16	2.06	23.1	6.34	9.4	1.09	58.2	0.46
G092405		0.22	670	121.5	23.8	130	4.67	5.54	3.03	2.15	17.2	7.31	9.1	1.09	61.8	0.39
G092406		0.50	932	99.7	10.6	110	3.01	4.43	2.60	1.56	17.1	5.76	8.3	0.93	52.6	0.36
G092407		0.36	908	94.3	13.9	120	2.99	4.39	2.66	1.53	18.0	5.52	8.6	0.92	50.2	0.37
G092408		0.38	699	71.5	15.5	70	2.61	3.43	2.05	1.16	14.9	4.40	6.4	0.72	38.6	0.28
G092409		0.36	765	82.1	10.0	120	2.52	4.26	2.46	1.20	16.7	4.90	7.1	0.88	41.9	0.35
G092410		0.44	865	103.0	7.1	100	2.19	4.58	2.60	1.31	17.8	5.69	9.8	0.91	53.5	0.37
G092411		0.30	826	68.0	9.1	110	2.46	6.09	4.38	1.13	18.1	5.22	7.7	1.43	34.8	0.64
G092412		0.40	958	111.5	11.0	100	2.62	4.83	2.81	1.51	19.0	6.38	9.0	0.98	57.9	0.38
G092413		0.46	965	95.3	8.5	110	2.35	4.64	2.84	1.42	17.5	5.67	9.5	0.97	49.3	0.41
G092414		0.46	924	130.5	18.3	120	3.41	5.25	3.10	1.60	20.1	6.53	9.8	1.08	62.0	0.43
G092415		0.54	962	111.5	17.4	140	2.83	5.87	3.36	1.77	17.8	7.13	10.2	1.20	55.4	0.45
G092416		0.46	862	100.0	11.9	120	2.64	4.92	3.01	1.41	16.2	5.78	8.7	1.03	52.3	0.42
G092417		0.42	833	78.5	8.6	110	2.26	4.08	2.51	1.31	17.4	4.86	7.8	0.86	39.7	0.36
G092418		0.36	843	85.4	10.3	110	2.48	4.46	2.65	1.40	17.4	5.35	9.8	0.94	46.4	0.39
G092419		0.50	835	106.5	11.0	100	2.35	5.16	3.22	1.53	20.0	6.05	11.9	1.10	55.5	0.45
G092420		0.40	747	104.0	14.1	120	2.62	5.27	3.29	1.50	17.4	6.36	11.3	1.12	53.0	0.45
G092421		0.34	786	106.5	10.3	100	2.47	5.30	3.17	1.71	19.0	6.69	10.1	1.11	54.4	0.44
G092422		0.34	853	80.3	10.0	110	2.15	4.25	2.59	1.35	18.4	5.14	8.0	0.92	41.2	0.36
G092424		0.34	831	122.5	23.3	120	4.16	4.46	2.46	1.53	19.6	5.57	6.5	0.87	51.7	0.35
G092425		0.34	865	121.0	11.0	120	3.77	4.50	2.55	1.51	19.3	5.77	9.0	0.92	54.4	0.38
G092426		0.34	940	120.5	11.3	120	2.61	5.51	3.35	1.80	19.8	6.54	11.2	1.15	58.2	0.46
G092427		0.34	912	127.0	9.6	110	3.33	5.33	2.94	1.71	19.2	6.99	9.1	1.08	66.4	0.43
G092428		0.34	904	135.0	10.1	130	3.98	6.43	3.84	2.24	20.9	7.81	13.8	1.33	68.6	0.57
G092430		0.38	816	126.5	12.6	120	4.37	5.40	3.18	2.08	24.0	6.74	11.0	1.11	65.7	0.46
G092431		0.46	881	131.5	19.6	330	4.70	4.91	2.63	1.65	18.8	6.53	9.0	0.94	63.4	0.36
G092432		0.38	915	173.5	11.4	140	3.85	7.78	4.30	2.91	23.8	9.55	12.9	1.57	88.9	0.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
G092391		<2	18.4	29.7	8.50	70.1	5.28	2	297	1.4	0.65	12.15	<0.5	0.34	2.74	113
G092392		<2	19.8	40.7	11.75	87.6	7.24	2	308	1.5	0.80	17.85	<0.5	0.38	3.37	119
G092393		<2	16.1	35.5	10.10	77.4	6.20	2	273	1.3	0.71	14.50	<0.5	0.32	2.92	106
G092394		<2	18.9	27.9	7.81	69.4	5.10	2	284	1.4	0.65	14.60	<0.5	0.34	2.71	133
G092395		<2	17.9	41.1	11.80	77.2	6.98	2	330	1.3	0.81	18.55	<0.5	0.35	3.66	114
G092396		3	20.5	40.1	11.35	102.5	7.08	2	319	1.5	0.80	13.75	<0.5	0.40	4.33	134
G092397		<2	20.6	36.9	10.55	78.5	6.53	3	356	1.5	0.79	12.35	<0.5	0.41	3.09	147
G092398		<2	16.5	29.2	8.24	82.4	5.11	2	245	1.4	0.67	12.05	<0.5	0.35	3.37	113
G092399		2	30.6	44.3	12.00	86.7	7.98	3	297	2.6	1.10	10.85	<0.5	0.55	2.86	257
G092400		2	23.1	46.0	12.95	131.5	8.08	3	310	1.8	0.93	20.8	<0.5	0.45	4.49	127
G092401		<2	22.8	34.9	9.98	107.5	6.04	2	326	1.7	0.74	12.00	<0.5	0.39	3.44	118
G092402		2	24.4	40.3	11.45	119.0	6.99	3	310	1.9	0.84	12.30	<0.5	0.41	3.09	146
G092403		3	48.2	75.9	21.0	129.5	13.20	3	390	3.5	1.64	17.10	<0.5	0.73	5.76	122
G092404		2	33.3	45.0	12.90	144.5	7.54	3	350	2.3	0.92	11.80	<0.5	0.45	3.42	135
G092405		4	24.9	52.7	14.60	96.4	9.23	2	404	1.8	0.97	13.10	<0.5	0.42	14.35	156
G092406		2	20.8	40.8	11.70	104.0	6.98	2	387	1.5	0.84	12.85	<0.5	0.41	7.79	99
G092407		4	19.2	38.0	10.90	108.0	6.54	2	340	1.3	0.80	13.55	<0.5	0.39	6.06	119
G092408		6	13.2	30.5	8.66	77.6	5.36	1	252	1.0	0.64	11.35	<0.5	0.28	11.85	99
G092409		2	16.1	33.5	9.45	88.8	6.08	2	252	1.2	0.75	13.40	<0.5	0.36	3.73	139
G092410		2	17.1	40.8	11.80	97.9	7.11	2	271	1.3	0.83	17.40	<0.5	0.38	3.36	105
G092411		2	16.3	28.0	7.80	91.7	5.29	2	251	1.2	0.91	11.30	<0.5	0.65	2.88	131
G092412		3	19.7	44.4	12.85	100.0	7.98	2	298	1.5	0.90	19.85	<0.5	0.40	3.44	118
G092413		<2	17.9	39.6	11.20	97.6	6.93	2	272	1.3	0.86	14.50	<0.5	0.42	3.05	119
G092414		<2	20.8	46.4	13.35	117.5	7.90	2	293	1.5	0.96	20.8	0.5	0.44	3.72	139
G092415		2	18.2	45.7	12.80	97.2	8.32	2	295	1.4	1.05	16.25	<0.5	0.47	4.97	137
G092416		4	17.4	40.6	11.60	89.8	6.99	2	278	1.2	0.89	15.10	<0.5	0.43	4.50	119
G092417		<2	16.1	32.0	9.04	104.5	5.79	2	266	1.2	0.70	10.40	<0.5	0.37	2.41	116
G092418		4	17.9	35.4	10.20	86.4	6.22	2	279	1.3	0.79	12.25	<0.5	0.39	3.56	122
G092419		<2	22.0	41.9	12.00	85.9	7.51	2	282	1.6	0.91	21.1	<0.5	0.47	4.06	122
G092420		2	20.2	42.7	12.05	95.6	7.60	2	243	1.5	0.95	17.20	<0.5	0.48	3.31	112
G092421		<2	21.0	45.3	12.75	89.3	8.11	2	303	1.7	0.97	21.7	<0.5	0.44	4.15	123
G092422		<2	16.2	33.7	9.47	89.5	6.09	2	290	1.2	0.74	12.75	<0.5	0.37	2.73	137
G092424		5	16.9	39.7	11.50	95.4	7.06	2	226	1.2	0.80	16.90	<0.5	0.34	9.84	127
G092425		4	20.1	43.3	12.60	107.5	7.68	2	247	1.4	0.78	20.1	<0.5	0.36	4.47	117
G092426		3	18.6	46.1	13.35	86.5	8.29	2	293	1.3	0.94	19.80	<0.5	0.46	5.66	110
G092427		3	18.6	51.3	14.95	107.5	8.95	2	281	1.3	0.96	21.8	<0.5	0.41	5.48	117
G092428		3	26.7	56.6	16.25	131.5	10.00	3	355	2.1	1.11	21.1	0.5	0.54	5.32	133
G092430		3	30.7	50.4	14.60	150.5	8.66	3	378	2.1	0.94	17.25	<0.5	0.43	3.70	129
G092431		3	20.6	47.6	14.10	92.6	8.32	2	275	1.5	0.88	22.5	<0.5	0.36	4.55	116
G092432		4	47.1	71.7	20.7	200	12.30	3	323	3.2	1.36	22.4	0.5	0.60	5.28	116



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G092391		2	21.7	2.37	337	<0.5	5	<0.5	7	11	<1	<1	14	9	34
G092392		2	24.6	2.57	383	<0.5	<5	<0.5	5	8	1	<1	12	42	32
G092393		1	20.4	2.07	293	<0.5	<5	<0.5	5	9	1	<1	13	12	34
G092394		2	21.2	2.22	327	<0.5	7	<0.5	6	13	<1	<1	16	7	35
G092395		1	23.4	2.38	271	<0.5	5	<0.5	9	17	1	<1	21	7	41
G092396		2	26.1	2.61	326	<0.5	<5	<0.5	6	11	<1	1	12	9	38
G092397		2	26.5	2.88	456	<0.5	<5	<0.5	6	8	<1	<1	11	6	28
G092398		2	21.8	2.32	268	<0.5	<5	<0.5	6	10	<1	<1	13	12	47
G092399		2	34.7	3.68	306	<0.5	<5	<0.5	16	25	<1	<1	30	10	85
G092400		2	28.1	2.98	371	<0.5	<5	<0.5	7	12	<1	1	12	10	34
G092401		2	24.6	2.68	460	<0.5	<5	<0.5	8	7	<1	<1	19	11	51
G092402		2	26.6	2.84	387	<0.5	<5	<0.5	6	9	1	<1	14	10	34
G092403		1	47.2	4.57	622	<0.5	<5	<0.5	10	28	<1	1	22	10	74
G092404		2	29.2	3.09	370	<0.5	<5	<0.5	9	17	<1	1	16	4	56
G092405		2	28.8	2.63	388	<0.5	<5	<0.5	15	38	<1	2	22	9	44
G092406		2	24.4	2.47	320	<0.5	<5	<0.5	7	16	<1	1	14	5	30
G092407		2	24.9	2.56	337	<0.5	<5	<0.5	10	15	1	3	18	4	49
G092408		1	18.8	1.91	237	0.5	<5	<0.5	16	31	<1	6	19	9	51
G092409		2	23.8	2.37	277	<0.5	9	<0.5	8	14	<1	1	16	9	59
G092410		2	24.8	2.46	372	<0.5	<5	<0.5	5	7	<1	1	10	7	33
G092411		2	38.2	4.42	300	<0.5	6	<0.5	7	11	<1	1	15	10	52
G092412		2	26.4	2.63	347	<0.5	<5	<0.5	8	13	<1	1	17	6	56
G092413		2	26.6	2.77	366	<0.5	<5	<0.5	6	8	<1	1	12	7	36
G092414		2	29.3	2.96	369	<0.5	<5	<0.5	14	27	<1	<1	25	10	64
G092415		2	32.4	3.10	393	<0.5	6	<0.5	12	28	<1	1	29	9	59
G092416		2	28.5	2.81	335	<0.5	<5	<0.5	10	13	1	2	19	8	50
G092417		2	23.3	2.46	298	<0.5	<5	<0.5	7	9	<1	<1	13	8	45
G092418		2	24.8	2.57	366	<0.5	6	<0.5	9	12	1	3	17	7	42
G092419		2	29.4	3.17	446	<0.5	<5	<0.5	7	12	<1	<1	15	5	38
G092420		2	30.3	3.07	411	<0.5	<5	<0.5	11	16	1	1	24	7	52
G092421		2	29.1	3.02	387	<0.5	<5	<0.5	6	8	<1	<1	12	9	44
G092422		2	24.1	2.46	308	<0.5	<5	<0.5	6	11	<1	<1	14	7	40
G092424		2	23.4	2.13	250	1.1	<5	<0.5	21	42	<1	3	29	10	69
G092425		2	24.9	2.32	326	<0.5	<5	<0.5	9	22	<1	2	18	9	48
G092426		2	31.8	2.95	401	<0.5	<5	<0.5	8	17	<1	<1	19	8	41
G092427		2	28.4	2.66	327	<0.5	<5	<0.5	7	15	1	1	15	7	43
G092428		2	35.5	3.54	488	<0.5	<5	<0.5	5	7	<1	1	8	6	24
G092430		2	29.5	2.81	422	<0.5	<5	<0.5	8	12	<1	<1	18	9	44
G092431		1	25.0	2.27	314	<0.5	<5	<0.5	12	16	1	<1	89	6	60
G092432		2	42.2	3.76	467	<0.5	<5	<0.5	8	11	1	1	15	10	56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
G092433		0.42	970	119.5	9.5	120	2.61	5.37	3.12	1.82	18.6	6.71	10.9	1.08	57.4	0.44
G092434		0.40	868	124.0	17.2	220	7.50	5.11	2.77	1.85	19.7	6.85	8.0	0.99	64.4	0.38
G092435		0.46	697	90.0	16.1	180	3.92	4.39	2.49	1.46	20.1	5.26	8.9	0.88	41.6	0.36
G092436		0.34	875	106.5	10.0	140	2.95	4.31	2.42	1.67	20.6	5.47	8.6	0.83	51.2	0.35
G092437		0.32	603	140.5	15.4	200	3.71	5.63	3.17	2.05	22.2	7.45	11.4	1.12	67.9	0.46
G092438		0.36	693	90.9	13.4	250	4.54	5.42	3.18	1.50	23.9	6.09	9.8	1.09	43.2	0.45
G092439		0.42	792	124.0	11.8	110	4.30	5.38	3.22	1.59	20.9	6.44	9.3	1.10	59.1	0.48
G092440		0.48	834	121.5	9.2	110	3.25	5.12	2.98	1.58	19.7	6.39	9.7	1.02	58.7	0.42
G092441		0.34	790	117.5	7.7	110	3.59	4.91	2.90	1.56	22.1	6.22	10.1	1.00	62.6	0.42
G092442		0.44	538	117.5	7.1	60	5.96	4.13	2.45	1.34	24.2	5.27	9.0	0.83	62.6	0.39
G092443		0.42	761	107.5	9.5	130	4.86	4.52	2.72	1.42	21.9	5.53	8.9	0.95	51.4	0.41
G092444		0.50	868	113.0	9.7	120	3.62	5.06	2.92	1.75	21.4	6.10	10.6	1.03	54.5	0.43
G092445		0.40	878	126.0	9.8	100	2.61	5.50	2.97	1.75	18.7	7.57	8.6	1.07	65.0	0.40
G092446		0.44	855	142.5	14.0	120	5.28	4.60	2.32	1.58	21.1	6.66	6.9	0.88	76.5	0.31
G092447		0.46	914	123.5	13.6	120	3.33	4.72	2.59	1.61	18.7	6.17	8.7	0.94	61.5	0.36
G092448		0.28	888	130.0	6.1	100	2.69	5.41	3.12	1.58	20.0	6.50	10.8	1.09	62.7	0.45
G092449		0.38	887	129.5	12.1	100	2.56	5.32	2.87	1.80	17.5	7.10	8.7	1.03	68.9	0.40
G092450		0.42	899	121.5	9.8	120	2.63	4.52	2.45	1.49	18.7	6.07	8.0	0.89	59.0	0.34
L648451		0.32	927	142.0	12.3	130	3.36	5.98	3.34	2.06	20.8	7.81	10.7	1.20	74.5	0.48
L648452		0.48	946	135.5	11.2	120	2.85	5.95	3.41	1.92	20.3	7.75	12.3	1.21	70.7	0.50
L648453		0.42	909	108.0	8.3	110	3.33	4.36	2.33	1.38	20.1	5.77	8.0	0.84	51.9	0.34
L648454		0.42	958	98.2	11.0	130	3.20	4.85	2.50	1.33	22.8	5.38	8.7	0.93	56.0	0.39
L648455		0.34	860	89.5	8.9	110	3.39	4.52	2.40	1.28	20.9	5.04	9.7	0.88	50.4	0.40
L648456		0.48	924	102.0	10.9	110	2.99	4.72	2.43	1.39	22.0	5.40	10.2	0.89	57.5	0.39
L648457		0.42	1035	118.0	15.2	110	2.59	4.65	2.36	1.44	20.9	5.47	9.1	0.89	66.1	0.38
I984851		0.42	820	119.0	7.2	100	3.07	5.35	2.66	1.38	22.9	6.02	11.5	1.00	63.5	0.43
I984852		0.46	845	80.1	13.9	120	3.71	6.50	3.22	1.98	21.1	7.56	7.6	1.23	61.6	0.49
I984853		0.40	715	87.8	3.8	100	1.66	4.41	2.42	1.11	19.3	4.60	10.3	0.86	48.7	0.42
I984854		0.54	1005	133.0	7.8	80	2.02	5.42	2.73	1.55	25.9	6.92	11.9	1.00	80.4	0.47
I984855		0.32	781	85.4	8.1	110	2.78	4.39	2.38	1.22	21.9	4.73	8.2	0.85	46.9	0.40
I984856		0.42	889	123.0	10.4	110	2.95	5.54	2.82	1.47	22.5	6.30	11.0	1.03	67.8	0.46
I984857		0.42	902	112.5	10.5	100	2.53	6.44	3.99	1.49	24.6	6.42	9.5	1.33	66.9	0.68
I984858		0.38	750	86.8	6.2	100	2.99	4.56	2.40	1.28	21.6	5.06	9.7	0.90	48.0	0.41
I984859		0.40	1020	110.0	12.1	90	3.08	4.61	2.26	1.57	22.0	5.43	9.8	0.85	60.4	0.36
I984860		0.38	962	93.7	10.4	90	3.22	5.13	2.87	1.42	19.4	5.30	8.3	1.05	52.3	0.48
I984861		0.40	937	105.0	12.6	100	3.12	4.57	2.30	1.55	22.1	5.33	7.7	0.86	59.8	0.34
I984862		0.40	972	106.5	13.5	130	2.95	4.63	2.27	1.53	22.7	5.47	10.0	0.84	57.8	0.37
I984863		0.46	950	98.4	9.9	100	3.14	4.91	2.58	1.40	23.1	5.45	10.1	0.95	54.5	0.43
I984864		0.60	948	111.0	11.0	110	3.05	4.91	2.52	1.56	22.8	6.15	10.6	0.91	66.7	0.42
I984865		0.40	956	116.5	9.3	100	2.75	5.08	2.66	1.50	22.2	6.04	10.8	0.93	65.0	0.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
G092433		3	20.5	45.7	13.30	114.0	8.34	2	344	1.4	0.94	18.60	<0.5	0.43	4.52	104
G092434		4	19.7	49.8	14.70	102.0	8.71	2	299	1.4	0.91	20.00	<0.5	0.38	11.75	117
G092435		2	18.4	34.8	9.93	90.9	6.43	3	236	1.4	0.77	14.80	<0.5	0.36	3.31	147
G092436		3	19.9	40.1	11.55	94.8	7.07	2	274	1.5	0.75	18.40	<0.5	0.34	3.33	128
G092437		5	21.0	59.3	17.00	98.3	9.87	3	267	2.0	0.97	16.80	<0.5	0.42	4.75	156
G092438		3	32.6	35.9	10.20	100.5	6.96	4	256	2.4	0.90	11.95	<0.5	0.45	4.05	124
G092439		5	19.4	46.5	13.65	105.5	8.22	3	268	1.4	0.91	17.95	0.5	0.45	4.29	116
G092440		2	20.1	45.1	13.15	121.0	8.14	3	293	1.5	0.89	19.50	<0.5	0.41	4.65	108
G092441		2	21.9	46.3	13.70	93.3	8.24	3	263	1.6	0.84	22.8	<0.5	0.39	4.46	121
G092442		2	27.2	44.0	13.20	81.5	7.19	3	283	2.6	0.71	24.9	<0.5	0.36	4.25	88
G092443		3	20.4	39.4	11.45	114.0	6.89	3	244	1.6	0.77	16.70	0.5	0.38	3.85	114
G092444		3	23.5	42.3	12.25	114.5	7.49	3	301	1.8	0.85	17.85	<0.5	0.42	4.52	122
G092445		3	24.5	51.4	14.90	99.5	9.13	2	296	1.5	0.98	25.2	<0.5	0.40	4.26	104
G092446		5	17.9	52.1	15.80	114.5	8.77	2	244	1.3	0.86	26.7	0.5	0.31	10.70	109
G092447		7	18.0	44.9	13.25	98.4	7.95	2	275	1.3	0.83	22.9	<0.5	0.36	13.25	108
G092448		3	20.6	47.2	13.90	97.1	8.21	3	267	1.7	0.90	20.5	<0.5	0.44	5.04	101
G092449		4	17.4	53.2	15.60	78.4	9.23	2	281	1.2	0.97	24.8	<0.5	0.39	15.10	98
G092450		2	16.6	44.3	13.05	83.8	7.84	2	249	1.2	0.81	24.1	<0.5	0.34	4.19	104
L648451		3	24.8	57.4	16.80	119.0	9.97	3	356	1.8	1.05	21.4	<0.5	0.46	5.57	124
L648452		2	22.6	55.6	16.00	117.5	9.93	3	290	1.6	1.05	26.2	<0.5	0.48	4.96	120
L648453		2	19.1	40.1	11.75	109.5	7.21	2	259	1.3	0.78	21.1	<0.5	0.33	4.50	111
L648454		<2	22.7	40.0	10.95	112.5	7.02	2	274	1.4	0.82	16.65	<0.5	0.38	3.68	139
L648455		<2	18.6	36.4	9.92	107.5	6.42	2	245	1.2	0.78	12.05	<0.5	0.38	3.54	120
L648456		<2	19.1	42.0	11.25	103.5	7.12	2	276	1.2	0.83	15.80	<0.5	0.37	3.55	122
L648457		<2	18.4	45.9	12.60	100.5	7.74	2	305	1.1	0.81	18.45	<0.5	0.36	3.85	112
I984851		<2	23.1	49.1	13.35	90.1	8.23	3	238	1.5	0.92	18.90	<0.5	0.40	4.05	131
I984852		4	18.6	51.5	13.45	113.0	9.55	2	254	1.1	1.11	13.15	<0.5	0.49	9.06	152
I984853		<2	18.6	35.9	9.75	65.0	6.17	2	205	1.2	0.73	12.80	<0.5	0.38	3.19	109
I984854		<2	25.2	57.6	16.00	90.9	9.72	3	303	1.5	0.99	24.8	0.5	0.43	4.73	108
I984855		<2	19.2	35.0	9.42	83.1	5.97	2	234	1.1	0.73	16.75	<0.5	0.37	3.14	162
I984856		<2	22.7	49.0	13.20	88.6	8.32	2	254	1.4	0.96	19.20	<0.5	0.43	4.06	144
I984857		<2	23.5	48.9	13.30	81.0	8.49	2	289	1.4	1.03	21.1	<0.5	0.66	3.95	143
I984858		<2	23.2	36.1	9.75	85.3	6.29	3	228	1.4	0.77	16.30	<0.5	0.38	3.37	146
I984859		<2	26.1	44.7	12.05	101.0	7.31	2	363	1.4	0.79	16.10	0.5	0.35	3.54	145
I984860		<2	24.6	38.1	10.35	94.3	6.60	2	353	1.2	0.84	13.75	<0.5	0.46	3.10	129
I984861		<2	27.3	41.6	11.40	89.2	6.98	2	320	1.5	0.81	14.65	<0.5	0.35	3.07	150
I984862		<2	24.2	43.5	11.70	93.4	7.42	3	437	1.4	0.82	18.25	0.5	0.36	3.40	161
I984863		<2	23.7	40.5	10.95	105.5	7.01	2	285	1.4	0.87	15.15	<0.5	0.40	3.65	129
I984864		<2	23.1	50.1	13.55	97.0	8.40	2	312	1.4	0.88	18.70	<0.5	0.38	3.62	125
I984865		<2	23.0	47.4	12.85	94.2	8.02	2	296	1.4	0.90	18.95	<0.5	0.41	3.79	136



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
G092433		2	29.6	2.86	386	<0.5	<5	<0.5	7	7	<1	1	13	5	32
G092434		2	27.1	2.41	288	<0.5	<5	<0.5	12	25	<1	2	21	8	49
G092435		2	24.3	2.30	314	<0.5	<5	<0.5	7	9	<1	<1	19	7	50
G092436		2	22.3	2.25	302	<0.5	<5	<0.5	6	11	<1	<1	15	6	29
G092437		2	30.0	2.75	408	<0.5	<5	<0.5	6	18	<1	2	11	13	22
G092438		2	30.8	2.91	343	<0.5	<5	<0.5	9	8	<1	1	27	10	49
G092439		2	30.1	3.00	338	1.1	<5	<0.5	7	9	1	2	15	24	45
G092440		2	28.2	2.64	336	<0.5	<5	<0.5	7	10	1	<1	13	15	46
G092441		2	27.9	2.63	369	0.5	<5	<0.5	5	11	<1	<1	10	17	38
G092442		2	23.1	2.34	307	<0.5	<5	<0.5	7	14	<1	<1	12	9	44
G092443		2	26.6	2.54	313	1.2	<5	<0.5	8	16	<1	1	18	43	104
G092444		2	27.8	2.70	392	<0.5	<5	<0.5	6	11	<1	<1	11	11	42
G092445		18	28.5	2.53	313	<0.5	<5	<0.5	8	9	<1	1	11	7	26
G092446		2	22.9	1.97	266	0.5	<5	<0.5	13	31	1	3	26	15	67
G092447		2	25.1	2.35	313	<0.5	<5	<0.5	12	18	<1	5	23	8	52
G092448		2	29.9	2.79	380	<0.5	<5	<0.5	5	7	<1	1	8	9	24
G092449		2	27.0	2.49	312	<0.5	<5	<0.5	10	13	<1	2	13	7	37
G092450		2	23.3	2.21	285	<0.5	5	<0.5	8	16	<1	<1	20	9	43
L648451		2	32.3	2.94	399	<0.5	<5	<0.5	9	15	<1	<1	16	6	41
L648452		2	32.7	3.10	454	<0.5	<5	<0.5	8	16	<1	<1	19	8	45
L648453		2	23.0	2.11	285	<0.5	<5	<0.5	7	11	<1	<1	15	8	42
L648454		3	25.6	2.39	291	<0.5	<5	<0.5	8	13	<1	<1	19	7	45
L648455		3	24.2	2.38	334	0.5	<5	<0.5	6	10	<1	<1	14	10	40
L648456		3	25.1	2.34	348	<0.5	<5	<0.5	7	12	1	<1	16	6	47
L648457		3	24.6	2.24	316	<0.5	<5	<0.5	11	17	<1	<1	18	6	49
I984851		3	27.4	2.53	392	<0.5	<5	<0.5	5	9	<1	<1	10	7	29
I984852		3	37.9	2.92	281	<0.5	6	<0.5	10	24	1	3	20	9	70
I984853		3	24.7	2.46	356	<0.5	<5	<0.5	3	6	<1	<1	5	9	13
I984854		3	27.6	2.77	406	<0.5	<5	<0.5	6	12	<1	<1	9	5	27
I984855		3	24.1	2.34	287	<0.5	<5	<0.5	6	10	<1	<1	11	8	38
I984856		3	28.8	2.67	381	<0.5	<5	<0.5	8	14	1	<1	15	9	41
I984857		3	38.2	4.16	327	0.6	<5	<0.5	8	13	<1	<1	15	8	39
I984858		3	24.6	2.35	329	0.5	<5	<0.5	4	6	<1	<1	6	8	24
I984859		3	23.3	2.26	344	0.8	<5	<0.5	8	16	<1	<1	16	7	55
I984860		3	29.5	2.79	287	0.8	<5	<0.5	8	16	<1	<1	15	5	50
I984861		3	23.5	2.17	271	<0.5	<5	<0.5	9	15	<1	<1	16	7	55
I984862		3	23.4	2.30	359	0.5	7	<0.5	8	16	<1	<1	15	7	44
I984863		3	26.4	2.53	348	0.6	<5	<0.5	8	11	<1	<1	13	7	36
I984864		3	25.3	2.47	373	<0.5	5	<0.5	7	19	<1	<1	15	6	43
I984865		3	26.0	2.51	372	<0.5	<5	<0.5	6	9	<1	<1	11	8	34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
1984866		0.40	793	81.1	7.8	110	3.50	4.39	2.36	1.21	20.9	4.78	9.6	0.85	44.2	0.38
1984867		0.40	902	121.0	10.8	120	3.10	5.88	3.09	1.59	24.4	6.82	12.6	1.12	74.7	0.52
1984868		0.36	913	110.0	11.1	100	2.54	4.87	2.51	1.52	19.0	6.03	10.1	0.93	60.4	0.41
1984869		0.34	921	110.0	7.5	100	2.10	5.07	2.57	1.62	23.0	5.76	11.2	0.94	59.8	0.42
1984870		0.50	1175	117.0	8.4	100	3.12	5.96	3.51	1.78	25.9	6.40	12.7	1.23	72.2	0.59
1984871		0.50	1110	112.5	9.1	100	3.14	4.95	2.49	1.74	25.0	5.79	10.4	0.93	60.8	0.43
1984872		0.40	1000	109.5	11.0	110	3.29	5.24	2.79	1.59	22.0	6.08	10.4	0.99	59.6	0.46
1984873		0.40	986	111.5	10.4	110	4.08	4.94	2.51	1.63	23.0	5.78	10.2	0.95	61.4	0.41
1984874		0.44	1135	111.5	5.7	90	4.86	5.37	2.80	1.82	23.3	6.15	10.7	1.00	65.4	0.46
1984875		0.56	961	103.5	17.1	130	13.45	6.51	3.28	2.37	23.5	8.02	8.2	1.21	76.0	0.50
1984876		0.38	898	112.5	16.7	120	9.77	11.85	5.71	4.87	17.7	15.35	7.6	2.20	103.5	0.77
1984877		0.34	922	116.0	17.2	130	11.55	21.2	10.00	9.16	20.2	27.4	6.6	3.97	156.5	1.36
1984878		0.42	910	112.0	16.0	130	11.10	17.75	8.03	7.69	20.0	23.3	5.7	3.25	146.5	1.02
1984879		0.52	1030	106.5	8.6	110	3.23	4.84	2.58	1.56	23.5	5.38	10.7	0.93	59.6	0.44
1984880		0.42	990	150.5	20.7	120	8.29	8.77	4.08	3.26	22.2	11.20	8.5	1.54	106.5	0.59
1984881		0.32	869	119.5	15.6	120	9.37	15.60	7.12	6.55	17.9	20.1	5.7	2.86	133.0	0.95
1984882		0.46	946	118.5	6.2	130	2.27	6.58	3.63	1.56	22.9	6.75	11.5	1.32	67.0	0.63
1984883		0.54	975	109.5	9.8	100	2.89	5.57	3.20	1.60	22.1	6.60	9.2	1.07	60.1	0.43
1984884		0.46	1020	104.0	7.5	100	2.11	4.98	2.84	1.71	23.1	6.00	10.1	0.98	56.5	0.39
1984885		0.36	1185	164.0	9.9	80	2.36	5.85	3.13	1.91	19.1	7.46	9.4	1.10	99.3	0.44
1984886		0.32	868	120.5	7.5	110	2.23	4.83	2.59	1.43	21.6	6.08	10.6	0.91	66.0	0.36
1984887		0.32	936	90.5	11.7	80	2.86	6.02	3.16	1.95	16.9	7.36	6.5	1.12	76.1	0.41
1984888		0.32	1060	125.0	8.5	90	1.95	5.12	2.83	1.54	18.6	6.14	9.6	0.99	72.7	0.38
1984889		0.38	850	94.6	8.5	100	2.47	4.61	2.57	1.29	18.3	5.25	8.7	0.90	50.2	0.38
1984890		0.34	1015	108.5	7.6	100	2.35	4.64	2.75	1.34	20.9	5.52	11.2	0.92	62.9	0.40
1984891		0.28	951	92.3	6.8	100	2.22	4.62	2.77	1.24	19.8	5.17	9.9	0.93	53.6	0.40
1984892		0.36	950	93.7	17.8	110	4.64	5.44	3.05	1.50	19.4	6.01	6.6	1.06	63.7	0.42
1984893		0.34	1025	106.5	8.7	80	2.74	4.67	2.76	1.46	24.7	5.22	8.4	0.92	60.8	0.37
1984894		0.40	967	163.5	10.6	100	2.20	5.08	2.58	1.90	23.4	6.60	10.8	0.92	93.9	0.36
1984895		0.34	1080	86.8	4.0	70	2.19	3.70	2.26	1.18	23.0	4.20	10.5	0.74	50.9	0.34
1984896		0.54	1060	93.8	8.8	110	3.32	4.50	2.56	1.35	20.5	5.08	10.5	0.87	54.4	0.37
1984897		0.50	1170	151.0	11.2	130	1.21	5.92	3.10	1.91	22.2	7.22	13.3	1.09	84.8	0.45
1984898		0.42	1055	133.5	10.4	100	2.11	5.51	2.83	1.61	19.6	6.79	10.5	1.02	75.8	0.41
1984899		0.60	844	100.5	11.0	100	3.33	4.98	2.95	1.41	19.7	5.54	10.9	1.01	57.2	0.43
1984900		0.44	829	97.9	4.3	80	1.75	4.83	2.94	1.19	19.8	5.36	8.8	0.97	54.1	0.42
1984901		0.40	921	89.0	12.2	100	4.03	4.08	2.51	1.20	18.8	4.69	8.1	0.83	50.5	0.35
1984902		0.32	949	106.5	7.7	90	2.68	4.80	2.83	1.46	17.6	5.46	9.2	0.93	62.6	0.39
1984903		0.50	1080	114.5	7.3	80	2.05	5.03	3.21	1.47	19.0	5.41	11.3	1.04	66.0	0.54
1984904		0.44	1015	97.1	6.8	80	1.40	4.69	2.71	1.31	19.9	5.27	9.6	0.93	53.9	0.39
1984905		0.44	1095	117.0	8.1	90	1.47	4.70	2.46	1.61	21.1	5.43	12.2	0.90	67.8	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
1984866		2	20.3	34.1	9.23	96.0	6.01	2	239	1.2	0.73	13.15	<0.5	0.37	3.17	173
1984867		<2	26.0	53.3	14.50	97.0	8.93	3	262	1.6	1.04	22.0	<0.5	0.49	4.66	169
1984868		<2	20.9	46.0	12.30	79.2	7.87	2	286	1.3	0.88	20.0	<0.5	0.39	3.65	140
1984869		<2	26.3	45.8	12.25	79.3	7.89	3	350	1.5	0.86	16.35	<0.5	0.40	3.58	148
1984870		<2	33.7	52.2	13.95	110.5	8.62	3	363	1.8	0.98	21.4	0.7	0.56	6.08	140
1984871		<2	31.5	47.1	12.55	104.0	7.96	3	341	1.8	0.85	15.10	0.6	0.39	3.52	145
1984872		<2	23.7	45.7	12.15	109.0	7.90	2	317	1.4	0.91	17.40	0.5	0.41	3.69	139
1984873		<2	28.0	45.7	12.55	116.5	7.59	3	332	1.7	0.87	13.95	0.6	0.39	3.47	175
1984874		<2	30.4	48.7	13.20	149.5	7.94	3	368	1.7	0.92	14.05	0.7	0.43	3.94	130
1984875		3	26.6	59.2	15.75	119.0	10.15	3	383	1.4	1.16	15.40	0.5	0.48	7.78	182
1984876		3	22.4	102.5	25.2	84.5	19.00	2	396	1.2	2.13	16.95	<0.5	0.82	18.15	145
1984877		4	23.0	181.0	43.7	91.2	33.1	2	370	1.3	3.83	22.7	0.5	1.42	36.6	161
1984878		5	20.6	158.5	39.2	91.3	28.8	2	357	1.1	3.23	21.4	0.5	1.12	32.3	158
1984879		<2	29.7	44.2	11.75	117.0	7.44	3	357	1.6	0.82	14.45	0.6	0.40	3.55	156
1984880		3	28.2	87.6	23.0	90.8	15.05	3	403	1.4	1.60	26.3	0.5	0.59	12.60	166
1984881		4	18.8	142.0	35.1	88.0	25.6	2	365	1.0	2.81	20.5	<0.5	1.01	30.8	135
1984882		<2	22.6	50.0	13.40	101.5	8.77	3	294	1.4	1.07	18.25	0.5	0.57	4.62	120
1984883		2	23.9	52.0	14.00	87.5	8.67	2	350	1.3	0.88	22.7	<0.5	0.46	4.46	129
1984884		2	40.1	50.3	13.35	86.7	8.34	2	339	1.4	0.80	20.4	<0.5	0.41	3.51	145
1984885		4	27.5	71.6	20.4	82.2	11.10	2	438	1.5	1.01	30.7	<0.5	0.44	6.70	105
1984886		3	22.5	55.1	15.05	75.8	9.06	2	272	1.4	0.83	21.4	<0.5	0.37	4.40	144
1984887		9	17.8	65.3	17.55	73.7	10.45	<1	324	1.0	1.03	14.75	<0.5	0.44	55.1	102
1984888		2	21.6	54.9	15.40	79.6	8.70	2	384	1.3	0.87	23.5	<0.5	0.42	5.88	98
1984889		<2	17.7	39.6	11.00	69.6	6.81	2	279	1.2	0.76	16.10	<0.5	0.37	3.14	116
1984890		2	20.1	48.3	13.45	95.6	7.90	2	302	1.2	0.76	21.6	<0.5	0.39	3.97	159
1984891		2	19.0	42.4	11.55	91.4	6.79	2	283	1.2	0.70	16.95	<0.5	0.40	3.71	138
1984892		7	20.5	50.3	13.90	121.0	8.14	2	286	1.2	0.86	20.0	0.5	0.45	13.75	145
1984893		<2	22.5	46.4	12.95	83.7	7.35	2	444	1.5	0.72	21.0	<0.5	0.40	3.78	136
1984894		<2	27.9	70.7	19.85	68.7	10.75	2	471	1.6	0.90	29.1	<0.5	0.37	4.27	158
1984895		<2	24.4	37.1	10.50	85.7	6.03	2	346	1.6	0.60	17.65	0.5	0.34	3.76	116
1984896		4	21.8	42.5	11.75	148.5	6.82	2	342	1.4	0.73	15.95	0.5	0.39	3.57	137
1984897		<2	25.2	67.7	18.60	68.5	10.55	2	401	1.4	0.95	30.0	<0.5	0.44	4.33	122
1984898		2	20.3	60.2	16.50	95.9	9.67	2	348	1.2	0.90	26.6	<0.5	0.42	4.04	115
1984899		2	19.1	46.2	12.65	99.8	7.49	2	265	1.2	0.80	20.8	<0.5	0.44	5.19	136
1984900		<2	19.0	45.4	12.25	75.2	7.57	2	259	1.3	0.75	19.00	<0.5	0.44	3.31	103
1984901		6	17.4	40.8	11.15	150.5	6.36	2	273	1.1	0.68	13.65	0.5	0.36	4.20	133
1984902		3	18.7	48.5	13.45	101.5	7.67	2	310	1.3	0.78	17.90	<0.5	0.39	4.32	116
1984903		<2	20.3	49.9	13.95	90.7	7.72	2	334	1.3	0.76	19.60	<0.5	0.50	3.91	101
1984904		<2	20.0	43.9	12.15	75.7	7.39	2	331	1.2	0.74	17.25	<0.5	0.40	3.35	107
1984905		<2	25.2	50.3	14.25	72.8	8.23	1	377	1.4	0.76	20.3	<0.5	0.38	4.08	104



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	2	2	
1984866		3	24.0	2.32	331	<0.5	<5	<0.5	6	8	1	<1	9	8	33
1984867		3	31.2	3.02	436	<0.5	5	<0.5	7	12	<1	<1	15	8	42
1984868		3	25.3	2.46	336	1.4	6	<0.5	7	13	<1	<1	15	9	47
1984869		3	26.1	2.53	393	0.8	<5	<0.5	6	7	<1	<1	8	7	25
1984870		5	35.0	3.57	448	1.2	<5	<0.5	6	10	<1	<1	9	5	27
1984871		4	25.2	2.49	371	1.4	<5	<0.5	7	11	1	<1	10	7	32
1984872		3	28.3	2.70	369	<0.5	5	<0.5	7	13	<1	<1	14	6	42
1984873		4	25.9	2.52	362	0.6	<5	<0.5	8	19	1	<1	13	8	44
1984874		4	28.6	2.71	377	0.8	<5	<0.5	4	10	<1	<1	6	5	22
1984875		4	37.1	3.04	290	0.7	<5	<0.5	12	36	<1	1	25	8	105
1984876		3	70.1	4.80	277	1.6	6	<0.5	13	43	<1	1	25	7	85
1984877		4	129.0	8.36	247	2.5	8	<0.5	13	60	<1	2	27	10	84
1984878		3	110.0	6.61	219	2.7	6	<0.5	12	59	1	3	26	7	81
1984879		4	26.1	2.59	378	<0.5	<5	<0.5	6	11	<1	<1	10	6	30
1984880		4	45.5	3.65	294	1.5	5	<0.5	15	38	<1	1	26	8	87
1984881		3	97.4	5.89	212	2.3	<5	0.6	12	60	<1	1	25	8	77
1984882		3	37.7	3.66	401	<0.5	<5	<0.5	4	5	<1	<1	7	7	16
1984883		4	30.0	2.96	330	<0.5	<5	<0.5	6	7	1	<1	12	7	32
1984884		3	26.6	2.71	371	<0.5	<5	<0.5	4	7	<1	<1	8	7	24
1984885		3	30.7	2.98	337	1.0	<5	<0.5	6	14	<1	2	13	13	64
1984886		3	25.7	2.48	383	<0.5	<5	<0.5	5	12	<1	1	11	10	33
1984887		8	31.6	2.77	239	0.8	<5	<0.5	9	40	1	7	17	8	64
1984888		3	27.4	2.75	345	<0.5	<5	<0.5	6	16	1	1	11	6	29
1984889		2	23.4	2.39	290	0.5	<5	<0.5	7	13	1	<1	14	10	42
1984890		3	25.8	2.73	411	<0.5	7	<0.5	6	10	<1	1	12	6	30
1984891		3	26.1	2.66	361	<0.5	<5	<0.5	5	9	<1	1	10	7	27
1984892		3	29.4	3.04	237	<0.5	<5	<0.5	14	39	<1	5	22	11	69
1984893		3	26.4	2.58	311	<0.5	<5	<0.5	5	14	<1	1	11	7	33
1984894		3	26.2	2.51	410	0.5	<5	<0.5	5	14	1	1	12	9	34
1984895		3	21.7	2.38	389	<0.5	<5	<0.5	2	5	<1	1	6	8	19
1984896		3	25.2	2.63	378	<0.5	<5	<0.5	4	9	<1	3	9	7	26
1984897		3	31.0	3.10	482	<0.5	<5	<0.5	5	8	<1	1	12	5	28
1984898		2	28.5	2.90	375	<0.5	<5	<0.5	5	11	<1	1	13	5	34
1984899		3	28.2	2.89	406	<0.5	<5	<0.5	7	17	<1	2	12	9	36
1984900		3	27.5	2.82	315	<0.5	<5	<0.5	2	5	<1	<1	4	6	12
1984901		3	23.9	2.37	294	<0.5	<5	<0.5	8	14	<1	5	11	7	34
1984902		3	25.7	2.66	317	<0.5	<5	<0.5	4	16	<1	3	12	7	25
1984903		2	30.1	3.64	401	<0.5	<5	<0.5	3	7	<1	1	7	7	23
1984904		2	26.4	2.79	348	<0.5	<5	<0.5	3	7	<1	<1	8	6	20
1984905		5	25.0	2.53	426	<0.5	<5	<0.5	4	10	<1	1	9	4	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
1984906		0.44	875	128.0	4.6	80	1.68	5.67	3.17	1.53	21.1	6.94	13.7	1.07	68.9	0.49
1984907		0.34	908	121.0	6.8	90	1.97	4.68	2.61	1.42	20.8	5.85	11.2	0.90	70.2	0.37
1984908		0.50	962	162.0	13.0	180	3.49	6.09	3.23	1.77	22.1	7.62	10.3	1.13	89.2	0.45
1984909		0.40	1040	104.5	9.9	80	2.80	4.26	2.25	1.51	21.8	5.25	7.6	0.80	57.6	0.30
1984910		0.40	1220	124.5	10.4	70	1.93	5.24	2.58	2.20	22.5	6.67	7.6	0.96	65.3	0.36
1984911		0.32	952	102.0	8.1	90	2.03	4.19	2.36	1.30	23.2	5.03	8.9	0.81	53.1	0.37
1984912		0.52	1455	146.0	15.6	60	2.17	5.73	2.86	2.76	25.2	7.53	8.0	1.07	77.7	0.37
1984913		0.30	1315	122.0	10.0	90	2.45	5.26	2.86	2.14	24.6	6.47	10.5	1.00	65.0	0.39
1984914		0.38	1295	138.0	9.3	60	2.79	5.59	2.82	2.48	23.0	7.15	8.2	1.01	72.9	0.35
1984915		0.38	847	97.3	7.4	60	2.52	4.16	2.58	1.27	30.0	4.54	21.0	0.86	53.8	0.44
1984916		0.36	1195	123.0	14.9	70	2.13	5.03	2.54	2.33	22.8	6.59	7.3	0.94	66.0	0.33
1984917		0.48	923	107.5	6.6	90	2.05	5.48	3.38	1.46	23.3	5.79	14.8	1.12	59.9	0.51
1984918		0.44	1060	113.5	18.5	80	4.83	4.71	2.49	2.06	25.4	6.10	6.9	0.92	61.0	0.33
1984919		0.40	846	110.0	11.4	110	4.11	4.55	2.67	1.56	19.5	5.52	9.6	0.92	61.3	0.40
1984920		0.36	771	74.3	15.6	100	13.55	3.13	1.95	1.18	18.5	3.66	6.9	0.65	36.3	0.30
1984921		0.42	665	105.5	17.2	80	12.35	3.62	2.09	1.59	23.7	4.73	6.9	0.73	55.9	0.29
1984922		0.44	934	113.0	13.4	90	4.43	4.25	2.44	1.71	19.0	5.44	8.1	0.84	61.0	0.35
1984923		0.38	806	66.8	7.0	70	6.37	2.70	1.67	1.00	20.4	3.10	8.7	0.55	35.2	0.26
1984924		0.38	644	117.0	8.4	80	6.17	4.02	2.22	1.29	19.8	5.21	9.2	0.81	62.9	0.32
1984925		0.34	921	104.0	6.7	90	3.04	4.60	2.80	1.56	20.6	5.07	10.8	0.97	57.5	0.44
1984926		0.50	836	107.0	12.4	110	4.10	4.14	2.33	1.57	17.5	5.19	9.0	0.81	58.0	0.34
1984927		0.44	881	106.0	8.9	100	5.46	4.13	2.38	1.52	17.9	5.00	9.4	0.86	58.3	0.36
1984928		0.32	821	134.0	11.6	60	7.12	4.59	2.38	2.08	20.5	6.51	6.4	0.88	78.6	0.33
1984929		0.30	754	84.3	6.1	50	9.29	2.41	1.39	1.03	14.2	3.19	6.5	0.48	47.4	0.21
1984930		0.42	930	135.5	16.4	100	10.10	6.00	3.20	2.63	18.1	7.95	8.1	1.16	96.7	0.43
1984931		0.38	1250	150.5	15.9	110	10.05	5.92	3.22	2.76	18.0	8.14	7.9	1.14	104.5	0.43
1984932		0.44	830	92.0	10.3	110	2.93	3.47	1.95	1.32	19.9	4.32	8.0	0.68	50.3	0.29
1984933		0.38	955	94.3	7.6	70	2.84	3.52	2.04	1.30	19.1	4.45	9.1	0.71	50.0	0.32
1984934		0.40	840	97.6	16.4	100	4.89	4.80	2.74	1.96	22.5	5.70	8.5	0.96	52.1	0.39
1984935		0.46	710	89.2	9.6	120	9.88	9.22	5.04	4.00	15.2	12.55	8.6	1.82	98.5	0.64
1984936		0.44	882	118.5	9.0	100	2.76	4.36	2.44	1.49	17.9	5.46	10.1	0.86	65.9	0.35
1984937		0.38	769	72.9	7.5	100	2.91	3.53	2.10	1.18	16.6	4.08	8.0	0.72	39.9	0.32
1984938		0.42	821	107.0	6.2	80	3.27	4.57	2.63	1.55	18.4	5.76	9.9	0.91	57.9	0.39
1984939		0.44	826	95.0	6.3	90	2.26	3.91	2.20	1.20	18.2	4.71	7.6	0.77	54.9	0.32
1984940		0.44	758	160.0	11.7	80	12.00	8.90	4.25	4.78	17.4	13.25	7.9	1.62	118.5	0.50
1984941		0.40	931	123.5	17.4	120	3.33	5.30	3.09	1.84	18.7	6.75	11.4	1.06	80.5	0.43
1984942		0.40	766	71.9	19.8	120	4.22	9.47	4.83	3.99	18.5	13.05	5.7	1.82	122.5	0.58
1984943		0.68	889	98.5	9.3	100	2.44	4.79	2.83	1.75	17.1	5.83	10.1	0.97	62.0	0.39
1984944		0.44	941	86.9	11.9	120	2.46	4.48	2.72	1.45	16.2	5.15	10.3	0.94	47.2	0.40
1984945		0.50	1080	123.0	8.4	110	2.72	5.08	2.99	1.73	22.4	6.49	12.7	1.04	70.9	0.46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
1984906		<2	37.2	60.2	16.35	71.5	9.86	3	267	2.2	0.96	32.1	<0.5	0.48	4.71	109
1984907		<2	19.2	52.5	14.75	81.0	8.23	2	280	1.3	0.82	22.4	<0.5	0.39	4.04	130
1984908		2	44.8	72.8	20.2	88.2	11.30	3	259	1.3	1.02	36.4	<0.5	0.47	4.49	152
1984909		2	23.3	47.8	13.10	77.8	7.79	2	477	1.3	0.71	15.50	<0.5	0.33	3.27	143
1984910		<2	31.7	61.8	16.35	48.4	10.10	2	840	1.7	0.91	12.90	<0.5	0.38	3.43	147
1984911		<2	18.8	40.8	11.55	87.9	7.18	2	337	1.4	0.75	18.05	<0.5	0.36	3.42	115
1984912		2	37.5	73.0	19.35	47.8	11.55	2	1005	1.9	1.00	11.95	<0.5	0.43	3.10	159
1984913		<2	37.0	58.6	15.60	71.3	9.30	2	736	1.8	0.87	13.15	<0.5	0.41	3.31	173
1984914		<2	35.7	68.1	17.95	54.4	10.85	2	964	1.8	0.95	11.80	<0.5	0.39	2.75	157
1984915		<2	27.7	40.8	11.70	70.8	6.53	4	381	2.0	0.63	20.9	<0.5	0.40	3.91	131
1984916		<2	30.0	61.2	15.95	50.0	9.76	1	905	1.5	0.85	10.60	<0.5	0.35	2.51	192
1984917		<2	23.0	48.6	13.45	75.5	8.08	2	349	1.6	0.86	19.95	<0.5	0.51	4.17	117
1984918		<2	29.6	55.4	14.55	91.5	8.94	2	882	1.7	0.81	10.80	<0.5	0.34	2.73	189
1984919		3	20.7	45.8	12.60	95.5	8.01	2	288	1.3	0.81	15.25	<0.5	0.38	3.60	134
1984920		8	23.4	28.1	7.67	160.5	4.84	2	288	1.3	0.55	10.25	0.6	0.28	5.10	173
1984921		3	21.0	39.9	11.35	243	6.61	3	218	1.3	0.68	12.05	0.9	0.29	5.63	170
1984922		2	25.8	46.2	12.80	92.0	7.90	2	332	1.4	0.78	18.95	<0.5	0.34	3.16	150
1984923		3	18.2	26.3	7.22	104.5	4.55	2	249	1.1	0.47	13.25	0.5	0.24	3.25	120
1984924		5	19.4	45.9	12.95	95.1	7.67	3	199.0	1.2	0.72	20.8	<0.5	0.31	3.65	150
1984925		2	26.5	42.8	11.85	96.0	7.44	3	317	1.6	0.77	16.15	0.5	0.42	3.36	136
1984926		2	21.5	43.4	12.05	81.5	7.62	2	326	1.2	0.74	18.65	<0.5	0.33	3.34	149
1984927		2	22.1	42.6	11.85	82.0	7.36	3	327	1.3	0.73	15.45	0.5	0.36	3.63	121
1984928		4	24.7	60.7	16.95	88.3	10.10	3	370	1.3	0.91	16.10	0.5	0.33	3.72	198
1984929		5	19.3	31.1	8.94	116.5	5.02	2	216	1.1	0.45	13.40	0.5	0.19	4.66	84
1984930		5	32.0	71.3	19.50	98.6	11.85	2	336	1.4	1.09	19.80	0.5	0.44	8.08	154
1984931		5	29.4	74.7	20.9	96.8	12.40	2	395	1.4	1.13	21.7	<0.5	0.42	8.04	151
1984932		2	23.1	37.2	10.25	79.1	6.31	2	260	1.3	0.63	13.10	<0.5	0.28	2.71	177
1984933		2	24.3	37.4	10.40	74.6	6.31	2	317	1.3	0.65	14.05	<0.5	0.28	2.95	125
1984934		2	33.0	41.6	11.35	116.0	7.66	3	294	1.6	0.86	15.30	0.5	0.38	4.31	175
1984935		6	15.9	92.0	23.3	88.2	17.00	2	274	1.0	1.69	15.10	<0.5	0.65	21.7	138
1984936		2	20.9	48.2	13.40	87.4	8.21	2	279	1.4	0.82	20.4	<0.5	0.35	3.53	142
1984937		2	18.4	30.7	8.40	86.4	5.60	2	236	1.1	0.61	11.30	<0.5	0.30	2.64	148
1984938		2	21.5	46.3	12.45	91.3	8.15	2	323	1.3	0.82	17.05	<0.5	0.39	3.27	132
1984939		2	20.2	37.9	10.50	78.9	6.65	2	235	1.1	0.68	17.40	<0.5	0.32	3.43	119
1984940		16	20.9	120.5	30.7	103.5	21.2	3	240	1.2	1.71	22.2	<0.5	0.57	11.30	109
1984941		5	21.4	56.0	15.50	131.5	9.94	2	257	1.4	0.99	21.1	0.5	0.43	5.70	134
1984942		13	16.2	96.8	26.1	136.0	17.65	2	202	1.0	1.75	16.40	0.6	0.63	21.5	155
1984943		6	19.5	46.8	12.85	121.5	8.09	2	244	1.2	0.87	13.20	<0.5	0.39	4.53	128
1984944		3	17.1	36.6	10.05	104.0	6.67	2	239	1.1	0.78	13.25	<0.5	0.39	3.15	147
1984945		2	25.3	51.7	14.50	142.0	9.10	3	288	1.5	0.92	22.1	0.5	0.43	4.17	139



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	2	2	
1984906		3	30.7	3.26	490	<0.5	<5	<0.5	2	5	<1	1	5	7	13
1984907		3	24.9	2.56	403	<0.5	<5	<0.5	3	9	<1	1	8	7	24
1984908		3	31.6	3.18	363	<0.5	<5	<0.5	7	30	<1	2	25	7	49
1984909		3	21.9	2.23	274	<0.5	<5	<0.5	4	9	<1	1	12	6	30
1984910		2	26.9	2.45	292	<0.5	<5	<0.5	4	13	<1	<1	11	4	26
1984911		2	24.6	2.47	331	<0.5	<5	<0.5	4	10	<1	1	9	7	27
1984912		2	29.9	2.71	323	<0.5	<5	<0.5	8	21	<1	<1	21	5	49
1984913		4	28.3	2.71	409	0.6	<5	<0.5	4	15	<1	<1	12	11	38
1984914		5	28.4	2.57	326	0.5	<5	<0.5	3	12	<1	<1	8	31	28
1984915		2	24.1	2.86	757	<0.5	<5	<0.5	3	8	<1	1	7	14	34
1984916		3	25.9	2.35	291	<0.5	<5	<0.5	7	29	<1	<1	20	5	60
1984917		3	32.3	3.49	513	<0.5	<5	<0.5	3	9	<1	1	7	8	21
1984918		3	25.0	2.36	277	<0.5	<5	<0.5	12	26	<1	1	22	8	73
1984919		4	27.9	2.50	312	<0.5	<5	<0.5	7	12	<1	1	15	6	45
1984920		4	19.0	1.85	252	<0.5	<5	<0.5	13	19	<1	6	26	10	84
1984921		4	21.1	1.86	248	0.5	<5	<0.5	15	15	<1	2	28	9	98
1984922		4	25.8	2.18	304	<0.5	<5	<0.5	8	28	<1	1	18	8	61
1984923		3	17.2	1.61	313	<0.5	<5	<0.5	5	18	1	1	10	11	43
1984924		3	23.9	2.02	333	<0.5	7	<0.5	6	41	<1	3	12	10	52
1984925		4	29.9	2.72	362	<0.5	<5	<0.5	3	8	<1	<1	7	9	24
1984926		3	24.9	2.09	324	<0.5	<5	<0.5	7	25	1	<1	17	8	51
1984927		4	25.2	2.27	322	0.6	<5	<0.5	5	19	<1	1	10	7	34
1984928		4	26.9	2.10	237	1.5	<5	<0.5	9	89	<1	2	13	12	69
1984929		3	14.8	1.32	238	1.1	<5	<0.5	4	45	1	2	7	8	24
1984930		5	34.3	2.71	293	<0.5	5	<0.5	11	29	<1	3	22	10	119
1984931		5	33.8	2.73	287	<0.5	<5	<0.5	12	27	<1	3	23	7	114
1984932		4	20.3	1.80	286	<0.5	<5	<0.5	7	14	<1	1	16	8	49
1984933		4	21.5	1.96	332	0.6	<5	<0.5	5	11	<1	<1	8	5	26
1984934		4	29.1	2.47	300	0.6	<5	<0.5	10	50	<1	1	13	7	55
1984935		3	68.0	3.99	308	1.5	<5	<0.5	6	28	1	4	16	8	55
1984936		4	25.6	2.21	339	<0.5	<5	<0.5	5	13	<1	1	12	6	42
1984937		4	21.9	2.03	290	<0.5	5	<0.5	4	9	<1	1	11	6	36
1984938		4	28.1	2.43	343	<0.5	<5	<0.5	3	7	<1	<1	6	8	18
1984939		4	23.4	2.01	282	<0.5	<5	<0.5	3	9	<1	<1	9	7	30
1984940		4	49.2	3.46	283	1.4	<5	<0.5	7	25	<1	8	14	9	80
1984941		3	33.0	2.74	371	<0.5	<5	<0.5	12	25	<1	3	26	8	60
1984942		3	67.6	3.69	200	0.9	<5	0.6	14	61	<1	9	30	13	68
1984943		3	31.3	2.49	346	<0.5	<5	<0.5	6	15	<1	4	12	8	31
1984944		3	28.3	2.42	348	<0.5	8	<0.5	8	17	<1	1	21	9	59
1984945		4	31.3	2.70	420	<0.5	<5	<0.5	4	10	<1	1	11	6	29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
1984946		0.36	874	89.4	9.3	110	3.03	4.26	2.46	1.41	18.8	4.90	9.6	0.87	49.2	0.36
1984947		0.30	910	138.0	19.6	130	5.78	5.10	2.71	1.62	19.4	6.67	9.1	0.99	86.1	0.38
1984948		0.62	1030	104.0	11.0	110	2.30	4.44	2.75	1.60	16.3	5.35	10.1	0.93	59.5	0.40
1984949		0.50	996	128.0	10.1	110	2.66	5.73	3.23	1.75	18.3	7.15	15.9	1.14	78.3	0.46
1984950		0.42	1015	91.9	10.6	110	2.60	4.09	2.40	1.42	16.5	5.02	9.1	0.85	51.0	0.35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	MS81	
	Analyte	Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
I984946		2	20.3	38.1	10.30	130.0	6.75	2	231	1.2	0.74	13.35	<0.5	0.35	3.01	132
I984947		6	33.1	58.7	16.80	121.0	9.70	2	219	1.9	0.94	24.4	0.5	0.38	4.81	156
I984948		5	17.8	43.8	12.15	107.0	7.44	2	267	1.1	0.79	15.65	<0.5	0.39	6.71	124
I984949		6	23.4	59.2	16.10	128.0	10.35	2	254	1.5	1.04	23.7	<0.5	0.47	5.13	141
I984950		4	17.1	38.9	10.60	100.0	6.96	2	227	1.1	0.75	14.15	<0.5	0.33	3.88	135



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 25-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11192009

Sample Description	Method	MS81	MS81	MS81	MS81	AQ81	AQ81	AQ81	AQ81	AQ81	AQ81	AQ81	AQ81	AQ81	
	Analyte	W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	1	2	2
1984946		4	26.3	2.24	350	<0.5	<5	<0.5	5	10	<1	1	14	7	48
1984947		3	29.2	2.41	327	<0.5	<5	<0.5	13	46	<1	4	40	9	62
1984948		4	28.4	2.45	337	<0.5	5	<0.5	7	17	<1	4	19	6	43
1984949		4	34.2	3.00	538	<0.5	<5	<0.5	6	14	<1	4	16	6	49
1984950		4	25.4	2.18	329	<0.5	6	<0.5	7	16	<1	2	20	8	60



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 6-OCT-2011
 Account: EIAREI

CERTIFICATE VA11183616

Project: REI11-01
 P.O. No.: REI11-01_7
 This report is for 183 Soil samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648835		0.22	693	82.9	4.6	90	2.16	3.62	2.19	1.10	17.9	4.46	8.2	0.75	43.1	0.36
L648837		0.30	841	122.5	12.8	100	3.11	3.87	2.24	1.45	19.1	5.27	7.2	0.77	68.6	0.34
L648839		0.16	629	72.4	13.3	70	2.76	5.25	2.68	2.44	13.5	7.97	2.7	0.94	81.4	0.28
L648841		0.16	872	104.5	13.6	100	3.25	5.03	2.64	2.15	17.7	7.31	5.1	0.98	76.7	0.38
L648843		0.14	939	113.5	12.8	110	3.73	4.31	2.41	1.58	19.9	5.90	6.8	0.84	59.1	0.36
L648845		0.16	1070	101.5	11.2	110	4.30	3.69	1.98	1.45	18.0	5.02	6.1	0.69	58.4	0.30
L648847		0.20	735	120.5	13.8	180	6.16	4.61	2.48	2.02	23.3	6.25	8.2	0.89	63.5	0.39
L648849		0.20	984	125.0	19.5	130	4.52	4.52	2.37	1.82	21.4	6.21	6.0	0.85	65.1	0.35
L648851		0.24	896	119.5	9.5	110	2.46	5.00	2.70	1.49	17.7	6.85	8.5	0.96	61.8	0.41
L648853		0.28	989	133.5	12.6	100	2.15	5.14	2.59	1.66	18.3	7.36	8.1	0.95	70.2	0.39
L648855		0.24	968	150.5	9.7	110	1.92	5.69	2.99	1.73	18.0	8.10	10.4	1.08	77.5	0.43
L648857		0.28	916	135.5	8.9	130	2.09	5.14	2.68	1.54	18.4	7.35	9.7	0.96	70.2	0.41
L648859		0.24	988	119.5	19.2	140	3.63	7.08	3.74	2.69	18.1	9.67	4.6	1.35	78.5	0.54
L648861		0.28	966	96.5	6.9	70	1.21	3.67	2.23	1.54	15.1	4.97	5.8	0.76	52.3	0.33
L648863		0.26	917	112.0	3.1	90	1.30	4.70	2.72	1.45	17.2	6.27	11.8	0.92	57.6	0.45
L648865		0.24	797	82.2	8.2	90	2.17	3.62	2.07	1.25	17.3	4.65	7.3	0.70	42.7	0.33
L648867		0.32	878	128.5	10.0	120	2.27	5.16	2.74	1.59	18.1	7.04	9.9	0.96	68.2	0.43
L648869		0.30	811	86.6	13.2	120	2.71	4.52	2.54	1.34	18.0	5.72	7.0	0.88	45.0	0.38
L648001		0.26	871	197.0	13.8	110	2.47	7.21	3.10	1.90	19.9	11.35	8.9	1.19	103.0	0.40
L648003		0.08	846	228	3.3	90	1.45	7.82	3.79	2.17	20.6	12.40	13.1	1.39	118.5	0.58
L648005		0.32	894	170.5	9.2	120	4.90	6.12	2.97	1.68	27.1	9.50	8.1	1.11	88.1	0.44
L648007		0.18	877	173.0	7.7	110	3.64	6.48	3.30	1.71	33.2	9.45	10.2	1.20	90.9	0.53
L648009		0.16	967	118.5	10.7	110	3.22	5.73	3.32	1.42	23.0	7.35	10.2	1.16	60.0	0.49
L648011		0.20	1025	144.0	10.1	100	2.71	6.03	3.05	1.65	19.6	8.68	8.0	1.11	74.4	0.44
L648013		0.16	857	123.5	45.0	110	3.89	6.42	3.35	2.57	21.4	8.71	8.0	1.24	63.9	0.48
L648015		0.10	529	68.2	27.5	90	3.84	5.26	2.83	3.07	18.1	6.35	3.4	0.98	39.2	0.34
L648017		0.14	836	79.6	19.1	100	3.00	4.90	2.57	2.24	17.5	6.43	6.0	0.92	41.0	0.38
L648019		0.16	630	75.9	14.1	80	2.59	5.79	3.24	2.85	15.4	7.90	5.1	1.15	51.0	0.39
L648021		0.18	810	88.5	5.3	100	1.97	4.13	2.37	1.20	16.8	5.12	7.8	0.81	46.5	0.37
L648023		0.12	767	79.3	4.3	80	2.08	4.12	2.69	1.06	14.7	4.85	7.3	0.86	40.6	0.45
L648025		0.28	1085	79.2	11.0	140	2.86	4.27	2.44	1.22	17.8	5.09	6.8	0.82	41.1	0.39
L648027		0.10	991	90.1	13.7	110	2.82	4.65	2.62	1.52	18.0	6.15	6.1	0.91	46.9	0.39
L648029		0.12	782	47.7	7.3	130	2.06	3.36	1.99	0.98	13.0	3.79	4.8	0.70	25.2	0.29
L648031		0.14	977	71.8	14.4	140	3.38	4.62	2.52	1.46	16.3	5.68	5.1	0.94	38.6	0.35
L648033		0.16	776	72.3	22.1	100	2.91	5.02	2.66	1.76	14.0	5.90	4.6	1.00	37.6	0.36
L648035		0.34	930	72.1	10.1	140	3.94	3.90	2.15	1.09	18.2	4.83	5.8	0.79	38.0	0.32
L648037		0.26	943	75.4	4.9	120	3.70	4.14	2.41	1.11	20.0	4.89	7.2	0.85	39.4	0.38
L648039		0.28	945	114.5	7.3	120	3.60	6.06	3.47	1.51	21.0	7.53	8.1	1.24	59.8	0.52
L648041		0.36	935	110.0	15.7	150	3.15	6.11	3.24	1.62	17.4	7.91	7.4	1.21	57.4	0.44
L648043		0.32	886	79.3	11.7	140	2.35	4.71	2.61	1.30	14.7	5.70	7.6	0.97	41.5	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648835		2	15.5	31.1	8.95	80.2	5.40	2	209	1.1	0.64	11.65	<0.5	0.32	2.49	119
L648837		2	17.3	40.5	12.20	109.5	6.26	2	294	1.1	0.70	19.35	<0.5	0.31	4.96	123
L648839		2	8.7	56.9	15.95	65.2	9.56	3	217	0.5	1.00	12.15	<0.5	0.30	17.25	91
L648841		2	14.7	53.0	15.00	92.9	8.76	2	274	0.9	0.94	19.10	<0.5	0.36	12.35	113
L648843		2	23.7	43.1	12.30	103.0	7.17	3	261	1.1	0.79	17.90	<0.5	0.35	5.60	134
L648845		2	14.6	39.5	11.50	111.5	6.41	2	264	0.9	0.68	13.50	<0.5	0.27	5.49	123
L648847		2	22.5	48.0	13.55	167.5	8.18	3	282	1.3	0.81	17.35	<0.5	0.36	4.54	153
L648849		2	17.3	46.0	13.30	136.0	7.65	2	254	1.1	0.84	21.2	0.5	0.33	8.15	149
L648851		<2	17.4	48.6	13.55	89.3	8.41	2	268	1.2	0.92	17.35	<0.5	0.38	3.87	118
L648853		<2	17.2	52.5	14.70	87.3	9.06	2	278	1.2	0.94	19.50	<0.5	0.38	3.43	111
L648855		<2	18.0	59.7	16.90	86.2	10.30	2	280	1.2	1.09	21.4	<0.5	0.42	4.14	108
L648857		<2	17.0	53.8	15.10	88.1	9.03	2	265	1.1	0.93	21.5	<0.5	0.38	3.82	109
L648859		6	13.6	59.4	15.90	95.0	10.25	2	211	0.9	1.30	14.60	0.7	0.47	28.3	136
L648861		<2	11.8	35.9	10.25	64.0	5.70	1	330	0.9	0.67	9.87	<0.5	0.31	2.45	72
L648863		<2	18.4	44.6	12.50	57.8	7.72	2	270	1.3	0.84	16.80	<0.5	0.39	3.66	76
L648865		<2	16.8	31.9	9.01	74.8	5.55	2	225	1.2	0.61	13.00	<0.5	0.30	2.49	112
L648867		2	16.9	49.9	14.05	73.3	8.49	2	262	1.2	0.94	18.30	<0.5	0.39	4.03	104
L648869		2	15.0	36.0	9.75	72.3	6.44	2	225	1.1	0.79	15.15	<0.5	0.37	3.89	115
L648001		<2	14.8	79.2	22.3	99.7	14.05	1	180.0	1.0	1.47	33.5	<0.5	0.41	6.06	113
L648003		<2	17.2	90.8	25.4	54.3	15.60	2	224	1.3	1.52	40.8	<0.5	0.54	6.45	84
L648005		2	19.5	67.6	19.05	136.0	12.05	3	225	1.3	1.22	28.8	0.6	0.42	5.12	147
L648007		<2	23.4	68.1	19.25	103.0	11.80	2	203	1.5	1.22	32.2	0.5	0.48	5.84	166
L648009		<2	17.7	47.2	13.10	100.5	8.54	2	193.5	1.2	1.06	18.75	0.5	0.46	4.02	155
L648011		<2	15.8	58.9	16.30	91.9	10.55	2	204	1.1	1.16	22.7	<0.5	0.42	4.55	131
L648013		3	16.0	53.0	14.45	119.5	10.00	2	210	1.1	1.17	17.30	0.5	0.47	6.90	130
L648015		2	11.0	36.2	9.23	72.9	7.02	2	130.0	0.8	0.88	9.29	<0.5	0.34	7.14	89
L648017		2	12.3	36.4	9.77	74.6	7.10	2	206	0.8	0.89	11.25	0.5	0.36	6.06	105
L648019		<2	10.4	43.9	11.80	70.8	8.61	1	190.0	0.8	1.07	10.80	<0.5	0.37	8.44	93
L648021		<2	15.2	36.0	10.05	61.5	6.17	2	180.5	1.1	0.72	12.15	<0.5	0.33	2.84	120
L648023		<2	12.5	31.9	8.86	63.5	5.70	2	165.5	0.9	0.69	11.90	<0.5	0.40	2.78	100
L648025		<2	14.8	32.2	8.95	91.5	5.74	2	214	1.0	0.74	11.70	<0.5	0.35	2.75	155
L648027		<2	14.5	38.4	10.40	90.8	7.07	2	216	0.9	0.86	13.60	<0.5	0.36	3.59	131
L648029		2	10.2	22.2	6.13	60.2	4.35	2	212	0.8	0.57	5.41	<0.5	0.30	1.86	127
L648031		2	11.7	33.8	9.45	93.3	6.73	2	208	1.0	0.81	8.39	<0.5	0.35	3.17	148
L648033		<2	9.7	34.5	9.44	83.1	6.96	2	181.0	0.8	0.88	6.71	<0.5	0.37	3.32	102
L648035		2	12.4	32.2	9.17	116.5	5.97	2	169.5	1.0	0.70	9.94	<0.5	0.32	2.78	158
L648037		<2	14.8	33.5	9.52	102.0	6.24	2	166.5	1.2	0.72	9.50	0.5	0.36	2.90	142
L648039		<2	14.5	50.7	14.60	144.0	9.32	2	197.0	1.1	1.08	15.40	0.5	0.51	4.22	143
L648041		2	13.2	49.6	14.00	101.0	9.63	2	262	1.1	1.14	19.20	<0.5	0.45	4.85	129
L648043		2	12.9	35.5	10.05	71.5	6.90	2	208	1.0	0.84	10.45	<0.5	0.38	2.86	140



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648835		2	22.0	2.26	307	<0.5	<5	<0.5	2	4	<1	1	5	7	26
L648837		2	22.6	2.19	271	<0.5	<5	<0.5	10	24	<1	2	19	10	65
L648839		1	30.2	2.16	94	0.5	<5	<0.5	11	61	<1	2	23	11	49
L648841		2	30.5	2.45	191	<0.5	6	<0.5	11	62	<1	1	26	11	59
L648843		2	24.7	2.35	256	<0.5	6	<0.5	10	33	<1	1	24	13	61
L648845		2	20.6	1.93	224	<0.5	<5	0.9	9	30	<1	2	21	13	88
L648847		4	26.2	2.48	308	<0.5	<5	<0.5	10	15	<1	1	24	9	92
L648849		2	25.1	2.27	224	<0.5	<5	<0.5	16	60	<1	1	34	11	81
L648851		1	27.9	2.60	307	<0.5	<5	<0.5	6	10	<1	1	16	7	50
L648853		2	27.5	2.62	296	<0.5	<5	<0.5	10	18	<1	1	23	6	50
L648855		1	30.9	2.89	379	<0.5	<5	<0.5	6	12	<1	1	19	5	41
L648857		1	27.9	2.72	360	<0.5	<5	<0.5	5	10	<1	1	15	8	42
L648859		2	46.0	3.42	157	0.7	7	0.7	16	84	<1	5	60	12	87
L648861		1	22.1	2.18	204	<0.5	<5	<0.5	4	10	<1	1	10	5	24
L648863		2	26.8	2.88	436	<0.5	<5	<0.5	1	8	<1	1	4	6	12
L648865		2	20.3	2.11	262	<0.5	6	<0.5	6	14	<1	1	21	10	61
L648867		2	28.3	2.71	360	<0.5	<5	<0.5	7	13	1	1	19	8	48
L648869		2	26.1	2.52	254	<0.5	7	<0.5	10	33	<1	2	37	10	67
L648001		1	34.1	2.75	319	<0.5	<5	<0.5	13	30	1	1	35	7	76
L648003		1	39.9	3.77	471	<0.5	<5	<0.5	2	8	<1	1	8	6	16
L648005		2	32.1	2.78	292	<0.5	5	<0.5	7	21	<1	2	24	10	68
L648007		1	33.6	3.36	363	<0.5	5	<0.5	6	17	<1	1	18	10	52
L648009		2	33.8	3.27	360	<0.5	5	<0.5	9	23	<1	1	21	10	69
L648011		1	31.9	2.77	277	<0.5	5	<0.5	8	19	<1	1	27	8	67
L648013		3	35.0	3.09	279	<0.5	5	<0.5	41	46	<1	2	42	13	88
L648015		1	28.1	2.40	120	<0.5	<5	<0.5	27	53	1	2	51	12	84
L648017		1	26.2	2.39	213	<0.5	<5	<0.5	16	34	1	2	51	9	93
L648019		1	34.6	2.80	175	0.5	5	<0.5	13	36	1	1	35	9	85
L648021		2	24.0	2.42	278	<0.5	<5	<0.5	4	8	<1	1	13	7	42
L648023		2	25.8	2.89	266	<0.5	<5	<0.5	3	8	1	1	10	7	31
L648025		2	24.5	2.54	242	<0.5	10	<0.5	9	23	<1	1	30	9	70
L648027		2	27.6	2.44	224	<0.5	8	0.5	12	29	<1	1	37	8	89
L648029		3	18.9	1.80	159	<0.5	6	0.7	5	17	<1	2	21	7	55
L648031		3	24.9	2.24	170	0.5	8	0.5	12	28	<1	1	34	8	78
L648033		3	27.5	2.28	157	1.0	5	0.7	21	31	<1	1	29	9	59
L648035		3	20.3	1.93	194	<0.5	11	0.5	8	23	<1	1	31	9	80
L648037		3	22.6	2.38	256	0.6	<5	<0.5	3	8	<1	1	11	9	34
L648039		3	31.5	3.22	280	<0.5	5	<0.5	6	13	<1	1	17	9	51
L648041		3	31.5	2.76	257	<0.5	5	<0.5	13	33	<1	1	39	8	76
L648043		4	25.0	2.38	268	<0.5	8	0.5	9	25	<1	1	33	7	72



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648045		0.30	829	77.5	7.5	120	2.67	4.55	2.65	1.16	18.7	5.30	7.6	0.94	41.4	0.39
L648047		0.20	753	84.7	9.5	100	2.82	3.83	2.03	1.10	11.9	4.47	5.3	0.75	46.1	0.28
L648049		0.18	452	33.1	8.6	70	2.50	2.20	1.38	0.76	8.6	2.86	1.9	0.50	20.2	0.21
L648051		0.18	475	47.6	7.6	70	2.31	3.23	1.69	1.06	10.7	4.13	2.8	0.62	32.8	0.26
L648053		0.24	693	118.5	10.7	110	3.13	5.30	2.55	1.59	16.2	6.76	4.5	0.94	64.3	0.34
L648055		0.08	183.5	14.0	3.4	40	0.96	1.37	0.78	0.46	3.9	1.84	0.9	0.30	12.6	0.11
L648057		0.12	785	75.7	13.5	100	3.68	3.69	2.04	1.28	16.7	4.90	4.1	0.75	41.7	0.28
L649001		0.34	844	90.8	13.2	130	3.14	4.47	2.45	1.52	22.3	5.71	7.8	0.90	46.9	0.37
L649003		0.28	758	76.4	8.6	120	3.21	4.48	2.59	1.23	20.9	4.99	8.0	0.93	40.3	0.39
L649005		0.32	940	94.5	10.1	120	2.85	4.75	2.79	1.44	21.7	5.78	9.4	0.99	50.4	0.42
L649007		0.26	958	120.5	11.5	100	2.32	4.83	2.68	1.81	24.3	6.77	11.7	0.95	62.9	0.43
L649009		0.34	864	136.0	10.7	120	1.96	5.62	2.85	2.27	20.9	7.77	9.9	1.05	69.1	0.41
L649011		0.34	953	116.0	11.3	100	2.26	4.87	2.52	1.81	18.7	6.55	9.0	0.94	61.1	0.36
L649013		0.38	895	89.9	8.7	110	3.00	3.99	2.27	1.29	19.9	5.12	8.3	0.81	47.2	0.35
L649015		0.24	810	109.5	12.2	100	5.14	5.14	2.72	1.76	18.8	6.82	8.6	1.03	64.6	0.41
L649017		0.20	895	87.4	6.6	80	4.87	4.19	2.44	1.11	21.9	5.01	8.5	0.87	46.2	0.40
L649019		0.32	847	99.7	8.1	100	4.49	4.30	2.42	1.37	19.7	5.89	12.3	0.88	53.3	0.39
L649021		0.22	724	93.3	7.0	100	2.84	5.11	3.08	1.21	17.6	5.77	8.7	1.06	50.4	0.44
L649023		0.32	865	91.5	5.4	90	3.68	4.32	2.60	1.32	21.4	5.28	14.1	0.88	49.1	0.43
L649025		0.36	869	127.0	9.1	90	3.66	5.53	3.03	1.80	19.8	7.67	11.6	1.10	69.5	0.45
L649027		0.18	852	108.5	6.7	90	2.37	4.31	2.35	1.41	16.9	5.74	12.1	0.87	58.8	0.36
L649029		0.26	867	123.0	14.0	160	6.20	6.00	3.67	1.92	19.6	7.45	12.5	1.27	68.1	0.57
L649031		0.32	888	118.0	7.1	90	3.23	4.48	2.53	1.35	19.7	6.26	11.9	0.89	65.2	0.40
L649033		0.26	896	94.5	3.0	60	1.28	3.98	2.21	1.24	19.2	5.15	10.9	0.79	51.3	0.37
L649035		0.26	951	122.5	7.6	100	2.82	4.91	2.61	1.52	20.8	6.56	12.4	0.95	66.6	0.41
L649037		0.22	720	120.5	24.8	130	5.45	4.39	2.19	1.60	21.3	6.52	6.1	0.86	68.9	0.31
L649039		0.30	873	106.5	10.7	110	2.51	5.57	3.00	1.71	19.4	6.83	9.8	1.11	56.3	0.41
L649041		0.28	791	132.0	11.4	110	2.93	6.50	3.57	2.16	22.3	8.68	11.9	1.33	67.5	0.51
L649043		0.32	1050	169.0	7.1	90	2.44	6.30	3.40	1.86	21.5	8.29	12.7	1.23	106.5	0.56
L649045		0.26	979	131.0	14.1	120	2.75	5.51	2.95	1.68	21.0	6.80	11.5	1.06	75.2	0.47
L649047		0.22	892	110.0	15.4	100	3.08	4.79	2.49	1.66	19.2	5.79	7.8	0.93	63.8	0.38
L651729		0.24	840	115.5	7.6	100	2.21	4.34	2.03	1.28	19.9	5.80	6.7	0.78	66.5	0.31
L651731		0.34	873	88.7	13.1	120	2.46	4.66	2.51	1.37	14.6	5.61	6.0	0.91	50.4	0.40
L651733		0.18	661	78.7	9.5	90	2.43	3.96	2.09	1.32	15.3	4.55	5.7	0.76	45.1	0.30
L651735		0.28	885	91.4	15.5	140	3.55	4.91	2.95	1.46	18.2	5.43	5.8	1.03	54.8	0.46
L651737		0.36	984	86.9	17.6	170	2.73	5.23	2.93	1.48	17.9	5.55	6.4	1.05	50.0	0.44
L651739		0.26	843	84.6	16.0	190	2.32	4.47	2.37	1.37	15.0	5.14	5.6	0.86	47.4	0.36
L651741		0.22	1110	150.5	15.1	120	2.50	4.98	2.58	1.61	16.8	6.01	10.0	0.97	82.4	0.41
L651743		0.16	912	114.5	12.9	110	2.47	4.84	2.40	1.45	17.2	6.04	7.9	0.89	63.5	0.37
L651745		0.38	801	83.7	12.4	100	2.05	4.29	2.23	1.45	14.0	5.03	7.6	0.80	49.1	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648045		2	13.9	33.6	9.75	73.5	6.43	2	195.0	1.1	0.78	10.35	<0.5	0.39	3.03	149
L648047		2	9.8	39.4	11.15	77.3	7.33	2	226	0.7	0.65	10.65	<0.5	0.29	7.86	84
L648049		4	5.1	16.8	4.61	41.0	3.19	1	236	0.3	0.39	4.60	<0.5	0.18	22.2	62
L648051		<2	8.0	26.6	7.41	54.5	4.81	2	254	0.5	0.58	6.39	<0.5	0.25	14.95	59
L648053		2	11.9	47.8	13.90	65.3	8.59	2	293	0.9	0.93	14.50	0.6	0.34	8.98	101
L648055		2	2.0	9.5	2.69	13.6	1.88	1	210	0.1	0.27	1.89	<0.5	0.11	22.8	19
L648057		2	11.9	32.8	9.53	105.0	6.06	2	296	0.9	0.69	10.35	<0.5	0.29	4.57	100
L649001		<2	18.9	38.9	11.25	94.9	6.98	3	282	1.4	0.79	12.10	<0.5	0.38	2.78	131
L649003		<2	15.3	32.2	9.41	102.0	5.92	2	254	1.2	0.75	10.45	<0.5	0.39	2.76	144
L649005		<2	16.4	39.4	11.45	95.5	7.08	2	280	1.2	0.84	14.55	<0.5	0.40	3.67	116
L649007		<2	18.6	49.7	14.55	95.9	8.79	3	342	1.3	0.93	17.55	<0.5	0.40	3.72	117
L649009		<2	21.5	58.3	16.70	85.0	10.35	3	342	1.5	1.06	17.80	<0.5	0.40	3.80	109
L649011		<2	15.8	48.9	14.05	92.7	8.55	2	367	1.2	0.92	14.85	<0.5	0.37	3.37	98
L649013		<2	16.5	36.7	10.70	118.5	6.48	2	275	1.3	0.72	12.70	<0.5	0.34	2.94	109
L649015		4	14.4	49.7	14.50	90.6	8.75	2	331	1.2	0.95	17.60	<0.5	0.39	16.30	94
L649017		6	15.6	34.4	10.25	135.0	6.17	2	275	1.4	0.73	15.85	<0.5	0.39	4.35	90
L649019		<2	16.2	41.5	12.15	118.5	7.33	2	279	1.4	0.80	13.90	<0.5	0.37	4.48	103
L649021		<2	14.6	38.7	11.30	112.5	7.20	2	250	1.2	0.88	22.0	<0.5	0.45	4.11	98
L649023		2	18.8	38.5	10.95	124.5	6.70	3	284	1.7	0.73	13.55	0.5	0.39	4.06	97
L649025		3	18.0	55.8	16.10	120.5	9.86	2	300	1.4	1.06	18.30	<0.5	0.44	6.96	102
L649027		2	16.6	45.2	13.15	142.5	7.87	2	301	1.3	0.80	14.75	<0.5	0.35	3.65	86
L649029		2	21.5	52.7	15.45	103.5	9.19	2	358	1.7	1.07	18.45	<0.5	0.54	5.91	113
L649031		2	16.9	47.1	13.90	113.0	8.09	2	290	1.4	0.83	19.95	<0.5	0.36	4.40	93
L649033		<2	16.0	38.7	11.45	76.6	6.79	3	303	1.4	0.72	13.55	<0.5	0.34	3.50	68
L649035		<2	20.6	50.2	14.70	107.0	8.72	3	312	1.7	0.92	18.30	<0.5	0.37	4.29	93
L649037		5	19.7	51.5	15.30	142.0	9.03	3	275	1.4	0.86	13.95	0.5	0.31	11.00	133
L649039		<2	17.9	48.4	13.70	101.5	8.94	2	323	1.4	0.98	14.55	<0.5	0.44	4.18	112
L649041		<2	25.3	59.1	16.55	114.0	11.10	3	376	2.0	1.22	17.15	<0.5	0.51	4.11	128
L649043		2	20.0	70.2	19.70	112.5	13.30	3	303	1.4	1.16	32.3	<0.5	0.53	8.05	93
L649045		2	19.9	53.3	14.55	95.8	10.50	2	310	1.4	0.99	22.6	<0.5	0.46	4.23	135
L649047		3	18.9	47.1	12.75	106.5	9.13	2	258	1.2	0.85	17.40	<0.5	0.37	8.25	106
L651729		<2	13.7	46.8	12.85	71.0	9.34	2	211	0.9	0.82	22.2	<0.5	0.30	4.12	124
L651731		2	13.4	39.1	10.35	73.7	8.14	2	229	0.9	0.81	14.95	<0.5	0.39	5.88	115
L651733		2	12.0	32.1	8.75	63.4	6.57	2	262	0.8	0.66	11.30	<0.5	0.30	22.6	84
L651735		2	14.7	39.2	10.55	89.9	7.77	2	304	1.0	0.84	14.00	<0.5	0.45	8.27	119
L651737		<2	15.8	37.7	9.98	86.7	7.91	2	256	1.1	0.86	13.60	<0.5	0.44	3.02	138
L651739		<2	13.6	36.2	9.52	71.2	7.40	2	235	0.9	0.78	12.95	<0.5	0.36	2.79	129
L651741		2	15.4	64.3	16.95	81.3	12.60	2	328	1.0	0.88	25.9	<0.5	0.38	7.65	114
L651743		2	15.2	48.8	13.10	94.6	9.32	2	318	1.0	0.85	18.85	<0.5	0.37	5.94	95
L651745		4	13.6	37.2	9.95	64.3	7.40	2	405	0.9	0.74	13.85	<0.5	0.36	26.0	91



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L648045		3	24.4	2.42	264	<0.5	7	<0.5	5	16	<1	1	19	9	47
L648047		5	21.2	1.76	168	<0.5	<5	<0.5	8	26	1	1	29	8	61
L648049		5	13.8	1.20	53	<0.5	<5	1.1	8	30	1	3	23	5	39
L648051		5	18.2	1.54	86	<0.5	<5	0.5	6	28	1	1	21	5	37
L648053		6	25.1	2.09	126	<0.5	5	0.5	8	24	1	1	23	9	50
L648055		5	9.0	0.68	18	<0.5	<5	1.3	3	32	<1	1	13	3	16
L648057		2	19.2	1.84	134	<0.5	<5	0.5	11	31	<1	1	32	11	87
L649001		3	22.5	2.32	292	<0.5	<5	<0.5	7	36	<1	1	35	9	54
L649003		3	24.2	2.44	284	<0.5	5	<0.5	5	9	<1	1	13	10	53
L649005		3	25.6	2.62	324	<0.5	<5	<0.5	6	13	<1	1	18	7	46
L649007		3	24.0	2.54	416	<0.5	<5	<0.5	6	12	<1	<1	13	6	41
L649009		4	26.5	2.49	349	<0.5	<5	<0.5	6	13	1	<1	15	5	34
L649011		3	23.9	2.29	305	<0.5	<5	<0.5	6	17	<1	<1	14	6	38
L649013		3	20.6	2.10	288	<0.5	<5	<0.5	5	10	<1	<1	16	7	37
L649015		3	25.9	2.53	300	<0.5	<5	<0.5	9	14	1	3	20	7	56
L649017		3	22.8	2.44	297	<0.5	<5	<0.5	4	11	<1	5	10	6	34
L649019		4	22.7	2.36	437	<0.5	<5	<0.5	5	7	<1	1	12	11	68
L649021		3	28.1	2.91	299	<0.5	<5	<0.5	4	6	<1	1	10	9	42
L649023		3	22.7	2.51	481	<0.5	<5	<0.5	2	6	<1	1	5	15	26
L649025		3	27.9	2.73	408	0.5	<5	<0.5	5	18	<1	2	11	26	35
L649027		2	21.9	2.30	434	<0.5	<5	<0.5	3	6	<1	2	8	5	21
L649029		3	33.5	3.53	448	<0.5	<5	<0.5	8	19	<1	2	23	6	35
L649031		4	23.0	2.33	399	<0.5	<5	<0.5	4	7	<1	1	9	9	44
L649033		2	20.9	2.19	381	<0.5	<5	<0.5	1	3	<1	<1	3	6	11
L649035		3	24.4	2.45	435	<0.5	<5	<0.5	3	9	<1	1	11	9	30
L649037		2	21.7	1.91	203	0.6	<5	<0.5	21	36	<1	4	29	43	74
L649039		3	28.4	2.73	350	<0.5	<5	<0.5	6	12	<1	1	15	8	44
L649041		3	33.6	3.24	430	<0.5	<5	<0.5	3	6	<1	<1	7	7	24
L649043		3	34.2	3.56	502	<0.5	<5	<0.5	3	20	<1	1	8	9	19
L649045		3	29.1	3.05	450	<0.5	5	<0.5	7	15	<1	<1	17	10	47
L649047		3	24.7	2.43	292	<0.5	<5	<0.5	10	24	<1	1	21	10	57
L651729		2	20.7	1.99	254	<0.5	5	<0.5	5	12	<1	<1	14	12	49
L651731		2	25.3	2.64	223	<0.5	7	0.6	10	20	<1	1	27	10	57
L651733		5	22.4	2.12	212	<0.5	<5	0.8	7	23	<1	<1	17	12	55
L651735		3	28.3	2.95	215	<0.5	<5	0.5	10	26	<1	<1	31	13	73
L651737		3	28.1	2.83	241	<0.5	5	<0.5	11	26	<1	<1	40	10	66
L651739		3	23.5	2.33	218	<0.5	7	<0.5	10	24	<1	<1	39	11	59
L651741		2	27.4	2.62	403	<0.5	<5	<0.5	8	28	<1	<1	30	8	37
L651743		2	24.3	2.41	302	<0.5	<5	<0.5	9	15	<1	<1	25	8	44
L651745		6	23.3	2.34	288	0.5	<5	<0.5	9	30	<1	3	25	8	38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L651747		0.34	757	119.0	5.1	70	2.00	4.70	2.39	1.45	15.8	5.94	9.6	0.88	66.3	0.37
L651749		0.20	899	97.1	16.0	100	2.52	4.67	2.43	1.58	16.8	5.67	6.1	0.90	52.1	0.38
L649155		0.42	921	59.4	11.4	130	2.08	4.02	2.28	1.17	14.2	4.22	5.8	0.82	32.9	0.35
L649157		0.30	908	69.2	12.1	140	2.08	4.46	2.45	1.32	14.1	4.78	6.3	0.90	39.6	0.40
L649159		0.34	988	61.7	14.7	160	2.51	4.74	2.73	1.23	15.8	4.72	5.4	0.97	35.2	0.39
L649161		0.34	797	98.6	9.3	120	2.43	4.68	2.61	1.35	18.5	5.83	7.2	0.92	55.9	0.43
L649163		0.28	988	124.5	16.1	120	3.07	5.39	2.63	1.75	19.4	7.01	6.8	0.99	73.0	0.39
L649165		0.38	951	83.8	15.9	120	3.53	4.58	2.46	1.43	18.6	5.19	5.4	0.88	47.5	0.39
L649167		0.34	902	73.1	13.0	110	3.24	3.73	2.07	1.13	19.6	4.13	6.6	0.73	42.0	0.38
L649169		0.22	413	56.4	7.6	50	5.13	6.98	3.73	3.20	10.2	8.20	1.9	1.40	74.0	0.58
L649171		0.22	448	43.7	10.6	60	3.13	2.16	1.08	0.82	14.3	2.63	2.9	0.40	27.5	0.15
L649173		0.32	947	93.9	7.4	90	4.00	4.12	2.28	1.29	22.1	4.98	7.9	0.80	54.2	0.37
L649175		0.26	847	103.5	16.1	100	7.09	4.30	2.27	1.45	27.0	5.43	6.9	0.81	59.7	0.36
L649177		0.20	854	117.0	6.4	100	2.46	5.64	3.06	1.79	24.2	6.52	9.0	1.10	65.4	0.47
L649179		0.26	974	104.0	16.8	120	5.31	5.44	3.10	1.48	20.5	5.86	6.6	1.11	56.9	0.48
L649181		0.30	817	91.9	13.6	120	4.17	4.38	2.41	1.33	23.5	4.99	7.3	0.86	53.8	0.39
L649183		0.28	790	85.9	15.8	100	4.03	3.97	2.20	1.18	21.4	4.92	6.1	0.81	49.8	0.35
L649185		0.34	845	84.0	11.0	100	4.16	4.12	2.23	1.19	21.8	4.81	6.3	0.81	48.0	0.35
L649187		0.36	852	69.0	13.1	110	2.71	6.63	4.36	1.13	17.8	5.08	5.5	1.47	37.7	0.64
L649189		0.30	886	82.2	11.5	100	2.80	4.09	2.24	1.22	18.3	5.04	6.4	0.80	47.1	0.34
L649191		0.24	789	86.9	11.9	100	2.79	3.87	2.05	1.19	17.8	5.02	5.4	0.74	49.8	0.32
L649193		0.30	859	82.9	13.4	130	2.87	4.57	2.43	1.32	17.9	5.38	6.3	0.89	46.6	0.40
L649195		0.38	782	87.5	8.7	130	2.41	5.04	2.86	1.27	18.0	5.55	7.5	1.01	48.7	0.45
L649197		0.46	830	122.0	4.6	90	1.48	5.93	3.41	1.54	18.6	7.03	10.4	1.17	69.8	0.51
L649199		0.38	811	118.0	9.6	110	1.79	4.83	2.34	1.39	15.6	6.98	8.0	0.89	63.6	0.34
L649201		0.26	746	69.7	10.9	90	2.52	3.85	2.20	1.11	17.3	4.66	5.9	0.79	36.6	0.33
L649203		0.16	101.5	12.7	1.3	10	0.27	0.44	0.24	0.12	1.6	0.40	0.4	0.08	7.6	0.04
L649205		0.38	883	81.7	8.3	100	2.50	4.24	2.37	1.14	18.5	5.33	7.1	0.86	43.7	0.36
L649207		0.42	970	118.5	12.2	100	2.26	5.27	2.73	1.48	18.7	7.42	8.1	0.99	62.4	0.38
L650001		0.22	870	105.5	17.3	120	3.19	6.01	3.30	1.69	19.8	7.73	6.8	1.21	56.8	0.48
L650003		0.22	756	86.0	7.2	90	2.51	4.23	2.39	1.22	18.1	5.27	8.8	0.84	45.0	0.36
L650005		0.28	827	122.0	11.1	110	2.25	5.81	3.29	1.53	20.3	7.51	12.7	1.17	64.9	0.50
L650007		0.40	778	69.6	14.4	110	2.84	4.55	2.55	1.40	18.8	5.52	6.1	0.91	37.3	0.35
L650009		0.28	907	127.5	13.7	90	2.28	5.55	2.76	1.65	20.7	8.05	9.3	1.03	65.9	0.39
L650011		0.26	798	100.5	12.0	90	2.91	4.93	2.75	1.44	20.8	6.04	8.0	0.98	53.9	0.40
L650013		0.28	874	96.4	11.2	120	2.50	4.91	2.60	1.42	20.5	6.12	8.8	0.97	50.4	0.39
L650015		0.28	964	114.0	15.0	100	2.79	5.83	3.06	1.69	19.9	7.60	8.5	1.14	61.4	0.42
L650017		0.28	882	114.5	9.4	90	2.07	5.03	2.61	1.45	18.5	6.93	10.2	0.96	59.6	0.38
L650019		0.20	929	119.5	8.0	90	2.36	5.60	2.96	1.53	21.5	7.65	10.0	1.08	62.2	0.43
L650021		0.26	828	110.5	7.0	100	2.18	4.88	2.48	1.35	19.7	6.54	8.0	0.93	57.6	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L651747		3	15.1	49.8	13.60	61.9	9.55	2	388	1.0	0.85	19.75	<0.5	0.37	4.86	84
L651749		3	15.0	40.3	10.75	89.1	7.96	2	261	1.0	0.82	15.65	<0.5	0.36	9.25	95
L649155		<2	12.6	25.8	6.75	65.6	5.52	2	237	0.9	0.66	8.08	<0.5	0.35	2.45	128
L649157		<2	13.4	30.2	8.05	64.1	6.36	1	222	1.0	0.75	10.45	<0.5	0.39	2.65	132
L649159		2	13.7	27.7	7.20	73.3	5.95	2	218	1.0	0.77	9.10	<0.5	0.41	2.43	148
L649161		2	15.8	42.5	11.30	78.2	8.30	2	222	1.2	0.86	16.50	<0.5	0.39	3.54	123
L649163		<2	16.3	51.0	14.00	106.5	9.94	2	324	1.2	1.00	23.2	<0.5	0.39	4.09	109
L649165		<2	14.9	35.3	9.36	99.0	7.14	2	271	1.0	0.79	13.45	<0.5	0.38	3.70	124
L649167		2	15.7	29.8	7.99	87.8	5.63	2	254	1.1	0.63	12.65	<0.5	0.33	4.24	129
L649169		2	7.4	49.9	12.85	64.9	10.15	1	196.0	0.6	1.20	8.09	<0.5	0.55	6.44	54
L649171		<2	8.3	19.0	5.17	75.1	3.61	1	369	0.7	0.39	6.70	<0.5	0.16	3.02	64
L649173		2	19.5	38.9	10.60	121.0	7.38	2	277	1.4	0.71	13.65	<0.5	0.35	3.49	120
L649175		<2	21.5	42.2	11.55	148.0	8.05	2	283	1.5	0.78	17.90	<0.5	0.36	3.50	105
L649177		<2	27.8	47.6	13.00	95.3	9.28	3	318	2.0	0.97	16.30	<0.5	0.48	4.05	92
L649179		<2	17.3	40.5	11.10	135.0	8.09	2	261	1.2	0.89	16.65	<0.5	0.46	3.70	109
L649181		<2	19.3	38.1	10.40	103.0	7.29	2	277	1.3	0.74	14.05	<0.5	0.37	3.11	119
L649183		<2	16.7	35.3	9.84	103.0	6.86	2	254	1.2	0.72	14.60	<0.5	0.34	2.87	110
L649185		2	16.9	34.5	9.51	116.5	6.76	2	222	1.2	0.72	14.65	<0.5	0.35	2.99	122
L649187		<2	14.4	28.3	7.54	84.7	5.89	2	235	1.0	0.96	10.75	<0.5	0.65	3.19	117
L649189		<2	15.1	34.1	9.29	83.5	6.75	2	242	1.0	0.72	14.25	<0.5	0.33	3.00	118
L649191		<2	13.6	36.3	9.93	86.9	6.92	2	212	0.9	0.70	13.20	<0.5	0.31	2.98	109
L649193		<2	14.2	34.9	9.34	94.5	7.09	6	214	1.0	0.81	13.85	<0.5	0.38	3.13	120
L649195		<2	15.2	37.0	9.99	83.2	7.58	2	212	1.1	0.84	14.00	<0.5	0.43	3.36	121
L649197		<2	14.6	50.2	13.65	63.1	9.79	2	254	1.0	1.01	21.1	<0.5	0.51	4.22	87
L649199		<2	13.4	50.8	13.55	70.9	9.10	1	242	0.9	0.92	23.7	<0.5	0.34	3.55	90
L649201		2	14.5	30.7	8.04	82.2	5.59	2	223	0.9	0.64	10.40	<0.5	0.34	2.82	109
L649203		2	1.2	4.1	1.23	7.8	0.51	<1	126.0	0.1	0.06	0.78	<0.5	0.04	3.60	18
L649205		<2	14.3	35.9	9.53	91.6	6.47	1	226	0.9	0.74	13.90	<0.5	0.35	2.71	111
L649207		<2	15.2	50.8	13.50	90.8	9.16	2	263	0.9	0.97	21.9	<0.5	0.39	3.60	100
L650001		6	16.5	47.1	12.60	108.0	9.02	2	257	1.0	1.08	18.40	<0.5	0.48	11.60	118
L650003		2	17.0	35.9	9.73	94.2	6.38	2	251	1.0	0.74	12.80	<0.5	0.36	2.73	103
L650005		<2	19.0	50.4	13.75	90.7	9.09	2	285	1.2	1.04	22.2	<0.5	0.49	3.86	108
L650007		<2	16.6	31.6	8.31	93.0	6.11	2	267	1.0	0.79	10.70	<0.5	0.37	3.56	123
L650009		<2	20.2	54.3	14.70	102.0	9.72	2	291	1.2	1.07	21.9	<0.5	0.40	3.57	104
L650011		2	18.5	42.9	11.50	106.5	7.65	2	264	1.1	0.86	17.55	<0.5	0.40	3.48	112
L650013		<2	19.2	41.5	11.20	107.0	7.62	2	277	1.1	0.86	14.65	<0.5	0.39	2.97	125
L650015		<2	18.1	50.4	13.50	94.2	9.41	2	284	1.1	1.02	17.45	<0.5	0.44	3.45	105
L650017		<2	17.4	50.3	13.45	91.2	8.97	2	278	1.1	0.95	19.80	<0.5	0.37	3.47	102
L650019		<2	19.4	51.8	13.85	117.5	9.39	2	280	1.2	1.03	20.6	<0.5	0.42	3.71	112
L650021		<2	18.8	47.2	12.75	95.7	8.40	2	260	1.2	0.89	18.15	<0.5	0.36	3.72	108



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L651747		3	23.9	2.45	370	<0.5	<5	<0.5	2	10	<1	1	4	7	12
L651749		2	23.7	2.44	232	<0.5	6	<0.5	13	33	<1	2	37	12	65
L649155		3	23.0	2.30	212	<0.5	6	<0.5	9	19	<1	<1	24	9	59
L649157		3	24.8	2.60	238	<0.5	7	<0.5	8	23	<1	<1	27	10	60
L649159		3	28.1	2.67	209	<0.5	10	0.6	10	28	<1	<1	34	11	77
L649161		3	25.1	2.65	270	<0.5	5	<0.5	6	14	<1	1	21	8	44
L649163		2	26.0	2.55	250	<0.5	<5	<0.5	12	31	<1	<1	31	13	68
L649165		3	24.8	2.52	204	<0.5	<5	<0.5	12	27	<1	<1	35	13	78
L649167		3	19.6	2.33	253	<0.5	5	0.7	9	13	<1	1	24	13	73
L649169		5	54.1	3.59	69	1.3	5	0.8	6	102	<1	<1	26	11	55
L649171		5	11.8	1.05	110	0.5	5	0.6	8	23	<1	<1	25	12	53
L649173		3	21.9	2.35	296	<0.5	<5	<0.5	4	5	<1	<1	10	10	47
L649175		3	21.7	2.32	255	<0.5	<5	<0.5	11	15	<1	<1	29	15	98
L649177		3	30.0	3.16	361	<0.5	<5	<0.5	3	6	<1	<1	5	15	31
L649179		3	29.5	3.10	240	<0.5	6	<0.5	12	25	<1	<1	39	12	68
L649181		3	23.6	2.46	283	<0.5	<5	<0.5	9	12	<1	<1	24	10	62
L649183		2	21.2	2.26	229	<0.5	<5	<0.5	13	17	<1	<1	33	10	70
L649185		3	21.3	2.30	237	<0.5	<5	<0.5	8	11	<1	<1	22	13	73
L649187		3	40.0	4.09	205	<0.5	<5	<0.5	10	16	<1	<1	26	10	70
L649189		3	21.7	2.28	239	<0.5	<5	<0.5	8	15	<1	<1	23	10	75
L649191		3	19.7	2.09	201	<0.5	<5	<0.5	9	18	<1	<1	26	9	82
L649193		3	24.2	2.54	241	<0.5	<5	<0.5	10	21	<1	<1	30	8	63
L649195		3	27.7	2.93	283	<0.5	6	<0.5	6	11	<1	<1	19	11	48
L649197		3	31.3	3.37	398	<0.5	<5	<0.5	2	7	<1	1	8	7	23
L649199		2	22.7	2.18	285	<0.5	5	<0.5	6	15	<1	1	21	7	48
L649201		2	20.7	2.14	209	<0.5	6	0.5	8	17	<1	1	25	10	57
L649203		4	2.4	0.25	13	<0.5	<5	1.7	1	10	1	1	6	3	23
L649205		2	22.2	2.36	246	<0.5	6	<0.5	6	15	<1	1	23	8	58
L649207		2	25.7	2.56	296	<0.5	6	<0.5	10	23	<1	1	30	8	65
L650001		2	32.1	3.18	245	<0.5	6	<0.5	14	48	1	5	44	10	72
L650003		3	22.3	2.33	331	<0.5	<5	0.5	5	11	<1	2	12	7	32
L650005		3	31.1	3.24	472	<0.5	5	<0.5	8	15	<1	1	21	8	61
L650007		3	23.9	2.42	214	<0.5	6	<0.5	12	28	<1	1	33	10	69
L650009		2	26.3	2.60	335	<0.5	5	<0.5	11	23	<1	1	27	7	59
L650011		2	25.7	2.67	292	<0.5	6	<0.5	10	22	<1	1	21	12	55
L650013		3	25.0	2.53	323	<0.5	<5	<0.5	8	15	<1	1	22	8	57
L650015		3	29.8	2.83	319	<0.5	<5	<0.5	12	32	<1	1	34	8	57
L650017		2	24.7	2.48	378	<0.5	6	<0.5	6	15	<1	1	20	7	44
L650019		4	27.7	2.80	369	<0.5	<5	<0.5	6	10	<1	<1	14	7	38
L650021		2	24.3	2.34	299	<0.5	5	<0.5	4	10	<1	1	12	6	41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L650023		0.22	918	112.0	11.8	100	2.44	4.82	2.63	1.39	19.6	6.52	7.0	0.93	57.2	0.39
L650025		0.26	957	526	13.4	110	2.82	7.82	3.78	4.68	21.7	13.75	7.6	1.44	319	0.49
L650027		0.22	866	97.9	7.8	90	2.97	4.65	2.44	1.38	18.5	6.26	7.9	0.89	51.7	0.35
L650029		0.22	766	68.6	9.1	80	2.22	4.28	2.53	1.13	16.0	4.56	4.9	0.88	37.1	0.32
L650033		0.16	928	155.5	7.3	90	1.97	5.88	2.72	1.66	19.1	8.99	11.0	1.02	78.7	0.39
L650035		0.18	785	73.0	17.6	100	4.07	4.14	2.17	1.52	18.3	5.40	4.4	0.79	42.0	0.29
L650037		0.20	846	115.5	9.1	120	2.34	4.89	2.56	1.45	18.8	6.83	10.5	0.94	61.1	0.39
L650039		0.22	970	115.0	14.0	110	3.44	4.76	2.36	1.80	19.6	6.77	6.2	0.88	65.1	0.30
L650041		0.18	905	110.0	9.3	100	2.56	4.58	2.50	1.39	20.7	6.30	8.0	0.90	58.3	0.37
L650043		0.22	865	103.0	6.1	80	2.08	4.76	2.56	1.43	19.9	6.40	9.7	0.96	54.5	0.39
L650045		0.18	752	100.5	7.9	100	2.29	4.41	2.42	1.27	17.8	5.70	7.8	0.87	53.8	0.36
L650047		0.22	985	109.5	13.9	110	2.42	4.83	2.56	1.45	18.8	6.61	7.9	0.92	56.5	0.37
L650049		0.32	889	105.5	9.2	100	3.19	4.59	2.52	1.40	19.6	6.30	8.3	0.92	55.2	0.38
L650101		0.18	813	109.0	12.2	80	2.79	6.03	2.91	2.61	14.3	9.13	5.1	1.13	77.2	0.40
L650103		0.34	967	111.0	5.9	90	2.50	5.11	2.59	1.62	19.9	6.85	10.0	0.95	57.8	0.39
L650105		0.26	863	133.0	9.6	100	2.25	5.37	2.80	1.63	19.7	7.57	10.6	1.00	69.9	0.41
L650107		0.24	953	89.1	13.3	120	2.30	6.38	3.82	1.52	16.4	6.69	6.7	1.34	46.7	0.55
L650109		0.22	896	110.0	11.2	110	1.86	5.56	2.95	1.61	16.4	7.32	7.8	1.09	58.1	0.42
L650111		0.18	739	94.7	18.7	130	1.84	5.41	3.09	1.37	13.8	6.63	6.9	1.06	52.0	0.42
L650113		0.20	834	116.0	15.8	130	3.86	5.77	3.04	1.96	19.4	7.91	5.3	1.10	61.1	0.42
L650115		0.20	653	61.1	10.7	90	3.48	3.43	2.05	1.08	15.0	3.89	3.2	0.64	35.1	0.24
L650117		0.20	866	104.5	13.1	110	3.39	4.89	2.70	1.52	17.5	6.23	7.0	0.90	56.1	0.37
L650119		0.20	833	111.0	14.2	110	3.83	5.10	2.89	1.57	18.8	6.12	5.3	0.94	60.4	0.38
L650121		0.16	720	83.0	12.4	100	2.88	4.15	2.27	1.23	18.3	4.83	6.1	0.78	43.6	0.31
L650123		0.24	772	74.5	13.4	110	2.86	4.74	2.60	1.39	17.7	5.47	5.0	0.87	43.9	0.34
L650125		0.28	843	95.2	13.4	120	3.31	5.41	3.25	1.49	17.9	6.03	5.8	1.05	51.4	0.45
L650127		0.34	771	84.1	13.1	110	4.10	5.28	2.97	1.52	16.9	6.25	6.2	1.00	46.8	0.41
L650129		0.36	942	95.5	12.1	110	2.59	5.01	2.82	1.42	17.9	5.71	7.1	0.93	48.7	0.38
L650131		0.24	712	86.4	11.5	90	2.88	4.51	2.44	1.31	15.7	5.69	6.4	0.79	45.2	0.31
L650133		0.30	893	92.8	8.4	110	3.03	4.45	2.54	1.32	21.1	5.27	7.2	0.80	48.1	0.36
L650135		0.30	729	139.5	17.2	100	8.27	4.87	2.76	1.72	25.7	6.02	5.6	0.90	80.7	0.38
L650137		0.24	762	95.4	17.2	120	6.47	3.70	2.02	1.23	25.3	4.63	6.4	0.66	53.0	0.27
L650139		0.22	820	74.1	19.4	130	6.36	3.95	2.21	1.09	23.5	4.44	5.9	0.71	39.3	0.30
L650141		0.20	944	97.3	16.0	120	3.28	4.61	2.43	1.35	20.2	5.57	6.0	0.83	52.1	0.33
L650143		0.20	888	102.0	14.2	110	4.23	5.03	2.75	1.70	20.0	6.31	6.5	0.98	54.9	0.36
L650145		0.30	885	75.9	17.6	120	4.29	3.69	2.03	1.16	21.4	4.45	5.6	0.69	39.2	0.29
L650147		0.20	884	83.6	13.4	120	3.37	3.98	2.29	1.15	19.9	4.63	7.0	0.75	44.7	0.33
L650149		0.20	747	72.0	12.6	110	2.55	3.51	1.97	1.02	15.1	4.01	5.0	0.67	37.7	0.31
L650151		0.24	938	127.0	11.1	90	3.44	4.92	2.58	1.88	20.3	6.59	7.8	0.89	67.3	0.35
L650153		0.18	876	87.7	16.8	110	4.49	4.10	2.20	1.46	19.5	5.01	4.7	0.73	50.3	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650023		<2	18.4	46.8	12.55	94.1	8.31	2	256	1.1	0.89	17.35	<0.5	0.37	3.43	112
L650025		2	17.4	168.0	51.5	119.0	21.6	2	671	1.0	1.63	20.4	<0.5	0.53	12.00	106
L650027		3	17.3	42.6	11.40	121.0	7.72	2	275	1.1	0.85	16.35	<0.5	0.36	4.34	106
L650029		3	13.8	29.7	7.92	82.8	5.30	2	212	0.8	0.64	10.65	<0.5	0.35	7.91	88
L650033		2	18.1	65.4	17.60	104.0	12.10	2	290	1.1	1.15	28.4	<0.5	0.37	4.78	102
L650035		6	13.6	36.1	9.37	107.0	6.83	2	218	0.7	0.76	10.40	<0.5	0.33	28.9	115
L650037		3	19.8	49.6	13.30	88.3	8.80	2	280	1.3	0.91	18.35	<0.5	0.38	4.28	105
L650039		3	16.9	53.4	14.25	112.5	9.08	2	284	1.0	0.90	17.30	0.5	0.32	8.16	117
L650041		2	18.3	46.2	12.50	113.0	8.18	2	273	1.1	0.85	17.10	<0.5	0.36	3.19	120
L650043		<2	18.9	44.1	11.80	94.2	7.93	2	271	1.3	0.88	15.70	<0.5	0.38	3.26	100
L650045		<2	16.0	41.2	11.25	87.4	7.16	2	245	1.0	0.80	17.05	<0.5	0.36	2.92	110
L650047		<2	17.9	46.9	12.50	95.6	8.46	2	277	1.0	0.90	18.30	<0.5	0.36	3.23	110
L650049		<2	18.6	45.4	12.15	116.5	7.98	2	256	1.1	0.86	16.15	<0.5	0.36	3.25	109
L650101		4	12.9	64.5	17.00	78.4	11.50	2	249	0.7	1.17	14.70	<0.5	0.43	15.70	89
L650103		<2	18.3	48.7	13.05	71.5	8.77	2	292	1.1	0.96	16.10	<0.5	0.38	3.84	99
L650105		2	18.8	56.8	15.40	83.7	9.81	2	267	1.1	1.01	21.9	<0.5	0.39	3.97	124
L650107		2	14.1	39.5	10.30	84.0	7.52	1	255	0.9	1.04	13.85	<0.5	0.55	3.09	124
L650109		<2	13.7	48.7	12.75	78.4	9.06	1	280	0.9	1.03	17.60	<0.5	0.43	3.34	105
L650111		<2	12.5	42.4	11.00	65.5	7.85	1	222	0.8	0.92	14.20	<0.5	0.43	3.87	102
L650113		<2	18.2	54.4	14.35	114.5	10.05	2	345	1.1	1.06	22.4	<0.5	0.44	3.58	109
L650115		<2	12.4	28.3	7.64	62.8	4.87	2	278	0.8	0.54	9.26	<0.5	0.26	4.81	87
L650117		<2	16.7	45.3	12.35	92.9	7.96	2	344	1.0	0.79	16.15	<0.5	0.35	3.50	107
L650119		<2	16.1	44.8	12.70	81.3	7.91	2	307	1.0	0.79	17.15	<0.5	0.40	4.45	118
L650121		<2	14.7	34.3	9.61	56.2	6.02	2	277	0.9	0.67	12.40	<0.5	0.31	3.90	103
L650123		<2	13.7	35.8	9.65	71.8	6.63	2	252	0.9	0.75	10.95	<0.5	0.34	5.47	127
L650125		<2	15.0	40.6	11.20	83.0	7.47	2	296	0.9	0.82	14.30	<0.5	0.43	6.04	117
L650127		<2	14.9	40.1	10.80	85.1	7.64	2	306	0.9	0.81	13.40	<0.5	0.41	4.85	116
L650129		<2	16.4	39.8	10.80	79.4	7.22	2	280	1.1	0.77	13.30	<0.5	0.38	4.06	124
L650131		<2	13.7	38.4	10.45	74.6	7.47	2	266	0.8	0.75	12.30	<0.5	0.31	5.26	110
L650133		2	18.6	40.0	10.95	75.7	7.16	2	275	1.1	0.68	13.60	<0.5	0.35	3.23	125
L650135		2	17.0	54.7	15.70	88.0	8.48	2	353	1.0	0.76	15.95	0.5	0.38	3.02	108
L650137		2	16.0	39.2	11.15	107.0	6.41	2	263	1.0	0.61	13.95	<0.5	0.26	2.65	122
L650139		2	16.6	31.5	8.79	109.0	5.64	2	228	1.1	0.59	10.40	<0.5	0.29	2.50	142
L650141		2	16.1	41.4	11.30	99.9	7.09	2	233	1.0	0.74	13.60	<0.5	0.33	4.48	139
L650143		2	16.9	43.6	12.00	83.2	7.82	2	307	1.1	0.83	14.50	<0.5	0.38	8.87	120
L650145		3	16.6	32.4	8.91	90.5	5.81	2	243	1.0	0.57	11.10	<0.5	0.27	2.79	148
L650147		3	17.3	36.0	9.84	85.5	5.90	2	263	1.1	0.62	12.25	<0.5	0.31	3.43	135
L650149		<2	12.8	29.4	8.27	77.5	5.15	1	237	0.8	0.57	11.30	<0.5	0.28	3.40	120
L650151		2	19.7	51.6	14.70	128.0	8.85	3	282	1.1	0.82	14.55	<0.5	0.35	5.10	126
L650153		2	15.3	38.6	10.75	118.0	6.67	2	226	0.9	0.65	12.85	<0.5	0.29	5.54	140



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	1	2	2
L650023		2	24.8	2.50	248	<0.5	<5	<0.5	9	22	<1	1	30	7	66
L650025		2	40.3	3.22	271	<0.5	<5	<0.5	10	35	<1	2	30	7	53
L650027		3	23.2	2.35	294	<0.5	<5	0.5	5	21	<1	2	16	8	41
L650029		5	23.3	2.33	173	<0.5	<5	0.7	8	39	<1	2	27	11	44
L650033		2	26.6	2.55	413	<0.5	<5	<0.5	5	25	<1	2	26	6	47
L650035		5	21.7	2.02	160	0.7	8	0.9	16	59	<1	5	50	10	87
L650037		3	24.8	2.57	383	<0.5	5	<0.5	6	14	<1	2	16	8	50
L650039		8	22.9	2.05	220	0.5	6	<0.5	12	41	<1	2	37	10	79
L650041		3	23.2	2.31	297	<0.5	6	<0.5	6	13	<1	1	18	9	48
L650043		2	23.6	2.52	354	<0.5	<5	<0.5	4	7	<1	1	11	7	31
L650045		2	22.2	2.30	289	<0.5	6	<0.5	5	12	<1	1	16	9	54
L650047		3	23.8	2.37	276	<0.5	<5	<0.5	11	24	<1	1	32	7	63
L650049		3	23.5	2.46	308	<0.5	<5	<0.5	7	20	<1	1	19	9	49
L650101		5	29.9	2.48	185	<0.5	<5	<0.5	9	47	1	3	24	8	43
L650103		3	25.4	2.50	388	<0.5	<5	<0.5	3	8	<1	1	8	6	17
L650105		3	25.6	2.67	398	<0.5	5	<0.5	6	12	<1	1	16	9	39
L650107		2	35.5	3.63	233	<0.5	10	0.5	11	31	<1	1	34	9	74
L650109		2	28.6	2.75	287	<0.5	7	<0.5	9	26	<1	1	29	7	61
L650111		5	28.1	2.88	254	<0.5	<5	<0.5	9	22	<1	1	30	7	58
L650113		3	29.1	2.81	186	<0.5	5	0.5	13	34	<1	<1	37	16	95
L650115		6	18.3	1.68	116	<0.5	<5	0.7	9	29	<1	<1	28	16	68
L650117		3	25.0	2.39	257	<0.5	<5	<0.5	11	27	<1	<1	31	15	90
L650119		3	27.2	2.53	183	1.4	<5	0.6	12	29	<1	1	35	19	82
L650121		2	21.1	2.08	199	<0.5	<5	0.5	11	17	<1	<1	26	17	56
L650123		3	24.6	2.22	176	<0.5	<5	1.3	11	25	<1	<1	28	14	98
L650125		3	29.5	2.81	208	<0.5	<5	0.6	11	26	<1	<1	28	14	81
L650127		6	27.7	2.68	218	0.5	5	0.6	11	24	<1	<1	28	12	74
L650129		3	25.6	2.59	249	<0.5	<5	0.5	9	15	<1	<1	24	11	73
L650131		6	22.7	1.95	218	0.5	<5	2.4	10	25	<1	<1	25	14	73
L650133		3	23.2	2.38	253	<0.5	<5	<0.5	5	7	<1	1	14	11	52
L650135		3	24.5	2.62	195	<0.5	5	1.1	14	47	<1	<1	52	37	91
L650137		3	18.8	1.77	227	<0.5	8	0.5	15	18	1	<1	45	24	90
L650139		3	19.6	1.98	204	<0.5	<5	<0.5	16	32	<1	<1	52	21	89
L650141		3	23.0	2.10	210	<0.5	5	0.6	13	23	<1	<1	37	16	85
L650143		3	26.6	2.39	220	<0.5	6	<0.5	12	18	<1	1	31	14	62
L650145		3	18.7	1.94	195	<0.5	5	<0.5	15	19	<1	1	42	17	99
L650147		3	21.3	2.19	248	<0.5	<5	<0.5	11	14	<1	1	29	14	67
L650149		2	18.4	1.84	176	<0.5	<5	0.9	10	22	<1	<1	27	12	79
L650151		4	24.6	2.28	275	<0.5	<5	<0.5	9	27	<1	1	13	12	43
L650153		4	20.8	1.91	168	<0.5	<5	<0.5	15	43	<1	1	31	15	85



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
L650155		0.20	875	106.0	12.6	90	3.20	4.54	2.63	1.78	17.7	6.16	6.7	0.85	60.4	0.30
L650157		0.26	1115	132.0	10.9	90	2.56	5.18	2.73	1.89	18.9	6.51	8.3	0.90	69.2	0.36
L650159		0.16	1070	120.0	9.2	80	3.21	4.54	2.43	1.76	18.3	5.83	7.8	0.83	66.9	0.35
L650161		0.22	1230	166.0	10.8	100	2.80	6.05	3.19	2.22	18.8	7.70	10.4	1.06	90.4	0.40
L650163		0.14	1040	117.0	10.4	90	2.91	4.32	2.35	1.65	16.8	5.28	7.1	0.79	63.6	0.32
L650165		0.18	1070	102.0	12.6	120	3.56	4.02	2.18	1.36	20.1	4.64	6.4	0.77	53.0	0.32
L650167		0.26	1115	115.0	13.2	100	3.17	5.18	2.97	1.71	18.0	6.35	7.4	0.94	61.7	0.37
L650169		0.34	859	95.4	12.2	100	2.69	4.83	2.79	1.85	16.2	6.47	6.7	0.91	64.4	0.35
L650171		0.22	761	124.5	17.3	100	3.73	7.92	4.83	2.41	16.5	8.90	3.3	1.56	86.6	0.61
L650173		0.24	961	116.0	8.0	100	2.99	4.75	2.75	1.44	19.8	5.79	8.6	0.88	63.3	0.38
L650175		0.32	1050	122.0	13.0	140	2.75	5.13	2.74	1.53	20.4	6.35	9.0	0.91	64.2	0.37
L650177		0.12	811	80.2	10.4	110	1.83	4.90	2.89	1.32	14.3	5.73	7.4	0.93	42.5	0.42
L650179		0.10	592	66.4	6.3	70	1.47	3.42	1.97	0.89	10.7	3.90	4.8	0.65	33.6	0.27
L650181		0.26	913	114.0	13.6	140	3.26	5.44	3.06	1.58	18.1	6.69	7.3	1.00	61.1	0.41
L650183		0.18	143.0	7.1	1.5	10	0.37	0.40	0.30	0.11	1.7	0.41	1.0	0.11	4.4	0.03
L650185		0.32	1190	117.0	20.1	170	4.46	5.57	2.84	1.80	21.0	6.67	6.2	1.08	65.9	0.48
L650187		0.20	749	75.3	12.8	120	3.98	3.75	2.09	1.31	16.2	4.17	4.4	0.73	45.0	0.31
L650189		0.24	1015	94.4	14.4	130	3.66	3.99	2.32	1.31	21.8	4.52	7.3	0.78	49.9	0.36
L650191		0.22	856	87.1	11.2	100	3.93	3.50	1.87	1.14	18.9	4.24	5.8	0.68	45.8	0.28
L650193		0.20	843	88.9	14.3	110	3.40	4.04	2.30	1.29	19.7	4.94	6.6	0.78	48.0	0.35
L650195		0.24	487	58.4	9.6	80	3.34	2.80	1.61	0.94	12.8	3.33	3.7	0.55	34.2	0.27
L650197		0.14	902	91.6	10.1	100	3.07	4.05	2.32	1.28	20.0	4.70	7.0	0.80	48.1	0.37
L650199		0.28	1065	90.0	21.2	140	5.05	4.38	2.65	1.31	24.8	4.86	7.0	0.89	47.5	0.42



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650155		2	15.4	48.8	13.55	99.7	8.00	2	254	0.7	0.75	13.85	0.5	0.31	5.45	128
L650157		<2	23.4	54.5	15.25	95.4	9.07	2	302	1.4	0.82	15.00	<0.5	0.35	3.28	114
L650159		<2	19.4	48.6	14.10	113.0	7.93	2	296	1.0	0.73	11.90	<0.5	0.34	3.38	113
L650161		<2	22.3	65.7	18.95	98.7	10.60	2	338	1.1	0.98	16.80	<0.5	0.43	3.54	128
L650163		<2	17.6	47.9	13.65	94.9	7.67	2	276	0.9	0.69	11.75	<0.5	0.32	3.09	112
L650165		2	17.7	38.2	11.45	88.4	6.14	2	269	1.2	0.65	11.80	0.5	0.34	3.37	144
L650167		<2	17.5	47.4	13.20	97.5	7.74	2	274	1.0	0.81	12.40	<0.5	0.38	3.07	117
L650169		4	16.3	50.0	13.95	83.8	8.56	2	276	0.7	0.78	13.65	<0.5	0.35	6.78	117
L650171		4	12.7	64.6	18.80	91.5	11.50	2	202	0.7	1.25	14.60	<0.5	0.67	20.7	116
L650173		<2	20.6	46.5	13.15	84.8	7.70	2	266	1.3	0.74	13.85	<0.5	0.38	3.58	117
L650175		<2	18.6	50.8	14.05	84.4	8.68	2	276	1.1	0.83	16.85	<0.5	0.38	3.59	118
L650177		<2	12.9	35.6	9.73	54.1	6.58	1	246	0.8	0.71	11.45	<0.5	0.40	3.57	106
L650179		2	10.5	29.8	7.91	41.8	5.07	1	196.0	0.6	0.53	8.81	<0.5	0.28	3.26	40
L650181		<2	16.0	48.0	13.25	74.8	8.49	2	308	1.0	0.85	16.70	<0.5	0.41	4.73	113
L650183		4	1.4	3.5	0.82	6.5	0.61	1	188.0	0.1	0.08	0.88	<0.5	0.05	7.83	20
L650185		2	18.1	45.2	12.20	133.5	8.42	2	311	1.2	1.02	17.60	0.6	0.52	4.12	156
L650187		2	12.6	30.1	9.19	83.9	5.49	2	291	0.8	0.65	9.89	<0.5	0.34	6.00	101
L650189		3	17.5	34.0	10.65	115.0	6.20	2	259	1.3	0.72	12.15	<0.5	0.34	2.99	143
L650191		2	16.1	30.0	9.23	101.5	5.72	2	262	1.2	0.65	12.20	<0.5	0.29	2.75	112
L650193		2	17.0	33.3	10.15	82.1	6.35	2	271	1.2	0.73	12.70	<0.5	0.35	5.51	125
L650195		2	10.0	24.1	7.25	67.7	4.29	1	255	0.7	0.50	10.20	<0.5	0.24	17.35	78
L650197		2	17.6	33.3	10.30	103.5	6.20	2	264	1.3	0.75	12.50	<0.5	0.36	2.81	132
L650199		3	19.5	33.1	10.15	120.5	6.27	2	258	1.4	0.77	12.05	<0.5	0.40	2.87	163



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 6-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183616

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650155		6	23.2	1.94	247	<0.5	<5	<0.5	11	34	<1	<1	22	11	61
L650157		3	24.5	2.37	290	<0.5	<5	<0.5	7	13	<1	<1	15	8	48
L650159		3	22.8	2.12	280	<0.5	<5	<0.5	6	20	<1	<1	14	11	47
L650161		3	29.3	2.80	379	<0.5	<5	<0.5	7	15	<1	<1	16	9	44
L650163		3	22.0	2.12	256	<0.5	<5	<0.5	8	20	<1	<1	18	11	56
L650165		3	23.1	2.19	256	<0.5	<5	<0.5	8	23	<1	<1	22	12	56
L650167		3	26.3	2.40	260	<0.5	<5	<0.5	10	28	<1	<1	27	12	59
L650169		6	25.6	2.46	240	0.5	<5	<0.5	10	39	<1	2	27	10	55
L650171		6	43.2	4.20	113	1.0	<5	<0.5	17	109	<1	2	37	19	64
L650173		4	24.2	2.52	303	<0.5	<5	<0.5	5	10	<1	<1	14	10	43
L650175		3	26.0	2.56	320	<0.5	<5	<0.5	9	21	<1	<1	24	11	51
L650177		2	26.5	2.68	255	<0.5	<5	0.7	8	16	<1	<1	23	9	47
L650179		5	18.9	1.63	163	<0.5	<5	0.5	5	11	<1	<1	15	7	36
L650181		6	28.2	2.70	247	<0.5	<5	<0.5	11	24	<1	<1	31	12	63
L650183		4	3.0	0.28	15	<0.5	<5	1.0	1	10	<1	<1	3	2	7
L650185		2	33.1	2.98	239	<0.5	7	<0.5	15	38	<1	<1	42	16	95
L650187		2	23.2	2.08	150	<0.5	<5	0.7	9	32	<1	<1	28	12	52
L650189		2	23.2	2.26	243	<0.5	6	<0.5	8	14	<1	1	27	12	75
L650191		2	20.0	1.87	198	0.6	<5	<0.5	7	21	<1	<1	23	13	58
L650193		2	23.6	2.30	214	<0.5	5	0.5	7	15	<1	<1	21	11	70
L650195		2	17.8	1.59	118	1.1	<5	1.6	7	49	<1	<1	19	11	38
L650197		2	24.0	2.37	240	<0.5	<5	<0.5	6	10	<1	<1	16	11	55
L650199		2	26.0	2.68	235	<0.5	7	<0.5	14	23	<1	1	40	13	83



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 19-OCT-2011
 Account: EIAREI

CERTIFICATE VA11183615

Project: REI11-01
 P.O. No.: REI11-01_7
 This report is for 113 Soil samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L650201		0.16	653	97.8	12.6	80	4.81	4.18	2.22	1.19	20.6	5.34	6.3	0.80	51.9	0.30
L650203		0.36	1070	135.0	7.4	70	2.11	5.08	2.92	1.53	23.2	6.52	18.8	1.02	75.2	0.44
L650205		0.24	857	105.5	9.1	90	2.99	5.64	4.26	1.20	22.0	5.51	7.2	1.28	58.5	0.74
L650207		0.28	1005	106.5	9.8	100	2.65	4.78	2.47	1.20	22.0	5.63	8.7	0.90	58.2	0.36
L650209		0.26	853	77.0	13.5	100	4.92	3.03	1.71	0.91	22.3	3.88	6.0	0.60	42.3	0.24
L650211		0.28	860	82.2	8.0	90	3.89	4.06	2.44	1.12	25.7	4.78	9.7	0.84	43.8	0.36
L650213		0.30	784	87.3	10.0	120	3.10	4.16	2.48	1.13	19.1	4.84	8.9	0.83	47.6	0.36
L650215		0.26	853	92.6	1.8	70	1.93	4.02	2.57	1.10	18.4	4.51	10.9	0.82	49.6	0.41
L650217		0.30	1000	136.5	5.8	70	2.75	4.93	2.56	1.32	21.4	6.70	9.4	0.94	73.0	0.36
L650219		0.30	977	108.5	6.5	70	2.71	4.14	2.42	1.22	20.5	5.50	10.3	0.83	59.0	0.37
L650221		0.30	994	113.5	5.1	90	2.17	3.95	2.21	1.22	24.1	5.30	10.7	0.77	63.6	0.35
L650223		0.18	896	152.0	34.4	80	4.37	5.59	3.00	1.67	18.0	7.65	5.0	1.10	83.2	0.41
L650225		0.20	919	109.5	6.8	80	2.57	4.02	2.20	1.19	22.4	5.32	9.7	0.76	59.4	0.33
L650227		0.28	969	118.5	6.7	90	3.23	4.48	2.82	1.30	22.9	5.19	11.0	0.93	68.9	0.46
L650351		0.22	954	102.5	5.3	80	2.42	4.40	2.40	1.24	19.3	5.50	9.5	0.84	55.2	0.35
L650353		0.26	803	99.2	7.0	80	3.59	4.21	2.42	1.09	18.9	5.17	8.3	0.84	52.9	0.36
L650355		0.22	824	81.9	15.5	100	4.89	3.56	2.08	1.03	22.5	4.39	7.3	0.71	44.2	0.31
L650357		0.24	1095	110.0	7.5	90	2.56	4.39	2.52	1.31	20.8	5.57	11.7	0.86	59.3	0.37
L650359		0.20	1085	119.5	5.8	70	1.94	4.52	2.57	1.28	19.4	5.73	10.2	0.90	65.4	0.38
L650361		0.34	821	81.3	8.9	100	3.43	4.34	2.58	1.17	19.5	4.87	9.0	0.89	43.0	0.39
L650363		0.32	832	83.0	10.3	100	4.80	3.93	2.40	1.01	20.8	4.51	9.0	0.80	45.1	0.36
L650365		0.16	842	90.4	3.9	80	3.30	4.23	2.44	1.20	16.9	4.89	9.1	0.86	50.5	0.37
L650367		0.20	1020	126.5	5.5	80	1.62	4.72	2.72	1.29	25.3	6.10	9.7	0.92	69.2	0.39
L650369		0.18	1020	127.0	4.6	70	1.70	4.88	2.71	1.35	18.8	6.55	12.4	0.93	67.1	0.40
L650371		0.22	841	106.5	7.5	100	2.52	3.97	2.32	1.26	28.9	5.14	8.2	0.80	57.9	0.34
L650373		0.22	855	79.1	8.1	90	2.14	4.14	2.61	1.20	21.7	4.86	11.9	0.87	41.4	0.41
L650375		0.16	842	90.5	6.8	90	4.01	4.29	2.49	1.23	20.8	5.06	10.3	0.87	49.6	0.39
L650377		0.22	863	101.0	4.8	90	2.78	4.34	2.62	1.19	21.9	5.27	11.7	0.87	53.5	0.39
L650379		0.18	813	88.8	7.6	100	3.26	4.41	2.62	1.18	19.9	4.96	9.5	0.90	47.5	0.40
L650381		0.26	787	103.5	11.4	130	4.15	4.56	2.61	1.49	24.9	5.62	9.4	0.90	55.3	0.38
L650383		0.28	980	146.0	9.1	80	2.72	5.58	3.20	1.61	21.8	7.31	12.8	1.09	77.1	0.49
L650385		0.28	758	144.0	11.2	110	5.75	5.09	2.95	1.60	26.8	6.69	12.7	0.98	77.3	0.42
L650387		0.18	879	101.5	7.1	80	2.65	5.99	3.80	1.53	18.0	6.46	9.7	1.28	51.4	0.51
L650389		0.26	927	112.5	9.6	90	2.60	6.72	4.38	1.62	18.9	6.97	10.9	1.47	59.2	0.56
L650391		0.26	957	113.5	11.7	100	3.51	4.71	2.61	1.39	20.0	6.00	8.8	0.94	61.2	0.36
L650393		0.30	891	116.0	15.1	110	3.04	5.11	2.91	1.75	21.8	6.37	10.3	1.01	59.6	0.41
L650395		0.22	1110	144.5	7.5	90	1.97	5.44	2.92	1.53	20.1	7.00	10.2	1.04	76.6	0.42
L650397		0.18	880	157.0	21.3	100	3.42	6.39	3.27	1.65	20.2	8.20	9.7	1.19	82.1	0.45
L650399		0.20	885	129.0	10.0	90	2.76	5.35	3.02	1.62	24.2	6.63	11.4	1.04	67.0	0.44
L650401		0.24	642	74.6	8.7	80	2.76	3.15	1.80	1.03	15.2	3.84	4.4	0.61	42.0	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650201		<2	17.1	39.0	10.65	92.1	6.94	2	266	1.2	0.72	14.30	<0.5	0.31	2.44	93
L650203		<2	23.7	50.0	14.05	88.1	8.29	3	420	1.6	0.85	23.4	<0.5	0.43	3.76	92
L650205		<2	17.6	39.5	11.05	79.0	6.89	2	265	1.2	0.84	16.35	<0.5	0.64	3.15	111
L650207		<2	34.1	40.9	11.45	84.8	7.31	2	302	7.8	0.80	19.65	<0.5	0.35	12.25	116
L650209		<2	18.4	27.9	7.81	110.0	4.80	2	210	1.1	0.51	14.00	<0.5	0.24	3.11	110
L650211		<2	19.3	32.2	8.69	113.5	5.71	2	288	1.3	0.67	13.20	<0.5	0.35	2.51	108
L650213		<2	16.6	35.0	9.52	99.2	6.15	2	256	1.1	0.69	10.50	<0.5	0.34	2.38	95
L650215		<2	18.4	35.5	9.96	77.5	6.10	2	244	1.4	0.63	12.60	<0.5	0.37	2.64	71
L650217		<2	17.9	51.3	14.50	107.0	8.82	2	297	1.2	0.88	23.9	<0.5	0.35	3.34	83
L650219		<2	18.5	41.5	11.55	93.9	7.12	2	306	1.3	0.71	17.50	<0.5	0.36	3.17	85
L650221		<2	19.9	40.3	11.60	87.7	6.79	2	282	1.3	0.68	19.55	<0.5	0.31	3.64	77
L650223		15	15.0	63.2	17.80	85.7	10.60	4	239	0.9	0.98	23.4	0.5	0.41	28.5	119
L650225		2	19.7	40.5	11.35	81.3	6.86	2	283	1.2	0.69	18.65	<0.5	0.31	2.78	124
L650227		2	23.3	41.9	11.95	124.0	6.75	2	291	1.3	0.73	18.75	<0.5	0.42	2.81	131
L650351		<2	16.5	40.0	11.05	83.7	7.01	2	299	1.1	0.73	14.70	<0.5	0.33	2.92	77
L650353		<2	15.8	38.3	10.75	102.0	6.68	2	246	1.1	0.71	14.25	<0.5	0.34	2.76	85
L650355		<2	18.1	32.0	8.80	116.5	5.42	2	239	1.4	0.60	11.90	<0.5	0.30	2.26	127
L650357		<2	18.2	43.6	12.05	103.0	7.60	2	331	1.2	0.73	15.65	<0.5	0.36	2.99	87
L650359		<2	18.1	45.0	12.60	85.2	7.74	2	336	1.3	0.76	22.5	<0.5	0.36	3.04	74
L650361		<2	16.6	32.9	8.88	97.3	5.89	2	277	1.1	0.69	10.40	<0.5	0.37	2.32	105
L650363		<2	16.8	31.7	8.88	121.5	5.47	2	248	1.1	0.64	12.65	<0.5	0.34	2.98	107
L650365		3	15.5	35.5	9.71	91.9	6.30	2	273	1.1	0.71	12.70	<0.5	0.35	3.30	72
L650367		<2	19.7	45.7	13.00	73.9	7.73	2	281	1.4	0.81	22.8	<0.5	0.39	3.49	116
L650369		<2	16.9	49.9	13.70	75.3	8.72	2	332	1.2	0.84	21.3	<0.5	0.37	3.28	72
L650371		<2	19.9	39.9	11.20	77.7	6.72	3	289	1.4	0.69	18.60	<0.5	0.33	2.73	136
L650373		<2	19.1	31.8	8.63	88.3	5.78	3	339	1.4	0.68	12.00	<0.5	0.38	2.66	96
L650375		<2	18.8	35.1	9.74	98.3	6.21	3	305	1.3	0.70	12.45	<0.5	0.37	2.67	96
L650377		<2	20.1	39.4	10.75	76.1	6.71	2	284	1.3	0.73	15.85	<0.5	0.37	2.66	101
L650379		<2	22.3	34.9	9.51	95.6	6.02	2	282	1.2	0.71	12.20	<0.5	0.38	2.50	96
L650381		<2	22.5	40.4	11.10	94.7	7.11	3	290	1.6	0.76	15.20	<0.5	0.37	3.02	136
L650383		<2	20.7	55.9	15.65	103.0	9.80	3	351	1.5	0.95	26.3	<0.5	0.46	3.67	94
L650385		<2	26.1	52.5	14.95	169.0	8.44	3	369	1.8	0.87	15.80	0.5	0.40	3.39	118
L650387		2	20.6	42.4	11.25	103.5	7.82	2	337	1.4	0.95	12.45	<0.5	0.54	2.78	93
L650389		<2	22.0	44.9	12.25	125.0	8.14	2	376	1.5	1.03	16.95	<0.5	0.60	4.60	94
L650391		2	17.8	43.7	12.30	110.0	7.61	2	329	1.2	0.81	16.55	<0.5	0.37	4.73	106
L650393		3	43.3	48.6	13.20	100.5	8.04	2	344	1.6	0.88	17.05	<0.5	0.41	5.21	138
L650395		<2	18.0	57.9	15.85	96.0	10.15	2	328	1.3	0.92	24.0	<0.5	0.42	4.28	101
L650397		6	20.0	65.3	18.00	97.1	11.80	2	315	1.5	1.09	25.6	<0.5	0.48	8.98	128
L650399		<2	22.0	52.1	14.55	97.4	9.02	3	329	1.6	0.89	19.70	<0.5	0.44	3.63	136
L650401		2	10.1	31.1	8.54	57.4	5.43	1	265	0.7	0.52	10.55	<0.5	0.24	6.26	79



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L650201		1	22.3	2.01	235	<0.5	<5	<0.5	9	15	<1	<1	25	13	90
L650203		2	28.4	2.85	733	<0.5	<5	<0.5	3	7	<1	<1	7	6	18
L650205		2	38.5	4.57	270	<0.5	<5	<0.5	5	13	<1	1	15	11	39
L650207		2	24.7	2.27	325	<0.5	<5	<0.5	6	13	<1	<1	16	10	46
L650209		1	17.1	1.57	226	<0.5	<5	<0.5	10	28	<1	<1	31	11	78
L650211		2	24.0	2.35	379	2.5	<5	<0.5	5	14	<1	1	16	13	48
L650213		2	24.4	2.32	346	<0.5	<5	<0.5	5	10	<1	<1	13	9	32
L650215		2	25.6	2.48	415	<0.5	<5	<0.5	1	4	<1	<1	4	3	6
L650217		1	26.7	2.28	359	<0.5	<5	<0.5	2	5	<1	<1	6	7	21
L650219		1	23.1	2.28	367	<0.5	<5	<0.5	4	8	<1	<1	9	6	28
L650221		1	22.7	2.15	395	<0.5	<5	<0.5	2	5	<1	<1	7	11	17
L650223		2	29.6	2.52	189	0.8	5	0.6	30	41	<1	14	26	14	79
L650225		2	22.3	2.06	377	<0.5	6	<0.5	3	9	<1	1	10	7	27
L650227		2	27.1	2.88	410	<0.5	5	<0.5	3	7	<1	1	9	9	26
L650351		1	24.6	2.22	356	<0.5	<5	<0.5	2	6	<1	<1	8	9	18
L650353		1	24.2	2.21	313	<0.5	<5	<0.5	4	14	<1	<1	13	14	37
L650355		2	20.5	1.97	265	<0.5	<5	<0.5	11	18	<1	<1	26	15	81
L650357		1	24.7	2.42	462	<0.5	<5	<0.5	4	7	<1	<1	11	8	26
L650359		1	24.9	2.39	374	<0.5	<5	<0.5	2	10	<1	<1	11	7	20
L650361		2	25.2	2.44	345	<0.5	<5	<0.5	5	9	<1	<1	17	10	51
L650363		2	22.9	2.35	327	<0.5	<5	<0.5	7	19	<1	<1	19	12	56
L650365		1	24.7	2.31	345	<0.5	<5	<0.5	1	8	<1	<1	5	11	10
L650367		2	24.6	2.53	332	<0.5	<5	<0.5	2	8	<1	1	8	9	23
L650369		1	25.8	2.52	450	<0.5	<5	<0.5	2	4	<1	<1	5	7	12
L650371		2	22.3	2.18	295	<0.5	<5	<0.5	3	9	<1	<1	10	15	31
L650373		2	24.9	2.56	439	<0.5	<5	<0.5	3	7	<1	1	9	7	22
L650375		2	25.4	2.40	393	<0.5	<5	<0.5	3	7	<1	<1	10	15	29
L650377		2	25.5	2.42	441	<0.5	<5	<0.5	2	5	<1	<1	7	10	19
L650379		2	25.7	2.55	358	<0.5	<5	<0.5	4	7	<1	<1	12	13	33
L650381		2	25.7	2.45	349	<0.5	<5	<0.5	5	13	<1	1	17	11	42
L650383		1	31.2	3.06	489	<0.5	<5	<0.5	3	6	<1	<1	10	8	28
L650385		1	27.0	2.69	482	<0.5	<5	<0.5	5	7	<1	1	13	13	41
L650387		2	36.1	3.36	369	<0.5	<5	<0.5	2	5	<1	1	6	5	18
L650389		1	42.7	3.72	404	<0.5	<5	<0.5	4	7	<1	1	8	7	28
L650391		2	25.6	2.32	330	<0.5	<5	<0.5	6	16	1	1	16	8	46
L650393		3	26.7	2.68	357	<0.5	<5	<0.5	8	29	<1	2	15	8	52
L650395		2	29.2	2.75	377	<0.5	<5	<0.5	3	8	<1	1	10	5	25
L650397		3	33.5	3.04	363	<0.5	<5	<0.5	15	21	<1	5	20	12	58
L650399		3	29.0	2.91	417	<0.5	<5	<0.5	4	9	1	1	11	8	33
L650401		2	18.1	1.66	165	<0.5	<5	0.7	6	18	1	2	19	11	37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L650403		0.20	69.9	2.1	1.1	10	0.24	0.11	0.08	0.04	0.8	0.13	0.2	0.03	1.2	0.01
L650405		0.48	992	138.0	11.4	120	3.07	6.18	3.51	1.44	19.1	7.35	10.7	1.17	72.8	0.50
L650407		0.46	841	121.5	11.8	120	2.50	5.84	3.72	1.25	18.0	6.54	9.2	1.26	64.3	0.53
L650409		0.40	914	116.0	9.7	120	2.54	5.05	2.90	1.26	16.8	6.06	8.3	0.98	63.0	0.43
L650411		0.26	859	229	10.6	90	1.81	8.78	4.27	2.11	19.3	11.25	10.8	1.58	125.0	0.53
L650413		0.22	795	59.4	11.2	100	2.72	3.50	2.13	0.96	13.1	4.09	4.4	0.73	32.2	0.30
L650415		0.32	1125	78.1	6.4	120	3.81	4.32	2.81	1.00	21.3	4.35	5.9	0.93	42.0	0.42
L650417		0.40	742	87.6	11.0	110	2.38	4.06	2.46	1.11	16.5	4.78	7.6	0.83	45.5	0.35
L650419		0.30	711	116.5	12.4	110	4.76	6.12	3.74	1.98	15.8	6.96	5.9	1.27	78.6	0.53
L650421		0.46	850	84.6	14.4	120	3.62	3.97	2.31	1.14	18.3	4.42	6.7	0.78	44.6	0.32
L650423		0.20	700	123.0	15.3	90	4.27	4.08	1.97	1.29	21.8	5.59	6.8	0.75	68.1	0.27
L650425		0.34	925	90.2	13.1	120	2.94	4.05	2.40	1.22	20.1	4.66	8.5	0.81	49.2	0.34
L650427		0.34	837	106.5	10.5	100	3.13	4.59	2.54	1.21	20.6	5.50	7.6	0.88	56.7	0.36
L650429		0.38	868	90.2	11.7	100	3.57	3.97	2.47	1.14	20.2	4.46	6.9	0.79	47.8	0.34
L650431		0.26	915	99.2	7.4	90	3.66	3.75	2.10	1.16	21.8	4.75	7.4	0.74	54.2	0.31
L650433		0.26	962	109.0	18.8	150	12.45	6.13	3.54	1.79	26.0	6.86	8.2	1.22	64.9	0.51
L650435		0.30	880	113.0	9.9	110	2.36	4.44	2.58	1.30	19.1	5.13	7.6	0.85	62.0	0.36
L650437		0.24	855	100.5	7.8	90	2.38	3.85	2.22	1.18	18.5	4.92	8.1	0.74	53.7	0.31
L650439		0.34	844	79.6	14.1	120	3.22	3.59	2.18	1.07	19.6	4.14	6.5	0.75	42.1	0.32
L650441		0.24	918	90.4	14.7	110	3.24	3.65	2.07	1.06	19.3	4.41	5.7	0.72	48.4	0.29
L650443		0.26	827	90.3	13.6	100	4.29	4.79	2.82	1.49	18.2	5.67	5.8	0.98	56.5	0.38
L650445		0.40	1135	113.0	16.7	130	3.85	5.04	2.85	1.55	21.1	6.09	6.2	0.98	62.1	0.38
L650447		0.36	1045	85.4	16.3	120	3.76	3.53	2.06	1.04	22.7	4.20	6.5	0.72	44.2	0.31
L650449		0.40	844	86.3	10.7	120	2.91	7.09	3.98	1.24	19.8	5.20	7.0	1.36	43.4	0.48
L651001		0.22	128.0	5.5	1.5	20	0.14	0.35	0.16	0.03	2.3	0.30	0.4	<0.01	3.4	<0.01
L651003		0.30	964	86.9	12.6	120	4.19	4.14	2.16	1.15	22.1	4.24	6.3	0.74	45.3	0.29
L651005		0.30	962	91.9	15.3	110	3.50	4.68	2.38	1.35	18.1	4.86	5.7	0.81	47.5	0.31
L651007		0.30	940	113.5	14.0	100	3.37	5.50	2.59	1.50	17.0	6.00	6.5	0.94	58.9	0.35
L651009		0.40	972	97.0	16.3	110	3.53	5.20	2.62	1.48	17.8	5.29	5.3	0.95	50.5	0.36
L651011		0.30	768	84.6	10.0	90	2.72	3.86	1.95	1.09	14.7	4.02	4.5	0.60	45.3	0.19
L651013		0.34	991	93.0	14.9	110	3.32	5.13	2.43	1.49	18.7	5.31	5.6	0.87	48.1	0.32
L651015		0.34	805	96.4	8.4	90	2.60	4.84	2.48	1.21	18.0	4.84	6.2	0.83	48.6	0.33
L651017		0.30	835	156.5	5.7	90	2.86	4.10	2.62	1.75	18.2	5.58	7.1	0.92	95.1	0.36
L651019		0.30	872	83.4	12.2	100	2.25	4.17	2.74	1.32	18.0	5.36	4.8	0.97	46.3	0.43
L651021		0.36	899	143.0	21.3	130	6.63	5.88	3.43	2.01	25.4	7.81	5.5	1.24	79.5	0.47
L651023		0.32	819	80.1	14.7	130	2.78	3.73	2.38	1.19	19.2	4.51	6.6	0.84	42.6	0.38
L651025		0.34	795	102.5	13.1	110	3.20	5.14	3.06	1.61	18.5	6.80	5.4	1.07	61.8	0.46
L651027		0.22	91.6	6.1	1.4	30	0.18	0.32	0.20	0.14	2.4	0.60	0.3	0.07	4.1	0.03
L651029		0.40	884	97.0	10.7	110	2.64	3.88	2.29	1.33	20.7	5.34	6.4	0.87	53.2	0.35
L651031		0.32	1025	109.0	6.1	80	1.79	4.13	2.56	1.34	20.0	5.35	8.4	0.92	58.7	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650403		3	0.4	0.9	0.23	3.4	0.24	<1	116.5	<0.1	0.02	0.21	<0.5	0.01	1.43	<5
L650405		<2	15.6	56.4	15.55	101.5	10.15	2	222	1.1	1.03	22.2	0.5	0.50	4.22	138
L650407		<2	14.4	49.7	13.65	85.3	8.72	2	217	1.0	0.93	19.25	<0.5	0.53	3.74	117
L650409		<2	14.2	47.3	13.05	86.1	8.24	2	224	1.0	0.84	17.75	<0.5	0.43	3.45	130
L650411		<2	24.1	94.0	26.2	67.1	16.55	3	370	1.9	1.52	40.1	<0.5	0.59	6.67	88
L650413		<2	10.5	25.6	6.85	68.0	4.92	2	225	0.8	0.59	8.73	<0.5	0.30	5.66	114
L650415		<2	17.2	32.5	8.86	98.0	5.76	2	191.0	1.4	0.66	10.55	0.6	0.41	2.53	175
L650417		2	13.9	36.2	9.86	60.0	6.56	2	236	1.0	0.69	12.60	<0.5	0.35	5.36	121
L650419		<2	12.6	53.8	14.95	90.3	9.36	2	305	1.0	0.98	12.15	0.5	0.52	4.73	116
L650421		2	14.1	34.0	9.39	108.0	6.08	2	281	1.0	0.65	12.75	<0.5	0.35	3.19	139
L650423		<2	14.2	49.1	13.90	84.6	8.15	2	301	1.1	0.76	21.2	<0.5	0.29	4.10	112
L650425		<2	15.8	35.9	10.05	87.4	6.18	2	286	1.2	0.66	13.25	<0.5	0.36	3.02	126
L650427		<2	15.7	43.7	12.05	101.5	7.71	2	274	1.2	0.77	16.75	<0.5	0.36	3.45	134
L650429		<2	14.9	35.7	10.00	97.7	6.10	2	299	1.1	0.63	12.50	<0.5	0.34	2.89	130
L650431		2	18.4	40.8	11.05	121.0	7.01	2	293	1.4	0.66	14.80	<0.5	0.32	2.77	128
L650433		2	20.4	49.3	13.35	127.0	8.75	3	425	1.5	0.99	16.20	0.5	0.53	3.67	176
L650435		2	14.5	44.8	12.50	75.1	7.49	2	311	1.1	0.74	17.10	<0.5	0.37	3.31	117
L650437		<2	17.2	40.4	11.35	83.0	6.91	2	294	1.3	0.63	14.80	<0.5	0.32	3.09	106
L650439		<2	14.2	33.1	9.02	86.5	5.71	2	269	1.0	0.59	11.00	<0.5	0.32	2.48	148
L650441		2	15.1	36.6	10.10	91.3	6.35	2	273	1.1	0.62	13.95	<0.5	0.30	2.63	129
L650443		<2	13.7	42.8	11.70	99.7	7.47	2	323	1.0	0.80	14.90	<0.5	0.41	4.15	113
L650445		<2	16.6	46.7	12.65	132.5	8.16	2	368	1.2	0.84	18.50	0.5	0.40	3.16	129
L650447		2	16.3	33.5	9.24	94.8	5.68	2	252	1.2	0.59	12.95	<0.5	0.31	2.66	160
L650449		2	14.6	33.8	10.15	88.6	6.44	2	241	1.0	0.86	11.60	<0.5	0.54	2.84	145
L651001		<2	1.1	2.5	0.66	7.3	0.49	<1	176.5	<0.1	<0.01	0.73	<0.5	<0.01	8.29	20
L651003		3	15.5	32.8	9.97	103.5	6.07	2	252	1.1	0.57	11.65	<0.5	0.31	2.73	156
L651005		2	12.9	36.9	10.80	94.3	7.01	2	295	0.9	0.67	12.85	<0.5	0.35	4.95	122
L651007		<2	13.5	44.6	13.25	102.5	8.58	2	304	0.9	0.78	18.90	<0.5	0.36	4.75	107
L651009		<2	12.7	37.5	11.35	101.5	7.03	2	291	0.9	0.74	14.60	<0.5	0.37	3.89	124
L651011		<2	9.6	32.6	9.73	85.0	6.06	1	332	0.4	0.45	11.85	<0.5	0.22	6.55	74
L651013		<2	13.5	35.6	10.90	86.4	7.00	2	281	1.0	0.70	13.40	<0.5	0.33	3.68	117
L651015		2	13.4	37.1	11.05	68.8	6.81	2	279	0.9	0.66	14.75	<0.5	0.35	3.08	116
L651017		6	15.5	56.6	16.40	80.2	8.22	2	341	1.4	0.79	12.45	<0.5	0.35	5.38	100
L651019		2	13.8	35.9	9.42	72.5	6.29	2	321	1.0	0.78	13.85	<0.5	0.41	8.20	102
L651021		2	21.4	58.2	15.95	138.0	9.80	2	525	1.4	1.15	24.6	0.5	0.48	4.41	115
L651023		3	16.4	32.9	9.03	85.0	5.77	2	276	1.2	0.69	11.30	<0.5	0.36	2.62	136
L651025		6	14.2	42.7	11.80	81.0	7.01	1	339	1.0	0.96	18.45	<0.5	0.49	7.57	98
L651027		6	1.1	2.8	0.73	6.2	0.49	<1	149.0	0.1	0.06	0.94	<0.5	0.03	29.2	36
L651029		2	15.9	39.1	11.00	82.0	7.13	2	310	1.1	0.77	15.05	<0.5	0.34	3.53	103
L651031		2	18.0	43.8	12.10	97.9	7.13	2	328	1.4	0.79	17.30	<0.5	0.37	3.63	92



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650403		4	0.7	0.06	7	<0.5	<5	<0.5	1	4	1	3	6	<2	7
L650405		3	34.2	3.37	385	<0.5	6	<0.5	8	29	<1	1	31	8	73
L650407		2	35.6	3.57	333	<0.5	6	<0.5	8	14	<1	<1	22	8	68
L650409		2	28.6	2.93	297	<0.5	5	<0.5	7	16	<1	1	24	7	53
L650411		2	43.8	3.65	385	<0.5	<5	<0.5	6	14	<1	<1	17	6	37
L650413		2	20.8	1.95	156	<0.5	<5	0.8	10	22	<1	1	29	4	57
L650415		3	26.7	2.74	218	<0.5	<5	<0.5	4	10	<1	1	17	8	41
L650417		2	22.6	2.29	271	<0.5	<5	1.0	7	14	<1	2	21	7	59
L650419		3	42.2	3.41	208	<0.5	6	0.9	9	57	<1	1	30	8	66
L650421		2	22.9	2.28	254	<0.5	5	<0.5	11	20	<1	2	30	10	72
L650423		2	20.3	1.87	245	<0.5	5	0.5	11	24	<1	1	34	13	99
L650425		3	22.7	2.29	296	<0.5	8	0.5	10	18	<1	1	27	11	87
L650427		3	25.5	2.43	276	<0.5	<5	<0.5	7	13	<1	1	21	8	50
L650429		2	23.2	2.26	247	<0.5	<5	<0.5	8	14	<1	1	24	8	60
L650431		3	20.4	2.04	266	<0.5	<5	<0.5	5	7	<1	2	13	8	56
L650433		3	36.6	3.39	294	<0.5	<5	2.6	10	24	<1	1	29	15	125
L650435		2	24.3	2.34	269	<0.5	<5	1.0	7	13	<1	2	22	9	52
L650437		2	21.5	2.18	299	<0.5	<5	0.9	5	11	<1	1	17	9	64
L650439		3	21.1	2.13	238	<0.5	<5	<0.5	10	19	<1	2	31	8	78
L650441		2	20.4	2.06	204	<0.5	6	<0.5	11	19	<1	1	34	9	85
L650443		2	30.4	2.60	207	<0.5	<5	0.8	10	30	<1	1	30	24	77
L650445		2	28.4	2.58	217	<0.5	8	<0.5	13	40	<1	1	40	10	85
L650447		3	20.4	2.07	237	<0.5	6	<0.5	12	23	<1	2	36	9	91
L650449		2	44.3	3.17	279	<0.5	5	<0.5	6	13	<1	2	21	7	48
L651001		<1	2.9	0.18	19	<0.5	<5	1.2	1	12	<1	2	7	<2	17
L651003		2	21.7	1.91	241	<0.5	7	<0.5	8	20	<1	2	31	10	106
L651005		2	25.3	2.15	220	<0.5	<5	0.8	11	28	1	1	32	10	82
L651007		2	27.2	2.33	243	<0.5	7	0.8	10	26	1	1	29	9	93
L651009		2	27.2	2.26	198	<0.5	6	1.4	12	32	<1	1	35	10	145
L651011		1	19.7	1.56	174	<0.5	<5	1.5	8	19	1	1	21	9	127
L651013		2	25.4	2.15	209	<0.5	9	0.5	10	23	<1	1	31	10	65
L651015		2	25.6	2.24	239	<0.5	<5	0.6	5	12	<1	2	17	8	48
L651017		6	25.5	2.00	241	<0.5	<5	0.6	3	21	<1	2	13	8	25
L651019		2	26.3	2.55	174	<0.5	5	0.6	9	27	<1	1	28	10	67
L651021		4	33.4	2.88	202	<0.5	<5	<0.5	16	42	<1	1	45	26	129
L651023		3	22.0	2.16	241	<0.5	<5	0.6	11	17	<1	1	29	10	139
L651025		7	30.3	2.46	174	<0.5	<5	0.6	10	31	<1	1	30	11	62
L651027		5	2.2	0.11	<2	<0.5	<5	0.5	1	9	<1	2	6	<2	14
L651029		3	23.0	1.99	236	<0.5	<5	<0.5	7	18	<1	1	22	8	53
L651031		3	24.8	2.25	308	<0.5	<5	<0.5	3	8	<1	1	10	6	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L651033		0.42	1010	117.0	13.0	110	2.80	4.57	2.57	1.55	19.3	6.28	6.5	0.98	62.1	0.39
L651035		0.28	877	76.9	8.1	100	2.75	3.48	2.19	1.08	19.7	4.53	7.3	0.80	40.9	0.34
L651037		0.36	940	96.2	10.6	100	2.76	4.00	2.59	1.22	20.6	4.69	8.0	0.90	53.7	0.38
L651039		0.32	848	87.9	17.7	120	4.63	4.09	2.56	1.29	22.5	5.06	6.7	0.90	48.6	0.38
L651041		0.38	943	105.0	10.1	120	3.52	4.40	2.74	1.35	23.2	5.61	7.2	0.93	55.8	0.40
L651043		0.22	631	63.9	11.1	80	2.73	3.16	2.03	1.07	14.4	4.18	3.5	0.73	40.1	0.31
L651045		0.36	1090	113.0	16.3	120	3.72	5.14	3.10	1.58	21.9	6.39	6.8	1.10	62.2	0.48
L651047		0.30	835	86.3	12.5	120	2.72	4.69	2.96	1.17	19.6	5.26	6.4	1.03	45.4	0.44
L651049		0.40	888	88.6	14.6	110	3.66	4.50	2.85	1.54	19.6	5.83	5.1	1.02	52.0	0.41
L651701		0.42	995	145.0	18.9	130	3.16	6.65	3.53	1.90	20.4	9.31	6.9	1.35	73.2	0.46
L651703		0.22	825	112.0	5.5	110	2.27	5.21	3.09	1.26	21.4	6.54	8.8	1.14	59.6	0.45
L651705		0.20	814	156.5	9.2	130	3.67	5.90	3.39	1.42	25.4	8.01	9.3	1.22	83.2	0.51
L651707		0.20	769	144.0	9.4	110	3.20	5.26	2.82	1.48	25.3	7.81	9.2	1.11	76.1	0.42
L651709		0.16	1670	163.5	12.4	120	3.09	4.54	2.48	1.88	27.3	7.11	7.8	0.94	86.8	0.35
L651711		0.08	978	86.7	9.9	140	3.37	4.51	2.86	1.26	19.7	5.13	7.9	1.03	46.5	0.43
L651713		0.22	1095	89.9	7.7	120	3.73	4.52	2.98	1.15	21.1	5.53	7.2	1.04	48.2	0.45
L651715		0.16	909	150.0	9.4	120	3.20	5.54	3.13	1.51	21.1	8.09	8.7	1.18	80.2	0.47
L651717		0.16	958	100.5	12.3	120	2.93	6.00	4.14	1.39	19.1	6.61	6.6	1.41	53.1	0.63
L651719		0.22	563	170.5	22.3	120	4.80	5.51	3.37	1.72	24.0	7.36	7.3	1.21	90.7	0.48
L651725		0.28	1025	96.5	14.5	120	2.35	4.99	3.12	1.42	16.7	6.40	6.5	1.12	50.9	0.47
L648877		0.20	1175	145.5	15.7	120	3.20	5.12	2.97	2.09	19.0	7.22	6.9	1.12	86.7	0.41
L648879		0.20	1125	110.0	15.3	130	3.21	4.44	2.65	1.59	19.1	5.76	6.1	1.02	60.9	0.39
L648881		0.18	987	118.5	16.1	120	3.19	4.38	2.52	1.45	18.8	5.85	7.8	0.98	65.2	0.39
L648883		0.14	1040	100.0	15.4	150	2.80	4.67	2.79	1.70	16.7	6.11	5.7	1.00	59.7	0.39
L648885		0.22	1005	132.0	12.1	110	2.47	4.53	2.67	1.66	17.2	6.19	7.5	0.97	73.2	0.38
L648887		0.16	1105	191.5	14.1	110	3.32	5.27	2.99	2.20	19.6	7.37	9.7	1.18	99.5	0.43
L648889		0.18	1130	124.0	17.8	130	3.35	4.84	2.83	1.79	19.1	6.40	6.5	1.05	69.7	0.42
L648891		0.28	1205	195.5	18.8	130	3.93	5.40	3.13	2.25	20.5	7.82	5.7	1.15	109.0	0.42
L648893		0.20	912	87.8	12.5	120	3.65	4.90	2.92	1.66	18.7	5.69	7.5	1.01	54.6	0.41
L648895		0.20	1045	169.5	17.1	150	3.49	7.19	3.81	2.90	19.0	9.72	9.2	1.39	106.5	0.48
L648897		0.12	833	94.2	20.6	110	4.13	5.48	2.75	2.17	17.7	7.34	4.8	1.04	68.5	0.34
L648899		0.18	838	109.0	12.4	100	4.42	3.90	1.99	1.58	23.5	5.09	6.7	0.75	66.0	0.27
L648071		0.22	899	102.5	15.0	110	3.76	5.23	2.94	1.87	20.6	6.22	7.8	1.01	65.5	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L651033		2	16.1	46.3	12.50	101.0	7.81	2	367	1.1	0.92	17.65	<0.5	0.36	3.63	103
L651035		2	16.2	31.9	8.65	95.9	5.68	2	278	1.2	0.68	11.60	<0.5	0.33	2.92	114
L651037		3	16.5	37.7	10.45	83.3	6.38	2	324	1.2	0.73	14.25	<0.5	0.37	3.29	116
L651039		3	16.5	35.4	9.97	104.0	6.10	2	276	1.2	0.80	14.00	<0.5	0.37	3.85	128
L651041		3	25.2	42.0	11.70	104.5	7.34	2	292	1.4	0.79	15.90	<0.5	0.38	3.44	117
L651043		6	10.7	29.5	8.03	59.8	4.77	1	259	0.8	0.62	10.85	<0.5	0.25	7.22	58
L651045		2	17.0	46.4	12.40	125.0	8.00	2	384	1.2	0.95	18.90	0.5	0.44	3.62	114
L651047		4	16.0	35.4	9.53	79.5	6.21	2	275	1.2	0.86	13.30	<0.5	0.43	3.41	118
L651049		2	14.8	40.5	10.80	93.9	7.22	2	325	1.1	0.86	14.80	<0.5	0.39	5.00	108
L651701		3	16.0	59.5	16.05	107.5	10.80	2	265	1.3	1.33	42.1	0.5	0.48	6.29	124
L651703		2	16.5	47.3	12.60	70.4	8.38	2	230	1.2	0.99	17.55	<0.5	0.47	4.07	132
L651705		2	19.0	62.2	17.10	120.5	10.60	2	215	1.3	1.14	29.4	<0.5	0.50	4.49	152
L651707		3	19.7	60.4	16.05	102.5	10.55	2	236	1.4	1.09	24.4	<0.5	0.40	4.51	127
L651709		4	23.1	65.7	18.25	103.5	10.50	2	478	1.4	0.95	21.6	<0.5	0.34	4.34	150
L651711		3	18.6	35.9	9.82	96.0	6.50	2	194.0	1.4	0.79	12.00	<0.5	0.42	3.04	161
L651713		2	16.9	38.2	10.25	136.5	6.85	2	205	1.5	0.83	13.90	0.5	0.45	3.32	145
L651715		2	16.1	62.1	16.90	104.0	10.60	2	212	1.1	1.15	24.7	<0.5	0.44	4.56	120
L651717		2	15.1	42.3	11.40	106.5	7.68	2	223	1.1	1.03	15.75	<0.5	0.62	3.57	123
L651719		2	12.9	65.0	18.25	96.3	10.45	2	405	0.9	1.09	27.6	<0.5	0.46	3.67	89
L651725		3	13.0	41.2	11.00	81.8	7.35	2	299	0.9	0.95	15.05	<0.5	0.43	3.13	125
L648877		2	19.0	61.2	17.40	111.5	9.68	2	319	1.1	1.02	16.60	<0.5	0.40	4.44	117
L648879		2	17.1	44.8	12.45	110.0	7.41	2	287	1.2	0.84	14.50	<0.5	0.37	4.17	124
L648881		2	15.9	47.9	13.35	105.0	7.91	2	282	1.1	0.87	15.40	<0.5	0.38	3.67	114
L648883		2	14.6	44.9	12.05	89.1	7.45	2	238	1.0	0.87	13.00	<0.5	0.39	3.70	132
L648885		2	17.2	52.7	14.40	92.9	8.36	2	286	1.0	0.87	18.25	<0.5	0.39	4.24	112
L648887		2	22.5	70.5	20.2	135.0	10.60	3	335	1.3	1.08	19.50	<0.5	0.45	4.51	132
L648889		3	16.9	51.3	14.35	121.0	8.79	2	313	1.1	0.95	20.1	<0.5	0.40	6.28	128
L648891		5	22.2	76.9	21.9	136.5	11.35	3	344	1.1	1.10	22.0	0.5	0.44	8.13	144
L648893		3	19.5	40.4	10.95	152.5	6.70	2	276	1.1	0.80	8.97	0.5	0.42	3.88	138
L648895		2	22.5	78.2	21.6	108.5	12.35	2	353	1.1	1.27	23.7	<0.5	0.52	8.09	130
L648897		4	15.1	51.7	13.70	125.5	8.83	2	290	0.9	0.94	15.70	0.5	0.37	11.90	135
L648899		4	19.4	45.4	12.80	98.1	6.90	3	280	1.0	0.67	17.00	0.5	0.28	6.75	155
L648071		2	17.6	47.8	12.90	122.5	7.68	2	288	1.0	0.87	14.45	0.5	0.41	7.82	138



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 19-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11183615

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L651033		3	25.6	2.27	243	<0.5	<5	<0.5	11	31	<1	<1	31	11	65
L651035		3	20.9	1.99	261	<0.5	<5	<0.5	5	11	<1	1	17	11	65
L651037		3	23.5	2.29	295	<0.5	<5	0.6	7	14	<1	1	24	9	71
L651039		3	24.2	2.16	249	<0.5	5	0.6	13	22	<1	1	33	16	123
L651041		3	24.9	2.44	276	<0.5	<5	<0.5	6	11	<1	1	20	12	101
L651043		5	19.9	1.62	113	0.5	<5	1.2	8	26	<1	1	21	11	40
L651045		3	30.0	2.76	243	<0.5	<5	<0.5	12	34	<1	1	37	13	81
L651047		3	27.8	2.61	237	<0.5	5	0.5	9	15	<1	2	26	10	75
L651049		3	28.8	2.46	188	<0.5	<5	0.6	11	35	<1	1	31	13	72
L651701		3	34.7	2.90	248	0.5	6	<0.5	14	43	<1	1	58	11	89
L651703		3	30.3	2.72	324	<0.5	<5	<0.5	3	15	<1	1	11	8	33
L651705		2	32.0	3.04	337	<0.5	<5	<0.5	7	18	<1	1	21	9	72
L651707		2	27.4	2.43	332	<0.5	<5	<0.5	6	20	<1	1	22	11	60
L651709		2	24.6	2.08	298	<0.5	<5	<0.5	9	32	<1	2	37	14	76
L651711		4	26.8	2.65	288	<0.5	7	<0.5	7	20	<1	1	29	11	80
L651713		3	27.7	2.63	262	<0.5	<5	<0.5	5	11	<1	1	17	10	48
L651715		3	30.5	2.76	315	<0.5	<5	<0.5	7	13	<1	1	23	8	65
L651717		3	37.3	3.90	229	<0.5	<5	<0.5	10	21	<1	1	27	7	71
L651719		2	31.2	2.90	271	<0.5	<5	<0.5	16	30	1	<1	58	14	76
L651725		3	30.6	2.76	244	<0.5	7	<0.5	11	40	<1	1	40	7	81
L648877		3	30.1	2.44	260	<0.5	<5	<0.5	11	32	<1	1	28	8	63
L648879		3	25.6	2.36	226	<0.5	<5	<0.5	11	29	1	1	30	10	62
L648881		3	24.7	2.30	287	<0.5	<5	<0.5	12	23	<1	1	28	9	86
L648883		3	26.4	2.43	205	<0.5	<5	<0.5	12	29	<1	1	34	10	62
L648885		3	25.7	2.30	272	<0.5	<5	<0.5	7	19	<1	1	22	8	48
L648887		3	29.9	2.66	370	<0.5	<5	<0.5	9	27	<1	1	23	9	59
L648889		3	27.8	2.47	233	<0.5	<5	<0.5	13	43	<1	1	29	12	72
L648891		3	30.4	2.65	214	<0.5	<5	<0.5	13	80	<1	3	28	15	88
L648893		3	28.7	2.70	279	<0.5	<5	<0.5	7	23	<1	2	22	10	78
L648895		3	38.1	3.26	340	<0.5	<5	<0.5	10	31	1	1	26	8	53
L648897		6	30.0	2.32	178	<0.5	<5	<0.5	12	51	<1	2	27	17	57
L648899		6	20.7	1.95	250	<0.5	<5	<0.5	8	42	<1	3	23	19	67
L648071		3	29.1	2.69	288	<0.5	<5	<0.5	9	38	<1	1	20	14	57



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 11-OCT-2011
 Account: EIAREI

CERTIFICATE VA11175102

Project: REI11-01
 P.O. No.: REI11-01_7
 This report is for 217 Soil samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L649051		0.38	991	106.5	12.4	110	4.94	4.02	2.28	1.33	22.2	5.33	7.9	0.84	61.2	0.38
L649053		0.36	1015	119.0	8.9	90	3.13	5.36	3.43	1.47	19.8	6.41	11.0	1.17	65.8	0.59
L649055		0.40	828	150.5	24.1	100	4.45	5.62	2.92	1.80	21.0	7.81	11.0	1.12	88.4	0.46
L649057		0.28	908	165.5	15.5	110	4.28	8.89	4.50	3.18	20.4	13.85	9.5	1.77	154.5	0.68
L649059		0.50	825	111.0	18.5	110	5.31	6.34	3.51	2.68	20.2	7.92	8.4	1.32	80.5	0.53
L649061		0.42	884	120.5	6.9	90	6.46	7.35	4.76	2.13	21.6	7.71	11.5	1.67	76.6	0.83
L649063		0.34	599	99.0	9.0	70	11.50	4.34	2.34	1.52	23.1	5.61	7.5	0.91	67.9	0.40
L649065		0.32	619	165.5	9.1	90	12.15	6.18	3.30	1.59	28.5	8.65	9.6	1.28	94.7	0.48
L649067		0.32	995	116.5	6.3	100	3.94	4.59	2.81	1.32	20.6	5.59	10.3	1.00	65.9	0.48
L649069		0.32	900	91.6	10.3	90	4.07	3.95	2.34	1.31	19.2	4.82	8.1	0.84	52.1	0.39
L649071		0.28	911	116.5	10.7	100	3.25	4.38	2.45	1.38	20.3	5.94	9.6	0.93	65.8	0.41
L649073		0.50	906	142.0	13.1	100	3.70	5.72	3.57	1.87	19.9	7.54	11.7	1.24	71.6	0.59
L649075		0.32	809	118.5	16.0	90	3.95	5.79	3.11	1.95	19.6	7.49	7.5	1.20	81.2	0.48
L649077		0.22	916	129.5	12.9	90	4.07	4.72	2.42	1.52	20.0	6.62	8.2	0.97	74.8	0.37
L649079		0.44	827	109.0	12.5	90	3.44	5.26	2.79	1.75	22.9	6.87	9.7	1.00	61.9	0.39
L649081		0.32	809	104.0	18.4	100	3.24	4.99	2.69	1.66	20.9	6.33	8.5	0.97	55.4	0.38
L649083		0.36	837	114.0	13.4	90	3.20	5.24	2.84	1.64	20.5	7.07	8.7	1.02	63.1	0.39
L649085		0.30	843	111.0	4.9	90	2.39	4.56	2.57	1.32	23.8	5.93	11.5	0.89	56.2	0.39
L649087		0.36	729	132.0	19.4	90	3.45	6.06	3.21	1.85	20.2	7.90	9.8	1.16	73.1	0.44
L649089		0.38	897	167.5	12.0	100	2.61	6.23	3.15	1.74	21.7	9.16	13.6	1.17	89.5	0.44
L649091		0.42	842	134.0	18.6	110	3.99	5.78	3.03	1.81	23.0	7.85	9.8	1.12	73.5	0.41
L649093		0.38	806	154.5	9.7	100	3.56	6.36	3.45	1.96	23.9	8.67	13.2	1.21	84.7	0.48
L649095		0.36	938	170.0	8.0	80	3.12	6.23	3.23	1.78	22.2	9.11	15.0	1.12	91.0	0.46
L649097		0.26	929	143.0	8.2	80	2.21	5.97	3.27	1.59	26.5	8.07	11.4	1.16	75.8	0.45
L649099		0.32	770	95.6	11.4	100	3.49	4.56	2.58	1.40	19.7	5.46	8.2	0.91	51.0	0.37
L648059		0.26	557	52.5	8.8	80	2.02	3.35	1.99	1.03	12.4	3.84	3.6	0.66	29.3	0.28
L648061		0.12	596	69.4	9.7	90	1.86	3.32	1.79	1.07	14.2	4.06	4.8	0.67	34.9	0.26
L648073		0.32	1110	120.5	4.7	70	2.73	3.36	1.94	1.42	24.4	4.38	10.5	0.68	73.5	0.30
L648075		0.34	759	105.5	9.9	90	2.83	5.64	3.46	1.64	20.9	6.10	8.5	1.19	63.1	0.50
L648077		0.28	783	109.5	12.2	110	3.94	5.01	2.99	1.73	20.2	5.87	8.8	1.02	57.4	0.44
L648079		0.20	783	149.0	18.3	90	3.59	4.89	2.56	1.85	21.9	6.27	6.8	0.91	86.1	0.34
L648081		0.18	1010	179.5	18.4	90	3.51	5.50	2.67	2.32	20.3	7.97	5.6	1.00	94.3	0.32
L648083		0.30	897	111.5	11.3	110	3.84	5.18	2.85	1.81	20.5	6.69	10.0	1.01	57.4	0.42
L648085		0.24	905	114.0	21.4	110	4.59	5.43	2.78	2.25	21.3	7.50	5.7	1.04	70.3	0.37
L648087		0.16	800	104.5	15.8	100	3.37	4.92	2.55	2.09	19.9	6.75	5.9	0.93	75.7	0.34
L648089		0.34	1190	161.0	17.9	110	2.82	5.82	3.14	2.33	20.2	7.86	9.5	1.13	85.0	0.44
L648091		0.16	806	85.4	8.7	70	2.03	3.73	2.11	1.47	15.5	4.74	10.1	0.70	44.6	0.31
L648093		0.14	863	127.5	11.3	90	1.99	6.90	3.81	2.56	17.1	8.80	8.0	1.40	87.1	0.51
L648095		0.32	1120	129.0	15.9	120	3.51	5.59	3.11	2.26	20.5	7.30	8.8	1.09	73.5	0.43
L648097		0.28	1075	148.5	10.9	100	2.64	5.09	2.78	2.09	19.0	6.63	9.0	1.00	78.4	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649051		2	21.1	42.6	11.70	125.0	7.30	2	271	1.9	0.72	17.20	0.5	0.35	3.50	111
L649053		<2	21.3	48.8	13.35	109.5	8.37	2	308	1.6	0.93	17.80	<0.5	0.54	3.92	115
L649055		2	20.9	64.2	17.50	99.0	10.65	2	246	1.5	1.03	29.1	<0.5	0.42	5.49	128
L649057		2	20.7	110.0	30.1	93.7	18.75	2	272	1.4	1.75	29.0	<0.5	0.64	21.2	115
L649059		3	17.4	58.5	15.75	104.5	10.65	2	260	1.2	1.14	18.90	<0.5	0.70	8.25	121
L649061		2	21.2	53.8	14.85	150.0	9.72	2	277	1.5	1.18	17.55	0.5	0.74	5.73	103
L649063		4	19.2	46.5	12.80	105.5	8.19	2	187.0	1.3	0.77	17.10	0.5	0.37	10.45	92
L649065		3	17.1	69.3	18.55	143.5	12.10	2	114.5	1.2	1.18	26.0	0.6	0.49	4.49	102
L649067		<2	18.8	45.8	12.85	109.5	7.88	2	293	1.3	0.79	19.55	<0.5	0.42	3.79	99
L649069		2	21.5	38.1	10.35	103.0	6.74	2	259	1.1	0.68	13.70	<0.5	0.36	3.13	111
L649071		3	20.2	47.1	12.85	93.8	8.13	2	280	1.5	0.80	17.95	<0.5	0.37	4.71	105
L649073		3	18.8	53.0	14.30	100.0	9.58	2	302	1.3	1.00	22.5	<0.5	0.54	8.43	104
L649075		2	16.6	56.8	15.50	86.9	10.10	2	250	1.1	1.02	17.25	<0.5	0.48	7.40	102
L649077		<2	19.1	53.7	14.90	109.5	9.28	2	297	1.2	0.89	21.1	<0.5	0.35	4.64	98
L649079		3	19.7	50.9	14.60	105.5	8.65	2	292	1.2	0.97	17.70	<0.5	0.40	4.67	115
L649081		2	17.4	45.6	12.90	94.5	7.65	2	276	1.1	0.91	18.45	<0.5	0.39	4.12	120
L649083		<2	17.0	50.5	14.35	105.0	8.58	2	272	1.1	0.99	21.2	<0.5	0.41	3.95	98
L649085		<2	20.3	49.4	13.95	109.5	8.33	2	325	1.3	0.81	19.05	<0.5	0.38	3.76	103
L649087		3	17.0	58.1	16.85	97.6	9.42	2	273	1.1	1.12	23.8	<0.5	0.46	5.59	107
L649089		<2	20.8	70.9	20.8	108.5	11.65	2	297	1.3	1.24	32.4	<0.5	0.45	4.52	108
L649091		2	20.7	58.8	17.15	109.0	9.85	2	279	1.3	1.06	23.3	<0.5	0.42	4.71	123
L649093		2	24.1	68.4	19.80	141.0	11.10	2	286	1.5	1.18	23.6	<0.5	0.48	4.97	109
L649095		<2	22.5	72.7	21.1	127.0	12.05	2	347	1.4	1.21	36.5	<0.5	0.45	5.04	94
L649097		<2	20.3	62.8	17.95	106.5	10.30	2	267	1.3	1.11	24.7	<0.5	0.47	3.92	107
L649099		<2	17.7	41.3	12.00	105.5	6.82	2	235	1.1	0.81	13.50	<0.5	0.37	3.33	116
L648059		<2	9.3	25.9	7.32	66.6	4.29	1	220	0.6	0.59	7.72	<0.5	0.28	5.84	88
L648061		<2	11.8	31.1	8.71	51.3	5.06	1	233	0.8	0.60	10.25	<0.5	0.27	3.21	90
L648073		<2	18.4	46.8	14.60	134.0	6.57	6	541	1.3	0.62	18.70	<0.5	0.29	3.73	74
L648075		<2	18.1	46.8	13.75	101.5	7.60	3	267	1.3	0.96	25.3	<0.5	0.52	6.46	133
L648077		<2	32.6	47.2	14.05	113.5	7.16	3	302	1.4	0.85	14.85	<0.5	0.44	4.20	146
L648079		2	20.8	58.8	17.75	104.5	8.48	2	310	1.2	0.88	13.25	<0.5	0.35	6.57	149
L648081		2	14.8	69.9	20.9	105.0	10.65	2	309	0.9	1.07	24.3	<0.5	0.37	8.43	127
L648083		<2	19.5	48.2	13.95	138.0	8.08	2	435	1.2	0.94	16.40	<0.5	0.42	3.20	139
L648085		2	15.7	56.4	16.35	102.0	9.00	2	295	1.1	1.04	17.75	<0.5	0.39	8.13	144
L648087		2	15.4	55.1	16.70	113.0	8.50	2	270	1.0	0.93	13.15	<0.5	0.34	6.46	130
L648089		<2	23.4	64.6	19.25	105.5	9.73	2	369	1.4	1.06	20.1	<0.5	0.46	3.15	141
L648091		<2	14.3	37.4	10.95	67.9	5.69	2	248	0.8	0.68	22.6	<0.5	0.29	4.14	96
L648093		<2	16.0	68.7	20.2	74.5	10.80	2	293	1.0	1.27	15.65	<0.5	0.52	7.68	107
L648095		<2	21.9	58.1	17.35	116.0	9.00	2	315	1.2	1.01	16.15	<0.5	0.44	4.20	146
L648097		<2	23.8	60.2	18.05	91.7	8.88	3	338	1.4	0.93	13.70	<0.5	0.40	2.92	125



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649051		61	25.1	2.39	274	<0.5	<5	<0.5	8	19	<1	<1	24	9	69
L649053		29	36.1	3.58	405	<0.5	<5	<0.5	5	9	<1	1	12	6	38
L649055		21	34.7	2.79	399	0.7	<5	<0.5	18	27	<1	1	25	13	70
L649057		15	60.1	4.18	356	0.5	<5	<0.5	10	39	<1	1	25	9	60
L649059		14	41.6	3.31	311	<0.5	<5	<0.5	12	31	<1	2	26	10	51
L649061		12	52.2	4.97	412	<0.5	<5	<0.5	4	10	<1	1	7	10	28
L649063		11	28.1	2.46	267	0.9	5	1.2	6	24	<1	3	15	15	66
L649065		10	37.6	3.20	354	<0.5	8	<0.5	6	25	<1	1	23	11	76
L649067		8	31.0	2.86	377	<0.5	<5	<0.5	3	7	<1	<1	8	7	37
L649069		1	25.2	2.36	289	<0.5	<5	<0.5	6	16	<1	1	19	9	55
L649071		11	27.5	2.59	353	<0.5	<5	<0.5	6	19	<1	2	20	9	44
L649073		7	39.8	3.45	439	0.5	<5	<0.5	9	24	<1	2	23	7	70
L649075		5	38.7	2.94	273	0.7	<5	<0.5	12	31	<1	1	25	10	62
L649077		1	28.2	2.34	291	<0.5	<5	0.7	9	18	<1	<1	20	8	69
L649079		2	29.4	2.66	363	0.6	<5	<0.5	8	25	<1	2	22	10	63
L649081		2	28.9	2.58	312	0.7	<5	<0.5	13	29	<1	1	26	10	80
L649083		2	28.8	2.59	311	0.5	<5	<0.5	9	19	<1	<1	18	8	47
L649085		2	29.9	2.60	460	<0.5	<5	<0.5	2	9	<1	<1	7	8	21
L649087		2	33.1	3.04	352	0.5	<5	<0.5	14	26	<1	2	15	13	47
L649089		2	33.3	2.99	521	<0.5	<5	<0.5	7	18	<1	1	21	5	57
L649091		1	32.5	2.71	347	<0.5	<5	<0.5	13	35	<1	1	27	10	80
L649093		2	36.1	3.23	494	<0.5	<5	<0.5	6	20	<1	1	13	10	39
L649095		1	32.0	2.98	571	<0.5	<5	<0.5	4	11	<1	<1	11	7	34
L649097		1	33.3	3.04	424	<0.5	<5	<0.5	5	15	<1	<1	14	7	46
L649099		1	26.8	2.42	317	0.5	<5	<0.5	7	21	<1	1	19	8	50
L648059		1	20.7	1.79	135	<0.5	<5	0.6	6	25	<1	1	23	6	50
L648061		1	19.4	1.80	183	<0.5	<5	0.5	7	15	<1	1	19	7	48
L648073		1	22.9	1.96	463	<0.5	<5	<0.5	2	5	<1	<1	4	8	27
L648075		2	34.0	3.41	311	<0.5	<5	<0.5	4	32	<1	1	12	14	42
L648077		3	30.4	2.92	325	<0.5	<5	<0.5	6	21	<1	1	14	7	66
L648079		2	29.2	2.25	274	0.5	<5	<0.5	12	37	<1	1	19	14	60
L648081		2	27.9	2.32	206	<0.5	<5	<0.5	13	31	<1	1	27	13	69
L648083		2	29.3	2.73	379	<0.5	<5	<0.5	4	13	<1	<1	13	8	43
L648085		5	29.6	2.53	213	<0.5	<5	<0.5	15	39	<1	1	28	12	72
L648087		3	29.2	2.28	230	<0.5	<5	0.7	11	40	<1	1	22	12	51
L648089		2	31.7	3.03	364	<0.5	8	<0.5	21	57	<1	<1	53	15	114
L648091		1	21.0	1.94	379	<0.5	<5	<0.5	6	18	<1	<1	14	8	38
L648093		2	45.2	3.38	296	<0.5	<5	<0.5	7	36	<1	<1	20	7	44
L648095		2	32.0	2.86	341	<0.5	<5	<0.5	10	31	<1	<1	26	9	61
L648097		2	29.2	2.65	350	<0.5	<5	<0.5	5	12	<1	<1	14	7	37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648099		0.28	1020	110.5	7.9	100	2.80	5.01	2.92	1.81	20.3	6.03	9.6	0.99	57.9	0.43
L648101		0.24	786	146.5	7.7	100	1.52	6.27	3.29	1.67	18.2	8.42	10.8	1.18	76.9	0.44
L648103		0.28	816	114.5	7.0	110	2.02	5.01	2.77	1.40	19.7	6.18	11.0	0.95	61.0	0.40
L648105		0.24	809	112.5	8.2	110	1.70	4.48	2.51	1.45	17.7	5.90	10.4	0.88	59.3	0.37
L648107		0.30	855	142.5	11.3	90	1.84	4.88	2.77	1.45	16.3	6.16	10.3	0.99	60.9	0.44
L648109		0.24	851	168.0	11.4	90	1.96	5.45	2.75	1.61	16.1	7.52	9.1	1.07	84.7	0.43
L648111		0.34	914	203	10.0	80	1.35	6.52	3.36	2.17	16.5	9.11	13.8	1.30	93.9	0.52
L648113		0.22	763	146.5	9.1	90	2.30	4.42	2.52	1.35	16.5	5.63	9.7	0.90	63.3	0.41
L648115		0.20	855	152.5	10.1	90	1.92	6.16	2.99	1.41	15.8	7.97	8.4	1.11	79.8	0.43
L648117		0.18	730	90.9	5.6	90	1.73	4.18	2.28	1.02	16.0	4.89	8.7	0.79	47.3	0.36
L648119		0.16	813	130.0	8.6	100	1.61	5.13	2.66	1.37	15.4	6.66	9.1	0.93	67.9	0.40
L648121		0.22	831	67.1	14.3	80	1.99	4.17	2.04	1.19	13.4	4.95	6.5	0.74	37.9	0.34
L648123		0.20	221	33.0	5.7	30	0.82	4.38	2.07	1.33	3.3	5.01	1.4	0.79	41.4	0.30
L648125		0.16	558	50.9	9.6	60	1.64	3.44	1.97	1.11	9.8	4.15	3.7	0.65	36.9	0.27
L648127		0.30	844	124.5	13.2	100	2.25	5.02	2.39	1.37	17.2	6.39	10.3	0.88	62.9	0.39
L648129		0.34	924	111.5	8.7	90	2.03	4.74	2.34	1.33	17.9	5.81	10.5	0.85	57.4	0.38
L648131		0.30	453	116.5	3.6	40	1.46	2.78	1.47	1.23	6.9	3.54	4.8	0.53	69.2	0.21
L648133		0.30	921	121.5	13.9	110	2.41	4.61	2.35	1.41	18.5	6.13	9.7	0.82	63.8	0.36
L648135		0.14	509	53.5	8.2	50	1.44	3.79	1.83	1.32	8.1	4.64	3.6	0.74	45.4	0.29
L648137		0.16	524	68.8	4.8	50	1.59	3.22	1.43	0.99	8.3	4.04	4.3	0.54	45.8	0.21
L648139		0.26	838	92.9	5.2	80	1.76	4.31	2.34	1.19	16.1	5.06	10.0	0.82	47.6	0.39
L648141		0.22	754	94.6	10.2	80	2.05	6.00	3.34	1.75	13.3	7.53	5.4	1.19	62.6	0.49
L648143		0.34	10.7	2.6	<0.5	<10	<0.01	0.34	0.21	0.06	0.5	0.29	1.6	0.07	1.4	0.04
L648145		0.24	959	151.5	13.3	110	2.72	5.77	2.83	1.68	17.6	6.93	10.6	1.00	66.5	0.45
L648147		0.14	399	40.8	6.3	50	1.06	2.42	1.27	0.75	6.5	3.02	2.7	0.46	26.9	0.19
L648149		0.18	791	87.2	11.5	90	2.42	4.58	2.37	1.41	16.3	5.47	5.5	0.83	51.5	0.37
L648151		0.34	840	104.0	8.0	90	2.93	4.59	2.59	1.16	17.4	5.19	8.1	0.87	54.3	0.42
L648153		0.26	822	103.0	7.7	100	2.03	4.24	2.35	1.18	17.3	5.50	9.4	0.82	53.2	0.37
L648155		0.28	804	89.5	12.6	100	4.64	4.36	2.40	1.04	19.2	4.77	7.6	0.86	46.3	0.39
L648157		0.28	791	98.7	8.4	100	2.88	4.25	2.16	1.21	16.5	5.41	8.6	0.77	51.0	0.34
L648159		0.32	917	130.5	10.5	120	3.26	4.87	2.27	1.38	17.3	6.16	9.0	0.83	66.9	0.35
L648161		0.20	759	96.1	5.0	90	1.67	4.34	2.26	1.18	18.4	5.07	9.9	0.80	50.1	0.38
L648163		0.30	823	94.2	7.5	80	2.34	4.12	2.13	1.19	17.3	5.19	8.8	0.76	47.6	0.34
L648165		0.30	850	89.0	8.8	100	2.57	3.81	2.09	1.18	19.0	4.62	9.9	0.74	46.3	0.36
L648167		0.34	865	104.0	12.3	110	2.74	4.38	2.23	1.23	17.6	5.34	9.8	0.80	54.3	0.36
L648169		0.26	855	118.5	12.7	110	2.04	4.64	2.28	1.40	15.8	5.79	8.0	0.82	60.8	0.36
L648171		0.28	965	123.0	9.4	100	1.99	4.83	2.43	1.36	18.7	5.89	10.8	0.87	63.6	0.40
L648173		0.24	870	126.0	6.9	100	1.87	5.29	2.80	1.36	17.8	6.59	10.5	0.97	65.4	0.45
L648175		0.38	969	150.5	13.0	110	3.02	6.53	3.34	1.71	19.9	7.59	11.3	1.21	78.7	0.54
L648177		0.22	867	117.0	9.8	100	1.99	4.95	2.70	1.36	17.4	6.02	9.4	0.94	62.4	0.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648099		<2	19.6	49.1	13.90	98.0	7.78	2	325	1.2	0.87	13.15	<0.5	0.43	2.78	124
L648101		<2	20.2	64.1	18.20	69.3	10.60	2	286	1.4	1.19	25.4	<0.5	0.47	7.68	113
L648103		<2	17.0	49.5	14.25	96.3	8.04	2	288	1.2	0.89	20.6	<0.5	0.41	3.32	126
L648105		<2	15.9	49.0	13.95	69.7	7.68	2	279	1.0	0.83	15.95	<0.5	0.36	3.07	111
L648107		<2	16.3	45.6	13.85	66.7	8.89	1	258	1.0	0.89	18.45	<0.5	0.42	3.42	107
L648109		<2	17.2	62.5	19.05	71.4	11.85	2	261	1.1	1.06	28.4	<0.5	0.42	4.29	102
L648111		<2	22.1	72.0	21.7	64.7	13.55	2	315	1.6	1.29	34.3	<0.5	0.48	5.58	102
L648113		<2	16.3	45.6	13.80	69.5	8.24	2	232	1.1	0.83	20.5	<0.5	0.38	3.45	114
L648115		3	15.6	60.6	16.70	80.8	10.90	2	275	1.1	1.11	23.5	<0.5	0.46	4.46	89
L648117		3	15.7	36.0	10.05	75.0	6.70	2	259	1.1	0.70	14.25	<0.5	0.36	3.16	104
L648119		2	15.4	50.8	14.15	69.5	9.15	1	271	1.0	0.91	19.40	<0.5	0.40	3.72	81
L648121		10	11.6	31.2	8.41	61.1	5.97	1	270	0.8	0.71	11.65	<0.5	0.32	16.25	62
L648123		6	2.3	32.0	8.46	16.2	6.15	<1	189.5	0.1	0.74	5.07	<0.5	0.31	10.50	5
L648125		5	8.9	28.6	7.70	47.9	5.41	1	237	0.5	0.60	7.52	<0.5	0.28	6.00	51
L648127		3	17.5	49.7	13.45	82.9	9.03	2	285	1.2	0.89	16.75	<0.5	0.37	3.41	115
L648129		2	17.0	43.4	12.05	81.8	7.83	2	310	1.0	0.79	15.60	<0.5	0.37	3.14	91
L648131		6	7.6	37.8	11.45	28.8	5.36	1	238	0.5	0.47	6.67	<0.5	0.23	4.60	5
L648133		4	17.7	47.7	13.45	94.4	8.53	2	285	1.2	0.81	17.40	<0.5	0.35	4.30	114
L648135		5	6.0	34.9	9.61	40.9	6.09	1	250	0.4	0.60	7.23	<0.5	0.30	13.75	32
L648137		5	7.3	30.6	8.65	43.7	5.22	1	257	0.5	0.61	7.88	<0.5	0.23	9.57	28
L648139		2	17.7	37.0	10.30	74.5	6.89	2	281	1.1	0.74	11.65	<0.5	0.37	3.46	76
L648141		5	12.2	48.0	13.25	61.5	9.08	1	299	0.7	1.03	17.05	<0.5	0.52	23.1	63
L648143		<2	<0.2	1.5	0.38	0.3	0.31	<1	2.5	<0.1	0.06	0.33	<0.5	0.04	0.26	<5
L648145		4	16.2	51.1	14.00	83.3	9.44	2	324	1.1	0.99	17.45	<0.5	0.43	14.20	100
L648147		8	5.9	20.3	5.35	32.4	3.88	1	226	0.3	0.44	6.18	<0.5	0.20	22.0	24
L648149		2	14.7	38.6	10.60	74.7	7.03	1	272	0.9	0.79	13.10	<0.5	0.37	5.48	88
L648151		3	16.2	41.3	11.30	96.1	7.14	2	257	1.1	0.78	13.70	<0.5	0.41	3.15	93
L648153		2	16.4	40.8	11.45	70.9	7.46	2	257	1.1	0.72	14.80	<0.5	0.35	3.23	99
L648155		8	16.2	34.9	9.72	89.4	6.44	2	263	1.0	0.71	14.25	<0.5	0.38	5.12	113
L648157		2	16.8	39.3	10.75	91.5	7.21	2	245	1.1	0.76	13.60	<0.5	0.33	3.24	92
L648159		2	22.4	52.1	14.40	82.3	9.05	2	262	1.1	0.86	17.75	<0.5	0.35	4.26	119
L648161		2	18.5	38.2	10.60	59.4	6.73	2	258	1.2	0.72	11.95	<0.5	0.36	3.16	91
L648163		3	16.2	38.7	10.50	76.0	6.94	2	304	1.0	0.72	13.15	<0.5	0.33	2.74	89
L648165		3	16.8	35.2	9.65	81.2	6.41	2	250	1.0	0.66	12.20	<0.5	0.33	2.75	116
L648167		2	17.5	42.5	11.30	76.6	7.56	2	262	1.1	0.75	14.10	<0.5	0.34	3.02	113
L648169		2	17.6	46.5	12.80	70.9	8.06	2	266	1.1	0.80	15.15	<0.5	0.35	3.03	100
L648171		2	18.8	48.5	13.50	81.6	8.47	2	306	1.2	0.81	17.25	<0.5	0.39	3.41	102
L648173		2	19.2	51.2	14.00	78.2	9.15	2	307	1.3	0.92	16.85	<0.5	0.43	3.45	98
L648175		2	22.0	58.8	16.35	97.5	10.50	2	285	1.4	1.09	19.80	<0.5	0.52	3.99	117
L648177		3	17.9	46.3	12.85	81.9	8.07	2	284	1.1	0.85	16.20	<0.5	0.41	3.48	98



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L648099		3	28.4	2.87	361	<0.5	<5	<0.5	3	6	<1	<1	9	9	28
L648101		1	33.2	3.05	396	<0.5	<5	<0.5	5	13	<1	1	13	5	32
L648103		2	29.1	2.64	428	<0.5	<5	<0.5	3	7	<1	1	9	7	26
L648105		12	25.2	2.53	388	<0.5	<5	<0.5	4	12	<1	1	14	5	37
L648107		19	30.4	2.65	389	<0.5	5	<0.5	9	17	<1	1	27	6	42
L648109		1	32.1	2.70	355	<0.5	<5	<0.5	9	23	<1	<1	27	6	53
L648111		1	37.6	3.20	521	<0.5	<5	<0.5	6	14	<1	<1	17	5	31
L648113		1	27.4	2.41	391	<0.5	6	<0.5	7	14	<1	<1	20	7	38
L648115		3	33.5	2.74	332	<0.5	<5	<0.5	6	21	<1	1	23	6	38
L648117		2	24.9	2.21	352	<0.5	<5	<0.5	2	7	1	2	8	5	21
L648119		2	29.0	2.55	355	<0.5	<5	<0.5	5	13	<1	1	15	5	44
L648121		7	25.0	2.10	261	<0.5	<5	<0.5	13	31	<1	4	22	5	50
L648123		6	30.7	1.97	55	1.1	<5	1.3	5	37	1	2	12	3	14
L648125		5	21.2	1.63	147	<0.5	<5	0.8	7	30	<1	1	17	4	35
L648127		3	26.3	2.36	406	<0.5	6	<0.5	10	25	<1	1	29	6	57
L648129		2	25.2	2.37	406	<0.5	5	<0.5	5	12	<1	1	16	5	38
L648131		6	17.3	1.48	188	0.6	<5	1.8	2	26	1	2	9	4	10
L648133		3	25.6	2.27	384	<0.5	<5	<0.5	10	28	<1	3	30	8	57
L648135		7	23.7	1.84	138	<0.5	<5	0.6	6	39	1	2	19	5	33
L648137		6	18.0	1.40	168	<0.5	<5	0.7	3	31	1	2	12	6	14
L648139		3	25.3	2.41	397	<0.5	<5	<0.5	3	9	<1	<1	7	5	16
L648141		6	38.1	3.15	215	<0.5	<5	<0.5	7	31	1	1	21	5	38
L648143		1	2.3	0.25	64	<0.5	<5	<0.5	<1	1	<1	<1	1	<2	3
L648145		3	33.2	2.83	421	<0.5	<5	<0.5	9	34	1	2	29	8	54
L648147		5	15.2	1.22	109	<0.5	<5	0.5	5	20	1	4	14	2	29
L648149		3	25.4	2.22	215	<0.5	<5	0.6	8	27	<1	1	26	7	52
L648151		3	27.9	2.58	321	<0.5	<5	<0.5	5	14	<1	1	14	7	37
L648153		3	24.5	2.27	375	<0.5	5	<0.5	5	16	1	1	17	7	36
L648155		3	26.0	2.41	293	<0.5	<5	<0.5	10	20	<1	7	20	11	62
L648157		3	23.3	2.17	338	<0.5	<5	<0.5	6	15	<1	1	18	7	41
L648159		3	25.3	2.16	351	<0.5	<5	<0.5	8	19	1	1	25	7	58
L648161		3	25.1	2.27	390	<0.5	<5	<0.5	2	5	<1	1	8	8	19
L648163		2	23.3	2.11	361	<0.5	<5	<0.5	4	10	<1	2	14	14	33
L648165		3	22.1	2.17	385	<0.5	<5	<0.5	5	11	1	2	16	8	36
L648167		3	23.7	2.28	383	<0.5	<5	<0.5	8	18	1	<1	27	7	52
L648169		2	23.7	2.23	315	<0.5	5	<0.5	10	20	<1	1	29	6	49
L648171		3	26.1	2.47	400	<0.5	<5	<0.5	5	7	1	1	15	7	39
L648173		3	30.4	2.79	414	<0.5	<5	<0.5	3	6	<1	1	10	6	30
L648175		3	36.7	3.37	439	<0.5	<5	<0.5	8	14	1	1	21	9	73
L648177		3	28.2	2.60	367	<0.5	<5	<0.5	6	17	<1	1	20	7	43



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648179		0.30	1010	111.0	14.6	110	2.51	5.37	3.09	1.52	18.6	6.42	9.5	1.05	57.7	0.48
L648181		0.28	1100	130.0	17.0	120	2.90	5.64	2.87	1.58	19.8	7.18	8.7	1.02	67.9	0.44
L648183		0.22	838	88.0	11.3	110	2.84	4.55	2.57	1.24	17.9	5.15	8.6	0.86	45.6	0.40
L648185		0.38	902	140.0	11.5	100	2.76	5.95	2.91	1.59	18.7	7.95	8.4	1.08	73.4	0.43
L648187		0.22	846	128.5	8.5	80	2.46	5.43	2.84	1.62	19.0	7.83	11.4	1.05	68.2	0.43
L648189		0.24	871	123.5	9.2	100	2.68	5.73	2.95	1.52	18.9	7.99	8.4	1.09	65.2	0.43
L648191		0.28	861	133.0	7.3	80	2.52	5.24	2.85	1.47	20.6	7.74	8.7	1.03	70.1	0.41
L648201		0.26	843	114.5	3.9	80	1.81	5.39	2.97	1.36	16.3	7.02	11.5	1.08	59.5	0.45
L648203		0.34	898	111.0	10.6	80	1.77	5.21	2.82	1.35	16.0	6.70	8.7	1.02	58.5	0.40
L648205		0.40	881	98.1	12.8	110	3.01	5.19	2.71	1.70	16.7	7.00	7.2	1.02	62.5	0.41
L648207		0.28	782	187.5	9.8	100	2.33	7.49	3.97	1.78	18.1	10.30	14.1	1.50	97.6	0.56
L648209		0.36	1020	128.0	7.5	100	3.04	5.24	2.77	1.48	21.6	7.06	9.3	1.00	68.4	0.42
L648211		0.38	914	105.0	11.3	90	2.54	4.49	2.35	1.35	17.6	5.85	7.2	0.88	56.8	0.35
L648213		0.34	889	88.9	10.5	110	2.91	4.25	2.31	1.18	18.4	5.30	6.5	0.83	46.4	0.34
L648215		0.38	1025	100.5	14.4	100	3.61	4.28	2.28	1.33	18.5	5.65	6.2	0.88	53.2	0.33
L648217		0.22	926	107.5	8.5	100	2.14	4.38	2.47	1.30	18.6	5.31	8.6	0.91	55.6	0.37
L648219		0.26	888	130.5	9.6	100	3.09	4.63	2.39	1.38	17.5	5.98	9.6	0.90	67.8	0.36
L648221		0.32	955	106.0	9.5	110	2.72	4.19	2.38	1.27	18.9	5.15	8.8	0.87	56.5	0.37
L648223		0.28	950	123.5	11.4	100	2.52	4.81	2.52	1.43	19.1	6.09	7.9	0.92	67.3	0.37
L648225		0.26	823	108.0	9.8	150	3.66	4.35	2.33	1.31	20.1	5.35	8.2	0.88	56.9	0.33
L648227		0.16	886	104.5	8.6	120	2.39	4.67	2.55	1.64	19.4	5.89	8.8	0.95	59.2	0.38
L648229		0.28	926	100.5	7.5	100	2.54	4.39	2.31	1.33	18.6	5.40	9.0	0.88	53.1	0.35
L648231		0.22	964	160.5	5.9	90	1.66	5.42	2.90	1.44	20.6	6.43	13.2	1.13	71.3	0.45
L648233		0.26	937	118.0	9.6	110	3.10	4.50	2.39	1.35	18.4	5.75	7.9	0.89	61.5	0.35
L648235		0.26	851	87.7	4.8	100	3.98	4.23	2.43	1.21	16.8	4.83	8.9	0.89	45.4	0.37
L648237		0.22	926	121.5	7.7	100	2.03	5.01	2.86	1.35	18.1	5.93	9.9	1.03	63.5	0.43
L648239		0.24	879	79.0	6.8	110	2.47	4.37	2.71	1.14	16.5	4.54	8.8	0.95	41.0	0.42
L648241		0.22	922	122.0	9.3	110	2.64	5.41	3.00	1.40	18.8	6.46	11.2	1.11	62.9	0.47
L648243		0.28	892	86.2	12.3	110	3.27	3.88	2.19	1.14	18.0	4.65	8.4	0.79	44.8	0.32
L648245		0.20	843	107.5	6.4	100	2.53	4.86	2.72	1.35	17.3	5.72	9.1	1.00	55.6	0.41
L648247		0.24	1095	155.0	13.0	130	2.78	5.97	3.09	2.11	18.1	7.77	9.3	1.17	83.1	0.44
L648249		0.24	862	96.5	7.7	100	2.54	4.43	2.41	1.36	16.8	5.57	9.0	0.90	57.8	0.36
L648251		0.30	1165	146.5	12.9	90	1.64	5.26	2.81	2.08	16.2	6.64	8.9	1.07	76.2	0.40
L648253		0.26	869	93.4	5.2	100	2.20	4.33	2.45	1.27	17.1	4.95	8.0	0.89	49.2	0.37
L648255		0.32	1065	93.9	15.8	130	3.71	4.31	2.17	1.65	19.3	5.33	5.2	0.84	55.4	0.31
L648257		0.24	755	76.5	14.4	80	2.49	3.83	2.02	1.28	22.1	4.63	10.9	0.78	45.1	0.33
L648259		0.30	959	102.0	19.6	120	4.08	4.55	2.40	1.57	19.1	5.60	5.8	0.93	61.0	0.34
L648261		0.30	1040	163.0	12.6	90	2.16	5.24	2.65	2.13	16.2	6.86	10.4	1.00	90.8	0.37
L648263		0.20	1010	115.0	30.9	140	5.54	5.22	2.41	2.15	20.7	7.30	2.0	0.98	82.1	0.29
L648265		0.26	1205	173.0	13.3	100	2.40	6.04	3.01	2.26	17.1	7.75	8.1	1.18	90.8	0.41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648179		2	18.5	45.4	12.40	93.6	8.27	2	312	1.2	0.95	16.50	<0.5	0.47	3.91	112
L648181		2	20.4	53.7	14.30	102.5	9.56	2	325	1.3	0.98	19.25	<0.5	0.44	3.72	123
L648183		3	17.3	36.1	9.93	94.5	6.49	2	275	1.2	0.78	10.75	<0.5	0.39	3.28	108
L648185		3	16.9	57.2	15.70	83.8	10.60	2	296	1.1	1.04	21.5	<0.5	0.44	6.17	106
L648187		2	18.6	55.6	14.15	102.5	9.42	2	325	1.3	1.03	31.9	<0.5	0.41	3.88	86
L648189		<2	17.0	54.1	13.85	95.3	9.08	2	241	1.2	1.08	19.90	<0.5	0.42	3.55	105
L648191		<2	18.7	57.9	14.65	107.5	9.19	2	281	1.2	1.02	20.1	<0.5	0.39	3.52	91
L648201		3	16.3	49.8	12.60	75.2	8.41	2	265	1.1	0.95	18.35	<0.5	0.43	3.61	75
L648203		2	14.8	49.6	12.40	69.5	8.71	1	280	1.0	0.93	18.70	<0.5	0.40	3.30	82
L648205		2	15.2	50.3	12.75	79.3	8.55	2	320	1.0	0.94	17.65	<0.5	0.39	11.35	86
L648207		2	19.5	79.3	20.2	74.2	13.20	2	277	1.3	1.36	35.8	<0.5	0.57	5.50	106
L648209		3	21.0	55.1	14.15	122.0	8.88	2	299	1.3	0.95	18.05	<0.5	0.40	3.38	115
L648211		<2	17.3	44.4	11.60	77.8	7.48	2	252	1.1	0.82	26.5	<0.5	0.33	3.00	98
L648213		<2	17.2	39.1	9.85	90.1	6.67	2	237	1.1	0.75	13.25	<0.5	0.33	2.68	117
L648215		<2	18.6	41.8	10.70	124.0	6.75	2	273	1.1	0.79	13.65	0.5	0.31	3.39	106
L648217		<2	18.9	41.1	12.05	93.2	7.15	2	281	1.4	0.76	16.10	<0.5	0.37	3.40	102
L648219		6	17.4	49.3	14.60	94.9	8.21	2	274	1.1	0.84	19.35	<0.5	0.35	9.84	97
L648221		2	18.2	40.1	11.90	85.9	6.83	2	291	1.2	0.72	15.15	<0.5	0.36	3.11	104
L648223		2	17.0	46.9	14.00	84.0	8.04	2	298	1.1	0.86	17.65	<0.5	0.36	3.68	94
L648225		<2	17.4	41.2	12.10	101.0	6.92	2	296	1.2	0.77	17.70	<0.5	0.33	2.92	106
L648227		2	19.5	44.6	12.90	84.4	7.76	2	301	1.2	0.86	16.10	<0.5	0.39	3.80	102
L648229		<2	18.2	39.9	11.50	79.3	7.03	2	279	1.3	0.79	15.40	<0.5	0.35	3.44	100
L648231		<2	18.6	51.3	15.30	67.4	8.69	2	296	1.3	0.97	20.1	<0.5	0.45	4.34	97
L648233		<2	17.8	45.9	13.25	91.4	7.90	2	265	1.1	0.80	20.2	<0.5	0.35	3.46	102
L648235		<2	16.5	34.7	9.93	82.9	6.11	2	261	1.1	0.72	11.25	<0.5	0.36	2.95	88
L648237		<2	17.7	47.7	13.75	79.3	7.99	2	280	1.1	0.89	18.80	<0.5	0.42	3.45	99
L648239		<2	15.3	31.6	9.00	98.5	5.69	2	267	1.0	0.72	10.80	<0.5	0.39	2.56	100
L648241		<2	19.6	48.1	13.95	100.5	8.48	2	292	1.5	0.91	19.85	<0.5	0.48	3.78	104
L648243		<2	16.8	33.9	9.76	94.3	6.05	2	260	1.1	0.69	12.65	<0.5	0.32	3.17	102
L648245		<2	18.3	42.6	12.40	101.5	7.53	2	278	1.2	0.85	15.00	<0.5	0.41	3.15	90
L648247		2	20.7	61.9	18.40	107.5	10.50	2	307	1.2	1.09	19.15	<0.5	0.45	6.36	108
L648249		2	16.2	42.7	12.45	83.2	7.38	2	281	1.1	0.81	13.65	<0.5	0.37	3.64	99
L648251		<2	18.3	55.0	16.25	76.6	9.17	2	388	1.0	0.98	16.75	<0.5	0.41	3.47	98
L648253		<2	15.7	37.0	10.70	90.1	6.37	2	281	1.0	0.73	12.00	<0.5	0.37	2.78	95
L648255		2	15.9	40.3	11.90	111.5	6.90	2	303	1.0	0.77	14.25	<0.5	0.31	5.68	115
L648257		<2	16.0	33.0	9.52	85.7	5.78	2	253	1.3	0.68	16.30	<0.5	0.30	3.61	101
L648259		2	15.4	42.1	12.60	100.5	7.12	2	234	1.0	0.82	12.85	<0.5	0.35	4.98	117
L648261		<2	18.9	61.2	18.50	78.1	9.69	2	325	1.0	0.94	17.50	<0.5	0.40	4.20	94
L648263		3	11.7	54.8	16.95	109.5	9.17	2	160.5	0.7	0.99	16.35	0.5	0.31	13.90	153
L648265		<2	22.3	63.9	19.00	88.9	10.50	2	383	1.7	1.09	19.55	<0.5	0.43	7.13	106



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L648179		3	31.9	2.99	370	<0.5	<5	<0.5	10	33	1	1	34	8	60
L648181		3	31.8	2.75	341	<0.5	<5	<0.5	12	34	1	1	38	8	83
L648183		3	27.0	2.49	339	<0.5	<5	<0.5	7	16	1	1	23	10	54
L648185		3	32.6	2.76	328	<0.5	<5	<0.5	7	36	1	1	26	11	44
L648187		2	27.1	2.89	442	<0.5	<5	<0.5	5	13	<1	1	16	6	30
L648189		3	27.9	2.81	315	<0.5	<5	<0.5	7	19	1	1	22	6	60
L648191		2	27.1	2.75	337	<0.5	<5	<0.5	4	7	1	<1	13	7	32
L648201		3	28.2	2.93	468	<0.5	<5	0.9	2	10	<1	2	6	5	20
L648203		4	26.8	2.75	333	<0.5	<5	<0.5	7	13	1	1	20	6	53
L648205		2	27.8	2.69	279	<0.5	<5	<0.5	9	40	<1	2	31	8	48
L648207		4	38.7	3.92	558	<0.5	<5	<0.5	6	11	<1	1	16	9	46
L648209		3	27.4	2.76	366	<0.5	<5	<0.5	4	9	1	2	12	7	34
L648211		3	23.6	2.40	278	<0.5	<5	<0.5	9	24	1	1	28	7	61
L648213		3	22.6	2.26	249	<0.5	<5	<0.5	7	23	1	1	31	8	88
L648215		3	22.2	2.24	237	<0.5	<5	<0.5	11	26	1	1	29	9	68
L648217		2	25.2	2.35	319	<0.5	<5	<0.5	5	13	1	1	20	7	59
L648219		2	25.1	2.22	347	<0.5	<5	<0.5	7	19	1	6	23	7	50
L648221		2	24.4	2.28	317	<0.5	<5	<0.5	7	20	1	6	23	9	50
L648223		1	26.1	2.25	284	<0.5	<5	<0.5	9	20	<1	2	26	8	50
L648225		2	23.6	2.25	290	<0.5	<5	<0.5	5	6	1	<1	13	9	30
L648227		2	26.8	2.41	322	<0.5	<5	<0.5	4	11	<1	1	15	7	32
L648229		2	24.4	2.20	323	<0.5	<5	<0.5	5	11	<1	1	17	7	46
L648231		3	30.5	2.91	470	<0.5	<5	<0.5	3	8	1	<1	10	8	80
L648233		2	24.5	2.14	279	<0.5	<5	<0.5	7	18	<1	1	23	7	49
L648235		2	25.1	2.33	321	<0.5	<5	<0.5	3	5	<1	1	7	8	18
L648237		2	29.2	2.74	363	<0.5	<5	<0.5	4	10	<1	1	15	5	30
L648239		2	26.7	2.73	323	<0.5	<5	<0.5	4	9	<1	1	14	5	39
L648241		2	31.8	2.95	412	<0.5	5	<0.5	6	12	<1	1	19	8	55
L648243		2	22.3	2.04	305	<0.5	5	<0.5	9	15	<1	1	26	7	61
L648245		2	28.4	2.61	326	<0.5	<5	<0.5	3	5	<1	1	10	6	28
L648247		2	32.6	2.82	327	<0.5	<5	<0.5	10	23	<1	2	31	5	51
L648249		2	25.7	2.22	342	<0.5	5	<0.5	4	12	<1	2	14	7	32
L648251		2	29.4	2.55	323	<0.5	<5	<0.5	9	19	<1	1	20	5	43
L648253		2	25.1	2.40	284	<0.5	<5	<0.5	3	7	<1	1	9	7	29
L648255		2	24.1	2.01	187	<0.5	<5	<0.5	13	40	<1	1	36	9	73
L648257		1	21.9	1.92	381	<0.5	<5	<0.5	13	46	<1	1	16	6	49
L648259		2	25.8	2.13	212	0.6	<5	<0.5	18	37	<1	1	33	11	85
L648261		2	28.0	2.39	389	<0.5	<5	<0.5	9	31	<1	1	29	6	48
L648263		3	27.3	1.90	62	1.0	7	0.7	28	111	<1	2	64	19	114
L648265		3	32.0	2.65	298	<0.5	<5	<0.5	9	25	<1	1	19	6	49



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648267		0.24	1035	122.5	16.2	120	3.44	4.82	2.49	1.76	17.6	5.89	7.4	0.98	68.6	0.37
L648269		0.28	1095	158.5	17.8	120	3.68	5.52	2.70	2.19	18.3	7.30	6.5	1.11	94.6	0.38
L648271		0.24	1030	126.5	14.2	100	3.53	4.30	2.28	1.61	17.7	5.43	7.8	0.87	69.5	0.34
L648273		0.22	1205	109.5	12.6	120	4.70	4.68	2.42	1.68	20.0	5.58	5.2	0.93	71.2	0.34
L648275		0.18	972	96.5	12.7	120	2.51	4.70	2.35	1.73	15.2	6.13	5.4	0.93	66.7	0.31
L648277		0.22	1045	98.2	14.6	110	3.96	5.62	2.66	2.20	16.9	7.43	4.1	1.11	79.2	0.36
L648279		0.20	915	87.7	13.6	100	3.25	4.90	2.61	1.80	17.2	6.09	4.5	1.02	60.3	0.37
L648281		0.16	417	16.2	2.1	20	0.57	0.76	0.36	0.37	2.2	1.00	0.5	0.15	9.6	0.05
L648283		0.26	737	58.5	9.6	100	1.67	3.16	1.74	1.16	9.2	4.08	2.2	0.62	36.4	0.22
L648285		0.24	837	93.0	14.3	100	2.63	5.18	2.65	1.88	13.2	6.84	3.6	1.02	69.2	0.35
L648287		0.18	1055	110.5	15.4	120	2.21	6.43	3.35	2.42	16.7	8.37	5.0	1.29	77.4	0.48
L648289		0.20	1095	182.5	10.5	100	2.12	7.61	3.91	2.37	16.4	9.24	11.7	1.50	97.0	0.50
L648291		0.16	935	120.0	6.8	90	2.41	5.41	3.03	1.60	16.0	5.82	6.9	1.11	63.6	0.42
L648293		0.24	994	163.0	10.2	110	2.18	5.01	2.57	1.85	18.2	6.58	9.8	0.99	85.0	0.37
L648295		0.38	994	99.2	8.9	110	2.73	4.51	2.57	1.53	18.1	5.06	8.7	0.94	50.8	0.40
L648297		0.18	953	112.5	7.0	100	2.46	4.85	2.58	1.54	19.9	5.55	9.7	0.96	58.4	0.40
L648299		0.16	970	113.0	14.4	100	3.47	6.68	2.97	2.68	15.5	8.31	3.8	1.21	78.3	0.38
L648601		0.34	1110	70.8	12.5	130	2.96	4.54	2.57	1.36	17.6	4.84	5.1	0.93	38.2	0.37
L648603		0.24	939	83.0	14.9	120	3.31	4.88	2.66	1.42	16.7	5.35	5.1	0.99	44.9	0.38
L648605		0.32	984	110.5	9.4	140	2.94	5.80	3.19	1.45	19.0	6.52	8.1	1.20	57.8	0.49
L648607		0.20	932	76.9	12.4	120	3.26	4.45	2.42	1.27	18.9	4.73	6.5	0.92	39.9	0.36
L648609		0.32	864	107.5	24.3	140	3.78	5.14	2.71	1.41	20.8	5.95	7.9	1.01	54.4	0.38
L648611		0.24	975	126.5	3.8	100	3.13	6.20	3.43	1.61	21.2	6.97	10.1	1.28	64.3	0.48
L648613		0.22	931	123.5	6.8	110	3.20	5.70	3.13	1.49	24.0	6.91	9.0	1.14	63.2	0.48
L648615		0.28	1015	98.2	13.5	140	3.22	5.05	2.67	1.48	19.1	5.85	6.7	1.00	49.5	0.40
L648617		0.12	840	82.0	7.1	100	3.10	4.17	2.35	1.05	16.5	4.79	6.0	0.85	40.8	0.34
L648619		0.18	850	69.2	17.4	120	4.22	4.06	2.09	1.34	21.3	4.31	5.5	0.80	36.4	0.29
L648621		0.34	954	103.0	22.8	130	4.57	5.12	2.60	1.63	22.0	6.01	6.3	1.00	51.7	0.37
L648623		0.42	940	125.0	10.4	130	3.98	5.88	2.95	1.53	21.1	7.02	6.7	1.12	64.6	0.41
L648625		0.30	985	79.9	15.1	150	2.45	5.39	2.93	1.53	15.8	5.67	6.1	1.12	40.9	0.42
L648627		0.34	1030	108.5	12.4	130	2.68	5.54	2.70	1.66	16.2	6.64	6.0	1.07	55.8	0.36
L648629		0.44	949	76.4	13.3	160	2.12	4.94	2.63	1.49	14.8	5.33	6.2	1.00	39.2	0.38
L648631		0.26	850	96.9	7.6	120	2.77	4.84	2.73	1.37	18.6	5.57	9.4	1.02	49.8	0.42
L648633		0.24	864	98.1	9.4	100	3.54	4.20	2.37	1.23	18.6	4.98	7.2	0.85	46.1	0.35
L648635		0.42	759	115.0	6.0	100	1.57	5.71	3.29	1.50	17.9	6.56	9.1	1.17	60.1	0.49
L648637		0.20	919	101.0	17.5	110	3.35	4.98	2.56	1.57	18.5	5.79	7.2	0.98	51.8	0.36
L648639		0.50	943	101.0	16.6	120	3.09	5.98	3.39	1.73	16.7	6.52	6.2	1.25	51.0	0.50
L648641		0.18	234	11.3	5.7	30	0.60	0.75	0.45	0.21	3.2	0.79	0.8	0.17	6.1	0.07
L648643		0.16	381	28.0	3.7	60	1.61	1.76	0.96	0.51	7.1	1.80	2.4	0.37	14.8	0.14
L648645		0.48	1025	111.5	17.2	130	4.06	5.12	2.70	1.74	21.6	6.01	5.9	1.01	60.7	0.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648267		2	19.2	47.9	14.25	104.5	7.85	2	286	1.0	0.84	17.95	<0.5	0.38	5.24	122
L648269		2	17.7	61.5	18.70	98.9	9.64	2	285	1.0	1.00	16.15	<0.5	0.41	5.64	130
L648271		2	17.9	46.2	14.10	108.0	7.31	2	278	1.0	0.78	14.00	<0.5	0.33	3.62	113
L648273		2	17.6	45.3	13.80	142.5	7.52	2	264	1.0	0.83	11.70	0.5	0.34	3.87	132
L648275		2	12.8	47.9	14.10	77.1	7.88	2	250	0.8	0.86	12.15	<0.5	0.33	5.35	105
L648277		2	13.1	56.7	16.95	110.0	9.63	2	249	0.8	1.06	11.25	<0.5	0.39	7.58	109
L648279		5	12.9	46.9	13.55	71.3	8.00	2	226	0.8	0.89	14.05	<0.5	0.38	10.55	100
L648281		6	2.2	8.7	2.30	12.1	1.50	1	326	0.1	0.15	1.63	<0.5	0.04	70.2	39
L648283		7	7.4	29.2	8.42	49.7	5.47	1	264	0.5	0.54	8.98	<0.5	0.24	19.20	65
L648285		4	10.9	52.2	15.30	68.9	8.78	2	215	0.6	0.96	12.55	<0.5	0.33	12.05	96
L648287		4	13.4	60.5	17.35	59.8	10.50	2	282	0.8	1.17	16.80	<0.5	0.48	33.1	113
L648289		2	19.5	76.3	20.9	84.8	12.40	2	338	1.2	1.40	28.3	<0.5	0.53	8.21	85
L648291		<2	15.0	49.0	13.35	94.2	7.77	2	289	1.0	0.94	14.50	<0.5	0.42	3.53	86
L648293		<2	18.2	64.0	17.95	93.7	9.63	2	303	1.2	0.97	23.4	<0.5	0.37	3.88	96
L648295		<2	19.1	41.0	11.15	106.0	6.90	2	292	1.2	0.80	15.05	<0.5	0.37	3.08	107
L648297		<2	18.1	45.8	12.60	99.6	7.77	2	286	1.2	0.88	17.45	<0.5	0.38	3.43	124
L648299		<2	11.1	64.9	17.50	89.0	10.60	2	226	0.7	1.26	14.75	<0.5	0.42	5.76	101
L648601		<2	14.2	32.9	8.57	78.6	6.07	2	216	1.0	0.79	9.77	<0.5	0.36	2.54	144
L648603		2	11.9	37.0	9.68	81.7	6.57	2	191.5	0.9	0.86	11.60	<0.5	0.38	3.27	122
L648605		<2	16.2	47.1	12.45	85.6	8.48	2	215	1.2	1.06	18.35	<0.5	0.48	3.68	131
L648607		<2	14.1	34.0	8.94	96.4	6.07	2	206	1.0	0.77	11.95	<0.5	0.36	3.19	122
L648609		2	15.6	45.8	12.10	95.3	7.87	2	191.5	1.1	0.92	17.80	<0.5	0.38	3.91	118
L648611		<2	16.3	53.0	14.20	93.2	9.21	2	212	1.2	1.10	20.8	0.5	0.48	4.48	96
L648613		<2	16.3	53.3	14.30	89.6	9.19	2	169.5	1.2	1.05	21.2	<0.5	0.45	4.12	117
L648615		2	15.3	42.0	11.20	106.5	7.59	2	203	1.1	0.95	16.15	<0.5	0.38	3.65	144
L648617		<2	12.4	34.4	9.20	91.7	5.92	2	168.0	0.9	0.76	13.60	<0.5	0.32	2.73	109
L648619		2	13.2	30.2	8.01	90.9	5.40	2	155.5	0.9	0.73	10.15	<0.5	0.29	4.29	125
L648621		2	15.5	44.4	11.60	118.5	7.91	2	192.0	1.2	0.95	17.00	0.5	0.38	4.78	135
L648623		<2	15.8	54.7	14.50	118.0	9.52	2	201	1.1	1.11	21.7	<0.5	0.42	4.19	130
L648625		2	12.4	35.7	9.28	77.3	6.70	2	248	0.9	0.94	12.75	<0.5	0.44	3.12	130
L648627		<2	13.8	47.5	12.50	81.4	8.54	3	223	1.0	1.02	17.35	<0.5	0.36	3.44	127
L648629		2	12.6	34.0	8.75	63.4	6.35	2	236	0.9	0.87	11.50	<0.5	0.38	2.68	137
L648631		2	14.3	42.2	11.05	78.3	7.26	2	212	1.0	0.85	15.00	<0.5	0.40	3.38	125
L648633		2	13.2	37.5	10.10	84.6	6.50	2	186.5	0.9	0.78	14.15	<0.5	0.33	3.16	111
L648635		<2	14.6	49.0	12.90	53.5	8.59	2	187.0	1.1	1.04	20.5	<0.5	0.48	3.95	127
L648637		<2	14.6	43.0	11.50	96.3	7.34	2	202	1.2	0.89	14.90	<0.5	0.35	4.00	104
L648639		2	14.0	43.4	11.30	83.5	8.08	2	233	1.1	1.08	16.20	<0.5	0.49	3.65	123
L648641		6	1.8	5.3	1.39	12.9	1.09	1	160.5	0.1	0.15	1.90	<0.5	0.06	13.35	25
L648643		<2	5.5	12.4	3.34	33.2	2.15	1	162.5	0.4	0.29	4.29	<0.5	0.15	2.63	44
L648645		<2	17.6	46.9	12.75	115.5	8.10	2	393	1.2	0.95	19.40	0.5	0.38	3.82	108



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648267		2	26.7	2.30	272	<0.5	6	<0.5	13	35	<1	1	31	9	68
L648269		2	30.8	2.49	234	<0.5	6	<0.5	16	50	<1	1	36	14	84
L648271		2	24.6	2.11	288	<0.5	5	0.5	12	26	<1	2	22	11	62
L648273		2	26.4	2.15	189	<0.5	<5	<0.5	10	35	<1	1	28	13	69
L648275		2	25.4	2.05	189	<0.5	7	<0.5	11	46	<1	2	31	9	64
L648277		2	30.0	2.34	142	0.7	7	0.6	12	52	<1	2	33	11	69
L648279		2	27.8	2.39	158	0.6	6	0.7	12	45	<1	5	38	10	64
L648281		2	3.8	0.33	20	<0.5	<5	0.5	2	10	<1	6	7	<2	14
L648283		2	18.5	1.36	76	<0.5	<5	0.6	8	24	<1	8	25	4	53
L648285		2	29.5	2.36	122	<0.5	12	<0.5	13	36	<1	4	36	8	57
L648287		2	37.6	2.91	177	<0.5	6	<0.5	12	38	<1	4	39	10	63
L648289		1	39.7	3.36	436	<0.5	<5	<0.5	8	37	<1	2	23	5	44
L648291		2	29.8	2.76	261	<0.5	<5	<0.5	4	11	<1	1	11	5	28
L648293		2	25.7	2.40	383	<0.5	<5	<0.5	6	18	<1	1	21	6	39
L648295		2	24.9	2.42	329	<0.5	<5	<0.5	5	10	<1	1	15	7	42
L648297		2	25.5	2.48	380	<0.5	<5	<0.5	3	7	<1	1	10	8	35
L648299		2	31.8	2.58	146	<0.5	<5	<0.5	12	48	<1	1	40	9	77
L648601		2	26.0	2.27	197	<0.5	8	<0.5	10	26	<1	1	32	8	80
L648603		1	27.1	2.42	190	1.3	6	1.0	13	39	<1	2	37	9	100
L648605		2	32.1	3.08	308	<0.5	5	<0.5	6	17	1	1	22	8	115
L648607		2	24.6	2.33	243	<0.5	<5	0.5	9	21	<1	1	27	9	70
L648609		1	27.2	2.46	298	<0.5	5	<0.5	19	23	1	1	36	9	102
L648611		2	33.3	3.17	372	<0.5	<5	<0.5	2	5	<1	<1	7	9	20
L648613		2	29.9	3.00	326	<0.5	<5	<0.5	4	12	1	1	18	11	45
L648615		2	26.2	2.44	249	<0.5	7	<0.5	10	26	<1	1	34	11	82
L648617		2	22.1	2.12	222	<0.5	<5	<0.5	5	13	1	1	16	9	57
L648619		2	20.5	1.85	206	<0.5	6	0.5	15	38	1	2	39	15	99
L648621		2	25.8	2.33	232	<0.5	6	0.6	19	40	<1	1	38	13	97
L648623		2	29.8	2.62	248	<0.5	6	<0.5	8	17	<1	1	27	9	78
L648625		1	29.8	2.74	228	<0.5	11	0.5	12	37	1	1	40	10	78
L648627		2	27.7	2.42	226	<0.5	7	<0.5	10	27	<1	1	34	8	72
L648629		2	26.4	2.46	234	<0.5	11	0.6	11	30	<1	1	35	9	73
L648631		2	26.1	2.58	361	<0.5	6	<0.5	5	15	<1	1	17	9	45
L648633		2	21.7	2.20	259	<0.5	<5	<0.5	7	19	<1	1	18	12	48
L648635		2	30.0	3.00	346	<0.5	5	<0.5	3	10	<1	1	12	12	46
L648637		2	25.7	2.33	268	<0.5	<5	<0.5	14	18	<1	1	18	11	48
L648639		2	34.3	3.14	241	<0.5	9	0.6	13	40	<1	1	45	14	88
L648641		1	4.9	0.40	28	<0.5	6	0.5	5	13	<1	5	10	3	15
L648643		1	9.5	0.90	89	<0.5	<5	1.1	3	12	<1	1	9	6	36
L648645		2	27.2	2.45	222	<0.5	5	<0.5	13	34	1	<1	40	15	88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648647		0.22	12.0	2.8	<0.5	<10	0.02	0.38	0.24	0.07	0.2	0.32	1.7	0.08	6.5	0.04
L648649		0.36	720	66.8	16.6	180	2.16	4.79	2.63	1.44	14.2	5.02	5.0	0.99	33.6	0.38
L648651		0.46	866	83.5	8.6	100	2.35	4.65	2.80	1.39	17.9	4.94	9.0	0.98	42.6	0.42
L648653		0.44	924	105.0	7.4	100	1.79	5.81	3.37	1.64	17.6	6.01	9.5	1.22	52.8	0.48
L648655		0.36	894	101.5	9.7	100	2.58	5.10	2.97	1.50	18.7	5.60	9.3	1.10	51.9	0.44
L648657		0.26	896	117.0	11.0	100	1.97	5.05	2.70	1.53	16.6	5.86	7.9	1.02	60.2	0.39
L648659		0.30	952	107.5	10.6	110	2.48	5.45	3.33	1.60	20.6	6.54	9.2	1.14	61.3	0.51
L648661		0.22	784	75.1	12.7	80	2.36	5.64	3.72	1.67	15.0	5.80	6.2	1.21	48.7	0.50
L648663		0.26	770	87.8	6.5	80	2.14	3.84	2.13	1.25	15.0	4.99	5.9	0.77	50.5	0.32
L648665		0.28	921	132.5	16.0	110	4.41	5.42	2.56	1.43	23.2	7.71	9.0	0.98	75.2	0.37
L648667		0.24	929	82.4	21.3	130	3.97	4.93	2.85	1.58	20.0	5.30	5.6	1.03	48.8	0.41
L648669		0.18	869	68.6	20.0	130	4.89	5.32	2.89	1.83	18.8	6.20	2.8	1.04	46.5	0.43
L648675		0.40	969	116.5	3.9	70	1.57	5.21	2.93	1.59	17.9	6.54	12.2	1.01	66.2	0.45
L648677		0.42	932	91.1	9.1	90	1.81	4.21	2.30	1.41	17.1	5.38	9.3	0.84	52.1	0.36
L648679		0.34	911	173.0	14.5	120	2.50	6.31	3.00	1.90	20.2	9.42	10.0	1.15	99.3	0.44
L648681		0.26	1045	132.5	12.3	100	2.39	6.00	3.41	1.82	19.1	7.70	11.3	1.21	75.3	0.51
L648683		0.32	983	118.5	12.0	110	2.73	4.93	2.75	1.65	19.3	6.40	9.9	0.97	68.7	0.43
L648685		0.24	1030	103.0	26.8	130	5.03	4.57	2.46	1.86	21.2	6.31	6.3	0.88	62.3	0.35
L648687		0.34	1300	242	11.6	100	6.89	6.98	3.56	4.03	21.3	10.15	15.3	1.30	124.5	0.46
L648689		0.32	895	99.8	8.8	100	2.58	4.61	2.59	1.44	18.1	5.64	9.0	0.91	57.2	0.40
L648691		0.20	1080	149.5	8.8	90	2.72	5.45	2.85	1.77	21.3	7.60	10.2	1.01	85.9	0.41
L648693		0.20	908	104.5	8.4	110	2.54	4.99	2.90	1.53	20.3	6.17	9.6	1.02	58.9	0.46
L648695		0.24	1100	140.0	5.8	90	1.95	4.98	2.80	1.73	21.3	6.10	11.9	0.98	82.8	0.44
L648697		0.38	974	133.5	7.9	110	3.00	5.45	2.93	1.65	21.0	7.10	10.4	1.05	78.4	0.45
L648701		0.22	1085	126.0	12.8	100	2.52	5.49	2.98	1.68	20.4	7.06	9.8	1.08	72.1	0.44
L648703		0.22	942	97.7	11.2	110	2.87	4.60	2.58	1.43	19.8	5.82	8.7	0.90	56.0	0.41
L648705		0.20	1065	143.5	12.4	90	3.05	6.04	3.12	1.79	23.6	8.05	10.0	1.14	82.2	0.47
L648707		0.18	1065	151.5	15.5	120	3.05	5.58	2.98	1.76	21.7	7.61	9.6	1.08	88.4	0.43
L648709		Not Recvd														
L648711		0.16	940	120.0	13.8	110	2.90	5.22	2.79	1.62	20.3	6.72	8.8	1.02	69.5	0.43
L648713		0.14	984	133.5	15.8	110	2.89	5.49	3.06	1.80	20.1	7.26	8.9	1.07	75.7	0.46
L648715		0.22	865	116.5	13.0	110	2.51	4.84	2.58	1.54	17.8	6.34	8.6	0.95	68.5	0.39
L648717		0.30	941	128.5	13.0	120	2.71	6.04	3.28	1.85	18.8	7.65	12.0	1.18	74.9	0.49
L648719		0.16	796	76.0	19.2	100	3.31	3.65	1.99	1.28	17.8	4.65	4.7	0.70	47.2	0.26
L648721		0.18	946	111.5	7.0	100	2.46	5.41	3.18	1.69	19.9	6.56	11.8	1.10	62.6	0.49
L648723		0.26	851	121.5	7.1	90	2.58	4.94	2.67	1.51	18.7	6.53	9.3	0.94	70.2	0.41
L648751		0.28	947	125.0	9.1	110	2.46	5.29	3.08	1.62	19.3	6.91	10.5	1.07	71.0	0.48
L648753		0.30	870	108.0	10.7	120	2.88	4.93	2.74	1.44	18.7	6.12	10.0	0.98	61.7	0.41
L648755		0.32	809	131.0	10.7	110	2.55	5.63	2.83	1.72	17.4	7.62	9.6	1.05	74.2	0.40
L648757		0.26	926	96.1	13.6	110	3.19	5.31	3.21	1.47	19.9	6.03	8.2	1.10	56.1	0.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648647		<2	0.2	1.8	0.44	0.3	0.41	<1	2.3	<0.1	0.06	0.44	<0.5	0.04	0.27	<5
L648649		<2	12.6	29.9	7.64	53.7	5.85	1	199.0	0.9	0.83	10.65	<0.5	0.37	2.84	127
L648651		<2	15.2	36.4	9.58	86.1	6.47	2	289	1.1	0.82	13.55	<0.5	0.39	3.33	106
L648653		<2	16.8	44.9	11.95	77.8	7.79	2	303	1.2	1.00	16.25	<0.5	0.48	3.54	97
L648655		<2	15.9	43.2	11.30	95.2	7.34	2	283	1.1	0.91	16.85	<0.5	0.42	3.50	103
L648657		<2	14.8	48.0	13.10	74.5	7.75	2	273	1.0	0.93	19.55	<0.5	0.38	3.14	94
L648659		3	21.1	45.2	12.70	95.4	8.13	2	268	1.2	0.96	16.95	<0.5	0.49	3.55	130
L648661		5	14.2	35.6	9.88	82.3	6.52	2	245	0.4	0.87	10.85	<0.5	0.53	4.32	86
L648663		5	14.5	35.9	10.30	80.7	6.34	2	236	0.4	0.69	13.15	<0.5	0.32	2.64	84
L648665		4	27.8	55.3	15.55	115.5	9.96	2	251	1.6	1.00	24.0	<0.5	0.35	4.58	147
L648667		7	17.0	34.9	9.63	112.5	6.46	2	258	0.7	0.82	11.05	<0.5	0.42	6.52	136
L648669		6	12.2	35.7	9.73	84.7	6.82	2	176.5	0.3	0.89	15.60	0.6	0.41	5.82	127
L648675		2	18.0	48.2	13.85	83.4	8.50	2	273	1.1	0.93	18.65	<0.5	0.42	3.79	77
L648677		2	16.9	37.1	10.70	81.2	6.59	2	291	1.0	0.73	13.30	<0.5	0.34	3.04	89
L648679		4	19.9	70.2	20.4	91.3	12.30	2	281	1.1	1.21	33.0	<0.5	0.43	5.16	116
L648681		2	19.2	56.2	15.75	100.5	10.05	2	304	1.1	1.06	21.8	<0.5	0.50	4.22	107
L648683		5	19.1	49.1	13.90	96.1	8.38	2	300	1.1	0.90	17.55	<0.5	0.39	4.75	116
L648685		16	19.7	46.5	13.10	109.5	8.22	2	273	0.6	0.84	14.20	0.5	0.32	15.20	149
L648687		9	39.7	98.1	28.4	140.5	15.40	6	469	1.0	1.32	23.3	<0.5	0.48	6.28	123
L648689		5	20.3	41.1	11.75	104.5	7.30	2	264	1.2	0.79	15.60	<0.5	0.38	4.42	111
L648691		2	20.9	60.7	17.40	115.5	10.35	2	304	1.3	1.01	23.6	<0.5	0.41	4.27	95
L648693		5	22.1	44.4	12.50	93.0	8.09	2	261	1.3	0.88	16.20	<0.5	0.43	3.52	119
L648695		2	23.2	52.5	15.65	89.6	8.14	3	306	1.3	0.84	18.05	<0.5	0.41	3.50	93
L648697		2	21.3	54.2	15.50	106.5	9.33	2	282	1.2	0.97	22.3	<0.5	0.43	3.98	128
L648701		2	21.0	51.3	14.65	99.7	9.06	2	292	1.2	0.97	21.1	<0.5	0.43	3.87	113
L648703		2	19.6	41.2	11.65	103.5	7.27	2	261	1.1	0.80	15.10	<0.5	0.38	3.16	130
L648705		2	23.4	60.1	17.00	112.0	10.45	2	286	1.4	1.12	26.7	<0.5	0.44	4.90	114
L648707		2	21.0	59.3	17.20	122.0	10.00	2	306	1.2	1.03	25.5	<0.5	0.42	4.01	117
L648709																
L648711		2	19.7	49.0	14.05	99.3	8.65	2	265	1.1	0.92	19.10	<0.5	0.42	3.65	118
L648713		2	20.8	54.8	15.50	107.5	9.41	2	314	1.2	0.98	19.80	<0.5	0.44	3.65	123
L648715		4	16.2	48.2	13.80	87.5	8.30	2	279	0.9	0.89	18.00	<0.5	0.37	4.02	108
L648717		3	19.9	55.7	15.90	90.4	9.90	2	304	1.2	1.09	20.4	<0.5	0.48	4.71	115
L648719		7	13.5	33.2	9.48	83.2	5.90	2	293	0.4	0.61	12.55	<0.5	0.28	4.62	106
L648721		2	22.5	46.8	13.25	98.8	8.29	2	323	1.3	0.94	15.70	<0.5	0.47	3.75	105
L648723		2	18.2	49.2	14.20	95.7	8.70	2	254	1.0	0.90	21.0	<0.5	0.39	3.89	102
L648751		2	19.0	51.5	14.75	98.4	9.09	2	272	1.1	0.95	19.35	<0.5	0.45	3.64	104
L648753		2	17.7	44.3	12.60	87.6	8.01	2	249	1.0	0.87	15.65	<0.5	0.39	3.68	115
L648755		2	17.8	55.4	15.55	74.4	9.80	2	236	1.0	1.03	21.7	<0.5	0.41	3.96	115
L648757		3	18.0	40.8	11.65	101.5	7.49	2	253	1.0	0.87	15.95	<0.5	0.46	4.01	117



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L648647		<1	2.2	0.24	63	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L648649		2	25.4	2.43	185	<0.5	7	<0.5	12	30	1	1	50	11	57
L648651		2	25.5	2.63	343	<0.5	<5	<0.5	6	13	<1	1	16	9	46
L648653		2	33.4	3.11	355	<0.5	<5	<0.5	4	10	<1	1	11	7	36
L648655		3	27.8	2.83	351	<0.5	<5	<0.5	5	12	<1	1	15	9	46
L648657		1	25.7	2.49	294	<0.5	5	<0.5	7	16	<1	1	23	7	45
L648659		3	31.1	3.20	342	<0.5	5	<0.5	6	12	<1	1	19	8	54
L648661		5	35.3	3.22	238	0.5	5	<0.5	8	29	<1	1	25	7	47
L648663		6	20.8	1.98	225	<0.5	<5	<0.5	4	11	<1	1	12	5	36
L648665		3	26.5	2.17	337	<0.5	<5	<0.5	10	33	1	2	25	13	82
L648667		6	29.4	2.70	213	0.6	7	0.8	15	47	1	2	47	12	79
L648669		6	31.2	2.71	104	2.4	7	0.7	14	79	<1	1	69	16	75
L648675		2	28.0	2.79	444	<0.5	<5	<0.5	2	3	<1	1	3	5	12
L648677		2	22.8	2.27	345	<0.5	<5	<0.5	4	6	<1	1	12	6	40
L648679		3	30.5	2.64	371	<0.5	<5	<0.5	9	16	<1	2	25	6	54
L648681		2	33.0	3.20	413	<0.5	<5	<0.5	9	28	1	<1	29	8	56
L648683		3	26.8	2.62	372	<0.5	<5	<0.5	8	13	1	3	21	8	55
L648685		6	24.0	2.18	241	<0.5	5	<0.5	20	58	1	9	62	26	98
L648687		5	35.4	3.06	594	<0.5	<5	<0.5	7	26	<1	3	14	8	73
L648689		3	25.2	2.42	337	<0.5	<5	<0.5	5	22	1	3	15	8	28
L648691		3	28.6	2.60	378	<0.5	<5	<0.5	5	13	<1	1	14	6	36
L648693		3	28.3	2.82	353	<0.5	<5	<0.5	4	8	1	3	13	9	34
L648695		3	27.3	2.68	452	<0.5	<5	<0.5	2	6	<1	<1	7	5	16
L648697		3	29.6	2.73	386	<0.5	<5	<0.5	4	8	<1	1	12	8	38
L648701		3	29.1	2.79	363	<0.5	<5	<0.5	9	19	1	<1	29	5	61
L648703		3	24.9	2.44	332	<0.5	5	<0.5	7	15	<1	1	24	8	48
L648705		5	31.7	2.87	377	<0.5	<5	<0.5	8	18	1	1	25	8	54
L648707		3	29.1	2.65	366	<0.5	<5	<0.5	11	26	1	1	29	8	67
L648709															
L648711		3	28.0	2.60	331	<0.5	<5	<0.5	10	21	1	1	28	9	62
L648713		3	29.6	2.83	338	<0.5	<5	<0.5	11	24	<1	1	30	9	58
L648715		3	25.7	2.45	316	<0.5	<5	0.5	9	20	<1	2	26	8	59
L648717		3	32.8	3.05	447	<0.5	<5	<0.5	8	21	1	1	24	7	53
L648719		6	19.7	1.83	175	<0.5	<5	<0.5	15	38	<1	2	36	12	61
L648721		3	30.3	2.98	442	<0.5	<5	<0.5	3	7	1	1	8	7	24
L648723		3	26.2	2.53	350	<0.5	<5	<0.5	3	10	<1	1	12	6	29
L648751		3	29.6	2.84	395	<0.5	<5	<0.5	5	10	<1	<1	17	7	40
L648753		3	27.0	2.57	377	<0.5	<5	<0.5	6	14	<1	1	20	9	54
L648755		2	28.2	2.51	348	<0.5	7	<0.5	7	18	1	1	25	9	66
L648757		3	32.0	2.87	307	<0.5	<5	<0.5	10	21	1	1	25	8	74



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648759		0.22	1030	147.0	12.6	100	2.20	7.87	4.56	2.05	18.8	8.89	11.4	1.58	84.6	0.63
L648761		0.22	935	52.9	24.0	140	4.59	4.30	2.43	1.66	19.9	5.44	1.7	0.89	37.2	0.41
L648763		0.28	977	128.0	18.3	120	3.32	5.24	2.76	1.67	20.4	7.09	8.9	1.01	71.4	0.42
L648765		0.30	1070	130.0	13.2	110	2.43	5.97	3.22	1.69	19.6	7.26	11.0	1.07	68.1	0.45
L648767		0.34	1055	136.5	15.9	120	3.19	5.33	2.87	1.81	21.1	6.95	9.9	1.01	72.6	0.42
L648769		0.36	1160	142.0	25.8	150	4.66	6.25	3.59	2.12	24.1	7.42	9.3	1.22	73.9	0.54
L648771		0.30	16.3	4.4	<0.5	<10	0.03	0.47	0.30	0.10	0.8	0.50	1.7	0.09	2.3	0.05
L648773		0.26	1210	130.5	27.5	170	6.98	7.31	3.68	2.75	27.5	9.58	7.1	1.35	105.5	0.49
L648775		0.30	1095	136.0	12.3	110	3.47	5.22	2.89	1.71	22.6	6.60	11.7	0.99	72.4	0.45
L648777		0.32	926	114.0	14.6	110	3.11	4.68	2.54	1.54	20.0	5.88	9.0	0.89	58.7	0.38
L648779		0.28	1080	136.0	11.5	110	3.19	5.13	2.80	1.72	19.7	6.68	9.2	0.99	71.8	0.42
L648781		0.28	994	105.0	9.3	110	3.03	4.60	2.65	1.53	19.5	5.59	9.3	0.89	54.2	0.42
L648783		0.48	935	117.0	10.5	140	2.87	4.86	2.72	1.51	19.9	5.87	10.4	0.95	61.1	0.44
L648785		0.24	1175	127.5	23.0	150	5.63	5.54	2.85	1.89	26.1	6.90	7.2	1.05	67.2	0.41
L648787		0.34	1020	125.5	12.1	110	3.36	5.07	2.91	1.58	22.2	6.09	10.4	1.01	65.6	0.44
L648789		0.30	1015	103.5	11.8	120	3.15	4.50	2.59	1.40	20.0	5.33	9.5	0.87	54.1	0.40
L648791		0.30	1010	131.5	14.0	130	4.80	5.05	2.72	1.64	23.0	6.40	10.7	0.97	68.8	0.42



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648759		3	20.3	61.8	17.45	91.7	11.05	2	349	1.2	1.32	26.0	<0.5	0.65	7.31	93
L648761		7	10.6	30.8	8.10	84.7	5.94	2	181.5	0.2	0.73	10.60	<0.5	0.35	5.26	132
L648763		3	20.2	51.8	14.75	105.5	9.54	2	275	1.3	0.96	20.5	<0.5	0.40	4.39	115
L648765		<2	20.3	55.4	15.30	97.9	9.67	2	333	1.2	0.93	21.3	<0.5	0.45	4.08	108
L648767		2	20.4	49.4	15.55	111.0	9.15	2	315	1.4	1.02	19.30	<0.5	0.42	4.77	121
L648769		4	20.6	51.7	15.70	132.5	9.81	2	297	1.4	1.17	18.35	0.5	0.54	8.23	144
L648771		<2	0.3	2.4	0.62	0.9	0.55	<1	3.9	<0.1	0.07	0.61	<0.5	0.04	0.31	<5
L648773		4	22.0	67.7	21.3	187.5	12.85	3	285	1.5	1.46	20.1	0.7	0.51	26.4	162
L648775		3	20.7	48.6	15.20	116.5	8.82	2	299	1.4	0.99	20.6	<0.5	0.42	4.86	125
L648777		2	18.9	41.3	12.70	99.1	7.64	2	266	1.3	0.91	15.35	<0.5	0.37	3.44	119
L648779		<2	19.7	49.0	15.20	118.5	8.97	2	297	1.3	1.00	17.75	<0.5	0.42	3.64	113
L648781		<2	18.6	39.0	11.85	122.0	7.13	2	294	1.3	0.84	13.80	<0.5	0.40	3.01	110
L648783		<2	18.8	41.6	12.85	103.5	7.64	2	274	1.3	0.90	16.35	<0.5	0.42	3.44	111
L648785		3	20.4	49.0	15.00	184.5	9.40	2	255	1.4	1.07	21.1	0.6	0.42	9.72	152
L648787		2	19.6	45.0	14.00	112.0	8.27	2	287	1.3	0.92	18.55	<0.5	0.45	3.57	126
L648789		2	19.0	37.5	11.55	123.5	7.00	2	291	1.3	0.84	14.20	<0.5	0.39	3.15	119
L648791		<2	21.1	47.8	14.75	176.0	8.57	2	288	1.4	0.94	20.6	<0.5	0.40	3.60	126



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 11-OCT-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11175102

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648759	1	0.5	44.5	4.06	421	<0.5	<5	<0.5	7	16	1	1	19	5	48
L648761	6	28.1	2.19	62	2.5	10	1.0	19	110	1	2	92	14	114	
L648763	2	27.4	2.62	328	0.6	<5	<0.5	13	25	1	1	32	8	77	
L648765	3	29.7	2.87	370	<0.5	<5	<0.5	10	24	1	1	27	7	51	
L648767	2	29.3	2.72	305	<0.5	<5	<0.5	10	20	<1	1	28	7	52	
L648769	2	37.7	3.54	301	<0.5	<5	<0.5	17	34	1	2	44	9	80	
L648771	1	2.7	0.33	59	<0.5	<5	<0.5	<1	1	<1	<1	1	<2	4	
L648773	2	39.3	3.33	241	<0.5	<5	0.5	16	41	1	2	54	12	104	
L648775	2	28.9	2.81	381	<0.5	<5	<0.5	7	15	1	2	23	8	50	
L648777	2	25.4	2.37	291	<0.5	<5	<0.5	10	19	<1	1	27	7	68	
L648779	2	29.0	2.64	299	<0.5	<5	<0.5	7	13	1	1	20	7	47	
L648781	2	26.9	2.59	300	<0.5	<5	<0.5	5	8	1	<1	16	7	38	
L648783	2	28.0	2.74	344	<0.5	<5	<0.5	6	12	<1	<1	17	9	45	
L648785	2	31.7	2.70	246	<0.5	<5	<0.5	16	49	1	2	45	11	99	
L648787	2	30.8	2.87	335	<0.5	<5	<0.5	7	12	<1	1	19	8	60	
L648789	3	26.1	2.51	316	<0.5	5	<0.5	7	15	<1	1	18	8	51	
L648791	2	27.9	2.66	352	<0.5	<5	<0.5	9	15	<1	1	27	8	88	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 29-JUL-2011
 Account: EIAREI

CERTIFICATE VA11123144

Project: REI11-01
 P.O. No.: REI11-01_6
 This report is for 103 Soil samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648058		0.22	896	86.8	12.1	90	3.07	4.55	2.57	1.35	17.0	5.29	6.1	0.90	46.1	0.38
L648060		0.18	836	82.9	12.6	100	2.41	4.29	2.49	1.20	15.8	4.75	6.8	0.86	44.0	0.34
L648866		0.22	854	170.5	10.3	90	2.43	6.04	2.88	1.52	17.9	8.24	12.2	1.07	85.7	0.41
L648868		0.26	726	156.5	8.5	80	2.90	7.24	4.70	1.53	17.4	7.90	8.1	1.50	80.1	0.72
L648870		0.24	10.2	2.3	<0.5	<10	0.02	0.35	0.21	0.07	0.2	0.31	1.7	0.07	1.4	0.04
L649154		0.30	901	101.0	14.7	110	2.89	5.11	2.48	1.42	16.0	6.86	5.6	0.92	52.7	0.35
L649156		0.44	969	73.0	13.2	140	2.43	4.43	2.39	1.28	15.3	5.23	5.5	0.85	38.5	0.36
L649158		0.32	918	73.4	10.7	140	2.24	4.59	2.55	1.20	13.7	5.11	6.0	0.91	38.0	0.40
L649160		0.24	997	77.7	16.3	180	2.49	4.76	2.64	1.35	14.6	5.52	5.5	0.92	39.8	0.38
L649162		0.50	980	124.0	14.3	90	3.36	4.92	2.43	1.57	19.8	6.63	6.6	0.91	66.9	0.37
L649164		0.30	787	105.5	17.0	120	4.32	3.91	1.96	1.25	20.1	5.46	5.6	0.72	55.6	0.29
L649166		0.22	832	80.5	16.8	110	4.20	4.19	2.24	1.39	18.5	5.23	5.2	0.80	43.0	0.36
L649168		0.38	775	88.4	14.6	100	4.07	3.86	2.15	1.30	18.8	4.80	6.0	0.75	47.4	0.33
L649170		0.12	9.6	2.2	<0.5	<10	0.02	0.34	0.20	0.07	0.2	0.32	1.5	0.07	1.3	0.04
L649172		0.22	815	72.9	14.8	100	3.90	3.01	1.58	0.99	18.1	3.77	4.2	0.57	40.9	0.23
L649174		0.30	872	117.5	14.2	100	4.95	4.27	2.13	1.31	22.5	5.62	6.5	0.78	63.1	0.31
L649176		0.26	1165	110.0	13.2	90	6.66	5.95	3.83	1.47	21.1	5.89	5.8	1.28	59.0	0.57
L649178		0.24	816	102.5	6.9	70	2.50	3.77	1.92	1.17	21.4	5.02	7.0	0.70	55.2	0.30
L649180		0.30	854	99.0	15.1	110	5.20	4.10	2.09	1.23	18.5	4.94	5.0	0.77	51.9	0.32
L649182		0.26	613	94.6	20.0	110	6.05	4.00	2.08	1.05	25.2	4.87	5.6	0.75	51.7	0.33
L649184		0.24	750	97.9	18.4	110	5.48	4.99	3.16	1.08	22.0	5.24	6.0	1.04	52.0	0.49
L649186		0.32	936	77.2	10.1	120	3.72	3.86	2.26	1.02	18.3	4.34	6.2	0.79	40.3	0.37
L649188		0.32	965	89.7	11.8	110	3.06	3.81	2.09	1.10	17.7	4.73	5.7	0.73	48.1	0.32
L649190		0.32	869	83.6	15.1	120	3.05	4.81	2.54	1.45	16.1	5.99	5.1	0.93	45.2	0.38
L649192		0.38	878	110.0	13.2	120	2.71	4.62	2.28	1.29	15.9	6.21	6.7	0.81	56.1	0.34
L649194		0.30	889	97.9	15.7	130	3.32	5.16	2.78	1.35	17.5	6.21	5.7	1.00	51.1	0.40
L649196		0.26	893	52.4	11.4	130	1.76	3.80	2.14	1.14	11.5	4.44	4.1	0.75	27.1	0.33
L649198		0.32	859	116.0	8.2	110	1.87	5.18	2.67	1.38	16.6	6.42	6.4	0.97	61.3	0.37
L649200		0.50	921	188.0	14.5	190	2.00	8.13	3.84	2.23	13.7	11.65	10.4	1.44	92.6	0.56
L649202		0.24	152.5	7.9	3.2	10	0.47	0.48	0.24	0.16	2.2	0.59	0.6	0.11	4.4	0.04
L649204		0.14	82.7	0.6	2.5	<10	0.09	0.05	0.03	<0.03	0.3	0.05	<0.2	0.01	<0.5	<0.01
L649206		0.52	917	102.0	5.0	70	2.19	4.00	2.09	1.18	16.1	5.27	7.2	0.76	53.6	0.33
L649834		0.24	991	116.0	8.2	80	1.69	4.49	2.33	1.61	15.9	5.85	7.9	0.84	59.1	0.34
L649836		0.20	721	79.5	12.4	90	4.85	3.67	2.03	1.29	19.8	4.54	6.1	0.71	45.5	0.30
L649838		0.24	913	95.4	14.6	90	3.14	3.96	2.09	1.48	18.0	5.08	6.1	0.76	55.4	0.32
L649840		0.10	696	71.6	10.3	80	2.65	4.97	2.36	2.17	12.9	6.92	3.9	0.92	77.9	0.32
L649842		0.24	864	101.0	11.4	90	3.14	4.51	2.32	1.67	16.3	5.98	5.7	0.84	61.9	0.34
L649844		0.10	973	111.5	14.4	80	5.48	4.02	2.05	1.31	17.1	4.97	7.5	0.76	59.7	0.31
L649846		0.26	445	121.5	19.4	110	3.83	5.06	2.46	2.02	21.9	6.80	4.8	0.91	68.0	0.33
L649848		0.14	808	119.5	13.6	170	5.14	4.74	2.65	1.78	19.5	5.88	5.3	0.91	64.1	0.41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648058		<2	15.5	35.3	9.61	113.5	6.51	2	334	0.9	0.78	13.25	<0.5	0.36	3.92	115
L648060		<2	14.4	32.5	8.88	72.4	5.92	2	268	0.9	0.72	12.10	<0.5	0.33	3.59	118
L648866		<2	17.6	64.2	17.85	93.0	11.40	2	261	1.1	1.13	28.9	<0.5	0.40	4.79	118
L648868		2	15.2	58.1	16.30	78.3	10.25	2	249	0.9	1.18	24.8	<0.5	0.68	5.14	103
L648870		2	<0.2	1.4	0.36	0.3	0.30	<1	2.1	<0.1	0.05	0.29	<0.5	0.03	0.24	<5
L649154		4	13.6	42.8	11.50	95.7	7.98	2	270	0.9	0.90	17.40	<0.5	0.35	4.48	116
L649156		4	12.9	31.5	8.45	65.7	5.90	1	251	0.9	0.73	9.62	<0.5	0.35	2.57	156
L649158		4	13.0	31.7	8.43	65.0	5.80	1	222	0.8	0.73	10.00	<0.5	0.39	2.61	144
L649160		4	13.1	34.5	9.06	67.7	6.35	1	236	0.9	0.78	10.25	<0.5	0.37	2.62	159
L649162		3	16.8	50.0	13.90	113.5	8.41	2	480	1.1	0.86	20.4	<0.5	0.35	3.69	98
L649164		4	13.2	42.2	11.65	69.7	6.98	1	260	0.9	0.70	17.85	<0.5	0.29	3.68	126
L649166		4	13.7	34.0	9.27	88.7	5.96	2	258	0.9	0.69	11.95	<0.5	0.33	4.09	141
L649168		4	14.8	36.7	9.98	103.5	6.14	2	267	1.0	0.65	11.85	<0.5	0.31	5.33	124
L649170		2	<0.2	1.3	0.34	0.3	0.30	<1	1.9	<0.1	0.05	0.27	<0.5	0.03	0.24	<5
L649172		4	12.2	30.3	8.38	106.0	4.95	1	240	0.8	0.52	14.25	<0.5	0.23	3.48	119
L649174		3	18.8	46.9	13.05	113.5	7.54	2	281	1.2	0.74	17.05	<0.5	0.31	3.23	114
L649176		5	21.3	44.6	12.30	109.5	7.29	2	468	1.3	0.87	14.15	<0.5	0.58	3.31	135
L649178		3	19.5	41.9	11.55	84.0	6.97	2	298	1.3	0.66	15.90	<0.5	0.28	3.45	102
L649180		3	14.5	38.9	10.70	125.5	6.47	1	244	0.9	0.69	13.60	<0.5	0.31	3.11	112
L649182		3	18.8	40.0	11.00	107.5	6.74	2	226	1.3	0.68	14.95	<0.5	0.31	2.91	119
L649184		3	17.8	42.0	11.30	115.5	7.02	2	265	1.2	0.76	14.65	<0.5	0.49	2.97	120
L649186		4	15.6	32.5	8.79	108.0	5.59	2	235	1.1	0.61	10.75	<0.5	0.35	2.71	136
L649188		4	15.6	36.4	10.00	88.3	6.23	2	218	1.0	0.63	13.60	<0.5	0.31	3.05	137
L649190		3	12.8	38.2	10.15	76.3	7.05	2	238	0.9	0.80	12.30	<0.5	0.36	4.14	138
L649192		3	13.9	46.1	12.50	83.0	8.16	1	226	1.0	0.79	16.50	<0.5	0.33	3.50	126
L649194		3	14.6	42.2	11.20	101.5	7.40	2	216	1.0	0.85	15.65	<0.5	0.41	3.46	129
L649196		4	9.2	24.1	6.24	49.9	4.68	1	245	0.6	0.61	6.64	<0.5	0.32	2.01	136
L649198		4	14.6	46.9	12.90	64.2	7.91	1	243	0.9	0.86	18.95	<0.5	0.38	3.47	136
L649200		4	13.3	78.4	20.9	58.5	14.10	1	261	0.9	1.52	28.5	<0.5	0.56	5.91	153
L649202		10	1.4	3.7	0.97	9.2	0.70	<1	176.5	0.1	0.07	1.18	<0.5	0.03	13.10	18
L649204		15	<0.2	0.3	0.08	1.8	0.10	<1	123.5	<0.1	<0.01	0.10	<0.5	<0.01	11.30	5
L649206		3	11.8	42.1	11.50	72.7	7.08	1	262	0.8	0.69	16.45	<0.5	0.31	3.34	86
L649834		3	15.7	46.4	12.75	80.7	7.51	2	326	1.0	0.77	17.35	<0.5	0.35	3.15	101
L649836		4	15.5	34.0	9.41	127.5	5.75	3	266	1.0	0.61	13.75	<0.5	0.29	5.97	134
L649838		4	15.6	40.5	11.40	118.0	6.76	2	284	0.9	0.68	19.50	<0.5	0.31	6.73	129
L649840		11	10.5	58.3	15.90	75.0	9.67	1	245	0.6	0.87	13.00	<0.5	0.30	14.95	86
L649842		4	14.1	47.7	13.30	98.4	7.84	2	279	0.9	0.79	17.95	<0.5	0.34	8.56	116
L649844		10	15.0	44.6	12.20	118.5	7.21	2	218	0.8	0.70	15.20	<0.5	0.30	3.51	113
L649846		4	13.8	54.2	14.60	86.4	9.23	2	251	0.9	0.89	16.20	<0.5	0.35	4.60	167
L649848		4	16.3	48.5	13.30	104.5	7.85	2	254	0.9	0.77	16.35	<0.5	0.40	5.22	130



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648058		10	26.4	2.42	222	<0.5	5	<0.5	9	25	<1	<1	27	10	56
L648060		5	24.5	2.27	276	<0.5	6	<0.5	9	17	<1	1	27	9	53
L648866		4	29.9	2.68	481	0.5	7	<0.5	7	16	<1	1	24	8	54
L648868		5	43.7	4.78	318	<0.5	<5	<0.5	6	19	<1	2	15	11	45
L648870		5	2.2	0.24	58	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L649154		2	27.3	2.36	195	<0.5	7	<0.5	11	31	<1	1	37	11	76
L649156		4	25.9	2.39	198	<0.5	10	0.6	9	42	<1	1	44	9	79
L649158		5	27.9	2.57	227	<0.5	8	0.5	7	20	<1	1	27	7	60
L649160		8	27.3	2.57	192	<0.5	11	<0.5	12	30	<1	1	37	9	70
L649162		10	26.5	2.35	239	<0.5	<5	<0.5	9	22	<1	<1	24	10	65
L649164		1	20.7	1.89	201	<0.5	6	<0.5	11	22	<1	1	36	13	70
L649166		1	24.7	2.28	188	<0.5	6	1.2	12	24	<1	1	39	15	109
L649168		3	23.1	2.17	212	<0.5	7	1.2	11	25	<1	1	31	14	84
L649170		<1	2.1	0.22	52	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L649172		<1	17.3	1.53	152	<0.5	9	0.5	11	29	<1	1	46	15	84
L649174		1	22.7	2.06	233	<0.5	<5	<0.5	10	11	<1	<1	23	12	99
L649176		1	39.1	3.87	209	0.6	5	<0.5	10	24	<1	2	29	14	92
L649178		1	21.0	1.96	241	<0.5	<5	<0.5	5	9	<1	1	13	12	41
L649180		1	22.5	2.10	176	<0.5	7	<0.5	12	23	<1	1	38	11	64
L649182		2	22.3	2.11	192	<0.5	5	<0.5	17	19	1	<1	36	15	123
L649184		<1	33.2	3.23	207	<0.5	<5	<0.5	15	16	<1	<1	40	12	107
L649186		2	23.7	2.42	224	<0.5	6	<0.5	8	13	<1	1	23	11	84
L649188		<1	21.7	2.03	205	<0.5	9	<0.5	9	14	<1	1	26	10	87
L649190		2	27.4	2.48	181	0.6	7	0.7	12	26	<1	1	34	12	87
L649192		3	24.7	2.27	241	<0.5	5	<0.5	11	23	<1	1	31	7	69
L649194		1	29.2	2.67	197	<0.5	5	<0.5	12	32	<1	1	41	9	84
L649196		1	22.3	2.08	146	<0.5	11	0.5	9	32	<1	1	33	7	66
L649198		<1	29.4	2.44	226	<0.5	7	<0.5	5	14	<1	1	20	8	47
L649200		2	42.5	3.63	389	<0.5	9	0.5	10	36	<1	1	38	7	73
L649202		6	3.1	0.34	24	<0.5	<5	1.7	2	14	<1	1	8	2	13
L649204		4	<0.5	0.04	3	<0.5	<5	0.6	1	8	<1	5	4	3	7
L649206		1	22.3	2.06	266	<0.5	<5	<0.5	3	7	<1	<1	9	5	26
L649834		2	24.3	2.26	296	<0.5	<5	<0.5	4	8	<1	<1	10	5	29
L649836		2	21.3	2.04	218	<0.5	<5	<0.5	8	38	<1	2	20	12	58
L649838		1	22.6	2.10	216	<0.5	<5	<0.5	11	24	<1	1	18	10	52
L649840		<1	29.9	2.04	143	0.5	<5	0.5	8	56	<1	1	22	10	43
L649842		<1	24.8	2.25	205	<0.5	<5	<0.5	8	39	<1	1	23	9	55
L649844		<1	23.1	1.99	288	<0.5	<5	<0.5	11	28	<1	1	23	12	127
L649846		3	28.2	2.28	180	<0.5	<5	<0.5	16	35	<1	2	29	11	139
L649848		3	28.4	2.67	194	<0.5	<5	<0.5	10	28	<1	1	35	8	86



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L649850		0.18	940	99.9	14.5	90	4.07	3.90	1.83	1.58	20.4	4.57	5.4	0.67	56.3	0.27
L650204		0.24	1055	102.5	7.1	80	2.40	4.10	2.04	1.34	22.3	4.74	9.5	0.71	57.3	0.33
L650206		0.28	760	90.1	11.0	90	3.92	3.96	1.95	1.22	22.0	4.36	7.5	0.69	49.8	0.31
L650208		0.44	1135	108.0	9.7	70	1.93	4.44	2.27	1.60	20.0	4.89	8.5	0.78	60.0	0.35
L650210		0.18	726	62.2	12.0	100	5.95	3.18	1.65	0.92	21.5	3.19	5.5	0.58	34.5	0.26
L650212		0.22	947	118.5	7.9	80	4.12	4.82	2.37	1.31	19.9	5.31	9.3	0.83	68.0	0.38
L650214		0.22	1060	105.5	6.2	70	2.74	4.93	2.51	1.44	22.3	5.29	10.0	0.87	57.4	0.40
L650216		0.24	827	85.0	6.4	70	3.85	4.28	2.26	1.25	16.6	4.52	9.6	0.76	48.3	0.35
L650218		0.18	805	67.2	4.9	70	3.94	3.56	1.85	1.07	15.8	3.56	7.7	0.63	37.5	0.30
L650220		0.22	1100	88.6	4.4	80	2.07	3.83	1.92	1.34	18.6	4.27	10.2	0.66	49.8	0.32
L650222		0.24	837	75.6	8.0	80	5.06	3.77	1.93	1.18	18.8	4.02	7.3	0.66	41.8	0.31
L650224		0.20	691	148.0	10.5	80	5.12	5.80	2.34	1.80	16.5	6.90	2.3	0.93	92.9	0.32
L650226		0.26	1020	129.0	10.4	70	2.46	4.39	1.99	1.56	18.5	5.53	7.4	0.73	72.2	0.29
L650402		0.22	139.5	8.9	3.1	10	0.40	0.44	0.24	0.14	2.1	0.48	0.4	0.09	3.8	0.03
L650404		0.18	133.5	3.9	1.0	<10	0.11	0.18	0.07	0.05	1.0	0.18	<0.2	0.02	1.4	0.01
L650406		0.34	772	86.0	8.7	150	2.21	4.67	2.22	1.25	14.7	5.24	7.6	0.78	47.4	0.34
L650408		0.34	868	159.5	9.4	90	2.95	5.71	2.30	1.57	19.6	7.60	9.7	0.89	87.1	0.34
L650410		0.50	962	143.0	14.9	80	3.16	5.80	2.52	1.82	19.1	7.17	9.3	0.95	76.3	0.37
L650412		0.24	839	70.7	10.5	110	2.29	4.56	2.34	1.21	14.4	4.51	6.4	0.83	39.3	0.35
L650414		0.36	961	69.5	8.1	110	2.53	3.98	2.10	1.10	17.9	4.00	7.2	0.72	38.3	0.35
L650416		0.18	533	59.2	12.0	60	2.69	4.52	2.09	1.41	10.5	4.73	3.0	0.77	37.2	0.30
L650418		0.20	734	74.3	12.7	90	3.75	4.35	2.12	1.17	13.7	4.49	4.9	0.76	41.5	0.32
L650420		0.22	722	75.9	13.5	90	5.02	5.97	3.13	1.86	15.7	6.53	5.9	1.06	54.1	0.48
L650422		0.22	530	98.3	20.9	90	5.66	4.07	1.77	1.41	24.2	4.65	5.5	0.65	56.0	0.24
L650424		0.32	903	97.1	14.4	90	3.22	4.10	1.94	1.28	17.5	4.67	5.0	0.70	53.1	0.29
L650426		0.30	176.0	15.9	3.0	20	0.79	0.93	0.45	0.28	3.7	0.98	0.8	0.16	9.1	0.06
L650428		0.30	841	98.9	11.4	100	4.07	3.74	1.67	1.26	21.3	4.38	7.1	0.62	56.5	0.25
L650430		0.10	10.7	2.6	<0.5	<10	0.02	0.46	0.28	0.07	0.2	0.36	1.4	0.09	1.1	0.05
L650432		0.28	845	77.2	15.7	100	4.14	3.95	1.93	1.21	18.9	4.12	6.1	0.68	41.9	0.30
L650434		0.40	868	77.3	15.5	100	5.72	3.78	1.81	1.20	19.8	3.96	5.6	0.65	45.1	0.28
L650436		0.28	865	91.5	17.4	90	4.44	4.86	2.41	1.50	19.4	5.17	4.8	0.82	48.1	0.37
L650438		0.32	930	97.5	10.7	100	3.57	4.61	2.13	1.29	22.2	5.27	7.1	0.78	53.6	0.32
L650440		0.30	876	85.2	17.3	110	3.58	4.13	2.10	1.18	19.6	4.46	6.1	0.73	46.4	0.33
L650442		0.26	794	92.9	16.4	90	4.27	4.85	2.36	1.54	20.8	5.33	5.9	0.83	57.0	0.34
L650444		0.22	801	105.0	12.7	80	3.18	4.11	1.81	1.33	20.4	4.71	6.1	0.68	58.3	0.27
L650446		0.28	3630	370	29.6	330	10.15	17.75	8.70	5.10	79.6	18.85	33.7	3.03	204	1.32
L650448		0.26	754	86.3	8.1	70	3.22	3.54	2.07	1.14	16.2	4.12	8.9	0.64	47.0	0.29
L650450		0.32	825	67.4	16.1	110	3.26	4.03	2.40	1.10	16.9	4.46	5.9	0.82	35.1	0.33
L651002		0.26	827	82.2	11.8	90	2.90	3.86	2.02	1.09	17.8	4.97	4.9	0.71	43.2	0.27
L651004		0.34	928	88.0	13.6	90	2.69	4.44	2.45	1.34	18.2	5.35	6.3	0.86	46.9	0.34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649850		4	16.6	38.7	11.60	114.5	6.15	2	291	1.0	0.67	14.20	<0.5	0.33	3.89	160
L650204		2	16.8	38.9	11.60	83.5	6.50	2	294	1.2	0.68	19.70	<0.5	0.36	3.62	115
L650206		2	17.7	35.0	10.25	83.2	5.90	2	248	1.4	0.67	15.70	<0.5	0.36	3.45	137
L650208		2	18.3	40.6	12.20	84.2	6.53	2	372	1.4	0.73	24.1	<0.5	0.41	4.12	93
L650210		2	18.5	23.6	7.07	114.5	4.06	2	178.5	1.4	0.51	11.85	<0.5	0.31	3.65	151
L650212		2	17.8	43.6	13.15	113.5	7.08	2	253	1.4	0.80	22.0	<0.5	0.44	4.44	122
L650214		2	20.1	40.6	12.10	97.7	6.79	2	307	1.6	0.79	17.20	<0.5	0.46	3.97	119
L650216		2	15.7	32.1	9.63	94.5	5.39	2	248	1.3	0.69	17.10	<0.5	0.41	3.85	91
L650218		2	13.5	25.4	7.61	102.5	4.32	2	233	1.2	0.57	10.90	<0.5	0.34	3.09	89
L650220		2	17.5	33.9	9.94	82.4	5.56	2	307	1.4	0.64	15.05	<0.5	0.36	3.51	71
L650222		5	16.9	29.3	8.66	104.5	5.01	2	233	1.3	0.61	12.55	<0.5	0.35	8.71	120
L650224		10	12.8	65.7	19.80	71.8	10.40	1	151.0	0.8	1.01	33.4	<0.5	0.41	44.2	87
L650226		2	23.3	47.3	14.25	74.7	7.38	2	310	3.1	0.77	27.0	<0.5	0.34	13.50	96
L650402		6	1.3	3.5	1.02	7.7	0.62	<1	186.5	0.1	0.06	1.44	<0.5	0.03	28.4	35
L650404		5	<0.2	1.5	0.43	2.8	0.27	<1	136.0	<0.1	0.03	0.63	<0.5	0.02	3.02	8
L650406		3	12.6	36.0	10.20	57.6	6.47	1	199.5	0.9	0.77	16.55	<0.5	0.40	3.07	171
L650408		2	15.8	64.1	18.75	81.4	10.85	2	202	1.2	1.06	28.0	<0.5	0.40	5.04	131
L650410		2	15.2	54.8	16.10	98.1	9.42	2	274	1.1	1.05	28.6	<0.5	0.44	7.23	107
L650412		3	11.9	29.7	8.43	56.4	5.26	1	216	1.0	0.71	11.30	<0.5	0.42	2.69	140
L650414		3	15.8	28.7	8.17	73.2	5.04	2	212	1.3	0.62	10.65	<0.5	0.38	2.76	166
L650416		5	7.1	29.1	8.14	41.4	5.53	1	186.0	0.5	0.73	7.15	<0.5	0.35	12.40	92
L650418		2	10.9	30.8	8.95	79.0	5.38	1	273	0.9	0.68	12.05	<0.5	0.38	5.75	128
L650420		2	11.6	41.0	11.50	94.0	7.37	1	278	0.9	0.96	13.40	<0.5	0.54	5.20	121
L650422		2	12.3	40.2	11.85	70.9	6.77	2	358	0.9	0.68	16.30	<0.5	0.31	2.79	93
L650424		2	12.6	36.4	10.95	88.6	6.22	2	272	1.0	0.68	16.45	<0.5	0.35	3.07	113
L650426		<2	2.6	7.2	2.03	17.6	1.30	<1	68.8	0.2	0.15	2.55	<0.5	0.08	1.45	26
L650428		2	15.8	38.6	11.50	97.9	6.36	2	255	1.3	0.63	24.3	<0.5	0.30	4.58	130
L650430		<2	<0.2	1.5	0.39	0.3	0.31	<1	2.1	<0.1	0.06	0.40	<0.5	0.05	0.28	<5
L650432		2	15.2	31.0	8.89	105.5	5.30	2	287	1.2	0.63	11.40	<0.5	0.35	3.44	142
L650434		3	15.5	31.6	9.32	86.5	5.44	2	315	1.2	0.61	10.65	<0.5	0.33	2.98	142
L650436		4	13.1	38.5	10.65	91.0	6.55	2	262	0.9	0.77	14.75	<0.5	0.44	7.08	125
L650438		4	16.3	40.0	11.70	101.0	7.04	2	285	1.2	0.78	16.55	<0.5	0.37	3.43	155
L650440		2	14.3	34.2	9.83	87.9	5.87	2	268	1.2	0.69	15.00	<0.5	0.38	2.86	154
L650442		3	14.7	40.2	11.85	79.9	6.95	2	318	1.2	0.79	15.35	<0.5	0.41	6.32	126
L650444		3	14.3	40.5	12.10	63.5	6.72	2	313	1.1	0.71	19.10	<0.5	0.33	4.71	124
L650446		9	67.8	149.5	43.5	342	26.0	9	1135	5.7	2.99	57.6	1.1	1.53	13.80	463
L650448		<2	15.6	37.6	9.71	88.3	5.70	2	264	1.1	0.64	9.74	<0.5	0.25	2.55	87
L650450		<2	14.4	30.5	7.61	81.0	5.24	2	259	0.9	0.69	9.72	<0.5	0.33	2.79	128
L651002		2	14.0	37.3	9.44	68.0	6.30	2	248	0.9	0.73	14.50	<0.5	0.27	2.83	115
L651004		2	15.7	38.7	9.94	87.2	6.42	2	332	1.0	0.79	14.15	<0.5	0.33	4.54	107



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649850		2	20.9	1.97	202	<0.5	<5	<0.5	9	33	<1	2	24	9	86
L650204		2	22.5	2.27	355	<0.5	<5	<0.5	3	6	<1	<1	8	8	23
L650206		2	22.1	2.13	282	<0.5	<5	<0.5	6	16	<1	1	16	9	48
L650208		1	24.7	2.54	309	<0.5	<5	<0.5	3	6	<1	<1	8	4	23
L650210		2	18.2	1.79	203	<0.5	<5	<0.5	8	26	<1	1	23	15	70
L650212		2	26.9	2.68	344	<0.5	<5	<0.5	4	12	<1	1	9	11	28
L650214		2	28.1	2.74	381	<0.5	<5	<0.5	3	11	<1	<1	8	7	19
L650216		2	23.6	2.50	338	0.6	<5	<0.5	3	10	<1	<1	8	8	26
L650218		1	19.6	2.10	275	<0.5	<5	<0.5	2	8	<1	<1	7	7	24
L650220		1	21.1	2.20	378	<0.5	<5	<0.5	1	4	<1	<1	4	5	12
L650222		2	20.5	2.15	268	<0.5	<5	<0.5	4	18	<1	3	12	11	38
L650224		3	27.7	2.36	95	1.0	<5	<0.5	8	40	<1	4	22	13	51
L650226		2	21.4	2.13	262	<0.5	<5	<0.5	5	16	<1	<1	14	7	37
L650402		<1	2.7	0.26	26	<0.5	<5	0.6	3	13	<1	2	6	2	9
L650404		<1	0.9	0.08	<2	<0.5	<5	<0.5	1	6	<1	2	3	2	16
L650406		2	25.2	2.38	289	<0.5	8	<0.5	4	13	<1	1	19	8	46
L650408		1	27.7	2.40	358	0.5	<5	<0.5	6	12	<1	1	18	8	57
L650410		1	28.5	2.67	333	<0.5	<5	<0.5	10	25	<1	1	26	8	67
L650412		1	27.0	2.55	233	<0.5	8	<0.5	7	21	<1	1	26	8	55
L650414		2	23.9	2.38	269	<0.5	6	<0.5	4	9	<1	1	16	8	50
L650416		1	27.4	2.11	118	1.6	6	1.7	9	43	<1	1	27	9	51
L650418		2	25.1	2.31	177	0.6	<5	<0.5	8	27	<1	1	23	10	47
L650420		2	41.0	3.27	224	0.6	<5	0.8	9	53	<1	1	29	9	61
L650422		2	20.8	1.82	201	0.5	6	0.7	14	18	<1	1	42	13	99
L650424		1	21.5	2.08	185	<0.5	5	<0.5	10	21	<1	1	30	9	75
L650426		<1	5.7	0.46	29	<0.5	<5	<0.5	3	7	<1	1	11	11	41
L650428		2	19.3	1.81	255	<0.5	<5	<0.5	6	11	<1	1	23	11	73
L650430		<1	3.0	0.33	53	<0.5	<5	<0.5	<1	1	<1	<1	1	<2	2
L650432		2	22.4	2.11	232	<0.5	5	0.5	9	16	<1	1	27	13	91
L650434		2	21.1	1.95	211	<0.5	<5	1.5	9	15	<1	1	28	16	379
L650436		2	28.6	2.67	189	0.8	5	1.6	12	34	<1	1	41	19	111
L650438		2	24.8	2.27	259	<0.5	<5	<0.5	6	12	<1	2	19	9	64
L650440		2	23.1	2.32	227	<0.5	5	<0.5	11	21	<1	1	33	11	75
L650442		4	28.6	2.46	211	<0.5	<5	1.0	10	23	<1	1	26	25	92
L650444		2	21.2	1.93	221	<0.5	5	0.5	8	14	<1	1	24	14	61
L650446		13	96.9	9.09	1190	0.8	<5	1.5	8	36	<1	1	28	9	58
L650448		3	19.4	1.85	279	<0.5	<5	0.5	7	12	<1	1	13	8	43
L650450		2	22.6	2.23	199	<0.5	8	<0.5	13	18	<1	1	35	10	69
L651002		2	20.8	1.82	163	<0.5	7	<0.5	9	20	<1	2	30	12	78
L651004		2	24.3	2.24	204	<0.5	6	0.5	10	21	<1	1	28	10	67



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L651006		0.26	942	84.0	13.4	100	3.07	4.43	2.58	1.34	17.4	5.40	5.9	0.86	45.4	0.35
L651008		0.30	857	76.4	12.4	100	3.08	4.34	2.42	1.25	16.1	5.11	5.6	0.85	41.6	0.33
L651010		0.30	106.5	10.1	1.2	10	0.57	0.41	0.23	0.14	1.5	0.57	0.9	0.08	5.6	0.03
L651012		0.30	821	76.2	12.9	80	3.32	4.54	2.65	1.23	17.3	5.07	5.9	0.89	42.2	0.38
L651014		0.24	816	88.0	11.3	90	2.99	4.90	2.73	1.10	18.9	5.41	8.0	0.95	47.1	0.36
L651016		0.16	553	54.0	7.8	50	2.29	2.93	1.59	0.99	10.0	3.73	3.8	0.56	36.0	0.23
L651018		0.20	214	20.7	3.5	20	1.17	0.89	0.55	0.28	5.8	1.06	6.0	0.18	11.2	0.09
L651020		0.40	876	112.0	19.9	130	6.14	5.31	2.89	1.83	22.1	6.97	6.1	1.04	61.3	0.42
L651022		0.28	872	101.0	15.6	110	3.77	4.51	2.59	1.37	18.5	5.65	6.3	0.90	54.8	0.36
L651024		0.24	813	74.1	10.2	100	2.59	3.83	2.19	1.06	18.2	4.50	5.9	0.75	39.8	0.32
L651026		0.26	729	97.7	10.6	80	2.77	4.39	2.23	1.24	14.3	5.32	7.6	0.82	52.0	0.33
L651028		0.18	276	16.6	6.3	20	1.21	1.15	0.72	0.33	4.5	1.10	1.9	0.23	9.2	0.10
L651030		0.06	9.7	2.8	<0.5	<10	0.01	0.39	0.25	0.07	0.2	0.36	2.0	0.08	1.6	0.04
L651032		0.34	759	76.3	14.2	90	3.37	3.82	2.24	1.13	19.9	4.44	7.0	0.74	41.5	0.32
L651034		0.28	781	105.5	11.2	90	3.05	3.99	2.10	1.20	19.9	5.39	7.0	0.74	58.0	0.29
L651036		0.40	899	78.8	7.1	110	3.04	4.01	2.37	1.11	19.4	4.59	7.8	0.81	42.2	0.36
L651038		0.36	865	90.1	5.7	80	1.96	4.05	2.18	1.21	17.2	4.94	7.4	0.76	47.2	0.32
L651040		0.40	803	82.0	17.2	110	4.98	4.17	2.36	1.32	20.5	5.06	6.0	0.82	45.6	0.33
L651042		0.34	701	58.2	7.2	60	1.60	2.50	1.48	0.84	13.2	2.89	5.3	0.51	30.2	0.22
L651044		0.38	620	130.0	22.2	110	5.35	4.85	2.59	1.57	22.5	6.15	6.5	0.93	65.6	0.36
L651046		0.26	763	83.2	11.2	90	2.85	3.91	2.24	1.21	15.8	4.56	5.9	0.75	47.3	0.34
L651048		0.28	552	36.8	12.1	60	2.65	2.41	1.41	0.75	10.2	2.65	2.1	0.47	23.4	0.21
L651050		0.36	782	96.7	13.1	90	2.63	4.37	2.42	1.27	17.6	4.91	6.5	0.83	55.9	0.35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L651006		<2	15.2	38.3	9.62	93.6	6.52	2	338	0.9	0.79	13.70	<0.5	0.34	3.76	110
L651008		<2	13.9	35.7	8.83	85.3	6.17	1	304	0.9	0.75	13.00	<0.5	0.33	5.67	115
L651010		4	1.3	4.9	1.16	10.8	0.79	<1	125.0	<0.1	0.08	1.36	<0.5	0.01	4.69	16
L651012		<2	14.0	35.4	9.03	82.6	6.16	2	299	0.9	0.77	13.05	<0.5	0.37	6.42	104
L651014		2	15.9	39.1	9.97	75.5	6.49	2	276	1.0	0.82	17.10	<0.5	0.36	3.61	110
L651016		<2	8.6	29.1	7.38	57.5	4.85	1	241	0.3	0.52	10.20	<0.5	0.19	12.35	47
L651018		3	4.5	9.3	2.32	21.2	1.48	<1	137.5	<0.1	0.16	3.06	<0.5	0.05	1.27	23
L651020		<2	19.5	52.8	13.15	126.5	8.84	2	498	1.2	0.99	19.00	<0.5	0.40	3.59	117
L651022		<2	15.7	44.1	11.30	91.1	7.20	2	355	1.0	0.82	23.0	<0.5	0.35	4.33	119
L651024		2	15.9	33.8	8.54	68.2	5.80	2	264	1.0	0.66	11.70	<0.5	0.31	2.61	117
L651026		<2	13.7	44.7	11.35	73.6	7.38	1	317	0.6	0.77	15.60	<0.5	0.30	7.87	83
L651028		3	4.0	8.2	2.01	23.0	1.41	<1	184.0	<0.1	0.19	2.63	<0.5	0.07	5.23	32
L651030		<2	<0.2	1.7	0.40	0.2	0.37	<1	2.0	<0.1	0.06	0.37	<0.5	0.04	0.29	<5
L651032		2	17.0	35.2	8.90	87.5	5.78	2	284	1.1	0.64	11.50	<0.5	0.31	2.96	119
L651034		2	16.2	47.3	12.20	71.4	7.49	2	302	1.0	0.75	16.75	<0.5	0.29	7.66	120
L651036		2	17.1	35.3	9.08	96.8	5.83	2	294	1.1	0.69	11.75	<0.5	0.34	2.81	136
L651038		2	16.9	40.5	10.40	75.7	6.84	2	322	1.1	0.73	13.00	<0.5	0.30	3.15	99
L651040		2	17.0	38.2	9.70	98.6	6.37	2	273	1.2	0.74	12.15	<0.5	0.32	3.77	136
L651042		<2	11.0	25.1	6.45	52.0	4.25	1	294	0.4	0.46	8.21	<0.5	0.20	4.60	71
L651044		<2	12.2	53.9	13.90	87.8	8.68	1	331	0.7	0.88	19.55	<0.5	0.35	2.59	98
L651046		2	12.3	39.8	9.93	65.7	6.50	1	290	0.5	0.70	12.45	<0.5	0.31	13.80	95
L651048		2	8.7	20.5	4.97	66.3	3.33	1	218	0.2	0.42	6.15	<0.5	0.18	5.67	58
L651050		<2	14.5	42.7	11.15	74.3	6.97	2	285	1.0	0.75	16.25	<0.5	0.34	5.14	95



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123144

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L651006		3	24.8	2.23	197	<0.5	6	0.9	11	26	<1	1	31	12	87
L651008		3	25.5	2.23	189	<0.5	<5	1.5	10	32	<1	1	30	10	96
L651010		1	2.3	0.21	2	<0.5	<5	1.3	1	10	<1	3	6	3	60
L651012		2	26.1	2.51	197	<0.5	<5	0.7	10	27	<1	1	30	11	74
L651014		3	27.7	2.36	270	<0.5	5	<0.5	7	17	<1	1	26	10	68
L651016		3	18.5	1.53	112	0.6	<5	0.8	6	26	<1	1	21	8	50
L651018		3	5.0	0.51	200	<0.5	<5	0.8	3	10	<1	3	10	5	28
L651020		3	30.0	2.65	210	<0.5	<5	<0.5	15	40	1	<1	40	28	115
L651022		2	25.9	2.38	213	<0.5	6	<0.5	12	28	<1	1	33	13	90
L651024		5	21.5	2.10	202	<0.5	<5	0.6	7	14	<1	1	24	10	63
L651026		3	24.2	2.06	245	<0.5	<5	<0.5	8	19	<1	1	21	10	54
L651028		5	7.3	0.63	40	<0.5	<5	1.0	6	29	<1	2	23	4	23
L651030		1	2.4	0.27	67	<0.5	<5	<0.5	<1	1	<1	<1	1	<2	5
L651032		3	21.8	2.13	242	<0.5	<5	0.5	10	14	<1	1	22	13	132
L651034		3	21.6	1.92	237	<0.5	<5	1.0	7	15	<1	1	21	14	92
L651036		4	23.5	2.32	268	<0.5	<5	<0.5	4	8	<1	1	13	7	61
L651038		4	21.6	2.06	258	<0.5	<5	0.6	4	11	<1	1	13	7	32
L651040		2	24.0	2.15	206	<0.5	<5	0.8	13	24	<1	1	36	14	125
L651042		8	14.6	1.45	164	<0.5	<5	<0.5	5	10	<1	1	14	5	21
L651044		2	25.2	2.46	223	<0.5	5	0.6	17	28	<1	1	55	11	117
L651046		3	24.5	2.16	188	<0.5	<5	0.8	9	28	<1	1	27	9	48
L651048		2	16.0	1.35	48	<0.5	<5	0.8	11	40	1	1	35	10	68
L651050		2	24.1	2.33	231	<0.5	<5	1.1	11	24	<1	1	30	12	82



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 29-JUL-2011
 Account: EIAREI

CERTIFICATE VA11123142

Project: REI11-01
 P.O. No.: REI11-01_4
 This report is for 262 Soil samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2011.
 The following have access to data associated with this certificate:


FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
I986001		0.42	956	102.5	15.6	90	1.79	4.87	2.49	1.65	16.0	5.67	10.0	0.93	53.6	0.41
L648244		0.20	902	102.0	10.8	150	2.53	5.10	2.80	1.35	19.1	5.85	9.6	1.04	53.4	0.42
L648671		0.58	1080	142.5	16.7	120	2.18	5.98	3.04	1.72	17.8	7.12	9.5	1.18	74.8	0.46
L648672		0.44	1075	118.0	17.7	120	2.69	5.19	2.69	1.51	18.1	6.43	7.6	1.03	62.6	0.41
L648673		0.22	448	41.5	10.9	50	1.65	4.44	2.54	1.48	8.5	5.46	3.1	0.92	32.8	0.37
L648738		0.36	1045	143.5	16.3	110	2.61	5.06	2.57	1.82	18.6	6.46	8.0	0.99	81.6	0.38
L648739		0.22	953	120.0	30.7	140	5.54	4.43	2.15	1.76	22.7	5.83	4.2	0.86	63.8	0.30
L648740		0.18	889	115.5	26.8	140	5.21	4.34	2.12	1.67	20.4	5.47	4.0	0.83	63.8	0.29
L648741		0.22	1065	140.0	13.9	100	2.29	5.20	2.55	2.14	18.1	6.89	9.7	1.01	78.0	0.42
L648742		0.10	961	121.5	10.0	100	2.34	4.86	2.55	1.68	19.0	5.58	9.0	0.97	66.2	0.40
L648743		0.28	831	134.5	12.7	70	5.76	5.45	2.63	1.71	23.5	6.87	6.6	1.03	73.5	0.33
L648794		0.26	1040	121.0	21.2	90	2.74	4.54	2.38	1.69	18.1	5.53	7.4	0.92	65.7	0.35
L648795		0.30	935	124.0	14.4	110	2.56	4.79	2.60	1.51	17.4	5.64	8.2	0.96	67.1	0.40
L648796		0.28	852	84.7	18.2	110	3.65	4.57	2.33	1.69	17.5	5.52	4.7	0.89	62.1	0.34
L648797		0.32	926	87.3	18.4	130	3.98	3.86	2.17	1.29	18.8	4.28	6.3	0.80	48.1	0.33
L648798		0.36	1220	163.0	18.5	110	2.62	5.87	3.00	2.18	19.8	6.91	8.2	1.15	89.5	0.43
L648799		0.28	986	112.5	14.2	120	2.87	4.57	2.38	1.57	18.3	5.37	8.4	0.91	63.9	0.36
L648800		0.24	931	96.9	23.2	120	4.25	4.31	2.16	1.62	19.6	5.36	4.2	0.85	62.2	0.30
L648801		0.16	682	102.5	22.1	90	3.87	4.49	1.94	1.90	15.4	5.86	2.2	0.85	78.7	0.28
L648802		0.22	1050	123.0	21.7	100	2.73	5.12	2.51	2.02	17.6	6.29	5.6	1.01	73.1	0.35
L648803		0.14	792	104.0	12.7	90	2.52	4.11	1.94	1.76	15.8	5.49	5.4	0.80	65.0	0.27
L648805		0.20	911	103.0	18.1	110	3.86	5.25	2.53	2.12	18.1	6.90	5.3	1.00	73.0	0.35
L648806		0.12	632	62.7	6.6	60	1.95	2.65	1.45	1.02	11.9	3.48	4.1	0.51	40.6	0.20
L648807		0.26	921	107.5	16.8	100	2.93	4.65	2.34	1.80	17.6	5.74	5.6	0.91	70.5	0.35
L648808		0.08	241	19.8	3.0	20	0.58	1.17	0.57	0.46	3.2	1.54	1.2	0.21	15.3	0.07
L648809		0.14	762	90.8	10.7	80	1.88	3.32	1.63	1.25	11.4	4.16	4.3	0.65	54.8	0.24
L648810		0.24	1110	118.5	15.8	110	2.53	4.88	2.51	1.84	16.9	5.68	6.9	0.96	73.0	0.36
L648811		0.24	1080	91.9	17.0	110	3.07	4.18	2.10	1.48	17.7	5.00	4.9	0.80	61.7	0.31
L648812		0.18	1095	121.0	17.9	130	3.52	4.98	2.46	1.81	18.5	5.86	6.1	0.97	77.8	0.35
L648813		0.22	1115	124.0	20.4	140	3.35	5.20	2.74	1.79	17.3	5.78	5.5	1.04	75.0	0.40
L648814		0.30	1150	131.0	18.9	150	3.62	4.71	2.64	1.69	18.9	5.91	7.4	0.90	68.3	0.42
L648815		0.28	1130	189.5	18.5	120	4.12	5.12	2.73	2.03	20.2	6.74	7.2	0.96	103.5	0.42
L648816		0.22	1005	93.3	8.9	100	2.44	3.65	2.14	1.32	17.6	4.55	8.2	0.69	49.5	0.34
L648817		0.26	867	107.0	4.2	80	1.93	4.22	2.31	1.37	18.7	5.24	9.6	0.81	55.2	0.39
L648818		0.26	1055	117.0	16.0	120	3.33	4.87	2.65	1.81	17.5	6.48	6.7	0.91	67.4	0.41
L648819		0.26	969	90.2	22.8	160	3.12	4.08	2.21	1.49	18.0	5.02	5.9	0.82	49.3	0.37
L648820		0.32	1015	120.0	8.9	100	2.59	4.56	2.49	1.51	17.6	5.47	7.1	0.88	61.6	0.37
L648821		0.24	1055	159.5	10.9	100	2.30	6.35	3.52	1.83	16.5	6.53	9.3	1.23	84.0	0.53
L648822		0.26	1070	90.7	21.6	120	3.74	4.57	2.27	1.69	17.4	5.82	4.8	0.86	51.7	0.32
L648823		0.28	1090	108.0	18.3	110	3.67	4.53	2.35	1.70	17.2	5.43	5.6	0.88	62.4	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
I986001		4	18.2	42.9	11.60	66.6	7.33	2	361	0.9	0.85	14.10	<0.5	0.35	15.40	108
L648244		<2	18.3	43.8	11.75	94.4	7.59	2	309	1.2	0.88	14.25	<0.5	0.42	3.39	149
L648671		<2	16.0	59.7	16.30	77.6	10.20	2	304	1.1	1.07	20.6	<0.5	0.46	4.34	124
L648672		2	15.4	49.7	13.40	87.3	8.65	2	311	1.0	0.94	19.30	<0.5	0.39	5.09	127
L648673		4	6.6	29.3	7.27	35.3	5.78	1	232	0.2	0.77	7.98	<0.5	0.36	26.3	41
L648738		2	18.8	58.1	16.45	90.3	8.99	2	358	1.2	0.88	21.0	<0.5	0.39	5.19	139
L648739		3	15.8	46.5	12.85	122.5	7.59	2	211	1.0	0.84	18.15	<0.5	0.31	11.30	176
L648740		3	14.7	46.0	12.90	114.0	7.50	2	205	0.9	0.81	16.55	<0.5	0.30	10.85	163
L648741		<2	20.8	62.3	17.15	94.8	9.70	3	360	1.2	0.97	15.85	<0.5	0.39	3.84	130
L648742		<2	19.1	49.9	13.80	95.6	7.97	2	341	1.2	0.85	14.65	<0.5	0.39	3.60	128
L648743		2	19.1	55.4	15.25	146.0	9.51	3	758	1.1	1.02	22.7	0.5	0.37	5.21	119
L648794		2	17.8	47.1	13.20	88.3	7.41	2	313	1.0	0.80	13.40	<0.5	0.34	3.42	131
L648795		2	18.3	48.2	13.55	91.4	7.84	2	285	1.2	0.84	14.90	<0.5	0.38	3.64	142
L648796		2	14.4	45.6	12.70	89.0	7.29	2	250	0.8	0.81	12.30	<0.5	0.34	8.56	136
L648797		2	18.2	34.8	9.66	101.5	5.59	2	261	1.2	0.67	10.60	<0.5	0.33	3.51	155
L648798		<2	22.8	66.4	18.55	91.9	10.15	3	360	1.5	1.06	17.30	<0.5	0.45	3.52	153
L648799		<2	17.0	45.7	12.95	88.8	7.27	2	298	1.1	0.81	13.15	<0.5	0.37	3.98	138
L648800		2	14.5	44.0	12.30	110.5	7.04	2	246	0.9	0.77	12.80	<0.5	0.31	7.81	158
L648801		3	8.9	53.1	15.20	84.6	8.30	1	169.5	0.3	0.84	11.75	<0.5	0.26	10.70	117
L648802		2	16.0	54.3	15.05	85.2	8.65	2	283	0.9	0.92	13.65	<0.5	0.35	5.62	140
L648803		2	14.1	46.7	13.10	62.7	7.54	2	255	0.8	0.75	15.35	<0.5	0.28	7.90	128
L648805		2	15.5	54.8	15.15	107.5	8.98	2	245	1.2	0.97	15.90	<0.5	0.35	8.99	155
L648806		2	10.2	29.1	7.99	53.1	4.67	1	224	0.4	0.50	10.65	<0.5	0.19	4.79	71
L648807		2	15.0	52.3	14.50	93.8	8.07	2	287	0.9	0.83	14.65	<0.5	0.33	7.34	138
L648808		<2	2.6	11.2	3.07	18.0	1.91	<1	97.9	<0.1	0.20	2.55	<0.5	0.06	1.62	<5
L648809		3	12.1	40.0	11.05	60.2	5.98	1	215	0.7	0.62	10.75	<0.5	0.25	3.44	89
L648810		2	18.1	54.0	14.85	83.9	8.64	2	281	1.0	0.84	11.90	<0.5	0.36	3.77	133
L648811		3	15.0	44.8	12.60	93.1	7.12	2	258	0.9	0.74	12.20	<0.5	0.31	4.01	146
L648812		3	15.7	56.1	15.75	102.5	8.58	2	242	0.9	0.86	13.20	<0.5	0.36	4.94	166
L648813		2	15.9	54.1	15.20	97.5	8.44	2	233	0.9	0.90	13.25	<0.5	0.40	4.65	162
L648814		2	18.2	48.6	14.70	109.5	8.03	2	216	1.1	0.90	17.05	0.5	0.42	3.38	151
L648815		2	22.3	69.3	21.5	126.5	10.40	3	233	1.3	1.02	17.80	0.5	0.42	3.32	141
L648816		3	16.2	36.6	10.80	95.1	6.08	2	221	1.0	0.69	10.00	<0.5	0.35	2.65	123
L648817		2	17.1	42.3	12.50	79.6	7.37	2	235	1.1	0.84	12.90	<0.5	0.38	3.32	93
L648818		3	14.6	51.6	15.50	109.0	9.10	2	209	0.9	0.98	15.10	<0.5	0.41	6.99	137
L648819		<2	17.5	36.2	10.40	102.5	6.75	2	293	1.1	0.74	13.95	0.5	0.37	3.86	177
L648820		2	17.9	47.7	13.70	84.4	7.95	2	273	1.1	0.77	15.20	<0.5	0.36	3.06	131
L648821		2	19.8	61.9	18.00	69.5	10.10	2	291	0.9	1.00	20.2	<0.5	0.52	3.58	127
L648822		3	12.3	42.5	11.95	84.4	7.64	2	217	0.6	0.82	14.65	<0.5	0.31	4.75	144
L648823		2	15.2	49.7	14.05	98.1	8.48	2	242	0.6	0.82	15.25	<0.5	0.32	5.31	138



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
I986001		5	27.1	2.31	375	<0.5	<5	<0.5	7	11	<1	3	16	4	37
L648244		2	30.0	2.64	343	<0.5	<5	<0.5	5	11	<1	1	23	7	39
L648671		2	31.1	2.93	333	<0.5	<5	<0.5	9	24	<1	1	27	7	45
L648672		1	27.2	2.50	264	<0.5	<5	<0.5	11	31	<1	1	36	10	68
L648673		1	29.2	2.18	92	1.4	<5	0.9	9	59	<1	4	30	8	37
L648738		2	28.6	2.49	302	<0.5	<5	<0.5	9	28	<1	1	26	9	52
L648739		2	24.1	1.92	152	<0.5	6	<0.5	20	67	<1	2	53	18	101
L648740		2	23.2	1.93	147	<0.5	5	<0.5	18	63	<1	2	49	18	90
L648741		2	27.7	2.49	338	<0.5	<5	<0.5	7	15	<1	1	20	5	46
L648742		2	28.1	2.54	320	<0.5	<5	<0.5	4	10	<1	1	10	7	32
L648743		1	29.8	2.26	247	<0.5	<5	<0.5	9	105	<1	2	15	13	65
L648794		2	25.3	2.22	287	<0.5	<5	<0.5	15	16	<1	1	19	10	53
L648795		2	27.6	2.55	309	<0.5	<5	<0.5	9	20	<1	1	21	8	47
L648796		2	25.9	2.14	169	0.5	<5	<0.5	13	46	<1	2	34	13	77
L648797		2	22.6	2.13	241	<0.5	<5	<0.5	12	26	<1	1	27	11	64
L648798		2	32.6	2.86	310	<0.5	<5	<0.5	9	20	<1	1	22	6	44
L648799		2	25.1	2.34	308	<0.5	<5	<0.5	8	18	<1	1	21	7	55
L648800		3	23.3	1.96	152	0.5	6	<0.5	14	49	<1	2	35	16	69
L648801		2	24.6	1.64	53	0.5	5	<0.5	16	57	<1	3	38	15	70
L648802		2	27.1	2.31	192	<0.5	<5	<0.5	14	32	<1	1	25	9	50
L648803		2	21.3	1.78	197	<0.5	<5	<0.5	7	28	<1	2	20	8	49
L648805		2	27.7	2.25	194	0.5	7	<0.5	13	50	<1	2	32	11	69
L648806		2	14.4	1.23	123	<0.5	<5	<0.5	3	22	<1	1	13	8	28
L648807		2	26.5	2.19	203	<0.5	<5	<0.5	10	37	<1	1	23	11	50
L648808		4	6.2	0.43	16	<0.5	<5	<0.5	2	12	<1	1	7	3	21
L648809		2	17.3	1.54	156	<0.5	<5	0.5	6	22	<1	3	16	6	40
L648810		1	26.5	2.36	253	<0.5	<5	<0.5	9	31	<1	1	22	9	51
L648811		2	22.7	1.95	175	<0.5	<5	0.5	10	41	<1	3	27	10	77
L648812		2	25.8	2.25	215	0.5	<5	<0.5	11	53	<1	3	33	13	82
L648813		2	29.0	2.53	202	<0.5	<5	0.7	14	44	<1	2	34	13	90
L648814		2	25.1	2.35	271	<0.5	5	<0.5	14	40	<1	1	43	13	77
L648815		2	27.1	2.33	275	<0.5	<5	<0.5	13	40	<1	1	39	11	79
L648816		2	19.9	1.92	300	<0.5	5	<0.5	6	15	<1	2	18	9	49
L648817		2	23.0	2.15	369	<0.5	<5	<0.5	1	5	<1	1	5	9	23
L648818		2	26.6	2.33	255	<0.5	<5	<0.5	12	43	<1	1	36	13	69
L648819		3	27.8	2.40	234	<0.5	6	<0.5	13	30	<1	1	34	11	66
L648820		2	25.2	2.44	253	<0.5	5	<0.5	5	12	<1	1	17	8	48
L648821		3	36.7	3.51	331	<0.5	<5	<0.5	6	17	<1	1	25	8	60
L648822		2	25.5	2.17	173	0.6	6	0.5	19	52	<1	2	62	18	90
L648823		2	25.6	2.26	194	0.6	7	<0.5	14	38	1	1	40	15	72



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
L648824		0.32	1100	108.0	16.7	110	3.70	4.86	2.47	1.90	17.6	6.23	5.1	0.92	66.6	0.35
L648825		0.24	1185	151.5	19.9	180	3.07	6.97	3.32	2.41	16.1	8.21	6.5	1.20	89.4	0.46
L648826		0.22	680	146.5	11.6	60	1.97	12.00	5.68	4.34	10.8	17.60	2.9	2.14	140.0	0.79
L648827		0.20	1075	122.5	11.1	80	1.89	4.93	2.63	1.67	16.4	6.32	7.3	0.93	64.9	0.38
L648828		0.28	1095	117.0	7.0	90	2.48	4.26	2.37	1.44	17.0	5.36	9.5	0.79	63.0	0.37
L648829		0.28	1105	124.0	12.9	100	2.14	4.47	2.29	1.61	17.1	5.58	8.5	0.82	66.1	0.35
L648830		0.10	11.1	3.1	<0.5	<10	0.01	0.37	0.22	0.07	0.3	0.34	1.5	0.07	1.8	0.04
L648831		0.20	940	105.5	11.8	100	3.28	4.59	2.58	1.37	17.4	5.19	7.5	0.90	56.5	0.39
L648832		0.24	891	72.0	6.3	80	2.04	3.66	2.09	1.10	17.0	4.09	7.7	0.70	37.4	0.33
L648833		0.26	1060	94.0	9.0	90	2.38	4.14	2.29	1.33	17.1	4.92	7.3	0.78	49.8	0.35
L649151		0.26	822	102.5	10.6	90	4.14	3.92	2.20	1.17	19.1	5.15	8.0	0.76	54.9	0.34
L649152		0.18	759	94.6	23.9	80	3.82	3.71	1.87	1.16	17.2	4.76	7.2	0.66	52.4	0.28
L649153		0.22	1050	106.5	5.8	70	2.82	4.02	2.13	1.14	24.6	5.02	9.5	0.74	57.4	0.34
L649208		0.52	984	126.5	6.7	80	2.15	4.85	2.35	1.43	17.2	6.54	8.9	0.86	67.9	0.35
L649209		0.36	1000	95.5	6.8	70	2.99	3.70	1.93	1.23	20.9	4.53	7.6	0.69	52.2	0.28
L649210		0.44	943	110.0	7.3	70	3.01	4.33	2.36	1.46	20.1	5.25	6.8	0.83	63.2	0.35
L649211		0.42	966	114.5	6.3	80	2.55	4.29	2.24	1.33	21.3	5.37	7.5	0.80	63.5	0.34
L649212		0.34	942	103.5	10.2	70	2.74	3.83	2.02	1.30	20.1	4.71	6.1	0.72	55.8	0.29
L649213		0.50	838	462	8.0	20	1.56	5.29	2.00	4.14	23.3	9.23	9.7	0.82	262	0.26
L649214		0.34	883	66.8	6.6	80	3.15	3.22	1.84	1.00	18.0	3.48	6.3	0.63	36.6	0.29
L649215		0.32	648	90.7	5.8	80	3.31	4.34	2.48	1.51	20.2	4.67	7.9	0.84	48.2	0.40
L649216		0.36	562	50.0	15.3	120	7.74	3.78	2.43	1.10	23.3	3.39	11.7	0.79	24.2	0.44
L649217		0.34	673	83.1	8.5	100	3.04	3.43	1.85	1.10	19.0	3.51	6.9	0.71	45.8	0.30
L649218		0.30	665	89.9	13.5	110	5.05	3.33	1.82	1.09	21.0	3.77	8.7	0.65	46.6	0.30
L649219		0.36	713	87.8	8.2	80	3.03	4.01	1.93	1.08	18.3	4.35	9.3	0.71	46.6	0.32
L649220		0.28	687	69.5	11.9	100	4.06	3.56	1.85	0.94	19.1	3.39	5.9	0.65	38.7	0.32
L649221		0.44	926	82.0	4.4	90	2.89	4.44	2.43	1.25	22.4	4.36	9.3	0.86	41.9	0.43
L649222		0.34	880	99.2	7.0	80	2.01	3.93	1.83	1.13	23.1	4.26	7.7	0.71	51.0	0.32
L649223		0.24	892	89.8	6.6	80	2.07	3.45	1.72	1.02	21.9	3.70	7.0	0.64	47.4	0.29
L649224		0.32	873	59.1	2.5	50	2.30	3.13	1.53	0.91	17.9	3.07	6.4	0.56	31.1	0.27
L649225		0.38	1840	121.5	2.7	20	3.54	1.52	0.78	0.80	22.6	1.54	7.8	0.27	67.5	0.17
L649226		0.36	790	90.9	3.9	100	3.19	4.38	2.37	1.10	20.8	4.16	8.9	0.84	46.6	0.41
L649227		0.30	786	94.0	3.5	60	2.12	3.21	1.89	1.11	20.3	3.26	7.8	0.65	50.2	0.30
L649228		0.18	1250	121.0	6.0	60	2.35	3.45	1.83	1.32	18.3	3.96	7.4	0.68	67.1	0.28
L649229		0.20	1415	112.0	11.4	30	4.43	3.65	1.95	1.37	19.6	4.28	6.6	0.71	59.3	0.29
L649230		0.08	11.4	2.9	<0.5	<10	0.02	0.32	0.21	0.06	0.2	0.30	1.5	0.07	1.9	0.04
L649231		0.24	486	75.4	4.1	70	1.87	2.89	1.62	0.88	16.6	3.21	5.3	0.57	40.4	0.24
L649232		0.20	691	80.8	5.8	80	1.45	3.04	1.70	0.93	18.2	3.37	6.6	0.59	45.0	0.25
L649233		0.22	863	45.5	2.1	10	0.94	2.28	1.25	0.72	16.3	2.56	6.7	0.44	23.1	0.19
L649234		0.28	828	126.5	7.2	80	1.96	4.07	2.27	1.50	15.9	4.72	8.5	0.81	71.1	0.34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648824		2	16.3	51.7	14.85	102.5	8.73	2	261	1.0	0.87	16.85	<0.5	0.34	7.60	127
L648825		3	20.3	69.8	19.90	88.8	12.35	2	260	0.7	1.23	21.4	<0.5	0.44	6.36	116
L648826		7	7.2	140.0	37.2	57.9	26.3	1	212	0.2	2.29	30.8	<0.5	0.74	52.7	81
L648827		<2	17.0	50.8	14.40	78.9	8.87	2	309	1.0	0.88	17.70	<0.5	0.39	4.06	93
L648828		<2	18.1	46.6	13.45	101.5	7.89	2	305	1.1	0.74	16.75	<0.5	0.35	3.18	104
L648829		2	17.6	49.1	14.20	76.5	8.33	2	327	1.0	0.79	18.05	<0.5	0.33	3.70	113
L648830		<2	<0.2	1.8	0.46	0.3	0.40	<1	1.9	<0.1	0.06	0.51	<0.5	0.03	0.27	<5
L648831		2	16.4	42.2	12.20	109.0	7.31	2	273	1.0	0.77	15.30	<0.5	0.37	4.07	110
L648832		<2	15.7	30.2	8.44	69.3	5.62	2	256	1.0	0.60	10.80	<0.5	0.31	2.62	108
L648833		<2	17.0	39.4	11.00	87.6	6.88	2	282	1.0	0.72	15.15	<0.5	0.33	2.97	114
L649151		4	20.1	42.4	12.25	128.0	7.39	2	252	1.2	0.71	18.45	<0.5	0.31	5.52	94
L649152		10	14.2	39.0	11.20	100.5	7.07	2	227	0.7	0.68	15.85	<0.5	0.25	13.95	97
L649153		2	20.7	42.6	12.35	94.1	7.60	2	233	1.3	0.73	22.4	<0.5	0.32	4.37	107
L649208		<2	15.1	52.9	14.95	81.7	9.46	2	264	1.0	0.88	22.8	<0.5	0.33	4.21	92
L649209		<2	20.7	37.9	11.10	79.2	6.65	2	336	1.1	0.64	18.15	<0.5	0.27	3.72	91
L649210		2	20.0	44.1	12.85	76.2	7.72	2	326	1.2	0.78	15.80	<0.5	0.35	5.37	103
L649211		<2	20.3	44.3	13.00	76.6	7.63	2	297	1.2	0.78	18.70	<0.5	0.33	4.15	107
L649212		2	19.3	40.5	11.60	74.9	7.02	2	305	1.1	0.68	21.2	<0.5	0.28	3.67	96
L649213		2	18.8	148.5	47.3	40.0	18.40	4	817	0.8	1.08	9.68	<0.5	0.26	2.36	70
L649214		<2	16.3	26.1	7.61	70.7	4.79	2	260	0.9	0.52	13.75	<0.5	0.27	2.77	124
L649215		2	25.1	37.8	10.60	71.8	6.61	3	219	1.7	0.71	12.00	<0.5	0.37	4.64	116
L649216		5	30.4	22.0	5.84	99.6	4.32	4	308	2.8	0.58	10.40	<0.5	0.39	7.51	177
L649217		<2	17.6	31.2	9.27	75.8	5.14	2	235	1.3	0.56	16.25	<0.5	0.30	3.32	118
L649218		4	19.0	35.1	9.12	90.3	5.62	3	303	1.0	0.59	14.05	<0.5	0.31	3.88	152
L649219		4	19.0	34.3	9.02	61.9	6.08	2	308	1.0	0.61	14.80	<0.5	0.29	3.62	96
L649220		4	19.2	26.7	7.10	70.1	4.41	2	251	1.0	0.54	9.74	<0.5	0.32	3.76	120
L649221		2	26.1	33.7	8.72	64.3	5.81	3	336	1.5	0.69	10.35	<0.5	0.43	3.48	124
L649222		2	20.2	39.1	10.30	64.1	6.62	3	307	1.3	0.65	16.75	<0.5	0.32	3.68	123
L649223		2	20.3	33.9	9.02	65.3	5.49	3	281	1.2	0.56	13.95	<0.5	0.30	3.06	138
L649224		<2	14.9	23.8	6.20	61.4	4.20	2	330	0.9	0.49	8.67	<0.5	0.29	2.71	66
L649225		<2	26.0	25.2	8.29	111.5	3.13	2	337	0.8	0.26	51.6	<0.5	0.14	6.67	61
L649226		<2	21.7	35.8	9.37	72.9	5.79	3	253	1.2	0.69	11.75	<0.5	0.42	3.29	115
L649227		<2	21.1	34.0	9.98	56.3	5.53	3	358	1.0	0.51	9.63	<0.5	0.27	2.59	79
L649228		<2	26.1	42.5	12.55	75.9	7.02	4	408	1.1	0.59	14.20	<0.5	0.27	3.25	75
L649229		<2	27.2	42.6	12.00	86.9	7.17	2	703	1.2	0.63	11.60	<0.5	0.28	3.13	131
L649230		<2	0.2	1.6	0.42	0.3	0.31	<1	2.4	<0.1	0.03	0.37	<0.5	0.03	0.28	<5
L649231		<2	16.4	28.8	8.28	40.0	4.88	2	171.0	0.9	0.49	9.79	<0.5	0.23	2.78	69
L649232		<2	15.1	29.7	8.63	46.9	5.10	2	218	0.8	0.50	12.00	<0.5	0.25	3.05	86
L649233		<2	15.4	17.7	4.95	55.7	3.51	3	464	0.8	0.38	4.96	<0.5	0.18	2.02	34
L649234		<2	27.3	44.4	13.10	53.9	7.22	3	322	1.2	0.72	9.89	<0.5	0.33	2.85	92



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648824		2	26.0	2.31	179	<0.5	<5	<0.5	12	36	<1	1	34	11	67
L648825		2	36.3	3.07	225	<0.5	<5	<0.5	14	38	<1	2	38	12	58
L648826		1	63.3	4.99	88	0.6	<5	<0.5	9	81	<1	5	29	9	35
L648827		2	27.6	2.55	256	<0.5	<5	<0.5	8	20	<1	1	18	9	35
L648828		2	23.9	2.42	337	<0.5	<5	<0.5	3	6	<1	1	11	7	30
L648829		2	24.2	2.24	301	0.5	<5	<0.5	8	17	<1	1	25	9	46
L648830		<1	2.2	0.25	50	<0.5	<5	<0.5	2	14	<1	<1	7	<2	6
L648831		2	26.5	2.60	264	<0.5	<5	<0.5	8	15	<1	2	18	11	47
L648832		2	20.8	2.19	271	<0.5	<5	<0.5	3	6	<1	1	10	9	30
L648833		2	22.8	2.29	253	<0.5	<5	<0.5	5	12	1	1	18	7	38
L649151		2	21.7	2.13	270	<0.5	<5	<0.5	8	18	<1	3	22	9	66
L649152		1	19.6	1.83	239	0.7	<5	<0.5	22	21	1	7	18	17	50
L649153		6	21.6	2.21	325	<0.5	<5	<0.5	3	12	<1	1	11	9	35
L649208		1	24.8	2.31	308	<0.5	<5	<0.5	4	27	<1	<1	29	9	52
L649209		2	19.9	1.96	270	<0.5	<5	<0.5	4	12	<1	<1	11	12	32
L649210		2	24.4	2.30	238	<0.5	<5	<0.5	5	11	<1	1	10	10	29
L649211		2	23.0	2.25	263	<0.5	<5	<0.5	3	13	<1	<1	9	12	30
L649212		1	20.4	1.94	208	<0.5	<5	<0.5	6	17	1	1	19	16	48
L649213		2	23.2	1.70	321	<0.5	<5	<0.5	1	2	<1	<1	2	5	10
L649214		2	18.5	1.86	223	<0.5	6	<0.5	4	10	<1	1	13	9	36
L649215		2	24.8	2.55	277	<0.5	<5	<0.5	2	12	<1	1	6	16	18
L649216		3	23.3	2.77	409	<0.5	<5	<0.5	10	24	<1	3	17	12	47
L649217		2	19.7	1.81	273	0.5	5	<0.5	5	14	<1	1	14	11	42
L649218		4	20.6	2.02	349	<0.5	<5	<0.5	8	27	<1	1	20	10	57
L649219		4	22.4	2.26	363	<0.5	<5	<0.5	4	13	<1	1	11	10	25
L649220		5	19.8	2.04	220	<0.5	<5	<0.5	6	27	<1	1	18	13	61
L649221		3	25.5	2.81	340	<0.5	<5	<0.5	1	6	<1	<1	4	12	12
L649222		2	21.0	2.06	289	<0.5	<5	<0.5	3	9	<1	1	10	11	30
L649223		2	18.9	1.99	266	<0.5	<5	<0.5	3	9	<1	1	9	10	30
L649224		2	17.2	1.81	243	<0.5	<5	<0.5	1	7	<1	<1	3	9	11
L649225		2	8.3	0.97	318	<0.5	<5	<0.5	1	10	<1	<1	2	9	17
L649226		3	25.8	2.73	336	<0.5	<5	<0.5	1	3	<1	<1	3	9	15
L649227		2	19.1	1.86	287	<0.5	<5	<0.5	1	4	<1	<1	2	9	11
L649228		2	19.0	1.76	266	<0.5	<5	<0.5	3	8	<1	<1	7	5	18
L649229		3	20.8	1.85	270	<0.5	<5	<0.5	8	14	<1	<1	10	6	34
L649230		1	2.0	0.20	51	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	<2
L649231		2	15.9	1.54	200	<0.5	<5	<0.5	1	10	<1	<1	6	16	15
L649232		2	17.1	1.61	251	<0.5	<5	<0.5	2	7	<1	<1	8	8	22
L649233		1	13.2	1.21	245	<0.5	<5	<0.5	1	4	<1	<1	1	4	6
L649234		2	22.8	2.13	320	<0.5	<5	<0.5	1	4	<1	<1	3	8	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649235		0.18	779	88.7	11.0	60	1.99	3.33	1.75	1.25	14.4	3.91	5.6	0.65	47.3	0.24
L649236		0.28	866	94.0	6.0	70	1.72	3.78	2.11	1.27	17.9	4.52	7.7	0.74	50.4	0.32
L649237		0.18	665	67.9	9.6	100	4.02	2.79	1.63	0.89	15.7	3.22	5.2	0.57	36.9	0.25
L649238		0.30	1515	289	14.9	90	3.17	5.09	2.91	2.10	17.4	6.08	7.1	1.02	184.0	0.46
L649239		0.30	1090	179.0	8.1	90	3.14	3.62	2.03	1.28	18.7	4.23	7.4	0.72	116.0	0.32
L649240		0.30	722	71.9	6.7	90	2.32	3.66	2.29	1.02	21.6	3.87	9.5	0.77	37.7	0.39
L649241		0.26	704	88.9	10.0	130	3.33	3.41	1.95	1.07	20.1	3.93	6.2	0.69	47.9	0.30
L649242		0.34	816	89.1	8.1	90	3.55	3.66	2.06	1.08	18.7	4.28	7.6	0.74	48.1	0.32
L649243		0.32	873	95.2	6.7	80	2.85	3.79	2.11	1.12	20.4	4.52	8.6	0.75	53.0	0.32
L649244		0.36	798	97.9	9.4	110	3.00	4.39	2.35	1.39	20.3	5.48	8.0	0.84	51.2	0.35
L649245		0.32	679	89.9	8.1	90	4.59	4.12	2.43	1.24	22.0	4.69	8.9	0.83	47.8	0.38
L650228		0.18	820	114.5	25.7	80	7.33	5.86	2.99	1.84	19.8	7.67	6.1	1.10	86.9	0.40
L650229		0.28	994	130.0	6.2	70	3.68	5.45	3.03	1.57	20.4	6.77	10.3	1.04	70.3	0.46
L650230		0.10	10.7	2.4	<0.5	<10	0.02	0.35	0.23	0.07	0.2	0.33	1.9	0.08	1.4	0.04
L650231		0.28	926	122.0	6.3	80	3.06	5.24	2.92	1.45	21.3	6.69	11.0	1.02	64.5	0.45
L650232		0.30	748	177.0	4.4	60	2.53	10.45	6.26	1.91	22.5	11.40	19.1	2.11	89.2	0.97
L650233		0.30	985	128.0	6.5	90	3.04	5.29	2.96	1.54	18.3	7.02	11.1	1.03	69.0	0.44
L650234		0.30	976	88.8	8.4	100	3.78	4.21	2.41	1.22	20.7	5.18	7.8	0.85	47.2	0.37
L650235		0.30	826	89.2	9.2	100	3.57	5.32	3.21	1.24	19.4	5.82	7.2	1.10	46.8	0.44
L650236		0.28	903	110.0	7.6	70	4.67	4.61	2.55	1.28	19.1	5.85	8.5	0.91	59.1	0.38
L650237		0.24	911	99.1	10.1	50	4.57	3.45	1.82	1.08	14.5	4.56	5.9	0.65	54.2	0.28
L650238		0.32	940	131.5	4.6	70	3.13	6.53	3.70	2.57	20.1	7.80	12.4	1.29	69.9	0.58
L650239		0.32	815	86.4	11.0	90	3.79	4.75	3.23	1.26	20.9	5.04	68.0	1.02	46.3	0.60
L650240		0.38	953	103.5	8.5	80	2.23	5.63	3.43	1.45	18.6	6.08	8.8	1.19	54.5	0.46
L650241		0.32	979	108.5	8.3	70	2.30	4.70	2.72	1.41	18.7	6.07	9.3	0.94	57.5	0.40
L650242		0.30	795	88.9	18.1	40	2.98	5.29	2.94	1.98	21.9	6.91	14.8	1.02	43.5	0.43
L650244		0.28	951	91.2	12.4	120	3.62	4.38	2.58	1.35	19.6	5.27	9.3	0.90	48.3	0.39
L650245		0.30	749	104.5	12.8	80	5.74	5.73	2.97	2.07	16.0	7.74	7.5	1.08	67.9	0.41
L650246		0.30	896	105.5	10.2	100	3.95	4.68	2.43	1.28	21.9	4.91	7.6	0.87	54.4	0.41
L650247		0.22	818	98.5	11.4	140	3.87	4.46	2.35	1.32	20.0	4.75	9.0	0.85	49.4	0.42
L650248		0.34	1185	138.0	7.0	50	2.05	4.00	1.88	1.47	23.4	4.84	8.2	0.71	75.8	0.32
L650249		0.34	902	86.4	9.2	140	3.15	6.49	4.23	1.25	20.0	4.82	10.0	1.38	45.0	0.84
L650250		0.28	783	79.2	14.2	150	3.91	4.16	2.15	1.16	18.9	4.11	6.1	0.78	41.4	0.36
L650251		0.34	713	126.0	29.9	230	6.74	5.43	2.64	1.72	22.0	5.91	7.0	0.98	77.9	0.38
L650252		0.36	821	118.0	17.9	150	5.08	6.17	2.87	1.87	21.2	6.74	6.4	1.09	69.6	0.44
L650253		0.40	850	118.0	17.2	130	3.54	6.95	3.04	2.25	18.7	8.47	8.2	1.23	84.4	0.47
L650254		0.32	953	126.0	16.5	140	3.80	6.30	3.09	1.87	20.5	6.93	8.0	1.15	75.7	0.50
L650255		0.34	895	116.5	9.9	120	3.57	4.80	2.38	1.24	18.6	5.61	9.1	0.88	61.2	0.40
L650256		0.32	899	107.5	8.9	110	2.73	5.30	2.68	1.45	18.7	5.47	9.6	0.98	68.0	0.45
L650257		0.46	877	120.0	13.6	100	2.65	5.34	2.96	1.73	17.7	6.18	8.6	1.09	74.3	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649235		2	22.3	32.7	9.36	60.7	5.57	2	281	1.1	0.57	8.63	<0.5	0.25	2.64	73
L649236		<2	23.1	35.7	10.25	54.6	6.21	2	280	1.1	0.67	9.99	<0.5	0.29	3.23	95
L649237		<2	17.2	24.9	7.21	72.2	4.21	2	253	0.9	0.46	7.43	<0.5	0.23	2.64	97
L649238		<2	64.0	82.0	26.6	86.1	10.65	3	490	1.0	0.87	14.85	<0.5	0.44	3.40	104
L649239		2	34.7	52.3	16.75	74.9	6.89	3	377	1.2	0.64	11.70	<0.5	0.30	3.29	121
L649240		<2	21.1	27.9	7.86	66.2	5.04	3	256	1.3	0.60	9.24	<0.5	0.34	3.01	118
L649241		<2	18.2	32.2	9.43	75.1	5.44	2	242	1.1	0.57	10.90	<0.5	0.29	2.74	118
L649242		<2	18.4	32.6	9.39	88.7	5.58	2	242	1.1	0.64	12.55	<0.5	0.30	3.10	119
L649243		<2	19.7	34.7	10.20	80.6	5.89	2	275	1.1	0.66	22.4	<0.5	0.31	3.53	110
L649244		<2	24.8	38.7	10.95	78.0	6.62	2	296	1.5	0.78	11.85	<0.5	0.34	3.60	135
L649245		<2	24.6	32.9	9.52	112.0	5.54	3	280	1.4	0.68	9.82	<0.5	0.35	3.21	117
L650228		31	19.1	59.5	17.75	112.5	9.99	2	209	1.1	1.07	17.05	<0.5	0.41	30.4	160
L650229		2	25.7	48.0	14.10	121.0	8.35	4	296	1.7	0.96	22.3	<0.5	0.43	4.86	82
L650230		<2	0.2	1.3	0.36	0.4	0.29	<1	2.2	<0.1	0.05	0.31	<0.5	0.03	0.27	<5
L650231		<2	22.2	46.2	13.25	89.0	8.04	3	286	1.2	0.94	27.1	<0.5	0.42	4.81	131
L650232		<2	37.5	68.0	19.30	82.5	12.85	6	271	3.2	1.80	20.2	<0.5	0.95	5.18	77
L650233		2	20.2	47.1	13.75	100.5	8.25	2	304	1.2	0.95	17.75	<0.5	0.43	4.00	93
L650234		2	22.9	33.8	9.64	90.4	6.07	2	221	1.2	0.74	12.50	<0.5	0.36	3.38	127
L650235		2	18.6	33.5	9.58	74.5	6.04	2	254	1.1	0.89	13.95	<0.5	0.45	4.08	118
L650236		<2	19.4	40.5	11.80	86.3	7.14	2	237	1.1	0.82	17.20	<0.5	0.36	4.95	95
L650237		2	18.1	34.1	10.15	99.6	5.59	2	371	1.0	0.62	17.85	<0.5	0.25	3.97	81
L650238		2	39.0	50.3	14.25	85.9	8.76	3	341	2.7	1.12	16.40	<0.5	0.53	3.87	88
L650239		4	20.5	32.8	9.25	114.0	5.82	2	306	1.2	0.77	10.30	<0.5	0.50	3.55	144
L650240		2	18.8	39.4	11.25	94.5	6.95	2	317	1.1	0.94	14.80	<0.5	0.48	3.69	97
L650241		2	19.8	40.8	11.60	101.5	7.09	2	328	1.1	0.84	15.50	<0.5	0.39	3.61	95
L650242		2	15.2	38.5	10.20	87.0	7.63	3	823	0.8	0.94	7.95	<0.5	0.41	2.74	182
L650244		9	21.1	34.8	9.92	129.0	5.96	2	367	1.4	0.75	9.95	<0.5	0.38	4.53	116
L650245		8	19.5	49.7	14.30	80.2	8.63	2	330	1.1	1.03	12.35	<0.5	0.41	22.0	98
L650246		3	22.1	42.1	11.15	103.0	7.11	3	294	1.4	0.76	14.25	<0.5	0.42	3.30	147
L650247		4	19.1	39.6	10.40	109.0	6.62	2	289	1.2	0.73	13.10	<0.5	0.40	3.26	154
L650248		2	26.3	50.0	13.75	112.5	7.92	3	256	1.6	0.70	22.0	0.5	0.32	3.52	90
L650249		3	19.4	34.4	9.07	109.5	6.11	3	270	1.2	0.92	11.70	<0.5	0.79	3.99	132
L650250		9	18.2	33.2	8.52	104.0	5.68	2	249	1.1	0.64	10.75	<0.5	0.37	3.05	161
L650251		15	24.5	57.1	15.25	123.0	9.67	3	259	1.2	0.93	23.3	<0.5	0.43	7.95	172
L650252		11	21.2	56.2	14.60	113.0	9.66	3	284	1.3	1.02	18.85	<0.5	0.48	9.57	161
L650253		6	18.4	69.4	18.00	86.7	11.95	2	281	1.1	1.26	25.1	<0.5	0.51	9.80	130
L650254		4	19.5	58.0	15.40	114.0	9.61	3	298	1.2	1.03	20.9	0.5	0.52	7.68	144
L650255		2	19.0	46.9	12.30	99.5	7.94	2	251	1.1	0.84	16.60	<0.5	0.40	3.59	145
L650256		2	18.9	49.3	13.20	92.6	8.04	2	301	1.2	0.86	15.00	<0.5	0.46	4.13	124
L650257		2	17.5	52.9	15.40	90.5	9.00	2	287	1.2	0.89	19.60	<0.5	0.46	5.79	110



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	1	2	2
L649235		2	18.1	1.63	210	<0.5	<5	<0.5	7	12	<1	<1	10	9	24
L649236		2	21.1	1.99	295	<0.5	<5	<0.5	2	7	<1	<1	5	10	16
L649237		2	15.9	1.60	199	0.6	<5	<0.5	4	13	<1	<1	10	9	31
L649238		2	29.5	3.02	274	<0.5	<5	<0.5	9	42	<1	<1	21	8	60
L649239		2	20.8	2.04	273	<0.5	<5	<0.5	5	13	<1	<1	12	6	43
L649240		2	22.5	2.42	352	<0.5	<5	<0.5	3	5	<1	<1	10	7	26
L649241		3	19.9	1.93	237	<0.5	<5	<0.5	4	10	<1	<1	13	7	40
L649242		2	21.6	2.07	297	<0.5	<5	<0.5	4	14	<1	<1	14	7	46
L649243		2	21.6	2.08	323	<0.5	<5	<0.5	4	9	<1	<1	10	15	37
L649244		2	23.8	2.27	302	<0.5	<5	<0.5	4	10	<1	<1	13	7	44
L649245		2	23.6	2.33	349	<0.5	<5	<0.5	4	10	<1	<1	12	19	41
L650228		2	31.3	2.60	234	0.7	<5	<0.5	22	78	<1	23	23	14	77
L650229		2	30.4	2.85	387	<0.5	<5	<0.5	2	4	<1	<1	4	7	23
L650230		<1	2.2	0.23	69	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	<2
L650231		2	28.6	2.86	432	<0.5	<5	<0.5	2	7	<1	<1	8	7	22
L650232		2	61.6	6.41	734	<0.5	<5	<0.5	2	5	<1	<1	5	10	25
L650233		2	29.3	2.83	428	<0.5	<5	<0.5	3	5	<1	<1	8	7	26
L650234		2	23.7	2.37	300	<0.5	6	<0.5	5	11	<1	<1	16	9	50
L650235		2	31.4	2.94	275	<0.5	9	<0.5	5	15	<1	<1	17	8	44
L650236		2	25.3	2.42	319	<0.5	<5	<0.5	4	12	<1	<1	13	11	41
L650237		2	18.6	1.63	224	<0.5	<5	<0.5	9	13	<1	<1	8	15	59
L650238		3	35.9	3.61	478	<0.5	<5	<0.5	1	4	<1	<1	<1	11	8
L650239		3	31.3	3.56	3050	<0.5	5	<0.5	6	14	<1	<1	12	5	54
L650240		2	33.3	3.03	337	<0.5	5	<0.5	4	7	<1	<1	9	4	29
L650241		2	26.3	2.59	356	<0.5	<5	<0.5	4	7	<1	<1	8	5	29
L650242		2	28.3	2.76	616	<0.5	<5	<0.5	3	3	<1	<1	1	10	29
L650244		2	25.2	2.49	356	<0.5	<5	<0.5	9	19	<1	8	17	9	63
L650245		3	29.6	2.70	297	0.8	<5	0.6	8	49	<1	7	18	14	53
L650246		3	26.9	2.74	291	<0.5	<5	<0.5	5	11	<1	2	12	10	53
L650247		2	24.7	2.62	333	<0.5	<5	<0.5	6	11	<1	3	15	21	60
L650248		4	22.1	2.04	326	<0.5	7	<0.5	4	29	<1	1	9	14	57
L650249		3	44.0	5.32	363	<0.5	<5	<0.5	3	9	<1	2	10	7	30
L650250		2	23.4	2.28	235	0.6	<5	<0.5	8	19	<1	6	21	23	55
L650251		4	32.0	2.62	259	0.6	<5	<0.5	17	34	<1	10	36	10	91
L650252		3	32.9	2.97	243	0.5	<5	<0.5	10	30	<1	8	24	10	58
L650253		2	35.8	3.24	311	1.3	<5	<0.5	10	32	<1	4	27	9	55
L650254		3	34.2	3.36	307	0.5	<5	<0.5	10	25	<1	3	24	14	54
L650255		2	26.0	2.56	340	0.6	<5	<0.5	6	12	<1	1	17	8	49
L650256		2	30.1	2.95	344	<0.5	<5	<0.5	5	9	<1	1	13	7	31
L650257		2	30.3	2.84	338	0.5	<5	<0.5	9	21	<1	1	22	6	46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte	Recvd Wt.	Ba	Ce	Co	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu
	Units	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L650258		0.44	961	147.5	15.7	130	3.45	7.78	4.12	1.75	18.9	7.71	11.4	1.50	82.4	0.64
L650303		0.26	636	129.0	51.8	80	8.18	4.70	2.26	1.65	20.2	5.04	6.8	0.88	68.0	0.35
L650304		0.28	808	147.0	4.4	80	1.93	6.33	3.09	1.36	19.6	7.34	11.1	1.16	81.6	0.52
L650305		0.14	542	137.5	7.9	40	3.19	5.27	2.17	1.68	12.3	6.11	5.8	0.85	79.6	0.29
L650306		0.30	820	116.5	10.7	90	9.07	5.15	2.35	1.53	19.1	5.90	8.4	0.91	65.5	0.37
L650307		0.16	600	98.8	14.8	60	3.12	4.76	2.03	1.67	13.1	5.72	5.3	0.83	69.4	0.30
L650308		0.20	825	111.5	5.4	80	2.30	4.15	2.02	1.27	20.0	4.61	9.6	0.72	58.1	0.34
L650309		0.28	807	154.0	12.9	110	3.35	6.23	2.58	1.56	18.4	7.72	11.0	1.05	78.9	0.42
L650310		0.12	750	126.0	8.8	90	4.85	5.46	2.59	1.58	17.9	5.68	8.9	0.96	71.6	0.42
L650311		0.30	724	141.0	35.6	120	5.15	6.56	3.46	2.09	20.6	6.92	9.0	1.25	70.9	0.55
L650312		0.18	560	140.0	20.8	70	2.87	5.73	2.48	1.98	13.6	6.79	4.4	1.01	84.6	0.34
L650313		0.32	862	112.0	12.0	120	4.03	5.38	2.61	1.61	19.1	5.95	8.3	0.97	60.4	0.42
L650314		0.24	888	119.5	29.5	140	4.46	5.03	2.29	1.79	20.6	5.83	5.0	0.87	69.0	0.35
L650315		0.32	816	111.5	17.3	130	4.81	5.56	2.82	1.65	20.5	5.87	9.2	1.03	55.4	0.46
L650316		0.32	779	80.9	16.1	120	4.27	3.61	1.94	1.39	22.0	4.53	6.2	0.72	46.6	0.35
L650317		0.36	910	97.7	10.1	100	3.44	4.63	2.38	1.89	20.3	5.48	8.3	0.89	59.2	0.40
L650318		0.16	859	80.7	17.1	120	4.06	3.27	1.72	1.29	21.2	3.86	4.8	0.64	44.2	0.29
L650319		0.38	780	108.0	7.8	90	3.67	4.77	2.53	1.50	20.6	5.76	9.5	0.93	61.0	0.42
L650320		0.36	814	93.4	7.3	90	3.46	4.16	2.24	1.53	20.5	4.84	9.3	0.81	53.0	0.41
L650321		0.44	832	124.0	14.3	110	2.46	4.89	2.41	1.93	19.8	6.36	8.9	0.95	72.7	0.42
L650322		0.50	894	108.0	7.0	130	3.91	4.78	2.61	1.68	21.3	5.89	11.6	0.97	61.9	0.47
L650323		0.22	816	133.0	10.2	90	1.66	4.80	2.29	1.95	19.9	6.53	10.3	0.91	73.6	0.39
L650324		0.34	860	98.5	17.3	110	3.80	4.24	2.19	1.61	20.6	5.15	6.3	0.85	57.2	0.38
L650325		0.30	820	111.0	14.9	100	3.42	5.20	2.80	1.80	19.3	6.15	5.7	1.04	66.4	0.45
L650326		0.28	964	116.5	14.4	90	3.40	5.44	2.72	1.95	19.3	7.21	7.8	1.01	68.9	0.43
L650327		0.24	778	110.0	18.4	70	3.27	5.09	2.78	1.82	17.0	6.56	7.6	0.97	64.0	0.43
L650328		0.28	861	115.0	8.3	80	2.33	5.84	3.15	1.97	19.5	7.62	14.5	1.10	66.7	0.50
L650329		0.12	876	89.0	13.0	100	3.19	5.49	2.90	2.16	17.5	7.32	7.3	1.06	66.3	0.44
L650330		0.06	25.2	2.8	<0.5	<10	0.03	0.41	0.26	0.09	0.4	0.40	1.8	0.08	1.6	0.05
L650331		0.30	878	99.4	7.0	80	1.75	4.99	2.74	1.69	20.0	6.21	10.9	0.96	52.9	0.44
L650332		0.24	762	79.9	13.9	70	3.77	4.25	2.29	1.53	16.3	5.05	7.2	0.79	41.8	0.34
L650333		0.26	844	72.7	7.7	80	2.59	3.65	2.13	1.31	23.4	4.13	7.8	0.72	39.4	0.35
L650334		0.26	939	95.0	6.5	70	1.72	5.11	2.92	1.72	20.8	5.96	10.8	0.99	51.2	0.47
L650335		0.26	954	120.5	7.4	70	1.41	5.63	3.06	1.95	20.3	6.69	13.2	1.08	76.2	0.48
L650336		0.30	831	141.5	6.8	70	2.38	6.62	3.67	1.92	20.1	8.26	11.5	1.30	70.9	0.56
L650337		0.40	889	111.0	13.3	90	3.32	9.18	5.59	1.50	19.4	7.86	8.6	1.95	59.6	0.82
L650338		0.36	877	92.5	7.1	80	2.25	3.79	1.98	1.13	21.7	4.55	7.4	0.75	49.6	0.31
L650339		0.40	909	101.0	8.0	90	2.85	6.36	3.77	1.28	20.5	5.84	9.4	1.32	53.1	0.52
L650340		0.32	901	90.1	7.7	80	2.51	3.89	2.12	1.17	19.9	4.67	9.2	0.75	46.3	0.33
L650341		0.24	845	122.0	11.6	90	2.68	4.72	2.37	1.60	19.1	6.04	9.0	0.89	63.8	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650258		3	20.7	64.2	17.05	104.0	11.00	3	294	1.3	1.25	24.4	<0.5	0.68	6.01	137
L650303		5	16.8	49.4	13.20	89.8	8.24	2	233	0.9	0.80	18.85	<0.5	0.35	8.96	102
L650304		<2	19.1	62.6	16.65	69.5	10.35	3	239	1.3	1.09	29.4	<0.5	0.52	5.16	88
L650305		4	11.1	54.5	14.65	61.4	9.19	1	197.5	0.8	0.95	18.80	<0.5	0.36	9.85	58
L650306		4	18.2	50.6	13.40	94.3	8.76	3	271	1.1	0.89	18.20	<0.5	0.40	9.39	105
L650307		8	12.5	50.6	13.70	55.0	8.48	2	197.0	0.7	0.84	13.95	<0.5	0.33	43.2	68
L650308		2	25.7	43.2	11.60	74.8	6.96	4	284	1.7	0.70	16.95	<0.5	0.35	4.31	93
L650309		2	18.0	64.0	16.75	78.7	11.25	2	275	1.1	1.13	29.1	<0.5	0.43	7.82	117
L650310		3	23.6	51.3	13.80	110.0	8.31	3	271	1.6	0.90	17.60	<0.5	0.43	10.00	115
L650311		7	32.5	61.8	16.15	86.7	10.75	3	336	1.8	1.09	17.00	<0.5	0.59	17.85	142
L650312		10	16.4	65.3	17.25	65.6	10.25	2	257	1.0	0.99	15.85	<0.5	0.41	28.9	89
L650313		5	21.7	47.1	12.45	114.0	7.84	2	273	1.5	0.90	15.40	<0.5	0.45	7.51	142
L650314		8	23.1	53.8	14.20	102.5	8.79	3	310	1.3	0.89	16.55	<0.5	0.36	10.65	155
L650315		5	26.6	45.9	11.90	102.0	7.81	3	294	1.7	0.89	16.65	<0.5	0.47	6.17	149
L650316		5	21.4	34.7	10.55	105.0	6.21	2	274	1.6	0.68	14.75	<0.5	0.33	5.40	148
L650317		4	25.7	44.8	13.40	127.0	7.86	2	367	1.9	0.84	14.40	<0.5	0.41	7.16	111
L650318		4	20.6	32.8	9.93	101.5	5.76	2	332	1.4	0.61	14.05	<0.5	0.29	4.49	139
L650319		2	21.2	45.5	13.70	103.0	8.20	2	276	1.6	0.89	19.45	<0.5	0.42	4.81	107
L650320		2	24.7	39.5	11.95	99.5	6.86	2	284	2.8	0.75	13.35	<0.5	0.39	4.28	106
L650321		2	24.6	54.3	16.40	70.7	9.34	2	323	1.9	0.94	21.3	<0.5	0.41	4.15	109
L650322		3	25.7	47.2	14.30	107.0	8.43	3	309	2.0	0.90	15.85	<0.5	0.46	5.95	111
L650323		4	25.4	56.5	16.85	57.2	10.20	2	351	2.0	0.95	22.4	<0.5	0.39	4.38	100
L650324		3	20.0	42.4	12.80	91.5	7.63	2	301	1.5	0.80	17.05	<0.5	0.38	5.31	133
L650325		3	18.0	49.6	15.05	84.4	8.75	2	295	1.3	0.95	16.25	<0.5	0.47	6.42	120
L650326		5	20.4	52.9	15.75	104.5	9.81	2	346	1.3	1.01	22.6	<0.5	0.43	7.05	102
L650327		4	14.3	47.6	14.40	83.7	8.67	2	269	0.9	0.91	17.30	<0.5	0.44	5.55	86
L650328		2	23.0	51.5	15.50	79.8	9.85	2	309	1.5	1.05	22.8	<0.5	0.50	4.54	89
L650329		7	17.3	51.9	15.25	86.7	9.40	2	311	1.0	0.98	16.30	<0.5	0.44	16.15	94
L650330		<2	0.3	1.6	0.43	1.1	0.34	<1	4.6	<0.1	0.07	0.38	<0.5	0.05	0.31	<5
L650331		<2	22.1	43.0	12.45	73.0	7.98	3	272	1.4	0.87	17.05	<0.5	0.45	3.74	97
L650332		2	19.4	34.3	9.96	129.0	6.44	2	284	0.9	0.74	11.10	<0.5	0.38	3.55	94
L650333		<2	20.4	29.3	8.87	86.2	5.27	2	284	1.0	0.62	11.35	<0.5	0.37	2.74	120
L650334		<2	22.3	40.9	12.10	79.6	7.69	3	307	1.3	0.87	15.45	<0.5	0.45	3.51	82
L650335		<2	27.0	51.1	15.55	74.5	9.20	3	322	1.8	0.95	17.50	<0.5	0.49	4.26	95
L650336		<2	27.9	56.8	16.30	86.3	10.60	3	367	1.8	1.21	22.3	<0.5	0.53	5.21	96
L650337		2	20.7	43.9	12.95	103.0	8.62	2	338	1.2	1.40	21.0	<0.5	0.81	8.90	117
L650338		<2	21.1	34.2	10.15	90.5	6.20	2	270	1.3	0.67	16.30	<0.5	0.30	2.81	133
L650339		<2	19.0	37.8	11.25	104.5	7.20	2	305	1.2	1.01	15.50	<0.5	0.51	3.40	141
L650340		<2	18.2	34.1	9.93	97.7	6.24	2	305	1.1	0.69	13.80	<0.5	0.31	3.16	125
L650341		2	23.7	46.4	13.50	86.8	8.24	2	351	1.5	0.87	18.20	<0.5	0.34	3.90	109



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650258		2	43.4	4.25	419	<0.5	<5	<0.5	9	21	<1	2	20	6	52
L650303		3	26.3	2.25	252	<0.5	<5	<0.5	41	54	<1	2	49	14	93
L650304		2	33.9	3.28	409	<0.5	<5	<0.5	2	6	<1	<1	7	5	12
L650305		4	25.8	2.03	208	0.6	<5	0.5	5	43	<1	1	19	8	31
L650306		3	26.2	2.51	316	<0.5	<5	<0.5	6	19	<1	3	17	10	45
L650307		3	24.6	2.11	179	<0.5	<5	<0.5	12	24	<1	5	14	11	37
L650308		3	22.3	2.18	343	<0.5	<5	<0.5	2	6	<1	1	5	10	14
L650309		2	30.1	2.75	402	<0.5	<5	<0.5	8	19	<1	1	21	6	47
L650310		4	28.5	2.82	332	<0.5	<5	<0.5	3	22	<1	1	7	11	21
L650311		4	38.0	3.63	370	0.5	<5	<0.5	22	30	<1	3	21	8	72
L650312		3	29.9	2.51	164	0.8	<5	0.6	14	25	<1	6	14	7	37
L650313		3	28.9	2.76	314	<0.5	<5	<0.5	7	26	<1	3	16	8	39
L650314		2	26.2	2.34	195	<0.5	<5	<0.5	19	27	<1	6	25	8	69
L650315		2	30.0	2.97	336	<0.5	<5	<0.5	10	22	<1	3	23	7	69
L650316		2	21.8	2.08	242	<0.5	<5	<0.5	11	22	<1	3	23	10	68
L650317		1	27.8	2.60	326	<0.5	<5	<0.5	4	13	<1	2	10	8	32
L650318		1	19.8	1.85	194	<0.5	<5	<0.5	10	18	<1	2	23	6	62
L650319		2	28.7	2.57	356	<0.5	<5	<0.5	4	9	<1	1	10	9	33
L650320		2	25.4	2.41	345	<0.5	<5	<0.5	3	8	<1	1	9	9	28
L650321		2	27.2	2.67	319	<0.5	<5	<0.5	7	11	<1	<1	17	4	45
L650322		2	28.7	2.86	435	<0.5	<5	<0.5	2	5	<1	1	8	9	16
L650323		2	28.4	2.50	455	<0.5	<5	<0.5	4	12	<1	<1	12	5	30
L650324		1	24.3	2.39	242	<0.5	<5	<0.5	12	26	<1	1	25	7	69
L650325		1	32.3	3.03	228	0.5	<5	<0.5	9	20	<1	1	19	7	63
L650326		9	27.8	2.53	273	<0.5	<5	<0.5	9	16	<1	4	18	5	61
L650327		1	27.3	2.64	257	0.5	<5	<0.5	15	16	<1	3	13	10	46
L650328		1	29.2	3.03	491	<0.5	<5	<0.5	3	7	<1	2	10	6	26
L650329		<1	29.7	2.64	260	0.6	<5	<0.5	9	21	<1	6	21	5	70
L650330		<1	2.0	0.28	63	<0.5	<5	<0.5	1	1	<1	<1	2	<2	2
L650331		2	26.0	2.69	359	<0.5	<5	<0.5	3	7	<1	1	9	6	19
L650332		<1	21.4	2.03	285	<0.5	<5	0.5	9	14	<1	1	12	8	35
L650333		<1	20.1	2.07	288	<0.5	<5	<0.5	4	10	<1	<1	10	8	26
L650334		<1	27.5	2.80	364	<0.5	<5	<0.5	2	4	<1	<1	6	5	12
L650335		1	29.4	3.03	458	<0.5	<5	<0.5	2	9	<1	<1	9	7	14
L650336		2	37.2	3.63	395	<0.5	<5	<0.5	2	4	<1	<1	6	7	18
L650337		1	56.5	5.34	310	<0.5	<5	<0.5	10	14	<1	1	20	8	61
L650338		2	21.0	2.03	261	<0.5	<5	<0.5	4	9	<1	1	12	9	37
L650339		1	39.1	3.38	333	<0.5	<5	<0.5	5	9	<1	1	13	8	40
L650340		3	21.5	2.12	330	<0.5	<5	<0.5	4	9	<1	1	12	7	36
L650341		1	24.6	2.32	327	<0.5	<5	<0.5	6	10	<1	1	16	6	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L650342		0.24	836	84.8	13.1	100	3.57	3.60	1.89	1.18	20.5	4.50	6.3	0.70	44.0	0.29
L650343		0.24	731	82.9	11.3	90	4.10	3.75	1.89	1.27	18.2	4.68	4.6	0.71	45.7	0.27
L650344		0.24	839	111.5	15.1	100	3.48	4.78	2.41	1.79	18.6	6.57	6.6	0.88	62.8	0.35
L650345		0.50	829	173.0	9.5	70	2.25	6.80	3.49	1.71	18.7	8.95	10.6	1.28	91.3	0.52
L650346		0.44	921	111.0	7.8	70	3.11	4.48	2.16	1.23	19.3	5.88	7.0	0.81	58.2	0.32
L650347		0.26	915	96.7	7.7	80	3.17	4.08	2.05	1.11	19.6	5.30	7.9	0.76	51.4	0.32
L650348		0.30	880	96.6	11.6	80	4.20	4.67	2.30	1.48	18.6	6.08	5.0	0.86	59.4	0.33
L650349		0.40	942	107.0	17.1	180	4.33	4.67	2.31	1.34	21.0	5.58	6.8	0.86	56.6	0.33
L650350		0.28	799	109.5	7.5	90	2.92	4.45	2.06	1.11	21.7	5.65	8.2	0.81	57.4	0.30
L651051		0.32	1065	35.5	2.8	30	3.53	1.91	1.15	0.62	18.2	1.94	10.4	0.39	19.4	0.22
L651052		0.34	827	99.3	7.1	70	3.71	4.41	2.35	1.26	21.8	5.39	7.4	0.87	52.3	0.37
L651053		0.34	772	85.1	7.9	80	3.09	3.95	2.32	1.05	21.5	4.45	8.8	0.83	45.3	0.39
L651054		0.36	637	105.0	9.7	80	3.12	4.16	2.08	1.28	22.7	5.05	6.0	0.78	56.8	0.30
L651055		0.40	837	116.5	10.4	80	3.00	4.10	2.04	1.30	20.5	5.21	7.0	0.79	62.4	0.29
L651056		0.34	926	116.5	8.7	80	3.25	4.06	2.17	1.24	20.8	5.00	7.9	0.79	65.8	0.34
L651057		0.34	884	77.7	2.6	40	2.20	3.41	1.83	1.01	21.0	3.91	9.3	0.65	42.0	0.28
L651058		0.30	763	88.6	3.5	80	2.58	4.41	2.48	1.08	19.7	4.83	9.2	0.88	46.5	0.38
L651059		0.32	836	82.4	4.0	80	3.26	4.14	2.32	1.19	19.3	4.67	10.5	0.83	42.8	0.38
L651060		0.26	763	77.5	6.2	70	2.51	3.63	1.91	1.02	16.5	4.18	7.5	0.67	41.0	0.29
L651061		0.24	482	49.5	2.8	30	1.54	2.60	1.41	0.76	11.4	2.85	3.8	0.52	26.5	0.23
L651062		0.26	633	81.6	10.6	90	3.61	2.85	1.40	0.98	18.8	3.67	6.1	0.54	44.9	0.26
L651063		0.34	856	113.5	12.2	130	2.32	4.27	2.17	1.37	18.0	5.57	8.2	0.83	62.9	0.38
L651064		0.36	797	104.5	11.9	90	2.17	5.05	2.86	1.25	17.8	5.61	8.5	1.03	56.9	0.51
L651065		0.34	793	93.1	10.2	100	2.54	3.51	1.82	1.21	19.0	4.79	8.2	0.69	51.1	0.32
L651066		0.38	762	111.0	9.6	100	2.95	3.90	2.02	1.19	18.3	4.86	8.8	0.76	61.1	0.37
L651067		0.30	743	125.5	11.7	100	1.86	4.58	2.04	1.22	16.1	6.47	7.8	0.83	67.7	0.34
L651068		0.32	606	77.9	15.4	110	1.25	5.33	2.89	1.83	18.9	6.04	8.2	1.06	40.1	0.48
L651069		0.32	664	83.5	9.7	110	2.25	2.82	1.38	0.95	21.5	3.96	5.7	0.53	46.2	0.25
L651070		0.32	871	107.5	6.8	80	2.97	3.72	1.94	1.21	21.2	4.60	8.2	0.73	59.9	0.36
L651071		0.24	790	98.1	5.9	70	2.37	3.08	1.53	1.10	18.7	4.11	9.8	0.58	53.7	0.27
L651072		0.32	712	80.0	10.3	130	2.82	3.59	1.96	1.07	17.9	4.28	6.8	0.72	43.6	0.36
L651073		0.36	1045	71.0	6.0	30	2.85	2.45	1.19	0.99	23.4	2.94	5.9	0.47	38.5	0.18
L651074		0.38	712	80.2	8.3	90	2.83	2.89	1.50	0.98	16.2	3.64	6.1	0.56	47.5	0.28
L651075		0.28	1880	41.2	2.8	20	1.69	1.06	0.69	0.70	22.8	1.26	9.2	0.23	25.1	0.15
L651076		0.24	689	80.8	6.3	70	3.27	2.81	1.44	1.00	17.9	3.44	6.3	0.56	46.2	0.26
L651077		0.38	773	102.5	10.2	70	2.04	3.61	1.73	1.21	15.6	5.21	6.0	0.69	57.3	0.29
L651078		0.26	779	79.4	5.1	90	3.88	3.47	2.01	1.09	16.9	4.23	9.9	0.73	43.8	0.37
L651079		0.34	816	56.6	5.7	80	2.96	2.94	1.73	0.99	18.2	3.31	9.8	0.63	31.1	0.34
L651080		0.24	771	83.0	11.0	110	2.92	3.33	1.70	1.07	17.4	4.26	9.4	0.63	46.2	0.32
L651081		0.38	733	86.4	9.3	100	3.31	3.64	1.93	1.17	15.8	4.89	7.6	0.71	48.0	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650342		<2	20.9	32.0	9.33	88.7	6.00	2	298	1.3	0.66	15.15	<0.5	0.27	4.10	128
L650343		2	21.2	33.1	9.70	97.6	5.90	2	306	1.3	0.66	10.55	<0.5	0.27	5.17	117
L650344		3	22.8	47.3	13.85	94.5	8.45	2	359	1.4	0.90	15.45	<0.5	0.33	7.83	120
L650345		<2	22.6	64.7	19.30	98.3	11.75	2	385	1.7	1.23	33.5	<0.5	0.50	6.06	81
L650346		2	18.1	42.4	12.55	102.0	8.06	2	284	1.1	0.84	21.5	<0.5	0.31	4.11	113
L650347		2	18.2	37.6	11.00	102.0	6.93	2	277	1.2	0.75	17.60	<0.5	0.30	4.06	113
L650348		2	17.2	45.3	13.15	95.4	8.44	2	276	1.1	0.87	16.90	<0.5	0.33	10.20	113
L650349		28	20.4	40.7	12.05	110.5	7.50	5	270	1.2	0.83	18.55	<0.5	0.32	7.49	137
L650350		4	19.4	42.3	12.45	109.0	7.68	2	241	1.2	0.82	16.90	<0.5	0.29	3.81	162
L651051		<2	19.8	12.7	3.88	97.5	2.35	2	332	1.3	0.33	7.42	<0.5	0.17	3.93	71
L651052		<2	20.9	38.5	11.35	91.3	7.12	2	293	1.2	0.77	13.85	<0.5	0.36	3.22	122
L651053		2	17.9	31.8	9.49	75.0	5.90	2	265	1.1	0.68	16.60	<0.5	0.35	3.39	134
L651054		2	15.7	40.2	11.95	67.0	7.07	2	218	1.0	0.75	14.55	<0.5	0.31	3.21	118
L651055		2	17.6	42.1	12.75	73.6	7.44	2	344	1.0	0.75	22.4	<0.5	0.30	3.67	128
L651056		<2	21.1	40.6	12.45	84.5	6.83	2	329	1.2	0.71	13.85	<0.5	0.32	2.84	125
L651057		<2	19.0	29.0	8.56	76.3	5.14	2	350	1.3	0.61	13.45	<0.5	0.27	2.98	74
L651058		<2	19.2	34.2	10.15	65.9	6.40	2	243	1.3	0.76	11.80	<0.5	0.36	3.71	112
L651059		<2	18.7	32.4	9.51	77.1	5.99	2	271	1.2	0.72	10.45	<0.5	0.35	2.97	104
L651060		<2	16.0	29.9	8.76	62.5	5.50	2	239	0.9	0.66	12.20	<0.5	0.28	3.18	102
L651061		2	11.5	19.2	5.81	41.6	3.95	2	175.0	0.7	0.50	10.10	<0.5	0.18	3.00	53
L651062		<2	14.6	30.6	8.95	69.9	5.49	2	237	0.9	0.53	14.65	<0.5	0.24	3.01	107
L651063		<2	17.1	43.7	12.70	67.6	8.06	2	320	1.1	0.82	22.8	<0.5	0.37	4.22	120
L651064		<2	22.9	40.1	11.65	65.8	7.49	2	301	1.8	0.88	20.3	<0.5	0.51	4.61	124
L651065		2	17.2	36.1	10.45	71.8	6.59	2	308	1.1	0.67	17.75	<0.5	0.32	3.67	121
L651066		<2	17.6	40.8	12.15	75.7	7.45	2	282	1.1	0.73	22.3	<0.5	0.34	3.73	109
L651067		<2	15.1	46.7	13.75	58.9	8.90	2	273	1.0	0.90	32.6	<0.5	0.34	5.17	106
L651068		3	27.4	33.3	9.09	42.4	7.07	3	266	1.6	0.96	12.20	<0.5	0.49	3.52	209
L651069		2	16.8	31.1	9.28	52.3	5.76	2	208	1.0	0.55	19.70	<0.5	0.24	3.38	163
L651070		2	20.9	39.8	11.85	60.9	7.37	3	237	1.3	0.69	15.55	<0.5	0.34	3.51	132
L651071		<2	16.2	35.1	10.60	77.6	6.10	2	369	1.0	0.58	19.70	<0.5	0.27	3.71	79
L651072		<2	16.6	31.4	9.03	68.9	5.75	2	275	1.1	0.64	16.50	<0.5	0.34	3.11	147
L651073		<2	16.2	22.6	6.85	91.6	4.16	2	521	0.8	0.45	26.6	<0.5	0.20	5.94	66
L651074		<2	19.7	28.4	8.54	59.2	5.03	2	289	1.0	0.54	12.30	<0.5	0.25	2.78	111
L651075		<2	8.4	12.9	4.05	56.8	1.98	2	624	0.5	0.19	10.15	<0.5	0.13	3.66	58
L651076		<2	15.6	29.7	8.93	62.8	5.11	2	252	1.0	0.50	16.45	<0.5	0.26	2.98	90
L651077		<2	14.3	37.6	11.20	60.8	6.77	2	271	1.0	0.71	23.7	<0.5	0.30	3.68	88
L651078		<2	17.7	30.2	8.88	69.9	5.56	2	250	1.2	0.62	13.05	<0.5	0.34	3.06	106
L651079		<2	20.0	21.2	6.15	63.0	3.93	4	341	1.3	0.52	10.85	<0.5	0.32	3.77	91
L651080		<2	18.2	30.9	9.25	67.9	5.58	2	261	1.2	0.62	25.6	<0.5	0.29	4.36	110
L651081		<2	15.5	33.1	9.65	67.4	6.19	2	225	1.1	0.68	16.40	<0.5	0.33	3.23	115



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650342		1	19.2	1.89	224	<0.5	<5	<0.5	9	18	<1	1	23	9	67
L650343		1	19.6	1.78	166	<0.5	<5	<0.5	7	16	<1	1	19	7	53
L650344		1	25.1	2.29	238	<0.5	<5	<0.5	10	21	<1	2	23	5	63
L650345		1	37.4	3.44	356	<0.5	<5	<0.5	5	10	<1	<1	12	5	40
L650346		2	22.6	2.11	244	<0.5	<5	<0.5	6	11	<1	1	16	8	54
L650347		1	21.7	2.09	273	<0.5	<5	<0.5	5	12	<1	1	15	9	53
L650348		2	24.9	2.17	177	<0.5	6	<0.5	8	22	<1	1	20	8	54
L650349		14	23.6	2.20	234	<0.5	<5	<0.5	13	26	<1	2	29	9	70
L650350		2	22.8	1.98	292	<0.5	<5	<0.5	5	13	<1	3	14	8	39
L651051		1	11.2	1.29	349	<0.5	<5	<0.5	2	6	<1	1	4	12	15
L651052		2	24.3	2.36	258	<0.5	<5	<0.5	4	12	<1	<1	11	12	40
L651053		2	22.7	2.49	302	<0.5	<5	<0.5	5	13	<1	1	16	10	53
L651054		1	21.5	2.08	207	0.5	26	<0.5	7	18	<1	1	20	12	63
L651055		1	21.7	1.98	251	<0.5	5	<0.5	8	19	<1	1	23	10	64
L651056		2	22.3	2.23	283	<0.5	<5	<0.5	6	12	<1	1	16	6	73
L651057		1	18.9	1.82	318	<0.5	<5	<0.5	1	5	<1	<1	4	11	14
L651058		2	24.7	2.52	326	<0.5	<5	<0.5	2	4	<1	<1	7	10	18
L651059		2	23.1	2.39	359	<0.5	<5	<0.5	2	6	<1	<1	7	11	18
L651060		1	19.2	1.88	259	<0.5	<5	<0.5	4	13	<1	<1	11	7	34
L651061		1	14.4	1.37	130	1.0	<5	<0.5	1	6	<1	<1	3	8	11
L651062		2	17.8	1.51	233	<0.5	<5	<0.5	5	12	<1	<1	12	7	55
L651063		3	29.1	2.29	328	<0.5	6	<0.5	6	21	<1	<1	16	8	47
L651064		3	35.0	3.26	321	<0.5	<5	<0.5	6	14	<1	<1	16	7	50
L651065		3	23.3	1.99	314	<0.5	<5	<0.5	4	12	<1	<1	13	7	44
L651066		3	24.8	2.30	322	<0.5	<5	<0.5	4	11	<1	<1	11	8	38
L651067		2	26.4	2.14	315	<0.5	<5	<0.5	5	20	<1	<1	16	7	43
L651068		5	34.2	3.05	311	<0.5	<5	<0.5	2	36	<1	<1	5	8	12
L651069		2	17.0	1.52	217	<0.5	<5	<0.5	5	16	<1	<1	13	10	41
L651070		3	21.2	2.20	295	<0.5	<5	<0.5	3	7	1	<1	8	8	33
L651071		2	18.9	1.70	358	<0.5	<5	<0.5	3	8	<1	<1	6	5	29
L651072		3	24.5	2.20	276	<0.5	<5	<0.5	5	8	<1	<1	12	8	57
L651073		2	14.8	1.19	230	<0.5	<5	<0.5	4	68	<1	<1	4	5	42
L651074		2	17.8	1.72	238	<0.5	<5	<0.5	4	10	<1	<1	12	10	40
L651075		2	7.4	0.90	353	<0.5	<5	<0.5	2	3	<1	<1	2	3	19
L651076		3	16.9	1.59	240	<0.5	<5	<0.5	3	5	<1	<1	7	11	38
L651077		2	20.8	1.80	221	<0.5	<5	<0.5	5	15	<1	<1	15	7	68
L651078		3	23.0	2.34	354	<0.5	<5	<0.5	2	5	<1	<1	5	8	20
L651079		3	19.9	2.08	366	<0.5	<5	<0.5	1	2	<1	<1	1	7	8
L651080		2	19.1	1.92	341	<0.5	<5	<0.5	5	11	<1	<1	26	8	45
L651081		3	20.9	2.18	261	<0.5	<5	<0.5	5	12	<1	<1	15	7	58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L651082		0.52	717	67.6	11.5	140	3.69	3.50	2.01	1.08	15.6	3.99	7.8	0.72	36.3	0.39
L651083		0.36	731	105.0	11.0	120	3.55	4.62	2.52	1.55	20.3	5.74	9.8	0.94	57.5	0.44
L651089		0.42	687	90.2	4.9	90	2.28	3.72	2.00	1.11	15.5	4.64	6.9	0.75	49.6	0.35
L651090		0.40	1160	110.0	5.9	80	2.90	3.76	1.99	1.31	18.5	4.97	9.5	0.74	67.9	0.35
L651091		0.46	737	92.5	7.7	90	3.25	3.47	1.92	1.18	15.2	4.16	6.8	0.70	53.8	0.35
L651092		0.40	1280	76.1	4.3	70	3.04	3.28	1.97	1.23	18.3	3.65	10.5	0.68	47.7	0.37
L651093		0.36	791	95.1	10.6	90	3.76	3.55	1.92	1.38	17.6	4.61	6.4	0.70	55.9	0.32
L651094		0.46	1300	200	12.1	90	3.02	4.22	2.05	1.88	16.1	5.93	5.6	0.80	127.5	0.32
L651095		0.36	2050	269	13.7	110	3.00	5.01	2.73	2.19	17.8	6.15	6.4	1.02	196.0	0.50
L651096		0.42	1830	285	12.3	130	3.19	3.79	1.76	1.98	18.1	5.16	7.3	0.70	199.5	0.31
L651097		0.38	1330	245	11.4	100	2.86	4.53	2.09	2.07	18.6	6.38	6.3	0.85	165.0	0.35
L651098		0.44	920	111.0	8.8	80	2.28	3.94	1.97	1.47	19.6	5.03	6.7	0.76	69.0	0.35
L651099		0.40	605	61.1	26.6	140	3.65	5.78	3.13	2.01	20.5	6.59	6.4	1.18	28.7	0.50
L651100		0.42	666	88.7	8.3	100	3.57	3.81	2.05	1.11	18.0	4.74	7.7	0.75	49.0	0.37
L651151		0.30	634	72.0	7.4	100	2.92	3.87	2.22	1.16	15.3	4.39	7.7	0.80	39.1	0.40
L651152		0.28	754	101.5	7.7	70	3.18	4.21	2.23	1.17	19.7	5.03	6.7	0.82	53.5	0.33
L651153		0.24	667	96.6	10.5	110	2.21	5.61	2.99	2.25	24.5	6.41	9.5	1.11	54.9	0.47
L651154		0.36	669	68.6	6.5	90	2.33	3.75	2.05	0.97	20.9	3.89	6.7	0.74	39.4	0.34
L651155		0.28	715	75.7	5.9	90	2.29	4.61	2.68	1.15	25.4	4.62	8.4	0.98	43.8	0.44
L651156		0.26	622	65.4	8.2	90	2.73	3.39	1.89	0.89	22.5	3.63	5.7	0.70	38.9	0.30
L651157		0.24	728	57.3	4.9	80	2.25	3.51	2.04	0.90	21.3	3.53	7.2	0.74	34.2	0.35
L651158		0.24	1610	199.0	10.4	50	2.59	6.73	3.26	2.33	25.0	7.22	6.1	1.31	132.0	0.42
L651159		0.28	975	117.0	15.4	80	1.97	7.75	4.03	2.57	24.3	8.62	7.8	1.57	59.7	0.56
L651160		0.34	845	86.1	8.8	50	2.59	2.68	1.42	1.07	23.8	3.07	6.2	0.53	52.5	0.24
L651161		0.28	839	112.5	7.9	70	2.24	4.70	2.31	1.37	21.9	5.59	6.9	0.89	78.9	0.34
L651162		0.24	860	104.5	12.0	110	3.12	4.17	2.24	1.31	23.8	4.91	7.5	0.84	73.4	0.35
L651163		0.26	742	55.7	19.7	300	4.70	3.21	1.65	1.22	21.6	3.80	5.8	0.64	30.9	0.23
L651164		0.38	686	105.0	12.4	40	2.39	8.18	3.63	3.98	22.6	10.55	6.0	1.50	50.6	0.42
L651165		0.28	699	64.2	8.0	70	3.24	2.76	1.45	1.03	17.4	3.25	5.9	0.53	37.2	0.24
L651166		0.34	949	79.1	10.8	70	3.06	3.35	1.67	1.21	18.4	3.91	5.0	0.66	44.2	0.27
L651167		0.32	922	111.0	10.8	110	2.68	3.75	1.93	1.45	21.1	4.51	7.1	0.72	63.7	0.34
L651168		0.30	804	102.5	6.8	20	2.13	2.75	1.15	1.43	20.8	3.61	6.2	0.48	53.5	0.17
L651169		0.34	654	65.6	8.0	90	2.71	3.01	1.53	1.02	18.6	3.31	4.8	0.59	37.7	0.24
L651170		0.18	750	71.5	7.2	110	3.21	2.87	1.60	0.99	17.2	2.95	6.5	0.59	39.7	0.28
L651171		0.22	779	114.5	12.0	100	1.81	3.82	2.01	1.43	19.2	4.16	6.6	0.77	66.0	0.35
L651172		0.22	884	89.2	8.3	100	2.04	3.53	1.92	1.25	21.7	4.10	7.9	0.68	53.3	0.34
L651173		0.24	938	87.0	8.1	80	2.41	3.61	1.98	1.24	21.5	4.28	6.4	0.72	51.5	0.35
L651174		0.26	910	125.0	8.4	90	2.36	4.26	1.86	1.51	19.5	5.65	5.3	0.76	72.2	0.33
L651175		0.30	1840	543	11.8	110	1.14	4.70	1.86	3.74	17.7	5.53	5.6	0.84	397	0.32
L651176		0.26	1165	193.0	14.6	100	3.62	3.96	1.99	2.03	22.9	4.61	5.0	0.74	118.0	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L651082		2	15.6	26.2	7.54	72.6	4.94	2	185.0	1.1	0.60	10.20	<0.5	0.35	2.55	190
L651083		3	30.2	40.5	11.75	77.3	7.35	3	234	2.2	0.85	18.45	<0.5	0.43	4.67	170
L651089		<2	17.9	33.2	9.74	56.0	5.86	2	220	1.1	0.68	17.50	<0.5	0.34	3.30	119
L651090		2	27.3	40.2	12.35	65.7	6.82	2	326	1.4	0.71	22.3	<0.5	0.34	3.94	122
L651091		2	16.6	32.3	9.74	62.5	5.82	2	273	1.1	0.63	17.00	<0.5	0.33	6.22	125
L651092		2	26.7	27.8	8.41	83.2	4.98	3	334	1.6	0.58	22.6	0.5	0.34	6.44	91
L651093		2	22.0	34.3	10.10	64.8	6.16	2	327	1.2	0.66	17.75	<0.5	0.33	3.31	108
L651094		2	53.2	61.2	19.75	72.2	9.06	3	489	1.5	0.82	21.9	<0.5	0.34	3.55	114
L651095		2	77.7	72.5	24.8	68.5	9.65	4	497	2.7	0.92	12.90	<0.5	0.49	4.72	152
L651096		2	119.0	76.3	26.2	65.2	9.54	4	494	1.9	0.73	12.45	<0.5	0.30	2.94	135
L651097		2	54.2	71.6	23.6	70.1	9.98	4	437	1.8	0.89	18.35	<0.5	0.36	3.25	122
L651098		2	25.2	40.9	12.30	65.2	7.34	3	324	1.4	0.75	14.40	<0.5	0.34	3.12	130
L651099		4	27.0	28.9	7.37	56.3	6.81	3	311	1.6	1.02	9.99	<0.5	0.53	3.64	287
L651100		2	21.3	33.7	9.71	62.5	6.23	2	207	1.9	0.71	15.05	<0.5	0.37	4.36	161
L651151		2	19.3	27.9	8.01	57.5	5.33	2	187.0	1.4	0.69	10.25	<0.5	0.39	2.74	154
L651152		<2	18.3	38.7	11.50	73.0	7.08	2	261	1.1	0.75	16.50	<0.5	0.31	3.58	109
L651153		2	46.1	44.1	11.65	67.2	7.96	3	367	3.0	0.96	11.95	<0.5	0.43	3.60	139
L651154		<2	18.3	28.5	7.76	76.5	5.02	3	291	1.0	0.60	14.60	0.5	0.29	3.48	92
L651155		<2	21.1	32.2	8.86	72.8	5.71	3	291	1.3	0.73	14.95	<0.5	0.41	3.76	117
L651156		<2	18.9	26.2	7.35	74.4	4.52	2	271	1.0	0.56	12.50	<0.5	0.27	3.05	111
L651157		<2	23.1	23.8	6.54	65.3	4.30	3	378	1.6	0.56	12.05	<0.5	0.29	3.24	102
L651158		2	97.7	67.6	20.2	93.8	9.82	7	1040	3.3	1.14	6.17	<0.5	0.47	4.43	129
L651159		2	57.0	55.7	14.45	72.4	10.70	8	395	2.8	1.35	18.20	<0.5	0.57	5.17	168
L651160		<2	16.7	30.6	8.93	74.0	4.79	2	517	0.9	0.48	14.70	<0.5	0.21	2.69	107
L651161		<2	25.9	45.0	13.20	80.7	7.32	3	348	1.5	0.83	23.9	<0.5	0.32	3.96	96
L651162		<2	21.2	42.1	12.40	85.8	6.74	3	442	1.1	0.70	17.60	<0.5	0.32	3.44	134
L651163		<2	27.4	24.8	6.53	110.0	4.86	3	311	1.0	0.54	10.95	<0.5	0.22	2.95	125
L651164		3	90.6	56.7	13.70	80.8	12.10	4	583	2.9	1.54	11.10	<0.5	0.45	3.41	106
L651165		3	12.2	26.5	8.02	58.1	4.85	2	272	0.8	0.51	10.45	<0.5	0.23	2.82	78
L651166		3	15.1	32.8	9.86	59.8	5.93	2	350	0.9	0.61	11.05	<0.5	0.28	2.80	100
L651167		2	17.5	43.0	13.45	66.5	7.05	2	317	1.1	0.67	14.25	<0.5	0.34	3.25	133
L651168		3	17.7	38.9	12.00	78.5	6.46	2	493	0.8	0.54	19.80	<0.5	0.19	2.34	42
L651169		4	14.5	27.5	8.36	54.0	4.71	2	220	1.0	0.54	9.77	<0.5	0.26	2.62	118
L651170		4	13.9	27.7	8.81	56.6	4.81	2	215	1.1	0.51	8.43	<0.5	0.26	2.61	113
L651171		4	20.1	43.6	13.80	51.7	6.57	2	276	1.3	0.70	18.80	<0.5	0.33	4.27	116
L651172		2	19.0	34.3	10.75	61.1	5.74	2	276	1.3	0.63	13.90	<0.5	0.32	3.17	146
L651173		2	18.3	34.9	10.70	66.3	6.01	2	292	1.3	0.67	14.85	<0.5	0.34	3.30	108
L651174		3	15.5	51.5	16.00	61.9	8.87	2	293	1.1	0.85	21.5	<0.5	0.28	5.05	120
L651175		4	95.7	164.0	59.8	45.1	17.35	10	815	1.2	0.94	9.48	<0.5	0.31	2.37	198
L651176		4	40.3	66.8	22.3	73.8	9.07	5	801	1.0	0.75	7.52	<0.5	0.34	2.38	210



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L651082		3	21.8	2.33	279	<0.5	7	<0.5	6	15	<1	<1	19	5	51
L651083		3	28.7	2.85	340	<0.5	<5	<0.5	4	13	<1	<1	13	8	45
L651089		2	22.8	2.22	268	<0.5	<5	<0.5	2	7	<1	<1	4	6	20
L651090		5	22.5	2.32	352	<0.5	<5	<0.5	2	8	<1	<1	5	6	20
L651091		4	20.9	2.18	263	<0.5	<5	<0.5	4	17	<1	<1	10	9	42
L651092		4	21.3	2.31	380	<0.5	<5	<0.5	1	5	<1	<1	1	8	10
L651093		4	20.2	2.03	239	0.6	<5	<0.5	5	13	<1	<1	13	8	43
L651094		3	22.9	2.12	198	<0.5	<5	<0.5	5	20	<1	<1	18	5	37
L651095		3	30.1	3.22	242	<0.5	<5	<0.5	6	27	<1	<1	19	7	48
L651096		2	20.3	1.86	275	<0.5	<5	<0.5	4	17	<1	<1	13	8	29
L651097		2	23.9	2.26	228	<0.5	<5	<0.5	5	19	<1	<1	15	7	40
L651098		3	22.0	2.15	242	<0.5	<5	<0.5	3	17	<1	<1	10	8	27
L651099		7	32.3	3.26	232	<0.5	<5	<0.5	7	54	<1	<1	16	5	31
L651100		3	21.9	2.32	278	<0.5	<5	<0.5	5	11	<1	<1	12	5	40
L651151		9	22.4	2.49	269	<0.5	<5	<0.5	4	15	<1	1	14	8	33
L651152		1	22.2	2.15	232	<0.5	<5	<0.5	5	14	<1	1	15	9	47
L651153		2	34.4	2.94	360	<0.5	<5	<0.5	5	12	<1	1	16	9	37
L651154		3	24.5	2.10	284	<0.5	<5	<0.5	3	8	<1	<1	11	9	41
L651155		2	29.7	2.72	328	<0.5	<5	<0.5	3	7	<1	<1	9	11	27
L651156		3	22.8	1.98	229	<0.5	<5	<0.5	5	14	<1	1	16	10	48
L651157		2	23.3	2.16	278	<0.5	<5	<0.5	2	8	<1	<1	7	8	17
L651158		2	40.3	2.92	273	0.6	<5	<0.5	3	69	<1	1	8	45	27
L651159		2	50.0	3.69	330	<0.5	<5	<0.5	3	7	<1	<1	8	8	22
L651160		1	16.8	1.50	257	<0.5	<5	<0.5	4	7	<1	1	9	7	34
L651161		2	26.7	2.14	278	<0.5	<5	<0.5	4	11	<1	<1	11	9	32
L651162		2	26.4	2.19	290	<0.5	<5	<0.5	6	15	<1	1	18	10	51
L651163		2	19.4	1.60	245	<0.5	<5	<0.5	10	11	<1	1	77	10	65
L651164		3	44.7	2.94	262	<0.5	<5	<0.5	5	25	<1	<1	9	6	40
L651165		1	16.5	1.51	245	0.5	<5	<0.5	5	14	<1	1	16	10	43
L651166		2	20.2	1.68	220	<0.5	<5	<0.5	8	34	<1	<1	19	9	55
L651167		2	22.1	2.15	271	<0.5	<5	<0.5	5	14	<1	1	19	7	41
L651168		1	14.6	1.06	252	<0.5	<5	<0.5	4	7	<1	<1	8	3	38
L651169		2	17.5	1.56	194	<0.5	5	<0.5	5	14	<1	1	16	10	44
L651170		4	19.0	1.84	285	<0.5	<5	<0.5	4	9	<1	1	14	9	32
L651171		2	23.5	2.16	284	<0.5	<5	<0.5	5	15	<1	1	19	10	38
L651172		2	21.0	2.08	313	<0.5	<5	<0.5	4	21	<1	1	20	8	33
L651173		1	21.5	2.17	247	<0.5	<5	<0.5	4	11	<1	1	13	9	33
L651174		2	23.4	1.98	218	<0.5	5	<0.5	5	15	<1	1	16	7	44
L651175		1	24.9	1.93	235	<0.5	<5	<0.5	3	10	<1	1	8	8	17
L651176		2	23.7	2.22	218	<0.5	<5	<0.5	7	25	<1	1	18	8	56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L651177		0.24	797	83.1	6.4	100	2.47	3.51	2.00	1.20	23.3	4.18	6.9	0.71	49.1	0.37
L651178		0.20	781	109.5	7.7	100	2.79	4.58	2.79	1.29	21.6	4.94	8.0	0.99	67.7	0.48
L651179		0.26	787	67.5	8.1	70	2.25	2.77	1.45	1.01	18.1	3.27	5.5	0.58	38.3	0.27
L651180		0.32	870	107.0	6.3	80	2.36	4.16	2.19	1.37	22.8	5.21	8.2	0.82	63.3	0.38
L651181		0.26	586	73.2	10.2	80	2.74	3.07	1.48	1.06	16.6	3.76	4.2	0.56	41.9	0.25
L651182		0.30	651	127.5	18.8	200	5.77	5.67	2.98	2.89	25.0	7.28	7.5	1.11	70.0	0.47
L651189		0.40	716	78.0	10.6	100	2.59	3.26	1.69	1.11	18.0	4.08	6.2	0.63	44.8	0.28
L651190		0.36	707	71.3	7.9	100	3.55	3.28	1.77	1.11	19.9	3.67	5.5	0.66	41.3	0.32
L651191		0.44	695	89.1	11.2	100	3.38	3.64	1.90	1.26	21.6	4.48	6.6	0.75	51.5	0.33
L651192		0.40	750	108.5	9.3	100	3.28	4.04	2.06	1.38	20.4	5.00	6.6	0.80	64.5	0.36
L651193		0.50	737	106.0	8.4	90	3.48	4.56	2.37	1.52	18.9	5.56	8.8	0.89	59.0	0.42
L651194		0.36	764	182.0	9.1	90	1.90	5.42	2.24	1.67	21.4	7.42	13.1	0.96	105.5	0.37
L651195		0.40	825	79.1	7.9	80	2.80	4.93	3.29	1.13	18.9	4.63	7.0	1.14	47.9	0.51
L651196		0.44	1100	173.0	10.7	90	2.18	5.31	2.56	2.00	23.6	7.48	9.4	1.00	108.5	0.43
L651197		0.42	915	88.6	5.4	80	2.27	4.21	2.34	1.23	19.1	4.56	9.5	0.81	46.9	0.38
L651198		0.44	763	91.2	9.0	100	2.78	3.57	1.89	1.12	15.5	4.01	7.1	0.68	49.3	0.29
L651199		0.48	908	116.5	10.2	100	2.19	3.87	1.97	1.30	15.9	4.76	7.2	0.73	63.4	0.30
L651200		0.38	914	98.5	8.0	90	3.48	3.84	2.05	1.30	18.6	4.47	7.4	0.74	51.7	0.32
L648699		0.20	944	104.5	7.5	120	2.22	4.35	2.48	1.35	19.9	5.01	9.0	0.91	56.6	0.39
L651086		0.40	933	84.0	7.7	90	2.56	3.54	2.05	1.11	19.8	4.21	6.9	0.74	47.7	0.34
L651087		0.40	1010	96.0	7.9	90	2.54	3.76	1.97	1.14	22.8	4.41	7.1	0.74	54.6	0.31
L651088		0.40	892	93.4	10.6	110	2.75	3.64	1.93	1.10	19.0	4.24	5.9	0.72	52.7	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - B
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L651177		2	18.6	34.3	10.50	63.0	5.87	3	239	1.4	0.63	12.90	<0.5	0.35	3.15	152
L651178		2	22.5	41.8	13.20	69.8	7.07	3	269	1.4	0.79	15.35	<0.5	0.48	3.64	147
L651179		4	13.0	27.6	8.40	59.1	4.94	2	259	0.9	0.50	12.00	<0.5	0.26	2.79	92
L651180		2	18.3	43.7	13.50	65.0	7.47	2	262	1.4	0.79	19.10	<0.5	0.38	4.02	133
L651181		2	12.0	30.2	9.10	45.0	5.45	1	190.5	0.9	0.56	16.10	<0.5	0.25	2.98	107
L651182		5	55.9	60.4	17.35	100.5	10.40	3	335	4.4	1.07	9.84	<0.5	0.49	4.41	254
L651189		4	14.5	31.0	9.54	57.2	5.56	2	267	1.0	0.63	14.80	<0.5	0.28	3.14	119
L651190		3	16.2	28.5	8.87	62.3	5.12	2	222	1.2	0.61	16.75	<0.5	0.30	4.30	129
L651191		3	16.6	36.8	11.20	64.2	6.43	2	275	1.2	0.68	16.25	<0.5	0.33	3.49	135
L651192		2	18.8	42.2	13.05	64.7	7.33	2	289	1.2	0.76	29.7	<0.5	0.35	5.30	132
L651193		3	18.0	44.5	13.25	67.3	7.97	2	263	1.3	0.86	17.95	<0.5	0.41	5.07	124
L651194		4	26.3	70.1	22.0	57.6	12.25	2	291	1.6	1.11	60.6	<0.5	0.35	12.05	118
L651195		3	17.0	32.3	9.72	63.0	5.85	2	279	1.2	0.78	14.40	<0.5	0.57	4.61	119
L651196		2	32.8	69.4	21.8	64.6	11.25	3	422	1.9	1.05	33.2	<0.5	0.44	5.16	130
L651197		2	20.7	38.6	10.25	67.5	7.06	3	291	1.3	0.70	11.30	<0.5	0.35	3.18	126
L651198		2	15.1	38.1	10.35	64.1	6.64	2	258	0.9	0.64	14.25	<0.5	0.28	2.96	122
L651199		2	17.1	47.3	13.10	63.2	7.89	2	308	1.1	0.69	19.35	<0.5	0.30	3.67	111
L651200		2	19.8	42.2	11.35	76.2	7.57	2	307	1.2	0.67	13.40	<0.5	0.31	3.35	132
L648699		2	19.9	42.7	11.70	79.6	6.94	2	293	1.4	0.76	13.70	<0.5	0.37	3.16	125
L651086		<2	17.1	31.7	8.83	65.9	5.12	2	288	1.1	0.65	18.15	<0.5	0.32	3.16	134
L651087		<2	19.6	36.6	10.25	63.6	6.07	2	326	1.3	0.66	18.70	<0.5	0.29	3.53	147
L651088		2	16.3	35.4	10.00	62.6	5.78	2	276	1.0	0.64	18.90	<0.5	0.28	3.27	140



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - C)
 Finalized Date: 29-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11123142

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L651177	1	2	21.3	2.19	255	<0.5	<5	<0.5	3	7	<1	1	10	11	33
L651178	0.5	2	29.6	3.10	314	0.5	<5	<0.5	3	8	<1	1	13	11	29
L651179	0.03	2	16.5	1.48	226	<0.5	<5	<0.5	5	13	<1	1	16	9	42
L651180	2	2	24.3	2.35	312	<0.5	<5	<0.5	3	8	<1	1	12	9	27
L651181	1	1	16.3	1.53	165	0.6	6	<0.5	7	21	<1	1	25	13	57
L651182	3	3	32.3	2.97	299	<0.5	<5	<0.5	8	42	<1	1	22	8	58
L651189	3	3	19.6	1.91	258	<0.5	<5	<0.5	7	18	<1	1	19	9	50
L651190	2	2	19.4	1.97	212	<0.5	<5	<0.5	4	12	<1	1	15	11	42
L651191	2	2	21.5	1.97	263	<0.5	<5	<0.5	7	16	<1	1	19	10	59
L651192	2	2	23.6	2.28	269	<0.5	<5	<0.5	4	17	<1	1	14	10	41
L651193	2	2	26.4	2.58	327	<0.5	<5	<0.5	6	29	1	1	19	18	36
L651194	2	2	28.8	2.28	559	<0.5	5	<0.5	4	14	<1	1	13	9	28
L651195	2	2	36.2	3.38	271	<0.5	<5	<0.5	4	13	<1	1	14	8	48
L651196	2	2	29.2	2.69	349	<0.5	<5	<0.5	4	11	<1	1	11	7	31
L651197	2	2	23.8	2.24	355	<0.5	<5	<0.5	1	6	<1	<1	5	9	17
L651198	2	2	18.9	1.80	267	<0.5	5	<0.5	4	11	<1	<1	13	8	36
L651199	2	2	20.4	1.87	273	<0.5	5	<0.5	4	13	<1	<1	15	8	33
L651200	2	2	21.0	2.01	271	<0.5	<5	<0.5	3	9	<1	<1	11	9	31
L648699	3	3	25.2	2.41	313	<0.5	<5	<0.5	3	7	<1	1	10	5	22
L651086	2	2	20.0	2.02	252	<0.5	6	<0.5	3	11	<1	<1	10	9	32
L651087	2	2	20.4	1.86	267	<0.5	5	<0.5	4	10	<1	<1	11	10	30
L651088	1	1	20.5	1.84	219	<0.5	5	<0.5	5	15	<1	1	18	10	44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 13-JUL-2011
 Account: EIAREI

CERTIFICATE VA11115797

Project: REI11-01
 P.O. No.: REI11-01_3
 This report is for 193 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649101		0.16	775	102.0	12.9	110	3.52	17.60	10.75	4.20	22.0	29.2	9.5	3.48	55.4	1.46
L649102		0.18	669	137.5	5.9	90	5.43	5.85	3.38	1.17	35.2	7.54	12.0	1.16	74.6	0.49
L649103		0.24	882	105.5	6.9	90	2.89	4.14	2.57	1.11	23.2	5.10	8.3	0.86	57.4	0.39
L649104		0.26	862	100.0	9.2	100	2.77	4.53	2.73	1.10	21.0	5.32	8.6	0.93	53.9	0.40
L649105		0.28	755	131.5	18.2	90	6.04	5.08	2.69	1.33	24.0	6.95	9.5	0.97	70.5	0.38
L649106		0.24	874	99.4	8.6	80	3.56	4.48	2.73	1.10	21.1	5.03	8.7	0.92	53.8	0.41
L649107		0.16	648	110.0	19.3	70	5.03	6.24	3.61	1.86	19.4	7.35	6.3	1.25	66.4	0.48
L649108		0.24	818	119.0	13.5	90	4.22	4.57	2.58	1.37	23.1	5.99	9.5	0.90	64.9	0.36
L649109		0.14	754	106.0	23.3	90	4.47	5.36	2.85	1.76	20.3	6.28	5.6	1.07	61.7	0.38
L649110		0.14	709	85.4	14.2	80	4.09	3.92	2.25	1.17	19.4	4.55	7.5	0.80	46.6	0.33
L649111		0.22	761	83.8	16.3	90	4.21	4.22	2.48	1.21	22.3	4.64	6.0	0.87	46.0	0.34
L649112		0.24	822	107.5	13.4	100	4.88	4.39	2.62	1.17	24.5	5.62	8.1	0.92	58.3	0.37
L649113		0.26	855	80.4	11.3	90	4.07	4.09	2.58	1.02	24.4	4.26	7.1	0.88	43.3	0.39
L649114		0.16	805	129.0	9.8	90	3.90	4.69	2.52	1.23	23.4	6.03	9.8	0.90	69.4	0.36
L649115		0.16	842	111.0	11.0	90	4.34	4.50	2.61	1.14	25.5	5.16	7.3	0.91	60.1	0.37
L649116		0.22	772	80.9	11.4	90	4.60	3.83	2.41	1.06	22.9	4.20	7.6	0.81	43.6	0.35
L649117		0.32	754	108.5	12.4	90	4.14	4.66	2.46	1.52	20.4	5.94	8.0	0.91	66.7	0.34
L649118		0.22	778	95.8	12.1	100	3.96	3.97	2.24	1.17	20.4	4.62	7.8	0.80	53.8	0.30
L649119		0.16	885	97.8	6.7	90	2.83	3.89	2.35	1.11	21.8	4.48	8.7	0.81	55.1	0.35
L649120		0.18	878	104.5	6.6	80	2.65	4.50	2.64	1.15	21.2	5.25	8.6	0.91	57.5	0.40
L649121		0.36	764	96.7	9.5	80	3.40	5.23	2.75	1.57	20.4	6.85	6.6	1.01	72.0	0.36
L649122		0.20	845	114.5	9.9	70	4.29	4.43	2.46	1.18	24.0	5.45	7.9	0.86	63.9	0.34
L649123		0.18	833	143.0	9.3	80	4.98	4.92	2.86	1.31	25.1	6.53	8.5	1.00	77.6	0.42
L649124		0.22	819	99.6	7.7	90	3.13	4.27	2.70	1.09	22.1	4.89	9.1	0.88	54.6	0.39
L649125		0.20	927	92.6	8.1	70	2.89	4.05	2.41	1.24	20.3	4.47	7.7	0.83	50.7	0.36
L649126		0.20	879	96.2	9.5	80	3.73	3.95	2.40	1.19	21.0	4.29	8.2	0.81	53.8	0.36
L649127		0.22	870	79.5	12.5	80	4.55	4.61	2.75	1.60	19.8	5.17	5.8	0.97	55.9	0.40
L649128		0.18	953	103.5	9.1	70	4.57	4.01	2.34	1.32	22.1	4.40	8.4	0.84	57.3	0.35
L649129		0.22	852	118.0	7.5	70	3.81	14.05	8.78	3.91	25.1	23.4	8.9	2.81	64.5	1.15
L649130		0.14	10.8	3.4	<0.5	<10	0.02	0.43	0.30	0.08	0.5	0.36	1.5	0.10	1.9	0.04
L649131		0.20	944	76.1	13.9	90	5.31	2.75	1.56	0.99	27.9	3.03	5.3	0.55	38.4	0.23
L649132		0.16	856	99.0	3.9	70	3.31	4.27	2.63	1.21	20.9	4.35	9.5	0.88	53.2	0.41
L649133		0.22	823	122.0	4.5	70	3.68	4.41	2.43	1.20	24.7	5.16	10.2	0.86	65.6	0.38
L649134		0.24	824	97.2	11.4	90	4.38	4.36	2.73	1.28	23.5	4.82	9.1	0.92	55.1	0.43
L649135		0.24	883	98.1	8.3	80	3.74	4.33	2.53	1.24	24.0	4.58	7.7	0.88	53.7	0.37
L649136		0.18	846	108.0	11.9	70	4.06	6.03	3.33	2.42	20.0	7.87	7.6	1.18	92.4	0.46
L649137		0.28	808	116.0	13.1	80	4.87	5.69	3.18	1.82	21.1	6.49	8.6	1.14	74.7	0.44
L649138		0.22	1040	138.5	11.8	80	3.39	6.12	3.53	2.12	20.5	7.13	9.4	1.22	84.8	0.48
L649139		0.14	905	112.5	11.1	80	4.56	5.19	2.93	1.54	19.8	5.65	7.6	1.04	61.2	0.42
L649140		0.14	876	99.7	11.5	70	4.79	4.70	2.69	1.46	19.4	5.11	6.9	0.94	54.8	0.37

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649101		<2	18.6	41.2	11.30	94.7	7.27	2	202	1.3	3.52	71.6	1.2	1.66	13.60	146
L649102		<2	28.7	58.4	15.95	154.0	10.65	2	155.0	1.5	1.10	26.8	<0.5	0.52	5.25	123
L649103		<2	19.6	41.9	11.45	97.4	7.26	2	229	1.2	0.74	16.35	<0.5	0.40	3.32	147
L649104		2	17.6	40.3	10.90	105.0	7.09	2	238	1.2	0.80	17.70	<0.5	0.43	3.47	130
L649105		2	19.0	52.3	14.35	142.0	9.56	2	186.0	1.2	0.96	24.3	<0.5	0.40	5.93	135
L649106		<2	18.6	40.1	10.95	118.5	7.20	2	260	1.2	0.79	17.00	<0.5	0.41	4.68	113
L649107		3	16.4	54.0	14.35	99.1	10.20	2	201	1.0	1.10	21.6	<0.5	0.55	6.48	105
L649108		3	26.2	49.0	13.20	104.0	8.47	3	290	1.8	0.86	18.15	<0.5	0.37	4.65	139
L649109		2	17.7	48.3	13.00	102.5	8.71	2	264	1.1	0.96	11.90	<0.5	0.45	8.71	128
L649110		2	17.8	34.7	9.44	102.0	6.02	2	239	1.2	0.68	11.30	<0.5	0.35	4.79	124
L649111		2	19.0	34.8	9.34	107.5	6.27	2	246	1.2	0.73	16.75	<0.5	0.39	5.16	134
L649112		<2	21.4	43.6	11.75	126.5	7.84	2	251	1.4	0.81	22.0	<0.5	0.40	3.97	156
L649113		2	21.5	32.8	8.85	117.0	5.81	2	252	1.4	0.69	13.55	<0.5	0.40	3.27	154
L649114		4	20.3	52.4	14.35	112.5	9.07	2	247	1.3	0.87	21.0	<0.5	0.38	4.32	136
L649115		2	24.3	43.5	12.00	117.5	7.44	2	235	1.3	0.79	17.45	<0.5	0.40	3.78	140
L649116		5	19.3	33.5	9.08	105.0	5.95	2	243	1.4	0.66	13.65	<0.5	0.37	4.59	125
L649117		3	16.8	49.9	13.80	88.9	8.79	2	256	1.1	0.84	18.55	<0.5	0.36	9.87	111
L649118		<2	17.9	38.9	10.50	92.6	6.73	2	258	1.2	0.69	15.45	<0.5	0.34	3.67	129
L649119		<2	19.0	38.6	10.70	87.1	6.67	2	256	1.3	0.67	15.75	<0.5	0.38	3.34	135
L649120		<2	18.9	42.6	11.50	82.0	7.47	2	257	1.3	0.78	18.00	<0.5	0.42	3.80	136
L649121		4	16.2	56.2	15.20	82.9	10.05	2	275	1.1	0.96	16.70	<0.5	0.41	15.55	104
L649122		3	18.4	46.4	12.80	111.5	7.86	2	263	1.2	0.80	29.7	<0.5	0.37	5.03	122
L649123		3	19.8	58.2	15.80	164.5	10.20	3	219	1.3	0.92	22.1	<0.5	0.43	4.75	129
L649124		<2	19.2	40.1	10.90	98.0	7.12	2	234	1.3	0.73	15.90	<0.5	0.42	3.65	133
L649125		2	17.9	36.9	10.10	92.5	6.25	2	303	1.3	0.71	14.20	<0.5	0.36	3.58	98
L649126		2	17.3	36.7	10.25	91.6	6.30	2	276	1.1	0.66	15.00	<0.5	0.33	3.22	119
L649127		11	15.9	41.9	11.35	96.1	7.37	2	335	1.0	0.80	13.95	<0.5	0.42	21.3	107
L649128		4	21.5	40.2	11.15	145.5	6.80	3	318	1.3	0.71	17.15	<0.5	0.35	4.05	106
L649129		3	18.1	44.2	12.30	108.5	7.41	2	265	1.1	2.99	72.2	1.0	1.12	14.65	111
L649130		<2	0.2	1.9	0.46	0.3	0.37	<1	2.2	<0.1	0.07	0.40	<0.5	0.04	0.26	<5
L649131		6	23.6	27.7	7.55	171.0	4.74	2	252	1.3	0.46	11.45	<0.5	0.22	4.65	113
L649132		<2	19.2	38.6	10.60	106.5	6.62	2	241	1.5	0.72	14.05	<0.5	0.39	3.30	103
L649133		2	20.6	47.5	13.10	101.0	8.00	2	243	1.2	0.78	20.9	<0.5	0.35	4.05	114
L649134		6	20.6	40.1	11.05	130.0	7.03	2	273	1.2	0.74	16.90	<0.5	0.41	5.28	119
L649135		11	19.2	39.3	10.70	102.5	6.98	2	245	1.2	0.75	14.85	<0.5	0.37	5.69	123
L649136		12	17.6	65.3	17.90	101.5	11.05	2	327	1.0	1.10	19.80	<0.5	0.48	31.4	83
L649137		4	17.3	55.0	15.00	120.0	9.59	2	267	1.0	1.01	19.10	<0.5	0.45	8.41	98
L649138		2	18.3	61.8	16.90	87.0	10.65	2	354	1.2	1.09	21.1	<0.5	0.49	9.50	91
L649139		2	16.3	44.9	12.20	104.0	7.77	2	294	1.0	0.89	18.40	<0.5	0.42	5.29	100
L649140		3	16.0	40.4	10.95	107.5	6.91	2	283	1.1	0.81	16.05	<0.5	0.40	5.96	99



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	1	2	2
L649101		1	22.5	9.24	335	<0.5	<5	<0.5	8	16	1	<1	25	11	62
L649102		2	30.7	3.16	424	<0.5	<5	<0.5	3	8	1	<1	10	13	42
L649103		2	22.9	2.49	304	<0.5	<5	<0.5	3	8	<1	1	11	10	32
L649104		2	23.8	2.58	293	0.5	<5	<0.5	5	7	<1	1	17	7	39
L649105		2	24.8	2.52	327	<0.5	<5	<0.5	13	15	<1	2	28	13	83
L649106		2	24.6	2.62	315	<0.5	<5	<0.5	5	13	<1	1	21	11	42
L649107		1	33.8	3.22	242	0.5	<5	0.5	15	28	<1	2	33	10	75
L649108		2	23.6	2.34	340	<0.5	<5	<0.5	9	15	<1	3	22	14	85
L649109		2	28.6	2.57	218	0.5	<5	0.5	18	32	<1	1	32	25	80
L649110		2	20.8	2.15	285	<0.5	<5	<0.5	10	20	<1	1	20	16	63
L649111		2	23.6	2.29	232	<0.5	<5	<0.5	11	27	<1	2	34	13	91
L649112		2	23.8	2.41	279	<0.5	<5	<0.5	9	17	<1	1	21	9	65
L649113		2	23.3	2.48	267	<0.5	<5	<0.5	6	13	<1	1	18	10	54
L649114		2	24.1	2.35	350	<0.5	<5	<0.5	6	12	<1	3	15	12	48
L649115		2	24.0	2.48	278	<0.5	<5	<0.5	7	19	<1	2	19	10	61
L649116		2	21.6	2.38	285	<0.5	<5	<0.5	8	16	<1	4	21	11	63
L649117		3	24.7	2.24	285	0.5	<5	<0.5	9	23	<1	2	24	10	69
L649118		2	20.6	2.03	289	<0.5	<5	<0.5	7	19	<1	1	23	11	78
L649119		2	21.6	2.31	309	<0.5	<5	<0.5	3	6	<1	1	10	10	42
L649120		2	24.2	2.52	302	<0.5	<5	<0.5	3	6	<1	1	9	10	42
L649121		2	27.0	2.43	258	0.5	<5	<0.5	6	13	<1	3	16	12	48
L649122		2	23.3	2.23	285	0.5	<5	<0.5	6	8	<1	3	15	13	78
L649123		2	26.5	2.74	308	<0.5	<5	<0.5	6	10	<1	2	16	13	62
L649124		2	24.1	2.62	315	<0.5	<5	<0.5	4	9	<1	1	12	10	45
L649125		2	22.2	2.23	278	0.6	<5	<0.5	5	9	<1	2	15	9	47
L649126		3	22.4	2.30	296	<0.5	<5	<0.5	6	14	<1	1	19	10	67
L649127		3	26.3	2.52	202	<0.5	<5	<0.5	9	24	<1	10	28	11	87
L649128		3	22.6	2.21	318	<0.5	<5	<0.5	6	14	<1	4	12	13	38
L649129		3	22.4	7.02	302	0.5	<5	<0.5	5	13	<1	2	15	12	46
L649130		1	2.8	0.30	53	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L649131		2	15.5	1.48	192	<0.5	<5	<0.5	11	31	<1	5	36	11	90
L649132		3	24.8	2.45	326	<0.5	<5	<0.5	2	6	<1	1	5	11	24
L649133		3	24.4	2.25	362	<0.5	<5	<0.5	3	6	<1	2	7	8	30
L649134		4	25.7	2.63	318	<0.5	<5	<0.5	9	14	<1	5	25	10	89
L649135		3	24.8	2.31	282	<0.5	<5	<0.5	5	13	<1	9	16	10	50
L649136		2	34.2	2.93	262	<0.5	<5	0.5	10	27	<1	11	27	10	74
L649137		3	32.2	2.73	303	<0.5	<5	<0.5	11	26	<1	3	25	11	87
L649138		4	34.7	3.05	336	<0.5	<5	<0.5	9	20	<1	1	21	9	68
L649139		3	27.5	2.64	267	<0.5	<5	<0.5	9	20	<1	2	24	10	83
L649140		2	25.3	2.47	241	<0.5	<5	<0.5	10	21	<1	2	25	9	89



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649141		0.22	823	85.6	12.9	110	3.95	4.05	2.31	1.31	19.9	4.91	6.9	0.81	46.2	0.36
L649142		0.24	853	73.1	10.8	100	3.90	3.69	2.19	1.05	18.6	4.36	6.9	0.76	37.2	0.36
L649143		0.26	830	76.2	6.0	120	2.85	3.75	2.18	1.08	19.0	4.05	7.2	0.78	39.7	0.35
L649144		0.22	871	98.9	9.8	110	3.93	3.74	2.02	1.15	19.6	4.52	6.7	0.73	51.5	0.32
L649145		0.28	908	76.1	6.8	120	3.82	4.31	2.69	1.08	18.9	4.65	6.7	0.92	38.8	0.44
L649146		0.30	896	97.2	7.5	90	4.53	3.84	2.19	1.14	21.8	4.64	8.1	0.76	49.8	0.35
L649147		0.26	786	87.5	7.8	100	3.35	14.60	8.84	4.26	20.2	25.4	7.0	2.93	45.3	1.33
L649148		0.24	921	102.0	4.7	70	2.66	3.92	2.14	1.21	24.6	4.99	8.7	0.78	53.8	0.34
L649149		0.30	969	100.5	4.9	80	3.75	4.56	2.72	1.33	22.3	5.18	10.6	0.97	52.2	0.46
L649150		0.20	933	109.0	3.9	60	3.20	4.14	2.32	1.29	22.7	5.21	10.9	0.83	57.6	0.39
L649401		0.24	931	126.0	7.4	80	4.94	4.31	2.34	1.36	23.9	5.52	8.6	0.84	67.5	0.36
L649402		0.26	843	104.0	5.4	100	3.94	4.68	3.10	1.31	21.3	4.98	7.9	1.04	53.8	0.50
L649403		0.20	867	100.5	4.0	100	3.41	4.12	2.37	1.20	19.4	4.55	9.4	0.84	51.4	0.38
L649404		0.18	799	114.5	7.1	90	3.19	4.57	2.63	1.37	21.2	5.55	10.6	0.93	60.1	0.42
L649405		0.26	794	94.1	7.9	100	4.24	3.95	2.37	1.17	23.1	4.61	8.0	0.83	48.5	0.39
L649406		0.28	813	110.0	5.7	90	3.88	4.53	2.49	1.30	23.4	5.41	9.1	0.90	58.6	0.39
L649407		0.26	853	126.5	10.0	100	4.61	4.63	2.45	1.34	24.8	6.09	6.9	0.91	67.9	0.36
L649408		0.22	875	109.5	7.0	90	4.04	4.54	2.67	1.33	22.5	5.08	8.2	0.94	56.2	0.41
L649409		0.20	715	80.5	4.0	90	3.15	4.12	2.59	1.12	19.9	4.39	7.0	0.89	41.1	0.43
L649410		0.24	1020	127.5	1.7	60	1.45	4.12	2.35	1.15	20.4	4.72	9.6	0.83	72.6	0.36
L649411		0.28	979	86.5	5.1	60	1.88	4.34	2.67	1.28	25.9	4.70	11.9	0.93	45.7	0.42
L649412		0.26	951	89.9	4.9	80	3.40	4.46	2.67	1.21	23.6	4.85	8.7	0.91	49.3	0.39
L649413		0.22	841	112.0	9.0	80	4.52	4.28	2.20	1.24	25.0	5.62	7.0	0.81	60.7	0.31
L649414		0.24	826	93.8	6.0	80	3.04	4.07	2.35	1.21	23.1	4.89	7.5	0.82	52.3	0.35
L649415		0.24	890	82.0	4.8	70	3.31	4.64	2.87	1.15	24.7	4.69	8.5	0.97	45.4	0.44
L649416		0.28	525	147.0	6.3	100	11.25	6.36	3.63	1.50	34.3	7.88	7.7	1.28	79.0	0.53
L649417		0.24	536	175.0	25.5	80	6.11	4.48	2.40	1.52	21.5	5.56	3.9	0.89	101.5	0.34
L649418		0.22	708	109.5	19.9	80	10.65	3.83	2.35	1.35	21.1	4.21	4.2	0.83	58.7	0.33
L649419		0.24	381	139.0	14.8	70	5.81	5.21	2.64	1.65	22.7	6.14	5.0	1.01	73.6	0.33
L649420		0.32	539	114.5	15.4	80	6.47	5.30	3.44	1.69	24.2	6.79	6.4	1.09	71.4	0.47
L649421		0.20	524	148.5	16.1	70	7.33	4.86	2.52	1.74	21.6	5.71	4.3	0.90	82.2	0.33
L649422		0.22	884	91.4	9.0	80	4.04	3.72	2.02	1.14	21.3	4.69	5.9	0.73	51.5	0.28
L649423		0.18	730	81.3	9.9	80	4.92	3.71	2.18	1.14	23.8	4.17	5.8	0.76	46.9	0.29
L649424		0.22	932	89.6	4.9	80	2.40	4.55	2.64	1.35	23.9	5.30	9.3	0.94	51.0	0.40
L649425		0.24	1020	102.5	7.3	90	3.14	4.12	2.29	1.29	26.3	5.12	7.3	0.82	57.7	0.33
L649426		0.32	788	190.0	25.6	100	4.54	6.48	3.40	2.16	26.6	8.79	6.3	1.25	105.0	0.45
L649427		0.30	678	206	22.6	130	5.88	7.39	3.65	2.48	27.3	10.20	8.0	1.37	117.5	0.47
L649428		0.14	599	94.6	14.5	70	4.38	3.24	1.55	1.07	20.5	3.76	5.1	0.61	51.9	0.21
L649429		0.20	674	64.7	19.9	100	5.99	3.91	2.25	1.27	18.1	3.96	4.8	0.79	38.9	0.30
L649430		0.18	10.0	2.5	<0.5	<10	0.01	0.37	0.27	0.07	0.2	0.32	1.8	0.08	1.5	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649141		4	17.6	36.4	9.75	107.5	6.36	2	289	1.2	0.72	14.05	1.4	0.36	3.94	129
L649142		<2	16.1	30.1	7.91	99.8	5.37	2	279	1.1	0.63	12.95	0.9	0.33	3.04	128
L649143		<2	16.2	30.1	8.06	78.8	5.24	2	272	1.2	0.62	14.60	0.5	0.34	3.23	106
L649144		<2	15.4	38.7	10.35	95.2	6.59	2	293	1.1	0.66	18.35	<0.5	0.32	2.96	126
L649145		<2	16.0	30.8	8.20	89.3	5.53	2	238	1.3	0.71	13.10	0.6	0.43	3.23	112
L649146		<2	20.8	38.2	10.30	109.5	6.40	3	267	1.4	0.66	15.95	1.4	0.33	3.24	95
L649147		<2	17.8	35.1	9.44	79.3	5.95	2	241	1.2	2.98	63.8	6.7	1.29	12.75	108
L649148		<2	22.4	39.9	10.95	84.8	6.72	3	252	1.6	0.70	18.45	1.5	0.35	3.92	110
L649149		<2	24.1	40.7	10.90	95.5	6.91	3	316	1.7	0.78	16.30	1.0	0.44	4.40	100
L649150		<2	22.4	44.7	12.00	82.5	7.54	3	241	1.6	0.73	17.70	0.7	0.37	3.37	85
L649401		<2	23.1	50.0	13.75	102.5	8.20	3	264	1.7	0.78	23.4	0.5	0.35	3.72	121
L649402		<2	20.9	40.8	11.10	85.7	6.96	3	288	1.4	0.79	14.00	0.6	0.50	3.24	108
L649403		<2	20.0	40.1	10.80	90.3	6.93	3	258	1.4	0.71	14.05	0.8	0.37	3.14	97
L649404		2	20.7	46.6	12.50	87.8	7.67	3	272	1.6	0.78	18.90	0.5	0.42	4.53	102
L649405		2	21.6	37.3	10.00	97.3	6.22	3	239	1.4	0.67	15.30	0.8	0.38	3.09	140
L649406		<2	20.0	45.7	12.25	94.7	8.02	3	282	1.4	0.82	19.45	0.8	0.39	3.64	105
L649407		<2	20.5	53.7	14.30	105.0	8.98	2	247	1.3	0.86	19.40	0.6	0.37	4.27	123
L649408		<2	19.8	44.4	11.85	113.0	7.47	2	261	1.3	0.77	16.05	<0.5	0.42	3.39	112
L649409		<2	17.5	33.3	8.83	71.9	5.76	2	232	1.2	0.67	12.20	<0.5	0.41	2.90	105
L649410		<2	20.1	45.8	13.35	60.1	7.19	2	273	1.3	0.74	24.0	<0.5	0.34	3.53	82
L649411		<2	22.0	37.0	10.00	70.0	6.35	3	313	1.5	0.74	10.80	<0.5	0.39	3.25	111
L649412		<2	20.5	37.5	10.30	86.0	6.43	2	280	1.4	0.75	13.15	<0.5	0.40	3.37	100
L649413		<2	19.2	46.2	12.90	90.7	7.74	2	245	1.2	0.79	18.85	<0.5	0.30	3.15	117
L649414		<2	18.0	38.0	10.60	77.1	6.48	2	249	1.2	0.72	13.60	<0.5	0.35	3.02	126
L649415		<2	21.5	33.4	9.34	92.5	5.94	2	262	1.4	0.74	12.25	<0.5	0.42	3.32	101
L649416		<2	22.9	62.9	17.20	160.0	10.35	3	60.0	1.3	1.16	24.2	<0.5	0.54	3.88	123
L649417		<2	10.5	69.1	20.5	77.3	10.60	2	441	0.6	0.77	24.4	<0.5	0.32	3.43	79
L649418		<2	17.3	43.6	12.50	110.0	7.31	2	382	1.1	0.64	14.35	<0.5	0.28	3.38	87
L649419		<2	20.8	59.5	16.60	51.6	10.45	2	341	1.4	0.88	23.3	<0.5	0.34	4.63	68
L649420		2	17.8	54.4	15.50	72.4	9.41	2	352	1.2	1.01	20.4	<0.5	0.48	3.71	84
L649421		<2	23.2	57.9	17.20	67.2	9.44	3	329	1.4	0.84	14.00	<0.5	0.31	3.58	89
L649422		<2	15.6	36.5	10.30	89.1	6.17	2	284	1.0	0.67	16.75	<0.5	0.28	3.21	109
L649423		<2	18.5	32.4	9.21	94.0	5.43	2	248	1.2	0.65	11.10	<0.5	0.31	2.74	110
L649424		<2	20.1	36.7	10.20	79.4	6.29	2	291	1.3	0.78	12.00	<0.5	0.40	3.27	108
L649425		<2	20.2	41.5	11.80	85.5	6.96	2	278	1.3	0.74	13.35	<0.5	0.33	2.94	125
L649426		<2	19.7	72.6	21.1	106.0	11.65	2	430	1.3	1.25	30.5	<0.5	0.48	3.88	105
L649427		<2	26.8	83.8	23.4	120.5	13.25	3	560	1.7	1.37	32.6	<0.5	0.51	4.74	107
L649428		<2	12.9	39.0	11.25	77.4	6.50	2	369	0.9	0.51	12.60	<0.5	0.17	2.65	77
L649429		3	12.3	31.2	8.62	86.8	6.04	2	226	0.8	0.59	9.09	<0.5	0.28	9.54	148
L649430		<2	0.2	1.6	0.40	0.2	0.32	<1	2.0	<0.1	0.05	0.36	<0.5	0.03	0.31	<5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649141		2	26.3	2.32	247	<0.5	<5	<0.5	9	15	<1	3	16	12	68
L649142		2	23.1	2.23	233	<0.5	<5	<0.5	7	21	<1	1	20	8	65
L649143		2	23.9	2.29	252	<0.5	<5	<0.5	3	11	1	<1	10	10	36
L649144		2	22.8	2.14	233	<0.5	5	<0.5	7	21	<1	1	19	10	65
L649145		4	27.9	2.81	231	<0.5	<5	<0.5	4	10	<1	<1	12	11	40
L649146		2	23.8	2.18	291	<0.5	<5	<0.5	5	11	<1	<1	14	12	61
L649147		3	22.7	8.57	244	<0.5	<5	<0.5	5	13	<1	1	14	11	63
L649148		3	24.1	2.22	303	<0.5	<5	<0.5	3	6	<1	<1	8	13	30
L649149		2	29.9	3.07	379	<0.5	<5	<0.5	2	3	<1	<1	5	12	21
L649150		4	25.4	2.44	388	<0.5	<5	<0.5	2	4	<1	<1	4	10	17
L649401		3	24.8	2.34	299	<0.5	<5	<0.5	4	14	<1	1	12	12	52
L649402		2	33.4	3.36	288	<0.5	<5	<0.5	3	9	<1	1	8	12	27
L649403		2	26.2	2.51	345	<0.5	<5	<0.5	2	5	<1	<1	5	9	20
L649404		10	27.9	2.76	375	0.8	<5	<0.5	4	9	<1	1	11	12	38
L649405		4	25.6	2.49	296	0.6	6	<0.5	5	15	<1	1	16	13	53
L649406		3	28.7	2.58	325	<0.5	<5	<0.5	3	8	<1	<1	8	13	30
L649407		7	29.0	2.43	250	<0.5	<5	<0.5	6	13	<1	1	20	13	69
L649408		2	30.1	2.72	306	<0.5	<5	<0.5	4	8	<1	1	11	11	44
L649409		2	28.3	2.74	256	<0.5	<5	<0.5	2	6	<1	<1	5	10	18
L649410		3	23.8	2.25	370	<0.5	<5	<0.5	<1	3	<1	<1	1	8	8
L649411		3	26.2	2.53	440	<0.5	<5	<0.5	2	3	<1	<1	5	11	22
L649412		3	26.3	2.46	322	<0.5	<5	<0.5	2	8	<1	<1	8	15	25
L649413		3	22.1	1.90	246	<0.5	<5	<0.5	6	17	<1	1	23	11	74
L649414		3	23.5	2.15	264	<0.5	<5	<0.5	4	11	<1	1	13	11	46
L649415		3	29.0	2.70	303	<0.5	<5	<0.5	3	10	<1	1	10	10	36
L649416		2	34.8	3.31	270	<0.5	<5	<0.5	5	22	<1	1	15	18	73
L649417		2	26.0	2.27	150	<0.5	<5	0.6	20	55	<1	1	58	22	114
L649418		2	25.6	2.32	151	<0.5	<5	<0.5	15	36	<1	1	45	23	111
L649419		2	27.8	2.48	183	<0.5	<5	<0.5	11	10	<1	<1	32	23	168
L649420		2	34.7	2.99	209	0.5	<5	0.5	10	10	1	<1	29	17	156
L649421		<1	28.3	2.31	212	<0.5	<5	0.8	11	18	<1	<1	29	25	98
L649422		2	20.3	1.74	217	<0.5	<5	<0.5	6	19	<1	1	20	11	62
L649423		3	21.0	1.89	208	<0.5	<5	<0.5	6	13	<1	1	17	16	75
L649424		3	26.5	2.43	337	<0.5	<5	<0.5	2	5	<1	<1	7	12	26
L649425		3	23.8	2.08	269	<0.5	<5	<0.5	4	11	<1	<1	14	12	50
L649426		3	33.0	2.88	225	<0.5	<5	<0.5	20	46	1	<1	49	15	71
L649427		3	37.4	3.03	284	<0.5	<5	<0.5	18	33	1	<1	57	23	108
L649428		2	16.6	1.48	192	<0.5	<5	<0.5	12	23	1	<1	35	15	91
L649429		2	24.3	2.13	180	<0.5	6	3.0	15	59	<1	2	44	16	146
L649430		<1	2.4	0.28	62	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649431		0.24	785	95.7	6.0	90	3.49	4.17	2.35	1.33	23.8	5.17	7.6	0.83	54.0	0.33
L649432		0.14	272	14.2	4.1	30	0.54	1.09	0.84	0.23	2.8	0.84	1.1	0.27	9.0	0.14
L649433		0.30	948	128.5	8.5	90	2.25	5.06	2.75	1.47	20.6	6.60	9.8	0.99	69.1	0.39
L649434		0.32	938	108.0	3.4	80	2.49	4.63	2.72	1.44	19.9	5.70	11.9	0.93	61.7	0.44
L649435		0.28	1075	123.5	5.0	70	2.29	5.08	3.07	1.63	22.5	6.19	13.1	1.07	68.8	0.47
L649436		0.34	986	109.0	6.0	90	3.02	4.26	2.53	1.47	22.6	5.32	9.5	0.88	62.4	0.39
L649437		0.30	995	90.3	5.4	70	2.55	4.46	2.71	1.40	22.9	4.98	10.1	0.92	51.6	0.42
L649438		0.28	982	94.3	8.2	90	2.68	4.68	2.72	1.56	19.0	5.20	9.5	0.97	53.5	0.40
L649439		0.44	816	77.3	5.9	80	2.89	3.91	2.39	1.26	20.9	4.75	8.0	0.83	42.1	0.36
L649440		0.36	1190	120.5	5.5	60	1.85	4.80	2.62	1.69	20.2	5.96	12.3	0.92	66.6	0.39
L649441		0.28	1200	187.5	6.6	60	2.04	6.91	3.99	2.01	22.5	9.28	11.5	1.38	103.0	0.56
L649442		0.30	932	102.0	3.8	70	2.01	5.50	3.37	1.48	18.1	5.91	11.9	1.16	55.5	0.47
L649443		0.42	945	106.0	4.9	60	2.15	4.45	2.62	1.48	19.2	5.36	12.0	0.91	60.2	0.39
L649444		0.26	982	156.0	8.2	80	1.99	5.82	3.18	1.82	22.8	7.36	14.0	1.12	85.8	0.46
L649445		0.32	1140	150.5	10.2	80	1.58	5.60	3.01	1.96	21.3	7.45	10.6	1.08	80.6	0.41
L649446		0.34	1015	126.0	8.5	80	2.75	5.60	3.34	1.67	23.7	6.72	11.2	1.14	67.8	0.49
L649447		0.34	1040	135.5	4.8	60	1.80	5.13	2.92	1.70	16.1	6.11	11.8	1.05	72.3	0.41
L649448		0.34	924	137.5	9.9	80	2.23	5.21	2.91	1.64	18.7	6.25	9.0	1.06	75.8	0.41
L649449		0.28	966	101.5	12.0	110	3.05	4.43	2.56	1.43	16.4	5.00	7.7	0.92	53.7	0.39
L649450		0.26	847	107.0	9.3	100	2.46	4.38	2.49	1.52	15.9	5.44	8.9	0.87	56.4	0.36
L649451		0.26	937	105.5	15.1	90	3.39	4.92	2.77	1.62	17.9	5.83	6.8	1.00	60.4	0.39
L649452		0.18	865	78.4	11.0	80	3.43	3.75	2.18	1.38	16.8	4.53	5.5	0.78	48.4	0.31
L649453		0.24	878	88.5	19.3	80	3.77	3.94	2.20	1.38	16.5	4.67	5.2	0.81	50.0	0.30
L649454		0.34	929	82.8	10.0	90	3.41	3.72	2.16	1.21	17.3	4.20	7.4	0.78	45.0	0.32
L649455		0.26	870	94.0	15.4	90	3.33	4.09	2.46	1.37	17.3	4.64	6.1	0.86	52.5	0.37
L649456		0.28	953	87.6	13.9	110	3.29	3.94	2.31	1.24	22.1	4.53	8.8	0.82	46.6	0.36
L649457		0.36	952	89.1	15.3	100	4.05	4.17	2.40	1.35	19.0	4.85	7.5	0.88	50.2	0.35
L649459		0.28	1100	61.2	20.3	120	4.12	3.82	2.33	1.16	16.8	3.82	5.4	0.82	31.4	0.34
L649460		0.38	1110	79.6	21.2	120	3.99	4.09	2.46	1.35	17.0	4.72	6.3	0.89	41.0	0.35
L649461		0.28	877	85.0	17.9	110	5.42	5.26	2.78	1.92	19.3	6.43	5.7	1.04	58.0	0.36
L649462		0.26	846	69.7	13.8	100	2.93	3.70	2.29	1.11	16.6	3.80	6.5	0.79	36.8	0.34
L649463		0.28	687	88.9	20.1	90	6.02	5.42	2.80	2.16	18.4	6.60	4.5	1.13	54.8	0.39
L649464		0.36	852	88.1	9.8	90	4.50	4.09	2.37	1.44	19.7	4.62	8.0	0.85	47.0	0.35
L649465		0.42	2510	318	26.1	250	9.12	13.40	7.70	4.65	54.6	16.55	31.2	2.78	169.5	1.13
L649466		0.22	875	76.3	9.4	90	2.94	3.62	2.18	1.07	17.4	3.89	7.6	0.77	41.2	0.31
L649467		0.28	874	87.1	14.8	100	4.43	3.62	2.22	1.12	18.8	3.97	7.8	0.76	47.0	0.32
L649468		0.32	782	91.1	7.0	100	3.60	3.73	2.47	1.22	23.3	4.83	10.1	0.74	50.7	0.36
L649469		0.32	807	100.0	15.6	100	4.31	4.82	2.96	1.76	18.6	6.33	8.9	0.95	61.7	0.41
L649470		0.16	10.5	3.0	<0.5	<10	<0.01	0.31	0.24	0.07	0.2	0.33	1.9	0.07	1.9	0.03
L649471		0.46	811	98.4	14.1	90	3.86	4.11	2.61	1.36	19.6	5.63	8.2	0.82	56.6	0.36

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649431		<2	19.9	38.7	10.95	94.5	6.44	2	264	1.3	0.73	12.00	<0.5	0.34	3.09	132
L649432		39	2.2	7.0	2.00	12.4	1.19	1	232	0.1	0.13	2.06	<0.5	0.10	12.20	21
L649433		2	21.6	48.5	13.85	90.3	8.19	2	304	1.3	0.93	38.0	<0.5	0.39	3.93	108
L649434		3	22.0	41.8	11.75	106.0	6.88	2	290	1.3	0.83	14.90	<0.5	0.41	3.26	105
L649435		2	27.7	46.7	13.20	105.5	7.38	3	374	1.4	0.90	13.30	<0.5	0.46	3.45	93
L649436		10	22.9	40.8	11.75	116.0	6.56	3	313	1.3	0.78	15.45	<0.5	0.37	3.33	132
L649437		<2	24.6	35.1	10.00	108.0	5.90	3	328	1.6	0.75	12.80	<0.5	0.40	3.24	110
L649438		2	22.4	37.2	10.40	99.7	6.42	2	334	1.4	0.80	14.50	<0.5	0.41	3.07	113
L649439		2	21.4	32.1	8.88	118.0	5.52	2	271	1.3	0.70	11.90	<0.5	0.35	2.58	128
L649440		2	24.6	46.5	13.10	118.0	7.69	3	400	1.6	0.87	16.10	<0.5	0.38	4.26	77
L649441		<2	25.0	69.3	20.1	115.0	11.25	3	417	1.6	1.29	33.5	<0.5	0.58	4.88	86
L649442		2	23.0	42.1	11.70	117.0	7.17	2	342	1.4	0.94	13.30	<0.5	0.49	3.40	75
L649443		<2	21.6	40.3	11.50	98.0	6.72	2	312	1.4	0.78	14.55	<0.5	0.38	3.25	89
L649444		<2	32.3	59.9	17.00	97.9	9.87	2	342	1.6	1.03	26.8	<0.5	0.47	4.66	117
L649445		<2	26.0	58.8	16.60	90.4	9.55	2	405	1.4	1.06	26.0	<0.5	0.42	4.03	107
L649446		<2	22.6	48.8	14.05	108.5	8.05	2	329	1.4	0.99	19.40	<0.5	0.50	3.82	119
L649447		<2	23.8	54.9	15.75	91.2	9.40	2	335	1.6	0.90	20.1	<0.5	0.43	4.95	69
L649448		<2	21.0	55.3	16.05	86.2	9.40	2	313	1.4	0.89	23.9	<0.5	0.43	4.54	114
L649449		<2	22.6	43.0	12.15	99.7	7.45	2	261	1.3	0.72	12.80	<0.5	0.40	2.97	109
L649450		<2	18.5	47.6	13.10	87.3	8.33	2	253	1.4	0.75	14.85	<0.5	0.37	3.37	115
L649451		<2	17.0	47.0	13.10	82.8	8.07	2	331	1.1	0.84	16.15	<0.5	0.41	3.91	107
L649452		<2	15.3	36.7	10.35	80.3	6.43	2	317	1.1	0.64	11.70	<0.5	0.32	3.90	98
L649453		2	14.6	37.3	10.65	92.4	6.61	2	294	1.0	0.68	11.95	<0.5	0.32	3.63	107
L649454		<2	17.0	34.3	9.77	100.5	6.08	2	295	1.2	0.62	11.65	<0.5	0.32	3.20	115
L649455		<2	15.2	39.5	11.30	89.4	6.65	2	317	1.1	0.67	14.55	<0.5	0.37	3.68	100
L649456		<2	23.8	37.2	10.25	108.0	6.40	3	294	1.5	0.66	13.95	<0.5	0.36	3.26	157
L649457		<2	18.6	39.7	11.20	95.2	6.84	2	319	1.2	0.71	13.30	<0.5	0.36	3.48	112
L649459		2	19.5	26.1	7.13	94.4	4.95	2	449	1.2	0.59	7.69	<0.5	0.36	2.67	159
L649460		2	18.4	33.5	9.32	93.2	6.09	2	484	1.2	0.70	9.05	<0.5	0.36	3.04	163
L649461		2	17.6	48.3	13.30	117.0	8.85	2	305	1.2	0.92	14.90	0.5	0.41	10.45	142
L649462		<2	15.5	29.5	8.27	74.1	5.29	2	296	1.1	0.59	11.55	<0.5	0.36	2.81	120
L649463		<2	29.4	52.2	13.95	119.0	9.92	3	335	1.9	0.98	9.99	<0.5	0.37	15.00	122
L649464		<2	24.9	37.3	10.55	121.5	6.54	3	314	1.8	0.68	11.05	<0.5	0.36	3.05	127
L649465		2	75.1	136.0	38.4	270	23.1	9	833	5.4	2.36	45.0	1.0	1.17	9.97	350
L649466		<2	16.9	31.5	8.94	90.8	5.35	2	306	1.2	0.59	11.70	<0.5	0.31	2.92	108
L649467		<2	22.1	35.4	10.05	98.6	6.10	2	280	1.5	0.60	12.65	<0.5	0.32	3.15	122
L649468		2	22.7	39.0	11.15	102.5	6.70	3	304	1.4	0.71	13.75	<0.5	0.35	3.01	153
L649469		2	19.8	48.5	13.90	107.0	8.67	2	366	1.3	0.96	17.10	<0.5	0.41	5.01	115
L649470		<2	0.2	1.8	0.47	0.4	0.34	<1	2.5	<0.1	0.06	0.60	<0.5	0.03	0.26	<5
L649471		2	17.7	42.8	12.20	101.5	7.44	2	296	1.1	0.81	17.00	<0.5	0.36	3.36	119



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649431		3	23.2	2.11	279	<0.5	<5	<0.5	3	5	<1	1	9	11	38
L649432		2	8.6	0.86	41	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
L649433		3	27.2	2.38	347	<0.5	<5	<0.5	4	11	<1	2	13	6	31
L649434		3	26.0	2.63	438	<0.5	<5	<0.5	1	2	<1	1	2	6	7
L649435		3	30.4	2.92	480	<0.5	<5	<0.5	1	2	<1	1	3	6	11
L649436		3	24.6	2.33	346	<0.5	<5	<0.5	2	7	<1	8	6	7	23
L649437		3	26.0	2.51	362	<0.5	<5	<0.5	2	4	<1	1	4	7	16
L649438		3	27.4	2.52	348	<0.5	<5	<0.5	2	4	<1	1	4	8	12
L649439		3	23.4	2.22	288	<0.5	<5	<0.5	2	7	<1	1	8	8	25
L649440		2	25.6	2.40	451	<0.5	<5	<0.5	1	3	<1	1	3	4	8
L649441		2	37.5	3.52	412	<0.5	<5	<0.5	2	4	<1	1	3	5	9
L649442		3	33.5	3.06	445	<0.5	<5	<0.5	<1	1	<1	1	1	5	4
L649443		3	25.6	2.43	437	<0.5	<5	<0.5	2	6	<1	1	5	7	14
L649444		3	32.9	2.82	516	<0.5	<5	<0.5	3	6	<1	<1	8	8	22
L649445		3	30.9	2.59	377	<0.5	<5	<0.5	4	9	<1	<1	9	6	24
L649446		3	32.1	3.12	396	<0.5	<5	<0.5	4	8	<1	<1	9	8	31
L649447		2	28.0	2.80	410	<0.5	<5	<0.5	1	1	<1	<1	2	4	5
L649448		2	28.3	2.83	323	<0.5	<5	<0.5	4	8	<1	<1	9	8	30
L649449		2	26.4	2.56	274	<0.5	<5	<0.5	7	12	<1	<1	19	7	42
L649450		2	24.8	2.47	327	<0.5	<5	<0.5	5	9	<1	<1	14	7	49
L649451		2	28.6	2.58	244	<0.5	<5	<0.5	11	25	<1	<1	29	12	70
L649452		2	22.0	2.11	195	0.5	<5	0.6	8	20	<1	1	23	29	114
L649453		2	22.6	2.14	188	0.5	5	<0.5	16	27	<1	1	28	15	80
L649454		2	21.5	2.11	263	<0.5	<5	<0.5	7	15	<1	1	19	11	50
L649455		1	24.1	2.38	214	<0.5	<5	<0.5	11	27	1	1	29	11	64
L649456		2	22.1	2.35	310	<0.5	<5	<0.5	9	22	<1	1	26	10	68
L649457		2	23.1	2.30	269	<0.5	<5	<0.5	10	20	<1	<1	28	10	71
L649459		2	22.3	2.31	196	<0.5	7	<0.5	14	39	<1	1	35	8	74
L649460		2	23.3	2.40	229	<0.5	8	<0.5	16	40	<1	1	37	9	74
L649461		2	29.2	2.50	208	0.6	5	<0.5	13	42	<1	1	35	24	91
L649462		2	21.9	2.31	229	0.5	7	<0.5	9	18	<1	1	25	10	62
L649463		3	32.0	2.58	177	0.6	<5	0.6	15	25	<1	1	26	24	153
L649464		2	23.0	2.34	290	<0.5	<5	<0.5	4	6	<1	<1	12	12	54
L649465		5	70.6	7.39	1090	<0.5	<5	<0.5	5	6	<1	<1	12	12	41
L649466		2	21.2	2.16	267	<0.5	<5	<0.5	6	12	<1	<1	17	8	59
L649467		2	21.3	2.16	274	<0.5	5	<0.5	9	17	<1	<1	27	12	65
L649468		2	23.8	2.22	350	<0.5	<5	<0.5	3	4	<1	<1	9	10	35
L649469		2	30.0	2.53	286	<0.5	<5	<0.5	10	21	<1	<1	27	10	63
L649470		2	2.2	0.22	64	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L649471		2	25.9	2.24	275	<0.5	<5	<0.5	9	17	<1	<1	23	7	76



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649472		0.42	836	77.5	13.2	100	3.15	3.61	2.49	1.20	19.1	4.22	7.3	0.75	45.9	0.36
L649473		0.32	822	131.5	10.9	90	3.93	4.94	2.96	1.44	25.4	7.10	11.6	0.96	78.2	0.43
L649474		0.30	786	82.5	7.6	80	2.37	3.41	2.30	1.10	19.3	4.56	8.5	0.71	47.2	0.34
L649475		0.40	844	82.6	9.0	70	2.27	4.38	3.03	1.36	19.3	5.41	8.7	0.91	47.5	0.45
L649476		0.34	832	78.6	7.9	90	3.46	3.46	2.36	1.05	21.5	4.33	8.8	0.72	43.6	0.35
L649477		0.22	782	74.0	17.9	100	3.52	4.10	2.64	1.25	18.8	5.03	5.3	0.83	45.4	0.35
L649478		0.38	785	76.9	21.3	100	5.37	4.85	2.81	1.79	22.6	6.78	4.5	0.90	59.8	0.33
L649479		0.58	952	90.5	13.9	100	3.08	4.59	2.85	1.32	19.4	5.62	7.3	0.91	52.4	0.36
L649480		0.50	935	94.9	13.0	90	2.91	3.82	2.49	1.27	18.5	5.35	7.4	0.78	54.7	0.34
L649481		0.48	863	89.4	11.7	90	3.35	3.93	2.56	1.30	18.5	5.35	8.1	0.78	51.9	0.35
L649482		0.40	820	74.8	11.6	90	3.00	3.72	2.46	1.23	17.0	4.86	6.9	0.76	43.3	0.34
L649483		0.42	900	102.5	9.5	80	3.00	4.24	2.90	1.36	19.7	5.93	9.1	0.87	57.9	0.40
L649484		0.28	833	86.6	13.3	110	4.06	4.38	2.38	1.32	19.6	5.24	8.1	0.90	50.1	0.36
L649485		0.30	791	86.4	9.7	120	3.21	4.15	2.35	1.18	20.5	4.99	7.9	0.85	47.6	0.36
L649486		0.26	809	98.0	11.0	110	4.73	4.10	2.26	1.20	26.8	5.00	8.6	0.84	55.0	0.33
L649487		0.30	748	109.5	8.8	100	3.47	4.93	2.69	1.42	23.4	6.36	10.5	0.98	58.3	0.42
L649488		0.38	1015	131.5	2.1	50	2.87	4.47	2.74	0.89	19.2	5.09	8.8	0.95	76.5	0.45
L649489		0.24	1165	141.5	8.0	140	2.88	4.56	2.44	1.55	20.1	5.89	12.4	0.91	81.5	0.38
L649490		0.40	755	116.0	7.5	70	6.14	5.13	2.76	1.49	26.5	6.18	13.2	1.02	58.3	0.43
L649491		0.26	791	81.3	7.4	80	1.39	3.71	2.11	1.10	20.8	4.52	8.8	0.76	46.0	0.34
L649492		0.20	747	103.0	7.2	190	1.96	4.72	2.72	1.13	19.8	5.73	10.4	0.98	55.9	0.43
L649493		0.36	906	86.6	15.0	140	2.80	3.71	2.14	0.97	17.1	4.35	7.9	0.77	49.2	0.34
L649494		0.28	950	112.5	6.3	100	2.87	3.80	2.45	1.17	17.5	5.42	8.3	0.76	71.3	0.33
L649495		0.28	808	69.5	5.2	80	2.84	3.24	2.35	1.01	20.3	3.97	10.4	0.69	39.6	0.36
L649496		0.22	763	68.4	3.4	70	1.63	3.18	2.37	1.01	19.4	3.91	9.7	0.69	39.2	0.36
L649497		0.26	1045	83.1	7.0	100	2.90	3.42	1.99	0.97	21.7	3.95	9.0	0.72	46.8	0.32
L649498		0.28	719	75.3	4.6	100	1.92	3.64	2.22	1.02	21.3	4.19	8.3	0.78	40.7	0.36
L649499		0.22	894	92.9	2.7	80	1.88	3.80	2.39	1.05	16.4	4.16	12.6	0.83	53.2	0.40
L649500		0.24	773	99.2	24.3	110	6.73	4.93	2.45	1.48	22.2	6.69	5.6	0.95	64.0	0.32
L650259		0.34	884	83.6	13.4	140	2.99	4.02	2.38	1.22	19.7	4.53	7.7	0.84	43.4	0.36
L650260		0.36	868	88.1	12.4	130	3.22	4.91	2.82	1.32	17.5	5.44	8.8	1.03	47.0	0.40
L650261		0.36	1065	130.0	11.4	100	3.24	4.95	2.74	1.45	20.3	6.41	9.8	1.00	69.5	0.41
L650262		0.24	1040	114.0	4.9	80	1.59	4.50	2.48	1.42	18.0	5.77	10.6	0.90	62.2	0.38
L650263		0.42	936	108.5	7.0	90	2.71	5.02	2.89	1.38	20.7	6.21	10.4	1.01	58.4	0.44
L650264		0.32	903	106.5	10.4	100	3.30	4.49	2.52	1.36	19.0	5.42	9.0	0.90	58.2	0.37
L650265		0.34	934	101.5	10.8	110	4.68	4.95	2.75	1.44	23.1	6.11	8.9	1.02	54.7	0.41
L650266		0.34	914	96.3	6.0	90	3.13	4.24	2.54	1.26	18.9	4.86	12.2	0.89	53.0	0.41
L650267		0.28	879	124.0	15.2	100	4.70	5.75	2.93	2.02	19.6	7.50	6.8	1.12	69.9	0.39
L650268		0.26	926	137.0	8.6	110	2.88	4.79	2.64	1.52	18.9	6.48	11.8	0.95	73.8	0.41
L650269		0.28	905	94.3	9.2	100	2.96	5.84	3.68	1.25	20.4	5.62	10.3	1.28	52.9	0.51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649472		3	18.8	32.8	9.59	94.4	5.77	2	285	1.4	0.70	10.65	<0.5	0.35	2.83	135
L649473		2	20.5	58.9	17.25	136.0	10.20	2	260	1.3	0.99	25.1	<0.5	0.42	4.56	148
L649474		2	16.4	34.0	9.73	91.4	5.92	2	287	1.1	0.67	12.80	<0.5	0.34	2.96	113
L649475		2	14.7	36.0	10.40	88.9	6.46	2	310	1.0	0.85	14.55	<0.5	0.43	3.84	95
L649476		3	16.8	32.6	9.52	113.5	5.73	2	290	1.2	0.69	12.45	<0.5	0.34	2.76	136
L649477		2	14.1	35.3	10.10	92.4	6.36	2	258	0.9	0.78	13.45	<0.5	0.36	4.51	143
L649478		2	15.0	44.0	12.65	123.0	7.75	2	215	1.0	0.96	14.75	<0.5	0.36	6.96	137
L649479		3	15.4	37.8	11.10	95.7	6.47	2	304	1.1	0.88	14.75	<0.5	0.40	2.90	116
L649480		2	14.8	39.6	11.70	92.0	6.85	2	298	1.0	0.78	15.10	<0.5	0.35	3.29	115
L649481		2	16.9	37.7	10.90	100.0	6.59	2	299	1.1	0.78	14.35	<0.5	0.36	3.24	104
L649482		2	14.5	32.2	9.31	89.8	5.85	2	287	1.0	0.74	11.25	<0.5	0.35	2.75	109
L649483		2	17.1	43.2	12.60	108.5	7.43	2	299	1.1	0.85	15.70	<0.5	0.40	3.14	101
L649484		<2	18.0	35.9	10.05	100.0	6.45	2	280	1.1	0.76	11.40	<0.5	0.36	3.26	133
L649485		<2	18.9	35.6	9.72	109.0	6.33	2	257	1.1	0.71	11.45	<0.5	0.35	2.90	155
L649486		<2	19.6	38.9	10.95	110.0	6.55	3	279	1.2	0.72	13.90	<0.5	0.33	3.17	136
L649487		<2	21.0	43.6	12.25	108.0	7.72	3	266	1.4	0.87	17.65	<0.5	0.40	3.53	123
L649488		<2	25.6	43.3	13.40	102.5	7.00	2	215	2.2	0.76	35.0	<0.5	0.44	5.12	51
L649489		<2	36.8	50.7	14.75	97.5	8.13	2	263	2.0	0.82	21.7	<0.5	0.37	3.98	102
L649490		<2	27.8	49.8	13.30	168.5	9.00	3	292	1.6	0.89	17.00	<0.5	0.42	3.42	123
L649491		<2	18.0	31.5	8.97	71.8	5.64	3	334	1.1	0.63	15.65	<0.5	0.32	2.96	104
L649492		<2	28.3	39.1	11.15	89.7	7.27	3	249	1.9	0.83	22.3	<0.5	0.41	4.29	80
L649493		<2	16.9	31.2	9.04	94.9	5.35	1	268	1.0	0.64	22.5	<0.5	0.32	3.33	123
L649494		2	17.7	43.0	13.50	108.5	7.24	2	276	1.3	0.81	21.9	<0.5	0.34	4.61	66
L649495		3	19.1	28.2	8.17	99.2	4.95	2	227	1.3	0.61	11.35	<0.5	0.34	2.72	134
L649496		2	16.5	27.4	8.11	65.0	4.80	2	217	1.2	0.61	11.20	<0.5	0.34	3.15	98
L649497		<2	19.6	30.6	8.83	102.0	5.26	2	249	1.2	0.58	17.70	<0.5	0.30	3.51	124
L649498		<2	20.5	28.9	8.12	72.8	5.16	2	222	1.3	0.61	19.45	<0.5	0.34	3.87	147
L649499		<2	19.2	34.0	10.10	75.7	5.77	2	252	1.3	0.62	16.00	<0.5	0.37	3.50	69
L649500		2	18.2	47.5	13.50	156.0	8.43	2	225	1.1	0.90	16.00	<0.5	0.35	9.79	181
L650259		<2	20.8	32.9	9.04	84.5	5.74	2	213	1.2	0.67	12.05	<0.5	0.35	2.73	156
L650260		<2	19.9	35.6	9.85	98.9	6.45	2	210	1.8	0.82	11.75	<0.5	0.42	3.26	132
L650261		3	20.2	48.9	13.90	97.5	8.21	2	328	1.1	0.89	21.6	<0.5	0.41	4.44	106
L650262		2	21.5	43.5	12.40	88.4	7.47	2	326	1.3	0.79	16.55	<0.5	0.37	3.71	77
L650263		<2	20.6	43.2	12.05	96.5	7.54	2	292	1.3	0.87	19.95	<0.5	0.43	4.11	123
L650264		<2	20.0	40.7	11.80	96.4	6.83	2	298	1.2	0.76	14.50	<0.5	0.38	3.71	115
L650265		3	22.2	40.2	11.25	146.0	7.22	3	303	1.4	0.86	18.10	<0.5	0.41	3.75	166
L650266		2	20.6	37.3	10.70	95.4	6.25	2	285	1.3	0.74	12.40	<0.5	0.39	4.53	112
L650267		2	19.8	52.4	14.75	97.0	9.33	2	299	1.1	1.04	17.15	<0.5	0.42	14.05	107
L650268		3	24.6	51.2	14.85	104.5	8.45	2	304	1.4	0.86	22.6	<0.5	0.40	4.32	118
L650269		2	19.2	36.6	10.30	94.3	6.41	2	280	1.1	0.90	14.45	<0.5	0.55	3.71	138



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649472		2	24.0	2.24	246	<0.5	<5	<0.5	9	16	1	<1	22	7	65
L649473		2	30.1	2.68	407	<0.5	<5	<0.5	6	12	<1	<1	15	6	50
L649474		6	22.0	2.10	284	<0.5	<5	<0.5	4	9	<1	<1	12	6	38
L649475		1	27.3	2.71	276	<0.5	<5	<0.5	5	13	<1	<1	17	5	39
L649476		3	22.3	2.13	294	<0.5	<5	<0.5	4	9	<1	<1	12	7	38
L649477		2	26.5	2.28	189	<0.5	<5	<0.5	12	30	<1	<1	28	7	64
L649478		2	28.1	2.06	154	0.6	<5	0.5	16	49	1	<1	44	12	99
L649479		5	26.9	2.32	232	<0.5	<5	<0.5	8	25	<1	<1	33	4	79
L649480		2	23.5	2.17	238	<0.5	<5	<0.5	9	19	<1	<1	28	5	75
L649481		3	23.4	2.21	269	<0.5	<5	<0.5	8	17	<1	<1	24	4	62
L649482		2	21.9	2.12	230	<0.5	<5	<0.5	8	16	<1	<1	23	5	50
L649483		2	25.6	2.48	310	<0.5	<5	<0.5	4	7	<1	<1	13	7	45
L649484		3	24.6	2.35	300	<0.5	<5	<0.5	8	13	1	<1	20	8	63
L649485		3	24.3	2.32	295	<0.5	<5	<0.5	5	9	<1	<1	14	6	48
L649486		3	23.2	2.22	322	<0.5	<5	<0.5	6	10	<1	<1	17	11	59
L649487		3	26.3	2.74	368	<0.5	<5	<0.5	4	7	<1	<1	11	7	52
L649488		2	29.3	2.93	305	<0.5	<5	<0.5	1	2	<1	<1	1	3	9
L649489		3	25.5	2.42	476	<0.5	<5	<0.5	2	3	<1	<1	10	2	18
L649490		3	28.8	2.75	513	<0.5	<5	<0.5	4	15	<1	<1	7	5	43
L649491		3	21.2	2.12	311	<0.5	<5	<0.5	1	6	<1	<1	5	2	16
L649492		3	26.8	2.73	371	<0.5	<5	<0.5	1	4	<1	<1	4	3	12
L649493		3	21.2	2.14	287	<0.5	5	<0.5	8	19	<1	<1	26	4	43
L649494		3	22.7	2.14	269	<0.5	<5	<0.5	2	8	<1	<1	6	3	14
L649495		3	20.8	2.15	343	<0.5	<5	<0.5	2	6	<1	<1	7	6	22
L649496		3	19.9	2.16	330	<0.5	<5	<0.5	1	3	<1	<1	1	6	7
L649497		2	20.3	2.01	327	<0.5	<5	<0.5	3	9	<1	<1	11	6	27
L649498		3	22.3	2.31	312	<0.5	<5	<0.5	1	5	<1	<1	6	8	19
L649499		3	24.6	2.56	472	<0.5	<5	<0.5	1	3	<1	<1	1	<2	7
L649500		3	26.8	2.23	203	<0.5	<5	<0.5	18	25	<1	1	27	16	98
L650259		4	24.0	2.39	293	<0.5	<5	<0.5	7	17	<1	<1	28	8	55
L650260		3	28.8	2.69	319	<0.5	5	<0.5	7	20	<1	<1	28	5	51
L650261		2	28.1	2.68	356	<0.5	<5	<0.5	5	10	<1	1	15	4	50
L650262		3	25.6	2.45	393	<0.5	<5	<0.5	1	2	<1	<1	2	4	10
L650263		3	28.6	2.85	388	<0.5	<5	<0.5	2	5	<1	<1	7	7	27
L650264		3	25.3	2.43	329	<0.5	<5	<0.5	5	8	<1	<1	14	6	35
L650265		3	27.4	2.66	329	<0.5	<5	<0.5	5	12	<1	1	13	6	39
L650266		3	26.1	2.58	446	<0.5	<5	<0.5	2	5	<1	<1	6	3	18
L650267		2	30.4	2.66	252	1.5	<5	<0.5	7	33	<1	<1	21	45	42
L650268		3	26.5	2.58	439	<0.5	<5	<0.5	3	6	<1	1	10	5	28
L650269		3	38.1	3.51	391	<0.5	<5	<0.5	4	9	<1	1	12	5	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
L650270		0.18	10.1	2.8	<0.5	<10	0.02	0.39	0.25	0.07	0.2	0.36	1.7	0.08	1.7	0.04
L650271		0.28	976	119.0	25.7	100	6.47	5.60	2.99	1.68	22.7	6.86	6.7	1.12	69.8	0.40
L650272		0.38	822	87.4	9.4	100	2.87	4.25	2.50	1.18	18.7	5.15	11.0	0.89	47.5	0.37
L650273		0.40	887	119.5	10.8	110	3.99	4.69	2.56	1.34	23.0	5.91	10.2	0.94	64.5	0.39
L650274		0.30	817	99.6	7.9	100	3.09	4.50	2.60	1.24	18.2	5.45	9.5	0.94	54.1	0.39
L650275		0.22	734	181.5	33.7	100	5.41	6.57	3.04	2.38	19.7	9.10	5.5	1.22	96.0	0.38
L650276		0.24	626	166.5	31.6	110	3.35	5.77	2.92	1.98	16.6	7.63	6.5	1.12	79.8	0.39
L650277		0.30	908	154.5	12.4	110	2.45	5.60	3.10	1.81	20.7	7.18	9.8	1.14	85.5	0.46
L650278		0.30	891	109.0	6.0	90	2.59	4.72	2.84	1.46	17.2	5.52	10.3	0.97	56.5	0.43
L650279		0.26	941	141.5	8.4	90	2.54	5.15	2.93	1.53	19.5	6.51	11.7	1.05	74.4	0.45
L650280		0.32	960	144.0	10.1	100	2.73	5.28	2.84	1.55	19.3	6.75	10.6	1.00	77.0	0.42
L650281		0.34	896	114.5	14.3	130	2.89	4.66	2.51	1.30	17.9	5.50	7.8	0.89	59.8	0.36
L650282		0.24	753	118.5	12.3	80	4.53	4.10	2.09	1.12	19.8	5.66	8.4	0.78	60.5	0.33
L650283		0.24	735	147.5	7.0	80	4.53	6.00	3.09	1.40	22.6	8.02	12.8	1.13	73.8	0.48
L650284		0.24	726	100.0	3.5	80	2.25	4.53	2.67	1.08	20.7	5.18	11.7	0.93	51.4	0.42
L650285		0.28	882	135.0	6.4	70	2.78	5.12	2.90	1.18	23.9	6.30	9.3	1.01	69.8	0.43
L650286		0.22	939	121.0	8.4	80	2.92	4.13	2.15	1.25	20.6	5.43	9.0	0.77	63.0	0.32
L650287		0.22	729	122.5	8.3	70	2.66	5.24	2.60	1.18	15.3	6.28	10.1	0.96	64.8	0.36
L650288		0.34	926	137.0	12.3	70	2.91	4.71	2.36	1.32	18.7	6.14	8.2	0.89	70.1	0.35
L650289		0.36	887	130.5	13.4	80	3.48	4.60	2.42	1.29	20.4	5.76	9.1	0.89	66.8	0.34
L650290		0.22	792	153.0	15.8	70	3.75	6.05	3.08	1.83	20.0	7.86	8.6	1.18	83.7	0.43
L650291		0.38	1035	129.0	13.7	80	2.77	4.76	2.64	1.40	19.8	6.08	7.8	0.95	65.7	0.39
L650292		0.26	917	119.0	11.2	80	3.94	4.73	2.44	1.33	19.9	6.08	7.5	0.90	64.5	0.35
L650293		0.34	909	135.5	7.9	80	2.88	5.10	2.60	1.27	19.7	6.87	9.2	0.96	71.1	0.37
L650294		0.34	1030	137.5	4.4	60	2.39	4.86	2.71	1.26	19.8	6.41	13.2	0.96	72.2	0.43
L650295		0.26	983	139.5	6.8	70	2.33	4.81	2.64	1.29	20.7	6.37	9.4	0.97	73.4	0.42
L650296		0.30	991	97.9	9.0	90	2.34	3.91	2.19	1.17	17.4	4.63	7.2	0.77	52.8	0.33
L650297		0.22	894	111.0	4.3	70	2.12	4.32	2.37	1.21	20.1	5.27	8.7	0.85	59.2	0.36
L650298		0.32	898	95.3	4.3	80	2.62	3.81	2.15	1.07	16.9	4.36	9.8	0.77	51.1	0.36
L650299		0.22	876	86.9	6.8	80	2.90	3.61	2.07	1.04	19.0	4.29	7.1	0.72	47.2	0.30
L650300		0.26	924	113.0	2.3	70	1.97	5.00	3.12	1.14	18.0	5.77	11.2	1.04	59.0	0.49
L650301		0.22	675	103.5	10.3	60	4.95	4.65	2.41	1.73	17.3	5.35	5.7	0.89	58.4	0.32
L650302		0.16	773	115.5	7.3	70	5.27	4.69	2.51	1.41	21.8	5.57	8.7	0.90	61.9	0.37

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650270		<2	0.2	1.6	0.40	0.3	0.33	<1	2.3	<0.1	0.06	0.41	<0.5	0.02	0.27	<5
L650271		3	20.0	50.0	14.10	112.5	8.75	2	307	1.1	1.00	17.55	<0.5	0.44	8.73	124
L650272		3	19.6	34.4	9.82	87.3	6.28	2	257	1.4	0.73	13.75	<0.5	0.37	3.68	127
L650273		3	22.1	46.0	13.20	95.6	7.76	3	263	1.3	0.83	17.35	<0.5	0.39	4.08	155
L650274		<2	18.6	39.5	11.05	78.7	6.91	2	254	1.1	0.77	17.10	<0.5	0.40	3.41	123
L650275		4	18.5	70.1	19.90	95.0	12.10	2	237	1.1	1.20	11.45	<0.5	0.44	11.80	144
L650276		4	20.9	62.6	17.30	69.6	11.15	2	269	1.2	1.04	17.00	<0.5	0.42	15.30	134
L650277		<2	22.6	57.8	16.80	96.7	9.86	2	350	1.4	1.02	22.8	<0.5	0.46	3.84	141
L650278		<2	18.7	43.9	12.25	92.7	7.49	2	333	1.3	0.86	12.40	<0.5	0.39	2.86	102
L650279		<2	20.1	56.8	15.85	95.2	9.64	2	316	1.3	0.95	19.80	<0.5	0.42	3.70	112
L650280		2	18.0	57.4	16.20	102.5	9.61	2	310	1.2	1.01	21.7	<0.5	0.39	3.89	120
L650281		2	19.0	46.0	12.85	89.5	7.95	2	251	1.1	0.88	16.90	<0.5	0.35	3.44	137
L650282		<2	19.2	46.3	13.00	125.5	7.99	2	249	1.3	0.81	22.3	<0.5	0.29	3.65	121
L650283		2	23.7	59.7	16.75	137.5	10.60	3	258	1.5	1.17	27.2	<0.5	0.44	4.16	130
L650284		<2	19.6	41.1	11.25	72.1	7.21	2	233	1.4	0.81	14.55	<0.5	0.38	3.23	103
L650285		<2	22.2	54.6	15.10	116.0	9.55	3	276	1.5	0.95	24.7	<0.5	0.43	3.57	107
L650286		<2	19.6	48.4	13.65	112.5	8.22	2	281	1.3	0.80	20.00	<0.5	0.31	3.14	93
L650287		<2	17.4	48.8	13.55	89.8	8.64	2	247	1.1	0.95	25.5	<0.5	0.35	3.95	81
L650288		<2	18.8	53.4	15.10	115.0	9.31	2	302	1.2	0.90	22.8	<0.5	0.35	3.25	88
L650289		<2	21.5	50.4	14.20	120.5	8.85	2	283	1.4	0.89	19.85	<0.5	0.34	3.65	104
L650290		<2	20.0	65.1	18.25	106.5	11.50	2	286	1.2	1.19	24.7	<0.5	0.44	5.02	96
L650291		<2	24.0	47.9	13.35	117.0	8.14	2	349	1.2	0.89	20.2	<0.5	0.37	3.51	92
L650292		<2	19.3	48.1	13.40	134.5	8.38	2	302	1.2	0.90	19.25	<0.5	0.35	4.35	102
L650293		<2	17.9	54.0	15.25	123.5	9.58	2	287	1.2	0.99	26.5	<0.5	0.37	3.94	101
L650294		<2	19.6	53.6	15.20	102.0	9.44	2	298	1.3	0.92	22.5	<0.5	0.40	4.09	71
L650295		<2	19.3	54.0	15.50	100.0	9.39	2	284	1.3	0.90	23.7	<0.5	0.41	3.85	92
L650296		2	15.9	39.4	11.10	96.2	6.87	2	334	1.0	0.71	13.90	<0.5	0.31	3.24	91
L650297		<2	18.1	44.7	12.30	84.2	7.62	2	302	1.3	0.81	16.10	<0.5	0.35	3.29	93
L650298		<2	16.1	37.4	10.55	80.6	6.19	2	291	1.1	0.66	14.50	<0.5	0.33	3.71	86
L650299		<2	16.4	34.1	9.61	83.6	5.85	2	263	1.1	0.63	13.85	<0.5	0.30	3.07	97
L650300		<2	17.7	44.7	12.55	75.5	7.82	2	267	1.2	0.88	18.20	<0.5	0.45	4.13	71
L650301		<2	14.3	40.9	11.65	80.7	7.29	2	246	1.0	0.84	17.85	<0.5	0.33	14.10	84
L650302		2	19.7	46.4	12.95	115.5	7.94	3	261	1.3	0.86	18.20	<0.5	0.37	6.03	105



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
L650270	1	2.4	0.26	64	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	3	
L650271	3	31.7	2.73	249	<0.5	<5	<0.5	18	36	<1	1	25	19	46	
L650272	3	24.0	2.43	409	<0.5	<5	<0.5	5	11	<1	1	14	5	47	
L650273	3	26.5	2.53	376	<0.5	<5	<0.5	5	9	<1	1	16	8	64	
L650274	3	26.9	2.61	353	<0.5	<5	<0.5	3	10	<1	<1	11	11	36	
L650275	3	34.0	2.66	203	1.7	<5	<0.5	25	69	<1	2	30	75	59	
L650276	2	31.5	2.62	237	1.0	<5	<0.5	21	40	<1	2	21	31	46	
L650277	3	32.2	2.99	358	<0.5	<5	<0.5	4	12	<1	<1	13	3	33	
L650278	2	27.5	2.59	412	<0.5	<5	<0.5	1	3	<1	<1	4	3	13	
L650279	2	28.9	2.83	455	<0.5	<5	<0.5	4	10	<1	<1	11	5	28	
L650280	3	28.4	2.63	412	<0.5	<5	<0.5	5	12	<1	<1	17	5	46	
L650281	2	25.2	2.25	306	<0.5	<5	<0.5	9	23	<1	1	29	6	63	
L650282	2	21.6	1.96	320	<0.5	<5	<0.5	8	19	<1	<1	20	6	53	
L650283	2	31.8	2.92	465	<0.5	<5	<0.5	3	7	<1	<1	8	7	26	
L650284	2	26.9	2.59	440	<0.5	<5	<0.5	1	4	<1	<1	3	5	10	
L650285	2	29.0	2.70	341	<0.5	<5	<0.5	3	10	<1	<1	10	5	25	
L650286	2	22.1	2.02	332	<0.5	<5	<0.5	4	8	<1	<1	12	3	34	
L650287	2	26.1	2.32	357	<0.5	<5	<0.5	5	10	<1	<1	14	5	58	
L650288	2	25.6	2.21	314	<0.5	<5	<0.5	8	15	<1	<1	19	3	46	
L650289	2	26.3	2.18	342	<0.5	<5	<0.5	8	18	<1	<1	22	5	54	
L650290	2	32.6	2.77	324	<0.5	<5	<0.5	11	27	<1	<1	28	8	57	
L650291	2	26.0	2.45	291	<0.5	<5	<0.5	8	22	<1	<1	21	4	47	
L650292	2	25.7	2.17	287	<0.5	<5	<0.5	7	16	<1	<1	17	7	42	
L650293	2	27.1	2.36	345	<0.5	<5	<0.5	4	10	<1	<1	14	5	37	
L650294	2	27.1	2.64	502	<0.5	<5	<0.5	1	4	<1	<1	4	4	10	
L650295	2	26.5	2.61	354	<0.5	<5	<0.5	3	6	<1	<1	9	5	30	
L650296	2	22.7	2.07	279	<0.5	<5	<0.5	5	12	<1	1	21	5	35	
L650297	2	24.6	2.24	338	<0.5	<5	<0.5	1	3	<1	<1	4	8	15	
L650298	2	22.2	2.13	372	<0.5	<5	<0.5	1	10	<1	<1	5	9	17	
L650299	2	20.8	1.91	277	<0.5	<5	<0.5	3	10	<1	1	12	10	34	
L650300	2	30.2	2.99	400	<0.5	<5	<0.5	1	6	<1	<1	2	7	7	
L650301	2	24.6	2.10	222	<0.5	<5	<0.5	7	35	<1	1	21	11	44	
L650302	2	25.8	2.39	326	<0.5	<5	<0.5	4	28	<1	2	17	15	36	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-JUL-2011
Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115797

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 13-JUL-2011
 Account: EIAREI

CERTIFICATE VA11115795

Project: REI11-01
 P.O. No.: REI11-01_2
 This report is for 97 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:


FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L650102		0.28	675	98.8	4.9	90	1.80	4.29	2.45	1.22	18.5	5.04	10.4	0.86	47.7	0.40
L650104		0.24	785	89.4	10.4	90	2.00	4.24	2.38	1.37	17.9	5.07	9.4	0.84	42.8	0.36
L650106		0.20	781	136.5	22.5	60	8.31	5.83	3.24	2.29	20.7	6.72	9.9	1.12	65.3	0.40
L650108		0.22	1035	87.3	12.1	120	2.54	5.43	3.15	1.44	13.4	5.62	6.1	1.06	44.7	0.42
L650110		0.40	1065	66.5	14.7	120	2.46	5.01	3.13	1.38	12.7	4.99	4.4	1.03	34.0	0.41
L650112		0.14	297	4.0	4.2	10	0.21	0.33	0.18	0.09	1.3	0.35	0.7	0.07	1.9	0.03
L650114		0.36	952	103.5	19.0	130	4.46	5.19	3.11	1.53	17.0	5.49	5.0	1.05	54.8	0.41
L650116		0.22	751	104.0	15.8	90	4.99	3.79	2.16	1.33	17.5	4.20	4.1	0.76	56.7	0.29
L650118		0.24	962	109.0	13.2	90	3.60	4.50	2.58	1.44	16.8	4.94	5.4	0.87	56.6	0.33
L650120		0.20	857	114.0	16.0	110	4.36	4.38	2.44	1.41	17.6	4.92	5.7	0.86	60.9	0.34
L650122		0.26	105.5	4.8	1.2	10	0.30	0.32	0.15	0.10	1.0	0.36	0.3	0.06	2.7	0.03
L650124		0.16	817	88.4	13.8	100	4.21	4.60	2.74	1.35	15.7	4.93	5.7	0.93	47.0	0.38
L650126		0.24	811	86.7	13.7	100	3.36	4.15	2.50	1.30	16.8	4.44	6.0	0.83	45.8	0.35
L650128		0.16	497	47.6	8.1	80	2.01	2.86	1.75	0.85	9.1	3.03	3.5	0.58	27.2	0.24
L650130		0.18	10.7	3.0	<0.5	<10	<0.01	0.36	0.23	0.07	0.3	0.36	1.6	0.08	1.6	0.04
L650132		0.22	879	107.0	13.7	90	3.67	4.38	2.43	1.36	15.7	5.05	6.9	0.85	54.4	0.33
L650134		0.26	944	108.5	6.4	80	2.67	4.41	2.63	1.31	18.4	4.85	7.9	0.89	56.7	0.38
L650136		0.24	758	105.5	17.8	110	5.81	3.58	1.97	1.13	23.6	4.18	4.8	0.67	55.5	0.26
L650138		0.32	923	99.2	16.8	120	3.99	4.41	2.70	1.31	17.2	4.68	6.2	0.89	46.6	0.36
L650140		0.26	768	79.2	19.8	110	6.85	3.73	2.17	1.11	21.6	3.94	6.5	0.74	42.7	0.33
L650142		0.26	1010	83.3	12.3	110	5.12	3.79	2.27	1.13	21.0	4.29	7.1	0.78	45.3	0.34
L650144		0.20	789	70.6	12.9	80	3.48	3.31	1.93	1.01	15.8	3.61	5.3	0.67	38.3	0.29
L650146		0.26	886	92.7	15.6	110	4.68	5.00	2.97	1.50	18.3	5.39	5.8	1.02	51.2	0.44
L650148		0.22	913	108.5	15.7	110	4.06	5.15	2.91	1.53	17.3	5.89	6.8	1.02	57.5	0.41
L650152		0.14	794	85.0	9.8	70	4.11	3.47	1.82	1.31	17.4	4.02	4.6	0.67	54.5	0.26
L650154		0.20	921	114.0	13.8	90	4.12	4.74	2.63	1.84	18.6	5.60	6.1	0.92	67.8	0.37
L650156		0.14	790	140.5	12.9	70	2.38	5.53	2.88	2.22	13.3	6.99	5.4	1.07	94.9	0.37
L650158		0.28	1090	127.0	14.5	100	3.79	4.54	2.54	1.75	19.6	5.30	6.9	0.89	73.0	0.34
L650160		0.30	1175	170.0	10.7	90	3.06	5.57	3.12	2.20	18.8	6.46	11.4	1.11	99.5	0.46
L650162		0.20	1105	117.0	15.1	100	4.05	4.83	2.72	1.87	18.2	5.66	6.3	0.98	70.7	0.39
L650164		0.24	1095	142.0	15.0	90	3.51	5.48	3.18	2.12	17.9	6.22	8.4	1.13	79.2	0.45
L650166		0.28	891	98.0	5.9	90	2.34	4.52	2.83	1.39	18.4	4.61	9.0	0.95	52.1	0.42
L650168		0.24	949	109.5	6.5	70	2.32	4.26	2.54	1.44	16.0	4.74	8.7	0.87	59.0	0.37
L650170		0.24	10.4	2.5	<0.5	<10	<0.01	0.36	0.25	0.07	0.3	0.33	1.8	0.08	1.4	0.05
L650172		0.20	814	76.6	7.1	90	2.52	3.98	2.55	1.18	17.8	3.95	8.1	0.85	40.1	0.39
L650174		0.16	949	151.5	11.5	80	4.76	5.20	3.03	1.66	17.1	5.90	9.4	1.03	81.3	0.45
L650176		0.22	982	154.5	11.0	70	2.34	5.99	3.12	1.77	17.4	6.96	5.5	1.15	88.6	0.42
L650178		0.18	791	111.5	10.5	110	2.32	4.70	2.74	1.34	13.3	5.58	8.3	0.94	60.5	0.42
L650180		0.26	901	109.0	17.6	130	4.08	4.76	2.60	1.56	18.5	5.83	5.6	0.93	58.2	0.37
L650182		0.12	111.0	10.1	2.2	<10	0.20	0.47	0.24	0.15	2.4	0.51	<0.2	0.08	5.7	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650102		3	17.5	36.7	10.70	79.1	6.07	2	268	1.2	0.73	13.75	<0.5	0.38	3.20	99
L650104		3	17.1	35.0	9.87	74.9	6.00	2	291	1.1	0.74	13.50	<0.5	0.35	2.96	110
L650106		2	26.6	59.2	15.65	106.5	10.20	3	310	1.5	1.00	14.70	<0.5	0.46	2.94	177
L650108		<2	13.1	38.5	10.15	63.3	6.95	2	236	0.8	0.88	11.85	<0.5	0.45	2.60	139
L650110		2	12.2	30.9	7.88	60.2	5.85	1	303	0.7	0.81	7.67	<0.5	0.45	2.04	152
L650112		11	1.1	1.9	0.48	4.3	0.39	<1	173.0	<0.1	0.06	0.52	<0.5	0.03	38.2	15
L650114		<2	16.8	44.5	12.10	101.5	7.76	2	326	1.0	0.87	14.85	<0.5	0.45	2.99	135
L650116		<2	16.8	42.2	11.95	84.3	6.95	2	365	1.0	0.64	14.45	<0.5	0.31	3.11	98
L650118		<2	15.1	43.8	12.00	91.6	7.36	2	312	0.9	0.76	17.30	<0.5	0.36	4.17	104
L650120		<2	16.1	45.0	12.60	90.2	7.51	2	300	1.0	0.76	22.4	<0.5	0.36	4.33	128
L650122		<2	0.9	2.3	0.62	4.4	0.42	<1	174.5	<0.1	0.06	0.79	<0.5	0.02	9.36	9
L650124		<2	15.6	38.1	10.45	91.4	6.67	2	298	1.0	0.78	14.75	<0.5	0.41	4.33	119
L650126		<2	15.7	37.4	10.20	73.9	6.40	2	279	0.9	0.72	12.20	<0.5	0.35	6.29	130
L650128		<2	7.8	21.8	5.96	49.4	3.85	1	227	0.5	0.47	6.77	<0.5	0.25	6.80	74
L650130		<2	<0.2	1.7	0.42	0.3	0.36	<1	2.1	<0.1	0.07	0.37	<0.5	0.03	0.22	<5
L650132		<2	15.9	42.6	11.75	94.7	7.15	2	330	0.9	0.75	13.95	<0.5	0.35	4.32	116
L650134		<2	20.7	43.8	12.15	84.6	7.23	2	285	1.3	0.75	13.60	<0.5	0.39	2.97	119
L650136		2	17.5	42.3	11.90	95.0	6.95	2	284	1.0	0.63	16.45	<0.5	0.29	2.29	127
L650138		<2	16.8	38.4	10.45	123.0	6.58	2	272	1.0	0.74	12.85	<0.5	0.40	2.74	141
L650140		2	15.6	31.7	8.47	106.5	5.58	2	225	1.0	0.62	11.85	<0.5	0.32	2.93	141
L650142		2	17.0	34.8	9.25	117.0	6.04	2	229	1.2	0.66	12.35	<0.5	0.33	3.07	157
L650144		2	14.6	28.3	7.66	81.6	5.08	2	263	1.0	0.57	11.25	<0.5	0.29	5.02	111
L650146		<2	14.8	39.4	10.35	102.0	7.23	2	287	0.9	0.85	14.20	<0.5	0.43	4.70	134
L650148		2	15.4	44.4	11.80	118.5	8.01	2	251	1.0	0.91	16.90	<0.5	0.42	4.59	139
L650152		2	12.7	37.1	10.35	97.0	6.17	2	208	0.8	0.61	11.75	<0.5	0.25	5.29	110
L650154		<2	17.4	50.8	13.65	109.5	8.32	2	289	0.9	0.84	15.75	<0.5	0.38	5.55	127
L650156		<2	12.8	63.8	17.70	69.4	10.25	2	241	0.7	1.00	16.55	<0.5	0.39	6.77	87
L650158		<2	18.1	50.2	14.00	101.5	7.99	2	290	0.9	0.81	18.75	<0.5	0.35	4.89	139
L650160		<2	24.9	68.6	19.50	108.0	10.65	2	349	1.3	0.97	18.50	<0.5	0.44	3.70	122
L650162		<2	19.3	50.4	13.90	116.0	8.27	2	262	1.0	0.86	12.95	<0.5	0.40	4.36	128
L650164		<2	19.6	56.4	15.65	106.0	9.14	3	298	1.0	0.98	14.55	<0.5	0.45	4.06	126
L650166		<2	18.7	38.7	10.50	78.8	6.74	2	279	1.2	0.75	11.35	<0.5	0.42	2.91	102
L650168		2	36.3	41.9	11.60	80.1	6.73	2	287	1.0	0.75	12.75	<0.5	0.36	3.17	93
L650170		<2	<0.2	1.5	0.36	0.2	0.31	<1	2.1	<0.1	0.05	0.32	<0.5	0.03	0.27	<5
L650172		2	17.0	31.3	8.39	80.0	5.70	2	262	1.1	0.66	9.61	<0.5	0.38	2.74	130
L650174		2	18.9	59.2	16.20	150.5	9.80	2	295	1.1	0.91	20.2	<0.5	0.44	4.12	100
L650176		<2	15.6	60.6	16.55	83.9	10.40	2	382	1.1	1.08	27.4	<0.5	0.45	5.74	82
L650178		2	12.2	45.7	12.25	66.8	7.93	1	231	0.8	0.84	16.90	<0.5	0.41	3.55	111
L650180		<2	16.1	43.9	12.45	87.6	7.66	2	303	1.1	0.86	15.60	<0.5	0.39	5.29	145
L650182		<2	2.0	4.3	1.24	4.6	0.70	<1	164.5	0.1	0.09	1.75	<0.5	<0.01	6.72	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650102		2	25.7	2.54	386	<0.5	<5	<0.5	1	1	<1	<1	3	7	18
L650104		2	24.0	2.31	338	<0.5	<5	<0.5	5	12	<1	<1	16	7	31
L650106		1	29.6	2.68	394	<0.5	<5	<0.5	10	5	<1	<1	21	6	43
L650108		2	29.4	2.68	240	<0.5	8	<0.5	9	25	<1	1	32	7	60
L650110		2	28.8	2.82	171	<0.5	9	0.6	11	42	<1	1	40	9	79
L650112		<1	2.0	0.20	26	<0.5	<5	0.8	4	8	1	9	9	3	16
L650114		2	30.1	2.72	196	<0.5	7	<0.5	15	39	1	<1	48	14	93
L650116		1	21.4	1.93	153	<0.5	<5	1.3	12	38	<1	<1	38	22	78
L650118		1	24.0	2.28	205	<0.5	<5	<0.5	10	23	<1	1	29	12	70
L650120		1	24.6	2.22	216	<0.5	<5	0.5	12	29	1	<1	36	14	83
L650122		1	1.7	0.18	9	<0.5	<5	0.7	1	9	<1	1	5	<2	8
L650124		2	26.0	2.47	222	<0.5	<5	1.1	10	19	<1	<1	27	13	71
L650126		2	23.8	2.22	229	<0.5	<5	0.7	9	21	1	<1	27	12	68
L650128		1	18.0	1.52	131	0.5	<5	2.0	6	43	<1	1	17	7	38
L650130		1	2.2	0.27	61	<0.5	<5	<0.5	<1	1	<1	<1	<1	<2	3
L650132		2	24.0	2.16	269	<0.5	<5	0.9	10	23	1	<1	29	12	66
L650134		2	24.0	2.55	302	<0.5	<5	<0.5	3	3	<1	<1	10	8	31
L650136		1	18.4	1.68	188	<0.5	<5	0.7	14	22	1	1	47	28	104
L650138		2	25.2	2.55	248	<0.5	<5	<0.5	13	32	<1	1	38	11	71
L650140		2	21.0	2.09	231	<0.5	6	<0.5	16	35	<1	1	55	18	93
L650142		3	21.4	2.14	246	0.7	7	<0.5	9	16	<1	1	31	9	88
L650144		2	19.5	1.81	188	<0.5	5	<0.5	10	18	<1	1	29	9	61
L650146		3	30.7	2.69	206	<0.5	<5	<0.5	13	32	<1	1	38	12	71
L650148		3	28.8	2.62	233	<0.5	6	<0.5	13	30	<1	1	38	11	72
L650152		4	18.6	1.64	164	0.8	<5	0.5	8	33	<1	1	22	12	67
L650154		5	26.7	2.33	222	<0.5	<5	<0.5	10	26	1	1	23	9	58
L650156		2	29.4	2.37	193	<0.5	<5	<0.5	10	31	1	1	22	9	48
L650158		3	24.5	2.18	254	<0.5	<5	<0.5	11	33	<1	1	30	11	65
L650160		3	32.1	2.83	405	<0.5	<5	<0.5	6	13	<1	<1	17	7	41
L650162		3	27.0	2.39	222	<0.5	<5	<0.5	11	27	<1	<1	29	9	66
L650164		3	30.5	2.76	309	<0.5	<5	<0.5	11	27	<1	<1	26	9	61
L650166		3	26.7	2.62	331	<0.5	<5	<0.5	3	2	<1	<1	8	8	30
L650168		2	23.7	2.32	301	<0.5	<5	<0.5	3	14	<1	1	12	7	29
L650170		1	2.2	0.28	65	<0.5	<5	<0.5	<1	<1	<1	<1	<1	<2	2
L650172		3	23.9	2.34	293	<0.5	<5	<0.5	4	6	<1	1	12	9	37
L650174		2	29.7	2.80	350	<0.5	<5	<0.5	7	13	<1	1	12	15	42
L650176		2	31.0	2.68	191	<0.5	<5	<0.5	7	15	<1	<1	21	7	56
L650178		3	25.5	2.58	290	<0.5	<5	<0.5	9	13	<1	1	23	7	53
L650180		4	27.9	2.55	223	<0.5	<5	<0.5	12	27	<1	<1	36	12	62
L650182		2	2.7	0.25	14	<0.5	<5	1.1	1	11	<1	<1	6	2	7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L650184		0.20	897	84.6	16.9	110	4.08	3.72	2.07	1.18	17.6	4.19	4.7	0.73	43.0	0.31
L650186		0.18	827	92.2	17.0	140	4.31	4.35	2.42	1.37	17.7	5.42	4.4	0.84	51.6	0.35
L650188		0.14	237	16.7	4.7	20	1.15	1.34	0.84	0.39	5.9	1.37	1.2	0.27	11.8	0.11
L650190		0.22	965	82.2	15.9	120	4.31	3.62	2.05	1.08	22.6	4.28	5.9	0.71	44.4	0.32
L650192		0.14	831	84.8	14.5	110	4.05	3.77	2.12	1.18	20.4	4.40	6.2	0.73	46.6	0.31
L650194		0.24	556	59.2	10.6	60	2.87	4.12	2.17	1.20	13.2	4.49	4.8	0.84	38.5	0.33
L650196		0.20	651	115.0	18.9	100	9.55	12.20	7.78	3.98	20.4	14.70	3.2	2.63	118.0	1.14
L650198		0.20	985	79.1	23.1	140	5.18	3.52	2.06	1.10	22.9	4.09	5.8	0.71	43.0	0.31
L650200		0.10	648	84.3	14.5	90	5.23	3.62	2.01	1.13	20.9	4.45	5.7	0.70	44.4	0.29
L650352		0.24	1050	115.0	6.5	80	2.49	4.40	2.42	1.46	19.5	5.29	9.4	0.86	61.8	0.38
L650354		0.32	1015	124.0	8.6	110	3.08	4.50	2.58	1.43	19.8	5.40	8.1	0.89	69.6	0.37
L650356		0.20	819	110.5	6.5	90	2.66	5.03	2.91	1.30	18.8	5.69	9.8	1.01	60.9	0.44
L650358		0.20	848	95.6	4.1	90	2.82	4.76	2.73	1.30	19.0	5.18	11.0	0.95	52.2	0.44
L650360		0.14	1100	102.0	6.1	80	2.03	3.89	2.42	1.29	20.6	4.81	9.9	0.80	54.8	0.37
L650362		0.20	901	81.3	10.2	100	3.54	3.55	2.23	1.12	20.0	4.08	7.6	0.72	43.5	0.34
L650364		0.18	878	95.4	8.3	90	4.47	3.90	2.27	1.20	19.8	4.60	8.9	0.78	51.8	0.35
L650366		0.26	1175	129.0	2.3	70	1.66	4.80	2.85	1.42	18.7	5.91	15.0	0.93	68.2	0.48
L650368		0.20	1105	127.5	6.3	80	2.18	4.27	2.43	1.36	21.4	5.62	11.1	0.83	69.1	0.37
L650370		0.18	10.9	3.0	<0.5	<10	0.02	0.38	0.24	0.07	0.2	0.36	1.8	0.08	1.7	0.04
L650372		0.28	857	128.5	9.7	110	3.25	4.41	2.50	1.33	21.6	5.64	9.7	0.86	69.8	0.37
L650374		0.18	944	86.0	4.9	80	4.10	3.58	2.28	1.07	22.3	4.27	9.0	0.76	45.4	0.37
L650376		0.22	1165	134.5	9.7	90	4.44	3.81	2.32	1.41	23.5	4.79	11.2	0.78	78.3	0.36
L650378		0.26	769	228	6.1	60	4.38	4.83	2.18	1.78	39.1	7.62	14.7	0.83	128.0	0.32
L650380		0.22	860	99.4	8.3	100	3.28	4.27	2.61	1.32	19.7	4.97	9.0	0.85	53.3	0.41
L650382		0.18	764	84.0	3.2	20	1.97	2.42	2.36	0.89	32.5	2.05	31.3	0.59	34.8	0.64
L650384		0.20	674	127.5	11.5	140	3.34	6.12	3.76	1.55	26.1	7.05	15.3	1.22	64.9	0.58
L650386		0.22	287	103.0	43.5	340	4.61	4.23	2.50	1.58	23.0	5.05	6.2	0.85	49.1	0.35
L650388		0.22	747	125.5	25.0	170	4.34	5.51	3.22	2.45	22.7	6.94	8.2	1.10	62.7	0.44
L650390		0.18	894	110.0	11.4	100	3.16	4.73	2.92	1.58	18.1	6.01	9.1	0.97	56.8	0.42
L650392		0.16	898	112.5	10.6	90	3.72	5.20	3.07	1.65	20.1	6.10	11.2	1.04	59.5	0.46
L650394		0.22	891	126.5	15.8	110	3.60	5.97	3.76	1.75	19.1	7.03	8.6	1.25	69.5	0.53
L650396		0.22	839	99.1	11.3	130	3.72	4.23	2.51	1.37	20.4	5.13	8.1	0.83	52.3	0.37
L650398		0.22	958	101.5	12.3	110	2.44	4.47	2.71	1.39	18.4	5.66	8.7	0.91	53.3	0.42
L650400		0.18	890	174.5	20.8	110	4.41	10.45	5.39	4.07	20.0	15.30	9.4	1.95	140.0	0.66
L651702		0.20	853	105.0	5.1	110	1.89	4.89	2.97	1.24	22.9	5.71	8.7	0.98	55.5	0.47
L651704		0.44	859	168.0	24.6	120	4.00	5.88	3.06	1.65	23.8	9.08	8.4	1.10	87.2	0.43
L651706		0.14	862	140.5	5.8	110	3.15	8.45	6.42	1.56	24.1	8.65	10.7	1.92	73.6	1.03
L651708		0.16	931	151.0	9.7	110	3.47	5.40	2.81	1.48	23.7	7.63	9.1	1.01	79.8	0.40
L651710		0.16	1015	135.5	15.8	120	3.84	5.74	3.19	1.47	22.3	7.69	7.9	1.11	71.9	0.45
L651712		0.20	1000	124.0	8.0	110	2.95	5.79	3.79	1.41	19.0	7.21	9.9	1.22	65.3	0.54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650184		2	13.9	33.4	9.40	99.4	5.87	2	246	0.9	0.65	11.40	<0.5	0.32	3.09	149
L650186		<2	13.5	39.9	11.30	82.4	7.04	2	295	0.9	0.78	14.40	<0.5	0.36	5.20	139
L650188		<2	3.6	9.0	2.54	24.8	1.82	1	196.5	0.2	0.22	2.34	<0.5	0.06	10.45	23
L650190		2	17.0	34.2	9.62	113.5	5.86	2	214	1.2	0.66	12.20	<0.5	0.32	3.18	193
L650192		2	16.1	34.8	10.10	95.7	5.98	2	256	1.2	0.68	11.75	<0.5	0.33	4.25	152
L650194		2	10.3	30.3	8.03	61.0	5.67	2	258	0.7	0.67	8.32	2.2	0.33	16.00	83
L650196		<2	17.1	92.5	25.4	155.0	17.10	2	364	1.2	2.10	15.15	<0.5	1.14	6.13	142
L650198		3	18.4	32.2	9.33	117.5	5.59	2	242	1.2	0.62	10.90	<0.5	0.32	2.56	204
L650200		<2	16.3	34.5	9.89	101.0	5.98	2	246	1.2	0.67	11.65	<0.5	0.30	2.55	117
L650352		<2	19.2	46.2	13.40	106.5	7.82	2	320	1.2	0.81	16.50	<0.5	0.38	3.78	95
L650354		<2	18.3	48.2	13.90	116.0	7.94	2	303	1.2	0.80	18.90	<0.5	0.39	3.50	107
L650356		<2	19.6	43.0	12.50	95.0	7.77	2	253	1.2	0.87	17.55	<0.5	0.44	3.88	96
L650358		<2	18.9	38.5	10.95	92.4	7.10	2	277	1.2	0.80	14.90	<0.5	0.42	3.49	89
L650360		<2	18.8	40.6	10.45	72.6	6.24	2	312	1.2	0.73	15.00	<0.5	0.34	3.14	78
L650362		<2	18.0	32.3	8.40	90.1	4.97	2	246	1.1	0.65	11.85	<0.5	0.32	3.06	104
L650364		<2	17.1	38.7	9.98	83.7	6.05	2	246	1.1	0.72	14.80	<0.5	0.32	4.59	90
L650366		<2	22.2	51.7	13.45	66.8	8.03	2	328	1.4	0.91	20.0	<0.5	0.41	4.44	56
L650368		<2	19.2	48.4	12.75	71.8	7.27	2	293	1.2	0.81	20.5	<0.5	0.36	3.82	89
L650370		<2	0.2	1.7	0.39	0.3	0.33	<1	2.0	<0.1	0.06	0.46	<0.5	0.02	0.24	<5
L650372		<2	18.8	49.2	12.80	68.9	7.50	2	293	1.2	0.83	24.4	<0.5	0.34	3.83	124
L650374		<2	21.4	32.9	8.73	94.6	5.19	2	224	1.5	0.64	16.30	<0.5	0.33	3.61	90
L650376		<2	22.7	46.9	12.90	93.9	6.61	3	359	1.5	0.71	23.4	<0.5	0.33	4.21	104
L650378		<2	24.6	82.6	22.6	84.1	11.30	5	206	1.6	1.00	41.1	<0.5	0.27	5.77	71
L650380		<2	20.7	39.9	10.35	77.4	6.16	3	264	1.3	0.77	13.90	<0.5	0.37	2.93	98
L650382		<2	37.7	20.9	5.84	81.5	2.86	8	307	1.4	0.37	11.65	<0.5	0.43	4.22	60
L650384		<2	34.7	53.2	13.20	78.0	8.60	4	276	2.1	1.11	14.25	<0.5	0.54	3.57	142
L650386		2	24.9	45.8	11.25	62.5	6.73	2	360	1.7	0.77	8.33	<0.5	0.34	2.88	248
L650388		3	37.2	55.9	13.60	131.5	8.71	3	365	2.1	1.03	9.27	<0.5	0.44	4.21	164
L650390		2	20.1	45.5	11.50	94.1	7.24	2	306	1.3	0.88	14.35	<0.5	0.40	4.23	108
L650392		2	22.6	46.0	11.70	96.5	7.20	2	302	1.3	0.94	13.55	<0.5	0.45	4.37	108
L650394		4	20.1	54.2	13.95	81.7	8.52	2	326	1.2	1.07	16.40	<0.5	0.53	9.10	116
L650396		2	31.7	40.2	10.25	77.4	6.44	2	257	1.8	0.78	13.40	<0.5	0.33	2.86	133
L650398		2	17.7	41.8	10.65	79.5	6.81	2	261	1.1	0.80	13.05	<0.5	0.38	2.81	132
L650400		4	24.0	120.5	29.9	82.1	19.25	2	300	1.4	2.08	17.75	<0.5	0.71	24.8	125
L651702		2	19.1	44.0	11.10	56.4	7.08	2	207	1.2	0.90	15.20	<0.5	0.42	3.34	156
L651704		<2	17.5	69.7	17.70	115.5	11.25	2	204	1.0	1.21	30.1	<0.5	0.43	4.39	109
L651706		<2	19.8	58.8	14.90	77.0	9.81	2	206	1.2	1.39	21.9	<0.5	0.98	4.50	152
L651708		<2	19.5	63.3	16.10	94.6	10.10	2	199.5	1.1	1.08	24.6	<0.5	0.37	4.11	145
L651710		<2	17.3	55.7	14.25	102.0	9.11	2	170.0	1.0	1.10	21.9	<0.5	0.44	4.04	131
L651712		<2	16.3	51.9	13.20	74.7	8.60	2	194.5	1.0	1.07	18.85	<0.5	0.54	3.71	111



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L650184		4	21.6	2.03	188	<0.5	6	<0.5	11	23	1	1	38	12	73
L650186		4	25.9	2.30	176	<0.5	<5	0.5	12	28	<1	1	33	11	60
L650188		11	9.7	0.87	92	<0.5	<5	1.3	3	19	1	<1	10	4	20
L650190		5	20.9	2.03	230	<0.5	7	<0.5	10	19	<1	1	34	13	111
L650192		6	22.2	2.08	242	<0.5	<5	<0.5	8	10	<1	2	23	12	71
L650194		2	26.5	1.98	162	1.1	<5	1.5	8	57	<1	1	28	10	61
L650196		5	106.0	7.39	174	<0.5	<5	1.3	12	203	<1	1	51	24	84
L650198		4	21.5	2.01	234	<0.5	7	<0.5	16	27	<1	2	47	12	90
L650200		5	21.0	2.01	220	<0.5	5	<0.5	9	14	<1	<1	25	12	98
L650352		5	25.9	2.46	346	<0.5	<5	<0.5	2	2	<1	<1	5	7	18
L650354		1	26.3	2.55	301	<0.5	<5	<0.5	4	6	<1	<1	12	7	33
L650356		2	28.1	2.87	343	<0.5	<5	<0.5	2	7	<1	<1	8	10	23
L650358		2	27.4	2.70	398	<0.5	<5	<0.5	1	1	<1	<1	3	10	10
L650360		2	23.4	2.29	384	<0.5	<5	<0.5	2	2	<1	<1	6	6	17
L650362		2	21.7	2.09	300	0.5	<5	<0.5	7	13	1	<1	19	11	54
L650364		2	22.5	2.17	344	<0.5	<5	<0.5	5	21	<1	<1	15	13	40
L650366		2	28.5	2.79	569	<0.5	<5	<0.5	<1	<1	<1	<1	1	4	3
L650368		1	24.3	2.28	440	<0.5	<5	<0.5	3	5	<1	<1	7	7	19
L650370		<1	2.4	0.25	69	<0.5	<5	<0.5	<1	<1	<1	<1	1	<2	2
L650372		2	25.0	2.31	381	<0.5	<5	<0.5	5	13	<1	<1	15	10	41
L650374		2	22.4	2.23	351	<0.5	<5	<0.5	3	11	<1	<1	6	15	32
L650376		2	23.4	2.28	463	<0.5	<5	<0.5	5	15	<1	<1	13	10	53
L650378		2	24.1	1.81	545	<0.5	<5	<0.5	5	<1	<1	<1	10	6	62
L650380		2	25.3	2.47	358	<0.5	<5	<0.5	4	5	<1	<1	10	12	33
L650382		1	19.8	3.49	1210	<0.5	<5	<0.5	2	18	<1	<1	2	13	23
L650384		2	36.3	3.47	611	<0.5	<5	<0.5	5	9	<1	<1	15	11	39
L650386		1	24.7	2.26	248	<0.5	<5	<0.5	15	17	<1	1	48	7	70
L650388		2	32.3	2.77	350	<0.5	<5	<0.5	13	13	<1	2	18	14	60
L650390		2	29.1	2.70	364	<0.5	<5	<0.5	5	8	<1	1	10	7	37
L650392		2	30.1	2.88	452	<0.5	<5	<0.5	4	11	<1	1	10	10	35
L650394		2	37.4	3.30	347	<0.5	<5	<0.5	9	23	1	3	17	8	49
L650396		2	24.1	2.34	327	<0.5	<5	<0.5	5	10	<1	1	15	10	45
L650398		1	26.4	2.49	338	<0.5	<5	<0.5	7	11	<1	1	18	8	53
L650400		2	59.1	4.21	391	0.6	<5	<0.5	13	32	<1	2	25	9	64
L651702		3	29.2	2.86	339	<0.5	<5	<0.5	2	9	<1	1	12	9	28
L651704		1	30.3	2.69	339	<0.5	9	<0.5	18	34	1	<1	45	10	104
L651706		2	58.5	6.43	418	<0.5	<5	<0.5	3	8	1	1	10	10	30
L651708		1	29.3	2.56	360	<0.5	<5	<0.5	7	14	1	<1	21	13	72
L651710		1	31.3	2.79	312	<0.5	<5	<0.5	12	22	1	1	33	8	89
L651712		1	35.0	3.42	385	<0.5	<5	<0.5	5	12	<1	<1	19	8	50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115795

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L651714		0.14	931	136.0	8.1	110	2.83	5.59	3.28	1.44	20.8	7.49	10.0	1.11	72.2	0.49
L651716		0.14	1035	104.5	8.8	110	3.50	4.81	3.00	1.27	21.1	5.86	7.3	0.98	54.6	0.46
L651718		0.14	1040	83.9	15.7	120	3.31	4.59	2.87	1.36	18.9	5.02	5.7	0.95	44.0	0.42
L651720		0.18	988	49.9	13.7	110	1.97	4.00	2.47	1.22	12.8	4.04	4.1	0.83	27.1	0.35
L651726		0.20	858	102.5	10.6	120	2.20	5.43	3.09	1.29	15.8	6.16	7.4	1.10	56.9	0.44
L651728		0.28	882	124.0	13.5	90	1.85	5.92	2.89	1.63	17.2	7.82	10.6	1.10	75.5	0.41
L651730		0.38	890	127.5	12.0	80	1.59	7.21	4.01	1.68	16.2	8.13	7.4	1.41	78.4	0.59
L651732		0.22	788	92.7	14.1	110	2.90	4.46	2.51	1.14	15.5	4.88	5.6	0.87	51.9	0.36
L651734		0.28	768	80.1	13.9	100	2.83	4.01	2.11	1.19	18.0	4.65	5.9	0.77	45.9	0.31
L651736		0.14	717	58.7	14.5	130	2.45	3.31	1.78	0.93	14.6	3.54	4.3	0.66	33.2	0.27
L651738		0.22	759	71.4	14.8	180	2.36	5.08	2.83	1.36	14.7	5.25	8.2	1.06	38.2	0.42
L651740		0.22	934	189.5	10.1	90	1.36	6.83	3.15	1.98	17.8	9.56	13.8	1.24	98.7	0.47
L651742		0.18	898	111.0	13.9	120	2.75	4.99	2.64	1.41	18.6	5.88	8.5	0.98	58.0	0.42
L651744		0.44	978	123.0	9.0	70	1.47	5.02	2.55	1.54	16.8	6.05	9.9	0.96	65.0	0.39
L651746		0.34	896	104.0	11.2	100	2.60	5.50	2.86	1.49	17.3	6.13	10.4	1.07	57.4	0.45
L651748 L651750		0.24 Empty Bag	1010	144.0	14.1	100	2.37	6.50	3.18	1.91	18.4	8.60	9.7	1.22	77.3	0.46



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 13-JUL-2011
 Account: EIAREI

CERTIFICATE VA11115794

Project: REI11-01
 P.O. No.: REI11-01_2
 This report is for 94 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648852		0.30	871	91.3	8.8	110	3.01	4.43	2.51	1.27	17.8	4.97	7.9	0.88	49.5	0.39
L648854		0.30	884	87.0	10.0	110	2.78	3.85	2.22	1.17	17.5	4.26	6.0	0.76	46.5	0.34
L648856		0.28	996	154.0	16.1	100	2.62	6.94	3.71	2.12	19.7	8.80	10.5	1.30	88.8	0.55
L648858		0.30	930	120.0	11.4	110	2.23	6.56	3.52	1.60	18.2	7.08	7.6	1.25	70.9	0.49
L648860		0.26	940	110.5	20.1	120	3.99	7.66	4.22	2.34	17.3	8.53	4.5	1.52	72.0	0.58
L648862		0.20	854	106.0	7.7	90	2.32	5.07	2.73	1.48	16.9	5.82	9.8	0.95	56.7	0.42
L648864		0.24	868	112.5	12.2	130	2.44	5.52	3.03	1.41	17.4	6.14	6.6	1.05	59.7	0.42
L648876		0.20	1120	164.5	17.9	120	3.69	6.12	3.13	2.23	19.0	6.82	7.8	1.13	103.0	0.45
L648878		0.12	995	122.0	13.6	100	3.67	5.28	2.78	2.00	16.8	6.18	5.9	1.02	85.0	0.39
L648880		0.16	1035	107.0	16.6	130	3.61	4.86	2.61	1.64	17.8	5.53	5.5	0.92	60.5	0.38
L648882		0.16	989	99.8	13.9	150	3.24	5.07	2.72	1.53	16.7	5.74	5.7	0.99	57.9	0.41
L648884		0.14	923	105.5	16.8	120	3.24	4.54	2.51	1.56	17.4	5.28	6.3	0.88	57.8	0.37
L648886		0.16	853	112.0	7.4	70	2.18	4.49	2.38	1.56	13.4	5.51	5.5	0.85	61.1	0.33
L648888		0.14	1070	101.5	13.6	100	3.51	4.20	2.26	1.53	18.9	5.13	5.5	0.83	56.4	0.33
L648890		0.18	981	103.0	7.5	70	2.72	2.99	1.63	1.23	14.2	3.20	5.6	0.61	58.3	0.24
L648892		0.20	1125	189.5	17.4	100	4.05	4.43	2.36	2.14	16.2	5.03	5.8	0.88	105.0	0.33
L648894		0.16	886	121.5	17.1	90	4.07	5.24	2.84	1.98	15.9	5.57	5.7	1.03	81.8	0.38
L648896		0.16	864	98.3	8.5	80	3.51	3.72	2.16	1.32	14.8	4.31	7.4	0.77	57.0	0.30
L648898		0.16	896	87.1	13.9	100	4.33	4.18	2.26	1.70	15.9	4.97	4.9	0.83	68.5	0.32
L648900		0.16	810	90.2	13.7	90	5.60	3.72	1.98	1.47	19.4	4.17	4.4	0.77	58.0	0.27
L649002		0.32	983	91.9	4.5	80	2.92	4.45	2.65	1.30	18.8	4.67	9.2	0.94	48.2	0.40
L649004		0.26	872	89.3	7.6	100	3.43	3.98	2.39	1.19	17.9	4.26	8.9	0.84	48.0	0.38
L649006		0.20	964	110.0	7.3	90	2.60	4.13	2.30	1.35	17.6	4.91	8.4	0.83	59.9	0.33
L649008		0.24	818	124.5	12.6	100	2.15	4.64	2.38	1.58	23.6	6.01	10.5	0.89	59.5	0.37
L649010		0.38	870	119.5	20.0	120	2.62	4.87	2.51	1.70	21.4	6.31	7.9	0.93	56.8	0.38
L649012		0.36	799	92.8	16.0	130	2.66	4.36	2.36	1.35	17.9	5.31	5.9	0.86	45.6	0.35
L649014		0.26	851	102.0	4.5	80	1.44	16.65	9.86	4.92	21.3	28.2	10.8	3.45	50.9	1.50
L649016		0.26	922	105.0	7.5	90	2.20	4.65	2.53	1.29	20.5	5.46	8.9	0.91	51.3	0.39
L649018		0.20	799	103.0	8.4	90	3.53	3.75	2.10	1.17	20.9	4.62	9.1	0.75	51.9	0.34
L649020		0.24	750	87.0	9.6	100	4.02	3.84	2.28	1.07	20.0	4.18	9.3	0.78	42.6	0.36
L649022		0.28	755	101.0	9.7	100	4.24	3.97	2.19	1.14	23.0	4.70	9.2	0.79	49.7	0.35
L649024		0.36	911	117.0	2.9	60	1.17	4.88	3.06	1.29	20.2	5.84	12.4	1.02	61.6	0.49
L649026		0.20	831	102.0	6.6	80	2.44	4.46	2.62	1.42	18.4	5.15	10.3	0.87	53.2	0.41
L649028		0.26	967	133.0	5.3	70	2.06	4.54	2.52	1.43	19.9	5.50	10.3	0.87	72.2	0.38
L649030		0.16	11.0	2.8	<0.5	<10	0.02	0.35	0.24	0.07	0.4	0.35	1.6	0.07	1.8	0.04
L649032		0.28	955	135.0	7.3	80	2.61	4.53	2.46	1.45	21.2	5.76	10.0	0.86	71.8	0.38
L649034		0.28	787	95.9	7.9	90	2.37	4.14	2.38	1.23	20.1	5.06	9.5	0.83	50.0	0.37
L649036		0.26	1105	140.5	18.2	170	5.28	6.57	3.82	2.12	28.3	7.26	11.5	1.30	74.4	0.56
L649038		0.22	776	110.0	5.2	80	1.75	4.83	2.76	1.42	18.2	5.52	9.9	0.95	58.8	0.42
L649040		0.30	912	137.5	10.9	100	2.51	5.51	2.97	1.68	20.4	6.59	9.4	1.06	73.2	0.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648852		<2	20.2	39.7	10.65	92.0	7.13	2	243	1.2	0.74	13.95	<0.5	0.40	3.14	121
L648854		2	16.7	38.0	10.25	86.9	6.36	2	262	1.0	0.63	12.45	<0.5	0.34	2.74	128
L648856		<2	22.7	71.9	19.50	97.0	12.35	2	332	1.5	1.25	26.6	<0.5	0.57	5.28	114
L648858		2	19.3	55.4	15.20	77.9	9.69	2	273	1.2	1.05	20.5	<0.5	0.56	3.56	122
L648860		5	17.7	58.6	15.40	94.9	10.85	2	228	0.9	1.24	15.90	<0.5	0.59	22.8	142
L648862		2	19.1	46.1	12.50	73.0	7.94	2	280	1.3	0.84	18.45	<0.5	0.44	3.65	113
L648864		<2	16.8	48.3	13.10	67.9	8.63	2	225	1.0	0.91	18.50	<0.5	0.46	3.44	118
L648876		<2	30.1	73.5	20.7	95.3	11.50	3	295	1.4	1.02	17.85	<0.5	0.50	4.81	149
L648878		<2	15.5	61.5	17.15	85.1	10.05	2	248	0.9	0.90	14.85	<0.5	0.35	5.35	112
L648880		<2	17.0	45.9	12.90	97.8	7.71	2	245	1.0	0.83	14.75	<0.5	0.40	4.05	147
L648882		<2	16.0	44.4	12.25	78.5	7.54	2	212	1.0	0.83	13.00	<0.5	0.44	3.25	150
L648884		<2	17.3	44.8	12.30	84.0	7.31	2	243	1.0	0.75	14.75	<0.5	0.39	3.98	139
L648886		<2	20.0	49.1	13.45	68.4	8.34	2	249	1.1	0.81	17.50	<0.5	0.33	3.23	87
L648888		2	17.5	44.5	12.25	126.0	7.34	2	294	0.9	0.68	13.35	<0.5	0.31	4.24	141
L648890		3	13.9	44.2	12.75	72.7	6.93	2	272	0.8	0.49	11.20	<0.5	0.21	4.27	88
L648892		4	19.1	75.9	22.7	107.5	11.00	3	339	0.9	0.75	14.15	<0.5	0.31	6.16	117
L648894		2	16.1	61.4	17.80	138.5	10.40	2	289	0.9	0.85	15.70	<0.5	0.38	11.30	114
L648896		<2	15.5	43.2	12.25	131.5	7.14	2	293	0.9	0.59	12.80	<0.5	0.27	4.33	104
L648898		2	14.4	50.4	14.40	115.5	8.65	2	287	0.8	0.71	13.35	<0.5	0.31	10.80	118
L648900		4	19.7	42.7	12.15	92.9	7.25	3	274	3.5	0.64	16.60	<0.5	0.23	9.72	156
L649002		<2	20.3	39.7	11.10	86.2	7.12	3	293	1.4	0.72	12.85	<0.5	0.40	3.58	89
L649004		<2	17.4	37.4	10.45	95.0	6.40	2	266	1.2	0.66	13.75	<0.5	0.36	3.31	112
L649006		<2	17.6	45.4	13.05	82.3	7.73	2	287	1.2	0.72	21.2	<0.5	0.34	4.75	90
L649008		3	21.4	46.5	13.35	89.9	7.70	3	357	1.4	0.83	20.2	<0.5	0.36	3.64	124
L649010		3	21.4	45.8	12.70	114.5	7.76	3	429	1.2	0.86	21.3	<0.5	0.38	3.68	137
L649012		3	19.3	35.4	9.98	107.0	6.19	2	279	1.5	0.75	14.85	<0.5	0.36	2.86	124
L649014		4	19.1	37.6	10.95	80.5	6.25	2	305	1.3	3.34	66.5	1.5	1.54	14.55	94
L649016		3	18.7	39.3	11.35	107.0	6.69	2	340	1.3	0.80	19.60	<0.5	0.40	3.89	80
L649018		4	17.3	35.3	10.55	118.0	5.63	2	293	1.3	0.65	17.55	<0.5	0.32	3.84	94
L649020		3	18.2	32.6	9.30	111.5	5.52	2	277	1.2	0.64	28.4	<0.5	0.35	5.28	110
L649022		3	19.0	36.2	10.50	117.0	6.17	2	287	1.2	0.70	21.8	<0.5	0.34	5.01	113
L649024		<2	22.2	44.6	13.00	82.1	7.55	2	291	1.6	0.84	20.2	<0.5	0.47	5.13	63
L649026		2	21.3	40.9	11.65	101.0	7.06	3	302	1.4	0.73	13.80	<0.5	0.40	3.26	99
L649028		<2	21.3	49.7	14.75	94.7	7.83	2	332	1.4	0.78	19.55	<0.5	0.40	3.42	80
L649030		<2	0.2	1.6	0.42	0.4	0.38	<1	2.5	<0.1	0.05	0.38	<0.5	0.05	0.29	<5
L649032		2	23.2	51.3	14.95	91.7	8.16	3	326	1.5	0.80	21.2	<0.5	0.39	3.65	100
L649034		<2	17.9	39.2	11.00	75.8	6.59	2	272	1.2	0.71	15.65	<0.5	0.37	3.27	114
L649036		3	33.1	59.0	16.60	186.0	10.10	3	460	2.1	1.12	15.85	<0.5	0.59	5.00	185
L649038		2	19.9	44.5	12.75	96.6	7.54	2	303	1.3	0.81	14.90	<0.5	0.43	4.12	94
L649040		2	25.0	56.6	16.20	99.7	9.46	2	347	1.3	0.94	16.55	<0.5	0.47	3.58	121



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648852		2	25.7	2.38	291	<0.5	<5	<0.5	5	11	<1	1	16	12	46
L648854		2	23.3	2.09	244	<0.5	<5	<0.5	6	14	<1	1	21	10	43
L648856		2	37.3	3.33	366	<0.5	<5	<0.5	11	24	<1	1	26	9	54
L648858		2	36.7	3.20	290	<0.5	<5	<0.5	7	15	<1	1	23	8	46
L648860		5	51.2	3.84	191	0.8	7	0.6	15	79	<1	5	59	15	84
L648862		6	27.9	2.64	362	<0.5	<5	<0.5	3	11	<1	2	13	8	29
L648864		6	30.3	2.79	234	<0.5	5	<0.5	7	18	<1	1	28	10	54
L648876		3	33.9	2.79	293	<0.5	<5	<0.5	11	25	<1	1	25	11	57
L648878		5	30.6	2.49	250	<0.5	<5	<0.5	9	39	<1	1	28	11	62
L648880		3	27.6	2.37	215	<0.5	<5	<0.5	12	29	<1	1	33	12	65
L648882		3	28.0	2.55	223	<0.5	<5	<0.5	9	23	<1	1	32	10	63
L648884		3	24.5	2.37	238	<0.5	<5	<0.5	12	24	<1	1	27	11	63
L648886		4	24.8	2.18	242	<0.5	<5	<0.5	5	15	<1	1	17	8	33
L648888		5	25.5	2.10	252	<0.5	<5	<0.5	9	30	<1	1	23	13	59
L648890		2	17.8	1.60	213	<0.5	<5	<0.5	5	30	<1	2	18	7	42
L648892		2	25.6	2.30	224	<0.5	<5	<0.5	13	49	<1	2	26	13	90
L648894		2	31.1	2.64	209	<0.5	<5	0.6	12	56	<1	1	26	13	68
L648896		2	22.8	2.06	272	<0.5	<5	<0.5	5	20	<1	1	14	8	35
L648898		2	25.5	2.23	181	<0.5	<5	<0.5	9	47	<1	1	24	11	52
L648900		2	20.8	1.76	162	0.5	5	<0.5	10	53	<1	3	26	19	72
L649002		2	26.2	2.66	333	<0.5	<5	<0.5	1	3	<1	<1	5	9	13
L649004		24	23.1	2.45	309	<0.5	<5	<0.5	4	8	<1	<1	10	9	35
L649006		2	22.8	2.26	307	<0.5	<5	<0.5	4	10	<1	<1	11	7	26
L649008		2	25.5	2.44	376	<0.5	<5	<0.5	6	12	<1	<1	13	6	38
L649010		2	26.4	2.41	287	<0.5	<5	<0.5	11	29	<1	<1	22	7	57
L649012		2	24.5	2.20	217	<0.5	<5	<0.5	10	19	<1	<1	29	7	52
L649014		2	23.7	9.41	374	<0.5	<5	<0.5	1	3	<1	1	4	8	10
L649016		2	26.8	2.51	306	<0.5	<5	<0.5	3	5	<1	<1	9	6	28
L649018		2	21.4	2.19	307	<0.5	<5	<0.5	4	7	<1	1	9	12	41
L649020		2	23.7	2.33	334	<0.5	<5	<0.5	5	8	<1	<1	13	9	70
L649022		2	23.1	2.21	331	<0.5	<5	<0.5	5	11	<1	<1	12	26	80
L649024		4	29.6	3.12	461	<0.5	<5	<0.5	1	2	<1	<1	2	8	11
L649026		2	25.4	2.62	389	<0.5	<5	<0.5	2	5	<1	<1	5	5	19
L649028		2	25.2	2.52	385	<0.5	<5	<0.5	2	2	<1	<1	5	6	19
L649030		1	2.2	0.25	56	<0.5	<5	<0.5	<1	1	<1	<1	<1	<2	3
L649032		2	25.1	2.53	391	<0.5	<5	<0.5	3	5	<1	<1	7	10	25
L649034		2	24.1	2.38	359	1.2	<5	<0.5	4	10	<1	1	13	11	49
L649036		3	38.8	3.68	442	<0.5	<5	<0.5	6	12	<1	1	15	18	38
L649038		2	27.4	2.62	369	<0.5	<5	<0.5	2	6	<1	1	5	8	14
L649040		2	31.7	3.01	378	<0.5	<5	<0.5	9	17	<1	1	18	6	44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L649042		0.32	877	111.0	13.6	100	2.63	5.13	2.85	1.67	19.7	6.20	10.3	1.01	61.5	0.42
L649044		0.16	834	192.0	16.9	110	4.01	9.16	4.71	3.22	20.2	12.90	13.7	1.69	124.5	0.64
L649046		0.26	811	90.2	12.9	100	2.55	4.49	2.56	1.33	17.8	5.11	8.3	0.87	47.4	0.38
L649052		0.36	919	116.5	13.7	100	3.84	5.84	3.17	1.96	20.9	7.46	8.4	1.13	77.3	0.46
L649054		0.34	779	84.0	9.1	100	2.98	4.07	2.42	1.14	18.8	4.58	8.3	0.81	44.4	0.37
L649056		0.46	921	139.5	11.0	100	2.71	5.11	2.67	1.37	19.4	6.45	9.1	0.94	74.3	0.39
L649058		0.40	860	151.5	16.2	100	3.89	5.63	3.00	1.78	21.9	7.55	7.8	1.08	84.9	0.44
L649060		0.42	818	119.5	16.5	100	4.33	6.42	3.38	2.36	20.3	8.09	7.4	1.21	75.2	0.45
L649062		0.40	782	162.0	10.7	90	9.07	5.53	3.08	1.35	29.7	7.64	10.8	1.08	84.4	0.48
L649064		0.38	638	127.5	12.4	80	12.40	5.55	2.85	1.93	22.1	7.26	8.8	1.00	91.8	0.41
L649066		0.42	763	84.9	13.8	90	12.10	4.72	2.77	1.70	19.5	5.29	7.7	0.92	51.5	0.38
L649068		0.40	791	92.4	15.1	120	4.38	4.62	2.55	1.52	19.4	5.68	6.3	0.91	56.3	0.34
L649070		0.14	10.2	2.7	<0.5	<10	0.02	0.38	0.22	0.07	0.3	0.34	1.6	0.08	1.6	0.03
L649072		0.34	732	83.8	11.6	90	3.09	4.38	2.31	1.69	18.4	5.75	7.4	0.81	58.7	0.30
L649074		0.40	847	102.0	9.9	100	2.57	4.59	2.58	1.31	20.3	5.45	9.2	0.87	54.8	0.39
L649076		0.30	898	120.5	13.5	90	3.67	4.28	2.31	1.58	21.2	5.80	9.5	0.85	70.9	0.32
L649078		0.28	797	113.0	10.2	70	2.80	5.23	2.87	1.68	18.4	6.34	8.4	1.03	66.1	0.40
L649080		0.38	822	98.1	11.5	80	3.24	3.97	2.28	1.34	20.2	4.89	7.6	0.81	55.7	0.30
L649082		0.46	962	132.5	9.8	80	2.34	5.40	2.96	1.51	19.4	6.55	12.1	1.02	70.5	0.46
L649084		0.36	732	86.9	16.1	80	3.94	3.65	2.12	1.05	20.3	4.15	7.4	0.73	46.3	0.30
L649086		0.32	840	144.5	8.2	100	2.97	5.36	2.90	1.49	19.7	6.83	11.3	1.02	76.0	0.43
L649088		0.34	831	129.0	10.0	100	2.77	5.58	2.90	1.53	19.8	6.80	9.3	1.03	68.8	0.40
L649090		0.34	781	157.5	21.1	100	4.99	5.45	2.44	1.63	24.1	7.46	5.9	0.96	84.1	0.31
L649092		0.32	877	134.5	13.8	90	3.00	5.28	2.85	1.46	20.4	6.81	9.4	1.00	73.3	0.41
L649094		0.32	911	141.0	7.8	90	3.83	5.28	3.04	1.40	24.2	6.52	11.5	1.02	73.1	0.47
L649096		0.30	790	188.5	9.2	80	2.50	5.85	2.63	1.49	20.9	8.81	11.5	1.01	96.4	0.36
L649098		0.38	894	113.5	8.5	90	2.59	5.22	2.89	1.34	23.1	6.20	10.5	1.01	58.8	0.44
L649100		0.40	765	95.9	13.1	110	2.79	4.46	2.44	1.17	20.2	5.00	8.1	0.89	46.0	0.36
L650002		0.20	836	83.3	20.2	120	3.44	11.40	7.71	4.09	19.6	19.80	5.7	2.21	56.7	1.05
L650004		0.24	803	115.5	16.4	130	2.77	4.90	2.63	1.46	19.0	6.17	8.6	0.93	54.7	0.38
L650006		0.18	688	101.5	11.9	100	1.78	3.85	1.88	0.96	16.3	4.24	6.8	0.70	48.6	0.27
L650008		0.28	797	100.5	14.0	130	2.27	4.58	2.69	1.25	19.4	5.26	8.8	0.94	47.4	0.43
L650010		0.16	728	106.0	11.7	90	2.06	4.37	2.34	1.15	18.5	5.27	10.1	0.86	50.7	0.37
L650012		0.26	856	113.0	17.4	120	2.11	5.16	2.66	1.41	19.7	6.19	11.1	0.99	52.8	0.41
L650014		0.24	829	117.0	15.5	130	2.59	5.72	3.16	1.38	20.0	6.17	8.0	1.13	56.4	0.45
L650016		0.24	828	107.0	13.3	110	2.02	4.70	2.61	1.27	20.1	5.30	8.2	0.93	51.8	0.40
L650018		0.28	784	114.0	13.2	120	2.11	4.77	2.55	1.34	18.5	6.05	8.5	0.90	55.9	0.38
L650020		0.22	813	112.0	9.6	120	2.27	4.71	2.55	1.38	21.1	5.74	9.1	0.91	53.7	0.38
L650022		0.16	753	106.5	9.4	130	2.01	4.50	2.56	1.24	19.1	5.44	9.0	0.89	51.9	0.40
L650024		0.14	763	103.0	11.3	110	1.92	4.49	2.55	1.26	17.9	5.34	7.8	0.90	49.0	0.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L649042		2	21.0	47.9	13.55	92.9	8.28	3	325	1.4	0.91	16.10	<0.5	0.44	6.39	114
L649044		3	25.5	104.0	29.3	87.9	17.80	2	331	1.6	1.73	27.5	<0.5	0.67	20.00	131
L649046		2	16.8	38.1	10.65	89.4	6.64	2	274	1.0	0.77	15.10	<0.5	0.39	3.56	122
L649052		2	19.4	58.6	16.70	99.2	10.10	2	325	1.1	1.03	22.8	<0.5	0.48	6.31	112
L649054		<2	17.7	34.2	9.73	100.0	5.95	2	251	1.1	0.69	12.80	<0.5	0.38	2.87	126
L649056		<2	16.7	55.0	16.05	95.4	9.41	2	310	1.0	0.91	24.3	<0.5	0.41	3.85	105
L649058		3	18.3	62.0	17.90	97.4	10.75	2	280	1.1	1.06	30.7	<0.5	0.45	8.75	113
L649060		2	16.6	59.1	16.80	111.5	10.70	2	275	1.0	1.15	24.3	<0.5	0.48	7.72	110
L649062		3	24.3	66.1	19.10	186.5	11.10	2	183.0	1.4	1.01	31.1	0.6	0.48	5.42	114
L649064		3	17.6	64.7	18.85	148.0	10.65	2	221	1.0	0.97	26.7	0.5	0.50	12.70	79
L649066		2	18.5	40.9	11.55	93.9	7.31	2	280	1.1	0.81	13.60	<0.5	0.46	11.70	101
L649068		3	15.8	44.7	12.40	92.9	7.68	3	260	0.9	0.82	14.65	<0.5	0.41	7.58	117
L649070		<2	0.2	1.5	0.41	0.3	0.33	<1	2.4	<0.1	0.05	0.38	<0.5	0.05	0.24	<5
L649072		3	14.1	46.0	13.00	75.6	7.90	2	257	0.8	0.77	13.70	<0.5	0.35	10.40	93
L649074		<2	19.9	41.0	11.75	96.0	7.07	2	294	1.2	0.81	16.15	<0.5	0.40	3.83	109
L649076		2	19.0	52.2	15.20	107.0	8.56	2	309	1.1	0.76	18.55	<0.5	0.40	5.78	106
L649078		3	18.5	53.0	15.00	88.5	8.79	2	289	0.9	0.86	17.10	<0.5	0.46	5.07	86
L649080		3	18.3	40.4	11.65	100.5	6.76	2	278	0.9	0.68	13.65	<0.5	0.39	4.06	100
L649082		<2	17.9	51.6	15.20	96.8	8.78	2	304	1.1	0.92	21.7	<0.5	0.44	4.00	86
L649084		2	18.2	33.9	10.00	120.0	5.74	2	235	1.1	0.62	16.65	<0.5	0.37	3.32	119
L649086		<2	21.3	56.2	16.25	114.0	9.27	2	276	1.3	0.96	25.1	<0.5	0.44	4.08	110
L649088		2	19.2	52.2	15.05	99.7	9.04	2	288	1.2	0.97	21.1	<0.5	0.42	4.51	112
L649090		2	21.5	62.8	18.35	133.5	11.00	2	230	1.2	1.03	26.4	<0.5	0.39	5.85	127
L649092		2	17.4	53.3	15.40	98.9	9.16	2	290	1.1	0.94	27.3	<0.5	0.43	4.76	102
L649094		2	26.2	54.8	15.95	150.0	9.29	2	272	1.4	0.92	24.7	<0.5	0.46	4.26	112
L649096		<2	21.5	77.0	21.9	97.8	12.60	2	260	1.3	1.15	32.5	<0.5	0.37	4.71	103
L649098		<2	19.2	45.6	13.05	105.5	7.98	2	271	1.2	0.88	18.55	<0.5	0.44	3.92	113
L649100		3	17.4	36.6	10.35	109.5	6.42	2	245	1.2	0.75	16.25	<0.5	0.36	3.68	119
L650002		8	15.4	42.8	12.20	106.0	7.51	2	270	0.9	2.50	37.7	1.1	1.07	15.05	121
L650004		4	18.2	45.0	12.80	99.1	7.63	2	293	1.4	0.88	32.4	<0.5	0.40	5.56	130
L650006		10	15.0	37.0	10.70	76.6	6.06	2	274	0.9	0.66	14.70	<0.5	0.30	3.12	107
L650008		3	18.1	38.6	10.90	90.9	6.57	2	289	1.2	0.77	15.25	<0.5	0.41	3.22	129
L650010		9	17.8	40.2	11.30	96.3	6.89	2	297	1.0	0.77	18.20	<0.5	0.35	3.88	101
L650012		3	19.8	43.9	12.40	93.6	7.65	2	306	1.3	0.88	19.75	<0.5	0.41	4.01	125
L650014		3	19.0	43.4	12.55	106.0	7.35	2	303	1.2	0.97	19.75	<0.5	0.47	3.69	135
L650016		3	18.8	39.6	11.40	92.7	6.70	2	293	1.2	0.78	16.70	<0.5	0.40	3.34	128
L650018		3	17.2	44.0	12.75	85.6	7.62	2	291	1.2	0.86	20.7	<0.5	0.39	3.56	122
L650020		3	20.1	42.8	12.30	114.0	7.14	2	286	1.3	0.83	17.70	<0.5	0.39	3.29	126
L650022		3	17.7	40.2	11.55	87.2	6.90	2	262	1.2	0.78	18.00	<0.5	0.39	3.59	132
L650024		4	15.7	38.4	11.10	91.0	6.55	2	276	1.0	0.78	15.80	<0.5	0.40	3.91	111



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L649042		2	29.1	2.75	385	<0.5	<5	<0.5	9	18	<1	1	20	6	48
L649044		3	49.3	4.25	521	0.5	<5	<0.5	10	26	<1	2	21	7	58
L649046		2	25.6	2.50	305	<0.5	5	<0.5	8	16	<1	1	20	8	62
L649052		3	33.2	2.94	328	0.6	<5	<0.5	9	25	<1	1	24	10	61
L649054		3	23.4	2.40	313	<0.5	<5	<0.5	6	10	<1	1	16	10	64
L649056		2	28.1	2.61	340	<0.5	<5	<0.5	7	11	<1	1	19	7	50
L649058		2	33.0	2.73	297	<0.5	<5	<0.5	11	27	<1	3	28	14	58
L649060		3	35.1	2.97	272	<0.5	<5	<0.5	11	29	<1	2	27	11	52
L649062		3	30.7	3.01	393	0.5	6	<0.5	7	17	1	2	24	15	109
L649064		5	33.1	2.84	329	<0.5	5	<0.5	9	21	<1	2	23	15	68
L649066		4	29.6	2.68	285	<0.5	<5	<0.5	10	25	<1	2	28	14	63
L649068		4	29.3	2.39	237	0.5	<5	<0.5	11	30	<1	2	29	13	74
L649070		1	2.2	0.26	55	<0.5	<5	<0.5	<1	1	<1	<1	<1	<2	2
L649072		4	26.9	2.16	293	0.5	<5	<0.5	8	27	<1	2	25	10	57
L649074		3	25.6	2.52	354	<0.5	<5	<0.5	6	13	<1	1	17	9	50
L649076		4	27.0	2.14	389	<0.5	<5	<0.5	9	22	1	1	24	9	68
L649078		4	32.1	2.76	326	<0.5	<5	<0.5	8	22	<1	2	20	8	59
L649080		4	24.1	2.23	291	<0.5	<5	<0.5	8	23	1	3	20	10	59
L649082		2	29.4	2.95	444	<0.5	<5	<0.5	6	12	<1	<1	16	6	38
L649084		5	22.5	2.00	285	0.9	<5	<0.5	12	19	<1	1	18	14	53
L649086		2	29.2	2.87	422	<0.5	<5	<0.5	4	10	<1	1	11	7	36
L649088		2	29.2	2.68	355	<0.5	<5	<0.5	6	16	<1	1	15	9	54
L649090		4	28.1	1.98	234	<0.5	<5	<0.5	14	51	<1	2	35	14	102
L649092		2	29.6	2.68	349	<0.5	<5	<0.5	9	24	<1	1	23	9	57
L649094		3	29.8	3.11	449	<0.5	<5	<0.5	4	12	<1	1	13	8	40
L649096		2	27.9	2.36	421	<0.5	<5	<0.5	7	18	<1	1	17	7	56
L649098		2	28.9	2.80	391	<0.5	<5	<0.5	5	12	<1	1	15	9	46
L649100		2	25.5	2.37	277	<0.5	<5	<0.5	8	17	<1	1	23	8	56
L650002		5	28.2	6.40	195	0.5	5	0.7	14	57	1	2	43	11	69
L650004		2	27.5	2.64	303	<0.5	<5	<0.5	10	24	<1	1	31	9	56
L650006		3	21.8	1.73	267	<0.5	<5	<0.5	7	15	<1	1	19	7	36
L650008		2	27.8	2.79	307	<0.5	<5	<0.5	8	17	<1	1	25	8	61
L650010		16	26.5	2.29	411	<0.5	<5	<0.5	7	19	<1	1	18	10	37
L650012		2	29.3	2.68	402	<0.5	6	<0.5	10	25	<1	1	32	7	49
L650014		2	33.9	3.15	284	<0.5	<5	<0.5	9	24	<1	1	30	9	53
L650016		2	27.5	2.71	297	<0.5	6	<0.5	7	17	<1	1	24	8	46
L650018		2	25.3	2.46	300	<0.5	5	<0.5	7	17	<1	1	25	7	47
L650020		2	26.3	2.54	312	<0.5	<5	<0.5	5	11	<1	1	15	8	35
L650022		2	25.8	2.57	316	<0.5	<5	<0.5	4	11	1	1	16	9	38
L650024		2	26.3	2.61	280	<0.5	<5	<0.5	6	22	<1	2	22	7	36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L650026		0.18	815	91.3	14.4	100	2.42	4.43	2.53	1.49	16.8	5.28	6.3	0.89	51.4	0.34
L650028		0.16	705	143.5	13.3	100	2.31	5.69	2.55	1.57	16.6	7.74	6.0	1.02	72.4	0.33
L650030	Not Recvd															
L650032		0.26	798	122.0	8.3	110	1.83	4.12	2.11	1.34	18.5	5.17	9.1	0.78	58.8	0.32
L650034		0.46	744	111.0	14.4	90	2.55	4.48	2.32	1.52	18.8	5.65	9.8	0.84	54.5	0.35
L650036		0.30	739	143.5	8.5	110	1.98	4.76	2.35	1.42	16.7	6.69	6.2	0.85	69.7	0.34
L650038		0.24	800	81.7	14.3	100	2.88	4.25	2.54	1.14	17.9	4.44	7.6	0.89	42.4	0.38
L650040		0.26	860	114.5	16.5	110	3.26	4.53	2.37	1.70	18.9	5.89	6.2	0.88	59.6	0.38
L650042		0.22	718	89.0	9.1	120	2.23	4.05	2.25	1.11	19.1	4.69	8.5	0.81	42.9	0.35
L650044		0.26	730	104.0	10.4	110	2.27	16.95	10.25	4.75	18.0	28.7	8.5	3.39	49.9	1.52
L650046		0.28	765	95.3	11.5	120	2.53	4.31	2.42	1.22	19.3	5.15	8.5	0.85	46.1	0.37
L650048		0.16	790	93.4	11.6	130	2.15	4.06	2.32	1.04	17.3	4.40	8.1	0.81	43.6	0.34
L650050		0.22	888	90.7	15.7	110	2.70	3.83	2.15	1.16	18.2	4.40	77.7	0.75	41.7	0.32
L649048		0.26	796	118.5	19.2	120	2.99	5.80	3.16	1.55	20.3	6.90	10.0	1.14	60.4	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L650026		11	13.2	41.7	11.65	88.5	7.60	2	350	0.8	0.77	14.55	<0.5	0.32	15.60	102
L650028		11	14.0	58.2	16.45	81.7	10.05	2	309	0.9	1.10	23.3	<0.5	0.37	17.40	106
L650030																
L650032		11	17.3	46.5	13.25	102.0	7.70	2	315	1.1	0.76	19.00	<0.5	0.32	3.49	119
L650034		12	16.2	44.2	12.35	91.4	7.64	2	294	0.9	0.78	16.75	<0.5	0.34	13.45	110
L650036		10	15.7	55.6	15.70	76.9	9.60	2	312	1.0	0.91	21.1	<0.5	0.34	6.49	94
L650038		11	14.8	33.3	9.45	104.0	5.82	2	355	0.9	0.72	14.15	<0.5	0.36	12.20	119
L650040		11	16.5	47.1	13.40	112.0	7.89	2	306	0.9	0.82	16.35	<0.5	0.35	9.10	108
L650042		3	16.7	33.5	9.52	93.3	5.62	2	271	1.1	0.69	16.55	<0.5	0.34	3.45	138
L650044		3	16.7	38.9	11.15	91.8	6.54	2	269	1.1	3.36	71.1	1.5	1.54	13.35	123
L650046		3	18.3	37.0	10.50	102.0	6.39	2	273	1.2	0.73	15.60	<0.5	0.35	3.13	138
L650048		9	20.2	34.6	9.82	97.6	5.83	2	275	1.2	0.68	13.05	<0.5	0.34	2.60	105
L650050		9	29.9	34.5	9.86	118.0	6.15	2	293	12.1	0.65	13.75	<0.5	0.34	2.70	116
L649048		3	20.8	48.9	13.75	110.0	8.54	2	263	1.4	0.99	23.8	<0.5	0.47	4.63	133



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115794

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm 1	Y ppm 0.5	Yb ppm 0.03	Zr ppm 2	Ag ppm 0.5	As ppm 5	Cd ppm 0.5	Co ppm 1	Cu ppm 1	Hg ppm 1	Mo ppm 1	Ni ppm 1	Pb ppm 2	Zn ppm 2
L650026		3	31.0	2.38	264	<0.5	<5	<0.5	9	39	<1	2	28	8	46
L650028		3	31.5	2.22	235	<0.5	<5	<0.5	8	30	<1	2	27	8	43
L650030															
L650032		3	23.8	2.08	354	<0.5	<5	<0.5	4	13	<1	2	14	9	33
L650034		3	25.8	2.39	383	<0.5	<5	<0.5	9	35	<1	3	26	9	48
L650036		3	27.2	2.21	232	<0.5	<5	1.3	5	28	<1	2	19	8	35
L650038		3	27.4	2.49	306	<0.5	<5	0.5	8	37	<1	2	31	8	60
L650040		3	26.0	2.23	256	0.5	<5	<0.5	12	41	<1	1	36	9	72
L650042		2	23.5	2.27	305	<0.5	5	<0.5	5	9	<1	<1	13	7	41
L650044		2	24.7	9.28	299	<0.5	<5	<0.5	6	13	<1	<1	16	8	50
L650046		2	24.7	2.33	303	<0.5	<5	<0.5	7	12	<1	<1	18	6	51
L650048		3	27.1	2.30	314	<0.5	<5	<0.5	7	18	<1	<1	25	6	51
L650050		25	23.9	2.21	272	<0.5	<5	<0.5	11	22	<1	<1	30	7	64
L649048		2	34.6	3.03	362	<0.5	<5	<0.5	14	32	<1	<1	32	10	72



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 4-AUG-2011
 Account: EIAREI

CERTIFICATE VA11115793

Project: REI11-01
 P.O. No.: REI11-01_2
 This report is for 109 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS81 Ba ppm	ME-MS81 Ce ppm	ME-MS81 Co ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm	ME-MS81 Ga ppm	ME-MS81 Gd ppm	ME-MS81 Hf ppm	ME-MS81 Ho ppm	ME-MS81 La ppm	ME-MS81 Lu ppm
L648246		0.28	910	85.0	10.4	110	2.69	4.21	2.46	1.25	17.0	4.78	8.5	0.87	40.7	0.39
L648248		0.26	1010	124.5	17.5	130	4.37	8.19	3.93	3.49	19.0	11.90	5.7	1.56	115.0	0.54
L648250		0.22	1035	91.3	24.9	130	4.91	4.09	2.12	1.52	21.3	5.11	5.9	0.82	51.6	0.32
L648252		0.22	886	87.1	18.5	120	4.78	3.58	2.00	1.30	20.2	4.39	5.8	0.74	45.5	0.32
L648254		0.32	1085	136.5	13.6	120	2.96	5.39	2.60	1.94	17.8	6.33	7.8	1.02	67.2	0.37
L648256		0.28	1040	123.0	14.9	110	3.46	4.57	2.43	1.70	17.5	5.52	8.6	0.92	62.9	0.37
L648258		0.22	1040	105.0	34.2	140	7.20	4.65	2.00	2.05	24.3	5.85	1.7	0.83	69.8	0.23
L648260		0.18	984	102.5	22.1	120	4.46	4.06	2.10	1.59	19.7	5.05	6.2	0.79	58.0	0.30
L648262		0.26	1075	109.0	16.9	120	3.73	4.25	2.20	1.63	19.3	5.12	6.2	0.82	56.0	0.33
L648264		0.18	1010	101.5	15.6	110	3.74	4.15	2.12	1.75	19.0	5.21	5.4	0.83	56.0	0.30
L648266		0.30	1040	174.5	17.9	140	3.26	5.60	2.85	2.30	19.1	7.23	8.3	1.09	93.0	0.42
L648268		0.32	1195	138.0	16.8	130	3.13	5.19	2.73	1.88	17.5	6.24	8.8	1.02	68.5	0.42
L648270		0.16	10.2	2.8	<0.5	<10	0.07	0.38	0.23	0.07	0.3	0.37	1.7	0.09	1.5	0.04
L648272		0.16	1060	129.0	12.9	90	3.62	5.16	2.37	2.11	15.4	6.33	4.5	0.96	77.0	0.28
L648274		0.24	1090	117.5	14.2	130	3.78	4.85	2.49	1.95	18.6	6.37	6.5	0.96	69.3	0.37
L648276		0.18	967	80.0	11.7	120	3.38	3.49	1.92	1.24	17.4	4.26	5.2	0.73	40.2	0.30
L648278		0.22	993	89.0	11.4	110	3.19	3.86	2.10	1.34	18.2	4.64	5.7	0.77	47.9	0.30
L648280		0.14	900	79.9	13.9	80	3.26	4.02	1.92	1.68	17.2	5.51	4.3	0.76	50.2	0.28
L648282		0.18	383	4.5	4.7	<10	0.39	0.35	0.19	0.09	0.8	0.33	0.7	0.05	2.9	0.03
L648284		0.20	952	109.5	14.6	110	2.73	5.02	2.54	2.04	13.6	6.46	4.3	1.00	62.4	0.36
L648286		0.20	1125	96.7	18.5	110	3.09	4.43	2.38	1.70	16.0	5.59	4.9	0.91	51.8	0.34
L648288		0.16	941	86.7	23.2	100	4.34	4.56	2.49	1.86	15.6	5.71	4.9	0.92	50.4	0.34
L648290		0.12	981	107.0	8.3	80	1.86	3.93	2.20	1.40	16.6	4.80	6.8	0.80	52.4	0.34
L648292		0.24	1055	137.0	10.4	100	2.60	4.39	2.36	1.49	19.4	5.49	8.9	0.89	65.7	0.36
L648294		0.20	855	109.5	13.7	120	3.11	5.28	3.17	1.61	18.5	6.13	7.7	1.07	53.0	0.50
L648296		0.22	1005	114.0	13.5	100	2.18	4.61	2.57	1.49	17.2	5.33	8.9	0.94	54.0	0.41
L648298		0.28	822	76.4	8.2	110	2.30	4.42	2.67	1.30	17.7	4.89	8.2	0.95	38.1	0.41
L648300		0.12	894	87.9	12.6	70	2.59	16.65	8.57	7.17	12.7	32.8	2.8	3.05	58.0	1.04
L648602		0.10	1030	44.7	10.4	120	3.05	2.77	1.62	0.85	17.3	3.12	3.6	0.59	22.0	0.25
L648604		0.34	903	86.8	14.6	130	2.65	5.31	2.96	1.34	18.6	5.96	6.7	1.10	41.4	0.41
L648606		0.26	921	85.1	17.1	130	3.26	4.53	2.56	1.32	19.8	5.30	6.2	0.95	39.8	0.40
L648608		0.24	901	81.8	14.4	110	4.45	3.78	1.90	1.37	17.1	4.64	5.4	0.75	40.8	0.26
L648610		0.30	855	140.5	5.7	100	2.80	5.99	3.14	1.67	18.4	7.31	9.5	1.14	72.8	0.47
L648612		0.22	799	91.4	6.3	90	2.33	4.10	2.29	1.21	19.8	4.71	8.1	0.81	47.8	0.35
L648614		0.26	786	89.0	7.6	120	3.05	4.25	2.36	1.20	19.3	4.72	8.0	0.84	193.5	0.36
L648616		0.30	982	111.0	7.4	110	3.62	5.27	2.82	1.32	20.9	5.90	9.0	1.03	57.8	0.43
L648618		0.16	885	89.9	11.4	100	3.34	4.02	2.07	1.20	17.9	4.64	7.0	0.77	47.1	0.32
L648620		0.34	866	96.7	27.0	110	4.11	4.79	2.53	1.55	20.5	5.28	6.3	0.92	49.1	0.36
L648622		0.38	904	82.3	13.6	110	3.36	4.22	2.31	1.26	19.7	4.51	6.8	0.82	43.2	0.35
L648624		0.30	977	83.9	10.1	150	2.71	5.11	3.09	1.34	18.4	4.88	8.5	1.05	44.2	0.47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648246		2	15.8	34.4	9.80	99.3	6.16	2	257	1.1	0.72	11.10	<0.5	0.42	3.56	135
L648248		3	15.6	95.5	27.8	122.0	16.70	2	298	1.0	1.58	21.5	0.5	0.61	17.45	150
L648250		3	17.0	42.4	12.05	116.0	7.35	2	239	1.1	0.73	13.75	<0.5	0.35	4.67	165
L648252		<2	16.1	36.2	10.35	123.0	5.99	2	226	1.0	0.62	11.45	<0.5	0.34	4.12	161
L648254		<2	18.8	56.9	16.20	83.7	9.44	2	297	1.3	0.97	16.75	<0.5	0.44	3.91	137
L648256		<2	20.2	50.1	14.30	92.8	8.28	2	273	1.3	0.81	15.65	0.5	0.42	3.68	144
L648258		3	12.5	53.5	15.75	133.5	8.73	3	127.5	0.7	0.84	16.95	0.7	0.31	9.73	207
L648260		2	14.1	43.8	12.90	103.0	7.08	2	204	0.9	0.73	10.90	0.5	0.35	5.24	154
L648262		2	17.1	44.3	12.85	111.5	7.26	2	265	1.0	0.74	13.95	0.5	0.37	5.06	161
L648264		3	16.1	46.0	13.20	102.0	7.51	2	245	1.0	0.74	14.20	<0.5	0.34	8.21	162
L648266		2	22.2	70.3	20.6	100.5	10.65	3	287	1.2	1.02	20.1	<0.5	0.49	6.35	173
L648268		<2	21.3	55.3	16.05	95.9	9.29	2	240	1.3	0.92	16.05	<0.5	0.47	3.61	152
L648270		<2	<0.2	1.6	0.40	<0.2	0.31	<1	2.1	<0.1	0.06	0.36	<0.5	0.05	0.27	<5
L648272		<2	13.3	59.8	17.90	80.8	9.59	2	220	0.8	0.90	14.25	<0.5	0.41	4.12	119
L648274		<2	17.3	55.6	15.90	106.5	8.87	2	264	1.1	0.88	13.90	0.5	0.42	3.98	159
L648276		2	14.8	33.0	9.48	103.5	5.61	2	223	0.9	0.60	11.30	<0.5	0.32	3.28	153
L648278		2	14.9	38.2	11.05	90.6	6.39	2	223	0.9	0.69	12.85	<0.5	0.35	4.00	135
L648280		7	12.1	44.6	12.60	65.9	7.56	2	220	0.8	0.71	10.80	<0.5	0.35	9.96	116
L648282		15	0.5	2.2	0.59	1.5	0.33	<1	269	<0.1	0.03	0.70	<0.5	0.04	130.0	38
L648284		4	9.7	55.0	15.60	68.6	9.19	1	251	0.6	0.93	13.45	<0.5	0.46	16.15	124
L648286		8	14.3	45.6	12.65	83.7	7.56	2	256	0.8	0.81	12.95	<0.5	0.40	13.30	137
L648288		10	13.0	45.4	12.50	96.3	8.03	2	279	0.8	0.81	13.75	<0.5	0.41	42.7	124
L648290		3	15.4	41.3	12.00	77.6	6.90	2	298	1.0	0.70	13.80	<0.5	0.36	4.87	103
L648292		2	17.9	53.5	15.60	107.0	8.76	2	289	1.2	0.79	17.45	<0.5	0.41	3.20	131
L648294		4	17.8	45.5	12.85	88.2	7.82	2	251	1.2	0.93	15.80	<0.5	0.54	8.11	137
L648296		<2	17.2	45.3	12.85	82.3	7.64	2	280	1.1	0.81	16.30	<0.5	0.45	3.25	118
L648298		2	15.5	32.8	9.17	95.2	5.77	2	273	1.1	0.75	12.75	<0.5	0.46	3.52	134
L648300		<2	9.1	50.5	14.30	69.7	8.64	1	232	0.5	3.77	32.4	1.0	1.44	16.95	91
L648602		2	13.2	19.1	5.30	87.4	3.45	2	175.5	0.9	0.43	6.57	<0.5	0.28	1.85	176
L648604		<2	15.9	36.7	10.25	96.1	6.77	2	226	1.1	0.90	13.15	<0.5	0.48	3.52	152
L648606		2	14.7	34.2	9.66	98.4	6.28	2	186.5	1.1	0.79	13.15	<0.5	0.43	3.59	160
L648608		2	12.7	36.0	9.82	98.8	6.48	2	191.0	0.8	0.67	9.55	<0.5	0.32	3.62	137
L648610		<2	17.3	63.3	17.25	79.8	11.10	2	202	1.0	1.06	24.1	<0.5	0.50	4.16	100
L648612		<2	15.7	40.8	11.25	77.9	7.14	2	176.5	0.9	0.71	14.50	<0.5	0.36	2.94	108
L648614		<2	16.0	39.5	10.95	80.0	7.00	2	193.0	0.9	0.72	14.25	<0.5	0.38	2.97	120
L648616		<2	18.2	49.1	13.55	115.5	8.68	2	188.5	1.1	0.89	17.75	<0.5	0.44	3.60	132
L648618		<2	14.7	39.9	11.00	105.5	6.96	2	186.0	0.8	0.71	14.35	<0.5	0.33	3.18	112
L648620		<2	15.0	42.9	11.65	109.5	7.67	2	188.0	0.8	0.83	14.65	<0.5	0.39	4.88	118
L648622		<2	15.9	37.6	10.20	106.5	6.61	2	187.5	0.9	0.72	12.80	<0.5	0.37	3.38	117
L648624		<2	17.0	39.2	10.50	81.4	6.95	2	229	1.0	0.82	12.30	<0.5	0.51	3.20	153



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648246		7	26.4	2.65	331	<0.5	<5	<0.5	6	14	<1	1	18	7	49
L648248		2	47.5	3.78	218	0.5	5	<0.5	12	51	<1	2	40	10	75
L648250		2	25.5	2.24	228	<0.5	<5	<0.5	18	37	<1	3	34	15	69
L648252		2	22.9	2.08	235	<0.5	<5	<0.5	13	31	<1	1	27	11	71
L648254		3	28.9	2.53	309	<0.5	<5	<0.5	8	21	<1	1	22	6	46
L648256		2	26.4	2.60	323	<0.5	<5	<0.5	10	20	<1	1	21	9	57
L648258		2	27.5	1.78	54	0.8	7	0.5	28	106	<1	2	73	24	145
L648260		2	25.2	2.17	252	0.5	<5	<0.5	16	42	<1	1	30	13	79
L648262		2	25.4	2.25	261	<0.5	<5	<0.5	11	36	<1	1	28	9	67
L648264		2	24.8	2.15	213	<0.5	<5	<0.5	10	46	<1	2	30	11	62
L648266		2	33.2	3.00	333	<0.5	<5	<0.5	10	29	<1	1	24	9	49
L648268		2	31.5	2.89	326	<0.5	<5	<0.5	11	32	<1	1	30	11	60
L648270		<1	2.6	0.28	61	<0.5	<5	<0.5	<1	1	<1	<1	<1	<2	2
L648272		2	31.1	2.41	178	1.2	<5	0.5	10	61	<1	1	34	12	67
L648274		2	29.3	2.59	261	<0.5	<5	<0.5	9	34	<1	1	29	9	61
L648276		2	21.6	2.07	212	<0.5	<5	<0.5	8	34	<1	2	29	12	66
L648278		2	23.6	2.15	226	<0.5	<5	<0.5	7	24	<1	2	23	11	52
L648280		2	23.9	1.89	165	0.5	<5	0.7	9	37	<1	5	31	11	50
L648282		2	2.4	0.22	16	<0.5	<5	0.8	6	20	<1	14	11	3	9
L648284		2	30.4	2.44	154	<0.5	5	0.5	11	38	<1	3	42	12	66
L648286		2	29.5	2.46	191	<0.5	<5	<0.5	14	33	<1	7	38	12	69
L648288		2	31.4	2.49	184	<0.5	6	<0.5	19	72	<1	9	33	14	50
L648290		3	24.3	2.30	266	<0.5	<5	<0.5	4	25	<1	2	13	8	27
L648292		2	27.8	2.51	342	<0.5	<5	<0.5	6	14	<1	1	18	8	33
L648294		2	32.1	3.47	304	<0.5	<5	<0.5	9	31	<1	3	24	12	55
L648296		1	27.8	2.75	337	<0.5	<5	<0.5	9	18	<1	1	23	9	71
L648298		2	29.9	2.97	325	<0.5	<5	<0.5	4	13	<1	1	13	9	42
L648300		1	30.7	7.23	109	0.5	<5	<0.5	10	44	<1	1	33	12	73
L648602		2	18.4	1.77	140	<0.5	7	1.0	8	27	<1	1	30	12	90
L648604		2	34.8	2.91	264	<0.5	5	<0.5	11	27	<1	1	33	10	88
L648606		2	30.1	2.82	232	0.5	6	0.5	13	29	<1	1	34	12	97
L648608		2	23.6	1.82	210	0.6	<5	0.8	12	30	<1	1	27	13	69
L648610		2	31.9	3.05	343	<0.5	<5	<0.5	3	9	<1	1	12	10	34
L648612		2	22.9	2.22	291	<0.5	<5	<0.5	4	13	<1	1	16	11	44
L648614		2	22.8	2.31	279	<0.5	5	<0.5	5	12	<1	1	18	13	54
L648616		2	28.7	2.71	323	<0.5	<5	<0.5	5	15	<1	1	19	13	48
L648618		2	21.6	1.96	251	<0.5	5	0.6	9	23	<1	1	24	12	67
L648620		2	26.3	2.33	237	<0.5	6	0.5	24	45	<1	1	40	15	102
L648622		2	23.4	2.24	246	<0.5	5	<0.5	11	26	<1	1	33	14	98
L648624		3	31.6	3.01	308	0.5	7	0.5	5	17	<1	1	20	13	59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648626		0.22	829	64.8	8.9	110	2.20	4.02	2.42	1.16	13.6	4.33	5.4	0.83	35.9	0.34
L648628		0.50	922	57.8	16.7	150	1.64	6.11	3.62	1.39	12.9	5.67	5.0	1.28	32.3	0.43
L648630		0.20	668	101.5	4.1	60	2.14	4.12	2.45	1.18	15.2	4.58	8.6	0.86	53.2	0.38
L648632		0.24	558	54.3	9.2	90	1.91	3.01	1.61	0.87	11.6	2.87	5.9	0.56	27.2	0.24
L648634		0.42	910	79.1	13.3	130	2.10	4.66	2.55	1.34	13.8	4.81	6.8	0.91	41.0	0.36
L648636		0.38	865	78.4	11.0	120	2.42	4.69	2.65	1.54	14.8	4.74	8.1	0.94	41.4	0.43
L648638		0.42	887	142.5	8.3	60	1.71	5.41	2.31	1.57	15.3	7.60	6.4	0.89	76.2	0.29
L648640		0.24	1040	50.9	13.8	100	3.36	3.85	2.16	1.11	15.7	4.23	3.3	0.77	26.9	0.32
L648642		0.20	136.0	6.2	1.3	<10	0.29	0.93	0.52	0.26	1.7	1.07	1.0	0.17	6.3	0.06
L648644		0.38	859	69.4	9.5	90	3.25	3.93	2.26	1.04	17.3	4.38	6.1	0.78	38.0	0.33
L648646		0.30	490	41.4	6.5	80	1.11	2.85	1.58	0.78	9.6	2.86	4.1	0.55	21.8	0.23
L648648		0.28	653	36.6	11.0	90	1.77	2.65	1.58	0.77	10.9	2.83	3.5	0.53	18.4	0.23
L648650		0.28	324	20.2	6.3	160	1.27	2.18	1.43	0.58	9.4	2.31	2.0	0.47	16.7	0.23
L648652		0.42	880	119.5	7.9	90	2.12	4.98	2.76	1.45	16.1	6.25	10.3	0.95	63.0	0.39
L648654		0.28	901	109.5	7.5	70	2.39	4.64	2.42	1.30	17.7	5.79	10.6	0.87	58.3	0.37
L648656		0.32	914	124.5	11.4	80	2.53	5.18	2.76	1.63	16.8	6.66	8.0	0.99	67.0	0.39
L648658		0.38	947	142.5	10.1	60	2.05	5.98	3.13	1.57	17.3	7.28	9.2	1.10	76.7	0.45
L648660		0.34	839	100.5	8.7	70	2.35	4.81	2.51	1.20	17.5	5.43	8.7	0.90	51.7	0.35
L648662		0.24	793	102.5	8.6	70	2.45	5.46	3.19	1.25	17.1	5.65	9.2	1.10	55.0	0.44
L648664		0.28	789	80.6	10.6	60	2.36	3.70	2.01	1.24	15.9	4.52	9.0	0.72	42.8	0.29
L648666		0.38	806	117.0	11.3	80	2.73	6.40	3.89	1.37	16.7	6.57	8.4	1.31	61.3	0.52
L648668		0.36	770	98.8	10.9	70	2.08	4.47	2.32	1.23	17.1	5.33	9.6	0.85	51.9	0.36
L648670		0.56	953	145.0	11.2	70	1.92	6.53	3.48	1.79	16.3	8.20	11.8	1.23	76.1	0.50
L648674		0.22	228	15.0	2.8	10	0.56	3.06	1.85	1.04	2.5	3.92	1.0	0.62	19.7	0.23
L648676		0.36	768	75.3	8.6	80	2.23	4.19	2.34	1.12	16.4	4.64	8.8	0.83	38.9	0.36
L648678		0.24	723	103.5	4.3	60	1.89	4.39	2.30	1.33	16.3	5.45	9.0	0.81	54.3	0.35
L648680		0.46	765	85.6	11.4	90	3.06	4.46	2.49	1.19	17.3	5.11	8.3	0.86	44.3	0.37
L648682		0.26	965	127.5	13.2	80	2.85	5.58	3.03	1.58	16.9	6.91	11.9	1.06	66.0	0.44
L648684		0.20	1665	329	15.7	100	5.18	6.54	3.03	3.73	22.5	10.15	12.3	1.13	166.0	0.41
L648686		0.30	900	102.5	7.8	100	2.45	4.49	2.60	1.44	18.0	5.89	10.1	0.87	54.4	0.45
L648688		0.26	1065	101.5	3.0	70	1.66	4.26	2.57	1.33	19.8	5.29	11.0	0.86	55.0	0.44
L648690		0.18	959	129.0	10.4	90	2.81	4.46	2.44	1.50	20.7	6.54	11.1	0.86	67.9	0.39
L648692		0.12	850	99.8	8.2	100	2.01	4.24	2.47	1.38	17.1	5.41	12.0	0.83	52.9	0.42
L648694		0.26	856	125.0	10.2	110	2.30	4.43	2.39	1.50	18.3	6.35	10.2	0.85	64.9	0.39
L648696		0.12	833	136.5	7.4	110	2.12	4.69	2.44	1.58	18.8	6.62	9.6	0.86	71.9	0.39
L648698		0.20	863	124.5	8.3	110	2.23	4.37	2.40	1.42	18.9	6.18	9.5	0.82	66.2	0.38
L648700		0.24	926	131.0	8.0	100	2.12	4.53	2.53	1.51	20.3	6.15	10.6	0.87	70.7	0.42
L648702		0.24	901	104.0	9.2	90	2.17	4.23	2.37	1.45	18.7	5.86	10.5	0.79	53.2	0.39
L648704		0.24	955	131.5	16.0	90	2.32	5.89	3.28	1.66	19.1	7.69	10.5	1.13	69.4	0.52
L648706		0.22	1015	120.0	10.5	100	2.50	4.87	2.73	1.46	19.1	6.57	11.3	0.96	62.7	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648626		<2	11.4	28.0	7.95	58.1	5.26	1	233	0.8	0.63	8.86	<0.5	0.33	2.33	130
L648628		2	10.9	27.2	7.21	49.5	5.76	1	244	0.7	0.96	7.47	<0.5	0.54	2.03	139
L648630		<2	12.6	44.6	12.40	64.8	7.56	2	160.0	0.4	0.69	14.25	<0.5	0.40	3.71	58
L648632		<2	9.3	23.9	6.53	58.7	4.31	1	118.0	0.2	0.48	8.32	<0.5	0.23	2.09	41
L648634		<2	14.0	36.4	9.77	65.9	6.87	2	212	0.8	0.77	11.65	<0.5	0.41	2.91	114
L648636		<2	14.0	36.7	9.95	81.2	6.76	2	219	0.8	0.77	10.75	<0.5	0.45	3.18	104
L648638		<2	13.8	63.9	17.55	74.1	11.15	1	269	0.9	1.10	25.2	<0.5	0.34	4.05	71
L648640		2	13.2	24.8	6.38	81.9	4.96	1	211	0.8	0.71	7.74	<0.5	0.37	2.20	141
L648642		2	0.8	5.7	1.38	4.4	1.15	<1	174.5	0.1	0.14	0.93	<0.5	0.02	23.3	<5
L648644		2	16.3	32.2	8.67	81.6	5.85	2	204	1.0	0.71	10.10	<0.5	0.36	2.93	131
L648646		<2	10.1	19.1	5.11	32.5	3.51	1	153.0	0.6	0.46	5.55	<0.5	0.24	2.19	77
L648648		<2	9.5	17.6	4.51	47.6	3.51	1	176.5	0.6	0.45	5.45	<0.5	0.21	2.02	90
L648650		<2	3.8	14.7	3.75	26.6	2.79	1	205	0.2	0.38	3.55	<0.5	0.19	9.72	35
L648652		<2	16.7	53.1	14.60	73.5	8.93	2	264	1.1	0.95	16.80	<0.5	0.43	3.25	102
L648654		<2	17.0	48.3	13.30	98.9	8.28	2	273	1.1	0.87	17.40	<0.5	0.39	3.40	90
L648656		<2	16.7	56.3	15.25	78.3	9.72	2	277	1.0	0.98	19.20	<0.5	0.43	4.58	92
L648658		<2	16.6	61.1	17.05	80.5	10.40	2	303	1.0	1.07	23.7	<0.5	0.48	3.96	81
L648660		2	16.7	43.6	12.00	96.5	7.64	2	257	1.0	0.85	16.20	<0.5	0.40	3.14	100
L648662		<2	16.5	44.8	12.25	89.3	7.70	2	262	1.0	0.92	17.60	<0.5	0.49	3.74	94
L648664		<2	13.7	37.5	10.05	83.6	6.44	1	257	0.8	0.70	11.25	<0.5	0.27	3.16	82
L648666		<2	16.6	51.6	13.90	79.7	8.69	2	261	1.0	1.06	18.00	<0.5	0.60	3.48	96
L648668		2	15.7	45.4	12.05	72.0	7.88	1	249	0.9	0.79	13.90	<0.5	0.37	3.72	96
L648670		<2	18.3	63.8	17.40	74.8	11.05	2	300	1.1	1.23	23.2	<0.5	0.54	4.52	89
L648674		3	1.7	19.8	4.83	8.8	4.15	<1	216	0.1	0.61	4.40	<0.5	0.22	34.9	10
L648676		4	16.2	34.5	9.17	77.3	6.24	2	250	1.0	0.72	11.60	<0.5	0.36	2.80	105
L648678		2	17.6	45.5	12.50	70.3	7.74	2	269	1.0	0.80	14.85	<0.5	0.35	3.04	75
L648680		2	16.4	37.8	10.35	83.7	6.70	2	252	1.0	0.77	12.25	<0.5	0.39	2.88	107
L648682		2	20.9	57.2	15.60	89.6	9.81	2	333	1.4	1.04	20.5	<0.5	0.48	4.95	98
L648684		3	35.5	118.5	35.6	124.0	16.00	5	629	1.1	1.29	17.40	0.5	0.39	3.02	195
L648686		4	16.9	44.1	11.90	112.0	7.71	2	266	1.1	0.82	13.80	<0.5	0.42	3.60	92
L648688		2	19.5	39.9	11.15	74.9	6.94	2	285	1.3	0.76	18.60	<0.5	0.40	3.76	73
L648690		3	19.1	53.2	14.80	124.0	9.07	2	279	1.2	0.87	19.30	<0.5	0.37	3.77	107
L648692		3	16.5	40.9	11.45	94.3	7.25	2	249	1.2	0.76	13.90	<0.5	0.40	3.21	98
L648694		3	17.4	51.6	14.35	96.8	8.98	2	255	1.1	0.86	17.10	<0.5	0.37	3.49	118
L648696		2	18.8	55.4	15.40	87.4	9.19	2	255	1.2	0.89	18.55	<0.5	0.36	3.69	112
L648698		2	17.0	50.0	14.10	106.0	8.26	2	245	1.2	0.84	18.55	<0.5	0.37	3.25	114
L648700		3	18.9	50.3	14.35	92.1	8.38	2	286	1.3	0.84	15.90	<0.5	0.40	3.28	108
L648702		2	16.6	44.2	12.00	108.5	7.73	2	256	1.1	0.79	14.00	<0.5	0.38	2.94	107
L648704		2	19.5	53.5	14.80	95.0	9.49	2	273	1.5	1.08	22.4	<0.5	0.52	6.25	99
L648706		2	17.5	48.4	13.45	115.0	8.40	2	277	1.2	0.90	16.60	<0.5	0.43	3.58	95



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Hg	Mo	Ni	Pb	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	2	2	
L648626		6	23.2	2.04	183	<0.5	5	0.6	5	22	<1	1	22	10	57
L648628		1	38.0	3.07	207	<0.5	10	0.6	10	35	<1	1	38	8	70
L648630		3	25.4	2.41	304	<0.5	<5	<0.5	3	12	<1	1	10	11	25
L648632		3	15.7	1.61	216	<0.5	5	<0.5	8	16	<1	1	14	11	41
L648634		2	25.7	2.41	243	<0.5	6	<0.5	11	19	<1	1	27	11	67
L648636		2	26.9	2.65	289	0.5	5	<0.5	8	20	<1	1	26	12	58
L648638		1	23.2	2.03	245	<0.5	<5	<0.5	7	16	<1	<1	20	8	50
L648640		2	21.3	2.11	119	<0.5	11	0.6	13	45	<1	2	48	15	110
L648642		2	6.5	0.49	23	<0.5	<5	1.0	2	34	<1	1	16	4	9
L648644		2	21.7	2.12	227	<0.5	7	0.6	8	25	<1	1	30	13	77
L648646		1	14.4	1.48	151	<0.5	<5	<0.5	6	12	<1	1	24	9	38
L648648		3	14.9	1.57	115	<0.5	<5	<0.5	10	25	<1	<1	41	6	57
L648650		3	17.6	1.37	62	0.5	<5	0.9	7	41	1	<1	21	4	30
L648652		2	26.8	2.54	387	<0.5	<5	<0.5	5	14	<1	<1	15	6	40
L648654		2	23.7	2.34	393	<0.5	<5	<0.5	5	11	<1	<1	15	6	47
L648656		2	29.3	2.60	299	<0.5	<5	<0.5	9	27	<1	<1	33	6	53
L648658		2	29.9	2.85	342	<0.5	<5	<0.5	8	22	<1	<1	23	3	42
L648660		2	24.5	2.42	327	<0.5	<5	<0.5	6	16	<1	<1	21	6	48
L648662		2	31.1	2.93	354	<0.5	<5	<0.5	6	14	<1	<1	17	5	56
L648664		3	20.0	1.87	337	<0.5	<5	0.6	9	24	<1	<1	27	4	47
L648666		9	35.8	3.49	320	<0.5	<5	<0.5	9	20	<1	<1	27	3	64
L648668		3	24.4	2.35	369	0.6	<5	<0.5	9	24	<1	1	25	5	58
L648670		2	33.2	3.26	448	<0.5	<5	<0.5	10	28	<1	<1	29	4	48
L648674		2	19.3	1.48	15	1.4	<5	1.0	3	42	<1	1	14	<2	8
L648676		2	22.0	2.25	347	<0.5	<5	<0.5	7	12	<1	3	19	4	53
L648678		2	22.0	2.26	342	<0.5	<5	<0.5	2	7	<1	<1	6	4	26
L648680		2	23.3	2.39	320	<0.5	<5	<0.5	9	17	<1	1	25	5	73
L648682		2	28.9	2.85	459	<0.5	<5	<0.5	11	22	<1	1	30	10	58
L648684		1	30.3	2.75	513	<0.5	<5	<0.5	10	16	<1	1	20	13	121
L648686		4	25.3	2.64	362	<0.5	<5	<0.5	3	6	<1	1	10	2	27
L648688		4	24.9	2.57	411	<0.5	<5	<0.5	1	3	<1	<1	3	5	14
L648690		3	24.3	2.44	398	<0.5	<5	<0.5	6	14	1	<1	20	4	46
L648692		4	23.4	2.53	425	<0.5	<5	<0.5	4	11	<1	1	14	4	27
L648694		3	24.2	2.38	357	<0.5	<5	<0.5	6	14	<1	<1	21	6	46
L648696		4	24.6	2.41	341	<0.5	<5	<0.5	3	8	<1	<1	12	6	33
L648698		3	23.7	2.32	347	<0.5	<5	<0.5	4	12	<1	<1	15	4	42
L648700		3	24.8	2.46	384	<0.5	6	<0.5	4	14	<1	<1	16	3	35
L648702		3	23.6	2.35	393	<0.5	<5	<0.5	5	12	<1	<1	20	2	36
L648704		2	31.6	3.23	364	<0.5	5	<0.5	11	29	<1	<1	33	5	47
L648706		3	26.8	2.87	403	<0.5	<5	0.5	7	15	<1	<1	20	3	54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648708		0.24	1055	124.5	13.3	80	1.82	5.11	2.73	1.81	18.1	6.91	9.4	0.97	64.2	0.42
L648710		0.24	842	86.6	11.7	110	2.80	4.29	2.43	1.36	18.6	5.30	8.0	0.84	44.9	0.40
L648712		0.18	740	75.1	10.9	110	2.62	3.89	2.28	1.16	17.4	4.49	7.1	0.78	39.6	0.36
L648714		0.24	833	135.0	12.0	100	2.38	5.45	2.80	1.93	15.7	8.11	7.5	1.02	73.4	0.40
L648716		0.14	714	90.1	13.0	80	2.45	5.48	3.09	2.11	16.3	7.82	5.0	1.04	67.2	0.46
L648718		0.36	916	124.5	10.9	80	1.95	5.33	2.72	1.53	17.0	7.20	9.1	0.99	68.8	0.42
L648720		0.18	810	70.3	16.3	90	3.32	3.92	2.12	1.15	17.9	4.89	5.2	0.75	41.6	0.34
L648722		0.24	931	123.5	13.1	90	2.09	4.93	2.55	1.29	17.8	6.50	9.3	0.92	66.9	0.39
L648752		0.34	894	101.5	13.4	120	2.76	4.88	2.54	1.35	17.7	6.28	8.8	0.93	56.3	0.40
L648754		0.28	880	134.5	5.9	130	2.31	5.09	2.67	1.39	18.9	6.79	10.3	0.96	74.9	0.43
L648756		0.36	923	158.5	5.0	90	2.44	6.09	2.97	1.51	19.9	8.02	10.9	1.11	84.3	0.46
L648758		0.46	990	134.5	6.4	80	2.06	5.26	2.59	1.40	17.9	6.47	10.6	0.97	72.8	0.42
L648760		0.28	1030	52.8	26.5	140	5.49	4.00	2.15	1.26	22.8	4.76	2.2	0.77	34.3	0.33
L648762		0.24	979	107.5	22.6	130	4.12	4.98	2.60	1.48	22.0	6.05	7.8	0.96	60.0	0.41
L648764		0.32	1020	123.0	14.5	100	2.54	5.62	2.99	1.53	18.6	6.90	10.4	1.08	67.2	0.48
L648766		0.34	787	73.6	12.5	100	2.52	4.78	2.71	1.19	16.9	5.28	7.1	0.96	42.0	0.43
L648768		0.32	889	111.0	10.5	120	2.12	5.65	3.03	1.48	18.0	7.27	9.5	1.10	62.2	0.46
L648770		0.26	913	110.5	8.1	90	2.01	5.09	2.64	1.50	18.5	6.69	10.9	0.95	61.7	0.44
L648772		0.20	875	116.5	10.9	90	2.09	5.13	2.50	1.42	18.1	7.03	8.6	0.96	65.2	0.37
L648774		0.26	1020	88.0	26.2	150	7.53	6.16	2.89	2.00	26.1	8.08	3.9	1.09	71.8	0.39
L648776		0.38	888	99.1	15.1	110	4.08	5.16	2.67	1.58	19.2	6.89	8.2	0.96	55.8	0.40
L648778		0.30	924	106.5	16.2	110	6.42	5.16	2.56	1.66	20.0	7.06	8.2	0.95	58.4	0.38
L648780		0.26	845	102.5	7.8	90	2.37	4.63	2.39	1.28	16.3	6.26	7.7	0.86	55.6	0.36
L648782		0.32	797	80.8	9.9	100	2.66	4.33	2.32	1.16	18.2	5.42	43.1	0.84	43.9	0.38
L648784		0.44	969	109.0	10.0	100	3.37	4.95	2.75	1.45	17.6	5.49	7.7	0.93	58.6	0.44
L648786		0.30	926	95.1	15.5	110	4.01	4.77	2.59	1.34	18.1	5.20	6.3	0.93	51.3	0.38
L648788		0.24	896	95.7	9.3	100	2.55	4.59	2.53	1.41	17.5	5.24	8.3	0.88	52.1	0.39
L648790		0.26	904	134.0	5.8	90	2.58	6.88	3.99	1.57	18.1	7.76	8.6	1.38	79.0	0.60
L648792		0.26	861	93.7	13.9	110	2.96	4.34	2.42	1.18	16.3	4.93	6.3	0.83	51.8	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648708		2	18.4	51.5	14.05	99.1	8.98	2	349	1.2	0.95	17.90	<0.5	0.43	3.44	86
L648710		2	16.2	36.0	9.81	106.0	6.54	2	257	1.1	0.75	11.60	<0.5	0.40	2.79	118
L648712		2	14.8	31.3	8.57	93.7	5.67	2	239	1.1	0.67	9.25	<0.5	0.36	2.55	125
L648714		3	13.7	58.8	16.05	71.9	10.35	2	318	1.0	1.05	20.1	<0.5	0.42	5.61	91
L648716		8	11.3	52.9	14.35	65.6	9.64	2	258	0.8	1.04	13.30	<0.5	0.43	9.05	<5
L648718		2	15.9	56.6	14.75	77.6	9.57	2	336	0.9	0.92	36.5	<0.5	0.40	6.04	91
L648720		3	14.2	34.8	9.02	82.4	5.93	2	319	0.8	0.64	10.65	<0.5	0.32	4.34	108
L648722		2	17.5	55.1	14.55	82.3	9.24	2	307	1.0	0.85	21.3	<0.5	0.38	3.62	105
L648752		2	17.2	46.8	12.45	88.1	8.15	2	316	0.9	0.83	14.35	<0.5	0.37	3.30	116
L648754		<2	19.8	59.5	15.70	93.9	9.86	2	264	1.1	0.86	18.95	<0.5	0.40	3.67	114
L648756		2	20.6	73.9	19.25	91.8	12.50	2	266	1.2	1.06	23.6	<0.5	0.43	4.40	132
L648758		2	17.0	61.2	16.15	80.6	10.35	2	333	0.9	0.89	18.85	<0.5	0.39	3.65	95
L648760		5	11.7	31.6	8.18	92.9	6.11	3	168.5	0.6	0.63	12.35	<0.5	0.29	5.68	178
L648762		2	17.9	51.6	13.55	103.5	8.91	2	252	1.0	0.86	15.55	<0.5	0.38	4.24	141
L648764		2	20.9	55.5	14.60	96.6	9.54	2	333	1.1	0.93	18.70	<0.5	0.44	3.83	107
L648766		2	15.3	34.4	8.97	75.4	5.98	2	287	0.9	0.75	10.35	<0.5	0.42	2.88	110
L648768		2	17.4	49.9	13.35	77.1	8.54	2	300	1.0	0.94	21.6	<0.5	0.47	4.07	100
L648770		2	18.9	49.3	12.95	86.0	8.04	2	304	1.1	0.89	16.35	<0.5	0.42	3.33	106
L648772		2	18.5	52.4	13.90	74.7	8.82	2	305	1.0	0.90	16.95	<0.5	0.36	4.09	102
L648774		5	19.1	51.7	14.40	179.5	9.03	2	220	1.0	1.09	14.95	0.6	0.41	31.0	158
L648776		3	19.5	46.2	12.05	109.0	8.00	2	290	1.2	0.89	13.75	<0.5	0.39	8.22	116
L648778		7	19.2	47.9	12.55	122.5	8.23	2	283	1.0	0.90	14.35	<0.5	0.39	16.25	113
L648780		2	17.2	44.7	12.00	89.3	7.50	2	279	1.0	0.81	14.40	<0.5	0.35	2.67	101
L648782		<2	17.1	36.1	9.55	86.0	6.32	2	249	5.6	0.73	11.00	<0.5	0.35	2.65	115
L648784		<2	18.5	46.1	12.90	89.0	8.05	2	244	1.1	0.82	16.40	<0.5	0.45	3.67	122
L648786		<2	17.8	40.9	11.10	105.5	7.06	2	229	1.1	0.77	14.40	<0.5	0.42	3.33	132
L648788		<2	16.6	41.7	11.40	77.3	7.36	2	261	1.0	0.77	14.25	<0.5	0.40	3.15	120
L648790		<2	18.5	61.2	16.90	105.5	10.55	2	287	1.2	1.14	24.3	<0.5	0.65	4.98	94
L648792		<2	16.5	40.1	10.90	79.9	6.81	2	216	1.0	0.72	15.75	<0.5	0.38	3.08	122



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 4-AUG-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115793

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648708		2	27.0	2.65	325	<0.5	<5	<0.5	9	19	1	<1	20	4	42
L648710		3	24.1	2.51	288	<0.5	<5	<0.5	7	15	<1	<1	23	6	60
L648712		2	22.5	2.28	257	<0.5	<5	<0.5	6	17	<1	<1	24	6	53
L648714		3	29.3	2.57	270	0.7	<5	0.5	8	35	<1	1	24	7	40
L648716		19	32.4	2.68	170	0.9	<5	1.7	9	39	<1	2	20	14	48
L648718		2	29.9	2.90	320	<0.5	<5	<0.5	7	19	<1	<1	23	3	39
L648720		2	23.3	2.21	183	<0.5	<5	<0.5	12	27	1	1	24	6	52
L648722		2	27.6	2.74	334	<0.5	<5	<0.5	9	17	<1	1	26	8	47
L648752		2	27.4	2.64	310	<0.5	<5	<0.5	10	17	<1	1	23	10	62
L648754		2	29.0	2.85	358	<0.5	<5	<0.5	3	6	<1	1	9	10	25
L648756		3	33.5	3.04	396	<0.5	<5	<0.5	2	5	<1	1	6	10	20
L648758		2	30.1	2.77	376	<0.5	<5	<0.5	3	8	<1	1	8	8	22
L648760		4	27.0	2.24	77	4.6	13	2.1	21	166	<1	2	131	19	155
L648762		2	29.6	2.71	269	1.7	5	0.7	18	51	<1	1	53	17	127
L648764		2	32.7	3.13	368	<0.5	<5	<0.5	10	24	<1	1	28	9	54
L648766		2	29.1	2.89	254	<0.5	<5	<0.5	10	23	<1	1	29	10	58
L648768		2	32.6	3.16	336	<0.5	<5	<0.5	7	13	<1	1	22	8	66
L648770		2	27.5	2.98	374	<0.5	<5	<0.5	4	9	<1	1	14	7	41
L648772		2	27.9	2.48	314	<0.5	<5	<0.5	8	12	<1	1	20	9	62
L648774		2	31.8	2.74	128	0.9	5	0.7	22	64	<1	4	74	19	142
L648776		2	29.4	2.65	292	<0.5	<5	<0.5	12	27	<1	2	34	11	62
L648778		3	27.6	2.62	289	<0.5	<5	<0.5	13	31	<1	7	37	12	66
L648780		2	25.2	2.47	278	<0.5	<5	<0.5	5	9	<1	1	16	8	40
L648782		10	25.1	2.46	263	<0.5	<5	<0.5	7	14	<1	1	23	11	51
L648784		3	27.7	2.66	278	<0.5	<5	<0.5	6	12	<1	1	20	9	53
L648786		3	26.5	2.36	235	<0.5	<5	<0.5	12	21	<1	1	29	11	82
L648788		2	25.8	2.45	299	<0.5	<5	<0.5	6	10	<1	1	16	11	51
L648790		2	42.0	3.72	311	<0.5	<5	<0.5	2	4	<1	<1	7	8	18
L648792		3	24.2	2.23	239	<0.5	5	<0.5	10	17	<1	1	29	10	64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 1
 Finalized Date: 13-JUL-2011
 Account: EIAREI

CERTIFICATE VA11115792

Project: REI11-01
 P.O. No.: REI11-01_2
 This report is for 110 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-JUN-2011.
 The following have access to data associated with this certificate:

FRED BREAKS DAVE SWANTON	EQUITY ENG EMAIL	R. S.
-----------------------------	------------------	-------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS81	38 element fusion ICP-MS	ICP-MS
ME-AQ81	Base Metals by Aqua Regia dig.	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
 ATTN: DAVE SWANTON
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648002		0.18	810	107.0	9.5	110	2.23	4.92	2.61	1.22	16.2	6.02	8.4	0.92	57.0	0.37
L648004		0.20	690	100.0	4.1	110	1.39	4.14	2.01	1.13	20.5	5.40	7.4	0.74	52.7	0.32
L648006		0.06	54.5	1.8	<0.5	<10	0.07	0.08	0.05	<0.03	0.6	0.10	0.3	0.02	1.2	0.01
L648008		0.08	676	125.5	2.6	50	1.12	4.17	1.98	1.10	14.8	5.68	9.1	0.79	66.1	0.32
L648010		0.14	768	143.5	14.2	90	2.32	6.35	3.11	1.55	15.3	8.09	8.4	1.17	77.7	0.46
L648012		0.18	982	114.0	6.8	100	2.99	4.54	2.43	1.19	20.4	5.98	9.4	0.85	60.5	0.38
L648014		0.14	528	140.0	6.9	80	4.79	4.94	2.39	1.17	29.1	6.35	12.7	0.92	76.4	0.38
L648016		0.16	56.8	5.9	2.7	<10	0.48	0.73	0.48	0.32	1.5	0.79	1.4	0.16	4.1	0.07
L648018		0.10	878	100.5	19.9	110	2.86	6.87	3.59	2.65	17.6	8.28	5.7	1.30	54.0	0.50
L648020		0.16	543	186.5	28.4	90	4.83	6.94	3.54	2.05	22.0	8.84	7.5	1.30	107.5	0.54
L648022		0.16	878	96.9	7.0	90	2.88	4.62	2.57	1.13	20.2	5.17	8.3	0.90	51.6	0.41
L648024		0.08	631	74.9	3.4	60	1.25	3.72	1.96	0.92	12.4	4.28	7.4	0.70	40.2	0.29
L648026		0.12	685	89.5	2.6	60	1.22	5.29	3.12	1.03	12.5	5.45	8.5	1.07	47.6	0.47
L648028		0.12	880	56.2	9.1	110	2.04	3.62	2.04	1.07	12.7	4.10	4.9	0.71	30.2	0.30
L648030		0.18	910	81.4	11.5	140	2.13	4.52	2.54	1.16	15.3	4.72	7.1	0.88	44.2	0.41
L648032		0.18	1045	109.5	15.1	140	2.87	5.83	3.10	1.51	16.8	6.74	8.1	1.11	59.2	0.46
L648034		0.32	867	133.5	10.1	110	2.36	5.63	2.69	1.49	15.3	7.31	8.2	0.97	72.4	0.38
L648036		0.22	995	80.7	10.8	110	3.48	4.90	2.74	1.21	16.8	4.98	6.8	0.97	43.3	0.41
L648038		0.22	731	119.0	11.9	100	3.20	4.65	2.36	1.19	17.9	6.39	7.5	0.86	65.4	0.36
L648040		0.28	909	96.1	12.7	110	4.11	4.14	2.10	1.08	19.4	5.26	7.8	0.77	51.0	0.32
L648042		0.30	977	91.4	14.1	130	2.65	4.89	2.62	1.30	15.8	5.80	7.6	0.94	48.0	0.39
L648044		0.28	1120	69.2	11.3	130	3.24	3.91	2.17	1.01	18.0	4.27	5.7	0.78	37.2	0.34
L648046		0.40	935	104.0	7.5	90	2.30	4.90	2.62	1.27	17.4	5.81	8.6	0.94	56.1	0.40
L648048		0.16	662	71.3	9.4	70	2.59	3.44	1.71	1.03	12.0	4.31	4.6	0.61	41.1	0.26
L648050		Not Recvd														
L648052		Not Recvd														
L648054		0.14	176.5	13.1	2.9	10	0.81	1.04	0.56	0.34	3.2	1.17	1.4	0.22	10.3	0.10
L648056		0.20	678	68.1	9.7	70	2.98	3.47	1.90	1.00	12.8	4.05	3.9	0.68	40.3	0.29
L648072		0.24	840	135.5	12.3	80	2.86	5.79	2.84	2.26	15.4	7.15	5.8	1.05	89.6	0.43
L648074		0.28	598	98.6	19.1	70	2.45	8.12	4.36	2.05	22.9	8.59	9.9	1.55	49.0	0.63
L648076		0.24	819	123.0	12.8	60	3.11	4.85	2.44	1.67	17.7	6.00	6.8	0.91	75.2	0.37
L648078		0.26	1050	151.0	8.8	80	2.40	4.94	2.59	1.61	17.9	6.19	10.4	0.93	83.4	0.39
L648080		0.26	871	114.0	15.1	70	3.16	4.87	2.52	1.73	18.9	5.90	8.4	0.92	62.6	0.37
L648082		0.20	993	113.5	5.7	80	1.86	4.93	2.78	1.47	17.1	5.39	8.9	0.96	60.4	0.44
L648084		0.20	923	121.0	17.4	100	4.25	5.01	2.45	1.80	21.8	6.14	5.9	0.91	74.5	0.35
L648086		0.24	1005	116.5	22.7	120	4.43	5.20	2.62	1.83	22.8	6.41	7.6	0.96	70.4	0.39
L648088		0.30	968	165.5	16.5	120	2.98	6.41	3.30	2.50	19.5	7.94	8.2	1.18	86.9	0.47
L648090		0.20	904	115.0	16.9	110	3.64	4.27	2.18	1.70	16.2	5.09	3.8	0.81	68.6	0.32
L648092		0.22	1125	130.0	18.1	120	4.12	7.40	5.38	1.87	16.5	6.16	5.8	1.71	75.6	0.80
L648094		0.10	1015	113.0	14.9	90	3.01	4.93	2.54	1.86	14.5	5.91	5.1	0.92	72.2	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648002		<2	14.2	43.9	12.40	63.9	7.85	1	211	1.0	0.88	15.85	<0.5	0.38	3.20	121
L648004		<2	13.2	41.4	11.70	54.7	7.45	2	228	1.0	0.79	13.90	<0.5	0.30	3.18	127
L648006		<2	0.3	0.7	0.19	2.8	0.10	<1	14.9	<0.1	0.02	0.22	<0.5	<0.01	0.06	5
L648008		<2	10.8	51.7	14.85	40.9	9.16	2	180.0	0.8	0.80	18.10	<0.5	0.26	3.16	57
L648010		<2	12.1	59.9	16.85	77.6	10.60	1	211	0.9	1.14	23.3	<0.5	0.46	4.32	83
L648012		<2	16.2	46.3	13.10	92.7	8.20	2	196.5	1.1	0.83	17.50	<0.5	0.36	3.32	133
L648014		2	16.2	60.1	16.70	99.6	9.74	2	115.0	1.0	0.86	19.95	<0.5	0.32	4.20	108
L648016		3	0.6	3.4	0.93	5.1	0.71	<1	124.5	<0.1	0.12	0.65	<0.5	0.01	1.64	14
L648018		2	12.3	49.0	12.90	70.6	9.67	1	188.0	0.9	1.20	13.40	<0.5	0.53	7.08	118
L648020		<2	13.4	75.1	22.0	84.3	12.20	2	469	1.0	1.25	29.4	<0.5	0.54	3.73	76
L648022		<2	14.7	39.9	11.35	78.2	7.12	2	205	1.0	0.78	13.50	<0.5	0.39	2.91	114
L648024		<2	9.8	31.0	8.55	40.6	5.48	1	163.5	0.7	0.65	10.65	<0.5	0.30	2.38	72
L648026		<2	10.5	37.2	10.30	46.4	6.86	1	172.0	0.8	0.85	13.00	<0.5	0.48	3.07	62
L648028		2	11.1	25.0	6.75	54.4	4.71	1	220	0.8	0.59	6.98	<0.5	0.30	1.83	119
L648030		2	13.2	35.0	9.63	58.9	6.29	1	241	0.9	0.73	10.65	<0.5	0.38	2.39	140
L648032		2	14.3	46.9	12.95	83.9	8.64	2	243	1.0	0.99	14.40	<0.5	0.47	3.63	137
L648034		<2	12.8	55.7	15.80	78.5	9.91	1	199.0	0.9	1.01	19.10	<0.5	0.40	4.11	101
L648036		<2	13.6	33.8	9.43	96.3	6.31	2	206	1.0	0.81	10.35	<0.5	0.41	2.78	127
L648038		<2	13.4	49.0	13.95	91.1	8.46	1	143.0	1.0	0.88	19.00	<0.5	0.34	3.48	105
L648040		<2	13.6	38.8	10.85	117.0	7.06	2	173.5	1.0	0.76	13.40	<0.5	0.31	3.10	127
L648042		<2	13.3	38.1	10.55	71.7	6.89	1	214	1.0	0.87	12.85	<0.5	0.41	2.75	127
L648044		2	15.1	29.0	8.09	80.4	5.12	2	190.0	1.0	0.65	9.04	<0.5	0.33	2.28	156
L648046		<2	14.1	42.3	11.90	71.9	7.40	2	232	1.1	0.84	15.35	<0.5	0.39	3.42	104
L648048		<2	8.3	32.0	8.57	62.9	5.78	1	246	0.6	0.60	9.99	<0.5	0.21	7.73	76
L648050																
L648052																
L648054		<2	2.1	7.6	2.17	11.5	1.40	1	183.0	0.1	0.19	1.92	<0.5	0.03	16.20	18
L648056		2	9.8	30.7	8.38	65.7	5.62	1	248	0.7	0.58	10.95	<0.5	0.25	11.65	76
L648072		2	14.8	69.4	19.45	80.4	11.40	2	305	0.8	1.04	17.70	<0.5	0.38	11.35	98
L648074		2	25.1	45.9	11.95	104.0	9.85	4	230	2.0	1.35	21.6	<0.5	0.68	4.15	189
L648076		<2	18.2	49.1	14.30	98.8	8.13	2	289	1.2	0.85	16.05	<0.5	0.37	6.27	104
L648078		<2	22.1	56.0	16.75	94.4	9.16	2	335	1.1	0.90	17.70	<0.5	0.38	4.59	95
L648080		<2	27.9	43.9	12.70	89.5	7.39	2	323	2.7	0.85	15.25	<0.5	0.38	4.01	130
L648082		<2	17.2	44.9	12.75	80.6	7.39	2	304	1.2	0.80	15.65	<0.5	0.43	2.97	86
L648084		2	17.5	53.1	15.30	118.0	8.64	2	297	1.2	0.89	14.00	<0.5	0.36	6.63	135
L648086		2	19.0	50.1	14.40	127.0	8.63	2	332	1.3	0.91	19.00	<0.5	0.38	7.30	144
L648088		2	24.7	76.2	20.3	68.6	12.65	3	316	1.2	1.14	28.4	<0.5	0.51	4.21	160
L648090		2	15.6	49.7	14.20	90.0	7.99	2	232	0.7	0.71	15.00	<0.5	0.29	7.45	139
L648092		<2	17.7	53.5	15.25	101.0	8.46	2	257	0.9	1.02	14.45	<0.5	0.85	4.88	136
L648094		<2	16.2	54.2	15.25	85.4	8.59	2	258	0.9	0.85	13.75	<0.5	0.35	7.14	115



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648002		2	26.9	2.57	301	<0.5	6	<0.5	6	17	<1	<1	19	6	49
L648004		2	21.5	2.10	263	<0.5	<5	<0.5	3	6	<1	<1	7	6	21
L648006		1	0.5	0.05	10	<0.5	<5	<0.5	<1	3	<1	<1	1	<2	20
L648008		5	24.1	2.00	344	<0.5	<5	<0.5	1	5	<1	<1	3	2	23
L648010		1	33.7	3.05	294	<0.5	<5	<0.5	13	20	1	<1	31	7	81
L648012		2	25.4	2.38	329	<0.5	<5	<0.5	5	14	<1	<1	16	9	51
L648014		3	27.0	2.39	469	0.5	<5	<0.5	5	16	<1	<1	14	8	39
L648016		2	5.3	0.44	46	<0.5	<5	<0.5	3	26	<1	2	14	<2	17
L648018		2	36.2	3.31	189	<0.5	<5	0.5	16	38	<1	2	49	9	101
L648020		2	35.6	3.55	255	<0.5	<5	<0.5	23	41	<1	<1	70	16	72
L648022		2	26.8	2.67	299	<0.5	<5	<0.5	5	8	<1	<1	15	8	46
L648024		2	20.6	1.94	259	<0.5	<5	<0.5	2	4	<1	<1	7	5	17
L648026		2	31.5	3.24	311	<0.5	<5	<0.5	2	5	<1	<1	5	4	13
L648028		2	20.9	2.00	171	<0.5	6	0.7	7	24	<1	1	27	7	62
L648030		2	27.8	2.53	264	<0.5	8	0.5	8	25	<1	1	28	6	62
L648032		2	33.2	3.06	292	<0.5	<5	<0.5	11	24	<1	<1	30	8	73
L648034		2	29.5	2.57	297	<0.5	5	<0.5	8	24	<1	<1	29	7	61
L648036		2	31.4	2.68	253	<0.5	<5	<0.5	8	22	<1	<1	24	9	55
L648038		2	23.8	2.26	253	<0.5	5	<0.5	11	19	<1	<1	33	11	94
L648040		2	22.3	2.08	281	0.6	5	<0.5	11	28	<1	1	29	10	79
L648042		2	27.6	2.65	277	<0.5	5	<0.5	11	29	<1	<1	34	8	58
L648044		2	23.6	2.24	209	<0.5	8	<0.5	9	22	<1	<1	29	8	87
L648046		2	27.0	2.60	299	<0.5	<5	<0.5	5	12	<1	<1	19	9	51
L648048		3	20.1	1.64	160	<0.5	<5	0.5	8	31	<1	1	25	9	56
L648050															
L648052															
L648054		3	6.8	0.55	42	<0.5	<5	1.2	2	30	<1	1	10	3	15
L648056		3	22.2	1.78	133	<0.5	<5	0.5	9	31	<1	1	25	12	58
L648072		3	35.0	2.70	232	<0.5	<5	<0.5	7	40	<1	<1	17	6	44
L648074		4	45.6	4.44	342	<0.5	<5	<0.5	6	34	<1	<1	11	6	39
L648076		2	26.7	2.42	244	<0.5	<5	<0.5	8	31	<1	<1	9	8	41
L648078		2	29.0	2.56	413	<0.5	<5	<0.5	5	17	<1	1	13	8	39
L648080		3	26.8	2.43	304	<0.5	<5	<0.5	8	28	<1	1	15	10	49
L648082		2	29.3	2.94	333	<0.5	<5	<0.5	2	5	<1	<1	6	6	21
L648084		6	26.8	2.30	214	<0.5	<5	<0.5	11	34	<1	2	24	12	75
L648086		5	28.5	2.46	284	<0.5	<5	<0.5	15	39	<1	1	27	13	72
L648088		3	35.9	3.13	297	<0.5	<5	<0.5	9	18	<1	1	20	9	58
L648090		5	26.9	2.12	152	0.5	5	<0.5	12	47	<1	2	32	14	86
L648092		5	59.1	5.18	237	<0.5	5	<0.5	13	42	<1	1	34	14	77
L648094		5	30.1	2.55	205	<0.5	<5	<0.5	10	35	<1	1	25	11	58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
L648096		0.26	1275	195.5	19.6	130	4.09	6.00	3.12	2.47	18.8	7.18	9.8	1.12	105.0	0.46
L648098		0.26	961	119.5	9.4	100	2.40	4.26	2.44	1.46	16.0	4.84	7.8	0.84	60.7	0.37
L648100		0.30	911	104.0	8.3	100	3.23	4.12	2.58	1.39	17.7	4.41	8.2	0.83	50.4	0.40
L648102		0.22	723	83.8	12.7	300	2.56	3.96	2.37	1.18	18.1	4.16	6.9	0.80	41.8	0.38
L648104		0.26	870	177.5	8.1	80	2.05	6.42	3.85	1.66	16.4	7.26	14.5	1.30	87.9	0.57
L648106		0.24	827	138.0	7.0	80	1.60	4.28	2.39	1.32	14.5	5.44	9.3	0.79	68.9	0.39
L648108		0.16	773	123.5	8.3	110	2.11	4.62	2.62	1.37	14.6	5.51	9.2	0.88	62.3	0.41
L648110		0.34	957	157.0	14.5	100	2.16	6.24	3.36	1.83	15.9	7.25	12.6	1.14	83.5	0.50
L648112		0.24	842	163.0	9.2	60	1.28	5.62	2.91	1.70	12.4	7.29	7.6	1.03	83.4	0.40
L648114		0.20	768	122.5	12.2	120	2.66	5.15	3.01	1.41	15.3	5.87	7.6	1.00	63.4	0.47
L648116		0.22	877	133.5	7.5	90	1.94	4.92	2.99	1.38	16.4	5.51	9.1	1.00	68.1	0.44
L648118		0.22	909	125.0	4.9	70	1.74	6.10	3.82	1.46	14.7	5.79	9.3	1.28	61.2	0.58
L648120		0.16	475	40.1	7.4	50	1.11	2.32	1.25	0.82	5.4	2.82	2.3	0.46	26.6	0.19
L648122		0.20	689	113.0	4.9	60	1.71	4.36	2.26	1.37	11.3	5.34	6.7	0.82	56.2	0.33
L648124		0.20	132.0	12.9	3.1	<10	0.26	1.03	0.61	0.39	1.1	1.31	0.9	0.22	13.2	0.08
L648126		0.22	159.5	8.2	2.1	<10	0.30	0.61	0.34	0.23	1.3	0.69	1.4	0.12	6.8	0.05
L648128		0.34	922	163.0	17.8	120	2.46	5.99	3.14	1.69	15.8	7.46	10.2	1.11	89.0	0.47
L648130		0.22	953	123.5	12.8	90	2.47	4.94	2.73	1.79	14.3	5.99	6.3	0.95	68.9	0.42
L648132		0.18	551	47.9	9.0	50	1.12	5.23	3.24	1.82	6.8	6.32	3.7	1.10	55.2	0.50
L648134		0.28	950	166.5	13.3	100	2.53	5.64	2.72	1.99	15.3	7.57	7.5	1.00	93.7	0.41
L648136		0.18	741	85.3	9.7	130	2.27	3.07	1.67	1.21	11.2	3.49	5.4	0.59	47.3	0.27
L648138		0.12	377	74.0	7.0	30	1.57	3.70	1.90	1.59	5.2	4.83	2.1	0.69	54.6	0.23
L648140		0.34	953	133.0	6.7	110	2.44	4.90	2.68	1.52	16.7	5.82	10.4	0.94	70.4	0.43
L648142		0.38	953	136.5	13.4	90	2.26	6.28	3.07	1.83	17.6	7.77	7.5	1.12	80.6	0.43
L648144		0.32	902	103.5	7.1	60	1.63	4.16	2.18	1.29	14.8	4.54	8.3	0.81	55.9	0.37
L648146		0.20	842	102.0	7.3	90	1.75	3.76	1.87	1.15	16.1	4.32	9.3	0.71	55.7	0.30
L648148		0.26	854	115.5	10.7	80	2.09	6.47	3.45	1.80	15.7	7.92	8.4	1.24	67.7	0.50
L648150		0.22	867	95.8	6.7	100	2.58	4.50	2.63	1.31	17.3	5.20	7.2	0.90	52.7	0.40
L648152		0.30	916	104.5	13.8	100	3.06	4.67	2.43	1.40	17.6	5.81	7.2	0.87	56.8	0.37
L648154		0.32	815	81.9	11.7	110	2.81	4.22	2.37	1.19	17.4	4.46	6.7	0.83	44.8	0.37
L648156		0.18	825	92.9	4.0	80	2.21	4.16	2.53	1.21	17.2	4.52	8.3	0.84	50.0	0.41
L648158		0.28	976	134.5	10.8	110	3.65	5.18	2.89	1.45	17.2	5.72	7.3	1.01	74.0	0.46
L648160		0.28	833	103.0	7.9	110	2.58	5.10	2.89	1.27	18.0	5.59	10.6	1.01	56.8	0.45
L648162		0.30	789	91.2	12.4	110	2.75	4.32	2.40	1.18	16.9	4.90	8.6	0.85	49.7	0.37
L648164		0.24	983	126.0	7.9	100	2.83	4.63	2.57	1.39	19.4	5.69	8.3	0.97	67.1	0.40
L648166		0.28	844	128.5	5.3	80	1.64	5.38	3.37	1.38	19.0	6.06	10.7	1.15	67.7	0.57
L648168		0.32	832	139.5	12.6	100	2.92	3.68	1.96	1.31	14.3	4.69	6.9	0.75	74.3	0.31
L648170		0.22	802	103.5	6.9	90	2.42	3.93	2.24	1.14	15.8	4.54	7.5	0.83	55.4	0.34
L648172		0.22	857	152.0	9.5	90	2.12	6.18	3.84	1.52	16.1	6.46	8.6	1.34	80.2	0.58
L648174		0.44	11.7	2.8	<0.5	<10	0.02	0.33	0.22	0.06	0.4	0.32	1.2	0.07	1.9	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tl	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648096		<2	27.4	75.8	22.2	112.5	11.25	3	321	1.3	1.05	17.45	<0.5	0.46	3.41	157
L648098		<2	27.3	46.3	12.90	76.1	7.60	2	262	1.0	0.73	22.7	<0.5	0.38	4.74	137
L648100		<2	18.3	40.0	11.20	96.7	6.39	2	268	1.1	0.67	11.55	<0.5	0.39	2.70	132
L648102		<2	18.3	33.5	9.20	69.4	5.79	2	212	1.0	0.64	12.00	<0.5	0.36	2.56	173
L648104		<2	19.3	69.0	19.10	72.0	10.90	2	284	1.1	1.10	27.1	<0.5	0.52	4.66	103
L648106		<2	15.0	52.2	14.80	66.1	8.34	2	268	0.8	0.79	24.0	<0.5	0.32	3.89	97
L648108		<2	15.8	48.3	13.55	70.7	7.99	2	236	0.9	0.80	18.30	<0.5	0.40	3.67	114
L648110		<2	21.3	65.3	18.20	77.0	10.70	2	293	1.3	1.07	27.6	<0.5	0.49	5.25	110
L648112		<2	14.7	64.4	18.05	56.3	10.65	2	300	0.9	0.99	29.1	<0.5	0.37	4.76	76
L648114		<2	16.2	48.1	13.60	63.3	8.04	2	231	1.0	0.88	19.95	<0.5	0.45	3.88	134
L648116		3	18.1	50.4	14.20	73.1	8.07	2	259	1.2	0.87	19.50	<0.5	0.47	3.60	120
L648118		2	17.1	48.4	13.25	75.8	8.30	2	282	0.9	0.97	18.45	<0.5	0.53	3.75	81
L648120		4	5.5	21.0	5.74	25.7	3.57	1	187.0	0.3	0.40	6.06	<0.5	0.15	24.3	46
L648122		2	17.6	46.3	12.65	56.5	7.59	2	234	1.4	0.77	15.45	<0.5	0.30	3.40	72
L648124		2	0.9	9.7	2.58	4.7	1.64	1	141.5	<0.1	0.20	1.43	<0.5	0.05	3.93	<5
L648126		<2	1.1	5.0	1.35	6.4	0.76	<1	121.5	0.1	0.10	1.24	<0.5	0.01	1.13	8
L648128		2	20.2	67.5	18.80	79.8	11.10	2	266	1.3	1.06	29.7	<0.5	0.48	4.86	127
L648130		2	16.2	53.3	14.85	72.7	8.90	2	288	0.9	0.82	17.50	<0.5	0.37	19.10	92
L648132		7	7.7	43.9	11.45	31.9	7.63	1	311	0.4	0.90	9.25	<0.5	0.46	67.6	68
L648134		2	17.8	69.4	19.50	71.3	10.95	2	296	0.8	1.02	22.0	<0.5	0.38	12.15	109
L648136		3	12.2	34.3	9.73	60.9	5.71	2	232	0.6	0.51	10.75	<0.5	0.22	9.24	80
L648138		2	5.0	39.5	11.15	21.9	6.58	<1	206	0.3	0.69	7.46	<0.5	0.24	40.8	31
L648140		3	19.1	54.9	15.35	95.6	8.78	2	287	1.2	0.86	18.05	<0.5	0.41	3.81	114
L648142		<2	16.5	63.1	17.30	80.9	10.90	2	332	1.0	1.08	27.3	<0.5	0.47	7.39	106
L648144		<2	14.8	41.4	11.65	62.4	7.02	1	312	0.9	0.66	16.20	<0.5	0.30	3.60	87
L648146		3	15.9	42.3	11.65	65.9	7.26	2	286	0.9	0.61	15.40	<0.5	0.26	3.87	106
L648148		2	17.5	57.3	15.10	71.5	10.15	2	328	1.0	1.11	20.8	<0.5	0.52	8.55	105
L648150		2	17.3	41.1	11.20	89.6	7.07	2	257	1.1	0.75	14.95	<0.5	0.42	3.32	124
L648152		2	16.8	45.3	12.15	77.0	7.90	2	249	1.0	0.82	18.50	<0.5	0.38	3.57	122
L648154		<2	16.1	35.2	9.68	71.6	6.31	2	236	1.0	0.68	13.65	<0.5	0.39	3.21	140
L648156		2	17.9	38.8	10.70	63.2	6.34	2	234	1.1	0.67	12.60	<0.5	0.41	3.44	95
L648158		2	20.6	56.6	15.50	86.0	9.80	2	236	1.2	0.80	16.80	<0.5	0.46	4.15	126
L648160		6	19.0	41.8	11.95	73.0	7.68	2	274	1.2	0.86	17.00	<0.5	0.44	5.52	103
L648162		<2	16.5	36.5	10.35	74.2	6.79	2	229	1.0	0.75	15.00	<0.5	0.36	3.22	111
L648164		<2	21.1	49.9	14.60	101.0	8.06	2	315	1.2	0.85	14.20	<0.5	0.40	2.99	115
L648166		<2	20.7	52.4	15.05	77.9	8.77	2	288	1.3	0.93	16.55	<0.5	0.53	3.46	99
L648168		<2	17.6	51.9	15.55	94.4	7.25	2	246	0.8	0.68	12.85	<0.5	0.31	2.50	111
L648170		2	16.9	40.5	11.70	93.1	6.59	2	257	1.1	0.72	11.40	<0.5	0.35	2.76	106
L648172		2	18.8	59.4	17.30	90.8	9.15	2	265	1.2	1.01	20.1	<0.5	0.60	3.59	102
L648174		<2	0.2	1.6	0.41	0.6	0.33	<1	2.3	<0.1	0.06	0.35	<0.5	0.04	0.23	<5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
L648096		2	33.2	2.89	385	<0.5	<5	<0.5	12	29	<1	<1	25	8	81
L648098		2	25.2	2.40	277	<0.5	<5	<0.5	5	12	<1	1	15	8	48
L648100		3	25.5	2.53	295	<0.5	<5	<0.5	4	7	<1	<1	10	10	36
L648102		2	24.7	2.43	250	<0.5	<5	<0.5	3	6	<1	1	12	8	34
L648104		4	41.5	3.48	606	<0.5	<5	<0.5	4	7	<1	1	12	6	35
L648106		8	25.5	2.40	394	<0.5	<5	<0.5	3	7	<1	1	9	7	23
L648108		2	26.6	2.50	326	<0.5	5	<0.5	4	9	<1	1	13	7	29
L648110		2	34.5	3.21	429	<0.5	5	<0.5	10	26	<1	1	25	9	54
L648112		4	31.6	2.58	301	<0.5	<5	<0.5	5	16	<1	1	14	5	27
L648114		2	30.7	3.01	275	<0.5	6	<0.5	7	14	<1	1	20	8	71
L648116		2	30.8	2.98	334	<0.5	<5	<0.5	3	9	<1	3	10	6	35
L648118		5	40.3	3.86	368	<0.5	<5	<0.5	2	5	<1	1	6	6	17
L648120		5	15.8	1.15	87	<0.5	<5	0.8	5	25	<1	3	14	5	24
L648122		4	25.2	2.16	279	<0.5	<5	<0.5	2	7	<1	1	5	3	16
L648124		3	8.4	0.47	37	<0.5	<5	1.0	3	18	<1	1	6	3	10
L648126		3	4.1	0.32	59	<0.5	<5	0.8	2	12	<1	1	3	2	13
L648128		2	32.5	3.06	375	<0.5	5	<0.5	12	20	<1	2	23	8	64
L648130		4	30.8	2.64	247	<0.5	5	<0.5	8	24	<1	1	24	6	55
L648132		4	42.6	2.93	141	0.5	6	<0.5	6	38	<1	6	13	6	24
L648134		3	32.9	2.41	296	<0.5	5	<0.5	8	26	<1	1	23	7	43
L648136		5	19.6	1.69	214	<0.5	<5	<0.5	6	20	<1	2	16	8	30
L648138		3	23.3	1.55	77	2.2	<5	1.7	6	53	<1	2	22	8	13
L648140		2	29.4	2.69	358	<0.5	<5	<0.5	3	8	<1	2	7	8	24
L648142		3	32.3	2.67	261	<0.5	<5	<0.5	8	26	<1	<1	24	7	47
L648144		4	24.2	2.35	331	<0.5	<5	<0.5	4	13	<1	1	12	5	28
L648146		4	22.9	1.92	397	<0.5	<5	<0.5	4	12	<1	2	12	6	25
L648148		4	38.8	3.29	369	<0.5	5	<0.5	7	23	<1	2	21	6	47
L648150		2	25.8	2.55	275	<0.5	<5	<0.5	5	13	1	<1	11	3	42
L648152		2	24.2	2.29	264	<0.5	5	<0.5	9	45	<1	<1	31	8	51
L648154		4	25.4	2.26	253	<0.5	6	<0.5	7	21	1	<1	19	6	43
L648156		3	24.6	2.54	295	<0.5	<5	<0.5	2	4	<1	<1	3	5	13
L648158		2	29.7	2.84	296	<0.5	<5	<0.5	7	12	<1	<1	17	4	49
L648160		2	29.7	2.85	385	<0.5	<5	<0.5	3	5	<1	4	9	4	25
L648162		1	24.7	2.36	316	<0.5	<5	<0.5	7	16	1	<1	25	4	61
L648164		2	26.8	2.51	341	<0.5	<5	<0.5	4	5	<1	<1	10	5	30
L648166		2	32.3	3.48	443	<0.5	<5	<0.5	2	2	<1	<1	4	4	13
L648168		1	20.2	1.93	276	<0.5	7	<0.5	12	21	1	<1	29	4	97
L648170		2	22.8	2.22	302	<0.5	<5	<0.5	5	15	1	1	15	5	36
L648172		1	38.6	3.69	357	<0.5	<5	<0.5	7	12	<1	<1	18	5	47
L648174		<1	2.1	0.24	53	<0.5	<5	<0.5	<1	1	<1	<1	1	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm
		0.02	0.5	0.5	0.5	10	0.01	0.05	0.03	0.03	0.1	0.05	0.2	0.01	0.5	0.01
L648176		0.24	775	77.1	10.0	80	2.20	3.38	1.80	0.97	14.9	4.29	5.7	0.68	40.7	0.28
L648178		0.30	741	100.5	8.0	100	2.39	4.51	2.45	1.21	15.0	5.38	9.0	0.92	52.9	0.40
L648180		0.36	1025	123.5	15.4	100	2.84	5.57	3.01	1.55	17.9	6.91	7.9	1.13	64.8	0.42
L648182		0.28	1045	135.0	16.4	110	3.09	5.72	3.25	1.63	19.2	7.01	8.6	1.19	71.8	0.50
L648184		0.30	784	122.0	6.1	80	2.26	5.21	2.78	1.26	15.1	6.44	9.8	1.04	64.7	0.43
L648186		0.26	791	120.0	6.0	80	1.87	4.55	2.39	1.29	16.9	6.06	9.1	0.92	62.7	0.37
L648188		0.24	595	67.9	5.0	70	1.10	3.20	1.95	0.84	12.5	3.31	6.9	0.64	38.1	0.28
L648190		0.28	726	118.0	8.3	90	1.84	4.36	2.27	1.16	16.9	5.64	10.2	0.85	62.9	0.35
L648200		0.38	827	113.5	5.8	90	2.06	5.14	2.78	1.29	17.3	6.46	8.8	1.05	58.4	0.42
L648202		0.28	822	94.9	10.6	80	2.32	4.53	2.48	1.38	14.8	5.94	9.1	0.90	54.6	0.37
L648204		0.42	820	117.5	7.9	80	2.12	5.34	3.10	1.30	19.0	6.38	7.6	1.12	63.3	0.49
L648206		0.28	681	152.5	7.2	70	1.91	4.69	2.40	1.23	13.2	6.66	9.6	0.91	81.3	0.37
L648208		0.20	708	100.5	4.5	60	1.72	4.23	2.33	1.03	13.5	5.15	7.5	0.84	52.7	0.36
L648210		0.36	750	124.5	7.6	80	2.48	4.54	2.30	1.20	16.1	5.69	7.6	0.87	65.2	0.33
L648212		0.24	686	77.2	5.7	70	2.10	3.68	2.17	1.02	15.8	4.04	6.7	0.80	40.4	0.34
L648214		0.30	901	103.0	12.5	110	3.65	4.52	2.46	1.29	18.0	5.20	7.1	0.93	54.7	0.38
L648216		0.26	872	80.8	13.9	90	3.86	3.71	1.94	1.10	17.3	4.28	4.9	0.75	43.0	0.29
L648218		0.30	856	107.0	9.6	80	2.47	5.31	3.57	1.33	15.7	5.58	7.3	1.21	57.8	0.56
L648220		0.28	783	97.0	8.2	80	2.63	3.77	2.03	1.06	16.7	4.57	7.1	0.75	51.4	0.32
L648222		0.26	890	112.5	4.8	70	1.97	4.27	2.23	1.24	18.3	5.31	8.4	0.85	58.8	0.34
L648224		0.34	778	105.0	7.2	90	2.80	4.40	2.60	1.13	17.0	5.29	9.1	0.93	55.6	0.38
L648226		0.22	1060	109.5	6.3	100	3.42	4.81	2.77	1.37	18.7	5.17	9.3	0.95	58.2	0.45
L648228		0.24	890	109.0	4.5	90	2.42	4.84	2.72	1.38	18.6	5.33	10.0	0.95	60.1	0.44
L648230		Empty Bag														
L648232		0.30	894	98.9	7.5	100	3.21	4.45	2.51	1.34	17.5	5.26	8.0	0.86	54.0	0.39
L648234		0.18	698	64.8	7.2	110	3.16	3.89	2.35	1.03	16.7	3.90	6.1	0.79	34.8	0.38
L648236		0.18	914	116.5	5.7	80	2.32	5.15	2.88	1.43	19.2	5.92	8.6	1.01	67.1	0.45
L648238		0.18	785	81.3	10.3	120	2.77	4.14	2.38	1.20	17.7	4.62	6.6	0.82	43.4	0.38
L648240		0.26	843	96.3	9.9	100	2.91	5.73	3.71	1.38	18.8	5.82	8.2	1.21	51.5	0.55
L648242		0.26	831	135.0	9.5	90	3.04	4.79	2.46	1.32	18.8	5.56	6.8	0.92	74.5	0.41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Mo ppm	Nb ppm	Nd ppm	Pr ppm	Rb ppm	Sm ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm
		2	0.2	0.1	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05	0.5	0.01	0.05	5
L648176		2	14.3	32.6	9.08	80.9	5.47	2	236	0.9	0.61	12.05	<0.5	0.29	2.32	94
L648178		<2	16.5	42.7	12.00	85.3	7.22	2	292	1.2	0.81	14.55	<0.5	0.39	2.97	98
L648180		<2	19.2	52.1	14.60	110.0	9.14	2	304	1.2	1.02	18.75	<0.5	0.45	3.83	115
L648182		2	20.4	56.1	15.90	122.0	9.43	2	321	1.3	1.01	20.9	<0.5	0.51	4.26	117
L648184		<2	15.1	50.3	14.35	106.0	8.82	2	262	1.1	0.95	19.10	<0.5	0.42	3.62	86
L648186		<2	18.1	50.3	14.15	76.6	8.35	2	287	1.3	0.87	18.40	<0.5	0.36	3.98	89
L648188		2	14.1	28.8	8.15	52.0	4.99	2	270	0.9	0.53	8.28	<0.5	0.30	2.91	60
L648190		<2	14.8	47.6	13.65	76.2	7.97	2	249	1.0	0.85	18.85	<0.5	0.33	3.37	108
L648200		2	18.7	48.2	13.45	90.8	8.29	2	269	1.2	0.93	18.40	<0.5	0.43	3.51	94
L648202		4	14.9	43.0	12.05	85.8	7.46	2	331	1.0	0.84	14.50	<0.5	0.37	6.11	89
L648204		2	16.7	47.9	13.75	83.2	8.37	2	311	1.1	0.95	24.6	<0.5	0.46	3.49	106
L648206		3	13.4	62.2	17.75	65.4	9.99	1	248	0.9	0.90	24.4	<0.5	0.37	4.07	81
L648208		<2	13.4	40.9	11.80	77.1	6.85	1	218	0.9	0.75	15.90	<0.5	0.36	2.90	61
L648210		<2	16.5	50.2	14.30	92.9	7.98	2	239	1.1	0.85	16.40	<0.5	0.34	3.26	101
L648212		<2	15.6	31.8	9.02	66.6	5.38	2	220	1.1	0.64	11.15	<0.5	0.34	2.48	85
L648214		4	17.7	42.4	12.15	117.5	7.33	2	260	1.2	0.80	14.40	<0.5	0.37	4.05	126
L648216		<2	16.1	32.9	9.50	119.0	5.66	2	220	1.0	0.67	14.15	<0.5	0.29	4.60	100
L648218		<2	15.2	43.3	12.35	100.5	7.11	2	292	1.0	0.87	16.00	<0.5	0.57	4.01	85
L648220		2	16.4	40.5	11.40	85.9	6.62	2	241	1.1	0.69	14.50	<0.5	0.32	3.12	100
L648222		<2	18.3	45.8	13.10	92.1	7.48	2	268	1.2	0.78	16.50	<0.5	0.33	3.57	88
L648224		<2	16.9	43.7	12.35	88.3	7.24	2	237	1.2	0.78	15.05	<0.5	0.38	3.45	92
L648226		3	19.2	46.3	12.60	81.2	8.09	2	250	1.2	0.77	16.05	<0.5	0.46	4.06	107
L648228		<2	18.0	46.3	12.80	86.5	8.06	2	272	1.2	0.78	15.55	<0.5	0.44	3.68	106
L648230																
L648232		<2	16.4	42.2	11.50	72.9	7.37	2	241	1.1	0.75	15.10	<0.5	0.40	3.41	114
L648234		2	14.8	28.5	7.62	63.5	5.22	2	205	0.9	0.63	9.67	<0.5	0.38	2.61	134
L648236		<2	19.3	51.8	14.35	80.1	8.83	2	265	1.2	0.87	18.75	<0.5	0.48	3.69	101
L648238		2	28.0	35.7	9.61	73.9	6.38	2	229	1.7	0.70	12.20	<0.5	0.40	2.82	140
L648240		<2	17.9	41.7	11.55	89.5	7.30	2	252	1.1	0.89	15.40	<0.5	0.60	3.38	122
L648242		2	19.0	53.4	15.00	86.1	8.74	2	267	1.1	0.80	20.3	<0.5	0.34	5.84	119



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 13-JUL-2011
 Account: EIAREI

Project: REI11-01

CERTIFICATE OF ANALYSIS VA11115792

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	ME-AQ81	
		W ppm	Y ppm	Yb ppm	Zr ppm	Ag ppm	As ppm	Cd ppm	Co ppm	Cu ppm	Hg ppm	Mo ppm	Ni ppm	Pb ppm	Zn ppm
		1	0.5	0.03	2	0.5	5	0.5	1	1	1	1	2	2	
L648176		2	18.8	1.76	228	<0.5	<5	<0.5	7	18	<1	<1	22	4	37
L648178		1	25.5	2.46	359	<0.5	<5	<0.5	7	11	<1	<1	20	3	51
L648180		2	30.8	2.76	316	<0.5	<5	<0.5	12	35	1	<1	37	6	83
L648182		2	33.5	3.19	350	<0.5	5	<0.5	13	35	<1	<1	38	6	71
L648184		2	28.4	2.66	380	<0.5	<5	<0.5	3	7	<1	<1	10	4	29
L648186		2	24.6	2.35	356	<0.5	<5	<0.5	3	8	1	<1	9	4	32
L648188		2	18.6	1.80	307	<0.5	<5	0.5	3	11	1	<1	7	<2	13
L648190		2	23.0	2.16	380	<0.5	<5	<0.5	5	9	<1	<1	15	6	42
L648200		2	28.6	2.70	356	<0.5	<5	<0.5	3	6	<1	<1	8	3	29
L648202		1	24.8	2.30	353	<0.5	<5	0.7	7	19	<1	2	15	3	31
L648204		3	30.3	3.01	303	<0.5	<5	<0.5	4	9	<1	<1	11	5	31
L648206		1	24.7	2.30	360	<0.5	<5	<0.5	5	11	1	1	15	3	25
L648208		1	23.5	2.29	296	<0.5	<5	<0.5	3	8	<1	<1	11	2	30
L648210		1	24.2	2.11	301	<0.5	<5	<0.5	6	14	1	<1	18	6	55
L648212		2	21.0	2.08	263	<0.5	<5	<0.5	3	10	<1	<1	11	6	33
L648214		2	25.6	2.43	285	<0.5	5	<0.5	10	26	1	2	30	5	68
L648216		1	19.2	1.90	198	<0.5	<5	<0.5	14	45	1	<1	47	8	102
L648218		1	33.3	3.53	286	<0.5	<5	<0.5	8	21	1	<1	26	5	50
L648220		2	20.8	1.95	280	<0.5	<5	<0.5	6	12	1	<1	20	6	43
L648222		2	22.7	2.20	323	<0.5	<5	<0.5	3	7	<1	<1	7	4	16
L648224		2	25.2	2.51	362	<0.5	<5	<0.5	5	13	<1	<1	16	8	40
L648226		3	28.2	2.81	346	<0.5	<5	<0.5	2	8	<1	1	7	4	14
L648228		3	28.1	2.66	382	<0.5	<5	<0.5	1	3	<1	<1	3	3	15
L648230															
L648232		5	25.3	2.43	290	<0.5	<5	<0.5	4	6	<1	<1	12	8	39
L648234		2	23.7	2.42	229	<0.5	5	<0.5	4	8	1	1	11	10	43
L648236		4	30.5	2.84	317	<0.5	<5	<0.5	2	3	<1	<1	7	6	16
L648238		3	23.9	2.29	234	<0.5	<5	<0.5	6	9	<1	1	19	9	60
L648240		2	34.9	3.52	295	<0.5	<5	<0.5	5	10	<1	<1	19	8	57
L648242		5	27.2	2.37	273	<0.5	<5	<0.5	5	10	<1	2	17	11	42

Appendix F: Data Disc

Report text, geochemical and drill databases, geophysical files, drafting and plot files, photographs

Appendix G: Geologist's Certificate

GEOLOGIST'S CERTIFICATE

David Swanton
402-1595 East 6th Ave.
Vancouver, BC, Canada
daves@equityexploration.com






I, David Swanton, do hereby certify that:

- I am a Project Geologist with Equity Exploration Consultants Ltd, with offices at Suite 200-900 West Hastings St., Vancouver, British Columbia.
- I am a graduate of the University of British Columbia (2004) with a Bachelor of Science degree and of Acadia University (2010) with a Master of Science degree in Geology.
- I am a registered Member-in-Training (MIT) of the Association of Professional Geoscientists of Nova Scotia.
- I have been involved in the mineral exploration industry since 2006.
- I supervised the 2011 exploration program on the Mount Bisson property and have first-hand field knowledge of said property.

Dated at Vancouver, British Columbia, this ____ day of _____, 2012.



David Swanton, M.Sc.



- 2011 Soil Sample
- Road
- Property Boundary


- Central Occurrence Geology**
- Wolverine Gneiss
 - Orthogneiss
 - Wolverine Range Intrusive Suite
 - Granodiorite
 - Alteration
 - Metasomatic/fenite alteration of orthogneiss
 - Contact
 - Contact, approx.

- Wolverine Gneiss**
- Undivided Paragneiss
 - Orthogneiss
 - Augen Gneiss
 - Calc-silicate
 - Garnet-mica schist
 - Micaceous Quartzite
- Wolverine Range Intrusive Suite**
- Granodiorite
- Alteration**
- Metasomatic/fenite alteration of orthogneiss
- Geology after Baressi (2010)

RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
SOIL SAMPLE LOCATIONS**

File:	JAN 2012	Scale:	1:7,500	Figure:	14a
ET/PM Draw:	UTM 10 - NAD83	Plotting Client:	OMINERCA		
ET/CS:	0930/05/12	Plotting Date:	BC		



Soil Geochemistry by TREO + Y wt. %

- > 0.0547 wt. %
- 0.0476 to 0.0547
- 0.0425 to 0.0476
- 0.0368 to 0.0425
- < 0.0368 wt. %

- 2011 Soil Sample
- Road
- Property Boundary

Central Occurrence Geology

Wolverine Gneiss

- Orthogneiss
- Augen Gneiss

Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss
- Contact
- Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite






Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)




1 km

RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT
SOIL GEOCHEMISTRY
TREO + Y wt. %

DATE: JAN 2012 Scale: 1:7,500 Figure: 14b
 BY: J.F.M. Dore Plotting Client: OMINECA
 UTM 10 - NAD83 Date/Revision: BC
 0930 05/12



Soil Geochemistry by Nb ppm

- > 34.7 ppm
- 27.2 to 34.7
- 23.7 to 27.2
- 20.2 to 23.7
- > 20.2 ppm

- 2011 Soil Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss**
- Orthogneiss
- Wolverine Range Intrusive Suite**
- Granodiorite
- Alteration**
- Metasomatic/fenite alteration of orthogneiss
- Contact
- Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite





Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)




RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
SOIL GEOCHEMISTRY
Nb ppm**

Client	JAN 2012	Scale	1:7,500	Figure	14c
Project Name	MTM 10 - NAD83	Author	OMINCA		
Revision	0930/05/12	Date/Revision	BC		

EQUITY



Soil Geochemistry by Th ppm

- > 32.3 ppm
- 26.6 to 32.3
- 23.2 to 26.6
- 19.1 to 23.2
- < 19.1 ppm

- 2011 Soil Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss
 - Orthogneiss
- Wolverine Range Intrusive Suite
 - Granodiorite
- Alteration
 - Metasomatic/fenite alteration of orthogneiss
- Contact
- Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite






Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)




1 km

RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
SOIL GEOCHEMISTRY
Th ppm**

File:	JAN 2012	Scale:	1:7,500	Figure:	14d
Client:	EQUNITY	Project Name:	OMINICA		
UTM 10 - NAD83		Drawn/Revised:	BC		
0930/05/12					



Rock Geochemistry by TREO+Y wt. %

- 5 wt. %
- 0.3 to 5
- 0.1 to 0.3
- < 0.1 wt. %

- 2011 Rock Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss
 - Orthogneiss
- Wolverine Range Intrusive Suite
 - Granodiorite
- Alteration
 - Metasomatic/fenite alteration of orthogneiss
- Contact
- - - Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite







Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss


Geology after Baressi (2010)



RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
ROCK GEOCHEMISTRY
TREO + Y wt. %**

Date: JAN 2012
 Project Geology: MTM 10 - MADRS
 Scale/Projection: UTM
 File No: 0930 0512
 Scale: 1:10,000
 Client: COMINCA
 Project: 17b



Rock Geochemistry by Nb₂O₃ wt. %

- > 0.1 wt. %
- 0.05 to 0.1
- 0.01 to 0.05
- < 0.01wt. %

- 2011 Rock Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss
- Wolverine Range Intrusive Suite
- Alteration
- Contact
- - - Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite







Wolverine Range Intrusive Suite






- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)





Rock Geochemistry by Th ppm

- >1,000 ppm
- 250 to 1,000
- 50 to 250
- < 50 ppm

- 2011 Rock Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss
 - Orthogneiss
 - Augen Gneiss
- Wolverine Range Intrusive Suite
 - Granodiorite
- Alteration**
 - Metasomatic/fenite alteration of orthogneiss
 - Contact
 - - - Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite




Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)








RARE EARTH INDUSTRIES LTD.

**MT. BISSON PROJECT
ROCK GEOCHEMISTRY
Th ppm**

Client:	JAN 2012	Scale:	1:10,000	Figure:
Project:	MTM 10 - NAD983	Planning:	CMINCA	17d
Author:	0930 0512	Scale/Project:	CMINCA	

EQUITY



Rock Geochemistry by BaO wt. %

- > 1 wt. %
- 0.5 to 1
- 0.25 to 0.5
- < 0.25 wt. %

- 2011 Rock Sample
- Road
- Property Boundary

Central Occurrence Geology

- Wolverine Gneiss
- Orthogneiss
- Wolverine Range Intrusive Suite
- Granodiorite
- Alteration
- Metasomatic/fenite alteration of orthogneiss
- Contact
- - - Contact, approx.

Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite



Wolverine Range Intrusive Suite


- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)





RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT


CENTRAL TRENCHES (North)

TREO + Y wt. % & Th ppm



Date:	JAN 2012	Scale:	1:250	Figure
U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA	18a
N.T.S.	0930 05/12	State/Province	BC	




TRENCH ID		Central Occurrence Geology	
TRENCH ID	Th ppm	0 - 0.1	0 - 50
	Histogram	0.1 - 0.3	50 - 250
	0.04 mm/unit at 1:250	0.3 - 5	250 - 1000
		5 - 100	> 1000
TRENCH ID		TRENCH ID	
TREO + Y wt. %		TREO + Y wt. %	
Histogram		Th ppm	
0.5 mm/unit at 1:250			

Central Occurrence Geology	
Wolverine Gneiss	Orthogneiss
Wolverine Range Intrusive Suite	Granodiorite
Alteration	Metasomatic/fenite alteration of orthogneiss
	Contact
	Contact, approx.




25 m






Tr11-16



Tr11-15



Tr11-13



Tr11-17



Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micaceous Quartzite

Wolverine Range Intrusive Suite


- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)

TRENCH ID



RARE EARTH INDUSTRIES LTD.


MT. BISSON PROJECT

LAURA TRENCHES

TREO + Y wt. % & Th ppm

Date:	JAN 2012	Scale:	1:250	Figure	18c
U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA		
W.T.S.	0930 05/12	State/Province	BC		

25 m



Tr11-12
BaO Nb2O3
1984677
1984676
1984675
1984674

Tr11-11
BaO Nb2O3
1984672
1984671
1984670
1984669
1984668
1984667
1984666
1984665
1984664

Tr11-10
BaO Nb2O3
1984662
1984661
1984660
1984659
1984658
1984657
1984656
1984655
1984654
1984653

RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

CENTRAL TRENCHES (North)

BaO wt. % & Nb2O3

Date: JAN 2012	Scale: 1:250	Figure
U.T.M. Zone: UTM 10 - NAD83	Mining District: OMINECA	18d
N.T.S. 0930 05/12	State/Province: BC	

TRENCH ID

Nb2O3 wt. % Histogram 80 mm/unit at 1:250

BaO wt. % Histogram 3 mm/unit at 1:250

0 - 0.25	0 - 0.01
0.25 - 0.5	0.01 - 0.05
0.5 - 1	0.05 - 0.1
1 - 100	0.1 - 10

BaO wt. % Nb2O3 wt. %

Central Occurrence Geology

Wolverine Gneiss

- Orthogneiss

Wolverine Range Intrusive Suite












- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

— Contact

- - - Contact, approx.









RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

CENTRAL TRENCHES (South)

BaO wt. % & Nb2O3 wt. %

Date:	JAN 2012	Scale:	1:250	Figure
U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA	18e
N.T.S.	0930 05/12	State/Province	BC	



Wolverine Gneiss

- Undivided Paragneiss
- Orthogneiss
- Augen Gneiss
- Calc-silicate
- Garnet-mica schist
- Micacious Quartzite

Wolverine Range Intrusive Suite

- Granodiorite

Alteration

- Metasomatic/fenite alteration of orthogneiss

Geology after Baressi (2010)

TRENCH ID

BaO wt. % Histogram
3 mm/unit at 1:250

Nb2O3 wt. % Histogram
80 mm/unit at 1:250

0 - 0.25	0 - 0.01
0.25 - 0.5	0.01 - 0.05
0.5 - 1	0.05 - 0.1
1 - 100	0.1 - 10

BaO wt. % Nb2O3 wt. %

RARE EARTH INDUSTRIES LTD.

MT. BISSON PROJECT

LAURA TRENCHES

BaO wt. % & Nb wt. %

Date:	JAN 2012	Scale:	1:250	Figure	18f
U.T.M. Zone	UTM 10 - NAD83	Mining District	OMINECA		
W.T.S.	0930 05/12	State/Province	BC		

EQUITY