



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: Geological and Geochemical Report Dewdney Trail Property

TOTAL COST:\$79,399.15

AUTHOR(S):P. Klewchuk

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S):5138087

YEAR OF WORK:2011

PROPERTY NAME:Dewdney Trail

CLAIM NAME(S) (on which work was done): 515890, 515891, 515894, 515895

COMMODITIES SOUGHT:Au

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN:

MINING DIVISION: Ft. Steele

NTS / BCGS:

LATITUDE: _____ ° _____ ' _____ "

LONGITUDE: _____ ° _____ ' _____ " (at centre of work)

UTM Zone: 11 EASTING: 605000 NORTHING: 5511700

OWNER(S): Spirit Gold Inc

MAILING ADDRESS: 1240-1140 West Pender St

Vancouver, BC

V6E 4G1

OPERATOR(S) [who paid for the work]: PJX Resources

MAILING ADDRESS: Suite 5600 100 King St. West

Toronto, Ontario

M5X 1C9

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**) Mesoproterozoic Aldridge Fm, overturned east limb of Lewis Creek anticline, gold mineralization in brecciated quartzites.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

| TYPE OF WORK IN THIS REPORT | EXTENT OF WORK (in metric units) | ON WHICH CLAIMS | PROJECT COSTS APPORTIONED (incl. support) |
|------------------------------------------------------------------|----------------------------------|-----------------------------------------|-------------------------------------------|
| GEOLOGICAL (scale, area) | 1500 X 1500 M | 515890, 515891, 515894, 515895 | |
| Ground, mapping | 1: 2000 | | |
| Photo interpretation | | | |
| GEOPHYSICAL (line-kilometres) | | | |
| Ground | | | |
| Magnetic | | | |
| Electromagnetic | | | |
| Induced Polarization | | | |
| Radiometric | | | |
| Seismic | | | |
| Other | | | |
| Airborne | | | |
| GEOCHEMICAL (number of samples analysed for ...) | | | |
| Soil | | | |
| Silt | | | |
| Rock | 62 | | |
| Other | | | |
| DRILLING (total metres, number of holes, size, storage location) | | | |
| Core | | | |
| Non-core | | | |
| RELATED TECHNICAL | | | |
| Sampling / Assaying | | | |
| Petrographic | | | |
| Mineralographic | | | |
| Metallurgic | | | |
| PROSPECTING (scale/area) | | | |
| PREPARATORY / PHYSICAL | | | |
| Line/grid (km) | | | |
| Topo/Photogrammetric (scale, area) | | | |
| Legal Surveys (scale, area) | | | |

| | | | |
|----------------------------------|--------|-----------------------|--------------|
| Road, local access (km)/trail | 5170 m | | |
| Trench (number/metres) | | | |
| Underground development (metres) | | | |
| Other | | | |
| | | TOTAL COST | \$79, 399.15 |

ASSESSMENT REPORT

On

TRAIL ACCESS CONSTRUCTION, TRENCHING & ROCK GEOCHEMISTRY
DEWDNEY TRAIL PROPERTY

Wild Horse River Area
Fort Steele Mining Division
TRIM 82G.073
605000E 5511700N

BC Geological Survey
Assessment Report
32923

For

PJX Resources Inc.
5600 – 100 King Street West
Toronto, Ontario
M5X 1C9

Report By
Peter Klewchuk, P. Geo.
408 Aspen Road
Kimberley, B.C., V1A 3B5

March 22, 2012

TABLE OF CONTENTS

| | Page |
|------------------------------------------------|------|
| 1.00 INTRODUCTION | 1 |
| 1.00 Location and Access | 1 |
| 1.20 Property | 1 |
| 1.30 Physiography | 1 |
| 1.40 History of Previous Exploration | 1 |
| 1.50 Purpose and Extent of Exploration Program | 4 |
| 2.00 GEOLOGY | 4 |
| 3.00 ROCK GEOCHEMISTRY | 6 |
| 4.00 CONCLUSIONS | 6 |
| 5.00 REFERENCES | 6 |
| 6.00 STATEMENT OF EXPENDITURES | 8 |
| 7.00 AUTHOR'S QUALIFICATIONS | 9 |

LIST OF ILLUSTRATIONS

| | | |
|-------------|-----------------------------------------------------------------------|----------|
| Figure 1 | Property Location Map | 2 |
| Figure 2 | Property Claim Map | 3 |
| Figure 3 | M1 Area Trenching and Geology | attached |
| Figure 4 | Tackle Creek Area Trenching and Geology | attached |
| Figure 5 | M1 Area Rock Geochemistry; Sample locations and Gold in PPB | attached |
| Figure 6 | Tackle Creek Area Rock Geochemistry; Sample locations and Gold in PPB | attached |
| Appendix 1. | Rock sample descriptions | 10 |
| Appendix 2. | Rock sample analyses | |

1.10 Location and Access

The Dewdney trail property is located in the Fort Steele Mining Division in southeastern British Columbia, approximately 25 km northeast of Cranbrook (Fig.1). Access is via forestry roads up Lewis Creek and the Wild Horse River and its tributaries.

1.20 Property

The Dewdney Trail claim block includes the Mineral Tenures outlined in Figure 2 and they are controlled by PJX Resources Inc. of Toronto, Ontario. Most of the claims are under option from SG Spirit Gold Inc. The areas of work in 2011 are centered approximately at 605000E 5511700N.

1.30 Physiography

The Dewdney Trail claim block is located east of the Rocky Mountain Trench in the Hughes Range of the Rocky Mountains and covers much of the area immediately east of the trench between the Wild Horse River and Lewis Creek (Figs. 1 & 2). Topography is generally steep with mainly wooded and locally rocky slopes. Elevation ranges from about 1060 to 2060 meters. Forest cover includes mainly pine, fir and larch. Parts of the claim block have been logged and are in various stages of regeneration.

1.40 History of Previous Exploration

The Estella lead-zinc-silver deposit occurs on crown grants adjacent to the Dewdney Trail claim block. This small WNW oriented massive sulphide vein deposit was mined from 1953 to 1961 (Hoy, 1993). Exploration in the vicinity of the Estella has focused on finding similar deposits, and some work has also been done looking for sedimentary exhalative deposits like the world class Sullivan deposit near Kimberley, located about 15 kilometers west of the claim block. Cominco Ltd (Assessment Reports 20,175, 20,554 and 21,935) did extensive ground and airborne geophysics as well as soil and rock geochemistry and diamond drilling near the Estella, and Bakra Resources Ltd. (AR 16,337) did a program of surface geologic mapping and soil and rock geochemistry. Placer Dome Ltd. worked on what are now part of the Dewdney Trail claims in the upper Wild Horse drainage and in Tackle Creek (AR's 18,159 and 20,202). Their exploration consisted of geologic mapping, soil and rock geochemistry, ground geophysics and diamond drilling. INCO, Mercury Explorations Ltd., National Gold Ltd. and Chapleau Resources Ltd. have done small programs on the Jacleg portion of the Dewdney Trail claims. Ruby Red Resources Inc. has worked on parts of what is now the Dewdney Trail block of claims





Figure 1.
ROCKIES BLOCK CLAIMS
PROPERTY LOCATION MAP



DEWDNEY TRAIL PROPERTY
 FORT STEELE MINING DIVISION
 KOOTENAY DISTRICT



SOUTH EAST BRITISH COLUMBIA



since 2002; this work has included surface geologic mapping, rock and soil geochemistry, ground geophysics and diamond drilling (eg AR's 26,985, 28,643).

1.50 Purpose and Extent of Exploration Program

Trail Access construction and associated geologic mapping and rock geochemistry done in 2011 on the Dewdney Trail property is an extension of similar exploration activity completed in 2008 (Kennedy, 2009) and 2009 (Klewchuk, 2010) as well as an airborne survey completed over part of the claim block in 2010 (Klewchuk, 2011).

Work completed in 2011 and which is reported on here took place in 3 areas;

M1, which is the former Spirit Dream area, centered approximately at 605400E 5511000N

Little Tackle Creek, centered approximately at 604900E 5517000N

Tackle Creek, centered approximately at 605000E 5512850N.

Work consisted of access trail construction to help evaluate airborne geophysical anomalies and provide sites for diamond drilling. In addition, trenching in the ditch line exposed bedrock and allowed for geologic mapping and rock sampling. A total of 5170 meters of trail access was constructed; 2200 meters at M1, 1080 meters in 2 trails in Little Tackle Creek and 1890 meters in Tackle Creek. All the exposed bedrock was mapped (shown in Figures 3 and 4) and 62 rock samples were collected (Figures 5 and 6).

Additional work done on the property in 2011 included an extensive prospecting, geologic mapping and rock geochemistry program reported on separately by M. Seabrook and S. Kennedy and diamond drilling, reported on separately by D. Anderson.

2.00 GEOLOGY

The areas where access trail construction and trenching were undertaken in 2011 on the Dewdney Trail property are underlain by what is commonly believed to be the upper Aldridge Formation which is part of the Mesoproterozoic Purcell Supergroup. In the areas of trenching, the upper Aldridge Formation includes fine grained elastic rocks of argillite, siltstone and impure quartzite which are characteristically deep water, turbiditic sediments. The Aldridge Formation regionally is intruded by Precambrian age gabbro and diorite sills and dikes. On the Dewdney Trail property the Aldridge Formation is also locally intruded by syenite dikes, presumably associated with the late Cretaceous Estella Stock. A suite of intermediate to mafic carbonate-rich intrusive dikes are also present; these are called "Judy Lou" dikes and commonly trend northerly and cross-cut stratigraphy at shallow to moderate angles (although field relationships are often poorly exposed).

Structurally, the area of work in 2011 is on the eastern limb of a large, open, recumbent anticline (the “Lewis Creek Anticline”; Thompson, 2010) that dominates the structure of the immediate area of the Rocky Mountains. A broader general description of the area’s geology is provided by Hoy (1979 & 1993) and by Thompson (2010).

A trenching program in the fall of 2008 (Kennedy, 2009) on what is now called the M1 area (formerly Spirit Dream) established that anomalous gold mineralization is hosted by a band of quartzites and siltstones, interbedded with argillites. This band of quartzites was further exposed by trail access construction and trenching in 2011 and it is now evident that bands of quartzites occur over more than 150 meters of stratigraphic thickness. Bedrock exposure in the trenched road ditch lines is not always continuous enough to be sure of the thickness of individual quartzite bands and furthermore, considerable smaller scale folding is present along with faulting. Quartzite and siltstone beds within the overall quartzite band are variably brecciated with cross-cutting quartz veins and are sericite-pyrite altered. Visible gold is occasionally seen within the brecciated quartzites in association with pyrite. The most prominent set of quartz veins within the brecciated quartzites strike approximately north-south and dip moderately easterly, roughly perpendicular to the northerly-striking, steep westerly-dipping bedding.

Beds across much of the road and trench exposures mapped typically strike northerly to northeasterly with moderate west dips, and bedding is commonly gently undulating. This area is within the eastern overturned limb of the large fold structure which dominates the structure of the Rocky Mountains here. Numerous narrow faults cut through the sedimentary rocks; these are both bedding-parallel or bedding-sub-parallel faults and cross-cutting faults. A number of north easterly-striking faults, with steep north and south dips, were exposed by trenching. Sampling of these structures indicates that at least some of them are gold-mineralized. The fault zones appear to have minor displacement but the lithologic package of the upper Aldridge Formation here is a rather monotonous one with similar lithologies repeated many times, and there are no readily useable marker bands to aid in structural reconstruction. It may be that some of the fault structures have displacement of tens of meters or more.

Brecciation of the quartzites appears to be somewhat irregular. Where thinner bands (composed of 3 to 4 individual quartzite beds of 40 to 70 cm thickness) are present, they are commonly more strongly brecciated than bands that are thicker than 6 or 8 meters. Within the thicker bands, brecciation and associated quartz veining is commonly better developed near one margin of the quartzite band (this is usually the structural hanging wall or west side). The presence of a number of ENE to easterly fault structures with proximally-developed gold mineralization strongly suggests that these structures were also important for the deposition of gold.

3.00 ROCK GEOCHEMISTRY

Sixty-two rock samples were collected from the 2011 area of trail construction and trenching. The samples were bagged and shipped to Acme Analytical Laboratories Ltd. at 1020 Cordova Street East, Vancouver, B.C. where they were analyzed for a 30 element ICP package and geochemical gold by standard analytical procedures. Location of the samples is shown in Figures 5 & 6 with values for gold in ppb. A description of the rock samples is in Appendix 1 and complete geochemical analyses are provided in Appendix 2.

At the Dewdney Trail property, anomalous gold mineralization is most commonly developed in brecciated quartzites which have quartz stockwork development along with sericitic alteration, pyrite and iron carbonate. Chip samples and grab samples typically have gold values that are less than 100 ppb Au; a few samples are around 300 or 400 ppb Au. One northeast fault structure, sampled near the northwestern most area of trenching, returned 2740 ppb Au and one grab sample of strongly pyritic quartz veins from trench rubble material returned 2086 ppb Au.

4.00 CONCLUSIONS

1. The unit of upper Aldridge stratigraphy which has been the focus of exploration activity in the M1 (formerly Spirit Dream) area since 2008 and which contains numerous units of quartzite with associated quartz vein brecciation and gold mineralization is considerably thicker than previously believed. It is at least 150 meters thick based on new trench exposures created in 2011.
1. Gold mineralization is quite widespread and is preferentially developed in brecciated quartzites and siltstones as well as in numerous quartz veins and in northeast-trending fault zones. Typically pyrite, sericite and iron carbonate occur in association with anomalous gold.
2. Narrow bands of quartzite tend to be better brecciated and, within the area of current trenching and sampling, these narrow bands of brecciated quartzite tend to carry higher gold values.

5.00 REFERENCES

Di Spirito, F., D.J.Pawliuk & H Mertens, 1987
Geological, Geophysical and Geochemical surveys on the South King property for Bakra Resources, Fort Steele Mining Division, British Columbia. Assessment Report 16,337.

Dvorak, Z., & J. Klein, 1990

Geophysical report on an airborne EM, magnetic and VLF-EM survey on the Estella-Kootenay King property, Fort Steele Mining Division, British Columbia. Assessment Report 20,175.

Fox, P.E., 1990

Geological, geochemical and geophysical report on the Tackle 1 to 4 claims, Fort Steele Mining Division, British Columbia. Assessment Report 20,202.

Hoy, T., 1979

Geology of the Estella-Kootenay King area, Hughes Range, Southeastern British Columbia; B.C. Ministry of Energy, Mines and Petroleum Resources, Preliminary Map 36.

Hoy, T., 1993

Geology of the Purcell Supergroup in the Fernie west-half map area, southeastern British Columbia. B.C. Ministry of Energy, Mines and Petroleum Resources, Bulletin 84.

Jackish, I., 1990.

Geophysical report on a UTEM survey on the Estella property, Fort Steele Mining Division, British Columbia. Assessment Report 20,554.

Kennedy, C., 2002

Assessment report, Rock geochemistry program, Tac property,. Assessment Report 26,983.

Kennedy, S., 2009

Rock Geochemistry and Trenching report, Spirit Dream Miminal Claims. Assessment Report 30,757.

Klewchuk, P., 2006

Assessment report on soil geochemistry, Spirit Dream property, Wild Horse River area, Fort Steele Mining Division, British Columbia. Assessment Report 28,643.

Klewchuk, P., 2010

Assessment report on trail access construction, trenching and rock geochemistry, Rockies claim block, Wild Horse River area, Fort Steele Mining Division, British Columbia. Assessment Report 31,441.

Klewchuk, P., 2011

Assessment report on airborne geophysics; Spirit Dream, Mag High, Lewis Creek blocks, Fort Steele Mining Division, SE BC, British Columbia Assessment Report.

Kulla, G.K., & Fox, P.E., 1988
 Geochemical report on the Tackle 1 to 4 claims, Fort Steele Mining Division, British Columbia.
 Assessment Report 18,159.

Ransom, P.W., 1991
 1991 Exploration report, Estella property, Fort Steele Mining Division, British Columbia.
 Assessment Report 21,935.

Thompson, R.I., 2010
 Technical report; Geology of the Rocky Mountains claim block, British Columbia. Assessment
 Report 31,437.

6.00 STATEMENT OF EXPENDITURES

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Access trail construction and trenching Tracked excavator, D-6 caterpillar bulldozer and lowbeds; Pighin's Welding Ltd., Cranbrook, B.C. | \$45,532.10 |
| Geologist P. Klewchuk Lay out trails, supervise trail construction and trenching, Trench mapping, rock geochemistry 31 days @ \$597.10/day, includes truck Report 4 days @ \$450/day | 18,510.00 1,800.00 |
| Rock geochemistry; 62 samples @ 25/sample, includes shipping | 1,550.00 |
| Map preparation M. Seabrook 2 days @ \$450/day | 900.00 |
| Permitting trails and drill sites, amendments, liaison with Mines, M. Best, 7.5 days @ \$346.67/day | 2,600.00 |
| Sub-total | \$70,892.10 |
| 12% Administration overhead; Toronto office | 8,507.05 |
| Total Costs | \$79,399.15 |

7.00 AUTHOR'S QUALIFICATIONS

As author of this report I, Peter Klewchuk, certify that:

1. I am an independent consulting geologist with offices at 408 Aspen Road, Kimberley, B.C.
2. I am a graduate geologist with a B. Sc. degree (1969) from the University of British Columbia and an M. Sc. degree (1972) from the University of Calgary.
3. I am a Fellow of the Geological Association of Canada and a member of the Association of Professional Engineers and Geoscientists of British Columbia.
4. I have been actively involved in mining and exploration geology, primarily in the province of British Columbia, for the past 36 years.
5. I have been employed by major mining companies and provincial government geological departments.

Dated at Kimberley, British Columbia this 22nd day of March, 2012.

Peter Klewchuk, P. Geo.

Appendix 1. Rock Sample Descriptions

| Sample Number | Description |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PKDT-01 | 605390E 5510355N Chip sample of upper portion of brecciated quartzite band. Upper, thickest quartzite has most abundant QV. Lensey white QV at 135/40E; spotty limonite may be weathered py. 49ppb Au |
| PKDT-02 | 605390E 5510355N Grab of limonitic altered quartzite along prominent joint or fracture surfaces which form small cliff edges. Site of PKDT-01. <0.5ppb Au. |
| PKDT-03 | 605268E 5510263N Composite sample of chips of broken quartzite material containing limonitic staining and thin QV. 57 ppb Au. |
| PKDT-04 | 605199E 5510312N Grab sample of fault zone; crushed siltstone with thin QV up to 3.5 cm wide. 2740ppb Au |
| PKDT-05 | 605194E 5510333N Chip sample of isolated quartzite band 1.2m wide with irregular thin QV. Some med grained euhedral py. 158ppb Au. |
| PKDT-06 | 605202E 5510333N Chip sample of about 1.5m thickness at HW of quartzite band. Very few thin QV. 16ppb Au. |
| PKDT-07 | 605205E 5510330N Chip sample of quartzite over about 10m with emphasis on thin QV which are quite rare in the quartzite. QV are limonitic, rusty, probably from oxidized py. 4ppb Au. |
| PKDT-08 | 605205E 5510330N Narrow QV at approx 083/84N. White granular quartz with medium orange-brown limonite on fractures. 1ppb Au. |
| PKDT-09 | 605209E 5510305N Chips (grab sample) from bedrock and trench rubble with emphasis on QV which are 3 – 8 mm wide. Relatively few QV (more here than in wider quartzite in gully; site of samples 07 and 08). 62ppb Au. |
| PKDT-10 | 605210E 5510302N Chip sample of 1.5m quartzite band which is more sericitic / argillic altered. Very few QV. 1ppb Au. |
| PKDT-11 | 605268E 5510263N Site of sample 03; Sample is mostly of one 3 cm wide coarse granular QV with clots of py up to 3 cm across. From float rubble in trench. 2086ppb Au. |
| PKDT-12 | 605339E 5510210N Chip /grab sample across 2.5m thick sericitic-altered quartzite band with emphasis on few rare QV. 46ppb Au. |
| PKDT-13 | 605340E 5510205N Northwest 1/3 ('top') of 2m wide band of quartzites. This band of quartzites has more abundant thin quartz veins than most of the quartzites. Irregular, white |

QV, rusty with small clots of py. 303ppb Au.

- PKDT-14 605340E 5510205N Middle 1/3 of 2m wide band of quartzites. 30ppb Au.
- PKDT-15 605340E 5510205N Southern 1/3 of 2m wide band of quartzites. 84ppb Au.
- PKDT-16 605346E 5510182N Grab sample of chips of brecciated quartzite from 10 – 12m width of larger quartzite band. Emphasis on thin QV but they are quite rare. 6ppb Au.
- PKDT-17 605367E 5510136N Grab sample of chips of quartzite from bedrock and trench rubble. Few hairline rusty fractures; only one 4mm wide QV noted. Quartzite band is about 4m wide. 6ppb Au.
- PKDT-18 605456E 5510036N Chip sample over 20 -30 cm at HW portion of quartzite band. Few thin QV. One 4 cm wide band of quartzite at the northwest side of the quartzite unit is more strongly altered with disseminated coarse euhedral py. 44ppb Au.
- PKDT-19 605457E 5510023N Bedding – parallel (or sub-parallel) fault zone between quartzites to NW and argillite to SE. Sample mainly of poddy, coarse, granular QV in fault zone. Medium orange-brown limonite. 3ppb Au.
- PKDT-20 605473E 5509809N Grab sample of limonitic fractures at 277/30N, in quartzite. These fractures are predominantly developed within one quartzite band near the middle of a thicker quartzite sequence. <0.5 ppb Au.
- PKDT-21 605473E 5509809N Sample of 078/70S QV within quartzite. QV are coarse white to almost clear glassy granular quartz with strong dark orange-brown limonite. <0.5ppb Au.
- PKDT-22 605474E 5509913N Random chips of rare QV within quartzite over ~10m thickness of quartzite. 19ppb Au.
- PKDT-23 605464E 5509981N Grab of HW portion of quartzite band; emphasis on few thin QV which have some med to coarse dissem py. 90ppb Au.
- PKDT-24 605464E 5509969N Grab of chips of local concentration of thin QV within quartzite; overall not many QV in quartzite but more abundant at sample site. Glassy gray-white QV with some dissem py. 2ppb Au.
- PKDT-25 605485E 5509656N Grab of chips of brecciated quartzite with emphasis on thin QV. Thin QV are developed mainly in footwall (SE) edge. Sample is over ~2m thickness. 25ppb Au.
- PKDT-26 605385E 5510189N Sample of 264/80N fault zone; sheared, limonitic quartzite with banded quartz veins, manganese and limonite stained. Adjacent quartzites are bleached and argillic / sericitic altered. <0.5ppb Au.
- PKDT-27 605385E 5510189N Grab of quartzites on NW side of fault; emphasis on few cross-cutting QV. 46ppb Au.
- PKDT-28 605025E 5509973N Grab of chips of quartzite with emphasis on rusty fractures and thin QV. Dark orange-brown limonite on fractures and with some QV. 1ppb Au.

- PKDT-29 605192E 5509803N Chip sample of folded quartzite band which is 2 or 3 m thick; emphasis on thin QV. 19ppb Au.
- PKDT-30 605192E 5509798N Chip sample of south end of exposure of sample 30 quartzite; irregular thin QV with dissem py, fracturing with strong dark orange-brown limonite. 2ppb Au
- PKDT-31 604978E 5511987N Grab of chips of relatively few QV at SW end of quartzite exposure. Quartzites are limonitic. 137/65E and 232/86S QV sets. 400ppb Au.
- PKDT-32 604979E 5511988N Chip sample of QV fraction of quartzite over 2-3m immediately NE of sample 31. 57ppb Au.
- PKDT-33 604991E 5512007N Grab of few thin QV (150/60E) in FW section of quartzite band. 72ppb Au.
- PKDT-34 604998E 5512019N Chip sample across 1.2m thick quartzite band with few limonitic fractures, one 3 mm weakly rusty QV. 8ppb Au.
- PKDT-35 605010E 5512012N Chip sample across 2 – 2.5 m thick quartzite with emphasis on thin QV (165/15-22E); oxidized and fresh dissem py. 8ppb Au.
- PKDT-36 605021E 5512021N Chip sample across 1.2m wide quartzite band with emphasis on 2 QV sets (165/28E and 286/80N). Few wider limonitic-spotted QV up to 8mm wide. 5ppb Au.
- PKDT-37 605178E 5511669N West edge of quartzites, at fault zone with argillite (to east); grab of brecciated quartzites over ~50 cm; strong orange-brown limonite, healed brecciation, few thin QV. Minor dissem euhedral cubic py in QV. 13ppb Au.
- PKDT-38 605007E 5512942N Sample from angular boulder with an abundance of QV with one lens of massive pyrite 4 cm by 10 mm wide. Coarse, dissem euhedral cubic py in QV (partly oxidized). Sample of chips of QV, quartzite and massive py. 3ppb Au.
- PKDT-39 605007E 5512942N 5 cm wide white, granular bedding-parallel QV with coarse euhedral py plus coarse py in adjacent altered quartzite. 6ppb Au.
- PKDT-40 605043E 5512928N Grab of few thin QV (at 265/81S) within quartzite band. 75ppb Au.
- PKDT-41 6050054E 5512930N Sample of thin QV (at 284/76S) with rusty dissem py in poorly exposed quartzite. 1ppb Au.
- PKDT-42 605151E 5512891N Rusty pyritic QV (at 336/54W) up to 3mm wide in quartzite. 24ppb Au.
- PKDT-43 605212E 5512856N Sample of single QV from quartzite exposure. 2ppb Au
- PKDT-44 605761E 5513005N Chips of 320/50NE QV in quartzite, with dissem py. 6ppb Au.
- PKDT-45 605099E 5512899N QV in quartzite, with rusty oxidized py, some fresh euhedral py. 2ppb Au.

- PKDT-46 604773E 5512975N Sample of 2 QV (at 090/75S) and massive py lens in very thick 1.1m wide quartzite. 2ppb Au.
- PKDT-47 605763E 5512975N Grab / chips of different QV in middle part of quartzite exposure. Only a few QV, with dissem py; silicified. 1ppb Au.
- PKDT-48 605761E 5512975N Chips off one boulder from bedrock; more brecciated, more veined; gray to white QV, lensey with dissem oxidized py. Quartzite is Silicified. 1ppb Au.
- PKDT-49 605754E 5512975N Chips of QV portion of quartzites near west edge of outcrop area. Not many QV. 2ppb Au.
- PKDT-50 604928E 5512893N Poorly exposed brecciated quartzite with hairline fractures strong orange-brown limonite on fracture surfaces . <0.5ppb Au.
- PKDT-51 6054928E 5512893N Sample of thin QV in quartzite, same location as sample 50. 9ppb Au.
- PKDT-52 605065E 5512774N Sample of angular boulder; series of 2-3 cm wide QV; granular, glassy pale orange stained quartz with oxidized and fresh dissem py and Cpy and PbS. 93ppb Au (and 531ppm Cu, 869ppm Pb).
- PKDT-53 605065E 5512775N Sample from well bedded section of quartzite; few bedding sub-parallel QV; granular pale gray quartz with orange-brown (oxidized py?) limonite. QV trend 288/35N. 47ppb Au.
- PKDT- 54; 605071E 5512769N Sample mostly of one thin bedding-parallel QV; lensey to 1.5 cm thick. Dark orange-brown limonite on both sides of QV. 394ppb Au.
- PKDT-55 605302E 5512848N Sample of thin granular, mottled gray quartz with abundant orange-brown limonite (oxidized py?) within Judy Lou dike. No attitude on QV or dike. 2ppb Au.
- PKDT-56 604865E 5513010N Sample within fault zone in quartzites (?).Whiter coarse granular quartz with irregular patches of dark orange-brown limonite. 1ppb Au.
- PKDT-57 604865E 5513010N Sample within fault zone in quartzites (?). Same site as sample 56. Slightly vuggy coarse quartz vein material ; pale to dark orange-brown stained with dissem py. 21ppb Au.
- PKDT-58 605028E 5512756N Weakly brecciated quartzite with hairline to 2 mm wide QV. Rusty oxidized fracture surfaces, dissem py. Sample includes mostly weak QV and rusty fractures. 3ppb Au.
- PKDT-59 605170E 5512678N Sample from fault zone; sheared argillite; a bit rusty, strongly cleaved, somewhat greenish; may be chloritic. 1ppb Au.
- PKDT-60 604863E 5513008N Sample of QV breccia immediately west of fault. QV have dissem py. Only a few QV; margins are more rusty. Fault zone is 1.2 to 1.5 m wide, mostly crushed argillite and not very altered on east half; west half of fault is rusty with quartz veining and some argillite. 3ppb Au.

PKDT-61 604863E 5513008N 25 cm chip sample of west side of fault (see sample 60); crushed, oxidized rusty material (QV of samples 56 and 57 are more central within fault, on west side of mid-point. 71ppb Au.

PKDT-62 604883E 5513008N Fault zone mostly in argillite; some siltstone and quartzite. 358/30W; fault is flat and may be a thrust. Argillite in fault is rusty in patches. Sample includes QV at 332/90; lensey white QV with rusty margins. 12ppb Au.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Submitted By: Linda Brennan
Receiving Lab: Canada-Vancouver
Received: November 03, 2011
Report Date: November 24, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN11005971.1

CLIENT JOB INFORMATION

Project: Dewdney Trail
Shipment ID:
P.O. Number
Number of Samples: 144

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|---------------------------------------------------|--------------|---------------|-----|
| R200-250 | 142 | Crush, split and pulverize 250 g rock to 200 mesh | | | VAN |
| 1DX3 | 142 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 30 | Completed | VAN |

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PJX Resources Inc.
5600 - 100 King Street West
Toronto ON M5X 1C9
Canada

CC: Peter Klewchuk
Sean Kennedy



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|---------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | MDL | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | % |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| PKDT-01 | Rock | 0.31 | 0.9 | 9.3 | 3.6 | 31 | <0.1 | 7.8 | 4.2 | 672 | 2.23 | 1.0 | 49.0 | 8.9 | 6 | 0.1 | 0.2 | 0.1 | 2 | 0.02 | 0.024 |
| PKDT-02 | Rock | 0.50 | 0.6 | 17.1 | 63.6 | 131 | <0.1 | 10.2 | 6.8 | 352 | 1.87 | 6.4 | <0.5 | 8.0 | 3 | 0.2 | 0.3 | 0.6 | 2 | 0.02 | 0.020 |
| PKDT-03 | Rock | 0.55 | 0.4 | 10.3 | 8.3 | 11 | <0.1 | 8.9 | 5.0 | 341 | 1.44 | 1.6 | 56.8 | 7.9 | 4 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.017 |
| PKDT-04 | Rock | 0.60 | 1.1 | 46.8 | 9.1 | 28 | 0.2 | 15.3 | 10.1 | 425 | 2.43 | 5.0 | 2740 | 11.6 | 7 | 0.1 | 0.3 | 0.4 | 5 | <0.01 | 0.020 |
| PKDT-05 | Rock | 0.39 | 0.5 | 3.7 | 4.0 | 15 | <0.1 | 7.4 | 3.8 | 761 | 1.69 | 2.4 | 157.9 | 5.2 | 32 | 0.3 | 0.1 | 0.2 | 3 | 0.69 | 0.017 |
| PKDT-06 | Rock | 0.53 | 0.3 | 12.0 | 9.9 | 39 | <0.1 | 8.2 | 6.2 | 403 | 1.48 | 2.6 | 15.9 | 8.3 | 5 | <0.1 | 0.1 | 0.3 | <2 | 0.03 | 0.018 |
| PKDT-07 | Rock | 0.48 | 0.8 | 18.4 | 27.4 | 50 | <0.1 | 6.5 | 4.5 | 705 | 1.82 | 2.9 | 4.2 | 7.9 | 6 | 0.2 | 0.1 | 0.5 | 2 | 0.12 | 0.023 |
| PKDT-08 | Rock | 0.39 | 2.5 | 15.2 | 46.8 | 92 | 0.1 | 2.4 | 1.5 | 853 | 1.61 | 2.4 | 0.8 | 1.0 | 2 | 0.2 | 0.2 | 0.3 | <2 | <0.01 | 0.012 |
| PKDT-09 | Rock | 0.59 | 0.4 | 6.4 | 6.6 | 12 | <0.1 | 8.9 | 6.4 | 302 | 1.41 | 4.5 | 62.3 | 9.1 | 6 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.017 |
| PKDT-10 | Rock | 0.59 | 0.5 | 3.7 | 5.9 | 15 | <0.1 | 6.6 | 3.7 | 317 | 1.49 | 1.6 | 1.3 | 8.1 | 4 | <0.1 | 0.1 | 0.1 | <2 | <0.01 | 0.016 |
| PKDT-11 | Rock | 0.64 | 0.6 | 4.8 | 2.8 | 5 | 0.8 | 8.2 | 8.4 | 87 | 4.07 | 0.6 | 2086 | 3.8 | 4 | <0.1 | 0.1 | 0.4 | <2 | <0.01 | 0.007 |
| PKDT-12 | Rock | 0.57 | 0.3 | 6.1 | 3.2 | 15 | <0.1 | 5.8 | 3.1 | 411 | 1.40 | 1.1 | 45.5 | 10.8 | 3 | 0.1 | <0.1 | <0.1 | <2 | <0.01 | 0.019 |
| PKDT-13 | Rock | 0.56 | 1.6 | 7.2 | 3.4 | 8 | <0.1 | 8.9 | 6.3 | 383 | 1.39 | 2.7 | 302.8 | 7.5 | 5 | 0.2 | <0.1 | 0.2 | <2 | <0.01 | 0.014 |
| PKDT-14 | Rock | 0.45 | 1.8 | 24.7 | 2.6 | 16 | <0.1 | 9.1 | 7.2 | 785 | 1.90 | 2.6 | 29.5 | 8.5 | 4 | 0.2 | <0.1 | <0.1 | 3 | <0.01 | 0.020 |
| PKDT-15 | Rock | 0.51 | 6.2 | 26.3 | 7.0 | 12 | <0.1 | 10.5 | 9.1 | 546 | 1.80 | 4.0 | 83.7 | 10.2 | 5 | 0.2 | 0.1 | 0.4 | 3 | 0.01 | 0.018 |
| PKDT-16 | Rock | 0.52 | 0.8 | 11.3 | 1.9 | 10 | <0.1 | 5.0 | 3.1 | 929 | 3.37 | 2.3 | 6.3 | 6.6 | 2 | <0.1 | 0.1 | <0.1 | 3 | <0.01 | 0.021 |
| PKDT-17 | Rock | 0.71 | 0.2 | 18.9 | 8.0 | 14 | <0.1 | 9.9 | 6.5 | 238 | 1.35 | 3.0 | 5.8 | 8.4 | 3 | <0.1 | <0.1 | 0.4 | 3 | 0.01 | 0.019 |
| PKDT-18 | Rock | 0.52 | 0.4 | 162.6 | 67.0 | 71 | 0.2 | 15.8 | 10.0 | 465 | 2.19 | 1.4 | 44.0 | 8.2 | 3 | 0.2 | 0.4 | 0.3 | 2 | <0.01 | 0.023 |
| PKDT-19 | Rock | 0.45 | 0.8 | 19.8 | 3.4 | 15 | <0.1 | 10.3 | 3.9 | 197 | 3.82 | 3.1 | 2.9 | 2.0 | 3 | <0.1 | 0.2 | <0.1 | 2 | <0.01 | 0.029 |
| PKDT-20 | Rock | 0.19 | 0.2 | 26.8 | 9.5 | 22 | <0.1 | 9.0 | 6.2 | 346 | 1.95 | 2.4 | <0.5 | 12.9 | 7 | <0.1 | <0.1 | 0.2 | 3 | 0.04 | 0.021 |
| PKDT-21 | Rock | 0.28 | 0.7 | 8.8 | 23.2 | 13 | 0.2 | 7.2 | 8.2 | 730 | 2.88 | 2.3 | <0.5 | 1.8 | 4 | <0.1 | 0.1 | 1.1 | <2 | <0.01 | 0.006 |
| PKDT-22 | Rock | 0.65 | 0.4 | 8.1 | 10.2 | 36 | <0.1 | 7.6 | 5.7 | 315 | 1.57 | 2.1 | 19.2 | 8.7 | 4 | 0.1 | 0.2 | 0.2 | 2 | <0.01 | 0.016 |
| PKDT-23 | Rock | 0.49 | 2.0 | 18.8 | 4.9 | 24 | <0.1 | 12.4 | 9.2 | 654 | 2.32 | 0.8 | 90.1 | 8.0 | 8 | 0.1 | 0.3 | 0.4 | 4 | 0.03 | 0.022 |
| PKDT-24 | Rock | 0.61 | 0.7 | 2.8 | 2.8 | 17 | <0.1 | 4.8 | 4.3 | 744 | 1.48 | 0.5 | 2.1 | 9.6 | 4 | <0.1 | <0.1 | <0.1 | 2 | <0.01 | 0.016 |
| PKDT-25 | Rock | 0.47 | 0.4 | 7.5 | 7.7 | 27 | <0.1 | 9.8 | 9.8 | 480 | 1.85 | 3.2 | 24.5 | 8.2 | 11 | 0.2 | 0.3 | 0.3 | 3 | 0.08 | 0.017 |
| PKDT-26 | Rock | 0.47 | 1.0 | 22.9 | 4.4 | 32 | <0.1 | 6.7 | 2.9 | 783 | 4.27 | 1.8 | <0.5 | 8.2 | 2 | <0.1 | <0.1 | <0.1 | 3 | <0.01 | 0.023 |
| PKDT-27 | Rock | 0.61 | 0.5 | 185.8 | 12.8 | 32 | 0.2 | 12.0 | 9.1 | 264 | 2.76 | 6.3 | 46.0 | 6.1 | 2 | <0.1 | <0.1 | 0.5 | 2 | <0.01 | 0.017 |
| PKDT-28 | Rock | 0.55 | 1.3 | 22.1 | 8.4 | 13 | <0.1 | 8.4 | 4.9 | 403 | 3.47 | 2.2 | 0.9 | 8.9 | 3 | <0.1 | 0.1 | 0.2 | <2 | 0.01 | 0.022 |
| PKDT-29 | Rock | 0.55 | 0.9 | 9.7 | 10.7 | 28 | <0.1 | 8.8 | 3.7 | 519 | 1.80 | 1.9 | 18.7 | 6.3 | 7 | 0.2 | 0.1 | 0.3 | <2 | 0.15 | 0.028 |
| PKDT-30 | Rock | 0.43 | 1.6 | 16.8 | 6.7 | 99 | <0.1 | 27.2 | 7.8 | 857 | 5.48 | 1.0 | 1.6 | 6.7 | 15 | 0.4 | 0.2 | 0.2 | 9 | 0.13 | 0.077 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | |
|---------|---------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| PKDT-01 | Rock | 26 | 3 | 0.02 | 43 | 0.001 | 1 | 0.20 | 0.078 | 0.02 | <0.1 | <0.01 | 4.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-02 | Rock | 26 | 2 | 0.07 | 46 | <0.001 | 1 | 0.36 | 0.023 | 0.15 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-03 | Rock | 27 | 3 | 0.04 | 70 | 0.001 | 2 | 0.35 | 0.039 | 0.13 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-04 | Rock | 31 | 4 | 0.07 | 82 | 0.003 | 1 | 0.53 | 0.011 | 0.15 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | 1 | <0.5 | 0.4 |
| PKDT-05 | Rock | 12 | 4 | 0.19 | 39 | <0.001 | <1 | 0.19 | 0.057 | 0.06 | <0.1 | <0.01 | 3.8 | <0.1 | 0.23 | <1 | <0.5 | 0.2 |
| PKDT-06 | Rock | 26 | 2 | 0.03 | 60 | <0.001 | <1 | 0.30 | 0.024 | 0.15 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-07 | Rock | 25 | 3 | 0.07 | 106 | 0.001 | 1 | 0.32 | 0.032 | 0.15 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-08 | Rock | 3 | 1 | 0.02 | 76 | <0.001 | <1 | 0.09 | 0.003 | 0.02 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-09 | Rock | 31 | 3 | 0.03 | 64 | <0.001 | 2 | 0.46 | 0.024 | 0.18 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-10 | Rock | 23 | 1 | 0.02 | 41 | <0.001 | <1 | 0.34 | 0.033 | 0.10 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-11 | Rock | 9 | 3 | 0.01 | 94 | <0.001 | <1 | 0.17 | 0.049 | 0.06 | <0.1 | 0.04 | 1.2 | <0.1 | 0.25 | <1 | <0.5 | 1.6 |
| PKDT-12 | Rock | 32 | 2 | 0.02 | 45 | <0.001 | <1 | 0.32 | 0.038 | 0.08 | <0.1 | <0.01 | 2.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-13 | Rock | 24 | 3 | 0.02 | 32 | <0.001 | <1 | 0.30 | 0.079 | 0.02 | <0.1 | <0.01 | 2.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-14 | Rock | 23 | 3 | 0.02 | 55 | <0.001 | <1 | 0.29 | 0.041 | 0.04 | <0.1 | <0.01 | 3.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-15 | Rock | 30 | 4 | 0.03 | 39 | <0.001 | <1 | 0.30 | 0.070 | 0.04 | <0.1 | <0.01 | 3.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-16 | Rock | 18 | 2 | 0.07 | 60 | <0.001 | <1 | 0.31 | 0.012 | 0.11 | <0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-17 | Rock | 28 | 4 | 0.08 | 59 | <0.001 | <1 | 0.46 | 0.043 | 0.15 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-18 | Rock | 30 | 1 | 0.03 | 40 | <0.001 | <1 | 0.34 | 0.035 | 0.14 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-19 | Rock | 2 | 4 | 0.01 | 11 | <0.001 | <1 | 0.17 | 0.010 | 0.04 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-20 | Rock | 33 | 3 | 0.06 | 48 | 0.003 | 1 | 0.33 | 0.029 | 0.20 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-21 | Rock | 5 | 3 | 0.03 | 31 | <0.001 | <1 | 0.15 | 0.007 | 0.05 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-22 | Rock | 26 | 2 | 0.02 | 33 | <0.001 | <1 | 0.25 | 0.041 | 0.09 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-23 | Rock | 28 | 4 | 0.04 | 39 | <0.001 | <1 | 0.28 | 0.046 | 0.10 | 0.1 | <0.01 | 2.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-24 | Rock | 29 | 2 | 0.03 | 47 | <0.001 | <1 | 0.30 | 0.037 | 0.06 | <0.1 | <0.01 | 2.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-25 | Rock | 23 | 3 | 0.05 | 35 | 0.001 | <1 | 0.25 | 0.046 | 0.11 | 0.1 | <0.01 | 2.2 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT-26 | Rock | 28 | 3 | 0.05 | 62 | <0.001 | <1 | 0.32 | 0.006 | 0.20 | <0.1 | <0.01 | 3.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-27 | Rock | 19 | 2 | 0.03 | 67 | 0.001 | 1 | 0.39 | 0.008 | 0.24 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT-28 | Rock | 20 | 1 | 0.06 | 37 | <0.001 | <1 | 0.24 | 0.005 | 0.17 | <0.1 | <0.01 | 1.3 | <0.1 | 0.09 | <1 | <0.5 | <0.2 |
| PKDT-29 | Rock | 18 | 1 | 0.02 | 53 | <0.001 | <1 | 0.21 | 0.057 | 0.06 | <0.1 | <0.01 | 2.4 | <0.1 | 0.06 | <1 | <0.5 | <0.2 |
| PKDT-30 | Rock | 21 | 7 | 0.09 | 94 | 0.003 | <1 | 0.40 | 0.025 | 0.25 | <0.1 | <0.01 | 3.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | MDL | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| MCPX11-80 | Rock | 0.47 | 0.2 | 1.6 | 1.5 | 9 | <0.1 | 7.4 | 2.0 | 712 | 3.28 | 4.8 | 260.4 | 12.1 | 7 | <0.1 | 0.2 | <0.1 | 9 | 0.26 | 0.015 |
| MCPX11-81 | Rock | 0.39 | 0.4 | 15.3 | 12.9 | 66 | <0.1 | 15.2 | 6.0 | 60 | 3.10 | 30.0 | 2.9 | 17.1 | 5 | <0.1 | 0.5 | 0.3 | 8 | 0.03 | 0.028 |
| SKPX11-197 | Rock | 1.11 | 16.2 | 14.0 | 16.4 | 30 | 0.1 | 7.6 | 3.9 | 482 | 2.53 | 2.8 | 78.4 | 6.9 | 6 | 0.3 | 0.3 | 0.3 | <2 | <0.01 | 0.009 |
| SKPX11-198 | Rock | 1.10 | 0.9 | 25.4 | 6.6 | 17 | <0.1 | 11.6 | 6.5 | 295 | 2.07 | 1.8 | 10.2 | 6.5 | 21 | 0.1 | 0.2 | 1.8 | 3 | 0.25 | 0.016 |
| SKPX11-199 | Rock | 0.63 | 1.0 | 12.3 | 15.8 | 36 | <0.1 | 19.4 | 17.4 | 532 | 2.41 | 13.0 | 4.4 | 6.4 | 7 | 0.3 | 1.1 | 1.0 | <2 | 0.04 | 0.017 |
| SKPX11-200 | Rock | 0.69 | 1.4 | 2.8 | 1.9 | 11 | <0.1 | 5.7 | 3.9 | 241 | 1.18 | <0.5 | <0.5 | 6.2 | 4 | 0.1 | 0.1 | 0.1 | <2 | 0.01 | 0.011 |
| SKPX11-201 | Rock | 0.35 | 2.7 | 4.6 | 7.2 | 72 | <0.1 | 25.0 | 15.5 | 1258 | 4.56 | 0.6 | 1.0 | 20.8 | 27 | 0.1 | 0.3 | 0.3 | 13 | 0.05 | 0.040 |
| SKPX11-202 | Rock | 0.66 | 0.5 | 2.2 | 7.7 | 26 | <0.1 | 8.2 | 5.4 | 821 | 1.60 | <0.5 | 35.2 | 6.0 | 34 | 0.3 | 0.1 | 0.2 | 3 | 1.21 | 0.011 |
| SKPX11-203 | Rock | 0.51 | 0.5 | 6.3 | 4.9 | 36 | <0.1 | 5.7 | 3.8 | 558 | 1.44 | <0.5 | 42.3 | 5.5 | 12 | 0.1 | <0.1 | 0.2 | 2 | 0.03 | 0.018 |
| SKPX11-204 | Rock | 0.42 | 0.4 | 7.3 | 4.1 | 22 | <0.1 | 7.3 | 3.8 | 121 | 1.87 | <0.5 | 14.9 | 7.4 | 3 | <0.1 | 0.4 | 0.1 | 5 | 0.02 | 0.027 |
| SKPX11-205 | Rock | 0.53 | 1.1 | 19.5 | 11.2 | 8 | 0.3 | 5.1 | 2.3 | 37 | 2.15 | 9.3 | 488.4 | 14.1 | 13 | <0.1 | 0.7 | 1.2 | 5 | <0.01 | 0.029 |
| SKPX11-206 | Rock | 0.78 | 0.7 | 6.2 | 4.7 | 14 | 0.5 | 10.2 | 4.9 | 200 | 1.84 | 4.3 | 2716 | 5.5 | 4 | <0.1 | 0.3 | 0.3 | 3 | 0.01 | 0.008 |
| SKPX11-207 | Rock | 0.73 | 0.2 | 1.9 | 2.6 | 10 | <0.1 | 6.4 | 8.9 | 176 | 0.79 | 3.6 | 17.6 | 8.2 | 6 | <0.1 | 0.2 | 0.1 | <2 | 0.05 | 0.014 |
| SKPX11-208 | Rock | 0.52 | 0.7 | 11.6 | 8.0 | 20 | <0.1 | 13.3 | 9.0 | 366 | 2.55 | 3.8 | 22.1 | 14.7 | 9 | <0.1 | 0.5 | 0.9 | 4 | 0.47 | 0.012 |
| SKPX11-209 | Rock | 0.54 | 0.1 | 65.1 | 19.5 | 20 | 0.1 | 6.3 | 2.2 | 33 | 1.07 | 2.1 | 28.1 | 11.4 | 29 | <0.1 | 0.4 | 0.5 | 8 | 0.03 | 0.039 |
| SKPX11-219 | Rock | 0.77 | 1.1 | 317.1 | 279.1 | 44 | 5.9 | 34.0 | 13.3 | 803 | 17.20 | 225.9 | 15.8 | 2.4 | 2 | <0.1 | 43.6 | 18.2 | 4 | 0.01 | <0.001 |
| SKPX11-220 | Rock | 0.49 | 9.1 | 2689 | 2631 | 368 | 54.2 | 2.6 | 0.8 | 48 | 0.78 | 126.4 | 131.6 | 0.3 | 6 | 25.2 | 1536 | 0.6 | <2 | 0.01 | 0.006 |
| SKPX11-221 | Rock | 0.51 | 1.3 | 83.1 | 22.0 | 138 | 0.2 | 22.5 | 11.6 | 323 | 8.60 | 10.4 | <0.5 | 11.2 | 4 | 0.2 | 4.8 | 0.4 | 7 | <0.01 | 0.021 |
| SKPX11-233 | Rock | 1.75 | 0.4 | 1123 | 1215 | 38 | 0.9 | 96.3 | 40.1 | 829 | 4.51 | 6.0 | 618.1 | 2.3 | 9 | 0.2 | 8.2 | 0.7 | 139 | 0.11 | 0.035 |
| SKPX11-234 | Rock | 1.03 | 0.8 | 35.0 | 43.9 | 17 | <0.1 | 19.8 | 6.1 | 618 | 1.80 | 3.9 | 1.0 | 9.4 | 5 | 0.2 | 0.9 | 0.2 | 5 | <0.01 | 0.014 |
| SKPX11-235 | Rock | 1.34 | 0.3 | 17.3 | 18.3 | 14 | <0.1 | 9.7 | 4.4 | 293 | 1.49 | 2.3 | <0.5 | 9.8 | 4 | <0.1 | 0.8 | 0.3 | 3 | <0.01 | 0.013 |
| SKPX11-236 | Rock | 1.63 | 1.4 | 6.1 | 3.4 | 13 | <0.1 | 8.2 | 6.0 | 299 | 1.82 | 2.0 | 18.1 | 7.7 | 3 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.011 |
| SKPX11-237 | Rock | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. |
| SKPX11-238 | Rock | 1.88 | 0.4 | 6.8 | 6.6 | 9 | <0.1 | 7.1 | 5.4 | 385 | 1.32 | <0.5 | 7.2 | 11.1 | 8 | <0.1 | 0.5 | 0.2 | 3 | 0.03 | 0.017 |
| SKPX11-239 | Rock | 1.12 | 0.4 | 9.3 | 3.5 | 9 | <0.1 | 8.5 | 6.5 | 212 | 1.26 | 1.3 | 11.8 | 8.1 | 4 | <0.1 | <0.1 | 0.3 | 2 | <0.01 | 0.009 |
| SKPX11-240 | Rock | 1.76 | 0.4 | 20.4 | 3.9 | 14 | <0.1 | 8.7 | 7.6 | 263 | 2.06 | 5.0 | 1.8 | 10.8 | 3 | <0.1 | 0.3 | 0.3 | 3 | <0.01 | 0.016 |
| SKPX11-241 | Rock | 1.28 | 0.4 | 11.6 | 1.8 | 9 | <0.1 | 7.3 | 7.3 | 255 | 1.31 | 1.8 | <0.5 | 10.2 | 4 | <0.1 | 0.1 | 0.3 | 2 | <0.01 | 0.014 |
| SKPX11-242 | Rock | 1.82 | 0.4 | 9.4 | 4.4 | 15 | 1.2 | 10.9 | 9.2 | 314 | 2.16 | 3.7 | 6710 | 9.6 | 4 | <0.1 | 0.2 | 0.6 | <2 | <0.01 | 0.015 |
| SKPX11-243 | Rock | 1.15 | 0.5 | 14.4 | 4.8 | 10 | <0.1 | 9.3 | 5.4 | 240 | 1.79 | 2.5 | 7.7 | 10.9 | 3 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.014 |
| SKPX11-244 | Rock | 1.29 | 0.3 | 3.8 | 6.7 | 8 | <0.1 | 6.7 | 6.5 | 340 | 0.97 | 3.4 | 31.2 | 9.8 | 3 | <0.1 | 0.3 | 0.2 | 2 | <0.01 | 0.013 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| MCPX11-80 | Rock | 33 | 7 | 0.16 | 36 | <0.001 | <1 | 0.20 | 0.051 | 0.01 | <0.1 | <0.01 | 11.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| MCPX11-81 | Rock | 45 | 11 | 0.51 | 67 | 0.001 | <1 | 1.40 | 0.004 | 0.26 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | 3 | <0.5 | <0.2 |
| SKPX11-197 | Rock | 13 | 2 | 0.01 | 12 | <0.001 | <1 | 0.12 | 0.076 | 0.01 | <0.1 | <0.01 | 5.0 | <0.1 | 0.60 | <1 | <0.5 | 0.3 |
| SKPX11-198 | Rock | 11 | 3 | 0.08 | 73 | 0.001 | 1 | 0.28 | 0.031 | 0.19 | <0.1 | <0.01 | 1.0 | <0.1 | 0.42 | <1 | <0.5 | <0.2 |
| SKPX11-199 | Rock | 14 | 4 | 0.01 | 14 | 0.002 | <1 | 0.13 | 0.098 | <0.01 | <0.1 | <0.01 | 4.1 | <0.1 | 0.48 | <1 | <0.5 | <0.2 |
| SKPX11-200 | Rock | 17 | 3 | 0.01 | 16 | <0.001 | <1 | 0.12 | 0.081 | 0.01 | <0.1 | <0.01 | 2.2 | <0.1 | 0.13 | <1 | <0.5 | <0.2 |
| SKPX11-201 | Rock | 26 | 16 | 0.29 | 561 | 0.004 | <1 | 0.88 | 0.025 | 0.39 | <0.1 | <0.01 | 3.9 | 0.1 | <0.05 | 2 | <0.5 | <0.2 |
| SKPX11-202 | Rock | 13 | 4 | 0.24 | 500 | 0.003 | <1 | 0.16 | 0.079 | 0.05 | 0.1 | <0.01 | 3.1 | <0.1 | 0.23 | <1 | <0.5 | <0.2 |
| SKPX11-203 | Rock | 18 | 4 | 0.02 | 600 | 0.002 | <1 | 0.13 | 0.080 | 0.03 | 0.3 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-204 | Rock | 20 | 3 | 0.03 | 40 | 0.001 | <1 | 0.39 | 0.041 | 0.17 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-205 | Rock | 32 | 4 | 0.02 | 70 | <0.001 | 2 | 0.38 | 0.024 | 0.25 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | 0.3 |
| SKPX11-206 | Rock | 17 | 4 | 0.01 | 32 | <0.001 | 1 | 0.16 | 0.068 | 0.04 | <0.1 | <0.01 | 1.7 | <0.1 | 0.17 | <1 | <0.5 | <0.2 |
| SKPX11-207 | Rock | 26 | 4 | 0.01 | 36 | <0.001 | <1 | 0.22 | 0.087 | 0.09 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-208 | Rock | 32 | 4 | 0.05 | 69 | 0.002 | 1 | 0.32 | 0.043 | 0.21 | 0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-209 | Rock | 22 | 1 | <0.01 | 23 | 0.001 | 2 | 0.41 | 0.126 | 0.12 | <0.1 | 0.05 | 1.1 | <0.1 | 0.16 | <1 | <0.5 | <0.2 |
| SKPX11-219 | Rock | <1 | 2 | 0.08 | 10 | <0.001 | <1 | 0.06 | 0.008 | 0.02 | <0.1 | 0.02 | 1.3 | <0.1 | 0.71 | <1 | <0.5 | <0.2 |
| SKPX11-220 | Rock | <1 | 3 | <0.01 | 11 | <0.001 | <1 | 0.02 | 0.007 | <0.01 | <0.1 | 0.69 | <0.1 | <0.1 | 0.25 | <1 | <0.5 | 1.3 |
| SKPX11-221 | Rock | 28 | 4 | 0.02 | 55 | <0.001 | <1 | 0.61 | 0.012 | 0.27 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-233 | Rock | 13 | 150 | 2.16 | 52 | 0.002 | <1 | 2.41 | <0.001 | 0.08 | 0.5 | 0.01 | 6.4 | <0.1 | <0.05 | 5 | <0.5 | <0.2 |
| SKPX11-234 | Rock | 30 | 7 | 0.07 | 62 | <0.001 | <1 | 0.53 | 0.047 | 0.11 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-235 | Rock | 33 | 4 | 0.05 | 61 | <0.001 | <1 | 0.58 | 0.034 | 0.20 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-236 | Rock | 25 | 4 | 0.03 | 43 | <0.001 | <1 | 0.39 | 0.049 | 0.10 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-237 | Rock | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. |
| SKPX11-238 | Rock | 36 | 4 | 0.05 | 53 | <0.001 | <1 | 0.37 | 0.040 | 0.14 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-239 | Rock | 28 | 3 | 0.03 | 46 | <0.001 | <1 | 0.38 | 0.033 | 0.15 | <0.1 | <0.01 | 0.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-240 | Rock | 38 | 3 | 0.04 | 57 | 0.001 | <1 | 0.42 | 0.020 | 0.22 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-241 | Rock | 37 | 3 | 0.02 | 56 | 0.001 | <1 | 0.34 | 0.021 | 0.18 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-242 | Rock | 33 | 3 | 0.02 | 61 | <0.001 | <1 | 0.37 | 0.035 | 0.14 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-243 | Rock | 33 | 3 | 0.06 | 51 | <0.001 | <1 | 0.43 | 0.016 | 0.19 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-244 | Rock | 31 | 3 | 0.02 | 46 | <0.001 | <1 | 0.26 | 0.048 | 0.11 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| SKPX11-245 | Rock | 1.02 | 0.9 | 4.3 | 6.3 | 37 | <0.1 | 11.3 | 8.5 | 243 | 1.90 | 1.6 | 5.2 | 14.5 | 3 | <0.1 | 0.1 | 0.2 | 3 | <0.01 | 0.017 |
| SKPX11-246 | Rock | 0.85 | 0.6 | 5.6 | 5.5 | 31 | <0.1 | 15.6 | 7.9 | 194 | 2.37 | 3.6 | 7.5 | 10.3 | 3 | <0.1 | 0.2 | 0.3 | 2 | <0.01 | 0.016 |
| SKPX11-247 | Rock | 1.00 | 0.6 | 3.7 | 3.9 | 16 | <0.1 | 7.8 | 5.5 | 252 | 1.41 | 2.6 | 0.6 | 11.1 | 4 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.015 |
| SKPX11-248 | Rock | 0.95 | 1.3 | 5.1 | 4.6 | 26 | <0.1 | 8.3 | 6.7 | 255 | 2.18 | 4.4 | <0.5 | 9.9 | 3 | <0.1 | 0.2 | 0.2 | 3 | <0.01 | 0.016 |
| SKPX11-249 | Rock | 1.08 | 0.9 | 6.8 | 4.0 | 18 | <0.1 | 16.1 | 8.7 | 145 | 1.75 | 7.6 | 7.9 | 8.6 | 4 | <0.1 | 0.2 | 0.6 | 4 | <0.01 | 0.015 |
| SKPX11-250 | Rock | 1.53 | 1.0 | 27.5 | 10.7 | 31 | <0.1 | 20.3 | 13.6 | 204 | 2.46 | 12.7 | 3.0 | 9.8 | 4 | <0.1 | 0.2 | 0.5 | 3 | <0.01 | 0.021 |
| SKPX11-251 | Rock | 0.98 | 1.1 | 3.1 | 3.0 | 15 | <0.1 | 12.7 | 8.2 | 205 | 2.17 | 6.1 | 8.2 | 8.5 | 5 | <0.1 | 0.2 | 0.3 | 4 | <0.01 | 0.016 |
| SKPX11-252 | Rock | 0.78 | 0.8 | 2.3 | 3.7 | 11 | <0.1 | 9.8 | 5.6 | 248 | 1.23 | 3.3 | 3.4 | 8.9 | 6 | <0.1 | 0.2 | 0.2 | 3 | 0.02 | 0.014 |
| SKPX11-253 | Rock | 0.86 | 0.8 | 4.7 | 5.3 | 17 | <0.1 | 12.7 | 8.9 | 284 | 1.94 | 4.5 | 35.3 | 8.8 | 5 | <0.1 | 0.2 | 0.2 | 5 | 0.01 | 0.015 |
| SKPX11-254 | Rock | 1.27 | 0.5 | 4.0 | 3.2 | 14 | <0.1 | 10.2 | 5.3 | 200 | 1.94 | 2.9 | 13.3 | 7.1 | 3 | <0.1 | 0.2 | 0.3 | 2 | 0.02 | 0.017 |
| SKPX11-255 | Rock | 1.37 | 0.6 | 3.1 | 3.8 | 9 | <0.1 | 8.0 | 4.8 | 168 | 1.35 | 1.8 | 4.6 | 7.7 | 3 | <0.1 | 0.1 | 0.2 | 3 | <0.01 | 0.013 |
| SKPX11-256 | Rock | 1.19 | 0.4 | 1.6 | 2.8 | 8 | <0.1 | 7.7 | 5.7 | 196 | 1.34 | 2.1 | 7.8 | 6.5 | 3 | <0.1 | 0.1 | 0.1 | 2 | <0.01 | 0.013 |
| SKPX11-257 | Rock | 0.94 | 0.7 | 15.2 | 3.6 | 19 | <0.1 | 9.9 | 5.3 | 137 | 2.21 | 2.2 | <0.5 | 10.8 | 3 | <0.1 | 0.1 | 0.1 | 3 | <0.01 | 0.022 |
| SKPX11-258 | Rock | 1.10 | 1.7 | 25.4 | 3.5 | 26 | <0.1 | 13.2 | 8.0 | 158 | 2.18 | 5.6 | 2.1 | 9.2 | 2 | <0.1 | 0.2 | 0.2 | <2 | <0.01 | 0.019 |
| SKPX11-259 | Rock | 1.30 | 1.1 | 11.9 | 5.8 | 31 | <0.1 | 12.7 | 7.1 | 444 | 1.55 | 3.1 | 0.7 | 5.6 | 3 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.014 |
| SKPX11-260 | Rock | 1.37 | 0.8 | 13.3 | 17.8 | 30 | <0.1 | 11.2 | 7.6 | 420 | 1.54 | 3.9 | <0.5 | 8.6 | 2 | <0.1 | <0.1 | 0.4 | 2 | <0.01 | 0.015 |
| SKPX11-261 | Rock | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. |
| SKPX11-262 | Rock | 1.11 | 1.0 | 77.5 | 11.6 | 37 | <0.1 | 7.4 | 6.4 | 411 | 2.53 | 4.0 | 1.8 | 8.2 | 3 | <0.1 | 0.1 | 0.1 | 3 | <0.01 | 0.018 |
| SKPX11-263 | Rock | 1.27 | 0.9 | 6.6 | 101.1 | 23 | <0.1 | 14.5 | 11.6 | 363 | 2.23 | 8.2 | <0.5 | 8.0 | 2 | <0.1 | 0.2 | 0.2 | 2 | <0.01 | 0.018 |
| SKPX11-264 | Rock | 1.42 | 0.7 | 5.3 | 31.5 | 26 | <0.1 | 8.4 | 7.4 | 313 | 1.82 | 5.1 | 1.3 | 9.1 | 3 | <0.1 | 0.1 | 0.3 | 3 | <0.01 | 0.015 |
| SKPX11-265 | Rock | 1.04 | 0.6 | 3.1 | 6.1 | 10 | <0.1 | 12.0 | 9.7 | 175 | 1.90 | 6.9 | <0.5 | 7.6 | 3 | <0.1 | 0.1 | 0.2 | <2 | 0.01 | 0.015 |
| SKPX11-266 | Rock | 1.07 | 0.7 | 2.2 | 3.2 | 9 | <0.1 | 12.2 | 11.6 | 194 | 1.38 | 7.9 | <0.5 | 7.6 | 3 | <0.1 | 0.2 | 0.2 | 2 | <0.01 | 0.015 |
| SKPX11-267 | Rock | 1.05 | 0.6 | 2.2 | 4.5 | 6 | <0.1 | 15.2 | 12.1 | 131 | 1.75 | 15.3 | 0.7 | 7.4 | 4 | <0.1 | 0.3 | 0.3 | <2 | 0.04 | 0.027 |
| SKPX11-268 | Rock | 1.14 | 0.4 | 2.2 | 3.6 | 6 | <0.1 | 11.2 | 8.8 | 142 | 1.35 | 6.3 | <0.5 | 6.7 | 2 | <0.1 | 0.3 | 0.2 | <2 | <0.01 | 0.015 |
| SKPX11-269 | Rock | 1.99 | 0.8 | 2.3 | 2.9 | 9 | <0.1 | 15.2 | 8.2 | 347 | 1.92 | 4.3 | <0.5 | 9.1 | 3 | <0.1 | 0.1 | 0.2 | 3 | <0.01 | 0.019 |
| SKPX11-270 | Rock | 1.57 | 2.4 | 5.2 | 4.2 | 8 | <0.1 | 21.1 | 12.2 | 139 | 1.49 | 11.9 | 14.2 | 14.5 | 16 | <0.1 | 0.3 | 0.6 | 4 | <0.01 | 0.018 |
| SKPX11-272 | Rock | 1.40 | 0.5 | 8.9 | 9.0 | 22 | <0.1 | 10.8 | 7.7 | 330 | 2.46 | 9.7 | 15.9 | 8.2 | 3 | <0.1 | <0.1 | 0.2 | <2 | <0.01 | 0.019 |
| SKPX11-273 | Rock | 1.38 | 0.6 | 4.4 | 2.0 | 11 | <0.1 | 8.2 | 4.3 | 273 | 1.66 | 2.6 | 64.0 | 5.7 | 4 | <0.1 | <0.1 | 0.1 | 2 | 0.02 | 0.013 |
| SKPX11-274 | Rock | 1.12 | 1.0 | 8.7 | 2.8 | 15 | <0.1 | 8.4 | 6.3 | 297 | 2.36 | 4.1 | 20.1 | 8.9 | 3 | <0.1 | <0.1 | 0.1 | 2 | 0.01 | 0.020 |
| SKPX11-275 | Rock | 1.50 | 0.7 | 3.0 | 2.1 | 12 | <0.1 | 9.0 | 5.1 | 237 | 1.78 | 3.3 | 126.0 | 6.7 | 3 | <0.1 | <0.1 | 0.1 | <2 | <0.01 | 0.014 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | Unit | MDL | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | | |
|------------|---------|------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| | | | | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| SKPX11-245 | Rock | | | 42 | 3 | 0.05 | 75 | <0.001 | 1 | 0.46 | 0.020 | 0.22 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-246 | Rock | | | 30 | 3 | 0.04 | 61 | 0.001 | <1 | 0.37 | 0.031 | 0.16 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-247 | Rock | | | 36 | 3 | 0.03 | 65 | <0.001 | <1 | 0.34 | 0.039 | 0.14 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-248 | Rock | | | 24 | 4 | 0.04 | 67 | <0.001 | <1 | 0.36 | 0.024 | 0.20 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-249 | Rock | | | 28 | 4 | 0.06 | 57 | 0.001 | <1 | 0.38 | 0.041 | 0.15 | <0.1 | <0.01 | 0.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-250 | Rock | | | 32 | 4 | 0.05 | 73 | 0.002 | <1 | 0.41 | 0.028 | 0.21 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-251 | Rock | | | 25 | 5 | 0.05 | 47 | <0.001 | <1 | 0.32 | 0.063 | 0.10 | 0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-252 | Rock | | | 34 | 4 | 0.03 | 52 | 0.001 | <1 | 0.28 | 0.072 | 0.09 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-253 | Rock | | | 33 | 4 | 0.07 | 59 | 0.002 | <1 | 0.36 | 0.058 | 0.11 | 0.2 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-254 | Rock | | | 24 | 2 | 0.04 | 43 | <0.001 | <1 | 0.24 | 0.022 | 0.13 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-255 | Rock | | | 28 | 4 | 0.03 | 45 | <0.001 | <1 | 0.27 | 0.041 | 0.14 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-256 | Rock | | | 23 | 2 | 0.02 | 39 | <0.001 | <1 | 0.21 | 0.034 | 0.10 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-257 | Rock | | | 37 | 3 | 0.03 | 73 | <0.001 | <1 | 0.42 | 0.019 | 0.27 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-258 | Rock | | | 32 | 2 | 0.02 | 56 | <0.001 | <1 | 0.30 | 0.014 | 0.18 | <0.1 | <0.01 | 0.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-259 | Rock | | | 21 | 6 | 0.02 | 58 | <0.001 | <1 | 0.34 | 0.038 | 0.10 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-260 | Rock | | | 30 | 2 | 0.02 | 64 | <0.001 | <1 | 0.29 | 0.020 | 0.15 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-261 | Rock | | | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. |
| SKPX11-262 | Rock | | | 33 | 4 | 0.03 | 75 | <0.001 | <1 | 0.36 | 0.019 | 0.23 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-263 | Rock | | | 33 | 2 | 0.03 | 63 | <0.001 | <1 | 0.32 | 0.024 | 0.16 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-264 | Rock | | | 34 | 2 | 0.03 | 78 | <0.001 | <1 | 0.38 | 0.025 | 0.21 | <0.1 | <0.01 | 1.2 | 0.2 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-265 | Rock | | | 32 | 2 | 0.05 | 66 | <0.001 | <1 | 0.32 | 0.029 | 0.15 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-266 | Rock | | | 31 | 4 | 0.02 | 75 | <0.001 | <1 | 0.37 | 0.044 | 0.14 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-267 | Rock | | | 31 | 2 | 0.02 | 60 | <0.001 | <1 | 0.29 | 0.031 | 0.12 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-268 | Rock | | | 29 | 3 | 0.02 | 56 | <0.001 | <1 | 0.32 | 0.037 | 0.15 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-269 | Rock | | | 32 | 3 | 0.02 | 51 | <0.001 | <1 | 0.31 | 0.075 | 0.06 | <0.1 | <0.01 | 3.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-270 | Rock | | | 44 | 4 | 0.01 | 103 | <0.001 | <1 | 0.50 | 0.045 | 0.17 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-272 | Rock | | | 26 | 2 | 0.02 | 59 | <0.001 | <1 | 0.24 | 0.023 | 0.14 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-273 | Rock | | | 17 | 5 | 0.02 | 54 | <0.001 | <1 | 0.21 | 0.044 | 0.12 | <0.1 | <0.01 | 1.9 | <0.1 | 0.10 | <1 | <0.5 | <0.2 |
| SKPX11-274 | Rock | | | 27 | 2 | 0.03 | 76 | <0.001 | <1 | 0.29 | 0.031 | 0.19 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-275 | Rock | | | 22 | 4 | 0.02 | 46 | <0.001 | <1 | 0.24 | 0.059 | 0.11 | <0.1 | <0.01 | 1.9 | <0.1 | 0.09 | <1 | <0.5 | <0.2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | MDL | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| SKPX11-276 | Rock | 1.25 | 0.7 | 1.7 | 1.8 | 14 | <0.1 | 5.4 | 5.4 | 183 | 1.38 | 2.1 | 544.8 | 8.8 | 3 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | 0.016 |
| SKPX11-277 | Rock | 1.76 | 1.3 | 2.3 | 1.7 | 10 | <0.1 | 7.3 | 5.4 | 228 | 1.15 | 4.3 | 87.3 | 6.7 | 4 | <0.1 | <0.1 | <0.1 | <2 | 0.01 | 0.014 |
| SKPX11-278 | Rock | 1.20 | 0.5 | 6.7 | 4.0 | 19 | <0.1 | 8.3 | 8.1 | 205 | 1.95 | 4.8 | 25.2 | 8.2 | 7 | <0.1 | <0.1 | 0.2 | <2 | 0.10 | 0.018 |
| SKPX11-279 | Rock | 1.18 | 0.5 | 7.2 | 4.5 | 20 | <0.1 | 9.0 | 7.2 | 239 | 1.65 | 8.1 | 36.2 | 6.1 | 2 | <0.1 | <0.1 | 0.2 | 2 | <0.01 | 0.015 |
| SKPX11-280 | Rock | 1.70 | 0.7 | 30.2 | 3.1 | 19 | <0.1 | 8.0 | 6.9 | 211 | 1.71 | 4.7 | 43.0 | 9.6 | 3 | <0.1 | <0.1 | <0.1 | <2 | 0.01 | 0.020 |
| SKPX11-281 | Rock | 1.98 | 0.6 | 7.6 | 3.7 | 15 | <0.1 | 11.3 | 6.4 | 359 | 1.58 | 5.3 | 66.5 | 7.5 | 10 | <0.1 | <0.1 | 0.1 | 3 | 0.31 | 0.015 |
| SKPX11-282 | Rock | 1.28 | 0.3 | 69.6 | 37.4 | 35 | <0.1 | 8.8 | 5.5 | 215 | 1.49 | 5.5 | 20.1 | 6.7 | 3 | <0.1 | <0.1 | 0.2 | <2 | 0.02 | 0.015 |
| SKPX11-283 | Rock | 1.99 | 0.4 | 8.4 | 7.7 | 34 | <0.1 | 7.5 | 5.7 | 245 | 1.56 | 6.5 | 92.1 | 7.8 | 3 | <0.1 | <0.1 | 0.1 | <2 | 0.01 | 0.015 |
| SKPX11-284 | Rock | 1.87 | 0.4 | 4.5 | 4.7 | 16 | <0.1 | 7.3 | 5.4 | 254 | 1.68 | 2.1 | 62.4 | 9.9 | 6 | <0.1 | <0.1 | <0.1 | 3 | 0.03 | 0.017 |
| SKPX11-285 | Rock | 1.72 | 0.3 | 5.3 | 11.6 | 39 | <0.1 | 5.3 | 5.0 | 391 | 1.10 | 2.1 | 9.1 | 12.1 | 4 | 0.1 | <0.1 | <0.1 | <2 | 0.08 | 0.015 |
| SKPX11-286 | Rock | 1.47 | 0.3 | 2.3 | 29.6 | 55 | <0.1 | 7.2 | 5.9 | 995 | 1.60 | 1.2 | 7.4 | 14.0 | 6 | 0.2 | <0.1 | 0.1 | 3 | 0.86 | 0.014 |
| SKPX11-287 | Rock | 1.63 | 0.4 | 17.2 | 10.7 | 19 | <0.1 | 11.2 | 6.6 | 172 | 2.04 | 5.7 | 3.0 | 9.0 | 3 | <0.1 | 0.1 | 0.2 | <2 | 0.01 | 0.021 |
| SKPX11-288 | Rock | 1.25 | 1.2 | 16.3 | 12.4 | 32 | <0.1 | 14.3 | 9.1 | 220 | 2.48 | 5.0 | 14.4 | 7.5 | 3 | <0.1 | 0.1 | 0.2 | 3 | 0.02 | 0.018 |
| SKPX11-289 | Rock | 1.58 | 0.4 | 4.3 | 3.3 | 13 | <0.1 | 6.8 | 6.7 | 413 | 1.50 | 1.9 | 12.5 | 7.1 | 9 | <0.1 | <0.1 | <0.1 | <2 | 0.38 | 0.015 |
| SKPX11-290 | Rock | 0.91 | 0.5 | 7.2 | 3.5 | 19 | <0.1 | 8.0 | 6.4 | 336 | 1.64 | 0.6 | 5.4 | 9.9 | 6 | <0.1 | <0.1 | 0.1 | 3 | 0.19 | 0.019 |
| SKPX11-291 | Rock | 1.06 | 0.6 | 12.7 | 5.2 | 19 | <0.1 | 12.5 | 6.8 | 269 | 1.50 | 3.8 | 9.2 | 4.5 | 5 | 0.1 | 0.3 | 0.3 | 4 | 0.02 | 0.014 |
| SKPX11-292 | Rock | 1.45 | 0.5 | 6.6 | 4.2 | 14 | <0.1 | 6.6 | 6.0 | 270 | 1.14 | 0.8 | 45.6 | 7.1 | 6 | <0.1 | 0.1 | 0.3 | 5 | 0.03 | 0.015 |
| SKPX11-293 | Rock | 1.90 | 0.8 | 12.8 | 4.6 | 27 | 0.2 | 10.4 | 8.1 | 282 | 1.56 | 1.2 | 239.5 | 7.7 | 12 | <0.1 | 0.1 | 0.3 | 6 | 0.04 | 0.020 |
| SKPX11-294 | Rock | 1.57 | 0.7 | 14.9 | 2.6 | 14 | <0.1 | 7.6 | 6.2 | 238 | 1.32 | 1.5 | 21.5 | 8.7 | 6 | <0.1 | <0.1 | 0.2 | 6 | 0.04 | 0.019 |
| SKPX11-295 | Rock | 0.86 | 0.3 | 6.3 | 2.1 | 9 | 0.1 | 4.7 | 4.2 | 218 | 1.10 | 0.7 | 584.1 | 5.7 | 5 | <0.1 | <0.1 | 0.2 | 4 | 0.02 | 0.016 |
| SKPX11-296 | Rock | 1.15 | 1.0 | 6.1 | 2.5 | 14 | <0.1 | 7.6 | 4.0 | 388 | 1.41 | 2.4 | 42.6 | 6.7 | 13 | 0.1 | 0.2 | 0.2 | 5 | 0.38 | 0.017 |
| SKPX11-297 | Rock | 1.35 | 0.5 | 14.3 | 3.3 | 22 | <0.1 | 8.0 | 6.0 | 351 | 2.08 | 2.7 | 8.6 | 5.2 | 4 | <0.1 | 0.1 | 0.2 | 5 | 0.02 | 0.017 |
| SKPX11-298 | Rock | 1.69 | 0.7 | 15.9 | 7.0 | 39 | <0.1 | 7.2 | 6.6 | 459 | 1.84 | 2.6 | 11.6 | 6.2 | 3 | <0.1 | <0.1 | 0.2 | 6 | 0.01 | 0.015 |
| SKPX11-299 | Rock | 0.79 | 1.0 | 19.6 | 20.7 | 35 | <0.1 | 8.0 | 7.4 | 273 | 1.70 | 5.7 | 5.4 | 6.2 | 3 | 0.1 | 0.1 | 0.4 | 4 | 0.01 | 0.018 |
| SKPX11-300 | Rock | 1.34 | 6.4 | 19.3 | 11.2 | 32 | <0.1 | 17.2 | 11.5 | 985 | 2.79 | 8.0 | 341.7 | 12.3 | 8 | 0.2 | 0.3 | 0.6 | 9 | 0.01 | 0.020 |
| SKPX11-301 | Rock | 1.40 | 3.5 | 8.0 | 7.2 | 19 | 0.1 | 10.2 | 5.9 | 509 | 1.82 | 4.5 | 715.6 | 8.4 | 6 | 0.2 | 0.1 | 0.4 | 5 | 0.03 | 0.021 |
| SKPX11-302 | Rock | 0.98 | 1.2 | 17.1 | 26.8 | 106 | <0.1 | 12.9 | 7.4 | 717 | 2.48 | 2.0 | 166.9 | 10.3 | 6 | 0.3 | 0.1 | 0.3 | 7 | 0.02 | 0.019 |
| SKPX11-303 | Rock | 0.80 | 0.2 | 7.8 | 7.9 | 8 | <0.1 | 7.2 | 6.6 | 220 | 1.23 | 5.7 | 12.9 | 4.3 | 2 | <0.1 | 0.4 | 0.2 | 4 | <0.01 | 0.011 |
| SKPX11-304 | Rock | 0.76 | 0.3 | 7.5 | 10.5 | 13 | <0.1 | 8.0 | 4.9 | 251 | 1.64 | 3.6 | 4.1 | 5.0 | 3 | <0.1 | 0.1 | 0.2 | 5 | <0.01 | 0.014 |
| SKPX11-305 | Rock | 1.96 | 0.1 | 1.3 | 3.4 | 9 | <0.1 | 6.9 | 4.5 | 268 | 0.95 | 2.5 | 2.9 | 6.4 | 8 | <0.1 | 0.2 | <0.1 | 3 | <0.01 | 0.009 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | Unit | MDL | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | | |
|------------|---------|------|-----|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| | | | | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| SKPX11-276 | Rock | | | 28 | 2 | 0.02 | 57 | <0.001 | <1 | 0.27 | 0.022 | 0.16 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-277 | Rock | | | 22 | 4 | <0.01 | 34 | <0.001 | <1 | 0.20 | 0.079 | 0.05 | <0.1 | <0.01 | 2.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-278 | Rock | | | 29 | 2 | 0.06 | 68 | <0.001 | <1 | 0.29 | 0.027 | 0.18 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-279 | Rock | | | 22 | 4 | 0.02 | 64 | <0.001 | <1 | 0.29 | 0.025 | 0.17 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-280 | Rock | | | 25 | 2 | 0.04 | 61 | <0.001 | <1 | 0.29 | 0.015 | 0.18 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-281 | Rock | | | 25 | 5 | 0.07 | 170 | <0.001 | <1 | 0.31 | 0.031 | 0.18 | <0.1 | <0.01 | 1.7 | <0.1 | 0.17 | <1 | <0.5 | <0.2 |
| SKPX11-282 | Rock | | | 21 | 2 | 0.04 | 84 | <0.001 | <1 | 0.28 | 0.021 | 0.14 | <0.1 | <0.01 | 1.0 | <0.1 | 0.08 | <1 | <0.5 | <0.2 |
| SKPX11-283 | Rock | | | 25 | 4 | 0.02 | 89 | <0.001 | <1 | 0.30 | 0.022 | 0.17 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-284 | Rock | | | 32 | 4 | 0.02 | 292 | 0.001 | <1 | 0.31 | 0.031 | 0.19 | <0.1 | <0.01 | 1.2 | <0.1 | 0.05 | 1 | <0.5 | <0.2 |
| SKPX11-285 | Rock | | | 37 | 2 | 0.03 | 60 | <0.001 | <1 | 0.26 | 0.009 | 0.17 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-286 | Rock | | | 33 | 4 | 0.03 | 101 | <0.001 | <1 | 0.25 | 0.006 | 0.20 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-287 | Rock | | | 28 | 2 | 0.03 | 46 | <0.001 | <1 | 0.30 | 0.013 | 0.16 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-288 | Rock | | | 19 | 5 | 0.13 | 80 | 0.001 | <1 | 0.56 | 0.026 | 0.24 | <0.1 | <0.01 | 1.1 | <0.1 | 0.13 | 1 | <0.5 | <0.2 |
| SKPX11-289 | Rock | | | 24 | 2 | 0.09 | 44 | <0.001 | <1 | 0.25 | 0.033 | 0.12 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-290 | Rock | | | 32 | 4 | 0.05 | 124 | 0.002 | <1 | 0.37 | 0.023 | 0.23 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-291 | Rock | | | 16 | 1 | 0.03 | 47 | <0.001 | 2 | 0.19 | 0.024 | 0.09 | <0.1 | <0.01 | 0.9 | <0.1 | 0.07 | <1 | 0.8 | <0.2 |
| SKPX11-292 | Rock | | | 24 | 5 | 0.02 | 171 | 0.004 | <1 | 0.23 | 0.039 | 0.11 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | 0.7 | <0.2 |
| SKPX11-293 | Rock | | | 25 | 3 | 0.06 | 513 | 0.006 | <1 | 0.27 | 0.026 | 0.12 | 0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | 0.3 |
| SKPX11-294 | Rock | | | 31 | 5 | 0.03 | 219 | 0.005 | 2 | 0.29 | 0.037 | 0.15 | 0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | 0.6 | <0.2 |
| SKPX11-295 | Rock | | | 21 | 2 | 0.02 | 249 | 0.003 | <1 | 0.19 | 0.028 | 0.07 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | 0.2 |
| SKPX11-296 | Rock | | | 20 | 4 | 0.07 | 50 | 0.001 | 1 | 0.20 | 0.047 | 0.08 | <0.1 | <0.01 | 2.1 | <0.1 | 0.06 | <1 | <0.5 | <0.2 |
| SKPX11-297 | Rock | | | 22 | 2 | 0.03 | 47 | 0.001 | <1 | 0.25 | 0.031 | 0.09 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-298 | Rock | | | 24 | 4 | 0.06 | 56 | <0.001 | <1 | 0.34 | 0.025 | 0.16 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-299 | Rock | | | 25 | 1 | 0.04 | 46 | <0.001 | 1 | 0.26 | 0.023 | 0.12 | <0.1 | <0.01 | 0.9 | <0.1 | <0.05 | <1 | 1.0 | <0.2 |
| SKPX11-300 | Rock | | | 42 | 5 | 0.06 | 145 | <0.001 | 1 | 0.41 | 0.033 | 0.17 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | <1 | <0.5 | 0.2 |
| SKPX11-301 | Rock | | | 29 | 2 | 0.03 | 53 | <0.001 | <1 | 0.26 | 0.026 | 0.09 | <0.1 | 0.01 | 1.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-302 | Rock | | | 28 | 4 | 0.05 | 74 | <0.001 | <1 | 0.35 | 0.010 | 0.18 | <0.1 | <0.01 | 2.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-303 | Rock | | | 18 | 1 | 0.02 | 35 | <0.001 | <1 | 0.30 | 0.028 | 0.07 | <0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | 0.8 | <0.2 |
| SKPX11-304 | Rock | | | 22 | 3 | 0.06 | 45 | <0.001 | <1 | 0.43 | 0.032 | 0.12 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-305 | Rock | | | 23 | 2 | <0.01 | 23 | <0.001 | <1 | 0.26 | 0.050 | 0.02 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | 0.5 | <0.2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca |
| Unit | MDL | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| SKPX11-306 | Rock | 1.50 | 0.6 | 14.1 | 5.4 | 12 | <0.1 | 13.7 | 8.6 | 644 | 2.00 | 3.1 | 6.1 | 5.9 | 4 | <0.1 | 0.2 | 0.2 | 7 | <0.01 | 0.010 |
| SKPX11-307 | Rock | 0.77 | 3.7 | 25.2 | 8.1 | 13 | <0.1 | 11.0 | 9.8 | 211 | 1.31 | 3.0 | 62.3 | 4.4 | 9 | <0.1 | 0.4 | 0.3 | 3 | <0.01 | 0.008 |
| SKPX11-308 | Rock | 1.03 | 1.6 | 10.7 | 6.6 | 21 | <0.1 | 14.3 | 8.6 | 174 | 1.93 | 2.7 | 12.7 | 6.9 | 4 | <0.1 | <0.1 | 0.2 | 5 | <0.01 | 0.015 |
| SKPX11-309 | Rock | 1.00 | 0.3 | 8.6 | 8.5 | 9 | <0.1 | 7.9 | 4.7 | 209 | 1.48 | 5.3 | 2.0 | 7.4 | 2 | <0.1 | <0.1 | 0.2 | 4 | <0.01 | 0.012 |
| SKPX11-310 | Rock | 1.20 | 0.7 | 3.9 | 5.1 | 16 | <0.1 | 9.2 | 4.4 | 693 | 1.68 | 2.4 | 15.0 | 7.5 | 10 | 0.3 | <0.1 | <0.1 | 6 | 0.66 | 0.018 |
| SKPX11-311 | Rock | 1.02 | 0.2 | 6.9 | 6.2 | 12 | <0.1 | 8.0 | 4.6 | 415 | 1.64 | 5.1 | 2.1 | 6.4 | 3 | <0.1 | <0.1 | 0.2 | 5 | 0.09 | 0.016 |
| SKPX11-312 | Rock | 0.70 | 0.4 | 13.7 | 11.5 | 28 | <0.1 | 9.2 | 5.3 | 284 | 2.43 | 5.2 | 1.6 | 8.1 | 3 | <0.1 | <0.1 | 0.2 | 7 | <0.01 | 0.018 |
| SKPX11-313 | Rock | 1.49 | 0.4 | 18.7 | 6.7 | 31 | <0.1 | 7.0 | 5.5 | 283 | 1.63 | 1.7 | 23.4 | 10.9 | 6 | <0.1 | <0.1 | 0.2 | 5 | 0.02 | 0.015 |
| SKPX11-314 | Rock | 1.81 | 0.4 | 6.2 | 6.7 | 13 | <0.1 | 6.8 | 4.6 | 239 | 1.54 | 2.4 | 27.9 | 11.3 | 3 | <0.1 | 0.2 | 0.1 | 5 | <0.01 | 0.016 |
| SKPX11-315 | Rock | 2.16 | 0.3 | 16.8 | 11.6 | 30 | <0.1 | 7.5 | 5.2 | 235 | 1.40 | 1.6 | 17.6 | 7.0 | 7 | <0.1 | <0.1 | 0.1 | 4 | 0.04 | 0.031 |
| SKPX11-316 | Rock | 1.42 | 0.6 | 3.0 | 4.5 | 14 | <0.1 | 11.8 | 6.1 | 421 | 2.07 | 2.0 | 15.1 | 11.8 | 9 | <0.1 | 0.1 | 0.2 | 6 | 0.12 | 0.013 |
| SKPX11-317 | Rock | 0.77 | 0.3 | 16.2 | 2.8 | 13 | <0.1 | 7.9 | 5.2 | 341 | 2.04 | 1.0 | 18.7 | 7.1 | 5 | <0.1 | <0.1 | 0.2 | 5 | 0.03 | 0.018 |
| SKPX11-318 | Rock | 1.33 | 0.5 | 8.8 | 6.6 | 14 | <0.1 | 11.6 | 5.5 | 244 | 2.35 | 3.3 | 5.7 | 9.4 | 3 | <0.1 | <0.1 | 0.2 | 7 | <0.01 | 0.014 |
| SKPX11-319 | Rock | 0.74 | 0.5 | 18.4 | 9.8 | 16 | <0.1 | 11.3 | 7.0 | 275 | 2.53 | 10.2 | 0.6 | 9.8 | 3 | <0.1 | <0.1 | 0.4 | 7 | <0.01 | 0.015 |
| SKPX11-320 | Rock | 0.83 | 0.1 | 14.2 | 8.3 | 11 | <0.1 | 5.3 | 3.7 | 231 | 1.42 | 3.4 | 0.9 | 6.0 | 2 | <0.1 | <0.1 | 0.3 | 4 | <0.01 | 0.013 |
| SKPX11-321 | Rock | 1.10 | 0.4 | 16.8 | 6.1 | 11 | <0.1 | 6.5 | 4.8 | 431 | 2.65 | 2.8 | <0.5 | 11.2 | 4 | <0.1 | <0.1 | 0.2 | 7 | <0.01 | 0.016 |
| SKPX11-322 | Rock | 0.86 | 0.2 | 4.9 | 16.1 | 8 | <0.1 | 6.7 | 5.0 | 468 | 1.89 | 1.8 | <0.5 | 9.2 | 4 | <0.1 | <0.1 | 0.2 | 5 | 0.01 | 0.016 |
| SKPX11-323 | Rock | 1.01 | 0.3 | 10.5 | 18.4 | 381 | <0.1 | 9.9 | 5.2 | 323 | 1.78 | 2.2 | <0.5 | 6.3 | 5 | 1.2 | <0.1 | 0.2 | 5 | 0.02 | 0.012 |
| SKPX11-324 | Rock | 1.29 | 0.2 | 14.7 | 15.0 | 57 | <0.1 | 7.4 | 4.6 | 312 | 1.83 | 1.5 | 1.3 | 7.0 | 4 | 0.2 | 0.1 | 0.4 | 5 | 0.01 | 0.016 |
| SKPX11-325 | Rock | 0.64 | 1.4 | 20.5 | 43.5 | 148 | <0.1 | 15.8 | 8.1 | 592 | 1.93 | 4.5 | 1.1 | 7.2 | 8 | 1.3 | 0.2 | 0.4 | 5 | 0.66 | 0.010 |
| SKPX11-326 | Rock | 1.13 | 0.3 | 10.0 | 20.8 | 65 | <0.1 | 12.8 | 5.6 | 443 | 2.02 | 4.3 | 1.5 | 8.4 | 3 | 0.2 | 0.1 | 0.2 | 2 | <0.01 | 0.011 |
| SKPX11-327 | Rock | 0.99 | 0.4 | 14.5 | 16.7 | 24 | <0.1 | 8.9 | 7.1 | 300 | 1.83 | 8.0 | 4.1 | 8.8 | 3 | <0.1 | 0.2 | 0.3 | <2 | <0.01 | 0.012 |
| SKPX11-328 | Rock | 0.74 | 0.8 | 114.8 | 9.5 | 135 | <0.1 | 422.3 | 63.2 | 1513 | 9.78 | 4.7 | 0.9 | 1.5 | 52 | 0.2 | 1.4 | 0.2 | 209 | 1.22 | 0.137 |
| SKPX11-329 | Rock | 0.91 | 0.7 | 16.7 | 10.7 | 24 | <0.1 | 20.2 | 8.0 | 543 | 2.48 | 4.5 | 1.2 | 6.9 | 3 | <0.1 | <0.1 | 0.3 | 2 | <0.01 | 0.018 |



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: November 24, 2011

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005971.1

| Method | Analyte | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------|---------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.1 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| SKPX11-306 | Rock | 18 | 4 | 0.01 | 40 | <0.001 | <1 | 0.39 | 0.058 | 0.01 | <0.1 | <0.01 | 5.1 | 0.2 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-307 | Rock | 13 | 2 | <0.01 | 35 | <0.001 | <1 | 0.31 | 0.037 | 0.02 | <0.1 | 0.01 | 1.9 | <0.1 | <0.05 | <1 | 0.5 | <0.2 |
| SKPX11-308 | Rock | 25 | 3 | 0.02 | 51 | <0.001 | <1 | 0.41 | 0.038 | 0.11 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | 0.6 | <0.2 |
| SKPX11-309 | Rock | 28 | 2 | 0.02 | 39 | <0.001 | <1 | 0.27 | 0.026 | 0.09 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-310 | Rock | 29 | 6 | 0.03 | 31 | <0.001 | <1 | 0.22 | 0.065 | 0.03 | <0.1 | <0.01 | 3.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-311 | Rock | 25 | 3 | 0.12 | 37 | <0.001 | <1 | 0.42 | 0.023 | 0.10 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-312 | Rock | 28 | 4 | 0.11 | 45 | <0.001 | 1 | 0.46 | 0.031 | 0.18 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-313 | Rock | 38 | 2 | 0.04 | 39 | <0.001 | <1 | 0.29 | 0.026 | 0.14 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | 0.6 | <0.2 |
| SKPX11-314 | Rock | 39 | 4 | 0.03 | 37 | <0.001 | <1 | 0.32 | 0.037 | 0.11 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-315 | Rock | 25 | 2 | 0.04 | 33 | <0.001 | 1 | 0.29 | 0.036 | 0.09 | 0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-316 | Rock | 38 | 5 | 0.04 | 31 | <0.001 | <1 | 0.28 | 0.063 | 0.07 | <0.1 | <0.01 | 2.6 | <0.1 | <0.05 | <1 | 0.5 | <0.2 |
| SKPX11-317 | Rock | 26 | 2 | 0.03 | 35 | <0.001 | <1 | 0.23 | 0.034 | 0.09 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-318 | Rock | 31 | 4 | 0.12 | 45 | <0.001 | <1 | 0.51 | 0.028 | 0.15 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-319 | Rock | 35 | 4 | 0.10 | 58 | <0.001 | 2 | 0.48 | 0.012 | 0.20 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11-320 | Rock | 24 | 2 | 0.06 | 40 | <0.001 | <1 | 0.39 | 0.018 | 0.11 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-321 | Rock | 37 | 4 | 0.08 | 42 | <0.001 | 2 | 0.40 | 0.005 | 0.19 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-322 | Rock | 26 | 2 | 0.05 | 32 | <0.001 | 1 | 0.31 | 0.021 | 0.09 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-323 | Rock | 21 | 5 | 0.06 | 36 | <0.001 | <1 | 0.33 | 0.034 | 0.12 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-324 | Rock | 29 | 2 | 0.05 | 33 | <0.001 | 1 | 0.30 | 0.034 | 0.11 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-325 | Rock | 21 | 4 | 0.03 | 31 | <0.001 | 2 | 0.24 | 0.033 | 0.09 | <0.1 | 0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-326 | Rock | 29 | 3 | 0.13 | 30 | <0.001 | 2 | 0.43 | 0.024 | 0.10 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-327 | Rock | 29 | 4 | 0.06 | 42 | <0.001 | 1 | 0.39 | 0.031 | 0.13 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-328 | Rock | 16 | 614 | 4.86 | 16 | 0.009 | 1 | 4.78 | <0.001 | 0.01 | <0.1 | <0.01 | 18.0 | <0.1 | <0.05 | 18 | <0.5 | <0.2 |
| SKPX11-329 | Rock | 23 | 6 | 0.08 | 38 | <0.001 | 1 | 0.45 | 0.026 | 0.12 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
Report Date: November 24, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN11005971.1

| Method | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| PKDT-05 | Rock | 0.39 | 0.5 | 3.7 | 4.0 | 15 | <0.1 | 7.4 | 3.8 | 761 | 1.69 | 2.4 | 157.9 | 5.2 | 32 | 0.3 | 0.1 | 0.2 | 3 | 0.69 | 0.017 |
| REP PKDT-05 | QC | | 0.6 | 3.6 | 4.3 | 14 | <0.1 | 6.9 | 4.0 | 776 | 1.71 | 2.3 | 146.3 | 5.4 | 33 | 0.3 | 0.2 | 0.1 | 3 | 0.69 | 0.017 |
| PKDT-22 | Rock | 0.65 | 0.4 | 8.1 | 10.2 | 36 | <0.1 | 7.6 | 5.7 | 315 | 1.57 | 2.1 | 19.2 | 8.7 | 4 | 0.1 | 0.2 | 0.2 | 2 | <0.01 | 0.016 |
| REP PKDT-22 | QC | | 0.3 | 8.2 | 10.6 | 37 | <0.1 | 7.6 | 5.9 | 325 | 1.63 | 2.0 | 5.3 | 8.7 | 4 | <0.1 | 0.2 | 0.2 | 3 | <0.01 | 0.016 |
| SKPX11-200 | Rock | 0.69 | 1.4 | 2.8 | 1.9 | 11 | <0.1 | 5.7 | 3.9 | 241 | 1.18 | <0.5 | <0.5 | 6.2 | 4 | 0.1 | 0.1 | 0.1 | <2 | 0.01 | 0.011 |
| REP SKPX11-200 | QC | | 1.5 | 2.6 | 1.9 | 11 | <0.1 | 5.5 | 3.9 | 236 | 1.13 | <0.5 | <0.5 | 6.2 | 4 | <0.1 | <0.1 | 0.1 | <2 | 0.02 | 0.011 |
| SKPX11-253 | Rock | 0.86 | 0.8 | 4.7 | 5.3 | 17 | <0.1 | 12.7 | 8.9 | 284 | 1.94 | 4.5 | 35.3 | 8.8 | 5 | <0.1 | 0.2 | 0.2 | 5 | 0.01 | 0.015 |
| REP SKPX11-253 | QC | | 0.7 | 4.7 | 5.2 | 17 | <0.1 | 11.8 | 8.6 | 268 | 1.89 | 4.4 | 42.5 | 8.8 | 5 | <0.1 | 0.2 | 0.2 | 5 | 0.01 | 0.014 |
| SKPX11-259 | Rock | 1.30 | 1.1 | 11.9 | 5.8 | 31 | <0.1 | 12.7 | 7.1 | 444 | 1.55 | 3.1 | 0.7 | 5.6 | 3 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.014 |
| REP SKPX11-259 | QC | | 1.1 | 11.5 | 5.5 | 31 | <0.1 | 12.4 | 6.9 | 435 | 1.51 | 3.0 | 1.8 | 5.4 | 3 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.013 |
| SKPX11-279 | Rock | 1.18 | 0.5 | 7.2 | 4.5 | 20 | <0.1 | 9.0 | 7.2 | 239 | 1.65 | 8.1 | 36.2 | 6.1 | 2 | <0.1 | <0.1 | 0.2 | 2 | <0.01 | 0.015 |
| REP SKPX11-279 | QC | | 0.6 | 8.1 | 4.8 | 21 | <0.1 | 10.5 | 8.2 | 267 | 1.88 | 8.6 | 47.0 | 6.5 | 2 | <0.1 | <0.1 | 0.2 | 2 | <0.01 | 0.016 |
| SKPX11-291 | Rock | 1.06 | 0.6 | 12.7 | 5.2 | 19 | <0.1 | 12.5 | 6.8 | 269 | 1.50 | 3.8 | 9.2 | 4.5 | 5 | 0.1 | 0.3 | 0.3 | 4 | 0.02 | 0.014 |
| REP SKPX11-291 | QC | | 0.6 | 13.2 | 5.9 | 21 | <0.1 | 12.5 | 7.1 | 282 | 1.60 | 3.9 | 19.0 | 5.4 | 5 | <0.1 | 0.2 | 0.2 | 4 | 0.02 | 0.016 |
| SKPX11-317 | Rock | 0.77 | 0.3 | 16.2 | 2.8 | 13 | <0.1 | 7.9 | 5.2 | 341 | 2.04 | 1.0 | 18.7 | 7.1 | 5 | <0.1 | <0.1 | 0.2 | 5 | 0.03 | 0.018 |
| REP SKPX11-317 | QC | | 0.3 | 15.9 | 2.6 | 12 | <0.1 | 8.3 | 5.1 | 323 | 2.02 | 0.9 | 14.2 | 6.9 | 5 | <0.1 | <0.1 | 0.1 | 5 | 0.03 | 0.015 |
| SKPX11-326 | Rock | 1.13 | 0.3 | 10.0 | 20.8 | 65 | <0.1 | 12.8 | 5.6 | 443 | 2.02 | 4.3 | 1.5 | 8.4 | 3 | 0.2 | 0.1 | 0.2 | 2 | <0.01 | 0.011 |
| REP SKPX11-326 | QC | | 0.3 | 9.9 | 20.7 | 67 | <0.1 | 12.6 | 5.5 | 445 | 2.02 | 4.3 | 0.8 | 8.3 | 3 | 0.2 | 0.1 | 0.2 | 2 | <0.01 | 0.012 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| PKDT-28 | Rock | 0.55 | 1.3 | 22.1 | 8.4 | 13 | <0.1 | 8.4 | 4.9 | 403 | 3.47 | 2.2 | 0.9 | 8.9 | 3 | <0.1 | 0.1 | 0.2 | <2 | 0.01 | 0.022 |
| DUP PKDT-28 | QC | | 1.1 | 22.9 | 8.6 | 14 | <0.1 | 9.6 | 5.3 | 400 | 3.51 | 2.4 | 1.7 | 9.7 | 4 | <0.1 | 0.1 | 0.3 | 3 | 0.01 | 0.020 |
| SKPX11-247 | Rock | 1.00 | 0.6 | 3.7 | 3.9 | 16 | <0.1 | 7.8 | 5.5 | 252 | 1.41 | 2.6 | 0.6 | 11.1 | 4 | <0.1 | 0.1 | 0.2 | 2 | <0.01 | 0.015 |
| DUP SKPX11-247 | QC | | 0.5 | 3.7 | 4.1 | 16 | <0.1 | 6.8 | 5.3 | 253 | 1.40 | 2.5 | 0.9 | 11.5 | 4 | <0.1 | 0.2 | 0.2 | <2 | <0.01 | 0.015 |
| SKPX11-283 | Rock | 1.99 | 0.4 | 8.4 | 7.7 | 34 | <0.1 | 7.5 | 5.7 | 245 | 1.56 | 6.5 | 92.1 | 7.8 | 3 | <0.1 | <0.1 | 0.1 | <2 | 0.01 | 0.015 |
| DUP SKPX11-283 | QC | | 0.3 | 8.0 | 7.7 | 34 | <0.1 | 6.7 | 5.9 | 249 | 1.51 | 7.0 | 86.2 | 7.9 | 3 | <0.1 | <0.1 | 0.2 | <2 | 0.01 | 0.016 |
| SKPX11-318 | Rock | 1.33 | 0.5 | 8.8 | 6.6 | 14 | <0.1 | 11.6 | 5.5 | 244 | 2.35 | 3.3 | 5.7 | 9.4 | 3 | <0.1 | <0.1 | 0.2 | 7 | <0.01 | 0.014 |
| DUP SKPX11-318 | QC | | 0.3 | 8.6 | 6.1 | 14 | <0.1 | 10.1 | 5.4 | 232 | 2.19 | 3.3 | 6.3 | 8.5 | 3 | <0.1 | <0.1 | 0.2 | 6 | <0.01 | 0.014 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
Report Date: November 24, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN11005971.1

| Method | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | |
|------------------------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | |
| PKDT-05 | Rock | 12 | 4 | 0.19 | 39 | <0.001 | <1 | 0.19 | 0.057 | 0.06 | <0.1 | <0.01 | 3.8 | <0.1 | 0.23 | <1 | <0.5 | 0.2 |
| REP PKDT-05 | QC | 12 | 4 | 0.19 | 38 | <0.001 | <1 | 0.19 | 0.057 | 0.06 | <0.1 | <0.01 | 3.9 | <0.1 | 0.23 | <1 | <0.5 | <0.2 |
| PKDT-22 | Rock | 26 | 2 | 0.02 | 33 | <0.001 | <1 | 0.25 | 0.041 | 0.09 | <0.1 | <0.01 | 1.7 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP PKDT-22 | QC | 26 | 2 | 0.02 | 33 | 0.001 | <1 | 0.25 | 0.044 | 0.09 | <0.1 | <0.01 | 1.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-200 | Rock | 17 | 3 | 0.01 | 16 | <0.001 | <1 | 0.12 | 0.081 | 0.01 | <0.1 | <0.01 | 2.2 | <0.1 | 0.13 | <1 | <0.5 | <0.2 |
| REP SKPX11-200 | QC | 17 | 3 | 0.01 | 15 | <0.001 | <1 | 0.12 | 0.081 | 0.01 | <0.1 | <0.01 | 2.1 | <0.1 | 0.13 | <1 | <0.5 | <0.2 |
| SKPX11-253 | Rock | 33 | 4 | 0.07 | 59 | 0.002 | <1 | 0.36 | 0.058 | 0.11 | 0.2 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP SKPX11-253 | QC | 33 | 4 | 0.07 | 58 | 0.002 | <1 | 0.36 | 0.060 | 0.11 | 0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-259 | Rock | 21 | 6 | 0.02 | 58 | <0.001 | <1 | 0.34 | 0.038 | 0.10 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP SKPX11-259 | QC | 20 | 6 | 0.02 | 57 | <0.001 | <1 | 0.32 | 0.037 | 0.10 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-279 | Rock | 22 | 4 | 0.02 | 64 | <0.001 | <1 | 0.29 | 0.025 | 0.17 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP SKPX11-279 | QC | 22 | 6 | 0.02 | 67 | <0.001 | <1 | 0.30 | 0.026 | 0.18 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-291 | Rock | 16 | 1 | 0.03 | 47 | <0.001 | 2 | 0.19 | 0.024 | 0.09 | <0.1 | <0.01 | 0.9 | <0.1 | 0.07 | <1 | 0.8 | <0.2 |
| REP SKPX11-291 | QC | 18 | 2 | 0.03 | 53 | <0.001 | <1 | 0.20 | 0.026 | 0.09 | <0.1 | <0.01 | 1.0 | <0.1 | 0.08 | <1 | 0.5 | <0.2 |
| SKPX11-317 | Rock | 26 | 2 | 0.03 | 35 | <0.001 | <1 | 0.23 | 0.034 | 0.09 | <0.1 | <0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP SKPX11-317 | QC | 25 | 2 | 0.03 | 35 | <0.001 | <1 | 0.22 | 0.034 | 0.09 | <0.1 | 0.01 | 1.5 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-326 | Rock | 29 | 3 | 0.13 | 30 | <0.001 | 2 | 0.43 | 0.024 | 0.10 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| REP SKPX11-326 | QC | 29 | 3 | 0.14 | 30 | <0.001 | 2 | 0.43 | 0.024 | 0.10 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | |
| PKDT-28 | Rock | 20 | 1 | 0.06 | 37 | <0.001 | <1 | 0.24 | 0.005 | 0.17 | <0.1 | <0.01 | 1.3 | <0.1 | 0.09 | <1 | <0.5 | <0.2 |
| DUP PKDT-28 | QC | 23 | 2 | 0.07 | 43 | 0.001 | 1 | 0.32 | 0.007 | 0.21 | <0.1 | <0.01 | 1.6 | <0.1 | 0.10 | <1 | <0.5 | <0.2 |
| SKPX11-247 | Rock | 36 | 3 | 0.03 | 65 | <0.001 | <1 | 0.34 | 0.039 | 0.14 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| DUP SKPX11-247 | QC | 37 | 3 | 0.03 | 66 | <0.001 | <1 | 0.34 | 0.039 | 0.14 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-283 | Rock | 25 | 4 | 0.02 | 89 | <0.001 | <1 | 0.30 | 0.022 | 0.17 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| DUP SKPX11-283 | QC | 27 | 2 | 0.02 | 89 | <0.001 | <1 | 0.27 | 0.019 | 0.15 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11-318 | Rock | 31 | 4 | 0.12 | 45 | <0.001 | <1 | 0.51 | 0.028 | 0.15 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| DUP SKPX11-318 | QC | 27 | 3 | 0.12 | 38 | 0.001 | <1 | 0.46 | 0.026 | 0.12 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| Reference Materials | | | | | | | | | | | | | | | | | | |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**

5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Project: Dewdney Trail

Report Date: November 24, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN11005971.1

| | | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| STD DS8 | Standard | | 13.1 | 102.6 | 119.7 | 304 | 1.8 | 39.1 | 8.0 | 621 | 2.48 | 24.5 | 108.8 | 6.2 | 58 | 2.2 | 4.7 | 5.7 | 43 | 0.71 | 0.073 |
| STD DS8 | Standard | | 13.0 | 109.0 | 129.6 | 315 | 1.7 | 36.6 | 7.5 | 621 | 2.50 | 25.5 | 113.3 | 7.2 | 66 | 2.2 | 5.2 | 6.3 | 41 | 0.70 | 0.088 |
| STD DS8 | Standard | | 12.9 | 111.6 | 118.1 | 299 | 1.8 | 39.1 | 7.4 | 579 | 2.36 | 22.9 | 102.9 | 7.3 | 67 | 2.3 | 5.6 | 7.3 | 39 | 0.70 | 0.070 |
| STD DS8 | Standard | | 11.9 | 106.4 | 124.2 | 297 | 1.8 | 37.7 | 7.5 | 592 | 2.49 | 24.3 | 117.0 | 6.1 | 63 | 2.5 | 5.3 | 6.8 | 44 | 0.68 | 0.069 |
| STD DS8 | Standard | | 12.4 | 106.9 | 121.0 | 303 | 1.7 | 35.2 | 7.1 | 572 | 2.39 | 25.3 | 113.3 | 6.5 | 60 | 2.2 | 5.0 | 6.1 | 40 | 0.68 | 0.073 |
| STD DS8 Expected | | | 13.44 | 110 | 123 | 312 | 1.69 | 38.1 | 7.5 | 615 | 2.46 | 26 | 107 | 6.89 | 67.7 | 2.38 | 5.7 | 6.67 | 41.1 | 0.7 | 0.08 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | <0.01 | 0.2 | 2.2 | 4.5 | 47 | <0.1 | 2.7 | 3.9 | 566 | 1.95 | <0.5 | <0.5 | 5.9 | 61 | <0.1 | <0.1 | <0.1 | 36 | 0.46 | 0.082 |
| G1 | Prep Blank | <0.01 | 0.1 | 2.2 | 3.8 | 47 | <0.1 | 2.2 | 3.7 | 551 | 1.88 | <0.5 | <0.5 | 5.6 | 58 | <0.1 | <0.1 | <0.1 | 35 | 0.45 | 0.076 |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: PJX Resources Inc.
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail

Report Date: November 24, 2011

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

VAN11005971.1

| | | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------------|------------|-------|-------|--------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 |
| STD DS8 | Standard | 14 | 121 | 0.61 | 270 | 0.104 | 2 | 0.92 | 0.087 | 0.43 | 2.9 | 0.18 | 2.0 | 5.4 | 0.17 | 5 | 4.7 | 4.7 |
| STD DS8 | Standard | 15 | 115 | 0.62 | 286 | 0.120 | 2 | 0.94 | 0.087 | 0.41 | 3.0 | 0.19 | 2.3 | 5.6 | 0.16 | 5 | 5.2 | 5.4 |
| STD DS8 | Standard | 14 | 118 | 0.58 | 244 | 0.126 | 2 | 0.87 | 0.081 | 0.40 | 2.8 | 0.20 | 1.8 | 5.0 | 0.16 | 4 | 4.6 | 4.7 |
| STD DS8 | Standard | 13 | 114 | 0.61 | 257 | 0.101 | 2 | 0.89 | 0.079 | 0.41 | 2.9 | 0.20 | 2.1 | 5.2 | 0.16 | 4 | 5.7 | 4.8 |
| STD DS8 | Standard | 14 | 104 | 0.60 | 253 | 0.116 | 3 | 0.90 | 0.082 | 0.40 | 2.7 | 0.20 | 2.0 | 5.1 | 0.16 | 4 | 4.4 | 4.6 |
| STD DS8 Expected | | 14.6 | 115 | 0.6045 | 279 | 0.113 | 2.6 | 0.93 | 0.0883 | 0.41 | 3 | 0.192 | 2.3 | 5.4 | 0.1679 | 4.7 | 5.23 | 5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| Prep Wash | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | 12 | 5 | 0.50 | 170 | 0.115 | 2 | 0.87 | 0.078 | 0.45 | <0.1 | <0.01 | 2.1 | 0.3 | <0.05 | 5 | <0.5 | <0.2 |
| G1 | Prep Blank | 11 | 4 | 0.49 | 163 | 0.112 | 2 | 0.86 | 0.075 | 0.44 | <0.1 | <0.01 | 2.1 | 0.3 | <0.05 | 5 | <0.5 | <0.2 |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **PJX Resources Inc.**
5600 - 100 King Street West
Toronto ON M5X 1C9 Canada

Submitted By: Linda Brennan
Receiving Lab: Canada-Vancouver
Received: November 15, 2011
Report Date: December 06, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN11006166.1

CLIENT JOB INFORMATION

Project: Dewdney Trail
Shipment ID:
P.O. Number
Number of Samples: 69

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|---------------------------------------------------|--------------|---------------|-----|
| R200-250 | 68 | Crush, split and pulverize 250 g rock to 200 mesh | | | VAN |
| 1DX3 | 68 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 30 | Completed | VAN |

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: PJX Resources Inc.
5600 - 100 King Street West
Toronto ON M5X 1C9
Canada

CC: John Keating
Sean Kennedy
Craig Kennedy
Peter Klewchuk & Michael Seabrook



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method Analyte | Unit | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|-------------------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| MDL | | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| SKPX11 328 | Rock | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. |
| SKPX11 330 | Rock | 0.97 | 1.9 | 7.3 | 3.0 | 20 | <0.1 | 14.1 | 12.3 | 275 | 2.21 | 16.5 | 13.6 | 7.9 | 5 | <0.1 | 0.2 | 0.5 | 4 | 0.02 | 0.016 |
| SKPX11 331 | Rock | 1.25 | 3.3 | 28.7 | 9.4 | 17 | 0.1 | 12.7 | 6.0 | 748 | 2.48 | 16.0 | 70.6 | 5.2 | 7 | 0.3 | 0.3 | 0.6 | 2 | 0.04 | 0.015 |
| SKPX11 332 | Rock | 1.14 | 4.5 | 29.4 | 58.5 | 148 | 0.1 | 29.1 | 12.1 | 789 | 3.99 | 11.9 | 12.8 | 7.6 | 10 | 0.8 | 1.0 | 0.6 | 15 | 0.08 | 0.039 |
| SKPX11 333 | Rock | 1.14 | 1.7 | 9.0 | 3.6 | 31 | <0.1 | 9.8 | 9.4 | 317 | 2.48 | 5.1 | 11.1 | 10.5 | 6 | 0.1 | 0.1 | 0.3 | 6 | 0.04 | 0.018 |
| SKPX11 334 | Rock | 1.39 | 2.1 | 6.4 | 5.7 | 33 | <0.1 | 19.6 | 14.6 | 379 | 2.35 | 13.6 | 23.5 | 7.8 | 5 | 0.2 | 0.4 | 0.6 | 6 | 0.01 | 0.016 |
| SKPX11 335 | Rock | 1.29 | 5.4 | 14.1 | 3.4 | 27 | <0.1 | 12.1 | 9.9 | 251 | 2.07 | 7.0 | 40.9 | 7.0 | 5 | <0.1 | 0.2 | 0.4 | 4 | 0.01 | 0.017 |
| SKPX11 336 | Rock | 1.21 | 1.5 | 13.3 | 6.8 | 22 | <0.1 | 17.3 | 13.9 | 181 | 1.79 | 9.1 | 18.5 | 7.5 | 4 | 0.1 | 0.6 | 1.4 | 2 | 0.01 | 0.020 |
| SKPX11 337 | Rock | 1.17 | 1.4 | 21.8 | 6.0 | 28 | <0.1 | 12.0 | 8.8 | 292 | 2.12 | 5.8 | 8.4 | 10.3 | 4 | 0.2 | 0.3 | 0.6 | 3 | 0.02 | 0.025 |
| SKPX11 338A | Rock | 1.04 | 0.2 | 1.1 | 1.7 | 10 | <0.1 | 2.3 | 2.1 | 105 | 0.61 | <0.5 | 3.4 | 6.7 | 2 | <0.1 | <0.1 | 0.1 | <2 | 0.02 | 0.008 |
| SKPX11 338B | Rock | 1.58 | 1.3 | 17.6 | 5.1 | 35 | <0.1 | 14.9 | 12.1 | 200 | 2.10 | 4.9 | 7.7 | 9.0 | 4 | 0.1 | 0.3 | 0.5 | 3 | 0.01 | 0.020 |
| SKPX11 339 | Rock | 1.11 | 2.0 | 5.2 | 3.8 | 23 | <0.1 | 8.2 | 5.7 | 223 | 1.75 | 2.0 | 59.1 | 13.2 | 4 | 0.1 | 0.1 | 0.3 | 4 | <0.01 | 0.020 |
| SKPX11 340 | Rock | 1.31 | 1.6 | 5.0 | 2.5 | 21 | <0.1 | 7.0 | 5.3 | 140 | 1.60 | 5.6 | 6.5 | 6.0 | 4 | <0.1 | <0.1 | 0.3 | 2 | 0.02 | 0.018 |
| SKPX11 341 | Rock | 1.26 | 8.2 | 3.0 | 3.5 | 19 | <0.1 | 8.3 | 6.3 | 331 | 1.37 | 3.3 | 39.4 | 9.7 | 8 | 0.1 | 0.2 | 0.3 | 2 | 0.08 | 0.017 |
| SKPX11 342 | Rock | 0.89 | 8.1 | 14.6 | 4.1 | 24 | <0.1 | 10.1 | 6.3 | 523 | 1.85 | 1.7 | 158.6 | 10.8 | 9 | 0.3 | 0.1 | 0.2 | <2 | 0.09 | 0.018 |
| SKPX11 343 | Rock | 0.89 | 10.1 | 40.6 | 19.6 | 56 | 0.1 | 31.7 | 12.2 | 914 | 2.45 | 4.3 | 5.6 | 9.0 | 7 | 0.2 | 0.4 | 0.4 | 2 | 0.06 | 0.040 |
| SKPX11 344 | Rock | 0.58 | 1.9 | 19.9 | 16.5 | 42 | <0.1 | 14.5 | 9.5 | 433 | 2.31 | 6.6 | 11.3 | 11.4 | 4 | <0.1 | 0.5 | 0.4 | 6 | 0.01 | 0.018 |
| SKPX11 345 | Rock | 1.11 | 2.5 | 13.8 | 11.5 | 22 | <0.1 | 17.9 | 9.7 | 515 | 2.23 | 7.2 | 23.4 | 5.2 | 4 | 0.2 | 0.6 | 0.3 | 3 | 0.01 | 0.013 |
| SKPX11 346 | Rock | 1.90 | 0.8 | 6.6 | 8.9 | 19 | <0.1 | 11.4 | 6.7 | 654 | 1.89 | 4.4 | 4.9 | 5.4 | 8 | 0.1 | 0.5 | 0.2 | <2 | 0.06 | 0.013 |
| SKPX11 347 | Rock | 0.69 | 1.6 | 44.9 | 25.4 | 41 | <0.1 | 35.1 | 27.1 | 1664 | 2.87 | 13.5 | 1.9 | 4.2 | 28 | 0.2 | 1.1 | 0.8 | <2 | 2.15 | 0.017 |
| SKPX11 348 | Rock | 0.77 | 2.4 | 822.0 | 203.4 | 36 | 0.9 | 20.5 | 14.6 | 593 | 2.29 | 8.7 | 65.6 | 11.6 | 5 | 0.2 | 0.5 | 1.4 | 3 | 0.04 | 0.025 |
| SKPX11 349 | Rock | 0.89 | 0.5 | 29.7 | 2.0 | 14 | <0.1 | 7.4 | 4.0 | 264 | 1.17 | 0.9 | 23.9 | 7.6 | 4 | <0.1 | <0.1 | <0.1 | 4 | 0.01 | 0.015 |
| SKPX11 350 | Rock | 1.28 | 0.4 | 19.3 | 2.8 | 14 | <0.1 | 8.2 | 7.1 | 338 | 1.65 | 2.3 | 22.5 | 7.2 | 11 | <0.1 | <0.1 | 0.2 | 3 | 0.60 | 0.017 |
| SKPX11 351 | Rock | 1.05 | 0.7 | 3.7 | 3.3 | 25 | <0.1 | 13.3 | 5.9 | 309 | 2.16 | 2.1 | 4.3 | 9.0 | 2 | <0.1 | 0.1 | 0.2 | 3 | <0.01 | 0.014 |
| SKPX11 352 | Rock | 0.85 | 0.7 | 2.3 | 3.4 | 11 | <0.1 | 6.6 | 5.2 | 360 | 1.45 | 1.8 | 13.7 | 7.5 | 4 | <0.1 | <0.1 | 0.2 | <2 | 0.02 | 0.015 |
| PKDT 31 | Rock | 0.45 | 1.7 | 4.5 | 4.1 | 15 | <0.1 | 7.8 | 5.0 | 355 | 1.51 | 2.9 | 399.5 | 6.2 | 6 | 0.1 | 0.1 | 0.5 | 2 | 0.01 | 0.014 |
| PKDT 32 | Rock | 0.50 | 1.6 | 4.9 | 5.6 | 18 | <0.1 | 10.5 | 6.8 | 254 | 1.68 | 3.6 | 57.4 | 5.6 | 5 | <0.1 | 0.2 | 0.3 | <2 | <0.01 | 0.015 |
| PKDT 33 | Rock | 0.51 | 5.6 | 22.8 | 4.2 | 24 | <0.1 | 9.6 | 3.7 | 557 | 1.64 | 0.8 | 71.6 | 14.0 | 5 | 0.2 | 0.1 | 0.2 | 3 | 0.02 | 0.012 |
| PKDT 34 | Rock | 0.54 | 3.8 | 15.2 | 3.6 | 28 | <0.1 | 6.6 | 3.1 | 590 | 1.24 | 0.7 | 8.0 | 8.1 | 6 | 0.2 | 0.2 | <0.1 | 2 | 0.02 | 0.015 |
| PKDT 35 | Rock | 0.60 | 1.2 | 4.8 | 3.9 | 18 | <0.1 | 7.0 | 3.8 | 588 | 1.31 | 1.9 | 7.7 | 6.8 | 5 | 0.1 | 0.2 | <0.1 | <2 | 0.01 | 0.009 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method Analyte Unit MDL | | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|----------------------------------|------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|-----------|-----------|-----------|--------|-----------|-----------|-----------|
| | | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Hg ppm | Sc ppm | Tl ppm | S % | Ga ppm | Se ppm | Te ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| SKPX11 328 | Rock | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | L.N.R. | |
| SKPX11 330 | Rock | 25 | 3 | 0.04 | 55 | 0.003 | 1 | 0.37 | 0.049 | 0.21 | 0.1 | <0.01 | 2.3 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| SKPX11 331 | Rock | 14 | 3 | 0.04 | 61 | 0.001 | 1 | 0.24 | 0.075 | 0.07 | <0.1 | <0.01 | 3.9 | 0.1 | 0.27 | <1 | <0.5 | <0.2 |
| SKPX11 332 | Rock | 16 | 7 | 0.39 | 77 | 0.005 | <1 | 0.86 | 0.041 | 0.28 | 0.6 | <0.01 | 3.8 | 0.1 | 1.00 | 3 | <0.5 | <0.2 |
| SKPX11 333 | Rock | 35 | 5 | 0.08 | 61 | 0.009 | 1 | 0.40 | 0.042 | 0.27 | 0.9 | <0.01 | 2.3 | <0.1 | 0.06 | 1 | <0.5 | <0.2 |
| SKPX11 334 | Rock | 24 | 5 | 0.09 | 47 | 0.003 | <1 | 0.42 | 0.059 | 0.13 | 0.1 | <0.01 | 2.6 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11 335 | Rock | 22 | 3 | 0.04 | 52 | 0.004 | <1 | 0.28 | 0.046 | 0.17 | <0.1 | <0.01 | 1.6 | <0.1 | 0.10 | <1 | <0.5 | <0.2 |
| SKPX11 336 | Rock | 22 | 3 | 0.05 | 82 | 0.002 | <1 | 0.36 | 0.036 | 0.19 | <0.1 | <0.01 | 1.3 | <0.1 | 0.25 | <1 | <0.5 | <0.2 |
| SKPX11 337 | Rock | 30 | 3 | 0.11 | 66 | 0.001 | <1 | 0.52 | 0.017 | 0.19 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11 338A | Rock | 19 | 3 | 0.03 | 45 | 0.002 | 1 | 0.22 | 0.043 | 0.04 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11 338B | Rock | 22 | 3 | 0.07 | 58 | 0.001 | <1 | 0.46 | 0.035 | 0.17 | <0.1 | <0.01 | 1.6 | <0.1 | 0.11 | <1 | <0.5 | <0.2 |
| SKPX11 339 | Rock | 36 | 3 | 0.06 | 56 | 0.002 | 1 | 0.45 | 0.027 | 0.22 | 0.2 | <0.01 | 1.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11 340 | Rock | 18 | 3 | 0.03 | 40 | 0.003 | <1 | 0.28 | 0.043 | 0.17 | <0.1 | <0.01 | 1.3 | <0.1 | 0.05 | <1 | <0.5 | <0.2 |
| SKPX11 341 | Rock | 22 | 3 | 0.04 | 87 | 0.002 | <1 | 0.20 | 0.078 | 0.08 | <0.1 | <0.01 | 2.3 | <0.1 | 0.16 | <1 | <0.5 | <0.2 |
| SKPX11 342 | Rock | 20 | 4 | 0.04 | 341 | 0.001 | <1 | 0.21 | 0.065 | 0.11 | <0.1 | <0.01 | 2.7 | <0.1 | 0.17 | <1 | <0.5 | <0.2 |
| SKPX11 343 | Rock | 28 | 4 | 0.11 | 76 | 0.002 | 1 | 0.46 | 0.010 | 0.26 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| SKPX11 344 | Rock | 31 | 6 | 0.18 | 52 | 0.003 | <1 | 0.66 | 0.027 | 0.20 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11 345 | Rock | 14 | 4 | 0.06 | 29 | 0.001 | <1 | 0.25 | 0.063 | 0.05 | <0.1 | <0.01 | 3.6 | <0.1 | 0.30 | <1 | <0.5 | <0.2 |
| SKPX11 346 | Rock | 15 | 3 | 0.03 | 28 | <0.001 | <1 | 0.18 | 0.068 | 0.06 | <0.1 | <0.01 | 3.2 | <0.1 | 0.43 | <1 | <0.5 | <0.2 |
| SKPX11 347 | Rock | 7 | 2 | 0.27 | 49 | 0.002 | 1 | 0.32 | 0.024 | 0.17 | <0.1 | <0.01 | 2.2 | <0.1 | 0.31 | <1 | <0.5 | <0.2 |
| SKPX11 348 | Rock | 25 | 7 | 0.04 | 46 | 0.003 | <1 | 0.46 | 0.081 | 0.02 | <0.1 | 0.01 | 4.9 | <0.1 | 0.05 | 1 | <0.5 | 0.5 |
| SKPX11 349 | Rock | 22 | 5 | 0.04 | 27 | 0.001 | <1 | 0.22 | 0.096 | 0.07 | <0.1 | <0.01 | 3.2 | <0.1 | 0.11 | <1 | <0.5 | <0.2 |
| SKPX11 350 | Rock | 20 | 3 | 0.10 | 59 | 0.003 | <1 | 0.28 | 0.052 | 0.11 | 0.2 | <0.01 | 2.1 | <0.1 | 0.06 | <1 | <0.5 | <0.2 |
| SKPX11 351 | Rock | 25 | 3 | 0.06 | 65 | 0.002 | <1 | 0.40 | 0.039 | 0.21 | <0.1 | <0.01 | 2.4 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| SKPX11 352 | Rock | 26 | 3 | 0.03 | 61 | 0.003 | <1 | 0.25 | 0.065 | 0.08 | <0.1 | <0.01 | 2.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 31 | Rock | 20 | 3 | 0.05 | 50 | 0.001 | <1 | 0.28 | 0.054 | 0.07 | <0.1 | <0.01 | 2.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 32 | Rock | 13 | 3 | 0.03 | 33 | <0.001 | <1 | 0.24 | 0.057 | 0.07 | <0.1 | <0.01 | 2.3 | <0.1 | 0.20 | <1 | <0.5 | <0.2 |
| PKDT 33 | Rock | 26 | 4 | 0.04 | 34 | 0.001 | <1 | 0.19 | 0.078 | 0.05 | <0.1 | <0.01 | 3.1 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT 34 | Rock | 29 | 3 | 0.03 | 30 | 0.001 | <1 | 0.22 | 0.082 | 0.06 | <0.1 | <0.01 | 3.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 35 | Rock | 18 | 3 | 0.02 | 23 | <0.001 | <1 | 0.17 | 0.086 | 0.04 | <0.1 | <0.01 | 3.3 | <0.1 | 0.13 | <1 | <0.5 | <0.2 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method | Analyte | WGHT Unit MDL | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|----------|---------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca |
| | | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| | | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| PKDT 36 | Rock | 0.52 | 1.0 | 9.1 | 11.0 | 22 | <0.1 | 14.4 | 16.6 | 788 | 1.90 | 4.4 | 5.3 | 6.2 | 5 | 0.1 | 0.7 | 0.4 | 3 | 0.01 | 0.014 |
| PKDT 37 | Rock | 0.43 | 1.5 | 616.3 | 114.1 | 28 | 1.9 | 11.3 | 7.1 | 721 | 1.73 | 2.9 | 13.3 | 9.3 | 5 | 0.2 | 0.3 | 0.4 | 3 | 0.03 | 0.023 |
| PKDT 38 | Rock | 0.35 | 0.6 | 12.8 | 9.7 | 42 | <0.1 | 13.9 | 10.4 | 509 | 2.80 | 1.2 | 3.4 | 5.6 | 7 | 0.1 | 0.3 | 0.5 | <2 | 0.03 | 0.020 |
| PKDT 39 | Rock | 0.63 | 2.6 | 37.5 | 10.4 | 41 | <0.1 | 7.5 | 6.0 | 670 | 1.40 | 1.0 | 5.9 | 5.9 | 5 | <0.1 | 0.4 | 0.2 | <2 | 0.02 | 0.011 |
| PKDT 40 | Rock | 0.58 | 0.8 | 2.6 | 4.5 | 8 | <0.1 | 3.1 | 2.6 | 727 | 1.03 | 0.5 | 74.6 | 5.1 | 3 | 0.1 | <0.1 | <0.1 | <2 | 0.01 | 0.005 |
| PKDT 41 | Rock | 0.53 | 1.2 | 46.8 | 9.9 | 8 | <0.1 | 2.8 | 1.2 | 471 | 1.10 | 1.0 | 0.6 | 3.1 | 3 | <0.1 | <0.1 | 0.2 | <2 | 0.01 | 0.006 |
| PKDT 42 | Rock | 0.30 | 2.4 | 100.6 | 187.6 | 59 | 0.2 | 19.4 | 33.5 | 449 | 2.30 | 9.0 | 23.7 | 4.2 | 4 | 0.2 | 0.2 | 0.6 | 22 | 0.02 | 0.014 |
| PKDT 43 | Rock | 0.68 | 0.8 | 2.7 | 1.2 | 17 | <0.1 | 8.7 | 5.5 | 259 | 1.28 | 2.6 | 2.2 | 6.2 | 4 | <0.1 | 0.1 | 0.1 | 3 | 0.01 | 0.011 |
| PKDT 44 | Rock | 0.48 | 0.5 | 10.7 | 4.7 | 13 | <0.1 | 8.2 | 5.6 | 452 | 1.71 | 6.0 | 6.1 | 5.1 | 47 | <0.1 | 0.2 | 0.4 | <2 | 0.83 | 0.012 |
| PKDT 45 | Rock | 0.44 | 0.8 | 5.1 | 3.5 | 9 | <0.1 | 4.9 | 3.0 | 600 | 1.31 | 0.8 | 1.8 | 10.6 | 3 | <0.1 | <0.1 | <0.1 | 5 | 0.01 | 0.012 |
| PKDT 46 | Rock | 0.57 | 0.7 | 34.3 | 131.8 | 11 | 0.3 | 16.2 | 4.8 | 410 | 4.12 | 34.9 | 5.6 | 4.2 | 4 | <0.1 | 6.3 | 0.8 | <2 | 0.03 | 0.009 |
| PKDT 47 | Rock | 0.62 | 1.0 | 2.2 | 2.2 | 15 | <0.1 | 4.8 | 3.2 | 175 | 1.01 | 2.9 | 1.3 | 8.2 | 5 | <0.1 | <0.1 | 0.1 | <2 | 0.02 | 0.014 |
| PKDT 48 | Rock | 0.65 | 1.3 | 2.0 | 1.4 | 21 | <0.1 | 4.6 | 3.2 | 207 | 1.27 | 1.4 | 1.1 | 4.1 | 3 | <0.1 | <0.1 | <0.1 | <2 | 0.01 | 0.012 |
| PKDT 49 | Rock | 0.44 | 0.8 | 9.4 | 3.2 | 17 | <0.1 | 6.8 | 5.1 | 223 | 1.25 | 2.3 | 1.8 | 7.9 | 3 | 0.1 | <0.1 | 0.2 | <2 | 0.01 | 0.013 |
| PKDT 50 | Rock | 0.58 | 0.3 | 4.1 | 8.5 | 17 | <0.1 | 7.6 | 3.5 | 220 | 1.25 | 2.7 | <0.5 | 12.1 | 2 | <0.1 | <0.1 | 0.1 | 3 | 0.01 | 0.016 |
| PKDT 51 | Rock | 0.60 | 1.0 | 140.3 | 57.5 | 42 | 0.3 | 23.1 | 11.6 | 328 | 2.56 | 8.9 | 9.0 | 5.2 | 3 | <0.1 | 0.1 | 1.2 | 3 | 0.03 | 0.016 |
| PKDT 52 | Rock | 0.65 | 0.2 | 530.6 | 868.5 | 13 | 4.1 | 5.7 | 3.5 | 173 | 1.73 | 0.9 | 93.3 | 3.9 | 4 | 0.1 | <0.1 | 6.8 | 3 | <0.01 | 0.007 |
| PKDT 53 | Rock | 0.66 | 0.3 | 5.6 | 9.8 | 16 | <0.1 | 4.4 | 4.4 | 393 | 1.52 | 1.1 | 47.0 | 4.8 | 2 | <0.1 | <0.1 | 0.2 | <2 | <0.01 | 0.012 |
| PKDT 54 | Rock | 0.45 | 2.1 | 16.6 | 62.7 | 26 | 0.5 | 8.6 | 3.5 | 532 | 2.68 | 1.1 | 393.7 | 11.8 | 13 | 0.2 | 0.2 | 0.9 | 5 | 0.05 | 0.027 |
| PKDT 55 | Rock | 0.55 | 2.8 | 4.0 | 26.6 | 55 | <0.1 | 24.6 | 7.1 | 3035 | 4.19 | 1.6 | 1.7 | 0.5 | 84 | 0.2 | 0.3 | <0.1 | 7 | 0.41 | 0.178 |
| PKDT 56 | Rock | 0.48 | 1.0 | 2.2 | 5.4 | 9 | <0.1 | 4.9 | 2.1 | 432 | 1.15 | 0.8 | 0.9 | 3.4 | 4 | <0.1 | 0.1 | <0.1 | <2 | 0.01 | 0.013 |
| PKDT 57 | Rock | 0.47 | 12.3 | 33.9 | 68.1 | 25 | 0.8 | 4.4 | 1.8 | 59 | 1.77 | 3.4 | 20.5 | 1.1 | 7 | <0.1 | 0.3 | 0.8 | <2 | <0.01 | 0.010 |
| PKDT 58 | Rock | 0.54 | 0.3 | 5.4 | 3.2 | 24 | <0.1 | 3.7 | 1.9 | 236 | 0.90 | 0.7 | 2.8 | 6.4 | 2 | <0.1 | <0.1 | 0.1 | <2 | <0.01 | 0.012 |
| PKDT 59 | Rock | 0.30 | 1.4 | 35.7 | 25.3 | 55 | <0.1 | 16.8 | 14.7 | 320 | 2.69 | 1.4 | 1.1 | 10.0 | 2 | <0.1 | 0.2 | 0.6 | 4 | <0.01 | 0.018 |
| PKDT 60 | Rock | 0.54 | 1.1 | 75.4 | 436.8 | 19 | 0.2 | 8.1 | 3.9 | 756 | 1.61 | 6.7 | 2.6 | 5.5 | 3 | 0.3 | 0.2 | 0.4 | <2 | 0.02 | 0.009 |
| PKDT 61 | Rock | 0.49 | 41.7 | 100.2 | 817.5 | 57 | 11.4 | 12.3 | 5.4 | 207 | 4.64 | 17.6 | 71.4 | 7.3 | 16 | 0.2 | 0.8 | 22.2 | 4 | 0.03 | 0.047 |
| PKDT 62 | Rock | 0.40 | 7.4 | 16.6 | 15.8 | 72 | <0.1 | 13.7 | 5.4 | 979 | 3.23 | 4.2 | 12.4 | 2.5 | 4 | 0.6 | 0.4 | 0.2 | 8 | 0.02 | 0.023 |
| 295-A-G | Rock | 0.74 | 0.7 | 9.3 | 6.5 | 9 | 0.7 | 8.7 | 7.0 | 261 | 1.96 | 0.7 | 2943 | 4.6 | 4 | <0.1 | <0.1 | 0.4 | 2 | 0.01 | 0.012 |
| 295-A-NG | Rock | 1.04 | 1.9 | 210.0 | 1016 | 58 | 1.9 | 10.4 | 5.2 | 380 | 2.26 | 11.9 | 599.7 | 5.9 | 8 | 0.4 | 7.2 | 2.8 | <2 | 0.06 | 0.026 |
| 295-B-G | Rock | 3.24 | 0.7 | 10.9 | 5.2 | 14 | 0.7 | 10.0 | 7.7 | 272 | 2.43 | 1.2 | 6286 | 7.5 | 5 | <0.1 | <0.1 | 0.4 | 4 | 0.01 | 0.018 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method | Analyte | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | |
|----------|---------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.01 | 0.01 | 0.01 | 0.05 | 1 | 0.5 | 0.2 | |
| PKDT 36 | Rock | 19 | 3 | 0.04 | 35 | <0.001 | <1 | 0.22 | 0.059 | 0.08 | <0.1 | <0.01 | 3.1 | <0.1 | 0.22 | <1 | <0.5 | <0.2 |
| PKDT 37 | Rock | 24 | 6 | 0.03 | 25 | 0.001 | <1 | 0.31 | 0.111 | 0.02 | <0.1 | <0.01 | 5.9 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT 38 | Rock | 9 | 4 | 0.02 | 22 | 0.001 | <1 | 0.16 | 0.065 | 0.02 | <0.1 | <0.01 | 3.1 | <0.1 | 1.55 | <1 | <0.5 | 0.3 |
| PKDT 39 | Rock | 13 | 4 | 0.03 | 24 | <0.001 | <1 | 0.18 | 0.056 | 0.02 | <0.1 | <0.01 | 4.6 | <0.1 | 0.12 | <1 | <0.5 | <0.2 |
| PKDT 40 | Rock | 10 | 3 | 0.03 | 62 | 0.002 | <1 | 0.15 | 0.021 | 0.05 | <0.1 | <0.01 | 1.3 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 41 | Rock | 9 | 3 | 0.05 | 38 | <0.001 | <1 | 0.16 | 0.016 | 0.06 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 42 | Rock | 11 | 10 | 0.18 | 18 | 0.005 | <1 | 0.38 | 0.055 | 0.05 | <0.1 | <0.01 | 2.6 | <0.1 | 0.11 | 2 | <0.5 | 0.5 |
| PKDT 43 | Rock | 15 | 3 | 0.05 | 54 | 0.003 | <1 | 0.24 | 0.044 | 0.13 | <0.1 | <0.01 | 0.8 | <0.1 | 0.11 | <1 | <0.5 | <0.2 |
| PKDT 44 | Rock | 10 | 3 | 0.26 | 36 | <0.001 | <1 | 0.15 | 0.029 | 0.09 | <0.1 | <0.01 | 1.7 | <0.1 | 0.41 | <1 | <0.5 | <0.2 |
| PKDT 45 | Rock | 17 | 6 | 0.04 | 45 | 0.004 | <1 | 0.22 | 0.044 | 0.07 | <0.1 | <0.01 | 1.7 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT 46 | Rock | 10 | 2 | 0.03 | 46 | <0.001 | <1 | 0.23 | 0.032 | 0.18 | <0.1 | <0.01 | 0.8 | 0.2 | 0.66 | <1 | 0.6 | <0.2 |
| PKDT 47 | Rock | 19 | 1 | 0.01 | 200 | <0.001 | <1 | 0.10 | 0.059 | 0.03 | <0.1 | <0.01 | 1.0 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT 48 | Rock | 11 | 2 | 0.01 | 65 | <0.001 | <1 | 0.10 | 0.060 | 0.02 | <0.1 | <0.01 | 1.0 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 49 | Rock | 20 | 3 | 0.02 | 46 | 0.001 | <1 | 0.21 | 0.038 | 0.11 | <0.1 | <0.01 | 1.6 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 50 | Rock | 32 | 6 | 0.14 | 27 | <0.001 | <1 | 0.38 | 0.037 | 0.10 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 51 | Rock | 10 | 3 | 0.10 | 41 | 0.001 | <1 | 0.31 | 0.033 | 0.18 | <0.1 | <0.01 | 0.9 | <0.1 | 0.27 | <1 | <0.5 | <0.2 |
| PKDT 52 | Rock | 8 | 3 | 0.02 | 33 | 0.002 | <1 | 0.13 | 0.056 | 0.06 | <0.1 | <0.01 | 1.6 | <0.1 | 0.52 | <1 | <0.5 | 2.2 |
| PKDT 53 | Rock | 16 | 3 | 0.02 | 44 | <0.001 | <1 | 0.24 | 0.044 | 0.11 | <0.1 | <0.01 | 1.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 54 | Rock | 12 | 5 | 0.02 | 84 | 0.001 | <1 | 0.18 | 0.039 | 0.14 | <0.1 | <0.01 | 3.7 | <0.1 | 0.40 | <1 | <0.5 | 0.5 |
| PKDT 55 | Rock | 8 | 2 | 0.04 | 45 | 0.002 | <1 | 0.08 | 0.012 | 0.02 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 56 | Rock | 10 | 2 | 0.01 | 31 | <0.001 | <1 | 0.17 | 0.048 | 0.08 | <0.1 | <0.01 | 1.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 57 | Rock | 3 | 3 | <0.01 | 7 | <0.001 | <1 | 0.10 | 0.037 | 0.01 | <0.1 | <0.01 | 0.8 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| PKDT 58 | Rock | 23 | 3 | 0.02 | 37 | 0.002 | <1 | 0.21 | 0.040 | 0.11 | <0.1 | <0.01 | 0.8 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| PKDT 59 | Rock | 31 | 4 | 0.17 | 75 | <0.001 | <1 | 0.75 | 0.010 | 0.24 | <0.1 | <0.01 | 0.9 | <0.1 | <0.05 | 1 | <0.5 | <0.2 |
| PKDT 60 | Rock | 14 | 4 | <0.01 | 13 | <0.001 | <1 | 0.14 | 0.093 | 0.02 | <0.1 | <0.01 | 2.9 | <0.1 | 0.24 | <1 | <0.5 | <0.2 |
| PKDT 61 | Rock | 15 | 5 | 0.06 | 27 | 0.001 | <1 | 0.40 | 0.054 | 0.10 | <0.1 | 0.02 | 3.3 | <0.1 | 0.12 | 1 | 0.5 | 2.3 |
| PKDT 62 | Rock | 6 | 4 | 0.06 | 31 | <0.001 | <1 | 0.29 | 0.011 | 0.07 | 0.3 | <0.01 | 1.9 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| 295-A-G | Rock | 15 | 3 | 0.01 | 161 | 0.002 | <1 | 0.18 | 0.057 | 0.06 | <0.1 | <0.01 | 1.0 | <0.1 | 0.13 | <1 | <0.5 | 0.9 |
| 295-A-NG | Rock | 19 | 3 | 0.01 | 44 | <0.001 | <1 | 0.19 | 0.090 | 0.03 | <0.1 | 0.05 | 2.9 | <0.1 | 0.23 | <1 | <0.5 | 0.3 |
| 295-B-G | Rock | 24 | 4 | 0.03 | 216 | 0.006 | <1 | 0.27 | 0.048 | 0.11 | 0.2 | <0.01 | 1.1 | <0.1 | 0.06 | <1 | <0.5 | 0.7 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|----------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| 295-B-NG | Rock | 1.36 | 1.0 | 10.4 | 8.9 | 13 | 0.6 | 8.1 | 6.6 | 353 | 2.45 | 0.8 | 6296 | 5.6 | 8 | <0.1 | <0.1 | 0.4 | 3 | 0.03 | 0.017 |
| 274-A-G | Rock | 0.49 | 5.2 | 2.2 | 1.9 | 18 | <0.1 | 6.5 | 4.2 | 152 | 1.89 | 3.2 | 413.8 | 5.6 | 14 | 0.1 | <0.1 | 0.3 | <2 | <0.01 | 0.013 |
| 274-A-NG | Rock | 0.68 | 2.6 | 3.2 | 3.7 | 10 | <0.1 | 7.2 | 5.3 | 234 | 1.75 | 3.7 | 480.1 | 3.3 | 10 | <0.1 | 0.1 | 0.6 | <2 | <0.01 | 0.008 |
| 274-B-G | Rock | 1.13 | 2.1 | 2.2 | 2.0 | 14 | <0.1 | 5.7 | 4.1 | 258 | 1.18 | 2.9 | 218.5 | 5.4 | 4 | <0.1 | <0.1 | 0.2 | <2 | <0.01 | 0.011 |
| 274-B-NG | Rock | 0.83 | 2.3 | 3.5 | 4.6 | 11 | 0.3 | 9.2 | 6.4 | 195 | 2.18 | 15.3 | 2478 | 5.8 | 8 | <0.1 | 0.1 | 0.6 | <2 | <0.01 | 0.011 |
| 274-C-G | Rock | 0.34 | 1.3 | 1.8 | 1.6 | 22 | <0.1 | 6.9 | 4.5 | 98 | 2.00 | 8.7 | 618.5 | 5.5 | 5 | <0.1 | 0.1 | 0.2 | <2 | 0.01 | 0.014 |
| 274-C-NG | Rock | 0.33 | 1.8 | 2.6 | 3.9 | 10 | 0.1 | 5.7 | 4.2 | 170 | 1.42 | 4.4 | 654.7 | 4.2 | 8 | <0.1 | 0.1 | 0.9 | <2 | <0.01 | 0.009 |
| 310-A-G | Rock | 0.43 | 4.3 | 48.0 | 14.4 | 13 | 0.2 | 15.6 | 8.4 | 66 | 1.21 | 2.2 | 174.3 | 6.7 | 12 | <0.1 | 0.3 | 1.5 | <2 | <0.01 | 0.010 |
| 310-A-NG | Rock | 0.40 | 3.4 | 24.4 | 7.7 | 10 | 0.2 | 6.8 | 3.1 | 92 | 1.40 | 1.7 | 171.4 | 2.4 | 6 | <0.1 | 0.2 | 0.3 | <2 | <0.01 | 0.007 |



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN11006166.1

| Method | Analyte | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | |
|----------|---------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| 295-B-NG | Rock | 15 | 3 | 0.02 | 117 | 0.003 | <1 | 0.19 | 0.053 | 0.09 | 0.1 | <0.01 | 1.3 | <0.1 | 0.59 | <1 | <0.5 | 0.7 |
| 274-A-G | Rock | 17 | 3 | <0.01 | 47 | <0.001 | <1 | 0.18 | 0.087 | 0.03 | <0.1 | <0.01 | 2.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| 274-A-NG | Rock | 9 | 3 | <0.01 | 41 | <0.001 | <1 | 0.12 | 0.069 | 0.02 | <0.1 | <0.01 | 2.5 | <0.1 | 0.15 | <1 | <0.5 | <0.2 |
| 274-B-G | Rock | 16 | 3 | <0.01 | 32 | <0.001 | <1 | 0.16 | 0.079 | 0.02 | <0.1 | <0.01 | 3.4 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| 274-B-NG | Rock | 17 | 3 | <0.01 | 37 | <0.001 | <1 | 0.16 | 0.063 | 0.05 | <0.1 | <0.01 | 1.8 | <0.1 | 0.24 | <1 | <0.5 | 0.3 |
| 274-C-G | Rock | 17 | 3 | <0.01 | 36 | <0.001 | <1 | 0.16 | 0.087 | 0.03 | <0.1 | <0.01 | 1.8 | <0.1 | 0.13 | <1 | <0.5 | <0.2 |
| 274-C-NG | Rock | 14 | 3 | <0.01 | 32 | <0.001 | <1 | 0.13 | 0.053 | 0.02 | <0.1 | <0.01 | 2.0 | <0.1 | <0.05 | <1 | <0.5 | 0.3 |
| 310-A-G | Rock | 19 | 3 | 0.01 | 31 | <0.001 | <1 | 0.41 | 0.063 | 0.03 | <0.1 | <0.01 | 1.4 | <0.1 | <0.05 | <1 | <0.5 | 0.4 |
| 310-A-NG | Rock | 7 | 3 | <0.01 | 13 | <0.001 | <1 | 0.14 | 0.041 | 0.01 | <0.1 | <0.01 | 1.2 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN11006166.1

| Method | WGHT | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 |
|------------------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | kg | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| SKPX11 342 | Rock | 0.89 | 8.1 | 14.6 | 4.1 | 24 | <0.1 | 10.1 | 6.3 | 523 | 1.85 | 1.7 | 158.6 | 10.8 | 9 | 0.3 | 0.1 | 0.2 | <2 | 0.09 | 0.018 |
| REP SKPX11 342 | QC | | 8.2 | 16.7 | 4.3 | 26 | <0.1 | 11.1 | 6.9 | 550 | 1.96 | 1.9 | 194.6 | 11.8 | 10 | 0.2 | 0.1 | 0.3 | <2 | 0.10 | 0.018 |
| PKDT 36 | Rock | 0.52 | 1.0 | 9.1 | 11.0 | 22 | <0.1 | 14.4 | 16.6 | 788 | 1.90 | 4.4 | 5.3 | 6.2 | 5 | 0.1 | 0.7 | 0.4 | 3 | 0.01 | 0.014 |
| REP PKDT 36 | QC | | 0.9 | 9.0 | 11.2 | 22 | <0.1 | 14.3 | 16.3 | 788 | 1.90 | 4.2 | 5.6 | 6.3 | 5 | <0.1 | 0.7 | 0.4 | 3 | 0.02 | 0.013 |
| PKDT 54 | Rock | 0.45 | 2.1 | 16.6 | 62.7 | 26 | 0.5 | 8.6 | 3.5 | 532 | 2.68 | 1.1 | 393.7 | 11.8 | 13 | 0.2 | 0.2 | 0.9 | 5 | 0.05 | 0.027 |
| REP PKDT 54 | QC | | 2.1 | 16.4 | 61.9 | 25 | 0.5 | 8.7 | 3.5 | 522 | 2.65 | 1.3 | 382.1 | 11.9 | 13 | 0.2 | 0.2 | 0.9 | 5 | 0.05 | 0.027 |
| REP 274-A-NG | QC | | 2.3 | 2.9 | 3.5 | 9 | <0.1 | 6.9 | 5.0 | 228 | 1.70 | 3.5 | 483.7 | 3.1 | 10 | 0.1 | 0.1 | 0.6 | <2 | <0.01 | 0.008 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | | | | |
| PKDT 33 | Rock | 0.51 | 5.6 | 22.8 | 4.2 | 24 | <0.1 | 9.6 | 3.7 | 557 | 1.64 | 0.8 | 71.6 | 14.0 | 5 | 0.2 | 0.1 | 0.2 | 3 | 0.02 | 0.012 |
| DUP PKDT 33 | QC | | 5.2 | 22.1 | 4.1 | 23 | <0.1 | 9.5 | 3.6 | 573 | 1.63 | 0.8 | 62.1 | 13.1 | 5 | 0.3 | 0.1 | 0.2 | 2 | 0.02 | 0.012 |
| 274-A-NG | Rock | 0.68 | 2.6 | 3.2 | 3.7 | 10 | <0.1 | 7.2 | 5.3 | 234 | 1.75 | 3.7 | 480.1 | 3.3 | 10 | <0.1 | 0.1 | 0.6 | <2 | <0.01 | 0.008 |
| DUP 274-A-NG | QC | | 2.3 | 2.8 | 2.7 | 9 | <0.1 | 6.8 | 4.9 | 215 | 1.65 | 3.7 | 414.1 | 3.2 | 11 | <0.1 | 0.1 | 0.5 | <2 | <0.01 | 0.008 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS8 | Standard | | 12.3 | 103.3 | 116.0 | 290 | 1.8 | 34.4 | 7.0 | 597 | 2.37 | 24.8 | 117.1 | 6.8 | 63 | 2.2 | 5.3 | 6.5 | 41 | 0.71 | 0.076 |
| STD DS8 | Standard | | 12.6 | 107.4 | 121.6 | 305 | 1.7 | 37.0 | 7.4 | 601 | 2.46 | 27.0 | 117.1 | 6.1 | 58 | 2.1 | 4.6 | 6.1 | 42 | 0.70 | 0.078 |
| STD DS8 Expected | | | 13.44 | 110 | 123 | 312 | 1.69 | 38.1 | 7.5 | 615 | 2.46 | 26 | 107 | 6.89 | 67.7 | 2.38 | 5.7 | 6.67 | 41.1 | 0.7 | 0.08 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | | <0.1 | 2.0 | 2.6 | 39 | <0.1 | 2.2 | 3.5 | 507 | 1.71 | <0.5 | 5.4 | 4.1 | 55 | <0.1 | <0.1 | <0.1 | 32 | 0.41 | 0.067 |
| G1 | Prep Blank | | 0.2 | 2.1 | 2.8 | 41 | <0.1 | 2.6 | 3.6 | 520 | 1.79 | <0.5 | 2.8 | 4.5 | 55 | <0.1 | <0.1 | <0.1 | 33 | 0.41 | 0.066 |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **PJX Resources Inc.**
 5600 - 100 King Street West
 Toronto ON M5X 1C9 Canada

Project: Dewdney Trail
 Report Date: December 06, 2011


Page: 1 of 1 Part 2

QUALITY CONTROL REPORT


VAN11006166.1

| Method | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | 1DX30 | |
|------------------------|------------|-------|-------|--------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|--------|-------|-------|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | Te | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | 0.2 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | |
| SKPX11 342 | Rock | 20 | 4 | 0.04 | 341 | 0.001 | <1 | 0.21 | 0.065 | 0.11 | <0.1 | <0.01 | 2.7 | <0.1 | 0.17 | <1 | <0.5 | <0.2 |
| REP SKPX11 342 | QC | 22 | 4 | 0.04 | 371 | 0.001 | 2 | 0.23 | 0.066 | 0.12 | <0.1 | <0.01 | 2.8 | <0.1 | 0.17 | <1 | <0.5 | <0.2 |
| PKDT 36 | Rock | 19 | 3 | 0.04 | 35 | <0.001 | <1 | 0.22 | 0.059 | 0.08 | <0.1 | <0.01 | 3.1 | <0.1 | 0.22 | <1 | <0.5 | <0.2 |
| REP PKDT 36 | QC | 19 | 3 | 0.04 | 33 | <0.001 | <1 | 0.22 | 0.066 | 0.08 | <0.1 | <0.01 | 3.2 | <0.1 | 0.22 | <1 | <0.5 | <0.2 |
| PKDT 54 | Rock | 12 | 5 | 0.02 | 84 | 0.001 | <1 | 0.18 | 0.039 | 0.14 | <0.1 | <0.01 | 3.7 | <0.1 | 0.40 | <1 | <0.5 | 0.5 |
| REP PKDT 54 | QC | 13 | 5 | 0.02 | 83 | 0.001 | <1 | 0.18 | 0.041 | 0.14 | <0.1 | <0.01 | 3.7 | <0.1 | 0.39 | <1 | 0.5 | 0.5 |
| REP 274-A-NG | QC | 9 | 3 | <0.01 | 39 | <0.001 | <1 | 0.12 | 0.064 | 0.02 | <0.1 | <0.01 | 2.5 | <0.1 | 0.15 | <1 | <0.5 | 0.2 |
| Core Reject Duplicates | | | | | | | | | | | | | | | | | | |
| PKDT 33 | Rock | 26 | 4 | 0.04 | 34 | 0.001 | <1 | 0.19 | 0.078 | 0.05 | <0.1 | <0.01 | 3.1 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| DUP PKDT 33 | QC | 24 | 4 | 0.03 | 33 | 0.001 | <1 | 0.18 | 0.070 | 0.04 | <0.1 | <0.01 | 3.1 | <0.1 | 0.07 | <1 | <0.5 | <0.2 |
| 274-A-NG | Rock | 9 | 3 | <0.01 | 41 | <0.001 | <1 | 0.12 | 0.069 | 0.02 | <0.1 | <0.01 | 2.5 | <0.1 | 0.15 | <1 | <0.5 | <0.2 |
| DUP 274-A-NG | QC | 9 | 3 | <0.01 | 38 | <0.001 | <1 | 0.12 | 0.053 | 0.01 | <0.1 | <0.01 | 2.4 | <0.1 | 0.14 | <1 | <0.5 | 0.2 |
| Reference Materials | | | | | | | | | | | | | | | | | | |
| STD DS8 | Standard | 15 | 111 | 0.62 | 263 | 0.113 | 3 | 0.94 | 0.088 | 0.42 | 2.7 | 0.19 | 2.3 | 5.2 | 0.16 | 5 | 4.1 | 5.0 |
| STD DS8 | Standard | 13 | 111 | 0.61 | 258 | 0.103 | 3 | 0.91 | 0.084 | 0.41 | 2.8 | 0.20 | 1.9 | 5.3 | 0.17 | 5 | 6.0 | 5.2 |
| STD DS8 Expected | | 14.6 | 115 | 0.6045 | 279 | 0.113 | 2.6 | 0.93 | 0.0883 | 0.41 | 3 | 0.192 | 2.3 | 5.4 | 0.1679 | 4.7 | 5.23 | 5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 | <0.2 |
| Prep Wash | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | 10 | 4 | 0.46 | 244 | 0.103 | <1 | 0.83 | 0.073 | 0.45 | <0.1 | <0.01 | 1.9 | 0.3 | <0.05 | 4 | <0.5 | <0.2 |
| G1 | Prep Blank | 10 | 4 | 0.49 | 336 | 0.103 | <1 | 0.85 | 0.064 | 0.44 | <0.1 | <0.01 | 1.9 | 0.3 | <0.05 | 4 | <0.5 | <0.2 |

FIGURE 3:
M1 ANOMALY GEOLOGY
 M1 ANOMALY AREA
 FORT STEELE MINING DIVISION
 KOOTENAY DISTRICT



DEWDNEY TRAIL PROPERTY



GEOLOGY LEGEND

| Aldridge Formation | |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| JL | Judy Lou Dike: Chlorite and sericite altered volcanic intrusive. |
| mPA2c | Argillite: Silty to fine muds, often blue-black with common limonitic fractures. |
| mPA2b | Siltstone: Med to thinly bedded with silicification and sericite alteration. Often interbedded with quartzite and/or argillite. |
| mPA2a | Quartzite: Massive to laminated with common quartz veins to breccia veins and disseminated pyrite and specularite. |

GEOLOGY SYMBOLS

| BEDDING | |
|---------|--------------------------------------------|
| | Inclined, Overturned, Vertical, Horizontal |
| | QUARTZ VEIN Inclined, Vertical |
| | CLEAVAGE Inclined, Vertical |
| | FAULT Inclined, Vertical |
| | JOINT Inclined, Vertical |






FIGURE 4:
TACKLE CREEK GEOLOGY
 LITTLE TACKLE CREEK AREA
 FORT STEELE MINING DIVISION
 KOOTENAY DISTRICT



DEWDNEY TRAIL PROPERTY









GEOLOGY LEGEND

Aldridge Formation

- JL** Judy Lou Dike: Chlorite and sericite altered volcanic intrusive.
- mPA2c** Argillite: Silty to fine muds, often blue-black with common limonitic fractures.
- mPA2b** Siltstone: Med to thinly bedded with silification and sericite alteration. Often interbedded with quartzite and/or argillite.
- mPA2a** Quartzite: Massive to laminated with common quartz veins to breccia veins and disseminated pyrite and specularite.

GEOLOGY SYMBOLS

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>  +  +  +  +  +  + </p> | <p> BEDDING Inclined, Overturned, Vertical, Horizontal QUARTZ VEIN Inclined, Vertical CLEAVAGE Inclined, Vertical FAULT Inclined, Vertical JOINT Inclined, Vertical </p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|







FIGURE 5:
M1 ANOMALY AREA
 FORT STEELE MINING DIVISION
 KOOTENAY DISTRICT



DEWDNEY TRAIL PROPERTY



ROCK GEOCHEMISTRY







FIGURE 6:
TACKLE CREEK SAMPLES
 LITTLE TACKLE CREEK AREA
 FORT STEELE MINING DIVISION
 KOOTENAY DISTRICT



DEWDNEY TRAIL PROPERTY



ROCK GEOCHEMISTRY

