

**Regional Geochemical Sampling Program Assessment Report for 2011  
Frasergold Property, Williams Lake Area, British Columbia**

Prepared For  
Teslin River Resources Corporation  
1430 – 800 West Pender Street  
Vancouver, British Columbia  
V6C 2V6

**BC Geological Survey  
Assessment Report  
32997**

Event Number :

Cariboo Mining Division, British Columbia  
Property location approximately 50 km east of Horsefly, BC, 100 km east of William Lake, BC, & 230 km southeast of Prince George, BC.

NTS Map Sheet 093A02, 07  
UTM Coordinates NAD 1983, Zone 10N  
52° 17' 30.16" North Latitude and 120° 38' 1.5" West Longitude

Dates of Work: October – December 2011

Operator: Eureka Resources Inc.

Owner of Claims: Eureka Resources Inc.

Prepared by: Kristian Whitehead, BSc., P.Geo., Consulting Geologist for Teslin River Resources Corp.

Supervised by: John Kerr, VP Exploration, Teslin River Resources Corp.

Date Submitted: December 29th, 2011

## Table of Contents

	<b>Page</b>
1. Introduction, Property Location, Access, Property Agreements and Mineral Claims	3
Introduction	
Property Location	
Access	
Property Agreements and Mineral Claims	
2. History, Economic and General Assessment, and Adjacent Properties	5
History, Economic and General Assessment	
Adjacent Properties	
3. Geological, Structural Description and Deposit Model of Project Area	8
Geological and Structural Description	
Geological Model	
4. Generalized Description of 2011 Exploration Program	10
Objective	
Work Program Description	
Summary of Results	
Sampling Method and Approach	
Sample Preparation, Analyses and Security	
Sampling Procedures and Protocols	
5. Assessment Details and Statement of Expenditures	14
6. Certificate of Author	15
7. Bibliography	16

## Figures

1. Figure 1: Frasergold Property Location Map	3
2. Figure 2: Frasergold Property Claim Map	4
3. Figure 3: Frasergold Index Map	12

## Tables

1. Table 1: Frasergold Property Claims List	5
2. Table 2: 2011 Statement of Expenditures	14

## Appendixes

1. Appendix A: Full Scale Maps Contained within the Report	17
2. Appendix B: Regional Sample Locations and Au, Ag & Cu Assay Values	18
3. Appendix C: Regional Sampling Grid Maps with Au and Cu Assay Values	30
4. Appendix D: Regional Sampling Program Assay Certificates	34

## 1. Introduction, Property Location, Access, Property Agreements and Mineral Claims

### Introduction

Planning for the 2011 geological exploration program began in September with Teslin River Resources geologists compiling digital data collected from the previous 2007 and 2008 exploration years and combining it with previous historical data into one central database. The 2011 main exploration season began on October 10<sup>th</sup> and was concluded October 21<sup>st</sup>, with remaining data compilation and assay evaluation office work ongoing through to the end of December. The field season included 565 soil samples, 7 rock grab samples and 6 silt samples over three main locations on the property. Post field season work included data compilation, assay and geological interpretation and planning for future programs.

This report summarizes the entirety of the 2011 Frasersgold exploration year along with the compilation work conducted and displays the results of such work.

All full size maps pertaining to this report are contained within sleeves in the appendices of this report.

### Property Location

The Frasersgold Property claims are located approximately 50 kilometers east of the village of Horsefly, BC and 100 kilometers east northeast of city of Williams Lake, BC located on NTS map sheets 093A02, 07 at approximately 52° 17' 30.16" North latitude and 120° 38' 1.5" West longitude. The property outlined for assessment comprises 41 contiguous quartz mining claims covering approximately 10,741 hectares within the Mackay River valley, a tributary to the Horsefly River.

### Access

The property is road accessible by a series of paved and gravel surfaced roads that lead east northeast from Williams Lake to the village of Horsefly and along the Horsefly River to Mackay River. Recent logging activities have provided a series of tracks that provide good access to most of the exploration areas on the property.


**Figure 1. Property Location**



## Property Agreements and Mineral Claims

Under the terms of the November 24<sup>th</sup>, 2011 agreement, Teslin has the right to earn a 51% interest by spending \$3,550,000 on the property and providing payments to Eureka totaling \$200,000 over a 3 year period. An additional 24% interest (totaling 75%) can be earned by completing a feasibility study.

**Figure 2** Frasergold Property Claim Map



The claims and registered owners are listed in Table 1.

**Table 1 Frasergold Claims**

Tenure Number	Claim Name	Owner	Map Number	Issue Date	Good To Date	Status	Area (ha)
204214	MAC	107887 (100%)	093A038	1979/oct/19	2015/apr/30	GOOD	225.00
204347	KAY #10	107887 (100%)	093A028	1980/sep/25	2015/apr/30	GOOD	150.00
204348	KAY #11	107887 (100%)	093A038	1980/sep/25	2015/apr/30	GOOD	50.00
204887	MAC 9 FR.	107887 (100%)	093A038	1984/jul/16	2015/apr/30	GOOD	25.00
204896	MAC 11 FR	107887 (100%)	093A038	1984/jul/27	2015/apr/30	GOOD	25.00
378209	L-1	107887 (100%)	093A037	2000/jun/18	2015/apr/30	GOOD	25.00
402366	KAY #10	107887 (100%)	093A028	2003/may/09	2015/apr/30	GOOD	375.00
402367	KAY #11	107887 (100%)	093A028	2003/may/09	2015/apr/30	GOOD	450.00
405520	J#1	107887 (100%)	093A038	2003/oct/04	2015/apr/30	GOOD	100.00
405682	KAY #9	107887 (100%)	093A038	2003/sep/26	2015/apr/30	GOOD	500.00
413226	J#2	107887 (100%)	093A028	2004/aug/17	2015/apr/30	GOOD	150.00
517995	NUGGET	107887 (100%)	093A	2005/jul/18	2015/apr/30	GOOD	59.31
517996	IMPERIAL	107887 (100%)	093A	2005/jul/18	2015/apr/30	GOOD	494.31
524992	EUREKA	107887 (100%)	093A	2006/jan/10	2015/apr/30	GOOD	296.52
544763	EUREKA	107887 (100%)	093A	2006/nov/01	2015/apr/30	GOOD	98.81
544765	MISSING	107887 (100%)	093A	2006/nov/01	2015/apr/30	GOOD	59.29
544767	ADD ON	107887 (100%)	093A	2006/nov/01	2015/apr/30	GOOD	19.76
544769	ANOTHER	107887 (100%)	093A	2006/nov/01	2015/apr/30	GOOD	19.76
547367	H#1	107887 (100%)	093A	2006/dec/14	2015/apr/30	GOOD	19.77
547369	H#2	107887 (100%)	093A	2006/dec/14	2015/apr/30	GOOD	59.32
547372	H#3	107887 (100%)	093A	2006/dec/14	2015/apr/30	GOOD	79.11
547374	H#4	107887 (100%)	093A	2006/dec/14	2015/apr/30	GOOD	59.34
548514	EUR #1	107887 (100%)	093A	2007/jan/03	2015/apr/30	GOOD	19.77

## 2. History, Economic and General Assessment, and Adjacent Properties

Most of the following information was derived from technical reports supplied by Hawthorne Gold Corporation, including the March 2007 and January 2008 NI 43-101 reports.

### History, Economic and General Assessment

The first record of work being conducted in the vicinity of the Frasergold property was in the late 1970's by Clifford E. Gunn who prospected the area after researching historic references to the placer gold potential of the region. During 1978 and 1979 he staked claims and prospected the area to cover a panned gold anomaly discovered in Frasergold Creek, from 1980 to 1982 the ground was optioned by Keron Holdings Ltd. and NCL Resources Ltd. A geology map was produced after preliminary soil and rock geochemical surveys were completed over the property, with results revealing a 10 kilometer long zone containing anomalous gold values from soil samples that was suspected to have a stratigraphic control.

In 1983 Eureka acquired the property and optioned it to Amoco Canada Petroleum Co. Ltd. ("Amoco"), during 1983 and 1984 Amoco collected rock and soil geochemical samples and conducted limited electromagnetic and magnetic surveys. Amoco also drilled 14 diamond drill holes totaling 4,519 meters, with 12 of the drill holes producing coarse visible gold. Anomalous intersections had values ranging from 0.023 oz Au /t over 7.5 meters to 0.342 oz Au /t over 1.5 meters, Amoco terminated the option agreement at the end of these programs and returned the property to Eureka.

Eureka continued exploring the Frasersgold property in 1985 and 1986 and completed further soil and rock chip geochemical sampling, trenching and bulk sampling, reverse circulation and diamond drilling, metallurgical testing and an I.P. survey. Four holes totaling 406.5 meters were completed by reverse circulation drilling, and eighteen diamond drill holes, totaling 2,021 meters were completed in three areas. Twelve of the 18 holes had sections with visible gold and anomalous values ranged from 0.057 oz/t over 39.0 meters (hole 86-2) to 1.311 oz Au /t over 1.5 meters (hole 86-18).

A surface bulk sampling program was completed in 1985 by selecting eight sites for excavation. A total of 56 samples were collected and analyzed for gold content by fire assay. One sample, 86-12-2A from the Jay Zone, was submitted to Coastech Research Inc. who milled the material and completed cyanidation testing on the sample. Results from the cyanidation work were compared to the standard fire assay analyses. The mean fire assay (FA) values from the 56 samples varied from 0.06 oz Au/t to 0.128 oz Au/t. Coastech split bulk sample 86-12-2A into 24 composites and completed cyanidation leach metallurgical work on the samples. Leishman and Campbell (1986) report that the bulk sample FA assay results varied from 0.150 oz Au/t to 1.021 oz Au/t, with a weighted average of 0.479 oz Au/t. The gold content of bulk sample 86-12-2A was determined to be 0.137 oz Au/t (Marchant, 1985).

Eureka constructed a core storage facility to securely store all core from the 1986 and previous programs. The core storage building was located at a logging camp on the Horsefly River at the junction of the Horsefly River road and the road to Crooked Lake.

In 1987 Southlands Mining Corporation ("Southlands") undertook an option on the Frasersgold property, with Eureka as operator. Southlands constructed and sampled eight trenches totaling 660 meters, and completed 21 reverse circulation holes totaling 1,710 meters.

In late 1987, Southlands optioned a portion of their interest to Sirius Resources Corp. ("Sirius"). Sirius completed 17 diamond drill holes totaling 1,536 meters, drilled 37 reverse circulation holes totaling 2,456 meters, and excavated 184 meters of underground workings to provide 524 tonnes of material for bulk sampling.

In the fall of 1988 Sirius completed work in the Eureka Peak zone, collecting 478 soil samples over a closely spaced grid, collecting 27 rock chip samples from hand trenches and drilling six diamond drill holes totaling 862 meters producing varying anomalous gold assay results.

In August 1989 a legal dispute between Eureka and Southlands over the validity of the option and joint venture agreement was resolved. During September, 1989, Eureka completed a program of underground channel sampling (284 samples), muck sampling (74 samples) from untested rounds, drill core sampling (297 samples) and relogging and geological mapping of underground workings.

In 1990, Eureka entered into a joint venture agreement with Asarco Company of Canada Ltd. (Asarco). During the period 1990 and 1991, Asarco drilled 25 diamond drill holes totaling 4,687.2 meters, and 156 reverse circulation holes totaling 15,720 meters. Four 1.25 ton bulk samples were collected in 1990 for metallurgical testing by Bacon, Donaldson and Associates Ltd. The average composite grade of these bulks samples was 0.068 oz Au/t while preliminary tests indicated gold recoveries ranging from 87 to 92%.

In 1991 the underground workings were lengthened by 114 meters, these workings produced 1,591 tons of material that was divided into nine lots for off-site milling. The calculated average grade of this material was 0.027 oz Au/t. By utilizing the drill hole and underground sample data K.V. Campbell, W. Gruenwald, L. Walters and M. Schatten prepared a 1991 report for Asarco Inc. and Eureka Resources Inc. which stated there is an "in situ resource" of 3,396,970 tons at an average grade of 0.05 oz Au/t within the Main Zone portion of the Frasergold property. The figures presented above do not conform to currently accepted CIM standards or NI43-101 Standards of Disclosure for mineral exploration projects, and should not be relied upon. Campbell et al (1991) emphasize that this is not an estimate of "ore reserves", which require detailed engineering and cost estimation. The exploration work completed to provide data for the above resource estimation was conducted using then acceptable industry best practices by professional people and recognized laboratories. This work would require confirmation testing to determine the validity of the results reported. However the work provides relevant data on the Frasergold project and is provided from sources believed to be reliable. The figures are presented here for historical context only and have not been relied upon by the authors as the sole means of determining the merits of the Frasergold property.

In January, 1991, the mining, geological and geotechnical engineering firm James Askew Associates, Inc. of Englewood, Colorado was commissioned by Asarco to conduct a pre-feasibility study of the Frasergold project. This study does not conform to the current usage of a pre-feasibility study as defined by NI43-101, and should not be relied upon. The Askew report does not take into account economic, mining, metallurgical, environmental, social or governmental factors. As part of this study, Askew completed "In Situ Reserves/Resources" for the project using hand drawn polygonal methods. The basis for drawing these mineralized envelopes was data collected by Asarco and others which is believed to be reliable. Askew used a 0.03 oz Au/t cutoff with a minimum true width thickness of three meters. Assays greater than 0.60 oz Au/t were cut to 0.60 oz Au/t. Zones of gold mineralization were extended half way to the adjacent section and were extended 75 meters down dip. A specific gravity of 2.7 was used in the calculations.

Based on these parameters, Askew (1991) summarized the gold mineralization at the Frasergold property as 6,612,675 tons of mineralized material at an average grade of 0.055 oz Au/t to represent 362,825 ounces of gold. Askew (1991) does not categorize the mineralized material due to "the comparatively small amount of geological and assay data for such a long strike length". The volume and gold content estimates used by Askew (1991) do not conform to the "CIM Standards on Mineral Resources and Reserves, Definitions and Guidelines", issued in 2000 and modified with adoption of the "CIM Definition Standards – For Mineral Resources and Mineral Reserves" in 2005. The resource estimate provided by Askew (1991) does not use CIM compliant calculations and therefore do not fulfill NI 43-101 reporting standards, and should not be relied upon. However the Askew (1991) report is relevant to the current review of the Frasergold property as it provides an indication of the scope and depth of exploration conducted on the project.

A Qualified Person has not conducted sufficient work to classify the above noted historical estimate as current mineral resources, the authors and Hawthorne are not treating the historic estimate as current mineral resources and the historic resources should not be relied upon.

In 2007 Hawthorne conducted a major exploration program on the property. The 2007 drill program was laid out to test four previously defined zones of interest; including the Main Zone, the Grouse Creek West Zone, the Grouse Creek East Zone and the Frasergold Zone. A total of 16 HQ core size diamond drill holes totaling 3,615 meters and were drilled over a period of 3 ½ months, with an average depth of 226 meters.

Between 1980 and 2007 it is estimated that \$11.26 million has been expended on the exploration of the Frasergold property. A total of 39,582 meters of drilling in 344 holes has been completed on the property, along with 298 meters of underground drifts to provide access for bulk sampling and metallurgical testing.

The Frasergold 2008 exploration program was initiated on May 15<sup>th</sup>, 2008 with the crew mobilizing into camp and preparing for the drill program. SCS Drilling Ltd. of Merrit, BC mobilized two diamond drills onto the property on May 28<sup>th</sup> and began drilling shortly thereafter. Drilling utilizing two Boyles B15 drills continued until the July 17<sup>th</sup> whereby only a single drilled continued until completing the program on Aug 6<sup>th</sup>. SCS demobilized both drills and ancillary equipment on August 8<sup>th</sup> and was completed the same day. Hawthorne Gold geological crew remained in camp and continue to process to remaining unprocessed core. In addition to core logging duties the crew participated in several regional programs including soil sampling and mapping. The geological crew field season was concluded on August 24<sup>th</sup> with only a few crew members remaining to begin preparing the Atco trailer camp to be demobilized. Demobilization of the camp supplies and inventory as well as Atco trailers was concluded on September 26<sup>th</sup>. Both 2007 and 2008 split core was labelled and stacked within the large metal storage shed on the property and secured.

### **Adjacent Properties**

There are no mines in the immediate vicinity of the Frasergold Property. The closest operating mine is Imperial Metal Corporation's Mount Polley copper-gold porphyry deposit located 30 kilometers to the northwest. Numerous gold and copper prospects are located throughout the region, including the Woodjam property 15 kilometers south of the village of Horsefly, Spanish Mountain 40 kilometers to the north by the town of Likely and QR past producing mine site 50 kilometers northwest.

## **3. Geological, Structural Description and Deposit Model of Project Area**

### **Geological and Structural Description**

The Frasergold property straddles the boundary between two major tectonic belts of the Canadian Cordillera; the Omineca Tectonic belt lies on the east side of the property while the Intermontane Belt occupies the west and central portions of the property. Three regional tectonostratigraphic terranes are present; Kootenay, Slide Mountain and Quesnellia terranes. The Slide Mountain and Quesnellia terranes are part of the Intermontane Belt which has been accreted eastward onto the Kootenay terrane of the Omineca Belt. The Eureka Thrust forms the tectonic boundary between these two Belts.

In the project area the Omineca Tectonic Belt is represented by Hadrynian to early Paleozoic quartz-mica schists and gneisses of the Snowshoe Group. These make up part of the Kootenay terrane; pericratonic, intensely deformed, variably metamorphosed rocks which appear to be stratigraphically

related to ancestral North America. The Omineca Tectonic Belt is known for its prevalence of gold and tungsten mineral occurrences such as those in the Barkerville gold mining camp to the north of the property. The Quesnellia Terrane is composed of metavolcanic and phyllite rocks of Permian to Jurassic age. Numerous copper and gold deposits occur within this package of rocks, including the Mt. Polley mine 40 kilometres north of Frasergold.

The northwest trending, shallowly plunging, Eureka Syncline and Perseus Anticline are the dominant interpreted structures in the region. Well developed, northeast striking, near vertical extension joints are clearly manifested in the drainage pattern of the Eureka syncline. Towards the nose of the syncline, southeast of the project area, the syncline becomes overturned to the southwest with axial planes dipping steeply northeast, northeast of the MacKay River the northeast limb is also overturned to the southwest, however the syncline is upright in the area of the property. The core of the Eureka Syncline is occupied by Takla Group basic volcanic rocks consisting of basalt, augite porphyry flows, tuffs and volcanic breccias that have been metamorphosed to a low grade. The contact with the underlying sediments of the Quesnel River Group has been interpreted as a fault.

All of the pre-Tertiary rocks in the area are affected by regional dynamothermal metamorphism, with the lowest grades exposed along the Horsefly River road where clastic textures are preserved. In the Eureka Syncline, the metamorphic grade of all units increases towards the Perseus and Boss Mountain anticlines. Large areas reach medium grade amphibolite facies metamorphism and some rocks in the cores of the nearby anticlines reach the kyanite-staurolite-fibrolite zone and are associated with pegmatites. The age of the folding and metamorphism is considered to be Jurassic to early Cretaceous.

The northwest trending MacKay River valley appears to mark a major zone of vertical or near vertical fracturing. At this location the upper Triassic Quesnel River Group is sandwiched between two more competent units; younger intrusives and volcanoclastics to the south and older amphibolites, schists and gneisses to the north and east. Shearing and faulting appears to have been concentrated in the incompetent phyllite units striking along the valley.

### **Geological Model**

The mineral claims are centred on Eureka Peak and the Eureka Peak syncline. Two styles of gold mineralization are known within this portion of the syncline. The Frasergold gold-quartz zone is hosted within graphite rich (5-40%) phyllitic sediments and is located on the east limb of the syncline, whereas the Eureka Peak gold-sulphide mineralization is found closer to the core of the fold, near the base of volcanics that overlay the sediments. Both styles of gold mineralization fit within the Orogenic Gold model currently being applied to mineralization within the Cariboo Gold Belt. Deposits within the Orogenic Gold model range in size up to multi-million ounce deposits and include such noted examples as McRaes Flat (New Zealand), Paracatu (Brazil) and Sukhoi Log (Russia). The Frasergold zone mineralization appears to fit the orogenic lode-gold deposit type; gold tends to occur in quartz veins with coarse particulate gold occurring in segregations of stringers, veins, boudins and mullions. Gold has also been commonly observed as fine anhedral grains set in quartz often near the margins of veins. The gold also appears to be associated with sulphides, including pyrrhotite, pyrite and minor chalcopyrite and sphalerite. Petrographic studies show that a major part of the gold occurs with medium to coarse grained pyrite and pyrrhotite aggregates throughout the mineralized zone. Overall the sulphide content of the Frasergold zone varies from Tr-12% sulphides, and averaging about 2-3% sulphides. Pervasive low grade gold mineralization is also found within the knotted phyllite strata where quartz is absent, however the gold also appears to be associated with sulphides within the phyllitic strata. In most or all cases the phyllitic metasediments are graphite rich, with Tr-3% chlorite alteration.

#### 4. Generalized Description of 2011 Exploration Program

The fall program is utilized a Bell 206L4 helicopter from Yellowhead Helicopters based from Valemont, BC. The crew was one geologist, 3 senior field men and helicopter pilot all based in the Eureka Peak Lodge, located 15 km SW of project area. The program was completed in 10 days from Oct 11 – 18th. Priority was the Kusk grid however due to poor weather conditions this grid as well as the Eureka Bowl grids were only partially sampled. The 18ppm Au grid was sampled as planned to entirety.

Objective: To assist the planning of an exploration drill program for 2012, three areas of the property were selected on the basis they may offer high grade mineralization, adding substantial value to the overall project. All three areas have been drilled to a very limited extent, and the historical geochemical results for targeting drill holes are considered somewhat unreliable. It is therefore recommended to complete detailed geochemistry to evaluate the worth of each target area:

- 1) Kusk Grid: The highest priority target is the 3.5km southeast extension of the main geochemical anomaly. This area of the mineralized horizon is the least understood. The interpretation of the zone has been based on four separate geochemical surveys, completed in 1980, 1982, 1983, 1984, and 1987. This work was done on patchwork grids at broad sample intervals and analyzed by 4 different laboratories. The reliability of the data is questioned. Two 1985 drill holes in periphery portion of the zone indicated similar mineralized grades to the Main Zone.

Geologically and structurally, this area of the property is considered the most complex portion of the mineralized horizon, and may house wider and higher grade sections due to these structural complexities. A 50 km detailed grid is being proposed for this area which will incorporate the collection of approximately 1000 soil samples.

- 2) Eureka Peak Grid: A strong satellite gold anomaly was detected from the 1981 sampling program and never refined. One 1988 drill hole into the zone carried insignificant results, however was considered inconclusive due to its location. A 10 km grid was recommended for this area, collecting 200 soil samples. Grid area accessible by road.
- 3) 18ppm Au Grid: An 18,000ppb gold soil was detected by the Hawthorne crew in 2008/09 just northwest of the Main Zone. One hole drilled in 1986 probably was drilled too far down-slope from the bedrock origin of this sample, and consequently only intersected low-grade gold values. A 6.3km grid is recommended in this area, collecting 125 soil samples. Grid area accessible by road.

### Work Program Description:

- 1) 18ppm Grid: 6.3 line km and 135 soil samples collected
- 2) Eureka Bowl Grid: 5.2 line km and 113 soil samples collected
- 3) Kusk Grid: 15.5 line km and 317 soil samples collected

In total, 27 line kilometers of the 50 line kilometers planned were traversed with 565 soil samples collected of the 1000 planned.

### Summary of Results:

- 1) Kusk Grid sampling was inconclusive, however from what was collected, the anomalies from programs completed in the 1980s were not duplicated. The isolated high value (700ppb) has no shoulder values and is of little interest. The results indicate all earlier drilling was inadequately located, therefore explains the weak results. The grid area is all underlain by sedimentary rocks of the Quesnel River Group and is anticipated to host similar gold mineralization as the Main Frasergold resource. It is recommended to complete the soil sampling as originally planned next summer. No drill holes can be selected until this soil sampling is complete.
- 2) 18ppm Grid duplicated the earlier anomaly, however did not provide results of similar magnitude. This can be rationalized by the “nuggety” nature of the gold. The grid area is all underlain by sedimentary rocks of the Quesnel River Group, therefore similar style gold mineralization found in the Main Frasergold resource is anticipated. Two significant gold anomalies were derived from this grid area, with values to 160ppb Au. These anomalies should be drill tested by at least 4 diamond drill holes.

Preliminary field work is required to study location, orientation and depths of the proposed drill holes. Included in this program would be some depth profiles and full fire assay of additional soil samples. In addition to the above, it would be prudent to do some additional analyses on existing soil samples to investigate if similar order of magnitude values can be achieved. I have initiated this work on 9 of the anomalous samples. Results of preliminary work would assist in location of proposed drill holes.


- 3) Eureka Bowl Grid duplicated the earlier anomaly, however provided stronger geochem values ranging to 2.24ppm Au and 1200ppm Cu. The results also indicated a strong association of copper very sympathetic to the gold values. The grid area is believed all underlain by volcanic rocks of the Takla Formation and possibly some small alkalic plutons. The envisioned style of mineralization is therefore believed a hydrothermal source, possibly porphyry Cu/Au similar to Mount Polley, or replacement Au similar to the AR deposit. The gold anomaly extends over a strike length of 400 meters and the copper anomaly over a strike length of 600 meters, and therefore suitable to host a typical porphyry resource. Two drill holes are recommended into these interpreted targets to establish the presence of porphyry style mineralization. Some preliminary field work is required to establish location, orientation and depths of these drill holes.

In summary, a total of 6 drill holes have been proposed to follow up on results of the 2011 soil sampling program, each hole to a depth of 250 – 300 meters. This drilling is recommended for the 2012 field season, totaling 1700 meters, or approximately \$340,000.

The geochemical targets on the Eureka Bowl and 18ppm grid are certainly worthy of drilling, however the strength and size of the located anomalies cannot be classified as compelling. On the 18ppm grid, anticipated mineralization is expected to be of similar nature and grade as the Frasersgold Main Zone. On the Eureka Bowl grid, the anticipated porphyry or replacement style mineralized body on surface would indicate a small deposit (5-10MT). One would therefore anticipate higher grade or a larger deposit at depth. No drilling is warranted in the Kusk area based on results of geochemistry to date.

The Index map of the Frasersgold property is shown in **Figure 3**; this map displays the larger Frasersgold property area, as well as the areas within the map which encompass more detailed map figures contained within this report. All maps contained within this report are in **Appendix A** along with each soil grid map, rocks and silt samples.

**Figure 3** - Index Map



**Appendix B** outlines the locations of where all regional samples were collected grouped by sample type. The table also displays the gold, silver and copper assay values for the samples that were submitted for analysis at Acme Analytical Labs in Vancouver, BC.

### **Sampling Method and Approach**

The sampling method and approach used by the Teslin River Gold exploration team were based on sampling protocols and procedures commensurate with industry standard practice. All samples were collected under the supervision of an experienced Geologist.

### **Sample Preparation, Analyses and Security**

Regional sample preparation program completed in 2008 by Hawthorne included the collection of representative samples and conducting sampling programs according to industry standards. During the field season geologists described rock grab samples, soils and silt samples in as much detail as possible, the sample sites were recorded with GPS tools and flagged. Individual samples were placed in individual poly plastic sample bags along with their corresponding sample tag. Samples were then placed in rice bags with assay instructions, sealed with a tag lock and subsequently transported to the lab preparation facility. All field notes were transferred from paper records to a digital template and reviewed for discrepancies.

### **Sampling Procedures and Protocols**

The surface and underground sampling procedures and protocols were as follows:

- 1) Soils and silts were collected primarily from the B Horizon with approximately 1kg worth of soil material.
- 2) Standard preparation for soils < 1kg
- 3) Dry, manually disaggregate and sieve 100 grams to -80 mesh, discard reject.
- 4) Analyze for gold and multi elements via Aqua Regia digestion ICP-MS analysis
- 5) Import digital data received by Acme analytical lab into Teslin River Resources' server database. No samples bags were reported missing or tampered with and thus all samples were deemed legitimate and accepted.

## 5. Geochemical Sampling Program - Assessment Details and Statement of Expenditures

**Table 2: 2011 Statement of Expenditures**

Site	Invoice #		Days	Hrs	Rate	Total	
Geoquest Consulting	1228	W. Gruenwald P. Geo		36.00	81.25	2,925.00	
Geoquest Consulting	1228	E.Gruenwald		1.25	45.00	56.25	
Hendex, Exploration (Soil Samplers)	1150	Name not indicated	8.0		370.00	2,960.00	
Hendex, Exploration (Soil Samplers)	1150	Name not indicated	8.0		370.00	2,960.00	
Hendex, Exploration (Soil Samplers)	1150	Name not indicated	8.0		370.00	2,960.00	
John R. Kerr and Associates Ltd.	623	J. Kerr P. Eng	8.0		800.00	6,400.00	
John R. Kerr and Associates Ltd.	621	J. Kerr P. Eng	4.8		800.00	3,800.00	
Roscoe Postle Associates Inc.	C34771	Dave Rennie		35.50	240.75	8,546.63	
Roscoe Postle Associates Inc.	C34771	Glen Ehasoo		21.75	214.00	4,654.50	
Resinco Capital Partners	2011-186	M. Hitch	3.0		1,500.00	4,500.00	
							39,762.38
Off-site	Invoice #		Days	Hrs	Rate	Total	
Geoquest Consulting	1224	W. Gruenwald P. Geo		9.00	81.25	731.25	
Geoquest Consulting	1224	E.Gruenwald		11.00	45.00	495.00	
Infiniti Drilling, Kristian Whitehead, P.Geo	173	Labour, Office	1.0		530.00	530.00	
Infiniti Drilling, Kristian Whitehead, P.Geo	175	Labour, Office	12.4		530.00	6,558.75	
John R. Kerr and Associates Ltd.	628	J. Kerr P. Eng	7.5		800.00	6,000.00	
Roscoe Postle Associates Inc.	C34880	Dave Rennie		6.00	240.75	1,444.50	
Roscoe Postle Associates Inc.	C34880	Glen Ehasoo		8.50	214.00	1,819.00	
Resinco Capital Partners	2011-190	M. Hitch	5.0		1,500.00	7,500.00	
							25,078.50
Assaying					Rate	Total	
Acme Labs assays & processing					Total job	11,859.26	
							11,859.26
Transporation					Rate	Total	
Accomodation & Food	Flights; Montreal >YVR>Williams Lake + Taxis, km's & car rent:				Total job	5,139.76	
Helicopter	Yellowhead Helicopters				Total job	23,688.00	
							28,827.76
Accomodation & Food					Rate	Total	
Includes Eureka Resort accomodations as well as individual hotel and food					Total job	6,497.74	
							6,497.74
Miscellaneous					Rate	Total	
Supplies, Telephone, Courier , Shippers, etc.					Total job	2,244.86	
Field Equipment rental						620.00	
							2,864.86
							114,890.50

**Total Teslin River Resources Expenditure:**

**\$114,890.50**

## 6. Certificate of Author

I, Kristian Lorne Whitehead, B.Sc., P.Geo do hereby certify that:

1. I am a Consulting Geologist for:  
Teslin River Resources Corporation  
1430 – 800 West Pender Street  
Vancouver, British Columbia, V6C 2V6
2. I am a graduate of the University of Victoria (B.Sc. Earth and Ocean Science 2004).
3. I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Member # 143255).
4. I have practiced my profession in the mineral exploration continuously since April 2002. I have worked as an exploration project geologist with StrataGold Corporation based in Vancouver, BC from April 2003 to February 2008. February 2008 to January 2010 Hawthorne Gold Corporation as a Senior Project Geologist. January 2010 to January 2011 Fire River Gold Corporation as a Senior Project Geologist. January 2011 to May 2011 as a Project Manager for Copper Creek Gold Corporation. May 2011 to November 2011 as a Senior Advisor, Hunter Dickinson Inc., November 2011 to Current as VP of Exploration Copper Creek Gold Corporation.
5. I have been involved with the exploration of the property that is the subject of the Assessment Report since mid February 2008. During the period of mid February 2008 until current I oversaw the exploration programs on the property during the exploration season, reviewed and interpreted data, and recommended future plans and budgets for the property. My last visit to the property was on May 15, 2011.
6. I have had prior involvement with the property that is subject of the Assessment Report.
7. I am responsible for the assessment report titled "**Regional Geochemical Sampling Program Assessment Report for 2011 Frasergold Property, Williams Lake Area, British Columbia**" and dated December 29th, 2011.
8. As of the date of this Certificate, to my knowledge, information and belief, this Assessment Report contains all scientific and technical information that is required to be disclosed to make the assessment report not misleading.
9. I am currently employed by Copper Creek Gold Corporation as Vice President of Exploration, and have not been issued stock options for Teslin River Gold Corporation.

Dated this \_\_\_ day of \_\_\_\_\_, 2011.

"Kristian Whitehead"



---

Signature

K.Lorne Whitehead, Bsc., P.Geo.

## **7. Bibliography**


Dave Rhys, Panterra Geoservices inc., Memo to Michael Redfearn, Gordon Addie, Sheri Burt and Sam Slaney regarding Frasergold property field observations and report review, September 10, 2007.

Geoffrey Goodall, Global Geological Services Incorporated, and K.V. Campbell, Earth Resource Surveys Incorporated. NI 43-101 Technical Report SUMMARY REPORT AND EXPLORATION PROPOSAL ON THE FRASERGOLD PROJECT, Cariboo Mining Division, BC, January 29, 2007 amended March 27, 2007.

Eureka Resources Inc. website, news releases and property descriptions.

J. Sparling, Hawthorne Gold Corporation, and K.V. Campbell, Earth Resource Surveys Incorporated. NI 43-101 Technical Report SUMMARY REPORT AND EXPLORATION PROPOSAL ON THE FRASERGOLD PROJECT, Cariboo Mining Division, BC, January 31, 2008.

## **Appendix A – Full Scale Maps Contained within the Report**



5799000 m

5798000 m

663000 m

664000 m

N

W

E

S

5799000 m

5798000 m

9300N

8300N

P8800N

FGWR-01

FWSL-03

FWSL-01

FWSL-04

P8000N

18 ppm Grid

FGWSL-02R 1

FWSL-02 288

4700E

Eureka Bowl Grid

Scale: 1:10000

500 m

TESLIN RIVER RESOURCES CORP.

Frasergold Property


Eureka Bowl and 18 ppm Grids  
Gold


Tech Work by: GEOQUEST  
Drawn by: EG

Date: Nov, 2011  
Figure:

663000 m

664000 m





Map Datum (Zone 10)  
 North American 1983 (Canada)  
 Map Sheets 093A.028  
 True N is 1.98° W of UTM Grid N.  
 Magnetic Declination: 17°42'E

Scale: 1:10000  
 0 500 m

**TESLIN RIVER RESOURCES CORP.**  
**Frasergold Property**  
**Kusk Grid-Gold**

Tech Work by: GEOQUEST  
 Drawn by: EG

Date: Nov, 2011  
 Figure:

Claim Line	Road	<20 ppb Au
Rock Sample	20-50 ppb Au	50-100 ppb Au
Stream Sample	100-200 ppb Au	200-500 ppb Au
Soil Sample	>500 ppb Au	

**Geochemical Categories**


FWSL-05  
2

FGWR-03  
2

FGWR-04  
2

FGWR-06  
3

FGWR-07  
2



Map Datum (Zone 10)  
 North American 1983 (Canada)  
 Map Sheets 093A.028  
 True N is 1.98° W of UTM Grid N.  
 Magnetic Declination: 17°42'E

Scale: 1:10000  
 0 500 m

**TESLIN RIVER RESOURCES CORP.**

**Frasergold Property**

**Kusk Grid-Copper**

Tech Work by: GEOQUEST  
 Drawn by: EG

Date: Nov, 2011  
 Figure:

Claim Line	<b>Geochemical Categories</b>
Road	
<b>Samples</b>	
Rock Sample	<50 ppm Cu
Stream Sample	50-150 ppm Cu
Soil Sample	150-500 ppm Cu
	>500 ppm Cu

FWSL-05  
44

FGWR-03  
3

FGWR-04  
6

FGWR-06  
23

FGWR-07  
15

FWSL-06  
50

5792000 m

5792000 m

5793000 m

5793000 m

5794000 m

5794000 m

5795000 m

5795000 m

667000 m

668000 m

## Appendix B- Regional Sample Locations and Au, Ag & Cu Assay Values

### Soil Sampling Program

Job Number	Sample Name	Grid	Easting NAD83	Northing NAD83	Au ppb	Ag g/t	Cu ppm
					<20		
					Weakly Anomalous: <50		<50
					Possibly Anomalous: <100		<150
					Probably Anomalous: <200		<500
					Definitely Anomalous: <500		>500
					Strongly Anomalous: >500		
VAN11005594	E2300E 8900N	Eureka	662300	5798900	15.2	0.1	140.1
VAN11005594	E2300E 8950N	Eureka	662300	5798950	4.0	0.4	159.5
VAN11005594	E2300E 9000N	Eureka	662300	5799000	11.2	0.3	157.3
VAN11005594	E2300E 9050N	Eureka	662300	5799050	5.7	0.3	82.0
VAN11005594	E2300E 9100N	Eureka	662300	5799100	8.1	0.2	371.1
VAN11005594	E2300E 9150N	Eureka	662300	5799150	2.6	0.4	406.2
VAN11005594	E2300E 9200N	Eureka	662300	5799200	8.2	0.2	64.2
VAN11005594	E2300E 9250N	Eureka	662300	5799250	2.1	0.6	73.1
VAN11005594	E2300E 9300N	Eureka	662300	5799300	13.9	0.5	107.1
VAN11005594	E2400E 8900N	Eureka	662400	5798900	10.3	0.1	32.0
VAN11005594	E2400E 8950N	Eureka	662400	5798950	22.3	0.6	35.8
VAN11005594	E2400E 9000N	Eureka	662400	5799000	121.3	0.2	48.1
VAN11005594	E2400E 9050N	Eureka	662400	5799050	8.3	0.2	1136.4
VAN11005594	E2400E 9100N	Eureka	662400	5799100	12.3	0.2	164.4
VAN11005594	E2400E 9150N	Eureka	662400	5799150	4.0	0.2	65.0
VAN11005594	E2400E 9200N	Eureka	662400	5799200	8.7	0.2	47.2
VAN11005594	E2400E 9250N	Eureka	662400	5799250	6.2	0.1	31.0
VAN11005594	E2400E 9300N	Eureka	662400	5799300	19.1	0.3	27.8
VAN11005594	E2500E 8750N	Eureka	662500	5798750	12.2	<0.1	29.6
VAN11005594	E2500E 8800N	Eureka	662500	5798800	5.3	<0.1	29.4
VAN11005594	E2500E 8850N	Eureka	662500	5798850	5.1	<0.1	13.2
VAN11005594	E2500E 8900N	Eureka	662500	5798900	5.3	<0.1	33.0
VAN11005594	E2500E 8950N	Eureka	662500	5798950	3.0	0.2	48.6
VAN11005594	E2500E 9000N	Eureka	662500	5799000	43.9	0.2	31.6
VAN11005594	E2500E 9050N	Eureka	662500	5799050	23.1	0.1	46.7
VAN11005594	E2500E 9100N	Eureka	662500	5799100	4.3	0.3	19.3
VAN11005594	E2500E 9150N	Eureka	662500	5799150	8.4	0.6	48.9
VAN11005594	E2500E 9200N	Eureka	662500	5799200	10.1	0.5	20.3
VAN11005594	E2500E 9250N	Eureka	662500	5799250	21.6	0.4	21.6
VAN11005594	E2500E 9300N	Eureka	662500	5799300	149.8	0.2	45.7
VAN11005595	E2600E 8750N	Eureka	662600	5798750	12.8	0.1	32.8
VAN11005595	E2600E 8800N	Eureka	662600	5798800	10.6	0.1	15.9
VAN11005595	E2600E 8850N	Eureka	662600	5798850	12.5	0.2	61.5
VAN11005595	E2600E 8900N	Eureka	662600	5798900	7.1	0.5	181.2
VAN11005595	E2600E 8950N	Eureka	662600	5798950	46.7	0.1	26.8
VAN11005595	E2600E 9000N	Eureka	662600	5799000	45.5	0.4	48.7
VAN11005595	E2600E 9050N	Eureka	662600	5799050	15.2	0.3	84.5
VAN11005595	E2600E 9100N	Eureka	662600	5799100	2.2	0.6	97.9
VAN11005595	E2600E 9150N	Eureka	662600	5799150	3.8	<0.1	19.1
VAN11005595	E2600E 9200N	Eureka	662600	5799200	43.3	0.3	49.4
VAN11005595	E2600E 9250N	Eureka	662600	5799250	14.5	0.4	27.1

VAN11005595	E2600E 9300N	Eureka	662600	5799300	15.0	0.3	74.4
VAN11005595	E2700E 8800N	Eureka	662700	5798800	1.7	<0.1	17.5
VAN11005595	E2700E 8850N	Eureka	662700	5798850	1.5	0.2	91.6
VAN11005595	E2700E 8900N	Eureka	662700	5798900	5.2	0.3	392.6
VAN11005595	E2700E 8950N	Eureka	662700	5798950	2235.8	0.5	15.7
VAN11005595	E2700E 9000N	Eureka	662700	5799000	134.2	0.2	98.6
VAN11005595	E2700E 9050N	Eureka	662700	5799050	145.1	0.1	120.5
VAN11005595	E2700E 9100N	Eureka	662700	5799100	5.1	0.2	36.9
VAN11005595	E2700E 9150N	Eureka	662700	5799150	4.3	0.2	32.3
VAN11005595	E2700E 9200N	Eureka	662700	5799200	11.0	0.2	29.4
VAN11005595	E2700E 9250N	Eureka	662700	5799250	11.8	0.4	59.6
VAN11005595	E2700E 9300N	Eureka	662700	5799300	2.3	0.4	29.7
VAN11005595	E2800E 8850N	Eureka	662800	5798850	5.7	0.5	335.8
VAN11005595	E2800E 8950N	Eureka	662800	5798900	178.0	1.7	941.2
VAN11005595	E2800E 9000N	Eureka	662800	5798950	235.5	0.1	41.7
VAN11005595	E2800E 9050N	Eureka	662800	5799000	23.7	0.2	112.1
VAN11005595	E2800E 9100N	Eureka	662800	5799050	19.0	0.4	138.3
VAN11005595	E2800E 9150N	Eureka	662800	5799100	17.8	0.5	200.2
VAN11005595	E2800E 9200N	Eureka	662800	5799150	8.9	1.1	314.4
VAN11005595	E2800E 9250N	Eureka	662800	5799200	15.3	0.4	163.2
VAN11005595	E2800E 9300N	Eureka	662800	5799250	1.5	0.3	50.7
VAN11005595	E2900E 8850N	Eureka	662800	5799300	3.2	0.2	88.4
VAN11005595	E2900E 8900N	Eureka	662900	5798900	225.1	0.3	43.9
VAN11005595	E2900E 8950N	Eureka	662900	5798950	148.0	0.7	457.5
VAN11005595	E2900E 9000N	Eureka	662900	5799000	29.7	0.8	415.8
VAN11005595	E2900E 9050N	Eureka	662900	5799050	23.6	0.2	76.5
VAN11005595	E2900E 9100N	Eureka	662900	5799100	8.3	0.5	47.0
VAN11005595	E2900E 9150N	Eureka	662900	5799150	67.3	0.7	30.5
VAN11005595	E2900E 9200N	Eureka	662900	5799200	1.1	0.6	28.8
VAN11005595	E2900E 9250N	Eureka	662900	5799250	70.8	0.4	37.3
VAN11005595	E2900E 9300N	Eureka	662900	5799300	6.5	0.9	273.3
VAN11005595	E3000E 8850N	Eureka	663000	5798850	29.8	2.2	1206.4
VAN11005595	E3000E 8900N	Eureka	663000	5798900	12.9	0.2	77.6
VAN11005595	E3000E 8950N	Eureka	663000	5798950	1.8	0.1	76.2
VAN11005595	E3000E 9000N	Eureka	663000	5799000	2.6	0.5	14.9
VAN11005595	E3000E 9050N	Eureka	663000	5799050	9.1	1.1	100.9
VAN11005595	E3000E 9100N	Eureka	663000	5799100	56.5	0.3	77.4
VAN11005595	E3000E 9150N	Eureka	663000	5799150	13.3	0.1	59.1
VAN11005595	E3000E 9200N	Eureka	663000	5799200	4.4	0.1	44.4
VAN11005595	E3000E 9250N	Eureka	663000	5799250	12.3	0.8	247.5
VAN11005595	E3000E 9300N	Eureka	663000	5799300	36.8	0.6	32.4
VAN11005595	E3100E 8850N	Eureka	663100	5798850	2.3	0.3	156.1
VAN11005595	E3100E 8900N	Eureka	663100	5798900	6.8	0.2	78.4
VAN11005595	E3100E 8950N	Eureka	663100	5798950	5.4	0.6	77.4
VAN11005595	E3100E 9000N	Eureka	663100	5799000	13.6	1.0	71.1
VAN11005595	E3100E 9050N	Eureka	663100	5799050	20.1	0.7	36.7
VAN11005595	E3100E 9100N	Eureka	663100	5799100	3.9	0.8	115.4
VAN11005595	E3100E 9150N	Eureka	663100	5799150	11.3	0.6	181.0
VAN11005595	E3100E 9200N	Eureka	663100	5799200	12.1	1.2	279.0
VAN11005595	E3100E 9250N	Eureka	663100	5799250	24.0	1.3	277.9
VAN11005595	E3100E 9300N	Eureka	663100	5799300	20.8	0.7	143.4
VAN11005595	E3200E 8800N	Eureka	663200	5798800	1.6	0.3	105.8
VAN11005595	E3200E 8850N	Eureka	663200	5798850	5.4	0.2	30.8
VAN11005595	E3200E 8900N	Eureka	663200	5798900	15.8	0.5	45.7
VAN11005595	E3200E 8950N	Eureka	663200	5798950	3.5	0.6	91.8

VAN11005595	E3200E 9000N	Eureka	663200	5799000	2.0	0.2	60.6
VAN11005595	E3200E 9050N	Eureka	663200	5799050	5.8	0.6	58.4
VAN11005595	E3200E 9100N	Eureka	663200	5799100	37.4	0.5	70.4
VAN11005595	E3200E 9150N	Eureka	663200	5799150	4.8	0.5	61.5
VAN11005595	E3200E 9200N	Eureka	663200	5799200	4.3	0.6	58.6
VAN11005595	E3200E 9250N	Eureka	663200	5799250	20.3	0.5	64.3
VAN11005595	E3200E 9300N	Eureka	663200	5799300	8.8	0.7	151.8
VAN11005595	E3300E 8850N	Eureka	663300	5798850	3.5	0.1	68.0
VAN11005595	E3300E 8900N	Eureka	663300	5798900	3.2	0.3	95.3
VAN11005595	E3300E 8950N	Eureka	663300	5798950	4.5	1.0	262.9
VAN11005595	E3300E 9000N	Eureka	663300	5799000	10.7	0.4	60.3
VAN11005595	E3300E 9050N	Eureka	663300	5799050	5.0	<0.1	44.1
VAN11005595	E3300E 9100N	Eureka	663300	5799100	3.8	0.2	43.5
VAN11005595	E3300E 9150N	Eureka	663300	5799150	4.6	0.3	49.9
VAN11005595	E3300E 9200N	Eureka	663300	5799200	2.5	0.5	41.6
VAN11005595	E3300E 9250N	Eureka	663300	5799250	48.3	0.3	28.1
VAN11005595	E3300E 9300N	Eureka	663300	5799300	20.1	0.2	18.4
VAN11005596	K2400N 7700E	Kusk	667700	5792400	5.0	2.5	50.6
VAN11005596	K2400N 7750E	Kusk	667750	5792400	0.9	1.5	38.0
VAN11005596	K2400N 7800E	Kusk	667800	5792400	<0.5	0.3	21.9
VAN11005596	K2400N 7850E	Kusk	667850	5792400	2.5	0.5	58.1
VAN11005596	K2400N 7900E	Kusk	667900	5792400	<0.5	0.4	50.1
VAN11005596	K2400N 7950E	Kusk	667950	5792400	<0.5	0.8	19.6
VAN11005596	K2400N 8000E	Kusk	668000	5792400	5.2	0.5	59.2
VAN11005596	K2400N 8050E	Kusk	668050	5792400	1.3	0.4	33.8
VAN11005596	K2400N 8100E	Kusk	668100	5792400	0.9	0.6	39.3
VAN11005596	K2400N 8150E	Kusk	668150	5792400	4.1	0.6	28.9
VAN11005596	K2400N 8200E	Kusk	668200	5792400	3.1	9.5	80.6
VAN11005596	K2400N 8250E	Kusk	668250	5792400	<0.5	0.4	24.6
VAN11005596	K2400N 8300E	Kusk	668300	5792400	0.9	0.4	24.8
VAN11005596	K2400N 8350E	Kusk	668350	5792400	2.6	2.0	40.5
VAN11005596	K2400N 8400E	Kusk	668400	5792400	3.4	1.4	48.7
VAN11005596	K2500N 7500E	Kusk	667500	5792500	<0.5	0.1	29.8
VAN11005596	K2500N 7550E	Kusk	667550	5792500	0.9	0.2	19.4
VAN11005596	K2500N 7600E	Kusk	667600	5792500	0.7	1.0	39.9
VAN11005596	K2500N 7650E	Kusk	667650	5792500	1.0	2.2	37.9
VAN11005596	K2500N 7700E	Kusk	667700	5792500	<0.5	0.5	30.9
VAN11005596	K2500N 7750E	Kusk	667750	5792500	1.7	1.7	32.5
VAN11005596	K2500N 7800E	Kusk	667800	5792500	2.1	1.0	41.9
VAN11005596	K2500N 7850E	Kusk	667850	5792500	3.4	0.7	21.4
VAN11005596	K2500N 7900E	Kusk	667900	5792500	5.2	0.4	21.3
VAN11005596	K2500N 7950E	Kusk	667950	5792500	13.2	1.9	51.6
VAN11005596	K2500N 8000E	Kusk	668000	5792500	34.7	0.5	14.0
VAN11005596	K2500N 8050E	Kusk	668050	5792500	3.5	1.1	49.0
VAN11005596	K2500N 8100E	Kusk	668100	5792500	4.6	2.4	40.2
VAN11005596	K2500N 8150E	Kusk	668150	5792500	2.2	1.1	20.9
VAN11005596	K2500N 8200E	Kusk	668200	5792500	1.3	0.3	20.6
VAN11005596	K2500N 8250E	Kusk	668250	5792500	45.5	0.3	15.0
VAN11005596	K2500N 8300E	Kusk	668300	5792500	1.8	1.3	22.0
VAN11005596	K2500N 8350E	Kusk	668350	5792500	11.4	0.3	20.7
VAN11005596	K2500N 8400E	Kusk	668400	5792500	2.3	0.6	16.3
VAN11005595	K2600N 7500E	Kusk	667500	5792600	13.9	2.2	70.3
VAN11005595	K2600N 7550E	Kusk	667550	5792600	3.1	0.3	37.8
VAN11005595	K2600N 7600E	Kusk	667600	5792600	1.2	0.2	18.7
VAN11005595	K2600N 7650E	Kusk	667650	5792600	0.6	1.6	22.4

VAN11005595	K2600N 7700E	Kusk	667700	5792600	2.7	1.4	44.9
VAN11005595	K2600N 7750E	Kusk	667750	5792600	11.5	1.2	61.6
VAN11005595	K2600N 7800E	Kusk	667800	5792600	6.8	1.1	45.4
VAN11005595	K2600N 7850E	Kusk	667850	5792600	14.5	1.2	45.5
VAN11005595	K2600N 7900E	Kusk	667900	5792600	0.6	2.5	29.8
VAN11005595	K2600N 7950E	Kusk	667950	5792600	6.1	5.0	24.8
VAN11005595	K2600N 8000E	Kusk	668000	5792600	3.7	0.5	23.7
VAN11005595	K2600N 8050E	Kusk	668050	5792600	4.8	0.8	19.3
VAN11005595	K2600N 8100E	Kusk	668100	5792600	1.8	1.4	13.6
VAN11005595	K2600N 8150E	Kusk	668150	5792600	2.9	2.1	29.1
VAN11005595	K2600N 8200E	Kusk	668200	5792600	1.6	1.3	17.4
VAN11005595	K2600N 8250E	Kusk	668250	5792600	8.6	1.0	19.8
VAN11005595	K2600N 8300E	Kusk	668300	5792600	2.1	3.8	34.2
VAN11005595	K2600N 8350E	Kusk	668350	5792600	2.6	3.1	48.0
VAN11005595	K2600N 8400E	Kusk	668400	5792600	1.0	0.7	11.5
VAN11005595	K2700N 7900E	Kusk	667900	5792700	1.7	0.4	15.5
VAN11005595	K2700N 7950E	Kusk	667950	5792700	3.0	0.4	20.2
VAN11005595	K2700N 8000E	Kusk	668000	5792700	2.0	0.2	30.5
VAN11005595	K2700N 8050E	Kusk	668050	5792700	0.6	0.3	22.2
VAN11005595	K2700N 8100E	Kusk	668100	5792700	2.3	1.1	21.5
VAN11005595	K2700N 8150E	Kusk	668150	5792700	2.3	1.3	41.1
VAN11005595	K2700N 8200E	Kusk	668200	5792700	1.1	0.2	49.7
VAN11005595	K2700N 8250E	Kusk	668250	5792700	<0.5	0.8	17.2
VAN11005595	K2700N 8300E	Kusk	668300	5792700	4.9	0.5	22.5
VAN11005595	K2700N 8350E	Kusk	668350	5792700	3.8	0.3	12.0
VAN11005595	K2700N 8400E	Kusk	668400	5792700	1.5	2.0	24.4
VAN11005595	K2800N 7850E	Kusk	667850	5792800	8.9	0.8	39.1
VAN11005595	K2800N 7900E	Kusk	667900	5792800	7.0	<0.1	37.2
VAN11005595	K2800N 7950E	Kusk	667950	5792800	<0.5	0.9	29.0
VAN11005595	K2800N 8000E	Kusk	668000	5792800	<0.5	1.9	41.9
VAN11005595	K2800N 8050E	Kusk	668050	5792800	2.3	0.6	34.0
VAN11005595	K2800N 8100E	Kusk	668100	5792800	4.9	0.7	47.6
VAN11005595	K2800N 8150E	Kusk	668150	5792800	<0.5	0.2	9.6
VAN11005595	K2800N 8200E	Kusk	668200	5792800	3.0	0.6	17.7
VAN11005595	K2800N 8250E	Kusk	668250	5792800	<0.5	0.4	17.6
VAN11005595	K2800N 8300E	Kusk	668300	5792800	<0.5	1.5	33.1
VAN11005595	K2800N 8350E	Kusk	668350	5792800	1.1	0.7	21.7
VAN11005595	K2800N 8400E	Kusk	668400	5792800	<0.5	0.6	15.2
VAN11005596	K2900N 7850E	Kusk	667850	5792900	2.7	0.2	24.2
VAN11005596	K2900N 7900E	Kusk	667900	5792900	2.6	0.6	40.6
VAN11005596	K2900N 7950E	Kusk	667950	5792900	1.9	0.3	16.4
VAN11005596	K2900N 8000E	Kusk	668000	5792900	2.1	0.5	36.9
VAN11005596	K2900N 8050E	Kusk	668050	5792900	3.6	0.5	35.4
VAN11005596	K2900N 8100E	Kusk	668100	5792900	4.8	5.0	70.9
VAN11005596	K2900N 8150E	Kusk	668150	5792900	1.9	0.7	44.4
VAN11005596	K2900N 8200E	Kusk	668200	5792900	4.4	0.4	20.7
VAN11005596	K2900N 8250E	Kusk	668250	5792900	2.2	0.4	56.5
VAN11005596	K2900N 8300E	Kusk	668300	5792900	2.7	1.4	59.7
VAN11005596	K2900N 8350E	Kusk	668350	5792900	1.2	0.4	26.6
VAN11005596	K2900N 8400E	Kusk	668400	5792900	2.6	1.5	56.2
VAN11005660	K3000N 7900E	Kusk	667900	5793000	1.6	0.7	31.9
VAN11005660	K3000N 7950E	Kusk	667950	5793000	1.9	0.2	11.7
VAN11005660	K3000N 8000E	Kusk	668000	5793000	1.0	0.6	7.5
VAN11005660	K3000N 8050E	Kusk	668050	5793000	3.9	0.4	29.9
VAN11005660	K3000N 8100E	Kusk	668100	5793000	2.6	0.9	45.6

VAN11005660	K3000N 8150E	Kusk	668150	5793000	1.8	3.3	33.3
VAN11005660	K3000N 8200E	Kusk	668200	5793000	2.2	3.1	49.8
VAN11005660	K3000N 8250E	Kusk	668250	5793000	3.0	3.0	38.4
VAN11005660	K3000N 8300E	Kusk	668300	5793000	2.2	0.4	46.0
VAN11005660	K3000N 8350E	Kusk	668350	5793000	3.6	1.5	40.0
VAN11005660	K3000N 8400E	Kusk	668400	5793000	7.5	0.8	48.8
VAN11005660	K3100N 7900E	Kusk	667900	5793100	5.3	0.8	42.7
VAN11005660	K3100N 7950E	Kusk	667950	5793100	10.6	0.5	107.0
VAN11005660	K3100N 8000E	Kusk	668000	5793100	5.2	0.2	6.8
VAN11005660	K3100N 8050E	Kusk	668050	5793100	2.5	1.1	32.8
VAN11005660	K3100N 8100E	Kusk	668100	5793100	7.1	0.8	52.6
VAN11005660	K3100N 8150E	Kusk	668150	5793100	2.1	2.0	80.0
VAN11005660	K3100N 8200E	Kusk	668200	5793100	22.9	0.6	22.9
VAN11005660	K3100N 8250E	Kusk	668250	5793100	2.5	1.0	27.7
VAN11005660	K3100N 8300E	Kusk	668300	5793100	7.4	2.1	61.8
VAN11005660	K3100N 8350E	Kusk	668350	5793100	9.1	0.5	104.0
VAN11005660	K3100N 8400E	Kusk	668400	5793100	2.6	0.9	52.0
VAN11005660	K3200N 7950E	Kusk	667950	5793200	3.4	0.8	16.2
VAN11005660	K3200N 8000E	Kusk	668000	5793200	2.1	0.3	44.5
VAN11005660	K3200N 8050E	Kusk	668050	5793200	1.6	0.9	23.8
VAN11005660	K3200N 8100E	Kusk	668100	5793200	6.0	1.9	17.0
VAN11005660	K3200N 8150E	Kusk	668150	5793200	4.5	0.5	15.7
VAN11005660	K3200N 8200E	Kusk	668200	5793200	5.5	1.2	22.7
VAN11005660	K3200N 8250E	Kusk	668250	5793200	14.1	0.6	44.3
VAN11005660	K3200N 8300E	Kusk	668300	5793200	3.2	0.8	105.3
VAN11005660	K3200N 8350E	Kusk	668350	5793200	6.1	1.0	26.4
VAN11005660	K3200N 8400E	Kusk	668400	5793200	3.9	1.3	67.2
VAN11005660	K3300N 8000E	Kusk	668000	5793300	0.8	<0.1	3.5
VAN11005660	K3300N 8050E	Kusk	668050	5793300	3.5	0.6	12.9
VAN11005660	K3300N 8100E	Kusk	668100	5793300	5.7	1.0	24.6
VAN11005660	K3300N 8150E	Kusk	668150	5793300	700.9	1.5	26.0
VAN11005660	K3300N 8200E	Kusk	668200	5793300	5.6	0.7	48.6
VAN11005660	K3300N 8250E	Kusk	668250	5793300	3.2	0.5	39.8
VAN11005660	K3300N 8300E	Kusk	668300	5793300	3.1	0.5	15.9
VAN11005660	K3300N 8350E	Kusk	668350	5793300	2.1	3.1	44.1
VAN11005660	K3300N 8400E	Kusk	668400	5793300	2.9	1.5	48.4
VAN11005660	K3400N 8000E	Kusk	668000	5793400	6.3	0.3	56.3
VAN11005660	K3400N 8050E	Kusk	668050	5793400	7.6	1.2	42.6
VAN11005660	K3400N 8100E	Kusk	668100	5793400	1.8	0.7	24.5
VAN11005660	K3400N 8150E	Kusk	668150	5793400	5.1	1.1	69.5
VAN11005660	K3400N 8200E	Kusk	668200	5793400	7.4	0.4	75.8
VAN11005660	K3400N 8250E	Kusk	668250	5793400	9.9	2.3	70.8
VAN11005660	K3400N 8300E	Kusk	668300	5793400	4.4	0.9	254.3
VAN11005660	K3400N 8350E	Kusk	668350	5793400	2.4	0.5	39.6
VAN11005660	K3400N 8400E	Kusk	668400	5793400	1.6	1.1	84.7
VAN11005660	K3500N 8000E	Kusk	668000	5793500	67.3	0.8	32.4
VAN11005660	K3500N 8050E	Kusk	668050	5793500	11.2	3.3	11.8
VAN11005660	K3500N 8100E	Kusk	668100	5793500	12.6	0.1	6.0
VAN11005660	K3500N 8150E	Kusk	668150	5793500	2.3	0.7	70.2
VAN11005660	K3500N 8200E	Kusk	668200	5793500	3.2	0.8	10.2
VAN11005660	K3500N 8250E	Kusk	668250	5793500	4.0	0.5	10.2
VAN11005660	K3500N 8300E	Kusk	668300	5793500	1.4	1.7	76.8
VAN11005660	K3500N 8350E	Kusk	668350	5793500	1.4	1.9	43.9
VAN11005660	K3500N 8400E	Kusk	668400	5793500	0.7	0.4	10.8
VAN11005660	K4300N 6450E	Kusk	666450	5794300	<0.5	0.4	58.3

VAN11005660	K4300N 6400E	Kusk	666400	5794300	26.4	0.8	88.6
VAN11005660	K4300N 6500E	Kusk	666500	5794300	1.5	0.7	56.6
VAN11005660	K4300N 6550E	Kusk	666550	5794300	12.5	0.5	37.7
VAN11005660	K4300N 6600E	Kusk	666600	5794300	4.5	0.4	53.7
VAN11005660	K4300N 6650E	Kusk	666650	5794300	6.2	0.6	42.8
VAN11005660	K4300N 6700E	Kusk	666700	5794300	4.7	0.6	40.2
VAN11005660	K4300N 6750E	Kusk	666750	5794300	3.6	0.8	53.9
VAN11005660	K4300N 6800E	Kusk	666800	5794300	6.5	2.9	99.0
VAN11005660	K4300N 6850E	Kusk	666850	5794300	3.8	1.5	68.8
VAN11005660	K4300N 6900E	Kusk	666900	5794300	1.7	0.5	54.3
VAN11005660	K4300N 6950E	Kusk	666950	5794300	3.6	1.2	64.3
VAN11005660	K4300N 7050E	Kusk	667050	5794300	5.4	0.7	84.8
VAN11005660	K4300N 7100E	Kusk	667100	5794300	28.0	0.4	53.0
VAN11005660	K4300N 7150E	Kusk	667150	5794300	9.0	1.7	52.1
VAN11005660	K4300N 7200E	Kusk	667200	5794300	47.7	3.2	57.5
VAN11005595	K4300N 7250E	Kusk	667250	5794300	23.5	1.2	84.4
VAN11005595	K4300N 7300E	Kusk	667300	5794300	8.4	1.6	52.4
VAN11005595	K4300N 7350E	Kusk	667350	5794300	47.8	2.1	73.9
VAN11005595	K4300N 7400E	Kusk	667400	5794300	27.8	2.3	87.0
VAN11005595	K4300N 7450E	Kusk	667450	5794300	32.1	2.3	84.6
VAN11005595	K4300N 7500E	Kusk	667500	5794300	20.7	0.9	70.4
VAN11005595	K4300N 7550E	Kusk	667550	5794300	10.4	2.0	51.6
VAN11005595	K4300N 7600E	Kusk	667600	5794300	14.4	5.8	95.9
VAN11005660	K4400N 6450E	Kusk	666450	5794400	1.5	0.6	56.9
VAN11005660	K4400N 6500E	Kusk	666500	5794400	42.6	0.6	88.6
VAN11005660	K4400N 6550E	Kusk	666550	5794400	1.7	0.2	36.2
VAN11005660	K4400N 6600E	Kusk	666600	5794400	6.6	0.9	38.1
VAN11005660	K4400N 6650E	Kusk	666650	5794400	5.4	0.4	40.5
VAN11005660	K4400N 6700E	Kusk	666700	5794400	4.0	0.6	47.0
VAN11005660	K4400N 6750E	Kusk	666750	5794400	11.9	3.2	38.2
VAN11005660	K4400N 6800E	Kusk	666800	5794400	4.0	0.9	55.0
VAN11005660	K4400N 6850E	Kusk	666850	5794400	4.0	1.0	72.3
VAN11005660	K4400N 6900E	Kusk	666900	5794400	3.4	3.7	40.1
VAN11005660	K4400N 6950E	Kusk	666950	5794400	5.6	0.5	118.3
VAN11005660	K4400N 7000E	Kusk	667000	5794400	7.6	5.4	80.9
VAN11005660	K4400N 7050E	Kusk	667050	5794400	18.6	2.8	47.3
VAN11005660	K4400N 7100E	Kusk	667100	5794400	11.6	0.8	30.8
VAN11005596	K4400N 7150E	Kusk	667150	5794400	7.6	1.7	51.7
VAN11005596	K4400N 7200E	Kusk	667200	5794400	13.8	1.3	58.2
VAN11005596	K4400N 7250E	Kusk	667250	5794400	16.2	2.0	112.2
VAN11005596	K4400N 7300E	Kusk	667300	5794400	19.7	2.9	70.3
VAN11005596	K4400N 7350E	Kusk	667350	5794400	11.0	1.4	78.5
VAN11005596	K4400N 7400E	Kusk	667400	5794400	30.7	1.4	68.2
VAN11005596	K4400N 7450E	Kusk	667450	5794400	10.8	2.5	59.6
VAN11005596	K4400N 7500E	Kusk	667500	5794400	19.2	7.9	55.8
VAN11005596	K4400N 7550E	Kusk	667550	5794400	202.6	5.4	46.5
VAN11005596	K4400N 7600E	Kusk	667600	5794400	25.3	4.7	68.2
VAN11005660	K4500N 6600E	Kusk	666600	5794500	2.0	0.4	29.0
VAN11005660	K4500N 6650E	Kusk	666650	5794500	1.6	0.2	19.8
VAN11005660	K4500N 6700E	Kusk	666700	5794500	4.8	1.7	53.5
VAN11005660	K4500N 6750E	Kusk	666750	5794500	10.2	0.7	21.8
VAN11005660	K4500N 6800E	Kusk	666800	5794500	10.1	1.6	44.2
VAN11005660	K4500N 6850E	Kusk	666850	5794500	4.2	0.4	66.1
VAN11005660	K4500N 6900E	Kusk	666900	5794500	4.5	0.6	46.4
VAN11005660	K4500N 6950E	Kusk	666950	5794500	20.1	1.1	36.0

VAN11005660	K4500N 7000E	Kusk	667000	5794500	8.2	1.0	37.3
VAN11005660	K4500N 7050E	Kusk	667050	5794500	6.5	0.9	28.7
VAN11005596	K4500N 7100E	Kusk	667100	5794500	11.4	0.8	34.7
VAN11005596	K4500N 7150E	Kusk	667150	5794500	2.3	0.5	30.7
VAN11005596	K4500N 7200E	Kusk	667200	5794500	<b>226.8</b>	0.7	49.1
VAN11005596	K4500N 7250E	Kusk	667250	5794500	<b>63.0</b>	2.1	<b>67.1</b>
VAN11005596	K4500N 7300E	Kusk	667300	5794500	<b>62.0</b>	1.7	<b>71.2</b>
VAN11005596	K4500N 7350E	Kusk	667350	5794500	<b>33.2</b>	1.4	45.5
VAN11005596	K4500N 7400E	Kusk	667400	5794500	19.0	1.1	41.9
VAN11005596	K4500N 7450E	Kusk	667450	5794500	16.8	7.5	<b>59.2</b>
VAN11005596	K4500N 7500E	Kusk	667500	5794500	11.5	2.8	46.1
VAN11005596	K4500N 7550E	Kusk	667550	5794500	<b>236.8</b>	1.6	<b>58.0</b>
VAN11005596	K4500N 7600E	Kusk	667600	5794500	<b>23.6</b>	2.5	43.3
VAN11005660	K4600N 6900E	Kusk	666900	5794600	11.9	0.8	<b>67.5</b>
VAN11005660	K4600N 6950E	Kusk	666950	5794600	6.3	1.3	49.0
VAN11005660	K4600N 7000E	Kusk	667000	5794600	3.4	0.1	26.5
VAN11005660	K4600N 7050E	Kusk	667050	5794600	2.9	3.3	40.8
VAN11005660	K4600N 7100E	Kusk	667100	5794600	8.5	0.6	31.7
VAN11005660	K4600N 7150E	Kusk	667150	5794600	2.0	0.6	26.8
VAN11005660	K4600N 7200E	Kusk	667200	5794600	7.6	0.4	35.5
VAN11005660	K4700N 6950E	Kusk	666950	5794700	10.1	0.4	27.1
VAN11005660	K4700N 7000E	Kusk	667000	5794700	3.4	0.2	21.1
VAN11005660	K4700N 7050E	Kusk	667050	5794700	5.4	0.3	20.8
VAN11005660	K4700N 7100E	Kusk	667100	5794700	3.7	0.4	31.1
VAN11005660	K4700N 7150E	Kusk	667150	5794700	6.4	0.7	27.3
VAN11005660	K4700N 7200E	Kusk	667200	5794700	6.3	0.1	18.0
VAN11005660	K4800N 7000E	Kusk	667000	5794800	<b>21.8</b>	0.3	13.2
VAN11005660	K4800N 7050E	Kusk	667050	5794800	<b>42.8</b>	0.1	18.8
VAN11005660	K4800N 7100E	Kusk	667100	5794800	12.8	0.4	30.3
VAN11005660	K4800N 7150E	Kusk	667150	5794800	10.6	1.0	34.0
VAN11005660	K4800N 7200E	Kusk	667200	5794800	5.2	0.7	24.4
VAN11005660	K4800N 7250E	Kusk	667250	5794800	<b>23.2</b>	0.6	10.0
VAN11005660	K4800N 7300E	Kusk	667300	5794800	6.2	0.4	18.0
VAN11005660	K4900N 7100E	Kusk	667100	5794900	11.1	0.1	13.9
VAN11005660	K4900N 7150E	Kusk	667150	5794900	<b>25.2</b>	0.3	32.0
VAN11005660	K4900N 7200E	Kusk	667200	5794900	8.6	0.7	22.9
VAN11005660	K4900N 7250E	Kusk	667250	5794900	<b>20.6</b>	0.8	30.3
VAN11005660	K4900N 7300E	Kusk	667300	5794900	12.1	0.2	24.5
VAN11005660	K4900N 7350E	Kusk	667350	5794900	<b>38.2</b>	0.2	7.6
VAN11005660	K5000N 7050E	Kusk	667050	5795000	15.3	0.2	13.6
VAN11005660	K5000N 7100E	Kusk	667100	5795000	8.4	0.2	10.5
VAN11005660	K5000N 7150E	Kusk	667150	5795000	13.5	1.1	35.6
VAN11005660	K5000N 7200E	Kusk	667200	5795000	14.9	1.0	35.2
VAN11005660	K5000N 7250E	Kusk	667250	5795000	<b>73.0</b>	0.6	26.7
VAN11005660	K5100N 7100E	Kusk	667100	5795100	<b>37.2</b>	0.6	13.3
VAN11005660	K5100N 7150E	Kusk	667150	5795100	<b>25.6</b>	0.4	20.0
VAN11005660	K5100N 7200E	Kusk	667200	5795100	9.8	1.0	13.4
VAN11005660	K5100N 7250E	Kusk	667250	5795100	15.3	1.5	19.7
VAN11005660	K5100N 7300E	Kusk	667300	5795100	6.6	0.4	16.2
VAN11005660	K5100N 7350E	Kusk	667350	5795100	7.4	0.3	30.8
VAN11005660	K5100N 7400E	Kusk	667400	5795100	1.7	1.1	13.9
VAN11005596	K5600N 6400E	Kusk	666400	5795600	8.7	0.9	<b>56.7</b>
VAN11005596	K5600N 6450E	Kusk	666450	5795600	8.8	2.8	<b>75.1</b>
VAN11005596	K5600N 6500E	Kusk	666500	5795600	4.2	0.2	48.6
VAN11005596	K5600N 6550E	Kusk	666550	5795600	11.4	7.3	<b>70.0</b>

VAN11005596	K5600N 6600E	Kusk	666600	5795600	5.3	0.5	18.0
VAN11005596	K5600N 6650E	Kusk	666650	5795600	11.7	1.4	30.0
VAN11005596	K5600N 6700E	Kusk	666700	5795600	13.1	1.4	40.4
VAN11005596	K5600N 6750E	Kusk	666750	5795600	20.8	1.0	21.2
VAN11005596	K5600N 6800E	Kusk	666800	5795600	11.0	1.9	34.6
VAN11005596	K5600N 6850E	Kusk	666850	5795600	29.5	0.6	53.4
VAN11005596	K5600N 6900E	Kusk	666900	5795600	12.0	0.6	45.0
VAN11005596	K5600N 6950E	Kusk	666950	5795600	12.6	1.3	33.3
VAN11005596	K5600N 7000E	Kusk	667000	5795600	10.9	0.5	20.4
VAN11005596	K5600N 7050E	Kusk	667050	5795600	38.4	1.8	27.9
VAN11005596	K5600N 7100E	Kusk	667100	5795600	44.7	0.5	28.9
VAN11005596	K5600N 7150E	Kusk	667150	5795600	47.0	0.2	30.0
VAN11005596	K5600N 7200E	Kusk	667200	5795600	40.1	1.2	36.3
VAN11005596	K5600N 7250E	Kusk	667250	5795600	26.5	0.5	7.2
VAN11005596	K5600N 7300E	Kusk	667300	5795600	47.2	4.7	26.6
VAN11005596	K5600N 7350E	Kusk	667350	5795600	7.0	0.8	14.5
VAN11005596	K5600N 7400E	Kusk	667400	5795600	17.0	3.7	49.2
VAN11005596	K5700N 6400E	Kusk	666400	5795700	21.4	1.0	45.1
VAN11005596	K5700N 6450E	Kusk	666450	5795700	11.0	1.2	66.1
VAN11005596	K5700N 6500E	Kusk	666500	5795700	8.8	3.4	78.0
VAN11005596	K5700N 6550E	Kusk	666550	5795700	42.4	5.4	65.0
VAN11005596	K5700N 6600E	Kusk	666600	5795700	16.4	0.5	50.8
VAN11005596	K5700N 6650E	Kusk	666650	5795700	24.4	1.4	43.1
VAN11005596	K5700N 6700E	Kusk	666700	5795700	24.8	2.0	31.6
VAN11005596	K5700N 6750E	Kusk	666750	5795700	11.6	5.0	47.3
VAN11005596	K5700N 6800E	Kusk	666800	5795700	20.4	2.9	52.5
VAN11005596	K5700N 6850E	Kusk	666850	5795700	31.5	1.1	41.3
VAN11005596	K5700N 6900E	Kusk	666900	5795700	27.9	0.6	37.4
VAN11005596	K5700N 6950E	Kusk	666950	5795700	25.0	2.1	30.5
VAN11005596	K5700N 7000E	Kusk	667000	5795700	29.8	0.3	53.1
VAN11005596	K5700N 7050E	Kusk	667050	5795700	33.9	0.6	51.5
VAN11005596	K5700N 7100E	Kusk	667100	5795700	17.2	3.1	57.6
VAN11005596	K5700N 7150E	Kusk	667150	5795700	18.8	2.2	87.8
VAN11005596	K5700N 7200E	Kusk	667200	5795700	13.1	1.2	5.2
VAN11005596	K5700N 7250E	Kusk	667250	5795700	46.0	3.6	71.3
VAN11005596	K5700N 7300E	Kusk	667300	5795700	90.8	2.0	28.3
VAN11005596	K5700N 7350E	Kusk	667350	5795700	47.4	5.3	59.3
VAN11005596	K5700N 7400E	Kusk	667400	5795700	63.8	4.8	43.6
VAN11005596	K5800N 6400E	Kusk	666400	5795800	6.9	0.4	27.0
VAN11005596	K5800N 6450E	Kusk	666450	5795800	60.8	1.1	33.2
VAN11005596	K5800N 6500E	Kusk	666500	5795800	17.5	0.3	39.5
VAN11005596	K5800N 6550E	Kusk	666550	5795800	5.3	1.0	34.4
VAN11005596	K5800N 6600E	Kusk	666600	5795800	19.0	2.2	39.6
VAN11005596	K5800N 6650E	Kusk	666650	5795800	17.4	7.1	75.9
VAN11005596	K5800N 6700E	Kusk	666700	5795800	16.6	1.7	53.0
VAN11005596	K5800N 6750E	Kusk	666750	5795800	24.7	0.6	19.7
VAN11005596	K5800N 6800E	Kusk	666800	5795800	16.2	1.0	31.0
VAN11005596	K5800N 6850E	Kusk	666850	5795800	28.3	0.8	32.5
VAN11005596	K5800N 6900E	Kusk	666900	5795800	18.5	0.9	39.4
VAN11005596	K5800N 6950E	Kusk	666950	5795800	25.8	0.2	21.8
VAN11005596	K5800N 7000E	Kusk	667000	5795800	18.3	0.5	40.5
VAN11005596	K5800N 7050E	Kusk	667050	5795800	130.5	1.8	54.7
VAN11005596	K5800N 7100E	Kusk	667100	5795800	1.7	3.1	23.0
VAN11005596	K5800N 7150E	Kusk	667150	5795800	14.2	1.0	3.6
VAN11005596	K5800N 7200E	Kusk	667200	5795800	21.7	1.6	20.9

VAN11005596	K5800N 7250E	Kusk	667250	5795800	48.1	2.6	36.4
VAN11005596	K5800N 7300E	Kusk	667300	5795800	10.5	0.4	57.0
VAN11005596	K5800N 7350E	Kusk	667350	5795800	12.4	3.1	75.8
VAN11005596	K5800N 7400E	Kusk	667400	5795800	3.5	2.1	57.4
VAN11005594	P8000N 4000E	18 ppm	664000	5798000	16.0	0.7	61.7
VAN11005594	P8000N 4050E	18 ppm	664050	5798000	74.1	0.4	129.0
VAN11005594	P8000N 4100E	18 ppm	664100	5798000	15.1	0.6	144.5
VAN11005594	P8000N 4150E	18 ppm	664150	5798000	14.5	0.6	162.2
VAN11005594	P8000N 4200E	18 ppm	664200	5798000	6.8	0.5	34.2
VAN11005594	P8000N 4250E	18 ppm	664250	5798000	13.6	0.6	60.1
VAN11005594	P8000N 4300E	18 ppm	664300	5798000	10.9	1.0	107.6
VAN11005594	P8000N 4350E	18 ppm	664350	5798000	21.4	0.5	41.0
VAN11005594	P8000N 4400E	18 ppm	664400	5798000	13.9	0.7	31.2
VAN11005594	P8000N 4450E	18 ppm	664450	5798000	47.9	0.4	24.8
VAN11005594	P8000N 4500E	18 ppm	664500	5798000	5.6	1.3	27.4
VAN11005594	P8000N 4550E	18 ppm	664550	5798000	47.8	3.7	60.1
VAN11005594	P8000N 4600E	18 ppm	664600	5798000	13.1	0.2	37.1
VAN11005594	P8000N 4650E	18 ppm	664650	5798000	8.0	4.1	33.6
VAN11005594	P8000N 4700E	18 ppm	664700	5798000	11.7	0.4	24.7
VAN11005594	P8100N 4000E	18 ppm	664000	5798100	5.7	0.4	135.6
VAN11005594	P8100N 4050E	18 ppm	664050	5798100	23.9	0.2	26.9
VAN11005594	P8100N 4100E	18 ppm	664100	5798100	7.6	0.5	31.7
VAN11005594	P8100N 4150E	18 ppm	664150	5798100	58.6	0.3	30.9
VAN11005594	P8100N 4200E	18 ppm	664200	5798100	7.8	0.8	79.9
VAN11005594	P8100N 4250E	18 ppm	664250	5798100	7.7	0.6	47.4
VAN11005594	P8100N 4300E	18 ppm	664300	5798100	8.4	0.5	64.3
VAN11005594	P8100N 4350E	18 ppm	664350	5798100	28.3	2.3	58.7
VAN11005594	P8100N 4400E	18 ppm	664400	5798100	5.5	0.5	22.6
VAN11005594	P8100N 4450E	18 ppm	664450	5798100	16.4	2.0	31.0
VAN11005594	P8100N 4500E	18 ppm	664500	5798100	40.9	3.2	36.9
VAN11005594	P8100N 4550E	18 ppm	664550	5798100	11.1	1.8	44.4
VAN11005594	P8100N 4600E	18 ppm	664600	5798100	2.5	3.6	49.8
VAN11005594	P8100N 4650E	18 ppm	664650	5798100	9.6	0.6	19.0
VAN11005594	P8100N 4700E	18 ppm	664700	5798100	13.1	1.6	26.1
VAN11005594	P8200N 4000E	18 ppm	664000	5798200	11.5	0.4	36.7
VAN11005594	P8200N 4050E	18 ppm	664050	5798200	20.0	<0.1	37.7
VAN11005594	P8200N 4100E	18 ppm	664100	5798200	21.8	0.8	31.8
VAN11005594	P8200N 4150E	18 ppm	664150	5798200	56.8	1.7	34.1
VAN11005594	P8200N 4200E	18 ppm	664200	5798200	13.1	0.5	42.0
VAN11005594	P8200N 4250E	18 ppm	664250	5798200	4.5	<0.1	33.2
VAN11005594	P8200N 4300E	18 ppm	664300	5798200	8.5	1.0	32.2
VAN11005594	P8200N 4350E	18 ppm	664350	5798200	11.0	2.9	37.8
VAN11005594	P8200N 4400E	18 ppm	664400	5798200	51.1	0.3	30.2
VAN11005594	P8200N 4450E	18 ppm	664450	5798200	70.6	0.8	22.5
VAN11005594	P8200N 4500E	18 ppm	664500	5798200	10.2	0.9	29.8
VAN11005594	P8200N 4550E	18 ppm	664550	5798200	3.4	0.5	23.1
VAN11005594	P8200N 4600E	18 ppm	664600	5798200	12.8	2.5	44.3
VAN11005594	P8200N 4650E	18 ppm	664650	5798200	93.2	0.4	33.1
VAN11005594	P8200N 4700E	18 ppm	664700	5798200	28.4	1.3	52.8
VAN11005594	P8300N 4000E	18 ppm	664000	5798300	34.5	0.4	19.4
VAN11005594	P8300N 4050E	18 ppm	664050	5798300	11.2	2.1	46.6
VAN11005594	P8300N 4100E	18 ppm	664100	5798300	42.5	0.6	18.6
VAN11005594	P8300N 4150E	18 ppm	664150	5798300	31.7	0.5	62.5
VAN11005594	P8300N 4200E	18 ppm	664200	5798300	28.4	0.4	34.9
VAN11005594	P8300N 4250E	18 ppm	664250	5798300	21.2	0.6	42.5

VAN11005594	P8300N 4300E	18 ppm	664300	5798300	8.4	<0.1	22.1
VAN11005594	P8300N 4350E	18 ppm	664350	5798300	9.8	0.7	34.7
VAN11005594	P8300N 4400E	18 ppm	664400	5798300	40.2	14.4	55.2
VAN11005594	P8300N 4450E	18 ppm	664450	5798300	28.7	0.7	33.5
VAN11005594	P8300N 4500E	18 ppm	664500	5798300	27.8	2.7	49.2
VAN11005594	P8300N 4550E	18 ppm	664550	5798300	22.0	7.0	81.2
VAN11005594	P8300N 4600E	18 ppm	664600	5798300	53.6	1.5	43.2
VAN11005594	P8300N 4650E	18 ppm	664650	5798300	21.8	0.7	49.1
VAN11005594	P8300N 4700E	18 ppm	664700	5798300	37.4	1.1	27.9
VAN11005594	P8400N 4000E	18 ppm	664000	5798400	12.0	<0.1	69.9
VAN11005594	P8400N 4050E	18 ppm	664050	5798400	12.8	0.8	38.4
VAN11005594	P8400N 4100E	18 ppm	664100	5798400	28.7	2.6	19.0
VAN11005594	P8400N 4150E	18 ppm	664150	5798400	33.3	1.5	34.3
VAN11005594	P8400N 4200E	18 ppm	664200	5798400	23.9	0.9	57.3
VAN11005594	P8400N 4250E	18 ppm	664250	5798400	24.6	0.5	34.9
VAN11005594	P8400N 4300E	18 ppm	664300	5798400	20.5	1.2	28.0
VAN11005594	P8400N 4350E	18 ppm	664350	5798400	31.7	0.2	36.9
VAN11005594	P8400N 4400E	18 ppm	664400	5798400	21.9	0.5	21.0
VAN11005594	P8400N 4450E	18 ppm	664450	5798400	160.1	0.7	38.6
VAN11005594	P8400N 4500E	18 ppm	664500	5798400	35.0	1.0	30.7
VAN11005594	P8400N 4550E	18 ppm	664550	5798400	163.2	2.1	31.8
VAN11005594	P8400N 4600E	18 ppm	664600	5798400	115.6	1.3	21.5
VAN11005594	P8400N 4650E	18 ppm	664650	5798400	112.4	0.4	31.0
VAN11005594	P8400N 4700E	18 ppm	664700	5798400	28.1	3.5	55.5
VAN11005594	P8500N 4000E	18 ppm	664000	5798500	74.2	<0.1	42.4
VAN11005594	P8500N 4050E	18 ppm	664050	5798500	11.4	0.4	50.0
VAN11005594	P8500N 4100E	18 ppm	664100	5798500	51.1	0.2	60.5
VAN11005594	P8500N 4150E	18 ppm	664150	5798500	28.7	1.3	29.6
VAN11005594	P8500N 4200E	18 ppm	664200	5798500	36.9	0.6	40.4
VAN11005594	P8500N 4250E	18 ppm	664250	5798500	114.7	1.8	22.1
VAN11005594	P8500N 4300E	18 ppm	664300	5798500	50.1	0.7	41.8
VAN11005594	P8500N 4350E	18 ppm	664350	5798500	26.3	2.0	56.3
VAN11005594	P8500N 4400E	18 ppm	664400	5798500	14.0	<0.1	28.5
VAN11005594	P8500N 4450E	18 ppm	664450	5798500	32.9	0.5	37.2
VAN11005594	P8500N 4500E	18 ppm	664500	5798500	67.0	1.0	28.8
VAN11005594	P8500N 4550E	18 ppm	664550	5798500	26.3	1.9	34.6
VAN11005594	P8500N 4600E	18 ppm	664600	5798500	120.2	1.4	29.3
VAN11005594	P8500N 4650E	18 ppm	664650	5798500	38.6	2.4	24.0
VAN11005594	P8500N 4700E	18 ppm	664700	5798500	34.3	1.0	16.6
VAN11005594	P8600N 4000E	18 ppm	664000	5798600	41.4	0.9	86.4
VAN11005594	P8600N 4050E	18 ppm	664050	5798600	25.1	0.8	15.2
VAN11005594	P8600N 4100E	18 ppm	664100	5798600	11.0	1.0	51.7
VAN11005594	P8600N 4150E	18 ppm	664150	5798600	19.3	0.6	21.3
VAN11005594	P8600N 4200E	18 ppm	664200	5798600	93.4	2.9	40.8
VAN11005594	P8600N 4250E	18 ppm	664250	5798600	74.4	0.5	64.6
VAN11005594	P8600N 4300E	18 ppm	664300	5798600	106.5	0.2	35.5
VAN11005594	P8600N 4350E	18 ppm	664350	5798600	38.8	2.5	64.0
VAN11005594	P8600N 4400E	18 ppm	664400	5798600	13.8	0.2	56.9
VAN11005594	P8600N 4450E	18 ppm	664450	5798600	8.9	6.1	207.6
VAN11005594	P8600N 4500E	18 ppm	664500	5798600	8.0	1.5	38.0
VAN11005594	P8600N 4550E	18 ppm	664550	5798600	15.2	2.1	18.5
VAN11005594	P8600N 4600E	18 ppm	664600	5798600	15.6	7.9	68.6
VAN11005594	P8600N 4650E	18 ppm	664650	5798600	14.1	0.8	22.8
VAN11005594	P8600N 4700E	18 ppm	664700	5798600	24.6	1.0	49.5
VAN11005594	P8700N 4000E	18 ppm	664000	5798700	15.0	1.8	83.5

VAN11005594	P8700N 4050E	18 ppm	664050	5798700	26.0	1.9	39.6
VAN11005594	P8700N 4100E	18 ppm	664100	5798700	16.3	0.8	31.1
VAN11005594	P8700N 4150E	18 ppm	664150	5798700	22.8	0.5	53.7
VAN11005594	P8700N 4200E	18 ppm	664200	5798700	37.1	0.2	42.3
VAN11005594	P8700N 4250E	18 ppm	664250	5798700	9.1	0.6	28.6
VAN11005594	P8700N 4300E	18 ppm	664300	5798700	59.2	0.1	47.6
VAN11005594	P8700N 4350E	18 ppm	664350	5798700	21.9	3.5	51.8
VAN11005594	P8700N 4400E	18 ppm	664400	5798700	91.5	0.3	38.6
VAN11005594	P8700N 4450E	18 ppm	664450	5798700	13.8	3.5	47.1
VAN11005594	P8700N 4500E	18 ppm	664500	5798700	3.4	0.3	34.7
VAN11005594	P8700N 4550E	18 ppm	664550	5798700	6.8	2.2	22.3
VAN11005594	P8700N 4600E	18 ppm	664600	5798700	6.4	5.7	134.3
VAN11005594	P8700N 4650E	18 ppm	664650	5798700	2.9	0.8	28.3
VAN11005594	P8700N 4700E	18 ppm	664700	5798700	15.7	5.4	75.6
VAN11005594	P8800N 4000E	18 ppm	664000	5798800	84.8	0.6	41.4
VAN11005594	P8800N 4050E	18 ppm	664050	5798800	24.9	2.8	69.2
VAN11005594	P8800N 4100E	18 ppm	664100	5798800	20.5	5.0	63.3
VAN11005594	P8800N 4150E	18 ppm	664150	5798800	30.1	0.9	39.5
VAN11005594	P8800N 4200E	18 ppm	664200	5798800	20.6	0.8	35.0
VAN11005594	P8800N 4250E	18 ppm	664250	5798800	70.9	2.5	52.3
VAN11005594	P8800N 4300E	18 ppm	664300	5798800	42.2	2.9	44.4
VAN11005594	P8800N 4350E	18 ppm	664350	5798800	27.5	2.6	55.2
VAN11005594	P8800N 4400E	18 ppm	664400	5798800	55.5	1.6	15.6
VAN11005594	P8800N 4450E	18 ppm	664450	5798800	51.1	0.6	39.6
VAN11005594	P8800N 4500E	18 ppm	664500	5798800	6.4	1.0	47.0
VAN11005594	P8800N 4550E	18 ppm	664550	5798800	4.1	1.4	15.2
VAN11005594	P8800N 4600E	18 ppm	664600	5798800	12.6	2.8	102.0
VAN11005594	P8800N 4650E	18 ppm	664650	5798800	2.0	1.0	40.9
VAN11005594	P8800N 4700E	18 ppm	664700	5798800	28.5	1.4	21.9

### Silt Sampling Program


Job Number	Sample Name	Easting NAD83	Northing NAD83	Au ppb	Ag g/t	Cu ppm	Pb ppm	Zn ppm
VAN11005597	FGWR-01	664263	5798668	3.6	<0.1	0.9	0.3	2
VAN11005597	FGWR-02	664427	5798512	3.6	<0.1	4.2	2.8	12
VAN11005597	FGWR-03	668624	5792418	1.9	0.9	3.2	3.0	2
VAN11005597	FGWR-04	668485	5792390	2.3	<0.1	5.6	3.0	8
VAN11005597	FGWR-06	668304	5792406	2.8	0.4	22.6	6.5	125
VAN11005597	FGWSL-02R	664387	5798730	1.4	0.2	8.0	10.6	17
VAN11005597	FGWR-07	668050	5792417	1.5	0.1	14.7	1.9	45

### Rock Sampling Program


Job Number	Sample Name	Easting NAD83	Northing NAD83	Au ppb	Ag g/t	As ppm	Bi ppm	Cu ppm	Pb ppm	Zn ppm
VAN11005598	FWSL-01	664472	5798458	10.8	0.6	16.7	0.2	56.3	12.1	106
VAN11005598	FWSL-02	664387	5798730	287.8	0.6	7.4	0.2	41.7	11.5	102
VAN11005598	FWSL-03	664331	5798486	3.7	0.6	6.1	0.2	31.4	8.3	78
VAN11005598	FWSL-04	664548	5798329	154.5	1.3	16.0	0.3	33.6	12.6	112
VAN11005598	FWSL-05	668403	5792395	2.3	1.9	<0.5	0.4	44.4	33.8	368
VAN11005598	FWSL-06	668293	5792413	2.7	3.0	<0.5	0.4	49.7	12.4	346

Appendix C: Regional Sampling Grid Maps with Au and Cu Assay Values


**Eureka Bowl and 18PPM Au Grids (Au Values)**




**Eureka Bowl and 18PPM Au Grids (Cu Values)**



**Kusk Grid (Au Values)**



**Kusk Grid (Cu Values)**



**Appendix D: Regional Sampling Program Assay Certificates**



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr
Receiving Lab: Canada-Vancouver
Received: October 18, 2011
Report Date: November 09, 2011
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN11005594.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 165

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6
Canada

CC: Warner Gruenwalk
Kristian Whitehead

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include Dry at 60C, SS80, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1
P8000N 4000E	Soil		3.3	61.7	9.9	79	0.7	28.1	19.4	546	4.47	10.4	16.0	1.4	26	0.3	0.3	79	0.26	0.055	8
P8000N 4050E	Soil		9.3	129.0	19.2	184	0.4	86.1	37.5	1279	5.50	61.4	74.1	2.7	37	1.4	1.4	57	0.53	0.119	13
P8000N 4100E	Soil		7.9	144.5	17.8	204	0.6	77.8	26.4	1059	5.80	76.1	15.1	1.8	15	1.2	1.1	65	0.14	0.116	15
P8000N 4150E	Soil		9.4	162.2	19.2	201	0.6	117.1	38.5	1202	5.81	52.5	14.5	2.8	30	2.0	1.2	78	0.39	0.123	13
P8000N 4200E	Soil		4.0	34.2	13.9	87	0.5	27.7	10.5	478	4.52	37.1	6.8	4.2	3	0.4	0.7	31	0.02	0.072	27
P8000N 4250E	Soil		11.5	60.1	24.2	118	0.6	48.1	26.1	941	4.61	36.2	13.6	1.0	38	0.7	0.6	60	0.65	0.082	12
P8000N 4300E	Soil		3.6	107.6	17.2	91	1.0	49.4	21.6	437	5.92	25.6	10.9	2.0	16	0.7	0.6	75	0.16	0.061	13
P8000N 4350E	Soil		3.9	41.0	16.1	81	0.5	25.5	11.4	388	4.86	22.8	21.4	0.8	11	0.9	0.5	38	0.17	0.057	16
P8000N 4400E	Soil		5.7	31.2	13.9	88	0.7	26.1	11.6	626	3.25	14.1	13.9	1.0	7	0.5	0.4	33	0.08	0.051	18
P8000N 4450E	Soil		4.2	24.8	6.2	58	0.4	17.4	6.2	126	2.08	25.9	47.9	2.0	2	0.2	0.6	31	0.02	0.037	30
P8000N 4500E	Soil		2.8	27.4	11.6	59	1.3	16.8	7.5	256	3.47	18.3	5.6	1.0	12	0.5	0.4	37	0.23	0.062	21
P8000N 4550E	Soil		4.7	60.1	25.2	117	3.7	39.2	24.0	5445	4.53	21.3	47.8	0.7	25	2.2	0.5	34	0.46	0.218	14
P8000N 4600E	Soil		2.0	37.1	14.3	69	0.2	23.8	13.1	622	4.38	25.5	13.1	2.0	4	0.4	0.5	21	0.04	0.104	25
P8000N 4650E	Soil		4.7	33.6	18.2	95	4.1	28.5	17.3	1605	3.79	25.1	8.0	1.2	20	1.0	0.4	24	0.30	0.131	16
P8000N 4700E	Soil		3.7	24.7	7.6	59	0.4	16.2	6.3	265	2.01	15.9	11.7	1.2	7	0.2	0.5	28	0.12	0.045	26
P8100N 4000E	Soil		6.7	135.6	17.9	159	0.4	76.3	35.5	2016	4.62	59.3	5.7	0.9	42	1.6	0.9	59	0.81	0.121	8
P8100N 4050E	Soil		5.6	26.9	10.5	82	0.2	23.9	8.4	306	2.52	34.4	23.9	1.0	12	0.2	0.7	41	0.11	0.053	26
P8100N 4100E	Soil		2.7	31.7	15.1	74	0.5	24.1	9.7	425	4.71	23.8	7.6	2.3	6	0.3	0.4	21	0.09	0.092	21
P8100N 4150E	Soil		4.0	30.9	9.2	68	0.3	22.2	7.8	204	2.93	17.6	58.6	1.6	9	0.4	0.4	31	0.11	0.038	24
P8100N 4200E	Soil		3.5	79.9	19.5	98	0.8	40.2	22.3	931	4.95	26.8	7.8	1.3	15	0.8	0.6	49	0.20	0.070	17
P8100N 4250E	Soil		5.2	47.4	18.9	90	0.6	31.8	13.9	657	4.04	27.8	7.7	1.2	14	0.8	0.6	38	0.20	0.063	20
P8100N 4300E	Soil		4.7	64.3	21.3	122	0.5	51.3	20.7	774	4.34	38.8	8.4	2.6	15	0.6	1.0	37	0.24	0.078	22
P8100N 4350E	Soil		3.9	58.7	19.4	121	2.3	52.8	16.9	466	3.51	23.1	28.3	1.9	17	1.2	0.7	30	0.34	0.091	18
P8100N 4400E	Soil		2.4	22.6	7.0	42	0.5	14.7	5.3	154	1.83	13.7	5.5	1.2	5	0.2	0.4	38	0.04	0.044	24
P8100N 4450E	Soil		3.8	31.0	18.6	107	2.0	36.2	17.3	938	3.60	15.1	16.4	1.3	15	0.9	0.3	27	0.28	0.108	12
P8100N 4500E	Soil		2.3	36.9	18.5	71	3.2	24.4	11.3	754	2.51	11.5	40.9	0.3	29	0.9	0.4	21	0.67	0.120	9
P8100N 4550E	Soil		4.3	44.4	26.9	129	1.8	40.5	27.9	1651	4.75	24.1	11.1	1.0	14	0.9	0.5	28	0.23	0.117	15
P8100N 4600E	Soil		4.8	49.8	30.6	78	3.6	24.2	15.2	732	4.05	17.8	2.5	0.3	45	1.0	0.5	32	0.88	0.091	9
P8100N 4650E	Soil		3.6	19.0	8.6	47	0.6	13.2	5.6	254	2.14	18.7	9.6	0.8	10	0.1	0.4	32	0.12	0.058	29
P8100N 4700E	Soil		2.8	26.1	11.8	57	1.6	16.4	6.8	560	3.11	17.9	13.1	0.7	6	0.2	0.4	30	0.07	0.069	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
P8000N 4000E	Soil	47	0.84	54	0.130	2	1.80	0.006	0.06	0.1	0.08	1.6	<0.1	<0.05	6	1.1	<0.2
P8000N 4050E	Soil	88	1.18	55	0.022	1	1.63	0.006	0.05	<0.1	0.04	4.8	<0.1	<0.05	4	2.3	<0.2
P8000N 4100E	Soil	86	0.92	117	0.014	1	1.98	0.007	0.05	<0.1	0.07	4.2	<0.1	<0.05	5	1.5	<0.2
P8000N 4150E	Soil	132	1.73	79	0.038	1	2.26	0.006	0.06	0.1	0.04	6.1	<0.1	<0.05	6	1.6	<0.2
P8000N 4200E	Soil	23	0.34	61	0.005	<1	1.50	0.006	0.05	<0.1	0.06	1.5	<0.1	<0.05	6	1.3	<0.2
P8000N 4250E	Soil	58	0.71	70	0.021	1	1.99	0.007	0.04	<0.1	0.09	2.7	<0.1	<0.05	6	2.3	<0.2
P8000N 4300E	Soil	73	0.87	71	0.064	<1	2.45	0.005	0.03	0.1	0.10	3.2	<0.1	<0.05	6	1.6	<0.2
P8000N 4350E	Soil	25	0.24	50	0.009	1	1.21	0.006	0.04	<0.1	0.10	1.0	<0.1	<0.05	6	1.4	<0.2
P8000N 4400E	Soil	19	0.22	74	0.007	<1	1.04	0.007	0.06	<0.1	0.06	0.9	<0.1	<0.05	4	1.5	<0.2
P8000N 4450E	Soil	6	0.04	13	0.012	<1	0.23	0.003	0.02	<0.1	0.02	0.5	<0.1	<0.05	4	1.1	<0.2
P8000N 4500E	Soil	18	0.22	44	0.010	<1	1.18	0.005	0.03	<0.1	0.06	0.8	<0.1	<0.05	7	0.8	<0.2
P8000N 4550E	Soil	28	0.30	119	0.011	2	2.31	0.014	0.08	<0.1	0.13	1.5	0.1	0.06	6	2.5	<0.2
P8000N 4600E	Soil	16	0.22	53	0.006	<1	0.94	0.010	0.05	<0.1	0.04	0.9	<0.1	<0.05	4	0.5	<0.2
P8000N 4650E	Soil	20	0.26	85	0.005	1	1.39	0.010	0.06	<0.1	0.10	1.5	<0.1	<0.05	4	1.6	<0.2
P8000N 4700E	Soil	10	0.08	45	0.008	2	0.33	0.005	0.03	<0.1	0.03	0.4	<0.1	<0.05	4	0.6	<0.2
P8100N 4000E	Soil	81	1.16	96	0.018	2	1.57	0.007	0.05	<0.1	0.08	3.5	<0.1	0.08	4	2.4	<0.2
P8100N 4050E	Soil	31	0.35	68	0.009	1	0.89	0.007	0.06	<0.1	0.05	0.9	<0.1	<0.05	5	0.8	<0.2
P8100N 4100E	Soil	21	0.29	41	0.005	<1	1.32	0.007	0.04	<0.1	0.13	1.1	<0.1	<0.05	4	1.1	<0.2
P8100N 4150E	Soil	17	0.24	75	0.007	<1	0.79	0.007	0.04	<0.1	0.06	1.0	<0.1	<0.05	4	0.9	<0.2
P8100N 4200E	Soil	42	0.53	61	0.019	<1	1.69	0.006	0.04	<0.1	0.08	2.2	<0.1	<0.05	5	1.6	<0.2
P8100N 4250E	Soil	27	0.40	67	0.013	1	1.13	0.008	0.05	<0.1	0.05	1.4	<0.1	<0.05	5	1.7	<0.2
P8100N 4300E	Soil	40	0.65	80	0.011	2	1.51	0.007	0.06	<0.1	0.05	2.4	<0.1	<0.05	5	1.5	<0.2
P8100N 4350E	Soil	37	0.58	79	0.008	1	1.63	0.008	0.06	<0.1	0.08	2.9	<0.1	<0.05	4	2.6	<0.2
P8100N 4400E	Soil	17	0.13	18	0.019	1	0.42	0.005	0.03	<0.1	0.02	0.6	<0.1	<0.05	4	<0.5	<0.2
P8100N 4450E	Soil	23	0.40	92	0.004	1	1.47	0.011	0.07	<0.1	0.06	1.8	<0.1	<0.05	4	1.6	<0.2
P8100N 4500E	Soil	16	0.24	55	0.007	1	1.04	0.009	0.05	<0.1	0.13	0.6	<0.1	0.09	4	1.9	<0.2
P8100N 4550E	Soil	24	0.34	88	0.007	<1	1.55	0.010	0.07	<0.1	0.08	1.2	<0.1	<0.05	4	2.1	<0.2
P8100N 4600E	Soil	17	0.16	50	0.013	2	0.93	0.010	0.04	<0.1	0.12	0.8	<0.1	0.05	5	1.5	<0.2
P8100N 4650E	Soil	9	0.07	29	0.007	<1	0.45	0.005	0.04	<0.1	0.03	0.4	<0.1	<0.05	5	0.5	<0.2
P8100N 4700E	Soil	15	0.14	41	0.008	<1	0.66	0.005	0.03	<0.1	0.05	0.4	<0.1	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 3 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
P8200N 4000E	Soil		7.0	36.7	14.5	100	0.4	29.6	14.6	447	3.57	43.8	11.5	1.6	11	0.4	0.9	0.3	46	0.12	0.044	24
P8200N 4050E	Soil		3.4	37.7	10.0	92	<0.1	38.4	12.7	360	3.67	16.1	20.0	5.8	12	0.2	0.4	0.3	41	0.08	0.030	27
P8200N 4100E	Soil		3.4	31.8	17.3	77	0.8	25.7	11.3	452	4.75	22.3	21.8	1.0	6	0.5	0.5	0.4	39	0.06	0.062	18
P8200N 4150E	Soil		3.2	34.1	23.6	74	1.7	23.1	15.6	1498	6.61	23.7	56.8	1.0	7	0.4	0.5	0.5	35	0.09	0.287	13
P8200N 4200E	Soil		3.2	42.0	15.9	94	0.5	37.0	17.6	597	4.03	23.3	13.1	2.1	8	0.4	0.5	0.4	25	0.10	0.075	19
P8200N 4250E	Soil		2.8	33.2	11.9	82	<0.1	26.9	9.5	276	4.47	27.1	4.5	4.7	3	0.2	0.5	0.3	25	0.02	0.044	29
P8200N 4300E	Soil		2.0	32.2	13.6	102	1.0	29.4	10.5	488	3.37	14.4	8.5	2.0	13	0.6	0.2	0.4	29	0.17	0.061	21
P8200N 4350E	Soil		3.3	37.8	14.2	80	2.9	30.2	11.8	479	3.07	14.1	11.0	0.9	16	1.0	0.3	0.4	29	0.29	0.062	17
P8200N 4400E	Soil		3.7	30.2	17.2	65	0.3	20.6	13.5	665	3.74	17.7	51.1	1.8	5	0.3	0.4	0.5	29	0.05	0.088	21
P8200N 4450E	Soil		3.1	22.5	13.9	56	0.8	15.7	7.6	507	3.20	14.1	70.6	1.1	4	0.3	0.4	0.5	35	0.03	0.071	21
P8200N 4500E	Soil		4.1	29.8	21.5	75	0.9	19.8	9.1	1024	5.19	19.5	10.2	1.2	4	0.2	0.5	0.7	40	0.02	0.090	22
P8200N 4550E	Soil		2.5	23.1	13.7	39	0.5	12.2	5.8	328	2.37	11.3	3.4	1.1	4	0.1	0.3	0.5	34	0.03	0.051	20
P8200N 4600E	Soil		2.9	44.3	19.8	88	2.5	31.4	17.6	1080	3.88	14.9	12.8	1.2	8	0.3	0.5	0.5	31	0.10	0.091	15
P8200N 4650E	Soil		3.4	33.1	16.2	75	0.4	28.0	9.5	370	5.68	13.6	93.2	2.8	3	0.4	0.4	0.3	29	0.02	0.082	20
P8200N 4700E	Soil		3.6	52.8	16.8	106	1.3	42.3	18.0	770	4.18	22.4	28.4	2.4	8	0.6	0.6	0.4	29	0.09	0.081	22
P8300N 4000E	Soil		4.5	19.4	15.1	57	0.4	20.8	6.7	148	4.62	17.5	34.5	2.2	8	0.2	0.5	0.4	40	0.04	0.047	17
P8300N 4050E	Soil		4.3	46.6	20.3	79	2.1	40.7	26.8	1375	3.66	18.3	11.2	0.8	18	1.6	0.5	0.4	29	0.22	0.084	25
P8300N 4100E	Soil		2.8	18.6	11.9	42	0.6	12.8	5.2	255	3.16	10.1	42.5	0.8	7	0.2	0.2	0.3	38	0.04	0.045	19
P8300N 4150E	Soil		4.5	62.5	15.6	130	0.5	45.0	17.9	536	4.39	19.3	31.7	3.3	7	0.7	0.5	0.3	27	0.05	0.057	20
P8300N 4200E	Soil		3.6	34.9	10.9	77	0.4	27.5	11.3	425	3.73	18.2	28.4	2.4	11	0.3	0.4	0.4	30	0.18	0.051	26
P8300N 4250E	Soil		4.5	42.5	13.9	101	0.6	31.4	14.7	740	4.34	14.8	21.2	1.1	8	0.6	0.5	0.4	37	0.06	0.066	21
P8300N 4300E	Soil		2.8	22.1	8.2	54	<0.1	16.8	6.3	195	2.85	16.6	8.4	4.3	7	0.2	0.3	0.3	28	0.09	0.025	34
P8300N 4350E	Soil		2.7	34.7	16.3	71	0.7	31.1	11.0	324	4.14	16.9	9.8	1.5	12	0.6	0.4	0.4	28	0.11	0.068	17
P8300N 4400E	Soil		3.7	55.2	19.0	85	14.4	38.6	16.0	1332	3.03	11.8	40.2	0.7	63	1.6	0.5	0.4	24	1.22	0.219	15
P8300N 4450E	Soil		5.4	33.5	14.4	111	0.7	32.9	11.5	558	4.24	15.0	28.7	2.1	8	0.4	0.4	0.4	37	0.07	0.078	21
P8300N 4500E	Soil		4.0	49.2	15.9	90	2.7	40.3	16.5	553	3.68	16.3	27.8	1.2	21	1.3	0.5	0.4	26	0.23	0.130	15
P8300N 4550E	Soil		3.6	81.2	18.5	88	7.0	40.3	11.9	339	3.72	16.6	22.0	0.7	27	1.3	0.5	0.4	31	0.35	0.080	23
P8300N 4600E	Soil		4.7	43.2	14.1	126	1.5	42.3	11.2	254	3.90	17.2	53.6	1.5	12	0.7	0.5	0.3	34	0.18	0.106	22
P8300N 4650E	Soil		3.6	49.1	15.1	96	0.7	38.6	16.7	699	3.54	18.5	21.8	4.6	7	0.4	0.5	0.4	24	0.10	0.071	25
P8300N 4700E	Soil		3.7	27.9	12.8	64	1.1	22.0	9.4	427	2.86	10.8	37.4	1.1	5	0.2	0.3	0.4	21	0.03	0.112	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
P8200N 4000E	Soil	38	0.43	75	0.011	<1	1.21	0.005	0.05	<0.1	0.05	1.5	<0.1	<0.05	5	0.8	<0.2
P8200N 4050E	Soil	36	0.64	77	0.043	<1	1.44	0.007	0.05	<0.1	0.02	2.2	<0.1	<0.05	4	0.8	<0.2
P8200N 4100E	Soil	31	0.35	76	0.013	<1	1.23	0.005	0.03	<0.1	0.09	1.1	<0.1	<0.05	6	1.2	<0.2
P8200N 4150E	Soil	24	0.23	45	0.017	1	0.84	0.005	0.03	<0.1	0.09	0.9	<0.1	<0.05	7	1.4	<0.2
P8200N 4200E	Soil	20	0.35	101	0.006	<1	1.26	0.013	0.07	<0.1	0.06	1.4	<0.1	<0.05	4	1.6	<0.2
P8200N 4250E	Soil	18	0.30	43	0.004	<1	0.93	0.006	0.04	<0.1	0.03	1.2	<0.1	<0.05	5	0.9	<0.2
P8200N 4300E	Soil	26	0.43	59	0.013	1	1.43	0.011	0.05	<0.1	0.05	1.9	<0.1	<0.05	4	0.6	<0.2
P8200N 4350E	Soil	21	0.29	80	0.012	2	1.25	0.013	0.06	<0.1	0.11	1.3	<0.1	<0.05	4	1.5	<0.2
P8200N 4400E	Soil	15	0.14	37	0.015	<1	0.59	0.005	0.03	<0.1	0.04	0.8	<0.1	<0.05	4	1.1	<0.2
P8200N 4450E	Soil	13	0.09	26	0.015	<1	0.58	0.007	0.03	<0.1	0.03	0.8	<0.1	<0.05	6	0.6	<0.2
P8200N 4500E	Soil	16	0.13	28	0.011	1	0.76	0.008	0.03	<0.1	0.06	0.8	<0.1	<0.05	7	0.5	<0.2
P8200N 4550E	Soil	10	0.07	19	0.013	1	0.47	0.007	0.02	<0.1	0.03	0.7	<0.1	<0.05	5	0.5	<0.2
P8200N 4600E	Soil	27	0.39	53	0.016	1	1.50	0.008	0.04	<0.1	0.10	1.2	<0.1	<0.05	4	1.1	<0.2
P8200N 4650E	Soil	27	0.40	38	0.008	<1	1.23	0.010	0.04	<0.1	0.06	1.2	<0.1	<0.05	4	1.1	<0.2
P8200N 4700E	Soil	28	0.48	54	0.013	1	1.39	0.010	0.05	<0.1	0.05	1.8	<0.1	<0.05	4	1.4	<0.2
P8300N 4000E	Soil	29	0.43	62	0.016	<1	1.12	0.007	0.04	<0.1	0.05	1.2	<0.1	<0.05	4	0.8	<0.2
P8300N 4050E	Soil	29	0.29	133	0.015	1	1.07	0.011	0.07	<0.1	0.06	1.6	<0.1	<0.05	4	1.4	<0.2
P8300N 4100E	Soil	24	0.18	27	0.015	<1	1.03	0.005	0.02	<0.1	0.10	0.8	0.1	<0.05	5	0.9	<0.2
P8300N 4150E	Soil	29	0.51	69	0.013	1	1.56	0.010	0.06	<0.1	0.08	1.8	<0.1	<0.05	3	1.9	<0.2
P8300N 4200E	Soil	19	0.31	61	0.013	<1	0.94	0.012	0.06	<0.1	0.02	1.2	<0.1	<0.05	4	1.2	<0.2
P8300N 4250E	Soil	26	0.31	79	0.012	1	1.33	0.014	0.08	<0.1	0.07	1.2	<0.1	<0.05	5	1.6	<0.2
P8300N 4300E	Soil	13	0.16	37	0.009	<1	0.59	0.008	0.04	<0.1	0.01	0.9	<0.1	<0.05	4	0.5	<0.2
P8300N 4350E	Soil	26	0.35	80	0.008	<1	1.51	0.010	0.05	<0.1	0.11	1.4	<0.1	<0.05	4	1.2	<0.2
P8300N 4400E	Soil	33	0.36	71	0.010	2	2.18	0.011	0.07	<0.1	0.35	2.2	<0.1	0.07	3	4.3	<0.2
P8300N 4450E	Soil	30	0.36	77	0.016	<1	1.31	0.008	0.07	<0.1	0.07	1.4	<0.1	<0.05	5	1.5	<0.2
P8300N 4500E	Soil	26	0.40	56	0.008	<1	1.63	0.010	0.07	<0.1	0.13	1.9	<0.1	<0.05	3	2.6	<0.2
P8300N 4550E	Soil	29	0.22	56	0.011	1	1.59	0.011	0.05	<0.1	0.12	1.5	<0.1	<0.05	5	2.0	<0.2
P8300N 4600E	Soil	34	0.52	55	0.018	<1	1.57	0.012	0.05	<0.1	0.08	1.5	<0.1	<0.05	5	1.1	<0.2
P8300N 4650E	Soil	23	0.48	39	0.012	<1	1.07	0.011	0.04	0.1	0.03	1.6	<0.1	<0.05	3	1.3	<0.2
P8300N 4700E	Soil	14	0.18	43	0.011	1	0.68	0.009	0.04	<0.1	0.09	0.5	<0.1	<0.05	3	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
P8400N 4000E	Soil		4.8	69.9	13.7	78	<0.1	35.9	15.5	429	4.66	53.1	12.0	2.4	31	0.4	0.5	0.3	79	0.30	0.026	12
P8400N 4050E	Soil		4.1	38.4	19.7	87	0.8	28.9	14.2	882	5.23	23.9	12.8	1.9	11	0.4	0.5	0.5	59	0.12	0.169	16
P8400N 4100E	Soil		3.2	19.0	11.6	67	2.6	20.4	11.1	1035	2.42	7.1	28.7	0.6	14	0.9	0.2	0.4	32	0.14	0.071	19
P8400N 4150E	Soil		2.6	34.3	15.5	107	1.5	29.7	17.0	1450	3.40	12.8	33.3	0.9	17	0.7	0.2	0.4	30	0.25	0.114	15
P8400N 4200E	Soil		4.3	57.3	20.8	114	0.9	36.8	19.1	689	5.67	19.1	23.9	1.2	11	0.5	0.5	0.4	39	0.12	0.087	17
P8400N 4250E	Soil		3.5	34.9	13.7	79	0.5	26.0	11.6	722	4.70	17.8	24.6	1.5	9	0.4	0.5	0.4	42	0.06	0.078	18
P8400N 4300E	Soil		3.6	28.0	12.8	70	1.2	22.7	8.0	695	4.19	18.6	20.5	0.9	7	0.3	0.5	0.4	40	0.04	0.101	21
P8400N 4350E	Soil		4.6	36.9	17.6	78	0.2	24.4	8.6	328	5.99	21.1	31.7	3.4	10	0.4	0.6	0.5	48	0.11	0.054	20
P8400N 4400E	Soil		2.1	21.0	8.0	38	0.5	10.9	6.1	375	2.55	6.1	21.9	2.2	22	0.3	0.2	0.2	57	0.15	0.062	14
P8400N 4450E	Soil		4.4	38.6	23.9	79	0.7	25.8	13.9	975	5.77	22.8	160.1	2.3	10	0.3	0.6	0.5	53	0.09	0.101	18
P8400N 4500E	Soil		3.9	30.7	13.3	89	1.0	29.8	9.1	801	4.77	17.5	35.0	0.8	7	0.4	0.4	0.4	40	0.08	0.175	19
P8400N 4550E	Soil		3.7	31.8	15.9	90	2.1	24.2	10.6	688	5.03	9.0	163.2	1.1	6	0.6	0.4	0.4	29	0.06	0.141	21
P8400N 4600E	Soil		4.0	21.5	12.1	57	1.3	18.7	9.2	1686	2.58	4.6	115.6	0.7	3	0.1	0.3	0.4	23	0.02	0.104	19
P8400N 4650E	Soil		4.6	31.0	17.9	106	0.4	29.7	15.0	1069	5.26	7.4	112.4	1.2	11	0.3	0.5	0.6	35	0.12	0.072	16
P8400N 4700E	Soil		5.0	55.5	24.4	135	3.5	50.6	17.5	872	7.21	3.8	28.1	1.2	10	0.7	0.7	0.7	25	0.12	0.152	12
P8500N 4000E	Soil		3.5	42.4	11.5	91	<0.1	34.4	10.9	305	4.11	17.7	74.2	2.9	7	0.3	0.5	0.3	36	0.04	0.029	20
P8500N 4050E	Soil		2.8	50.0	11.6	113	0.4	36.4	18.8	847	3.74	15.3	11.4	1.4	15	0.7	0.4	0.3	36	0.16	0.072	14
P8500N 4100E	Soil		4.5	60.5	11.1	124	0.2	45.0	17.2	486	3.92	15.7	51.1	3.8	10	0.7	0.5	0.3	32	0.12	0.065	20
P8500N 4150E	Soil		4.8	29.6	10.4	94	1.3	28.2	13.4	1582	4.42	16.3	28.7	0.7	15	0.7	0.3	0.4	38	0.20	0.096	13
P8500N 4200E	Soil		3.3	40.4	11.7	82	0.6	33.7	10.5	236	2.20	7.9	36.9	2.8	11	0.9	0.3	0.2	26	0.12	0.049	21
P8500N 4250E	Soil		3.1	22.1	13.0	58	1.8	16.7	8.6	768	4.00	11.3	114.7	1.0	6	0.3	0.3	0.3	44	0.03	0.065	13
P8500N 4300E	Soil		4.4	41.8	15.9	94	0.7	29.1	11.4	519	5.97	17.8	50.1	2.1	6	0.6	0.5	0.4	45	0.05	0.092	14
P8500N 4350E	Soil		3.5	56.3	11.0	69	2.0	24.5	12.8	534	3.21	9.3	26.3	0.9	14	0.6	0.3	0.3	41	0.12	0.050	15
P8500N 4400E	Soil		3.7	28.5	10.0	60	<0.1	19.0	8.1	409	3.54	9.7	14.0	2.6	14	0.2	0.3	0.3	61	0.11	0.136	14
P8500N 4450E	Soil		4.0	37.2	11.6	55	0.5	17.5	6.8	219	2.55	5.6	32.9	0.8	5	0.3	0.3	0.3	30	0.04	0.041	19
P8500N 4500E	Soil		3.9	28.8	17.2	63	1.0	22.9	7.8	458	5.08	5.5	67.0	0.7	7	0.3	0.4	0.5	38	0.11	0.442	16
P8500N 4550E	Soil		4.5	34.6	15.4	92	1.9	29.3	11.7	681	5.91	4.5	26.3	0.9	4	0.3	0.6	0.5	28	0.03	0.153	14
P8500N 4600E	Soil		5.2	29.3	13.4	105	1.4	29.9	9.5	416	4.51	5.6	120.2	1.2	3	0.4	0.4	0.4	26	0.03	0.090	15
P8500N 4650E	Soil		2.0	24.0	14.9	93	2.4	32.0	6.1	105	1.66	0.9	38.6	1.2	20	0.7	0.2	0.2	20	0.37	0.097	11
P8500N 4700E	Soil		3.7	16.6	9.7	51	1.0	13.8	4.6	232	1.52	3.3	34.3	0.6	12	0.2	0.2	0.2	25	0.20	0.038	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
P8400N 4000E	Soil	58	0.68	131	0.087	<1	1.38	0.005	0.04	0.2	0.04	2.2	0.1	<0.05	5	<0.5	<0.2
P8400N 4050E	Soil	33	0.40	27	0.030	<1	1.04	0.005	0.03	<0.1	0.07	1.5	<0.1	<0.05	7	1.5	<0.2
P8400N 4100E	Soil	26	0.41	106	0.012	1	1.26	0.015	0.09	<0.1	0.15	1.0	0.1	<0.05	4	0.6	<0.2
P8400N 4150E	Soil	25	0.37	114	0.009	<1	1.55	0.019	0.09	<0.1	0.11	1.4	0.1	<0.05	4	1.3	<0.2
P8400N 4200E	Soil	32	0.39	70	0.026	<1	1.44	0.008	0.05	<0.1	0.10	1.6	<0.1	<0.05	4	1.7	<0.2
P8400N 4250E	Soil	29	0.37	76	0.024	1	1.07	0.007	0.04	<0.1	0.07	1.3	<0.1	<0.05	5	1.0	<0.2
P8400N 4300E	Soil	26	0.29	41	0.014	1	0.93	0.005	0.03	<0.1	0.08	0.9	<0.1	<0.05	5	0.7	<0.2
P8400N 4350E	Soil	28	0.25	40	0.054	2	0.93	0.005	0.04	<0.1	0.06	1.4	<0.1	<0.05	8	1.7	<0.2
P8400N 4400E	Soil	25	0.14	71	0.062	1	1.11	0.005	0.05	<0.1	0.06	1.4	<0.1	<0.05	5	<0.5	<0.2
P8400N 4450E	Soil	31	0.33	71	0.040	2	1.03	0.007	0.05	<0.1	0.06	1.5	<0.1	<0.05	7	1.2	<0.2
P8400N 4500E	Soil	32	0.44	68	0.012	<1	1.29	0.007	0.05	<0.1	0.08	0.9	<0.1	<0.05	6	0.8	<0.2
P8400N 4550E	Soil	24	0.25	40	0.013	<1	1.04	0.009	0.05	<0.1	0.11	0.8	<0.1	<0.05	5	1.5	<0.2
P8400N 4600E	Soil	10	0.12	62	0.005	2	0.47	0.006	0.03	<0.1	0.03	0.4	0.1	<0.05	4	0.9	<0.2
P8400N 4650E	Soil	19	0.19	66	0.013	1	0.85	0.008	0.04	<0.1	0.06	1.0	<0.1	<0.05	7	1.1	<0.2
P8400N 4700E	Soil	25	0.28	92	0.006	1	1.73	0.011	0.06	<0.1	0.14	1.4	<0.1	0.07	6	3.1	<0.2
P8500N 4000E	Soil	31	0.51	56	0.025	<1	1.18	0.007	0.05	<0.1	0.03	1.7	<0.1	<0.05	4	0.9	<0.2
P8500N 4050E	Soil	34	0.53	90	0.016	<1	1.48	0.009	0.06	<0.1	0.08	2.0	<0.1	<0.05	4	0.7	<0.2
P8500N 4100E	Soil	28	0.57	68	0.020	<1	1.22	0.009	0.06	<0.1	0.03	2.0	<0.1	<0.05	3	1.3	<0.2
P8500N 4150E	Soil	31	0.48	85	0.014	1	1.34	0.009	0.06	<0.1	0.08	1.6	<0.1	<0.05	4	1.0	<0.2
P8500N 4200E	Soil	27	0.51	60	0.013	<1	1.16	0.006	0.03	<0.1	0.03	2.0	<0.1	<0.05	3	<0.5	<0.2
P8500N 4250E	Soil	27	0.27	31	0.034	1	0.99	0.005	0.03	0.1	0.06	1.4	<0.1	<0.05	7	0.8	<0.2
P8500N 4300E	Soil	34	0.36	65	0.032	<1	1.39	0.008	0.04	<0.1	0.07	1.9	<0.1	<0.05	6	1.7	<0.2
P8500N 4350E	Soil	26	0.29	87	0.030	<1	0.94	0.008	0.05	<0.1	0.06	1.4	<0.1	<0.05	4	1.3	<0.2
P8500N 4400E	Soil	23	0.23	64	0.056	1	0.63	0.004	0.04	0.1	0.04	1.7	<0.1	<0.05	6	0.9	<0.2
P8500N 4450E	Soil	16	0.19	56	0.008	<1	0.69	0.006	0.05	<0.1	0.03	0.7	<0.1	<0.05	4	0.9	<0.2
P8500N 4500E	Soil	19	0.16	73	0.011	<1	0.72	0.006	0.05	<0.1	0.08	0.6	<0.1	<0.05	6	1.3	<0.2
P8500N 4550E	Soil	19	0.24	38	0.006	<1	0.89	0.007	0.04	<0.1	0.08	0.8	<0.1	<0.05	5	1.9	<0.2
P8500N 4600E	Soil	24	0.30	45	0.009	<1	1.31	0.005	0.05	0.1	0.12	1.0	<0.1	<0.05	4	2.1	<0.2
P8500N 4650E	Soil	18	0.36	70	0.008	<1	1.00	0.008	0.06	<0.1	0.06	1.6	0.1	0.07	3	3.0	<0.2
P8500N 4700E	Soil	11	0.19	53	0.008	<1	0.46	0.005	0.05	<0.1	0.05	0.5	<0.1	<0.05	3	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
P8600N 4000E	Soil		3.8	86.4	15.1	131	0.9	49.0	22.1	874	4.55	16.0	41.4	1.5	13	1.5	0.5	0.3	34	0.21	0.066	16
P8600N 4050E	Soil		5.0	15.2	12.5	37	0.8	12.4	4.5	186	2.40	9.2	25.1	1.5	8	0.2	0.2	0.4	44	0.05	0.040	19
P8600N 4100E	Soil		10.8	51.7	8.5	151	1.0	47.2	27.2	2204	5.91	16.0	11.0	1.0	19	1.0	0.4	0.3	45	0.11	0.078	13
P8600N 4150E	Soil		8.0	21.3	7.9	46	0.6	12.5	13.2	747	2.71	11.5	19.3	1.8	7	0.3	0.3	0.3	37	0.06	0.036	24
P8600N 4200E	Soil		2.9	40.8	12.3	99	2.9	33.4	12.8	796	2.84	7.9	93.4	0.9	26	1.1	0.3	0.3	29	0.46	0.109	13
P8600N 4250E	Soil		4.6	64.6	11.7	117	0.5	45.5	16.9	636	3.88	13.3	74.4	3.8	14	0.6	0.5	0.2	34	0.17	0.052	23
P8600N 4300E	Soil		4.0	35.5	21.3	75	0.2	26.8	10.9	749	6.25	14.4	106.5	1.3	13	0.6	0.4	0.4	57	0.14	0.122	15
P8600N 4350E	Soil		4.4	64.0	12.1	78	2.5	30.7	20.6	1578	3.60	7.0	38.8	0.2	30	0.7	0.2	0.3	36	0.41	0.134	8
P8600N 4400E	Soil		3.2	56.9	8.3	40	0.2	11.7	5.3	141	2.78	4.8	13.8	1.4	21	0.6	0.2	0.2	52	0.14	0.028	13
P8600N 4450E	Soil		2.4	207.6	13.5	80	6.1	61.1	26.0	1645	3.73	10.0	8.9	0.5	38	2.3	0.3	0.3	40	0.69	0.131	15
P8600N 4500E	Soil		5.8	38.0	12.9	98	1.5	34.4	9.6	388	5.14	9.5	8.0	1.3	10	0.4	0.4	0.3	55	0.09	0.213	13
P8600N 4550E	Soil		2.8	18.5	14.3	90	2.1	25.8	6.5	159	2.17	4.4	15.2	1.1	16	0.5	0.1	0.3	25	0.26	0.090	12
P8600N 4600E	Soil		3.7	68.6	24.5	241	7.9	93.9	27.5	1038	1.73	2.8	15.6	1.8	31	11.1	0.3	0.3	23	0.60	0.180	21
P8600N 4650E	Soil		5.5	22.8	11.1	102	0.8	29.1	8.9	362	3.55	5.7	14.1	1.3	6	0.4	0.2	0.3	31	0.09	0.093	19
P8600N 4700E	Soil		7.3	49.5	15.0	169	1.0	53.4	13.9	644	3.39	7.2	24.6	3.1	11	1.1	0.3	0.3	31	0.14	0.089	20
P8700N 4000E	Soil		3.3	83.5	18.5	91	1.8	41.5	28.9	2703	4.58	11.0	15.0	0.4	33	1.7	0.5	0.4	54	0.54	0.096	11
P8700N 4050E	Soil		5.2	39.6	12.5	86	1.9	28.9	16.3	825	3.44	9.1	26.0	0.8	21	0.7	0.2	0.3	44	0.26	0.062	16
P8700N 4100E	Soil		3.9	31.1	10.1	93	0.8	29.3	14.9	1325	3.10	8.9	16.3	1.1	19	0.6	0.3	0.2	37	0.23	0.062	16
P8700N 4150E	Soil		3.9	53.7	11.4	102	0.5	39.9	16.5	555	3.41	13.2	22.8	4.0	10	0.5	0.4	0.3	33	0.15	0.093	16
P8700N 4200E	Soil		4.4	42.3	11.0	99	0.2	37.0	11.5	298	3.89	11.6	37.1	2.1	9	0.5	0.4	0.2	35	0.13	0.089	15
P8700N 4250E	Soil		5.0	28.6	15.4	76	0.6	24.1	7.6	254	5.30	13.2	9.1	1.4	7	0.7	0.3	0.3	47	0.06	0.082	12
P8700N 4300E	Soil		5.3	47.6	14.7	118	0.1	40.4	13.8	360	4.49	12.9	59.2	2.4	10	0.5	0.4	0.3	36	0.09	0.037	17
P8700N 4350E	Soil		2.7	51.8	16.3	96	3.5	33.9	21.6	1206	3.90	9.2	21.9	0.6	41	1.0	0.3	0.4	38	0.67	0.117	11
P8700N 4400E	Soil		5.5	38.6	11.5	81	0.3	30.9	9.7	255	3.43	10.3	91.5	2.8	16	0.3	0.4	0.3	43	0.18	0.038	19
P8700N 4450E	Soil		8.2	47.1	17.5	99	3.5	38.5	29.1	3083	3.82	6.1	13.8	0.7	36	3.8	0.2	0.3	41	0.54	0.111	14
P8700N 4500E	Soil		6.0	34.7	15.4	122	0.3	55.8	12.3	434	3.87	4.5	3.4	2.6	8	0.5	0.2	0.3	39	0.09	0.109	18
P8700N 4550E	Soil		6.6	22.3	8.4	94	2.2	23.0	6.3	226	2.39	3.0	6.8	1.5	8	0.6	0.2	0.3	31	0.09	0.063	18
P8700N 4600E	Soil		23.3	134.3	27.8	520	5.7	131.4	32.6	5663	5.36	4.4	6.4	1.2	31	17.5	0.6	0.5	51	0.45	0.258	17
P8700N 4650E	Soil		15.5	28.3	13.9	86	0.8	18.7	4.5	301	3.52	2.0	2.9	1.5	4	0.5	0.4	0.3	37	0.03	0.067	11
P8700N 4700E	Soil		16.6	75.6	28.9	236	5.4	56.9	18.7	2841	4.33	4.6	15.7	0.4	59	6.6	0.6	0.5	34	1.06	0.158	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	%	ppm	%	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
P8600N 4000E	Soil			33	0.43	106	0.013	<1	1.52	0.011	0.06	0.1	0.08	3.3	<0.1	<0.05	4	1.2	<0.2
P8600N 4050E	Soil			21	0.27	45	0.042	<1	0.86	0.005	0.03	0.1	0.07	1.1	<0.1	<0.05	5	0.7	<0.2
P8600N 4100E	Soil			44	0.53	165	0.026	<1	1.88	0.010	0.09	<0.1	0.14	3.3	0.1	<0.05	5	1.1	<0.2
P8600N 4150E	Soil			18	0.21	40	0.031	<1	0.84	0.004	0.03	<0.1	0.06	1.4	<0.1	<0.05	5	1.0	<0.2
P8600N 4200E	Soil			28	0.46	90	0.009	<1	1.46	0.009	0.05	<0.1	0.13	1.7	<0.1	0.05	4	1.7	<0.2
P8600N 4250E	Soil			31	0.53	87	0.024	<1	1.29	0.011	0.07	<0.1	0.04	2.5	<0.1	<0.05	4	1.0	<0.2
P8600N 4300E	Soil			46	0.32	86	0.051	<1	1.04	0.005	0.05	<0.1	0.06	1.5	<0.1	<0.05	8	1.3	<0.2
P8600N 4350E	Soil			54	0.46	128	0.017	2	1.45	0.010	0.06	<0.1	0.11	1.1	<0.1	0.06	5	1.3	<0.2
P8600N 4400E	Soil			21	0.11	63	0.069	<1	0.90	0.005	0.03	0.1	0.05	1.1	<0.1	<0.05	4	0.8	<0.2
P8600N 4450E	Soil			38	0.40	67	0.017	<1	1.69	0.008	0.05	<0.1	0.12	2.1	<0.1	0.06	5	2.4	<0.2
P8600N 4500E	Soil			44	0.45	62	0.034	<1	1.64	0.005	0.05	<0.1	0.10	1.9	<0.1	<0.05	5	2.2	<0.2
P8600N 4550E	Soil			22	0.31	73	0.007	<1	1.04	0.007	0.06	<0.1	0.07	1.1	<0.1	<0.05	4	1.6	<0.2
P8600N 4600E	Soil			21	0.30	145	0.007	1	1.38	0.010	0.09	<0.1	0.13	2.5	0.2	0.47	3	9.5	<0.2
P8600N 4650E	Soil			18	0.29	85	0.008	<1	0.88	0.005	0.06	<0.1	0.04	0.8	0.1	<0.05	4	1.6	<0.2
P8600N 4700E	Soil			24	0.38	122	0.008	<1	1.19	0.009	0.11	<0.1	0.04	2.0	0.1	<0.05	3	2.1	<0.2
P8700N 4000E	Soil			37	0.37	95	0.027	1	1.78	0.013	0.07	<0.1	0.12	2.3	0.1	<0.05	5	2.2	<0.2
P8700N 4050E	Soil			33	0.45	98	0.019	<1	1.54	0.011	0.09	<0.1	0.12	2.1	<0.1	<0.05	5	0.9	<0.2
P8700N 4100E	Soil			33	0.53	108	0.016	1	1.25	0.009	0.08	<0.1	0.08	1.5	<0.1	<0.05	4	0.6	<0.2
P8700N 4150E	Soil			35	0.61	48	0.031	3	1.16	0.007	0.06	<0.1	0.04	2.0	<0.1	<0.05	3	1.1	<0.2
P8700N 4200E	Soil			41	0.56	55	0.023	1	1.54	0.009	0.04	<0.1	0.06	1.6	<0.1	<0.05	3	1.2	<0.2
P8700N 4250E	Soil			37	0.37	61	0.031	2	1.12	0.006	0.03	<0.1	0.10	1.2	<0.1	<0.05	5	1.5	<0.2
P8700N 4300E	Soil			35	0.52	81	0.026	2	1.26	0.006	0.04	<0.1	0.04	1.6	<0.1	<0.05	4	2.5	<0.2
P8700N 4350E	Soil			36	0.50	97	0.011	2	1.52	0.008	0.06	<0.1	0.14	1.7	<0.1	0.06	4	3.3	<0.2
P8700N 4400E	Soil			19	0.21	52	0.038	1	0.60	0.005	0.04	<0.1	0.03	1.2	<0.1	<0.05	4	1.7	<0.2
P8700N 4450E	Soil			34	0.38	183	0.019	2	1.59	0.009	0.07	<0.1	0.17	1.6	0.2	<0.05	4	2.2	<0.2
P8700N 4500E	Soil			15	0.20	71	0.010	1	0.61	0.003	0.03	0.1	0.04	1.2	<0.1	<0.05	5	1.7	<0.2
P8700N 4550E	Soil			15	0.14	95	0.011	1	0.65	0.005	0.05	<0.1	0.05	0.8	<0.1	<0.05	4	1.2	<0.2
P8700N 4600E	Soil			37	0.46	283	0.017	2	2.38	0.011	0.15	0.2	0.16	2.7	0.3	0.08	6	5.4	<0.2
P8700N 4650E	Soil			13	0.09	56	0.010	1	0.47	0.003	0.03	<0.1	0.05	0.7	<0.1	<0.05	4	3.0	<0.2
P8700N 4700E	Soil			21	0.27	92	0.010	3	1.16	0.008	0.05	0.1	0.17	0.8	0.1	0.08	4	7.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
P8800N 4000E	Soil		5.7	41.4	13.8	103	0.6	32.5	9.1	313	4.09	10.1	84.8	1.5	15	0.7	0.3	0.3	44	0.19	0.055	17
P8800N 4050E	Soil		4.8	69.2	13.6	129	2.8	43.1	17.9	1020	4.15	11.8	24.9	0.8	25	1.4	0.4	0.4	44	0.41	0.118	14
P8800N 4100E	Soil		5.7	63.3	17.2	113	5.0	36.8	22.0	1034	4.16	12.0	20.5	0.6	23	1.2	0.4	0.4	45	0.30	0.115	14
P8800N 4150E	Soil		4.4	39.5	12.6	101	0.9	33.1	16.8	528	3.73	12.3	30.1	1.4	20	0.7	0.3	0.3	47	0.23	0.055	18
P8800N 4200E	Soil		3.9	35.0	9.7	78	0.8	24.9	11.5	345	2.94	8.1	20.6	1.5	16	0.6	0.2	0.2	35	0.14	0.062	15
P8800N 4250E	Soil		5.0	52.3	15.6	126	2.5	39.2	27.4	1467	3.94	9.5	70.9	0.8	17	1.3	0.2	0.4	42	0.17	0.109	16
P8800N 4300E	Soil		1.3	44.4	15.2	49	2.9	23.5	5.9	194	1.66	3.6	42.2	0.8	27	0.6	0.1	0.3	30	0.35	0.112	15
P8800N 4350E	Soil		6.9	55.2	17.3	124	2.6	40.3	22.3	1004	4.18	11.0	27.5	0.7	24	1.8	0.3	0.4	45	0.35	0.116	15
P8800N 4400E	Soil		5.7	15.6	11.8	57	1.6	13.6	7.0	220	2.17	5.5	55.5	1.7	21	0.7	0.2	0.3	43	0.15	0.032	16
P8800N 4450E	Soil		6.1	39.6	16.8	159	0.6	40.3	23.0	1012	5.38	9.1	51.1	1.0	25	0.5	0.3	0.4	57	0.34	0.078	13
P8800N 4500E	Soil		5.5	47.0	11.4	69	1.0	27.9	24.8	857	3.22	4.5	6.4	0.9	17	0.5	0.3	0.2	56	0.15	0.105	8
P8800N 4550E	Soil		11.4	15.2	16.5	90	1.4	19.4	6.3	291	4.12	13.3	4.1	2.1	4	0.6	0.6	0.3	29	0.02	0.298	9
P8800N 4600E	Soil		30.7	102.0	27.4	247	2.8	74.8	21.5	1100	5.30	9.0	12.6	2.9	8	1.6	0.6	0.4	36	0.07	0.146	15
P8800N 4650E	Soil		30.5	40.9	14.1	177	1.0	44.3	11.2	1230	6.01	2.9	2.0	1.9	7	1.0	0.5	0.4	48	0.06	0.200	12
P8800N 4700E	Soil		8.1	21.9	8.1	83	1.4	22.6	5.0	444	1.41	1.8	28.5	1.1	5	0.5	0.2	0.2	24	0.06	0.054	14
E2300E 8900N	Soil		1.3	140.1	6.1	67	0.1	57.9	35.1	471	6.21	10.9	15.2	0.3	34	0.5	0.5	0.1	154	0.42	0.058	2
E2300E 8950N	Soil		2.1	159.5	6.0	46	0.4	24.3	34.9	597	3.89	80.9	4.0	0.2	52	0.6	0.6	0.1	112	1.31	0.093	2
E2300E 9000N	Soil		2.0	157.3	9.7	93	0.3	35.7	24.2	403	5.63	7.4	11.2	0.4	33	0.3	0.5	0.2	163	0.41	0.069	2
E2300E 9050N	Soil		1.2	82.0	7.9	34	0.3	36.9	23.6	805	3.91	80.2	5.7	0.3	25	0.4	0.4	0.2	138	0.50	0.065	2
E2300E 9100N	Soil		1.6	371.1	9.3	46	0.2	43.8	50.0	1381	4.59	114.8	8.1	0.2	30	0.3	0.5	0.2	124	0.62	0.127	4
E2300E 9150N	Soil		0.9	406.2	6.5	66	0.4	54.3	46.5	917	3.24	16.4	2.6	0.1	42	0.5	0.5	0.1	79	0.95	0.146	4
E2300E 9200N	Soil		1.5	64.2	9.1	50	0.2	27.0	21.6	939	4.33	5.7	8.2	0.4	26	0.3	0.4	0.2	137	0.39	0.086	3
E2300E 9250N	Soil		1.4	73.1	13.0	37	0.6	30.8	68.5	1674	5.34	9.9	2.1	0.2	21	0.5	0.5	0.2	126	0.46	0.117	4
E2300E 9300N	Soil		1.7	107.1	10.0	38	0.5	30.5	50.0	1674	4.60	8.3	13.9	0.2	26	0.5	0.5	0.2	118	0.41	0.112	5
E2400E 8900N	Soil		0.7	32.0	7.0	33	0.1	28.0	20.9	533	4.42	4.0	10.3	0.4	25	0.1	0.4	<0.1	173	0.27	0.045	2
E2400E 8950N	Soil		0.4	35.8	5.7	29	0.6	17.4	12.2	284	2.69	2.6	22.3	0.2	29	0.2	0.4	<0.1	97	0.37	0.062	2
E2400E 9000N	Soil		0.7	48.1	7.3	23	0.2	14.5	13.9	249	4.06	3.4	121.3	0.4	38	0.3	0.4	<0.1	152	0.33	0.038	2
E2400E 9050N	Soil		0.7	1136	6.0	81	0.2	82.1	75.7	1041	5.12	23.3	8.3	0.3	67	0.7	0.8	<0.1	98	0.96	0.125	4
E2400E 9100N	Soil		1.5	164.4	11.7	49	0.2	33.1	29.2	594	5.52	14.2	12.3	0.8	37	0.3	0.5	0.1	178	0.39	0.043	2
E2400E 9150N	Soil		1.3	65.0	8.0	40	0.2	39.6	29.8	553	6.26	20.3	4.0	0.4	20	0.7	0.6	<0.1	141	0.35	0.060	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
P8800N 4000E	Soil			31	0.31	113	0.025	2	1.04	0.007	0.09	0.1	0.08	1.3	<0.1	<0.05	5	1.7	<0.2
P8800N 4050E	Soil			35	0.46	125	0.016	2	1.51	0.009	0.09	<0.1	0.11	2.1	<0.1	<0.05	4	2.2	<0.2
P8800N 4100E	Soil			37	0.45	103	0.020	2	1.59	0.009	0.08	<0.1	0.14	2.2	<0.1	0.05	4	3.3	<0.2
P8800N 4150E	Soil			39	0.57	118	0.023	1	1.50	0.009	0.08	<0.1	0.06	2.0	<0.1	<0.05	5	1.6	<0.2
P8800N 4200E	Soil			27	0.40	77	0.031	<1	0.90	0.006	0.05	<0.1	0.07	1.3	<0.1	<0.05	3	1.2	<0.2
P8800N 4250E	Soil			39	0.51	147	0.019	1	1.64	0.010	0.09	<0.1	0.15	2.2	0.1	<0.05	5	1.6	<0.2
P8800N 4300E	Soil			32	0.44	89	0.011	1	1.46	0.009	0.05	<0.1	0.12	1.5	0.1	<0.05	4	1.7	<0.2
P8800N 4350E	Soil			33	0.40	117	0.020	1	1.42	0.010	0.07	0.1	0.12	1.7	0.1	<0.05	5	2.6	<0.2
P8800N 4400E	Soil			19	0.19	160	0.055	<1	0.72	0.004	0.05	<0.1	0.05	0.9	0.1	<0.05	5	0.9	<0.2
P8800N 4450E	Soil			41	0.51	106	0.039	1	1.57	0.006	0.07	<0.1	0.04	1.5	0.1	<0.05	5	2.1	<0.2
P8800N 4500E	Soil			96	0.51	68	0.091	1	1.68	0.005	0.05	0.1	0.11	1.4	<0.1	<0.05	4	1.4	<0.2
P8800N 4550E	Soil			14	0.11	45	0.013	1	1.02	0.004	0.02	0.3	0.08	1.0	<0.1	<0.05	4	2.0	<0.2
P8800N 4600E	Soil			22	0.32	73	0.009	1	1.21	0.005	0.05	0.2	0.11	1.6	0.1	<0.05	4	7.6	0.3
P8800N 4650E	Soil			20	0.12	57	0.022	2	0.72	0.004	0.05	0.2	0.11	1.0	0.1	<0.05	6	3.0	<0.2
P8800N 4700E	Soil			13	0.11	50	0.008	2	0.48	0.005	0.04	<0.1	0.06	0.6	0.1	<0.05	3	1.6	<0.2
E2300E 8900N	Soil			192	2.20	33	0.162	2	2.39	0.010	0.04	<0.1	0.04	6.3	<0.1	<0.05	6	0.6	0.2
E2300E 8950N	Soil			98	0.86	178	0.077	2	1.21	0.009	0.04	<0.1	0.09	5.1	0.1	0.07	5	1.0	<0.2
E2300E 9000N	Soil			236	0.97	107	0.222	<1	1.35	0.009	0.04	<0.1	0.07	5.6	<0.1	<0.05	8	<0.5	<0.2
E2300E 9050N	Soil			234	1.40	116	0.201	2	1.34	0.013	0.04	0.2	0.09	7.2	<0.1	<0.05	6	<0.5	<0.2
E2300E 9100N	Soil			136	1.25	181	0.084	2	1.85	0.011	0.05	0.2	0.09	9.3	<0.1	0.07	6	0.6	<0.2
E2300E 9150N	Soil			138	1.40	179	0.045	2	1.63	0.008	0.04	<0.1	0.09	8.9	<0.1	0.06	4	1.1	<0.2
E2300E 9200N	Soil			168	0.67	146	0.152	1	0.90	0.008	0.05	<0.1	0.05	8.7	<0.1	<0.05	7	0.5	<0.2
E2300E 9250N	Soil			177	0.75	53	0.071	2	1.49	0.008	0.04	<0.1	0.06	12.2	<0.1	0.08	6	0.6	<0.2
E2300E 9300N	Soil			138	0.77	55	0.086	2	1.51	0.008	0.04	<0.1	0.07	9.9	<0.1	0.06	6	0.6	<0.2
E2400E 8900N	Soil			144	1.23	60	0.260	<1	1.24	0.009	0.03	<0.1	0.04	4.2	<0.1	<0.05	8	0.6	<0.2
E2400E 8950N	Soil			90	0.79	77	0.156	<1	0.86	0.009	0.03	<0.1	0.03	4.4	<0.1	<0.05	5	0.6	<0.2
E2400E 9000N	Soil			83	0.57	53	0.329	<1	0.89	0.013	0.03	<0.1	0.04	4.0	<0.1	<0.05	7	<0.5	<0.2
E2400E 9050N	Soil			174	2.27	172	0.083	<1	2.63	0.017	0.07	<0.1	0.08	10.5	<0.1	<0.05	5	0.9	<0.2
E2400E 9100N	Soil			120	1.43	94	0.321	1	1.59	0.013	0.04	<0.1	0.05	4.5	<0.1	<0.05	8	0.5	<0.2
E2400E 9150N	Soil			186	1.17	72	0.151	<1	1.65	0.010	0.03	<0.1	0.04	14.1	<0.1	<0.05	7	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
E2400E 9200N	Soil		0.7	47.2	7.8	33	0.2	33.7	21.8	389	6.02	5.7	8.7	0.5	24	0.3	0.4	<0.1	162	0.45	0.040	3
E2400E 9250N	Soil		1.0	31.0	7.2	29	0.1	26.1	19.3	406	4.85	7.5	6.2	0.7	27	0.2	0.4	<0.1	149	0.39	0.037	3
E2400E 9300N	Soil		0.9	27.8	7.8	32	0.3	18.5	14.3	352	3.85	7.2	19.1	0.4	20	0.2	0.4	0.1	125	0.24	0.032	2
E2500E 8750N	Soil		1.2	29.6	17.5	48	<0.1	16.5	10.7	1046	2.20	4.8	12.2	0.4	19	0.4	0.5	0.2	103	0.32	0.050	3
E2500E 8800N	Soil		0.7	29.4	10.3	42	<0.1	16.7	19.8	966	2.83	4.6	5.3	0.4	22	0.3	0.3	0.2	102	0.23	0.039	4
E2500E 8850N	Soil		0.8	13.2	9.1	27	<0.1	12.9	7.3	187	1.90	2.2	5.1	0.6	19	0.2	0.3	0.1	98	0.20	0.024	5
E2500E 8900N	Soil		0.9	33.0	10.0	36	<0.1	21.0	24.9	2420	3.58	2.9	5.3	0.5	30	0.2	0.5	0.1	166	0.24	0.038	3
E2500E 8950N	Soil		0.9	48.6	10.8	35	0.2	27.2	24.8	790	3.33	2.9	3.0	0.3	13	0.2	0.5	0.2	90	0.22	0.059	3
E2500E 9000N	Soil		0.9	31.6	105.3	45	0.2	20.7	15.5	505	2.14	4.0	43.9	0.2	8	0.2	0.4	0.3	59	0.21	0.038	1
E2500E 9050N	Soil		1.0	46.7	15.3	68	0.1	35.2	25.7	1116	4.97	6.6	23.1	0.7	25	0.2	0.5	0.2	158	0.42	0.091	3
E2500E 9100N	Soil		0.6	19.3	9.5	24	0.3	10.0	7.7	308	2.35	2.1	4.3	0.5	85	0.2	0.3	0.1	94	0.47	0.058	3
E2500E 9150N	Soil		1.9	48.9	10.9	35	0.6	27.8	27.7	1617	5.29	8.3	8.4	1.1	30	0.4	0.5	0.2	152	0.46	0.062	4
E2500E 9200N	Soil		1.2	20.3	9.5	38	0.5	15.9	9.9	272	3.29	7.3	10.1	0.9	29	0.2	0.4	0.1	129	0.28	0.049	5
E2500E 9250N	Soil		1.2	21.6	13.0	36	0.4	17.4	11.1	216	4.00	9.8	21.6	1.0	24	0.3	0.4	0.2	143	0.28	0.044	4
E2500E 9300N	Soil		1.5	45.7	9.4	57	0.2	34.2	23.0	597	4.84	12.7	149.8	0.9	23	0.3	0.5	<0.1	104	0.32	0.059	5



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11005594.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
E2400E 9200N	Soil			196	1.11	57	0.265	<1	1.45	0.009	0.03	<0.1	0.05	9.8	<0.1	<0.05	8	<0.5	<0.2
E2400E 9250N	Soil			150	0.81	71	0.253	<1	1.07	0.009	0.04	<0.1	0.04	6.5	<0.1	<0.05	7	<0.5	<0.2
E2400E 9300N	Soil			107	0.56	82	0.218	<1	0.83	0.007	0.02	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
E2500E 8750N	Soil			80	0.50	168	0.131	2	0.63	0.007	0.04	<0.1	0.18	2.9	<0.1	<0.05	5	0.6	<0.2
E2500E 8800N	Soil			108	0.41	117	0.155	<1	0.77	0.007	0.03	<0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
E2500E 8850N	Soil			90	0.35	65	0.164	<1	0.58	0.008	0.02	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5	<0.2
E2500E 8900N	Soil			148	0.71	117	0.224	<1	0.87	0.007	0.02	<0.1	0.03	3.9	<0.1	<0.05	8	<0.5	<0.2
E2500E 8950N	Soil			144	1.59	75	0.111	<1	1.28	0.008	0.04	<0.1	0.09	3.9	<0.1	<0.05	7	0.5	0.3
E2500E 9000N	Soil			202	0.44	83	0.135	<1	0.48	0.004	0.02	0.2	0.06	2.2	<0.1	<0.05	4	<0.5	0.2
E2500E 9050N	Soil			181	1.34	150	0.196	<1	1.42	0.009	0.06	<0.1	0.08	6.1	<0.1	<0.05	9	0.5	<0.2
E2500E 9100N	Soil			46	0.35	63	0.210	<1	0.72	0.015	0.04	<0.1	0.03	2.5	<0.1	<0.05	8	<0.5	<0.2
E2500E 9150N	Soil			101	0.72	132	0.216	<1	1.35	0.008	0.05	<0.1	0.08	6.7	<0.1	<0.05	9	0.7	<0.2
E2500E 9200N	Soil			63	0.39	120	0.212	1	0.67	0.007	0.04	<0.1	0.05	2.1	<0.1	<0.05	6	<0.5	<0.2
E2500E 9250N	Soil			79	0.43	75	0.256	<1	0.77	0.007	0.03	<0.1	0.04	2.9	<0.1	<0.05	8	<0.5	<0.2
E2500E 9300N	Soil			121	0.94	68	0.125	<1	1.20	0.007	0.04	<0.1	0.01	3.8	<0.1	<0.05	5	0.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN11005594.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
P8000N 4050E	Soil	9.3	129.0	19.2	184	0.4	86.1	37.5	1279	5.50	61.4	74.1	2.7	37	1.4	1.4	0.3	57	0.53	0.119	13
REP P8000N 4050E	QC	9.4	126.4	18.9	180	0.5	84.4	36.3	1259	5.44	60.7	250.4	2.8	38	1.5	1.4	0.3	58	0.54	0.119	14
P8200N 4250E	Soil	2.8	33.2	11.9	82	<0.1	26.9	9.5	276	4.47	27.1	4.5	4.7	3	0.2	0.5	0.3	25	0.02	0.044	29
REP P8200N 4250E	QC	2.6	32.3	12.2	82	<0.1	26.1	9.2	269	4.42	26.7	3.4	5.0	3	0.2	0.5	0.3	24	0.02	0.042	27
P8200N 4600E	Soil	2.9	44.3	19.8	88	2.5	31.4	17.6	1080	3.88	14.9	12.8	1.2	8	0.3	0.5	0.5	31	0.10	0.091	15
REP P8200N 4600E	QC	2.8	44.2	19.3	87	2.5	30.8	17.3	1051	3.82	15.0	12.6	1.1	8	0.3	0.4	0.5	30	0.10	0.091	13
P8300N 4600E	Soil	4.7	43.2	14.1	126	1.5	42.3	11.2	254	3.90	17.2	53.6	1.5	12	0.7	0.5	0.3	34	0.18	0.106	22
REP P8300N 4600E	QC	4.7	40.3	14.2	119	1.4	39.6	10.6	235	3.68	16.5	22.0	1.6	11	0.6	0.5	0.3	33	0.16	0.097	22
P8500N 4050E	Soil	2.8	50.0	11.6	113	0.4	36.4	18.8	847	3.74	15.3	11.4	1.4	15	0.7	0.4	0.3	36	0.16	0.072	14
REP P8500N 4050E	QC	3.0	51.9	12.2	118	0.5	37.8	19.4	893	3.92	16.3	15.6	1.3	14	0.8	0.4	0.3	37	0.16	0.073	12
P8600N 4150E	Soil	8.0	21.3	7.9	46	0.6	12.5	13.2	747	2.71	11.5	19.3	1.8	7	0.3	0.3	0.3	37	0.06	0.036	24
REP P8600N 4150E	QC	7.7	20.4	7.6	44	0.6	11.8	12.7	730	2.67	11.1	37.9	1.7	7	0.3	0.3	0.3	36	0.06	0.035	23
P8700N 4650E	Soil	15.5	28.3	13.9	86	0.8	18.7	4.5	301	3.52	2.0	2.9	1.5	4	0.5	0.4	0.3	37	0.03	0.067	11
REP P8700N 4650E	QC	15.3	29.1	14.0	87	0.8	18.3	4.6	312	3.47	1.8	5.6	1.4	4	0.5	0.3	0.3	38	0.03	0.068	12
P8800N 4650E	Soil	30.5	40.9	14.1	177	1.0	44.3	11.2	1230	6.01	2.9	2.0	1.9	7	1.0	0.5	0.4	48	0.06	0.200	12
REP P8800N 4650E	QC	29.8	39.7	13.8	168	1.0	42.2	10.7	1237	6.04	2.9	2.7	1.9	7	1.0	0.5	0.4	49	0.06	0.196	11
E2500E 8800N	Soil	0.7	29.4	10.3	42	<0.1	16.7	19.8	966	2.83	4.6	5.3	0.4	22	0.3	0.3	0.2	102	0.23	0.039	4
REP E2500E 8800N	QC	0.8	28.7	10.6	41	<0.1	16.5	20.3	964	2.81	4.2	3.8	0.5	20	0.4	0.3	0.2	98	0.24	0.039	4
Reference Materials																					
STD DS8	Standard	12.5	102.9	116.7	283	1.7	36.1	7.3	582	2.33	23.7	93.7	6.8	62	2.5	5.7	6.4	41	0.63	0.076	16
STD DS8	Standard	12.5	104.7	121.9	301	1.8	36.4	7.5	582	2.36	23.6	112.2	7.2	70	2.2	5.3	6.9	41	0.68	0.073	15
STD DS8	Standard	12.3	99.0	114.9	280	1.7	35.4	6.8	560	2.24	21.7	100.5	6.0	59	2.0	5.0	5.5	40	0.62	0.070	15
STD DS8	Standard	14.8	113.4	128.5	312	1.8	39.3	8.2	605	2.47	25.4	119.2	7.2	67	2.6	5.9	7.0	45	0.69	0.085	16
STD DS8	Standard	13.0	106.7	124.1	306	1.8	36.6	7.7	611	2.50	25.6	111.8	6.5	66	2.4	5.6	6.3	41	0.68	0.078	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN11005594.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
P8000N 4050E	Soil	88	1.18	55	0.022	1	1.63	0.006	0.05	<0.1	0.04	4.8	<0.1	<0.05	4	2.3	<0.2
REP P8000N 4050E	QC	90	1.20	57	0.023	2	1.67	0.006	0.06	<0.1	0.05	4.8	<0.1	<0.05	4	1.9	<0.2
P8200N 4250E	Soil	18	0.30	43	0.004	<1	0.93	0.006	0.04	<0.1	0.03	1.2	<0.1	<0.05	5	0.9	<0.2
REP P8200N 4250E	QC	18	0.29	44	0.004	<1	0.90	0.006	0.03	<0.1	0.03	1.2	<0.1	<0.05	5	1.3	<0.2
P8200N 4600E	Soil	27	0.39	53	0.016	1	1.50	0.008	0.04	<0.1	0.10	1.2	<0.1	<0.05	4	1.1	<0.2
REP P8200N 4600E	QC	26	0.38	51	0.012	1	1.47	0.007	0.04	<0.1	0.11	1.2	<0.1	<0.05	4	0.8	<0.2
P8300N 4600E	Soil	34	0.52	55	0.018	<1	1.57	0.012	0.05	<0.1	0.08	1.5	<0.1	<0.05	5	1.1	<0.2
REP P8300N 4600E	QC	32	0.49	55	0.017	1	1.47	0.008	0.05	<0.1	0.09	1.4	<0.1	<0.05	5	1.0	<0.2
P8500N 4050E	Soil	34	0.53	90	0.016	<1	1.48	0.009	0.06	<0.1	0.08	2.0	<0.1	<0.05	4	0.7	<0.2
REP P8500N 4050E	QC	35	0.56	91	0.014	<1	1.51	0.008	0.05	<0.1	0.09	2.1	<0.1	<0.05	4	1.1	<0.2
P8600N 4150E	Soil	18	0.21	40	0.031	<1	0.84	0.004	0.03	<0.1	0.06	1.4	<0.1	<0.05	5	1.0	<0.2
REP P8600N 4150E	QC	17	0.20	40	0.030	<1	0.82	0.004	0.02	<0.1	0.05	1.3	<0.1	<0.05	5	1.3	<0.2
P8700N 4650E	Soil	13	0.09	56	0.010	1	0.47	0.003	0.03	<0.1	0.05	0.7	<0.1	<0.05	4	3.0	<0.2
REP P8700N 4650E	QC	13	0.09	57	0.013	<1	0.49	0.003	0.04	0.1	0.04	0.7	<0.1	<0.05	4	3.1	<0.2
P8800N 4650E	Soil	20	0.12	57	0.022	2	0.72	0.004	0.05	0.2	0.11	1.0	0.1	<0.05	6	3.0	<0.2
REP P8800N 4650E	QC	20	0.13	57	0.024	2	0.70	0.004	0.05	0.2	0.09	1.0	0.1	<0.05	6	2.6	<0.2
E2500E 8800N	Soil	108	0.41	117	0.155	<1	0.77	0.007	0.03	<0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
REP E2500E 8800N	QC	110	0.39	118	0.152	1	0.74	0.008	0.03	<0.1	0.02	4.8	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	111	0.58	271	0.115	2	0.86	0.082	0.38	3.1	0.18	2.2	4.9	0.15	4	4.4	4.7
STD DS8	Standard	117	0.59	263	0.118	2	0.90	0.097	0.40	2.7	0.19	2.6	5.2	0.12	4	5.0	4.5
STD DS8	Standard	109	0.54	262	0.108	2	0.79	0.085	0.37	2.9	0.18	1.9	5.0	0.15	4	4.7	4.6
STD DS8	Standard	123	0.61	291	0.123	3	0.92	0.093	0.41	3.2	0.21	2.2	5.6	0.17	5	5.5	5.1
STD DS8	Standard	114	0.61	273	0.113	2	0.90	0.108	0.42	2.7	0.17	2.4	5.4	0.15	5	5.5	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Project: None Given

Report Date: November 09, 2011

Page: 2 of 2 Part 1

## QUALITY CONTROL REPORT

VAN11005594.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Teslin River Resources Corp.

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

**Project:** None Given

**Report Date:** November 09, 2011

**Page:** 2 of 2 Part 2

## QUALITY CONTROL REPORT

VAN11005594.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Teslin River Resources Corp.

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr

Receiving Lab: Canada-Vancouver

Received: October 18, 2011

Report Date: November 27, 2011

Page: 1 of 6

## CERTIFICATE OF ANALYSIS

VAN11005595.1

### CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 133

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.  
1430 - 800 West Pender Street  
Vancouver BC V6C 2V6  
Canada

CC: Warner Gruenwalk  
Kristian Whitehead

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	133	Dry at 60C			VAN
SS80	133	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	133	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001	La ppm 1	
E2600E 8750N	Soil	1.1	32.8	18.8	52	0.1	24.2	33.1	2080	3.93	38.8	12.8	0.2	29	0.5	0.5	0.3	131	0.59	0.130	5
E2600E 8800N	Soil	1.0	15.9	13.6	42	0.1	21.3	20.8	786	3.25	6.7	10.6	0.3	16	0.2	0.3	0.2	123	0.18	0.056	4
E2600E 8850N	Soil	1.2	61.5	15.7	48	0.2	29.7	38.7	1164	3.84	14.6	12.5	0.2	21	0.5	0.5	0.1	127	0.33	0.104	4
E2600E 8900N	Soil	0.9	181.2	8.7	45	0.5	38.9	41.3	583	3.75	13.4	7.1	0.4	19	0.7	0.5	0.1	92	0.40	0.065	6
E2600E 8950N	Soil	1.0	26.8	9.5	37	0.1	21.2	14.2	252	3.40	5.1	46.7	0.9	17	0.2	0.5	0.2	173	0.19	0.021	4
E2600E 9000N	Soil	0.7	48.7	8.2	63	0.4	13.7	11.1	547	3.79	3.6	45.5	0.5	23	0.2	0.5	0.2	116	0.27	0.050	2
E2600E 9050N	Soil	0.7	84.5	9.8	66	0.3	44.3	36.1	741	6.94	6.0	15.2	0.5	29	0.4	0.4	<0.1	198	0.46	0.058	2
E2600E 9100N	Soil	1.0	97.9	8.1	77	0.6	24.1	30.6	1525	6.75	4.4	2.2	0.3	44	0.7	0.3	0.1	169	0.56	0.067	2
E2600E 9150N	Soil	0.9	19.1	13.7	42	<0.1	23.6	18.7	1037	2.78	4.8	3.8	0.3	24	0.3	0.4	0.2	107	0.26	0.061	5
E2600E 9200N	Soil	1.9	49.4	9.9	59	0.3	30.6	18.6	404	5.38	11.3	43.3	0.8	31	0.3	0.6	0.3	136	0.28	0.050	3
E2600E 9250N	Soil	1.6	27.1	10.9	45	0.4	18.8	11.9	505	3.34	8.6	14.5	1.3	27	0.3	0.4	0.2	116	0.30	0.052	8
E2600E 9300N	Soil	1.3	74.4	7.4	58	0.3	37.1	26.0	658	5.76	11.2	15.0	0.7	31	0.5	0.5	0.1	138	0.45	0.088	4
E2700E 8800N	Soil	0.9	17.5	10.7	25	<0.1	18.0	10.8	204	2.99	8.1	1.7	0.6	17	0.2	0.4	0.2	148	0.16	0.019	2
E2700E 8850N	Soil	1.0	91.6	17.7	83	0.2	44.7	38.0	608	7.05	10.5	1.5	0.5	41	0.8	0.4	0.2	214	0.44	0.041	2
E2700E 8900N	Soil	1.4	392.6	13.9	84	0.3	71.2	207.5	2275	4.89	13.6	5.2	0.3	32	2.4	0.7	0.1	108	0.78	0.109	6
E2700E 8950N	Soil	2.1	15.7	10.3	29	0.5	14.1	14.0	59	2.67	2.5	2236	0.6	4	0.3	0.4	0.5	109	0.08	0.017	3
E2700E 9000N	Soil	0.8	98.6	12.2	138	0.2	32.6	35.0	1455	3.09	5.5	134.2	0.2	11	1.7	0.4	0.4	61	0.22	0.066	5
E2700E 9050N	Soil	0.6	120.5	9.8	94	0.1	47.7	31.7	625	3.68	8.6	145.1	0.9	20	0.6	0.4	0.1	78	0.31	0.048	3
E2700E 9100N	Soil	0.5	36.9	8.8	66	0.2	65.9	30.1	592	4.88	5.2	5.1	0.4	18	0.4	0.3	<0.1	113	0.44	0.086	2
E2700E 9150N	Soil	0.8	32.3	8.8	69	0.2	24.6	18.9	806	5.15	3.5	4.3	0.8	22	0.3	0.4	0.2	214	0.27	0.046	3
E2700E 9200N	Soil	1.7	29.4	9.5	64	0.2	25.0	15.8	789	4.45	10.1	11.0	1.7	26	0.3	0.4	0.2	104	0.21	0.097	10
E2700E 9250N	Soil	1.3	59.6	12.4	67	0.4	32.3	22.0	1138	4.94	8.0	11.8	0.8	31	0.6	0.6	0.3	140	0.41	0.071	6
E2700E 9300N	Soil	0.8	29.7	8.0	43	0.4	34.2	19.2	361	5.77	4.6	2.3	0.6	22	0.5	0.3	<0.1	176	0.35	0.040	3
E2800E 8850N	Soil	1.1	335.8	12.3	78	0.5	89.2	54.2	1501	4.50	125.3	5.7	0.3	37	2.1	1.1	0.2	98	1.05	0.107	6
E2800E 8950N	Soil	1.1	941.2	97.2	968	1.7	139.6	73.3	1143	5.13	411.4	178.0	0.4	44	12.0	0.9	0.2	112	1.44	0.107	9
E2800E 9000N	Soil	1.2	41.7	17.3	56	0.1	26.5	28.5	552	5.03	12.0	235.5	1.0	18	0.5	0.5	0.4	178	0.26	0.038	3
E2800E 9050N	Soil	1.4	112.1	14.6	95	0.2	30.3	31.7	1143	4.95	9.5	23.7	0.6	29	1.4	0.4	0.1	134	0.63	0.053	4
E2800E 9100N	Soil	1.5	138.3	13.2	65	0.4	29.1	22.6	667	5.34	7.5	19.0	1.0	28	0.7	0.6	0.2	121	0.33	0.056	8
E2800E 9150N	Soil	1.3	200.2	8.6	67	0.5	40.8	33.2	1058	5.26	11.7	17.8	0.9	25	0.7	0.5	0.2	123	0.53	0.056	7
E2800E 9200N	Soil	1.4	314.4	8.5	86	1.1	46.9	33.4	1217	3.31	14.0	8.9	0.2	49	1.7	0.6	0.2	67	1.66	0.147	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
E2600E 8750N	Soil			102	0.97	94	0.047	4	1.47	0.008	0.07	<0.1	0.04	5.1	<0.1	0.11	7	<0.5	<0.2
E2600E 8800N	Soil			102	0.79	37	0.144	3	1.37	0.009	0.04	<0.1	0.03	5.3	<0.1	0.07	8	<0.5	<0.2
E2600E 8850N	Soil			130	1.11	50	0.075	3	1.74	0.012	0.04	<0.1	0.04	8.2	<0.1	0.09	7	0.6	<0.2
E2600E 8900N	Soil			136	1.04	65	0.091	2	1.64	0.007	0.04	<0.1	0.06	14.6	<0.1	0.07	5	<0.5	<0.2
E2600E 8950N	Soil			104	0.61	70	0.238	2	0.80	0.005	0.02	<0.1	0.02	4.7	<0.1	<0.05	8	<0.5	<0.2
E2600E 9000N	Soil			49	1.08	179	0.257	2	1.26	0.009	0.05	0.2	0.03	2.4	<0.1	0.08	6	<0.5	<0.2
E2600E 9050N	Soil			126	2.01	106	0.254	1	2.61	0.011	0.14	<0.1	0.03	6.3	<0.1	<0.05	8	<0.5	<0.2
E2600E 9100N	Soil			82	1.81	201	0.278	2	2.39	0.018	0.08	<0.1	0.04	4.7	<0.1	<0.05	9	<0.5	<0.2
E2600E 9150N	Soil			113	0.49	96	0.124	2	0.80	0.007	0.03	<0.1	0.05	3.5	0.1	<0.05	7	<0.5	<0.2
E2600E 9200N	Soil			136	0.87	120	0.224	1	1.34	0.007	0.04	0.1	0.05	3.8	<0.1	<0.05	6	<0.5	0.2
E2600E 9250N	Soil			59	0.41	82	0.196	2	0.79	0.008	0.04	0.1	0.06	3.4	<0.1	<0.05	7	<0.5	<0.2
E2600E 9300N	Soil			98	1.08	50	0.141	1	1.56	0.010	0.04	<0.1	0.04	6.6	<0.1	<0.05	6	<0.5	<0.2
E2700E 8800N	Soil			119	0.71	21	0.257	1	0.81	0.006	0.02	<0.1	0.03	4.5	<0.1	<0.05	6	<0.5	<0.2
E2700E 8850N	Soil			130	2.47	60	0.300	1	2.31	0.015	0.04	<0.1	0.04	6.5	<0.1	<0.05	10	<0.5	<0.2
E2700E 8900N	Soil			159	1.37	121	0.054	2	2.21	0.011	0.05	<0.1	0.11	14.7	0.1	<0.05	7	0.9	<0.2
E2700E 8950N	Soil			51	0.04	30	0.131	1	0.16	0.003	<0.01	<0.1	0.02	2.0	<0.1	<0.05	3	<0.5	<0.2
E2700E 9000N	Soil			277	0.76	63	0.079	1	1.26	0.005	0.02	0.1	0.11	5.6	<0.1	0.06	5	<0.5	<0.2
E2700E 9050N	Soil			185	1.26	65	0.123	1	1.55	0.006	0.04	<0.1	0.03	7.3	<0.1	<0.05	5	<0.5	<0.2
E2700E 9100N	Soil			192	2.44	91	0.115	1	2.28	0.010	0.05	<0.1	0.04	5.3	<0.1	<0.05	7	<0.5	<0.2
E2700E 9150N	Soil			83	0.79	178	0.326	1	1.11	0.008	0.03	<0.1	0.03	6.0	<0.1	<0.05	10	<0.5	<0.2
E2700E 9200N	Soil			84	0.63	140	0.158	1	1.20	0.008	0.06	<0.1	0.03	3.4	<0.1	<0.05	7	<0.5	<0.2
E2700E 9250N	Soil			121	0.81	304	0.178	2	1.28	0.009	0.06	<0.1	0.04	7.2	<0.1	<0.05	9	<0.5	<0.2
E2700E 9300N	Soil			119	1.27	57	0.259	<1	1.52	0.010	0.04	<0.1	0.06	6.4	<0.1	<0.05	8	<0.5	<0.2
E2800E 8850N	Soil			162	1.25	125	0.071	2	2.24	0.011	0.05	<0.1	0.08	9.2	<0.1	<0.05	7	<0.5	<0.2
E2800E 8950N	Soil			199	1.14	136	0.074	2	3.39	0.012	0.05	0.1	0.19	18.6	<0.1	0.06	6	2.1	<0.2
E2800E 9000N	Soil			113	0.83	47	0.289	2	1.02	0.007	0.03	<0.1	0.03	4.0	<0.1	<0.05	8	<0.5	<0.2
E2800E 9050N	Soil			94	0.96	119	0.189	2	1.46	0.009	0.04	<0.1	0.07	7.8	<0.1	<0.05	8	<0.5	<0.2
E2800E 9100N	Soil			129	0.74	115	0.157	2	1.57	0.009	0.06	<0.1	0.05	8.3	<0.1	<0.05	8	<0.5	<0.2
E2800E 9150N	Soil			109	0.92	128	0.121	1	1.76	0.007	0.06	<0.1	0.06	10.4	<0.1	<0.05	6	<0.5	<0.2
E2800E 9200N	Soil			155	0.65	270	0.032	4	2.20	0.011	0.06	<0.1	0.20	10.3	0.1	0.06	4	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
E2800E 9250N	Soil	1.2	163.2	6.4	81	0.4	35.6	25.0	683	4.61	9.3	15.3	0.7	34	0.5	0.5	0.2	107	0.66	0.079	6
E2800E 9300N	Soil	0.7	50.7	4.6	44	0.3	27.0	16.5	395	5.21	4.9	1.5	0.3	48	0.4	0.3	<0.1	129	0.48	0.100	3
E2900E 8850N	Soil	9.2	88.4	9.5	57	0.2	25.5	32.5	484	5.03	3.9	3.2	0.6	23	0.4	0.5	0.2	155	0.29	0.043	3
E2900E 8900N	Soil	2.3	43.9	13.0	39	0.3	21.4	17.4	283	5.96	3.9	225.1	0.8	16	0.5	0.6	0.2	254	0.19	0.028	2
E2900E 8950N	Soil	1.9	457.5	14.4	164	0.7	35.4	64.8	1773	3.81	22.6	148.0	0.1	33	3.6	0.7	0.2	85	0.98	0.134	6
E2900E 9000N	Soil	2.1	415.8	15.9	235	0.8	50.3	43.2	1931	4.10	85.0	29.7	0.1	52	4.4	0.7	0.1	102	1.07	0.123	6
E2900E 9050N	Soil	1.5	76.5	8.3	73	0.2	33.6	24.5	529	5.07	12.4	23.6	0.7	25	0.5	0.5	0.1	130	0.48	0.046	4
E2900E 9100N	Soil	1.5	47.0	7.9	51	0.5	23.4	20.6	1103	4.20	5.9	8.3	0.7	19	0.3	0.5	0.2	122	0.23	0.062	5
E2900E 9150N	Soil	1.0	30.5	6.4	50	0.7	23.1	17.2	835	3.69	2.5	67.3	0.5	23	0.2	0.4	0.1	116	0.21	0.085	3
E2900E 9200N	Soil	0.7	28.8	5.4	36	0.6	23.0	12.9	574	2.96	1.6	1.1	0.4	14	0.1	0.3	0.2	85	0.18	0.061	3
E2900E 9250N	Soil	0.9	37.3	8.2	43	0.4	17.0	11.5	896	3.19	7.6	70.8	0.5	14	0.2	0.4	0.2	100	0.26	0.055	4
E2900E 9300N	Soil	2.8	273.3	12.2	75	0.9	33.7	16.7	414	4.72	24.1	6.5	0.6	24	0.4	0.8	0.2	97	0.62	0.080	9
E3000E 8850N	Soil	9.3	1206	32.5	147	2.2	53.4	91.5	1523	8.38	4.4	29.8	0.2	15	1.7	0.4	0.6	207	0.53	0.040	3
E3000E 8900N	Soil	1.2	77.6	50.7	77	0.2	32.4	45.5	1203	5.43	<0.5	12.9	0.5	12	0.9	0.3	0.2	173	0.41	0.041	3
E3000E 8950N	Soil	1.1	76.2	10.8	55	0.1	40.2	36.2	930	6.06	2.5	1.8	0.4	21	0.4	0.3	<0.1	161	0.58	0.060	2
E3000E 9000N	Soil	0.8	14.9	6.0	37	0.5	22.2	16.0	442	4.22	3.0	2.6	0.4	14	0.1	0.2	0.1	137	0.16	0.068	2
E3000E 9050N	Soil	1.8	100.9	9.7	71	1.1	26.3	31.3	1110	5.47	12.9	9.1	0.4	21	0.8	0.4	0.2	143	0.51	0.078	3
E3000E 9100N	Soil	1.6	77.4	15.5	74	0.3	25.4	18.5	498	5.30	27.5	56.5	0.3	22	0.6	0.5	0.2	124	0.27	0.184	5
E3000E 9150N	Soil	2.0	59.1	9.7	65	0.1	36.6	22.1	553	4.71	16.0	13.3	0.9	26	0.4	0.5	0.2	105	0.33	0.116	6
E3000E 9200N	Soil	2.9	44.4	8.1	82	0.1	38.2	19.8	552	4.57	15.2	4.4	1.9	18	0.2	0.4	0.2	73	0.24	0.050	11
E3000E 9250N	Soil	3.2	247.5	12.8	122	0.8	65.1	34.6	1124	6.13	61.5	12.3	0.7	17	0.8	1.7	0.2	108	0.24	0.075	8
E3000E 9300N	Soil	2.6	32.4	9.7	58	0.6	25.4	12.9	521	4.47	10.7	36.8	1.2	13	0.2	0.4	0.2	88	0.20	0.144	10
E3100E 8850N	Soil	0.2	156.1	4.1	79	0.3	47.8	38.3	1254	6.24	7.4	2.3	0.2	21	0.3	0.2	<0.1	234	0.86	0.064	2
E3100E 8900N	Soil	0.6	78.4	3.6	52	0.2	34.4	27.6	697	5.12	4.9	6.8	0.3	33	0.2	0.3	<0.1	126	0.44	0.116	2
E3100E 8950N	Soil	1.1	77.4	7.9	64	0.6	24.4	22.7	1029	4.33	5.6	5.4	0.2	33	0.3	0.4	0.1	127	0.83	0.086	3
E3100E 9000N	Soil	2.6	71.1	9.3	80	1.0	37.5	29.2	966	4.97	16.1	13.6	1.2	19	0.6	0.5	0.2	87	0.26	0.053	9
E3100E 9050N	Soil	1.5	36.7	7.8	49	0.7	27.1	17.1	423	3.72	6.5	20.1	0.7	23	0.3	0.3	0.2	93	0.25	0.047	6
E3100E 9100N	Soil	2.1	115.4	9.8	75	0.8	36.6	21.6	1448	4.24	17.3	3.9	0.3	28	0.7	0.6	0.2	85	0.68	0.101	7
E3100E 9150N	Soil	2.0	181.0	8.7	68	0.6	36.3	20.0	450	3.85	19.6	11.3	0.6	33	1.0	0.6	0.2	101	0.87	0.045	5
E3100E 9200N	Soil	2.3	279.0	6.3	81	1.2	47.9	27.5	806	3.52	25.6	12.1	0.3	42	1.5	0.8	<0.1	71	1.15	0.119	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
E2800E 9250N	Soil	128	1.29	127	0.110	1	2.02	0.010	0.07	<0.1	0.05	7.0	<0.1	<0.05	6	0.6	<0.2
E2800E 9300N	Soil	77	0.94	81	0.157	<1	1.53	0.009	0.06	<0.1	0.05	4.1	<0.1	<0.05	7	<0.5	<0.2
E2900E 8850N	Soil	61	0.67	141	0.272	1	1.01	0.006	0.02	<0.1	0.05	4.1	<0.1	<0.05	9	<0.5	<0.2
E2900E 8900N	Soil	64	0.55	42	0.491	<1	0.87	0.005	0.02	<0.1	0.03	5.1	<0.1	<0.05	10	<0.5	<0.2
E2900E 8950N	Soil	89	0.85	140	0.046	2	2.04	0.010	0.04	<0.1	0.13	7.0	0.1	0.09	6	0.9	<0.2
E2900E 9000N	Soil	117	1.27	101	0.071	2	2.45	0.013	0.04	<0.1	0.13	8.8	0.1	0.13	6	1.1	<0.2
E2900E 9050N	Soil	87	1.05	88	0.156	2	1.49	0.006	0.04	<0.1	0.05	5.5	<0.1	<0.05	6	<0.5	<0.2
E2900E 9100N	Soil	82	0.60	82	0.183	1	0.97	0.004	0.04	<0.1	0.05	4.4	<0.1	<0.05	6	<0.5	<0.2
E2900E 9150N	Soil	103	0.95	59	0.154	1	1.09	0.006	0.03	<0.1	0.05	2.5	<0.1	<0.05	7	<0.5	<0.2
E2900E 9200N	Soil	82	0.52	63	0.128	1	0.83	0.005	0.05	<0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
E2900E 9250N	Soil	72	0.40	71	0.206	1	0.99	0.004	0.03	<0.1	0.04	2.4	<0.1	<0.05	6	<0.5	<0.2
E2900E 9300N	Soil	89	0.54	154	0.080	1	1.61	0.005	0.06	<0.1	0.06	5.4	<0.1	<0.05	7	<0.5	<0.2
E3000E 8850N	Soil	121	1.43	94	0.106	<1	2.22	0.005	0.13	<0.1	0.06	9.0	<0.1	<0.05	9	<0.5	<0.2
E3000E 8900N	Soil	53	0.95	110	0.191	1	1.61	0.004	0.08	<0.1	0.04	5.5	<0.1	<0.05	10	<0.5	<0.2
E3000E 8950N	Soil	74	1.32	67	0.182	1	1.70	0.006	0.03	<0.1	0.05	7.4	<0.1	<0.05	8	<0.5	<0.2
E3000E 9000N	Soil	36	0.70	38	0.149	1	0.99	0.004	0.04	<0.1	0.03	2.3	<0.1	<0.05	8	<0.5	<0.2
E3000E 9050N	Soil	69	0.71	112	0.166	1	1.36	0.005	0.03	<0.1	0.07	5.8	<0.1	<0.05	8	<0.5	<0.2
E3000E 9100N	Soil	75	0.57	125	0.089	1	1.12	0.006	0.05	<0.1	0.04	4.2	<0.1	0.15	8	<0.5	<0.2
E3000E 9150N	Soil	118	0.93	118	0.113	1	1.31	0.005	0.06	<0.1	0.02	3.9	<0.1	0.11	6	0.7	<0.2
E3000E 9200N	Soil	62	0.76	92	0.107	<1	1.38	0.008	0.07	<0.1	0.04	3.3	<0.1	0.06	5	0.8	<0.2
E3000E 9250N	Soil	151	1.10	266	0.054	2	2.68	0.008	0.13	0.1	0.08	11.6	<0.1	0.06	8	0.7	<0.2
E3000E 9300N	Soil	73	0.47	71	0.080	<1	0.96	0.005	0.05	<0.1	0.05	3.2	<0.1	0.06	6	0.8	<0.2
E3100E 8850N	Soil	121	2.85	129	0.136	<1	3.44	0.003	0.12	<0.1	0.06	9.8	<0.1	0.05	10	<0.5	<0.2
E3100E 8900N	Soil	60	1.44	74	0.123	<1	1.74	0.006	0.08	<0.1	0.04	4.5	<0.1	<0.05	6	<0.5	<0.2
E3100E 8950N	Soil	56	0.71	164	0.125	2	1.20	0.005	0.04	<0.1	0.07	4.2	<0.1	0.08	7	<0.5	<0.2
E3100E 9000N	Soil	60	0.71	90	0.119	<1	1.64	0.006	0.05	<0.1	0.07	3.5	<0.1	<0.05	6	0.7	<0.2
E3100E 9050N	Soil	61	0.74	69	0.187	<1	1.51	0.006	0.05	<0.1	0.06	3.2	<0.1	<0.05	6	<0.5	<0.2
E3100E 9100N	Soil	75	0.71	185	0.043	1	1.68	0.007	0.08	<0.1	0.07	4.9	<0.1	0.06	6	0.9	<0.2
E3100E 9150N	Soil	88	0.68	170	0.137	<1	1.44	0.007	0.06	<0.1	0.07	6.1	<0.1	<0.05	5	0.6	<0.2
E3100E 9200N	Soil	95	0.83	163	0.044	2	1.90	0.008	0.09	<0.1	0.13	10.3	0.1	<0.05	4	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
E3100E 9250N	Soil		1.8	277.9	11.3	99	1.3	49.1	30.2	989	4.70	41.0	24.0	0.3	27	1.8	0.8	0.2	100	0.92	0.101	8
E3100E 9300N	Soil		2.5	143.4	11.8	59	0.7	31.0	25.4	1305	4.16	22.2	20.8	0.2	30	0.6	0.8	0.2	82	1.06	0.132	6
E3200E 8800N	Soil		0.7	105.8	8.0	26	0.3	19.8	17.4	467	4.94	2.0	1.6	0.5	28	0.2	0.4	0.2	185	0.81	0.044	3
E3200E 8850N	Soil		0.8	30.8	6.7	42	0.2	23.9	15.8	532	4.38	4.0	5.4	0.4	22	0.1	0.3	0.1	150	0.29	0.053	2
E3200E 8900N	Soil		0.9	45.7	10.7	43	0.5	24.0	21.9	931	3.95	7.6	15.8	<0.1	26	0.2	0.3	0.1	112	0.70	0.127	3
E3200E 8950N	Soil		0.8	91.8	9.5	61	0.6	29.3	34.1	1714	4.35	11.6	3.5	<0.1	36	0.5	0.4	0.1	125	1.21	0.146	4
E3200E 9000N	Soil		0.7	60.6	5.3	71	0.2	41.8	23.9	672	4.44	6.9	2.0	0.4	36	0.1	0.3	<0.1	111	0.63	0.045	3
E3200E 9050N	Soil		1.8	58.4	9.0	52	0.6	25.9	16.1	464	3.98	9.9	5.8	0.4	28	0.3	0.5	0.2	76	0.49	0.070	7
E3200E 9100N	Soil		2.0	70.4	6.8	53	0.5	33.3	20.0	603	4.43	13.4	37.4	0.3	30	0.3	0.6	0.1	82	0.44	0.071	4
E3200E 9150N	Soil		2.1	61.5	8.3	64	0.5	31.0	23.2	1137	3.85	12.2	4.8	0.2	34	0.3	0.5	0.1	74	0.63	0.107	5
E3200E 9200N	Soil		1.5	58.6	8.4	59	0.6	27.4	16.5	988	3.74	7.0	4.3	0.4	20	0.3	0.3	0.2	81	0.38	0.092	8
E3200E 9250N	Soil		2.4	64.3	8.7	57	0.5	29.3	17.1	576	3.57	6.6	20.3	0.9	17	0.5	0.3	0.2	72	0.47	0.061	11
E3200E 9300N	Soil		1.5	151.8	6.8	61	0.7	30.8	19.7	949	3.58	11.5	8.8	0.2	34	0.9	0.4	0.1	84	1.27	0.093	6
E3300E 8850N	Soil		0.3	68.0	3.1	43	0.1	34.1	25.0	544	4.48	4.1	3.5	0.4	46	0.2	0.3	<0.1	104	0.61	0.080	2
E3300E 8900N	Soil		0.6	95.3	5.3	68	0.3	29.6	23.6	903	4.36	5.5	3.2	0.2	37	0.4	0.2	<0.1	114	0.86	0.081	3
E3300E 8950N	Soil		1.1	262.9	7.9	56	1.0	28.6	34.2	1266	3.93	8.4	4.5	0.1	38	0.6	0.4	0.1	86	1.07	0.121	6
E3300E 9000N	Soil		2.3	60.3	6.6	41	0.4	25.5	12.9	326	3.61	12.6	10.7	0.7	36	0.3	0.5	0.1	89	0.44	0.041	7
E3300E 9050N	Soil		2.8	44.1	7.7	52	<0.1	26.3	12.1	322	4.28	17.8	5.0	1.0	31	0.2	0.5	0.1	88	0.24	0.104	6
E3300E 9100N	Soil		1.9	43.5	6.5	53	0.2	31.0	14.8	328	5.01	13.4	3.8	1.4	29	0.2	0.5	0.1	99	0.42	0.033	7
E3300E 9150N	Soil		1.4	49.9	7.8	49	0.3	24.1	16.3	651	3.88	8.1	4.6	0.4	35	0.2	0.4	0.1	94	0.70	0.075	6
E3300E 9200N	Soil		1.5	41.6	8.3	40	0.5	17.8	11.9	763	3.38	6.0	2.5	0.7	28	0.2	0.3	0.2	93	0.45	0.068	8
E3300E 9250N	Soil		1.7	28.1	7.9	45	0.3	20.1	9.5	313	3.29	5.9	48.3	1.7	16	0.1	0.2	0.2	85	0.17	0.059	13
E3300E 9300N	Soil		0.8	18.4	5.9	22	0.2	10.3	6.2	95	1.82	1.9	20.1	1.1	18	0.1	0.2	0.1	57	0.22	0.036	8
K2600N 7500E	Soil		19.8	70.3	20.3	223	2.2	45.3	18.5	609	5.12	2.0	13.9	1.9	7	1.3	0.2	0.5	29	0.07	0.088	40
K2600N 7550E	Soil		19.3	37.8	21.2	169	0.3	54.2	11.9	314	4.51	4.2	3.1	0.5	4	0.6	0.2	0.7	30	0.03	0.101	9
K2600N 7600E	Soil		19.5	18.7	16.6	190	0.2	33.5	7.8	471	3.10	1.3	1.2	0.4	12	2.3	0.2	0.4	33	0.12	0.070	12
K2600N 7650E	Soil		14.7	22.4	14.2	134	1.6	34.1	10.3	806	3.38	1.0	0.6	0.7	11	4.5	0.1	0.4	28	0.18	0.076	18
K2600N 7700E	Soil		18.4	44.9	20.4	199	1.4	48.5	14.7	473	5.22	1.8	2.7	2.2	6	1.4	0.2	0.6	27	0.07	0.086	17
K2600N 7750E	Soil		84.8	61.6	17.8	120	1.2	74.5	13.6	310	5.54	1.4	11.5	1.0	4	1.0	0.5	1.0	20	0.04	0.082	18
K2600N 7800E	Soil		10.1	45.4	24.5	135	1.1	41.9	24.5	1439	4.71	1.3	6.8	1.3	5	0.9	0.2	0.4	20	0.03	0.117	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
E3100E 9250N	Soil	135	0.78	188	0.050	1	2.24	0.007	0.07	<0.1	0.12	11.1	<0.1	0.05	6	1.2	<0.2
E3100E 9300N	Soil	92	0.45	160	0.042	1	1.48	0.009	0.06	<0.1	0.11	6.2	<0.1	0.07	6	0.8	<0.2
E3200E 8800N	Soil	53	0.57	84	0.291	<1	1.02	0.005	0.03	<0.1	0.05	5.4	<0.1	0.07	8	<0.5	<0.2
E3200E 8850N	Soil	69	0.84	60	0.282	<1	1.26	0.006	0.05	<0.1	0.03	3.7	<0.1	<0.05	8	<0.5	<0.2
E3200E 8900N	Soil	53	0.87	84	0.056	2	1.37	0.008	0.05	<0.1	0.05	3.2	<0.1	0.07	6	<0.5	<0.2
E3200E 8950N	Soil	77	1.16	146	0.046	2	2.07	0.007	0.05	<0.1	0.08	5.1	<0.1	0.06	7	0.5	<0.2
E3200E 9000N	Soil	95	1.31	120	0.140	<1	1.84	0.006	0.06	<0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
E3200E 9050N	Soil	50	0.51	116	0.094	<1	1.19	0.006	0.06	<0.1	0.06	3.1	<0.1	<0.05	5	<0.5	<0.2
E3200E 9100N	Soil	67	0.82	67	0.101	<1	1.43	0.005	0.06	<0.1	0.05	4.0	<0.1	<0.05	5	0.7	<0.2
E3200E 9150N	Soil	60	0.73	123	0.046	<1	1.47	0.005	0.08	<0.1	0.06	3.3	<0.1	<0.05	5	<0.5	<0.2
E3200E 9200N	Soil	68	0.60	83	0.062	<1	1.34	0.006	0.05	<0.1	0.06	5.0	<0.1	<0.05	6	<0.5	<0.2
E3200E 9250N	Soil	55	0.45	91	0.065	<1	1.14	0.007	0.04	<0.1	0.05	7.0	<0.1	<0.05	5	0.9	<0.2
E3200E 9300N	Soil	74	0.60	164	0.044	2	1.61	0.009	0.06	<0.1	0.14	8.3	<0.1	0.10	4	1.1	<0.2
E3300E 8850N	Soil	61	1.19	49	0.120	1	1.38	0.009	0.06	<0.1	<0.01	5.2	<0.1	<0.05	4	<0.5	<0.2
E3300E 8900N	Soil	68	1.04	107	0.098	2	1.70	0.008	0.05	<0.1	0.09	6.1	<0.1	0.08	5	<0.5	<0.2
E3300E 8950N	Soil	74	0.66	143	0.042	2	1.95	0.008	0.06	<0.1	0.14	6.8	0.1	0.10	6	0.7	<0.2
E3300E 9000N	Soil	58	0.67	57	0.147	2	1.28	0.006	0.06	<0.1	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
E3300E 9050N	Soil	63	0.68	59	0.084	1	1.24	0.005	0.06	<0.1	0.04	2.7	<0.1	<0.05	5	0.6	<0.2
E3300E 9100N	Soil	68	0.78	77	0.157	1	1.36	0.006	0.05	<0.1	0.06	4.1	<0.1	<0.05	4	0.6	<0.2
E3300E 9150N	Soil	63	0.59	117	0.094	1	1.20	0.006	0.05	<0.1	0.05	4.6	<0.1	0.06	6	<0.5	<0.2
E3300E 9200N	Soil	59	0.39	76	0.108	2	0.96	0.007	0.05	<0.1	0.05	4.8	<0.1	0.06	6	<0.5	<0.2
E3300E 9250N	Soil	51	0.47	48	0.107	<1	0.86	0.006	0.05	<0.1	0.04	3.2	<0.1	<0.05	6	<0.5	<0.2
E3300E 9300N	Soil	49	0.14	36	0.100	1	0.37	0.005	0.04	<0.1	0.02	3.2	<0.1	<0.05	4	<0.5	<0.2
K2600N 7500E	Soil	22	0.26	58	0.009	1	1.73	0.007	0.05	0.1	0.17	1.8	0.1	<0.05	4	2.8	<0.2
K2600N 7550E	Soil	13	0.11	19	0.012	1	0.48	0.007	0.02	<0.1	0.04	0.7	<0.1	<0.05	4	2.8	0.2
K2600N 7600E	Soil	12	0.08	37	0.016	1	0.70	0.007	0.03	<0.1	0.06	0.8	<0.1	0.06	4	2.1	<0.2
K2600N 7650E	Soil	12	0.13	32	0.008	1	0.78	0.008	0.03	<0.1	0.05	0.7	<0.1	0.07	4	2.4	<0.2
K2600N 7700E	Soil	17	0.20	37	0.009	1	1.11	0.006	0.03	<0.1	0.11	1.3	<0.1	0.05	4	3.9	<0.2
K2600N 7750E	Soil	9	0.04	20	0.004	1	0.45	0.006	0.03	0.3	0.08	0.7	0.1	0.06	2	7.3	<0.2
K2600N 7800E	Soil	13	0.10	41	0.005	1	0.66	0.007	0.04	<0.1	0.05	0.9	0.1	<0.05	3	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	0.001	1
K2600N 7850E	Soil		15.8	45.5	21.9	195	1.2	61.3	19.1	1023	5.36	1.7	14.5	3.3	5	0.8	0.2	0.5	28	0.03	0.077	19	
K2600N 7900E	Soil		5.0	29.8	16.0	119	2.5	28.1	17.4	1599	3.32	1.5	0.6	1.5	19	2.2	0.2	0.4	26	0.51	0.157	77	
K2600N 7950E	Soil		3.6	24.8	17.6	160	5.0	31.3	10.0	858	3.50	1.9	6.1	1.2	20	0.6	0.2	0.4	29	0.50	0.259	79	
K2600N 8000E	Soil		3.0	23.7	7.9	40	0.5	15.4	5.3	100	1.99	1.0	3.7	0.3	4	0.3	0.1	0.5	33	0.02	0.046	12	
K2600N 8050E	Soil		4.0	19.3	12.1	48	0.8	13.9	4.9	246	2.22	1.5	4.8	0.5	5	0.4	0.1	0.6	39	0.02	0.059	17	
K2600N 8100E	Soil		2.7	13.6	9.8	27	1.4	11.0	2.9	87	1.67	1.2	1.8	0.3	5	<0.1	0.1	0.4	22	0.02	0.062	13	
K2600N 8150E	Soil		11.3	29.1	17.3	78	2.1	20.7	10.7	957	3.39	1.9	2.9	0.5	6	0.8	0.2	0.6	34	0.04	0.109	18	
K2600N 8200E	Soil		10.7	17.4	25.0	107	1.3	28.6	5.3	298	3.01	1.1	1.6	0.7	4	1.7	0.1	0.4	27	0.03	0.053	19	
K2600N 8250E	Soil		4.5	19.8	9.4	75	1.0	21.2	5.0	99	2.73	1.4	8.6	0.5	4	0.4	0.1	0.3	33	0.02	0.043	12	
K2600N 8300E	Soil		4.0	34.2	13.9	146	3.8	36.8	7.6	507	2.87	1.9	2.1	1.3	22	1.2	0.1	0.4	30	0.48	0.206	175	
K2600N 8350E	Soil		16.8	48.0	24.5	303	3.1	51.7	19.9	1516	4.67	2.6	2.6	1.7	21	6.5	0.2	0.6	28	0.45	0.166	55	
K2600N 8400E	Soil		4.8	11.5	11.5	41	0.7	7.7	2.3	67	1.19	0.8	1.0	0.3	5	0.5	<0.1	0.4	22	0.04	0.039	16	
K2700N 7900E	Soil		4.8	15.5	14.6	39	0.4	14.6	4.1	247	2.50	1.6	1.7	0.6	4	0.4	0.1	0.5	33	0.03	0.058	13	
K2700N 7950E	Soil		4.9	20.2	11.1	59	0.4	20.2	5.4	161	2.49	1.9	3.0	0.8	5	0.3	0.2	0.5	35	0.04	0.061	16	
K2700N 8000E	Soil		5.7	30.5	11.1	37	0.2	26.2	7.2	796	3.22	2.4	2.0	0.6	4	0.2	0.2	0.5	32	0.02	0.069	13	
K2700N 8050E	Soil		6.0	22.2	18.3	128	0.3	25.6	9.9	765	3.36	1.6	0.6	0.9	11	0.9	0.1	0.4	32	0.14	0.129	54	
K2700N 8100E	Soil		2.8	21.5	14.8	40	1.1	12.6	4.8	182	3.06	1.7	2.3	0.3	4	0.3	0.1	0.5	34	0.03	0.071	9	
K2700N 8150E	Soil		2.1	41.1	18.4	51	1.3	12.7	5.4	402	3.82	1.7	2.3	1.1	4	0.6	0.2	0.5	34	0.03	0.091	56	
K2700N 8200E	Soil		7.2	49.7	33.5	317	0.2	69.9	26.4	876	8.70	1.0	1.1	3.0	5	0.9	0.3	0.5	19	0.05	0.155	19	
K2700N 8250E	Soil		4.1	17.2	13.5	60	0.8	12.8	5.5	247	2.56	0.7	<0.5	0.4	5	0.4	0.1	0.4	32	0.04	0.079	14	
K2700N 8300E	Soil		3.7	22.5	12.3	60	0.5	15.8	4.6	194	2.36	1.0	4.9	0.7	4	0.3	0.1	0.4	25	0.03	0.060	16	
K2700N 8350E	Soil		3.1	12.0	22.6	47	0.3	12.3	4.6	868	2.65	2.6	3.8	0.3	10	0.6	0.1	2.2	30	0.19	0.073	13	
K2700N 8400E	Soil		3.4	24.4	13.6	91	2.0	23.5	9.4	763	2.06	0.6	1.5	0.4	18	1.1	<0.1	0.3	22	0.39	0.084	29	
K2800N 7850E	Soil		17.1	39.1	12.6	170	0.8	35.4	8.3	207	3.47	0.7	8.9	0.8	3	0.5	0.3	1.1	31	0.01	0.059	13	
K2800N 7900E	Soil		0.9	37.2	6.9	22	<0.1	19.5	11.0	246	3.98	4.1	7.0	0.4	20	0.2	0.5	0.2	237	0.21	0.025	1	
K2800N 7950E	Soil		7.6	29.0	19.0	171	0.9	37.0	16.3	1441	4.12	1.7	<0.5	0.8	9	1.2	0.3	0.6	39	0.08	0.087	26	
K2800N 8000E	Soil		4.5	41.9	19.1	122	1.9	34.7	17.7	627	4.03	1.9	<0.5	2.0	9	0.8	0.2	0.5	30	0.15	0.108	42	
K2800N 8050E	Soil		8.4	34.0	18.2	131	0.6	29.6	9.0	158	6.07	1.3	2.3	1.2	6	0.6	0.2	1.0	31	0.07	0.079	23	
K2800N 8100E	Soil		26.2	47.6	25.1	262	0.7	58.8	13.4	504	5.75	0.6	4.9	1.6	3	1.3	0.4	0.8	29	0.03	0.100	15	
K2800N 8150E	Soil		5.5	9.6	12.2	24	0.2	5.9	2.2	171	2.88	1.6	<0.5	0.5	4	0.2	<0.1	0.4	40	0.03	0.044	11	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K2600N 7850E	Soil			19	0.16	39	0.007	<1	1.12	0.007	0.02	<0.1	0.09	1.5	<0.1	<0.05	4	1.8	<0.2
K2600N 7900E	Soil			17	0.22	50	0.010	<1	1.48	0.009	0.04	<0.1	0.06	1.0	<0.1	0.12	4	4.2	<0.2
K2600N 7950E	Soil			22	0.33	52	0.013	2	2.03	0.009	0.05	<0.1	0.08	1.1	<0.1	0.14	5	5.9	<0.2
K2600N 8000E	Soil			12	0.07	19	0.008	<1	0.59	0.006	0.02	<0.1	0.04	0.3	<0.1	<0.05	6	<0.5	<0.2
K2600N 8050E	Soil			17	0.18	25	0.015	<1	1.00	0.007	0.03	<0.1	0.05	0.7	<0.1	<0.05	6	0.6	<0.2
K2600N 8100E	Soil			16	0.12	21	0.012	1	0.77	0.007	0.04	<0.1	0.04	0.5	0.1	<0.05	5	0.6	<0.2
K2600N 8150E	Soil			18	0.17	34	0.012	<1	1.33	0.008	0.05	<0.1	0.08	0.7	0.1	0.05	6	2.3	<0.2
K2600N 8200E	Soil			12	0.09	23	0.007	<1	0.71	0.007	0.02	<0.1	0.04	0.9	<0.1	<0.05	4	1.0	<0.2
K2600N 8250E	Soil			13	0.11	25	0.009	<1	0.60	0.005	0.03	<0.1	0.06	0.6	<0.1	<0.05	5	1.2	<0.2
K2600N 8300E	Soil			26	0.40	50	0.019	1	2.35	0.010	0.05	<0.1	0.09	1.5	0.1	0.10	5	2.8	<0.2
K2600N 8350E	Soil			17	0.21	46	0.011	1	1.33	0.008	0.05	<0.1	0.09	1.4	<0.1	0.08	4	3.2	<0.2
K2600N 8400E	Soil			14	0.18	24	0.012	<1	0.77	0.007	0.04	<0.1	0.03	0.4	0.1	<0.05	5	0.8	<0.2
K2700N 7900E	Soil			14	0.13	17	0.017	<1	0.59	0.007	0.02	<0.1	0.03	0.8	<0.1	<0.05	5	0.8	<0.2
K2700N 7950E	Soil			19	0.22	23	0.026	<1	0.80	0.006	0.03	<0.1	0.03	1.0	<0.1	<0.05	6	1.0	<0.2
K2700N 8000E	Soil			12	0.06	18	0.013	<1	0.44	0.006	0.03	<0.1	0.02	0.8	<0.1	<0.05	5	1.0	<0.2
K2700N 8050E	Soil			18	0.27	43	0.015	1	1.39	0.007	0.04	<0.1	0.04	1.0	<0.1	0.08	6	2.3	<0.2
K2700N 8100E	Soil			17	0.14	20	0.014	<1	0.90	0.005	0.02	0.1	0.07	0.5	<0.1	0.06	6	0.8	<0.2
K2700N 8150E	Soil			26	0.21	26	0.015	<1	2.16	0.005	0.02	<0.1	0.15	1.0	<0.1	0.05	8	1.3	<0.2
K2700N 8200E	Soil			19	0.16	26	0.008	1	1.03	0.007	0.02	<0.1	0.05	1.8	<0.1	<0.05	4	6.2	0.3
K2700N 8250E	Soil			20	0.29	27	0.017	2	1.26	0.007	0.03	<0.1	0.07	0.5	<0.1	0.06	6	2.4	<0.2
K2700N 8300E	Soil			17	0.16	22	0.008	<1	0.97	0.007	0.02	<0.1	0.06	0.7	<0.1	<0.05	5	1.8	<0.2
K2700N 8350E	Soil			13	0.15	32	0.017	1	0.72	0.008	0.03	0.1	0.05	0.5	0.1	0.07	5	2.5	0.3
K2700N 8400E	Soil			18	0.21	32	0.014	1	1.40	0.009	0.03	<0.1	0.10	1.1	<0.1	<0.05	4	3.2	<0.2
K2800N 7850E	Soil			9	0.05	19	0.008	<1	0.59	0.007	0.02	<0.1	0.04	0.7	<0.1	<0.05	4	1.8	<0.2
K2800N 7900E	Soil			111	0.79	50	0.339	<1	0.97	0.009	0.03	0.2	0.01	2.9	<0.1	<0.05	8	1.2	0.2
K2800N 7950E	Soil			22	0.30	46	0.023	<1	1.51	0.008	0.04	0.1	0.05	1.0	<0.1	<0.05	6	3.3	<0.2
K2800N 8000E	Soil			29	0.33	28	0.021	1	2.30	0.009	0.03	0.1	0.13	1.2	<0.1	0.06	5	3.7	<0.2
K2800N 8050E	Soil			22	0.15	21	0.015	<1	1.29	0.006	0.02	0.1	0.06	0.8	<0.1	<0.05	7	4.4	<0.2
K2800N 8100E	Soil			17	0.10	18	0.008	<1	0.85	0.006	0.02	0.1	0.06	0.9	<0.1	<0.05	4	5.8	0.3
K2800N 8150E	Soil			17	0.15	19	0.023	<1	0.83	0.006	0.02	0.1	0.03	0.7	<0.1	<0.05	7	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1
K2800N 8200E	Soil			2.8	17.7	17.5	49	0.6	14.5	5.7	183	3.39	1.2	3.0	0.8	5	0.3	0.1	0.9	37	0.04	0.053	16
K2800N 8250E	Soil			2.2	17.6	30.0	43	0.4	9.5	3.1	101	1.69	1.1	<0.5	0.5	6	0.2	0.1	0.8	33	0.04	0.035	13
K2800N 8300E	Soil			3.1	33.1	18.1	188	1.5	52.5	12.8	1180	2.85	2.0	<0.5	1.2	33	4.5	0.2	0.3	17	0.80	0.187	56
K2800N 8350E	Soil			5.9	21.7	13.2	76	0.7	15.6	4.2	104	2.67	0.6	1.1	0.8	11	0.7	0.1	0.4	29	0.20	0.050	17
K2800N 8400E	Soil			5.1	15.2	13.6	37	0.6	12.4	4.5	182	3.19	2.0	<0.5	0.5	4	0.3	0.3	0.6	48	0.05	0.044	10
K4300N 7250E	Soil			18.4	84.4	27.5	322	1.2	57.6	23.9	2216	5.36	64.9	23.5	0.8	7	3.3	1.0	0.5	30	0.03	0.177	10
K4300N 7300E	Soil			11.9	52.4	16.9	137	1.6	37.6	8.0	458	4.07	20.8	8.4	0.7	4	0.5	0.5	0.3	38	0.02	0.105	12
K4300N 7350E	Soil			22.3	73.9	23.7	172	2.1	47.1	14.1	800	5.51	56.7	47.8	0.6	13	0.5	1.4	0.4	34	0.02	0.107	9
K4300N 7400E	Soil			28.8	87.0	30.4	236	2.3	51.9	17.1	1438	4.97	42.5	27.8	1.2	7	1.0	2.8	0.4	23	0.04	0.097	11
K4300N 7450E	Soil			23.5	84.6	23.5	229	2.3	55.8	16.9	945	5.47	34.0	32.1	1.4	5	0.8	1.2	0.4	22	0.03	0.094	11
K4300N 7500E	Soil			20.6	70.4	24.3	192	0.9	46.3	9.5	421	5.32	28.1	20.7	0.6	6	0.4	1.0	0.4	20	0.06	0.147	8
K4300N 7550E	Soil			5.7	51.6	17.8	107	2.0	49.7	10.4	256	5.39	7.0	10.4	0.7	5	0.2	0.4	0.5	13	0.03	0.362	7
K4300N 7600E	Soil			13.3	95.9	23.4	234	5.8	75.4	22.2	1000	4.38	7.1	14.4	1.3	21	3.9	0.4	0.4	18	0.29	0.125	8



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 27, 2011

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005595.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K2800N 8200E	Soil		24	0.41	22	0.018	<1	1.26	0.007	0.02	<0.1	0.06	0.7	<0.1	<0.05	8	1.5	<0.2
K2800N 8250E	Soil		19	0.28	26	0.044	1	1.27	0.007	0.03	<0.1	0.05	0.9	<0.1	<0.05	7	1.4	<0.2
K2800N 8300E	Soil		17	0.42	42	0.016	4	1.50	0.009	0.05	<0.1	0.09	1.3	<0.1	0.06	3	4.8	<0.2
K2800N 8350E	Soil		15	0.13	26	0.021	<1	1.06	0.005	0.03	<0.1	0.05	0.9	<0.1	<0.05	4	2.6	<0.2
K2800N 8400E	Soil		17	0.20	23	0.028	1	0.83	0.005	0.03	0.1	0.04	0.7	<0.1	<0.05	8	1.2	<0.2
K4300N 7250E	Soil		16	0.25	110	0.008	1	1.48	0.007	0.05	0.2	0.09	1.3	0.1	<0.05	4	5.5	0.2
K4300N 7300E	Soil		22	0.31	59	0.008	1	1.08	0.004	0.06	<0.1	0.09	1.0	<0.1	<0.05	4	3.1	<0.2
K4300N 7350E	Soil		14	0.14	63	0.007	1	0.87	0.006	0.04	0.1	0.09	0.9	0.1	<0.05	4	5.5	0.3
K4300N 7400E	Soil		11	0.15	70	0.006	1	0.85	0.004	0.04	0.3	0.08	1.2	0.1	<0.05	2	4.9	<0.2
K4300N 7450E	Soil		13	0.19	60	0.005	1	0.93	0.004	0.04	0.1	0.12	1.3	0.1	<0.05	3	5.5	<0.2
K4300N 7500E	Soil		9	0.08	29	0.005	<1	0.45	0.004	0.03	0.2	0.04	0.6	<0.1	<0.05	3	5.1	<0.2
K4300N 7550E	Soil		6	0.04	22	0.006	<1	0.36	0.004	0.02	<0.1	0.09	0.6	<0.1	<0.05	3	2.7	<0.2
K4300N 7600E	Soil		17	0.09	34	0.018	1	2.75	0.005	0.02	0.1	0.17	2.1	<0.1	<0.05	2	7.3	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 27, 2011

**Page:** 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN11005595.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
E2700E 9050N	Soil	0.6	120.5	9.8	94	0.1	47.7	31.7	625	3.68	8.6	145.1	0.9	20	0.6	0.4	0.1	78	0.31	0.048	3
REP E2700E 9050N	QC	0.6	119.1	9.5	91	0.2	47.1	30.3	618	3.51	8.1	235.7	0.9	19	0.5	0.4	0.1	74	0.29	0.045	3
E2900E 9000N	Soil	2.1	415.8	15.9	235	0.8	50.3	43.2	1931	4.10	85.0	29.7	0.1	52	4.4	0.7	0.1	102	1.07	0.123	6
REP E2900E 9000N	QC	2.2	412.8	16.0	234	0.8	50.0	43.8	1896	4.12	85.3	53.8	0.2	53	4.7	0.8	0.1	103	1.08	0.127	6
E3000E 9150N	Soil	2.0	59.1	9.7	65	0.1	36.6	22.1	553	4.71	16.0	13.3	0.9	26	0.4	0.5	0.2	105	0.33	0.116	6
REP E3000E 9150N	QC	1.9	62.7	9.9	64	0.2	37.5	21.4	532	4.59	15.4	25.4	0.8	25	0.5	0.5	0.2	102	0.34	0.114	6
E3200E 8850N	Soil	0.8	30.8	6.7	42	0.2	23.9	15.8	532	4.38	4.0	5.4	0.4	22	0.1	0.3	0.1	150	0.29	0.053	2
REP E3200E 8850N	QC	0.7	30.1	6.5	41	0.2	22.9	15.5	520	4.32	3.7	2.1	0.4	21	0.2	0.3	0.1	148	0.27	0.051	2
K2600N 7700E	Soil	18.4	44.9	20.4	199	1.4	48.5	14.7	473	5.22	1.8	2.7	2.2	6	1.4	0.2	0.6	27	0.07	0.086	17
REP K2600N 7700E	QC	17.9	47.0	22.6	202	1.3	51.1	14.8	500	5.44	1.8	4.4	1.9	7	1.3	0.2	0.6	26	0.07	0.082	17
K2700N 8050E	Soil	6.0	22.2	18.3	128	0.3	25.6	9.9	765	3.36	1.6	0.6	0.9	11	0.9	0.1	0.4	32	0.14	0.129	54
REP K2700N 8050E	QC	6.7	23.2	18.2	136	0.3	26.3	9.9	794	3.56	1.6	1.2	1.0	11	1.1	0.2	0.4	34	0.14	0.135	52
K2800N 8250E	Soil	2.2	17.6	30.0	43	0.4	9.5	3.1	101	1.69	1.1	<0.5	0.5	6	0.2	0.1	0.8	33	0.04	0.035	13
REP K2800N 8250E	QC	2.4	17.0	30.7	42	0.4	9.4	3.0	100	1.66	0.8	3.4	0.5	6	0.2	0.1	0.8	33	0.05	0.035	13
Reference Materials																					
STD DS8	Standard	12.5	103.1	118.2	287	1.7	34.7	6.8	587	2.29	23.5	102.3	6.2	73	2.4	5.3	6.2	40	0.69	0.077	15
STD DS8	Standard	13.3	102.3	123.1	288	1.8	34.7	7.1	569	2.23	25.6	109.2	6.9	65	2.4	5.4	6.7	41	0.67	0.073	16
STD DS8	Standard	12.6	107.6	120.1	299	1.7	37.7	7.4	580	2.36	25.3	108.3	6.4	64	2.3	5.3	6.2	41	0.64	0.079	14
STD DS8	Standard	11.9	94.4	111.0	276	1.7	32.4	6.4	529	2.10	21.9	113.3	6.2	56	2.0	4.3	5.5	37	0.61	0.063	15
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 27, 2011

**Page:** 1 of 1 Part 2

# QUALITY CONTROL REPORT

VAN11005595.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
E2700E 9050N	Soil	185	1.26	65	0.123	1	1.55	0.006	0.04	<0.1	0.03	7.3	<0.1	<0.05	5	<0.5	<0.2
REP E2700E 9050N	QC	186	1.17	63	0.124	1	1.52	0.005	0.04	<0.1	0.03	6.9	<0.1	<0.05	5	<0.5	<0.2
E2900E 9000N	Soil	117	1.27	101	0.071	2	2.45	0.013	0.04	<0.1	0.13	8.8	0.1	0.13	6	1.1	<0.2
REP E2900E 9000N	QC	117	1.31	105	0.070	2	2.54	0.012	0.04	<0.1	0.13	9.4	0.1	0.21	6	1.2	<0.2
E3000E 9150N	Soil	118	0.93	118	0.113	1	1.31	0.005	0.06	<0.1	0.02	3.9	<0.1	0.11	6	0.7	<0.2
REP E3000E 9150N	QC	114	0.90	117	0.113	1	1.22	0.005	0.06	0.1	0.02	3.8	<0.1	0.08	6	0.6	<0.2
E3200E 8850N	Soil	69	0.84	60	0.282	<1	1.26	0.006	0.05	<0.1	0.03	3.7	<0.1	<0.05	8	<0.5	<0.2
REP E3200E 8850N	QC	69	0.79	61	0.275	<1	1.21	0.005	0.04	<0.1	0.03	3.5	<0.1	<0.05	8	<0.5	<0.2
K2600N 7700E	Soil	17	0.20	37	0.009	1	1.11	0.006	0.03	<0.1	0.11	1.3	<0.1	0.05	4	3.9	<0.2
REP K2600N 7700E	QC	19	0.20	39	0.010	1	1.10	0.008	0.03	<0.1	0.11	1.2	<0.1	<0.05	4	3.6	<0.2
K2700N 8050E	Soil	18	0.27	43	0.015	1	1.39	0.007	0.04	<0.1	0.04	1.0	<0.1	0.08	6	2.3	<0.2
REP K2700N 8050E	QC	19	0.27	43	0.015	<1	1.41	0.008	0.04	<0.1	0.04	1.1	<0.1	0.09	6	2.0	<0.2
K2800N 8250E	Soil	19	0.28	26	0.044	1	1.27	0.007	0.03	<0.1	0.05	0.9	<0.1	<0.05	7	1.4	<0.2
REP K2800N 8250E	QC	19	0.27	25	0.042	<1	1.23	0.007	0.03	<0.1	0.05	0.8	<0.1	<0.05	7	0.6	<0.2
Reference Materials																	
STD DS8	Standard	108	0.59	267	0.114	4	0.93	0.113	0.43	2.6	0.23	3.8	5.1	0.12	5	5.4	4.3
STD DS8	Standard	108	0.57	271	0.123	3	0.87	0.087	0.38	3.0	0.20	2.7	5.4	0.09	4	4.3	4.9
STD DS8	Standard	116	0.57	253	0.119	3	0.88	0.097	0.41	2.9	0.20	3.4	5.4	0.13	5	4.5	4.7
STD DS8	Standard	103	0.53	257	0.102	3	0.83	0.084	0.37	2.6	0.20	2.8	4.9	0.16	4	4.6	4.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Teslin River Resources Corp.

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr  
Receiving Lab: Canada-Vancouver  
Received: October 18, 2011  
Report Date: November 09, 2011  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

# VAN11005596.1

## CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 130

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	130	Dry at 60C			VAN
SS80	130	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	130	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

## ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.  
1430 - 800 West Pender Street  
Vancouver BC V6C 2V6  
Canada

CC: Warner Gruenwalk  
Kristian Whitehead



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
K4400N 7150E	Soil		17.0	51.7	11.0	234	1.7	33.2	11.2	422	6.05	54.1	7.6	0.8	4	1.1	0.8	0.5	34	0.04	0.108	9
K4400N 7200E	Soil		53.5	58.2	21.2	364	1.3	50.1	9.3	398	3.41	141.8	13.8	0.9	4	2.5	10.5	0.4	85	0.05	0.100	13
K4400N 7250E	Soil		21.4	112.2	24.8	548	2.0	70.2	38.7	1751	9.24	60.4	16.2	1.1	14	7.0	1.5	0.6	27	0.17	0.190	7
K4400N 7300E	Soil		14.3	70.3	16.5	325	2.9	45.9	22.4	1029	7.00	31.9	19.7	1.0	5	1.9	0.9	0.5	21	0.05	0.213	6
K4400N 7350E	Soil		20.8	78.5	26.1	279	1.4	64.2	21.1	712	5.91	20.6	11.0	0.9	17	1.9	0.9	0.5	21	0.28	0.137	8
K4400N 7400E	Soil		26.2	68.2	24.1	215	1.4	57.4	12.8	505	5.25	16.6	30.7	1.0	5	0.7	1.0	0.6	25	0.03	0.099	12
K4400N 7450E	Soil		22.2	59.6	12.1	197	2.5	52.6	12.8	457	3.88	16.7	10.8	1.7	19	0.9	1.0	0.5	28	0.37	0.056	14
K4400N 7500E	Soil		13.6	55.8	24.1	173	7.9	49.4	12.4	429	5.64	9.4	19.2	0.7	9	1.3	0.8	0.7	24	0.13	0.102	10
K4400N 7550E	Soil		14.9	46.5	18.4	150	5.4	40.0	11.3	730	4.40	13.5	202.6	0.5	24	0.9	0.8	0.6	25	0.46	0.107	9
K4400N 7600E	Soil		17.3	68.2	21.5	299	4.7	60.9	17.9	2390	4.33	20.4	25.3	0.9	32	7.4	1.1	0.5	19	0.69	0.182	8
K4500N 7100E	Soil		4.8	34.7	20.0	117	0.8	34.1	21.9	1305	3.93	33.1	11.4	0.5	8	0.9	0.7	0.5	22	0.17	0.182	12
K4500N 7150E	Soil		3.3	30.7	22.7	68	0.5	20.3	18.2	1574	3.21	17.6	2.3	0.3	9	0.7	0.5	0.5	27	0.22	0.178	8
K4500N 7200E	Soil		6.4	49.1	27.9	116	0.7	43.7	26.8	1269	4.88	52.2	226.8	1.0	9	0.5	1.1	0.7	20	0.15	0.163	11
K4500N 7250E	Soil		38.3	67.1	32.6	531	2.1	75.2	17.5	564	5.25	77.3	63.0	2.6	5	2.7	1.1	0.7	94	0.10	0.113	12
K4500N 7300E	Soil		10.4	71.2	10.4	242	1.7	42.2	18.1	400	5.76	8.2	62.0	1.9	4	1.2	0.6	0.3	17	0.05	0.094	10
K4500N 7350E	Soil		9.1	45.5	15.7	205	1.4	37.4	15.3	801	5.29	6.8	33.2	1.0	4	1.0	0.6	0.5	23	0.03	0.144	9
K4500N 7400E	Soil		13.2	41.9	15.4	160	1.1	39.1	9.1	226	4.99	11.4	19.0	3.0	4	0.6	0.6	0.6	29	0.04	0.119	16
K4500N 7450E	Soil		17.6	59.2	26.5	186	7.5	49.7	11.6	304	5.60	20.9	16.8	2.0	4	0.4	1.2	0.6	25	0.02	0.147	9
K4500N 7500E	Soil		18.4	46.1	18.6	159	2.8	37.3	8.3	253	3.93	19.3	11.5	0.8	5	0.6	0.9	0.4	27	0.02	0.072	12
K4500N 7550E	Soil		15.9	58.0	16.3	182	1.6	50.2	11.1	354	4.69	11.2	236.8	0.9	6	0.5	0.7	0.5	23	0.07	0.093	10
K4500N 7600E	Soil		11.6	43.3	14.2	125	2.5	34.3	6.9	164	3.43	12.5	23.6	1.5	4	0.4	0.5	0.4	26	0.02	0.071	13
K5600N 6400E	Soil		6.4	56.7	19.9	164	0.9	44.1	20.5	683	4.63	30.1	8.7	1.2	9	0.9	0.6	0.4	32	0.17	0.100	10
K5600N 6450E	Soil		6.0	75.1	22.4	162	2.8	48.4	21.6	1353	4.41	28.5	8.8	1.2	22	1.8	0.6	0.4	31	0.74	0.158	12
K5600N 6500E	Soil		7.7	48.6	14.1	126	0.2	30.0	7.0	205	3.60	23.2	4.2	1.3	4	0.5	0.4	0.3	37	0.07	0.040	14
K5600N 6550E	Soil		6.3	70.0	22.5	176	7.3	49.5	25.7	1163	4.75	23.2	11.4	1.6	18	4.1	0.5	0.4	26	0.46	0.231	16
K5600N 6600E	Soil		5.8	18.0	9.1	52	0.5	11.5	2.6	78	1.93	12.3	5.3	1.0	5	0.4	0.3	0.3	30	0.05	0.036	16
K5600N 6650E	Soil		3.7	30.0	12.2	90	1.4	25.8	13.2	2543	2.16	9.7	11.7	0.4	35	5.5	0.4	0.2	13	1.83	0.147	5
K5600N 6700E	Soil		7.7	40.4	18.1	136	1.4	31.5	11.5	691	4.46	29.0	13.1	1.4	5	0.7	1.1	0.5	26	0.13	0.099	20
K5600N 6750E	Soil		5.4	21.2	5.6	57	1.0	16.1	4.9	154	1.71	14.6	20.8	1.4	2	0.3	0.5	0.3	27	0.02	0.042	25
K5600N 6800E	Soil		4.7	34.6	11.7	62	1.9	23.0	6.7	158	3.89	19.4	11.0	0.9	3	0.3	0.6	0.4	21	0.05	0.105	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 09, 2011

**Page:** 2 of 6 Part 2

# CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K4400N 7150E	Soil			11	0.07	40	0.005	<1	1.02	0.005	0.03	0.1	0.10	1.0	<0.1	<0.05	5	3.9	<0.2
K4400N 7200E	Soil			11	0.06	58	0.003	2	0.83	0.004	0.03	0.8	0.11	1.4	0.3	<0.05	3	4.7	<0.2
K4400N 7250E	Soil			9	0.19	72	0.004	2	1.01	0.005	0.03	0.1	0.09	3.3	<0.1	<0.05	2	9.1	<0.2
K4400N 7300E	Soil			9	0.15	61	0.004	<1	1.05	0.005	0.03	<0.1	0.15	1.6	<0.1	<0.05	3	4.9	<0.2
K4400N 7350E	Soil			8	0.10	42	0.003	<1	0.82	0.005	0.03	0.1	0.10	0.9	<0.1	<0.05	3	5.5	0.2
K4400N 7400E	Soil			9	0.07	42	0.003	<1	0.49	0.004	0.04	0.1	0.05	0.6	<0.1	<0.05	3	3.7	<0.2
K4400N 7450E	Soil			9	0.09	47	0.007	2	0.97	0.005	0.03	0.1	0.05	1.3	<0.1	<0.05	3	4.1	<0.2
K4400N 7500E	Soil			11	0.11	46	0.005	1	0.79	0.005	0.04	0.2	0.17	0.7	<0.1	<0.05	4	4.0	<0.2
K4400N 7550E	Soil			10	0.16	45	0.005	<1	0.64	0.006	0.03	<0.1	0.09	0.6	<0.1	<0.05	3	4.8	<0.2
K4400N 7600E	Soil			10	0.17	81	0.006	2	0.92	0.005	0.03	0.1	0.12	1.2	0.1	0.08	2	4.5	<0.2
K4500N 7100E	Soil			14	0.22	68	0.005	1	1.03	0.013	0.05	<0.1	0.03	0.6	<0.1	0.06	4	2.6	<0.2
K4500N 7150E	Soil			14	0.15	70	0.003	<1	0.65	0.008	0.05	<0.1	0.06	0.3	<0.1	0.07	5	1.3	<0.2
K4500N 7200E	Soil			15	0.21	65	0.008	<1	1.00	0.010	0.05	<0.1	0.07	1.0	<0.1	<0.05	4	1.6	<0.2
K4500N 7250E	Soil			16	0.18	62	0.002	<1	1.14	0.004	0.04	0.4	0.12	1.9	0.1	<0.05	3	4.5	<0.2
K4500N 7300E	Soil			6	0.09	40	0.001	1	0.61	0.006	0.03	0.1	0.09	1.6	<0.1	<0.05	2	3.9	<0.2
K4500N 7350E	Soil			9	0.09	60	0.004	<1	0.85	0.006	0.03	0.1	0.09	1.0	<0.1	<0.05	3	2.7	<0.2
K4500N 7400E	Soil			9	0.06	36	0.006	1	0.59	0.004	0.04	<0.1	0.05	1.2	<0.1	<0.05	4	3.0	<0.2
K4500N 7450E	Soil			10	0.11	33	0.003	<1	0.72	0.005	0.03	0.2	0.12	1.3	<0.1	<0.05	4	2.8	<0.2
K4500N 7500E	Soil			8	0.05	47	0.004	<1	0.41	0.005	0.02	0.1	0.08	0.5	<0.1	<0.05	4	3.0	<0.2
K4500N 7550E	Soil			8	0.06	32	0.003	<1	0.47	0.005	0.03	0.1	0.08	0.7	<0.1	<0.05	3	3.6	<0.2
K4500N 7600E	Soil			10	0.06	39	0.003	<1	0.54	0.006	0.02	<0.1	0.11	0.8	<0.1	<0.05	4	3.2	<0.2
K5600N 6400E	Soil			38	0.50	38	0.008	<1	1.40	0.004	0.05	<0.1	0.10	1.7	<0.1	<0.05	4	1.9	<0.2
K5600N 6450E	Soil			34	0.43	68	0.011	<1	1.92	0.009	0.05	0.1	0.16	2.3	0.1	0.06	4	3.3	<0.2
K5600N 6500E	Soil			23	0.21	49	0.007	<1	0.68	0.003	0.03	<0.1	0.04	0.9	<0.1	<0.05	4	2.2	<0.2
K5600N 6550E	Soil			31	0.38	100	0.009	1	1.94	0.009	0.06	<0.1	0.21	3.2	0.1	0.07	4	2.9	<0.2
K5600N 6600E	Soil			13	0.11	34	0.008	<1	0.65	0.003	0.03	<0.1	0.07	0.6	<0.1	<0.05	4	0.7	<0.2
K5600N 6650E	Soil			11	0.47	87	0.006	3	0.86	0.010	0.02	<0.1	0.18	0.8	<0.1	0.17	2	4.0	<0.2
K5600N 6700E	Soil			15	0.13	44	0.007	<1	0.78	0.005	0.05	<0.1	0.09	0.8	<0.1	<0.05	4	2.2	<0.2
K5600N 6750E	Soil			6	0.03	19	0.005	1	0.22	0.004	0.02	<0.1	0.03	0.4	<0.1	<0.05	3	1.1	<0.2
K5600N 6800E	Soil			12	0.09	22	0.003	<1	0.60	0.005	0.02	<0.1	0.12	0.5	<0.1	<0.05	4	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm			
				0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
K5600N 6850E	Soil			3.7	53.4	14.8	122	0.6	47.3	21.5	535	5.41	22.9	29.5	6.1	4	0.4	0.7	0.5	15	0.11	0.092	22	
K5600N 6900E	Soil			2.7	45.0	13.9	97	0.6	40.0	18.9	410	4.57	23.1	12.0	4.9	4	0.4	0.6	0.5	17	0.03	0.057	25	
K5600N 6950E	Soil			3.8	33.3	16.0	67	1.3	22.7	7.5	243	4.94	24.3	12.6	1.2	7	0.8	0.5	0.5	23	0.11	0.089	17	
K5600N 7000E	Soil			5.2	20.4	7.4	50	0.5	16.3	5.2	189	1.94	15.6	10.9	1.5	4	0.1	0.5	0.4	28	0.07	0.047	27	
K5600N 7050E	Soil			4.1	27.9	12.9	308	1.8	47.0	15.7	924	3.41	11.3	38.4	1.1	49	5.7	0.4	0.5	11	1.82	0.127	7	
K5600N 7100E	Soil			6.6	28.9	10.3	61	0.5	21.5	6.9	337	3.73	24.6	44.7	1.2	4	0.7	0.6	0.4	25	0.05	0.233	19	
K5600N 7150E	Soil			12.9	30.0	10.7	123	0.2	29.7	10.0	717	3.44	28.1	47.0	1.3	5	0.5	0.8	0.4	26	0.06	0.111	16	
K5600N 7200E	Soil			13.3	36.3	11.5	141	1.2	31.9	8.1	261	3.81	18.0	40.1	0.7	5	1.0	0.6	0.4	21	0.08	0.110	14	
K5600N 7250E	Soil			4.8	7.2	3.1	24	0.5	7.4	1.1	45	0.65	3.0	26.5	0.5	2	<0.1	0.1	0.2	13	0.03	0.037	15	
K5600N 7300E	Soil			10.6	26.6	12.6	70	4.7	20.6	2.8	86	2.74	7.2	47.2	0.6	3	0.2	0.3	0.5	32	0.01	0.125	12	
K5600N 7350E	Soil			9.4	14.5	2.9	44	0.8	17.5	2.2	62	0.75	0.8	7.0	0.6	4	<0.1	<0.1	<0.1	18	0.03	0.024	14	
K5600N 7400E	Soil			16.4	49.2	25.1	138	3.7	39.4	7.1	405	4.52	7.7	17.0	1.1	3	0.8	0.4	0.4	35	0.02	0.223	13	
K5700N 6400E	Soil			5.3	45.1	17.5	105	1.0	30.1	10.8	496	5.10	23.3	21.4	1.1	4	0.5	0.6	0.4	35	0.03	0.074	13	
K5700N 6450E	Soil			7.0	66.1	21.7	169	1.2	56.2	33.4	1059	4.95	32.0	11.0	1.0	9	0.8	0.7	0.4	33	0.16	0.096	11	
K5700N 6500E	Soil			8.1	78.0	20.5	196	3.4	64.8	23.5	1061	5.04	28.6	8.8	1.3	11	1.3	0.6	0.4	38	0.26	0.133	12	
K5700N 6550E	Soil			6.4	65.0	19.4	167	5.4	52.1	20.7	1368	4.16	21.9	42.4	0.9	15	1.4	0.5	0.4	32	0.48	0.145	12	
K5700N 6600E	Soil			8.1	50.8	17.3	147	0.5	34.5	14.5	657	4.94	27.3	16.4	0.6	8	0.7	0.6	0.4	35	0.16	0.066	12	
K5700N 6650E	Soil			10.4	43.1	17.6	131	1.4	34.0	12.4	400	4.87	27.5	24.4	0.7	10	0.7	0.6	0.3	28	0.24	0.072	11	
K5700N 6700E	Soil			7.9	31.6	9.3	70	2.0	17.6	4.3	238	2.36	23.4	24.8	1.5	3	0.3	0.3	0.2	21	0.02	0.065	16	
K5700N 6750E	Soil			4.1	47.3	12.4	88	5.0	26.8	13.6	1097	3.28	19.6	11.6	0.7	16	1.9	0.7	0.4	22	0.78	0.150	12	
K5700N 6800E	Soil			4.7	52.5	16.6	123	2.9	36.8	19.3	3357	4.02	19.7	20.4	1.0	15	2.2	0.7	0.5	22	0.41	0.191	13	
K5700N 6850E	Soil			6.2	41.3	13.9	105	1.1	32.5	11.7	494	4.93	27.9	31.5	1.5	9	0.5	0.8	0.5	23	0.20	0.098	18	
K5700N 6900E	Soil			7.1	37.4	16.3	103	0.6	33.7	9.6	323	5.11	33.2	27.9	1.6	5	0.6	0.7	0.4	28	0.08	0.244	17	
K5700N 6950E	Soil			5.4	30.5	12.6	72	2.1	22.4	7.8	303	4.73	23.8	25.0	1.3	4	0.6	0.6	0.5	22	0.03	0.119	20	
K5700N 7000E	Soil			4.6	53.1	12.8	114	0.3	44.1	16.8	476	4.22	24.6	29.8	5.3	6	0.5	0.9	0.5	19	0.08	0.067	25	
K5700N 7050E	Soil			8.7	51.5	15.7	161	0.6	47.0	12.6	322	4.78	24.8	33.9	3.9	5	0.7	0.6	0.4	24	0.05	0.094	18	
K5700N 7100E	Soil			15.4	57.6	17.1	198	3.1	45.1	9.0	321	4.72	14.5	17.2	2.6	7	1.0	0.5	0.4	27	0.09	0.242	15	
K5700N 7150E	Soil			15.2	87.8	22.6	208	2.2	57.7	9.4	393	4.55	7.6	18.8	1.9	6	1.0	0.5	0.3	24	0.05	0.214	12	
K5700N 7200E	Soil			3.6	5.2	2.8	15	1.2	4.7	0.6	22	0.32	0.9	13.1	1.2	2	<0.1	0.4	<0.1	9	0.01	0.017	19	
K5700N 7250E	Soil			11.8	71.3	20.7	158	3.6	49.5	9.3	417	4.73	11.7	46.0	3.1	6	0.7	0.6	0.4	25	0.03	0.113	13	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K5600N 6850E	Soil			20	0.45	45	0.001	<1	1.52	0.009	0.04	<0.1	0.07	1.8	<0.1	<0.05	4	1.7	<0.2
K5600N 6900E	Soil			17	0.36	49	0.003	<1	1.36	0.008	0.04	<0.1	0.05	1.7	<0.1	<0.05	4	1.4	<0.2
K5600N 6950E	Soil			15	0.18	54	0.004	<1	0.83	0.006	0.03	<0.1	0.11	0.7	<0.1	<0.05	5	1.6	<0.2
K5600N 7000E	Soil			8	0.05	31	0.009	1	0.36	0.006	0.04	<0.1	0.03	0.4	<0.1	<0.05	5	0.9	<0.2
K5600N 7050E	Soil			12	0.38	31	0.004	2	0.78	0.009	0.02	0.1	0.11	1.2	<0.1	0.06	2	5.4	<0.2
K5600N 7100E	Soil			11	0.10	42	0.004	<1	0.57	0.007	0.03	<0.1	0.08	0.4	<0.1	<0.05	5	1.0	<0.2
K5600N 7150E	Soil			11	0.14	70	0.009	1	0.76	0.009	0.04	0.1	0.04	0.9	<0.1	<0.05	4	2.6	<0.2
K5600N 7200E	Soil			10	0.11	56	0.005	<1	0.58	0.006	0.03	<0.1	0.05	0.6	<0.1	<0.05	4	3.4	<0.2
K5600N 7250E	Soil			5	0.02	18	0.003	1	0.25	0.003	0.03	<0.1	0.06	0.2	<0.1	<0.05	3	1.1	<0.2
K5600N 7300E	Soil			9	0.05	29	0.007	<1	0.44	0.004	0.03	<0.1	0.10	0.3	<0.1	<0.05	4	4.1	<0.2
K5600N 7350E	Soil			6	0.02	43	0.004	1	0.24	0.004	0.03	<0.1	0.02	0.3	<0.1	<0.05	3	1.5	<0.2
K5600N 7400E	Soil			16	0.07	41	0.010	<1	0.79	0.003	0.03	0.1	0.15	0.7	<0.1	<0.05	4	6.4	<0.2
K5700N 6400E	Soil			29	0.28	78	0.012	<1	1.11	0.004	0.04	0.1	0.10	1.2	<0.1	<0.05	5	1.8	<0.2
K5700N 6450E	Soil			40	0.53	67	0.011	<1	1.65	0.005	0.06	<0.1	0.11	1.7	0.1	<0.05	4	2.6	<0.2
K5700N 6500E	Soil			41	0.57	83	0.010	2	1.92	0.005	0.08	<0.1	0.12	2.3	0.2	<0.05	4	2.2	<0.2
K5700N 6550E	Soil			33	0.45	76	0.010	2	2.01	0.006	0.07	<0.1	0.15	1.9	0.2	<0.05	4	2.7	<0.2
K5700N 6600E	Soil			22	0.24	68	0.013	<1	0.97	0.004	0.04	<0.1	0.06	0.9	<0.1	<0.05	4	2.6	<0.2
K5700N 6650E	Soil			25	0.29	49	0.009	<1	1.09	0.004	0.04	<0.1	0.13	0.9	<0.1	<0.05	4	2.1	<0.2
K5700N 6700E	Soil			18	0.27	55	0.005	<1	0.80	0.003	0.05	<0.1	0.09	0.8	0.1	<0.05	3	1.9	<0.2
K5700N 6750E	Soil			17	0.23	47	0.012	2	1.21	0.009	0.03	<0.1	0.14	1.4	<0.1	<0.05	4	2.9	<0.2
K5700N 6800E	Soil			17	0.26	84	0.010	<1	1.50	0.009	0.05	<0.1	0.11	1.8	<0.1	<0.05	4	1.5	<0.2
K5700N 6850E	Soil			16	0.24	39	0.006	<1	1.00	0.006	0.03	<0.1	0.08	1.0	<0.1	<0.05	5	2.4	<0.2
K5700N 6900E	Soil			18	0.28	68	0.006	<1	0.98	0.006	0.04	<0.1	0.08	1.1	<0.1	<0.05	5	2.4	<0.2
K5700N 6950E	Soil			15	0.17	36	0.005	<1	0.96	0.008	0.03	<0.1	0.09	0.7	<0.1	<0.05	4	2.7	<0.2
K5700N 7000E	Soil			16	0.39	60	0.008	<1	1.07	0.013	0.05	<0.1	0.02	2.0	<0.1	<0.05	3	1.1	<0.2
K5700N 7050E	Soil			20	0.37	64	0.003	<1	1.40	0.008	0.05	<0.1	0.12	1.5	<0.1	<0.05	4	2.7	<0.2
K5700N 7100E	Soil			15	0.15	73	0.006	<1	1.09	0.005	0.07	0.1	0.12	1.5	0.1	<0.05	3	5.8	<0.2
K5700N 7150E	Soil			17	0.22	63	0.005	<1	1.02	0.006	0.05	0.1	0.13	1.1	<0.1	<0.05	3	6.7	<0.2
K5700N 7200E	Soil			4	0.02	25	0.005	<1	0.18	0.004	0.03	<0.1	0.04	0.3	<0.1	<0.05	2	0.5	<0.2
K5700N 7250E	Soil			18	0.22	59	0.005	<1	1.37	0.007	0.05	<0.1	0.13	1.3	<0.1	<0.05	3	5.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
K5700N 7300E	Soil		9.0	28.3	11.4	81	2.0	24.0	4.3	171	2.86	7.5	90.8	0.3	3	0.3	0.3	0.3	23	0.02	0.140	10
K5700N 7350E	Soil		16.0	59.3	28.1	177	5.3	47.6	11.2	587	6.21	11.1	47.4	1.8	4	0.7	0.6	0.5	31	0.03	0.177	10
K5700N 7400E	Soil		16.2	43.6	24.6	156	4.8	40.4	8.4	352	5.77	4.1	63.8	2.4	7	0.7	0.4	0.4	25	0.02	0.231	9
K5800N 6400E	Soil		3.4	27.0	12.3	71	0.4	18.2	6.5	213	2.75	11.7	6.9	0.8	8	0.3	0.4	0.3	36	0.25	0.039	13
K5800N 6450E	Soil		4.4	33.2	15.0	91	1.1	23.7	6.9	291	3.90	14.5	60.8	0.6	3	0.4	0.5	0.4	38	0.02	0.082	14
K5800N 6500E	Soil		5.6	39.5	13.9	132	0.3	32.8	11.3	581	4.21	19.2	17.5	1.2	5	0.4	0.5	0.4	35	0.06	0.085	14
K5800N 6550E	Soil		7.2	34.4	12.3	121	1.0	28.9	9.8	713	3.67	19.5	5.3	0.8	5	0.6	0.5	0.3	46	0.07	0.051	13
K5800N 6600E	Soil		6.7	39.6	13.8	120	2.2	35.1	10.1	511	4.05	19.1	19.0	0.8	5	0.8	0.5	0.3	41	0.05	0.056	13
K5800N 6650E	Soil		4.6	75.9	21.6	178	7.1	68.4	19.9	1293	3.61	18.1	17.4	0.9	24	1.8	0.6	0.4	23	0.87	0.141	13
K5800N 6700E	Soil		8.1	53.0	17.2	185	1.7	48.1	20.6	1089	4.31	23.4	16.6	1.5	9	0.9	0.6	0.4	31	0.10	0.121	12
K5800N 6750E	Soil		6.8	19.7	8.1	58	0.6	15.1	3.7	87	1.92	18.0	24.7	1.1	3	0.3	0.3	0.2	25	0.03	0.043	16
K5800N 6800E	Soil		8.7	31.0	14.3	82	1.0	21.7	6.1	249	3.68	27.0	16.2	1.4	3	0.5	0.5	0.3	26	0.02	0.053	16
K5800N 6850E	Soil		8.0	32.5	14.3	86	0.8	24.3	7.3	180	4.52	18.6	28.3	1.5	9	0.8	0.7	0.5	21	0.15	0.097	17
K5800N 6900E	Soil		8.2	39.4	14.9	141	0.9	40.3	14.9	477	4.50	19.4	18.5	2.0	13	1.0	0.6	0.5	23	0.15	0.106	18
K5800N 6950E	Soil		5.8	21.8	6.3	49	0.2	17.3	5.0	104	1.76	9.9	25.8	1.2	7	0.2	0.5	0.4	28	0.05	0.034	33
K5800N 7000E	Soil		6.0	40.5	10.3	97	0.5	31.1	9.7	294	3.77	14.0	18.3	2.9	3	0.6	0.5	0.4	23	0.01	0.062	23
K5800N 7050E	Soil		38.7	54.7	43.1	311	1.8	66.5	11.0	634	7.18	21.9	130.5	0.9	12	1.6	0.8	0.6	36	0.25	0.381	13
K5800N 7100E	Soil		9.7	23.0	12.7	76	3.1	20.9	3.7	160	2.43	6.6	1.7	0.9	3	0.2	0.3	0.4	29	0.02	0.146	19
K5800N 7150E	Soil		1.5	3.6	2.2	9	1.0	2.4	0.6	23	0.29	1.6	14.2	1.7	2	<0.1	<0.1	0.1	8	<0.01	0.016	29
K5800N 7200E	Soil		10.8	20.9	17.0	58	1.6	17.2	3.5	109	3.71	13.4	21.7	1.2	12	0.6	0.4	0.4	52	0.05	0.134	17
K5800N 7250E	Soil		12.3	36.4	12.7	108	2.6	31.0	5.3	202	2.72	7.3	48.1	0.9	3	0.2	0.3	0.4	33	0.01	0.098	17
K5800N 7300E	Soil		16.7	57.0	20.8	162	0.4	46.7	7.1	269	5.15	14.7	10.5	2.2	5	0.4	0.6	0.7	47	0.04	0.235	20
K5800N 7350E	Soil		29.4	75.8	18.3	214	3.1	73.8	14.8	928	5.24	5.0	12.4	3.9	4	1.0	0.5	0.5	33	0.02	0.123	17
K5800N 7400E	Soil		37.3	57.4	18.5	240	2.1	72.4	14.3	316	6.33	4.8	3.5	4.2	4	0.9	0.6	0.6	32	0.01	0.129	15
K2400N 7700E	Soil		16.7	50.6	21.6	133	2.5	41.5	9.0	148	5.60	0.6	5.0	3.9	6	0.6	0.2	1.1	25	0.07	0.078	32
K2400N 7750E	Soil		18.5	38.0	17.3	110	1.5	36.4	9.8	326	5.99	1.6	0.9	1.2	4	0.4	0.3	0.9	47	0.02	0.077	15
K2400N 7800E	Soil		11.1	21.9	7.4	48	0.3	27.4	6.8	122	2.55	1.0	<0.5	0.2	4	0.2	0.2	0.4	15	0.04	0.062	9
K2400N 7850E	Soil		25.2	58.1	20.3	176	0.5	72.8	21.3	802	6.88	0.5	2.5	2.3	3	0.8	0.3	0.9	24	0.01	0.170	13
K2400N 7900E	Soil		42.6	50.1	39.1	234	0.4	91.2	12.8	852	7.82	1.0	<0.5	1.1	4	1.4	0.3	0.8	34	0.02	0.121	10
K2400N 7950E	Soil		8.2	19.6	8.3	42	0.8	15.1	4.6	89	2.48	1.3	<0.5	0.3	4	0.2	0.2	0.5	42	0.01	0.089	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K5700N 7300E	Soil			8	0.05	33	0.008	1	0.40	0.005	0.03	<0.1	0.11	0.3	<0.1	<0.05	3	3.0	<0.2
K5700N 7350E	Soil			20	0.13	45	0.010	<1	1.26	0.004	0.04	0.2	0.16	1.2	<0.1	<0.05	4	6.7	<0.2
K5700N 7400E	Soil			14	0.11	42	0.007	<1	1.20	0.008	0.03	0.1	0.22	1.0	<0.1	<0.05	4	4.3	<0.2
K5800N 6400E	Soil			10	0.08	39	0.014	2	0.44	0.010	0.03	<0.1	0.04	0.8	<0.1	<0.05	4	0.5	<0.2
K5800N 6450E	Soil			19	0.15	44	0.012	1	0.83	0.008	0.04	<0.1	0.07	0.8	<0.1	<0.05	6	1.3	<0.2
K5800N 6500E	Soil			23	0.26	123	0.007	1	1.10	0.009	0.07	<0.1	0.06	1.4	0.1	<0.05	5	1.5	<0.2
K5800N 6550E	Soil			30	0.31	83	0.014	<1	1.04	0.004	0.05	<0.1	0.07	1.2	0.1	<0.05	5	1.4	<0.2
K5800N 6600E	Soil			30	0.32	95	0.009	<1	1.14	0.004	0.05	<0.1	0.08	1.1	0.1	<0.05	5	1.0	<0.2
K5800N 6650E	Soil			26	0.38	104	0.009	3	2.16	0.011	0.10	<0.1	0.24	2.1	0.1	<0.05	3	1.9	<0.2
K5800N 6700E	Soil			29	0.38	88	0.008	1	1.69	0.006	0.08	<0.1	0.13	2.2	0.1	<0.05	4	1.9	<0.2
K5800N 6750E	Soil			15	0.22	49	0.006	<1	0.77	0.004	0.05	<0.1	0.07	0.8	0.1	<0.05	4	1.3	<0.2
K5800N 6800E	Soil			19	0.24	43	0.006	<1	1.01	0.005	0.04	<0.1	0.07	1.0	0.1	<0.05	4	1.7	<0.2
K5800N 6850E	Soil			18	0.16	42	0.006	1	1.03	0.006	0.03	<0.1	0.13	0.8	<0.1	<0.05	4	2.8	<0.2
K5800N 6900E	Soil			18	0.27	78	0.004	<1	1.17	0.011	0.06	<0.1	0.06	1.2	<0.1	<0.05	4	2.7	<0.2
K5800N 6950E	Soil			10	0.03	30	0.009	2	0.31	0.007	0.03	<0.1	0.01	0.4	<0.1	<0.05	4	1.0	<0.2
K5800N 7000E	Soil			17	0.25	53	0.002	<1	1.10	0.007	0.04	<0.1	0.06	1.3	<0.1	<0.05	4	1.6	<0.2
K5800N 7050E	Soil			19	0.11	75	0.006	<1	0.76	0.007	0.04	0.2	0.17	0.6	<0.1	<0.05	5	4.4	<0.2
K5800N 7100E	Soil			10	0.06	43	0.006	<1	0.48	0.004	0.04	<0.1	0.08	0.4	<0.1	<0.05	4	2.4	<0.2
K5800N 7150E	Soil			4	0.01	23	0.004	<1	0.22	0.004	0.03	<0.1	0.03	0.2	<0.1	<0.05	3	<0.5	<0.2
K5800N 7200E	Soil			19	0.07	38	0.028	<1	0.77	0.005	0.04	<0.1	0.15	0.8	<0.1	<0.05	5	2.5	<0.2
K5800N 7250E	Soil			9	0.05	34	0.006	<1	0.46	0.004	0.03	0.1	0.07	0.4	<0.1	<0.05	4	2.4	<0.2
K5800N 7300E	Soil			13	0.11	45	0.010	<1	0.57	0.005	0.05	0.1	0.08	0.9	<0.1	<0.05	7	3.8	0.2
K5800N 7350E	Soil			19	0.23	65	0.006	<1	1.36	0.006	0.05	0.2	0.14	1.3	0.2	<0.05	3	4.6	<0.2
K5800N 7400E	Soil			16	0.14	44	0.007	<1	1.12	0.005	0.04	0.2	0.09	1.2	0.1	<0.05	3	5.2	0.3
K2400N 7700E	Soil			19	0.12	22	0.011	<1	2.04	0.007	0.02	0.1	0.19	1.1	<0.1	<0.05	4	4.0	<0.2
K2400N 7750E	Soil			20	0.11	25	0.017	<1	0.82	0.005	0.03	<0.1	0.06	0.9	<0.1	<0.05	7	2.6	<0.2
K2400N 7800E	Soil			5	0.04	18	0.004	1	0.24	0.006	0.02	<0.1	0.03	0.2	<0.1	<0.05	2	1.4	<0.2
K2400N 7850E	Soil			13	0.07	20	0.006	<1	0.51	0.005	0.02	<0.1	0.03	0.9	<0.1	<0.05	2	5.0	0.2
K2400N 7900E	Soil			13	0.06	27	0.006	<1	0.54	0.006	0.02	<0.1	0.06	1.4	<0.1	<0.05	3	3.2	0.2
K2400N 7950E	Soil			13	0.06	33	0.007	<1	0.69	0.006	0.02	<0.1	0.04	0.3	0.1	<0.05	6	1.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
K2400N 8000E	Soil		29.5	59.2	26.2	214	0.5	70.6	11.8	255	5.21	0.6	5.2	1.3	8	1.6	0.3	0.8	35	0.03	0.075	20
K2400N 8050E	Soil		13.0	33.8	14.5	105	0.4	31.8	10.5	601	5.27	0.6	1.3	1.0	5	0.6	0.2	0.5	37	0.02	0.084	15
K2400N 8100E	Soil		14.6	39.3	16.2	146	0.6	43.7	10.2	279	5.84	1.3	0.9	2.4	4	0.4	0.3	0.5	35	0.02	0.066	16
K2400N 8150E	Soil		8.5	28.9	13.8	68	0.6	22.1	5.4	126	3.95	1.3	4.1	0.8	4	0.4	0.2	0.5	36	0.02	0.069	14
K2400N 8200E	Soil		24.0	80.6	16.5	123	9.5	113.6	13.0	334	3.12	0.7	3.1	0.8	21	5.0	0.2	0.4	35	0.40	0.095	42
K2400N 8250E	Soil		9.1	24.6	17.4	181	0.4	32.5	11.8	1905	3.18	1.9	<0.5	0.5	18	2.9	0.2	0.6	34	0.26	0.179	19
K2400N 8300E	Soil		4.5	24.8	10.3	91	0.4	23.8	7.3	187	3.15	0.6	0.9	0.4	4	0.2	0.2	0.4	22	0.02	0.110	11
K2400N 8350E	Soil		12.3	40.5	13.9	160	2.0	41.0	12.3	428	4.37	<0.5	2.6	1.0	9	0.8	0.2	0.5	34	0.10	0.069	18
K2400N 8400E	Soil		10.5	48.7	15.8	135	1.4	43.0	10.0	327	4.44	1.1	3.4	2.0	5	0.5	0.2	0.5	35	0.03	0.070	16
K2500N 7500E	Soil		11.6	29.8	5.6	65	0.1	29.1	5.5	77	1.90	<0.5	<0.5	0.4	2	0.4	0.2	0.3	29	<0.01	0.030	11
K2500N 7550E	Soil		5.2	19.4	7.4	28	0.2	14.0	4.1	140	1.84	<0.5	0.9	0.2	3	0.2	<0.1	0.5	18	0.01	0.052	8
K2500N 7600E	Soil		21.1	39.9	22.4	400	1.0	56.9	25.1	2176	4.93	1.0	0.7	1.1	29	8.7	0.2	0.6	29	0.54	0.156	31
K2500N 7650E	Soil		7.1	37.9	16.5	66	2.2	15.7	6.2	181	3.66	0.7	1.0	0.8	3	0.8	0.2	0.5	28	0.03	0.093	14
K2500N 7700E	Soil		16.1	30.9	14.9	159	0.5	34.3	15.3	614	3.49	0.7	<0.5	0.8	12	1.0	0.2	0.4	17	0.18	0.091	12
K2500N 7750E	Soil		18.4	32.5	20.9	304	1.7	87.6	12.9	2393	4.04	0.8	1.7	1.7	30	15.9	0.2	0.4	26	0.71	0.151	34
K2500N 7800E	Soil		43.4	41.9	21.5	168	1.0	49.0	15.4	1455	4.69	0.8	2.1	0.8	7	1.9	0.3	0.8	32	0.03	0.134	16
K2500N 7850E	Soil		10.3	21.4	10.6	33	0.7	8.0	2.4	101	2.80	0.8	3.4	0.3	4	0.4	0.1	0.5	33	0.02	0.134	12
K2500N 7900E	Soil		9.4	21.3	14.8	96	0.4	22.3	14.9	1126	4.34	2.3	5.2	0.9	7	0.5	0.2	0.7	38	0.08	0.109	10
K2500N 7950E	Soil		24.4	51.6	25.6	143	1.9	44.9	20.7	1089	6.87	<0.5	13.2	1.7	5	1.0	0.4	1.2	26	0.02	0.119	16
K2500N 8000E	Soil		6.5	14.0	15.5	61	0.5	11.3	5.5	375	3.22	1.8	34.7	0.5	5	0.3	0.2	0.6	31	0.02	0.071	13
K2500N 8050E	Soil		6.0	49.0	16.4	64	1.1	33.1	12.1	436	4.57	0.8	3.5	0.7	5	0.3	0.2	0.8	24	0.03	0.116	9
K2500N 8100E	Soil		7.1	40.2	12.3	198	2.4	48.9	8.9	250	3.51	0.9	4.6	1.0	10	0.8	0.2	0.5	29	0.14	0.094	82
K2500N 8150E	Soil		5.9	20.9	11.7	57	1.1	18.1	5.2	128	3.50	0.9	2.2	0.7	4	0.7	0.1	0.6	30	0.03	0.061	11
K2500N 8200E	Soil		7.2	20.6	12.6	72	0.3	21.9	6.7	290	2.88	<0.5	1.3	0.3	8	0.7	0.1	0.5	22	0.08	0.077	14
K2500N 8250E	Soil		5.3	15.0	15.3	94	0.3	13.4	12.4	1137	3.18	1.4	45.5	0.5	8	0.5	0.2	0.5	28	0.07	0.109	14
K2500N 8300E	Soil		6.3	22.0	12.2	66	1.3	16.2	4.3	488	2.80	0.7	1.8	0.4	6	0.5	0.1	0.5	25	0.03	0.070	11
K2500N 8350E	Soil		10.2	20.7	12.8	80	0.3	21.2	7.2	789	3.27	1.1	11.4	0.5	5	0.4	0.2	0.5	28	0.02	0.082	12
K2500N 8400E	Soil		7.9	16.3	7.7	59	0.6	18.0	3.7	85	1.77	0.9	2.3	0.1	5	0.2	0.2	0.3	23	0.02	0.054	10
K2900N 7850E	Soil		5.8	24.2	9.6	60	0.2	23.3	6.7	245	2.82	1.2	2.7	1.0	4	0.2	0.2	0.4	42	0.03	0.072	6
K2900N 7900E	Soil		7.5	40.6	16.9	105	0.6	43.3	12.8	326	5.47	0.8	2.6	3.6	4	0.3	0.2	0.4	42	0.06	0.078	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.05	1	0.5	0.2		
K2400N 8000E	Soil			15	0.10	27	0.008	<1	0.66	0.005	0.03	0.1	0.09	1.0	<0.1	<0.05	3	3.7	<0.2
K2400N 8050E	Soil			18	0.14	33	0.011	<1	0.89	0.006	0.03	<0.1	0.04	0.7	<0.1	<0.05	5	3.2	0.3
K2400N 8100E	Soil			24	0.27	32	0.019	<1	1.51	0.005	0.03	0.1	0.06	1.3	<0.1	<0.05	6	3.2	<0.2
K2400N 8150E	Soil			21	0.21	30	0.016	<1	1.26	0.005	0.03	<0.1	0.08	0.6	0.1	0.06	6	1.6	<0.2
K2400N 8200E	Soil			24	0.26	78	0.023	<1	2.41	0.008	0.03	0.1	0.11	1.8	<0.1	0.05	6	3.2	<0.2
K2400N 8250E	Soil			21	0.41	64	0.011	1	1.52	0.010	0.08	<0.1	0.03	0.6	0.1	0.05	5	1.9	<0.2
K2400N 8300E	Soil			10	0.08	21	0.005	<1	0.54	0.008	0.04	<0.1	0.04	0.2	<0.1	<0.05	3	1.5	<0.2
K2400N 8350E	Soil			25	0.28	57	0.020	<1	2.13	0.008	0.05	<0.1	0.12	1.0	<0.1	<0.05	6	2.9	<0.2
K2400N 8400E	Soil			25	0.33	44	0.012	<1	1.54	0.007	0.05	<0.1	0.09	1.2	<0.1	<0.05	5	2.8	<0.2
K2500N 7500E	Soil			9	0.04	21	0.007	<1	0.23	0.004	0.02	<0.1	0.02	0.3	<0.1	<0.05	2	2.9	<0.2
K2500N 7550E	Soil			11	0.05	24	0.005	<1	0.35	0.007	0.02	<0.1	0.03	0.3	<0.1	<0.05	3	0.9	<0.2
K2500N 7600E	Soil			17	0.22	74	0.011	<1	1.25	0.008	0.05	<0.1	0.07	1.1	0.1	<0.05	4	2.9	<0.2
K2500N 7650E	Soil			18	0.15	21	0.009	<1	1.33	0.005	0.02	<0.1	0.14	0.5	<0.1	<0.05	4	2.1	<0.2
K2500N 7700E	Soil			14	0.21	32	0.004	<1	0.56	0.008	0.05	<0.1	0.06	0.6	<0.1	<0.05	2	1.9	<0.2
K2500N 7750E	Soil			12	0.12	54	0.010	<1	0.92	0.009	0.04	<0.1	0.08	1.5	<0.1	0.06	3	2.8	<0.2
K2500N 7800E	Soil			11	0.07	37	0.006	<1	0.64	0.008	0.04	0.1	0.03	0.6	<0.1	<0.05	3	2.8	<0.2
K2500N 7850E	Soil			13	0.07	22	0.007	<1	0.56	0.007	0.02	<0.1	0.05	0.3	0.1	<0.05	5	1.5	<0.2
K2500N 7900E	Soil			20	0.20	30	0.011	<1	1.10	0.010	0.04	<0.1	0.03	0.7	<0.1	<0.05	6	1.5	<0.2
K2500N 7950E	Soil			20	0.22	26	0.014	3	1.02	0.006	0.03	<0.1	0.07	1.1	<0.1	0.13	6	3.6	0.2
K2500N 8000E	Soil			17	0.21	23	0.020	2	1.07	0.008	0.03	<0.1	0.06	0.7	0.1	<0.05	6	1.2	<0.2
K2500N 8050E	Soil			16	0.13	29	0.005	1	0.64	0.007	0.02	<0.1	0.06	0.4	0.1	<0.05	5	2.4	<0.2
K2500N 8100E	Soil			28	0.47	42	0.021	1	2.01	0.009	0.04	<0.1	0.09	1.2	0.1	<0.05	6	1.7	<0.2
K2500N 8150E	Soil			17	0.13	23	0.019	1	0.82	0.008	0.03	<0.1	0.07	0.6	<0.1	<0.05	6	1.6	<0.2
K2500N 8200E	Soil			12	0.11	34	0.010	1	0.65	0.009	0.03	<0.1	0.03	0.4	<0.1	<0.05	5	1.1	<0.2
K2500N 8250E	Soil			17	0.23	39	0.014	1	1.26	0.009	0.04	<0.1	0.04	0.5	0.2	<0.05	6	1.2	<0.2
K2500N 8300E	Soil			13	0.14	47	0.010	<1	0.66	0.007	0.02	<0.1	0.04	0.4	0.1	<0.05	5	1.2	<0.2
K2500N 8350E	Soil			14	0.16	35	0.011	<1	0.79	0.008	0.03	<0.1	0.02	0.5	0.1	<0.05	5	1.2	<0.2
K2500N 8400E	Soil			11	0.08	29	0.007	1	0.46	0.005	0.02	<0.1	0.04	0.3	<0.1	<0.05	4	0.9	<0.2
K2900N 7850E	Soil			20	0.22	19	0.030	<1	0.69	0.008	0.02	<0.1	0.01	0.9	<0.1	<0.05	6	1.0	<0.2
K2900N 7900E	Soil			38	0.64	48	0.038	1	1.67	0.007	0.03	<0.1	0.07	1.9	<0.1	<0.05	6	2.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
K2900N 7950E	Soil	5.2	16.4	9.3	44	0.3	15.9	5.5	290	2.91	1.1	1.9	0.4	3	0.1	0.1	0.4	42	0.05	0.075	8
K2900N 8000E	Soil	9.4	36.9	14.5	112	0.5	33.2	8.3	214	4.89	<0.5	2.1	1.5	4	0.4	0.2	0.5	26	0.01	0.070	14
K2900N 8050E	Soil	23.9	35.4	14.1	130	0.5	40.6	7.6	302	3.41	0.5	3.6	0.6	5	0.9	0.3	0.5	22	0.04	0.065	12
K2900N 8100E	Soil	11.4	70.9	21.8	395	5.0	110.0	21.6	1499	4.73	<0.5	4.8	3.0	24	6.9	0.3	0.5	24	0.54	0.172	118
K2900N 8150E	Soil	4.9	44.4	22.4	129	0.7	35.0	20.2	759	4.14	1.4	1.9	1.0	10	0.6	0.2	0.6	36	0.12	0.102	39
K2900N 8200E	Soil	4.6	20.7	18.3	48	0.4	11.4	3.6	98	3.58	1.4	4.4	0.7	4	0.3	0.2	0.6	27	0.02	0.055	12
K2900N 8250E	Soil	12.9	56.5	19.0	157	0.4	48.2	14.9	389	5.42	0.9	2.2	2.3	7	0.8	0.3	0.5	33	0.05	0.059	18
K2900N 8300E	Soil	9.6	59.7	19.8	298	1.4	43.5	23.6	2253	5.04	<0.5	2.7	0.8	10	3.7	0.2	0.4	23	0.07	0.160	20
K2900N 8350E	Soil	9.6	26.6	18.0	144	0.4	20.5	7.3	671	3.96	2.9	1.2	0.4	6	0.6	0.3	0.4	42	0.03	0.099	9
K2900N 8400E	Soil	8.7	56.2	16.8	155	1.5	26.4	17.3	662	5.44	<0.5	2.6	1.0	5	1.0	0.3	0.3	22	0.05	0.095	8



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005596.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
K2900N 7950E	Soil		37	0.30	21	0.017	<1	0.87	0.010	0.02	<0.1	0.02	0.8	<0.1	<0.05	6	0.8	<0.2
K2900N 8000E	Soil		25	0.31	28	0.008	<1	1.21	0.005	0.02	<0.1	0.06	0.8	<0.1	<0.05	5	2.3	<0.2
K2900N 8050E	Soil		12	0.08	27	0.007	<1	0.72	0.005	0.02	<0.1	0.06	0.5	<0.1	<0.05	4	2.0	<0.2
K2900N 8100E	Soil		25	0.38	51	0.025	1	2.49	0.010	0.03	<0.1	0.16	2.5	<0.1	0.06	6	3.5	<0.2
K2900N 8150E	Soil		29	0.47	47	0.025	1	2.18	0.008	0.03	<0.1	0.07	1.2	<0.1	<0.05	7	1.7	<0.2
K2900N 8200E	Soil		22	0.28	21	0.017	<1	1.22	0.006	0.02	0.1	0.09	0.6	<0.1	<0.05	7	1.2	<0.2
K2900N 8250E	Soil		29	0.40	40	0.018	<1	1.48	0.005	0.03	<0.1	0.05	1.5	<0.1	<0.05	7	2.1	<0.2
K2900N 8300E	Soil		16	0.20	41	0.013	<1	1.60	0.005	0.03	<0.1	0.08	1.4	<0.1	<0.05	4	3.3	<0.2
K2900N 8350E	Soil		20	0.24	30	0.028	1	1.00	0.005	0.04	0.1	0.06	0.8	0.1	<0.05	6	1.4	<0.2
K2900N 8400E	Soil		18	0.18	26	0.017	<1	1.38	0.005	0.02	<0.1	0.11	1.5	<0.1	<0.05	3	5.1	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 09, 2011

**Page:** 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN11005596.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
K4400N 7300E	Soil	14.3	70.3	16.5	325	2.9	45.9	22.4	1029	7.00	31.9	19.7	1.0	5	1.9	0.9	0.5	21	0.05	0.213	6
REP K4400N 7300E	QC	13.9	69.1	16.8	325	2.9	45.1	22.0	1033	6.90	30.7	17.5	1.0	5	1.9	0.9	0.5	21	0.05	0.216	6
K4500N 7600E	Soil	11.6	43.3	14.2	125	2.5	34.3	6.9	164	3.43	12.5	23.6	1.5	4	0.4	0.5	0.4	26	0.02	0.071	13
REP K4500N 7600E	QC	10.9	41.7	13.6	120	2.4	32.8	6.8	158	3.37	11.2	14.7	1.3	4	0.4	0.6	0.3	25	0.02	0.068	13
K5700N 6400E	Soil	5.3	45.1	17.5	105	1.0	30.1	10.8	496	5.10	23.3	21.4	1.1	4	0.5	0.6	0.4	35	0.03	0.074	13
REP K5700N 6400E	QC	5.2	45.1	18.0	102	1.0	29.7	10.7	507	5.11	24.1	12.3	1.1	4	0.5	0.6	0.5	36	0.04	0.075	13
K5700N 7150E	Soil	15.2	87.8	22.6	208	2.2	57.7	9.4	393	4.55	7.6	18.8	1.9	6	1.0	0.5	0.3	24	0.05	0.214	12
REP K5700N 7150E	QC	15.2	86.6	21.7	203	2.3	55.8	9.1	382	4.51	7.9	17.8	2.0	6	0.8	0.6	0.3	25	0.04	0.214	12
K5800N 6900E	Soil	8.2	39.4	14.9	141	0.9	40.3	14.9	477	4.50	19.4	18.5	2.0	13	1.0	0.6	0.5	23	0.15	0.106	18
REP K5800N 6900E	QC	8.4	41.4	14.0	139	0.8	40.9	15.6	481	4.51	19.8	17.5	1.8	14	0.9	0.6	0.5	22	0.15	0.099	19
K2400N 8050E	Soil	13.0	33.8	14.5	105	0.4	31.8	10.5	601	5.27	0.6	1.3	1.0	5	0.6	0.2	0.5	37	0.02	0.084	15
REP K2400N 8050E	QC	13.6	33.4	14.6	105	0.4	30.9	10.5	596	5.26	0.7	0.7	0.9	5	0.5	0.3	0.5	36	0.02	0.087	16
K2500N 8000E	Soil	6.5	14.0	15.5	61	0.5	11.3	5.5	375	3.22	1.8	34.7	0.5	5	0.3	0.2	0.6	31	0.02	0.071	13
REP K2500N 8000E	QC	6.6	14.8	15.5	63	0.5	12.1	5.8	390	3.38	1.9	6.9	0.5	5	0.4	0.2	0.9	34	0.02	0.071	13
Reference Materials																					
STD DS8	Standard	13.0	101.4	121.5	288	1.7	33.3	7.1	571	2.25	23.1	118.4	7.3	68	2.4	5.4	6.8	39	0.67	0.072	17
STD DS8	Standard	12.1	108.9	120.7	303	1.7	37.6	7.2	591	2.41	24.7	113.4	6.2	67	2.4	5.4	6.8	41	0.68	0.080	15
STD DS8	Standard	13.0	110.3	122.8	307	1.8	36.8	7.4	606	2.42	23.1	109.5	6.5	68	2.1	5.4	5.5	40	0.66	0.082	15
STD DS8	Standard	12.8	109.7	124.5	310	1.8	37.7	7.5	606	2.45	24.8	122.0	6.7	67	2.2	5.4	6.6	42	0.69	0.077	15
STD DS8	Standard	14.0	113.6	124.3	324	1.8	38.5	7.5	622	2.52	25.8	119.6	7.6	76	2.5	6.3	6.9	41	0.72	0.088	20
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN11005596.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
K4400N 7300E	Soil	9	0.15	61	0.004	<1	1.05	0.005	0.03	<0.1	0.15	1.6	<0.1	<0.05	3	4.9	<0.2
REP K4400N 7300E	QC	9	0.15	64	0.004	1	1.08	0.005	0.03	0.1	0.14	1.5	<0.1	<0.05	2	5.0	<0.2
K4500N 7600E	Soil	10	0.06	39	0.003	<1	0.54	0.006	0.02	<0.1	0.11	0.8	<0.1	<0.05	4	3.2	<0.2
REP K4500N 7600E	QC	9	0.06	36	0.004	<1	0.52	0.004	0.02	<0.1	0.11	0.8	<0.1	<0.05	3	2.2	<0.2
K5700N 6400E	Soil	29	0.28	78	0.012	<1	1.11	0.004	0.04	0.1	0.10	1.2	<0.1	<0.05	5	1.8	<0.2
REP K5700N 6400E	QC	29	0.27	79	0.012	<1	1.11	0.004	0.04	<0.1	0.11	1.2	<0.1	<0.05	5	1.7	<0.2
K5700N 7150E	Soil	17	0.22	63	0.005	<1	1.02	0.006	0.05	0.1	0.13	1.1	<0.1	<0.05	3	6.7	<0.2
REP K5700N 7150E	QC	17	0.22	65	0.005	1	1.02	0.006	0.06	0.1	0.15	1.2	<0.1	<0.05	3	6.2	<0.2
K5800N 6900E	Soil	18	0.27	78	0.004	<1	1.17	0.011	0.06	<0.1	0.06	1.2	<0.1	<0.05	4	2.7	<0.2
REP K5800N 6900E	QC	18	0.27	79	0.004	<1	1.17	0.010	0.06	<0.1	0.06	1.2	<0.1	<0.05	4	2.9	<0.2
K2400N 8050E	Soil	18	0.14	33	0.011	<1	0.89	0.006	0.03	<0.1	0.04	0.7	<0.1	<0.05	5	3.2	0.3
REP K2400N 8050E	QC	17	0.14	35	0.012	<1	0.88	0.006	0.03	0.1	0.04	0.7	0.1	0.06	5	3.5	0.3
K2500N 8000E	Soil	17	0.21	23	0.020	2	1.07	0.008	0.03	<0.1	0.06	0.7	0.1	<0.05	6	1.2	<0.2
REP K2500N 8000E	QC	16	0.21	23	0.021	2	1.08	0.008	0.03	<0.1	0.06	0.7	0.2	<0.05	6	1.1	<0.2
Reference Materials																	
STD DS8	Standard	107	0.56	275	0.117	3	0.90	0.095	0.39	3.0	0.21	2.4	4.8	0.15	4	4.5	4.6
STD DS8	Standard	114	0.61	270	0.111	3	0.94	0.100	0.41	3.0	0.20	2.3	5.3	0.14	5	5.3	4.9
STD DS8	Standard	116	0.61	260	0.119	4	0.91	0.099	0.40	2.9	0.19	2.2	5.3	0.15	5	4.8	5.0
STD DS8	Standard	118	0.60	289	0.117	2	0.92	0.098	0.42	2.9	0.20	2.7	5.6	0.10	5	6.0	5.2
STD DS8	Standard	116	0.65	305	0.141	4	1.04	0.098	0.43	3.1	0.22	3.0	5.6	0.15	5	4.8	5.6
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Teslin River Resources Corp.

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr

Receiving Lab: Canada-Vancouver

Received: October 18, 2011

Report Date: November 09, 2011

Page: 1 of 2

## CERTIFICATE OF ANALYSIS

VAN11005597.1

### CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 8

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	7	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	7	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 90 days

### ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.  
1430 - 800 West Pender Street  
Vancouver BC V6C 2V6  
Canada

CC: Warner Gruenwalk  
Kristian Whitehead



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN11005597.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
FGWR-01	Rock	0.47	0.3	0.9	0.3	2	<0.1	0.9	0.2	21	0.23	<0.5	3.6	<0.1	<1	<0.1	<0.1	<2	<0.01	0.001	
FGWR-02	Rock	0.74	0.6	4.2	2.8	12	<0.1	4.3	1.2	150	0.84	2.3	3.6	2.0	5	<0.1	0.1	<0.1	3	0.09	0.050
FGWR-03	Rock	0.60	0.2	3.2	3.0	2	0.9	1.6	0.6	35	0.26	<0.5	1.9	<0.1	<1	<0.1	<0.1	1.1	<2	<0.01	0.002
FGWR-04	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
FGWR-05	Rock		0.3	5.6	3.0	8	<0.1	2.8	1.5	129	0.43	<0.5	2.3	0.1	2	<0.1	<0.1	0.4	<2	0.01	0.003
FGWR-06	Rock	0.50	0.4	22.6	6.5	125	0.4	14.8	2.8	254	2.36	<0.5	2.8	0.4	9	1.5	<0.1	0.3	<2	0.27	0.032
FGWSL-02R	Rock	0.62	0.8	8.0	10.6	17	0.2	4.5	2.1	158	0.82	1.1	1.4	0.8	2	0.2	<0.1	0.1	<2	0.04	0.017
FGWR-07	Rock	0.57	3.4	14.7	1.9	45	0.1	7.0	4.4	67	1.23	0.7	1.5	1.6	5	0.1	<0.1	<0.1	3	<0.01	0.010



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 09, 2011

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN11005597.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2
FGWR-01	Rock	<1	19	<0.01	2	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
FGWR-02	Rock	12	20	0.09	14	<0.001	<1	0.28	0.014	0.04	<0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
FGWR-03	Rock	<1	17	<0.01	3	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
FGWR-04	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
FGWR-05	Rock	<1	15	<0.01	6	<0.001	<1	0.03	0.003	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
FGWR-06	Rock	2	17	0.07	14	<0.001	<1	0.07	0.005	0.02	<0.1	<0.01	0.5	<0.1	<0.05	<1	1.7	<0.2
FGWSL-02R	Rock	2	21	0.01	14	<0.001	<1	0.08	0.008	0.03	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
FGWR-07	Rock	5	18	0.02	19	<0.001	<1	0.14	0.011	0.05	<0.1	<0.01	0.4	<0.1	0.05	<1	1.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Project: None Given

Report Date: November 09, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN11005597.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS8	Standard	13.6	111.7	122.9	315	1.8	37.9	7.7	628	2.55	25.1	98.7	7.1	70	2.6	5.3	6.4	41	0.76	0.079	
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.1	3.3	44	<0.1	3.0	3.8	580	1.99	<0.5	5.2	5.5	70	<0.1	<0.1	<0.1	37	0.58	0.075



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Project: None Given

Report Date: November 09, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN11005597.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Reference Materials																		
STD DS8	Standard	17	122	0.64	279	0.125	2	1.01	0.104	0.43	3.0	0.22	2.2	5.3	0.16	5	3.7	5.1
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	14	12	0.51	166	0.118	<1	1.02	0.118	0.50	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr
Receiving Lab: Canada-Vancouver
Received: October 18, 2011
Report Date: November 09, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN11005598.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 6

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6
Canada

CC: Warner Gruenwalk
Kristian Whitehead

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include Dry at 60C, SS80, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 09, 2011

**Page:** 2 of 2 Part 1

## CERTIFICATE OF ANALYSIS

VAN11005598.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
FWSL-01	Silt	2.8	56.3	12.1	106	0.6	45.3	17.4	831	3.99	16.7	10.8	3.4	18	0.8	0.5	0.2	31	0.21	0.068	12
FWSL-02	Silt	3.4	41.7	11.5	102	0.6	39.1	17.4	710	3.57	7.4	287.8	2.4	31	0.8	0.4	0.2	32	0.32	0.082	9
FWSL-03	Silt	2.3	31.4	8.3	78	0.6	32.9	17.0	1087	3.21	6.1	3.7	1.4	39	1.0	0.2	0.2	42	0.37	0.074	7
FWSL-04	Silt	3.4	33.6	12.6	112	1.3	39.3	14.3	876	3.74	16.0	154.5	2.6	15	1.0	0.5	0.3	23	0.21	0.061	14
FWSL-05	Silt	14.0	44.4	33.8	368	1.9	103.2	16.6	3454	3.30	<0.5	2.3	1.0	33	11.4	0.3	0.4	22	0.50	0.141	51
FWSL-06	Silt	21.1	49.7	12.4	346	3.0	102.5	13.2	793	3.82	<0.5	2.7	2.5	16	5.0	0.2	0.4	21	0.21	0.098	37



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 09, 2011

**Page:** 2 of 2 Part 2

# CERTIFICATE OF ANALYSIS

VAN11005598.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
FWSL-01	Silt	32	0.73	33	0.016	<1	1.29	0.006	0.04	<0.1	0.02	2.3	<0.1	<0.05	4	1.4	<0.2
FWSL-02	Silt	31	0.63	48	0.028	<1	1.06	0.006	0.05	<0.1	0.01	2.0	<0.1	0.05	3	1.3	<0.2
FWSL-03	Silt	38	0.85	50	0.042	<1	1.27	0.007	0.05	<0.1	0.02	1.9	<0.1	<0.05	3	0.7	<0.2
FWSL-04	Silt	22	0.51	36	0.009	<1	1.05	0.007	0.03	<0.1	0.02	1.6	<0.1	<0.05	4	1.5	<0.2
FWSL-05	Silt	18	0.39	76	0.011	1	1.29	0.009	0.06	<0.1	0.08	1.0	<0.1	0.10	3	4.0	<0.2
FWSL-06	Silt	16	0.38	36	0.011	<1	1.11	0.006	0.04	0.1	0.05	1.6	<0.1	<0.05	3	2.4	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Project: None Given

Report Date: November 09, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN11005598.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Reference Materials																					
STD DS8	Standard	13.0	113.2	125.1	306	1.7	37.5	7.8	624	2.50	23.9	107.5	7.1	72	2.5	6.1	7.3	42	0.68	0.076	14
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**

1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

Project: None Given

Report Date: November 09, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN11005598.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Reference Materials																	
STD DS8	Standard	120	0.60	273	0.114	2	0.90	0.091	0.42	2.8	0.20	2.5	5.3	0.17	5	4.6	5.0
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6 Canada

Submitted By: John Kerr
Receiving Lab: Canada-Vancouver
Received: October 20, 2011
Report Date: November 19, 2011
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN11005660.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Teslin River Resources Corp.
1430 - 800 West Pender Street
Vancouver BC V6C 2V6
Canada

CC: Warner Gruenwalk
Kristian Whitehead

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include Dry at 60C, SS80, and 1DX2.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 2 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
K3000N 7900E	Soil		0.7	31.9	18.5	17	0.7	8.0	4.9	497	1.49	0.6	1.6	0.3	5	0.2	0.1	0.4	11	0.04	0.111	15
K3000N 7950E	Soil		2.1	11.7	8.6	26	0.2	12.7	4.4	440	1.99	0.8	1.9	0.2	3	0.1	0.1	0.4	18	0.02	0.068	8
K3000N 8000E	Soil		2.4	7.5	19.7	21	0.6	6.5	2.1	115	1.48	1.1	1.0	0.2	5	0.2	0.2	0.4	28	0.02	0.044	6
K3000N 8050E	Soil		7.8	29.9	19.5	87	0.4	23.9	7.0	273	3.24	1.0	3.9	0.3	4	0.5	0.2	0.5	27	0.03	0.088	7
K3000N 8100E	Soil		5.6	45.6	21.4	277	0.9	56.3	17.1	1371	4.53	1.3	2.6	1.8	9	1.9	0.2	0.6	29	0.13	0.146	53
K3000N 8150E	Soil		10.5	33.3	17.5	95	3.3	22.7	7.8	429	4.32	1.0	1.8	0.4	4	0.8	0.3	0.5	33	0.02	0.057	8
K3000N 8200E	Soil		10.9	49.8	20.3	274	3.1	41.9	20.5	2828	4.24	0.6	2.2	0.9	28	4.4	0.3	0.4	28	0.43	0.194	21
K3000N 8250E	Soil		8.4	38.4	17.3	150	3.0	26.0	9.8	387	4.60	<0.5	3.0	0.4	12	2.2	0.2	0.5	31	0.16	0.088	8
K3000N 8300E	Soil		14.5	46.0	16.3	163	0.4	25.7	9.6	487	4.49	<0.5	2.2	0.3	6	2.3	0.3	0.5	22	0.03	0.077	5
K3000N 8350E	Soil		6.3	40.0	17.9	105	1.5	27.4	8.6	332	4.28	1.5	3.6	0.3	3	1.0	0.3	0.5	30	0.03	0.064	6
K3000N 8400E	Soil		4.4	48.8	15.6	92	0.8	28.5	9.0	327	5.60	1.7	7.5	0.5	3	0.6	0.2	0.3	42	0.03	0.059	5
K3100N 7900E	Soil		9.6	42.7	16.0	295	0.8	31.7	15.0	846	7.17	<0.5	5.3	1.0	3	2.4	0.3	0.4	17	0.02	0.066	8
K3100N 7950E	Soil		20.3	107.0	19.4	152	0.5	77.0	16.2	327	6.86	1.0	10.6	2.1	5	0.7	0.4	0.8	31	0.03	0.105	13
K3100N 8000E	Soil		2.4	6.8	4.7	20	0.2	5.2	1.5	59	0.90	0.8	5.2	0.1	3	<0.1	<0.1	0.2	15	0.01	0.032	9
K3100N 8050E	Soil		7.2	32.8	22.1	266	1.1	41.9	16.2	2037	3.81	1.0	2.5	1.4	22	4.8	0.2	0.5	26	0.39	0.211	52
K3100N 8100E	Soil		17.9	52.6	27.1	94	0.8	49.3	13.5	917	4.80	1.0	7.1	0.3	4	0.6	0.4	1.0	31	0.02	0.101	8
K3100N 8150E	Soil		17.8	80.0	25.6	174	2.0	45.4	16.7	966	5.91	<0.5	2.1	0.7	4	1.0	0.4	0.5	16	0.02	0.158	6
K3100N 8200E	Soil		6.9	22.9	15.3	78	0.6	24.4	5.3	434	2.93	0.8	22.9	0.2	5	0.6	0.2	0.4	31	0.03	0.092	7
K3100N 8250E	Soil		7.3	27.7	11.7	92	1.0	21.5	7.5	340	3.39	1.1	2.5	0.2	3	0.5	0.2	0.3	23	0.02	0.083	6
K3100N 8300E	Soil		9.2	61.8	14.9	209	2.1	56.8	12.5	527	5.23	0.6	7.4	0.4	2	0.6	0.3	0.4	21	0.02	0.123	5
K3100N 8350E	Soil		21.7	104.0	22.4	418	0.5	78.2	23.3	657	8.31	<0.5	9.1	0.9	4	2.0	0.5	0.6	16	0.05	0.213	7
K3100N 8400E	Soil		6.6	52.0	15.1	398	0.9	52.2	15.9	1076	3.48	0.7	2.6	0.4	10	2.9	0.2	0.3	37	0.17	0.112	8
K3200N 7950E	Soil		6.6	16.2	10.9	48	0.8	12.6	3.2	98	3.41	0.8	3.4	1.5	3	0.2	0.1	0.4	23	0.02	0.111	9
K3200N 8000E	Soil		7.2	44.5	17.1	98	0.3	29.6	8.2	427	3.61	2.2	2.1	0.3	4	0.8	0.2	0.5	23	0.03	0.109	7
K3200N 8050E	Soil		10.0	23.8	16.0	96	0.9	20.4	10.0	536	3.52	1.8	1.6	0.3	9	1.2	0.2	0.5	28	0.09	0.093	12
K3200N 8100E	Soil		7.5	17.0	10.2	51	1.9	9.9	2.3	70	1.85	0.7	6.0	0.4	3	0.2	<0.1	0.4	21	0.01	0.039	10
K3200N 8150E	Soil		6.9	15.7	7.9	55	0.5	15.3	3.6	163	1.63	1.0	4.5	0.4	5	0.3	0.2	0.3	22	0.03	0.048	7
K3200N 8200E	Soil		8.5	22.7	10.5	45	1.2	12.9	3.3	222	2.35	0.6	5.5	0.1	2	0.2	0.2	0.4	14	0.01	0.073	4
K3200N 8250E	Soil		9.2	44.3	15.8	141	0.6	21.0	9.1	603	4.07	1.2	14.1	0.2	4	1.2	0.3	0.4	19	0.03	0.182	5
K3200N 8300E	Soil		5.4	105.3	23.4	295	0.8	44.0	25.4	909	7.74	<0.5	3.2	0.9	4	1.7	0.4	0.4	9	0.05	0.158	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	%	ppm	%	ppm	%	ppm	ppm		
K3000N 7900E	Soil			11	0.12	24	0.005	2	0.58	0.009	0.02	<0.1	0.08	0.3	<0.1	0.11	3	<0.5	<0.2
K3000N 7950E	Soil			10	0.10	22	0.016	1	0.53	0.005	0.03	<0.1	0.05	0.3	<0.1	0.07	5	<0.5	<0.2
K3000N 8000E	Soil			11	0.08	21	0.021	<1	0.70	0.005	0.02	<0.1	0.05	0.4	<0.1	0.10	6	<0.5	<0.2
K3000N 8050E	Soil			14	0.22	27	0.007	2	0.67	0.005	0.02	<0.1	0.07	0.3	<0.1	0.09	4	1.2	<0.2
K3000N 8100E	Soil			24	0.44	47	0.023	1	2.15	0.007	0.03	<0.1	0.11	1.4	<0.1	0.09	5	2.1	<0.2
K3000N 8150E	Soil			17	0.19	24	0.019	<1	0.96	0.005	0.02	<0.1	0.07	0.6	<0.1	0.07	6	2.3	<0.2
K3000N 8200E	Soil			15	0.26	46	0.017	2	1.78	0.012	0.03	<0.1	0.11	1.1	<0.1	0.15	4	3.3	<0.2
K3000N 8250E	Soil			15	0.19	29	0.010	<1	1.16	0.008	0.02	<0.1	0.07	0.6	<0.1	0.10	6	2.5	<0.2
K3000N 8300E	Soil			7	0.07	25	0.008	1	0.57	0.005	0.02	<0.1	0.03	0.5	<0.1	0.08	3	3.2	<0.2
K3000N 8350E	Soil			20	0.27	21	0.018	<1	1.08	0.006	0.02	<0.1	0.10	0.8	<0.1	0.10	4	2.2	<0.2
K3000N 8400E	Soil			31	0.41	24	0.040	1	1.45	0.007	0.02	0.1	0.10	1.0	<0.1	0.10	7	2.1	<0.2
K3100N 7900E	Soil			9	0.06	20	0.008	<1	0.77	0.007	0.02	<0.1	0.06	1.6	<0.1	0.07	3	3.0	<0.2
K3100N 7950E	Soil			22	0.25	24	0.010	<1	1.15	0.007	0.02	<0.1	0.09	1.2	<0.1	0.07	4	4.3	<0.2
K3100N 8000E	Soil			7	0.07	14	0.008	1	0.37	0.007	0.02	<0.1	0.02	0.3	<0.1	0.07	4	<0.5	<0.2
K3100N 8050E	Soil			18	0.43	46	0.015	<1	1.78	0.010	0.04	<0.1	0.07	1.2	<0.1	0.16	4	3.0	<0.2
K3100N 8100E	Soil			14	0.16	28	0.013	2	0.61	0.005	0.02	<0.1	0.06	0.4	<0.1	0.07	6	2.8	<0.2
K3100N 8150E	Soil			9	0.09	26	0.006	<1	0.69	0.006	0.02	0.1	0.07	0.9	<0.1	0.07	2	4.8	<0.2
K3100N 8200E	Soil			10	0.08	29	0.008	<1	0.59	0.006	0.02	<0.1	0.07	0.3	<0.1	0.09	5	2.0	<0.2
K3100N 8250E	Soil			8	0.10	17	0.007	<1	0.54	0.006	0.02	<0.1	0.05	0.4	<0.1	0.09	4	2.0	<0.2
K3100N 8300E	Soil			8	0.21	20	0.007	<1	0.58	0.006	0.02	<0.1	0.08	0.8	<0.1	0.09	4	2.7	<0.2
K3100N 8350E	Soil			6	0.05	21	0.005	<1	0.42	0.006	0.03	0.1	0.05	1.6	<0.1	0.07	2	7.4	<0.2
K3100N 8400E	Soil			30	0.49	51	0.030	2	1.50	0.011	0.03	<0.1	0.04	1.2	<0.1	0.11	4	3.0	<0.2
K3200N 7950E	Soil			17	0.28	19	0.005	1	0.88	0.006	0.03	<0.1	0.09	0.5	<0.1	<0.05	4	1.2	<0.2
K3200N 8000E	Soil			13	0.14	25	0.010	<1	0.55	0.007	0.03	<0.1	0.08	0.3	<0.1	<0.05	4	1.8	<0.2
K3200N 8050E	Soil			16	0.27	32	0.015	<1	1.01	0.008	0.03	<0.1	0.06	0.4	<0.1	0.07	5	1.7	<0.2
K3200N 8100E	Soil			12	0.24	31	0.010	<1	1.02	0.005	0.03	<0.1	0.07	0.4	<0.1	<0.05	4	1.0	<0.2
K3200N 8150E	Soil			8	0.06	30	0.005	<1	0.42	0.005	0.02	<0.1	0.03	0.2	<0.1	<0.05	4	0.9	<0.2
K3200N 8200E	Soil			7	0.04	18	0.009	<1	0.53	0.006	0.02	<0.1	0.07	0.2	<0.1	0.06	3	1.5	<0.2
K3200N 8250E	Soil			8	0.08	27	0.007	2	0.44	0.007	0.02	<0.1	0.05	0.4	<0.1	<0.05	3	3.0	<0.2
K3200N 8300E	Soil			6	0.07	18	0.005	<1	0.62	0.006	0.01	0.1	0.06	2.1	<0.1	<0.05	1	5.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 3 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
K3200N 8350E	Soil		21.3	26.4	13.4	47	1.0	12.5	3.1	290	2.57	1.2	6.1	0.2	3	0.5	0.2	0.5	26	0.01	0.098	4
K3200N 8400E	Soil		9.0	67.2	12.3	109	1.3	46.0	7.1	242	3.96	0.8	3.9	0.3	2	0.3	0.5	0.4	33	<0.01	0.080	6
K3300N 8000E	Soil		1.3	3.5	5.2	13	<0.1	3.2	0.8	103	0.41	0.8	0.8	0.6	4	<0.1	<0.1	0.2	8	0.03	0.022	13
K3300N 8050E	Soil		3.6	12.9	10.0	20	0.6	6.0	1.8	264	1.54	0.8	3.5	0.2	3	0.2	0.1	0.4	15	<0.01	0.062	8
K3300N 8100E	Soil		9.2	24.6	12.8	59	1.0	14.7	3.3	174	3.00	1.2	5.7	0.3	3	0.2	0.2	0.5	24	0.01	0.084	8
K3300N 8150E	Soil		3.9	26.0	11.1	70	1.5	22.4	8.1	283	5.47	1.5	700.9	0.3	3	0.6	0.3	0.4	24	0.02	0.113	7
K3300N 8200E	Soil		9.0	48.6	15.7	166	0.7	21.8	12.5	1012	5.73	1.4	5.6	0.5	5	1.0	0.3	0.4	23	0.04	0.187	6
K3300N 8250E	Soil		8.0	39.8	14.8	94	0.5	44.6	5.8	306	2.60	0.7	3.2	0.3	3	0.2	0.4	0.7	28	0.02	0.060	8
K3300N 8300E	Soil		5.1	15.9	7.2	39	0.5	15.0	2.5	193	1.56	0.7	3.1	0.2	3	0.1	0.2	0.4	27	0.01	0.036	8
K3300N 8350E	Soil		34.1	44.1	12.9	216	3.1	53.8	5.8	471	2.67	<0.5	2.1	0.3	3	0.9	0.4	0.4	35	0.01	0.066	7
K3300N 8400E	Soil		22.5	48.4	21.7	91	1.5	26.9	8.7	420	3.95	0.9	2.9	0.5	3	0.9	0.3	0.5	23	0.02	0.075	5
K3400N 8000E	Soil		8.4	56.3	8.6	147	0.3	43.0	7.9	133	3.50	<0.5	6.3	5.9	4	0.4	0.2	0.4	22	0.02	0.071	20
K3400N 8050E	Soil		9.6	42.6	14.5	116	1.2	30.8	7.3	258	4.40	1.3	7.6	1.6	5	0.5	0.2	0.5	24	0.03	0.114	12
K3400N 8100E	Soil		6.0	24.5	6.8	54	0.7	16.1	3.3	113	1.39	<0.5	1.8	0.1	6	0.2	0.2	0.3	23	0.04	0.040	9
K3400N 8150E	Soil		16.3	69.5	18.7	123	1.1	45.8	8.7	299	4.69	<0.5	5.1	0.8	3	0.4	0.4	0.4	26	0.01	0.080	8
K3400N 8200E	Soil		7.9	75.8	18.7	178	0.4	76.0	9.3	591	4.15	0.8	7.4	0.8	3	0.3	0.4	0.6	30	0.02	0.132	12
K3400N 8250E	Soil		9.8	70.8	13.9	162	2.3	39.6	10.9	528	3.72	<0.5	9.9	1.6	3	0.5	0.3	0.4	18	0.02	0.111	12
K3400N 8300E	Soil		5.6	254.3	8.4	371	0.9	146.2	22.9	1025	5.79	<0.5	4.4	2.7	5	1.3	0.4	0.2	3	0.05	0.096	5
K3400N 8350E	Soil		6.9	39.6	20.5	80	0.5	19.9	6.5	367	3.69	1.5	2.4	0.2	4	0.7	0.2	0.5	29	0.01	0.061	6
K3400N 8400E	Soil		12.5	84.7	26.2	137	1.1	33.5	15.5	1012	4.62	3.7	1.6	0.5	7	1.4	0.4	0.5	14	0.06	0.085	6
K3500N 8000E	Soil		10.4	32.4	12.3	89	0.8	24.8	4.4	135	2.96	1.2	67.3	0.7	5	0.3	0.2	0.4	21	0.04	0.149	10
K3500N 8050E	Soil		4.5	11.8	7.8	30	3.3	8.3	2.0	80	2.20	1.0	11.2	0.3	4	0.3	<0.1	0.4	23	0.01	0.099	12
K3500N 8100E	Soil		3.0	6.0	3.6	20	0.1	5.6	0.9	37	0.41	<0.5	12.6	0.4	3	<0.1	<0.1	0.1	9	0.02	0.024	12
K3500N 8150E	Soil		24.2	70.2	20.8	173	0.7	53.5	8.4	537	3.55	0.5	2.3	0.6	6	0.4	0.4	0.3	21	0.03	0.084	7
K3500N 8200E	Soil		5.3	10.2	3.6	34	0.8	9.3	2.1	89	1.07	<0.5	3.2	0.3	3	0.2	0.1	0.2	13	0.01	0.052	13
K3500N 8250E	Soil		5.7	10.2	6.4	26	0.5	6.5	1.5	44	0.80	<0.5	4.0	0.1	3	0.2	<0.1	0.2	14	0.01	0.030	10
K3500N 8300E	Soil		17.1	76.8	27.3	314	1.7	64.6	15.0	2461	3.89	2.1	1.4	0.7	9	6.5	0.3	0.5	20	0.07	0.133	8
K3500N 8350E	Soil		16.0	43.9	18.0	112	1.9	37.9	4.8	217	3.06	1.5	1.4	0.2	4	0.4	0.3	0.4	26	0.04	0.088	7
K3500N 8400E	Soil		7.1	10.8	12.9	34	0.4	8.1	1.4	91	1.09	<0.5	0.7	<0.1	4	0.3	<0.1	0.4	23	0.02	0.038	9
K4300N 6400E	Soil		37.3	88.6	44.4	241	0.8	45.6	13.0	1348	5.53	38.0	26.4	0.4	27	0.9	1.5	0.4	52	0.03	0.172	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 19, 2011

**Page:** 3 of 6 Part 2

# CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
K3200N 8350E	Soil	10	0.09	23	0.006	<1	0.61	0.007	0.03	0.1	0.07	0.3	<0.1	0.06	4	1.5	<0.2
K3200N 8400E	Soil	9	0.07	24	0.006	<1	0.62	0.005	0.02	<0.1	0.04	0.3	<0.1	<0.05	5	4.1	0.4
K3300N 8000E	Soil	4	0.02	14	0.006	1	0.25	0.005	0.02	<0.1	0.01	0.3	<0.1	<0.05	3	<0.5	<0.2
K3300N 8050E	Soil	7	0.04	25	0.008	2	0.46	0.007	0.02	<0.1	0.03	0.2	<0.1	<0.05	4	1.0	<0.2
K3300N 8100E	Soil	13	0.12	25	0.010	<1	1.02	0.007	0.03	0.1	0.08	0.4	<0.1	<0.05	4	1.7	<0.2
K3300N 8150E	Soil	14	0.18	21	0.009	<1	0.97	0.005	0.03	<0.1	0.08	0.4	<0.1	0.06	4	2.0	<0.2
K3300N 8200E	Soil	13	0.16	28	0.011	1	1.05	0.004	0.02	<0.1	0.10	0.8	<0.1	<0.05	4	3.5	<0.2
K3300N 8250E	Soil	10	0.13	35	0.008	1	0.47	0.004	0.02	<0.1	0.03	0.3	<0.1	<0.05	5	2.8	<0.2
K3300N 8300E	Soil	6	0.04	24	0.010	2	0.37	0.005	0.03	<0.1	0.03	0.5	<0.1	<0.05	5	0.9	<0.2
K3300N 8350E	Soil	5	0.04	35	0.004	2	0.27	0.002	0.02	0.2	0.03	0.4	<0.1	<0.05	3	4.1	<0.2
K3300N 8400E	Soil	9	0.06	31	0.009	<1	0.98	0.004	0.02	0.2	0.14	0.4	<0.1	<0.05	3	3.7	<0.2
K3400N 8000E	Soil	15	0.40	30	0.002	1	1.04	0.006	0.04	<0.1	0.03	1.2	<0.1	<0.05	4	1.4	<0.2
K3400N 8050E	Soil	22	0.33	40	0.009	<1	1.53	0.005	0.03	0.1	0.12	1.1	<0.1	<0.05	4	3.1	<0.2
K3400N 8100E	Soil	8	0.04	32	0.008	1	0.38	0.006	0.02	<0.1	0.04	0.2	<0.1	<0.05	4	1.6	<0.2
K3400N 8150E	Soil	16	0.14	33	0.009	<1	1.15	0.003	0.02	0.1	0.09	1.0	<0.1	<0.05	4	5.5	<0.2
K3400N 8200E	Soil	9	0.07	26	0.018	1	0.40	0.003	0.02	<0.1	0.04	0.7	<0.1	<0.05	5	5.0	0.3
K3400N 8250E	Soil	13	0.20	47	0.005	<1	1.11	0.007	0.03	<0.1	0.07	0.9	<0.1	<0.05	3	3.5	0.2
K3400N 8300E	Soil	7	0.09	21	0.002	<1	0.55	0.002	0.02	<0.1	0.06	1.8	<0.1	<0.05	<1	10.6	<0.2
K3400N 8350E	Soil	10	0.08	32	0.012	<1	0.68	0.005	0.02	0.1	0.05	0.5	<0.1	<0.05	5	2.2	<0.2
K3400N 8400E	Soil	10	0.10	38	0.010	1	1.06	0.004	0.03	0.1	0.11	0.9	<0.1	<0.05	3	4.4	<0.2
K3500N 8000E	Soil	12	0.14	26	0.004	1	0.58	0.004	0.03	<0.1	0.07	0.4	<0.1	<0.05	4	1.9	<0.2
K3500N 8050E	Soil	11	0.10	22	0.007	<1	0.69	0.005	0.03	<0.1	0.06	0.3	<0.1	<0.05	6	1.0	<0.2
K3500N 8100E	Soil	4	0.01	20	0.005	2	0.17	0.005	0.02	<0.1	0.02	0.3	<0.1	<0.05	3	<0.5	<0.2
K3500N 8150E	Soil	7	0.03	31	0.007	1	0.24	0.003	0.02	<0.1	0.03	0.7	<0.1	<0.05	3	5.5	<0.2
K3500N 8200E	Soil	5	0.03	17	0.006	<1	0.22	0.004	0.02	<0.1	0.03	0.2	<0.1	<0.05	3	1.0	<0.2
K3500N 8250E	Soil	7	0.02	22	0.005	<1	0.27	0.005	0.02	<0.1	0.02	0.1	<0.1	<0.05	3	1.0	<0.2
K3500N 8300E	Soil	12	0.16	52	0.010	<1	1.20	0.005	0.03	<0.1	0.08	1.1	<0.1	<0.05	3	3.1	<0.2
K3500N 8350E	Soil	13	0.13	30	0.006	2	0.44	0.004	0.03	0.1	0.09	0.5	<0.1	<0.05	3	3.1	<0.2
K3500N 8400E	Soil	11	0.07	34	0.006	<1	0.49	0.005	0.02	0.1	0.03	0.3	<0.1	<0.05	4	1.0	<0.2
K4300N 6400E	Soil	20	0.13	94	0.010	<1	0.82	0.011	0.06	0.1	0.04	0.5	0.3	0.10	5	6.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 4 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
K4300N 665E0	Soil		21.4	58.3	35.7	286	0.4	57.0	16.1	1369	5.57	2.8	<0.5	0.6	11	1.2	0.4	0.6	34	0.04	0.126	11
K4300N 6500E	Soil		17.2	56.6	29.5	226	0.7	43.3	15.1	1252	4.98	1.7	1.5	0.4	7	1.3	0.3	0.5	31	0.04	0.126	9
K4300N 6550E	Soil		6.8	37.7	20.5	103	0.5	25.8	10.9	1128	3.66	9.7	12.5	0.4	8	0.6	0.5	0.4	27	0.04	0.134	10
K4300N 6600E	Soil		15.8	53.7	22.3	236	0.4	53.5	24.2	1613	5.36	51.1	4.5	0.7	19	3.0	0.8	0.3	32	0.22	0.193	10
K4300N 6650E	Soil		7.9	42.8	21.2	134	0.6	36.1	14.0	1301	4.19	20.4	6.2	0.6	8	0.6	0.5	0.4	31	0.05	0.139	12
K4300N 6700E	Soil		6.1	40.2	13.4	113	0.6	58.5	24.6	1589	5.28	28.5	4.7	1.1	5	0.4	0.8	0.3	34	0.02	0.140	11
K4300N 6750E	Soil		11.3	53.9	12.8	162	0.8	47.9	10.8	439	5.58	34.3	3.6	1.0	5	0.6	1.0	0.4	27	0.02	0.110	11
K4300N 6800E	Soil		17.1	99.0	30.2	316	2.9	75.4	21.6	1862	4.00	44.1	6.5	0.8	23	10.1	2.0	0.5	24	0.27	0.167	12
K4300N 6850E	Soil		19.0	68.8	28.3	221	1.5	40.7	26.2	1999	4.17	33.5	3.8	0.5	9	3.6	1.1	0.4	31	0.07	0.147	8
K4300N 6900E	Soil		7.8	54.3	33.5	211	0.5	57.1	21.7	1905	3.69	50.5	1.7	0.3	22	8.6	0.9	0.5	19	0.22	0.195	8
K4300N 6950E	Soil		14.4	64.3	27.2	329	1.2	68.4	31.9	2987	4.54	63.2	3.6	0.5	18	7.0	1.2	0.5	23	0.17	0.197	10
K4300N 7000E	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
K4300N 7050E	Soil		13.0	84.8	30.0	370	0.7	70.1	29.2	3559	4.42	47.8	5.4	0.6	32	4.7	1.3	0.5	43	0.32	0.280	9
K4300N 7100E	Soil		16.4	53.0	28.8	204	0.4	35.6	24.9	2520	5.28	57.3	28.0	0.3	10	1.4	1.2	0.5	42	0.07	0.197	10
K4300N 7150E	Soil		11.0	52.1	25.8	259	1.7	46.8	21.6	1730	4.94	32.6	9.0	0.6	21	5.9	0.7	0.6	25	0.37	0.178	9
K4300N 7200E	Soil		12.4	57.5	22.9	221	3.2	55.0	27.4	1895	5.11	39.1	47.7	0.8	36	3.8	0.9	0.5	22	0.82	0.159	8
K4400N 6450E	Soil		12.5	56.9	25.2	166	0.6	40.7	15.0	1233	3.84	7.2	1.5	0.2	6	0.6	0.3	0.5	30	0.05	0.119	8
K4400N 6500E	Soil		22.1	88.6	21.2	323	0.6	68.4	23.4	1441	5.94	20.3	42.6	0.4	8	1.8	0.3	0.3	49	0.04	0.169	6
K4400N 6550E	Soil		7.6	36.2	31.1	116	0.2	36.3	12.9	2582	2.75	6.1	1.7	0.2	5	0.4	0.4	0.4	28	0.02	0.105	11
K4400N 6600E	Soil		7.0	38.1	37.2	204	0.9	43.0	19.5	2750	5.28	18.4	6.6	0.4	15	3.4	0.3	0.5	23	0.21	0.189	8
K4400N 6650E	Soil		5.9	40.5	13.9	142	0.4	48.1	23.7	1806	5.46	41.9	5.4	0.9	5	0.5	0.4	0.2	34	0.06	0.208	9
K4400N 6700E	Soil		10.5	47.0	17.8	174	0.6	43.8	10.9	1290	3.80	39.8	4.0	0.3	7	0.7	0.6	0.3	26	0.08	0.150	11
K4400N 6750E	Soil		7.2	38.2	16.5	128	3.2	41.1	11.1	935	4.27	38.9	11.9	0.4	4	0.5	0.8	0.3	33	0.02	0.114	12
K4400N 6800E	Soil		10.7	55.0	30.2	319	0.9	51.8	19.4	2272	3.86	63.5	4.0	0.4	18	9.4	4.5	0.4	28	0.27	0.233	15
K4400N 6850E	Soil		15.0	72.3	18.5	199	1.0	56.1	11.5	1310	3.23	48.5	4.0	0.3	4	1.6	1.0	0.4	29	0.04	0.097	9
K4400N 6900E	Soil		9.9	40.1	10.1	93	3.7	28.9	3.2	122	2.14	54.6	3.4	0.4	2	0.3	0.3	0.3	27	<0.01	0.085	13
K4400N 6950E	Soil		24.9	118.3	25.1	348	0.5	108.6	17.5	1098	6.51	68.6	5.6	0.5	3	0.7	1.1	0.6	26	0.02	0.133	9
K4400N 7000E	Soil		12.7	80.9	20.6	231	5.4	55.1	32.0	1570	3.72	81.0	7.6	0.4	13	7.0	0.8	0.4	19	0.19	0.152	16
K4400N 7050E	Soil		12.8	47.3	15.9	882	2.8	83.4	15.3	652	4.21	79.5	18.6	1.1	29	39.3	2.2	0.5	20	0.65	0.194	10
K4400N 7100E	Soil		10.9	30.8	14.6	140	0.8	39.5	7.9	305	3.26	75.1	11.6	0.3	5	0.8	0.5	0.4	23	0.06	0.093	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
K4300N 665E0	Soil	11	0.11	78	0.005	<1	0.65	0.006	0.04	<0.1	0.03	0.6	0.1	<0.05	4	4.8	<0.2
K4300N 6500E	Soil	12	0.10	58	0.007	1	0.85	0.005	0.04	<0.1	0.04	0.6	0.1	<0.05	5	3.5	<0.2
K4300N 6550E	Soil	15	0.22	62	0.006	1	0.88	0.011	0.05	<0.1	0.04	0.4	0.1	<0.05	5	2.4	<0.2
K4300N 6600E	Soil	23	0.30	86	0.007	1	1.03	0.005	0.06	<0.1	0.03	0.7	<0.1	<0.05	4	3.8	<0.2
K4300N 6650E	Soil	19	0.25	52	0.008	<1	1.04	0.006	0.05	<0.1	0.05	0.5	<0.1	<0.05	5	2.4	<0.2
K4300N 6700E	Soil	31	0.26	53	0.010	1	1.10	0.005	0.04	<0.1	0.03	1.1	<0.1	<0.05	5	1.5	<0.2
K4300N 6750E	Soil	24	0.23	36	0.008	<1	0.93	0.006	0.03	<0.1	0.02	0.7	<0.1	<0.05	5	3.4	<0.2
K4300N 6800E	Soil	15	0.28	103	0.007	<1	1.17	0.007	0.05	<0.1	0.04	1.3	<0.1	<0.05	4	7.0	<0.2
K4300N 6850E	Soil	13	0.14	96	0.005	<1	0.99	0.006	0.05	<0.1	0.04	0.4	0.1	0.08	4	5.7	<0.2
K4300N 6900E	Soil	9	0.14	99	0.004	1	0.60	0.007	0.05	<0.1	0.02	0.5	<0.1	0.05	4	5.6	<0.2
K4300N 6950E	Soil	14	0.26	123	0.008	<1	1.21	0.008	0.05	<0.1	0.02	0.8	<0.1	0.05	4	4.1	<0.2
K4300N 7000E	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
K4300N 7050E	Soil	22	0.60	169	0.010	1	1.59	0.008	0.08	<0.1	0.03	1.3	0.1	<0.05	5	5.7	<0.2
K4300N 7100E	Soil	15	0.18	113	0.005	1	1.12	0.006	0.07	<0.1	0.04	0.4	0.1	0.08	5	4.2	<0.2
K4300N 7150E	Soil	14	0.17	71	0.007	<1	1.30	0.006	0.06	<0.1	0.08	1.2	<0.1	0.07	3	4.0	<0.2
K4300N 7200E	Soil	13	0.20	103	0.007	2	1.44	0.007	0.05	<0.1	0.17	1.6	0.1	0.10	3	3.8	0.3
K4400N 6450E	Soil	13	0.21	52	0.004	2	0.71	0.004	0.03	<0.1	0.04	0.3	0.1	<0.05	4	2.3	<0.2
K4400N 6500E	Soil	47	0.37	60	0.006	2	1.24	0.003	0.03	<0.1	0.04	1.1	<0.1	0.08	5	4.7	<0.2
K4400N 6550E	Soil	14	0.03	118	0.004	2	0.39	0.004	0.06	<0.1	0.02	0.3	0.1	0.07	3	2.1	<0.2
K4400N 6600E	Soil	11	0.16	103	0.006	2	0.94	0.006	0.04	<0.1	0.03	0.6	0.1	0.09	4	7.6	<0.2
K4400N 6650E	Soil	27	0.24	54	0.007	1	1.07	0.005	0.04	<0.1	0.02	0.8	<0.1	0.07	5	1.8	<0.2
K4400N 6700E	Soil	10	0.11	46	0.004	1	0.51	0.004	0.04	<0.1	0.02	0.3	<0.1	0.06	4	3.5	<0.2
K4400N 6750E	Soil	15	0.15	40	0.007	1	0.89	0.003	0.03	<0.1	0.04	0.4	<0.1	0.06	5	2.6	<0.2
K4400N 6800E	Soil	16	0.18	91	0.008	2	1.24	0.004	0.07	<0.1	0.04	0.8	<0.1	0.09	4	5.2	<0.2
K4400N 6850E	Soil	8	0.04	85	0.006	1	0.55	0.003	0.04	<0.1	0.03	0.4	<0.1	0.07	4	2.5	0.2
K4400N 6900E	Soil	7	0.03	32	0.004	1	0.46	0.005	0.03	<0.1	0.05	0.3	0.1	<0.05	4	2.0	<0.2
K4400N 6950E	Soil	11	0.05	52	0.007	<1	0.73	0.004	0.03	<0.1	0.04	0.8	<0.1	<0.05	4	2.2	0.3
K4400N 7000E	Soil	12	0.12	140	0.005	1	1.20	0.005	0.04	<0.1	0.04	1.3	0.1	0.07	3	6.4	<0.2
K4400N 7050E	Soil	15	0.24	72	0.006	1	1.11	0.006	0.03	<0.1	0.06	1.9	<0.1	0.09	3	2.6	<0.2
K4400N 7100E	Soil	7	0.03	46	0.003	2	0.36	0.004	0.04	<0.1	0.07	0.4	<0.1	<0.05	3	2.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 5 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
K4500N 6600E	Soil		4.7	29.0	16.5	138	0.4	41.9	26.5	3285	6.68	53.9	2.0	0.8	8	0.7	0.4	0.2	36	0.08	0.176	7
K4500N 6650E	Soil		8.4	19.8	14.4	77	0.2	13.6	8.4	943	2.13	16.0	1.6	0.2	6	0.4	0.4	0.3	36	0.03	0.109	13
K4500N 6700E	Soil		12.8	53.5	25.2	236	1.7	39.2	31.0	2198	4.79	65.4	4.8	0.8	12	2.8	0.7	0.4	38	0.14	0.196	19
K4500N 6750E	Soil		4.7	21.8	13.1	116	0.7	24.8	9.2	976	3.95	43.4	10.2	0.4	10	0.9	0.4	0.4	33	0.11	0.145	11
K4500N 6800E	Soil		11.7	44.2	9.1	134	1.6	28.4	5.2	162	2.38	33.8	10.1	0.2	4	0.5	1.9	0.3	33	0.02	0.066	9
K4500N 6850E	Soil		15.9	66.1	17.7	148	0.4	35.8	11.2	873	5.47	56.1	4.2	0.4	4	0.4	1.3	0.4	38	0.02	0.102	9
K4500N 6900E	Soil		12.8	46.4	16.8	112	0.6	25.4	10.5	1232	3.62	65.6	4.5	0.2	5	0.3	0.7	0.4	24	0.03	0.120	9
K4500N 6950E	Soil		11.5	36.0	17.4	163	1.1	28.7	8.3	537	4.09	64.9	20.1	0.3	4	0.6	1.1	0.4	22	0.03	0.145	9
K4500N 7000E	Soil		133.9	37.3	15.4	565	1.0	117.1	8.2	435	2.57	172.7	8.2	0.4	3	1.8	14.4	0.3	90	0.05	0.097	13
K4500N 7050E	Soil		7.0	28.7	12.5	99	0.9	26.0	19.1	1299	3.65	15.8	6.5	0.3	5	0.8	0.5	0.4	22	0.08	0.158	9
K4600N 6900E	Soil		16.5	67.5	19.1	159	0.8	43.8	15.1	1303	5.49	77.8	11.9	1.3	8	0.5	1.2	0.4	34	0.02	0.141	14
K4600N 6950E	Soil		112.8	49.0	32.6	618	1.3	102.6	14.5	1222	3.97	291.4	6.3	0.6	5	4.5	10.2	0.4	86	0.07	0.156	14
K4600N 7000E	Soil		3.9	26.5	15.1	72	0.1	20.4	9.3	918	4.52	25.2	3.4	0.4	4	0.3	0.5	0.5	30	0.02	0.100	12
K4600N 7050E	Soil		3.6	40.8	23.8	74	3.3	24.1	28.7	1430	3.80	19.9	2.9	0.4	5	0.4	0.6	0.5	25	0.09	0.142	9
K4600N 7100E	Soil		4.2	31.7	20.4	71	0.6	22.8	11.1	865	4.82	17.3	8.5	0.5	4	0.2	0.6	0.9	36	0.03	0.074	15
K4600N 7150E	Soil		2.4	26.8	20.5	61	0.6	16.9	15.1	1472	3.36	13.4	2.0	0.3	7	0.2	0.5	0.5	25	0.15	0.131	7
K4600N 7200E	Soil		3.4	35.5	18.4	82	0.4	28.4	16.5	863	4.78	42.9	7.6	0.4	4	0.3	0.7	0.5	24	0.06	0.145	10
K4700N 6950E	Soil		6.2	27.1	16.5	61	0.4	18.2	7.3	656	5.01	33.2	10.1	0.6	3	0.1	0.7	0.5	39	0.02	0.125	12
K4700N 7000E	Soil		4.7	21.1	12.7	43	0.2	12.2	6.6	1049	2.88	17.6	3.4	0.4	3	0.1	0.5	0.4	36	0.01	0.076	14
K4700N 7050E	Soil		3.1	20.8	14.0	41	0.3	12.8	5.0	378	3.52	20.7	5.4	0.3	4	0.2	0.5	0.6	31	0.03	0.101	14
K4700N 7100E	Soil		3.6	31.1	16.5	65	0.4	23.7	14.0	1051	3.63	16.2	3.7	0.2	7	0.5	0.8	0.7	31	0.10	0.126	12
K4700N 7150E	Soil		3.7	27.3	11.4	54	0.7	21.1	8.2	302	3.42	16.3	6.4	0.3	6	0.2	0.6	0.6	27	0.08	0.083	15
K4700N 7200E	Soil		2.2	18.0	7.4	38	0.1	19.5	6.5	243	2.41	13.4	6.3	0.3	4	0.1	0.5	0.4	28	0.04	0.049	14
K4800N 7000E	Soil		2.8	13.2	13.0	23	0.3	7.5	4.1	371	1.82	20.9	21.8	0.2	4	0.2	0.4	0.4	24	0.04	0.102	12
K4800N 7050E	Soil		2.6	18.8	14.2	32	0.1	9.6	3.4	368	2.64	21.5	42.8	0.5	3	0.1	0.4	0.7	32	0.02	0.111	22
K4800N 7100E	Soil		3.4	30.3	10.6	60	0.4	20.6	7.3	386	3.62	23.4	12.8	0.5	4	0.1	0.7	0.6	28	0.02	0.091	18
K4800N 7150E	Soil		3.1	34.0	11.0	49	1.0	21.8	7.7	269	4.69	17.1	10.6	0.6	3	0.2	0.8	0.6	31	0.02	0.064	19
K4800N 7200E	Soil		3.2	24.4	12.8	51	0.7	19.5	16.3	3271	3.12	10.6	5.2	0.2	6	0.3	0.5	0.5	27	0.05	0.104	11
K4800N 7250E	Soil		1.5	10.0	8.1	17	0.6	5.6	2.3	154	1.57	7.2	23.2	0.2	4	0.2	0.2	0.6	22	0.03	0.059	17
K4800N 7300E	Soil		2.8	18.0	6.9	27	0.4	25.9	7.9	149	2.56	51.5	6.2	4.2	3	<0.1	0.6	0.6	17	0.02	0.045	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
K4500N 6600E	Soil	23	0.24	79	0.008	1	1.09	0.004	0.03	<0.1	0.04	1.6	<0.1	0.07	4	1.1	<0.2
K4500N 6650E	Soil	10	0.13	44	0.007	3	0.67	0.005	0.04	<0.1	0.04	0.2	<0.1	0.05	5	1.6	<0.2
K4500N 6700E	Soil	19	0.38	60	0.006	1	1.63	0.005	0.04	<0.1	0.04	0.8	<0.1	0.10	5	7.5	<0.2
K4500N 6750E	Soil	19	0.28	56	0.015	1	1.47	0.006	0.03	<0.1	0.03	0.6	<0.1	0.10	6	2.5	<0.2
K4500N 6800E	Soil	12	0.04	37	0.009	2	0.39	0.004	0.04	<0.1	0.03	0.4	<0.1	<0.05	3	2.8	<0.2
K4500N 6850E	Soil	13	0.06	54	0.011	<1	0.74	0.003	0.03	<0.1	0.04	0.5	0.1	<0.05	5	3.0	0.2
K4500N 6900E	Soil	9	0.04	52	0.004	<1	0.48	0.004	0.03	<0.1	0.04	0.4	<0.1	0.06	4	1.2	<0.2
K4500N 6950E	Soil	9	0.07	39	0.003	1	0.64	0.005	0.03	<0.1	0.04	0.6	<0.1	<0.05	3	2.0	<0.2
K4500N 7000E	Soil	8	0.04	29	0.003	1	0.40	0.004	0.03	1.0	0.23	0.7	0.7	<0.05	2	4.3	<0.2
K4500N 7050E	Soil	13	0.13	59	0.005	1	1.08	0.006	0.03	<0.1	0.04	0.5	<0.1	0.07	4	2.9	<0.2
K4600N 6900E	Soil	18	0.25	71	0.005	<1	1.46	0.006	0.04	<0.1	0.06	1.3	0.1	<0.05	5	3.9	0.2
K4600N 6950E	Soil	12	0.06	43	0.003	<1	0.61	0.004	0.03	0.9	0.13	1.0	0.5	<0.05	2	7.7	<0.2
K4600N 7000E	Soil	14	0.14	44	0.005	<1	0.78	0.005	0.03	<0.1	0.03	0.5	<0.1	<0.05	7	0.7	<0.2
K4600N 7050E	Soil	15	0.19	47	0.006	2	1.28	0.006	0.06	<0.1	0.13	0.5	<0.1	0.09	5	0.7	<0.2
K4600N 7100E	Soil	11	0.07	41	0.009	1	0.69	0.006	0.03	<0.1	0.05	0.5	<0.1	<0.05	6	0.6	<0.2
K4600N 7150E	Soil	12	0.13	63	0.003	2	0.63	0.007	0.03	<0.1	0.04	0.3	<0.1	<0.05	5	0.9	<0.2
K4600N 7200E	Soil	13	0.14	59	0.005	<1	0.76	0.008	0.03	<0.1	0.06	0.5	<0.1	0.05	5	1.1	<0.2
K4700N 6950E	Soil	20	0.24	25	0.007	<1	1.18	0.006	0.02	0.1	0.06	0.5	<0.1	<0.05	7	1.4	<0.2
K4700N 7000E	Soil	10	0.06	40	0.009	1	0.61	0.007	0.03	<0.1	0.03	0.5	<0.1	<0.05	6	0.8	<0.2
K4700N 7050E	Soil	13	0.10	31	0.007	1	0.64	0.009	0.04	<0.1	0.05	0.3	<0.1	<0.05	7	0.6	<0.2
K4700N 7100E	Soil	12	0.11	54	0.006	1	0.74	0.009	0.04	<0.1	0.03	0.3	<0.1	0.06	6	1.0	<0.2
K4700N 7150E	Soil	11	0.11	36	0.005	1	0.71	0.009	0.04	<0.1	0.03	0.4	<0.1	0.06	5	<0.5	<0.2
K4700N 7200E	Soil	7	0.05	28	0.010	2	0.35	0.011	0.03	0.1	0.02	0.4	<0.1	<0.05	4	<0.5	<0.2
K4800N 7000E	Soil	10	0.04	26	0.003	2	0.50	0.006	0.03	<0.1	0.09	0.3	<0.1	<0.05	6	<0.5	<0.2
K4800N 7050E	Soil	10	0.06	29	0.007	2	0.53	0.008	0.03	0.1	0.04	0.2	<0.1	<0.05	6	<0.5	<0.2
K4800N 7100E	Soil	12	0.10	34	0.010	1	0.68	0.008	0.03	<0.1	0.04	0.4	<0.1	<0.05	6	1.0	<0.2
K4800N 7150E	Soil	13	0.08	21	0.008	<1	0.75	0.008	0.02	0.1	0.06	0.5	<0.1	<0.05	7	0.9	<0.2
K4800N 7200E	Soil	13	0.15	61	0.007	1	0.91	0.009	0.04	<0.1	0.03	0.3	<0.1	0.06	5	0.9	<0.2
K4800N 7250E	Soil	9	0.07	24	0.005	<1	0.60	0.008	0.03	<0.1	0.04	0.2	<0.1	<0.05	5	<0.5	<0.2
K4800N 7300E	Soil	6	0.04	28	0.003	1	0.47	0.012	0.03	<0.1	0.06	1.2	<0.1	<0.05	3	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 6 of 6 Part 1

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
				ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
				0.1	0.1	0.1	1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1		
K4900N 7100E	Soil			2.3	13.9	4.2	29	0.1	9.1	3.7	218	1.43	9.4	11.1	1.5	3	<0.1	0.4	0.3	27	<0.01	0.031	30
K4900N 7150E	Soil			2.2	32.0	10.3	55	0.3	20.5	7.1	306	3.24	21.5	25.2	1.0	3	<0.1	0.7	0.5	33	0.02	0.049	23
K4900N 7200E	Soil			4.2	22.9	6.1	33	0.7	14.8	5.7	217	3.32	10.7	8.6	1.3	3	0.2	0.5	0.4	23	<0.01	0.057	20
K4900N 7250E	Soil			2.9	30.3	9.4	39	0.8	16.1	6.4	198	3.60	11.7	20.6	0.7	2	0.2	0.5	0.7	30	<0.01	0.065	16
K4900N 7300E	Soil			2.8	24.5	5.2	39	0.2	18.9	7.1	188	2.24	12.1	12.1	0.7	3	0.1	0.6	0.4	28	0.01	0.045	25
K4900N 7350E	Soil			1.8	7.6	3.5	24	0.2	15.2	4.5	161	1.90	34.0	38.2	0.9	3	<0.1	0.5	0.3	23	0.01	0.035	18
K5000N 7050E	Soil			1.9	13.6	4.4	28	0.2	8.6	3.0	115	1.34	11.6	15.3	1.8	2	<0.1	0.4	0.2	22	0.02	0.033	26
K5000N 7100E	Soil			0.9	10.5	5.0	19	0.2	6.1	2.1	131	1.26	7.2	8.4	0.3	3	<0.1	0.2	0.3	13	<0.01	0.054	17
K5000N 7150E	Soil			2.2	35.6	11.7	55	1.1	21.4	8.1	426	5.13	20.0	13.5	1.5	3	0.1	0.7	0.6	30	0.01	0.066	21
K5000N 7200E	Soil			2.3	35.2	10.3	46	1.0	19.1	6.8	295	3.81	18.4	14.9	2.0	2	<0.1	0.7	0.7	31	<0.01	0.057	22
K5000N 7250E	Soil			2.9	26.7	9.6	49	0.6	19.8	8.1	336	5.05	20.1	73.0	1.0	2	0.2	0.7	0.6	26	0.01	0.076	17
K5100N 7100E	Soil			1.1	13.3	7.7	17	0.6	7.0	2.1	70	1.61	8.9	37.2	0.5	3	<0.1	0.3	0.5	14	0.02	0.051	17
K5100N 7150E	Soil			1.8	20.0	8.8	33	0.4	11.9	4.6	485	2.06	10.8	25.6	0.3	4	<0.1	0.5	0.6	23	0.03	0.086	16
K5100N 7200E	Soil			1.5	13.4	6.7	24	1.0	10.6	3.8	194	2.33	9.6	9.8	1.0	3	<0.1	0.3	0.5	20	0.02	0.056	20
K5100N 7250E	Soil			2.0	19.7	7.2	30	1.5	10.9	4.3	183	2.32	6.9	15.3	0.7	3	<0.1	0.4	0.4	33	0.01	0.046	18
K5100N 7300E	Soil			1.4	16.2	5.4	18	0.4	7.8	3.2	74	1.10	3.0	6.6	<0.1	3	0.1	0.3	0.4	27	<0.01	0.023	11
K5100N 7350E	Soil			8.4	30.8	8.7	32	0.3	16.8	5.1	230	2.13	5.9	7.4	0.4	3	0.1	0.5	0.6	37	0.02	0.045	16
K5100N 7400E	Soil			1.7	13.9	9.5	26	1.1	8.5	3.1	155	1.61	5.5	1.7	0.1	4	0.2	0.3	0.4	27	0.02	0.052	12



Acme Analytical Laboratories (Vancouver) Ltd.  
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

VAN11005660.1

Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.05	1	0.5	0.2		
K4900N 7100E	Soil			5	0.02	13	0.016	1	0.34	0.007	0.02	<0.1	0.02	0.5	<0.1	<0.05	5	<0.5	<0.2
K4900N 7150E	Soil			6	0.03	14	0.007	<1	0.27	0.006	0.02	0.1	0.02	0.8	<0.1	<0.05	4	<0.5	<0.2
K4900N 7200E	Soil			9	0.06	20	0.004	<1	0.52	0.008	0.02	<0.1	0.04	0.6	<0.1	<0.05	6	<0.5	<0.2
K4900N 7250E	Soil			11	0.09	21	0.005	<1	0.85	0.007	0.02	<0.1	0.06	0.5	<0.1	<0.05	6	1.1	<0.2
K4900N 7300E	Soil			7	0.03	18	0.006	2	0.30	0.008	0.02	0.1	0.02	0.4	<0.1	<0.05	5	0.8	<0.2
K4900N 7350E	Soil			5	0.02	20	0.007	2	0.21	0.007	0.02	0.2	0.03	0.6	<0.1	<0.05	3	0.5	<0.2
K5000N 7050E	Soil			4	0.02	14	0.004	2	0.29	0.007	0.02	<0.1	0.02	0.5	<0.1	<0.05	5	0.7	<0.2
K5000N 7100E	Soil			5	0.04	15	0.004	<1	0.32	0.007	0.02	<0.1	0.04	0.2	<0.1	<0.05	4	0.7	<0.2
K5000N 7150E	Soil			14	0.13	25	0.010	<1	0.80	0.007	0.02	0.1	0.06	1.0	<0.1	<0.05	7	1.0	<0.2
K5000N 7200E	Soil			9	0.10	16	0.008	<1	0.59	0.007	0.02	<0.1	0.02	0.8	<0.1	<0.05	6	0.7	<0.2
K5000N 7250E	Soil			17	0.17	17	0.006	1	0.81	0.006	0.02	<0.1	0.03	0.7	<0.1	<0.05	6	0.7	<0.2
K5100N 7100E	Soil			6	0.04	13	0.006	1	0.45	0.007	0.02	<0.1	0.05	0.3	<0.1	0.06	5	<0.5	<0.2
K5100N 7150E	Soil			7	0.04	24	0.005	1	0.38	0.007	0.03	<0.1	0.07	0.2	<0.1	<0.05	5	<0.5	<0.2
K5100N 7200E	Soil			10	0.10	21	0.005	<1	0.62	0.008	0.02	0.1	0.05	0.5	<0.1	<0.05	6	0.7	<0.2
K5100N 7250E	Soil			10	0.04	22	0.011	2	0.44	0.007	0.02	<0.1	0.04	0.5	<0.1	<0.05	6	0.7	<0.2
K5100N 7300E	Soil			7	0.02	16	0.006	1	0.29	0.008	0.02	<0.1	0.01	0.1	<0.1	<0.05	3	<0.5	<0.2
K5100N 7350E	Soil			10	0.04	17	0.005	<1	0.40	0.006	0.02	0.1	0.04	0.3	<0.1	<0.05	6	0.5	<0.2
K5100N 7400E	Soil			9	0.05	23	0.005	1	0.46	0.007	0.03	<0.1	0.06	0.3	<0.1	<0.05	5	0.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

**Client:** Teslin River Resources Corp.  
1430 - 800 West Pender Street  
Vancouver BC V6C 2V6 Canada

**Project:** None Given  
**Report Date:** November 19, 2011

**Page:** 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN11005660.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
K3000N 7900E	Soil	0.7	31.9	18.5	17	0.7	8.0	4.9	497	1.49	0.6	1.6	0.3	5	0.2	0.1	0.4	11	0.04	0.111	15
REP K3000N 7900E	QC	0.8	31.9	19.2	16	0.8	8.0	5.0	470	1.65	0.7	7.3	0.4	5	0.1	0.1	0.4	11	0.04	0.124	15
K3300N 8100E	Soil	9.2	24.6	12.8	59	1.0	14.7	3.3	174	3.00	1.2	5.7	0.3	3	0.2	0.2	0.5	24	0.01	0.084	8
REP K3300N 8100E	QC	9.4	25.9	12.5	60	1.0	15.7	3.4	176	3.01	1.4	19.4	0.3	3	0.2	0.2	0.4	25	0.01	0.082	8
K3400N 8350E	Soil	6.9	39.6	20.5	80	0.5	19.9	6.5	367	3.69	1.5	2.4	0.2	4	0.7	0.2	0.5	29	0.01	0.061	6
REP K3400N 8350E	QC	7.0	38.5	19.6	80	0.5	19.3	6.4	362	3.55	1.1	1.1	0.2	4	0.4	0.2	0.6	28	0.01	0.060	6
K4300N 6600E	Soil	15.8	53.7	22.3	236	0.4	53.5	24.2	1613	5.36	51.1	4.5	0.7	19	3.0	0.8	0.3	32	0.22	0.193	10
REP K4300N 6600E	QC	15.7	52.5	22.9	243	0.4	52.8	23.9	1682	5.40	51.5	6.6	0.6	20	3.3	1.0	0.3	36	0.22	0.204	12
K4400N 6750E	Soil	7.2	38.2	16.5	128	3.2	41.1	11.1	935	4.27	38.9	11.9	0.4	4	0.5	0.8	0.3	33	0.02	0.114	12
REP K4400N 6750E	QC	7.7	41.1	16.8	138	3.4	39.9	11.7	1006	4.36	40.3	10.7	0.5	4	0.6	0.8	0.4	32	0.02	0.116	12
K4600N 6900E	Soil	16.5	67.5	19.1	159	0.8	43.8	15.1	1303	5.49	77.8	11.9	1.3	8	0.5	1.2	0.4	34	0.02	0.141	14
REP K4600N 6900E	QC	15.9	65.3	19.1	158	0.7	41.9	14.3	1319	5.25	76.6	7.1	1.2	8	0.6	1.2	0.4	34	0.02	0.135	14
K4800N 7100E	Soil	3.4	30.3	10.6	60	0.4	20.6	7.3	386	3.62	23.4	12.8	0.5	4	0.1	0.7	0.6	28	0.02	0.091	18
REP K4800N 7100E	QC	3.4	29.7	10.6	58	0.4	18.9	7.0	374	3.51	22.6	11.0	0.5	4	0.1	0.6	0.5	27	0.02	0.092	18
K5100N 7100E	Soil	1.1	13.3	7.7	17	0.6	7.0	2.1	70	1.61	8.9	37.2	0.5	3	<0.1	0.3	0.5	14	0.02	0.051	17
REP K5100N 7100E	QC	1.1	13.6	7.9	17	0.6	7.1	2.1	72	1.65	9.1	46.8	0.4	3	<0.1	0.2	0.5	16	0.02	0.051	17
Reference Materials																					
STD DS8	Standard	13.6	112.7	128.9	332	1.9	40.0	7.6	645	2.58	27.0	110.4	6.7	78	2.7	6.5	7.6	43	0.70	0.088	15
STD DS8	Standard	12.4	98.9	114.1	303	1.7	35.5	7.3	559	2.47	23.8	113.1	5.6	55	2.1	4.7	6.3	40	0.62	0.074	13
STD DS8	Standard	11.5	113.1	120.8	301	1.8	37.6	7.0	543	2.26	23.8	105.8	6.5	66	2.5	5.6	6.7	40	0.62	0.074	13
STD DS8	Standard	11.1	106.1	121.0	299	1.6	36.3	7.1	573	2.34	24.0	107.8	6.1	71	2.2	5.6	6.6	40	0.63	0.076	12
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08	14.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Teslin River Resources Corp.**  
 1430 - 800 West Pender Street  
 Vancouver BC V6C 2V6 Canada

Project: None Given  
 Report Date: November 19, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN11005660.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
K3000N 7900E	Soil	11	0.12	24	0.005	2	0.58	0.009	0.02	<0.1	0.08	0.3	<0.1	0.11	3	<0.5	<0.2
REP K3000N 7900E	QC	11	0.12	32	0.009	3	0.58	0.008	0.03	<0.1	0.09	0.4	<0.1	0.18	3	<0.5	<0.2
K3300N 8100E	Soil	13	0.12	25	0.010	<1	1.02	0.007	0.03	0.1	0.08	0.4	<0.1	<0.05	4	1.7	<0.2
REP K3300N 8100E	QC	13	0.12	24	0.011	<1	0.98	0.006	0.03	0.1	0.09	0.5	<0.1	<0.05	4	2.1	<0.2
K3400N 8350E	Soil	10	0.08	32	0.012	<1	0.68	0.005	0.02	0.1	0.05	0.5	<0.1	<0.05	5	2.2	<0.2
REP K3400N 8350E	QC	10	0.08	31	0.013	<1	0.69	0.005	0.02	<0.1	0.05	0.5	<0.1	<0.05	5	2.5	<0.2
K4300N 6600E	Soil	23	0.30	86	0.007	1	1.03	0.005	0.06	<0.1	0.03	0.7	<0.1	<0.05	4	3.8	<0.2
REP K4300N 6600E	QC	25	0.33	89	0.009	1	1.03	0.005	0.07	<0.1	0.04	0.9	<0.1	<0.05	5	4.5	<0.2
K4400N 6750E	Soil	15	0.15	40	0.007	1	0.89	0.003	0.03	<0.1	0.04	0.4	<0.1	0.06	5	2.6	<0.2
REP K4400N 6750E	QC	16	0.15	43	0.010	<1	0.92	0.004	0.02	<0.1	0.04	0.6	<0.1	0.05	5	3.6	<0.2
K4600N 6900E	Soil	18	0.25	71	0.005	<1	1.46	0.006	0.04	<0.1	0.06	1.3	0.1	<0.05	5	3.9	0.2
REP K4600N 6900E	QC	18	0.24	72	0.005	1	1.43	0.007	0.05	<0.1	0.05	1.1	0.1	<0.05	5	2.9	<0.2
K4800N 7100E	Soil	12	0.10	34	0.010	1	0.68	0.008	0.03	<0.1	0.04	0.4	<0.1	<0.05	6	1.0	<0.2
REP K4800N 7100E	QC	11	0.10	35	0.009	<1	0.67	0.009	0.03	0.1	0.04	0.4	<0.1	<0.05	6	<0.5	<0.2
K5100N 7100E	Soil	6	0.04	13	0.006	1	0.45	0.007	0.02	<0.1	0.05	0.3	<0.1	0.06	5	<0.5	<0.2
REP K5100N 7100E	QC	7	0.04	13	0.004	1	0.46	0.006	0.02	<0.1	0.05	0.4	<0.1	<0.05	5	0.5	<0.2
Reference Materials																	
STD DS8	Standard	119	0.63	301	0.123	3	0.99	0.109	0.45	3.1	0.22	2.9	5.7	0.17	5	5.6	4.9
STD DS8	Standard	112	0.48	268	0.102	2	0.86	0.095	0.40	2.8	0.19	2.4	5.2	0.14	4	4.2	4.6
STD DS8	Standard	108	0.54	255	0.114	2	0.82	0.082	0.39	2.7	0.18	2.6	5.2	0.10	5	4.9	4.4
STD DS8	Standard	109	0.56	259	0.124	3	0.90	0.108	0.44	3.0	0.19	2.7	5.1	0.20	5	5.2	4.7
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2