
# BC Geological Survey Assessment Report 33125



### **Prospecting and Geochemical Assessment Report**

The Spring Tenures Vancouver Island, British Columbia

Victoria Mining Division NTS: 092C069 48 degrees, 39', 35" north x 124 degrees, 20', 54" west



Tenure owners:
Raymond Oshust
Scott Phillips GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

Report by: Le Baron Prospecting Port Renfrew BC 2010 33,125



#### **Table of Contents**

Cover page	pg 1
Table of contents	pg 2
Overview map of tenures	Figure A, B, C
Summary, location and accessibility	pg 3
Tenure ownership, Google earth map	pg 4
Author	pg 5
Statement of costs	pg 6
Summary map – Aero magnetic survey / Pacific iron Ore / 20	06pg 7
Sampling methods, summary of work	pg 8
Index working maps, working mapsF	igure D, E, F, G, H, I
Technical data / sample specific	pg 9 to 11
Summary of exploration	pg 12
ALS Chemex analysis	pg 13 Appendix A
MTO Conformation of Event	<b>pg</b> 14 to 16





## Ministry of Energy and Mines

BC Geological Survey


Assessment Report Title Page and Summary


TYPE OF REPORT [type of survey(s)]: Geochemical Assessment Report

TOTAL COST: \$7620.00

аитнок(s): Le Baron Prospecting - Scott Phillips	SIGNATURE(S):
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):	YEAR OF WORK: 2010
STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S):	Event #4802418
PROPERTY NAME: Spring Tenure Project	
CLAIM NAME(S) (on which the work was done): 415324, 415325, 4153	326, 415327, 415328, 415361
COMMODITIES SOUGHT: Fe	
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092C090, 092	C091, 092C110, 092C146, 092C022
MINING DIVISION: Victoria	NTS/BCGS: M092C069
LATITUDE: 48 ° 39 '35 " LONGITUDE: 124	o 20 '54 " (at centre of work)
OWNER(S):  1) Raymond Oshust	2) Scott Phillips
Marjorie Rooke	
MAILING ADDRESS: Ray - General Delivery Port Renfrew BC V0S-1K0	Scott - 3317 Henry rd Chemainus BC V0R-1K4
Marjorie - 2918 Jackson valley Rd Duncan BC V9L-6N7	
OPERATOR(S) [who paid for the work]:  1) Scott Phillips	2)
MAILING ADDRESS: Scott - 3317 Henry rd Chemainus BC V0R-1K4	
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure Wangella, West Coast Crystalline Complex, Island Intrusions, June 1988)	urassic, Triassic era, ultramafic rocks, gabbro, peridotite,
serpentized intrusives, massive skarns and sulfides, limestone of	of the Quatsino Formation, Fe
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT R	EPORT NUMBERS: #30.697 - 2008

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping		415324, 415325, 415326,	\$7620.00
Photo interpretation	A A A A A A A A A A A A A A A A A A A	415327, 415328, 415361	
GEOPHYSICAL (line-kilometres) Ground			
Magnetic			
		1	
		1	
Airborne			
GEOCHEMICAL (number of samples analysed for)			
Soil			
Silt			
Rock 9 rock chip samples su	bmitted	ALS Laboratory Services	
Other		Certificate #VA12112552	
DRILLING			
(total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL Sampling/assaying 120 rock ch	nin samnles	40 Sample locations	
Petrographic	прострю	118kg of sediment concentrates	
<del></del>			<u> </u>
Mineralographic		1	
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres) 1680 GPS	S meters	survey line established	Valent Co
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/ti	rail		
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$7620.00





## FIGURE C





#### **Summary**

Exploration of these legacy tenures commenced during the fall of 2008, from October 9<sup>th</sup> to October 13<sup>th</sup> 2008. Raymond Oshust, tenure owner, Gordon Saunders and Robert Bradshaw field assistants conducted a rock chip hand sampling throughout these tenures. These legacy tenures are "key tenures" within what is being discovered as an iron ore intrusion of vast size and of potential economic importance. These tenures "lie within" the known iron intrusion which commences west of this area in the Bugaboo Creek, and traverses east though the tenures to the Granite Creek and what is historically known as the Reko property. This iron deposit is currently being explored by Pacific Iron Ore Corporation from Celgary but based out of Port Renfrew. Diamond drilling was completed by Pacific Iron Ore both in the Bugaboo Creek and in 2007 in the Granite Creek; all drilling reports show massive iron. Also, Pacific Iron Ore has conducted a massive aeromagnetic survey over these tenures, the results are pending but from what the owners are told is the aeromagnetic survey was very successful. In Short, these tenures are strategically placed within the Pearson Project.

#### **Tenure Location / Mineralization**

These Tenures are located within the Seymour Range, which is just north of the town of Port Renfrew BC. Port Renfrew is approximately 100 west of the capital city of Victoria, BC. The Spring tenures are located within the gient mineral tenure project known within the mining community as the "Pearson Project", Pacific Iron Ore Corporation has been conducting for the past few years both diamond drilling and aero magnetic mapping.

The Spring tenures are legacy tenures, each consisting of a single cell, (25ha) and lie within Wrangell, each tenure is strategically located also within the "Pearson Project" as to be in line with the huge intrusion of the West Coast Crystalline Intrusion, West Coast Complex, Gabbros, Peridotites, along with ultramafic intrusions, of the Paleozoic-Mesozoic, There is also limestone of the Quatsino Formation, Triassic era. Volcanic rock of the Lower Jurassic Bonanza Group is also present in the area.

#### **Tenure Acsessibility**

To access the spring tenures one must travel north of Port Renfrew on the 4 km on the Gordon River Mainline, and take truck road named Braden located just before the Gordon River Bridge. Travel 11.5 kilometers to the Reid Creek Mainline, travel 1.13 km to tenure boundary of Spring #1 tenure # 415324 (Spring 1), a water fall crosses the Reid Creek Mainline, and we call it "Myra falls", further along the Reid Creek Mainline, turn left on spur road RD-3000, this is access to Spring tenures 415326, (Spring 3) which also joins tenure 415325 (Spring 2). To access the other spring tenures one must walk spur road BD – 6000 which is located north of these tenures and accessed off of the Braden Main line. A survey trail was located and marked to access the tenures along the old spur road BD – 6000, to access tenures 415361 (Spring 5) and tenure 415327 (Spring 4) and tenure 415328 (Spring 6)




#### **Tenure Ownership**

These tenures are owned jointly between the following prospectors: Raymond Oshust; FMC #141465 – 40% Marjorie Rooke; FMC #208494 – 50% Scott Phillips; FMC #145817 – 10%

Tenure Number	Type	Claim Name	Good Until	Area (ha)
415324	Mineral	SPRING #1	20151020	25
415325	Mineral	SPRING #2	20151020	25
415326	Mineral	SPRING #3	20151020	25
415327	Mineral	SPRING #4	20151020	25
415328	Mineral	SPRING #6	20151020	25
415361	Mineral	SPRING #5	20151020	25

Total Area: 150 ha





#### **Author Qualifications**

- 1. I am a prospector, with a history of prospecting the West Coast of Vancouver Island.
- 2. I am the owner of Le Baron Prospecting of Port Renfrew BC.
- 3. I am a member in good standing with the Vancouver Island Placer Miners Association.
- 4. I am a member of VIX or Vancouver Island Exploration Group.
- 5. I have several large mineral tenures within the area of Port Renfrew.
- 6. I am currently studying the West coast Crystalline Intrusion Complex.
- 7. I have a full understanding of the Plate Tectonics of Southern Vancouver Island.
- 8. I am working closely with professional geologists for guidance and information in regards to questions I have about structure of surrounding area.

I here by consent to the use of information in this report to further enhance the exploration of the Spring tenures.

I do have a vested inter	est in the tenures within this report.			
Scott Phillips:	Alle	, Date:	01-10-2011	

#### **Reliance on Other Experts**

Technical information in this report was derived from prior reports, area information, government publications and published reports. Original data has been used where available. Reasonable care and diligence has been taken by the author to verify all information.


The author has seen no reason to doubt the validity and accuracy of this source data and historical information, most of which was generated by qualified, professional persons at the times the work was done.



#### Statement of costs

Exploration: June 4 <sup>th</sup> to 6 <sup>th</sup> 2010 October 4 <sup>th</sup> to 8 <sup>th</sup> , 15 <sup>th</sup> to 17 <sup>th</sup> 2010
Raymond Oshust FMC #141465 – field supervisor \$30.00 x 68 hrs= \$2040.00
Gordon Saunders FMC #145703 - field assistant \$30.00 x 20 hrs = \$600.00
Scott Phillips FMC #145817 – field assistant \$30.00 x 10 hrs=\$300.00
Field labor x 2 \$20.00 x 96 hrs = \$1920.00
Accommodations 24 Tsonoquay Dr Port Renfrew BC \$70.00 / day x 23 man days = \$1610.00
Transportation  4x4 truck = \$50.00 / day x 12
Field supplies= \$50.00
ALS Laboratory Vancouver BC Certificate of Analysis VA12112552 – 9 rock samples (rush, not included at time of cost analysis) = \$489.10
Le Baron Prospecting Report compilation Professional fees
\$350.00 / day x 1 = \$350.00  Total exploration costs 2008 = \$7620.00

Le Baron Prospecting
Port Renfrew, BC
Summary Anomaly Map of 2006 Aeromagnetic Survey- Emerald Field Resources – Report2006





#### Specifications and Technical Information Sampling Methods

All sample points are marked on working maps, and all assays points were plotted on field maps using GPS. All rock chip samples were weighed, bagged and tagged for geochemical assaying, sent to ALS Chemex laboratory in Vancouver.


- 1. Stream sediment sampling was conducted by digging a hole in creek and utilizing a plastic classifier and a small sluice box, to get a final concentrate sample.
- Rock Chip samples were obtained in field by using a hammer / chisel to break away small sample chips from host rock. All Field sample points are marked on working maps using the "XX" symbol.
- Surveyor's hip chain line was run along the creeks during the stream sediment sampling program.
- 4. Basic field testing of samples was conducted. Heavy metal sampling was conducted also in field using a magnet to test for the heavy metals and magnetic conductivity. Field loops were used and a roadside field microscope was also used for close observation of samples, and a more powerful 1-40,000 was used at home base. Numbered bags and tags were used to catalogue: field samples for later reference.
- GPS Co-ordinates were taken using a Garmin Etrex Ledged 1000 GPS, All Co-ordinates are plotted on working maps but reference to specific work sites such as geochemical assessments are plotted and marked on working maps.
- Geochemical Assaying was conducted using both ALS Chemex in Vancouver Assaying
  methods were conducted as per the tenure owners, and types of methods conducted are
  referred to in each assay. Reference to the sample points are marked on working maps
  in report. Assay results are included.
- 7. Field survey notes, reference maps were provided to the author from the field supervisor.


#### **Work Conducted 2010**


These prospectors conducted further tenure exploration which consisted of a large stream sediment sampling program, several areas in creek were sampled to bedrock to obtain a bedrock sample, and also several rock chip samples were obtained from in-creek alluvial rock. ALS Laboratory Services analyzed the bedrock samples obtained.

The tenure owners required the assistance of two local field helpers who completed the massive stream sediment sampling program as described within this report. The tenure owners oversaw the exploration program and plotted the plan for the field crew to follow them also oversaw the sample preparation, submittal and field crew day to day exploration.

- 40 sample areas located and plotted infield
- 120 rock chip samples obtained, alluvial and bedrock
- 40 GPS sample locations plotted infield
- 118kg of sediment concentrates obtained
- 1680 GPS meters sampling survey meters established










Interpretation of sample specific data
In reference to Certificate of Analysis # VA1211252
Tenure #415324, 415325, 415326

Sample #	Description	<b>GPS Location</b>	Field notes
ALS#	<host></host>	Garmin E-trex	Sample description
		es, 415 <mark>324, 4</mark> 15325, 41532	26 - Spring tenures 1, 2, 3
SS = strean	n sediment, RC = roc	k chip	
A	In creek	400235 x 5390555	In creek- tenure boundary
В	In creek	400200 x 5390506	SS - 1.2kg
_	ALS J677831		RC - bedrock, massive
			sulfide
С	In creek	400150 x 5390480	SS - 2.3kg
			RC - alluvial
D	In creek	400100 x 5390444	SS - 2.7kg
			RC - alluvial
D-1	In creek	400050 x 5390427	SS - 3.8kg
			RC - alluvial
E	In creek	400000 x 5390450	SS - 1.9kg
			RC - alluvial
F	In creek	399935 x 5390430	SS - 2.5kg
			RC - alluvial
G	In creek	399900 x 5390400	SS - 3.9kg
	ALS J677832		RC – bedrock, massive
···	<u> </u>		sulfide
Н	In creek	399850 x 5390350	SS - 4.8kg
		<b></b>	RC - alluvial
1	In creek	399791 x 5390320	In creek- tenure boundary
			SS - 3.4kg
Matan AAF	CDCt	dia analy OC Flyn of	RC - alluvial
Notes: 445 AA		d in creek, 26.5kg of conce 399967 x 5390500	
AA.	In creek	38880 X 2380200	SS – 2.3kg RC - alluvial
BB	In creek	399980 x 5390550	SS - 3.2kg
סט	ALS J677833	399900 X 3390330	RC – bedrock, massive
	ALS 50/ / 655		sulfide
CC	In creek	400050 x 5390650	SS – 3.9kg
	III OLOGIC	400000 X 0000000	RC - alluvial
DD	In creek	400050 x 5390650	SS - 2.4kg
	0.001	10000 X 000000	RC - alluvial
EE	In creek	400080 x 5390700	SS - 3.1kg
		133337.3337.00	RC - alluvial
FF	In creek	400112 x 5390750	SS – 3.3kg
-	1		RC - alluvial
GG	in creek	400138 x 5390815	In creek- tenure boundary
-			SS - 2.3kg
			RC - alluvial
· · · · · · · · · · · · · · · · · · ·			







Interpretation of sample specific data
In reference to Certificate of Analysis # VA08148433

20 Rock Chip samples

Sample #	Description	GPS Location	Field notes
ALS#	<host></host>	Garmin E-trex	Field rock description
See Figure	Map G - tenures - 4	15324, 415325, 415326 -	Spring tenures 1, 2, 3
SS = strean	n sediment, RC = roo	ck chip	
J	In creek	399629 x 5390230	SS - 2.7kg
		·	RC - alluvial
K	In creek	399600 x 5390200	SS - 3.8kg
			RC - alluvial
L	In creek	399550 x 5390175	SS - 4.8kg
			RC - alluvial
М	In creek	399502 x 5390150	SS - 2.5kg
	ALS J677850		RC – bedrock, sulfide
N	In creek	399495 x 5390100	SS – 3.9kg
	In or old	200492 - 5200050	RC - alluvial
0	In creek	399483 x 5390050	SS - 2.7kg
P	In analy	399473 x 5390000	RC - alluvial SS - 3.8kg
F	In creek	399473 X 5390000	RC - alluvial
Q	In creek	399469 x 5389950	SS - 4.2kg
Q	III CICCK	399409 X 3369930	RC - alluvial
R	In creek	399481 x 5389900	SS - 3.6kg
•	ALS J677851	000-01 x 0000000	RC – bedrock, sulfide
S	In creek	399487 x 5389870	In creek – roadside
			SS - 3.8kg
			RC - alluvial
Note: 360 G	SPS meters surveyed	I in creek, 35.8kg of concer	ntrates
······································			
Ť	In creek	399500 x 5389800	SS - 3.7kg
	<del> </del>	200510	RC - alluvial
U	In creek	399510 x 5389750	SS - 2.9kg
		200507 . 500000	RC - alluvial
V	In creek	399537 x 5389689	In creek – end of sampling
			SS - 2.7kg
			RC - alluvial
	<del></del>		
*****	<b>1</b>		
*******			
		1	
Note: 112 G	 SPS meters surveyed	in creek, 9.3kg of concent	rates







Interpretation of sample specific data
In reference to Certificate of Analysis # VA08148433

20 Rock Chip samples
Tenure #415327, 415328, 415361

Sample #	Description	GPS Location	Field notes
ALS#	<host></host>	Garmin E-trex	Field rock description
See Figur	e Map I - tenures - 41	5327, 415328, 415361 - S	pring tenures 4, 5, 6
SS = stre	am sediment, RC = roo	ck chip	
HH	In creek	401755 x 5391570	In creek - roadside
			∫ SS – 1.3kg
			RC - alluvial
II	In creek	401623 x 5391550	In creek – tenure boundary
			SS 1.7kg
			RC - alluvial
IJ	In creek	401600 x 5391546	SS - 2.5kg
	ALS J677852		RC – bedrock, sulfide
KK	In creek	401550 x 5391545	SS - 3.9kg
			RC - alluvial
LL	In creek	401500 x 5391535	SS - 2.7kg
		104450 5004505	RC - alluvial
MM	In creek	401450 x 5391525	In creek – end of sampling
	ALS J677853		SS – 3.1kg RC – bedrock, sulfide
NN	in creek	401642 x 5391454	In creek – tenure boundary
IAIA	III CIEEK	40 1042 X 539 1434	SS - 2.8kg
			RC - alluvial
00	In creek	401600 x 5391445	SS - 3.9kg
	ALS J677854		RC – bedrock, sulfide
PP	In creek	401550 x 5391420	SS - 2.7kg
•	1		RC - alluvial
QQ	In creek	401500 x 5391417	In creek - end of sampling
	ALS J677855		SS - 1.4kg
			RC - bedrock, sulfide



#### Conclusion

The tenures owners are pleased with the results of the exploration conducted, prior years exploration have identified a massive magnetite body underlain in the area. Reference to Airborne magnetic maps (Summary Anomaly Map of 2006 Aeromagnetic Survey- Emerald Field Resources – Report-2006). These tenures lie partially within the P-12 magnetic body as identified on the magnetic map. Past exploration and geochemical analysis of samples obtained had very high elevated levels of Fe, from a low of 9.48% to a massive high of 94.5% FE203 (certificate VA08148433 – 2008).

It is from these results of sampling a massive stream sediment sampling program was undertaken in the creeks which traverse through these tenures.

The tenure owners are pleased with the results of the exploration conducted and will continue in the future to conduct exploration in areas of interest to ensure the viability of these tenures.



#### Appendix A

Certificate of analysis

ALS Laboratory Services Vancouver BC

Analytical Procedures Fe-VOL5 – ferrous iron ME-ICP41 – 35 element aqua region



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING 9298 CHESTNUT RD. CHEMAINUS BC VOR 1K5 Page: 1 Finalized Date: 25- MAY- 2012 This copy reported on 29- MAY- 2012 Account: LEBPRO

#### **CERTIFICATE VA12112552**

Project: Spring Tenure
P.O. No.:
This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 22-MAY-2012.
The following have access to data associated with this certificate:
RAYMOND OSHUST
SCOTT P.
G. SAUNDERS

	SAMPLE PREPARATION	
ALS CODE	DESCRIPTION	
WEI- 21	Received Sample Weight	
LOG- 21	Sample logging - ClientBarCode	
CRU- 31	Fine crushing - 70% < 2mm	
SPL- 21	Split sample - riffle splitter	
PUL- 31	Pulverize split to 85% < 75 um	

	ANALYTICAL PROCEDUR	ES
ALS CODE	DESCRIPTION	
Fe- VOL05	FeO (Ferrous Iron)	
ME-ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: LE BARON PROSPECTING ATTN: SCOTT P. 3317 HENRY RD CHEMAINUS BC VOR 1K4

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

<sup>\*</sup> This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.



ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING 9298 CHESTNUT RD. CHEMAINUS BC VOR 1K5 Page: 2 - A Total # Pages: 2 (A - C) Finalized Date: 25- MAY- 2012 Account: LEBPRO

Project: Spring Tenure

Minera	linerals							C		ATE O	F ANAL	YSIS	VA121	12552		
Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg .02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME-ICP41 Ca ppm 1	ME- ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
J677831 J677832 J677833 J677850 J677851		0.46 0.38 0.88 0.52 0.52	0.4 0.2 2.2	0.50 0.51 0.34	12 11 47	<10 <10 <10	<10 <10 <10	<0.5 <0.5 <0.5	10 11 6	1.02 1.76 10.7	<0.5 <0.5 <0.5	64 67 58	6 3 4	304 122 5220	>50 >50 42.6	<10 <10 <10
J677852 J677853 J677854 J677855		0.64 0.54 Not Recvd 0.62														



ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.aisglobal.com

To: LE BARON PROSPECTING 9298 CHESTNUT RD. **CHEMAINUS BC VOR 1K5** 

Page: 2 - B Total # Pages: 2 (A - C) Finalized Date: 25- MAY- 2012 Account: LEBPRO

Project: Spring Tenure

									CERTIFICATE OF ANALYSIS				VA12112552			
Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-1CP41 Po ppm 2	ME-1CP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
J677831 J677832 J677833 J677850 J677851		<1 <1 <1	0.01 0.01 <0.01	<10 <10 <10	0.18 0.10 0.04	1900 1655 2160	<1 <1 3	0.02 0.02 0.02	33 72 38	1010 70 400	11 10 6	0.27 0.02 0.67	<2 3 <2	1 1 1	14 5 2	<20 <20 <20
J677852 J677853 J677854 J677855																



ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING 9298 CHESTNUT RD. CHEMAINUS BC VOR 1K5

Page: 2 - C Total # Pages: 2 (A - C) Finalized Date: 25- MAY-2012 Account LEBPRO

Project: Spring Tenure

									c. opining remare	
Minera	13								CERTIFICATE OF ANALYSIS	VA12112552
Sample Description	Method Analyte Units LOR	ME-ICP41 TI % 0.01	ME-ICP47 TI ppm 10	ME-ICP41 U IPPM 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm Z	Fe- V01.05 FeO % 0.01		
J677831 J677832 J677833 J677850 J677851		0.09 0.02 0.01	<10 <10 <10	<10 <10 <10	133 60 14	<10 <10 30	69 66 142	26,3 29,3		
1677852 1677853 1677854 1677855								20.4 22.2 23.5		