

GEOCHEMICAL REPORT
ON THE
SKIP MINERAL PROPERTY, 2012

OMINECA MINING DIVISION

NTS 93 F. 096 AND 097

(Latitude 53° 56' N, Longitude 124° 49'W)

OWNER AND OPERATOR

G.W. KURZ

G.D. BYSOUTH

Author: G.D. Bysouth Submitted August 2012

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

33,221

TABLE OF CONTENTS

1.0 INTRODUCTION	3
2.0 MINERAL CLAIMS	4
3.0 PROPERTY GEOLOGY	4
4.0 GEOCHEMICAL SURVEY	5
4.10 INTRODUCTION	5
4.20 RESULTS AND INTERPRETATION	7
4.21 WHOLE ROCK ASSAYS	7
4.22 ROCK ICP-MS ASSAYS	8
4.23 SOIL ICP-MS ASSAYS	8
5.0 STATEMENT OF COSTS	10
6.0 CONCLUSION	11
REFERENCES	12

LIST OF FIGURES

Figure1 - Location Map	in text
Figure 2 - Claim Map	in text
Figure 3 - Owl Molybdenum Anomaly	in text
Figure 4 - Whole Rock Major Oxide Diagrams	in pocket
Figure 5 - Rock Sample Location	
Figure 6 - Soil Sample Location	

APPENDICES

- A. Statement of Qualification - G.D. Bysouth
- B. Statement of Qualification - G.W. Kurz
- C. Field Notes
- D. Assay Reports and Invoices

Ministry of Energy & Mines
 Energy & Minerals Division
 Geological Survey Branch

**ASSESSMENT REPORT
 TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] <u>Geochemical</u>	TOTAL COST <u>6932.27</u>
--	------------------------------

 AUTHOR(S) Garry D. Bysouth SIGNATURE(S) Garry D. Bysouth

 NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) _____ YEAR OF WORK 2012

 STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 5348892 May 25-27, 2012 and June 13, 2012

 PROPERTY NAME SKIP

 CLAIM NAME(S) (on which work was done) SKIP #1 Tenure No 574353

 COMMODITIES SOUGHT Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN _____

 MINING DIVISION Omineca NTS 93 F, 096 and 097

 LATITUDE 53 ° 56 ' 00 " LONGITUDE 124 ° 49 ' 00 " (at centre of work)

 OWNER(S)
 1) G.W. Kurz 2) Garry D. Bysouth

 MAILING ADDRESS

<u>Box 894 Fraser Lake B.C.</u>	<u>12340 Christie Road</u>
<u>VOJ 1S0</u>	<u>Boswell, B.C. V0B 1A4</u>

 OPERATOR(S) (who paid for the work)
 1) G.W. Kurz 2) Garry D. Bysouth

 MAILING ADDRESS

<u>as above</u>	<u>as above</u>
-----------------	-----------------

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Widespread molybdenite mineralization occurs in a porphyry-type environment similar to the Endako Mines deposit. Major host rocks are a red granite of probable Early Cret. age and a late Jurassic dioritic sequence. The molybdenite occurs mainly in quartz vein systems with minor pyrite and specularite in association with peripheral base metals

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS No. 1107 (Amax); No. 1002, No. 1216 (Anacosta); No. 2364 (Mercur); Bysouth, 2006, Geochm. Skip Claims; Bysouth 2008 Percussion Drilling - Skip Claims; Bysouth 2011 Geochm and Geological Survey Skip Claims (OVER)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil	65 samples, 51 element ICP-MS	Skip #1	1854.54
Silt			
Rock	15 samples, 51 element ICP-MS and	Skip #1	
Other	whole rock XRF analysis		1,246.22
DRILLING			
(total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST			3098.76
6932.27			





FIGURE 1
 LOCATION MAP
 SKIP PROPERTY

Scale 1:2,000,000



1.0 INTRODUCTION

The Skip property was staked in 2005 by G.W. Kurz. The property lies about 12 kilometers directly south of Fraser Lake, British Columbia. Good access is provided by a network of all-weather logging roads which connect the property to Highway 16 near Lejac, a few kilometers east of Fraser Lake village.

The property is located in Nithi Valley directly across from Nithi Mountain. Most of the property lies along the south side of the valley, but it also extends across the valley bottom to the lower slopes of Nithi Mountain. Overall topographic relief is moderate. Elevations vary from about 1250 m along the upper most south valley walls to about 760 m at the valley floor. The south side of the valley is drained mainly by a north trending stream course which we have called Skip Creek. This drainage system serves as a recognizable feature in an otherwise indistinct geography. It also divides the property into two halves that are different in both geology and exploration history.

The Skip property covers ground that had been actively explored throughout the 1960s. Anaconda American Brass Limited held most of the ground west of Skip Creek which had been called the Owl claims. Within this property extensive lead-zinc-copper geochemical soil anomalies had been identified. East of Skip Creek, Amax Exploration Inc. had carried out extensive geochemical, geophysical and trenching exploration on the Gel Claims. The most significant aspect of this work was the discovery of a large I.P. anomaly along the high ground east of Skip Creek. We refer to this area as the Gel I.P. Zone.

Another I.P. anomaly had been outlined across the valley floor north of both the Owl and Gel properties. This was discovered during reconnaissance type I.P. survey of the valley bottom by Mercury Explorations Ltd.

Exploration work carried out by the present owners involved a 2005 geochemical soil survey, a 2007 percussion drill project, a 2010 geological-geochemical survey and a geochemical soil




FIGURE 2

SKIP MINERAL PROPERTY
NTS 93F, 096 and 097
OMINECA MINING DIVISION

LOCATION MAP

Scale: 1:50000



survey completed May 2012. A list of references for all exploration work done on the Skip property is provided in the final page of this report.

This report covers a rock and soil geochemical survey carried out near and within the Owl and Gel mineralized zones. Field work was done during the period May 25 to 27 and June 23, 2012. A total of 18 rock and 65 soil samples were collected. All samples were assayed by ALS Minerals of Vancouver, B.C. For soils and rocks, 51 elements were determined by ICP-MS analysis and aqua regia digestion. Whole rock analysis was also done on the 18 rocks in which major oxides were determined by XRF analysis following a lithium borate fusion.

2.0 MINERAL CLAIMS

The present holding consists of one mineral claim, Tenure No. 574353. It is owned 66% by G.W. Kurz of Fraser Lake, B.C. and 34% by G.D. Bysouth of Boswell, B.C. On June 13, 2012, the claim was reduced from 2779.12 hectares to 685.32 hectares. The present claim is in good standing to September 26, 2013. Figures 1 and 2 show the geographical position of the Skip property.

3.0 PROPERTY GEOLOGY

The surface geology of the local area has been created largely by the effects of glaciation. Within the Nithi Valley, a pitted outwash topography of sands and gravels begins near the 7900 E coordinate and extends easterly far beyond the claim boundary. West of that coordinate, a long tract of swampy ground marks the position of stagnant glacial ice during the period of the maximum outwash deposition. Above the valley floor to about the 960 m elevation, the glacio-fluvial sediments exist solely as erosion remnants of larger ice-contact deposits. And above the 960 m elevation the surface cover consists mainly of rocky glacial till and bedrock derived colluvium with the proportion of the latter increasing with elevation. The percussion drilling has indicated the glacial till cover is generally about 3.0 m thick. The direction of the last great glacial advance was easterly. The flow of glacial melt water was westerly during the early periods of deglaciation.

The Skip property is underlain by a complex bedrock geology that is not adequately known due to a lack of critical rock exposure. Recent logging exposures and the percussion drilling information have confirmed the geological complexity but without much resolution. At this point, four major plutonic rock groupings have been recognized. The oldest of these are dioritic rocks of the Jurassic Limit Lake sequence which underlie most of the high ground along the southeast quadrant of the property. Next in age are medium to coarse grained biotite quartz monzonites that occur in sparsely distributed rock exposures along the east and west flanks of the property. Those to the east are correlative with the early Cretaceous Nithi Quartz Monzonite and, due to a lack of contrary evidence, that classification is applied to all similar textured quartz monzonite within the property. A younger plutonic rock unit is leucocratic fine grained granite or quartz monzonite that is correlative with the Casey Quartz Monzonite unit exposed at Nithi Mountain. It forms a core-like intrusive pluton that is exposed in the southeastern quadrant of the property but also appears to underlie much of the older geology to the west (west of Skip Creek). The identity of the fourth plutonic rock unit has not been resolved. It is a Casey-like pale red granite which occurs at contacts with the older rocks and in dykes cutting the older rocks. Its close association with hydrothermal alteration and mineralization is of particular interest.

The two areas of molybdenite mineralization have been outlined by surface exposures and percussion drilling. The largest of these is the Gel Zone which lies in the southeast quadrant of the property east of Skip Creek. It has been defined by a line of eight percussion drill holes drilled across the Gel anomaly. The second area lies in the southwest quadrant west of Skip Creek and, in reference to earlier work, has been called the Owl Zone. It consists of three percussion holes drilled near two areas of surface quartz-molybdenite mineralization. Depth continuation was confirmed in both areas. The major host rock here, and in the Gel Zone, was a dark green rock of either dioritic or andesitic origin.

4.0 GEOCHEMICAL SURVEY

4.10 INTRODUCTION

The percussion drilled carried out in 2008 indicated a broad area of molybdenum enrichment had been developed around zones of ore grade molybdenite. The grade of enrichment generally

ranged from 20 ppm to 60 ppm Mo. At the eastern flank of the Gel zone, the width of enrichment exceeded a horizontal distance of 700 m. This is considered to be a primary molybdenum halo developed around molybdenite ore in red granites and related rocks. As such, litho-geochemistry would be seen to be a viable exploration tool for the Skip property.

This survey involved the collection and assaying of both soil and rock. The rock would be used directly in the process of bedrock geochemical prospecting. The soil would be used indirectly to that same objective by indicating where rock sampling would be best carried out – this would be of particular importance where excavation methods may be necessary.

A total of 65 soil samples were taken during the period May 25 to May 27, 2012 from four separate areas of the property. The locations and results of the sampling are shown in Figure 6. At each sample site, the location was fixed by G.P.S., marked by ribbon and described in field notes. Most of the samples were collected by auger with a reach of 1.0 m.

A total of 18 rocks were collected and assayed. Of these, 11 were rock chips from the 2008 percussion drilling program numbered 2003 to 2013, and 7 were surface rock samples from the 2011 geological mapping project, numbered 2014 to 2020. The locations of all rock samples are shown in Figure 5.

All rock and soil samples were assayed by ALS Minerals of Vancouver, B.C. For soils and rocks the ME-MS 41 option was used to determine 51 elements by ICP-MS analysis following the digestion of 0.5g samples by aqua regia. The rock samples were also assayed by the whole rock method in which the major rock forming oxides were determined by XRF analysis following a lithium borate fusion technique. All assay results are provided in the appendix of this report.

The anomaly threshold for molybdenum in the Skip property is about 18 ppm Mo. But for soils, concentrations as low as 12 ppm may be useful in outlining anomalous areas. Other element thresholds are 150 ppm Cu, 200 ppm Zn, 60 ppm Pb, 3 ppm Bi and 2 ppm Ag.

4.20 RESULTS AND INTERPRETATION

4.21 WHOLE ROCK ASSAYING

The purpose of the whole rock assaying was to confirm the identities of the major rock units intersected by the percussion drilling. This was done by comparing the geochemistry of selected percussion rock chip samples with the geochemistry known surface rock samples. Emphasis was placed on the red granite because it was the granitic rock most closely associated with the molybdenite mineralization. It was also the granitic rock most difficult to distinguish in percussion drilling chips.

Plots of major rock forming oxides are provided in Figure 4 as a ternary diagram of $K_2O - Na_2O - CaO$ proportions and a graphical diagram of K_2O against SiO_2 . The diagrams confirm the red granite as being a major associate of the molybdenum mineralization. They also present the possibility of the coarse grained granite being a more evolved volatile rich phase of the red granite.

The diagrams also suggest the surface felsite of sample 3020 is related to similar 'white' dykes intersected in percussion holes 713 (sample 3012) and 718 (sample 3013).

Sample 3005 requires a special explanation. It was a sample of barren dyke rock from hole 707 that resembled the grey Casey granite of surface sample 3019. It appears to have been enriched in K_2O with the depletion of Na_2O and CaO . This may have occurred via the alteration of feldspar to sericite.

Rock chip samples 2006 and 2007 were taken from drill holes 708 and 709 respectively. The major oxide assays generally confirm a very basic composition but whether these rocks are plutonic diorites or meta andesites remains to be established. At present the best grade molybdenite mineralization appears to occur at contacts between the red granite and these basic rocks.

4.22 ROCK ICP-MS ASSAYS

The molybdenum assays of rocks within the Gel Zone can be summarized as follows:

1. Ore Zone – rock chip samples 3003 to 3006 and surface rock samples 3016 to 3018 were all taken within the ore zone. Sample 3006 was of mineralized diorite while 3005 was of a barren altered dyke. The remaining samples were all red granites taken within, or near, zones of molybdenite mineralization. The ore zone samples average about 100 ppm Mo.
2. Primary Halo – fringe zone molybdenum mineralization was found in rock chip samples 3007 to 3010 which were a mix of border zone diorite and coarse grained granite. These rocks average about 49 ppm Mo and partially define the eastern flank of the Gel Zone primary halo.
3. Country Rock – red granite sample 3015 (1.36 Mo), Nithi QM sample 3011 (6.19 Mo) and Casey Granite sample 3019 (0.84 Mo) partially define the south, east and north boundaries of the Gel Zone. These average about 3 ppm Mo.

In the Owl Zone, sample 3014 was taken from a surface exposure of red granite adjacent to a quartz-molybdenite vein system in red granite and mafic rocks. Its assay of 59.2 Mo is typical of mineralized wall rock. Rock chip samples 3012 and 3013, and surface sample 3020 all represent the late stage 'white' dyke swarms. These average about 8 ppm Mo and at this point appear to be barren. They are considered to be Eocene felsite dykes.

4.13 SOIL ICP-MS ASSAYS

The soil sampling took place in four separate areas as shown in Figure 6. Only one significant anomalous area had been discovered. It lies in the Owl Zone at the western boundary of the property. For clarity, the assay details of the anomaly are shown in 1:3000 scale in Figure 3 (in text). All the Mo assays are plotted but only the anomalous assays of the other elements are included. As shown, a definite molybdenum anomaly has been outlined which may be open to the northeast. Out of a total population of 19 samples, 13 samples have a range of 12.40 to 55.8




FIGURE 3

SKIP MINERAL PROPERTY

Aug. 2012 Geochemical Report

Owl Molybdenum Anomaly

Scale 1:3000



Legend

○ **12005** Sample Location and Number
 5.95 Mo ppm Mo - all assays reported
 221 Cu ppm Cu - only anomalies of other elements reported.

ppm Mo, a median of 21.40 ppm Mo and an average of 26 ppm Mo. The best evidence to date indicates the molybdenite mineralization lies within a northerly trending system of red granite dykes and white felsite dykes, and on surface, that mineralization has been dispersed easterly by active glaciation. A downhill gravity effect is also operative but it appears to be minimal. The molybdenum is also accompanied by an erratic distribution of other metal anomalies, mainly of Cu, Pb and Zn, but also including Ag, Bi and Cd. These metals are considered to have originated from small areas of high grade sulfides that are peripheral to the molybdenum mineralization.

The three other areas of sampling are shown in Figure 6 with molybdenum assays as well as sample locations. The most northerly of these involved some 'follow-up' testing of a previously discovered polymetallic anomaly. The results were not encouraging except for samples 12966 and 12967 at the western end of the traverse. These assayed 11.35 ppm Mo and 19.15 ppm Mo respectively and may in fact mark the eastern end of the Owl anomaly.

The next sampling area involved a line of samples numbered 12975 to 12988, which were taken across a possible southern extension of the Owl Zone (see Figure 6). The few available rock exposures indicate the area is underlain by Nithi QM, or Caledonia QM that had been variously altered by clay, quartz, sericite and K-spar. The soil results however, were largely negative.

The fourth area of sampling (samples 12009 to 12024) was over the Gel Zone within the area of percussion holes 701 to 705. These holes defined a 800 m long molybdenum zone that had a weighted grade of 101 ppm Mo according to percussion drill assays. Yet previous geochemical soil surveys failed to find this level of grade in any of the soils taken within the drilling area. The purpose of the present sampling was to test the area with soil sampling in hope of finding small strong anomalies missed in earlier work. As shown in Figure 6 this was not achieved. The highest assay was 15.25 ppm Mo, two others were slightly above 14 ppm Mo while the remainder were well below the 12 ppm threshold level. The obvious discrepancy between the molybdenum content of mineralized bedrock and the molybdenum content of overlying soils has been confirmed. These results clearly indicate that soil geochemistry cannot be used to downgrade the ore bearing potential of any part of the Skip property.

5.0 STATEMENT OF COSTS**FIELD WORK**

G.W. Kurz	3 days @ \$350/day	May 25 to 27, 2012	\$1050.00
-----------	--------------------	--------------------	-----------

G.D. Bysouth	1 day @ \$500/day	June 13, 2012	\$ 500.00
--------------	-------------------	---------------	-----------

TRANSPORTATION

4x4:	5 days @ \$50/day		\$ 250.00
------	-------------------	--	-----------

ASSAY COST ALS MINERALS

Invoice 2627018:	June 14, 2012 - 18 Rocks		\$1244.22
------------------	--------------------------	--	-----------

Invoice 2628235:	June 14, 2012 - 65 Soils		<u>\$1854.54</u>	\$3098.76
------------------	--------------------------	--	------------------	-----------

SAMPLE COLLECTION PREPARATION

G.D. Bysouth	1 day, June 2, 2012		\$ 500.00
--------------	---------------------	--	-----------

REPORT PREPARATION

G.D. Bysouth	7 days		\$1400.00
--------------	--------	--	-----------

MISCELLANEOUS COSTS


Printing, Shipping, Supplies			\$ 133.51
------------------------------	--	--	-----------

<u>TOTAL COSTS</u>			<u>\$6932.27</u>
---------------------------	--	--	-------------------------

CONCLUSIONS

Based on the results of the soil and rock geochemical survey, the following conclusions can be made:

1. The geochemical soil traverse over the mineralized Gel Zone was very negative compared to the grade of underlying bedrock. This, and previous sample results, demonstrate why low soil assays cannot be used to devalue any part of the Skip property.
2. A comparison between the whole rock geochemistry of percussion drill chips and known surface rock samples has confirmed the red granite is the granitic rock most closely associated with the mineralization.
3. The major oxide plots of Figure 4 also suggest the coarse grained granite is more evolved variant of the red granite.
4. Because of texture and mafic content, the red granite was thought to be an earlier phase of the Casey intrusions. However, the major oxide plots of Figure 4 indicates the red granite is similar to Nithi QM and dissimilar to Casey Granite. But more sampling of local Casey and Nithi rocks is required before that distinction can be confirmed



Garry D. Bysouth

Geologist

REFERENCES

- Shepard, N., and Barker, G.A., 1967. Geochemical Report on the Count Lake Property, B.C. Assessment Report No. 1108; for Amax Exploration Inc.
- Sutherland, M.A., and Hallof, P.G., 1967. Report on the Induced Polarization and Resistivity Survey, Counts Lake Property. B.C. Assessment Report No. 1107; for Amax Exploration Inc.
- Brown, D.L., 1968. Geochemical Survey of the Owl Claim Group. B.C. Assessment Report No. 1002; for Anaconda American Brass Ltd.
- Hirst, P.E., 1968, Geochemical Report on the Owl Claim Group. B.C. Assessment Report No. 1002; for Anaconda American Brass Ltd.
- Bysouth, G.D., 2006. Geochemical Survey Report on the Skip Claim Group. B.C. Assessment Report.
- Bysouth, G.D. 2011. Geological and Geochemical Report on the Skip Property. B.C. Assessment Report.
- Bysouth, G.D., 2012. Geochemical Report on the Skip Property. B.C. Assessment Report.

APPENDIX A

STATEMENT OF QUALIFICATIONS - Garry D. Bysouth

I, Garry D. Bysouth, of Boswell, British Columbia do certify that:

1. I am a geologist.
2. I am a graduate of the University of British Columbia with a B.Sc. Degree in Geology (1966).
3. From 1966 to the present I have been engaged in mining and exploration geology in British Columbia.
4. For this report I have done the geological field work, supervised the geochemical sampling and interpreted the geological and geochemical results.




Garry D. Bysouth,
Geologist.

APPENDIX B

STATEMENT OF QUALIFICATIONS - G.W. KURZ

I, Gary Kurz, of Fraser Lake, British Columbia do certify that:

1. I am an engineering technologist with 30 years experience in open pit mining as a surveyor-drilling-blasting supervisor.
2. I have successfully completed a prospectors' course put on by Ed Kimura of Endako Mines in 1971.
3. I have been engaged in prospecting activities over the past 41 years and have held mineral claims in the Coquihalla, Fraser Lake, Cedarville and Terrace areas.
4. I have done the geochemical field work required for this report.

for 
Gary W. Kurz,
Prospector.

APPENDIX C

FIELD NOTES

4 pages

P1

Skip PDH Cuttings

Sample # / PDH # / old Sample # ; description

3003 / 704 / 68756 : red granite, ~2% mafic
sparse py, specularite, MoS₂, 18.2cm depth.

3004 / 705 / 68778 : red granite; ~2% mafics?
~1-2% py, vis. MoS₂, 42.67 m depth

3005 / 707 / 68800; grey Casey granite, ~2%
mafic, barren dyke? but incr. K'spar, 2x43m dep.
K-spr alt'd mafic

3006 / 708 / 68808; red granite nr mafic
contact, poss clay/K'spar alt'n in qtz-MoS₂
min. zone, nr- surface (9.14m)

3007 / 709 / 68843 ; mafic rx ~200% chl., at
67.06m (E0H), prob. a diorite, some salmon red K'spar.

3008 / 710 / 68846; Coarse grn. red granite ~2%
mafic, 15.24m depth - is this still the red
granite unit, or Nithi QM.

Skip PDH Cuttings

Sample # / PDH # / old Sample # ; description

3009 / 710 / 68863 ; poss. rx change @ 61 m where red granite passes into a finer grn. grey granite (Casey?). This sample depth 67.05 m.

3010 / 711 / 68878 ; quartz monzonite? or Casey QM? ~10% mafics depth

3011 / 712 / 68894 ; prob. Nithi QM. 10-15% mafics, depth 42.67 (oxid. to 225 m)

3012 / 713 / 68900 ; definite leucocratic dyke of unknown origin (Ootsa?, or Fran. L. intrusion?) < 2% mafics, fine disse. py., depth 18.29 m.

3013 / 716 / 68930 ; white dyke in mafic rock., barren - similar dyke as 713 - poss. a leucocratic dyke with some chl. rich wall rx.

SKIP Rock Samples

3014: nr. PDH 715 79566E 7962N ✓

Red Granite - dk qtz veinlets, green clay alt'a.
def. same dyke as intersected by 714/715

3015: nr 552, 380829E 5977217N ✓

Red granite - dk hles, fresh as above
in appearance but taken S. of 702

3016: nr 554; 381871E 79996N ✓

Red granite, dk hle streaks; some bright
green clay alt'a ~ clay alt'd. prom. mafic
inclusions - poss relict hb!!

3017: nr 10836/10837; 381153E 72932N 951m ✓

Casey^{No!} Granite; minor Mo hles.; fresh -
same as red granite but distinct grey color

3018: nr 1049 381091E 5977882 ✓

Casey^{No!} Granite, fresh aplitic
as above ⇒ poss red graniteNote
these plot
with red
granite

3019: IP line 381078E 78705N

Casey Blls qtz var. - grey with some
white plagioclase, qtz aggregates, no mafics
poss. granite

Skip Rock Samples (Cont'd)

3020 : nr 527 79052E 78053N

Felsite dyke; "ashy" tex. - could be called qtz-porp. with ~.5mm qtz phenos in finer grained groundmass. - maybe clay alt'd.

SKIP SAMPLE SEQUENCE (SOILS)

12001 - 12024 (24)

12957 - 12961 (5)

12963 - 12983 (21)

12985 - 12999 15

65 samples

North Area

Skip Soil Sampling Crk May 25/12

12957 380266 E, 979157 N 851 mon lower Skip Crk fan - small dry channel
silty - auger 30cm - dk brown clay with
angular rx frags12958 380267 E 979386 N 809 msmall dry drainage channel, auger to 30cm
dk brown silty clay with angular rx frags12959 380182 E 979440 N 798 mat base of 10 m high ridge, sandy silt
aug - to rounded small rx frags - 1m auger d.12960 380199 E 979435 N 793 mup on flat, dry low water course, sand
silt clay pale brown .8m-1.2m auger d.12961 380055 E 979374 N 808 msame as above but further downstream
and .6 m auger depth12962 379986 E 979334 N 807dry gully drainage N., brown clay - no rx
~ .7 m auger depth

North AreaP₂

Skip Soil Sampling G.K. May 25/12

12963 379 728 E 979 269 N 809 m
brown silty clay - depression - 60 cm sample depth
outwash sed. r

12964 379 671 E 979 140 N 812 m
pale brown clay 60 cm sample depth
outwash fine sedi - lake deposit?

12965 379 514 E 978 985 N 815 m
dry gully - draining to north 60 cm sample
in silt + clay.

12966 379 371 E 978 815 N 811 m
dry gully, draining west, 60 cm sample
depth - pale grey sandy silt.

12967 379 439 E 978 722 N 763 m
small crk. flowing NW - same crk bed as
12966 but water flows underground at that
point ~ 15 cm sample depth in silt above rx

12968 379 629 E 978 870 N 842
~ 60 m N. of rd - dry runoff depression ~ 15 cm
depth in silt to rocky base - pale brn -
some rounded rx.

North AreaP₃

Skip Soil Sampling G.K. May 25/12

12969 379 730 E 978 974 N 843 m
flat area - sample 45 cm depth, pale grey silt
with angular rx.

12970 379 871 E 979 035 N 838 m
flat area, pale grey clay, 50 cm depth

12971 380 047 E 979 081 N 826 m
slight depression pale grey silt prob outwash
on lake sedi. ~ 45 cm depth

12972 380 138 E 979 154 N 838 m
beside crk - grey silt, rounded rx 30 cm
sample depth - alluvial fan

12973 380 227 E 979 160 N 826 m
brn c-hor. soil, round rocks - poss
alluvial fan - east of present crk

12974 380 249 E 979 140 N 841 m
small depression 30 cm depth in rocky
silt - prob. alluvial fan. of angular
rx.

South Area Owl

PA

May 26/2012 SKIP SOIL SAMPLING G.K.12975 379632 E 977882N 978m

pale brn till? with angular rxs. : 50 cm depth

12976 379709 E 977886N 982mpale brn clay with subangular rx frags -
prob. glacial till 60 cm depth12977 379805 E 977936N 979m

wet seepage soil - active sluggish springs

12978 379867 E 977979N 973m

rocky soil - close to bedrock - 15 cm depth

12979 379921 E 978023N 956mrocky pale brown till with angular rx
frags + 60 cm sampling depth12980 380030 E 978055N 957mwet seepage soil - mainly pale grey clay - from
a drainage gully - 260 cm sample depth12981 380172 E 978080N 950mwet seepage soil - from same drainage gully
pale brown gravel - 260 cm sample depthSouth Area Owl.

PS

May 26/2012 SKIP SOIL SAMPLING G.K.12982 380266 E 978108N 944mrocky till? - rounded frags. pale brown
sample depth ~ 60 cm12983 380355 E 978116N 939

pale brown silty soil - 60 cm depth

12984 380355 E 978115N 938m

Similar to above prob. silty till 60 cm depth

12985 380423 E 978055N 933m

same site - prob. till 60 cm depth

12986 380509 E 978060N 930mpale brown silty round rx frags - prob
till 60 cm depth12987 380584 E 978105N 926m

slope above crk pale brn clay - 60 cm

12988 380628 E 978119 921mslope above crk pale grey clay. -
poss lake? 60 cm

Owl Anomaly

P6

May 27/2012 SKIP SOIL SAMPLING G.K.12989 378 899 E 978 508 N 835 m

close to main rd. - pale grey rubble with angular rx's. ~ 30 cm depth

12990 378 894 E 978 484 N 836 m

Prob. close to bedrx, but 30 cm sample depth in rock grey brown colluvium

12991 378 912 E 978 449 N 852 m

Similar brn. ang. rx prob. colluvium taken at 30 cm depth below an old rd.

12992 378 949 E 978 432 852 m

beside crk. above old rd plastic culvert dk brown to blk "soil" with subang. rx's.

12993 378 969 E 978 465 850 m

~ 6 m east of crk, pale grey silty rubble with rounded rx frags. poss gravity dupli. 30 cm glacial till

12994 379 002 E 978 521 N 836 m

~ 50 east of crk brn clayey silt with angular rx frags = a mix of lake sed + colluvium 30 cm sample depth

Owl Anomaly

P7

May 27/2012 SKIP SOIL SAMPLING G.K.12995 379 076 E 978 547 N 838 m

pale brown clay - lake sediments - 30 cm sample depth

12996 379 126 E 978 481 N 844 m

dk brown colluvial / till mix ~ 20 cm sample depth to rx's.

12997 379 138 E 978 450 N 845 m

dk brown clay with ++ ang. rx's - prob. colluvium ~ 25 cm sample depth - 1st up sil.

12998 379 151 978 383 859 m

prob. same rocky colluvium 20 cm depth

12999 379 206 E 978 368 N 868 m

odd brown "waxy" clay in environ. of rocky colluvium - ~ 20 cm sample depth

12001 379 209 E 978 322 N 884 m

still rocky - sample mainly brown gravelly silt. 12 cm sample depth

12002 379 096 E 978 285 N 820 m

small draw with running water - rusty brown silt in 12 cm depth

Owl Anomaly

P8

May 27/2012 SKIP SOIL SAMPLING # G-W

12003 379 040 E 978 256 887m

brown waxy clay - 12 cm beside crk 12 cm depth

12004 378 968 E 978 262 N 890

pale grey silt with ang. + subang. rx frags
prob. colluvium but also beside crk. 30 cm depth

12005 378 932 E 978 323 N 826m

same crk as 12004 - dk brown clayey silt
taken from stream bed.

12006 378 933 E 978 325 N 883 m

sample taken from grey soil with ang. to subang.
rocks at ~20 cm depth at ~5 m E of crk.

12007 378 993 E 978 348 N 820m

pale brown silt with subangular rx's 10 cm
depth

12008 379 037 E 978 447 N 838m

pale grey clay ~ 60 cm deep @ edge of
old road - prob lake sed's.Rel Zone (this was plowed ground
some 20 yrs ago) P9

May 27/2012 SKIP SOIL SAMPLING G-W

12009 381 121 E 977 598 N 992m

brown, rocky (subang) till rubble 30 cm sample
depth

12010 381 048 E 977 603 N 989

pale brown clay prob. till origin 30 cm depth

12011 380 965 E 977 597 985m

dk brown rusty till subang. rx frags
sample depth ~30 cm

12012 380 918 E 977 605 N 983m

same as above, 45 cm sample depth

12013 380 849 E 977 622 N 982m

same as above, 45 cm sample depth

12014 380 802 E 977 640 N 979m

road rubble = displaced rocky pale brown till

12015 381 216 E 977 608 N 995m

rusty brown till with angular rx frags
sample depth ~30 cm

Gel Zone (plowed ground)

P10

May 27, 2012. SKIP SOIL Sampling G-W

12016 381281E 977633N 995m

brown till rubble with angular rx frags

30 cm. Sample depth

12017 381353E 977656N 1000m

pale brown till rubble - angular rx. - 20 cm depth

12018 381401E 977640N 998m

Same as above - 30 cm sample depth

12019 381480E 977755N 987m

dk brown till with round rx frags. 30 cm

12020 381522E 977805N 978m

pale brown till rubble 30 cm sample depth

12021 381134E 977560N 990m

rocky till, pale grey, ang. rx frags, 60 cm depth

12022 381074E 977506N 995m

pale brown till - round rx frags. 60 cm depth

12023 381010 977444N 1009m

brown clayey till with ang. rx. frags

sample depth 15 cm

12024 380936E 977387N 1017m

same as above but wet ground 60 cm depth

Geol. + Rock Sampling

Owl Zone

P11

SKIP June 13/2012 G.B.:

12039 378601E 5978459N 836m

med-coarse grn. Qm. broken and clay alt'd obscuring original texture - prob. Caledonia Qm.

12040 79068E 78117 935m

angular float boulders from road bank

host rx uncertain - salmon red K-spar and pale grey qtz. but has 1-2 cm qtz-mo vein!

12041 79341E 77980N 972m

red granite dyke - greenstone contact to the west

12042 79371E 77983N 966

east contact of above dyke with greenstone to the east.

12043 79569E 77935N 972m

another dyke contact with greenstone on the east, red granite on the west - another exposure of red granite ~ 30m to the N.W.


Owl Zone

P12

SKIP June 13/2012 G.B.

12043 cont'd.

Sketch:



The strike of this dyke and the one @ 12041 + 12042 is NW about 315° az.

This is prob. a dyke swarm of red granite and felsite dykes and poss some green dykes.

move to Gel Zne.

P13

SKIP June 13/2012 G.B.

12045 80898 E 77354 1025 m

red granite - displaced rubble but def. an exposure of typical r.g.

12046 80587 E 77666 N 960 m

red granite at end of spur rd. - typical - identical to those assayed.

PDH 710

resampled this area for good samples of coarse grn granite

APPENDIX D

GEOCHEMICAL REPORTS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

INVOICE NUMBER 2628235

BILLING INFORMATION		
Certificate:	VA12128764	
Sample Type:	Soil	
Account:	BYSCAR	
Date:	14-JUN-2012	
Project:	SKIP	
P.O. No.:		
Quote:		
Terms:	Due on Receipt	C3
Comments:		

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT- 01	Administration Fee	33.10	33.10
65	PREP- 41	Dry, Sieve (180 um) Soil	1.45	94.25
8.72	PREP- 41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	2.35	20.49
65	ME- MS41	51 anal. aqua regia ICPMS	23.20	1,508.00

SUBTOTAL (CAD) \$ 1,655.84

R100938885 HST BC \$ 198.70

TOTAL PAYABLE (CAD) \$ 1,854.54

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098
 Please send payment info to accounting.canusa@alsglobal.com

Please Remit Payments To :
ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

Page: 1
Finalized Date: 14-JUN-2012
This copy reported on
22-JUN-2012
Account: BYSGAR

CERTIFICATE VA12128764

Project: SKIP

P.O. No.:

This report is for 65 Soil samples submitted to our lab in Vancouver, BC, Canada on 8-JUN-2012.

The following have access to data associated with this certificate:

GARRY BYSOUTH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm	ME- MS41 Cs ppm
12001		0.14	0.28	0.83	1.2	<0.2	<10	50	0.27	0.36	0.35	0.38	15.55	4.1	12	2.19
12002		0.08	3.16	2.82	3.3	<0.2	<10	130	3.45	2.16	0.72	1.74	109.5	11.7	31	10.55
12003		0.12	6.50	3.27	3.1	<0.2	<10	150	4.76	2.31	0.82	11.80	99.7	10.1	27	13.75
12004		0.12	0.75	0.78	0.8	<0.2	<10	50	0.25	0.23	0.32	3.74	11.35	4.3	16	2.62
12005		0.06	3.43	1.94	1.9	<0.2	<10	80	1.95	1.23	0.82	6.71	73.9	6.8	18	6.24
12006		0.16	0.65	0.44	0.7	<0.2	<10	30	0.12	0.20	0.28	1.53	9.40	2.0	9	1.78
12007		0.12	0.55	0.87	1.4	<0.2	<10	50	0.20	0.27	0.19	1.16	10.90	4.2	17	2.86
12008		0.12	0.08	0.89	4.4	<0.2	<10	80	0.38	0.19	0.43	0.12	29.2	5.8	18	1.45
12009		0.18	0.29	0.77	1.1	<0.2	<10	60	0.26	0.47	0.25	0.22	14.60	3.9	8	3.46
12010		0.18	0.45	1.17	1.7	<0.2	<10	100	0.56	0.60	0.45	0.38	45.5	8.4	17	3.67
12011		0.16	0.75	1.22	2.1	<0.2	<10	90	0.78	0.94	0.69	0.76	45.4	6.2	14	3.21
12012		0.12	0.51	1.12	2.1	<0.2	<10	90	0.61	0.75	0.36	0.40	27.1	4.3	11	2.00
12013		0.12	0.42	0.85	1.4	<0.2	<10	90	0.33	0.50	0.30	0.91	12.80	4.1	10	2.00
12014		0.12	0.34	1.09	1.7	<0.2	<10	90	0.65	0.47	0.35	0.56	34.4	5.5	16	1.57
12015		0.12	0.14	1.99	2.8	<0.2	<10	80	1.08	0.62	0.74	0.14	29.1	15.4	30	5.78
12016		0.12	0.13	1.01	1.4	<0.2	<10	80	0.26	0.52	0.29	0.08	10.90	5.2	9	1.52
12017		0.18	0.55	0.93	1.2	<0.2	<10	60	0.33	0.41	0.30	0.09	15.55	3.8	9	1.49
12018		0.16	0.21	0.97	1.3	<0.2	<10	50	0.32	0.38	0.20	0.13	7.18	4.4	11	1.62
12019		0.14	0.38	0.68	1.2	<0.2	<10	60	0.28	0.34	0.44	0.46	11.10	4.3	9	1.63
12020		0.18	0.20	0.84	1.5	<0.2	<10	30	0.28	0.46	0.19	0.22	8.04	5.5	11	2.06
12021		0.14	0.51	0.89	1.6	<0.2	<10	70	0.33	0.95	0.28	0.15	14.50	5.6	9	1.68
12022		0.20	0.21	0.94	1.6	<0.2	<10	90	0.34	0.67	0.29	0.18	37.6	5.3	10	2.64
12023		0.14	0.14	1.00	2.1	<0.2	<10	80	0.35	0.94	0.30	0.17	41.1	5.3	13	1.29
12024		0.14	0.45	1.41	2.2	<0.2	<10	150	0.67	1.04	0.45	0.16	33.5	6.7	14	2.60
12957		0.08	1.13	2.17	3.2	<0.2	<10	140	1.80	0.82	0.78	0.73	57.0	7.4	19	3.56
12958		0.18	0.36	1.26	2.9	<0.2	<10	110	0.92	0.65	0.52	1.60	61.2	7.1	16	2.10
12959		0.10	0.35	1.26	4.2	<0.2	<10	110	1.01	0.55	0.46	0.42	51.4	7.6	17	2.02
12960		0.08	0.14	1.33	4.1	<0.2	<10	170	0.28	0.08	0.34	0.20	24.1	7.0	23	0.78
12961		0.10	0.07	1.19	3.9	<0.2	<10	130	0.24	0.08	0.28	0.06	22.0	6.4	22	0.78
12963		0.12	0.07	1.20	3.6	<0.2	<10	130	0.26	0.08	0.23	0.13	22.8	6.7	20	0.74
12964		0.14	0.05	1.18	2.2	<0.2	<10	160	0.23	0.06	0.21	0.07	15.95	5.7	19	0.88
12965		0.10	0.08	0.98	1.5	<0.2	<10	150	0.18	0.06	0.24	0.06	13.40	4.2	14	0.67
12966		0.08	2.10	2.00	3.2	<0.2	<10	150	2.18	0.95	0.51	1.71	50.9	8.3	24	5.32
12967		0.12	2.09	1.63	5.9	<0.2	<10	140	1.37	0.49	0.69	1.32	57.4	8.3	22	3.13
12968		0.10	0.12	1.14	5.3	<0.2	<10	170	0.39	0.12	0.51	0.25	23.5	7.5	23	1.18
12969		0.10	0.06	1.27	4.2	<0.2	<10	130	0.27	0.10	0.33	0.04	21.1	6.5	25	0.78
12970		0.12	0.05	1.25	3.8	<0.2	<10	150	0.26	0.10	0.28	0.07	20.0	6.6	25	0.81
12971		0.08	0.12	1.30	2.7	<0.2	<10	170	0.27	0.10	0.32	0.09	15.80	5.3	20	0.71
12972		0.10	0.18	0.70	1.1	<0.2	<10	100	0.36	0.35	0.69	1.75	17.45	4.2	11	1.39
12973		0.20	0.43	1.84	2.7	<0.2	<10	160	1.27	0.79	0.63	0.66	54.9	6.8	19	2.92

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	WEI: 21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
12974		0.10	0.73	1.99	2.4	<0.2	<10	150	1.65	0.65	0.82	0.68	52.0	5.5	18	2.72
12975		0.18	0.10	1.03	1.7	<0.2	<10	60	0.30	0.61	0.33	0.10	18.75	5.1	22	1.39
12976		0.16	0.26	1.06	1.6	<0.2	<10	60	0.35	0.50	0.21	0.23	13.90	3.5	13	3.14
12977		0.14	0.24	0.87	1.2	<0.2	<10	70	0.35	0.54	0.29	0.12	18.90	3.4	14	1.78
12978		0.16	0.15	0.92	1.8	<0.2	<10	60	0.30	0.64	0.22	0.16	12.95	4.0	12	2.24
12979		0.16	0.28	1.04	1.1	<0.2	<10	80	0.31	0.56	0.35	0.64	14.60	5.1	20	3.70
12980		0.12	0.15	0.88	1.4	<0.2	<10	50	0.47	0.67	0.30	0.14	20.3	5.7	17	1.76
12981		0.20	0.25	0.86	1.6	<0.2	<10	40	0.84	0.64	0.29	0.10	29.1	4.1	12	3.43
12982		0.14	0.28	1.28	1.7	<0.2	<10	60	0.46	0.59	0.25	0.12	14.75	4.1	14	1.61
12983		0.24	0.20	1.03	2.3	<0.2	<10	60	0.42	0.91	0.24	0.15	16.20	4.9	15	1.56
12985		0.16	0.19	1.15	1.9	<0.2	<10	60	0.39	0.53	0.22	0.15	13.30	4.1	13	2.17
12986		0.18	0.13	0.73	1.7	<0.2	<10	50	0.22	0.54	0.26	0.07	15.30	3.2	10	1.49
12987		0.14	0.11	0.87	1.5	<0.2	<10	60	0.29	0.45	0.27	0.05	15.25	4.7	15	1.93
12988		0.16	0.05	0.90	2.5	<0.2	<10	60	0.42	0.48	0.33	0.08	20.0	4.9	16	3.06
12989		0.12	0.33	0.94	2.3	<0.2	<10	60	0.50	0.57	0.36	0.17	30.0	4.5	17	1.71
12990		0.16	0.23	0.88	1.8	<0.2	<10	50	0.22	0.49	0.21	0.20	10.40	3.5	15	1.38
12991		0.10	0.24	0.90	1.9	<0.2	<10	40	0.35	0.62	0.37	0.29	16.85	5.4	20	1.67
12992		0.14	4.41	2.13	2.1	<0.2	<10	100	2.32	1.18	1.02	9.56	76.6	8.1	26	5.73
12993		0.14	0.26	0.92	2.5	<0.2	<10	50	0.20	0.35	0.27	1.06	9.92	4.5	20	1.52
12994		0.12	0.18	1.00	5.2	<0.2	<10	100	0.40	0.12	0.43	0.20	30.3	7.5	23	0.79
12995		0.14	0.08	1.04	5.0	<0.2	<10	160	0.26	0.10	0.43	0.19	24.1	7.3	24	0.64
12996		0.14	0.76	1.58	4.7	<0.2	<10	110	0.90	0.69	0.53	0.46	39.9	7.8	28	2.50
12997		0.12	2.99	1.84	1.9	<0.2	<10	110	2.04	1.80	1.09	1.34	39.3	6.4	22	4.54
12998		0.12	0.28	0.79	1.3	<0.2	<10	50	0.13	0.33	0.25	0.38	10.65	4.8	15	1.99
12999		0.08	2.92	3.55	3.2	<0.2	<10	140	4.53	5.64	0.90	0.39	60.7	12.5	45	20.3

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	MF-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu ppm	Fe %	Ga ppm	Ce ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
12001		32.1	1.42	4.34	0.05	0.02	0.04	0.019	0.08	10.2	8.1	0.29	352	13.60	0.02	0.79
12002		47.5	3.16	9.51	0.32	0.11	0.04	0.086	0.12	151.0	37.1	0.68	1500	32.1	0.02	1.30
12003		352	3.30	12.05	0.41	0.10	0.08	0.116	0.14	186.0	29.8	0.66	1440	27.2	0.02	1.17
12004		12.0	1.47	4.56	<0.05	0.02	0.02	0.018	0.08	6.8	11.2	0.31	456	5.19	0.01	0.79
12005		221	2.20	6.23	0.23	0.06	0.06	0.071	0.08	98.1	21.0	0.45	949	5.95	0.02	0.76
12006		13.2	1.20	3.97	<0.05	<0.02	0.02	0.010	0.04	6.8	4.8	0.14	126	8.09	0.01	0.91
12007		14.5	1.95	4.85	<0.05	0.05	0.01	0.016	0.05	7.1	13.9	0.26	189	12.40	0.01	1.31
12008		52.2	2.30	3.30	0.08	0.11	<0.01	0.019	0.05	16.4	6.7	0.31	405	17.75	0.03	0.39
12009		17.1	1.48	3.14	<0.05	0.03	0.01	0.017	0.03	8.0	11.8	0.30	264	7.82	0.01	0.72
12010		58.8	2.20	4.99	0.07	0.05	0.02	0.030	0.06	17.0	18.6	0.57	650	5.88	0.02	0.71
12011		125.0	2.32	4.62	0.12	0.05	0.01	0.027	0.04	49.6	26.2	0.36	381	8.35	0.02	0.86
12012		46.7	2.16	4.76	0.07	0.02	0.02	0.021	0.03	29.9	19.9	0.28	233	14.40	0.01	1.31
12013		18.7	1.96	4.59	<0.05	0.03	0.02	0.018	0.04	11.9	13.3	0.22	265	7.61	0.01	1.45
12014		63.5	2.08	4.40	0.09	0.04	0.03	0.022	0.04	30.3	16.4	0.32	343	10.45	0.01	1.41
12015		51.6	3.64	8.37	0.08	0.06	<0.01	0.038	0.07	14.5	26.1	1.25	734	14.25	0.01	0.23
12016		14.6	1.72	3.34	<0.05	0.03	0.02	0.017	0.04	5.0	10.6	0.36	288	4.36	0.01	0.67
12017		15.5	1.61	3.48	0.05	0.04	0.02	0.014	0.03	10.2	13.0	0.25	222	7.40	0.01	0.89
12018		7.8	2.08	4.55	<0.05	0.05	0.03	0.013	0.03	3.8	14.4	0.32	227	5.94	0.01	0.81
12019		19.8	1.51	3.50	<0.05	<0.02	0.05	0.012	0.05	7.4	8.9	0.20	374	15.25	0.01	0.70
12020		11.9	1.86	3.95	<0.05	<0.02	0.03	0.016	0.03	4.7	12.6	0.30	219	6.01	0.01	0.91
12021		15.5	1.78	3.76	<0.05	0.02	0.01	0.019	0.05	5.8	11.7	0.38	347	4.98	0.01	0.56
12022		29.5	1.71	3.42	<0.05	0.04	<0.01	0.016	0.05	8.6	13.0	0.36	289	5.38	0.01	0.69
12023		17.3	1.88	3.40	<0.05	0.02	0.02	0.016	0.06	10.1	10.0	0.32	374	3.71	0.01	0.88
12024		60.6	2.35	5.50	0.08	0.05	0.02	0.027	0.07	28.3	24.1	0.59	440	8.67	0.01	0.71
12957		95.6	2.42	6.56	0.16	0.11	0.03	0.038	0.09	63.0	21.0	0.49	962	12.75	0.02	0.95
12958		49.3	2.19	4.44	0.08	0.04	0.01	0.023	0.09	31.0	13.2	0.41	904	6.31	0.01	0.94
12959		57.4	2.25	4.57	0.11	0.05	0.03	0.027	0.07	42.9	11.6	0.39	950	13.80	0.02	0.74
12960		17.1	2.67	3.94	0.05	0.05	0.02	0.021	0.10	11.2	4.5	0.29	554	1.30	0.02	0.58
12961		12.1	2.60	3.56	<0.05	0.08	0.02	0.017	0.07	8.5	4.3	0.28	359	0.84	0.01	0.55
12963		9.2	2.47	3.50	0.05	0.13	0.02	0.020	0.07	8.9	4.2	0.26	420	0.69	0.01	0.53
12964		6.0	2.19	3.58	<0.05	0.05	0.01	0.015	0.06	6.4	3.3	0.19	668	0.84	0.01	0.56
12965		5.8	1.83	3.68	<0.05	0.04	0.01	0.018	0.07	6.2	3.1	0.15	337	1.06	0.01	0.51
12966		172.5	2.87	5.86	0.18	0.09	0.02	0.046	0.10	65.1	14.9	0.41	1120	11.35	0.02	0.71
12967		89.1	2.67	4.88	0.12	0.05	0.06	0.036	0.08	43.1	13.5	0.40	991	19.15	0.02	0.69
12968		19.1	2.79	3.59	0.06	0.05	0.03	0.027	0.08	11.4	7.2	0.32	760	3.38	0.02	0.87
12969		10.6	2.75	3.39	<0.05	0.17	0.01	0.019	0.08	8.3	5.0	0.29	338	0.59	0.01	0.51
12970		10.6	2.82	3.74	<0.05	0.11	0.02	0.018	0.08	7.3	5.6	0.28	387	0.73	0.01	0.56
12971		8.7	2.46	4.04	<0.05	0.09	0.03	0.020	0.08	6.6	5.5	0.25	402	0.97	0.01	0.87
12972		15.9	1.64	3.10	<0.05	0.02	0.02	0.014	0.07	10.8	7.6	0.21	934	4.47	0.01	1.04
12973		42.0	2.44	4.98	0.11	0.06	0.01	0.027	0.11	34.3	19.0	0.51	1160	9.56	0.01	1.08

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BDSWELL BC V0B 1A4

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu ppm 0.2	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.2	Li ppm 0.1	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.05
12974		64.4	2.36	5.37	0.12	0.09	0.04	0.025	0.16	53.8	18.2	0.43	1100	12.55	0.01	1.01
12975		17.7	2.03	3.32	<0.05	0.05	0.01	0.026	0.06	8.3	9.6	0.39	518	4.11	0.02	1.07
12976		17.8	1.76	3.57	<0.05	0.07	0.01	0.029	0.05	7.2	10.8	0.26	328	5.01	0.01	1.17
12977		15.2	1.49	2.99	<0.05	0.03	0.02	0.026	0.04	8.5	10.7	0.31	422	4.72	0.02	1.02
12978		14.2	1.75	2.41	<0.05	0.08	0.02	0.021	0.08	6.2	6.0	0.20	290	7.31	0.01	1.65
12979		9.5	1.96	4.62	<0.05	0.02	0.03	0.020	0.07	6.7	13.6	0.38	622	5.15	0.01	1.33
12980		10.2	1.74	3.51	<0.05	0.07	0.02	0.026	0.05	8.8	12.0	0.42	584	5.43	0.02	1.16
12981		20.4	1.76	3.05	0.05	0.10	0.01	0.021	0.04	16.6	10.1	0.34	462	10.25	0.02	1.25
12982		20.2	2.00	3.46	<0.05	0.09	0.03	0.025	0.04	6.4	10.3	0.34	385	4.73	0.01	1.51
12983		24.4	2.16	3.02	<0.05	0.10	0.01	0.026	0.05	6.6	8.1	0.29	376	7.41	0.01	1.15
12985		17.3	1.89	3.63	<0.05	0.02	0.02	0.023	0.05	7.2	9.9	0.28	326	3.55	0.01	1.15
12986		11.1	1.42	2.64	<0.05	0.03	0.01	0.019	0.04	7.6	7.2	0.24	281	4.78	0.01	1.09
12987		14.1	1.57	3.10	<0.05	0.07	<0.01	0.018	0.05	7.0	10.9	0.36	388	4.67	0.02	0.99
12988		17.7	2.04	3.18	<0.05	0.15	0.01	0.019	0.08	8.9	8.9	0.40	469	3.74	0.02	0.64
12989		34.5	2.09	3.22	0.06	0.05	0.01	0.020	0.08	23.0	10.7	0.33	381	7.38	0.02	0.97
12990		8.3	1.89	3.79	<0.05	0.02	0.01	0.012	0.05	5.4	10.2	0.26	289	7.55	0.01	1.24
12991		28.8	2.16	3.37	0.05	0.04	0.02	0.021	0.09	6.9	9.8	0.42	455	18.55	0.02	1.07
12992		427	2.49	7.64	0.28	0.08	0.06	0.068	0.11	115.5	21.6	0.49	1280	15.10	0.02	1.02
12993		10.9	2.10	3.74	<0.05	0.07	0.02	0.019	0.07	5.3	10.0	0.31	314	7.87	0.01	1.18
12994		45.5	2.62	3.15	0.08	0.13	0.02	0.018	0.05	14.2	6.2	0.31	564	22.0	0.02	0.47
12995		15.5	2.64	3.18	0.05	0.15	0.03	0.017	0.10	10.7	4.5	0.29	518	3.39	0.02	0.66
12996		101.5	2.95	4.66	0.08	0.05	0.02	0.032	0.07	23.1	17.3	0.43	1040	55.8	0.02	0.86
12997		299	2.24	6.06	0.25	0.05	0.07	0.039	0.09	94.2	23.3	0.47	1040	38.8	0.01	0.89
12998		15.6	1.59	4.43	<0.05	0.02	0.03	0.018	0.08	5.7	11.2	0.26	435	21.4	0.01	0.99
12999		484	3.68	10.55	0.28	0.15	0.05	0.098	0.13	103.5	41.5	1.03	1850	49.8	0.02	0.91

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
12001		6.2	360	29.8	11.3	0.001	0.01	0.07	2.4	0.9	0.6	41.9	<0.01	0.03	0.9	0.055
12002		20.3	520	182.0	23.0	<0.001	0.01	0.41	14.3	4.2	1.2	81.9	<0.01	0.32	10.8	0.036
12003		20.2	700	188.5	25.7	0.001	0.02	0.52	14.3	4.4	1.4	88.2	<0.01	0.23	7.9	0.027
12004		6.2	430	22.2	23.4	<0.001	<0.01	0.08	1.8	<0.2	0.6	40.5	<0.01	0.03	1.2	0.051
12005		12.8	730	112.0	12.5	0.001	0.03	0.32	6.5	2.6	0.8	84.5	<0.01	0.20	2.4	0.025
12006		3.1	130	13.6	10.2	<0.001	<0.01	<0.05	1.4	0.4	0.6	31.5	<0.01	0.01	0.8	0.051
12007		7.2	270	14.5	18.9	0.001	<0.01	0.13	2.5	0.3	0.6	25.6	<0.01	0.02	1.2	0.085
12008		9.6	780	14.1	3.8	<0.001	<0.01	0.28	4.1	0.5	0.4	48.4	<0.01	0.01	3.0	0.064
12009		3.9	170	16.7	6.8	<0.001	<0.01	0.20	2.0	0.5	0.6	39.0	<0.01	0.03	1.7	0.033
12010		7.9	440	43.2	7.1	<0.001	<0.01	0.42	4.6	1.1	0.7	88.9	<0.01	0.05	2.8	0.034
12011		7.4	470	26.0	7.4	0.001	0.02	0.25	3.0	1.9	0.6	63.1	<0.01	0.06	1.2	0.043
12012		5.5	200	15.9	5.5	<0.001	<0.01	0.13	2.3	0.7	0.8	59.0	<0.01	0.05	1.5	0.042
12013		4.2	350	13.8	8.6	<0.001	<0.01	0.11	1.8	0.3	0.7	41.5	<0.01	0.03	1.4	0.050
12014		8.7	350	19.4	6.5	0.001	<0.01	0.12	3.8	0.9	0.6	42.5	<0.01	0.06	2.1	0.059
12015		13.3	960	57.0	7.6	<0.001	<0.01	1.87	9.9	0.8	1.2	115.0	<0.01	0.12	3.2	0.035
12016		5.5	360	18.4	5.3	<0.001	<0.01	0.27	1.8	0.2	0.5	30.9	<0.01	0.05	1.4	0.031
12017		4.4	260	18.8	6.3	0.001	<0.01	0.11	2.0	0.5	0.5	33.3	<0.01	0.03	1.6	0.036
12018		4.6	680	12.4	6.4	<0.001	<0.01	0.24	1.7	0.3	0.6	23.9	<0.01	0.04	1.3	0.038
12019		4.5	530	13.5	10.2	0.001	0.02	0.18	1.4	0.3	0.5	46.3	<0.01	0.01	0.5	0.035
12020		5.5	720	14.6	8.1	<0.001	<0.01	0.24	1.6	0.3	0.6	18.8	<0.01	0.07	1.2	0.036
12021		6.0	520	35.3	5.9	<0.001	<0.01	0.30	1.7	0.6	0.6	34.1	<0.01	0.07	1.5	0.019
12022		6.1	370	19.9	6.4	0.002	<0.01	0.20	2.2	0.3	0.6	59.8	<0.01	0.04	2.3	0.036
12023		7.3	480	21.1	6.9	0.002	<0.01	0.17	2.0	0.5	0.5	37.5	<0.01	0.06	1.9	0.050
12024		9.1	470	20.6	11.1	0.001	<0.01	0.28	3.7	1.1	0.9	125.0	<0.01	0.06	2.0	0.035
12957		12.1	850	47.1	12.3	0.001	0.02	0.30	4.9	1.7	0.7	88.3	<0.01	0.07	2.9	0.025
12958		9.3	860	38.8	13.0	0.001	<0.01	0.21	3.7	0.9	0.6	60.4	<0.01	0.10	2.4	0.039
12959		10.5	690	32.6	8.1	0.001	<0.01	0.21	4.2	1.7	0.5	53.5	<0.01	0.06	2.4	0.044
12960		14.5	1360	6.8	5.8	<0.001	<0.01	0.21	5.1	0.2	0.4	38.3	<0.01	0.02	1.9	0.083
12961		14.3	940	6.0	5.1	0.001	<0.01	0.18	4.4	0.3	0.4	31.4	<0.01	0.02	1.8	0.096
12963		14.7	980	5.6	6.1	0.001	<0.01	0.17	4.3	0.4	0.4	26.9	<0.01	0.03	1.9	0.073
12964		13.5	1090	5.0	5.8	0.001	<0.01	0.08	3.3	0.4	0.4	28.1	<0.01	0.01	1.6	0.069
12965		7.6	1100	5.4	4.9	<0.001	<0.01	<0.05	2.9	0.4	0.4	30.7	<0.01	0.01	1.3	0.057
12966		16.1	680	47.3	14.6	<0.001	<0.01	0.29	9.5	1.6	0.7	62.0	<0.01	0.12	4.7	0.048
12967		15.3	860	28.1	9.1	0.014	0.01	0.83	6.9	1.2	0.5	72.9	<0.01	0.05	2.1	0.052
12968		14.0	1170	9.9	5.9	0.001	<0.01	0.51	4.3	0.4	0.4	52.3	<0.01	0.03	1.6	0.082
12969		14.7	1000	6.6	6.3	<0.001	<0.01	0.48	4.0	<0.2	0.4	35.6	<0.01	0.02	1.9	0.102
12970		14.7	820	6.4	6.4	<0.001	<0.01	0.39	3.8	0.4	0.4	32.7	<0.01	0.02	1.7	0.117
12971		11.8	1090	6.9	4.9	<0.001	<0.01	0.34	3.2	0.2	0.5	30.1	<0.01	0.02	1.4	0.099
12972		5.1	600	18.9	10.3	<0.001	0.01	0.31	1.4	0.4	0.5	57.2	<0.01	0.03	1.0	0.041
12973		9.7	830	48.2	13.6	<0.001	<0.01	0.42	3.6	0.8	0.6	68.9	<0.01	0.10	2.8	0.038

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
12974		9.6	1280	43.4	14.5	<0.001	0.05	0.38	3.2	1.6	0.5	76.7	<0.01	0.06	1.7	0.025
12975		8.4	530	39.2	5.2	<0.001	<0.01	0.27	2.0	0.2	0.5	30.7	<0.01	0.13	1.9	0.074
12976		6.4	410	39.1	7.6	<0.001	<0.01	0.25	1.8	<0.2	0.6	20.2	<0.01	0.08	1.8	0.067
12977		6.4	390	30.9	6.8	<0.001	<0.01	0.25	1.9	0.2	0.6	31.5	<0.01	0.07	1.6	0.054
12978		7.2	590	34.6	4.8	<0.001	<0.01	0.25	1.5	0.4	0.5	19.6	0.01	0.13	2.2	0.055
12979		8.8	900	29.9	11.2	<0.001	<0.01	0.27	2.1	0.2	0.7	27.6	<0.01	0.06	1.7	0.054
12980		8.8	360	31.0	7.5	<0.001	<0.01	0.32	2.3	0.6	0.7	30.0	<0.01	0.12	2.5	0.060
12981		5.6	420	35.7	4.9	<0.001	<0.01	0.33	2.0	0.4	0.6	30.6	<0.01	0.12	4.0	0.067
12982		7.8	740	30.4	6.0	<0.001	<0.01	0.30	2.0	0.4	0.6	22.6	<0.01	0.10	2.6	0.063
12983		8.8	610	42.0	5.2	<0.001	<0.01	0.28	1.7	0.3	0.5	24.5	<0.01	0.25	2.5	0.054
12985		7.5	630	23.8	7.1	<0.001	<0.01	0.22	1.8	0.2	0.5	22.9	<0.01	0.12	1.7	0.044
12986		5.0	490	19.5	5.4	<0.001	<0.01	0.21	1.6	<0.2	0.4	25.3	<0.01	0.07	1.6	0.054
12987		7.1	420	23.4	6.7	<0.001	<0.01	0.31	2.0	0.6	0.5	30.6	<0.01	0.07	2.1	0.063
12988		7.3	550	29.1	8.7	<0.001	<0.01	0.48	2.4	0.2	0.5	33.0	<0.01	0.10	3.5	0.074
12989		8.4	610	36.1	7.0	<0.001	<0.01	0.29	2.7	0.4	0.5	36.4	<0.01	0.06	2.7	0.064
12990		6.8	380	18.8	9.3	<0.001	<0.01	0.25	1.7	0.2	0.5	20.4	<0.01	0.03	1.2	0.066
12991		8.5	790	58.8	8.6	<0.001	<0.01	0.29	2.1	0.3	0.5	30.1	<0.01	0.13	1.9	0.064
12992		17.8	590	119.0	17.4	0.003	0.03	0.47	6.8	2.5	1.0	97.7	<0.01	0.15	2.4	0.036
12993		9.7	420	21.9	12.6	<0.001	<0.01	0.28	2.1	0.2	0.5	32.0	<0.01	0.05	1.4	0.067
12994		11.6	660	9.6	6.6	<0.001	<0.01	0.39	3.8	0.5	0.4	46.0	<0.01	0.02	2.3	0.091
12995		14.2	890	7.1	4.9	<0.001	<0.01	0.41	4.6	0.2	0.4	42.5	<0.01	0.02	1.8	0.086
12996		15.4	530	41.4	15.3	<0.001	<0.01	0.38	6.4	0.6	0.6	58.6	<0.01	0.06	2.8	0.069
12997		12.8	530	46.1	16.7	0.001	0.02	0.42	5.4	2.1	0.7	61.9	<0.01	0.11	2.5	0.037
12998		6.3	380	13.9	24.2	<0.001	<0.01	0.23	2.0	0.3	0.6	28.5	<0.01	0.03	0.9	0.069
12999		26.6	430	174.5	18.5	<0.001	<0.01	0.57	17.8	2.4	1.3	89.3	<0.01	0.36	9.0	0.028

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14- JUN- 2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.05	Y ppm 0.05	Zn ppm 2	Zr ppm 0.5
12001		0.04	0.97	33	0.33	5.10	89	0.5
12002		0.20	16.05	59	0.40	82.2	321	2.6
12003		0.24	17.15	56	0.37	94.7	1610	2.6
12004		0.05	0.71	32	0.28	2.62	329	0.7
12005		0.13	15.30	37	0.34	65.4	682	1.8
12006		0.03	0.63	31	0.28	2.88	130	0.6
12007		0.05	0.51	48	0.17	2.67	266	1.6
12008		0.08	1.32	57	0.16	11.45	61	5.8
12009		0.03	1.13	30	0.24	4.26	79	1.1
12010		0.07	2.82	45	0.27	14.65	124	2.0
12011		0.07	10.40	46	0.42	41.9	131	1.3
12012		0.05	3.70	41	0.36	18.30	99	0.9
12013		0.04	1.49	40	0.23	6.72	168	1.1
12014		0.06	4.74	41	0.20	24.4	172	1.5
12015		0.08	1.79	93	1.09	9.87	100	2.2
12016		0.03	0.74	34	0.22	2.79	47	1.2
12017		0.04	1.92	31	0.23	5.83	58	1.1
12018		0.03	0.63	44	0.34	2.15	75	1.6
12019		0.04	0.85	33	0.21	3.15	79	<0.5
12020		0.03	0.58	37	0.33	2.68	95	0.8
12021		0.03	0.77	32	0.24	3.26	63	0.8
12022		0.04	1.10	33	0.30	5.77	56	1.6
12023		0.05	0.83	38	0.22	4.58	51	1.1
12024		0.08	7.35	46	0.31	21.7	53	1.5
12957		0.11	14.70	43	0.24	38.6	132	2.8
12958		0.06	5.85	42	1.63	18.60	160	1.1
12959		0.08	9.08	46	0.21	29.9	83	1.4
12960		0.06	0.62	58	0.10	7.78	92	3.1
12961		0.05	0.43	62	0.09	5.50	50	3.9
12963		0.06	0.41	55	0.08	5.52	65	6.8
12964		0.07	0.38	48	0.08	3.14	55	2.7
12965		0.04	0.38	39	0.07	3.03	35	1.9
12966		0.13	14.05	56	0.19	54.4	492	2.6
12967		0.15	11.90	55	0.18	34.1	254	1.8
12968		0.08	1.39	64	0.10	9.51	95	1.9
12969		0.08	0.49	70	0.07	4.78	47	6.7
12970		0.05	0.46	72	0.08	3.92	55	4.7
12971		0.06	0.44	58	0.07	3.63	72	3.5
12972		0.05	1.52	35	0.19	6.05	133	0.6
12973		0.10	7.96	47	0.23	23.9	129	1.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128764

Sample Description	Method Analyte Units LDR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.05	Y ppm 0.05	Zn ppm 2	Zr ppm 0.5
12974		0.09	11.35	39	0.24	35.1	142	1.9
12975		0.05	1.05	43	0.31	4.31	81	1.8
12976		0.04	0.81	37	0.24	3.28	100	2.9
12977		0.04	1.82	33	0.25	4.69	99	1.2
12978		0.03	0.91	33	0.30	3.58	76	3.4
12979		0.04	1.05	44	0.26	3.53	184	0.7
12980		0.04	1.92	38	0.31	5.47	89	2.5
12981		0.04	5.35	37	0.32	8.97	66	3.4
12982		0.04	1.10	40	0.36	3.48	111	3.5
12983		0.03	0.96	38	0.34	3.60	89	3.4
12985		0.05	1.07	36	0.28	3.84	96	1.1
12986		0.03	0.87	32	0.23	3.83	61	1.3
12987		0.05	0.86	36	0.28	4.00	54	2.7
12988		0.08	1.03	51	0.26	4.54	57	5.0
12989		0.04	1.52	47	0.24	12.35	79	1.8
12990		0.03	0.63	44	0.30	2.54	89	1.0
12991		0.06	0.80	44	0.35	3.43	95	1.5
12992		0.15	17.05	49	0.33	63.4	634	1.3
12993		0.04	0.62	48	0.25	2.49	187	2.8
12994		0.06	1.30	65	0.09	11.45	93	5.5
12995		0.08	0.50	63	0.07	8.21	62	5.5
12996		0.15	3.76	69	0.18	20.1	102	2.0
12997		0.11	7.40	45	0.28	67.7	146	1.3
12998		0.04	0.54	39	1.18	2.45	106	0.7
12999		0.27	16.25	74	0.40	80.5	360	3.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

INVOICE NUMBER 2627018

BILLING INFORMATION		
Certificate:	VA12128765	
Sample Type:	Rock	
Account:	BYSGAR	
Date:	14-JUN-2012	
Project:	SKIP	
P.O. No.:		
Quote:		
Terms:	Due on Receipt	C3
Comments:		

QUANTITY	CODE	ANALYSED FOR DESCRIPTION	UNIT PRICE	TOTAL
18	LOG-22	Sample login - Rcd w/o BarCode	1.20	21.60
18	PUL-31	Pulverize split to 85% < 75 um	4.30	77.40
18	ME-XRF06	Whole Rock Package - XRF	30.90	556.20
18	ME-MS41	51 anal. aqua regia ICPMS	23.20	417.60
7	CRU-31	Fine crushing - 70% < 2mm	2.80	19.60
6.06	CRU-31	Weight Charge (kg) - Fine crushing - 70% < 2mm	0.48	2.91
7	SPL-21	Split sample - riffle splitter	1.90	13.30
6.06	SPL-21	Weight Charge (kg) - Split sample - riffle splitter	0.38	2.30

SUBTOTAL (CAD) \$ 1,110.91

R100938885 HST BC \$ 133.31

TOTAL PAYABLE (CAD) \$ 1,244.22

To: **BYSOUTH, GARRY**
12340 CHRISTIE ROAD
BOSWELL BC V0B 1A4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098
 Please send payment info to accounting.canusa@alsglobal.com

Please Remit Payments To :
ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7

CHK 067 June 12/12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **BYSOUTH, GARRY**
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 1
 Finalized Date: 14-JUN-2012
 This copy reported on
 15-JUN-2012
 Account: BYSGAR

CERTIFICATE VA12128765

Project: SKIP
 P.O. No.:
 This report is for 18 Rock samples submitted to our lab in Vancouver, BC, Canada on 8-JUN-2012.
 The following have access to data associated with this certificate:
 GARRY BYSOUTH

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME- XRF06	Whole Rock Package - XRF	XRF
OA- GRA06	LOI for ME- XRF06	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **BYSOUTH, GARRY**
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - A
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128765

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd WL kg	ME- XRF06 SiO2 %	ME- XRF06 Al2O3 %	ME- XRF06 Fe2O3 %	ME- XRF06 CaO %	ME- XRF06 MgO %	ME XRF06 Na2O %	ME- XRF06 K2O %	ME- XRF06 Cr2O3 %	ME- XRF06 TiO2 %	ME- XRF06 MnO %	ME- XRF06 P2O5 %	ME- XRF06 SrO %	ME- XRF06 BaO %	ME- XRF06 LOI %
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01
3014		0.94	72.79	14.94	1.36	1.32	0.20	5.60	2.72	<0.01	0.10	0.04	0.024	0.09	0.18	0.52
3015		0.96	72.31	15.17	1.31	0.69	0.31	5.93	2.95	<0.01	0.10	0.02	0.029	0.08	0.15	0.68
3016		0.74	73.47	14.04	1.41	1.49	0.52	4.75	2.94	<0.01	0.10	0.02	0.027	0.07	0.16	0.82
3017		0.74	72.80	14.54	1.39	1.06	0.29	5.52	3.02	<0.01	0.12	0.02	0.025	0.10	0.18	0.36
3018		1.02	72.86	14.85	1.28	0.95	0.30	5.56	3.11	<0.01	0.10	0.02	0.028	0.10	0.19	0.55
3019		0.62	74.26	13.60	1.43	0.74	0.29	4.34	3.97	<0.01	0.23	0.10	0.062	0.02	0.01	0.54
3020		1.04	76.79	12.21	1.07	0.16	0.12	2.48	5.85	<0.01	0.17	0.03	0.009	0.02	0.03	0.79
3003		0.18	72.61	14.58	1.19	1.09	0.28	5.69	2.93	<0.01	0.17	0.03	0.023	0.05	0.15	0.97
3004		0.22	72.01	14.24	1.56	1.61	0.42	5.27	2.81	<0.01	0.12	0.03	0.034	0.08	0.16	1.42
3005		0.18	74.92	11.78	1.38	0.27	0.34	0.38	8.97	<0.01	0.17	0.05	0.041	0.02	<0.01	1.16
3006		0.26	62.69	14.62	3.27	6.52	1.35	4.89	1.05	<0.01	0.35	0.13	0.111	0.06	0.02	4.77
3007		0.20	63.52	15.94	8.46	7.10	3.74	3.32	1.50	<0.01	0.71	0.17	0.270	0.06	0.07	4.80
3008		0.20	74.12	13.58	1.61	1.14	0.36	3.56	3.90	<0.01	0.22	0.06	0.049	0.02	0.08	1.22
3009		0.24	73.63	12.34	1.33	2.48	0.41	3.39	3.40	<0.01	0.17	0.05	0.035	0.02	0.10	2.40
3010		0.22	74.78	12.92	1.74	1.04	0.42	3.33	3.68	<0.01	0.20	0.06	0.052	0.02	0.08	1.32
3011		0.22	72.23	13.74	2.48	1.47	0.59	3.71	3.23	<0.01	0.32	0.06	0.106	0.04	0.10	1.90
3012		0.24	72.32	13.82	1.74	1.17	0.30	3.34	4.91	<0.01	0.25	0.09	0.047	0.03	0.15	1.60
3013		0.28	74.79	12.69	1.43	0.69	0.44	2.16	4.85	<0.01	0.20	0.05	0.033	0.02	0.13	2.26

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - B
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128765

Sample Description	Method Analyte Units LOR	ME- XRF06	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Total %	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
3014		99.88	0.05	0.42	0.2	<0.2	<10	80	0.14	0.26	0.16	0.04	4.37	1.5	7	0.34
3015		99.72	0.02	0.45	0.3	<0.2	<10	70	0.33	0.15	0.09	0.03	10.30	1.3	8	0.51
3016		99.82	0.05	0.51	0.2	<0.2	<10	50	0.26	0.03	0.25	0.04	6.55	2.8	10	0.88
3017		99.42	0.02	0.35	0.2	<0.2	<10	80	0.13	0.03	0.11	0.04	8.07	1.4	6	0.36
3018		99.89	0.02	0.34	0.2	<0.2	<10	60	0.16	0.02	0.11	0.03	5.58	1.6	7	0.64
3019		99.60	<0.01	0.40	0.2	<0.2	<10	20	0.71	0.03	0.10	0.02	28.3	1.2	4	0.94
3020		99.72	0.22	0.33	0.2	<0.2	<10	20	0.30	0.24	0.04	0.03	49.1	0.5	5	0.66
3003		99.75	0.13	0.39	0.4	<0.2	<10	110	0.21	0.21	0.39	0.13	7.26	1.7	5	0.53
3004		99.77	0.15	0.43	1.1	<0.2	<10	60	0.21	0.05	0.65	0.25	9.81	3.0	9	0.81
3005		99.48	0.03	0.46	0.3	<0.2	<10	20	1.00	0.19	0.19	0.08	54.1	1.8	13	0.55
3006		99.82	0.12	1.21	0.5	<0.2	<10	40	0.58	0.07	3.35	0.17	12.40	8.8	7	3.46
3007		99.66	0.21	2.58	0.7	<0.2	<10	30	0.52	0.17	2.59	0.12	22.7	24.6	29	2.30
3008		99.91	0.68	0.56	0.2	<0.2	<10	40	0.49	2.29	0.36	0.18	17.60	2.3	3	2.69
3009		99.75	0.09	0.59	0.1	<0.2	<10	40	0.46	0.23	1.46	0.10	16.45	2.8	5	2.35
3010		99.64	0.11	0.55	0.7	<0.2	<10	40	0.46	0.17	0.37	0.12	17.85	2.8	7	2.11
3011		99.97	0.10	0.87	1.5	<0.2	<10	70	0.44	0.20	0.48	0.44	25.7	4.8	10	1.78
3012		99.76	0.20	0.47	0.6	<0.2	<10	80	0.52	0.40	0.64	0.17	70.5	1.5	5	3.06
3013		99.73	0.28	0.82	0.3	<0.2	<10	30	0.70	0.19	0.40	0.09	57.7	2.0	11	2.90

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - C
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128765

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ca ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
3014		160.0	0.68	1.84	<0.05	0.03	0.01	0.016	0.11	2.3	3.3	0.10	201	59.2	0.10	0.16
3015		12.4	0.96	2.93	<0.05	0.05	0.01	0.017	0.11	3.7	5.6	0.17	222	1.36	0.12	0.07
3016		30.0	0.77	3.08	<0.05	0.02	<0.01	<0.005	0.09	3.3	8.3	0.29	142	18.20	0.09	0.05
3017		6.8	1.00	2.17	0.05	0.05	<0.01	0.008	0.12	5.2	9.8	0.13	186	16.30	0.12	0.44
3018		5.0	0.84	2.29	<0.05	0.03	<0.01	0.005	0.08	2.7	6.2	0.15	160	49.3	0.08	0.23
3019		1.4	1.02	2.83	0.08	0.61	<0.01	0.025	0.13	13.1	21.0	0.16	739	0.84	0.08	5.36
3020		49.4	0.74	2.16	<0.05	1.15	<0.01	0.016	0.15	14.6	2.7	0.05	238	3.75	0.06	0.29
3003		24.6	0.82	2.28	<0.05	0.03	0.01	0.012	0.10	3.9	4.8	0.15	225	23.7	0.12	0.06
3004		58.5	1.04	2.41	<0.05	0.04	0.01	0.012	0.08	5.1	7.0	0.22	258	266	0.09	0.06
3005		3.8	0.98	3.68	0.06	1.74	0.01	0.029	0.23	37.5	6.4	0.18	440	2.93	0.02	0.45
3006		66.6	1.67	4.66	0.07	0.05	<0.01	0.013	0.08	6.4	24.4	0.74	871	219	0.07	0.07
3007		109.5	4.52	8.54	0.18	0.14	0.01	0.028	0.08	11.0	44.2	2.19	1060	65.6	0.06	0.15
3008		16.7	0.92	2.12	<0.05	0.11	<0.01	0.005	0.17	8.9	12.0	0.15	377	49.3	0.06	0.06
3009		44.0	0.90	2.32	<0.05	0.05	<0.01	0.007	0.12	8.5	11.6	0.21	417	66.0	0.08	0.10
3010		16.6	1.02	2.25	0.05	0.12	<0.01	<0.005	0.14	9.1	16.6	0.18	420	16.00	0.05	0.12
3011		33.6	1.54	3.46	0.07	0.23	0.01	0.014	0.13	12.6	13.0	0.28	473	6.19	0.07	0.21
3012		9.9	0.99	2.83	0.11	0.65	<0.01	0.023	0.21	36.1	4.8	0.11	585	13.50	0.06	0.21
3013		96.7	0.91	3.25	0.10	0.70	0.01	0.016	0.14	31.0	10.0	0.23	367	6.04	0.06	0.20

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - D
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14-JUN-2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128765

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
3014		2.4	120	4.0	4.0	0.005	0.02	0.10	0.5	<0.2	0.4	36.9	<0.01	0.02	1.6	0.011
3015		1.8	150	4.0	3.3	<0.001	<0.01	0.16	1.0	<0.2	0.6	24.3	<0.01	0.01	2.6	<0.005
3016		4.1	140	1.2	2.8	0.001	0.01	0.19	0.8	<0.2	0.3	27.7	<0.01	0.01	1.9	<0.005
3017		1.8	140	3.1	4.5	0.001	<0.01	0.05	1.0	<0.2	0.7	31.5	<0.01	0.01	2.3	0.035
3018		2.0	130	3.8	3.2	<0.001	<0.01	0.11	0.9	<0.2	0.5	29.6	<0.01	0.02	1.8	0.017
3019		0.7	290	3.0	19.5	<0.001	<0.01	0.11	3.1	0.5	1.6	5.4	0.02	<0.01	21.6	0.022
3020		0.8	60	12.4	6.8	<0.001	<0.01	0.32	3.1	0.2	1.1	6.3	<0.01	0.04	12.9	0.008
3003		4.9	120	16.5	2.9	0.001	0.11	0.21	0.7	0.2	0.5	31.4	<0.01	0.05	1.8	<0.005
3004		6.8	180	21.1	3.1	0.009	0.35	0.30	1.0	0.4	0.6	47.6	<0.01	0.22	1.7	0.007
3005		9.5	180	12.9	13.8	<0.001	0.02	0.20	1.6	0.2	0.7	15.6	<0.01	0.02	27.4	0.010
3006		12.9	520	18.6	6.6	0.008	0.05	0.49	2.7	0.3	0.7	117.0	<0.01	0.13	1.4	0.014
3007		22.9	1260	11.5	5.5	0.006	0.46	0.51	8.8	0.6	0.9	115.0	<0.01	0.14	1.6	0.110
3008		2.8	210	101.0	8.9	<0.001	0.05	0.28	1.0	0.3	0.4	9.8	<0.01	0.05	5.2	<0.005
3009		8.7	150	14.6	7.7	0.005	0.10	0.30	1.3	0.3	0.5	33.8	<0.01	0.02	4.1	0.006
3010		7.9	220	5.5	8.1	0.001	0.07	0.23	1.1	0.3	0.4	13.0	<0.01	0.05	4.4	0.009
3011		8.8	460	26.8	9.0	<0.001	<0.01	0.38	2.4	0.3	0.5	34.4	<0.01	0.03	5.0	0.042
3012		4.8	220	10.5	12.2	0.001	0.08	0.33	2.0	0.5	0.5	28.8	0.01	0.13	10.0	0.013
3013		3.8	150	14.2	9.7	0.001	0.01	0.78	1.9	0.4	0.9	24.0	<0.01	0.02	15.4	0.008

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: BYSOUTH, GARRY
 12340 CHRISTIE ROAD
 BOSWELL BC V0B 1A4

Page: 2 - E
 Total # Pages: 2 (A - E)
 Plus Appendix Pages
 Finalized Date: 14- JUN- 2012
 Account: BYSGAR

Project: SKIP

CERTIFICATE OF ANALYSIS VA12128765

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
3014		0.04	0.34	4	0.26	1.51	17	0.5
3015		0.03	0.74	10	0.36	1.30	20	0.9
3016		0.03	0.50	10	0.11	2.57	14	<0.5
3017		0.03	0.65	11	0.13	2.39	16	0.7
3018		0.02	0.57	10	0.06	2.03	14	0.5
3019		0.10	8.68	7	0.15	24.2	32	13.1
3020		0.06	2.68	4	0.33	6.89	20	29.7
3003		0.03	1.10	8	1.32	3.16	28	0.7
3004		0.04	1.99	13	2.13	3.22	52	0.8
3005		0.20	6.78	8	0.75	7.79	42	38.9
3006		0.05	0.86	33	1.18	7.36	55	1.0
3007		0.05	0.56	131	0.57	10.95	82	2.0
3008		0.07	1.02	5	0.61	7.41	36	2.5
3009		0.06	1.56	8	0.76	6.68	23	1.0
3010		0.06	1.55	8	0.59	7.36	48	2.9
3011		0.08	0.87	29	0.23	8.33	79	7.2
3012		0.11	3.61	8	0.73	14.60	33	21.1
3013		0.09	4.09	13	0.76	11.00	44	21.8

***** See Appendix Page for comments regarding this certificate *****

33,221

GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORT

Sample Description	Method	Units	3014	3015	3016	3017	3018	3019	3020	3003	3004	3005	3006	3007	3008	3009	3010	3011	3012	3013
WEI-21	Method	Units	0.84	0.96	0.74	0.74	1.02	0.02	0.02	0.18	0.22	0.18	0.26	0.20	0.24	0.22	0.22	0.22	0.28	
ME-XRF06	Reced Wt.	kg	72.79	72.31	73.47	72.80	72.86	74.26	74.26	76.79	72.01	74.92	62.69	53.52	74.12	74.78	72.23	72.23	74.79	
ME-XRF06	SiO2	%	14.94	15.17	14.04	14.54	14.85	13.60	13.60	12.21	14.58	11.78	14.62	15.94	13.58	12.34	13.74	13.82	12.69	
ME-XRF06	Al2O3	%	1.36	1.31	1.41	1.39	1.28	1.43	1.43	1.07	1.19	1.38	3.27	8.46	1.61	1.33	2.48	1.74	1.43	
ME-XRF06	Fe2O3	%	1.32	0.69	1.49	1.06	0.95	0.29	0.29	0.16	1.08	0.27	6.52	7.10	1.14	2.48	1.04	1.17	0.89	
ME-XRF06	CaO	%	0.20	0.31	0.52	0.29	0.30	0.30	0.12	0.28	0.42	0.34	1.35	3.74	0.36	0.41	0.42	0.44	0.44	
ME-XRF06	MgO	%	5.60	5.93	4.75	5.52	5.56	4.34	4.34	2.48	5.69	8.97	4.89	3.22	3.56	3.99	3.33	3.71	3.34	
ME-XRF06	Na2O	%	2.72	2.95	2.94	3.02	3.11	3.97	3.97	5.85	2.93	2.81	4.89	1.50	3.90	3.40	3.88	3.23	4.85	
ME-XRF06	K2O	%	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
ME-XRF06	Cr2O3	%	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
ME-XRF06	TiO2	%	0.10	0.10	0.10	0.12	0.10	0.10	0.10	0.17	0.12	0.17	0.35	0.71	0.22	0.17	0.20	0.20	0.20	
ME-XRF06	MnO	%	0.04	0.02	0.02	0.02	0.02	0.10	0.03	0.03	0.03	0.05	0.13	0.17	0.06	0.06	0.06	0.09	0.05	
ME-XRF06	P2O5	%	0.024	0.029	0.027	0.025	0.028	0.062	0.008	0.008	0.023	0.041	0.111	0.270	0.049	0.035	0.052	0.047	0.033	
ME-XRF06	SiO	%	0.09	0.08	0.07	0.10	0.10	0.06	0.02	0.02	0.05	0.02	0.06	0.08	0.02	0.02	0.02	0.04	0.03	
ME-XRF06	BaO	%	0.18	0.15	0.16	0.18	0.19	0.18	0.03	0.03	0.15	0.02	0.06	0.07	0.08	0.10	0.08	0.10	0.15	
ME-XRF06	LOI	%	0.52	0.68	0.82	0.36	0.55	0.54	0.01	0.01	0.97	1.42	4.77	4.80	1.22	2.40	1.32	1.90	1.60	
ME-XRF06			0.52	0.68	0.82	0.36	0.55	0.54	0.01	0.01	0.97	1.42	4.77	4.80	1.22	2.40	1.32	1.90	1.60	
ME-XRF06			0.52	0.68	0.82	0.36	0.55	0.54	0.01	0.01	0.97	1.42	4.77	4.80	1.22	2.40	1.32	1.90	1.60	






FIGURE 4
Whole Rock Analyses
Major Oxides

Note:
3014 to 3020 - Surface Rocks
3003 to 3013 - Drill chips
Last two digits are plotted
(SKIP PROPERTY)
(2012 GEOCHEMICAL REPORT)



SKIP PROPERTY
NTS 93E, 096 and 097

FIGURE 5
2012 GEOCHEMICAL REPORT
ROCK GEOCHEMICAL SURVEY

Legend


(1) Surface Rocks

■ 3020 White Dyke 3.75 Mo	Rock Number Rock Name Mo ppm
---------------------------------	------------------------------------

(2) Percussion Drill Chips

○ 704 3003 red granite 23.7 Mo	PDH Number Sample Number Rock Name Mo ppm
---	--


Scale 1:10000



UTM NAD 83 Zone 10U

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

33,221



SKIP PROPERTY
 NTS 93E 096 and 097
FIGURE 6
 2012 GEOCHEMICAL REPORT
 SOIL GEOCHEMICAL SURVEY

Legend:
 ○ 12014 Soil Sample location,
 8.38Mo number, and Mo Assay
 in ppm.

Scale 1:10000

 UTM NAD 83 Zone 10U

**GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT**

33,221