



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

**2011 Assessment Report Describing Diamond Drilling Completed on the Kilometer 26
Mineral Property, Omineca Mining Division, BC**

TOTAL COST: \$577,473.90

AUTHOR(S): J. W. (Bill) Morton

SIGNATURE(S): *Bill Morton*

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): 1640793-201101

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5405937 & 5409019

YEAR OF WORK: 2011

PROPERTY NAME: Kilometer 26

CLAIM NAME(S) (on which work was done): Km 26 (#596283)

Km 26 A (#597290)

COMMODITIES SOUGHT: Nickel (Gold)

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN:

MINING DIVISION: Omineca

NTS / BCGS:

LATITUDE: 54 ° 51 ' 16 "

LONGITUDE: 124 ° 44 ' 40 " (at centre of work)

UTM Zone: EASTING:388000 NORTHING:6080000

OWNER(S): Eastfield Resources Ltd

MAILING ADDRESS:110, 325 Howe Street, Vancouver, BC, V6C 1Z7

OPERATOR(S) [who paid for the work]: Fort St. James Nickel (formerly OroAndes Resource Corp.)

MAILING ADDRESS: 910-510 Burrard Street, Vancouver, BC, V6C 3A8

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

Paleozoic Ophiolitic rocks of the Cache Creek Terrane are in contact with Mesozoic rocks of the Takla Group (Quesnel Terrane) near the trace of the Pinchi Fault. Ultramafic rocks, believed to be dunites, are mineralized by nickel sulphide and nickel alloy minerals.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
Eastfield Resources Ltd. 2009 Field Work (filed in 2010), 2010 Field Work (filed in 2011),
2011 geochemistry and geophysics (filed in 2011)

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)	775		
Soil			
Silt			
Rock			
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core 6 holes (Nq)	813 metres	\$577,473.90	
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other		TOTAL COST	\$577,473.90

**BC Geological Survey
Assessment Report
33325**

**2011 Assessment Report
Describing
Diamond Drilling
Completed on the
Kilometer 26 Mineral Property,
Omineca Mining Division, BC**

**Latitude 54°51'16"
Longitude 124°44' 40"
NTS 388,000E, 6,080,000N
(NAD 83)
(Centre of Property)**

**for
Fort St. Jams Nickel Corp.
And
Eastfield Resources Ltd.**

**By
J.W. (Bill) Morton P.Geo
October 5, 2012.**

Table of Contents

	page
Summary	1
Property Description and Location	3
Accessibility Climate and Physiography	3
Location Map	4
Claim Map	5
Exploration History	6
Geological Setting	7
Mineralization Styles	8
Comparable Target Types	9
Regional Examples of Mineralization	11
Summary of Drilling Completed in 2011	12
Conclusions and Recommendations	12
Cost Statement	13
Author Qualifications	14

Appendix

Drill Hole Location Map
Drill Log K11-01
Drill Log K11-01(a)
Drill Log K11-02
Drill Log K11-03
Drill Log K11-04
Drill Log K11-05
Section; K11-01(a), 02, 03 & 05
Section; K11-04 & 05
Section; K11-01 & 01(a)
Analytical Certificates with Procedures

Summary

The Kilometre 26 Project is located at and around the kilometer 26 road marker on the Leo Creek forestry road approximately 50 kilometers northwest of the community of Fort St. James in central British Columbia (Figure 1). The original claims comprising the Kilometre 26 claim group were staked by Eastfield Resources Ltd. in 2008. Late in 2011 Eastfield sold the Kilometer 26 property to Fort St. James Nickel Corp. for 20,000,000 shares which were distributed to shareholders of Eastfield Resources Ltd. in April 2012. Approximately \$625,000 was spent on the project from staking to the commencement of diamond drilling in November 2011.

The Kilometre 26 property consists of twenty-eight claims (Figure 2; Table 1) totalling 12,479 hectares (30,836 acres). The entire claim area occurs within a gentle to undulating landscape all of which occurs on government land. The predominate target of interest on the Kilometre 26 property is ophiolite hosted disseminated nickel. Motherlode style (ophiolite gold) mineralization constitutes a secondary objective. The property covers the juncture of two geologic terranes. Most of the property (from near the eastern boundary through to the western boundary) is underlain by Paleozoic Cache Creek Group rocks which are oceanic in origin while the extreme eastern region of the claims is underlain by Mesozoic rocks of the Quesnel Terrane which are predominantly island arc in derivation. The suture which marks this boundary is the Pinchi Fault Zone, which in the region of the claims is predominantly north-south in orientation. Cache Creek Group rocks in the vicinity of the Kilometre 26 property are dominated by ultramafic serpentinites, basalt and limestone. These rocks are interpreted to form a collage which resulted from a series of accretions and obductions of oceanic rock (directed west to east) extending tens of kilometers in the east west direction and several times this in the north south direction. It is the mantle derived (now serpentinized) ultramafic units which are of interest for nickel mineralization. It is believed that these units were thrust up and in some cases over (obducted) shallower oceanic sediments. Takla Group (Quesnel Terrane) rocks which occupy the eastern region of the claim group are predominantly volcanic in origin.

The suture separating Cache Creek Rocks from Takla rocks corresponds to the Pinchi Fault Zone. This fault zone which occurs as series of north south anastomizing splays several kilometers wide extends for several hundreds of miles with a north south orientation. It is a long lived fault zone thought to have been active from Paleozoic time to recent time and is the locus of currently active hot spring activity (notably Tchentlo Hot Springs located 60 kilometers north of the property). Two former producing mercury mines; the Pinchi Mine and the Bralorne-Takla Mine occur within the fault zone.

Ophiolite derived ultramafic rocks occurring at the Kilometre 26 Property are prospective for nickel mineralization. Although the readers is cautioned that this mineralization may not be the same as at Kilometre 26, similar rocks at the Decar Project, 30 kilometers to the west, owned by First Point Minerals Corp. and under option to Cliffs Natural Resources Inc of Cleveland Ohio are currently being actively explored for nickel. At the

Decar Project ultramafic ophiolitic rocks host awaruite, an iron nickel alloy that is being explored as a potential new source of non -sulphide nickel.

In addition to geological similarities to the Decar Project Kilometer 26 shares many features with The Dumont Project located in Quebec and owned by Royal Nickel Corp. Nickel mineralization at Dumont, which is prefeasibility, is likewise hosted in serpentized ultramafic rocks recently interpreted to be ophiolite in origin. Published reserves for Dumont stand at 1.1 billion tonnes grading 0.27% nickel with a metallurgical and process recovery rate of 41% (0.11% Ni recoverable). Recoverable nickel at Dumont occurs as an intermixed assemblage of awaruite and nickel sulphides which will be recovered using floatation.

Nickel mineralized boulders were first sampled at Kilometre 26 in 2009 and traced to two source bedrock areas in 2010. One of the bedrock source areas was sampled in 2010 at six sites with total nickel values varying from 0.15% to 0.23%. Non silicate nickel for these samples varies from 0.03% to 0.14% and averages 0.10% nickel. Three of the samples have greater than 60% of the nickel in a non silicate form (up to 0.14% non silicate nickel). The first identification of the awaruite nickel alloy was reported in a scanning electron microscope study by P.C. Le Couteur in a report dated 13 January 2011. High tenor pentlandite (\pm Ni) dominated the samples examined by Le Couter.

The preponderance of work at Kilometre 26 has been completed in 2010 and 2011. Sixty-two kilometers of grid has been cut and surveyed utilizing induced polarization and magnetometer techniques. Fourteen hundred (1400) soil samples and one hundred and forty-eight rock samples have been collected and analyzed. A strong north-south oriented magnetic feature-interpreted to be serpentinite has been defined over a strike length of four and a half kilometers ($4\frac{1}{2}$ km). A well defined airborne geophysical total field magnetic anomaly is indicated on a government survey (QUEST: published in January 2009). It correlates well with the anomaly defined by the surface surveys.

Exploration for gold at Kilometer 26 is currently a secondary objective. Historically, gold mineralization was largely unrecognized within the Pinchi Fault Zone until Cominco Ltd. discovered a mineralized boulder on what is now the Kilometre 26 property in 1983. The boulder, which was analyzed repeatedly, averaged 8.1 g/tonne gold. The style of gold mineralization in the Cominco boulder (associated with listwanite alteration) is similar to gold mineralization at Snowbird gold deposit located 38 kilometers to the south on the south shore of Stuart Lake (Omineca Gold Ltd.) and at Eastfield Resources Ltd.'s Indata property located 70 kilometers to the northwest, where gold mineralization was first discovered in 1987.

Diamond drilling commenced on Kilometer 26 on Nov 17, 2011 and continued to Dec 17, 2011. Six holes totalling 813 metres were completed. Analytical work was completed on March 19, 2012.


Property Description and Location

Claim Name	Record #	Area (hectares)	Expiry Date
Km 26	596283	466	18-Dec-17
Km 26 A	597290	466	10-Jan-17
Km 26 (B)	597796	447	19-Jan-17
Km 26 (C)	597970	465	25-Jan-17
Km 26 D	599927	466	24-Feb-17
Km 26 (D)	637783	465	21-Sep-17
Km 26 (D)	649203	466	08-Oct-17
Km 26 (E)	707057	373	24-Feb-17
Km 26 (F)	753322	447	20-Apr-17
Km 26 (G)	753402	354	20-Apr-17
Km 26 (H)	753422	447	20-Apr-17
Km 17	811482	466	09-Jul-17
Km 16	811762	317	09-Jul-17
Km26 I	842953	466	13-Jan-17
Km J	842955	466	13-Jan-17
Km 26-K	842963	466	13-Jan-17
Km 26-L	842968	466	13-Jan-17
Km 26-M	842969	465	13-Jan-17
N	843012	466	14-Jan-17
Km 26-O	843342	466	17-Jan-17
Km 26-P	843343	466	17-Jan-17
Km 26-Q	843344	447	17-Jan-17
2012-A	944169	409	30-Jan-15
2012-2	944170	447	30-Jan-16
2012-3	944171	446	30-Jan-16
2012-4	944172	446	30-Jan-16
2012-5	944173	465	30-Jan-16
2012-6	944809	447	01-Feb-16
		Total 12,479 Ha	

All claims located in the Omineca Mining Division

Accessibility Climate and Physiography

The southern boundary of the Kilometre 26 project is located approximately 50 kilometers northwest of the town of Fort St. James in central British Columbia. Access to the project is provided by the paved Tachie road (\pm 40 kilometres) and then the all weather gravel Leo Creek Forestry Road.



**OROANDES RESOURCE RORP.
EASTFIELD RESOURCES LTD.**

KM 26 PROJECT


OMINECA M.D., B.C.

Location Map

0 100 200
kilometres

Date	February, 2010	UTM	NAD 83, Zone 10	Fig
Scale	as shown		NTS	

Km 26 Claims Feb, 2012



Legend

- Indian Reserves
 - National Parks
 - Conservancy Areas
 - Parks
 - Federal Transfer Lands
 - Mineral Tenure (current)
 - Mineral Claim
 - Mineral Lease
 - Mineral Reserves (current)
 - Placer Claim Designation
 - Placer Lease Designation
 - No Staking Reserve
 - Conditional Reserve
 - Release Required Reserve
 - Surface Restriction
 - Recreation Area
 - Others
 - First Nations Treaty Related Lands
 - First Nations Treaty Lands
 - Survey Parcels
 - BCGS Grid
 - Contours (1:250K)
 - Contour - Index
 - Contour - Intermediate
 - Area of Exclusion
 - Area of Indefinite Contours
 - Annotation (1:250K)
 - Transportation - Points (1:250K)
 - Airfield
 - Anchorage - Seaplane
- Scale: 1:108,696

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

The topography of the Km 26 project is flat to undulating with elevations varying from 760 metres (2500 feet) to 880 metres (2900 feet). Vegetation is predominantly Lodgepole pine, spruce and minor Douglas fir. Extensive areas of flat swampy meadow and extensive areas of clearcut logged forest exist.

The climate for this area is typical of central British Columbia with warm to hot summers and cool to cold winters. Permanent snow typically covers the ground from the first part of November until mid April. Logging activities persist year round excepting breakup when ground frost melts and road restrictions are invoked to protect the road system.

The 1983 Cominco boulder (mineralized with gold) is located at the 26 kilometre mark on the Leo Creek Road.

Exploration History

In 1983, Cominco Ltd. conducted a targeted geochemical and prospecting program north of its Pinchi mercury mine along the postulated trace of the Pinchi Fault targeting gold mineralization related to the fault. The program was under the direction of Ian Patterson and was successful in discovering a large mineralized boulder at the 26 kilometer mark of the Leo Creek Forestry Road. The boulder which was described as being composed of quartz-ankerite-magnesite and mariposite (listwanite style alteration) was sampled several times and repeatedly graded approximately eight grams gold per tonne.

In 1986 Equinox Resources Ltd. optioned the then Cominco owned claims and completed 734 metres of reverse circulation drilling. Twenty-one holes were completed with fourteen encountering bedrock. While no significant gold or arsenic results were obtained several holes encountered (and ended in) serpentinite with no analysis being completed for nickel.

Eastfield Resources Ltd. completed a brief rock sampling program in 2009 while in 2010 and 2011 OroAndes Resource Corp. (now Fort St. James Nickel Corporation) established a cut grid (64 line kilometres), completed 57 kilometres of induced polarization surveying, 64 kilometres of magnetometer surveying and collected and analysed 1400 soil samples and 148 rock samples.

In late 2011, November and December, Fort St. James Nickel Corp. completed six diamond drill holes totalling 813 metres. This drilling tested a 1400 metre by 400 metre area of a 4500 metre long geophysical target (magnetic high). All six holes started and ended in mineralized serpentinite with four of the holes returning total nickel intercepts of 0.20% to 0.24% Ni with included sulphide nickel of 0.10% to 0.15% Ni respectively over intervals as wide as 63 metres. Preliminary metallurgical testing has confirmed that most of the mineralization is high nickel tenor pentlandite (average 35% Ni). A conceptual mine model for Kilometer 26 is predicated on applying similar economies of scale and process technology to what is currently utilized at several, low grade copper porphyry deposits in BC.

Geological Setting

Regional Geology

The Pinchi Fault Zone is one of the pre-eminent structural features in central British Columbia and is a major structural feature that separates distinct geological terranes; the predominantly Paleozoic aged Cache Creek Group rocks to the west and the predominantly Mesozoic aged Takla Group rocks to the east (part of the Quesnel Terrane). It extends in a north-south orientation for more than 450 kilometers (twenty kilometers on the Kilometre 26 property) and through its long life has acted as a thrust and a normal fault. Current hot spring activity on the Pinchi Fault at Tchentlo Lake, located 50 kilometers to the north of the property, confirms that its activity has persisted to recent times and continues. Metamorphic grade of rocks in proximity to the fault zone often assumes blueschist grade (high pressure-low temperature) much as is the case along the Melones Fault Zone (the Motherlode trend) in California.

Property Geology

The western about two-thirds of the Kilometre 26 property is underlain by rocks of the Paleozoic aged Cache Creek Group. The Cache Creek Terrane in British Columbia represents a Paleozoic ocean in which the full sequence of pelagic sediments/chert, limestone and some ultramafic rock represents an accretionary assemblage while some of the ultramafic bodies (the mantle derivatives) are ophiolites. In summary, ophiolites are suites of mafic and ultramafic rocks generated in a mantle slab beneath oceanic crust. Under certain plate boundary conditions, slabs of oceanic crust detach (with mantle derived mafic and ultramafic components-“ophiolites”) and override (obduct) continental margins which may already be overridden by parts of the accretionary assemblage. The combined assemblage of oceanic crust and its underlying mantle rocks are considered the accretionary assemblage as they collide intact and accrete themselves to a pre-existing continental margin whereas the slabs of mafic and ultamafic rocks derive their positioning from a tectonic phenomenon (obduction) and are considered the ophiolite assemblage. Until recently these mafic and ultramafic bodies in the Cache Creek Group were interpreted to be intrusive into oceanic crust but are now interpreted to be in fault contact with the crust. Both the accretionary and ophiolitic assemblage rocks are well represented on the Kilometre 26 property.

Much of the geological literature describing the Cache Creek, particularly its ultramafic lithologies, is dated and has evolved ad-hoc without a modern interpretation of what is the “bigger picture”. For example the ultramafic rocks are variably described, report by report, and prospect by prospect, as being of: alpine type, ophiolite type or layered gabbro intrusion type. Alpine type ultramafic rocks are usually confined to continental crust that has undergone an orogenic event and consequently would not be expected in an oceanic environment like the Cache Creek. The bulk of the ultamafics known in the belt are interpreted to be ophiolites which is probably correct. It is these rocks which are permissive for nickel mineralization.

The Axelgold layered gabbro intrusion located in the Cache Creek Group approximately 150 kilometers to the north-west of Km 26 offers an intriguing insight. This intrusion is a

well-layered, gabbroic to anorthositic complex measuring twelve kilometres by five kilometers and several thousand metres thick. A lower, ultramafic portion has not been mapped and is interpreted, if present, to be buried under an unknown depth of the intrusion. It is this lower, olivine rich ultramafic component that would, if present, be prospective for copper-nickel mineralization. It is layered intrusions which host some of the world's truly great sulfide nickel deposits such as Voisey's Bay in Labrador and Norilsk in Russia.

The Quesnel Terrane, to which the Takla Group is part, is a northwest-southeast trending Mesozoic remnant of a west facing volcanic arc. It constitutes the continental margin to which the Cache Creek Group was both accreted and obducted. Takla Group rocks occupy the extreme eastern side of the Kilometre 26 property ($\pm \frac{1}{4}$ of the property).

Lithologies identified in outcrop at Kilometre 26 include Cache Creek Group gabbro and limestone and Takla Group mudstone and mafic volcanic tuff. Serpentinite has not been found outcropping but comprises all of the core drilled in 2012.

MINERALIZATION STYLES

Nickel

Nickel mineralization in serpentized ultramafic rocks believed to be of ophiolitic origin has been discovered at Kilometre 26. The mineralization initially exposed in rubble has now been confirmed in recent diamond drilling over a long dimension of 1400 metres and aver a width of approximately 400 metres. It remains open in all direction. Two other mineralized areas distanced as much as 1.8 kilometers west from the drill intercepts have also been discovered. All the mineralized samples are similar in their association with elevated cobalt and chromium and their magnesium content which varies in the surface samples from 7.2% to 18.5% and in drill core to 23% (indicative of serpentization). The samples are generally very low in sulfur content and have negligible to undetectable mercury. The first identification of the awaruite nickel alloy was reported in a petrographic study by P.C. Le Couteur in January 2011. One sample (of 11 samples submitted) contained the nickel alloy awaruite in the habit of numerous grains ranging from less than 0.01 mm to about 0.15 mm (10 to 150 microns). The average nickel content of the awaruite grains was determined to be 81%. Metallic minerals in the remaining samples were almost exclusively pentlandite with an average nickel content of 35% for all of the non awaruite metallics.

Gold

Gold mineralization first identified at Kilometre 26 by Cominco Limited in 1983 (the Cominco Boulder) is thought to be similar to gold mineralization discovered at the Snowbird Gold Deposit (Stuart Lake) and the Indata property (70 kilometers to the north). Collectively the evidence indicates that the Pinchi Fault has considerable gold potential that has remained unknown because of almost complete till coverage. It can be surmised that the Cominco boulder was not in place but most likely is derived from a nearby source within the Pinchi Fault Zone. The boulder, which was analyzed repeatedly at the time, averaged 8.1 g/t gold and was associated with highly anomalous

concentrations of arsenic. The mineralization in the boulder indicates listwanite type alteration which is predictable in an environment of obducted ophiolitic mafic and ultramafic rocks.

COMPARABLE TARGET TYPES

Awaruite Nickel

Ophiolites have recently become recognized as potentially hosting an as of yet untapped source of nickel; namely in the alloy awaruite. First Point Minerals Corp. and Cliffs Natural Resources Inc., a major iron ore company based in Cleveland, Ohio, are exploring the Decar project located on the south slope of Mount Sydney Williams approximately 80 kilometres northwest of Fort St. James, BC. At Decar ultramafic ophiolite rocks host awaruite, a highly magnetic and dense nickel-iron alloy, that is being explored as a potential new source of non sulphide nickel. Rock samples at the main area of interest at Decar vary from 0.13% to 0.24% nickel alloy with the mean being closer to 0.13%. The composition of the alloy averages $\pm 75\%$ nickel with the remainder being iron and minor cobalt and copper. What creates the attractiveness of awaruite is that it would be amenable for direct usage in stainless steel production without requiring further processing. Awaruite's physical properties; high magnetic susceptibility, high density and extreme malleability offer a number of avenues to pursue in developing a process for economic recovery. The Decar property is located approximately 30 kilometres west of kilometer 26.

Bulk Tonnage Low Grade Sulphide Nickel

Kilometer 26 shares many features with The Dumont Project located in Quebec and owned by Royal Nickel Corp. Nickel mineralization at Dumont, which is in prefeasibility, is likewise hosted in serpentized ultramafic rocks. Recoverable nickel at Dumont (0.11% Ni recoverable, [Dec 16, 2011] occurs as an intermixed assemblage of awaruite and nickel sulphides which will be recovered using floatation. Plans for the Dumont project involve utilizing similar economies of scale and technology to what is commonly utilized at low grade surface porphyry copper mines in BC and other parts of the world. Plans include an open pit mine operating at 70,000 tonnes per day with a flotation concentrator.

Ophiolite Gold Model

The thrust faults that constitute the bounding faults to obducted mafic and ultramafic rock can provide important hydraulic conduits for precious metal bearing fluids. Examples of ophiolite related gold deposits include parts of the Motherlode region in California, the Bralorne-Pioneer Mine in British Columbia, several prospects in the Atlin District British Columbia and the Snowbird deposit located near Fort St. James in central British Columbia (40 kilometres south of Kilometer 26). The mines at Grass Valley California collectively produced approximately 10 million ounces of gold while the Bralorne Mine in British Columbia produced more than 4 million ounces each being respectively the largest gold producer in the State of California and the Province of British Columbia.

In the ophiolite gold model the full range of the ophiolite assemblage forms the host rock for gold mineralization with the most competent units; argillite, basalt, and gabbro hosting the most continuous veins. Veins may also extend into adjacent competent felsic plutons that are intrusive into the package. The least favourable location for gold veins is the serpentinite where the veins

often feather out. This having been said serpentinites are a critical component to the localization of gold mineralization. At the Bralorne Mine in British Columbia some of the most extensive and richest ore shoots end against serpentinite bodies. An example of these shoots is provided by Cairnes in 1937 who writes “the west-end shoot rakes approximately with the intersection of the vein fissure and the serpentinite and extends back for several hundred feet from this intersection. This is a high-grade shoot and has provided exceptionally rich pockets. In a stope from 8-level, two tons alone produced 9,685 ounces of gold (\pm 5,000 ounces per ton). Another pocket yielded 400 pounds gold from 900 pounds of ore (\pm 10,000 ounces per ton).” A similar relationship where gold bearing veins develop exceptionally rich pockets at the contact with serpentinite is described for the Alleghany District in the Motherlode region of California.

Deep crustal faults with extensive carbonate alteration are clearly indicated by the presence of listwanite altered ultramafic rocks. Although gold-quartz veins are not generally hosted by the listwanite, the richest gold veins are almost always found in shoots close to the ultramafic rocks, usually within competent tectonic blocks of plutonic to hypabyssal crust in faulted contact with the listwanitic altered ultramafic rock. A definitive spatial and temporal relationship to high level felsic intrusive rocks is also either defined or suggested. Alteration progresses from serpentinite to a rock consisting of Fe/Mg carbonate (magnesite) and talc to a rock consisting of magnesite, quartz and green chrome mica (mariposite). Quartz veins (if present) are often located on the edge or slightly beyond the most intense alteration, often occurring with carbonate minerals and mariposite. It is this later carbonate stage that brings in most of the gold, particularly in sections of the vein where deformation is most intense. Associated elements besides gold included arsenic, antimony and mercury.

Examples of exceptionally high grade ophiolite related gold pockets (not run of mine but local high-grade) include:

- 1.) Bralorne Mine, BC; - 9,685 ounces of gold from 2 tons rock in a high grade stope on 8 level (\pm 5,000 oz/ton)
- 2.) Snowbird Property, BC; - 8,509.5 g/t Au (248 oz/ton gold) from 15 centimetre quartz vein in drill core.
- 3.) Oriental Mine, Allegany District, California; - 5 to 10 metre long ore shoots that routinely averaged \pm 100 ounces per ton gold (3,500 grams per tonne gold).

McLaughlin Mine Model

The Stony Creek Fault, also in California, is another major terrane bounding structure which separates the Coast Range Ophiolite sequence (largely serpentinite) from the Great Valley sequence and is also comparable to the Pinchi Fault. In 1978 Homestake mining discovered the McLaughlin deposit at a then mined out mercury mine. Gold at McLaughlin is associated with siliceous mercury mineralized sinter which contains minor hydrocarbon. A total resource of 24.3 million tonnes grading 4.49 g/t gold was defined and the deposit has since been mined out. Hot spring tuffa currently being discharged from the active hot spring at Tchentlo Lake, on the Pinchi Fault 50 kilometres north of Kilometer 26, was sampled in the 1980's and found to contain 36,000 ppb mercury. The combination of the comparable setting of the Stony Creek Fault to the Pinchi Fault and the association of hot spring activity with mercury mineralization and the occurrence of mercury along the Pinchi Fault Zone supports this comparison. The most significant mercury occurrence occurring within the Pinchi Fault Zone is the Pinchi Lake Mercury Mine located 18 kilometres to the south of the Kilometre 26 Property. This mine, owned by Teck Corporation (formerly Cominco Ltd.), was discovered in 1937 and was in production from 1940 to 1944 and again from 1968 to 1975. A previously unknown warm seep precipitating tufa (travertine) was discovered in 2011 at Kilometer 26 near station L9800N, 9375E (UTM 387702E, 6078393N).

REGIONAL EXAMPLES OF MINERALIZATION

Decar

Nickel

The Decar project located on the south slope of Mount Sydney Williams approximately 80 kilometres northwest of Fort St. James, BC and approximately 30 kilometres west of Kilometer 26. At Decar ultramafic ophiolite rocks host awaruite, a highly magnetic and dense nickel-iron alloy, that is being explored as a potential new source of non sulphide nickel. Rock samples at the main area of interest at Decar vary from 0.13% to 0.24% nickel alloy with the mean being closer to 0.13%. The composition of the alloy averages $\pm 75\%$ nickel with the remainder being iron and minor cobalt and copper.

Snowbird

Gold

The Snowbird gold deposit, currently owned by Omineca Gold Ltd., is located on the Sowchea Thrust Fault forty kilometres to the southeast of Kilometer 26 on the south shore of Stuart Lake. Mineralization at has witnessed minor production with a small amount of ore grading approximately 9.0% antimony and 8.0 g/t gold. Mineralization at Snowbird is typically hosted in listwanite (“mariposite” rock). Drilling completed in 1986 included a spectacular 15 cm quartz vein which graded 8,509.5 g/t gold (248 oz per ton) from within a 5 foot (1.5 metre) interval that graded 788.6 g/t gold (23.0 oz per ton).

Indata

Gold

A probable splay to the Pinchi Fault exists on the Indata property 65 kilometres to the north of the Kilometre 26 Property. In 1987 Eastfield Resources Ltd. discovered significant gold mineralization at Indata Lake. Much like the Snowbird deposit and Cominco boulder, mineralization at Indata was associated with significant amounts of arsenic and antimony and proximity to serpentinized ultramafic rocks. Mineralizaton drilled at Indata has included 24 drill intercepts where the average vein intercept is 1.5 metres wide with an average grade of 8.41 g/tonne gold and 52.43 g/tonne silver. This average includes one very high result of 4.0 metres grading 47.26 g/t gold and 2.00 g/t silver. Alteration encountered in drill holes at Indata includes talc magnesite which is often the less altered precursor to (“mariposite” rock) hosting mineralization in the “Motherlode Belt” of California.

Pinchi Mercury Mine

Mercury

Mineralization at the Pinchi Mine is hosted in limestone breccias and in quartz-ankerite-mariposite schist cut by one of the main breaks of the fault which in the area of the mine assumes a character of a series of anastomizing splays. In the vicinity of the mercury orebodies limestone is dolomitized and silicified. Cache Creek age greywacke, outcropping on the south shore of Pinchi Lake opposite the mine, contains minor hydrocarbon. No mercury mineralization has been encountered on the Kilometer 26 property.

SUMMARY OF DRILLING COMPLETED IN 2011

Six diamond drill holes totaling 813 metres of NQ core.
with the following locations:

Hole #	Final Depth m	Easting (NAD 83)	Northing (NAD 83)
K11-01	72	387437E	6079359N
K11-01(b)	88	387437E	6079359N
K11-02	200	387952E	6078508N
K11-03	174	387660E	6078962N
K11-04	171	388663E	6078194N
K11-05	108	388325E	6078238N

(all holes vertical)

Summary of Significant Ni Sulphide Intercepts from 2011 Drill program:

Hole	From-To (m)	Intercept (m)	Ni (sulphide) (%)	Depth of Hole Bottom (m)
K-11-1	40.0-72.0	32.0	0.091	72
K-11-2	35-57	22.0	0.127	
	93-156	63.0	0.119	
	168.0-200.0	32.0	0.102	200
K-11-4	21.0-64.0	43.0	0.144	
	134.0-171.0	37.0	0.153	171
K-11-5	56.0-106.0	53.0	0.104	106

Hole K-11-2 ended in mineralization grading 0.125% Ni sulphide while hole K-11-4 ended in mineralization grading 0.178% Ni sulphide.

Nickel Sulphide was determined by Acme Analytical Labs at their Vancouver, BC facilities using an ammonia citrate peroxide leach which is reputed to be specific for nickel sulphide and not subject to significant contamination from a nickel silicate source. Acme Analytical Labs Ltd. is an ISO 9001 certified facility.

CONCLUSIONS AND RECOMMENDATIONS

Fort St. James Nickel and its predecessor companies, Eastfield Resources Ltd. and OroAndes Resource Corp., have successfully completed the conceptualization and discovery of significant nickel mineralized system. The six diamond drill holes now completed should be augmented with an additional eight to ten holes to test the remaining three kilometres of the four and one half kilometre target to determine its “room for extent” and to prioritize the most permissive areas. Further grid work to the northwest of the existing grids is also warranted. One east angled hole is warranted to trend from hole K11-04 eastward to test the nature of the break from the ultramafic and test for a gold mineralized structure in this location.

COST STATEMENT

Professional Fees	J.W. Morton, P. Geo, 8 days @ \$680	\$5,440	Nov 4, 21 & 22, Dec 18, 2011, Jan 27 & 27, Feb 27, March 27, 2012
Professional Fees	T. Ambrose, B Sc., Geo, 51 days @ \$535	\$27,285	Nov 1-30, Dec-21, 2011
Professional Fees	B. Laird, P. Geo, 1 day @ \$680	\$680	Jan 18, 2012
Field Personnel	Sky Perrault, 51days @ \$420	\$21,420	Nov 1-30, 2011
Field Personnel	B. Collier, 4 days @ \$310	\$1,240	Dec 1, 4, 8 & 10, 2011
Field Personnel	J. Costello, 2 days @ \$310	\$620	Nov 1& 26, 2011
Field Personnel	J. Thomas, 6 days @ \$310	\$1,860	Dec 1, 2, 5, 10, 11 & 12, 2011
Total Personnel			\$58,545.00
Truck Rental, Enterprise Car Rental,			\$3,568.39
GPS Rental, Mincord, 1@ \$5 day, 47 days,			\$235.00
Sat Phone Rental, 1@ \$10 day, 47 days,			\$470.00
Consumables and Field Equipment,			
(includes core boxes and diamond saw and blades),			\$10,269.80
Freight,			\$1,156.32
Accommodation,			\$2,210.00
Travel Expenses,			\$7,381.02
Warehouse and storage,			\$8,459.33
Fuel,			\$17,196.10
Tires,			\$1,375.08
Drilling Supplies,			\$6,540
Electrician (to wire core saw and cutting facility),			\$3,385.01
Analytical Costs (Drill Core), 593samples @ \$35.58 sample,			\$21,101.40
Communications,			\$333.38
BC Hydro			\$1,178.62
Food and Restaurant,			\$2,092.41
Radio Rental, Mincord (4 units), @ \$5 each, 47 days,			\$770.00
Computer, 1@ \$15 day, 51 days,			\$705.00
Scheduled Flights,			\$535.97
Vehicle Expenses,			\$232.98
Fuel Tank Rental,			\$2,400.00
Miscellaneous			\$100.76
<u>Drilling, Omineca Diamond Drilling, 813 metres @ \$463.48 m</u>			<u>\$376,810.43</u>
Subtotal			<u>\$527,052.00</u>
HST,			\$50,421.90
Grand Total			<u>\$577,473.90</u>

AUTHOR QUALIFICATIONS

I, J.W. Morton am a graduate of Carleton University Ottawa with a B.Sc. (1972) in Geology and a graduate of the University of British Columbia with a M. Sc. (1976) in Graduate Studies.

I, J.W Morton have been a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Geo.) since 1991.

I, J.W. Morton have practiced my profession since graduation throughout Western Canada, the Western USA and Mexico.


I, J.W Morton supervised the work outlined in this report.

Signed this 5th day of October, 2012

Signed

Bill Morton

J.W. (Bill) Morton



Hole # K11-1			Loc Method: GPS Nad83			dip tests													
Property: KM26			UTM E 387437			depth (m)	dip	az	Start Date: November 17, 2011										
Depth (m); 72			UTM N 6079359			N/A	N/A	N/A	Completion: November 19, 2011										
Core Size; NQ			Azimuth: 0						Logged By: Ambrose										
Drilled by; Omineca Diamond Drilling			Inclination: -90						Date logged: November 2011										
NOTES: tough drilling, lots of sand and clay causing troubles in overburden and bedrock			Elevation: 825m																
depth (m)		description			sample #	from	to	interval	rec		Ni	Co	Cr	Pt	Pd	Au	Mg	S	S
from	to					m	m	m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%	%
0.00	27.00	casing																	Sul
27.00	34.00	till			1424001	27	30	3.0			65	16	106	<3	<2	<2	1.5	0.05	
					1424002	30	34	4.0			412	27	365	<3	<2	<2	5.8	0.17	
34.00	73.00	serpentinite, mod to strongly magnetic, v finely disseminated silver pinhead metallics throughout, broken, rubbly core,			1424003	34	36	2.0			2145	103	1220	<3	<2	<2	21.9	<0.05	0.019
					1424004	36	38	2.0			2127	100	1054	<3	<2	<2	21.4	<0.05	0.045
		38.5-39: lite green serp clay with cm scale chunks of serp			1424005	38	40	2.0			2274	105	1199	14	11	5	21.5	<0.05	0.062
					1424006	40	42	2.0			2371	109	1161	10	9	2	21.9	<0.05	0.101
					1424007	42	44	2.0			2238	104	1152	12	9	5	22.0	<0.05	0.081
					1424008	44	46	2.0			2285	108	1360	15	12	3	21.6	<0.05	0.107
					1424009	46	48	2.0			2157	100	1116	13	10	4	21.4	<0.05	0.095
					1424010	48	50	2.0			2129	102	945	9	7	3	20.6	<0.05	0.101
					1424011	50	52	2.0			2192	99	1084	10	9	3	21.7	<0.05	0.130
					1424012	52	54	2.0			2315	105	1236	15	9	5	21.8	<0.05	0.059
					1424013	54	56	2.0			2196	103	1165	15	8	6	21.7	<0.05	0.105
					1424014	56	58	2.0			2191	102	1238	12	12	4	22.1	<0.05	0.091
					1424015	58	60	2.0			2059	97	1126	9	11	<2	21.6	<0.05	0.083
		61-EOH is mostly broken rubbly core, even more broken up then above, increasing clay/sand content towards EOH			1424016	60	62	2.0			2027	95	1255	13	10	<2	21.5	<0.05	0.102
					1424017	62	64	2.0			2387	107	1408	11	10	3	21.8	<0.05	0.101
					1424018	64	66	2.0			2367	108	1203	10	12	<2	22.2	<0.05	0.066
		10cm of light gy-gn clay			1424019	66	68	2.0			2171	102	1259	10	9	5	21.7	<0.05	0.100
					1424020	68	70	2.0			2064	98	1268	12	9	<2	21.7	<0.05	0.078
		From 34.0 m to 72.0 m, 38.0m at 0.22% Ni, 102 ppm Co, 1,191 ppm Cr, 10.3 ppb Pt, 8.7 ppb Pd, 2.5 ppb Au, 21.7% Mg and <0.05% S			1424021	70	72	2.0			2215	99	1189	6	8	<2	22.0	<0.05	0.091

Hole # K11-1B 1 (a)			Loc Method: GPS Nad83			dip tests													
Property: KM26			UTM E 387437			depth (m)	dip	az	Start Date: November 20, 2011										
Depth (m); 88			UTM N 6079359			N/A	N/A	N/A	Completion: November 24, 2011										
Core Size; HQ, NQ			Azimuth: 0						Logged By: Ambrose										
Drilled by; Omineca Diamond Drilling			Inclination: -90						Date logged: November 2011										
NOTES: collared 1m south of K11-1, HW and HQ at surface			Elevation: 825m																
depth (m)		description			sample #	from	to	interval	rec		Ni	Co	Cr	Pt	Pd	Au	Mg	S	S
from	to					m	m	m	%	ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	
0.00	34.50	casing			1424022	34.5	36.0	1.5		1923	92	1062	11	6	<2	19.6	<0.05	0.032	
34.50	88.00	serpentinite, dark to medium gy/gn to black, dark green vitreous on fractures, 3% micaeous white calcite on fractures and in veins, mod-str magnetism, trace v.f. Diss silver metallics			1424023	36.0	38.0	2.0		2207	103	1127	9	6	4	22.4	<0.05	0.040	
					1424024	38.0	40.0	2.0		2026	100	1051	9	9	4	21.8	0.06	0.094	
					1424025	40.0	42.0	2.0		2188	102	1129	8	5	3	21.7	0.06	0.105	
					1424026	42.0	44.0	2.0		1949	97	901	6	7	4	21.6	0.05	0.077	
		44.2-46: moderately to strongly clay altered			1424027	44.0	46.0	2.0		2336	105	946	4	3	<2	22.5	0.06	0.125	
		47.8: 5cm of mGy clay			1424028	46.0	48.0	2.0		2119	99	1019	7	3	2	21.9	0.05	0.110	
		49-49.1: 5cm section of mGy clay			1424029	48.0	50.0	2.0		2156	101	1231	3	6	2	21.0	<0.05	0.091	
					1424030	50.0	52.0	2.0		2135	102	1173	5	7	5	21.6	<0.05	0.092	
					1424031	52.0	54.0	2.0		2183	108	1113	5	3	6	22.3	<0.05	0.074	
					1424032	54.0	56.0	2.0		2231	104	1102	<3	<2	<2	22.3	<0.05	0.088	
					1424033	56.0	58.0	2.0		2027	96	1056	8	6	<2	21.1	<0.05	0.085	
					1424034	58.0	60.0	2.0		1998	99	1244	8	6	<2	21.1	<0.05	0.076	
					1424035	60.0	62.0	2.0		2001	102	1170	8	5	<2	21.2	<0.05	0.049	
					1424036	62.0	64.0	2.0		2096	102	1297	7	7	<2	21.4	<0.05	0.049	
		64.1-EOH: v brkn crumbly core, sand and clay			1424037	64.0	66.0	2.0		2018	98	1113	8	9	<2	21.1	<0.05	0.060	
		switch to NQ core at 67m			1424038	66.0	68.0	2.0		1867	91	1027	10	8	<2	20.5	<0.05	0.080	
					1424039	68.0	70.0	2.0		2852	116	1134	18	18	6	20.9	<0.05	0.121	
					1424041	70.0	72.0	2.0		2164	106	1168	9	6	<2	21.2	<0.05	0.067	
		70-72m: mGy clay			1424042	72.0	74.0	2.0		2209	105	1194	10	8	<2	21.7	<0.05	0.044	
					1424043	74.0	76.0	2.0		2132	101	1344	8	7	<2	21.0	<0.05	0.061	

depth (m)		description		sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S
from	to	m	m		m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	%	
				1424071	75.0	77.0	2.0		1983	99	986	3	4	<2	22.7	<0.05	0.074	
				1424072	77.0	79.0	2.0		2081	105	1192	5	4	<2	22.1	<0.05	0.045	
				1424073	79.0	81.0	2.0		1995	98	1400	7	3	<2	22.5	<0.05	0.064	
				1424074	81.0	83.0	2.0		2201	112	1151	6	<2	<2	22.4	<0.05	0.067	
				1424075	83.0	85.0	2.0		2078	111	1207	6	4	<2	21.9	<0.05	0.055	
				1424076	85.0	87.0	2.0		2124	107	1290	6	6	<2	21.9	<0.05	0.049	
				1424077	87.0	89.0	2.0		2296	110	1476	5	3	<2	22.2	<0.05	0.074	
				1424078	89.0	91.0	2.0		1938	94	1266	5	<2	<2	22.7	<0.05	0.078	
				1424079	91.0	93.0	2.0		1986	91	1201	5	<2	<2	22.2	<0.05	0.083	
	STANDARD CDN-ME-10			1424080	STD	STD												
							36.0										0.067	
				1424081	93.0	95.0	2.0		2239	96	1220	6	6	<2	22.0	<0.05	0.104	
				1424082	95.0	97.0	2.0		2115	94	966	4	3	<2	22.6	<0.05	0.091	
				1424083	97.0	99.0	2.0		2165	94	1223	6	4	<2	23.0	<0.05	0.118	
				1424084	99.0	101.0	2.0		1988	101	1222	5	5	2	22.4	<0.05	0.102	
				1424085	101.0	103.0	2.0		2123	100	1069	6	4	<2	21.6	<0.05	0.118	
				1424086	103.0	105.0	2.0		2314	105	1287	8	<2	<2	22.4	<0.05	0.130	
106.00	200.00	106-200: non mag serp, slightly lighter/greener than abover to blueish (chloritic), mod-intense wh mineral veining-stkwrk (gypsum?), sharp contact between magnetic above and non mag below, rare-trace wh metallics (awaruite?) and tawny metallics (py?), minor clay/sandy intervals to 30cm		1424087	105.0	106.0	1.0		2288	104	1218	7	6	<2	22.8	<0.05	0.122	
				1424088	106.0	108.0	2.0		1621	78	846	3	3	<2	17.9	<0.05	0.075	
				1424089	108.0	110.0	2.0		2043	96	1146	5	3	<2	18.9	<0.05	0.116	
				1424090	110.0	112.0	2.0		2075	110	1276	5	5	<2	19.1	0.06	0.125	
				1424091	112.0	114.0	2.0		1982	97	1240	5	7	<2	20.1	<0.05	0.115	
		115.5-126: light green clay/rubby interval, ~50% clay altered/rubble		1424092	114.0	116.0	2.0		2018	104	1226	5	5	<2	20.6	<0.05	0.100	
				1424093	116.0	118.0	2.0		2191	105	1503	4	<2	<2	22.3	<0.05	0.125	
				1424094	118.0	120.0	2.0		1965	97	1343	3	<2	<2	22.0	<0.05	0.108	
				1424095	120.0	122.0	2.0		2000	97	1163	5	4	<2	21.8	<0.05	0.121	
				1424096	122.0	124.0	2.0		2142	98	1099	6	<2	<2	21.8	<0.05	0.146	
				1424097	124.0	126.0	2.0		2066	103	1039	<3	3	<2	21.4	0.05	0.143	
				1424098	126.0	128.0	2.0		1841	93	1150	5	5	<2	20.7	<0.05	0.122	
				1424099	128.0	130.0	2.0		1969	100	1202	6	5	<2	20.7	<0.05	0.128	

depth (m)		description		sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S
from	to	m	m		m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	%	
		1424100	130.0	132.0	2.0			1890	91	1079	4	4	<2	20.7	0.06	0.120		
		1424101	132.0	134.0	2.0			2006	96	998	4	3	<2	21.1	<0.05	0.124		
		1424102	134.0	136.0	2.0			1979	99	1169	6	6	<2	21.2	<0.05	0.116		
		1424103	136.0	138.0	2.0			2121	108	1370	8	6	2	19.5	0.05	0.116		
		1424104	138.0	140.0	2.0			1986	103	1072	7	7	3	20.6	<0.05	0.140		
		1424105	140.0	142.0	2.0			1989	100	942	7	6	3	20.9	0.09	0.133		
		1424106	142.0	144.0	2.0			2132	106	1282	8	7	<2	18.8	0.13	0.160		
		1424107	144.0	146.0	2.0			1923	104	976	8	6	<2	19.5	0.11	0.144		
		1424108	146.0	148.0	2.0			2098	105	1048	6	6	4	21.0	0.07	0.138		
		1424109	148.0	150.0	2.0			2026	95	968	5	3	<2	22.2	<0.05	0.111		
		1424110	150.0	152.0	2.0			2060	99	904	8	5	3	22.1	<0.05	0.107		
		1424111	152.0	154.0	2.0			2096	107	940	4	4	<2	21.5	<0.05	0.103		
		1424112	154.0	156.0	2.0			2088	96	994	5	5	<2	21.9	<0.05	0.082		
						63.0												0.119
		1424113	156.0	158.0	2.0			2008	103	1068	8	7	<2	20.7	<0.05	0.068		
		1424114	158.0	160.0	2.0			2102	106	1149	7	6	<2	21.5	<0.05	0.068		
		1424115	160.0	162.0	2.0			2125	101	1221	5	3	<2	22.0	<0.05	0.080		
		1424116	162.0	164.0	2.0			2335	127	1197	8	3	<2	21.5	<0.05	0.091		
		1424117	164.0	166.0	2.0			1906	89	1001	7	5	<2	20.1	<0.05	0.094		
		1424118	166.0	168.0	2.0			2047	102	969	6	5	<2	21.1	<0.05	0.077		
						12.0												0.080
		1424119	168.0	170.0	2.0			1967	100	890	6	4	<2	20.9	<0.05	0.092		
		1424120	STD															
		1424121	170.0	172.0	2.0			2188	103	1526	7	5	2	21.4	<0.05	0.118		
		1424122	172.0	174.0	2.0			2126	107	1208	7	9	<2	21.6	<0.05	0.114		
		1424123	174.0	176.0	2.0			2087	97	1207	5	5	<2	21.6	<0.05	0.118		
		1424124	176.0	178.0	2.0			2091	102	1023	5	5	<2	22.1	<0.05	0.103		
		1424125	178.0	180.0	2.0			2190	109	1238	6	8	<2	22.0	<0.05	0.099		
		1424126	180.0	182.0	2.0			2088	106	1059	8	7	<2	20.8	<0.05	0.101		
		1424127	182.0	184.0	2.0			2110	111	1061	4	5	<2	20.8	<0.05	0.096		
		K11-214241188	184.0	186.0	2.0			2031	99	1318	6	4	<2	22.0	<0.05	0.093	3	

Hole # K11-3			Loc Method: GPS Nad83			dip tests												
Property: KM26			UTM E 387660			depth (m)	dip	az	Start Date: December 2, 2012									
Depth (m); 174			UTM N 6078962			N/A	N/A	N/A	Completion: December 6, 2012									
Core Size; HQ to 73.5, NQ to 174			Azimuth: 0						Logged By: Ambrose									
Drilled by; Omineca Diamond Drilling			Inclination: -90						Date logged: December 2011									
NOTES:			Elevation: 801															
depth (m)		description			sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S
from	to					m	m	m	%	ppm	ppm	ppm	ppb	ppb	ppb	%	%	
0.0	13.5	casing																
13.5	64.1	overburden, 0-25: pebbles and clay, 25-44.5 lacustrine clay, 44.5-64.1: till			1424136	62.0	64.0	2.0			174	22	225	<3	2	3	4.4	0.30
64.1	174.0	Non-mag, undulatory foliated/brecciated?/blotchy lt and dk gn serpentinite, lt-md gn sucrosic clasts easily scratched with steel, dk gn to black fg matrix is less easily scratched, rare py			1424137	64.0	66.0	2.0			1132	91	512	<3	3	<2	6.5	0.39
		67.8 to 68			1424138	66.0	68.0	2.0			279	59	185	<3	<2	<2	6.1	<0.05
					1424139	68.0	70.0	2.0			473	58	247	<3	<2	<2	5.9	0.13
					1424140	70.0	72.0	2.0			624	71	1065	<3	3	<2	6.0	0.28
					1424141	72.0	73.5	1.5			1006	107	5880	5	12	<2	2.4	0.28
					1424142	73.5	76.0	2.5			828	80	1515	<3	3	<2	6.4	<0.05
					1424143	76.0	78.0	2.0			358	54	237	<3	<2	<2	6.5	<0.05
					1424144	78.0	80.0	2.0			334	59	198	<3	<2	<2	6.3	<0.05
					1424145	80.0	82.0	2.0			433	71	734	<3	<2	<2	8.7	<0.05
					1424146	82.0	84.0	2.0			354	58	141	<3	<2	<2	5.9	<0.05
					1424147	84.0	86.0	2.0			256	49	184	<3	3	<2	5.9	<0.05
					1424148	86.0	88.0	2.0			651	78	1964	24	36	3	9.9	<0.05
					1424149	88.0	90.0	2.0			589	88	2045	19	17	33	9.9	0.08
					1424150	90.0	93.0	3.0			730	106	2374	20	43	11	10.1	0.10
		v hard, v altered, buff gm in fg breccia?			1424151	93.0	94.0	1.0			1965	167	3888	6	15	<2	1.6	0.22
					1424152	94.0	96.0	2.0			538	96	1329	19	20	<2	8.0	0.07
		From 96 down the core becomes lighter gn, and less sucrosic, wk to intense black non mag stkrwk to EOH, 96-104: clay altered shear zone,			1424153	96.0	98.0	2.0			393	63	807	10	12	3	8.9	<0.05
					1424154	98.0	100.0	2.0			268	61	333	<3	<2	<2	7.9	<0.05
					1424155	100.0	102.0	2.0			652	107	792	4	4	<2	12.2	0.22
					1424156	102.0	104.0	2.0			548	90	505	<3	4	<2	9.1	0.23

depth (m)		description		sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S		
from	to	m	m		m	m	m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%		
		1424157	104.0	106.0	2.0					152	46	222	<3	<2	<2	6.9	<0.05		
		1424158	106.0	108.0	2.0					196	52	258	<3	3	<2	7.2	<0.05		
108-110.5: shear zone		1424159	108.0	110.0	2.0					776	127	914	<3	<2	<2	12.9	<0.05		
		1424160	STANDA	CDNME10						454	80	433	<3	2	<2	9.2	<0.05		
		1424161	110.0	112.0	2.0					184	56	176	<3	<2	<2	6.8	0.22		
		1424162	112.0	114.0	2.0					151	47	194	<3	<2	<2	6.7	<0.05		
114-120: sandy clay seam, fault zone		1424163	114.0	116.0	2.0					696	110	651	3	5	<2	13.1	0.10		
		1424164	116.0	118.0	2.0					547	90	684	5	2	<2	12.6	<0.05		
		1424165	118.0	120.0	2.0					507	90	855	<3	3	3	12.4	0.09		
		1424166	120.0	122.0	2.0					125	42	145	<3	<2	<2	6.4	<0.05		
		1424167	122.0	124.0	2.0					154	51	184	<3	<2	<2	7.3	0.15		
		1424168	124.0	126.0	2.0					213	46	250	<3	<2	<2	6.8	0.12		
127-127.8: crush zone,		1424169	126.0	128.0	2.0					201	41	269	<3	2	<2	7.1	0.13		
128-128.2: crush zone		1424170	128.0	130.0	2.0					149	42	221	<3	2	<2	6.7	<0.05		
		1424171	130.0	132.0	2.0					143	49	130	<3	<2	<2	6.5	<0.05		
		1424172	132.0	134.0	2.0					273	55	356	4	<2	<2	7.8	0.07		
		1424173	134.0	136.0	2.0					253	54	612	3	3	2	8.9	0.14		
		1424174	136.0	138.0	2.0					132	50	193	<3	<2	<2	7.3	<0.05		
		1424175	138.0	140.0	2.0					106	37	115	<3	<2	<2	5.5	<0.05		
		1424176	140.0	142.0	2.0					124	45	169	<3	<2	<2	6.9	<0.05		
		1424177	142.0	144.0	2.0					156	41	207	<3	<2	<2	6.2	<0.05		
		1424178	144.0	146.0	2.0					155	50	227	6	<2	<2	6.6	<0.05		
		1424179	146.0	148.0	2.0					118	41	224	<3	<2	<2	7.0	<0.05		
		1424180	148.0	150.0	2.0					184	54	494	<3	<2	<2	8.5	0.06		
		1424181	150.0	152.0	2.0					115	43	156	<3	<2	<2	6.7	<0.05		
		1424182	152.0	154.0	2.0					112	39	154	<3	<2	<2	7.3	0.06		
		1424183	154.0	156.0	2.0					130	48	127	<3	<2	<2	7.6	0.06		
		1424184	156.0	158.0	2.0					116	43	184	<3	<2	<2	6.3	<0.05		
		1424185	158.0	160.0	2.0					132	41	191	<3	<2	<2	6.8	0.05		


Hole # K11-4			Loc Method: GPS Nad83			dip tests													
Property: KM26			UTM E 388663			depth (m)	dip	az	Start Date:										
Depth (m); 171			UTM N 6078194			N/A	N/A	N/A	Completion: December 12, 2011										
Core Size; HQ to 72 , NQ to 171			Azimuth: 0						Logged By: Ambrose										
Drilled by; Omineca Diamond Drilling			Inclination: -90						Date logged: December 2011										
NOTES: Shut hole down at 171 due to sand flowing all the way up the rods to surface			Elevation: 801																
depth (m)		description			sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S
from	to	m	m	m		%	ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	%	%	%	
0.00	9.00	casing																Sul	
9.00	13.50	overburden																	
13.50		serpentinite,13.5 to 18 may be overburden but consists of serp and clay exclusively, intense clay alteration strongly to moderately magnetic, 13.5-29: alternating IGn-Gy clay/sand with serp clasts and competent black strongly magnetic serp with .3% vfg Py and silver metallics	1424193	13.5	15.0	1.5				1845.9	92	1333	6	4	<2	16.81	<0.05	0.031	
			1424194	15.0	17.0	2.0				2337.2	107	1239	<3	9	<2	21.68	<0.05	0.043	
			1424195	17.0	19.0	2.0				1890.6	90	982	4	3	<2	21.10	<0.05	0.034	
			1424196	19.0	21.0	2.0				1768.3	88	1000	12	10	<2	20.96	<0.05	0.034	
			1424197	21.0	22.0	1.0				1999.3	96	1165	5	3	<2	21.23	0.06	0.136	
		22-22.3: competent black strongly magnetic serp with .3% vfg Py and silver metallics	1424198	22.0	22.3	0.3				1889.2	97	1096	<3	9	<2	20.99	<0.05	0.119	
			1424199	22.3	24.0	1.7				1839.0	95	1123	6	7	<2	21.66	0.08	0.149	
			1424200	STD	CDN-ME-10														
			1424201	24.0	26.0	2.0				1666.4	88	1045	<3	10	<2	20.1	0.06	0.140	
			1424202	26.0	28.0	2.0				1850.3	92	1199	4	8	<2	20.7	<0.05	0.154	
		29-35: clay, sand and black serp clasts	1424203	28.0	30.0	2.0				1937.3	97	1219	4	6	<2	21.3	<0.05	0.133	
			1424204	30.0	32.0	2.0				2263.6	109	1352	4	7	<2	20.8	0.07	0.158	
			1424205	32.0	34.0	2.0				1607.0	86	973	7	6	<2	20.4	0.05	0.142	
		35-48: IGn-Gy intensely clay altered serpentinite,slightly less altered intervals of brecciae with sub rounded to subangular black serp clasts to 10cm with IGn-Bi clay matrix, most core can be gouged with finger nail	1424206	34.0	36.0	2.0				1826.5	95	1077	5	3	<2	21.5	0.06	0.142	
			1424207	36.0	38.0	2.0				1802.6	91	1258	6	7	<2	21.1	<0.05	0.077	
			1424208	38.0	40.0	2.0				1890.5	96	1217	<3	5	<2	22.1	<0.05	0.105	
			1424209	40.0	42.0	2.0				22261.7	103	1342	4	7	<2	22.9	<0.05	0.117	
			1424210	42.0	44.0	2.0				22225.0	105	1337	3	7	<2	22.0	0.06	0.170	
			1424211	44.0	46.0	2.0				2210.5	98	1118	4	4	<2	22.7	<0.05	0.194	
			1424212	46.0	48.0	2.0				2014.3	99	1106	<3	6	<2	22.4	0.07	0.181	

depth (m)		description		sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S	
from	to	m	m		m	m	m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	
		48-54 is same litho as 13.5-29: alternating lGn-Gy clay/sand with serp clasts and competent black mod-strong magnetic serp with .3% vfg Py and silver metallics		1424213	48.0	50.0	2.0			1972.4	99	1266	6	6	<2	22.4	0.06	0.168	
				1424214	50.0	52.0	2.0			2260.4	106	1226	3	<2	<2	22.2	0.07	0.186	
				1424215	52.0	54.0	2.0			1811.2	93	1039	<3	2	<2	22.5	<0.05	0.151	
		54-144:mod magnetic mBl-lGn-mGy intensely clay altered serpentinite, less altered intervals of brecciae with st-mod magnetic sub rounded to subangular black serp clasts to 10cm with lGn-Bl clay matrix, trace vfg silver metallics		1424216	54.0	56.0	2.0			1967.2	99	1071	5	6	<2	22.6	0.06	0.153	
				1424217	56.0	58.0	2.0			2445.6	117	1532	6	7	<2	22.8	0.06	0.178	
				1424218	58.0	60.0	2.0			2010.0	101	1143	<3	3	<2	22.5	<0.05	0.146	
	61m: 20cm of sand			1424219	60.0	62.0	2.0			2261.3	101	1243	<3	3	<2	22.8	<0.05	0.124	
	63-63.5: magnetic sand			1424220	62.0	64.0	2.0			1916.0	99	1074	5	3	<2	22.7	<0.05	0.099	
							43.0										0.144		
				1424221	64.0	66.0	2.0			1997.3	100	1021	<3	4	<2	22.2	<0.05	0.070	
				1424222	66.0	68.0	2.0			2018.3	97	1012	3	5	<2	22.5	<0.05	0.058	
				1424223	68.0	70.0	2.0			2336.5	101	1074	8	<2	<2	22.5	<0.05	0.062	
				1424224	70.0	72.0	2.0			1983.2	98	950	5	6	<2	21.9	<0.05	0.041	
				1424225	72.0	74.0	2.0			2007.8	102	1134	3	3	<2	21.9	<0.05	0.051	
				1424226	74.0	76.0	2.0			1911.3	95	1102	3	<2	<2	21.6	<0.05	0.046	
				1424227	76.0	78.0	2.0			1959.3	97	1132	<3	3	<2	21.7	<0.05	0.056	
				1424228	78.0	80.0	2.0			1858.0	88	865	5	2	<2	21.3	<0.05	0.044	
				1424229	80.0	82.0	2.0			1938.7	98	1038	7	4	<2	21.8	<0.05	0.042	
				1424230	82.0	84.0	2.0			2311.7	105	996	3	<2	<2	22.9	<0.05	0.053	
				1424231	84.0	86.0	2.0			1822.0	96	827	<3	3	<2	22.4	<0.05	0.040	
				1424232	86.0	88.0	2.0			1848.4	97	915	3	4	<2	22.7	<0.05	0.050	
				1424233	88.0	90.0	2.0			1809.1	93	957	5	4	<2	22.6	<0.05	0.048	
				1424234	90.0	92.0	2.0			1902.5	95	997	3	7	<2	22.4	<0.05	0.050	
				1424235	92.0	94.0	2.0			1980.5	99	1234	6	3	<2	22.6	<0.05	0.044	
				1424236	94.0	96.0	2.0			2004.4	100	1191	4	5	<2	22.6	<0.05	0.044	
				1424237	96.0	98.0	2.0			1820.6	91	948	8	5	<2	22.0	<0.05	0.046	
				1424238	98.0	100.0	2.0			1820.7	93	1005	7	7	2	22.1	<0.05	0.044	
				1424239	100.0	102.0	2.0			1841.0	91	937	4	5	<2	22.3	<0.05	0.041	
				1424240	STD	CDN-ME-10													
				1424241	102.0	104.0	2.0			1667.7	94	890	7	5	2	22.5	<0.05	0.063	


depth (m)		description		sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S	
from	to	m	m		m	m	m	%		ppm	ppm	ppm	ppb	ppb	ppb	%	%	%	
				1424242	104.0	106.0	2.0			1928.5	100	997	5	6	<2	22.5	<0.05	0.049	
				1424243	106.0	108.0	2.0			1812.3	93	886	6	5	<2	22.4	<0.05	0.058	
				1424244	108.0	110.0	2.0			2199.3	104	1106	4	2	<2	22.5	<0.05	0.054	
				1424245	110.0	112.0	2.0			1834.0	93	1080	5	4	<2	22.4	<0.05	0.046	
				1424246	112.0	114.0	2.0			1788.1	94	1070	4	4	<2	22.2	<0.05	0.045	
				1424247	114.0	116.0	2.0			1970.4	97	1176	<3	3	<2	22.2	<0.05	0.045	
				1424248	116.0	118.0	2.0			2199.0	103	1098	3	4	<2	22.4	<0.05	0.046	
				1424249	118.0	120.0	2.0			1845.8	97	1118	<3	6	<2	21.8	<0.05	0.044	
				1424250	120.0	122.0	2.0			1872.6	94	1101	5	3	<2	21.9	<0.05	0.042	
				1424251	122.0	124.0	2.0			1796.4	96	934	6	5	<2	22.0	<0.05	0.037	
				1424252	124.0	126.0	2.0			1940.6	105	1228	5	4	<2	22.4	<0.05	0.043	
				1424253	126.0	128.0	2.0			1879.4	94	1023	5	<2	<2	22.3	<0.05	0.063	
				1424254	128.0	130.0	2.0			2020.6	100	1119	4	2	<2	22.7	<0.05	0.063	
				1424255	130.0	132.0	2.0			1815.8	90	886	4	3	<2	21.6	<0.05	0.059	
				1424256	132.0	134.0	2.0			1838.4	96	897	5	<2	<2	21.7	<0.05	0.057	
							70.0										0.050		
				1424257	134.0	136.0	2.0			1960.8	98	1177	6	3	<2	22.6	<0.05	0.086	
				1424258	136.0	138.0	2.0			1906.6	92	885	5	3	<2	22.1	<0.05	0.090	
				1424259	138.0	140.0	2.0			1867.0	93	1118	6	2	6	22.5	<0.05	0.114	
				1424260	140.0	142.0	2.0			1834.3	97	1036	5	3	<2	22.5	<0.05	0.069	
				1424261	142.0	144.0	2.0			1921.1	94	1077	5	4	<2	23.3	<0.05	0.061	
		144-171: dGn-Bk strongly magnetic serp, 1% vfg diss silver and gold metallics, .25% micaeous silver-Gn mineral to few mm, broken rubbly core but approximately same hardness as steel		1424262	144.0	146.0	2.0			2538.1	107	1374	5	5	<2	21.8	<0.05	0.180	
				1424263	146.0	148.0	2.0			2494.9	112	1202	10	4	<2	21.9	<0.05	0.175	
				1424264	148.0	150.0	2.0			2005.8	101	1016	6	<2	<2	20.9	<0.05	0.159	
				1424265	150.0	152.0	2.0			2445.5	107	1168	8	5	<2	21.9	<0.05	0.174	
				1424266	152.0	154.0	2.0			2324.9	102	1153	6	5	<2	21.4	<0.05	0.174	
				1424267	154.0	156.0	2.0			2256.7	101	1108	7	7	<2	21.5	<0.05	0.187	
				1424268	156.0	158.0	2.0			3048.3	130	1540	5	9	<2	22.4	<0.05	0.230	
				1424269	158.0	160.0	2.0			2384.4	103	1235	9	6	<2	22.8	<0.05	0.178	
				1424270	160.0	162.0	2.0			2274.4	102	1131	4	8	<2	21.9	<0.05	0.153	

Hole # K11-5			Loc Method: GPS Nad83			dip tests														
Property: KM26			UTM E			depth (m)	dip	az	Start Date: December 12, 2011											
Depth (m): 108			UTM N			N/A	N/A	N/A	Completion: December 17, 2011											
Core Size: HQ to 76.5, NQ to 108m			Azimuth: 0						Logged By: Ambrose											
Drilled by: Omineca Diamond Drilling			Inclination: -90						Date logged: December 2011											
NOTES: abandoned hole at 108 due to flowing sand			Elevation:																	
depth (m)		description			sample #	from	to	interval	rec	litho	Ni	Co	Cr	Pt	Pd	Au	Mg	S	S	
from	to					m	m	m	%	ppm	ppm	ppm	ppb	ppb	ppb	%	%	%		
0.00	3.00	casing																	Sul	
3.00	54.50	Overburden, clay to 4.5, till to bedrock			1424275	54.0	56.0	2.0			1700.7	85	927	6	6	<2	19.7	<0.05	0.118	
54.50	108.00	gn-bl intense clay alt serp, mod-st mag, trace vfg metallics, easily scratched with finger nail and cut with putty knife, intense flow textures/breccia/veining? of very soft wk-mod magnetic lGn-mBl matrix flowing around soft dark strongly magnetic gn-bl clasts, ~15% of rock is the lBI-Gn flowing matrix/veining			1424276	56.0	58.0	2.0			2243.4	107	1225	9	5	<2	23.3	<0.05	0.114	
		60-60.3: less/no clay alt, not scratched with finger nail but easily scratched with knife			1424277	58.0	60.0	2.0			1839.4	89	996	11	13	<2	22.1	<0.05	0.118	
					1424278	60.0	62.0	2.0			1956.8	93	1045	4	6	<2	23.0	<0.05	0.119	
					1424279	62.0	64.0	2.0			1909.1	91	1007	8	8	<2	22.5	<0.05		
					1424281	64.0	66.0	2.0			1957.8	98	1033	8	8	<2	22.7	<0.05	0.107	
					1424282	66.0	68.0	2.0			2113.3	98	918	4	7	3	22.5	<0.05	0.132	
					1424283	68.0	70.0	2.0			2187.4	109	931	<3	5	<2	22.3	<0.05	0.134	
					1424284	70.0	72.0	2.0			1864.8	91	725	5	10	<2	21.7	<0.05	0.107	
					1424285	72.0	74.0	2.0			2001.2	100	717	8	10	<2	22.3	<0.05	0.143	
					1424286	74.0	75.3	1.3			2065.9	103	820	7	7	<2	22.3	<0.05	0.101	
		moderately magnetic, Bk-dGn serp, not clay altered, cannot be scratched with fingernail, .25% vfg metallics, no lGn veining,			1424287	75.3	75.4	0.1			2248.7	108	1026	9	6	<2	22.8	<0.05	0.062	
		76.5-83; v broken rubbly core,			1424288	75.4	77.0	1.6			2189.1	110	1072	5	5	<2	22.3	<0.05	0.089	
		no 77-78: no recovery/ reaming rubble from reducing, Dayshift quit, depth correction			1424289	78.0	80.0	2.0			2096.4	103	1201	6	5	<2	21.5	<0.05	0.094	
					1424290	80.0	82.0	2.0			2126.3	102	1156	8	6	<2	21.4	<0.05	0.078	
					1424291	82.0	84.0	2.0			2188.5	108	1018	8	9	<2	21.9	<0.05	0.102	
					1424292	84.0	86.0	2.0			2081.4	103	1141	15	9	<2	21.6	<0.05	0.118	
		87- EOH: v broken rubbly core, lots of sand			1424293	86.0	88.0	2.0			2117.3	104	1267	9	10	<2	21.6	<0.05	0.121	
					1424294	88.0	90.0	2.0			2050.7	102	1235	11	13	<2	21.3	<0.05	0.096	
					1424295	90.0	92.0	2.0			2155.9	110	1160	12	9	<2	21.7	<0.05	0.087	


K-11-1(a), K11-3, K11-2 & K-11-5
(looking northeast)



K11-4 & K11-5 Looking North



K-11-01 and K-11-1(a)





1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Submitted By: Bill Morton
Receiving Lab: Canada-Vancouver
Received: December 19, 2011
Report Date: March 19, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN11007001.3

CLIENT JOB INFORMATION

Project: KM 26

Shipment ID:

P.O. Number

Number of Samples: 168

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

DISP-RJT Dispose of Reject After 90 days

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	166	Crush, split and pulverize 500 g rock to 200 mesh			VAN
3B02	168	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
7TX1	168	4 Acid Digestion Analysis by ICP-ES/ICP-MS	0.5	Completed	VAN
G810	113	Leached with H2O2 + NH4 citrate	1	Completed	VAN

ADDITIONAL COMMENTS

Version 3 : G810 for 100 samples added.

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	Unit	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
1424136	Drill Core		3.30	3	<3	2	3.0	52.6	6.2	79	<0.5	173.8	22	761	3.59	11	2.1	3.1	313	<0.5	1.5	<0.5	
1424137	Drill Core		2.58	<2	<3	3	3.9	19.0	<0.5	28	<0.5	1132	91	1979	7.94	<5	0.9	<0.5	112	<0.5	<0.5	<0.5	
1424138	Drill Core		2.59	<2	<3	<2	<0.5	85.0	<0.5	28	<0.5	279.1	59	839	4.84	<5	<0.5	<0.5	96	<0.5	<0.5	<0.5	
1424139	Drill Core		3.57	<2	<3	<2	0.7	87.8	<0.5	29	<0.5	473.4	58	854	5.19	<5	<0.5	<0.5	93	<0.5	<0.5	<0.5	
1424140	Drill Core		3.70	<2	<3	3	0.7	47.8	<0.5	36	<0.5	623.9	71	1105	5.61	<5	<0.5	<0.5	214	<0.5	<0.5	<0.5	
1424141	Drill Core		2.44	<2	5	12	<0.5	85.7	<0.5	115	<0.5	1005	107	1439	4.35	<5	<0.5	<0.5	115	<0.5	<0.5	<0.5	
1424142	Drill Core		1.05	<2	<3	3	0.9	37.4	1.0	54	<0.5	828.4	80	1068	5.82	<5	0.5	<0.5	149	<0.5	<0.5	<0.5	
1424143	Drill Core		1.25	<2	<3	<2	0.5	10.7	<0.5	23	<0.5	358.0	54	701	5.74	<5	<0.5	<0.5	97	<0.5	<0.5	<0.5	
1424144	Drill Core		0.86	<2	<3	<2	<0.5	13.1	<0.5	21	<0.5	334.4	59	838	5.54	<5	<0.5	<0.5	83	<0.5	<0.5	<0.5	
1424145	Drill Core		1.81	<2	<3	<2	<0.5	59.1	<0.5	27	<0.5	433.0	71	1063	5.47	<5	<0.5	<0.5	95	<0.5	<0.5	<0.5	
1424146	Drill Core		1.95	<2	<3	<2	<0.5	27.9	<0.5	24	<0.5	354.4	58	958	5.72	<5	<0.5	<0.5	95	<0.5	<0.5	<0.5	
1424147	Drill Core		1.94	<2	<3	3	<0.5	17.2	<0.5	20	<0.5	256.1	49	626	4.67	<5	<0.5	<0.5	88	<0.5	<0.5	<0.5	
1424148	Drill Core		2.17	3	24	36	<0.5	76.7	<0.5	42	<0.5	651.0	78	784	5.17	<5	<0.5	<0.5	141	<0.5	<0.5	<0.5	
1424149	Drill Core		2.25	33	19	17	<0.5	392.8	<0.5	36	<0.5	588.7	88	856	4.67	<5	<0.5	<0.5	137	<0.5	<0.5	<0.5	
1424150	Drill Core		3.27	11	20	43	<0.5	181.4	<0.5	41	<0.5	730.3	106	931	4.36	<5	<0.5	<0.5	109	<0.5	<0.5	<0.5	
1424151	Drill Core		1.05	<2	6	15	1.0	141.5	<0.5	68	<0.5	1965	167	1427	5.03	<5	<0.5	<0.5	97	<0.5	<0.5	<0.5	
1424152	Drill Core		2.26	<2	19	20	<0.5	195.3	1.9	35	<0.5	538.1	96	1188	4.87	<5	<0.5	<0.5	206	<0.5	<0.5	<0.5	
1424153	Drill Core		2.87	3	10	12	<0.5	231.6	<0.5	26	<0.5	393.2	63	935	4.54	<5	<0.5	<0.5	150	<0.5	<0.5	<0.5	
1424154	Drill Core		2.70	<2	<3	<2	<0.5	132.9	0.7	36	<0.5	267.5	61	1007	5.94	<5	<0.5	<0.5	171	<0.5	<0.5	<0.5	
1424155	Drill Core		2.72	<2	4	4	<0.5	148.7	1.0	65	<0.5	652.3	107	1067	8.23	<5	<0.5	<0.5	144	<0.5	<0.5	<0.5	
1424156	Drill Core		2.47	<2	<3	4	<0.5	111.3	0.8	44	<0.5	547.8	90	931	5.88	<5	<0.5	<0.5	161	<0.5	<0.5	<0.5	
1424157	Drill Core		2.38	<2	<3	<2	<0.5	123.3	0.7	21	<0.5	151.9	46	785	3.87	<5	<0.5	<0.5	220	<0.5	<0.5	<0.5	
1424158	Drill Core		1.52	<2	<3	3	<0.5	139.7	<0.5	38	<0.5	196.0	52	951	6.06	<5	<0.5	<0.5	162	<0.5	<0.5	<0.5	
1424159	Drill Core		1.15	<2	<3	<2	<0.5	166.8	0.6	81	<0.5	776.3	127	1022	8.75	<5	<0.5	<0.5	166	<0.5	<0.5	<0.5	
1424160	Drill Core		1.58	<2	<3	2	<0.5	140.9	0.9	49	<0.5	453.9	80	1093	6.40	<5	<0.5	<0.5	186	<0.5	<0.5	<0.5	
1424161	Drill Core		2.69	<2	<3	<2	<0.5	121.4	0.8	47	<0.5	183.9	56	1354	7.42	<5	<0.5	<0.5	215	<0.5	<0.5	<0.5	
1424162	Drill Core		2.71	<2	<3	<2	<0.5	75.8	<0.5	30	<0.5	150.9	47	1009	6.56	<5	<0.5	<0.5	288	<0.5	<0.5	<0.5	
1424163	Drill Core		0.85	<2	3	5	1.2	130.0	0.9	75	<0.5	695.7	110	985	8.58	<5	<0.5	<0.5	152	<0.5	<0.5	<0.5	
1424164	Drill Core		1.24	<2	5	2	<0.5	166.6	0.5	62	<0.5	546.9	90	971	7.89	<5	<0.5	<0.5	149	<0.5	<0.5	<0.5	
1424165	Drill Core		0.60	3	<3	3	<0.5	166.1	<0.5	67	<0.5	506.8	90	1010	7.84	<5	<0.5	<0.5	140	<0.5	<0.5	<0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	0.5	5	1
1424136	Drill Core	105	9.58	0.09	15.9	225	4.40	859	0.324	4.71	1.31	1.09	0.7	53.6	28	1.0	17.0	7.0	<0.5	<5	11
1424137	Drill Core	111	11.48	<0.01	0.9	512	6.47	707	0.078	6.30	0.05	0.11	<0.5	3.2	<5	<0.5	3.3	<0.5	<0.5	<5	31
1424138	Drill Core	103	11.72	<0.01	<0.5	185	6.11	743	0.087	9.04	0.08	0.12	<0.5	1.0	<5	<0.5	2.0	<0.5	<0.5	<5	30
1424139	Drill Core	155	12.48	<0.01	<0.5	247	5.90	570	0.131	9.26	0.09	0.08	<0.5	1.3	<5	<0.5	2.4	<0.5	<0.5	<5	36
1424140	Drill Core	108	10.14	<0.01	<0.5	1065	6.01	687	0.068	5.94	0.13	0.10	<0.5	5.9	<5	<0.5	2.3	<0.5	<0.5	<5	33
1424141	Drill Core	112	4.07	<0.01	<0.5	5880	2.39	881	0.047	1.67	0.07	0.12	<0.5	9.9	<5	<0.5	1.3	<0.5	<0.5	<5	19
1424142	Drill Core	115	7.37	0.04	3.0	1515	6.39	766	0.129	6.00	0.56	0.30	1.6	13.8	5	<0.5	5.4	0.9	<0.5	<5	23
1424143	Drill Core	130	10.90	<0.01	<0.5	237	6.52	580	0.118	9.02	0.10	0.08	<0.5	1.1	<5	<0.5	2.3	<0.5	<0.5	<5	34
1424144	Drill Core	138	12.11	<0.01	<0.5	198	6.25	231	0.130	8.96	0.18	0.04	<0.5	1.5	<5	<0.5	3.1	<0.5	<0.5	<5	37
1424145	Drill Core	138	11.37	<0.01	<0.5	734	8.67	412	0.096	6.24	0.18	0.04	<0.5	1.9	<5	<0.5	3.6	<0.5	<0.5	<5	46
1424146	Drill Core	124	11.77	<0.01	<0.5	141	5.90	1818	0.116	9.27	0.12	0.09	<0.5	1.1	<5	<0.5	3.1	<0.5	<0.5	<5	33
1424147	Drill Core	122	11.43	<0.01	<0.5	184	5.94	1124	0.104	9.18	0.07	0.06	<0.5	1.2	<5	<0.5	2.4	<0.5	<0.5	<5	33
1424148	Drill Core	123	4.72	<0.01	<0.5	1964	9.94	584	0.064	4.19	0.11	0.06	<0.5	4.5	<5	<0.5	2.7	<0.5	<0.5	<5	34
1424149	Drill Core	205	9.16	<0.01	<0.5	2045	9.92	467	0.099	2.33	0.14	0.04	<0.5	4.0	<5	<0.5	3.1	<0.5	<0.5	<5	59
1424150	Drill Core	206	8.63	<0.01	<0.5	2374	10.06	438	0.104	2.29	0.12	0.03	<0.5	4.2	<5	<0.5	2.9	<0.5	<0.5	<5	57
1424151	Drill Core	65	3.29	<0.01	<0.5	3888	1.60	651	0.020	0.67	0.08	0.06	<0.5	9.0	<5	<0.5	2.4	<0.5	<0.5	<5	18
1424152	Drill Core	141	10.30	<0.01	<0.5	1329	8.01	532	0.084	4.81	0.52	0.12	<0.5	3.6	<5	<0.5	2.9	<0.5	<0.5	<5	50
1424153	Drill Core	156	8.25	<0.01	<0.5	807	8.91	296	0.094	5.31	0.45	0.08	<0.5	3.5	<5	<0.5	2.4	<0.5	<0.5	<5	44
1424154	Drill Core	189	7.93	<0.01	<0.5	333	7.88	300	0.252	8.17	0.81	0.08	<0.5	2.2	<5	<0.5	2.1	<0.5	<0.5	<5	35
1424155	Drill Core	143	3.76	<0.01	<0.5	792	12.24	323	0.154	6.56	0.32	0.04	<0.5	2.4	<5	<0.5	1.8	<0.5	<0.5	<5	31
1424156	Drill Core	111	7.35	<0.01	<0.5	505	9.11	319	0.104	7.98	0.42	0.07	<0.5	1.9	<5	<0.5	2.0	<0.5	<0.5	<5	31
1424157	Drill Core	99	9.38	<0.01	<0.5	222	6.93	209	0.074	9.56	1.15	0.24	<0.5	1.1	<5	<0.5	1.8	<0.5	<0.5	<5	34
1424158	Drill Core	213	8.83	<0.01	<0.5	258	7.20	506	0.283	8.86	0.56	0.24	<0.5	2.2	<5	<0.5	2.5	<0.5	<0.5	<5	32
1424159	Drill Core	104	3.06	<0.01	<0.5	914	12.93	380	0.087	5.31	0.33	0.15	<0.5	2.6	<5	<0.5	2.0	<0.5	<0.5	<5	32
1424160	Drill Core	141	6.71	<0.01	<0.5	433	9.21	570	0.155	7.15	0.63	0.31	<0.5	3.2	<5	<0.5	2.5	<0.5	<0.5	<5	31
1424161	Drill Core	406	8.82	<0.01	<0.5	176	6.82	675	0.623	7.63	0.82	0.23	<0.5	2.7	<5	<0.5	3.6	<0.5	<0.5	<5	37
1424162	Drill Core	315	7.72	<0.01	<0.5	194	6.73	1719	0.626	8.82	0.73	0.36	<0.5	1.8	<5	<0.5	3.4	<0.5	<0.5	<5	39
1424163	Drill Core	91	2.41	<0.01	<0.5	651	13.12	378	0.097	5.98	0.31	0.11	3.9	3.3	<5	<0.5	1.7	<0.5	<0.5	<5	24
1424164	Drill Core	99	3.51	<0.01	<0.5	684	12.63	289	0.094	6.08	0.34	0.08	0.8	2.2	<5	<0.5	2.0	<0.5	<0.5	<5	30
1424165	Drill Core	116	4.26	<0.01	<0.5	855	12.42	466	0.120	5.87	0.39	0.14	0.8	2.3	<5	<0.5	2.3	<0.5	<0.5	<5	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

2 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
Unit	ppm	%	ppm	ppm	%	
	MDL	0.5	0.05	0.5	0.5	0.001
1424136	Drill Core	16.0	0.30	33.9	1.7	N.A.
1424137	Drill Core	14.1	0.39	6.5	<0.5	N.A.
1424138	Drill Core	16.7	<0.05	6.8	<0.5	N.A.
1424139	Drill Core	12.6	0.13	5.5	<0.5	N.A.
1424140	Drill Core	8.2	0.28	5.5	<0.5	N.A.
1424141	Drill Core	2.9	0.28	8.8	<0.5	N.A.
1424142	Drill Core	10.7	<0.05	10.6	<0.5	N.A.
1424143	Drill Core	16.4	<0.05	4.8	<0.5	N.A.
1424144	Drill Core	10.8	<0.05	2.5	<0.5	N.A.
1424145	Drill Core	9.6	<0.05	2.0	<0.5	N.A.
1424146	Drill Core	20.1	<0.05	4.6	<0.5	N.A.
1424147	Drill Core	18.3	<0.05	3.9	<0.5	N.A.
1424148	Drill Core	11.0	<0.05	3.7	<0.5	N.A.
1424149	Drill Core	6.8	0.08	2.3	<0.5	N.A.
1424150	Drill Core	10.7	0.10	1.9	<0.5	N.A.
1424151	Drill Core	9.5	0.22	3.3	<0.5	N.A.
1424152	Drill Core	10.3	0.07	5.5	<0.5	N.A.
1424153	Drill Core	11.3	<0.05	2.9	<0.5	N.A.
1424154	Drill Core	11.5	<0.05	3.5	<0.5	N.A.
1424155	Drill Core	18.7	0.22	1.9	<0.5	N.A.
1424156	Drill Core	18.1	0.23	4.8	<0.5	N.A.
1424157	Drill Core	13.0	<0.05	6.1	<0.5	N.A.
1424158	Drill Core	16.9	<0.05	8.3	<0.5	N.A.
1424159	Drill Core	21.8	<0.05	3.8	<0.5	N.A.
1424160	Drill Core	24.2	<0.05	10.0	<0.5	N.A.
1424161	Drill Core	19.9	0.22	9.2	<0.5	N.A.
1424162	Drill Core	23.1	<0.05	14.6	<0.5	N.A.
1424163	Drill Core	21.1	0.10	3.5	<0.5	N.A.
1424164	Drill Core	19.5	<0.05	2.2	<0.5	N.A.
1424165	Drill Core	17.4	0.09	3.5	<0.5	N.A.



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

www.acmelab.com

Page: 3 of 7 Part

CERTIFICATE OF ANALYSIS

VAN11007001.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424166	Drill Core	235	9.80	<0.01	0.6	145	6.44	1758	0.360	8.65	0.64	0.09	<0.5	2.4	<5	1.0	3.7	<0.5	<0.5	<5	29
1424167	Drill Core	265	8.40	<0.01	<0.5	184	7.26	1157	0.338	8.56	0.81	0.08	<0.5	2.1	<5	<0.5	3.5	<0.5	<0.5	<5	32
1424168	Drill Core	196	8.57	<0.01	<0.5	250	6.80	504	0.218	8.83	1.10	0.17	<0.5	2.3	<5	<0.5	3.5	<0.5	<0.5	<5	31
1424169	Drill Core	147	8.68	<0.01	<0.5	269	7.08	410	0.158	8.38	0.85	0.09	<0.5	1.9	<5	<0.5	2.4	<0.5	<0.5	<5	29
1424170	Drill Core	156	9.21	<0.01	<0.5	221	6.68	525	0.162	8.90	0.99	0.27	<0.5	1.3	<5	<0.5	1.9	<0.5	<0.5	<5	28
1424171	Drill Core	270	9.00	<0.01	<0.5	130	6.53	432	0.277	8.93	0.86	0.12	1.1	1.9	<5	<0.5	2.8	<0.5	<0.5	<5	36
1424172	Drill Core	229	8.70	<0.01	<0.5	356	7.83	1009	0.264	8.77	0.67	0.15	<0.5	2.0	<5	<0.5	3.0	<0.5	<0.5	<5	35
1424173	Drill Core	365	9.83	<0.01	<0.5	612	8.91	606	0.292	6.76	0.57	0.08	<0.5	2.0	<5	<0.5	3.0	<0.5	<0.5	<5	48
1424174	Drill Core	150	9.01	<0.01	<0.5	193	7.30	594	0.174	9.92	0.13	0.12	<0.5	1.9	<5	<0.5	2.9	<0.5	<0.5	<5	36
1424175	Drill Core	155	10.22	<0.01	<0.5	115	5.54	793	0.152	9.48	0.39	0.12	<0.5	1.6	<5	<0.5	2.2	<0.5	<0.5	<5	27
1424176	Drill Core	116	9.67	<0.01	<0.5	169	6.85	529	0.105	9.95	0.18	0.15	<0.5	1.4	<5	<0.5	2.1	<0.5	<0.5	<5	32
1424177	Drill Core	87	8.92	<0.01	<0.5	207	6.15	768	0.068	9.50	1.27	0.15	<0.5	1.1	<5	<0.5	1.9	<0.5	<0.5	<5	26
1424178	Drill Core	186	8.92	<0.01	<0.5	227	6.62	497	0.234	9.80	0.83	0.11	<0.5	1.9	<5	<0.5	3.7	<0.5	<0.5	<5	36
1424179	Drill Core	126	8.80	<0.01	<0.5	224	7.03	406	0.132	8.90	1.46	0.19	<0.5	2.9	<5	<0.5	4.5	<0.5	<0.5	<5	37
1424180	Drill Core	208	9.81	<0.01	<0.5	494	8.47	299	0.147	7.49	0.82	0.10	<0.5	2.1	<5	<0.5	3.7	<0.5	<0.5	<5	55
1424181	Drill Core	111	8.10	<0.01	<0.5	156	6.68	372	0.085	9.90	1.57	0.30	<0.5	1.1	<5	<0.5	1.9	<0.5	<0.5	<5	32
1424182	Drill Core	132	8.21	<0.01	<0.5	154	7.26	2134	0.127	8.63	1.37	0.29	<0.5	1.5	<5	<0.5	2.4	<0.5	<0.5	<5	33
1424183	Drill Core	438	6.90	<0.01	<0.5	127	7.64	1816	0.427	8.49	0.90	0.18	<0.5	1.6	<5	<0.5	2.7	<0.5	<0.5	<5	36
1424184	Drill Core	162	11.08	<0.01	<0.5	184	6.30	551	0.171	9.34	0.56	0.10	<0.5	1.7	<5	<0.5	3.3	<0.5	<0.5	<5	37
1424185	Drill Core	127	10.26	<0.01	<0.5	191	6.84	1284	0.143	9.18	1.08	0.20	<0.5	1.7	<5	<0.5	3.5	<0.5	<0.5	<5	37
1424186	Drill Core	143	8.85	<0.01	<0.5	198	6.68	1259	0.137	9.38	1.48	0.36	<0.5	1.9	<5	<0.5	3.8	<0.5	<0.5	<5	38
1424187	Drill Core	114	10.04	<0.01	<0.5	204	6.43	537	0.101	9.18	0.83	0.14	<0.5	1.5	<5	<0.5	2.7	<0.5	<0.5	<5	35
1424188	Drill Core	154	10.19	<0.01	<0.5	248	7.11	266	0.130	8.54	0.74	0.17	<0.5	1.2	<5	<0.5	2.2	<0.5	<0.5	<5	32
1424189	Drill Core	107	6.91	0.01	2.4	829	11.91	375	0.191	4.41	0.21	0.03	<0.5	19.1	5	<0.5	5.9	1.5	<0.5	<5	18
1424190	Drill Core	89	7.85	0.01	2.3	1532	10.08	698	0.140	1.89	0.17	0.04	<0.5	15.9	<5	<0.5	7.1	1.1	<0.5	<5	13
1424191	Drill Core	50	7.43	<0.01	0.9	1579	9.28	549	0.053	1.02	0.11	0.04	<0.5	6.6	<5	1.2	3.0	<0.5	<0.5	<5	10
1424192	Drill Core	29	6.07	<0.01	<0.5	1474	8.08	250	0.007	0.41	0.06	0.04	<0.5	3.1	<5	<0.5	1.1	<0.5	<0.5	<5	8
1424193	Drill Core	88	1.58	0.02	2.8	1333	16.81	311	0.097	2.40	0.64	0.40	9.5	14.0	<5	0.6	4.3	0.9	<0.5	<5	13
1424194	Drill Core	41	0.31	<0.01	<0.5	1239	21.68	11	0.007	0.61	0.01	<0.01	0.7	0.6	<5	<0.5	0.6	<0.5	<0.5	<5	9
1424195	Drill Core	35	1.22	<0.01	<0.5	982	21.10	<5	0.007	0.53	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

3 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
Unit	ppm	%	ppm	ppm	%	
	0.5	0.05	0.5	0.5	0.001	
1424166	Drill Core	16.7	<0.05	3.9	<0.5	N.A.
1424167	Drill Core	15.9	0.15	3.2	<0.5	N.A.
1424168	Drill Core	15.3	0.12	5.5	<0.5	N.A.
1424169	Drill Core	17.5	0.13	3.2	<0.5	N.A.
1424170	Drill Core	17.4	<0.05	6.6	<0.5	N.A.
1424171	Drill Core	14.2	<0.05	4.6	<0.5	N.A.
1424172	Drill Core	20.8	0.07	6.3	<0.5	N.A.
1424173	Drill Core	10.1	0.14	2.7	<0.5	N.A.
1424174	Drill Core	27.9	<0.05	7.2	<0.5	N.A.
1424175	Drill Core	20.0	<0.05	6.0	<0.5	N.A.
1424176	Drill Core	26.5	<0.05	9.2	<0.5	N.A.
1424177	Drill Core	15.0	<0.05	4.6	<0.5	N.A.
1424178	Drill Core	17.3	<0.05	4.8	<0.5	N.A.
1424179	Drill Core	12.9	<0.05	5.0	<0.5	N.A.
1424180	Drill Core	13.1	0.06	2.9	<0.5	N.A.
1424181	Drill Core	15.3	<0.05	7.4	<0.5	N.A.
1424182	Drill Core	27.6	0.06	8.1	<0.5	N.A.
1424183	Drill Core	35.1	0.06	7.2	<0.5	N.A.
1424184	Drill Core	13.8	<0.05	3.9	<0.5	N.A.
1424185	Drill Core	14.5	0.05	5.4	<0.5	N.A.
1424186	Drill Core	15.7	<0.05	11.3	<0.5	N.A.
1424187	Drill Core	15.7	<0.05	4.1	<0.5	N.A.
1424188	Drill Core	13.1	<0.05	5.2	<0.5	N.A.
1424189	Drill Core	19.7	<0.05	1.0	0.5	0.064
1424190	Drill Core	12.5	0.13	1.6	<0.5	0.110
1424191	Drill Core	12.7	0.13	1.8	<0.5	0.123
1424192	Drill Core	25.6	<0.05	1.8	<0.5	0.124
1424193	Drill Core	8.0	<0.05	9.9	<0.5	0.031
1424194	Drill Core	0.7	<0.05	<0.5	<0.5	0.043
1424195	Drill Core	<0.5	<0.05	<0.5	<0.5	0.034



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	WGHT																			
		3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5
1424196	Drill Core	1.88	<2	6	7	<0.5	9.6	<0.5	38	<0.5	1768	88	792	5.43	<5	<0.5	<0.5	48	<0.5	<0.5	<0.5
1424197	Drill Core	2.68	<2	<3	9	<0.5	19.0	0.6	47	<0.5	1999	96	932	5.61	<5	<0.5	<0.5	8	<0.5	<0.5	<0.5
1424198	Drill Core	0.58	<2	12	10	<0.5	26.1	<0.5	77	<0.5	1889	97	1223	5.30	<5	<0.5	<0.5	7	<0.5	<0.5	<0.5
1424199	Drill Core	1.29	<2	<3	9	<0.5	16.3	<0.5	42	<0.5	1839	95	907	5.51	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5
1424200	Drill Core	2.64	<2	<3	3	<0.5	16.6	1.2	46	<0.5	1896	94	922	5.84	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5
1424201	Drill Core	1.19	<2	<3	10	3.1	15.6	2.4	62	<0.5	1666	88	1098	5.08	<5	1.0	1.2	23	<0.5	<0.5	<0.5
1424202	Drill Core	2.80	<2	4	8	1.9	20.2	1.8	60	<0.5	1850	92	1018	5.27	<5	0.8	0.9	19	<0.5	<0.5	<0.5
1424203	Drill Core	3.11	<2	4	6	<0.5	16.3	0.5	51	<0.5	1937	97	932	5.47	<5	<0.5	<0.5	5	<0.5	<0.5	<0.5
1424204	Drill Core	2.79	<2	4	7	0.7	22.6	1.0	58	<0.5	2264	109	1048	5.95	<5	<0.5	0.6	12	<0.5	<0.5	<0.5
1424205	Drill Core	2.14	<2	7	6	0.9	260.2	2.7	271	<0.5	1607	86	1142	5.60	<5	0.6	1.6	15	<0.5	<0.5	<0.5
1424206	Drill Core	1.56	<2	5	3	<0.5	13.7	0.5	41	<0.5	1826	95	912	5.38	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424207	Drill Core	2.69	<2	6	7	0.5	38.2	1.1	66	<0.5	1803	91	969	6.14	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424208	Drill Core	4.19	<2	<3	5	<0.5	14.0	1.1	48	<0.5	1890	96	893	5.25	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424209	Drill Core	4.42	<2	4	7	<0.5	13.9	<0.5	58	<0.5	2262	103	1007	5.57	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424210	Drill Core	4.07	<2	3	7	<0.5	10.8	<0.5	50	<0.5	2225	105	997	5.70	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424211	Drill Core	2.97	<2	4	4	<0.5	11.1	<0.5	36	<0.5	2211	98	849	4.94	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424212	Drill Core	2.06	<2	<3	6	<0.5	12.4	<0.5	43	<0.5	2014	99	815	5.14	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424213	Drill Core	2.18	<2	6	6	<0.5	16.0	<0.5	58	<0.5	1972	99	1105	5.21	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424214	Drill Core	3.06	<2	3	<2	<0.5	25.2	<0.5	38	<0.5	2260	106	902	5.59	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424215	Drill Core	3.22	<2	<3	2	<0.5	9.8	<0.5	46	<0.5	1811	93	889	5.07	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424216	Drill Core	1.34	<2	5	6	<0.5	8.5	1.3	40	<0.5	1967	99	897	4.83	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424217	Drill Core	2.55	<2	6	7	<0.5	8.3	<0.5	40	<0.5	2446	117	1044	5.87	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424218	Drill Core	2.72	<2	<3	3	<0.5	10.4	<0.5	36	<0.5	2010	101	806	4.92	6	<0.5	<0.5	<5	<0.5	<0.5	0.6
1424219	Drill Core	5.04	<2	<3	3	0.5	12.0	<0.5	38	<0.5	2261	101	791	5.69	8	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424220	Drill Core	3.08	<2	5	3	<0.5	15.5	<0.5	45	0.8	1916	99	807	5.21	11	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424221	Drill Core	3.48	<2	<3	4	<0.5	17.0	0.6	44	<0.5	1997	100	841	5.44	8	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424222	Drill Core	3.41	<2	3	5	<0.5	25.4	11.7	57	<0.5	2018	97	836	5.33	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424223	Drill Core	2.13	<2	8	<2	<0.5	13.1	<0.5	54	<0.5	2336	101	898	5.41	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424224	Drill Core	3.19	<2	5	6	<0.5	14.7	<0.5	40	<0.5	1983	98	800	5.29	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424225	Drill Core	1.52	<2	3	3	<0.5	14.5	<0.5	43	<0.5	2008	102	792	5.50	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424196	Drill Core	36	1.45	<0.01	<0.5	1000	20.96	<5	0.006	0.52	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424197	Drill Core	51	1.52	<0.01	<0.5	1165	21.23	<5	0.012	0.85	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	10
1424198	Drill Core	51	0.45	<0.01	<0.5	1096	20.99	<5	0.010	0.79	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424199	Drill Core	46	0.79	<0.01	<0.5	1123	21.66	<5	0.010	0.76	<0.01	0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	9
1424200	Drill Core	49	0.84	<0.01	<0.5	1251	21.16	<5	0.011	0.73	<0.01	0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	9
1424201	Drill Core	75	1.45	0.01	3.7	1045	20.13	8	0.088	1.65	0.02	0.11	<0.5	15.0	7	<0.5	4.8	1.8	<0.5	<5	9
1424202	Drill Core	65	1.24	<0.01	3.0	1199	20.71	5	0.068	1.40	0.02	0.05	<0.5	11.9	6	<0.5	3.5	1.3	<0.5	<5	9
1424203	Drill Core	46	0.90	<0.01	<0.5	1219	21.32	<5	0.015	0.79	<0.01	<0.01	<0.5	0.8	<5	<0.5	0.7	<0.5	<0.5	<5	9
1424204	Drill Core	57	1.06	<0.01	1.5	1352	20.75	6	0.041	1.06	0.01	0.03	1.1	5.7	<5	<0.5	1.9	0.7	<0.5	<5	10
1424205	Drill Core	64	0.87	<0.01	3.8	973	20.43	6	0.108	2.12	0.01	0.32	1296	21.0	8	<0.5	5.6	2.4	<0.5	<5	11
1424206	Drill Core	43	1.17	<0.01	<0.5	1077	21.49	<5	0.010	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8
1424207	Drill Core	46	0.62	<0.01	<0.5	1258	21.14	<5	0.010	0.75	<0.01	<0.01	101.7	0.6	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424208	Drill Core	42	0.19	<0.01	<0.5	1217	22.08	21	0.008	0.65	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424209	Drill Core	38	0.15	<0.01	<0.5	1342	22.86	<5	0.006	0.53	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424210	Drill Core	37	0.06	<0.01	<0.5	1337	22.01	<5	0.009	0.45	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424211	Drill Core	31	0.03	<0.01	<0.5	1118	22.71	<5	0.006	0.46	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424212	Drill Core	32	0.08	<0.01	<0.5	1106	22.35	<5	0.014	0.52	<0.01	0.03	<0.5	1.3	<5	<0.5	0.7	<0.5	<0.5	<5	7
1424213	Drill Core	38	0.20	<0.01	<0.5	1266	22.35	<5	0.008	0.51	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424214	Drill Core	28	0.15	<0.01	<0.5	1226	22.24	<5	0.006	0.44	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424215	Drill Core	37	0.34	<0.01	<0.5	1039	22.54	<5	0.010	0.65	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8
1424216	Drill Core	33	0.05	<0.01	<0.5	1071	22.56	25	0.006	0.46	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424217	Drill Core	27	0.05	<0.01	<0.5	1532	22.75	<5	0.004	0.34	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424218	Drill Core	36	0.07	<0.01	<0.5	1143	22.53	<5	0.008	0.50	<0.01	0.02	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	6
1424219	Drill Core	33	0.11	<0.01	<0.5	1243	22.78	<5	0.008	0.55	<0.01	0.15	<0.5	0.9	<5	<0.5	0.5	<0.5	<0.5	<5	5
1424220	Drill Core	40	0.31	<0.01	0.6	1074	22.70	<5	0.016	0.78	<0.01	0.32	<0.5	2.4	<5	<0.5	1.1	<0.5	<0.5	<5	7
1424221	Drill Core	40	0.32	<0.01	<0.5	1021	22.23	<5	0.007	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	7
1424222	Drill Core	43	0.53	<0.01	<0.5	1012	22.50	<5	0.008	0.64	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8
1424223	Drill Core	27	0.20	<0.01	<0.5	1074	22.54	<5	0.004	0.46	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424224	Drill Core	40	0.78	<0.01	<0.5	950	21.91	<5	0.007	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424225	Drill Core	45	0.40	<0.01	<0.5	1134	21.90	<5	0.009	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

4 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX				
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	ppm
		MDL	0.5	0.05	0.5	0.001
1424196	Drill Core	<0.5	<0.05	<0.5	<0.5	0.034
1424197	Drill Core	2.8	0.06	<0.5	<0.5	0.136
1424198	Drill Core	0.9	<0.05	<0.5	<0.5	0.119
1424199	Drill Core	0.5	0.08	<0.5	<0.5	0.149
1424200	Drill Core	0.7	<0.05	<0.5	<0.5	0.156
1424201	Drill Core	29.6	0.06	5.6	<0.5	0.140
1424202	Drill Core	20.4	<0.05	2.0	<0.5	0.154
1424203	Drill Core	1.5	<0.05	<0.5	<0.5	0.133
1424204	Drill Core	8.7	0.07	0.7	<0.5	0.158
1424205	Drill Core	20.8	0.05	23.3	0.6	0.142
1424206	Drill Core	0.8	0.06	<0.5	<0.5	0.142
1424207	Drill Core	0.8	<0.05	<0.5	<0.5	0.077
1424208	Drill Core	<0.5	<0.05	<0.5	<0.5	0.105
1424209	Drill Core	<0.5	<0.05	<0.5	<0.5	0.117
1424210	Drill Core	<0.5	0.06	<0.5	<0.5	0.170
1424211	Drill Core	<0.5	<0.05	<0.5	<0.5	0.194
1424212	Drill Core	1.6	0.07	1.3	<0.5	0.181
1424213	Drill Core	0.7	0.06	<0.5	<0.5	0.168
1424214	Drill Core	<0.5	0.07	<0.5	<0.5	0.186
1424215	Drill Core	<0.5	<0.05	<0.5	<0.5	0.151
1424216	Drill Core	<0.5	0.06	<0.5	<0.5	0.153
1424217	Drill Core	<0.5	0.06	<0.5	<0.5	0.178
1424218	Drill Core	1.0	<0.05	1.4	<0.5	0.146
1424219	Drill Core	2.1	<0.05	6.3	<0.5	0.124
1424220	Drill Core	4.6	<0.05	14.0	<0.5	0.099
1424221	Drill Core	0.7	<0.05	<0.5	<0.5	0.070
1424222	Drill Core	<0.5	<0.05	<0.5	<0.5	0.058
1424223	Drill Core	<0.5	<0.05	<0.5	<0.5	0.062
1424224	Drill Core	0.7	<0.05	<0.5	<0.5	0.041
1424225	Drill Core	1.0	<0.05	<0.5	<0.5	0.051



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 5 of 7 Part 1

VAN11007001.3

CERTIFICATE OF ANALYSIS

Method Analyte Unit MDL	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	
1424226	Drill Core	1.90	<2	3	<2	<0.5	13.9	<0.5	40	<0.5	1911	95	759	5.34	7	<0.5	<0.5	<5	0.5	<0.5
1424227	Drill Core	2.49	<2	<3	3	<0.5	13.6	<0.5	43	<0.5	1959	97	784	5.43	6	<0.5	<0.5	<5	<0.5	<0.5
1424228	Drill Core	2.16	<2	5	2	<0.5	9.8	<0.5	32	<0.5	1858	88	691	4.91	6	<0.5	<0.5	<5	<0.5	<0.5
1424229	Drill Core	2.41	<2	7	4	<0.5	10.8	0.7	32	<0.5	1939	98	724	5.37	<5	<0.5	<0.5	<5	<0.5	<0.5
1424230	Drill Core	2.04	<2	3	<2	<0.5	9.9	<0.5	43	<0.5	2312	105	794	5.16	<5	<0.5	<0.5	<5	<0.5	<0.5
1424231	Drill Core	1.86	<2	<3	3	<0.5	13.1	<0.5	37	<0.5	1822	96	762	5.05	<5	<0.5	<0.5	<5	<0.5	<0.5
1424232	Drill Core	2.08	<2	3	4	<0.5	15.0	6.3	60	<0.5	1848	97	760	4.93	<5	<0.5	<0.5	<5	<0.5	<0.5
1424233	Drill Core	2.17	<2	5	4	<0.5	12.6	<0.5	34	<0.5	1809	93	735	5.21	<5	<0.5	<0.5	<5	<0.5	<0.5
1424234	Drill Core	2.29	<2	3	7	<0.5	14.3	<0.5	43	<0.5	1903	95	781	5.13	6	<0.5	<0.5	<5	<0.5	<0.5
1424235	Drill Core	2.37	<2	6	3	<0.5	14.9	<0.5	56	<0.5	1981	99	918	5.47	8	<0.5	<0.5	<5	<0.5	0.5
1424236	Drill Core	1.96	<2	4	5	<0.5	13.2	<0.5	43	<0.5	2004	100	833	5.55	<5	<0.5	<0.5	<5	<0.5	<0.5
1424237	Drill Core	1.98	<2	8	5	<0.5	11.8	<0.5	41	<0.5	1821	91	776	4.96	<5	<0.5	<0.5	<5	<0.5	0.8
1424238	Drill Core	2.00	2	7	7	<0.5	12.9	<0.5	32	<0.5	1821	93	787	5.38	7	<0.5	<0.5	<5	<0.5	<0.5
1424239	Drill Core	2.09	<2	4	5	<0.5	11.5	<0.5	35	<0.5	1841	91	745	4.94	<5	<0.5	<0.5	<5	<0.5	<0.5
1424240	Rock Pulp	0.04	65	305	599	4.8	4411	22.4	105	2.2	4339	115	1569	14.67	<5	<0.5	1.5	261	1.0	<0.5
1424241	Drill Core	0.45	2	7	5	<0.5	12.8	<0.5	35	<0.5	1668	94	731	5.22	<5	<0.5	<0.5	<5	<0.5	<0.5
1424242	Drill Core	1.36	<2	5	6	<0.5	15.4	<0.5	47	<0.5	1928	100	832	5.30	<5	<0.5	<0.5	<5	<0.5	0.7
1424243	Drill Core	2.35	<2	6	5	<0.5	10.4	<0.5	34	<0.5	1812	93	737	5.06	<5	<0.5	<0.5	<5	<0.5	<0.5
1424244	Drill Core	1.52	<2	4	2	<0.5	9.3	<0.5	43	<0.5	2199	104	705	5.00	6	<0.5	<0.5	<5	<0.5	<0.5
1424245	Drill Core	1.92	<2	5	4	<0.5	11.5	<0.5	39	<0.5	1834	93	777	5.00	<5	<0.5	<0.5	<5	<0.5	<0.5
1424246	Drill Core	2.13	<2	4	4	<0.5	11.1	<0.5	35	<0.5	1788	94	692	4.96	<5	<0.5	<0.5	<5	<0.5	<0.5
1424247	Drill Core	2.03	<2	<3	3	<0.5	12.1	<0.5	45	<0.5	1970	97	839	5.51	<5	<0.5	<0.5	<5	<0.5	<0.5
1424248	Drill Core	1.79	<2	3	4	<0.5	13.4	<0.5	44	<0.5	2199	103	773	5.20	8	<0.5	<0.5	<5	<0.5	<0.5
1424249	Drill Core	2.27	<2	<3	6	<0.5	13.2	<0.5	44	<0.5	1846	97	808	5.50	<5	<0.5	<0.5	<5	<0.5	<0.5
1424250	Drill Core	2.49	<2	5	3	<0.5	16.5	<0.5	40	<0.5	1873	94	837	5.19	<5	<0.5	<0.5	<5	<0.5	<0.5
1424251	Drill Core	3.29	<2	6	5	<0.5	13.3	<0.5	40	<0.5	1796	96	788	5.30	<5	<0.5	<0.5	<5	<0.5	0.7
1424252	Drill Core	2.94	<2	5	4	<0.5	14.8	<0.5	49	<0.5	1941	105	846	5.62	7	<0.5	<0.5	<5	<0.5	<0.5
1424253	Drill Core	2.64	<2	5	<2	<0.5	13.1	<0.5	30	<0.5	1879	94	859	4.97	<5	<0.5	<0.5	<5	<0.5	<0.5
1424254	Drill Core	2.23	<2	4	2	<0.5	12.8	<0.5	31	<0.5	2021	100	934	5.35	<5	<0.5	<0.5	<5	<0.5	0.6
1424255	Drill Core	3.10	<2	4	3	<0.5	12.3	<0.5	25	<0.5	1816	90	839	5.10	<5	<0.5	<0.5	<5	<0.5	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424226	Drill Core	43	0.68	<0.01	<0.5	1102	21.59	<5	0.007	0.73	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424227	Drill Core	46	0.60	<0.01	<0.5	1132	21.66	<5	0.009	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424228	Drill Core	35	1.00	<0.01	<0.5	865	21.28	<5	0.005	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424229	Drill Core	32	0.41	<0.01	<0.5	1038	21.79	<5	0.005	0.50	<0.01	0.02	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424230	Drill Core	25	0.22	<0.01	<0.5	996	22.92	<5	0.005	0.45	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424231	Drill Core	36	0.42	<0.01	<0.5	827	22.39	<5	0.006	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424232	Drill Core	34	0.44	<0.01	<0.5	915	22.72	<5	0.007	0.62	<0.01	0.09	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424233	Drill Core	43	0.58	<0.01	<0.5	957	22.64	<5	0.009	0.68	<0.01	0.02	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424234	Drill Core	40	0.40	<0.01	<0.5	997	22.42	<5	0.008	0.64	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424235	Drill Core	37	0.42	<0.01	<0.5	1234	22.63	<5	0.008	0.66	<0.01	0.45	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424236	Drill Core	37	0.47	<0.01	<0.5	1191	22.59	<5	0.008	0.67	<0.01	0.58	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	6
1424237	Drill Core	32	0.36	<0.01	<0.5	948	22.02	<5	0.007	0.61	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424238	Drill Core	43	0.65	<0.01	<0.5	1005	22.05	<5	0.007	0.78	<0.01	0.45	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424239	Drill Core	33	0.34	<0.01	<0.5	937	22.28	<5	0.005	0.57	<0.01	0.06	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424240	Rock Pulp	116	4.46	0.07	11.6	224	3.94	202	0.764	6.66	1.65	0.52	2.6	57.9	27	3.2	12.0	6.9	<0.5	<5	11
1424241	Drill Core	36	0.59	<0.01	<0.5	890	22.49	<5	0.007	0.69	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424242	Drill Core	38	0.39	<0.01	<0.5	997	22.51	<5	0.010	0.69	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	7
1424243	Drill Core	31	0.48	<0.01	<0.5	886	22.44	<5	0.005	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424244	Drill Core	28	0.21	<0.01	<0.5	1106	22.51	<5	0.004	0.47	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424245	Drill Core	38	0.48	<0.01	<0.5	1080	22.35	<5	0.007	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424246	Drill Core	33	0.66	<0.01	<0.5	1070	22.20	<5	0.006	0.60	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424247	Drill Core	37	0.61	<0.01	<0.5	1176	22.21	<5	0.006	0.68	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424248	Drill Core	39	0.36	<0.01	<0.5	1098	22.43	<5	0.007	0.67	<0.01	0.31	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424249	Drill Core	47	0.66	<0.01	<0.5	1118	21.77	<5	0.014	0.92	<0.01	<0.01	<0.5	1.0	<5	<0.5	0.6	<0.5	<0.5	<5	7
1424250	Drill Core	42	0.42	<0.01	<0.5	1101	21.90	6	0.009	0.73	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424251	Drill Core	39	0.43	<0.01	<0.5	934	22.04	<5	0.009	0.68	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424252	Drill Core	38	0.54	<0.01	<0.5	1228	22.36	<5	0.011	0.69	<0.01	<0.01	<0.5	0.6	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424253	Drill Core	33	0.47	<0.01	<0.5	1023	22.26	<5	0.006	0.60	<0.01	<0.01	<0.5	0.5	<5	0.5	<0.5	<0.5	<0.5	<5	7
1424254	Drill Core	37	0.31	<0.01	<0.5	1119	22.68	<5	0.006	0.60	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424255	Drill Core	35	0.58	<0.01	<0.5	886	21.59	<5	0.006	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

5 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX				
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	ppm
		MDL	0.5	0.05	0.5	0.001
1424226	Drill Core	1.1	<0.05	<0.5	<0.5	0.046
1424227	Drill Core	<0.5	<0.05	<0.5	<0.5	0.056
1424228	Drill Core	<0.5	<0.05	<0.5	<0.5	0.044
1424229	Drill Core	0.5	<0.05	<0.5	<0.5	0.042
1424230	Drill Core	<0.5	<0.05	<0.5	<0.5	0.053
1424231	Drill Core	<0.5	<0.05	<0.5	<0.5	0.040
1424232	Drill Core	<0.5	<0.05	3.1	<0.5	0.050
1424233	Drill Core	<0.5	<0.05	0.8	<0.5	0.048
1424234	Drill Core	0.6	<0.05	<0.5	<0.5	0.050
1424235	Drill Core	0.6	<0.05	14.4	<0.5	0.044
1424236	Drill Core	<0.5	<0.05	14.0	<0.5	0.044
1424237	Drill Core	1.6	<0.05	<0.5	<0.5	0.046
1424238	Drill Core	1.2	<0.05	11.0	<0.5	0.044
1424239	Drill Core	<0.5	<0.05	1.3	<0.5	0.041
1424240	Rock Pulp	16.8	1.40	16.0	1.4	N.A.
1424241	Drill Core	1.8	<0.05	<0.5	<0.5	0.063
1424242	Drill Core	0.7	<0.05	<0.5	<0.5	0.049
1424243	Drill Core	1.3	<0.05	<0.5	<0.5	0.058
1424244	Drill Core	1.1	<0.05	<0.5	<0.5	0.054
1424245	Drill Core	<0.5	<0.05	<0.5	<0.5	0.046
1424246	Drill Core	1.1	<0.05	<0.5	<0.5	0.045
1424247	Drill Core	1.2	<0.05	<0.5	<0.5	0.045
1424248	Drill Core	1.5	<0.05	7.8	<0.5	0.046
1424249	Drill Core	2.2	<0.05	<0.5	<0.5	0.044
1424250	Drill Core	0.7	<0.05	<0.5	<0.5	0.042
1424251	Drill Core	<0.5	<0.05	<0.5	<0.5	0.037
1424252	Drill Core	2.6	<0.05	<0.5	<0.5	0.043
1424253	Drill Core	0.6	<0.05	<0.5	<0.5	0.063
1424254	Drill Core	0.6	<0.05	<0.5	<0.5	0.063
1424255	Drill Core	0.6	<0.05	<0.5	<0.5	0.059



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

6 of 7

Part 1

VAN11007001.3

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	7TX																		
			WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5
1424256	Drill Core		2.63	<2	5	<2	<0.5	12.7	<0.5	48	<0.5	1838	96	993	5.43	<5	<0.5	<0.5	<5	<0.5	<0.5
1424257	Drill Core		2.08	<2	6	3	<0.5	14.1	0.5	51	<0.5	1961	98	1041	5.43	<5	<0.5	<0.5	<5	<0.5	<0.5
1424258	Drill Core		1.45	<2	5	3	<0.5	13.3	0.8	35	<0.5	1907	92	911	5.30	<5	<0.5	<0.5	<5	<0.5	<0.5
1424259	Drill Core		2.15	6	6	2	<0.5	14.0	<0.5	41	<0.5	1867	93	1014	5.35	<5	<0.5	<0.5	<5	<0.5	<0.5
1424260	Drill Core		2.30	<2	5	3	<0.5	15.3	1.2	46	<0.5	1834	97	1019	5.44	<5	<0.5	<0.5	<5	<0.5	<0.5
1424261	Drill Core		1.65	<2	5	4	<0.5	16.9	<0.5	44	<0.5	1921	94	1034	5.36	<5	<0.5	<0.5	<5	<0.5	<0.5
1424262	Drill Core		1.19	<2	5	5	<0.5	14.8	<0.5	51	<0.5	2538	107	1134	5.75	<5	<0.5	<0.5	<5	<0.5	<0.5
1424263	Drill Core		1.04	<2	10	4	<0.5	11.6	<0.5	64	<0.5	2495	112	1192	5.83	<5	<0.5	<0.5	<5	<0.5	<0.5
1424264	Drill Core		0.58	<2	6	<2	<0.5	29.7	<0.5	38	<0.5	2006	101	995	5.21	<5	<0.5	<0.5	<5	<0.5	<0.5
1424265	Drill Core		1.14	<2	8	5	<0.5	21.9	<0.5	57	<0.5	2446	107	1204	5.70	<5	<0.5	<0.5	<5	<0.5	<0.5
1424266	Drill Core		1.20	<2	6	5	<0.5	17.1	0.6	51	<0.5	2325	102	1080	5.53	<5	<0.5	<0.5	<5	<0.5	<0.5
1424267	Drill Core		1.08	<2	7	7	<0.5	15.2	1.1	44	<0.5	2257	101	987	5.19	<5	<0.5	<0.5	<5	<0.5	<0.5
1424268	Drill Core		0.86	<2	5	9	<0.5	9.2	<0.5	41	<0.5	3048	130	977	6.16	<5	<0.5	<0.5	<5	<0.5	<0.5
1424269	Drill Core		1.23	<2	9	6	<0.5	14.6	<0.5	47	<0.5	2384	103	1041	5.42	<5	<0.5	<0.5	<5	<0.5	<0.5
1424270	Drill Core		1.17	<2	4	8	<0.5	12.2	<0.5	48	<0.5	2274	102	1078	5.30	<5	<0.5	<0.5	<5	<0.5	<0.5
1424271	Drill Core		1.61	<2	7	7	<0.5	12.9	<0.5	38	<0.5	2681	117	1024	5.32	<5	<0.5	<0.5	<5	<0.5	<0.5
1424272	Drill Core		1.60	<2	7	10	<0.5	12.6	<0.5	48	<0.5	2281	102	1051	5.60	<5	<0.5	<0.5	<5	<0.5	<0.5
1424273	Drill Core		1.98	<2	6	7	<0.5	14.3	<0.5	44	<0.5	2216	100	1047	5.49	<5	<0.5	<0.5	<5	<0.5	<0.5
1424274	Drill Core		1.13	<2	6	8	<0.5	16.2	<0.5	37	<0.5	1996	94	1005	5.29	<5	<0.5	<0.5	<5	<0.5	0.5
1424275	Drill Core		2.71	<2	6	6	<0.5	15.9	1.3	35	<0.5	1701	85	910	4.75	<5	<0.5	<0.5	82	<0.5	<0.5
1424276	Drill Core		2.69	<2	9	5	<0.5	4.7	<0.5	28	<0.5	2243	107	996	5.21	<5	<0.5	<0.5	<5	<0.5	<0.5
1424277	Drill Core		3.32	<2	11	13	<0.5	9.6	0.5	26	<0.5	1839	89	821	4.81	<5	<0.5	<0.5	<5	<0.5	<0.5
1424278	Drill Core		1.80	<2	4	6	<0.5	7.4	0.6	27	<0.5	1957	93	948	4.75	<5	<0.5	<0.5	<5	<0.5	<0.5
1424279	Drill Core		2.54	<2	8	8	<0.5	10.4	0.6	24	<0.5	1909	91	874	4.82	<5	<0.5	<0.5	<5	<0.5	<0.5
1424280	Rock Pulp		0.04	57	284	569	3.9	4368	23.8	96	2.1	4261	118	1746	14.06	<5	<0.5	1.5	249	0.6	<0.5
1424281	Drill Core		3.08	<2	8	8	<0.5	5.5	<0.5	30	<0.5	1958	98	900	5.12	<5	<0.5	<0.5	<5	<0.5	<0.5
1424282	Drill Core		3.05	3	4	7	<0.5	9.8	<0.5	27	<0.5	2113	98	829	5.04	<5	<0.5	<0.5	<5	<0.5	<0.5
1424283	Drill Core		2.79	<2	<3	5	<0.5	16.3	1.5	44	<0.5	2187	109	1050	5.48	<5	<0.5	<0.5	<5	<0.5	<0.5
1424284	Drill Core		1.75	<2	5	10	<0.5	12.9	<0.5	39	<0.5	1865	91	918	5.27	<5	<0.5	<0.5	20	<0.5	<0.5
1424285	Drill Core		1.92	<2	8	10	<0.5	12.5	<0.5	33	<0.5	2001	100	849	5.12	<5	<0.5	<0.5	<5	<0.5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Analyte	Method	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424256	Drill Core	40	0.93	<0.01	<0.5	897	21.72	<5	0.007	0.69	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8
1424257	Drill Core	46	0.69	<0.01	<0.5	1177	22.56	<5	0.009	0.70	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424258	Drill Core	41	0.41	<0.01	<0.5	885	22.14	<5	0.008	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424259	Drill Core	50	0.39	<0.01	<0.5	1118	22.52	<5	0.010	0.84	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424260	Drill Core	46	0.66	<0.01	<0.5	1036	22.45	<5	0.010	0.74	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424261	Drill Core	44	0.43	<0.01	<0.5	1077	23.31	<5	0.009	0.72	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424262	Drill Core	51	0.34	<0.01	<0.5	1374	21.76	<5	0.013	0.88	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11
1424263	Drill Core	49	0.20	<0.01	<0.5	1202	21.92	<5	0.010	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424264	Drill Core	50	0.79	<0.01	<0.5	1016	20.91	<5	0.018	1.32	<0.01	<0.01	<0.5	5.5	<5	<0.5	1.1	<0.5	<0.5	<5	10
1424265	Drill Core	57	0.13	<0.01	<0.5	1168	21.94	<5	0.012	0.88	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	11
1424266	Drill Core	47	0.13	<0.01	<0.5	1153	21.41	<5	0.010	0.73	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424267	Drill Core	43	0.17	<0.01	<0.5	1108	21.53	<5	0.010	0.67	<0.01	<0.01	<0.5	0.6	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424268	Drill Core	50	0.10	<0.01	<0.5	1540	22.38	<5	0.016	0.71	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424269	Drill Core	46	0.17	<0.01	<0.5	1235	22.82	<5	0.010	0.70	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424270	Drill Core	40	0.16	<0.01	<0.5	1131	21.88	6	0.012	0.69	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424271	Drill Core	42	0.22	<0.01	<0.5	1272	22.63	<5	0.012	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	10
1424272	Drill Core	43	0.18	<0.01	<0.5	1147	21.09	<5	0.013	0.74	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	9
1424273	Drill Core	41	0.33	<0.01	<0.5	953	22.14	<5	0.012	0.80	<0.01	<0.01	<0.5	0.9	<5	<0.5	0.5	<0.5	<0.5	<5	9
1424274	Drill Core	49	1.00	<0.01	<0.5	1018	21.18	<5	0.012	0.82	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424275	Drill Core	47	0.99	0.01	2.6	927	19.67	171	0.071	1.41	0.30	0.20	2.4	13.0	5	<0.5	2.9	1.6	<0.5	<5	8
1424276	Drill Core	26	0.06	<0.01	<0.5	1225	23.34	<5	0.002	0.31	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424277	Drill Core	25	0.08	<0.01	<0.5	996	22.14	<5	0.002	0.28	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424278	Drill Core	24	0.03	<0.01	<0.5	1045	23.00	<5	0.001	0.24	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424279	Drill Core	28	0.05	<0.01	<0.5	1007	22.46	<5	0.001	0.30	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424280	Rock Pulp	109	4.42	0.07	12.1	205	3.96	218	0.750	6.74	1.61	0.51	3.1	63.2	28	3.4	12.3	7.7	<0.5	<5	11
1424281	Drill Core	29	0.05	<0.01	<0.5	1033	22.70	<5	0.001	0.34	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424282	Drill Core	29	0.04	<0.01	<0.5	918	22.51	<5	0.002	0.32	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424283	Drill Core	34	0.07	<0.01	<0.5	931	22.34	<5	0.003	0.44	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424284	Drill Core	39	0.28	<0.01	0.5	725	21.71	37	0.018	0.70	0.08	0.05	<0.5	2.1	<5	<0.5	0.6	<0.5	<0.5	<5	8
1424285	Drill Core	34	0.08	<0.01	<0.5	717	22.34	9	0.006	0.51	0.02	0.01	0.6	0.7	<5	<0.5	<0.5	<0.5	<0.5	<5	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

6 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
Unit	ppm	%	ppm	ppm	%	
	MDL	0.5	0.05	0.5	0.5	0.001
1424256	Drill Core	1.2	<0.05	<0.5	<0.5	0.057
1424257	Drill Core	1.7	<0.05	<0.5	<0.5	0.086
1424258	Drill Core	0.7	<0.05	<0.5	<0.5	0.090
1424259	Drill Core	1.7	<0.05	<0.5	<0.5	0.114
1424260	Drill Core	0.7	<0.05	<0.5	<0.5	0.069
1424261	Drill Core	0.9	<0.05	<0.5	<0.5	0.061
1424262	Drill Core	1.2	<0.05	<0.5	<0.5	0.180
1424263	Drill Core	0.7	<0.05	<0.5	<0.5	0.175
1424264	Drill Core	5.7	<0.05	<0.5	<0.5	0.159
1424265	Drill Core	1.1	<0.05	<0.5	<0.5	0.174
1424266	Drill Core	1.0	<0.05	<0.5	<0.5	0.174
1424267	Drill Core	1.5	<0.05	<0.5	<0.5	0.187
1424268	Drill Core	0.8	<0.05	<0.5	<0.5	0.230
1424269	Drill Core	1.3	<0.05	<0.5	<0.5	0.178
1424270	Drill Core	1.0	<0.05	<0.5	<0.5	0.153
1424271	Drill Core	0.8	<0.05	<0.5	<0.5	0.202
1424272	Drill Core	0.6	<0.05	<0.5	<0.5	0.172
1424273	Drill Core	1.8	<0.05	<0.5	<0.5	0.170
1424274	Drill Core	1.0	<0.05	<0.5	<0.5	0.178
1424275	Drill Core	4.0	<0.05	6.3	<0.5	0.118
1424276	Drill Core	1.0	<0.05	<0.5	<0.5	0.114
1424277	Drill Core	1.6	<0.05	<0.5	<0.5	0.118
1424278	Drill Core	0.6	<0.05	<0.5	<0.5	0.119
1424279	Drill Core	0.6	<0.05	<0.5	<0.5	N.A.
1424280	Rock Pulp	16.9	1.34	16.1	1.8	0.371
1424281	Drill Core	0.5	<0.05	<0.5	<0.5	0.107
1424282	Drill Core	0.8	<0.05	<0.5	<0.5	0.132
1424283	Drill Core	0.7	<0.05	<0.5	<0.5	0.134
1424284	Drill Core	2.2	<0.05	1.3	<0.5	0.107
1424285	Drill Core	0.8	<0.05	<0.5	<0.5	0.143



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 7 of 7 Part 1

VAN11007001.3

CERTIFICATE OF ANALYSIS

Analyte	Method	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.5	0.5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	0.5
1424286	Drill Core	1.57	<2	7	7	<0.5	9.6	<0.5	37	<0.5	2066	103	960	5.40	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424287	Drill Core	0.47	<2	9	6	<0.5	12.7	<0.5	58	<0.5	2249	108	1407	5.69	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424288	Drill Core	2.08	<2	5	5	<0.5	5.9	0.5	36	<0.5	2189	110	915	5.46	<5	<0.5	<0.5	<5	0.8	<0.5	<0.5
1424289	Drill Core	1.01	<2	6	5	<0.5	5.6	<0.5	37	<0.5	2096	103	874	5.06	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424290	Drill Core	1.40	<2	8	6	<0.5	11.7	<0.5	42	<0.5	2126	102	970	5.27	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424291	Drill Core	1.82	<2	8	9	<0.5	16.7	3.0	44	<0.5	2188	108	951	5.38	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424292	Drill Core	2.17	<2	15	9	<0.5	9.3	0.5	38	<0.5	2081	103	857	5.47	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424293	Drill Core	1.85	<2	9	10	1.0	20.9	0.5	42	<0.5	2117	104	886	5.27	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424294	Drill Core	2.21	<2	11	13	<0.5	21.6	<0.5	47	<0.5	2051	102	1000	5.87	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424295	Drill Core	1.67	<2	12	9	<0.5	21.9	<0.5	46	<0.5	2156	110	990	5.52	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424296	Drill Core	2.62	<2	9	7	<0.5	11.7	0.6	34	<0.5	2092	103	846	5.33	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424297	Drill Core	1.86	<2	10	7	<0.5	12.3	<0.5	40	<0.5	2131	106	978	5.44	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424298	Drill Core	1.21	<2	4	4	<0.5	13.6	0.5	59	<0.5	2257	114	1173	5.58	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424299	Drill Core	1.10	<2	6	5	<0.5	11.6	<0.5	41	<0.5	2311	116	930	5.56	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424300	Drill Core	1.13	<2	8	7	<0.5	14.5	<0.5	45	<0.5	2115	106	1015	5.55	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424301	Drill Core	0.97	<2	10	6	<0.5	22.6	<0.5	44	<0.5	2335	117	985	5.83	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424302	Drill Core	1.00	<2	6	5	<0.5	8.9	<0.5	38	<0.5	2160	110	939	5.52	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424303	Drill Core	1.06	<2	6	8	<0.5	10.8	0.9	49	<0.5	2383	119	991	5.84	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424286	Drill Core	36	0.15	<0.01	<0.5	820	22.30	<5	0.003	0.52	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424287	Drill Core	38	0.09	<0.01	<0.5	1026	22.76	<5	0.003	0.51	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424288	Drill Core	22	0.12	<0.01	<0.5	1072	22.28	<5	0.003	0.39	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424289	Drill Core	27	0.20	<0.01	<0.5	1201	21.51	<5	0.002	0.41	<0.01	<0.01	4.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424290	Drill Core	35	0.23	<0.01	<0.5	1156	21.44	<5	0.003	0.49	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424291	Drill Core	33	0.10	<0.01	<0.5	1018	21.92	<5	0.003	0.50	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424292	Drill Core	29	0.08	<0.01	<0.5	1141	21.62	<5	0.002	0.41	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424293	Drill Core	33	0.09	<0.01	<0.5	1267	21.58	<5	0.002	0.45	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424294	Drill Core	37	0.19	<0.01	<0.5	1235	21.25	<5	0.004	0.54	<0.01	0.02	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424295	Drill Core	36	0.13	<0.01	<0.5	1160	21.72	<5	0.003	0.54	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424296	Drill Core	33	0.15	<0.01	<0.5	1045	21.61	<5	0.003	0.48	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424297	Drill Core	31	0.09	<0.01	<0.5	1010	22.15	<5	0.003	0.50	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424298	Drill Core	37	0.04	<0.01	<0.5	1122	22.32	<5	0.003	0.52	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424299	Drill Core	36	0.16	<0.01	<0.5	1142	22.18	<5	0.003	0.51	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424300	Drill Core	36	0.10	<0.01	<0.5	1055	22.32	<5	0.003	0.53	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424301	Drill Core	40	0.48	<0.01	<0.5	1148	21.79	<5	0.004	0.57	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424302	Drill Core	29	0.10	<0.01	<0.5	953	21.90	<5	0.003	0.54	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424303	Drill Core	32	0.09	<0.01	<0.5	1075	21.87	<5	0.004	0.51	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

7 of 7

Part 3

CERTIFICATE OF ANALYSIS

VAN11007001.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	%
		MDL	0.5	0.05	0.5	0.001
1424286	Drill Core	1.0	<0.05	<0.5	<0.5	0.101
1424287	Drill Core	1.8	<0.05	<0.5	<0.5	0.062
1424288	Drill Core	<0.5	<0.05	<0.5	<0.5	0.089
1424289	Drill Core	0.9	<0.05	<0.5	<0.5	0.094
1424290	Drill Core	1.2	<0.05	<0.5	<0.5	0.078
1424291	Drill Core	1.0	<0.05	<0.5	<0.5	0.102
1424292	Drill Core	1.2	<0.05	<0.5	<0.5	0.118
1424293	Drill Core	<0.5	<0.05	<0.5	<0.5	0.121
1424294	Drill Core	0.8	<0.05	<0.5	<0.5	0.096
1424295	Drill Core	1.0	<0.05	<0.5	<0.5	0.087
1424296	Drill Core	0.8	<0.05	<0.5	<0.5	0.108
1424297	Drill Core	0.6	<0.05	<0.5	<0.5	0.101
1424298	Drill Core	0.9	<0.05	<0.5	<0.5	0.075
1424299	Drill Core	0.6	<0.05	<0.5	<0.5	0.113
1424300	Drill Core	0.8	<0.05	<0.5	<0.5	0.071
1424301	Drill Core	0.7	0.05	<0.5	<0.5	0.117
1424302	Drill Core	0.8	<0.05	<0.5	<0.5	0.095
1424303	Drill Core	1.0	<0.05	<0.5	<0.5	0.099



AcmeLabs

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St

Vancouver BC V6C 1Z7 Canada

Project

KM 26

Report Date: March 19, 2011

March 19, 2013

www.acmelab.com

Page:

1 of 5 Part

QUALITY CONTROL REPORT

VAN11007001.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

www.acmelab.com

Page: 1 of 5 **Part** 2

QUALITY CONTROL REPORT

VAN11007001.3

	Method	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
	Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc		
	Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1		
Pulp Duplicates																							
1424141	Drill Core	112	4.07	<0.01	<0.5	5880	2.39	881	0.047	1.67	0.07	0.12	<0.5	9.9	<5	<0.5	1.3	<0.5	<0.5	<5	19		
REP 1424141	QC																						
1424151	Drill Core	65	3.29	<0.01	<0.5	3888	1.60	651	0.020	0.67	0.08	0.06	<0.5	9.0	<5	<0.5	2.4	<0.5	<0.5	<5	18		
REP 1424151	QC																						
1424152	Drill Core	141	10.30	<0.01	<0.5	1329	8.01	532	0.084	4.81	0.52	0.12	<0.5	3.6	<5	<0.5	2.9	<0.5	<0.5	<5	50		
REP 1424152	QC	142	10.14	<0.01	<0.5	1241	7.84	534	0.082	4.74	0.51	0.12	<0.5	3.3	<5	<0.5	2.7	<0.5	<0.5	<5	46		
REP 1424169	QC	152	8.87	<0.01	<0.5	283	7.27	448	0.161	8.60	0.88	0.23	<0.5	2.4	<5	<0.5	2.5	<0.5	<0.5	<5	30		
1424170	Drill Core	156	9.21	<0.01	<0.5	221	6.68	525	0.162	8.90	0.99	0.27	<0.5	1.3	<5	<0.5	1.9	<0.5	<0.5	<5	28		
REP 1424170	QC	151	8.92	<0.01	<0.5	222	6.43	528	0.156	8.65	0.96	0.27	<0.5	1.3	<5	<0.5	2.0	<0.5	<0.5	<5	28		
1424171	Drill Core	270	9.00	<0.01	<0.5	130	6.53	432	0.277	8.93	0.86	0.12	1.1	1.9	<5	<0.5	2.8	<0.5	<0.5	<5	36		
REP 1424171	QC																						
1424200	Drill Core	49	0.84	<0.01	<0.5	1251	21.16	<5	0.011	0.73	<0.01	0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	9		
REP 1424200	QC																						
1424206	Drill Core	43	1.17	<0.01	<0.5	1077	21.49	<5	0.010	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8		
REP 1424206	QC																						
1424224	Drill Core	40	0.78	<0.01	<0.5	950	21.91	<5	0.007	0.66	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424224	QC																						
1424225	Drill Core	45	0.40	<0.01	<0.5	1134	21.90	<5	0.009	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	8		
REP 1424225	QC	47	0.41	<0.01	<0.5	1156	21.62	<5	0.009	0.74	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8		
1424228	Drill Core	35	1.00	<0.01	<0.5	865	21.28	<5	0.005	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6		
REP 1424228	QC																						
1424230	Drill Core	25	0.22	<0.01	<0.5	996	22.92	<5	0.005	0.45	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5		
REP 1424230	QC																						
1424253	Drill Core	33	0.47	<0.01	<0.5	1023	22.26	<5	0.006	0.60	<0.01	<0.01	<0.5	0.5	<5	0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424253	QC																						
1424255	Drill Core	35	0.58	<0.01	<0.5	886	21.59	<5	0.006	0.62	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424255	QC																						
1424267	Drill Core	43	0.17	<0.01	<0.5	1108	21.53	<5	0.010	0.67	<0.01	<0.01	<0.5	0.6	<5	<0.5	<0.5	<0.5	<0.5	<5	9		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 1 of 5 **Part** 3

QUALITY CONTROL REPORT

VAN11007001.3

	Method	7TX	7TX	7TX	7TX	8NiS
Analyte	Li	S	Rb	Hf	Ni	
Unit	ppm	%	ppm	ppm	%	
MDL	0.5	0.05	0.5	0.5	0.001	
Pulp Duplicates						
1424141	Drill Core	2.9	0.28	8.8	<0.5	N.A.
REP 1424141	QC					
1424151	Drill Core	9.5	0.22	3.3	<0.5	N.A.
REP 1424151	QC					
1424152	Drill Core	10.3	0.07	5.5	<0.5	N.A.
REP 1424152	QC	10.5	0.07	5.0	<0.5	
REP 1424169	QC	17.1	0.13	7.0	<0.5	
1424170	Drill Core	17.4	<0.05	6.6	<0.5	N.A.
REP 1424170	QC	19.1	<0.05	6.1	<0.5	
1424171	Drill Core	14.2	<0.05	4.6	<0.5	N.A.
REP 1424171	QC					
1424200	Drill Core	0.7	<0.05	<0.5	<0.5	0.156
REP 1424200	QC					0.167
1424206	Drill Core	0.8	0.06	<0.5	<0.5	0.142
REP 1424206	QC					0.141
1424224	Drill Core	0.7	<0.05	<0.5	<0.5	0.041
REP 1424224	QC					
1424225	Drill Core	1.0	<0.05	<0.5	<0.5	0.051
REP 1424225	QC	<0.5	<0.05	<0.5	<0.5	
1424228	Drill Core	<0.5	<0.05	<0.5	<0.5	0.044
REP 1424228	QC					0.044
1424230	Drill Core	<0.5	<0.05	<0.5	<0.5	0.053
REP 1424230	QC					0.054
1424253	Drill Core	0.6	<0.05	<0.5	<0.5	0.063
REP 1424253	QC					
1424255	Drill Core	0.6	<0.05	<0.5	<0.5	0.059
REP 1424255	QC					0.056
1424267	Drill Core	1.5	<0.05	<0.5	<0.5	0.187



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 2 of 5 Part 1

VAN11007001.3

QUALITY CONTROL REPORT

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
REP 1424267	QC		<2	8	7																	
1424271	Drill Core	1.61	<2	7	7	<0.5	12.9	<0.5	38	<0.5	2681	117	1024	5.32	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424271	QC					<0.5	12.6	<0.5	38	<0.5	2492	113	986	5.09	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424274	QC																					
1424283	Drill Core	2.79	<2	<3	5	<0.5	16.3	1.5	44	<0.5	2187	109	1050	5.48	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424283	QC					<0.5	13.1	<0.5	41	<0.5	2168	106	1042	5.45	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
1424295	Drill Core	1.67	<2	12	9	<0.5	21.9	<0.5	46	<0.5	2156	110	990	5.52	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424295	QC																					
1424302	Drill Core	1.00	<2	6	5	<0.5	8.9	<0.5	38	<0.5	2160	110	939	5.52	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424302	QC					<0.5	8.6	<0.5	39	<0.5	2134	105	907	5.47	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
1424303	Drill Core	1.06	<2	6	8	<0.5	10.8	0.9	49	<0.5	2383	119	991	5.84	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
REP 1424303	QC																					
Core Reject Duplicates																						
1424169	Drill Core	2.29	<2	<3	2	<0.5	80.9	<0.5	27	<0.5	200.9	41	923	5.11	<5	<0.5	<0.5	158	<0.5	<0.5	<0.5	
DUP 1424169	QC		<2	4	<2	<0.5	91.2	<0.5	32	<0.5	206.3	47	839	5.15	<5	<0.5	0.8	165	0.6	<0.5	<0.5	
1424204	Drill Core	2.79	<2	4	7	0.7	22.6	1.0	58	<0.5	2264	109	1048	5.95	<5	<0.5	0.6	12	<0.5	<0.5	<0.5	
DUP 1424204	QC		<2	7	11	1.0	32.6	1.0	60	<0.5	2258	105	1070	6.14	<5	<0.5	<0.5	13	<0.5	<0.5	<0.5	
1424239	Drill Core	2.09	<2	4	5	<0.5	11.5	<0.5	35	<0.5	1841	91	745	4.94	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
DUP 1424239	QC		<2	4	7	<0.5	12.6	<0.5	38	<0.5	1843	97	771	5.39	<5	<0.5	<0.5	<5	<0.5	0.7	<0.5	
1424274	Drill Core	1.13	<2	6	8	<0.5	16.2	<0.5	37	<0.5	1996	94	1005	5.29	<5	<0.5	<0.5	<5	<0.5	0.5	<0.5	
DUP 1424274	QC		<2	6	7	<0.5	14.8	<0.5	37	<0.5	2194	99	991	5.33	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
Reference Materials																						
STD CDN-PGMS-19	Standard			247	109	466																
STD CDN-PGMS-19	Standard			214	117	502																
STD CDN-PGMS-19	Standard			204	98	480																
STD CDN-PGMS-19	Standard			242	102	470																
STD CDN-PGMS-19	Standard			223	103	458																
STD CDN-PGMS-19	Standard			258	99	473																
STD CDN-PGMS-19	Standard			217	112	473																



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

2 of 5 Part 2

QUALITY CONTROL REPORT

VAN11007001.3

		7TX V ppm 10	7TX Ca %	7TX P %	7TX La ppm 0.5	7TX Cr ppm 1	7TX Mg %	7TX Ba ppm 0.01	7TX Ti %	7TX Al %	7TX Na %	7TX K %	7TX W ppm 0.5	7TX Zr ppm 0.5	7TX Ce ppm 5	7TX Sn ppm 0.5	7TX Y ppm 0.5	7TX Nb ppm 0.5	7TX Ta ppm 0.5	7TX Be ppm 5	7TX Sc ppm 1
REP 1424267	QC																				
1424271	Drill Core	42	0.22	<0.01	<0.5	1272	22.63	<5	0.012	0.75	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<0.5	10
REP 1424271	QC	39	0.20	<0.01	<0.5	1422	21.85	<5	0.011	0.73	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	9
REP 1424274	QC																				
1424283	Drill Core	34	0.07	<0.01	<0.5	931	22.34	<5	0.003	0.44	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
REP 1424283	QC	34	0.05	<0.01	<0.5	984	22.00	<5	0.003	0.43	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424295	Drill Core	36	0.13	<0.01	<0.5	1160	21.72	<5	0.003	0.54	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
REP 1424295	QC																				
1424302	Drill Core	29	0.10	<0.01	<0.5	953	21.90	<5	0.003	0.54	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
REP 1424302	QC	29	0.10	<0.01	<0.5	937	21.64	<5	0.004	0.52	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424303	Drill Core	32	0.09	<0.01	<0.5	1075	21.87	<5	0.004	0.51	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
REP 1424303	QC																				
Core Reject Duplicates																					
1424169	Drill Core	147	8.68	<0.01	<0.5	269	7.08	410	0.158	8.38	0.85	0.09	<0.5	1.9	<5	<0.5	2.4	<0.5	<0.5	<5	29
DUP 1424169	QC	148	9.12	<0.01	<0.5	310	7.52	464	0.158	8.72	0.94	0.12	<0.5	2.3	<5	<0.5	2.5	<0.5	<0.5	<5	33
1424204	Drill Core	57	1.06	<0.01	1.5	1352	20.75	6	0.041	1.06	0.01	0.03	1.1	5.7	<5	<0.5	1.9	0.7	<0.5	<5	10
DUP 1424204	QC	62	1.12	<0.01	1.3	1466	21.01	7	0.042	1.08	0.02	0.03	0.5	5.3	<5	<0.5	2.2	0.7	<0.5	<5	10
1424239	Drill Core	33	0.34	<0.01	<0.5	937	22.28	<5	0.005	0.57	<0.01	0.06	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
DUP 1424239	QC	38	0.37	<0.01	<0.5	1032	22.45	<5	0.006	0.59	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424274	Drill Core	49	1.00	<0.01	<0.5	1018	21.18	<5	0.012	0.82	<0.01	<0.01	<0.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
DUP 1424274	QC	48	1.00	<0.01	<0.5	1049	21.88	<5	0.010	0.84	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
Reference Materials																					
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 2 of 5 Part 3

QUALITY CONTROL REPORT

VAN11007001.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
		0.5	0.05	0.5	0.5	0.001
REP 1424267	QC					
1424271	Drill Core	0.8	<0.05	<0.5	<0.5	0.202
REP 1424271	QC	1.3	<0.05	<0.5	<0.5	
REP 1424274	QC					0.176
1424283	Drill Core	0.7	<0.05	<0.5	<0.5	0.134
REP 1424283	QC	0.8	<0.05	<0.5	<0.5	
1424295	Drill Core	1.0	<0.05	<0.5	<0.5	0.087
REP 1424295	QC					0.099
1424302	Drill Core	0.8	<0.05	<0.5	<0.5	0.095
REP 1424302	QC	0.8	<0.05	<0.5	<0.5	
1424303	Drill Core	1.0	<0.05	<0.5	<0.5	0.099
REP 1424303	QC					0.099
Core Reject Duplicates						
1424169	Drill Core	17.5	0.13	3.2	<0.5	N.A.
DUP 1424169	QC	19.0	<0.05	4.2	<0.5	N.A.
1424204	Drill Core	8.7	0.07	0.7	<0.5	0.158
DUP 1424204	QC	7.8	0.07	0.5	<0.5	0.162
1424239	Drill Core	<0.5	<0.05	1.3	<0.5	0.041
DUP 1424239	QC	<0.5	<0.05	<0.5	<0.5	0.046
1424274	Drill Core	1.0	<0.05	<0.5	<0.5	0.178
DUP 1424274	QC	0.6	<0.05	<0.5	<0.5	0.178
Reference Materials						
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

3 of 5

Part 1

QUALITY CONTROL REPORT

VAN11007001.3

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
STD CDN-PGMS-19	Standard		225	105	437																	
STD CDN-PGMS-19	Standard		337	105	449																	
STD CDN-PGMS-19	Standard		205	104	462																	
STD PD1	Standard		564	484	572																	
STD PD1	Standard		510	460	546																	
STD PD1	Standard		538	475	565																	
STD PD1	Standard		543	451	544																	
STD PD1	Standard		557	481	592																	
STD PD1	Standard		556	482	597																	
STD PD1	Standard		529	463	551																	
STD PD1	Standard		544	471	568																	
STD PD1	Standard		527	458	543																	
STD PD1	Standard		534	461	557																	
STD SF-3T	Standard					330.6	7956	8538	10970	52.6	3546	189	4201	8.61	46	4.2	5.0	428	49.4	10.9	4.6	
STD SF-3T	Standard					357.5	8044	8732	11242	53.1	3580	196	4296	8.68	44	3.8	4.8	439	49.5	11.5	4.4	
STD SF-3T	Standard					306.2	7679	8169	11214	53.4	3517	179	4147	8.18	42	3.9	4.7	428	58.7	11.1	5.3	
STD SF-3T	Standard					310.1	7688	8349	11178	52.4	3543	179	4158	8.19	39	4.2	4.8	428	57.2	10.5	5.4	
STD SF-3T	Standard					316.3	7581	8767	11090	52.5	3565	180	4176	8.17	44	4.0	4.3	428	40.4	9.2	4.5	
STD SF-3T	Standard					316.8	7415	8478	10853	53.2	3412	180	4098	7.92	42	3.9	4.0	422	47.7	9.4	4.1	
STD SF-3T	Standard					339.3	7792	8558	11246	52.5	3544	189	4204	8.14	43	4.3	5.3	424	53.9	11.1	4.7	
STD SF-3T	Standard					336.2	7919	8708	11412	51.2	3622	191	4243	8.32	42	4.4	5.7	435	49.2	11.2	5.2	
STD SF-3T	Standard					304.3	7585	9952	10004	50.7	3389	173	4078	7.73	46	3.5	5.0	419	46.3	9.0	4.7	
STD SF-3T	Standard					311.3	7454	8170	9951	51.7	3415	178	3998	7.72	41	3.1	4.0	415	44.4	8.8	4.9	
STD SF-3T	Standard					319.8	7547	8202	10918	52.2	3399	182	4058	7.98	41	4.2	5.3	419	49.8	10.4	4.9	
STD SF-3T	Standard					325.3	7649	8090	10929	51.7	3409	184	4034	8.04	42	4.0	4.9	421	49.4	10.0	4.7	
STD SF-3T	Standard					318.0	7491	8184	10008	52.7	3428	189	4043	7.93	40	4.0	5.1	416	54.0	10.8	5.4	
STD SF-3T	Standard					318.5	7434	8279	10809	52.7	3388	195	4050	7.86	45	3.7	4.6	412	56.4	11.5	4.9	
STD SF-3T	Standard					320.4	7577	8316	11089	53.8	3475	186	3998	7.91	41	3.9	4.6	422	48.6	10.2	4.7	
STD SF-3T	Standard					314.4	7621	8292	11074	53.8	3429	186	4033	7.85	39	4.1	4.7	420	47.8	10.5	4.7	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

3 of 5 Part 2

QUALITY CONTROL REPORT

VAN11007001.3

		7TX V ppm 10	7TX Ca %	7TX P %	7TX La ppm 0.5	7TX Cr %	7TX Mg %	7TX Ba ppm 1	7TX Ti %	7TX Al %	7TX Na %	7TX K %	7TX W ppm 0.5	7TX Zr ppm 0.5	7TX Ce ppm 5	7TX Sn ppm 0.5	7TX Y ppm 0.5	7TX Nb ppm 0.5	7TX Ta ppm 0.5	7TX Be ppm 5	7TX Sc ppm 1
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD CDN-PGMS-19	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD PD1	Standard																				
STD SF-3T	Standard	133	4.08	0.06	20.1	178	4.73	345	0.196	5.44	2.11	2.63	4.2	14.1	45	5.4	11.7	13.8	0.7	<5	7
STD SF-3T	Standard	135	4.16	0.06	19.5	189	4.79	386	0.197	5.53	2.14	2.28	4.1	13.0	43	6.0	11.6	15.3	0.7	<5	7
STD SF-3T	Standard	130	4.03	0.06	19.5	181	4.77	520	0.194	5.44	2.15	2.33	3.8	13.7	47	6.0	11.3	14.4	0.7	<5	7
STD SF-3T	Standard	130	4.00	0.06	21.1	183	4.78	490	0.196	5.46	2.16	2.36	4.1	14.6	50	6.0	11.8	16.0	0.8	<5	7
STD SF-3T	Standard	129	3.92	0.05	19.0	195	4.50	396	0.196	5.23	2.01	2.33	3.9	14.1	43	5.8	11.5	13.8	0.8	<5	5
STD SF-3T	Standard	127	3.86	0.05	18.7	182	4.39	426	0.192	5.16	1.99	2.32	4.2	14.1	43	5.4	11.1	13.7	0.7	<5	5
STD SF-3T	Standard	126	3.96	0.06	21.9	190	4.60	701	0.193	5.43	2.13	2.49	4.0	14.3	47	5.9	11.2	14.4	0.8	<5	6
STD SF-3T	Standard	130	4.05	0.06	22.4	192	4.67	743	0.197	5.50	2.19	2.51	4.2	14.8	47	12.6	11.6	14.8	0.8	<5	6
STD SF-3T	Standard	119	3.90	0.06	19.2	175	4.41	759	0.189	5.23	2.04	2.47	4.4	11.6	42	6.1	11.0	12.6	0.7	<5	5
STD SF-3T	Standard	121	3.84	0.06	18.1	205	4.39	699	0.186	5.12	2.01	2.42	3.3	12.9	39	8.2	10.6	11.8	0.7	<5	6
STD SF-3T	Standard	124	3.86	0.06	19.8	187	4.42	645	0.188	5.19	2.08	2.46	4.0	15.0	44	6.4	11.0	14.1	0.8	<5	6
STD SF-3T	Standard	121	3.90	0.06	19.6	186	4.43	733	0.187	5.24	2.08	2.26	4.0	14.6	43	5.8	11.2	14.5	0.8	<5	6
STD SF-3T	Standard	119	3.92	0.06	19.9	197	4.66	757	0.192	5.29	2.06	2.38	4.1	14.0	45	6.3	11.5	14.2	0.9	<5	7
STD SF-3T	Standard	119	3.94	0.07	19.9	197	4.62	752	0.191	5.25	2.05	2.40	4.4	13.4	46	6.6	11.3	13.8	0.7	<5	7
STD SF-3T	Standard	126	3.94	0.06	19.0	206	4.60	754	0.189	5.28	2.07	2.48	4.8	13.9	42	6.2	11.2	14.2	0.9	<5	7
STD SF-3T	Standard	130	3.92	0.05	19.5	213	4.46	737	0.191	5.26	2.08	2.48	3.3	13.8	42	5.3	11.2	14.4	0.9	<5	7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 3 of 5 Part 3

QUALITY CONTROL REPORT

VAN11007001.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
		0.5	0.05	0.5	0.5	0.001
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD SF-3T	Standard	26.4	4.22	83.5	<0.5	
STD SF-3T	Standard	24.6	4.32	73.7	<0.5	
STD SF-3T	Standard	27.4	4.41	84.4	<0.5	
STD SF-3T	Standard	26.5	4.45	89.6	0.5	
STD SF-3T	Standard	23.4	4.02	86.6	0.8	
STD SF-3T	Standard	19.7	3.88	83.3	0.5	
STD SF-3T	Standard	25.5	3.93	90.9	<0.5	
STD SF-3T	Standard	24.1	4.04	90.3	0.6	
STD SF-3T	Standard	24.6	3.89	85.5	0.6	
STD SF-3T	Standard	22.3	3.93	83.4	<0.5	
STD SF-3T	Standard	25.7	4.22	91.2	0.5	
STD SF-3T	Standard	25.5	4.19	82.3	0.6	
STD SF-3T	Standard	25.3	3.95	88.6	<0.5	
STD SF-3T	Standard	24.4	3.98	90.6	<0.5	
STD SF-3T	Standard	24.9	3.80	87.3	0.6	
STD SF-3T	Standard	25.2	3.75	87.2	0.5	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 5 Part 2

QUALITY CONTROL REPORT

VAN11007001.3

		7TX V	7TX Ca	7TX P	7TX La	7TX Cr	7TX Mg	7TX Ba	7TX Ti	7TX Al	7TX Na	7TX K	7TX W	7TX Zr	7TX Ce	7TX Sn	7TX Y	7TX Nb	7TX Ta	7TX Be	7TX Sc
		ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
STD SF-3T	Standard	115	3.82	0.05	19.2	201	4.39	685	0.184	5.34	2.02	2.38	3.5	14.9	46	7.1	11.0	13.6	0.7	<5	6
STD SF-3T	Standard	117	3.96	0.06	20.0	192	4.53	721	0.188	5.45	2.05	2.45	3.9	15.3	48	7.4	11.3	14.5	0.8	<5	6
STD SF-3T	Standard	123	3.96	0.06	20.2	176	4.49	833	0.184	5.29	2.07	2.42	4.2	13.6	47	9.3	11.0	12.9	0.9	<5	7
STD SF-3T	Standard	124	3.96	0.06	20.7	197	4.45	835	0.185	5.29	2.11	2.42	4.1	13.8	46	6.5	10.9	14.0	0.7	<5	7
STD UM-4	Standard																				
STD UM-4	Standard																				
STD UM-4	Standard																				
STD UM-4	Standard																				
STD UM-4	Standard																				
STD PD1 Expected																					
STD CDN-PGMS-19																					
STD SF-3T Expected		128	4.05	0.06	18.5	190	4.6	580	0.19	5.43	2.06	2.47	4.3	14.8	43	6.3	11.5	15.1	0.7	2.4	7
STD UM-4 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	23	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 4 of 5 Part 3

QUALITY CONTROL REPORT

VAN11007001.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
		0.5	0.05	0.5	0.5	0.001
STD SF-3T	Standard	23.5	3.78	87.8	0.5	
STD SF-3T	Standard	25.9	4.06	89.6	<0.5	
STD SF-3T	Standard	26.8	3.89	88.1	0.7	
STD SF-3T	Standard	25.0	3.80	85.7	0.6	
STD UM-4	Standard					0.177
STD UM-4	Standard					0.179
STD UM-4	Standard					0.174
STD UM-4	Standard					0.173
STD UM-4	Standard					0.169
STD PD1 Expected						
STD CDN-PGMS-19						
STD SF-3T Expected		24.5	3.8	90.8	0.6	
STD UM-4 Expected						0.18
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 5 of 5 Part 1

QUALITY CONTROL REPORT

VAN11007001.3

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<0.5	<0.5	2.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BLK	Blank		<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BLK	Blank		<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BLK	Blank		<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BLK	Blank		<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	<0.01	<2	<3	<2	0.5	4.6	21.8	53	<0.5	3.7	4	905	2.64	<5	2.6	7.4	817	<0.5	<0.5	<0.5	
G1	Prep Blank	<0.01	<2	<3	<2	<0.5	4.5	19.9	58	<0.5	3.2	4	908	2.67	<5	2.6	7.9	800	<0.5	<0.5	<0.5	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 5 of 5 Part 2

QUALITY CONTROL REPORT

VAN11007001.3

		7TX V ppm 10	7TX Ca %	7TX P ppm 0.01	7TX La ppm 0.5	7TX Cr ppm 1	7TX Mg %	7TX Ba ppm 0.01	7TX Ti %	7TX Al %	7TX Na %	7TX K %	7TX W ppm 0.5	7TX Zr ppm 0.5	7TX Ce ppm 5	7TX Sn ppm 0.5	7TX Y ppm 0.5	7TX Nb ppm 0.5	7TX Ta ppm 0.5	7TX Be ppm 5	7TX Sc ppm 1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	12	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	53	2.67	0.08	21.8	8	0.60	1210	0.246	7.49	2.95	1.55	<0.5	12.9	46	1.5	12.9	26.7	1.5	<5	5
G1	Prep Blank	51	2.55	0.08	25.0	8	0.59	1143	0.240	7.60	2.86	1.57	<0.5	11.7	52	1.4	13.0	25.8	1.5	<5	5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 5 of 5 Part 3

QUALITY CONTROL REPORT

VAN11007001.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
BLK	Blank	0.5	0.05	0.5	0.5	0.001
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					<0.001
BLK	Blank					<0.001
BLK	Blank					<0.001
BLK	Blank					<0.001
BLK	Blank					<0.001
Prep Wash						
G1	Prep Blank	34.9	<0.05	50.6	0.9	N.A.
G1	Prep Blank	37.0	<0.05	54.2	0.8	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Submitted By: Bill Morton
Receiving Lab: Canada-Smithers
Received: December 09, 2011
Report Date: March 19, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS

SMI11000839.3

CLIENT JOB INFORMATION

Project: KM 26

Shipment ID:

P.O. Number

Number of Samples: 136

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

DISP-RJT Dispose of Reject After 90 days

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	133	Crush, split and pulverize 500 g rock to 200 mesh			VAN
3B02	136	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
7TX1	136	4 Acid Digestion Analysis by ICP-ES/ICP-MS	0.5	Completed	VAN
G810	131	Leached with H2O2 + NH4 citrate	1	Completed	VAN

ADDITIONAL COMMENTS

Version 3 : G810 for 112 samples added.

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 2 of 6 Part 1

SMI11000839.3

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi		
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	0.5	
1424001	Drill Core		4.30	<2	<3	<2	2.5	99.2	11.3	94	<0.5	64.6	16	993	3.99	6	1.2	2.9	273	<0.5	1.1	<0.5		
1424002	Drill Core		1.57	<2	<3	<2	2.5	31.5	3.1	44	<0.5	411.8	27	1567	3.22	6	0.9	1.4	226	<0.5	<0.5	<0.5		
1424003	Drill Core		1.96	<2	<3	<2	<0.5	17.5	<0.5	52	<0.5	2145	103	1065	5.58	<5	<0.5	<0.5	50	<0.5	<0.5	<0.5		
1424004	Drill Core		2.16	<2	<3	<2	<0.5	15.7	<0.5	41	<0.5	2127	100	792	5.66	<5	<0.5	<0.5	18	<0.5	<0.5	<0.5		
1424005	Drill Core		1.96	5	14	11	<0.5	17.6	<0.5	50	<0.5	2274	105	960	5.55	<5	<0.5	<0.5	9	<0.5	<0.5	<0.5		
1424006	Drill Core		1.17	2	10	9	<0.5	17.0	<0.5	57	<0.5	2371	109	915	5.34	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424007	Drill Core		1.64	5	12	9	<0.5	18.5	<0.5	47	<0.5	2238	104	899	5.71	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424008	Drill Core		2.24	3	15	12	<0.5	18.2	<0.5	51	<0.5	2285	108	892	5.45	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424009	Drill Core		1.59	4	13	10	<0.5	18.4	<0.5	48	<0.5	2157	100	915	5.38	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424010	Drill Core		1.67	3	9	7	<0.5	22.4	1.7	55	<0.5	2129	102	922	5.32	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5		
1424011	Drill Core		0.90	3	10	9	0.5	15.5	1.9	45	<0.5	2192	99	830	5.32	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424012	Drill Core		0.58	5	15	9	<0.5	19.2	<0.5	52	<0.5	2315	105	940	5.60	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424013	Drill Core		2.18	6	15	8	<0.5	18.1	<0.5	49	<0.5	2196	103	910	5.49	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424014	Drill Core		2.06	4	12	12	<0.5	16.8	<0.5	52	<0.5	2191	102	978	5.69	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424015	Drill Core		1.39	<2	9	11	<0.5	18.9	<0.5	38	<0.5	2059	97	871	5.51	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424016	Drill Core		1.80	<2	13	10	<0.5	12.8	<0.5	32	<0.5	2027	95	722	5.47	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424017	Drill Core		1.06	3	11	10	<0.5	21.1	<0.5	50	<0.5	2387	107	950	5.69	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424018	Drill Core		0.78	<2	10	12	<0.5	15.8	<0.5	67	<0.5	2367	108	1119	5.68	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424019	Drill Core		1.23	5	10	9	0.7	21.1	<0.5	52	<0.5	2171	102	982	5.45	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424020	Drill Core		0.70	<2	12	9	0.8	13.2	0.8	55	<0.5	2064	98	959	5.43	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424021	Drill Core		1.20	<2	6	8	1.6	19.1	<0.5	44	<0.5	2215	99	962	5.57	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424022	Drill Core		1.71	<2	11	6	<0.5	20.4	1.3	41	<0.5	1923	92	929	5.48	<5	<0.5	<0.5	46	<0.5	<0.5	<0.5		
1424023	Drill Core		1.89	4	9	6	<0.5	18.8	<0.5	44	<0.5	2207	103	959	5.66	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424024	Drill Core		0.49	4	9	9	<0.5	13.3	<0.5	52	<0.5	2026	100	909	5.26	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5		
1424025	Drill Core		4.08	3	8	5	<0.5	18.7	<0.5	52	<0.5	2188	102	946	5.46	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5		
1424026	Drill Core		3.27	4	6	7	<0.5	16.7	<0.5	49	<0.5	1949	97	893	5.47	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5		
1424027	Drill Core		3.23	<2	4	3	<0.5	24.8	<0.5	53	<0.5	2336	105	820	5.70	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424028	Drill Core		2.44	2	7	3	<0.5	20.4	<0.5	50	<0.5	2119	99	944	5.48	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424029	Drill Core		2.75	2	3	6	<0.5	19.1	<0.5	46	<0.5	2156	101	896	5.39	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		
1424030	Drill Core		3.36	5	5	7	<0.5	19.7	<0.5	45	<0.5	2135	102	965	5.52	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424001	Drill Core	124	2.36	0.07	12.5	106	1.47	791	0.374	6.91	1.87	1.49	7.5	57.9	26	1.0	13.7	6.1	<0.5	<5	14
1424002	Drill Core	62	11.84	0.06	8.6	365	5.80	424	0.159	3.18	1.04	0.54	1.3	85.0	13	<0.5	10.3	2.6	<0.5	<5	8
1424003	Drill Core	44	1.33	<0.01	<0.5	1220	21.87	11	0.011	0.81	0.01	0.02	2.3	13.1	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424004	Drill Core	38	0.83	<0.01	<0.5	1054	21.41	<5	0.007	0.67	0.01	<0.01	3.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424005	Drill Core	47	0.57	<0.01	<0.5	1199	21.45	<5	0.011	0.80	0.01	<0.01	2.1	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	10
1424006	Drill Core	44	0.35	<0.01	<0.5	1161	21.92	<5	0.011	0.76	<0.01	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424007	Drill Core	46	0.60	<0.01	<0.5	1152	22.01	<5	0.011	0.80	0.01	<0.01	2.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	11
1424008	Drill Core	48	0.47	<0.01	<0.5	1360	21.57	<5	0.010	0.87	0.01	<0.01	1.7	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	12
1424009	Drill Core	48	0.88	<0.01	<0.5	1116	21.36	<5	0.011	0.82	<0.01	<0.01	2.2	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	11
1424010	Drill Core	45	1.37	<0.01	<0.5	945	20.56	<5	0.009	0.74	<0.01	<0.01	2.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424011	Drill Core	40	0.97	<0.01	<0.5	1084	21.67	5	0.010	0.72	<0.01	<0.01	4.8	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424012	Drill Core	50	0.40	<0.01	<0.5	1236	21.78	<5	0.013	0.77	0.01	0.05	3.3	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	12
1424013	Drill Core	48	0.59	<0.01	<0.5	1165	21.65	<5	0.011	0.89	<0.01	0.02	3.1	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	10
1424014	Drill Core	48	0.47	<0.01	<0.5	1238	22.07	<5	0.012	0.87	<0.01	<0.01	2.8	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	11
1424015	Drill Core	52	0.62	<0.01	<0.5	1126	21.56	<5	0.013	0.81	<0.01	<0.01	2.7	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11
1424016	Drill Core	36	0.71	<0.01	<0.5	1255	21.51	<5	0.012	0.75	<0.01	0.03	2.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424017	Drill Core	48	0.37	<0.01	<0.5	1408	21.80	<5	0.011	0.80	<0.01	<0.01	2.6	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	12
1424018	Drill Core	45	0.15	<0.01	<0.5	1203	22.15	<5	0.010	0.74	<0.01	0.16	2.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424019	Drill Core	43	0.17	<0.01	<0.5	1259	21.72	<5	0.009	0.78	<0.01	<0.01	3.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424020	Drill Core	40	0.25	<0.01	<0.5	1268	21.74	<5	0.009	0.73	0.01	<0.01	3.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424021	Drill Core	43	0.45	<0.01	<0.5	1189	21.98	<5	0.008	0.75	0.01	0.01	3.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424022	Drill Core	51	1.31	<0.01	1.6	1062	19.59	60	0.036	1.27	0.09	0.20	2.2	4.2	<5	<0.5	1.5	<0.5	<0.5	<5	10
1424023	Drill Core	43	0.51	<0.01	<0.5	1127	22.36	<5	0.010	0.78	0.01	<0.01	2.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424024	Drill Core	38	1.12	<0.01	<0.5	1051	21.84	<5	0.010	0.79	0.01	0.02	2.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424025	Drill Core	46	1.13	<0.01	<0.5	1129	21.69	<5	0.011	0.84	<0.01	<0.01	2.6	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	11
1424026	Drill Core	44	1.78	<0.01	<0.5	901	21.59	<5	0.010	0.84	0.01	<0.01	2.5	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	10
1424027	Drill Core	39	0.92	<0.01	<0.5	946	22.52	<5	0.008	0.72	0.01	<0.01	4.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424028	Drill Core	47	0.79	<0.01	<0.5	1019	21.87	<5	0.011	0.85	<0.01	<0.01	3.6	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424029	Drill Core	47	0.34	<0.01	<0.5	1231	21.04	<5	0.010	0.86	<0.01	<0.01	3.4	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424030	Drill Core	48	0.67	<0.01	<0.5	1173	21.56	<5	0.013	0.90	0.01	0.01	3.0	<0.5	<5	<0.5	0.8	<0.5	<0.5	<5	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

2 of 6

Part 3

SMI11000839.3

CERTIFICATE OF ANALYSIS

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
Unit	ppm	%	ppm	ppm	%	
	0.5	0.05	0.5	0.5	0.001	
1424001	Drill Core	22.9	0.05	33.1	1.6	N.A.
1424002	Drill Core	11.7	0.17	15.5	0.8	N.A.
1424003	Drill Core	2.4	<0.05	0.5	<0.5	0.019
1424004	Drill Core	0.7	<0.05	<0.5	<0.5	0.045
1424005	Drill Core	1.6	<0.05	<0.5	<0.5	0.062
1424006	Drill Core	1.8	<0.05	<0.5	<0.5	0.101
1424007	Drill Core	1.8	<0.05	<0.5	<0.5	0.081
1424008	Drill Core	1.5	<0.05	<0.5	<0.5	0.107
1424009	Drill Core	1.6	<0.05	<0.5	<0.5	0.095
1424010	Drill Core	1.5	<0.05	<0.5	<0.5	0.101
1424011	Drill Core	1.9	<0.05	<0.5	<0.5	0.130
1424012	Drill Core	1.0	<0.05	1.3	<0.5	0.059
1424013	Drill Core	1.3	<0.05	<0.5	<0.5	0.105
1424014	Drill Core	1.6	<0.05	<0.5	<0.5	0.091
1424015	Drill Core	0.9	<0.05	<0.5	<0.5	0.083
1424016	Drill Core	1.2	<0.05	0.6	<0.5	0.102
1424017	Drill Core	0.9	<0.05	<0.5	<0.5	0.101
1424018	Drill Core	1.8	<0.05	3.8	<0.5	0.066
1424019	Drill Core	1.0	<0.05	<0.5	<0.5	0.100
1424020	Drill Core	1.2	<0.05	<0.5	<0.5	0.078
1424021	Drill Core	0.9	<0.05	<0.5	<0.5	0.091
1424022	Drill Core	2.4	<0.05	5.3	<0.5	0.032
1424023	Drill Core	1.6	<0.05	<0.5	<0.5	0.040
1424024	Drill Core	1.3	0.06	<0.5	<0.5	0.094
1424025	Drill Core	1.5	0.06	<0.5	<0.5	0.105
1424026	Drill Core	1.7	0.05	<0.5	<0.5	0.077
1424027	Drill Core	1.2	0.06	<0.5	<0.5	0.125
1424028	Drill Core	1.1	0.05	<0.5	<0.5	0.110
1424029	Drill Core	1.3	<0.05	<0.5	<0.5	0.091
1424030	Drill Core	1.1	<0.05	<0.5	<0.5	0.092



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 3 of 6 Part 1

SMI11000839.3

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5
1424031	Drill Core		3.76	6	5	3	<0.5	19.6	<0.5	43	<0.5	2183	108	976	5.60	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424032	Drill Core		4.34	<2	<3	<2	<0.5	18.5	<0.5	53	<0.5	2230	104	955	5.82	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424033	Drill Core		3.60	<2	8	6	<0.5	16.9	<0.5	48	<0.5	2026	96	883	5.49	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424034	Drill Core		4.34	<2	8	6	<0.5	22.2	<0.5	52	<0.5	1998	99	908	5.39	<5	<0.5	<0.5	<5	<0.5	0.6	<0.5
1424035	Drill Core		2.36	<2	8	5	<0.5	20.7	<0.5	55	<0.5	2001	102	945	5.62	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424036	Drill Core		3.89	<2	7	7	<0.5	25.4	<0.5	66	<0.5	2096	102	1052	5.57	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424037	Drill Core		0.89	<2	8	9	<0.5	24.0	<0.5	56	<0.5	2018	98	1019	5.60	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424038	Drill Core		0.55	<2	10	8	<0.5	22.7	<0.5	36	<0.5	1867	91	857	5.82	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424039	Drill Core		0.72	6	18	18	1.0	139.1	<0.5	51	<0.5	2852	116	977	5.72	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424040	Drill Core		0.37	<2	7	7	8.9	9.9	1.8	46	<0.5	2084	100	913	5.22	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424041	Drill Core		0.32	<2	9	6	12.7	12.8	0.8	50	1.0	2164	106	980	5.22	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424042	Drill Core		0.58	<2	10	8	4.4	9.5	<0.5	45	<0.5	2209	105	967	5.35	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424043	Drill Core		0.33	<2	8	7	2.8	14.8	<0.5	59	<0.5	2132	101	1038	5.50	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424044	Drill Core		0.35	<2	8	6	0.6	17.8	<0.5	54	<0.5	1963	99	1054	5.36	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424045	Drill Core		0.59	<2	7	8	0.6	31.0	1.6	53	<0.5	2237	105	955	5.63	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424046	Drill Core		0.15	<2	8	6	1.1	29.3	<0.5	57	<0.5	2248	106	1025	5.82	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424047	Drill Core		0.66	<2	7	5	<0.5	22.0	1.0	63	<0.5	2227	106	1058	5.54	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424048	Drill Core		0.43	<2	9	7	0.6	38.7	<0.5	53	<0.5	2090	96	1020	5.54	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424049	Drill Core		0.46	<2	8	8	1.0	20.4	<0.5	43	<0.5	1960	99	906	5.42	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424050	Drill Core		0.36	<2	<3	<2	1.3	21.9	1.8	28	<0.5	378.9	23	504	1.92	<5	1.2	1.3	166	<0.5	<0.5	<0.5
1424051	Drill Core		0.27	<2	4	3	<0.5	8.8	<0.5	30	<0.5	1245	64	683	3.86	<5	<0.5	<0.5	87	<0.5	<0.5	<0.5
1424052	Drill Core		0.42	<2	4	10	0.6	4.2	<0.5	41	<0.5	1990	101	1037	5.27	<5	<0.5	<0.5	66	<0.5	<0.5	<0.5
1424053	Drill Core		0.75	<2	8	4	<0.5	6.8	<0.5	47	<0.5	2159	108	942	5.13	<5	<0.5	<0.5	36	<0.5	<0.5	<0.5
1424054	Drill Core		0.67	42	8	6	0.7	37.7	1.9	65	<0.5	1787	95	1224	5.37	<5	<0.5	<0.5	53	<0.5	<0.5	<0.5
1424055	Drill Core		0.79	<2	<3	2	0.8	59.8	<0.5	86	<0.5	1964	94	917	5.49	<5	<0.5	<0.5	13	<0.5	<0.5	<0.5
1424056	Drill Core		0.34	<2	5	5	<0.5	13.2	<0.5	45	<0.5	2350	101	708	5.42	<5	<0.5	<0.5	6	<0.5	<0.5	<0.5
1424057	Drill Core		0.61	<2	6	6	<0.5	13.3	<0.5	51	<0.5	2182	98	1194	5.02	<5	<0.5	<0.5	56	<0.5	<0.5	<0.5
1424058	Drill Core		1.07	<2	4	7	<0.5	21.2	<0.5	56	<0.5	2231	110	955	5.86	<5	<0.5	<0.5	17	<0.5	<0.5	<0.5
1424059	Drill Core		1.59	<2	4	7	<0.5	20.2	<0.5	77	<0.5	2230	118	1046	5.60	<5	<0.5	<0.5	12	<0.5	<0.5	<0.5
1424060	Drill Core		0.90	<2	5	8	<0.5	16.4	<0.5	46	<0.5	2393	111	943	5.66	<5	<0.5	<0.5	13	<0.5	<0.5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424031	Drill Core	46	0.62	<0.01	<0.5	1113	22.30	<5	0.012	0.85	<0.01	<0.01	3.8	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424032	Drill Core	39	0.50	<0.01	<0.5	1102	22.27	<5	0.010	0.76	<0.01	<0.01	2.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424033	Drill Core	43	0.68	<0.01	<0.5	1056	21.10	<5	0.009	0.77	<0.01	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424034	Drill Core	45	0.78	<0.01	<0.5	1244	21.14	<5	0.010	0.84	<0.01	<0.01	3.9	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	10
1424035	Drill Core	48	0.58	<0.01	<0.5	1170	21.22	<5	0.011	0.82	<0.01	<0.01	4.0	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	10
1424036	Drill Core	49	0.25	<0.01	<0.5	1297	21.39	<5	0.010	0.82	<0.01	<0.01	2.9	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11
1424037	Drill Core	54	0.47	<0.01	<0.5	1113	21.12	<5	0.010	0.85	<0.01	<0.01	4.3	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424038	Drill Core	54	1.72	<0.01	<0.5	1027	20.46	<5	0.024	1.12	<0.01	0.05	6.6	3.1	<5	<0.5	1.6	<0.5	<0.5	<5	9
1424039	Drill Core	54	0.38	<0.01	<0.5	1134	20.94	<5	0.013	0.77	<0.01	<0.01	3.3	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424040	Drill Core	29	0.28	<0.01	<0.5	1040	21.49	<5	0.006	0.54	<0.01	<0.01	5.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424041	Drill Core	36	0.23	<0.01	<0.5	1168	21.17	<5	0.007	0.57	<0.01	<0.01	6.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424042	Drill Core	31	0.14	<0.01	<0.5	1194	21.72	<5	0.006	0.56	<0.01	<0.01	3.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424043	Drill Core	44	0.17	<0.01	<0.5	1344	21.03	<5	0.011	0.64	<0.01	<0.01	2.4	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424044	Drill Core	47	1.20	<0.01	<0.5	1033	21.28	<5	0.021	0.81	<0.01	<0.01	3.0	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424045	Drill Core	56	0.55	<0.01	<0.5	1245	21.32	41	0.012	0.83	<0.01	<0.01	3.2	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	12
1424046	Drill Core	50	0.54	<0.01	<0.5	1156	20.87	<5	0.012	0.69	<0.01	<0.01	2.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424047	Drill Core	65	0.35	<0.01	<0.5	1215	20.99	50	0.011	0.73	<0.01	<0.01	2.7	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	11
1424048	Drill Core	62	0.51	<0.01	<0.5	1054	21.14	<5	0.013	0.88	<0.01	<0.01	2.2	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	11
1424049	Drill Core	47	0.91	<0.01	<0.5	1013	21.24	<5	0.011	0.86	<0.01	<0.01	2.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424050	Drill Core	29	12.71	0.02	5.9	296	5.85	385	0.073	1.59	0.42	0.30	5.9	20.3	9	<0.5	4.2	2.2	<0.5	<5	4
1424051	Drill Core	21	1.88	<0.01	<0.5	727	18.62	47	0.013	0.34	0.04	<0.01	11.8	1.9	<5	<0.5	1.1	<0.5	<0.5	<5	5
1424052	Drill Core	27	0.96	<0.01	<0.5	1283	19.73	64	0.012	0.40	0.03	<0.01	25.8	1.5	<5	<0.5	0.5	<0.5	<0.5	<5	8
1424053	Drill Core	24	0.60	<0.01	<0.5	1531	19.85	64	0.012	0.39	0.06	0.04	31.4	1.9	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424054	Drill Core	44	0.90	<0.01	1.6	982	18.53	129	0.030	0.99	0.09	0.06	8.7	5.5	<5	<0.5	2.0	0.6	<0.5	<5	12
1424055	Drill Core	42	0.37	<0.01	<0.5	2230	22.01	10	0.010	0.77	<0.01	<0.01	449.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424056	Drill Core	40	0.17	<0.01	<0.5	886	22.25	7	0.012	0.79	<0.01	<0.01	4.9	<0.5	<5	<0.5	0.7	<0.5	<0.5	<5	10
1424057	Drill Core	36	2.13	<0.01	<0.5	803	21.52	34	0.013	0.70	<0.01	<0.01	3.2	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11
1424058	Drill Core	43	0.70	<0.01	<0.5	905	21.34	17	0.009	0.73	<0.01	<0.01	5.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424059	Drill Core	50	0.53	<0.01	<0.5	1243	21.27	17	0.012	0.79	<0.01	<0.01	5.9	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11
1424060	Drill Core	48	0.48	<0.01	<0.5	1431	21.51	9	0.017	0.89	<0.01	<0.01	3.5	0.8	<5	<0.5	1.0	<0.5	<0.5	<5	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

3 of 6

Part 3

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	%
		MDL	0.5	0.05	0.5	0.001
1424031	Drill Core	1.4	<0.05	<0.5	<0.5	0.074
1424032	Drill Core	0.9	<0.05	<0.5	<0.5	0.088
1424033	Drill Core	1.0	<0.05	<0.5	<0.5	0.085
1424034	Drill Core	1.7	<0.05	<0.5	<0.5	0.076
1424035	Drill Core	1.5	<0.05	<0.5	<0.5	0.049
1424036	Drill Core	1.9	<0.05	<0.5	<0.5	0.049
1424037	Drill Core	1.5	<0.05	<0.5	<0.5	0.060
1424038	Drill Core	6.5	<0.05	2.0	<0.5	0.080
1424039	Drill Core	2.2	<0.05	<0.5	<0.5	0.121
1424040	Drill Core	1.7	<0.05	<0.5	<0.5	0.057
1424041	Drill Core	0.9	<0.05	<0.5	<0.5	0.067
1424042	Drill Core	1.5	<0.05	<0.5	<0.5	0.044
1424043	Drill Core	1.0	<0.05	<0.5	<0.5	0.061
1424044	Drill Core	1.1	<0.05	<0.5	<0.5	0.056
1424045	Drill Core	1.4	<0.05	<0.5	<0.5	0.082
1424046	Drill Core	1.8	<0.05	<0.5	<0.5	0.100
1424047	Drill Core	2.2	<0.05	<0.5	<0.5	0.086
1424048	Drill Core	1.4	<0.05	<0.5	<0.5	0.081
1424049	Drill Core	1.1	<0.05	<0.5	<0.5	0.067
1424050	Drill Core	13.8	0.07	10.7	<0.5	0.025
1424051	Drill Core	54.8	0.06	<0.5	<0.5	0.083
1424052	Drill Core	44.5	0.09	0.7	<0.5	0.141
1424053	Drill Core	51.6	0.11	2.0	<0.5	0.152
1424054	Drill Core	4.2	<0.05	3.3	<0.5	0.116
1424055	Drill Core	2.2	<0.05	3.5	<0.5	0.144
1424056	Drill Core	1.7	<0.05	<0.5	<0.5	0.141
1424057	Drill Core	1.4	<0.05	<0.5	<0.5	0.124
1424058	Drill Core	2.0	<0.05	<0.5	<0.5	0.110
1424059	Drill Core	2.4	<0.05	<0.5	<0.5	0.092
1424060	Drill Core	2.5	<0.05	<0.5	<0.5	0.140



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page: 4 of 6 Part 1

SMI11000839.3

CERTIFICATE OF ANALYSIS

Analyte	Method	Unit	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi		
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			MDL	0.01	2	3	2	0.5	0.5	0.5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	0.5	
1424061	Drill Core		0.49	<2	5	6	<0.5	17.0	2.6	42	<0.5	1771	89	987	4.94	<5	<0.5	<0.5	34	<0.5	<0.5	<0.5		
1424062	Drill Core		1.98	<2	10	8	<0.5	9.5	<0.5	43	<0.5	2063	102	707	5.46	<5	<0.5	<0.5	9	<0.5	<0.5	<0.5		
1424063	Drill Core		1.50	<2	7	9	<0.5	16.3	<0.5	45	<0.5	1990	99	787	5.41	<5	<0.5	<0.5	17	<0.5	<0.5	<0.5		
1424064	Drill Core		1.14	<2	6	7	<0.5	14.1	<0.5	40	<0.5	2164	101	818	5.39	<5	<0.5	<0.5	20	<0.5	<0.5	<0.5		
1424065	Drill Core		1.28	<2	4	4	<0.5	3.7	<0.5	39	<0.5	2072	102	778	5.28	<5	<0.5	<0.5	21	<0.5	<0.5	<0.5		
1424066	Drill Core		0.99	<2	5	5	0.7	6.2	<0.5	35	<0.5	1959	92	745	5.05	<5	<0.5	<0.5	30	<0.5	<0.5	<0.5		
1424067	Drill Core		1.01	2	6	6	<0.5	8.3	<0.5	53	<0.5	2085	109	1311	5.78	<5	<0.5	<0.5	23	<0.5	<0.5	<0.5		
1424068	Drill Core		1.16	<2	7	6	<0.5	6.5	<0.5	37	<0.5	1837	96	750	5.47	<5	<0.5	<0.5	16	<0.5	<0.5	<0.5		
1424069	Drill Core		0.93	<2	7	7	<0.5	10.3	<0.5	38	<0.5	1960	88	747	5.32	<5	<0.5	<0.5	16	<0.5	<0.5	0.6		
1424070	Drill Core		1.02	<2	5	5	<0.5	11.5	<0.5	40	<0.5	2172	106	819	5.53	<5	<0.5	<0.5	22	<0.5	<0.5	<0.5		
1424071	Drill Core		1.24	<2	3	4	<0.5	7.4	<0.5	33	<0.5	1983	99	997	5.06	<5	<0.5	<0.5	41	<0.5	<0.5	<0.5		
1424072	Drill Core		1.79	<2	5	4	<0.5	6.5	1.8	55	<0.5	2081	105	912	5.15	<5	<0.5	<0.5	11	<0.5	<0.5	<0.5		
1424073	Drill Core		1.28	<2	7	3	<0.5	3.6	<0.5	32	<0.5	1995	98	941	4.82	<5	<0.5	<0.5	15	<0.5	<0.5	<0.5		
1424074	Drill Core		1.16	<2	6	<2	<0.5	7.3	<0.5	34	<0.5	2201	112	793	5.61	<5	<0.5	<0.5	9	<0.5	<0.5	<0.5		
1424075	Drill Core		0.76	<2	6	4	<0.5	11.4	<0.5	62	<0.5	2078	111	879	5.44	<5	<0.5	<0.5	28	<0.5	<0.5	<0.5		
1424076	Drill Core		1.11	<2	6	6	<0.5	10.6	<0.5	65	<0.5	2124	107	990	5.38	<5	<0.5	<0.5	15	<0.5	<0.5	<0.5		
1424077	Drill Core		1.14	<2	5	3	<0.5	6.6	<0.5	44	<0.5	2295	110	667	5.63	<5	<0.5	<0.5	21	<0.5	<0.5	<0.5		
1424078	Drill Core		0.63	<2	5	<2	<0.5	2.9	<0.5	38	<0.5	1938	94	881	5.15	<5	<0.5	<0.5	26	<0.5	<0.5	<0.5		
1424079	Drill Core		0.77	<2	5	<2	<0.5	3.5	1.5	40	<0.5	1986	91	1079	4.68	<5	<0.5	<0.5	44	<0.5	<0.5	<0.5		
1424080	Rock Pulp		0.08	48	339	581	4.5	4064	23.6	107	2.0	4027	114	1544	13.56	5	<0.5	1.5	240	0.5	0.6	1.2		
1424081	Drill Core		1.00	<2	6	6	<0.5	<0.5	<0.5	36	<0.5	2239	96	786	5.23	<5	<0.5	<0.5	8	<0.5	<0.5	<0.5		
1424082	Drill Core		1.41	<2	4	3	<0.5	6.9	<0.5	30	<0.5	2115	94	826	4.74	<5	<0.5	<0.5	26	<0.5	<0.5	<0.5		
1424083	Drill Core		2.01	<2	6	4	<0.5	10.0	<0.5	43	<0.5	2165	94	766	4.70	<5	<0.5	<0.5	24	<0.5	<0.5	<0.5		
1424084	Drill Core		2.56	2	5	5	<0.5	7.6	<0.5	40	<0.5	1988	101	971	5.25	<5	<0.5	<0.5	26	<0.5	<0.5	<0.5		
1424085	Drill Core		1.59	<2	6	4	<0.5	7.7	<0.5	39	<0.5	2123	100	1070	5.43	<5	<0.5	<0.5	30	<0.5	<0.5	<0.5		
1424086	Drill Core		1.11	<2	8	<2	<0.5	3.9	<0.5	43	<0.5	2314	105	776	5.41	<5	<0.5	<0.5	18	<0.5	<0.5	<0.5		
1424087	Drill Core		0.51	<2	7	6	<0.5	5.3	<0.5	43	<0.5	2288	104	570	5.33	<5	<0.5	<0.5	7	<0.5	<0.5	<0.5		
1424088	Drill Core		1.62	<2	3	3	<0.5	27.2	<0.5	41	<0.5	1621	78	1364	4.70	<5	<0.5	<0.5	162	<0.5	<0.5	<0.5		
1424089	Drill Core		2.11	<2	5	3	<0.5	7.7	1.2	45	<0.5	2043	96	1011	4.97	<5	<0.5	<0.5	135	<0.5	<0.5	<0.5		
1424090	Drill Core		1.67	<2	5	5	<0.5	20.0	<0.5	52	<0.5	2075	110	1074	5.53	<5	<0.5	<0.5	108	<0.5	<0.5	<0.5		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

SMI11000839.3

Analyte	Method	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424061	Drill Core	38	1.23	<0.01	<0.5	944	19.77	29	0.009	0.64	<0.01	<0.01	2.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424062	Drill Core	40	0.33	<0.01	<0.5	1092	21.25	9	0.003	0.52	<0.01	<0.01	5.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424063	Drill Core	37	0.59	<0.01	<0.5	1088	21.51	11	0.002	0.52	<0.01	<0.01	6.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424064	Drill Core	36	0.57	<0.01	<0.5	1100	21.64	11	0.003	0.48	<0.01	<0.01	7.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424065	Drill Core	28	0.49	<0.01	<0.5	997	21.80	10	0.002	0.40	<0.01	<0.01	9.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424066	Drill Core	29	0.71	<0.01	<0.5	866	21.75	14	0.002	0.41	<0.01	<0.01	6.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424067	Drill Core	36	0.53	<0.01	<0.5	1255	21.66	16	0.003	0.42	<0.01	<0.01	6.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424068	Drill Core	33	0.60	<0.01	<0.5	1032	21.61	14	0.002	0.48	<0.01	<0.01	5.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424069	Drill Core	35	0.61	<0.01	<0.5	1113	22.13	14	0.003	0.49	<0.01	<0.01	6.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424070	Drill Core	35	0.74	<0.01	<0.5	1301	22.14	22	0.003	0.44	<0.01	<0.01	10.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424071	Drill Core	25	1.04	<0.01	<0.5	986	22.70	20	0.001	0.29	<0.01	<0.01	6.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424072	Drill Core	27	0.22	<0.01	<0.5	1192	22.10	13	<0.001	0.31	<0.01	<0.01	9.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424073	Drill Core	21	0.63	<0.01	<0.5	1400	22.50	15	<0.001	0.19	<0.01	<0.01	7.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424074	Drill Core	28	0.33	<0.01	<0.5	1151	22.41	12	<0.001	0.30	<0.01	<0.01	8.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424075	Drill Core	37	0.61	<0.01	<0.5	1207	21.85	25	0.003	0.49	<0.01	<0.01	8.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424076	Drill Core	41	0.27	<0.01	<0.5	1290	21.92	23	0.003	0.46	<0.01	<0.01	9.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10
1424077	Drill Core	38	0.42	<0.01	<0.5	1476	22.22	19	0.002	0.44	<0.01	<0.01	10.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424078	Drill Core	30	0.38	<0.01	<0.5	1266	22.74	17	0.002	0.35	<0.01	<0.01	9.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424079	Drill Core	21	0.81	<0.01	0.6	1201	22.24	44	0.003	0.34	0.03	0.03	9.4	0.7	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424080	Rock Pulp	106	4.16	0.06	11.1	194	3.75	199	0.713	6.41	1.54	0.47	2.7	54.0	23	3.5	11.2	6.4	<0.5	<5	11
1424081	Drill Core	24	0.16	<0.01	<0.5	1220	22.02	14	0.002	0.24	<0.01	<0.01	10.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424082	Drill Core	22	0.34	<0.01	<0.5	966	22.56	17	0.002	0.27	<0.01	<0.01	8.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424083	Drill Core	27	0.39	<0.01	<0.5	1223	22.97	16	0.002	0.30	<0.01	<0.01	10.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424084	Drill Core	32	0.53	<0.01	<0.5	1222	22.36	20	0.002	0.33	<0.01	<0.01	10.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424085	Drill Core	32	0.64	<0.01	<0.5	1069	21.60	23	<0.001	0.28	<0.01	<0.01	10.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424086	Drill Core	27	0.32	<0.01	<0.5	1287	22.42	21	0.003	0.33	<0.01	<0.01	11.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424087	Drill Core	36	0.06	<0.01	<0.5	1218	22.79	20	0.002	0.42	<0.01	<0.01	7.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424088	Drill Core	55	5.29	<0.01	0.8	846	17.90	183	0.096	0.92	0.04	0.01	13.7	5.6	<5	<0.5	2.5	0.7	<0.5	<5	10
1424089	Drill Core	29	3.41	<0.01	<0.5	1146	18.88	127	0.006	0.48	0.03	0.02	4.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424090	Drill Core	45	2.37	<0.01	<0.5	1276	19.10	144	0.014	0.84	0.04	0.02	2.4	0.8	<5	<0.5	0.7	<0.5	<0.5	<5	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

4 of 6

Part 3

CERTIFICATE OF ANALYSIS

SMI11000839.3

	Method	7TX	7TX	7TX	7TX	8NiS
Analyte		Li	S	Rb	Hf	Ni
Unit		ppm	%	ppm	ppm	%
MDL		0.5	0.05	0.5	0.5	0.001
1424061	Drill Core	1.2	<0.05	<0.5	<0.5	0.108
1424062	Drill Core	1.4	<0.05	<0.5	<0.5	0.058
1424063	Drill Core	1.8	<0.05	<0.5	<0.5	0.055
1424064	Drill Core	0.9	<0.05	<0.5	<0.5	0.086
1424065	Drill Core	1.2	<0.05	<0.5	<0.5	0.072
1424066	Drill Core	1.3	<0.05	<0.5	<0.5	0.073
1424067	Drill Core	1.3	<0.05	<0.5	<0.5	0.060
1424068	Drill Core	0.7	<0.05	<0.5	<0.5	0.066
1424069	Drill Core	0.8	<0.05	<0.5	<0.5	0.073
1424070	Drill Core	1.0	<0.05	<0.5	<0.5	0.071
1424071	Drill Core	0.8	<0.05	<0.5	<0.5	0.074
1424072	Drill Core	1.6	<0.05	<0.5	<0.5	0.045
1424073	Drill Core	<0.5	<0.05	<0.5	<0.5	0.064
1424074	Drill Core	0.6	<0.05	<0.5	<0.5	0.067
1424075	Drill Core	1.1	<0.05	<0.5	<0.5	0.055
1424076	Drill Core	2.2	<0.05	<0.5	<0.5	0.049
1424077	Drill Core	1.9	<0.05	<0.5	<0.5	0.074
1424078	Drill Core	1.3	<0.05	<0.5	<0.5	0.078
1424079	Drill Core	1.2	<0.05	0.9	<0.5	0.083
1424080	Rock Pulp	14.2	1.23	15.3	1.3	N.A.
1424081	Drill Core	1.1	<0.05	<0.5	<0.5	0.104
1424082	Drill Core	0.9	<0.05	<0.5	<0.5	0.091
1424083	Drill Core	1.0	<0.05	<0.5	<0.5	0.118
1424084	Drill Core	1.4	<0.05	<0.5	<0.5	0.102
1424085	Drill Core	1.5	<0.05	<0.5	<0.5	0.118
1424086	Drill Core	1.7	<0.05	<0.5	<0.5	0.130
1424087	Drill Core	2.6	<0.05	<0.5	<0.5	0.122
1424088	Drill Core	35.8	<0.05	1.5	<0.5	0.075
1424089	Drill Core	36.4	<0.05	2.0	<0.5	0.116
1424090	Drill Core	43.4	0.06	2.2	<0.5	0.125



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

5 of 6

Part 1

SMI11000839.3

CERTIFICATE OF ANALYSIS

Method	Analyte	Unit	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
			Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi				
			kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	0.5	0.5	0.5	
1424091	Drill Core		0.89	<2	5	7	<0.5	6.7	<0.5	40	<0.5	1982	97	828	5.06	<5	<0.5	<0.5	83	<0.5	<0.5	<0.5				
1424092	Drill Core		1.72	<2	5	5	<0.5	14.3	<0.5	49	<0.5	2018	104	825	5.12	<5	<0.5	<0.5	37	<0.5	<0.5	<0.5				
1424093	Drill Core		1.42	<2	4	<2	<0.5	2.1	<0.5	47	<0.5	2191	105	733	4.83	<5	<0.5	<0.5	14	<0.5	<0.5	<0.5				
1424094	Drill Core		0.98	<2	3	<2	<0.5	7.2	<0.5	38	<0.5	1965	97	843	4.85	<5	<0.5	<0.5	63	<0.5	<0.5	<0.5				
1424095	Drill Core		1.39	<2	5	4	<0.5	4.6	<0.5	31	<0.5	1999	97	814	4.85	<5	<0.5	<0.5	43	<0.5	<0.5	<0.5				
1424096	Drill Core		1.20	<2	6	<2	<0.5	4.5	<0.5	35	<0.5	2142	98	784	4.57	<5	<0.5	<0.5	57	<0.5	<0.5	<0.5				
1424097	Drill Core		1.10	<2	<3	3	<0.5	4.5	<0.5	40	<0.5	2066	103	999	4.68	<5	<0.5	<0.5	110	<0.5	<0.5	<0.5				
1424098	Drill Core		0.80	<2	5	5	<0.5	21.6	<0.5	44	<0.5	1841	93	1166	5.04	<5	<0.5	<0.5	41	<0.5	<0.5	<0.5				
1424099	Drill Core		1.63	<2	6	5	<0.5	15.6	<0.5	39	<0.5	1969	100	899	5.34	<5	<0.5	<0.5	60	<0.5	<0.5	<0.5				
1424100	Drill Core		2.11	<2	4	4	<0.5	16.8	<0.5	42	<0.5	1890	91	995	5.06	<5	<0.5	<0.5	165	<0.5	<0.5	<0.5				
1424101	Drill Core		2.18	<2	4	3	<0.5	8.7	<0.5	37	<0.5	2006	96	898	5.05	<5	<0.5	<0.5	43	<0.5	<0.5	<0.5				
1424102	Drill Core		1.15	<2	6	6	<0.5	11.3	<0.5	39	<0.5	1979	99	976	4.91	<5	<0.5	<0.5	88	<0.5	<0.5	<0.5				
1424103	Drill Core		2.62	2	8	6	<0.5	15.5	<0.5	44	<0.5	2120	108	930	5.25	<5	<0.5	<0.5	84	<0.5	<0.5	<0.5				
1424104	Drill Core		1.96	3	7	7	<0.5	22.6	<0.5	45	<0.5	1986	103	942	5.48	<5	<0.5	<0.5	101	<0.5	<0.5	<0.5				
1424105	Drill Core		2.50	3	7	6	<0.5	20.0	<0.5	46	<0.5	1989	100	983	5.57	<5	<0.5	<0.5	93	<0.5	<0.5	<0.5				
1424106	Drill Core		2.08	<2	8	7	<0.5	25.2	<0.5	50	<0.5	2132	106	842	5.53	<5	<0.5	<0.5	113	<0.5	<0.5	<0.5				
1424107	Drill Core		0.85	<2	8	6	<0.5	17.0	<0.5	40	<0.5	1923	104	769	5.37	<5	<0.5	<0.5	67	<0.5	<0.5	<0.5				
1424108	Drill Core		3.22	4	6	6	<0.5	83.9	<0.5	41	<0.5	2098	105	778	5.24	<5	<0.5	<0.5	47	<0.5	<0.5	<0.5				
1424109	Drill Core		1.08	<2	5	3	<0.5	14.4	0.9	36	<0.5	2026	95	898	4.74	<5	<0.5	<0.5	64	<0.5	<0.5	<0.5				
1424110	Drill Core		0.77	3	8	5	<0.5	9.4	0.5	37	<0.5	2060	99	836	5.12	<5	<0.5	<0.5	30	<0.5	<0.5	<0.5				
1424111	Drill Core		2.89	<2	4	4	<0.5	8.3	<0.5	42	<0.5	2096	107	834	5.05	<5	<0.5	<0.5	27	<0.5	<0.5	<0.5				
1424112	Drill Core		2.56	<2	5	5	<0.5	4.8	<0.5	34	<0.5	2088	96	784	4.99	<5	<0.5	<0.5	21	<0.5	<0.5	<0.5				
1424113	Drill Core		1.49	<2	8	7	<0.5	9.7	1.7	39	<0.5	2008	103	864	5.07	<5	<0.5	<0.5	59	<0.5	<0.5	<0.5				
1424114	Drill Core		2.40	<2	7	6	<0.5	3.7	<0.5	42	<0.5	2102	106	745	5.27	<5	<0.5	<0.5	33	<0.5	<0.5	<0.5				
1424115	Drill Core		2.16	<2	5	3	<0.5	1.9	<0.5	40	<0.5	2125	101	855	4.85	<5	<0.5	<0.5	42	<0.5	<0.5	<0.5				
1424116	Drill Core		1.89	<2	8	3	<0.5	2.5	<0.5	40	<0.5	2335	127	812	5.73	<5	<0.5	<0.5	25	<0.5	<0.5	<0.5				
1424117	Drill Core		2.01	<2	7	5	<0.5	5.0	1.4	38	<0.5	1906	89	749	4.49	<5	<0.5	<0.5	39	<0.5	<0.5	<0.5				
1424118	Drill Core		2.39	<2	6	5	<0.5	6.3	<0.5	41	<0.5	2047	102	719	4.93	<5	<0.5	<0.5	32	<0.5	<0.5	<0.5				
1424119	Drill Core		2.86	<2	6	4	<0.5	14.4	<0.5	34	<0.5	1967	100	1058	4.77	<5	<0.5	<0.5	120	<0.5	<0.5	<0.5				
1424120	Rock Pulp		0.08	91	297	660	4.9	4395	24.2	108	2.1	4276	116	1474	14.57	6	<0.5	1.5	255	0.7	<0.5	1.0				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX																			
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424091	Drill Core	29	1.46	<0.01	<0.5	1240	20.14	77	0.003	0.31	0.02	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424092	Drill Core	39	0.71	<0.01	<0.5	1226	20.63	57	0.008	0.58	0.02	<0.01	2.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424093	Drill Core	14	0.14	<0.01	<0.5	1503	22.33	46	<0.001	0.13	0.01	<0.01	3.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424094	Drill Core	25	0.84	<0.01	<0.5	1343	22.00	58	0.001	0.23	0.01	<0.01	2.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424095	Drill Core	22	0.61	<0.01	<0.5	1163	21.84	41	0.001	0.20	0.01	<0.01	2.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424096	Drill Core	20	0.80	<0.01	<0.5	1099	21.82	53	<0.001	0.24	0.01	<0.01	3.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424097	Drill Core	22	1.71	<0.01	<0.5	1039	21.38	62	0.001	0.24	0.01	<0.01	3.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424098	Drill Core	44	1.32	<0.01	0.6	1150	20.74	53	0.040	0.90	0.01	<0.01	2.7	3.0	<5	<0.5	1.3	<0.5	<0.5	<5	9
1424099	Drill Core	50	1.34	<0.01	<0.5	1202	20.72	61	0.010	0.92	0.02	<0.01	1.0	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424100	Drill Core	44	2.59	<0.01	<0.5	1079	20.65	91	0.011	0.72	0.02	<0.01	0.8	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	9
1424101	Drill Core	31	0.78	<0.01	<0.5	998	21.14	66	0.006	0.53	0.02	<0.01	5.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424102	Drill Core	38	1.25	<0.01	<0.5	1169	21.23	70	0.008	0.62	0.02	<0.01	1.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424103	Drill Core	42	1.38	<0.01	<0.5	1370	19.46	95	0.008	0.66	0.04	0.01	6.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9
1424104	Drill Core	45	1.43	<0.01	<0.5	1072	20.55	91	0.010	0.76	0.02	<0.01	1.4	<0.5	<5	<0.5	0.8	<0.5	<0.5	<5	9
1424105	Drill Core	44	1.32	<0.01	<0.5	942	20.90	92	0.009	0.78	0.03	0.05	1.0	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	9
1424106	Drill Core	43	2.12	<0.01	<0.5	1282	18.83	136	0.011	0.92	0.05	0.02	0.9	0.7	<5	<0.5	0.6	<0.5	<0.5	<5	10
1424107	Drill Core	43	1.15	<0.01	<0.5	976	19.48	94	0.013	0.92	0.03	0.07	0.6	0.8	<5	<0.5	0.7	<0.5	<0.5	<5	9
1424108	Drill Core	35	0.73	<0.01	<0.5	1048	20.99	68	0.006	0.54	0.02	<0.01	3.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8
1424109	Drill Core	15	0.85	<0.01	<0.5	968	22.15	41	<0.001	0.17	<0.01	<0.01	1.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424110	Drill Core	24	0.46	<0.01	<0.5	904	22.05	36	0.001	0.25	0.01	<0.01	1.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424111	Drill Core	21	0.42	<0.01	<0.5	940	21.52	49	<0.001	0.21	0.01	<0.01	2.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424112	Drill Core	23	0.33	<0.01	<0.5	994	21.91	38	<0.001	0.22	0.01	<0.01	1.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424113	Drill Core	23	0.81	<0.01	<0.5	1068	20.69	49	<0.001	0.23	0.01	<0.01	2.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424114	Drill Core	23	0.50	<0.01	<0.5	1149	21.53	50	0.001	0.25	0.01	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424115	Drill Core	17	0.46	<0.01	<0.5	1221	22.01	39	<0.001	0.16	<0.01	<0.01	2.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424116	Drill Core	21	0.37	<0.01	<0.5	1197	21.52	46	<0.001	0.21	0.01	<0.01	2.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424117	Drill Core	17	0.49	<0.01	<0.5	1001	20.09	39	<0.001	0.20	0.01	<0.01	1.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424118	Drill Core	24	0.41	<0.01	<0.5	969	21.05	57	0.002	0.28	0.02	<0.01	1.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424119	Drill Core	11	1.34	<0.01	<0.5	890	20.89	48	<0.001	0.12	0.01	<0.01	1.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	4
1424120	Rock Pulp	112	4.27	0.08	12.0	191	3.93	216	0.780	6.40	1.54	0.54	2.8	57.8	26	3.7	11.7	6.9	<0.5	<5	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

5 of 6

Part 3

SMI11000839.3

CERTIFICATE OF ANALYSIS

Analyte	Method	7TX				
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	ppm
		MDL	0.5	0.05	0.5	0.001
1424091	Drill Core	29.2	<0.05	0.9	<0.5	0.115
1424092	Drill Core	17.8	<0.05	0.7	<0.5	0.100
1424093	Drill Core	9.7	<0.05	<0.5	<0.5	0.125
1424094	Drill Core	11.1	<0.05	<0.5	<0.5	0.108
1424095	Drill Core	10.7	<0.05	<0.5	<0.5	0.121
1424096	Drill Core	13.3	<0.05	<0.5	<0.5	0.146
1424097	Drill Core	16.2	0.05	0.5	<0.5	0.143
1424098	Drill Core	15.5	<0.05	0.6	<0.5	0.122
1424099	Drill Core	19.1	<0.05	0.5	<0.5	0.128
1424100	Drill Core	21.0	0.06	0.8	<0.5	0.120
1424101	Drill Core	31.1	<0.05	0.6	<0.5	0.124
1424102	Drill Core	26.0	<0.05	<0.5	<0.5	0.116
1424103	Drill Core	30.8	0.05	1.2	<0.5	0.116
1424104	Drill Core	26.5	<0.05	0.7	<0.5	0.140
1424105	Drill Core	29.1	0.09	2.2	<0.5	0.133
1424106	Drill Core	40.3	0.13	1.8	<0.5	0.160
1424107	Drill Core	32.5	0.11	2.3	<0.5	0.144
1424108	Drill Core	23.9	0.07	0.5	<0.5	0.138
1424109	Drill Core	10.7	<0.05	<0.5	<0.5	0.111
1424110	Drill Core	10.8	<0.05	<0.5	<0.5	0.107
1424111	Drill Core	8.0	<0.05	<0.5	<0.5	0.103
1424112	Drill Core	9.8	<0.05	<0.5	<0.5	0.082
1424113	Drill Core	9.7	<0.05	<0.5	<0.5	0.068
1424114	Drill Core	9.8	<0.05	<0.5	<0.5	0.068
1424115	Drill Core	12.1	<0.05	<0.5	<0.5	0.080
1424116	Drill Core	11.0	<0.05	<0.5	<0.5	0.091
1424117	Drill Core	15.8	<0.05	<0.5	<0.5	0.094
1424118	Drill Core	15.0	<0.05	<0.5	<0.5	0.077
1424119	Drill Core	12.9	<0.05	<0.5	<0.5	0.092
1424120	Rock Pulp	16.0	1.38	16.3	1.5	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 6 of 6 Part 1

SMI11000839.3

CERTIFICATE OF ANALYSIS

Method	Analyte	WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	3	2	0.5	0.5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	0.5
1424121	Drill Core	2.75	2	7	5	<0.5	1.5	<0.5	41	<0.5	2188	103	758	4.82	<5	<0.5	<0.5	17	<0.5	<0.5	<0.5
1424122	Drill Core	2.48	<2	7	9	<0.5	8.7	<0.5	44	<0.5	2125	107	797	5.09	<5	<0.5	<0.5	26	<0.5	<0.5	<0.5
1424123	Drill Core	2.03	<2	5	5	<0.5	5.0	<0.5	40	<0.5	2087	97	774	4.83	<5	<0.5	<0.5	23	<0.5	<0.5	<0.5
1424124	Drill Core	2.37	<2	5	5	<0.5	5.6	<0.5	39	<0.5	2091	102	775	5.02	<5	<0.5	<0.5	24	<0.5	<0.5	<0.5
1424125	Drill Core	1.72	<2	6	8	<0.5	5.3	<0.5	45	<0.5	2189	109	793	5.28	<5	<0.5	<0.5	34	<0.5	<0.5	<0.5
1424126	Drill Core	2.24	<2	8	7	<0.5	6.4	<0.5	41	<0.5	2087	106	704	5.09	<5	<0.5	<0.5	16	<0.5	<0.5	<0.5
1424127	Drill Core	1.82	<2	4	5	<0.5	5.4	<0.5	44	<0.5	2110	111	749	5.09	<5	<0.5	<0.5	49	<0.5	<0.5	<0.5
1424128	Drill Core	2.46	<2	6	4	<0.5	4.0	<0.5	38	<0.5	2031	99	846	4.77	<5	<0.5	<0.5	33	<0.5	<0.5	<0.5
1424129	Drill Core	2.54	<2	7	<2	<0.5	3.5	<0.5	36	<0.5	2121	102	890	4.97	<5	<0.5	<0.5	54	<0.5	<0.5	<0.5
1424130	Drill Core	2.53	<2	7	2	<0.5	3.3	<0.5	41	<0.5	2227	106	781	5.00	<5	<0.5	<0.5	31	<0.5	<0.5	<0.5
1424131	Drill Core	2.29	<2	5	2	<0.5	5.8	<0.5	38	<0.5	2175	101	903	5.10	<5	<0.5	<0.5	29	<0.5	<0.5	<0.5
1424132	Drill Core	2.41	<2	6	4	<0.5	4.3	<0.5	37	<0.5	2216	113	893	5.14	<5	<0.5	<0.5	68	<0.5	<0.5	<0.5
1424133	Drill Core	2.90	<2	6	4	<0.5	4.0	<0.5	38	<0.5	2151	105	899	5.08	<5	<0.5	<0.5	111	<0.5	<0.5	<0.5
1424134	Drill Core	2.17	<2	5	4	<0.5	6.1	<0.5	41	<0.5	2179	106	753	5.00	<5	<0.5	<0.5	36	<0.5	<0.5	<0.5
1424135	Drill Core	1.37	<2	<3	2	<0.5	11.6	<0.5	45	<0.5	2100	112	884	5.31	<5	<0.5	<0.5	76	<0.5	<0.5	<0.5
CDN-ME-10	Rock Pulp	0.06	135	310	634	5.4	4612	24.9	114	2.0	4524	123	1530	15.21	<5	<0.5	1.8	273	1.1	<0.5	1.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 6 of 6 Part 2

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX		
		V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	5	1
1424121	Drill Core	13	0.21	<0.01	<0.5	1526	21.40	42	<0.001	0.15	<0.01	<0.01	3.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424122	Drill Core	24	0.33	<0.01	<0.5	1208	21.55	47	0.001	0.23	0.01	<0.01	2.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424123	Drill Core	22	0.26	<0.01	<0.5	1207	21.60	43	0.001	0.23	0.01	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424124	Drill Core	22	0.33	<0.01	<0.5	1023	22.12	48	0.001	0.24	0.01	<0.01	2.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424125	Drill Core	23	0.41	<0.01	<0.5	1238	21.97	51	0.002	0.21	0.01	<0.01	2.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424126	Drill Core	24	0.19	<0.01	<0.5	1059	20.83	51	0.001	0.26	0.01	<0.01	2.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424127	Drill Core	24	0.52	<0.01	<0.5	1061	20.82	64	0.002	0.27	0.02	<0.01	3.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7
1424128	Drill Core	15	0.37	<0.01	<0.5	1318	21.97	50	0.001	0.14	0.01	<0.01	2.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424129	Drill Core	11	0.45	<0.01	<0.5	1292	21.71	55	0.001	0.11	0.01	<0.01	2.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	5
1424130	Drill Core	<10	0.23	<0.01	<0.5	1437	21.96	48	<0.001	0.11	0.01	<0.01	2.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	4
1424131	Drill Core	20	0.32	<0.01	<0.5	1157	22.10	54	<0.001	0.20	0.01	<0.01	2.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424132	Drill Core	18	0.54	<0.01	<0.5	1317	21.88	64	<0.001	0.18	0.02	<0.01	2.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424133	Drill Core	21	0.74	<0.01	<0.5	1284	21.44	69	0.002	0.20	0.01	<0.01	2.6	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424134	Drill Core	17	0.40	<0.01	<0.5	994	21.48	67	0.003	0.28	0.02	0.33	3.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6
1424135	Drill Core	32	0.50	<0.01	0.6	1068	21.43	74	0.062	0.61	0.02	<0.01	4.5	5.8	<5	<0.5	0.6	0.8	<0.5	<5	7
CDN-ME-10	Rock Pulp	120	4.52	0.07	12.5	210	4.10	235	0.830	6.82	1.62	0.57	2.9	64.4	27	3.5	12.4	7.5	<0.5	<5	11



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project: KM 26

Report Date: March 19, 2012

Page:

6 of 6

Part 3

CERTIFICATE OF ANALYSIS

SMI11000839.3

Method	Analyte	7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		Unit	ppm	%	ppm	%
		MDL	0.5	0.05	0.5	0.001
1424121	Drill Core	12.9	<0.05	<0.5	<0.5	0.118
1424122	Drill Core	12.0	<0.05	<0.5	<0.5	0.114
1424123	Drill Core	14.2	<0.05	<0.5	<0.5	0.118
1424124	Drill Core	15.1	<0.05	<0.5	<0.5	0.103
1424125	Drill Core	13.3	<0.05	<0.5	<0.5	0.099
1424126	Drill Core	12.1	<0.05	<0.5	<0.5	0.101
1424127	Drill Core	11.8	<0.05	<0.5	<0.5	0.096
1424128	Drill Core	17.1	<0.05	<0.5	<0.5	0.093
1424129	Drill Core	16.4	<0.05	<0.5	<0.5	0.067
1424130	Drill Core	14.6	<0.05	<0.5	<0.5	0.075
1424131	Drill Core	21.7	<0.05	<0.5	<0.5	0.121
1424132	Drill Core	21.4	<0.05	<0.5	<0.5	0.095
1424133	Drill Core	19.4	<0.05	<0.5	<0.5	0.091
1424134	Drill Core	19.1	<0.05	9.3	<0.5	0.130
1424135	Drill Core	17.4	<0.05	<0.5	<0.5	0.125
CDN-ME-10	Rock Pulp	16.1	1.44	18.5	1.6	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

1 of 4 Part 1

QUALITY CONTROL REPORT

SMI11000839.3

Method	WGHT	3B	3B	3B	7TX																
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
Unit	kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm									
MDL	0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5		
Pulp Duplicates																					
REP G1	QC				<0.5	3.8	18.9	55	<0.5	16.2	5	879	2.46	<5	2.0	7.3	728	<0.5	0.7	<0.5	
1424013	Drill Core	2.18	6	15	8	<0.5	18.1	<0.5	49	<0.5	2196	103	910	5.49	<5	<0.5	<0.5	<5	<0.5	<0.5	
REP 1424013	QC		<2	15	9																
1424017	Drill Core	1.06	3	11	10	<0.5	21.1	<0.5	50	<0.5	2387	107	950	5.69	<5	<0.5	<0.5	<5	<0.5	<0.5	
REP 1424017	QC					<0.5	20.6	<0.5	52	<0.5	2297	97	892	5.55	<5	<0.5	<0.5	<5	<0.5	<0.5	
1424018	Drill Core	0.78	<2	10	12	<0.5	15.8	<0.5	67	<0.5	2367	108	1119	5.68	<5	<0.5	<0.5	<5	<0.5	<0.5	
REP 1424018	QC																				
1424037	Drill Core	0.89	<2	8	9	<0.5	24.0	<0.5	56	<0.5	2018	98	1019	5.60	<5	<0.5	<0.5	<5	<0.5	<0.5	
REP 1424037	QC																				
1424040	Drill Core	0.37	<2	7	7	8.9	9.9	1.8	46	<0.5	2084	100	913	5.22	<5	<0.5	<0.5	<5	<0.5	<0.5	
REP 1424040	QC																				
1424053	Drill Core	0.75	<2	8	4	<0.5	6.8	<0.5	47	<0.5	2159	108	942	5.13	<5	<0.5	<0.5	36	<0.5	<0.5	
REP 1424053	QC		<2	8	3																
REP 1424055	QC			4	4	3															
1424061	Drill Core	0.49	<2	5	6	<0.5	17.0	2.6	42	<0.5	1771	89	987	4.94	<5	<0.5	<0.5	34	<0.5	<0.5	
REP 1424061	QC						<0.5	14.9	<0.5	45	<0.5	1938	96	1102	5.39	<5	<0.5	<0.5	39	<0.5	<0.5
1424064	Drill Core	1.14	<2	6	7	<0.5	14.1	<0.5	40	<0.5	2164	101	818	5.39	<5	<0.5	<0.5	20	<0.5	<0.5	
REP 1424064	QC																				
1424073	Drill Core	1.28	<2	7	3	<0.5	3.6	<0.5	32	<0.5	1995	98	941	4.82	<5	<0.5	<0.5	15	<0.5	<0.5	
REP 1424073	QC																				
1424076	Drill Core	1.11	<2	6	6	<0.5	10.6	<0.5	65	<0.5	2124	107	990	5.38	<5	<0.5	<0.5	15	<0.5	<0.5	
REP 1424076	QC		<2	8	5																
1424078	Drill Core	0.63	<2	5	<2	<0.5	2.9	<0.5	38	<0.5	1938	94	881	5.15	<5	<0.5	<0.5	26	<0.5	<0.5	
REP 1424078	QC																				
1424101	Drill Core	2.18	<2	4	3	<0.5	8.7	<0.5	37	<0.5	2006	96	898	5.05	<5	<0.5	<0.5	43	<0.5	<0.5	
REP 1424101	QC																				
1424104	Drill Core	1.96	3	7	7	<0.5	22.6	<0.5	45	<0.5	1986	103	942	5.48	<5	<0.5	<0.5	101	<0.5	<0.5	
REP 1424104	QC																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

1 of 4 Part 2

QUALITY CONTROL REPORT

SMI11000839.3

Method	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
Analyte	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc			
Unit	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	0.5	5	1		
Pulp Duplicates																							
REP G1	QC	50	2.35	0.07	19.4	26	0.67	1035	0.231	6.92	2.69	3.06	<0.5	12.4	44	1.5	11.9	23.4	1.2	<5	5		
1424013	Drill Core	48	0.59	<0.01	<0.5	1165	21.65	<5	0.011	0.89	<0.01	0.02	3.1	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	10		
REP 1424013	QC																						
1424017	Drill Core	48	0.37	<0.01	<0.5	1408	21.80	<5	0.011	0.80	<0.01	<0.01	2.6	<0.5	<5	<0.5	0.5	<0.5	<0.5	<5	12		
REP 1424017	QC	47	0.38	<0.01	<0.5	1224	21.64	<5	0.011	0.79	<0.01	0.01	2.4	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	11		
1424018	Drill Core	45	0.15	<0.01	<0.5	1203	22.15	<5	0.010	0.74	<0.01	0.16	2.5	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10		
REP 1424018	QC																						
1424037	Drill Core	54	0.47	<0.01	<0.5	1113	21.12	<5	0.010	0.85	<0.01	<0.01	4.3	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	10		
REP 1424037	QC																						
1424040	Drill Core	29	0.28	<0.01	<0.5	1040	21.49	<5	0.006	0.54	<0.01	<0.01	5.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424040	QC																						
1424053	Drill Core	24	0.60	<0.01	<0.5	1531	19.85	64	0.012	0.39	0.06	0.04	31.4	1.9	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424053	QC																						
REP 1424055	QC																						
1424061	Drill Core	38	1.23	<0.01	<0.5	944	19.77	29	0.009	0.64	<0.01	<0.01	2.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8		
REP 1424061	QC	38	1.40	<0.01	<0.5	1049	21.55	20	0.009	0.71	<0.01	<0.01	3.2	<0.5	<5	<0.5	0.6	<0.5	<0.5	<5	9		
1424064	Drill Core	36	0.57	<0.01	<0.5	1100	21.64	11	0.003	0.48	<0.01	<0.01	7.2	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	8		
REP 1424064	QC																						
1424073	Drill Core	21	0.63	<0.01	<0.5	1400	22.50	15	<0.001	0.19	<0.01	<0.01	7.3	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6		
REP 1424073	QC	21	0.61	<0.01	<0.5	1389	22.80	14	<0.001	0.21	<0.01	<0.01	8.8	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	6		
1424076	Drill Core	41	0.27	<0.01	<0.5	1290	21.92	23	0.003	0.46	<0.01	<0.01	9.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	10		
REP 1424076	QC																						
1424078	Drill Core	30	0.38	<0.01	<0.5	1266	22.74	17	0.002	0.35	<0.01	<0.01	9.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424078	QC																						
1424101	Drill Core	31	0.78	<0.01	<0.5	998	21.14	66	0.006	0.53	0.02	<0.01	5.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	7		
REP 1424101	QC																						
1424104	Drill Core	45	1.43	<0.01	<0.5	1072	20.55	91	0.010	0.76	0.02	<0.01	1.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	9		
REP 1424104	QC																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 1 of 4 **Part** 3

QUALITY CONTROL REPORT

SMI11000839.3

Method	7TX	7TX	7TX	7TX	8NiS
Analyte	Li	S	Rb	Hf	Ni
Unit	ppm	%	ppm	ppm	%
MDL	0.5	0.05	0.5	0.5	0.001
Pulp Duplicates					
REP G1	QC	34.4	<0.05	97.9	0.7
1424013	Drill Core	1.3	<0.05	<0.5	<0.5 0.105
REP 1424013	QC				
1424017	Drill Core	0.9	<0.05	<0.5	<0.5 0.101
REP 1424017	QC	1.5	<0.05	<0.5	<0.5
1424018	Drill Core	1.8	<0.05	3.8	<0.5 0.066
REP 1424018	QC				0.067
1424037	Drill Core	1.5	<0.05	<0.5	<0.5 0.060
REP 1424037	QC				0.060
1424040	Drill Core	1.7	<0.05	<0.5	<0.5 0.057
REP 1424040	QC				0.056
1424053	Drill Core	51.6	0.11	2.0	<0.5 0.152
REP 1424053	QC				
REP 1424055	QC				
1424061	Drill Core	1.2	<0.05	<0.5	<0.5 0.108
REP 1424061	QC	1.4	<0.05	<0.5	<0.5
1424064	Drill Core	0.9	<0.05	<0.5	<0.5 0.086
REP 1424064	QC				0.086
1424073	Drill Core	<0.5	<0.05	<0.5	<0.5 0.064
REP 1424073	QC	0.7	<0.05	<0.5	<0.5
1424076	Drill Core	2.2	<0.05	<0.5	<0.5 0.049
REP 1424076	QC				
1424078	Drill Core	1.3	<0.05	<0.5	<0.5 0.078
REP 1424078	QC				0.076
1424101	Drill Core	31.1	<0.05	0.6	<0.5 0.124
REP 1424101	QC				0.126
1424104	Drill Core	26.5	<0.05	0.7	<0.5 0.140
REP 1424104	QC				



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

2 of 4 Part 1

QUALITY CONTROL REPORT

SMI11000839.3

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5
1424108	Drill Core	3.22	4	6	6	<0.5	83.9	<0.5	41	<0.5	2098	105	778	5.24	<5	<0.5	<0.5	47	<0.5	<0.5	<0.5
REP 1424108	QC																				
1424110	Drill Core	0.77	3	8	5	<0.5	9.4	0.5	37	<0.5	2060	99	836	5.12	<5	<0.5	<0.5	30	<0.5	<0.5	<0.5
REP 1424110	QC					<0.5	7.8	<0.5	38	<0.5	2028	94	809	4.92	<5	<0.5	<0.5	29	<0.5	<0.5	<0.5
Core Reject Duplicates																					
1424020	Drill Core	0.70	<2	12	9	0.8	13.2	0.8	55	<0.5	2064	98	959	5.43	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
DUP 1424020	QC		2	16	7	<0.5	14.6	<0.5	52	<0.5	2025	95	920	5.30	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5
1424055	Drill Core	0.79	<2	<3	2	0.8	59.8	<0.5	86	<0.5	1964	94	917	5.49	<5	<0.5	<0.5	13	<0.5	<0.5	<0.5
DUP 1424055	QC		2	5	4	1.2	72.8	<0.5	102	<0.5	1898	93	963	5.57	<5	<0.5	<0.5	13	<0.5	<0.5	<0.5
1424090	Drill Core	1.67	<2	5	5	<0.5	20.0	<0.5	52	<0.5	2075	110	1074	5.53	<5	<0.5	<0.5	108	<0.5	<0.5	<0.5
DUP 1424090	QC		<2	5	6	<0.5	19.4	<0.5	44	<0.5	2000	104	997	5.48	<5	<0.5	<0.5	108	<0.5	<0.5	<0.5
1424125	Drill Core	1.72	<2	6	8	<0.5	5.3	<0.5	45	<0.5	2189	109	793	5.28	<5	<0.5	<0.5	34	<0.5	<0.5	<0.5
DUP 1424125	QC		<2	7	8	<0.5	6.0	<0.5	39	<0.5	2040	100	755	4.93	<5	<0.5	<0.5	32	<0.5	<0.5	<0.5
Reference Materials																					
STD CDN-PGMS-19	Standard	219	119	453																	
STD CDN-PGMS-19	Standard	218	111	483																	
STD CDN-PGMS-19	Standard	254	102	497																	
STD CDN-PGMS-19	Standard	207	108	500																	
STD CDN-PGMS-19	Standard	188	100	457																	
STD CDN-PGMS-19	Standard	237	97	462																	
STD CDN-PGMS-19	Standard	197	106	425																	
STD PD1	Standard	537	440	532																	
STD PD1	Standard	530	477	546																	
STD PD1	Standard	550	465	571																	
STD PD1	Standard	512	433	539																	
STD PD1	Standard	579	506	615																	
STD PD1	Standard	527	449	554																	
STD PD1	Standard	508	424	527																	
STD SF-3T	Standard	325.2	7872	8709	11035	50.5	3535	183	4099	8.17	43	3.8	4.6	425	51.3	9.2	4.9				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

2 of 4 Part 2

QUALITY CONTROL REPORT

SMI11000839.3

		7TX V ppm 10	7TX Ca %	7TX P %	7TX La ppm 0.5	7TX Cr ppm 1	7TX Mg %	7TX Ba ppm 0.01	7TX Ti %	7TX Al %	7TX Na %	7TX K %	7TX W ppm 0.5	7TX Zr ppm 0.5	7TX Ce ppm 5	7TX Sn ppm 0.5	7TX Y ppm 0.5	7TX Nb ppm 0.5	7TX Ta ppm 0.5	7TX Be ppm 5	7TX Sc ppm 1	
1424108	Drill Core	35	0.73	<0.01	<0.5	1048	20.99	68	0.006	0.54	0.02	<0.01	3.0	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	8
REP 1424108	QC																					
1424110	Drill Core	24	0.46	<0.01	<0.5	904	22.05	36	0.001	0.25	0.01	<0.01	1.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	7
REP 1424110	QC	23	0.44	<0.01	<0.5	907	21.35	37	0.001	0.24	0.01	<0.01	1.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	6
Core Reject Duplicates																						
1424020	Drill Core	40	0.25	<0.01	<0.5	1268	21.74	<5	0.009	0.73	0.01	<0.01	3.1	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	9
DUP 1424020	QC	40	0.24	<0.01	<0.5	1207	21.27	<5	0.007	0.72	0.01	<0.01	3.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	9
1424055	Drill Core	42	0.37	<0.01	<0.5	2230	22.01	10	0.010	0.77	<0.01	<0.01	449.9	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	9
DUP 1424055	QC	34	0.43	<0.01	<0.5	1783	21.93	12	0.011	0.79	<0.01	0.12	545.1	<0.5	<5	<0.5	0.6	<0.5	<0.5	<0.5	<5	9
1424090	Drill Core	45	2.37	<0.01	<0.5	1276	19.10	144	0.014	0.84	0.04	0.02	2.4	0.8	<5	<0.5	0.7	<0.5	<0.5	<0.5	<5	10
DUP 1424090	QC	42	2.37	<0.01	<0.5	1260	18.51	132	0.012	0.81	0.04	0.02	2.6	0.9	<5	<0.5	0.8	<0.5	<0.5	<0.5	<5	9
1424125	Drill Core	23	0.41	<0.01	<0.5	1238	21.97	51	0.002	0.21	0.01	<0.01	2.7	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	7
DUP 1424125	QC	21	0.40	<0.01	<0.5	1174	19.66	49	0.001	0.20	0.01	<0.01	2.4	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<5	7
Reference Materials																						
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD CDN-PGMS-19	Standard																					
STD PD1	Standard																					
STD PD1	Standard																					
STD PD1	Standard																					
STD PD1	Standard																					
STD PD1	Standard																					
STD SF-3T	Standard	120	3.99	0.05	19.3	206	4.53	579	0.190	5.48	2.12	2.48	4.4	14.8	43	5.8	11.2	14.4	0.8	<5	6	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 2 of 4 Part 3

SMI11000839.3

QUALITY CONTROL REPORT

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
		0.5	0.05	0.5	0.5	0.001
1424108	Drill Core	23.9	0.07	0.5	<0.5	0.138
REP 1424108	QC					0.135
1424110	Drill Core	10.8	<0.05	<0.5	<0.5	0.107
REP 1424110	QC	10.5	<0.05	<0.5	<0.5	
Core Reject Duplicates						
1424020	Drill Core	1.2	<0.05	<0.5	<0.5	0.078
DUP 1424020	QC	1.3	<0.05	<0.5	<0.5	0.074
1424055	Drill Core	2.2	<0.05	3.5	<0.5	0.144
DUP 1424055	QC	1.7	0.05	6.7	<0.5	0.134
1424090	Drill Core	43.4	0.06	2.2	<0.5	0.125
DUP 1424090	QC	41.2	0.06	2.2	<0.5	0.120
1424125	Drill Core	13.3	<0.05	<0.5	<0.5	0.099
DUP 1424125	QC	11.6	<0.05	<0.5	<0.5	0.100
Reference Materials						
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD CDN-PGMS-19	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD PD1	Standard					
STD SF-3T	Standard	26.0	3.77	89.3	0.6	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

3 of 4

Part 1

QUALITY CONTROL REPORT

SMI11000839.3

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
STD SF-3T	Standard						335.7	7815	8675	11083	49.5	3547	187	4063	8.21	46	4.2	4.5	424	48.9	10.4	4.4
STD SF-3T	Standard						315.3	7289	8529	10758	50.8	3377	180	3914	7.96	41	3.5	4.6	412	47.7	8.2	4.1
STD SF-3T	Standard						318.6	7662	8523	11133	52.2	3411	182	4144	8.03	41	4.3	5.1	425	43.9	10.3	4.6
STD SF-3T	Standard						303.3	7953	8681	10668	51.4	3604	178	4029	7.69	42	3.6	4.7	410	48.3	9.1	4.6
STD SF-3T	Standard						305.4	7431	8709	9887	50.4	3345	174	3921	7.51	43	3.9	4.5	407	46.9	9.4	4.7
STD SF-3T	Standard						320.4	7577	8316	11089	53.8	3475	186	3998	7.91	41	3.9	4.6	422	48.6	10.2	4.7
STD SF-3T	Standard						314.4	7621	8292	11074	53.8	3429	186	4033	7.85	39	4.1	4.7	420	47.8	10.5	4.7
STD SF-3T	Standard						323.1	7603	8713	11099	52.6	3509	190	4055	8.14	45	3.6	4.5	415	49.8	10.6	4.7
STD SF-3T	Standard						330.6	7718	8579	11330	55.2	3561	190	4042	8.21	45	4.0	4.5	409	47.3	11.5	4.7
STD SF-3T	Standard						300.9	7764	8450	11235	51.0	3468	174	3969	8.02	53	4.1	5.0	434	60.0	12.0	5.3
STD UM-4	Standard																					
STD UM-4	Standard																					
STD UM-4	Standard																					
STD UM-4	Standard																					
STD UM-4	Standard																					
STD PD1 Expected		542	456	563																		
STD CDN-PGMS-19		230	108	476																		
STD SF-3T Expected			320	7723	9024	10940	52	3500	181	4275	8.2	40	4	4.7	430	49	10	4.8				
STD UM-4 Expected																						
BLK	Blank						<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	
BLK	Blank						<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	
BLK	Blank						<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		13	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

3 of 4 Part 2

QUALITY CONTROL REPORT

SMI11000839.3

		7TX V	7TX Ca	7TX P	7TX La	7TX Cr	7TX Mg	7TX Ba	7TX Ti	7TX Al	7TX Na	7TX K	7TX W	7TX Zr	7TX Ce	7TX Sn	7TX Y	7TX Nb	7TX Ta	7TX Be	7TX Sc	
		ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		10	0.01	0.01	0.5	1	0.01	5	0.001	0.01	0.01	0.01	0.5	0.5	5	0.5	0.5	0.5	0.5	0.5	5	1
STD SF	SF-3T	Standard	119	4.00	0.05	18.7	208	4.57	530	0.190	5.52	2.12	2.51	4.1	14.3	41	5.4	11.1	14.0	0.8	<5	7
STD	SF-3T	Standard	132	3.82	0.06	18.4	212	4.41	486	0.189	5.02	1.92	2.29	3.9	13.0	40	4.9	10.1	13.1	0.7	<5	6
STD	SF-3T	Standard	122	3.94	0.05	20.7	183	4.46	715	0.192	5.32	2.11	2.33	3.5	14.4	44	5.9	11.3	14.5	0.8	<5	7
STD	SF-3T	Standard	119	3.69	0.06	18.9	173	4.42	409	0.187	4.91	1.92	2.32	3.5	13.2	41	5.4	10.7	13.9	0.7	<5	6
STD	SF-3T	Standard	114	3.99	0.06	18.2	188	4.26	411	0.184	5.27	1.90	2.27	3.3	13.3	40	5.5	10.6	13.3	0.7	<5	6
STD	SF-3T	Standard	126	3.94	0.06	19.0	206	4.60	754	0.189	5.28	2.07	2.48	4.8	13.9	42	6.2	11.2	14.2	0.9	<5	7
STD	SF-3T	Standard	130	3.92	0.05	19.5	202	4.46	737	0.191	5.26	2.08	2.48	3.3	13.8	42	5.3	11.2	14.4	0.9	<5	7
STD	SF-3T	Standard	124	4.03	0.06	20.4	196	4.59	466	0.194	5.51	2.08	2.37	4.2	14.3	46	5.6	11.4	14.1	0.7	<5	7
STD	SF-3T	Standard	121	4.04	0.06	20.8	192	4.53	455	0.194	5.60	2.10	2.39	3.3	14.4	48	6.1	11.6	13.9	0.8	<5	7
STD	SF-3T	Standard	115	4.00	0.06	21.4	160	4.58	854	0.189	5.44	2.14	2.43	4.3	14.5	50	6.9	12.4	15.2	1.1	<5	7
STD	UM-4	Standard																				
STD	UM-4	Standard																				
STD	UM-4	Standard																				
STD	UM-4	Standard																				
STD	UM-4	Standard																				
STD	PD1	Expected																				
STD	CDN-PGMS-19																					
STD	SF-3T	Expected	128	4.05	0.06	18.5	190	4.6	580	0.19	5.43	2.06	2.47	4.3	14.8	43	6.3	11.5	15.1	0.7	2.4	7
STD	UM-4	Expected																				
BLK	Blank	<10	<0.01	<0.01	<0.5	12	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1	
BLK	Blank	<10	<0.01	<0.01	<0.5	15	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1	
BLK	Blank	<10	<0.01	<0.01	<0.5	23	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<5	<1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 3 of 4 Part 3

QUALITY CONTROL REPORT

SMI11000839.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
		0.5	0.05	0.5	0.5	0.001
STD SF-3T	Standard	24.4	3.85	90.7	0.6	
STD SF-3T	Standard	25.0	3.72	76.2	0.8	
STD SF-3T	Standard	24.3	4.42	82.3	0.5	
STD SF-3T	Standard	22.8	3.87	84.5	<0.5	
STD SF-3T	Standard	22.5	3.82	83.7	<0.5	
STD SF-3T	Standard	24.9	3.80	87.3	0.6	
STD SF-3T	Standard	25.2	3.75	87.2	0.5	
STD SF-3T	Standard	24.2	3.92	86.0	0.6	
STD SF-3T	Standard	29.3	4.17	88.2	0.7	
STD SF-3T	Standard	25.3	3.68	96.8	0.6	
STD UM-4	Standard				0.177	
STD UM-4	Standard				0.179	
STD UM-4	Standard				0.185	
STD UM-4	Standard				0.167	
STD UM-4	Standard				0.173	
STD PD1 Expected						
STD CDN-PGMS-19						
STD SF-3T Expected		24.5	3.8	90.8	0.6	
STD UM-4 Expected					0.18	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver BC V6C 1Z7 Canada

Project:

KM 26

Report Date:

March 19, 2012

Page:

4 of 4

Part 1

QUALITY CONTROL REPORT

SMI11000839.3

		WGHT	3B	3B	3B	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX	7TX
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	3	2	0.5	0.5	0.5	5	0.5	0.5	1	5	0.01	5	0.5	0.5	5	0.5	0.5	0.5	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank					<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
BLK	Blank		<2	<3	<2																	
BLK	Blank		<2	<3	<2																	
BLK	Blank					<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
BLK	Blank					<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
BLK	Blank					<2	<3	<2														
BLK	Blank		<2	<3	<2																	
BLK	Blank					<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
BLK	Blank					<0.5	<0.5	<0.5	<5	<0.5	<0.5	<1	<5	<0.01	<5	<0.5	<0.5	<5	<0.5	<0.5	<0.5	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank		<2	<3	<2	<0.5	5.8	19.7	78	<0.5	8.3	4	854	2.53	<5	2.2	6.5	708	<0.5	<0.5	<0.5	
G1	Prep Blank		<2	<3	<2																	
G1	Prep Blank					<0.5	4.5	19.0	60	<0.5	10.8	5	855	2.37	<5	2.4	6.1	719	<0.5	0.7	<0.5	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Mincord Exploration Consultants Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 4 Part 2

QUALITY CONTROL REPORT

SMI11000839.3

		7TX V ppm 10	7TX Ca %	7TX P ppm 0.01	7TX La ppm 0.5	7TX Cr ppm 1	7TX Mg %	7TX Ba ppm 0.01	7TX Ti %	7TX Al %	7TX Na %	7TX K %	7TX W ppm 0.5	7TX Zr ppm 0.5	7TX Ce ppm 5	7TX Sn ppm 0.5	7TX Y ppm 0.5	7TX Nb ppm 0.5	7TX Ta ppm 0.5	7TX Be ppm 5	7TX Sc ppm 1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	19	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<1
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<10	<0.01	<0.01	<0.5	<1	<0.01	<5	<0.001	<0.01	<0.01	<0.01	<0.5	<0.5	<5	<0.5	<0.5	<0.5	<0.5	<0.5	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	50	2.32	0.07	19.8	15	0.63	1079	0.229	6.90	2.59	3.12	<0.5	12.5	44	1.5	12.8	23.2	1.5	<5	4
G1	Prep Blank																				
G1	Prep Blank	48	2.31	0.07	18.8	17	0.61	986	0.227	6.78	2.65	3.01	<0.5	12.5	42	1.6	11.9	22.5	1.1	<5	4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Mincord Exploration Consultants Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 Canada

Project: KM 26
Report Date: March 19, 2012

Page: 4 of 4 Part 3

QUALITY CONTROL REPORT

SMI11000839.3

		7TX	7TX	7TX	7TX	8NiS
		Li	S	Rb	Hf	Ni
		ppm	%	ppm	ppm	%
BLK	Blank	0.5	0.05	0.5	0.5	0.001
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<0.5	<0.05	<0.5	<0.5	
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
Prep Wash						
G1	Prep Blank	32.1	<0.05	99.6	<0.5	N.A.
G1	Prep Blank					N.A.
G1	Prep Blank	34.2	<0.05	95.2	0.5	