



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: Geochemical Survey of the Red Property

TOTAL COST:

AUTHOR(S): David Blann, P.Eng
SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):
STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5424341

YEAR OF WORK: 2012

PROPERTY NAME: Red

CLAIM NAME(S) (on which work was done): 512578, 512580

COMMODITIES SOUGHT: Copper, gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092P 197

MINING DIVISION: Clinton

NTS / BCGS: **NTS 092P14/ UTM 92P.093/ 92P.094**

LATITUDE: _____ ° _____ ' _____ "
LONGITUDE: _____ ° _____ ' _____ " (at centre of work)
UTM Zone: 610500 EASTING: 5758985 NORTHING:

OWNER(S): David Blann

MAILING ADDRESS: 38151 Clarke Drive Box 1852 Squamish B.C. V8 B 0B3

OPERATOR(S) [who paid for the work]: Same

MAILING ADDRESS: Same

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. Nicola Group volcanic-sediments are cut by Timothy Creek fault and syn-volcanic intrusions of monzodiorite to diorite, propylitic to potassic alteration with magnetite contains zones of pyrite, chalcopyrite, bornite, and secondary minerals hematite, copper oxides, chalcocite and native copper.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
18589, 18590, 20915, 22203, 24391, 25434, 25844, 26825, 30457

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)		512578, 512580	\$7,500
Soil	58		
Silt			
Rock			
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
		TOTAL COST	\$7,500

**SOIL GEOCHEMICAL SURVEY
OF THE
RED PROPERTY
LAC LA HACHE, BRITISH COLUMBIA**

**UTM 92P.093/ 92P.094
610000E 5755500N
CLINTON MINING DIVISION**

EVENT #5424341

**BC Geological Survey
Assessment Report
33809**

By
David E. Blann, P.Eng.
Standard Metals Exploration Ltd.

March 2013

Summary

The Red property is located 16 kilometres north-northeast of the village of Lac La Hache in the south central Cariboo region of British Columbia. The property is accessed by approximately 28 kilometres of all weather logging roads and, in part, by old skid trails. Lac La Hache is located on B.C. Highway 97 and is serviced by B.C. Rail and B.C. Hydro.

The claim area is underlain by the west central portion of the Quesnel Trough, an Upper Triassic-Jurassic volcanic island arc sequence intruded by high level coeval dikes and stocks of gabbro, diorite, monzonite, and locally syenite. These rocks are in contact to the east with the composite Takomkane batholith, approximately 193 million years in age. Eocene to Miocene volcanic rocks crosscut and overlie portions of the older rocks. The area was covered by over 1000 metres of ice during glaciation, that partially removed Tertiary and older rocks and deposited between 1 and 30 metres or more of till, glaciofluvial and lacustrine cover. Tertiary volcanic cover may have partially protected older rocks, and associated mineral deposits, from glaciation.

The property is approximately 90% covered by glacial and glaciofluvial deposits. Sporadic outcrop occurs predominantly in the eastern portion of the claims where the property is underlain by fine grained units including limestone, greywacke, siltstone and argillite, and medium grained volcanic agglomerate, flow, tuff, and intrusive clast breccia of basalt to andesite composition. These rocks are cut by dikes or small stocks of monzonite, monzodiorite, diorite composition. Dikes and flows of basalt composition and Tertiary in age cut and, in part, overlie older rocks generally to the west of the property, and on the north side of Spout Lake. Approximately three kilometres to the northeast of the Red property, GWR Resources Inc. has identified approximately 23.4 million tonnes of 0.23% copper at their North and South zones.

In the southern portion of the Red property, historical sampling at the Road zone returned up to 5.0 metres containing 0.25% copper. In 2005, a new showing on the northeast side of the property was located that returned grab samples containing 1.71%, 0.667% and 2.45% copper.

Historical soil geochemical surveys consisted of several methods including sampling of stream sediment and the Bf and C soil horizons as well as deep till using an auger. These different methods identified positive results from several areas of the property. Stream sediment and soil samples returned up to 810 and 7750 ppm copper, respectively. In 1997, two short diamond drill holes tested the eastern portion of one of the geochemical anomalies and intersected fracture controlled chalcopyrite, bornite, native copper and hematite hosted by propylitic altered volcanic rocks in contact with a monzodiorite dike.

While under option to GWR Resources in 2008, 11 kilometres of induced polarization and magnetic geophysical surveys were completed on the eastern edge of the Red property. This work identified a positive chargeability and magnetic response that remains open in extent.

During 2012, as part of a more regional program, an Ah horizon soil geochemical survey consisting of collection and analysis of 58 samples from the Red property was completed and is the subject of this report.

Results of this survey include the identification of several areas containing positive values of copper and other elements in soil samples that are in part coincident with previous surveys and suggest potential for underlying copper mineralization. Further exploration is recommended to consist of expanding the auger till sampling program and trenching of existing soil geochemical targets at a total cost of \$300,000.

Table of Contents

1	Introduction.....	5
2	Location and Infrastructure.....	6
3	Physiography and Climate	6
4	Property Status.....	6
5	History	7
6	Regional Geology.....	8
7	Property Geology.....	9
	7.1 Structure.....	10
	7.2 Alteration and Associated Mineralization.....	10
8	Soil Geochemical Survey Methods	11
	8.1 Environment, Sample Collection, Preparation and Analysis- From Dunn.....	11
	8.2 Data Quality- <i>From Dunn</i>	12
	8.3 Software- <i>From Dunn</i>	14
	8.4 Statistics and map preparation- <i>From Dunn</i>	14
9	Soil Geochemistry Survey Results	15
10	Discussion	16
11	Conclusions.....	16
12	Recommendations.....	17
13	References	18
14	Statement of Costs	20
15	Statement of Qualifications.....	21

Tables

Table 1	Mineral Tenures
Table 2	Ah Soil Sample Data

Figures

Figure 1	Location map
Figure 2	Red Property Mineral Tenure location
Figure 3	Regional Geology
Figure 4	Ah horizon Soil Sample Locations, Labels and Zones of Interest
Figure 5	Ah Horizon Cu
Figure 6	Ah Horizon As
Figure 7	Ah Horizon Ag
Figure 8	Ah Horizon Au
Figure 9	Ah Horizon Fe
Figure 10	Ah Horizon W
Figure 11	Ah Horizon Zn
Figure 12	Ah Horizon S
Figure 13	Ah Horizon Ca

1 Introduction

The purpose of the 2012 exploration program was to investigate the property using Ah horizon soil sampling shown to be successful at several B.C. projects having glacial till cover. Exploration of the Red property during 2012 was performed by field workers trained by and under the supervision of Dr. Colin Dunn, an expert in geochemistry and its application. In total, samples from 58 sites and various control and duplicates were collected from the Red property. Samples were analyzed at ALS Chemex Laboratories in Vancouver, B.C. by ICP-MS.

2 Location and Infrastructure

The Red property is located 17 kilometres north-northeast of the village of Lac La Hache, and approximately 400 kilometres northeast of Vancouver, British Columbia (Figure 1). The approximate NTS coordinates are 51° 57' N latitude and 121° 23' W longitude. The property is accessed by approximately 30 kilometres of paved and all-weather gravel road. Logging roads and cut block spurs transect the property. Lac La Hache is on located Highway 97. B.C. Rail, B.C. Hydro, and a natural gas pipeline also service the area. Twenty-six kilometres south of Lac La Hache is the town of 100 Mile House, population 5,000. The local economy is primarily dependent on forestry and ranching.

3 Physiography and Climate

The property is situated in the Central Plateau of the Cariboo region of south central British Columbia. The area is characterized by gentle hills with elevations ranging from 850 to 1500 metres. Approximately 40% of the fir, spruce and pine forest in the immediate area has been logged and replanted. Several large lakes and numerous creeks provide water year-round. The annual precipitation is from 500 to 1000 millimetres with most occurring during the winter months. Winter snow cover averages 1-2 metres, arriving by early November and melting off by April.

4 Property Status

The Red property is comprised of 2 mineral tenures 512578 and 512580 totaling 1,951.9 hectares (Table 1 Figure 2). These claims are 100% owned and registered in the name of David Blann, FMC 102557, of Squamish, B.C.

Table 1- Mineral Tenures

Tenure Number	Tenure Owner	Issue Date	Expiry Date	Area (Ha)
512578	102557 (100%)	May 14, 2005	Dec 31, 2013	955.75
512580	102557 (100%)	May 14, 2005	Dec 31, 2013	996.13

5 History

The Lac La Hache area was initially prospected for placer gold during the Cariboo Gold Rush in the 1890's. In 1966, the federal government performed an airborne magnetic survey of the area resulting in the delineation of a large annular magnetic anomaly. This was followed by exploration for porphyry copper and skarn mineralization. In 1966-1967, the Coranex Syndicate initiated regional reconnaissance soil sampling, resulting in the discovery of porphyry copper mineralization on the Peach showings, south of Peach Lake.

Between 1971 and 1974, Amax Exploration Ltd. conducted geological and geochemical surveys west of the Coranex ground resulting in the discovery of the WC chalcopyrite-magnetite skarn zone (North and South zones).

The area remained relatively unexplored until the mid-1980's when B.P.Selco and later, Cominco, performed regional programs. The properties eventually reverted back to the crown and were staked several times by various companies. Airborne and ground geophysical surveys, soil sampling, and trenching were performed, increasing knowledge of the area.

After a number of drilling campaigns since 1989, GWR Resources released a 43-101 resource in 2012 on the North and South zones of around 23.4 million tonnes of 0.23% copper with accessory gold, silver and magnetite. Several additional discoveries of porphyry copper-gold mineralization were also made at the Miracle, Aurizon, Anne North and Peach Melba zones.

The area of the Red property was explored as the Club claims between 1988-1993 using airborne and ground geophysical surveys, soil, silt and rock geochemistry, trenching, and minor geological mapping (Seyward, 1989; White, 1989; 1992; 1993; Blann, 1996).

A previous soil geochemical survey in the eastern portion of the Red property returned 25 samples containing greater than 40 ppb gold, and a further 18 containing 100-1930 ppb gold (White, 1989). In 1998, soil samples taken to the west returned values of up to 2619 ppm copper and 156 ppb gold, and suggests a broad area of greater than 10 ppb gold in soil remains open to the north and northwest portion of the Red property (Blann, 1998). Diamond drilling of two short reconnaissance holes in 1998 returned pyrite and trace chalcopyrite, bornite, chalcocite and native copper in intense propylitic and iron oxide-rich volcanic rocks in proximity to a monzonite dike, and confirmed that Tertiary aged volcanic cover was not present as indicated in Government maps (Blann, 1999) (Figure 3). In 2001, an auger till sampling program was conducted over a strong ground magnetic anomaly returning low-order but statistically significant coincident copper, arsenic, gold, and potassium concentrations on the western side of the property (Blann, 2002).

During 2005, six silt samples, 30 soil samples and a number of rock samples were collected (Blann 2006). Silt samples taken from a creek draining the northeastern portion of the property returned values of up to 810 ppm copper, 718 ppb silver, 15.3 ppb gold, and 43 ppb palladium. Prior to this program no platinum group elements (PGE's) were analyzed for and these positive results indicate a positive association of PGE's with alkalic style copper-gold porphyry systems. Soil sample results include 13 samples returning greater than 100 ppm copper, including a maximum of 7,750 ppm copper adjacent to a new copper showing. In general, an area approximately 200 metres by 200 metres contain anomalous copper in soil, in proximity with the new copper showing found in a recent logging clear cut. The new showing consists of sub parallel, east-west trending, moderate to steeply dipping lenses of massive chalcopyrite, bornite and malachite approximately 0.5 to 1.0 cm in thickness with samples returning up to 2.54% copper, 12.8 ppm silver. Five metres northwest, a grab sample over 1.0 metres returned 1.71% copper (Blann, 2005).

6 Regional Geology

The Peach Lake area covers approximately 5 kilometres in width and 10 kilometres in length within the Quesnel Trough (Figure 3). The regional geology consists of north-northwest trending Upper Triassic-Jurassic Nicola group sediments, volcanic and high level intrusive rocks, a large centrally located monzonite stock and the Takomkane batholith. The edge of the Takomkane batholith occurs approximately five kilometres east of the Red property. The batholith is up to 50 kilometres in width and estimated at 193 million years old. The Takomkane Batholith is, in part, comprised of granodiorite, monzonite, gabbro, pyroxene, and locally more felsic phases. All of the rocks are locally crosscut and covered by basalt, Miocene-Eocene in age.

West of the Takomkane Batholith, and near the north end of the Red property an annular shaped aeromagnetic high has dimensions of 15 kilometres north-south and 10 kilometres east-west. It is partially mapped and interpreted to be centered by a locally mineralized monzonite stock. This stock is partially covered by Miocene- Eocene volcanic rocks. Peripheral to the stock is a magnetic high anomaly related to mafic- intermediate intrusions cutting Nicola volcanic-sediments. These rocks are propylitic to potassic altered, and contain broad zones of 0.5 - 10% pyrite, hydrothermal magnetite, and trace to 1% chalcopyrite, locally bornite, molybdenite, and associated gold-silver values.

Upper Triassic-Jurassic Nicola volcanic rocks are fine to coarse-grained, augite-hornblende and feldspar porphyritic flow, crystal tuff, lithic tuff and breccia of basalt to andesite composition. Fine grained carbonate amygdale volcanic rocks, siltstone, argillite, limestone and debris flow occur south of Spout lake, on the eastern side of the Red property. Bedding orientation varies as folding and faulting is evident. Intrusive rocks include gabbro, diorite, monzonite, monzodiorite, and locally syenite, inferred to be marginal phases of the Takomkane batholith. Intrusions are variably biotite-pyroxene-hornblende-feldspar porphyritic and occurs as stocks, sills or dikes, and display textural and compositional zoning and crosscutting relationships. Intrusion breccia, intrusive breccia and volcanic breccia occurs.

Carbonate amygdaloidal, vesicular and feldspar porphyritic basaltic-andesite of Tertiary age unconformably overlies and crosscut Triassic-Jurassic and Cretaceous rocks. These rocks are generally fresh to weakly chlorite-epidote altered and hematitic in the Peach Lake-Spout Lake area. Tertiary rocks occur generally to the west and south of the Red property.

Glaciation and erosion has smoothed what once was likely part of a large mountain range, and glacial-related deposits from 1-30 metres in thickness cover most of the area. In portions of the Quesnel Trough, Tertiary volcanic cover has, in part, protected copper-gold porphyry deposits from glaciation, and deposits may be only partially exposed.

7 Property Geology

Outcrop on the Red property can be located in the east and northeast portion of the property. Trenches, roads, gravel pits and two drill holes suggest 2-30 metres of poor to well-sorted glacial related deposits occur elsewhere.

Rocks in the southern and eastern portion of the property are comprised of hard-weathering, coarse clast heterolithic volcanic-intrusive breccia and conglomerate of andesite-monzodiorite composition. Fine grained, volcanic-sedimentary rocks occur further northwest. These rocks include argillite,

siltstone, fossiliferous limestone, and fine to coarse volcanic breccia of andesitic to basaltic composition. Rocks to the north and east of the property are comprised of augite-hornblende-feldspar porphyritic basaltic andesite flow and breccia cut by monzonite dikes. Breccia clast size, texture, composition and associated alteration vary spatially.

Geological Survey of Canada data suggests the area was near the apex of the last major glacial period, and movement was locally determined.

7.1 Structure

In the southeast portion of the property a coarse volcanic-intrusive breccia or agglomerate unit trends northwest following a topographic ridge. Intercalated volcanic-sedimentary units may increase in abundance to the northwest, however outcrop becomes very scarce. A contact between fossiliferous limestone and adjacent volcanic sediments is northerly with a moderate to steep westerly dip. A pronounced northwest trending magnetic structure through the property may be part of the regional-scale Timothy Creek Fault, and is parallel to chargeability and resistivity structures (Blann, 1998). VLF-EM surveys suggest northeast, northwest, and east trending structures occur (White, Seyward 1989).

A recent logging road exposed a 5 metre wide, clay altered fault zone trending 300 degrees, and other north to northeast trending fractures, faults and shears occur.

7.2 Alteration and Associated Mineralization

Volcanic and volcanic-sedimentary rocks are deformed, weak to strongly fractured, and propylitic to locally potassic altered. Rocks from outcrop in the southern portion of the property contain structurally controlled zones of chlorite, epidote, calcite, sericite, clay, magnetite and hematite alteration with associated pyrite and chalcopyrite mineralization. Previous chip sampling on the Road zone returned 5 metres containing 0.25% copper and 5 metres containing 0.11% copper from propylitic altered intrusive and volcanic breccia within an area of less than 5 millisecond chargeability (White, 1989). Mineralization in this area is comprised of fine grained specular hematite, goethite, malachite, azurite, chalcopyrite, bornite and chalcocite within matrix and breccia clasts. The host rock is very weakly magnetic.

Outcrops of volcanic and volcanic-sedimentary rocks are variably altered and contain chlorite, epidote, sericite, carbonate, and locally calc-silicates and k-feldspar occurs. These rocks contain trace to 3% pyrite and trace to 5% magnetite. Chalcopyrite occurs in fractures up to 1 cm in thickness and locally replaces mafic minerals, feldspar or pyrite in the wall rocks.

8 Soil Geochemical Survey Methods

During October, 2012, the Red property was subjected to a geochemical survey as a part of a larger regional survey, performed under the direction and supervision of Colin E. Dunn, PhD, P.Geo of Colin Dunn Consulting Inc., Sidney, BC., and commissioned by GWR Resources Inc. David Blann paid a cash contribution to have this work that is the subject of this report performed on the Red mineral claims. The complete analyses of this survey and Q/A Q/C, geostatistics may be found in Colin Dunn's report at:

<http://www.gwrresources.com/i/pdf/CDunn-Jan-2013-GWR-LLH-Report-Ah-soil-results.pdf>.

The following section is modified after Dunn, above:

During October, 2012 an Ah (humic) soil sampling program was conducted within an area of 400 sq. km comprising the Lac La Hache property. Analytical data for 51 elements were received for samples from 1049 stations, collected at 500 m intervals, plus a comprehensive suite of quality control samples – both field and laboratory. Data quality was good to excellent such that meaningful element distribution patterns could be plotted. Only gold suffered from the usual low precision at the trace levels present, but patterns were mostly coherent.

8.1 Environment, Sample Collection, Preparation and Analysis- From Dunn

The organic material comprising the Ah soil horizon (also known as the A1 or humic layer) is the zone of biologically-active decomposed organic material derived from the overlying vegetation. This soil horizon commonly contains residual ash and charcoal from forest fires and also has an inorganic component. Previous studies have shown that the organic content averages 65%, and most samples fall within the range of 45-80%.

The aim of the 2012 survey was to collect samples at 500 m spacing on an even grid throughout the approximately 400 sq. km of the property. There is a reasonably good network of drivable forest trails throughout most of the property, but extensive traverses on foot were required to obtain a good coverage. This was hampered by the presence of some boggy areas, and at many of the desired sample stations the Ah horizon was very sparse to absent, such that a considerable amount of effort had to be taken to obtain the 50 – 100 g desired for analysis. Of note is that because of the paucity of material at many sample stations, the field crews had to collect from several shallow depressions where the organic material had accumulated. Also, from the charcoal and local ash content of the soils it was evident that an intense forest fire had passed through part of the area and actually created a ground fire that destroyed the Ah. This was noted in the southwest survey area during the

orientation visit. It was estimated that the fire took place well over a century ago. At that time such fires were left to burn out since modern fire-fighting techniques were not available.

Including field duplicates well over 1100 samples were collected from the 1049 sample stations for which data was obtained. In total, including field duplicates and more than 50 analytical control samples, 1221 samples were analyzed.

On arrival at ALS Labs in Vancouver, samples were dried to constant weight, sieved to -80 mesh (ASTM), and a 0.5 g portion of the sieved material was digested in aqua regia. The content of 51 elements was determined by a combination of ICP-MS and ICP-OES techniques (ALS ultra-trace method code ME-MS41L). ALS notes that *“as the method uses a sample size of 0.5 g, coarse and malleable minerals such as native Au and Ag are not representatively characterized by such a small sample”*. However, in an Ah soil this is not a significant consideration because the material sequestering these elements is primarily the organic component which contains mostly extremely fine material.

8.2 Data Quality- From Dunn

Analytical data were received as 7 batches of variable size during November and December. The initial data compilations were undertaken by Rob Shives and some discrepancies evaluated by the author. These were discussed with Rob Shives and ALS personnel and the problems were satisfactorily resolved. Table 2 lists all Ah sample stations, with field duplicates, for which analytical data were received. The Table includes field coordinates and observations with the data listings alongside. This is the data that has been used for plotting throughout this report, except the final plots for which:

For computational purposes, values reported as below detection were changed to half the detection level;

Additional columns have been inserted for Au, Ag, Hg and Re for which units were changed from ppm to ppb, since the data for these elements are more readily understandable as whole units rather than fractions of ppm.

ALS inserted the following controls:

1. CANMET stream sediment control STSD-4 – a composite from streams in Ontario and British Columbia
2. OREAS-45b is a commercially available multi-element soil standard prepared from a 40:60 blend of soil characterized by anomalous levels of precious and base metals and barren soil. The

anomalous sample was obtained from soil developed over a Ni-Cu-PGE mineralized contact between gabbro and pyroxenite from the Southern Murchison region of Western Australia while the barren sample was taken from an in situ layer of mature soil developed over early Tertiary olivine basalt in outer eastern Melbourne, Victoria, Australia.

3. GBM908-10 – a base metal-enriched low Cu oxide material prepared by Geostats Pty Ltd, Western Australia.

4. GEOMS-03 – base metal-enriched drill core material from Reno.

5. In the last work order (VA12275410) 3 samples of OREAS 90 - Cu-rich material from Cobar (NSW) - were included in place of GEOMS-03.

6. Blanks

Some comments are:

Precision of Au in three of the standards is extremely good because they contain Au ranging from about 30-500 ppb. The precision for STSD-4 is very poor. This is because the average content is low (3 ppb) and this control is known to be somewhat heterogeneous in Au. As noted at the bottom of the Table, by omitting the maximum value (10.9 ppb) the RSD is reduced to 50%. It is commonly found that in the analysis for Au in surface materials the RSD% is in the range of 40-50% at low levels, and that the occasional 'flyer' (extreme value) does occur. Because of that, caution should be exercised in placing too much importance on single point Au anomalies in a dataset of this type. It is quite likely that the analysis cannot be repeated, and so it is of the utmost importance to consider whether there are associated pathfinder elements in the vicinity of any single-point Au anomaly. To circumvent this problem a much larger field sample would need to be taken and a fire assay (FA) conducted. In general, in an exploration program the extra effort to collect a much larger sample and the extra cost of the FA are not warranted.

Similarly, the precision for W is poor in STSD-4 because of inferior homogeneity of this element. It is fair to very good in all other controls.

Precision for Ge and Te are somewhat inferior, which is typical for these elements at the low levels present and difficulty in determinations. They are, however, acceptable.

Poor precision for Hg in two of the controls indicates lack of homogeneity; the data for the control material with a matrix closest to the field samples (STSD-4) is very good and typical for this element.

The poor precision for Na is primarily because values are close to the detection limit of the analytical method.

Since there only three samples of control OREAS-90 that were inserted, these data were insufficient for any meaningful statistical breakdown. A few comments on these blanks are warranted:

Most elements returned concentrations below or very close to detection limits

Traces of As Cu, Pb and Sb were commonly detected but were consistently small and at concentrations well below those present in the field samples, and so of no concern to the overall picture.

In summary, the precision obtained for the blind controls compared very favourably with that of the ALS controls. For Au, with the minimum and maximum values excluded, precision was better than for the ALS controls, however the same caveat is required with respect to single point anomalies, and pathfinder element support of a single point anomaly would add considerable weight to its validity.

Additional controls on precision were obtained from analytical duplicates (analysis of two splits of 35 samples) and field duplicates (36 paired samples collected from field sites within a radius of a few metres).

8.3 Software- *From Dunn*

The software programs used in analysis and plotting of the data were: Spreadsheets in Microsoft Excel, Statistics using the software 'SPSS' v.19 (IBM), and Map plots using the software 'Surfer' v.11 (Golden Software, Colorado). Data from the Excel spreadsheets received from Paul Stacey were extracted as sub-files for statistical analysis and plotting maps. For the quality control evaluations, data from the original laboratory certificates, after some corrections were made, were extracted and evaluated.

8.4 Statistics and map preparation- *From Dunn*

A standard set of statistical parameters was obtained for all elements. These included minimum, maximum, mean, standard deviation and the 25th, 50th, 60th, 70th, 80th, 90th, 95th, 98th and 99th percentiles. Where data quality was deemed adequate, for examining the relative concentrations of elements in the survey area the approach has been to plot 'image' (gradational colour contour) maps of the entire sample population, each at the same scale. Maps were plotted using the software program 'Surfer'. Data were kriged prior to plotting. Kriging is a regression technique used in geostatistics to approximate or interpolate data. In order that false extrapolations are not shown, areas with no sample coverage have been blanked out. Each map has been prepared using the same range of gradational colours following a spectrum from magenta for highest values, through

red, yellow, green, blue, pale mauve and white for lowest concentrations. These are 'image' maps in the Surfer nomenclature. Colour changes have been adjusted to the percentile intervals and data trimmed to the 99th percentile as maximum. By so doing, extreme values do not unduly distort the contour patterns of the remainder of the dataset, because all values greater than the 99th percentile are given the same colour code. As a broad rule of thumb, the colour change from green to blue represents the 80th percentile and values below the median are white. Above the colour code bar to the right of each plot, the maximum value can be found. In addition to the gradational contours, each map has superimposed on it the sample sites, drainage features, principal trails and a UTM grid. In cases where many samples were below detection a smaller spectrum of colours was used.

Maps prepared above were converted into JPG files and inserted into AutoCad software for final presentation. Soil sample results for gold, silver, arsenic, copper, iron, tungsten, sulphur, zinc and calcium are plotted in Figures 4-13, and complete geochemical data is summarized in Table 2, and Certificates of Analyses provided in Appendix 1.

9 Soil Geochemistry Survey Results

From a review of the data, nine elements were selected for plotting based in part on their relevance to copper exploration, local geology and their conspicuous presence or spatial association with other elements on the Red Property. Four general areas of interest are observed from this survey and are outlined in Figure 4.

Area 1 - This is the main area of interest, containing positive copper, arsenic, silver and calcium values. It also occurs within an area previously identified to contain values of 0.14 and 0.25% copper and gold values of up to 156 ppb in deep, auger till samples, as well as positive copper values and associated geology in drill core on the east side of the area. It also is underlain by strongly positive magnetic readings from an airborne survey.

Area 2 - In this area, positive values of arsenic, iron, sulphur, and calcium occur. This area is largely underlain by a positive to strong magnetic feature.

Area 3 - This area contains a moderate copper and strong arsenic, gold, iron, tungsten response. Generally, this supports historical surveys indicating positive copper and gold values occurring on the edge of a high magnetic response. It is located near a moderate-strong airborne potassium anomaly and regional magnetic low linear that may reflect the Timothy Creek fault.

Area 4 - This area lies on the east side of the Red property and is a relatively small anomaly containing positive copper, and weak to moderate arsenic, silver, iron, and tungsten. It occurs in an area of thick sandy glacial-fluvial material with outcrops to the east and west containing copper.

10 Discussion

The Red property is approximately 90% covered by glacial till. Local outcrops are of Nicola Group, a sequence of sedimentary, volcanic and intrusive rocks, Upper Triassic-Jurassic in age and part of an island arc sequence. These rocks host economic porphyry copper-gold deposits such as Afton, and Mt. Polley. They are cut and overlain by Tertiary-Miocene/Pliocene volcanic rocks that may have protected underlying Nicola Group rocks and associated mineral deposits from glacial abrasion.

The Nicola Group rocks are variably altered to chlorite, carbonate, sericite, magnetite, locally calc-silicate and k-feldspar. Several outcropping zones and drill core contain widespread trace to 3% pyrite and locally chalcopyrite, bornite and secondary copper minerals such as chalcocite, native copper and malachite/azurite.

Historical geochemical surveys consisting of Bf, C and deep C (auger samples to > 2 metres below surface) have produced several sizeable geochemical targets associated with positive magnetic and radiometric signatures.

Results from the 2012 Ah horizon soil sampling program has generally confirmed targets generated by previous soil sampling and other geological or geophysical data that supports the presence of underlying mineralization. Four main copper target areas occur on the Red property, and generally lie in a northerly trend subparallel or adjacent to the regional scale Timothy Creek fault.

11 Conclusions

The Red property is located northeast of Lac La Hache in south central British Columbia. The area is underlain by Upper Triassic Lower Jurassic Nicola Group that are cut and overlain in part by Tertiary-Miocene/Pliocene volcanic rocks. The area was affected by glaciation and glacial till, glacio-fluvial and lacustrine deposits between 1 and 30 metres in thickness cover approximately 90% of the property. Several periods of exploration has identified positive copper values in outcrop, drill core, soil and stream sediment samples in several areas of the Red property.

The Ah horizon soil sampling performed during 2012 has confirmed several areas on the Red property to be underlain by a positive geochemical response that correspond and confirm results from previously completed surveys.

The methodology of using the Ah horizon soil geochemical survey on a 300-500 metre grid can reveal copper-gold targets and is an effective reconnaissance tool.

Several targets are present on the Red property that warrant continued exploration.

12 Recommendations

It is recommended for Phase 1 exploration that additional deep C horizon auger soil sampling be performed to expand upon the 2012 and previous surveys. In addition, machine test pits on the main copper target areas identified by the 2012 soil survey is likely the most economical method of testing the geochemical targets. Phase 1 costs are estimated at \$200,000. An induced polarization geophysical survey covering the Red property and costing approximately \$150,000, would assist in outlining any large disseminated sulphide-bearing zones, although large areas of pyrite may complicate interpretation. Exploration for Phase 2 is to consist of additional trenching and drilling at a cost of approximately \$300,000 to test combined geochemistry, chargeability and magnetic anomalies.

13 References

- Bailey, D., 2008. Geophysical Report on the Red Project Area. Assessment Report #30457.
- Blann, D.E., 1996. Assessment Report on the Club 1 and Club 2 Claims. Assessment Report #24391.
- Blann, D.E., 1998. Assessment Report on the Red Claims. Assessment Report #25434.
- Blann, D.E., 1999. Assessment Report on the Red Property. Assessment Report #25844.
- Blann, D.E., 2002. Assessment Report on the Red Property. Assessment Report #26825.
- Blann, D.E., 2006. Geological and Geochemical Report on the Red Property. Assessment Report #28093.
- Campbell, R.B. and Tipper, H.W, 1972. G.S.C. Memoir 363, "Geology of Bonapart Map Area".
- DePaoli, G.M., Hodgson, C.J., 1973. Spout Lake Copper Property (WC claims), Amax Potash Ltd.
- Dunn, D.St.C., 1993. Report on Diamond Drilling on the Peach Lake Project. G.W.R. Resources Inc.
- Gale, R.E., 1991. Assessment Report on the Geology and Drilling of the Pee Wee 1, 2, 3, Club 15, Dora M.C., Dora 1, and Miracle Fr. Claims. Peach Lake Resources Inc. and Asarco Inc.
- Hodgson, C.J., DePaoli, G.M., 1972. Spout Lake Copper Property. Assessment Report #3690.
- Schiarizza, P., Bligh, J., Bluemel, B., Tait, D., 2008. Geology of the Timothy Lake Area, B.C. Geological Survey, Open File 2008-5.
- Seyward, M., 1989. Airborne Magnetic Data Enhancement Project on the Club Claims. Assessment Report #19869.
- Seyward, M., 1989. Magnetometer survey on the Club 3-5, 8-14, 16 Claims. Assessment Report #19869.
- Seyward, J., 1990. Geophysical Report on the Club Claims. Assessment Report #20915.
- Vollo, N.B., 1975. Diamond Drilling Report, WC. Claims. Assessment Report #5488.

White, G., 1989a. Geochemical and Geophysical Report on the Club Claims. Assessment Report #18589.

White, G., 1989b. Geophysical, Geochemical and Trenching Report on the Club 6,7 Claims. Assessment Report #18589.

White, G., 1992a. Geophysical Report on the Club Claims. Assessment Report #22203.

White, G., 1992b. Induced Polarization Survey on the Club 6,7 Claims. Assessment Report #22203.

White, G., 1993. Geophysical Report on the Club Claims. Assessment Report #23310.

Woods, D., 1989. Airborne Geophysical Report on the Club Claims. Assessment Report #18590.

14 Statement of Costs

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days	sites	Rate	Subtotal*	
GWR Resources Subcontractors	October 1-31 2012	58	\$60.00	\$3,480.00	
Rob Shives, P.Geo/ Colin Dunn, PhD. Field supervision		58	\$5.00	\$290.00	
				\$3,770.00	\$3,770.00
Office Studies	Personnel				
Report preparation	David Blann, P.Eng	2.3	\$650.00	\$1,501.50	
				\$1,501.50	\$1,501.50
Geochemical analyses	Number of Samples	No.	Rate	Subtotal	
Soil	58	58.0	\$25.88	\$1,501.04	
				\$1,501.04	\$1,501.04
Transportation		No.	Rate	Subtotal	
fuel		58.00	\$5.00	\$290.00	
				\$290.00	\$290.00
Equipment Rentals					
Other (Specify)	Emergency Transport Vehicle			\$409.96	
				\$409.96	\$409.96
Freight					
	soil samples	58.0	\$0.50	\$29.00	
				\$29.00	\$29.00
TOTAL Expenditures					\$7,501.50

15 Statement of Qualifications

I, **David E. Blann**, P.Eng., of Squamish, British Columbia, do hereby certify:

- That I am a Professional Engineer registered in the Province of British Columbia since 1990.
- That I am a B.Sc. graduate in Geological Engineering from the Montana College of Mineral Science and Technology, Butte, Montana, 1987.
- That I am a graduate with a Diploma in Mining Engineering Technology from the B.C. Institute of Technology, 1984.
- That I have been actively engaged in the mining and mineral exploration industry since 1984.

Dated in Vancouver, B.C., April 2013.

“David Blann” (Signed)

David E Blann, P.Eng.

Tables

Red Property

Ah Soil Sample Data

Table 2

Sample ID	Eastings	Northing	Type	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm
C060	611222	5756718	Control	0.0015	0.809	1.59	10.05	10	221	0.75	1.12	0.56	0.83	102	15.7	27.8	1.36	36.9	3.16	5.56	0.12	0.09	0.159	0.062	0.2	60.6	16.3
C268	608756	5760356	Control	0.0013	0.835	1.56	9.43	40	217	0.61	1.25	0.63	0.76	97	14.1	27.6	1.26	32.9	3.38	5.38	0.13	0.07	0.136	0.059	0.21	54.8	15.7
S116	610017	5760494	Control	0.0022	0.737	1.47	9.7	20	217	0.77	1.02	0.57	0.8	97.6	15.3	26.9	1.19	36.4	3.17	5.46	0.12	0.09	0.138	0.059	0.2	57.1	15.7
C167	609220	5756172	Control	0.0015	0.239	1.33	14.3	30	139	0.45	0.5	0.85	2.04	42.4	9.1	19.2	1.05	29.3	2.33	4	0.09	0.02	0.192	0.057	0.1	23.3	9.1
B011	609070	5757665	Ah site	0.002	0.371	1.63	1.68	-10	142	0.4	0.05	1.4	0.33	30.7	9.2	34.8	0.7	87.8	1.82	4.38	0.07	0.02	0.128	0.016	0.15	18.7	5.8
C006	608847	5756933	Ah site	0.0028	0.17	0.6	2.3	-10	110	0.17	0.05	1.2	0.18	10.7	3.4	11.3	0.42	38.9	1.17	1.82	0.05	0.02	0.127	0.01	0.09	6.8	2.8
C007	609359	5757092	Ah site	0.0068	0.285	1.77	12.4	-10	364	0.57	0.06	1.04	0.53	40.2	47.1	22.8	0.71	100	3.78	4.45	0.07	-0.02	0.089	0.018	0.16	13.7	7.2
C008	609884	5757330	Ah site	0.0016	0.129	0.66	1.4	-10	143.5	0.15	0.06	0.96	0.33	7.47	4.7	21.9	0.43	19.15	1.45	2.2	-0.05	-0.02	0.073	0.01	0.09	3.7	3.1
C009	610350	5757518	Ah site	0.0016	0.35	1.95	2.02	-10	166.5	0.48	0.07	1.52	0.63	22.9	7.7	31.5	0.77	89.7	1.96	5.19	0.08	0.05	0.151	0.02	0.14	14.5	6.5
C010	610853	5757674	Ah site	0.0156	0.121	0.51	1.92	-10	109	0.1	0.05	1.2	0.55	2.79	3.6	12.1	0.51	23.4	1.13	1.84	-0.05	-0.02	0.129	0.009	0.09	1.4	3.2
C011	611377	5757622	Ah site	0.0014	0.251	0.28	2.27	-10	220	0.08	0.08	2.08	1.06	2.8	3.5	6.8	0.53	25.3	0.52	0.98	-0.05	-0.02	0.228	0.011	0.09	1.3	1.3
C012	611879	5757831	Ah site	0.0017	0.192	0.43	2.11	-10	85.7	0.07	0.07	0.77	0.52	2.36	3.2	6.9	0.34	12.05	0.9	1.65	-0.05	-0.02	0.163	0.01	0.08	1.1	2.4
C053	610685	5759791	Ah site	0.0005	0.273	0.8	5.81	10	196	0.31	0.06	3.57	0.38	12.55	10.1	22.1	0.37	92.4	1.37	2.34	0.06	0.06	0.076	0.011	0.06	6.6	7.2
C054	610712	5759293	Ah site	-0.0002	0.503	1.19	1.98	10	188.5	0.4	0.08	1.9	0.5	22.4	7.7	24.2	0.55	50.1	1.54	3.33	0.06	0.04	0.122	0.016	0.14	16.5	5.8
C055	611155	5759062	Ah site	0.0005	0.195	0.45	1.88	10	91.3	0.11	0.04	1.61	0.64	2.53	3.7	10.4	0.6	19.35	0.73	1.43	-0.05	0.02	0.179	0.008	0.13	1.4	2.9
C056	610956	5758571	Ah site	0.0012	0.157	0.32	1.04	-10	69.6	0.08	0.05	0.9	0.43	1.79	2.9	8.5	0.41	11.4	0.73	1.53	-0.05	-0.02	0.147	0.007	0.07	0.9	2.1
C057	611020	5758086	Ah site	0.0006	0.15	0.24	0.8	10	116.5	0.05	0.05	2.15	0.53	1.67	2.6	4.7	0.28	15.75	0.35	0.69	-0.05	0.02	0.145	0.007	0.08	0.9	1.1
C058	611440	5757784	Ah site	-0.0002	0.119	0.29	1.29	10	148.5	0.06	0.05	1.73	0.38	1.84	2.4	5.3	0.56	19.45	0.44	0.93	-0.05	0.02	0.22	0.009	0.09	0.9	1.6
C059	610869	5757114	Ah site	0.0002	0.184	0.62	1.12	-10	107	0.19	0.09	0.63	0.24	7.89	2.9	11.1	0.42	19.45	0.62	2.03	-0.05	-0.02	0.214	0.013	0.07	4	1.6
C060	611222	5756718	Ah site	-0.0002	0.103	0.16	0.47	10	227	-0.05	0.05	2.25	0.47	1.17	1.6	4.3	0.29	13.1	0.2	0.44	-0.05	-0.02	0.243	0.006	0.12	0.6	0.6
C061	611261	5756189	Ah site	-0.0002	0.772	0.26	0.7	-10	96.1	-0.05	0.06	0.82	0.18	1.67	1.8	5.4	0.27	11.45	0.26	0.67	-0.05	-0.02	0.241	0.007	0.07	1.1	0.6
C062	611177	5755630	Ah site	-0.0002	0.303	0.22	0.51	-10	90.8	-0.05	0.04	0.87	0.35	1.2	1.2	5.9	0.21	7.62	0.3	0.55	-0.05	-0.02	0.201	-0.005	0.12	0.7	0.6
C063	611522	5757111	Ah site	0.0016	0.577	1.01	2.06	10	144	0.38	0.05	2.34	0.21	7.69	4.3	11.9	0.57	219	1.02	2.44	0.06	0.08	0.143	0.014	0.17	6.4	4.5
C064	611925	5757308	Ah site	0.0008	0.199	0.39	0.95	-10	136	0.08	0.08	1.17	0.49	2.26	4.3	10.6	0.84	15.4	0.81	1.51	-0.05	-0.02	0.16	0.012	0.08	1.3	2.1
C166	608874	5756540	Ah site	0.0074	0.144	1.61	6.1	10	176	0.39	0.06	1.05	0.25	19.2	16	29.7	0.91	74.4	2.46	4.35	0.06	0.02	0.05	0.018	0.22	9.1	7.6
C167	609220	5756172	Ah site	0.0071	0.34	2.13	6.45	-10	465	0.67	0.06	1.2	0.59	82.5	64.8	24.8	0.82	95.4	3.82	4.73	0.1	0.03	0.181	0.023	0.16	31.3	6.3
C168	609614	5756012	Ah site	0.0004	0.063	1.15	1.81	-10	161	0.25	0.05	0.71	0.15	12.55	14.5	21	0.49	21	1.78	3.2	-0.05	0.02	0.068	0.013	0.11	5.2	4.8
C169	609722	5756735	Ah site	0.0019	0.094	1.2	2.51	-10	131	0.26	0.05	0.94	0.16	13.9	7.6	19.9	0.65	34.4	1.7	3.32	-0.05	-0.02	0.062	0.013	0.12	5.8	6.4
C170	610138	5756372	Ah site	0.0014	0.406	0.59	1.11	-10	65	0.12	0.05	0.67	0.19	5.78	3.5	8.7	0.34	17.7	0.83	1.68	-0.05	-0.02	0.126	0.008	0.08	2.9	2
C171	609791	5756113	Ah site	0.0045	0.497	2.11	1.56	-10	216	0.61	0.06	1.03	0.23	45.7	10	21.5	0.65	73.2	1.63	4.96	0.07	0.02	0.215	0.021	0.16	24.5	5.5
C172	610286	5755854	Ah site	0.0014	0.139	0.4	0.96	-10	53.9	0.07	0.05	0.51	0.13	3.68	2.1	7.3	0.25	12.05	0.57	1.18	-0.05	0.02	0.163	0.007	0.08	2.1	1.5
C173	610460	5755381	Ah site	0.0033	0.159	0.2	0.42	-10	53.1	-0.05	0.04	0.47	0.26	1.13	1	3.2	0.11	7.5	0.19	0.35	-0.05	-0.02	0.225	-0.005	0.09	0.6	0.4
C175	610589	5756690	Ah site	0.0009	0.3	0.66	1.07	10	191.5	0.17	0.06	1.04	0.3	15.45	4.4	9.4	0.32	25.5	0.7	1.67	-0.05	-0.02	0.197	0.008	0.09	7.6	1.9
C176	610778	5756194	Ah site	0.0015	0.258	1.26	1.41	-10	113.5	0.45	0.06	0.68	0.2	24.8	6.5	12.4	0.6	43.6	1.28	3.8	0.07	0.02	0.109	0.016	0.11	13.1	4.9
C177	610178	5756942	Ah site	0.0023	0.224	0.39	0.79	-10	120	0.1	0.06	0.95	0.29	4.74	2.3	6.7	0.27	18.4	0.56	1.07	-0.05	-0.02	0.221	0.009	0.12	2.8	1.4
C178	609864	5757782	Ah site	0.0022	0.199	0.48	6.28	10	57.5	0.23	0.02	2.2	0.43	6.44	13.2	15.9	0.54	124.5	1.53	1.72	0.06	0.02	0.075	0.01	0.13	5.1	4.2
C179	609225	5757471	Ah site	0.0036	0.524	0.6	1.28	-10	86.7	0.17	0.05	1.12	0.2	11.8	3	7.8	0.26	33.9	0.63	1.71	0.06	0.02	0.172	0.011	0.07	7.7	1.9
C242	609328	5759541	Ah site	0.0038	0.178	0.41	0.79	-10	151	0.08	0.06	0.65	0.19	4.28	2.3	11.6	0.41	14.9	0.78	1.42	-0.05	-0.02	0.166	0.01	0.06	2.7	1.3
C243	608972	5759904	Ah site	0.0071	0.147	0.68	0.86	-10	167	0.14	0.06	0.75	0.22	13	4.3	11.5	0.43	15.6	0.81	2.03	-0.05	-0.02	0.225	0.011	0.08	6.7	2
C259	608895	5758142	Ah site	0.0011	0.227	1.43	1.67	-10	98	0.29	0.06	0.92	0.21	12.15	6.4	25.3	0.69	42.6	1.61	3.88	-0.05	0.03	0.125	0.017	0.1	6.7	5.5
C260	608818	5758644	Ah site	-0.0002	0.328	1.11	0.94	-10	167.5	0.33	0.09	1.86	0.26	12.5	2.7	18.7	0.76	61.2	0.94	3.56	-0.05	0.04	0.126	0.018	0.07	7.8	5.3
C261	610193	5758921	Ah site	0.0009	1.16	1.1	4.71	10	184.5	0.36	0.06	5	1.35	10.8	6.8	16.5	0.57	243	1.35	2.39	0.05	0.07	0.119	0.013	0.1	6.6	6.5
C262	610309	5758445	Ah site	0.0002	0.345	0.51	1.09	10	102	0.2	0.03	3.08	0.42	10.1	2.8	6.5	0.22	86.8	0.6	1.29	-0.05	0.03	0.134	0.009	0.08	8	2.5
C262	610309	5758445	Ah duplicate	-0.0002	0.124	0.1	0.41	20	82.9	-0.05	0.02	2.68	0.52	0.77	1.3	2.2	0.13	12.7	0.15	0.29	-0.05	-0.02	0.147	-0.005	0.11	0.4	0.3
C263	610680	5758885	Ah site	-0.0002	0.126	0.26	0.63	-10	155	0.05	0.04	1.64	0.64	2.23	3	8.3	0.3	12.5	0.67	1.15	-0.05	-0.02	0.154	0.006	0.08	1.3	0.9
C264	610610	5757914	Ah site	0.0015	0.083	0.61	1.1	-10	146	0.09	0.07	0.61	0.16	3.37	4.2	14.9	0.64	10.8	1.28	2.67	-0.05	-0.02	0.087	0.011	0.08	1.6	3.3
C265	610195	5759458	Ah site	0.0025	0.196	0.33	1.01	10	76.7	0.13	0.04	2.1															

Red Property

Ah Soil Sample Data

Table 2

Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
0.57	1720	1.19	0.03	1.79	24.2	0.122	48.4	19.7	0.001	0.15	0.599	5.6	1.8	1.5	29.4	-0.01	0.06	6.5	0.075	0.27	6.93	44	0.41	30	190.5	2.6
0.58	1660	1.21	0.07	1.63	22.1	0.119	42.4	17.2	-0.001	0.15	0.622	5.4	1.6	1.4	30.2	-0.01	0.05	5.9	0.076	0.25	6.02	44	0.39	27.4	191.5	2.2
0.57	1680	1.24	0.04	1.72	22.3	0.118	37.9	17.3	0.001	0.16	0.518	5.3	1.7	1.4	28.5	-0.01	0.07	5.7	0.072	0.24	5.73	43	0.4	29.3	186.5	2.7
0.33	411	1.74	0.03	1.15	29.9	0.131	89.6	10	0.004	0.98	1.125	3	3.2	3.6	42	-0.01	0.14	0.9	0.059	0.37	31.9	32	0.28	17.35	182	0.6
0.42	1080	2.34	0.02	0.54	27.7	0.12	6.49	7.3	-0.001	0.09	0.296	3.2	0.7	0.4	94.7	-0.01	0.03	0.2	0.044	0.05	0.53	35	0.15	18.9	84.6	0.6
0.28	567	1.99	0.03	0.48	9.8	0.102	6.77	5.2	-0.001	0.11	0.176	1.5	0.3	0.3	101.5	-0.01	-0.01	0.1	0.043	0.03	0.18	33	0.13	7.11	51.6	0.6
0.41	7420	1.99	0.03	0.18	25.1	0.227	4.62	11.8	-0.001	0.09	0.256	1.5	0.4	0.4	111	-0.01	0.01	0.1	0.035	0.08	0.36	161	0.26	13.3	109	-0.5
0.22	1090	2.4	0.02	0.73	14.2	0.104	5.51	5.2	-0.001	0.07	0.133	1.1	0.1	0.3	85.6	-0.01	0.01	0.1	0.058	0.02	0.19	40	0.38	2.02	89.1	-0.5
0.45	949	1.71	0.02	0.64	23.9	0.147	8.56	8.9	-0.001	0.11	0.225	4.1	0.6	0.4	113	-0.01	0.01	0.3	0.055	0.04	0.33	46	0.16	13.55	105.5	1.3
0.22	1140	1.55	0.02	0.33	7.2	0.103	6.39	4.9	-0.001	0.12	0.15	0.9	0.3	0.3	57.8	-0.01	0.01	0.1	0.039	0.02	0.09	33	0.1	1.16	89.9	-0.5
0.11	2020	2.56	0.02	0.16	7.1	0.091	9.36	4.1	-0.001	0.12	0.175	0.6	0.3	0.3	111.5	-0.01	0.01	0.1	0.022	0.02	0.08	14	0.08	0.84	84.4	-0.5
0.14	1080	1.94	0.02	0.25	5.5	0.08	8.65	5.1	-0.001	0.1	0.276	0.6	0.1	0.3	39.4	-0.01	0.01	0.1	0.03	-0.02	0.06	26	0.12	0.74	95.7	-0.5
0.3	1320	2.84	0.03	0.59	41.8	0.095	3.09	3.3	0.017	0.3	0.415	1.2	4	0.2	129.5	-0.01	0.02	0.2	0.038	0.08	3.3	59	0.12	7.43	21.6	2.4
0.25	2020	1.33	0.02	0.56	26.7	0.102	7.53	7.6	-0.001	0.1	0.18	1.8	0.7	0.3	72.2	-0.01	0.03	0.2	0.044	0.06	0.42	44	0.19	12.55	49.1	1.1
0.21	732	2.71	0.01	0.28	8.2	0.112	7.45	5.1	-0.001	0.13	0.123	0.6	0.4	0.2	60.7	-0.01	0.02	0.1	0.026	0.02	0.09	21	0.09	1.02	116.5	0.5
0.11	697	1.55	0.01	0.29	5.4	0.08	6.54	4.6	-0.001	0.1	0.11	0.5	0.1	0.2	36.6	-0.01	0.01	0.1	0.034	-0.02	0.07	24	0.08	0.62	78.2	-0.5
0.22	1810	2.72	0.01	0.15	5.2	0.11	11.4	3	-0.001	0.15	0.17	0.4	0.4	0.2	80.9	-0.01	0.02	0.1	0.013	0.02	0.05	10	0.12	0.6	139.5	0.5
0.17	1100	4.17	0.01	0.18	5.3	0.12	13.15	2.9	-0.001	0.17	0.19	0.5	0.3	0.2	93.7	-0.01	0.01	0.1	0.017	0.03	0.06	11	0.09	0.66	81.5	0.7
0.11	350	2.5	0.01	0.25	8.7	0.106	15.05	3.4	-0.001	0.08	0.261	0.2	0.3	0.3	55.5	-0.01	0.02	-0.1	0.022	0.03	0.21	19	0.08	3.02	44.4	-0.5
0.16	1980	2.63	0.01	0.11	5	0.121	9.45	2.7	-0.001	0.17	0.123	0.2	0.1	0.2	124	-0.01	0.02	-0.1	0.008	0.02	-0.05	5	0.04	0.4	109.5	-0.5
0.1	636	2.4	0.01	0.17	6.3	0.101	12.85	2.3	0.001	0.13	0.215	0.4	0.1	0.3	72.2	-0.01	0.02	0.1	0.014	0.02	0.06	7	0.23	0.56	44.7	-0.5
0.1	748	2.47	0.01	0.18	5	0.108	5.43	2.7	-0.001	0.12	0.134	0.3	0.1	0.2	76.4	-0.01	0.01	-0.1	0.013	-0.02	-0.05	9	0.09	0.42	57.7	-0.5
0.31	642	1.56	0.01	0.36	10.1	0.122	5.26	9	0.001	0.14	0.302	2.6	1.1	0.2	125	-0.01	0.01	0.2	0.026	0.03	2.38	40	0.1	17.25	47.3	2.7
0.14	1200	2.76	0.01	0.27	8.2	0.114	14.1	7.5	-0.001	0.12	0.206	0.5	0.2	0.3	94.4	-0.01	0.02	0.1	0.026	0.02	0.08	25	0.27	0.94	98.1	-0.5
0.51	1960	0.79	0.03	0.7	18.5	0.136	4.31	11.6	-0.001	0.05	0.249	3.8	0.4	0.3	79.1	-0.01	0.03	0.2	0.09	0.05	0.37	87	0.24	7.06	75.9	0.7
0.37	10250	2.91	0.02	0.29	42.5	0.202	6.23	14.4	-0.001	0.11	0.275	2.6	1.1	0.3	143	-0.01	0.03	0.1	0.034	0.1	0.44	120	0.17	30.8	127.5	0.5
0.32	1720	2.41	0.02	0.55	22.5	0.099	3.66	6.5	-0.001	0.06	0.14	1.2	0.3	0.3	69.9	-0.01	0.01	-0.1	0.072	0.03	0.23	48	0.13	3.6	68.2	0.5
0.36	1320	1.82	0.02	0.71	11.5	0.081	4.31	9.5	-0.001	0.05	0.154	2.4	0.3	0.3	81	-0.01	0.01	0.2	0.08	0.04	0.27	53	0.17	4.45	58.8	0.5
0.17	734	0.77	0.02	0.4	6.5	0.079	6.64	5.4	-0.001	0.06	0.156	0.9	0.3	0.3	59.7	-0.01	0.02	-0.1	0.04	0.03	0.15	25	0.09	2.05	56.1	-0.5
0.38	1440	1.05	0.02	0.66	23	0.131	5.77	7.5	-0.001	0.1	0.299	3.9	1.2	0.3	125	-0.01	0.02	0.1	0.042	0.06	0.62	29	0.13	19.3	71.7	0.6
0.13	397	1.11	0.01	0.39	4.7	0.07	7.06	3.2	-0.001	0.09	0.149	0.9	0.3	0.2	44.7	-0.01	0.01	0.1	0.033	0.02	0.1	18	0.08	1.29	47.4	0.7
0.08	1310	1.01	0.01	0.12	3.3	0.107	6.34	1.5	-0.001	0.11	0.133	0.3	0.2	0.2	29.7	-0.01	0.01	-0.1	0.009	0.02	-0.05	5	0.04	0.32	67.9	-0.5
0.19	2810	1.53	0.01	0.29	9.6	0.092	10.7	4.6	-0.001	0.09	0.222	1	0.5	0.3	86.9	-0.01	0.01	-0.1	0.03	0.04	0.19	18	0.09	7.07	95.7	-0.5
0.26	938	0.74	0.02	0.7	14.1	0.101	6.77	7.7	-0.001	0.06	0.16	2.5	0.4	0.3	77.2	-0.01	0.02	0.2	0.051	0.05	0.29	29	0.12	11.15	67.6	0.9
0.17	1270	2.17	0.02	0.27	6	0.102	9.81	3.7	-0.001	0.11	0.172	0.5	0.2	0.2	86.7	-0.01	0.01	-0.1	0.022	0.03	0.09	15	0.1	2.64	76.7	-0.5
0.47	1360	1.38	0.03	0.29	13.5	0.166	2.07	5.3	-0.001	0.25	0.252	1.1	1.8	-0.2	134.5	-0.01	0.02	0.1	0.027	0.06	4.5	87	0.18	6.24	64.5	0.9
0.2	259	1.23	0.02	0.29	10.8	0.085	8.47	2.7	-0.001	0.1	0.157	1.5	0.3	0.2	95	-0.01	0.02	0.1	0.023	0.02	0.23	14	0.08	7.35	42.1	0.9
0.12	345	2.44	0.01	0.28	7	0.089	10.5	4	-0.001	0.07	0.177	0.2	0.1	0.3	52	-0.01	-0.01	-0.1	0.023	0.03	0.32	20	0.16	1.6	35.2	-0.5
0.14	1620	2.06	0.01	0.23	9.6	0.113	11.55	5.2	-0.001	0.1	0.213	0.1	0.3	0.3	75.3	-0.01	-0.01	-0.1	0.019	0.04	0.2	18	0.08	4.29	54.2	-0.5
0.33	424	1.66	0.02	0.66	17	0.082	8.77	7.2	-0.001	0.07	0.169	3.1	0.5	0.3	61.3	-0.01	0.01	0.4	0.056	0.03	0.6	34	0.13	5.74	51.3	1.3
0.23	109	0.94	0.02	0.81	14.2	0.062	11.85	5.9	-0.001	0.06	0.164	2.7	0.5	0.4	98.2	-0.01	-0.01	0.6	0.052	0.04	0.96	23	0.08	5.88	30.9	1.8
0.3	721	0.82	0.02	0.51	27.4	0.156	4.14	4.2	-0.001	0.13	0.219	1.7	4	0.2	157	-0.01	-0.01	0.2	0.033	0.05	1.41	52	0.16	7.52	17.5	2.8
0.33	491	1.51	0.02	0.19	12	0.116	4.58	2.3	-0.001	0.18	0.157	1	0.6	0.2	140	-0.01	-0.01	0.1	0.015	0.02	0.55	22	0.07	8.3	16.6	1
0.27	387	2.73	0.01	0.06	3.7	0.125	5.93	1.4	-0.001	0.21	0.1	0.1	0.3	-0.2	117	-0.01	0.01	-0.1	0.005	-0.02	0.14	3	0.04	0.29	39.1	-0.5
0.13	1160	2.58	0.01	0.24	8.3	0.08	6.8	3.7	-0.001	0.11	0.1	0.5	0.3	0.2	112	-0.01	-0.01	0.1	0.024	0.02	0.07	19	0.39	0.75	55.7	0.5
0.19	1070	1.98	0.02	0.44	7.3	0.07	9.35	7.3	-0.001	0.05	0.119	0.8	-0.1	0.3	37.3	-0.01	-0.01	0.1	0.059	0.03	0.09	37	0.5	0.96	96.6	-0.5
0.14	611	1.61	0.02	0.22	7.7	0.076	5.91	2.2	-0.001	0.12	0.172	0.7	0.8	0.2	82.2	-0.01	-0.01	0.1	0.017	0.02	0.51	15	0.05	3.04	13.4	1
0.44	1780	1.75	0.03	0.18	25.9	0.222	1.63	1.3	0.002	0.33	0.443	0.2	2.8	-0.2	309	-0.01	-0.01	-0.1	0.003	0.03	1.81	15	0.07	2.94	8.9	3.7
0.32	597	1.63	0.03	0.1	27.9	0.16	3.74	0.7	-0.001	0.31	0.208	0.3	1.2	-0.2	182.5	-0.01	-0.01	0.1	0.003	0.03	4.27	57	0.05	1.67	14.7	1.8
0.17	1020	2.71	0.02	0.51	8.1	0.08	8.29	5.3	-0.001	0.07	0.154	0.9	0.2	0.2	61.5	-0.01	-0.01	0.1	0.039							



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
Finalized Date: 21 - NOV - 2012
Account: GRWRES

CERTIFICATE VA12260943

Project: Lac La Hache
P.O. No.:
This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-NOV-2012.
The following have access to data associated with this certificate:
ROB SHIVES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A001		0.10	<0.0002	0.056	0.50	1.33	10	434	0.15	0.07	1.90	0.57	7.78	4.1	11.6	0.52
A005		0.02	0.0016	0.731	1.43	9.02	10	212	0.71	0.98	0.57	0.76	98.4	14.6	26.3	1.20
A006		0.06	<0.0002	0.223	0.37	0.74	<10	444	0.09	0.08	0.71	0.58	4.99	3.8	10.5	0.30
A007		0.04	0.0003	0.112	0.52	0.81	<10	326	0.17	0.07	1.31	1.26	32.1	4.2	12.8	0.26
A008		0.06	0.0006	0.105	0.44	0.81	10	552	0.11	0.07	2.03	1.67	5.90	3.6	9.0	0.42
A009		0.06	0.0006	0.097	0.46	1.12	<10	798	0.11	0.09	2.16	0.88	4.92	3.7	10.1	0.65
A010		0.06	0.0002	0.031	0.42	0.74	10	376	0.13	0.07	1.00	0.26	10.30	4.1	13.8	0.21
A011		0.06	0.0021	0.036	0.80	1.00	<10	535	0.15	0.09	1.85	0.32	7.25	6.0	15.5	0.60
A012		0.06	0.0003	0.277	1.05	2.52	10	457	0.24	0.10	2.30	1.22	7.02	7.8	16.3	1.51
A014		0.08	0.0009	0.061	0.78	2.33	<10	333	0.28	0.07	1.51	0.30	14.20	5.9	18.9	0.62
A015		0.06	0.0004	0.043	0.69	2.68	<10	478	0.18	0.09	1.73	0.33	10.90	5.3	16.0	0.66
A016		0.06	0.0007	0.444	1.53	6.44	<10	250	0.97	0.06	2.26	0.35	45.4	11.7	18.6	0.93
A017		0.08	0.0005	0.173	0.57	1.46	<10	302	0.16	0.09	1.02	0.21	11.30	3.9	16.7	0.87
A018		0.06	0.0005	0.087	0.89	1.53	<10	398	0.26	0.09	0.88	0.22	6.84	6.9	22.1	1.83
A019		0.06	0.0003	0.071	0.91	2.03	<10	393	0.38	0.07	1.70	0.23	20.1	5.7	29.2	1.01
A020		0.08	0.0009	0.066	0.80	2.01	<10	377	0.28	0.07	1.54	0.16	21.2	7.9	33.3	0.58
A021		0.08	0.0003	0.250	1.86	2.47	<10	608	0.79	0.06	2.04	0.69	40.5	8.9	33.6	0.69
A022		0.06	0.0011	0.037	0.25	1.12	10	103.0	0.08	0.04	3.26	0.34	2.22	1.2	4.0	0.21
A023		0.02	0.0019	0.237	1.31	14.70	30	141.0	0.46	0.46	0.91	1.91	42.0	8.6	19.5	1.05
A024		0.06	0.0018	0.064	0.40	0.99	<10	112.5	0.13	0.04	3.46	0.26	5.03	2.1	6.8	0.20
A027		0.06	0.0003	0.062	1.47	1.09	<10	371	0.74	0.07	1.05	0.14	124.5	7.3	31.1	0.57
A028		0.08	0.0003	0.047	0.95	1.14	<10	181.5	0.26	0.07	0.69	0.19	21.3	8.2	49.3	0.71
A029		0.06	0.0017	0.349	0.59	2.67	<10	292	0.50	0.05	2.84	0.41	19.45	2.1	13.1	0.22
A030		0.08	<0.0002	0.223	0.51	0.97	<10	158.5	0.16	0.06	1.25	0.29	6.77	4.1	19.2	0.30
A032		0.06	0.0010	0.084	0.12	0.79	10	133.5	<0.05	0.03	3.01	0.34	1.34	0.9	8.4	0.09
A033		0.08	0.0003	0.252	1.85	1.85	10	320	0.68	0.08	2.07	0.27	40.4	6.3	26.8	0.54
A034		0.06	<0.0002	0.488	0.86	0.79	<10	265	0.27	0.08	1.19	1.11	18.90	6.5	19.4	0.44
A035		0.04	<0.0002	0.216	0.97	1.13	<10	209	0.37	0.07	0.69	0.29	25.8	7.2	20.0	0.37
A036		0.06	0.0007	0.270	0.96	0.90	<10	199.5	0.36	0.05	1.75	0.49	17.40	3.8	20.3	0.41
A037		0.08	<0.0002	0.203	0.44	0.53	<10	342	0.11	0.06	1.18	0.43	4.67	4.5	14.0	0.26
A040		0.04	0.0008	0.112	0.32	0.70	<10	75.3	0.09	0.03	2.38	0.19	4.13	3.5	6.1	0.14
A041		0.06	0.0007	0.136	0.23	0.49	<10	149.0	<0.05	0.06	0.95	0.24	2.04	1.5	6.0	0.31
A042		0.10	0.0008	0.301	1.31	1.43	<10	155.0	0.35	0.07	1.97	0.26	16.05	7.1	28.2	0.44
A043		0.06	0.0003	0.128	0.38	0.64	<10	232	0.07	0.06	0.88	0.25	3.38	2.7	7.6	0.34
A044		0.02	0.0038	0.770	1.44	9.85	20	201	0.72	1.02	0.57	0.82	97.5	15.6	25.5	1.25
A045		0.06	0.0011	0.301	0.48	0.93	20	158.5	0.11	0.05	2.16	0.58	5.19	3.6	11.6	0.23
A046		0.04	<0.0002	0.129	0.20	0.32	<10	474	0.06	0.06	1.41	1.03	3.05	1.9	4.0	0.23
A047		0.06	0.0011	0.531	1.33	1.70	<10	149.5	0.48	0.07	2.62	0.32	30.0	7.8	15.9	0.50
A048		0.06	0.0002	0.072	0.24	0.64	<10	70.4	0.05	0.05	0.61	0.15	2.08	1.6	5.3	0.32
A050		0.04	0.0005	0.241	1.04	0.85	<10	141.0	0.58	0.04	0.96	0.35	80.1	7.8	6.2	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
A001		19.45	1.19	1.80	<0.05	0.04	0.127	0.012	0.53	2.8	1.9	0.26	1340	1.55	0.01	0.57
A005		33.8	3.10	5.26	0.14	0.08	0.126	0.057	0.19	58.5	14.5	0.57	1620	1.11	0.03	1.55
A006		11.50	0.61	1.23	<0.05	<0.02	0.106	0.009	0.10	2.4	0.7	0.09	2930	3.26	0.01	0.20
A007		18.45	0.74	1.66	0.05	<0.02	0.160	0.011	0.12	17.0	1.2	0.16	1660	2.94	0.01	0.28
A008		15.90	0.85	1.40	<0.05	0.02	0.148	0.011	0.17	2.8	1.1	0.17	2470	2.96	0.01	0.31
A009		13.05	0.91	1.56	<0.05	0.02	0.246	0.015	0.15	2.3	1.1	0.14	5990	5.37	0.01	0.30
A010		10.70	0.80	1.51	0.05	0.04	0.132	0.012	1.87	5.2	1.0	0.26	957	2.52	0.01	0.32
A011		15.75	1.30	2.07	<0.05	0.04	0.186	0.016	0.19	2.8	1.4	0.21	3160	2.38	0.01	0.44
A012		23.2	1.57	2.64	<0.05	0.04	0.129	0.019	0.29	2.8	2.0	0.28	2000	2.58	0.02	0.39
A014		16.25	1.23	2.35	<0.05	0.04	0.283	0.015	0.09	6.8	1.6	0.19	1180	1.74	0.02	0.53
A015		18.05	1.09	2.04	<0.05	0.03	0.198	0.016	0.12	5.2	1.6	0.17	4560	2.95	0.02	0.45
A016		47.0	1.68	3.77	0.11	0.14	0.188	0.022	0.08	29.9	3.3	0.41	1570	0.91	0.02	0.35
A017		13.65	0.93	2.08	<0.05	0.03	0.251	0.013	0.06	6.9	1.5	0.11	1020	1.55	0.01	0.47
A018		16.40	1.29	3.08	<0.05	<0.02	0.234	0.016	0.07	3.1	1.9	0.11	2590	1.36	0.01	0.41
A019		20.8	1.53	2.77	0.05	0.05	0.216	0.017	0.11	12.3	2.2	0.21	889	1.02	0.02	0.53
A020		18.20	1.40	2.39	<0.05	0.03	0.184	0.014	0.08	9.7	2.1	0.24	708	1.09	0.01	0.49
A021		38.3	2.17	4.36	0.11	0.16	0.145	0.023	0.11	33.3	5.1	0.81	523	0.62	0.02	0.55
A022		11.95	0.31	0.63	<0.05	0.05	0.197	0.008	0.05	1.3	0.6	0.41	181	0.83	0.02	0.09
A023		30.4	2.45	4.35	0.09	0.02	0.165	0.051	0.11	22.6	9.1	0.36	399	1.70	0.03	1.14
A024		17.35	0.40	0.97	<0.05	0.07	0.210	0.006	0.04	2.5	1.1	0.43	189	1.86	0.02	0.15
A027		37.2	1.37	4.03	0.12	0.02	0.108	0.017	0.08	46.7	3.1	0.34	2200	1.35	0.01	0.48
A028		19.95	1.69	3.34	<0.05	0.04	0.064	0.012	0.12	9.3	4.2	0.31	674	1.22	0.02	0.84
A029		80.6	0.89	1.67	0.08	0.14	0.135	0.010	0.07	14.5	2.2	0.41	40	1.14	0.02	0.33
A030		13.95	1.03	1.81	<0.05	0.03	0.074	0.009	0.09	4.7	2.8	0.24	658	1.15	0.01	0.39
A032		11.95	0.26	0.48	<0.05	0.02	0.198	<0.005	0.06	0.8	0.4	0.53	135	1.11	0.01	0.12
A033		37.7	1.51	4.93	0.12	0.04	0.127	0.021	0.11	42.6	5.2	0.51	966	0.70	0.01	0.75
A034		19.55	1.02	2.76	<0.05	<0.02	0.111	0.014	0.12	10.2	2.4	0.26	1660	2.40	0.01	0.39
A035		16.10	1.15	2.92	0.05	<0.02	0.125	0.012	0.08	15.1	3.0	0.26	663	1.40	0.01	0.52
A036		28.9	1.17	2.81	0.09	0.06	0.120	0.012	0.14	25.2	4.7	0.31	397	3.30	0.01	0.51
A037		14.70	0.95	1.86	<0.05	<0.02	0.093	0.009	0.10	2.5	2.2	0.14	1020	1.89	0.01	0.31
A040		11.45	0.51	0.85	<0.05	0.03	0.128	0.007	0.08	2.3	1.1	0.39	86	1.98	0.02	0.21
A041		8.12	0.31	0.74	<0.05	<0.02	0.207	0.007	0.08	1.3	0.6	0.14	808	2.83	0.01	0.20
A042		41.0	1.54	3.79	0.06	0.06	0.106	0.019	0.13	11.5	6.4	0.41	269	0.53	0.02	0.71
A043		9.74	0.56	1.38	<0.05	<0.02	0.160	0.007	0.08	1.9	1.5	0.12	1320	1.35	0.01	0.28
A044		36.1	3.10	5.52	0.14	0.09	0.169	0.064	0.19	56.8	15.7	0.57	1700	1.15	0.03	1.72
A045		38.1	0.75	1.50	<0.05	0.03	0.093	0.009	0.15	5.7	3.4	0.50	602	0.86	0.02	0.34
A046		14.30	0.28	0.59	<0.05	0.02	0.252	0.007	0.07	1.5	0.8	0.12	2400	4.20	0.01	0.15
A047		85.0	1.55	3.39	0.09	0.07	0.205	0.015	0.10	22.0	5.2	0.30	731	0.79	0.01	0.63
A048		9.47	0.40	0.83	<0.05	<0.02	0.179	0.005	0.07	1.2	1.1	0.08	194	1.87	<0.01	0.20
A050		69.0	0.77	1.92	0.11	<0.02	0.137	0.008	0.07	36.4	1.6	0.17	1050	3.17	<0.01	0.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
A001		8.7	0.088	9.95	7.0	<0.001	0.12	0.171	1.0	0.3	0.4	439	<0.01	0.01	0.2	0.047
A005		21.8	0.118	40.6	17.8	0.001	0.15	0.559	5.2	1.6	1.4	25.9	<0.01	0.04	6.0	0.072
A006		9.7	0.069	10.95	1.7	<0.001	0.05	0.182	0.4	0.3	0.3	101.5	<0.01	<0.01	<0.1	0.024
A007		20.1	0.107	9.46	2.2	<0.001	0.10	0.168	1.1	0.5	0.4	145.0	<0.01	<0.01	0.1	0.026
A008		7.8	0.110	13.45	4.3	<0.001	0.10	0.167	0.9	0.3	0.4	246	<0.01	<0.01	0.1	0.029
A009		8.1	0.086	20.6	6.3	<0.001	0.09	0.227	1.1	0.2	0.6	271	<0.01	<0.01	0.2	0.031
A010		8.5	0.087	12.10	14.0	<0.001	0.11	0.202	1.0	0.1	0.3	173.5	<0.01	0.01	0.1	0.038
A011		9.2	0.089	18.30	8.1	<0.001	0.10	0.209	1.5	0.1	0.4	278	<0.01	0.01	0.3	0.055
A012		12.2	0.154	20.5	20.1	<0.001	0.14	0.191	1.6	0.2	0.5	299	<0.01	0.01	0.2	0.041
A014		13.0	0.082	13.65	9.3	<0.001	0.10	0.197	1.7	0.3	0.4	220	<0.01	0.01	0.2	0.047
A015		11.2	0.072	23.4	9.3	<0.001	0.09	0.228	1.6	0.2	0.5	282	<0.01	<0.01	0.4	0.047
A016		36.4	0.132	5.60	7.1	0.001	0.12	0.348	3.1	1.8	0.5	323	<0.01	0.01	0.4	0.023
A017		11.7	0.057	16.60	11.9	<0.001	0.08	0.261	1.4	0.4	0.4	172.5	<0.01	0.01	0.2	0.045
A018		12.9	0.095	16.80	11.7	<0.001	0.08	0.226	0.5	0.2	0.5	118.0	<0.01	<0.01	<0.1	0.044
A019		19.8	0.093	11.60	23.3	<0.001	0.10	0.204	2.7	0.6	0.4	271	<0.01	0.01	0.3	0.055
A020		23.8	0.104	8.88	12.7	<0.001	0.12	0.221	1.8	0.2	0.4	263	<0.01	0.01	0.2	0.045
A021		81.6	0.127	6.31	15.2	<0.001	0.11	0.235	4.3	1.0	0.6	236	<0.01	0.01	0.3	0.035
A022		8.5	0.104	6.07	3.4	<0.001	0.17	0.179	0.4	0.3	0.3	375	<0.01	<0.01	0.1	0.006
A023		30.6	0.132	103.0	10.5	0.003	1.02	1.195	3.1	2.9	3.4	41.5	<0.01	0.13	0.9	0.058
A024		12.4	0.091	5.61	1.8	0.001	0.21	0.235	0.7	0.4	1.1	246	<0.01	<0.01	0.1	0.008
A027		50.4	0.094	9.51	8.7	<0.001	0.07	0.287	2.5	1.3	0.5	184.5	<0.01	<0.01	0.1	0.038
A028		28.6	0.080	5.52	16.7	<0.001	0.05	0.115	2.1	0.2	0.4	97.9	<0.01	0.01	0.7	0.085
A029		72.1	0.134	3.85	4.1	<0.001	0.30	0.473	1.3	1.5	0.3	179.5	<0.01	0.01	0.3	0.015
A030		13.1	0.063	6.08	5.9	<0.001	0.08	0.144	1.1	0.4	0.3	71.8	<0.01	<0.01	0.2	0.041
A032		7.9	0.075	4.71	1.5	<0.001	0.15	0.177	0.3	0.5	0.4	208	<0.01	0.01	0.1	0.011
A033		31.9	0.124	7.17	8.0	<0.001	0.12	0.341	2.7	1.2	0.4	168.5	<0.01	0.01	0.2	0.041
A034		21.0	0.105	11.75	5.1	<0.001	0.08	0.201	1.2	0.6	0.3	147.0	<0.01	0.01	0.1	0.032
A035		20.6	0.096	8.16	5.2	<0.001	0.06	0.280	1.7	0.5	0.3	96.8	<0.01	0.01	0.1	0.038
A036		27.2	0.109	5.64	6.9	<0.001	0.13	0.315	2.3	1.2	0.3	107.0	<0.01	<0.01	0.2	0.033
A037		10.4	0.089	6.83	3.0	0.001	0.08	0.198	0.6	0.3	0.2	69.5	<0.01	0.01	<0.1	0.035
A040		6.6	0.088	3.41	2.1	0.004	0.21	0.171	0.8	0.7	0.2	245	<0.01	<0.01	0.2	0.013
A041		4.5	0.088	12.35	3.7	0.006	0.12	0.209	0.4	0.2	0.2	95.1	<0.01	0.01	0.1	0.018
A042		25.2	0.065	5.87	6.4	<0.001	0.12	0.178	3.0	0.7	0.3	142.5	<0.01	0.01	0.4	0.053
A043		5.5	0.084	11.10	5.2	<0.001	0.10	0.170	0.3	0.2	0.3	70.9	<0.01	0.01	<0.1	0.021
A044		24.3	0.117	39.0	18.7	0.001	0.15	0.597	5.3	1.9	1.4	26.8	<0.01	0.04	6.1	0.070
A045		17.1	0.095	5.40	5.3	<0.001	0.15	0.092	0.9	0.6	0.2	395	<0.01	<0.01	0.1	0.030
A046		6.7	0.100	10.15	3.2	<0.001	0.14	0.205	0.4	0.4	0.2	182.0	<0.01	0.01	0.1	0.012
A047		17.6	0.129	5.95	4.8	0.001	0.16	0.387	2.5	1.4	0.3	115.5	<0.01	0.02	0.3	0.028
A048		3.8	0.099	5.45	3.1	<0.001	0.10	0.126	0.4	0.2	0.2	47.1	<0.01	0.02	0.1	0.015
A050		14.9	0.131	5.09	3.3	<0.001	0.12	0.333	1.5	1.4	0.2	117.5	<0.01	0.01	0.1	0.016



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
A001		0.02	0.12	30	0.07	1.41	34.8	1.2
A005		0.26	5.97	42	0.39	27.5	182.0	2.5
A006		0.02	0.12	16	0.06	1.30	146.0	<0.5
A007		0.03	0.18	19	0.51	13.20	118.5	0.5
A008		0.04	0.12	20	0.07	1.65	286	0.9
A009		0.05	0.13	21	0.04	1.26	268	1.0
A010		0.03	0.13	23	0.06	2.75	90.5	1.1
A011		0.07	0.17	34	0.06	1.25	144.5	1.5
A012		0.10	0.16	27	0.06	1.33	320	1.2
A014		0.07	0.40	31	0.08	3.89	101.0	1.6
A015		0.08	0.25	31	0.07	2.78	116.0	1.2
A016		0.16	2.45	39	0.08	26.0	48.9	3.8
A017		0.06	0.22	24	0.07	3.24	73.5	1.1
A018		0.11	0.20	34	0.06	1.31	81.2	<0.5
A019		0.07	0.39	45	0.07	10.40	123.5	1.8
A020		0.08	0.40	36	0.08	5.64	82.7	1.4
A021		0.12	1.43	46	0.07	22.7	66.1	5.0
A022		0.05	0.15	10	0.03	1.27	32.4	1.5
A023		0.39	33.5	32	0.26	17.25	182.5	0.5
A024		0.06	0.41	11	0.03	2.51	40.2	2.3
A027		0.10	0.63	32	0.10	28.8	38.7	<0.5
A028		0.08	0.42	50	0.08	3.96	65.7	1.6
A029		0.10	9.58	153	0.11	12.90	29.1	5.2
A030		0.02	0.37	35	0.05	2.67	21.7	0.8
A032		0.02	0.63	11	0.03	0.56	20.5	0.7
A033		0.08	1.71	39	0.15	30.8	49.0	1.0
A034		0.04	0.25	20	0.10	6.41	89.4	<0.5
A035		0.05	0.34	26	0.09	9.13	46.2	<0.5
A036		0.06	1.65	26	0.10	24.1	43.5	1.8
A037		0.03	0.12	24	0.07	1.38	27.2	<0.5
A040		0.02	0.55	10	0.06	2.21	14.7	1.0
A041		0.02	0.07	9	0.09	0.63	39.7	<0.5
A042		0.05	0.46	32	0.09	8.02	18.5	2.0
A043		0.03	0.09	14	0.08	0.96	46.8	<0.5
A044		0.26	6.24	41	0.37	29.0	181.5	2.5
A045		0.03	0.88	30	0.02	4.39	57.5	1.2
A046		0.05	0.08	6	0.05	0.98	129.0	0.5
A047		0.10	2.84	40	0.17	19.40	22.5	2.4
A048		0.02	0.09	10	0.08	0.72	39.1	<0.5
A050		0.06	0.76	13	0.12	26.1	31.0	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A051		0.06	0.0015	0.401	0.96	1.11	10	166.0	0.37	0.04	2.62	1.11	27.8	12.9	10.4	0.21
A052		0.06	0.0003	0.374	1.12	0.92	<10	297	0.42	0.06	1.51	0.46	35.7	6.3	12.7	0.30
A053		0.06	0.0003	0.180	0.26	0.44	10	78.0	0.09	0.04	2.22	0.61	3.69	2.3	3.9	0.17
A055		0.08	0.0016	0.340	0.94	1.13	<10	94.4	0.32	0.05	2.53	0.50	10.50	5.0	16.4	0.57
A055D		0.06	0.0009	0.361	1.03	1.40	10	100.5	0.36	0.06	2.54	0.51	11.65	5.5	17.1	0.60
A056		0.06	0.0007	0.233	0.41	0.62	<10	124.0	0.13	0.05	1.85	0.60	4.72	3.4	8.1	0.33
A057		0.06	0.0002	0.173	0.29	0.45	10	134.5	0.06	0.04	1.87	0.67	2.63	3.0	6.4	0.22
A058		0.06	0.0004	0.174	0.77	0.89	<10	107.0	0.20	0.05	1.26	0.30	5.75	4.1	13.6	0.42
A059		0.06	0.0004	0.071	0.32	0.52	<10	77.5	0.05	0.05	0.61	0.33	2.73	2.3	8.1	0.32
A060		0.06	<0.0002	0.198	0.56	0.91	10	203	0.12	0.06	1.83	1.46	7.08	4.9	14.3	0.43
A061		0.06	0.0003	0.040	0.28	0.41	<10	96.2	<0.05	0.04	1.03	0.51	2.11	1.5	5.5	0.16
A062		0.06	0.0006	0.294	0.25	0.32	<10	183.5	0.05	0.05	1.10	0.40	2.94	2.2	4.2	0.20
A063		0.06	<0.0002	0.235	0.44	0.49	10	105.0	0.10	0.05	2.59	1.00	4.72	4.7	6.9	0.24
A064		0.06	0.0089	0.100	0.73	0.82	<10	127.5	0.11	0.06	0.94	0.34	9.71	4.9	20.1	0.46
A065		0.08	0.0002	0.294	1.51	1.04	<10	188.5	0.44	0.08	0.96	0.50	30.0	9.4	26.3	0.59
A066		0.02	0.0014	0.274	1.38	14.40	20	141.5	0.44	0.50	0.89	2.30	45.1	9.6	18.9	1.16
A067		0.04	<0.0002	0.206	0.64	0.80	<10	91.3	0.16	0.05	0.86	0.39	14.15	6.0	10.4	0.28
A070		0.06	0.0021	0.617	2.30	1.45	<10	203	0.50	0.08	1.96	0.31	33.3	9.6	35.8	0.72
A073		0.06	<0.0002	0.311	0.42	0.62	<10	147.0	0.08	0.06	0.80	0.54	4.75	3.9	13.2	0.30
A074		0.06	<0.0002	0.227	0.35	0.58	<10	202	0.07	0.08	0.87	0.54	4.26	4.3	10.3	0.26
A075		0.06	<0.0002	0.312	0.47	0.52	<10	115.0	0.11	0.05	1.34	0.84	10.75	3.5	9.9	0.39
A076		0.06	0.0010	0.160	0.53	0.68	10	187.5	0.09	0.06	1.39	0.57	3.55	5.9	13.6	0.33
A077		0.06	<0.0002	0.173	0.57	0.75	<10	108.5	0.09	0.07	1.08	0.60	6.80	6.1	18.2	0.43
A079		0.04	<0.0002	0.239	0.11	0.44	10	359	<0.05	0.06	4.37	1.71	1.14	5.4	1.9	0.16
A081		0.04	<0.0002	0.082	0.11	0.36	10	113.5	<0.05	0.05	2.59	1.13	0.99	4.7	1.8	0.14
A083		0.04	<0.0002	0.227	0.61	0.64	<10	75.3	0.07	0.06	0.65	0.30	3.38	4.8	17.0	0.92
A084		0.04	<0.0002	0.199	0.95	0.66	<10	140.0	0.26	0.06	1.29	0.28	22.0	3.1	15.9	0.32
A086		0.02	0.0024	0.801	1.56	8.29	20	213	0.66	1.01	0.59	0.83	96.8	14.7	26.9	1.29
A088		0.04	<0.0002	0.181	0.68	0.58	<10	149.0	0.15	0.06	0.78	0.31	9.59	4.7	11.3	0.35
A089		0.06	0.0003	0.254	0.18	0.54	<10	126.0	<0.05	0.06	0.72	0.28	1.84	1.2	5.0	0.18
A090		0.10	0.0007	0.228	1.81	3.27	10	349	0.43	0.07	1.97	0.32	19.40	16.9	36.4	0.69
A090D		0.08	0.0010	0.252	1.78	3.81	10	361	0.47	0.08	1.97	0.34	21.1	19.8	36.2	0.76
A091		0.06	0.0035	0.176	0.51	0.95	<10	104.0	0.12	0.05	1.05	0.30	5.57	3.9	12.0	0.22
A092		0.06	0.0069	0.159	0.36	0.80	<10	92.3	0.10	0.06	0.82	0.16	2.75	2.2	9.2	0.22
A093		0.06	0.0034	0.075	0.67	1.15	10	116.0	0.17	0.05	2.04	0.22	8.88	4.9	18.9	0.54
A095		0.06	0.0039	0.290	0.42	0.70	<10	191.5	0.13	0.05	1.20	0.34	11.75	2.3	9.0	0.19
A097		0.06	0.0061	0.168	0.38	1.92	20	216	0.42	0.05	3.82	0.75	17.95	3.1	10.4	0.20
A098		0.06	0.0039	0.220	0.97	1.63	20	187.0	0.52	0.07	3.19	1.01	43.0	9.9	17.4	0.46
A099		0.06	0.0031	0.048	0.38	0.57	<10	138.5	0.08	0.07	0.81	0.25	3.97	3.8	11.6	0.38
A100		0.06	0.0049	0.041	0.39	1.12	<10	134.0	0.22	0.05	1.90	0.13	8.13	3.0	7.7	0.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
A051		80.7	0.95	2.33	0.07	0.06	0.151	0.008	0.18	19.6	3.9	0.30	2180	2.25	0.01	0.30
A052		27.7	0.95	2.74	0.05	0.02	0.146	0.013	0.12	15.8	2.5	0.28	2170	1.97	0.01	0.30
A053		28.1	0.36	0.84	<0.05	<0.02	0.124	0.006	0.14	1.9	0.9	0.28	266	2.81	<0.01	0.14
A055		78.1	1.29	2.31	0.05	0.06	0.150	0.011	0.11	6.5	5.4	0.32	205	1.28	0.01	0.55
A055D		82.9	1.40	2.56	0.06	0.07	0.144	0.011	0.11	7.6	5.9	0.33	204	1.23	0.01	0.63
A056		30.2	0.67	1.36	<0.05	0.02	0.125	0.006	0.10	3.0	2.4	0.22	416	1.73	0.01	0.36
A057		1230	0.46	0.96	<0.05	0.02	0.099	0.006	0.11	1.4	2.1	0.19	477	1.86	0.01	0.29
A058		33.7	1.18	1.98	<0.05	0.02	0.094	0.010	0.09	3.5	3.8	0.22	455	1.01	0.01	0.47
A059		7.04	0.51	0.96	<0.05	<0.02	0.123	<0.005	0.12	1.5	1.4	0.13	204	1.13	0.02	0.31
A060		15.40	1.01	1.65	<0.05	0.02	0.091	0.007	0.10	3.7	3.4	0.29	797	1.99	0.01	0.55
A061		6.25	0.33	0.71	<0.05	<0.02	0.166	0.005	0.08	1.2	1.0	0.13	380	1.34	0.01	0.23
A062		6.84	0.33	0.85	<0.05	<0.02	0.118	0.008	0.09	1.5	0.9	0.12	1440	2.92	<0.01	0.20
A063		18.75	0.53	1.14	<0.05	0.02	0.173	0.007	0.05	2.4	1.7	0.29	232	1.18	0.01	0.32
A064		8.47	1.21	2.22	<0.05	<0.02	0.084	0.009	0.12	4.2	5.7	0.29	776	0.71	0.01	0.83
A065		24.4	1.48	4.28	0.06	<0.02	0.076	0.016	0.12	18.1	6.4	0.30	1110	0.70	0.01	0.78
A066		33.5	2.57	4.38	0.11	0.02	0.177	0.056	0.11	23.4	9.8	0.34	408	1.85	0.02	1.21
A067		1660	0.79	1.59	<0.05	<0.02	0.138	0.008	0.09	6.7	2.0	0.25	399	1.24	0.02	0.37
A070		130.0	1.86	5.38	0.10	0.07	0.169	0.020	0.15	20.7	9.2	0.45	1080	1.55	0.01	1.04
A073		8.00	0.78	1.52	<0.05	<0.02	0.098	0.008	0.06	2.3	2.4	0.19	1250	1.68	<0.01	0.41
A074		6.80	0.68	1.61	<0.05	<0.02	0.106	0.006	0.06	2.0	1.6	0.12	2320	1.28	0.01	0.32
A075		13.30	0.60	1.40	<0.05	<0.02	0.156	0.008	0.08	8.0	2.5	0.20	792	2.00	0.01	0.35
A076		11.45	1.08	1.97	<0.05	0.02	0.077	0.008	0.10	2.0	3.6	0.24	902	1.03	<0.01	0.46
A077		10.45	0.94	1.97	<0.05	<0.02	0.110	0.010	0.08	3.0	3.7	0.23	695	1.26	<0.01	0.60
A079		14.45	0.17	0.33	<0.05	<0.02	0.208	0.007	0.14	0.9	0.6	0.26	719	0.96	<0.01	0.10
A081		15.40	0.14	0.29	<0.05	<0.02	0.162	0.005	0.18	0.5	0.5	0.20	504	4.62	<0.01	0.08
A083		34.6	1.53	3.17	<0.05	<0.02	0.106	0.006	0.09	1.7	4.7	0.20	631	16.75	0.01	0.54
A084		21.4	0.83	2.19	0.06	0.02	0.166	0.012	0.07	13.0	2.6	0.22	123	2.73	0.01	0.45
A086		35.0	3.32	5.17	0.15	0.06	0.146	0.058	0.20	54.0	14.9	0.57	1700	1.09	0.03	1.56
A088		12.55	0.73	2.10	<0.05	<0.02	0.118	0.009	0.10	4.3	2.5	0.16	1230	1.77	0.01	0.42
A089		7.81	0.33	0.71	<0.05	<0.02	0.207	0.007	0.06	1.0	0.5	0.08	117	1.61	0.01	0.17
A090		55.7	2.32	3.86	0.06	0.13	0.094	0.018	0.10	9.0	7.9	0.91	2330	0.54	0.02	0.60
A090D		58.9	2.37	4.09	0.06	0.13	0.094	0.019	0.09	9.8	8.5	0.90	2580	0.59	0.02	0.63
A091		21.7	0.71	1.55	<0.05	0.02	0.108	0.007	0.11	3.4	2.5	0.27	297	2.08	0.02	0.50
A092		6.40	0.50	1.12	<0.05	<0.02	0.171	0.007	0.06	1.5	1.4	0.14	302	1.49	0.01	0.26
A093		23.8	1.05	1.91	0.05	0.06	0.193	0.009	0.07	4.7	3.2	0.46	390	1.36	0.01	0.52
A095		12.85	0.58	1.33	<0.05	<0.02	0.222	0.010	0.08	6.6	1.5	0.18	893	1.83	0.01	0.34
A097		161.5	0.72	1.36	0.08	0.11	0.110	0.007	0.07	14.6	1.5	0.84	111	0.83	0.02	0.53
A098		74.2	1.16	2.75	0.15	0.10	0.188	0.014	0.12	47.6	5.3	0.94	1940	0.81	0.02	0.53
A099		13.55	0.60	1.50	<0.05	<0.02	0.189	0.007	0.07	2.5	1.7	0.15	1740	2.23	0.01	0.30
A100		26.5	0.51	1.09	<0.05	0.02	0.262	<0.005	0.05	4.7	1.5	0.18	322	1.66	0.02	0.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
A051		21.4	0.203	3.22	5.1	0.001	0.22	0.371	1.4	1.4	0.2	178.5	<-0.01	0.01	0.2	0.016
A052		18.6	0.153	7.51	6.5	<0.001	0.12	0.297	0.7	0.7	0.3	171.5	<-0.01	0.01	0.1	0.017
A053		6.4	0.114	4.09	3.9	<0.001	0.19	0.148	0.5	0.6	0.2	125.0	<-0.01	0.01	0.1	0.012
A055		15.4	0.149	3.72	8.3	0.001	0.25	0.251	2.6	1.2	0.2	107.5	<-0.01	0.02	0.4	0.030
A055D		16.7	0.152	3.90	8.6	0.001	0.26	0.227	2.7	1.3	0.3	111.5	<-0.01	0.01	0.4	0.031
A056		7.9	0.108	5.35	4.7	<0.001	0.15	0.166	1.1	0.6	0.2	110.0	<-0.01	0.01	0.2	0.022
A057		6.0	0.107	3.80	2.7	<0.001	0.11	0.105	0.5	0.4	0.2	99.1	<-0.01	<-0.01	0.1	0.020
A058		11.5	0.117	4.01	5.3	0.001	0.14	0.164	1.3	0.5	0.2	63.5	<-0.01	0.01	0.1	0.032
A059		5.1	0.091	5.54	2.7	<0.001	0.10	0.136	0.5	0.3	0.2	42.1	<-0.01	0.01	0.2	0.024
A060		9.9	0.112	5.21	5.9	<0.001	0.12	0.149	1.0	0.3	0.2	133.0	<-0.01	0.01	0.2	0.034
A061		5.0	0.085	5.88	2.0	<0.001	0.11	0.161	0.4	0.3	0.2	67.2	<-0.01	0.01	0.1	0.018
A062		3.8	0.081	6.27	2.9	<0.001	0.09	0.138	0.5	0.2	0.2	77.0	<-0.01	0.01	0.1	0.017
A063		6.8	0.125	4.59	3.1	<0.001	0.19	0.166	1.1	0.4	0.2	141.0	<-0.01	<-0.01	0.2	0.017
A064		12.4	0.079	5.95	6.5	<0.001	0.05	0.125	1.3	0.3	0.3	54.2	<-0.01	0.01	0.4	0.063
A065		21.6	0.083	5.17	8.3	<0.001	0.06	0.186	2.7	0.8	0.4	69.1	<-0.01	0.01	0.1	0.049
A066		32.3	0.134	93.4	10.4	0.004	1.03	1.050	3.4	3.1	3.8	44.1	<-0.01	0.13	0.8	0.059
A067		10.1	0.091	4.96	3.2	<0.001	0.10	0.201	0.7	0.4	0.2	63.3	<-0.01	0.01	<-0.1	0.020
A070		31.3	0.146	4.94	12.1	0.001	0.16	0.372	5.2	1.1	0.5	123.5	<-0.01	0.02	0.4	0.051
A073		8.3	0.053	7.57	4.0	<0.001	0.06	0.157	1.0	0.2	0.2	57.4	<-0.01	0.01	0.2	0.035
A074		6.4	0.055	7.82	3.7	<0.001	0.05	0.155	0.6	0.1	0.3	55.0	<-0.01	<-0.01	0.1	0.033
A075		9.6	0.084	5.08	6.8	<0.001	0.11	0.159	1.1	0.4	0.2	77.3	<-0.01	<-0.01	0.2	0.027
A076		9.4	0.083	15.05	4.3	<0.001	0.08	0.166	0.8	0.3	0.3	94.1	<-0.01	0.01	0.1	0.037
A077		10.4	0.079	7.97	8.7	<0.001	0.08	0.175	1.0	0.3	0.5	70.7	<-0.01	<-0.01	0.2	0.043
A079		8.6	0.115	6.22	2.3	<0.001	0.19	0.176	0.2	0.6	0.2	283	<-0.01	<-0.01	<-0.1	0.006
A081		3.8	0.127	6.71	2.0	<0.001	0.18	0.138	0.2	0.5	0.2	140.0	<-0.01	<-0.01	<-0.1	0.005
A083		9.1	0.076	7.31	16.2	<0.001	0.07	0.131	0.6	0.2	0.4	31.7	<-0.01	0.01	0.1	0.063
A084		14.2	0.093	6.00	3.4	0.001	0.14	0.219	2.2	0.5	0.3	74.9	<-0.01	0.01	0.2	0.028
A086		21.5	0.120	33.6	16.9	0.001	0.16	0.528	5.5	1.7	1.5	27.4	<-0.01	0.05	6.0	0.076
A088		7.9	0.096	6.93	4.9	<0.001	0.08	0.146	1.0	0.2	0.3	58.3	<-0.01	0.01	0.1	0.032
A089		2.7	0.070	8.52	1.4	0.001	0.10	0.212	0.5	0.3	0.3	73.1	<-0.01	0.01	0.1	0.017
A090		58.3	0.155	4.29	10.0	0.001	0.20	0.189	4.0	1.3	0.3	164.5	<-0.01	0.02	0.7	0.050
A090D		61.8	0.158	4.51	10.1	0.002	0.20	0.195	4.4	1.4	0.3	169.0	<-0.01	0.01	0.7	0.050
A091		9.7	0.087	5.88	3.3	<0.001	0.13	0.139	1.2	0.4	0.3	84.7	<-0.01	0.01	0.2	0.033
A092		7.2	0.076	11.10	3.8	0.001	0.11	0.237	0.5	0.3	0.3	63.3	<-0.01	0.01	0.1	0.026
A093		15.8	0.102	6.34	7.0	0.001	0.13	0.207	1.8	0.4	0.2	146.0	<-0.01	0.01	0.3	0.032
A095		8.5	0.071	8.85	3.1	<0.001	0.09	0.196	0.6	0.4	0.3	99.9	<-0.01	0.01	<-0.1	0.023
A097		81.3	0.184	5.73	4.0	0.002	0.43	0.199	0.6	2.5	0.3	267	<-0.01	0.01	0.2	0.016
A098		137.5	0.132	6.58	6.1	0.001	0.23	0.436	1.8	1.8	0.4	249	<-0.01	0.02	0.3	0.025
A099		10.7	0.105	11.65	4.6	<0.001	0.11	0.160	0.4	0.1	0.4	79.7	<-0.01	0.02	<-0.1	0.025
A100		8.8	0.081	7.04	2.2	<0.001	0.13	0.191	0.8	0.4	0.3	158.0	<-0.01	0.02	0.3	0.017



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
A051		0.10	1.90	25	0.11	17.60	51.6	1.8
A052		0.07	0.50	19	0.08	9.79	90.3	<0.5
A053		0.02	0.21	8	0.07	1.25	30.0	0.5
A055		0.07	1.71	22	0.08	8.35	43.0	2.4
A055D		0.07	1.85	23	0.08	9.12	49.1	2.6
A056		0.03	0.63	13	0.19	3.06	56.6	0.9
A057		0.02	0.11	10	0.12	0.87	86.1	<0.5
A058		0.04	0.69	26	0.09	3.57	52.4	0.6
A059		<0.02	0.09	13	0.06	0.62	34.8	<0.5
A060		0.03	0.16	23	0.12	2.12	165.5	0.6
A061		0.02	0.07	7	0.20	0.48	35.4	<0.5
A062		0.02	0.08	8	0.06	0.73	53.2	<0.5
A063		0.03	0.30	9	0.06	2.57	124.5	0.8
A064		0.04	0.20	25	0.09	1.84	66.4	<0.5
A065		0.06	0.45	25	0.14	14.05	57.9	<0.5
A066		0.39	34.4	31	0.24	19.05	188.5	0.5
A067		0.03	0.24	22	0.08	5.15	25.4	<0.5
A070		0.10	2.57	44	0.15	23.7	64.9	2.0
A073		0.03	0.13	21	0.11	1.25	43.6	<0.5
A074		0.04	0.10	19	0.25	0.91	61.9	<0.5
A075		0.03	0.22	14	0.09	5.09	70.8	<0.5
A076		0.03	0.10	31	0.08	1.03	54.1	<0.5
A077		0.04	0.15	24	0.11	1.50	56.4	<0.5
A079		<0.02	<0.05	3	0.06	0.53	27.3	<0.5
A081		0.02	<0.05	3	0.03	0.35	91.5	<0.5
A083		0.03	0.13	54	0.14	0.79	67.6	<0.5
A084		0.03	1.58	19	0.07	9.61	32.7	0.8
A086		0.23	6.40	42	0.36	28.6	197.0	1.9
A088		0.04	0.19	16	0.08	2.51	47.3	<0.5
A089		<0.02	0.08	10	0.04	0.49	46.4	<0.5
A090		0.08	1.86	52	0.06	7.81	142.0	4.5
A090D		0.09	1.92	52	0.06	8.63	138.5	4.9
A091		0.02	0.24	19	0.09	2.87	40.8	0.9
A092		0.02	0.19	17	0.11	0.85	35.6	<0.5
A093		0.06	0.89	28	0.07	3.21	26.3	2.2
A095		0.03	0.20	18	0.07	3.51	40.5	<0.5
A097		0.13	6.84	34	0.06	16.70	19.4	7.5
A098		0.20	6.82	40	0.10	31.2	24.8	3.8
A099		0.04	0.23	18	0.53	1.17	43.4	<0.5
A100		0.03	2.01	16	0.09	4.42	32.6	0.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A101		0.06	0.0034	0.221	1.49	2.14	<10	185.5	1.89	0.07	2.23	0.27	48.2	3.4	13.6	0.53
A102		0.04	0.0021	0.130	0.30	0.68	<10	287	0.09	0.08	0.90	0.32	4.17	3.1	7.9	0.33
A103		0.06	0.0024	0.387	0.95	1.75	10	168.0	0.36	0.05	2.87	0.47	11.50	5.5	19.8	0.33
A104		0.02	0.0039	0.230	1.26	14.55	40	135.0	0.47	0.48	0.88	2.09	41.9	9.0	18.9	1.07
A105		0.04	0.0022	0.056	0.59	2.07	<10	177.5	0.13	0.10	0.76	0.24	5.44	3.0	10.3	0.60
A106		0.06	0.0023	0.427	2.14	2.06	<10	499	1.38	0.11	1.14	0.22	115.0	11.6	28.1	0.81
A107		0.06	0.0021	0.258	0.73	1.07	<10	326	0.43	0.08	1.04	0.26	33.6	4.7	13.8	0.72
A108		0.06	0.0033	0.126	1.51	2.56	10	203	0.92	0.05	2.83	0.43	39.8	4.2	17.0	0.99
A109		0.06	0.0030	0.106	0.45	0.85	10	137.0	0.14	0.06	2.33	0.56	7.22	5.7	16.2	0.48
A110		0.04	0.0017	0.071	0.42	0.51	10	211	0.08	0.05	1.39	0.51	2.38	2.9	4.7	0.52
A111		0.06	0.0016	0.342	0.28	0.68	10	403	0.08	0.08	2.37	0.55	3.67	4.9	9.8	0.30
A112		0.06	0.0029	0.393	0.72	1.36	<10	93.5	1.51	0.07	2.33	0.24	45.8	2.4	3.1	0.72
A113		0.06	0.0022	0.050	0.55	1.97	10	526	0.21	0.11	2.01	0.43	5.62	3.4	5.2	0.71
A114		0.06	0.0013	0.071	0.42	1.15	<10	183.5	0.29	0.09	1.68	0.20	17.60	4.6	4.2	0.75
A115		0.06	0.0024	0.144	2.54	2.28	<10	435	1.07	0.07	1.63	0.24	132.5	12.7	34.3	1.08
A116		0.08	0.0023	0.241	2.67	2.59	<10	328	1.17	0.06	1.34	0.25	90.6	16.7	31.4	0.84
A117		0.08	0.0013	0.102	0.86	1.08	<10	222	0.23	0.11	0.98	0.34	8.68	7.3	29.5	0.98
A118		0.06	0.0023	0.221	0.19	0.83	10	356	<0.05	0.07	1.74	1.02	2.33	1.5	4.9	0.30
A119		0.06	0.0016	0.374	0.30	0.41	10	222	0.07	0.06	0.91	0.56	4.74	3.2	11.1	0.26
A120		0.06	0.0015	0.196	0.23	1.78	10	322	<0.05	0.09	1.45	0.79	2.66	2.9	7.3	0.21
A121		0.06	0.0014	0.658	0.91	1.08	10	183.5	0.27	0.09	3.10	0.91	11.45	7.7	18.6	0.42
A122		0.06	0.0016	0.239	0.50	1.02	10	334	0.12	0.08	1.49	1.29	5.52	4.0	15.6	0.37
A122D		0.08	0.0011	0.209	0.60	1.10	10	371	0.13	0.10	1.35	1.11	5.19	4.7	22.1	0.36
A123		0.06	0.0015	0.203	0.64	1.14	10	432	0.17	0.08	1.48	1.62	12.85	4.4	16.2	0.30
A124		0.06	0.0019	0.114	0.37	1.49	10	388	0.08	0.10	2.18	1.45	3.27	3.4	10.3	0.31
A125		0.08	0.0021	0.228	0.84	2.02	10	305	0.33	0.07	3.20	2.11	15.60	7.7	22.6	0.40
A126		0.08	0.0014	0.155	1.39	2.21	<10	398	0.72	0.07	1.74	0.29	66.4	5.9	11.0	0.68
A127		0.10	0.0008	0.245	0.92	4.53	<10	155.5	0.38	0.06	1.76	0.32	14.95	7.5	17.5	1.24
A128		0.08	0.0002	0.095	1.34	1.74	<10	465	0.30	0.14	1.24	0.40	12.05	10.4	24.4	8.93
A129		0.08	<0.0002	0.290	2.30	2.84	<10	779	1.78	0.09	2.40	0.44	62.7	10.3	39.7	1.32
A130		0.06	0.0003	0.063	0.76	1.24	<10	260	0.23	0.12	0.68	0.14	8.10	6.6	17.9	0.82
A131		0.06	0.0002	0.047	0.71	1.59	<10	220	0.17	0.09	0.83	0.32	6.72	5.8	40.1	0.65
A132		0.06	0.0002	0.096	0.44	0.89	<10	234	0.10	0.11	0.52	0.19	3.50	4.1	17.2	0.60
A133		0.06	0.0006	0.060	0.64	2.44	<10	270	0.14	0.09	0.74	0.23	4.91	4.1	20.7	0.72
A134		0.06	<0.0002	0.107	0.49	0.95	10	396	0.07	0.12	1.45	0.38	7.10	6.8	9.5	1.07
A135		0.06	0.0029	0.070	0.41	0.76	10	425	0.08	0.09	1.51	1.23	3.17	4.2	10.3	0.42
A136		0.04	0.0014	0.034	0.52	1.11	<10	341	0.12	0.11	1.60	0.64	4.00	5.6	45.0	0.75
A137		0.08	0.0006	0.126	0.60	1.66	10	355	0.18	0.09	2.60	0.64	6.61	3.5	13.7	0.51
A138		0.10	0.0006	0.446	1.78	3.04	10	597	2.89	0.17	2.73	1.10	42.6	13.0	42.2	2.21
A139		0.08	0.0035	0.050	0.15	0.36	20	126.5	0.10	0.04	3.10	0.49	2.50	3.0	4.4	0.17



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
A101		258	1.05	4.40	0.40	0.08	0.257	0.021	0.12	129.0	10.9	0.27	1950	3.10	0.01	0.43
A102		13.55	0.48	1.04	<0.05	<0.02	0.261	0.011	0.07	3.1	1.1	0.09	2570	9.11	0.01	0.25
A103		39.6	1.04	2.52	0.06	0.09	0.160	0.010	0.10	6.8	7.8	0.39	383	8.17	0.03	0.52
A104		30.2	2.37	4.15	0.10	0.02	0.181	0.055	0.11	22.4	9.6	0.34	390	1.67	0.04	1.15
A105		38.1	0.80	1.91	<0.05	<0.02	0.250	0.011	0.08	2.7	2.2	0.10	3570	1.94	0.02	0.31
A106		59.3	1.78	5.77	0.15	0.03	0.178	0.025	0.13	52.3	5.1	0.33	2410	1.70	0.02	0.54
A107		17.15	0.81	2.01	0.06	0.02	0.286	0.016	0.09	17.7	1.9	0.19	1350	1.20	0.01	0.37
A108		54.2	1.48	3.92	0.24	0.25	0.159	0.019	0.11	72.8	4.1	0.50	244	0.69	0.02	0.44
A109		22.3	0.75	1.30	<0.05	0.04	0.159	0.011	0.24	5.6	1.6	0.34	656	0.86	0.01	0.25
A110		14.10	0.49	1.03	<0.05	<0.02	0.173	0.007	0.11	1.2	1.4	0.19	2210	2.55	0.02	0.19
A111		17.45	0.50	0.98	<0.05	<0.02	0.192	0.013	0.13	1.8	1.3	0.20	4260	4.31	0.02	0.22
A112		285	0.59	2.08	0.14	0.05	0.238	0.014	0.09	63.4	6.5	0.14	2150	10.70	0.01	0.23
A113		16.75	0.51	1.46	<0.05	<0.02	0.343	0.017	0.15	2.5	2.2	0.14	8720	1.13	0.01	0.26
A114		42.8	0.50	1.24	<0.05	<0.02	0.315	0.014	0.10	7.7	1.4	0.14	5070	3.68	0.01	0.20
A115		51.7	2.07	5.82	0.24	0.06	0.216	0.029	0.07	67.2	3.8	0.30	3140	0.92	0.02	0.43
A116		51.4	1.91	6.18	0.17	0.06	0.238	0.033	0.06	44.7	3.9	0.30	854	0.72	0.02	0.45
A117		15.55	1.49	3.08	<0.05	0.02	0.206	0.017	0.09	4.0	2.1	0.14	4280	2.70	0.02	0.62
A118		12.20	0.29	0.63	<0.05	<0.02	0.372	0.006	0.11	1.1	0.8	0.17	2400	1.21	0.02	0.17
A119		8.97	0.57	1.25	<0.05	<0.02	0.142	0.007	0.11	2.3	1.3	0.14	1400	3.94	0.02	0.36
A120		9.02	0.39	0.84	<0.05	<0.02	0.413	0.011	0.11	1.2	0.8	0.14	4010	2.53	0.01	0.19
A121		36.0	1.24	2.59	0.05	0.06	0.186	0.012	0.09	7.1	4.2	0.51	665	1.30	0.02	0.80
A122		13.20	0.85	1.61	<0.05	0.02	0.224	0.009	0.09	2.6	1.7	0.21	1520	2.85	0.02	0.47
A122D		10.40	1.06	2.09	<0.05	0.02	0.219	0.013	0.11	2.7	1.8	0.20	1840	2.62	0.02	0.46
A123		16.45	0.90	2.21	<0.05	<0.02	0.268	0.011	0.12	7.9	1.8	0.21	3280	1.65	0.02	0.35
A124		11.60	0.60	1.24	<0.05	0.02	0.444	0.013	0.14	1.5	1.2	0.20	1760	5.44	0.02	0.27
A125		48.0	1.52	2.41	0.05	0.09	0.106	0.017	0.14	8.9	2.6	0.73	672	0.83	0.03	0.55
A126		26.8	1.08	2.98	0.11	0.04	0.209	0.017	0.12	31.6	1.9	0.25	2900	2.03	0.02	0.34
A127		16.00	1.10	2.41	0.05	0.02	0.165	0.012	0.09	7.7	3.1	0.29	1980	0.73	0.02	0.48
A128		18.20	1.40	3.55	<0.05	<0.02	0.221	0.020	0.11	5.0	3.1	0.20	4810	1.20	0.02	0.51
A129		67.9	2.25	5.67	0.13	0.08	0.121	0.028	0.10	32.1	4.9	0.39	1120	0.61	0.03	0.66
A130		14.30	1.09	2.81	<0.05	<0.02	0.236	0.011	0.09	4.1	2.4	0.12	4020	0.89	0.01	0.26
A131		14.00	1.48	2.70	<0.05	0.02	0.144	0.013	0.09	3.3	2.3	0.15	1400	2.47	0.02	0.57
A132		11.00	0.83	2.00	<0.05	<0.02	0.166	0.008	0.07	1.8	0.9	0.07	1510	1.37	0.01	0.35
A133		12.20	1.00	2.14	<0.05	<0.02	0.087	0.011	0.09	2.5	2.4	0.15	2180	3.56	0.02	0.45
A134		30.1	1.04	2.02	0.05	<0.02	0.237	0.015	0.22	3.0	2.7	0.25	5500	8.47	0.01	0.58
A135		16.70	0.49	1.08	<0.05	0.02	0.193	0.013	0.07	1.8	1.1	0.11	2380	2.88	0.01	0.23
A136		14.10	1.18	2.38	<0.05	0.02	0.156	0.012	0.08	2.1	1.5	0.10	1320	4.35	0.02	0.33
A137		20.1	0.75	1.43	<0.05	0.08	0.217	0.012	0.06	5.7	2.2	0.41	1050	1.37	0.02	0.23
A138		160.0	2.74	5.47	0.23	0.10	0.077	0.024	0.21	65.4	5.5	0.61	952	0.46	0.04	0.91
A139		17.15	0.23	0.44	<0.05	0.03	0.136	0.005	0.10	4.1	0.6	0.74	251	1.99	0.01	0.11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
A101		25.9	0.103	12.50	6.6	<0.001	0.13	0.412	2.7	4.2	0.4	140.5	0.01	0.01	0.6	0.020
A102		7.6	0.086	20.9	2.1	<0.001	0.11	0.210	0.7	0.3	0.4	85.8	<0.01	0.01	0.2	0.023
A103		33.9	0.119	4.97	3.8	0.001	0.16	0.355	1.9	1.3	0.3	219	<0.01	0.02	0.3	0.027
A104		31.7	0.126	97.7	10.4	0.003	0.98	1.100	3.0	2.7	3.2	42.1	<0.01	0.14	0.8	0.055
A105		8.2	0.099	22.9	5.7	<0.001	0.12	0.195	0.2	0.2	0.5	60.6	<0.01	0.01	<0.1	0.021
A106		45.8	0.129	15.45	10.3	<0.001	0.09	0.293	2.7	1.3	0.6	222	<0.01	0.02	0.1	0.030
A107		20.6	0.119	13.20	6.9	<0.001	0.12	0.272	1.5	0.5	0.3	149.0	<0.01	0.02	0.1	0.026
A108		43.4	0.114	3.68	12.8	<0.001	0.15	0.346	3.3	2.1	0.5	297	0.01	0.01	0.5	0.018
A109		20.4	0.139	10.30	14.0	<0.001	0.17	0.159	0.9	0.5	0.3	333	<0.01	0.01	0.1	0.024
A110		5.4	0.121	9.90	6.7	<0.001	0.14	0.129	0.4	0.3	0.3	156.5	<0.01	0.01	<0.1	0.025
A111		13.4	0.120	17.95	3.0	<0.001	0.13	0.166	0.2	0.2	0.3	180.0	<0.01	0.02	<0.1	0.024
A112		6.8	0.105	15.60	5.7	<0.001	0.15	0.329	1.2	1.7	0.3	130.5	<0.01	0.02	0.7	0.011
A113		7.3	0.119	27.6	8.6	<0.001	0.13	0.256	0.4	0.3	0.4	153.0	<0.01	0.02	0.1	0.019
A114		8.5	0.106	22.4	8.4	<0.001	0.13	0.294	0.4	0.4	0.3	130.5	<0.01	0.01	0.1	0.015
A115		62.5	0.127	7.75	10.9	<0.001	0.12	0.337	4.7	2.3	0.4	315	<0.01	0.01	0.2	0.025
A116		43.8	0.147	5.64	8.4	<0.001	0.10	0.205	6.1	1.5	0.4	260	<0.01	0.01	0.3	0.022
A117		15.5	0.108	19.45	14.7	<0.001	0.07	0.165	1.6	0.2	0.5	165.0	<0.01	0.01	0.3	0.068
A118		5.0	0.107	15.15	2.3	<0.001	0.18	0.211	0.4	0.3	0.3	158.5	<0.01	0.02	0.1	0.013
A119		5.6	0.065	9.88	2.5	<0.001	0.07	0.155	0.7	0.3	0.2	74.4	<0.01	0.01	0.1	0.036
A120		6.0	0.097	18.60	1.6	<0.001	0.14	0.249	0.6	0.4	0.3	114.0	<0.01	0.02	0.1	0.019
A121		19.2	0.085	6.31	5.1	0.001	0.13	0.225	2.2	2.1	0.3	374	<0.01	0.01	0.4	0.043
A122		12.1	0.103	14.25	4.5	0.001	0.12	0.234	1.0	0.3	0.3	163.0	<0.01	0.01	0.2	0.034
A122D		12.5	0.091	16.00	5.2	<0.001	0.09	0.192	1.1	0.3	0.3	154.0	<0.01	0.01	0.1	0.044
A123		15.2	0.121	12.85	3.5	<0.001	0.12	0.148	1.0	0.5	0.3	164.5	<0.01	0.01	0.1	0.037
A124		7.3	0.093	23.6	6.2	<0.001	0.16	0.229	0.7	0.5	0.4	229	<0.01	0.02	0.1	0.027
A125		31.4	0.115	5.72	11.4	<0.001	0.15	0.168	1.9	1.0	0.3	444	<0.01	0.02	0.3	0.040
A126		23.5	0.101	15.55	9.1	<0.001	0.11	0.219	2.1	1.0	0.3	277	<0.01	0.01	0.2	0.023
A127		14.5	0.091	6.82	19.0	<0.001	0.09	0.136	1.6	0.4	0.3	313	<0.01	0.02	0.2	0.036
A128		16.4	0.117	23.9	22.0	<0.001	0.10	0.215	0.7	0.3	0.6	166.0	<0.01	0.02	<0.1	0.059
A129		58.1	0.098	5.81	20.5	<0.001	0.06	0.145	5.5	1.1	0.4	383	<0.01	0.02	0.3	0.061
A130		13.1	0.105	17.75	9.7	<0.001	0.08	0.197	0.4	0.4	0.4	69.5	<0.01	0.02	<0.1	0.028
A131		16.3	0.060	14.35	15.8	<0.001	0.06	0.128	1.5	0.3	0.4	111.5	<0.01	0.02	0.2	0.068
A132		8.8	0.084	16.75	6.0	<0.001	0.07	0.172	0.5	0.3	0.4	73.1	<0.01	0.02	<0.1	0.041
A133		9.4	0.074	11.40	8.1	<0.001	0.06	0.102	0.9	0.3	0.4	97.0	<0.01	0.02	0.1	0.060
A134		8.4	0.103	19.60	20.2	<0.001	0.09	0.247	0.7	0.4	0.3	199.0	<0.01	0.04	0.1	0.055
A135		9.9	0.102	15.05	6.8	<0.001	0.13	0.147	0.4	0.3	0.3	240	<0.01	0.02	<0.1	0.020
A136		15.9	0.109	16.35	8.7	<0.001	0.10	0.148	0.9	0.3	0.6	231	<0.01	0.01	0.1	0.042
A137		29.7	0.098	9.58	4.6	<0.001	0.16	0.240	1.7	1.1	0.3	163.0	<0.01	0.01	0.2	0.021
A138		137.5	0.189	8.72	38.0	<0.001	0.07	0.149	4.6	2.0	0.5	205	<0.01	0.02	1.0	0.072
A139		17.6	0.130	5.75	3.0	<0.001	0.22	0.113	0.3	0.3	0.2	256	<0.01	0.03	0.1	0.007



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
A101		0.06	80.7	20	0.13	167.5	38.2	1.6
A102		0.04	0.82	13	0.20	2.40	81.3	<0.5
A103		0.05	40.2	86	0.10	6.29	68.2	3.1
A104		0.37	29.9	31	0.24	17.00	176.5	<0.5
A105		0.06	0.89	23	0.08	1.53	89.9	<0.5
A106		0.08	1.44	34	0.10	34.4	47.6	0.5
A107		0.08	0.53	18	0.08	10.15	88.6	0.8
A108		0.15	9.21	45	0.09	90.2	53.7	8.1
A109		0.04	0.41	18	0.05	4.76	64.6	1.4
A110		0.04	0.06	12	0.07	0.68	136.5	<0.5
A111		0.02	0.09	15	0.36	0.96	146.5	<0.5
A112		0.04	15.90	12	0.08	65.7	36.4	1.2
A113		0.08	0.15	12	0.09	1.56	66.3	<0.5
A114		0.04	0.54	15	0.12	7.61	51.7	<0.5
A115		0.18	1.76	40	0.07	62.4	83.3	1.5
A116		0.12	3.42	44	0.09	38.0	58.9	2.2
A117		0.06	0.25	40	0.08	1.70	117.0	0.8
A118		0.07	0.09	6	0.05	0.65	169.5	0.5
A119		0.02	0.10	17	0.06	1.00	80.3	<0.5
A120		0.05	0.08	11	0.09	0.64	95.1	<0.5
A121		0.04	6.39	32	0.08	5.04	41.6	2.1
A122		0.03	0.40	22	0.10	1.39	161.5	1.1
A122D		0.04	0.17	30	0.10	1.24	159.5	0.5
A123		0.04	0.17	25	0.06	4.69	200	0.5
A124		0.04	0.10	15	0.07	0.85	89.5	0.8
A125		0.04	1.32	38	0.05	7.46	45.1	3.3
A126		0.10	0.60	24	0.09	24.0	58.7	1.2
A127		0.07	0.70	22	0.05	6.95	69.4	0.8
A128		0.19	0.22	36	0.07	2.60	96.4	<0.5
A129		0.11	1.53	52	0.06	26.3	84.1	2.6
A130		0.09	0.22	31	0.06	2.54	66.7	<0.5
A131		0.09	0.18	46	0.08	1.59	63.7	0.8
A132		0.07	0.11	25	0.07	0.69	51.9	<0.5
A133		0.04	0.14	30	0.10	1.05	79.3	<0.5
A134		0.06	0.28	35	0.09	2.13	165.0	<0.5
A135		0.05	0.12	12	0.06	0.93	203	0.6
A136		0.03	0.10	34	0.09	0.93	152.5	0.5
A137		0.16	3.37	18	0.05	7.03	45.0	3.1
A138		0.13	2.14	59	0.06	52.4	112.0	4.1
A139		0.03	1.16	17	0.04	3.24	15.0	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21 - NOV - 2012
Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. Au kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A140		0.08	0.0002	0.058	1.29	0.96	<10	367	0.54	0.08	1.20	0.22	95.1	8.1	30.1	0.78
A141		0.06	0.0010	0.113	0.57	1.43	10	258	0.11	0.06	0.77	0.19	5.14	4.1	24.1	0.65
A142		0.08	0.0006	0.215	1.40	1.22	10	596	0.60	0.07	2.03	0.48	98.3	5.2	19.3	0.62
A143		0.06	0.0007	0.167	0.69	2.17	<10	243	0.23	0.07	1.04	0.18	24.4	11.5	28.5	0.44
A144		0.08	0.0006	0.257	2.49	2.41	<10	443	0.91	0.09	1.22	0.23	111.0	9.7	38.1	0.69
A145		0.06	0.0008	0.179	0.50	0.46	<10	115.0	0.17	0.07	0.58	0.16	12.20	4.2	11.0	0.32
A146		0.04	<0.0002	0.108	0.55	0.49	<10	121.5	0.19	0.06	0.95	0.15	14.15	4.2	10.3	0.20
A147		0.08	0.0010	0.431	1.82	1.59	<10	173.5	0.54	0.09	0.92	0.23	35.0	9.3	39.6	0.72
A148		0.06	0.0007	0.181	0.46	0.24	<10	73.6	0.11	0.05	0.44	0.09	6.65	1.7	8.7	0.28
A149		0.08	<0.0002	0.034	0.38	0.35	<10	70.5	0.06	0.05	0.56	0.12	4.70	3.1	10.9	0.23
A150		0.06	0.0020	0.025	0.13	0.27	<10	31.1	<0.05	0.03	1.65	0.20	1.29	1.1	4.4	0.08
A150D		0.08	0.0017	0.061	0.09	0.48	10	31.4	<0.05	0.02	2.94	0.32	0.86	1.2	3.9	0.07
A151		0.06	0.0008	0.099	0.24	0.16	10	66.8	0.05	0.03	2.24	0.35	2.40	3.2	6.1	0.16
A152		0.06	0.0018	0.199	0.12	0.57	10	148.0	<0.05	0.04	3.29	0.60	1.35	1.3	2.1	0.20
A153		0.08	0.0016	0.385	0.42	0.71	<10	103.0	0.09	0.05	1.07	0.63	5.27	4.0	12.0	0.30
A154		0.08	0.0008	0.049	0.34	0.90	20	53.6	0.11	0.05	2.35	0.58	4.35	3.7	8.4	0.30
A155		0.08	0.0005	0.577	0.91	1.56	10	211	0.34	0.09	2.05	0.94	14.50	5.3	18.6	0.45
A156		0.06	0.0018	0.095	0.16	0.53	10	110.5	<0.05	0.06	1.89	0.81	1.71	2.5	5.7	0.14
A157		0.06	0.0010	0.107	0.21	0.15	10	183.5	<0.05	0.06	0.87	0.60	2.60	2.1	11.0	0.41
A158		0.06	0.0005	0.063	0.09	6.69	30	317	0.33	0.03	4.11	0.45	2.94	11.8	3.6	0.10
A159		0.06	0.0002	0.122	0.42	0.55	10	152.5	0.11	0.08	2.57	2.32	5.69	6.1	16.8	0.42
A160		0.06	0.0004	0.038	1.63	3.46	<10	629	0.40	0.16	1.32	0.41	15.25	15.0	23.6	1.78
A161		0.06	0.0004	0.103	0.46	2.09	10	716	0.13	0.16	2.12	0.65	5.33	5.3	7.9	0.77
A162		0.06	0.0010	0.208	0.17	0.65	20	133.5	<0.05	0.05	1.41	0.33	1.06	0.8	3.4	0.11
A163		0.06	0.0026	0.027	0.03	0.91	40	104.0	<0.05	0.02	4.08	0.50	0.58	0.8	1.8	<0.05
A164		0.06	0.0008	0.079	0.09	0.29	30	335	<0.05	0.03	3.09	0.73	0.88	1.0	1.9	0.17
A165		0.06	0.0008	0.332	0.21	0.25	10	316	<0.05	0.06	1.50	0.26	1.43	1.3	4.2	0.28
A166		0.06	0.0007	0.047	0.40	0.30	<10	137.5	0.07	0.04	1.53	0.19	3.21	2.6	9.8	0.51
A167		0.08	0.0003	0.129	0.47	0.50	<10	300	0.10	0.11	0.74	0.39	5.25	3.7	12.8	0.34
A169		0.06	0.0005	0.067	0.20	0.43	<10	46.4	<0.05	0.04	0.57	0.48	2.15	1.8	8.1	0.14
A170		0.08	0.0022	0.140	1.62	1.80	<10	170.5	0.57	0.08	1.61	0.30	31.5	6.4	42.2	0.58
A170D		0.08	0.0025	0.268	1.43	1.82	<10	147.5	0.47	0.10	1.68	0.24	23.6	5.7	39.7	0.54
A171		0.04	0.0014	0.125	0.17	1.38	<10	203	<0.05	0.08	0.99	0.22	1.51	0.9	2.8	0.16
A173		0.06	0.0038	0.095	0.16	1.50	10	103.0	0.46	0.04	3.08	0.34	17.70	0.8	3.3	0.06
A174		0.06	0.0017	0.154	0.07	0.74	10	239	<0.05	0.08	1.93	0.70	0.98	0.7	1.4	0.18
A175		0.06	0.0008	1.070	0.90	1.66	10	360	0.54	0.07	4.02	2.54	16.65	6.6	20.0	0.46
A176		0.08	<0.0002	0.117	0.52	1.59	10	602	0.10	0.12	1.54	1.52	6.11	6.1	16.2	0.26
A177		0.08	<0.0002	0.461	0.47	0.99	<10	269	0.13	0.11	0.90	1.57	8.57	4.2	19.0	0.27
A178		0.06	0.0003	0.270	0.28	0.47	10	422	0.07	0.07	1.63	0.40	3.41	3.3	5.9	0.27
A179		0.08	0.0024	0.014	0.01	0.14	10	279	<0.05	0.02	1.58	0.57	0.11	0.1	0.8	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
A140		25.1	1.29	3.59	0.14	0.02	0.125	0.016	0.08	49.4	3.2	0.38	1880	2.41	0.02	0.45
A141		13.35	0.93	1.91	<0.05	0.02	0.146	0.009	0.09	3.0	1.5	0.20	578	1.79	0.02	0.43
A142		25.2	1.02	3.17	0.14	0.03	0.673	0.017	0.08	48.6	2.7	0.36	1810	1.39	0.02	0.33
A143		17.05	1.26	2.23	0.05	<0.02	0.158	0.010	0.12	10.4	2.6	0.28	1880	1.59	0.02	0.42
A144		39.3	2.21	6.29	0.14	0.03	0.164	0.026	0.10	48.9	5.2	0.46	1440	1.10	0.02	0.62
A145		9.35	0.77	2.05	<0.05	<0.02	0.058	0.008	0.10	5.6	2.4	0.16	563	2.32	0.01	0.38
A146		10.90	0.68	1.61	0.06	<0.02	0.144	0.008	0.08	10.5	1.8	0.17	928	1.56	0.01	0.37
A147		43.4	1.89	4.98	0.08	0.03	0.108	0.020	0.12	19.2	9.7	0.42	810	0.70	0.02	0.98
A148		6.56	0.59	2.02	<0.05	<0.02	0.091	0.006	0.05	3.8	1.4	0.09	83	0.92	0.01	0.30
A149		6.09	0.75	1.61	<0.05	<0.02	0.085	0.005	0.06	2.5	2.1	0.14	613	0.83	0.01	0.38
A150		5.51	0.18	0.44	<0.05	<0.02	0.198	<0.005	0.06	0.7	0.7	0.41	203	1.05	0.03	0.12
A150D		7.56	0.12	0.24	<0.05	<0.02	0.204	0.005	0.07	0.5	0.4	0.46	165	1.62	0.03	0.08
A151		8.23	0.35	0.77	<0.05	<0.02	0.134	0.005	0.10	1.2	1.7	0.31	271	1.95	0.02	0.29
A152		31.0	0.17	0.38	<0.05	0.03	0.177	0.007	0.09	1.2	0.7	0.62	359	2.02	0.02	0.10
A153		20.3	0.74	1.47	<0.05	<0.02	0.157	0.006	0.07	2.5	2.4	0.21	208	2.00	0.02	0.39
A154		21.5	0.49	0.94	<0.05	0.05	0.133	0.005	0.06	2.7	1.7	0.73	277	1.17	0.02	0.24
A155		67.1	1.32	3.26	0.07	0.04	0.105	0.014	0.08	23.1	5.4	0.74	641	0.95	0.02	0.75
A156		13.65	0.29	0.65	<0.05	0.02	0.208	0.007	0.06	1.0	0.5	0.31	548	4.70	0.01	0.16
A157		6.11	0.54	1.21	<0.05	<0.02	0.114	<0.005	0.07	1.4	1.0	0.11	631	1.13	0.01	0.27
A158		43.5	0.77	0.27	<0.05	0.05	0.122	0.005	0.10	3.0	0.5	0.82	4600	1.32	0.02	0.12
A159		19.20	0.70	1.55	<0.05	0.03	0.152	0.015	0.09	2.8	1.2	0.43	1560	4.38	0.01	0.25
A160		20.9	2.06	4.29	<0.05	0.02	0.199	0.024	0.17	6.1	3.6	0.27	3670	1.39	0.02	0.59
A161		15.25	0.63	1.51	<0.05	<0.02	0.472	0.018	0.13	2.4	1.5	0.13	6570	2.59	0.01	0.28
A162		8.11	0.21	0.51	<0.05	<0.02	0.237	0.006	1.36	0.6	0.5	0.22	1150	2.36	0.01	0.12
A163		17.80	0.05	0.11	<0.05	<0.02	0.162	<0.005	0.05	0.3	0.3	0.64	38	4.07	0.04	<0.05
A164		12.80	0.14	0.31	<0.05	<0.02	0.283	<0.005	0.12	0.4	0.6	0.19	1220	1.23	0.01	0.08
A165		8.03	0.26	0.62	<0.05	<0.02	0.200	0.005	0.07	0.8	0.6	0.10	1410	3.37	0.02	0.16
A166		12.10	0.51	1.48	<0.05	0.03	0.099	0.006	0.09	1.7	2.0	0.22	762	2.52	0.02	0.36
A167		8.93	0.68	1.82	<0.05	<0.02	0.084	0.010	0.06	3.2	1.2	0.10	353	2.95	0.01	0.29
A169		8.83	0.46	0.88	<0.05	0.02	0.136	<0.005	0.07	1.2	0.7	0.16	182	3.36	0.01	0.24
A170		123.0	1.60	4.86	0.08	0.13	0.161	0.018	0.10	18.5	8.0	0.55	180	0.77	0.02	1.00
A170D		90.6	1.49	4.35	0.06	0.11	0.160	0.016	0.09	12.8	7.6	0.54	99	0.75	0.02	0.95
A171		6.26	0.20	0.49	<0.05	<0.02	0.402	0.010	0.08	0.9	0.4	0.07	368	1.86	0.02	0.10
A173		40.9	0.24	0.60	0.10	0.10	0.197	0.006	0.04	25.8	0.8	0.48	15	1.25	0.02	0.12
A174		11.65	0.11	0.25	<0.05	<0.02	0.323	0.009	0.07	0.6	0.3	0.13	477	2.35	0.02	0.06
A175		190.0	1.21	2.55	0.08	0.08	0.142	0.012	0.11	20.2	4.6	0.48	709	0.63	0.02	0.56
A176		12.95	0.82	1.59	<0.05	<0.02	0.420	0.014	0.13	2.6	1.7	0.19	9890	2.71	0.03	0.28
A177		18.35	0.77	1.86	<0.05	<0.02	0.122	0.011	0.06	5.2	0.9	0.10	286	1.10	0.02	0.21
A178		11.20	0.30	0.70	<0.05	<0.02	0.417	0.009	0.13	1.7	0.7	0.12	2530	1.44	0.02	0.15
A179		5.20	0.01	<0.05	<0.05	<0.02	0.269	<0.005	0.08	<0.2	0.1	0.04	237	0.12	0.01	<0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
A140		58.4	0.093	11.35	8.4	<0.001	0.08	0.293	2.3	1.2	0.4	199.5	<0.01	0.02	0.1	0.038
A141		17.5	0.085	8.19	8.9	<0.001	0.09	0.137	0.8	0.2	0.4	120.0	<0.01	0.02	0.1	0.042
A142		46.3	0.128	9.89	5.4	<0.001	0.15	0.343	1.8	1.4	0.3	326	<0.01	0.02	0.1	0.020
A143		21.3	0.111	7.32	6.5	<0.001	0.08	0.159	1.3	0.4	0.3	122.0	<0.01	0.02	0.1	0.043
A144		54.2	0.131	7.78	11.8	<0.001	0.09	0.276	3.6	1.3	0.5	204	<0.01	0.01	0.1	0.033
A145		8.2	0.069	5.91	6.4	<0.001	0.05	0.102	0.7	0.4	0.2	62.6	<0.01	0.03	0.1	0.038
A146		9.9	0.083	8.82	3.1	<0.001	0.07	0.237	0.8	0.4	0.3	85.5	<0.01	0.03	0.1	0.027
A147		38.1	0.096	4.40	10.2	0.001	0.06	0.322	5.2	0.8	0.4	99.1	<0.01	0.02	0.5	0.064
A148		6.1	0.056	6.06	3.3	<0.001	0.05	0.105	0.5	0.2	0.3	41.4	<0.01	0.02	<0.1	0.023
A149		6.4	0.057	5.38	3.6	<0.001	0.05	0.079	0.7	0.2	0.2	34.6	<0.01	0.02	0.1	0.037
A150		3.6	0.087	3.69	1.2	<0.001	0.18	0.075	0.2	0.3	0.2	52.3	<0.01	0.02	0.1	0.009
A150D		4.6	0.097	3.50	0.8	0.002	0.21	0.107	0.1	1.1	0.3	106.0	<0.01	0.02	<0.1	0.004
A151		6.0	0.096	3.57	2.0	0.001	0.16	0.084	0.3	1.6	0.2	90.7	<0.01	0.01	0.1	0.018
A152		7.7	0.138	6.65	1.5	<0.001	0.23	0.152	0.2	0.4	0.3	247	<0.01	0.03	0.1	0.005
A153		8.0	0.076	5.05	4.8	<0.001	0.10	0.133	0.4	0.4	0.6	72.3	<0.01	0.03	<0.1	0.027
A154		13.4	0.112	4.84	3.9	0.001	0.20	0.145	0.7	0.6	0.3	184.0	<0.01	0.02	0.1	0.016
A155		27.2	0.096	7.53	4.8	<0.001	0.11	0.150	1.9	0.6	0.3	299	<0.01	0.02	0.3	0.049
A156		14.0	0.114	9.36	2.0	<0.001	0.22	0.148	0.4	0.6	0.2	143.0	<0.01	0.02	0.1	0.012
A157		4.8	0.063	5.37	4.3	<0.001	0.08	0.084	0.5	0.2	5.4	61.9	<0.01	0.02	0.1	0.028
A158		159.0	0.210	2.66	2.0	0.001	0.34	0.328	0.2	4.3	<0.2	247	<0.01	0.02	0.1	0.003
A159		32.3	0.113	9.90	6.4	<0.001	0.16	0.159	0.6	0.3	0.2	132.5	<0.01	0.02	0.1	0.027
A160		23.1	0.109	21.1	20.7	<0.001	0.07	0.206	1.6	0.4	0.5	254	<0.01	0.02	0.1	0.053
A161		8.0	0.123	28.0	8.2	<0.001	0.13	0.346	0.6	0.4	0.4	281	<0.01	0.03	0.1	0.025
A162		3.0	0.089	7.80	8.2	<0.001	0.15	0.149	0.2	0.4	0.2	74.7	<0.01	0.02	<0.1	0.012
A163		5.4	0.112	3.60	0.6	<0.001	0.28	0.136	0.1	1.2	<0.2	369	<0.01	<0.01	<0.1	0.001
A164		3.9	0.122	6.03	1.5	<0.001	0.19	0.078	0.2	0.1	<0.2	301	<0.01	<0.01	<0.1	0.006
A165		3.7	0.086	11.60	1.5	<0.001	0.12	0.185	0.3	<0.1	0.2	137.5	<0.01	<0.01	0.1	0.013
A166		6.9	0.093	4.53	8.9	<0.001	0.10	0.108	0.9	0.2	0.2	120.0	<0.01	<0.01	0.2	0.027
A167		10.2	0.063	15.00	2.7	<0.001	0.04	0.159	0.3	0.1	0.3	80.5	<0.01	0.01	<0.1	0.027
A169		5.8	0.089	8.10	1.5	<0.001	0.11	0.111	0.5	0.4	0.2	43.1	<0.01	<0.01	0.1	0.020
A170		42.7	0.098	6.03	8.7	0.002	0.24	0.413	5.6	1.2	0.3	146.0	<0.01	0.01	1.2	0.054
A170D		33.1	0.122	5.98	7.6	0.002	0.26	0.359	4.1	1.0	0.3	139.5	<0.01	0.01	0.8	0.050
A171		3.6	0.091	16.40	1.0	<0.001	0.13	0.302	0.4	0.2	0.3	62.9	<0.01	0.01	0.1	0.010
A173		45.6	0.133	6.04	1.2	0.001	0.30	0.280	0.5	0.8	<0.2	221	<0.01	<0.01	0.2	0.005
A174		4.2	0.078	9.83	1.9	<0.001	0.20	0.192	0.2	0.2	0.2	153.5	<0.01	0.01	0.1	0.004
A175		90.4	0.145	5.38	6.0	0.001	0.12	0.210	1.9	2.0	0.2	332	<0.01	0.01	0.3	0.036
A176		17.7	0.100	21.6	6.9	<0.001	0.10	0.256	0.8	0.2	0.3	125.5	<0.01	0.01	0.1	0.031
A177		17.5	0.068	15.95	2.4	<0.001	0.06	0.140	0.1	0.5	0.3	109.5	<0.01	<0.01	<0.1	0.012
A178		7.7	0.120	15.40	3.9	<0.001	0.14	0.234	0.4	<0.1	0.2	182.0	<0.01	0.01	0.1	0.014
A179		1.0	0.021	0.58	1.2	<0.001	0.03	0.069	<0.1	<0.1	<0.2	106.0	<0.01	<0.01	<0.1	0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
A140		0.10	0.57	34	0.09	31.6	32.0	0.5
A141		0.06	0.21	27	0.06	1.59	44.9	0.8
A142		0.14	0.73	22	0.08	28.8	59.9	1.0
A143		0.06	0.32	36	0.10	6.35	49.4	0.5
A144		0.14	1.63	39	0.09	32.4	63.8	1.0
A145		0.04	0.22	22	0.07	2.58	43.4	<0.5
A146		0.03	0.19	18	0.10	7.17	51.5	<0.5
A147		0.09	0.59	50	0.19	23.2	63.0	1.3
A148		0.03	0.20	13	0.06	1.81	34.3	<0.5
A149		0.02	0.12	22	0.11	1.07	26.2	<0.5
A150		<-0.02	0.09	5	0.05	0.36	37.1	<0.5
A150D		<-0.02	0.62	5	0.03	0.36	30.7	<0.5
A151		0.02	0.33	9	0.04	0.60	32.3	0.5
A152		0.03	2.05	20	0.03	1.15	17.3	1.2
A153		0.03	0.28	26	0.08	1.85	42.8	<0.5
A154		0.04	0.45	15	0.04	2.20	12.2	1.6
A155		0.04	3.62	61	0.09	14.65	26.7	1.5
A156		0.02	0.08	7	0.07	0.56	8.6	0.7
A157		0.03	0.07	19	0.05	0.55	41.4	<0.5
A158		0.43	2.90	27	0.08	7.68	6.2	3.1
A159		0.05	0.40	16	0.05	1.23	63.1	0.9
A160		0.23	0.39	48	0.08	2.27	76.7	0.6
A161		0.11	0.13	14	0.07	1.12	151.0	<0.5
A162		0.02	<-0.05	6	0.05	0.29	56.9	0.5
A163		<-0.02	9.10	73	0.02	0.46	26.0	1.0
A164		0.02	0.07	3	0.03	0.29	17.9	<0.5
A165		0.06	0.07	7	0.09	0.41	65.7	<0.5
A166		0.03	0.19	14	0.05	1.27	58.3	0.9
A167		<-0.02	0.12	18	0.15	1.48	27.5	<0.5
A169		0.02	0.06	15	0.09	0.54	24.3	0.5
A170		0.08	4.17	67	0.14	15.90	29.3	5.0
A170D		0.08	3.88	60	0.12	10.50	27.4	4.2
A171		0.03	0.07	5	0.06	0.43	42.0	<0.5
A173		0.04	1.01	114	0.07	28.6	10.7	4.2
A174		0.03	0.05	4	0.03	0.40	123.5	<0.5
A175		0.05	1.60	33	0.08	18.85	81.1	3.7
A176		0.10	0.14	22	0.09	1.38	268	<0.5
A177		<-0.02	0.16	22	0.06	3.05	97.9	<0.5
A178		0.07	0.08	7	0.07	0.86	65.4	<0.5
A179		<-0.02	<-0.05	<1	<0.01	0.05	104.0	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A180		0.06	<0.0002	0.225	0.60	6.25	10	1400	0.16	0.12	3.50	2.23	8.38	5.2	9.6	0.60
A182		0.06	0.0004	0.246	0.14	0.74	10	336	0.05	0.07	1.62	0.55	3.54	1.3	3.9	0.17
A184		0.08	0.0017	0.174	0.18	1.50	10	119.0	0.07	0.02	2.97	0.84	4.48	2.0	3.5	0.07
A185		0.08	0.0010	0.242	0.28	0.52	<10	294	0.07	0.08	0.98	0.45	3.40	2.8	8.4	0.28
A186		0.08	<0.0002	0.106	0.58	1.50	<10	119.0	0.14	0.07	1.62	0.51	6.92	5.9	15.4	0.22
A187		0.06	<0.0002	0.135	0.28	0.44	20	109.0	0.07	0.04	3.15	1.08	3.39	3.3	6.6	0.18
A188		0.08	0.0018	0.306	0.81	1.34	10	120.5	0.21	0.08	2.45	0.50	8.90	5.3	18.5	0.30
A189		0.06	<0.0002	0.160	0.44	1.98	10	550	0.09	0.10	2.33	0.80	3.94	4.3	10.2	0.45
A190		0.06	<0.0002	0.502	0.78	17.95	10	418	0.15	0.14	2.53	2.03	4.87	10.3	43.7	1.07
A191		0.06	0.0010	0.472	0.26	2.34	<10	176.5	0.06	0.09	1.30	1.20	2.37	2.6	8.0	0.24
A192		0.06	0.0006	0.206	0.24	2.37	10	503	0.05	0.08	2.08	0.80	2.24	2.3	6.7	0.28
A193		0.06	0.0011	0.075	0.33	0.31	<10	254	0.08	0.10	0.87	0.68	3.20	4.6	10.6	0.27
A194		0.04	<0.0002	0.085	0.43	0.48	<10	180.5	0.08	0.07	0.87	0.27	4.03	6.9	17.2	0.47
A195		0.06	<0.0002	0.171	0.33	1.28	<10	306	0.06	0.05	1.37	0.80	3.52	4.8	11.4	0.19
A196		0.02	0.0010	0.806	1.50	9.91	10	217	0.69	1.15	0.58	0.76	101.0	15.5	28.0	1.28
A197		0.06	<0.0002	0.256	0.47	3.59	10	266	0.10	0.14	1.63	1.44	4.38	6.1	14.7	0.36
A198		0.06	<0.0002	0.190	0.45	2.13	<10	314	0.11	0.09	1.74	2.21	4.03	8.4	22.1	0.38
A198D		0.06	<0.0002	0.201	0.44	2.08	<10	303	0.11	0.09	1.75	2.40	4.04	8.3	19.5	0.36
A199		0.06	<0.0002	0.515	0.18	5.49	10	270	<0.05	0.07	2.11	1.66	2.18	3.4	3.1	0.18
A200		0.06	<0.0002	0.168	0.27	2.40	<10	214	0.05	0.10	1.61	0.78	2.60	3.3	7.9	0.24
A201		0.12	0.0002	0.148	0.69	1.82	10	82.1	0.15	0.06	1.08	0.35	10.30	7.3	29.0	0.45
A202		0.04	0.0018	0.321	0.23	0.37	10	407	0.06	0.07	1.41	0.35	2.57	3.4	4.9	0.30
A203		0.06	0.0009	0.076	0.31	0.93	10	880	0.05	0.09	1.98	0.40	2.25	2.2	3.1	0.23
A204		0.06	0.0038	0.080	0.27	0.37	<10	122.5	0.05	0.19	0.67	0.20	2.31	1.3	4.1	0.16
A205		0.06	0.0053	0.242	0.27	0.38	<10	90.6	0.05	0.05	0.72	0.21	1.66	1.2	4.6	0.16
A206		0.06	0.0037	0.180	0.46	0.65	10	351	0.18	0.06	2.73	0.27	7.14	1.6	4.9	0.18
A207		0.10	0.0031	0.127	0.63	1.92	<10	378	0.28	0.05	2.19	0.17	11.10	7.0	9.6	0.20
A208		0.04	0.0083	0.254	0.14	0.42	10	150.0	<0.05	0.05	0.72	0.52	1.13	0.9	1.0	0.09
A209		0.08	0.0018	0.030	0.68	0.65	<10	461	0.13	0.09	1.03	0.22	3.11	2.7	7.5	0.47
A210		0.04	0.0017	0.055	0.27	0.46	10	316	0.05	0.05	1.59	0.19	2.20	2.3	4.5	0.20
A211		0.06	0.0023	0.053	0.28	0.37	<10	228	0.05	0.07	0.71	0.09	2.26	3.5	7.9	0.33
A212		0.06	0.0051	0.098	0.36	0.54	<10	230	0.09	0.06	0.66	0.14	10.35	1.8	3.9	0.12
A213		0.04	0.0032	0.439	1.35	1.60	10	600	0.38	0.13	2.47	0.57	16.90	5.0	16.8	0.47
A214		0.06	0.0029	0.162	0.26	0.82	20	196.0	0.07	0.04	2.86	0.65	2.97	5.3	3.9	0.13
A214C		0.02	0.0028	0.236	1.29	13.65	20	135.0	0.42	0.56	0.87	1.98	41.5	9.0	18.8	1.05
A215		0.06	0.0014	0.241	0.31	0.46	10	212	0.08	0.08	1.42	0.94	3.60	3.7	9.2	0.27
A216		0.08	0.0011	0.313	0.30	0.62	10	178.0	0.07	0.07	2.52	1.42	3.57	5.4	8.8	0.24
A217		0.08	0.0014	0.485	2.19	3.46	10	370	0.52	0.19	2.40	0.43	15.00	10.7	30.3	0.67
A217D		0.06	0.0019	0.510	1.82	2.65	10	340	0.45	0.16	2.66	0.49	12.20	8.7	25.0	0.54
A218		0.04	0.0024	0.394	1.17	1.04	10	670	0.39	0.08	2.62	0.20	18.10	6.3	36.1	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
A180		16.85	0.70	1.66	<0.05	0.02	0.540	0.011	0.07	4.4	1.5	0.16	7370	3.93	0.03	0.24
A182		8.80	0.23	0.47	<0.05	0.02	0.325	0.006	0.10	1.7	0.4	0.10	1580	3.30	0.02	0.12
A184		35.1	0.71	0.55	<0.05	0.04	0.097	<0.005	0.06	3.6	0.9	0.39	36	4.39	0.03	0.21
A185		8.24	0.45	1.14	<0.05	<0.02	0.209	0.007	0.12	2.1	1.1	0.10	929	2.43	0.02	0.27
A186		16.60	1.13	1.99	<0.05	0.03	0.103	0.010	0.09	3.5	3.3	0.23	295	0.90	0.02	0.57
A187		18.45	0.46	0.96	<0.05	0.02	0.103	0.006	0.18	1.7	1.9	0.21	545	3.03	0.02	0.35
A188		32.8	1.23	2.56	0.05	0.05	0.122	0.011	0.29	6.1	6.6	0.31	927	0.81	0.02	0.82
A189		27.5	0.87	1.51	<0.05	0.02	0.220	0.010	0.16	1.7	2.4	0.18	4290	1.37	0.02	0.32
A190		46.3	1.31	2.30	<0.05	0.02	0.418	0.019	0.22	2.2	5.4	0.37	5400	1.05	0.03	0.34
A191		15.65	0.44	0.78	<0.05	<0.02	0.284	0.010	0.10	1.1	0.8	0.13	3480	3.00	0.01	0.18
A192		12.40	0.41	0.80	<0.05	<0.02	0.229	0.010	0.09	1.0	1.2	0.12	4490	2.55	0.01	0.18
A193		8.82	0.56	1.30	<0.05	<0.02	0.110	0.012	0.09	1.5	0.9	0.14	4130	2.21	0.02	0.17
A194		18.55	0.85	1.85	<0.05	<0.02	0.131	0.007	0.11	2.2	2.2	0.24	1900	1.68	0.01	0.26
A195		12.20	0.62	1.39	<0.05	<0.02	0.164	0.008	0.09	1.9	1.5	0.14	1380	1.82	0.02	0.38
A196		37.1	3.12	5.88	0.16	0.08	0.150	0.065	0.21	60.7	14.9	0.56	1660	1.17	0.04	1.75
A197		22.7	0.85	2.00	<0.05	<0.02	0.306	0.013	0.12	2.0	1.6	0.14	4740	2.61	0.02	0.38
A198		20.2	0.95	1.77	<0.05	0.02	0.156	0.009	0.14	1.9	1.6	0.20	2700	1.41	0.02	0.35
A198D		19.65	0.86	1.63	<0.05	0.03	0.178	0.012	0.13	1.9	1.6	0.19	2760	1.51	0.02	0.33
A199		11.70	0.26	0.58	<0.05	<0.02	0.342	0.007	0.13	1.0	0.7	0.14	5820	2.79	0.01	0.12
A200		14.75	0.50	1.04	<0.05	0.02	0.279	0.013	0.08	1.3	1.0	0.13	2300	4.86	0.01	0.25
A201		24.0	1.54	2.62	0.06	0.03	0.042	0.010	0.20	4.1	3.9	0.32	538	1.58	0.02	0.90
A202		10.40	0.43	0.96	<0.05	<0.02	0.126	0.008	0.09	1.8	1.2	0.15	2420	8.44	0.01	0.19
A203		9.59	0.34	0.78	<0.05	<0.02	0.274	0.015	0.08	1.1	1.3	0.12	6020	1.55	0.01	0.16
A204		7.94	0.37	0.95	<0.05	<0.02	0.173	0.006	0.06	1.4	0.6	0.07	365	1.18	0.01	0.25
A205		6.44	0.47	0.86	<0.05	<0.02	0.153	0.005	0.07	1.0	0.7	0.08	368	3.45	0.01	0.27
A206		29.2	0.54	1.41	0.05	0.03	0.147	0.008	0.05	13.6	2.2	0.29	238	0.88	0.01	0.39
A207		58.0	2.31	1.69	0.07	0.03	0.142	0.006	0.09	18.1	2.6	0.29	1200	1.17	0.01	0.48
A208		8.77	0.11	0.24	<0.05	<0.02	0.205	0.006	0.11	0.7	0.2	0.11	86	2.06	0.01	0.06
A209		9.11	0.70	1.81	<0.05	<0.02	0.202	0.011	0.09	1.7	2.0	0.11	2980	1.25	0.01	0.41
A210		8.57	0.39	0.85	<0.05	<0.02	0.239	0.006	0.12	1.4	1.2	0.15	823	4.27	0.01	0.24
A211		7.09	0.64	1.29	<0.05	<0.02	0.119	0.008	0.06	1.6	1.4	0.09	888	3.08	0.01	0.43
A212		7.76	0.33	1.07	<0.05	<0.02	0.168	0.005	0.08	6.5	0.7	0.11	106	1.44	0.01	0.42
A213		43.9	1.18	3.72	0.09	0.03	0.254	0.017	0.14	23.9	6.2	0.43	2020	1.35	0.02	0.92
A214		16.85	0.38	0.77	<0.05	0.02	0.130	<0.005	0.11	3.4	1.3	0.34	812	4.43	0.01	0.22
A214C		30.4	2.41	4.25	0.09	0.02	0.175	0.057	0.11	22.6	8.9	0.34	396	1.61	0.03	1.12
A215		10.40	0.62	1.31	<0.05	<0.02	0.113	0.010	0.10	1.7	1.9	0.13	797	6.82	0.01	0.39
A216		23.0	0.53	1.10	<0.05	0.02	0.121	0.009	0.12	1.7	1.5	0.24	880	1.76	0.01	0.33
A217		88.9	2.18	5.81	0.08	0.11	0.095	0.023	0.16	21.5	11.8	0.53	1280	1.20	0.03	1.49
A217D		84.5	1.80	4.83	0.09	0.10	0.105	0.018	0.14	21.9	9.7	0.50	982	1.23	0.02	1.20
A218		57.2	1.31	3.37	0.13	0.06	0.136	0.012	0.16	33.2	6.3	0.48	534	1.54	0.02	0.93



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
A180		25.8	0.099	13.05	7.9	<0.001	0.12	0.229	0.7	0.3	0.3	273	<0.01	0.02	0.1	0.021
A182		6.9	0.101	14.10	2.1	<0.001	0.15	0.191	0.4	0.3	0.2	180.0	<0.01	0.01	0.1	0.010
A184		26.0	0.152	3.62	1.0	<0.001	0.31	0.213	0.4	1.3	<0.2	187.0	<0.01	0.01	0.1	0.008
A185		6.9	0.089	11.95	2.7	<0.001	0.08	0.211	0.4	0.3	0.3	99.9	<0.01	0.01	<0.1	0.024
A186		14.1	0.084	8.50	6.2	<0.001	0.13	0.142	1.2	0.6	0.2	101.5	<0.01	<0.01	0.3	0.034
A187		11.5	0.147	6.54	2.5	<0.001	0.19	0.101	0.4	0.7	0.2	88.6	<0.01	<0.01	0.1	0.020
A188		21.8	0.099	7.10	5.1	<0.001	0.13	0.229	1.6	2.0	0.2	97.1	<0.01	0.01	0.3	0.048
A189		7.4	0.110	19.40	6.3	<0.001	0.10	0.200	1.3	0.1	0.3	145.5	<0.01	0.01	0.2	0.032
A190		22.6	0.108	37.6	10.8	<0.001	0.12	0.300	1.8	0.4	0.4	183.0	<0.01	0.03	0.3	0.048
A191		7.5	0.081	12.00	2.0	<0.001	0.11	0.210	0.7	0.2	0.2	54.4	<0.01	0.01	0.1	0.020
A192		5.1	0.092	12.45	2.0	<0.001	0.12	0.171	0.6	0.1	0.2	118.0	<0.01	0.01	0.1	0.018
A193		7.5	0.084	11.70	4.2	<0.001	0.07	0.170	0.1	<0.1	0.2	58.7	<0.01	0.01	<0.1	0.019
A194		10.2	0.092	13.55	9.0	<0.001	0.09	0.131	0.3	0.1	0.2	64.8	<0.01	0.01	<0.1	0.027
A195		7.9	0.086	9.64	4.2	<0.001	0.11	0.129	0.5	0.2	0.2	97.1	<0.01	0.01	<0.1	0.027
A196		24.7	0.120	44.7	19.0	0.001	0.15	0.578	5.4	1.5	1.5	29.1	<0.01	0.05	6.9	0.076
A197		9.6	0.086	31.9	5.5	<0.001	0.09	0.248	1.0	0.2	0.4	83.3	<0.01	0.01	0.2	0.045
A198		11.1	0.066	15.45	4.5	<0.001	0.07	0.152	1.2	0.2	0.2	81.1	<0.01	0.01	0.2	0.050
A198D		11.6	0.067	16.40	4.1	<0.001	0.07	0.155	1.2	0.3	0.3	80.9	<0.01	0.01	0.2	0.045
A199		4.8	0.087	16.85	2.2	<0.001	0.12	0.201	0.4	0.5	0.2	92.0	<0.01	0.01	0.1	0.011
A200		5.5	0.073	24.3	2.2	<0.001	0.11	0.203	0.6	0.4	0.3	75.0	<0.01	0.01	0.1	0.025
A201		14.3	0.050	4.50	7.6	<0.001	0.06	0.156	2.0	0.3	0.2	45.4	<0.01	<0.01	0.5	0.075
A202		5.6	0.111	16.40	2.1	<0.001	0.10	0.144	0.3	0.2	0.2	95.6	<0.01	<0.01	0.1	0.016
A203		4.7	0.095	21.8	3.0	<0.001	0.13	0.203	0.3	0.3	0.3	100.5	<0.01	<0.01	0.1	0.012
A204		3.9	0.079	9.96	1.9	<0.001	0.08	0.189	0.3	<0.1	0.2	49.3	<0.01	0.01	<0.1	0.019
A205		3.8	0.076	6.64	2.0	<0.001	0.09	0.153	0.4	<0.1	0.2	53.0	<0.01	<0.01	0.1	0.016
A206		9.2	0.078	7.12	2.2	<0.001	0.11	0.262	0.9	0.3	0.2	175.0	<0.01	<0.01	0.2	0.020
A207		16.8	0.101	6.17	3.5	<0.001	0.13	0.364	1.4	0.5	0.2	161.5	<0.01	0.01	0.2	0.022
A208		2.2	0.082	9.53	1.5	<0.001	0.13	0.205	0.2	0.1	0.2	51.2	<0.01	<0.01	<0.1	0.005
A209		7.4	0.092	13.50	6.4	<0.001	0.08	0.181	0.2	0.1	0.3	59.6	<0.01	0.01	<0.1	0.023
A210		4.7	0.081	9.87	2.7	<0.001	0.12	0.150	0.5	0.1	0.2	88.7	<0.01	0.01	0.2	0.018
A211		5.8	0.064	11.70	2.4	<0.001	0.08	0.160	0.5	<0.1	0.2	67.6	<0.01	<0.01	0.1	0.026
A212		5.8	0.080	9.46	1.5	<0.001	0.09	0.269	0.6	0.3	0.2	78.9	<0.01	0.01	0.1	0.017
A213		22.2	0.120	12.45	5.0	<0.001	0.13	0.486	2.5	0.7	0.3	183.0	<0.01	0.02	0.2	0.039
A214		12.5	0.130	4.48	2.3	<0.001	0.19	0.182	0.4	0.4	<0.2	171.5	<0.01	<0.01	0.1	0.011
A214C		31.6	0.128	90.2	9.8	0.003	1.00	1.125	2.8	2.5	3.5	42.3	<0.01	0.13	0.9	0.054
A215		8.5	0.099	10.45	1.5	<0.001	0.11	0.153	0.5	0.3	0.2	82.6	<0.01	0.01	0.1	0.026
A216		17.6	0.117	5.74	3.2	<0.001	0.14	0.139	0.5	1.4	0.2	160.5	<0.01	<0.01	0.1	0.020
A217		78.3	0.105	5.50	8.5	0.001	0.12	0.497	3.6	2.3	0.4	137.5	<0.01	0.02	0.6	0.068
A217D		77.6	0.111	5.20	6.9	<0.001	0.14	0.466	2.8	2.1	0.3	147.0	<0.01	0.01	0.4	0.056
A218		34.4	0.135	5.24	5.2	<0.001	0.17	0.501	2.3	1.2	0.3	161.0	<0.01	0.01	0.3	0.038



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
A180		0.20	0.20	14	0.08	3.28	325	0.7
A182		0.04	0.05	5	0.10	0.86	92.9	0.6
A184		0.04	10.00	54	0.07	3.79	11.5	1.8
A185		0.02	0.11	12	0.11	0.86	42.1	<0.5
A186		0.02	0.89	19	0.08	2.02	20.3	1.0
A187		0.02	0.16	11	0.04	0.97	54.9	0.7
A188		0.04	1.68	44	0.10	4.59	37.2	1.7
A189		0.04	0.10	20	0.13	1.22	321	0.7
A190		0.08	0.15	29	0.17	1.67	247	0.9
A191		0.02	0.07	11	0.08	0.69	186.0	<0.5
A192		0.03	0.06	9	0.10	0.66	156.5	<0.5
A193		0.04	0.07	15	0.14	0.77	74.1	<0.5
A194		0.04	0.09	27	0.17	1.14	40.6	<0.5
A195		0.02	0.09	18	0.09	0.98	95.2	<0.5
A196		0.28	6.59	43	0.41	30.1	193.5	2.6
A197		0.06	0.14	22	0.08	1.17	143.5	0.5
A198		0.02	0.13	27	0.12	1.23	237	0.6
A198D		0.03	0.13	23	0.12	1.20	252	0.7
A199		0.05	0.06	5	0.06	0.69	295	0.5
A200		0.03	0.08	12	0.05	0.94	66.3	0.5
A201		0.04	0.20	44	0.14	1.95	24.5	1.0
A202		0.03	0.06	12	0.87	0.67	50.2	<0.5
A203		0.05	0.06	7	0.14	0.68	90.6	<0.5
A204		0.02	0.09	11	0.17	0.62	29.8	<0.5
A205		-0.02	0.07	15	0.06	0.45	33.9	<0.5
A206		0.03	0.96	27	0.09	11.10	28.9	1.2
A207		0.04	2.73	41	0.15	17.05	13.6	1.3
A208		-0.02	0.06	2	0.05	0.40	32.4	<0.5
A209		0.05	0.10	19	0.23	0.83	51.0	<0.5
A210		-0.02	0.08	11	0.22	0.82	25.9	<0.5
A211		0.02	0.07	21	0.45	0.75	24.6	<0.5
A212		-0.02	0.14	8	0.07	3.08	23.4	<0.5
A213		0.06	0.99	42	0.34	21.4	44.8	1.3
A214		0.02	0.40	24	0.08	2.68	15.3	0.8
A214C		0.37	30.6	31	0.23	17.10	177.0	0.5
A215		0.02	0.10	15	0.15	0.81	36.6	<0.5
A216		-0.02	0.11	10	0.12	0.92	16.1	0.5
A217		0.06	4.14	57	0.45	17.30	30.3	3.7
A217D		0.06	3.64	50	0.40	17.30	24.2	3.3
A218		0.06	2.97	60	0.27	31.5	16.6	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **21-NOV-2012**
Account: **GRWRES**

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260943

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
 Finalized Date: 20-NOV-2012
 Account: GRWRES

CERTIFICATE VA12260944

Project: Lac La Hache
 P.O. No.:
 This report is for 175 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-NOV-2012.
 The following have access to data associated with this certificate:
 ROB SHIVES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B001		0.08	0.0010	0.676	0.96	6.68	10	258	0.42	0.07	3.88	0.37	16.35	7.0	17.7	0.56
B002		0.06	0.0015	0.083	0.13	1.05	10	101.5	<0.05	0.03	5.07	0.34	1.69	2.8	2.9	0.14
B003		0.06	0.0010	0.110	0.91	1.31	<10	243	0.24	0.11	0.58	0.22	5.80	7.7	31.6	0.56
B004		0.04	<0.0002	0.211	0.48	0.93	<10	418	0.12	0.08	1.49	0.39	3.61	4.9	15.4	0.22
B005		0.04	<0.0002	0.142	0.56	2.10	<10	266	0.13	0.06	1.52	0.24	6.19	4.9	19.4	0.40
B006		0.04	0.0002	0.118	0.67	1.51	<10	288	0.16	0.08	1.34	0.25	7.49	6.2	25.3	0.49
B007		0.02	0.0007	0.232	1.01	1.14	<10	239	0.25	0.06	1.01	0.20	21.9	6.2	27.0	0.49
B008		0.04	0.0014	0.219	0.44	0.78	<10	460	0.14	0.11	1.40	0.56	6.07	3.9	24.8	0.45
B009		0.04	0.0004	0.171	0.89	1.28	<10	250	0.23	0.07	1.19	0.33	17.20	6.8	29.7	0.49
B010		0.06	0.0007	0.125	0.65	1.23	<10	188.0	0.16	0.08	0.71	0.38	8.16	5.1	46.2	0.41
B011		0.06	0.0020	0.371	1.63	1.68	<10	142.0	0.40	0.05	1.40	0.33	30.7	9.2	34.8	0.70
B012		0.02	0.0006	0.269	0.29	2.19	10	169.0	0.06	0.04	1.96	0.42	2.68	2.1	11.9	0.21
B013		0.12	0.0004	0.083	0.67	0.78	<10	92.6	0.14	0.05	0.86	0.16	7.58	5.2	23.1	0.33
B014		0.04	0.0014	0.158	0.35	1.58	10	87.5	0.10	0.05	1.33	0.33	4.47	3.0	17.9	0.47
B015		0.02	0.0019	0.075	0.26	1.26	<10	451	<0.05	0.08	1.89	0.37	2.49	3.5	11.1	0.67
B016		0.08	0.0011	0.120	1.21	1.18	<10	278	0.28	0.08	0.96	0.18	16.05	10.5	57.4	0.64
B017		0.12	0.0004	0.202	1.18	24.8	10	289	0.38	0.10	1.17	0.49	15.35	15.6	43.9	0.17
B018		0.04	0.0028	0.433	0.19	1.54	<10	275	<0.05	0.07	1.05	0.50	2.16	1.5	9.3	0.15
B019		0.04	0.0016	0.139	0.08	1.00	20	205	<0.05	0.04	3.10	0.32	0.69	0.9	3.5	0.09
B019C		0.02	0.0020	0.828	1.58	9.22	10	231	0.65	1.07	0.61	0.63	95.2	15.0	28.2	1.32
B020		0.02	0.0014	0.177	0.32	0.75	<10	282	0.08	0.08	1.35	0.32	3.15	1.7	9.7	0.19
B021		0.04	0.0009	0.087	0.44	1.15	<10	201	0.09	0.06	0.69	0.17	4.70	3.6	21.7	0.27
B022		0.10	0.0003	0.089	0.80	0.99	10	234	0.18	0.07	1.33	0.27	10.60	6.5	30.0	0.41
B023		0.06	0.0007	0.033	0.83	1.10	<10	274	0.17	0.07	0.97	0.16	11.25	6.4	27.1	0.39
B024		0.06	0.0005	0.114	0.58	1.08	<10	278	0.13	0.07	0.86	0.20	7.64	5.2	22.5	0.39
B025		0.06	0.0004	0.070	1.41	1.80	<10	229	0.37	0.08	0.62	0.11	25.8	8.3	36.2	0.61
B026		0.04	0.0003	0.176	0.51	0.86	<10	199.5	0.08	0.06	0.77	0.37	4.79	3.1	30.2	0.29
B027		0.06	<0.0002	0.125	0.52	0.81	<10	283	0.09	0.07	0.96	0.31	4.24	3.0	24.9	0.30
B028		0.04	<0.0002	0.143	0.43	0.62	<10	244	0.11	0.07	1.25	0.38	3.31	3.0	21.8	0.31
B029		0.06	0.0003	0.076	0.45	0.61	<10	162.0	0.08	0.06	0.99	0.18	3.48	3.0	22.6	0.26
B030		0.04	0.0002	0.135	0.29	0.48	<10	216	<0.05	0.05	0.73	0.03	1.77	1.2	13.6	0.21
B031		0.04	0.0013	0.141	0.27	0.64	<10	170.0	0.06	0.06	0.72	0.19	1.89	1.4	13.5	0.19
B032		0.04	0.0003	0.111	0.19	0.40	<10	222	<0.05	0.06	1.21	0.19	1.25	1.3	9.3	0.17
B033		0.06	0.0008	0.583	1.05	0.65	<10	247	0.29	0.07	0.75	0.21	24.1	1.9	14.9	0.60
B034		0.04	0.0003	0.078	0.46	0.57	<10	235	0.07	0.07	1.16	0.22	3.92	3.3	21.2	0.26
B035		0.04	0.0036	0.168	0.35	0.50	<10	239	0.07	0.08	1.11	0.47	6.44	3.9	14.8	0.27
B036		0.04	<0.0002	0.111	0.40	0.58	10	304	0.05	0.09	2.10	0.57	2.51	4.4	15.7	0.31
B037		0.04	0.0008	0.147	0.57	1.80	<10	240	0.30	0.06	1.87	0.29	19.15	12.6	13.1	0.22
B038		0.04	0.0004	0.082	0.28	0.63	<10	95.0	0.06	0.06	0.78	0.07	3.14	1.9	10.6	0.24
B039		0.06	0.0003	0.167	0.43	0.67	<10	112.5	0.09	0.06	0.64	0.17	4.63	2.1	18.1	0.32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
B001		102.0	4.16	2.55	0.06	0.06	0.170	0.012	0.09	9.7	2.9	0.56	1080	0.93	0.03	1.11
B002		14.30	0.26	0.46	<0.05	0.02	0.137	<0.005	0.06	0.8	0.8	0.29	542	3.02	0.03	0.26
B003		12.85	2.18	4.15	<0.05	<0.02	0.096	0.016	0.05	2.9	3.6	0.22	854	2.29	0.02	1.06
B004		13.00	0.87	1.39	<0.05	<0.02	0.124	0.008	0.25	1.8	1.3	0.18	3470	2.83	0.02	0.27
B005		18.60	1.34	2.00	<0.05	<0.02	0.240	0.012	0.13	3.0	3.0	0.25	1420	2.37	0.02	0.79
B006		18.95	1.53	2.45	<0.05	<0.02	0.188	0.013	0.09	3.7	3.3	0.23	1670	2.29	0.02	0.83
B007		25.3	1.48	3.13	0.06	<0.02	0.128	0.014	0.11	16.4	3.4	0.28	1620	3.27	0.03	0.74
B008		21.2	0.78	1.48	<0.05	<0.02	0.180	0.012	0.10	3.4	1.4	0.18	934	3.85	0.02	0.36
B009		23.1	1.45	2.97	<0.05	<0.02	0.096	0.014	0.12	9.2	3.9	0.30	1410	3.57	0.02	0.59
B010		18.45	1.20	2.53	<0.05	<0.02	0.156	0.013	0.09	4.4	2.1	0.15	917	5.53	0.02	0.35
B011		87.8	1.82	4.38	0.07	0.02	0.128	0.016	0.15	18.7	5.8	0.42	1080	2.34	0.02	0.54
B012		15.15	0.53	0.98	<0.05	<0.02	0.249	<0.005	0.07	1.5	1.0	0.20	1540	1.74	0.02	0.24
B013		8.66	1.28	2.54	<0.05	0.02	0.040	0.008	0.05	3.8	4.1	0.25	523	1.18	0.02	0.67
B014		13.50	0.64	1.44	<0.05	0.02	0.114	0.006	0.14	2.3	1.7	0.24	103	9.89	0.02	0.42
B015		8.66	0.39	0.83	<0.05	0.02	0.499	0.014	0.10	1.2	0.6	0.10	2370	2.19	0.02	0.19
B016		18.95	2.55	3.89	0.05	0.06	0.090	0.018	0.11	6.3	4.8	0.32	927	1.50	0.03	0.83
B017		27.3	3.40	3.57	<0.05	0.04	0.122	0.027	0.10	6.4	3.2	0.39	956	3.99	0.02	0.54
B018		10.50	0.35	0.79	<0.05	0.02	0.266	0.009	0.05	1.1	0.5	0.07	60	3.93	0.01	0.18
B019		8.15	0.13	0.24	<0.05	<0.02	0.286	<0.005	0.17	0.4	0.4	0.26	491	9.88	0.01	0.07
B019C		34.6	3.45	5.78	0.13	0.07	0.149	0.060	0.21	56.5	16.2	0.61	1800	1.14	0.03	1.66
B020		10.90	0.42	1.26	<0.05	0.02	0.200	0.008	0.08	1.9	1.0	0.13	168	14.35	0.01	0.27
B021		8.10	0.97	1.85	<0.05	<0.02	0.153	0.009	0.06	2.4	2.3	0.14	1320	2.72	0.02	0.50
B022		17.65	1.48	2.66	<0.05	0.03	0.052	0.012	0.16	4.7	5.3	0.32	843	2.00	0.01	0.99
B023		12.90	1.50	2.66	<0.05	0.02	0.066	0.015	0.13	4.4	5.1	0.30	1200	3.18	0.01	0.93
B024		13.85	1.07	1.91	0.05	0.02	0.160	0.012	0.08	3.4	2.7	0.20	1260	6.32	0.01	0.63
B025		19.45	1.53	4.20	0.05	<0.02	0.088	0.012	0.07	12.0	5.7	0.25	917	3.01	0.01	0.77
B026		10.90	1.15	2.04	<0.05	<0.02	0.151	0.011	0.07	2.3	2.0	0.10	921	2.75	0.01	0.58
B027		10.60	0.82	1.82	<0.05	<0.02	0.125	0.009	0.07	2.4	1.9	0.12	603	3.20	0.01	0.49
B028		12.15	0.87	1.40	<0.05	<0.02	0.121	0.009	0.06	2.0	1.5	0.14	454	2.14	0.01	0.42
B029		9.09	0.97	1.73	<0.05	<0.02	0.116	0.007	0.08	1.9	1.7	0.12	406	2.30	0.01	0.59
B030		7.28	0.43	0.70	<0.05	<0.02	0.234	0.007	0.06	1.0	0.6	0.10	442	2.41	0.01	0.24
B031		7.48	0.39	0.70	<0.05	<0.02	0.152	0.007	0.07	1.2	0.7	0.08	175	2.03	0.01	0.22
B032		7.40	0.27	0.56	<0.05	<0.02	0.202	0.010	0.08	0.9	0.2	0.15	594	3.20	0.01	0.22
B033		19.85	0.67	3.09	0.06	<0.02	0.184	0.012	0.07	12.5	1.0	0.12	109	1.51	0.01	0.38
B034		7.37	0.91	1.70	<0.05	<0.02	0.153	0.012	0.10	2.0	1.8	0.14	1500	3.03	0.01	0.60
B035		8.57	0.48	1.12	<0.05	<0.02	0.162	0.010	0.09	3.4	0.8	0.15	2520	3.91	0.01	0.32
B036		10.50	0.50	1.10	<0.05	<0.02	0.205	0.014	0.12	1.8	1.3	0.17	1640	2.00	0.01	0.32
B037		26.8	1.20	1.51	0.06	<0.02	0.237	0.012	0.08	12.7	1.1	0.30	1920	2.06	0.01	0.34
B038		9.20	0.33	0.82	<0.05	<0.02	0.226	0.010	0.07	1.6	0.7	0.11	286	4.79	0.01	0.24
B039		11.60	0.58	1.43	<0.05	<0.02	0.184	0.012	0.08	2.7	1.1	0.10	527	2.05	0.01	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
B001		43.9	0.163	4.77	6.1	<0.001	0.11	0.173	1.5	1.7	0.2	262	<0.01	0.03	0.2	0.040
B002		7.6	0.114	3.90	1.1	0.002	0.22	0.277	0.2	1.4	<0.2	233	<0.01	0.04	0.1	0.010
B003		26.6	0.102	13.35	4.1	0.001	0.04	0.193	0.7	0.2	0.6	57.1	<0.01	0.03	<0.1	0.084
B004		14.9	0.081	9.04	4.8	<0.001	0.04	0.178	0.2	0.2	0.3	134.0	<0.01	0.03	<0.1	0.025
B005		13.5	0.094	12.75	7.0	<0.001	0.11	0.247	1.2	0.3	0.4	109.5	<0.01	0.03	0.2	0.055
B006		18.4	0.069	14.25	7.2	<0.001	0.07	0.269	1.2	0.5	0.5	107.5	<0.01	0.03	0.1	0.069
B007		21.7	0.082	9.98	6.2	<0.001	0.08	0.252	1.4	0.6	0.4	96.0	<0.01	0.02	0.1	0.057
B008		19.7	0.093	12.05	3.7	<0.001	0.10	0.224	0.3	0.4	0.3	162.5	<0.01	0.03	<0.1	0.024
B009		21.4	0.093	10.35	6.3	<0.001	0.06	0.271	1.2	0.5	2.0	128.0	<0.01	0.03	0.1	0.054
B010		30.0	0.099	13.20	4.0	0.001	0.08	0.285	0.5	0.1	0.4	61.8	<0.01	0.03	<0.1	0.032
B011		27.7	0.120	6.49	7.3	<0.001	0.09	0.296	3.2	0.7	0.4	94.7	<0.01	0.03	0.2	0.044
B012		10.7	0.066	5.37	2.9	<0.001	0.10	0.204	0.5	0.4	0.4	114.5	<0.01	0.02	0.1	0.022
B013		13.0	0.083	3.24	4.9	<0.001	0.04	0.215	1.3	0.5	0.2	45.5	<0.01	0.02	0.4	0.056
B014		11.1	0.081	4.55	5.3	<0.001	0.13	0.234	0.9	0.5	0.2	178.0	<0.01	0.02	0.2	0.033
B015		9.7	0.104	22.7	6.9	0.001	0.15	0.363	0.5	0.5	0.4	275	<0.01	0.04	0.1	0.016
B016		28.2	0.113	5.90	19.8	<0.001	0.03	0.237	3.4	0.7	0.4	124.5	<0.01	0.04	0.9	0.099
B017		39.3	0.184	8.73	4.9	0.001	0.08	0.406	4.0	1.1	0.4	135.0	<0.01	0.03	0.5	0.032
B018		8.8	0.070	12.85	1.1	0.001	0.12	0.338	0.6	0.6	0.2	107.0	<0.01	0.03	0.1	0.015
B019		6.2	0.076	5.54	1.9	<0.001	0.17	0.276	0.2	1.0	1.2	215	<0.01	0.03	0.1	0.004
B019C		23.2	0.130	46.2	18.0	0.001	0.17	0.713	5.2	2.0	1.4	27.9	<0.01	0.06	6.2	0.078
B020		9.6	0.065	11.05	1.6	0.001	0.11	0.351	0.9	0.8	0.3	121.5	<0.01	0.03	0.2	0.020
B021		12.8	0.065	9.81	2.8	<0.001	0.06	0.289	0.8	0.4	0.3	52.7	<0.01	0.02	0.1	0.042
B022		19.1	0.074	4.28	7.0	<0.001	0.05	0.192	1.8	0.4	0.3	92.7	<0.01	0.01	0.6	0.068
B023		15.6	0.082	5.43	6.7	<0.001	0.05	0.103	1.8	0.5	0.2	80.9	<0.01	0.02	0.7	0.065
B024		15.1	0.065	10.65	4.9	<0.001	0.06	0.141	1.3	0.6	0.3	82.6	<0.01	0.01	0.3	0.046
B025		26.7	0.083	6.09	10.2	<0.001	0.04	0.215	1.2	0.5	0.4	77.7	<0.01	0.02	0.1	0.062
B026		18.1	0.088	5.85	4.4	0.001	0.07	0.160	0.6	0.5	0.3	74.0	<0.01	0.01	0.1	0.038
B027		15.6	0.083	7.48	4.7	0.001	0.07	0.160	0.4	0.3	0.3	121.5	<0.01	0.02	<0.1	0.033
B028		13.9	0.089	7.19	4.0	0.001	0.10	0.153	0.4	0.5	0.5	164.5	<0.01	0.01	0.1	0.028
B029		13.8	0.079	5.92	4.9	<0.001	0.08	0.160	0.5	0.6	0.3	106.5	<0.01	0.01	0.1	0.037
B030		9.6	0.092	10.50	2.8	<0.001	0.12	0.292	0.3	0.5	0.3	70.8	<0.01	<0.01	0.1	0.014
B031		9.8	0.084	9.64	2.2	<0.001	0.10	0.197	0.4	0.2	0.3	88.5	<0.01	<0.01	0.1	0.016
B032		7.0	0.091	9.65	3.3	<0.001	0.12	0.223	0.3	0.5	0.3	143.0	<0.01	<0.01	<0.1	0.013
B033		14.6	0.158	7.89	6.3	<0.001	0.15	0.232	0.1	0.8	0.3	112.0	<0.01	<0.01	<0.1	0.008
B034		12.5	0.082	7.59	4.0	<0.001	0.08	0.224	0.5	0.2	0.3	82.5	<0.01	0.02	<0.1	0.034
B035		12.1	0.086	13.20	5.5	0.001	0.10	0.310	0.5	0.4	0.3	130.0	<0.01	0.02	0.1	0.020
B036		11.5	0.128	22.0	3.5	<0.001	0.14	0.291	0.3	0.4	0.3	223	<0.01	0.02	0.1	0.019
B037		16.2	0.150	8.53	4.0	0.001	0.15	0.447	0.5	0.8	0.3	215	<0.01	0.03	0.1	0.018
B038		8.3	0.081	8.60	3.0	<0.001	0.12	0.292	0.4	0.9	0.3	66.5	<0.01	0.01	0.1	0.015
B039		12.2	0.081	7.47	5.8	<0.001	0.09	0.283	0.3	0.2	0.5	65.5	<0.01	0.01	<0.1	0.026



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
B001		0.02	0.32	27	0.20	14.60	32.3	3.8
B002		0.02	2.07	13	0.07	0.61	24.4	0.9
B003		<0.02	0.16	58	0.13	1.63	106.0	<0.5
B004		<0.02	0.09	22	0.18	1.14	102.5	<0.5
B005		0.03	0.16	36	0.13	2.12	70.1	0.8
B006		0.03	0.18	41	0.25	2.38	73.7	<0.5
B007		0.03	0.28	34	0.17	11.90	86.8	<0.5
B008		0.03	0.23	19	0.11	2.43	106.0	<0.5
B009		0.03	0.27	37	0.15	5.84	105.5	<0.5
B010		0.02	0.28	29	0.17	2.48	95.6	<0.5
B011		0.05	0.53	35	0.15	18.90	84.6	0.6
B012		0.02	0.08	15	0.10	1.32	109.5	<0.5
B013		0.04	0.64	32	0.13	2.15	39.2	0.5
B014		0.02	0.16	16	0.09	1.06	10.3	0.7
B015		0.22	0.08	8	0.06	0.66	37.8	0.7
B016		0.07	0.28	64	0.06	3.06	57.4	2.6
B017		0.14	0.65	58	0.04	2.87	105.5	1.7
B018		<0.02	0.08	8	0.10	0.62	11.7	0.6
B019		0.02	<0.05	3	0.10	0.27	11.1	<0.5
B019C		0.28	6.56	45	0.43	28.8	196.0	2.4
B020		0.02	0.15	8	0.53	1.04	18.9	0.6
B021		0.03	0.13	28	0.12	1.23	74.9	<0.5
B022		0.03	0.21	39	0.11	2.54	32.1	1.0
B023		0.03	0.20	37	0.17	2.33	35.6	0.8
B024		0.04	0.18	29	0.15	1.98	19.6	0.6
B025		0.05	0.43	43	0.19	5.74	37.8	<0.5
B026		0.03	0.13	40	0.14	1.16	46.2	<0.5
B027		0.03	0.13	24	0.12	1.04	45.2	<0.5
B028		<0.02	0.12	28	0.10	0.98	90.9	<0.5
B029		<0.02	0.11	32	0.13	0.94	70.2	<0.5
B030		0.02	0.06	14	0.25	0.45	27.8	<0.5
B031		<0.02	0.07	12	0.07	0.57	34.7	<0.5
B032		0.02	0.05	8	0.09	0.37	43.3	<0.5
B033		0.05	0.52	15	0.07	6.24	19.2	<0.5
B034		0.02	0.12	29	0.10	0.96	101.0	<0.5
B035		0.03	0.11	15	0.10	2.21	82.0	<0.5
B036		0.03	0.07	14	0.09	0.77	49.1	<0.5
B037		0.03	0.39	42	0.10	7.21	22.4	0.5
B038		<0.02	0.17	10	0.08	0.87	44.2	<0.5
B039		0.02	0.36	17	0.08	1.10	32.4	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B039C		0.02	0.0029	0.225	0.40	0.64	<10	183.5	0.10	0.06	0.89	0.16	9.87	1.9	12.9	0.31
B040		0.04	0.0019	0.245	1.41	16.10	10	140.5	0.41	0.52	0.88	2.12	40.9	9.0	19.9	1.09
B041		0.04	0.0006	0.167	0.70	0.92	<10	171.5	0.25	0.07	1.22	0.23	24.1	3.8	13.9	0.30
B042		0.06	<0.0002	0.121	0.57	0.72	<10	181.0	0.11	0.05	1.33	0.33	12.00	6.2	10.5	0.29
B042D		0.06	0.0002	0.067	0.68	0.77	<10	110.5	0.15	0.07	0.65	0.17	7.55	2.5	13.8	0.37
B043		0.04	<0.0002	0.042	0.22	0.43	<10	147.0	<0.05	0.07	0.78	0.28	2.26	1.8	13.5	0.23
B044		0.08	<0.0002	0.102	0.48	0.47	<10	255	0.07	0.05	1.19	0.31	3.42	2.2	14.1	0.24
B045		0.08	<0.0002	0.038	0.34	0.68	<10	268	0.07	0.06	1.51	0.26	2.95	2.5	11.3	0.37
B046		0.04	0.0002	0.140	0.29	0.50	<10	236	<0.05	0.07	0.72	0.20	2.52	1.2	10.3	0.21
B047		0.04	<0.0002	0.068	0.23	0.34	<10	253	0.05	0.05	0.91	0.22	1.86	1.5	9.8	0.22
B048		0.04	0.0003	0.074	0.29	0.55	<10	147.0	0.06	0.07	0.50	0.14	2.44	1.8	11.6	0.26
B049		0.04	0.0003	0.122	0.22	0.40	<10	192.5	0.05	0.06	1.46	0.28	2.06	4.0	8.8	0.26
B050		0.04	<0.0002	0.081	0.34	0.99	<10	510	0.07	0.10	1.55	0.26	3.94	3.2	12.0	0.32
B051		0.04	0.0003	0.091	0.38	1.09	<10	417	0.07	0.08	0.99	0.28	4.16	3.0	17.2	0.30
B052		0.06	<0.0002	0.225	0.26	0.57	<10	233	0.05	0.07	0.56	0.18	3.70	2.1	15.9	0.30
B053		0.06	<0.0002	0.179	0.33	0.86	<10	199.0	0.06	0.07	0.83	0.47	3.22	2.0	18.7	0.34
B054		0.06	<0.0002	0.129	0.25	0.73	<10	314	<0.05	0.06	1.20	0.32	2.00	1.9	9.9	0.23
B055		0.04	0.0002	0.182	0.27	0.50	<10	305	0.05	0.07	1.01	0.44	2.74	2.6	12.6	0.23
B056		0.12	0.0004	0.117	0.77	0.85	<10	120.0	0.16	0.06	1.05	0.22	8.43	5.3	25.8	0.35
B057		0.14	<0.0002	0.087	0.62	1.00	<10	94.9	0.12	0.06	1.10	0.19	6.63	4.7	22.5	0.30
B058		0.04	<0.0002	0.230	0.40	0.54	10	178.0	0.08	0.05	1.60	1.56	4.80	6.2	20.2	0.47
B059		0.04	0.0002	0.234	0.51	0.68	<10	319	0.08	0.07	1.39	0.80	3.58	6.5	20.8	0.40
B060		0.10	0.0009	0.616	2.88	6.03	10	323	0.71	0.16	1.50	0.44	28.5	15.1	59.5	0.99
B060D		0.16	0.0016	0.280	1.46	1.62	<10	161.5	0.33	0.09	0.85	0.35	22.5	9.8	38.7	0.54
B061		0.14	0.0004	0.589	2.58	1.19	<10	279	0.53	0.13	0.83	0.32	14.10	8.9	54.8	1.10
B061C		0.02	0.0017	0.784	1.55	9.33	10	213	0.63	0.99	0.60	0.76	95.5	15.2	28.5	1.28
B062		0.06	0.0003	0.090	0.52	0.56	<10	224	0.10	0.06	0.75	0.17	5.09	4.1	22.4	0.28
B063		0.06	0.0005	0.157	0.31	1.11	<10	666	0.09	0.07	1.22	0.28	3.83	3.8	13.4	0.28
B064		0.06	0.0003	0.245	0.25	0.65	10	440	<0.05	0.05	2.30	0.53	1.91	2.3	9.9	0.25
B065		0.08	0.0009	0.051	0.37	0.94	<10	209	0.06	0.05	1.06	0.11	2.51	1.9	12.0	0.23
B066		0.06	0.0005	0.121	0.31	0.72	<10	225	0.05	0.04	0.71	0.08	1.83	1.5	12.1	0.17
B067		0.06	0.0003	0.048	0.44	0.66	<10	270	0.07	0.05	1.12	0.10	2.76	1.9	11.8	0.21
B068		0.04	0.0008	0.116	0.28	0.62	<10	190.0	<0.05	0.05	0.73	0.20	1.87	1.6	8.4	0.17
B069		0.06	0.0012	0.048	0.25	0.74	<10	231	<0.05	0.07	0.90	0.16	1.72	1.4	11.7	0.23
B070		0.08	0.0002	0.041	0.46	0.94	<10	555	0.09	0.10	1.84	0.19	3.74	3.1	11.1	0.32
B071		0.08	0.0002	0.113	0.53	1.78	<10	794	0.09	0.12	2.18	0.58	3.54	3.3	10.1	0.29
B072		0.10	0.0006	0.133	1.05	0.84	<10	168.5	0.23	0.05	1.40	0.20	14.15	5.9	17.9	0.37
B073		0.12	0.0006	0.142	3.23	1.54	<10	397	0.68	0.08	1.53	0.12	38.5	10.1	33.7	0.69
B074		0.08	0.0002	0.164	0.53	0.88	<10	130.5	0.11	0.05	0.77	0.15	6.01	2.0	9.5	0.22
B075		0.06	0.0006	0.116	0.31	0.55	<10	108.5	0.05	0.06	1.11	0.22	3.59	2.0	7.2	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
B039C		11.45	0.41	1.05	<0.05	<0.02	0.199	0.009	0.06	6.2	0.9	0.12	327	2.08	0.01	0.34
B040		30.7	2.42	4.35	0.09	<0.02	0.191	0.051	0.11	22.9	9.7	0.34	414	1.72	0.02	1.28
B041		22.9	0.83	2.18	0.05	<0.02	0.169	0.010	0.11	15.4	2.0	0.19	899	1.67	0.01	0.43
B042		15.90	0.77	1.59	<0.05	<0.02	0.211	0.007	0.10	6.4	1.5	0.19	1840	2.94	0.01	0.42
B042D		9.46	0.67	1.97	<0.05	<0.02	0.199	0.009	0.07	4.3	1.5	0.10	275	1.63	0.01	0.50
B043		9.34	0.51	1.22	<0.05	<0.02	0.229	0.012	0.06	1.2	0.4	0.08	101	1.78	0.01	0.36
B044		11.30	0.71	1.44	<0.05	<0.02	0.148	0.007	0.12	1.9	1.0	0.10	1340	2.13	0.02	0.41
B045		9.92	0.61	1.15	<0.05	<0.02	0.261	0.007	0.07	1.6	1.2	0.17	647	2.97	0.01	0.41
B046		7.04	0.37	0.85	<0.05	<0.02	0.166	0.008	0.08	1.6	0.5	0.08	1160	2.23	0.01	0.28
B047		8.78	0.37	0.80	<0.05	<0.02	0.179	0.008	0.12	1.2	0.5	0.11	1760	1.89	0.01	0.28
B048		6.94	0.43	1.11	<0.05	<0.02	0.238	0.007	0.09	1.3	0.7	0.08	243	1.82	0.01	0.37
B049		7.69	0.23	0.56	<0.05	<0.02	0.183	0.009	0.08	1.9	0.4	0.12	1460	1.86	0.01	0.20
B050		9.52	0.65	1.19	<0.05	<0.02	0.216	0.019	0.09	2.5	1.2	0.12	2010	2.79	0.01	0.41
B051		11.20	0.73	1.29	<0.05	<0.02	0.246	0.010	0.08	2.3	1.0	0.12	1540	4.23	0.01	0.39
B052		5.74	0.54	1.17	<0.05	<0.02	0.155	0.006	0.06	2.0	0.8	0.08	691	3.73	0.01	0.38
B053		7.20	0.49	1.33	<0.05	<0.02	0.239	0.007	0.08	1.6	1.2	0.10	489	4.65	0.01	0.46
B054		6.38	0.40	0.91	<0.05	<0.02	0.176	0.009	0.07	1.1	0.8	0.11	1700	4.70	0.01	0.33
B055		7.72	0.44	0.92	<0.05	<0.02	0.190	0.010	0.09	1.5	0.8	0.10	1940	4.11	0.01	0.38
B056		10.05	1.41	2.56	<0.05	0.02	0.058	0.009	0.07	3.8	10.0	0.22	525	1.61	0.01	0.80
B057		11.65	1.46	2.40	<0.05	0.02	0.024	0.008	0.11	3.0	6.2	0.20	497	1.22	0.01	0.78
B058		18.10	0.89	1.70	<0.05	<0.02	0.071	0.007	0.07	2.4	2.4	0.21	480	3.01	0.01	0.56
B059		13.60	0.89	2.02	<0.05	<0.02	0.112	0.007	0.09	1.8	3.0	0.18	1600	3.17	0.01	0.43
B060		59.2	3.46	6.94	0.06	0.10	0.051	0.028	0.23	18.7	10.4	0.59	2140	1.82	0.02	1.58
B060D		25.8	2.09	4.26	<0.05	0.04	0.044	0.015	0.09	9.2	6.9	0.34	815	1.30	0.02	1.15
B061		31.0	2.46	7.82	<0.05	0.02	0.057	0.029	0.22	7.6	8.0	0.39	796	1.45	0.01	1.12
B061C		36.1	3.37	5.44	0.13	0.09	0.146	0.058	0.18	56.1	15.7	0.55	1700	1.16	0.02	1.57
B062		7.24	0.93	2.03	<0.05	<0.02	0.066	0.007	0.08	2.7	2.9	0.17	1050	3.07	0.01	0.61
B063		7.64	0.51	0.94	<0.05	<0.02	0.180	0.010	0.07	2.5	0.5	0.07	590	2.75	0.01	0.19
B064		7.89	0.36	0.86	<0.05	<0.02	0.190	0.006	0.08	1.1	1.1	0.12	2830	3.14	0.01	0.21
B065		6.29	0.87	1.45	<0.05	<0.02	0.099	0.007	0.07	1.4	1.7	0.11	758	0.80	0.01	0.44
B066		6.02	0.55	0.89	<0.05	<0.02	0.146	0.006	0.05	1.1	0.7	0.08	144	3.20	0.01	0.27
B067		7.70	0.67	1.52	<0.05	<0.02	0.091	0.007	0.08	1.6	1.5	0.12	1010	2.26	0.01	0.26
B068		10.15	0.43	0.86	<0.05	<0.02	0.176	0.008	0.08	1.1	0.8	0.07	317	1.91	0.01	0.23
B069		6.41	0.60	0.91	<0.05	<0.02	0.181	0.008	0.07	1.1	0.7	0.08	777	3.33	0.01	0.23
B070		9.34	0.70	1.67	<0.05	<0.02	0.215	0.014	0.07	2.0	1.7	0.12	2630	4.64	0.01	0.39
B071		9.87	0.61	1.50	<0.05	<0.02	0.300	0.017	0.09	1.9	1.6	0.13	4470	1.59	0.01	0.26
B072		29.0	1.23	3.15	<0.05	0.03	0.054	0.010	0.08	9.0	4.7	0.25	568	1.35	0.01	0.74
B073		68.8	2.94	8.47	0.07	0.04	0.095	0.019	0.16	28.4	11.9	0.42	860	1.17	0.02	1.41
B074		8.34	0.66	1.47	<0.05	<0.02	0.123	0.010	0.09	3.8	1.7	0.11	538	1.01	0.01	0.34
B075		11.45	0.54	1.27	<0.05	<0.02	0.154	0.008	0.07	2.4	1.2	0.12	434	4.70	0.01	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L		ME-MS41L	
	Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %			
B039C	10.9	0.094	6.93	5.9	<0.001	0.11	0.326	0.3	0.4	0.4	104.5	<0.01	0.02	<0.1	0.019			
B040	33.1	0.135	101.0	10.7	0.004	1.03	1.275	3.0	3.2	3.5	43.0	<0.01	0.16	0.8	0.060			
B041	13.6	0.102	8.20	6.7	<0.001	0.11	0.363	0.2	0.6	0.3	121.5	<0.01	0.02	<0.1	0.021			
B042	9.5	0.094	7.18	6.2	<0.001	0.13	0.283	0.6	0.5	0.3	125.5	<0.01	0.04	0.1	0.022			
B042D	10.6	0.067	7.92	6.5	<0.001	0.09	0.344	0.3	0.6	0.3	55.7	<0.01	0.01	<0.1	0.025			
B043	8.9	0.067	10.05	1.7	<0.001	0.10	0.335	0.6	0.6	0.4	96.0	<0.01	0.01	0.2	0.024			
B044	9.7	0.128	6.65	4.3	<0.001	0.10	0.280	0.5	0.4	0.2	107.0	<0.01	0.01	0.1	0.026			
B045	9.3	0.085	8.28	4.1	<0.001	0.12	0.372	0.5	0.5	0.3	125.0	<0.01	0.02	0.2	0.022			
B046	7.1	0.082	11.15	2.6	<0.001	0.09	0.348	0.4	0.2	0.3	73.4	<0.01	0.02	0.1	0.018			
B047	7.2	0.106	9.02	4.6	<0.001	0.12	0.299	0.3	0.3	0.2	91.7	<0.01	0.03	0.1	0.016			
B048	7.0	0.092	10.05	2.4	<0.001	0.11	0.373	0.3	0.4	0.3	63.5	<0.01	0.03	<0.1	0.026			
B049	7.2	0.112	12.90	3.8	<0.001	0.13	0.337	0.3	0.3	0.3	151.5	<0.01	0.02	0.1	0.012			
B050	8.5	0.082	18.65	3.5	<0.001	0.10	0.346	0.6	0.4	0.4	155.0	<0.01	0.02	0.2	0.028			
B051	12.4	0.083	16.00	3.3	<0.001	0.10	0.364	0.3	0.2	0.6	120.5	<0.01	0.01	<0.1	0.024			
B052	8.7	0.060	10.50	2.4	<0.001	0.06	0.317	0.5	0.2	0.3	50.0	<0.01	<0.01	0.1	0.029			
B053	11.8	0.085	9.78	2.9	<0.001	0.09	0.385	0.6	0.7	0.6	59.2	<0.01	<0.01	0.1	0.030			
B054	6.5	0.071	9.89	2.4	<0.001	0.10	0.335	0.4	0.3	0.2	107.0	<0.01	<0.01	0.1	0.021			
B055	9.0	0.084	11.35	2.7	<0.001	0.10	0.360	0.5	0.3	0.3	88.2	<0.01	<0.01	0.1	0.023			
B056	15.7	0.056	4.02	4.8	<0.001	0.06	0.089	1.2	0.3	0.3	59.2	<0.01	0.01	0.4	0.060			
B057	11.8	0.055	3.46	4.5	<0.001	0.06	0.078	1.1	0.2	0.2	54.1	<0.01	<0.01	0.3	0.059			
B058	13.4	0.086	4.11	8.0	<0.001	0.10	0.088	0.9	1.4	0.2	115.5	<0.01	0.01	0.2	0.039			
B059	12.4	0.093	6.52	6.9	<0.001	0.08	0.114	0.6	0.2	0.3	109.5	<0.01	0.01	0.1	0.041			
B060	51.0	0.162	6.76	17.9	<0.001	0.06	0.211	7.7	0.7	0.9	112.0	<0.01	0.01	1.4	0.095			
B060D	22.4	0.086	4.32	10.3	<0.001	0.04	0.153	3.6	0.4	0.3	68.4	<0.01	0.01	4.3	0.089			
B061	33.1	0.195	6.36	31.6	<0.001	0.06	0.106	3.4	0.5	0.6	75.1	<0.01	0.01	0.4	0.081			
B061C	22.6	0.121	41.1	18.0	0.001	0.16	0.559	5.1	1.8	1.4	28.7	<0.01	0.05	6.1	0.073			
B062	11.5	0.077	5.09	4.5	<0.001	0.05	0.084	0.8	0.1	0.3	51.6	<0.01	<0.01	0.1	0.047			
B063	9.3	0.078	10.20	1.8	<0.001	0.08	0.159	0.3	0.4	0.3	149.5	<0.01	0.01	<0.1	0.018			
B064	6.8	0.083	11.95	2.2	<0.001	0.13	0.157	0.3	0.2	0.2	156.5	<0.01	0.01	0.1	0.019			
B065	6.5	0.047	4.21	4.0	<0.001	0.06	0.094	0.5	<0.1	0.8	78.9	<0.01	<0.01	0.1	0.031			
B066	6.8	0.074	9.73	1.9	<0.001	0.09	0.139	0.3	0.2	0.4	83.0	<0.01	0.01	<0.1	0.018			
B067	7.3	0.070	5.84	3.8	<0.001	0.07	0.108	0.1	0.1	0.3	101.0	<0.01	<0.01	<0.1	0.019			
B068	6.1	0.094	8.82	2.0	<0.001	0.11	0.152	0.5	0.1	0.3	79.7	<0.01	0.01	0.1	0.018			
B069	7.0	0.067	15.50	2.0	<0.001	0.09	0.260	0.5	0.2	0.3	86.7	<0.01	0.01	0.1	0.019			
B070	8.0	0.061	18.45	5.9	<0.001	0.08	0.227	0.6	0.2	0.3	148.0	<0.01	<0.01	0.1	0.030			
B071	9.4	0.092	20.2	5.5	<0.001	0.09	0.218	0.2	0.4	0.3	188.5	<0.01	0.01	<0.1	0.018			
B072	14.5	0.060	4.74	6.3	<0.001	0.07	0.191	1.7	0.3	0.2	82.8	<0.01	0.01	0.3	0.050			
B073	33.3	0.099	5.82	10.9	<0.001	0.08	0.336	4.5	0.9	0.5	101.0	<0.01	0.02	0.6	0.084			
B074	7.5	0.060	8.23	3.8	<0.001	0.08	0.188	0.2	0.2	0.2	63.9	<0.01	<0.01	<0.1	0.019			
B075	5.8	0.093	9.62	4.0	<0.001	0.13	0.199	0.3	0.1	0.3	79.1	<0.01	<0.01	<0.1	0.025			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
B039C		0.02	0.18	12	0.12	3.29	29.0	<0.5
B040		0.38	32.7	33	0.62	17.75	190.0	0.5
B041		0.03	0.45	25	0.08	8.20	28.3	<0.5
B042		0.03	0.29	16	0.09	3.65	45.7	<0.5
B042D		0.02	0.21	18	0.09	1.87	24.1	<0.5
B043		<0.02	0.10	17	0.07	0.58	11.1	<0.5
B044		0.03	0.11	22	0.08	1.07	58.5	<0.5
B045		0.03	0.14	18	0.07	0.91	24.9	<0.5
B046		0.03	0.07	12	0.08	0.63	40.6	<0.5
B047		0.03	0.05	12	0.06	0.47	62.2	<0.5
B048		0.02	0.08	14	0.17	0.57	23.3	<0.5
B049		0.02	0.05	6	0.08	0.68	17.6	<0.5
B050		0.03	0.12	20	0.13	1.15	43.7	<0.5
B051		0.03	0.11	24	0.15	1.09	46.8	<0.5
B052		0.02	0.11	17	0.09	0.78	33.2	<0.5
B053		0.02	0.13	13	0.12	0.71	25.6	<0.5
B054		0.03	0.06	13	0.10	0.52	42.7	<0.5
B055		0.02	0.07	13	0.14	0.65	39.1	<0.5
B056		0.03	0.50	36	0.13	2.22	53.6	0.6
B057		0.03	0.19	39	0.08	1.53	20.8	0.5
B058		<0.02	0.13	20	0.18	1.15	54.3	<0.5
B059		0.03	0.10	20	0.09	0.87	80.9	<0.5
B060		0.10	0.56	48	0.28	16.10	71.0	3.7
B060D		0.05	1.00	47	0.18	6.33	64.9	1.4
B061		0.07	0.76	33	0.09	4.11	94.8	0.8
B061C		0.25	6.18	41	0.38	28.2	183.0	2.5
B062		0.02	0.18	22	0.13	1.23	36.5	<0.5
B063		<0.02	0.08	12	0.16	1.25	11.6	<0.5
B064		0.02	0.06	8	0.14	0.56	130.5	<0.5
B065		<0.02	0.08	25	0.06	0.73	36.6	<0.5
B066		<0.02	0.07	16	0.10	0.55	18.8	<0.5
B067		<0.02	0.07	16	0.08	0.75	37.7	<0.5
B068		<0.02	0.06	11	0.07	0.60	40.6	<0.5
B069		<0.02	0.07	18	0.10	0.50	28.7	<0.5
B070		0.03	0.10	17	0.11	1.21	35.9	<0.5
B071		0.04	0.09	13	0.08	1.07	43.2	<0.5
B072		0.02	0.47	29	0.12	5.49	34.9	0.8
B073		0.05	2.08	56	0.18	19.50	36.8	1.1
B074		<0.02	0.16	17	0.07	2.39	21.0	<0.5
B075		<0.02	0.15	15	0.15	1.44	27.0	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B076		0.06	0.0002	0.276	0.33	0.50	<10	262	0.09	0.08	2.08	0.45	2.66	4.7	8.3	0.37
B077		0.04	0.0009	0.512	1.58	1.74	10	430	0.32	0.09	2.81	0.31	9.35	4.9	20.3	0.58
B078		0.02	0.0018	0.167	0.14	0.27	10	166.0	<0.05	0.04	1.41	0.20	0.95	1.5	4.7	0.10
B079		0.06	0.0023	0.174	0.38	0.76	<10	261	0.20	0.04	3.66	0.37	5.64	3.4	6.6	0.12
B079D		0.02	0.0011	0.209	0.17	0.37	10	180.0	<0.05	0.04	2.70	0.47	2.23	2.4	4.2	0.13
B080		0.04	0.0009	0.196	0.67	0.88	<10	216	0.12	0.05	1.14	0.26	8.48	5.1	25.0	0.39
B081		0.06	<0.0002	0.123	0.37	1.36	<10	185.5	0.07	0.07	0.74	0.20	4.47	3.9	17.5	0.32
B082		0.14	<0.0002	0.134	0.71	0.64	<10	235	0.18	0.07	0.88	0.30	8.38	6.7	23.3	0.41
B082C		0.02	0.0021	0.245	1.44	14.75	20	142.5	0.40	0.46	0.98	2.01	41.8	9.0	21.7	1.16
B083		0.06	<0.0002	0.094	0.65	1.01	<10	145.0	0.11	0.05	0.69	0.27	7.72	4.7	25.3	0.30
B084		0.06	0.0017	0.191	0.60	1.02	20	385	0.12	0.05	2.26	0.34	7.82	4.8	21.9	0.52
B085		0.08	0.0002	0.135	0.61	0.80	<10	513	0.11	0.09	1.16	0.57	9.20	6.7	23.4	0.50
B086		0.06	0.0003	0.112	0.77	0.93	<10	101.5	0.14	0.05	1.03	0.16	9.38	5.5	28.8	0.36
B087		0.06	0.0005	0.150	0.32	0.68	10	250	0.05	0.04	1.67	0.41	2.83	2.9	12.6	0.29
B088		0.04	<0.0002	0.097	0.23	0.61	10	332	<0.05	0.05	1.82	0.26	1.94	2.0	8.1	0.29
B089		0.06	0.0005	0.147	0.42	0.79	<10	156.5	0.05	0.06	0.88	0.27	4.28	2.2	18.7	0.29
B090		0.04	0.0014	0.311	0.37	0.60	<10	143.5	0.07	0.04	0.59	0.45	5.13	3.3	19.1	0.53
B091		0.06	0.0009	0.145	0.32	0.71	10	452	0.07	0.04	2.05	0.48	3.98	5.4	12.2	0.28
B092		0.06	0.0006	0.430	0.32	0.62	<10	415	0.07	0.06	0.79	1.36	4.04	4.5	14.5	0.34
B093		0.04	0.0020	0.119	0.32	0.49	<10	268	0.06	0.04	0.95	0.24	3.75	2.7	12.4	0.21
B094		0.04	0.0007	0.219	0.28	1.05	10	234	0.05	0.03	1.51	0.46	2.74	2.1	10.1	0.26
B095		0.04	0.0015	0.114	0.28	0.54	10	216	<0.05	0.03	1.00	0.36	2.64	2.6	12.0	0.18
B096		0.08	0.0009	0.249	1.12	1.30	<10	324	0.22	0.05	1.77	0.71	22.4	6.9	21.1	0.43
B097		0.04	0.0003	0.530	0.29	0.68	<10	326	0.08	0.04	1.48	0.53	3.52	3.2	9.7	0.30
B098		0.04	0.0007	0.091	0.21	0.52	10	246	<0.05	0.02	1.41	0.36	2.51	1.8	9.5	0.30
B099		0.08	0.0014	0.053	0.84	0.73	<10	238	0.18	0.06	0.83	0.30	8.81	4.9	24.8	0.62
B100		0.08	0.0058	0.322	1.73	1.94	<10	502	0.69	0.05	2.23	0.52	71.5	7.5	38.5	0.49
B101		0.10	0.0015	0.475	2.19	2.95	<10	371	0.98	0.08	1.28	1.01	80.5	13.1	50.5	0.73
B101C		0.02	0.0037	0.771	1.57	10.15	20	227	0.67	0.94	0.59	0.85	95.8	14.7	28.6	1.29
B102		0.06	0.0012	0.258	0.34	0.54	<10	167.0	0.09	0.04	0.92	0.80	4.53	3.3	16.2	0.27
B103		0.06	0.0005	0.242	0.26	0.58	10	228	0.07	0.04	2.45	0.56	2.91	4.9	10.1	0.23
B104		0.04	0.0004	0.305	0.20	0.59	<10	206	<0.05	0.04	1.00	0.72	2.41	1.9	10.7	0.26
B105		0.06	0.0002	0.093	0.29	1.80	10	404	0.05	0.02	2.43	0.74	3.18	3.2	11.0	0.18
B106		0.10	0.0006	0.175	0.65	0.80	10	113.0	0.12	0.05	1.31	0.30	6.82	5.3	25.6	0.30
B107		0.08	0.0004	0.228	0.53	2.33	20	390	0.14	0.04	3.05	0.74	6.63	5.7	25.3	0.46
B108		0.08	<0.0002	0.172	0.42	0.84	10	198.0	0.09	0.04	2.36	2.14	4.35	5.1	16.9	0.36
B108D		0.04	0.0007	0.244	0.28	0.82	10	210	0.06	0.03	2.16	0.81	3.31	2.7	10.9	0.46
B109		0.08	0.0008	0.080	0.59	3.61	10	574	0.15	0.07	2.36	1.13	7.92	5.3	19.2	0.35
B110		0.06	0.0012	0.162	1.02	1.22	<10	210	0.27	0.06	0.73	0.37	17.55	7.6	32.3	0.48
B111		0.06	0.0002	0.127	0.48	0.56	<10	420	0.10	0.06	0.75	0.64	6.14	5.1	19.8	0.32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
B076		16.95	0.59	1.14	<0.05	<0.02	0.138	0.011	0.07	2.5	1.3	0.16	1420	2.31	0.01	0.23
B077		52.2	1.36	3.71	0.06	0.07	0.224	0.018	0.14	8.6	6.2	0.31	811	3.54	0.01	0.84
B078		10.45	0.15	0.34	<0.05	<0.02	0.148	<0.005	0.08	0.9	0.4	0.12	483	2.23	0.01	0.08
B079		61.0	0.56	1.03	0.05	0.06	0.151	0.007	0.06	5.1	1.2	0.32	225	2.02	0.02	0.31
B079D		16.55	0.26	0.56	<0.05	0.02	0.156	0.006	0.07	1.3	0.7	0.25	306	8.22	0.01	0.18
B080		10.85	1.20	2.24	<0.05	<0.02	0.089	0.008	0.08	3.4	4.8	0.17	1240	4.06	0.01	0.69
B081		6.52	0.86	1.80	<0.05	<0.02	0.133	0.009	0.06	2.2	2.7	0.12	1070	4.70	0.01	0.45
B082		11.70	1.43	2.77	<0.05	<0.02	0.053	0.011	0.13	3.4	4.5	0.22	1130	4.32	0.01	0.55
B082C		30.3	2.66	4.50	0.08	0.02	0.178	0.055	0.11	23.0	9.5	0.33	431	1.79	0.02	1.12
B083		7.94	1.31	2.41	<0.05	<0.02	0.077	0.008	0.10	3.4	5.2	0.24	463	4.55	0.01	0.85
B084		17.30	1.09	2.00	<0.05	<0.02	0.132	0.007	0.33	3.4	3.6	0.25	1020	2.34	0.01	0.70
B085		49.3	1.07	2.17	<0.05	<0.02	0.123	0.012	0.11	3.9	3.3	0.20	3560	8.45	0.01	0.56
B086		16.55	1.51	2.34	<0.05	0.03	0.046	0.010	0.07	4.6	5.0	0.25	744	1.41	0.02	0.65
B087		8.84	0.56	0.98	<0.05	<0.02	0.092	0.006	0.11	1.6	1.3	0.19	1580	2.38	0.01	0.25
B088		10.15	0.31	0.74	<0.05	<0.02	0.213	<0.005	0.10	1.0	1.0	0.12	3130	2.89	0.01	0.24
B089		6.75	0.55	1.43	<0.05	<0.02	0.142	0.007	0.10	2.1	2.1	0.13	504	2.86	0.01	0.41
B090		7.86	0.57	1.41	<0.05	<0.02	0.206	0.014	0.11	2.5	2.2	0.13	2020	3.26	0.02	0.43
B091		10.20	0.51	1.14	<0.05	<0.02	0.165	0.011	0.19	2.8	1.6	0.19	2890	2.94	0.01	0.31
B092		10.60	0.51	1.12	<0.05	<0.02	0.201	0.016	0.11	2.1	1.2	0.12	3680	7.59	0.02	0.30
B093		7.90	0.47	1.05	<0.05	<0.02	0.131	0.012	0.13	2.0	1.4	0.13	3540	5.49	0.02	0.36
B094		7.82	0.39	0.86	<0.05	<0.02	0.194	0.013	0.10	1.6	1.4	0.15	2510	3.92	0.02	0.32
B095		8.25	0.37	0.81	<0.05	<0.02	0.194	0.010	0.15	1.4	1.0	0.15	3700	3.49	0.02	0.26
B096		20.1	1.05	2.65	0.05	0.02	0.134	0.016	0.13	12.0	3.4	0.30	1600	2.15	0.02	0.66
B097		9.56	0.39	0.90	<0.05	<0.02	0.197	0.012	0.13	2.1	1.0	0.15	1260	5.16	0.02	0.30
B098		5.81	0.37	0.82	<0.05	<0.02	0.165	0.009	0.11	1.4	0.9	0.11	880	3.25	0.01	0.29
B099		11.40	1.13	2.82	<0.05	<0.02	0.115	0.009	0.08	4.3	4.1	0.22	1600	3.43	0.02	0.71
B100		58.8	1.89	4.84	0.16	0.03	0.134	0.021	0.12	70.1	5.9	0.46	747	1.17	0.02	0.98
B101		82.6	2.75	6.24	0.15	0.04	0.115	0.026	0.20	61.2	9.0	0.59	1000	1.62	0.02	1.27
B101C		36.8	3.30	5.53	0.13	0.08	0.157	0.060	0.21	55.4	16.0	0.59	1760	1.16	0.04	1.67
B102		10.50	0.82	1.40	<0.05	<0.02	0.199	0.009	0.07	2.6	1.3	0.10	557	3.21	0.01	0.36
B103		14.25	0.52	0.89	<0.05	0.02	0.183	0.012	0.12	1.3	1.4	0.22	1730	2.77	0.01	0.29
B104		6.91	0.34	0.72	<0.05	0.02	0.153	0.014	0.07	1.3	0.7	0.11	609	7.68	0.01	0.26
B105		15.15	0.47	0.89	<0.05	0.02	0.184	0.012	0.15	1.6	1.6	0.23	1200	2.76	0.02	0.40
B106		21.1	1.21	2.27	<0.05	0.03	0.071	0.014	0.26	3.1	3.8	0.29	602	2.02	0.02	0.73
B107		28.4	1.00	1.63	<0.05	0.04	0.151	0.010	0.30	2.6	2.7	0.43	1370	3.14	0.02	0.48
B108		25.0	0.80	1.40	<0.05	0.02	0.174	0.011	0.09	2.0	2.2	0.19	1170	2.59	0.02	0.41
B108D		13.40	0.47	0.84	<0.05	0.02	0.268	0.008	0.07	1.6	1.2	0.16	1470	3.31	0.02	0.32
B109		20.3	1.01	1.82	<0.05	0.04	0.226	0.019	0.12	3.4	2.8	0.21	3050	2.59	0.02	0.57
B110		17.75	1.58	3.30	<0.05	0.03	0.070	0.016	0.11	8.2	5.4	0.29	1340	1.77	0.02	1.07
B111		8.71	0.68	1.70	<0.05	<0.02	0.118	0.008	0.07	3.3	1.4	0.13	3330	5.98	0.02	0.26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
B076		9.6	0.106	12.05	4.5	<0.001	0.13	0.188	0.3	0.2	0.3	170.5	<0.01	0.01	<0.1	0.018
B077		18.7	0.133	10.65	7.7	<0.001	0.17	0.343	2.7	0.6	0.5	185.5	<0.01	0.02	0.5	0.044
B078		4.8	0.094	6.53	1.5	<0.001	0.14	0.126	0.2	0.3	0.2	130.0	<0.01	<0.01	<0.1	0.006
B079		24.8	0.119	5.30	2.1	<0.001	0.23	0.622	0.8	0.9	0.2	209	<0.01	<0.01	0.2	0.014
B079D		8.7	0.098	8.19	1.6	<0.001	0.19	0.169	0.3	0.4	0.2	154.0	<0.01	<0.01	0.1	0.010
B080		14.5	0.074	5.34	4.3	<0.001	0.06	0.133	1.0	0.2	0.3	67.5	<0.01	<0.01	0.2	0.052
B081		8.6	0.057	8.14	3.2	<0.001	0.07	0.164	0.8	0.4	0.3	66.6	<0.01	<0.01	0.3	0.042
B082		11.3	0.112	4.49	6.1	<0.001	0.06	0.134	0.9	0.5	0.3	60.2	<0.01	<0.01	0.1	0.054
B082C		32.7	0.136	99.0	10.5	0.004	1.05	1.270	2.9	3.0	3.6	45.7	<0.01	0.12	0.8	0.060
B083		12.6	0.074	4.54	4.8	<0.001	0.07	0.137	1.3	0.4	0.3	54.7	<0.01	0.01	0.4	0.063
B084		15.2	0.117	4.24	10.5	<0.001	0.10	0.122	1.0	0.3	0.2	141.0	<0.01	<0.01	0.2	0.045
B085		15.3	0.092	14.05	6.6	<0.001	0.07	0.223	0.9	0.2	0.3	83.8	<0.01	0.01	0.1	0.058
B086		17.6	0.050	3.29	4.4	<0.001	0.05	0.138	1.5	0.4	0.3	45.3	<0.01	0.01	0.5	0.056
B087		9.3	0.094	6.78	3.0	<0.001	0.09	0.139	0.3	0.3	0.2	133.5	<0.01	0.01	<0.1	0.020
B088		6.9	0.092	8.11	2.9	<0.001	0.10	0.126	0.4	0.2	0.2	122.5	<0.01	0.01	0.1	0.016
B089		10.0	0.071	6.89	4.4	<0.001	0.07	0.147	0.9	0.2	0.2	57.8	<0.01	0.01	0.2	0.029
B090		11.2	0.096	8.68	5.4	<0.001	0.08	0.162	0.5	0.5	0.3	41.9	<0.01	<0.01	0.1	0.029
B091		8.6	0.099	10.80	3.6	0.001	0.09	0.147	0.4	0.5	0.3	168.0	<0.01	<0.01	<0.1	0.024
B092		10.7	0.084	25.3	3.7	<0.001	0.07	0.235	0.3	0.7	0.3	74.5	<0.01	<0.01	<0.1	0.025
B093		8.0	0.106	10.40	3.3	<0.001	0.10	0.127	0.5	0.5	0.3	59.7	<0.01	<0.01	0.1	0.026
B094		7.5	0.095	11.45	3.1	<0.001	0.11	0.145	0.5	0.6	0.4	92.1	<0.01	<0.01	0.1	0.020
B095		8.4	0.102	12.20	2.5	<0.001	0.11	0.172	0.3	0.4	0.2	62.1	<0.01	0.02	0.1	0.018
B096		19.3	0.134	9.65	8.3	<0.001	0.14	0.296	1.2	0.7	0.4	171.0	<0.01	0.01	0.1	0.032
B097		8.8	0.103	10.70	3.3	<0.001	0.10	0.177	0.5	0.5	0.2	145.0	<0.01	0.01	0.1	0.018
B098		5.8	0.070	6.83	3.1	<0.001	0.09	0.133	0.5	0.6	0.2	125.0	<0.01	<0.01	0.1	0.023
B099		15.2	0.082	8.44	5.8	<0.001	0.06	0.150	0.9	0.5	0.4	86.8	<0.01	<0.01	0.1	0.066
B100		57.2	0.082	7.32	6.7	<0.001	0.06	0.338	4.5	2.1	0.4	232	<0.01	<0.01	0.3	0.058
B101		64.5	0.106	8.91	12.8	<0.001	0.06	0.349	8.0	4.0	0.5	128.0	<0.01	0.01	0.7	0.068
B101C		23.1	0.123	42.8	18.7	0.001	0.17	0.556	5.6	1.6	1.4	28.4	<0.01	0.04	6.5	0.078
B102		8.2	0.059	9.16	2.3	<0.001	0.06	0.191	0.7	1.2	0.3	82.7	<0.01	<0.01	0.1	0.031
B103		9.2	0.106	12.55	2.6	<0.001	0.15	0.189	0.5	0.9	0.3	122.0	<0.01	<0.01	0.1	0.020
B104		8.0	0.079	12.45	1.4	<0.001	0.11	0.226	0.5	0.6	0.3	71.2	<0.01	<0.01	0.1	0.018
B105		10.6	0.073	6.43	3.9	<0.001	0.12	0.188	0.6	0.5	0.2	153.0	<0.01	<0.01	0.3	0.024
B106		15.2	0.071	4.83	7.2	<0.001	0.09	0.112	1.4	0.7	0.2	85.1	<0.01	<0.01	0.3	0.051
B107		17.8	0.086	6.45	8.5	0.001	0.10	0.196	1.5	1.0	0.2	158.5	<0.01	0.01	0.3	0.040
B108		15.3	0.099	10.65	3.4	<0.001	0.11	0.173	0.9	0.8	0.2	104.0	<0.01	<0.01	0.2	0.035
B108D		8.0	0.116	13.45	2.2	<0.001	0.16	0.178	0.6	0.5	0.3	103.0	<0.01	<0.01	0.1	0.022
B109		14.5	0.079	16.95	4.8	<0.001	0.10	0.244	1.5	0.8	0.3	107.0	<0.01	<0.01	0.4	0.044
B110		21.4	0.055	6.53	7.6	<0.001	0.03	0.156	2.8	0.6	0.4	48.6	<0.01	<0.01	0.8	0.094
B111		13.1	0.073	8.85	3.3	<0.001	0.05	0.146	0.3	0.3	0.3	74.8	<0.01	0.01	<0.1	0.030



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
B076		-0.02	0.08	14	0.14	1.31	22.7	<0.5
B077		0.05	2.92	24	0.21	6.35	21.4	2.6
B078		-0.02	0.07	3	0.07	0.44	30.1	<0.5
B079		0.03	0.99	31	0.07	6.05	8.2	2.7
B079D		-0.02	0.10	6	0.07	0.94	11.9	0.5
B080		0.03	0.36	31	0.11	1.76	71.1	<0.5
B081		0.03	0.19	22	0.14	0.95	21.1	<0.5
B082		0.03	0.17	32	0.14	1.53	38.3	<0.5
B082C		0.38	32.4	32	0.31	17.90	187.0	0.5
B083		0.03	0.39	30	0.11	1.57	48.6	0.5
B084		0.04	0.28	23	0.10	1.90	51.8	<0.5
B085		0.03	0.34	22	0.27	2.01	104.0	<0.5
B086		0.03	0.76	38	0.09	2.96	29.1	0.9
B087		-0.02	0.08	13	0.12	0.87	80.9	<0.5
B088		0.05	0.06	7	0.08	0.58	49.2	<0.5
B089		0.03	0.17	10	0.09	1.19	42.4	<0.5
B090		0.04	0.17	15	0.10	1.23	54.1	<0.5
B091		0.03	0.09	12	0.15	1.33	60.3	<0.5
B092		0.03	0.09	13	0.16	0.96	78.0	<0.5
B093		0.03	0.09	12	0.17	0.88	52.4	<0.5
B094		0.03	0.07	9	0.16	0.74	56.4	<0.5
B095		0.02	0.07	10	0.11	0.62	87.6	<0.5
B096		0.05	0.22	21	0.12	8.78	105.5	0.5
B097		0.03	0.10	9	0.09	1.08	27.0	<0.5
B098		0.02	0.07	12	0.07	0.75	45.2	<0.5
B099		0.04	0.22	29	0.12	1.69	102.5	<0.5
B100		0.03	0.59	34	0.16	54.0	42.2	1.0
B101		0.07	3.24	50	0.18	53.6	64.4	1.3
B101C		0.29	6.54	45	0.37	29.5	197.0	2.4
B102		0.02	0.17	27	0.09	1.55	24.6	<0.5
B103		0.02	0.12	12	0.09	0.80	24.6	0.5
B104		0.02	0.06	9	0.12	0.64	37.6	<0.5
B105		0.02	0.08	12	0.08	0.90	132.0	0.7
B106		0.02	0.29	29	0.09	1.61	22.2	0.9
B107		-0.02	0.19	25	0.14	1.68	143.0	1.1
B108		0.02	0.10	21	0.08	1.25	171.0	0.7
B108D		0.02	0.09	12	0.17	0.96	105.5	0.8
B109		0.04	0.17	25	0.11	2.14	133.5	0.9
B110		0.04	0.49	43	0.13	4.62	100.5	1.1
B111		0.02	0.12	16	0.13	1.54	72.6	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B112		0.06	0.0005	0.362	1.32	2.06	<10	236	0.38	0.06	0.98	0.52	29.9	10.1	34.6	0.53
B113		0.06	0.0023	0.226	0.45	0.84	<10	103.0	0.08	0.04	0.80	0.60	4.63	3.9	18.2	0.30
B114		0.08	<0.0002	0.202	0.42	1.56	<10	277	0.08	0.05	2.37	0.65	4.67	5.9	15.8	0.23
B115		0.06	0.0003	0.262	0.25	1.88	10	301	<0.05	0.05	2.83	2.24	2.50	5.7	10.2	0.18
B116		0.06	0.0015	0.095	0.45	0.88	<10	474	0.08	0.05	1.70	0.89	4.29	5.3	14.8	0.29
B117		0.04	0.0015	0.456	0.44	1.24	10	125.5	0.16	0.03	3.91	0.47	5.26	2.0	7.2	0.18
B118		0.06	0.0023	0.193	0.50	0.56	10	248	0.14	0.02	1.60	0.36	19.75	2.4	9.7	0.21
B119		0.06	0.0020	0.116	0.35	0.56	<10	284	0.06	0.03	1.31	0.32	4.45	1.8	8.3	0.43
B120		0.06	0.0003	0.183	0.24	0.44	<10	117.5	0.05	0.02	0.78	0.34	2.43	2.2	8.4	0.27
B121		0.06	0.0006	0.224	0.32	0.59	10	217	0.05	0.05	1.22	0.39	3.07	1.6	6.4	0.28
B121C		0.02	0.0033	0.250	1.28	14.50	30	136.0	0.40	0.52	0.88	2.08	41.3	8.6	19.1	1.03
B122		0.06	0.0013	0.108	0.36	0.67	<10	101.5	0.07	0.06	0.49	0.13	2.55	1.6	9.8	0.36
B123		0.06	0.0006	0.156	0.21	0.37	10	235	0.05	0.06	1.50	0.29	1.92	2.1	5.4	0.22
B124		0.10	0.0002	0.064	0.36	0.65	<10	211	0.06	0.12	0.97	0.38	3.23	2.6	7.9	0.34
B125		0.06	<0.0002	0.171	0.23	0.46	10	265	<0.05	0.07	1.62	0.23	2.01	1.7	8.0	0.19
B126		0.04	0.0002	0.285	0.24	0.74	20	187.0	0.05	0.06	2.06	0.82	4.79	6.3	5.1	0.27
B127		0.06	<0.0002	0.086	0.47	1.34	10	340	0.08	0.07	1.46	0.43	3.86	2.6	12.3	0.25
B128		0.04	0.0007	0.093	0.15	0.29	10	198.5	<0.05	0.04	1.01	0.18	2.01	1.0	4.6	0.19
B129		0.04	0.0011	0.143	0.17	0.46	10	296	<0.05	0.05	2.56	0.60	2.02	2.7	5.0	0.44
B130		0.04	0.0002	0.129	0.32	0.41	<10	157.0	0.05	0.07	0.66	0.14	2.84	1.6	8.5	0.26
B131		0.06	<0.0002	0.116	0.49	0.73	<10	139.0	0.07	0.07	0.33	0.27	5.89	3.4	20.1	0.26
B132		0.06	0.0002	0.200	1.60	0.99	<10	199.0	0.48	0.07	1.05	0.28	51.0	7.6	24.0	0.40
B133		0.06	0.0003	0.111	0.33	0.80	<10	227	0.08	0.06	1.25	0.42	3.40	2.3	10.0	0.19
B134		0.06	<0.0002	0.189	0.33	0.92	<10	134.5	0.10	0.07	1.36	0.38	3.04	23.7	35.5	0.26
B135		0.06	0.0003	0.174	0.90	0.71	<10	160.0	0.37	0.07	0.52	0.13	38.4	5.4	18.3	0.57
B136		0.06	<0.0002	0.083	0.57	0.52	<10	255	0.15	0.07	1.02	0.32	17.85	5.9	10.5	0.33
B137		0.04	0.0006	0.114	0.34	0.58	<10	160.5	0.09	0.06	0.91	0.20	13.60	2.2	7.8	0.18
B138		0.04	<0.0002	0.063	0.27	0.46	<10	94.8	<0.05	0.06	0.57	0.14	2.21	1.3	7.9	0.27
B138D		0.02	0.0022	0.079	0.28	0.46	<10	210	0.05	0.07	0.53	0.16	2.01	1.3	7.6	0.13
B139		0.04	<0.0002	0.081	0.43	0.74	10	616	0.07	0.08	2.14	0.36	3.52	2.8	8.8	0.36
B140		0.06	0.0002	0.264	1.66	1.43	<10	398	0.48	0.12	1.17	0.58	82.8	12.2	20.7	0.55
B141		0.04	0.0006	0.036	0.46	0.85	<10	154.5	0.09	0.06	0.72	0.14	3.47	2.8	13.1	0.28
B142		0.06	<0.0002	0.113	0.26	0.43	<10	221	0.07	0.09	0.51	0.49	3.13	1.6	6.8	0.13
B142C		0.02	0.0017	0.802	1.54	9.95	20	224	0.66	1.26	0.58	0.84	104.5	15.1	27.9	1.28
B143		0.04	<0.0002	0.118	0.51	0.38	10	577	0.12	0.09	1.67	0.52	4.97	6.1	11.9	0.44
B144		0.04	<0.0002	0.064	0.42	0.91	<10	294	0.07	0.10	0.81	0.16	3.88	4.2	14.2	0.44
B145		0.04	<0.0002	0.098	0.38	0.93	<10	403	0.07	0.11	0.94	0.59	3.91	4.7	10.6	0.47
B146		0.04	0.0012	0.071	0.45	0.90	<10	178.5	0.09	0.09	0.46	0.33	4.73	4.0	15.9	0.38
B147		0.06	<0.0002	0.066	0.32	0.41	<10	204	0.06	0.07	0.61	0.18	3.49	2.3	11.1	0.31
B148		0.06	<0.0002	0.065	0.35	0.69	<10	193.5	<0.05	0.07	1.04	0.23	2.69	2.6	8.9	0.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
B112		37.7	1.63	3.47	0.06	<-0.02	0.114	0.016	0.11	18.5	4.6	0.35	1110	2.14	0.02	0.58
B113		9.98	0.77	1.63	<-0.05	<-0.02	0.085	0.009	0.09	2.1	2.4	0.17	1800	3.09	0.02	0.41
B114		21.1	0.70	1.24	<-0.05	0.02	0.180	0.015	0.07	2.1	1.6	0.17	2310	4.77	0.01	0.33
B115		23.2	0.44	0.80	<-0.05	0.02	0.204	0.007	0.09	1.2	0.8	0.13	2590	2.67	0.01	0.20
B116		18.50	0.77	1.48	<-0.05	<-0.02	0.185	0.013	0.08	2.2	1.5	0.14	3630	2.06	0.02	0.40
B117		42.0	0.49	1.21	0.05	0.06	0.190	0.008	0.08	12.9	1.9	0.45	363	1.77	0.02	0.35
B118		14.80	0.57	1.41	0.05	0.02	0.224	0.011	0.09	12.3	1.5	0.23	542	1.85	0.02	0.36
B119		12.35	0.54	1.13	<-0.05	0.02	0.282	0.013	0.07	3.0	1.2	0.13	370	1.77	0.02	0.36
B120		11.10	0.37	0.97	<-0.05	<-0.02	0.152	0.010	0.08	1.4	0.7	0.13	86	2.75	0.02	0.31
B121		12.80	0.57	0.98	<-0.05	<-0.02	0.220	0.014	0.08	1.8	0.8	0.11	1220	1.85	0.02	0.21
B121C		30.8	2.36	4.28	0.09	0.02	0.129	0.053	0.11	22.3	9.7	0.33	400	1.73	0.04	1.14
B122		9.39	0.56	1.38	<-0.05	<-0.02	0.118	0.008	0.09	1.3	1.3	0.12	233	2.01	0.02	0.32
B123		10.20	0.29	0.65	<-0.05	<-0.02	0.156	0.007	0.11	1.1	0.7	0.16	1060	2.67	0.01	0.18
B124		11.10	0.47	1.43	<-0.05	<-0.02	0.241	0.015	0.08	1.8	1.4	0.13	591	3.91	0.02	0.20
B125		9.13	0.32	0.85	<-0.05	<-0.02	0.137	0.011	0.13	1.3	0.8	0.22	677	2.64	0.02	0.22
B126		15.80	0.29	0.60	<-0.05	<-0.02	0.186	0.010	0.89	1.8	0.7	0.57	1560	1.19	0.02	0.13
B127		10.55	0.66	1.64	<-0.05	0.02	0.260	0.013	0.12	2.1	2.2	0.17	1100	1.74	0.01	0.51
B128		6.98	0.19	0.46	<-0.05	<-0.02	0.188	<-0.005	0.10	1.5	0.4	0.13	893	2.63	0.02	0.11
B129		11.90	0.26	0.65	<-0.05	<-0.02	0.202	0.005	0.09	1.0	0.8	0.22	1050	3.12	0.01	0.18
B130		8.96	0.46	1.15	<-0.05	<-0.02	0.146	0.008	0.07	1.6	1.0	0.09	957	2.67	0.02	0.28
B131		6.98	1.01	2.34	<-0.05	<-0.02	0.068	0.010	0.05	3.1	2.1	0.11	612	1.22	0.01	0.66
B132		25.6	1.56	4.25	0.10	<-0.02	0.147	0.019	0.09	25.8	4.0	0.34	860	1.21	0.02	0.82
B133		9.27	0.48	1.28	<-0.05	<-0.02	0.269	0.008	0.09	1.9	0.8	0.11	816	1.32	<-0.01	0.30
B134		25.3	0.88	1.19	<-0.05	<-0.02	0.111	0.008	0.06	1.5	0.9	0.12	912	1.97	0.01	0.25
B135		16.30	1.09	2.58	0.05	<-0.02	0.117	0.012	0.08	17.9	2.3	0.17	746	2.50	0.01	0.43
B136		12.50	0.63	1.80	<-0.05	<-0.02	0.141	0.009	0.09	8.6	1.8	0.16	1360	2.64	0.01	0.40
B137		10.60	0.37	1.06	<-0.05	<-0.02	0.114	0.011	0.10	7.9	0.9	0.16	433	3.16	0.02	0.22
B138		7.01	0.46	0.92	<-0.05	<-0.02	0.150	0.009	0.09	1.2	0.9	0.11	236	2.60	0.01	0.24
B138D		7.41	0.23	0.61	<-0.05	<-0.02	0.145	0.006	0.11	1.1	0.5	0.12	305	2.51	0.02	0.17
B139		11.45	0.55	1.14	<-0.05	<-0.02	0.232	0.019	0.11	1.6	1.5	0.18	4960	2.28	0.02	0.27
B140		20.7	1.47	4.99	0.06	<-0.02	0.103	0.020	0.11	25.2	5.8	0.26	6700	1.73	0.02	0.38
B141		7.86	1.16	1.78	<-0.05	<-0.02	0.123	0.009	0.09	1.8	2.0	0.14	933	0.93	0.02	0.42
B142		8.79	0.32	0.82	<-0.05	<-0.02	0.110	0.011	0.07	1.7	0.3	0.09	70	1.78	0.02	0.16
B142C		38.7	3.27	5.88	0.15	0.08	0.132	0.073	0.21	61.2	16.9	0.59	1720	1.21	0.04	1.79
B143		12.10	0.87	1.88	<-0.05	<-0.02	0.082	0.012	0.11	3.5	2.2	0.15	2780	1.77	0.02	0.34
B144		7.57	1.07	1.70	<-0.05	<-0.02	0.134	0.006	0.09	2.1	1.6	0.13	2400	1.76	0.02	0.41
B145		9.65	0.80	1.42	<-0.05	<-0.02	0.194	0.011	0.06	2.8	1.2	0.08	2210	3.26	0.02	0.30
B146		7.29	1.12	2.22	<-0.05	<-0.02	0.040	0.007	0.06	2.5	1.7	0.12	1990	1.85	0.02	0.37
B147		7.22	0.73	1.53	<-0.05	<-0.02	0.065	0.010	0.07	2.1	1.3	0.09	1340	1.91	0.02	0.35
B148		8.02	0.77	1.40	<-0.05	<-0.02	0.135	0.011	0.09	1.6	1.4	0.13	1170	1.42	0.02	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
B112		28.5	0.119	9.93	7.8	0.001	0.07	0.247	1.3	1.0	0.4	96.6	<-0.01	<-0.01	<-0.1	0.043
B113		8.8	0.071	7.86	3.7	<-0.001	0.06	0.147	0.8	0.3	0.3	33.4	<-0.01	<-0.01	0.1	0.043
B114		15.6	0.067	6.23	2.7	<-0.001	0.10	0.197	0.9	1.0	0.2	101.0	<-0.01	<-0.01	0.2	0.029
B115		14.3	0.101	11.20	1.7	<-0.001	0.12	0.173	0.5	0.6	0.2	116.0	<-0.01	<-0.01	0.1	0.020
B116		12.4	0.100	11.55	4.0	<-0.001	0.10	0.184	0.7	0.6	0.3	127.0	<-0.01	0.01	0.1	0.034
B117		22.0	0.133	9.13	1.7	<-0.001	0.21	0.452	0.6	1.9	0.3	222	<-0.01	<-0.01	0.1	0.015
B118		12.1	0.114	7.64	2.8	<-0.001	0.13	0.291	0.8	0.7	0.3	160.0	<-0.01	<-0.01	0.1	0.020
B119		7.3	0.079	10.10	3.7	<-0.001	0.13	0.209	0.6	0.5	0.4	106.0	<-0.01	<-0.01	0.1	0.030
B120		5.4	0.087	6.58	4.0	<-0.001	0.11	0.152	0.6	0.5	0.2	96.6	<-0.01	0.01	0.1	0.022
B121		5.6	0.090	15.75	3.0	<-0.001	0.11	0.223	0.1	0.9	0.3	106.5	<-0.01	<-0.01	<-0.1	0.013
B121C		29.0	0.128	94.2	10.0	0.002	1.01	1.125	3.0	2.8	3.4	42.0	<-0.01	0.13	0.8	0.058
B122		5.4	0.094	7.75	3.4	<-0.001	0.11	0.139	0.4	0.2	0.4	50.4	<-0.01	<-0.01	<-0.1	0.025
B123		3.9	0.103	8.71	3.1	<-0.001	0.14	0.163	0.3	<-0.1	0.2	173.5	<-0.01	0.01	0.1	0.014
B124		6.7	0.104	17.95	3.8	<-0.001	0.14	0.322	0.1	0.1	0.3	109.5	<-0.01	<-0.01	<-0.1	0.013
B125		5.2	0.113	9.16	3.4	<-0.001	0.15	0.213	0.3	0.2	0.2	189.5	<-0.01	0.01	0.1	0.017
B126		7.3	0.142	6.71	18.4	<-0.001	0.19	0.246	0.4	0.3	0.2	220	<-0.01	<-0.01	0.1	0.008
B127		7.7	0.081	9.10	5.8	<-0.001	0.12	0.251	0.7	0.1	0.3	129.0	<-0.01	<-0.01	0.2	0.035
B128		4.1	0.107	6.41	2.2	<-0.001	0.14	0.248	0.3	<-0.1	0.2	102.0	<-0.01	<-0.01	0.2	0.009
B129		5.8	0.109	7.49	5.0	<-0.001	0.16	0.241	0.4	0.4	0.2	231	<-0.01	<-0.01	0.1	0.013
B130		4.9	0.071	10.70	3.5	<-0.001	0.09	0.348	0.3	<-0.1	0.3	57.3	<-0.01	<-0.01	<-0.1	0.023
B131		7.8	0.050	6.71	5.4	<-0.001	0.03	0.268	1.1	0.2	0.3	28.2	<-0.01	0.01	0.3	0.055
B132		23.0	0.106	6.41	6.5	<-0.001	0.09	0.539	2.4	0.6	0.4	118.0	<-0.01	<-0.01	0.1	0.043
B133		9.0	0.075	7.71	2.3	<-0.001	0.08	0.162	0.2	0.2	0.2	101.0	<-0.01	0.01	<-0.1	0.019
B134		14.4	0.066	7.30	2.8	<-0.001	0.07	0.142	0.2	0.2	0.2	110.5	<-0.01	0.01	<-0.1	0.018
B135		14.9	0.096	8.35	6.3	<-0.001	0.07	0.173	0.5	0.5	0.4	78.6	<-0.01	0.01	<-0.1	0.023
B136		13.5	0.094	9.09	5.2	<-0.001	0.08	0.193	0.5	0.3	0.3	142.5	<-0.01	0.01	<-0.1	0.024
B137		8.9	0.102	8.49	3.2	<-0.001	0.11	0.392	1.0	0.4	0.3	118.0	<-0.01	<-0.01	0.2	0.016
B138		4.5	0.091	8.24	3.2	<-0.001	0.10	0.329	0.4	<-0.1	0.3	59.8	<-0.01	<-0.01	0.1	0.020
B138D		5.4	0.098	10.25	2.4	0.001	0.09	0.344	0.3	<-0.1	0.3	72.7	<-0.01	<-0.01	<-0.1	0.014
B139		7.9	0.092	14.65	7.7	<-0.001	0.11	0.386	0.5	<-0.1	0.6	197.0	<-0.01	<-0.01	0.1	0.023
B140		18.7	0.113	11.45	11.6	<-0.001	0.09	0.474	0.9	0.3	0.4	176.5	<-0.01	<-0.01	<-0.1	0.036
B141		6.3	0.091	6.94	4.4	<-0.001	0.08	0.333	0.5	<-0.1	0.2	64.2	<-0.01	<-0.01	0.1	0.034
B142		5.5	0.065	13.65	1.6	<-0.001	0.07	0.319	0.1	0.1	0.2	68.8	<-0.01	<-0.01	<-0.1	0.013
B142C		22.7	0.122	38.8	18.0	0.001	0.17	0.836	5.7	1.6	1.5	29.7	<-0.01	0.07	6.7	0.078
B143		9.5	0.098	10.80	5.6	<-0.001	0.09	0.313	0.3	<-0.1	0.4	227	<-0.01	<-0.01	<-0.1	0.029
B144		7.3	0.068	14.20	6.9	<-0.001	0.07	0.367	0.6	0.1	0.3	97.7	<-0.01	<-0.01	<-0.1	0.040
B145		8.4	0.080	16.40	4.1	<-0.001	0.09	0.352	0.3	0.1	0.3	134.5	<-0.01	0.01	<-0.1	0.025
B146		7.6	0.060	9.92	7.4	<-0.001	0.05	0.330	0.5	<-0.1	0.3	43.2	<-0.01	<-0.01	<-0.1	0.044
B147		5.0	0.053	9.01	4.1	<-0.001	0.05	0.322	0.4	<-0.1	0.2	70.5	<-0.01	<-0.01	0.1	0.033
B148		5.1	0.069	9.58	3.8	<-0.001	0.09	0.316	0.5	<-0.1	0.2	115.5	<-0.01	<-0.01	0.1	0.030



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
B112		0.06	0.35	37	0.17	12.85	52.0	<0.5
B113		0.02	0.12	23	0.09	1.19	87.4	<0.5
B114		0.02	0.11	16	0.13	1.25	66.7	0.6
B115		0.02	0.07	12	0.08	0.93	117.5	0.5
B116		0.02	0.09	21	0.17	1.18	80.8	<0.5
B117		0.04	8.66	41	0.08	10.65	15.5	2.4
B118		0.02	0.44	15	0.10	5.85	37.1	0.8
B119		0.03	0.26	16	0.17	1.74	67.5	0.7
B120		<0.02	0.24	10	0.06	0.71	19.1	0.5
B121		0.02	0.19	15	0.04	0.77	105.0	<0.5
B121C		0.35	29.8	31	0.25	17.35	181.0	0.5
B122		0.02	0.13	15	0.06	0.62	32.9	<0.5
B123		0.03	0.06	8	0.05	0.52	45.6	<0.5
B124		0.03	0.54	11	0.07	0.97	61.8	<0.5
B125		0.03	0.07	9	0.08	0.59	45.8	0.5
B126		0.05	0.06	6	0.04	1.13	176.5	0.6
B127		0.03	0.10	18	0.09	1.00	79.3	0.8
B128		0.03	<0.05	6	0.07	0.94	49.3	<0.5
B129		0.05	0.05	7	0.06	0.58	194.5	0.5
B130		0.03	0.11	13	0.09	0.69	51.8	<0.5
B131		0.03	0.14	32	0.10	1.23	41.3	<0.5
B132		0.06	1.86	28	0.12	13.90	26.6	0.5
B133		0.02	0.11	11	0.08	1.02	36.0	<0.5
B134		<0.02	0.08	23	0.13	0.96	14.1	<0.5
B135		0.03	0.43	23	0.13	7.67	31.3	<0.5
B136		0.03	0.16	13	0.36	4.23	41.9	<0.5
B137		0.02	0.14	9	0.10	4.85	31.9	0.5
B138		0.02	0.06	15	0.06	0.63	20.5	<0.5
B138D		0.03	0.06	6	0.05	0.52	26.3	<0.5
B139		0.07	0.08	15	0.06	0.86	282	<0.5
B140		0.10	0.56	46	0.14	16.30	76.4	<0.5
B141		0.02	0.10	40	0.09	0.91	49.3	<0.5
B142		0.02	0.08	9	0.09	0.74	39.4	<0.5
B142C		0.31	6.18	44	0.41	30.7	194.5	2.6
B143		0.03	0.10	23	0.21	1.54	71.1	<0.5
B144		0.04	0.10	36	0.14	0.91	26.1	<0.5
B145		0.03	0.09	26	0.57	1.24	81.0	<0.5
B146		0.05	0.13	36	0.12	0.97	46.1	<0.5
B147		0.04	0.21	24	0.13	0.78	37.1	<0.5
B148		0.03	0.08	25	0.10	0.74	53.3	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. Au kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B149		0.06	<0.0002	0.154	0.26	0.62	<10	185.0	0.05	0.07	0.69	0.11	2.18	1.8	9.2	0.17
B150		0.04	0.0008	0.153	0.58	0.41	<10	189.5	0.12	0.06	1.04	0.36	10.60	5.3	14.0	0.29
B151		0.02	0.0007	0.242	0.18	0.26	10	242	<0.05	0.06	2.03	0.93	1.91	3.3	4.6	0.45
B152		0.04	<0.0002	0.091	0.39	0.55	<10	173.5	0.07	0.06	0.64	0.23	3.99	2.8	9.8	0.36
B153		0.06	<0.0002	0.165	0.29	0.37	<10	90.1	0.05	0.05	0.52	0.14	4.28	1.8	9.3	0.23
B154		0.04	<0.0002	0.346	2.05	1.63	<10	352	0.48	0.10	1.25	0.51	68.9	7.7	34.8	0.50
B155		0.04	0.0035	0.106	0.21	1.04	10	250	0.05	0.05	1.53	0.47	2.05	1.8	5.4	0.25
B156		0.04	0.0024	0.116	0.38	0.60	<10	137.0	0.06	0.06	0.46	0.10	4.85	2.3	12.9	0.32
B157		0.04	0.0014	0.085	0.21	0.64	<10	134.0	<0.05	0.07	0.69	0.14	2.43	1.2	5.8	0.14
B158		0.06	0.0013	0.196	1.42	1.16	<10	290	0.34	0.09	1.46	0.27	27.5	8.3	22.0	0.40
B159		0.04	0.0017	0.227	1.39	1.08	<10	246	0.66	0.06	1.19	0.22	84.5	5.4	20.1	0.31
B160		0.06	0.0029	0.119	1.25	1.06	10	185.0	0.36	0.06	1.33	0.20	39.7	5.5	23.7	0.33
B161		0.04	0.0047	0.051	0.13	0.55	<10	77.3	<0.05	0.04	0.74	0.20	1.15	1.6	3.8	0.09
B162		0.02	0.0030	0.226	1.35	14.25	20	143.5	0.43	0.50	0.92	1.93	40.5	8.5	19.7	1.03
B163		0.04	0.0014	0.109	0.16	0.64	10	111.0	<0.05	0.06	1.91	0.29	2.49	1.1	3.1	0.16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm 0.01	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.005	In ppm 0.005	K % 0.01	La ppm 0.2	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.01	Na % 0.01	Nb ppm 0.05
B149		6.37	0.57	1.13	<0.05	<0.02	0.135	0.011	0.06	1.2	0.9	0.09	1140	1.39	0.01	0.26
B150		10.45	0.78	2.01	<0.05	<0.02	0.073	0.007	0.13	5.6	3.0	0.22	1590	1.52	0.02	0.46
B151		9.79	0.30	0.63	<0.05	<0.02	0.159	0.010	0.12	1.1	0.9	0.17	1820	3.98	0.02	0.18
B152		5.77	0.56	1.50	<0.05	<0.02	0.074	0.010	0.05	2.1	1.8	0.12	1410	2.53	0.02	0.37
B153		4.05	0.51	1.26	<0.05	<0.02	0.070	0.005	0.04	2.2	1.4	0.09	342	2.34	0.02	0.42
B154		28.6	2.04	5.48	0.10	0.02	0.117	0.023	0.18	36.5	6.1	0.41	2100	2.19	0.02	0.99
B155		9.23	0.29	0.57	<0.05	<0.02	0.219	0.005	0.11	1.1	0.7	0.23	785	3.43	0.01	0.19
B156		7.13	0.74	1.56	<0.05	<0.02	0.102	0.010	0.05	2.5	1.8	0.10	736	2.34	0.01	0.42
B157		5.95	0.35	0.59	<0.05	<0.02	0.236	<0.005	0.08	1.3	0.5	0.10	370	2.69	0.01	0.16
B158		25.1	1.51	3.63	0.05	0.03	0.199	0.011	0.14	11.8	4.0	0.48	1520	3.01	0.01	0.95
B159		31.0	1.28	3.14	0.11	<0.02	0.171	0.016	0.10	36.2	3.0	0.35	1690	2.18	0.01	0.43
B160		18.80	1.39	3.25	0.07	0.02	0.127	0.010	0.15	19.3	4.2	0.40	469	1.33	0.01	0.67
B161		4.71	0.22	0.38	<0.05	<0.02	0.232	<0.005	0.08	0.6	0.5	0.19	48	2.48	0.02	0.13
B162		30.0	2.51	4.07	0.09	<0.02	0.203	0.053	0.11	22.6	9.0	0.35	417	1.66	0.02	1.06
B163		11.60	0.23	0.44	<0.05	<0.02	0.235	0.005	0.07	1.1	0.5	0.34	555	2.21	0.01	0.11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
B149		4.0	0.069	9.11	2.8	<0.001	0.09	0.293	0.4	0.1	0.2	65.2	<0.01	<0.01	0.1	0.025
B150		10.4	0.104	5.56	6.9	<0.001	0.08	0.296	0.6	0.2	0.2	78.3	<0.01	<0.01	<0.1	0.037
B151		5.0	0.135	9.89	2.6	<0.001	0.17	0.303	0.4	0.1	0.2	135.0	<0.01	0.01	0.1	0.014
B152		5.9	0.059	7.54	6.3	<0.001	0.06	0.280	0.5	0.2	0.2	45.8	<0.01	<0.01	0.1	0.030
B153		4.5	0.048	4.42	2.1	<0.001	0.04	0.280	0.8	0.1	0.2	40.0	<0.01	<0.01	0.2	0.033
B154		30.6	0.160	8.65	8.0	<0.001	0.09	0.529	3.2	1.4	0.4	124.5	<0.01	<0.01	0.1	0.051
B155		4.8	0.107	10.80	2.7	0.001	0.14	0.130	0.4	<0.1	0.2	124.0	<0.01	0.01	0.1	0.015
B156		7.0	0.067	8.16	3.3	<0.001	0.05	0.149	0.5	0.1	0.2	36.7	<0.01	0.01	<0.1	0.035
B157		5.8	0.063	11.90	1.2	<0.001	0.08	0.236	0.4	0.2	0.2	62.1	<0.01	0.01	0.1	0.016
B158		24.7	0.127	9.30	7.6	<0.001	0.10	0.337	2.1	0.3	0.4	178.5	<0.01	0.04	0.2	0.045
B159		29.3	0.134	6.96	5.4	<0.001	0.12	0.354	1.4	1.6	0.3	129.0	<0.01	0.03	<0.1	0.023
B160		21.1	0.108	5.52	7.6	<0.001	0.08	0.247	1.8	1.0	0.3	131.5	<0.01	<0.01	0.1	0.043
B161		2.9	0.083	6.48	1.5	0.001	0.11	0.171	0.3	0.2	0.2	95.4	<0.01	0.03	0.1	0.010
B162		31.9	0.134	99.7	10.3	0.004	1.05	1.085	2.7	3.0	3.4	43.2	<0.01	0.16	0.8	0.058
B163		4.0	0.085	7.76	1.4	<0.001	0.16	0.222	0.3	0.2	0.2	183.5	<0.01	0.01	0.1	0.009



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
B149		0.04	0.06	20	0.07	0.51	43.1	<0.5
B150		0.03	0.17	21	0.11	3.23	86.3	<0.5
B151		0.04	<0.05	8	0.09	0.52	46.4	0.5
B152		0.03	0.10	15	0.10	0.99	37.2	<0.5
B153		0.03	0.10	16	0.07	0.96	23.6	<0.5
B154		0.07	0.46	35	0.16	23.3	68.4	0.5
B155		0.03	0.05	8	0.11	0.58	111.5	0.5
B156		0.03	0.13	23	0.12	0.99	46.3	<0.5
B157		0.02	0.07	11	0.06	0.64	38.4	<0.5
B158		0.08	0.47	35	0.25	7.43	33.5	1.2
B159		0.06	0.61	24	0.13	22.7	42.3	<0.5
B160		0.05	1.18	29	0.13	11.55	32.3	0.5
B161		<0.02	0.05	5	0.04	0.36	9.4	<0.5
B162		0.38	31.0	32	0.24	17.30	187.0	0.5
B163		0.02	0.10	6	0.03	0.72	48.7	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **20-NOV-2012**
Account: **GRWRES**

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260944

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

CERTIFICATE VA12260945

Project: Lac La Hache
 P.O. No.:
 This report is for 313 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-NOV-2012.
 The following have access to data associated with this certificate:
 ROB SHIVES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C001		0.06	0.0044	0.115	0.60	1.29	<10	188.0	0.13	0.05	0.95	0.12	5.00	5.4	15.8	0.36
C002		0.08	0.0009	0.063	0.65	1.39	<10	62.5	0.15	0.04	0.59	0.11	5.38	4.3	16.9	0.38
C002D		0.04	0.0012	0.104	0.46	0.77	<10	198.5	0.09	0.05	0.93	0.18	3.39	2.9	9.3	0.30
C003		0.06	0.0015	0.416	0.79	1.70	<10	150.5	0.26	0.07	1.99	0.36	19.15	7.5	14.6	0.46
C004		0.14	0.0031	0.584	1.70	4.37	<10	174.0	0.81	0.09	2.57	0.24	26.5	7.2	23.6	0.59
C005		0.06	0.0003	0.075	0.84	1.16	<10	504	0.14	0.08	1.80	0.51	6.52	7.7	17.8	0.36
C006		0.10	0.0028	0.170	0.60	2.30	<10	110.0	0.17	0.05	1.20	0.18	10.70	3.4	11.3	0.42
C007		0.06	0.0068	0.285	1.77	12.40	<10	364	0.57	0.06	1.04	0.53	40.2	47.1	22.8	0.71
C008		0.10	0.0016	0.129	0.66	1.40	<10	143.5	0.15	0.06	0.96	0.33	7.47	4.7	21.9	0.43
C009		0.08	0.0016	0.350	1.95	2.02	<10	166.5	0.48	0.07	1.52	0.63	22.9	7.7	31.5	0.77
C010		0.06	0.0156	0.121	0.51	1.92	<10	109.0	0.10	0.05	1.20	0.55	2.79	3.6	12.1	0.51
C011		0.04	0.0014	0.251	0.28	2.27	<10	220	0.08	0.08	2.08	1.06	2.80	3.5	6.8	0.53
C012		0.08	0.0017	0.192	0.43	2.11	<10	85.7	0.07	0.07	0.77	0.52	2.36	3.2	6.9	0.34
C013		0.10	0.0014	0.233	0.52	1.56	<10	78.9	0.10	0.06	0.72	0.28	3.33	3.3	10.4	0.34
C014		0.06	0.0022	0.590	0.35	1.33	<10	73.1	0.06	0.05	0.79	0.13	2.42	2.3	7.5	0.34
C015		0.06	0.0014	0.796	1.87	6.56	<10	99.6	1.18	0.12	2.68	0.35	43.6	9.9	17.3	1.26
C016		0.12	0.0014	0.249	1.00	3.13	<10	73.6	0.25	0.07	1.80	0.27	7.01	5.4	17.6	0.50
C017		0.08	0.0014	0.180	0.67	1.48	<10	169.5	0.20	0.07	0.93	0.31	5.12	4.1	15.2	0.67
C018		0.10	0.0010	0.175	0.82	1.88	<10	106.0	0.27	0.08	1.41	0.36	8.31	4.8	18.0	0.45
C019		0.24	0.0072	1.130	3.64	8.01	<10	217	0.95	0.15	1.41	0.91	27.6	17.0	41.2	1.65
C020		0.08	0.0085	0.860	1.36	3.29	10	133.5	0.76	0.08	2.09	0.41	27.3	5.9	15.8	0.66
C021		0.08	0.0033	0.116	0.41	1.32	<10	88.7	0.12	0.05	0.96	0.17	5.96	2.0	8.1	0.20
C022		0.08	0.0179	1.100	2.08	3.93	<10	129.5	0.68	0.09	3.76	0.33	23.9	6.0	15.7	0.67
C022C		0.02	0.0025	0.776	1.54	10.10	10	226	0.73	1.08	0.58	0.86	102.0	15.8	27.8	1.30
C023		0.10	0.0091	0.719	3.28	5.17	<10	402	1.31	0.16	1.83	0.65	37.1	12.7	31.6	1.30
C024		0.10	0.0030	0.475	2.33	3.82	<10	325	0.75	0.10	1.69	0.45	32.2	9.1	31.6	0.65
C025		0.06	0.0027	0.228	0.27	1.22	<10	179.0	0.07	0.05	1.24	0.28	2.58	1.2	7.2	0.29
C026		0.06	0.0051	0.238	0.24	1.17	<10	98.5	0.07	0.08	1.29	0.46	1.86	1.8	4.0	0.31
C027		0.06	0.0013	0.346	0.32	0.97	<10	360	0.08	0.10	1.97	1.19	2.31	2.4	5.8	0.46
C028		0.04	0.0074	0.370	0.30	0.73	<10	79.7	0.06	0.08	2.26	0.57	2.22	2.1	5.2	0.32
C029		0.04	0.0025	0.260	0.50	1.18	<10	93.9	0.14	0.08	2.05	0.54	5.77	2.7	6.9	0.42
C030		0.04	0.0098	0.147	0.45	1.28	<10	68.2	0.09	0.07	1.68	0.27	3.47	3.1	9.2	0.39
C031		0.06	0.0015	0.301	0.98	2.41	<10	157.5	0.27	0.10	1.53	2.14	7.50	7.5	13.6	0.73
C032		0.06	0.0023	0.240	0.21	0.68	10	81.5	0.06	0.04	2.69	0.51	1.59	1.6	3.9	0.19
C033		0.08	0.0020	0.233	0.33	0.97	<10	102.5	0.09	0.04	0.85	0.46	3.05	2.4	6.5	0.29
C034		0.10	0.0031	0.791	0.55	1.66	<10	69.4	0.20	0.05	4.16	1.34	3.10	3.1	6.5	0.25
C035		0.06	0.0026	0.085	0.49	1.58	<10	79.3	0.08	0.07	0.91	0.31	2.21	2.4	8.6	0.33
C036		0.10	0.0034	0.221	0.28	0.75	<10	24.2	-0.05	0.04	0.61	0.21	1.13	0.9	4.2	0.16
C037		0.06	0.0010	0.225	0.28	0.73	<10	87.5	0.05	0.05	0.69	0.26	1.46	2.0	6.6	0.27
C038		0.08	0.0019	0.323	0.41	1.50	10	121.0	0.11	0.06	1.80	0.38	3.41	4.3	8.0	0.61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C001		14.50	1.35	1.98	<0.05	<0.02	0.092	0.011	0.09	2.3	2.9	0.24	636	1.95	0.02	0.65
C002		14.90	1.31	1.92	<0.05	<0.02	0.077	0.008	0.11	2.5	3.0	0.21	610	1.41	0.01	0.73
C002D		11.85	0.70	1.24	<0.05	<0.02	0.117	0.009	0.11	1.9	1.7	0.15	2140	2.80	0.01	0.50
C003		28.7	1.12	2.33	0.05	0.03	0.136	0.013	0.08	7.0	4.0	0.26	1600	1.35	0.02	0.74
C004		120.0	1.97	3.94	0.11	0.13	0.207	0.024	0.09	24.2	7.5	0.44	733	1.53	0.03	1.08
C005		19.35	1.57	2.32	<0.05	<0.02	0.209	0.018	0.13	3.0	2.1	0.25	3600	2.29	0.03	0.50
C006		38.9	1.17	1.82	0.05	0.02	0.127	0.010	0.09	6.8	2.8	0.28	567	1.99	0.03	0.48
C007		100.0	3.78	4.45	0.07	<0.02	0.089	0.018	0.16	13.7	7.2	0.41	7420	1.99	0.03	0.18
C008		19.15	1.45	2.20	<0.05	<0.02	0.073	0.010	0.09	3.7	3.1	0.22	1090	2.40	0.02	0.73
C009		89.7	1.96	5.19	0.08	0.05	0.151	0.020	0.14	14.5	6.5	0.45	949	1.71	0.02	0.64
C010		23.4	1.13	1.84	<0.05	<0.02	0.129	0.009	0.09	1.4	3.2	0.22	1140	1.55	0.02	0.33
C011		25.3	0.52	0.98	<0.05	<0.02	0.228	0.011	0.09	1.3	1.3	0.11	2020	2.56	0.02	0.16
C012		12.05	0.90	1.65	<0.05	<0.02	0.163	0.010	0.08	1.1	2.4	0.14	1080	1.94	0.02	0.25
C013		23.2	0.99	1.78	<0.05	<0.02	0.176	0.011	0.08	1.7	2.5	0.15	811	2.13	0.02	0.30
C014		16.70	0.56	1.04	<0.05	<0.02	0.205	0.009	0.05	1.3	1.3	0.11	698	1.85	0.02	0.19
C015		625	2.53	4.88	0.10	0.06	0.128	0.025	0.14	27.8	21.8	0.39	1150	1.41	0.02	0.67
C016		85.6	1.20	2.88	0.06	0.05	0.119	0.014	0.10	4.1	8.5	0.32	345	2.55	0.02	0.50
C017		22.8	1.10	2.64	<0.05	<0.02	0.145	0.013	0.07	2.6	2.9	0.14	776	2.51	0.02	0.40
C018		48.2	1.16	2.79	<0.05	<0.02	0.137	0.013	0.07	5.7	3.4	0.20	746	5.84	0.02	0.47
C019		748	3.97	8.73	0.10	0.08	0.064	0.040	0.17	19.0	19.6	0.71	1220	3.30	0.03	1.28
C020		946	1.43	3.63	0.12	0.03	0.259	0.018	0.12	29.3	5.4	0.34	1070	2.79	0.01	0.46
C021		30.3	0.47	1.18	<0.05	0.02	0.175	0.009	0.05	3.1	1.5	0.13	99	3.31	0.01	0.20
C022		460	1.62	4.32	0.09	0.12	0.259	0.027	0.07	18.5	7.7	0.34	611	2.12	0.02	0.57
C022C		36.7	3.30	5.54	0.16	0.08	0.133	0.069	0.20	59.4	15.9	0.58	1720	1.18	0.04	1.65
C023		479	3.05	9.25	0.09	0.05	0.203	0.046	0.20	31.9	11.2	0.51	1220	1.62	0.02	1.14
C024		144.0	2.58	6.40	0.08	0.06	0.129	0.027	0.13	16.1	10.6	0.61	551	1.03	0.02	0.92
C025		10.60	0.40	1.12	<0.05	0.03	0.189	0.008	0.05	1.4	0.8	0.14	60	2.06	0.02	0.23
C026		31.6	0.36	0.68	<0.05	<0.02	0.197	0.011	0.06	1.3	0.5	0.10	208	10.70	0.02	0.14
C027		31.0	0.47	0.99	<0.05	<0.02	0.256	0.016	0.10	1.1	1.1	0.17	3930	2.87	0.01	0.17
C028		25.2	0.43	0.87	<0.05	0.02	0.161	0.014	0.08	1.4	1.3	0.18	1070	2.93	0.01	0.17
C029		39.9	0.67	1.47	<0.05	0.02	0.171	0.017	0.11	5.3	2.1	0.22	589	1.72	0.01	0.26
C030		18.00	0.93	1.66	<0.05	0.03	0.150	0.014	0.09	1.8	4.9	0.20	373	0.99	0.01	0.36
C031		69.1	1.65	3.45	<0.05	<0.02	0.109	0.019	0.10	5.2	5.9	0.31	1230	1.96	0.02	0.47
C032		28.4	0.28	0.53	<0.05	0.02	0.182	0.007	0.10	0.9	1.5	0.17	287	1.33	0.01	0.13
C033		21.2	0.48	1.01	<0.05	<0.02	0.147	0.008	0.06	1.7	1.1	0.10	289	2.01	0.01	0.20
C034		91.1	0.57	1.39	0.10	0.04	0.139	0.009	0.03	1.8	2.7	0.16	981	4.43	0.02	0.25
C035		14.15	0.78	1.76	<0.05	<0.02	0.207	0.009	0.09	1.2	1.9	0.13	610	3.15	0.01	0.35
C036		16.95	0.25	0.49	<0.05	<0.02	0.286	0.005	0.16	0.6	0.6	0.08	277	0.98	0.01	0.11
C037		12.55	0.43	0.79	<0.05	<0.02	0.136	0.007	0.06	0.8	0.8	0.08	542	2.63	0.01	0.14
C038		30.9	0.61	1.37	<0.05	<0.02	0.177	0.011	0.08	2.0	3.0	0.18	1200	2.47	0.01	0.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C001		9.3	0.071	7.83	4.6	<0.001	0.06	0.130	0.9	0.1	0.4	75.1	<0.01	<0.01	<0.1	0.062
C002		12.0	0.105	3.68	4.9	<0.001	0.06	0.114	0.7	0.1	0.3	37.3	<0.01	<0.01	<0.1	0.061
C002D		8.1	0.097	8.07	4.8	<0.001	0.09	0.138	0.5	0.1	0.4	78.0	<0.01	<0.01	<0.1	0.035
C003		17.7	0.092	7.01	6.5	0.001	0.11	0.193	1.4	0.4	0.4	100.5	<0.01	0.01	0.1	0.045
C004		37.2	0.077	9.12	5.3	0.001	0.13	0.369	4.6	1.4	0.4	155.5	<0.01	0.01	0.6	0.057
C005		18.6	0.102	11.05	7.3	<0.001	0.09	0.162	1.5	0.2	0.4	119.0	<0.01	0.01	0.1	0.054
C006		9.8	0.102	6.77	5.2	<0.001	0.11	0.176	1.5	0.3	0.3	101.5	<0.01	<0.01	0.1	0.043
C007		25.1	0.227	4.62	11.8	<0.001	0.09	0.256	1.5	0.4	0.4	111.0	<0.01	0.01	0.1	0.035
C008		14.2	0.104	5.51	5.2	<0.001	0.07	0.133	1.1	0.1	0.3	85.6	<0.01	0.01	0.1	0.058
C009		23.9	0.147	8.56	8.9	<0.001	0.11	0.225	4.1	0.6	0.4	113.0	<0.01	0.01	0.3	0.055
C010		7.2	0.103	6.39	4.9	<0.001	0.12	0.150	0.9	0.3	0.3	57.8	<0.01	0.01	0.1	0.039
C011		7.1	0.091	9.36	4.1	<0.001	0.12	0.175	0.6	0.3	0.3	111.5	<0.01	0.01	0.1	0.022
C012		5.5	0.080	8.65	5.1	<0.001	0.10	0.276	0.6	0.1	0.3	39.4	<0.01	0.01	0.1	0.030
C013		8.0	0.092	6.90	5.2	<0.001	0.09	0.175	0.7	0.2	0.2	51.5	<0.01	0.01	0.1	0.032
C014		5.8	0.090	8.86	3.7	<0.001	0.11	0.179	0.5	0.3	0.3	57.3	<0.01	0.01	0.1	0.020
C015		15.2	0.098	9.79	11.3	0.001	0.08	0.292	6.7	2.1	0.4	107.0	<0.01	0.01	0.5	0.068
C016		13.5	0.081	7.27	8.9	0.001	0.13	0.200	2.5	0.7	0.4	98.7	<0.01	0.02	0.2	0.045
C017		10.7	0.085	11.20	11.0	<0.001	0.09	0.167	1.0	0.1	0.3	63.8	<0.01	0.01	0.1	0.041
C018		13.4	0.084	9.84	9.1	<0.001	0.10	0.199	1.1	0.2	0.3	72.7	<0.01	0.02	0.1	0.038
C019		38.7	0.131	6.36	30.5	0.002	0.07	0.263	12.0	1.6	0.6	85.0	<0.01	0.07	0.9	0.117
C020		20.7	0.128	7.33	9.4	0.001	0.13	0.312	2.1	1.7	0.3	113.0	<0.01	0.03	0.1	0.034
C021		6.7	0.067	4.60	2.6	0.001	0.14	0.200	1.0	0.3	0.2	78.1	<0.01	0.03	0.1	0.020
C022		12.7	0.155	3.92	6.1	0.012	0.21	0.727	3.4	3.0	0.3	154.5	<0.01	0.05	0.3	0.031
C022C		24.5	0.123	40.9	18.8	0.002	0.17	0.578	5.7	1.9	1.6	29.1	<0.01	0.05	5.8	0.075
C023		27.2	0.144	8.05	27.8	<0.001	0.06	0.558	6.7	1.0	0.6	129.0	<0.01	0.07	0.7	0.060
C024		25.9	0.093	5.71	15.5	0.001	0.09	0.427	4.8	0.6	0.4	188.5	<0.01	0.03	0.5	0.063
C025		4.0	0.074	4.23	3.3	<0.001	0.16	0.169	0.7	1.6	0.2	285	<0.01	0.01	0.1	0.021
C026		4.2	0.075	11.95	4.5	<0.001	0.15	0.269	0.6	0.4	0.3	70.1	<0.01	0.01	0.1	0.014
C027		5.8	0.106	21.0	7.6	<0.001	0.15	0.296	0.5	0.2	0.3	92.9	<0.01	0.01	0.1	0.015
C028		4.6	0.088	20.5	8.0	<0.001	0.16	0.270	0.6	0.1	0.3	65.1	<0.01	0.02	0.1	0.017
C029		6.0	0.080	14.10	12.1	0.002	0.13	0.273	1.2	0.2	0.3	108.5	<0.01	0.01	0.2	0.023
C030		6.3	0.062	9.99	12.6	0.001	0.12	0.230	1.0	0.1	0.2	67.1	<0.01	0.01	0.2	0.035
C031		12.4	0.088	11.55	15.9	<0.001	0.09	0.228	1.6	0.2	0.4	98.5	<0.01	0.01	0.1	0.050
C032		4.3	0.115	4.91	5.8	<0.001	0.17	0.110	0.4	0.3	<0.2	75.2	<0.01	<0.01	0.1	0.010
C033		6.5	0.072	5.53	6.6	<0.001	0.13	0.158	0.6	0.2	0.2	78.4	<0.01	<0.01	0.1	0.021
C034		8.2	0.116	4.96	4.0	0.081	0.31	0.759	0.7	8.1	0.2	158.0	<0.01	0.01	0.1	0.017
C035		6.3	0.113	10.10	6.5	0.001	0.11	0.173	0.4	0.2	0.3	43.4	<0.01	<0.01	<0.1	0.030
C036		4.0	0.084	5.32	3.6	<0.001	0.12	0.148	0.3	0.3	0.2	30.1	<0.01	<0.01	<0.1	0.011
C037		5.4	0.086	10.45	4.0	<0.001	0.10	0.175	0.2	0.1	0.2	48.0	<0.01	<0.01	<0.1	0.015
C038		6.3	0.089	9.14	8.8	<0.001	0.12	0.156	0.6	0.2	0.2	119.0	<0.01	0.02	0.1	0.023



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C001		0.02	0.21	37	0.14	1.65	54.9	<0.5
C002		0.02	0.14	39	0.15	1.48	55.7	<0.5
C002D		0.02	0.08	18	0.12	0.86	77.1	<0.5
C003		0.04	0.67	34	0.13	6.29	56.3	1.0
C004		0.07	1.50	57	0.14	26.2	34.8	4.3
C005		0.02	0.12	27	0.14	2.49	142.0	0.5
C006		0.03	0.18	33	0.13	7.11	51.6	0.6
C007		0.08	0.36	161	0.26	13.30	109.0	<0.5
C008		0.02	0.19	40	0.38	2.02	89.1	<0.5
C009		0.04	0.33	46	0.16	13.55	105.5	1.3
C010		0.02	0.09	33	0.10	1.16	89.9	<0.5
C011		0.02	0.08	14	0.08	0.84	84.4	<0.5
C012		<0.02	0.06	26	0.12	0.74	95.7	<0.5
C013		0.02	0.12	28	0.16	1.31	53.1	<0.5
C014		<0.02	0.07	16	0.16	0.87	38.3	<0.5
C015		0.04	1.29	63	0.17	37.2	46.3	1.8
C016		0.02	0.94	34	0.13	6.94	28.2	1.4
C017		0.02	0.13	31	0.28	1.86	43.4	<0.5
C018		0.02	0.27	31	0.22	6.05	31.5	<0.5
C019		0.10	2.27	91	0.27	25.0	59.3	2.1
C020		0.04	0.81	34	0.19	42.8	43.0	<0.5
C021		<0.02	0.16	13	0.08	3.15	19.8	0.7
C022		0.07	2.29	38	0.21	21.2	32.2	3.4
C022C		0.26	6.26	44	0.40	29.8	191.0	2.3
C023		0.06	1.39	64	0.33	29.3	62.2	1.4
C024		0.08	1.08	62	0.17	15.50	65.1	1.7
C025		<0.02	0.16	12	0.07	0.90	44.8	0.9
C026		<0.02	0.07	10	0.07	1.25	33.7	<0.5
C027		0.07	0.07	11	0.09	0.67	94.5	<0.5
C028		0.02	0.08	14	0.09	1.34	51.0	0.6
C029		0.03	0.19	18	0.10	4.35	40.0	0.7
C030		<0.02	0.11	27	0.10	1.18	25.2	0.8
C031		0.03	0.18	47	0.18	4.75	110.0	<0.5
C032		0.02	0.13	9	0.04	0.94	65.4	0.7
C033		<0.02	0.09	14	0.07	1.15	38.5	<0.5
C034		0.03	7.99	25	0.05	3.65	55.6	1.2
C035		0.03	0.10	23	0.11	0.69	38.3	<0.5
C036		<0.02	0.08	7	0.04	0.39	35.8	<0.5
C037		0.02	0.05	13	0.09	0.52	43.1	<0.5
C038		0.03	0.08	17	0.12	1.65	69.8	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. Au kg	ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C039		0.06	0.0012	0.338	0.68	2.21	10	84.2	0.37	0.04	3.98	0.55	4.65	3.4	7.0	1.93
C040		0.06	0.0007	0.107	0.89	2.40	<10	124.5	0.18	0.08	1.31	0.18	6.87	5.3	15.8	0.62
C041		0.06	0.0004	0.346	0.62	1.64	20	316	0.14	0.06	3.38	0.33	4.75	4.1	9.9	0.57
C041C		0.02	0.0023	0.241	1.32	14.60	20	140.5	0.41	0.50	0.85	2.00	41.7	8.7	19.0	1.10
C042		0.04	0.0018	0.422	0.14	0.31	<10	46.1	<0.05	0.04	0.89	0.25	0.95	1.3	2.9	0.23
C043		0.08	0.0022	0.374	1.01	3.65	10	53.7	0.29	0.07	1.85	0.93	8.02	5.1	14.1	0.76
C044		0.08	0.0004	0.505	0.62	1.50	10	82.7	0.17	0.06	1.59	0.67	5.72	5.3	11.1	0.44
C045		0.10	<0.0002	0.142	0.38	1.06	<10	65.1	0.08	0.05	0.52	0.13	3.82	3.2	11.7	0.40
C046		0.08	<0.0002	0.177	0.44	1.05	<10	354	0.12	0.08	2.18	0.82	3.59	3.4	9.2	0.79
C047		0.06	0.0003	0.409	1.26	1.19	10	174.0	0.33	0.06	2.02	0.60	17.50	5.0	17.6	0.64
C048		0.08	<0.0002	0.270	0.88	1.12	<10	673	0.24	0.08	1.76	0.42	14.85	4.9	11.0	0.49
C049		0.08	<0.0002	0.415	0.84	0.81	10	366	0.29	0.06	2.67	0.68	20.9	5.6	11.6	0.54
C050		0.08	0.0011	0.585	0.60	3.92	10	186.5	0.24	0.07	3.09	0.75	8.01	4.5	12.8	0.37
C051		0.02	0.0053	0.405	0.90	1.11	<10	169.0	0.22	0.07	0.84	0.18	14.65	8.5	15.3	0.83
C052		0.08	0.0010	0.285	1.01	2.41	<10	139.0	0.30	0.06	1.94	0.52	12.55	7.0	22.4	0.65
C053		0.08	0.0005	0.273	0.80	5.81	10	196.0	0.31	0.06	3.57	0.38	12.55	10.1	22.1	0.37
C054		0.08	<0.0002	0.503	1.19	1.98	10	188.5	0.40	0.08	1.90	0.50	22.4	7.7	24.2	0.55
C055		0.04	0.0005	0.195	0.45	1.88	10	91.3	0.11	0.04	1.61	0.64	2.53	3.7	10.4	0.60
C056		0.06	0.0012	0.157	0.32	1.04	<10	69.6	0.08	0.05	0.90	0.43	1.79	2.9	8.5	0.41
C057		0.04	0.0006	0.150	0.24	0.80	10	116.5	0.05	0.05	2.15	0.53	1.67	2.6	4.7	0.28
C058		0.04	<0.0002	0.119	0.29	1.29	10	148.5	0.06	0.05	1.73	0.38	1.84	2.4	5.3	0.56
C059		0.04	0.0002	0.184	0.62	1.12	<10	107.0	0.19	0.09	0.63	0.24	7.89	2.9	11.1	0.42
C060		0.04	<0.0002	0.103	0.16	0.47	10	227	<0.05	0.05	2.25	0.47	1.17	1.6	4.3	0.29
C060C		0.02	0.0015	0.809	1.59	10.05	10	221	0.75	1.12	0.56	0.83	102.0	15.7	27.8	1.36
C061		0.04	<0.0002	0.772	0.26	0.70	<10	96.1	<0.05	0.06	0.82	0.18	1.67	1.8	5.4	0.27
C062		0.02	<0.0002	0.303	0.22	0.51	<10	90.8	<0.05	0.04	0.87	0.35	1.20	1.2	5.9	0.21
C063		0.06	0.0016	0.577	1.01	2.06	10	144.0	0.38	0.05	2.34	0.21	7.69	4.3	11.9	0.57
C064		0.02	0.0008	0.199	0.39	0.95	<10	136.0	0.08	0.08	1.17	0.49	2.26	4.3	10.6	0.84
C065		0.12	0.0022	0.860	4.41	5.98	<10	300	1.13	0.12	1.26	0.37	52.9	15.6	51.5	1.44
C066		0.04	0.0043	0.154	0.92	1.15	<10	164.0	0.19	0.07	1.21	0.48	6.50	4.8	13.1	0.59
C067		0.06	0.0022	0.399	0.99	2.05	<10	119.5	0.45	0.09	1.72	0.61	20.9	4.0	15.5	0.48
C068		0.02	<0.0002	0.064	0.47	1.01	<10	206	0.12	0.08	1.03	0.36	6.15	4.2	13.7	0.49
C069		0.04	0.0003	0.254	0.42	0.82	<10	126.5	0.16	0.05	1.36	0.31	10.15	1.9	5.3	0.28
C070		0.02	0.0004	0.162	0.54	0.98	<10	277	0.12	0.11	1.11	0.20	4.51	4.0	14.4	0.55
C071		0.04	0.0008	0.189	0.78	8.10	<10	354	0.27	0.06	1.93	0.40	9.11	7.2	13.1	0.63
C072		0.14	0.0030	0.674	4.00	3.57	<10	281	1.05	0.16	1.17	0.35	28.2	14.9	45.5	1.82
C073		0.04	0.0020	0.466	0.49	0.99	<10	154.5	0.16	0.10	1.25	0.34	7.92	2.6	8.8	0.41
C074		0.08	0.0041	0.108	0.22	0.77	<10	141.5	0.08	0.07	1.57	0.35	2.24	1.0	3.4	0.18
C075		0.06	0.0043	0.116	0.56	2.02	10	102.5	0.21	0.07	2.51	0.32	11.15	3.1	8.4	0.44
C076		0.04	0.0019	0.308	0.75	2.05	<10	298	0.38	0.08	1.92	0.90	11.50	4.8	9.8	0.88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C039		341	0.63	1.65	0.06	0.05	0.136	0.011	0.10	9.4	3.9	0.26	740	2.92	0.01	0.22
C040		42.6	1.34	3.43	<0.05	<0.02	0.157	0.014	0.08	4.3	4.4	0.24	1140	4.98	0.01	0.49
C041		83.1	0.87	1.87	<0.05	0.03	0.145	0.016	0.13	3.0	4.1	0.22	688	2.64	0.01	0.38
C041C		30.2	2.31	4.19	0.10	0.02	0.181	0.056	0.10	23.1	9.2	0.32	395	1.72	0.02	1.15
C042		13.00	0.15	0.29	<0.05	<0.02	0.231	0.005	0.08	0.5	0.3	0.09	275	2.63	0.01	0.08
C043		212	1.28	2.83	0.05	0.04	0.099	0.014	0.06	6.0	6.1	0.27	194	3.78	0.01	0.45
C044		67.6	1.01	2.26	<0.05	0.02	0.096	0.012	0.12	3.3	3.0	0.23	517	2.73	0.01	0.37
C045		13.55	0.78	1.71	<0.05	0.02	0.077	0.008	0.08	1.9	2.4	0.12	236	1.50	0.01	0.44
C046		35.5	0.61	1.68	<0.05	<0.02	0.128	0.012	0.03	1.8	1.2	0.11	1600	1.26	0.01	0.24
C047		47.1	1.28	3.43	0.05	0.04	0.162	0.014	0.15	11.7	5.2	0.33	444	1.62	0.01	0.59
C048		29.8	0.83	2.33	<0.05	<0.02	0.406	0.014	0.08	7.9	2.6	0.21	3860	1.54	0.01	0.27
C049		30.5	0.85	2.44	<0.05	0.02	0.229	0.011	0.12	10.7	2.6	0.24	1920	1.70	0.01	0.36
C050		91.4	0.74	1.69	<0.05	0.04	0.149	0.011	0.06	5.3	3.5	0.17	537	2.64	0.02	0.39
C051		30.4	1.07	3.16	<0.05	<0.02	0.111	0.013	0.06	7.0	3.4	0.18	661	0.95	0.02	0.42
C052		101.5	1.66	3.01	0.06	0.05	0.082	0.013	0.10	8.9	5.1	0.39	839	0.92	0.02	0.59
C053		92.4	1.37	2.34	0.06	0.06	0.076	0.011	0.06	6.6	7.2	0.30	1320	2.84	0.03	0.59
C054		50.1	1.54	3.33	0.06	0.04	0.122	0.016	0.14	16.5	5.8	0.25	2020	1.33	0.02	0.56
C055		19.35	0.73	1.43	<0.05	0.02	0.179	0.008	0.13	1.4	2.9	0.21	732	2.71	0.01	0.28
C056		11.40	0.73	1.53	<0.05	<0.02	0.147	0.007	0.07	0.9	2.1	0.11	697	1.55	0.01	0.29
C057		15.75	0.35	0.69	<0.05	0.02	0.145	0.007	0.08	0.9	1.1	0.22	1810	2.72	0.01	0.15
C058		19.45	0.44	0.93	<0.05	0.02	0.220	0.009	0.09	0.9	1.6	0.17	1100	4.17	0.01	0.18
C059		19.45	0.62	2.03	<0.05	<0.02	0.214	0.013	0.07	4.0	1.6	0.11	350	2.50	0.01	0.25
C060		13.10	0.20	0.44	<0.05	<0.02	0.243	0.006	0.12	0.6	0.6	0.16	1980	2.63	0.01	0.11
C060C		36.9	3.16	5.56	0.12	0.09	0.159	0.062	0.20	60.6	16.3	0.57	1720	1.19	0.03	1.79
C061		11.45	0.26	0.67	<0.05	<0.02	0.241	0.007	0.07	1.1	0.6	0.10	636	2.40	0.01	0.17
C062		7.62	0.30	0.55	<0.05	<0.02	0.201	<0.005	0.12	0.7	0.6	0.10	748	2.47	0.01	0.18
C063		219	1.02	2.44	0.06	0.08	0.143	0.014	0.17	6.4	4.5	0.31	642	1.56	0.01	0.36
C064		15.40	0.81	1.51	<0.05	<0.02	0.160	0.012	0.08	1.3	2.1	0.14	1200	2.76	0.01	0.27
C065		3.45	3.49	10.85	0.09	0.12	0.090	0.041	0.14	27.7	22.5	0.70	2100	1.13	0.02	1.22
C066		37.6	0.77	2.41	<0.05	<0.02	0.235	0.011	0.10	3.4	3.3	0.19	1190	2.38	0.01	0.41
C067		163.0	1.04	3.05	0.06	0.03	0.250	0.019	0.04	16.4	5.0	0.26	370	2.20	0.01	0.45
C068		15.30	0.94	1.76	<0.05	0.02	0.151	0.011	0.09	3.2	1.8	0.19	1230	3.72	0.01	1.40
C069		11.05	0.36	1.03	<0.05	0.04	0.193	0.008	0.06	7.1	0.8	0.24	151	1.29	0.02	0.52
C070		12.75	0.80	1.85	<0.05	<0.02	0.171	0.014	0.12	2.5	2.1	0.20	2530	2.71	0.01	0.61
C071		38.3	2.90	1.81	<0.05	0.03	0.275	0.011	0.14	5.8	3.2	0.22	7050	2.14	0.01	0.41
C072		134.0	3.30	10.95	0.08	0.06	0.087	0.039	0.22	23.6	20.0	0.94	931	0.80	0.02	1.60
C073		19.35	0.55	1.46	<0.05	0.02	0.158	0.014	0.08	6.0	1.7	0.18	225	2.41	0.01	0.36
C074		10.65	0.27	0.55	<0.05	0.02	0.193	0.012	0.06	2.0	0.7	0.16	150	1.68	0.01	0.18
C075		55.0	0.86	1.79	<0.05	0.05	0.228	0.012	0.07	16.4	3.3	0.33	325	1.22	0.01	0.46
C076		48.0	1.21	2.14	<0.05	0.05	0.113	0.015	0.12	8.9	4.6	0.33	551	1.39	0.02	0.52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C039		8.8	0.135	4.66	6.7	0.003	0.19	0.524	1.6	2.0	0.2	131.0	<0.01	0.02	0.1	0.016
C040		11.3	0.078	9.25	10.4	<0.001	0.06	0.236	1.1	0.3	0.3	69.4	<0.01	0.02	0.1	0.042
C041		10.3	0.094	5.33	11.9	<0.001	0.09	0.146	1.4	0.3	0.2	163.5	<0.01	0.03	0.2	0.034
C041C		31.6	0.129	97.7	10.9	0.004	0.98	1.145	2.9	2.7	3.5	43.0	<0.01	0.14	0.9	0.057
C042		2.9	0.108	6.80	2.9	<0.001	0.14	0.119	0.2	0.3	0.3	57.7	<0.01	0.02	<0.1	0.006
C043		12.4	0.093	5.00	5.1	0.001	0.13	0.209	2.5	2.0	0.2	79.8	<0.01	0.02	0.2	0.036
C044		9.3	0.097	5.25	5.6	<0.001	0.10	0.126	1.3	0.6	0.2	123.0	<0.01	0.02	0.2	0.036
C045		6.6	0.048	4.50	7.3	<0.001	0.05	0.094	0.9	0.3	0.2	37.8	<0.01	0.02	0.3	0.042
C046		8.3	0.113	10.40	3.1	<0.001	0.09	0.120	0.3	0.2	0.3	125.5	<0.01	0.02	<0.1	0.026
C047		15.4	0.112	6.07	8.9	0.001	0.12	0.248	2.1	0.8	0.3	128.5	<0.01	0.02	0.2	0.039
C048		14.4	0.114	10.80	7.3	<0.001	0.09	0.194	0.5	0.4	0.3	184.0	<0.01	0.03	<0.1	0.024
C049		16.4	0.139	10.05	8.6	<0.001	0.12	0.189	1.2	0.5	0.3	237	<0.01	0.02	0.1	0.024
C050		17.9	0.104	6.89	2.3	0.002	0.13	0.250	0.9	2.6	0.2	114.0	<0.01	0.02	0.1	0.026
C051		14.6	0.081	9.40	5.9	<0.001	0.05	0.159	1.3	0.4	0.3	78.5	<0.01	0.02	0.1	0.045
C052		28.4	0.113	4.63	7.4	<0.001	0.09	0.249	2.1	0.7	0.2	89.3	<0.01	0.02	0.3	0.045
C053		41.8	0.095	3.09	3.3	0.017	0.30	0.415	1.2	4.0	0.2	129.5	<0.01	0.02	0.2	0.038
C054		26.7	0.102	7.53	7.6	<0.001	0.10	0.180	1.8	0.7	0.3	72.2	<0.01	0.03	0.2	0.044
C055		8.2	0.112	7.45	5.1	<0.001	0.13	0.123	0.6	0.4	0.2	60.7	<0.01	0.02	0.1	0.026
C056		5.4	0.080	6.54	4.6	<0.001	0.10	0.110	0.5	0.1	0.2	36.6	<0.01	0.01	0.1	0.034
C057		5.2	0.110	11.40	3.0	<0.001	0.15	0.170	0.4	0.4	0.2	80.9	<0.01	0.02	0.1	0.013
C058		5.3	0.120	13.15	2.9	<0.001	0.17	0.190	0.5	0.3	0.2	93.7	<0.01	0.01	0.1	0.017
C059		8.7	0.106	15.05	3.4	<0.001	0.08	0.261	0.2	0.3	0.3	55.5	<0.01	0.02	<0.1	0.022
C060		5.0	0.121	9.45	2.7	<0.001	0.17	0.123	0.2	0.1	0.2	124.0	<0.01	0.02	<0.1	0.008
C060C		24.2	0.122	48.4	19.7	0.001	0.15	0.599	5.6	1.8	1.5	29.4	<0.01	0.06	6.5	0.075
C061		6.3	0.101	12.85	2.3	0.001	0.13	0.215	0.4	0.1	0.3	72.2	<0.01	0.02	0.1	0.014
C062		5.0	0.108	5.43	2.7	<0.001	0.12	0.134	0.3	0.1	0.2	76.4	<0.01	0.01	<0.1	0.013
C063		10.1	0.122	5.26	9.0	0.001	0.14	0.302	2.6	1.1	0.2	125.0	<0.01	0.01	0.2	0.026
C064		8.2	0.114	14.10	7.5	<0.001	0.12	0.206	0.5	0.2	0.3	94.4	<0.01	0.02	0.1	0.026
C065		39.0	0.096	6.23	18.9	0.001	0.04	0.306	14.5	1.7	0.6	101.5	<0.01	0.03	1.5	0.092
C066		12.1	0.102	12.20	8.3	<0.001	0.12	0.189	0.5	0.3	0.3	103.5	<0.01	0.02	<0.1	0.028
C067		16.3	0.080	8.11	5.6	<0.001	0.10	0.371	2.3	0.9	0.3	160.5	<0.01	0.04	0.2	0.032
C068		11.1	0.084	16.30	8.9	<0.001	0.09	0.192	0.8	0.2	0.3	113.0	0.01	0.02	0.1	0.055
C069		8.9	0.087	5.91	2.8	<0.001	0.11	0.259	0.7	0.2	0.2	182.5	<0.01	0.02	0.1	0.018
C070		11.2	0.090	22.2	10.1	<0.001	0.09	0.203	0.3	0.2	0.4	110.5	<0.01	0.02	<0.1	0.038
C071		11.2	0.175	9.41	5.8	0.001	0.17	0.210	1.3	0.8	0.2	133.0	<0.01	0.03	0.1	0.021
C072		36.9	0.119	6.62	26.8	0.001	0.04	0.272	9.2	0.7	0.6	95.2	<0.01	0.04	1.2	0.108
C073		8.0	0.094	13.55	4.6	<0.001	0.09	0.231	1.2	0.4	0.3	120.0	<0.01	0.02	0.2	0.024
C074		4.2	0.066	7.38	4.6	<0.001	0.14	0.224	0.6	0.1	0.2	118.0	<0.01	0.02	0.1	0.010
C075		13.8	0.093	6.68	6.2	<0.001	0.13	0.282	1.5	0.4	0.2	152.5	<0.01	0.03	0.2	0.030
C076		9.0	0.130	6.57	11.4	<0.001	0.13	0.201	1.9	0.3	0.3	164.0	<0.01	0.01	0.4	0.036



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C039		0.07	3.00	24	0.06	21.9	24.0	1.9
C040		0.03	0.21	39	0.29	3.47	40.4	<0.5
C041		0.02	0.25	25	0.16	3.20	27.5	1.0
C041C		0.39	33.7	31	0.24	18.10	180.0	0.6
C042		0.02	0.08	4	0.06	0.34	26.2	<0.5
C043		0.03	1.08	40	0.17	9.74	22.0	1.3
C044		0.02	0.32	30	0.13	2.68	69.9	0.7
C045		0.02	0.10	25	0.10	1.07	42.7	0.6
C046		<0.02	0.15	14	0.14	1.37	326	<0.5
C047		0.04	1.15	31	0.12	9.37	42.3	1.2
C048		0.06	0.26	19	0.10	5.78	110.5	<0.5
C049		0.05	0.27	16	0.10	7.52	104.5	0.6
C050		0.03	2.25	31	0.11	4.68	30.2	1.5
C051		0.03	0.27	32	0.18	4.78	71.9	<0.5
C052		0.07	1.08	44	0.12	8.72	37.7	1.5
C053		0.08	3.30	59	0.12	7.43	21.6	2.4
C054		0.06	0.42	44	0.19	12.55	49.1	1.1
C055		0.02	0.09	21	0.09	1.02	116.5	0.5
C056		<0.02	0.07	24	0.08	0.62	78.2	<0.5
C057		0.02	0.05	10	0.12	0.60	139.5	0.5
C058		0.03	0.06	11	0.09	0.66	81.5	0.7
C059		0.03	0.21	19	0.08	3.02	44.4	<0.5
C060		0.02	<0.05	5	0.04	0.40	109.5	<0.5
C060C		0.27	6.93	44	0.41	30.0	190.5	2.6
C061		0.02	0.06	7	0.23	0.56	44.7	<0.5
C062		<0.02	<0.05	9	0.09	0.42	57.7	<0.5
C063		0.03	2.38	40	0.10	17.25	47.3	2.7
C064		0.02	0.08	25	0.27	0.94	98.1	<0.5
C065		0.13	3.00	93	0.25	43.7	60.1	3.6
C066		0.04	0.18	21	0.11	3.41	50.5	<0.5
C067		0.03	0.41	30	0.20	22.3	25.8	0.9
C068		0.03	0.14	24	0.15	1.46	49.8	0.8
C069		0.03	0.14	9	0.07	4.83	30.2	1.3
C070		0.05	0.11	22	0.12	1.19	60.2	<0.5
C071		0.07	0.77	49	0.11	8.08	87.8	0.8
C072		0.14	1.37	82	0.33	21.0	91.6	1.9
C073		0.03	0.22	13	0.10	3.47	30.0	0.6
C074		<0.02	0.08	7	0.19	1.70	28.8	0.6
C075		0.05	0.34	30	0.15	12.65	32.1	1.5
C076		0.04	0.62	33	0.14	6.11	67.0	1.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C077		0.04	0.0047	0.192	0.12	0.69	<10	243	<0.05	0.07	2.03	3.31	1.31	0.9	2.6	0.24
C078		0.04	0.0016	0.319	0.25	0.64	10	298	<0.05	0.06	1.80	0.74	1.77	2.1	5.2	0.25
C079		0.06	0.0013	0.611	1.28	2.77	10	145.0	0.33	0.08	2.27	0.54	15.60	4.1	13.9	0.54
C080		0.04	0.0050	0.520	0.30	0.67	<10	231	0.05	0.07	0.71	0.46	2.43	1.6	6.8	0.21
C081		0.04	0.0010	0.796	0.21	0.94	<10	225	0.05	0.10	1.06	0.37	1.71	1.4	4.1	0.35
C082		0.04	0.0042	1.275	0.87	3.45	<10	177.5	0.45	0.06	2.72	0.47	25.4	8.0	10.1	0.38
C083		0.08	0.0021	0.616	2.21	1.95	<10	250	0.76	0.08	1.91	0.61	38.2	7.2	20.6	1.07
C084		0.02	0.0071	0.276	0.41	0.88	<10	119.0	0.05	0.05	0.81	0.37	2.68	2.1	7.5	0.30
C085		0.04	0.0126	0.141	0.63	1.31	<10	119.0	0.10	0.08	0.52	0.21	4.99	4.1	14.1	0.48
C086		0.04	<0.0002	0.310	0.48	1.24	<10	159.0	0.09	0.08	0.75	0.34	3.94	2.7	8.3	0.40
C087		0.04	0.0020	0.278	0.26	1.46	10	156.0	0.15	0.06	3.51	0.48	12.25	13.4	4.8	0.16
C088		0.04	0.0002	0.417	1.55	1.52	<10	214	0.47	0.07	2.47	0.39	12.80	6.5	20.1	0.48
C089		0.06	0.0012	0.766	3.36	2.64	<10	287	0.88	0.08	2.34	0.65	41.3	13.3	39.0	1.16
C090		0.02	0.0016	0.560	3.54	1.77	<10	286	0.93	0.07	1.20	0.17	71.6	13.4	39.6	1.01
C091		0.02	0.0020	0.255	1.36	14.65	20	150.0	0.42	0.53	0.95	2.13	45.5	9.3	20.7	1.12
C092		0.06	<0.0002	0.161	0.61	0.99	10	490	0.12	0.07	2.21	0.77	5.57	5.3	11.7	0.39
C093		0.06	<0.0002	0.365	0.61	1.71	10	343	0.21	0.04	3.28	0.66	10.10	17.6	10.8	0.23
C095		0.02	0.0016	0.368	1.16	0.88	<10	198.0	0.32	0.06	1.24	0.23	38.6	5.4	13.6	0.34
C096		0.02	<0.0002	0.203	0.90	0.97	10	287	0.31	0.06	2.06	0.47	52.6	4.3	12.8	0.33
C097		0.02	<0.0002	0.150	1.21	1.25	<10	223	0.30	0.06	1.32	0.26	30.8	8.6	16.5	0.51
C099		0.04	0.0007	0.287	0.71	4.24	10	161.0	0.22	0.04	3.16	0.45	14.30	6.8	7.6	0.35
C100		0.02	0.0013	0.072	0.43	0.96	<10	316	0.09	0.06	1.21	0.28	4.25	3.8	8.3	0.30
C101		0.02	0.0011	0.307	0.98	1.63	10	110.0	0.37	0.04	3.48	0.80	42.0	5.0	9.4	0.37
C102		0.02	<0.0002	0.193	0.29	0.59	10	154.0	0.06	0.05	1.60	0.27	2.26	2.4	4.2	0.28
C103		0.02	0.0008	0.095	0.72	1.95	<10	100.0	0.17	0.07	0.84	0.26	12.25	8.2	14.7	0.79
C104		0.04	0.0013	0.632	1.69	1.78	<10	188.0	0.59	0.07	1.72	0.36	31.6	7.9	10.0	1.68
C105		0.04	0.0015	0.371	1.66	2.06	<10	393	0.96	0.11	0.77	0.49	37.0	16.4	16.6	0.81
C106		0.04	0.0006	0.135	1.81	3.64	<10	147.0	1.08	0.09	1.21	0.18	29.3	9.2	15.1	1.50
C107		0.04	0.0005	0.315	1.27	1.65	<10	146.5	0.38	0.07	1.37	0.36	25.1	5.7	13.7	0.55
C107C		0.02	0.0021	0.878	1.54	10.00	20	224	0.66	1.12	0.58	0.84	108.0	16.4	27.9	1.38
C108		0.02	0.0033	0.167	1.24	3.47	10	277	0.27	0.05	1.44	0.41	24.9	7.7	14.7	0.55
C109		0.04	0.0009	0.181	0.55	1.19	<10	182.5	0.14	0.07	0.75	0.48	10.20	5.4	9.4	0.34
C110		0.02	0.0018	0.236	0.68	1.94	<10	152.0	0.14	0.05	1.00	0.37	6.56	4.5	10.0	0.40
C111		0.04	0.0015	0.544	0.89	0.93	<10	165.0	0.40	0.06	0.82	0.28	34.1	8.7	7.1	0.29
C112		0.04	0.0022	0.173	1.39	2.63	<10	348	0.52	0.08	1.17	0.46	23.6	15.6	11.6	1.66
C113		0.06	0.0009	0.141	0.62	1.88	<10	453	0.10	0.15	1.20	0.84	4.39	5.2	8.2	0.77
C114		0.06	0.0103	0.735	2.77	4.81	<10	248	0.81	0.13	1.57	0.58	33.3	12.4	25.9	0.79
C115		0.08	0.0007	0.901	1.96	4.42	<10	344	1.68	0.12	1.12	0.54	35.5	8.4	14.7	0.78
C116		0.06	0.0053	0.860	1.07	2.39	<10	113.0	0.18	0.06	1.31	0.65	6.79	5.3	9.9	0.72
C117		0.02	0.0047	0.922	0.39	0.90	<10	86.2	0.14	0.07	0.98	0.78	6.04	4.9	3.0	0.22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C077		13.65	0.16	0.35	<0.05	0.02	0.200	0.011	0.06	0.7	0.3	0.10	126	2.66	0.01	0.09
C078		16.20	0.36	0.79	<0.05	<0.02	0.285	0.009	0.07	0.9	1.3	0.18	2790	3.53	0.01	0.17
C079		136.5	1.08	3.49	0.07	0.06	0.256	0.019	0.10	25.1	6.6	0.24	339	2.07	0.01	1.45
C080		18.65	0.36	0.72	<0.05	<0.02	0.192	0.008	0.07	1.5	0.4	0.07	422	2.33	0.01	0.20
C081		12.80	0.35	0.70	<0.05	<0.02	0.404	0.016	0.06	0.9	0.7	0.08	1400	1.90	0.01	0.14
C082		100.5	2.25	1.54	0.06	0.06	0.297	0.012	0.07	22.9	1.6	0.20	1180	1.38	0.02	0.56
C083		98.1	1.64	5.62	0.07	0.07	0.144	0.024	0.08	26.4	9.9	0.51	299	0.65	0.02	0.82
C084		13.85	0.63	1.13	<0.05	<0.02	0.211	0.009	0.07	1.5	1.3	0.11	525	1.97	0.01	0.27
C085		14.65	1.41	3.01	<0.05	<0.02	0.109	0.012	0.07	2.6	2.6	0.16	603	2.39	0.01	0.42
C086		21.2	0.75	1.63	<0.05	<0.02	0.207	0.011	0.08	2.0	1.3	0.13	924	1.93	0.01	0.26
C087		49.7	0.42	0.75	<0.05	0.04	0.286	0.008	0.07	9.4	0.9	0.33	3990	1.31	0.02	0.18
C088		54.5	1.50	3.94	0.06	0.05	0.176	0.018	0.09	13.1	3.6	0.38	1280	1.54	0.02	0.56
C089		164.0	2.96	8.62	0.11	0.11	0.156	0.031	0.17	36.1	8.8	0.69	1480	0.96	0.03	1.26
C090		137.5	2.77	9.83	0.12	0.04	0.189	0.037	0.16	45.8	7.3	0.48	599	1.07	0.02	0.92
C091		31.5	2.65	4.38	0.09	0.03	0.193	0.060	0.11	24.7	9.1	0.36	440	1.80	0.03	1.13
C092		15.85	1.12	1.92	<0.05	<0.02	0.183	0.012	0.09	2.4	2.3	0.22	2160	3.04	0.01	0.74
C093		52.8	1.17	1.60	<0.05	0.06	0.183	0.008	0.07	6.2	1.9	0.34	4340	6.10	0.02	0.33
C095		36.8	1.11	3.19	0.07	<0.02	0.147	0.017	0.09	20.8	2.5	0.25	735	1.39	0.01	0.52
C096		31.5	0.93	2.60	0.09	0.04	0.165	0.013	0.12	36.7	2.3	0.33	844	2.24	0.01	0.71
C097		35.1	1.29	3.23	<0.05	<0.02	0.121	0.015	0.10	14.4	3.6	0.29	1800	2.01	0.02	0.72
C099		51.8	1.46	1.66	<0.05	0.07	0.185	0.010	0.11	9.8	2.5	0.37	3780	1.11	0.02	0.49
C100		14.05	0.83	1.39	<0.05	<0.02	0.135	0.008	0.19	2.3	1.6	0.21	2950	2.85	0.01	0.58
C101		125.5	1.02	2.89	0.10	0.11	0.177	0.011	0.07	36.6	4.2	0.38	552	1.02	0.02	0.50
C102		13.80	0.53	0.91	<0.05	0.02	0.156	0.006	0.07	1.3	1.2	0.15	963	3.94	0.01	0.25
C103		22.6	1.62	2.48	<0.05	<0.02	0.156	0.016	0.06	5.0	2.3	0.21	1690	1.65	0.02	0.45
C104		48.9	1.81	3.70	<0.05	0.04	0.191	0.018	0.10	14.7	4.3	0.23	1100	1.33	0.01	0.37
C105		54.0	2.01	5.89	<0.05	<0.02	0.137	0.024	0.10	18.6	4.1	0.26	2320	1.44	0.01	0.45
C106		58.2	2.34	5.17	0.08	0.04	0.071	0.024	0.11	30.8	9.4	0.48	711	0.96	0.01	0.60
C107		131.5	1.43	3.58	0.05	0.04	0.121	0.019	0.11	15.7	4.9	0.39	451	1.31	0.01	0.55
C107C		37.8	3.43	5.53	0.12	0.08	0.168	0.064	0.21	63.7	15.8	0.59	1780	1.21	0.03	1.73
C108		84.4	1.53	2.71	<0.05	<0.02	0.069	0.010	0.19	14.9	4.6	0.37	1950	1.73	0.02	0.27
C109		17.0	1.01	2.19	<0.05	<0.02	0.107	0.006	0.09	5.4	2.6	0.16	1180	1.45	0.01	0.32
C110		26.0	1.25	2.33	<0.05	<0.02	0.077	0.005	0.09	3.4	3.8	0.24	922	1.05	0.01	0.52
C111		36.7	0.77	2.24	0.08	<0.02	0.230	0.007	0.09	15.6	2.1	0.17	716	1.00	0.01	0.26
C112		51.2	2.03	4.53	0.05	0.02	0.071	0.017	0.15	8.7	6.1	0.41	2100	1.66	0.01	0.39
C113		21.1	1.42	2.91	<0.05	<0.02	0.300	0.017	0.11	2.1	2.0	0.13	6540	1.58	0.01	0.25
C114		391	3.09	7.50	0.07	0.06	0.104	0.044	0.12	14.6	13.7	0.49	1400	1.27	0.02	0.88
C115		200	2.50	5.11	0.08	0.03	0.078	0.054	0.12	21.1	7.9	0.38	768	0.75	0.03	0.92
C116		170.5	1.31	2.98	0.06	0.02	0.146	0.009	0.19	5.2	6.7	0.37	785	3.51	0.01	0.50
C117		57.3	0.48	0.97	<0.05	<0.02	0.281	<0.005	0.11	2.9	0.9	0.14	908	2.06	0.01	0.16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C077		5.6	0.074	5.15	2.2	<0.001	0.14	0.176	0.3	0.2	0.2	152.5	<0.01	0.01	0.1	0.007
C078		5.3	0.086	9.35	5.0	0.001	0.13	0.295	0.4	0.2	0.2	113.0	<0.01	0.02	0.1	0.017
C079		14.8	0.119	8.36	7.5	<0.001	0.16	0.332	1.8	1.1	0.3	120.0	<0.01	0.02	0.2	0.040
C080		7.8	0.075	8.96	4.0	<0.001	0.09	0.152	0.3	0.5	0.3	64.6	<0.01	0.01	<0.1	0.016
C081		4.1	0.091	19.35	3.3	<0.001	0.12	0.405	0.5	0.3	0.3	60.0	<0.01	0.02	0.1	0.013
C082		12.2	0.207	4.45	2.9	0.002	0.24	0.249	1.5	1.6	0.2	163.5	<0.01	0.05	0.2	0.016
C083		19.0	0.150	7.08	8.9	<0.001	0.12	0.276	2.4	1.3	0.4	379	<0.01	0.03	0.3	0.033
C084		5.7	0.087	7.29	5.4	<0.001	0.10	0.146	0.4	0.3	0.2	63.3	<0.01	0.02	<0.1	0.025
C085		8.3	0.084	9.47	9.5	<0.001	0.06	0.182	0.6	0.2	0.4	60.6	<0.01	0.02	<0.1	0.046
C086		6.4	0.087	11.30	8.7	<0.001	0.09	0.197	0.3	0.3	0.3	75.4	<0.01	0.02	<0.1	0.023
C087		29.4	0.096	7.40	1.1	0.001	0.15	0.365	0.5	0.9	0.2	200	<0.01	0.02	0.1	0.009
C088		21.2	0.108	5.71	5.5	<0.001	0.08	0.222	2.4	0.6	0.4	156.5	<0.01	0.02	0.2	0.038
C089		49.2	0.137	7.63	15.2	<0.001	0.11	0.388	6.4	1.2	0.5	187.0	<0.01	0.02	0.4	0.070
C090		34.9	0.153	4.72	10.9	0.001	0.08	0.306	8.2	1.6	0.6	121.5	<0.01	0.02	0.3	0.057
C091		32.1	0.137	94.2	10.4	0.005	1.06	1.190	3.1	3.4	3.7	43.1	<0.01	0.15	0.9	0.061
C092		11.9	0.105	9.59	5.8	<0.001	0.12	0.144	0.7	0.3	0.3	169.0	<0.01	0.02	0.1	0.041
C093		83.4	0.116	3.56	2.2	0.005	0.16	0.508	1.1	2.4	0.2	257	<0.01	0.04	0.1	0.020
C095		20.7	0.075	6.74	5.5	0.001	0.07	0.253	1.2	0.7	0.3	137.5	<0.01	0.02	<0.1	0.027
C096		28.8	0.106	7.38	4.2	<0.001	0.11	0.272	1.7	0.9	0.3	217	<0.01	0.01	0.1	0.031
C097		22.1	0.099	8.61	6.9	<0.001	0.09	0.211	1.2	0.6	0.3	137.0	<0.01	0.02	<0.1	0.040
C099		14.9	0.143	3.63	3.5	0.001	0.20	0.242	1.6	0.8	0.2	203	<0.01	0.02	0.2	0.021
C100		7.8	0.092	11.85	6.0	<0.001	0.10	0.184	0.5	0.3	0.3	129.5	<0.01	0.02	<0.1	0.036
C101		23.9	0.141	4.88	3.8	<0.001	0.17	0.590	1.5	1.4	0.2	180.0	<0.01	0.02	0.2	0.021
C102		3.9	0.089	8.87	3.8	<0.001	0.13	0.132	0.6	0.2	0.2	130.5	<0.01	0.02	0.1	0.022
C103		9.6	0.110	14.20	7.0	<0.001	0.10	0.212	1.5	0.3	0.3	59.4	<0.01	0.02	0.1	0.041
C104		9.8	0.233	4.90	6.9	0.001	0.18	0.332	1.0	1.0	0.2	116.5	<0.01	0.03	0.1	0.013
C105		17.9	0.154	10.45	11.0	0.001	0.06	0.211	1.0	0.5	0.5	110.5	<0.01	0.03	<0.1	0.047
C106		12.3	0.118	6.30	15.7	<0.001	0.05	0.234	2.7	1.6	0.5	117.0	<0.01	0.03	0.2	0.059
C107		12.3	0.101	6.17	7.8	<0.001	0.11	0.213	2.5	0.8	0.3	122.0	<0.01	0.02	0.2	0.037
C107C		23.8	0.123	36.8	18.7	0.001	0.16	0.576	5.7	1.8	1.5	29.3	<0.01	0.07	6.1	0.076
C108		15.9	0.166	3.10	7.8	0.001	0.12	0.283	0.4	0.6	0.3	106.5	<0.01	0.03	<0.1	0.019
C109		7.5	0.063	8.94	10.0	<0.001	0.06	0.165	0.5	0.4	0.2	82.1	<0.01	0.01	<0.1	0.036
C110		6.8	0.086	4.23	11.8	<0.001	0.08	0.144	1.2	0.4	0.2	102.0	<0.01	0.02	0.3	0.044
C111		10.2	0.131	9.46	4.8	<0.001	0.12	0.239	0.3	0.8	0.3	102.5	<0.01	0.01	<0.1	0.016
C112		11.1	0.152	6.45	22.4	<0.001	0.09	0.192	1.4	0.6	0.4	146.5	<0.01	0.03	0.1	0.044
C113		6.4	0.082	16.35	11.2	<0.001	0.07	0.352	0.6	0.3	0.4	96.1	<0.01	0.02	<0.1	0.044
C114		22.4	0.135	6.29	11.8	0.001	0.09	0.501	5.7	1.0	0.5	111.5	<0.01	0.08	0.6	0.053
C115		18.0	0.183	8.69	16.7	<0.001	0.06	0.200	6.9	1.2	0.6	118.5	<0.01	0.01	0.7	0.062
C116		9.5	0.131	5.03	17.2	0.001	0.14	0.325	1.9	1.2	0.2	92.7	<0.01	0.02	0.1	0.043
C117		4.6	0.114	17.35	4.7	<0.001	0.13	0.375	0.7	0.9	0.3	95.8	<0.01	0.02	0.1	0.018



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 4 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C077		<0.02	0.06	3	0.06	0.54	104.5	0.5
C078		0.03	0.05	10	0.08	0.62	131.0	<0.5
C079		0.04	0.94	47	0.23	14.55	30.9	2.4
C080		0.02	0.08	9	0.07	0.80	41.4	<0.5
C081		0.07	0.07	9	0.06	0.45	122.5	<0.5
C082		0.08	0.85	92	0.09	27.5	47.3	2.1
C083		0.06	2.66	53	0.14	20.2	57.9	2.1
C084		0.02	0.09	18	0.09	0.87	57.0	<0.5
C085		0.03	0.16	38	0.21	1.22	44.3	<0.5
C086		0.03	0.11	20	0.09	1.04	48.8	<0.5
C087		0.05	1.31	47	0.10	11.50	66.8	1.3
C088		0.05	0.49	32	0.09	15.35	83.4	1.8
C089		0.09	0.56	55	0.18	37.7	86.0	3.4
C090		0.05	1.12	48	0.15	38.3	55.7	1.3
C091		0.38	32.5	34	0.26	19.10	196.5	0.6
C092		0.02	0.14	25	0.11	1.41	278	0.5
C093		0.04	2.77	40	0.08	9.10	27.1	2.2
C095		0.02	0.32	20	0.09	17.25	44.8	<0.5
C096		0.03	0.31	22	0.13	24.1	72.5	1.4
C097		0.04	0.25	34	0.12	10.35	91.9	<0.5
C099		0.04	0.50	19	0.07	11.15	51.4	2.2
C100		0.03	0.09	22	0.14	1.23	81.3	<0.5
C101		0.05	0.96	49	0.09	38.4	41.9	3.5
C102		0.02	0.06	14	0.14	0.88	37.3	0.7
C103		0.03	0.40	45	0.13	2.82	77.7	<0.5
C104		0.07	0.76	46	0.13	14.70	56.2	1.0
C105		0.04	0.56	45	0.18	10.75	77.5	<0.5
C106		0.05	2.14	61	0.19	38.9	56.3	1.1
C107		0.04	0.44	35	0.13	19.55	55.6	1.3
C107C		0.26	6.25	44	0.51	31.2	194.0	2.6
C108		0.08	0.44	57	0.19	11.25	71.8	<0.5
C109		0.03	0.16	29	0.12	3.00	72.0	<0.5
C110		0.02	0.16	34	0.21	1.95	74.3	0.5
C111		0.04	0.41	15	0.10	12.80	49.9	<0.5
C112		0.07	0.48	53	0.12	6.01	86.8	<0.5
C113		0.08	0.13	42	0.13	1.22	141.5	<0.5
C114		0.09	1.42	68	0.29	17.70	66.9	1.8
C115		0.09	1.92	56	0.20	15.95	79.7	1.1
C116		0.08	0.43	36	0.17	7.55	69.1	0.6
C117		0.04	0.14	12	0.61	4.36	73.7	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C118		0.04	0.0013	0.799	0.43	1.45	<10	109.5	0.07	0.07	0.77	0.19	2.26	2.2	4.8	0.45
C119		0.04	0.0025	0.736	1.10	1.99	<10	148.0	0.55	0.10	1.01	0.83	24.5	8.0	16.9	0.57
C120		0.02	0.0019	0.401	0.56	1.24	<10	53.7	0.07	0.09	0.51	0.43	3.01	3.4	4.1	0.55
C121		0.04	0.0008	0.453	0.21	1.22	<10	113.5	<0.05	0.08	0.64	0.21	1.96	0.9	2.8	0.57
C122		0.06	0.0132	1.465	2.18	4.58	<10	108.5	0.86	0.11	1.75	2.82	19.45	10.5	23.4	0.96
C123		0.04	<0.0002	0.142	0.36	0.81	<10	107.5	<0.05	0.05	0.68	0.25	3.70	2.7	8.3	0.40
C124		0.08	0.0028	0.678	2.34	2.14	<10	176.0	0.74	0.12	0.52	0.61	33.3	11.8	28.5	1.01
C125		0.04	<0.0002	0.373	0.36	1.21	<10	460	0.10	0.09	1.82	0.48	7.20	2.5	5.9	0.50
C126		0.06	<0.0002	0.140	0.44	1.16	<10	395	0.20	0.07	2.13	0.31	8.26	1.6	5.2	0.23
C127		0.04	0.0005	0.206	0.38	0.95	<10	348	0.12	0.09	1.00	0.67	7.28	3.6	6.5	0.29
C127C		0.02	0.0019	0.231	1.32	14.30	40	145.0	0.40	0.49	0.92	2.04	41.6	9.1	19.8	1.03
C128		0.02	0.0004	0.106	0.26	0.29	<10	137.5	<0.05	0.06	0.97	0.44	1.93	1.9	4.1	0.22
C129		0.04	0.0004	0.401	0.56	1.78	<10	172.5	0.09	0.08	0.95	0.63	4.30	4.4	7.2	0.38
C130		0.04	0.0008	0.034	0.72	1.00	<10	99.0	0.10	0.09	0.62	0.14	3.20	7.9	8.3	0.49
C131		0.10	0.0033	0.622	3.54	3.27	<10	271	1.09	0.10	2.16	0.21	45.4	11.1	30.6	1.55
C132		0.06	<0.0002	0.037	0.40	1.36	<10	142.5	0.08	0.07	0.77	0.15	4.00	3.8	8.0	0.58
C133		0.04	0.0022	0.220	1.70	3.09	<10	212	0.60	0.08	1.77	0.52	29.7	13.5	18.3	0.86
C134		0.04	0.0010	0.247	0.50	1.57	<10	52.5	0.08	0.07	0.43	0.38	4.03	3.0	7.8	0.31
C135		0.08	0.0019	0.249	2.22	5.37	<10	176.0	0.60	0.08	1.28	0.29	19.55	12.2	29.5	1.40
C136		0.04	0.0013	0.452	0.78	2.22	<10	187.0	0.17	0.08	1.50	0.44	11.25	28.2	9.7	0.62
C137		0.08	0.0015	0.368	1.76	1.33	<10	121.0	0.46	0.10	0.48	0.26	12.60	5.1	23.3	0.61
C138		0.06	0.0007	0.773	1.91	2.70	<10	152.0	0.89	0.11	0.55	0.87	28.8	13.2	25.5	0.70
C139		0.06	<0.0002	0.092	0.55	2.39	10	106.5	0.14	0.05	1.70	0.44	7.68	5.2	8.2	0.52
C139D		0.04	0.0022	0.174	1.14	3.98	10	167.0	0.43	0.06	2.33	0.31	23.7	9.2	23.4	1.01
C140		0.08	0.0024	0.624	3.02	4.11	10	205	0.86	0.09	1.99	0.68	21.7	10.1	30.9	0.98
C141		0.04	0.0025	0.104	0.53	0.94	<10	128.0	0.09	0.07	0.78	0.23	4.58	3.7	9.5	0.31
C142		0.06	0.0009	0.345	1.64	2.06	<10	185.5	0.55	0.07	1.00	0.51	45.3	7.4	19.7	0.74
C143		0.08	0.0012	0.198	2.10	1.98	<10	210	0.68	0.07	1.32	0.29	24.5	9.9	24.4	0.76
C144		0.06	0.0073	0.204	0.53	0.86	<10	172.0	0.16	0.06	1.28	0.36	9.22	3.0	7.1	0.33
C145		0.14	0.0014	0.526	3.88	3.50	10	315	1.64	0.11	1.51	0.57	44.0	13.5	36.2	1.59
C146		0.06	0.0028	0.244	1.09	1.22	10	147.5	0.36	0.07	1.69	0.44	17.40	5.8	12.7	0.53
C146C		0.02	0.0030	0.806	1.56	9.13	20	217	0.79	1.07	0.55	0.82	101.0	16.1	27.3	1.28
C147		0.08	0.0016	0.051	0.98	1.32	<10	81.8	0.18	0.07	0.47	0.14	4.90	4.7	11.2	0.51
C148		0.06	0.0036	0.230	1.16	1.70	20	110.0	0.27	0.06	1.65	0.49	10.15	6.4	14.8	0.52
C149		0.06	0.0012	0.125	1.44	1.93	<10	227	0.53	0.08	1.63	0.29	22.7	9.3	14.6	1.14
C150		0.06	0.0006	0.197	0.62	1.06	<10	114.5	0.11	0.08	0.72	0.20	4.24	5.4	11.7	0.58
C151		0.04	<0.0002	0.349	0.27	0.70	<10	143.5	<0.05	0.05	0.80	0.22	1.71	1.3	3.9	0.21
C152		0.04	0.0037	0.251	0.33	0.82	<10	73.1	0.07	0.06	0.49	0.22	2.84	2.1	8.1	0.29
C153		0.04	0.0040	0.157	0.36	0.87	<10	90.2	0.06	0.07	1.00	0.30	2.75	2.7	6.2	0.36
C154		0.06	0.0022	0.059	0.73	1.57	<10	116.0	0.17	0.09	0.76	0.20	5.12	4.6	16.2	0.93



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C118		27.1	0.58	1.37	<0.05	<0.02	0.412	0.010	0.07	1.2	1.8	0.13	187	0.85	0.01	0.23
C119		202	1.41	3.17	0.06	<0.02	0.207	0.017	0.14	8.7	3.7	0.21	2960	2.90	0.01	0.45
C120		86.4	0.85	1.74	<0.05	<0.02	0.146	0.011	0.07	1.5	2.4	0.18	711	0.91	0.01	0.33
C121		11.65	0.30	0.58	<0.05	<0.02	0.435	0.015	0.07	1.1	0.4	0.06	365	0.99	0.01	0.11
C122		546	2.44	5.51	0.09	0.03	0.133	0.023	0.09	20.7	8.3	0.35	686	8.50	0.02	0.87
C123		17.65	0.87	1.70	<0.05	<0.02	0.140	0.007	0.08	2.2	2.4	0.12	476	3.61	0.01	0.44
C124		161.0	2.13	7.42	0.08	<0.02	0.164	0.025	0.07	17.6	10.7	0.40	490	1.78	0.02	0.83
C125		23.0	0.52	1.28	0.05	<0.02	0.263	0.012	0.11	4.3	1.3	0.15	3520	1.88	0.02	0.24
C126		18.40	0.42	1.18	0.05	0.03	0.198	0.006	0.04	19.7	1.4	0.15	321	7.73	0.01	0.20
C127		25.1	0.75	1.40	<0.05	<0.02	0.158	0.009	0.08	5.0	1.3	0.11	386	4.42	0.02	0.25
C127C		31.7	2.58	4.39	0.12	0.02	0.202	0.051	0.11	22.3	9.7	0.35	420	1.81	0.04	1.16
C128		9.91	0.47	0.91	<0.05	<0.02	0.147	0.011	0.08	1.7	0.9	0.10	540	1.53	0.01	0.21
C129		20.0	1.02	2.19	<0.05	<0.02	0.200	0.011	0.11	2.2	3.4	0.22	1000	1.10	0.01	0.42
C130		9.02	2.05	3.47	<0.05	<0.02	0.137	0.009	0.10	1.6	3.0	0.36	714	1.40	0.01	0.47
C131		97.7	2.63	8.67	0.09	0.06	0.245	0.029	0.16	29.4	14.0	0.70	590	1.43	0.01	1.25
C132		10.80	1.13	1.77	<0.05	<0.02	0.162	<0.005	0.06	2.0	1.9	0.16	1270	1.25	0.01	0.36
C133		98.9	2.21	4.79	0.07	0.04	0.084	0.012	0.18	17.6	11.7	0.60	2690	1.27	0.02	0.85
C134		19.60	1.16	2.29	<0.05	<0.02	0.122	0.005	0.10	2.1	2.9	0.17	497	0.77	0.01	0.45
C135		89.9	2.69	6.11	0.07	0.04	0.071	0.019	0.15	12.2	12.5	0.72	743	0.69	0.02	0.92
C136		59.6	2.38	2.61	<0.05	0.02	0.290	0.015	0.12	5.6	3.7	0.23	4830	13.40	0.02	0.41
C137		37.7	1.47	6.24	<0.05	<0.02	0.153	0.010	0.10	7.5	7.2	0.21	190	0.95	0.01	0.58
C138		96.0	2.43	6.84	0.08	<0.02	0.083	0.019	0.10	18.9	6.0	0.28	618	2.32	0.01	0.87
C139		21.2	1.25	2.11	<0.05	0.02	0.080	<0.005	0.12	3.6	3.2	0.23	381	0.88	0.01	0.58
C139D		98.1	2.13	3.70	0.09	0.13	0.072	0.011	0.10	13.2	6.1	0.56	558	0.69	0.03	2.28
C140		160.5	3.14	7.84	0.12	0.17	0.061	0.030	0.25	23.6	14.1	0.66	440	0.70	0.02	1.53
C141		13.50	0.90	1.85	0.05	<0.02	0.172	0.010	0.10	2.5	2.2	0.19	1520	2.57	0.01	0.56
C142		69.9	1.76	4.58	0.11	0.04	0.111	0.019	0.15	27.3	6.5	0.44	659	1.21	0.02	1.37
C143		70.7	2.24	5.11	0.06	0.06	0.066	0.023	0.15	25.8	8.5	0.61	881	0.97	0.02	1.42
C144		16.95	0.64	1.35	<0.05	0.02	0.179	0.013	0.10	8.4	1.9	0.22	937	2.71	0.01	0.46
C145		91.6	3.32	9.09	0.09	0.33	0.065	0.040	0.22	29.1	20.9	0.94	900	0.70	0.02	1.54
C146		39.1	1.18	2.82	0.05	0.03	0.169	0.015	0.12	15.4	4.3	0.37	932	1.41	0.02	0.66
C146C		33.4	3.10	5.09	0.13	0.08	0.153	0.059	0.20	59.4	16.1	0.56	1680	1.23	0.04	1.79
C147		11.15	1.52	3.14	<0.05	<0.02	0.107	0.014	0.09	2.5	3.9	0.21	957	1.25	0.01	0.59
C148		36.2	1.59	3.07	<0.05	0.03	0.087	0.014	0.15	5.4	5.2	0.32	989	1.29	0.02	0.83
C149		58.5	1.49	3.59	0.08	0.03	0.142	0.018	0.14	30.5	6.9	0.44	2340	1.44	0.02	0.72
C150		12.05	1.14	2.25	<0.05	<0.02	0.144	0.011	0.07	2.5	3.2	0.18	1150	2.32	0.01	0.75
C151		11.00	0.36	0.57	<0.05	<0.02	0.205	0.007	0.07	0.9	0.6	0.10	449	1.39	0.01	0.21
C152		9.12	0.74	1.24	<0.05	<0.02	0.174	0.008	0.07	1.5	1.1	0.10	450	0.97	0.02	0.59
C153		13.60	0.63	1.25	<0.05	<0.02	0.175	0.011	0.06	1.5	1.3	0.12	505	3.00	0.02	0.33
C154		17.25	1.60	2.72	<0.05	<0.02	0.108	0.011	0.08	2.5	4.3	0.26	1020	2.30	0.02	0.66



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C118		3.8	0.082	9.61	4.7	<0.001	0.13	0.310	0.8	0.3	0.2	44.4	<0.01	0.01	0.2	0.020
C119		13.8	0.139	13.45	8.9	<0.001	0.11	0.322	1.2	0.7	0.3	93.6	<0.01	0.01	0.1	0.038
C120		3.8	0.073	14.75	13.1	<0.001	0.08	0.215	0.3	0.5	0.3	32.6	<0.01	0.03	<0.1	0.035
C121		3.3	0.099	16.35	4.2	<0.001	0.15	0.358	0.5	0.6	0.3	40.6	<0.01	0.01	<0.1	0.010
C122		20.6	0.117	6.67	10.3	0.005	0.15	0.286	3.5	2.3	0.4	102.5	<0.01	0.06	0.3	0.051
C123		4.9	0.081	7.30	5.7	<0.001	0.10	0.154	0.6	0.1	0.2	29.6	<0.01	0.01	0.1	0.031
C124		23.1	0.092	7.69	11.9	<0.001	0.09	0.212	2.4	0.8	0.5	52.1	<0.01	0.02	0.1	0.054
C125		6.8	0.153	17.60	6.1	<0.001	0.11	0.333	0.8	0.4	0.3	123.5	<0.01	0.01	0.1	0.021
C126		5.2	0.092	10.30	3.0	0.001	0.17	0.260	0.8	1.3	0.2	101.5	<0.01	0.03	0.5	0.013
C127		6.8	0.087	13.40	4.2	<0.001	0.11	0.263	1.0	0.5	0.3	75.0	<0.01	<0.01	0.2	0.023
C127C		32.7	0.135	102.0	11.0	0.003	1.05	1.175	3.1	2.6	3.4	42.2	<0.01	0.10	0.9	0.060
C128		3.6	0.100	12.15	3.3	<0.001	0.12	0.205	0.4	0.3	0.3	78.2	<0.01	<0.01	0.1	0.015
C129		5.4	0.083	14.25	6.7	<0.001	0.09	0.261	1.1	0.6	0.3	57.2	<0.01	0.01	0.1	0.042
C130		6.6	0.078	12.60	7.6	<0.001	0.07	0.246	1.0	0.3	0.4	42.3	<0.01	0.03	0.1	0.099
C131		32.4	0.136	5.47	21.2	<0.001	0.11	0.329	5.4	1.5	0.5	136.0	<0.01	0.01	0.4	0.047
C132		4.3	0.071	12.50	7.8	<0.001	0.08	0.202	0.8	0.3	0.3	57.2	<0.01	<0.01	0.1	0.040
C133		20.8	0.156	5.75	23.1	<0.001	0.12	0.410	2.8	1.1	0.4	118.5	<0.01	0.02	0.2	0.056
C134		5.2	0.074	10.85	8.3	<0.001	0.07	0.221	0.7	0.4	0.3	22.1	<0.01	0.01	<0.1	0.048
C135		22.9	0.087	5.38	17.5	<0.001	0.06	0.291	5.8	1.0	0.5	83.6	<0.01	0.03	0.6	0.073
C136		8.7	0.149	11.65	6.4	0.005	0.17	0.266	1.7	1.0	0.3	100.5	<0.01	0.02	0.2	0.024
C137		13.8	0.084	6.23	6.6	<0.001	0.07	0.156	0.9	0.6	0.4	31.6	<0.01	0.02	0.1	0.039
C138		25.6	0.085	9.38	8.3	<0.001	0.06	0.239	1.6	0.7	0.4	68.8	<0.01	0.02	0.1	0.056
C139		8.0	0.093	5.57	5.3	<0.001	0.16	0.241	0.8	0.5	0.2	204	<0.01	<0.01	0.1	0.033
C139D		33.3	0.149	8.30	8.5	0.003	0.25	0.593	2.9	1.9	0.4	244	0.01	0.01	0.7	0.093
C140		36.0	0.131	6.13	16.9	<0.001	0.10	0.404	6.6	2.1	0.5	115.5	<0.01	<0.01	0.7	0.080
C141		7.9	0.096	13.35	5.2	<0.001	0.09	0.248	0.7	0.3	0.3	71.5	<0.01	0.01	<0.1	0.039
C142		24.3	0.101	8.30	10.6	<0.001	0.08	0.377	3.7	1.1	0.4	99.1	<0.01	0.01	0.3	0.062
C143		21.1	0.074	6.21	11.8	<0.001	0.04	0.220	4.9	0.9	0.4	134.5	<0.01	0.02	0.6	0.092
C144		7.7	0.080	10.55	4.2	<0.001	0.11	0.186	1.1	0.4	0.3	140.5	<0.01	0.01	0.1	0.028
C145		35.3	0.082	6.39	28.2	<0.001	0.05	0.276	9.7	1.3	0.7	265	<0.01	0.03	2.3	0.079
C146		13.8	0.101	8.53	9.1	0.001	0.10	0.218	1.7	0.6	0.3	134.0	<0.01	0.01	0.1	0.044
C146C		22.6	0.119	41.0	18.6	0.001	0.16	0.574	5.6	1.5	1.5	28.7	<0.01	0.06	6.4	0.076
C147		6.2	0.067	8.07	5.7	<0.001	0.05	0.155	1.3	0.3	0.3	33.0	<0.01	0.02	0.1	0.064
C148		9.9	0.125	6.61	8.0	<0.001	0.07	0.139	2.3	0.5	0.3	93.0	<0.01	0.02	0.3	0.067
C149		15.4	0.082	11.10	20.8	0.001	0.08	0.226	3.0	1.2	0.4	134.5	<0.01	0.02	0.3	0.049
C150		8.2	0.083	15.65	6.7	<0.001	0.08	0.176	0.9	0.3	0.4	81.4	<0.01	0.01	<0.1	0.055
C151		4.1	0.071	10.45	3.8	<0.001	0.12	0.136	0.5	0.2	0.2	80.1	<0.01	0.01	0.1	0.016
C152		5.2	0.079	7.15	3.9	0.001	0.08	0.144	0.5	0.2	0.3	39.7	<0.01	0.01	<0.1	0.039
C153		4.1	0.093	13.35	3.7	<0.001	0.13	0.190	0.4	0.2	0.3	53.5	<0.01	0.01	<0.1	0.026
C154		6.6	0.052	12.20	8.0	<0.001	0.06	0.207	1.8	0.3	0.5	54.9	<0.01	0.01	0.2	0.074



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 5 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C118		0.05	0.10	15	0.10	0.81	49.7	<0.5
C119		0.10	0.46	30	0.24	6.85	70.4	<0.5
C120		0.05	0.20	20	0.18	1.23	73.1	<0.5
C121		0.09	0.13	5	0.05	0.77	84.5	<0.5
C122		0.08	1.78	51	1.15	20.2	72.1	1.1
C123		0.02	0.11	25	0.13	0.81	62.2	<0.5
C124		0.08	1.20	62	0.26	14.00	65.9	<0.5
C125		0.11	0.17	13	0.08	2.89	133.5	<0.5
C126		<0.02	2.94	10	0.12	11.65	33.0	0.6
C127		0.03	0.57	22	0.11	3.16	80.0	<0.5
C127C		0.38	31.5	33	0.27	17.80	186.5	0.6
C128		0.02	0.09	13	0.11	0.77	85.0	<0.5
C129		0.03	0.16	30	0.19	1.55	80.1	<0.5
C130		0.02	0.11	59	0.45	1.13	48.4	<0.5
C131		0.11	2.02	52	0.34	23.3	69.9	1.6
C132		0.03	0.13	35	0.23	1.19	50.9	<0.5
C133		0.09	0.83	58	0.22	17.45	83.4	1.1
C134		0.03	0.14	34	0.12	1.22	55.6	<0.5
C135		0.08	0.71	72	0.31	14.05	62.4	1.2
C136		0.12	0.74	43	0.10	6.51	61.3	0.5
C137		0.05	0.96	33	0.21	4.11	38.9	<0.5
C138		0.04	1.23	63	0.28	10.55	37.5	<0.5
C139		<0.02	0.31	26	0.10	2.48	29.6	0.8
C139D		0.05	3.33	60	0.17	12.05	61.0	5.5
C140		0.09	2.21	60	0.16	27.7	92.0	5.5
C141		0.03	0.15	22	0.14	1.37	76.4	<0.5
C142		0.04	0.68	38	0.17	23.7	81.9	1.4
C143		0.05	0.80	59	0.18	20.4	80.1	2.1
C144		0.02	0.23	17	0.12	4.92	68.3	0.8
C145		0.08	13.00	59	0.13	26.1	92.9	9.8
C146		0.03	0.81	31	0.26	10.90	69.1	0.7
C146C		0.25	6.33	44	0.40	28.9	189.0	2.5
C147		0.03	0.18	45	0.14	1.65	57.9	<0.5
C148		0.02	0.34	45	0.16	4.57	131.5	0.9
C149		0.06	0.55	42	0.21	27.4	52.5	0.9
C150		0.03	0.12	34	0.39	1.34	54.5	<0.5
C151		<0.02	0.05	10	0.09	0.54	58.3	<0.5
C152		0.02	0.09	23	0.09	0.67	54.3	<0.5
C153		0.02	0.11	18	0.42	0.71	66.2	<0.5
C154		0.03	0.22	54	0.16	1.49	57.8	0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C155		0.12	0.0007	0.229	3.14	5.34	<10	290	0.97	0.11	1.50	0.24	40.2	12.8	29.4	2.33
C156		0.06	0.0013	0.235	2.60	3.12	<10	193.5	0.73	0.07	1.27	0.21	41.4	9.2	25.4	1.14
C157		0.06	<0.0002	0.157	0.44	1.04	<10	81.8	0.07	0.05	0.52	0.19	2.85	2.1	7.7	0.31
C158		0.06	<0.0002	0.149	0.58	0.99	<10	240	0.13	0.08	1.14	1.28	4.46	6.7	11.7	0.46
C159		0.06	0.0007	0.724	1.23	3.42	10	160.0	0.58	0.06	3.35	0.47	14.05	4.7	19.2	1.74
C160		0.02	0.0008	0.118	1.05	0.92	10	135.5	0.20	0.05	1.74	0.40	10.40	3.4	9.1	0.47
C161		0.04	<0.0002	0.214	0.70	0.93	<10	181.0	0.20	0.08	0.76	0.18	17.30	3.4	8.5	0.30
C161D		0.06	0.0014	0.195	1.26	2.14	<10	150.0	0.34	0.07	0.68	0.22	20.6	10.7	18.1	0.55
C162		0.06	0.0004	0.159	1.26	1.25	<10	151.0	0.32	0.07	0.93	0.14	26.2	6.6	16.6	0.50
C163		0.06	0.0004	0.198	1.17	1.06	<10	124.0	0.29	0.06	0.67	0.10	15.70	4.3	15.3	0.57
C164		0.08	0.0028	0.105	0.70	1.91	<10	82.7	0.11	0.08	0.52	0.12	6.55	3.8	15.9	0.47
C165		0.04	0.0002	0.126	0.77	0.61	<10	230	0.12	0.08	1.15	0.30	3.09	5.7	13.8	0.39
C166		0.08	0.0074	0.144	1.61	6.10	10	176.0	0.39	0.06	1.05	0.25	19.20	16.0	29.7	0.91
C167		0.04	0.0071	0.340	2.13	6.45	<10	465	0.67	0.06	1.20	0.59	82.5	64.8	24.8	0.82
C167C		0.02	0.0015	0.239	1.33	14.30	30	139.0	0.45	0.50	0.85	2.04	42.4	9.1	19.2	1.05
C168		0.04	0.0004	0.063	1.15	1.81	<10	161.0	0.25	0.05	0.71	0.15	12.55	14.5	21.0	0.49
C169		0.08	0.0019	0.094	1.20	2.51	<10	131.0	0.26	0.05	0.94	0.16	13.90	7.6	19.9	0.65
C170		0.04	0.0014	0.406	0.59	1.11	<10	65.0	0.12	0.05	0.67	0.19	5.78	3.5	8.7	0.34
C171		0.04	0.0045	0.497	2.11	1.56	<10	216	0.61	0.06	1.03	0.23	45.7	10.0	21.5	0.65
C172		0.04	0.0014	0.139	0.40	0.96	<10	53.9	0.07	0.05	0.51	0.13	3.68	2.1	7.3	0.25
C173		0.04	0.0033	0.159	0.20	0.42	<10	53.1	<0.05	0.04	0.47	0.26	1.13	1.0	3.2	0.11
C174		0.06	0.0019	0.234	0.67	1.33	<10	96.9	0.12	0.06	0.57	0.20	5.22	3.6	10.1	0.36
C175		0.06	0.0009	0.300	0.66	1.07	10	191.5	0.17	0.06	1.04	0.30	15.45	4.4	9.4	0.32
C176		0.04	0.0015	0.258	1.26	1.41	<10	113.5	0.45	0.06	0.68	0.20	24.8	6.5	12.4	0.60
C177		0.06	0.0023	0.224	0.39	0.79	<10	120.0	0.10	0.06	0.95	0.29	4.74	2.3	6.7	0.27
C178		0.06	0.0022	0.199	0.48	6.28	10	57.5	0.23	0.02	2.20	0.43	6.44	13.2	15.9	0.54
C179		0.04	0.0036	0.524	0.60	1.28	<10	86.7	0.17	0.05	1.12	0.20	11.80	3.0	7.8	0.28
C180		0.04	0.0030	0.025	0.85	1.25	<10	564	0.13	0.11	1.36	0.40	5.98	6.2	29.7	0.82
C181		0.04	0.0020	0.081	0.27	1.98	10	571	0.07	0.08	3.03	0.92	2.03	1.7	2.1	1.46
C182		0.06	0.0077	0.058	0.38	3.75	10	1120	0.08	0.15	3.01	0.77	4.57	4.6	9.2	0.62
C183		0.06	0.0029	0.059	2.22	2.08	10	1680	0.43	0.21	1.78	0.52	20.3	19.3	43.5	1.43
C184		0.08	0.0093	0.076	0.56	1.72	10	454	0.14	0.08	1.47	0.26	3.83	3.7	19.4	0.60
C185		0.06	0.0044	0.183	1.02	1.43	10	217	0.38	0.09	1.97	0.63	27.3	5.0	19.5	0.45
C186		0.06	0.0039	0.600	0.93	2.16	10	220	0.41	0.08	2.31	0.53	13.50	4.8	17.8	0.30
C187		0.06	0.0046	0.214	0.83	1.25	<10	294	0.36	0.08	1.21	0.21	16.85	7.6	14.2	0.54
C188		0.04	0.0052	0.482	0.53	0.72	<10	149.0	0.37	0.05	1.28	0.47	25.5	2.3	6.3	0.17
C188C		0.02	0.0019	0.784	1.48	9.27	20	218	0.68	0.98	0.60	0.73	99.1	14.5	27.8	1.21
C189		0.04	0.0030	0.192	0.27	0.45	<10	134.5	<0.05	0.05	0.88	0.37	2.75	2.0	6.5	0.27
C190		0.08	0.0015	0.438	1.50	2.35	<10	225	0.45	0.08	1.60	0.95	21.6	9.5	33.2	0.60
C191		0.10	0.0045	0.128	1.05	1.00	<10	97.6	0.27	0.06	0.38	0.07	17.75	8.3	20.4	0.56



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C155		67.7	2.58	7.62	0.08	0.06	0.079	0.031	0.14	28.8	13.8	0.67	1010	1.39	0.02	1.17
C156		110.5	1.91	5.71	0.07	0.03	0.167	0.020	0.08	18.5	11.1	0.62	1180	1.80	0.02	0.67
C157		10.70	0.71	1.31	<0.05	<0.02	0.161	0.007	0.07	1.6	1.5	0.11	246	0.95	0.01	0.45
C158		16.35	1.18	2.18	<0.05	<0.02	0.124	0.011	0.12	2.2	2.5	0.19	2330	1.98	0.02	0.58
C159		182.0	0.86	2.52	0.09	0.12	0.156	0.013	0.08	12.8	5.8	0.53	310	0.66	0.03	0.58
C160		30.6	0.80	2.45	0.05	0.04	0.176	0.011	0.15	12.2	3.1	0.38	827	1.58	0.02	0.78
C161		18.85	0.73	1.98	<0.05	<0.02	0.097	0.012	0.08	9.4	1.6	0.16	740	1.45	0.01	0.38
C161D		26.1	1.62	3.58	<0.05	0.02	0.082	0.015	0.10	9.6	4.5	0.29	1870	1.01	0.02	0.94
C162		29.6	1.38	3.34	0.05	<0.02	0.079	0.013	0.14	14.3	4.7	0.32	935	1.01	0.02	0.75
C163		27.2	1.23	3.45	<0.05	<0.02	0.095	0.014	0.07	10.2	3.8	0.23	169	1.01	0.02	0.68
C164		24.3	1.49	3.25	<0.05	0.02	0.095	0.009	0.08	3.2	2.3	0.21	548	1.88	0.02	0.93
C165		9.12	1.33	2.84	<0.05	0.02	0.175	0.011	0.09	1.4	1.7	0.16	1900	1.79	0.02	0.58
C166		74.4	2.46	4.35	0.06	0.02	0.050	0.018	0.22	9.1	7.6	0.51	1960	0.79	0.03	0.70
C167		95.4	3.82	4.73	0.10	0.03	0.181	0.023	0.16	31.3	6.3	0.37	10250	2.91	0.02	0.29
C167C		29.3	2.33	4.00	0.09	0.02	0.192	0.057	0.10	23.3	9.1	0.33	411	1.74	0.03	1.15
C168		21.0	1.78	3.20	<0.05	0.02	0.068	0.013	0.11	5.2	4.8	0.32	1720	2.41	0.02	0.55
C169		34.4	1.70	3.32	<0.05	<0.02	0.062	0.013	0.12	5.8	6.4	0.36	1320	1.82	0.02	0.71
C170		17.70	0.83	1.68	<0.05	<0.02	0.126	0.008	0.08	2.9	2.0	0.17	734	0.77	0.02	0.40
C171		73.2	1.63	4.96	0.07	0.02	0.215	0.021	0.16	24.5	5.5	0.38	1440	1.05	0.02	0.66
C172		12.05	0.57	1.18	<0.05	0.02	0.163	0.007	0.08	2.1	1.5	0.13	397	1.11	0.01	0.39
C173		7.50	0.19	0.35	<0.05	<0.02	0.225	<0.005	0.09	0.6	0.4	0.08	1310	1.01	0.01	0.12
C174		14.45	1.01	2.23	<0.05	<0.02	0.136	0.010	0.08	2.7	2.9	0.17	965	1.94	0.01	0.89
C175		25.5	0.70	1.67	<0.05	<0.02	0.197	0.008	0.09	7.6	1.9	0.19	2810	1.53	0.01	0.29
C176		43.6	1.28	3.80	0.07	0.02	0.109	0.016	0.11	13.1	4.9	0.26	938	0.74	0.02	0.70
C177		18.40	0.56	1.07	<0.05	<0.02	0.221	0.009	0.12	2.8	1.4	0.17	1270	2.17	0.02	0.27
C178		124.5	1.53	1.72	0.06	0.02	0.075	0.010	0.13	5.1	4.2	0.47	1360	1.38	0.03	0.29
C179		33.9	0.63	1.71	0.06	0.02	0.172	0.011	0.07	7.7	1.9	0.20	259	1.23	0.02	0.29
C180		13.55	1.26	2.59	<0.05	<0.02	0.223	0.022	0.09	2.7	1.9	0.14	5410	1.86	0.02	0.37
C181		9.12	0.21	0.45	<0.05	<0.02	0.416	0.017	0.13	1.0	0.7	0.11	6110	1.61	0.02	0.10
C182		12.40	0.52	0.99	<0.05	0.02	0.596	0.023	0.10	2.3	1.2	0.12	9340	1.94	0.02	0.22
C183		28.4	2.65	5.86	0.07	0.11	0.218	0.034	0.21	7.8	3.7	0.53	4100	1.76	0.07	1.37
C184		11.60	0.76	1.79	<0.05	0.02	0.211	0.011	0.11	1.8	1.9	0.21	906	1.45	0.02	0.44
C185		32.9	1.21	2.89	0.07	0.07	0.230	0.018	0.11	18.9	6.0	0.58	749	1.00	0.02	0.54
C186		68.2	1.07	2.47	0.09	0.07	0.232	0.016	0.12	17.7	5.3	0.56	533	0.95	0.02	0.57
C187		52.1	1.25	2.57	<0.05	<0.02	0.222	0.014	0.10	10.1	4.3	0.25	1740	1.44	0.02	0.50
C188		70.2	0.52	1.23	0.06	0.02	0.201	0.008	0.08	21.4	1.4	0.24	452	1.61	0.02	0.23
C188C		33.7	3.21	5.26	0.14	0.09	0.148	0.059	0.20	58.1	14.8	0.60	1680	1.08	0.05	1.56
C189		10.45	0.49	0.94	<0.05	<0.02	0.169	0.009	0.06	1.6	1.1	0.11	1640	3.85	0.02	0.24
C190		59.2	1.97	4.24	0.06	0.02	0.082	0.020	0.15	14.2	7.5	0.52	1180	0.98	0.03	1.00
C191		16.65	1.23	3.38	<0.05	<0.02	0.022	0.014	0.05	9.4	6.1	0.27	674	0.48	0.02	0.57



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C155		23.1	0.102	7.07	20.2	<0.001	0.06	0.207	5.9	1.2	0.5	139.5	<0.01	0.02	0.9	0.071
C156		20.7	0.132	7.38	8.3	<0.001	0.09	0.335	2.9	1.1	0.4	126.0	<0.01	0.02	0.1	0.040
C157		6.0	0.082	6.10	5.4	<0.001	0.09	0.129	0.5	0.2	0.2	45.1	<0.01	0.02	<0.1	0.033
C158		10.0	0.094	10.40	7.0	<0.001	0.08	0.156	0.5	0.4	0.4	91.9	<0.01	0.02	<0.1	0.047
C159		18.9	0.114	4.67	9.3	0.001	0.17	0.241	2.6	2.3	0.3	246	<0.01	0.01	0.3	0.031
C160		13.8	0.128	6.26	4.9	<0.001	0.14	0.263	1.3	0.5	0.3	166.5	<0.01	0.02	0.1	0.032
C161		9.9	0.067	9.58	4.3	<0.001	0.06	0.193	0.5	0.4	0.3	88.3	<0.01	0.02	<0.1	0.031
C161D		13.4	0.090	6.09	9.6	<0.001	0.05	0.181	2.0	0.4	0.4	71.0	<0.01	0.02	0.2	0.084
C162		14.6	0.081	5.79	7.6	<0.001	0.06	0.149	1.8	0.4	0.3	93.7	<0.01	0.02	0.1	0.063
C163		11.3	0.057	5.99	6.2	<0.001	0.05	0.161	2.2	0.3	0.3	74.1	<0.01	0.01	0.2	0.059
C164		8.6	0.080	8.82	6.4	<0.001	0.05	0.199	1.1	0.3	0.4	44.0	<0.01	0.01	0.1	0.092
C165		11.0	0.087	9.99	3.4	<0.001	0.08	0.123	0.8	0.2	0.4	68.5	<0.01	0.01	0.1	0.064
C166		18.5	0.136	4.31	11.6	<0.001	0.05	0.249	3.8	0.4	0.3	79.1	<0.01	0.03	0.2	0.090
C167		42.5	0.202	6.23	14.4	<0.001	0.11	0.275	2.6	1.1	0.3	143.0	<0.01	0.03	0.1	0.034
C167C		29.9	0.131	89.6	10.0	0.004	0.98	1.125	3.0	3.2	3.6	42.0	<0.01	0.14	0.9	0.059
C168		22.5	0.099	3.66	6.5	<0.001	0.06	0.140	1.2	0.3	0.3	69.9	<0.01	0.01	<0.1	0.072
C169		11.5	0.081	4.31	9.5	<0.001	0.05	0.154	2.4	0.3	0.3	81.0	<0.01	0.01	0.2	0.080
C170		6.5	0.079	6.64	5.4	<0.001	0.06	0.156	0.9	0.3	0.3	59.7	<0.01	0.02	<0.1	0.040
C171		23.0	0.131	5.77	7.5	<0.001	0.10	0.299	3.9	1.2	0.3	125.0	<0.01	0.02	0.1	0.042
C172		4.7	0.070	7.06	3.2	<0.001	0.09	0.149	0.9	0.3	0.2	44.7	<0.01	0.01	0.1	0.033
C173		3.3	0.107	6.34	1.5	<0.001	0.11	0.133	0.3	0.2	0.2	29.7	<0.01	0.01	<0.1	0.009
C174		7.1	0.067	5.90	5.4	<0.001	0.05	0.154	1.2	0.2	0.3	45.4	<0.01	0.02	0.2	0.066
C175		9.6	0.092	10.70	4.6	<0.001	0.09	0.222	1.0	0.5	0.3	86.9	<0.01	0.01	<0.1	0.030
C176		14.1	0.101	6.77	7.7	<0.001	0.06	0.160	2.5	0.4	0.3	77.2	<0.01	0.02	0.2	0.051
C177		6.0	0.102	9.81	3.7	<0.001	0.11	0.172	0.5	0.2	0.2	86.7	<0.01	0.01	<0.1	0.022
C178		13.5	0.166	2.07	5.3	<0.001	0.25	0.252	1.1	1.8	<0.2	134.5	<0.01	0.02	0.1	0.027
C179		10.8	0.085	8.47	2.7	<0.001	0.10	0.157	1.5	0.3	0.2	95.0	<0.01	0.02	0.1	0.023
C180		16.7	0.082	20.8	20.5	<0.001	0.08	0.208	0.9	0.1	0.4	177.5	<0.01	0.02	<0.1	0.042
C181		5.3	0.095	15.85	25.3	<0.001	0.15	0.234	0.3	0.2	0.2	388	<0.01	0.03	0.1	0.008
C182		18.2	0.095	26.2	8.8	<0.001	0.14	0.345	0.7	0.3	0.3	390	<0.01	0.03	0.2	0.020
C183		96.8	0.205	22.8	24.7	<0.001	0.08	0.162	3.3	0.1	0.7	204	<0.01	0.02	0.8	0.164
C184		21.6	0.077	8.83	8.4	<0.001	0.09	0.120	0.7	0.1	0.2	131.5	<0.01	0.01	1.0	0.043
C185		44.3	0.091	9.30	7.5	<0.001	0.12	0.216	1.9	0.4	0.3	169.0	<0.01	0.01	0.3	0.035
C186		29.3	0.122	7.59	3.7	0.001	0.17	0.242	1.7	1.7	0.2	171.5	<0.01	0.02	0.3	0.031
C187		15.0	0.073	9.14	10.2	<0.001	0.08	0.174	1.0	0.3	0.2	110.0	<0.01	0.02	0.1	0.039
C188		11.9	0.102	6.28	1.9	<0.001	0.14	0.216	1.0	0.6	0.8	116.5	<0.01	0.02	0.1	0.015
C188C		21.4	0.120	43.4	18.3	0.001	0.16	0.595	5.1	1.2	1.4	26.8	<0.01	0.07	5.9	0.076
C189		6.5	0.078	10.15	3.5	<0.001	0.09	0.111	0.4	0.2	0.2	55.6	<0.01	0.01	<0.1	0.022
C190		38.2	0.114	6.65	9.8	<0.001	0.08	0.283	3.0	0.5	0.3	112.5	<0.01	0.02	0.3	0.062
C191		13.1	0.058	4.11	7.5	<0.001	0.01	0.098	1.6	0.3	0.3	34.3	<0.01	0.02	0.2	0.058



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 6 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
C155		0.10	1.85	66	0.17	26.2	68.4	1.9
C156		0.06	0.84	49	0.29	26.4	61.0	0.6
C157		0.02	0.09	22	0.10	0.86	40.7	<0.5
C158		0.02	0.11	34	0.14	1.10	91.4	<0.5
C159		0.08	3.49	53	0.13	23.0	48.2	4.5
C160		0.06	0.38	17	0.10	8.61	61.5	1.6
C161		0.02	0.30	17	0.08	5.46	49.3	<0.5
C161D		0.04	0.31	46	0.11	5.36	70.8	0.6
C162		0.04	0.30	36	0.13	9.49	58.8	<0.5
C163		0.04	0.30	31	0.23	7.42	47.1	<0.5
C164		0.03	0.17	45	0.13	1.80	55.0	0.8
C165		0.03	0.07	27	0.08	0.90	121.0	0.7
C166		0.05	0.37	87	0.24	7.06	75.9	0.7
C167		0.10	0.44	120	0.17	30.8	127.5	0.5
C167C		0.37	31.9	32	0.28	17.35	182.0	0.6
C168		0.03	0.23	48	0.13	3.60	68.2	0.5
C169		0.04	0.27	53	0.17	4.45	58.8	0.5
C170		0.03	0.15	25	0.09	2.05	56.1	<0.5
C171		0.06	0.62	29	0.13	19.30	71.7	0.6
C172		0.02	0.10	18	0.08	1.29	47.4	0.7
C173		0.02	<0.05	5	0.04	0.32	67.9	<0.5
C174		0.02	0.17	33	0.10	1.54	75.9	0.5
C175		0.04	0.19	18	0.09	7.07	95.7	<0.5
C176		0.05	0.29	29	0.12	11.15	67.6	0.9
C177		0.03	0.09	15	0.10	2.64	76.7	<0.5
C178		0.06	4.50	87	0.18	6.24	64.5	0.9
C179		0.02	0.23	14	0.08	7.35	42.1	0.9
C180		0.14	0.13	33	0.07	1.16	96.7	<0.5
C181		0.35	0.06	5	0.04	0.63	307	0.6
C182		0.18	0.11	12	0.09	1.58	184.5	0.9
C183		0.22	0.48	44	0.19	3.23	203	5.3
C184		0.05	0.57	19	0.09	0.84	80.7	1.1
C185		0.08	1.09	38	0.10	10.35	73.3	2.1
C186		0.07	11.15	47	0.08	13.95	31.5	3.0
C187		0.06	0.46	39	0.12	7.57	63.5	<0.5
C188		0.03	0.84	13	0.07	14.05	58.1	0.6
C188C		0.26	6.02	44	0.65	27.7	193.0	2.5
C189		0.02	0.13	16	0.19	0.79	90.3	<0.5
C190		0.05	0.52	53	0.16	11.90	105.5	0.7
C191		0.04	0.35	35	0.12	5.06	32.2	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 7 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C192		0.04	0.0008	0.053	1.22	2.30	10	828	0.26	0.16	1.63	1.65	10.20	10.4	56.5	1.57
C193		0.06	0.0008	0.151	0.40	0.91	10	524	0.08	0.09	2.03	0.67	4.41	4.8	23.3	0.34
C194		0.06	0.0016	0.081	0.33	1.14	20	96.0	0.13	0.05	3.21	0.81	3.86	2.8	9.9	0.20
C195		0.04	0.0031	0.060	0.08	0.36	20	48.2	<-0.05	0.03	2.47	1.06	0.93	1.3	1.5	0.11
C196		0.04	0.0018	0.067	0.75	1.34	10	332	0.18	0.09	1.51	0.37	10.60	6.7	37.0	0.67
C197		0.04	0.0024	0.062	0.20	0.77	10	167.5	0.05	0.05	1.47	0.31	1.94	1.6	6.9	0.20
C198		0.08	0.0013	0.128	0.72	1.91	10	166.5	0.46	0.07	1.57	0.28	18.10	5.3	14.4	0.12
C199		0.06	0.0035	0.255	0.35	0.37	<10	90.2	0.07	0.05	0.52	0.17	3.73	2.0	6.5	0.24
C200		0.04	0.0091	0.143	0.59	0.51	<10	107.5	0.14	0.04	0.75	0.25	5.50	2.9	8.0	0.79
C201		0.06	0.0060	0.162	0.89	1.16	<10	134.5	0.21	0.07	0.83	0.41	13.60	7.4	17.8	0.59
C202		0.04	0.0218	0.219	1.40	0.55	<10	39.1	0.06	0.03	1.42	0.35	5.01	7.3	16.9	0.34
C203		0.04	0.0071	0.213	0.34	0.50	<10	57.9	0.08	0.04	0.61	0.41	4.96	1.8	8.2	0.21
C204		0.04	0.0077	0.143	0.34	1.07	20	482	0.08	0.06	2.45	0.65	3.92	3.2	9.3	0.22
C205		0.08	0.0063	0.168	0.42	0.83	<10	196.5	0.11	0.06	1.02	0.32	6.89	4.3	14.9	0.39
C206		0.06	0.0046	0.540	0.27	0.67	10	297	0.06	0.07	0.98	0.93	3.24	3.0	7.5	0.52
C207		0.10	0.0013	0.039	0.04	2.95	30	119.5	<-0.05	0.02	4.62	0.21	0.46	2.5	0.9	0.05
C207C		0.02	0.0010	0.240	1.25	14.80	20	137.5	0.48	0.46	0.90	1.91	42.8	8.5	19.1	1.08
C208		0.06	0.0019	0.076	0.54	0.60	<10	211	0.09	0.05	0.97	0.44	5.47	3.7	16.1	0.26
C209		0.06	0.0032	0.283	0.34	0.62	10	354	0.08	0.08	1.67	1.76	4.30	4.5	10.6	0.32
C210		0.08	0.0014	0.206	1.13	0.86	<10	156.0	0.36	0.07	0.72	0.31	17.15	6.4	24.6	0.59
C211		0.08	0.0024	0.072	0.36	0.29	<10	137.0	0.07	0.07	0.30	0.36	3.84	2.7	13.1	0.39
C212		0.06	0.0007	0.248	0.42	0.46	<10	292	0.09	0.12	0.79	0.73	5.28	4.9	14.2	0.34
C213		0.06	0.0003	0.327	0.47	0.99	10	194.0	0.28	0.06	3.77	0.68	10.35	3.3	6.6	0.21
C214		0.04	0.0098	0.172	0.37	0.88	<10	671	0.08	0.09	0.78	1.34	4.52	4.8	10.3	0.37
C215		0.06	0.0010	0.305	0.33	0.48	<10	281	0.08	0.08	0.67	0.58	3.92	2.8	10.8	0.26
C216		0.06	0.0044	0.462	0.20	0.55	10	411	<-0.05	0.05	2.68	2.31	2.02	3.1	5.1	0.24
C217		0.06	0.0020	0.100	0.38	0.47	<10	189.0	0.09	0.06	0.96	0.59	4.24	3.3	11.8	0.30
C218		0.14	<-0.0002	0.112	1.01	1.23	<10	133.5	0.21	0.08	0.59	0.17	9.79	4.8	20.9	0.58
C219		0.08	0.0006	0.028	0.08	0.87	10	88.1	<-0.05	0.03	3.43	0.33	0.97	1.1	1.0	0.06
C220		0.06	0.0040	0.046	0.49	0.71	<10	291	0.08	0.06	0.78	0.21	3.97	4.2	16.7	0.44
C221		0.06	0.0011	0.140	0.27	0.54	10	215	0.07	0.05	2.18	0.23	3.47	3.5	6.8	0.19
C222		0.06	0.0008	0.094	0.25	0.94	10	291	<-0.05	0.04	2.23	0.38	2.11	2.4	7.3	0.14
C223		0.04	0.0030	0.164	0.24	0.32	<10	214	0.05	0.07	1.02	0.30	2.02	2.4	5.9	0.22
C224		0.06	0.0007	0.301	0.48	0.73	<10	151.5	0.10	0.05	0.73	0.14	4.45	3.7	10.5	0.33
C225		0.06	0.0009	0.207	1.76	1.30	<10	305	0.59	0.07	0.74	0.13	26.7	9.9	18.3	0.43
C226		0.08	0.0072	0.492	2.18	2.03	<10	178.5	0.50	0.08	1.63	0.24	23.2	9.3	32.1	0.68
C227		0.08	0.0002	0.107	0.44	0.62	<10	219	0.09	0.06	0.68	0.09	4.03	2.7	10.2	0.27
C227C		0.02	0.0018	0.784	1.54	9.10	20	215	0.74	1.02	0.58	0.78	93.5	14.2	27.3	1.22
C228		0.08	0.0109	0.207	2.29	1.40	<10	161.5	0.54	0.11	0.38	0.16	15.70	5.5	29.4	1.02
C229		0.08	0.0026	0.245	1.64	1.77	<10	188.0	0.48	0.08	2.11	0.32	16.45	7.4	24.9	0.62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 7 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C192		16.40	1.98	3.47	<0.05	0.02	0.318	0.031	0.12	3.8	3.6	0.17	7620	1.67	0.02	0.38
C193		12.05	0.84	1.68	<0.05	0.03	0.341	0.014	0.10	2.2	2.0	0.14	2940	2.38	0.02	0.39
C194		24.1	0.57	1.01	<0.05	0.03	0.217	0.012	0.10	3.1	1.4	0.59	399	0.82	0.02	0.25
C195		16.85	0.12	0.25	<0.05	<0.02	0.179	0.007	0.11	0.8	0.4	0.53	317	1.18	0.01	0.06
C196		18.60	1.13	2.14	<0.05	0.04	0.246	0.014	0.12	5.5	2.9	0.44	1620	1.35	0.02	0.46
C197		10.55	0.42	0.79	<0.05	0.02	0.259	0.009	0.07	1.0	0.9	0.15	533	2.72	0.02	0.20
C198		28.4	1.05	2.23	0.06	0.10	0.076	0.012	0.10	11.8	3.8	0.57	577	0.91	0.02	0.54
C199		8.42	0.41	1.07	<0.05	<0.02	0.141	0.008	0.07	2.1	1.2	0.12	514	1.46	0.02	0.27
C200		16.05	0.46	1.51	<0.05	<0.02	0.175	0.010	0.10	2.8	1.1	0.14	85	1.66	0.03	0.22
C201		19.95	1.22	2.73	0.05	<0.02	0.118	0.013	0.11	6.6	3.9	0.27	645	1.17	0.02	0.59
C202		170.5	2.21	2.87	<0.05	<0.02	0.147	0.007	0.04	2.4	1.9	0.27	240	1.53	0.08	0.17
C203		10.50	0.47	1.11	<0.05	<0.02	0.145	0.011	0.07	2.8	1.6	0.15	222	1.40	0.01	0.33
C204		10.20	0.60	1.11	<0.05	<0.02	0.168	0.013	0.18	1.9	2.5	0.19	1620	3.29	0.02	0.39
C205		9.72	0.87	1.59	<0.05	<0.02	0.081	0.009	0.11	3.4	2.8	0.21	1260	4.04	0.02	0.54
C206		8.51	0.47	1.07	<0.05	<0.02	0.301	0.010	0.10	1.6	1.6	0.11	1000	8.33	0.02	0.35
C207		5.50	0.26	0.14	<0.05	<0.02	0.178	<0.005	0.04	0.2	0.3	0.51	786	5.80	0.06	0.05
C207C		30.9	2.38	4.35	0.10	0.02	0.195	0.054	0.10	23.4	9.0	0.35	388	1.75	0.03	1.11
C208		8.15	1.06	1.82	<0.05	<0.02	0.050	0.011	0.08	2.8	2.9	0.18	993	1.84	0.01	0.53
C209		8.76	0.66	1.43	<0.05	<0.02	0.152	0.013	0.12	2.3	2.2	0.18	2130	4.90	0.02	0.49
C210		12.70	1.43	3.32	0.05	0.02	0.042	0.015	0.08	8.9	9.3	0.26	639	0.61	0.02	0.80
C211		6.60	0.82	1.62	<0.05	<0.02	0.072	0.009	0.07	2.2	1.3	0.09	661	2.40	0.01	0.35
C212		28.7	0.77	1.90	<0.05	<0.02	0.090	0.014	0.09	2.9	2.6	0.14	2280	4.98	0.01	0.43
C213		28.0	0.53	1.36	0.05	0.05	0.248	0.012	0.09	15.6	2.1	0.34	1480	1.01	0.01	0.30
C214		11.65	0.63	1.44	<0.05	<0.02	0.136	0.012	0.10	2.8	1.4	0.10	5400	2.68	0.02	0.34
C215		7.82	0.61	1.51	<0.05	<0.02	0.148	0.008	0.09	2.2	1.4	0.10	528	2.38	0.01	0.35
C216		11.70	0.37	0.76	<0.05	<0.02	0.192	0.008	0.14	1.3	1.2	0.15	2060	4.76	0.01	0.21
C217		13.60	0.73	1.51	<0.05	0.02	0.089	0.008	0.07	2.2	2.2	0.13	246	3.47	0.01	0.47
C218		8.02	1.19	3.43	<0.05	0.02	0.030	0.017	0.06	4.8	9.6	0.26	494	0.44	0.01	1.09
C219		13.00	0.13	0.23	<0.05	<0.02	0.185	<0.005	0.05	1.0	0.5	0.41	316	3.89	0.02	0.08
C220		8.95	1.52	1.74	<0.05	<0.02	0.147	0.009	0.09	2.0	1.9	0.14	1870	1.34	0.01	0.45
C221		12.20	0.54	0.97	<0.05	0.02	0.171	0.010	0.11	2.6	1.5	0.20	665	6.85	0.01	0.31
C222		9.85	0.62	0.84	<0.05	0.02	0.202	0.008	0.18	1.1	1.4	0.19	1160	8.38	0.01	0.25
C223		7.79	0.53	0.93	<0.05	<0.02	0.158	0.011	0.10	1.3	0.8	0.09	2230	1.99	0.01	0.24
C224		10.45	1.02	1.86	<0.05	<0.02	0.104	0.011	0.11	2.6	2.1	0.17	1450	2.01	0.01	0.32
C225		27.0	1.63	4.84	0.05	<0.02	0.148	0.016	0.53	13.7	3.8	0.26	2690	2.19	0.02	0.34
C226		70.5	2.35	5.71	0.07	0.07	0.149	0.021	0.14	17.8	6.6	0.48	602	0.84	0.03	1.34
C227		7.62	0.87	1.74	<0.05	<0.02	0.087	0.009	0.08	2.4	1.9	0.13	1030	2.06	0.01	0.22
C227C		35.9	3.35	5.55	0.15	0.08	0.151	0.062	0.20	58.3	15.9	0.57	1720	1.08	0.04	1.61
C228		26.7	1.46	7.40	<0.05	<0.02	0.082	0.023	0.09	8.2	8.1	0.26	391	0.58	0.02	0.87
C229		49.5	1.94	4.30	0.05	0.05	0.167	0.018	0.11	10.2	5.8	0.42	411	1.07	0.02	0.90



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 7 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C192		30.7	0.186	23.2	31.4	<0.001	0.07	0.222	2.4	0.3	0.6	248	<0.01	0.03	0.2	0.072
C193		17.3	0.071	13.85	9.2	<0.001	0.10	0.159	0.9	0.4	0.3	191.5	<0.01	0.02	0.2	0.045
C194		30.8	0.096	6.74	9.4	<0.001	0.18	0.125	0.5	0.5	0.2	257	<0.01	0.02	0.1	0.022
C195		9.6	0.135	5.90	1.8	<0.001	0.23	0.068	0.2	0.5	<0.2	286	<0.01	0.02	<0.1	0.004
C196		29.7	0.099	13.35	5.7	<0.001	0.12	0.146	1.6	0.3	0.3	159.5	<0.01	0.02	0.3	0.047
C197		4.8	0.079	10.60	1.8	<0.001	0.15	0.125	0.5	0.3	0.2	153.0	<0.01	0.01	0.1	0.018
C198		21.8	0.068	4.70	4.9	0.001	0.09	0.170	1.6	0.7	0.3	116.5	<0.01	0.02	0.5	0.036
C199		4.9	0.085	8.46	3.4	<0.001	0.08	0.114	0.5	0.1	0.2	42.3	<0.01	0.02	0.1	0.021
C200		8.2	0.172	4.94	5.9	<0.001	0.17	0.122	0.2	0.3	0.2	73.2	<0.01	0.01	<0.1	0.009
C201		12.9	0.090	8.95	8.6	<0.001	0.09	0.174	0.9	0.3	0.3	64.3	<0.01	0.02	<0.1	0.040
C202		12.1	0.222	5.82	2.5	<0.001	0.08	0.085	0.8	0.3	0.2	243	<0.01	0.02	0.1	0.022
C203		6.6	0.070	7.32	2.8	<0.001	0.09	0.120	0.7	0.4	0.2	41.7	<0.01	0.02	0.1	0.023
C204		7.9	0.087	10.55	3.0	<0.001	0.10	0.154	0.6	0.4	0.2	197.0	<0.01	0.02	0.1	0.027
C205		8.8	0.099	6.45	5.6	<0.001	0.06	0.105	0.9	0.5	0.2	70.8	<0.01	0.01	0.2	0.038
C206		5.4	0.107	12.75	3.2	<0.001	0.10	0.173	0.6	0.3	0.2	73.3	<0.01	0.02	0.2	0.024
C207		2.4	0.115	2.84	0.4	0.003	0.26	0.204	0.1	2.2	<0.2	273	<0.01	0.02	<0.1	0.002
C207C		31.0	0.128	102.0	10.5	0.004	0.99	1.195	2.9	2.8	3.5	42.4	<0.01	0.13	0.8	0.056
C208		10.3	0.064	7.85	3.3	<0.001	0.03	0.089	0.9	0.2	0.2	79.9	<0.01	0.02	0.2	0.045
C209		8.4	0.109	15.15	2.3	<0.001	0.11	0.148	0.6	0.4	0.3	122.5	<0.01	0.02	0.1	0.034
C210		15.5	0.071	4.86	7.3	<0.001	0.02	0.135	2.4	0.4	0.3	50.8	<0.01	0.01	0.5	0.062
C211		5.5	0.063	7.64	3.6	<0.001	0.04	0.135	0.6	0.1	0.2	38.4	<0.01	0.01	0.1	0.035
C212		8.7	0.070	14.35	3.2	<0.001	0.05	0.659	0.6	0.1	1.9	74.1	<0.01	0.02	0.1	0.040
C213		21.0	0.131	8.34	3.1	<0.001	0.16	0.527	0.6	1.1	0.2	202	<0.01	0.01	0.1	0.015
C214		7.7	0.068	10.90	3.9	<0.001	0.04	0.139	0.9	0.2	0.3	70.4	<0.01	<0.01	0.3	0.034
C215		5.5	0.067	9.11	2.4	<0.001	0.06	0.174	0.6	0.3	0.3	60.0	<0.01	0.01	0.1	0.036
C216		6.2	0.094	8.05	1.8	<0.001	0.13	0.117	0.4	0.4	0.2	197.5	<0.01	0.01	0.1	0.018
C217		8.4	0.081	5.86	4.2	<0.001	0.05	0.111	0.9	0.1	0.2	87.2	<0.01	<0.01	0.3	0.039
C218		11.5	0.051	4.67	12.7	<0.001	0.01	0.072	2.0	0.2	0.3	46.1	<0.01	<0.01	0.6	0.077
C219		15.5	0.109	2.72	0.7	<0.001	0.23	0.423	0.1	0.7	<0.2	198.5	<0.01	0.01	<0.1	0.004
C220		8.4	0.079	8.55	5.1	<0.001	0.08	0.142	0.7	0.2	0.3	86.3	<0.01	0.01	0.1	0.039
C221		6.4	0.141	7.95	2.2	<0.001	0.18	0.116	0.4	0.2	0.2	140.0	0.01	0.01	0.1	0.018
C222		5.6	0.104	7.70	2.3	<0.001	0.14	0.094	0.5	0.4	0.2	139.0	<0.01	0.01	0.1	0.018
C223		3.7	0.086	11.95	2.5	<0.001	0.08	0.156	0.4	0.1	0.3	67.7	<0.01	<0.01	0.1	0.020
C224		6.4	0.084	7.28	4.1	<0.001	0.07	0.127	0.4	<0.1	0.3	56.2	<0.01	<0.01	<0.1	0.035
C225		15.1	0.133	8.13	7.3	<0.001	0.07	0.167	0.4	0.3	0.4	91.2	<0.01	0.01	<0.1	0.019
C226		30.0	0.122	5.66	8.7	<0.001	0.09	0.236	4.7	0.6	0.4	126.5	<0.01	0.02	0.5	0.073
C227		5.6	0.056	6.97	3.4	<0.001	0.04	0.128	0.3	<0.1	0.3	73.5	<0.01	<0.01	<0.1	0.030
C227C		22.6	0.118	35.0	17.6	<0.001	0.15	0.532	5.6	2.0	1.4	29.1	<0.01	0.04	6.4	0.075
C228		19.2	0.098	7.56	9.0	<0.001	0.05	0.154	2.6	0.2	0.5	43.6	<0.01	0.01	0.2	0.067
C229		23.9	0.132	6.90	6.9	<0.001	0.12	0.241	2.6	0.7	0.4	179.0	<0.01	0.01	0.4	0.050



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 7 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C192		0.14	0.21	48	0.08	1.80	344	0.6
C193		0.05	0.12	26	0.12	1.05	70.8	0.9
C194		0.03	1.87	24	0.03	2.00	71.4	1.0
C195		0.02	0.12	7	0.03	0.61	76.1	<0.5
C196		0.07	0.49	31	0.08	3.18	78.1	1.6
C197		0.02	0.06	14	0.08	0.52	26.4	0.5
C198		0.06	2.00	40	0.06	9.22	23.7	3.8
C199		0.02	0.13	11	0.05	0.91	40.7	<0.5
C200		0.07	0.13	10	0.04	2.32	36.1	<0.5
C201		0.04	0.37	29	0.10	4.11	67.3	<0.5
C202		<0.02	0.13	119	0.08	2.03	39.6	<0.5
C203		0.02	0.13	13	0.08	1.41	45.3	0.5
C204		0.02	0.09	14	0.08	1.04	57.4	<0.5
C205		0.03	0.15	23	0.14	1.56	47.4	<0.5
C206		0.03	0.17	12	0.09	0.70	84.7	<0.5
C207		0.03	3.17	12	0.10	0.20	10.6	<0.5
C207C		0.38	32.8	31	0.28	17.55	178.0	0.6
C208		0.02	0.17	32	0.19	1.49	79.7	<0.5
C209		0.03	0.11	16	0.23	0.96	165.0	<0.5
C210		0.07	1.60	33	0.10	5.51	47.0	0.8
C211		0.03	0.13	24	0.13	0.91	26.2	<0.5
C212		0.04	0.12	17	0.15	1.10	52.3	<0.5
C213		0.08	12.40	36	0.08	12.20	12.3	1.9
C214		0.05	0.43	15	0.12	1.35	212	<0.5
C215		0.04	0.13	16	0.08	0.89	56.1	<0.5
C216		0.03	0.06	9	0.08	0.61	244	<0.5
C217		0.02	0.13	20	0.17	1.11	27.6	0.5
C218		0.05	0.37	25	1.07	2.52	61.5	0.6
C219		0.03	1.44	35	0.03	0.83	7.3	0.7
C220		0.04	0.13	51	0.10	1.02	65.0	<0.5
C221		0.03	0.11	12	0.11	0.89	12.7	0.7
C222		0.02	0.06	18	0.08	0.60	34.4	0.5
C223		0.04	0.07	16	0.10	0.57	77.2	<0.5
C224		0.04	0.22	27	0.10	1.18	62.8	<0.5
C225		0.06	0.37	31	0.10	8.81	46.3	<0.5
C226		0.07	2.23	50	0.15	18.75	50.0	2.4
C227		0.03	0.12	25	0.09	1.06	40.6	<0.5
C227C		0.26	6.12	43	0.44	29.6	190.0	2.4
C228		0.07	0.47	38	0.08	5.92	82.2	0.5
C229		0.06	4.96	50	0.10	7.19	46.5	2.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 8 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C230		0.04	0.0041	0.089	0.37	0.39	<10	127.5	0.07	0.06	0.86	0.13	3.27	2.1	8.5	0.29
C231		0.08	0.0007	0.055	0.67	0.58	<10	132.5	0.11	0.06	0.82	0.22	4.38	3.7	13.0	0.35
C232		0.06	0.0023	0.452	1.98	1.52	<10	250	0.66	0.07	1.03	0.24	50.3	8.1	26.2	0.59
C233		0.06	0.0021	0.401	2.59	1.34	<10	325	0.72	0.08	1.20	0.25	50.3	9.6	34.3	0.72
C234		0.10	0.0021	0.706	2.92	1.70	<10	387	0.89	0.08	1.18	0.26	66.1	11.3	37.6	0.98
C235		0.04	0.0045	0.262	1.51	1.47	<10	173.5	0.52	0.07	1.15	0.12	26.4	5.5	22.2	0.50
C236		0.06	0.0060	0.132	0.35	0.93	<10	74.6	0.07	0.05	1.06	0.24	5.14	2.2	7.3	0.36
C237		0.06	0.0102	0.145	0.56	0.89	<10	113.0	0.11	0.06	0.87	0.16	6.20	3.2	11.9	0.43
C238		0.06	0.0044	0.078	0.32	0.52	<10	102.5	<0.05	0.04	0.68	0.20	3.04	1.1	3.5	0.17
C239		0.06	0.0105	0.312	0.91	0.93	<10	169.0	0.22	0.07	1.03	0.25	14.35	4.1	16.2	0.38
C240		0.08	0.0032	0.151	0.25	0.43	<10	40.5	<0.05	0.04	0.60	0.24	2.81	1.0	5.6	0.15
C241		0.10	0.0042	0.139	0.27	15.75	20	567	0.11	0.03	4.74	0.67	5.19	15.6	6.8	0.26
C242		0.06	0.0038	0.178	0.41	0.79	<10	151.0	0.08	0.06	0.65	0.19	4.28	2.3	11.6	0.41
C243		0.06	0.0071	0.147	0.68	0.86	<10	167.0	0.14	0.06	0.75	0.22	13.00	4.3	11.5	0.43
C244		0.06	0.0014	0.281	0.64	0.96	<10	67.9	0.12	0.04	1.61	0.20	6.18	4.3	15.3	0.32
C245		0.06	0.0025	0.274	2.10	1.58	<10	159.0	0.57	0.05	1.19	0.15	29.6	7.4	33.7	0.73
C246		0.08	0.0017	0.204	1.98	1.35	<10	169.5	0.38	0.07	0.56	0.14	12.05	5.8	28.2	0.66
C247		0.04	0.0006	0.154	0.57	0.76	<10	154.0	0.12	0.07	0.55	0.23	5.38	2.7	15.4	0.28
C247C		0.02	0.0017	0.239	1.38	14.95	30	145.5	0.42	0.47	0.94	2.02	41.6	8.7	20.3	1.09
C248		0.04	0.0032	0.550	2.59	7.26	<10	317	0.71	0.07	1.28	0.50	60.6	48.8	43.3	1.21
C249		0.06	0.0032	0.470	1.50	1.17	<10	190.0	0.35	0.07	0.77	0.20	24.9	7.3	24.0	0.52
C250		0.04	0.0046	0.116	1.13	2.85	<10	132.0	0.26	0.04	0.84	0.23	12.30	7.6	26.8	0.66
C251		0.08	0.0098	0.189	0.95	1.10	<10	115.5	0.25	0.06	1.14	0.15	12.25	6.4	19.7	0.41
C252		0.04	0.0013	0.143	0.35	0.73	<10	51.3	0.07	0.05	0.49	0.17	4.84	1.6	8.6	0.38
C253		0.04	0.0036	0.295	1.78	1.57	<10	305	0.57	0.07	1.54	0.30	52.3	11.3	24.0	0.52
C254		0.10	0.0005	0.074	1.11	1.48	<10	123.5	0.19	0.05	0.58	0.08	12.05	7.0	41.1	0.57
C255		0.14	0.0017	0.511	4.91	5.16	<10	348	1.66	0.11	0.54	0.09	46.5	15.5	87.9	1.55
C256		0.08	<0.0002	0.330	0.35	0.79	<10	216	0.09	0.06	1.24	0.20	3.93	2.5	14.6	0.38
C257		0.06	0.0025	0.502	1.19	1.27	<10	177.5	0.40	0.06	1.43	0.43	36.1	5.9	15.0	0.49
C258		0.06	0.0004	0.255	0.58	1.46	<10	102.5	0.17	0.04	3.77	0.29	7.85	4.3	8.9	0.38
C259		0.06	0.0011	0.227	1.43	1.67	<10	98.0	0.29	0.06	0.92	0.21	12.15	6.4	25.3	0.69
C260		0.06	<0.0002	0.328	1.11	0.94	<10	167.5	0.33	0.09	1.86	0.26	12.50	2.7	18.7	0.76
C261		0.08	0.0009	1.160	1.10	4.71	<10	184.5	0.36	0.06	5.00	1.35	10.80	6.8	16.5	0.57
C262		0.06	0.0002	0.345	0.51	1.09	<10	102.0	0.20	0.03	3.08	0.42	10.10	2.8	6.5	0.22
C262D		0.06	<0.0002	0.124	0.10	0.41	20	82.9	<0.05	0.02	2.68	0.52	0.77	1.3	2.2	0.13
C263		0.08	<0.0002	0.126	0.26	0.63	<10	155.0	0.05	0.04	1.64	0.64	2.23	3.0	8.3	0.30
C264		0.06	0.0015	0.083	0.61	1.10	<10	146.0	0.09	0.07	0.61	0.16	3.37	4.2	14.9	0.64
C265		0.04	0.0025	0.196	0.33	1.01	<10	76.7	0.13	0.04	2.10	0.47	4.24	2.2	7.4	0.19
C266		0.08	0.0020	0.175	0.09	2.44	30	124.5	0.18	0.02	6.01	1.03	1.36	2.6	4.2	0.06
C267		0.08	0.0011	0.553	0.09	1.64	20	99.9	0.07	0.02	4.26	0.48	1.73	8.7	2.2	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 8 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C230		6.12	0.68	1.79	<0.05	<0.02	0.136	0.007	0.08	1.8	1.4	0.11	579	1.02	0.01	0.43
C231		9.86	1.03	2.71	<0.05	<0.02	0.090	0.009	0.09	2.5	2.8	0.16	637	1.22	0.01	0.50
C232		55.2	1.94	5.68	0.09	0.02	0.146	0.021	0.13	28.6	5.8	0.37	1700	1.10	0.02	0.76
C233		63.5	2.19	6.96	0.09	<0.02	0.161	0.025	0.17	30.8	6.2	0.42	1540	1.39	0.02	0.67
C234		80.7	2.76	8.17	0.11	0.02	0.114	0.025	0.17	43.3	8.6	0.52	1920	1.34	0.02	0.81
C235		52.7	1.47	4.14	0.05	<0.02	0.236	0.023	0.10	15.3	3.1	0.27	331	1.01	0.02	0.35
C236		1365	0.61	1.11	<0.05	<0.02	0.233	0.009	0.09	2.8	2.2	0.16	513	2.42	0.01	0.56
C237		17.30	0.82	1.72	<0.05	<0.02	0.180	0.010	0.11	3.5	2.4	0.19	559	1.38	0.01	0.35
C238		8.42	0.36	0.81	<0.05	<0.02	0.149	0.006	0.05	1.9	0.7	0.11	461	2.04	0.01	0.15
C239		19.20	1.21	2.57	<0.05	<0.02	0.128	0.011	0.09	9.4	3.4	0.24	1200	1.89	0.02	0.49
C240		14.30	0.29	0.63	<0.05	<0.02	0.202	0.008	0.05	2.0	0.8	0.08	439	1.36	0.02	0.13
C241		32.1	2.34	0.81	<0.05	0.04	0.159	0.006	0.07	2.7	1.6	0.39	13300	2.85	0.02	0.18
C242		14.90	0.78	1.42	<0.05	<0.02	0.166	0.010	0.06	2.7	1.3	0.12	345	2.44	0.01	0.28
C243		15.60	0.81	2.03	<0.05	<0.02	0.225	0.011	0.08	6.7	2.0	0.14	1620	2.06	0.01	0.23
C244		15.40	0.94	2.08	<0.05	0.02	0.101	0.010	0.09	3.0	3.9	0.28	485	1.44	0.01	0.63
C245		86.6	1.95	5.64	0.08	0.06	0.142	0.020	0.13	19.5	4.7	0.37	298	1.12	0.02	2.27
C246		24.6	1.64	5.86	<0.05	<0.02	0.105	0.020	0.10	5.2	5.1	0.25	386	1.63	0.02	1.33
C247		11.60	0.96	2.21	<0.05	<0.02	0.155	0.013	0.07	2.8	1.7	0.12	438	3.07	0.02	0.78
C247C		29.8	2.63	4.37	0.10	0.02	0.198	0.057	0.11	21.7	9.4	0.35	427	1.82	0.03	1.14
C248		91.5	4.64	6.88	0.09	0.02	0.114	0.027	0.27	23.6	9.1	0.68	5490	2.26	0.03	1.28
C249		30.5	1.71	4.41	<0.05	<0.02	0.161	0.017	0.09	13.6	4.5	0.27	895	1.79	0.02	0.69
C250		34.0	2.02	3.39	<0.05	0.02	0.033	0.013	0.17	5.5	5.7	0.38	763	1.82	0.02	0.82
C251		25.6	1.24	2.82	<0.05	<0.02	0.129	0.017	0.10	5.3	3.0	0.26	954	1.85	0.02	0.50
C252		11.40	0.50	0.95	<0.05	<0.02	0.224	0.009	0.07	2.4	1.7	0.10	349	2.10	0.02	0.63
C253		47.7	1.75	4.72	0.07	0.02	0.141	0.019	0.14	25.2	4.5	0.38	2880	2.62	0.02	0.66
C254		16.35	2.05	3.66	<0.05	0.03	0.056	0.013	0.11	5.3	4.5	0.32	1020	1.07	0.02	0.93
C255		188.5	4.34	12.80	0.08	0.10	0.036	0.047	0.20	28.1	11.2	0.72	588	0.93	0.03	1.56
C256		10.45	0.85	1.47	<0.05	<0.02	0.183	0.010	0.09	2.0	1.1	0.11	934	3.34	0.02	0.39
C257		70.5	1.20	3.02	0.07	<0.02	0.177	0.015	0.11	23.9	3.5	0.28	1420	2.43	0.02	0.44
C258		53.8	0.70	1.53	0.05	0.04	0.141	0.009	0.08	8.1	4.7	0.40	776	1.65	0.02	0.34
C259		42.6	1.61	3.88	<0.05	0.03	0.125	0.017	0.10	6.7	5.5	0.33	424	1.66	0.02	0.66
C260		61.2	0.94	3.56	<0.05	0.04	0.126	0.018	0.07	7.8	5.3	0.23	109	0.94	0.02	0.81
C261		243	1.35	2.39	0.05	0.07	0.119	0.013	0.10	6.6	6.5	0.30	721	0.82	0.02	0.51
C262		86.8	0.60	1.29	<0.05	0.03	0.134	0.009	0.08	8.0	2.5	0.33	491	1.51	0.02	0.19
C262D		12.70	0.15	0.29	<0.05	<0.02	0.147	<0.005	0.11	0.4	0.3	0.27	387	2.73	0.01	0.06
C263		12.50	0.67	1.15	<0.05	<0.02	0.154	0.006	0.08	1.3	0.9	0.13	1160	2.58	0.01	0.24
C264		10.80	1.28	2.67	<0.05	<0.02	0.087	0.011	0.08	1.6	3.3	0.19	1070	1.98	0.02	0.44
C265		70.7	0.50	0.92	<0.05	0.03	0.191	0.008	0.08	2.7	2.1	0.14	611	1.61	0.02	0.22
C266		106.0	0.49	0.31	<0.05	0.06	0.134	<0.005	0.19	0.9	0.4	0.44	1780	1.75	0.03	0.18
C267		58.9	0.81	0.25	<0.05	0.04	0.279	0.006	0.05	1.0	0.5	0.32	597	1.63	0.03	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 8 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C230		4.3	0.062	7.47	3.6	<0.001	0.06	0.124	0.7	0.1	0.3	74.8	<0.01	0.01	0.1	0.041
C231		6.8	0.079	6.00	6.0	<0.001	0.04	0.118	0.8	<0.1	0.3	63.3	<0.01	0.01	0.1	0.055
C232		28.1	0.119	6.23	7.4	<0.001	0.06	0.250	3.5	1.2	0.4	122.0	<0.01	0.01	0.2	0.054
C233		29.2	0.139	7.21	9.6	<0.001	0.08	0.313	3.1	1.1	0.5	137.0	<0.01	0.02	0.1	0.048
C234		35.5	0.129	7.67	12.8	<0.001	0.06	0.272	4.3	1.2	0.5	141.5	<0.01	0.01	0.2	0.065
C235		14.7	0.162	7.07	6.7	<0.001	0.10	0.188	0.5	0.7	0.3	93.5	<0.01	<0.01	<0.1	0.018
C236		5.0	0.090	9.53	4.1	<0.001	0.11	0.182	0.8	0.2	0.3	64.3	<0.01	0.01	0.5	0.025
C237		7.0	0.074	8.57	6.4	<0.001	0.08	0.179	0.4	0.1	0.3	67.4	<0.01	0.01	<0.1	0.032
C238		4.9	0.085	7.84	1.9	<0.001	0.11	0.170	0.5	0.2	0.2	57.8	<0.01	0.01	0.3	0.013
C239		10.9	0.096	7.97	5.1	<0.001	0.08	0.193	1.0	0.3	0.3	76.1	<0.01	0.01	0.1	0.042
C240		5.0	0.074	9.96	1.4	<0.001	0.12	0.153	0.4	0.1	0.2	30.4	<0.01	0.01	0.2	0.012
C241		17.6	0.220	2.72	2.1	0.006	0.26	0.222	0.6	1.2	<0.2	253	<0.01	0.01	0.1	0.010
C242		7.0	0.089	10.50	4.0	<0.001	0.07	0.177	0.2	0.1	0.3	52.0	<0.01	<0.01	<0.1	0.023
C243		9.6	0.113	11.55	5.2	<0.001	0.10	0.213	0.1	0.3	0.3	75.3	<0.01	<0.01	<0.1	0.019
C244		9.7	0.094	4.09	5.1	<0.001	0.10	0.139	1.1	0.2	0.2	90.5	<0.01	0.01	0.2	0.042
C245		55.8	0.156	5.58	6.9	<0.001	0.09	0.208	3.9	0.7	0.4	128.0	<0.01	<0.01	0.3	0.091
C246		27.0	0.097	8.86	6.3	<0.001	0.05	0.131	1.8	0.4	0.5	66.9	<0.01	<0.01	0.1	0.074
C247		9.1	0.065	11.55	3.9	<0.001	0.05	0.144	1.1	0.2	0.3	56.2	<0.01	<0.01	0.1	0.062
C247C		31.0	0.135	97.9	10.3	0.002	1.04	1.120	3.1	2.8	3.4	43.6	<0.01	0.12	0.9	0.082
C248		42.6	0.230	6.41	16.8	<0.001	0.08	0.357	4.4	1.0	0.4	141.5	<0.01	0.02	0.2	0.087
C249		17.4	0.095	7.21	5.2	<0.001	0.06	0.185	2.6	0.6	0.4	74.6	<0.01	0.01	0.1	0.054
C250		14.9	0.117	3.61	8.8	<0.001	0.04	0.126	2.5	0.2	0.2	64.6	<0.01	0.01	0.3	0.083
C251		12.0	0.078	7.15	5.8	<0.001	0.06	0.135	1.6	0.3	0.3	82.4	<0.01	<0.01	0.1	0.044
C252		6.2	0.094	11.25	4.2	<0.001	0.10	0.177	0.6	0.3	0.3	24.0	<0.01	<0.01	0.2	0.021
C253		27.8	0.129	10.30	6.6	<0.001	0.08	0.290	2.5	1.3	0.3	163.0	<0.01	0.02	0.1	0.046
C254		19.0	0.087	7.61	8.1	<0.001	0.02	0.126	1.9	0.2	0.3	51.3	<0.01	0.01	0.4	0.122
C255		60.4	0.130	5.87	19.0	<0.001	0.02	0.152	14.2	1.2	0.7	72.6	<0.01	<0.01	2.3	0.099
C256		9.1	0.072	10.35	2.2	<0.001	0.07	0.131	0.3	0.3	0.3	107.0	<0.01	<0.01	<0.1	0.033
C257		21.0	0.103	11.75	5.7	<0.001	0.11	0.300	1.8	0.8	0.3	113.0	<0.01	0.01	0.1	0.034
C258		10.8	0.126	9.05	5.4	<0.001	0.20	0.186	1.3	1.1	0.2	178.5	<0.01	0.01	0.1	0.021
C259		17.0	0.082	8.77	7.2	<0.001	0.07	0.169	3.1	0.5	0.3	61.3	<0.01	0.01	0.4	0.056
C260		14.2	0.062	11.85	5.9	<0.001	0.06	0.164	2.7	0.5	0.4	98.2	<0.01	<0.01	0.6	0.052
C261		27.4	0.156	4.14	4.2	<0.001	0.13	0.219	1.7	4.0	0.2	157.0	<0.01	<0.01	0.2	0.033
C262		12.0	0.116	4.58	2.3	<0.001	0.18	0.157	1.0	0.6	0.2	140.0	<0.01	<0.01	0.1	0.015
C262D		3.7	0.125	5.93	1.4	<0.001	0.21	0.100	0.1	0.3	<0.2	117.0	<0.01	0.01	<0.1	0.005
C263		8.3	0.080	6.80	3.7	<0.001	0.11	0.100	0.5	0.3	0.2	112.0	<0.01	<0.01	0.1	0.024
C264		7.3	0.070	9.35	7.3	<0.001	0.05	0.119	0.8	<0.1	0.3	37.3	<0.01	<0.01	0.1	0.059
C265		7.7	0.076	5.91	2.2	<0.001	0.12	0.172	0.7	0.8	0.2	82.2	<0.01	<0.01	0.1	0.017
C266		25.9	0.222	1.63	1.3	0.002	0.33	0.443	0.2	2.8	<0.2	309	<0.01	<0.01	<0.1	0.003
C267		27.9	0.160	3.74	0.7	<0.001	0.31	0.208	0.3	1.2	<0.2	182.5	<0.01	<0.01	0.1	0.003



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 8 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C230		0.03	0.13	20	0.06	0.78	43.9	<0.5
C231		0.03	0.14	29	0.11	1.15	59.5	<0.5
C232		0.07	0.58	38	0.15	22.4	58.5	<0.5
C233		0.07	0.75	38	0.16	24.3	68.7	<0.5
C234		0.08	0.74	54	0.14	33.3	90.4	0.5
C235		0.05	0.89	38	0.09	9.25	27.8	<0.5
C236		0.03	0.70	16	0.08	2.52	49.6	0.6
C237		0.04	0.32	22	0.08	2.34	49.6	<0.5
C238		0.02	0.12	7	0.05	0.97	39.9	<0.5
C239		0.04	0.28	30	0.11	6.02	59.3	<0.5
C240		0.02	0.27	6	0.05	0.64	75.8	<0.5
C241		0.10	0.57	17	0.05	3.95	25.7	1.9
C242		0.03	0.32	20	0.16	1.60	35.2	<0.5
C243		0.04	0.20	18	0.08	4.29	54.2	<0.5
C244		0.03	0.27	24	0.08	1.83	45.4	0.8
C245		0.06	0.37	42	0.13	19.25	38.9	2.9
C246		0.04	0.29	36	0.12	4.75	58.1	0.7
C247		0.02	0.13	26	0.13	1.44	63.1	<0.5
C247C		0.37	30.4	33	0.23	17.10	189.5	0.5
C248		0.15	0.59	119	0.20	20.7	219	1.0
C249		0.05	0.44	34	0.15	9.51	62.5	<0.5
C250		0.04	0.27	57	0.17	3.79	67.0	0.7
C251		0.03	0.39	29	0.11	3.65	45.3	<0.5
C252		0.02	0.74	12	0.07	1.59	52.5	<0.5
C253		0.05	0.48	39	0.15	19.65	58.4	0.6
C254		0.03	0.27	63	0.11	2.96	72.4	1.0
C255		0.11	1.36	112	0.08	21.6	64.3	4.5
C256		-0.02	0.12	23	0.09	1.03	47.2	<0.5
C257		0.04	0.29	26	0.14	22.3	52.4	<0.5
C258		0.04	6.79	34	0.09	7.46	23.1	1.6
C259		0.03	0.60	34	0.13	5.74	51.3	1.3
C260		0.04	0.96	23	0.08	5.88	30.9	1.8
C261		0.05	1.41	52	0.16	7.52	17.5	2.8
C262		0.02	0.55	22	0.07	8.30	16.6	1.0
C262D		-0.02	0.14	3	0.04	0.29	39.1	<0.5
C263		0.02	0.07	19	0.39	0.75	55.7	0.5
C264		0.03	0.09	37	0.50	0.96	96.6	<0.5
C265		0.02	0.51	15	0.05	3.04	13.4	1.0
C266		0.03	1.81	15	0.07	2.94	8.9	3.7
C267		0.03	4.27	57	0.05	1.67	14.7	1.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 9 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C268		0.08	0.0023	0.112	0.53	0.66	<10	158.0	0.11	0.05	0.79	0.15	4.83	3.2	12.8	0.35
C268C		0.02	0.0013	0.835	1.56	9.43	40	217	0.61	1.25	0.63	0.76	97.0	14.1	27.6	1.26
C269		0.10	0.0013	0.563	1.55	7.43	<10	689	0.48	0.06	2.04	0.49	22.9	27.1	30.5	0.59
C270		0.08	<0.0002	0.212	0.48	0.64	<10	129.0	0.10	0.04	0.99	0.17	10.15	2.3	9.3	0.33
C271		0.10	0.0002	0.029	0.05	5.61	20	99.2	<0.05	0.01	4.24	0.11	0.64	1.9	1.4	0.07
C272		0.08	0.0002	0.030	0.04	63.1	10	208	0.05	0.02	4.42	0.16	0.51	7.7	1.6	<0.05
C273		0.10	0.0003	0.041	0.60	1.55	10	39.2	0.07	0.02	1.32	0.10	3.11	6.8	20.5	0.24
C274		0.04	0.0015	0.249	0.35	0.99	10	355	0.07	0.05	2.25	0.64	5.51	2.5	9.0	0.41
C275		0.04	0.0011	0.178	0.33	0.48	10	549	0.06	0.05	1.78	0.43	3.22	2.4	8.1	0.26
C276		0.10	0.0002	0.086	0.52	1.83	10	391	0.11	0.07	1.18	0.37	6.36	3.6	16.9	0.37
C277		0.08	0.0004	0.165	0.47	0.61	10	184.5	0.17	0.04	1.92	0.37	14.85	2.8	13.7	0.26
C278		0.08	0.0038	0.126	0.29	0.74	10	458	0.05	0.09	1.49	0.48	3.87	3.9	10.9	0.35
C279		0.08	0.0065	0.147	0.37	0.51	10	207	0.10	0.07	1.25	0.72	3.99	3.7	12.0	0.28
C280		0.04	0.0050	0.096	0.52	1.53	<10	94.1	0.12	0.06	0.45	0.09	6.33	4.1	18.2	0.44
C281		0.10	0.0045	0.144	0.37	0.68	<10	58.0	0.06	0.06	0.98	0.48	3.30	2.7	10.7	0.24
C282		0.12	0.0050	0.282	1.13	15.50	10	213	0.43	0.08	2.58	0.58	14.35	11.2	44.0	0.71
C283		0.06	0.0044	0.267	1.10	1.22	<10	224	0.30	0.06	0.96	0.26	30.1	9.3	19.1	0.39
C284		0.08	0.0056	0.261	0.66	0.86	10	213	0.23	0.06	1.27	0.35	27.8	4.4	13.3	0.33
C285		0.08	0.0085	0.200	0.80	0.64	10	180.5	0.30	0.06	2.76	0.48	25.3	3.3	13.7	0.27
C286		0.06	0.0054	0.186	0.59	0.78	<10	244	0.15	0.08	1.09	0.26	9.16	5.1	16.5	0.34
C287		0.06	0.0059	0.105	0.54	0.91	10	279	0.17	0.08	1.23	0.24	16.65	3.3	11.6	0.27
C288		0.10	0.0064	0.289	1.46	1.54	10	197.0	0.35	0.08	2.22	0.58	20.3	5.6	25.1	0.43
C289		0.08	0.0067	0.235	0.35	0.45	<10	179.0	0.09	0.05	0.98	0.25	4.29	2.3	10.3	0.27
C290		0.10	0.0116	0.043	0.09	0.48	10	73.2	<0.05	0.04	1.80	0.44	1.17	1.3	2.1	0.09
C291		0.04	0.0045	0.230	0.24	0.55	<10	142.0	0.05	0.06	0.77	0.24	1.95	1.6	6.7	0.18
C292		0.06	0.0056	0.111	0.28	0.37	10	448	<0.05	0.07	1.39	0.37	2.39	2.6	7.0	0.25
C293		0.06	0.0079	0.142	0.21	0.65	10	251	<0.05	0.06	0.93	0.25	2.72	1.1	3.7	0.16
C294		0.10	0.0040	0.223	0.53	0.83	10	234	0.16	0.07	0.97	0.19	16.85	4.4	14.3	0.29
C295		0.08	0.0024	0.166	0.32	0.44	10	359	0.07	0.07	1.07	0.85	4.55	3.8	12.9	0.20
C296		0.12	0.0023	0.186	0.89	0.85	10	252	0.31	0.07	1.06	0.52	24.6	6.3	25.2	0.31
C297		0.08	0.0022	0.141	0.60	0.70	10	214	0.17	0.07	1.22	0.59	12.80	5.5	20.8	0.31
C298		0.08	0.0042	0.180	0.49	0.59	10	429	0.13	0.06	1.71	0.29	11.55	3.6	12.4	0.28
C299		0.08	0.0043	0.460	1.03	0.83	<10	258	0.41	0.07	1.07	0.37	40.3	9.3	13.3	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 9 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C268		9.57	0.76	1.87	<0.05	<0.02	0.110	0.008	0.11	2.4	2.5	0.17	1020	2.71	0.02	0.51
C268C		32.9	3.38	5.38	0.13	0.07	0.136	0.059	0.21	54.8	15.7	0.58	1660	1.21	0.07	1.63
C269		64.7	4.35	4.01	0.06	0.09	0.155	0.018	0.09	17.2	8.4	0.40	11300	2.04	0.03	0.70
C270		12.55	0.55	1.44	<0.05	<0.02	0.150	0.009	0.09	5.7	1.5	0.14	494	3.15	0.01	0.32
C271		13.20	1.23	0.15	<0.05	0.02	0.151	<0.005	0.04	0.3	0.3	0.28	1180	2.58	0.03	0.05
C272		25.4	4.99	0.15	<0.05	0.02	0.146	<0.005	0.04	0.3	0.2	0.24	3300	2.05	0.02	0.05
C273		11.15	1.55	1.69	<0.05	0.04	0.100	0.008	0.07	1.1	2.1	0.31	115	4.37	0.03	0.37
C274		14.20	0.54	0.94	<0.05	0.03	0.332	0.012	0.16	2.7	1.6	0.23	3460	1.71	0.02	0.30
C275		9.12	0.45	0.97	<0.05	0.02	0.223	0.009	0.11	1.5	1.0	0.15	3010	3.21	0.02	0.26
C276		12.70	0.83	1.61	<0.05	<0.02	0.221	0.012	0.12	3.0	1.9	0.18	1740	3.77	0.02	0.55
C277		17.05	0.79	1.54	0.05	0.05	0.165	0.008	0.11	9.2	2.1	0.23	286	1.52	0.02	0.48
C278		11.90	0.56	1.13	<0.05	<0.02	0.261	0.011	0.11	1.8	1.2	0.11	3060	2.99	0.02	0.37
C279		14.75	0.67	1.35	<0.05	<0.02	0.133	0.009	0.09	2.5	1.5	0.13	397	2.34	0.01	0.34
C280		20.1	1.37	2.05	<0.05	<0.02	0.088	0.010	0.09	3.3	2.4	0.14	781	1.79	0.01	0.55
C281		12.70	0.67	1.62	<0.05	0.02	0.143	0.006	0.06	1.6	2.0	0.10	285	2.38	0.01	0.39
C282		198.5	2.24	3.66	0.08	0.07	0.105	0.015	0.06	8.6	6.1	0.47	5120	2.24	0.03	0.59
C283		22.5	1.07	2.71	0.06	<0.02	0.166	0.013	0.08	13.7	3.4	0.25	1340	1.40	0.02	0.49
C284		22.7	0.77	1.83	0.06	<0.02	0.222	0.011	0.09	15.2	2.3	0.23	861	1.63	0.01	0.42
C285		29.3	0.81	2.03	0.08	0.05	0.164	0.013	0.11	20.8	2.9	0.49	407	1.36	0.02	0.49
C286		10.25	0.86	1.98	<0.05	<0.02	0.203	0.010	0.11	4.6	2.5	0.16	1400	3.71	0.01	0.49
C287		12.20	0.56	1.71	<0.05	<0.02	0.252	0.013	0.09	8.7	1.8	0.15	1120	1.95	0.01	0.34
C288		40.8	1.55	3.98	0.09	0.05	0.116	0.019	0.11	22.2	5.6	0.47	357	0.92	0.02	0.87
C289		12.15	0.52	1.24	<0.05	<0.02	0.154	0.008	0.08	2.4	1.4	0.14	810	1.65	0.01	0.32
C290		9.21	0.12	0.26	<0.05	0.02	0.170	0.008	0.18	0.7	0.5	0.32	168	1.32	0.01	0.08
C291		8.41	0.28	0.63	<0.05	<0.02	0.165	0.006	0.09	1.1	0.7	0.11	803	2.86	0.01	0.16
C292		9.15	0.28	0.67	<0.05	<0.02	0.182	0.008	0.11	1.4	0.8	0.15	2810	4.55	0.01	0.16
C293		9.12	0.20	0.48	<0.05	<0.02	0.188	0.009	0.07	1.4	0.4	0.10	621	2.71	0.01	0.11
C294		13.60	0.66	1.71	<0.05	<0.02	0.118	0.012	0.09	9.5	1.7	0.19	723	4.34	0.02	0.31
C295		12.35	0.53	1.15	<0.05	<0.02	0.134	0.007	0.18	2.1	1.4	0.16	2710	3.45	0.01	0.31
C296		21.5	1.17	2.82	0.07	<0.02	0.112	0.012	0.18	13.1	2.9	0.24	844	2.20	0.02	0.59
C297		17.65	0.97	1.89	<0.05	0.03	0.108	0.011	0.11	7.3	2.8	0.29	929	2.39	0.01	0.58
C298		12.55	0.59	1.48	<0.05	0.02	0.208	0.010	0.13	5.7	2.1	0.23	2200	3.02	0.01	0.41
C299		23.1	0.93	2.70	0.07	<0.02	0.159	0.014	0.07	18.4	2.1	0.19	1620	1.21	0.01	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 9 - C
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21 - NOV - 2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C268		8.1	0.080	8.29	5.3	<0.001	0.07	0.154	0.9	0.2	0.2	61.5	<0.01	<0.01	0.1	0.039
C268C		22.1	0.119	42.4	17.2	<0.001	0.15	0.622	5.4	1.6	1.4	30.2	<0.01	0.05	5.9	0.076
C269		34.5	0.242	4.22	8.1	<0.001	0.13	0.253	3.0	1.1	0.3	146.5	<0.01	<0.01	0.4	0.047
C270		7.6	0.072	9.42	3.7	<0.001	0.09	0.183	1.0	0.6	0.2	79.6	<0.01	<0.01	0.1	0.023
C271		5.8	0.113	2.79	0.7	0.002	0.28	0.143	0.2	0.5	<0.2	216	<0.01	<0.01	<0.1	0.003
C272		8.2	0.169	2.35	0.4	0.001	0.33	0.193	0.2	1.3	<0.2	199.5	<0.01	0.01	<0.1	0.002
C273		17.9	0.067	5.05	2.0	<0.001	0.12	0.105	1.1	0.9	0.2	70.3	<0.01	<0.01	0.1	0.038
C274		9.5	0.105	11.20	5.0	<0.001	0.13	0.208	0.8	0.2	0.2	200	<0.01	0.01	0.2	0.022
C275		6.7	0.096	11.45	3.4	<0.001	0.12	0.176	0.5	0.1	0.2	204	<0.01	0.01	0.1	0.021
C276		10.2	0.096	9.59	6.5	<0.001	0.09	0.292	1.0	0.1	0.2	128.0	<0.01	0.01	0.3	0.044
C277		11.3	0.096	5.90	5.1	<0.001	0.13	0.182	1.2	0.5	0.2	136.5	<0.01	<0.01	0.3	0.033
C278		6.2	0.072	13.65	3.1	<0.001	0.10	0.183	0.6	0.1	0.3	140.5	<0.01	<0.01	0.2	0.033
C279		10.1	0.082	9.41	4.2	0.001	0.10	0.171	0.4	0.3	0.2	138.5	<0.01	<0.01	<0.1	0.025
C280		8.9	0.061	7.85	5.5	<0.001	0.04	0.186	1.3	0.1	0.3	36.8	<0.01	<0.01	0.1	0.046
C281		5.2	0.067	5.83	2.2	<0.001	0.08	0.135	0.9	0.3	0.2	51.7	<0.01	0.01	0.2	0.033
C282		25.9	0.135	3.80	6.3	0.003	0.11	0.280	2.3	2.1	0.3	141.0	<0.01	0.02	0.3	0.049
C283		16.9	0.095	5.96	4.7	0.001	0.09	0.274	0.6	0.5	0.3	113.5	<0.01	0.01	<0.1	0.025
C284		12.4	0.099	7.99	4.0	<0.001	0.12	0.255	0.8	0.4	0.2	118.0	<0.01	0.01	<0.1	0.027
C285		20.5	0.116	6.73	3.6	0.001	0.14	0.336	1.5	0.8	0.2	220	<0.01	0.01	0.2	0.025
C286		11.9	0.096	9.98	4.0	<0.001	0.08	0.196	0.6	0.3	0.3	135.5	<0.01	0.01	<0.1	0.033
C287		11.4	0.090	11.00	3.6	<0.001	0.11	0.240	0.8	0.3	0.3	118.0	<0.01	0.01	0.1	0.025
C288		25.5	0.091	6.09	6.0	<0.001	0.10	0.380	2.4	0.7	0.3	188.5	<0.01	0.01	0.3	0.047
C289		6.6	0.071	7.40	4.4	<0.001	0.08	0.144	0.3	0.1	0.2	93.5	<0.01	<0.01	<0.1	0.022
C290		3.6	0.084	5.72	2.9	0.001	0.16	0.147	0.2	0.4	<0.2	169.0	<0.01	0.01	0.1	0.005
C291		4.4	0.099	8.86	1.9	<0.001	0.10	0.164	0.2	0.2	0.2	87.2	<0.01	<0.01	<0.1	0.015
C292		5.8	0.114	11.25	3.1	<0.001	0.11	0.148	0.2	0.2	0.2	182.5	<0.01	0.01	<0.1	0.014
C293		4.8	0.073	7.45	1.3	<0.001	0.10	0.165	0.3	0.3	<0.2	136.5	<0.01	0.01	0.1	0.010
C294		10.4	0.080	9.00	3.8	<0.001	0.09	0.182	0.3	0.2	0.2	134.5	<0.01	0.01	<0.1	0.023
C295		13.9	0.084	7.94	2.5	<0.001	0.09	0.143	0.5	0.2	0.2	132.0	<0.01	<0.01	0.2	0.029
C296		20.8	0.110	6.33	5.5	<0.001	0.07	0.188	1.3	0.2	0.3	123.0	<0.01	0.01	0.1	0.048
C297		16.9	0.093	7.16	4.5	<0.001	0.09	0.164	1.2	0.4	0.3	130.0	<0.01	<0.01	0.3	0.045
C298		12.7	0.095	8.00	3.2	<0.001	0.11	0.189	0.8	0.2	0.2	224	<0.01	0.01	0.2	0.027
C299		12.4	0.106	7.34	5.1	<0.001	0.11	0.303	0.4	0.4	0.3	172.5	<0.01	0.01	<0.1	0.016



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 9 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
C268		0.02	0.16	19	0.09	1.06	49.2	<0.5
C268C		0.25	6.02	44	0.39	27.4	191.5	2.2
C269		0.12	3.04	76	0.11	13.85	129.5	2.8
C270		0.02	0.19	12	0.08	3.40	36.5	0.6
C271		-0.02	0.50	13	0.02	0.49	17.6	0.7
C272		0.04	0.84	57	0.04	0.53	33.3	0.7
C273		-0.02	0.46	29	0.07	1.06	20.0	1.6
C274		0.05	0.12	13	0.06	1.46	142.0	1.0
C275		0.02	0.07	10	0.07	0.69	184.5	0.5
C276		0.03	0.14	22	0.09	1.35	72.4	0.6
C277		0.02	0.40	25	0.07	5.28	83.7	1.7
C278		0.04	0.09	16	0.09	0.83	132.0	<0.5
C279		-0.02	0.11	21	0.15	1.19	26.5	<0.5
C280		0.03	0.17	42	0.16	1.83	32.2	<0.5
C281		-0.02	0.14	20	0.11	0.92	53.0	0.7
C282		0.07	1.47	72	0.21	10.85	29.2	2.3
C283		0.04	0.33	24	0.18	7.24	36.2	<0.5
C284		0.04	0.54	20	0.10	7.68	46.8	<0.5
C285		0.04	1.79	22	0.10	13.80	25.8	2.1
C286		0.03	0.17	20	0.15	1.95	34.2	<0.5
C287		0.03	0.23	13	0.09	3.59	28.5	0.5
C288		0.05	2.06	37	0.12	15.65	38.5	2.0
C289		0.02	0.14	16	0.09	1.15	48.0	<0.5
C290		-0.02	0.10	3	0.03	0.39	68.6	0.5
C291		0.02	0.06	8	0.07	0.48	43.9	<0.5
C292		0.03	0.06	8	0.08	0.55	101.5	<0.5
C293		0.03	0.08	5	0.09	0.66	59.2	<0.5
C294		0.03	0.22	17	0.08	3.75	52.6	<0.5
C295		0.03	0.17	15	0.13	0.86	151.0	<0.5
C296		0.03	0.37	31	0.10	6.40	114.0	<0.5
C297		0.04	0.42	29	0.08	3.22	82.0	1.1
C298		0.05	0.16	17	0.09	2.91	106.0	1.0
C299		0.05	0.60	29	0.10	9.76	42.9	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **21-NOV-2012**
Account: **GRWRES**

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260945

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
 Finalized Date: 19-NOV-2012
 Account: GRWRES

CERTIFICATE VA12260946

Project: Lac La Hache
 P.O. No.:
 This report is for 47 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-NOV-2012.
 The following have access to data associated with this certificate:
 ROB SHIVES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
D001		0.10	0.0004	0.119	2.45	12.65	<10	982	0.85	0.22	1.52	0.56	28.8	20.2	20.2	2.37
D002		0.08	<0.0002	0.193	1.34	1.92	10	625	0.57	0.12	1.82	0.79	47.9	8.4	14.1	1.19
D004		0.06	0.0033	0.104	0.07	0.39	<10	74.2	<0.05	0.03	0.79	0.14	0.82	0.5	1.3	0.08
D006		0.08	0.0019	0.133	0.59	2.16	10	139.5	0.40	0.03	4.37	0.22	6.82	3.6	8.1	0.32
D007		0.06	0.0014	0.197	1.24	1.81	10	274	0.41	0.13	1.90	0.43	32.2	6.3	19.3	1.54
D007C		0.02	0.0032	0.230	1.41	14.55	50	152.5	0.43	0.53	1.10	1.99	42.1	8.5	20.6	1.08
D008		0.08	0.0011	0.145	0.74	1.33	10	377	0.23	0.10	1.40	0.53	9.55	5.9	21.1	0.68
D009		0.08	0.0003	0.190	2.12	1.87	<10	447	1.02	0.13	1.77	0.45	39.1	9.1	35.7	1.24
D010		0.12	0.0012	0.324	1.85	6.65	<10	410	1.18	0.08	2.03	0.43	47.0	13.5	30.8	1.51
D011		0.10	0.0033	0.278	2.21	4.32	<10	423	0.92	0.08	1.84	0.38	79.6	7.6	28.8	0.80
D012		0.08	0.0025	0.272	0.99	1.44	20	247	0.46	0.08	3.32	0.81	23.3	5.1	24.3	0.65
D013		0.06	0.0020	0.186	0.68	0.54	10	248	0.18	0.07	1.75	0.43	14.85	3.9	14.2	0.39
D014		0.04	0.0024	0.173	0.63	1.07	<10	110.5	0.17	0.06	1.24	0.30	7.73	5.1	13.5	0.42
D016		0.06	0.0017	0.513	0.28	0.54	10	215	0.10	0.08	1.55	0.78	3.10	5.1	6.2	0.45
D017		0.08	0.0029	0.224	0.74	1.05	10	129.0	0.12	0.06	1.19	0.59	6.34	4.3	14.8	0.38
D019		0.08	0.0037	0.529	3.43	3.26	<10	319	0.84	0.11	2.06	0.49	48.8	10.2	52.7	0.90
D019D		0.08	0.0030	0.370	2.64	3.61	10	316	0.60	0.09	2.58	0.65	24.0	8.4	44.9	0.66
D020		0.06	0.0033	0.127	0.50	2.34	10	482	0.11	0.11	2.03	0.27	6.70	4.4	10.1	1.17
D021		0.06	0.0035	0.121	0.63	0.95	10	617	0.15	0.10	2.80	0.45	6.62	4.8	20.5	0.59
D022		0.06	0.0035	0.354	0.24	1.20	10	481	0.06	0.12	2.67	1.39	2.51	2.2	7.9	0.35
D024		0.08	0.0032	0.527	1.46	1.69	<10	217	0.39	0.10	0.93	0.54	27.4	8.3	32.1	0.68
D025		0.08	0.0031	0.366	1.31	1.24	10	166.0	0.32	0.09	2.03	0.44	11.00	5.5	24.1	0.49
D027		0.06	0.0023	0.192	1.27	0.65	<10	149.0	0.37	0.06	0.71	0.16	17.40	2.9	18.2	0.29
D027C		0.02	0.0031	0.831	1.53	8.96	20	222	0.73	1.15	0.58	0.77	98.3	14.1	27.4	1.27
D028		0.06	0.0046	0.204	0.81	1.87	10	205	0.22	0.07	2.90	1.05	9.88	5.3	19.1	0.33
D029		0.14	0.0017	0.389	1.25	0.97	10	229	0.32	0.08	2.18	0.59	20.5	7.6	21.3	0.33
D030		0.08	0.0035	0.263	0.95	1.27	10	175.0	0.20	0.06	2.10	0.59	14.60	9.0	21.5	0.39
D031		0.08	0.0003	0.544	0.75	1.11	10	163.5	0.22	0.06	3.15	0.46	9.95	4.2	15.4	0.32
D032		0.08	0.0009	0.294	0.65	4.25	10	219	0.19	0.05	5.35	0.62	6.54	4.2	14.5	0.18
D033		0.08	0.0020	0.249	0.95	1.01	<10	72.4	0.25	0.08	2.16	0.36	12.75	6.1	21.6	0.39
D034		0.08	0.0025	1.245	1.72	1.97	10	252	0.64	0.10	2.62	0.96	52.1	11.3	33.6	0.52
D036		0.06	<0.0002	0.203	0.53	1.94	10	631	0.16	0.12	2.26	1.37	6.46	9.5	19.0	0.32
D037		0.06	0.0009	0.086	0.20	1.16	20	60.2	0.06	0.03	4.58	0.52	1.71	3.3	5.4	0.10
D038		0.06	0.0011	0.105	0.17	1.28	20	96.5	0.06	0.03	4.29	0.42	1.29	2.4	6.6	0.09
D040		0.06	0.0011	0.326	1.55	1.02	10	442	0.48	0.16	2.14	0.45	28.2	8.0	26.2	0.53
D042		0.14	0.0006	0.168	0.47	3.67	<10	486	0.27	0.08	2.21	0.31	12.85	38.5	11.8	0.19
D044		0.10	<0.0002	0.158	1.65	0.94	<10	476	0.69	0.12	1.47	0.32	44.6	13.2	24.5	0.52
D045		0.06	0.0007	0.060	1.10	0.86	<10	408	0.33	0.08	1.57	0.19	36.7	4.7	16.3	0.24
D046		0.06	0.0003	0.218	2.68	1.98	<10	2450	1.53	0.13	2.54	0.26	38.5	7.1	41.6	0.57
D047		0.12	<0.0002	0.025	0.31	0.53	<10	312	0.09	0.07	2.13	0.12	3.23	8.3	10.4	0.20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
D001		45.2	3.48	6.41	0.05	0.05	0.192	0.034	0.21	13.7	3.3	0.43	5030	1.78	0.01	0.70
D002		24.9	1.42	3.86	0.05	0.02	0.264	0.019	0.13	27.6	2.6	0.18	6940	2.22	0.01	0.34
D004		6.64	0.08	0.19	<0.05	<0.02	0.256	0.005	0.05	0.5	0.2	0.08	83	0.49	0.01	<0.05
D006		27.2	0.67	1.20	0.05	0.10	0.182	0.006	0.06	5.9	1.7	0.48	2060	0.90	0.02	0.19
D007		31.8	1.42	3.09	0.09	0.04	0.220	0.016	0.12	27.1	2.7	0.25	2600	1.11	0.02	0.50
D007C		31.2	2.63	4.16	0.10	0.02	0.223	0.048	0.12	23.2	9.9	0.38	418	1.76	0.08	1.12
D008		15.05	1.13	2.34	<0.05	<0.02	0.219	0.017	0.14	4.7	1.9	0.19	2990	2.50	0.02	0.36
D009		35.3	1.87	5.05	0.12	0.03	0.295	0.024	0.10	39.4	5.5	0.38	1780	1.24	0.02	0.66
D010		52.9	2.30	4.54	0.14	0.08	0.276	0.020	0.09	50.3	3.4	0.36	1600	0.98	0.02	0.51
D011		52.3	2.17	5.25	0.16	0.15	0.149	0.020	0.15	54.5	3.9	0.46	849	2.00	0.01	0.42
D012		81.6	1.40	2.70	0.09	0.09	0.121	0.012	0.10	16.7	3.3	0.61	401	1.20	0.02	0.52
D013		19.75	0.80	1.97	0.05	0.02	0.176	0.005	0.15	9.9	2.2	0.27	539	1.97	0.01	0.37
D014		19.40	0.99	2.13	<0.05	<0.02	0.128	0.008	0.11	4.1	3.9	0.30	673	4.25	0.01	0.46
D016		17.65	0.37	1.01	<0.05	<0.02	0.248	0.008	0.12	1.7	0.9	0.13	1200	4.28	0.01	0.18
D017		25.1	1.18	2.30	<0.05	0.02	0.145	0.013	0.14	3.7	4.4	0.27	594	2.12	0.01	0.48
D019		78.2	2.99	8.44	0.08	0.07	0.151	0.028	0.15	31.8	12.6	0.64	701	1.43	0.03	1.38
D019D		108.5	2.63	6.36	0.06	0.11	0.174	0.018	0.17	17.7	12.2	0.74	639	1.17	0.02	1.29
D020		13.50	0.74	1.47	<0.05	0.02	0.299	0.009	0.11	3.3	1.8	0.20	4020	6.61	0.02	0.36
D021		13.90	1.06	1.95	<0.05	0.04	0.354	0.013	0.12	3.1	1.5	0.18	4080	2.24	0.02	0.39
D022		10.60	0.38	0.75	<0.05	0.02	0.482	0.015	0.13	1.2	0.7	0.12	3220	2.95	0.01	0.16
D024		31.5	1.79	4.18	0.06	0.02	0.120	0.017	0.12	17.4	8.0	0.37	774	1.81	0.01	1.00
D025		54.8	1.42	3.33	<0.05	0.08	0.152	0.010	0.09	10.7	8.0	0.42	256	3.27	0.02	1.00
D027		29.3	0.76	4.55	<0.05	<0.02	0.184	0.012	0.07	8.5	2.6	0.14	217	0.90	0.01	0.40
D027C		35.3	3.24	5.32	0.12	0.08	0.190	0.057	0.21	57.1	16.7	0.58	1710	1.16	0.04	1.65
D028		31.8	1.09	2.14	<0.05	0.05	0.183	0.006	0.11	5.6	4.9	0.51	892	1.54	0.02	0.52
D029		23.5	1.23	3.20	<0.05	0.03	0.293	0.010	0.09	9.9	3.8	0.59	1120	2.45	0.01	0.63
D030		23.4	1.17	2.52	0.05	0.05	0.191	0.011	0.09	7.7	3.9	0.47	736	1.75	0.02	0.70
D031		21.7	0.85	1.89	<0.05	0.05	0.175	0.011	0.04	6.1	2.9	0.38	281	0.86	0.01	0.54
D032		48.1	1.19	1.59	<0.05	0.10	0.128	0.008	0.05	3.0	4.3	0.44	192	1.84	0.02	0.63
D033		24.5	1.20	2.59	<0.05	0.03	0.158	0.016	0.10	8.5	4.1	0.63	198	1.05	0.03	0.78
D034		86.6	2.07	4.37	0.17	0.07	0.191	0.021	0.15	61.7	6.1	0.69	503	1.02	0.03	1.14
D036		23.3	0.94	1.98	<0.05	<0.02	0.259	0.018	0.12	4.1	1.9	0.19	5550	3.51	0.01	0.29
D037		27.7	0.28	0.54	<0.05	0.03	0.178	0.005	0.06	1.1	1.0	0.24	575	3.08	0.01	0.15
D038		27.8	0.36	0.49	<0.05	0.03	0.134	<0.005	0.07	1.1	1.2	0.26	1130	1.01	0.02	0.16
D040		54.7	1.59	4.19	0.07	0.03	0.166	0.018	0.12	21.3	8.6	0.50	1220	1.62	0.02	0.91
D042		16.35	4.54	1.43	<0.05	<0.02	0.291	0.012	0.17	6.7	2.6	0.29	2220	1.87	0.02	0.51
D044		31.4	1.69	4.88	0.06	<0.02	0.145	0.018	0.12	28.0	6.9	0.33	2640	1.67	0.01	0.66
D045		16.70	0.95	2.80	0.08	<0.02	0.256	0.011	0.10	29.0	2.8	0.23	1250	1.84	0.01	0.69
D046		76.0	2.01	6.60	0.19	0.16	0.174	0.022	0.12	65.8	13.7	0.46	712	1.21	0.07	2.50
D047		9.01	1.18	1.18	<0.05	<0.02	0.151	0.005	0.06	2.6	1.7	0.35	612	4.25	0.03	0.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
D001		38.0	0.132	21.3	18.9	<0.001	0.06	0.300	4.0	0.2	0.7	277	<0.01	0.02	0.7	0.061
D002		20.4	0.158	14.95	10.6	<0.001	0.08	0.189	1.2	0.5	0.4	269	<0.01	0.01	0.2	0.035
D004		2.3	0.061	7.05	2.1	<0.001	0.14	0.155	0.2	0.4	<0.2	114.0	<0.01	0.02	<0.1	0.003
D006		23.2	0.107	1.81	3.5	0.002	0.19	0.267	0.9	0.9	0.2	484	<0.01	0.02	0.2	0.010
D007		19.7	0.099	16.75	13.4	<0.001	0.09	0.276	2.0	0.7	0.4	303	<0.01	0.01	0.3	0.049
D007C		32.4	0.141	103.0	10.6	0.003	1.11	1.110	2.9	3.5	3.5	47.1	<0.01	0.14	0.9	0.062
D008		14.3	0.092	14.55	8.9	<0.001	0.08	0.209	0.9	0.1	0.4	202	<0.01	0.02	0.1	0.046
D009		41.6	0.101	15.45	17.3	<0.001	0.08	0.277	4.2	1.5	0.5	265	<0.01	0.03	0.2	0.051
D010		61.1	0.136	7.96	11.3	0.001	0.12	0.274	4.0	1.7	0.4	404	<0.01	0.02	0.4	0.035
D011		49.4	0.165	6.39	12.4	<0.001	0.10	0.295	3.8	1.7	0.5	292	<0.01	0.03	0.4	0.030
D012		36.5	0.141	6.82	21.4	<0.001	0.15	0.234	1.6	1.7	0.3	394	<0.01	0.03	0.3	0.043
D013		16.6	0.127	8.19	5.6	<0.001	0.11	0.166	1.0	0.6	0.3	184.5	<0.01	<0.01	0.1	0.027
D014		9.4	0.096	6.02	8.3	<0.001	0.08	0.151	0.9	0.3	0.3	101.0	<0.01	0.01	0.2	0.039
D016		9.0	0.130	13.80	4.4	<0.001	0.13	0.178	0.2	0.3	0.3	107.0	<0.01	0.02	<0.1	0.014
D017		9.3	0.076	6.20	8.3	<0.001	0.08	0.161	1.5	0.3	0.2	70.5	<0.01	0.03	0.3	0.044
D019		45.3	0.154	5.22	13.6	0.002	0.11	0.357	5.4	1.9	0.5	161.5	<0.01	0.04	0.5	0.064
D019D		43.0	0.179	5.57	11.3	0.002	0.17	0.357	4.2	1.3	0.4	203	<0.01	0.02	0.6	0.060
D020		8.4	0.126	23.6	5.5	0.001	0.13	0.253	0.7	0.5	0.4	283	<0.01	0.02	0.2	0.037
D021		18.2	0.087	15.20	9.5	<0.001	0.10	0.210	1.2	0.1	0.4	275	<0.01	0.01	0.2	0.043
D022		10.6	0.094	17.85	2.8	<0.001	0.14	0.393	0.4	0.6	0.3	195.0	<0.01	0.02	0.1	0.017
D024		27.1	0.106	6.21	9.7	<0.001	0.04	0.232	2.8	0.7	0.4	78.0	<0.01	0.01	0.3	0.066
D025		26.4	0.088	6.50	5.5	<0.001	0.10	0.204	2.4	0.3	0.3	133.5	<0.01	0.02	0.6	0.055
D027		19.8	0.103	6.19	3.2	<0.001	0.09	0.178	0.8	0.5	0.3	62.4	<0.01	0.01	<0.1	0.020
D027C		23.7	0.121	42.4	17.7	0.001	0.16	0.622	5.2	1.9	1.5	30.1	<0.01	0.08	6.4	0.078
D028		22.7	0.120	5.97	4.0	<0.001	0.15	0.273	1.2	0.9	0.3	216	<0.01	0.01	0.2	0.032
D029		23.2	0.109	7.62	5.6	0.001	0.10	0.314	1.6	1.0	0.3	244	<0.01	0.02	0.2	0.038
D030		22.9	0.119	5.87	5.2	0.001	0.14	0.254	1.8	1.4	0.3	158.5	<0.01	<0.01	0.3	0.038
D031		12.8	0.083	5.81	3.3	0.001	0.12	0.222	1.3	0.9	0.2	240	<0.01	0.01	0.2	0.031
D032		29.4	0.169	2.41	1.5	0.002	0.18	0.351	1.1	2.1	0.2	278	<0.01	0.01	0.2	0.026
D033		17.2	0.123	7.08	3.9	0.001	0.15	0.251	1.6	1.2	0.3	125.5	<0.01	0.01	0.3	0.040
D034		46.6	0.171	8.75	6.2	0.002	0.19	0.746	2.6	3.6	0.4	196.0	0.01	<0.01	0.3	0.045
D036		15.1	0.087	9.76	4.0	<0.001	0.08	0.265	0.7	0.7	0.4	176.0	<0.01	0.01	<0.1	0.040
D037		7.4	0.112	4.46	1.3	0.001	0.30	0.214	0.4	1.4	0.3	160.5	<0.01	<0.01	0.1	0.009
D038		13.1	0.117	3.77	0.9	0.001	0.23	0.291	0.3	1.4	0.2	121.5	<0.01	0.01	0.1	0.008
D040		30.5	0.097	8.92	7.0	0.001	0.11	0.485	2.4	0.9	0.4	149.5	<0.01	0.01	0.2	0.052
D042		12.9	0.117	5.58	3.3	<0.001	0.15	0.283	1.1	0.5	0.3	170.0	<0.01	0.02	0.2	0.024
D044		23.2	0.104	10.80	8.3	0.001	0.07	0.284	1.5	1.1	0.4	150.5	<0.01	0.01	0.1	0.045
D045		17.5	0.096	11.50	3.7	<0.001	0.10	0.307	1.8	0.8	0.3	180.0	<0.01	0.02	0.1	0.035
D046		50.7	0.108	9.68	7.0	<0.001	0.16	0.497	6.0	2.6	0.4	187.5	0.01	0.01	0.8	0.075
D047		9.7	0.079	9.12	2.4	<0.001	0.11	0.193	0.5	0.5	0.3	184.0	<0.01	0.03	0.1	0.022



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl ppm 0.02	U ppm 0.05	V ppm 1	W ppm 0.01	Y ppm 0.05	Zn ppm 0.1	Zr ppm 0.5
D001		0.35	0.76	63	0.08	6.00	148.5	2.0
D002		0.17	1.17	30	0.09	17.70	223	<0.5
D004		0.03	0.09	2	0.02	0.35	19.0	<0.5
D006		0.08	14.70	28	0.04	7.34	20.6	3.3
D007		0.06	1.23	35	0.09	17.20	118.5	1.1
D007C		0.36	32.6	34	0.25	17.65	193.5	0.5
D008		0.05	0.26	29	0.09	2.43	93.7	<0.5
D009		0.10	1.65	40	0.10	31.9	81.7	1.3
D010		0.18	2.61	40	0.06	43.9	79.5	2.8
D011		0.08	1.25	41	0.07	41.4	96.9	3.8
D012		0.06	8.30	44	0.05	11.45	74.4	3.5
D013		0.04	0.64	18	0.11	5.55	65.4	0.7
D014		0.03	0.42	27	0.23	2.17	26.8	<0.5
D016		0.04	0.11	8	0.21	0.85	73.1	<0.5
D017		0.03	0.41	28	0.14	2.51	58.3	0.7
D019		0.10	9.09	67	0.21	26.2	78.7	2.2
D019D		0.08	6.20	62	0.16	15.55	49.5	3.6
D020		0.05	0.27	18	0.14	1.57	29.7	0.6
D021		0.06	0.13	25	0.06	1.20	233	1.4
D022		0.05	0.09	10	0.11	0.68	244	0.6
D024		0.05	0.46	39	0.15	11.75	70.6	0.7
D025		0.05	3.54	43	0.17	7.81	31.5	2.7
D027		0.05	0.53	20	0.08	5.49	14.3	<0.5
D027C		0.27	6.37	44	0.37	29.0	187.5	2.5
D028		0.04	1.06	44	0.11	4.18	37.5	1.5
D029		0.05	4.78	28	0.09	6.37	46.4	0.9
D030		0.06	4.54	32	0.09	6.58	49.3	1.8
D031		0.03	10.65	43	0.08	4.39	18.2	2.0
D032		0.03	2.52	75	0.12	3.33	16.2	4.4
D033		0.04	2.71	27	0.11	6.26	19.2	1.2
D034		0.09	14.85	45	0.14	52.2	32.0	2.5
D036		0.02	0.50	27	0.11	2.68	213	<0.5
D037		0.02	3.08	22	0.04	1.03	28.1	1.2
D038		0.04	0.79	16	0.04	1.26	15.1	0.9
D040		0.06	0.96	35	0.40	14.70	63.2	1.0
D042		0.03	0.40	114	0.26	5.28	22.4	0.7
D044		0.04	0.74	41	0.19	15.00	76.7	<0.5
D045		0.04	0.52	20	0.14	14.25	26.3	0.5
D046		0.06	3.05	54	0.24	79.3	30.4	5.8
D047		-0.02	0.18	18	0.09	2.25	9.9	0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg 0.02	Au ppm 0.0002	Ag ppm 0.002	Al % 0.01	As ppm 0.02	B ppm 10	Ba ppm 0.5	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.01	Ce ppm 0.02	Co ppm 0.1	Cr ppm 0.5	Cs ppm 0.05
DO48		0.08	0.0002	0.098	0.32	0.48	<10	133.5	0.07	0.08	0.60	0.23	3.17	2.7	9.9	0.28
DO48C		0.02	0.0023	0.250	1.38	14.20	40	149.5	0.46	0.55	1.00	2.15	42.7	9.4	20.3	1.16
DO49		0.10	0.0008	0.490	2.34	2.07	<10	638	0.74	0.19	1.63	0.26	21.4	6.7	29.9	0.64
DO49D		0.06	0.0016	0.252	1.21	1.31	<10	420	0.42	0.10	1.38	0.21	11.75	6.6	17.4	0.41
DO50		0.06	0.0263	0.072	0.25	0.54	<10	321	0.06	0.06	0.90	0.11	2.32	1.4	7.7	0.16
DO51		0.06	0.0014	0.329	1.36	1.48	<10	352	0.46	0.11	2.10	0.20	20.2	5.9	21.4	0.38
DO53		0.06	0.0002	0.065	0.20	0.42	10	415	<0.05	0.07	1.20	0.12	1.57	1.3	3.5	0.25



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cu ppm 0.01	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.005	In ppm 0.005	K % 0.01	La ppm 0.2	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.01	Na % 0.01	Nb ppm 0.05
DO48		10.10	0.90	1.66	<0.05	<0.02	0.127	0.010	0.05	2.2	0.9	0.09	100	4.42	0.01	0.62
DO48C		33.8	2.56	4.54	0.10	0.02	0.199	0.056	0.12	24.1	10.5	0.36	420	1.86	0.05	1.22
DO49		169.0	2.51	6.02	0.07	0.08	0.143	0.015	0.08	24.1	11.9	0.33	1110	2.00	0.02	1.32
DO49D		63.9	1.62	3.32	0.05	0.04	0.144	0.010	0.05	11.7	7.3	0.25	1930	1.96	0.02	0.89
DO50		9.58	0.51	1.30	<0.05	<0.02	0.096	0.006	0.04	1.2	1.0	0.12	41	2.75	0.01	0.35
DO51		50.0	1.63	3.37	0.09	0.09	0.156	0.016	0.08	22.4	6.1	0.32	276	2.69	0.02	1.01
DO53		12.80	0.30	0.56	<0.05	<0.02	0.166	0.008	0.07	1.0	0.4	0.12	500	3.71	0.01	0.12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
DO48		5.2	0.070	10.75	2.5	<0.001	0.09	0.174	0.3	0.2	0.3	55.2	<0.01	<0.01	<0.1	0.030
DO48C		31.3	0.138	100.5	10.8	0.004	1.10	1.235	3.2	3.2	3.8	47.7	<0.01	0.13	0.9	0.063
DO49		35.8	0.101	6.12	6.4	0.001	0.13	0.545	5.8	1.3	0.4	119.5	<0.01	0.02	0.8	0.069
DO49D		16.6	0.102	4.70	5.0	0.001	0.13	0.528	2.2	0.9	0.2	92.3	<0.01	0.02	0.4	0.049
DO50		3.7	0.038	6.56	1.6	<0.001	0.07	0.192	0.8	0.5	0.2	89.4	<0.01	0.02	0.2	0.026
DO51		17.2	0.085	6.77	4.7	0.001	0.17	0.713	3.1	1.1	0.3	205	<0.01	0.01	0.7	0.053
DO53		4.0	0.080	11.00	2.3	<0.001	0.15	0.190	0.3	0.5	0.2	98.2	<0.01	<0.01	0.1	0.012



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
D048		-0.02	0.15	33	0.62	1.09	21.3	<0.5
D048C		0.41	34.0	33	0.27	18.95	191.0	0.5
D049		0.06	10.55	62	0.27	20.3	20.8	2.7
D049D		0.07	4.71	47	0.21	9.97	22.9	1.5
D050		-0.02	0.15	16	0.38	0.70	6.4	<0.5
D051		0.04	8.77	63	0.26	13.95	14.2	3.1
D053		0.02	0.12	9	0.08	0.51	13.6	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **19-NOV-2012**
Account: **GRWRES**

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260946

Method	CERTIFICATE COMMENTS
ME-MS41L	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
 Finalized Date: 19-NOV-2012
 Account: GRWRES

CERTIFICATE VA12260948

Project: Lac La Hache
 P.O. No.:
 This report is for 180 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-NOV-2012.
 The following have access to data associated with this certificate:
 ROB SHIVES


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	
S001		0.04	0.0003	0.119	0.72	1.22	<10	155.0	0.17	0.09	0.49	0.54	11.40	6.2	21.9	0.44
S002		0.06	0.0004	0.173	0.70	2.38	10	841	0.15	0.13	2.81	1.73	5.54	5.0	15.4	0.30
S003		0.02	0.0011	0.651	0.18	0.41	10	302	<0.05	0.06	1.57	0.65	2.18	4.0	8.0	0.28
S004		0.04	0.0005	0.263	0.17	0.73	10	202	<0.05	0.06	1.77	0.69	1.78	4.2	7.0	0.32
S005		0.02	0.0004	0.132	0.36	0.49	20	280	0.06	0.05	1.03	0.26	4.89	5.9	17.4	0.31
S006		0.06	<0.0002	0.129	0.47	0.52	<10	145.5	0.14	0.07	0.64	0.09	6.08	3.3	17.4	0.35
S007		0.04	0.0002	0.136	0.40	0.39	10	451	0.10	0.05	2.24	0.37	4.59	3.3	13.6	0.26
S008		0.04	0.0009	0.663	0.27	0.29	10	196.5	0.05	0.06	1.09	0.31	2.59	3.2	8.9	0.30
S009		0.04	<0.0002	0.154	0.42	0.57	10	227	0.08	0.07	1.04	0.14	2.77	2.5	12.1	0.20
S010		0.06	<0.0002	0.362	1.45	1.19	<10	359	0.64	0.06	1.62	0.41	124.5	6.0	21.7	0.40
S011		0.08	<0.0002	0.141	0.35	0.48	10	182.0	0.07	0.04	2.22	0.69	4.38	3.0	9.0	0.23
S012		0.04	0.0023	0.093	0.37	0.54	10	255	0.06	0.06	1.11	0.25	2.53	2.7	12.3	0.23
S013		0.04	0.0014	0.383	0.20	0.87	10	208	<0.05	0.06	1.39	0.46	1.92	2.3	9.1	0.18
S014		0.04	0.0028	0.234	0.27	0.94	<10	218	0.06	0.09	0.70	0.16	2.81	2.1	6.4	0.24
S015		0.04	<0.0002	0.161	0.32	0.61	<10	244	0.08	0.08	0.58	0.26	3.32	2.0	10.9	0.17
S016		0.04	<0.0002	0.244	0.97	0.95	<10	211	0.25	0.06	0.75	0.19	21.0	12.1	16.2	0.32
S017		0.06	0.0014	0.384	0.35	0.70	10	408	0.08	0.07	2.09	0.34	3.28	3.5	9.0	0.31
S018		0.06	0.0037	0.117	0.42	0.67	10	175.0	0.09	0.07	0.77	0.35	2.99	3.2	15.2	0.27
S019		0.04	0.0029	0.169	0.32	0.18	10	106.0	<0.05	0.05	1.22	0.29	2.92	2.4	12.6	0.20
S019C		0.02	0.0102	0.230	1.34	14.25	20	140.5	0.45	0.47	0.87	2.01	39.8	9.2	19.0	1.09
S020		0.08	0.0032	0.495	2.50	1.32	<10	421	0.91	0.08	1.40	0.28	93.3	8.8	39.7	0.60
S021		0.06	0.0065	0.034	0.12	0.44	<10	132.0	<0.05	0.05	1.12	0.19	2.24	0.7	2.7	0.06
S022		0.04	0.0125	0.065	0.26	0.41	<10	212	<0.05	0.09	0.83	0.44	2.26	2.0	8.4	0.22
S023		0.10	0.0022	0.079	0.54	0.44	<10	295	0.14	0.07	0.86	0.39	7.23	6.0	21.3	0.30
S024		0.04	0.0032	0.310	0.18	0.41	10	409	<0.05	0.04	1.88	0.75	2.16	2.1	5.1	0.27
S024D		0.08	0.0014	0.097	0.32	0.33	<10	223	0.06	0.08	1.09	0.18	5.31	1.8	8.8	0.17
S025		0.08	0.0029	0.153	0.28	0.52	10	243	<0.05	0.06	1.40	1.04	2.48	1.9	7.8	0.42
S026		0.06	0.0035	0.128	0.17	0.40	10	170.0	<0.05	0.04	0.99	0.52	2.01	1.2	5.2	0.15
S027		0.06	0.0030	0.293	1.04	0.71	10	211	0.28	0.07	1.35	0.39	33.5	4.7	15.4	0.33
S028		0.04	0.0038	0.241	0.33	0.22	10	80.8	0.06	0.05	1.34	0.20	3.66	1.5	7.4	0.19
S029		0.08	0.0017	0.127	0.51	0.35	<10	218	0.11	0.07	0.88	0.31	5.54	3.2	18.8	0.29
S030		0.06	0.0021	0.102	0.33	0.30	<10	140.0	<0.05	0.06	0.57	0.20	3.25	2.0	13.5	0.30
S031		0.04	0.0026	0.310	1.17	0.88	10	360	0.62	0.06	1.53	0.84	72.7	5.2	20.8	0.40
S032		0.06	0.0021	0.615	0.37	0.50	<10	358	0.09	0.07	1.86	1.36	7.59	4.5	12.9	0.39
S033		0.06	0.0020	0.257	0.86	0.73	10	304	0.25	0.08	1.51	0.78	13.10	5.4	19.5	0.59
S034		0.08	0.0028	0.106	0.74	0.34	10	293	0.18	0.05	1.29	0.38	12.00	5.0	19.8	0.38
S035		0.04	0.0026	0.176	0.64	0.51	10	221	0.16	0.06	1.21	0.20	14.40	2.8	13.0	0.30
S036		0.08	0.0021	0.114	0.54	0.23	10	298	0.14	0.06	1.39	0.36	8.18	3.8	18.6	0.39
S037		0.06	0.0025	0.094	0.61	0.47	10	189.5	0.17	0.06	1.68	0.23	20.4	4.3	13.4	0.24
S038		0.06	0.0017	0.130	0.72	0.74	<10	163.5	0.18	0.07	0.77	0.27	21.6	3.9	17.8	0.30

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm 0.01	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.005	In ppm 0.005	K % 0.01	La ppm 0.2	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.01	Na % 0.01	Nb ppm 0.05
S001		21.4	1.08	2.51	<0.05	<0.02	0.090	0.009	0.10	5.0	2.8	0.19	596	3.12	0.01	0.63
S002		17.40	0.79	1.76	<0.05	<0.02	0.410	0.015	0.16	2.3	2.8	0.24	5820	1.98	0.01	0.31
S003		17.95	0.30	0.70	<0.05	<0.02	0.190	0.010	0.24	1.4	0.8	0.17	4320	5.04	0.01	0.14
S004		12.70	0.27	0.56	<0.05	<0.02	0.260	0.007	0.16	1.0	0.6	0.13	2270	4.58	0.01	0.14
S005		14.25	0.57	1.05	<0.05	<0.02	0.186	0.007	1.12	2.3	1.2	0.32	2600	4.50	0.02	0.39
S006		10.85	0.71	1.70	<0.05	<0.02	0.150	0.007	0.08	3.0	1.9	0.13	744	2.21	0.01	0.45
S007		15.05	0.56	1.17	<0.05	<0.02	0.250	<0.005	0.14	2.2	1.5	0.19	6740	1.48	0.01	0.29
S008		16.00	0.33	0.84	<0.05	<0.02	0.289	0.008	0.14	1.4	0.8	0.15	3660	4.10	0.01	0.19
S009		11.40	0.60	1.24	<0.05	<0.02	0.217	<0.005	0.13	1.6	1.4	0.16	2410	2.19	0.01	0.27
S010		51.3	1.33	3.35	0.14	0.03	0.231	0.019	0.12	60.7	3.2	0.32	1520	1.19	0.02	0.55
S011		14.25	0.35	1.14	<0.05	<0.02	0.259	0.005	0.16	2.4	1.3	0.21	822	0.83	0.01	0.28
S012		10.20	0.49	1.20	<0.05	<0.02	0.194	0.009	0.13	1.3	1.4	0.16	1190	3.46	0.01	0.27
S013		12.65	0.31	0.70	<0.05	<0.02	0.274	0.007	0.15	1.1	0.5	0.10	2750	3.71	0.01	0.17
S014		9.87	0.31	0.79	<0.05	<0.02	0.279	0.012	0.06	1.6	0.6	0.07	1000	2.98	0.01	0.20
S015		12.35	0.44	0.95	<0.05	<0.02	0.189	0.011	0.09	2.2	0.5	0.08	474	4.70	0.01	0.18
S016		20.4	1.04	2.22	0.05	<0.02	0.288	0.011	0.14	10.9	1.9	0.17	1060	2.39	0.04	0.39
S017		13.40	0.45	0.97	<0.05	<0.02	0.231	0.011	0.14	1.7	1.1	0.18	4210	2.50	0.01	0.20
S018		11.30	0.76	1.63	<0.05	<0.02	0.202	0.015	0.12	1.6	1.8	0.13	643	3.69	0.01	0.32
S019		12.25	0.56	1.20	<0.05	<0.02	0.139	0.010	0.10	1.6	1.2	0.17	757	1.88	0.01	0.36
S019C		31.8	2.40	4.28	0.10	0.02	0.165	0.053	0.10	21.5	9.6	0.34	399	1.77	0.02	1.09
S020		54.5	2.25	6.37	0.13	0.02	0.122	0.029	0.14	48.9	6.0	0.46	1880	1.33	0.01	0.83
S021		6.81	0.14	0.31	<0.05	<0.02	0.212	0.010	0.11	1.2	0.3	0.10	132	1.65	0.01	0.08
S022		7.21	0.45	0.87	<0.05	<0.02	0.146	0.012	0.07	1.2	0.8	0.08	632	5.24	0.01	0.20
S023		11.30	0.99	1.99	<0.05	<0.02	0.058	0.016	0.10	3.9	2.9	0.17	1200	1.61	0.01	0.40
S024		13.90	0.24	0.53	<0.05	<0.02	0.292	0.014	0.10	1.1	0.9	0.15	2300	4.99	0.01	0.13
S024D		12.55	0.40	0.95	<0.05	<0.02	0.175	0.017	0.12	3.3	0.8	0.15	595	2.83	0.01	0.21
S025		12.25	0.37	0.82	<0.05	<0.02	0.370	0.011	0.10	1.3	0.9	0.12	2810	3.46	0.01	0.19
S026		9.31	0.21	0.52	<0.05	<0.02	0.188	0.015	0.09	1.1	0.5	0.11	597	2.79	0.01	0.15
S027		22.5	0.88	2.60	0.09	<0.02	0.173	0.017	0.15	18.9	2.4	0.30	601	4.29	0.01	0.43
S028		11.40	0.41	0.90	<0.05	0.03	0.125	0.015	0.07	2.5	1.3	0.22	275	2.38	0.01	0.26
S029		8.62	0.86	2.11	<0.05	<0.02	0.101	0.011	0.11	2.8	2.0	0.18	623	2.88	0.01	0.55
S030		9.20	0.51	1.47	<0.05	<0.02	0.129	0.007	0.09	1.7	1.1	0.10	778	3.06	0.01	0.32
S031		28.5	1.11	2.95	0.10	0.02	0.182	0.014	0.14	43.9	3.0	0.38	1030	2.71	0.01	0.48
S032		17.95	0.63	1.25	<0.05	<0.02	0.180	0.015	0.10	4.6	1.3	0.13	594	2.84	0.01	0.27
S033		16.55	1.02	2.53	<0.05	0.02	0.182	0.021	0.14	7.1	4.6	0.31	1020	2.33	0.01	0.67
S034		15.30	0.94	2.23	0.05	0.02	0.059	0.012	0.11	5.9	3.1	0.29	941	1.56	0.01	0.59
S035		15.60	0.58	1.61	0.05	0.03	0.150	0.018	0.14	8.1	2.1	0.20	1100	4.67	0.01	0.36
S036		13.55	0.82	1.69	<0.05	<0.02	0.127	0.009	0.13	4.0	2.4	0.22	2690	3.52	0.01	0.46
S037		20.3	0.62	1.52	0.05	0.04	0.146	0.013	0.09	13.4	1.7	0.47	537	2.60	0.01	0.43
S038		11.85	0.75	2.07	0.05	<0.02	0.092	0.012	0.09	10.5	2.7	0.23	1660	1.73	0.01	0.48

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
S001		11.9	0.075	10.95	4.3	<0.001	0.06	0.215	1.3	0.4	1.0	44.1	<0.01	<0.01	0.1	0.057
S002		12.8	0.151	26.0	3.7	<0.001	0.16	0.297	0.6	0.6	0.5	208	<0.01	0.01	0.1	0.029
S003		7.0	0.180	12.90	1.8	<0.001	0.14	0.237	0.3	0.5	0.7	133.0	<0.01	0.02	0.1	0.012
S004		6.7	0.140	15.15	1.8	<0.001	0.17	0.206	0.3	0.7	0.5	112.0	<0.01	0.03	0.1	0.011
S005		11.3	0.126	9.66	4.7	<0.001	0.14	0.184	0.5	0.7	0.4	97.7	<0.01	0.01	<0.1	0.025
S006		7.9	0.061	8.94	3.9	<0.001	0.06	0.220	0.8	0.3	0.5	61.1	<0.01	<0.01	0.1	0.044
S007		10.7	0.113	7.61	3.7	<0.001	0.13	0.162	0.3	0.4	0.4	143.0	<0.01	<0.01	<0.1	0.026
S008		9.0	0.140	11.35	2.8	0.001	0.14	0.220	0.3	0.4	0.6	104.5	<0.01	0.02	<0.1	0.015
S009		8.2	0.094	12.35	2.6	<0.001	0.10	0.202	0.2	0.2	0.4	75.1	<0.01	<0.01	<0.1	0.022
S010		40.2	0.150	6.83	5.1	<0.001	0.14	0.377	2.9	1.7	0.5	173.5	<0.01	0.03	0.1	0.027
S011		7.1	0.099	8.51	4.8	<0.001	0.15	0.157	0.5	0.2	0.4	126.0	<0.01	<0.01	0.1	0.022
S012		8.3	0.107	9.77	3.5	<0.001	0.12	0.151	0.2	0.3	0.4	82.7	<0.01	<0.01	<0.1	0.022
S013		6.5	0.125	12.50	1.4	0.001	0.13	0.220	0.6	0.6	0.5	69.2	<0.01	0.01	0.1	0.016
S014		5.4	0.093	19.05	1.5	<0.001	0.12	0.357	0.5	0.4	0.5	47.4	<0.01	0.01	<0.1	0.017
S015		7.8	0.090	12.70	1.1	0.001	0.10	0.222	0.1	0.5	0.4	48.1	<0.01	0.01	<0.1	0.013
S016		15.7	0.152	8.63	6.4	<0.001	0.14	0.276	0.3	0.7	0.4	90.1	<0.01	0.01	<0.1	0.015
S017		8.0	0.085	8.50	4.5	<0.001	0.09	0.176	0.3	0.2	0.3	130.0	<0.01	0.02	<0.1	0.021
S018		8.9	0.107	9.39	2.7	<0.001	0.09	0.184	0.5	0.4	0.4	83.1	<0.01	0.02	<0.1	0.033
S019		7.4	0.087	5.91	2.6	<0.001	0.10	0.146	0.6	0.4	0.4	89.9	<0.01	0.01	0.1	0.030
S019C		32.5	0.133	95.2	11.0	0.003	1.01	1.125	2.9	2.8	3.5	43.8	<0.01	0.13	0.8	0.058
S020		44.6	0.128	6.65	8.0	<0.001	0.07	0.336	4.7	1.5	0.6	176.0	<0.01	0.03	0.2	0.053
S021		3.7	0.080	7.70	0.7	<0.001	0.13	0.209	0.3	0.3	0.3	111.0	<0.01	0.03	<0.1	0.006
S022		6.4	0.100	13.90	1.5	0.001	0.12	0.302	0.5	0.4	0.4	86.7	<0.01	0.03	0.1	0.022
S023		13.9	0.054	6.62	5.3	<0.001	0.04	0.170	0.6	0.1	0.3	135.5	<0.01	0.02	<0.1	0.055
S024		6.1	0.128	7.57	2.2	0.001	0.16	0.168	0.3	0.1	0.3	212	<0.01	0.02	0.1	0.012
S024D		9.1	0.076	9.24	2.2	0.001	0.11	0.242	0.4	0.5	0.3	161.0	<0.01	0.03	<0.1	0.021
S025		7.4	0.096	11.65	3.7	<0.001	0.14	0.228	0.4	0.1	0.4	141.0	<0.01	0.02	0.1	0.022
S026		5.1	0.091	6.32	1.4	0.001	0.13	0.188	0.3	0.5	0.2	135.0	<0.01	0.02	0.1	0.013
S027		21.4	0.151	9.03	4.6	<0.001	0.14	0.320	0.9	0.7	0.4	205	<0.01	0.03	<0.1	0.025
S028		8.0	0.077	6.36	2.5	<0.001	0.12	0.228	0.6	0.3	0.3	121.0	<0.01	0.02	0.1	0.021
S029		9.2	0.064	7.30	6.9	<0.001	0.07	0.217	0.8	0.5	0.3	106.0	<0.01	0.03	0.1	0.053
S030		7.5	0.082	7.67	4.1	0.001	0.08	0.232	0.4	0.1	0.4	70.2	<0.01	0.01	<0.1	0.032
S031		35.5	0.129	7.98	5.4	<0.001	0.12	0.364	1.2	1.1	0.4	231	<0.01	0.03	<0.1	0.031
S032		17.9	0.079	7.39	2.2	<0.001	0.08	0.262	0.5	0.2	0.3	236	<0.01	0.02	0.1	0.027
S033		24.2	0.128	8.21	7.0	<0.001	0.12	0.244	1.0	0.3	0.4	207	<0.01	0.01	0.1	0.047
S034		15.0	0.092	5.91	6.9	<0.001	0.09	0.205	0.9	0.2	0.3	193.5	<0.01	0.02	0.1	0.049
S035		12.1	0.127	8.02	4.5	<0.001	0.15	0.238	0.9	0.3	0.4	157.0	<0.01	0.02	0.1	0.025
S036		11.2	0.090	6.91	6.8	<0.001	0.09	0.250	0.9	0.4	0.3	144.5	<0.01	0.01	0.2	0.047
S037		16.4	0.114	7.21	5.5	0.001	0.14	0.289	1.0	0.4	0.4	227	<0.01	0.02	0.2	0.030
S038		13.2	0.069	7.05	6.8	<0.001	0.06	0.251	1.0	0.4	0.4	109.5	<0.01	0.03	0.1	0.045

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
S001		0.03	0.20	27	0.09	2.26	75.0	<0.5
S002		0.04	0.12	17	0.11	1.40	206	0.5
S003		0.03	0.07	7	0.15	0.45	51.1	<0.5
S004		0.03	0.05	6	0.10	0.49	45.1	<0.5
S005		0.04	0.10	16	0.09	1.23	87.0	0.5
S006		0.04	0.15	20	0.08	1.40	44.5	<0.5
S007		0.05	0.09	15	0.07	1.09	271	<0.5
S008		0.04	0.07	8	0.09	0.78	110.5	<0.5
S009		0.03	0.08	18	0.10	0.70	72.2	<0.5
S010		0.06	0.73	24	0.11	49.4	50.9	0.7
S011		0.03	0.08	8	0.05	1.58	309	0.5
S012		0.02	0.07	13	0.13	0.63	63.4	<0.5
S013		0.03	0.07	8	0.09	0.53	83.5	<0.5
S014		0.03	0.08	8	0.15	0.74	35.1	<0.5
S015		<0.02	0.08	10	0.12	0.91	44.6	<0.5
S016		0.03	0.23	19	0.12	7.76	21.2	<0.5
S017		0.03	0.08	13	0.08	0.99	170.0	<0.5
S018		0.02	0.09	23	0.07	0.79	50.1	<0.5
S019		<0.02	0.10	17	0.06	0.94	84.5	<0.5
S019C		0.37	32.4	32	0.24	16.45	180.0	<0.5
S020		0.05	0.84	36	0.11	33.0	81.1	0.5
S021		<0.02	0.05	3	0.04	0.73	69.3	<0.5
S022		0.02	0.07	14	0.08	0.56	70.0	0.5
S023		0.02	0.15	30	0.16	1.56	41.1	<0.5
S024		0.04	0.05	6	0.08	0.55	151.0	0.6
S024D		0.02	0.09	11	0.11	1.80	55.1	<0.5
S025		0.03	0.06	11	0.14	0.58	148.0	<0.5
S026		<0.02	0.06	5	0.05	0.48	113.0	0.5
S027		0.05	0.33	16	0.09	9.48	49.6	0.5
S028		<0.02	0.16	13	0.05	1.40	59.8	1.2
S029		0.02	0.14	27	0.08	1.20	66.4	<0.5
S030		0.02	0.08	15	0.06	0.64	53.9	<0.5
S031		0.06	0.57	21	0.10	21.0	78.8	0.5
S032		0.02	0.18	16	0.11	2.29	45.9	<0.5
S033		0.06	0.22	24	0.14	3.13	120.0	0.9
S034		0.03	0.29	25	0.07	2.71	94.1	0.9
S035		0.04	0.23	13	0.08	3.86	63.0	1.0
S036		0.04	0.17	24	0.09	1.84	127.5	0.5
S037		0.03	1.10	19	0.07	7.01	21.4	1.5
S038		0.03	0.32	21	0.06	4.87	44.3	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	
S039		0.04	0.0041	0.123	0.32	0.73	<10	136.5	<0.05	0.06	0.90	0.12	2.36	1.5	5.5	0.25
S039C		0.02	0.0032	0.798	1.59	9.57	30	225	0.84	1.07	0.61	0.81	100.0	15.8	27.7	1.33
S040		0.08	0.0015	0.205	0.36	0.77	<10	209	0.09	0.07	1.35	0.34	3.87	2.5	11.7	0.30
S041		0.04	0.0027	0.117	0.21	0.36	10	127.0	<0.05	0.05	1.46	0.25	1.85	2.4	7.9	0.24
S042		0.06	0.0027	0.075	0.16	0.77	10	188.0	<0.05	0.07	2.68	0.29	1.93	1.8	4.1	0.16
S043		0.10	0.0034	0.157	0.42	0.70	<10	182.0	0.05	0.06	0.65	0.23	3.98	1.9	10.0	0.53
S043D		0.08	0.0034	0.054	0.32	0.83	<10	142.5	0.06	0.05	0.70	0.18	3.16	2.2	7.9	0.28
S044		0.06	0.0022	0.165	0.56	0.56	<10	217	0.19	0.06	1.10	0.22	13.10	5.2	10.5	0.34
S045		0.08	0.0017	0.051	0.32	0.45	<10	312	0.07	0.07	0.62	0.14	2.90	1.7	8.1	0.30
S046		0.06	0.0020	0.109	0.39	0.64	10	271	0.05	0.05	1.44	0.21	2.76	2.6	10.9	0.25
S047		0.08	0.0043	0.078	0.29	0.34	<10	266	0.06	0.06	0.97	0.17	2.41	1.5	6.5	0.19
S048		0.06	0.0028	0.085	0.25	0.54	10	222	<0.05	0.07	0.84	0.34	1.82	2.0	7.4	0.55
S049		0.06	<0.0002	0.037	0.37	0.53	10	189.0	0.06	0.04	0.85	0.28	2.14	2.3	10.5	0.18
S050		0.06	<0.0002	0.062	0.21	0.77	10	383	0.05	0.07	1.84	0.31	1.63	1.7	5.8	0.26
S051		0.10	<0.0002	0.062	0.22	0.42	<10	240	<0.05	0.05	0.64	0.17	1.95	1.4	9.1	0.22
S052		0.06	0.0004	0.122	0.22	0.39	<10	171.0	<0.05	0.05	0.95	0.34	1.37	0.8	4.9	0.15
S053		0.08	0.0006	0.085	0.36	0.59	<10	536	0.07	0.05	1.54	0.37	3.11	2.9	10.7	0.28
S054		0.10	0.0010	0.508	2.36	1.60	<10	364	0.43	0.07	2.32	0.12	13.35	4.5	26.6	0.68
S055		0.06	0.0023	0.079	0.35	0.63	<10	60.9	0.07	0.06	1.30	0.17	2.52	2.1	10.1	0.19
S056		0.08	<0.0002	0.189	1.27	0.98	<10	179.0	0.24	0.07	1.27	0.17	13.70	6.1	17.3	0.54
S057		0.06	<0.0002	0.131	0.58	0.59	<10	120.0	0.15	0.06	0.64	0.10	4.98	3.0	10.9	0.27
S057C		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
S058		0.06	0.0003	0.081	0.25	0.57	<10	177.5	0.05	0.06	0.76	0.15	1.58	1.6	7.1	0.18
S059		0.06	0.0003	0.078	0.16	0.30	<10	224	<0.05	0.05	0.69	0.12	1.37	0.9	5.4	0.16
S060		0.06	<0.0002	0.061	0.33	0.63	<10	231	0.06	0.08	0.57	0.16	2.62	2.0	7.2	0.32
S060D		0.06	<0.0002	0.104	0.34	0.62	<10	130.0	0.06	0.06	0.56	0.18	1.86	1.5	7.9	0.28
S061		0.06	<0.0002	0.096	0.22	0.41	10	170.5	<0.05	0.04	0.63	0.10	1.13	1.0	5.1	0.15
S062		0.08	0.0003	0.068	0.28	0.63	<10	64.5	0.11	0.04	1.71	0.22	5.90	2.2	5.5	0.21
S063		0.08	<0.0002	0.080	0.28	0.87	<10	499	0.07	0.09	1.46	0.32	2.53	3.1	6.7	0.24
S064		0.10	<0.0002	0.058	0.43	0.71	<10	371	0.07	0.07	1.24	0.21	2.53	3.0	11.0	0.29
S064A		0.06	<0.0002	0.094	0.24	0.39	<10	103.5	<0.05	0.05	0.57	0.23	1.64	1.4	10.8	0.19
S065		0.10	<0.0002	0.061	0.57	1.25	<10	457	0.10	0.08	2.07	0.71	3.30	4.6	12.1	0.30
S066		0.06	<0.0002	0.120	0.33	0.67	<10	261	0.08	0.07	0.71	0.16	2.78	2.3	9.1	0.16
S067		0.08	<0.0002	0.058	0.39	0.67	<10	322	0.06	0.05	1.09	0.16	2.79	2.5	11.6	0.30
S068		0.08	<0.0002	0.131	0.46	0.68	<10	321	0.08	0.05	1.26	0.39	3.67	2.7	12.1	0.45
S069		0.10	0.0005	0.155	0.20	0.48	10	257	<0.05	0.05	1.17	0.32	1.92	1.1	6.2	0.24
S070		0.08	0.0002	0.362	0.17	0.46	10	226	0.05	0.06	1.66	0.96	1.61	3.3	5.6	0.29
S071		0.10	<0.0002	0.173	1.31	4.27	<10	176.0	0.23	0.07	0.55	0.18	8.75	7.2	24.5	0.45
S072		0.10	0.0003	0.051	0.13	2.39	20	89.1	<0.05	0.03	3.22	0.41	1.46	1.3	5.7	0.11
S073		0.06	<0.0002	0.035	0.51	0.72	<10	134.0	0.12	0.04	0.94	0.11	8.14	3.7	12.3	0.33

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
S039		10.80	0.29	0.71	<0.05	<0.02	0.241	0.010	0.06	1.3	0.7	0.09	806	1.61	0.02	0.17
S039C		37.0	3.27	5.53	0.13	0.08	0.136	0.066	0.20	58.7	17.4	0.59	1720	1.16	0.04	1.67
S040		11.10	0.85	1.63	<0.05	<0.02	0.181	0.010	0.08	2.9	1.2	0.13	1760	1.29	0.01	0.30
S041		11.60	0.28	0.71	<0.05	0.02	0.125	0.012	0.09	1.2	0.8	0.14	871	5.77	0.01	0.16
S042		16.20	0.29	0.54	<0.05	<0.02	0.237	0.011	0.20	1.1	0.7	0.33	1040	4.20	0.01	0.14
S043		11.35	0.59	1.49	<0.05	<0.02	0.137	0.011	0.06	1.9	1.3	0.08	295	1.42	0.01	0.41
S043D		10.90	0.51	1.09	<0.05	<0.02	0.138	0.015	0.06	1.6	1.0	0.10	234	2.16	0.01	0.28
S044		15.85	0.71	1.79	0.05	<0.02	0.156	0.012	0.09	5.9	1.2	0.15	901	1.19	0.01	0.35
S045		8.04	0.57	1.20	<0.05	<0.02	0.114	0.012	0.07	1.6	1.0	0.08	775	1.09	0.01	0.27
S046		9.39	0.73	1.15	<0.05	<0.02	0.155	0.007	0.09	1.9	1.3	0.18	731	2.18	0.01	0.30
S047		10.15	0.39	0.79	<0.05	<0.02	0.183	0.012	0.08	1.4	0.6	0.11	776	1.26	0.01	0.23
S048		12.00	0.44	0.75	<0.05	<0.02	0.220	0.012	0.12	1.1	0.8	0.11	2560	2.46	0.02	0.20
S049		9.64	0.66	1.02	<0.05	<0.02	0.118	0.007	0.10	1.1	1.3	0.14	1820	1.59	0.01	0.35
S050		8.85	0.41	0.72	<0.05	<0.02	0.207	0.009	0.05	1.0	0.8	0.10	1120	2.13	0.01	0.19
S051		5.81	0.65	0.98	<0.05	<0.02	0.076	0.005	0.06	1.3	0.8	0.07	1200	1.70	<0.01	0.24
S052		10.00	0.20	0.44	<0.05	<0.02	0.197	0.005	0.10	0.9	0.5	0.09	1110	2.38	0.01	0.12
S053		10.00	0.60	1.18	<0.05	<0.02	0.096	0.007	0.10	1.8	1.7	0.12	1580	2.58	0.01	0.39
S054		5.14	1.85	5.34	0.10	0.09	0.113	0.018	0.14	19.5	11.0	0.45	325	3.39	0.02	1.07
S055		17.70	0.55	1.26	<0.05	0.02	0.091	0.007	0.04	1.5	1.7	0.18	74	1.52	<0.01	0.42
S056		32.6	1.24	3.71	<0.05	<0.02	0.105	0.013	0.10	8.2	5.1	0.30	650	1.20	0.01	0.69
S057		15.75	0.66	2.01	<0.05	<0.02	0.115	0.008	0.06	3.4	2.4	0.14	187	2.06	0.01	0.46
S057C		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
S058		10.35	0.32	0.74	<0.05	<0.02	0.200	0.007	0.07	0.9	0.7	0.10	475	2.21	0.01	0.21
S059		9.04	0.20	0.46	<0.05	<0.02	0.144	0.005	0.11	1.0	0.4	0.08	2440	4.33	0.01	0.12
S060		8.29	0.69	1.11	<0.05	<0.02	0.140	0.009	0.07	1.7	1.0	0.09	817	2.17	0.01	0.24
S060D		8.72	0.72	1.16	<0.05	<0.02	0.132	0.006	0.08	1.1	1.1	0.08	829	1.46	0.01	0.25
S061		9.49	0.27	0.53	<0.05	<0.02	0.175	<0.005	0.07	0.7	0.5	0.09	2450	1.54	0.01	0.14
S062		21.9	0.36	0.85	<0.05	0.04	0.147	0.007	0.03	4.6	0.8	0.23	142	4.30	<0.01	0.21
S063		12.90	0.39	0.84	<0.05	<0.02	0.219	0.011	0.09	2.1	0.9	0.11	2710	3.94	0.01	0.18
S064		9.86	0.75	1.26	<0.05	<0.02	0.146	0.008	0.09	1.5	1.8	0.14	2570	2.53	0.01	0.31
S064A		7.52	0.55	0.90	<0.05	<0.02	0.115	0.007	0.06	0.9	0.7	0.07	365	1.92	0.01	0.30
S065		15.95	0.83	1.67	<0.05	<0.02	0.186	0.012	0.07	1.8	2.8	0.17	2530	0.94	0.01	0.44
S066		7.94	0.56	0.98	<0.05	<0.02	0.127	0.009	0.06	1.5	0.9	0.11	229	2.23	0.01	0.29
S067		8.07	0.82	1.33	<0.05	<0.02	0.098	0.008	0.08	1.5	1.6	0.12	1880	2.52	0.01	0.41
S068		9.28	0.75	1.44	<0.05	<0.02	0.089	0.008	0.10	1.9	2.1	0.14	1870	1.63	0.01	0.40
S069		7.87	0.35	0.71	<0.05	<0.02	0.165	0.008	0.06	1.1	0.9	0.12	182	3.59	0.01	0.23
S070		9.02	0.29	0.67	<0.05	0.02	0.218	0.008	0.10	1.0	0.8	0.16	1120	4.72	0.01	0.19
S071		16.70	1.99	3.61	<0.05	<0.02	0.108	0.013	0.07	2.7	4.9	0.15	4530	3.06	0.01	0.82
S072		10.75	0.17	0.57	<0.05	0.02	0.196	0.006	0.06	0.6	0.8	0.26	1190	14.35	0.02	0.16
S073		12.50	0.68	1.35	<0.05	0.02	0.100	0.006	0.10	4.1	2.2	0.15	721	2.01	0.01	0.49

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
S039		5.6	0.097	11.70	4.4	<0.001	0.13	0.304	0.3	0.3	0.4	72.8	<0.01	0.03	<0.1	0.015
S039C		24.6	0.126	41.7	19.0	0.001	0.16	0.740	5.6	2.3	1.5	30.9	<0.01	0.06	6.4	0.078
S040		6.2	0.067	9.12	7.0	<0.001	0.08	0.279	0.5	0.2	0.3	171.5	<0.01	0.03	0.1	0.028
S041		5.1	0.096	6.52	2.6	<0.001	0.14	0.250	0.4	0.1	0.3	124.0	<0.01	0.05	0.1	0.013
S042		6.1	0.118	8.50	3.7	<0.001	0.21	0.315	0.4	0.4	0.3	244	<0.01	0.02	0.1	0.010
S043		6.9	0.058	7.59	5.2	<0.001	0.08	0.267	0.6	<0.1	0.3	65.7	<0.01	0.02	0.1	0.031
S043D		6.7	0.074	8.11	2.7	<0.001	0.10	0.304	0.4	0.2	0.3	81.9	<0.01	0.03	<0.1	0.022
S044		9.3	0.097	7.18	5.5	<0.001	0.10	0.315	0.5	0.4	0.5	142.5	<0.01	0.03	<0.1	0.025
S045		5.0	0.064	11.70	4.4	<0.001	0.08	0.301	0.2	0.3	0.3	78.7	<0.01	0.02	<0.1	0.021
S046		6.9	0.095	9.13	5.3	<0.001	0.11	0.280	0.3	0.4	0.3	192.0	<0.01	0.02	<0.1	0.023
S047		5.3	0.102	10.20	3.1	<0.001	0.13	0.306	0.3	0.1	0.3	106.0	<0.01	0.02	<0.1	0.018
S048		5.5	0.120	16.30	9.1	<0.001	0.12	0.322	0.3	0.3	0.5	75.4	<0.01	0.02	<0.1	0.016
S049		7.6	0.091	7.63	3.3	<0.001	0.10	0.107	0.5	0.2	0.2	67.3	<0.01	0.01	0.1	0.024
S050		4.7	0.084	15.10	1.4	<0.001	0.13	0.138	0.4	0.2	0.2	167.5	<0.01	0.01	0.1	0.016
S051		5.1	0.055	9.26	3.1	<0.001	0.05	0.122	0.4	0.1	0.2	67.6	<0.01	<0.01	0.1	0.021
S052		4.9	0.086	8.76	2.7	<0.001	0.13	0.138	0.3	0.3	0.3	87.6	<0.01	<0.01	0.1	0.009
S053		7.1	0.088	7.78	3.3	<0.001	0.10	0.128	0.6	0.1	0.2	164.5	<0.01	<0.01	0.2	0.028
S054		24.4	0.074	5.29	7.3	0.002	0.10	0.534	4.4	0.9	0.4	164.5	<0.01	0.01	0.7	0.064
S055		7.7	0.050	9.46	1.8	<0.001	0.07	0.165	0.7	0.2	0.3	72.3	<0.01	<0.01	0.2	0.031
S056		13.7	0.102	6.96	5.9	<0.001	0.07	0.293	1.6	0.3	0.3	123.0	<0.01	0.02	0.2	0.050
S057		7.5	0.078	7.67	2.3	<0.001	0.07	0.179	0.9	0.2	0.3	76.5	<0.01	0.01	0.1	0.033
S057C		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
S058		5.3	0.091	11.00	1.4	<0.001	0.12	0.215	0.4	0.2	0.4	62.8	<0.01	<0.01	0.1	0.018
S059		5.0	0.108	8.02	2.4	<0.001	0.12	0.152	0.3	0.1	0.2	66.3	<0.01	<0.01	0.1	0.010
S060		5.2	0.067	14.65	2.9	<0.001	0.07	0.230	0.4	0.2	0.2	57.8	<0.01	<0.01	<0.1	0.024
S060D		5.2	0.084	9.23	3.5	<0.001	0.09	0.214	0.5	0.1	0.2	49.2	<0.01	<0.01	0.1	0.023
S061		4.8	0.092	7.58	2.6	<0.001	0.13	0.173	0.3	0.1	0.2	46.6	<0.01	<0.01	0.2	0.011
S062		6.4	0.089	5.06	1.2	<0.001	0.19	0.318	1.3	0.4	0.2	120.5	<0.01	<0.01	0.2	0.014
S063		7.4	0.092	19.65	2.9	<0.001	0.12	0.242	0.5	0.3	0.4	146.0	<0.01	0.01	0.1	0.017
S064		8.6	0.081	13.75	3.3	<0.001	0.10	0.207	0.5	0.2	0.3	107.0	<0.01	<0.01	0.1	0.024
S064A		5.7	0.075	8.24	1.7	<0.001	0.09	0.220	0.5	0.1	0.3	33.4	<0.01	<0.01	0.1	0.021
S065		10.8	0.098	13.75	3.9	<0.001	0.11	0.208	0.5	0.3	0.3	151.0	<0.01	<0.01	0.1	0.030
S066		6.8	0.082	12.70	1.5	<0.001	0.10	0.236	0.6	0.2	0.3	64.8	<0.01	<0.01	0.2	0.023
S067		6.6	0.067	8.95	5.4	<0.001	0.08	0.224	0.7	0.2	0.3	95.9	<0.01	<0.01	0.2	0.033
S068		7.7	0.083	5.69	7.0	<0.001	0.08	0.173	0.7	0.1	0.2	107.0	<0.01	<0.01	0.2	0.033
S069		3.9	0.072	7.89	2.4	<0.001	0.13	0.233	0.4	0.3	0.2	95.6	<0.01	<0.01	0.2	0.018
S070		4.8	0.137	11.50	1.9	<0.001	0.17	0.211	0.3	0.2	0.2	121.0	<0.01	0.01	0.1	0.015
S071		19.9	0.094	7.64	5.0	<0.001	0.06	0.331	1.8	0.3	0.4	45.2	<0.01	0.01	0.5	0.068
S072		6.7	0.103	5.63	1.0	0.001	0.18	0.207	0.3	0.2	0.2	165.5	<0.01	<0.01	0.1	0.007
S073		10.1	0.101	3.52	5.0	<0.001	0.10	0.171	1.1	0.3	0.2	86.0	<0.01	0.01	0.2	0.030

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
S039		0.02	0.08	8	0.05	0.66	43.4	<0.5
S039C		0.25	6.55	44	0.42	29.9	193.0	2.6
S040		0.02	0.15	33	0.08	1.32	34.2	<0.5
S041		<0.02	0.18	7	0.06	0.74	17.5	0.5
S042		0.03	0.15	6	0.06	0.80	15.5	0.8
S043		0.02	0.13	17	0.06	0.99	29.0	<0.5
S043D		<0.02	0.11	14	0.05	0.79	35.4	<0.5
S044		0.02	0.28	18	0.08	3.10	29.2	<0.5
S045		0.02	0.08	17	0.06	0.69	48.2	<0.5
S046		0.02	0.08	24	0.09	0.74	27.8	<0.5
S047		0.02	0.13	12	0.06	0.59	98.2	<0.5
S048		0.04	0.06	14	0.08	0.47	73.6	<0.5
S049		0.02	0.07	21	0.07	0.57	68.7	<0.5
S050		0.02	0.06	12	0.10	0.53	47.0	<0.5
S051		0.02	0.09	23	0.09	0.52	18.7	<0.5
S052		0.02	0.05	5	0.06	0.44	23.0	<0.5
S053		0.02	0.09	16	0.10	0.85	116.5	0.5
S054		0.04	1.13	43	0.19	23.2	28.2	3.5
S055		<0.02	0.14	16	0.11	1.06	7.0	0.6
S056		0.03	0.34	29	0.14	6.10	33.3	<0.5
S057		<0.02	0.19	22	0.10	2.03	12.7	<0.5
S057C		NSS	NSS	NSS	NSS	NSS	NSS	NSS
S058		<0.02	0.08	10	0.04	0.43	31.1	<0.5
S059		0.03	<0.05	6	0.09	0.37	25.5	<0.5
S060		0.02	0.08	25	0.08	0.81	35.5	<0.5
S060D		0.02	0.07	25	0.07	0.58	31.3	<0.5
S061		0.02	0.05	8	0.05	0.33	45.7	<0.5
S062		0.02	1.12	7	0.05	4.26	6.7	1.5
S063		0.03	0.12	11	0.15	1.11	39.8	<0.5
S064		0.03	0.09	23	0.15	0.75	73.1	<0.5
S064A		0.03	0.10	19	0.07	0.51	38.9	<0.5
S065		0.02	0.09	22	0.08	1.13	145.5	<0.5
S066		<0.02	0.09	17	0.09	0.83	40.7	<0.5
S067		0.02	0.09	27	0.12	0.79	67.0	<0.5
S068		0.02	0.10	21	0.07	0.98	85.7	0.5
S069		0.02	0.09	10	0.04	0.55	33.8	0.5
S070		0.03	0.06	8	0.05	0.44	77.9	<0.5
S071		0.06	0.40	44	0.19	1.65	34.3	0.6
S072		0.02	0.11	7	0.15	0.38	61.7	0.6
S073		0.02	0.18	21	0.10	2.43	47.4	0.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
S074		0.06	0.0003	0.193	0.33	0.61	<10	195.5	0.06	0.07	0.84	0.43	3.21	3.0	9.6	0.63
S075		0.08	0.0002	0.116	0.48	0.57	<10	301	0.10	0.08	1.03	0.43	3.84	3.4	12.5	0.34
S076		0.08	0.0004	0.081	0.34	0.63	<10	175.0	0.05	0.06	0.75	0.13	1.81	1.4	8.2	0.24
S077		0.06	<0.0002	0.353	0.29	0.76	<10	156.0	<0.05	0.07	0.71	0.30	1.72	1.3	8.6	0.16
S078		0.08	0.0014	0.176	0.19	0.57	<10	78.6	<0.05	0.06	0.59	0.17	1.27	1.1	8.1	0.19
S078C		0.02	0.0035	0.843	1.62	9.45	20	222	0.70	1.08	0.58	0.83	95.5	15.2	28.6	1.38
S079		0.10	<0.0002	0.248	0.84	1.31	20	207	0.30	0.06	2.82	0.86	13.45	6.2	18.6	0.41
S080		0.06	0.0005	0.364	0.26	1.00	40	248	0.18	0.04	6.01	3.57	4.29	1.9	6.5	0.21
S080D		0.10	0.0015	0.158	0.46	2.09	20	93.8	0.43	0.05	3.04	1.02	13.45	6.1	14.8	0.39
S081		0.06	0.0002	0.069	0.09	0.82	10	112.0	0.12	0.05	4.06	0.79	2.56	0.8	2.3	0.05
S082		0.04	<0.0002	0.161	0.16	0.45	30	249	<0.05	0.04	2.43	0.39	1.32	1.4	5.4	0.22
S083		0.06	<0.0002	0.128	0.71	1.12	<10	122.5	0.13	0.05	1.03	0.16	6.48	5.7	25.2	0.30
S084		0.04	<0.0002	0.145	0.31	0.51	<10	113.0	0.07	0.07	0.70	0.24	3.20	1.9	8.4	0.17
S085		0.04	<0.0002	0.095	0.45	0.76	10	194.0	0.07	0.06	0.83	0.15	2.94	2.1	10.8	0.26
S086		0.04	<0.0002	0.201	0.25	0.25	<10	70.2	<0.05	0.04	0.46	0.35	2.07	1.2	7.0	0.23
S087		0.04	<0.0002	0.028	0.48	0.89	<10	350	0.09	0.08	0.87	0.08	3.25	3.0	11.1	0.54
S088		0.08	<0.0002	0.070	0.62	0.81	<10	117.0	0.18	0.19	0.36	0.91	8.30	2.8	15.9	0.68
S089		0.04	<0.0002	0.106	0.20	0.26	10	76.9	<0.05	0.05	0.77	0.33	1.35	1.0	7.3	0.14
S090		0.10	<0.0002	0.261	0.92	0.96	<10	99.7	0.18	0.06	1.41	0.54	9.29	4.5	24.6	0.37
S091		0.10	<0.0002	0.057	0.87	0.82	<10	119.5	0.33	0.05	0.58	0.10	18.85	6.6	23.7	0.52
S092		0.08	<0.0002	0.271	0.26	0.95	10	431	0.07	0.09	1.34	1.28	2.94	3.4	3.3	0.29
S093		0.06	<0.0002	0.128	0.29	0.38	<10	78.2	0.06	0.05	0.39	0.18	2.14	1.1	5.7	0.28
S094		0.06	<0.0002	0.237	0.66	0.88	10	160.5	0.12	0.06	1.06	0.50	10.30	4.7	18.7	0.42
S095		0.10	<0.0002	0.151	0.31	1.00	<10	505	0.07	0.09	1.09	0.48	4.08	2.7	5.3	0.37
S096		0.12	<0.0002	0.105	0.61	1.01	<10	117.0	0.11	0.06	0.61	0.20	7.95	5.4	28.3	0.34
S097		0.08	<0.0002	0.186	0.29	0.30	10	111.0	0.07	0.05	0.98	0.26	3.12	1.9	9.6	0.25
S098		0.04	<0.0002	0.287	0.19	0.25	<10	111.5	<0.05	0.04	0.57	0.45	1.15	0.8	3.3	0.13
S099		0.06	<0.0002	0.099	0.24	0.54	10	134.5	<0.05	0.05	0.79	0.17	2.32	1.3	6.9	0.19
S099C		0.02	0.0003	0.244	1.40	14.70	50	147.5	0.43	0.66	1.09	2.15	42.7	8.9	21.1	1.07
S099D		0.06	0.0298	0.145	0.31	0.38	10	154.5	0.08	0.06	1.22	0.24	4.73	2.7	7.3	0.16
S100		0.06	<0.0002	0.339	0.22	0.46	10	210	<0.05	0.08	1.26	0.31	1.92	1.2	5.6	0.23
S101		0.08	<0.0002	0.254	0.29	0.60	<10	150.5	<0.05	0.06	0.54	0.23	1.98	1.6	8.2	0.26
S102		0.08	<0.0002	0.208	0.33	0.64	<10	229	0.06	0.08	0.68	0.54	2.33	1.2	5.9	0.30
S103		0.12	<0.0002	0.104	1.09	1.74	<10	120.0	0.20	0.05	0.98	0.14	13.35	7.0	29.8	0.29
S104		0.08	<0.0002	0.120	0.44	0.54	10	379	0.08	0.08	1.19	0.24	4.11	3.4	12.1	0.36
S105		0.08	<0.0002	0.213	0.31	0.54	<10	298	<0.05	0.07	0.98	0.31	3.69	3.6	10.2	0.31
S106		0.04	<0.0002	0.276	0.17	0.79	10	520	<0.05	0.06	2.44	3.16	1.80	2.9	3.5	0.15
S107		0.08	<0.0002	0.500	0.14	0.14	20	375	<0.05	0.03	2.99	3.23	1.53	1.8	4.3	0.25
S108		0.06	<0.0002	0.156	0.18	0.38	<10	117.5	<0.05	0.05	0.65	0.36	1.53	1.2	5.6	0.15
S109		0.06	<0.0002	0.466	0.57	0.56	<10	135.0	0.13	0.07	0.75	0.25	10.45	5.1	15.0	0.29

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
S074		8.96	0.43	1.17	<0.05	<0.02	0.162	0.010	0.07	1.7	1.3	0.09	744	1.66	0.01	0.33
S075		13.80	0.70	1.42	<0.05	<0.02	0.102	0.013	0.09	2.0	0.9	0.11	1530	2.33	0.01	0.25
S076		7.37	0.48	0.88	<0.05	<0.02	0.100	0.010	0.07	1.1	0.7	0.07	445	1.19	0.01	0.25
S077		6.86	0.34	0.92	<0.05	<0.02	0.186	0.012	0.15	1.0	0.6	0.10	59	4.69	0.01	0.17
S078		8.30	0.42	0.68	<0.05	<0.02	0.165	0.011	0.10	0.7	0.6	0.11	239	1.86	0.01	0.13
S078C		38.3	3.16	5.66	0.16	0.07	0.146	0.069	0.20	57.5	16.1	0.57	1700	1.23	0.03	1.54
S079		46.9	1.35	2.24	0.08	0.05	0.046	0.013	1.87	9.9	4.3	1.38	698	0.53	0.02	0.55
S080		116.0	0.35	0.77	0.06	0.04	0.092	0.005	0.09	8.6	0.9	1.04	662	0.73	0.01	0.20
S080D		104.0	0.80	1.48	0.11	0.09	0.196	0.010	0.07	20.6	1.9	0.82	201	1.43	0.02	0.43
S081		33.3	0.14	0.31	<0.05	0.04	0.182	0.007	0.04	6.4	0.3	0.56	59	2.65	0.01	0.10
S082		12.50	0.20	0.51	<0.05	<0.02	0.230	0.005	0.09	0.8	0.4	0.20	1920	10.15	0.02	0.10
S083		11.75	1.13	2.16	<0.05	<0.02	0.088	0.011	0.07	2.9	4.1	0.26	373	1.15	0.02	0.51
S084		9.78	0.36	0.86	<0.05	<0.02	0.170	0.010	0.07	1.8	0.8	0.12	322	3.36	0.02	0.20
S085		8.48	0.58	1.35	<0.05	0.02	0.217	0.011	0.06	1.5	1.3	0.13	354	2.30	0.02	0.35
S086		8.03	0.31	0.70	<0.05	<0.02	0.178	0.007	0.07	1.2	0.8	0.08	613	2.42	0.01	0.20
S087		11.70	0.63	1.53	<0.05	<0.02	0.215	0.011	0.09	1.7	1.8	0.12	2590	1.94	0.01	0.33
S088		21.2	0.88	2.36	<0.05	<0.02	0.113	0.023	0.05	4.2	0.6	0.06	673	4.06	0.02	0.13
S089		11.00	0.17	0.42	<0.05	<0.02	0.179	0.005	0.10	0.8	0.3	0.10	578	4.22	0.02	0.10
S090		83.1	1.28	2.78	<0.05	0.04	0.077	0.011	0.09	7.2	6.7	0.36	282	3.49	0.01	0.80
S091		30.3	1.51	2.95	<0.05	<0.02	0.049	0.012	0.07	16.0	5.7	0.19	534	2.03	0.01	0.58
S092		13.50	0.42	1.11	<0.05	<0.02	0.176	0.009	0.11	1.3	1.0	0.12	3450	3.11	0.01	0.20
S093		9.02	0.45	1.14	<0.05	<0.02	0.151	0.007	0.06	1.3	1.2	0.07	157	8.39	0.01	0.25
S094		10.90	1.11	2.32	<0.05	<0.02	0.142	0.008	0.11	4.9	4.6	0.28	621	5.47	0.02	0.87
S095		13.55	0.42	1.02	<0.05	<0.02	0.226	0.011	0.09	2.1	0.8	0.10	1560	43.6	0.01	0.20
S096		10.60	1.99	3.13	<0.05	<0.02	0.051	0.008	0.07	3.8	3.9	0.25	362	1.06	0.01	0.71
S097		7.76	0.51	1.37	<0.05	<0.02	0.150	0.006	0.09	1.6	1.3	0.16	618	2.53	0.01	0.30
S098		7.67	0.18	0.45	<0.05	<0.02	0.146	0.006	0.12	0.7	0.4	0.08	991	19.00	0.01	0.10
S099		8.20	0.50	1.10	<0.05	0.02	0.227	0.008	0.09	1.2	0.8	0.11	138	6.98	0.02	0.29
S099C		31.0	2.60	4.45	0.09	0.02	0.203	0.058	0.12	23.2	9.6	0.37	415	2.00	0.08	1.17
S099D		10.60	0.42	1.10	<0.05	<0.02	0.210	0.006	0.14	2.3	1.0	0.19	492	4.56	0.03	0.30
S100		8.21	0.29	0.63	<0.05	<0.02	0.255	0.010	0.13	1.1	0.5	0.11	1380	2.11	0.02	0.17
S101		8.41	0.41	0.82	<0.05	<0.02	0.197	0.007	0.08	1.0	0.7	0.08	1020	1.48	0.02	0.22
S102		8.53	0.39	0.96	<0.05	<0.02	0.319	0.012	0.08	1.3	0.4	0.05	660	4.50	0.02	0.15
S103		10.90	1.40	3.38	<0.05	0.02	0.058	0.012	0.10	5.9	9.7	0.38	362	0.64	0.02	0.78
S104		8.08	0.71	1.56	<0.05	<0.02	0.157	0.009	0.13	2.2	1.8	0.17	2640	2.44	0.01	0.38
S105		8.07	0.57	1.28	<0.05	<0.02	0.154	0.009	0.07	2.0	1.5	0.12	1730	3.32	0.01	0.34
S106		9.29	0.21	0.52	<0.05	<0.02	0.273	0.009	0.14	1.3	0.6	0.12	3500	2.13	0.01	0.12
S107		12.65	0.22	0.50	<0.05	<0.02	0.129	<0.005	0.14	0.8	0.7	0.17	1340	2.91	0.02	0.15
S108		6.39	0.29	0.52	<0.05	<0.02	0.197	0.007	0.11	0.9	0.4	0.10	156	6.26	0.02	0.15
S109		11.20	0.76	2.07	<0.05	<0.02	0.120	0.008	0.09	5.8	2.4	0.18	817	1.92	0.02	0.49

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm 0.1	P % 0.001	Pb ppm 0.01	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.005	Sc ppm 0.1	Se ppm 0.1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.1	Ti % 0.001
S074		6.7	0.081	8.95	7.8	<0.001	0.09	0.244	0.6	0.1	0.2	92.9	<0.01	<0.01	0.1	0.025
S075		9.7	0.089	15.30	4.3	0.001	0.07	0.204	0.1	0.1	0.3	129.0	<0.01	<0.01	<0.1	0.020
S076		5.4	0.058	8.24	3.7	0.001	0.09	0.208	0.5	0.1	0.2	73.5	<0.01	<0.01	0.1	0.023
S077		6.2	0.086	10.15	1.8	0.001	0.12	0.253	0.7	0.4	0.2	73.2	<0.01	<0.01	0.1	0.020
S078		4.3	0.097	7.75	1.5	0.001	0.13	0.216	0.4	0.2	0.3	36.9	0.01	<0.01	0.1	0.015
S078C		23.3	0.126	41.1	18.4	0.002	0.17	0.712	5.3	1.9	1.4	29.2	0.01	0.06	7.0	0.077
S079		28.6	0.100	4.48	26.3	<0.001	0.08	0.195	1.9	0.6	0.3	283	<0.01	0.01	0.3	0.041
S080		46.7	0.276	2.04	2.3	0.001	0.14	0.207	0.4	1.6	0.2	503	<0.01	0.01	0.1	0.009
S080D		98.5	0.171	4.39	5.7	0.001	0.29	0.825	0.7	2.1	0.2	294	<0.01	0.01	0.2	0.017
S081		31.3	0.093	4.97	0.7	0.001	0.21	0.424	0.2	0.6	0.2	239	<0.01	0.02	0.1	0.004
S082		5.9	0.200	7.26	2.1	0.001	0.19	0.200	0.1	0.4	0.9	179.0	<0.01	0.01	<0.1	0.009
S083		14.1	0.058	3.96	5.2	0.001	0.07	0.136	1.1	0.3	0.2	68.6	<0.01	0.01	0.1	0.047
S084		9.8	0.080	13.65	1.7	<0.001	0.10	0.206	0.3	0.2	0.3	62.6	<0.01	0.01	<0.1	0.017
S085		7.9	0.068	10.90	3.2	<0.001	0.11	0.260	0.8	0.3	0.3	48.6	<0.01	0.01	0.1	0.028
S086		4.7	0.084	6.68	2.9	<0.001	0.10	0.149	0.5	0.3	0.2	27.3	<0.01	0.01	0.1	0.017
S087		7.9	0.091	16.05	7.5	<0.001	0.11	0.199	0.5	0.4	0.3	84.3	<0.01	0.02	<0.1	0.028
S088		15.3	0.108	26.5	4.1	0.001	0.06	0.184	0.1	0.3	0.5	28.1	<0.01	0.01	<0.1	0.003
S089		6.4	0.113	10.00	2.0	<0.001	0.14	0.192	0.2	0.3	0.2	55.1	<0.01	0.01	<0.1	0.008
S090		22.6	0.060	3.62	6.4	<0.001	0.07	0.225	2.0	0.6	0.2	88.8	<0.01	0.01	0.4	0.051
S091		12.8	0.047	4.30	6.5	<0.001	0.04	0.162	2.0	0.6	0.2	49.0	<0.01	0.01	0.3	0.054
S092		5.3	0.111	11.55	3.5	<0.001	0.11	0.210	0.1	0.3	0.2	107.0	<0.01	0.02	<0.1	0.014
S093		4.3	0.093	6.25	2.0	0.001	0.11	0.168	0.5	0.3	0.2	35.4	<0.01	0.01	0.1	0.021
S094		11.0	0.090	5.22	7.1	<0.001	0.08	0.219	1.4	0.3	0.2	66.8	<0.01	0.01	0.3	0.059
S095		6.0	0.065	13.95	3.2	<0.001	0.08	0.247	0.3	0.4	0.3	107.5	<0.01	0.01	<0.1	0.020
S096		10.6	0.090	4.23	5.1	<0.001	0.05	0.175	1.4	0.3	0.3	51.1	<0.01	0.02	0.3	0.063
S097		4.8	0.067	5.41	3.5	<0.001	0.09	0.162	0.6	0.2	0.2	96.6	<0.01	0.02	0.1	0.027
S098		3.1	0.121	6.22	1.9	<0.001	0.12	0.208	0.3	0.2	0.3	35.8	<0.01	0.02	<0.1	0.009
S099		3.7	0.082	8.95	2.1	<0.001	0.10	0.217	0.6	0.2	0.2	88.3	<0.01	0.02	0.2	0.022
S099C		32.8	0.140	99.8	10.9	0.003	1.09	1.325	3.1	2.8	3.6	46.6	<0.01	0.12	0.8	0.061
S099D		5.3	0.096	8.18	1.6	<0.001	0.12	0.253	0.5	0.3	0.3	102.5	<0.01	0.01	0.1	0.022
S100		4.2	0.097	13.25	3.0	<0.001	0.13	0.339	0.5	0.3	0.2	78.9	<0.01	0.02	0.1	0.015
S101		6.0	0.096	9.79	3.5	<0.001	0.11	0.263	0.2	0.3	0.2	39.5	<0.01	0.01	<0.1	0.016
S102		5.6	0.087	13.75	2.7	<0.001	0.12	0.365	0.1	0.4	0.3	61.3	<0.01	0.02	<0.1	0.011
S103		17.8	0.096	4.07	5.1	0.001	0.06	0.186	1.9	0.4	0.3	62.9	<0.01	0.01	0.7	0.061
S104		8.0	0.088	10.25	6.2	<0.001	0.08	0.207	0.5	0.4	0.2	97.7	<0.01	0.01	<0.1	0.032
S105		5.6	0.072	9.30	3.7	<0.001	0.10	0.215	0.6	0.4	0.2	70.2	<0.01	0.01	0.1	0.030
S106		4.6	0.115	12.30	1.7	<0.001	0.14	0.203	0.3	0.5	0.2	161.0	<0.01	0.01	0.1	0.010
S107		4.5	0.114	4.91	1.7	<0.001	0.16	0.136	0.2	0.2	<0.2	203	<0.01	0.02	0.1	0.010
S108		3.9	0.093	8.54	1.8	<0.001	0.15	0.221	0.4	0.4	0.2	54.8	<0.01	0.01	0.1	0.013
S109		9.8	0.072	7.13	4.6	<0.001	0.06	0.218	1.1	0.3	0.2	60.1	<0.01	0.02	0.1	0.039

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
S074		0.02	0.11	13	0.08	0.86	102.5	<0.5
S075		0.04	0.11	20	0.10	0.95	64.9	<0.5
S076		<0.02	0.07	15	0.06	0.60	46.5	<0.5
S077		0.02	0.12	10	0.09	0.63	11.5	<0.5
S078		0.02	0.08	15	0.06	0.40	35.8	<0.5
S078C		0.25	7.08	44	0.44	29.3	198.5	2.1
S079		0.05	0.15	28	0.06	8.63	61.2	1.4
S080		0.06	2.01	21	0.04	9.76	374	2.4
S080D		0.11	5.95	62	0.10	20.4	24.4	3.8
S081		0.04	2.58	86	0.03	9.31	15.9	1.8
S082		0.07	0.09	7	0.05	0.45	90.2	<0.5
S083		0.03	0.19	32	0.08	1.53	36.9	<0.5
S084		0.02	0.10	10	0.12	0.94	44.6	<0.5
S085		0.02	0.11	17	0.10	0.74	44.3	0.6
S086		<0.02	0.06	9	0.05	0.50	57.0	<0.5
S087		0.06	0.10	18	0.10	0.76	54.2	<0.5
S088		0.02	1.42	23	0.07	1.86	76.3	<0.5
S089		0.02	0.11	4	0.08	0.38	69.2	<0.5
S090		0.03	1.47	36	0.12	5.43	28.4	1.4
S091		0.04	1.81	49	0.22	11.10	24.0	<0.5
S092		0.03	0.15	10	0.09	0.71	272	<0.5
S093		<0.02	0.09	13	0.27	0.57	34.5	<0.5
S094		0.04	0.49	30	0.54	2.39	102.5	0.5
S095		0.03	0.13	10	0.53	1.05	62.4	<0.5
S096		0.03	0.21	72	0.12	2.01	42.1	<0.5
S097		0.02	0.30	16	0.06	0.78	23.8	<0.5
S098		0.02	0.05	4	0.13	0.28	43.6	<0.5
S099		<0.02	0.10	14	0.06	0.65	27.0	0.5
S099C		0.39	32.7	34	0.29	18.25	195.0	0.5
S099D		0.03	0.15	13	0.11	1.10	57.2	0.5
S100		0.03	0.06	8	0.07	0.54	82.1	<0.5
S101		0.04	0.06	11	0.05	0.47	49.3	<0.5
S102		0.03	0.12	9	0.06	0.59	41.4	<0.5
S103		0.04	0.34	36	0.30	3.57	35.1	0.5
S104		0.02	0.10	20	0.10	0.96	67.2	<0.5
S105		0.02	0.08	16	0.15	0.87	77.7	<0.5
S106		0.03	0.05	5	0.12	0.63	166.5	<0.5
S107		<0.02	<0.05	5	0.06	0.40	390	<0.5
S108		<0.02	0.06	9	0.06	0.38	31.1	<0.5
S109		0.03	0.19	18	0.09	3.38	27.1	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	
S110		0.06	<0.0002	0.449	0.24	1.22	10	348	0.06	0.11	1.15	0.74	3.16	3.5	6.9	0.30
S111		0.08	<0.0002	0.112	0.39	0.41	<10	301	0.08	0.07	0.96	0.69	4.81	4.0	12.0	0.32
S112		0.06	<0.0002	0.328	0.34	0.77	10	306	0.08	0.06	1.87	2.12	7.96	4.9	13.8	0.27
S113		0.08	<0.0002	0.105	0.66	0.47	<10	165.0	0.14	0.07	0.48	0.24	8.26	5.2	21.5	0.57
S114		0.04	<0.0002	0.074	0.35	0.75	<10	95.7	0.06	0.05	0.61	0.22	1.77	2.3	9.3	0.30
S115		0.08	<0.0002	0.094	0.40	0.61	10	224	0.08	0.05	1.20	0.44	4.44	3.7	14.0	0.41
S116		0.06	<0.0002	0.036	0.06	3.60	20	148.0	0.06	0.03	5.21	0.09	0.50	2.7	1.5	0.05
S116C		0.02	0.0022	0.737	1.47	9.70	20	217	0.77	1.02	0.57	0.80	97.6	15.3	26.9	1.19
S117		0.06	<0.0002	0.097	0.14	0.52	10	60.7	<0.05	0.05	2.05	0.55	1.87	2.2	3.0	0.12
S118		0.06	<0.0002	0.123	0.17	0.49	20	701	<0.05	0.04	3.74	0.41	1.90	1.6	4.4	0.30
S119		0.06	<0.0002	0.153	0.28	0.51	<10	179.5	0.05	0.06	1.26	0.61	2.01	3.0	8.7	0.29
S120		0.06	<0.0002	0.159	0.08	0.34	10	112.5	<0.05	0.04	1.60	0.35	0.72	0.8	1.7	0.13
S120D		0.06	<0.0002	0.207	0.09	1.46	<10	112.5	<0.05	0.04	1.57	0.18	0.83	0.7	1.4	0.10
S121		0.06	<0.0002	0.192	0.06	0.37	<10	36.1	<0.05	0.03	0.96	0.24	0.67	0.5	1.3	0.10
S122		0.06	<0.0002	0.749	3.24	2.55	<10	352	1.25	0.13	0.99	0.44	41.3	17.8	50.6	1.16
S123		0.04	<0.0002	0.375	0.26	1.85	<10	265	0.06	0.08	1.28	0.38	2.52	2.0	6.1	0.14
S124		0.04	<0.0002	0.322	0.16	1.89	<10	218	<0.05	0.06	0.98	0.49	1.19	1.4	3.4	0.13
S125		0.04	<0.0002	0.080	0.30	0.51	10	188.0	0.05	0.05	1.09	0.26	3.09	2.5	9.6	0.27
S126		0.06	<0.0002	0.246	0.23	0.69	10	249	0.07	0.07	3.32	0.93	2.01	4.4	4.2	0.62
S127		0.06	<0.0002	0.271	0.91	3.02	10	142.5	0.23	0.06	1.81	0.69	5.72	9.3	6.7	1.49
S128		0.06	<0.0002	0.403	0.23	0.65	10	78.7	0.06	0.06	2.85	1.27	1.94	3.2	5.0	0.93
S129		0.08	0.0002	0.324	1.24	2.14	<10	85.4	0.27	0.06	1.93	0.45	7.73	6.8	23.5	0.78
S130		0.04	<0.0002	0.106	0.07	0.30	20	61.5	<0.05	0.03	3.10	0.27	0.62	1.7	1.4	0.14
S131		0.04	<0.0002	0.141	0.19	0.52	<10	98.7	<0.05	0.04	1.23	0.33	1.36	2.5	3.4	0.27
S132		0.06	<0.0002	0.314	0.33	0.88	10	241	0.10	0.08	1.91	2.02	2.88	6.8	7.4	0.43
S133		0.04	<0.0002	0.251	0.15	0.36	10	49.9	<0.05	0.04	1.81	0.65	1.05	3.2	2.9	0.37
S134		0.08	<0.0002	0.123	0.36	1.04	<10	171.0	0.07	0.05	0.97	0.19	2.39	2.8	8.0	0.34
S135		0.06	<0.0002	0.122	0.09	0.35	10	53.0	<0.05	0.03	2.96	0.36	0.63	1.0	0.8	0.19
S136		0.06	0.0024	0.071	1.31	5.84	<10	103.0	0.34	0.06	1.24	0.21	14.55	10.4	20.5	0.75
S137		0.06	<0.0002	0.347	0.57	1.27	10	242	0.28	0.05	3.00	0.73	13.95	8.9	7.1	0.97
S137C		0.02	0.0006	0.238	1.36	15.00	40	145.5	0.51	0.48	0.99	2.15	43.4	8.9	20.8	1.04
S138		0.04	<0.0002	0.181	0.21	0.58	<10	79.6	<0.05	0.05	0.76	0.26	1.48	1.2	3.2	0.18
S139		0.08	0.0013	0.918	4.43	4.79	<10	322	1.67	0.14	1.04	0.37	75.3	20.1	34.1	1.21
S140		0.04	0.0026	0.201	0.27	0.59	<10	123.0	0.05	0.06	0.59	0.27	2.08	1.6	4.2	0.21
S140D		0.08	<0.0002	0.110	0.33	0.89	<10	76.0	0.05	0.05	0.42	0.14	2.38	1.6	5.4	0.22
S141		0.08	<0.0002	0.195	0.33	0.80	<10	55.6	0.05	0.05	0.44	0.17	2.06	1.6	5.1	0.18
S142		0.06	<0.0002	0.184	0.34	1.01	<10	143.5	0.08	0.06	0.95	0.27	3.11	3.3	11.4	0.27
S143		0.04	<0.0002	0.046	0.37	0.92	<10	103.0	0.06	0.06	0.88	0.18	2.79	2.1	5.8	0.26
S144		0.04	<0.0002	0.186	0.25	0.63	<10	76.8	0.05	0.04	0.60	0.29	1.31	1.8	3.4	0.19
S145		0.16	0.0026	0.314	1.41	0.71	<10	69.5	0.94	0.05	0.29	0.05	60.7	1.2	10.4	0.11

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
S110		7.79	0.40	1.00	<0.05	<0.02	0.331	0.014	0.11	1.7	1.0	0.11	3260	5.12	0.02	0.25
S111		7.80	0.66	1.63	<0.05	<0.02	0.119	0.007	0.12	2.5	1.8	0.14	2920	3.41	0.01	0.39
S112		11.30	0.70	1.50	<0.05	<0.02	0.162	0.010	0.17	3.5	2.0	0.25	2220	6.28	0.02	0.51
S113		7.68	1.27	2.69	<0.05	<0.02	0.051	0.011	0.07	3.6	3.8	0.17	561	2.68	0.01	0.68
S114		13.35	0.54	1.10	<0.05	<0.02	0.168	0.008	0.08	0.9	1.4	0.12	512	1.86	0.01	0.29
S115		14.15	0.77	1.45	<0.05	<0.02	0.162	0.008	0.13	2.0	1.4	0.17	2240	5.12	0.02	0.45
S116		21.9	0.51	0.21	<0.05	0.02	0.130	<0.005	0.07	0.3	0.3	0.28	3420	1.98	0.01	0.15
S116C		36.4	3.17	5.46	0.12	0.09	0.138	0.059	0.20	57.1	15.7	0.57	1680	1.24	0.04	1.72
S117		13.30	0.20	0.43	<0.05	0.03	0.199	0.007	0.11	0.9	0.4	0.12	278	1.92	0.02	0.21
S118		14.50	0.29	0.63	<0.05	<0.02	0.566	0.006	0.09	1.0	0.8	0.13	2370	1.51	0.01	0.25
S119		11.05	0.49	1.11	<0.05	<0.02	0.202	0.009	0.14	1.2	1.0	0.11	1370	5.10	0.02	0.29
S120		9.02	0.13	0.28	<0.05	<0.02	0.189	0.005	0.12	0.4	0.3	0.19	503	1.24	0.01	0.16
S120D		9.07	0.14	0.30	<0.05	<0.02	0.263	0.006	0.09	0.4	0.2	0.05	51	1.30	0.01	0.16
S121		12.65	0.11	0.22	<0.05	<0.02	0.171	<0.005	0.10	0.4	0.3	0.09	47	1.83	0.01	0.15
S122		133.0	3.72	11.10	0.05	0.10	0.133	0.034	0.23	21.7	9.9	0.64	574	1.83	0.02	1.56
S123		12.40	0.43	1.04	<0.05	<0.02	0.292	0.011	0.11	1.5	0.6	0.09	179	3.90	0.01	0.29
S124		11.65	0.25	0.54	<0.05	<0.02	0.234	0.006	0.06	0.6	0.4	0.09	208	3.75	0.01	0.19
S125		8.95	0.60	1.18	<0.05	<0.02	0.166	0.007	0.13	1.5	1.0	0.15	1720	3.65	0.01	0.40
S126		17.75	0.50	0.94	<0.05	0.02	0.180	0.009	0.08	1.0	1.5	0.14	1100	4.28	0.01	0.25
S127		41.3	1.60	3.05	<0.05	0.03	0.164	0.013	0.27	2.3	8.3	0.53	2290	1.89	0.01	0.82
S128		25.4	0.48	0.92	<0.05	0.02	0.215	0.009	0.08	0.9	1.5	0.15	1280	4.47	0.01	0.25
S129		91.4	1.73	3.68	<0.05	0.02	0.121	0.013	0.12	7.9	9.4	0.38	951	0.80	0.01	0.59
S130		14.15	0.12	0.21	<0.05	<0.02	0.158	<0.005	0.09	0.4	0.3	0.21	494	1.82	0.01	0.14
S131		11.85	0.33	0.57	<0.05	<0.02	0.193	0.007	0.14	0.8	0.6	0.14	845	5.03	0.01	0.21
S132		21.3	0.95	1.59	<0.05	<0.02	0.148	0.011	0.10	1.3	1.4	0.20	3120	2.36	0.01	0.28
S133		13.00	0.28	0.59	<0.05	<0.02	0.175	0.005	0.15	0.6	0.9	0.16	809	4.00	0.01	0.21
S134		10.40	0.79	1.40	<0.05	<0.02	0.162	0.008	0.07	1.2	1.6	0.14	1310	2.98	0.01	0.36
S135		15.25	0.12	0.22	<0.05	<0.02	0.184	<0.005	0.11	0.3	0.3	0.17	493	2.08	0.01	0.15
S136		89.4	2.27	4.21	0.06	0.03	0.070	0.016	0.15	7.2	7.8	0.59	1070	1.39	0.03	0.91
S137		55.0	0.96	1.62	<0.05	0.05	0.159	0.008	0.08	14.8	2.1	0.25	5850	3.50	0.02	0.35
S137C		31.9	2.52	4.46	0.08	0.02	0.185	0.053	0.12	22.9	9.6	0.36	434	1.93	0.05	1.21
S138		12.10	0.27	0.55	<0.05	<0.02	0.218	0.005	0.12	0.9	0.5	0.11	479	2.09	0.03	0.23
S139		115.0	3.43	12.60	0.09	0.05	0.122	0.038	0.12	37.2	11.8	0.52	2550	1.60	0.01	1.41
S140		11.00	0.45	0.85	<0.05	<0.02	0.207	0.006	0.08	1.1	0.6	0.08	582	1.12	0.02	0.27
S140D		7.82	0.70	1.48	<0.05	<0.02	0.131	0.007	0.06	1.2	1.0	0.09	282	0.64	0.01	0.37
S141		8.96	0.61	1.22	<0.05	<0.02	0.175	0.007	0.06	1.1	0.8	0.08	300	0.93	0.01	0.36
S142		12.85	1.23	1.68	<0.05	<0.02	0.155	0.009	0.08	1.6	1.2	0.12	1060	1.56	0.01	0.43
S143		12.55	0.59	1.23	<0.05	<0.02	0.248	0.011	0.10	1.6	1.3	0.13	450	1.37	0.02	0.36
S144		9.20	0.36	0.64	<0.05	<0.02	0.181	<0.005	0.09	0.7	0.7	0.09	429	1.29	0.01	0.24
S145		134.5	0.26	2.94	0.08	<0.02	0.138	0.019	0.03	36.9	1.0	0.05	34	0.37	0.01	0.32

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
S110		5.2	0.098	24.6	2.2	<0.001	0.11	0.368	0.6	0.4	0.3	92.0	<0.01	0.01	0.1	0.020
S111		7.3	0.080	8.80	6.2	<0.001	0.07	0.198	0.6	0.4	0.2	79.9	<0.01	0.02	1.5	0.036
S112		9.4	0.113	9.53	3.6	<0.001	0.13	0.194	0.8	0.6	0.2	114.5	<0.01	0.02	0.2	0.033
S113		10.6	0.082	4.40	7.8	<0.001	0.04	0.174	1.1	0.3	0.3	40.5	<0.01	0.01	0.2	0.062
S114		5.8	0.096	9.40	2.3	<0.001	0.10	0.231	0.3	0.2	0.3	42.5	<0.01	0.02	<0.1	0.021
S115		8.6	0.100	7.60	4.2	<0.001	0.09	0.150	0.7	0.3	0.2	120.5	<0.01	0.01	0.1	0.035
S116		8.6	0.145	1.47	0.9	0.003	0.38	0.231	0.2	1.7	<0.2	195.5	<0.01	0.02	<0.1	0.003
S116C		22.3	0.118	37.9	17.3	0.001	0.16	0.518	5.3	1.7	1.4	28.5	<0.01	0.07	5.7	0.072
S117		4.3	0.123	6.80	2.0	0.001	0.16	0.221	0.3	0.4	<0.2	143.5	<0.01	0.02	0.1	0.008
S118		5.9	0.115	7.27	2.8	<0.001	0.18	0.162	0.3	0.3	<0.2	319	<0.01	0.02	<0.1	0.012
S119		5.8	0.130	11.70	2.4	<0.001	0.11	0.194	0.6	0.4	0.2	69.8	<0.01	0.02	0.1	0.019
S120		3.2	0.105	5.96	1.7	<0.001	0.13	0.145	0.2	0.4	<0.2	88.6	<0.01	0.02	<0.1	0.005
S120D		2.3	0.211	8.51	1.1	<0.001	0.15	0.172	0.2	0.4	<0.2	90.9	<0.01	0.02	0.1	0.005
S121		2.9	0.114	4.43	0.9	0.001	0.16	0.151	0.2	0.7	<0.2	48.2	<0.01	0.02	<0.1	0.004
S122		44.8	0.107	8.88	17.5	<0.001	0.05	0.306	6.6	0.9	0.7	101.5	<0.01	0.03	1.4	0.089
S123		6.9	0.076	11.10	1.2	<0.001	0.11	0.274	0.7	0.5	0.2	118.0	<0.01	0.02	0.2	0.021
S124		4.4	0.062	7.22	1.3	<0.001	0.10	0.218	0.4	0.3	<0.2	95.0	<0.01	0.01	0.1	0.013
S125		5.7	0.098	10.15	2.8	<0.001	0.10	0.173	0.5	0.3	0.2	97.2	<0.01	0.01	0.1	0.027
S126		6.1	0.122	13.70	2.8	<0.001	0.17	0.161	0.4	0.3	0.2	127.5	<0.01	0.02	0.1	0.017
S127		6.9	0.094	11.65	12.1	<0.001	0.10	0.233	1.2	0.3	0.3	89.2	<0.01	0.03	0.1	0.075
S128		6.0	0.124	10.70	3.6	<0.001	0.17	0.183	0.4	0.9	0.2	55.9	<0.01	0.02	0.1	0.017
S129		17.4	0.092	6.93	8.8	<0.001	0.09	0.179	1.8	0.4	0.3	65.6	<0.01	0.02	0.1	0.048
S130		4.0	0.104	5.95	1.5	<0.001	0.22	0.117	0.1	0.8	<0.2	88.6	<0.01	0.02	<0.1	0.003
S131		2.9	0.123	8.79	4.2	<0.001	0.13	0.172	0.3	0.2	0.2	77.4	<0.01	0.02	0.1	0.011
S132		5.4	0.128	11.55	4.6	<0.001	0.15	0.197	0.2	0.3	0.2	101.5	<0.01	0.02	<0.1	0.016
S133		2.9	0.148	7.60	2.5	<0.001	0.18	0.142	0.3	0.4	0.2	55.9	<0.01	0.02	<0.1	0.011
S134		4.3	0.070	8.71	2.7	<0.001	0.10	0.203	0.7	0.3	0.2	51.7	<0.01	0.01	0.1	0.029
S135		2.2	0.115	5.97	1.6	<0.001	0.22	0.121	0.1	0.4	0.2	75.0	<0.01	0.01	<0.1	0.004
S136		11.8	0.123	4.80	13.4	<0.001	0.05	0.314	4.0	0.3	0.3	103.0	<0.01	0.03	0.7	0.098
S137		12.7	0.172	4.91	7.0	<0.001	0.20	0.220	1.6	0.8	0.2	256	<0.01	0.02	0.2	0.020
S137C		31.7	0.136	96.7	10.1	0.002	1.06	1.115	3.0	2.8	3.6	44.6	<0.01	0.14	0.8	0.061
S138		3.2	0.104	8.63	2.9	<0.001	0.13	0.213	0.4	0.4	0.2	59.8	<0.01	0.02	0.1	0.011
S139		33.8	0.164	10.70	12.9	<0.001	0.06	0.334	6.9	1.4	0.7	140.5	<0.01	0.03	0.9	0.078
S140		3.4	0.083	10.80	2.1	<0.001	0.10	0.237	0.3	0.3	0.2	48.3	<0.01	0.02	<0.1	0.018
S140D		3.2	0.054	7.96	3.6	<0.001	0.06	0.190	0.5	0.1	0.2	35.8	<0.01	0.02	<0.1	0.032
S141		3.7	0.065	8.35	2.3	<0.001	0.09	0.202	0.4	0.1	0.2	35.1	<0.01	0.01	<0.1	0.027
S142		5.9	0.068	9.28	3.7	<0.001	0.08	0.213	0.3	0.2	0.3	83.0	<0.01	0.01	<0.1	0.035
S143		4.9	0.092	12.25	3.8	<0.001	0.13	0.206	0.7	0.3	0.2	62.0	<0.01	0.02	0.1	0.024
S144		3.9	0.095	8.32	1.6	<0.001	0.12	0.162	0.4	0.2	0.2	37.4	<0.01	0.02	<0.1	0.015
S145		7.1	0.149	3.68	1.2	<0.001	0.10	0.169	0.2	1.6	0.2	37.8	<0.01	0.02	<0.1	0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
S110		0.06	0.09	10	0.14	0.70	50.9	<0.5
S111		0.03	0.11	17	0.28	1.22	57.6	<0.5
S112		0.03	0.11	17	0.08	1.01	145.5	<0.5
S113		0.02	0.18	34	0.12	1.68	41.7	<0.5
S114		0.02	0.06	17	0.09	0.47	48.7	<0.5
S115		0.04	0.13	21	0.09	0.90	102.5	<0.5
S116		0.03	1.27	9	0.03	0.54	10.0	0.9
S116C		0.24	5.73	43	0.40	29.3	186.5	2.7
S117		0.02	0.42	6	0.03	0.65	11.5	0.8
S118		0.03	0.05	7	0.04	0.70	342	<0.5
S119		0.02	0.07	14	0.09	0.61	44.8	<0.5
S120		<0.02	<0.05	3	0.04	0.22	17.1	<0.5
S120D		<0.02	<0.05	3	0.03	0.27	14.0	<0.5
S121		<0.02	0.05	3	0.03	0.22	4.5	<0.5
S122		0.09	1.06	67	0.28	13.60	49.2	3.3
S123		<0.02	0.08	12	0.21	0.72	24.6	0.5
S124		<0.02	<0.05	8	0.09	0.41	31.5	<0.5
S125		0.02	0.08	16	0.09	0.77	55.3	<0.5
S126		<0.02	0.05	12	0.38	0.77	73.2	0.5
S127		0.04	0.12	31	0.18	1.90	139.0	0.8
S128		0.02	0.09	13	0.07	0.65	20.9	0.6
S129		0.04	0.33	47	0.14	6.76	58.5	0.6
S130		<0.02	<0.05	3	0.06	0.26	25.4	<0.5
S131		0.02	<0.05	9	0.18	0.43	24.1	<0.5
S132		0.02	0.07	24	0.25	0.84	120.0	<0.5
S133		<0.02	<0.05	7	0.12	0.37	23.1	<0.5
S134		0.02	0.07	23	0.21	0.86	84.7	<0.5
S135		<0.02	<0.05	3	0.03	0.28	23.9	<0.5
S136		0.04	0.33	71	0.25	6.15	51.5	1.0
S137		0.16	0.41	31	0.12	17.45	45.8	1.8
S137C		0.36	31.8	34	0.27	18.35	197.0	0.5
S138		0.02	0.06	7	0.09	0.52	51.9	<0.5
S139		0.16	1.04	73	0.29	30.8	67.3	1.6
S140		0.03	0.06	13	0.06	0.58	61.3	<0.5
S140D		0.02	0.07	23	0.13	0.76	34.1	<0.5
S141		<0.02	0.07	18	0.09	0.61	29.6	<0.5
S142		<0.02	0.11	38	0.18	1.00	44.5	<0.5
S143		<0.02	0.07	15	0.11	0.84	41.9	<0.5
S144		0.02	0.05	9	0.07	0.38	44.3	<0.5
S145		0.02	1.61	8	0.06	28.1	5.8	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.02	0.1	0.5	0.05	
S146		0.08	0.0003	0.264	0.94	1.34	<10	222	0.58	0.10	0.75	0.26	30.0	10.0	10.6	0.37
S147		0.06	0.0026	0.154	0.39	0.73	<10	147.0	0.07	0.09	0.75	0.31	2.57	2.6	6.4	0.23
S148		0.06	0.0019	0.206	0.60	1.01	<10	380	0.14	0.11	1.22	0.31	5.17	4.1	9.8	0.51
S149		0.08	0.0011	0.563	1.12	1.10	40	343	0.57	0.08	4.84	0.82	9.89	4.8	8.5	0.52
S150		0.06	0.0027	0.056	0.35	0.63	<10	45.8	0.06	0.07	0.47	0.18	3.01	1.6	4.8	0.36
S151		0.08	0.0120	1.895	1.74	3.20	10	151.0	0.53	0.10	1.96	0.55	18.35	6.3	17.5	0.49
S152		0.08	0.0044	0.688	2.99	3.08	<10	245	1.54	0.17	1.48	0.68	31.3	11.3	37.0	1.07
S153		0.08	0.0057	0.127	0.70	1.59	10	127.5	0.18	0.05	2.18	0.21	4.48	3.4	7.8	0.43
S154		0.04	0.0031	0.104	0.47	1.16	<10	51.5	0.09	0.07	0.63	0.23	1.92	2.9	4.8	0.31
S155		0.08	0.0025	0.053	0.67	2.08	<10	319	0.11	0.09	1.04	0.31	3.72	9.2	5.9	1.29
S155C		0.02	0.0028	0.807	1.49	9.37	30	214	0.80	1.05	0.56	0.81	95.7	15.3	26.3	1.27
S156		0.06	0.0031	0.363	1.19	0.88	10	177.0	0.42	0.06	1.60	0.26	28.9	4.1	12.6	0.42
S157		0.08	0.0024	0.121	0.33	0.62	<10	114.5	0.08	0.04	0.82	0.13	4.02	2.5	7.8	0.26
S158		0.06	0.0015	0.178	0.20	0.90	10	93.4	0.07	0.06	1.78	0.66	1.89	2.5	6.5	0.36
S159		0.06	0.0045	0.251	0.10	0.32	10	126.5	<0.05	0.05	1.60	0.24	1.06	0.9	2.1	0.25
S159D		0.10	0.0039	0.389	1.49	1.34	10	133.0	0.51	0.07	3.33	0.73	28.0	4.3	17.7	0.46
S160		0.08	0.0023	0.147	0.63	0.93	<10	129.5	0.16	0.07	0.87	0.19	10.15	3.7	10.9	0.58
S161		0.10	0.0036	0.615	0.13	1.04	10	38.4	0.07	0.02	3.46	0.34	0.84	1.2	1.5	0.10
S162		0.06	0.0025	0.733	0.68	1.33	<10	115.5	0.23	0.07	1.38	0.33	8.77	8.0	8.7	0.66
S163		0.06	0.0030	0.204	0.45	3.64	10	214	0.12	0.07	1.75	0.59	2.47	6.9	4.9	0.78

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm 0.01	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.005	In ppm 0.005	K % 0.01	La ppm 0.2	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.01	Na % 0.01	Nb ppm 0.05
S146		32.3	1.15	3.45	0.06	<0.02	0.079	0.018	0.09	17.4	3.8	0.21	1400	1.34	0.01	0.30
S147		9.42	0.71	1.37	<0.05	<0.02	0.215	0.012	0.09	1.4	0.9	0.07	858	2.16	0.01	0.28
S148		16.70	1.01	2.09	<0.05	<0.02	0.150	0.017	0.09	2.8	2.1	0.13	2440	2.91	0.01	0.27
S149		238	1.18	2.77	0.07	0.03	0.084	0.021	0.26	13.6	7.5	0.33	1280	1.55	0.02	0.48
S150		13.00	0.80	1.42	<0.05	<0.02	0.188	0.014	0.04	2.0	1.7	0.10	190	1.17	0.01	0.22
S151		312	1.89	4.42	0.07	0.05	0.136	0.039	0.07	13.5	8.0	0.40	687	1.39	0.03	0.96
S152		937	2.80	8.47	0.10	0.04	0.085	0.035	0.10	39.9	11.8	0.49	893	1.31	0.02	1.12
S153		139.0	0.96	1.88	<0.05	0.03	0.156	0.009	0.08	3.5	3.8	0.26	272	1.42	0.02	0.40
S154		37.1	0.86	1.59	<0.05	<0.02	0.215	0.010	0.10	1.0	1.9	0.15	412	1.48	0.02	0.31
S155		14.65	1.36	2.58	<0.05	<0.02	0.200	0.015	0.11	1.7	2.5	0.32	4490	1.84	0.01	0.22
S155C		34.1	3.13	5.38	0.13	0.09	0.137	0.062	0.19	56.9	15.6	0.56	1640	1.22	0.05	1.72
S156		63.3	1.09	2.98	0.08	<0.02	0.169	0.014	0.12	19.1	3.7	0.30	845	2.01	0.02	0.51
S157		12.05	0.75	1.25	<0.05	<0.02	0.104	0.008	0.06	2.2	1.8	0.14	311	1.62	0.01	0.40
S158		27.2	0.90	0.97	<0.05	<0.02	0.201	0.010	0.08	1.1	0.9	0.11	429	2.56	0.02	0.23
S159		8.88	0.14	0.34	<0.05	<0.02	0.252	0.007	0.08	0.6	0.4	0.11	388	1.86	0.03	0.13
S159D		88.3	1.43	3.95	0.10	0.02	0.177	0.020	0.13	23.2	4.6	0.37	500	1.06	0.02	0.60
S160		32.1	0.97	2.23	0.05	<0.02	0.096	0.011	0.07	6.5	2.7	0.16	1060	1.49	0.01	0.40
S161		142.0	0.33	0.30	<0.05	0.02	0.173	0.005	0.05	0.4	1.0	0.25	120	4.90	0.02	0.11
S162		118.5	0.89	1.98	<0.05	<0.02	0.154	0.014	0.14	8.0	3.8	0.31	2470	9.92	0.01	0.28
S163		25.6	0.72	1.39	<0.05	<0.02	0.219	0.011	0.10	1.2	3.6	0.19	3310	1.79	0.02	0.24

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.1	0.2	0.01	0.01	0.1	0.001
S146		8.8	0.085	10.30	8.9	<0.001	0.04	0.166	0.6	0.5	0.3	89.5	<0.01	0.01	<0.1	0.030
S147		5.0	0.086	12.35	4.1	<0.001	0.08	0.280	0.1	0.3	0.3	64.0	<0.01	0.01	<0.1	0.019
S148		7.7	0.091	16.35	9.6	<0.001	0.08	0.204	0.2	0.2	0.4	120.5	<0.01	0.01	<0.1	0.021
S149		16.9	0.383	7.80	11.9	<0.001	0.10	0.232	1.5	0.8	0.3	309	<0.01	0.01	0.1	0.036
S150		3.3	0.085	10.20	3.3	<0.001	0.08	0.204	0.2	0.3	0.3	21.4	<0.01	0.01	<0.1	0.018
S151		15.3	0.088	5.03	7.1	0.002	0.08	0.514	3.8	0.8	0.4	154.5	<0.01	0.07	0.4	0.043
S152		29.3	0.111	9.64	12.5	0.001	0.04	0.250	5.2	1.3	0.6	93.9	<0.01	0.03	0.4	0.072
S153		5.6	0.101	3.90	7.5	0.001	0.12	0.149	1.2	0.4	0.2	142.0	<0.01	0.01	0.1	0.029
S154		4.1	0.088	10.85	6.4	<0.001	0.10	0.205	0.5	0.3	0.3	28.5	<0.01	0.02	<0.1	0.031
S155		5.8	0.089	11.70	25.7	0.001	0.06	0.239	0.3	0.3	0.3	43.1	<0.01	0.02	<0.1	0.032
S155C		23.2	0.118	35.4	18.4	0.001	0.14	0.596	5.3	1.6	1.4	28.6	<0.01	0.04	6.1	0.074
S156		16.0	0.109	6.77	5.2	0.001	0.12	0.293	1.2	0.7	0.3	147.0	<0.01	0.01	0.1	0.029
S157		5.9	0.068	6.77	3.1	<0.001	0.08	0.118	0.4	0.2	0.2	64.6	<0.01	<0.01	<0.1	0.030
S158		6.1	0.064	6.84	4.6	<0.001	0.11	0.161	0.5	0.5	0.2	98.1	<0.01	0.02	0.1	0.021
S159		2.5	0.077	9.82	2.2	<0.001	0.13	0.191	0.2	0.3	0.2	93.5	<0.01	0.01	<0.1	0.007
S159D		19.9	0.125	5.83	7.0	0.001	0.12	0.427	1.5	0.9	0.3	185.0	<0.01	0.02	0.1	0.028
S160		8.0	0.066	7.25	7.9	<0.001	0.06	0.150	0.7	0.3	0.2	70.1	<0.01	0.01	<0.1	0.038
S161		5.5	0.092	2.00	1.3	0.015	0.24	0.246	0.3	0.8	<0.2	143.0	<0.01	<0.01	<0.1	0.004
S162		12.4	0.121	17.15	10.8	<0.001	0.12	0.242	0.8	0.6	0.3	98.9	<0.01	0.01	<0.1	0.024
S163		4.3	0.113	15.75	7.8	<0.001	0.12	0.287	0.6	0.4	0.2	90.4	<0.01	0.01	<0.1	0.021

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
S146		0.03	0.31	30	0.11	12.10	52.7	<0.5
S147		0.02	0.07	21	0.08	0.72	32.5	<0.5
S148		0.04	0.14	27	0.13	1.22	67.6	<0.5
S149		0.02	0.74	32	0.09	16.15	81.4	0.8
S150		0.02	0.54	23	0.10	0.77	31.9	<0.5
S151		0.06	1.33	44	2.19	16.70	41.6	1.6
S152		0.05	1.95	58	0.28	34.1	70.7	0.9
S153		0.03	0.52	25	0.30	4.20	41.3	0.8
S154		0.02	0.07	25	0.09	0.68	52.0	<0.5
S155		0.12	0.10	34	0.29	1.21	57.9	<0.5
S155C		0.25	6.39	41	0.40	28.5	184.5	2.9
S156		0.05	1.15	23	0.12	13.70	24.4	0.5
S157		0.02	0.12	25	0.09	1.09	37.0	<0.5
S158		<0.02	0.07	29	0.10	0.81	22.2	<0.5
S159		0.02	<0.05	3	0.17	0.31	26.2	<0.5
S159D		0.08	0.77	32	0.13	20.2	19.4	0.9
S160		0.03	0.18	29	0.12	5.82	50.3	<0.5
S161		0.05	0.07	16	0.03	1.10	9.5	0.9
S162		0.05	0.19	25	0.20	9.58	18.5	<0.5
S163		0.04	0.07	18	0.15	0.97	114.5	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-NOV-2012
Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12260948

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41L	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: 1
 Finalized Date: 4-DEC-2012
 Account: GRWRES

CERTIFICATE VA12275410

Project: Lac La Hache
 P.O. No.:
 This report is for 112 Soil samples submitted to our lab in Vancouver, BC, Canada on 22-NOV-2012.
 The following have access to data associated with this certificate:
 ROB SHIVES


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: **GWR RESOURCES**
ATTN: ROB SHIVES
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
C299C		0.02	0.0021	0.267	1.39	15.40	10	144.0	0.41	0.50	0.94	2.27	44.8	9.4	20.0	1.14
AH-C-300		0.08	0.0015	0.136	0.96	1.31	<10	119.0	0.23	0.05	0.92	0.12	16.60	5.4	33.8	0.89
AH-C-301		0.04	0.0063	0.128	0.56	0.82	<10	114.0	0.10	0.05	0.33	0.19	7.55	3.0	17.8	0.33
AH-C-302		0.04	0.0047	0.161	0.50	0.74	<10	216	0.10	0.06	0.88	0.31	7.88	3.6	14.6	0.39
AH-C-303		0.04	0.0007	0.122	0.69	1.01	10	712	0.14	0.12	1.88	0.78	6.74	4.8	12.7	1.10
AH-C-304		0.06	0.0015	0.157	0.85	0.93	<10	326	0.18	0.08	1.00	0.32	7.47	5.4	17.0	0.61
AH-C-305		0.04	0.0030	0.099	0.71	1.62	<10	259	0.18	0.07	0.87	0.38	13.95	6.6	27.5	0.46
AH-C-306		0.04	0.0021	0.210	0.58	0.95	10	391	0.09	0.05	2.08	0.23	5.28	3.1	11.5	0.34
AH-C-307		0.06	0.0011	0.083	0.91	2.78	10	159.0	0.20	0.05	1.91	0.11	11.60	6.1	25.8	0.42
AH-C-308		0.04	0.0010	0.145	1.03	1.08	<10	164.0	0.22	0.07	0.62	0.24	13.10	5.8	26.1	0.52
AH-C-309		0.08	0.0062	0.094	1.36	1.30	<10	166.5	0.36	0.08	0.48	0.08	29.0	6.4	28.4	0.87
AH-C-310		0.06	0.0024	0.154	0.87	1.50	<10	198.5	0.19	0.05	1.11	0.36	13.35	6.9	26.2	0.53
AH-C-311		0.06	0.0007	0.155	1.69	1.59	<10	189.5	0.42	0.07	0.60	0.13	34.8	10.7	29.7	0.91
AH-C-312		0.06	0.0128	0.307	2.23	2.02	<10	242	0.65	0.05	1.23	0.42	40.9	15.6	35.9	0.69
AH-C-313		0.04	0.0087	0.110	0.55	0.91	<10	127.5	0.09	0.05	0.64	0.12	7.24	4.1	16.2	0.48
AH-C-314		0.04	0.0014	0.359	0.98	0.96	10	359	0.20	0.07	1.89	0.50	27.1	6.3	15.0	0.48
AH-C-315		0.06	0.0006	0.101	0.68	0.87	<10	229	0.13	0.07	0.83	0.25	6.73	4.9	18.0	0.38
AH-C-316		0.04	0.0083	0.236	0.80	1.05	<10	141.0	0.18	0.05	0.68	0.22	12.75	4.0	14.5	0.40
AH-C-317		0.06	0.0017	0.114	0.72	0.79	<10	140.5	0.18	0.05	0.99	0.21	11.10	5.3	15.6	0.34
AH-C-318		0.06	0.0027	0.768	2.23	3.04	<10	150.0	0.62	0.05	1.60	0.34	34.5	16.2	30.5	0.55
AH-C-319		0.04	0.0014	0.154	1.56	1.25	<10	289	0.37	0.07	1.24	0.29	37.6	5.7	20.9	0.45
C319C		0.02	0.0015	0.284	1.38	15.65	10	136.5	0.39	0.49	0.96	2.27	44.2	9.7	20.7	1.13
AH-C-320		0.06	0.0010	0.172	1.46	1.55	<10	303	0.33	0.08	0.94	0.25	24.9	17.9	25.7	0.43
AH-C-321		0.04	0.0029	0.231	0.35	0.52	<10	192.0	0.08	0.05	0.64	0.32	5.84	3.0	10.0	0.21
AH-C-322		0.06	0.0033	0.619	3.88	2.24	<10	375	0.89	0.09	1.05	0.45	63.5	16.6	49.3	1.09
AH-C-323		0.04	0.0013	0.219	0.81	1.10	<10	241	0.18	0.05	1.32	0.70	12.20	5.8	18.9	0.50
AH-C-324		0.06	0.0024	0.322	0.95	1.23	<10	265	0.27	0.06	1.24	0.34	16.60	5.9	19.5	0.51
AH-C-325		0.04	0.0021	0.139	0.62	0.61	<10	202	0.11	0.05	1.16	0.47	7.40	6.2	12.2	0.28
AH-C-326		0.06	0.0020	0.296	0.55	0.66	10	417	0.10	0.06	2.03	0.76	6.42	4.5	12.2	0.34
AH-C-326 dup		0.04	0.0008	0.186	0.58	0.73	<10	162.5	0.15	0.05	0.77	0.28	9.99	4.2	14.9	0.30
AH-C-327		0.04	0.0024	0.173	0.34	0.45	<10	128.0	0.06	0.06	0.59	0.25	2.91	2.3	9.2	0.20
AH-C-328		0.06	0.0012	0.082	0.42	0.74	<10	137.0	0.09	0.07	0.53	0.25	4.36	3.6	14.2	0.28
AH-C-329		0.04	0.0042	0.187	0.35	0.75	<10	148.5	0.07	0.06	0.63	0.24	3.70	3.1	9.9	0.22
AH-C-330		0.08	0.0025	0.524	3.08	2.55	<10	336	0.81	0.08	1.18	0.53	53.9	22.0	38.9	1.13
AH-C-331		0.04	0.0017	0.228	0.71	0.74	<10	145.5	0.23	0.07	1.14	0.27	6.18	4.1	10.9	0.36
AH-C-332		0.04	0.0074	0.180	1.14	1.17	<10	194.5	0.28	0.05	0.96	0.26	22.5	4.3	15.9	0.40
AH-C-333		0.04	0.0057	0.071	0.36	0.98	<10	158.5	0.07	0.04	0.73	0.15	4.07	2.7	7.0	0.15
AH-C-334		0.06	0.0019	0.270	1.54	4.01	<10	316	0.43	0.06	1.40	0.45	12.00	14.1	30.0	0.69
AH-C-335		0.06	0.0006	0.081	0.45	0.72	<10	132.0	0.11	0.05	0.61	0.07	5.72	3.2	14.6	0.30
AH-C-336		0.04	0.0014	0.322	0.29	1.19	<10	210	0.05	0.05	1.06	0.24	2.13	2.0	5.4	0.24

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
C299C		32.4	2.54	4.58	0.09	0.02	0.186	0.059	0.11	24.3	9.5	0.36	419	1.91	0.03	1.26
AH-C-300		23.5	1.29	2.96	0.05	0.05	0.034	0.014	0.12	8.2	4.4	0.36	159	0.46	0.03	0.89
AH-C-301		7.78	0.96	2.11	<0.05	<0.02	0.075	0.008	0.06	3.6	1.6	0.11	226	1.31	0.02	0.52
AH-C-302		10.65	0.85	1.84	<0.05	<0.02	0.113	0.010	0.09	3.9	2.5	0.17	1170	2.76	0.02	0.65
AH-C-303		18.85	1.08	2.34	<0.05	0.02	0.240	0.018	0.17	2.5	1.5	0.18	5820	2.60	0.02	0.50
AH-C-304		12.40	1.23	3.09	<0.05	<0.02	0.122	0.012	0.10	3.5	2.9	0.18	1700	2.32	0.02	0.59
AH-C-305		17.65	1.45	2.61	<0.05	0.02	0.089	0.013	0.11	6.7	2.4	0.20	1970	2.41	0.03	0.68
AH-C-306		11.45	0.81	1.83	<0.05	0.02	0.154	0.009	0.21	2.5	1.7	0.19	2650	1.38	0.02	0.48
AH-C-307		19.10	1.88	3.07	<0.05	0.04	0.110	0.011	0.10	5.1	4.7	0.36	863	1.50	0.03	0.85
AH-C-308		16.30	1.40	3.42	<0.05	0.02	0.068	0.014	0.10	6.5	3.3	0.21	820	1.84	0.02	0.76
AH-C-309		27.3	1.68	4.34	<0.05	0.02	0.035	0.015	0.06	15.4	5.7	0.30	677	0.69	0.02	0.75
AH-C-310		19.65	1.56	2.93	<0.05	0.02	0.059	0.011	0.15	6.3	3.8	0.26	831	1.73	0.02	0.76
AH-C-311		37.3	1.80	5.20	<0.05	0.02	0.069	0.017	0.07	16.5	6.4	0.34	528	0.68	0.02	0.96
AH-C-312		67.9	2.23	6.07	0.11	0.07	0.126	0.020	0.19	39.5	5.5	0.47	1100	2.49	0.03	2.96
AH-C-313		12.85	0.90	1.85	<0.05	0.02	0.174	0.010	0.10	3.5	1.4	0.16	675	2.21	0.02	1.13
AH-C-314		22.2	0.94	2.82	0.05	0.03	0.200	0.014	0.11	11.6	2.6	0.29	2030	2.83	0.02	0.64
AH-C-315		11.85	1.11	2.50	<0.05	<0.02	0.100	0.011	0.10	3.3	2.2	0.17	1180	2.62	0.02	0.65
AH-C-316		20.3	0.96	2.32	<0.05	<0.02	0.168	0.008	0.08	10.5	2.7	0.20	634	1.21	0.02	0.65
AH-C-317		18.15	0.81	2.55	<0.05	0.02	0.127	0.008	0.10	7.5	2.4	0.21	547	1.23	0.02	0.90
AH-C-318		92.5	2.28	5.74	0.06	0.05	0.165	0.019	0.17	15.8	6.7	0.56	1920	1.32	0.03	3.10
AH-C-319		26.0	1.36	4.14	0.06	0.02	0.142	0.015	0.12	29.5	3.5	0.32	2100	2.21	0.02	1.37
C319C		33.3	2.52	4.75	0.09	0.02	0.192	0.057	0.12	24.1	9.8	0.36	431	1.99	0.03	1.34
AH-C-320		23.0	2.03	4.44	<0.05	<0.02	0.149	0.015	0.12	11.3	3.1	0.24	1720	2.42	0.02	0.58
AH-C-321		10.30	0.57	1.31	<0.05	<0.02	0.097	0.009	0.07	3.3	0.7	0.10	578	2.20	0.02	0.35
AH-C-322		77.1	2.97	10.25	0.08	0.04	0.090	0.035	0.21	29.5	7.9	0.49	1570	1.44	0.02	0.88
AH-C-323		21.8	1.20	2.51	<0.05	<0.02	0.120	0.010	0.17	5.9	2.9	0.26	1740	2.13	0.02	0.62
AH-C-324		27.5	1.33	2.75	<0.05	0.02	0.105	0.012	0.13	10.2	2.9	0.25	705	1.79	0.02	0.63
AH-C-325		12.35	0.86	1.90	<0.05	<0.02	0.130	0.008	0.11	3.2	1.9	0.17	2020	3.26	0.02	0.50
AH-C-326		20.1	0.85	1.64	<0.05	<0.02	0.101	0.008	0.17	2.9	1.6	0.20	3170	1.89	0.02	0.40
AH-C-326 dup		11.35	1.00	2.10	<0.05	<0.02	0.077	0.010	0.10	4.7	2.2	0.16	1080	1.88	0.02	0.49
AH-C-327		8.36	0.51	1.20	<0.05	<0.02	0.162	0.006	0.09	1.5	0.8	0.09	818	2.63	0.02	0.34
AH-C-328		9.84	0.78	1.89	<0.05	<0.02	0.145	0.008	0.08	2.3	1.3	0.11	790	2.49	0.02	0.51
AH-C-329		9.25	0.61	1.36	<0.05	<0.02	0.184	0.007	0.11	2.0	0.9	0.11	1440	2.43	0.02	0.37
AH-C-330		85.0	2.62	8.04	0.07	0.11	0.160	0.029	0.18	26.4	4.8	0.39	2200	1.74	0.02	0.71
AH-C-331		15.00	0.79	2.31	<0.05	<0.02	0.156	0.010	0.09	3.4	2.5	0.18	546	0.89	<0.01	0.55
AH-C-332		38.4	0.80	3.70	0.10	<0.02	0.190	0.014	0.10	14.6	2.0	0.16	141	1.54	<0.01	0.59
AH-C-333		10.55	0.46	1.01	<0.05	<0.02	0.175	0.006	0.06	2.4	0.8	0.13	600	2.20	<0.01	0.25
AH-C-334		32.1	3.41	4.31	0.05	0.03	0.094	0.018	0.14	6.9	4.7	0.34	3110	2.26	0.01	0.56
AH-C-335		10.80	0.87	1.83	<0.05	<0.02	0.144	0.011	0.06	3.1	1.7	0.14	320	1.65	<0.01	0.71
AH-C-336		16.55	0.43	0.91	<0.05	<0.02	0.230	0.007	0.10	1.2	1.3	0.14	1650	1.60	<0.01	0.27

***** See Appendix Page for comments regarding this certificate *****



Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
C299C		33.2	0.140	98.5	11.0	0.004	1.09	1.250	3.2	3.3	3.5	43.0	<0.01	0.13	1.0	0.059
AH-C-300		17.4	0.076	6.47	9.7	<0.001	0.04	0.198	3.2	0.4	0.3	73.0	<0.01	<0.01	0.7	0.078
AH-C-301		8.2	0.058	6.26	3.0	<0.001	0.04	0.181	0.6	0.2	0.2	36.3	<0.01	<0.01	<0.1	0.043
AH-C-302		8.8	0.068	9.67	5.3	<0.001	0.06	0.185	1.1	0.3	0.2	83.7	<0.01	<0.01	0.2	0.047
AH-C-303		10.8	0.105	19.30	6.5	0.001	0.09	0.203	1.1	0.3	0.4	185.5	<0.01	0.01	0.2	0.050
AH-C-304		11.0	0.068	10.75	7.1	<0.001	0.05	0.165	0.8	0.3	0.3	114.5	<0.01	<0.01	0.1	0.055
AH-C-305		14.2	0.077	9.14	4.7	<0.001	0.04	0.201	1.8	0.3	0.3	110.0	<0.01	<0.01	0.3	0.068
AH-C-306		9.0	0.113	7.67	5.1	<0.001	0.09	0.165	0.7	0.2	0.2	176.5	<0.01	<0.01	<0.1	0.036
AH-C-307		15.4	0.100	5.34	5.4	<0.001	0.07	0.181	2.0	0.2	0.3	137.5	<0.01	0.01	0.4	0.067
AH-C-308		15.7	0.093	5.81	6.9	<0.001	0.03	0.157	2.0	0.2	0.3	78.9	<0.01	<0.01	0.3	0.073
AH-C-309		18.0	0.064	5.14	8.7	<0.001	0.01	0.168	2.9	0.3	0.3	57.0	<0.01	<0.01	0.4	0.088
AH-C-310		15.6	0.095	5.19	7.9	<0.001	0.05	0.172	1.7	0.2	0.3	120.0	<0.01	<0.01	0.4	0.068
AH-C-311		19.6	0.095	6.09	9.6	<0.001	0.03	0.180	3.1	0.4	0.4	77.9	<0.01	0.01	0.4	0.080
AH-C-312		49.4	0.160	5.42	9.3	<0.001	0.11	0.276	4.3	1.0	0.4	171.5	<0.01	0.01	0.2	0.095
AH-C-313		12.7	0.077	8.04	5.1	<0.001	0.06	0.229	1.1	0.3	0.3	65.8	<0.01	<0.01	0.1	0.058
AH-C-314		19.3	0.115	10.10	5.7	<0.001	0.11	0.286	1.6	0.4	0.3	203	<0.01	0.01	0.1	0.035
AH-C-315		11.0	0.059	8.55	4.3	<0.001	0.04	0.208	1.0	0.1	0.3	82.9	<0.01	<0.01	0.1	0.059
AH-C-316		11.3	0.069	7.00	4.7	<0.001	0.07	0.224	1.5	0.4	0.2	72.1	<0.01	<0.01	0.1	0.045
AH-C-317		14.2	0.076	6.26	6.0	<0.001	0.07	0.203	1.3	0.4	0.2	118.5	<0.01	<0.01	0.1	0.053
AH-C-318		61.6	0.149	4.20	9.4	<0.001	0.15	0.416	3.3	0.7	0.4	172.5	<0.01	0.01	0.2	0.083
AH-C-319		29.6	0.104	9.13	5.9	<0.001	0.08	0.306	2.3	0.9	0.3	183.5	<0.01	0.01	0.1	0.051
C319C		33.9	0.137	96.8	11.2	0.004	1.08	1.315	3.3	3.2	3.5	44.6	<0.01	0.15	1.0	0.059
AH-C-320		20.5	0.156	9.05	6.3	<0.001	0.06	0.251	1.4	0.6	0.3	122.5	<0.01	0.01	0.1	0.042
AH-C-321		7.0	0.051	7.41	1.7	<0.001	0.05	0.214	0.8	<0.1	0.2	94.5	<0.01	<0.01	0.1	0.030
AH-C-322		46.2	0.152	5.95	20.6	<0.001	0.05	0.308	6.5	0.9	0.6	150.5	<0.01	0.01	0.4	0.055
AH-C-323		15.2	0.108	6.52	5.9	<0.001	0.07	0.213	1.3	0.2	0.2	142.5	<0.01	0.01	0.1	0.048
AH-C-324		15.6	0.094	5.70	5.4	<0.001	0.07	0.211	1.5	0.4	0.2	169.0	<0.01	<0.01	0.1	0.046
AH-C-325		10.8	0.078	6.37	4.5	<0.001	0.07	0.192	0.9	0.3	0.2	132.5	<0.01	<0.01	0.1	0.036
AH-C-326		11.7	0.160	9.30	3.9	<0.001	0.07	0.202	0.9	0.1	0.2	170.0	<0.01	0.01	0.1	0.036
AH-C-326 dup		8.6	0.061	5.60	3.6	<0.001	0.04	0.206	1.0	0.3	0.2	78.1	<0.01	<0.01	0.1	0.046
AH-C-327		5.9	0.082	8.82	2.2	<0.001	0.08	0.273	0.5	0.1	0.2	71.1	<0.01	<0.01	<0.1	0.025
AH-C-328		7.6	0.058	9.88	3.3	<0.001	0.05	0.259	0.7	0.2	0.2	49.5	<0.01	<0.01	<0.1	0.047
AH-C-329		6.3	0.085	9.61	3.0	<0.001	0.09	0.252	0.6	0.3	0.2	66.3	<0.01	<0.01	<0.1	0.029
AH-C-330		51.7	0.223	7.39	17.8	<0.001	0.12	0.265	5.4	1.2	0.4	153.0	<0.01	0.01	0.5	0.032
AH-C-331		12.1	0.088	8.40	4.7	<0.001	0.09	0.155	0.9	0.3	0.3	116.5	<0.01	0.01	0.1	0.036
AH-C-332		28.8	0.126	5.56	6.2	<0.001	0.11	0.218	1.2	0.8	0.2	133.0	<0.01	0.01	<0.1	0.020
AH-C-333		14.0	0.081	6.16	2.1	<0.001	0.09	0.161	0.6	0.4	<0.2	109.5	<0.01	0.01	<0.1	0.015
AH-C-334		31.6	0.181	4.67	9.7	<0.001	0.07	0.180	3.1	0.5	0.3	142.0	<0.01	0.01	0.3	0.047
AH-C-335		11.2	0.051	7.17	3.3	<0.001	0.06	0.168	1.1	0.2	0.2	79.1	<0.01	0.01	0.1	0.052
AH-C-336		7.1	0.094	10.35	3.2	<0.001	0.12	0.195	0.5	0.4	0.2	85.5	<0.01	<0.01	0.1	0.019

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ti	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
C299C		0.39	33.6	33	0.26	19.05	195.0	0.7
AH-C-300		0.04	0.71	42	0.07	4.52	45.8	1.8
AH-C-301		0.02	0.17	27	0.08	1.45	34.8	<0.5
AH-C-302		0.03	0.15	25	0.07	2.01	96.8	<0.5
AH-C-303		0.06	0.15	20	0.25	1.14	188.5	0.9
AH-C-304		0.03	0.19	32	0.07	1.55	103.0	<0.5
AH-C-305		0.03	0.31	43	0.07	3.35	94.9	0.9
AH-C-306		0.03	0.14	22	0.05	1.29	166.5	<0.5
AH-C-307		0.03	0.42	49	0.08	3.47	35.5	1.5
AH-C-308		0.04	0.31	39	0.07	3.43	76.7	0.9
AH-C-309		0.05	0.43	51	0.09	10.15	51.9	1.0
AH-C-310		0.04	0.44	46	0.08	3.73	118.0	0.7
AH-C-311		0.07	0.57	59	0.08	9.64	47.2	0.9
AH-C-312		0.11	0.65	48	0.14	29.6	82.9	3.3
AH-C-313		0.03	0.15	23	0.09	2.09	60.3	0.8
AH-C-314		0.04	0.22	22	0.09	7.13	116.5	0.9
AH-C-315		0.02	0.14	33	0.13	1.92	71.0	<0.5
AH-C-316		0.03	0.20	26	0.09	8.11	53.2	<0.5
AH-C-317		0.03	0.20	22	0.18	5.65	53.4	0.8
AH-C-318		0.08	0.54	61	0.23	19.70	122.5	2.7
AH-C-319		0.04	0.34	28	0.14	21.9	71.7	0.9
C319C		0.39	33.3	34	0.24	19.60	197.0	0.7
AH-C-320		0.04	0.33	51	0.09	7.22	57.7	<0.5
AH-C-321		<0.02	0.11	16	0.05	1.93	53.8	<0.5
AH-C-322		0.10	0.82	65	0.09	25.0	127.0	1.3
AH-C-323		0.04	0.21	35	0.08	3.59	152.0	<0.5
AH-C-324		0.04	0.37	34	0.08	7.27	65.5	0.7
AH-C-325		0.03	0.13	22	0.09	1.92	80.6	<0.5
AH-C-326		0.02	0.12	24	0.22	1.66	206	<0.5
AH-C-326 dup		0.03	0.17	30	0.08	2.78	54.4	<0.5
AH-C-327		0.02	0.08	16	0.07	0.75	57.4	<0.5
AH-C-328		0.02	0.11	24	0.08	1.02	59.2	<0.5
AH-C-329		0.03	0.09	17	0.07	0.95	59.8	<0.5
AH-C-330		0.13	0.98	57	0.08	24.2	116.5	3.0
AH-C-331		0.02	0.12	19	0.06	2.62	91.7	0.5
AH-C-332		0.04	0.32	18	0.05	12.30	27.3	<0.5
AH-C-333		0.02	0.09	11	0.05	2.01	30.0	0.5
AH-C-334		0.05	0.30	40	0.07	6.23	186.0	1.2
AH-C-335		0.02	0.12	25	0.08	2.14	37.3	0.6
AH-C-336		0.03	0.06	11	0.08	0.74	75.4	<0.5

***** See Appendix Page for comments regarding this certificate *****



Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	
AH-C-337		0.06	0.0026	0.248	0.91	1.27	<10	157.0	0.34	0.07	0.64	0.18	21.2	7.1	15.9	0.48
AH-C-338		0.04	0.0014	0.171	0.47	0.75	<10	242	0.13	0.07	0.73	0.28	9.77	4.6	9.9	0.36
AH-C-339		0.06	0.0029	0.541	2.48	2.08	<10	338	0.64	0.09	1.02	0.40	50.0	12.1	29.2	0.68
AH-C-340		0.06	0.0030	0.207	0.46	0.95	<10	266	0.12	0.05	1.14	0.26	9.16	3.5	10.1	0.35
C340C		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-341		0.04	0.0009	0.207	0.32	0.60	10	344	0.07	0.06	1.26	0.35	4.29	3.0	9.5	0.40
AH-C-342		0.04	0.0016	0.132	0.37	0.71	<10	149.5	0.07	0.07	0.56	0.16	2.78	3.3	11.5	0.25
AH-C-343		0.06	0.0024	0.168	0.52	1.05	<10	209	0.13	0.07	1.28	0.35	6.93	3.6	10.8	0.29
AH-C-344		0.04	0.0016	0.206	0.40	0.69	<10	67.1	0.09	0.07	1.24	0.34	2.66	3.5	10.6	0.18
AH-C-345		0.06	0.0046	0.040	1.08	0.85	<10	296	0.24	0.06	1.06	0.19	9.07	8.5	22.6	0.40
AH-C-346		0.06	0.0008	0.056	0.53	0.97	10	553	0.11	0.08	2.11	0.32	3.99	5.2	10.6	0.26
AH-C-347		0.04	0.0019	0.216	0.63	1.00	<10	323	0.15	0.05	1.16	0.37	5.30	5.4	13.9	0.22
AH-C-348		0.06	0.0035	0.188	0.41	1.41	<10	250	0.11	0.05	0.88	0.20	3.69	3.2	9.5	0.38
AH-C-348 dup		0.06	0.0103	0.264	0.37	0.98	10	234	0.12	0.05	1.44	0.40	3.42	3.8	9.3	0.29
AH-C-349		0.04	0.0010	0.233	0.34	0.98	<10	187.5	0.08	0.06	0.86	0.27	3.57	2.9	9.3	0.26
AH-C-350		0.04	0.0030	0.209	0.28	0.57	<10	103.5	0.06	0.06	0.62	0.30	2.67	2.4	7.7	0.21
AH-C-351		0.06	0.0009	0.088	0.93	0.92	10	69.9	0.19	0.03	1.65	0.16	6.37	11.8	16.8	0.25
AH-C-352		0.08	0.0031	0.457	1.84	2.42	<10	232	0.83	0.08	1.36	0.34	45.5	19.8	28.4	0.59
AH-C-353		0.06	0.0010	0.276	0.73	1.31	<10	92.8	0.25	0.05	1.34	0.13	11.60	5.3	15.2	0.29
AH-C-354		0.04	0.0008	0.073	0.35	0.81	<10	79.1	0.06	0.05	0.67	0.16	3.18	2.4	9.3	0.27
AH-C-355		0.06	0.0085	0.125	0.64	1.32	<10	187.5	0.17	0.06	1.06	0.13	9.58	5.4	13.5	0.35
AH-C-356		0.06	0.0008	0.068	0.71	3.52	10	209	0.19	0.06	1.07	0.32	12.50	6.2	17.6	0.48
AH-C-357		0.06	0.0005	0.157	0.73	2.37	<10	141.5	0.22	0.05	0.78	0.26	13.30	7.0	21.2	0.40
C357C		0.02	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-358		0.10	0.0004	0.103	0.74	2.07	10	156.5	0.27	0.05	1.31	0.31	14.20	6.9	18.9	0.55
AH-C-359		0.04	0.0007	0.127	0.43	1.56	<10	396	0.09	0.06	1.24	0.46	4.63	3.6	8.2	0.26
AH-C-360		0.04	0.0008	0.264	0.31	1.33	<10	726	0.06	0.09	1.68	0.48	4.10	4.1	5.9	0.49
AH-C-361		0.04	0.0015	0.176	0.34	0.79	<10	286	0.07	0.07	1.38	0.46	3.83	3.3	6.0	0.20
AH-C-362		0.04	0.0012	0.085	0.44	1.40	10	493	0.13	0.09	1.81	0.60	7.42	3.9	8.7	0.29
AH-C-363		0.04	0.0013	0.121	0.25	1.61	10	517	0.06	0.05	2.91	0.40	2.23	1.9	4.4	0.23
AH-C-364		0.04	0.0010	0.376	0.23	0.45	10	215	0.05	0.05	1.80	0.42	2.63	3.8	6.0	0.26
AH-C-365		0.04	0.0110	0.255	0.21	1.26	10	263	<0.05	0.04	1.60	0.22	1.99	1.5	4.5	0.34
AH-C-366		0.04	0.0147	0.175	0.36	1.41	<10	39.7	<0.05	0.06	0.50	0.12	1.84	2.2	7.6	0.17
AH-C-367		0.04	0.0078	0.779	0.30	0.72	10	209	0.05	0.07	1.97	0.71	1.90	4.4	5.4	0.48
AH-C-368		0.06	0.0098	0.253	0.22	0.70	10	264	0.05	0.04	3.10	0.48	1.56	7.1	4.9	0.48
AH-C-368 dup		0.06	0.0049	0.270	0.26	0.71	10	218	0.05	0.03	2.21	0.35	2.41	4.1	6.1	0.45
AH-C-369		0.06	0.0097	0.491	1.64	1.42	<10	214	0.41	0.07	1.33	0.19	38.3	7.3	21.2	0.64
AH-C-370		0.06	0.0024	0.301	0.43	0.80	<10	131.5	0.07	0.06	1.01	0.49	3.32	3.5	8.0	0.46
AH-C-371		0.06	0.0047	0.255	0.32	0.74	10	239	0.05	0.04	1.82	0.58	2.11	3.0	5.8	0.44
AH-C-372		0.04	0.0024	0.439	0.74	1.48	10	235	0.19	0.06	3.03	0.85	6.31	4.1	8.7	0.41

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
AH-C-337		24.2	1.13	3.09	0.06	<0.02	0.133	0.013	0.11	10.3	3.1	0.23	848	1.83	<0.01	0.57
AH-C-338		12.60	0.63	1.74	<0.05	<0.02	0.162	0.011	0.12	3.7	1.6	0.13	2760	3.17	<0.01	0.35
AH-C-339		54.2	2.27	7.24	0.06	<0.02	0.158	0.027	0.12	21.5	6.0	0.31	1320	2.30	<0.01	0.64
AH-C-340		14.75	0.74	1.56	<0.05	<0.02	0.217	0.009	0.07	4.1	1.8	0.15	1620	1.27	<0.01	0.46
C340C		NSS	NSS	NSS	NSS	NSS	NSS	NSG	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-341		11.25	0.55	1.22	<0.05	<0.02	0.188	0.008	0.09	2.3	1.2	0.14	2450	2.82	<0.01	0.35
AH-C-342		8.71	0.69	1.49	<0.05	<0.02	0.173	0.009	0.10	1.5	1.2	0.11	1320	2.81	0.01	0.40
AH-C-343		15.40	0.90	1.87	<0.05	<0.02	0.178	0.009	0.09	4.8	2.4	0.20	1200	2.04	<0.01	0.54
AH-C-344		10.70	0.67	1.66	<0.05	0.03	0.201	0.010	0.09	1.7	0.9	0.16	506	2.25	<0.01	1.13
AH-C-345		13.75	1.64	3.67	0.05	0.08	0.110	0.015	0.14	3.4	2.9	0.32	1600	4.40	0.01	3.36
AH-C-346		12.95	0.75	1.84	<0.05	0.02	0.275	0.012	0.10	1.8	1.5	0.19	4300	3.63	0.01	1.23
AH-C-347		11.60	0.92	2.04	<0.05	0.04	0.155	0.011	0.13	2.5	1.5	0.22	2000	3.44	0.01	2.14
AH-C-348		9.50	1.01	1.62	<0.05	<0.02	0.126	0.010	0.07	1.8	2.2	0.12	1020	1.35	<0.01	0.60
AH-C-348 dup		15.20	0.92	1.61	<0.05	<0.02	0.133	0.008	0.10	1.9	2.2	0.18	1200	2.45	<0.01	0.48
AH-C-349		11.75	0.83	1.29	<0.05	<0.02	0.147	0.010	0.07	1.7	1.4	0.12	975	3.58	<0.01	0.47
AH-C-350		8.40	0.59	1.22	<0.05	<0.02	0.149	0.007	0.10	1.3	0.9	0.10	818	2.72	0.01	0.32
AH-C-351		17.80	1.95	2.73	<0.05	0.05	0.065	0.010	0.06	2.8	2.9	0.61	448	0.89	0.03	0.76
AH-C-352		92.0	2.55	5.28	0.12	0.10	0.086	0.022	0.09	24.4	7.4	0.59	2390	0.82	0.02	1.17
AH-C-353		48.2	1.19	2.29	0.06	0.05	0.078	0.009	0.08	6.3	4.0	0.23	640	2.00	0.01	1.00
AH-C-354		8.22	0.92	1.43	<0.05	<0.02	0.143	0.007	0.06	1.8	1.5	0.12	1110	2.35	0.01	0.48
AH-C-355		13.25	1.27	2.21	<0.05	<0.02	0.116	0.012	0.09	3.9	3.2	0.20	998	1.44	0.01	0.94
AH-C-356		20.0	1.54	2.56	<0.05	<0.02	0.239	0.017	0.10	5.3	4.0	0.27	1660	1.11	0.02	1.15
AH-C-357		19.00	1.76	2.71	0.05	0.02	0.047	0.011	0.15	6.0	4.4	0.35	1240	1.26	0.02	1.02
C357C		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-358		31.2	1.69	2.70	0.05	0.03	0.052	0.011	0.23	5.6	3.5	0.39	517	1.34	0.01	1.27
AH-C-359		11.65	0.80	1.46	<0.05	<0.02	0.173	0.012	0.09	2.0	1.2	0.13	3390	2.86	0.01	0.34
AH-C-360		14.05	0.54	1.18	<0.05	<0.02	0.232	0.014	0.10	2.0	1.2	0.12	4730	5.65	<0.01	0.32
AH-C-361		11.75	0.56	1.16	<0.05	<0.02	0.211	0.009	0.14	1.8	1.1	0.15	2640	3.41	<0.01	0.32
AH-C-362		15.95	0.93	1.67	<0.05	0.03	0.271	0.015	0.12	3.1	1.2	0.17	2940	2.39	0.01	0.39
AH-C-363		9.18	0.38	0.87	<0.05	<0.02	0.377	0.009	0.09	1.2	0.9	0.14	5220	1.55	<0.01	0.31
AH-C-364		10.85	0.48	0.83	<0.05	0.02	0.105	0.005	0.12	1.3	0.9	0.17	1410	3.58	0.01	0.31
AH-C-365		10.10	0.39	0.68	<0.05	0.02	0.139	0.007	0.07	1.0	0.8	0.15	1460	2.07	0.01	0.25
AH-C-366		13.50	0.76	1.12	<0.05	<0.02	0.192	0.008	0.09	1.0	1.2	0.12	148	1.48	0.01	0.22
AH-C-367		16.70	0.58	0.98	<0.05	<0.02	0.256	0.010	0.09	1.0	1.1	0.13	2790	2.73	0.01	0.15
AH-C-368		15.30	0.50	0.96	<0.05	<0.02	0.141	0.006	0.12	0.9	1.6	0.21	1500	1.15	0.01	0.18
AH-C-368 dup		13.25	0.55	1.12	<0.05	<0.02	0.103	<0.005	0.16	1.3	1.4	0.18	1120	0.94	0.01	0.25
AH-C-369		65.8	1.67	4.52	0.07	<0.02	0.123	0.016	0.13	20.9	5.4	0.36	965	1.05	0.01	0.66
AH-C-370		18.75	0.81	1.51	<0.05	<0.02	0.139	0.005	0.06	1.8	1.7	0.12	1180	1.50	0.01	0.30
AH-C-371		10.20	0.51	1.03	<0.05	<0.02	0.229	0.008	0.08	1.1	1.4	0.13	2770	2.48	0.01	0.22
AH-C-372		89.7	0.88	1.96	<0.05	0.03	0.241	0.014	0.08	4.3	3.9	0.28	1030	1.41	<0.01	0.31

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm	P %	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
AH-C-337		16.7	0.085	8.96	5.0	<0.001	0.06	0.194	1.5	0.5	0.3	74.4	<0.01	0.01	0.1	0.040
AH-C-338		9.2	0.097	12.75	3.8	<0.001	0.07	0.191	0.6	0.3	0.2	76.9	<0.01	<0.01	<0.1	0.026
AH-C-339		29.3	0.136	12.00	8.6	<0.001	0.06	0.229	1.6	0.8	0.5	95.3	<0.01	0.01	<0.1	0.033
AH-C-340		9.6	0.072	7.94	4.9	<0.001	0.09	0.159	0.9	0.3	0.2	96.9	<0.01	<0.01	0.1	0.033
C340C		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-341		8.4	0.072	9.83	3.9	<0.001	0.08	0.168	0.7	0.2	0.2	124.5	<0.01	<0.01	0.1	0.029
AH-C-342		8.4	0.081	12.75	2.7	<0.001	0.08	0.198	0.6	0.2	0.3	52.1	<0.01	0.01	<0.1	0.032
AH-C-343		12.0	0.065	9.87	4.6	<0.001	0.08	0.197	1.0	0.3	0.2	115.0	<0.01	0.01	0.1	0.041
AH-C-344		18.7	0.072	11.05	2.0	<0.001	0.09	0.224	0.8	0.2	0.3	126.0	0.01	0.01	0.1	0.057
AH-C-345		30.4	0.073	9.41	7.4	<0.001	0.05	0.136	1.8	0.1	0.4	130.5	<0.01	0.01	0.3	0.145
AH-C-346		18.2	0.076	13.40	5.2	<0.001	0.09	0.187	0.8	0.3	0.3	229	<0.01	0.01	0.1	0.061
AH-C-347		21.8	0.084	12.10	4.8	<0.001	0.08	0.150	1.0	0.3	0.3	137.5	<0.01	0.01	0.2	0.082
AH-C-348		7.5	0.057	9.84	3.7	<0.001	0.05	0.183	0.8	0.5	0.2	74.0	<0.01	0.01	0.1	0.043
AH-C-348 dup		7.7	0.076	10.80	3.4	<0.001	0.09	0.168	0.7	0.2	0.2	103.5	<0.01	0.01	0.1	0.036
AH-C-349		7.6	0.074	11.00	2.8	<0.001	0.09	0.211	0.7	0.2	0.2	65.5	<0.01	<0.01	0.1	0.034
AH-C-350		6.2	0.077	11.90	2.4	<0.001	0.08	0.175	0.4	0.3	0.3	41.1	<0.01	<0.01	<0.1	0.029
AH-C-351		20.2	0.079	3.50	4.5	<0.001	0.15	0.098	1.3	0.4	0.2	102.5	<0.01	0.01	0.2	0.051
AH-C-352		67.6	0.087	6.29	8.6	<0.001	0.07	0.263	5.1	1.3	0.4	94.2	<0.01	0.02	1.3	0.076
AH-C-353		17.5	0.046	5.14	5.4	<0.001	0.07	0.189	2.2	0.4	0.2	95.5	<0.01	<0.01	0.4	0.056
AH-C-354		6.3	0.067	9.66	3.2	<0.001	0.08	0.190	0.6	0.2	0.2	43.5	<0.01	<0.01	<0.1	0.035
AH-C-355		10.9	0.066	8.51	5.4	<0.001	0.07	0.183	1.3	0.2	0.3	81.1	<0.01	0.01	0.2	0.057
AH-C-356		14.6	0.100	18.20	5.6	<0.001	0.09	0.260	1.5	0.4	0.3	76.9	<0.01	0.01	0.2	0.070
AH-C-357		16.0	0.105	7.00	5.3	<0.001	0.04	0.204	1.9	0.2	0.3	64.1	<0.01	<0.01	0.3	0.082
C357C		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-358		15.7	0.110	5.68	17.2	<0.001	0.10	0.178	1.5	0.2	0.2	105.5	0.01	<0.01	0.2	0.066
AH-C-359		6.5	0.073	12.75	2.5	<0.001	0.08	0.165	1.0	0.3	0.2	121.5	<0.01	0.01	0.1	0.035
AH-C-360		5.9	0.088	17.05	3.5	<0.001	0.09	0.197	0.4	0.4	0.3	149.0	<0.01	0.02	<0.1	0.023
AH-C-361		5.6	0.082	12.70	2.3	<0.001	0.09	0.191	0.6	0.5	0.2	143.0	<0.01	0.01	0.1	0.025
AH-C-362		6.8	0.076	15.05	3.6	<0.001	0.09	0.190	1.1	0.5	0.3	181.5	<0.01	0.01	0.2	0.049
AH-C-363		4.9	0.085	10.30	2.4	<0.001	0.13	0.162	0.4	0.5	0.2	169.0	<0.01	0.01	0.1	0.016
AH-C-364		5.0	0.117	10.45	2.4	<0.001	0.13	0.127	0.4	0.1	0.2	122.5	<0.01	<0.01	0.1	0.021
AH-C-365		3.6	0.095	7.41	2.9	<0.001	0.13	0.151	0.3	<0.1	0.2	142.0	<0.01	<0.01	0.1	0.017
AH-C-366		5.0	0.095	11.15	3.3	<0.001	0.11	0.225	0.5	<0.1	0.2	23.8	<0.01	<0.01	<0.1	0.021
AH-C-367		5.7	0.117	14.30	5.0	<0.001	0.11	0.210	0.3	0.1	0.2	108.5	<0.01	<0.01	<0.1	0.017
AH-C-368		5.8	0.126	7.67	7.0	<0.001	0.17	0.134	0.3	0.2	<0.2	176.0	<0.01	<0.01	<0.1	0.019
AH-C-368 dup		5.6	0.098	5.65	9.9	<0.001	0.11	0.121	0.4	0.1	0.2	140.0	<0.01	<0.01	<0.1	0.025
AH-C-369		23.3	0.106	6.86	10.5	<0.001	0.08	0.230	2.2	0.7	0.3	113.0	<0.01	<0.01	0.1	0.046
AH-C-370		7.6	0.064	7.87	5.8	<0.001	0.06	0.166	0.5	0.1	0.2	57.7	<0.01	<0.01	<0.1	0.031
AH-C-371		6.2	0.080	8.14	7.0	<0.001	0.10	0.182	0.4	0.1	0.2	101.0	<0.01	<0.01	0.1	0.021
AH-C-372		12.3	0.101	7.93	6.4	<0.001	0.13	0.191	1.3	0.7	0.2	155.0	<0.01	0.01	0.2	0.022

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
AH-C-337		0.03	0.24	28	0.12	6.31	52.4	<0.5
AH-C-338		0.05	0.10	16	0.08	2.11	53.4	<0.5
AH-C-339		0.06	0.50	57	0.14	12.45	73.7	<0.5
AH-C-340		0.03	0.11	20	0.07	2.75	73.7	<0.5
C340C		NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-341		0.04	0.09	15	0.07	1.34	110.0	<0.5
AH-C-342		0.03	0.08	20	0.08	0.76	58.4	<0.5
AH-C-343		0.02	0.12	26	0.25	3.81	81.3	0.5
AH-C-344		<0.02	0.07	13	0.29	0.94	97.3	1.2
AH-C-345		0.03	0.14	29	0.13	1.61	94.4	4.3
AH-C-346		0.03	0.07	14	0.13	1.01	158.5	1.0
AH-C-347		0.02	0.10	17	0.11	1.24	98.7	2.3
AH-C-348		0.02	0.09	29	0.09	1.04	88.3	0.5
AH-C-348 dup		0.02	0.12	26	0.08	1.18	86.2	<0.5
AH-C-349		0.02	0.09	23	0.10	0.94	65.1	<0.5
AH-C-350		0.02	0.07	16	0.07	0.65	59.3	<0.5
AH-C-351		0.02	0.85	34	0.06	2.62	43.3	2.3
AH-C-352		0.06	1.68	54	0.09	26.1	40.1	3.3
AH-C-353		0.03	0.71	35	0.09	5.86	16.6	2.0
AH-C-354		0.02	0.10	27	0.11	0.89	36.9	<0.5
AH-C-355		0.03	0.19	35	0.12	2.54	35.6	0.5
AH-C-356		0.03	0.26	41	0.12	3.14	87.3	0.7
AH-C-357		0.03	0.24	48	0.11	3.82	83.8	0.7
C357C		NSS	NSS	NSS	NSS	NSS	NSS	NSS
AH-C-358		0.02	0.29	40	0.11	3.43	34.7	1.1
AH-C-359		0.02	0.10	23	0.07	1.30	87.0	<0.5
AH-C-360		0.04	0.08	12	0.12	1.03	74.6	<0.5
AH-C-361		0.02	0.08	15	0.07	0.96	123.0	<0.5
AH-C-362		0.03	0.13	28	0.06	2.04	133.5	1.0
AH-C-363		0.03	0.05	9	0.06	0.71	181.0	<0.5
AH-C-364		<0.02	0.07	12	0.07	0.67	32.7	<0.5
AH-C-365		<0.02	0.05	9	0.06	0.55	56.8	0.5
AH-C-366		<0.02	0.08	21	0.08	0.61	21.5	<0.5
AH-C-367		0.04	0.06	16	0.13	0.66	92.3	<0.5
AH-C-368		<0.02	<0.05	15	0.07	0.62	36.1	<0.5
AH-C-368 dup		0.03	0.06	17	0.05	0.74	54.0	<0.5
AH-C-369		0.06	0.62	36	0.15	15.40	45.5	<0.5
AH-C-370		0.02	0.13	25	0.22	1.18	85.0	<0.5
AH-C-371		0.02	0.06	14	0.08	0.69	131.5	<0.5
AH-C-372		0.03	0.26	19	0.18	4.70	42.3	1.0

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.0002	0.002	0.01	0.02	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5	0.05
AH-C-373		0.06	0.0045	0.540	2.38	3.27	10	226	0.63	0.12	2.19	0.51	21.3	9.5	31.6	0.68
AH-C-374		0.06	0.0040	0.395	2.19	1.68	10	334	0.74	0.10	1.96	0.36	54.3	7.7	27.3	0.64
AH-C-375		0.06	0.0044	0.379	1.11	1.04	<10	224	0.43	0.08	0.96	0.27	30.0	13.4	14.6	0.49
AH-C-376		0.06	0.0041	0.097	1.98	2.68	<10	157.0	0.74	0.10	0.44	0.12	36.5	22.4	22.4	0.98
AH-C-377		0.04	0.0066	0.067	0.29	0.60	<10	125.5	0.07	0.07	0.60	0.10	2.63	1.5	6.5	0.16
C377C		0.02	0.0035	0.254	1.34	13.00	20	138.5	0.41	0.53	0.94	2.10	41.6	9.5	20.1	1.08
AH-C-378		0.06	0.0036	0.269	0.42	0.85	10	63.3	0.13	0.04	2.78	0.35	3.53	4.2	8.2	0.21
AH-C-379		0.04	0.0032	0.309	1.52	2.39	10	124.0	0.46	0.06	3.43	0.32	15.50	6.6	27.5	0.60
AH-C-380		0.04	0.0035	0.150	0.59	1.23	10	216	0.16	0.05	2.31	0.37	7.66	2.9	10.9	0.27
AH-C-381		0.06	0.0051	0.405	1.05	1.80	10	79.9	0.36	0.05	2.36	0.24	8.67	4.7	15.4	0.43
AH-C-382		0.06	0.0051	0.233	0.65	1.36	<10	125.5	0.21	0.06	1.00	0.15	10.55	5.5	11.5	0.29
AH-C-383		0.04	0.0073	0.083	0.26	0.63	<10	107.5	<0.05	0.06	0.68	0.24	2.12	1.4	4.8	0.24
AH-C-384		0.04	0.0074	0.210	0.14	0.42	<10	54.3	<0.05	0.04	1.05	0.40	1.06	1.3	3.3	0.09
AH-C-385		0.04	0.0027	0.306	1.22	1.69	<10	276	0.40	0.04	1.44	0.58	39.4	16.4	22.1	0.36
AH-C-386		0.06	0.0023	0.115	0.65	1.56	<10	89.9	0.14	0.05	1.04	0.11	3.96	5.1	13.1	0.40
AH-C-387		0.06	0.0017	0.200	0.64	1.35	<10	63.0	0.15	0.06	0.98	0.20	6.05	3.5	11.7	0.39
AH-C-388		0.04	0.0027	0.135	0.09	0.76	20	57.7	0.05	0.04	3.65	0.57	1.89	1.7	2.3	0.06
AH-C-389		0.08	0.0008	0.034	0.07	16.60	10	374	<0.05	0.02	2.75	0.12	0.69	6.1	1.8	0.06
AH-C-390		0.06	0.0012	0.115	0.25	0.96	10	73.4	0.05	0.05	1.26	0.17	2.71	2.5	6.0	0.21
AH-C-391		0.06	0.0036	0.173	1.78	1.28	<10	254	0.45	0.06	0.66	0.11	31.6	7.4	31.9	0.50
AH-C-392		0.06	0.0006	0.144	1.19	1.62	<10	339	0.46	0.08	0.85	0.16	53.9	10.0	25.6	0.51
AH-C-393		0.08	0.0008	1.460	0.91	1.52	10	251	0.27	0.05	1.34	0.52	14.65	8.7	40.6	0.61
AH-C-394		0.04	0.0031	0.131	0.45	1.02	10	270	0.12	0.04	2.47	0.79	8.49	5.0	18.7	0.35
AH-C-395		0.06	0.112	0.147	0.57	0.68	10	165.0	0.10	0.07	1.02	0.50	5.62	4.4	22.1	0.44
AH-C-396		0.06	0.0008	0.216	0.73	1.10	10	250	0.17	0.07	1.52	0.42	9.08	5.0	23.9	0.53
AH-C-397		0.06	0.0018	0.229	0.20	1.22	10	312	<0.05	0.07	1.58	0.43	2.17	1.8	5.8	0.17
AH-C-398		0.04	0.0023	0.177	0.36	2.60	10	907	0.07	0.13	2.30	0.98	3.61	3.5	6.7	0.30
AH-C-399		0.04	0.0011	0.120	0.13	0.92	10	138.5	<0.05	0.04	3.49	0.72	1.29	2.6	5.0	0.15
C399C		0.02	0.0042	0.251	1.31	14.40	20	142.5	0.37	0.47	0.91	1.94	39.9	8.8	20.3	1.03
AH-C-400		0.06	0.0050	0.086	0.37	0.72	<10	131.0	0.07	0.03	0.94	0.08	6.15	1.8	6.6	0.15
AH-C-401		0.06	0.0088	0.099	0.24	0.55	10	419	0.06	0.07	1.38	0.52	2.86	2.9	7.8	0.40
AH-C-402		0.10	0.0045	0.119	0.55	0.86	<10	199.0	0.17	0.07	0.97	0.23	13.20	4.1	14.5	0.50

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
AH-C-373		119.0	2.58	6.28	0.08	0.10	0.119	0.030	0.25	19.6	11.8	0.49	537	1.99	0.01	1.01
AH-C-374		48.9	2.03	6.34	0.09	0.09	0.114	0.028	0.15	29.2	7.4	0.58	484	1.51	<0.01	0.91
AH-C-375		29.0	1.22	3.59	0.05	<0.02	0.172	0.016	0.09	13.7	3.4	0.24	1220	1.36	<0.01	0.48
AH-C-376		67.3	2.11	5.80	0.05	<0.02	0.120	0.022	0.09	15.4	8.3	0.31	1800	1.35	<0.01	0.45
AH-C-377		11.75	0.40	1.04	<0.05	<0.02	0.195	0.006	0.08	1.3	0.7	0.09	151	2.15	<0.01	0.20
C377C		33.3	2.57	4.36	0.09	0.02	0.187	0.057	0.11	22.1	9.2	0.36	417	1.75	0.02	1.22
AH-C-378		64.2	0.56	1.30	<0.05	0.02	0.114	0.008	0.13	3.3	1.9	0.26	456	18.95	0.01	0.23
AH-C-379		102.5	1.76	3.96	0.08	0.05	0.139	0.017	0.13	16.9	11.8	0.50	463	2.33	0.01	0.62
AH-C-380		40.5	0.70	1.70	<0.05	0.02	0.271	0.010	0.09	6.6	2.7	0.19	715	2.24	<0.01	0.29
AH-C-381		194.5	1.16	2.45	0.06	0.06	0.117	0.012	0.09	12.6	6.5	0.30	282	4.77	<0.01	0.47
AH-C-382		48.9	1.13	2.38	<0.05	<0.02	0.153	0.011	0.05	6.0	2.6	0.22	497	1.09	0.01	0.39
AH-C-383		8.63	0.29	0.73	<0.05	<0.02	0.260	0.008	0.08	1.2	0.5	0.09	369	3.00	0.01	0.14
AH-C-384		8.55	0.18	0.38	<0.05	<0.02	0.211	0.006	0.09	0.6	0.3	0.11	193	1.95	<0.01	0.09
AH-C-385		63.6	1.68	3.50	0.10	0.03	0.104	0.014	0.18	27.1	4.0	0.42	3120	2.36	0.01	1.40
AH-C-386		18.85	1.63	2.37	<0.05	<0.02	0.108	0.009	0.06	2.0	4.0	0.22	326	0.94	<0.01	0.34
AH-C-387		90.5	1.35	2.12	<0.05	<0.02	0.204	0.014	0.06	4.8	2.5	0.14	358	1.36	<0.01	0.35
AH-C-388		21.4	0.22	0.28	<0.05	0.03	0.176	0.006	0.08	1.3	0.4	0.36	329	1.73	0.01	0.09
AH-C-389		6.95	4.51	0.25	<0.05	0.02	0.112	0.005	0.04	0.3	0.3	0.25	2440	1.86	0.01	0.07
AH-C-390		10.10	0.52	0.87	<0.05	<0.02	0.276	0.006	0.08	1.3	0.8	0.32	799	3.64	0.05	0.22
AH-C-391		40.6	1.68	4.91	0.07	0.03	0.078	0.019	0.05	19.4	3.7	0.31	186	0.74	0.01	0.57
AH-C-392		29.8	1.60	3.80	0.07	<0.02	0.100	0.017	0.09	23.0	3.6	0.28	3090	2.49	0.01	0.38
AH-C-393		20.4	1.91	2.79	<0.05	0.02	0.137	0.013	0.25	6.1	2.7	0.30	1240	1.69	0.01	0.51
AH-C-394		16.55	0.95	1.46	<0.05	0.02	0.109	0.007	0.18	3.9	1.9	0.23	781	3.99	<0.01	0.43
AH-C-395		8.94	1.10	2.25	<0.05	<0.02	0.176	0.008	0.10	2.6	3.0	0.20	720	1.02	<0.01	0.66
AH-C-396		20.1	1.10	2.24	<0.05	0.02	0.188	0.011	0.12	5.2	4.5	0.28	1600	2.20	0.01	0.57
AH-C-397		9.14	0.35	0.77	<0.05	<0.02	0.371	0.010	0.08	1.1	0.7	0.14	1350	3.82	<0.01	0.18
AH-C-398		11.10	0.45	1.20	<0.05	<0.02	0.427	0.019	0.11	1.6	1.1	0.11	7770	3.00	0.01	0.20
AH-C-399		13.40	0.21	0.44	<0.05	<0.02	0.212	0.005	0.10	0.7	0.4	0.22	527	1.27	0.02	0.11
C399C		28.9	2.42	4.30	0.08	0.02	0.168	0.052	0.11	21.5	8.4	0.34	410	1.71	0.03	1.20
AH-C-400		11.30	0.42	0.97	<0.05	0.02	0.191	0.005	0.06	4.2	0.8	0.12	353	4.71	0.01	0.25
AH-C-401		12.20	0.44	0.89	<0.05	<0.02	0.128	0.009	0.10	1.4	0.8	0.12	2260	5.05	0.01	0.21
AH-C-402		30.3	1.07	2.07	<0.05	<0.02	0.093	0.011	0.09	10.0	3.1	0.17	1100	3.95	0.01	0.44

***** See Appendix Page for comments regarding this certificate *****



Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Ni ppm 0.1	P % 0.001	Pb ppm 0.01	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.005	Sc ppm 0.1	Se ppm 0.1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.1	Ti % 0.001
AH-C-373		31.3	0.084	15.55	16.6	<0.001	0.06	0.353	5.4	0.9	0.5	125.0	<0.01	0.03	1.0	0.062
AH-C-374		28.0	0.105	9.12	10.7	<0.001	0.06	0.283	4.1	1.0	0.5	184.5	<0.01	0.01	1.0	0.044
AH-C-375		13.3	0.106	10.50	7.2	<0.001	0.06	0.215	1.7	0.5	0.4	93.8	<0.01	0.01	0.2	0.035
AH-C-376		16.9	0.111	10.40	9.5	<0.001	0.03	0.168	1.7	0.4	0.4	36.4	<0.01	0.01	0.1	0.047
AH-C-377		4.9	0.076	8.32	2.5	<0.001	0.07	0.143	0.5	0.2	0.2	53.5	<0.01	0.01	0.1	0.019
C377C		31.2	0.135	93.2	10.6	0.003	1.00	1.245	3.1	2.8	3.5	42.7	<0.01	0.12	0.9	0.055
AH-C-378		9.4	0.106	6.12	5.5	0.001	0.16	0.111	0.7	0.7	0.2	111.5	<0.01	0.01	0.1	0.015
AH-C-379		22.6	0.095	4.20	9.1	0.004	0.12	0.249	3.1	1.7	0.3	120.5	<0.01	0.02	0.3	0.038
AH-C-380		9.9	0.092	9.01	5.6	<0.001	0.10	0.157	0.9	0.4	0.2	84.8	<0.01	<0.01	0.2	0.020
AH-C-381		15.0	0.070	4.99	7.0	<0.001	0.12	0.260	2.7	0.9	0.2	88.8	<0.01	0.02	0.4	0.031
AH-C-382		8.7	0.074	5.92	4.1	<0.001	0.05	0.174	1.2	0.3	0.2	76.7	<0.01	0.01	0.1	0.033
AH-C-383		4.9	0.094	11.80	3.0	<0.001	0.09	0.238	0.3	0.2	0.2	60.1	<0.01	0.01	<0.1	0.012
AH-C-384		3.3	0.078	7.63	1.6	<0.001	0.10	0.178	0.3	0.4	0.2	61.6	<0.01	0.01	0.1	0.008
AH-C-385		58.3	0.144	3.88	4.2	<0.001	0.09	0.271	2.1	1.1	0.3	136.5	<0.01	0.01	0.1	0.057
AH-C-386		10.1	0.096	4.26	6.9	<0.001	0.06	0.117	0.5	0.1	0.2	63.9	<0.01	0.01	<0.1	0.029
AH-C-387		7.8	0.078	8.88	5.3	<0.001	0.08	0.194	0.8	0.3	0.2	47.3	<0.01	0.02	0.1	0.029
AH-C-388		6.9	0.131	6.97	1.2	<0.001	0.18	0.129	0.2	0.3	<0.2	192.0	<0.01	<0.01	0.1	0.004
AH-C-389		6.4	0.409	3.03	0.5	0.001	0.18	0.112	0.3	0.5	<0.2	200	<0.01	<0.01	<0.1	0.002
AH-C-390		5.5	0.077	7.91	1.5	<0.001	0.07	0.181	0.6	0.2	0.2	88.5	<0.01	0.01	0.1	0.016
AH-C-391		27.3	0.087	5.31	4.4	0.001	0.04	0.125	3.8	0.8	0.5	94.6	<0.01	<0.01	0.5	0.036
AH-C-392		20.7	0.100	10.50	5.4	<0.001	0.04	0.174	1.7	0.7	0.3	121.5	<0.01	0.01	0.1	0.042
AH-C-393		19.8	0.161	3.52	7.5	<0.001	0.06	0.085	1.8	0.3	0.3	130.5	<0.01	<0.01	0.2	0.061
AH-C-394		15.0	0.123	3.35	4.0	<0.001	0.09	0.102	1.1	0.2	0.2	202	<0.01	0.01	0.1	0.028
AH-C-395		10.7	0.084	5.47	6.7	<0.001	0.06	0.141	1.1	0.3	0.3	101.0	<0.01	<0.01	0.2	0.046
AH-C-396		16.8	0.099	8.62	6.5	<0.001	0.08	0.183	1.3	0.4	0.3	145.5	<0.01	<0.01	0.2	0.039
AH-C-397		4.5	0.081	10.30	1.5	<0.001	0.11	0.241	0.5	0.3	0.2	121.5	<0.01	0.01	0.1	0.015
AH-C-398		7.8	0.109	25.6	2.8	<0.001	0.11	0.390	0.4	0.1	0.3	142.5	<0.01	0.02	0.1	0.016
AH-C-399		6.1	0.089	6.86	1.5	<0.001	0.16	0.167	0.3	0.2	<0.2	138.5	<0.01	<0.01	0.1	0.009
C399C		31.2	0.133	92.7	10.7	0.002	0.99	1.160	3.1	2.4	3.4	40.1	<0.01	0.11	0.8	0.056
AH-C-400		7.2	0.073	6.25	1.5	<0.001	0.11	0.184	1.0	0.2	0.2	68.9	<0.01	<0.01	0.1	0.015
AH-C-401		6.3	0.098	14.10	3.0	<0.001	0.11	0.178	0.5	0.2	0.2	121.5	<0.01	0.03	0.1	0.017
AH-C-402		12.3	0.067	10.00	4.7	<0.001	0.06	0.188	1.0	0.4	0.3	92.1	<0.01	0.01	0.2	0.037

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GWR RESOURCES
 PO BOX 563
 4281 CARIBOO HIGHWAY 97S
 LAC LA HACHE BC V0K 1T0

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-DEC-2012
 Account: GRWRES

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.01	0.05	0.1	0.5
AH-C-373		0.08	1.01	51	0.21	16.60	45.0	3.5
AH-C-374		0.10	1.85	38	0.16	18.60	47.7	3.1
AH-C-375		0.05	0.49	24	0.16	7.71	47.4	<0.5
AH-C-376		0.09	0.50	56	0.16	8.40	51.9	<0.5
AH-C-377		0.02	0.08	10	0.07	0.63	20.5	<0.5
C377C		0.37	31.1	33	0.25	17.50	190.0	0.5
AH-C-378		0.03	0.57	13	0.09	2.89	10.1	0.7
AH-C-379		0.08	1.09	42	0.19	17.45	30.5	1.7
AH-C-380		0.04	0.18	19	0.15	5.13	30.7	0.8
AH-C-381		0.06	1.61	37	0.14	11.20	18.7	2.1
AH-C-382		0.03	0.28	28	0.13	4.59	30.2	<0.5
AH-C-383		0.02	0.07	7	0.24	0.65	29.1	<0.5
AH-C-384		<0.02	<0.05	4	0.04	0.34	23.3	<0.5
AH-C-385		0.05	0.36	45	0.18	24.9	67.4	1.0
AH-C-386		0.02	0.13	41	0.17	1.31	25.9	<0.5
AH-C-387		0.02	0.17	39	0.13	4.66	27.5	<0.5
AH-C-388		0.02	0.29	8	0.03	1.47	23.3	1.1
AH-C-389		0.06	0.21	13	0.17	0.45	50.6	0.6
AH-C-390		0.03	0.16	9	0.07	0.90	26.2	0.5
AH-C-391		0.08	1.49	34	0.05	12.60	26.1	1.2
AH-C-392		0.05	0.42	41	0.10	13.80	63.1	<0.5
AH-C-393		0.03	0.39	54	0.06	3.13	126.0	1.0
AH-C-394		0.03	0.16	23	0.13	2.31	267	0.9
AH-C-395		0.04	0.13	27	2.16	1.15	75.5	0.5
AH-C-396		0.05	0.54	27	0.09	3.32	56.2	0.6
AH-C-397		0.03	0.07	9	0.14	0.65	73.8	<0.5
AH-C-398		0.07	0.11	10	0.14	1.10	173.5	<0.5
AH-C-399		<0.02	0.11	4	0.03	0.46	24.7	0.5
C399C		0.37	32.1	33	0.25	18.10	189.0	0.5
AH-C-400		<0.02	0.15	9	0.06	2.99	39.4	0.6
AH-C-401		0.03	0.09	11	0.10	0.74	211	<0.5
AH-C-402		0.02	0.54	32	0.10	6.35	67.2	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **GWR RESOURCES**
PO BOX 563
4281 CARIBOO HIGHWAY 97S
LAC LA HACHE BC V0K 1T0

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **4-DEC-2012**
Account: **GRWRES**

Project: Lac La Hache

CERTIFICATE OF ANALYSIS VA12275410

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41L	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Figures




Figure 1. Distribution of the Quesnel Terrane (Quesnellia) in British Columbia, the location of alkalic copper-gold porphyry deposits within the terrane and the location of the Red project. Deposits denoted by stars are currently being researched by the Mineral Deposits Research Unit of the University of British Columbia.

Red Property Location


Red Property

Spout Lake area, Lac La Hache, B.C.


NTS 92P/14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 2 Mineral Tenures



SCALE 1 : 112,626





Mod after		Red Property	
Map Place Map Place		Regional Geology	
Mining Division	Clinton	SRG A1	British Columbia Carreda
NTS Mapsheet 082P.084 082P.093		By: G. Blain, P.Eng.	Date 01/18/06
SCALE 1:5000		Figure	3

For Complete Legend of Rock Types refer to B.C.G.S map place

LEGEND

Exposed : Inferred under Qal

QUATERNARY

Qal Unconsolidated glacial, fluvial and alluvial deposits

QUATERNARY(?)

Qv Basalt; common xenoliths of spinel ilmenite

MIOCENE - PLOCENE

MPCv Olivine-phyric basalt

EOCENE(?)

Ed Diorite

EOCENE

EKv Skull Hill Formation: andesite, basalt, volcanic breccia; lesser amounts of dacite, conglomerate, sandstone

EARLY JURASSIC

EJgd Tekomkane Betholith, Schoolhouse Lake Unit: hornblende-biotite granodiorite and monzonite

LATE TRIASSIC - EARLY JURASSIC

TJqm Porphyritic and equigranular quartz monzonite

TJmd Monzodiorite, monzonite, diorite; locally includes syenite, gabbro, pyroxenite, quartz monzodiorite

TJamd Spout Lake pluton: monzodiorite, diorite, quartz monzodiorite

TJgb Gabbro



MIDDLE AND LATE TRIASSIC

uTNrs Red sandstone-conglomerate unit: red, purple and green sandstone, polythitic conglomerate and breccia; locally includes pyroxene-phyric basalt and flow breccia

uTNpb Polythitic breccia unit: green, grey, locally maroon polythitic breccia, conglomerate, conglomeratic sandstone, sandstone

uTNsv Volcaniclastic succession: volcanic breccia with mainly pyroxene-phyric basalt fragments; sandstone, conglomerate, siltstone, pyroxene-phyric basalt, calcareous sandstone

uTNsl Limestone



SYMBOLS


Geological contact (defined, approximate, inferred)	-----
Fault (inferred)	-----
Bedding, tops known (horizontal, inclined), tops unknown (inclined, vertical)	+ 50 67 \
Schistosity (inclined, vertical)	\ 43 \
Mineral occurrence (Table 2)	Club ●
Assay sample (Table 1)	12 ●
Field station (shown only where not indicated by another symbol)	x
Limit of Quaternary cover	-----
Topographic contour (20 metre intervals, 100m intervals)	-----
Road (paved, major gravel trunk road, all others)	-----
Highway number	97
Railway Track	-----




Red Property Geology			
Mining Division	Clinton	SIZE	British Columbia
		A1	Canada
NTS Mapsheet		Date	
092P.094 092P.093		03/05/2013	
Figure			3

BCGS Open file 2008-5

5761500 N 612500 E



Spout Lake



512578

512780

Red Property

Spout Lake area, Lac La Hache, B.C.

2012 Ah Soil Sampling Location and Labels



- Road
- Creek
- Zones of interest
- Section 12 in Report

NTS 92P/ 14W
92P093, 92P094

Clinton Mining Division
March 2013

Figure 4

5761500 N 612500 E



2012 Ah Soil Sampling Cu (Copper PPM)

- Road
- Creek

Red Property


Spout Lake area, Lac La Hache, B.C.

NTS 92P/ 14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 5

5761500 N
612500 E



Spout Lake



2012 Ah Soil Sampling As (Arsenic PPM)

- Road
- Creek

Red Property

Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094



Clinton Mining Division
March 2013

Figure 6

612500 N
612500 E



5761500 N



Red Property

Spout Lake area, Lac La Hache, B.C.

- 2012 Ah Soil Sampling Ag (Silver PPB)
- Road
 - Creek

NTS 92P/ 14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 7

5761500 N
612500 E



0 500 1000m
Scale: 1:20,000



2012 Ah Soil Sampling Au (Gold PPB)

- Road
- Creek

Red Property



Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094

Clinton Mining Division
March 2013

Figure 8

5761500 N
612500 E



2012 Ah Soil Sampling Fe (Iron %)

- Road
- Creek

Red Property

Spout Lake area, Lac La Hache, B.C.

NTS 92P/ 14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 9

5761500 N 612500 E



0 500 1000m
Scale: 1:20,000



2012 Ah Soil Sampling W (Tungsten PPM)

- Road
- Creek

Red Property

Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 10

5761500 N
612500 E



0 500 1000m
Scale: 1:20,000



2012 Ah Soil Sampling Zn (Zinc PPM)

- Road
- Creek

Red Property


Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094


Clinton Mining Division
March 2013

Figure 11

5761500 N 612500 E



Spout Lake



2012 Ah Soil Sampling S (Sulphur %)

- Road
- Creek

Red Property



Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094

Clinton Mining Division
March 2013

Figure 12

5761500 N 612500 E



2012 Ah Soil Sampling Ca (Calcium %)

- Road
- Creek

Red Property

Spout Lake area, Lac La Hache, B.C.

NTS 92P/14W
92P093, 92P094

Clinton Mining Division
March 2013

Figure 13