

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: DRILLING

TOTAL COST: \$166369

AUTHOR(S): ROBERT S CAMERON

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-610

YEAR OF WORK: 2012

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5402793, AUGUST 31, 2012; 5441524, APRIL 5, 2013

PROPERTY NAME: OCTOBER DOME/MT. POLLEY

CLAIM NAME(S) (on which the work was done): 391274 - 75, 502729, 503635, 504621, 512119, 512127 512129 - 30, 517298, 517331, 525967, 584968, 585021, 206783, 396860, 398668; 415560, 415562 - 63, 415567 - 68, 415571 504623, 508082, 508085, 508090 - 92, 508094 - 96, 512132 - 36 512138 - 41, 512125 - 26; 517238, 517316, 517324 406353 - 60, 406363 - 68, 518542, 51

COMMODITIES SOUGHT: CU, AU

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: NONE

MINING DIVISION: CARIBOO

NTS/BCGS: 93A12

LATITUDE: 52 ° 38 '25 " LONGITUDE: 121 ° 39 '56 " (at centre of work)

OWNER(S):

1) BEARING RESOURCES LTD.

2) Glengarry Developments Inc

MAILING ADDRESS:

1280-625 HOWE ST, VANCOUVER, BC

V6C 2T6

OPERATOR(S) [who paid for the work]:

1) BEARING RESOURCES LTD

2)

MAILING ADDRESS:

SAME

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

QUESNEL TROUGH, BULLION PIT, DIORITE, SYENITE, BASALT, TRIASSIC, JURASSIC, POTASSIC, PROPYLYTIC,

ALKALIC PORPHYRY COPPER

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 5954, 5955, 5956, 6437, 6861

12663, 13390, 13964, 15000, 15264

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock 500 SAMPLES (ANALYSED FOR 36 ELEMENTS)		512127, 391275, 392274	\$17,256
Other			
DRILLING (total metres; number of holes, size)			
Core 1002 METRES, 4 HOLES, NQWL		512127, 391275, 392274	\$149113
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			\$166.369

**DIAMOND DRILL REPORT ON THE OCTOBER DOME PROPERTY,
MOUNT POLLEY PROJECT**

Likely B.C., Cariboo Mining Division
NTS 93 A 12
52 DEG 38 MIN 25 SEC N
121 DEG 39 MIN 56 SEC W

October Dome Tenure No's.:

391274 - 75, 502729, 503635, 504621, 512119, 512127
512129 - 30, 517298, 517331, 525967, 584968, 585021

Contiguous Mount Polley Property Tenure No's.:

206783, 396860, 398668; 415560, 415562 - 63, 415567 - 68, 415571
504623, 508082, 508085, 508090 - 92, 508094 - 96, 512132 - 36
512138 - 41, 512125 - 26; 517238, 517316, 517324

Contiguous Glengarry K Property Tenure No's.:

406353 - 60, 406363 - 68, 518542, 534155 - 56, 534158

**BC Geological Survey
Assessment Report
33977**

for:

**BEARING RESOURCES LTD.
(OPERATOR)**

1280 – 625 Howe Street
Vancouver, B.C. V6C 2T6
Tel (604) 682-5546 Fax (604) 682-5542

by:

Robert Cameron, P.Geo.
President
Bearing Resources Ltd.

July 11, 2013

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	2
2.0	INTRODUCTION	3
3.0	PROPERTY DESCRIPTION AND LOCATION	4
3.1	LOCATION	4
3.2	DESCRIPTION AND OWNERSHIP	6
4.0	ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY.....	9
5.0	PROPERTY HISTORY.....	10
6.0	REGIONAL GEOLOGY.....	13
7.0	LOCAL GEOLOGY	15
8.0	2013 WORK PROGRAM.....	15
8.1	SAMPLING METHOD, SAMPLE PREPARATION, ANALYSIS AND SECURITY	16
9.0	DISCUSSION OF RESULTS.....	17
10.0	CONCLUSIONS AND RECOMMENDATION.....	18
11.0	EXPENDITURE STATEMENT	19
12.0	REFERENCES	19
13.0	STATEMENT OF AUTHORSHIP.....	23

TABLES

Table 1	October Dome Mount Polley Project mineral tenure summary data, as of July 11, 2013	8
Table 2	Drill Hole Locations	12
Table 3	Recommended exploration budget for the October Dome Property	19

FIGURES

Figure 1	Location Map and Regional Geology, October Dome Project, British Columbia, Canada	5
Figure 2	Claim map, October Dome Property	7
Figure 3	Drill Plan Map	In Pocket
Figure 4a-d	Cross sections	In Pocket

APPENDICES

Appendix 1	Certificate of Author
Appendix 2	Drill Logs
Appendix 3	Analytical Certificates

1.0 EXECUTIVE SUMMARY

The October Dome Property is located in the Cariboo Mining Division of British Columbia and covers the southern bank of the Quesnel River, 6 km west of the town of Likely. The Property is located at 589638 m East and 5833544 m North, (NAD 83, Zone 10) on NTS map sheet 093A/12.

This report describes diamond drilling completed in 2012. A total of 1002m of diamond drilling in four holes was completed August and September of 2012. This work program straddled the anniversary date of the tenure and resulted in two work filings.

Previous work had outlined a four kilometre long trend of elevated soil geochemistry defined by gold greater than 16 ppb (max value 1664 ppb) and copper greater than 100 ppm (max value 1194 ppm) that is in part coincident with chargeability anomalies (greater than 20 msec) as previously reported. The soil results are most likely dispersed down-ice by glacial activity directed to the northwest.

The October Dome – Mount Polley Project area occurs within the Central Quesnel Terrane of the Canadian Cordillera that comprises an island arc volcanic and sedimentary assemblage that developed to the west of the North American plate during the Middle Triassic to Lower Jurassic. Mineral deposits within the Quesnel Terrane are mainly “Alkalic Porphyry Cu-Au deposits” such as the Mt. Polley Deposit located 3.4 km south of the October Dome Property. These deposits generally formed during the Lower Jurassic and are genetically related to alkalic plutonism and volcanism occurring at that time. A variation of this type of deposit is that of the QR Deposit located 4 km to the northwest the Property, which is a

gold-enriched skarn deposit with only low grade copper mineralization (Fox et al, 1986). The exploration target on the October Dome Property includes both an Alkalic Porphyry Cu-Au deposit either similar to the copper dominated (Mt Polley-type), or the gold-bearing alteration zones in volcanic-sedimentary rocks peripheral to alkalic intrusions (QR-type).

All four drill holes encountered diorite and monzonite intrusions with minor hornfelsed sedimentary units and intrusive dykes. Alteration in the drill holes is pervasive, comprised of propylitic alteration with pyrite, epidote and rare chalcopyrite overprinting an earlier episode of potassic alteration. Gold values are elevated in all holes with the best results occurring in hole OD-1 where a 6 metre interval returned 0.15% copper (“Cu”) with 0.46 gram per tonne (“gpt”) gold (“Au”). The drill program in 2012 tested the central portion of this large anomaly and results may represent the discovery of a previously unrecognised alkalic-style porphyry copper-gold system in an area of extensive glacial till cover. These types of porphyry deposits can be zoned with gold dominant zones located at the outer extremities of the propylitic alteration envelope, similar to the nearby QR gold deposit, and with copper-gold zones located in the core of the system associated with potassic alteration. The area tested by the 2012 drill program represents only 10% of the current 4 kilometre target. Additional drilling is warranted as extensions to the current drill pattern and additional testing outboard to the north where the combined soil and IP anomalies strengthen near the Quesnel River.

A budget of approximately \$156,000 is recommended to support this work.

2.0 INTRODUCTION

This report satisfies the 2012 assessment requirements of the British Columbia Ministry of Energy and Mines and Responsible for Housing for Bearing Resources Ltd’s October Dome – Mount Polley Project, comprised of the contiguous October Dome, Mount Polley and Glengarry K properties.

Bearing Resources Ltd. (“Bearing”) acquired the properties when they were transferred from its predecessor company, Valley High Ventures Inc. as part of a corporate restructuring in March of 2011. Valley High acquired the properties over a period of years through options to purchase, outright purchase and by direct acquisition.


This report describes a four hole diamond drilling program completed in 2012. A total of 1002 metres of NQ size core was drilled in four holes during August and September of 2012. The work program

straddled the anniversary date of the claims requiring two separate work filings. This report is a combined summary in support of two filings.

3.0 PROPERTY DESCRIPTION AND LOCATION

3.1 Location

The October Dome, Mount Polley and K Properties are located roughly 60 kilometres northeast of William's Lake in the Cariboo Regional District of British Columbia. The claims form a large, inverted 'Y' pattern spread over a three by four kilometre area that is bound by the Quesnel River to the north and Quesnel Lake to the east. The town of Likely is located 6 km to the east (Figure 1). The October Dome Property is located at 589638 m E and 5833544 m N, (NAD 83, Zone 10) on NTS map sheet 093A/12.



3.2 Description and Ownership

The contiguous October Dome, Mount Polley and K properties are located in the Cariboo Mining Division near Likely, BC and are comprised of 14 mineral tenures totalling 2,542 hectares, 32 mineral tenures totalling 8,327 hectares and 18 mineral tenures totalling 605 hectares, respectively. The October Dome and Mount Polley properties are held 90% to 100% by Bearing, subject to various royalties. The K properties are held 100% by Glengarry Developments Inc. of Vancouver, subject to a first right of refusal in favour of Bearing.

The claims were originally held by registered owners as 2-post and 4-post (modified grid) claims. All tenures are now converted to the new mineral tenure system. A summary of mineral title is provided in Table 1. Some mineral tenures are subject to underlying royalties as described separately in Table 1.

Subject to a plan of arrangement dated January 17, 2011, (posted at sedar.com) title to the October Dome and Mount Polley Properties transferred from Valley High Ventures Inc. (“Valley High”) to Bearing (see Bearing news release dated January 17, 2011). The effective date of the transaction was March 25th, 2011. Bearing holds a first right of refusal on the K properties of Glengarry Developments Ltd.




Table 1. October Dome Mount Polley Project mineral tenure summary data, as of July 11th, 2013.

OCTOBER DOME PROPERTY CLAIMS SUMMARY
 Bearing Resources Ltd.

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests
1	October Dome	502729	Dome Amalgam	093A	2005/jan/13	2015/jan/30	294.223	Dome (Livgard)	100% (earned; \$10,000 cash and 270,000 shares paid); subject to 1.5% NSR.
2		503635	Dome Amalgam Too	093A	2005/jan/15	2015/jan/30	39.230		
3		504621		093A	2005/jan/22	2015/jan/30	333.488		
4		391274	OCT. 3	093A062	2001/dec/07	2015/jan/30	25.000	Pay, A1-6, Oct	100% (earned; 733,334 shares paid), subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
5		391275	OCT. 4	093A062	2001/dec/07	2015/jan/30	25.000		
6		512119		093A	2005/may/05	2015/jan/30	235.434	VHV 100%	Acquired by VHV by staking.
7		512127		093A	2005/may/05	2015/jan/30	392.376		
8		512129		093A	2005/may/05	2015/jan/30	313.996		
9		512130	OCT SOUTH	093A	2005/may/05	2015/jan/30	98.122		
10		517298		093A	2005/jul/12	2015/jan/30	98.116		
11		517331		093A	2005/jul/12	2015/jan/30	19.621	VHV 100%	100% (earned, \$8000. cash paid)..
12		525967	OCT W 2	093A	2006/jan/20	2015/jan/30	117.688		
13		584968	MOOREHEAD 4	093A	2008/may/23	2015/jan/30	156.982	VHV 100%	100% (earned, \$8000. cash paid)..
14		585021	MOOREHEAD 1A	093A	2008/may/24	2015/jan/30	392.623		
							2541.899		

MOUNT POLLEY PROPERTY CLAIMS SUMMARY
 Bearing Resources Ltd.

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests
1	Mt. Polley	504623		093A	2005/jan/22	2012/sept/05	235.906	Buc (Livgard)	100% (earned; \$10,000 cash and 25,000 shares paid); subject to 2.0% NSR.
2		508082		093A	2005/feb/28	2015/jan/30	294.672	Calm (Green; 05/02/05)	100% (earned; \$25,000 cash and 76,667shares paid); subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
3		508085		093A	2005/feb/28	2015/jan/30	58.934		
4		508090		093A	2005/feb/28	2015/jan/30	707.825		
5		508091		093A	2005/feb/28	2015/jan/30	511.267		
6		508092		093A	2005/feb/28	2015/jan/30	668.232		
7		508094		093A	2005/feb/28	2015/jan/30	628.620		
8		508095		093A	2005/feb/28	2015/jan/30	78.591		
9		508096		093A	2005/feb/28	2015/jan/30	157.129		
10		415560	CALM 25	093A052	2004/oct/29	2015/jan/30	25.000		
11		415562	CALM 27	093A052	2004/oct/29	2015/jan/30	25.000		
12		415563	CALM 28	093A052	2004/oct/29	2015/jan/30	25.000		
13		415567	CALM 32	093A052	2004/nov/11	2015/jan/30	25.000		
14		415568	CALM 33	093A052	2004/nov/11	2015/jan/30	25.000		
15		415571	CALM 36	093A052	2004/nov/11	2015/jan/30	25.000		
16		512135		093A	2005/may/05	2015/jan/30	78.560	Lloyd (Glengarry)	90% (earned; \$234,600 cash and 1,020,000 shares paid); subject to 1.5% NSR, purchsed on certain claims for 180,000 shares.
17		512136		093A	2005/may/05	2015/jan/30	196.397		
18		512138		093A	2005/may/05	2015/jan/30	235.660		
19		206783	LLOYD 3	093A052	1990/feb/09	2015/jan/30	25.000		
20		512139		093A	2005/may/05	2015/jan/30	39.281		
21		512140		093A	2005/may/05	2015/jan/30	19.640	Nordik (Quantum & ATP)	100% (earned; 666,666 shares paid); subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
22		512141		093A	2005/may/05	2015/jan/30	412.574		
23	396860	NORDIK 1	093A053	2002/sep/22	2015/jan/30	500.000			
24	398668	NORDIK 2	093A053	2002/nov/29	2015/jan/30	500.000			
25	512132		093A	2005/may/05	2015/jan/30	707.450	Pay, A1-6, Oct	100% (earned; 733,334 shares paid), subject to 2.0% NSR, with each 0.5% purchable for \$500,000.	
26	512133		093A	2005/may/05	2015/jan/30	609.584			
27	512134		093A	2005/may/05	2015/jan/30	58.938	VHV 100%	Acquired by VHV by staking.	
28	512125		093A	2005/may/05	2015/jan/30	903.313			
29	512126		093A	2005/may/05	2015/jan/30	235.786			
30	517238		093A	2005/jul/12	2015/jan/30	275.179	VHV 100%	Acquired by VHV by staking.	
31	517316		093A	2005/jul/12	2015/jan/30	19.639			
32	517324		093A	2005/jul/12	2015/jan/30	19.639			
							8327.816		

K PROPERTY CLAIMS SUMMARY
Glengarry Developments Inc.

(Tenures subject to first right of refusal in favour of Bearing Resources Ltd.)

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests
1	Glengarry	406353	K1	093A053	2003/Oct/30	2015/jan/30	25.000	Glengarry 100%	Held 100% by Glengarry, subject to a First Right of Refusal in favour of VHV.
2		406354	K2	093A053	2003/Oct/30	2015/jan/30	25.000		
3		406355	K3	093A053	2003/Oct/30	2015/jan/30	25.000		
4		406356	K4	093A053	2003/Oct/30	2015/jan/30	25.000		
5		406357	K5	093A053	2003/Oct/30	2015/jan/30	25.000		
6		406358	K6	093A053	2003/Oct/30	2015/jan/30	25.000		
7		406359	K7	093A053	2003/Oct/30	2015/jan/30	25.000		
8		406360	K8	093A053	2003/Oct/30	2015/jan/30	25.000		
9		406363	K11	093A053	2003/Nov/02	2015/jan/30	25.000		
10		406364	K12	093A053	2003/Nov/02	2015/jan/30	25.000		
11		406365	K13	093A053	2003/Nov/02	2015/jan/30	25.000		
12		406366	K14	093A053	2003/Nov/02	2015/jan/30	25.000		
13		406367	K15	093A053	2003/Nov/02	2015/jan/30	25.000		
14		406368	K16	093A053	2003/Nov/02	2015/jan/30	25.000		
15		518542	Likely W	093A	2005/jul/29	2015/jan/30	98.137		
16		534155	K FRACTIONS	093A	2006/may/18	2015/jan/30	78.686		
17		534156	K FRACTION 2	093A	2006/may/18	2015/jan/30	39.338		
18		534158	K FRACTION 3	093A	2006/may/18	2015/jan/30	39.338		
							605.499		

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY

The Property is easily accessible by 85 km paved road (Likely Road starting at 150 Mile House on Highway 97) from Williams Lake and by various logging and mining exploration roads in the area. Williams Lake is the major supply and service center in the area and can be reached by a 6 hour drive from Vancouver or by scheduled flights from Vancouver or other BC cities. Access may be limited in some areas by local weather conditions, particularly in winter and spring.

The climate of the Likely area is modified continental, with cold, snowy winters and long warm summers. Being located just east of the Interior dry belt, the area receives about 40 cm of precipitation, with most of it falling in the winter as snow. Snow depths in the Cariboo Plateau are typically 1 to 2 m.

Flora on the Property consists mainly of mixed forests with spruce, pine and poplar being the most common trees. Undergrowth is less common on the southern end of the Property where lodge pole pine forests become increasingly more dominant.

The October Dome – Mount Polley Project lies in a transitional zone between the Cariboo Plateau, the easternmost part of the Interior Plateau, and the Cariboo Mountains to the east. In general the Property physiography consists of gently undulating hills, valleys and low mountains. Elevations on the Property range between 640 to 1280 m above sea level (ASL). The Cariboo Plateau is deeply incised by the

Quesnel Lake and Quesnel River valley where elevations are ~ 300 to 500 m lower than the Plateau. At the confluence of the Quesnel and Cariboo Rivers the elevation is ~640 m ASL.

Bedrock exposure throughout the region is very poor with large areas covered by glaciofluvial deposits, till sheets and moraines with trains of large glacial erratics. North-westerly glacial transport is consistent throughout the area with local zones showing more westerly ice movement trends.

The City of Williams Lake is a major service centre for mining and logging. The surrounding region has undergone substantial exploration, supporting several past and current producing mines. The mine of primary interest is the Mount Polley Mine, which lies less than 3.4 km from the Property. It has a mill capable of processing 20,000 tonnes of ore per day capacity and has attendant services such as B.C. Hydro power and water. The area including the centers of Williams Lake, Quesnel and McLeese Lake have large work forces of experienced miners, mill men and exploration people.

5.0 PROPERTY HISTORY

The regional geology has been mapped and described by a variety of writers, including: Bailey (1976, 1978, 1988, 1989 & 1990), Bloodgood (1988), Campbell (1978), Morton (1976), Panteleyev (1987, 1988 & 1989), Rees (1987), Struik (1983 & 1987) and Tipper (1978).

October Dome Property Exploration History

The earliest known exploration of the area began in 1859 when Thomas “Dancing Bill” Lather discovered placer gold in what is now referred to as Dancing Bill Gulch. Later known as the Bullion Pit, the strike was developed into one of the largest placer gold mines in the world, producing over 5.4 million grams of gold between 1870 and 1942.

In 1964 copper mineralization was discovered at Mount Polley to the south. The region was extensively prospected, including work on earlier claims in the area of the current October Dome property by local operators that included large bulldozer trenches reported as physical work only.

The earliest recorded work over the October Dome Property area was in 1975 when Compass Exploration Limited and later Canadian American Loan and Investment Corporation covered the area with the Lock, Hinge, Tails, Top, Hat and Road claims. They carried out geological, soil and rock geochemical,

magnetic and VLF electromagnetic surveys over the various portions (Tavela and Ronka, 1975, 1976, 1977 & 1978). Work included running local reconnaissance soil sample lines that outlined anomalous gold and copper (up to 1650 ppb & 2400 ppm respectively) in the areas west and north of the Bullion Pit. A brief work program of geochemistry (32 rocks and 32 soils) was undertaken in 1982 by Kenton Natural Resources Corporation producing local anomalous results with up to 512 ppb Au from a grab sample (RA 33) from the bottom of the Bullion Pit (Hoy & Allen, 1982). It is estimated by the BC Ministry of Mines and Resources (MinFile #093A025) that approximately 200 MT of gravel was mined from the Bullion Pit between 1870 and 1942 with ~ 5,460 kg (~175,000 oz) of gold recovered from the Pit.

In 1984, 1985, 1986 and 1987 Dome Exploration (Canada) Limited conducted a program of geology, geochemistry, VLF_EM and magnetic geophysics and diamond drilling on the Lock and Hinge claim block. Dome established 11 line-km of cut and flagged grid and drilled 1805.2 m in 17 core drill holes (Table 2). Only hole numbers 14, 15, and 17 are reported in the assessment files. A copy of hand written drill logs with analytical results inserted manually are summarized in the table below. No assay certificates are available to confirm the analytical results.

During the same period (1981 to 1986) Strata Energy Corporation completed a small seismic survey outlining a possible east-west buried channel in the main valley where the Williams Lake-Likely Road runs through the property.

Teck Exploration Limited, in 1984, undertook a program of geology, geochemistry and VLF EM geophysics on the QRIV property adjoining to the west of the Tails claim. A section of this work overlaps roughly 120 ha of what is now claims 512119 and 525967 (OCT W 2).

Table 2. Summary data from 1985 October Dome historical drill holes.

Hole ID	UTM E NAD83	UTM N NAD83	Length (m)	Az	Dip	Geology	% of Hole Assayed	Comments on Assays
270-1	589645	5833496	89.9	193	-45	diorite breccia, propylitic, pyrite, carbonate, kspars	100	anomalous Cu and Au, sporadic
270-2	589640	5833456	123.4	193	-45	diorite, diorite breccia, pyrite, carbonate, epidote chlorite	100	anomalous Cu and Au, sporadic
270-2a	589640	5833456	59.1	193	-45	same site as 270-2 but sediments and andesite?	100	anomalous Cu and Au, sporadic
270-3	589616	5833360	107.0	193	-45	altered diorite, pyrite carbonate, kspars, chlorite, fault,	60	weak, no assays below 50.9
270-4	589350	5833488	96.0	220	-45	sediments, gabbro, andesite, diorite,	10	weak
270-5	589752	5833415	100.6	220	-45	diorite, diorite breccia, syenite- pyrite, chlorite, carbonate	70	weak
270-6	589892	5833169	108.2	220	-45	syenite, diorite, andesite- pyrite, carbonate	100	strong: 63.5 m @ 0.205 g/t Au, 0.103 % Cu
270-7	588233	5634687	101.2	40	-45	diorite, andesite, epidote, pyrite,	70	moderate Au and Cu
270-8	588106	5834909	100.6	40	-45	diorite. Syenite,	25	weak
270-9	588182	5834634	110.6	180	-45	andesite, epidote, magnetite, kspars,	100	moderate Au and Cu
270-10	587619	5834614	87.4	180	-45	sediments, andesite, epidote, pyrite	10	isolated good Au at top
270-11	587624	5834690	102.1	0	-45	sediments, andesite, epidote, pyrite	5	
270-12	587498	5834812	99.1	0	-45	diorite, andesite, sediments, pyrite, carbonate	5	
270-13	589352	5833492	105.2	40	-45	sediments, andesite, pyrite, epidote	5	
270-14	591285	5832778	110.9	0	-45	syenite, basalt, pyrite	50	weak
270-15	591330	5832820	105.2	40	-45	volcanic, pyrite, epidote.	50	weak, bottomed in good Au (0.06 opt)
270-16	589259	5832272	102.1	0	-45	basalt, argillite	0	
270-17	591326	5831928	96.6	0	-45	overburden,	100	barren
Total			1805.2					

The analytical information is incomplete or was not collected; comments from assessment reports is provided where available, but is considered unreliable.

In October and November 1997 the area was re-staked by Big Valley Resources Inc. as the Hugger Claims. In 1998 Big Valley (Tennant, 1998) completed a property scale soil geochemical survey (682 samples). Work also included five reverse circulation drill holes totalling 497 meters in 1999. The chips were not assayed.

Exploration work by Valley High Ventures on the October Dome Property took place in 3 campaigns in 2005, 2009 and 2010. Work comprised primarily ground geophysics (IP and magnetics), soil geochemistry and bedrock mapping and sampling. A cut line grid (12.5 line-km) and refurbishment of the 2006 grid was undertaken prior to the ground geophysical survey and soil sampling. The total area covered by the geophysical and geochemical surveys is approximately 3200 x 1200 m.

Soil geochemical surveys were undertaken in 2009 and 2010 on the October Dome property. Valley High contracted Mincord Exploration Consultants Ltd. of Vancouver BC (“Mincord”) to brush out the lines and collect soil samples. Soil samples collected in 2009 totalled 503 samples from the new 12.5 line-km

of grid at 25 m sample spacing. In 2010, 547 samples were collected over 27.3 line-km of the 2005 grid at 50 m sample spacing. Prior to sampling the 2005 grid, the grid required extensive re-brushing and surveying.

Soil sampling was conducted from November 1 to 15 2010 by Mincord Exploration Consultants and from June 14 to 26, 2011 by Bearing crews. Crews collected 1004 grid controlled soil samples. This work included the collection of:

- 547 soil samples collected in November 2010 on lines 0N to line 25N;
- 269 soil samples on lines 1S through 10S expanding the soil sample grid coverage a kilometre to the southeast;
- 56 grid controlled soil samples were collected extending lines 100N, 102N and 104N in the north end of the property from station 8500mE west to 7500mE, 7500mE and 7700mE, respectively;
- 38 grid samples were collected at 50m spacing along line L14N, L16N, L18N and L20N to extend the grid west from station 4300mE to 3900mE; and,
- 94 infill grid soil samples were collected within the anomaly areas on lines L3N through L13N inclusive between stations 5375mE and 4725mE, increasing the sample density to 25 metre spacings from 50 metres.

This work was filed in an assessment report dated June 21, 2012 (no number assigned yet). Results from this work have outlined a four kilometre long trend of elevated geochemistry defined by gold greater than 16 ppb (max value 1664 ppb) and copper greater than 100 ppm (max value 1194 ppm) that is in part coincident with chargeability anomalies (greater than 20 msec) previously reported. The soil results are most likely dispersed down-ice by glacial activity to the northwest.

6.0 REGIONAL GEOLOGY

The October Dome Property occurs within the Central Quesnel Terrane of the Canadian Cordillera that comprises an island arc volcanic and sedimentary assemblage that developed to the west of the North American plate during the Middle Triassic to Lower Jurassic. The Quesnel terrane was transported eastward and collided with the North American plate during late Lower Jurassic or Middle Jurassic at which time eastward-directed subduction under Quesnellia ceased. Central Quesnel Terrane geology has been described by Bailey (1988, 1989, and 1990) Bloodgood (1988, 1989), Panteleyev, 1987, 1988) and Rees (1987), work which was summarised and compiled by Panteleyev et al (1996).

Oldest strata within the Central Quesnel Terrane are black shale, siltstone and sandstone of Middle Triassic age and which are best exposed along the eastern margin of the belt. Uppermost strata of this unit contain mafic tuffaceous beds and which mark the onset of basaltic volcanism within the developing arc. Overlying these rocks are olivine-bearing, pyroxene-phyric basaltic pillow lava, breccia and tuff that in turn are overlain by basaltic breccia and tuff that lacks olivine, but often contains hornblende as well as augite. The top of the basaltic unit is often marked by tuffaceous and calcareous sandstone and lenses of limestone. After a depositional hiatus during the Early Jurassic, renewed volcanism began from central vents arranged along the arc axis. Jurassic strata consist of volcanic breccia and tuff and their reworked products, conglomerate and tuffaceous sandstone. Breccias proximal to source are commonly characterised by felsic clasts of trachytic composition. Locally, clasts of syenite or monzonite are also common. In contrast, distal breccias are polymictic and contain clasts of underlying basalt as well as clasts of felsic composition. Small stocks and high level dykes of diorite, monzonite and syenite compositions cut all units in the Quesnel Terrane. This plutonism was contemporaneous with Lower Jurassic volcanism as evidenced by the presence of clasts of plutonic rocks within volcanic breccia.

Along the eastern margin of Quesnellia thrust faulting and strong penetrative deformation occurs within the lowermost, mainly phyllitic, strata.

Mineral deposits within the Quesnel Terrane are mainly “Alkalic Porphyry Cu-Au deposits” such as the Mt. Polley Deposit located 3.4 km south of the October Dome Property. These deposits generally formed during the Lower Jurassic and are genetically related to alkalic plutonism and volcanism occurring at that time. A variation of this type of deposit is that of the QR Deposit located 4 km to the northwest the Property, which is a gold-enriched skarn deposit with only low grade copper mineralization (Fox et al, 1986). Additionally in the region is the Spanish Mountain gold deposit, roughly 15 kilometres to the east-southeast. The Spanish Mountain deposit is described as a possible sediment-hosted vein-type gold deposit where gold occurs in quartz veins, with pyrite, base metals and arsenopyrite hosted in argillite within a 400 metre wide structural corridor defined by a series of shallow to moderate west dipping normal faults (Newcomen, 2010).

To date, the October Dome Property has undergone numerous geophysical and soil geochemical programs that have identified several coincident magnetic highs, IP chargeability highs and anomalous copper-gold in soils.

7.0 LOCAL GEOLOGY

Overall the October Dome Property is extensively covered by a thick mantle of glacial till and glacial fluvial deposits restricting bedrock exposure to less than 1% of the surface area. Glacial deposits, including glaciolacustrine deposits occur locally along the banks of the Quesnel River to the north and west of the property.

Where bedrock is exposed in the bottom of the Bullion Pit (a past producing placer gold operation) at the southeast corner of the Property there is exposed diorite and syenite with local veinlets of chalcopyrite. At the north end of the exposure a pyritic shear zone several metres thick returned anomalous gold values from five grab samples collected in 2009. Gold tenor ranged from 81 to 789 ppb. A second exposure of chalcopyrite bearing diorite is located on the steep slopes south of the Quesnel River at the north end of the Property. Along the bank above the Quesnel River at the east ends of grid lines 5S to 7S, strongly sheared iron oxide stained volcanic(?) rocks host quartz-pyrite±arsenopyrite veins. Grab samples from this location assayed between 163.3 ppb gold/89.3 ppm copper and 583.9 ppb gold/283.3 ppm copper (samples L19607 & T19503, respectively).

A forth occurrence is referred to as the Forks Zone and is located in the central part of the October Dome property near soil line 7N. At this location, a historic drill hole 270-6 (Dome Exploration, 1985) contained anomalous gold and copper over a 62.5 metre interval. The only available record of this hole is a hand written drill log with assays entered manually and no assay sheets available to confirm the analytical work. Drill logs describe syenite and andesite that have been pervasively altered with disseminated and veinlet controlled pyrite, calcite veining local epidote and rare chalcopyrite. The Forks Zone is the target of the 2012 drill program described within this report.

8.0 2013 WORK PROGRAM

The 2013 work program was initiated on June 10, 2012 when drill sites were selected on the ground and prepared by laying our trail access, and completing archeological risk assessment. The work utilized and took advantage of existing access including trails established in 1985 by Dome Exploration and by locating specific sites within areas of thin or logged timber. All work was done under a Free Use Permit issued by the Mines branch however no merchantable timber was damaged due to the use of established access. Drilling was contracted to Atlas Drilling who provided a Longyear 38 skid mounted drill supported by a D6 dozer. Site construction and reclamation was accomplished by a Cat 225 hoe. At the

completion of the program all sites were reclaimed by re-grading and re-sloping, backfilling sumps and water barring roads. Piled deadfall was bucked and reclamation grade grass seed was applied. Core was collected, logged and stored at the company’s core storage facility located at 52 deg 34.9 min north, 121 deg 38.5 min west on the Lloyd 2 claim. Drill hole locations and orientations are presented below in table 2. Drill logs are presented in Appendix 2 and analytical results in appendix 3. Drill hole locations are potted on figure 3 (in pocket) and sections are plotted in figures 4a to 4d (in pocket)

Table 2: Drill Hole Locations Nad 83 Zone 10

Drillhole	Easting	Northing	Elevation m	Depth m	Dip	Azimuth
OD-1	589995	5833171	893	239.3	-61.1	47.1
OD-2	589939	5833242	876	252.1	-61.1	47.1
OD-3	589823	5833360	843	246	-61.9	40.9
OD-4	589646	5833368	910	264.3	-59.8	45.2

8.1 Sampling Method, Sample Preparation, Analysis and Security

NQ size drill core was sampled in two-metre intervals with a manual core splitter. One-half of the core was placed in sealed plastic bags and delivered to Acme Analytical Laboratories Inc. (“Acme”) in Vancouver for crushing and pulverizing and then analysed following aqua regia digestion by ICP-MS. As part of the company's QA/QC (quality assurance/quality control) procedures, standards and blanks were inserted into the sample batches. ACME is an ISO 9001-registered laboratory and has a quality control program in place which includes the insertion of standard, blank and duplicate samples, as well as conducting repeat analyses. Field work and project management was under the direct supervision of Robert Cameron, P.Geo., who is a qualified person within the context of National Instrument 43-101. There were no issues in the data that suggest sample bias or sampling quality. Sampling procedures were conducted to industry standard and the results are within a normal range for this region of British Columbia.

9.0 DISCUSSION OF RESULTS

All four drill holes encountered diorite and monzonite intrusions with minor hornfelsed sedimentary units and intrusive dykes. Alteration in the drill holes is pervasive, comprised of propylitic alteration with pyrite, epidote and rare chalcopyrite overprinting an earlier episode of potassic alteration. Gold values are elevated in all holes with the best results occurring in hole OD-1 where a 6 metre interval returned 0.15% copper (“Cu”) with 0.46 gram per tonne (“gpt”) gold (“Au”). Summary of the recent drilling results are presented below. Drill intervals reported are core lengths and true widths are not known.

The highest and most consistent values were obtained in holes 1 and 4 at the outer bounds of the drilling. Simple step out drilling is warranted to offset the highly anomalous values and is supported by the much larger extent of the soil and IP anomalies. There does not appear to be any geological vectors to guide this process. Downhill from hole OD-4 to the northeast is a small 500 metre long elevated magnetic anomaly that may reflect a possible magnetic-potassic core to an alkalic copper system.

Significant Intersections

Hole	From (metres)	To (metres)	Length (metres)	Copper (ppm)	Gold (ppb)
OD-1	6.1	239.3	233.2	368	105
OD-1	48	54	6	1454	455
OD-1	74	94	20	977	175
OD-2	No significant results				
OD-3	96	104	8	833	173
OD-4	6.1	220	213.9	392	91
OD-4	92	114	22	1066	137

10.0 CONCLUSIONS AND RECOMMENDATION

The focus of the exploration program was to delineate possible Alkalic Porphyry Cu-Au mineralization by integrating both geophysical and geochemical techniques. To date the October Dome target is defined by a grid area of some 4.0 km by 1.1 km that has been surveyed by magnetic and induced polarization surveys and soil geochemistry. The geophysical programs were conducted in 2006 and 2009 and the soil sampling programs in 2009 and 2010 and 2011. Work has successfully identified a continuous and open-ended gold and copper (+/- arsenic) in soil anomaly that extends for the full 4 km length of the grid. Peak areas of enhanced gold coincide with extensive high Induced Polarization (“IP”) chargeability anomalies.

The drill program in 2012 tested the central portion of this large anomaly and results may represent the discovery of a previously unrecognised alkalic-style porphyry copper-gold system in an area of extensive glacial till cover. These types of porphyry deposits can be zoned with gold dominant zones located at the outer extremities of the propylitic alteration envelope, similar to the nearby QR gold deposit, and with copper-gold zones located in the core of the system associated with potassic alteration. The area tested by the 2012 drill program represents only 10% of the current 4 kilometre target. Additional drilling is warranted as extensions to the current drill pattern and additional testing outboard to the north where the combined soil and IP anomalies strengthen near the Quesnel River.

A similar program of 1000 metres is recoded to support this work.

Table 3. Recommended exploration budget for the October Dome Property.

Item	Amount	Units	Rate	Per Unit	Cost
Drilling (all-in project cost)	1000	m	\$150	m	\$150,000.00
Interpretation and report writing	10	days	\$600	day	\$6,000.00
					\$156,000.00

11.0 EXPENDITURE STATEMENT

October Dome/Mount Polley Expenditures June 10-12, 2012 & August 14 to Sept 17, 2012

salaries		rate	date	date	days/units	sum
geologist	Cameron	\$ 700	June 10-12	Aug 17- Sept 10	30	\$ 21,000
technician	Buckler	\$ 400	June 10-12	Aug 15- Sept 16	36	\$ 14,400
Acc Board Expenses	hotel	\$ 135	66 mandays		66	\$ 8,910
	food	\$ 60	66 mandays		66	\$ 3,960
Archeology/environmental						\$ 2,000
Misc expenses (supplies, air fare)						\$ 2,000
Drill Pads/road/reclamation		\$ 150	30 hours		30	\$ 4,500
Drilling (1002 metres)		\$ 85			1002	\$ 85,170
mobilization						\$ 4,000
Truck (with fuel)		\$ 150	June 10-Sept 17		33	\$ 4,950
assays						\$ 17,256
report						\$ 2,000
Total						\$ 170,146

12.0 REFERENCES

BC Geological Survey. 2011. MinFile 093A008 Detail Report – Mount Polley Mine. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A025 Detail Report – Bullion Pit. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A041 Detail Report – Bullion Lode. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A084 Detail Report – Likely Magnetite. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A121 Detail Report – QR Mine. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A160 Detail Report – Lloyd-Nordik Deposit. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A213 Detail Report – Mac. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A214 Detail Report – October East. <http://minfile.gov.bc.ca>.

- Bloodgood, M. 1987. Geology of the Triassic Black Phyllite in the Eureka Peak Area, Central British Columbia. B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 135-142.
- Bloodgood, M. 1988. Geology of Eastern Quesnel Belt (93A/12). B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 139-145.
- Brown, W. 1967. Geological Investigation and Sampling of Placer Leaseholds 6606 & 6608 in the Quesnel Forks Area 52o N 121o W. Abatis Exploration Ltd. BCGSB Assessment Report 01205. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1981; Geological Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 09220. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1982; Geophysical Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 11039. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1981; Geophysical Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 15000. <http://aris.empr.gov.bc.ca>.
- Fraser, T.M, C.R. Stanley, Z. Nikic, R. Pesalj, and D. Gorc, 1995. The Mount Polley Alkalic Porphyry Copper-Gold Deposit, Likely, British Columbia; in Porphyry Deposits of the Northwestern Cordillera of North America, ed. by Schroeter, T., Canadian Institute of Mining and Metallurgy, Special Volume 46, pp 609-622.
- Hoy, D., J.R. Allen. 1982. Geological and Geochemical Report on the Lock 1 and Lock 2 Mineral Claims, Cariboo Mining Division, BC. Kenton Natural Resources Corporation. BCGSB Assessment Report No.10947. <http://aris.empr.gov.bc.ca>.
- Livgard, B. 2009. Notice of Work: 2008 Assessment Work – Dome Placer Claims. BCGSB Assessment Report 30400. <http://aris.empr.gov.bc.ca>.
- Livgard, E., 1999. Drilling Report, Hug, Hugger Claim Group. Big Valley Resources Ltd. BCGSB Assessment Report No. 26053. <http://aris.empr.gov.bc.ca>.
- Livgard, E. 2005. Dome Claim Group Assessment Work Report in the Cariboo Mining Division on Map Sheet 093A078. BCGSB Assessment Report 27961. <http://aris.empr.gov.bc.ca>.
- Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005. Geology of British Columbia: Whole Province; B.C. Ministry of Energy and Mines, Geofile 2005-1, Scale 1:1,000,000.

- Panteleyev, A. 1988. Quesnel Mineral Belt – The Central Volcanic Axis Between Horsefly and Quesnel Lakes (93A/05E, 06W). B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 131-137.
- Panteleyev, A., D.G. Bailey, M.A. Bloodgood, K.D. Hancock. 1996. Geology and Mineral Deposits of the Quesnel River Horsefly Map Area, Central Quesnel Trough, B.C. B.C. Ministry of Mines Bulletin 97.
- Price, B. 2003. Valuation of Likely Area Properties, Private report for Glengarry Developments Inc.
- Price, BB, and E. Livgard. 2004. Technical Report; Draft Version, Likely Area Properties. Private report for Glengarry Developments Inc.
- Richardson, P.W; 1984. Geological and Geochemical Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Canadian-American Loan and Investment Corp. and Sun God Resources Ltd. BCGSB Assessment Report 12663. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1987. Diamond Drilling Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 16264. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1985. Geochemical and Geophysical Surveys on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 13964. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1986. Diamond Drilling Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 15265. <http://aris.empr.gov.bc.ca>.
- Spilsbury, T.W; 1984. Report on the Geological, Geochemical, electromagnetic and Magnetometer Surveys Conducted on the QRIV, Find, QUES and More Claims (Nos. 5823, 5908, 6127, 6129), Cariboo Mining Division, BC. Teck Exploration Limited. . BCGSB Assessment Report 13390. <http://aris.empr.gov.bc.ca>.
- Tavela, M., V. Ronka. 1976. Report on Geological, Geochemical and Geophysical Surveys, Lock and Hinge Claims. Compass Exploration Limited. BCGSB Assessment Reports 5955 & 5956. <http://aris.empr.gov.bc.ca>.
- Tavela, M., V. Ronka. 1977. Report on Geological, Geochemical and Geophysical Surveys, Lock, Hinge, Hat, Cap, Road, Yale & Top Claims. Compass Exploration Limited. BCGSB Assessment Report 6437. <http://aris.empr.gov.bc.ca>.
- Tavela, M., V. Ronka. 1978. Report on Geological, Geochemical and Geophysical Surveys and Physical Work, Lock, Hinge, Top, Hat & Road Claims. Canadian American Loan and Investment Corporation Limited; BCGSB Assessment Reports 6861; <http://aris.empr.gov.bc.ca>.

Tennant, S.J., 1998. Geochemical Assessment Report on the Hugger, Buck Mineral Claims, Cariboo Mining Division, BC.; Big Valley Resources Ltd.; Assessment Report No 25659; <http://aris.empr.gov.bc.ca>. Fraser, T.M, Stanley, C.R, Nikic, Z., Pesalj, R. and Gorc, D. (1995): The Mount Polley Alkalic Porphyry Copper-Gold Deposit, Likely, British Columbia; in Porphyry Deposits of the Northwestern Cordillera of North America, ed. by Schroeter, T., Canadian Institute of Mining and Metallurgy, Special Volume 46, pp 609-622.

15.0 STATEMENT OF AUTHORSHIP

This report, titled “Diamond Drilling Report on the October Dome Property, the October Dome – Mount Polley Project, Likely B.C., Cariboo Mining Division”, And Dated July 11th, 2013 was prepared and signed by the following author:

“Robert S. Cameron”



Robert S. Cameron, B.Sc., P.Geol.

Dated July 11th, 2013

Vancouver, British Columbia


APPENDIX 1

CERTIFICATE of QUALIFIED PERSON

I, Robert S. Cameron of 1408 W5th Avenue, Vancouver, British Columbia, do hereby certify that:

- 1) I am President of Bearing Resources with offices at 1280 – 625 Howe Street, Vancouver, BC, V6C 2T6.
- 2) I am a register member in good standing of the Association of Professional engineers and Geoscientists of BC (No. 121813).
- 3) I am a 1981 graduate of Carleton University Ottawa, Ontario with a Bachelor of Science degree in Geology.
- 4) I have practised my profession continually since graduation, concentrating in mineral property exploration throughout British Columbia, the Yukon and internationally.
- 5) I supervised the work described in this report entitled “Diamond Drilling Report on the October Dome Property, the October Dome – Mount Polley Project”, dated July 11, 2013.
- 6) I spent 28 days in the field on the October Dome and Mount Polley Properties from June 14 to September 10, 2012.

Respectfully Submitted,



Robert S. Cameron, P.Geo.

Vancouver, British Columbia



Date

APPENDIX 2

Drill Logs

BEARING RESOURCES
OCTOBER DOME PROJECT

Location: _____ Easting (N83 z10): 589984
 Azimuth: 45° Northing (N83 z10): 5833154
 Dip: -60°
 Start Date: August 29th 2012 Location: Cariboo M.D., British Columbia
 Complete Date: August 31st 2012 Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 893m Section No:

Length(m): 239.3 m Date Logged: As drilled Logged By: Robert Cameron

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
0	6.1	CASING		1968201	6.1	8	1.9		2	-1	1	-1	1	13.4	49.7
6.1	116.1	DIOR/MONZ	Diorite	1968202	8	10	2		3	-1	1	-1	1	13.6	64
			Fine to medium grined, grey with local	1968203	10	12	2		4	-1	2	-1	1	25.1	44
			pink brown (potassic? or albite), very	1968204	12	14	2		2	-1	2	-1	1	16.3	69.6
			fractured with cohesive angular healed breccia zone, rubble zones, minor gouge	1968205	14	16	2		5	-1	1	-1	1	123.2	297.8
			Fine black and white, salt and pepper look	1968206	16	18	2		5	-1	1	-1	1	71	47.7
			Light and dark patches gives pseudo breccia look - blkeached lighter areas around fractures	1968207	18	20	2		2	-1	1	-1	2	30.1	99.2
			Epidote to 5% - generally 2% as clots and	1968208	20	22	2		2	-1	1	-1	2	117.6	60.9
			veinlets often with pyrite - veins of	1968209	22	24	2		2	-1	1	-1	2	64	44.9
			opidote often with 0.5cm selvage of	1968210	24	26	2		2	-1	1	-1	2	54.9	127.6
			pink alteration - albite?	1968211	26	28	2		5	-1	1	-1	2	89.4	62.2
			magnetic	1968212	28	30	2		5	-1	1	-1	2	33.1	37.2
			Pyrite to 5% average 2% often with epidote	1968213	30	32	2	1	3	-1	2	-1	2	237.9	115.2
			in veinlets, clots, fracture coatings	1968214	32	34	2		3	-1	2	-1	2	151.1	574.5
				1968215	34	36	2		5	-1	1	-1	3	249.6	479.1
			9.8m to 10.4m -healed breccia	1968216	36	38	2		2	-1	1	-1	2	27.4	344.3
			13.1m - 10cm, rubble with gouge	1968217	38	40	2		2	-1	1	-1	2	109.1	516.1
			15.6. - 10cm rubble 45° CA	1968218	40	42	2		5	-1	1	-1	2	159.9	706.7
			21.0m - Gouge	1968219	42	44	2		2	-1	1	-1	2	112.4	608.4
			22.8m - Gouge	1968221	44	46	2		2	-1	1	-1	1	42.8	515.2
			27.0m - Gouge	1968222	46	48	2		2	-1	1	-1	1	131	876.8
			33.0m - Gouge	1968223	48	50	2		1	2	2	2	0	311.1	1804.7
				1968224	50	52	2		1	2	2	2	0	290.6	1219.9
				1968225	52	54	2		3	2	2	2	0	763.1	1336.6
			54.5m - Brown feldpar phyric xenolith	1968226	54	56	2		2	2	2	2	2	123.1	527.9
			66.5 - Green shearbands 65° to CA	1968227	56	58	2		3	2	2	2	2	137.4	536.4
				1968228	58	60	2		2	2	2	2	2	146.1	739.7
			90m - 105m - Dark to black mafic diorite euhedral pyrite/calcite with cpy in 3mm vein at 95.3	1968229	60	62	2		2	2	2	2	3	76	235.4
				1968230	62	64	2		2	2	2	2	3	102.8	607.3

Legend

0 - none, 1 - weak, 2 - moderate,
 3 -strong, 4 5 - very strong
 -1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
			White calcite/zeolite stockwork	1968231	64	66	2		3	2	1	2	3	51	124.2
				1968232	66	68	2		3	2	1	2	3	70.6	243.8
				1968233	68	70	2		3	3	1	2	2	155	710.9
				1968234	70	72	2		2	3	1	2	2	126.9	887.6
				1968235	72	74	2		2	3	1	2	3	89	576.5
				1968236	74	76	2		2	2	0	2	3	362.5	1745.8
				1968237	76	78	2		2	2	1	2	3	273.3	1030.5
				1968238	78	80	2		2	2	1	2	2	70.7	187.1
				1968239	80	82	2		2	2	0	2	2	88.3	497.5
				1968242	82	84	2		2	2	0	2	2	155	1065.3
				1968243	84	86	2		3	2	0	2	3	143.5	1181.1
				1968244	86	88	2		2	2	1	2	2	75.9	560.7
				1968245	88	90	2		2	2	1	2	2	129.7	1132.6
				1968246	90	92	2		3	2	1	2	0	313.9	1203.7
				1968247	92	94	2		3	1	1	2	0	137.1	1169.5
				1968248	94	96	2	1	3	1	2	2	0	49.2	293.6
				1968249	96	98	2		3	1	2	2	0	24	126.6
				1968250	98	100	2		2	1	2	2	0	44.8	202.8
				1968251	100	102	2		2	1	1	2	0	69.1	385.8
				1968252	102	104	2	1	2	1	1	2	1	75	454.1
				1968253	104	106	2		2	1	1	2	0	157.6	718.1
				1968254	106	108	2		2	1	2	2	0	182.4	858.9
				1968255	108	110	2		2	2	1	2	1	224.9	1350
				1968256	110	112	2		3	1	2	2	1	126.5	481.6
				1968257	112	114	2		2	1	2	1	0	42.6	380
				1968258	114	116	2		1	1	1	1	0	68.6	620.3
116.1	117.6	DYKE	116.1m to 117.6m - brown feldspar phyrric dyke, sharp contacts 45° to CA	1968259	116	118	2		1	1	1	1	3	83.7	391
				1968261	118	120	2		2	2	0	1	2	97.2	683.1
117.6	121.0	FAULT	Shear Zone	1968262	120	122	2		1	1	0	1	1	54.4	37
			Foliated, black shear bands, 45° to CA to 30° to CA with intermediary cohesive	1968263	122	124	2		1	1	0	1	2	24.2	30.9
			breccia, fragments are broken, rounded and angular, hard, pyrite and epidote (relict)	1968264	124	126	2		1	1	0	1	2	70.9	112.2
121.0	141.0	DIOR/MONZ	Diorite, Monzonite	1968265	126	128	2		1	1	1	1	2	34.9	126.1
			Medium grained fractured and sheared, 1-3% pyrite - disseminated and in veinlets,	1968266	128	130	2		1	1	1	2	2	78	299.4
			clots and veins of epidote to 3%, often with pyrite	1968267	130	132	2		3	2	1	2	1	88.8	379.8
			Pink pervasive groundmass colour	1968268	132	134	2		2	1	1	2	1	68.8	424.4

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 - 5 - very strong
-1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
			crackle breccia with calcite veinlets throughout	1968269	134	136	2		3	2	1	2	2	66.6	425.7
				1968270	136	138	2		2	1	1	2	2	97.1	346.4
				1968271	138	140	2		2	1	1	2	1	84.8	260.2
141	143.9	FAULT	Fault/Shear	1968272	140	142	2		2	1	1	2	1	191	293.8
			Cohesive, gouge rich foliated at 30-45° to CA, healed fault breccia, pyrite and epidote	1968273	142	144	2		2	1	0	2	1	65.8	300.6
				1968274	144	146	2		2	1	0	2	2	55.7	365.1
143.9	225.5	DIOR/MONZ	Diorite	1968275	146	148	2		2	1	1	2	2	75.5	352.4
			grey locally pink FG to MG with salt and pepper texture	1968276	148	150	2		2	1	1	2	1	15.5	26
			patchy light (alteration) and dark giving pseudo breccia look,	1968277	150	152	2		1	1	1	2	1	16.5	37
			fine hard aphanitic altered intervals to 2m- albite? With pink patches,	1968278	152	154	2		1	1	0	2	1	55.1	196.1
			epidote and pyrite calcite veinlets	1968279	154	156	2		3	3	0	2	2	52.3	129.5
			Fine difuse edged mafics, mostly pyroxene	1968282	156	158	2		1	1	1	2	1	43.5	97.5
			Disseminated and veinlet pyrite to 4%, epidote in clots and larger 3cm masses	1968283	158	160	2		1	1	1	2	1	40.6	250.7
			Black mafic xenolith to 3cm	1968284	160	162	2		1	1	2	2	1	42	48.5
				1968285	162	164	2		3	3	2	2	1	38.2	19.2
				1968286	164	166	2		2	1	2	1	1	22.5	47.8
				1968287	166	168	2		2	1	2	1	1	17.4	42.7
				1968288	168	170	2		2	1	2	1	1	25.8	53.1
				1968289	170	172	2		2	1	2	1	1	57.2	50.7
				1968290	172	174	2		2	1	2	1	1	14.3	23.4
				1968291	174	176	2		2	1	2	1	1	133.3	326.6
			177.0m to 178.9m - Cohesive fault breccia	1968292	176	178	2		2	1	1	2	1	81.3	131.1
				1968293	178	180	2		2	1	1	2	0	75.9	71.4
			180.0m to 182.5m - Cohesive fault breccia	1968294	180	182	2		2	2	1	2	2	95.6	245.4
				1968295	182	184	2		2	2	2	2	1	105.6	330
				1968296	184	186	2		2	1	2	2	1	50.4	132.6
				1968297	186	188	2		2	0	2	2	1	120.8	188.3
				1968298	188	190	2		2	0	2	2	0	55.7	82.5
				1968299	190	192	2		2	0	1	2	0	41.5	13.3
				1968301	192	194	2		2	0	1	2	1	741.1	237.1
				1968302	194	196	2		2	0	1	2	2	270.9	124.5
			196.2m to 196.6m - hornblends porphyry dyke	1968303	196	198	2		2	0	1	2	2	97.6	502.7
				1968304	198	200	2		2	0	1	2	2	27.9	414.5
				1968305	200	202	2		2	0	1	1	1	19.4	219.9
				1968306	202	204	2		2	0	1	1	2	30.5	280.6
				1968307	204	206	2		2	0	0	2	2	47.8	375.6
				1968308	206	208	2		2	0	0	2	3	40.4	135.9
				1968309	208	210	2		2	0	0	2	2	42.8	301.8
				1968310	210	212	2		2	2	1	2	2	84.2	79.1
				1968311	212	214	2		2	1	1	2	2	210.7	52.4

Legend

0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 - 5 - very strong

-1 - unlogged

For Cpy: 1 = present

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
				1968312	214	216	2		2	0	1	2	1	50	20.7
				1968313	216	218	2		2	0	1	2	1	77.7	64.7
				1968314	218	220	2		2	1	1	2	1	161.6	77
				1968315	220	222	2		2	1	1	2	1	59.6	191.6
				1968316	222	224	2		2	1	0	2	1	43.8	119.7
225.5	230.2	SED/HORN	Hornfels	1968317	224	226	2		2	1	0	2	1	107.4	177.3
			Pale buff to green, FG, hard calcareous pyritic sediments, hornfels, bedding 90° to CA	1968318	226	228	2		2	1	0	3	1	51.5	248.9
				1968319	228	230	2		2	1	0	3	1	103.3	192.7
230.2	234.6	DYKE	Hornblends porphyry dyke	1968322	230	232	2		2	1	0	2	0	157.6	143.2
				1968323	232	234	2		2	1	0	3	0	47.3	358.1
234.6	236.6	SED/HORN	Hornfels - bedding 80° to CA	1968324	234	236	2		2	0	0	3	1	61	149.3
236.6	239.3	DYKE	Hornblends porphyry dyke	1968325	236	238	2		2	0	0	3	2	42.2	186.8
			Fracture zone at 238.2m to 239.3m - EOH	1968326	238	239	1.3		2	0	0	3	1	163.4	37.9

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

Location: _____ Easting (N83 z10): 589950
 Azimuth: 45° Northing (N83 z10): 5833248
 Dip: -60°
 Start Date: August 31st 2012 Location: Cariboo M.D., British Columbia
 Complete Date: September 2nd 2012 Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 876 m Section No: _____
 Length(m): 252.1 Date Logged: As drilled Logged By: Robert Cameron

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
0.0	6.1	CASING		1968327	6.1	8	1.9		1	1	2	1	1	49.8	181.1
6.1	44.7	DIOR/MONZ	Diorite (Monzo-Diorite)	1968328	8	10	2		1	1	2	1	1	25.5	111
			grey to slightly pink, FG to MG - massive with abundant fractures, shears and	1968329	10	12	2		1	2	2	1	1	35.7	177
			patchybleaching (Pseudo Breccia)	1968330	12	14	2	1	1	1	2	1	1	42.5	319.4
			Calcite vein network to 5%, disseminated to patchy epidote locally in veinlets	1968331	14	16	2		2	1	2	2	1	43	324.4
			and often with pyrite	1968332	16	18	2		2	2	1	2	1	36	303.3
				1968333	18	20	2		1	1	2	1	1	21.1	213.6
			Pyrite 1-4% as disseminated .5cm grains and in clots with epidote, in veinlets to 2mm	1968334	20	22	2		1	1	2	1	1	13.1	94.4
			Weakly to moderately magnetic	1968335	22	24	2		1	1	2	2	1	18.2	171
			Mafics mostly pyroxene	1968336	24	26	2		2	1	2	1	1	31.2	291.7
			trace? Chalcopyrite	1968337	26	28	2		3	3	2	1	1	32.3	141
				1968338	28	30	2		2	3	2	2	1	59.8	178
			40.6m - 20cm - black cohesive shear 45° to CA	1968339	30	32	2		2	1	2	1	1	36.3	309.9
			42.7m - 30cm - rubble gouge zone	1968341	32	34	2		4	1	1	1	1	24.2	77.9
				1968342	34	36	2		2	1	1	1	1	26	172.1
				1968343	36	38	2		1	1	1	2	1	71.2	826.1
				1968344	38	40	2		1	1	1	1	1	257.8	863.3
				1968345	40	42	2		1	1	1	2	1	77.6	155.6
44.7	45.5	FAULT	Fault - Rubble, chloritic, minor gouge	1968346	42	44	2		1	1	1	3	1	180.4	228.7
45.5	49.2	DIOR/MONZ	Diorite - Light grain, chloritic	1968347	44	46	2		2	1	1	3	1	121.5	259.7
49.2	51.5	SED/HORN	Hornfels Sediment	1968348	46	48	2		2	1	1	3	1	75.8	370.6
			very fine-grained cherty hornfels with 1cm to 4cm sandstone interbeds. hard, discrete pinkbeds,	1968349	48	50	2		2	1	2	2	1	34.5	128.4
			bedding 80° to CA. epidote and pyrite in fractures and disseminated.	1968350	50	52	2	1	2	1	1	1	1	45.2	265
51.5	53.9	DIOR/MONZ	Diorite - Patchy pseudo breccia	1968351	52	54	2		2	1	1	1	1	50.3	301
53.9	61.7	SED/HORN	Hornfels Sediment	1968352	54	56	2		2	1	1	2	1	60.8	280.5
			Mostly hard chert, pink beds, increase in epidote as bedding parallel bands	1968353	56	58	2		2	3	1	2	1	109.5	422
			58.6m to 59.5m - Hornblends porphyry dyke	1968354	58	60	2		2	2	0	1	2	183.8	804.3
				1968355	60	62	2		2	2	0	1	2	87.8	759.9
61.7	63.0	DIOR/MONZ	Diorite	1968356	62	64	2	1	2	2	0	1	2	93.3	694

Legend
 0 - none, 1 - weak, 2 - moderate,
 3 - strong, 4 - 5 - very strong
 -1 - unlogged

For Cpy: 1 = present

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
63.0	65.0	SED/HORN	Hornfels - mostly chert, local healed breccia	1968357	64	66	2		2	1	1	1	2	71.2	568.2
65.0	67.5	DYKE	HBL pyroxene dyke - chilled contacts 80° to CA	1968358	66	68	2		2	1	0	1	2	52.9	491.1
67.5	72.0	SED/HORN	Hornfels	1968359	68	70	2		2	1	0	1	2	67.1	471.3
				1968362	70	72	2		2	1	0	1	2	109.5	620.4
72.0	73.0	DYKE	HBL porphyry dyke - chilled contacts conformable	1968363	72	74	2		2	1	1	2	2	82.1	473.7
73.0	73.9	SED/HORN	Hornfels	1968364	74	76	2		2	1	0	1	3	266.9	439.6
73.9	77.6	DIOR/MONZ	Diorite dyke	1968365	76	78	2		2	1	0	1	1	57.5	517.4
77.6	88.0	SED/HORN	from 77.6m - increasing brecciation - cohesive	1968366	78	80	2		2	2	0	2	1	433.4	235.7
88.0	90.6	SED/HORN	Hornfels	1968367	80	82	2		2	3	0	1	1	121.1	416.7
			Green to Pink, chert, bedding 80° to CA	1968368	82	84	2		1	1	1	1	1	130	826.4
			Pink colour to certain beds, sharp upper contact 65° to core axis	1968369	84	86	2		1	1	0	1	1	47.5	33.6
				1968370	86	88	2		1	1	0	1	1	38.6	63.2
				1968371	88	90	2		2	1	0	2	1	90	703.9
90.6	102.7	DIOR/MONZ	Diorite/Monzonite	1968372	90	92	2		1	1	0	2	2	76.2	437.2
			Grey, local slightly pink to pink. FG with local hornblends rich zones	1968373	92	94	2		1	1	1	2	3	60.4	375.8
91.5	94.8		Pink Monzonite - Hard, altered, fractured and healed cohesive breccia	1968374	94	96	2		2	1	1	2	2	20	101
			pyrite along fractures	1968375	96	98	2		1	1	1	2	1	28.5	196.8
94.8	102.7		Light green with fracture zones, altered - no mafics	1968376	98	100	2		2	1	0	2	1	28.8	282.5
				1968377	100	102	2		2	1	0	2	1	23.7	160.8
102.7	103.7	DYKE	HBL Porhyry dyke	1968378	102	104	2		1	1	0	2	1	52.2	269
103.7	123.0	DIOR/MONZ	Diorite	1968379	104	106	2		2	1	1	2	1	30.3	41.3
			grey, hornblends rich - small 1-2mm acicular phenocrysts, xenoliths with mafic fragments	1968381	106	108	2		1	1	1	2	1	38.6	142.7
				1968382	108	110	2		1	1	0	2	2	48.6	153.9
			117.0 - Circular alteration spots to 2cm. Epidote core with light bleached rims	1968383	110	112	2		1	1	0	2	1	19.7	84.7
				1968384	112	114	2		1	1	1	2	1	24.7	51.9
				1968385	114	116	2		1	1	1	2	1	37.8	49
				1968386	116	118	2		1	1	1	1	1	35.1	93.6
				1968387	118	120	2		1	1	1	2	1	18.1	71.1
				1968388	120	122	2		2	1	1	2	1	97.3	606.6
				1968389	122	124	2		1	1	1	2	1	54.9	206.1
123.0	128.2	SED/HORN	Hornfels Sediments	1968390	124	126	2		1	1	1	1	1	67.3	408
			bedding diffuse - 80° to CA. Pink to green epidote and pyrite	1968391	126	128	2		1	1	1	1	1	76.1	378
128.2	155.9	DIOR/MONZ	Diorite	1968392	128	130	2		1	1	1	1	1	75.1	396
			altered - epidote, pyrite, green to grey with local pink - textures obscured, cherty	1968393	130	132	2		2	1	1	1	1	93.4	311.1
			Epidote in clots, disseminated and veinlets	1968394	132	134	2		1	1	1	1	2	231.8	579

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
				1968395	134	136	2		1	1	1	1	1	56.1	78.8
137.0	137.5		Rubble Zone, minor gouge	1968396	136	138	2		1	1	1	2	1	53.4	156.6
				1968397	138	140	2		2	1	1	2	1	44	70.6
				1968398	140	142	2		1	1	1	2	1	49.7	40.5
				1968399	142	144	2		1	1	1	2	1	58.5	228.1
				1968402	144	146	2		1	1	0	1	1	69.4	290.9
				1968403	146	148	2		1	1	0	1	1	24.7	129.9
				1968404	148	150	2		2	2	0	1	1	81.7	263
150.0	152.8		Pink, cherty, broken and healed pyrite rich to 5%. Core zone 152.3m - 30cm of semi-massive pyrite.	1968405	150	152	2		2	2	0	1	3	78.7	315.8
				1968406	152	154	2		5	2	0	1	3	190.2	908.9
				1968407	154	156	2		3	2	0	1	2	113.4	733
155.9	169.8	SED/HORN	Hornfels	1968408	156	158	2		1	1	0	2	1	88.7	632.3
			Hard green to pink sediments, cherty, bedding 80° to CA. Broken pink patches, pyrite and epidote.	1968409	158	160	2		2	1	0	2	2	92	496
				1968410	160	162	2		1	1	1	2	2	72.3	339.6
			Diorite dyke at 166.7m to 167.3m	1968411	162	164	2		1	1	0	2	2	93.9	443
				1968412	164	166	2		2	1	0	2	2	103	408.1
				1968413	166	168	2		2	1	0	2	2	94.6	537.5
				1968414	168	170	2		2	1	0	1	2	117.6	441.6
169.8	206.4	DIOR/MONZ	Hornxxx Diorite	1968415	170	172	2		1	1	0	1	1	113	687.5
			FG to MG patchy bleaching, local healed breccia. Pyrite and epidote.	1968416	172	174	2		1	1	1	1	2	66.3	527.8
			Calcite veining - local pink alteration.	1968417	174	176	2		1	1	2	1	1	39.5	297.5
175.0	175.3		Chlorite fault	1968418	176	178	2		1	1	2	1	1	24.8	129.8
				1968419	178	180	2		1	2	2	1	1	34.3	153.8
178.0	178.7		178.0m to 178.7m - Chloritic fault	1968421	180	182	2		1	1	2	1	1	33.6	220.7
				1968422	182	184	2		1	1	2	1	1	39.5	224.8
				1968423	184	186	2		1	1	2	1	2	30	213.6
				1968424	186	188	2		2	1	2	1	2	58	208.5
				1968425	188	190	2		2	1	2	1	1	35.2	184.2
				1968426	190	192	2		1	1	2	1	1	51.3	195.4
				1968427	192	194	2		1	1	2	1	1	75.6	438.6
				1968428	194	196	2		2	1	2	1	2	90	543
				1968429	196	198	2		2	1	2	1	2	52.5	235.2
				1968430	198	200	2		2	1	2	1	2	41.9	122.8
				1968431	200	202	2		2	1	1	1	2	32.5	157.7
				1968432	202	204	2		1	1	2	1	1	106.9	558.7
206.4	211.0	FAULT	Fault - Hornfels fragments in cohesive chlorite rich breccia - foliation approx 45° to CA	1968433	204	206	2		1	1	1	1	1	71.4	403.5
			- increased pink alteration	1968434	206	208	2		2	1	1	1	2	34.2	168.1
				1968435	208	210	2		2	1	1	1	2	33.8	215.7
211.0	221.3	SED/HORN	Hornfels	1968436	210	212	2		2	1	0	1	2	48.8	380.1
			Green to pink, locally fractured and healed	1968437	212	214	2		2	1	2	2	2	63.6	308

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
			214.9 - 2cm vein of chalcopyrite and pyrite	1968438	214	216	2	2	2	1	0	2	2	101.7	750
			Pink zeolite on fracture coatings	1968439	216	218	2		1	1	0	2	1	28.3	241.3
				1968442	218	220	2		2	1	0	1	1	38.7	304.3
			221.1m - minor chalcopyrite	1968443	220	222	2	1	2	1	0	1	1	34.1	297.1
221.3	252.1	DIOR/MONZ	Diorite	1968444	222	224	2		2	1	0	1	1	37.5	350.4
			Hornblende and pyroxene phyric	1968445	224	226	2		2	1	0	1	1	39.2	386.2
			pyrite and minor epidote	1968446	226	228	2		2	1	1	2	1	60.9	185.9
			Pink patches	1968447	228	230	2		2	1	1	2	1	82.9	105.9
			sheared and healed	1968448	230	232	2		2	1	1	2	1	70.6	281.6
			Pseudo breccia	1968449	232	234	2		2	1	0	3	1	35.3	138.7
				1968450	234	236	2		2	1	0	3	1	66.3	189.9
				1968451	236	238	2		2	1	0	3	1	23	11.4
				1968452	238	240	2		2	1	0	3	1	4.8	7.3
				1968453	240	242	2		1	1	1	2	2	42.8	143.1
				1968454	242	244	2		1	1	1	2	3	52.1	122.3
				1968455	244	246	2		1	1	1	2	1	58.8	72.3
				1968456	246	248	2		1	1	1	2	1	88.6	82
				1968457	248	250	2		1	1	1	1	1	87.2	136
			EOH	1968458	250	252	2.1		1	1	1	1	0	49.8	121.7

Legend
0 - none, 1 - weak, 2 - moderate,
3 -strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

Location: _____ Easting (N83 z10): 589823
 Azimuth: 45° Northing (N83 z10): 5833360
 Dip: -60°
 Start Date: September 2nd 2012 Location: Cariboo M.D., British Columbia
 Complete Date: September 4th 2012 Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 843 m Section No: _____
 Length(m): 246 Date Logged: As drilled Logged By: Robert Cameron

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
0.0	3.7	CASING	Casing	1968459	3.7	8	4.3		1	1	2	2	1	364.7	146
3.7	8.0	FAULT	Fault - Chlorite, clay gouge rich	1968462	8	10	2		1	1	2	2	1	33.3	171.7
			approx. 50° to CA	1968463	10	12	2		1	1	1	2	2	42.2	419.2
5.2	105.5	DIOR/MONZ	Diorite/Monzonite	1968464	12	14	2		1	1	1	2	3	65.8	469.9
			MST grey diorite with pink intervals	1968465	14	16	2		2	1	1	2	1	54.8	544.5
			of potassic rich matrix?	1968466	16	18	2		2	2	2	1	1	37.4	152.6
			FG to MG, weak to Mod, Magnetic	1968467	18	20	2		2	1	2	1	1	18.7	131
			Calcareous matrix to calcite in veinlets	1968468	20	22	2		1	1	2	1	1	15.1	138.1
			Psudo breccia due to network of fractures	1968469	22	24	2		1	1	2	1	1	29.7	300.5
			with light selvages	1968470	24	26	2		1	1	2	1	1	21.7	195.9
			Epidote as Diss. Grains and cots	1968471	26	28	2		2	1	2	2	1	31.1	230.9
			often with pyrite. Local epidote in	1968472	28	30	2		2	1	2	2	1	39.6	157.7
			veinlets	1968473	30	32	2		2	1	2	1	1	26.6	147.7
			Pyrite to local 5% but generally 1-2%	1968474	32	34	2		1	1	2	1	1	19.6	171.3
			as diss grains and in clots and veins	1968475	34	36	2		1	1	2	1	1	9.7	103.4
			Veins of pyrite locally to 1cm shear	1968476	36	38	2		1	1	2	1	1	11.5	91
			veins	1968477	38	40	2		1	1	2	1	2	10.4	101.6
			Pink calcite/zeolite veinlets	1968478	40	42	2		1	1	2	1	3	13.7	108.8
				1968479	42	44	2		1	1	2	1	3	17.8	80.8
			10.1m to 14.0m - Pink Monzonite	1968481	44	46	2		1	1	2	1	1	21.3	130.7
			39.0m to 44.9m - Pink Monzonite	1968482	46	48	2		1	1	2	1	1	20.7	111.2
				1968483	48	50	2		2	1	2	1	1	14.1	83.8
				1968484	50	52	2		1	1	2	1	1	12.4	135.1
				1968485	52	54	2		1	1	2	1	1	17.2	115.3
				1968486	54	56	2		1	1	2	1	1	11.9	132.3
				1968487	56	58	2		2	2	2	1	1	20.7	170.1
				1968488	58	60	2		1	2	2	2	2	28.8	249.7
				1968489	60	62	2		1	2	2	2	1	34.8	240
				1968490	62	64	2		2	2	2	2	1	24.6	315.7

Legend
 0 - none, 1 - weak, 2 - moderate,
 3 - strong, 4 - 5 - very strong
 -1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
				1968491	64	66	2		2	2	2	2	1	27.2	391.3
				1968492	66	68	2		2	2	2	2	1	19.9	274.9
				1968493	68	70	2		2	1	2	1	1	39.3	482
				1968494	70	72	2		2	1	2	2	1	168.6	487.4
				1968495	72	74	2		1	1	2	2	1	88.3	558.8
				1968496	74	76	2		1	1	2	2	1	144.5	206.2
			76.4m to 79.6m - Pink Monzonite	1968497	76	78	2		1	1	2	2	3	39.4	262.3
				1968498	78	80	2		1	1	2	2	1	178.6	336.1
				1968499	80	82	2		1	1	2	1	1	34	100.7
				1968502	82	84	2		1	1	2	1	1	13.6	176.3
				1968503	84	86	2		1	1	2	1	1	11.9	147.4
				1968504	86	88	2		1	1	2	1	1	27.1	110.3
				1968505	88	90	2		1	1	2	1	1	48.6	431
				1968506	90	92	2		1	1	2	1	1	71.6	527.3
				1968507	92	94	2		1	1	2	1	1	52.1	154.8
				1968508	94	96	2		1	1	2	1	1	100	372.8
				1968509	96	98	2		1	1	2	1	1	183.2	738.1
				1968510	98	100	2		2	1	2	1	2	237.8	1461.1
			100.5m to 105.5m - Pink Monzonite	1968511	100	102	2		2	1	2	1	3	125.2	531
				1968512	102	104	2		2	1	2	1	3	144.6	603.1
				1968513	104	106	2		3	1	2	1	1	97.4	349.1
105.5	110.3	SED/HORN	Hornfels - Green to pink, bedded cherty, pyrite and epidote veinlets	1968514	106	108	2		2	1	2	1	1	67.2	349.3
			bedding 70° to CA	1968515	108	110	2		2	1	2	1	1	40.3	195.8
110.3	114.3	DYKE	Hornblends diorite dyke	1968516	110	112	2		3	1	1	1	1	82.7	346.9
			Sharp chilled contact, 45° to CA, hornblends to 1cm, mostly 2mm, 1cm mafic xenoliths,	1968517	112	114	2		2	1	1	2	1	61.4	118.2
			veinxx of pyrite and epidote. 110.5m - 2cm pyrite vein 40° to CA	1968518	114	116	2		2	1	1	2	1	42.2	125
114.3	122.8	DIOR/MONZ	Diorite/Monzonite	1968519	116	118	2		2	1	1	2	1	91	349.9
			fg grey, sediments as fragments? Light green locally	1968521	118	120	2		2	1	1	1	1	51.1	293.1
				1968522	120	122	2		3	1	1	1	1	26.6	193
122.8	134.6	DYKE	Diorite dyke	1968523	122	124	2		3	1	1	1	1	30.1	249
			Local hornblende phyrriic, sharp chilled contacts, 80° CA	1968524	124	126	2		2	1	1	1	3	31.6	181.3
			125m to 128.2m - Monzonite	1968525	126	128	2		2	1	1	1	3	48.8	353.3
			130.3m to 132.0m - Monzonite	1968526	128	130	2		2	1	1	1	3	32.4	199.3
				1968527	130	132	2		2	1	0	2	2	59.1	185.1
				1968528	132	134	2		3	1	0	2	1	54.2	247.4

Legend
0 - none, 1 - weak, 2 - moderate,
3 -strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
134.6	135.6	SED/HORN	Hornfels - Green to Pink, 80° to CA	1968529	134	136	2		2	1	1	2	1	44.3	166.4
135.6	149.1	DIOR/MONZ	Diorite/Monzonite	1968530	136	138	2		2	2	1	3	2	16.4	36.9
			Hornblends phyrlic, MG, angular contact 40° to CA	1968531	138	140	2		1	1	1	3	2	15.1	6.6
			Angular mafic xenoliths to 1cm, patchy pink monzonite	1968532	140	142	2		1	1	1	3	2	45.6	38
			Epidote throughout Diss + vein	1968533	142	144	2		2	1	1	2	1	35.3	93.3
			Pyrite, weakly magnetic	1968534	144	146	2		2	1	1	3	2	9.2	11.4
			Calcite veins and pink zeolite	1968535	146	148	2		2	1	1	3	1	44.3	11.3
149.1	156.3	SED/HORN	Hornfels	1968536	148	150	2		3	1	0	3	2	25.9	123.8
			Hard cherty sediments, bedding 80° to CA, locally magnetic	1968537	150	152	2		2	1	1	2	1	54.1	402.2
			Fractured with epidote and pyrite veinlets, pink bands	1968538	152	154	2		2	1	1	2	2	52	304.4
			Magnetite veinlet at 154.0m	1968539	154	156	2		2	1	1	2	2	37.7	292.2
156.3	165.0	DIOR/MONZ	Diorite	1968542	156	158	2		2	1	1	3	1	57.9	143.1
			Hornblends phyrlic, green to pink chloritic	1968543	158	160	2		2	1	1	2	1	16	49.9
			Pyrite to 5% at 162.4	1968544	160	162	2		2	1	1	2	1	62.1	421.9
				1968545	162	164	2		2	1	0	3	2	66.6	132.6
165.0	167.1	SED/HORN	Hornfels	1968546	164	166	2		2	1	1	3	2	64.9	256.2
			Pink to green, hard, bedded, 80° to CA	1968547	166	168	2		2	1	1	3	2	44.5	78.5
167.1	169.7	FAULT	Fault - healed chloritic breccia foliated approx 40° to CA	1968548	168	170	2		3	1	1	3	2	73.7	215.6
				1968549	170	172	2		3	2	0	3	2	42.8	243.8
169.7	174.9	SED/HORN	Hornfels	1968550	172	174	2		3	1	0	3	2	72.9	371.9
174.9	246.0	DIOR/MONZ	Diorite/Monzonite	1968551	174	176	2		3	1	1	1	2	122	549.5
			mg, feldpars to 85% as chalky white zoned blocks to 1.5 cm	1968552	176	178	2		2	1	1	1	2	73	296.3
				1968553	178	180	2		2	1	1	1	3	131.3	196.1
			patchy Pink Monzonite, locally syenite	1968554	180	182	2		3	1	1	3	3	54.7	121.9
				1968555	182	184	2		3	1	1	1	3	128.1	189
			Pyrite in masses, veins to 2cm, filling shears	1968556	184	186	2		2	1	1	1	3	52.4	74.6
				1968557	186	188	2		2	1	1	2	3	36.7	108.5
			Calcite veinlets, local open spaces with chrystals	1968558	188	190	2		2	1	1	1	3	31.8	90.2
				1968559	190	192	2		2	1	1	1	3	50.6	172.6
			193.7m	1968561	192	194	2		2	2	1	2	2	131.1	399.8
				1968562	194	196	2		2	2	1	2	2	58.6	150.5
			203.5m to 206.3m	1968563	196	198	2		2	2	1	2	2	107.1	203.6
				1968564	198	200	2		2	2	1	2	2	73.1	84
			210.0m - 10cm pyrite vein, 45° to CA	1968565	200	202	2		2	2	1	3	2	201.6	27.9
				1968566	202	204	2		3	2	1	3	3	42.2	170.4
			219.9m - 2cm pyrite vein, 45° to CA	1968567	204	206	2		3	2	1	2	3	66.1	193.5
				1968568	206	208	2		3	2	1	1	1	58.7	123.1
			232.3m to 234.8m - rubble zone with chlorite gouge	1968569	208	210	2		4	1	1	1	1	200.2	114.6
				1968570	210	212	2		4	1	1	1	0	606.5	127.3
				1968571	212	214	2		2	1	1	1	0	69.5	69.1

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
				1968572	214	216	2		2	1	1	1	1	69.3	76.7
				1968573	216	218	2		2	1	2	1	1	44.3	57.1
				1968574	218	220	2		2	1	1	1	1	25.6	57.2
				1968575	220	222	2		2	1	2	1	1	67.7	64.5
				1968576	222	224	2		2	1	2	1	1	31	42.8
				1968577	224	226	2		1	1	1	1	1	131.5	32
				1968578	226	228	2		2	2	1	2	2	37.5	17.3
				1968579	228	230	2		2	1	1	1	1	40.6	25.8
				1968582	230	232	2		2	1	1	1	2	70.6	238.2
				1968583	232	234	2		2	1	1	1	1	84.4	27.1
				1968584	234	236	2		2	1	1	1	1	46.5	25.7
				1968585	236	238	2		2	1	1	2	1	69.4	111.8
				1968586	238	240	2		2	1	2	3	1	102.5	26.4
				1968587	240	242	2		2	1	2	3	1	28.7	37.7
				1968588	242	244	2		2	1	1	3	3	12.9	27.2
			246m EOH	1968589	244	246	2		2	1	1	3	3	14.4	78.9

Legend
0 - none, 1 - weak, 2 - moderate,
3 -strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

Location: _____ Easting (N83 z10): 589646
 Azimuth: 45° Northing (N83 z10): 5833368
 Dip: -60°
 Start Date: September 5th 2012 Location: Cariboo M.D., British Columbia
 Complete Date: September 6th 2012 Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 910 m Section No: _____
 Length(m): 264.3 Date Logged: As drilled Logged By: Robert Cameron

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
0.0	6.1	CASING		1968590	6.1	8	1.9		2	1	0	1	0	83	1166.6
6.1	9.5	SED/HORN	Hornfels - Grey/Green/Pink, hard disseminated pyrite to 2%, minor epidote, fractured	1968591	8	10	2		2	1	0	1	1	57.1	573.2
			Diorite fragments, interspersed approx 30%, broken dykes ??	1968592	10	12	2		1	1	1	1	3	5.3	22.9
9.5	12.3	DYKE	Monzite dyke - Pink feldspar phyrlic, sharp contacts - 45° to CA.	1968593	12	14	2		1	1	1	3	2	62.5	700.8
			Fractures coated by pyrite and minor epidote.	1968594	14	16	2		1	1	1	2	2	106.7	411.6
12.3	13.5	DIOR/MONZ	Diorite - Grey, PG	1968595	16	18	2		2	1	1	2	1	263.3	512.6
13.5	14.8	DIOR/MONZ	Monzonite	1968596	18	20	2		2	1	1	2	2	320.8	559.5
14.8	17.4	FAULT	Fault - Chlorite rich sheared and cohesive breccia and gouge.	1968597	20	22	2		1	1	0	1	2	39	635.5
17.4	19.5	DIOR/MONZ	Diorite	1968598	22	24	2		1	1	0	1	2	148.2	655.8
19.5	29.0	SED/HORN	Hornfels	1968599	24	26	2		1	1	0	2	1	81.8	515.3
			Grey to Pink, hard, cherty, bedding 80° to CA	1968601	26	28	2		1	1	0	1	2	62	517.7
			Pink veinlets to 2cm, pyritic and minor epidote	1968602	28	30	2		1	1	0	1	1	69.1	573.5
29.0	36.4	DIOR/MONZ	Diorite	1968603	30	32	2		1	1	0	1	1	78.6	460.2
			Fine grained, mottled black to grey, local pink monzonite, pink veinlets, pyrite disseminated and	1968604	32	34	2		1	1	0	3	1	185.2	498.7
			in veinlets. 35.7m - 3cm syenite dyke - 40° to CA	1968605	34	36	2		2	1	0	3	2	236.8	463.2
36.4	56.0	SED/HORN	Hornfels	1968606	36	38	2		2	1	0	2	1	69.7	109.7
			Green/grey to light tan/pink (albite?) Fractured cherty, very hard . Pyrite to 3% as	1968607	38	40	2	1	2	1	0	2	2	117.6	384.5
			disseminated and fracture coatings, locally with epidote - bedding difuse and hard to read.	1968608	40	42	2		2	1	0	3	1	91.1	159
				1968609	42	44	2		2	1	0	3	1	137.9	18.9
				1968610	44	46	2		2	1	0	3	1	86.2	115.3
				1968611	46	48	2		2	0	0	3	0	492.9	815.6
				1968612	48	50	2		2	0	0	3	0	193.8	80.5
				1968613	50	52	2		2	0	0	3	0	379.1	166.9
				1968614	52	54	2		2	0	0	3	0	35	12.9
				1968615	54	56	2		2	0	0	3	0	60.9	169.2
56.0	112.2	DIOR/MONZ	Diorite and Monzonite	1968616	56	58	2		2	1	1	2	1	39.2	60.5
			Mixed diorite and monzo-diorite MG. Patchy mottled grey to white to pink - pyrite 1-2%	1968617	58	60	2		2	1	1	2	1	31.5	19.7
			mostly disseminated with local fracture coatings. Epidote as isolated grains, proxene phyrlic	1968618	60	62	2		1	1	1	2	1	27.2	34.7
			calcite veins.	1968619	62	64	2		2	1	1	2	1	19	139.8

Legend
 0 - none, 1 - weak, 2 - moderate,
 3 - strong, 4 - 5 - very strong
 -1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
				1968621	64	66	2		2	1	1	2	1	33.9	77.3
				1968622	66	68	2		2	1	1	2	2	335.9	179.2
				1968623	68	70	2		2	1	1	2	2	43.4	88.5
				1968624	70	72	2		2	1	1	2	2	23.6	93.6
				1968625	72	74	2		2	1	1	2	2	24.8	73.6
			75.7m Trace chalcopyrite in pyrite veinlet.	1968626	74	76	2	1	2	1	1	2	2	77.4	334.7
				1968627	76	78	2		2	1	1	2	2	41.1	492.2
				1968628	78	80	2		2	1	1	2	2	11.1	43.8
				1968629	80	82	2		2	1	1	1	2	12.3	61.2
				1968630	82	84	2		2	1	1	1	2	18.2	75.6
				1968631	84	86	2		2	1	2	1	1	15.9	64.7
				1968632	86	88	2		2	1	2	2	1	115.8	107.3
				1968633	88	90	2		2	1	2	1	2	15.5	47.3
				1968634	90	92	2		2	1	2	1	1	24.7	62.2
				1968635	92	94	2		2	1	2	1	1	450.7	302.5
				1968636	94	96	2		3	2	2	1	0	393.6	1299.6
				1968637	96	98	2		2	2	2	1	0	71.2	769.1
				1968638	98	100	2		2	1	1	1	1	65.9	1019.4
				1968639	100	102	2		2	1	1	1	3	55.2	884.7
				1968642	102	104	2		2	1	1	1	2	93.3	1344.1
				1968643	104	106	2		2	1	1	1	2	88.2	1184.7
				1968644	106	108	2		2	1	1	1	2	80.2	1211.8
				1968645	108	110	2		2	1	1	1	3	50.7	1062.8
				1968646	110	112	2		2	1	1	1	2	71.9	1248.9
112.2	114.8	SED/HORN	Hornfels - Broken, hard cherty, pyrite to 2%, green to pink	1968647	112	114	2		2	1	1	1	1	83.3	1393.1
114.8	125.2	DIOR/MONZ	Diorite/Monzonite	1968648	114	116	2		2	1	1	1	1	63.3	906.9
			115.9m to 117.3m - Monzonite dyke	1968649	116	118	2		2	2	1	1	3	61.5	741.9
				1968650	118	120	2		2	1	0	2	2	117.4	637.3
				1968651	120	122	2		2	1	1	1	4	106.3	570
				1968652	122	124	2		2	1	2	1	3	130.9	1290.8
125.2	127.4	SED/HORN	Hornfels - Green to pink, hard, magnetic veinlets filling extension fractures, trace chalcopyrite, pyrite to	1968653	124	126	2		2	1	3	2	2	94	927.2
127.4	130.0	DIOR/MONZ	Diorite	1968654	126	128	2	1	2	1	2	1	2	61.2	337.8
				1968655	128	130	2		2	1	2	2	2	58.2	355.5
130.0	131.0	SED/HORN	Hornfels	1968656	130	132	2	1	2	1	2	2	1	142.3	877.4
131.0	132.2	DIOR/MONZ	Diorite	1968657	132	134	2		2	1	2	2	2	171.4	973.3

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 - very strong
-1 - unlogged

For Cpy: 1 = present

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
132.2	138.5	SED/HORN	Mixed diorite with hornfels	1968658	134	136	2		2	2	3	2	3	80.6	557.7
			Up to 15cm hornfels black in monzonite to syenite - magnetic stockworks in veinlets	1968659	136	138	2		2	1	4	2	2	59.1	552
			Pyrite and rare epidote. 138.4m - 10cm gouge/rubble	1968662	138	140	2		2	1	2	2	1	12.3	76.2
138.5	184.6	DIOR/MONZ	Diorite/Monzonite	1968663	140	142	2		2	1	2	1	1	135.6	884.3
			Local magnetic veining	1968664	142	144	2		2	1	2	1	1	122.6	387.8
			141.2m - 50cm Hornblends porphyry dyke	1968665	144	146	2		2	1	2	1	1	110.2	1045.3
				1968666	146	148	2		2	2	3	2	1	146.4	1130.8
				1968667	148	150	2		2	1	1	2	1	72	486.3
				1968668	150	152	2		2	2	1	3	1	179.8	1172
153.5	156.2		Dark green chlorite shears and + gouge + rubble zones	1968669	152	154	2		2	1	2	3	1	76.3	663.9
				1968670	154	156	2		2	1	2	2	1	108.2	659.6
				1968671	156	158	2		2	1	2	2	1	16.6	35.7
				1968672	158	160	2		2	1	1	2	1	23.9	127.8
				1968673	160	162	2		2	1	1	2	1	31.1	138.9
				1968674	162	164	2		2	1	1	2	1	141.6	496.6
165.0	166.8		Green chloritic rubble fault zone	1968675	164	166	2		2	1	1	2	1	26.4	126.2
				1968676	166	168	2		2	1	1	2	1	55.5	288.4
				1968677	168	170	2		2	1	1	2	1	86.9	547.5
			170.3m - 20cm Chlorite/pyrite (20%) magnetic zone	1968678	170	172	2		3	1	1	2	3	102.9	1647.4
				1968679	172	174	2		2	1	1	2	2	11.7	80.6
				1968680	174	176	2		2	1	1	2	2	53.7	108.7
				1968681	176	178	2		2	1	1	2	1	48.7	104.5
				1968682	178	180	2		2	1	1	2	1	33.4	89.7
				1968683	180	182	2		2	1	1	2	2	31	123.3
				1968684	182	184	2		2	1	1	2	2	38.9	126.4
184.6	187.9	SED/HORN	Hornfels - Pink to green, hard, bedding 80° to CA. Albitic? With pink color	1968685	184	186	2		2	1	0	1	2	207.2	480.8
				1968686	186	188	2	1	4	1	0	3	2	174.4	254.9
187.9	203.2	DIOR/MONZ	Monzonite/Diorite	1968687	188	190	2		2	1	0	3	2	121.4	165.8
			Pink to brown (albite?) hard silicious grading to grey diorite	1968688	190	192	2		2	1	0	3	2	174.8	372
			Fractured, pyritic, local black 1cm chloritic shears 45° to CA	1968689	192	194	2		2	1	0	3	2	75.5	53.1
			Course pyrite locally to 5% filling open fractures, locally disseminated pyrite	1968690	194	196	2		2	2	0	3	2	218.8	15
			Local fragments to 10cm of hornfels	1968691	196	198	2		3	2	0	3	2	154.3	69.1
			199.6m - 20cm Chloritic rubble	1968692	198	200	2		3	1	0	3	2	79.2	41.1
				1968693	200	202	2		4	1	1	3	2	87.5	308.2
203.2	204.4	FAULT	Fault	1968694	202	204	2		5	1	1	3	2	208	780.3
			Chloritic shears 45° to Ca with crackle breccia with pyrite infill to 5%	1968695	204	206	2		3	1	1	2	2	62.6	125.5
				1968696	206	208	2		3	2	1	2	3	28.1	105.6
204.4	264.3	DIOR/MONZ		1968697	208	210	2		3	2	1	2	3	10	88.8
204.4	220.0		Chloritic Diorite/Monzonite	1968698	210	212	2		3	2	1	3	2	38.3	56.8
			Cohesive, dark, chlorite rich, calcareous matrix, pyrite to 3% in fractures with	1968699	212	214	2		3	2	1	3	2	23.1	61.3

Legend
0 - none, 1 - weak, 2 - moderate,
3 - strong, 4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Sample #	From	To	Int	Cpy	Py	Ep	Mag	Carb	Pink	Au (ppb)	Cu (g/t)
			epidote clots	1968700	214	216	2		3	2	1	3	2	40	125.9
				532301	216	218	2		3	2	1	3	2	213.1	191.3
				532302	218	220	2		2	1	1	3	1	132.3	52.3
220.0	264.3		Diorite/Monzonite	532303	220	222	2		2	1	1	3	2	26.9	62
			locally monzo-diorite	532304	222	224	2		2	1	1	3	1	17.5	64.8
			FG salt and pepper, mottled, magnetic clots in fractures - pyrite to 2%	532305	224	226	2		2	1	1	3	1	88	168.5
				532306	226	228	2		2	1	1	3	1	38.9	97.3
				532307	228	230	2		2	1	1	3	1	46.7	83.6
				532308	230	232	2		2	1	1	3	1	79.7	47.3
				532309	232	234	2		2	1	1	3	1	10.7	121
				532310	234	236	2		2	2	1	2	1	17.7	239.3
				532311	236	238	2		2	2	1	2	3	16.6	68.4
239.70	244.0		Monzonite	532312	238	240	2		2	1	1	3	3	48.1	263.8
				532313	240	242	2		2	1	1	2	3	32.8	229.5
				532314	242	244	2		3	1	1	2	3	30.4	230
				532315	244	246	2		2	1	1	1	2	19.8	194.3
				532316	246	248	2		2	1	1	1	3	39.7	288.4
				532317	248	250	2		2	1	1	1	3	41.8	201.1
				532318	250	252	2		2	1	1	1	2	42.1	249
				532319	252	254	2		2	1	1	1	2	95.1	221.3
				532320	254	256	2		-1	-1	1	1	1	44.6	187.1
				532321	256	258	2		-1	-1	1	1	1	96.4	308.8
				532322	258	260	2		-1	-1	1	1	1	63.3	121
				532323	260	262	2		-1	-1	1	1	1	70.6	103.6
			EOH	532324	262	264	2.3		-1	-1	1	1	1	45.7	322.7

Legend
0 - none, 1 - weak, 2 - moderate,
3 -strong, 4 5 - very strong
-1 - unlogged

For Cpy: 1 = present

APPENDIX 3

Analytical Certificates



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: September 18, 2012
Report Date: October 23, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN12004440.1

CLIENT JOB INFORMATION

Project: October Dome
Shipment ID:
P.O. Number
Number of Samples: 131

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	130	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
Canada

CC: Graeme Buckler



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 2 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
G1	Prep Blank	<0.01	<0.1	3.3	2.4	40	<0.1	2.6	3.3	480	1.65	<0.5	<0.5	4.4	47	<0.1	<0.1	<0.1	30	0.39	0.061
G1	Prep Blank	<0.01	<0.1	3.6	2.8	45	<0.1	2.7	3.7	561	1.93	<0.5	1.9	5.4	61	<0.1	<0.1	0.1	36	0.49	0.069
1968201	Drill Core	2.53	2.0	49.7	2.0	22	0.2	13.7	9.5	410	3.31	10.7	13.4	1.6	181	<0.1	0.6	<0.1	123	2.11	0.109
1968202	Drill Core	2.95	1.5	64.0	1.7	18	0.2	9.7	9.2	562	2.15	7.9	13.6	1.5	116	0.2	0.5	0.2	80	3.62	0.104
1968203	Drill Core	3.79	1.1	44.0	2.0	26	0.2	13.7	12.0	719	3.40	11.9	25.1	1.2	108	<0.1	0.5	0.4	103	3.66	0.108
1968204	Drill Core	4.47	1.5	69.6	1.7	45	0.2	24.6	16.8	1073	4.12	10.9	16.3	1.0	405	<0.1	1.0	0.2	149	3.73	0.119
1968205	Drill Core	3.12	12.4	297.8	18.9	85	9.9	13.4	17.2	980	3.45	35.2	123.2	1.2	79	1.8	7.5	0.8	145	3.92	0.120
1968206	Drill Core	3.05	6.2	47.7	9.1	32	2.0	10.9	16.1	719	3.09	17.2	71.0	1.5	82	0.3	1.2	0.6	110	3.42	0.100
1968207	Drill Core	3.57	2.4	99.2	2.8	22	0.3	11.4	23.9	759	3.99	14.3	30.1	1.1	105	<0.1	0.9	0.6	121	3.90	0.116
1968208	Drill Core	3.24	1.1	60.9	2.5	31	0.2	10.0	13.6	881	3.24	6.1	117.6	1.9	69	<0.1	0.5	0.1	91	4.76	0.105
1968209	Drill Core	3.63	1.3	44.9	2.1	31	0.2	11.7	10.1	991	2.93	9.0	64.0	2.2	48	<0.1	0.5	0.1	115	3.43	0.130
1968210	Drill Core	2.52	2.1	127.6	2.4	30	0.3	13.3	15.5	928	3.24	6.3	54.9	2.1	53	<0.1	0.5	0.2	101	3.96	0.108
1968211	Drill Core	2.44	1.3	62.2	2.7	43	0.4	11.6	17.9	1050	3.72	9.9	89.4	2.0	69	<0.1	0.5	0.2	114	4.51	0.111
1968212	Drill Core	1.93	1.1	37.2	2.6	31	0.2	9.4	14.5	936	3.35	8.6	33.1	2.0	69	<0.1	0.6	0.2	109	4.08	0.102
1968213	Drill Core	3.42	1.4	115.2	2.2	38	0.2	11.2	14.7	837	4.47	5.0	237.9	1.9	72	<0.1	0.5	0.2	164	2.65	0.119
1968214	Drill Core	3.51	2.4	574.5	2.4	26	0.6	18.7	17.4	508	3.90	9.0	151.1	1.3	98	<0.1	0.6	0.3	153	2.81	0.096
1968215	Drill Core	4.10	2.4	479.1	2.7	18	0.5	10.0	11.2	297	2.33	5.4	249.6	1.4	64	<0.1	0.3	0.2	80	1.85	0.083
1968216	Drill Core	4.37	1.7	344.3	2.2	24	0.3	13.3	14.7	419	3.15	6.2	27.4	1.2	88	<0.1	0.5	<0.1	130	3.10	0.093
1968217	Drill Core	2.61	2.3	516.1	1.6	19	0.3	13.2	11.0	498	2.82	4.7	109.1	1.2	56	<0.1	0.3	<0.1	109	4.19	0.107
1968218	Drill Core	3.49	1.8	706.7	2.1	22	0.5	10.2	12.9	380	2.35	5.5	159.9	1.0	43	<0.1	0.3	0.1	79	1.95	0.073
1968219	Drill Core	4.61	2.1	608.4	2.9	19	0.5	15.6	13.5	298	3.16	8.3	112.4	1.3	54	0.1	0.4	<0.1	111	2.12	0.096
1968220	Rock Pulp	0.05	12.7	9568	14.4	194	17.6	99.5	110.7	918	12.22	1619	564.5	8.1	343	2.2	3.8	8.7	521	3.55	0.461
1968221	Drill Core	4.58	1.9	515.2	2.3	20	0.4	14.9	16.8	307	3.12	6.8	42.8	1.4	60	<0.1	0.2	<0.1	120	1.99	0.084
1968222	Drill Core	4.01	5.7	876.8	1.9	23	0.5	16.3	19.0	389	3.58	7.4	131.0	1.1	63	<0.1	0.5	0.2	123	2.35	0.093
1968223	Drill Core	4.64	2.4	1805	1.7	23	1.0	21.8	20.8	355	3.83	8.0	311.1	1.0	54	0.2	0.6	0.2	135	2.01	0.090
1968224	Drill Core	3.92	1.9	1220	1.8	22	0.7	18.8	22.0	405	3.66	10.0	290.6	1.1	61	<0.1	0.7	0.4	107	2.87	0.089
1968225	Drill Core	3.77	18.1	1337	3.3	18	1.6	23.1	36.3	462	4.15	18.3	763.1	1.1	47	0.3	1.2	0.4	102	5.58	0.081
1968226	Drill Core	4.25	3.3	527.9	2.0	16	0.4	16.3	18.5	283	2.75	7.6	123.1	1.4	34	<0.1	0.7	0.2	108	1.91	0.102
1968227	Drill Core	4.13	3.9	536.4	2.3	19	0.3	17.7	20.8	354	3.88	8.5	137.4	1.8	55	<0.1	0.9	0.3	155	2.18	0.100
1968228	Drill Core	4.51	2.4	739.7	2.5	27	0.4	18.6	18.2	360	3.53	6.4	146.1	1.8	54	<0.1	0.5	0.1	132	1.70	0.110



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 2 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
G1	Prep Blank	8	4	0.44	134	0.079	<1	0.77	0.074	0.40	<0.1	<0.01	1.9	0.2	<0.05	4	<0.5	<0.2
G1	Prep Blank	11	5	0.52	153	0.100	1	0.93	0.099	0.46	<0.1	<0.01	2.5	0.5	<0.05	5	<0.5	<0.2
1968201	Drill Core	4	15	1.11	224	0.103	12	1.99	0.097	0.18	0.3	0.14	3.3	<0.1	0.24	6	<0.5	<0.2
1968202	Drill Core	6	14	1.16	73	0.072	5	1.50	0.103	0.16	0.2	0.36	6.5	<0.1	0.75	5	<0.5	<0.2
1968203	Drill Core	5	24	1.61	69	0.084	6	1.86	0.082	0.14	0.2	0.34	7.5	<0.1	1.41	6	0.6	0.3
1968204	Drill Core	5	29	2.10	262	0.133	8	2.79	0.098	0.15	0.2	0.32	8.9	<0.1	0.53	9	<0.5	0.3
1968205	Drill Core	6	17	1.93	50	0.095	2	1.94	0.066	0.12	0.3	0.99	11.5	<0.1	1.21	7	1.3	2.5
1968206	Drill Core	5	24	1.41	52	0.109	2	1.56	0.138	0.13	0.5	0.62	8.9	<0.1	1.95	6	1.6	1.0
1968207	Drill Core	4	11	1.62	75	0.139	4	2.36	0.056	0.09	0.4	0.51	8.0	<0.1	1.98	7	2.1	0.5
1968208	Drill Core	8	15	1.26	138	0.031	5	1.98	0.086	0.29	0.1	0.34	7.4	<0.1	0.65	7	<0.5	<0.2
1968209	Drill Core	6	36	1.34	180	0.069	1	1.44	0.085	0.15	0.3	0.33	7.5	<0.1	0.69	6	<0.5	0.2
1968210	Drill Core	8	21	1.27	168	0.048	3	1.56	0.073	0.18	0.2	0.21	8.0	<0.1	0.78	6	1.2	0.2
1968211	Drill Core	7	16	1.16	88	0.022	3	1.85	0.064	0.25	<0.1	0.19	8.1	<0.1	1.08	6	0.9	0.3
1968212	Drill Core	7	21	1.14	117	0.038	3	1.39	0.074	0.18	0.1	0.22	7.9	<0.1	1.21	6	1.3	0.3
1968213	Drill Core	6	18	1.45	147	0.123	1	1.58	0.099	0.14	0.4	0.12	8.2	<0.1	0.64	6	0.8	0.2
1968214	Drill Core	5	33	1.14	74	0.196	7	2.47	0.165	0.17	0.5	0.10	5.9	<0.1	0.75	8	1.1	0.3
1968215	Drill Core	4	13	0.52	52	0.062	4	1.49	0.146	0.13	0.3	0.14	3.0	<0.1	0.76	5	1.1	0.3
1968216	Drill Core	4	18	0.98	58	0.140	6	2.14	0.105	0.11	0.3	0.12	5.2	<0.1	0.61	7	1.0	<0.2
1968217	Drill Core	6	18	0.86	33	0.063	5	1.69	0.051	0.17	0.1	0.12	5.9	<0.1	0.31	6	0.6	<0.2
1968218	Drill Core	3	15	0.70	65	0.072	5	1.58	0.199	0.15	0.3	0.12	3.2	<0.1	0.58	6	1.1	<0.2
1968219	Drill Core	4	16	0.53	68	0.089	9	1.54	0.153	0.13	0.2	0.10	3.1	<0.1	0.59	5	1.3	<0.2
1968220	Rock Pulp	88	23	0.42	55	0.068	6	1.14	0.087	0.19	2.0	0.04	2.5	<0.1	0.68	8	10.7	1.5
1968221	Drill Core	4	16	0.68	139	0.091	4	1.39	0.128	0.14	0.1	0.08	3.5	<0.1	0.49	5	1.1	<0.2
1968222	Drill Core	4	23	1.13	41	0.145	3	1.65	0.155	0.10	0.4	0.32	4.8	<0.1	1.34	6	2.6	0.3
1968223	Drill Core	4	31	1.45	35	0.211	3	2.05	0.180	0.11	0.2	0.11	4.9	<0.1	1.25	6	3.0	0.3
1968224	Drill Core	4	20	1.12	37	0.143	1	1.54	0.131	0.08	0.3	0.17	5.6	<0.1	2.05	5	4.1	0.5
1968225	Drill Core	13	33	0.72	21	0.039	3	1.23	0.087	0.18	0.2	0.20	8.5	<0.1	3.54	5	7.8	0.8
1968226	Drill Core	4	23	0.84	31	0.104	1	1.32	0.170	0.10	0.3	0.17	4.0	<0.1	1.27	5	3.5	0.3
1968227	Drill Core	5	28	1.00	37	0.160	3	1.71	0.115	0.09	0.3	0.13	3.9	<0.1	1.64	6	3.0	0.4
1968228	Drill Core	5	21	0.81	46	0.151	3	1.57	0.144	0.12	0.2	0.10	3.6	<0.1	0.87	6	2.0	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 3 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	Analyte	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1968229	Drill Core	4.01	1.1	235.4	1.4	15	0.2	8.4	6.6	363	3.06	9.0	76.0	2.4	48	<0.1	0.6	0.2	94	2.57	0.120
1968230	Drill Core	3.28	1.5	607.3	2.3	18	0.3	11.9	10.8	251	3.24	6.4	102.8	1.2	28	<0.1	0.3	0.2	103	1.54	0.087
1968231	Drill Core	2.84	1.1	124.2	2.1	25	0.1	10.5	10.6	436	3.96	8.7	51.0	1.6	56	<0.1	0.5	<0.1	122	2.97	0.105
1968232	Drill Core	4.24	1.7	243.8	1.9	28	0.2	9.4	11.0	520	3.40	7.3	70.6	1.1	56	<0.1	0.4	<0.1	119	3.37	0.096
1968233	Drill Core	4.71	7.8	710.9	2.8	17	0.5	13.0	16.2	306	2.17	7.3	155.0	0.4	76	<0.1	0.5	0.2	60	3.01	0.051
1968234	Drill Core	4.60	10.3	887.6	3.3	17	0.4	11.5	24.6	256	2.26	9.9	126.9	0.5	65	<0.1	0.4	0.2	63	2.52	0.066
1968235	Drill Core	4.73	3.1	576.5	3.3	20	0.5	13.9	14.7	283	1.73	11.3	89.0	1.1	42	<0.1	0.6	0.2	70	1.83	0.096
1968236	Drill Core	3.57	6.8	1746	2.7	18	1.3	33.8	43.4	321	3.66	12.9	362.5	0.9	25	<0.1	0.6	0.3	128	2.11	0.106
1968237	Drill Core	3.70	1.9	1030	3.2	19	0.7	24.1	23.4	336	2.24	13.1	273.3	1.0	37	<0.1	0.5	0.2	98	2.37	0.089
1968238	Drill Core	4.52	12.8	187.1	2.3	24	0.2	10.1	13.1	532	2.51	9.1	70.7	0.5	74	<0.1	0.4	0.2	94	3.50	0.058
1968239	Drill Core	4.16	1.0	497.5	2.3	14	0.3	14.4	19.1	213	2.25	10.6	88.3	1.0	85	<0.1	0.4	0.1	88	2.22	0.090
1968240	Rock Pulp	0.05	12.4	>10000	14.7	212	18.5	103.7	111.0	951	13.30	1654	603.1	8.8	326	2.9	4.2	8.1	523	3.67	0.512
1968241	Rock Pulp	0.04	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1968242	Drill Core	3.66	2.2	1065	2.6	15	0.7	24.5	40.2	225	2.96	25.4	155.0	1.2	40	<0.1	0.6	0.4	69	1.99	0.085
1968243	Drill Core	3.94	3.1	1181	3.0	20	0.7	24.5	37.0	255	3.10	27.5	143.5	1.4	74	0.1	0.4	0.2	108	2.73	0.126
1968244	Drill Core	4.51	2.4	560.7	3.2	20	0.4	10.3	24.8	347	2.35	11.8	75.9	1.5	75	0.1	0.3	0.2	96	4.49	0.094
1968245	Drill Core	4.60	2.6	1133	2.5	25	0.8	23.3	44.6	365	4.13	33.6	129.7	1.4	62	0.1	0.7	0.3	141	2.21	0.112
1968246	Drill Core	4.44	2.6	1204	2.3	38	1.1	54.6	52.5	717	5.09	29.2	313.9	1.2	43	0.2	0.5	0.6	166	2.65	0.106
1968247	Drill Core	3.57	5.3	1169	2.0	25	0.8	49.7	37.8	373	4.63	19.4	137.1	1.0	32	<0.1	0.4	0.6	151	2.13	0.109
1968248	Drill Core	4.32	1.2	293.6	1.3	19	0.2	44.7	21.9	321	4.46	15.3	49.2	1.1	45	<0.1	0.4	0.3	174	1.69	0.111
1968249	Drill Core	4.45	1.8	126.6	1.1	22	<0.1	45.5	18.7	321	5.04	13.0	24.0	1.1	42	<0.1	0.3	0.2	188	1.45	0.115
1968250	Drill Core	3.73	0.8	202.8	1.5	21	0.2	42.2	23.9	373	3.94	10.7	44.8	1.0	51	<0.1	0.4	0.3	153	2.26	0.122
1968251	Drill Core	4.54	0.7	385.8	1.5	24	0.2	58.6	27.3	451	4.47	9.0	69.1	0.9	38	<0.1	0.4	0.3	175	1.73	0.115
1968252	Drill Core	4.10	0.8	454.1	1.5	22	0.4	54.2	24.4	375	4.11	9.8	75.0	1.2	42	<0.1	0.5	0.3	174	1.79	0.124
1968253	Drill Core	4.38	1.3	718.1	2.5	23	0.5	50.0	36.4	422	5.01	16.8	157.6	1.0	34	<0.1	0.3	0.5	163	1.82	0.122
1968254	Drill Core	4.32	7.6	858.9	2.1	18	0.5	59.7	42.3	365	4.95	11.7	182.4	1.0	55	<0.1	0.5	0.5	139	2.29	0.122
1968255	Drill Core	4.01	8.2	1350	1.7	14	0.6	41.0	39.0	234	4.36	11.6	224.9	1.1	41	<0.1	0.4	0.4	116	1.58	0.137
1968256	Drill Core	3.69	8.7	481.6	1.7	17	0.3	40.2	45.0	390	5.82	9.6	126.5	1.2	33	<0.1	0.5	0.5	159	2.29	0.134
1968257	Drill Core	3.47	0.9	380.0	1.5	17	0.2	56.9	33.9	309	4.66	11.9	42.6	1.2	40	<0.1	0.5	0.2	191	2.19	0.129
1968258	Drill Core	3.69	2.3	620.3	1.9	17	0.3	36.5	35.0	286	4.29	9.3	68.6	1.3	80	<0.1	0.5	0.2	159	2.17	0.123

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 3 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1968229	Drill Core	7	16	0.85	36	0.116	2	1.40	0.118	0.10	0.4	0.21	3.9	<0.1	1.03	6	1.4	0.2
1968230	Drill Core	3	18	0.61	31	0.090	4	1.33	0.179	0.11	0.2	0.14	2.6	<0.1	0.81	5	1.4	<0.2
1968231	Drill Core	4	13	0.83	38	0.120	8	2.02	0.077	0.12	0.3	0.14	4.5	<0.1	0.65	8	0.9	<0.2
1968232	Drill Core	4	15	1.08	31	0.092	5	2.11	0.052	0.07	0.1	0.17	6.7	<0.1	0.53	8	1.0	<0.2
1968233	Drill Core	2	14	0.83	68	0.091	7	2.17	0.099	0.08	0.2	0.29	5.4	<0.1	1.59	7	3.6	0.3
1968234	Drill Core	2	13	0.63	83	0.095	9	2.01	0.102	0.10	0.2	0.17	4.5	<0.1	1.28	7	3.6	0.2
1968235	Drill Core	4	20	0.72	48	0.123	5	1.16	0.090	0.08	0.2	0.22	5.5	<0.1	0.81	5	1.0	0.3
1968236	Drill Core	4	54	0.70	52	0.115	3	1.09	0.138	0.12	0.2	0.27	6.0	<0.1	2.13	6	7.0	0.5
1968237	Drill Core	4	31	0.68	47	0.106	4	1.09	0.130	0.08	0.3	0.25	6.3	<0.1	1.52	6	4.1	0.3
1968238	Drill Core	3	18	1.09	53	0.098	3	1.53	0.117	0.11	0.3	0.36	9.5	<0.1	1.90	5	5.0	0.3
1968239	Drill Core	4	20	0.65	55	0.118	11	2.11	0.144	0.10	0.1	0.14	3.4	<0.1	0.96	6	2.8	0.3
1968240	Rock Pulp	92	23	0.43	63	0.094	10	1.17	0.097	0.20	2.0	0.03	3.4	<0.1	0.75	8	11.3	1.9
1968241	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1968242	Drill Core	5	26	0.46	37	0.105	8	1.47	0.162	0.13	0.2	0.32	3.4	<0.1	2.47	6	8.1	0.4
1968243	Drill Core	6	27	0.61	41	0.113	7	2.20	0.107	0.10	0.2	0.27	4.2	<0.1	1.66	7	7.2	0.3
1968244	Drill Core	5	13	0.66	46	0.131	5	1.87	0.137	0.12	0.1	0.22	3.6	<0.1	1.09	6	3.7	<0.2
1968245	Drill Core	6	29	1.04	47	0.229	2	1.79	0.117	0.13	0.2	0.13	5.3	<0.1	2.54	6	7.9	0.5
1968246	Drill Core	5	99	1.66	29	0.308	2	1.67	0.121	0.16	0.3	0.16	8.9	<0.1	3.42	7	9.4	0.7
1968247	Drill Core	4	81	1.75	40	0.256	2	1.66	0.111	0.24	0.2	0.57	6.5	<0.1	3.34	7	9.7	0.9
1968248	Drill Core	5	84	1.49	88	0.320	4	1.91	0.136	0.36	<0.1	0.15	4.1	0.1	1.41	7	4.3	0.5
1968249	Drill Core	4	104	1.65	119	0.326	4	1.96	0.112	0.66	<0.1	0.08	4.2	0.2	1.21	7	3.9	0.6
1968250	Drill Core	4	77	1.52	69	0.293	4	1.87	0.142	0.26	0.1	0.11	5.1	<0.1	1.67	7	5.0	0.5
1968251	Drill Core	3	128	2.14	129	0.376	3	1.89	0.099	0.72	<0.1	0.11	6.0	0.2	1.62	7	4.3	0.5
1968252	Drill Core	4	91	1.82	86	0.349	5	1.93	0.129	0.38	0.2	0.08	6.6	<0.1	1.28	7	2.3	0.4
1968253	Drill Core	3	77	1.61	43	0.269	3	1.60	0.093	0.25	0.2	0.24	6.2	<0.1	2.61	6	5.1	1.0
1968254	Drill Core	4	77	1.61	31	0.284	3	1.74	0.109	0.14	0.2	0.42	7.0	<0.1	3.18	7	7.1	0.8
1968255	Drill Core	4	34	1.20	35	0.222	5	1.49	0.115	0.16	0.2	0.18	3.8	<0.1	2.84	6	7.3	0.3
1968256	Drill Core	5	63	1.63	22	0.260	5	1.93	0.093	0.12	0.3	0.39	7.7	<0.1	3.62	9	8.6	0.3
1968257	Drill Core	5	63	1.40	54	0.312	7	2.14	0.067	0.18	0.2	0.21	5.4	<0.1	1.25	9	4.3	<0.2
1968258	Drill Core	5	50	1.23	56	0.272	8	2.16	0.138	0.15	0.2	0.23	5.5	<0.1	1.72	8	3.8	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 4 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968259	Drill Core	4.04	0.9	391.0	3.2	18	0.5	5.2	9.4	203	2.29	3.6	83.7	3.1	56	0.1	0.4	<0.1	69	1.45	0.070
1968260	Rock Pulp	0.05	12.5	>10000	14.9	216	19.1	104.8	112.6	973	13.59	1704	597.7	8.7	324	2.8	4.6	8.1	532	3.66	0.506
1968261	Drill Core	4.34	1.9	683.1	2.5	23	0.7	15.2	40.8	315	3.42	15.0	97.2	1.0	119	0.2	0.7	0.5	86	2.75	0.109
1968262	Drill Core	4.04	0.6	37.0	1.9	18	0.1	9.2	17.9	343	3.47	13.7	54.4	0.9	143	<0.1	0.4	0.3	106	3.18	0.123
1968263	Drill Core	3.58	1.8	30.9	2.6	15	0.1	10.1	18.2	273	3.51	8.8	24.2	0.9	46	<0.1	0.5	0.4	81	2.80	0.135
1968264	Drill Core	4.36	1.3	112.2	2.0	16	0.2	10.0	17.1	309	3.39	12.2	70.9	0.5	51	<0.1	0.5	0.2	70	3.14	0.134
1968265	Drill Core	3.40	2.0	126.1	2.1	16	0.1	11.8	17.0	284	3.94	18.6	34.9	0.8	55	<0.1	0.3	0.4	87	3.00	0.137
1968266	Drill Core	3.63	2.4	299.4	2.3	14	0.2	6.1	22.4	293	3.37	9.9	78.0	0.9	141	<0.1	0.3	0.4	98	3.78	0.109
1968267	Drill Core	3.47	17.1	379.8	2.2	16	0.3	9.3	21.0	287	2.77	10.0	88.8	0.5	75	<0.1	0.3	0.2	71	3.25	0.058
1968268	Drill Core	4.38	1.6	424.4	2.7	14	0.2	10.8	25.0	273	2.93	9.8	68.8	0.5	58	0.1	0.4	0.2	80	2.95	0.076
1968269	Drill Core	3.90	1.7	425.7	3.6	16	0.3	13.3	25.7	373	3.85	14.9	66.6	0.7	119	0.1	0.7	0.4	129	2.99	0.084
1968270	Drill Core	4.12	5.8	346.4	3.8	24	0.6	16.1	35.3	476	3.76	15.6	97.1	0.7	138	0.1	0.7	0.6	137	4.03	0.110
1968271	Drill Core	3.61	5.0	260.2	1.9	20	0.2	16.2	27.8	414	4.03	12.3	84.8	0.9	142	<0.1	0.6	0.5	142	2.71	0.126
1968272	Drill Core	3.88	10.6	293.8	2.6	26	0.5	19.3	33.0	435	5.11	15.5	191.0	1.0	92	<0.1	0.7	0.8	199	3.79	0.125
1968273	Drill Core	4.32	3.3	300.6	2.5	20	0.4	11.7	23.6	384	2.94	11.0	65.8	0.9	148	<0.1	0.7	0.4	116	3.38	0.126
1968274	Drill Core	4.12	22.9	365.1	2.6	20	0.3	10.7	32.3	423	2.80	13.1	55.7	0.9	128	0.1	0.7	0.3	105	3.88	0.132
1968275	Drill Core	3.54	10.1	352.4	2.4	15	0.3	17.0	27.8	320	2.97	10.9	75.5	1.1	59	0.1	0.5	0.4	107	2.54	0.094
1968276	Drill Core	3.11	2.2	26.0	1.8	28	<0.1	13.3	20.0	544	4.55	10.4	15.5	1.2	66	<0.1	0.5	0.1	124	3.97	0.142
1968277	Drill Core	4.26	1.1	37.0	1.6	23	<0.1	11.6	15.8	406	4.16	13.9	16.5	1.3	74	<0.1	0.5	<0.1	124	3.39	0.130
1968278	Drill Core	3.54	1.3	196.1	2.2	20	0.2	12.4	26.0	335	3.48	12.3	55.1	1.3	55	<0.1	0.4	0.2	92	2.94	0.125
1968279	Drill Core	4.20	4.4	129.5	2.0	20	0.1	9.5	25.7	381	3.21	6.4	52.3	1.1	66	<0.1	0.5	0.3	76	3.80	0.100
1968280	Rock Pulp	0.05	13.0	>10000	17.2	220	16.4	106.2	115.8	1071	14.64	1734	570.1	9.7	382	2.8	5.0	10.1	566	4.19	0.555
1968281	Rock Pulp	0.04	5.9	41.1	4.1	43	<0.1	11.8	5.1	566	3.01	2.9	1.1	2.6	34	<0.1	0.5	<0.1	27	0.61	0.046
1968282	Drill Core	4.79	1.9	97.5	2.1	25	0.1	8.3	14.6	426	3.92	10.8	43.5	1.4	130	<0.1	0.5	0.2	117	3.55	0.130
1968283	Drill Core	4.45	4.0	250.7	1.8	11	0.2	7.1	23.9	229	3.35	6.1	40.6	2.0	79	<0.1	0.3	<0.1	94	3.01	0.127
1968284	Drill Core	4.02	3.3	48.5	2.3	25	0.2	10.3	16.9	480	4.56	9.5	42.0	1.4	106	<0.1	0.4	0.2	142	3.80	0.135
1968285	Drill Core	4.46	6.9	19.2	1.4	20	<0.1	9.3	14.4	451	3.60	18.7	38.2	1.3	132	<0.1	0.5	0.1	113	4.84	0.137
1968286	Drill Core	3.98	5.6	47.8	1.3	16	<0.1	8.7	12.6	345	4.19	16.4	22.5	1.4	73	<0.1	0.3	<0.1	126	3.82	0.136
1968287	Drill Core	3.77	5.1	42.7	1.2	15	<0.1	7.6	9.9	327	3.99	9.5	17.4	1.4	75	<0.1	0.3	<0.1	126	3.34	0.125
1968288	Drill Core	4.50	4.7	53.1	1.4	18	<0.1	8.8	10.7	329	4.16	25.2	25.8	1.5	77	<0.1	0.3	0.1	125	3.15	0.136

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 4 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method Analyte	Unit	MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2	
1968259	Drill Core		5	10	0.45	58	0.094	4	1.11	0.113	0.16	0.1	0.36	2.3	<0.1	0.77	5	1.6	0.2
1968260	Rock Pulp		90	23	0.43	58	0.090	7	1.16	0.097	0.20	1.9	0.02	3.2	<0.1	0.77	8	12.1	1.7
1968261	Drill Core		4	17	0.86	57	0.128	4	1.82	0.219	0.12	0.3	0.62	6.9	<0.1	2.80	5	6.7	0.4
1968262	Drill Core		4	10	1.35	42	0.113	9	2.55	0.254	0.08	0.2	0.73	8.4	<0.1	2.50	7	5.9	0.5
1968263	Drill Core		4	11	0.92	35	0.131	11	2.27	0.082	0.13	0.3	0.37	5.2	<0.1	2.81	8	6.6	<0.2
1968264	Drill Core		3	10	0.99	23	0.091	9	2.45	0.056	0.07	0.2	0.38	4.7	<0.1	2.28	8	5.7	0.3
1968265	Drill Core		4	11	1.07	39	0.126	9	2.56	0.079	0.11	0.2	0.74	5.7	<0.1	3.23	9	7.5	0.5
1968266	Drill Core		4	6	0.73	51	0.072	6	2.50	0.095	0.09	0.1	0.45	5.1	<0.1	2.38	7	5.8	<0.2
1968267	Drill Core		3	13	0.84	44	0.121	5	2.15	0.099	0.09	0.3	0.70	6.4	<0.1	2.17	8	4.1	0.3
1968268	Drill Core		3	15	0.67	49	0.112	8	2.16	0.070	0.09	0.2	0.41	4.7	<0.1	2.04	8	5.2	<0.2
1968269	Drill Core		4	22	0.76	72	0.116	6	2.60	0.121	0.09	0.3	0.44	5.7	<0.1	2.30	8	4.9	<0.2
1968270	Drill Core		4	22	1.17	68	0.141	4	2.92	0.166	0.09	0.4	0.44	8.5	<0.1	2.78	6	7.8	0.4
1968271	Drill Core		4	30	1.33	77	0.183	5	2.46	0.159	0.09	0.3	0.44	7.6	<0.1	1.99	7	4.4	0.3
1968272	Drill Core		5	31	1.52	40	0.154	4	2.30	0.098	0.06	0.6	0.72	11.1	<0.1	4.54	8	9.2	0.6
1968273	Drill Core		4	18	1.06	80	0.147	6	2.30	0.124	0.08	0.4	0.28	7.1	<0.1	1.81	7	4.9	<0.2
1968274	Drill Core		5	14	1.11	69	0.167	9	2.65	0.102	0.08	0.4	0.53	7.1	<0.1	1.63	9	3.9	<0.2
1968275	Drill Core		5	28	0.89	36	0.146	3	1.75	0.075	0.07	0.3	0.82	6.4	<0.1	1.91	7	4.3	<0.2
1968276	Drill Core		4	12	1.67	32	0.126	9	2.92	0.109	0.11	0.3	0.18	7.6	<0.1	1.42	9	2.2	<0.2
1968277	Drill Core		3	13	1.36	53	0.120	14	2.65	0.139	0.15	0.2	0.20	6.6	<0.1	0.84	8	1.5	<0.2
1968278	Drill Core		4	9	0.97	52	0.100	13	2.18	0.092	0.12	0.3	0.34	4.3	<0.1	1.63	7	2.5	0.3
1968279	Drill Core		4	18	1.05	36	0.117	8	2.39	0.074	0.06	0.4	0.40	5.6	<0.1	2.23	9	2.9	<0.2
1968280	Rock Pulp		94	24	0.43	67	0.088	6	1.23	0.103	0.21	2.1	0.04	3.5	<0.1	0.70	8	11.4	2.1
1968281	Rock Pulp		7	21	0.50	72	0.103	<1	1.02	0.102	0.09	1.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
1968282	Drill Core		4	10	1.21	85	0.133	11	2.72	0.228	0.14	0.3	0.57	5.8	<0.1	1.08	7	1.7	<0.2
1968283	Drill Core		5	7	0.73	60	0.109	14	2.72	0.120	0.11	0.2	0.23	3.2	<0.1	1.29	7	1.2	<0.2
1968284	Drill Core		5	12	1.39	59	0.130	6	2.68	0.097	0.11	0.3	0.17	6.5	<0.1	0.70	8	0.7	0.3
1968285	Drill Core		4	11	1.54	55	0.119	5	2.69	0.108	0.10	0.4	0.12	8.1	<0.1	0.83	8	0.7	0.2
1968286	Drill Core		4	11	1.29	39	0.118	12	2.83	0.082	0.11	0.2	0.19	4.8	<0.1	0.35	8	<0.5	<0.2
1968287	Drill Core		4	10	1.17	44	0.114	13	2.52	0.070	0.11	0.2	0.13	5.0	<0.1	0.16	7	<0.5	<0.2
1968288	Drill Core		4	11	1.21	39	0.121	17	2.68	0.072	0.12	0.2	0.32	5.3	<0.1	0.46	8	<0.5	0.4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 5 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968289	Drill Core	3.86	5.0	50.7	2.6	26	0.2	9.2	11.1	598	4.17	28.3	57.2	1.0	121	<0.1	0.4	<0.1	134	3.84	0.132
1968290	Drill Core	4.32	5.0	23.4	1.4	22	<0.1	8.3	9.6	530	4.26	12.0	14.3	1.1	105	<0.1	0.6	<0.1	137	4.03	0.133
1968291	Drill Core	4.16	6.1	326.6	1.5	21	0.2	11.3	13.8	502	4.02	23.8	133.3	1.2	135	<0.1	0.6	<0.1	129	4.13	0.137
1968292	Drill Core	4.29	8.1	131.1	2.2	24	0.2	9.3	12.9	589	3.97	67.1	81.3	1.2	112	<0.1	0.6	0.4	114	4.34	0.121
1968293	Drill Core	3.77	6.9	71.4	2.7	28	0.2	8.7	12.9	617	3.98	36.7	75.9	1.4	122	<0.1	0.6	0.2	117	4.17	0.123
1968294	Drill Core	4.15	9.3	245.4	2.2	25	0.3	13.1	19.0	587	4.03	17.7	95.6	1.3	98	<0.1	0.5	0.1	126	3.83	0.130
1968295	Drill Core	3.93	22.7	330.0	1.7	20	0.3	13.9	36.5	383	4.18	8.6	105.6	1.5	89	<0.1	0.5	<0.1	118	3.50	0.126
1968296	Drill Core	4.38	27.7	132.6	1.7	22	0.1	9.8	25.8	433	4.53	7.5	50.4	1.6	90	<0.1	0.5	<0.1	126	3.34	0.136
1968297	Drill Core	3.11	17.3	188.3	3.3	33	0.6	10.8	21.1	518	4.87	116.4	120.8	1.2	210	0.2	3.8	<0.1	105	5.66	0.112
1968298	Drill Core	4.07	23.6	82.5	2.3	21	0.1	11.4	17.1	496	4.22	17.6	55.7	1.6	319	<0.1	0.8	<0.1	125	4.17	0.129
1968299	Drill Core	1.97	18.5	13.3	1.8	29	<0.1	11.1	17.3	526	4.58	10.2	41.5	1.4	57	<0.1	0.3	0.1	137	3.46	0.134
1968300	Rock Pulp	0.05	13.9	>10000	17.0	221	17.7	106.2	114.4	1027	14.24	1705	634.5	10.3	371	2.7	5.0	10.1	547	4.10	0.527
1968301	Drill Core	3.48	6.7	237.1	2.0	25	0.3	10.5	20.1	445	3.94	16.1	741.1	1.6	60	<0.1	0.4	0.4	117	4.25	0.119
1968302	Drill Core	3.58	3.6	124.5	2.1	13	0.1	6.5	18.9	212	1.80	4.1	270.9	2.8	517	<0.1	0.3	0.2	81	2.43	0.095
1968303	Drill Core	3.80	4.1	502.7	2.9	16	0.3	8.9	32.8	280	3.12	3.7	97.6	2.4	72	<0.1	0.3	0.4	106	3.00	0.152
1968304	Drill Core	3.32	3.6	414.5	2.4	11	0.2	4.1	17.1	128	1.94	2.3	27.9	2.4	102	<0.1	0.2	0.2	66	1.86	0.082
1968305	Drill Core	3.91	3.8	219.9	2.0	12	0.1	5.8	14.6	212	3.44	4.1	19.4	2.1	71	<0.1	0.2	0.1	107	2.88	0.121
1968306	Drill Core	4.25	1.9	280.6	1.6	13	0.2	5.3	18.2	252	3.20	4.2	30.5	2.3	256	<0.1	0.2	0.1	90	3.38	0.101
1968307	Drill Core	4.09	2.8	375.6	2.1	20	0.3	4.8	15.8	297	3.00	5.2	47.8	2.3	153	<0.1	0.4	0.1	82	2.71	0.095
1968308	Drill Core	3.72	3.1	135.9	2.0	14	0.1	2.9	11.5	267	2.30	5.1	40.4	2.4	60	<0.1	0.4	0.2	59	3.12	0.080
1968309	Drill Core	4.15	2.4	301.8	2.3	13	0.2	3.5	13.3	228	2.47	6.5	42.8	2.5	74	<0.1	0.5	0.2	68	2.49	0.081
1968310	Drill Core	3.95	2.5	79.1	1.8	19	0.2	6.4	22.7	431	3.62	8.7	84.2	1.6	110	<0.1	0.4	0.4	101	4.12	0.105
1968311	Drill Core	4.43	1.2	52.4	2.0	27	0.2	5.9	16.7	563	3.91	21.7	210.7	1.3	60	<0.1	0.8	0.3	93	5.24	0.118
1968312	Drill Core	3.96	0.2	20.7	1.6	29	<0.1	4.6	9.3	609	4.16	9.6	50.0	1.0	121	<0.1	0.5	0.2	96	3.90	0.113
1968313	Drill Core	4.32	0.2	64.7	1.8	27	<0.1	7.9	8.0	642	4.28	9.1	77.7	1.0	127	<0.1	0.6	0.2	98	3.80	0.115
1968314	Drill Core	4.13	1.5	77.0	1.4	26	<0.1	5.8	15.0	551	4.36	9.1	161.6	1.0	84	<0.1	0.7	0.2	125	4.84	0.113
1968315	Drill Core	3.66	1.1	191.6	2.3	23	0.2	7.6	10.5	576	4.27	32.6	59.6	0.7	79	<0.1	1.8	0.2	127	5.29	0.126
1968316	Drill Core	3.64	1.6	119.7	2.4	26	0.1	9.0	11.6	648	4.32	32.5	43.8	0.7	85	<0.1	1.5	<0.1	111	4.56	0.127
1968317	Drill Core	4.39	3.4	177.3	4.0	31	0.5	14.1	19.0	681	3.85	10.6	107.4	0.8	79	<0.1	0.6	0.3	133	4.55	0.124
1968318	Drill Core	4.27	12.8	248.9	2.2	20	0.3	27.4	23.9	572	3.43	11.9	51.5	1.1	141	<0.1	0.8	0.4	174	3.64	0.138

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 5 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.2
1968289	Drill Core	4	12	1.55	88	0.146	6	2.50	0.101	0.14	0.3	0.48	7.3	<0.1	0.54	7	0.6	0.3
1968290	Drill Core	4	11	1.58	60	0.163	6	2.61	0.078	0.12	0.3	0.27	6.8	<0.1	0.11	8	<0.5	<0.2
1968291	Drill Core	5	16	1.53	165	0.151	7	2.81	0.161	0.17	0.3	0.32	7.7	<0.1	0.58	7	0.6	0.2
1968292	Drill Core	4	12	1.54	57	0.115	3	2.64	0.108	0.10	0.5	0.66	8.3	<0.1	1.83	7	2.3	2.0
1968293	Drill Core	4	9	1.64	61	0.118	3	2.49	0.089	0.11	0.5	0.87	8.1	<0.1	1.37	7	1.3	0.5
1968294	Drill Core	5	17	1.62	48	0.122	5	2.36	0.102	0.11	0.3	0.30	8.6	<0.1	0.86	7	1.0	0.3
1968295	Drill Core	5	14	1.24	43	0.132	9	2.67	0.091	0.08	0.3	0.22	7.0	<0.1	1.28	8	1.7	<0.2
1968296	Drill Core	5	11	1.45	49	0.128	9	2.80	0.081	0.11	0.3	0.23	6.9	<0.1	1.20	8	0.8	0.2
1968297	Drill Core	5	8	1.09	91	0.129	3	2.72	0.110	0.13	0.5	1.43	7.8	1.1	2.46	6	1.1	0.4
1968298	Drill Core	5	13	1.31	172	0.124	6	3.28	0.259	0.19	0.2	0.43	8.6	0.2	1.00	6	<0.5	<0.2
1968299	Drill Core	5	11	1.59	36	0.102	8	2.82	0.169	0.18	0.3	0.15	9.9	<0.1	1.10	9	0.9	0.3
1968300	Rock Pulp	96	25	0.42	64	0.094	7	1.28	0.099	0.21	2.1	0.04	3.4	<0.1	0.70	8	10.8	1.9
1968301	Drill Core	5	8	1.44	36	0.106	7	2.60	0.079	0.10	0.4	0.27	8.2	<0.1	1.82	8	1.6	0.4
1968302	Drill Core	5	4	0.73	179	0.129	4	1.74	0.107	0.11	0.3	0.56	3.6	<0.1	0.94	6	2.1	0.2
1968303	Drill Core	7	6	0.83	57	0.163	4	1.78	0.101	0.13	0.4	0.43	5.2	<0.1	2.11	6	4.9	0.4
1968304	Drill Core	6	3	0.40	83	0.118	7	1.60	0.093	0.11	0.2	0.39	2.5	<0.1	1.27	6	3.3	<0.2
1968305	Drill Core	5	7	0.66	65	0.124	10	2.44	0.112	0.13	0.2	0.28	3.5	<0.1	0.67	8	1.3	<0.2
1968306	Drill Core	5	6	0.91	182	0.115	10	2.46	0.115	0.13	<0.1	0.20	4.3	<0.1	0.60	7	1.0	<0.2
1968307	Drill Core	6	5	0.81	120	0.110	8	2.12	0.108	0.14	0.2	0.24	3.5	<0.1	0.91	6	1.4	<0.2
1968308	Drill Core	8	3	0.43	57	0.099	2	1.40	0.093	0.13	0.4	0.88	3.6	<0.1	1.68	3	3.0	<0.2
1968309	Drill Core	8	4	0.44	83	0.118	4	1.18	0.087	0.15	0.4	0.54	3.8	<0.1	1.78	4	3.1	<0.2
1968310	Drill Core	7	5	1.03	79	0.109	3	1.69	0.089	0.11	0.3	0.62	8.0	<0.1	2.53	5	2.1	0.5
1968311	Drill Core	7	5	1.15	60	0.094	3	1.68	0.061	0.20	0.6	0.49	7.9	0.2	2.11	6	1.7	0.4
1968312	Drill Core	4	6	1.32	96	0.080	4	2.04	0.120	0.17	0.2	0.21	6.9	<0.1	0.88	6	1.1	0.2
1968313	Drill Core	4	8	1.34	119	0.102	4	2.18	0.126	0.20	0.2	0.20	6.8	<0.1	0.76	6	1.2	<0.2
1968314	Drill Core	5	5	1.27	51	0.130	3	2.03	0.080	0.11	1.9	0.29	9.2	<0.1	1.09	6	1.9	<0.2
1968315	Drill Core	5	11	1.13	60	0.190	4	2.01	0.083	0.13	0.7	0.52	9.5	0.4	0.92	7	<0.5	<0.2
1968316	Drill Core	5	12	1.31	58	0.107	3	2.21	0.076	0.13	0.2	0.54	8.5	0.4	0.88	7	0.6	<0.2
1968317	Drill Core	5	23	1.38	54	0.125	2	1.89	0.078	0.13	0.4	0.32	9.4	<0.1	1.59	6	2.8	0.4
1968318	Drill Core	7	49	1.03	88	0.170	3	1.50	0.117	0.13	0.3	0.31	9.4	<0.1	2.23	5	4.6	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 6 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968319	Drill Core	4.20	6.0	192.7	12.4	51	1.0	23.9	17.7	695	4.09	18.1	103.3	1.3	162	0.5	1.1	0.7	69	5.39	0.117
1968320	Rock Pulp	0.05	12.4	9751	14.8	206	18.9	101.0	109.4	962	13.36	1644	556.7	8.4	341	2.4	4.4	8.9	530	3.91	0.479
1968321	Rock Pulp	0.04	5.2	38.3	3.4	38	0.2	11.1	4.5	508	2.76	4.5	<0.5	2.2	23	<0.1	0.4	0.2	24	0.53	0.040
1968322	Drill Core	4.13	6.2	143.2	2.3	25	0.2	25.1	27.8	726	4.13	11.0	157.6	0.8	476	<0.1	0.5	0.4	119	4.22	0.112
1968323	Drill Core	4.30	2.8	358.1	3.1	29	0.4	23.6	29.9	832	4.57	6.7	47.3	0.8	222	0.1	0.6	0.4	133	4.15	0.113
1968324	Drill Core	4.33	7.1	149.3	3.7	21	0.5	23.1	16.4	434	3.00	7.6	61.0	1.1	93	0.1	0.5	0.5	128	3.72	0.091
1968325	Drill Core	4.56	4.4	186.8	2.1	17	0.2	24.3	21.1	444	3.41	5.6	42.2	1.1	156	<0.1	0.6	0.4	128	3.96	0.135
1968326	Drill Core	2.19	2.1	37.9	1.7	19	0.2	4.7	7.5	416	2.54	3.5	163.4	1.7	45	<0.1	0.3	0.1	62	2.70	0.080
1968327	Drill Core	2.17	2.7	181.1	2.3	29	0.2	14.7	21.2	562	4.85	5.9	49.8	1.3	160	<0.1	0.7	0.2	181	2.73	0.133
1968328	Drill Core	4.21	2.6	111.0	2.1	40	0.1	11.7	19.3	701	5.21	5.8	25.5	1.3	102	<0.1	0.4	0.1	211	4.03	0.162
1968329	Drill Core	4.54	1.7	177.0	2.8	26	0.1	10.4	16.3	449	4.81	5.3	35.7	1.3	173	0.1	0.5	<0.1	196	3.53	0.145
1968330	Drill Core	4.63	2.0	319.4	2.3	25	0.2	13.0	16.0	417	4.08	4.2	42.5	1.5	111	<0.1	0.3	<0.1	162	2.56	0.120
1968331	Drill Core	4.49	7.1	324.4	2.6	30	0.2	13.3	19.0	544	4.57	5.2	43.0	1.9	74	<0.1	0.4	<0.1	184	2.82	0.136



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 6 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004440.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1968319	Drill Core	12	25	0.40	84	0.009	3	1.40	0.075	0.32	0.1	0.21	6.6	<0.1	3.29	3	6.6	0.8
1968320	Rock Pulp	88	24	0.42	63	0.077	9	1.23	0.090	0.21	1.9	0.03	3.1	<0.1	0.65	8	10.9	1.8
1968321	Rock Pulp	6	20	0.44	59	0.083	1	0.88	0.074	0.07	1.0	0.01	2.4	<0.1	<0.05	4	<0.5	<0.2
1968322	Drill Core	5	33	1.48	61	0.109	2	2.80	0.262	0.14	0.2	0.17	9.5	<0.1	2.54	5	4.2	0.3
1968323	Drill Core	4	32	1.80	98	0.163	3	2.78	0.202	0.14	0.3	0.10	11.6	<0.1	2.37	7	3.7	0.3
1968324	Drill Core	5	35	0.86	51	0.129	2	1.76	0.114	0.12	0.5	0.22	7.8	<0.1	2.17	5	4.3	0.5
1968325	Drill Core	6	33	1.03	77	0.170	4	2.19	0.129	0.12	0.4	0.23	8.2	<0.1	2.16	7	5.3	0.2
1968326	Drill Core	10	5	0.56	46	0.028	3	1.13	0.094	0.25	<0.1	0.17	4.1	<0.1	0.70	4	1.5	0.2
1968327	Drill Core	6	25	1.17	89	0.211	5	2.94	0.124	0.15	0.2	0.43	5.2	<0.1	0.80	8	1.2	0.4
1968328	Drill Core	6	12	1.53	60	0.219	6	3.08	0.086	0.14	0.2	0.28	10.0	<0.1	0.74	10	0.6	<0.2
1968329	Drill Core	6	13	0.89	71	0.179	10	2.66	0.111	0.13	0.2	0.20	4.8	<0.1	0.41	9	<0.5	<0.2
1968330	Drill Core	6	17	0.86	67	0.166	9	2.15	0.081	0.13	0.2	0.22	3.9	<0.1	0.29	7	<0.5	<0.2
1968331	Drill Core	6	21	1.13	50	0.210	5	2.03	0.083	0.12	0.2	0.36	5.4	<0.1	0.59	8	0.8	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 1 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004440.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1968201	Drill Core	2.53	2.0	49.7	2.0	22	0.2	13.7	9.5	410	3.31	10.7	13.4	1.6	181	<0.1	0.6	<0.1	123	2.11	0.109
REP 1968201	QC		1.8	48.6	1.9	21	0.2	12.6	9.1	395	3.20	10.5	10.3	1.5	175	<0.1	0.6	<0.1	118	2.01	0.109
1968222	Drill Core	4.01	5.7	876.8	1.9	23	0.5	16.3	19.0	389	3.58	7.4	131.0	1.1	63	<0.1	0.5	0.2	123	2.35	0.093
REP 1968222	QC		6.0	890.7	1.9	24	0.6	16.7	19.6	400	3.63	7.6	165.4	1.2	66	<0.1	0.5	0.2	126	2.49	0.097
1968259	Drill Core	4.04	0.9	391.0	3.2	18	0.5	5.2	9.4	203	2.29	3.6	83.7	3.1	56	0.1	0.4	<0.1	69	1.45	0.070
REP 1968259	QC		0.9	388.9	3.0	18	0.5	5.3	9.7	213	2.28	3.9	82.1	3.0	54	0.1	0.4	<0.1	69	1.47	0.070
1968268	Drill Core	4.38	1.6	424.4	2.7	14	0.2	10.8	25.0	273	2.93	9.8	68.8	0.5	58	0.1	0.4	0.2	80	2.95	0.076
REP 1968268	QC		1.5	418.7	2.8	14	0.2	10.7	24.8	274	2.87	9.0	65.8	0.6	56	0.2	0.3	0.2	79	2.89	0.073
1968271	Drill Core	3.61	5.0	260.2	1.9	20	0.2	16.2	27.8	414	4.03	12.3	84.8	0.9	142	<0.1	0.6	0.5	142	2.71	0.126
REP 1968271	QC		4.7	261.8	1.9	20	0.2	16.3	27.4	409	4.00	12.1	86.0	1.0	142	<0.1	0.6	0.5	142	2.71	0.123
1968292	Drill Core	4.29	8.1	131.1	2.2	24	0.2	9.3	12.9	589	3.97	67.1	81.3	1.2	112	<0.1	0.6	0.4	114	4.34	0.121
REP 1968292	QC		8.6	132.1	2.3	25	0.2	9.9	13.6	616	4.06	68.5	76.9	1.4	117	<0.1	0.6	0.4	120	4.53	0.128
1968306	Drill Core	4.25	1.9	280.6	1.6	13	0.2	5.3	18.2	252	3.20	4.2	30.5	2.3	256	<0.1	0.2	0.1	90	3.38	0.101
REP 1968306	QC		1.8	285.9	1.5	14	0.2	5.3	17.7	255	3.22	3.7	24.2	2.3	247	<0.1	0.2	0.1	90	3.39	0.103
1968328	Drill Core	4.21	2.6	111.0	2.1	40	0.1	11.7	19.3	701	5.21	5.8	25.5	1.3	102	<0.1	0.4	0.1	211	4.03	0.162
REP 1968328	QC		2.6	106.6	2.0	38	0.1	11.7	18.9	692	5.03	5.8	29.8	1.3	101	<0.1	0.4	<0.1	204	3.98	0.159
Core Reject Duplicates																					
1968218	Drill Core	3.49	1.8	706.7	2.1	22	0.5	10.2	12.9	380	2.35	5.5	159.9	1.0	43	<0.1	0.3	0.1	79	1.95	0.073
DUP 1968218	QC	<0.01	1.6	663.6	2.0	21	0.5	9.3	11.9	346	2.18	5.0	141.2	0.9	38	<0.1	0.3	0.1	74	1.83	0.070
1968252	Drill Core	4.10	0.8	454.1	1.5	22	0.4	54.2	24.4	375	4.11	9.8	75.0	1.2	42	<0.1	0.5	0.3	174	1.79	0.124
DUP 1968252	QC	<0.01	0.8	464.1	1.5	22	0.4	57.7	26.1	369	4.18	9.5	87.2	1.2	45	<0.1	0.4	0.2	177	1.82	0.130
1968286	Drill Core	3.98	5.6	47.8	1.3	16	<0.1	8.7	12.6	345	4.19	16.4	22.5	1.4	73	<0.1	0.3	<0.1	126	3.82	0.136
DUP 1968286	QC	<0.01	5.5	46.8	1.4	17	<0.1	8.8	13.2	357	4.26	17.3	21.8	1.4	78	<0.1	0.4	<0.1	131	3.98	0.134
Reference Materials																					
STD DS9	Standard		13.6	112.4	130.8	324	2.1	40.4	7.8	619	2.45	26.8	114.3	7.6	85	2.5	6.0	6.6	41	0.79	0.086
STD DS9	Standard		12.8	102.0	121.9	286	1.8	37.8	7.3	575	2.28	24.4	130.6	6.2	67	2.3	5.1	5.9	41	0.76	0.077
STD DS9	Standard		12.3	97.7	122.0	294	1.8	41.5	7.0	575	2.26	23.1	109.2	5.9	68	2.2	4.9	6.0	38	0.69	0.076
STD DS9	Standard		13.1	94.4	117.0	300	1.7	36.9	7.2	567	2.25	25.0	118.7	6.0	65	2.4	5.1	5.7	38	0.70	0.079



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 1 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004440.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1968201	Drill Core	4	15	1.11	224	0.103	12	1.99	0.097	0.18	0.3	0.14	3.3	<0.1	0.24	6	<0.5	<0.2
REP 1968201	QC	4	14	1.07	213	0.093	12	1.89	0.089	0.16	0.3	0.14	3.1	<0.1	0.24	6	<0.5	<0.2
1968222	Drill Core	4	23	1.13	41	0.145	3	1.65	0.155	0.10	0.4	0.32	4.8	<0.1	1.34	6	2.6	0.3
REP 1968222	QC	4	23	1.17	44	0.153	3	1.67	0.154	0.10	0.4	0.34	5.0	<0.1	1.36	6	2.4	0.3
1968259	Drill Core	5	10	0.45	58	0.094	4	1.11	0.113	0.16	0.1	0.36	2.3	<0.1	0.77	5	1.6	0.2
REP 1968259	QC	5	11	0.45	60	0.097	4	1.13	0.116	0.16	0.1	0.37	2.5	<0.1	0.77	5	2.3	0.3
1968268	Drill Core	3	15	0.67	49	0.112	8	2.16	0.070	0.09	0.2	0.41	4.7	<0.1	2.04	8	5.2	<0.2
REP 1968268	QC	3	15	0.66	49	0.114	7	2.14	0.069	0.09	0.3	0.41	5.0	<0.1	2.00	7	4.5	0.2
1968271	Drill Core	4	30	1.33	77	0.183	5	2.46	0.159	0.09	0.3	0.44	7.6	<0.1	1.99	7	4.4	0.3
REP 1968271	QC	5	30	1.34	80	0.190	6	2.47	0.158	0.09	0.3	0.45	7.6	<0.1	1.97	8	3.1	0.4
1968292	Drill Core	4	12	1.54	57	0.115	3	2.64	0.108	0.10	0.5	0.66	8.3	<0.1	1.83	7	2.3	2.0
REP 1968292	QC	4	12	1.61	58	0.122	5	2.84	0.111	0.11	0.4	0.70	9.2	<0.1	1.85	7	2.7	1.8
1968306	Drill Core	5	6	0.91	182	0.115	10	2.46	0.115	0.13	<0.1	0.20	4.3	<0.1	0.60	7	1.0	<0.2
REP 1968306	QC	5	5	0.92	179	0.115	9	2.48	0.115	0.13	<0.1	0.19	3.9	<0.1	0.60	7	0.9	<0.2
1968328	Drill Core	6	12	1.53	60	0.219	6	3.08	0.086	0.14	0.2	0.28	10.0	<0.1	0.74	10	0.6	<0.2
REP 1968328	QC	6	12	1.49	61	0.216	7	3.07	0.086	0.14	0.2	0.26	9.9	<0.1	0.71	10	0.8	<0.2
Core Reject Duplicates																		
1968218	Drill Core	3	15	0.70	65	0.072	5	1.58	0.199	0.15	0.3	0.12	3.2	<0.1	0.58	6	1.1	<0.2
DUP 1968218	QC	3	14	0.64	60	0.068	4	1.42	0.171	0.13	0.2	0.12	3.1	<0.1	0.54	5	0.9	<0.2
1968252	Drill Core	4	91	1.82	86	0.349	5	1.93	0.129	0.38	0.2	0.08	6.6	<0.1	1.28	7	2.3	0.4
DUP 1968252	QC	5	93	1.87	94	0.367	2	1.97	0.133	0.39	0.2	0.06	6.6	<0.1	1.29	7	2.5	0.6
1968286	Drill Core	4	11	1.29	39	0.118	12	2.83	0.082	0.11	0.2	0.19	4.8	<0.1	0.35	8	<0.5	<0.2
DUP 1968286	QC	4	11	1.31	43	0.125	12	2.96	0.086	0.11	0.2	0.19	5.0	<0.1	0.37	9	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	16	123	0.65	317	0.125	3	1.08	0.108	0.44	3.1	0.20	2.7	5.6	0.11	5	6.0	5.5
STD DS9	Standard	14	119	0.59	300	0.110	2	0.92	0.077	0.37	3.0	0.21	2.4	5.4	0.16	4	4.4	5.2
STD DS9	Standard	12	130	0.60	274	0.096	2	0.93	0.081	0.39	2.7	0.20	2.4	5.0	0.16	4	5.3	4.8
STD DS9	Standard	12	122	0.60	288	0.105	2	0.90	0.079	0.40	2.9	0.19	2.3	5.4	0.15	4	5.8	5.3



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 2 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004440.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD DS9	Standard		12.3	103.7	121.2	305	1.7	40.0	7.5	580	2.31	25.0	114.7	6.7	64	2.2	5.0	5.5	40	0.73	0.082	
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	1.3	<0.1	<1	<0.1	0.2	<0.1	2	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.02	<0.001	
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	1.0	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
Prep Wash																						
G1	Prep Blank	<0.01	<0.1	3.3	2.4	40	<0.1	2.6	3.3	480	1.65	<0.5	<0.5	4.4	47	<0.1	<0.1	<0.1	30	0.39	0.061	
G1	Prep Blank	<0.01	<0.1	3.6	2.8	45	<0.1	2.7	3.7	561	1.93	<0.5	1.9	5.4	61	<0.1	<0.1	0.1	36	0.49	0.069	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 23, 2012

Page: 2 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004440.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS9	Standard	14	115	0.61	307	0.117	2	0.94	0.079	0.39	2.7	0.21	2.5	5.0	0.17	5	5.4	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	8	4	0.44	134	0.079	<1	0.77	0.074	0.40	<0.1	<0.01	1.9	0.2	<0.05	4	<0.5	<0.2
G1	Prep Blank	11	5	0.52	153	0.100	1	0.93	0.099	0.46	<0.1	<0.01	2.5	0.5	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Bearing Resources Ltd.**

1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: September 18, 2012
Report Date: October 12, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN12004441.1

CLIENT JOB INFORMATION

Project: October Dome
Shipment ID:
P.O. Number
Number of Samples: 131

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	120	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	131	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
Canada

CC: Graeme Buckler



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 2 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
G1	Prep Blank	<0.01	<0.1	3.8	2.2	46	<0.1	3.1	4.3	543	1.87	<0.5	1.7	4.4	52	<0.1	<0.1	<0.1	34	0.43	0.083
G1	Prep Blank	<0.01	<0.1	2.4	2.5	44	<0.1	2.3	3.8	554	1.80	<0.5	1.1	4.8	49	<0.1	<0.1	<0.1	33	0.42	0.078
1968332	Drill Core	4.75	7.7	303.3	2.3	21	0.3	11.4	15.4	451	3.15	8.6	36.0	1.1	44	<0.1	0.4	0.3	106	3.02	0.110
1968333	Drill Core	4.57	2.7	213.6	1.8	29	<0.1	15.8	18.4	507	4.44	5.5	21.1	1.1	60	<0.1	0.3	<0.1	193	3.29	0.120
1968334	Drill Core	4.44	6.5	94.4	1.6	27	0.1	8.3	16.9	582	4.73	7.7	13.1	1.1	66	<0.1	0.3	<0.1	187	3.44	0.159
1968335	Drill Core	4.57	1.9	171.0	1.6	23	0.1	9.5	20.7	542	5.01	8.3	18.2	0.9	103	<0.1	0.3	<0.1	209	3.56	0.155
1968336	Drill Core	4.79	2.0	291.7	1.6	23	0.2	10.8	27.7	420	4.75	6.7	31.2	0.7	274	<0.1	0.3	<0.1	192	2.96	0.168
1968337	Drill Core	4.94	4.6	141.0	1.7	25	0.1	11.0	26.2	428	5.25	7.7	32.3	0.8	177	<0.1	0.3	0.1	208	2.64	0.165
1968338	Drill Core	4.90	0.8	178.0	1.6	26	0.1	11.1	15.2	528	4.58	6.3	59.8	0.8	168	<0.1	0.4	0.1	180	3.19	0.165
1968339	Drill Core	5.05	2.2	309.9	2.0	22	0.2	8.3	21.4	419	4.28	5.2	36.3	0.9	219	<0.1	0.3	0.1	162	3.04	0.161
1968340	Rock Pulp	0.05	11.9	9700	13.1	181	17.0	90.7	101.5	866	12.53	1541	504.5	7.4	325	2.1	3.3	8.2	473	3.27	0.427
1968341	Drill Core	4.95	14.6	77.9	2.8	19	0.1	7.7	26.6	371	5.13	6.1	24.2	0.9	63	<0.1	0.3	0.2	122	2.68	0.135
1968342	Drill Core	4.97	1.0	172.1	3.1	24	0.2	7.7	17.9	410	3.39	6.7	26.0	0.9	57	<0.1	0.6	0.2	94	2.89	0.142
1968343	Drill Core	4.74	1.3	826.1	2.3	15	0.4	9.6	17.6	320	3.68	5.1	71.2	0.8	32	<0.1	0.3	0.1	104	2.46	0.092
1968344	Drill Core	4.90	0.4	863.3	2.1	21	0.6	5.7	11.4	333	3.20	5.0	257.8	0.8	51	<0.1	0.5	<0.1	103	1.87	0.069
1968345	Drill Core	4.63	1.3	155.6	2.3	45	0.4	7.6	11.9	943	3.29	9.3	77.6	0.6	114	0.3	0.6	0.2	97	3.46	0.066
1968346	Drill Core	4.02	0.9	228.7	2.3	28	0.5	5.8	20.6	899	3.19	8.9	180.4	0.4	56	<0.1	0.7	0.4	73	3.50	0.064
1968347	Drill Core	3.84	1.2	259.7	1.8	33	0.4	8.6	26.1	781	4.00	13.5	121.5	0.6	54	<0.1	0.5	0.3	102	4.21	0.100
1968348	Drill Core	4.59	1.1	370.6	2.2	18	0.5	6.8	28.3	427	3.04	6.1	75.8	0.3	66	<0.1	0.5	0.3	67	2.69	0.056
1968349	Drill Core	4.92	1.5	128.4	2.1	17	0.2	6.3	14.9	291	3.42	4.9	34.5	0.4	85	<0.1	0.4	0.1	87	2.14	0.063
1968350	Drill Core	4.88	1.9	265.0	2.4	15	0.2	8.8	17.0	195	2.40	5.0	45.2	0.4	100	0.1	0.3	<0.1	73	1.82	0.058
1968351	Drill Core	4.69	0.7	301.0	2.5	19	0.3	9.1	16.9	340	2.43	6.1	50.3	0.2	95	<0.1	0.3	0.3	77	2.31	0.063
1968352	Drill Core	4.83	1.4	280.5	2.6	18	0.4	8.7	26.3	327	2.62	8.8	60.8	0.3	121	<0.1	0.5	0.3	56	2.32	0.064
1968353	Drill Core	5.13	1.2	422.0	2.0	20	0.5	24.5	30.8	399	3.67	8.6	109.5	1.0	46	<0.1	0.3	0.4	91	2.52	0.083
1968354	Drill Core	4.67	1.7	804.3	2.0	22	2.0	29.2	42.4	370	3.93	10.8	183.8	0.8	91	0.1	0.5	0.7	81	2.44	0.097
1968355	Drill Core	4.22	1.5	759.9	2.1	14	0.6	25.9	38.5	294	3.03	6.6	87.8	0.9	67	<0.1	0.5	0.2	69	2.53	0.078
1968356	Drill Core	5.17	1.2	694.0	2.0	15	0.5	22.6	37.7	237	3.08	5.5	93.3	0.8	78	<0.1	0.4	0.4	67	1.79	0.090
1968357	Drill Core	4.66	1.0	568.2	2.3	18	0.5	14.9	30.1	329	3.01	8.2	71.2	1.2	117	<0.1	0.5	0.3	87	2.02	0.108
1968358	Drill Core	3.97	1.7	491.1	1.8	16	0.3	10.5	28.8	343	3.41	6.2	52.9	1.5	55	<0.1	0.4	0.1	103	3.05	0.128
1968359	Drill Core	4.09	3.2	471.3	2.1	15	0.4	20.9	30.4	247	3.43	3.9	67.1	1.1	30	<0.1	0.3	0.3	66	1.83	0.086

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 2 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
G1	Prep Blank	9	6	0.52	170	0.105	1	0.96	0.094	0.48	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	10	5	0.48	159	0.101	1	0.92	0.105	0.47	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
1968332	Drill Core	4	32	1.07	23	0.125	5	1.74	0.059	0.07	0.2	0.48	5.6	<0.1	1.20	6	0.7	0.7
1968333	Drill Core	4	30	1.13	44	0.156	7	3.16	0.039	0.09	0.1	0.22	6.2	<0.1	0.16	9	<0.5	<0.2
1968334	Drill Core	5	8	1.20	70	0.147	7	2.71	0.049	0.15	0.1	0.18	5.5	<0.1	0.13	8	<0.5	<0.2
1968335	Drill Core	5	7	1.22	110	0.191	10	3.01	0.088	0.16	0.1	0.11	6.7	<0.1	0.30	9	<0.5	<0.2
1968336	Drill Core	4	8	1.14	95	0.196	10	2.76	0.133	0.19	0.1	0.28	5.3	<0.1	1.04	7	0.9	<0.2
1968337	Drill Core	5	8	1.07	111	0.192	12	2.58	0.130	0.19	0.2	0.25	4.7	<0.1	0.91	8	0.7	<0.2
1968338	Drill Core	4	12	1.42	93	0.170	9	2.56	0.110	0.11	0.3	0.26	6.0	<0.1	0.75	7	<0.5	<0.2
1968339	Drill Core	5	6	0.93	146	0.149	9	2.72	0.120	0.12	0.1	0.24	4.4	<0.1	0.83	7	0.5	<0.2
1968340	Rock Pulp	83	22	0.39	55	0.065	7	1.05	0.090	0.19	1.8	0.03	2.5	<0.1	0.66	7	10.2	1.7
1968341	Drill Core	4	5	0.89	49	0.140	10	2.20	0.081	0.11	0.2	0.40	5.2	<0.1	3.23	6	4.6	0.3
1968342	Drill Core	4	5	1.07	34	0.114	9	2.53	0.073	0.08	0.2	0.40	5.9	<0.1	1.84	7	2.0	0.4
1968343	Drill Core	3	22	0.75	19	0.077	9	1.93	0.064	0.07	0.2	0.30	4.4	<0.1	1.58	7	2.4	0.2
1968344	Drill Core	3	9	0.60	32	0.079	5	1.82	0.121	0.08	0.2	0.28	2.8	<0.1	0.91	5	1.3	0.3
1968345	Drill Core	4	12	1.07	82	0.088	2	2.08	0.228	0.17	0.3	0.15	7.7	<0.1	1.20	5	1.3	0.3
1968346	Drill Core	3	8	0.90	53	0.062	3	1.90	0.079	0.16	0.3	0.18	5.4	<0.1	1.61	5	2.1	0.5
1968347	Drill Core	4	17	1.33	32	0.054	3	2.15	0.072	0.10	0.1	0.09	8.6	<0.1	1.69	7	2.3	0.4
1968348	Drill Core	3	10	0.77	48	0.078	4	2.13	0.168	0.08	0.2	0.10	4.5	<0.1	1.89	4	3.4	0.3
1968349	Drill Core	3	10	0.51	84	0.075	7	1.67	0.110	0.08	0.2	0.11	2.8	<0.1	0.99	5	1.6	<0.2
1968350	Drill Core	2	15	0.40	84	0.076	9	1.75	0.141	0.09	0.1	0.13	2.5	<0.1	1.16	5	2.2	<0.2
1968351	Drill Core	2	18	0.83	83	0.093	6	1.97	0.136	0.06	0.3	0.20	4.4	<0.1	1.57	5	3.0	0.3
1968352	Drill Core	2	12	0.68	64	0.074	4	1.65	0.245	0.09	0.2	0.20	3.6	<0.1	2.13	4	3.5	0.4
1968353	Drill Core	3	35	0.83	35	0.092	3	1.47	0.200	0.16	0.2	0.31	5.2	<0.1	2.49	5	4.3	0.6
1968354	Drill Core	4	31	0.90	41	0.111	2	1.40	0.099	0.08	0.3	0.27	6.1	<0.1	3.20	5	6.4	1.2
1968355	Drill Core	3	22	0.67	40	0.099	3	1.43	0.102	0.08	0.2	0.29	4.6	<0.1	2.49	5	5.7	0.3
1968356	Drill Core	3	18	0.68	34	0.100	3	1.40	0.109	0.07	0.2	0.20	4.1	<0.1	2.52	4	5.4	0.6
1968357	Drill Core	4	17	0.88	56	0.136	4	1.74	0.155	0.11	0.2	0.21	5.2	<0.1	1.94	5	3.3	0.2
1968358	Drill Core	5	5	0.81	27	0.123	9	2.26	0.056	0.07	0.2	0.22	4.8	<0.1	1.49	9	2.9	<0.2
1968359	Drill Core	4	22	0.69	31	0.106	4	1.23	0.125	0.14	0.3	0.44	4.4	<0.1	3.08	5	7.4	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 3 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968360	Rock Pulp	0.05	12.4	>10000	14.8	187	17.5	95.8	104.8	929	13.20	1582	522.1	7.9	333	2.4	3.6	8.8	501	3.53	0.454
1968361	Rock Pulp	0.04	5.0	41.3	3.1	39	<0.1	11.3	4.8	510	2.66	2.8	1.5	2.0	24	<0.1	0.3	0.1	23	0.51	0.041
1968362	Drill Core	3.83	1.3	620.4	2.2	15	1.4	25.6	28.8	343	3.15	5.6	109.5	1.0	52	0.1	0.4	0.3	74	2.39	0.086
1968363	Drill Core	5.46	4.5	473.7	2.1	21	0.5	25.8	28.1	434	3.29	9.7	82.1	0.8	86	0.1	0.4	0.2	103	2.43	0.111
1968364	Drill Core	4.27	3.4	439.6	2.7	15	0.7	5.9	37.1	365	3.45	12.0	266.9	1.7	46	<0.1	0.4	0.5	50	2.93	0.120
1968365	Drill Core	4.33	1.7	517.4	2.7	16	0.4	7.9	37.9	228	3.14	7.4	57.5	1.4	53	0.1	0.7	0.3	61	1.91	0.121
1968366	Drill Core	3.92	15.1	235.7	6.2	20	1.6	17.9	25.9	433	3.80	18.1	433.4	1.3	140	<0.1	7.0	0.9	67	3.53	0.082
1968367	Drill Core	4.32	1.4	416.7	2.1	14	0.4	23.2	27.7	238	3.22	6.0	121.1	0.7	142	0.1	0.5	0.5	73	2.32	0.084
1968368	Drill Core	4.15	2.3	826.4	2.1	19	0.9	26.0	42.1	313	4.13	12.2	130.0	0.7	94	0.2	0.5	0.6	84	2.73	0.105
1968369	Drill Core	4.18	1.0	33.6	1.6	25	0.1	12.9	22.6	487	3.52	31.6	47.5	0.5	72	<0.1	0.6	0.3	68	2.91	0.115
1968370	Drill Core	4.29	1.3	63.2	1.6	25	0.1	11.8	16.9	522	3.38	21.1	38.6	0.5	92	<0.1	0.6	0.2	70	2.87	0.120
1968371	Drill Core	4.70	1.6	703.9	1.9	16	0.6	19.6	47.0	272	4.07	8.5	90.0	0.5	211	0.1	0.5	0.4	102	2.76	0.086
1968372	Drill Core	4.14	1.8	437.2	2.6	14	0.4	6.3	24.5	211	3.04	8.6	76.2	0.8	63	<0.1	0.4	0.1	68	2.85	0.101
1968373	Drill Core	2.67	1.9	375.8	3.2	16	0.3	7.5	19.0	194	2.26	6.9	60.4	1.4	38	<0.1	0.3	<0.1	55	2.29	0.095
1968374	Drill Core	4.94	2.7	101.0	1.9	15	<0.1	2.3	6.8	263	2.99	5.5	20.0	1.2	60	<0.1	0.4	<0.1	106	3.43	0.097
1968375	Drill Core	3.91	2.8	196.8	1.5	13	0.1	6.2	11.2	246	1.70	5.1	28.5	0.9	46	<0.1	0.3	<0.1	58	2.61	0.065
1968376	Drill Core	4.09	1.8	282.5	1.5	14	0.1	8.6	13.7	262	2.31	5.6	28.8	0.8	63	<0.1	0.5	0.2	76	3.29	0.076
1968377	Drill Core	4.28	1.8	160.8	2.1	15	0.2	8.1	12.6	304	3.18	6.6	23.7	0.9	60	<0.1	0.5	0.2	100	3.53	0.072
1968378	Drill Core	3.96	1.5	269.0	2.2	18	0.3	16.0	24.2	394	4.40	8.9	52.2	0.7	80	<0.1	0.5	0.4	136	3.78	0.111
1968379	Drill Core	3.59	0.9	41.3	1.5	22	<0.1	7.7	7.8	434	3.63	8.5	30.3	0.6	57	<0.1	0.7	0.2	115	3.48	0.144
1968380	Rock Pulp	0.05	13.7	>10000	15.1	221	19.2	111.2	116.4	1089	14.71	1768	641.6	7.9	404	2.8	4.2	8.7	579	4.37	0.533
1968381	Drill Core	4.38	2.6	142.7	1.6	20	0.1	9.7	11.2	409	3.20	11.8	38.6	0.6	69	<0.1	0.3	0.2	106	3.77	0.127
1968382	Drill Core	4.47	3.1	153.9	6.6	31	0.3	9.3	8.7	597	3.22	12.8	48.6	0.5	62	0.2	1.0	0.2	84	3.63	0.126
1968383	Drill Core	3.90	1.1	84.7	1.8	25	<0.1	8.5	6.1	467	3.03	12.9	19.7	0.4	71	<0.1	0.9	0.2	78	3.09	0.134
1968384	Drill Core	3.71	1.5	51.9	1.6	23	<0.1	7.8	8.3	484	3.60	10.6	24.7	0.6	93	<0.1	0.5	0.2	98	3.34	0.137
1968385	Drill Core	4.69	1.0	49.0	1.8	21	<0.1	9.3	12.1	360	3.73	7.3	37.8	0.6	87	<0.1	0.3	<0.1	96	2.69	0.127
1968386	Drill Core	4.86	0.9	93.6	1.9	21	0.1	10.7	17.5	333	3.67	8.9	35.1	0.5	62	<0.1	0.4	0.1	88	2.94	0.129
1968387	Drill Core	4.58	0.9	71.1	1.6	21	0.1	11.0	15.4	315	3.58	11.8	18.1	0.6	110	0.1	0.4	0.1	93	3.35	0.142
1968388	Drill Core	4.29	1.9	606.6	1.8	17	0.4	15.6	26.7	328	3.18	9.7	97.3	0.7	148	<0.1	0.6	0.2	94	4.03	0.117
1968389	Drill Core	4.28	2.6	206.1	1.6	18	0.2	13.4	20.8	290	3.22	7.7	54.9	0.5	58	<0.1	0.5	0.2	82	2.87	0.091

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 3 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1968360	Rock Pulp	86	24	0.41	59	0.073	8	1.12	0.094	0.20	1.9	0.03	2.9	<0.1	0.69	8	10.9	1.6
1968361	Rock Pulp	5	20	0.43	60	0.080	1	0.89	0.081	0.07	1.0	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
1968362	Drill Core	4	24	0.61	34	0.101	4	1.25	0.071	0.10	0.3	0.27	4.2	<0.1	2.42	5	6.7	0.8
1968363	Drill Core	4	42	0.92	48	0.122	7	2.02	0.154	0.14	0.3	0.12	5.3	<0.1	1.55	5	3.7	<0.2
1968364	Drill Core	5	3	0.51	34	0.089	4	1.21	0.057	0.11	0.3	0.12	3.9	<0.1	2.95	4	5.5	0.4
1968365	Drill Core	5	5	0.63	48	0.097	6	1.48	0.129	0.13	0.3	0.19	3.8	<0.1	2.69	5	7.2	<0.2
1968366	Drill Core	4	15	0.69	71	0.080	2	1.72	0.096	0.17	0.5	0.38	6.4	<0.1	3.70	4	6.8	1.4
1968367	Drill Core	4	31	0.78	77	0.096	3	1.77	0.116	0.08	0.3	0.30	5.6	<0.1	2.99	5	6.0	0.5
1968368	Drill Core	3	37	0.98	71	0.102	6	1.58	0.120	0.11	0.2	0.26	6.9	<0.1	3.87	5	8.9	0.7
1968369	Drill Core	3	9	1.27	61	0.112	11	2.38	0.086	0.12	0.2	0.21	5.3	<0.1	2.37	6	6.6	0.9
1968370	Drill Core	3	11	1.29	93	0.099	8	2.07	0.141	0.20	0.3	0.15	6.2	<0.1	2.16	5	3.8	0.9
1968371	Drill Core	4	34	1.10	85	0.128	5	1.83	0.160	0.13	0.3	0.28	8.4	<0.1	3.76	5	10.8	0.5
1968372	Drill Core	4	8	0.55	56	0.099	11	1.81	0.075	0.11	0.3	0.26	2.4	<0.1	2.02	6	4.1	<0.2
1968373	Drill Core	4	6	0.50	48	0.100	11	1.68	0.047	0.12	0.2	0.28	2.4	<0.1	1.47	7	3.7	<0.2
1968374	Drill Core	4	3	0.56	52	0.115	20	2.50	0.059	0.16	0.2	0.15	2.4	<0.1	0.37	8	0.9	<0.2
1968375	Drill Core	3	20	0.73	21	0.100	8	1.97	0.045	0.06	0.3	0.37	4.3	<0.1	0.72	8	1.6	<0.2
1968376	Drill Core	4	26	0.98	20	0.137	11	2.15	0.062	0.07	0.3	0.37	6.4	<0.1	1.43	8	3.8	<0.2
1968377	Drill Core	3	31	1.08	22	0.169	10	2.44	0.069	0.08	0.5	0.37	7.0	<0.1	1.56	9	1.9	0.4
1968378	Drill Core	5	23	1.34	45	0.179	9	2.86	0.092	0.09	0.4	0.25	7.6	<0.1	2.09	10	3.2	0.4
1968379	Drill Core	4	10	1.30	47	0.138	12	2.38	0.063	0.11	0.3	0.24	6.6	<0.1	1.08	9	1.4	0.2
1968380	Rock Pulp	94	26	0.45	68	0.085	12	1.34	0.102	0.23	2.2	0.05	3.4	<0.1	0.75	9	12.9	2.0
1968381	Drill Core	3	13	1.49	50	0.103	6	2.19	0.057	0.07	0.3	0.46	8.0	<0.1	1.92	7	4.6	<0.2
1968382	Drill Core	4	12	1.33	42	0.114	5	1.85	0.059	0.11	0.3	0.55	6.6	<0.1	1.64	6	3.0	0.5
1968383	Drill Core	3	11	1.26	46	0.122	8	1.95	0.091	0.10	0.3	0.33	5.7	<0.1	1.48	7	4.7	0.4
1968384	Drill Core	4	9	1.29	86	0.127	6	2.30	0.138	0.12	0.2	0.20	6.7	<0.1	1.23	7	2.4	0.3
1968385	Drill Core	4	10	1.02	84	0.138	7	1.99	0.152	0.18	0.3	0.09	5.6	<0.1	0.79	6	1.4	<0.2
1968386	Drill Core	3	10	1.06	74	0.134	13	2.28	0.122	0.14	0.2	0.14	5.9	<0.1	1.37	7	2.4	0.3
1968387	Drill Core	4	11	0.99	100	0.120	13	2.52	0.152	0.16	0.2	0.25	6.1	<0.1	1.43	8	3.5	<0.2
1968388	Drill Core	4	20	1.20	114	0.135	6	2.81	0.198	0.11	0.3	0.36	7.3	<0.1	1.71	7	3.7	0.5
1968389	Drill Core	4	20	1.11	61	0.115	5	1.93	0.154	0.16	0.3	0.31	6.1	<0.1	1.73	6	3.7	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 12, 2012

Page: 4 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method Analyte	Unit	MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1968390	Drill Core	5.06	3.0	408.0	2.2	14	0.3	16.3	25.0	209	3.13	7.7	67.3	0.6	70	<0.1	0.4	0.2	89	2.47	0.087
1968391	Drill Core	4.54	4.6	378.0	2.8	13	0.3	12.2	27.2	164	3.01	7.5	76.1	0.5	58	0.1	0.3	0.2	68	2.41	0.079
1968392	Drill Core	3.85	2.3	396.0	2.3	17	0.3	16.2	27.1	252	3.75	10.1	75.1	0.6	234	<0.1	0.3	0.2	113	3.77	0.098
1968393	Drill Core	4.59	2.4	311.1	2.4	14	0.3	17.1	33.4	190	3.32	8.8	93.4	0.5	69	<0.1	0.3	0.4	74	3.04	0.101
1968394	Drill Core	3.89	2.8	579.0	2.3	15	0.4	18.9	43.1	224	3.72	8.0	231.8	0.7	49	<0.1	0.3	0.3	93	3.12	0.089
1968395	Drill Core	3.70	1.1	78.8	1.8	20	0.1	9.8	15.7	358	4.60	9.8	56.1	0.7	41	<0.1	0.4	0.2	128	4.01	0.113
1968396	Drill Core	3.30	0.5	156.6	1.7	18	0.2	8.6	10.9	273	4.10	13.8	53.4	0.6	34	<0.1	0.3	0.1	117	3.01	0.115
1968397	Drill Core	4.51	1.0	70.6	2.0	18	<0.1	10.3	12.7	275	3.83	14.7	44.0	0.7	44	<0.1	0.4	0.2	102	3.38	0.118
1968398	Drill Core	4.34	0.5	40.5	1.6	20	<0.1	9.0	13.3	347	4.25	12.8	49.7	0.7	55	<0.1	0.5	0.2	116	3.52	0.126
1968399	Drill Core	3.57	2.1	228.1	2.2	17	0.1	7.3	26.4	259	3.76	8.0	58.5	0.9	34	<0.1	0.3	0.2	95	2.80	0.138
1968400	Rock Pulp	0.06	12.7	>10000	14.9	204	18.0	102.3	111.6	937	13.48	1655	559.4	8.1	336	2.2	3.9	8.8	502	3.56	0.487
1968401	Rock Pulp	0.04	5.1	148.2	3.0	40	0.3	11.5	4.2	494	2.77	17.1	24.8	2.0	18	<0.1	0.3	0.2	23	0.43	0.041
1968402	Drill Core	3.80	4.1	290.9	2.3	13	0.2	7.1	24.4	177	3.41	4.7	69.4	0.6	42	<0.1	0.3	0.2	60	2.09	0.105
1968403	Drill Core	3.97	3.5	129.9	1.9	12	0.1	11.4	13.3	171	2.87	4.1	24.7	0.4	32	<0.1	0.3	0.1	50	1.88	0.078
1968404	Drill Core	3.69	1.3	263.0	2.0	15	0.2	7.5	19.2	214	3.99	5.1	81.7	0.6	29	<0.1	0.3	0.3	65	2.32	0.117
1968405	Drill Core	3.53	1.1	315.8	1.2	13	0.2	4.8	18.6	174	2.70	2.8	78.7	0.8	56	<0.1	0.2	0.1	69	3.15	0.114
1968406	Drill Core	4.54	4.7	908.9	3.0	15	0.6	18.8	54.9	182	5.52	3.5	190.2	0.4	67	0.2	0.4	0.2	44	2.72	0.070
1968407	Drill Core	3.56	2.0	733.0	3.0	15	0.5	15.6	36.3	182	3.11	2.7	113.4	0.2	41	<0.1	0.3	0.1	45	1.96	0.048
1968408	Drill Core	3.84	2.4	632.3	2.6	13	0.4	22.1	29.8	206	2.66	5.9	88.7	0.3	48	0.1	0.4	0.2	54	2.67	0.066
1968409	Drill Core	4.53	3.1	496.0	2.5	12	0.2	26.8	27.0	180	3.05	2.7	92.0	0.4	36	<0.1	0.4	0.2	67	2.96	0.072
1968410	Drill Core	4.08	2.6	339.6	2.0	12	0.3	21.7	16.5	195	2.04	3.5	72.3	0.4	46	<0.1	0.3	<0.1	100	2.64	0.071
1968411	Drill Core	3.84	2.9	443.0	2.1	11	0.3	25.5	15.3	220	2.13	2.7	93.9	0.4	41	0.2	0.1	<0.1	107	2.24	0.077
1968412	Drill Core	2.00	3.5	408.1	1.4	16	0.3	24.4	26.8	228	3.28	3.0	103.0	0.4	35	0.2	0.3	0.2	141	2.56	0.115
1968413	Drill Core	3.66	4.8	537.5	1.3	13	0.4	22.8	28.1	223	2.76	3.0	94.6	0.7	48	<0.1	0.2	0.2	131	3.12	0.147
1968414	Drill Core	2.82	3.9	441.6	1.4	13	0.3	30.9	22.7	286	3.29	6.2	117.6	0.8	60	<0.1	0.2	0.2	256	4.13	0.156
1968415	Drill Core	4.26	1.7	687.5	1.4	11	0.3	18.3	30.7	172	2.79	8.2	113.0	0.5	67	<0.1	0.3	<0.1	91	2.26	0.153
1968416	Drill Core	3.90	2.1	527.8	1.2	13	0.4	27.2	24.3	230	3.25	8.5	66.3	0.7	87	<0.1	0.4	0.3	126	2.33	0.134
1968417	Drill Core	4.08	2.0	297.5	1.6	16	0.2	16.7	22.7	271	4.18	6.7	39.5	0.7	42	<0.1	0.2	<0.1	142	2.20	0.134
1968418	Drill Core	3.68	1.3	129.8	1.9	17	0.1	9.4	11.5	223	3.92	4.1	24.8	1.2	44	<0.1	0.1	<0.1	131	1.92	0.123
1968419	Drill Core	3.92	1.9	153.8	2.0	19	0.1	10.2	12.9	310	4.21	6.8	34.3	1.0	49	<0.1	0.2	<0.1	140	2.68	0.140



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 4 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method Analyte	Unit	MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.2		
1968390	Drill Core		4	37	0.54	47	0.149	9	2.07	0.157	0.09	0.3	0.11	4.2	<0.1	1.77	6	5.0	0.3
1968391	Drill Core		4	14	0.40	51	0.138	9	1.84	0.143	0.10	0.3	0.28	3.8	<0.1	2.16	6	7.0	0.4
1968392	Drill Core		4	20	0.75	133	0.161	12	2.99	0.213	0.13	0.2	0.31	4.9	<0.1	1.48	8	4.3	0.4
1968393	Drill Core		4	13	0.66	42	0.155	10	2.15	0.116	0.07	0.3	0.38	5.4	<0.1	2.93	7	5.9	0.5
1968394	Drill Core		4	25	0.74	34	0.148	8	2.25	0.130	0.09	0.3	0.37	6.7	<0.1	2.28	9	7.0	0.3
1968395	Drill Core		4	13	1.14	36	0.133	12	3.12	0.108	0.15	0.3	0.45	8.5	<0.1	1.75	11	2.6	0.3
1968396	Drill Core		3	11	0.93	40	0.112	14	2.38	0.112	0.16	0.2	0.47	6.2	<0.1	1.61	8	2.2	<0.2
1968397	Drill Core		3	11	0.90	45	0.118	14	2.53	0.121	0.14	0.3	0.50	6.3	<0.1	2.32	9	4.3	0.5
1968398	Drill Core		4	11	1.06	69	0.116	13	2.45	0.132	0.16	0.2	0.47	7.3	<0.1	1.84	8	5.0	0.4
1968399	Drill Core		5	4	0.74	53	0.159	10	2.00	0.097	0.13	0.4	0.59	5.5	<0.1	2.41	8	6.5	0.4
1968400	Rock Pulp		84	24	0.43	57	0.068	5	1.05	0.083	0.18	2.2	<0.01	3.0	<0.1	0.72	7	11.3	1.7
1968401	Rock Pulp		4	21	0.46	56	0.057	1	0.86	0.071	0.07	1.1	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
1968402	Drill Core		3	8	0.44	45	0.080	6	1.61	0.071	0.10	0.3	0.49	5.0	<0.1	2.78	6	8.7	<0.2
1968403	Drill Core		2	14	0.47	29	0.059	6	1.66	0.076	0.08	0.3	0.36	3.9	<0.1	2.07	7	7.0	<0.2
1968404	Drill Core		3	5	0.80	35	0.087	8	1.89	0.063	0.10	0.3	0.98	4.6	<0.1	3.48	6	5.8	0.4
1968405	Drill Core		3	3	0.74	30	0.074	3	2.34	0.052	0.06	0.4	1.30	4.5	<0.1	2.28	9	7.5	0.2
1968406	Drill Core		2	15	0.57	33	0.070	3	1.48	0.091	0.07	0.3	0.74	5.0	<0.1	5.91	4	17.7	0.7
1968407	Drill Core		2	23	0.54	36	0.068	3	1.18	0.077	0.08	0.2	0.74	4.8	<0.1	3.02	4	10.1	0.3
1968408	Drill Core		3	23	0.56	31	0.071	7	1.75	0.072	0.08	0.2	0.50	5.5	<0.1	2.24	6	13.0	0.2
1968409	Drill Core		3	21	0.50	20	0.066	6	1.62	0.063	0.07	0.3	0.63	5.2	<0.1	2.83	6	9.6	0.3
1968410	Drill Core		3	29	0.49	21	0.068	5	1.68	0.073	0.08	0.2	0.40	5.3	<0.1	1.34	5	3.5	<0.2
1968411	Drill Core		3	33	0.63	23	0.067	4	1.33	0.065	0.06	0.1	0.43	5.5	<0.1	1.56	5	4.5	<0.2
1968412	Drill Core		3	62	1.05	25	0.095	<1	1.23	0.080	0.08	0.2	0.90	8.8	<0.1	2.64	5	6.5	<0.2
1968413	Drill Core		4	47	0.86	29	0.098	<1	1.13	0.062	0.08	0.3	1.03	7.9	<0.1	2.22	5	6.6	0.6
1968414	Drill Core		6	66	0.83	16	0.083	3	1.91	0.062	0.04	0.2	1.18	7.1	<0.1	2.23	8	5.7	0.4
1968415	Drill Core		4	5	0.45	27	0.099	10	1.60	0.083	0.10	0.2	0.42	4.1	<0.1	1.94	5	3.9	<0.2
1968416	Drill Core		4	36	0.71	47	0.113	8	1.54	0.082	0.11	0.2	0.65	5.2	0.4	1.83	6	5.0	0.2
1968417	Drill Core		3	14	0.86	27	0.080	8	1.86	0.062	0.10	0.1	0.30	6.0	<0.1	1.25	6	2.6	<0.2
1968418	Drill Core		3	11	0.64	40	0.081	6	1.51	0.067	0.11	0.1	0.20	3.4	<0.1	0.64	6	1.5	<0.2
1968419	Drill Core		3	14	0.89	33	0.084	9	2.05	0.069	0.11	0.1	0.15	5.8	<0.1	0.64	8	1.3	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 5 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968420	Rock Pulp	0.05	12.3	9942	13.5	201	17.5	98.9	103.5	863	12.72	1611	582.5	7.7	327	2.1	3.5	8.2	467	3.32	0.496
1968421	Drill Core	4.59	1.2	220.7	1.7	15	0.3	7.7	8.4	204	2.98	17.9	33.6	0.8	66	<0.1	0.1	<0.1	127	2.33	0.128
1968422	Drill Core	3.94	1.3	224.8	2.2	17	0.2	9.7	13.9	218	3.35	7.0	39.5	1.1	71	0.2	0.1	<0.1	114	2.26	0.124
1968423	Drill Core	4.21	1.9	213.6	2.1	16	0.1	7.4	11.2	231	2.96	5.0	30.0	1.6	64	<0.1	0.2	<0.1	103	2.20	0.117
1968424	Drill Core	2.67	4.1	208.5	2.6	15	0.1	8.5	15.0	210	2.91	4.0	58.0	1.9	44	<0.1	0.1	<0.1	78	2.57	0.107
1968425	Drill Core	5.05	1.6	184.2	2.4	15	0.2	5.6	9.3	210	2.80	4.0	35.2	2.1	38	<0.1	0.1	<0.1	92	1.88	0.114
1968426	Drill Core	4.01	2.0	195.4	2.8	13	0.1	5.2	9.5	172	1.83	4.5	51.3	2.3	69	<0.1	0.1	<0.1	57	2.21	0.124
1968427	Drill Core	3.85	1.4	438.6	2.3	12	0.3	6.5	15.9	166	2.55	4.2	75.6	2.2	75	<0.1	0.2	<0.1	75	1.89	0.111
1968428	Drill Core	2.63	2.0	543.0	2.1	11	0.3	8.1	19.9	158	2.15	3.6	90.0	2.1	31	0.1	0.1	<0.1	41	1.99	0.105
1968429	Drill Core	3.34	1.9	235.2	2.2	15	0.2	7.5	11.6	208	1.94	4.2	52.5	1.9	60	<0.1	0.2	<0.1	42	2.73	0.097
1968430	Drill Core	4.08	2.2	122.8	2.5	17	0.1	4.9	9.0	244	1.93	2.2	41.9	1.8	50	<0.1	0.1	<0.1	54	2.10	0.102
1968431	Drill Core	3.91	2.1	157.7	2.2	13	0.1	6.1	11.1	176	2.05	3.9	32.5	1.8	38	<0.1	0.2	<0.1	55	1.85	0.104
1968432	Drill Core	4.20	2.9	558.7	2.5	16	0.4	10.9	30.8	291	3.13	8.7	106.9	1.1	81	<0.1	0.5	0.2	66	2.53	0.129
1968433	Drill Core	3.67	1.3	403.5	1.8	16	0.2	10.5	23.0	259	3.60	6.4	71.4	1.1	80	<0.1	0.3	<0.1	126	2.47	0.136
1968434	Drill Core	3.67	3.3	168.1	2.1	20	0.1	6.6	17.1	347	3.57	7.1	34.2	1.1	51	<0.1	0.3	<0.1	108	2.58	0.124
1968435	Drill Core	4.07	4.7	215.7	2.1	17	0.1	22.5	18.0	338	3.34	9.3	33.8	1.3	63	0.1	0.4	0.2	145	3.59	0.121
1968436	Drill Core	2.65	72.7	380.1	2.2	18	0.2	34.0	27.4	297	3.43	6.3	48.8	1.2	57	0.2	0.2	0.2	164	2.98	0.105
1968437	Drill Core	3.34	5.4	308.0	2.7	17	0.3	33.3	25.1	400	3.78	12.4	63.6	1.2	64	<0.1	0.9	0.2	169	5.14	0.111
1968438	Drill Core	4.04	8.7	750.0	1.5	16	0.3	34.9	35.8	258	3.76	4.6	101.7	1.3	62	0.1	0.2	0.1	155	2.62	0.122
1968439	Drill Core	4.40	4.0	241.3	1.6	19	0.1	36.2	18.4	239	2.90	8.8	28.3	1.5	72	0.2	0.6	0.1	173	2.79	0.132
1968440	Rock Pulp	0.05	13.4	>10000	14.9	219	18.6	107.3	118.8	1079	14.71	1770	573.2	8.9	368	2.4	4.6	9.0	575	4.24	0.529
1968441	Rock Pulp	0.04	4.8	185.9	3.1	39	0.5	12.2	5.0	546	3.03	3.9	34.4	2.1	26	0.1	0.3	0.3	26	0.58	0.041
1968442	Drill Core	4.24	10.4	304.3	1.4	18	0.2	42.1	24.0	203	4.09	6.6	38.7	1.0	68	<0.1	0.4	0.1	164	1.80	0.106
1968443	Drill Core	4.67	4.0	297.1	1.3	19	0.1	41.0	24.5	280	4.08	9.1	34.1	0.9	53	<0.1	0.2	<0.1	170	2.33	0.110
1968444	Drill Core	4.62	0.9	350.4	1.6	25	0.2	45.6	36.3	409	4.38	10.7	37.5	0.6	133	<0.1	0.4	<0.1	142	3.39	0.120
1968445	Drill Core	4.50	9.9	386.2	1.2	23	0.2	41.2	30.9	407	3.87	11.8	39.2	0.6	147	0.1	0.3	0.1	136	3.93	0.118
1968446	Drill Core	4.37	2.0	185.9	2.2	27	0.3	13.0	19.6	566	3.68	13.2	60.9	1.5	153	0.1	0.4	0.2	103	3.96	0.117
1968447	Drill Core	4.37	0.9	105.9	2.6	41	0.4	9.2	11.0	775	3.63	13.7	82.9	0.8	119	0.1	1.0	0.3	108	4.68	0.121
1968448	Drill Core	4.01	6.1	281.6	1.8	22	0.3	30.1	26.0	312	3.80	7.6	70.6	1.3	58	<0.1	0.9	0.3	138	3.20	0.122
1968449	Drill Core	4.07	6.9	138.7	2.2	24	0.2	30.6	25.3	441	3.58	5.2	35.3	1.3	77	<0.1	0.3	0.3	136	3.77	0.119

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 5 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1968420	Rock Pulp	79	22	0.41	52	0.061	6	0.95	0.078	0.17	2.0	0.03	2.9	<0.1	0.70	6	10.5	1.7
1968421	Drill Core	3	11	0.57	39	0.054	5	1.60	0.079	0.09	<0.1	0.10	3.8	<0.1	0.43	5	1.1	<0.2
1968422	Drill Core	3	12	0.51	40	0.060	5	1.59	0.073	0.10	0.1	0.17	3.5	<0.1	0.81	5	1.9	<0.2
1968423	Drill Core	5	6	0.45	42	0.063	5	1.66	0.088	0.10	0.1	0.26	3.3	<0.1	0.57	7	1.8	<0.2
1968424	Drill Core	4	4	0.38	34	0.052	4	1.54	0.066	0.09	0.1	0.34	4.6	<0.1	1.37	7	2.5	0.2
1968425	Drill Core	5	4	0.39	38	0.047	3	1.35	0.071	0.09	<0.1	0.19	2.8	<0.1	0.89	6	2.4	<0.2
1968426	Drill Core	5	5	0.34	55	0.047	2	1.42	0.094	0.11	<0.1	0.38	3.3	<0.1	0.83	4	1.5	<0.2
1968427	Drill Core	5	4	0.33	45	0.043	3	1.43	0.092	0.10	<0.1	0.34	3.1	<0.1	1.20	5	2.4	<0.2
1968428	Drill Core	4	4	0.41	33	0.047	3	1.34	0.063	0.11	0.1	0.47	3.0	<0.1	1.64	5	3.0	<0.2
1968429	Drill Core	4	10	0.53	33	0.052	1	1.32	0.064	0.10	0.2	0.88	4.1	<0.1	1.44	4	2.1	<0.2
1968430	Drill Core	4	4	0.49	44	0.052	2	1.15	0.076	0.12	0.1	0.43	3.6	<0.1	1.26	3	3.2	<0.2
1968431	Drill Core	4	4	0.39	36	0.047	4	1.23	0.060	0.10	0.1	0.58	3.2	<0.1	1.20	5	2.2	0.3
1968432	Drill Core	4	11	0.77	48	0.060	2	1.51	0.091	0.10	0.2	0.44	4.7	<0.1	2.23	5	5.3	0.4
1968433	Drill Core	3	11	0.74	48	0.073	6	1.71	0.079	0.10	0.2	0.17	5.0	<0.1	1.18	5	2.1	<0.2
1968434	Drill Core	4	8	1.00	28	0.078	5	2.28	0.056	0.08	0.2	0.38	6.4	<0.1	1.52	9	3.1	<0.2
1968435	Drill Core	6	44	0.81	34	0.134	6	2.50	0.088	0.09	0.2	0.40	6.6	<0.1	1.88	9	3.8	<0.2
1968436	Drill Core	6	42	0.84	31	0.151	4	1.94	0.070	0.06	0.3	0.67	5.1	<0.1	2.73	8	6.7	<0.2
1968437	Drill Core	8	42	0.61	31	0.145	4	1.43	0.073	0.09	0.4	0.58	7.5	0.2	3.34	4	5.8	<0.2
1968438	Drill Core	7	45	0.89	34	0.165	7	1.59	0.115	0.09	0.2	0.48	7.0	<0.1	2.87	6	5.5	0.4
1968439	Drill Core	9	42	0.68	33	0.176	5	1.40	0.079	0.07	<0.1	0.35	4.9	<0.1	2.30	5	3.9	<0.2
1968440	Rock Pulp	92	27	0.45	63	0.088	9	1.31	0.098	0.22	2.1	0.03	3.4	<0.1	0.77	8	11.1	1.6
1968441	Rock Pulp	6	21	0.48	61	0.096	2	0.98	0.085	0.08	1.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
1968442	Drill Core	6	33	0.75	44	0.174	8	1.64	0.090	0.09	0.1	0.29	4.1	<0.1	3.13	6	6.8	<0.2
1968443	Drill Core	5	43	1.09	35	0.195	9	2.19	0.092	0.10	0.2	0.36	6.3	<0.1	2.09	7	5.7	<0.2
1968444	Drill Core	4	50	1.52	61	0.260	11	2.82	0.135	0.13	0.2	0.22	7.8	<0.1	2.49	8	3.4	0.3
1968445	Drill Core	4	52	1.49	65	0.242	12	3.12	0.103	0.10	0.2	0.17	7.8	<0.1	1.88	9	3.0	0.3
1968446	Drill Core	6	17	1.22	91	0.144	9	2.40	0.119	0.17	0.2	0.27	6.7	<0.1	1.71	7	1.0	0.3
1968447	Drill Core	5	11	1.47	62	0.085	4	2.22	0.095	0.13	0.3	0.34	8.8	<0.1	1.80	6	0.9	0.7
1968448	Drill Core	5	24	0.68	34	0.162	13	2.10	0.078	0.08	0.2	0.42	4.2	<0.1	3.46	7	8.9	0.6
1968449	Drill Core	6	47	0.96	45	0.153	5	1.85	0.090	0.09	0.3	0.58	7.0	<0.1	3.10	6	8.2	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 6 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968450	Drill Core	4.05	4.9	189.9	1.9	18	0.2	29.4	25.0	348	3.60	5.8	66.3	1.1	83	0.2	0.3	0.2	122	3.42	0.115
1968451	Drill Core	4.08	10.1	11.4	1.8	15	<0.1	15.5	10.1	317	1.68	2.6	23.0	2.0	183	<0.1	<0.1	<0.1	95	3.38	0.093
1968452	Drill Core	3.91	2.8	7.3	2.5	13	<0.1	7.2	6.8	153	1.23	2.5	4.8	2.7	98	<0.1	<0.1	<0.1	42	2.51	0.065
1968453	Drill Core	4.99	0.8	143.1	1.5	19	<0.1	45.6	23.7	387	3.39	9.9	42.8	1.1	192	<0.1	0.2	0.2	117	3.16	0.103
1968454	Drill Core	4.92	1.2	122.3	1.4	18	0.1	15.8	18.3	397	3.03	10.0	52.1	1.2	51	<0.1	0.3	0.4	89	3.67	0.103
1968455	Drill Core	5.30	1.5	72.3	0.9	17	<0.1	57.6	30.9	370	3.91	7.3	58.8	0.7	96	<0.1	0.4	0.3	134	2.71	0.109
1968456	Drill Core	5.26	9.1	82.0	1.2	18	<0.1	58.5	30.8	340	3.57	11.2	88.6	0.7	57	<0.1	0.3	0.4	116	2.82	0.117
1968457	Drill Core	5.25	2.4	136.0	1.6	18	0.1	58.6	37.5	355	4.23	6.6	87.2	0.7	129	<0.1	0.2	0.3	143	2.42	0.103
1968458	Drill Core	5.89	0.5	121.7	0.8	21	<0.1	61.0	27.7	358	3.96	8.3	49.8	0.7	70	<0.1	0.2	0.1	142	2.07	0.113
1968459	Drill Core	5.88	9.3	146.0	9.2	61	1.7	10.0	52.5	570	4.77	79.3	364.7	1.1	68	0.5	4.0	1.4	86	4.00	0.096
1968460	Rock Pulp	0.05	13.3	>10000	15.2	204	18.2	103.7	112.4	1052	14.11	1671	577.4	8.5	347	3.0	4.5	8.3	548	4.08	0.493
1968461	Rock Pulp	0.04	5.4	171.4	3.3	40	0.4	11.5	5.1	514	2.89	4.7	35.2	1.9	23	<0.1	0.4	0.2	25	0.56	0.038
1968462	Drill Core	4.17	2.5	171.7	3.5	26	0.1	6.2	16.4	463	3.62	7.2	33.3	2.5	308	<0.1	0.3	<0.1	119	3.05	0.115



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 6 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004441.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1968450	Drill Core	6	41	1.02	46	0.155	6	2.26	0.100	0.07	0.3	0.39	6.3	<0.1	2.86	7	5.7	<0.2
1968451	Drill Core	7	32	1.07	137	0.039	3	1.59	0.108	0.13	<0.1	0.23	6.2	<0.1	1.06	4	2.0	<0.2
1968452	Drill Core	5	9	0.70	144	0.001	2	1.28	0.085	0.18	<0.1	0.22	3.6	<0.1	0.91	3	1.6	0.3
1968453	Drill Core	4	56	1.68	103	0.226	3	2.45	0.161	0.12	0.1	0.29	8.2	<0.1	1.49	7	2.8	0.3
1968454	Drill Core	4	19	1.34	31	0.139	4	2.16	0.091	0.11	0.4	0.81	6.5	0.4	1.26	7	1.9	0.3
1968455	Drill Core	3	61	1.73	72	0.267	3	2.18	0.162	0.16	0.1	0.44	6.6	0.1	1.69	6	1.9	0.5
1968456	Drill Core	3	73	1.62	36	0.237	6	2.17	0.106	0.10	0.2	0.61	7.4	<0.1	1.87	7	1.6	0.4
1968457	Drill Core	4	65	1.65	91	0.265	4	2.22	0.165	0.23	0.2	0.38	6.1	<0.1	1.95	7	0.7	0.5
1968458	Drill Core	3	66	1.68	54	0.256	3	2.13	0.130	0.12	0.2	0.27	5.7	<0.1	1.26	7	1.6	0.3
1968459	Drill Core	5	10	0.83	48	0.195	5	1.62	0.031	0.20	1.7	3.10	6.4	0.4	4.43	5	3.7	2.2
1968460	Rock Pulp	90	26	0.43	58	0.082	8	1.26	0.091	0.21	2.0	0.02	3.4	<0.1	0.73	7	12.3	1.7
1968461	Rock Pulp	6	21	0.46	56	0.094	2	0.93	0.081	0.07	1.0	0.03	2.7	<0.1	<0.05	4	0.9	<0.2
1968462	Drill Core	6	4	0.91	179	0.140	9	2.78	0.151	0.12	0.2	0.46	3.4	<0.1	0.48	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 1 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004441.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1968341	Drill Core	4.95	14.6	77.9	2.8	19	0.1	7.7	26.6	371	5.13	6.1	24.2	0.9	63	<0.1	0.3	0.2	122	2.68	0.135
REP 1968341	QC		14.5	79.6	3.1	20	0.1	8.3	26.4	392	5.24	6.2	20.1	1.0	66	<0.1	0.4	0.2	120	2.72	0.140
1968359	Drill Core	4.09	3.2	471.3	2.1	15	0.4	20.9	30.4	247	3.43	3.9	67.1	1.1	30	<0.1	0.3	0.3	66	1.83	0.086
REP 1968359	QC		3.0	455.5	2.2	15	0.3	21.0	30.1	240	3.34	3.9	62.2	1.1	30	<0.1	0.2	0.3	63	1.79	0.084
1968382	Drill Core	4.47	3.1	153.9	6.6	31	0.3	9.3	8.7	597	3.22	12.8	48.6	0.5	62	0.2	1.0	0.2	84	3.63	0.126
REP 1968382	QC		2.9	148.3	6.4	31	0.3	8.5	8.5	568	3.15	13.1	43.9	0.5	60	<0.1	0.9	0.2	81	3.55	0.130
1968398	Drill Core	4.34	0.5	40.5	1.6	20	<0.1	9.0	13.3	347	4.25	12.8	49.7	0.7	55	<0.1	0.5	0.2	116	3.52	0.126
REP 1968398	QC		0.5	39.1	1.5	21	<0.1	8.6	12.8	334	4.05	12.1	54.8	0.6	52	<0.1	0.4	0.1	112	3.32	0.118
1968417	Drill Core	4.08	2.0	297.5	1.6	16	0.2	16.7	22.7	271	4.18	6.7	39.5	0.7	42	<0.1	0.2	<0.1	142	2.20	0.134
REP 1968417	QC		1.8	299.1	1.7	15	0.1	15.2	23.3	275	4.18	6.7	34.8	0.7	43	<0.1	0.2	<0.1	143	2.25	0.136
1968433	Drill Core	3.67	1.3	403.5	1.8	16	0.2	10.5	23.0	259	3.60	6.4	71.4	1.1	80	<0.1	0.3	<0.1	126	2.47	0.136
REP 1968433	QC		1.4	401.2	2.0	16	0.2	10.7	22.6	256	3.61	6.3	71.0	1.2	80	<0.1	0.4	<0.1	125	2.47	0.137
REP 1968449	QC		7.0	134.1	2.2	24	0.3	30.6	25.0	431	3.56	5.7	41.2	1.2	76	0.1	0.3	0.3	136	3.74	0.118
1968451	Drill Core	4.08	10.1	11.4	1.8	15	<0.1	15.5	10.1	317	1.68	2.6	23.0	2.0	183	<0.1	<0.1	<0.1	95	3.38	0.093
REP 1968451	QC		9.5	9.5	1.6	16	<0.1	15.3	10.1	314	1.67	2.7	6.8	2.0	185	<0.1	<0.1	<0.1	94	3.32	0.092
Core Reject Duplicates																					
1968347	Drill Core	3.84	1.2	259.7	1.8	33	0.4	8.6	26.1	781	4.00	13.5	121.5	0.6	54	<0.1	0.5	0.3	102	4.21	0.100
DUP 1968347	QC	<0.01	1.0	259.7	1.7	33	0.4	9.1	25.7	765	3.92	13.0	90.7	0.5	53	<0.1	0.5	0.3	102	4.19	0.097
1968381	Drill Core	4.38	2.6	142.7	1.6	20	0.1	9.7	11.2	409	3.20	11.8	38.6	0.6	69	<0.1	0.3	0.2	106	3.77	0.127
DUP 1968381	QC	<0.01	3.3	140.8	1.7	22	0.1	10.2	11.5	390	3.27	12.0	36.9	0.6	71	<0.1	0.3	0.3	107	3.78	0.126
1968415	Drill Core	4.26	1.7	687.5	1.4	11	0.3	18.3	30.7	172	2.79	8.2	113.0	0.5	67	<0.1	0.3	<0.1	91	2.26	0.153
DUP 1968415	QC	<0.01	1.4	685.0	1.5	11	0.3	19.1	30.7	168	2.81	8.5	144.9	0.5	65	<0.1	0.3	0.1	89	2.25	0.153
1968449	Drill Core	4.07	6.9	138.7	2.2	24	0.2	30.6	25.3	441	3.58	5.2	35.3	1.3	77	<0.1	0.3	0.3	136	3.77	0.119
DUP 1968449	QC	<0.01	6.7	132.4	2.0	25	0.2	29.8	24.4	417	3.48	5.9	46.6	1.2	75	<0.1	0.5	0.3	131	3.67	0.114
Reference Materials																					
STD DS9	Standard		12.1	114.5	123.4	327	2.0	42.4	7.8	616	2.48	27.6	124.1	5.5	63	2.9	5.1	6.1	41	0.76	0.083
STD DS9	Standard		11.4	115.7	115.5	281	1.8	38.3	7.1	548	2.21	25.5	141.0	5.7	58	2.1	4.2	5.6	37	0.69	0.076
STD DS9	Standard		11.9	110.5	119.8	311	1.8	38.8	7.3	557	2.33	24.3	142.4	5.8	64	2.2	5.2	5.6	38	0.69	0.079



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 12, 2012

Page: 1 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004441.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1968341	Drill Core	4	5	0.89	49	0.140	10	2.20	0.081	0.11	0.2	0.40	5.2	<0.1	3.23	6	4.6	0.3
REP 1968341	QC	4	6	0.95	50	0.140	10	2.25	0.080	0.11	0.2	0.44	5.2	<0.1	3.27	6	4.6	0.3
1968359	Drill Core	4	22	0.69	31	0.106	4	1.23	0.125	0.14	0.3	0.44	4.4	<0.1	3.08	5	7.4	0.4
REP 1968359	QC	4	22	0.68	31	0.104	4	1.25	0.132	0.14	0.2	0.43	4.4	<0.1	2.99	5	6.7	0.4
1968382	Drill Core	4	12	1.33	42	0.114	5	1.85	0.059	0.11	0.3	0.55	6.6	<0.1	1.64	6	3.0	0.5
REP 1968382	QC	4	11	1.31	42	0.110	3	1.78	0.058	0.10	0.3	0.54	6.6	<0.1	1.57	6	3.0	0.5
1968398	Drill Core	4	11	1.06	69	0.116	13	2.45	0.132	0.16	0.2	0.47	7.3	<0.1	1.84	8	5.0	0.4
REP 1968398	QC	4	10	1.01	67	0.115	11	2.37	0.137	0.17	0.2	0.46	7.2	<0.1	1.72	7	3.9	0.4
1968417	Drill Core	3	14	0.86	27	0.080	8	1.86	0.062	0.10	0.1	0.30	6.0	<0.1	1.25	6	2.6	<0.2
REP 1968417	QC	3	15	0.87	25	0.087	9	1.95	0.068	0.11	0.1	0.32	5.9	<0.1	1.25	7	2.2	<0.2
1968433	Drill Core	3	11	0.74	48	0.073	6	1.71	0.079	0.10	0.2	0.17	5.0	<0.1	1.18	5	2.1	<0.2
REP 1968433	QC	4	11	0.75	48	0.074	7	1.73	0.078	0.10	0.1	0.20	4.7	<0.1	1.18	5	3.3	<0.2
REP 1968449	QC	6	46	0.96	44	0.154	6	1.80	0.095	0.09	0.3	0.64	7.1	<0.1	3.05	6	7.1	0.3
1968451	Drill Core	7	32	1.07	137	0.039	3	1.59	0.108	0.13	<0.1	0.23	6.2	<0.1	1.06	4	2.0	<0.2
REP 1968451	QC	7	32	1.07	142	0.042	2	1.55	0.106	0.14	<0.1	0.22	6.6	<0.1	1.05	4	1.9	<0.2
Core Reject Duplicates																		
1968347	Drill Core	4	17	1.33	32	0.054	3	2.15	0.072	0.10	0.1	0.09	8.6	<0.1	1.69	7	2.3	0.4
DUP 1968347	QC	4	16	1.32	30	0.050	2	2.08	0.063	0.10	<0.1	0.09	8.5	<0.1	1.65	7	2.4	0.4
1968381	Drill Core	3	13	1.49	50	0.103	6	2.19	0.057	0.07	0.3	0.46	8.0	<0.1	1.92	7	4.6	<0.2
DUP 1968381	QC	4	14	1.48	51	0.106	4	2.14	0.057	0.07	0.2	0.48	7.8	<0.1	1.95	7	5.3	0.4
1968415	Drill Core	4	5	0.45	27	0.099	10	1.60	0.083	0.10	0.2	0.42	4.1	<0.1	1.94	5	3.9	<0.2
DUP 1968415	QC	4	5	0.45	28	0.097	9	1.56	0.087	0.10	0.2	0.39	4.1	<0.1	1.96	5	5.4	<0.2
1968449	Drill Core	6	47	0.96	45	0.153	5	1.85	0.090	0.09	0.3	0.58	7.0	<0.1	3.10	6	8.2	0.5
DUP 1968449	QC	6	44	0.92	40	0.144	6	1.81	0.083	0.08	0.3	0.59	6.9	<0.1	3.07	5	6.1	0.2
Reference Materials																		
STD DS9	Standard	13	127	0.65	323	0.110	4	1.00	0.087	0.42	3.4	0.23	2.5	5.9	0.18	5	6.2	5.8
STD DS9	Standard	11	113	0.59	291	0.100	2	0.95	0.090	0.39	2.7	0.19	2.3	4.9	0.15	4	5.1	4.9
STD DS9	Standard	11	119	0.60	280	0.102	1	0.92	0.075	0.39	2.9	0.23	2.4	5.3	0.16	4	4.8	5.0



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 2 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004441.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS9	Standard		14.7	114.9	128.4	319	1.7	43.2	8.0	608	2.45	25.9	130.0	6.9	72	2.4	5.1	5.6	41	0.79	0.082
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	0.04	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	0.1	<1	<0.1	<0.1	<0.1	<1	0.06	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	0.02	<0.001
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	3.8	2.2	46	<0.1	3.1	4.3	543	1.87	<0.5	1.7	4.4	52	<0.1	<0.1	<0.1	34	0.43	0.083
G1	Prep Blank	<0.01	<0.1	2.4	2.5	44	<0.1	2.3	3.8	554	1.80	<0.5	1.1	4.8	49	<0.1	<0.1	<0.1	33	0.42	0.078



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 12, 2012

Page: 2 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004441.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS9	Standard	15	129	0.67	311	0.123	2	1.06	0.092	0.42	2.8	0.17	2.7	5.6	0.18	5	4.7	6.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	9	6	0.52	170	0.105	1	0.96	0.094	0.48	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	10	5	0.48	159	0.101	1	0.92	0.105	0.47	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Bearing Resources Ltd.**

1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: September 18, 2012
Report Date: October 07, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN12004442.1

CLIENT JOB INFORMATION

Project: October Dome
Shipment ID:
P.O. Number
Number of Samples: 131

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	131	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL


STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
Canada

CC: Graeme Buckler



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 2 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
G1	Prep Blank	<0.01	0.1	2.7	3.7	48	<0.1	4.7	4.6	585	1.81	<0.5	2.1	5.5	58	<0.1	<0.1	0.1	33	0.56	0.085
G1	Prep Blank	<0.01	<0.1	2.6	4.2	48	<0.1	4.4	4.7	594	1.82	<0.5	1.9	5.3	57	<0.1	<0.1	<0.1	33	0.58	0.081
1968463	Drill Core	4.55	2.3	419.2	5.0	24	0.3	6.3	15.8	306	2.76	5.0	42.2	2.3	71	0.1	0.4	<0.1	103	2.40	0.108
1968464	Drill Core	4.31	9.8	469.9	4.5	14	0.3	7.1	35.5	212	3.04	10.3	65.8	2.1	31	<0.1	0.4	0.2	53	1.88	0.083
1968465	Drill Core	4.83	33.0	544.5	3.2	18	0.3	9.6	31.3	383	3.59	8.1	54.8	1.7	333	<0.1	0.5	0.1	88	2.81	0.130
1968466	Drill Core	4.54	8.8	152.6	2.6	21	0.1	7.5	20.8	444	3.74	5.1	37.4	1.4	213	<0.1	0.4	<0.1	103	2.90	0.141
1968467	Drill Core	4.88	0.4	131.0	1.9	21	<0.1	7.8	18.0	499	3.99	6.4	18.7	1.3	151	<0.1	0.4	<0.1	139	2.96	0.137
1968468	Drill Core	4.34	0.6	138.1	2.7	23	0.1	7.8	21.6	407	3.99	6.2	15.1	1.3	161	<0.1	0.4	<0.1	129	2.87	0.133
1968469	Drill Core	5.32	1.0	300.5	2.1	22	0.2	9.9	19.7	426	3.91	7.1	29.7	1.4	299	<0.1	0.4	<0.1	132	3.07	0.123
1968470	Drill Core	4.72	1.5	195.9	2.3	23	0.1	10.3	24.0	418	4.40	6.4	21.7	1.3	640	<0.1	0.4	<0.1	151	3.39	0.148
1968471	Drill Core	4.41	3.3	230.9	2.7	21	0.2	7.6	22.9	517	4.36	6.9	31.1	1.3	706	<0.1	0.5	0.2	115	5.09	0.113
1968472	Drill Core	4.77	14.0	157.7	3.5	29	0.2	13.0	34.4	616	6.93	8.9	39.6	1.6	139	<0.1	0.6	0.3	147	3.97	0.163
1968473	Drill Core	5.20	1.7	147.7	2.5	26	0.1	13.5	24.0	578	5.64	8.5	26.6	1.7	117	<0.1	0.8	0.2	194	3.52	0.164
1968474	Drill Core	4.56	1.6	171.3	1.9	25	<0.1	13.4	21.2	529	5.21	4.3	19.6	1.4	101	<0.1	0.4	<0.1	204	2.48	0.155
1968475	Drill Core	4.69	0.6	103.4	2.8	28	<0.1	14.3	18.6	510	4.00	4.4	9.7	1.7	167	<0.1	0.5	<0.1	141	3.40	0.148
1968476	Drill Core	4.36	15.4	91.0	3.4	31	<0.1	7.4	19.0	569	3.90	4.6	11.5	2.4	113	<0.1	0.4	<0.1	127	4.41	0.145
1968477	Drill Core	4.45	0.8	101.6	3.5	27	<0.1	6.2	16.8	521	3.76	3.8	10.4	1.9	85	<0.1	0.4	<0.1	125	3.30	0.132
1968478	Drill Core	3.93	1.4	108.8	4.2	26	0.1	5.0	12.0	459	3.43	4.8	13.7	2.3	51	0.1	0.4	<0.1	100	2.67	0.120
1968479	Drill Core	4.43	2.4	80.8	4.2	23	<0.1	4.8	14.4	397	3.58	5.5	17.8	2.3	68	0.1	0.5	0.1	91	3.01	0.114
1968480	Rock Pulp	0.05	13.8	>10000	16.4	206	18.2	92.0	115.0	1051	13.95	1647	576.3	9.5	357	2.7	4.7	10.0	523	3.75	0.491
1968481	Drill Core	4.58	1.8	130.7	2.8	20	0.1	6.3	16.3	371	3.29	7.4	21.3	1.4	104	<0.1	0.5	0.3	92	2.81	0.140
1968482	Drill Core	4.69	1.1	111.2	3.0	24	0.1	7.8	18.4	440	3.77	8.7	20.7	1.7	171	<0.1	0.7	0.2	99	3.07	0.152
1968483	Drill Core	4.92	0.7	83.8	3.3	34	0.2	8.4	20.2	608	3.89	8.2	14.1	1.7	148	<0.1	0.6	0.2	119	3.60	0.152
1968484	Drill Core	4.72	0.7	135.1	2.7	25	0.1	7.0	17.6	511	3.61	9.3	12.4	1.4	189	<0.1	0.5	<0.1	116	3.31	0.133
1968485	Drill Core	4.67	1.0	115.3	2.8	23	0.2	5.7	13.8	521	2.82	5.8	17.2	1.3	108	<0.1	0.5	<0.1	97	3.72	0.104
1968486	Drill Core	5.04	1.6	132.3	2.5	27	0.1	9.5	20.1	482	4.26	6.3	11.9	1.6	368	<0.1	0.4	<0.1	174	3.85	0.138
1968487	Drill Core	4.97	1.0	170.1	2.6	24	0.2	8.2	19.4	592	3.73	10.4	20.7	1.4	328	<0.1	0.5	<0.1	133	4.04	0.126
1968488	Drill Core	5.04	0.8	249.7	2.4	30	0.2	21.2	23.7	733	4.93	12.1	28.8	1.5	228	<0.1	0.7	0.1	200	4.32	0.093
1968489	Drill Core	4.93	0.9	240.0	3.2	34	0.3	49.2	19.0	1284	5.73	8.8	34.8	0.9	202	<0.1	0.8	0.1	207	4.76	0.131
1968490	Drill Core	5.05	1.3	315.7	2.0	17	0.2	28.2	13.9	364	4.77	6.8	24.6	0.8	185	<0.1	0.4	<0.1	112	2.73	0.055

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 2 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
G1	Prep Blank	9	13	0.60	248	0.126	1	1.18	0.145	0.54	<0.1	<0.01	2.8	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	9	13	0.61	258	0.130	2	1.20	0.156	0.55	<0.1	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2
1968463	Drill Core	7	6	0.51	58	0.105	8	1.73	0.071	0.11	0.2	0.46	2.4	<0.1	0.60	7	1.1	<0.2
1968464	Drill Core	5	4	0.48	42	0.084	3	1.09	0.052	0.09	0.5	0.91	2.2	<0.1	2.68	5	3.5	0.5
1968465	Drill Core	5	5	1.04	100	0.119	8	2.64	0.110	0.16	0.2	0.42	4.3	<0.1	2.10	6	2.5	0.6
1968466	Drill Core	5	4	1.22	119	0.159	9	2.91	0.097	0.17	0.2	0.32	3.7	<0.1	1.12	7	1.1	0.3
1968467	Drill Core	5	4	1.40	144	0.176	8	3.23	0.130	0.19	0.1	0.27	4.2	<0.1	0.57	7	<0.5	<0.2
1968468	Drill Core	4	4	1.29	136	0.164	11	3.23	0.111	0.18	0.1	0.34	4.4	<0.1	1.15	7	0.8	0.3
1968469	Drill Core	4	5	1.39	157	0.154	13	3.60	0.185	0.24	0.2	0.37	5.2	<0.1	1.13	7	1.0	0.4
1968470	Drill Core	4	4	1.35	148	0.160	11	3.84	0.245	0.21	0.2	0.43	3.8	<0.1	1.41	7	1.1	0.5
1968471	Drill Core	4	1	1.30	92	0.109	8	3.87	0.175	0.20	0.1	0.55	4.3	<0.1	2.66	6	2.4	0.4
1968472	Drill Core	5	10	1.44	69	0.187	8	2.96	0.105	0.11	0.3	0.59	6.9	<0.1	4.75	8	4.2	0.9
1968473	Drill Core	6	16	1.45	109	0.266	14	3.04	0.085	0.19	0.4	0.71	7.0	<0.1	1.83	9	1.4	0.4
1968474	Drill Core	5	16	1.39	102	0.219	8	2.68	0.094	0.18	0.2	0.26	5.1	<0.1	0.71	8	<0.5	<0.2
1968475	Drill Core	7	15	1.16	117	0.175	14	3.16	0.120	0.19	0.1	0.30	3.4	<0.1	0.41	8	<0.5	<0.2
1968476	Drill Core	7	3	1.11	64	0.152	12	3.28	0.124	0.15	0.2	0.36	3.6	<0.1	0.68	9	0.6	<0.2
1968477	Drill Core	7	3	0.98	62	0.147	13	3.09	0.097	0.15	0.2	0.33	3.7	<0.1	0.45	8	<0.5	<0.2
1968478	Drill Core	7	4	0.91	31	0.104	10	2.45	0.043	0.09	0.2	0.55	3.8	<0.1	0.58	8	0.5	<0.2
1968479	Drill Core	7	4	0.82	29	0.101	7	2.69	0.046	0.08	0.2	0.97	3.3	<0.1	1.47	8	1.4	<0.2
1968480	Rock Pulp	92	25	0.43	67	0.087	8	1.26	0.112	0.23	2.1	0.03	3.2	<0.1	0.72	8	10.8	1.8
1968481	Drill Core	5	3	1.18	63	0.144	10	2.42	0.089	0.11	0.3	0.76	3.8	<0.1	1.72	7	1.5	0.5
1968482	Drill Core	6	3	1.27	101	0.155	13	2.84	0.145	0.17	0.3	0.57	4.3	<0.1	1.59	8	1.3	0.4
1968483	Drill Core	6	3	1.38	65	0.151	11	3.05	0.123	0.14	0.2	0.51	5.2	<0.1	1.58	8	1.4	0.3
1968484	Drill Core	6	3	1.09	79	0.146	9	2.96	0.111	0.14	0.2	0.31	3.7	<0.1	0.82	7	0.6	0.2
1968485	Drill Core	5	3	0.98	49	0.120	8	2.79	0.073	0.11	0.2	0.26	4.1	<0.1	0.71	6	<0.5	<0.2
1968486	Drill Core	5	4	1.24	152	0.177	17	3.88	0.135	0.23	0.2	0.21	4.5	<0.1	0.64	9	0.6	<0.2
1968487	Drill Core	5	2	1.22	142	0.142	13	3.86	0.136	0.25	0.2	0.39	4.2	<0.1	1.02	7	0.9	<0.2
1968488	Drill Core	4	33	1.50	114	0.191	9	3.38	0.110	0.19	0.3	0.40	6.1	<0.1	1.11	8	0.9	<0.2
1968489	Drill Core	5	98	1.52	101	0.197	3	3.17	0.206	0.12	0.4	0.17	8.5	<0.1	0.79	7	0.6	<0.2
1968490	Drill Core	3	55	0.84	59	0.123	13	2.77	0.155	0.12	0.2	0.19	3.6	<0.1	0.63	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 3 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968491	Drill Core	5.61	0.8	391.3	2.3	19	0.2	23.4	13.0	375	4.48	4.1	27.2	0.6	171	<0.1	0.4	<0.1	138	2.49	0.050
1968492	Drill Core	5.77	0.8	274.9	2.0	18	0.2	30.7	11.7	373	3.89	4.6	19.9	0.7	172	<0.1	0.4	0.1	111	2.36	0.087
1968493	Drill Core	4.71	0.9	482.0	2.4	25	0.4	34.1	24.3	498	6.25	8.5	39.3	0.9	147	<0.1	0.5	0.2	215	2.16	0.137
1968494	Drill Core	4.75	1.3	487.4	5.1	57	0.5	50.7	29.2	1683	5.64	8.1	168.6	1.0	72	<0.1	0.6	0.2	215	5.53	0.107
1968495	Drill Core	5.09	0.8	558.8	2.5	30	0.4	44.6	27.1	470	5.11	5.3	88.3	1.0	200	<0.1	0.4	0.1	204	2.62	0.107
1968496	Drill Core	4.49	1.9	206.2	3.7	36	0.8	50.4	24.8	2291	5.44	11.2	144.5	1.0	63	0.1	0.8	0.5	163	6.62	0.109
1968497	Drill Core	5.21	0.6	262.3	2.5	31	0.3	16.5	15.8	774	4.12	4.1	39.4	1.4	63	<0.1	0.4	0.3	136	3.10	0.107
1968498	Drill Core	4.78	0.6	336.1	2.5	33	0.5	24.3	19.0	813	4.86	6.6	178.6	1.4	142	<0.1	0.7	0.1	160	3.16	0.120
1968499	Drill Core	4.39	1.1	100.7	3.3	25	0.2	12.5	18.7	489	3.74	11.1	34.0	1.1	110	<0.1	0.5	0.2	98	4.35	0.118
1968500	Rock Pulp	0.05	14.7	>10000	15.5	225	21.1	115.5	123.4	1168	16.25	1877	668.7	8.1	407	2.7	4.2	9.0	590	4.45	0.556
1968501	Rock Pulp	0.04	5.5	39.6	3.1	38	<0.1	11.6	4.6	536	2.87	2.7	<0.5	1.8	24	<0.1	0.3	0.1	26	0.57	0.041
1968502	Drill Core	5.24	0.5	176.3	2.6	25	0.2	5.6	16.6	305	3.36	5.9	13.6	1.5	144	<0.1	0.2	<0.1	109	2.46	0.129
1968503	Drill Core	4.61	0.6	147.4	2.6	28	0.1	5.5	15.8	328	3.65	3.9	11.9	1.5	122	<0.1	0.2	<0.1	132	2.55	0.135
1968504	Drill Core	4.67	1.2	110.3	2.4	23	0.1	8.4	16.2	310	3.92	3.9	27.1	1.3	99	<0.1	0.2	0.2	121	3.32	0.124
1968505	Drill Core	5.21	0.7	431.0	2.4	28	0.2	27.3	21.8	355	4.51	3.4	48.6	1.4	174	0.1	0.2	<0.1	172	3.22	0.140
1968506	Drill Core	4.10	1.1	527.3	2.6	32	0.3	24.0	20.5	508	4.78	2.5	71.6	1.3	130	<0.1	0.2	<0.1	175	2.44	0.126
1968507	Drill Core	4.16	2.1	154.8	3.2	55	0.3	9.0	20.1	684	4.42	7.5	52.1	1.2	169	0.4	0.3	0.2	120	3.52	0.126
1968508	Drill Core	4.51	4.4	372.8	3.0	39	0.4	8.5	15.5	791	4.82	3.9	100.0	1.6	185	<0.1	0.3	<0.1	159	2.98	0.142
1968509	Drill Core	4.95	1.1	738.1	2.3	25	0.4	12.8	15.7	564	4.39	2.3	183.2	1.3	110	<0.1	0.3	<0.1	171	2.64	0.137
1968510	Drill Core	4.91	1.0	1461	2.3	28	1.0	12.4	27.2	580	4.01	4.1	237.8	1.6	201	<0.1	0.3	<0.1	143	2.76	0.156
1968511	Drill Core	4.66	2.6	531.0	1.8	21	0.5	13.6	21.3	502	3.73	9.4	125.2	1.4	57	<0.1	0.6	0.3	116	3.52	0.117
1968512	Drill Core	5.21	1.6	603.1	2.3	17	0.4	6.5	15.5	254	3.43	5.4	144.6	2.4	75	0.1	0.7	0.2	106	2.44	0.131
1968513	Drill Core	4.60	3.4	349.1	2.0	14	0.4	9.7	19.9	238	3.25	6.4	97.4	1.5	83	<0.1	0.5	0.4	114	2.67	0.112
1968514	Drill Core	5.05	2.4	349.3	1.8	12	0.3	10.4	22.2	199	3.66	3.3	67.2	0.6	110	<0.1	0.5	0.2	109	2.41	0.072
1968515	Drill Core	5.52	1.4	195.8	1.7	15	0.2	10.2	12.2	229	2.91	3.4	40.3	0.7	63	0.2	0.7	0.1	115	2.13	0.079
1968516	Drill Core	4.19	2.9	346.9	1.5	78	1.2	14.9	24.5	354	4.74	10.2	82.7	0.6	121	0.7	5.6	0.3	120	3.05	0.113
1968517	Drill Core	4.62	0.3	118.2	1.7	20	0.3	6.3	7.4	490	4.11	6.6	61.4	0.5	111	<0.1	0.6	0.4	110	3.73	0.147
1968518	Drill Core	4.53	4.2	125.0	1.1	16	0.2	8.4	18.0	256	3.83	3.6	42.2	0.5	93	<0.1	0.5	0.2	86	3.27	0.081
1968519	Drill Core	4.79	1.7	349.9	2.0	15	1.1	7.6	16.4	239	3.20	3.9	91.0	0.5	53	0.1	1.5	0.2	78	2.44	0.076
1968520	Rock Pulp	0.05	12.5	>10000	13.7	200	19.0	100.0	107.4	979	14.60	1718	614.8	7.1	371	2.3	3.6	7.9	534	4.03	0.489

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 3 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1968491	Drill Core	3	81	0.90	56	0.146	12	2.49	0.166	0.11	0.2	0.13	4.0	<0.1	0.37	7	<0.5	<0.2
1968492	Drill Core	4	67	0.89	53	0.136	10	2.32	0.113	0.09	0.2	0.13	3.2	<0.1	0.27	6	<0.5	<0.2
1968493	Drill Core	4	47	1.10	66	0.179	9	2.26	0.151	0.19	0.3	0.15	4.4	<0.1	0.87	7	0.7	0.2
1968494	Drill Core	4	94	2.22	46	0.268	9	3.28	0.053	0.14	0.4	0.30	14.2	<0.1	1.19	11	0.9	0.4
1968495	Drill Core	4	64	1.61	105	0.244	8	2.86	0.181	0.26	0.2	0.30	5.6	<0.1	0.84	8	0.8	0.3
1968496	Drill Core	4	96	2.36	38	0.238	4	2.81	0.099	0.23	0.5	0.97	15.1	<0.1	2.58	8	2.0	1.0
1968497	Drill Core	4	23	1.21	39	0.168	5	1.94	0.084	0.15	0.4	0.44	6.0	<0.1	1.19	6	0.8	<0.2
1968498	Drill Core	4	46	1.58	84	0.255	5	2.47	0.112	0.20	0.6	0.53	6.7	<0.1	1.19	8	1.5	0.3
1968499	Drill Core	4	14	1.13	43	0.086	13	2.66	0.058	0.08	0.1	0.67	6.0	<0.1	2.08	7	1.9	0.3
1968500	Rock Pulp	95	28	0.48	69	0.083	9	1.48	0.123	0.25	2.3	0.05	3.3	<0.1	0.77	9	12.8	2.1
1968501	Rock Pulp	6	20	0.48	63	0.092	3	1.00	0.096	0.08	1.0	0.01	2.4	<0.1	<0.05	4	<0.5	<0.2
1968502	Drill Core	6	3	0.80	83	0.117	9	2.52	0.208	0.20	0.1	0.34	2.4	<0.1	0.73	6	<0.5	<0.2
1968503	Drill Core	6	2	0.86	89	0.141	12	2.73	0.205	0.24	0.2	0.24	2.1	<0.1	0.25	7	0.8	<0.2
1968504	Drill Core	5	7	0.98	74	0.149	13	2.87	0.158	0.18	0.2	0.25	3.0	<0.1	1.32	7	1.8	<0.2
1968505	Drill Core	6	57	1.13	122	0.181	11	2.97	0.215	0.24	0.2	0.18	3.2	<0.1	0.52	9	<0.5	<0.2
1968506	Drill Core	6	51	1.15	118	0.182	6	2.65	0.217	0.23	0.2	0.19	3.2	<0.1	0.49	7	<0.5	<0.2
1968507	Drill Core	5	7	1.12	72	0.142	6	2.86	0.168	0.11	0.3	0.38	4.1	<0.1	1.92	6	2.0	0.3
1968508	Drill Core	6	3	1.17	83	0.155	6	2.73	0.156	0.17	0.3	0.20	4.2	<0.1	0.78	7	0.9	<0.2
1968509	Drill Core	5	7	1.09	44	0.165	3	2.27	0.197	0.21	0.2	0.15	4.4	<0.1	0.44	6	0.8	<0.2
1968510	Drill Core	5	8	1.08	75	0.163	3	2.61	0.240	0.24	0.2	0.22	3.9	<0.1	1.20	6	2.1	<0.2
1968511	Drill Core	4	18	1.25	35	0.117	4	1.96	0.106	0.12	0.4	0.38	8.2	<0.1	2.28	6	3.4	0.5
1968512	Drill Core	5	5	0.85	58	0.110	6	2.13	0.205	0.21	0.3	0.35	4.9	<0.1	1.94	5	4.2	0.2
1968513	Drill Core	4	21	0.80	58	0.104	4	1.56	0.124	0.12	0.5	0.51	5.7	<0.1	2.13	5	4.2	0.6
1968514	Drill Core	3	20	0.63	85	0.104	7	2.04	0.168	0.10	0.2	0.30	4.2	<0.1	2.12	6	5.7	0.4
1968515	Drill Core	4	20	0.58	81	0.116	6	1.97	0.254	0.16	0.3	0.23	4.4	<0.1	0.86	5	1.6	<0.2
1968516	Drill Core	3	17	1.41	70	0.154	3	2.25	0.183	0.18	0.3	0.44	7.1	<0.1	2.73	6	3.8	0.9
1968517	Drill Core	4	4	1.48	65	0.098	3	2.03	0.128	0.14	0.2	0.31	7.6	<0.1	2.79	5	3.4	1.0
1968518	Drill Core	3	12	1.14	61	0.057	2	1.58	0.125	0.12	0.3	0.12	7.1	<0.1	3.31	4	5.4	0.3
1968519	Drill Core	3	12	0.76	78	0.091	4	1.94	0.141	0.09	0.3	0.37	4.6	<0.1	1.86	5	2.3	1.0
1968520	Rock Pulp	85	25	0.43	61	0.078	8	1.24	0.103	0.22	2.0	0.02	2.9	<0.1	0.71	7	11.6	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 4 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968521	Drill Core	4.42	1.7	293.1	2.0	10	0.2	8.6	19.9	203	3.19	6.3	51.1	0.5	107	<0.1	0.5	0.2	72	2.71	0.067
1968522	Drill Core	4.10	1.5	193.0	1.7	11	0.1	12.8	13.0	205	3.11	4.2	26.6	0.6	54	<0.1	0.3	<0.1	104	2.53	0.070
1968523	Drill Core	4.87	1.3	249.0	1.5	11	0.1	11.0	12.8	210	3.22	5.3	30.1	0.6	59	<0.1	0.2	<0.1	100	3.19	0.092
1968524	Drill Core	4.31	1.8	181.3	2.1	13	0.1	3.3	11.6	233	3.32	6.5	31.6	1.5	58	<0.1	0.2	<0.1	95	3.51	0.129
1968525	Drill Core	4.09	1.3	353.3	2.3	11	0.2	4.6	19.7	173	3.40	6.0	48.8	1.9	25	<0.1	0.3	0.1	63	2.68	0.097
1968526	Drill Core	4.47	1.8	199.3	2.1	13	0.2	3.6	14.2	223	4.34	6.9	32.4	1.0	81	<0.1	0.3	<0.1	119	3.25	0.150
1968527	Drill Core	4.48	2.5	185.1	2.3	18	0.3	12.0	19.0	337	5.57	9.5	59.1	0.7	60	0.1	0.5	0.1	156	3.00	0.110
1968528	Drill Core	4.35	2.5	247.4	3.0	14	0.4	11.5	17.8	259	2.78	4.3	54.2	0.4	83	<0.1	0.3	0.2	77	3.11	0.061
1968529	Drill Core	4.09	2.0	166.4	1.2	16	0.2	11.7	13.5	444	3.80	4.4	44.3	0.4	119	<0.1	0.3	0.1	115	3.33	0.074
1968530	Drill Core	4.25	0.3	36.9	0.9	22	<0.1	20.0	9.0	596	3.38	5.7	16.4	0.6	99	<0.1	0.4	<0.1	98	3.41	0.103
1968531	Drill Core	4.10	0.2	6.6	0.9	25	<0.1	11.6	11.0	600	3.05	4.9	15.1	0.4	80	<0.1	0.3	<0.1	76	3.59	0.099
1968532	Drill Core	4.24	0.8	38.0	1.2	22	<0.1	12.7	12.2	534	3.37	7.2	45.6	0.5	92	<0.1	0.4	0.1	89	3.41	0.106
1968533	Drill Core	4.82	2.6	93.3	1.3	15	<0.1	11.6	12.5	338	3.80	6.3	35.3	0.5	96	<0.1	0.3	0.1	116	3.04	0.124
1968534	Drill Core	3.57	1.1	11.4	1.0	17	<0.1	7.7	9.4	428	3.34	6.8	9.2	0.7	61	<0.1	0.3	<0.1	95	3.14	0.112
1968535	Drill Core	3.77	0.8	11.3	1.1	20	0.1	9.1	10.8	512	3.23	8.3	44.3	0.5	67	<0.1	0.4	<0.1	94	4.31	0.102
1968536	Drill Core	4.36	2.1	123.8	1.2	20	<0.1	18.0	20.6	489	3.44	6.9	25.9	0.6	45	0.1	0.3	0.1	131	3.48	0.097
1968537	Drill Core	2.39	4.3	402.2	2.0	15	0.2	29.4	24.1	279	2.88	6.1	54.1	0.6	47	0.1	0.3	0.2	131	2.95	0.088
1968538	Drill Core	4.20	4.9	304.4	1.9	15	0.2	22.2	18.8	263	2.85	4.2	52.0	0.6	47	0.1	0.3	0.2	99	2.71	0.097
1968539	Drill Core	3.93	2.3	292.2	1.5	15	0.1	23.5	18.2	224	2.68	5.0	37.7	0.5	58	0.2	0.3	<0.1	100	2.99	0.120
1968540	Rock Pulp	0.05	13.4	>10000	14.7	210	19.2	109.5	113.6	992	14.22	1782	638.3	7.6	379	2.5	3.9	8.6	572	4.00	0.523
1968541	Rock Pulp	0.04	5.4	38.9	3.2	39	<0.1	11.9	4.8	525	2.91	2.5	<0.5	1.8	21	<0.1	0.3	0.1	24	0.50	0.042
1968542	Drill Core	4.24	2.4	143.1	3.0	18	0.8	9.9	13.5	233	3.60	9.0	57.9	1.0	64	0.1	1.7	0.2	121	2.68	0.124
1968543	Drill Core	4.87	1.4	49.9	1.6	13	<0.1	8.5	5.7	254	1.94	7.0	16.0	1.0	51	<0.1	0.4	<0.1	83	2.83	0.134
1968544	Drill Core	5.13	1.5	421.9	2.0	14	0.2	13.6	25.4	235	3.32	8.2	62.1	1.0	47	<0.1	0.4	0.1	85	2.44	0.134
1968545	Drill Core	4.71	2.2	132.6	1.6	14	0.2	11.8	22.3	220	3.30	13.0	66.6	0.9	50	<0.1	0.2	0.2	91	3.44	0.109
1968546	Drill Core	4.79	2.0	256.2	1.7	15	0.1	18.5	22.5	255	3.06	7.4	64.9	1.0	46	0.1	0.3	0.2	135	3.10	0.146
1968547	Drill Core	4.09	1.7	78.5	1.4	25	0.1	20.5	10.6	420	3.55	6.9	44.5	0.7	40	<0.1	0.2	<0.1	193	3.06	0.157
1968548	Drill Core	4.48	2.1	215.6	1.8	20	0.2	15.5	24.7	408	4.12	9.2	73.7	0.6	116	<0.1	0.4	0.2	116	3.30	0.110
1968549	Drill Core	3.91	2.9	243.8	1.8	21	0.1	24.6	18.1	303	3.52	7.3	42.8	0.7	117	<0.1	0.3	<0.1	171	2.66	0.086
1968550	Drill Core	4.70	2.1	371.9	2.0	30	0.2	31.4	26.2	290	3.63	5.4	72.9	1.0	43	0.2	0.3	0.2	128	3.20	0.143

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 4 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
1968521	Drill Core	3	13	0.67	77	0.104	6	2.40	0.149	0.07	0.3	0.26	4.4	<0.1	2.42	6	2.6	0.3
1968522	Drill Core	3	26	0.63	89	0.111	10	2.21	0.131	0.11	0.2	0.32	4.7	<0.1	1.35	8	2.2	0.3
1968523	Drill Core	4	15	0.57	41	0.087	11	2.34	0.069	0.09	0.2	0.29	3.8	<0.1	1.34	7	1.9	<0.2
1968524	Drill Core	4	3	0.57	70	0.115	12	2.49	0.109	0.16	0.2	0.35	2.7	<0.1	1.43	8	1.8	<0.2
1968525	Drill Core	3	5	0.52	52	0.107	10	1.92	0.063	0.12	0.3	0.66	2.7	<0.1	2.53	8	3.2	<0.2
1968526	Drill Core	5	2	0.64	83	0.122	17	2.69	0.209	0.27	0.3	0.44	2.9	<0.1	1.33	7	2.0	<0.2
1968527	Drill Core	4	17	1.12	41	0.126	8	2.42	0.074	0.09	0.3	0.51	5.7	<0.1	2.63	9	3.1	0.2
1968528	Drill Core	3	20	1.08	58	0.099	4	1.97	0.102	0.10	0.3	0.46	6.0	<0.1	2.11	6	2.7	0.4
1968529	Drill Core	3	31	1.09	80	0.126	7	1.97	0.114	0.10	0.3	0.32	6.0	<0.1	1.19	6	1.5	0.2
1968530	Drill Core	3	24	1.62	50	0.133	10	2.49	0.115	0.16	0.3	0.21	6.6	<0.1	0.06	7	<0.5	<0.2
1968531	Drill Core	3	10	1.60	22	0.106	3	2.18	0.049	0.08	0.3	0.16	5.7	<0.1	0.17	6	<0.5	<0.2
1968532	Drill Core	3	11	1.52	48	0.121	8	2.33	0.092	0.10	0.3	0.39	6.1	<0.1	0.72	7	<0.5	0.3
1968533	Drill Core	4	18	1.06	61	0.119	10	1.93	0.109	0.11	0.2	0.26	6.3	<0.1	1.45	6	2.0	0.3
1968534	Drill Core	4	10	1.18	52	0.109	8	1.88	0.110	0.14	0.2	0.18	5.6	<0.1	0.30	6	<0.5	<0.2
1968535	Drill Core	3	9	1.48	16	0.092	4	2.56	0.039	0.06	0.3	0.20	5.4	<0.1	0.38	9	<0.5	<0.2
1968536	Drill Core	3	29	1.42	26	0.101	5	1.92	0.077	0.08	0.3	0.30	6.8	<0.1	1.71	8	1.3	0.3
1968537	Drill Core	4	39	0.78	29	0.085	8	1.93	0.059	0.08	0.2	0.43	4.8	<0.1	1.70	9	5.7	<0.2
1968538	Drill Core	4	43	0.69	39	0.091	10	1.88	0.067	0.10	0.2	0.39	4.7	<0.1	1.46	8	5.8	<0.2
1968539	Drill Core	4	53	0.49	27	0.066	6	1.95	0.051	0.07	0.1	0.52	4.6	<0.1	1.42	7	4.1	<0.2
1968540	Rock Pulp	89	24	0.45	64	0.076	8	1.21	0.093	0.21	2.0	0.02	2.8	<0.1	0.72	8	11.3	1.7
1968541	Rock Pulp	5	21	0.46	63	0.075	2	0.90	0.081	0.07	1.0	<0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
1968542	Drill Core	4	15	0.67	54	0.101	8	1.70	0.076	0.11	0.3	0.60	4.7	<0.1	1.50	7	3.0	0.7
1968543	Drill Core	3	10	0.80	33	0.080	16	2.03	0.070	0.08	0.2	0.11	5.1	<0.1	0.42	7	<0.5	<0.2
1968544	Drill Core	3	10	0.81	42	0.095	13	1.80	0.081	0.12	0.2	0.24	4.7	<0.1	1.94	6	3.1	0.4
1968545	Drill Core	3	12	1.04	27	0.078	3	1.73	0.055	0.07	0.2	0.43	6.6	<0.1	2.82	6	3.9	0.4
1968546	Drill Core	5	30	0.68	42	0.084	9	1.55	0.088	0.11	0.2	0.35	5.2	<0.1	1.81	7	3.2	0.2
1968547	Drill Core	6	57	1.09	29	0.083	4	1.68	0.077	0.08	0.1	0.38	7.0	<0.1	1.30	7	2.1	<0.2
1968548	Drill Core	3	17	1.28	72	0.090	7	2.11	0.067	0.10	0.2	0.48	7.0	<0.1	2.67	7	2.6	0.6
1968549	Drill Core	5	36	0.71	93	0.093	10	1.68	0.070	0.10	0.2	0.30	5.0	<0.1	1.35	7	4.7	<0.2
1968550	Drill Core	6	44	0.70	32	0.098	10	1.70	0.065	0.09	0.2	0.56	5.4	<0.1	2.78	8	7.9	0.4



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 5 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968551	Drill Core	4.26	1.3	549.5	2.3	19	0.3	27.3	29.3	237	3.45	5.1	122.0	1.2	68	0.2	0.3	0.1	101	2.82	0.109
1968552	Drill Core	5.02	0.9	296.3	2.4	18	0.1	11.0	17.7	261	3.95	5.4	73.0	1.1	67	0.1	0.2	<0.1	138	2.60	0.127
1968553	Drill Core	3.96	4.4	196.1	2.8	14	0.2	4.5	20.7	218	3.07	3.9	131.3	1.9	58	<0.1	0.2	0.2	81	2.93	0.140
1968554	Drill Core	4.56	1.2	121.9	2.4	19	<0.1	2.3	8.6	238	2.86	3.4	54.7	2.1	57	<0.1	0.2	<0.1	96	2.23	0.121
1968555	Drill Core	4.17	0.7	189.0	3.0	17	0.1	2.0	11.2	205	3.22	2.9	128.1	2.3	56	0.1	0.2	<0.1	101	1.78	0.117
1968556	Drill Core	4.96	0.9	74.6	3.0	20	<0.1	2.2	7.7	251	3.22	5.8	52.4	2.1	51	0.1	0.3	<0.1	100	2.16	0.115
1968557	Drill Core	4.28	1.0	108.5	2.7	14	0.1	2.0	10.6	166	3.01	3.8	36.7	2.1	51	<0.1	0.2	<0.1	88	2.01	0.112
1968558	Drill Core	3.90	1.6	90.2	3.1	17	<0.1	2.5	10.9	220	3.22	4.2	31.8	2.3	75	0.1	0.2	<0.1	94	2.68	0.122
1968559	Drill Core	4.13	6.0	172.6	3.3	17	0.2	6.2	12.8	194	3.94	4.8	50.6	1.6	124	0.1	0.2	<0.1	133	2.20	0.126
1968560	Rock Pulp	0.05	12.5	>10000	13.3	197	18.1	103.8	105.2	936	13.39	1656	579.3	7.0	349	2.4	3.6	7.8	538	3.83	0.475
1968561	Drill Core	4.71	1.4	399.8	3.1	26	0.3	15.0	17.4	304	4.72	6.9	131.1	0.9	62	<0.1	0.3	0.2	184	2.48	0.112
1968562	Drill Core	4.51	1.0	150.5	2.7	25	0.1	16.2	25.6	357	5.39	10.2	58.6	0.6	61	0.1	0.3	0.1	216	2.88	0.134
1968563	Drill Core	4.46	1.7	203.6	1.9	17	0.2	9.4	15.3	304	4.37	9.1	107.1	1.0	43	<0.1	0.3	0.1	169	3.31	0.103
1968564	Drill Core	4.47	1.4	84.0	2.4	17	0.1	4.8	23.2	264	3.23	6.0	73.1	1.3	102	<0.1	0.1	0.4	89	3.00	0.130
1968565	Drill Core	4.98	1.5	27.9	2.6	24	0.2	9.4	18.8	461	4.53	8.6	201.6	0.6	117	<0.1	0.3	0.4	125	3.05	0.096
1968566	Drill Core	5.27	1.9	170.4	2.7	21	0.2	18.3	26.4	369	5.99	9.2	42.2	1.0	62	<0.1	0.4	0.2	208	2.61	0.121
1968567	Drill Core	4.49	2.0	193.5	2.9	31	0.2	17.0	18.8	705	7.49	11.4	66.1	0.8	113	<0.1	0.7	0.2	288	3.89	0.151
1968568	Drill Core	5.00	3.5	123.1	4.8	29	0.3	12.6	41.3	450	5.62	18.7	58.7	1.3	134	0.2	0.5	0.4	173	4.50	0.151
1968569	Drill Core	5.40	6.3	114.6	4.3	51	0.8	9.6	34.3	980	9.32	37.2	200.2	1.1	206	<0.1	0.6	1.3	190	5.10	0.165
1968570	Drill Core	4.81	1.4	127.3	5.1	33	1.7	15.6	20.6	571	8.43	134.7	606.5	0.7	385	0.2	0.4	5.5	175	4.51	0.126
1968571	Drill Core	5.28	1.2	69.1	2.8	21	<0.1	19.7	38.6	306	5.91	13.6	69.5	0.8	79	<0.1	0.3	0.3	160	2.91	0.160
1968572	Drill Core	4.84	2.0	76.7	2.5	19	<0.1	16.8	35.7	310	5.60	7.7	69.3	0.8	88	<0.1	0.4	0.4	124	3.15	0.139
1968573	Drill Core	4.54	1.3	57.1	2.4	28	<0.1	24.1	24.5	478	5.59	14.0	44.3	0.8	151	<0.1	0.4	0.2	216	3.28	0.140
1968574	Drill Core	4.68	3.0	57.2	2.2	25	<0.1	12.4	18.0	501	5.28	12.8	25.6	0.9	163	<0.1	0.5	<0.1	205	3.81	0.152
1968575	Drill Core	4.60	1.9	64.5	2.6	20	<0.1	6.4	19.7	344	5.36	10.8	67.7	1.3	569	<0.1	0.3	0.2	188	4.11	0.161
1968576	Drill Core	4.94	1.1	42.8	3.2	22	<0.1	14.7	16.4	362	5.61	11.7	31.0	1.0	229	0.1	0.2	0.2	201	3.38	0.158
1968577	Drill Core	4.93	1.7	32.0	2.5	18	<0.1	8.0	14.0	333	5.15	11.2	131.5	0.8	212	<0.1	0.3	0.3	167	3.21	0.149
1968578	Drill Core	5.26	3.8	17.3	2.5	19	<0.1	6.1	18.0	356	5.59	10.2	37.5	0.7	174	<0.1	0.3	0.6	151	3.92	0.131
1968579	Drill Core	5.15	3.6	25.8	2.5	18	<0.1	6.8	19.2	340	4.23	11.2	40.6	0.9	257	<0.1	0.4	0.4	110	3.51	0.107
1968580	Rock Pulp	0.05	13.8	>10000	15.3	201	18.7	105.2	114.9	1047	14.43	1723	572.4	8.6	381	2.6	3.9	9.4	579	4.14	0.480

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 5 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
1968551	Drill Core	5	29	0.64	55	0.124	8	2.14	0.090	0.10	0.1	0.51	3.5	<0.1	2.11	8	5.2	0.2
1968552	Drill Core	5	15	0.75	88	0.146	11	2.10	0.099	0.16	0.2	0.19	3.6	<0.1	0.83	6	2.6	<0.2
1968553	Drill Core	6	2	0.63	59	0.110	6	1.72	0.070	0.10	0.3	0.48	4.0	<0.1	2.30	6	3.3	0.2
1968554	Drill Core	6	2	0.51	55	0.100	7	1.61	0.076	0.11	0.3	0.47	3.6	<0.1	0.70	6	1.4	<0.2
1968555	Drill Core	7	2	0.37	59	0.091	5	1.37	0.090	0.13	0.3	0.67	2.8	<0.1	0.73	6	<0.5	<0.2
1968556	Drill Core	7	1	0.54	53	0.108	6	1.58	0.103	0.13	0.3	0.62	4.4	<0.1	1.02	6	1.1	<0.2
1968557	Drill Core	6	2	0.27	48	0.085	7	1.49	0.085	0.12	0.2	0.53	2.3	<0.1	0.94	6	<0.5	<0.2
1968558	Drill Core	6	1	0.48	55	0.098	7	2.06	0.086	0.11	0.3	0.44	3.3	<0.1	1.07	7	1.5	<0.2
1968559	Drill Core	5	13	0.49	102	0.120	5	1.85	0.107	0.12	0.2	0.19	3.1	<0.1	1.08	6	1.2	<0.2
1968560	Rock Pulp	81	23	0.43	59	0.074	9	1.18	0.089	0.20	2.0	0.03	2.7	<0.1	0.70	7	9.6	1.7
1968561	Drill Core	5	13	0.95	62	0.185	7	1.81	0.106	0.16	0.2	0.30	5.0	<0.1	1.28	7	0.8	<0.2
1968562	Drill Core	4	16	1.21	53	0.235	9	2.38	0.098	0.14	0.3	0.26	6.5	<0.1	1.56	9	1.4	0.3
1968563	Drill Core	4	14	1.17	33	0.175	11	2.26	0.095	0.11	0.3	0.62	6.4	<0.1	1.36	9	1.8	0.2
1968564	Drill Core	6	3	0.95	61	0.096	4	1.97	0.109	0.10	0.3	0.77	6.8	<0.1	2.74	5	3.0	0.4
1968565	Drill Core	4	9	1.30	53	0.113	2	2.06	0.092	0.09	0.3	0.51	7.7	<0.1	3.34	6	4.0	0.6
1968566	Drill Core	4	13	1.18	46	0.201	7	1.90	0.102	0.12	0.3	0.45	7.0	<0.1	2.65	8	2.9	0.3
1968567	Drill Core	6	23	1.73	52	0.244	5	2.32	0.065	0.08	0.4	0.33	12.7	<0.1	2.15	10	2.0	0.3
1968568	Drill Core	5	6	1.35	43	0.188	4	3.01	0.076	0.09	0.7	1.02	12.0	<0.1	3.98	10	5.3	0.6
1968569	Drill Core	7	4	1.46	61	0.178	5	3.28	0.122	0.19	0.5	0.70	10.6	<0.1	5.66	10	4.0	1.5
1968570	Drill Core	5	21	1.36	41	0.191	7	3.03	0.180	0.12	0.3	3.04	8.8	<0.1	5.96	8	2.6	4.4
1968571	Drill Core	4	15	1.01	61	0.216	11	2.30	0.106	0.14	0.3	0.09	5.7	<0.1	3.44	8	4.6	0.5
1968572	Drill Core	4	16	1.22	48	0.176	10	2.38	0.136	0.11	0.3	0.22	7.3	<0.1	4.20	8	4.5	0.5
1968573	Drill Core	4	31	1.47	74	0.226	10	2.74	0.108	0.13	0.2	0.24	7.1	<0.1	1.58	10	1.0	0.4
1968574	Drill Core	5	13	1.32	73	0.199	10	2.72	0.101	0.12	0.1	0.16	8.1	<0.1	0.81	11	<0.5	<0.2
1968575	Drill Core	5	7	1.04	65	0.237	10	3.21	0.173	0.15	0.3	0.46	5.8	<0.1	2.45	9	2.7	0.2
1968576	Drill Core	5	19	1.03	123	0.216	12	2.76	0.126	0.15	0.2	0.29	5.1	<0.1	1.46	9	0.9	<0.2
1968577	Drill Core	4	11	1.05	79	0.211	9	2.53	0.143	0.14	0.3	0.45	5.7	<0.1	2.36	7	1.8	0.4
1968578	Drill Core	4	6	1.25	63	0.202	5	2.44	0.092	0.09	0.4	0.73	9.6	<0.1	4.01	8	2.9	0.5
1968579	Drill Core	4	9	1.03	76	0.175	9	2.66	0.156	0.12	0.4	0.54	7.1	<0.1	2.54	7	2.8	0.7
1968580	Rock Pulp	99	26	0.44	67	0.079	10	1.28	0.097	0.21	2.1	0.03	3.1	<0.1	0.70	8	12.1	1.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 6 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968581	Rock Pulp	0.04	5.3	42.5	3.3	41	<0.1	11.8	5.2	559	3.02	2.9	<0.5	2.1	26	<0.1	0.3	0.1	26	0.58	0.045
1968582	Drill Core	4.73	1.0	238.2	1.3	22	0.2	7.9	24.9	513	3.98	11.3	70.6	0.8	132	<0.1	0.5	0.4	116	3.81	0.138
1968583	Drill Core	3.66	0.9	27.1	2.4	22	0.1	7.0	25.0	447	3.66	10.6	84.4	1.4	44	<0.1	0.4	0.2	86	2.93	0.117
1968584	Drill Core	4.28	14.4	25.7	2.9	16	0.1	11.4	18.6	344	4.68	15.7	46.5	0.9	81	0.1	0.4	0.6	106	3.42	0.131
1968585	Drill Core	5.35	2.9	111.8	1.8	16	0.1	9.3	14.2	360	4.58	12.6	69.4	0.7	168	<0.1	0.4	0.4	114	3.67	0.132
1968586	Drill Core	5.46	1.3	26.4	1.7	14	<0.1	15.7	8.4	339	5.10	17.1	102.5	0.5	116	<0.1	0.2	0.2	154	3.71	0.116
1968587	Drill Core	4.75	1.2	37.7	1.8	23	<0.1	14.5	10.9	379	4.24	15.0	28.7	0.7	140	<0.1	0.5	<0.1	153	3.71	0.113
1968588	Drill Core	4.73	0.4	27.2	1.0	24	<0.1	6.9	10.0	561	3.10	6.9	12.9	1.4	56	<0.1	0.3	<0.1	88	3.13	0.103
1968589	Drill Core	4.41	1.1	78.9	1.2	27	<0.1	8.7	10.9	541	3.70	11.5	14.4	1.3	68	<0.1	0.3	<0.1	106	3.59	0.093
1968590	Drill Core	3.35	11.2	1167	2.2	18	0.6	10.8	26.2	249	3.60	10.6	83.0	0.6	42	<0.1	0.8	0.3	135	2.44	0.078
1968591	Drill Core	5.12	6.7	573.2	1.8	12	0.3	6.6	13.8	168	2.41	8.6	57.1	0.8	33	0.1	0.6	0.1	104	1.97	0.062
1968592	Drill Core	4.30	2.0	22.9	2.1	15	<0.1	3.2	4.3	323	2.18	9.9	5.3	2.0	21	<0.1	0.7	<0.1	130	1.71	0.056
1968593	Drill Core	4.04	10.9	700.8	2.3	16	0.4	7.6	25.7	318	3.67	16.8	62.5	1.0	60	<0.1	0.7	0.4	97	3.56	0.080



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 6 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004442.1

	Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1968581	Rock Pulp	6	22	0.48	66	0.090	2	0.95	0.083	0.07	1.0	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
1968582	Drill Core	4	8	1.62	67	0.150	4	2.35	0.078	0.09	0.4	0.84	9.5	<0.1	2.44	7	2.7	0.5
1968583	Drill Core	5	6	1.18	36	0.143	5	1.75	0.079	0.12	0.5	1.00	6.5	<0.1	2.37	6	1.6	0.6
1968584	Drill Core	5	12	1.03	46	0.171	7	2.20	0.089	0.08	0.4	1.07	5.6	<0.1	4.03	7	3.2	0.6
1968585	Drill Core	4	12	1.22	58	0.153	5	2.53	0.131	0.09	0.4	1.02	6.8	<0.1	3.11	6	2.3	0.5
1968586	Drill Core	4	25	0.95	72	0.164	11	2.63	0.138	0.10	0.1	0.30	6.4	<0.1	1.41	7	0.6	0.2
1968587	Drill Core	4	29	1.16	94	0.186	12	2.55	0.113	0.12	0.2	0.27	6.1	<0.1	0.91	7	0.6	<0.2
1968588	Drill Core	5	11	1.20	42	0.170	5	1.73	0.082	0.15	0.4	0.30	6.6	<0.1	0.28	6	<0.5	<0.2
1968589	Drill Core	5	10	1.08	46	0.107	8	2.32	0.084	0.13	<0.1	0.22	6.3	<0.1	0.22	9	<0.5	<0.2
1968590	Drill Core	4	17	0.71	29	0.155	10	1.72	0.088	0.10	0.7	0.59	4.5	<0.1	2.01	8	6.0	0.2
1968591	Drill Core	4	9	0.41	31	0.123	20	1.24	0.095	0.12	0.6	0.33	2.7	<0.1	1.06	6	2.1	<0.2
1968592	Drill Core	6	7	0.66	32	0.108	17	1.16	0.064	0.11	0.2	0.46	2.8	<0.1	0.13	9	<0.5	<0.2
1968593	Drill Core	7	12	0.94	36	0.139	7	2.20	0.074	0.09	0.3	0.63	6.0	<0.1	2.19	9	5.7	0.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 07, 2012

Page: 1 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004442.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1968468	Drill Core	4.34	0.6	138.1	2.7	23	0.1	7.8	21.6	407	3.99	6.2	15.1	1.3	161	<0.1	0.4	<0.1	129	2.87	0.133
REP 1968468	QC		0.6	138.8	2.6	23	0.1	8.4	21.9	418	4.05	6.3	16.4	1.3	160	<0.1	0.4	<0.1	130	2.93	0.140
1968483	Drill Core	4.92	0.7	83.8	3.3	34	0.2	8.4	20.2	608	3.89	8.2	14.1	1.7	148	<0.1	0.6	0.2	119	3.60	0.152
REP 1968483	QC		0.7	82.2	3.3	34	0.2	7.9	20.2	621	3.84	8.0	16.8	1.6	151	<0.1	0.6	0.2	119	3.61	0.157
1968503	Drill Core	4.61	0.6	147.4	2.6	28	0.1	5.5	15.8	328	3.65	3.9	11.9	1.5	122	<0.1	0.2	<0.1	132	2.55	0.135
REP 1968503	QC		0.7	161.8	3.0	30	0.1	6.1	16.4	361	4.10	4.8	15.6	1.6	134	<0.1	0.3	<0.1	147	2.87	0.149
1968518	Drill Core	4.53	4.2	125.0	1.1	16	0.2	8.4	18.0	256	3.83	3.6	42.2	0.5	93	<0.1	0.5	0.2	86	3.27	0.081
REP 1968518	QC		4.4	123.6	1.2	16	0.2	8.3	17.5	262	3.82	3.8	44.9	0.5	94	<0.1	0.5	0.2	85	3.28	0.081
1968554	Drill Core	4.56	1.2	121.9	2.4	19	<0.1	2.3	8.6	238	2.86	3.4	54.7	2.1	57	<0.1	0.2	<0.1	96	2.23	0.121
REP 1968554	QC		1.1	119.9	2.3	18	<0.1	2.1	8.5	224	2.67	3.1	53.4	2.0	56	0.1	0.2	<0.1	94	2.15	0.117
1968558	Drill Core	3.90	1.6	90.2	3.1	17	<0.1	2.5	10.9	220	3.22	4.2	31.8	2.3	75	0.1	0.2	<0.1	94	2.68	0.122
REP 1968558	QC		1.8	87.5	3.0	17	<0.1	2.4	10.5	209	3.10	4.2	32.3	2.2	72	0.2	0.2	<0.1	91	2.46	0.120
1968589	Drill Core	4.41	1.1	78.9	1.2	27	<0.1	8.7	10.9	541	3.70	11.5	14.4	1.3	68	<0.1	0.3	<0.1	106	3.59	0.093
REP 1968589	QC		1.1	80.4	1.3	27	<0.1	8.6	11.2	550	3.71	11.6	11.8	1.3	67	<0.1	0.4	<0.1	108	3.62	0.093
1968593	Drill Core	4.04	10.9	700.8	2.3	16	0.4	7.6	25.7	318	3.67	16.8	62.5	1.0	60	<0.1	0.7	0.4	97	3.56	0.080
REP 1968593	QC		10.3	666.7	2.2	16	0.4	7.6	24.5	303	3.49	15.9	60.6	1.0	55	<0.1	0.6	0.4	89	3.38	0.075
Core Reject Duplicates																					
1968495	Drill Core	5.09	0.8	558.8	2.5	30	0.4	44.6	27.1	470	5.11	5.3	88.3	1.0	200	<0.1	0.4	0.1	204	2.62	0.107
DUP 1968495	QC	<0.01	0.7	546.7	2.7	31	0.4	44.8	26.9	474	5.25	5.5	76.5	1.0	209	<0.1	0.4	0.1	209	2.62	0.105
1968529	Drill Core	4.09	2.0	166.4	1.2	16	0.2	11.7	13.5	444	3.80	4.4	44.3	0.4	119	<0.1	0.3	0.1	115	3.33	0.074
DUP 1968529	QC	<0.01	2.1	162.0	1.3	18	0.1	11.5	13.3	459	3.89	4.5	34.1	0.4	118	<0.1	0.3	0.1	119	3.41	0.077
1968563	Drill Core	4.46	1.7	203.6	1.9	17	0.2	9.4	15.3	304	4.37	9.1	107.1	1.0	43	<0.1	0.3	0.1	169	3.31	0.103
DUP 1968563	QC	<0.01	1.7	187.5	1.8	15	0.1	8.3	14.6	275	4.07	7.9	89.0	0.9	39	<0.1	0.3	0.1	152	3.04	0.097
Reference Materials																					
STD DS9	Standard		14.1	117.4	128.2	309	1.8	42.8	8.0	592	2.35	26.1	113.0	7.4	72	2.5	5.8	6.7	39	0.77	0.085
STD DS9	Standard		13.6	110.9	112.3	315	2.0	38.8	7.8	600	2.45	25.8	115.1	5.4	63	2.5	4.4	5.5	42	0.78	0.083
STD DS9	Standard		13.1	108.3	113.6	311	1.7	40.2	7.5	581	2.33	25.6	119.7	5.0	58	2.4	4.3	5.7	39	0.69	0.082
STD DS9	Standard		14.1	120.8	128.3	316	1.9	42.1	8.1	616	2.56	26.6	122.9	6.8	71	2.5	4.9	6.2	42	0.78	0.085



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 07, 2012

Page: 1 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004442.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1968468	Drill Core	4	4	1.29	136	0.164	11	3.23	0.111	0.18	0.1	0.34	4.4	<0.1	1.15	7	0.8	0.3
REP 1968468	QC	4	4	1.31	142	0.167	12	3.31	0.116	0.19	0.1	0.34	4.4	<0.1	1.17	7	0.9	0.3
1968483	Drill Core	6	3	1.38	65	0.151	11	3.05	0.123	0.14	0.2	0.51	5.2	<0.1	1.58	8	1.4	0.3
REP 1968483	QC	6	3	1.40	66	0.156	10	3.00	0.120	0.14	0.3	0.50	5.2	<0.1	1.56	8	1.4	0.5
1968503	Drill Core	6	2	0.86	89	0.141	12	2.73	0.205	0.24	0.2	0.24	2.1	<0.1	0.25	7	0.8	<0.2
REP 1968503	QC	6	3	0.97	95	0.152	12	3.09	0.232	0.27	0.2	0.25	2.3	<0.1	0.28	7	<0.5	<0.2
1968518	Drill Core	3	12	1.14	61	0.057	2	1.58	0.125	0.12	0.3	0.12	7.1	<0.1	3.31	4	5.4	0.3
REP 1968518	QC	3	12	1.15	59	0.054	2	1.55	0.126	0.12	0.3	0.12	6.6	<0.1	3.31	4	5.6	0.4
1968554	Drill Core	6	2	0.51	55	0.100	7	1.61	0.076	0.11	0.3	0.47	3.6	<0.1	0.70	6	1.4	<0.2
REP 1968554	QC	6	2	0.49	55	0.096	6	1.54	0.074	0.11	0.3	0.43	3.4	<0.1	0.67	6	0.8	<0.2
1968558	Drill Core	6	1	0.48	55	0.098	7	2.06	0.086	0.11	0.3	0.44	3.3	<0.1	1.07	7	1.5	<0.2
REP 1968558	QC	6	1	0.47	52	0.094	7	2.01	0.083	0.11	0.2	0.40	3.1	<0.1	1.04	7	1.0	<0.2
1968589	Drill Core	5	10	1.08	46	0.107	8	2.32	0.084	0.13	<0.1	0.22	6.3	<0.1	0.22	9	<0.5	<0.2
REP 1968589	QC	5	10	1.08	47	0.112	7	2.35	0.087	0.14	<0.1	0.20	6.3	<0.1	0.21	9	<0.5	<0.2
1968593	Drill Core	7	12	0.94	36	0.139	7	2.20	0.074	0.09	0.3	0.63	6.0	<0.1	2.19	9	5.7	0.4
REP 1968593	QC	7	11	0.90	32	0.127	6	2.03	0.072	0.09	0.3	0.57	5.7	<0.1	2.12	8	5.2	0.3
Core Reject Duplicates																		
1968495	Drill Core	4	64	1.61	105	0.244	8	2.86	0.181	0.26	0.2	0.30	5.6	<0.1	0.84	8	0.8	0.3
DUP 1968495	QC	4	61	1.64	110	0.254	8	2.82	0.166	0.27	0.1	0.29	6.1	<0.1	0.83	8	1.0	0.2
1968529	Drill Core	3	31	1.09	80	0.126	7	1.97	0.114	0.10	0.3	0.32	6.0	<0.1	1.19	6	1.5	0.2
DUP 1968529	QC	3	31	1.15	80	0.123	7	2.06	0.122	0.11	0.3	0.35	5.9	<0.1	1.11	6	1.6	<0.2
1968563	Drill Core	4	14	1.17	33	0.175	11	2.26	0.095	0.11	0.3	0.62	6.4	<0.1	1.36	9	1.8	0.2
DUP 1968563	QC	4	13	1.08	27	0.157	8	2.07	0.074	0.09	0.3	0.56	5.7	<0.1	1.32	8	1.9	<0.2
Reference Materials																		
STD DS9	Standard	15	123	0.63	305	0.124	3	1.07	0.106	0.43	2.9	0.21	2.6	5.4	0.16	5	5.5	4.9
STD DS9	Standard	13	125	0.66	314	0.114	4	1.09	0.100	0.44	3.1	0.20	2.5	5.6	0.17	5	5.2	4.9
STD DS9	Standard	11	118	0.62	296	0.104	3	0.95	0.083	0.40	3.0	0.21	2.3	5.7	0.16	5	5.2	5.3
STD DS9	Standard	15	128	0.67	314	0.122	3	1.02	0.087	0.42	3.2	0.22	2.8	5.6	0.16	5	5.2	5.7



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 2 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004442.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	0.3	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank	<0.01	0.1	2.7	3.7	48	<0.1	4.7	4.6	585	1.81	<0.5	2.1	5.5	58	<0.1	<0.1	0.1	33	0.56	0.085
G1	Prep Blank	<0.01	<0.1	2.6	4.2	48	<0.1	4.4	4.7	594	1.82	<0.5	1.9	5.3	57	<0.1	<0.1	<0.1	33	0.58	0.081



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 07, 2012

Page: 2 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004442.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	9	13	0.60	248	0.126	1	1.18	0.145	0.54	<0.1	<0.01	2.8	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	9	13	0.61	258	0.130	2	1.20	0.156	0.55	<0.1	<0.01	2.6	0.3	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: September 18, 2012
Report Date: October 09, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN12004444.1

CLIENT JOB INFORMATION

Project: October Dome
Shipment ID:
P.O. Number
Number of Samples: 131

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	125	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	131	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
Canada

CC: Graeme Buckler



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 2 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
G1	Prep Blank	<0.01	<0.1	14.4	2.7	46	<0.1	3.3	4.0	581	1.98	0.6	0.9	5.3	58	<0.1	<0.1	<0.1	37	0.49	0.075
G1	Prep Blank	<0.01	<0.1	8.1	2.5	50	<0.1	3.1	4.0	580	2.07	<0.5	<0.5	5.2	62	<0.1	<0.1	0.1	38	0.48	0.079
1968594	Drill Core	3.66	5.5	411.6	2.5	19	0.3	7.6	16.7	372	3.69	40.9	106.7	1.4	56	0.1	0.8	0.3	107	3.61	0.085
1968595	Drill Core	4.14	21.1	512.6	3.1	31	0.5	23.2	36.9	524	5.34	39.7	263.3	0.5	56	0.1	1.2	0.6	164	4.59	0.068
1968596	Drill Core	4.44	23.9	559.5	2.2	17	0.4	13.3	23.8	322	3.91	18.1	320.8	0.5	35	<0.1	0.6	0.5	93	2.36	0.066
1968597	Drill Core	4.56	2.5	635.5	2.1	15	0.3	9.6	15.0	293	2.99	14.8	39.0	0.6	50	<0.1	0.6	0.2	115	3.25	0.065
1968598	Drill Core	4.26	7.1	655.8	2.2	15	0.4	12.0	21.7	281	3.69	18.7	148.2	0.7	41	<0.1	0.8	0.3	96	2.72	0.083
1968599	Drill Core	4.07	3.1	515.3	2.1	20	0.5	9.6	21.3	428	3.65	21.2	81.8	0.8	44	<0.1	0.8	0.5	111	3.27	0.085
1968600	Rock Pulp	0.05	12.2	>10000	15.4	207	19.4	105.3	108.2	950	12.73	1644	590.7	8.3	362	2.4	3.7	9.3	537	3.73	0.466
1968601	Drill Core	4.41	5.9	517.7	1.8	15	0.4	11.7	24.1	323	3.28	12.4	62.0	0.6	45	<0.1	0.7	0.5	101	2.59	0.068
1968602	Drill Core	4.60	5.6	573.5	2.5	15	0.4	14.3	26.0	287	3.56	17.3	69.1	0.5	52	<0.1	0.7	0.4	96	2.54	0.066
1968603	Drill Core	4.82	2.9	460.2	2.3	16	0.4	9.4	21.0	312	3.28	21.9	78.6	0.6	59	0.1	0.8	0.4	93	2.57	0.070
1968604	Drill Core	4.17	2.8	498.7	2.3	20	0.4	11.2	23.8	403	3.32	25.2	185.2	0.7	47	<0.1	0.9	0.4	124	3.99	0.071
1968605	Drill Core	3.80	8.0	463.2	2.2	22	0.5	19.9	32.8	453	3.84	10.1	236.8	0.6	135	<0.1	0.6	0.6	152	3.73	0.067
1968606	Drill Core	4.34	3.1	109.7	1.3	24	0.1	9.7	14.3	519	2.74	6.9	69.7	0.5	106	<0.1	0.5	0.4	118	3.29	0.059
1968607	Drill Core	4.74	6.5	384.5	3.0	23	0.3	15.3	28.8	538	3.55	24.2	117.6	0.5	178	<0.1	1.3	0.7	118	3.61	0.073
1968608	Drill Core	4.10	6.9	159.0	1.7	21	0.2	16.0	27.6	472	3.44	20.6	91.1	1.0	166	<0.1	0.5	0.6	147	3.66	0.072
1968609	Drill Core	4.11	4.8	18.9	2.6	48	0.5	4.8	5.6	195	1.90	40.8	137.9	1.7	46	0.3	0.5	0.3	13	2.21	0.058
1968610	Drill Core	4.43	1.9	115.3	3.9	18	0.3	4.0	4.2	274	1.77	22.4	86.2	1.8	83	<0.1	0.5	0.2	21	2.67	0.056
1968611	Drill Core	4.41	4.8	815.6	18.3	57	3.6	4.1	6.8	260	2.12	25.7	492.9	1.8	53	0.8	0.9	0.5	15	2.93	0.062
1968612	Drill Core	4.33	16.3	80.5	6.3	26	1.1	6.9	14.9	546	3.10	41.9	193.8	1.4	59	0.1	1.4	0.3	59	3.63	0.098
1968613	Drill Core	4.14	15.0	166.9	18.3	113	2.8	5.3	6.7	467	2.05	33.7	379.1	1.7	54	1.2	1.6	0.5	32	5.58	0.059
1968614	Drill Core	4.06	6.0	12.9	1.9	15	0.2	3.5	4.0	231	1.42	5.8	35.0	1.7	28	<0.1	0.4	0.1	28	2.39	0.058
1968615	Drill Core	3.57	30.1	169.2	2.1	17	0.3	4.8	6.1	254	1.95	11.3	60.9	1.7	75	<0.1	0.7	0.2	47	2.96	0.073
1968616	Drill Core	4.92	7.1	60.5	2.2	21	0.2	10.0	10.0	487	3.86	24.8	39.2	1.2	72	<0.1	0.8	0.3	133	3.70	0.138
1968617	Drill Core	4.65	1.4	19.7	1.9	20	0.1	9.0	10.7	398	4.17	18.2	31.5	1.3	62	<0.1	0.5	0.3	142	3.06	0.142
1968618	Drill Core	4.73	5.2	34.7	1.8	20	<0.1	8.0	10.0	350	4.25	17.4	27.2	1.1	54	<0.1	0.5	0.3	133	3.13	0.145
1968619	Drill Core	4.57	2.6	139.8	1.5	19	0.1	9.7	9.0	401	4.41	13.9	19.0	1.3	69	<0.1	0.5	0.1	154	3.09	0.142
1968620	Rock Pulp	0.05	12.8	>10000	15.3	202	19.6	104.5	109.9	950	12.56	1650	574.5	8.4	360	2.2	3.8	9.2	522	3.67	0.466
1968621	Drill Core	4.69	6.3	77.3	2.6	25	0.2	10.1	11.2	769	4.29	16.2	33.9	1.1	93	<0.1	0.9	0.2	153	4.28	0.139

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 2 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
G1	Prep Blank	12	10	0.54	189	0.122	<1	0.95	0.097	0.50	<0.1	<0.01	2.5	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	12	6	0.57	201	0.125	<1	1.00	0.093	0.53	<0.1	<0.01	2.3	0.4	<0.05	5	<0.5	<0.2
1968594	Drill Core	6	17	0.85	28	0.088	9	1.85	0.058	0.07	0.1	0.86	5.8	<0.1	2.07	7	4.0	0.4
1968595	Drill Core	4	50	1.26	34	0.173	3	2.04	0.091	0.12	0.7	1.25	11.4	<0.1	3.33	8	7.3	0.7
1968596	Drill Core	4	32	0.91	29	0.136	6	1.48	0.083	0.11	0.5	1.17	7.3	<0.1	2.87	7	6.9	0.4
1968597	Drill Core	4	18	0.81	33	0.140	24	2.23	0.130	0.13	0.5	0.44	5.3	<0.1	1.56	10	5.4	<0.2
1968598	Drill Core	4	19	0.80	29	0.142	25	1.60	0.071	0.11	0.5	0.59	6.1	<0.1	2.33	7	7.0	0.2
1968599	Drill Core	4	17	1.07	47	0.173	4	1.45	0.085	0.16	0.6	1.11	9.7	<0.1	2.40	6	6.1	0.5
1968600	Rock Pulp	90	24	0.45	59	0.079	8	1.24	0.089	0.19	2.0	0.05	3.2	<0.1	0.73	8	10.7	1.7
1968601	Drill Core	4	27	0.91	39	0.150	5	1.38	0.077	0.11	0.4	1.13	6.7	<0.1	2.15	6	5.7	0.5
1968602	Drill Core	4	30	0.84	39	0.138	9	1.63	0.120	0.12	0.5	0.90	6.0	<0.1	2.11	7	5.6	0.5
1968603	Drill Core	5	20	0.89	42	0.121	11	1.80	0.089	0.11	0.6	0.79	5.7	<0.1	2.07	7	3.2	0.5
1968604	Drill Core	6	33	0.91	36	0.132	7	1.70	0.100	0.13	0.4	0.78	10.6	<0.1	2.01	8	4.0	0.5
1968605	Drill Core	6	51	1.05	44	0.098	3	1.33	0.089	0.12	0.2	1.03	9.3	<0.1	2.78	6	5.2	0.5
1968606	Drill Core	6	38	1.34	72	0.086	3	1.37	0.092	0.14	0.2	0.77	9.4	<0.1	1.62	6	3.1	0.5
1968607	Drill Core	6	32	1.10	30	0.137	3	1.23	0.069	0.12	0.6	1.13	8.6	<0.1	2.55	6	8.2	0.8
1968608	Drill Core	7	38	0.91	35	0.088	2	1.05	0.067	0.15	0.4	1.00	8.1	<0.1	2.56	5	4.8	0.6
1968609	Drill Core	6	5	0.12	59	0.001	2	0.36	0.041	0.18	0.3	0.62	1.9	<0.1	1.76	1	0.8	0.6
1968610	Drill Core	10	2	0.21	80	0.003	4	0.96	0.119	0.29	0.2	0.49	2.5	<0.1	1.23	2	<0.5	0.4
1968611	Drill Core	9	3	0.13	57	0.001	4	0.48	0.059	0.22	0.1	3.58	1.9	<0.1	1.84	2	1.0	3.9
1968612	Drill Core	8	4	0.81	57	0.052	4	1.41	0.039	0.16	0.2	1.25	4.1	<0.1	1.73	5	1.0	0.5
1968613	Drill Core	7	3	0.20	45	0.019	2	0.66	0.102	0.12	0.1	1.41	2.4	0.1	1.61	3	0.8	1.0
1968614	Drill Core	8	5	0.20	36	0.026	2	0.56	0.087	0.13	<0.1	0.60	2.4	<0.1	0.93	2	<0.5	0.3
1968615	Drill Core	8	4	0.43	74	0.057	2	1.00	0.143	0.19	0.1	0.94	4.2	<0.1	1.45	3	<0.5	0.5
1968616	Drill Core	6	9	1.36	54	0.160	9	2.24	0.073	0.13	0.5	0.88	9.1	<0.1	1.89	8	0.8	0.8
1968617	Drill Core	6	8	1.34	56	0.167	12	2.52	0.101	0.16	0.4	0.87	6.6	<0.1	1.95	9	1.0	0.6
1968618	Drill Core	5	9	1.07	49	0.137	14	2.39	0.073	0.13	0.3	0.60	5.4	<0.1	1.40	8	0.6	0.5
1968619	Drill Core	6	10	1.37	53	0.176	13	2.67	0.078	0.14	0.3	0.39	6.5	<0.1	0.80	9	<0.5	0.3
1968620	Rock Pulp	88	24	0.44	60	0.076	8	1.27	0.088	0.19	1.8	0.04	3.1	<0.1	0.72	8	10.6	1.8
1968621	Drill Core	6	10	1.49	53	0.161	5	2.58	0.040	0.11	0.4	0.67	7.9	<0.1	1.25	8	<0.5	0.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 09, 2012

Page: 3 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968622	Drill Core	4.70	6.7	179.2	7.0	43	3.4	8.8	12.0	673	4.00	16.8	335.9	2.0	73	0.5	1.2	0.3	100	4.12	0.101
1968623	Drill Core	3.91	3.2	88.5	4.6	25	0.4	4.5	8.5	538	2.29	16.6	43.4	2.9	37	<0.1	0.7	<0.1	71	3.16	0.069
1968624	Drill Core	4.57	2.7	93.6	3.9	25	0.2	3.2	5.7	485	2.62	11.1	23.6	2.9	35	0.1	0.5	<0.1	76	2.07	0.074
1968625	Drill Core	4.68	2.2	73.6	4.4	28	0.2	3.4	6.4	488	2.73	13.9	24.8	2.8	47	<0.1	0.8	<0.1	77	2.11	0.072
1968626	Drill Core	4.13	4.2	334.7	5.9	33	1.2	3.8	8.6	621	3.01	19.8	77.4	2.8	48	<0.1	1.3	0.2	77	2.27	0.067
1968627	Drill Core	4.37	57.7	492.2	4.0	30	1.1	3.2	7.8	497	2.46	12.1	41.1	2.6	74	<0.1	1.1	0.4	66	2.24	0.076
1968628	Drill Core	4.57	2.2	43.8	4.1	25	0.2	3.4	12.3	458	2.67	10.2	11.1	2.9	48	<0.1	0.7	0.2	75	2.17	0.078
1968629	Drill Core	4.74	4.3	61.2	4.2	26	0.3	3.0	7.0	414	2.48	9.3	12.3	2.9	55	<0.1	0.6	<0.1	74	1.81	0.075
1968630	Drill Core	4.38	5.2	75.6	3.1	19	0.3	3.9	7.4	360	2.88	11.2	18.2	2.5	72	<0.1	0.7	<0.1	95	2.16	0.093
1968631	Drill Core	4.70	1.8	64.7	2.2	19	0.2	6.9	5.9	381	3.83	23.3	15.9	1.2	50	<0.1	0.6	<0.1	146	3.00	0.142
1968632	Drill Core	4.94	4.1	107.3	3.6	30	0.4	6.7	13.9	701	3.99	20.2	115.8	1.4	116	<0.1	0.6	0.1	132	3.62	0.147
1968633	Drill Core	4.42	5.2	47.3	2.2	14	0.1	5.4	7.5	320	3.16	18.4	15.5	1.3	127	<0.1	0.6	<0.1	114	2.91	0.140
1968634	Drill Core	4.24	3.9	62.2	2.2	14	0.2	5.7	10.8	373	3.11	21.6	24.7	1.5	60	<0.1	0.7	<0.1	117	3.48	0.134
1968635	Drill Core	4.50	8.7	302.5	1.8	15	0.4	12.6	26.0	326	2.69	13.5	450.7	1.2	47	<0.1	0.7	0.1	121	3.87	0.114
1968636	Drill Core	4.09	0.8	1300	1.7	22	1.0	31.6	29.7	448	4.95	20.8	393.6	1.0	66	<0.1	1.3	0.2	223	2.85	0.118
1968637	Drill Core	4.70	1.2	769.1	2.4	21	1.0	26.4	28.7	446	4.49	20.2	71.2	1.5	50	<0.1	1.6	0.1	187	2.53	0.115
1968638	Drill Core	3.99	1.9	1019	3.4	20	1.0	15.8	22.6	291	3.14	11.2	65.9	2.7	36	0.1	1.3	<0.1	117	1.75	0.103
1968639	Drill Core	4.08	2.0	884.7	3.2	17	0.6	6.1	18.2	267	2.97	11.4	55.2	2.7	32	<0.1	1.0	<0.1	100	1.93	0.109
1968640	Rock Pulp	0.05	11.5	9634	14.9	195	16.6	91.2	97.7	882	12.63	1506	582.8	8.5	332	2.3	4.0	9.2	464	3.42	0.466
1968641	Rock Pulp	0.04	5.0	38.5	3.5	40	<0.1	10.1	4.5	501	2.73	2.7	0.7	2.0	27	<0.1	0.3	<0.1	24	0.49	0.039
1968642	Drill Core	4.13	1.0	1344	2.8	18	0.8	7.6	21.9	331	3.96	13.8	93.3	2.2	59	<0.1	1.1	<0.1	143	2.70	0.143
1968643	Drill Core	4.08	2.9	1185	2.7	18	0.8	6.3	16.3	253	2.66	14.9	88.2	2.8	36	0.1	1.0	<0.1	116	2.22	0.106
1968644	Drill Core	4.03	2.5	1212	2.9	17	0.6	7.7	19.3	266	2.99	9.7	80.2	2.5	38	<0.1	0.9	0.1	133	2.13	0.125
1968645	Drill Core	4.86	1.1	1063	2.8	21	0.3	9.9	20.7	282	3.43	15.4	50.7	2.7	33	<0.1	0.6	<0.1	157	2.38	0.136
1968646	Drill Core	5.05	1.2	1249	2.5	18	0.7	7.0	24.9	338	4.25	14.1	71.9	2.3	58	<0.1	0.8	0.1	148	2.78	0.146
1968647	Drill Core	4.67	2.2	1393	2.6	14	1.0	25.6	21.6	276	3.60	10.1	83.3	1.5	29	<0.1	0.7	0.2	126	2.53	0.092
1968648	Drill Core	4.86	1.2	906.9	1.9	18	0.8	19.5	24.7	340	3.88	10.4	63.3	1.6	66	<0.1	1.0	0.1	165	2.04	0.120
1968649	Drill Core	4.69	1.6	741.9	2.3	16	0.7	8.6	19.8	292	3.11	7.4	61.5	2.4	57	<0.1	0.9	<0.1	109	1.98	0.095
1968650	Drill Core	4.74	1.1	637.3	2.2	21	0.8	16.5	34.3	392	3.79	21.1	117.4	1.8	58	<0.1	1.2	0.2	150	3.10	0.121
1968651	Drill Core	4.40	1.1	570.0	1.9	17	0.4	25.8	22.1	342	2.97	13.9	106.3	1.3	63	<0.1	1.0	0.1	110	2.57	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 3 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1968622	Drill Core	8	14	0.91	49	0.131	4	1.86	0.069	0.14	0.4	0.86	5.5	<0.1	2.15	7	1.0	1.8
1968623	Drill Core	9	6	0.62	26	0.088	2	1.22	0.080	0.08	<0.1	0.51	3.7	<0.1	0.93	6	<0.5	0.3
1968624	Drill Core	9	5	0.68	39	0.089	4	1.36	0.107	0.13	0.1	0.53	2.9	<0.1	0.23	7	<0.5	<0.2
1968625	Drill Core	9	6	0.56	38	0.093	3	1.31	0.121	0.14	0.2	0.54	2.9	<0.1	0.42	6	<0.5	<0.2
1968626	Drill Core	10	5	0.60	46	0.112	3	1.41	0.090	0.12	0.3	0.69	3.4	<0.1	0.97	6	<0.5	0.9
1968627	Drill Core	9	5	0.54	57	0.085	2	1.07	0.125	0.14	0.3	0.88	3.9	<0.1	0.67	5	<0.5	0.7
1968628	Drill Core	10	5	0.65	54	0.116	4	1.51	0.208	0.21	0.5	0.61	4.8	<0.1	0.83	7	<0.5	<0.2
1968629	Drill Core	9	6	0.51	54	0.104	5	1.31	0.196	0.21	0.4	0.59	3.8	<0.1	0.29	6	<0.5	<0.2
1968630	Drill Core	8	6	0.64	66	0.120	6	1.53	0.195	0.21	0.3	0.63	3.3	<0.1	0.48	6	<0.5	<0.2
1968631	Drill Core	6	7	1.00	49	0.126	10	1.98	0.106	0.15	0.3	0.51	5.1	<0.1	0.20	8	<0.5	<0.2
1968632	Drill Core	7	7	1.19	80	0.150	5	2.14	0.183	0.24	0.6	0.45	7.3	<0.1	0.82	8	0.6	0.5
1968633	Drill Core	6	6	0.84	80	0.113	13	2.14	0.127	0.18	0.3	0.65	4.8	<0.1	0.31	7	<0.5	<0.2
1968634	Drill Core	6	5	1.04	45	0.135	11	2.44	0.158	0.18	0.4	0.37	5.8	<0.1	0.50	8	<0.5	0.2
1968635	Drill Core	4	27	1.03	24	0.132	15	2.04	0.097	0.10	0.5	0.45	6.6	<0.1	1.16	8	1.7	<0.2
1968636	Drill Core	4	46	1.83	63	0.351	10	2.50	0.139	0.24	0.5	0.58	8.1	<0.1	1.86	9	2.7	0.4
1968637	Drill Core	4	46	1.79	46	0.318	12	2.54	0.082	0.15	0.5	0.50	8.6	<0.1	1.76	11	2.7	0.4
1968638	Drill Core	7	25	0.90	47	0.190	7	1.54	0.168	0.20	0.4	0.56	4.4	<0.1	1.43	8	3.7	0.4
1968639	Drill Core	6	6	0.81	38	0.151	10	1.55	0.097	0.17	0.5	0.50	4.5	<0.1	1.67	8	3.8	0.3
1968640	Rock Pulp	81	22	0.39	57	0.074	7	1.04	0.085	0.19	1.9	0.05	2.9	<0.1	0.68	7	12.2	1.6
1968641	Rock Pulp	5	19	0.46	60	0.079	<1	0.88	0.079	0.07	1.0	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
1968642	Drill Core	6	3	1.07	53	0.208	13	2.24	0.103	0.22	0.6	0.53	7.4	<0.1	2.11	9	4.5	0.5
1968643	Drill Core	7	5	0.68	29	0.147	6	1.22	0.088	0.12	0.5	0.53	3.8	<0.1	1.38	7	3.6	0.2
1968644	Drill Core	6	5	0.78	47	0.177	7	1.48	0.138	0.23	0.4	0.52	4.8	<0.1	1.54	8	3.3	<0.2
1968645	Drill Core	6	4	0.79	35	0.157	11	2.04	0.089	0.16	0.3	0.35	4.9	<0.1	1.24	9	3.5	<0.2
1968646	Drill Core	5	3	1.06	64	0.220	16	2.49	0.124	0.28	0.4	0.59	7.6	<0.1	2.40	9	5.6	<0.2
1968647	Drill Core	4	38	0.67	21	0.125	6	1.26	0.075	0.09	0.3	0.35	3.7	<0.1	2.33	8	5.7	0.3
1968648	Drill Core	5	17	1.34	53	0.234	9	2.19	0.133	0.24	0.3	0.36	5.6	<0.1	1.89	8	4.1	0.3
1968649	Drill Core	5	6	1.03	48	0.180	5	1.62	0.099	0.19	0.2	0.47	4.0	<0.1	1.53	7	3.7	0.3
1968650	Drill Core	5	26	1.35	38	0.212	10	2.35	0.127	0.19	0.6	0.55	7.8	<0.1	1.83	8	3.9	0.4
1968651	Drill Core	4	42	1.23	35	0.167	8	2.15	0.155	0.17	0.4	0.43	8.4	<0.1	1.16	7	2.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 4 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968652	Drill Core	4.93	1.0	1291	2.1	20	1.4	15.6	29.5	350	3.87	21.4	130.9	1.4	102	0.1	1.5	0.2	146	3.21	0.109
1968653	Drill Core	4.85	1.8	927.2	2.5	14	0.8	19.3	30.3	245	4.24	14.8	94.0	0.7	61	0.1	1.4	0.3	104	2.52	0.075
1968654	Drill Core	4.61	1.5	337.8	2.6	20	0.5	13.5	18.8	330	4.90	16.1	61.2	1.3	76	<0.1	0.9	0.2	169	2.45	0.112
1968655	Drill Core	4.59	1.0	355.5	2.1	25	0.5	11.2	17.6	403	3.84	11.6	58.2	1.0	65	<0.1	1.4	<0.1	120	2.71	0.106
1968656	Drill Core	4.66	1.0	877.4	1.9	15	0.9	18.2	27.8	280	3.51	10.0	142.3	1.0	104	<0.1	1.5	0.3	134	2.11	0.091
1968657	Drill Core	4.55	1.0	973.3	2.4	17	0.9	18.4	26.4	343	3.85	19.1	171.4	0.9	66	<0.1	0.9	0.2	136	3.54	0.084
1968658	Drill Core	4.43	1.3	557.7	2.6	16	0.5	12.8	15.8	271	2.46	8.1	80.6	1.2	56	<0.1	0.6	<0.1	96	3.03	0.072
1968659	Drill Core	4.90	2.7	552.0	2.3	14	0.4	22.7	20.8	317	3.63	24.6	59.1	0.8	35	<0.1	0.7	0.2	126	2.77	0.068
1968660	Rock Pulp	0.05	12.4	>10000	15.8	204	17.6	98.2	107.0	943	13.14	1586	578.7	9.2	354	2.1	4.5	9.6	503	3.60	0.477
1968661	Rock Pulp	0.04	5.2	38.5	3.6	38	<0.1	11.3	4.6	510	2.68	2.7	0.7	2.2	28	<0.1	0.4	<0.1	23	0.50	0.040
1968662	Drill Core	4.22	1.7	76.2	2.5	14	<0.1	3.9	10.4	306	2.83	11.6	12.3	2.0	38	0.1	0.4	<0.1	110	3.40	0.117
1968663	Drill Core	4.53	2.6	884.3	2.0	16	0.6	26.2	33.1	323	3.56	21.0	135.6	0.8	55	<0.1	0.7	0.2	148	3.61	0.080
1968664	Drill Core	4.62	1.8	387.8	1.6	21	0.3	25.8	35.8	404	4.03	32.3	122.6	0.7	54	<0.1	0.6	0.3	160	4.04	0.087
1968665	Drill Core	4.44	1.9	1045	3.0	19	0.9	24.5	48.7	368	4.08	12.3	110.2	0.5	66	<0.1	0.9	0.5	113	3.80	0.078
1968666	Drill Core	4.66	2.4	1131	1.7	13	0.6	22.5	30.3	281	3.04	24.4	146.4	0.5	43	0.1	0.8	0.3	99	3.46	0.090
1968667	Drill Core	4.61	8.3	486.3	1.7	14	0.3	21.2	39.5	273	2.74	24.5	72.0	0.6	38	<0.1	0.5	0.2	102	3.49	0.077
1968668	Drill Core	4.67	3.2	1172	1.8	16	0.7	26.2	31.6	348	3.67	26.5	179.8	0.5	53	<0.1	0.8	0.2	114	4.08	0.071
1968669	Drill Core	5.13	1.2	663.9	1.7	15	0.5	32.9	25.0	323	4.51	32.4	76.3	0.7	63	<0.1	0.9	0.2	129	3.29	0.075
1968670	Drill Core	4.31	2.0	659.6	2.1	16	0.4	42.2	35.1	352	4.67	25.1	108.2	0.7	53	0.1	0.6	0.3	124	2.96	0.071
1968671	Drill Core	3.89	3.5	35.7	2.0	13	<0.1	4.8	7.9	286	2.25	13.7	16.6	1.4	50	<0.1	0.6	0.1	95	3.60	0.124
1968672	Drill Core	4.33	2.2	127.8	2.4	13	0.1	3.9	8.3	208	2.12	15.1	23.9	1.3	41	0.1	0.4	0.1	92	3.00	0.121
1968673	Drill Core	4.55	1.3	138.9	2.6	13	0.2	4.4	9.8	260	2.36	17.0	31.1	1.5	37	<0.1	0.8	0.1	101	2.97	0.121
1968674	Drill Core	4.12	12.3	496.6	12.0	37	0.6	14.6	22.6	566	3.07	16.4	141.6	1.3	40	0.4	1.3	0.4	104	3.21	0.128
1968675	Drill Core	4.11	5.4	126.2	2.1	14	0.2	5.8	10.9	267	1.56	11.2	26.4	1.6	38	<0.1	0.8	<0.1	88	2.86	0.130
1968676	Drill Core	3.76	7.3	288.4	6.1	16	0.7	7.6	20.1	303	1.70	14.9	55.5	1.6	39	0.2	0.9	0.2	85	3.91	0.131
1968677	Drill Core	3.79	9.0	547.5	2.5	13	0.3	4.3	10.7	230	1.04	10.2	86.9	1.9	34	<0.1	0.5	<0.1	75	2.93	0.128
1968678	Drill Core	2.70	21.6	1647	3.3	14	1.4	16.8	56.8	324	3.91	11.6	102.9	1.7	29	0.2	0.9	0.1	90	2.06	0.166
1968679	Drill Core	4.56	1.5	80.6	2.4	15	0.1	4.1	10.7	314	2.83	11.8	11.7	1.9	39	<0.1	0.4	<0.1	110	3.40	0.122
1968680	Drill Core	4.00	1.7	108.7	3.5	19	0.4	5.0	10.8	375	2.29	17.3	53.7	1.9	49	0.1	0.9	<0.1	101	3.48	0.120
1968681	Drill Core	5.01	1.6	104.5	3.6	18	0.4	5.2	10.2	370	2.18	17.1	48.7	1.9	46	0.1	0.8	<0.1	95	3.32	0.117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 4 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1968652	Drill Core	5	13	1.28	58	0.221	13	2.90	0.142	0.19	0.4	0.63	7.8	<0.1	1.77	9	4.4	0.6
1968653	Drill Core	4	32	0.63	28	0.125	9	1.87	0.149	0.16	0.3	0.80	4.9	<0.1	2.24	7	4.9	0.4
1968654	Drill Core	6	19	0.83	50	0.159	9	1.88	0.125	0.18	0.4	0.69	4.9	<0.1	1.28	7	1.8	0.5
1968655	Drill Core	5	19	1.11	33	0.171	10	2.21	0.107	0.18	0.5	0.85	6.2	<0.1	1.15	8	1.4	0.3
1968656	Drill Core	4	16	0.98	58	0.167	8	1.80	0.123	0.16	0.4	0.63	3.8	<0.1	1.80	7	4.0	0.6
1968657	Drill Core	4	35	1.03	31	0.149	11	2.65	0.113	0.12	0.5	0.43	6.6	<0.1	1.63	10	4.5	0.5
1968658	Drill Core	5	32	0.71	41	0.131	8	2.03	0.177	0.21	0.4	0.42	5.2	<0.1	0.99	8	2.1	0.3
1968659	Drill Core	4	43	0.82	20	0.128	13	2.17	0.119	0.10	0.5	0.44	6.0	<0.1	1.20	9	3.3	<0.2
1968660	Rock Pulp	86	24	0.41	61	0.078	7	1.13	0.089	0.20	2.0	0.05	3.1	<0.1	0.70	8	11.9	1.6
1968661	Rock Pulp	6	21	0.44	62	0.086	1	0.89	0.079	0.07	1.0	0.01	2.2	<0.1	<0.05	4	<0.5	<0.2
1968662	Drill Core	6	4	0.69	30	0.111	8	1.96	0.121	0.12	0.5	0.20	3.7	<0.1	0.25	8	<0.5	<0.2
1968663	Drill Core	4	31	0.89	35	0.174	9	2.19	0.096	0.12	0.4	0.51	6.1	<0.1	1.49	8	2.9	0.4
1968664	Drill Core	3	27	1.56	25	0.235	14	2.93	0.089	0.12	0.5	0.33	8.5	<0.1	2.01	9	2.1	0.4
1968665	Drill Core	4	40	0.94	34	0.170	7	1.82	0.126	0.13	0.4	1.20	6.4	<0.1	3.88	6	6.1	0.7
1968666	Drill Core	4	35	0.75	22	0.141	12	2.30	0.114	0.12	0.3	0.56	4.9	<0.1	1.95	8	4.3	0.4
1968667	Drill Core	4	36	0.80	17	0.143	12	2.23	0.140	0.09	0.4	0.53	5.2	<0.1	1.79	8	3.1	0.3
1968668	Drill Core	3	51	0.99	21	0.139	11	2.58	0.065	0.09	0.6	0.42	6.2	<0.1	1.99	9	3.2	0.3
1968669	Drill Core	4	53	0.76	39	0.157	18	2.59	0.111	0.15	0.3	0.30	4.7	<0.1	1.03	8	1.9	<0.2
1968670	Drill Core	4	74	0.84	26	0.131	12	2.17	0.097	0.11	0.4	0.37	6.0	<0.1	1.47	8	3.3	<0.2
1968671	Drill Core	5	7	0.71	29	0.141	12	2.37	0.163	0.13	0.4	0.28	4.6	<0.1	0.70	8	0.9	<0.2
1968672	Drill Core	5	4	0.46	26	0.123	14	1.97	0.110	0.10	0.2	0.30	3.2	<0.1	0.55	7	1.0	<0.2
1968673	Drill Core	5	4	0.61	30	0.148	12	1.86	0.118	0.12	0.5	0.59	3.5	<0.1	1.15	7	1.3	<0.2
1968674	Drill Core	6	16	1.15	27	0.187	5	1.51	0.095	0.11	0.7	1.06	6.5	<0.1	2.45	7	3.0	0.6
1968675	Drill Core	6	4	0.76	28	0.143	8	1.61	0.146	0.14	0.5	0.51	3.2	<0.1	0.58	6	1.5	<0.2
1968676	Drill Core	6	8	0.89	18	0.143	6	1.98	0.147	0.11	0.8	0.51	4.9	<0.1	0.81	8	2.9	0.3
1968677	Drill Core	7	3	0.74	24	0.150	8	1.66	0.226	0.15	0.6	0.37	4.0	<0.1	0.29	7	1.2	<0.2
1968678	Drill Core	6	4	1.09	15	0.132	6	1.61	0.135	0.09	0.7	0.31	3.9	<0.1	2.62	7	7.6	0.4
1968679	Drill Core	6	4	0.69	29	0.116	9	1.96	0.122	0.12	0.4	0.21	3.8	<0.1	0.25	8	<0.5	<0.2
1968680	Drill Core	6	4	0.88	35	0.131	7	1.74	0.141	0.14	0.6	0.43	5.3	<0.1	0.69	7	0.8	0.2
1968681	Drill Core	6	4	0.86	32	0.126	7	1.70	0.128	0.13	0.6	0.42	4.9	<0.1	0.66	7	1.2	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 5 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
1968682	Drill Core	4.28	3.5	89.7	2.0	17	0.3	5.8	7.6	338	1.64	21.0	33.4	1.9	55	<0.1	0.9	<0.1	97	2.84	0.123
1968683	Drill Core	5.10	2.0	123.3	2.4	16	0.2	4.2	7.1	421	2.63	19.9	31.0	2.0	43	<0.1	0.9	<0.1	110	2.82	0.120
1968684	Drill Core	4.78	1.3	126.4	2.3	22	0.3	10.4	10.1	475	2.76	17.1	38.9	1.6	54	0.2	1.0	<0.1	118	3.54	0.114
1968685	Drill Core	4.42	7.7	480.8	3.7	18	0.9	26.3	23.2	370	2.66	11.5	207.2	1.6	46	0.1	1.1	0.3	141	2.79	0.076
1968686	Drill Core	3.93	9.3	254.9	4.2	33	0.9	24.1	25.0	536	2.68	20.6	174.4	1.9	33	0.3	1.4	0.4	158	4.28	0.091
1968687	Drill Core	4.29	4.0	165.8	6.6	27	1.6	8.3	15.5	257	2.43	23.6	121.4	2.7	24	0.3	0.7	0.7	35	2.81	0.065
1968688	Drill Core	3.90	5.2	372.0	8.1	17	3.7	7.8	21.4	269	2.58	21.7	174.8	2.7	33	0.2	1.3	1.4	42	3.71	0.068
1968689	Drill Core	4.23	1.1	53.1	2.7	24	0.3	11.7	26.4	521	2.61	15.2	75.5	2.0	60	<0.1	0.8	0.3	96	4.40	0.122
1968690	Drill Core	4.53	0.7	15.0	2.5	26	0.1	6.2	20.6	541	2.04	7.0	218.8	1.5	106	<0.1	0.9	0.2	78	3.02	0.117
1968691	Drill Core	4.55	1.4	69.1	2.7	28	0.2	6.3	19.1	597	2.43	7.5	154.3	1.6	64	<0.1	0.9	0.1	91	2.90	0.126
1968692	Drill Core	4.68	2.3	41.1	3.5	30	0.5	8.5	34.5	495	3.10	10.5	79.2	2.0	101	0.5	1.0	0.4	79	2.91	0.110
1968693	Drill Core	4.53	2.3	308.2	1.8	19	0.3	40.3	34.6	542	4.41	13.1	87.5	1.4	83	<0.1	1.3	0.5	276	2.85	0.139
1968694	Drill Core	3.89	8.0	780.3	8.1	57	1.7	34.2	89.0	619	6.30	80.3	208.0	1.3	62	0.7	2.6	1.2	196	3.81	0.121
1968695	Drill Core	4.63	2.6	125.5	3.6	38	0.4	7.1	20.5	978	4.57	62.4	62.6	1.7	114	<0.1	1.9	0.2	173	3.88	0.153
1968696	Drill Core	4.90	2.5	105.6	4.8	34	0.5	5.8	16.0	718	4.01	54.8	28.1	2.0	83	0.2	1.9	0.1	143	3.51	0.144
1968697	Drill Core	4.44	8.5	88.8	2.7	40	0.1	10.6	20.5	818	6.29	41.2	10.0	2.1	69	0.1	1.3	<0.1	214	2.98	0.153
1968698	Drill Core	4.63	0.5	56.8	2.8	35	0.3	8.4	19.1	976	4.00	36.6	38.3	1.5	97	<0.1	2.2	0.2	148	3.72	0.138
1968699	Drill Core	4.98	1.6	61.3	2.2	31	0.1	3.8	9.2	794	3.19	19.1	23.1	1.4	97	<0.1	1.0	0.1	105	3.59	0.143
1968700	Drill Core	4.56	1.8	125.9	2.4	39	0.2	4.3	11.7	884	3.91	19.4	40.0	1.5	111	<0.1	1.0	0.3	118	3.97	0.185
532301	Drill Core	5.01	2.0	191.3	3.3	45	0.5	6.4	15.6	919	4.99	16.4	213.1	1.1	150	<0.1	2.1	0.9	122	3.41	0.149
532302	Drill Core	4.67	9.5	52.3	3.2	34	0.4	11.5	18.2	1061	4.92	15.0	132.3	1.1	138	<0.1	1.2	0.4	141	4.56	0.117
532303	Drill Core	4.28	1.2	62.0	2.9	18	0.3	5.2	11.2	493	2.85	9.9	26.9	1.6	74	<0.1	0.7	0.3	69	3.09	0.105
532304	Drill Core	4.75	4.2	64.8	1.9	25	0.1	8.3	12.2	696	3.10	8.4	17.5	1.1	147	<0.1	0.6	0.1	95	3.96	0.124
532305	Drill Core	4.82	2.1	168.5	3.4	30	0.5	11.1	11.3	1079	4.05	12.8	88.0	1.2	143	0.1	1.4	0.2	136	4.38	0.129
532306	Drill Core	4.45	1.0	97.3	2.1	22	0.2	7.8	9.6	783	3.48	9.7	38.9	1.3	191	<0.1	0.8	<0.1	118	4.08	0.114
532307	Drill Core	4.56	1.0	83.6	1.8	23	0.2	7.4	7.8	787	3.32	10.7	46.7	1.1	221	<0.1	0.7	<0.1	107	3.57	0.123
532308	Drill Core	5.14	5.2	47.3	2.1	27	0.2	8.2	14.1	896	3.87	12.0	79.7	1.3	128	<0.1	0.8	0.1	119	2.96	0.126
532309	Drill Core	4.54	0.7	121.0	2.0	21	0.1	8.7	18.5	698	4.20	11.8	10.7	1.5	158	<0.1	0.5	0.1	150	3.30	0.130
532310	Drill Core	4.73	3.8	239.3	2.3	24	0.2	7.9	17.4	664	3.25	10.5	17.7	1.2	105	<0.1	0.5	0.2	104	4.68	0.121
532311	Drill Core	4.80	1.7	68.4	1.8	20	0.2	8.2	11.8	576	3.44	10.4	16.6	1.2	127	<0.1	0.6	0.1	110	3.21	0.122

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 5 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method Analyte	Unit	MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
			1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.2		
1968682	Drill Core		6	4	0.88	32	0.127	5	1.62	0.104	0.09	0.8	0.35	4.6	<0.1	0.30	6	<0.5	<0.2
1968683	Drill Core		6	4	0.82	35	0.128	9	1.71	0.109	0.13	0.6	0.27	4.0	<0.1	0.37	7	<0.5	<0.2
1968684	Drill Core		5	13	1.17	24	0.140	8	2.36	0.091	0.11	0.5	0.26	5.6	<0.1	0.37	9	<0.5	<0.2
1968685	Drill Core		6	28	0.75	53	0.174	3	1.21	0.130	0.16	0.5	0.76	5.5	<0.1	1.91	6	2.6	0.7
1968686	Drill Core		7	36	0.61	51	0.138	2	0.65	0.041	0.13	0.9	1.28	6.2	<0.1	2.01	4	2.6	0.5
1968687	Drill Core		8	3	0.19	56	0.055	2	0.40	0.044	0.22	0.3	1.15	2.3	<0.1	2.37	2	1.7	1.2
1968688	Drill Core		6	5	0.22	68	0.046	1	0.44	0.025	0.26	0.2	1.08	2.9	<0.1	2.47	2	1.9	1.9
1968689	Drill Core		10	17	0.72	66	0.093	3	1.03	0.097	0.18	0.4	0.52	5.9	<0.1	1.62	6	1.9	0.2
1968690	Drill Core		6	4	1.03	70	0.140	2	1.14	0.112	0.12	0.6	0.51	5.3	<0.1	1.00	6	1.2	0.3
1968691	Drill Core		5	5	1.04	78	0.145	3	1.25	0.131	0.19	0.6	0.53	5.5	<0.1	1.11	7	1.2	0.2
1968692	Drill Core		6	6	0.78	70	0.098	2	1.10	0.080	0.21	0.5	0.97	5.0	<0.1	2.03	6	1.6	0.4
1968693	Drill Core		9	59	0.97	59	0.147	2	1.01	0.092	0.26	0.5	0.94	7.8	<0.1	3.02	6	2.3	0.6
1968694	Drill Core		7	28	0.96	42	0.158	3	1.27	0.036	0.12	0.9	2.25	7.8	0.1	5.29	7	2.5	1.3
1968695	Drill Core		8	5	1.46	90	0.230	8	2.55	0.068	0.15	1.0	1.18	10.1	<0.1	1.00	10	<0.5	0.2
1968696	Drill Core		8	6	1.18	42	0.179	12	2.29	0.086	0.12	0.8	0.47	7.7	<0.1	0.41	9	<0.5	<0.2
1968697	Drill Core		8	7	1.48	42	0.209	13	2.38	0.100	0.12	0.8	0.23	11.0	<0.1	0.28	11	<0.5	<0.2
1968698	Drill Core		7	11	1.41	38	0.203	8	2.11	0.049	0.08	1.4	0.88	10.7	<0.1	0.69	9	<0.5	0.2
1968699	Drill Core		6	4	1.21	27	0.146	9	2.54	0.045	0.07	0.6	0.43	5.4	<0.1	0.50	10	0.7	<0.2
1968700	Drill Core		6	3	1.29	27	0.146	9	2.79	0.036	0.07	0.6	0.77	5.9	<0.1	1.18	10	0.9	0.2
532301	Drill Core		5	6	1.60	36	0.197	8	2.40	0.048	0.07	1.0	1.75	7.9	<0.1	2.91	10	3.2	0.7
532302	Drill Core		4	8	1.81	41	0.166	7	3.20	0.040	0.09	0.6	0.97	9.9	<0.1	2.04	10	2.0	0.5
532303	Drill Core		4	5	0.87	40	0.103	6	2.14	0.066	0.12	0.4	1.01	4.9	<0.1	1.56	6	1.4	0.5
532304	Drill Core		5	9	1.20	57	0.087	5	2.72	0.101	0.09	0.3	0.38	6.1	<0.1	0.89	6	0.8	<0.2
532305	Drill Core		5	17	1.55	61	0.121	7	3.22	0.125	0.14	0.3	0.60	9.6	<0.1	0.65	8	<0.5	0.3
532306	Drill Core		4	7	1.20	72	0.095	7	3.14	0.117	0.13	0.3	0.39	6.2	<0.1	0.36	7	<0.5	<0.2
532307	Drill Core		4	6	1.30	89	0.105	6	2.78	0.165	0.14	0.4	0.43	6.2	<0.1	0.44	5	<0.5	<0.2
532308	Drill Core		4	6	1.41	57	0.119	7	2.26	0.091	0.12	0.4	0.60	6.1	<0.1	0.50	6	0.5	<0.2
532309	Drill Core		5	6	1.17	84	0.127	14	3.11	0.117	0.15	0.3	0.52	5.5	<0.1	0.39	8	0.8	<0.2
532310	Drill Core		4	6	1.19	33	0.100	13	2.98	0.071	0.09	0.3	0.45	6.6	<0.1	1.01	8	1.5	<0.2
532311	Drill Core		4	9	1.16	52	0.122	12	2.84	0.089	0.11	0.3	0.63	5.3	<0.1	0.65	7	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 6 of 6

Part: 1 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	Analyte	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
532312	Drill Core	4.80	2.0	263.8	3.5	38	0.4	11.7	19.2	941	3.70	14.6	48.1	1.4	72	<0.1	0.7	0.3	117	4.63	0.130	
532313	Drill Core	4.32	3.5	229.5	2.1	19	0.3	6.7	18.0	446	3.04	8.7	32.8	2.5	60	<0.1	0.5	0.2	83	2.94	0.097	
532314	Drill Core	4.25	3.6	230.0	2.3	18	0.3	6.3	14.3	388	2.89	6.9	30.4	2.3	47	<0.1	0.5	0.3	74	2.79	0.097	
532315	Drill Core	4.69	3.0	194.3	1.9	15	0.2	5.6	11.3	386	2.35	6.5	19.8	2.6	54	<0.1	0.5	0.2	81	2.62	0.101	
532316	Drill Core	4.77	2.7	288.4	2.0	19	0.2	7.2	16.1	485	3.28	16.0	39.7	1.6	62	<0.1	0.4	0.1	114	3.61	0.119	
532317	Drill Core	4.42	0.5	201.1	2.3	25	0.3	8.8	20.9	710	3.38	13.3	41.8	1.4	179	<0.1	0.7	0.2	115	3.52	0.129	
532318	Drill Core	4.83	0.4	249.0	2.0	19	0.2	6.0	15.9	519	3.14	19.6	42.1	1.2	90	<0.1	0.5	0.1	104	3.40	0.116	
532319	Drill Core	4.27	1.7	221.3	2.8	21	0.4	7.8	20.1	803	4.49	20.2	95.1	1.4	128	<0.1	0.5	0.2	128	5.64	0.126	
532320	Drill Core	4.74	0.5	187.1	2.2	24	0.3	7.9	18.5	817	3.85	13.2	44.6	1.3	77	<0.1	0.5	0.1	129	4.44	0.117	
532321	Drill Core	4.94	2.7	308.8	2.6	23	0.5	8.1	21.2	842	4.30	60.5	96.4	1.3	96	<0.1	0.7	0.4	135	3.55	0.116	
532322	Drill Core	4.92	3.3	121.0	3.1	23	0.4	5.4	12.1	726	3.84	53.6	63.3	1.6	83	<0.1	0.7	0.4	102	3.52	0.120	
532323	Drill Core	4.07	1.6	103.6	2.0	20	0.2	5.9	12.6	707	3.44	30.3	70.6	1.4	108	<0.1	0.5	0.1	95	4.83	0.108	
532324	Drill Core	5.26	2.6	322.7	2.3	23	0.4	9.3	36.6	755	4.42	23.6	45.7	1.1	119	<0.1	0.7	0.2	123	3.48	0.107	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 6 of 6

Part: 2 of 1

CERTIFICATE OF ANALYSIS

VAN12004444.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
532312	Drill Core	5	15	1.56	27	0.123	5	2.41	0.051	0.09	0.4	2.12	9.0	<0.1	1.34	9	2.8	0.3
532313	Drill Core	5	6	1.04	43	0.105	4	1.86	0.068	0.12	0.2	1.45	6.1	<0.1	1.29	7	2.3	0.3
532314	Drill Core	5	7	0.99	22	0.099	5	1.66	0.050	0.07	0.3	1.31	5.6	<0.1	1.67	6	3.1	0.3
532315	Drill Core	6	6	0.88	34	0.122	8	1.76	0.096	0.13	0.3	1.06	5.1	<0.1	0.93	6	2.6	<0.2
532316	Drill Core	5	7	0.95	33	0.097	14	2.39	0.098	0.15	0.3	0.96	6.3	<0.1	0.72	8	1.5	<0.2
532317	Drill Core	5	6	1.34	86	0.126	8	2.48	0.109	0.15	0.4	1.12	7.5	<0.1	1.20	7	2.3	<0.2
532318	Drill Core	3	5	0.83	45	0.084	14	2.41	0.099	0.15	0.3	0.84	5.7	<0.1	0.64	7	1.3	<0.2
532319	Drill Core	5	6	1.51	30	0.092	11	4.11	0.058	0.09	0.3	0.93	8.1	<0.1	1.12	12	1.8	0.4
532320	Drill Core	5	7	1.32	31	0.100	12	2.93	0.072	0.11	0.3	0.61	8.1	<0.1	0.64	9	1.0	<0.2
532321	Drill Core	6	6	1.20	62	0.126	8	2.29	0.083	0.17	0.5	0.72	7.7	<0.1	1.33	7	1.1	0.8
532322	Drill Core	5	4	0.92	34	0.093	3	2.45	0.055	0.11	0.4	0.62	5.3	<0.1	0.92	7	0.7	0.5
532323	Drill Core	4	8	1.03	32	0.098	4	2.74	0.059	0.10	0.4	0.59	5.9	<0.1	0.51	8	<0.5	0.3
532324	Drill Core	4	12	1.34	46	0.115	4	2.27	0.077	0.10	0.3	0.86	6.7	<0.1	1.25	7	2.1	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Project: October Dome
Report Date: October 09, 2012

Page: 1 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004444.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
1968602	Drill Core	4.60	5.6	573.5	2.5	15	0.4	14.3	26.0	287	3.56	17.3	69.1	0.5	52	<0.1	0.7	0.4	96	2.54	0.066
REP 1968602	QC		5.6	579.7	2.3	16	0.4	13.2	26.5	293	3.59	17.8	68.3	0.6	52	0.1	0.8	0.4	98	2.59	0.068
1968625	Drill Core	4.68	2.2	73.6	4.4	28	0.2	3.4	6.4	488	2.73	13.9	24.8	2.8	47	<0.1	0.8	<0.1	77	2.11	0.072
REP 1968625	QC		2.1	74.4	4.5	26	0.3	3.5	6.6	491	2.69	13.7	19.2	2.9	45	<0.1	0.8	<0.1	76	2.07	0.072
1968638	Drill Core	3.99	1.9	1019	3.4	20	1.0	15.8	22.6	291	3.14	11.2	65.9	2.7	36	0.1	1.3	<0.1	117	1.75	0.103
REP 1968638	QC		1.9	970.8	3.2	18	0.9	14.9	21.4	272	2.99	10.7	57.1	2.6	36	0.1	1.3	<0.1	113	1.69	0.096
1968656	Drill Core	4.66	1.0	877.4	1.9	15	0.9	18.2	27.8	280	3.51	10.0	142.3	1.0	104	<0.1	1.5	0.3	134	2.11	0.091
REP 1968656	QC		0.9	855.3	1.9	14	0.8	17.5	27.2	279	3.41	10.0	136.1	1.0	100	<0.1	1.3	0.2	130	2.06	0.088
1968673	Drill Core	4.55	1.3	138.9	2.6	13	0.2	4.4	9.8	260	2.36	17.0	31.1	1.5	37	<0.1	0.8	0.1	101	2.97	0.121
REP 1968673	QC		1.3	137.4	2.5	14	0.2	4.7	9.5	257	2.38	17.1	32.3	1.5	36	0.1	0.8	0.1	100	2.92	0.118
1968691	Drill Core	4.55	1.4	69.1	2.7	28	0.2	6.3	19.1	597	2.43	7.5	154.3	1.6	64	<0.1	0.9	0.1	91	2.90	0.126
REP 1968691	QC		1.3	65.5	2.6	27	0.2	5.7	18.8	584	2.34	7.0	142.4	1.6	64	<0.1	0.8	0.1	89	2.89	0.118
532307	Drill Core	4.56	1.0	83.6	1.8	23	0.2	7.4	7.8	787	3.32	10.7	46.7	1.1	221	<0.1	0.7	<0.1	107	3.57	0.123
REP 532307	QC		1.1	84.5	1.8	22	0.2	7.9	7.8	792	3.37	10.8	49.8	1.1	219	<0.1	0.9	0.1	109	3.62	0.123
532324	Drill Core	5.26	2.6	322.7	2.3	23	0.4	9.3	36.6	755	4.42	23.6	45.7	1.1	119	<0.1	0.7	0.2	123	3.48	0.107
REP 532324	QC		2.5	318.7	2.2	23	0.4	9.3	36.0	731	4.35	22.9	50.4	1.1	122	<0.1	0.6	0.2	123	3.46	0.108
Core Reject Duplicates																					
1968613	Drill Core	4.14	15.0	166.9	18.3	113	2.8	5.3	6.7	467	2.05	33.7	379.1	1.7	54	1.2	1.6	0.5	32	5.58	0.059
DUP 1968613	QC	<0.01	14.0	190.8	18.5	115	3.0	5.6	6.5	472	2.04	32.7	428.4	1.7	56	1.3	1.6	0.5	32	5.79	0.059
1968647	Drill Core	4.67	2.2	1393	2.6	14	1.0	25.6	21.6	276	3.60	10.1	83.3	1.5	29	<0.1	0.7	0.2	126	2.53	0.092
DUP 1968647	QC	<0.01	2.0	1431	2.5	14	1.0	25.8	21.1	276	3.49	10.3	88.0	1.4	29	<0.1	0.7	0.2	120	2.42	0.092
1968681	Drill Core	5.01	1.6	104.5	3.6	18	0.4	5.2	10.2	370	2.18	17.1	48.7	1.9	46	0.1	0.8	<0.1	95	3.32	0.117
DUP 1968681	QC	<0.01	1.6	108.7	3.5	19	0.6	4.8	10.6	363	2.21	17.3	46.4	1.9	47	0.1	0.9	<0.1	96	3.37	0.115
532315	Drill Core	4.69	3.0	194.3	1.9	15	0.2	5.6	11.3	386	2.35	6.5	19.8	2.6	54	<0.1	0.5	0.2	81	2.62	0.101
DUP 532315	QC	<0.01	3.2	183.6	2.0	15	0.2	5.8	11.6	387	2.44	6.5	20.1	2.6	54	<0.1	0.5	0.2	82	2.70	0.101
Reference Materials																					
STD DS9	Standard		11.5	110.2	128.1	320	2.1	39.1	7.6	588	2.35	27.2	123.3	6.2	75	2.4	5.9	6.7	39	0.73	0.089
STD DS9	Standard		13.0	109.8	108.4	290	1.5	40.4	7.2	562	2.27	23.5	109.3	6.1	71	2.3	4.9	5.6	38	0.72	0.077



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012

Page: 1 of 2

Part: 2 of 1

QUALITY CONTROL REPORT

VAN12004444.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
1968602	Drill Core	4	30	0.84	39	0.138	9	1.63	0.120	0.12	0.5	0.90	6.0	<0.1	2.11	7	5.6	0.5
REP 1968602	QC	5	31	0.85	39	0.150	9	1.72	0.124	0.12	0.5	0.92	6.4	<0.1	2.13	7	5.7	0.4
1968625	Drill Core	9	6	0.56	38	0.093	3	1.31	0.121	0.14	0.2	0.54	2.9	<0.1	0.42	6	<0.5	<0.2
REP 1968625	QC	9	6	0.55	38	0.093	4	1.31	0.119	0.14	0.2	0.50	2.8	<0.1	0.41	6	<0.5	0.2
1968638	Drill Core	7	25	0.90	47	0.190	7	1.54	0.168	0.20	0.4	0.56	4.4	<0.1	1.43	8	3.7	0.4
REP 1968638	QC	6	23	0.86	44	0.184	7	1.48	0.164	0.19	0.5	0.56	4.1	<0.1	1.35	7	3.5	0.3
1968656	Drill Core	4	16	0.98	58	0.167	8	1.80	0.123	0.16	0.4	0.63	3.8	<0.1	1.80	7	4.0	0.6
REP 1968656	QC	4	16	0.97	58	0.166	8	1.78	0.121	0.16	0.4	0.63	3.9	<0.1	1.76	6	3.5	0.8
1968673	Drill Core	5	4	0.61	30	0.148	12	1.86	0.118	0.12	0.5	0.59	3.5	<0.1	1.15	7	1.3	<0.2
REP 1968673	QC	5	4	0.60	29	0.141	10	1.80	0.114	0.12	0.5	0.59	3.5	<0.1	1.13	7	1.3	0.2
1968691	Drill Core	5	5	1.04	78	0.145	3	1.25	0.131	0.19	0.6	0.53	5.5	<0.1	1.11	7	1.2	0.2
REP 1968691	QC	5	5	1.03	77	0.136	2	1.22	0.122	0.18	0.6	0.53	5.4	<0.1	1.12	7	1.4	0.3
532307	Drill Core	4	6	1.30	89	0.105	6	2.78	0.165	0.14	0.4	0.43	6.2	<0.1	0.44	5	<0.5	<0.2
REP 532307	QC	4	6	1.27	90	0.107	6	2.79	0.166	0.14	0.4	0.45	6.3	<0.1	0.45	5	<0.5	0.2
532324	Drill Core	4	12	1.34	46	0.115	4	2.27	0.077	0.10	0.3	0.86	6.7	<0.1	1.25	7	2.1	0.3
REP 532324	QC	4	12	1.34	45	0.113	4	2.28	0.076	0.10	0.3	0.80	6.7	<0.1	1.23	7	1.9	<0.2
Core Reject Duplicates																		
1968613	Drill Core	7	3	0.20	45	0.019	2	0.66	0.102	0.12	0.1	1.41	2.4	0.1	1.61	3	0.8	1.0
DUP 1968613	QC	7	3	0.20	47	0.019	2	0.67	0.107	0.13	0.1	1.36	2.3	0.1	1.63	3	1.0	1.2
1968647	Drill Core	4	38	0.67	21	0.125	6	1.26	0.075	0.09	0.3	0.35	3.7	<0.1	2.33	8	5.7	0.3
DUP 1968647	QC	4	37	0.64	24	0.127	5	1.31	0.086	0.11	0.3	0.37	3.8	<0.1	2.24	7	5.9	0.3
1968681	Drill Core	6	4	0.86	32	0.126	7	1.70	0.128	0.13	0.6	0.42	4.9	<0.1	0.66	7	1.2	0.3
DUP 1968681	QC	6	4	0.86	34	0.130	7	1.68	0.124	0.13	0.6	0.41	5.1	<0.1	0.67	7	0.9	0.3
532315	Drill Core	6	6	0.88	34	0.122	8	1.76	0.096	0.13	0.3	1.06	5.1	<0.1	0.93	6	2.6	<0.2
DUP 532315	QC	6	6	0.90	34	0.119	9	1.73	0.091	0.12	0.3	1.10	5.0	<0.1	0.98	6	2.0	0.3
Reference Materials																		
STD DS9	Standard	13	115	0.63	316	0.113	2	0.97	0.084	0.41	3.1	0.22	2.3	5.3	0.18	5	6.0	5.2
STD DS9	Standard	14	121	0.61	287	0.117	3	0.95	0.085	0.39	2.8	0.18	2.6	4.9	0.08	4	5.8	4.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**

1280 - 625 Howe St.

Vancouver BC V6C 2T6 Canada

Project: October Dome

Report Date: October 09, 2012

Page: 2 of 2

Part: 1 of 1

QUALITY CONTROL REPORT

VAN12004444.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD DS9	Standard		13.3	116.3	128.3	310	1.9	42.0	8.0	620	2.42	27.3	128.9	6.2	66	2.3	4.8	6.3	41	0.76	0.086	
STD DS9	Standard		13.1	115.0	129.4	329	2.0	42.7	8.0	607	2.48	27.7	118.7	6.5	77	2.5	5.1	6.7	41	0.73	0.085	
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819	
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	0.9	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
Prep Wash																						
G1	Prep Blank	<0.01	<0.1	14.4	2.7	46	<0.1	3.3	4.0	581	1.98	0.6	0.9	5.3	58	<0.1	<0.1	<0.1	37	0.49	0.075	
G1	Prep Blank	<0.01	<0.1	8.1	2.5	50	<0.1	3.1	4.0	580	2.07	<0.5	<0.5	5.2	62	<0.1	<0.1	0.1	38	0.48	0.079	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: October Dome
 Report Date: October 09, 2012


Page: 2 of 2

Part: 2 of 1

QUALITY CONTROL REPORT


VAN12004444.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS9	Standard	13	124	0.64	308	0.112	3	1.03	0.088	0.41	3.2	0.22	2.7	5.7	0.17	5	5.8	5.4
STD DS9	Standard	14	124	0.66	308	0.118	3	0.98	0.085	0.41	3.1	0.23	2.6	5.8	0.17	5	5.7	5.5
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	12	10	0.54	189	0.122	<1	0.95	0.097	0.50	<0.1	<0.01	2.5	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	12	6	0.57	201	0.125	<1	1.00	0.093	0.53	<0.1	<0.01	2.3	0.4	<0.05	5	<0.5	<0.2








Legend	
Drill Collars	Mineral Tenures
Rivers	Roads
Lakes	

Date: 10/22/2012	October Dome Property 2012 Drill Program Figure 3. Drill Plan Map
Author: G. Buckler	
Office: Vancouver	
Drawing:	
Scale: 1:5000	Projection: UTM Zone 10 (NAD 83) Map Sheet 93A.12



Legend

-  CASING
-  DIORITE / MONZONITE
-  DYKE
-  FAULT
-  SEDIMENTS / HORNFELS

HoleID

Downhole Depth (m)
Copper (ppm)


Gold (ppb)


EOH

mm given at scale of 1:500



Date: 10/12/2012	Figure 4A October Dome 2012 Drill Section DDH OD-1
Author: G. Buckler	
Office: Vancouver	
Drawing:	
Scale: 1:500	
Projection: Non-Earth (meters)	





Legend

- CASING
- DIORITE / MONZONITE
- DYKE
- FAULT
- SEDIMENTS / HORNFELS

HoleID

Downhole
Depth (m)

Copper (ppm)


Gold (ppb)

EOH

mm given at scale of 1:500




Date: 10/12/2012	Figure 4B October Dome 2012 Drill Section DDH OD-2
Author: G. Buckler	
Office: Vancouver	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)








589,800mE 5,833,350mN 589,825mE 5,833,375mN 589,850mE 5,833,400mN 589,875mE 5,833,425mN 589,900mE 5,833,450mN 589,925mE

850mRL
825mRL
800mRL
775mRL
750mRL
725mRL
700mRL
675mRL
650mRL
625mRL

850mRL
825mRL
800mRL
775mRL
750mRL
725mRL
700mRL
675mRL
650mRL
625mRL



Legend

-  CASING
-  DIORITE / MONZONITE
-  DYKE
-  FAULT
-  SEDIMENTS / HORNFELS

HoleID

Downhole
Depth (m)
Copper (ppm)

Gold (ppb)


EOH

mm given at scale of 1:500




Date: 10/12/2012
 Author: G. Buckler
 Office: Vancouver
 Drawing:
 Scale: 1:500 Projection: Non-Earth (meters)






Figure 4C
 October Dome 2012
 Drill Section DDH OD-3



589,800mE 5,833,350mN 589,825mE 5,833,375mN 589,850mE 5,833,400mN 589,875mE 5,833,425mN 589,900mE 5,833,450mN



Legend

-  CASING
-  DIORITE / MONZONITE
-  DYKE
-  FAULT
-  SEDIMENTS / HORNFELS

HoleID

Downhole
Depth (m)

Copper (ppm)

Gold (ppb)

EOH

mm given at scale of 1:500



Date: 10/12/2012	Figure 4D October Dome 2012 Drill Section DDH OD-4
Author: G. Buckler	
Office: Vancouver	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)

