

TABLE OF CONTENTS

1. Expiry date change
2. Reset form
3. Location
4. Costs
5. Signature
6. Assessment report
7. Type of work
8. Summary
9. Summary
10. Figure 1 location map
11. Tenure map
12. Climate
13. History
14. History
15. Geological setting
16. Property Geology, Mineralization
17. Deposit types
18. Deposit types
19. Assays
20. Regional Geology
21. Stratigraphic nomenclature
22. Sample locations
23. Sample locations
24. A25 sample locations
25. To 32. Assays

EVENT #
5466579

BC Geological Survey
Assessment Report
34209

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

34,209



SECTION 15 - MINERAL TENURE ACT REGULATION

[Reset Form](#)Mineral Titles and Policy Branch
Ministry of Energy and Mines

1. EVENT NUMBER(S)	2. TENURE NUMBER(S) ON WHICH WORK WAS DONE	3. TYPE OF CLAIM
5466579	835295, 524844(46,48), 545401, 854395, 853558	<input checked="" type="checkbox"/> Mineral <input type="checkbox"/> Placer

4. RECORDED HOLDER

LAST NAME <i>A25 Gold Producers Corp.</i>	FIRST NAME	EMAIL <i>avi.amar@A25gold.com</i>	
ADDRESS <i>Unit 3104, 260 Queens Quay W.</i>	CITY <i>Toronto</i>	PROVINCE / STATE <i>Ontario</i>	COUNTRY <i>CANADA</i>
	POSTAL / ZIP CODE <i>M5J 2N3</i>	TELEPHONE <i>416-971-6422</i>	CELL PHONE

5. OPERATOR (Leave blank if same as RECORDED HOLDER)

LAST NAME <i>Same as above</i>	FIRST NAME	EMAIL	
ADDRESS	CITY	PROVINCE / STATE	COUNTRY
	POSTAL / ZIP CODE	TELEPHONE	CELL PHONE

6. REPORT AUTHOR (Leave blank if same as RECORDED HOLDER)

LAST NAME <i>LINN</i>	FIRST NAME <i>MICHAEL</i>	EMAIL <i>mikejlinn@hotmail.com</i>	
ADDRESS <i>417- 8th Street P.O. BOX 1352</i>	CITY <i>KASLO</i>	PROVINCE / STATE <i>BC.</i>	COUNTRY <i>CANADA</i>
	POSTAL / ZIP CODE <i>V0G 1M0</i>	TELEPHONE <i>250-353-2261</i>	CELL PHONE <i>-</i>

7. QUALIFICATIONS / EXPERIENCE OF WORKERS

*Michael J. Linn B.Sc. Major Geology U.B.C. 1970
Mike Swantz - Prospector*

8. NEW WORK DETAILS

(as required under Section 15 of the Mineral Tenure Act Regulation; see Information Updates 8 and 25 for further details)

Actual dates work was done: <i>July 8-12 Aug. 9 -14</i>	Work details: HAND WORK <input checked="" type="checkbox"/> MECHANICAL <input type="checkbox"/>	APPROVED MINES ACT PERMIT <input checked="" type="checkbox"/> PERMIT NUMBER: <i>MXB-273</i>
--	---	--

9. OTHER SURFACE OR SUB-SURFACE INTERESTS

Are work site(s) on ground encumbered by private surface tenure? YES NOIf yes, was the private land holder notified, pursuant to Section 19 of the Mineral Tenure Act? YES NODoes the claim that the work was performed on overlap a crown granted mineral claim? YES NO

If yes, what rights does the crown grant hold?

Are photos of the work site(s) attached? YES NO

Are the work site(s) marked in the field? YES NO

How are work site(s) marked?

Orange Spray Paint, Blue flagging

	TOTAL LENGTH (Meters)	LINE INTERVAL (Meters)	STATION INTERVAL (Meters)
LINE CUTTING / GRID*			
GROUND CONTROL SURVEY**			
PRECISION SURVEY - GPS*			
BCLS SURVEY**			

***Surveys, line cutting, and grids must be supported by a technical activity in Section 1 of the Mineral Tenure Act Regulation, paragraphs (b) to (h) of the definition of technical exploration and development.**

Required: *Attach map at 1:5000 or more that shows ground control or grid lines.

11. GEOGRAPHIC LOCATION OF WORK SITE(S)

What is the geographic location of the work site(s)? What are the directions to the claim and/or the work site(s) from the nearest town? Please include all roads, paths, and trails to take to get to the work site(s).*

15 kilometers NW of Zeballos on Vancouver Island
7 kilometers on Atlish logging road.

Required: *Attach map at a scale of 1:10,000 or more detailed that accurately identifies the geographic location of the work site(s) relative to the claim boundaries.

GPS co-ordinates of work site(s):

SITE NUMBER	UTM ZONE	UTM X (Easting)	UTM Y (Northing)	LONGITUDE (deg°, min', sec")	LATITUDE (deg°, min', sec")
1	9	650900	5553700		
2					
3					
4					
5					


Note: It is not a requirement that both UTM and Longitude/Latitude coordinates are entered. Please use the supplementary section if more room is needed.

12. COST STATEMENT (See Information Update No. 8 at www.MineralTitles.gov.bc.ca for details on how to complete this section)

A	B			C			D			E			F	
WORK ACTIVITY	* TRAVEL / TRANSPORTATION (people and equipment to and from worksite)			LABOUR cost per person (supervisor labourers, etc)			EXPLORATION EQUIPMENT (all found rate including operator)			FOOD/ LODGING (only include costs while working on claim)			OTHER (must be an applicable cost)	
	Type	km	Rate /km	Type	Hours	Rate /hr	Equipment	Hours	Rate /hr	Person	# Days	Rate /day	Description (include Rates)	Cost
Map, Samples	4x4	3500	110/da	Geologist	15da	300/da				M. Linn	15	100	Assays	2160
				Prospector	15da	250/da				M. Swartz	15	100	Reports	600
TOTALS		1650			8250						3000		2760	

*** Travel / Transportation (cont'd)**Was a helicopter required to access the property? YES NOIf your travel/transportation total was standard (ground) access, the allowable limit is capped at 20% of columns B,C,D,FIf your travel/transportation total required helicopter access, the allowable limit is capped at 50% of columns B,C,D,F**TOTAL VALUE CLAIMED****Total costs from columns C, D, E, F:** \$ 14,010**Total allowable transportation costs:** \$ 2800**Total value claimed as assessment:** \$ 16,500

By dating, and signing or typing my name, I hereby certify that the information contained in this report is a complete, true and accurate description of the work performed on the before-mentioned tenure(s), and understand that any false statement or report may be grounds for cancellation of my claim under Section 40 (1)(b) of the Mineral Tenure Act.



Signature of Recorded Holder/ Agent

2013 - 09 - 12

Date (YYYY-MM-DD)

IMPORTANT:

The completed report MUST include required maps and attachments, such as photos.

This report must be submitted within 30 days of the date the exploration and development work was registered in the Mineral Titles Online system.

This report may be submitted by e-mail to our Mineral Titles e-mail address Mineral.Titles@gov.bc.ca or uploaded as a PDF file in Mineral Titles Online or you can mail the report directly to:

Mineral Titles
Ministry of Energy and Mines
300 - 865 Hornby Street
Vancouver, BC V6Z 2G3

SUPPLEMENTARY SECTION (Use this section if more space is required)

EVENT NUMBER(S):



Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Technical TOTAL COST: 16,500

AUTHOR(S): Michael J. Linn SIGNATURE(S): m.j.linn

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MXB-273 YEAR OF WORK: 2013

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S):
Event 5466579

PROPERTY NAME: A25

CLAIM NAME(S) (on which the work was done):
83 524846 A25

COMMODITIES SOUGHT: Gold, Copper, Iron

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Alberni NTS/BCGS:

LATITUDE: 50° 07' 48" LONGITUDE: 126° 53' 26.5" (at centre of work)

OWNER(S):
1) A25 Gold Producers 2)

MAILING ADDRESS:
Unit 3104-260 Queens Quay W.
TORONTO, ONTARIO, M5J 2N3

OPERATOR(S) [who paid for the work]:
1) Same as above 2)

MAILING ADDRESS:

PROPERTY GEOLOGY KEYWORDS (Ithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Gold Skarn, Bonanza Group, Quatsino Formation, Parson Bay Formation
limestone, argillite, volcanics

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
8612, 12327, 13665

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	1:2000	524846	8,250
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock	36	524846	-
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying	36	524846	8,250
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT; ASSESSMENT REPORT ON THE A25 PROPERTY

TOTAL COST; \$16,500

AUTHOR MICHAEL LINN, GEOLOGIST

Year of work 2013

Property Name A25

Claim name on which work was done; 524846

COMMODITIES SOUGHT; GOLD, COPPER, IRON

MINERAL INVENTORY MINFILE NUMBERS; 092L301.092L302

MINING DIVISION ALBERNI

LATITUDE 50 07 4.8 LONGITUDE 126 53 26.5

UTM ZONE 9 ⁶⁵⁰ EASTING 065791 NORTHING 5553880

OWNER A25 GOLD PRODUCERS CORP

3104-260 QUEENS QUAY W.

TORONTO, ONTARIO, M5J 2N3

OPERATOR, WHO PAID FOR THE WORK, SAME AS ABOVE

REFERENCES TO PREVIOUS ASSESSMENT WORK, 8612,12327,13665

SUMMARY OF MAPPING AND SAMPLING ON CLAIM 524846

On claim 524846 there was considerable work completed in the 1980's, including surface drilling and underground exploration. The work done in July and August 2013 consisted of surface mapping, prospecting, and taking rock samples. There were new slide areas in the small creeks, which exposed bedrock across the structure. Many of the sulphide zones returned low gold values. One new zone called the Amar zone was 4 meters wide with pyrite and arsenopyrite. One sample from this zone, which was east of the underground mine, had a value of 2.3 grams per ton gold.

The surface trace of the gold zone explored by drilling and underground work was hard to identify. The reason for this was thick bush and over burden. Many large boulders of more than one ton were found in the creeks below the A25 portal that were magnetic. Some samples from these rocks were over 40% iron.

The old drill pads could not be located, as there were no old roads to them, probably a small pack drill was used. Of interest was a float rock above and to the north of the portal, below the projected surface trace of the gold zone explored in the 1980's, that had 3.2 grams per ton gold.

The mine dump was composed of nearly entirely of argillite waste rock.

Below the portal, the limy argillites were fractured, with surfaces coated in pyrite. Small 1-3 cm. calcite stringers had a right lateral displacement crossing other fractures.




Figure 1: Location Map: A25 property.




Figure 2: Tenure map: A25 property

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The A25 property is located approximately 15 kilometres northwest of the village of Zeballos. The property is accessed via Highway 19 from Port McNeil, a distance of approximately 47 kilometres and then south via a paved road to the Artlish Main Line logging road, a distance of approximately 33 kilometres. This junction is also located 16.3 kilometres north of the village of Zeballos. From the junction, you proceed westward to the AR-25 logging road for an additional 7.4 kilometres. The A25 portal is located 200 metres past the AR-25C spur road junction. Bridges have been removed from many of the spur roads that cross creeks. Some of these will have to be replaced to facilitate ongoing exploration.

The topography on the A25 property is rugged, and the relief ranges from 120 metres ASL in the southern region of the property to 1000 ASL metres in the northern portion of the claim block. The vegetation is thick and dense and consists of cedar, hemlock and spruce, with alder, willow and salal underbrush. The area has been previously logged, so there are numerous cut blocks in various stages of regrowth.

In this part of the province the climate is typical of coastal British Columbia. Summers are generally warm and dry, though fog can present issues with air transportation. Winters are mild and very wet. The snow line is generally in the area of 400-700 metres during the period December through February so work in those months must be confined to the lower slopes.

Logistics for working in this part of the province are excellent. Gravel road access will allow the easy movement of equipment and supplies to the property. Heavy equipment is available in Port McNeil or Campbell River. It may also be possible to bring equipment in by water to Zeballos and then by road to the property. Depending upon the type of exploration, the field season can run year round. The village of Zeballos has an ambulance, medical station, gas station, grocery store, restaurants and accommodations. At the present time there is no infrastructure on the property.

HISTORY

In the Zeballos district, the discovery of the Tagore property in 1924 was followed by a period of inactivity until 1934, when the first rich gold-quartz veins were found and in a short time turned the Zeballos camp into an important producer. Lode mining commenced in earnest in the winter of 1934-35. In 1936, the main high-grade vein of the Privateer mine was discovered, and shipments of high-grade ore were made in 1937. In 1938, a total of thirty properties, in various stages of development, were being worked. Activity continued at a high level until 1943, when all properties closed because of a shortage of labour. The Privateer reopened in 1945 but suspended operations in 1948.

Prospecting in 1979 by Esperanza Explorations Limited, led to the discovery on their Whitedome Mineral Claims of a pyritic bed hosted in siltstone. The pyritic beds contain pyrrhotite, magnetite and some associated massive arsenopyrite (Guild, 1980). In 1984, Prospector David W. Murphy conducted a geochemical survey on the Esperanza Showing to verify the previous data and locate new zones (Murray, 1984). A program of soil, silt, and rock sampling was carried out on two separate grids. A total of 330 samples were analyzed for 30 element data to test distribution and dispersal of Au.

The A25 Prospect is located at the northwestern end of the expired Hiller-Churchill group of claims previously owned by Falconbridge Limited in the 1980's. Falconbridge explored the claims for iron skarns and gold quartz veins. A belt containing 9 magnetite occurrences was found. These magnetite occurrences extend from the A25 Prospect southeast for about 8 kilometers to the Zeballos River. The A25 prospect coincides with the Hiller #12 anomaly (Simmons, 2006)

In 1984 Falconbridge conducted further work on the A25 Prospect to test for gold potential. In 1984 the mineral exploration work on the A25 Prospect consisted of (Wilson, 1984);

- 5.7 line-km of grid cut and chained,
- geological mapping,
- 4.5 Km of ground magnetometer lines,
- 6 meters of trenching blasted and mucked out.
- and 1,531.58 meters of BQ diamond drilling in 22 holes

In 1985 Falconbridge Limited conducted further exploration on the A25 Prospect. This mineral exploration work included (Kermeen, J.S., 1987):

- 10 fill-in diamond drill holes totaling 957 metres
- Relogging of core and laboratory mineralogical studies by Professor L.D. Meinert of Washington State University
- Mineralogical studies by Lakefield Research with particular interest in

- expected recovery
- Soil sampling of the "B" horizon on the A25 grid (300 m x 300m)

In 1985 Falconbridge Limited commissioned Aerodat Limited to perform helicopter magnetic and electromagnetic surveys on the expired ZEB 1-12 and Hiller-Churchill mineral claims.

In 1986, prospectors Ron Bilquist and Les Allen, conducted a Prospecting Survey of the Whitedome Mineral Claim (Bilquist, 1986). Although the prospecting survey was severely hampered by the discovery of the old misplotted 2-post claims (Hiller Claims) within the Whitedome #1 boundary, enough time was spent on the claims to determine the worth of the remaining ground.

In 1987 Falconbridge Limited optioned the Hiller-Churchill Group of claims to Footwall Explorations Limited of Grand Forks British Columbia. Footwall Explorations could earn up to a 51% interest in the claims through exploration expenditures.

In 1988, Footwall Explorations Limited completed an underground program that consisted of 106 metres of drifting, 31 metres of raising and 9.45 metres of sub-drifting. Sludge samples (drill cuttings) from the west side of the raise approximately 41 to 49 feet below the surface returned the following impressive values:

From 0 ft to 4 ft. = 22.58 oz of gold per ton
From 4 ft. to 8 ft. = 10.38 oz of gold per ton
(for an average of 16.48 of gold per ton)

The most recent exploration work completed on the A25 property was a prospecting program done in 2009 by Worldwide Graphite Producers Ltd. During this program a mineralized showing located in a creek adjacent to the old adit and the dump were sampled. Several grab samples returned values in the range 1.00 - 5.54 gpt (Klaussen, 2009).

GEOLOGICAL SETTING

(Muller, 1974; MINFILE 02E and 092L)

Regional Geology:

The geology of northeast Vancouver Island has been described by Muller et al (1974). More recent mapping in the Nimpkish area of Vancouver Island and proximal to the A25 property was completed (Nixon, et al, 2006). The area is located within the Insular Belt of the Canadian Cordillera. The map area is chiefly underlain by the middle to upper Triassic Vancouver Group, overlain by the lower Jurassic Bonanza Group. The Vancouver Group is intruded by large and small bodies of middle Jurassic Island Intrusions. The region may be divided into several large structural blocks, separated mainly by important near-vertical faults and themselves fractured into many small fault segments (Figure 3).

The Vancouver Group is comprised of the lower Karmutsen Formation, middle Quatsino Formation and upper Parson Bay Formation. The Karmutsen Formation, the thickest and most widespread of the Vancouver Group formations, consists of basaltic pillow lavas, pillow breccias and lava flows with minor interbedded limestones, primarily in the upper part of the formation. Karmutsen rocks outcrop throughout northeastern Vancouver Island (Figure 4).

The Quatsino Formation overlies the basalts. The lower part of the Quatsino Formation consists of thick bedded to massive, brown-grey to light grey, grey to white weathering, fine to microcrystalline, commonly stylolithic limestone. The upper part is thin to thick bedded, darker brown and grey limestone, with fairly common layers of shell debris. The formation is in gradational contact with the overlying Parson Bay Formation by an increase in layers of calcareous pelites. Quatsino limestone outcrops as three narrow belts in the northern part of Vancouver Island.

The Parson Bay Formation consists of a series of interbedded silty limestones and calcareous shales and sandstones, and occasional beds of pure limestone. Parson Bay rocks outcrop sporadically overlying the Quatsino limestone.

The Bonanza Group overlies the Vancouver Group. Bonanza Group rocks are primarily a Jurassic assemblage of interbedded lava, breccia and tuff with compositions ranging from basalt through andesite and dacite to rhyolite, deposited in a volcanic island arc environment. The Bonanza Group outcrops throughout the map area.

Granitoid batholiths and stocks of the Island Intrusions underlie the central core of Vancouver Island from one end to the other. These intrusions range in composition from quartz diorite and tonalite to granodiorite and granite. Island Intrusions outcrop throughout the map area.

There are local Eocene quartz diorite intrusions of the Mount Washington Intrusive Suite that are more prominent on the western side of Vancouver Island.

The network of faults displayed at the north end of Vancouver Island appear to be the super position of two or more fracture patterns, each with characteristic directions but of different age and origin.

Property Geology

Underlying the A25 property are strata of the Quatsino Formation, Parson Bay Formation and the Bonanza Group. The Quatsino Formation consists of a sequence of limestone, marble and calcareous sedimentary rocks. Comprising the Parson Bay Formation are limestone, slate, siltstone and argillite. The Bonanza Group is comprised of a sequence of calc-alkaline volcanic rocks that include amygdaloidal and pillowed basalt and andesite flows, dacite to rhyolite, massive or laminated lava, tuff, feldspar crystal tuff and breccia (Figure 6).

The immediate area of the A25 and Esperanza mineral occurrences is underlain primarily by an alternating sequence of andesitic pyroclastics and limey argillites (Figure 5) of the Bonanza Group. These strata trend 158° with moderate southwesterly dips (Kermeen, 1987). These stratified rocks are intruded by dikes and sills of dacitic to rhyolitic composition. Much of these strata have been altered by skarn.

Mineralization

This gold-magnetite occurrence lies within a belt dotted with 9 magnetite occurrences that extend from the Zeballos River northward for about 8 kilometres in a northwest direction. Mineralization occurs at or near the conformable contact between the Upper Triassic Vancouver Group, comprising Quatsino Formation crystalline limestone and overlying Parson Bay Formation highly altered and folded volcanic and sedimentary rocks and the Lower Jurassic Bonanza Group. These rocks lie on the northeast flank of the northwest elongated Zeballos phase of the Jurassic Island Plutonic Suite.

At the A25 occurrence, a sequence of alternating andesitic pyroclastics and limy argillites of the lower Bonanza Group (Figure 7) trends 158 degrees and dips 45 degrees southwest. Extensive dacitic to rhyolitic dykes are present. Diorite is present nearby. Intruded rocks are extensively skarn-altered. A body of magnetite mineralization (the Hiller #12 showing of occurrence 092L 301) measures 250 by 100 metres on surface. It is estimated to be approximately 110 metres thick and conformable with the surrounding strata (Wilson, 1984)

Magnetite mineralization is accompanied by pyrrhotite, native gold, chalcopyrite and tellurobismuthite. The Esperanza occurrence lies within a broad east striking sequence of interbedded sediments and volcanics of the Lower Jurassic Bonanza Group and Upper Triassic Parson Bay and Quatsino formations of the Vancouver Group. This assemblage lies

on the northern flank of the extensive granodiorite Zeballos Intrusion, belonging to the Jurassic Island Plutonic Suite.

The Esperanza occurrence lies within a broad east striking sequence of interbedded sediments and volcanics of the Lower Jurassic Bonanza Group and Upper Triassic Parson Bay and Quatsino formations of the Vancouver Group. This assemblage lies on the northern flank of the extensive granodiorite Zeballos Intrusion, belonging to the Jurassic Island Plutonic Suite.

The occurrence consists of pyritic beds hosted by siltstone that is intercalated beds that locally swell into action-litic zones. The host rock is believed to represent the Parsons Bay - Quatsino transition zone.

The pyritic zone contains pyrrhotite, magnetite and some associated massive arsenopyrite. Chip samples over a width of 30 metres and a strike length of 170 metres returned significant gold values, the highest of which was 20.73 grams per tonne over one metre (Guild, 1980). The Number 1 Trench gave a weighted average of 5.9 grams per tonne gold over 1.0 metre.

DEPOSIT TYPES

The main deposit type targeted for the A25 property are gold skarns associated with the Quatsino limestones. They include: auriferous quartz veins typical of the Zeballos Gold Camp and gold skarns associated with the Quatsino limestones.

The following description of auriferous quartz veins is summarized from the Mineral Deposits Profile for Au-Quartz Veins by Ash and Alldrick (1996). Gold-bearing quartz veins and veinlets with minor sulphides crosscut a wide variety of host rocks and are generally localized along major regional faults and related splays. The wall rock is typically altered to silica, pyrite and muscovite within a broader carbonate alteration halo. Veins form within fault and joint systems produced by regional compression or transpression (terrane collision), including major listric reverse faults, second and third-order splays. Veins usually have sharp contacts with wallrocks and exhibit a variety of textures, including massive, ribboned or banded and stockworks with anastamosing gashes and dilations. Textures may be modified or destroyed by subsequent deformation. Tabular fissure veins are present in more competent host lithologies, while veinlets and stringers forming stockworks are present in less competent lithologies. They typically occur as a system of en echelon veins on all scales. Lower grade bulk-tonnage styles of mineralization may develop in areas marginal to veins with gold associated with disseminated sulphides.

These deposits may also be related to broad areas of fracturing with gold and sulphides associated with quartz veinlet networks.

The ore mineralogy is native gold, pyrite, arsenopyrite, galena, sphalerite, chalcopyrite, pyrrhotite, tellurides, scheelite, bismuth, cosalite, tetrahedrite, stibnite, molybdenite, gersdorffite (NiAsS), bismuthinite (Bi_2S_2), tetradyomite ($\text{Bi}_2\text{Te}_2\text{S}$). The gangue mineralogy is quartz, carbonates (ferroan-dolomite, ankerite ferroan-magnesite, calcite, siderite), albite, mariposite (fuchsite), sericite, muscovite, chlorite, tourmaline, graphite. Alteration assemblages consist of silicification, pyritization and potassium metasomatism and generally occur adjacent to veins (usually within a metre) within broader zones of carbonate alteration, with or without ferroan dolomite veinlets, extending up to tens of metres from the veins.

The following description of gold skarns is summarized from the Mineral Deposits Profile for Au Skarns by Ray (1998). Gold-dominant skarn mineralization is genetically associated with a skarn gangue consisting of Ca - Fe - Mg silicates, such as clinopyroxene, garnet and epidote. Gold is often intimately associated with Bi or Au-tellurides, and commonly occurs as minute blebs (<40 microns) that lie within or on sulphide grains. The vast majority of Au skarns are hosted by calcareous rocks. Most Au skarns form in orogenic belts at convergent plate margins. They tend to be associated with syn to late island arc intrusions emplaced into calcareous sequences in arc or back-arc environments. These deposits are generally related to plutonism associated with the development of oceanic island arcs or back arcs.

Gold skarns are hosted by sedimentary carbonates, calcareous clastics, volcaniclastics or (rarely) volcanic flows. They are commonly related to high to intermediate level stocks, sills and dikes of gabbro, diorite, quartz diorite or granodiorite composition. Gold skarns vary from irregular lenses and veins to tabular or stratiform orebodies with lengths ranging up to many hundreds of metres. Rarely, they can occur as vertical pipe-like bodies along permeable structures.

The ore mineralogy consists of gold, commonly present as micron-sized inclusions in sulphides, or at sulphide grain boundaries. To the naked eye, ore is generally indistinguishable from waste rock. Due to the poor correlation between Au and Cu in some Au skarns, the economic potential of a prospect can be overlooked if Cu-sulphide-rich outcrops are preferentially sampled and other sulphide-bearing or sulphide-lean assemblages are ignored. The mineralization in pyroxene-rich and garnet-rich skarns tends to have low Cu:Au (<2000:1), Zn:Au (<100:1) and Ag/Au (<1:1) ratios. The gold is commonly associated with Bi minerals (particularly Bi tellurides). The presence of other minerals varies due to original host lithology and can include: \pm pyrrhotite \pm chalcopyrite \pm pyrite \pm magnetite \pm galena \pm tetrahedrite \pm arsenopyrite \pm tellurides (e.g. hedleyite, tetradyomite, altaite and hessite) \pm bismuthinite \pm cobaltite \pm native bismuth \pm sphalerite \pm maldonite. They generally have a high sulphide content and high pyrrhotite:pyrite ratios.

Table 3: A25 Zone Diamond Drill Core Assays Greater Than 10 gm/tonne (from Kermene 1987)

Hole No.	From (m)	To (m)	Width (m)	Grams/Tonne
H84-1	18.7	19.7	1.0	15.5
H84-7	53.6	54.7	1.1	39.2
H84-17	58.0	59.0	1.0	18.2
	58.0	60	2.0	12.5
H84-20	23.0	24.0	1.0	17.6
H85-24	15.0	16.0	1.0	210.0
	16.0	17.0	1.0	409.5
H85-29	34.4	35.4	1.0	24.65
H85-30	13.0	14.0	1.0	87.0




Figure 3: Regional geology: A25 property




Figure 4: Stratigraphic nomenclature for northern Vancouver Island (from Muller, 1974, 1981).

SAMPLE LOCATIONS

From: Mike Linn (mikejjlinn@hotmail.com)

Sent: July-19-13 10:54:06 AM

To: David Amar (damar@worldwidegraphite.com)

Cc: Mike Linn (mikejjlinn@hotmail.com)

SAMPLE NUMBER	UTM LOCATION	DESCRIPTION	WIDTH
032951	650978-5553289	Magnetic rock in gulch	float
032952	650978-5553289	Magnetic rock in gulch	float 5m. from
032951			
032953	651021-5553436	Magnetic rock in gulch	float
032954	650794-5553678	Magnetic dump sample, portal	dump
032955	650794-5553678	"	mine dump
032966	"	"	"
032957	"	"	"
032958	651002-5553642	Magnetic creek boulder	float
032959	650901-5553671	Amar vein, sulphide-calcite	2m west side of
4m zone			
032960	"	"	2m east side of
zone			
032961	"	"	1m north bank of
creek			
032962	650710-5553803	Mafic dike west of A-25 vein	4m
032963	"	Magnetic rock in creek	float
032964	650615-5553815	Volcanic brown stained bluff	4m
032965	650721-5553612	A-25 vein irregular, sulphides	2m from vein
2-4m wide			
032966	"	"	"
032967	"	"	2m from north
side of creek			
032968	"	Block of A-25 vein 5m. downstream	1m sulphides
032969	"	10cm sulphides A-25 vein	10cm.
032970	650901-5553680	Amar vein, SE side of vein	0.5m
032971	650960-5553578	Amar vein is new slide gulch	1.0m
032972	"	" solid sulphide portion of vein	1.0m

[New](#) [Reply](#)
[Search email](#)
[Delete](#) [Archive](#) [Move to](#) [Categories](#)

Mike

Folders**Inbox** 9**Junk** 9**Drafts** 77**Sent****Deleted** 4**New folder****Quick views****Documents** 1**Flagged****Photos** 5**New category****SAMPLE LOCATIONS**

Mike Linn 21/08/2013 **Actions**
 To: David Amar, Avi Amar A25 Gold Prod
 Cc: Mike Linn

F
CT
S

SAMPLE	LOCATION	DESCRIPTION
032978	650,765 5553755	large orange-brown rock at possible drill site
032979	650,755 5553774	2.0m from sulphide bluff, a-25 outcrop
032980	" " "	2.0m "
032981	650,741 5553779	2.0m from the top of the same bluff
032982	650,848 5553740	dump sample from A-25 portal
032983	" " "	2.0m from outcrop south side of portal
032984	" " "	dump sample from A-25 portal
032985	656,125 5544070	dump from Privateer mine
032986	" " "	"
032987	656,942 5543148	volcanic rocks from slide area
032988	" " "	"
032989	651,036 5553711	non-magnetic float in creek
032990	" " "	pyrite rich float
032991	" " "	"
032992	" " "	limy argillite with pyrite on fractures
032993	651,028 5553641	1.0m sulphide zone in argillites
032994	" " "	sulphides in large float rocks in creek.
032995	651,328 5553731	sulphides in float

Content

Learn it off

© 2013 Microsoft Terms © 2013 Microsoft Developers English (United States)


< Go back | Go forward >

<https://col126.mail.live.com/default.aspx?id=64855>

05/09/2013

23

A-25



ACME ANALYTICAL LABORATORIES LTD.

Final Report

Client: A25 Gold Producers Corp.

File Create 30-Jul-13

Job Number VAN13002630

Number of 22

Project: None Given

Shipment ID:

P.O. Number:

Received: 17-Jul-13

	Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	
	Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM	
	MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1
Sample	Type									
32951	Rock		1.17 <0.1		289.5	0.8	6 <0.1		47	24.4
32952	Rock		0.99	0.1	686.2	1.4	8	0.1	338.3	157.2
32953	Rock		0.67	0.8	11.2	0.3	19 <0.1		4.8	11
32954	Rock		0.84	2.9	46.8	0.1	4 <0.1		2	14.8
32955	Rock		1.1	3.9	195.8	0.2	11 <0.1		5.6	25.5
32956	Rock		1.06	1	67.2	0.2	7 <0.1		2.2	12.8
32957	Rock		1.08	1.4	2287.6	0.8	9	0.4	15.3	76.8
32958	Rock		1.03 <0.1		681.1	0.6	19 <0.1		7	160.4
32959	Rock		0.71	0.5	6841.8	3.7	130	2.2	8.5	99.1
32960	Rock		1.09	1	2391.8	4	63	1.3	22.7	293.2
32961	Rock		1.01	1	3311.1	2.3	40	1.4	23.5	352.2
32962	Rock		0.58	7.5	187.8	0.2	24 <0.1		4	17.5
32963	Rock		0.48 <0.1		218.7	0.1	8 <0.1		0.8	17.9
32964	Rock		0.65	0.3	22.7	0.3	5 <0.1		1.5	3.2
32965	Rock		0.85	19.9	852.9	1.8	21	0.2	20.8	267.4
32966	Rock		0.69	4.7	2813.8	2.6	39	0.3	29.2	371.5
32967	Rock		0.96	4.5	1102.2	0.6	12	0.2	44.2	198.4
32968	Rock		0.75	6.3	2879.9	3	39	0.6	27	414.7
32969	Rock		0.53	0.7	715.5	0.4	24	0.1	35.7	105.3
32970	Rock		1.24	1.1	238.3	1.2	50	0.1	7.9	45.7
32971	Rock		1.22	3.6	336.3	0.7	10 <0.1		16.2	49.7
32972	Rock		1.05	0.2	1494.5	7.1	11	0.6	40.3	371.6
Pulp Duplicates										
32953	Rock		0.67	0.8	11.2	0.3	19 <0.1		4.8	11
32953	REP			0.6	13.2	0.3	18 <0.1		5.1	11.3
32966	Rock		0.69	4.7	2813.8	2.6	39	0.3	29.2	371.5
32966	REP			4.9	2788.3	2.7	40	0.3	29.1	372.7
Preparation Duplicates										
32963	Rock		0.48 <0.1		218.7	0.1	8 <0.1		0.8	17.9
32963	DUP		<0.1		220.3 <0.1		7 <0.1		1	17.5
Reference Materials										
STD DS9	STD			14	111.9	130	310	1.5	39.6	8.2

1DX15 Mn PPM	1DX15 Fe %	1DX15 As PPM	1DX15 Au PPB	1DX15 Th PPM	1DX15 Sr PPM	1DX15 Cd PPM	1DX15 Sb PPM	1DX15 Bi PPM	1DX15 V PPM	
1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2
32951										
911	14.24	3 <0.5		0.4	5 <0.1	<0.1		0.3	86	
809	19.02	1.9	2.2	0.6	6 <0.1	<0.1		0.6	85	
757	13.92	10.7 <0.5		0.2	9	0.1 <0.1	<0.1		35	
362	21.74	1.5	174.1 <0.1		65 <0.1	<0.1		0.7	9	
593	5.11 <0.5		35.4	0.1	172 <0.1		0.1	0.2	11	
365	22.87	0.9	1192.6 <0.1		58 <0.1		0.2	3.2	15	
281	29.94 <0.5		223.5 <0.1		53 <0.1	<0.1		1.1	14	
508	21.4	1.6	10.4 <0.1		56 <0.1	<0.1		0.4	18	
819	15.57	1001.8	63	0.1	164	0.4	615.2	0.9	28	
621	32.99 >10000.0		38.3 <0.1		77	0.3	182.4	2.6	22	
495	36.45	584.7	2307.1 <0.1		27	0.2	4.9	5.9	28	
833	9.34	7.4	531.3	0.4	45 <0.1		1	1.3	52	
193	33.2	5	4.2	0.2	12 <0.1		0.3 <0.1		19	
115	1.27	1.9	2.2	3.8	21 <0.1	<0.1	<0.1		6	
635	21.37 <0.5		13.5	0.9	42 <0.1		0.9	1.4	11	
375	31.22 <0.5		15.4	0.1	12	0.1	0.3	3.3	11	
651	17.73	3.3	11.4 <0.1		20 <0.1		0.2	2	8	
515	27.52 <0.5		17.3	0.3	35	0.2 <0.1		3.2	17	
788	14.69 <0.5		117.6	0.4	27 <0.1		0.4	1	31	
1230	13.32	3163.9	3.9	0.2	349	0.1	127.5	0.3	44	
385	6.04	17.3	1.6	0.3	26 <0.1	<0.1		0.4	39	
32972-	338 >40.00	22.1	289.9 <0.1		4 <0.1		17.1	10.8	12	
757	13.92	10.7 <0.5		0.2	9	0.1 <0.1	<0.1		35	
754	13.63	10.5 <0.5		0.2	10 <0.1		0.1 <0.1		34	
375	31.22 <0.5		15.4	0.1	12	0.1	0.3	3.3	11	
374	30.97 <0.5		16.8	0.1	12	0.1	0.3	3.2	12	
193	33.2	5	4.2	0.2	12 <0.1		0.3 <0.1		19	
181	30.48	5	0.9	0.2	12 <0.1		0.3	0.3	15	
637	2.55	25.2	110.2	7.1	68	2	5.7	6.6	42	

1DX15 Ca %	1DX15 P %	1DX15 La PPM	1DX15 Cr PPM	1DX15 Mg %	1DX15 Ba PPM	1DX15 Ti %	1DX15 B PPM	1DX15 Al %	1DX15 Na %	
0.01	0.001		1	1	0.01	1	0.001	1	0.01	0.001
9.13	0.087	3	11	0.03	27	0.02	2	1.11	0.023	
7.37	0.157	6	12	0.03	17	0.033	2	0.83	0.017	
2.95	0.062	4	11	0.07	43	0.022	2	0.71	0.088	
6.96	0.025	2	4	0.05	21	0.015	3	0.24	0.027	
14.8	0.022	5	4	0.08	29	0.033 <1		0.66	0.078	
6.82	0.03	2	9	0.05	23	0.023	3	0.39	0.048	
7.78	0.016 <1		3	0.03	11	0.012	2	0.2	0.024	
7.14	0.025	1	7	0.08	53	0.032	4	0.85	0.124	
7.4	0.041	4	21	0.41	11	0.004	7	1.61 <0.001		
4.51	0.02	4	11	0.35	10	0.006	4	0.57	0.011	
1.62	0.022	7	20	0.18	6	0.006 <1		0.88	0.005	
4.09	0.075	6	18	0.23	68	0.118	2	1.89	0.181	
0.8	0.092	2	4	0.04	19	0.018	8	0.25	0.041	
0.29	0.011	10	2	0.13	19	0.064 <1		0.57	0.043	
5.62	0.052	19	2	0.09	33	0.051	2	0.79	0.074	
1.66	0.025	3	4	0.05	27	0.021 <1		0.58	0.06	
6.2	0.043	1	3	0.03	17	0.014	1	0.48	0.046	
2.6	0.05	17	3	0.08	51	0.053 <1		1.12	0.129	
2.7	0.044	8	10	0.11	76	0.066 <1		1.7	0.21	
10.99	0.043	7	27	0.88	116	0.004	6	1.58	0.022	
2.01	0.101	5	14	0.23	97	0.159	1	0.95	0.046	
0.2	0.01	12	2	0.27	6	0.002	1	0.37	0.002	
2.95	0.062	4	11	0.07	43	0.022	2	0.71	0.088	
2.92	0.062	4	11	0.07	41	0.023	2	0.69	0.086	
1.66	0.025	3	4	0.05	27	0.021 <1		0.58	0.06	
1.66	0.026	3	4	0.05	27	0.021	1	0.58	0.061	
0.8	0.092	2	4	0.04	19	0.018	8	0.25	0.041	
0.77	0.093	2	4	0.04	17	0.017	7	0.24	0.038	
0.74	0.079	16	122	0.64	290	0.124	2	0.95	0.089	

1DX15 K %	1DX15 W PPM	1DX15 Hg PPM	1DX15 Sc PPM	1DX15 Tl PPM	1DX15 S %	1DX15 Ga PPM	1DX15 Se PPM	1DX15 Te PPM	
	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
0.06 <0.1		0.02		1.6 <0.1		0.8	6	1.6 <0.2	
0.03	0.1 <0.01			1.8 <0.1		5.13	6	5.9	0.2
0.21 <0.1		<0.01		1.2 <0.1		0.06	3 <0.5	<0.2	
0.07 <0.1		<0.01		0.6 <0.1		0.54	5 <0.5	<0.2	
0.22 <0.1		<0.01		1.3 <0.1		1.19	2 <0.5	<0.2	
0.1 <0.1		<0.01		1 <0.1		1.26	5 <0.5		0.8
0.06 <0.1		<0.01		0.3 <0.1		3.11	3 <0.5		0.2
0.3	0.2	0.02		1 <0.1		4.93	4	2.3 <0.2	
0.06	0.2	0.07		6.1 <0.1		6.26	4	2.7	0.3
0.05	0.2	0.18		6.6 <0.1	>10.00		1	6.5	0.5
0.04 <0.1		0.23		5.2	0.1 >10.00		3	8.3	2.1
0.49 <0.1		<0.01		4.9 <0.1		0.43	6 <0.5	<0.2	
0.07	0.1 <0.01			0.7 <0.1		0.46	6 <0.5	<0.2	
0.07	0.3 <0.01			1.9 <0.1	<0.05		4 <0.5	<0.2	
0.21	0.3	0.01		1.5 <0.1		8.96	3	21.4	0.4
0.16 <0.1		0.02		0.7 <0.1		9.12	2	33.7	0.6
0.12	6.2 <0.01			0.9 <0.1		7.85	3	8.8	0.2
0.36 <0.1		<0.01		2.3 <0.1		7.65	3	18.6	0.5
0.59 <0.1		<0.01		3.6 <0.1		4.63	6	5.2 <0.2	
0.19	0.2	0.03		8.4 <0.1		1.25	4 <0.5	<0.2	
0.23	0.1 <0.01			2.9 <0.1		2.15	3	3.2 <0.2	
0.01	0.1	0.16		1.5	0.2 >10.00		2	8.2	4.4
0.21 <0.1		<0.01		1.2 <0.1		0.06	3 <0.5	<0.2	
0.21 <0.1		<0.01		1.2 <0.1	<0.05		3 <0.5	<0.2	
0.16 <0.1		0.02		0.7 <0.1		9.12	2	33.7	0.6
0.17 <0.1		0.01		0.7 <0.1		9.25	2	33.7	0.5
0.07	0.1 <0.01			0.7 <0.1		0.46	6 <0.5	<0.2	
0.06	0.1 <0.01			0.5	0.1	0.46	6 <0.5	<0.2	
0.43	3.3	0.19		2.5	5.2	0.16	5	4.8	5

ACME ANALYTICAL LABORATORIES LTD.

Final Report

Client: A25 Gold Producers Corp.

File Create 26-Aug-13

Job Number VAN13003257

Number of 18

Project: None Given

Shipment ID:

P.O. Number:

Received: 20-Aug-13

	Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co
	Unit	KG	PPM	PPM	PPM	PPM	PPM	PPM	PPM
	MDL		0.01	0.1	0.1	0.1	1	0.1	0.1
Sample	Type								
32978	Rock		1.11 <0.1		39.7	0.2	4	0.2 <0.1	
32979	Rock		1.13	0.2	4030.3	1	11	0.5	7.6
32980	Rock		1.42	0.1	1572.4	0.7	9	0.2	3.3
32981	Rock		1.58 <0.1		248.1	0.2	2 <0.1	<0.1	9
32982	Rock		1.18	0.4	2085.3	1.3	16	0.2	6.6
32983	Rock		1.11	1.6	1660.3	1.4	26	0.3	1.6
32984	Rock		1.05	5.8	1073.6	0.6	17	0.1	8.7
32985	Rock		0.99	0.6	652.1 >10000.0	>10000	65.3	2.9	9
32986	Rock		1.23	0.2	227.5	692.4	5021	4.7	1.3
32987	Rock		0.92	0.4	739.9	61.2	46	0.4	47.3
32988	Rock		1.13	1.3	1881.9	4.1	85	1.5	35.5
32989	Rock		1.28	19.4	675.7	13.6	18	0.1	251.5 >2000.0
32990	Rock		0.99	0.1	342.9	1.3	33 <0.1		7
32991	Rock		1.69	0.3	646.3	1.6	20	0.1	18.5
32992	Rock		1.07	0.8	36.5	4	97	0.1	26.3
32993	Rock		1.73	0.3	4173	1.6	41	0.5	48.3
32994	Rock		1.25	1.6	1518.5	14.1	85	0.6	23.9
32995	Rock		1.11	4	404.3	0.8	9	0.1	15.4
Pulp Duplicates									
32995	Rock		1.11	4	404.3	0.8	9	0.1	15.4
32995	REP			4.3	404.2	0.8	9 <0.1		16.7
32995	Rock		1.11	4	404.3	0.8	9	0.1	15.4
32995	REP			4	397.5	0.8	9 <0.1		16
Preparation Duplicates									
32989	Rock		1.28	19.4	675.7	13.6	18	0.1	251.5 >2000.0
32989	DUP			21.5	705.8	9.9	19	0.1	259.4 >2000.0
Reference Materials									
STD DS9	STD			13.4	109.9	134.2	322	1.9	37.1
BLK	BLK			<0.1	0.3 <0.1	<1	<0.1		0.4
Prep Wash									
G1	Prep Blank			0.1	4.2	3.9	49 <0.1		3.4
G1	Prep Blank			<0.1	3.7	3.7	46 <0.1		4.1

1DX15 Mn PPM	1DX15 Fe %	1DX15 As PPM	1DX15 Au PPB	1DX15 Th PPM	1DX15 Sr PPM	1DX15 Cd PPM	1DX15 Sb PPM	1DX15 Bi PPM	1DX15 V PPM	
	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
32978-	87	38.04	1.6	3238.3 <0.1		2 <0.1	<0.1	1	11	
	90	>40.00	<0.5	13.9	0.2	2 <0.1	<0.1	5	9	
	127	37.86	<0.5	28.9 <0.1		1 <0.1	<0.1	1.9	9	
	61	34.69	0.6	11.5 <0.1		1 <0.1	<0.1	0.3	9	
	286	37.93	<0.5	12.1 <0.1		11 <0.1	<0.1	1.3	9	
	797	14.34	3	14.7	0.3	15 <0.1	0.2	1.3	33	
	623	17.19	<0.5	31.5 <0.1		53 <0.1	<0.1	1	12	
	230	5.22	>10000.0	95553.9	0.1	33 134.7	54.3	22.8	2	
	717	2.73	>10000.0	1605.1 <0.1		78 53.7	14.9	4.5 <2		
	307	4.92	25.4	96.5 <0.1		69 0.5	1.1	1.2	25	
	299	9.56	30.4	25.3	0.8	65 0.5	0.7	0.5	19	
	296	10.28	>10000.0	231	0.5	17 <0.1	5.4	3.3	35	
	1127	13.54	55.9	3.9	0.3	23 <0.1	0.2	0.4	36	
	860	9.75	11	3	0.4	16 <0.1	0.1	0.5	26	
	318	4.49	50.1	7.9	0.3	175 0.2	0.7 <0.1		68	
	208	37.18	10.5	7.1	0.1	10 <0.1	<0.1	4	12	
	80	>40.00	>10000.0	58.2 <0.1		7 0.5	947.5	4.3	5	
32995-	351	20.02	4883.6	29.4	0.4	22 <0.1	4	0.6	45	
	351	20.02	4883.6	29.4	0.4	22 <0.1	4	0.6	45	
	350	20.16	4929.7	34.8	0.4	23 <0.1	4	0.6	44	
	351	20.02	4883.6	29.4	0.4	22 <0.1	4	0.6	45	
	339	19.57	4775.7	34.6	0.4	22 <0.1	4.2	0.6	43	
	296	10.28	>10000.0	231	0.5	17 <0.1	5.4	3.3	35	
	310	10.59	>10000.0	238.2	0.5	18 0.1	5.6	3.4	36	
	618	2.4	28.9	134.4	7.3	79 2.5	6.2	7.6	43	
<1		<0.01	0.8 <0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
	595	2.02	<0.5	3.2	6.1	67 <0.1	<0.1	0.1	40	
	596	1.97	<0.5	<0.5	6.2	62 <0.1	<0.1	<0.1	39	

1DX15 Ca %	1DX15 P %	1DX15 La PPM	1DX15 Cr PPM	1DX15 Mg %	1DX15 Ba PPM	1DX15 Ti %	1DX15 B PPM	1DX15 Al %	1DX15 Na %	
0.01	0.001		1	1	0.01	1	0.001	1	0.01	0.001
0.16	0.009 <1			5	0.02	14	0.02	3	0.16	0.02
0.25	0.022	2		5	0.03	4	0.019 <1		0.2	0.023
0.3	0.013 <1			5	0.03	9	0.02 <1		0.21	0.027
0.08	0.009 <1			8 <0.01		8	0.029	1	0.06	0.008
1.42	0.027	1		4	0.05	19	0.022	1	0.47	0.061
2.07	0.03	12		12	0.19	72	0.06	2	1.53	0.202
7.53	0.031	1		6	0.09	33	0.025	2	0.83	0.098
1.95	0.006 <1			2	0.07	2	0.005	12	0.17	0.003
3.24	0.001	1		1	0.06	2	0.001	236	0.1	0.005
1.38	0.035 <1			3	0.2	2	0.116	4	0.56	0.004
1.57	0.133	9		7	0.4	26	0.124	88	0.92	0.069
3.61	0.038	13		7	0.08	3	0.033	4	2.45	0.028
3.72	0.043	3		8	0.07	114	0.055	2	2.39	0.334
3.48	0.095	2		10	0.11	54	0.032 <1		1.95	0.152
4.25	0.07	4		38	1.42	42	0.145	3	2.13	0.092
0.65	0.019 <1			9	0.06	32	0.031	5	0.4	0.063
0.11	0.004	1		2	0.15	5	0.004 <1		0.09	0.004
1.55	0.039	19		14	0.17	19	0.043	2	0.94	0.035
1.55	0.039	19		14	0.17	19	0.043	2	0.94	0.035
1.54	0.039	19		14	0.17	19	0.043	2	0.94	0.035
1.54	0.037	18		14	0.16	19	0.042	1	0.92	0.034
3.61	0.038	13		7	0.08	3	0.033	4	2.45	0.028
3.74	0.033	14		7	0.08	2	0.034	4	2.53	0.029
0.75	0.087	15		120	0.63	327	0.115	4	0.98	0.087
<0.01	<0.001	<1		<1	<0.01	<1	<0.001	<1	<0.01	<0.001
0.53	0.078	12		6	0.53	172	0.125 <1		1.03	0.108
0.49	0.081	13		6	0.51	171	0.125 <1		0.95	0.093

1DX15 K %	1DX15 W PPM	1DX15 Hg PPM	1DX15 Sc PPM	1DX15 Tl PPM	1DX15 S %	1DX15 Ga PPM	1DX15 Se PPM	1DX15 Te PPM	
	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
0.06 <0.1		0.02		0.9 <0.1		0.1	3 <0.5		0.5
0.06 <0.1		0.01		1.3 <0.1	>10.00		1	4.6	1.4
0.06 <0.1		<0.01		1.5 <0.1		9.59	2	3.9	0.4
0.02	0.1 <0.01			0.6 <0.1		0.57	3 <0.5	<0.2	
0.15 <0.1		<0.01		2.1 <0.1		4.5	2	2.5	0.3
0.5 <0.1		<0.01		3.1 <0.1		1.91	6	6.6 <0.2	
0.24 <0.1		<0.01		2 <0.1		4.02	3 <0.5	<0.2	
0.02	0.4	0.75		0.5 <0.1		5.95 <1		31.7	12.5
0.04 <0.1		0.07		1.4 <0.1		1.84 <1		5.1	4.3
<0.01		0.2 <0.01		1.1 <0.1		2.46	2	2.7	0.2
0.07	28	0.03		2.3 <0.1		5.76	4	17.9 <0.2	
0.01	0.1	0.05		3.2 <0.1		7.74	8	6.2	3.9
0.79 <0.1		0.01		4.2 <0.1		2.18	8	1 <0.2	
0.32 <0.1		0.02		2 <0.1		4.4	6	3.6 <0.2	
0.12	0.1	0.02		8.1 <0.1		1.94	5	1.1 <0.2	
0.12	1.5	0.02		1.7 <0.1	>10.00		3	3.7	0.7
0.02	0.2	0.93		0.4	0.2 >10.00	<1		10.3	0.5
0.05 <0.1		0.02		2.3 <0.1		1.46	10	1.5	0.5
0.05 <0.1		0.02		2.3 <0.1		1.46	10	1.5	0.5
0.05 <0.1		0.02		2.3 <0.1		1.46	10	1.5	0.5
0.05 <0.1		0.02		2.4 <0.1		1.48	10	1.6	0.5
0.01	0.1	0.05		3.2 <0.1		7.74	8	6.2	3.9
0.01	0.1	0.05		3 <0.1		8.07	8	5.7	4.2
<0.01	0.41	3.2	0.22	2.5	5.4	0.17	5	4.2	5.4
	<0.1		0.01 <0.1	<0.1	<0.05	<1	<0.5	<0.2	
0.53 <0.1		<0.01		3.1	0.3 <0.05		5 <0.5	<0.2	
0.52 <0.1		<0.01		2.8	0.3	0.07	5 <0.5	<0.2	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **A25 Gold Producers Corp.**
100 Queen St East, Suite 203
Toronto ON M5C 1S6 CANADA

Submitted By: Mike Linn
Receiving Lab: Canada-Vancouver
Received: July 17, 2013
Report Date: July 30, 2013
Page: 1 of 2

VAN13002630.2

CERTIFICATE OF ANALYSIS

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 22

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	22	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	22	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Version 2 : New version released with updated client address.

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: A25 Gold Producers Corp.
100 Queen St East, Suite 203
Toronto ON M5C 1S6
CANADA

CC: David Amar



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Client: **A25 Gold Producers Corp.**
 100 Queen St East, Suite 203
 Toronto ON M5C 1S6 CANADA

Project: None Given
 Report Date: July 30, 2013

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Page: 2 of 2

Part: 2 of 1

CERTIFICATE OF ANALYSIS**VAN13002630.2**

Method	1DX15																	
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
032951	Rock	3	11	0.03	27	0.020	2	1.11	0.023	0.06	<0.1	0.02	1.6	<0.1	0.80	6	1.6	<0.2
032952	Rock	6	12	0.03	17	0.033	2	0.83	0.017	0.03	0.1	<0.01	1.8	<0.1	5.13	6	5.9	0.2
032953	Rock	4	11	0.07	43	0.022	2	0.71	0.088	0.21	<0.1	<0.01	1.2	<0.1	0.06	3	<0.5	<0.2
032954	Rock	2	4	0.05	21	0.015	3	0.24	0.027	0.07	<0.1	<0.01	0.6	<0.1	0.54	5	<0.5	<0.2
032955	Rock	5	4	0.08	29	0.033	<1	0.66	0.078	0.22	<0.1	<0.01	1.3	<0.1	1.19	2	<0.5	<0.2
032956	Rock	2	9	0.05	23	0.023	3	0.39	0.048	0.10	<0.1	<0.01	1.0	<0.1	1.26	5	<0.5	0.8
032957	Rock	<1	3	0.03	11	0.012	2	0.20	0.024	0.06	<0.1	<0.01	0.3	<0.1	3.11	3	<0.5	0.2
032958	Rock	1	7	0.08	53	0.032	4	0.85	0.124	0.30	0.2	0.02	1.0	<0.1	4.93	4	2.3	<0.2
032959	Rock	4	21	0.41	11	0.004	7	1.61	<0.001	0.06	0.2	0.07	6.1	<0.1	6.26	4	2.7	0.3
032960	Rock	4	11	0.35	10	0.006	4	0.57	0.011	0.05	0.2	0.18	6.6	<0.1	>10	1	6.5	0.5
032961	Rock	7	20	0.18	6	0.006	<1	0.88	0.005	0.04	<0.1	0.23	5.2	0.1	>10	3	8.3	2.1
032962	Rock	6	18	0.23	68	0.118	2	1.89	0.181	0.48	<0.1	<0.01	4.9	<0.1	0.43	6	<0.5	<0.2
032963	Rock	2	4	0.04	19	0.018	6	0.25	0.041	0.07	0.1	<0.01	0.7	<0.1	0.46	6	<0.5	<0.2
032964	Rock	10	2	0.13	19	0.064	<1	0.57	0.043	0.07	0.3	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
032965	Rock	19	2	0.09	33	0.051	2	0.79	0.074	0.21	0.3	0.01	1.5	<0.1	8.96	3	21.4	0.4
032966	Rock	3	4	0.05	27	0.021	<1	0.58	0.060	0.16	<0.1	0.02	0.7	<0.1	9.12	2	33.7	0.6
032967	Rock	1	3	0.03	17	0.014	1	0.48	0.046	0.12	6.2	<0.01	0.9	<0.1	7.86	3	8.8	0.2
032968	Rock	17	3	0.08	51	0.053	<1	1.12	0.129	0.36	<0.1	<0.01	2.3	<0.1	7.65	3	18.6	0.5
032969	Rock	8	10	0.11	76	0.066	<1	1.70	0.210	0.59	<0.1	<0.01	3.6	<0.1	4.63	6	5.2	<0.2
032970	Rock	7	27	0.88	116	0.004	6	1.58	0.022	0.19	0.2	0.03	8.4	<0.1	1.25	4	<0.5	<0.2
032971	Rock	5	14	0.23	97	0.159	1	0.95	0.046	0.23	0.1	<0.01	2.9	<0.1	2.15	3	3.2	<0.2
032972	Rock	12	2	0.27	6	0.002	1	0.37	0.002	0.01	0.1	0.16	1.5	0.2	>10	2	8.2	4.4



A Bureau Veritas Group Company

www.acmelab.com

Client: **A25 Gold Producers Corp.**
100 Queen St East, Suite 203
Toronto ON M5C 1S6 CANADA

Acme Analytical Laboratories (Vancouver) Ltd

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: None Given
Report Date: July 30, 20

Page: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13002630.2

Method	WgHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15											
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	kg	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%								
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
032951	Rock	1.17	<0.1	269.5	0.8	6	<0.1	47.0	24.4	911	14.24	3.0	<0.5	0.4	5	<0.1	<0.1	0.3	86	9.13	0.087
032952	Rock	0.99	0.1	686.2	1.4	8	0.1	338.3	157.2	809	19.02	1.9	2.2	0.6	6	<0.1	<0.1	0.6	85	7.37	0.157
032953	Rock	0.67	0.8	11.2	0.3	19	<0.1	4.8	11.0	757	13.92	10.7	<0.5	0.2	9	0.1	<0.1	<0.1	35	2.95	0.062
032954	Rock	0.84	2.9	46.8	0.1	4	<0.1	2.0	14.8	362	21.74	1.5	174.1	<0.1	65	<0.1	<0.1	0.7	9	6.96	0.025
032955	Rock	1.10	3.9	195.8	0.2	11	<0.1	5.6	25.5	593	5.11	<0.5	35.4	0.1	172	<0.1	0.1	0.2	11	14.80	0.022
032956	Rock	1.06	1.0	67.2	0.2	7	<0.1	2.2	12.8	365	22.87	0.9	1193	<0.1	58	<0.1	0.2	3.2	15	6.82	0.030
032957	Rock	1.08	1.4	2288	0.8	9	0.4	15.3	76.8	281	29.94	<0.5	223.5	<0.1	53	<0.1	<0.1	1.1	14	7.78	0.016
032958	Rock	1.03	<0.1	681.1	0.6	10	<0.1	7.0	160.4	508	21.40	1.6	10.4	<0.1	56	<0.1	<0.1	0.4	18	7.14	0.025
032959	Rock	0.71	0.5	6842	3.7	130	2.2	8.5	99.1	819	15.57	1002	63.0	0.1	164	0.4	615.2	0.9	28	7.40	0.041
032960	Rock	1.09	1.0	2392	4.0	63	1.3	22.7	293.2	621	32.99	>10000	38.3	<0.1	77	0.3	182.4	2.6	22	4.51	0.020
032961	Rock	1.01	1.0	3311	2.3	40	1.4	23.5	352.2	495	36.45	584.7	2307	<0.1	27	0.2	4.9	5.9	28	1.62	0.022
032962	Rock	0.58	7.5	187.8	0.2	24	<0.1	4.0	17.5	833	9.34	7.4	531.3	0.4	45	<0.1	1.0	1.3	52	4.09	0.075
032963	Rock	0.48	<0.1	218.7	0.1	8	<0.1	0.8	17.9	193	33.20	5.0	4.2	0.2	12	<0.1	0.3	<0.1	19	0.80	0.092
032964	Rock	0.65	0.3	22.7	0.3	5	<0.1	1.5	3.2	115	1.27	1.9	2.2	3.8	21	<0.1	<0.1	<0.1	6	0.29	0.011
032965	Rock	0.85	19.9	852.9	1.8	21	0.2	20.8	267.4	635	21.37	<0.5	13.5	0.9	42	<0.1	0.9	1.4	11	5.62	0.052
032966	Rock	0.69	4.7	2814	2.6	39	0.3	29.2	371.5	375	31.22	<0.5	15.4	0.1	12	0.1	0.3	3.3	11	1.66	0.025
032967	Rock	0.96	4.5	1102	0.6	12	0.2	44.2	198.4	651	17.73	3.3	11.4	<0.1	20	<0.1	0.2	2.0	8	6.20	0.043
032968	Rock	0.75	6.3	2880	3.0	39	0.6	27.0	414.7	515	27.52	<0.5	17.3	0.3	35	0.2	<0.1	3.2	17	2.60	0.050
032969	Rock	0.53	0.7	715.5	0.4	24	0.1	35.7	105.3	788	14.69	<0.5	117.6	0.4	27	<0.1	0.4	1.0	31	2.70	0.044
032970	Rock	1.24	1.1	238.3	1.2	50	0.1	7.9	45.7	1230	13.32	3164	3.9	0.2	349	0.1	127.5	0.3	44	10.99	0.043
032971	Rock	1.22	3.6	336.3	0.7	10	<0.1	16.2	49.7	385	6.04	17.3	1.6	0.3	26	<0.1	<0.1	0.4	39	2.01	0.101
032972	Rock	1.05	0.2	1494	7.1	11	0.6	40.3	371.6	338	>40	22.1	289.9	<0.1	4	<0.1	17.1	10.8	12	0.20	0.010



A Bureau Veritas Group Company

www.acmellab.com

Client:

A25 Gold Producers Corp.
100 Queen St East, Suite 203
Toronto ON M5C 1S6 CANADA

Acme Analytical Laboratories (Vancouver) Ltd

**9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158**

Project: None Given
Report Date: July 30, 20

Page: 1 of

Part: 1 of 1

QUALITY CONTROL REPORT

VAN13002630.2

Method	WGHT	1DX15																			
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	kg	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	%	%									
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
032953	Rock	0.67	0.8	11.2	0.3	19	<0.1	4.8	11.0	757	13.92	10.7	<0.5	0.2	9	0.1	<0.1	<0.1	35	2.95	0.062
REP 032953	QC		0.6	13.2	0.3	18	<0.1	5.1	11.3	754	13.63	10.5	<0.5	0.2	10	<0.1	0.1	<0.1	34	2.92	0.062
032966	Rock	0.69	4.7	2814	2.6	39	0.3	29.2	371.5	375	31.22	<0.5	15.4	0.1	12	0.1	0.3	3.3	11	1.66	0.025
REP 032966	QC		4.9	2788	2.7	40	0.3	29.1	372.7	374	30.97	<0.5	16.8	0.1	12	0.1	0.3	3.2	12	1.66	0.026
Core Reject Duplicates																					
032963	Rock	0.48	<0.1	218.7	0.1	8	<0.1	0.8	17.9	193	33.20	5.0	4.2	0.2	12	<0.1	0.3	<0.1	19	0.80	0.092
DUP 032963	QC		<0.1	220.3	<0.1	7	<0.1	1.0	17.5	181	30.48	5.0	0.9	0.2	12	<0.1	0.3	0.3	15	0.77	0.093
Reference Materials																					
STD DS9	Standard		14.0	111.9	130.0	310	1.5	39.6	8.2	637	2.55	25.2	110.2	7.1	68	2.0	5.7	6.6	42	0.74	0.079
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank		<0.1	0.4	<0.1	<1	<0.1	<0.1	0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<1	<0.1	<0.1	
Prep Wash																					
G1	Prep Blank		0.1	5.3	3.3	43	<0.1	2.7	3.9	559	1.92	0.7	<0.5	6.4	60	<0.1	<0.1	0.2	34	0.46	0.071
G1	Prep Blank		0.2	4.9	3.3	42	<0.1	2.7	4.0	564	1.98	<0.5	<0.5	5.9	58	<0.1	<0.1	0.1	34	0.45	0.072



www.acmelab.com

Client: **A25 Gold Producers Corp.**
100 Queen St East, Suite 203
Toronto ON M5C 1S6 CANADA

Project: None Given
Report Date: July 30, 2013

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 1


Part: 2 of 1

QUALITY CONTROL REPORT


VAN13002630.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Analyte	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	.ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
032953	Rock	4	11	0.07	43	0.022	2	0.71	0.088	0.21	<0.1	<0.01	1.2	<0.1	0.06	3.	<0.5	<0.2
REP 032953	QC	4	11	0.07	41	0.023	2	0.69	0.086	0.21	<0.1	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
032966	Rock	3	4	0.05	27	0.021	<1	0.58	0.060	0.16	<0.1	0.02	0.7	<0.1	9.12	2	33.7	0.6
REP 032966	QC	3	4	0.05	27	0.021	1	0.58	0.061	0.17	<0.1	0.01	0.7	<0.1	9.25	2	33.7	0.5
Core Reject Duplicates																		
032963	Rock	2	4	0.04	19	0.018	8	0.25	0.041	0.07	0.1	<0.01	0.7	<0.1	0.46	6	<0.5	<0.2
DUP 032963	QC	2	4	0.04	17	0.017	7	0.24	0.038	0.06	0.1	<0.01	0.5	0.1	0.46	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	16	122	0.64	290	0.124	2.	0.95	0.089	0.43	3.3	0.19	2.5	5.2	0.16	5	4.8	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	12	5	0.50	202	0.108	2	0.92	0.079	0.47	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	11	6	0.50	162	0.108	3	0.86	0.082	0.46	<0.1	<0.01	2.1	0.3	<0.05	4	<0.5	<0.2


A25 Gold Producers Corp.




A25 Gold Producers Corp.



A25 Gold Producers Corp.



A25 Gold Producers Corp.



STATEMENT of QUALIFICATIONS.

I, MICHAEL J. LINN, graduated from the University of B.C. in 1970, with a B.Sc., Major in Geology.

I have practised my profession in B.C., Yukon, N.W.T., and Mexico for 44 years.

M.J.Linn