Ainsworth Property

ASSESSMENT REPORT ON THE GEOCHEMICAL, AND PROSPECTING THE AINSWORTH MINERAL CLAIMS

Tenures

706662, 706664, 701143, 773786, 793949, 794002, 857002, 881169, 881489, 930172

Slocan Mining Division

Property Location

South Eastern British Columbia

BCGS 82F.078

UTM Map 082F/10

UTM Coordinates [NAD 83, Zone 5]:

504876.11 m E 5507820.52 m N

S.O.W. Event # 5467162

By David A. Wallach

For

Shane Smith

Can-West Exploration

November 25, 2013

Table of Content

1.0	Introduction	3
2.0	Summery	3
3.0	Property Description and Location	3
4.0	List of Mineral Tenures and Status	3
5.0	Accessibility and Infrastructure	4
6.0	Regional and Local Geology	4
7.0	Physiography, Vegetation and Climate	4
8.0	Mineralization and Alteration	4
9.0	Exploration/ Prospecting	4
10.0	Access Road Map	5
11.0	Sampling Method and Approach	5
12.0	Data Verification	5
13.0	Location	6
14.0	Claim Map	7
15.0	Sample Location Map	8
16.0	Sample Analysis Map	11
17.0	Sample Location and Type	13
18.0	Certificates of Analysis	13
19.0	Conclusion	27
20.0	Statement of Cost	27
21.0	References	27
22.0	Qualifications	28

1 INTRODUCTION

The Ainsworth silver camp property located in the Slocan Mining Division in south eastern British Columbia. The Ainsworth claims are owned by Shane Smith. The following report outlines the results of the geochemical sampling Road access, and prospecting that was carried out between September 01 and September 11, 2013.

2 SUMMARY

The objective of the 2012 exploration program was to locate a source for a potential bulk sample program and establish a Magnetics grid. Due to non-cooperation from the new owner of the Krao crown grant, we were unable to set out the grid. Instead a total of 33 rock samples were taken between Sep/01/13 to Sep/11/13. The September 2013 exploration program samples 2161413 through 2161423 had been taken with some promising returns. In September 2013 several exposed areas on the access roads were encountered from the Loon lake area had values of up to 425 gm/t silver, 13.52% Zinc, 48.33% Lead, 2419 ppm Copper. The event number is; 5467162. Further work in the area is warranted. A follow-up exploration program will commence in the spring/summer of 2014.

3 PROPERTY DESCRIPTIONS AND LOCATION

The Ainsworth property is located in the Slocan mining division of south eastern British Columbia. Good access roads for the property are found 45 km North of Nelson along Provincial Highway 3A. 1200 hectares consisting of 9 claims make up the total inventory of the Ainsworth Property, which are owned by Can-West Exploration.

Accessibility to the area is quite good with plenty of logging roads throughout. Infrastructure in the area is excellent with Ainsworth less than a kilometer away and Nelson being 45 km to the south. Railway and hydro lines follow the highway #3A/31 corridors. Numerous old and abandoned processing buildings are scattered throughout the property as well as abundant outcropping, old ore piles, and adits.

Tenure Number	Claim Name	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Status	Area (ha)
701143	AINSWORTH 10	Mineral	Claim	082F	2010/jan/18	2014/sep/30	GOOD	104.3532
706662		Mineral	Claim	082F	2010/feb/20	2014/sep/30	GOOD	522.1797
706664	KENS 1	Mineral	Claim	082F	2010/feb/20	2014/sep/30	GOOD	459.2567
773786	QUEENS COFFEE	Mineral	Claim	082F	2010/may/15	2014/sep/30	GOOD	81.6885
793949	COFFEE CREEK 3	Mineral	Claim	082F	2010/jun/17	2014/sep/30	GOOD	41.7941
794002	COFFEE CREEK 4	Mineral	Claim	082F	2010/jun/17	2014/sep/30	GOOD	125.0126
881169	WHY NOT	Mineral	Claim	082F	2011/aug/03	2014/sep/30	GOOD	20.8937
881489	AINSWORTH CC	Mineral	Claim	082F	2011/aug/04	2014/sep/30	GOOD	20.8938
930172	DAVID MILL	Mineral	Claim	082F	2011/nov/23	2014/sep/30	GOOD	62.6732

4 LIST OF MINERAL TENURES AND STATUS

5 ACCESSIBILITY AND INFRASTRUCTURE

(Buss, 2008)

Accessibility to the area is quite good with plenty of logging roads throughout. Infrastructure in the area is excellent with Ainsworth less than a kilometer away and Nelson being 45 km to the south (Figure 1). Railway and hydro lines follow the highway

#3A/31 corridor. Numerous old and abandoned processing buildings are scattered throughout the property as well as abundant outcropping, old ore piles, and adits.

6 REGIONAL GEOLOGY AND LOCAL GEOLOGY

(Buss,2008)

The Ainsworth tenure package is underlain by metamorphosed, Lower Cambrian to Upper Triassic, volcanic and sedimentary rocks (Dr. P.W. Richardson, P. Eng., 1981). The area lies Within the western limb of the Purcell Anticlinorium and butts up against the eastern edge Of the Nelson Batholith. The major metamorphosed units, from east to west, include the Ainsworth limestone, Star limestone, interlayered mica schist and hornblende schist. "Grey Knotted schist" rests against the batholith (Fyles, 1967, bulletin #53). Numerous elongated Granite pegmatites and granitic sills occur in conjunction with a lesser amount of lamprophyre dikes. There are generally three northerly trending strike---- slip faults that Divide the region into four parallel slices. They generally dip westerly and have numerous, Smaller fault, off shoots, sub parallel to the main faults.

7 Mineralization and Alteration

(Buss, 2008)

Mineralization of the property consists of galena, sphalerite, and pyrite, with a lesser amount of chalcopyrite. A majority of the mineralization occurs in the hornblende schist Unit which is highly silicified.


8 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The geography of the area is a series of stepped ridges extending upwards to the west and Parallel to Kootenay Lake. There are numerous cliffs with abundant pine forest growth. The Region experiences average snowfall amounts for the area while summers are warm with Extended fall seasons. The high elevation and lake moisture effects may limit year round access during the winter months.

9 Exploration / Prospecting

11 samples were taken throughout the property in close proximity to the past producing mines. Because of the many new and old roads that exist on the property, using a side x side and a GPS, we were able to map the roads for future programs.

10 Assess Road Map



11 Sampling Method and Approach

Rock grab and chip samples were taken in Eleven locations close to the Highlander, and Buckeye showings/mines in the hopes of proving historical assay results.

12 Data Verification


See Appendix A for Certificates of Analysis from Acme Analytical Laboratories. Please visit Acme's website for complete descriptions of their analytical procedures: <u>www.acmelab.com</u>.

13 LOCATION


The Ainsworth project is in the Slocan Mining division, east of the Kokanee Glacier Park, and north of Nelson B.C. in the Kootaney's.




14 CLAIM MAP (Figure 1)




15 SAMPLE LOCATIONS MAP (Figure 2)








16 SAMPLE ANALYSIS MAP (Figure 3)





Sample #	Northing	Easting	Sample type	Rock type
2161413	5510999N	505250E	Chip	Quarts vain
2161414	5511074N	505167E	Chip	Quarts vain
2161415	5511022N	505211E	Chip	Quarts vain
2161416	5511008N	505221E	Chip	Quarts vain
2161417	5511004N	505227E	Float	Quarts vain
2161418	5511004N	505227E	Float	Quarts vain
2161419	5511004N	505227E	Float	Quarts vain
2161420	5511008N	505221E	Chip	Quarts vain
2161421	5511973N	504039E	Float	Limestone
2161422	5511450N	504942E	Float	Quarts vain
2161423	5511445N	504924E	Chip	Quarts vain

17 Sample Location and Type

18 CERTIFICATES OF ANALYSIS



DW Exploration 5241 Cobble Crescent Kelowna BC V1W 5C3 CANADA

Submitted By:	Dave Wallach
Receiving Lab:	Canada-Vancouver
Received:	October 11, 2013
Report Date:	November 25, 2013
Page:	1 of 2

Acme Analytical Laboratories (Vancouver) Ltd. 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

CLIENT JOB INFORMATION

Project:	Ainsworth Silver Camp
Shipment ID:	
P.O. Number	
Number of Samples:	11

SAMPLE DISPOSAL

RTRN-PLP	Return
RTRN-RJT	Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Client:

Procedure	Number of	Code Description	Test	Report	Lab
Code	Samples		Wgt (g)	Status	
R200-250	11	Crush, split and pulverize 250 g rock to 200 mesh			VAN
XWSH	11	Extra Wash with Glass between each sample			VAN
1D01	11	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN
ASSAY2	11	lead collection fire-assay fusion -AAS finish + 7AR	30	Completed	VAN
7AR.1	6	1:1:1 Aqua Regia Digestion ICP-ES Finish	0.1	Completed	VAN
G6Gr	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Version 2 : G601 & 7AR included.

www.acmelab.com

Invoice To: DW Exploration 5241 Cobble Crescent Kelowna BC V1W 5C3 CANADA

CC:



VAN13004177.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities octual cost of analysis only. Results apply to samples as submitted. ** asteriask indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Page 14 of 28

Δ	:me Lab)ک										Clien	t:	5241	Cobble C vna BC V	rescent					
	Veritas Group Company))		www	acmel	ab.com						Project	t	Ainsw	orth Silve	er Camp					
Acme Analytica	al Laboratories (Vancouve	er) Ltd.										Report	Date:	Nover	mber 25,	2013					
-	essy St Vancouver BC V		CANAD	A																	
PHONE (604) 2	253-3158											Page:		2 of 2					Pa	art: 1 o	of 4
CERTIF	ICATE OF AN	IALY	SIS													VA	N13	3004	177	.2	
	Method	WGHT	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	v	Ca	Р	La
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.01	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001	1
2161413	Rock	0.76	<1	264		>10000	10.9	15	7	5384	7.31	53	<2	8	159.8	<3	<3	53	0.19	0.027	4
2161414	Rock	0.97	<1		>10000	2659	>100	<1	<1	27	1.35	93	<2	9	26.9	424	12	11	<0.01	0.003	<1
2161415	Rock	1.38	<1		>10000	1057	>100	<1	<1	40	1.50	180	<2	17	12.5	240	8	12	<0.01	0.006	<1
2161416	Rock	0.99	<1		>10000	2357	55.1	2	1	976	5.30	40	<2	11	8.7	29	<3	75	0.02	0.024	2
2161417	Rock	0.93	<1	277	>10000	1757	>100	2	<1	74	3.54	595	<2	12	12.8	150	8	45	<0.01	0.010	1
2161418	Rock	0.59	<1		>10000		>100	6	10	460	5.45	703	<2	1	75.8	376	24	2	0.01	0.001	<1
2161419	Rock	1.01	5		>10000		45.1	16	59	4508	23.75	104	<2	3	706.3	5	<3	28	0.05	0.002	<1
2161420	Rock	0.86	<1	1381	>10000	>10000	32.7	15	8	4655	6.03	35	<2	5	92.8	10	<3	72	0.06	0.031	5
2161421	Rock	0.60	1	29	858	5105	2.2	19	21	3694	2.93	238	10	6	24.7	<3	<3	11	0.17	0.073	25
2161422	Rock	0.79	<1	154	715	99	5.2	2	6	>10000	15.10	158	<2	172	1.9	<3	<3	3	14.54	0.035	26
2161423	Rock	1.09	<1	278	510	823	8.2	3	5	>10000	18.98	223	<2	158	4.8	<3	4	3	10.39	0.029	19

A Bureau Ve Acme Analytical La 9050 Shaughness	melab ritas Group Company aboratories (Vancouver y St Vancouver BC V	er) Ltd.	CANAD		.acmela	ıb.com						Clien Project Report	-	5241 Kelow Ainsw	Cobble (na BC \	oration Crescent /1W 5C3 ver Camp , 2013	CANAD	A			
PHONE (604) 253	-3158											Page:		2 of 2					Pa	art: 2	of 4
CERTIFIC	CATE OF AN	IALY	SIS													VA	\N1:	3004	4177	.2	
	Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	G6	7AR	7AR	7AR	7AR	7AR
	Analyte	Cr	Mg	Ba	Ti	в	AI	Na	к	w	S	Hg	TI	Ga	Sc	Au	Ag	Mo	Cu	Pb	Zn
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	ppm	gm/t	%	%	%	%
	MDL	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	0.005	2	0.001	0.001	0.01	0.01
2161413	Rock	45	0.39	15	0.001	<20	0.68	<0.01	0.07	<2	2.02	<1	<5	<5	9	0.039	11	<0.001	0.024	0.27	2.98
2161414	Rock	3	<0.01	3	<0.001	<20	0.05	<0.01	<0.01	3	>10	<1	<5	<5	<5	0.033	>300	<0.001	0.022	>4	0.22
2161415	Rock	5	<0.01	8	<0.001	<20	0.10	<0.01	<0.01	<2	8.46	<1	<5	<5	<5	0.042	289	<0.001	0.016	>4	0.09
2161416	Rock	44	0.14	21	0.002	<20	0.88	<0.01	0.03	2	2.13	<1	<5	7	7	0.009	58	<0.001	0.041	>4	0.20
2161417	Rock	16	<0.01	8	0.001	<20	0.15	<0.01	0.03	<2	6.21	<1	<5	<5	<5	0.138	206	<0.001	0.024	>4	0.14
2161418	Rock	3	0.01		<0.001	<20	0.03	<0.01	0.01	7	>10	<1	<5	<5	<5	0.245	>300		0.199	>4	1.39
2161419	Rock	9	0.08	2	<0.001	<20	0.08	<0.01	<0.01	*	>10	<1	<5	<5	<5	0.048	45		0.262	2.00	13.52
2161420	Rock	39	0.34	14	0.001	<20	1.32	<0.01	0.14	<2	1.91	<1	<5	<5	10	0.023		<0.001	0.142	>4	2.11
2161421	Rock	10	0.30		<0.001	<20	0.96	<0.01	0.23	5	<0.05	<1	<5	<5	<5	<0.005	-	<0.001	0.002	0.10	0.43
2161422	Rock	6	2.53	5	<0.001	<20	0.07	<0.01	0.01	<2	8.80	<1	<5	7	<5	0.032	5	<0.001	0.016	0.07	0.02
2161423	Rock	7	2.18	4	<0.001	<20	0.05	<0.01	0.01	<2	>10	<1	<5	6	<5	0.064	8	<0.001	0.029	0.05	0.08

A Bureau Veri Acme Analytical La	melab itas Group Company boratories (Vancouve	er) Ltd.			acmela	ab.com	1					Clier Projec Repor		5241 (Kelow Ainsw	Cobble (na BC V	oratio Crescent (1W 5C3 er Camp 2013	CANAD	A			
9050 Shaughnessy PHONE (604) 253-	v St. Vancouver BC V 3158	6P 6E5	CANAE	A								Page:		2 of 2					Pa	rt: 3	of 4
CERTIFIC	ATE OF AN	IALY	′SIS													VA	N1:	3004	4177	.2	
	Method	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR.1
	Analyte	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	Р	Cr	Mg	AI	Na	к	w	Hg	s	Pb
	Unit	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	MDL	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	0.01
2161413	Rock	0.001	<0.001	0.55	7.42	<0.01	<0.001	0.016	<0.001	<0.01	0.19	0.025	0.005	0.38	0.74	<0.01	0.11	<0.001	<0.001	2.21	
2161414	Rock	<0.001	<0.001	<0.01	1.32	<0.01	<0.001	0.003	0.043	<0.01	<0.01	<0.001	0.002	<0.01	0.06	<0.01	<0.01	<0.001	<0.001	11.46	48.33
2161415	Rock	<0.001	<0.001	<0.01	1.46	0.02	0.002	0.001	0.028	<0.01	<0.01	0.004	0.002	<0.01	0.11	<0.01	<0.01	<0.001	<0.001	8.97	43.21
2161416	Rock	<0.001	<0.001	0.10	5.67	<0.01	0.001	<0.001	0.005	<0.01	0.02	0.022	0.006	0.13	0.95	<0.01	0.03	<0.001	<0.001	2.33	9.78
2161417	Rock	<0.001	<0.001	<0.01	3.48	0.06	0.001	0.001	0.019	<0.01	<0.01	0.007	0.004	<0.01	0.16	<0.01	0.03	<0.001	<0.001	6.57	30.59
2161418	Rock	<0.001	<0.001	0.04	5.55	0.07	<0.001	0.008	0.041	<0.01	<0.01	<0.001	0.002	0.01	0.04	<0.01	0.02	<0.001	<0.001	11.85	36.22
2161419	Rock	0.001	0.005	0.42	22.06	<0.01	<0.001	0.063	0.002	<0.01	0.04	0.002	0.001	0.06	0.10	<0.01	<0.01	<0.001	<0.001	19.05	
2161420	Rock	0.001	<0.001	0.48	6.29	<0.01	<0.001	0.009	0.002	<0.01	0.06	0.029	0.005	0.34	1.43	<0.01	0.24	<0.001	<0.001	2.12	6.60
2161421	Rock	0.001	0.002	0.36	2.78	0.02	<0.001	0.002	<0.001	<0.01	0.16	0.070	0.001	0.28	1.07	<0.01	0.35	<0.001	<0.001	<0.05	
2161422	Rock	<0.001	<0.001	5.13	14.82	0.01	0.018	<0.001	<0.001	<0.01	15.84	0.033	<0.001	2.53	0.09	<0.01	0.01	<0.001	<0.001	11.01	
2161423	Rock	<0.001	<0.001	4.29	18.09	0.02	0.017	<0.001	<0.001	<0.01	13.46	0.028	<0.001	2.14	0.08	<0.01	0.02	<0.001	<0.001	15.96	

_

Acme Labs [™]		Client:	DW Exploration 5241 Cobble Crescent Kelowna BC V1W 5C3 CANADA		
A Bureau Veritas Group Company	www.acmelab.com	Project:	Ainsworth Silver Camp		
Acme Analytical Laboratories (Vancouver) Ltd.		Report Date:	November 25, 2013		
9050 Shaughnessy St Vancouver BC V6P 6E5	CANADA				
PHONE (604) 253-3158		Page:	2 of 2	Part:	4 of 4
CERTIFICATE OF ANALY	/SIS		VAN13	004177.2	

		Method	G6Gr
		Analyte	Ag
		Unit	gm/t
		MDL	50
2161413	Rock		
2161414	Rock		425
2161415	Rock		
2161416	Rock		
2161417	Rock		
2161418	Rock		386
2161419	Rock		
2161420	Rock		
2161421	Rock		
2161422	Rock		
2161423	Rock		

Acme	eLab	S™										Client	:	5241 C	Exploi Cobble Cri na BC V1	escent					
A Bureau Veritas Grou		0		www.	acmela	b.com						Project:		Ainswo	orth Silver	Camp					
cme Analytical Laboratori	es (Vancouve	er) Ltd.										Report [Date:	Novem	ber 25, 2	013					
050 Shaughnessy St Var	couver BC V	6P 6E5 0	CANAD	DA																	
HONE (604) 253-3158												Page:		1 of 2					Part	: 1 of	4
QUALITY CON	ITROL	REP	OR	Т												VA	N13	004	177.	2	
	Method	WGHT	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	10
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	v	Ca	P	La
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.01	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001	1
Pulp Duplicates																					
2161418	Rock	0.59	<1	2041	>10000	>10000	>100	6	10	460	5.45	703	<2	1	75.8	376	24	2	0.01	0.001	<1
REP 2161418	QC																				
2161423	Rock	1.09	<1	278	510	823	8.2	3	5 :	>10000	18.98	223	<2	158	4.8	<3	4	3	10.39	0.029	19
REP 2161423	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD CZN-3	Standard																				
STD DS10	Standard		13	158	151	397	1.9	73	13	880	2.71	44	7	63	2.4	7	11	45	1.05	0.076	16
STD GBM997-6	Standard																				
STD OREAS45EA	Standard		2	700	19	30	0.4	381	56	391	23.82	10	12	3	<0.5	<3	<3	302	0.03	0.030	7
STD OXC109	Standard																				
STD OXI96	Standard																				
STD OXL93	Standard																				
STD PTC-1A	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9		2.7188	43.7	7.5	67.1	2.48	9.51	11.65		1.0355	0.073	17.5
STD OREAS45EA Expected			1.39	709	14.3	28.9	0.26	381	52	400	23.51	9	10.7	3.5				303	0.036	0.029	6.57
STD OXC109 Expected																					
STD OXI96 Expected																					
STD OXL93 Expected																					
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
STD AGPROOF Expected																					

Acm	el ab	S [™]										Client	:	5241 C	obble Cr	ration rescent W 5C3 C					
A Bureau Veritas G Acme Analytical Labora 9050 Shaughnessy St	iroup Company tories (Vancouve	r) Ltd.	CANAD		.acmela	b.com						Project: Report I			orth Silve ber 25, 2						
PHONE (604) 253-3158				^								Page:		1 of 2					Part	: 2 of	4
QUALITY CO		RFP										-				VA	N13	004	177	2	
QOALITT OC																		004		2	
	Method	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	G6	7AR	7AR	7AR	7AR	746
	Analyte Unit	Cr	Mg %	Ba	Ti %	В	AI %	Na %	K %	w	s %	Hg	TI	Ga	Sc	Au	Ag	Mo %	Cu %	Pb %	Zn %
	MDL	ppm 1	0.01	ppm 1	% 0.001	ppm 20	0.01	0.01	0.01	ppm 2	0.05	ppm 1	ppm 5	ppm 5	ppm 5	ppm 0.005	gm/t 2	0.001	% 0.001	0.01	0.01
Pulp Duplicates	MDL	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	9	0.005	2	0.001	0.001	0.01	0.01
2161418	Rock	3	0.01	2	<0.001	<20	0.03	<0.01	0.01	7	>10	<1	<5	<5	<5	0.245	>300	< 0.001	0.199	>4	1.39
REP 2161418	QC	5	0.01	2	<0.001	~20	0.00	NU.U1	0.01	'	210	51	~	~5	~5	0.245	>300	<0.001	0.133		1.00
2161423	Rock	7	2.18	4	< 0.001	<20	0.05	<0.01	0.01	<2	>10	<1	<5	6	<5	0.064	8	< 0.001	0.029	0.05	0.08
REP 2161423	QC		2.10		-0.001	-20	0.00		0.01	-			~			0.001		<0.001	0.029	0.05	0.08
Reference Materials	~~																-				-
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-9A	Standard																3	< 0.001	0.656	<0.01	<0.01
STD CDN-ME-14A	Standard																45	0.001	1.245	0.47	2.97
STD CZN-3	Standard																				
STD DS10	Standard	53	0.76	400	0.072	<20	1.00	0.06	0.33	3	0.28	<1	6	7	<5						
STD GBM997-6	Standard																				
STD OREAS45EA	Standard	850	0.10	146	0.093	<20	3.18	0.02	0.05	<2	< 0.05	<1	<5	12	83						
STD OXC109	Standard															0.199					
STD OXI96	Standard															1.849					
STD OXL93	Standard															5.717					
STD PTC-1A	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD DS10 Expected		54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.2743	0.289	4.79	4.3	2.8						
STD OREAS45EA Expecte	ed	849	0.095	148	0.0875		3.13	0.02	0.053		0.036			11.7	78						
STD OXC109 Expected																0.201					
STD OXI96 Expected																1.802					
STD OXL93 Expected																5.841					
STD CDN-ME-9A Expected																			0.654		0.01
STD CDN-ME-14A Expected																	42.3		1.221	0.495	3.1
STD AGPROOF Expected																					
STD SP49 Expected																					

Acm	e Lab)S [™]										Client	t:	5241 C	obble Cr	ration rescent IW 5C3 C					
A Bureau Veritas Gro	oup Company			www.a	acmela	b.com						Project Report			rth Silve ber 25, 2						
Acme Analytical Laborato	•	·	~ • • • • • •																		
9050 Shaughnessy St Va PHONE (604) 253-3158	ancouver BC V	6P 6E5	CANAD	A								Page:		1 of 2					Part:	3 of	4
QUALITY CO	NTROL	REP	OR													VA	N13	004	177.:	2	
	Method Analyte	7AR Ni	7AR	7AR Mn	7AR Fe	7AR	7AR Sr	7AR	7AR Sb	7AR	7AR	7AR P	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR.1
	Unit	%	Co %	wn %	ге %	As %	5r %	Cd %	5D %	Bi %	Ca %	۳ %	Cr %	Mg %	AI %	Na %	к %	W %	Hg %	s %	Pb %
	MDL	0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	0.01
Pulp Duplicates		0.001	0.001	0.01		0.01	0.001	0.001	0.001	0.01	0.01	0.001	01001	0.01	0.01	0.01	0.01	0.001		0.00	0.01
2161418	Rock	<0.001	<0.001	0.04	5.55	0.07	<0.001	0.008	0.041	<0.01	< 0.01	<0.001	0.002	0.01	0.04	<0.01	0.02	< 0.001	<0.001	11.85	36.22
REP 2161418	QC																				
2161423	Rock	<0.001	<0.001	4.29	18.09	0.02	0.017	<0.001	< 0.001	<0.01	13.46	0.028	<0.001	2.14	0.08	<0.01	0.02	<0.001	<0.001	15.96	
REP 2161423	QC	<0.001	<0.001	4.29	18.06	0.02	0.017	<0.001	< 0.001	<0.01	13.42	0.028	<0.001	2.14	0.08	<0.01	0.02	< 0.001	< 0.001	15.85	
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				0.32
STD CDN-ME-9A	Standard	0.948	0.017	0.06	11.77	<0.01	0.006	<0.001	<0.001	<0.01	1.31	0.061	0.014	2.84	2.12	0.31	0.19	<0.001	<0.001	3.48	
STD CDN-ME-14A	Standard	0.002	0.017	0.05	17.21	<0.01	<0.001	0.009	0.003	<0.01	0.29	0.012	0.002	0.86	1.12	0.03	0.36	<0.001	<0.001	16.47	
STD CZN-3	Standard																				0.10
STD DS10	Standard																				
STD GBM997-6	Standard																				21.60
STD OREAS45EA	Standard																				
STD OXC109	Standard																				
STD OXI96	Standard																				
STD OXL93	Standard																				
STD PTC-1A	Standard																				0.05
STD SP49	Standard																				
STD SP49	Standard																				
STD DS10 Expected STD OREAS45EA Expected																					
STD OXC109 Expected																					
STD OXC109 Expected																					
STD OXIS6 Expected STD OXL93 Expected																					
STD CDN-ME-9A Expected		0.912	0.017	0.067	11.7		0.0063				1.4	0.059	0.014	2.82	2.2	0.32	0.19			3.46	
STD CDN-ME-14A Expected	1		0.0174	0.06	17.56	0.01		0.009		0.01	0.305	0.013		0.8835	1.09	0.032	0.35			16.75	
STD AGPROOF Expected																					
STD SP49 Expected																					



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

QUALITY CONTROL REPORT

	Method	G6Gr
	Analyte	Ag
	Unit	gm/t
	MDL	50
Pulp Duplicates		
2161418	Rock	386
REP 2161418	QC	387
2161423	Rock	
REP 2161423	QC	
Reference Materials		
STD AGPROOF	Standard	95
STD CCU-1C	Standard	
STD CDN-ME-9A	Standard	
STD CDN-ME-14A	Standard	
STD CZN-3	Standard	
STD DS10	Standard	
STD GBM997-6	Standard	
STD OREAS45EA	Standard	
STD OXC109	Standard	
STD OXI96	Standard	
STD OXL93	Standard	
STD PTC-1A	Standard	
STD SP49	Standard	58
STD SP49	Standard	61
STD DS10 Expected		
STD OREAS45EA Expected		
STD OXC109 Expected		
STD OXI96 Expected		
STD OXL93 Expected		
STD CDN-ME-9A Expected		
STD CDN-ME-14A Expected		
STD AGPROOF Expected		94
STD SP49 Expected		60.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Client:	DW Exploration 5241 Cobble Crescent Kelowna BC V1W 5C3 CANADA
Project:	Ainsworth Silver Camp
Fiojeci.	

1 of 2

Page:

VAN13004177.2

Part: 4 of 4

AcmeLab)S [™]										Client	:	5241 C	obble Cr	ration escent W 5C3 C					
A Bureau Veritas Group Company			www.	acmela	b.com						Project:		Ainswo	rth Silver	r Camp					
Acme Analytical Laboratories (Vancouv 9050 Shaughnessy St Vancouver BC V		ANAD	A								Report	Date:	Novem	ber 25, 2	013					
PHONE (604) 253-3158											Page:		2 of 2					Par	t: 1 of	f 4
QUALITY CONTROL	REP	ORT													VA	N13	004	177.	.2	
	WGHT	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D
	Wgt	Мо	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	v	Ca	Р	La
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	0.01	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001	1
STD CZN-3 Expected																				
STD CCU-1C Expected																				
STD GBM997-6 Expected																				
BLK Blank		<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001	<1
BLK Blank																				
BLK Blank																				
BLK Blank																				
BLK Blank																				
BLK Blank																				
Prep Wash																				
G1 Prep Blank		<1	2	<3	35	<0.3	3	5	562	1.95	<2	5	59	<0.5	<3	<3	37	0.44	0.078	9
G1 Prep Blank		<1	2	5	37	<0.3	3	4	539	1.81	<2	4	52	<0.5	<3	<3	36	0.41	0.077	8

)S [™]		www.	acmela	b.com						Client:	:	5241 C Kelown	obble Cr	W 5C3 C					
cme Analytical Lat	ooratories (Vancouve	er) Ltd.										Report [Date:	Novem	ber 25, 2	013					
050 Shaughnessy PHONE (604) 253-3	St Vancouver BC V 3158	6P 6E5 0	CANAD	A								Page:		2 of 2					Part	2 of	f 4
QUALITY	CONTROL	REP	OR1	Γ												VA	N13	004	177.	2	
		40	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	1D	40		7AR	7AR	7AR	7AR	7AR
		1D	10	10	10	10	10	10	10	10	10	10	10	10	1D	G6	/AR	IAR	TAR	IAR	100
		1D Cr	Mg	Ba	1D Ti	1D B	AI	1D Na	ĸ	1D W	1D S	Hg	TI	Ga	1D Sc	G6 Au	Ag	Mo	Cu	Pb	Zn
			Mg %		Ti %	B	AI %	Na %	K %	W	s %		TI	Ga	Sc ppm	Au	Ag gm/t	Mo %	Cu %	Pb %	Zn %
		Cr	Mg	Ba	Ti	В	AI	Na	к	w	s	Hg	TI	Ga	Sc	Au	Ag	Мо	Cu	Pb	Zn
STD CZN-3 Expected		Cr ppm	Mg %	Ba	Ti %	B	AI %	Na %	K %	W	s %	Hg	TI	Ga	Sc ppm	Au	Ag gm/t	Mo %	Cu %	Pb %	Zn %
STD CCU-1C Expecte	ed	Cr ppm	Mg %	Ba	Ti %	B	AI %	Na %	K %	W	s %	Hg	TI	Ga	Sc ppm	Au	Ag gm/t	Mo %	Cu %	Pb %	Zn %
STD CCU-1C Expecte STD GBM997-6 Expe	ed cted	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5	Au	Ag gm/t	Mo %	Cu %	Pb %	Zn %
STD CCU-1C Expecte STD GBM997-6 Expe BLK	ed cted Blank	Cr ppm	Mg %	Ba ppm 1	Ti %	B	AI %	Na %	K %	W	\$ % 0.05	Hg	TI	Ga	Sc ppm	Au ppm 0.005	Ag gm/t	Mo %	Cu %	Pb %	Zn %
STD CCU-1C Expecte STD GBM997-6 Expe BLK BLK	ed cted Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005 <0.005	Ag gm/t	Mo %	Cu %	Pb %	Zn %
STD CCU-1C Expecte STD GBM997-6 Expe BLK BLK BLK	ed cted Blank Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005	Ag gm/t 2	Mo % 0.001	Cu % 0.001	Pb % 0.01	Zn % 0.01
STD CCU-1C Expecte STD GBM997-6 Expe BLK BLK BLK BLK BLK	ed Cted Blank Blank Blank Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005 <0.005	Ag gm/t 2	Mo % 0.001	Cu % 0.001	Pb %	Zn %
STD CCU-1C Expects STD GBM997-6 Expe BLK BLK BLK BLK BLK BLK	ed Cted Blank Blank Blank Blank Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005 <0.005	Ag gm/t 2	Mo % 0.001	Cu % 0.001	Pb % 0.01	Zn % 0.01
STD CCU-1C Expecte STD GBM997-6 Expe BLK BLK BLK BLK BLK BLK	ed Cted Blank Blank Blank Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005 <0.005	Ag gm/t 2	Mo % 0.001	Cu % 0.001	Pb % 0.01	Zn % 0.01
STD CCU-1C Expects STD GBM997-6 Expe BLK BLK BLK BLK BLK BLK	ed Cted Blank Blank Blank Blank Blank Blank	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	AI % 0.01	Na % 0.01	K % 0.01	W ppm 2	\$ % 0.05 <0.05	Hg ppm 1	TI ppm 5	Ga ppm 5	Sc ppm 5 <5	Au ppm 0.005 <0.005	Ag gm/t 2	Mo % 0.001	Cu % 0.001	Pb % 0.01	Zn % 0.01

A Bureau Ver		-		www.	acmela	b.com						Client Project Report		5241 C Kelowr Ainswo	Explo Cobble Cr na BC V1	rescent IW 5C3 C r Camp					
	aboratories (Vancouv y St. Vancouver BC V -3158	· ·	CANAD	A								Page:		2 of 2					Part:	3 of	4
QUALITY	CONTROL	REF	POR	Г												VA	N13	3004	177.:	2	
		7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR	7AR.1
		Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	Р	Cr	Mg	AI	Na	к	w	Hg	s	Pb
		%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.001	0.001	0.01	0.01	0.01	0.001	0.001	0.001	0.01	0.01	0.001	0.001	0.01	0.01	0.01	0.01	0.001	0.001	0.05	0.01
STD CZN-3 Expecte	d																				0.113
STD CCU-1C Expect																					0.34
STD GBM997-6 Exp																					23.75
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
DER			0.004	0.04	<0.01	< 0.01	< 0.001	< 0.001	< 0.001	< 0.01	< 0.01	<0.001	<0.001	< 0.01	< 0.01	< 0.01	< 0.01	<0.001	< 0.001	< 0.05	
BLK	Blank	< 0.001	<0.001	<0.01	<0.01	~0.01		-0.001	-0.001	-0.01											
	Blank Blank	<0.001	<0.001	<0.01	<0.01	-0.01	40.001	40.001	-0.001												
BLK BLK BLK		<0.001	<0.001	<0.01	<0.01	-0.01	-0.001	-0.001	-0.001												<0.01
BLK BLK	Blank	<0.001	<0.001	<0.01	<0.01	-0.01	-0.001	-0.001	-0.001												<0.01
BLK BLK BLK	Blank	<0.001	<0.001	<0.01	<0.01	<0.01	-0.001														<0.01



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

QUALITY CONTROL REPORT

		G6Gr Ag gm/t
		50
STD CZN-3 Expected		
STD CCU-1C Expected		
STD GBM997-6 Expected		
BLK	Blank	<50
BLK	Blank	
Prep Wash		
G1	Prep Blank	
G1	Prep Blank	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Kelowna BC V1W 5C3 CANADA Ainsworth Silver Camp November 25, 2013

DW Exploration 5241 Cobble Crescent

2 of 2

Client:

Project:

Page:

Report Date:

Part: 4 of 4

VAN13004177.2

19 CONCLUSION

The 2013 exploration program was a modest program due to funds available. A program will be set up for the summer of 2014 to complete a magnetic grid on the north end of the property.

20 STATEMENT OF COST

Exploration Work type	Comment	Days		
Personnel (Name)* /				_
Position	Field Days (list actual days)	Days	Rate	Subtotal*
David A. Wallach		5.5	\$600.00	\$3,300.00
Adisak (James) Nikasoka		5.5	\$160.00	\$880.00
Report preparation		1.0	\$220.00	\$220.00
Transportation		No.	Rate	Subtotal
Truck rental	1 F350 Crew Cab truck	5.50	\$100.00	\$550.00
Fuel (litres/hour)	290 Leters of fuel used	290.00	\$1.32	\$382.80
side x side		5.50	\$66.00	\$363.00
Accommodation & Food	Rates per day	No.	Rate	Subtotal
Base Camp	31 foot trailer	5.50	\$100.00	\$550.00
Camp		5.50	\$35.00	\$192.50
Meals	day rate or actual costs-specify	5.50	\$66.00	\$363.00
Equipment Rentals		No.	Rate	Subtotal
Field Gear (Specify)	Chain saw, GPS x2, Hip Chain, ect	5.50	\$61.00	\$335.50
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal
Rock	laboratory costs	33.0	\$34.93	\$1,152.69
Freight, rock samples		1.0	\$48.00	\$48.00
GRAND TOTAL:				\$8,337.49
				\$8,337.48

21 REFERENCES

Buss, L. (2008). Geological Exploration Summary Report on the Kootney Arc Land Holdings, SE Portion of British Columbia, Canada For Liberty International Minerals Corp. Website Publication for Liberty Minerals: www.libmin.com/pdfs/Regional_Exploration_Report_Dec1508.pdf

MINFILE 082FNE034

Putt, D.J. (1977). Report on the Bounty Claim, Ainsworth, BC. BC Ministry of Energy and Mines Assessment Report # 6481.

22 QUALIFICATIONS

David A. Wallach is a 4th generation miner and prospector with 24 years experience from the ground up in open pit & underground drill/blasting, heavy equipment operator, timber man, prospector, geo technical field work, project management, tenure management, general manager, and President/director of a few small private exploration companies.

Experience:

- Informing the shareholders of decisions made to move forward, writing annual newsletters.
- Communications with investors and board members.
- Oversee operations including promotions and investor relations.
- Prospecting (recognisance), Grid lay out and sampling.
- Oversee all Tenure management and Mineral Claim Registration (acquisition); write Tenure management reports and recommendations.
- Tenure management reports and recommendations, (3700 Tenures in total, 3.7 million acres).
- Communications with CEO, President, Vice President, Geologists, Contractors, and Directors.
- Oversee all employees and or contractors (Canadian projects) with safety procedures, Employee ethics and morale.
- Write Mine Emergency Response Plans (MERP) for each project, (8 projects in total)
- Budget preparation and allowance.
- Coordinate all contractors and employees, according to project requirements, wail working within due dates required by projects in order to stay within the aloud budget.
- Write technical & physical reports (SOW) and submit to the Ministry of Mines and Petroleum.
- Oversee all Supplies, equipment and tools need for field work, IE, Gridding & sampling, Line cutting, Prep for IP or Titan 24, Trenching, Road building, and Diamond drilling.
- Oversee soil/rock sample preparation for shipping to assay lab.
- Coordinate and oversee all communications and supplies for base camp and workshops.
- Stocking and taking inventory of supplies.
- Due diligents for property acquisition and or purchase.
- Apply for permits for various projects.
- Attend and man booth for trade shows.
- NWT Blasting ticket.
- Driller/ Blaster (Long hole, Drift, Raze).
- Timberman.
- Driller Helper (Underground, Open Pit /Tank drill).
- Diamond driller Helper (Underground & Surface).
- Heavy Equipment Operator (Rock Truck, Scoop, Tank Drill).