



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2013 Geochemical Assessment Report on the DOROTHY PROPERTY

TOTAL COST: \$16,837.43

AUTHOR(S): Mike Middleton
SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):
STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5467622

YEAR OF WORK: 2013

PROPERTY NAME: Dorothy

CLAIM NAME(S) (on which work was done):

Dorothy 1 (356329), Dorothy 2 (356330), Dorothy 3 (1011432), Dorothy4 (1013404), Dorothy5 (1013406), Kramric (1014719), Kramric1 (1021944), Kramric2 (1021945), 625863, 612047 and 830962.

COMMODITIES SOUGHT: Pb, Zn, Ag, Au, Cu.

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 104A 003, 104A 007, 104A 012

MINING DIVISION: Skeena Mining Division

NTS / BCGS: NTS 104A

LATITUDE: 56° 09' 14.094"

LONGITUDE: 129° 54' 38.69" (at centre of work)

UTM Zone: 9-U EASTING: UTM 443425m E NORTHING: 6223583m N

OWNER(S): SIDDOO, KIRPAUL SINGH
GIN, KEN GARRY (DR.)

MAILING ADDRESS: 808 Moody Ave. North Vancouver, B.C. V7L 4T9

OPERATOR(S) [who paid for the work]: Gulzara Minerals Resources and Mining Ltd.

MAILING ADDRESS: 808 Moody Ave. North Vancouver, B.C. V7L 4T9

REPORT KEYWORDS

Vein and stratiform lead-zinc-silver-gold mineralization.

Rock sampling.

Prospecting.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
21405, 23964, 25623, 26006, 26579

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock/Trench	40 Samples	356329, 612047	\$16,837.43
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
TOTAL COST			\$16,837.43

2013

GEOLOGICAL AND GEOCHEMICAL

ASSESSMENT REPORT

ON THE

DOROTHY PROPERTY

Skeena Mining Division

NTS 104 A/04

Latitude: 56° 9' 14.094"

Longitude: 129° 54' 38.69"

NAD 83 (Zone 9) 443,425mE 6,223,583mN

ON BEHALF OF

GULZARA MINERALS RESOURCES AND EXPLORATION LIMITED

808 MOODY AVE.

NORTH VANCOUVER, B.C.

V7L 4T9

REPORT BY

M.MIDDLETON, Mining and Geological Technician

14948 90th AVE

SURREY, B.C.

DATE: December 9, 2013

SUMMARY

This report summarizes the fieldwork carried out on the Dorothy Property during the 2013 field season.

The Dorothy claims are located in the American Creek valley, centered approximately 25km north-northeast of the town of Stewart, B.C. The claim group consists of the following; Dorothy 1 (356329), Dorothy 2 (356330), 612047, 356329 (625863), 830962, Dorothy 3 (1011432), Dorothy4 (1013404), Dorothy5 (1013406), Kramric (1014719), Kramric1 (1021944), Kramric2 (1021945). The claim block covers a total area of 1378.46ha.

Sections of the claims have been sporadically prospected since the early 1900's but has never really been explored as a whole due to the steep topography and access. Research and geo-referencing the old data has outlined a possible 15 separate mineralized veins on the property and were the target for the 2013 season. Due to the steep topography only six of these veins were located and sampled. A total of 40 rock samples were collected and delivered to Acme Analytical Laboratories Preparation Facility in Smithers, B.C.

The West side of American Creek is the main zone of interest. Underground workings and drilling on properties to the south (Mann and High Grade Veins) indicate mineralization zones in the area have some depth potential and the mineralized trend is projected toward the Lucky Jim Zone on the Dorothy 1 claim. These mineralized structures also correlate with the general orientation of regional scale fractures observed.

The most prominent vein on the property, the Maybee vein, consists of bands of massive galena, sphalerite, and pyrite in a quartz-barite gangue. These veins pinch and swell over 45m down a cliff face and are separated in some locations with large quartz, barite and jasper veins. 29 previous sample of the vein outlined a zone 45m long and up to 4.5m wide averaging 0.38% Copper, 7.23% Lead, 1.80% Zinc and 88.33g/t Silver.

TABLE OF CONTENTS

	SUMMARY
	TABLE OF CONTENTS
1.0	INTRODUCTION
2.0	PROPERTY DESCRIPTION AND LOCATION
3.0	PROPERTY HISTORY
4.0	REGIONAL GEOLOGY
5.0	PROPERTY GEOLOGY
5.1	MINERALIZATION
5.2	STRUCTURE
5.3	FOLDS
5.4	FAULTS
6.0	EXPLORATION PROGRAM
7.0	CONCLUSIONS AND RECOMMENDATIONS
8.0	REFERENCES

TABLES

Table 1	Property Title
Table 2	Rock Sample Descriptions

APPENDICES

Appendix A	Statement of Qualifications
Appendix B	Itemized Cost Statement
Appendix C	Assay Certificates

LIST OF APPENDED MAPS

Map 1	Property Location
Map 2	Claim Map
Map 3	Regional Geology
Map 4	Property Geology
Map 5	Rock Sample Locations
Map 6	Rock Samples Pb, Zn, Ag

1.0 INTRODUCTION

This report describes fieldwork carried out on the Dorothy Property in September of 2013. The focus of the work was to identify the individual vein locations and verify mineralization potential. A total of 40 rock samples were collected from the property. Exploration along trend of the Maybee vein has extended the known mineralization to the south and has uncovered anomalous zinc values to the north. Numerous 30cm to 1 meter veins were located in the Lucky Jim zone with mineralization identical to the Maybee vein, these veins may be the extension of the Mountain Boy veins to the south or may be related to the hydrothermal activity that helped form the Maybee Vein.

2.0 PROPERTY DESCRIPTION AND LOCATION

The Dorothy property lies 22km north of Stewart, British Columbia, along the American Creek valley. American Creek is a tributary of Bear River which flows into the northern extremity of Portland Canal at Stewart. The center of the property is at NAD83 Zone 09 at 6,223,59mN 443,438mE (Figure 1).

The property is accessible by road by taking Highway 37A, east from Stewart, for 20km to where American Creek meets the Bear River. An old wagon trail from 1910 has been upgraded for four kilometers to gain access to the American Boy Property. From there the road is overgrown with 10ft alder, but the road bed is solid with the exception of a few creek beds for another 2.5km, and then continues on as the old wagon trail. An easy walk along the overgrown road gave access to the southern portion of the Dorothy claims along American Creek.

The claims lie within a deeply incised valley with very precipitous slopes and cliffs on either side with elevation from 350m to 1400m. Traversing these slopes is dangerous and ropes are required to gain access to many parts of the claims. Higher elevations are best accessed by helicopter.

The property comprises of 6 contiguous mineral claims totalling 1378.46 hectares in the Skeena Mining Division (Figure 2). A list of claims and ownership is included in table 1.

Tenure Number	Claim Name	Owner	Map Number	Good To Date	Area (ha)
356329	DOROTHY 1	204027 (50%) 145111 (50%)	104A	2016/apr/28	500.00
356330	DOROTHY 2	204027 (50%) 145111 (50%)	104A	2016/apr/28	500.00
612047		204027 (50%) 145111 (50%)	104A	2016/apr/28	72.08
625863	356329	204027 (50%) 145111 (50%)	104A	2016/apr/28	18.02
830962		204027 (50%) 145111 (50%)	104A	2016/apr/28	108.16
1011432	DORTHY 3	204027 (100%)	104A	2016/apr/28	54.07
1013404	DORTHY4	204027 (100%)	104A	2016/apr/28	18.03
1013406	DORTHY5	204027 (100%)	104A	2016/apr/28	18.02
1014719	KRAMRIC	204027 (100%)	104A	2016/apr/28	36.03
1021944	KRAMRIC1	204027 (100%)	104A	2016/apr/28	18.01
1021945	KRAMRIC2	204027 (100%)	104A	2016/apr/28	36.04

Table 1: Dorothy Property Claims (Good to date valid upon acceptance of this report).



Figure 1: Location Map




Figure 2: Property Map

3.0 PROPERTY HISTORY

Prospecting began in the Portland Canal area about 1898 and moved northward into the American Creek area. The first claims that were staked in the area were the American Girl and Mountain Boy claims in 1902. Aggressive work was done on these claims including tunneling, trenching and open cutting.

The area encompassed by the Dorothy claims have been explored sporadically since 1904 when some stripping and open cutting was recorded on the Ruby claim. In 1905 four open trenches were dug on the Maybee and Louise claims for a total of 80ft. Reports state that high grade silver and copper mineralization is similar on both claims. During the same period work performed on the Ruby and Mourning Star claims included one 15ft exploration adit and 63ft of trenching.

In 1929, Shuniah Mines Ltd. Optioned the Ruby and nearby Blue Jay, May Bee, Louise and M. and M. claims. At this time, 3 veins were reported on the Ruby claim. The option was dropped the following year.

In 1972, Crest Ventures Limited held the Ruby, Blue Jay, May Bee, Louise, Ax 1-8 and Axel Fraction claims. No work was reported on the claim.

In 1990, D. Cremonese (Amphora Resources) flew a heli-borne VLF-EM and magnetometer survey over the Elk 1-2, Bunt 1-4 and Basin 1-4 claims. The survey included the area of the Maybee showing. Petro Plus Inc. optioned the American Creek property in 1998.

In 1990, Teuton Resources purchase the Lucky Jim claims and conducted a limited geochemical survey (Assessment Report 21,405). 16 rock samples were collected from the property and returned values of 0.244 oz/ton gold, 8.14% lead and 5.24% zinc from old trenches, (sample JM-R-4).

Minvita Enterprises Ltd optioned the Lucky Jim properties in 1991 and commissioned Teuton Resources Corp. to conduct a limited exploration project in 1995, Assessment report 23,964. The program outlined at least five showings on the Lucky Jim claims but samples were only obtained from one of the larger veins. Assays returned values of up to 3.55 oz/ton silver and 5.44% zinc from a quartz-carbonate-sulphide vein (sample ERK-943). Highly anomalous float samples indicate mineralization higher up the hillside, but no follow-up program was ever conducted.

In 2000, D.K. Bragg conducted a prospecting and topographic mapping program on the Golden Genesis Property, which covers the current claims. The subsequent report mentions silver assays to 771.26 oz/ton, combined lead/zinc up to 65% and gold values as high as 1.893 oz/ton from grab samples. Unfortunately the locations of the grab samples are unknown.

In 2012, Gulzara Resources conducted a limited exploration program to identify the individual vein locations and verify mineralization potential. A total of 31 rock samples and 12 silt samples were collected from the property. The program was successful in outlining some of the vein structures and duplicate previous assay results.

4.0 REGIONAL GEOLOGY

The property lies close to the boundary between the Intermountain Belt and the Coast Plutonic Complex of the Canadian Cordillera. The property is located in the southern part of the Stikine Arch, a late Paleozoic to Mesozoic assemblage of volcanic and sedimentary rocks. The Stikine Arch stretches from Anyox to Atlin and east of Telegraph Creek around the northern edge of the Bower basin (figure 3). Within the Stikine Arch, Triassic rocks are found only in the Iskut/IJnuk River area. Named the Stuhini Group these rocks are dominantly intermediate volcanics and sediments and host several deposits in the area.

Triassic rocks are unconformably to and gradationally overlain by the lower to middle Jurassic Hazelton Group. Grove (1986) divided the Jurassic Hazelton Group into four major lithostratigraphic divisions: the Unuk River Formation (Early Jurassic), the Betty Creek and Salmon River Formations (middle Jurassic), and the Nass Formation (late Jurassic). Anderson and Thorkelson (1990) do not include the Nass Formation, which includes Bower Basin sediments. The Hazelton Group is dominated by island arc volcanics which are the source rocks for much of the Bowser Basin sediments. Anderson and Thorkelson (1990) do recognize a regionally mapable unit (the Mt. Dilworth Formation), between the Betty Creek Formation and the Salmon River Formation. The Unuk River Formation is characterized by basal pyroclastic flows that are progressively overlain by tuffs, argillites, local andesite breccia and finally conglomerates with interbedded tuffs, wackes, siltstones and minor carbonate lenses. The Betty Creek Formation unconformably overlies the Unuk River Formation and is comprised of maroon to green volcanics, siltstone, greywacke, conglomerate, breccia, basaltic pillow, lavas, andesitic flows and some carbonate lenses. The Mt. Dillworth Formation, recognized in the Iskut-Unuk River region consists of tuff breccia, felsic tuff, ash tuff and argillaceous sediments. The Salmon River Formation conformable to and unconformably overlies the Betty Creek Formation

and the Mt. Dilworth Formation. It consists of intensely folded color banded siltstones and lithic wackes with locally occurring calcarenite and volcanic components. At the end of the Middle Jurassic the volcanic complex was uplifted and detritus shed from the Stikine Arch into the adjacent Bowser Basin. The Nass Formation outcrops mainly along the western part of this basin and represents primarily deltaic calcareous siltstones.

These volcanic and sedimentary sequences were subsequently intruded by middle age Jurassic to Tertiary granitoid intrusions associated with the Coastal Pluton Complex. Later stage (Quaternary) basaltic volcanism resulted in deposits of columnar basalt flows, ash and tephra layers, and cinder cones, which are relatively rare in the southern part of the Stikine Arch. Pleistocene. Recent glaciation has eroded and/or covered much of this volcanism.

435000°E

440000°E

445000°E

430000°E

6235000°N

6235000°N

6233000°N

6233000°N

6225000°N

6225000°N

6229000°N

6229000°N

6215000°N

6215000°N

621000°N

621000°N

Regional Geology Legend

- Hazelton Group - Unuk River Formation
- Hazelton Group undivided sedimentary rocks
- Hazelton Group - Mount Dilworth Formation
- Hazelton Group - Betty Creek Formation
- Texas Creek Plutonic Suite - Summit Lake or Texas Creek Stocks
- Coast Plutonic Complex(?)
- Dorothy Property Claim Outline

★ Dilworth-Big Missouri

★ Silver Coin



**GULZARA MINERALS
DOROTHY PROPERTY
REGIONAL GEOLOGY**

Scale: 1:75,000 Date: Nov. 9, 2012 Figure 3
Projection: UTM NAD83 Zone 9

435000°E

440000°E

445000°E

430000°E

5.0 PROPERTY GEOLOGY

The Dorothy Property appears to be overlain by the lower Jurassic Unuk River Formation volcanoclastics that form a north-northwesterly trending belt that extends well past the property. The rocks are typically green to red andesitic crystal tuffs. These tuffs are well bedded, siliceous and weakly to moderately pyritic. These rocks have been locally broken and sheared and have experienced infilling and replacement with vein material. In the property area, the Unuk River Formation is unconformably overlain by Lower Jurassic rocks from the Betty Creek Formation. The Betty Creek Formation is another cycle of trough filling andesitic and basaltic flows, volcanic breccias with self-erosional conglomerate, sandstone, siltstone and minor crystal and lithic tuffs (figure 4).

There are various intrusions in the vicinity of the Dorothy Property. The granodiorites of the Coast Plutonic Complex largely engulf the Mesozoic volcanic terrain to the West. East of these there are smaller intrusive plugs ranging from quartz monzonite to granite to highly felsic. Some are likely related to the late offshoots of the Coast Plutonic Complex, others are synvolcanic and tertiary. Minor intrusions have been noted on the Dorothy 2 claim close to the axis of the American anticline.

Double plunging, northwesterly trending synclinal folds of the Salmon River and underlying Betty Creek Formation dominate the structural setting of the area, these folds are locally disrupted by small thrusts striking parallel to the major fold axis, cross-axis steep wrench faults which locally turn beds, selective tectonization of tuff units and major northwest faults which turn beds.




Figure 4: Property Geology

5.1 MINERALIZATION

Previous exploration has discovered up to 15 quartz-barite carbonate replacement occurrences within the claim group. The locations are suspect and many of the veins remain unexplored mainly due to topography. The Maybee vein remains the most explored vein system with most of the historic assessment reports concentrating on this area.

The mineralization within the Maybee vein appears to prefer certain structural features such as fracturing or as observed in one small area following interformational beds. The vein consists of a footwall section of approximately 1 meter of massive galena, sphalerite and pyrite and minor chalcopyrite with a quartz-barite gangue followed by a middle section of 2.5 metres of mixed quartz, barite and minor jasper and about 2% mixed sulphides and a hangingwall section and about one metre of massive sulphides identical to footwall material.

The mineralization in the cliff face is well sheared with abundant chlorite along the shears and consists of two bands of massive galena-sphalerite mineralization separated by a band of quartz and barite. 29 previous samples of the vein outlined a zone 45m long and up to 4.5m wide averaging 0.38% Copper, 7.23% Lead, 1.80% Zinc and 88.33g/t Silver.

5.2 STRUCTURE

Rocks within the claim block display an assortment of fabrics and structures. All the rocks seem to have undergone the same series of stress regimes but rock types have deformed differently.

Structural elements include:

- Primary bedding (So) measured in sedimentary rocks, felsic volcanics and rare sedimentary intervals in massive andesitic sequences.
- Northwest trending folds (F1) that vary from open in volcanic rocks, to tight isoclinal in turbidites.
- Minor axial-planar cleavage (St) related to small, tight folds formed during regional scale folding.
- West dipping foliation (F2) of brittle to ductile origin.
- West plunging lineations (L3) and geometrically related extensional quartz veins and joints.
- Southeast striking, subvertical ductile shear zone.
- Brittle faults of many scales, orientations and ages.

5.3 FOLDS

Folding is the dominant structural feature in the area. A northerly trending, regional scale fold system of en echelon synclines is the main fold structure. Two major folds occur along the Salmon-Bear River drainages. The first fold is a syncline, the Long Lake syncline which is found to the west of the property area approximately one half of the distance between the Bear and Salmon Rivers. The second fold is a complementary broad anticline with its axis just west of American Creek. The property is located in the west limb of this fold.

5.4 FAULTS

Faults are abundant on both local and regional scales, with small scale structures distributed all over the property. These brittle fractures are preserved as narrow fault breccias and small bands of gouge up to 30cm thick.

The property is dominated with north-striking, subvertical shears and east-northeasterly cross structures. These faults may play an important role in mineral development, as breccia zones and vein orientations demonstrate.

6.0 EXPLORATION PROGRAM

Previous work on the property by numerous operators has outlined an exciting epigenetic hydrothermal vein system, but locations of separate vein were uncertain. A total of 40 rock samples were collected from the property. Exploration along trend of the Maybee vein has extended the known mineralization to the south and has uncovered anomalous zinc values to the north. Numerous 30cm to 1 meter veins were located in the Lucky Jim zone with mineralization identical to the Maybee vein, these veins may be the extension of the Mountain Boy veins to the south or may be related to the hydrothermal activity that helped form the Maybee Vein.

Sample ID	Easting	Northing	Au (ppm)	Cu (ppm)	Ag (ppm)	Pb (%)	Zn (%)
1132751	442692	6223702	0.082	1408.6	68.8	1.13	0.38
1132752	442691	6223701	0.011	970.9	61.5	0.43	0.26
1132753	442693	6223703	0.045	392.3	33.5	0.14	0.25
1132754	442678	6223766	0.013	799.0	89.5	0.02	0.05
1132755	442654	6223840	0.334	312.2	7.0	0.07	1.12
1132756	442647	6223839	0.034	80.2	2.7	0.06	2.31
1132757	442643	6223830	0.018	151.5	1.8	0.15	0.33
1132758	442644	6223839	0.024	247.2	11.2	0.05	2.31
1132759	442663	6223764	0.013	2982.8	36.2	0.02	0.15
1132760	442666	6223763	0.011	110.5	3.0	0.01	0.03
1132761	442684	6223754	0.010	361.0	29.8	0.04	0.03
1132762	442692	6223694	0.047	484.6	8.7	0.19	0.46
1132763	442677	6223748	0.005	3.9	0.1	0.00	0.01
1132764	442678	6223749	0.007	105.4	6.5	0.01	0.03
1132765	442680	6223749	0.007	363.1	18.5	0.01	0.09
1132766	442682	6223750	0.025	1090.6	41.9	0.61	0.13
1132767	441559	6222960	0.005	12.2	0.6	0.00	0.01
1132768	441598	6222966	0.005	34.8	0.4	0.01	0.02
1132769	441946	6223228	0.010	9.5	0.4	0.03	0.03
1132770	442070	6223288	0.982	185.3	2.8	0.11	0.82
1132771	442115	6223540	0.098	877.4	62.0	3.87	11.09
1132772	442116	6223516	0.042	39.4	4.2	1.06	3.11
1132773	442107	6223355	0.072	63.8	1.2	0.20	2.37
1132774	441783	6222936	0.023	1142.6	3.6	0.05	0.03
1132775	441864	6223037	0.675	457.5	14.0	5.69	5.49
1132776	441864	6223039	0.355	299.3	21.8	6.20	6.23
1132777	441870	6223035	0.222	95.9	54.4	2.62	5.67
1132778	441872	6223029	0.078	119.9	5.8	1.77	6.28
1132779	441861	6223042	0.258	281.6	16.4	1.92	4.04
1132780	441999	6223098	1.278	3176.6	10.2	1.61	6.11
1132781	442007	6223107	0.391	5142.1	38.8	0.38	0.52
1132782	442008	6223106	0.654	4047.9	20.9	0.20	0.18
1132783	441948	6223164	0.106	432.2	14.3	0.92	4.77
1132784	441884	6223008	0.256	1396.1	3.5	0.12	1.47
1132785	441848	6223038	0.237	64.3	2.4	1.06	3.29
1132786	443140	6222570	0.005	10.8	0.1	0.00	0.03
1132787	443183	6222552	0.007	46.6	3.9	0.00	0.03
1132788	443168	6222559	0.005	209.6	21.2	0.02	0.04
1132789	442984	6223174	0.021	961.6	1.4	0.00	0.08
1132790	443024	6223202	0.106	4739.8	5.2	0.00	0.38

Table 3: Rock Samples




Figure 5: Rock Sample Locations




Figure 6: Rock Sample Pb, Zn, Ag

7.0 CONCLUSIONS AND RECOMMENDATIONS

The Dorothy property is difficult to prospect due to the steep terrain and limited field season. Many historic, high-grade veins still haven't been located and need to be the focus of future exploration including the source of grab samples in 2000 by D.K. Bragg, which mentions values as high as 771.26 oz/ton Ag, 65% combined Pb-Zn and 1.893 oz/ton Au.

An air photo interpretation would help to identify fault, linear and fracture patterns which tend to be the host of the veins on the property. The veins are mainly structurally controlled so detailed contour maps will benefit prospecting greatly. Silt samples proved to be slow and tedious but very effectively in outlining zones of mineralization so a follow-up program should include silt sampling and prospecting all creeks on the property.

A trenching program is recommended to the north of the Maybee vein and around the Lucky Jim zone. If the trenching proves effective a follow-up drill program is recommended.

8.0 REFERENCES

Alldrick, D.J. (1987); Geology and Mineral Deposits of the Salmon River Valley, Stewart Area (104A, B) 1:50,000, Ministry of Energy, Mines and Petroleum Resources, Open File Report 1987-22

Assessment Report 21,405 (1991), Wilson Gordon L., Geochemical and Prospecting Report on the Lucky Jim Claims.

Assessment Report 23,964 (1995), Cremonese D., Assessment Report on Geochemical Work on the Following Claims: Lucky Jim 6, Lucky Jim 4, Lucky Jim 3, Lucky Jim 2, Lucky Jim 1.

Assessment Report 25,623 (1998), Hawley Peter J., Report on the Dorothy Property, Stewart Area, Skeena Mining Division, B.C.

Assessment Report 26,006 (1999), Hawley Peter J., Report on the Prospecting of the American Creek Property, Stewart Area, Skeena Mining Division, B.C.

Assessment Report 26,579 (2000), Henriksen G.N., Geological Sampling & Mapping of Mineralization on Maybe Vein Structure now Called Bluejay Property. MTRM 104A04W Skeena Mining Division, B.C.

Prospecting & Topographic Mapping Report on the Golden Genesis Group (2000), Bragg D.K.

Report on the Golden Genesis Property (2005), Mitchell Marvin A.

APPENDIX A

STATEMENT OF QUALIFICATIONS

Statement of Qualifications:

Michael J. Middleton

14948 90th Ave

Surrey, B.C.

V3B 2P5

Telephone (604) 585-0954.

Email Middleton.geoscience@gmail.com

I, Michael J. Middleton, do hereby certify that:

1. I am currently employed as a Consulting Mining and Geological Technician by Gulzara Minerals Resources and Mining Ltd. Of 808 Moody Ave. North Vancouver, B.C. V7L 4T9
2. I have practiced my profession of prospecting since 1990.
3. I am a graduate of British Columbia Institute of Technology with a diploma of Technology in Mining and Mineral Exploration, obtained in 2001. I have been practicing my profession continuously in Canada since graduation.
4. My input into this report is based mainly upon conducting the 2012 sampling program on the Dorothy Property, supplemented by a review of past work on the property and its geological setting as well as compilation of previous geological maps into the Mapinfo program.
5. I have no interest in the property reported on herein, and nor do I expect to receive any.

Dated at Surrey, British Columbia, this thirteenth day of December, 2013.

December 13, 2013
Surrey, B.C.

M.J.Middleton
Consulting Technician

APPENDIX B

COST STATEMENT

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position					
	Field Days (list actual days)	Days	Rate	Subtotal*	
Mike Middleton / Mining Technician		8.5	\$500.00	\$4,250.00	
Kirpaul Siddoo / Prospector		7	\$300.00	\$2,100.00	
Maurice Pare / Prospector		7	\$300.00	\$2,100.00	
			\$0.00	\$0.00	
			\$0.00	\$0.00	
			\$0.00	\$0.00	
				\$8,450.00	\$8,450.00
Office Studies					
List Personnel (note - Office only, do not include field days)					
Literature search			\$0.00	\$0.00	
Database compilation			\$0.00	\$0.00	
Computer modelling			\$0.00	\$0.00	
Reprocessing of data			\$0.00	\$0.00	
General research			\$0.00	\$0.00	
Report preparation	Mike Middleton	5	\$65.00	\$325.00	
Other (specify)	Printing/copying			\$0.00	
				\$325.00	\$325.00
Airborne Exploration Surveys					
Line Kilometres / Enter total invoiced amount					
Aeromagnetics			\$0.00	\$0.00	
Radiometrics			\$0.00	\$0.00	
Electromagnetics			\$0.00	\$0.00	
Gravity			\$0.00	\$0.00	
Digital terrain modelling			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	\$0.00
Remote Sensing					
Area in Hectares / Enter total invoiced amount or list personnel					
Aerial photography			\$0.00	\$0.00	
LANDSAT			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	\$0.00
Ground Exploration Surveys					
Area in Hectares/List Personnel					
Geological mapping					
Regional Reconnaissance					
Prospect					
Underground	Define by length and width				
Trenches	Define by length and width			\$0.00	\$0.00
<i>note: expenditures here should be captured in Personnel field expenditures above</i>					
Complex resistivity					
Seismic reflection					
Seismic refraction					
Well logging	Define by total length				
Geophysical interpretation					
Petrophysics					
Other (specify)					
				\$0.00	\$0.00
Geochemical Surveying					
	Number of Samples	No.	Rate	Subtotal	

Drill (cuttings, core, etc.)			\$0.00	\$0.00	
Stream sediment			\$0.00	\$0.00	
Soil	<i>note: This is for assays or</i>		\$0.00	\$0.00	
Rock	<i>laboratory costs</i>	40	\$0.00	\$1,958.88	
Water			\$0.00	\$0.00	
Biogeochemistry			\$0.00	\$0.00	
Whole rock			\$0.00	\$0.00	
Petrology			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$1,958.88	\$1,958.88
Drilling	No. of Holes, Size of Core and Metres	No.	Rate	Subtotal	
Diamond			\$0.00	\$0.00	
Reverse circulation (RC)			\$0.00	\$0.00	
Rotary air blast (RAB)			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	\$0.00
Other Operations	Clarify	No.	Rate	Subtotal	
Trenching			\$0.00	\$0.00	
Bulk sampling			\$0.00	\$0.00	
Underground development			\$0.00	\$0.00	
				\$0.00	\$0.00
Reclamation	Clarify	No.	Rate	Subtotal	
After drilling			\$0.00	\$0.00	
Monitoring			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
Transportation		No.	Rate	Subtotal	
truck rental			\$0.00	\$769.23	
kilometers			\$0.00	\$0.00	
ATV			\$0.00	\$0.00	
fuel			\$0.00	\$759.44	
Helicopter (hours)			\$0.00	\$3,083.07	
Fuel (litres/hour)			\$0.00	\$0.00	
Other					
				\$4,611.74	\$4,611.74
Accommodation & Food	Rates per day				
Hotel			\$0.00	\$0.00	
Camp			\$0.00	\$0.00	
Meals	day rate or actual costs-specify		\$0.00	865.76	
				\$865.76	\$865.76
Miscellaneous					
Telephone			\$0.00	\$0.00	
Other (Specify)	Propane			\$0.00	
				\$0.00	\$0.00
Equipment Rentals					
Field Gear (Specify)	GPS, Flagging, Tags, Sample Bags			\$147.25	
Other (Specify)	Bear spray, Safety/First aid gear, Satellite phone, Personal locators			\$641.37	
				\$788.62	\$788.62
Freight, rock samples			\$0.00	\$0.00	
			\$0.00	\$0.00	
				\$0.00	\$0.00
TOTAL Expenditures					\$17,000.00

APPENDIX C

ASSAY CERTIFICATES



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Gulzara Minerals Resources and Exploratio**
808 Moody Ave.
North Vancouver BC V7L 4T9 CANADA

Submitted By: Kirpaul Siddoo
Receiving Lab: Canada-Smithers
Received: September 16, 2013
Report Date: October 09, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

SMI13000296.1

CLIENT JOB INFORMATION

Project: Dorothy
Shipment ID:
P.O. Number
Number of Samples: 40

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Gulzara Minerals Resources and Exploration Lt
808 Moody Ave.
North Vancouver BC V7L 4T9
CANADA

CC: Mike Middleton

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-500	40	Crush, split and pulverize 500 g rock to 200 mesh			VAN
G601	40	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX1	40	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
7AR	16	1:1:1 Aqua Regia Digestion ICP-ES Finish	0.4	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

SMI13000296.1

Method	WGHT	G6	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1132751	Rock	3.69	0.082	1.6	1408.61	>10000	3970.9	68.8	0.6	2.7	500	0.78	10.6	79.1	0.1	491	50.2	98.3	<0.1	18	0.10
1132752	Rock	3.49	0.011	0.8	970.884	4347.23	2551.65	61.5	0.9	1.2	1289	2.18	8.1	6.4	0.1	631	27.6	45.5	0.2	52	1.05
1132753	Rock	3.25	0.045	1.3	392.345	1356.49	2469.98	33.5	1.2	3.2	1793	1.95	3.5	73.9	1.5	292	24.1	22.7	0.1	35	0.97
1132754	Rock	3.60	0.013	0.6	799.032	224.593	543.104	89.5	1.0	0.4	456	3.21	8.7	6.6	0.2	510	5.9	33.6	<0.1	87	0.29
1132755	Rock	4.72	0.334	1.0	312.153	699.712	>10000	7.0	2.6	11.7	5579	3.55	3.2	320.3	0.7	50	153.6	5.9	0.3	47	2.84
1132756	Rock	4.91	0.034	0.3	80.2362	539.109	>10000	2.7	2.1	7.8	2790	2.35	1.3	54.4	0.3	173	336.3	4.4	0.1	35	1.56
1132757	Rock	3.57	0.018	0.5	151.457	1493.32	3343.46	1.8	2.4	7.7	4125	2.88	1.6	6.7	0.8	87	40.6	2.9	0.2	49	3.04
1132758	Rock	3.59	0.024	0.4	247.197	518.582	>10000	11.2	2.1	7.2	2256	2.20	2.1	17.0	0.8	161	283.4	7.1	0.2	35	1.56
1132759	Rock	3.42	0.013	1.3	2982.78	215.271	1536.31	36.2	6.0	21.3	2991	7.60	4.0	11.2	1.8	15	10.4	6.8	0.4	74	0.27
1132760	Rock	3.73	0.011	1.3	110.534	89.6959	301.379	3.0	4.9	15.3	2340	5.17	4.7	5.8	1.9	15	1.9	5.9	<0.1	80	0.13
1132761	Rock	3.46	0.010	0.7	360.964	405.515	348.749	29.8	0.8	0.5	1278	1.29	4.0	1.4	<0.1	415	5.2	24.5	0.1	20	1.35
1132762	Rock	3.90	0.047	1.6	484.568	1851.01	4606.31	8.7	0.9	2.0	486	0.46	1.6	21.8	<0.1	492	32.0	8.1	<0.1	6	0.11
1132763	Rock	3.91	<0.005	0.3	3.88497	25.9727	86.0739	0.1	1.4	1.7	1323	2.62	1.9	<0.5	0.9	76	0.4	1.9	<0.1	52	0.78
1132764	Rock	6.27	0.007	0.3	105.364	54.7402	303.552	6.5	1.3	0.6	1425	0.58	1.1	3.7	<0.1	216	4.2	5.8	<0.1	2	1.61
1132765	Rock	5.40	0.007	0.5	363.085	149.416	865.368	18.5	2.3	6.0	1580	2.34	2.3	1.0	0.7	321	12.1	12.3	<0.1	64	0.96
1132766	Rock	3.98	0.025	4.9	1090.58	6099.35	1333.81	41.9	2.7	9.8	2187	2.93	10.6	14.6	0.7	148	7.1	74.0	0.5	43	0.20
1132767	Rock	2.43	<0.005	3.1	12.1932	49.6251	96.0805	0.6	0.8	1.5	54	1.84	33.8	<0.5	13.4	12	0.2	2.4	0.6	3	0.07
1132768	Rock	3.17	<0.005	2.3	34.7958	51.3263	172.164	0.4	0.9	1.6	209	1.71	46.5	<0.5	13.5	22	0.6	3.1	<0.1	<2	1.00
1132769	Rock	2.41	0.010	8.1	9.54967	289.039	319.608	0.4	1.0	1.4	1263	1.96	28.5	5.1	20.5	6	1.1	2.6	<0.1	14	0.02
1132770	Rock	2.47	0.982	1.4	185.274	1138.52	8171.67	2.8	0.7	4.3	1942	4.57	123.1	1037	2.1	2	46.8	4.9	4.1	33	0.09
1132771	Rock	2.95	0.098	52.8	877.352	>10000	>10000	62.0	6.3	19.3	4492	3.33	7.1	107.6	1.3	20	732.8	41.1	0.1	60	1.19
1132772	Rock	2.85	0.042	0.4	39.3711	>10000	>10000	4.2	3.5	6.5	2577	2.88	3.1	15.1	1.2	41	263.1	5.7	0.3	36	1.48
1132773	Rock	2.16	0.072	0.3	63.8257	2003.33	>10000	1.2	0.9	2.8	2662	2.45	8.0	42.4	1.0	1	24.5	1.6	0.8	30	0.04
1132774	Rock	2.78	0.023	1.0	1142.6	515.443	293.944	3.6	2.7	16.1	844	1.32	60.7	17.6	2.4	193	6.4	7.0	0.2	101	12.18
1132775	Rock	3.44	0.675	9.4	457.456	>10000	>10000	14.0	0.9	2.1	791	2.39	82.5	512.7	0.6	34	79.7	18.3	1.1	21	0.06
1132776	Rock	3.84	0.355	1.2	299.295	>10000	>10000	21.8	0.9	3.4	1038	6.84	475.7	446.9	0.3	3	391.7	23.7	3.0	65	0.02
1132777	Rock	2.64	0.222	6.5	95.9253	>10000	>10000	54.4	1.0	3.7	2440	3.48	14.2	264.9	3.3	12	130.2	2.2	0.2	22	0.14
1132778	Rock	3.20	0.078	0.5	119.867	>10000	>10000	5.8	0.7	4.9	3598	4.49	29.3	82.3	1.0	49	335.7	1.7	1.2	28	3.74
1132779	Rock	2.86	0.258	2.2	281.552	>10000	>10000	16.4	0.9	3.2	2657	3.09	16.7	268.9	0.3	22	192.5	6.4	0.4	24	0.07
1132780	Rock	2.91	1.278	3.1	3176.63	>10000	>10000	10.2	24.2	18.1	5957	9.25	32.4	841.2	0.7	56	591.4	1.0	6.2	108	3.72



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Gulzara Minerals Resources and Exploratio**
 808 Moody Ave.
 North Vancouver BC V7L 4T9 CANADA

Project: Dorothy
 Report Date: October 09, 2013

Page: 2 of 3 Part: 2 of 2

CERTIFICATE OF ANALYSIS

SMI13000296.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7AR	7AR	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
1132751	Rock	0.005	2	1	<0.01	137	0.005	<20	0.04	<0.001	0.04	2.2	2.30	0.4	<0.1	0.36	<1	0.7	<0.2	1.13	0.38
1132752	Rock	0.004	4	1	<0.01	399	0.009	<20	0.03	0.001	0.02	15.4	0.91	0.6	<0.1	0.18	<1	<0.5	<0.2		
1132753	Rock	0.055	10	2	0.06	2960	0.017	<20	0.22	0.002	0.14	1.2	0.58	1.7	<0.1	0.14	2	<0.5	<0.2		
1132754	Rock	0.005	2	2	<0.01	808	0.019	<20	0.03	<0.001	0.03	20.3	0.39	0.7	<0.1	0.15	<1	<0.5	<0.2		
1132755	Rock	0.036	11	4	0.15	395	0.022	<20	0.60	0.002	0.11	6.7	3.88	5.3	<0.1	0.37	5	<0.5	<0.2	0.07	1.12
1132756	Rock	0.021	4	3	0.13	110	0.012	<20	0.44	0.001	0.06	2.3	4.96	2.4	<0.1	0.69	4	<0.5	<0.2	0.06	2.31
1132757	Rock	0.039	8	4	0.15	1688	0.021	<20	0.60	0.001	0.12	12.1	2.10	4.1	<0.1	0.19	4	0.6	<0.2		
1132758	Rock	0.035	4	4	0.09	173	0.021	<20	0.28	0.002	0.09	5.3	7.61	2.6	<0.1	0.72	2	0.6	<0.2	0.05	2.31
1132759	Rock	0.075	10	7	0.48	1828	0.055	<20	1.45	<0.001	0.27	15.0	1.74	3.7	<0.1	0.11	7	<0.5	<0.2		
1132760	Rock	0.037	9	5	0.28	1424	0.055	<20	0.72	0.002	0.18	16.6	0.29	3.0	<0.1	<0.05	7	<0.5	<0.2		
1132761	Rock	<0.001	3	2	<0.01	1591	<0.001	<20	0.02	<0.001	<0.01	7.2	0.21	0.7	<0.1	0.12	<1	<0.5	<0.2		
1132762	Rock	<0.001	1	1	0.02	424	<0.001	<20	0.04	<0.001	<0.01	0.4	1.07	0.3	<0.1	0.19	<1	<0.5	<0.2		
1132763	Rock	0.037	5	5	0.02	4906	0.036	<20	0.13	0.003	0.15	0.8	0.02	1.7	<0.1	0.11	<1	<0.5	<0.2		
1132764	Rock	0.001	3	3	<0.01	2390	<0.001	<20	0.01	0.002	<0.01	0.3	0.08	0.3	<0.1	0.11	<1	<0.5	<0.2		
1132765	Rock	0.044	7	4	0.10	2367	0.023	<20	0.24	0.002	0.12	1.6	0.10	1.9	<0.1	0.12	2	<0.5	<0.2		
1132766	Rock	0.032	6	1	0.08	1983	0.011	<20	0.36	<0.001	0.19	3.6	1.07	1.9	<0.1	0.17	2	0.5	<0.2		
1132767	Rock	0.007	18	2	0.01	176	0.022	<20	0.33	0.013	0.22	0.7	0.82	0.5	0.1	1.19	<1	<0.5	<0.2		
1132768	Rock	0.009	40	1	0.02	180	0.027	<20	0.39	0.013	0.25	1.6	0.63	0.8	0.2	1.25	<1	<0.5	<0.2		
1132769	Rock	0.015	21	2	0.20	396	0.002	<20	0.59	0.004	0.18	0.1	0.38	0.9	0.2	0.30	4	<0.5	<0.2		
1132770	Rock	0.010	3	1	0.41	65	0.003	<20	1.09	<0.001	0.02	0.4	10.08	1.1	0.2	0.62	12	2.6	<0.2		
1132771	Rock	0.087	10	16	0.74	58	0.003	<20	1.30	0.001	0.19	0.3	6.65	4.5	<0.1	3.63	9	0.5	<0.2	3.87	11.09
1132772	Rock	0.055	6	9	0.45	256	0.013	<20	0.73	0.002	0.17	0.7	2.12	3.5	<0.1	1.40	5	4.5	<0.2	1.06	3.11
1132773	Rock	0.002	3	1	0.54	92	0.002	<20	0.88	<0.001	0.02	0.6	0.66	1.1	<0.1	<0.05	9	2.3	<0.2	0.20	2.37
1132774	Rock	0.054	6	2	0.19	2994	0.024	911	2.37	0.119	1.32	1.4	1.85	9.1	0.9	0.20	6	<0.5	<0.2		
1132775	Rock	0.018	13	2	0.16	693	<0.001	<20	0.35	0.002	<0.01	16.8	24.76	0.6	<0.1	0.26	4	13.5	<0.2	5.69	5.49
1132776	Rock	0.022	2	1	0.44	35	<0.001	<20	1.03	<0.001	0.02	31.4	32.45	0.6	2.3	4.61	8	1.1	<0.2	6.20	6.23
1132777	Rock	0.011	13	2	0.55	448	0.002	<20	0.98	0.002	0.03	3.7	30.29	0.8	<0.1	0.15	7	1.9	<0.2	2.62	5.67
1132778	Rock	0.020	3	1	0.74	25	0.001	<20	1.37	<0.001	0.01	1.5	10.52	0.7	<0.1	2.51	9	0.6	<0.2	1.77	6.28
1132779	Rock	0.017	3	2	0.25	1675	<0.001	<20	0.49	0.002	<0.01	12.3	15.13	0.5	<0.1	0.27	4	0.7	<0.2	1.92	4.04
1132780	Rock	0.027	6	51	2.49	87	0.006	<20	3.53	<0.001	0.04	1.1	31.75	7.3	<0.1	2.91	15	6.1	<0.2	1.61	6.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

SMI13000296.1

Method	WGHT	G6	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
1132781	Rock	3.13	0.391	8.5	5142.12	3815.94	5248.69	38.8	1.9	15.4	4938	16.21	111.0	321.6	3.1	3	22.8	3.4	29.5	179	0.04
1132782	Rock	2.49	0.654	3.3	4047.86	2045.67	1755.42	20.9	1.7	7.0	2455	6.18	4.1	599.5	4.0	7	5.1	0.3	23.6	44	0.06
1132783	Rock	2.88	0.106	1.7	432.185	9708.83	>10000	14.3	0.6	5.5	6447	3.17	12.7	69.1	1.2	81	249.2	2.2	0.9	41	5.85
1132784	Rock	3.07	0.256	0.6	1396.09	1265.6	>10000	3.5	1.6	7.1	2623	9.03	34.2	224.9	0.2	6	77.4	2.2	4.5	59	0.05
1132785	Rock	2.37	0.237	0.2	64.3024	>10000	>10000	2.4	0.8	2.3	3958	3.27	13.6	196.4	2.1	21	159.3	2.0	0.3	24	2.10
1132786	Rock	2.79	<0.005	0.3	10.8187	39.4095	269.919	0.1	2.0	9.0	3210	2.57	12.0	2.1	2.6	174	0.5	2.3	<0.1	50	3.23
1132787	Rock	1.93	0.007	0.3	46.6374	48.0398	275.308	3.9	1.2	4.2	5434	2.87	12.3	1.8	1.5	76	0.6	4.2	<0.1	61	5.45
1132788	Rock	1.94	<0.005	0.5	209.633	170.636	407.698	21.2	1.3	6.0	7440	2.95	19.0	<0.5	1.4	133	1.1	16.2	<0.1	55	9.72
1132789	Rock	2.06	0.021	7.1	961.588	15.8877	802.497	1.4	2.6	9.1	2170	4.06	26.3	15.7	<0.1	50	7.9	7.1	0.9	29	2.39
1132790	Rock	1.98	0.106	0.5	4739.81	32.6502	3798.11	5.2	4.6	19.6	1763	4.31	9.9	286.9	0.6	37	24.7	0.5	5.0	87	0.25

CERTIFICATE OF ANALYSIS

SMI13000296.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7AR	7AR	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
1132781	Rock	0.017	5	2	2.06	90	0.005	<20	4.03	<0.001	0.08	4.1	15.97	2.6	0.5	2.87	16	5.4	<0.2		
1132782	Rock	0.021	11	3	0.68	1097	0.002	<20	1.55	0.002	0.16	2.1	3.63	2.3	<0.1	0.34	6	3.2	<0.2		
1132783	Rock	0.001	4	<1	0.45	128	<0.001	<20	0.89	<0.001	0.03	0.3	13.20	0.9	<0.1	1.59	8	1.0	<0.2	0.92	4.77
1132784	Rock	0.023	2	5	1.01	209	0.016	<20	1.76	<0.001	<0.01	34.2	1.98	2.5	<0.1	1.72	9	1.5	<0.2	0.12	1.47
1132785	Rock	0.015	4	12	0.53	87	0.002	<20	0.93	<0.001	0.01	5.8	7.15	0.7	<0.1	1.08	5	<0.5	<0.2	1.06	3.29
1132786	Rock	0.165	17	4	0.59	3301	0.087	<20	0.74	0.008	0.27	0.4	0.01	5.8	<0.1	0.08	3	<0.5	<0.2		
1132787	Rock	0.115	12	5	0.03	200	0.159	<20	0.27	0.007	0.28	0.6	0.03	3.7	<0.1	<0.05	1	<0.5	<0.2		
1132788	Rock	0.089	13	3	0.11	675	0.070	<20	0.31	0.006	0.23	0.9	0.06	3.4	<0.1	<0.05	1	<0.5	<0.2		
1132789	Rock	0.011	2	15	0.30	125	0.002	<20	0.68	0.002	0.01	0.8	0.14	2.1	0.1	1.53	4	1.2	<0.2		
1132790	Rock	0.082	5	15	0.58	632	0.039	<20	1.25	0.002	0.18	0.2	1.02	5.9	<0.1	0.74	8	5.8	<0.2		



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Gulzara Minerals Resources and Exploratio**
 808 Moody Ave.
 North Vancouver BC V7L 4T9 CANADA

Project: Dorothy
 Report Date: October 09, 2013

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

SMI13000296.1

Method	WGHT	G6	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
1132753	Rock	3.25	0.045	1.3	392.345	1356.49	2469.98	33.5	1.2	3.2	1793	1.95	3.5	73.9	1.5	292	24.1	22.7	0.1	35	0.97
REP 1132753	QC			1.2	385.122	1337.54	2366.23	32.3	1.2	3.2	1726	1.87	3.7	28.4	1.4	272	21.8	21.1	<0.1	35	0.93
Core Reject Duplicates																					
1132770	Rock	2.47	0.982	1.4	185.274	1138.52	8171.67	2.8	0.7	4.3	1942	4.57	123.1	1037	2.1	2	46.8	4.9	4.1	33	0.09
DUP 1132770	QC		1.000	1.4	197.436	1213.8	9065.91	2.7	0.6	4.1	1829	4.49	126.4	937.2	1.9	2	49.2	5.1	4.3	33	0.10
Reference Materials																					
STD DS9	Standard			13.8	111.01	113.357	298.601	1.9	41.5	7.5	598	2.39	25.7	96.7	5.1	62	2.6	4.1	5.8	44	0.73
STD DS9	Standard			12.7	116.462	141.974	323.117	1.6	39.8	7.7	596	2.41	26.8	109.3	7.0	76	2.5	5.1	5.8	43	0.74
STD GC-7	Standard																				
STD GC-7	Standard																				
STD OREAS133B	Standard																				
STD OREAS133B	Standard																				
STD OREAS45EA	Standard			1.5	679.315	12.5665	31.2954	0.3	382.7	52.4	387	23.11	9.0	55.5	9.2	4	<0.1	0.1	0.2	305	0.03
STD OREAS45EA	Standard			1.5	727.179	16.2721	33.2779	0.3	407.3	55.2	413	25.66	11.4	60.7	11.8	4	<0.1	0.2	0.3	315	0.04
STD OXC109	Standard		0.194																		
STD OXC109	Standard		0.212																		
STD OXI96	Standard		1.762																		
STD OXI96	Standard		1.785																		
STD OXL93	Standard		5.686																		
STD OXL93	Standard		5.792																		
STD OXC109 Expected			0.201																		
STD OXI96 Expected			1.802																		
STD OXL93 Expected			5.841																		
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	
STD OREAS45EA Expected			1.39	709	14.3	28.9	0.26	381	52	400	23.51	9.1	53	10.7	3.5	0.02	0.2	0.26	303	0.036	
STD GC-7 Expected																					
STD OREAS133B Expected																					
BLK	Blank		0.006																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT

SMI13000296.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7AR	7AR		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Zn	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
Pulp Duplicates																						
1132753	Rock	0.055	10	2	0.06	2960	0.017	<20	0.22	0.002	0.14	1.2	0.58	1.7	<0.1	0.14	2	<0.5	<0.2			
REP 1132753	QC	0.055	9	2	0.06	3264	0.017	<20	0.21	<0.001	0.14	1.2	0.60	1.7	<0.1	0.14	1	<0.5	<0.2			
Core Reject Duplicates																						
1132770	Rock	0.010	3	1	0.41	65	0.003	<20	1.09	<0.001	0.02	0.4	10.08	1.1	0.2	0.62	12	2.6	<0.2			
DUP 1132770	QC	0.009	3	2	0.39	66	0.003	<20	1.04	<0.001	0.02	0.4	10.67	1.0	0.2	0.69	11	2.3	<0.2			
Reference Materials																						
STD DS9	Standard	0.079	12	127	0.64	327	0.108	<20	0.99	0.088	0.41	2.6	0.20	2.5	5.3	0.18	5	5.5	5.6			
STD DS9	Standard	0.085	13	123	0.64	331	0.114	<20	0.98	0.088	0.42	3.0	0.27	2.3	5.4	0.18	5	5.2	5.0			
STD GC-7	Standard																			>10	21.34	
STD GC-7	Standard																				9.97	21.93
STD OREAS133B	Standard																				5.24	11.15
STD OREAS133B	Standard																				4.99	10.97
STD OREAS45EA	Standard	0.027	7	952	0.09	174	0.084	<20	3.11	0.020	0.06	<0.1	0.01	75.5	<0.1	<0.05	12	<0.5	<0.2			
STD OREAS45EA	Standard	0.031	8	908	0.11	151	0.097	<20	3.41	0.016	0.06	<0.1	<0.01	86.8	<0.1	<0.05	13	1.5	<0.2			
STD OXC109	Standard																					
STD OXC109	Standard																					
STD OXI96	Standard																					
STD OXI96	Standard																					
STD OXL93	Standard																					
STD OXL93	Standard																					
STD OXC109 Expected																						
STD OXI96 Expected																						
STD OXL93 Expected																						
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02			
STD OREAS45EA Expected		0.029	6.57	849	0.095	148	0.0875		3.13	0.02	0.053			78	0.072	0.036	11.7	0.6	0.07			
STD GC-7 Expected																					10.44	22.06
STD OREAS133B Expected																					5.07	11.12
BLK	Blank																					



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Gulzara Minerals Resources and Exploratio**
 808 Moody Ave.
 North Vancouver BC V7L 4T9 CANADA

Project: Dorothy
 Report Date: October 09, 2013

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

SMI13000296.1

		WGHT	G6	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank	<0.005																			
BLK	Blank	0.007																			
BLK	Blank	0.005																			
BLK	Blank		<0.1	<0.1	0.61236	1.60331	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1-SMI	Prep Blank	0.006	0.2	3.27111	2.4896	50.2704	<0.1	4.2	4.5	580	2.10	<0.5	3.6	4.2	50	<0.1	<0.1	<0.1	40	0.44	
G1-SMI	Prep Blank	0.005	0.2	3.38428	2.28778	48.4578	<0.1	4.2	4.6	571	2.08	<0.5	1.3	4.2	48	<0.1	<0.1	<0.1	39	0.41	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Gulzara Minerals Resources and Exploratio**
 808 Moody Ave.
 North Vancouver BC V7L 4T9 CANADA

Project: Dorothy
 Report Date: October 09, 2013

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

SMI13000296.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Sc ppm	1DX Ti ppm	1DX S %	1DX Ga ppm	1DX Se ppm	1DX Te ppm	7AR Pb %	7AR Zn %	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																			<0.01	<0.01	
BLK	Blank																			<0.01	<0.01	
Prep Wash																						
G1-SMI	Prep Blank	0.077	9	8	0.58	232	0.121	<20	1.01	0.093	0.53	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2			
G1-SMI	Prep Blank	0.077	9	7	0.56	244	0.118	<20	0.98	0.089	0.51	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2			