



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: Assessment Report on the Iron Lake Project, Clinton Mining Division

TOTAL COST: \$54,527.72 (\$40,000 claimed)

AUTHOR(S): J.W. Morton

SIGNATURE(S):

J. W. (Bill) Morton

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-3-233

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5487822

YEAR OF WORK: 2013

PROPERTY NAME: Iron Lake

CLAIM NAME(S) (on which work was done):

374482, 377521, 504252, 513527, 513527, 506302

COMMODITIES SOUGHT: Copper, Gold, PGM

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Clinton

NTS / BCGS: 093N034

LATITUDE: 51° 57'

LONGITUDE: 120° 54' (at centre of work)

UTM Zone: NAD 83 **EASTING:** 645500

NORTHING: 5757000

OWNER(S): Eastfield Resources Ltd.

MAILING ADDRESS: 110-325 Howe Street, Vancouver, BC, V6C 1Z7

OPERATOR(S) [who paid for the work]: Eastfield Resources Ltd.

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

Iron Lake covers a mafic to ultramafic intrusive body of early Jurassic age occurring in proximity to a slightly older granodiorite batholith that has been determined to be Upper Triassic Early Jurassic. The Iron Lake Complex hosts disseminated and massive sulfide mineralization of a probable magmatic source that is significant for its copper, gold, platinum, palladium and to a lesser extent nickel content.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOFYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil 261		all	
Silt			
Rock 51		all	
Other			
DRILLING (total metres, number of holes, size, storage location)			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km) 3 km		all	
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
		\$6,806 total	TOTAL COST \$54,527.72 (\$40,000 claimed)

SUMMARYREPORT
ON THE
IRON LAKE PROPERTY
CLINTON MINING DIVISION, BC.

NTS: 092P096

Latitude 51° 57' N, Longitude 120° 54' W

GPS 645500E, 5757000N (NAD 83)

Prepared for:

EASTFIELD RESOURCES LTD.

by:

BC Geological Survey
Assessment Report
34595

J.W (Bill) Morton P.Geo.

MINCORD EXPLORATION CONSULTANTS LTD.

110-325 Howe Street
Vancouver, BC, V6C 1Z7

Date: Jan 31, 2014

Table of Contents

INTRODUCTION	1
PROPERTY DESCRIPTION	4
LOCATION, ACCESSABILITY, CLIMATE AND LOCAL RESOURCES	5
HISTORY	6
GEOLOGICAL SETTING	8
DEPOSIT MODEL	9
MINERALIZATION	12
EXPLORAION	14
SUMMARY OF WORK COMPLETED IN 2013	18
RECOMMENDAIONS	18
COST STATEMENT	19
AUTHOR QUALIFICATION	20
REFERENCES	20

FIGURES

Location Map	2
Claim Map	3
Regional Geology	10
Local Geology	11
Government Airborne Magnetic Map	15
Recommendations Map	21

APPENDIX

Soil Location Map	
Soil Copper Gold Map	
Soil Platinum Palladium Map	
Rock Sample Location Map South	
Rock Sample Copper Gold Map South	
Rock Sample Platinum Palladium Map South	
Rock Sample Location Map North	
Rock Sample Copper Gold Map North	
Rock Sample Platinum Palladium Map North	
Analytical Certificates	

INTRODUCTION:

The Iron Lake Project, located in south central British Columbia, is a regionally distinct copper, gold, platinum group elements and nickel project hosted in an ultramafic-mafic intrusion within the Quesnel Terrane. The project, encompassing an area of 12,590 hectares (31,110 acres, is located 45 kilometres northeast of the city of 100 Mile House.


Iron Lake covers a mafic to ultramafic intrusive body of early Jurassic age occurring in proximity to a slightly older granodiorite batholith that has been determined to be Upper Triassic Early Jurassic. Field relationships support the interpretation that the mafic to ultramafic body, named the Iron Lake Complex, intrudes the granodiorite batholith and presumably also the surrounding volcanic rocks belonging to the Nicola Group.

The Iron Lake Complex hosts disseminated and massive sulfide mineralization of a probable magmatic source that is significant for its copper, gold, platinum, palladium and to a lesser extent nickel content. A prominent aeromagnetic high covering several square kilometers centered on the complex resulted in incremental exploration initiatives starting in the mid 1970's directed at porphyry copper. Significant platinum and palladium anomalies were discovered in soils in the late 1980's at which time the extremely mafic composition of the rock suite was interpreted to be permissive for magmatic PGE rich mineralization.

In 2000 mineralized olivine pyroxenite rubble was discovered while prospecting a 1989 soil site which had returned a value of 392 ppb Pd. Two rock samples were collected from the rubble field with the first sample grading 0.59% Cu, 0.04% Ni, 0.53g/t Au, and 308 ppb PGE and the second sample 0.56% Cu, 0.04% Ni, 0.54g/t Au, and 287 ppb PGE. By 2012 several prospecting initiatives had located a total of eight samples of this material with an average metal content of 7,183 ppm Cu, 696 ppb Au, 416 ppm Ni and 324 ppb Pd+Pt.

In 2004 a helicopter borne airborne survey was completed over much of the claim group and a number of conductors identified some of which were further detailed by a 2006 UTEM ground survey. Targets from both surveys were drill tested in 2005 and 2006 with significant thicknesses of pyrrhotite dominant massive sulfide being intersected (e.g. 17 metre interval in excess of 60% sulfide in hole 05-03). Base metal values, while low to moderate in grade indicate that the sulfide mix includes copper, nickel and cobalt consistent with a magmatic sulfide model. Drill sites have now been constructed preparatory to testing massive sulfide mineralization both along strike and down dip, hoping for mineral zoning which could increase the proportion of chalcopyrite and pentlandite to pyrrhotite thereby increasing the grade of copper and nickel.

Two styles of magmatic sulfide mineralization present opportunities for discovery at Iron Lake. The first being disseminated sulfide with economically significant values of copper, gold, platinum and palladium; and the second being massive sulfide with economically significant values in copper, nickel and cobalt. A hybrid of the two styles of mineralization with the full suite of elements is also possible. Sulfide minerals in the disseminated style of mineralization are accompanied with 10% to 40% magnetite.




Eastfield Resources Ltd.

Iron Lake
CLINTON M.D., B.C.

Location Map

Date	Jan 2014	UTM	NAD 83, Zone 10	Fig
Scale	as shown	NTS092P096		



Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Survey Parcels
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airfield
- Anchorage - Seaplane
- Ferry Points

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

PROPERTY DESCRIPTION:

The Iron Lake property, covering some 12,590 hectares, is located in the Clinton Mining Division of southern British Columbia (Figure 1). The property is situated 45 kilometres northeast of the City of 100 Mile House at latitude 51° 57'N longitude 120°54' W (UTM 645500E 575700N). The Iron Lake property is comprised of 24 mineral claims owned 100% by Eastfield Resources Ltd. subject to a 1.5% NSR (reducible to 0.5%).

The following table details claim information:

Claim #	Claim Name	Current Expiry	Area Hectares	Owner
506294	Norilsk 8	2015/Dec/30	498	Eastfield
506292	Norilsk 7	2015/Dec/30	498	Eastfield
506286	Norilsk 1	2015/Dec/30	498	Eastfield
506302	Norilsk 10	2015/Dec/30	398	Eastfield
506289	Norilsk 6	2015/Dec/30	398	Eastfield
504252	Iron	2015/Dec/30	418	Eastfield
513527	-	2015/Dec/30	637	Eastfield
513527	-	2015/Dec/30	817	Eastfield
506297	Norilsk 9	2015/Dec/30	498	Eastfield
516280	-	2015/Dec/30	578	Eastfield
374482	Iron Lake 1	2015/Dec/30	500	Eastfield
377521	Norilsk 5	2015/Dec/30	400	Eastfield
517528	Northstrip	2015/Dec/30	239	Eastfield
528293	Susan Lake	2015/Dec/30	498	Eastfield
530477	East Suzan	2015/Dec/30	239	Eastfield
856514	Senicar	2015/Dec/30	399	Eastfield
983242	Kell	2015/Dec/30	478	Eastfield
983282	To	2015/Dec/30	419	Eastfield

Claim #	Claim Name	Current Expiry	Area Hectares	Owner
998924	Sucitin	2015/Dec/30	379	Eastfield
982203	Hidden_One 3	2015/Dec/30	458	Eastfield
982204	Hidden_One 4	2015/Dec/30	478	Eastfield
982222	Hidden_One 5	2015/Dec/30	478	Eastfield
982683	Hidden_One 11	2015/Dec/30	478	Eastfield
982684	Hidden_One 12	2015/Dec/30	477	Eastfield
982685	Hidden_One 13	2015/Dec/30	478	Eastfield
982686	Hidden_One 14	2015/Dec/30	477	Eastfield
982689	Hidden_One 17	2015/Dec/30	477	Eastfield
Total			12,590 ha	(31,110 acres)

Several exploration permits have been issued to Eastfield over a number of years without difficulty allowing Eastfield to conduct a wide range of activities including geophysical surveys, trenching, road construction and diamond drilling. The most recent permit which is currently active was issued on Sept 27, 2013.

LOCATION, ACCESSIBILITY, CLIMATE AND LOCAL REOURCES:

The Iron Lake property is accessible by paved roads to the settlement of Eagle Creek, then a further 8 kilometres along the all weather Hendrix Lake Road provide access to the southern boundary of the property. Recent logging and previously permitted exploration trails generally provide good access to much of the property area. The climatic statistics for the area indicate annual temperatures ranging from -30°C to +30°C with 100 to 150 centimetres of precipitation as both snow and rain.

The infrastructure available from the community of 100 Mile House and its surrounding communities are strongly supported by the forest resource industry and would support the development of an economic ore body if one was delineated on the Iron Lake property. Hydroelectric lines are in close proximity (± 10 km) to the project and there is a significant local supply of water from lakes and creeks on and in proximity to the property.

This region consists of generally broad valleys and gently rolling hills. The elevations in this area range from 3000 feet (915 meters) to 4500 feet (1370 meters) above sea level. The claims occupy a moist vegetative zone dominated by various coniferous (pine-spruce-fir) and deciduous (birch-poplar) trees combined with variable undergrowth of brush. A significant portion of the Iron Lake property and adjacent lands have recently been clearcut logged in response to a bark beetle epidemic. This logging has been beneficial to the project in terms of improved access and occasionally new bedrock exposure.

HISTORY:

The first documented exploration in the area of the prospect occurred in the early 1970's when Pickands Mather and Company, a US based iron ore company (now Cliffs Natural Resources Inc.), conducted exploration for porphyry copper. The area of the Iron Lake Prospect was targeted because of a 1968 government airborne survey which indicated a very strong airborne magnetic feature. An initial geochemical survey outlined some modest copper anomalies and a six-hole diamond drill program was initiated in 1974. The drill program did not result in significant porphyry copper intercepts being obtained but indicated that the airborne magnetic anomaly was due to heavy accumulations of magnetite. The magnetite was found to occur in mafic to ultramafic rocks (gabbro to olivine pyroxenite) in concentrations high enough to encourage the company to complete a number of Davis Tube iron analyses to evaluate the potential of the property to host a magnetite deposit. The magnetite content was ultimately determined to be too low and the claims were allowed to expire in 1974.

In 1975 the area was re-staked as the Sheri Claims by geologist/pro prospector Herb Wahl who had previously managed the Pickands Mather office. Wahl completed additional soil geochemical surveying and minor hand trenching before abandoning the claims.

In the late 1980's Canevex Resources Ltd., controlled by J.W. Morton and G.L. Garratt, staked the area of the current Iron Lake claims. The property was first optioned to a private group and later to a public VSE company, Cepeda Minerals Inc., which completed a program on the claims with an emphasis on gold, particularly around the periphery of the intrusion. Platinum group metals were for the first time included in the analytical suite. This work identified a number of significant palladium and platinum soil and rock anomalies including analysis to 933 ppb platinum from select roadside rubble samples and to 392 ppb palladium in soils. Shortly after completing this program Cepeda withdrew from the project and Canevex along with a privately owned company continued exploration and in 1989 completed an induced polarization survey over part of the intrusion. Despite the detection of significant induced polarization anomalies the claims were allowed to expire in 1992.

Eastfield Resources Ltd. acquired the data base for the Iron Lake property and staked the area of the Iron Lake occurrence in February 2000. In October 2000 Eastfield, while investigating soil palladium anomalies from the 1989 soil survey, discovered mineralized olivine-pyroxenite rubble containing significant disseminated bornite and chalcopyrite. Two samples were collected from the rubble field with the first sample grading 0.59% Cu, 0.04% Ni, 0.53g/t Au, and 308 ppb PGE and the second sample 0.56% Cu, 0.04% Ni, 0.54g/t Au, and 287 ppb PGE.

In 2001 Eastfield optioned the right to earn a 60% interest in the property to Lysander Minerals Corp who conducted modest surface prospecting programs prior to terminating the option in 2002.

In 2003 Eastfield granted an option to Argent Mining Corp. (later Avion Resource Corp.) to earn an interest in the project. Argent subsequently completed expansions to the 1989 soil grid in 2003 and in 2004 completed 603 line kilometers of helicopter borne geophysical survey including total field magnetics and multi-frequency electromagnetics (DigHem). A large and very strong magnetic anomaly was outlined over an area 5 square kilometers within which a number of (discrete) bedrock conductors were detected.

In 2005 Argent completed four diamond drill holes with two of the holes targeting electromagnetic conductors. A massive sulfide intercept of 1.2 metres was obtained in the hole targeting the first electromagnetic anomaly and an aggregate intercept of 6.1 metres of massive sulfide was obtained (within a 17-metre interval that was estimated to consist of greater than 60% sulfide) in the hole targeting the second electromagnetic anomaly. The massive sulfide intercepts were largely pyrrhotite with lesser chalcopyrite grading up to 1.10% copper, 0.09% nickel and 0.13% cobalt over individual 1.1 metre sample intervals. The fourth hole of the 2005 program targeted an induced polarization response indicated in the 1989 survey. This hole, drilled some distance to the east of the other holes encountered olivine-pyroxenite which is believed to be the important lithology in hosting the platinum group mineralization discovered in rubble in 2000. This hole intersected an interval of disseminated mineralization anomalous in nickel with values to a maximum of 956 ppm Ni over 2.5 metre sample intervals and ended in an interval of anomalous platinum and palladium content (69 ppb Pt and 68 ppb Pd).

In 2006, Argent completed 17 kilometres of ground based UTEM survey. The UTEM survey was completed over a portion of the property to the north and south of the first three 2005 drill holes but did not extend as far east as the fourth hole. The survey was successful in further detailing and extending the lengths of the 2004 airborne anomalies and detecting weaker and deeper conductors missed by the 2004 survey. In May and June 2006 five holes totalling 681 metres were completed in the general area of the 2005 drill holes with the first two holes following up the massive sulfide discovery of 2005. The first of the 2006 holes was lost after the drill string became stuck just as the prospective target zone was reached and the second hole was inadvertently drilled parallel to the strike of the conductor at 90° to its design (driller error). Interestingly the second hole never-the-less intersected a narrow zone of massive sulfide.

In 2007 a program of targeted prospecting was completed. A field crew consisting of two field technicians systematically checked a number of anomalies indicated in the data set (predominantly originating from prior geophysical surveys). 143 rock samples and 180 soil samples were collected.

On June 1, 2008 Cobre Exploration Corp. (later Calico Resource Corp.) entered into an option agreement with Eastfield Resources Ltd. and the soil grid was expanded. A total of 478 soil samples were collected and analysed.

In 2009 a program of excavator trenching, largely drawing from the 2007 program, was completed. The depth of overburden often proved to be deeper than expected and many attempts to reach bedrock failed.

In 2011 a program of rock sampling and reconnaissance induced polarization and magnetometer surveying was completed. The predominant objective of the 2011 geophysical survey was to investigate the contact between the Iron Lake Ultramafic Complex and the Takomkame Batholith. Two new strong “IP” anomalies with corresponding magnetic anomalies along with several weaker ones were identified.

In 2012 the Hidden_one claims were staked contiguous to the north and west of the Iron Lake claims to cover unexplored areas of the Takomkame Batholith thought to share commonalities with the Woodjam copper gold project located 40 kilometres to the northwest, currently being explored by Gold Fields and Consolidated Woodjam Copper Corp. Later in the year Calico Resources Corp (formerly Cobre Exploration) withdrew from the project. A program of rock sampling, induced polarization and magnetometer surveying was subsequently completed.

In 2013 further grids were cut and additional rock and soil sampling conducted to fill in and more precisely define anomalies indicated from the 2011 and 2012 work.

GEOLOGIC SETTING:

Regional and Local Geology

Geologically, the Iron Lake property is located within the accreted Quesnel terrane, a narrow, north north-westerly trending disrupted but nearly continuous belt from the southern to northern provincial boundaries. Collision of the Quesnel Terrane with the North American Craton occurred at about 180 Ma with subduction with the North American continent continuous from 180 to 150 Ma. The belt consists of volcanic, sedimentary and intrusive rocks of Triassic to Jurassic Age, which host alkalic porphyry copper – gold and porphyry copper-molybdenum-gold deposits.

The generalized local geology (Figure 3) is derived after 2006 work by Paul Schiarizza and Amy Boulton of the BC Geological Survey. This work was focused on Mesozoic arc volcanic and plutonic rocks of the Quesnel Terrane in the vicinity of the Takomkame batholith and included the Iron Lake property. The oldest rocks in the property area occur along the eastern edge of the property and are volcanic breccias and volcanoclastics of the Upper Triassic Age Nicola Group. The Late Triassic Early Jurassic Schoolhouse Lake Unit, monzonite and granodiorite, forms the predominant phase of the Takomkame batholith in this area. The Takomkame Suite has intruded the Nicola Group rocks and the Iron Lake ultramafic suite has intruded the Takomkame Suite (based on radiometric age dates).

The Iron Lake property is centered on the Iron Lake Complex comprised of ultramafic and mafic plutonic rocks. These rocks intrude the Nicola volcanoclastic succession and are in contact with


the Schoolhouse Lake unit of the Takomkane Batholith across poorly exposed but probably intrusive contacts to the north and northwest. Schiarizza divides the Iron Lake complex into an ultramafic unit and a mafic unit. The ultramafic unit consists mainly of clinopyroxenite and hornblende clinopyroxenite, but also includes olivine clinopyroxenite, wehrlite, hornblendite, gabbro, diorite and intrusion breccia. The mafic unit consists mainly of medium to coarse-grained hornblende-pyroxene gabbro to monzogabbro, medium to fine-grained hornblende diorite, microdiorite and albite-hornblende pegmatite including breccias of the same. Melanocratic gabbro from the ultramafic unit of the Iron Lake complex yielded Ar/Ar plateau ages of 187.7 ± 1.1 Ma and 186.34 ± 0.96 Ma on hornblende and biotite separates, respectively. Titanite from a diorite sample collected from the mafic unit of the complex has yielded a preliminary U-Pb concordia age of 188.3 ± 0.5 Ma. These Early Jurassic dates are significantly younger than the dates obtained from the Boss Creek and Schoolhouse Lake monzonites (195.0 to 202.0 Ma), indicating that the Iron Lake Complex is younger than the Takomkane Batholith, and has presumably intruded the batholith as well as the Nicola Group. These dates however are not always in agreement with observations at a number of outcrops of intrusion breccia where ultramafic fragments occur within a granodiorite matrix.

Near the northwest corner of the ultramafic unit Schiaizza notes hornblende pyroxenite, hornblende-feldspar pyroxenite, gabbro and diorite occur as parallel sheets defined partly by modal layering and partly by dikes, giving some evidence of magmatic layering.

The Takomkane Batholithic rocks on the property, although locally well exposed are also extensively till covered in much of the property. Lithology is dominantly granodiorite and varies from equigranular to weakly porphyritic in texture. Mafic minerals are dominated by hornblende with lesser biotite. Weak sheeted quartz stockwork veining occurs locally. Only trace sulfides and minor magnetite have been noted in discontinuous outcropping rock.

DEPOSIT MODEL:

In 1987 the “Kevitsa” deposit was discovered in Finland and in 2008 it was acquired by a subsidiary of First Quantum Minerals Ltd. who put it into production in 2012. Kevitsa is a PGE and gold enriched copper, nickel deposit with reserves of 157 million tonnes grading 0.41% copper, 0.31% nickel, 0.12 g/t gold, 0.24 g/t platinum and 0.18 g/t palladium. Mineralization is hosted in olivine pyroxenite and is disseminated in style and is considered to be magmatic in origin. Kevitsa shares many attributes with the disseminated mineralized rubble discovered at Iron Lake including the suite of elements (copper, gold, platinum, palladium and nickel) and the host rock to the mineralization which in both cases is olivine pyroxenite.



Location Map with Regional Geology

After Geological Fieldwork 2005, paper 2006-1
BC Geologica Survey

Fig. 1





Figure Generalized geology of the Canim Lake map area, based mainly on 2005 fieldwork.

"IP" anomalies discovered in 2012 outlined in white
 Area of massive sulfide outlined in yellow

Another possible model for mineralization at Iron Lake is the Aguablanca Ni-Cu-PGE mine located in Spain. At Aguablanca a gabbroic pipe is interpreted to have been emplaced along with and at the edge of a calc-alkaline plutonic complex and hosts a copper and nickel orebody with remaining reserves of 2.8 million tonnes grading 0.60% nickel and 0.40% copper included in remaining resources of 7.4 million tonnes grading 0.70% nickel and 0.60% copper. Aguablanca was discovered by Rio Tinto in 1993 and was placed into production by Rio Narcea Gold Mines in 2003. The association of the mafic to ultramafic Iron Lake Complex with the granodiorite dominant Takonkame Batholith may be comparable to Aguablanca's setting. Aguablanca is owned by the Lundin Mining Corporation who absorbed Rio Narcea in 2010.

The Iron Lake Complex is also comparable in several respects to the Turnagain Complex in northern BC and the Tulameen Complex in southern BC. Both of these occurrences, as may be the case for Iron Lake, are thought by some workers to be Ural-Alaskan type ultramafic-mafic intrusive complexes. Complexes of this type in Russia host significant deposits of precious metals, particularly platinum with historical alluvial production alone exceeding ten million ounces Pt.

It should also be noted that the prolific Norilsk nickel-copper-PGM deposits also in Russia are hosted in Triassic aged olivine pyroxenite, comparable in age and host rock petrology to Iron Lake.

In 2012 the Iron Lake property was expanded with the addition of the Hidden_one claims which were acquired to cover little explored areas of the Takomkame Batholith thought to share commonalities with the Woodjam copper gold and molybdenum project located 40 kilometres to the northwest. At Woodjam five mineralized zones hosted in or related to the Takomkame Batholith have been discovered. Combined inferred resources for four of these zones as calculated at the beginning of 2013 by project operator Goldfields are 277 million tonnes including the Southeast Zone with 227.5 million tonnes grading 0.31% copper and 0.05 g/t gold and the Dearhorn Zone with 32.8 million tonnes grading 0.22% copper and 0.49 g/t gold.

MINERALIZATION: (Within Iron Lake Mafic-Ultramafic Complex)

Exploration of the Iron Lake property area in the mid 1970's (within the Iron Lake Ultramafic Intrusive Complex) identified low grade copper mineralization. Ongoing work by Eastfield has also identified gold, platinum and palladium mineralization (plus minor nickel and semi-massive magnetite) associated with the complex.

The observed opaque minerals in order of abundance are magnetite, pyrite, hematite, pyrrhotite, chalcopyrite and bornite.

Two styles of mineralization are currently the focus of exploration in the Iron Lake Ultramafic Intrusive Complex; the first being disseminated sulfides containing copper, gold and platinum group metals similar to the mineralization which has been found as float in the vicinity of 645784E, 5757070N (NAD 83) and the second as massive sulfide mineralization discovered 250 metres to the southwest by drilling airborne conductors. The disseminated style of mineralization

occurs as intergrowths of chalcopyrite and bornite with minor pyrrhotite in a silicate assemblage of interlocking clinopyroxene and lesser olivine. The olivine, which varies between 15-20%, has been partially altered to serpentinite along crystal edges. Approximately 3-4% magnetite is scattered throughout and forms rims around sulfide grains in and around olivine.

Four diamond drill holes (05-IL- 02 & 03 and 06-IL-05 & 06) have intersected massive sulfide mineralization. Observations from this analysis indicate that copper, nickel, gold, palladium and platinum are all positively correlated in the disseminated style of mineralization but not so much so in the massive sulfide style. Cobalt, which is more prevalent in the massive sulfide style of mineralization, is not as correlative in the disseminated style perhaps indicating that the disseminated and massive sulfide styles of mineralization are quite separate.

The anomalous magnesium values in the disseminated style of mineralization (olivine-pyroxenite) are interpreted to be indicative of serpentinization of olivine. The incidence of olivine-pyroxenite, which may be diagnostic to the disseminated style of mineralization, can perhaps therefore be inferred in areas of till cover where high magnesium content is indicated in the soil. The following table summarizes the results of analysis of eight samples of disseminated mineralization:

Disseminated Mineralized Rubble Results

Date	Cert. #	Sample #	Cu ppm	Au ppb	Pt ppb	Pd ppb	Ni ppm	Co ppm	Fe %	Mg %
01-Jun-00	A001668	DICM 10	6,417	571	76	135	377	65	5.2	6.5
21-Jun-00	A001740	05-2000	5,667	540	67	220	395	78	5.7	6.9
07-Nov-00	A004506	03-11-00-08	5,908	535	111	197	377	63	4.8	6.0
04-Sep-01	A102939	I-1	7,170	759	120	189	409	72	5.4	6.2
18-Jul-02	A202114	02-05-10	11,620	1011	127	348	565	90	6.8	8.2
18-Aug-02	A202652	250576	6,257	642	113	167	287	45	4.2	3.9
24-Aug-12	12003982	060687	7,779	739	237	141	540	106	8.4	13.2
12-Sept-12	12003301	1R-10-7-12	6,645	772	159	190	380	65	5.6	7.4
Average			7,183	696	126	198	416	73	5.8	7.3


Massive Sulfide Drill Intercepts

Hole #	Description	Cu ppm	Ni ppm	Co ppm	Pd+Pt ppb	Fe %	Mg %
05-I-02	1.4 metres of massive sulfide (75.2-76.6 m).	6,635	299	1,349	33	47.5	0.5
05-I-03	17.0 metres of massive sulfide (32.9- 49.9 m; (≈60% MS interspersed with pyroxenite).	3,427	362	270	24	23.7	1.1
Incl.	1.4 metres of massive sulfide (47.8- 49.2 m).	9,525	927	1,298	5	55.7	0.1
05-I-04	Elevated Ni to 0.10% Ni per 2.5 m sample (e.g. 23.0-25.5).	67	956	86	12	6.7	12.9
06-I-05	2.3 metres of massive sulfide (73.4- 75.7 m).	5,428	170	366	13	31.8	0.8
06-I-06	2.1 metres of massive sulfide (136.2- 138.4 m).	1,363	125	246	34	9.3	0.8
06-I-09	9.7 metres disseminated sulfide (129.6- 139.3 m) (Elevated Bi averaging 22.3 ppm)	1,786	54	45	15	8.2	2.6

Exploration:

Airborne Geophysical Surveys

In 2004 Fugro Airborne Surveys Corp., on contract to Argent Mining Corp., completed 603 line kilometers of DIGHEM multicoil, multifrequency electromagnetic survey supplemented with a high sensitivity magnetometer survey. The electromagnetic survey identified 405 conductors of which 15 were interpreted to be derived from discrete bedrock sources and one from a conductive bedrock unit with the remaining 389 conductors interpreted to be conductive cover. Two of the 15 discrete conductors were drill tested in 2005 and 2006. The drill testing occurred on adjacent airborne survey lines located approximately 500 metres south of the south-eastern tip of Island Lake. Drill holes 05-IL-2 and IL-05-3 drilled to test these conductors intersected 1.4 and 6.1 metres (within 17 metres of >60% sulfide) of massive sulfide mineralization respectively (pyrrhotite dominant). In 2006 holes 06-IL-05 and 06-IL-06 intercepted narrower zones of mineralization (06-IL-05 was lost prematurely while 06-IL-06 was drilled at an incorrect azimuth).



635,000 mE 640,000 mE 645,000 mE 650,000 mE 655,000 mE

5,765,000 mN

5,765,000 mN

5,760,000 mN

5,760,000 mN

5,755,000 mN

5,755,000 mN

635,000 mE 640,000 mE 645,000 mE 650,000 mE 655,000 mE

Legend

- Claim Outlines
- Rock Sample
- Access Road/Trail

Eastfield Resources Ltd.

Iron Lake Project
Rock Samples On
Magnetic Intensity (RTF)

Date: 2/11/2014
Author: BL
Office:
Drawing:
Scale: 1:60000 Projection: UTM Zone 10 (NAD 83)
CAN 200m, Canadian Aeromagnetic Data Base, Geological Survey of Canada

0 0.5 1 2
kilometres

The coincident 2004 Fugro magnetic survey outlined a large broad and highly magnetic feature with a dynamic magnetic range of 9500 nT, covering an area exceeding 5 km².

In 2005 the Geological Survey of Canada released multisensor (gamma ray spectrometric and magnetic) airborne geophysical information covering the Eagle (Murphy) Lake area (Open File 5292). A strong magnetic feature is indicated. This survey superseded an earlier high elevation fixed wing survey completed by the Geological Survey of Canada in 1968 (Geophysics Paper 5231, Canim Lake).

Electromagnetic Surveys

In 2006 Argent Mining Corp. completed 17 kilometers of UTEM surface electromagnetic survey (S.J Geophysics Ltd.) over an the area flanking, and drilled in 2005 . This survey confirmed the features in this area indicated in the 2004 airborne survey and detected several weaker features not detected by that survey. Hole 05-IL-04, which intersected olivine-pyroxenite containing weak nickel mineralization, was not included within the area of the UTEM survey.

Induced Polarization Surveys

In 1972 a small area in the southern part of the current claims was surveyed by a junior company , Aragon Exploration Ltd. In 1973 Pickands Mather and Company completed some induced polarization surveying in the vicinity of Iron and Island Lakes. In more recent times (1991) 10.2 line kilometers of induced polarization surveys was completed on a portion of the central region of the claims by Canevex Resources Ltd. Much of the area of the 1991 survey is highly responsive with chargeability commonly exceeding 20 mV/v and sometimes exceeding 70 mV/v. Interpretation of these results is complex due to the large surface extent of the response and the possibility that the high magnetite content may be influencing the results.

In 2011 reconnaissance induced polarization and magnetometer surveying was completed along several logging roads on the property (12.7 km). The reconnaissance work was successful in indicating several new discrete anomalies, particularly one southeast of Island Lake and one immediately east of Beverly Lake.

In 2012 a further 23.9 kilometers of “IP” and “mag “was completed. Eight kilometers of this work was completed on the original Iron Lake claims while 15.9 kilometers was completed on the new Hidden-one claims. Two new discrete strong chargeable and magnetic anomalies were identified in the Iron Lake ultramafic complex while one new discrete strong chargeable and magnetic anomaly and one weaker one was identified within Takomkame intrusive rocks in the northeast sector of the property.

Geochemical Surveys

The initial soil geochemistry completed in by Pickands Mather and Company in 1974 and Wahl in 1975 was superseded with surveys over much of the same area in 1989 which are considered more relevant because of a much larger suite of elements analyzed for including palladium and platinum. The 1989 survey comprised 706 samples (100 meter spaced lines with 50 meter spaced

samples) and was completed by Canevex Resources Ltd. which indicated that a number of platinum group soil anomalies existed. In 2002 an additional 1.6 kilometre of soil grid was established (16 samples) and in 2003 an additional 10 line kilometers of soil grid was added (216 samples). Palladium and platinum are included in all soil surveys starting in 1989. The geochemical results for gold and copper and platinum and palladium indicated that a number of anomalous areas exist. Anomalous soil values reach 392 ppb palladium, 260 ppb platinum and 449 ppb gold. In 2007, 180 additional soil samples and 143 rock samples were obtained in a single sampling routine conducted contemporaneously with a targeted prospecting program. In 2008 478 additional samples were collected analysed. The property lies in glaciated terrain and the glaciated expression of mineralized bedrock can be masked or transposed. In the Iron Lake area published ice direction maps suggest that the predicted source of anomalies and float would generally be from the northeast with local variations. The northeast to southwest alignment of the anomalous soil samples supports this interpretation. In 2011 two outcrops were noted with apparent glacial striae trending 270° and 250° respectively. A published surficial geology map indicates that striae trending 225° has been mapped northwest of Succour Lake.

In 2012 108 rock samples were collected and analysed and in 2013 a further 273 soils and 50 rocks were collected and analysed.

Drilling

Diamond Drill holes have been completed by Pickands Mather and Company in 1974 and by Argent Mining Corp. in 2005 and 2006. Seventeen holes totalling 1,878 metres have been completed. The 1974 drilling was BQ in diameter and sampled in generally 10 foot (3.1 metre increments) while the 2005 and 2006 drilling was NQ and sampled on generally 2 meter increments. A summary is as follows:

Drill Hole Location and Orientation

Hole Name	Azmuth ° (decl. 22.5°)	Dip ° Angle	Length (m)	UTM ND83 (east)	UTM ND83 (north)	Elevation (meters)
74-S-1	180	-45	91.3	645596	5757177	1025
74-S-2	360	-50	106.5	645588	5757294	1017
74-S-3	180	-45	60.7	645620	5757520	1003
74-S-4	180	-60	60.7	645950	575524	1017
74-S-5	180	-45	91.3	645924	5757200	1000
74-S-6	180	-60	91.3	646234	5757167	999

Hole Name	Azimuth ° (decl. 22.5°)	Dip ° Angle	Depth (m)	UTM ND83 (east)	UTM ND83 (north)	Elevation (meters)
74-S-7	180	-45	99.2	645028	5757936	1003
74-S-8	360	-40	91.3	646625	5756050	982
IL05-01	-	-89	114.9	645929	5756874	1018
IL05-02	298	-62	131.7	645490	5756749	1025
IL05-03	298	-62	133.2	645500	5756817	1025
IL06-04	300	-62	125.0	646272	5756952	1000
IL06-05	309	-60	90.5	645463	5756642	1010
IL06-06	15	-60	151.5	645478	5756569	1005
IL06-07	129	-60	145.4	645496	5757278	1032
IL06-08	313	-62	147.8	645930	5757555	1018
IL06-09	298	-50	145.4	645895	5757507	1010

SUMMARY OF WORK COMPLETED IN 2013

In 2013 further reconnaissance geological mapping and sampling and soil sampling was completed and 3 line kilometres of new grid cut. 261 soil samples and 51 rock samples were collected from a new target indicated in reconnaissance induced polarization/magnetometer surveying completed in 2012 on the north-eastern edge of the property and induced polarization anomalies defined in 2011 and 2012 northeast and southwest of Beverly Lake. Maps outlining this work are located at the end of this report.

RECOMMENDATIONS

Two styles of magmatic sulfide mineralization present opportunities for discovery at Iron Lake. The first being disseminated sulfide with economically significant values of copper, gold, platinum and palladium; and the second being massive sulfide with economically significant values in copper, nickel and cobalt. An opportunity currently exists to complete follow up to the massive sulfide discovery of 2005 with more drilling and at the same time to complete an initial drill test of several discrete and well defined induced polarization anomalies outlined in 2011 and 2012. Holes A, B and H shown on the accompanying *Recommendations Map* are designed to test the 2005 massive sulfide discovery down dip and in the case of proposed hole B, along strike. Proposed hole F is designed to test an untested airborne electromagnetic anomaly of comparable

strength to those responsible for the 2005 massive sulfide discovery, 3.5 kilometers to the northwest. Proposed holes C, D, F and G all target strong induced polarization responses outlined in recent surveys that may be caused by either style of mineralization. Eight holes totalling 2,500 metres (all fully permitted) are recommended.

The area up dip from the disseminated mineralized rubble field should be diligently prospected and possibly trenched. Published surficial geology maps indicate that the predominant ice direction was from 225° and consequently this direction should be considered a probable vector.

2013 COST STATEMENT

Professional Fees	J.W. (Bill) Morton P.Geo, 13 days @ \$680	\$8,840	March 11, April 24, May 7 & 24, June 6 & 26, July 11, 19 & 22, Aug 21 & 22, Sept 5, Oct 1, 2013
Professional Fees	Bruce Laird P.Geo, 14 days @ \$680	\$9,520	Aug 15-28, Sept 4-10, 2013
Field Personnel	Francois Larocque, 10 days @ \$430	\$4,300	Aug 19-28, 2013
Field Personnel	S. Perreault, 8 days @ \$430	\$3,440	Aug 19-28, 2013
Field Personnel	J. Perreault, 11 days @ \$430	\$4,730	Aug 18-28, 2013

Total Personnel,	\$30,830.00
Truck Rental, Enterprise, North Vancouver, BC,	\$287.33
Truck Rental, B. Laird, 10 days at \$80 per day,	\$800.00
Truck Rental, F. Larocque, 9 days @ \$80 day,	\$720.00
Truck Rental, S. Perrault, 3 days at \$80 per day,	\$240.00
Chainsaw Rental, S. Perreault, 1 days @ \$25 a day,	\$25.00
Chainsaw Rental, J. Perreault, 6 days @ \$25 a day,	\$150.00
Radio Rental 2 @ \$5 each per day,	\$90.00
ATV Rental, 3 units @ \$80,	\$1680.00
Consumables and Field Equipment,	\$1,661.93
Geophysical Contractor, fees,	\$626.25
Drafting Materials, Trim Sheets, Plotter Charges,	\$376.00
Drafting, Moonraker Multimedia,	\$1,237.50
Freight,	\$184.09
Accommodation,	\$4,516
Travel Expenses,	\$895.76
Storage,	\$5.53
Food,	\$502.63

Analytical Costs (Soils), 261 samples @ \$22.40 sample,	\$5,846.40
Analytical Costs (Rocks), 51 samples @ 28.58 sample,	\$1,457.39
Communications,	\$16.05
Petrographic Preparation, Cutting and Polishing Samples,	\$132.50
Subtotal	\$52,280.36
GST	\$2,247.36
Total	\$54,527.72
Total Claimed	\$40,000.00

AUTHOR QUALIFICATIONS

I, J.W. Morton am a graduate of Carleton University Ottawa with a B.Sc. (1972) in Geology and a graduate of the University of British Columbia with a M. Sc. (1976) in Graduate Studies.


I, J.W Morton have been a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Geo.) since 1991.

I, J.W. Morton have practiced my profession since graduation throughout Western Canada, the Western USA and Mexico.

I, J.W Morton supervised the work outlined in this report.

Signed this 31st day of January, 2014

J.W. (Bill) Morton



EASTFIELD RESOURCES LTD.			
Iron Lake Project			
Clinton Mining District, B.C., Canada			
Recommendations Map			
2014			
Scale	See scale bar	N.T.S.	93915W
Date	Jan., 2014	U.T.M. Zone	10
<ul style="list-style-type: none"> ● Drill hole 2005, 2006 ● Drill hole 1974 ⊙ Drill Hole Proposed 			
Mincord Exploration consultants Ltd.			

- Massive Sulfide (Projected)
- Mineralized Rubble (disseminated)
- - - Up Ice Trace
- ⊙ High Priority Area to Prospect (Disseminated Mineralization)

0 500 1000 metres

REFERENCES

- AEROMAGNETIC SERIES. 1968. Canim Lake, British Columbia. Airborne magnetic survey map, scale 1:63,360. Geophysics Paper 5231, Governments of Canada and British Columbia.
- BUSKAS, A.J., 1989. Geochemical Sampling Core Logging and Sampling and Geological Mapping of the Canim 1 to 4 and Horse Claims for Cepeda Minerals Inc and Canavex Resources Ltd.
- CAMPBELL, R.B. and H.W. TIPPER, 1971. Geology of Bonaparte Lake Map Area, British Columbia. Geological survey of Canada, Memoir 363.
- DEWONCK, B, Sept. 2003, Assessment Report on the Iron lake property for Argent Resources Ltd.
- DURFELD, R.M. 1985. Report on the Ironhorse Property, Clinton Mining Division, B.C. Private report prepared for Reliant Resources Limited and Mr. Colin Campbell.
- GARRLE, D, Sept, 2004, Fugro Airborne Surveys Corp, Dighem Survey for Argent Resources Ltd., Iron Lake Property.
- KULLA, GREG et al, Sept 25, 2007, Hard Creek Nickel Corporation, Turnagain Nickel Project, British Columbia, Preliminary Assessment, NI 43-101 , filed on SEDAR by Hard Creek Nickel Corporation.
- LEONARD, M.A. 1973. Exploration Report, Sheri Claims (92P/15W). Assessment Report #4734, British Columbia Department of Mines and Petroleum Resources.
- LUNDIN MINING CORPORATION, June 5, 2008, web page, www.lundinmining.com.
- MORTON, JW. 1984, Report on Electromagnetic Survey, Ironhorse Claim. Assessment Report #11088, British Columbia Ministry of Energy, Mines and Petroleum Resources.
- MORTON, JW. 1986. Report of Lithochemical Analyses of Drill Core. Assessment Report, British Columbia Ministry of Energy, Mines and Petroleum Resources.
- MORTON, J.W. 1988. Reconnaissance Soil Geochemical Survey, Horse Claim. Assessment Report, British Columbia Ministry of Energy, Mines and Petroleum Resources.
- MORTON, J.W. 2001. Report on the Iron Lake Property, Clinton Mining Division BC, Assessment Report, British Columbia Ministry of Energy, Mines and Petroleum Resources.
- MORTON, J.W., 2006, Report on Diamond Drilling (2005 Program) on the Iron Lake Property, Clinton Mining Division, BC.
- MORTON, J.W., 2007, Report on Diamond Drilling (2006 Program) on the Iron Lake Property, Clinton Mining Division, BC.

MORTON, J.W. May, 2008, Report on Targeted Geochemical Sampling on the Iron Lake Property, Clinton Mining Division.

MORTON, J.W. March, 2009, Soil Sampling on the Iron Lake Property, Clinton Mining Division.

MORTON, J.W. Feb 2010, Excavator Trenching on the Iron Lake property, Clinton Mining Division.

MORTON, J.W. March 2011, 2010 Assessment Report on the Iron Lake Property, Clinton Mining Division, prepared for Calico Resources Corp.

MORTON, J.W. December 8 2011, 2011 Assessment Report on the Iron Lake Property, Clinton Mining Division, prepared for Calico Resources Corp.

MORTON, J.W. Feb 15, 2013, 2012 Assessment Report on the Iron Lake-Hidden_One Property, Clinton Mining Division, prepared for Eastfield Resources Ltd.

NIELSEN, P.P., and GUTRATH, G.C, December, 1972, Geophysical Report of Induced Polarization and Magnetometer Surveys on the Sun, Bet, Beer Mineral Canim Lake area, Clinton Mining Division for Aragon Exploration Ltd.

NORTH AMERICAN PALLADIUM LTD., April 28, 2008, Annual Report.

PEZZOT, Trent, 2004, SJ Geophysics Ltd, Private memorandum on the Iron Lake Property, Airborne Geophysical Survey.

PRITCHARD, H.M, and FISHER, P.C., 2004, the Aquablanca Ni-Cu-PGE Deposit, Southwestern Iberia: Magmatic Ore-Forming Processes and Retrograde Evolution, The Canadian Mineralogist, Vol. 42, pp. 325-350.

WAHL, H.J. 1974. Exploration Report, Sheri Claims. Private Report for PICKANDS Mather & Co., Vancouver.

WAHL, H.J. 1975. Sheri Claims: Report of Prospecting, Geological, and Geochemical Exploration. Assessment Report #6122, British Columbia Department of Mines and Petroleum Resources.

WILSON, G.A., 1974. Petrographic Report 74-3. Private Report for Pickands Mather & Co., Vancouver.

Rock Descriptions Iron Lake 2013

Sample #	East_ Nad83	North_ Nad83	Elevation	Type	Description
2R-25-9-12	644689	5758286	0	Pyroxenite	magnetic altered, pale green, aphanitic, some biotite, minor sulphides, very magnetic, very hard
1137908	645449	5755167	972	Diorite	Plag porph diorite, drk gy, fine grain, 30% white plag phenos to 3mm, tr-1% py, non magnetic
1137909	645447	5755146	978	Pyroxenite	Dark gn pyroxenite ultramafic, coarse grain, chl altered, pyrox phenos to 1cm, str magnetic, ~10% white calcite as fg aggregates to 4mm
1137910	645547	5755117	982	Pyroxenite	dark gn pyroxenite ultramafic, coarse grain, trace olivine, chl altered, pyrox phenos to 1cm, str magnetic, ~10-20% white calcite as fg aggregates to 4mm, prev sample 60732
1137911	645895	5755130	974	Diorite	Plag porph diorite, drk gy, fine grain, 30% white plag phenos to 3mm, tr-1% py, non magnetic, weak sericite alt
1137912	645974	5755129	988	Diorite	Blk, vfg silicified with tr diss Py and tr diss Cp, 5% plag phenos to 3mm, non magnetic
1137913	646149	5755117	1009	Diorite	Plag Hb porph diorite, gry salt/pepper, phenos to 5mm non magnetic
1137914	646521	5755231	1029	Diorite	Plag Hb porph diorite, gry salt/pepper, phenos to 5mm non magnetic, trace calcite vnlt, rare diss Py
Sample	East_	North_	Elevation	Type	Description

#	Nad83	Nad83			
1137915	646443	5755402	1012	Pyroxenite	Bk-Grn Pyrox porph, phenos to 1.5cm, str mag, plag matrix
1137916	645689	5760665	1378	Pyroxenite	Gn pyroxene porph cut by diorite dye and aplite dyle
1137917	645690	5760668	1378	Diorite	Foliated plag porph diorite dyke cutting pyroxenite 130/70NE
1137918	645690	5760668	1377	Aplite	White aplite dyke cutting pyroxenite and diorite, megascopic hieroglyphic textures, 20/40E
1137919	645564	5760655	1363	Pyroxenite	Drk Gn pyrox porph pyroxenite, epidote on fractures, str mag
1137920	645557	5760727	1342	Pyroxenite	Drk Gn pyrox porph pyroxenite, str mag cut by diorite dyke - BCGS 108
1137921	645559	5760728	1342	Aplite	Plag Hb porph diorite dyke cutting pyroxenite 130/70NE
1137922	645662	5760784	1337	Diorite	Gy salt /pepper plag hb porph diorite, mod mag, phenos to 3mm in med grain matrix
1137923	646909	5756590	1033	Pyroxenite	Dark Gn pyrox porph, phenos to 7mm in dark gn aphanitic matrix
1137924	647146	5756667	1052	Diorite	Plag porph diorite, 5% white plag phenos to 3mm in gy aphan matrix
1137925	647184	5756659	1055	Diorite	Plag Hb porph diorite fine grain, tr diss Py
1137926	645758	5755504	966	Diorite	Rusty weath diorite, plag hb phytic in fine matrix, 10% diss and fracture coating Py, in rock quarry
1137927	645948	5755617	975	Pyroxenite	Dark Gn pyrox porph, phenos to 1cm, mod mag
Sample #	East_ Nad83	North_ Nad83	Elevation	Type	Description

1137928	645962	5755614	985	Diorite	Plag porph diorite, grn aphanitic matrix, rusty fractures
1137929	645781	5756618	1015	Felsic breccia	Cream colour felsic breccia with banded qz and fine black stringers, tr Py +/- Cp
1137930	645894	5756680	1020	Pyroxenite	Very coarse grain pyroxenite, weak patchy rusty weath, 5% diss fine olivine aggregates, str mag prev sample 60703
1137931	645903	5756686	1021	Pyroxenite	Very coarse grain pyroxenite, 5% diss fine olivine aggregates, str mag
1137932	645923	5756687	1022	Pyroxenite	Very coarse grain pyroxenite, 5% diss fine olivine aggregates, str mag
1137933	650500	5753165	1037	Basalt/Gabbro	Pyrox porph basalt/gabbro, 7% pyrox phenos trace calcite veinlets with epid, pitted weath surface, prev sample 60685
1137934	650479	5753141	1037	Basalt/Gabbro	Pyrox porph basalt/gabbro, 7% pyrox phenos trace calcite veinlets with epid, pitted weath surface
1137935	644842	5760164	1281	Basalt/Gabbro	Pyrox porph basalt/gabbro, fine grain plag matrix, patch str mag, epid on fract
1137936	643891	5760355	1298	Monzonite	White-pink takomkane hb porph monzonite boulder - glacial
1137937	643349	5753679	977	Andesite	Gn foliated (040/80NW) andesite (sandstone/tuff?) plag hb porph with felsic clasts, variably magnetic
1137938	643229	5753678	982	Andesite	Gn foliated (040/80NW) andesite (sandstone/tuff?) plag hb porph with felsic clasts, variably magnetic, epid vnlts
Sample #	East_ Nad83	North_ Nad83	Elevation	Type	Description


1137939	643139	5753695	970	Monzonite	Bn monzonite, coarse grain, plag porpg with 1% white qz vnlt to 4mm, site of BCGS 101
1137940	643144	5753689	971	Andesite	Gn foliated (040/80NW) andesite (sandstone/tuff?) plag hb porph with felsic clasts, variably magnetic, epid vnlt, epid clasts to 30cm
1137941	648407	5760866	1322	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss mag, rare Py
1137942	648413	5760946	1327	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss mag
1137943	648427	5761052	1328	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss mag, local qz-chl vnlt
1137944	648597	5761137	1317	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss mag
1137945	648612	5760820	1332	Monzonite	Gy salt/pepper quartz monzonite, 3% HB phenos
1137946	644931	5753991	992	Andesite	Andesite brecciated by qz diorite veins to 5cm with patchy epid, tr Py rare Cp and Mal
1137947	644647	5753811	1001	Andesite	Andesite, rusty weathering, foliated, ser-chl altered with white qz vnlt along foliation, tr-1% diss Py, rare Cp, local calcite-epid vnlt along foliation
1137948	643824	5753519	990	Basalt/Gabbro	Dark green medium grain basalt/gabbro cut by white felsic dyke, and epid veins to 10cm, ~1% diss Py, str mag
Sample #	East_ Nad83	North_ Nad83	Elevation	Type	Description

1137949	641908	5753571	918	Granodiorite	Gy, salt/pepper coarse grain Hb porphyry, 30% phenos to 7mm, local epid vnlts to 1cm with pink hem envelope to 2cm, mod mag
1137950	648805	5760895	1312	Quartz	White bull quartz with epid clasts to 5cm
1148951	648807	5760655	1320	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss Mag, Hb phenos to 7mm
1148952	648927	5760551	1351	Diorite	Gy, Hb porph diorite, str mag, chl altered mafics
1148953	649002	5760762	1343	Quartz Diorite	Gy salt/pepper quartz diorite, weak mag, weak chl alt mafics, tr hairline chl vnlts
1148954	648991	5761080	1328	Quartz Diorite	Gy salt/pepper Hb porph quartz diorite, tr-1% diss Mag, Hb phenos to 7mm
1148976	643200	5753575	978	Basalt/Gabbro	Pyrox porph basalt/gabbro, fine grain plag matrix, patch str mag, epid on fract
1148977	643202	5753610	976	Andesite	Mixed foliated (40/60NW) andesite and basalt, str mag
1148978	643200	5753623	978	Andesite	Mixed foliated (40/60NW) andesite and basalt, str mag, frothy qz-cal veins to 2cm with tr boxwork
1148979	643600	5753900	762	Basalt/Gabbro	Drk Gn basalt/gabbro, patch str mag, epid on fract

Sample_ID	Occurance	Au_ppb	Pt_ppb	Pd_ppb	Cu_ppm	Ni_ppm	W_ppm
2R-25-9-12	subcrop	6.0	130	6.0	6.0	89.0	1.0
1137908	subcrop	1.6	1	0.5	6.4	0.3	0.5
1137909	subcrop	1.0	3	0.5	3.3	43.7	0.1
1137910	subcrop	0.1	4	0.5	2.7	49.5	0.1
1137911	float	1.4	3	0.5	45.0	13.6	0.1
1137912	float	2.6	7	0.5	60.3	28.0	0.1
1137913	subcrop	1.1	6	0.5	108.0	16.0	0.2
1137914	outcrop	0.9	3	0.5	62.7	11.0	0.1
1137915	subcrop	0.4	4	0.5	159.5	33.5	0.1
1137916	outcrop	3.1	3	0.5	70.0	16.1	0.1
1137917	outcrop	4.2	1	0.5	37.2	18.4	0.1
1137918	outcrop	0.1	1	0.5	7.0	0.8	0.1
1137919	outcrop	30.2	9	92.0	319.8	16.2	0.1
1137920	outcrop	3.1	13	0.5	28.8	31.2	0.1
1137921	outcrop	11.6	1	0.5	10.9	2.4	0.1
1137922	outcrop	2.9	1	0.5	32.5	5.2	0.1
1137923	float	0.9	3	0.5	15.2	18.4	0.1
1137924	float	0.4	1	0.5	24.4	5.2	0.1
1137925	subcrop	1.7	2	0.5	84.9	27.7	0.1
1137926	outcrop	4.1	3	0.5	182.9	10.2	0.4
1137927	float	0.1	15	0.5	2.9	19.9	0.1
1137928	float	2.5	1	0.5	103.2	11.2	0.2
1137929	float	0.7	1	0.5	67.8	7.4	0.2
1137930	float	2.2	2	0.5	556.1	36.7	0.1

Sample_ID	Occurance	Au_ppb	Pt_ppb	Pd_ppb	Cu_ppm	Ni_ppm	W_ppm
1137931	float	0.4	9	0.5	18.9	28.9	0.1
1137932	float	1.1	12	0.5	44.2	35.2	0.1
1137933	outcrop	32.2	1	0.5	91.9	14.2	0.1
1137934	outcrop	0.9	6	0.5	58.7	18.2	0.1
1137935	outcrop	1.1	5	0.5	18.3	18.1	0.1
1137936	float	0.1	1	0.5	2.4	1.4	0.1
1137937	outcrop	3.1	3	0.5	107.7	3.7	0.1
1137938	outcrop	3.3	3	0.5	13.0	7.8	0.1
1137939	float	4.9	1	0.5	0.4	0.7	0.2
1137940	outcrop	3.3	4	0.5	19.3	16.4	0.1
1137941	outcrop	3.5	1	0.5	3.4	2.0	0.1
1137942	outcrop	0.9	1	0.5	27.1	1.8	0.1
1137943	outcrop	0.1	1	0.5	10.8	3.0	100.1
1137944	outcrop	0.1	1	0.5	11.3	2.4	0.3
1137945	outcrop	0.1	1	0.5	1.9	2.1	0.3
1137946	float	8.5	1	0.5	122.5	2.3	0.2
1137947	float	0.9	15	0.5	31.8	27.1	0.2
1137948	outcrop	1.2	4	0.5	62.0	11.5	0.1
1137949	subcrop	0.1	1	0.5	6.1	3.6	0.1
1137950	float	0.7	1	0.5	4.2	0.3	0.3
1148951	subcrop	0.1	1	0.5	2.6	2.2	0.2
1148952	outcrop	2.1	2	0.5	33.3	7.1	0.1
1148953	outcrop	0.1	1	0.5	0.7	0.7	0.1
1148954	outcrop	0.1	1	0.5	14.8	2.5	0.3

Sample_ID	Occurance	Au_ppb	Pt_ppb	Pd_ppb	Cu_ppm	Ni_ppm	W_ppm
1148976	outcop	7.5	3	0.5	128.3	12.5	0.1
1148977	outcop	0.1	4	0.5	16.6	12.2	0.1
1148978	outcop	4.5	6	0.5	706.2	10.0	0.1
1148979	outcop	1.9	4	0.5	26.3	30.1	0.1



1148700
 1148701
 1148702
 1148703
 1148704
 1148705
 1148706
 1148707
 1148708
 1148709
 1148710
 1148711
 1148712
 1148713
 1148714
 1148715
 1148716
 1148717
 1148718
 1148719
 1148720
 1148721
 1148722
 1148723
 1148724
 1148725
 1148726
 1148727
 1148728
 1148729
 1148730
 1148731
 1148732
 1148733
 1148734
 1148735
 1148736
 1148737
 1148738
 1148739
 1148740
 1148741
 1148742
 1148743
 1148744
 1148745
 1148746
 1148747
 1148748
 1148749
 1148750
 1148751
 1148752
 1148753
 1148754
 1148755
 1148756
 1148757
 1148758
 1148759
 1148760
 1148761
 1148762
 1148763
 1148764
 1148765
 1148766
 1148767
 1148768
 1148769
 1148770
 1148771
 1148772
 1148773
 1148774
 1148775
 1148776
 1148777
 1148778
 1148779
 1148780
 1148781
 1148782
 1148783
 1148784
 1148785
 1148786
 1148787
 1148788
 1148789
 1148790
 1148791
 1148792
 1148793
 1148794
 1148795
 1148796
 1148797
 1148798
 1148799
 1148800
 1148801
 1148802
 1148803
 1148804
 1148805
 1148806
 1148807
 1148808
 1148809
 1148810
 1148811
 1148812
 1148813
 1148814
 1148815
 1148816
 1148817
 1148818
 1148819
 1148820
 1148821
 1148822
 1148823
 1148824
 1148825
 1148826
 1148827
 1148828
 1148829
 1148830
 1148831
 1148832
 1148833
 1148834
 1148835
 1148836
 1148837
 1148838
 1148839
 1148840
 1148841
 1148842
 1148843
 1148844
 1148845
 1148846
 1148847
 1148848
 1148849
 1148850
 1148851
 1148852
 1148853
 1148854
 1148855
 1148856
 1148857
 1148858
 1148859
 1148860
 1148861
 1148862
 1148863
 1148864
 1148865
 1148866
 1148867
 1148868
 1148869
 1148870
 1148871
 1148872
 1148873
 1148874
 1148875
 1148876
 1148877
 1148878
 1148879
 1148880
 1148881
 1148882
 1148883
 1148884
 1148885
 1148886
 1148887
 1148888
 1148889
 1148890
 1148891
 1148892
 1148893
 1148894
 1148895
 1148896
 1148897
 1148898
 1148899
 1148900

Legend

- Claim Outlines
- x Soil Sample - with Sample Number
- Access Road/Trail

Eastfield Resources Ltd


Iron Lake Project

Soil Sample Locations

2013

Date: 2/11/2014
 Author: RL
 Office:
 Drawing:
 Scale: 1:10000
 Projection: UTM Zone 10 (NAD 83)


0 125 250 500
 metres



Legend

- Claim Outlines
- ◆ Rock Sample - Outcrop or Subcrop
- ◇ Rock Sample - Float
- Access Road/Trail

Eastfield Resources Ltd	
Iron Lake Project	
2013 Rock Sample Locations	
South Sheet	
Date: 2/14/2014	
Author: BL	
Office:	
Drawing:	
Scale: 1:12500	Projection: UTM Zone 10 (NAD 83)
<div style="display: flex; align-items: center; justify-content: center;"> <div style="width: 100px; border-bottom: 1px solid black; margin-right: 5px;"></div> <div style="display: flex; flex-direction: column; align-items: center; margin-right: 5px;"> 0 200 400 800 </div> <div style="margin-right: 5px;">metres</div> </div>	



642,000 mE 644,000 mE 646,000 mE 648,000 mE 650,000 mE

5,756,000 mN

5,756,000 mN


5,754,000 mN

5,754,000 mN

5,752,000 mN

5,752,000 mN

642,000 mE 644,000 mE 646,000 mE 648,000 mE 650,000 mE



642,000 mE

644,000 mE

646,000 mE

648,000 mE

650,000 mE

5,756,000 mN

5,756,000 mN

5,754,000 mN

5,754,000 mN

5,752,000 mN

5,752,000 mN


642,000 mE

644,000 mE

646,000 mE

648,000 mE

650,000 mE



644,000 mE 645,000 mE 646,000 mE 647,000 mE 648,000 mE 649,000 mE

5,762,000 mN
5,761,000 mN
5,760,000 mN
5,759,000 mN
5,758,000 mN


5,762,000 mN
5,761,000 mN
5,760,000 mN
5,759,000 mN
5,758,000 mN

Legend

- Claim Outlines
- ◆ Rock Sample - Outcrop or Subcrop
- ◇ Rock Sample - Float
- Access Road/Trail

Eastfield Resources Ltd	
Date: 2/14/2014 Author: BL Office: Drawing:	Iron Lake Project 2013 Rock Sample Locations North Sheet
Scale: 1:12500	Projection: UTM Zone 10 (NAD 83)

644,000 mE 645,000 mE 646,000 mE 647,000 mE 648,000 mE 649,000 mE



Legend


- Claim Outlines
- Rock Sample - Outcrop or Subcrop
Cu (ppm), Au (ppb)
- Rock Sample - Float
Cu (ppm), Au (ppb)
- Access Road/Trail

Eastfield Resources Ltd

Iron Lake Project
2013 Rock Sample
Copper (ppm), Gold (ppb)
North Sheet

Date: 2/14/2014	
Author: BL	
Office:	
Drawing:	
Scale: 1:12500	Projection: UTM Zone 10 (NAD 83)

0 200 400 800
metres



644,000 mE

645,000 mE

646,000 mE

647,000 mE

648,000 mE

649,000 mE



5,762,000 mN

5,762,000 mN

5,761,000 mN

5,761,000 mN

5,760,000 mN

5,760,000 mN

5,759,000 mN

5,759,000 mN

5,758,000 mN

5,758,000 mN

644,000 mE

645,000 mE

646,000 mE

647,000 mE

648,000 mE

649,000 mE

13, -10

-2, -10

-2, -10

3, -10

9, 92

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

-2, -10

2, -10

◇ -2, -10

◆ 5, -10



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 CANADA

Submitted By: Bill Morton
Receiving Lab: Canada-Vancouver
Received: August 30, 2013
Report Date: September 23, 2013
Page: 1 of 10

CERTIFICATE OF ANALYSIS

VAN13003441.1

CLIENT JOB INFORMATION

Project: LK-Hidden_One
Shipment ID: IL-01
P.O. Number
Number of Samples: 261

SAMPLE DISPOSAL

RTRN-PLP Return
RTRN-RJT Return

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Eastfield Resources Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
CANADA

CC: Glen Garrett
Bruce Laird

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	261	Dry at 60C			VAN
SS80	261	Dry at 60C sieve 100g to -80 mesh			VAN
RJSV	261	Saving all or part of Soil Reject			VAN
1F01-1F08	261	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
1148651	Soil	1.20	88.74	4.35	52.6	237	47.1	19.9	758	2.93	9.5	0.5	4.8	1.3	30.5	0.25	0.44	0.09	90	0.64	0.037
1148652	Soil	0.98	60.49	5.41	54.9	136	40.9	18.1	411	3.00	8.0	0.5	11.6	1.4	27.1	0.24	0.34	0.10	84	0.53	0.064
1148653	Soil	0.63	47.48	4.20	84.4	106	28.5	15.6	323	2.91	4.2	0.3	11.8	1.2	17.3	0.25	0.16	0.10	79	0.32	0.172
1148654	Soil	0.49	25.05	4.01	55.1	155	32.8	15.0	173	2.61	4.3	0.3	1.9	1.3	25.9	0.18	0.16	0.07	70	0.37	0.119
1148655	Soil	0.63	29.59	4.19	82.9	197	33.8	14.9	215	2.73	5.1	0.3	9.7	1.4	21.6	0.25	0.20	0.09	70	0.31	0.118
1148656	Soil	2.84	61.61	7.24	129.3	222	43.3	28.7	1591	4.19	18.6	0.8	1.2	2.3	31.7	0.31	0.38	0.19	114	0.57	0.054
1148657	Soil	0.70	34.75	5.11	78.2	169	31.6	16.2	279	2.88	5.5	0.4	0.7	1.8	24.9	0.24	0.30	0.09	79	0.37	0.138
1148658	Soil	0.90	36.57	4.70	86.5	242	27.2	17.5	333	2.69	4.4	0.3	1.8	1.5	24.4	0.27	0.22	0.07	73	0.41	0.134
1148659	Soil	1.40	40.91	5.63	53.7	258	25.8	14.9	189	2.46	4.5	0.3	1.3	1.2	16.7	0.18	0.19	0.09	68	0.26	0.092
1148660	Soil	0.60	49.79	3.62	56.8	112	29.5	13.5	321	2.64	3.6	0.2	0.8	1.1	24.6	0.20	0.24	0.07	80	0.37	0.069
1148661	Soil	1.19	42.59	4.53	175.5	167	28.2	16.3	1628	2.63	5.1	0.4	0.8	1.5	23.8	0.69	0.25	0.11	71	0.33	0.095
1148662	Soil	0.87	56.46	4.76	101.4	228	36.8	18.3	287	2.95	8.5	0.3	4.5	1.7	23.9	0.38	0.32	0.10	77	0.33	0.252
1148663	Soil	1.00	45.69	5.21	79.7	131	28.9	13.5	245	2.91	4.8	0.3	1.2	1.6	21.8	0.24	0.23	0.09	85	0.34	0.092
1148664	Soil	1.15	80.36	4.06	36.0	114	42.3	28.3	272	3.22	11.1	0.4	3.4	1.9	33.4	0.11	0.36	0.08	97	0.50	0.015
1148665	Soil	1.55	85.50	5.08	54.2	126	30.3	20.3	389	3.72	8.5	0.3	1.9	1.3	27.2	0.16	0.48	0.09	122	0.48	0.050
1148666	Soil	0.36	119.9	3.94	28.1	79	25.5	18.3	251	3.70	6.4	0.5	6.2	2.1	47.1	0.06	0.38	0.07	117	1.02	0.008
1148667	Soil	1.66	111.5	3.66	47.7	50	56.2	23.0	264	3.65	7.6	0.3	1.7	1.2	25.8	0.12	0.32	0.07	118	0.36	0.015
1148668	Soil	0.50	66.15	5.02	52.6	149	14.6	10.9	396	2.39	3.1	0.2	0.3	0.7	20.3	0.09	0.23	0.11	58	0.28	0.111
1148669	Soil	1.63	80.75	3.02	29.9	66	12.0	10.5	145	2.70	7.4	0.2	0.6	0.6	14.3	0.03	0.81	0.06	61	0.19	0.049
1148670	Soil	1.10	32.08	5.10	31.4	139	21.8	11.6	153	2.45	4.5	0.3	2.2	1.8	23.3	0.15	0.26	0.09	78	0.39	0.010
1148701	Soil	0.79	44.75	6.70	91.1	209	25.9	16.9	389	3.07	4.2	0.3	0.5	1.2	20.9	0.33	0.14	0.13	89	0.30	0.155
1148702	Soil	1.43	32.88	5.65	81.7	159	36.3	23.1	1135	2.51	7.1	0.3	0.5	0.9	30.7	0.37	0.22	0.10	58	0.60	0.055
1148703	Soil	2.43	48.84	3.66	82.8	104	46.8	29.0	247	3.02	4.4	0.2	0.7	0.6	23.2	0.16	0.21	0.07	83	0.32	0.077
1148704	Soil	0.98	19.16	4.85	63.9	103	19.7	15.7	245	2.16	2.7	0.1	<0.2	0.7	17.2	0.11	0.11	0.08	68	0.28	0.062
1148705	Soil	0.91	25.55	2.95	58.4	119	39.9	24.4	509	2.76	3.9	0.2	2.0	0.8	25.0	0.17	0.15	0.05	72	0.34	0.047
1148706	Soil	0.82	13.51	7.17	31.5	116	20.0	11.2	193	1.50	4.4	0.1	0.5	0.7	12.1	0.12	0.10	0.15	35	0.19	0.048
1148707	Soil	1.99	1352	1.90	6.5	1235	65.8	11.1	1004	1.47	2.5	3.7	13.1	0.1	105.7	0.39	1.30	0.06	18	4.12	0.139
1148708	Soil	3.18	398.6	4.29	21.6	608	76.1	25.2	1857	2.21	16.2	4.4	8.1	0.2	93.9	1.31	2.24	0.08	82	3.61	0.105
1148709	Soil	0.62	13.35	6.82	52.3	108	14.8	8.7	163	1.35	2.1	0.2	1.8	0.9	13.7	0.13	0.11	0.09	37	0.19	0.053
1148710	Soil	0.67	16.72	4.88	116.2	222	25.9	11.9	389	1.94	4.0	0.3	1.4	1.0	14.0	0.41	0.16	0.08	51	0.24	0.070



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 2 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method Analyte	Unit	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
MDL		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	
		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148651	Soil	7.8	62.3	0.97	142.3	0.129	<20	1.65	0.023	0.11	0.2	6.0	0.08	<0.02	55	0.2	0.04	5.0	<10	4
1148652	Soil	7.1	87.0	0.82	124.3	0.116	<20	1.79	0.015	0.11	0.1	5.6	0.05	<0.02	36	0.4	0.04	5.2	<10	5
1148653	Soil	4.3	41.3	0.71	110.5	0.120	<20	1.88	0.015	0.17	0.1	3.4	0.03	<0.02	15	<0.1	0.06	6.5	<10	<2
1148654	Soil	4.8	59.9	0.69	93.8	0.101	<20	1.63	0.013	0.07	0.1	4.3	0.03	<0.02	9	0.3	0.03	5.4	<10	3
1148655	Soil	4.9	58.4	0.66	91.4	0.108	<20	1.90	0.011	0.07	0.1	3.7	0.03	<0.02	28	0.2	0.03	6.4	<10	4
1148656	Soil	6.4	84.4	0.96	153.3	0.143	<20	2.78	0.012	0.12	0.2	9.0	0.17	<0.02	32	0.6	0.05	7.7	<10	<2
1148657	Soil	6.5	47.0	0.65	118.1	0.124	<20	2.04	0.014	0.09	0.1	3.9	0.04	<0.02	25	0.2	0.04	6.5	<10	<2
1148658	Soil	6.3	43.9	0.56	107.0	0.106	<20	1.92	0.011	0.06	0.1	3.8	0.04	<0.02	25	0.2	<0.02	5.8	<10	<2
1148659	Soil	4.1	37.4	0.45	69.5	0.112	<20	1.70	0.012	0.06	0.1	3.3	0.02	<0.02	33	0.2	0.06	6.1	<10	3
1148660	Soil	4.7	56.5	0.69	102.0	0.117	<20	1.65	0.011	0.07	<0.1	3.0	0.05	<0.02	18	<0.1	0.04	5.2	<10	2
1148661	Soil	6.8	47.1	0.53	183.5	0.112	<20	1.71	0.012	0.07	0.1	4.1	0.05	<0.02	21	0.2	0.04	6.0	<10	3
1148662	Soil	6.0	50.5	0.65	155.3	0.104	<20	1.99	0.014	0.09	0.1	3.8	0.05	<0.02	46	0.4	0.04	6.4	<10	2
1148663	Soil	5.3	46.1	0.63	115.6	0.120	<20	1.92	0.014	0.07	0.2	3.5	0.02	<0.02	13	0.1	0.03	6.1	<10	3
1148664	Soil	6.3	59.5	0.80	91.6	0.144	<20	2.37	0.017	0.09	0.1	5.9	0.04	<0.02	10	0.2	0.04	5.9	<10	<2
1148665	Soil	5.3	63.8	0.96	81.7	0.172	<20	1.94	0.020	0.11	0.1	5.0	0.04	<0.02	18	0.3	0.05	8.0	<10	2
1148666	Soil	8.4	64.3	0.83	82.4	0.164	<20	2.14	0.031	0.10	<0.1	14.2	0.05	<0.02	57	0.5	0.05	6.8	<10	<2
1148667	Soil	4.3	128.3	1.12	90.8	0.182	<20	2.31	0.011	0.07	0.1	3.4	<0.02	<0.02	7	0.2	0.03	7.7	<10	<2
1148668	Soil	2.9	30.5	0.47	91.6	0.084	<20	1.21	0.012	0.04	0.1	3.5	0.02	<0.02	26	0.3	0.04	5.8	<10	<2
1148669	Soil	3.4	16.8	0.21	106.6	0.014	<20	1.25	0.004	0.08	0.1	4.6	0.07	<0.02	66	0.2	0.03	4.3	<10	4
1148670	Soil	6.3	38.8	0.45	67.5	0.130	<20	1.56	0.018	0.07	<0.1	3.7	0.03	<0.02	25	0.2	0.05	5.5	<10	3
1148701	Soil	3.8	66.5	0.74	150.6	0.116	<20	1.96	0.011	0.06	<0.1	5.2	0.04	<0.02	21	0.2	<0.02	9.3	<10	13
1148702	Soil	4.0	77.2	0.53	153.0	0.096	<20	1.40	0.012	0.06	<0.1	4.5	0.05	0.02	66	0.2	0.02	4.9	<10	4
1148703	Soil	2.8	87.9	1.04	97.8	0.111	<20	1.48	0.014	0.06	0.1	3.6	0.02	0.03	16	0.2	0.05	5.3	<10	4
1148704	Soil	2.5	64.9	0.63	54.0	0.117	<20	0.97	0.020	0.05	<0.1	3.4	<0.02	<0.02	23	<0.1	<0.02	5.0	<10	3
1148705	Soil	3.6	137.2	1.55	102.6	0.124	<20	1.70	0.014	0.05	0.2	5.0	<0.02	<0.02	19	0.1	<0.02	5.4	<10	4
1148706	Soil	3.2	65.8	0.45	51.4	0.095	<20	0.72	0.011	0.03	0.2	2.5	<0.02	<0.02	24	<0.1	0.10	5.7	<10	5
1148707	Soil	20.6	55.2	0.25	142.4	0.009	<20	0.96	0.009	0.02	0.1	4.8	0.15	0.25	400	6.7	0.04	1.7	20	6
1148708	Soil	10.0	59.7	0.32	228.4	0.028	<20	1.00	0.013	0.04	0.2	3.7	0.20	0.21	237	5.2	0.06	2.7	19	5
1148709	Soil	4.2	52.1	0.30	65.3	0.091	<20	0.85	0.012	0.04	<0.1	2.0	0.03	<0.02	17	0.3	<0.02	4.8	<10	<2
1148710	Soil	4.9	62.9	0.44	144.3	0.098	<20	1.26	0.011	0.07	<0.1	2.4	0.04	<0.02	19	0.2	<0.02	5.6	<10	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**

110 - 325 Howe St.

Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One

Report Date: September 23, 2013

Page: 3 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1148711	Soil	0.74	18.99	4.16	33.0	127	15.5	8.0	216	1.29	2.5	0.2	0.4	0.5	17.2	0.10	0.18	0.06	40	0.29	0.032
1148712	Soil	0.24	1.76	1.90	7.7	47	1.8	1.6	103	0.40	0.4	<0.1	<0.2	0.2	2.8	0.03	<0.02	<0.02	16	0.03	0.006
1148713	Soil	0.87	33.06	3.02	44.7	129	36.7	19.5	135	2.60	4.8	0.2	0.7	0.7	9.9	0.09	0.14	0.07	83	0.19	0.035
1148714	Soil	0.76	26.39	6.71	51.2	259	9.6	13.3	296	1.55	2.2	0.2	0.3	0.5	12.2	0.11	0.05	0.08	45	0.22	0.094
1148715	Soil	0.60	78.26	4.09	23.6	225	19.5	20.0	311	2.11	1.8	<0.1	0.6	0.3	12.6	0.12	0.16	0.06	59	0.19	0.035
1148716	Soil	0.29	8.68	2.42	12.0	128	4.2	2.6	160	0.60	0.7	<0.1	0.4	0.2	10.3	0.04	0.04	0.03	22	0.16	0.014
1148717	Soil	0.61	38.64	4.90	77.6	215	21.8	14.9	426	2.31	3.7	0.2	2.2	0.7	17.0	0.25	0.18	0.17	66	0.24	0.080
1148718	Soil	0.58	53.02	4.31	53.6	95	25.7	11.2	229	2.31	4.4	0.2	1.6	1.3	18.6	0.14	0.20	0.11	67	0.23	0.070
1148719	Soil	0.62	20.28	5.39	63.2	96	18.1	10.3	205	1.91	3.2	0.2	1.4	1.0	11.2	0.14	0.10	0.10	46	0.15	0.165
1148720	Soil	0.95	66.99	5.46	63.1	174	24.9	13.8	185	2.73	5.4	0.3	1.2	1.0	20.8	0.23	0.18	0.13	64	0.34	0.088
1148721	Soil	0.74	105.3	4.57	88.2	267	48.8	18.2	258	3.12	10.8	0.4	1.5	1.8	22.7	0.24	0.50	0.10	76	0.32	0.148
1148722	Soil	0.78	79.33	4.65	65.6	77	45.0	18.5	561	3.34	12.6	0.5	6.9	2.7	34.5	0.18	0.54	0.11	92	0.48	0.078
1148723	Soil	0.75	25.27	4.29	65.3	94	27.9	12.5	273	2.26	5.2	0.3	1.9	1.5	16.6	0.24	0.26	0.10	56	0.22	0.087
1148724	Soil	0.79	35.49	4.65	77.8	220	34.2	11.9	218	2.55	5.8	0.4	4.9	0.9	29.9	0.26	0.28	0.09	87	0.55	0.023
1148725	Soil	1.62	227.8	7.85	60.0	1683	64.8	17.3	1076	4.65	17.1	3.5	5.4	1.5	79.7	0.65	0.71	0.21	106	1.94	0.068
1148726	Soil	1.92	243.1	6.62	36.7	1478	53.4	14.3	1068	3.14	12.5	5.4	5.7	0.6	70.3	0.29	0.59	0.15	85	1.90	0.084
1148727	Soil	1.40	211.1	5.99	36.2	1438	52.5	12.4	706	3.08	14.7	4.3	5.3	0.8	89.3	0.44	0.86	0.14	79	2.43	0.063
1148728	Soil	1.49	264.6	8.81	54.3	2109	71.3	17.9	668	4.69	20.3	2.7	6.1	1.9	64.4	0.58	0.68	0.23	110	1.38	0.067
1148729	Soil	1.28	114.7	6.25	48.7	825	46.5	18.0	883	3.74	15.2	1.8	4.3	1.6	52.0	0.37	0.54	0.14	99	1.10	0.050
1148730	Soil	1.33	125.3	6.44	48.6	703	50.6	16.9	674	3.97	17.2	1.6	4.4	1.8	41.4	0.23	0.49	0.14	105	0.78	0.031
1148731	Soil	0.97	45.62	4.23	49.4	171	32.0	13.9	295	2.60	6.8	0.4	1.8	1.1	28.9	0.24	0.36	0.08	76	0.52	0.035
1148732	Soil	0.77	39.68	8.32	46.9	309	26.8	11.3	421	1.85	5.9	0.3	3.4	0.6	42.4	0.50	0.32	0.08	52	1.05	0.042
1148733	Soil	0.68	45.00	5.08	55.3	308	28.3	12.2	247	2.23	5.2	0.3	2.3	1.1	25.4	0.16	0.23	0.08	63	0.39	0.020
1148734	Soil	0.89	57.32	5.95	48.6	525	33.7	12.2	518	2.69	7.2	0.5	1.8	1.3	27.9	0.38	0.25	0.10	70	0.53	0.018
1148735	Soil	0.68	42.16	4.01	55.0	235	41.4	17.6	461	2.87	7.2	0.3	3.2	1.0	38.5	0.17	0.27	0.08	76	0.78	0.039
1148736	Soil	0.74	28.40	4.49	77.8	139	29.2	14.7	304	2.64	5.8	0.3	3.0	0.9	30.4	0.18	0.22	0.09	74	0.64	0.036
1148737	Soil	2.73	58.37	9.31	78.4	546	49.5	24.9	1794	3.89	22.8	0.5	1.3	1.0	41.1	0.27	0.21	0.26	91	0.98	0.073
1148742	Soil	0.70	31.12	5.64	160.9	261	22.2	16.1	824	2.25	4.5	0.2	1.0	0.7	21.3	0.29	0.18	0.10	56	0.25	0.124
1148744	Soil	0.98	41.42	6.08	87.0	119	32.5	14.2	671	2.80	5.0	0.3	1.2	1.4	13.9	0.14	0.18	0.10	72	0.17	0.117
1148745	Soil	0.46	23.44	5.49	80.1	124	24.1	9.7	318	1.93	4.0	0.2	2.6	0.8	25.0	0.37	0.15	0.09	49	0.28	0.104

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148711	Soil	3.0	32.6	0.29	62.6	0.082	<20	0.73	0.013	0.06	<0.1	1.9	0.02	<0.02	40	0.1	<0.02	3.7	<10	<2
1148712	Soil	0.8	2.8	0.02	7.2	0.038	<20	0.07	0.015	0.02	<0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	1.0	<10	<2
1148713	Soil	1.7	143.1	0.68	42.2	0.112	<20	0.90	0.012	0.05	<0.1	2.0	<0.02	<0.02	9	<0.1	0.03	5.0	<10	<2
1148714	Soil	2.1	19.5	0.20	83.3	0.102	<20	0.81	0.014	0.05	<0.1	1.3	0.02	<0.02	35	0.1	<0.02	4.6	<10	<2
1148715	Soil	1.4	39.5	0.22	37.0	0.074	<20	0.32	0.013	0.03	<0.1	2.5	<0.02	<0.02	41	0.7	0.06	2.4	<10	3
1148716	Soil	1.4	12.6	0.11	25.8	0.050	<20	0.22	0.017	0.03	<0.1	1.2	<0.02	<0.02	40	<0.1	<0.02	1.6	<10	<2
1148717	Soil	3.1	30.7	0.48	108.8	0.097	<20	1.57	0.009	0.05	<0.1	2.6	0.03	<0.02	14	<0.1	<0.02	6.0	<10	<2
1148718	Soil	4.6	37.2	0.56	68.1	0.097	<20	1.41	0.011	0.06	<0.1	2.7	0.03	<0.02	27	0.2	0.06	4.7	<10	3
1148719	Soil	2.9	30.1	0.31	76.5	0.080	<20	1.28	0.009	0.04	<0.1	2.1	0.03	<0.02	17	0.2	<0.02	4.8	<10	<2
1148720	Soil	3.9	32.3	0.31	91.6	0.102	<20	1.80	0.008	0.07	0.1	2.9	0.04	<0.02	36	0.1	0.04	6.9	<10	2
1148721	Soil	6.2	56.6	0.73	149.5	0.112	<20	2.38	0.006	0.08	0.2	4.0	0.05	<0.02	34	0.4	0.07	6.0	<10	<2
1148722	Soil	10.0	70.7	1.07	133.7	0.138	<20	2.22	0.013	0.22	0.6	7.8	0.11	<0.02	29	0.5	0.04	6.4	<10	<2
1148723	Soil	5.6	39.4	0.61	116.7	0.103	<20	1.51	0.008	0.09	0.1	3.0	0.05	<0.02	19	0.3	0.03	5.2	<10	2
1148724	Soil	5.2	51.9	0.76	91.2	0.132	<20	1.83	0.011	0.10	0.2	4.1	0.06	<0.02	16	0.4	0.03	5.9	<10	2
1148725	Soil	14.4	87.0	0.99	265.3	0.111	<20	3.86	0.019	0.27	0.2	12.5	0.13	0.08	148	2.5	0.03	9.1	<10	<2
1148726	Soil	21.9	56.8	0.66	210.2	0.075	<20	2.73	0.019	0.13	0.2	8.2	0.12	0.11	215	3.2	0.05	6.8	16	<2
1148727	Soil	24.1	53.8	0.61	191.0	0.075	<20	2.63	0.013	0.13	0.3	8.9	0.11	0.11	152	3.0	0.04	6.3	<10	<2
1148728	Soil	20.7	100.0	0.82	272.2	0.120	<20	4.17	0.017	0.22	0.3	15.8	0.15	0.07	145	2.2	0.09	9.5	<10	2
1148729	Soil	14.1	69.7	0.86	197.6	0.121	<20	2.89	0.021	0.21	0.2	10.1	0.15	0.05	63	1.2	0.04	7.5	<10	<2
1148730	Soil	12.6	69.8	0.91	186.5	0.122	<20	2.90	0.016	0.20	0.2	11.0	0.13	0.03	79	0.9	0.07	7.5	12	<2
1148731	Soil	6.0	50.1	0.80	98.4	0.121	<20	1.77	0.012	0.17	0.2	4.2	0.07	0.02	24	0.4	0.03	5.6	<10	2
1148732	Soil	4.8	38.5	0.53	99.5	0.086	<20	1.28	0.010	0.09	0.1	3.0	0.04	0.04	52	0.5	0.06	4.3	<10	<2
1148733	Soil	6.3	50.5	0.67	97.7	0.124	<20	1.79	0.014	0.08	0.1	3.5	0.05	<0.02	20	0.2	0.04	5.5	<10	<2
1148734	Soil	6.4	51.6	0.62	105.1	0.121	<20	2.18	0.020	0.10	0.1	5.7	0.06	<0.02	24	0.4	0.03	6.0	<10	2
1148735	Soil	4.9	73.9	1.14	116.9	0.139	<20	2.21	0.024	0.17	0.1	5.6	0.08	0.02	28	0.4	0.03	6.0	<10	3
1148736	Soil	4.2	55.4	0.86	66.0	0.135	<20	2.07	0.014	0.10	1.1	3.5	0.04	<0.02	9	0.2	0.05	6.4	<10	<2
1148737	Soil	4.3	89.1	0.85	223.1	0.147	<20	3.37	0.014	0.18	0.2	6.6	0.15	0.04	38	0.5	0.03	10.1	<10	<2
1148742	Soil	3.5	43.8	0.55	131.6	0.114	<20	1.81	0.012	0.06	<0.1	2.5	0.05	<0.02	31	0.2	0.02	7.3	<10	<2
1148744	Soil	4.2	58.4	0.70	112.2	0.125	<20	2.48	0.009	0.06	0.2	3.0	0.07	<0.02	24	0.2	0.04	7.1	<10	3
1148745	Soil	3.3	48.2	0.58	110.3	0.103	<20	1.42	0.012	0.07	<0.1	2.2	0.04	<0.02	22	<0.1	0.06	5.8	<10	<2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1148746	Soil	0.61	66.23	5.40	79.9	202	29.4	17.5	364	3.22	4.2	0.2	4.7	1.2	23.5	0.18	0.21	0.10	87	0.40	0.115
1148755	Soil	0.64	45.73	5.91	30.5	133	22.9	11.6	163	2.10	4.7	0.6	2.8	1.9	37.0	0.11	0.25	0.11	46	0.85	0.017
1148756	Soil	0.67	11.73	4.16	26.1	150	12.8	6.0	111	1.28	1.6	0.1	7.2	0.6	16.1	0.18	0.11	0.07	44	0.36	0.018
1148757	Soil	0.66	37.85	3.38	75.8	94	31.4	12.6	238	2.65	6.5	0.3	2.6	1.7	20.4	0.17	0.35	0.06	71	0.35	0.094
1148758	Soil	1.37	105.8	4.03	42.4	408	37.0	16.6	570	2.95	12.5	0.9	11.1	1.5	31.2	0.24	0.52	0.09	85	0.58	0.035
1148759	Soil	0.87	58.46	3.88	64.0	110	33.2	16.1	337	2.84	7.3	0.3	1.7	1.1	22.3	0.19	0.38	0.07	82	0.34	0.111
1148760	Soil	0.70	39.91	4.06	84.1	133	27.3	15.4	377	2.61	4.9	0.3	1.8	1.2	24.6	0.20	0.29	0.07	77	0.40	0.148
1148761	Soil	2.84	755.7	3.66	21.5	968	36.6	6.8	129	1.61	0.1	2.3	14.7	0.3	49.9	0.35	2.81	0.05	33	2.03	0.067
1148762	Soil	0.56	41.48	4.53	25.0	109	6.7	6.0	497	1.23	2.2	0.1	2.6	0.3	20.1	0.13	0.20	0.08	39	0.36	0.035
1148763	Soil	0.87	103.5	6.73	53.9	272	17.6	13.8	555	2.36	5.8	0.2	3.1	0.4	17.8	0.17	0.41	0.09	58	0.28	0.065
1148764	Soil	0.73	85.98	4.73	80.0	133	41.1	20.0	274	3.47	3.7	0.2	10.8	0.8	17.4	0.09	0.12	0.08	99	0.37	0.124
1148765	Soil	1.15	46.82	3.91	64.5	118	26.0	14.4	627	2.33	4.4	0.2	1.5	0.7	28.9	0.13	0.23	0.05	64	0.42	0.072
1148766	Soil	0.31	49.43	4.01	44.9	35	9.5	9.9	576	1.64	1.7	0.2	6.1	0.4	22.9	0.13	0.10	0.11	47	0.40	0.091
1148767	Soil	0.86	88.48	4.56	43.5	177	42.0	15.9	285	2.69	8.0	0.4	4.3	1.2	29.2	0.25	0.34	0.11	74	0.63	0.034
1148768	Soil	1.49	92.86	3.29	59.1	155	32.9	19.5	241	3.31	5.2	0.2	2.2	0.8	29.5	0.18	0.32	0.09	111	0.58	0.037
1148769	Soil	1.28	131.6	5.41	51.6	305	40.5	18.7	835	3.21	16.4	0.6	5.6	1.3	50.4	0.39	0.61	0.14	79	1.21	0.064
1148770	Soil	0.31	4.04	4.00	15.3	81	3.2	3.2	94	0.66	1.3	<0.1	1.1	0.3	5.7	0.03	0.04	0.07	21	0.07	0.049
1148771	Soil	0.52	36.39	7.08	89.6	150	17.3	10.8	665	1.90	6.1	0.2	13.0	1.1	18.9	0.22	0.15	0.12	47	0.25	0.179
1148785	Soil	0.34	48.55	5.26	41.7	57	27.5	11.3	241	2.27	1.9	0.9	4.1	2.9	38.7	0.10	0.19	0.09	78	0.70	0.066
1148786	Soil	1.37	49.00	7.47	74.0	175	27.9	12.4	242	2.85	7.6	1.0	2.8	0.8	34.9	0.58	0.21	0.14	81	0.68	0.044
1148787	Soil	0.94	123.0	7.51	60.7	318	45.5	25.0	718	4.05	19.4	4.4	11.0	1.5	53.9	0.31	0.28	0.13	159	0.91	0.053
1148788	Soil	0.62	51.78	4.03	43.5	43	34.4	15.7	188	2.81	7.3	0.4	2.7	1.9	13.6	0.13	0.28	0.07	82	0.23	0.077
1148789	Soil	1.15	60.53	9.01	54.0	223	22.6	12.0	206	3.95	5.8	0.7	2.6	0.8	94.9	0.16	0.21	0.18	98	0.40	0.094
1148790	Soil	1.10	43.05	7.28	54.5	140	25.3	9.8	226	3.19	6.6	0.5	1.2	1.6	13.0	0.28	0.27	0.14	80	0.21	0.171
1148791	Soil	1.81	49.38	7.66	82.4	227	22.0	11.1	184	3.24	3.5	0.4	1.7	1.9	13.8	0.16	0.17	0.14	89	0.21	0.097
1148792	Soil	2.16	106.2	8.42	49.4	81	30.5	11.1	196	3.57	5.4	0.6	4.1	2.7	11.7	0.12	0.31	0.17	97	0.14	0.101
1148793	Soil	1.33	40.25	6.90	57.6	145	23.2	9.6	176	2.97	5.1	0.7	3.2	0.8	20.9	0.18	0.26	0.14	75	0.32	0.122
1148794	Soil	1.16	20.93	8.69	78.4	450	18.9	9.1	134	3.92	5.8	0.6	5.8	1.8	25.9	0.45	0.19	0.15	92	0.31	0.233
1148795	Soil	1.06	71.54	7.25	61.3	63	36.6	15.5	252	3.11	6.2	0.8	3.6	4.0	15.8	0.15	0.32	0.13	86	0.17	0.101
1148796	Soil	1.23	54.60	6.56	81.3	287	39.8	16.4	347	3.39	6.6	0.6	2.9	1.7	20.9	0.54	0.29	0.14	82	0.25	0.088



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 4 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method Analyte	Unit	MDL	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F		
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt
			ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb		
			0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	10	2	
1148746	Soil		3.8	50.5	0.90	119.9	0.141	<20	2.31	0.012	0.12	0.1	3.7	0.03	<0.02	21	0.2	0.04	7.7	<10	3
1148755	Soil		6.2	54.0	0.63	189.0	0.138	<20	2.05	0.024	0.09	<0.1	7.9	0.08	0.04	13	0.2	<0.02	6.5	<10	3
1148756	Soil		2.9	41.9	0.32	33.4	0.088	<20	0.74	0.012	0.05	<0.1	1.7	0.02	<0.02	9	0.1	0.04	4.3	<10	<2
1148757	Soil		5.9	47.3	0.65	106.7	0.111	<20	1.87	0.015	0.07	0.1	4.1	0.04	<0.02	16	0.2	0.04	5.5	<10	<2
1148758	Soil		10.2	78.3	0.85	103.5	0.123	<20	2.04	0.017	0.09	0.1	8.2	0.06	<0.02	54	0.4	0.07	5.9	<10	3
1148759	Soil		4.8	56.1	0.73	96.4	0.112	<20	1.89	0.014	0.08	0.2	3.8	0.03	<0.02	29	0.3	0.03	5.6	<10	4
1148760	Soil		4.4	46.4	0.59	91.4	0.103	<20	1.62	0.017	0.07	0.1	3.6	0.03	<0.02	20	0.2	0.03	5.5	<10	<2
1148761	Soil		9.8	87.2	0.34	105.9	0.038	<20	1.11	0.015	0.05	0.2	12.4	0.02	0.21	299	9.8	<0.02	3.5	53	11
1148762	Soil		2.3	16.0	0.17	54.1	0.068	<20	0.48	0.012	0.05	<0.1	1.4	<0.02	<0.02	41	0.1	<0.02	2.7	<10	2
1148763	Soil		2.5	37.4	0.42	80.6	0.088	<20	1.12	0.011	0.07	0.1	1.9	0.02	0.02	52	0.3	0.08	4.6	<10	2
1148764	Soil		2.5	104.4	1.14	85.3	0.162	<20	2.16	0.015	0.11	<0.1	3.4	0.02	<0.02	17	<0.1	<0.02	7.3	<10	3
1148765	Soil		3.1	62.3	0.68	86.8	0.105	<20	1.51	0.013	0.12	<0.1	3.1	0.03	<0.02	17	<0.1	0.02	5.2	<10	6
1148766	Soil		2.6	17.3	0.91	79.1	0.130	<20	1.03	0.021	0.38	<0.1	1.5	0.05	<0.02	13	0.1	<0.02	4.5	<10	<2
1148767	Soil		4.8	64.0	0.77	112.4	0.118	<20	1.94	0.015	0.10	0.1	4.0	0.06	<0.02	44	0.4	<0.02	5.0	<10	<2
1148768	Soil		3.1	56.9	1.00	62.6	0.182	<20	2.03	0.015	0.10	0.2	3.7	0.02	<0.02	24	0.2	0.06	7.2	<10	2
1148769	Soil		8.5	54.7	0.79	146.2	0.121	<20	2.04	0.022	0.16	0.2	7.2	0.10	0.03	41	1.1	0.05	5.3	<10	2
1148770	Soil		1.1	6.5	0.06	27.0	0.062	<20	0.22	0.015	0.03	<0.1	0.6	<0.02	<0.02	14	<0.1	<0.02	2.0	<10	<2
1148771	Soil		3.6	26.8	0.39	139.4	0.101	<20	1.42	0.011	0.09	<0.1	2.3	0.04	<0.02	24	0.2	0.05	5.9	<10	<2
1148785	Soil		9.4	60.2	0.91	102.5	0.148	<20	1.83	0.027	0.11	0.1	6.2	0.05	<0.02	21	0.2	0.03	5.6	<10	3
1148786	Soil		7.0	49.6	0.64	125.6	0.119	<20	2.13	0.016	0.11	0.3	4.0	0.05	<0.02	27	0.5	<0.02	6.8	<10	2
1148787	Soil		17.3	86.4	1.09	231.8	0.136	<20	3.38	0.017	0.17	0.2	13.3	0.09	<0.02	82	0.5	0.06	8.6	11	<2
1148788	Soil		5.1	69.2	0.66	94.5	0.101	<20	2.25	0.008	0.06	0.2	3.8	0.04	<0.02	35	0.2	0.03	5.1	<10	3
1148789	Soil		12.2	39.8	0.67	306.7	0.136	<20	2.95	0.013	0.10	0.2	4.1	0.05	0.03	75	0.4	0.05	11.2	<10	2
1148790	Soil		6.9	39.0	0.46	95.9	0.106	<20	2.25	0.006	0.09	0.3	2.8	0.05	0.02	69	0.2	0.07	7.3	<10	<2
1148791	Soil		5.6	31.6	0.34	101.8	0.136	<20	2.71	0.008	0.06	0.3	3.0	0.06	<0.02	74	0.3	0.05	8.2	<10	2
1148792	Soil		10.5	46.3	0.56	115.9	0.146	<20	3.54	0.005	0.10	0.4	4.8	0.06	0.03	123	0.6	0.07	9.0	<10	<2
1148793	Soil		8.2	37.9	0.47	103.3	0.102	<20	2.47	0.007	0.07	0.3	3.2	0.06	0.04	112	0.5	0.06	7.1	<10	<2
1148794	Soil		6.4	38.8	0.33	132.3	0.131	<20	3.01	0.007	0.05	0.3	3.4	0.03	0.02	68	0.4	0.05	10.4	<10	5
1148795	Soil		9.6	59.8	0.80	126.5	0.134	<20	3.17	0.006	0.11	0.3	5.6	0.09	<0.02	58	0.3	0.05	7.1	<10	<2
1148796	Soil		8.4	55.4	0.73	168.6	0.104	<20	2.90	0.007	0.12	0.2	4.0	0.09	0.02	73	0.5	<0.02	7.3	<10	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 5 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1148797	Soil	0.74	36.71	5.80	65.2	124	23.0	10.7	287	3.23	4.9	0.4	0.5	1.4	24.4	0.26	0.21	0.11	82	0.27	0.191
1148798	Soil	0.57	17.68	6.82	23.0	111	3.3	3.0	114	1.63	1.4	0.2	0.7	0.6	119.5	0.07	0.06	0.12	46	0.23	0.095
1148799	Soil	1.20	28.92	7.31	53.5	137	19.9	11.6	378	2.36	3.5	0.5	<0.2	1.2	14.4	0.19	0.17	0.16	63	0.18	0.051
1148800	Soil	0.41	59.03	6.00	43.1	59	27.9	9.9	349	2.28	4.8	0.9	6.7	3.9	24.9	0.05	0.26	0.13	64	0.43	0.090
1148801	Soil	1.22	44.19	6.15	50.7	366	11.7	5.9	201	3.10	3.5	0.5	2.2	0.9	13.6	0.17	0.12	0.12	77	0.19	0.116
1148802	Soil	0.78	54.75	5.95	83.4	95	31.9	15.0	641	2.61	4.8	0.5	3.2	1.9	29.3	0.15	0.31	0.10	75	0.47	0.105
1148803	Soil	1.09	35.50	6.71	51.0	98	21.9	9.7	186	2.77	4.0	0.5	1.2	2.2	13.5	0.15	0.25	0.14	69	0.14	0.111
1148804	Soil	1.35	27.47	7.30	49.6	148	20.0	8.8	147	2.89	3.9	0.5	1.7	0.9	12.7	0.24	0.22	0.14	69	0.19	0.085
1148805	Soil	2.30	42.71	7.99	71.0	85	20.2	10.0	428	3.28	6.2	0.7	2.0	1.7	13.2	0.25	0.26	0.15	74	0.16	0.374
1148806	Soil	1.11	38.32	5.22	54.1	459	28.2	11.7	225	3.06	6.5	0.6	1.4	1.8	19.5	0.38	0.31	0.10	82	0.27	0.082
1148807	Soil	1.67	41.30	4.69	87.1	277	29.4	22.0	432	5.50	2.4	2.7	1.3	5.4	52.7	0.13	0.05	0.22	188	1.07	0.206
1148808	Soil	2.89	48.63	8.50	57.0	130	9.3	4.8	222	2.82	3.6	0.9	5.9	0.5	17.7	0.26	0.15	0.17	56	0.18	0.529
1148809	Soil	1.09	50.89	6.38	61.3	83	24.7	13.8	539	2.87	4.7	0.5	3.2	1.4	19.1	0.13	0.20	0.11	81	0.26	0.124
1148810	Soil	0.69	53.85	4.98	60.2	213	27.1	13.2	310	2.98	4.9	0.5	3.3	1.6	34.8	0.18	0.23	0.10	78	0.60	0.201
1148811	Soil	1.12	56.13	5.67	56.1	65	29.9	10.3	261	2.89	6.1	0.7	1.6	2.9	12.2	0.18	0.35	0.12	76	0.22	0.141
1148812	Soil	1.11	30.64	5.53	104.1	264	26.3	9.9	209	2.82	4.8	0.6	2.7	1.4	21.9	0.43	0.21	0.12	65	0.28	0.154
1148813	Soil	1.02	30.03	8.94	86.9	146	14.6	7.7	248	3.64	4.7	0.6	1.7	1.3	15.3	0.27	0.15	0.18	84	0.21	0.340
1148814	Soil	1.61	34.11	10.13	99.4	90	22.5	9.1	198	3.48	6.4	0.7	2.3	2.6	9.0	0.19	0.23	0.17	85	0.14	0.314
1148815	Soil	0.89	45.94	4.72	51.2	233	33.8	13.5	217	2.88	7.1	0.5	4.2	1.8	24.1	0.30	0.32	0.11	79	0.35	0.112
1148816	Soil	0.51	43.18	4.13	44.7	84	24.9	11.9	292	2.52	3.9	0.5	1.3	1.2	28.0	0.17	0.25	0.09	79	0.40	0.053
1148817	Soil	1.10	65.63	5.95	96.2	199	39.5	14.1	263	3.41	7.7	0.7	2.5	1.7	23.3	0.38	0.23	0.12	86	0.38	0.149
1148818	Soil	0.98	30.81	4.84	76.3	205	24.1	9.0	190	2.92	6.4	0.6	<0.2	1.9	20.4	0.27	0.22	0.10	71	0.35	0.112
1148819	Soil	1.06	60.22	6.07	68.5	425	35.8	14.4	267	3.65	7.5	0.6	2.6	1.3	25.8	0.36	0.27	0.14	100	0.37	0.076
1148820	Soil	1.75	36.90	6.92	53.5	45	21.2	8.2	201	2.93	7.3	0.6	<0.2	1.5	10.2	0.21	0.29	0.12	79	0.16	0.230
1148821	Soil	0.98	67.40	4.77	63.3	185	33.1	13.6	213	3.64	6.7	0.6	5.6	2.0	20.1	0.24	0.24	0.09	101	0.29	0.083
1148822	Soil	0.89	43.67	7.11	45.9	207	25.2	11.5	327	2.59	4.7	0.6	49.2	1.2	21.0	0.18	0.18	0.11	71	0.29	0.080
1148823	Soil	1.06	51.25	6.08	56.0	191	25.1	10.6	197	3.06	5.1	0.6	0.5	1.2	15.0	0.18	0.20	0.11	90	0.24	0.049
1148824	Soil	0.93	108.7	6.06	49.0	260	33.9	16.9	382	2.70	11.3	2.5	5.1	1.5	38.3	0.27	0.20	0.10	108	0.52	0.061
1148825	Soil	3.02	80.86	6.11	66.2	87	40.6	19.5	424	3.61	14.5	0.7	23.9	3.3	40.4	0.22	0.44	0.10	111	0.75	0.119
1148826	Soil	0.77	44.60	6.66	45.6	34	28.2	16.1	341	2.72	12.0	0.8	2.1	3.6	27.7	0.17	0.32	0.10	83	0.49	0.091

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 5 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148797	Soil	5.5	36.3	0.50	166.7	0.094	<20	2.48	0.005	0.07	0.2	2.9	0.04	<0.02	52	0.3	0.03	7.4	<10	<2
1148798	Soil	2.4	8.2	0.22	774.8	0.057	<20	1.15	0.010	0.03	0.1	2.1	<0.02	<0.02	41	0.2	0.02	6.3	<10	<2
1148799	Soil	8.1	30.8	0.36	107.1	0.104	<20	1.88	0.010	0.06	0.2	2.7	0.03	<0.02	34	0.4	0.03	6.3	<10	<2
1148800	Soil	15.1	51.4	0.68	115.2	0.138	<20	1.76	0.012	0.10	0.1	5.1	0.11	<0.02	18	0.3	0.02	5.1	<10	<2
1148801	Soil	5.3	24.0	0.25	74.1	0.101	<20	2.04	0.005	0.05	0.2	2.6	<0.02	<0.02	63	0.3	<0.02	8.2	<10	<2
1148802	Soil	7.8	51.0	0.73	165.3	0.127	<20	2.17	0.013	0.10	0.2	4.4	0.07	<0.02	44	0.3	0.05	6.8	<10	3
1148803	Soil	6.5	36.7	0.43	109.8	0.106	<20	2.52	0.007	0.06	0.2	3.0	0.06	<0.02	104	0.3	<0.02	6.7	<10	<2
1148804	Soil	6.2	34.4	0.33	89.2	0.086	<20	2.32	0.006	0.06	0.1	2.5	0.04	0.03	82	0.3	0.03	6.9	<10	<2
1148805	Soil	5.8	39.7	0.39	108.3	0.090	<20	3.05	0.002	0.08	0.3	3.0	0.06	0.03	79	0.5	0.02	7.9	<10	<2
1148806	Soil	8.1	46.6	0.65	98.9	0.125	<20	2.40	0.010	0.07	0.2	3.8	0.04	<0.02	50	0.4	0.03	6.1	<10	<2
1148807	Soil	19.0	75.8	2.19	165.1	0.399	<20	3.70	0.011	0.25	0.2	3.5	0.07	0.03	45	0.6	0.05	12.8	<10	<2
1148808	Soil	4.7	23.8	0.22	89.9	0.074	<20	2.71	0.004	0.03	0.3	2.0	0.03	0.05	143	0.6	0.05	9.4	<10	2
1148809	Soil	6.2	38.1	0.47	134.0	0.108	<20	2.58	0.010	0.07	0.3	3.4	0.05	<0.02	61	0.3	0.04	7.6	<10	2
1148810	Soil	6.2	39.9	0.63	148.8	0.109	<20	2.65	0.008	0.09	0.2	3.2	0.04	<0.02	79	0.2	0.02	7.2	<10	2
1148811	Soil	8.4	41.9	0.60	94.9	0.105	<20	3.02	0.005	0.08	0.3	3.8	0.05	<0.02	49	0.4	<0.02	5.6	<10	<2
1148812	Soil	8.0	37.9	0.53	113.4	0.104	<20	2.28	0.007	0.08	0.3	3.1	0.07	0.02	81	0.4	<0.02	6.9	<10	<2
1148813	Soil	4.8	32.2	0.32	109.1	0.107	<20	2.61	0.005	0.05	0.2	2.4	0.04	<0.02	68	0.3	0.03	10.3	<10	<2
1148814	Soil	5.7	43.8	0.44	101.6	0.112	<20	3.80	0.003	0.05	0.3	3.5	0.06	0.02	93	0.3	<0.02	9.0	<10	<2
1148815	Soil	7.3	46.6	0.66	110.9	0.104	<20	2.41	0.010	0.08	0.2	3.7	0.04	<0.02	43	0.3	<0.02	5.8	<10	<2
1148816	Soil	9.2	40.1	0.74	91.5	0.115	<20	1.63	0.013	0.05	0.2	3.2	0.03	<0.02	10	0.2	0.02	5.2	<10	<2
1148817	Soil	7.8	52.6	0.73	150.9	0.109	<20	3.57	0.009	0.10	0.2	4.3	0.06	0.02	77	0.6	<0.02	7.8	<10	<2
1148818	Soil	8.3	40.0	0.57	112.3	0.107	<20	2.41	0.008	0.07	0.3	3.5	0.04	0.02	73	0.3	<0.02	6.7	<10	<2
1148819	Soil	9.3	51.3	0.75	122.7	0.137	<20	2.62	0.010	0.09	0.3	4.6	0.05	<0.02	70	0.2	<0.02	8.5	<10	<2
1148820	Soil	5.6	40.1	0.50	67.4	0.109	<20	2.85	0.005	0.07	0.4	3.1	0.06	0.04	102	0.4	0.04	7.8	<10	<2
1148821	Soil	8.8	51.2	0.68	109.7	0.128	<20	2.61	0.009	0.07	0.4	4.4	0.04	<0.02	44	0.2	<0.02	8.0	<10	<2
1148822	Soil	9.1	44.4	0.54	115.3	0.110	<20	1.99	0.012	0.06	0.2	3.3	0.05	<0.02	33	0.3	<0.02	6.4	<10	3
1148823	Soil	8.4	45.4	0.59	79.5	0.127	<20	2.27	0.009	0.05	0.3	4.5	0.02	<0.02	47	0.4	0.03	8.1	<10	<2
1148824	Soil	24.5	67.7	0.77	189.1	0.111	<20	2.57	0.012	0.10	0.2	10.3	0.06	<0.02	39	0.4	<0.02	6.5	12	2
1148825	Soil	12.6	69.0	0.95	176.4	0.142	<20	2.14	0.024	0.23	0.2	9.3	0.13	<0.02	14	0.2	0.03	6.5	<10	5
1148826	Soil	13.1	49.2	0.76	121.2	0.135	<20	1.66	0.019	0.15	0.2	5.6	0.10	<0.02	14	0.3	<0.02	5.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
1148827	Soil	0.58	34.75	4.80	34.2	100	27.5	14.0	302	2.29	8.0	1.2	2.8	1.6	24.9	0.11	0.23	0.06	81	0.49	0.013
1148828	Soil	1.40	27.10	6.17	87.0	355	28.2	13.2	187	3.20	8.7	0.4	1.3	1.2	12.7	0.35	0.24	0.11	84	0.23	0.082
1148829	Soil	0.77	45.09	4.75	57.6	89	34.8	15.4	248	2.85	6.7	0.4	2.5	1.6	15.3	0.15	0.21	0.08	82	0.24	0.080
1148830	Soil	0.98	28.69	5.96	91.2	367	22.1	10.7	393	2.52	5.5	0.5	0.3	1.1	20.2	0.43	0.17	0.11	65	0.30	0.102
1148831	Soil	1.78	96.23	7.95	63.0	372	37.7	22.4	1284	3.36	11.8	1.1	3.7	0.5	30.4	0.36	0.21	0.12	98	0.37	0.066
1148832	Soil	1.01	30.38	6.22	48.6	199	15.6	7.0	208	1.99	3.6	0.4	0.8	0.5	15.7	0.14	0.13	0.10	61	0.22	0.034
1148833	Soil	0.77	117.6	8.01	70.0	326	46.0	18.2	480	3.64	11.9	1.5	4.8	1.0	40.0	0.41	0.24	0.13	110	0.49	0.064
1148834	Soil	1.49	41.72	5.84	52.9	52	20.8	8.6	169	3.00	6.7	0.5	1.9	1.5	15.1	0.33	0.22	0.09	81	0.22	0.102
1148835	Soil	1.83	20.16	8.42	36.4	112	13.6	6.0	105	2.96	4.1	0.4	0.5	1.3	19.0	0.22	0.16	0.12	81	0.19	0.029
1148836	Soil	1.08	55.83	7.47	77.0	254	28.9	13.5	232	3.44	7.2	0.6	1.6	1.1	27.0	0.23	0.17	0.11	103	0.40	0.063
1148837	Soil	1.03	39.70	5.85	43.7	121	32.4	13.8	169	3.66	7.1	0.6	0.2	2.0	21.1	0.18	0.21	0.09	94	0.31	0.129
1148838	Soil	1.01	65.03	5.31	72.7	207	37.0	13.2	287	3.09	8.3	0.8	4.7	1.4	21.9	0.27	0.29	0.10	83	0.31	0.055
1148839	Soil	0.94	65.45	5.16	32.3	116	27.2	15.6	393	2.31	5.0	1.2	1.3	2.0	29.6	0.11	0.22	0.07	73	0.34	0.023
1148840	Soil	1.03	37.37	5.12	44.7	242	31.7	11.6	170	2.81	5.5	0.6	1.1	1.9	18.1	0.26	0.25	0.08	73	0.26	0.085
1148841	Soil	0.74	81.84	7.36	56.8	28	46.1	16.8	434	3.12	9.4	0.6	2.9	3.6	19.8	0.17	0.41	0.13	82	0.31	0.089
1148842	Soil	0.92	45.74	6.26	62.7	250	29.6	11.6	328	2.61	5.4	0.6	1.1	1.4	20.6	0.31	0.25	0.11	72	0.35	0.088
1148843	Soil	1.37	43.39	7.46	69.2	155	27.5	8.9	219	3.30	6.5	0.6	1.2	1.1	26.1	0.35	0.27	0.17	84	0.31	0.043
1148844	Soil	0.55	165.4	10.68	72.8	648	69.3	17.2	360	4.29	13.5	2.9	3.6	2.7	56.8	0.46	0.36	0.26	111	0.84	0.049
1148845	Soil	2.12	39.01	10.72	44.8	156	10.1	5.2	161	3.63	4.0	0.6	3.9	1.4	9.5	0.25	0.15	0.17	89	0.18	0.261
1148846	Soil	1.06	50.53	6.77	58.3	176	28.7	10.4	192	3.42	5.1	0.6	<0.2	2.1	14.3	0.15	0.20	0.16	82	0.18	0.098
1148847	Soil	1.11	32.73	6.67	40.9	97	28.5	9.8	226	2.58	4.5	0.6	1.6	1.8	20.3	0.14	0.22	0.11	73	0.27	0.042
1148848	Soil	1.42	21.76	7.61	39.0	322	18.5	7.2	158	2.81	4.3	0.4	0.4	1.1	17.3	0.19	0.22	0.14	82	0.20	0.044
1148849	Soil	1.24	23.88	7.29	63.4	383	16.2	6.3	169	2.78	4.7	0.6	3.1	1.1	14.3	0.29	0.20	0.14	63	0.22	0.147
1148850	Soil	0.95	45.83	5.22	75.9	188	30.9	12.2	268	3.07	6.2	0.4	2.0	1.6	21.7	0.36	0.27	0.08	81	0.31	0.114
1148851	Soil	1.21	32.93	5.59	103.0	172	23.2	16.7	788	2.49	3.0	0.5	8.0	1.5	14.3	0.47	0.19	0.13	66	0.21	0.094
1148852	Soil	1.08	41.46	5.44	57.5	139	28.7	14.0	174	3.00	4.6	0.6	1.5	1.4	20.8	0.27	0.24	0.10	78	0.28	0.074
1148853	Soil	1.32	68.58	6.88	72.5	101	36.5	18.3	386	3.27	5.4	0.7	0.9	1.7	17.2	0.18	0.24	0.13	86	0.22	0.088
1148854	Soil	0.63	53.15	5.87	55.0	25	23.8	9.0	165	2.01	2.7	0.6	1.8	0.5	16.3	0.13	0.24	0.11	53	0.23	0.311
1148855	Soil	0.88	53.45	6.34	87.2	116	28.5	15.1	250	3.12	5.5	0.7	1.0	1.9	13.5	0.36	0.23	0.13	80	0.20	0.152
1148856	Soil	1.10	27.38	8.18	46.4	147	10.8	8.6	333	2.05	3.0	0.6	1.2	0.9	9.4	0.21	0.13	0.13	53	0.11	0.124



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 6 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148827	Soil	10.2	50.2	0.69	111.6	0.126	<20	1.63	0.017	0.08	0.2	5.2	0.04	<0.02	19	0.2	<0.02	4.7	<10	3
1148828	Soil	5.0	48.4	0.48	108.4	0.111	<20	2.65	0.010	0.05	0.3	3.7	0.02	<0.02	47	0.4	<0.02	8.0	<10	<2
1148829	Soil	7.0	50.3	0.69	160.4	0.111	<20	2.85	0.009	0.07	0.2	4.4	0.05	<0.02	41	0.3	0.04	6.4	<10	<2
1148830	Soil	6.2	34.7	0.49	124.1	0.107	<20	1.84	0.013	0.07	0.2	2.7	0.04	<0.02	50	0.4	<0.02	7.0	<10	<2
1148831	Soil	12.5	59.8	0.69	160.2	0.088	<20	3.28	0.014	0.10	0.1	6.5	0.10	0.03	56	0.7	<0.02	9.2	<10	<2
1148832	Soil	5.8	29.3	0.42	70.2	0.106	<20	1.45	0.014	0.05	0.1	2.2	0.03	<0.02	37	0.2	<0.02	6.5	<10	<2
1148833	Soil	21.2	71.3	0.89	195.0	0.121	<20	3.30	0.015	0.12	0.2	8.0	0.09	<0.02	57	0.6	<0.02	9.2	<10	<2
1148834	Soil	5.5	40.1	0.47	78.5	0.108	<20	2.73	0.009	0.05	0.3	3.1	0.03	0.02	80	0.5	<0.02	6.9	<10	2
1148835	Soil	5.7	30.4	0.27	123.1	0.125	<20	1.92	0.011	0.04	0.2	2.7	<0.02	<0.02	28	0.3	0.02	8.0	<10	<2
1148836	Soil	8.8	47.9	0.59	148.6	0.130	<20	2.42	0.012	0.06	0.2	4.2	0.03	<0.02	41	0.2	0.02	9.0	<10	3
1148837	Soil	7.7	45.3	0.61	174.3	0.121	<20	3.06	0.009	0.06	0.3	3.8	0.03	<0.02	53	0.3	0.04	7.6	<10	<2
1148838	Soil	10.3	48.5	0.66	106.0	0.129	<20	2.28	0.012	0.08	0.3	4.1	0.06	<0.02	59	0.3	0.03	6.5	<10	<2
1148839	Soil	15.1	46.8	0.63	116.9	0.115	<20	1.87	0.017	0.07	0.2	4.8	0.06	<0.02	9	0.4	0.03	4.7	<10	<2
1148840	Soil	9.6	45.1	0.52	122.3	0.106	<20	2.51	0.010	0.06	0.2	3.6	0.04	<0.02	39	0.4	<0.02	5.4	<10	2
1148841	Soil	11.4	64.0	0.91	141.1	0.149	<20	2.83	0.010	0.22	0.2	5.0	0.15	<0.02	23	0.5	0.04	6.9	<10	<2
1148842	Soil	9.4	45.4	0.57	119.9	0.116	<20	1.93	0.010	0.10	0.2	3.3	0.06	<0.02	43	0.3	<0.02	6.3	<10	2
1148843	Soil	8.2	47.0	0.60	112.4	0.130	<20	2.00	0.008	0.08	0.2	3.3	0.05	0.02	46	0.3	<0.02	9.0	<10	<2
1148844	Soil	41.4	100.0	1.07	399.9	0.128	<20	4.66	0.016	0.20	0.1	13.9	0.22	0.06	129	1.1	0.03	12.1	<10	<2
1148845	Soil	4.9	22.5	0.33	82.0	0.147	<20	2.32	0.006	0.08	0.3	2.4	0.04	0.03	123	0.3	<0.02	12.1	<10	<2
1148846	Soil	7.6	35.7	0.59	146.9	0.115	<20	3.26	0.006	0.10	0.2	3.4	0.07	<0.02	51	0.4	0.02	8.9	<10	<2
1148847	Soil	9.7	41.9	0.59	114.5	0.118	<20	1.96	0.011	0.07	0.2	3.4	0.05	<0.02	22	0.3	<0.02	6.2	<10	<2
1148848	Soil	7.7	35.4	0.40	168.5	0.130	<20	1.41	0.010	0.06	2.0	2.4	0.04	<0.02	44	0.2	<0.02	7.4	<10	3
1148849	Soil	7.0	30.5	0.34	98.1	0.089	<20	1.98	0.007	0.06	0.2	2.5	0.04	0.03	69	0.3	<0.02	7.5	<10	<2
1148850	Soil	7.3	47.4	0.62	117.5	0.115	<20	2.12	0.009	0.07	0.2	2.9	0.04	<0.02	32	0.3	0.02	6.7	<10	3
1148851	Soil	7.3	38.4	0.41	98.9	0.107	<20	2.27	0.008	0.06	0.3	2.6	0.06	<0.02	54	<0.1	0.05	6.3	<10	<2
1148852	Soil	7.5	41.7	0.50	73.5	0.116	<20	2.62	0.009	0.07	0.2	2.8	0.04	0.02	49	0.4	<0.02	6.4	<10	<2
1148853	Soil	8.2	55.5	0.59	128.8	0.137	<20	3.44	0.006	0.08	0.2	3.6	0.07	<0.02	89	0.3	<0.02	7.9	<10	4
1148854	Soil	6.3	43.4	0.53	151.8	0.095	<20	2.94	0.006	0.12	0.2	2.9	0.08	0.05	94	0.4	0.05	8.7	<10	<2
1148855	Soil	8.4	42.6	0.52	117.8	0.123	<20	3.36	0.007	0.08	0.3	3.9	0.08	<0.02	57	0.3	0.03	8.1	<10	2
1148856	Soil	6.4	21.4	0.19	87.2	0.087	<20	1.51	0.012	0.04	0.2	2.0	0.04	<0.02	29	0.2	0.03	5.9	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1148857	Soil	1.29	43.05	7.60	42.9	71	29.3	13.6	241	3.04	4.9	0.6	<0.2	2.3	11.2	0.11	0.21	0.14	88	0.15	0.070
1148858	Soil	1.21	49.90	6.19	39.4	53	25.4	10.8	195	2.80	8.3	0.4	1.0	1.6	15.2	0.05	0.17	0.10	76	0.21	0.113
1148859	Soil	0.77	36.87	7.93	59.6	89	22.8	11.9	179	2.61	4.2	0.5	0.9	1.4	16.3	0.15	0.19	0.12	63	0.16	0.099
1148860	Soil	1.36	60.84	4.65	49.6	90	31.5	13.4	214	3.24	6.4	0.6	2.3	2.0	16.9	0.19	0.25	0.08	82	0.24	0.127
1148861	Soil	1.43	51.68	6.42	66.9	68	27.6	12.1	187	2.77	4.8	0.6	2.0	2.6	12.3	0.13	0.25	0.10	76	0.17	0.122
1148862	Soil	1.12	30.94	6.78	35.3	143	16.4	7.8	117	2.96	3.7	0.5	0.5	1.3	16.8	0.24	0.17	0.11	94	0.28	0.027
1148863	Soil	1.45	20.94	9.15	47.5	104	15.2	8.0	147	2.67	3.8	0.4	1.5	1.6	12.3	0.13	0.17	0.14	82	0.16	0.079
1148864	Soil	1.28	53.35	6.55	61.9	60	31.5	14.0	197	3.38	6.6	0.7	0.5	2.5	9.5	0.18	0.27	0.11	86	0.13	0.128
1148865	Soil	0.96	59.20	6.22	95.1	69	38.6	20.2	282	3.44	12.2	0.5	4.8	2.0	12.5	0.19	0.28	0.12	91	0.22	0.140
1148866	Soil	0.60	56.62	5.74	55.9	153	31.3	16.4	419	2.95	11.3	0.6	3.5	2.1	23.8	0.20	0.29	0.08	89	0.48	0.061
1148867	Soil	0.63	51.57	5.48	101.3	346	41.3	19.1	378	3.12	11.1	0.5	1.2	1.3	24.6	0.44	0.30	0.12	88	0.56	0.048
1148868	Soil	0.45	80.57	2.48	27.7	109	24.4	14.3	302	2.41	3.6	0.7	5.4	1.7	27.2	0.06	0.22	0.06	67	0.50	0.073
1148869	Soil	0.46	115.0	4.31	34.9	353	21.5	12.0	226	2.44	2.6	1.0	1.8	1.3	27.0	0.08	0.16	0.08	69	0.50	0.031
1148870	Soil	0.25	148.1	2.67	54.6	128	42.9	24.7	326	3.34	2.0	0.6	<0.2	1.0	27.4	0.06	0.08	0.04	114	0.66	0.089
1148871	Soil	0.33	53.02	3.28	70.6	117	21.3	15.8	316	2.40	1.4	0.2	2.7	0.9	14.0	0.05	0.06	0.05	81	0.25	0.096
1148872	Soil	0.22	26.33	2.89	71.8	44	42.4	26.3	537	2.19	1.2	0.2	0.9	0.6	17.5	0.05	0.06	0.03	66	0.33	0.092
1148873	Soil	0.52	13.76	4.94	84.1	64	18.5	11.6	369	1.64	0.8	0.3	<0.2	0.8	9.8	0.07	0.06	0.05	43	0.16	0.070
1148874	Soil	0.29	48.24	2.21	47.1	23	28.5	18.1	286	2.52	1.9	0.3	1.4	1.5	21.8	0.06	0.12	0.03	74	0.42	0.071
1148875	Soil	0.43	45.48	3.27	64.3	91	27.3	18.6	347	2.27	2.5	0.3	1.2	1.5	20.3	0.07	0.15	0.05	66	0.35	0.070
1148876	Soil	0.27	53.67	3.50	71.1	57	32.5	24.3	340	3.25	1.6	0.2	14.7	1.0	20.1	0.05	0.10	0.04	87	0.45	0.057
1148877	Soil	0.36	54.25	3.62	81.5	175	29.9	16.3	256	2.53	2.3	0.3	1.0	1.3	19.7	0.13	0.13	0.05	64	0.32	0.128
1148878	Soil	0.64	67.92	4.13	63.2	77	32.4	17.5	295	2.86	4.2	0.4	2.3	1.9	23.9	0.08	0.25	0.07	80	0.33	0.086
1148879	Soil	0.36	50.84	3.83	111.1	118	42.9	23.0	382	2.60	2.6	0.3	1.9	1.1	22.6	0.13	0.13	0.06	74	0.40	0.089
1148880	Soil	0.94	20.36	7.78	69.9	80	15.1	8.3	492	2.27	3.3	0.3	0.4	1.3	11.8	0.07	0.10	0.11	56	0.14	0.145
1148881	Soil	0.25	95.90	2.95	78.2	144	28.0	28.2	441	2.50	1.2	0.2	0.7	0.7	18.3	0.05	0.07	0.04	90	0.55	0.047
1148882	Soil	0.72	103.0	5.36	65.7	216	30.8	16.3	486	2.44	2.0	0.4	1.2	1.3	18.6	0.13	0.14	0.09	66	0.32	0.041
1148883	Soil	0.17	12.01	4.20	81.3	58	59.7	18.7	185	1.81	1.3	0.2	0.4	0.7	13.1	0.07	0.04	0.08	42	0.19	0.134
1148884	Soil	1.14	213.2	4.83	34.0	355	36.5	18.0	228	2.93	3.2	0.7	0.4	1.5	22.5	0.09	0.20	0.08	82	0.54	0.016
1148885	Soil	0.49	43.75	3.60	35.5	245	21.1	13.7	182	2.30	2.1	0.3	1.2	1.4	22.4	0.07	0.18	0.05	65	0.39	0.016
1148886	Soil	0.73	53.65	5.43	105.3	152	27.9	12.7	333	2.91	4.0	0.4	4.9	1.7	16.7	0.17	0.20	0.10	66	0.23	0.254



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 7 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.01	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148857	Soil	7.2	43.3	0.49	109.9	0.129	<20	2.61	0.009	0.08	0.3	3.5	0.06	<0.02	51	0.3	<0.02	8.0	<10	<2
1148858	Soil	5.1	77.4	0.93	55.3	0.101	<20	2.76	0.022	0.07	0.3	2.9	0.07	<0.02	72	0.1	0.02	8.2	<10	3
1148859	Soil	5.4	30.3	0.35	142.2	0.103	<20	2.39	0.008	0.07	0.2	2.6	0.04	<0.02	44	<0.1	0.03	7.1	<10	2
1148860	Soil	9.5	41.8	0.59	105.5	0.119	<20	3.22	0.006	0.08	0.3	3.6	0.05	0.02	69	0.4	<0.02	6.9	<10	<2
1148861	Soil	6.2	40.3	0.48	91.4	0.112	<20	2.77	0.005	0.07	0.3	3.4	0.06	<0.02	68	0.3	0.04	7.0	<10	<2
1148862	Soil	5.9	28.4	0.34	84.6	0.124	<20	1.76	0.008	0.04	0.2	2.6	0.03	<0.02	43	0.1	0.03	7.4	<10	<2
1148863	Soil	5.1	31.2	0.27	90.6	0.114	<20	1.73	0.008	0.04	0.2	2.3	0.04	<0.02	37	0.1	<0.02	8.3	<10	<2
1148864	Soil	6.2	52.9	0.58	100.9	0.122	<20	3.98	0.005	0.08	0.3	4.7	0.05	<0.02	65	0.3	0.02	7.6	<10	<2
1148865	Soil	5.7	66.5	0.77	132.9	0.125	<20	3.17	0.009	0.07	0.3	4.7	0.06	<0.02	59	0.2	0.03	8.1	<10	<2
1148866	Soil	9.6	59.5	0.85	99.9	0.117	<20	2.25	0.018	0.07	0.2	5.3	0.06	<0.02	18	0.3	0.05	6.6	<10	2
1148867	Soil	7.1	62.7	0.88	132.5	0.125	<20	2.23	0.015	0.10	0.1	5.4	0.05	<0.02	29	0.3	0.03	6.7	<10	<2
1148868	Soil	6.5	57.2	0.79	94.4	0.094	<20	1.32	0.016	0.11	0.1	5.5	0.06	<0.02	19	0.3	0.02	3.8	<10	<2
1148869	Soil	6.5	55.2	0.61	131.8	0.110	<20	1.68	0.013	0.10	0.6	4.8	0.05	<0.02	37	0.3	<0.02	4.9	<10	<2
1148870	Soil	5.0	85.4	1.88	107.8	0.246	<20	2.43	0.010	0.21	0.1	4.3	0.03	<0.02	17	0.2	0.04	7.1	<10	2
1148871	Soil	3.3	53.6	0.95	96.7	0.156	<20	1.65	0.009	0.07	<0.1	2.7	0.03	<0.02	10	<0.1	<0.02	5.8	<10	3
1148872	Soil	2.3	136.5	1.57	102.6	0.155	<20	2.00	0.007	0.05	0.4	2.5	<0.02	<0.02	12	<0.1	<0.02	5.8	<10	3
1148873	Soil	3.5	54.6	0.65	76.0	0.110	<20	1.27	0.012	0.03	<0.1	2.1	0.02	<0.02	14	0.1	<0.02	4.5	<10	7
1148874	Soil	5.8	73.8	1.07	74.3	0.130	<20	1.61	0.012	0.07	<0.1	3.9	0.03	<0.02	5	<0.1	<0.02	4.8	<10	<2
1148875	Soil	4.8	59.2	1.00	91.9	0.115	<20	1.94	0.011	0.09	<0.1	3.9	0.03	<0.02	18	0.1	0.02	5.4	<10	<2
1148876	Soil	3.6	111.7	1.38	83.1	0.183	<20	2.07	0.011	0.15	<0.1	3.6	0.04	<0.02	15	0.1	0.03	6.8	<10	4
1148877	Soil	4.0	68.7	0.88	169.0	0.103	<20	1.76	0.011	0.07	0.1	3.6	0.02	<0.02	14	<0.1	0.02	5.3	<10	<2
1148878	Soil	6.9	84.1	0.98	100.3	0.112	<20	2.11	0.010	0.06	0.1	5.4	0.05	<0.02	15	0.3	0.02	5.8	<10	<2
1148879	Soil	3.8	134.5	1.41	117.9	0.139	<20	2.08	0.010	0.07	<0.1	4.6	0.03	<0.02	13	<0.1	0.03	6.4	<10	<2
1148880	Soil	3.8	37.5	0.31	93.4	0.102	<20	1.92	0.009	0.04	0.1	2.8	0.05	<0.02	24	0.1	<0.02	7.0	<10	2
1148881	Soil	2.9	48.7	1.57	81.4	0.152	<20	2.18	0.007	0.05	0.1	3.9	<0.02	<0.02	16	0.1	0.02	7.0	<10	3
1148882	Soil	5.2	69.7	0.80	113.2	0.127	<20	1.78	0.012	0.08	0.1	4.1	0.05	<0.02	33	0.2	<0.02	5.5	<10	<2
1148883	Soil	1.8	130.5	1.46	105.5	0.131	<20	1.86	0.008	0.03	<0.1	1.9	<0.02	<0.02	14	<0.1	0.02	5.6	<10	4
1148884	Soil	12.4	90.9	0.78	111.2	0.127	<20	1.97	0.013	0.14	0.1	7.3	0.09	<0.02	30	0.5	0.03	5.6	<10	7
1148885	Soil	5.3	54.0	0.63	71.8	0.128	<20	1.56	0.015	0.06	<0.1	3.9	0.04	<0.02	16	<0.1	0.03	4.3	<10	<2
1148886	Soil	4.6	56.8	0.57	114.9	0.095	<20	2.19	0.009	0.06	0.2	4.3	0.04	<0.02	38	0.2	0.03	6.7	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
1148887	Soil	0.46	25.86	4.74	73.2	213	18.6	10.3	402	1.82	2.0	0.2	1.8	0.7	20.7	0.20	0.11	0.09	41	0.29	0.101
1148888	Soil	0.69	53.96	4.04	66.5	62	31.9	15.7	527	2.79	3.1	0.2	6.8	1.2	16.2	0.16	0.13	0.10	67	0.26	0.139
1148901	Soil	0.39	37.97	3.19	43.0	122	19.0	11.1	352	1.82	1.6	0.1	0.9	0.6	13.4	0.05	0.05	0.06	45	0.24	0.078
1148902	Soil	0.26	22.16	3.05	74.0	80	21.6	10.7	217	1.81	1.6	0.2	1.2	1.0	14.6	0.07	0.06	0.06	43	0.28	0.093
1148903	Soil	0.32	10.80	2.87	44.6	59	10.3	7.3	539	1.32	1.3	0.1	1.4	0.4	10.8	0.06	0.03	0.06	32	0.16	0.077
1148904	Soil	0.36	32.27	3.44	60.1	137	25.2	11.8	239	1.99	2.0	0.2	3.4	1.0	14.1	0.07	0.05	0.07	44	0.23	0.149
1148905	Soil	0.35	19.99	2.87	53.8	93	18.4	10.4	291	1.66	1.1	0.1	0.6	0.7	11.1	0.06	0.05	0.05	40	0.18	0.058
1148906	Soil	0.38	26.02	2.64	53.4	101	24.2	12.2	365	1.84	1.6	0.1	0.5	0.8	12.8	0.10	0.06	0.05	42	0.21	0.124
1148907	Soil	0.31	41.22	3.64	65.8	131	30.6	15.7	329	2.34	2.6	0.2	0.7	0.8	14.4	0.10	0.06	0.06	54	0.26	0.140
1148908	Soil	0.48	53.52	5.63	72.9	127	26.0	15.8	262	2.66	3.0	0.2	41.7	0.9	15.6	0.05	0.07	0.09	62	0.28	0.166
1148909	Soil	0.43	44.77	4.17	74.3	118	20.1	15.0	334	1.94	2.2	0.1	3.5	0.7	11.3	0.07	0.10	0.06	48	0.23	0.099
1148910	Soil	0.44	73.92	2.82	50.1	117	23.6	13.7	258	2.36	3.2	0.2	2.7	1.3	18.3	0.06	0.11	0.05	61	0.33	0.092
1148911	Soil	0.73	59.56	4.01	78.8	121	29.6	14.1	421	2.35	2.4	0.2	2.9	0.9	15.6	0.07	0.08	0.06	57	0.24	0.085
1148912	Soil	0.39	42.38	2.63	75.7	51	22.4	24.5	485	2.45	2.1	0.1	1.3	0.5	8.3	0.03	0.02	0.04	74	0.28	0.100
1148913	Soil	0.62	84.45	4.61	61.8	149	28.5	19.0	450	2.71	2.1	0.5	0.5	0.8	16.4	0.07	0.09	0.05	69	0.46	0.064
1148914	Soil	0.57	74.69	4.36	97.2	111	23.2	17.7	582	3.27	1.6	0.2	0.2	0.7	15.9	0.08	0.05	0.05	84	0.34	0.097
1148915	Soil	0.44	21.54	5.08	59.3	161	11.2	9.3	318	1.58	1.0	0.1	0.4	0.4	9.6	0.09	0.03	0.06	40	0.21	0.126
1148916	Soil	0.57	112.8	2.51	65.7	95	32.1	21.3	345	3.44	1.9	0.2	4.4	1.0	21.3	0.09	0.10	0.04	90	0.44	0.068
1148917	Soil	0.60	28.05	4.21	80.3	116	23.2	12.4	358	2.29	3.3	0.2	3.5	0.9	25.3	0.16	0.11	0.06	53	0.38	0.224
1148918	Soil	0.65	131.9	2.61	39.1	44	29.8	18.4	375	3.00	4.7	0.2	5.9	1.1	37.6	0.06	0.15	0.04	86	0.71	0.178
1148919	Soil	1.54	75.84	2.69	69.4	152	32.1	18.6	226	3.07	3.3	0.3	2.1	1.4	24.5	0.13	0.13	0.05	84	0.35	0.069
1148920	Soil	0.59	75.23	4.14	99.5	210	33.4	15.1	310	2.74	2.8	0.3	1.7	1.1	28.6	0.24	0.09	0.07	70	0.45	0.142
1148921	Soil	0.79	75.47	3.28	72.0	263	35.1	18.4	256	3.12	4.4	0.3	3.1	1.5	28.3	0.16	0.17	0.05	93	0.42	0.069
1148955	Soil	0.39	42.62	2.91	63.8	115	52.4	20.3	301	2.09	1.9	0.2	0.9	0.9	13.4	0.12	0.05	0.03	34	0.37	0.043
1148956	Soil	0.65	38.67	2.00	27.4	47	35.8	16.6	248	2.23	3.8	0.2	5.3	1.6	20.4	0.05	0.17	0.03	55	0.39	0.033
1148957	Soil	0.60	10.62	4.56	139.7	155	51.1	22.8	207	2.11	3.2	0.2	1.2	0.8	11.7	0.23	0.10	0.08	37	0.26	0.121
1148958	Soil	0.66	14.57	5.78	49.4	74	20.1	10.7	139	1.84	1.8	0.2	<0.2	1.1	10.1	0.10	0.07	0.08	43	0.20	0.075
1148959	Soil	0.34	46.00	1.42	36.7	46	56.9	32.2	399	3.38	3.5	0.2	2.1	0.8	21.1	0.05	0.09	<0.02	67	0.72	0.063
1148960	Soil	0.68	61.23	3.50	49.3	105	46.8	21.0	334	2.61	4.6	0.2	8.3	1.2	18.1	0.10	0.14	0.04	59	0.36	0.052
1148961	Soil	0.45	26.13	3.25	54.4	120	42.5	19.8	190	2.38	2.0	0.2	1.3	0.9	12.2	0.07	0.05	0.04	41	0.21	0.087



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 8 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method Analyte	Unit	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
MDL		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148887	Soil	2.5	37.3	0.40	120.2	0.065	<20	1.35	0.009	0.07	<0.1	2.1	0.05	<0.02	23	<0.1	<0.02	5.2	<10	<2
1148888	Soil	3.7	71.4	0.78	97.4	0.084	<20	2.06	0.007	0.05	0.2	3.6	0.06	<0.02	16	<0.1	0.04	6.2	<10	2
1148901	Soil	2.5	35.0	0.55	107.8	0.069	<20	1.22	0.006	0.07	<0.1	1.7	0.03	<0.02	18	<0.1	<0.02	4.3	<10	<2
1148902	Soil	3.0	41.3	0.57	129.4	0.074	<20	1.42	0.005	0.10	<0.1	2.1	0.03	<0.02	13	<0.1	<0.02	4.4	<10	<2
1148903	Soil	2.3	28.4	0.29	144.2	0.052	<20	0.81	0.005	0.03	<0.1	1.4	0.04	<0.02	13	<0.1	<0.02	3.0	<10	<2
1148904	Soil	2.6	53.2	0.65	177.8	0.081	<20	1.50	0.004	0.07	<0.1	2.3	0.05	<0.02	19	<0.1	<0.02	4.7	<10	<2
1148905	Soil	2.7	41.9	0.50	109.2	0.076	<20	1.17	0.007	0.06	0.2	1.8	0.03	<0.02	10	<0.1	<0.02	4.1	<10	2
1148906	Soil	2.8	50.4	0.58	137.2	0.076	<20	1.23	0.007	0.13	<0.1	2.4	0.04	<0.02	12	<0.1	<0.02	4.1	<10	3
1148907	Soil	2.9	70.9	0.82	170.0	0.091	<20	1.73	0.006	0.06	<0.1	2.9	0.04	<0.02	17	<0.1	<0.02	5.3	<10	<2
1148908	Soil	2.7	78.1	0.85	140.7	0.091	<20	2.31	0.005	0.06	0.1	3.8	0.05	<0.02	23	0.1	0.03	6.7	<10	<2
1148909	Soil	2.4	41.6	0.75	137.5	0.090	<20	1.48	0.008	0.12	<0.1	2.2	0.03	<0.02	12	0.1	0.02	5.4	<10	3
1148910	Soil	4.3	56.7	0.71	97.0	0.090	<20	1.52	0.011	0.06	<0.1	3.3	0.04	<0.02	8	0.1	<0.02	4.8	<10	4
1148911	Soil	3.7	55.8	0.63	140.4	0.089	<20	2.08	0.005	0.06	<0.1	3.2	0.05	<0.02	21	0.2	<0.02	6.1	<10	<2
1148912	Soil	2.0	35.3	1.28	65.0	0.118	<20	1.96	<0.001	0.04	<0.1	2.6	0.02	<0.02	15	<0.1	<0.02	6.7	<10	<2
1148913	Soil	6.6	68.3	1.11	166.8	0.119	<20	1.99	0.006	0.10	<0.1	4.6	0.05	<0.02	25	0.2	<0.02	6.4	<10	<2
1148914	Soil	2.7	61.9	0.88	138.3	0.113	<20	1.90	0.006	0.05	<0.1	2.4	0.04	<0.02	19	<0.1	0.02	6.3	<10	<2
1148915	Soil	1.7	32.9	0.43	159.4	0.074	<20	0.79	0.009	0.07	<0.1	1.5	0.02	<0.02	22	<0.1	<0.02	4.1	<10	<2
1148916	Soil	3.7	93.1	1.25	103.2	0.143	<20	1.89	0.013	0.14	<0.1	4.1	0.04	<0.02	9	0.2	0.02	5.7	<10	2
1148917	Soil	3.7	51.7	0.56	171.4	0.079	<20	1.64	0.011	0.07	0.1	2.9	0.04	<0.02	33	<0.1	<0.02	5.3	<10	2
1148918	Soil	5.4	76.4	1.07	72.3	0.089	<20	1.76	0.020	0.07	0.2	6.6	0.04	<0.02	14	<0.1	<0.02	5.0	<10	3
1148919	Soil	4.6	66.7	0.82	81.8	0.100	<20	1.92	0.012	0.06	0.3	4.3	0.05	<0.02	14	<0.1	0.03	5.5	<10	<2
1148920	Soil	3.5	51.4	0.67	98.7	0.090	<20	2.13	0.013	0.07	0.1	3.8	0.05	<0.02	20	0.1	<0.02	6.7	<10	<2
1148921	Soil	5.6	69.3	0.92	101.3	0.108	<20	2.04	0.013	0.11	0.1	4.0	0.06	<0.02	13	0.1	<0.02	6.0	<10	<2
1148955	Soil	2.4	170.7	1.70	100.5	0.100	<20	1.74	0.005	0.21	<0.1	2.4	0.04	<0.02	13	<0.1	<0.02	5.8	<10	3
1148956	Soil	5.5	105.2	1.18	78.9	0.109	<20	1.41	0.012	0.15	0.1	3.5	0.07	<0.02	7	<0.1	<0.02	4.2	<10	2
1148957	Soil	3.3	184.3	0.88	123.2	0.085	<20	1.68	0.004	0.06	<0.1	2.8	0.04	<0.02	25	<0.1	<0.02	6.5	<10	3
1148958	Soil	3.8	53.1	0.49	72.8	0.112	<20	1.37	0.007	0.10	<0.1	2.2	0.04	<0.02	13	0.1	<0.02	6.8	<10	<2
1148959	Soil	3.6	93.5	2.38	73.8	0.099	<20	2.01	0.013	0.18	<0.1	4.4	0.05	<0.02	17	0.1	<0.02	6.8	<10	11
1148960	Soil	4.3	160.5	1.53	97.6	0.132	<20	1.87	0.008	0.23	0.1	3.4	0.06	<0.02	13	0.1	0.02	6.4	<10	3
1148961	Soil	2.6	154.6	1.12	121.1	0.112	<20	2.03	0.007	0.06	<0.1	2.9	0.03	<0.02	18	<0.1	<0.02	6.4	<10	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method Analyte	Unit	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	P
MDL		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	0.001
1148962	Soil	0.49	41.67	3.63	117.6	165	54.9	21.7	232	2.18	1.3	0.1	0.7	0.6	9.3	0.16	0.03	0.04	29	0.19	0.071	
1148963	Soil	0.31	110.9	3.91	134.8	330	66.8	21.4	253	2.63	2.6	0.2	14.1	1.2	16.1	0.27	0.06	0.07	38	0.30	0.133	
1148964	Soil	0.61	35.88	2.09	43.8	66	44.0	19.8	197	2.41	2.7	0.2	1.0	0.9	17.6	0.12	0.09	0.02	57	0.32	0.020	
1148965	Soil	0.53	36.50	2.29	42.5	93	37.8	15.8	209	2.41	3.4	0.2	2.1	1.1	18.6	0.12	0.14	0.04	57	0.35	0.039	
1148966	Soil	0.32	41.61	1.77	42.1	25	39.0	22.7	353	3.16	2.8	0.2	1.0	1.2	31.0	0.04	0.08	<0.02	60	0.73	0.111	
1148967	Soil	0.30	73.58	2.00	45.3	131	40.4	18.5	238	2.50	2.6	0.2	2.2	0.8	20.6	0.08	0.09	0.03	57	0.40	0.086	
1148968	Soil	0.62	38.51	5.55	103.1	174	25.1	14.5	612	2.57	2.6	0.2	3.8	1.0	21.5	0.23	0.13	0.09	59	0.50	0.146	
1148969	Soil	0.59	8.00	4.73	45.2	92	11.5	7.6	426	1.21	1.8	0.1	1.2	0.4	13.6	0.19	0.07	0.07	30	0.26	0.051	
1148970	Soil	0.60	51.80	3.87	73.0	213	39.2	16.1	282	2.78	5.0	0.3	3.0	1.6	17.2	0.15	0.18	0.07	63	0.29	0.117	
1148971	Soil	0.64	25.05	4.28	48.0	115	16.4	9.4	244	1.68	3.2	0.1	1.8	0.6	14.0	0.12	0.09	0.06	45	0.21	0.071	
1148972	Soil	0.64	72.68	3.22	67.0	206	38.1	17.6	239	2.82	3.7	0.3	0.9	1.0	18.3	0.14	0.13	0.06	69	0.31	0.119	
1148973	Soil	0.52	23.36	5.13	64.4	185	16.6	9.0	799	1.57	2.6	0.1	1.6	0.3	19.2	0.21	0.10	0.07	39	0.34	0.084	
1148974	Soil	0.43	42.80	4.04	70.4	213	22.5	11.4	225	2.09	2.1	0.2	5.4	1.0	18.5	0.15	0.12	0.07	47	0.36	0.060	
1148975	Soil	0.55	9.79	4.40	44.4	87	12.3	7.3	326	1.47	1.7	0.1	1.1	0.3	14.6	0.08	0.07	0.06	45	0.25	0.033	
603N_43200E	Soil	0.25	43.22	2.17	27.2	19	26.1	15.5	377	2.87	3.4	0.2	2.4	1.4	45.5	0.06	0.18	0.03	99	0.78	0.064	
603N_43250E	Soil	0.45	70.40	4.61	52.2	48	37.9	17.3	496	3.33	8.3	0.5	3.4	3.1	35.8	0.10	0.44	0.08	102	0.62	0.080	
603N_43300E	Soil	0.30	39.88	2.99	31.0	23	24.6	11.2	295	2.58	3.3	0.4	2.2	2.1	26.9	0.06	0.19	0.05	89	0.45	0.067	
603N_43350E	Soil	0.36	58.48	3.21	32.7	15	31.7	15.6	330	3.43	4.5	0.4	4.5	2.4	30.9	0.06	0.20	0.05	122	0.49	0.082	
603N_43400E	Soil	0.34	41.59	2.22	27.0	56	28.4	13.1	233	3.22	2.8	0.3	7.7	1.3	23.1	0.04	0.11	0.03	127	0.39	0.067	
603N_43450E	Soil	0.38	56.81	3.14	37.7	34	29.9	14.6	394	3.25	3.4	0.5	2.3	2.5	33.7	0.08	0.24	0.06	112	0.56	0.088	
603N_43500E	Soil	0.31	44.82	2.92	25.1	65	20.7	9.8	227	2.65	2.9	0.4	4.2	2.0	29.8	0.05	0.14	0.05	93	0.45	0.066	
603N_43550E	Soil	0.37	50.55	2.70	29.3	28	27.1	12.5	315	3.32	3.3	0.3	2.3	2.0	27.4	0.06	0.18	0.04	126	0.44	0.069	
603N_43600E	Soil	0.29	34.64	2.19	22.2	33	21.3	9.5	212	2.21	2.6	0.3	5.0	1.6	23.0	0.04	0.16	0.02	79	0.35	0.060	
603N_43650E	Soil	0.25	36.92	1.85	18.8	35	26.6	10.6	210	3.32	2.8	0.3	2.1	1.6	20.5	0.05	0.16	0.02	144	0.39	0.087	
603N_43700E	Soil	0.41	45.80	2.95	29.4	84	23.8	11.4	290	2.71	3.1	0.3	8.1	1.5	22.9	0.08	0.14	0.03	95	0.38	0.084	
603N_43750E	Soil	0.36	42.37	2.71	25.9	29	24.8	12.8	331	2.73	3.0	0.4	1.2	2.3	26.4	0.06	0.15	0.03	99	0.44	0.075	
603N_43800E	Soil	0.47	29.81	3.00	30.5	127	22.6	10.3	243	2.81	2.6	0.3	1.3	1.1	23.0	0.09	0.11	0.04	106	0.36	0.085	
603N_43850E	Soil	0.42	47.56	3.58	31.3	131	27.9	13.0	331	3.34	3.5	0.4	2.6	1.3	27.6	0.10	0.15	0.03	130	0.48	0.090	
603N_43900E	Soil	0.35	37.11	2.20	23.8	67	26.3	11.7	255	3.47	2.7	0.3	6.8	1.3	23.9	0.07	0.13	0.02	150	0.43	0.085	
603N_43950E	Soil	0.31	32.71	2.18	21.9	27	22.2	8.9	201	2.38	2.6	0.4	1.8	1.8	23.1	0.06	0.15	0.03	90	0.39	0.071	

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	ppb
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
1148962	Soil	1.9	177.6	1.26	132.8	0.109	<20	2.07	0.006	0.11	<0.1	2.1	0.03	<0.02	13	<0.1	<0.02	6.7	<10	<2
1148963	Soil	3.6	108.4	1.17	234.4	0.114	<20	2.75	0.011	0.17	<0.1	3.1	0.06	<0.02	15	0.1	<0.02	7.9	<10	3
1148964	Soil	3.7	107.0	1.25	69.3	0.122	<20	1.76	0.010	0.16	<0.1	2.7	0.05	<0.02	11	0.1	<0.02	5.2	<10	6
1148965	Soil	4.5	89.1	1.14	120.6	0.117	<20	1.70	0.012	0.09	<0.1	3.2	0.04	<0.02	11	<0.1	<0.02	5.0	<10	3
1148966	Soil	4.7	104.9	2.82	136.4	0.132	<20	2.65	0.009	0.17	0.1	3.1	0.05	<0.02	<5	<0.1	<0.02	6.6	<10	<2
1148967	Soil	3.5	103.4	1.30	67.9	0.093	<20	1.69	0.014	0.10	0.1	3.2	0.04	<0.02	10	0.1	<0.02	4.8	<10	6
1148968	Soil	3.5	57.3	0.68	113.0	0.083	<20	1.84	0.008	0.06	0.1	2.7	0.05	<0.02	27	0.1	0.02	6.4	<10	<2
1148969	Soil	2.3	30.5	0.27	78.8	0.063	<20	0.79	0.009	0.05	<0.1	1.3	0.03	<0.02	26	<0.1	<0.02	3.8	<10	<2
1148970	Soil	5.3	75.9	0.89	113.4	0.100	<20	2.12	0.007	0.08	0.1	3.9	0.06	<0.02	23	0.2	0.03	6.1	<10	3
1148971	Soil	2.9	38.3	0.40	73.0	0.076	<20	1.10	0.010	0.05	<0.1	1.8	0.03	<0.02	18	0.1	<0.02	4.5	<10	<2
1148972	Soil	3.9	67.6	0.87	116.9	0.092	<20	2.19	0.010	0.08	0.1	3.6	0.05	<0.02	21	0.1	0.03	6.3	<10	<2
1148973	Soil	2.8	34.1	0.42	130.2	0.060	<20	1.02	0.008	0.07	<0.1	1.7	0.04	<0.02	49	0.2	<0.02	4.0	<10	<2
1148974	Soil	4.8	46.4	0.50	70.2	0.083	<20	1.47	0.010	0.06	<0.1	4.2	0.05	<0.02	19	<0.1	<0.02	5.2	<10	<2
1148975	Soil	2.4	34.6	0.33	60.8	0.073	<20	0.82	0.011	0.04	<0.1	1.9	0.03	<0.02	19	<0.1	<0.02	4.3	<10	<2
603N_43200E	Soil	6.1	58.7	0.78	104.5	0.092	<20	1.30	0.040	0.12	0.1	10.4	0.04	<0.02	12	<0.1	<0.02	4.1	<10	4
603N_43250E	Soil	10.3	63.9	0.92	162.1	0.118	<20	1.99	0.023	0.23	0.2	9.1	0.13	<0.02	19	0.1	0.04	6.1	<10	2
603N_43300E	Soil	7.8	41.3	0.60	110.0	0.093	<20	1.47	0.016	0.11	0.1	5.0	0.06	<0.02	10	<0.1	0.03	4.4	<10	3
603N_43350E	Soil	7.0	60.7	0.71	149.2	0.101	<20	1.98	0.011	0.15	0.2	6.8	0.07	<0.02	13	<0.1	0.06	5.4	<10	<2
603N_43400E	Soil	5.6	56.8	0.58	101.2	0.083	<20	1.65	0.014	0.09	0.1	4.2	0.04	<0.02	13	<0.1	<0.02	4.7	<10	<2
603N_43450E	Soil	8.8	51.2	0.70	128.3	0.105	<20	1.58	0.016	0.18	0.2	8.1	0.10	<0.02	19	<0.1	<0.02	5.1	<10	<2
603N_43500E	Soil	7.2	44.1	0.57	102.1	0.098	<20	1.59	0.013	0.11	0.1	6.2	0.06	<0.02	18	0.1	0.02	4.6	<10	<2
603N_43550E	Soil	6.1	49.7	0.66	107.3	0.103	<20	1.56	0.013	0.13	0.1	4.1	0.07	<0.02	8	<0.1	<0.02	4.8	<10	3
603N_43600E	Soil	6.1	37.1	0.49	87.7	0.073	<20	1.25	0.010	0.10	0.1	3.2	0.05	<0.02	8	0.2	<0.02	3.5	<10	2
603N_43650E	Soil	6.2	51.6	0.47	78.2	0.052	<20	1.04	0.010	0.07	0.1	3.0	0.04	<0.02	7	0.1	<0.02	3.3	<10	2
603N_43700E	Soil	6.4	42.1	0.53	111.0	0.082	<20	1.61	0.012	0.08	0.1	4.1	0.05	<0.02	18	0.1	<0.02	4.5	<10	<2
603N_43750E	Soil	7.9	46.2	0.60	137.2	0.097	<20	1.53	0.015	0.11	0.2	5.1	0.06	<0.02	8	<0.1	<0.02	4.2	<10	<2
603N_43800E	Soil	5.7	42.7	0.48	87.8	0.077	<20	1.57	0.011	0.10	0.1	3.8	0.04	<0.02	12	<0.1	<0.02	5.1	<10	<2
603N_43850E	Soil	6.2	49.8	0.62	109.3	0.087	<20	1.55	0.018	0.10	0.2	4.7	0.06	<0.02	17	<0.1	0.03	4.7	<10	<2
603N_43900E	Soil	6.2	50.0	0.51	85.2	0.071	<20	1.14	0.013	0.08	0.1	3.2	0.04	<0.02	10	<0.1	<0.02	4.0	<10	<2
603N_43950E	Soil	7.6	37.8	0.49	95.4	0.089	<20	1.23	0.012	0.07	0.1	3.1	0.04	<0.02	10	0.1	<0.02	3.6	<10	<2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 10 of 10

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
603N_44000E	Soil	0.33	42.36	2.83	26.2	50	24.4	10.4	282	2.49	3.8	0.4	2.4	2.0	25.2	0.05	0.17	0.03	86	0.41	0.079
603N_44050E	Soil	0.31	51.05	2.65	28.9	44	23.7	12.0	309	2.78	3.3	0.5	5.4	2.5	30.3	0.07	0.20	0.03	97	0.47	0.068
603N_44100E	Soil	0.14	38.96	2.09	19.8	25	24.4	12.9	223	3.00	2.6	0.3	1.8	1.3	27.8	0.04	0.14	0.02	123	0.56	0.066
603N_44150E	Soil	0.32	21.74	2.60	21.4	94	18.6	9.0	202	2.51	2.1	0.3	1.1	1.0	20.4	0.05	0.10	0.04	97	0.36	0.053
603N_44200E	Soil	0.17	47.90	1.53	21.9	13	25.7	12.5	270	3.09	2.0	0.3	2.9	1.5	31.9	0.04	0.16	0.03	116	0.63	0.077
1147412	Soil	0.52	57.13	3.86	71.9	83	22.1	13.3	313	2.43	2.1	0.2	1.1	1.2	13.5	0.07	0.09	0.06	64	0.24	0.103
1147413	Soil	0.85	26.31	3.55	58.9	252	21.5	11.3	403	2.09	2.5	0.2	3.0	1.0	15.0	0.13	0.10	0.05	52	0.26	0.139
1147414	Soil	0.25	9.18	2.60	57.4	37	14.0	13.9	334	2.29	0.8	0.1	0.4	0.4	8.2	0.02	<0.02	0.03	69	0.22	0.074
1147415	Soil	0.50	61.66	2.91	68.9	53	30.8	25.4	590	3.47	1.8	0.2	1.6	0.7	17.7	0.05	0.04	0.04	112	0.43	0.142
1147416	Soil	0.56	162.7	6.70	29.7	197	15.9	8.5	131	2.12	2.2	0.2	1.3	1.0	7.8	0.03	0.05	0.08	66	0.12	0.157
1147417	Soil	0.45	91.05	3.17	99.3	144	24.9	17.4	360	3.57	3.0	0.2	1.9	0.8	13.1	0.05	0.05	0.05	111	0.26	0.156
1147418	Soil	0.38	30.74	3.96	91.4	182	26.7	18.7	292	2.75	2.5	0.2	0.6	0.9	16.0	0.13	0.06	0.05	66	0.30	0.177
1147419	Soil	0.33	22.25	2.97	60.5	103	18.1	9.4	197	1.69	1.0	0.3	1.0	0.9	16.5	0.09	0.07	0.06	45	0.26	0.033
1147420	Soil	0.28	97.32	2.36	34.2	61	21.5	11.6	319	2.42	2.7	0.4	2.4	1.5	26.2	0.03	0.12	0.06	75	0.65	0.104
1147421	Soil	0.35	112.2	2.14	44.2	58	25.1	16.9	366	2.39	2.6	0.2	8.3	1.0	22.4	0.03	0.09	0.05	77	0.42	0.086
1147422	Soil	0.23	10.91	2.07	78.8	13	59.1	29.2	361	2.88	9.0	0.1	<0.2	0.4	14.4	0.03	0.03	0.04	86	0.28	0.072
1147423	Soil	0.24	25.11	1.53	71.7	17	26.9	28.0	552	4.59	2.7	0.1	1.4	0.5	15.4	0.03	0.04	0.03	160	0.54	0.135
1147424	Soil	0.68	18.87	5.53	90.8	105	24.0	12.1	314	2.22	1.9	0.2	3.1	1.1	16.1	0.08	0.13	0.10	54	0.27	0.076
1147425	Soil	0.33	37.83	3.34	95.3	171	21.9	15.3	361	1.99	1.1	0.1	<0.2	0.7	12.4	0.11	0.05	0.06	55	0.27	0.085
1147426	Soil	0.59	22.24	3.97	75.2	174	20.9	12.8	323	2.09	2.0	0.2	<0.2	1.0	11.2	0.08	0.08	0.07	49	0.18	0.093
1147427	Soil	0.21	22.07	1.94	77.7	100	61.8	29.5	461	2.69	2.2	0.2	130.4	0.5	21.8	0.04	0.05	0.03	86	0.49	0.106



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: LK-Hidden_One
 Report Date: September 23, 2013

Page: 10 of 10

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003441.1

Method	Analyte	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pd	Pt
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
603N_44000E	Soil	7.6	38.8	0.57	126.8	0.089	<20	1.67	0.012	0.10	0.2	3.5	0.05	<0.02	12	<0.1	<0.02	4.3	<10	<2
603N_44050E	Soil	8.5	47.1	0.64	105.6	0.111	<20	1.68	0.015	0.11	0.2	6.9	0.06	<0.02	21	<0.1	<0.02	5.0	<10	3
603N_44100E	Soil	5.2	68.7	0.60	74.3	0.093	<20	1.28	0.024	0.08	0.1	6.9	0.03	<0.02	11	<0.1	<0.02	3.7	<10	3
603N_44150E	Soil	4.8	43.7	0.42	63.0	0.079	<20	1.24	0.013	0.06	<0.1	3.3	0.03	<0.02	15	<0.1	0.02	4.2	<10	2
603N_44200E	Soil	6.7	63.3	0.64	71.3	0.089	<20	1.05	0.031	0.08	0.1	8.5	0.04	<0.02	10	<0.1	<0.02	3.6	<10	2
1147412	Soil	4.1	49.0	0.68	114.4	0.110	<20	1.66	0.010	0.05	0.1	2.6	0.04	<0.02	15	<0.1	0.03	5.5	<10	<2
1147413	Soil	3.8	45.7	0.51	102.7	0.080	<20	1.51	0.010	0.08	0.2	2.4	0.05	<0.02	21	<0.1	<0.02	5.1	<10	3
1147414	Soil	2.0	61.5	1.18	88.5	0.201	<20	1.63	0.004	0.07	<0.1	1.0	0.03	<0.02	12	<0.1	<0.02	6.1	<10	<2
1147415	Soil	3.5	82.3	1.67	124.7	0.154	<20	2.31	0.007	0.38	<0.1	2.8	0.05	<0.02	12	<0.1	<0.02	7.4	<10	<2
1147416	Soil	2.6	37.3	0.39	84.5	0.102	<20	1.63	0.009	0.04	0.1	2.6	0.04	<0.02	14	<0.1	<0.02	6.0	<10	<2
1147417	Soil	2.3	59.7	1.08	110.8	0.172	<20	2.25	0.001	0.05	<0.1	2.4	0.05	<0.02	17	<0.1	<0.02	7.4	<10	2
1147418	Soil	3.4	83.4	0.99	145.1	0.110	<20	1.97	0.006	0.06	0.1	3.4	0.03	<0.02	15	0.1	<0.02	6.2	<10	<2
1147419	Soil	4.0	45.7	0.46	75.6	0.083	<20	1.06	0.012	0.05	<0.1	2.5	0.03	<0.02	9	<0.1	<0.02	3.8	<10	<2
1147420	Soil	6.7	60.2	0.91	89.4	0.102	<20	1.40	0.016	0.13	0.1	5.3	0.09	<0.02	12	0.1	0.03	4.7	<10	<2
1147421	Soil	5.5	68.7	1.14	87.6	0.115	<20	1.49	0.008	0.06	<0.1	4.3	0.05	<0.02	9	0.1	0.02	5.1	<10	<2
1147422	Soil	1.5	191.8	2.04	85.8	0.186	<20	2.57	0.001	0.07	<0.1	2.2	0.05	<0.02	10	<0.1	<0.02	7.5	<10	2
1147423	Soil	3.0	83.0	2.24	89.3	0.172	<20	2.80	0.005	0.36	<0.1	4.8	0.06	<0.02	<5	<0.1	<0.02	8.3	<10	3
1147424	Soil	3.9	52.2	0.75	261.0	0.074	<20	1.74	0.006	0.10	<0.1	2.8	0.05	<0.02	19	<0.1	<0.02	6.1	<10	<2
1147425	Soil	2.5	49.7	0.89	162.8	0.098	<20	1.48	0.009	0.09	<0.1	2.5	0.03	<0.02	16	<0.1	<0.02	5.3	<10	<2
1147426	Soil	3.7	48.3	0.60	115.9	0.088	<20	1.68	0.006	0.05	0.1	2.8	0.05	<0.02	20	<0.1	0.03	5.3	<10	<2
1147427	Soil	2.1	215.5	2.43	113.5	0.144	<20	2.40	0.005	0.31	<0.1	3.4	0.04	<0.02	12	<0.1	0.02	7.0	<10	<2

QUALITY CONTROL REPORT

VAN13003441.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
1148663	Soil	1.00	45.69	5.21	79.7	131	28.9	13.5	245	2.91	4.8	0.3	1.2	1.6	21.8	0.24	0.23	0.09	85	0.34	0.092
REP 1148663	QC	1.04	45.79	5.66	81.8	150	30.0	16.3	230	2.92	5.4	0.3	0.6	1.6	23.7	0.25	0.26	0.10	85	0.32	0.100
1148729	Soil	1.28	114.7	6.25	48.7	825	46.5	18.0	883	3.74	15.2	1.8	4.3	1.6	52.0	0.37	0.54	0.14	99	1.10	0.050
REP 1148729	QC	1.41	120.7	6.29	53.0	792	53.7	19.7	939	3.78	15.5	1.8	5.2	1.6	51.8	0.37	0.55	0.16	99	1.13	0.051
1148791	Soil	1.81	49.38	7.66	82.4	227	22.0	11.1	184	3.24	3.5	0.4	1.7	1.9	13.8	0.16	0.17	0.14	89	0.21	0.097
REP 1148791	QC	1.96	51.84	7.95	80.1	247	21.4	11.6	196	3.23	3.5	0.4	1.6	2.0	14.2	0.18	0.19	0.15	85	0.21	0.103
1148827	Soil	0.58	34.75	4.80	34.2	100	27.5	14.0	302	2.29	8.0	1.2	2.8	1.6	24.9	0.11	0.23	0.06	81	0.49	0.013
REP 1148827	QC	0.62	37.43	5.29	34.1	110	27.6	13.9	336	2.38	8.2	1.2	2.1	1.6	26.2	0.13	0.22	0.06	83	0.50	0.015
1148863	Soil	1.45	20.94	9.15	47.5	104	15.2	8.0	147	2.67	3.8	0.4	1.5	1.6	12.3	0.13	0.17	0.14	82	0.16	0.079
REP 1148863	QC	1.46	20.75	8.98	41.1	107	14.9	7.2	151	2.76	3.7	0.4	<0.2	1.5	13.3	0.10	0.16	0.15	85	0.15	0.067
1148911	Soil	0.73	59.56	4.01	78.8	121	29.6	14.1	421	2.35	2.4	0.2	2.9	0.9	15.6	0.07	0.08	0.06	57	0.24	0.085
REP 1148911	QC	0.73	60.23	4.05	77.8	122	29.7	13.4	420	2.35	2.6	0.2	1.8	0.9	15.3	0.08	0.09	0.07	57	0.24	0.084
603N_43400E	Soil	0.34	41.59	2.22	27.0	56	28.4	13.1	233	3.22	2.8	0.3	7.7	1.3	23.1	0.04	0.11	0.03	127	0.39	0.067
REP 603N_43400E	QC	0.36	40.98	2.23	25.8	51	28.7	13.5	234	3.20	2.7	0.3	1.3	1.4	22.6	0.04	0.11	0.03	127	0.40	0.070
1147427	Soil	0.21	22.07	1.94	77.7	100	61.8	29.5	461	2.69	2.2	0.2	130.4	0.5	21.8	0.04	0.05	0.03	86	0.49	0.106
REP 1147427	QC	0.21	21.03	1.91	74.7	60	60.1	29.0	442	2.72	2.1	0.1	0.8	0.5	22.0	0.06	0.05	0.03	88	0.49	0.105
Reference Materials																					
STD DS9	Standard	13.04	114.6	139.8	324.7	1929	42.2	7.4	579	2.37	27.4	2.8	118.5	6.7	68.1	2.52	5.47	6.77	41	0.72	0.088
STD DS9	Standard	13.39	115.4	139.2	343.3	2038	42.1	8.5	588	2.45	26.8	2.7	114.1	6.5	71.5	2.58	4.91	6.90	42	0.75	0.086
STD DS9	Standard	12.94	98.60	129.3	309.2	2154	39.7	7.6	562	2.26	25.3	2.4	102.0	6.0	61.3	2.23	4.44	6.16	39	0.68	0.075
STD DS9	Standard	12.03	97.75	139.3	301.0	1846	39.6	7.4	549	2.25	25.5	2.4	103.3	5.3	57.2	2.22	4.02	6.05	37	0.66	0.078
STD DS9	Standard	13.31	111.6	128.1	284.2	1732	41.9	7.0	559	2.27	25.2	2.5	102.3	5.6	63.5	2.27	4.80	6.20	38	0.67	0.076
STD DS9	Standard	14.04	113.7	136.5	324.2	1790	40.6	7.9	574	2.43	26.6	2.9	104.9	6.8	71.3	2.39	4.73	6.73	41	0.75	0.087
STD DS9	Standard	14.11	119.9	141.3	329.7	1920	43.4	8.3	595	2.41	26.7	3.0	118.9	7.1	69.2	2.49	5.02	6.77	42	0.73	0.086
STD DS9	Standard	14.35	105.6	141.7	311.6	1749	41.8	7.9	603	2.34	26.3	2.5	103.3	5.7	62.2	2.34	4.54	6.18	40	0.70	0.080
STD OREAS45EA	Standard	1.38	680.9	15.25	28.2	267	376.2	51.3	358	21.61	8.9	1.8	55.5	10.4	3.7	0.03	0.18	0.25	320	0.03	0.028
STD OREAS45EA	Standard	1.56	709.9	15.03	28.2	292	393.0	52.3	370	22.47	10.0	1.8	63.9	10.4	3.7	0.04	0.18	0.25	328	0.04	0.027
STD OREAS45EA	Standard	1.30	653.4	12.65	26.7	247	359.6	48.0	385	22.58	8.7	1.5	51.7	8.7	3.1	0.01	0.16	0.22	288	0.03	0.025

QUALITY CONTROL REPORT

VAN13003441.1

Method	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	1F	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2	
Pulp Duplicates																				
1148663	Soil	5.3	46.1	0.63	115.6	0.120	<20	1.92	0.014	0.07	0.2	3.5	0.02	<0.02	13	0.1	0.03	6.1	<10	3
REP 1148663	QC	5.4	49.1	0.64	123.9	0.121	<20	1.97	0.014	0.07	0.1	3.4	0.03	<0.02	22	0.2	<0.02	6.5	<10	3
1148729	Soil	14.1	69.7	0.86	197.6	0.121	<20	2.89	0.021	0.21	0.2	10.1	0.15	0.05	63	1.2	0.04	7.5	<10	<2
REP 1148729	QC	15.0	70.5	0.88	208.9	0.124	<20	2.94	0.023	0.22	0.3	11.3	0.15	0.05	87	1.3	0.07	7.4	<10	<2
1148791	Soil	5.6	31.6	0.34	101.8	0.136	<20	2.71	0.008	0.06	0.3	3.0	0.06	<0.02	74	0.3	0.05	8.2	<10	2
REP 1148791	QC	5.6	32.5	0.33	104.8	0.137	<20	2.82	0.007	0.06	0.3	3.2	0.07	<0.02	70	0.2	0.06	8.7	<10	2
1148827	Soil	10.2	50.2	0.69	111.6	0.126	<20	1.63	0.017	0.08	0.2	5.2	0.04	<0.02	19	0.2	<0.02	4.7	<10	3
REP 1148827	QC	10.2	54.9	0.72	124.0	0.129	<20	1.68	0.018	0.09	0.2	5.5	0.04	<0.02	8	0.3	0.04	4.8	<10	2
1148863	Soil	5.1	31.2	0.27	90.6	0.114	<20	1.73	0.008	0.04	0.2	2.3	0.04	<0.02	37	0.1	<0.02	8.3	<10	<2
REP 1148863	QC	5.4	29.9	0.28	85.2	0.109	<20	1.78	0.008	0.04	0.2	2.2	0.03	<0.02	23	0.1	<0.02	8.6	<10	<2
1148911	Soil	3.7	55.8	0.63	140.4	0.089	<20	2.08	0.005	0.06	<0.1	3.2	0.05	<0.02	21	0.2	<0.02	6.1	<10	<2
REP 1148911	QC	3.5	55.1	0.64	139.5	0.085	<20	2.07	0.004	0.06	0.1	3.1	0.05	<0.02	20	<0.1	<0.02	6.0	<10	<2
603N_43400E	Soil	5.6	56.8	0.58	101.2	0.083	<20	1.65	0.014	0.09	0.1	4.2	0.04	<0.02	13	<0.1	<0.02	4.7	<10	<2
REP 603N_43400E	QC	5.8	53.9	0.58	104.7	0.083	<20	1.65	0.014	0.09	0.1	4.2	0.04	<0.02	13	<0.1	0.03	4.6	<10	<2
1147427	Soil	2.1	215.5	2.43	113.5	0.144	<20	2.40	0.005	0.31	<0.1	3.4	0.04	<0.02	12	<0.1	0.02	7.0	<10	<2
REP 1147427	QC	2.1	220.5	2.41	113.5	0.148	<20	2.39	0.005	0.31	<0.1	3.4	0.04	<0.02	6	<0.1	<0.02	6.6	<10	<2
Reference Materials																				
STD DS9	Standard	12.3	120.0	0.62	330.1	0.108	<20	0.96	0.084	0.41	3.2	2.5	5.41	0.17	216	5.5	5.20	4.7	136	384
STD DS9	Standard	12.7	120.4	0.65	337.1	0.114	<20	1.01	0.088	0.42	2.8	2.7	5.63	0.17	187	5.9	4.94	5.1	131	354
STD DS9	Standard	11.2	111.5	0.60	309.4	0.094	<20	0.90	0.079	0.39	2.7	2.1	5.55	0.17	211	5.7	5.01	4.7	126	350
STD DS9	Standard	10.0	109.2	0.59	301.0	0.088	<20	0.89	0.072	0.38	2.7	2.1	5.32	0.16	190	5.5	5.24	4.4	121	346
STD DS9	Standard	10.8	107.3	0.60	299.5	0.100	<20	0.88	0.074	0.39	2.6	2.0	5.03	0.17	209	5.1	4.73	4.2	93	332
STD DS9	Standard	14.0	115.8	0.65	336.6	0.114	<20	1.01	0.089	0.42	3.0	2.6	5.58	0.18	218	5.7	4.84	5.0	114	360
STD DS9	Standard	12.9	129.4	0.63	341.0	0.117	<20	0.97	0.085	0.41	2.9	2.5	5.64	0.17	220	5.9	5.37	4.9	113	398
STD DS9	Standard	12.2	115.9	0.62	333.2	0.100	<20	0.95	0.080	0.40	2.8	2.3	5.43	0.17	203	5.2	5.09	4.6	131	361
STD OREAS45EA	Standard	6.6	832.6	0.09	147.7	0.085	<20	3.10	0.015	0.05	<0.1	77.3	<0.02	0.04	7	0.8	0.08	12.1	62	109
STD OREAS45EA	Standard	6.9	856.5	0.09	145.1	0.090	<20	3.28	0.014	0.05	<0.1	77.6	<0.02	0.04	22	1.3	0.05	11.6	79	115
STD OREAS45EA	Standard	5.9	840.2	0.09	134.1	0.078	<20	2.95	0.015	0.05	<0.1	70.6	0.05	0.04	10	0.6	0.06	12.0	53	108

QUALITY CONTROL REPORT

VAN13003441.1

		1F Mo ppm 0.01	1F Cu ppm 0.01	1F Pb ppm 0.01	1F Zn ppm 0.1	1F Ag ppb 2	1F Ni ppm 0.1	1F Co ppm 0.1	1F Mn ppm 1	1F Fe % 0.01	1F As ppm 0.1	1F U ppm 0.1	1F Au ppb 0.2	1F Th ppm 0.1	1F Sr ppm 0.5	1F Cd ppm 0.01	1F Sb ppm 0.02	1F Bi ppm 0.02	1F V ppm 2	1F Ca % 0.01	1F P % 0.001
STD OREAS45EA	Standard	1.41	647.9	12.89	27.8	246	352.9	50.5	380	22.61	8.6	1.6	53.7	9.1	3.1	0.01	0.16	0.21	307	0.03	0.025
STD OREAS45EA	Standard	1.44	704.7	14.96	30.7	277	394.4	49.9	406	24.73	10.1	1.8	62.2	10.6	3.7	0.05	0.20	0.26	308	0.03	0.028
STD OREAS45EA	Standard	1.57	709.9	15.10	28.9	285	394.0	54.9	401	24.97	10.8	1.9	57.0	10.7	3.8	0.04	0.17	0.24	307	0.04	0.029
STD OREAS45EA	Standard	1.48	717.3	15.34	30.4	281	390.8	51.2	388	22.46	9.7	1.8	57.3	10.6	3.6	0.04	0.18	0.23	333	0.03	0.024
STD OREAS45EA	Standard	1.44	657.9	13.93	27.9	255	374.3	52.6	393	23.50	8.7	1.7	58.2	9.8	3.3	0.02	0.18	0.22	317	0.04	0.026
STD DS9 Expected		12.84	108	126	317	1830	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
STD OREAS45EA Expected		1.78	709	14.3	30.6	311	357	52	400	22.65	11.4	1.73	53	10.7	4.05	0.03	0.64	0.26	295	0.032	0.029
BLK	Blank	<0.01	<0.01	<0.01	<0.1	5	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	0.04	<0.1	3	0.2	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	0.02	<0.1	6	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	0.07	0.02	<0.1	5	0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	0.02	0.02	<0.1	2	0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	0.05	0.06	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001

QUALITY CONTROL REPORT

VAN13003441.1

		1F La ppm	1F Cr ppm	1F Mg %	1F Ba ppm	1F Ti %	1F B ppm	1F Al %	1F Na %	1F K %	1F W ppm	1F Sc ppm	1F Ti ppm	1F S %	1F Hg ppb	1F Se ppm	1F Te ppm	1F Ga ppm	1F Pd ppb	1F Pt ppb
		0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2
STD OREAS45EA	Standard	6.1	864.1	0.09	138.3	0.083	<20	3.05	0.014	0.05	<0.1	73.2	0.05	0.03	11	0.5	0.09	12.3	58	98
STD OREAS45EA	Standard	6.9	825.8	0.09	148.4	0.092	<20	3.24	0.017	0.05	<0.1	76.6	<0.02	0.04	<5	1.0	0.10	12.1	77	123
STD OREAS45EA	Standard	7.0	857.1	0.09	146.2	0.092	<20	3.27	0.016	0.05	<0.1	77.9	<0.02	0.04	11	0.9	0.08	12.8	97	111
STD OREAS45EA	Standard	6.5	821.6	0.09	138.3	0.088	<20	3.23	0.016	0.05	<0.1	75.8	<0.02	0.04	11	0.7	0.09	12.1	79	118
STD OREAS45EA	Standard	6.5	901.3	0.09	148.6	0.084	<20	3.13	0.017	0.06	<0.1	73.4	0.06	0.03	8	0.5	0.11	12.8	70	104
STD DS9 Expected		13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	2.5	5.3	0.1615	200	5.2	5.02	4.59	120	350
STD OREAS45EA Expected		8.19	849	0.095	148	0.106		3.32	0.027	0.053		78	0.072	0.044	340	2.09	0.11	11.7	66	108
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	9	0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	0.7	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.1	<0.02	<0.02	7	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	6	<0.1	0.03	<0.1	<10	<2
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
110 - 325 Howe St.
Vancouver BC V6C 1Z7 CANADA

Submitted By: Bill Morton
Receiving Lab: Canada-Vancouver
Received: August 30, 2013
Report Date: September 18, 2013
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN13003442.1

CLIENT JOB INFORMATION

Project: Iron Lake
Shipment ID: IL-02
P.O. Number
Number of Samples: 51

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	51	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1F02-1F08	51	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Eastfield Resources Ltd.
110 - 325 Howe St.
Vancouver BC V6C 1Z7
CANADA

CC: Glen Garrett
Bruce Laird



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13003442.1

Method Analyte	Unit	WGHT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
MDL		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1137908	Rock	1.38	0.11	6.38	1.07	11.1	20	0.3	5.0	167	1.31	2.0	0.2	1.6	1.0	41.2	0.02	0.08	0.04	21	1.24
1137909	Rock	1.25	0.04	3.26	0.19	8.5	5	43.7	17.1	167	2.33	1.7	<0.1	1.0	<0.1	7.8	0.03	0.08	0.02	31	0.63
1137910	Rock	1.50	0.05	2.69	0.15	13.9	5	49.5	20.2	284	2.06	1.5	<0.1	<0.2	<0.1	4.8	0.07	0.09	<0.02	24	0.47
1137911	Rock	0.83	0.12	44.98	1.25	25.9	27	13.6	11.0	327	1.84	1.8	0.1	1.4	0.4	70.5	0.06	0.43	0.02	58	1.41
1137912	Rock	1.19	0.09	60.25	0.84	25.7	110	28.0	16.5	444	2.56	1.1	0.2	2.6	0.3	21.9	0.08	0.16	<0.02	88	1.74
1137913	Rock	1.13	0.68	108.0	1.35	31.7	109	16.0	18.3	361	2.95	1.9	0.1	1.1	0.4	109.8	0.07	0.51	0.03	95	1.24
1137914	Rock	1.33	0.78	62.73	1.53	27.9	109	11.0	9.9	320	2.22	2.7	0.2	0.9	0.5	56.3	0.06	0.08	<0.02	75	1.21
1137915	Rock	1.08	0.12	159.5	0.21	36.0	37	33.5	16.7	419	2.76	1.7	0.2	0.4	0.2	111.7	0.13	0.02	<0.02	107	1.99
1137916	Rock	0.99	0.07	70.00	0.17	25.4	29	16.1	13.1	348	2.38	1.3	<0.1	3.1	<0.1	78.0	0.04	0.03	<0.02	101	1.45
1137917	Rock	1.17	0.10	37.23	0.38	55.9	25	18.4	21.4	323	4.48	1.3	<0.1	4.2	<0.1	105.5	0.03	1.08	<0.02	203	1.14
1137918	Rock	0.95	0.08	6.97	1.78	5.2	12	0.8	0.4	67	0.28	0.9	1.0	<0.2	11.2	15.1	<0.01	0.04	0.02	6	0.14
1137919	Rock	1.24	0.03	319.8	0.20	34.3	365	16.2	29.5	316	7.01	0.9	<0.1	30.2	<0.1	100.6	0.03	0.05	0.02	505	1.56
1137920	Rock	1.27	0.04	28.75	0.20	20.8	11	31.2	17.5	297	3.06	1.4	<0.1	3.1	0.3	49.1	0.02	0.09	<0.02	108	1.12
1137921	Rock	1.41	0.07	10.93	1.46	4.4	88	2.4	1.8	70	0.48	1.2	1.4	11.6	10.8	49.6	<0.01	0.09	<0.02	16	0.62
1137922	Rock	1.40	0.15	32.50	0.46	48.8	23	5.2	12.6	437	3.76	0.8	0.2	2.9	0.3	36.0	0.01	0.03	<0.02	175	0.87
1137923	Rock	1.43	0.15	15.23	0.55	23.4	15	18.4	12.5	270	3.53	1.7	0.1	0.9	0.2	31.5	0.05	0.07	<0.02	122	1.66
1137924	Rock	1.35	0.54	24.44	4.54	73.5	124	5.2	12.6	880	3.05	1.7	0.3	0.4	0.9	51.1	0.18	0.12	<0.02	126	1.33
1137925	Rock	1.09	0.23	84.91	1.14	21.6	113	27.7	10.8	302	1.62	1.4	<0.1	1.7	0.1	71.9	0.05	0.18	<0.02	58	1.28
1137926	Rock	1.49	0.21	182.9	2.16	14.3	183	10.2	19.1	164	3.52	13.9	0.1	4.1	0.3	43.9	0.05	0.47	0.12	48	1.22
1137927	Rock	1.18	0.02	2.88	0.07	7.8	5	19.9	10.5	138	1.11	1.2	<0.1	<0.2	<0.1	7.5	0.03	0.07	<0.02	17	0.65
1137928	Rock	1.25	0.33	103.2	2.40	47.8	69	11.2	16.9	548	4.04	3.1	0.2	2.5	0.4	30.2	0.05	0.47	<0.02	163	1.93
1137929	Rock	1.28	0.04	67.79	0.34	17.3	41	7.4	12.5	658	2.71	1.2	<0.1	0.7	<0.1	170.1	0.04	0.67	<0.02	56	5.09
1137930	Rock	1.54	0.05	556.1	0.77	51.7	341	36.7	33.7	704	7.68	1.2	<0.1	2.2	<0.1	78.0	0.17	0.28	0.04	380	1.83
1137931	Rock	1.00	0.03	18.87	0.20	57.9	13	28.9	26.9	642	6.60	1.0	<0.1	0.4	<0.1	68.0	0.12	0.06	<0.02	336	1.53
1137932	Rock	1.31	<0.01	44.24	0.23	40.4	24	35.2	31.5	453	7.90	0.9	<0.1	1.1	<0.1	61.2	0.05	0.06	<0.02	406	1.33
1137933	Rock	1.58	0.62	91.90	1.40	66.6	94	14.2	21.1	789	3.54	1.5	0.2	32.2	0.7	72.8	0.06	0.33	<0.02	96	1.67
1137934	Rock	2.19	0.36	58.65	1.10	65.1	54	18.2	21.3	649	4.50	1.3	0.3	0.9	0.7	44.3	0.06	0.14	<0.02	128	1.22
1137935	Rock	1.62	0.03	18.29	0.11	11.0	14	18.1	11.0	147	1.55	1.7	<0.1	1.1	0.1	24.3	0.02	0.13	<0.02	49	1.01
1137936	Rock	1.21	0.07	2.44	1.87	17.5	4	1.4	2.2	192	0.97	0.8	0.5	<0.2	1.5	28.6	0.02	0.03	<0.02	22	0.25
1137937	Rock	1.34	0.13	107.7	4.12	27.6	82	3.7	5.4	393	1.94	1.1	0.3	3.1	0.5	86.7	0.08	0.07	<0.02	61	1.09

CERTIFICATE OF ANALYSIS

VAN13003442.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2	
1137908	Rock	0.127	4.0	1.6	0.25	52.2	0.058	<1	0.97	0.101	0.11	0.5	1.8	0.03	0.17	<5	<0.1	0.04	3.0	<10	<2
1137909	Rock	0.003	<0.5	593.3	1.27	9.6	0.027	<1	0.31	0.005	<0.01	0.1	4.7	<0.02	<0.02	<5	<0.1	<0.02	1.3	<10	3
1137910	Rock	0.006	<0.5	206.3	1.56	22.1	0.018	2	0.27	0.005	0.01	0.1	3.8	<0.02	<0.02	<5	<0.1	<0.02	1.0	<10	4
1137911	Rock	0.115	3.8	39.5	0.73	205.1	0.093	1	1.07	0.113	0.14	0.1	4.6	<0.02	0.23	19	0.3	<0.02	3.3	<10	3
1137912	Rock	0.052	1.9	52.2	1.61	129.8	0.127	3	1.72	0.344	0.30	<0.1	10.1	0.07	<0.02	<5	<0.1	0.04	4.9	<10	7
1137913	Rock	0.144	3.3	21.2	1.22	201.1	0.124	1	1.53	0.093	0.15	0.2	6.5	<0.02	0.43	13	0.9	0.10	4.5	<10	6
1137914	Rock	0.147	3.4	18.4	0.92	64.5	0.135	2	1.41	0.095	0.60	0.1	4.4	0.07	0.03	12	0.2	<0.02	4.5	<10	3
1137915	Rock	0.206	2.4	82.6	0.96	133.6	0.090	2	1.36	0.069	0.08	0.1	5.4	<0.02	0.06	27	0.2	<0.02	3.2	<10	4
1137916	Rock	0.143	2.0	64.6	1.17	41.2	0.094	1	1.06	0.091	0.08	<0.1	9.8	<0.02	<0.02	<5	<0.1	<0.02	2.8	<10	3
1137917	Rock	0.126	2.2	6.8	1.15	74.3	0.123	3	1.66	0.059	0.14	<0.1	4.1	<0.02	<0.02	6	<0.1	<0.02	4.9	<10	<2
1137918	Rock	0.003	21.8	8.7	0.04	49.5	0.016	<1	0.26	0.055	0.07	<0.1	0.3	<0.02	<0.02	27	<0.1	<0.02	1.0	<10	<2
1137919	Rock	0.247	3.2	2.6	1.28	71.0	0.092	<1	1.46	0.087	0.10	<0.1	9.0	<0.02	<0.02	27	<0.1	0.11	6.2	92	9
1137920	Rock	0.062	1.2	136.7	1.35	26.1	0.080	<1	0.94	0.096	0.06	<0.1	11.9	<0.02	<0.02	<5	<0.1	<0.02	3.3	<10	13
1137921	Rock	0.018	4.7	3.7	0.29	97.4	0.021	2	0.73	0.068	0.06	<0.1	0.7	<0.02	<0.02	21	<0.1	<0.02	2.3	<10	<2
1137922	Rock	0.142	4.2	6.5	0.77	673.2	0.139	<1	1.24	0.108	0.65	<0.1	3.0	<0.02	<0.02	<5	<0.1	<0.02	5.3	<10	<2
1137923	Rock	0.086	1.6	53.3	0.85	27.7	0.114	6	1.45	0.077	0.13	<0.1	4.5	<0.02	<0.02	5	<0.1	<0.02	4.9	<10	3
1137924	Rock	0.120	4.4	12.2	0.98	145.9	0.202	2	1.49	0.128	0.65	<0.1	7.3	0.08	0.02	16	<0.1	0.04	5.5	<10	<2
1137925	Rock	0.089	0.7	89.0	0.93	84.2	0.094	2	1.22	0.096	0.19	<0.1	4.3	<0.02	<0.02	6	<0.1	<0.02	3.2	<10	2
1137926	Rock	0.137	1.8	9.9	0.62	23.9	0.077	2	1.22	0.065	0.13	0.4	3.9	<0.02	2.51	40	0.9	0.24	3.5	<10	3
1137927	Rock	0.002	<0.5	49.1	0.75	9.3	0.022	2	0.21	0.008	<0.01	0.1	4.1	<0.02	<0.02	<5	0.1	<0.02	0.7	<10	15
1137928	Rock	0.153	3.8	18.7	1.13	28.1	0.125	7	1.93	0.057	0.13	0.2	4.5	<0.02	0.03	21	<0.1	0.02	8.2	<10	<2
1137929	Rock	0.067	1.3	13.1	2.23	1066	0.020	<1	0.04	0.028	<0.01	0.2	11.8	<0.02	<0.02	27	<0.1	0.04	0.1	<10	<2
1137930	Rock	0.012	0.6	46.4	2.25	110.6	0.179	<1	1.76	0.316	0.24	<0.1	21.2	<0.02	<0.02	19	0.1	0.09	7.0	<10	2
1137931	Rock	0.012	<0.5	37.1	1.83	118.1	0.226	1	1.56	0.270	0.18	<0.1	21.3	<0.02	<0.02	<5	<0.1	<0.02	6.6	<10	9
1137932	Rock	0.015	<0.5	36.3	1.73	67.9	0.230	1	1.43	0.230	0.15	<0.1	18.6	<0.02	<0.02	<5	<0.1	<0.02	7.0	<10	12
1137933	Rock	0.172	5.6	27.5	1.53	62.9	0.136	4	1.80	0.060	0.04	<0.1	4.0	<0.02	<0.02	<5	<0.1	<0.02	6.7	<10	<2
1137934	Rock	0.104	4.6	17.5	1.40	29.7	0.159	3	1.77	0.052	0.10	<0.1	3.3	<0.02	<0.02	<5	<0.1	<0.02	7.5	<10	6
1137935	Rock	0.075	1.2	41.6	0.95	10.7	0.056	<1	0.58	0.047	0.04	0.1	7.8	<0.02	<0.02	<5	<0.1	<0.02	1.9	<10	5
1137936	Rock	0.026	4.4	3.9	0.18	102.0	0.042	<1	0.47	0.045	0.11	<0.1	0.8	<0.02	<0.02	<5	<0.1	<0.02	2.4	<10	<2
1137937	Rock	0.117	4.1	8.0	0.25	252.0	0.043	1	0.58	0.042	0.17	<0.1	1.6	<0.02	<0.02	<5	<0.1	<0.02	2.5	<10	3

CERTIFICATE OF ANALYSIS

VAN13003442.1

Method	Analyte	WGHT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
1137938	Rock	1.52	0.27	13.01	1.17	26.8	15	7.8	11.3	370	3.71	0.9	0.1	3.3	0.2	60.4	0.04	0.02	<0.02	135	1.61
1137939	Rock	1.16	0.16	0.38	13.28	25.3	17	0.7	1.1	641	0.73	2.6	1.0	4.9	4.1	30.3	0.13	0.12	0.05	<2	0.27
1137940	Rock	1.25	0.16	19.31	0.57	29.7	16	16.4	13.7	337	2.99	16.2	<0.1	3.3	0.1	62.3	0.07	0.05	<0.02	98	1.41
1137941	Rock	1.13	0.07	3.40	0.41	29.9	6	2.0	10.5	443	3.22	0.3	0.4	3.5	0.8	21.9	0.07	0.06	0.05	111	1.06
1137942	Rock	1.16	0.18	27.13	1.35	45.8	10	1.8	10.3	452	3.37	0.5	0.3	0.9	0.4	19.7	0.03	0.03	0.03	112	1.21
1137943	Rock	0.92	1.47	10.81	0.76	32.2	8	3.0	8.8	350	3.26	0.3	0.2	<0.2	0.4	16.3	0.02	0.05	<0.02	118	0.84
1137944	Rock	1.36	0.36	11.28	2.02	30.5	13	2.4	7.8	286	2.92	0.8	0.4	<0.2	0.8	31.7	0.11	0.08	<0.02	121	0.96
1137945	Rock	1.23	0.02	1.90	1.19	16.8	6	2.1	5.0	243	1.66	0.6	0.6	<0.2	2.4	41.8	0.06	0.04	<0.02	38	0.61
1137946	Rock	2.33	0.66	122.5	1.76	48.4	117	2.3	24.1	597	4.26	1.1	0.2	8.5	0.5	163.4	0.09	0.06	<0.02	131	2.23
1137947	Rock	1.58	9.50	31.81	0.59	17.0	31	27.1	13.0	451	1.70	4.0	<0.1	0.9	0.1	65.5	0.05	0.10	<0.02	48	3.83
1137948	Rock	1.48	0.05	62.03	1.48	30.9	53	11.5	15.5	402	3.51	0.2	<0.1	1.2	0.3	248.7	0.15	0.02	<0.02	145	2.31
1137949	Rock	1.33	0.13	6.07	0.89	28.2	10	3.6	6.3	404	2.00	0.4	0.5	<0.2	1.9	41.4	0.05	0.04	<0.02	65	0.73
1137950	Rock	1.66	0.03	4.23	0.55	4.8	16	0.3	0.4	118	0.48	0.4	0.3	0.7	0.4	39.5	0.04	0.24	0.09	16	0.77
1148951	Rock	1.43	0.11	2.60	1.05	9.6	6	2.2	3.5	173	2.35	2.2	0.1	<0.2	0.2	31.2	0.06	0.08	0.02	102	1.22
1148952	Rock	1.14	0.54	33.32	1.45	51.8	16	7.1	15.8	493	4.42	0.9	0.4	2.1	0.6	33.4	0.03	0.04	<0.02	214	1.56
1148953	Rock	1.57	0.04	0.71	0.73	4.8	4	0.7	0.6	77	0.24	2.1	0.3	<0.2	0.4	28.6	0.02	0.05	<0.02	23	0.74
1148954	Rock	0.73	0.12	14.79	1.54	22.4	7	2.5	6.3	286	2.44	2.1	0.4	<0.2	0.9	23.1	0.06	0.06	<0.02	93	1.05
1148976	Rock	1.10	0.21	128.3	1.67	48.0	95	12.5	16.5	562	3.87	0.6	0.1	7.5	0.3	71.9	0.09	0.02	<0.02	172	1.88
1148977	Rock	0.78	0.10	16.56	0.84	32.2	6	12.2	9.9	598	2.00	5.5	0.1	<0.2	0.2	43.2	0.06	0.03	<0.02	79	1.45
1148978	Rock	1.35	0.32	706.2	0.93	17.2	220	10.0	9.1	313	2.44	7.3	0.1	4.5	0.1	78.9	0.05	<0.02	<0.02	100	2.33
1148979	Rock	2.44	0.34	26.29	1.32	34.6	19	30.1	16.7	391	3.38	<0.1	<0.1	1.9	<0.1	62.1	0.07	0.05	<0.02	102	1.16



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: Iron Lake
 Report Date: September 18, 2013

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003442.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2	
1137938	Rock	0.202	3.8	18.1	0.56	33.3	0.080	<1	0.97	0.075	0.13	<0.1	5.0	<0.02	<0.02	<5	<0.1	<0.02	3.9	<10	3
1137939	Rock	0.042	14.6	1.4	0.02	1162	<0.001	2	0.33	0.025	0.26	0.2	1.1	0.05	0.03	<5	<0.1	0.04	0.8	<10	<2
1137940	Rock	0.183	1.3	125.7	0.83	21.3	0.065	1	0.92	0.081	0.12	<0.1	6.4	<0.02	<0.02	<5	<0.1	0.06	3.1	<10	4
1137941	Rock	0.180	4.9	1.5	0.81	177.9	0.163	<1	1.26	0.107	0.53	<0.1	5.5	0.02	<0.02	8	<0.1	<0.02	4.7	<10	<2
1137942	Rock	0.179	3.8	1.5	0.75	56.7	0.129	<1	1.32	0.066	0.13	<0.1	3.5	<0.02	<0.02	6	<0.1	<0.02	5.3	<10	<2
1137943	Rock	0.117	2.7	2.6	0.67	162.0	0.146	<1	1.05	0.081	0.27	>100	3.7	<0.02	<0.02	<5	<0.1	0.03	4.4	<10	<2
1137944	Rock	0.102	3.1	7.0	0.54	106.2	0.124	2	1.12	0.088	0.18	0.3	3.0	<0.02	<0.02	<5	<0.1	<0.02	4.0	<10	<2
1137945	Rock	0.058	6.6	8.2	0.44	129.0	0.067	<1	0.95	0.074	0.08	0.3	1.9	<0.02	<0.02	<5	<0.1	<0.02	4.0	<10	<2
1137946	Rock	0.480	5.4	0.9	1.60	140.0	0.097	<1	2.45	0.090	0.56	0.2	3.1	<0.02	0.04	9	<0.1	0.03	5.2	<10	<2
1137947	Rock	0.071	1.3	111.3	1.77	38.4	0.038	10	0.49	0.024	0.10	0.2	9.9	<0.02	0.04	21	<0.1	0.05	1.6	<10	15
1137948	Rock	0.357	2.8	22.0	0.99	52.6	0.095	<1	1.76	0.154	0.08	<0.1	5.2	<0.02	<0.02	<5	<0.1	0.02	4.8	<10	4
1137949	Rock	0.083	4.0	12.2	0.50	68.1	0.080	<1	0.81	0.062	0.12	<0.1	2.1	<0.02	<0.02	<5	<0.1	0.02	3.8	<10	<2
1137950	Rock	0.001	0.5	2.4	0.05	67.9	0.115	<1	0.58	0.074	0.04	0.3	0.1	<0.02	<0.02	<5	<0.1	<0.02	1.0	<10	<2
1148951	Rock	0.168	2.1	2.7	0.28	36.0	0.084	4	0.81	0.083	0.09	0.2	2.6	<0.02	<0.02	<5	<0.1	0.02	3.2	<10	<2
1148952	Rock	0.214	3.9	12.2	0.92	151.5	0.176	4	1.80	0.071	0.21	<0.1	3.4	<0.02	<0.02	<5	<0.1	<0.02	6.7	<10	2
1148953	Rock	0.163	2.4	1.0	0.12	20.5	0.082	<1	0.56	0.108	0.03	<0.1	1.0	<0.02	<0.02	<5	<0.1	<0.02	1.4	<10	<2
1148954	Rock	0.184	3.3	2.3	0.43	66.6	0.098	1	0.84	0.074	0.13	0.3	3.2	<0.02	<0.02	<5	<0.1	0.03	3.4	<10	<2
1148976	Rock	0.223	4.6	29.9	1.10	51.3	0.120	<1	1.57	0.095	0.18	<0.1	6.7	<0.02	<0.02	<5	<0.1	<0.02	5.6	<10	3
1148977	Rock	0.196	2.4	77.2	0.92	60.4	0.091	<1	0.99	0.093	0.15	<0.1	6.5	<0.02	<0.02	<5	<0.1	<0.02	3.5	<10	4
1148978	Rock	0.218	2.3	118.7	0.60	18.9	0.076	1	1.03	0.051	0.06	<0.1	5.1	<0.02	<0.02	<5	<0.1	<0.02	3.1	<10	6
1148979	Rock	0.050	0.7	215.6	1.24	36.9	0.083	<1	1.03	0.091	0.04	0.1	6.8	<0.02	<0.02	<5	<0.1	<0.02	3.5	<10	4



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: Iron Lake
 Report Date: September 18, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN13003442.1

Method	WGHT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
1137921	Rock	1.41	0.07	10.93	1.46	4.4	88	2.4	1.8	70	0.48	1.2	1.4	11.6	10.8	49.6	<0.01	0.09	<0.02	16	0.62
REP 1137921	QC		0.06	11.63	1.49	5.2	85	2.3	1.8	70	0.49	1.0	1.4	2.5	10.8	48.0	0.01	0.09	<0.02	16	0.63
1137939	Rock	1.16	0.16	0.38	13.28	25.3	17	0.7	1.1	641	0.73	2.6	1.0	4.9	4.1	30.3	0.13	0.12	0.05	<2	0.27
REP 1137939	QC		0.14	0.48	14.33	23.1	19	0.6	1.1	627	0.74	2.1	1.1	7.0	4.2	30.6	0.14	0.12	0.06	<2	0.27
1148977	Rock	0.78	0.10	16.56	0.84	32.2	6	12.2	9.9	598	2.00	5.5	0.1	<0.2	0.2	43.2	0.06	0.03	<0.02	79	1.45
REP 1148977	QC		0.12	16.53	0.91	34.1	3	12.4	10.4	584	2.01	5.7	0.1	0.5	0.2	43.7	0.07	<0.02	<0.02	80	1.45
1148979	Rock	2.44	0.34	26.29	1.32	34.6	19	30.1	16.7	391	3.38	<0.1	<0.1	1.9	<0.1	62.1	0.07	0.05	<0.02	102	1.16
REP 1148979	QC		0.38	26.07	1.35	33.7	17	28.7	16.3	363	3.36	0.1	<0.1	1.1	<0.1	64.7	0.06	0.05	<0.02	102	1.16
Core Reject Duplicates																					
1137938	Rock	1.52	0.27	13.01	1.17	26.8	15	7.8	11.3	370	3.71	0.9	0.1	3.3	0.2	60.4	0.04	0.02	<0.02	135	1.61
DUP 1137938	QC		0.27	13.72	1.07	25.8	14	7.3	11.1	334	3.59	1.2	0.1	2.6	0.2	55.3	0.04	0.02	<0.02	129	1.53
Reference Materials																					
STD DS9	Standard		12.78	106.0	118.2	315.8	1802	41.8	7.1	606	2.24	25.3	2.6	113.1	5.8	69.4	2.34	5.38	6.32	39	0.72
STD DS9	Standard		12.02	101.5	124.2	302.3	1809	39.1	6.9	564	2.36	25.3	2.6	108.3	6.4	71.8	2.41	5.53	6.42	42	0.74
STD DS9 Expected			12.84	108	126	317	1830	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.07	2.64	2.64	44.9	11	1.9	3.5	574	1.82	0.5	1.5	0.9	4.7	51.9	0.02	0.02	0.08	34	0.47
G1	Prep Blank		0.06	2.58	3.07	42.3	13	2.2	3.1	535	1.68	0.7	1.5	0.7	5.0	50.0	0.01	<0.02	0.10	30	0.39



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Eastfield Resources Ltd.**
 110 - 325 Howe St.
 Vancouver BC V6C 1Z7 CANADA

Project: Iron Lake
 Report Date: September 18, 2013

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

VAN13003442.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pd	Pt	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	10	2	
Pulp Duplicates																					
1137921	Rock	0.018	4.7	3.7	0.29	97.4	0.021	2	0.73	0.068	0.06	<0.1	0.7	<0.02	<0.02	21	<0.1	<0.02	2.3	<10	<2
REP 1137921	QC	0.019	4.5	3.8	0.30	98.3	0.022	2	0.74	0.067	0.06	<0.1	0.7	<0.02	<0.02	18	<0.1	<0.02	2.4	<10	<2
1137939	Rock	0.042	14.6	1.4	0.02	1162	<0.001	2	0.33	0.025	0.26	0.2	1.1	0.05	0.03	<5	<0.1	0.04	0.8	<10	<2
REP 1137939	QC	0.043	15.2	1.4	0.02	1152	<0.001	3	0.35	0.026	0.26	0.2	1.1	0.05	0.03	<5	<0.1	<0.02	0.8	<10	<2
1148977	Rock	0.196	2.4	77.2	0.92	60.4	0.091	<1	0.99	0.093	0.15	<0.1	6.5	<0.02	<0.02	<5	<0.1	<0.02	3.5	<10	4
REP 1148977	QC	0.199	2.5	81.0	0.92	62.3	0.094	<1	1.00	0.094	0.15	<0.1	6.7	<0.02	<0.02	<5	<0.1	<0.02	3.5	<10	5
1148979	Rock	0.050	0.7	215.6	1.24	36.9	0.083	<1	1.03	0.091	0.04	0.1	6.8	<0.02	<0.02	<5	<0.1	<0.02	3.5	<10	4
REP 1148979	QC	0.048	0.6	217.2	1.25	38.1	0.084	<1	1.02	0.091	0.04	<0.1	7.4	<0.02	<0.02	<5	<0.1	<0.02	3.3	<10	3
Core Reject Duplicates																					
1137938	Rock	0.202	3.8	18.1	0.56	33.3	0.080	<1	0.97	0.075	0.13	<0.1	5.0	<0.02	<0.02	<5	<0.1	<0.02	3.9	<10	3
DUP 1137938	QC	0.209	3.5	17.4	0.53	28.6	0.073	1	0.89	0.069	0.12	<0.1	4.7	<0.02	<0.02	<5	<0.1	0.05	3.6	<10	3
Reference Materials																					
STD DS9	Standard	0.080	12.9	113.6	0.60	286.9	0.101	3	0.93	0.085	0.39	3.1	2.5	5.24	0.15	186	4.7	5.21	4.9	114	337
STD DS9	Standard	0.082	13.4	111.5	0.62	301.1	0.111	2	0.98	0.087	0.39	2.9	2.3	5.14	0.17	198	5.4	5.13	4.7	100	348
STD DS9 Expected		0.0819	13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	2.5	5.3	0.1615	200	5.2	5.02	4.59	120	350
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<10	<2
Prep Wash																					
G1	Prep Blank	0.073	11.5	4.7	0.45	161.7	0.096	1	0.84	0.077	0.46	<0.1	2.5	0.33	<0.02	<5	<0.1	<0.02	4.9	<10	<2
G1	Prep Blank	0.063	10.6	4.8	0.38	136.2	0.086	<1	0.74	0.081	0.42	0.2	2.3	0.34	<0.02	<5	<0.1	<0.02	4.4	<10	<2