



Le Baron Prospecting  
Port Renfrew, BC


## Technical and Geochemical Assessment Report

The Golden 8 Project  
Tenure 392328

Victoria Mining Division  
NTS: M092C069  
48 degrees, 49' 38"N x 124 degrees, 19' 46" W

BC Geological Survey  
Assessment Report  
34699

### The Golden 8 mineral tenure #398328



Pacific Iron Ore's project area of interest Port Renfrew, The Pearson Project (area in red)

## GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORT

Report By;  
Le Baron Prospecting  
Po Box 92  
16977 Tsonaquay Dr  
Port Renfrew BC  
V0S-1K0  
Author: Scott Phillips

34,699

2013 / 2014

Ministry of Energy and Mines  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical

TOTAL COST: \$16,600.00

AUTHOR(S): Le Baron Prospecting - Scott Phillips

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): \_\_\_\_\_

YEAR OF WORK: 2013

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): event #5466684

PROPERTY NAME: The Golden 8 Project

CLAIM NAME(S) (on which the work was done): tenure #392328

COMMODITIES SOUGHT: Ca

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: \_\_\_\_\_

MINING DIVISION: Victoria

NTS/BCGS: M092C069

LATITUDE: 48 ° 49 ' 38 " LONGITUDE: 124 ° 19 ' 46 " (at centre of work)

OWNER(S):

1) Scott Phillips

2) Marjorie Rooke

Raymond Oshust, Stewart McDirnide

Gordon Saunders

MAILING ADDRESS:

scott - 3317 Henry rd, Chemainus BC, V0R-1K4

Marj - 2918 Jackson rd, Duncan BC, V9L-6N7

ray + Stewart, gen, del, Port Renfrew BC, V0S-1K0

Gordon - 2650 Cedar Hill Rd, Victoria BC, V8T-3H2

OPERATOR(S) [who paid for the work]:

1) Scott Phillips

2) \_\_\_\_\_

MAILING ADDRESS:

as above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Wrangella, Insular Tectonic Belt, Paleozoic to Mesozoic, Jurassic Bonanza Group, Island Plutonic Suite, Pacific Rim Terrane, Westcoast Crystalline Complex and the intrusive rock of the Pacific Terrane, massive skarns of iron and sulfides between massive limestone bodies. Ca

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: #33,022 - 2010, #30,019 - 2008, #28,347,

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
<b>GEOLOGICAL (scale, area)</b>			
Ground, mapping		#392328	\$16,600.00
Photo interpretation			
<b>GEOPHYSICAL (line-kilometres)</b>			
<b>Ground</b>			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
<b>Airborne</b>			
<b>GEOCHEMICAL (number of samples analysed for...)</b>			
Soil			
Silt			
Rock	10 rock chip samples submitted	VA014053745 - ALS Vancouver BC	
Other			
<b>DRILLING (total metres; number of holes, size)</b>			
Core			
Non-core			
<b>RELATED TECHNICAL</b>			
Sampling/assaying	128 rock chip samples collected	white limestone	
Petrographic			
Mineralographic			
Metallurgic			
<b>PROSPECTING (scale, area)</b>			
<b>PREPARATORY / PHYSICAL</b>			
Line/grid (kilometres)	9847m of GPS sampling survey line	established in field, 14 separate lines	
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other	Grid area established, sampled, preparation for	hand drilling program	
<b>TOTAL COST:</b>			<b>\$16,600.00</b>



***Table of Contents***

Cover Page .....	1
Table of contents .....	2
Executive Summary, note to reader.....	3
Exploration in Port Renfrew .....	4
Tenure ownership.....	5
Area history.....	6
Geology.....	7 to 8
Minfile occurrences.....	9
Tenure accessibility, area resources.....	10
Author, disclaimer .....	11
Costs.....	12
Reference information.....	13
Area authors.....	14
Appendix A	
Golden 8 technical information.....	15 to 26
- Reference working maps .....	Figure maps A, B, C
Summary of Assessment work completed, recommendations.....	27
Summary of geochemical analysis.....	28
Appendix B	
ALS Laboratory Services	
Geochemical analysis.....	29 to 30
VA014053745 – (2013 / 2014)	
VA010045618 – (2010 – reference only)	
Photos.....	31
E-mail of conformation of event .....	32 to 33



**Le Baron Prospecting  
Port Renfrew, BC**

**Executive Summary:**


San Juan Marble Developments Ltd and Le Baron Prospecting hold strategic mineral tenures situated on Southwestern Vancouver Island, BC, in very close proximity to the community of Port Renfrew, which is located approximately 100 kilometers west of Victoria BC. Exploration has been completed and is ongoing on this and other tenures held jointly by the associates of Le Baron Prospecting and San Juan Marble Developments.

This mineral tenure is underlain by predominately metamorphosed intrusions of volcanic and mafic intrusions (diorites) of the West coast Crystalline Complex. The first detailed vertical gradient mapping and aeromagnetic surveying conducted by Emerald Field Resources Corporation was in 2006 and again in 2009 by Pacific Iron Ore indicated the area is of economic importance with two identified areas of significant interest, Bugaboo and Reko. Subsequent exploration which involved more drilling and a more detailed airborne magnetic resolution mapping has occurred.

There are documented anomalous Fe, Cu, Ni, and Au anomalies in this area, also identified is Cu-Ni-Co and PGE'S are present within the "Pearson Project".




# Golden 8 Project



### Legend

-  Indian Reserves
-  National Parks
-  Conservancy Areas
-  Parks
-  Federal Transfer Lands
-  MTO Grid (MTO)
-  Mineral Tenure (current)
-  Mineral Claim
-  Mineral Lease
-  Mineral Reserves (current)
-  Placer Claim Designation
-  Placer Lease Designation
-  No Staking Reserve
-  Conditional Reserve
-  Release Required Reserve
-  Surface Restriction
-  Recreation Area
-  Others
-  First Nations Treaty Related Lands
-  First Nations Treaty Lands
-  Integrated Cadastral Fabric
-  Survey Parcels
-  BCGS Grid
-  Contours (1:250K)
-  Contour - Index
-  Contour - Intermediate
-  Area of Exclusion
-  Area of Indefinite Contours
-  Annotation (1:20K)
-  Transportation - Points (TRIM)



Map center: 48° 37' 41" N, 124° 16' 6" W



Scale: 1:31,140

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Tenure overview map





**Le Baron Prospecting  
Port Renfrew, BC**

### **Present Exploration in Port Renfrew:**

The first documented exploration occurred in 1872 within the San Juan Valley of port Renfrew, since this time multiple reports have been filed in ARIS and Minfile. Several companies from Noranda (1960's to 70's) to Pacific Iron Ore (2013) have conducted vast exploration; it wasn't till 1997 that a local prospector first staked tenures on this West coast Crystalline Complex of ultramafic intrusions. The mineral exploration company Emerald Field Resources Corporation of Kenora, Ontario started staking in Port Renfrew in 2002. San Juan Marble Developments and Le Baron Prospecting have held tenures on this intrusion since 2000. Since this time, EFR has explored the area and named their project "The Pearson Project". This original block of tenures consists of 147 mineral tenures on this intrusion.

San Juan Marble Developments and Le Baron Prospecting hold strategic mineral tenures inside the "Pearson Project" fence, with a combined 118 mineral tenures or 17,067 ha of strategic mineral tenures in the Port Renfrew area.

In 2006, Emerald Field Resources, completed an airborne aeromagnetic survey conducted by Furgo Airborne Services over the Pearson Block of mineral tenures, [ARIS report #28751], this report covered the Pearson Block of 147 tenures of 36,345 ha of large tenures. The resulting study was summarized by Monika Sumara, a consulting geophysics, and Dr. Canil of the University of Victoria, and Dr. Richard Ernst of Ernst Geosciences BC, a copy of this report is included.

Several targets of interest, referred to as "P-targets" require follow up exploration based upon the aeromagnetic survey.

San Juan Developments and Le Baron Prospecting hold the mineral rights to several "P- Targets" of interest.

As a result of the merger of Klondike Capital in 2006/ 07 and the formation of Pacific Iron Ore vast amounts of mineral tenures were staked prior to this formation, this vast staking resulted in the Golden tenures and other subsequent tenures jointly owned by the owners of Le Baron Prospecting and San Juan Marble Developments to becoming completely encompassed in the Pearson Project.

The Pearson Iron Ore Project is of historic proportions, it is over 27 kilometers in length, and over 4 kilometers in width, and is of vast depth.

In 2013 Pacific Iron Ore sold 100% interest of their controlling share to Canadian Dehua Mining Incorporated, based out of Vancouver BC. Canadian Dehua's interest in the property is unknown at this time.

This deposit is proving to be of potential economic importance to the Province of British Columbia.



**Le Baron Prospecting  
Port Renfrew, BC**

**Tenure Ownership:**

These tenures are jointly owned by the following:

Raymond Oshust: FMC #141465 – 25%

Marjorie Rooke: FMC #208494 – 57%%

Gordon Saunders: FMC #145703 – 10%

Scott Phillips: FMC # 145817 – 3%

Stewart MacDiarmid: FMC #208748 – 5%

<b>Tenure</b>	<b>name</b>	<b>owner</b>	<b>issue date</b>	<b>good to date</b>	<b>status</b>	<b>area</b>
392328	Golden 8	See above	2002/Mar/09	2017/June/10	good	500 ha





**Le Baron Prospecting  
Port Renfrew, BC**

### **History:**

The Port Renfrew area contains close to 50 mineral occurrences as documented in the British Columbia provincial mineral inventory database; reference MINFILE: (See Table 1) for MINFILE locations in the area that is subject of this report.

The most significant occurrences in the area are the historic Bugaboo iron (magnetite) skarn deposits which are located in the headwaters of Bugaboo Creek, and the Reko iron (magnetite) skarn deposits located within the headwaters of Granite / Renfrew Creek area. (The Golden # 5 – tenure #392325 is located here.)

Both the Bugaboo and Reko deposits contain historic reserves, and currently Pacific Iron Ore is completing further drilling upon the Bugaboo deposit (which it owns) to prove its reserves farther. More information on Pacific Iron's resource estimate can be found on their web site: [www.pacificironorecorp.com](http://www.pacificironorecorp.com)

### **REKO Showing: - history**

In the Granite Creek / Renfrew Creek area bulldozing and blasting by B.C. Forest Products road-building crews during the summer of 1970 uncovered showings of magnetite and sulphides near the upper reaches of Renfrew Creek (Reko showings). The Reko 1-6 claims were staked on these showings in July 1970 by Mr. M. Levasseur. Sampling of the exposed mineralization was subsequently carried out. Levasseur and associates incorporated Reko Explorations Ltd. in July 1971. Further staking in 1971-72 expanded the property to 66 claims. The exploration work conducted during 1971 included x-ray diamond drilling totaling 37 meters in 6 holes and a limited magnetometer survey. During 1972-73, work included geological mapping, magnetometer surveys over 120 line-kilometers, an electromagnetic survey over 80 line-kilometers, an induced potential survey over 19 line kilometers, trenching, and 5300 meters of diamond drilling in 100 holes on Reko 3, 4, 9, 10 and 42. The adjoining Kestrel 1-15 claims were purchased from M. Dickens of Savona in January 1974. Work during the year included 89 meters of diamond drilling in 6 holes on Reko 37. Drilling in 1972 on the South Pit B zone indicated a magnetite bearing zone 94 meters long, over 30 meters wide and up to 50 meters deep. The average grade indicated by the core assay was 22.28% iron. In 1973-74, R.L. Roscoe estimated 1,111,242 tonnes in five combined zones (Zone 1, 2, 3, 5, and 8) without specifying grades. South Pit B zone (or Zone 2) contains 970,597 tonnes. See MINFILE occurrences for detailed descriptions

The tenures which were staked by REKO explorations were allowed to lapse for several years until a local prospector began staking tenures on what was thought as ultramafic intrusions and this began a subsequent staking rush of the area of the Goldian and RNR and adjoining tenures staked in the area.

This resulted in Emerald Field Resources now referred to as Pacific Iron Ore staking and optioning other remaining tenures within the Port Renfrew area in 2004 to present. This has resulted in a continuous tenure block in which the tenures owned jointly by Le Baron Prospecting and San Juan Marble Developments being completely encompassed in is what is now known as the Pearson Project. Pacific Iron has completed several airborne aeromagnetic surveys over the entire area and resulting data reveals a great deal of structural variety compared to the widespread high level magnetic response visible on a regional scale.

A detailed compilation of at least 19 anomalies throughout the surveyed area (see table 2)



**Le Baron Prospecting  
Port Renfrew, BC**

### **Geology setting:**

Much of the information in this section has been sourced from Geological Survey of Canada Open File 821 (Muller, 1982), Assessment Reports 5029, 25877, 27246, 27280, 27517 and various reports conducted by Pacific Iron Ore.

According to the Survey of Canada, these tenures lie in the Insular Tectonic Belt where three distinct terranes occur. In the north are Paleozoic to Mesozoic rocks of the Wrangell Terrane consisting of Lower Jurassic Bonanza Group calc-alkaline and volcanic rocks, Middle to Upper Triassic Vancouver Group basaltic volcanic rocks and limestones, Early to Middle Jurassic Island Plutonic Suite quartz monzonitic to granodiorite intrusive rocks, and Paleozoic to Jurassic

The West coast Crystalline Complex diorite intrusive rocks include the younger sedimentary and volcanic rocks of the Pacific Rim Terrane which are thrust beneath the southern and western edges of the Wrangellia rocks along the San Juan and Survey Mountain faults. The San Juan Fault extends from near Port Renfrew to beyond Cobble Hill and for much of its length separates Pacific Rim Terrane from Wrangellia. Pacific Rim Terrane rocks consist of Jurassic to Cretaceous Leech River Complex greenstone, green schist metamorphic rocks, sedimentary rocks and bimodal volcanic rocks. In the south, just below the property boundary, Crescent Terrane basaltic volcanic rocks belonging to the Paleocene to Eocene Metchosin Igneous Complex are emplaced beside and beneath the Pacific Rim Terrane along the Leech River Fault. Sedimentary rocks of the Upper Eocene to Oligocene Carmanah Group accumulated on the Crescent and Pacific Rim terranes.

Numerous north-northwest and east-west faults transect the area (Table 2 map).

Previously un-mapped ultramafic rocks have recently been discovered and identified in the area and are variously comprised of peridotite, serpentines peridotite, gabbros, pyroxenes and hornblendes.

### **Property Geology:**


The Reko iron (magnetite) skarn deposit (Golden 5 tenure) is an area which has been variously described by Menzies and Nicolls (1960), Young and Uglow (1926), Roscoe (1973), Eastwood (1974) and McKinley (2003) where the following information has been taken from the British Columbia mineral inventory database, MINFILE, document Reko, 092C 090, 91, 110, 146 See (Table 1).

The Granite / Renfrew Creek area is generally underlain by diorite rocks of the West coast Crystalline Complex in contact along irregular boundaries with limestone probably belonging to the Upper Triassic Quatsino Formation (Vancouver Group). The massive limestone bodies strike in a general north-northwest direction, and where bedding is evident. Dip at various angles to the north and south. The limestone varies from dark grey to blue to white and in some localities has been altered to marble. Most limestone bodies have been successively intruded by andesitic (greenstone) and fine-grained diorite dikes. The diorite rocks include fine grained, mafic rich and leucocratic diorite, medium to coarse-grained quartz diorite, and quartz diorite breccias containing fragments of fine-grained mafic diorite. The breccias locally grades to massive diorite. A set of long, narrow, fine grained grey dikes strike consistently at 020 degrees, transect all other rocks, and probably follow late fractures. Massive iron (magnetite) skarn deposits are developed near diorite and recrystallized limestone (marble) contacts and along zones of garnet-pyroxene skarn. The magnetite occurs as large fine to coarse grained massive bodies bounded by marble and/or diorite.



Le Baron Prospecting  
Port Renfrew, BC

Geological reference map:  
Pearson Project ARIS #31,531  
Table 2 – Golden 8 Mineral Tenure:



### GEOLOGICAL LEGEND

#### TERTIARY

Upper Eocene to Oligocene

**EOlc** CARMANAH GROUP: Undivided sedimentary rocks

Paleocene to Eocene

**PeEMvb** METCHOSHIN IGNEOUS COMPLEX - METCHOSHIN FORMATION:  
Basaltic volcanic rocks

#### JURASSIC TO CRETACEOUS

**JKL** LEECH RIVER COMPLEX: Greenstone, greenschist metamorphic rocks

**JKLs** LEECH RIVER COMPLEX - SURVEY MOUNTAIN VOLCANICS:  
Bimodal volcanic rocks

#### LOWER JURASSIC

**UJca** BONANZA GROUP: Calo-alkaline volcanic rocks

#### MIDDLE TRIASSIC TO UPPER TRIASSIC

##### VANCOUVER GROUP

**uTrvK** KARMUTSEN FORMATION: Basaltic volcanic rocks

**mTrvs** Undivided sedimentary rocks

#### INTRUSIVE ROCKS

##### TERTIARY

Eocene to Oligocene

**EOw** MOUNT WASHINGTON PLUTONIC SUITE:  
Quartz dioritic intrusive rocks

##### EARLY JURASSIC TO MIDDLE JURASSIC

**EMJgd** ISLAND PLUTONIC SUITE:  
Granodioritic intrusive rocks

##### PALEOZOIC TO JURASSIC

**PzJwg** WESTCOAST CRYSTALLINE COMPLEX:  
Intrusive rocks, undivided

Fault

Thrust Fault

Geological map and legend compiled from:

MapPlace (2005): Website, BC Ministry of Energy, Mines and Petroleum Resources, [www.mapplace.ca](http://www.mapplace.ca)


Muller, J.E. (1982): Geology, Nitinat Lake, British Columbia, Map and Notes; Geological Survey of Canada, Open File 821, scale 1:250 000.





**Le Baron Prospecting  
Port Renfrew, BC**

**Area Minfile reference map:  
(Table 1) – Golden 8 Mineral tenure**



**MINFILE OCCURRENCES**

092C 012	Red Dog	092C 099	Dore 52
092C 022	Bugaboo	092C 100	Dore 99
092C 023	David	092C 101	Dore 97
092C 024	Elijah	092C 102	TL 5798
092C 025	Sirdar	092C 103	Polly
092C 027	Baden Powell	092C 104	DL
092C 029	Tide	092C 106	Dore 162
092C 030	Rose	092C 107	Harris
092C 031	Tally	092C 110	Reko 38
092C 044	Sombrio Placers	092C 111	Fitinat
092C 058	Kinsley	092C 124	Gad
092C 059	Ox	092C 125	Lori
092C 063	Mal	092C 131	3 x 3
092C 068	Alfreda	092C 137	Ren
092C 071	Spanish	092C 140	Murton
092C 077	Ebb 1-12	092C 141	Ebb
092C 079	Nan	092C 142	Lizard
092C 085	Harris Creek	092C 143	Rat
092C 086	Gordon River	092C 146	Reko North
092C 089	Val	092C 152	New World Slate
092C 090	Reko 3	092C 157	Baird Creek Marble
092C 091	Reko 10	092C 158	Hemm
092C 093	Dore 30		





**Le Baron Prospecting  
Port Renfrew, BC**

**Accessibility, climate and infrastructure:**

The Golden 8 mineral tenure (property) is situated in the Victoria Mining Division on Vancouver Island; these tenures are located northwest of Victoria, British Columbia (Figure 1). The main service community is presently Port Renfrew, about 100 km west-northwest of Victoria. The claim tenures that are the subject of this report are located entirely on NTS map sheet 092C069 and have a rough center of 48.7105 north latitude and 124.5901 west longitude.

Access to the claims, where the present work focus is, is via Highway 14 to west Part Renfrew and thence by a considerable network of active and non-active logging roads located north of the Harris Creek Mainline.

The overall the property is underlain by moderately rugged and steep terrain Topography consists of regions of protruding and steeply sloped bluffs incised by numerous, north and northwest trending creeks and rivers (e.g. Gordon River, Renfrew Creek, and Hemmingsen Creek). Elevations range from 200 to 1200 meters above sea level.

The property is located within an exceptionally wet and mild rainforest climate region with cool summers and mild winters. In Port Renfrew, the main access community, there is an average of approximately 12 days of snowfall and only 15 days of snow cover over the year but at higher elevations regular winter snow conditions exist. Mean average daily temperatures range from a low of 3.2°C in January to 14.9°C in August. The area receives an impressive amount of rain, with a mean total rainfall of 64.1 mm in July, and 561.8 mm in November. The annual average total for rainfall is 3.6 meters.

Fieldwork in this area can be performed year round except at higher elevations where winter conditions prevail. Access to and on the property is excellent using an expansive and well developed network of logging roads. Other than road access, there is no significant infrastructure on the property. The community of Port Renfrew, population 180, is 10 kilometers south of the properties and is a source for fuel, groceries, accommodation, etc.

Port Renfrew is accessed by a 1¼ hour drive via Highway 14 from Victoria in the southeast or by all-weather logging roads from Lake Cowichan and Duncan in the northeast.

All of these tenures described in this assessment report are located upon crown land, in some areas the logging roads are gated however we retain the keys from the logging companies.

These claims also lie within the traditional territory of the Pacheedaht First Nations of Port Renfrew.



**Le Baron Prospecting  
Port Renfrew, BC**

**Author and Terms of Reference:**


I, Scott Phillips of Le Baron Prospecting and San Juan Marble Development Ltd am the author of this report. I hold key interests in the tenure referred to in this technical report. This report of the tenure (property) follows all guidelines in reference to technical report writing, also I am a "grass roots" local prospector who was born and raised in Port Renfrew and who has a vast knowledge of geological structure of the area.

**Author Disclaimer:**

- I, Scott Phillips have a valued interest in the tenures that is mentioned in this report.
- I have verified some of the field work to date, since becoming co-owner in February 2008.
- I consent to the use of the material within this prospecting report to further enhance the exploration and development of the subject tenure.
- *This report is correct in the information within and any use of this information to a second or third party is the responsibilities of those parties.*

**Author:**

- Scott Phillips [FMC # 145817]
- Many years experience prospecting the Port Renfrew area.
- Member in good standing with VIPMA. [Vancouver Island Miners Assn].
- Owns several mineral and placer tenures within the Port Renfrew Area.
- Author of many prospecting reports accepted within the Ministry standards.
- Is presently studying the formation of Wrangell, West Coast Crystalline Complex and the Leech River Complex.

Author , Date 04-20-2014



Le Baron Prospecting  
Port Renfrew, BC

**Statement of costs: Golden 8**

**Dates:**

**June 13<sup>th</sup> to 18<sup>th</sup> / 2013** – GPS grid layout and field sampling crew sampling

**July 5<sup>th</sup> to 11<sup>th</sup> / 2013** – field sampling crew, GPS sampling

**August 10<sup>th</sup> to 11<sup>th</sup> / 2013** – sampling, field verification of sampling crew work

R. Oshust (FMC #141465)

Field supervisor / owner

4 days @ \$350.00 / day..... = \$1,400.00

S. Phillips (FMC #145817)

Field supervisor / Forman / owner

8 days @ \$350.00 / day ..... = \$2,800.00

R. Bradshaw

Field labor

2 days @ \$200.00 / day..... = \$400.00

Thompson and sons

Survey sampling crew x 3 (1 worker 11 days)

2 workers @ 13 days @ \$200.00 / day x 2 workers .. = \$5,200.00

1 worker @ 11 days @ \$200.00 / day ..... = \$2,200.00

Total labor..... = \$12,000.00.....\$12,000.00

Transportation

Ray - Truck @ \$50.00 / day x 2 days..... = \$100.00

Scott – Truck @ \$50.00 / day x 8 days..... = \$400.00

Sampling crew @ \$50.00 / day x 13 days..... = \$650.00

Quad @ \$50.00 / day x 13 days..... = \$650.00

Total..... = \$1800.00.....\$1,800.00

Accommodations

Scott - \$70.00 / day x 4 days..... = \$280.00

Survey crew @ \$70.00 / day x 2 workers x 12 days..... = \$2520.00

Total..... = \$2800.00.....\$2,800.00

ALS Laboratory services

10 rock chip samples ..... (Not included at time of filing)

Le Baron Prospecting

Report data compilation and report preparation

\$350.00 / day x 2 days.....(included in Phillips time).....\$700.00

**Total applicable costs Golden 8 tenure 2013.....\$16,600.00**



**Le Baron Prospecting  
Port Renfrew, BC**

**Reference information:**

**Le Baron Prospecting Reports:**

28756, 28759, 27971, 27973, 29512, 28061, 28108, 28347, 28348, 28426, 28427, 28478, 28488,  
28505, 28572, 28668, 28952, 28953, 29217, 29228, 29291, 29292, 29293, 29317

**Emerald Field Resources Corporation**

#28715, #28059, #27517, #27246,

**Pacific Iron Ore**

# 28,751, #30,394, #30,337A + #30,337B, #30,640 , #31,260, #31,531A + #31,531B

**Galleon Gold Tenures:**

25697, 25877,

**Other tenures:**

Hemm – 26093, 26464, 27081,

Ren / Lizard, 14968, 14686,

Lizard, 12184

Beau pre ex, 14565, 16184,

Doc, 28075

Spanish, 11322

Reko, 05029

San Juan, 04359, 04940, 04941, 03672, 01656,

Ren, 00549

Stella, 00169

**Minfile Reports:**

092C012, 022, 023, 024, 025, 027, 030, 031, 068, 079, 085, 090, 091, 093, 099, 100, 101, 102,  
103, 104, 106, 107, 110, 141, 142, 146, 147, 157, 158





**Le Baron Prospecting  
Port Renfrew, BC**

**Appendix A**

**The Golden 8 Project**

**Tenure #392328**

**Technical Information**

**Field assessment work**


**The continuation of sampling of Limestone for dimension stone and white aggregate possibilities**

Figure Map F





# Golden 8 Project



### Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- BCGS Grid
- Contours (1:250K)
- Contour - Index
- Contour - Intermediate
- Area of Exclusion
- Area of Indefinite Contours
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airstrip

Map center: 48° 36' 58" N, 124° 15' 55" W



Scale: 1:67,633

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Tenure access roads



# Golden 8 Tenure



### Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- MTO Grid (MTO)
- Blocked by MEM
- Other
- Mineral Reserves (current)**
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)**
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Halipad


Scale: 1:18,684

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Area access roads



# Golden 8 Project



### Legend


- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Claim
- Mineral Lease
- Mineral Reserves (current)
  - Placer Claim Designation
  - Placer Lease Designation
  - No Staking Reserve
  - Conditional Reserve
  - Release Required Reserve
  - Surface Restriction
  - Recreation Area
  - Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
  - Contour - Index
  - Contour - Index.Indefinite
  - Contour - Index.Depression
  - Contour - Index.Depression Indefinite
  - Contour - Intermediate
  - Contour - Intermediate.Indefinite
  - Contour - Intermediate.Depression
  - Contour - Intermediate.Depression Indefinite

Map center: 48° 37' 47" N, 124° 16' 28" W

Scale: 1:15,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Working overview map  
Area of exploration and geochemical sampling  
GPS, sampling.







**Le Baron Prospecting  
Port Renfrew, BC**

**Introduction:**

The Golden 8 mineral tenure is located north / east of Port Renfrew BC. (See figure map A – tenure location). The legacy tenure Golden 8 is 500 ha in size and since it is legacy tenure its mineral rights supersede any cell tenures which may overlap. This tenure has been explored by this group over the years utilizing hand tools; several areas of interest have been identified in years past and are the continuation of exploration for this program.

A lot of exploration time has gone into the Golden 8 mineral tenure, from field exploration to the continuation of sampling the high grade calcium deposit for the purpose of dimension stone.

**Access:**

Access to the Golden 8 mineral tenure is by means of the Harris Creek Mainline, or known as the Pacific Marine Circle Route, 14 kilometers east of Port Renfrew, the Granite Mainline, 5.0 Km to Granite 3600 spur rd. the G3000 spur road requires a 4x4 truck, it is quite steep in places. There is several overgrown logging spur roads within the tenure, however the G3000 ML is clear to the G3220 junction. Accessing the remainder logging spur roads was by ATV and walking where applicable. The Granite ML also serves as an access point to the project accessing the G5000 spur road where applicable.

**Exploration Program:**

This exploration program was commenced over the tenure as reported commencing in June 2013 and was completed in August 2013, various dates as referenced in the Cost Statement section. This exploration involved a large GPS plotted grid of 14 GPS sampling survey lines established in field with hand sampling and geochemical analysis of rock chip samples taken approximately every 100 meters by rock hammer / chisel and placed in bags, tagged and field marked in place within the area of interest which were previously identified in assessment report filed in 2010.

**Geochemical analysis:**

All rock chip samples were sent to ALS Chemex of Vancouver for analysis. Samples collected by rock hammer, with a fraction of each being digested in hot aqua regia with 31 elements determined by the ME-ICP41m package utilizing inductively coupled plasma-atomic emission spectrometry. Also referenced (for reference only – non applicable for this assessment report) is geochemical analysis completed in (2010 assessment report) a Ca-VOL70 was used to test the CaCO<sub>3</sub> in the Limestone rock chip samples collected from the Golden 8 tenure.

Partial samples are kept for future reference and the returned samples are in storage in our holding facility in Port Renfrew and Chemainus.



**Sampling methods:**

All exploration has been conducted infield utilizing hand tools such as hammers, chisels, several GPS's, cameras, and surveyor tape. Field maps utilized by various employees have been stored and referenced for this assessment report. A survey crew completed the majority of the field assessment work under the direction and supervision of the mineral tenure owners who plotted and assisted in sampling and field work.

**Mapping:**

Field technical work was established infield, plotted on field working maps and transferred to scaled maps for this assessment report, the reported maps are scaled at 1-8400 as transferred from MTO, any smaller scale would result in multiple reference maps for the GPS survey lines, confusing the reader. (Detailed 1-5000 maps are available, if required).

# Golden 8 Project



## Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours



Scale: 1:9,000

Map center: 48° 37' 48" N, 124° 16' 24" W

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Working reference map A  
Working index map of GPS sampling survey lines



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical information:  
GPS sampling survey lines  
See reference maps B, C**

**Summary;**

A GPS roadside rock chip sampling program was conducted to redefine the roadside rock chip sampling that occurred only on a partial portion of the Granite 3000 spur road 2009. In the previous exploration we were preparing to establish a quarry permit for the northern end of the Golden 5 tenure, systematic exploration was established and lines were plotted in field in preparation for the application. More follow up is required before we move ahead with that application.

This exploration took in new data and looked deeper into the presence of possible ultramafic rocks exposed in the lower portion of the Golden 8 tenure, however the main focus is still on the vast amounts of white limestone, and rock chip samples were collected utilizing a hammer and chisel.

**Note to reader:**

Individual GPS sampling survey lines are listed as per below and referenced on Figure map B

**Reference Map B**

**Survey line A – AE west to AW**

#	GPS	Description
1	406521 x 5386520	Rock chip, white limestone, black streak, Spur rd G3000
2	406400 x 5386520	rock chip, white limestone, black streaks
3	406300 x 5386520	rock chip, white limestone, black streaks
4	406200 x 5386520	rock chip, white limestone, black streaks
5	406042 x 5386520	Spur rd G3200
6	406000 x 5386520	rock chip, massive white limestone, black streaks
7	405900 x 5386520	rock chip, white limestone, black streaks
8	405800 x 5386520	rock chip, white limestone, black streaks
9	405700 x 5386520	rock chip, white limestone, black streaks
10	405618 x 5386520	rock chip, white limestone, black streaks Spur rd G5000

**Summary;**

10 white limestone rock chip samples collected.  
905 GPS meters of survey sampling line established in field





Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map B**

**Survey line B – BE west to BW**

#	GPS	Description
1	406544 x 5386620	Rock chip, white limestone, black streak, Spur rd G3000
2	406400 x 5386620	rock chip, white limestone, black streaks
3	406300 x 5386620	rock chip, magnetite intrusive, contact, mafic dyke? <b>ALS J67797 – 6.5% Ca, 49.8% Fe</b>
4	406200 x 5386620	rock chip, white limestone, black streaks
5	406100 x 5386620	rock chip, white limestone
B	406071 x 5386620	Spur rd G3200
6	406000 x 5386620	rock chip, white limestone
7	405900 x 5386620	rock chip, white limestone, black streaks
8	405800 x 5386620	rock chip, white limestone, black streaks
9	405700 x 5386620	rock chip, white limestone, black streaks
10	405620 x 5386620	rock chip, white limestone, black streaks, Spur rd G5000

<p><b>Summary;</b></p> <p>10 white limestone rock chip samples collected. 1 of 10 samples analyzed, magnetite, sulfide, intrusive <b>ALS J67797 – 6.5% Ca, 49.8% Fe</b> 933 GPS meters of survey sampling line established in field</p>
---



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Reference Map B**

**Survey line C – CE west to CW**

#	GPS	Description
1	406602 x 5386700	Rock chip, white limestone, black streak, Spur rd G3000
2	406500 x 5386700	rock chip, white limestone, black streaks
3	406400 x 5386700	rock chip, white limestone, black streaks
4	406300 x 5386700	rock chip, white limestone, black streaks
5	406200 x 5386700	rock chip, white limestone
6	406100 x 5386700	rock chip, white limestone
C	406087 x 5386700	Spur rd G3200
7	406000 x 5386700	rock chip, white limestone
8	405900 x 5386700	rock chip, white limestone, black streaks
9	405800 x 5386700	rock chip, white limestone, black streaks
10	405700 x 5386700	rock chip, white limestone, black streaks
11	405524 x 5386700	rock chip, white limestone, black streaks, Spur rd G5000
12	405524 x 5386700	rock chip, white limestone, black streaks, western tenure boundary

<p><b>Summary;</b></p> <p>12 white limestone rock chip samples collected. 1116 GPS meters of survey sampling line established in field</p>
--



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map B**

**Survey line D – DE west to DW**

#	GPS	Description
1	406560 x 5386800	Rock chip, white limestone, black streak, Spur rd G3000
2	406500 x 5386800	rock chip, white limestone, black streaks
3	406400 x 5386800	rock chip, white limestone, black streaks
4	406300 x 5386800	rock chip, sulfide, magnetite, intrusive <b>ALS J677970 – 6.05% Ca, 33.2% Fe</b>
5	406200 x 5386800	rock chip, white limestone
6	406100 x 5386800	rock chip, white limestone
D	406105 x 5386800	Spur rd G3200
7	406000 x 5386800	rock chip, white limestone
8	405900 x 5386800	rock chip, white limestone, black streaks, Spur rd G3250
9	405800 x 5386800	rock chip, white limestone, black streaks
10	405700 x 5386800	rock chip, white limestone, black streaks
11	405600 x 5386800	rock chip, white limestone, black streaks,
12	405500 x 5386800	rock chip, white limestone, Spur rd G5000
13	405524 x 5386800	rock chip, white limestone, black streaks, western tenure boundary

**Summary;**

12 white limestone rock chip samples collected.  
1 of 12 samples analyzed, magnetite, sulfide, intrusive,  
**ALS J677970 – 6.05% Ca, 33.2% Fe**  
1029 GPS meters of survey sampling line established in field



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map B**


**Survey line E – EE west to EW**

#	GPS	Description
1	406499 x 5386900	Rock chip, white limestone, black streak, Spur rd G3000
2	406400 x 5386900	rock chip, white limestone, black streaks
3	406300 x 5386900	rock chip, white limestone, black streaks
4	406200 x 5386900	rock chip, white limestone, black streaks
E	406146 x 5386900	rock chip, white limestone, Spur rd G3200
5	406100 x 5386900	rock chip, white limestone
6	406000 x 5386900	rock chip, white limestone, black streaks
7	405900 x 5386900	rock chip, white limestone, Spur rd G3250, landing
8	405800 x 5386900	rock chip, white limestone, black streaks
9	405700 x 5386900	rock chip, white limestone, black streaks
10	405600 x 5386900	rock chip, white limestone, black streaks, Spur rd G5000
11	405530 x 5386900	rock chip, white limestone, black streaks, western tenure boundary.

**Summary;**

12 white limestone rock chip samples collected.  
969 GPS meters of survey sampling line established in field

# Golden 8 Project



### Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours

Scale: 1:8,454

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Working reference map B  
GPS rock chip sampling survey lines  
Geochemical reference locations

Map center: 48° 37' 35.8" N, 124° 16' 26.8" W



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Reference Map B**

**Survey line F – FE west to FW**

#	GPS	Description
1	406471 x 5387000	Rock chip, white limestone, black streak, Spur rd G3000
2	406400 x 5387000	rock chip, white limestone, black streaks
3	406300 x 5387000	rock chip, white limestone, black streaks
4	406200 x 5387000	rock chip, white limestone, black streaks
F	406126 x 5387000	rock chip, white limestone, Spur rd G3200
5	406100 x 5387000	rock chip, white limestone
6	406000 x 5387000	rock chip, white limestone, black streaks, <b>ALS J677969 37% Ca</b>
7	405900 x 5387060	rock chip, white limestone, Spur rd G3250, landing
8	405800 x 5387000	rock chip, white limestone, black streaks
9	405700 x 5387000	rock chip, white limestone, black streaks
10	405600 x 5387000	rock chip, white limestone, black streaks, Spur rd G5000
11	405530 x 5387000	rock chip, white limestone, black streaks, western tenure boundary.

<p><b>Summary;</b></p> <p>10 white limestone rock chip samples collected. 1 of 10 samples analyzed, magnetite, sulfide, intrusive, <b>ALS J677969 37% Ca</b> 941GPS meters of survey sampling line established in field</p>
---





**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Reference Map B/C**

**Survey line G – GE west to GW**

#	GPS	Description
1	406395 x 5387100	Rock chip, white limestone, black streak, Spur rd G3000 / G3400 junction
2	406300 x 5387100	rock chip, white limestone, black streaks
3	406200 x 5387100	rock chip, limestone
4	406100 x 5387100	rock chip, white limestone, black streaks
5	406000 x 5387100	rock chip, white limestone
G	405978 x 5387100	rock chip, white limestone, <b>ALS J677968, 37.9% Ca</b>
6	405900 x 5387100	rock chip, white limestone
7	405800 x 5387100	rock chip, white limestone, black streaks
8	405700 x 5387100	rock chip, white limestone, black streaks
9	405600 x 5387100	rock chip, white limestone, black streaks
10	405533 x 5387100	rock chip, white limestone, black streaks, western tenure boundary

**Summary;**

10 white limestone rock chip samples collected.  
1 of 10 samples analyzed, Limestone  
**ALS J677968 – 37.9% Ca.**  
862 GPS meters of survey sampling line established in field



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map B/C**

**Survey line H – H west to HW**

#	GPS	Description
1	406395 x 5387200	Rock chip, white limestone, black streak, Spur rd G3000 / G3400 junction
2	406300 x 5387200	rock chip, white limestone, black streaks
3	406200 x 5387200	rock chip, limestone
4	406100 x 5387200	rock chip, white limestone, black streaks
5	406000 x 5387200	rock chip, white limestone
G	405978 x 5387200	rock chip, white limestone, <b>ALS J677968, 37.9% Ca</b>
6	405900 x 5387200	rock chip, white limestone,
7	405800 x 5387200	rock chip, white limestone, black streaks
8	405700 x 5387200	rock chip, white limestone, black streaks
9	405600 x 5387200	rock chip, white limestone, black streaks
10	405533 x 5387200	rock chip, white limestone, black streaks, western tenure boundary

<p><b>Summary;</b></p> <p>10 white limestone rock chip samples collected. 1 of 10 samples analyzed, Limestone <b>ALS J677968 – 37.9% Ca.</b> 724 GPS meters of survey sampling line established in field</p>
--



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map B/C**

**Survey line I – IE west to IW**

#	GPS	Description
1	406204 x 5387300	Rock chip, white limestone, black streak, Spur rd G3000
2	406100 x 5387300	rock chip, white limestone, black streaks
3	405000 x 5387300	rock chip, limestone
4	405900 x 5387300	rock chip, white limestone, black streaks
	405857 x 5387300	rock chip, white limestone, black streaks <b>ALS J677966 – 38.4% Ca</b>
5	405800 x 5387300	rock chip, white limestone, Spur rd G3220
6	405600 x 5387300	rock chip, white limestone
7	405533 x 5387300	rock chip, white limestone, black streaks, western tenure boundary
<b>Summary;</b>  7 white limestone rock chip samples collected. 1 of 7 samples analyzed, Limestone <b>ALS J677966 – 38.4 % Ca.</b> 685 GPS meters of survey sampling line established in field		

**Technical Information:**

**Reference Map C**

**Survey line J – JE west to JW**

#	GPS	Description
1	406161 x 5387400	Rock chip, white limestone, black streak, Spur rd G3000
2	406100 x 5387400	rock chip, white limestone, black streaks
3	405000 x 5387400	rock chip, limestone
4	405900 x 5387400	rock chip, white limestone, black streaks
5	405800 x 5387400	rock chip, white limestone
5	405717 x 5387400	rock chip, white limestone, black streaks <b>ALS J677965 – 36.8% Ca</b>
6	405600 x 5387400	rock chip, white limestone
7	405540 x 5387400	rock chip, white limestone, black streaks, western tenure boundary
<b>Summary;</b>  7 white limestone rock chip samples collected. 1 of 7 samples analyzed, Limestone <b>ALS J677965 – 36.8% Ca.</b> 621 GPS meters of survey sampling line established in field		




# Golden 8 Project



## Legend

- Indian Reserves
- National Parks
- Conservancy Areas
- Parks
- Federal Transfer Lands
- MTO Grid (MTO)
- Mineral Tenure (current)
- Mineral Reserves (current)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- First Nations Treaty Related Lands
- First Nations Treaty Lands
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours



This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: Working reference map C  
GPS rock chip sampling survey lines  
Geochemical reference sample locations



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map C**

**Survey line K – KE west to KW**

#	GPS	Description
1	406121 x 5387450	Rock chip, white limestone, black streak, Spur rd G3000 MTO grid line
2	406000 x 5387450	rock chip, white limestone, black streaks
3	405900 x 5387450	rock chip, limestone, Spur rd G3225
4	405800 x 5387450	rock chip, white limestone, black streaks
	405755 x 5387450	rock chip, white limestone, black streaks <b>ALS J677964 – 36.7% Ca</b>
5	405600 x 5387450	rock chip, white limestone, Spur rd G3220
6	405539 x 5387450	rock chip, white limestone, western tenure boundary
<b>Summary;</b>  6 white limestone rock chip samples collected. 1 of 6 samples analyzed, Limestone <b>ALS J677964 – 36.7 % Ca.</b> 582 GPS meters of survey sampling line established in field		

**Technical Information:**

**Reference Map C**

**Survey line L – LE west to LW**

#	GPS	Description
1	406035 x 5387550	Rock chip, white limestone, black streak, Spur rd G3000
2	406800 x 5387550	rock chip, white limestone, black streaks
3	405700 x 5387550	rock chip, limestone, Spur rd G3225
	405683 x 5387550	rock chip, white limestone, black streaks <b>ALS J677973 – 37.9% Ca</b>
4	405600 x 5387550	rock chip, white limestone, black streaks
5	405537 x 5387550	rock chip, white limestone, western tenure boundary
<b>Summary;</b>  5 white limestone rock chip samples collected. 1 of 5 samples analyzed, limestone <b>ALS J677973 – 37.9% Ca</b> 498 GPS meters of survey sampling line established in field		



Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**

**Reference Map C**

**Survey line M – ME west to MW**

#	GPS	Description
1	405925 x 5387650	Rock chip, white limestone, black streak, Spur rd G3000
2	406800 x 5387650	rock chip, white limestone, black streaks
	405725 x 5387650	rock chip, limestone, Spur rd G3225 <b>ALS – J677972 – 37.0% Ca</b>
3	405600 x 5387650	rock chip, white limestone, black streaks
4	405543 x 5387650	rock chip, white limestone, black streaks
<b>Summary;</b>  4 white limestone rock chip samples collected. 1 of 4 samples analyzed, Limestone <b>ALS – J677972 – 37.0% Ca</b> 382 GPS meters of survey sampling line established in field		

**Technical Information:**

**Reference Map C**

**Survey line N – NE west to NW**

#	GPS	Description
1	405825 x 5387750	Rock chip, white limestone, black streak, Spur rd G3000 / G3220 junction.
2	406700 x 5387750	rock chip, white limestone, black streaks
3	405540 x 5387750	rock chip, limestone, western tenure boundary
<b>Summary;</b>  3 white limestone rock chip samples collected. 285 GPS meters of survey sampling line established in field		





**Le Baron Prospecting  
Port Renfrew, BC**

#### **Technical Information:**

##### **Summary of work completed within the Golden 8 tenure**

**128** rock chip samples collected throughout the grid area established utilizing rock hammers and chisels, overburden was removed where applicable to expose bedrock where bedrock was not exposed.

**10** of the 128 rock chip samples collected in field were subject to geochemical analysis

**14** GPS survey lines established in field, GPS sampling every 100 meters where applicable.

**9847** GPS meters of survey lines established in field

All locations flagged in field utilizing surveyor's ribbon, marked with GPS.

##### **Note to reader: (for reference only, not included in assessment work 2013)**

Within the tenure, the author has referenced and included on the working field maps geochemical analysis conducted in 2010, this is to confirm that the limestone samples collected and analyzed for its purity, the geochemical analysis conducted in 2013 analyzed for all elements within the samples collected and not purity.

##### **See working field maps B and C for locations of samples.**

G3000 spur rd, south of AE sample location – 2010 – ALS - E678456 – 96.58% Ca

G3000 spur rd, CE roadside sample location – 2010 – ALS – E687457 – 99.52% Ca

G3000 spur rd, grid line I roadside sample location – 2010 – ALS – E687458 – 99.29% Ca

G3000 spur rd, grid line L roadside sample location – 2010 – ALS – E687459 – 98.07% Ca

G3000 spur rd, north of grid line sample location – 2010 – ALS – E687460 – 94.66% Ca

G3000 spur rd, north of grid line sample location – 2010 – ALS – E687460 – 95.47% Ca

G3000 spur rd, north of grid line sample location – 2010 – ALS – E687460 – 95.61% Ca

##### **Summary / recommendations**

This is by far the largest exploration program concluded within the tenure since its establishment in March 09 / 2002.

A grid line GPS survey was concluded over the western portion of the tenure in the area of massive white limestone. This is of interest as to the value of white dimension stone, or crushed stone.

Areas have been identified for a planned hand drilling program to be conducted in the future.

There is within the tenure hints of magnetite intrusive within the contact and some roadside exposures sampled but not reported within this assessment report areas of the white limestone that may suggest a magnetite body may be below at depth, the REKO showings are located north west of this tenure, and roadside (Granite ML) sampling conducted by Pacific Iron Ore within their adjacent tenures which surrounded the Golden 8 tenure have proved that there is magnetite exposures.

A hand drilling program is required, and will be planned for 2014 / 2015.

This tenure is of importance and requires ongoing exploration.



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Geochemical analysis summary**

**Reference to certificate VA1405374 – 2013 / 2014**

10 rock chip samples were selected from the 128 samples collected infield, these samples were collected upon the main body of interest and are the beginnings of proving this resource deposit farther.

The 10 samples were submitted to ALS Laboratory Services in Vancouver for analysis, utilizing the ME- ICP41a, which is a high grade Aqua Regia ICP digestion, resulting in a 35 element result for each sample submitted.

The summary of the results of the data obtained for the samples submitted is that the samples were non-detective in most samples for the multi element, with high Ca % which was expected, and 2 samples submitted J677970 – 1.80% Cu, 33.2% Fe, J677971 – 0.185% Cu, 49.8% Fe were of interest.

See analytical sheet for specific details.

**Note to reader (for reference only, not included in this assessment)  
VA010045618 - 2010**

**2010 geochemical analysis is included for reference material only.**

A Ca-C03, or a Ca-VOL70 method was used to test the purity of the limestone samples submitted in 2010 for purity, those results are included in this assessment report as some of those samples were taken from roadside along the G3000 and in the subject sample area.

The results are very impressive with all samples obtained >90% Ca.  
See applicable working maps for locations and the certificate of analysis for details.



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:  
Analytical Methods  
ALS Laboratory Services  
Vancouver BC**

**Certificate of Analysis**

**The Golden 8 Project**

**VA14053745 – (2014)**

**VA10045618 – (2010 – for reference only)**





**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Trace Level Methods by  
Aqua Regia**

These methods are economical tools for first pass exploration geochemistry. Data reported from an aqua regia digestion should be considered as representing only the leachable portion of the particular analyte.

Minimum sample size is 1g.

**35 Element Package by Aqua Regia and ICP-AES**

ANALYTES & RANGES (ppm)						CODE	PRICE PER SAMPLE (\$)		
Ag	0.2-100	Ca	1-10,000	Mn	5-50,000	ME-ICP41	11.15 complete package or 5.70 plus 0.65/element		
Al	0.01%-25%	Cr	1-10,000	Mo	1-10,000			Th	20-10,000
As	2-10,000	Cu	1-10,000	Na	0.01%-10%			Ti	0.01%-10%
B	10-10,000	Fe	0.01%-50%	Ni	1-10,000			Tl	10-10,000
Ba	10-10,000	Ga	10-10,000	P	10-10,000			U	10-10,000
Be	0.5-1,000	Hg	1-10,000	Pb	2-10,000			V	1-10,000
Bi	2-10,000	K	0.01%-10%	S	0.01%-10%			W	10-10,000
Ca	0.01%-25%	La	10-10,000	Sb	2-10,000			Zn	2-10,000
Cd	0.5-1,000	Mg	0.01%-25%	Sc	1-10,000				
								ME-ICP41m	17.55

Note: To include Hg to a lower detection limit of 0.005ppm in this suite of elements, please request method ME-ICP41m instead of ME-ICP41.

**Note:**

Single element CaCO<sub>3</sub> was used as a single element utilizing this fusion.  
Ca-VOL70

Limestone, Dolomite, Magnesite, Magnesia	CaO, MgO, Al <sub>2</sub> O <sub>3</sub> , Fe <sub>2</sub> O <sub>3</sub> , SiO <sub>2</sub> , LOI***	Fusion, ICP-AES	ME-ICP86	44.00
---	---	-----------------	----------	-------



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING  
 3317 HENRY ROAD  
 CHEMAINUS BC V0R 1K4

Page: 1  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13- APR- 2014  
 This copy reported on  
 15- APR- 2014  
 Account: LEBPRO

**CERTIFICATE VA14053745**

Project: Golden#8 Project

P.O. No.:

This report is for 10 Rock samples submitted to our lab in Vancouver, BC, Canada on 8- APR- 2014.

The following have access to data associated with this certificate:

RAYMOND OSHUST

SCOTT P.

SCOTT PHILLIPS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
LOG- 21	Sample logging - ClientBarcode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
ME- ICP41a	High Grade Aqua Regia ICP- AES	ICP- AES

To: LE BARON PROSPECTING  
 ATTN: SCOTT PHILLIPS  
 3317 HENRY ROAD  
 CHEMAINUS BC V0R 1K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING  
 3317 HENRY ROAD  
 CHEMAINUS BC V0R 1K4

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13-APR-2014  
 Account: LEBPRO

Project: Golden#8 Project

**CERTIFICATE OF ANALYSIS VA14053745**

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a	ME- ICP41a
		Recvd Wt. kg 0.02	Ag ppm 1	Al % 0.05	As ppm 10	Ba ppm 50	Be ppm 5	Bi ppm 10	Ca % 0.05	Cd ppm 5	Co ppm 5	Cr ppm 5	Cu ppm 5	Fe % 0.05	Ce ppm 50	Hg ppm 5
J677962		0.68	<1	0.07	<10	<50	<5	<10	37.0	<5	<5	<5	0.14	<50	<5	
J677963		0.40	<1	<0.05	10	<50	<5	<10	37.9	<5	7	<5	0.08	<50	<5	
J677964		0.68	<1	0.08	<10	<50	<5	<10	36.7	<5	7	<5	0.18	<50	9	
J677965		0.68	<1	0.08	<10	<50	<5	<10	36.6	<5	6	<5	0.10	<50	8	
J677966		0.68	<1	<0.05	<10	<50	<5	<10	38.4	<5	5	<5	<0.05	<50	<5	
J677967		0.64	<1	0.08	<10	<50	<5	10	37.1	<5	6	<5	8	0.07	<50	<5
J677968		0.80	<1	<0.05	<10	<50	<5	<10	37.9	<5	<5	<5	15	0.15	<50	5
J677969		0.62	1	<0.05	20	<50	<5	<10	37.6	<5	<5	<5	14	<0.05	<50	<5
J677970		0.76	3	0.90	<10	<50	<5	10	6.05	<5	1346	9	18100	33.2	<50	10
J677971		1.08	<1	0.51	40	70	<5	10	0.69	<5	62	13	185	49.8	<50	<5





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING  
 3317 HENRY ROAD  
 CHEMAINUS BC V0R 1K4

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13- APR- 2014  
 Account: LEBPRO

Project: Golden#8 Project

**CERTIFICATE OF ANALYSIS VA14053745**

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.05	30	0.05	30	5	0.05	5	50	10	0.05	10	5	100	0.05	
J677962		<0.05	<50	0.26	30	<5	<0.05	<5	50	<10	0.15	<10	<5	3700	<100	<0.05
J677963		<0.05	<50	0.27	<30	<5	<0.05	<5	<50	<10	0.05	10	<5	4410	<100	<0.05
J677964		<0.05	<50	1.03	120	<5	<0.05	<5	<50	<10	0.21	<10	<5	3150	<100	<0.05
J677965		<0.05	<50	0.99	110	<5	<0.05	<5	<50	<10	0.09	<10	<5	2080	<100	<0.05
J677966		<0.05	<50	0.26	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	2080	<100	<0.05
J677967		<0.05	<50	1.43	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	475	<100	<0.05
J677968		<0.05	<50	0.30	310	<5	<0.05	<5	170	<10	0.09	<10	<5	400	<100	<0.05
J677969		<0.05	<50	0.55	40	<5	<0.05	<5	<50	<10	0.05	<10	<5	1900	<100	<0.05
J677970		<0.05	<50	<0.05	1100	<5	<0.05	801	570	<10	>10.0	<10	<5	6	<100	0.05
J677971		<0.05	<50	0.25	990	<5	<0.05	9	470	10	0.05	<10	<5	14	<100	<0.05



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING  
 3317 HENRY ROAD  
 CHEMAINUS BC V0R 1K4

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13-APR-2014  
 Account: LEBPRO

Project: Golden#8 Project

**CERTIFICATE OF ANALYSIS VA14053745**

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Ti	U	V	W	Zn
		ppm 50	ppm 50	ppm 5	ppm 50	ppm 10
J677962		<50	<50	<5	<50	<10
J677963		<50	<50	<5	<50	10
J677964		<50	<50	<5	<50	10
J677965		<50	<50	5	<50	10
J677966		<50	<50	<5	<50	10
J677967		<50	<50	7	<50	10
J677968		<50	<50	8	<50	10
J677969		<50	<50	<5	<50	<10
J677970		<50	<50	30	<50	30
J677971		<50	<50	38	<50	220



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: LE BARON PROSPECTING  
3317 HENRY ROAD  
CHEMAINUS BC V0R 1K4

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 13-APR-2014  
Account: LEBPRO

Project: Golden#8 Project

**CERTIFICATE OF ANALYSIS VA14053745**

<b>CERTIFICATE COMMENTS</b>									
<b>Applies to Method:</b>	<p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tr><td>CRU- 31</td><td>CRU- QC</td><td>LOG- 21</td><td>ME- ICP41a</td></tr><tr><td>PUL- 31</td><td>PUL- QC</td><td>SPL- 21</td><td>WEI- 21</td></tr></table>	CRU- 31	CRU- QC	LOG- 21	ME- ICP41a	PUL- 31	PUL- QC	SPL- 21	WEI- 21
CRU- 31	CRU- QC	LOG- 21	ME- ICP41a						
PUL- 31	PUL- QC	SPL- 21	WEI- 21						





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

Phone: 604 964 0221 Fax: 604 964 0218 www.alschemex.com

To: SAUNDERS, GORDON  
2660 CEDAR HILL ROAD  
VICTORIA BC V8T 3H2

Page: 1  
Finalized Date: 22-APR-2010  
This copy reported on 26-APR-2010  
Account: SAUGOR

## CERTIFICATE VA10045618

Project: Golden #8 Project

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Vancouver, BC, Canada on 16-APR-2010.

The following have access to data associated with this certificate:

RAY OSJUST

SCOTT PHILLIPS

GORDON SAUNDERS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
CRU-31	Fine crushing - 70% <2mm

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
Ca-VOL70	CaCO3 in Limestone

To: SAUNDERS, GORDON  
ATTN: SCOTT PHILLIPS  
9298 CHESTNUT ROAD  
CHEMAINUS BC V0R 1K6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SAUNDERS, GORDON

2650 CEDAR HILL ROAD

VICTORIA BC V8T 3H2

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 22-APR-2010

Account: SAUGOR

Project: Golden #8 Project

## CERTIFICATE OF ANALYSIS VA10045618

Sample Description	Method Analyte Units LOR	WB-21	Ca-VOL70
		Recvd Wt. kg 0.02	CaCO3 % 0.01
E687451		0.24	95.68
E687452		0.18	94.89
E687453		0.20	97.77
E687454		0.24	96.60
E687455		0.24	95.36
E687456		0.18	96.58
E687457		0.18	98.52
E687458		0.30	99.29
E687459		0.24	99.07
E687460		0.30	94.68
E687461		0.18	95.47
E687462		0.10	95.61



**Le Baron Prospecting  
Port Renfrew, BC**

**Technical Information:**

**Photos**

White limestone outcrop – roadside G3000



**White limestone – black streak within rock**





Le Baron Prospecting  
Port Renfrew, BC

**Technical Information:**  
Email conformation of event

MT.Online@gov.bc.ca  
10/09/2013

To: islandprospector@yahoo.com, gordonss2007@gmail.com, scottphillips53@msn.com, mrooke@shaw.ca

From: **MT.Online@gov.bc.ca**  
Sent: September-10-13 12:52:25 AM  
To: islandprospector@yahoo.com; gordonss2007@gmail.com; scottphillips53@msn.com; mrooke@shaw.ca

**This email is to confirm submission of the following Mineral Titles Online event:**

**Event Number:** 5466684

**Event Type:** SOW – Exploration and Development Work / Expiry Date Change

**Recording Date:** 2013/SEP/09

**Tenure Type:** Mineral Claim

**Owner(s):** OSHUST, RAYMOND JOSEPH (141465), 25.0%  
SAUNDERS, GORDON STUART (145703), 10.0%  
PHILLIPS, SCOTT LE BARRON DEGOURLAY (145817), 3.0%  
ROOKE, MARJORIE ALICE (208494), 57.0%  
MCDIARMID, GEORGE STEWART (208748), 5.0%

**Event Detail:** <https://www.mtonline.gov.bc.ca/mtov/eventDetail.do?eventID=5466684>

**Work Type Description:** Technical Work

**Physical Items:** Geochemical

**Financial Summary:**

**Total Required Work Amount:** \$15746.58

**PAC Name:** Le Baron

**PAC Debit:** \$0.00



**PAC Credit:** \$913.42  
**Total Submission Fees:** \$0.00  
**Total Paid:** \$0.00

**Work Start Date:** 2013/jun/13  
**Work Stop Date:** 2013/aug/11  
**Total Value of Work:** 16660.00  
**Mine Permit No:**

**Summary of the work value:**

**Tenure Number:** 392328  
**Tenure Type:** Mineral Claim  
**Claim Name/Property:** GOLDEN 8  
**Issue Date:** 2002/mar/09  
**Old Good To Date:** 2013/sep/10  
**New Good To Date:** 2017/jun/15  
**Number of Days Forward:** 1374  
**Area in Ha:** 500.0  
**Tenure Required Work Amount:** \$15746.58  
**Tenure Submission Fee:** \$0.00