

Ministry of Energy and Mines
Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: DRILLING

TOTAL COST: \$179,000

AUTHOR(S): ROBERT S CAMERON

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-610

YEAR OF WORK: 2013

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5491946, Feb 25, 2014

PROPERTY NAME: OCTOBER DOME/MT. POLLEY

CLAIM NAME(S) (on which the work was done): 391274 - 75, 502729, 503635, 504621, 512119, 512127 512129 - 30, 517298, 517331, 396860, 398668, 415567 - 68, 512132 - 33, 512138 - 41, 512125 - 26; 517238, 517324, 406353 - 60, 406365 - 68, 534155 - 56, 534158, 953668

COMMODITIES SOUGHT: CU, AU

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: NONE

MINING DIVISION: CARIBOO

NTS/BCGS: 93A12

LATITUDE: 52 ° 38 '25 " LONGITUDE: 121 ° 39 '56 " (at centre of work)

OWNER(S):

1) BEARING RESOURCES LTD.

2) Glengarry Developments Inc

MAILING ADDRESS:

280-625 HOWE ST. VANCOUVER, BC

V6C 2T6

OPERATOR(S) [who paid for the work]:

1) BEARING RESOURCES LTD

2)

MAILING ADDRESS:

SAME

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

QUESNEL TROUGH, BULLION PIT, DIORITE, SYENITE, BASALT, TRIASSIC, JURASSIC, POTASSIC, PROPYLYTIC

ALKALIC PORPHYRY COPPER

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 5954, 5955, 5956, 6437, 6861

12663, 13390, 13964, 15000, 15264

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock	570 SAMPLES (ANALYSED FOR 36 ELEMENTS)	504621, 391275	\$19,000
Other			
DRILLING (total metres; number of holes, size)			
Core	1086 METRES, 5 HOLES, NQWL	504621, 391275	\$160,000
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			\$179,000

**DIAMOND DRILL REPORT ON THE OCTOBER DOME PROPERTY,
MOUNT POLLEY PROJECT**

Likely B.C., Cariboo Mining Division
NTS 93 A 12
52 DEG 38 MIN 25 SEC N
121 DEG 39 MIN 56 SEC W

October Dome Tenure No's.:

391274 - 75, 502729, 503635, 504621, 512119, 512127
512129 - 30, 517298, 517331, 525967, 584968, 585021

Contiguous Mount Polley Property Tenure No's.:

396860, 398668, 415567 - 68,
512132 - 33,
512138 - 41, 512125 - 26; 517238, 517324

Contiguous Glengarry K Property Tenure No's.:

406353 - 60, 406365 - 68, 534155 - 56, 534158, 953668

**BC Geological Survey
Assessment Report
34830**

for:

**BEARING RESOURCES LTD.
(OPERATOR)**

1280 - 625 Howe Street
Vancouver, B.C. V6C 2T6
Tel (604) 682-5546 Fax (604) 682-5542

by:

Robert Cameron, P.Geo.
President
Bearing Resources Ltd.

July 11, 2014

TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY	2
2.0	INTRODUCTION	3
3.0	PROPERTY DESCRIPTION AND LOCATION	3
3.1	LOCATION	3
3.2	DESCRIPTION AND OWNERSHIP	5
4.0	ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY.....	8
4.1	ACCESS	8
4.2	CLIMATE AND VEGETATION	8
4.3	PHYSIOGRAPHY	9
4.4	INFRASTRUCTURE AND LOCAL RESOURCES	9
5.0	PROPERTY HISTORY.....	9
6.0	REGIONAL GEOLOGY.....	13
7.0	LOCAL GEOLOGY	14
8.0	2010, 2011 WORK PROGRAM.....	15
8.1	SOIL SAMPLING SURVEY	ERROR! BOOKMARK NOT DEFINED.
8.2	SAMPLING METHOD	15
8.3	SAMPLE PREPARATION, ANALYSIS AND SECURITY	15
9.0	DISCUSSION OF RESULTS.....	16
10.0	CONCLUSIONS AND RECOMMENDATION.....	16
12.0	EXPENDITURE STATEMENT	18
13.0	REFERENCES	18
14.0	STATEMENT OF AUTHORSHIP.....	22

TABLES

Table 1	October Dome Mount Polley Project mineral tenure summary data, as of July 11, 2013	8
Table 2	Drill Hole Locations	12
Table 3	Recommended exploration budget for the October Dome Property	19

FIGURES

Figure 1	Location Map and Regional Geology, October Dome Project, British Columbia, Canada	4
Figure 2	Claim map, October Dome Property	7
Figure	Drill Plan Map	In Pocket
Figure a-e	Cross sections	In Pocket

APPENDICES

Appendix 1	Certificate of Author
Appendix 2	Drill Logs
Appendix 3	Analytical Certificates

1.0 EXECUTIVE SUMMARY

The October Dome Property is located in the Cariboo Mining Division of British Columbia and covers the southern bank of the Quesnel River, 6 km west of the town of Likely. The Property is located at 589638 m East and 5833544 m North, (WGS 84, Zone 10) on NTS map sheet 093A/12.

This report describes diamond drilling completed in 2013. A total of 1086m of diamond drilling in six holes was completed in September and October of 2013.

Previous work had outlined a four kilometre long trend of elevated soil geochemistry defined by gold greater than 16 ppb (max value 1664 ppb) and copper greater than 100 ppm (max value 1194 ppm) that is in part coincident with chargeability anomalies (greater than 20 msec) (previously reported). The soil results are most likely dispersed down-ice by glacial activity to the northwest. Initial drilling in 2012 tested the central portion of the anomaly with four holes and was reported on previously in an assessment report titled “DIAMOND DRILL REPORT ON THE OCTOBER DOME PROPERTY” and dated July 11, 2013. This work was focused on a copper rich portion of the soil anomaly.

Work in 2013 was shifted some 1800 metres to the northwest to test an area more prospective for gold-only targets although one hole, OD-10, tested the central region. Holes OD-5 through OD-7 encountered diorite and monzonite intrusions within hornfelsed sediments and propylitized basalts. Alteration in the drill holes is pervasive, comprising intense propylitic alteration with pyrite, epidote and minor chalcopyrite, with elevated gold values throughout the holes. Hole OD-6 encountered a 15-metre core

length of massive magnetite skarn with semi-massive pyrite layers accompanied by chalcopyrite, epidote and garnet at the sediment/basalt contact. A nine-metre section of this skarn assayed 0.7 gram per tonne gold, including a three-metre length that returned 1.3 g/t Au. Holes OD-8 to OD-9 encountered similar altered rocks but returned no significant intercepts. The drill results from 2012 indicated an alkalic-style porphyry copper-gold system in an area of extensive glacial till cover. Drilling in 2013, in particular hole OD-6, encountered gold-rich magnetite epidote skarn similar to that found in the nearby QR gold deposit six kilometres to the northwest. The target contact remains open along strike and to depth.

Additional drilling is warranted as step out tests to the current drill pattern in particular the skarn encountered in hole OD-6. A budget of approximately \$170,000 is recommended to support this work.

2.0 INTRODUCTION

This report satisfies the 2013 assessment requirements of the British Columbia Ministry of Energy and Mines and Responsible for Housing for Bearing Resources Ltd's October Dome – Mount Polley Project, comprised of the contiguous October Dome, Mount Polley and Glengarry K properties.

Bearing Resources Ltd. ("Bearing") acquired the properties when they were transferred from its predecessor company, Valley High Ventures Inc. as part of a corporate restructuring in March of 2011. Valley High acquired the properties over a period of years through options to purchase, outright purchase and by direct acquisition.


This report describes a six hole diamond drilling program completed in 2013. A total of 1087 metres of NQ size core was drilled in six holes during September and October of 2013.

3.0 PROPERTY DESCRIPTION AND LOCATION

3.1 Location

The October Dome, Mount Polley and K Properties are located roughly 60 kilometres northeast of William's Lake in the Cariboo Regional District of British Columbia. The claims form a large, inverted 'Y' pattern spread over a three by four kilometre area that is bound by the Quesnel River to the north and Quesnel Lake to the east. The town of Likely is located 6 km to the east (Figure 1). The October Dome Property is located at 589638 m E and 5833544 m N, (WGS 84, Zone 10) on NTS map sheet 093A/12.

Figure 1: Location Map, October Dome Project, British Columbia, Canada




3.1 Description and Ownership

The contiguous October Dome, Mount Polley and K properties are located in the Cariboo Mining Division near Likely, BC and are comprised of 14 mineral tenures totalling 2,542 hectares, 32 mineral tenures totalling 8,327 hectares and 18 mineral tenures totalling 605 hectares, respectively. The October Dome and Mount Polley properties are held 90% to 100% by Bearing, subject to various royalties. The K properties are held 100% by Glengarry Developments Inc. of Vancouver, subject to a first right of refusal in favour of Bearing.

The claims were originally held by registered owners as 2-post and 4-post (modified grid) claims. All tenures are now converted to the new mineral tenure system. A summary of mineral title is provided in Table 1. Some mineral tenures are subject to underlying royalties as described separately in Table 1. This work program documented in this report was applied for assessment on a portion of the larger claim block and extended the expiry date for these claims to January 30, 2017 assuming this work is accepted for filing. These claims are highlighted below in table 1.

Subject to a plan of arrangement dated January 17, 2011, (posted at sedar.com) title to the October Dome and Mount Polley Properties transferred from Valley High Ventures Inc. (“Valley High”) to Bearing (see Bearing news release dated January 17, 2011). The effective date of the transaction was March 25th, 2011. Bearing holds a first right of refusal on the K properties of Glengarry Developments Ltd.

Figure 2: October Dome , Mount Polley and K Claims Mineral Tenure Map



LEGEND

 October Dome Claims	 Mt Polley Claims
 K Claims	 Roads
	 Rivers



Figure 2: October Dome, Mt Polley and K Claims Mineral Tenure Map

Date: 10/23/2012	Projection: UTM Zone 10 (NAD 83) Map Sheets: 93A.12, 93A.11
Author: G. Buckler	
Office: Vancouver	
Drawing:	
Scale: 1:50000	




Table 1. October Dome Mount Polley Project mineral tenure summary data, as of July 11th, 2014.

OCTOBER DOME PROPERTY CLAIMS SUMMARY
Bearing Resources Ltd.

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests
1	October Dome	502729	Dome Amalgam	093A	2005/jan/13	2017/jan/30	294.223	Dome (Livgard)	100% (earned; \$10,000 cash and 270,000 shares paid); subject to 1.5% NSR.
2		503635	Dome Amalgam Too	093A	2005/jan/15	2017/jan/30	39.230		
3		504621		093A	2005/jan/22	2017/jan/30	333.488		
4		391274	OCT. 3	093A062	2001/dec/07	2017/jan/30	25.000	Pay, A1-6, Oct	100% (earned; 733,334 shares paid), subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
5		391275	OCT. 4	093A062	2001/dec/07	2017/jan/30	25.000		
6		512119		093A	2005/may/05	2017/jan/30	235.434		
7		512127		093A	2005/may/05	2017/jan/30	392.376		
8		512129		093A	2005/may/05	2017/jan/30	313.996		
9		512130	OCT SOUTH	093A	2005/may/05	2017/jan/30	98.122		
10		517298		093A	2005/jul/12	2017/jan/30	98.116	VHV 100%	Acquired by VHV by staking.
11		517331		093A	2005/jul/12	2017/jan/30	19.621		
12		525967	OCT W 2	093A	2006/jan/20	2012/sept/05	117.688	VHV 100%	100% (earned, \$8000. cash paid)..
13		584968	MOOREHEAD 4	093A	2008/may/23	2017/jan/30	156.982		
14		585021	MOOREHEAD 1A	093A	2008/may/24	2017/jan/30	392.623		
							2541.899		

MOUNT POLLEY PROPERTY CLAIMS SUMMARY
Bearing Resources Ltd.

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests	
1	Mt. Polley							Buc (Livgard)	100% (earned; \$10,000 cash and 25,000 shares paid); subject to 2.0% NSR.	
2								Calm (Green; 05/02/05)		
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13		415567	CALM 32	093A052	2004/nov/11	2017/jan/30	25.000			
14		415568	CALM 33	093A052	2004/nov/11	2017/jan/30	25.000			
15										
16										
17										
18		512138		093A	2005/may/05	2017/jan/30	235.660	Lloyd (Glengarry)		90% (earned; \$234,600 cash and 1,020,000 shares paid); subject to 1.5% NSR, purchased on certain claims for 180,000 shares.
19		206783	LLOYD 3	093A052	1990/feb/09	2012/oct/01	25.000			
20		512139		093A	2005/may/05	2017/jan/30	39.281			
21		512140		093A	2005/may/05	2017/jan/30	19.640			
22		512141		093A	2005/may/05	2017/jan/30	412.574			
23		396860	NORDIK 1	093A053	2002/sep/22	2017/jan/30	500.000	Nordik (Quantum & ATP)		100% (earned; 666,666 shares paid); subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
24		398668	NORDIK 2	093A053	2002/nov/29	2017/jan/30	500.000			
25		512132		093A	2005/may/05	2017/jan/30	707.450			
26		512133		093A	2005/may/05	2017/jan/30	609.584	Pay, A1-6, Oct		100% (earned; 733,334 shares paid), subject to 2.0% NSR, with each 0.5% purchable for \$500,000.
27				093A	2005/may/05	2017/jan/30	903.313			
28		512125		093A	2005/may/05	2017/jan/30	235.786			
29		512126		093A	2005/may/05	2017/jan/30	235.786	VHV 100%		Acquired by VHV by staking.
30		517238		093A	2005/jul/12	2017/jan/30	275.179			
31							19.639			
32		517324		093A	2005/jul/12	2017/jan/30	19.639			
							8327.816			

K PROPERTY CLAIMS SUMMARY
Glengarry Developments Inc.
(Tenures subject to first right of refusal in favour of Bearing Resources Ltd.)

	Property Name	Tenure Number	Claim Name*	Map Number	Issue Date	Good To Date	Area (ha)	Property Agreement	Property Interests
1	Glengarry	406353	K1	093A053	2003/Oct/30	2017/jan/30	25.000	Glengarry 100%	Held 100% by Glengarry, subject to a First Right of Refusal in favour of VHV.
2		406354	K2	093A053	2003/Oct/30	2017/jan/30	25.000		
3		406355	K3	093A053	2003/Oct/30	2017/jan/30	25.000		
4		406356	K4	093A053	2003/Oct/30	2017/jan/30	25.000		
5		406357	K5	093A053	2003/Oct/30	2017/jan/30	25.000		
6		406358	K6	093A053	2003/Oct/30	2017/jan/30	25.000		
7		406359	K7	093A053	2003/Oct/30	2017/jan/30	25.000		
8		406360	K8	093A053	2003/Oct/30	2017/jan/30	25.000		
9									
10									
11		406365	K13	093A053	2003/Nov/02	2017/jan/30	25.000		
12		406366	K14	093A053	2003/Nov/02	2017/jan/30	25.000		
13		406367	K15	093A053	2003/Nov/02	2017/jan/30	25.000		
14		406368	K16	093A053	2003/Nov/02	2017/jan/30	25.000		
15									
16		534155	K FRACTIONS	093A	2006/may/18	2017/jan/30	78.686		
17		534156	K FRACTION 2	093A	2006/may/18	2017/jan/30	39.338		
18		534158	K FRACTION 3	093A	2006/may/18	2017/jan/30	39.338		
							605.499		

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, AND PHYSIOGRAPHY ACCESS

The Property is easily accessible by 85 km paved road (Likely Road starting at 150 Mile House on Highway 97) from Williams Lake and various logging and mining exploration roads in the area. Williams Lake is the major supply and service center in the area and can be reached by a 6 hour drive from Vancouver or by scheduled flights from Vancouver or other BC cities. Access may be limited in some areas by local weather conditions, particularly in winter and spring.

5.0 CLIMATE AND VEGETATION

The climate of the Likely area is modified continental, with cold, snowy winters and long warm summers. Being located just east of the Interior dry belt, the area receives about 40 cm of precipitation, with most of it falling in the winter as snow. Snow depths in the Cariboo Plateau are typically 1 to 2 m.

Flora on the Property consists mainly of mixed forests with spruce, pine and poplar being the most common trees. Undergrowth is less common on the southern end of the Property where lodge pole pine forests become increasingly more dominant.

The October Dome – Mount Polley Project lies in a transitional zone between the Cariboo Plateau, the easternmost part of the Interior Plateau, and the Cariboo Mountains to the east. In general the Property physiography consists of gently undulating hills, valleys and low mountains. Elevations on the Property range between 640 to 1280 m above sea level (ASL). The Cariboo Plateau is deeply incised by the Quesnel Lake and Quesnel River valley where elevations are ~ 300 to 500 m lower than the Plateau. At the confluence of the Quesnel and Cariboo Rivers the elevation is ~640 m ASL.

Bedrock exposure throughout the region is very poor with large areas covered by glaciofluvial deposits, till sheets and moraines with trains of large glacial erratics. North-westerly glacial transport is consistent throughout the area with local zones showing more westerly ice movement trends.

5.2 Infrastructure and Local Resources

The City of Williams Lake is a major service centre for mining and logging. The surrounding region has undergone substantial exploration, supporting several past and current producing mines. The mine of primary interest is the Mount Polley Mine, which lies less than 3.4 km from the Property. It has a mill capable of processing 20,000 tonnes of ore per day capacity and has attendant services such as B.C. Hydro power and water. The area including the centers of Williams Lake, Quesnel and McLeese Lake have large work forces of experienced miners, mill men and exploration people.

6.0 PROPERTY HISTORY

The regional geology has been mapped and described by a variety of writers, including: Bailey (1976, 1978, 1988, 1989 & 1990), Bloodgood (1988), Campbell (1978), Morton (1976), Panteleyev (1987, 1988 & 1989), Rees (1987), Struik (1983 & 1987) and Tipper (1978).

October Dome Property Exploration History

The earliest known exploration of the area began in 1859 when Thomas “Dancing Bill” Lather discovered placer gold in what is now referred to as Dancing Bill Gulch. Later known as the Bullion Pit, the strike was developed into one of the largest placer gold mines in the world, producing over 5.4 million grams of gold between 1870 and 1942.

In 1964 copper mineralization was discovered at Mount Polley to the south. The region was extensively prospected, including work on earlier claims in the area of the current October Dome property by local operators that included large bulldozer trenches reported as physical work only.

The earliest recorded work over the October Dome Property area was in 1975 when Compass Exploration Limited and later Canadian American Loan and Investment Corporation covered the area with the Lock, Hinge, Tails, Top, Hat and Road claims. They carried out geological, soil and rock geochemical, magnetic and VLF electromagnetic surveys over the various portions (Tavela and Ronka, 1975, 1976, 1977 & 1978). Work included running local reconnaissance soil sample lines that outlined anomalous gold and copper (up to 1650 ppb & 2400 ppm respectively) in the areas west and north of the Bullion Pit. A brief work program of geochemistry (32 rocks and 32 soils) was undertaken in 1982 by Kenton Natural Resources Corporation producing local anomalous results with up to 512 ppb Au from a grab sample (RA 33) from the bottom of the Bullion Pit (Hoy & Allen, 1982). It is estimated by the BC Ministry of Mines and Resources (MinFile #093A025) that approximately 200 MT of gravel was mined from the Bullion Pit between 1870 and 1942 with ~ 5,460 kg (~175,000 oz) of gold recovered from the Pit.

In 1984, 1985, 1986 and 1987 Dome Exploration (Canada) Limited conducted a program of geology, geochemistry, VLF_EM and magnetic geophysics and diamond drilling on the Lock and Hinge claim block. Dome established 11 line-km of cut and flagged grid and drilled 1805.2 m in 17 core drill holes (Table 2). Only hole numbers 14, 15, and 17 are reported in the assessment files. A copy of hand written drill logs with analytical results inserted manually are summarized in the table below. No assay certificates are available to confirm the analytical results.

During the same period (1981 to 1986) Strata Energy Corporation completed a small seismic survey outlining a possible east-west buried channel in the main valley where the Williams Lake-Likely Road runs through the property.

Teck Exploration Limited, in 1984, undertook a program of geology, geochemistry and VLF EM geophysics on the QRIV property adjoining to the west of the Tails claim. A section of this work overlaps roughly 120 ha of what is now claims 512119 and 525967 (OCT W 2).

Table 2. Summary data from 1985 October Dome historical drill holes.

Hole ID	UTM E NAD83	UTM N NAD83	Length (m)	Az	Dip	Geology	% of Hole Assayed	Comments on Assays
270-1	589645	5833496	89.9	193	-45	diorite breccia, propylitic, pyrite, carbonate, kspars	100	anomalous Cu and Au, sporadic
270-2	589640	5833456	123.4	193	-45	diorite, diorite breccia, pyrite, carbonate, epidote chlorite	100	anomalous Cu and Au, sporadic
270-2a	589640	5833456	59.1	193	-45	same site as 270-2 but sediments and andesite?	100	anomalous Cu and Au, sporadic
270-3	589616	5833360	107.0	193	-45	altered diorite, pyrite carbonate, kspars, chlorite, fault,	60	weak, no assays below 50.9
270-4	589350	5833488	96.0	220	-45	sediments, gabbro, andesite, diorite,	10	weak
270-5	589752	5833415	100.6	220	-45	diorite, diorite breccia, syenite- pyrite, chlorite, carbonate	70	weak
270-6	589892	5833169	108.2	220	-45	syenite, diorite, andesite- pyrite, carbonate	100	strong: 63.5 m @ 0.205 g/t Au, 0.103 % Cu
270-7	588233	5634687	101.2	40	-45	diorite, andesite, epidote, pyrite,	70	moderate Au and Cu
270-8	588106	5834909	100.6	40	-45	diorite. Syenite,	25	weak
270-9	588182	5834634	110.6	180	-45	andesite, epidote, magnetite, kspars,	100	moderate Au and Cu
270-10	587619	5834614	87.4	180	-45	sediments, andesite, epidote, pyrite	10	isolated good Au at top
270-11	587624	5834690	102.1	0	-45	sediments, andesite, epidote, pyrite	5	
270-12	587498	5834812	99.1	0	-45	diorite, andesite, sediments, pyrite, carbonate	5	
270-13	589352	5833492	105.2	40	-45	sediments, andesite, pyrite, epidote	5	
270-14	591285	5832778	110.9	0	-45	syenite, basalt, pyrite	50	weak
270-15	591330	5832820	105.2	40	-45	volcanic, pyrite, epidote.	50	weak, bottomed in good Au (0.06 opt)
270-16	589259	5832272	102.1	0	-45	basalt, argillite	0	
270-17	591326	5831928	96.6	0	-45	overburden,	100	barren
Total			1805.2					

The analytical information is incomplete or was not collected; comments from assessment reports is provided where available, but is considered unreliable.

In October and November 1997 the area was re-staked by Big Valley Resources Inc. as the Hugger Claims. In 1998 Big Valley (Tennant, 1998) completed a property scale soil geochemical survey (682 samples). Work also included five reverse circulation drill holes totalling 497 meters in 1999. The chips were not assayed.

Exploration work by Valley High Ventures on the October Dome Property took place in 3 campaigns in 2005, 2009 and 2010. Work comprised primarily ground geophysics (IP and magnetics), soil geochemistry and bedrock mapping and sampling. A cut line grid (12.5 line-km) and refurbishment of the 2006 grid was undertaken prior to the ground geophysical survey and soil sampling. The total area covered by the geophysical and geochemical surveys is approximately 3200 x 1200 m.

Soil geochemical surveys were undertaken in 2009 and 2010 on the October Dome property. Valley High contracted Mincord Exploration Consultants Ltd. of Vancouver BC (“Mincord”) to brush out the lines and collect soil samples. Soil samples collected in 2009 totalled 503 samples from the new 12.5 line-km

of grid at 25 m sample spacing. In 2010, 547 samples were collected over 27.3 line-km of the 2005 grid at 50 m sample spacing. Prior to sampling the 2005 grid, the grid required extensive re-brushing and surveying.

Soil sampling was conducted from November 1 to 15 2010 by Mincord Exploration Consultants and from June 14 to 26, 2011 by Bearing crews. Crews collected 1004 grid controlled soil samples. This work included the collection of:

- 547 soil samples collected in November 2010 on lines 0N to line 25N;
- 269 soil samples on lines 1S through 10S expanding the soil sample grid coverage a kilometre to the southeast;
- 56 grid controlled soil samples were collected extending lines 100N, 102N and 104N in the north end of the property from station 8500mE west to 7500mE, 7500mE and 7700mE, respectively;
- 38 grid samples were collected at 50m spacing along line L14N, L16N, L18N and L20N to extend the grid west from station 4300mE to 3900mE; and,
- 94 infill grid soil samples were collected within the anomaly areas on lines L3N through L13N inclusive between stations 5375mE and 4725mE, increasing the sample density to 25 metre spacings from 50 metres.

This work was filed in an assessment report dated June 21, 2012 (no number assigned yet). Results from this work have outlined a four kilometre long trend of elevated geochemistry defined by gold greater than 16 ppb (max value 1664 ppb) and copper greater than 100 ppm (max value 1194 ppm) that is in part coincident with chargeability anomalies (greater than 20 msec) previously reported. The soil results are most likely dispersed down-ice by glacial activity to the northwest.

Initial drilling by Bearing in 2012 tested the central portion of the anomaly with four holes and was reported on previously in an assessment report titled “DIAMOND DRILL REPORT ON THE OCTOBER DOME PROPERTY” and dated July 11, 2013. This work was focused on a copper rich portion of the soil anomaly. All four drill holes encountered diorite and monzonite intrusions with minor hornfelsed sedimentary units and intrusive dykes. Alteration in the drill holes is pervasive, comprised of propylitic alteration with pyrite, epidote and rare chalcopyrite overprinting an earlier episode of potassic alteration. Gold values are elevated in all holes with the best results occurring in hole OD-1 where a 6 metre interval returned 0.15% copper ("Cu") with 0.46 gram per tonne ("gpt") gold ("Au").

7.0 REGIONAL GEOLOGY

The October Dome Property occurs within the Central Quesnel Terrane of the Canadian Cordillera that comprises an island arc volcanic and sedimentary assemblage that developed to the west of the North American plate during the Middle Triassic to Lower Jurassic. The Quesnel terrane was transported eastward and collided with the North American plate during late Lower Jurassic or Middle Jurassic at which time eastward-directed subduction under Quesnellia ceased. Central Quesnel Terrane geology has been described by Bailey (1988, 1989, and 1990) Bloodgood (1988, 1989), Panteleyev, 1987, 1988) and Rees (1987), work which was summarised and compiled by Panteleyev et al (1996).

Oldest strata within the Central Quesnel Terrane are black shale, siltstone and sandstone of Middle Triassic age and which are best exposed along the eastern margin of the belt. Uppermost strata of this unit contain mafic tuffaceous beds and which mark the onset of basaltic volcanism within the developing arc. Overlying these rocks are olivine-bearing, pyroxene-phyric basaltic pillow lava, breccia and tuff that in turn are overlain by basaltic breccia and tuff that lacks olivine, but often contains hornblende as well as augite. The top of the basaltic unit is often marked by tuffaceous and calcareous sandstone and lenses of limestone. After a depositional hiatus during the Early Jurassic, renewed volcanism began from central vents arranged along the arc axis. Jurassic strata consist of volcanic breccia and tuff and their reworked products, conglomerate and tuffaceous sandstone. Breccias proximal to source are commonly characterised by felsic clasts of trachytic composition. Locally, clasts of syenite or monzonite are also common. In contrast, distal breccias are polymictic and contain clasts of underlying basalt as well as clasts of felsic composition. Small stocks and high level dykes of diorite, monzonite and syenite compositions cut all units in the Quesnel Terrane. This plutonism was contemporaneous with Lower Jurassic volcanism as evidenced by the presence of clasts of plutonic rocks within volcanic breccia.

Along the eastern margin of Quesnellia thrust faulting and strong penetrative deformation occurs within the lowermost, mainly phyllitic, strata.

Mineral deposits within the Quesnel Terrane are mainly “Alkalic Porphyry Cu-Au deposits” such as the Mt. Polley Deposit located 3.4 km south of the October Dome Property. These deposits generally formed during the Latest Triassic or Early Jurassic and are genetically related to alkalic plutonism and volcanism occurring at that time. A variation of this type of deposit is that of the QR Deposit located 4 km to the northwest the Property, which is a gold-enriched skarn deposit with only low grade copper mineralization (Fox et al, 1986). Additionally in the region is the Spanish Mountain gold deposit, roughly 15 kilometres to the east-southeast. The Spanish Mountain deposit is described as a possible sediment-hosted vein-type

gold deposit where gold occurs in quartz veins, with pyrite, base metals and arsenopyrite hosted in argillite within a 400 metre wide structural corridor defined by a series of shallow to moderate west dipping normal faults (Newcomen, 2010).

8.0 LOCAL GEOLOGY

Overall the October Dome Property is extensively covered by a thick mantle of glacial till and glacial fluvial deposits restricting bedrock exposure to less than 1% of the surface area. Glacial deposits, including glaciolacustrine deposits occur locally along the banks of the Quesnel River to the north and west of the property.

Where bedrock is exposed in the bottom of the Bullion Pit (a past producing placer gold operation) at the southeast corner of the Property there is exposed diorite and syenite with local veinlets of chalcopyrite. At the north end of the pit exposure a pyritic shear zone several metres thick returned anomalous gold values from five grab samples collected in 2009. Gold tenor ranged from 81 to 789 ppb. A second exposure of chalcopyrite bearing diorite is located on the steep slopes south of the Quesnel River at the north end of the Property. Along the bank above the Quesnel River at the east ends of grid lines 5S to 7S, strongly sheared iron oxide stained volcanic(?) rocks host quartz-pyrite±arsenopyrite veins. Grab samples from this location assayed between 163.3 ppb gold/89.3 ppm copper and 583.9 ppb gold/283.3 ppm copper (samples L19607 & T19503, respectively).

A forth occurrence is referred to as the Forks Zone and is located in the central part of the October Dome property near soil line 7N. At this location, a historic drill hole 270-6 (Dome Exploration, 1985) contained anomalous gold and copper over a 62.5 metre interval. The only available record of this hole is a hand written drill log with assays entered manually and no assay sheets available to confirm the analytical work. Drill logs describe syenite and andesite that have been pervasively altered with disseminated and veinlet controlled pyrite, calcite veining local epidote and rare chalcopyrite. The Forks Zone was the target of the 2012 drill program described in a previous report and was also tested by hole OD-10 as reported in this report.

9.0 2013 WORK PROGRAM

2013 work program was initiated on September 8th, 2013 when drill sites were selected on the ground and prepared by laying our trail access, and completing archeological risk assessment. The work utilized and took advantage of existing access including trails established in 1985 by Dome Exploration and by locating specific sites within areas of thin or logged timber. All work was done under a Free Use Permit issued by the Mines branch however no merchantable timber was damaged due to the use of established access. Drilling was contracted to Atlas Drilling who provided a small Bobcat mounted hydraulic drill supported by a second Bobcat with a standard bucket. Site construction and reclamation was accomplished by the Bobcat. At the completion of the program all sites were reclaimed by re-grading and, backfilling of sumps and water barring roads. Reclamation grade grass seed was applied. Core was collected, logged and stored at the company’s core storage facility located at 52 deg 34.9 min north, 121 deg 38.5 min west on the Lloyd 2 claim. Drill hole locations and orientations are presented below in table 2. Drill logs are presented in Appendix 2 and analytical results in appendix 3. Drill hole locations are plotted on figure 3 (in pocket) and sections are plotted in figures 4a to 4e (in pocket)

Table 2: Drill Hole Locations Nad 83 Zone 10

Hole_id	E83z10	N83z10	elev_m	Az True	dip	Length	year	DH_Type	Core_size
OD-5	588234	5834421	877	45	-50	250.0	2013	Diamond	NQ
OD-6	587988	5834492	865	40	-50	261.3	2013	Diamond	NQ
OD-7	587988	5834492	865	220	-50	121.1	2013	Diamond	NQ
OD-8	588767	5834303	860	315	-60	145.4	2013	Diamond	NQ
OD-9	588767	5834303	860	225	-60	157.6	2013	Diamond	NQ
OD-10	589696	5833578	817	315	-60	151.5	2013	Diamond	NQ

9.1 Sampling Method, Sample Preparation, Analysis and Security

NQ size drill core was sampled in two-metre intervals with a manual core splitter. One-half of the core was placed in sealed plastic bags and delivered to Acme Analytical Laboratories Inc. (“Acme”) in Vancouver for crushing and pulverizing and then analysed following aqua regia digestion by ICP-MS. As part of the company's QA/QC (quality assurance/quality control) procedures, standards and blanks were inserted into the sample batches. ACME is an ISO 9001-registered laboratory and has a quality control program in place which includes the insertion of standard, blank and duplicate samples, as well as conducting repeat analyses. Field work and project management was under the direct supervision of Robert Cameron, P.Geo., who is a qualified person within the context of National Instrument 43-101. There were no issues in the data that suggest sample bias or sampling quality. Sampling procedures were

conducted to industry standard and the results are within a normal range for this region of British Columbia.

10.0 DISCUSSION OF RESULTS

The 1,086-metre (six holes) diamond drill program targeted the northern end of a four-kilometre-long gold and arsenic soil anomaly that is coincident with an induced polarization (IP) chargeability anomaly, about 1,200 to 1,900 metres northwest of the area drill tested in the 2012 drill pattern (see news release dated Nov. 8, 2012). Holes OD-5 through OD-7 encountered diorite and monzonite intrusions within hornfelsed sediments and propylitized basalts. Alteration in the drill holes is pervasive, comprising intense propylitic alteration with pyrite, epidote and minor chalcopyrite, with elevated gold values throughout the holes. Hole OD-6 encountered a 15-metre core length of massive magnetite skarn with semi-massive pyrite layers accompanied by chalcopyrite, epidote and garnet at the sediment/basalt contact. A nine-metre section of this skarn assayed 0.7 gram per tonne gold, including a three-metre length that returned 1.3 g/t Au. Holes OD-8 to OD-10 encountered similar altered rocks but returned no significant intercepts. Summary of the recent drilling results are presented below. Drill intervals reported are core lengths and true widths are not known.

Table 1: Significant Intersections

Hole	From (m)	To (m)	Core Length (m)	Gold (gpT)
OD-5	76	80	4	1.1
OD-5	232	250	18	0.5
OD-6	98	100	2	5.2
OD-6	108	110	2	1.1
OD-6	210	219	9	0.7
Incl.	212	215	3	1.3

11.0 CONCLUSIONS AND RECOMMENDATION

The focus of the exploration program was to delineate possible Alkalic Porphyry Cu-Au mineralization by integrating both geophysical and geochemical techniques. To date the October Dome target is defined by a grid area of some 4.0 km by 1.1 km that has been surveyed by magnetic and induced polarization

surveys and soil geochemistry. The drill program in 2012 tested the central portion of this large anomaly and results may represent the discovery of a previously unrecognised alkaline-style porphyry copper-gold system in an area of extensive glacial till cover. Drilling in 2013, in particular hole OD-6, encountered gold-rich magnetite epidote skarn similar to that found in the nearby QR gold deposit six kilometres to the northwest. The target contact remains open along strike and to depth. Follow up drilling of this interval is recommended by a program of 100 metre step outs from the intersection encountered in hole OD-6

A similar program of 1000 metres is recommended to support this work.

Table 3. Recommended exploration budget for the October Dome Property.

Item	Amount	Units	Rate	Per Unit	Cost
Drilling (all-in project cost)	1000	m	\$160	m	\$160,000.00
Interpretation and report writing	10	days	\$1000	day	\$10,000.00
					\$170,000.00

12.0

13.0 EXPENDITURE STATEMENT

drilling	units	unit cost	
Atlas Drilling coring	1086.0	\$ 90.00	\$ 98,000
assays	570	\$ 33.40	\$ 19,000
labour			
Cameron: project geologist, Sept 8 to October 10, 2013	32	\$ 600.00	\$ 19,200
Butler: sampler, geotechnical, Sept 8 to October 10, 2013	32	\$ 375.00	\$ 12,000
Core Samplers: contract from Williams lake IB			\$ 9,000
report			\$ 5,000
truck	35		\$ 3,400
gas			\$ 1,700
supplies			\$ 900
acc brd	60	\$ 180.00	\$ 10,800
total			\$ 179,000

14.0 REFERENCES

BC Geological Survey. 2011. MinFile 093A008 Detail Report – Mount Polley Mine. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A025 Detail Report – Bullion Pit. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A041 Detail Report – Bullion Lode. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A084 Detail Report – Likely Magnetite. <http://minfile.gov.bc.ca>.

BC Geological Survey. 2011. MinFile 093A121 Detail Report – QR Mine. <http://minfile.gov.bc.ca>.

- BC Geological Survey. 2011. MinFile 093A160 Detail Report – Lloyd-Nordik Deposit. <http://minfile.gov.bc.ca>.
- BC Geological Survey. 2011. MinFile 093A213 Detail Report – Mac. <http://minfile.gov.bc.ca>.
- BC Geological Survey. 2011. MinFile 093A214 Detail Report – October East. <http://minfile.gov.bc.ca>.
- Bloodgood, M. 1987. Geology of the Triassic Black Phyllite in the Eureka Peak Area, Central British Columbia. B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 135-142.
- Bloodgood, M. 1988. Geology of Eastern Quesnel Belt (93A/12). B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 139-145.
- Brown, W. 1967. Geological Investigation and Sampling of Placer Leaseholds 6606 & 6608 in the Quesnel Forks Area 52o N 121o W. Abatis Exploration Ltd. BCGSB Assessment Report 01205. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1981; Geological Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 09220. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1982; Geophysical Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 11039. <http://aris.empr.gov.bc.ca>.
- Crooker, G. 1981; Geophysical Report on Six Placer Leases (3133, 3134, 3136, 3137, 3138, 4083), Prior Lake, Cariboo Mining Division, BC. Strata Energy Corporation. BCGSB Assessment Report 15000. <http://aris.empr.gov.bc.ca>.
- Fraser, T.M, C.R. Stanley, Z. Nikic, R. Pesalj, and D. Gorc, 1995. The Mount Polley Alkalic Porphyry Copper-Gold Deposit, Likely, British Columbia; in Porphyry Deposits of the Northwestern Cordillera of North America, ed. by Schroeter, T., Canadian Institute of Mining and Metallurgy, Special Volume 46, pp 609-622.
- Hoy, D., J.R. Allen. 1982. Geological and Geochemical Report on the Lock 1 and Lock 2 Mineral Claims, Cariboo Mining Division, BC. Kenton Natural Resources Corporation. BCGSB Assessment Report No.10947. <http://aris.empr.gov.bc.ca>.
- Livgard, B. 2009. Notice of Work: 2008 Assessment Work – Dome Placer Claims. BCGSB Assessment Report 30400. <http://aris.empr.gov.bc.ca>.
- Livgard, E., 1999. Drilling Report, Hug, Hugger Claim Group. Big Valley Resources Ltd. BCGSB Assessment Report No. 26053. <http://aris.empr.gov.bc.ca>.

- Livgard, E. 2005. Dome Claim Group Assessment Work Report in the Cariboo Mining Division on Map Sheet 093A078. BCGSB Assessment Report 27961. <http://aris.empr.gov.bc.ca>.
- Massey, N.W.D., MacIntyre, D.G., Desjardins, P.J. and Cooney, R.T., 2005. Geology of British Columbia: Whole Province; B.C. Ministry of Energy and Mines, Geofile 2005-1, Scale 1:1,000,000.
- Panteleyev, A. 1988. Quesnel Mineral Belt – The Central Volcanic Axis Between Horsefly and Quesnel Lakes (93A/05E, 06W). B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Field Work 1987, Paper 1988-1. pp. 131-137.
- Panteleyev, A., D.G. Bailey, M.A. Bloodgood, K.D. Hancock. 1996. Geology and Mineral Deposits of the Quesnel River Horsefly Map Area, Central Quesnel Trough, B.C. B.C. Ministry of Mines Bulletin 97.
- Price, B. 2003. Valuation of Likely Area Properties, Private report for Glengarry Developments Inc.
- Price, BB, and E. Livgard. 2004. Technical Report; Draft Version, Likely Area Properties. Private report for Glengarry Developments Inc.
- Richardson, P.W; 1984. Geological and Geochemical Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Canadian-American Loan and Investment Corp. and Sun God Resources Ltd. BCGSB Assessment Report 12663. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1987. Diamond Drilling Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 16264. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1985. Geochemical and Geophysical Surveys on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 13964. <http://aris.empr.gov.bc.ca>.
- Richardson, P.W; 1986. Diamond Drilling Assessment Report on the Bullion Lode Property, Cariboo Mining Division, BC. Dome Exploration (Canada) Limited. BCGSB Assessment Report 15265. <http://aris.empr.gov.bc.ca>.
- Spilsbury, T.W; 1984. Report on the Geological, Geochemical, electromagnetic and Magnetometer Surveys Conducted on the QRIV, Find, QUES and More Claims (Nos. 5823, 5908, 6127, 6129), Cariboo Mining Division, BC. Teck Exploration Limited. . BCGSB Assessment Report 13390. <http://aris.empr.gov.bc.ca>.
- Tavela, M., V. Ronka. 1976. Report on Geological, Geochemical and Geophysical Surveys, Lock and Hinge Claims. Compass Exploration Limited. BCGSB Assessment Reports 5955 & 5956. <http://aris.empr.gov.bc.ca>.

- Tavela, M., V. Ronka. 1977. Report on Geological, Geochemical and Geophysical Surveys, Lock, Hinge, Hat, Cap, Road, Yale & Top Claims. Compass Exploration Limited. BCGSB Assessment Report 6437. <http://aris.empr.gov.bc.ca>.
- Tavela, M., V. Ronka. 1978. Report on Geological, Geochemical and Geophysical Surveys and Physical Work, Lock, Hinge, Top, Hat & Road Claims. Canadian American Loan and Investment Corporation Limited; BCGSB Assessment Reports 6861; <http://aris.empr.gov.bc.ca>.
- Tennant, S.J., 1998. Geochemical Assessment Report on the Hugger, Buck Mineral Claims, Cariboo Mining Division, BC.; Big Valley Resources Ltd.; Assessment Report No 25659; <http://aris.empr.gov.bc.ca>. Fraser, T.M, Stanley, C.R, Nikic, Z., Pesalj, R. and Gorc, D. (1995): The Mount Polley Alkalic Porphyry Copper-Gold Deposit, Likely, British Columbia; in Porphyry Deposits of the Northwestern Cordillera of North America, ed. by Schroeter, T., Canadian Institute of Mining and Metallurgy, Special Volume 46, pp 609-622.

15.0 STATEMENT OF AUTHORSHIP

This report, titled “Diamond Drilling Report on the October Dome Property, the October Dome – Mount Polley Project, Likely B.C., Cariboo Mining Division”, And Dated July 11th, 2014 was prepared and signed by the following author:

“Robert S. Cameron”

A handwritten signature in black ink, appearing to read 'R+S Cameron', written in a cursive style.

Robert S. Cameron, B.Sc., P.Geol.
Dated July 11th, 2014
Vancouver, British Columbia

APPENDIX 1

CERTIFICATE of QUALIFIED PERSON

I, Robert S. Cameron of 1408 W5th Avenue, Vancouver, British Columbia, do hereby certify that:

- 1) I am President of Bearing Resources with offices at 1280 – 625 Howe Street, Vancouver, BC, V6C 2T6.
- 2) I am a register member in good standing of the Association of Professional engineers and Geoscientists of BC (No. 121813).
- 3) I am a 1981 graduate of Carleton University Ottawa, Ontario with a Bachelor of Science degree in Geology.
- 4) I have practised my profession continually since graduation, concentrating in mineral property exploration throughout British Columbia, the Yukon and internationally.
- 5) I supervised the work described in this report entitled “Diamond Drilling Report on the October Dome Property, the October Dome – Mount Polley Project”, dated July 11, 2014.
- 6) I spent 32 days in the field on the October Dome and Mount Polley Properties from September 8 to October 10, 2013.

Respectfully Submitted,



July 11, 2014_____

Robert S. Cameron, P.Geo.

Date

Vancouver, British Columbia

APPENDIX 2

Sample data

BEARING RESOURCES
OCTOBER DOME PROJECT

Hole OD-5 Easting (N83 z10): 588234
 Azimuth: 45° Northing (N83 z10): 5834421
 Dip: -50°
 Start Date: Location: Cariboo M.D., British Columbia
 Complete Date: Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 877m Section No:
 Length(m): 250 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
0.0	14.3	OB	Overburden	528001	14.3	18	3.7	36	243			
14.3	31.4	MZPBX	MONZODIOROTE POLLY BRECCIA WITH HORNFELS FRAGMENTS	528002	18	20	2	21	217			
			grey to pink, fg, feldpa phyrriic, with clasts and fragments of green to buff hornfels,	528003	20	22	2	36	236			
			local breccia, chlorite matrix, pyrtie- disseminated and in course clots and veinlets	528004	22	24	2	22	214			
			to2 mm, calcite veinlets	528005	24	26	2	52	219			
				528006	26	28	2	48	97			
				528007	28	30	2	39	76			
				528008	30	32	2	40	353			
31.4	34.0	HORN	HORNFELS	528009	32	34	2	40	467			
			lt to dark green, cherty, bedded 45 deg to CA, breccia dykes to 2cm with pyrtie, epifote	528012	34	36	2	32	217			
			and calcite, pyrtie in clots, fracture coatings and larger masses	528013	36	38	2	29	116			
34.0	76.5	MDIOR	MONZODIORITE, MINOR HORNFELS XENOLITHS	528014	38	40	2	16	13			
			pink to grey, fg, feldspar phyrriic, local bleaching giving a salt and pepper look, hornfels	528015	40	42	2	15	15			
			zenoliths, remant hornblende, pyrite in masses to 3cm, mostly diss. And in veinlets to	528016	42	44	2	28	13			
			3mm, epidote in clots and veinlets often with pyrite	528017	44	46	2	18	12			
				528018	46	48	2	5	14			
				528019	48	50	2	36	21			
				528020	50	52	2	18	14			
				528021	52	54	2	9	15			
				528022	54	56	2	24	13			
				528023	56	58	2	7	12			
				528024	58	60	2	10	15			
				528025	60	62	2	28	19			
				528026	62	64	2	10	28			
				528027	64	66	2	9	20			
				528028	66	68	2	11	51			
				528029	68	70	2	86	425			
				528031	70	72	2	216	753			
				528032	72	74	2	209	606			
				528033	74	76	2	154	560			

0 - none 1 - weak
 2 - moderate 3 - strong
 4 5 - very strong
 -1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
76.5	133.0	MZPBX	MONZODIOROTE POLLY BRECCIA WITH HORNFELS FRAGMENTS	528034	76	78	2	459	278			
			arbitrary upper contact, mixed hornfels and monzonite and hornblende porphyry in varying	528035	78	80	2	1709	23			
			proportions, local larger sections of hornfels to 1m, difused edges, local pink kspar	528036	80	82	2	159	239			
			patches and overprint of edipdote and pyrite in patches, clots and veins	528037	82	84	2	97	506			
				528038	84	86	2	104	651			
			Monzonite- fg, salt and pepper, variable pink colour,	528039	86	88	2	78	581			
			hornfels- bedded with variable green to pink beds, bedding not consistent	528040	88	90	2	61	615			
				528041	90	92	2	86	478			
			pyrite 2-4% disseminated chrystaline and in patches, fracture coatings and veins to	528042	92	94	2	64	618			
			3mm, always with epidote	528043	94	96	2	78	504			
				528044	96	98	2	59	384			
			epidote in clots and with pyrite in veinlets	528046	98	100	2	84	543			
			weak to moderate magnetic	528047	100	102	2	67	656			
			dark green chlorite	528048	102	104	2	44	442			
				528049	104	106	2	75	819			
			109.5m to 110.5 m: Mafic dyke- fg chloritc, soft, broken contacts	528050	106	108	2	56	468			
				528051	108	110	2	50	367			
				528052	110	112	2	60	610			
				528053	112	114	2	53	47			
				528054	114	116	2	33	83			
				528055	116	118	2	735	105			
				528056	118	120	2	215	81			
				528057	120	122	2	174	67			
				528058	122	124	2	48	224			
				528059	124	126	2	85	31			
				528060	126	128	2	50	16			
				528061	128	130	2	115	13			
				528062	130	132	2	62	29			
133.0	134.0	FLT	FAULT- green chlorite gouge	528063	132	134	2	35	97			
134.0	153.3	MZPBX	MONZODIOROTE POLLY BRECCIA WITH HORNFELS FRAGMENTS	528064	134	136	2	49	67			
			as above	528065	136	138	2	76	191			
				528066	138	140	2	59	57			
				528067	140	142	2	34	147			
				528068	142	144	2	32	278			
				528069	144	146	2	40	67			
				528070	146	148	2	64	254			

0 - none
1 - weak
2 - moderate
3 - strong
4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528071	148	150	2	37	46			
				528072	150	152	2	35	27			
				528073	152	154	2	84	170			
153.3	182.3	MDIOR	MONZODIORITE	528074	154	156	2	45	135			
			grey to pink, fg, feldspar phyrlic, 70% 1 to 3 mm, mafics gone to dark chlorite,	528076	156	158	2	218	411			
			zoned plagioclase, locally bleached giving pseudo-breccia appearance, patchy to massive	528077	158	160	2	40	298			
			pink kspar (albite?) flesh coloured, and selvages to pyrite veins	528078	160	162	2	35	308			
			pyrtie to 5%, 2% average, often with chlorite, epidote and calcite	528079	162	164	2	36	265			
				528080	164	166	2	94	308			
			chalcopyrite with epidote at 169m	528081	166	168	2	89	988			
			magnetite clot with hematite stained zone at 161.1m	528082	168	170	2	308	622			
			158m 5cm gouge	528083	170	172	2	87	729			
			171.2 m 20cm gouge	528084	172	174	2	209	121			
				528085	174	176	2	105	191			
				528086	176	178	2	21	85			
				528087	178	180	2	58	335			
				528088	180	182	2	49	264			
182.3	225.9	MZPBX	MONZODIORITE POLLY BRECCIA WITH HORNFELS FRAGMENTS	528089	182	184	2	42	120			
			as above	528090	184	186	2	16	16			
				528091	186	188	2	27	20			
			difuse egded gargments of monzonite and hornfels to 5 cm, locally to 10cm,	528092	188	190	2	68	94			
			magnetic black gfragments (not massive magnetite)	528093	190	192	2	342	52			
				528094	192	194	2	17	16			
			186.4 to 188.1m gouge and rubble	528095	194	196	2	55	73			
			194.2- 195.0m red burgundy fracture coatings	528096	196	198	2	56	55			
			197.5 to 204.0m chlorite rich foliated shear, 45 deg to 75 deg to CA,	528097	198	200	2	57	51			
				528098	200	202	2	193	143			
			213.1m to 215.1 m black mafic dyke, fg with green acicular to 1 cm feldspar laths	528101	202	204	2	665	111			
				528102	204	206	2	64	76			
			increasing calcite veinlets and arrays of veins	528103	206	208	2	62	331			
				528104	208	210	2	124	121			
225.9	250.0	fault	FAULT	528105	210	212	2	195	118			
			chlorits frcatures and clay gouge, 30 deg to CA,	528106	212	214	2	52	233			
				528107	214	216	2	91	87			
				528108	216	218	2	69	158			
				528109	218	220	2	105	378			
				528110	220	222	2	266	545			
				528111	222	224	2	125	234			
				528112	224	226	2	89	336			
				528113	226	228	2	74	203			
0 - none	1 - weak			528114	228	230	2	117	438			
2 - moderate	3 - strong			528115	230	232	2	147	390			

4 5 - very strong
-1 - unlogged

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528116	232	234	2	406	339			
				528117	234	236	2	449	425			
				528118	236	238	2	1008	802			
				528119	238	240	2	166	376			
				528120	240	242	2	129	139			
				528121	242	244	2	291	569			
				528122	244	246	2	724	96			
				528123	246	248	2	615	281			
				528124	248	250	2	500	256			

0 - none 1 - weak
 2 - moderate 3 - strong
 4 5 - very strong
 -1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

HOLE #:OD-6

Hole OD-6 Easting (N83 z10): 587988
 Azimuth: 40° Northing (N83 z10): 5834492
 Dip: -50°
 Start Date: Location: Cariboo M.D., British Columbia
 Complete Date: Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 865 Section No:
 Length(m): 261.3 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
0.0	7.6	OB	OVERBURDEN	528126	7.6	10	2.4	18	246			
7.6	13.3	HORN	HORNFELSESED SEDIMENTS	528127	10	12	2	46	370			
			well bedded mudstone, with local sanstone beds, graded tops up, bedding 60 deg to ca	528128	12	14	2	16	72			
			lt grey to green, hard, local pink beds to 3mm, rythmic, local epidote dominant beds	528129	14	16	2	30	176			
			and horizons to 15 cm, for 15% total. Pyrite 2-5%, locally 15% inepidite rich beds,	528130	16	18	2	27	257			
				528131	18	20	2	22	216			
				528132	20	22	2	54	449			
				528133	22	24	2	63	193			
13.3	14.3	HDYKE	HORNBLLENDE PORPHYRY DYKE- sill, sharp chilled contact	528134	24	26	2	37	140			
14.3	14.7	HORN	HORNFELSESED SEDIMENTS as above	528135	26	28	2	33	249			
14.7	15.2	HDYKE	HORNBLLENDE PORPHYRY DYKE	528136	28	30	2	31	241			
15.2	19.4	HORN	HORNFELSESED SEDIMENTS	528137	30	32	2	40	30			
19.4	22.7	HDYKE	HORNBLLENDE PORPHYRY DYKE	528138	32	34	2	32	18			
			chilled contacts, pyritic and epidote	528139	34	36	2	24	9			
22.7	27.0	HORN	HORNFELSESED SEDIMENTS	528140	36	38	2	27	7			
			as above	528141	38	40	2	32	18			
27.0	29.4	HDYKE	HORNBLLENDE PORPHYRY DYKE	528142	40	42	2	26	81			
			chilled contacts	528143	42	44	2	23	117			
29.4	40.2	HORN	HORNFELSESED SEDIMENTS	528144	44	46	2	39	45			
			as above	528145	46	48	2	29	59			
40.2	82.1	DI	DIORITE	528146	48	50	2	16	62			
			fg to mg, felspar phyrirc, 70% blocky white to green plagioclase, minor hornblende,	528147	50	52	2	22	167			
			pyrite to 3%, epidote to 5%	528148	52	54	2	22	108			
				528151	54	56	2	36	105			
				528152	56	58	2	13	9			
				528153	58	60	2	11	32			
				528154	60	62	2	6	6			
				528155	62	64	2	21	18			
0 - none	1 - weak			528156	64	66	2	20	17			
2 - moderate	3 - strong			528157	66	68	2	27	59			

4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528158	68	70	2	15	73			
				528159	70	72	2	8	45			
				528160	72	74	2	5	5			
				528161	74	76	2	25	64			
				528162	76	78	2	169	57			
				528163	78	80	2	17	110			
				528164	80	82	2	43	297			
82.1	88.6	HORN	HORNFELSESED SEDIMENTS	528165	82	84	2	53	436			
			as above, hard cherty, local pinkish hue	528166	84	86	2	19	7			
				528167	86	88	2	23	42			
88.6	90.4	HDYKE	HORNBLLENDE PORPHYRY DYKE	528168	88	90	2	25	79			
				528169	90	92	2	28	179			
90.4	91.1	HORN	HORNFELSESED SEDIMENTS	528170	92	94	2	20	97			
				528171	94	96	2	75	450			
				528172	96	98	2	26	20			
91.1	95.6	HDYKE	HORNBLLENDE PORPHYRY DYKE	528173	98	100	2	5225	85			
				528174	100	102	2	23	97			
95.6	97.2	HORN	HORNFELSESED SEDIMENTS	528176	102	104	2	43	80			
				528177	104	106	2	44	83			
97.2	122.0	HDYKE	HORNBLLENDE PORPHYRY DYKE	528178	106	108	2	43	67			
				528179	108	110	2	1060	80			
				528180	110	112	2	23	203			
				528181	112	114	2	21	120			
				528182	114	116	2	17	124			
				528183	116	118	2	21	169			
				528184	118	120	2	30	159			
				528185	120	122	2	4	11			
122.0	159.5	MDIOR	MONZODIORITE	528186	122	124	2	15	19			
			fg to mg felspar phyrriic, variable pyrite and epidote clots to 10%	528187	124	126	2	50	177			
			hornblende zones 0 to 15%- possible dykes	528188	126	128	2	63	314			
				528189	128	130	2	115	188			
			143.1m 8 cm gouge	528190	130	132	2	408	96			
				528191	132	134	2	34	79			
				528192	134	136	2	26	80			
				528193	136	138	2	29	57			
				528194	138	140	2	51	49			

0 - none
1 - weak
2 - moderate
3 - strong
4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528195	140	142	2	267	8			
				528196	142	144	2	966	28			
				528197	144	146	2	28	10			
				528198	146	148	2	27	133			
				528201	148	150	2	54	407			
				528202	150	152	2	33	125			
				528203	152	154	2	60	352			
				528204	154	156	2	76	175			
				528205	156	158	2	30	121			
159.5	190.1	HORN	HORNFELSED SEDIMENTS	528206	158	160	2	42	78			
			as above, bedded 70 deg to ca,	528207	160	162	2	62	305			
			160.9 to 161.1 m diorite	528208	162	164	2	22	103			
			170m- circular concretions to 3cm of pyritic cores then epidote then pink kspar	528209	164	166	2	39	23			
				528210	166	168	2	35	91			
			173.7m 3cm pyrite magnetite bed	528211	168	170	2	21	158			
				528212	170	172	2	18	183			
			increasing pink colouring	528213	172	174	2	21	144			
				528214	174	176	2	34	218			
			178m beds 80deg to ca	528215	176	178	2	27	95			
				528216	178	180	2	17	82			
			many <10cm hornblende porph dykes	528217	180	182	2	31	229			
				528218	182	184	2	33	198			
				528219	184	186	2	32	353			
				528220	186	188	2	23	130			
				528221	188	190	2	11	197			
190.1	191.8	HDYKE	HORNBLLENDE PORPHYRY DYKE	528222	190	192	2	20	339			
				528223	192	194	2	34	430			
				528224	194	195	1	33	406			
191.8	195.1	HORN	HORNFELSED SEDIMENTS	528226	195	196	1	354	82			
				528227	196	197	1	39	27			
				528228	197	198	1	27	22			
				528229	198	199	1	73	39			
195.1	232.0	SK	EPIDOTE MAGNETITE SKARN/ MASSIVE PROPYLITE	528230	199	200	1	136	11			
			massive propylite arbitrary contacts defined by presence of massive complete	528231	200	201	1	104	60			
			epidote propylitic alteration	528232	201	202	1	48	188			
			propylitic alteration- light apple green epidote, green chlorite, calcite, and bands	528233	202	203	1	75	13			
			of hard pink flesh coloured garnet, euhedral crystalline pyrite in massive bands	528234	203	204	1	35	220			
			and clots to 10%, 4% average	528235	204	205	1	96	10			
			zones of massive black magnetite with fine dark green epidote, pyrite to 20%, locally in bands	528236	205	206	1	44	4			
			195.1 to 197.6- propylite	528237	206	207	1	32	8			
0 - none	1 - weak		197.6 to 198.0- massive magnetite	528238	207	208	1	85	46			
2 - moderate	3 - strong		198.0 to 199.7-propylite with 10-20cm magnetite rich bands, garnet	528239	208	209	1	24	24			

4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
			199.7 to 202.1- hornblende dyke with epidote and garnet	528241	209	210	1	201	65			
			202.1 to 206.8- bands of massive propylite in grey epidote rich sandstone with 10% garnet	528242	210	211	1	256	660			
			206.8 to 221.3- massive magnetite skarn- 60 to 90% magnetite with epidote, pyrite	528243	211	212	1	404	802			
			to 40% over 10cm intervals, average 15%, trace fg chalcopyrite, garnets in masses	528244	212	213	1	1320	3249			
				528245	213	214	1	1299	2316			
				528246	214	215	1	1208	1737			
				528247	215	216	1	500	98			
			199.7m to 202.1m HORNBLLENDE PORPHYRY DYKE	528248	216	217	1	179	161			
				528251	217	218	1	448	964			
			221.3 to 232.0m- epidote garnet skarn	528252	218	219	1	781	1874			
			light green epidote rich 10-20%, with brown to yellow garnets in large masses	528253	219	220	1	136	689			
			altered pale green feldspar, in tusive breccia protolith?	528254	220	221	1	239	501			
			pyrite diss to 3% with local 3cm masses	528255	221	222	1	154	336			
			231m 10cm massive brown garnet	528256	222	223	1	70	458			
				528257	223	224	1	40	289			
				528258	224	225	1	25	128			
				528259	225	226	1	43	228			
				528260	226	227	1	37	184			
				528261	227	228	1	52	283			
				528262	228	229	1	49	273			
				528263	229	230	1	48	199			
				528264	230	231	1	62	210			
				528265	231	232	1	47	220			
232.0	261.3	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528268	232	234	2	22	63			
			black, massive, fragmental, with difue edged fragments, local bleached frags,	528269	234	236	2	59	162			
			some amoeboid shapes frags,equnt altered augite, bladed feldpar, wek magnetic,	528270	236	238	2	24	157			
			pyrite to 1%, epifte rare in lcots and veinlets,	528271	238	240	2	11	28			
				528272	240	242	2	50	107			
				528273	242	244	2	181	71			
				528274	244	246	2	22	17			
				528275	246	248	2	18	24			
				528276	248	250	2	54	77			
				528277	250	252	2	23	79			
				528278	252	254	2	12	33			
				528279	254	256	2	8	11			
				528280	256	258	2	22	134			
				528281	258	260	2	23	92			
				528282	260	261.3	1.3	4	6			

0 - none 1 - weak
2 - moderate 3 - strong
4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

HOLE #:OD-7

Hole OD-7 Easting (N83 z10): 587988
 Azimuth: 220° Northing (N83 z10): 5834492
 Dip: -50°
 Start Date: Location: Cariboo M.D., British Columbia
 Complete Date: Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 865 Section No:
 Length(m): 121.0 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
0	8.2	OB	OVERBURDEN	528283	8.2	10	1.8	13	142			
8.2	61.6	HORN	HHRONFELS- lt grey to green, hard, hornfels, sediments with patches and beds of	528284	10	12	2	13	82			
			epidote, often with pyrite. Local pink beds. Epidote, pyrite, garnet belbs and layersto 3 cm	528285	12	14	2	20	378			
			8.2-11.1 m- sed 34 deg to CA	528286	14	16	2	25	189			
			11.1 to 14.1 dark monzonite dyke	528287	16	18	2	42	380			
			14.1 to 18,1: hornfels, 30 deg to CA,	528288	18	20	2	10	124			
			18.1 to 20.4: diorite dyke	528289	20	22	2	8	25			
			20.4 to 21m beds 30 deg to CA	528290	22	24	2	6	63			
			24.3 to 36.8m hornblende porpyry dyke	528291	24	26	2	23	104			
			37.2 to 45.3: HORNFELS grey green hard, epidote pyrite clots and layers to 10%,	528292	26	28	2	28	193			
			pyrite 2-4%, pink coulr locally	528293	28	30	2	21	200			
				528294	30	32	2	99	598			
				528295	32	34	2	68	377			
				528296	34	36	2	22	187			
				528297	36	38	2	30	186			
				528298	38	40	2	46	438			
				528301	40	42	2	39	441			
				528302	42	44	2	45	373			
				528303	44	46	2	36	153			
				528304	46	48	2	28	235			
			45.3 to 47 hornblende porphyry dyke	528305	48	50	2	29	87			
				528306	50	52	2	38	84			
			47 to 55.5 Hornfels- beds 35 deg to CA, pyrtie 2-4%	528307	52	54	2	39	178			
				528308	54	56	2	61	404			
			55.5 to 58.1 hornblende porphyry dyke	528309	56	58	2	49	337			
				528310	58	60	2	172	249			
				528311	60	62	2	53	203			
			58.1 to 61.6 hornfels-	528312	62	64	2	15	11			
0 - none	1 - weak			528313	64	66	2	37	41			
2 - moderate	3 - strong			528314	66	68	2	11	25			

4 5 - very strong
 -1 - unlogged

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
61.6	115.2	MDIOR	DIORITE/MONZONITE	528315	68	70	2	11	21			
			equigranular, feldpar as equant 1.5mm blocky white plag. To 50%, fine hornblende <2mm	528316	70	72	2	10	34			
			pyrtie with minor epidote	528317	72	74	2	13	20			
				528318	74	76	2	16	18			
				528319	76	78	2	31	44			
				528320	78	80	2	14	20			
				528321	80	82	2	8	19			
				528322	82	84	2	4	6			
				528323	84	86	2	12	65			
				528324	86	88	2	21	101			
			91.1 to 92.2 pink monzonite	528326	88	90	2	35	53			
				528327	90	92	2	15	3			
			93.4 to 103.5m pink monzonite	528328	92	94	2	10	3			
				528329	94	96	2	8	28			
				528330	96	98	2	20	81			
				528331	98	100	2	6	19			
				528332	100	102	2	10	7			
				528333	102	104	2	0	11			
				528334	104	106	2	10	14			
				528335	106	108	2	17	11			
				528336	108	110	2	210	4			
				528337	110	112	2	141	94			
115.2	121.0	HORN	HORNFELS	528338	112	114	2	28	142			
			as above beds 35 deg to ca, epidote and pyrtie	528339	114	116	2	101	35			
				528340	116	118	2	14	15			
				528341	118	120	2	17	94			
				528342	120	121	1	42	66			

0 - none 1 - weak
2 - moderate 3 - strong
4 5 - very strong
-1 - unlogged

Hole OD-8 Easting (N83 z10): 588767
 Azimuth: 320° Northing (N83 z10): 5834303
 Dip: -60°
 Start Date: Location: Cariboo M.D., British Columbia
 Complete Date: Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 860 Section No:
 Length(m): 145.4 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
0.0	3.1	OB	OVERBURDEN	528343	3.1	4	0.9	60	29			
3.1	13.8	PBAS	PROPYLTIC BASALT AUTOBRECCIA- lt apple green basalt breccia, with rounded augite/hornblende basalt clast to 3cm, mostly <1cm, epidote rich sections with up to 30% epidote in matrix, with pyrite as christalline masses to 5%, local veins of 100% pyrite to 2 cm, epidote tapering off downhole, trace chalcopyrite, minor <1% equant orange garnets in massive epidote sections	528344 528345 528346 528347	4 6 8 10	6 8 10 12	2 2 2 2	74 79 61 42	22 36 10 8			
13.8	14.4	MDIOR	MMONZONITE- fg pink hornblende plagioclase latite or monzonite, epidote and pyrite veinlets, minor pink feldspar selvage, upper contact 45 deg to CA, sharp lower contact at 45 deg to CA	528351 528352 528353	14 16 18	16 18 20	2 2 2	44 27 45	40 31 12			
14.4	19.6	PBAS	PROPYLTIC BASALT AUTOBRECCIA- basalt, weakly propylitic, dark grey to black, fragmental with difuse edged equant fragments of basalt in dark matrix. Augite and hornblende, minor epidote pyrite veinlets and fracture coatings, pyrite also dissmeninated to to 3%, weakly magnetitc 36.4m 20cm rubble and gouge	528354 528355 528356 528357	20 22 24 26	22 24 26 28	2 2 2 2	20 15 29 42	52 45 97 55			
19.6	22.2	HDYKE	HORNLENDE PORPYRY DYKE- with epidote and pyrite	528358 528359	28 30	30 32	2 2	51 62	104 116			
22.2	23.0	FLT	FAULT- chlorite gouge	528360	32	34	2	41	20			
23.0	65.9	PBAS	PROPYLTIC BASALT AUTOBRECCIA fragmental with difuse edged frags to 3cm, minor epidote and pyrite, local sections of compact fragmnents <1cm- clast supported lapilli tuff 54.5-56.4 hornblende porphyry dyke upper conact sharp, chilled 50 deg to ca 58.0 to 65.8 hornblende porphyry dyke, epidote clots with pyrite to 5% <1cm, pyrite 2%	528361 528362 528363 528364 528365	34 36 38 40 42	36 38 40 42 44	2 2 2 2 2	25 57 74 41 74	37 92 108 115 84			
65.9	67.9	FLT	FAULT- broken core with chlorite gouge foliated 80 deg to CA	528366 528367	44 46	46 48	2 2	51 31	95 31			
				528368	48	50	2	33	95			
				528369	50	52	2	19	125			
				528370	52	54	2	72	84			
				528371	54	56	2	29	36			
				528372	56	58	2	26	45			
0 - none	1 - weak			528373	58	60	2	86	84			
2 - moderate	3 - strong			528374	60	62	2	104	242			

4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528376	62	64	2	126	85			
				528377	64	66	2	164	154			
				528378	66	68	2	106	90			
67.9	90.2	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528379	68	70	2	24	86			
			darg grey to black, augite rae hornblende, fragments difuse edged, compact	528380	70	72	2	29	155			
			clast supported <1cm, pyrtie to 2%	528381	72	74	2	23	55			
			rae to no epidote	528382	74	76	2	32	47			
				528383	76	78	2	20	54			
			73.4m 40 cm gouge and rubble fault	528384	78	80	2	57	102			
			76.1- 10cm massive gouge	528385	80	82	2	49	51			
				528386	82	84	2	139	36			
				528387	84	86	2	43	32			
				528388	86	88	2	33	77			
				528389	88	90	2	57	138			
90.2	94.6	DI	DIORITE - grey equigranular, blocky feldpar, 5% thin acivular hornblende,	528390	90	92	2	36	40			
			local <2% epidote, diss pyrite to 2%	528391	92	94	2	60	7			
				528392	94	96	2	20	26			
94.6	100.9	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528393	96	98	2	30	43			
			weak propylitic- with minor epidote and pyrtie	528394	98	100	2	79	232			
			99.3m 2 cm orange garnet vein	528395	100	102	2	59	134			
100.9	102.3	FLT	FAULT_ cohesive gouge, rubble	528396	102	104	2	37	125			
			102.2 m 2 cm orange garnet vein	528397	104	106	2	14	82			
				528398	106	108	2	25	146			
102.3	145.4	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528401	108	110	2	35	146			
			weakly propylitic	528402	110	112	2	26	91			
			121.3m 20 cm gouge/rubble	528403	112	114	2	15	54			
				528404	114	116	2	28	61			
				528405	116	118	2	38	101			
				528406	118	120	2	89	52			
				528407	120	122	2	113	142			
				528408	122	124	2	147	76			
				528409	124	126	2	114	164			
				528410	126	128	2	406	16			
				528411	128	130	2	65	43			
				528412	130	132	2	35	146			
				528413	132	134	2	62	145			

0 - none
1 - weak
2 - moderate
3 - strong
4 5 - very strong
-1 - unlogged

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528414	134	136	2	6	43			
			138m 3 cm gouge at 80 deg to CA	528415	136	138	2	4	65			
				528416	138	140	2	10	80			
			145.0 to 145.4m cohesive chlorite gouge	528417	140	142	2	8	71			
				528418	142	144	2	20	47			
				528419	144	145.4	1.4	21	66			

0 - none 1 - weak
 2 - moderate 3 - strong
 4 5 - very strong
 -1 - unlogged

Hole OD-9
Azimuth: 230°
Dip: -60°

Easting (N83 z10): 588767
Northing (N83 z10): 5834303

Start Date: _____ Location: Cariboo M.D., British Columbia

Complete Date: _____ Project: October Dome

Core Size: NQ Elevation: 860 Section No: _____

Purpose: Test IP and Geochem anomaly

Dip Tests: See Survey Table

Length(m): 157.6 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)		
0.0	3.0	OB	OVERBURDEN	528420	3	4	1	126	9		
3.0	17.0	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528421	4	6	2	116	31		
			fragmental basalt, rounded, frgas of basalt <1cm to 15cm, local difuse edged,	528422	6	8	2	114	39		
			blocky black augite, minor hornblende, in dark groundmas, intensle porpyltic	528423	8	10	2	34	27		
			with up to 50cm sections massive proylite with epidote/pyrite/clacite/chlorite. Lt green,	528424	10	12	2	48	6		
			with course clots of pyrtie to 1cm, and as disseminations and veins to 2cm.	528426	12	14	2	120	8		
			pyrtie locally to 30% over 10cm, 10% average, possible orange garnets	528427	14	16	2	168	38		
17.0	29.6	MDIOR	MONZODIORITE	528428	16	18	2	136	17		
			grey to pink, fg, equigranular, diorite with blocly equant t subhedral 1mm white	528429	18	20	2	58	7		
			to pink feldspar, small hornblende to 5% <2mm, more pinbk in mid-section of interval,	528430	20	22	2	41	51		
			epidote to 5% with diss pyrtie 2-4% and in veinlets and fracture coatings	528431	22	24	2	25	55		
			irregular 1cm black xenoliths	528432	24	26	2	30	45		
				528433	26	28	2	100	22		
29.6	141.0	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528434	28	30	2	808	43		
			propylitic with epidote in small masses and veins to 1cm mostly with pyrtie to 5%	528435	30	32	2	40	45		
				528436	32	34	2	52	57		
			38.0- 38.6m fg grey aphanitic dyke	528437	34	36	2	30	83		
			48.6 to 50.2m fg grey aphanitic dyke with massive pyrtie to 5cm at both contacts,	528438	36	38	2	29	131		
			45 deg to CA	528439	38	40	2	30	101		
			53.9 to 55.7m propylitic basalt with epidote to 20% and masses of pyrite to 20cm	528440	40	42	2	44	119		
			surrounding l;arger rounded blocks of basalt, pyrtite averages 10%	528441	42	44	2	48	23		
			56.6m 5cm gouge	528442	44	46	2	33	115		
				528443	46	48	2	278	96		
				528444	48	50	2	336	69		
				528445	50	52	2	851	389		
				528446	52	54	2	124	79		
				528447	54	56	2	250	37		
				528448	56	58	2	127	55		
				528451	58	60	2	180	124		
				528452	60	62	2	114	35		

0 - none 1 - weak

2 - moderate 3 - strong

4 5 - very strong

-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)		
				528453	62	64	2	112	74		
				528454	64	66	2	58	43		
				528455	66	68	2	51	84		
				528456	68	70	2	50	314		
				528457	70	72	2	22	177		
				528458	72	74	2	21	40		
				528459	74	76	2	30	56		
				528460	76	78	2	55	67		
				528461	78	80	2	61	144		
				528462	80	82	2	65	122		
			83.2- 87.0m pink felsic dyke, hornblende phyric, irregular contact <20 deg to ca	528463	82	84	2	95	135		
				528464	84	86	2	109	76		
				528465	86	88	2	55	85		
				528466	88	90	2	43	61		
			92.0 10cm gouge	528467	90	92	2	33	127		
				528468	92	94	2	35	86		
			94.2 to 94.6m pink felsic dyke	528469	94	96	2	24	46		
				528470	96	98	2	499	56		
				528471	98	100	2	80	170		
				528472	100	102	2	148	82		
				528473	102	104	2	173	169		
				528474	104	106	2	200	100		
				528476	106	108	2	92	105		
				528477	108	110	2	112	164		
				528478	110	112	2	56	35		
				528479	112	114	2	180	205		
			114.3 to 118.3 pink felsic dyke with hornblende to 5%	528480	114	116	2	104	73		
				528481	116	118	2	61	87		
				528482	118	120	2	165	221		
				528483	120	122	2	162	162		
				528484	122	124	2	88	128		
			124.2 to 125.y pink felsic dyke with pink blocky feldpsr to 1cm	528485	124	126	2	27	56		
				528486	126	128	2	34	92		
				528487	128	130	2	27	36		
			131.5m 20 cm gouge	528488	130	132	2	61	82		
				528489	132	134	2	56	124		

0 - none
1 - weak
2 - moderate
3 - strong
4 5 - very strong
-1 - unlogged

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)		
			133.5m 30 cm rubble and chlorite gouge	528490	134	136	2	29	116		
				528491	136	138	2	24	177		
				528492	138	140	2	19	140		
				528493	140	142	2	75	180		
141.0	152.3	DI	DIORITE DYKE- grey equigranular feldpsr phyric 40% stubby blocky white	528494	142	144	2	35	85		
			plagioclase to 1.5cm in light green groundmas, broken contacts diss pyrtie to 3%	528495	144	146	2	37	29		
				528496	146	148	2	144	89		
152.3	157.6	PBAS	PROPYLTIC BASALT AUTOBRECCIA	528497	148	150	2	115	61		
			as above- epidote lesser to 5%, minor pyrtie to 3%	528498	150	152	2	169	165		
				528501	152	154	2	53	146		
				528502	154	156	2	44	225		
				528503	156	157.6	1.6	15	84		

0 - none 1 - weak
2 - moderate 3 - strong
4 5 - very strong
-1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

HOLE #:OD-10

Hole OD-10 Easting (N83 z10): 589696
 Azimuth: 225° Northing (N83 z10): 5833578
 Dip: -60°
 Start Date: Location: Cariboo M.D., British Columbia
 Complete Date: Project: October Dome
 Purpose: Test IP and Geochem anomaly
 Dip Tests: See Survey Table

Core Size: NQ Elevation: 817 Section No:
 Length(m): 151.4 Date Logged: As drilled Logged Robert Cameron

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
0.0	20.4	OB	OVERDURDEN	528504	20.4	22.0	1.6	97.9	479			
20.4	151.4	MDIOR	DIORITE/MONZONITE	528505	22.0	24.0	2.0	30.5	89			
			grey to light grey, locally pink. Farcture stockwork with dark selvages leaving islands	528506	24.0	26.0	2.0	20.8	167			
			of lighter coloured diorite, fractures often filled with epidote +/- pyrite or dry barren	528507	26.0	28.0	2.0	24.1	131			
			some red hematite farcture coatings	528508	28	30	2	83	152			
				528509	30	32	2	32	255			
			epidote also in clots with pyrite in pinker sections (potassic alteration?)	528510	32	34	2	108	290			
			calcite veinlets and larger 5 cm veins with epidote	528511	34	36	2	178	145			
				528512	36	38	2	52	171			
			36.2 m 1 m core missing- fault?	528513	38	40	2	22	173			
				528514	40	42	2	21	121			
			38.7m to 58.0 m increasing pink colour in groundmass but also in discrete bands and	528515	42	44	2	27	183			
			broken masses, hard tectonic breccia, broken disrupted calcite veinlets	528516	44	46	2	78	426			
				528517	46	48	2	54	331			
			48.9m 20 cm rubble with gouge	528518	48	50	2	55	129			
				528519	50	52	2	50	116			
				528520	52	54	2	33	141			
				528521	54	56	2	36	238			
				528522	56	58	2	34	240			
				528523	58	60	2	30	239			
				528524	60	62	2	140	180			
				528526	62	64	2	49	305			
				528527	64	66	2	53	363			
				528528	66	68	2	21	115			
				528529	68	70	2	68	201			
				528530	70	72	2	85	206			
				528531	72	74	2	44	83			
				528532	74	76	2	36	96			
0 - none	1 - weak		79.0m end of chaotic disrupted zone	528533	76	78	2	14	80			
2 - moderate	3 - strong			528534	78	80	2	10	78			

4 5 - very strong
 -1 - unlogged

BEARING RESOURCES
OCTOBER DOME PROJECT

HOLE #:OD-10

From	To	Lith Cd	Description	Samp Num	From	To	Interval	Au plot ppb	Cu (PPM)			
				528535	80	82	2	8	59			
			diorite/monzonite- fg cohesive mottled grey to dark grey with weak green colour	528536	82	84	2	25	58			
			stockwork of dark selvaged fractures	528537	84	86	2	34	49			
			patches and veinlets of epidote and pyrtie to 2 mm with 8 mm light green selvage.	528538	86	88	2	29	44			
			minor pinbk groundmas	528539	88	90	2	23	66			
				528540	90	92	2	29	172			
				528541	92	94	2	32	51			
				528542	94	96	2	12	69			
				528543	96	98	2	9	34			
				528544	98	100	2	12	32			
				528545	100	102	2	25	40			
				528546	102	104	2	34	63			
				528547	104	106	2	19	42			
				528548	106	108	2	94	40			
				528551	108	110	2	26	55			
				528552	110	112	2	10	74			
				528553	112	114	2	66	70			
				528554	114	116	2	15	70			
				528555	116	118	2	14	64			
				528556	118	120	2	7	36			
				528557	120	122	2	170	121			
				528558	122	124	2	452	116			
				528559	124	126	2	12	38			
				528560	126	128	2	24	70			
				528561	128	130	2	17	51			
				528562	130	132	2	76	75			
				528563	132	134	2	33	124			
				528564	134	136	2	29	30			
				528565	136	138	2	69	51			
				528566	138	140	2	186	631			
				528567	140	142	2	33	197			
				528568	142	144	2	25	55			
				528569	144	146	2	10	90			
				528570	146	148	2	9	56			
				528571	148	150	2	7	23			
				528572	150	151.4	1.4	5	44			

0 - none
1 - weak
2 - moderate
3 - strong
4 5 - very strong
-1 - unlogged

APPENDIX 3

Analytical Certificates



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 Canada

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: September 27, 2013
Report Date: October 10, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN13003918.1

CLIENT JOB INFORMATION

Project: 240
Shipment ID:
P.O. Number
Number of Samples: 125

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	117	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	125	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
528001	Drill Core	3.23	4.9	242.9	3.5	20	0.2	7.2	11.1	311	3.36	4.9	36.1	1.6	35	0.2	0.3	<0.1	118	1.95	0.098
528002	Drill Core	5.49	4.3	216.5	3.1	18	0.2	16.1	14.9	311	4.14	7.5	21.4	1.3	40	0.1	0.3	0.2	151	2.32	0.124
528003	Drill Core	4.62	11.4	236.4	2.2	16	0.2	12.8	11.6	311	3.14	5.3	35.9	1.3	32	<0.1	0.3	0.1	112	2.33	0.120
528004	Drill Core	4.65	5.9	213.6	2.1	16	0.2	10.8	11.0	360	3.52	6.0	21.6	1.3	38	0.1	0.3	<0.1	123	2.50	0.118
528005	Drill Core	5.09	6.9	218.5	2.3	15	0.2	9.4	13.5	317	3.74	5.3	52.0	1.0	42	<0.1	0.2	0.4	111	2.43	0.111
528006	Drill Core	5.36	5.9	96.8	1.7	15	<0.1	10.6	11.2	325	4.15	5.6	48.4	1.0	52	<0.1	0.4	0.2	146	2.51	0.105
528007	Drill Core	4.57	4.8	76.3	2.7	14	0.1	8.8	13.1	259	3.39	6.5	39.0	1.2	41	<0.1	0.3	0.3	105	2.42	0.122
528008	Drill Core	5.65	3.8	352.7	2.6	15	0.2	8.8	15.8	257	2.85	6.3	40.3	1.6	33	<0.1	0.3	0.2	101	2.06	0.095
528009	Drill Core	5.53	6.5	467.4	1.8	13	0.2	17.8	22.9	256	3.93	6.1	39.8	1.0	31	0.1	0.5	0.2	140	2.03	0.086
528010	Rock Pulp	0.04	7.2	3193	13.0	117	0.6	116.0	12.4	787	5.77	10.6	265.2	1.3	138	0.4	6.3	0.3	56	2.83	0.104
528011	Rock Pulp	0.04	5.7	37.7	3.9	40	<0.1	12.1	5.0	522	2.79	2.7	0.6	2.4	26	<0.1	0.4	0.2	26	0.57	0.045
528012	Drill Core	5.38	6.3	216.5	1.9	16	0.2	8.5	11.6	357	4.18	7.6	31.6	0.8	43	<0.1	0.4	0.2	167	2.67	0.099
528013	Drill Core	5.74	4.6	115.8	2.1	13	0.1	7.4	11.1	290	3.87	9.9	28.7	1.2	34	<0.1	0.4	0.1	142	2.26	0.109
528014	Drill Core	4.60	1.8	12.9	2.3	16	<0.1	5.3	9.6	422	3.60	7.1	16.3	1.5	45	<0.1	0.4	0.1	131	3.41	0.127
528015	Drill Core	5.81	1.5	15.1	1.9	16	<0.1	4.9	7.3	403	3.36	6.9	14.9	1.7	38	<0.1	0.3	0.1	131	2.41	0.139
528016	Drill Core	5.81	1.4	13.1	2.6	17	0.1	5.0	8.8	404	4.30	7.5	28.2	1.7	51	<0.1	0.3	0.3	139	2.65	0.133
528017	Drill Core	5.38	2.6	12.0	2.4	16	<0.1	6.2	7.0	476	3.55	6.8	17.8	1.6	49	<0.1	0.3	0.2	135	2.88	0.137
528018	Drill Core	5.17	1.3	14.3	1.9	15	<0.1	4.8	4.9	369	3.75	7.4	5.2	1.7	44	<0.1	0.3	<0.1	146	2.37	0.137
528019	Drill Core	5.32	1.7	20.9	2.9	20	0.2	7.8	29.1	415	4.76	7.8	36.2	1.6	45	<0.1	0.4	0.6	111	2.83	0.133
528020	Drill Core	4.23	1.7	14.3	2.7	16	<0.1	6.1	8.5	346	3.76	8.6	18.1	1.8	54	0.1	0.4	0.2	134	2.81	0.133
528021	Drill Core	4.91	9.2	15.0	1.8	17	<0.1	5.0	5.4	425	3.71	6.0	9.1	2.0	42	<0.1	0.3	<0.1	145	2.53	0.133
528022	Drill Core	5.97	8.7	13.4	1.9	16	<0.1	5.3	10.6	332	3.71	7.7	23.5	1.9	78	<0.1	0.4	0.2	120	2.25	0.130
528023	Drill Core	4.64	1.5	12.0	2.1	16	<0.1	6.7	6.4	330	3.70	6.4	6.8	2.0	60	<0.1	0.3	<0.1	144	2.58	0.136
528024	Drill Core	5.72	1.4	14.8	2.1	16	<0.1	5.4	5.6	334	2.67	9.8	10.0	1.9	53	<0.1	0.4	<0.1	112	3.29	0.145
528025	Drill Core	4.64	2.1	18.7	2.1	19	<0.1	5.1	5.7	355	2.83	8.0	28.0	1.9	56	<0.1	0.4	<0.1	119	3.30	0.144
528026	Drill Core	4.81	2.6	28.1	2.7	25	<0.1	6.3	7.0	427	4.28	5.8	9.6	2.0	66	0.1	0.2	<0.1	169	2.49	0.142
528027	Drill Core	4.64	1.1	19.8	2.2	20	<0.1	5.9	5.6	400	3.97	8.0	8.8	1.8	51	0.1	0.3	<0.1	155	2.82	0.137
528028	Drill Core	5.48	2.9	51.2	1.4	15	<0.1	6.3	7.0	336	3.98	7.5	11.2	1.2	48	<0.1	0.3	<0.1	150	2.80	0.135
528029	Drill Core	4.98	6.9	424.6	2.0	15	0.3	10.4	22.9	303	3.52	10.5	86.3	0.8	90	0.1	0.5	0.4	106	2.91	0.106
528030	Rock Pulp	0.04	5.6	38.6	3.7	42	<0.1	12.5	5.0	535	2.97	2.7	2.3	2.4	26	<0.1	0.4	0.1	26	0.57	0.043

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528001	Drill Core	6	14	0.71	44	0.116	10	1.32	0.086	0.13	0.2	0.16	3.8	<0.1	0.70	6	0.8	<0.2
528002	Drill Core	6	17	0.93	47	0.157	11	1.56	0.123	0.13	0.2	0.24	4.3	<0.1	1.18	7	2.0	0.2
528003	Drill Core	7	15	0.86	28	0.129	9	1.26	0.098	0.10	0.2	0.31	3.7	<0.1	1.01	6	1.2	0.2
528004	Drill Core	7	16	0.93	42	0.137	6	1.49	0.121	0.12	0.2	0.31	5.5	<0.1	1.02	7	0.9	0.2
528005	Drill Core	6	14	0.75	35	0.119	5	1.10	0.078	0.11	0.2	0.77	3.7	<0.1	2.24	5	2.6	0.7
528006	Drill Core	6	23	0.97	46	0.139	8	1.57	0.132	0.20	0.2	0.72	6.1	<0.1	1.76	6	3.1	0.6
528007	Drill Core	6	14	0.73	40	0.131	7	1.25	0.120	0.15	0.2	0.93	5.1	<0.1	2.33	5	3.5	0.6
528008	Drill Core	6	13	0.64	45	0.135	8	1.37	0.123	0.15	0.2	0.66	4.2	<0.1	1.64	6	3.7	0.5
528009	Drill Core	6	28	0.66	30	0.151	12	1.47	0.103	0.13	0.2	0.66	4.5	<0.1	1.93	7	3.9	0.7
528010	Rock Pulp	5	136	1.12	32	0.002	6	1.04	0.059	0.37	0.3	1.32	7.3	0.2	2.90	2	6.1	0.5
528011	Rock Pulp	6	20	0.46	64	0.093	2	0.94	0.087	0.08	0.9	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
528012	Drill Core	5	17	1.01	24	0.132	11	1.90	0.122	0.12	0.3	0.62	5.9	<0.1	1.72	7	2.7	0.6
528013	Drill Core	5	8	0.65	44	0.118	11	1.66	0.116	0.14	0.3	0.39	4.9	<0.1	1.24	7	1.0	0.3
528014	Drill Core	5	8	1.00	34	0.141	13	1.97	0.087	0.12	0.4	0.33	5.9	<0.1	1.12	8	1.9	0.2
528015	Drill Core	6	7	0.92	41	0.130	13	1.82	0.081	0.14	0.4	0.45	5.2	<0.1	0.63	7	0.6	0.2
528016	Drill Core	5	7	0.88	50	0.130	11	1.90	0.113	0.17	0.5	0.47	5.1	<0.1	1.66	7	1.3	0.4
528017	Drill Core	5	9	0.99	55	0.140	11	2.08	0.106	0.19	0.4	0.41	6.3	<0.1	1.06	7	1.0	0.2
528018	Drill Core	6	7	0.73	56	0.117	15	1.90	0.117	0.21	0.2	0.29	4.8	<0.1	0.42	7	<0.5	<0.2
528019	Drill Core	5	6	1.07	31	0.133	7	1.56	0.084	0.11	0.4	0.94	5.9	<0.1	3.17	6	4.8	1.0
528020	Drill Core	6	9	0.69	57	0.126	15	1.94	0.113	0.18	0.4	0.39	4.7	<0.1	1.00	7	0.9	0.2
528021	Drill Core	6	6	1.00	47	0.122	10	1.86	0.068	0.14	0.4	0.37	5.1	<0.1	0.49	8	0.7	<0.2
528022	Drill Core	6	6	1.02	68	0.129	9	1.75	0.115	0.18	0.4	0.46	6.0	<0.1	1.61	6	1.7	0.3
528023	Drill Core	6	9	0.80	62	0.113	12	1.89	0.109	0.17	0.2	0.19	5.1	<0.1	0.38	8	<0.5	<0.2
528024	Drill Core	6	7	0.90	41	0.117	19	2.24	0.121	0.12	0.2	0.28	6.1	<0.1	0.41	8	<0.5	<0.2
528025	Drill Core	6	8	0.80	57	0.130	15	2.11	0.139	0.14	0.3	0.35	6.1	<0.1	0.45	8	0.9	<0.2
528026	Drill Core	7	8	0.85	76	0.119	14	1.91	0.117	0.19	0.2	0.28	5.4	<0.1	0.19	7	<0.5	<0.2
528027	Drill Core	6	7	0.81	54	0.102	15	2.19	0.103	0.18	0.2	0.13	5.3	<0.1	0.16	8	<0.5	<0.2
528028	Drill Core	5	8	0.79	61	0.105	14	2.19	0.103	0.18	0.2	0.28	5.7	<0.1	0.39	7	<0.5	<0.2
528029	Drill Core	6	12	0.78	71	0.130	14	1.96	0.140	0.14	0.3	0.79	5.9	<0.1	2.26	7	3.3	0.6
528030	Rock Pulp	6	21	0.48	67	0.093	2	0.95	0.086	0.08	1.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528031	Drill Core	5.00	6.5	753.0	2.3	18	0.5	16.1	42.2	381	4.83	9.7	216.0	0.9	53	0.1	0.5	0.6	90	3.29	0.152
528032	Drill Core	5.58	2.0	606.0	2.9	23	0.4	17.6	31.8	501	4.40	14.1	209.2	1.1	68	<0.1	0.5	0.5	124	3.38	0.119
528033	Drill Core	4.93	4.3	560.0	2.4	22	0.3	7.0	23.2	411	3.17	7.4	153.8	1.5	35	<0.1	0.3	0.3	80	2.49	0.091
528034	Drill Core	5.14	3.7	278.0	3.2	19	0.9	5.5	16.4	409	4.17	20.0	459.2	1.3	53	0.1	0.4	0.4	102	2.60	0.116
528035	Drill Core	5.46	3.4	23.2	3.1	28	0.8	10.1	32.5	595	6.54	20.9	1709	1.3	41	<0.1	0.4	1.4	117	5.01	0.100
528036	Drill Core	5.03	4.9	239.3	1.8	20	0.3	17.1	31.4	432	4.45	4.1	159.1	0.9	41	<0.1	0.3	0.8	103	3.13	0.092
528037	Drill Core	4.86	4.1	506.0	2.5	14	0.4	14.3	19.0	261	3.12	7.8	96.7	0.9	64	<0.1	0.4	0.6	99	2.27	0.112
528038	Drill Core	4.39	8.1	650.8	2.4	18	0.5	15.7	34.2	328	4.15	4.5	103.6	0.8	58	<0.1	0.7	0.6	85	3.01	0.095
528039	Drill Core	5.66	4.4	580.7	2.5	16	0.3	12.4	26.4	319	3.55	5.9	78.1	1.0	59	0.1	0.6	0.5	90	3.06	0.110
528040	Drill Core	5.46	8.0	614.9	2.4	15	0.4	11.8	22.2	323	2.89	3.2	60.7	0.8	62	<0.1	0.4	0.4	75	2.92	0.106
528041	Drill Core	5.10	8.5	477.6	2.2	17	0.3	15.5	18.3	352	2.97	3.8	85.7	0.7	79	<0.1	0.5	0.2	104	3.08	0.101
528042	Drill Core	4.21	13.0	617.9	2.3	17	0.4	16.2	17.0	337	2.77	5.2	64.3	0.7	121	<0.1	0.4	0.3	96	3.38	0.094
528043	Drill Core	4.74	13.0	504.4	2.4	14	0.3	13.4	23.4	316	4.00	5.1	77.7	0.9	48	<0.1	0.4	0.2	238	2.53	0.109
528044	Drill Core	4.53	9.4	384.4	2.1	17	0.3	9.8	13.9	392	2.36	3.4	58.8	1.0	48	0.1	0.4	0.1	80	3.26	0.109
528045	Rock Pulp	0.04	7.0	3067	13.4	109	0.7	86.8	11.8	757	6.01	11.0	238.7	1.4	149	0.6	5.9	0.3	53	2.77	0.096
528046	Drill Core	5.23	3.7	543.3	1.9	19	0.4	17.1	20.9	412	3.31	7.1	83.7	0.9	53	<0.1	0.4	0.2	130	2.72	0.113
528047	Drill Core	4.44	4.5	655.5	2.3	16	0.4	23.1	25.1	362	3.59	12.8	67.0	0.8	43	<0.1	0.4	0.3	146	2.28	0.105
528048	Drill Core	4.50	5.1	442.0	2.5	18	0.3	15.7	15.8	357	2.40	8.7	43.5	0.6	37	0.1	0.3	0.2	99	3.25	0.075
528049	Drill Core	4.70	10.4	818.6	2.7	16	0.4	23.3	30.9	413	4.11	4.5	75.0	0.9	32	<0.1	0.4	0.2	106	2.29	0.087
528050	Drill Core	5.25	6.5	468.3	2.1	14	0.2	19.4	17.7	340	2.60	4.6	55.8	1.3	33	<0.1	0.3	0.2	114	3.55	0.083
528051	Drill Core	3.97	3.8	367.4	4.4	22	0.3	18.4	21.8	393	3.69	4.8	50.0	1.1	41	<0.1	0.3	0.2	131	2.34	0.095
528052	Drill Core	4.93	5.3	610.4	3.6	18	0.4	26.2	29.7	349	4.18	4.4	59.7	1.0	39	<0.1	0.3	0.3	110	2.24	0.094
528053	Drill Core	5.08	4.6	46.5	1.7	20	0.1	8.7	30.3	354	4.79	10.2	53.3	0.6	46	<0.1	0.2	0.3	114	2.68	0.069
528054	Drill Core	5.06	6.1	83.4	1.4	15	0.1	9.3	13.7	417	3.93	10.4	33.4	0.7	68	<0.1	0.3	0.2	196	3.35	0.061
528055	Drill Core	5.51	2.8	105.4	1.8	35	2.2	2.0	14.3	728	4.47	16.9	734.8	0.8	47	1.4	0.4	0.1	89	4.26	0.143
528056	Drill Core	4.72	2.8	81.2	1.3	35	1.0	1.1	10.5	779	4.64	3.2	215.4	0.9	53	<0.1	0.3	<0.1	80	4.93	0.160
528057	Drill Core	5.23	8.0	66.6	2.1	25	0.1	13.9	28.5	537	4.40	35.1	173.8	1.0	123	<0.1	0.3	0.3	125	3.08	0.108
528058	Drill Core	5.07	4.5	223.6	2.4	18	0.2	13.1	25.6	431	3.20	5.9	48.0	1.0	92	<0.1	0.3	0.4	116	3.94	0.106
528059	Drill Core	5.69	4.6	31.2	1.9	18	0.1	13.9	28.8	401	4.08	4.1	85.2	0.7	66	<0.1	0.2	0.4	97	2.89	0.087
528060	Drill Core	4.76	4.0	15.7	1.9	19	<0.1	13.0	22.5	422	2.86	3.3	50.0	0.8	60	<0.1	0.2	0.3	94	2.87	0.099

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528031	Drill Core	6	17	0.95	20	0.125	5	1.67	0.107	0.08	0.3	1.01	5.3	<0.1	3.05	6	5.8	0.9
528032	Drill Core	6	27	1.42	34	0.145	5	1.81	0.119	0.11	0.3	0.62	7.7	<0.1	2.26	6	3.7	0.3
528033	Drill Core	7	10	0.95	42	0.127	4	1.30	0.073	0.12	0.3	0.66	5.3	<0.1	1.84	6	3.1	0.3
528034	Drill Core	5	5	0.88	86	0.119	6	1.67	0.118	0.26	0.6	0.61	4.8	<0.1	2.12	6	2.9	1.0
528035	Drill Core	6	26	1.28	43	0.070	3	1.47	0.087	0.18	0.7	1.75	9.3	<0.1	4.83	6	6.2	2.3
528036	Drill Core	6	29	1.15	39	0.121	1	1.28	0.129	0.13	0.2	1.05	8.2	<0.1	3.42	5	5.7	1.2
528037	Drill Core	6	20	0.75	53	0.157	5	1.35	0.144	0.12	0.2	0.81	5.3	<0.1	1.99	6	4.5	1.0
528038	Drill Core	6	20	0.95	31	0.161	6	1.44	0.172	0.10	0.2	0.75	5.7	<0.1	3.19	5	7.3	0.7
528039	Drill Core	6	16	0.97	48	0.155	6	1.57	0.120	0.12	0.2	0.91	5.1	<0.1	2.63	6	7.6	0.7
528040	Drill Core	7	12	0.94	34	0.142	6	1.50	0.196	0.12	0.1	0.53	6.8	<0.1	2.13	5	6.8	0.6
528041	Drill Core	6	22	1.10	60	0.176	5	1.77	0.181	0.14	0.2	0.45	5.5	<0.1	1.54	6	5.5	0.5
528042	Drill Core	6	13	0.89	64	0.136	9	1.92	0.163	0.11	0.2	0.76	5.9	<0.1	1.45	7	4.8	0.4
528043	Drill Core	6	14	0.82	32	0.130	8	1.62	0.122	0.10	0.2	0.47	5.0	<0.1	1.85	6	5.2	0.5
528044	Drill Core	8	20	1.03	23	0.148	5	1.66	0.099	0.09	0.2	0.30	6.6	<0.1	1.21	7	3.1	<0.2
528045	Rock Pulp	5	113	1.09	31	0.002	5	0.99	0.057	0.35	0.3	1.39	7.2	0.1	2.78	2	6.9	0.3
528046	Drill Core	7	20	1.23	24	0.181	10	1.78	0.140	0.10	0.2	0.32	6.7	<0.1	1.65	7	3.8	0.4
528047	Drill Core	6	30	1.06	33	0.190	7	1.78	0.108	0.13	0.1	0.52	4.9	<0.1	1.91	7	3.6	0.5
528048	Drill Core	6	43	0.89	29	0.159	18	2.23	0.102	0.14	0.2	0.27	7.0	<0.1	1.27	8	1.7	<0.2
528049	Drill Core	6	35	1.17	49	0.149	4	1.58	0.110	0.14	0.2	0.29	6.2	<0.1	2.46	7	4.7	<0.2
528050	Drill Core	6	30	0.93	37	0.152	5	1.48	0.077	0.09	0.2	0.37	5.2	<0.1	1.39	8	2.2	<0.2
528051	Drill Core	5	14	1.29	32	0.147	3	1.48	0.077	0.09	0.2	0.31	4.2	<0.1	1.63	6	3.3	<0.2
528052	Drill Core	5	16	1.23	25	0.150	4	1.43	0.087	0.08	0.2	0.56	4.7	<0.1	2.61	6	5.7	0.3
528053	Drill Core	3	12	1.23	19	0.105	3	1.17	0.101	0.06	0.2	0.74	8.1	<0.1	4.09	5	4.7	0.6
528054	Drill Core	4	13	1.14	40	0.147	4	1.61	0.137	0.13	0.2	0.31	7.6	<0.1	1.67	5	2.4	0.3
528055	Drill Core	8	3	0.96	49	0.055	2	1.33	0.048	0.22	0.2	0.46	5.4	<0.1	1.05	6	1.0	2.0
528056	Drill Core	9	<1	0.86	55	0.021	2	1.46	0.051	0.29	0.2	0.18	5.1	<0.1	0.30	5	<0.5	0.5
528057	Drill Core	6	25	1.42	65	0.145	3	1.85	0.138	0.12	0.3	0.38	8.5	<0.1	2.53	6	3.1	0.5
528058	Drill Core	6	16	0.99	44	0.130	3	1.48	0.109	0.08	0.2	0.33	8.7	<0.1	2.31	5	3.8	0.3
528059	Drill Core	5	30	1.25	33	0.102	4	1.30	0.114	0.08	0.1	0.60	5.3	<0.1	3.34	4	5.6	0.5
528060	Drill Core	5	30	1.33	29	0.125	4	1.19	0.108	0.07	0.1	0.48	5.9	<0.1	2.17	5	3.6	<0.2

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method Analyte	Unit	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
528061	Drill Core	5.13	6.6	12.6	1.6	17	0.2	10.2	26.2	406	3.30	4.6	115.3	1.0	45	<0.1	0.2	0.4	110	3.44	0.108
528062	Drill Core	5.11	2.8	29.1	1.9	23	0.2	16.9	33.2	515	5.55	10.1	62.4	0.6	73	<0.1	0.4	0.9	227	2.89	0.131
528063	Drill Core	4.98	0.8	97.4	1.6	23	0.2	11.6	23.7	464	4.20	8.0	35.0	0.9	51	<0.1	0.4	0.4	143	2.22	0.117
528064	Drill Core	4.60	1.0	67.3	1.4	26	0.2	7.8	10.1	539	4.00	6.5	49.1	1.0	61	<0.1	0.4	0.1	121	2.88	0.140
528065	Drill Core	4.83	3.8	191.0	2.5	19	0.3	8.5	18.7	430	3.33	7.3	75.8	1.0	109	<0.1	0.4	0.3	118	2.81	0.116
528066	Drill Core	5.31	1.4	57.2	2.0	28	0.3	7.3	9.0	567	3.82	6.8	58.6	0.8	68	<0.1	0.4	0.7	115	2.69	0.136
528067	Drill Core	5.22	1.0	146.6	1.6	29	0.2	7.1	6.1	550	4.41	9.0	34.0	0.8	68	<0.1	0.5	0.1	125	2.46	0.134
528068	Drill Core	5.15	0.8	277.6	2.7	18	0.2	8.7	14.8	357	2.93	8.4	31.7	1.1	44	<0.1	0.3	0.3	116	2.62	0.120
528069	Drill Core	5.22	1.4	67.1	2.5	17	0.1	8.9	15.8	357	2.81	8.2	40.1	1.2	53	<0.1	0.2	0.3	111	2.50	0.116
528070	Drill Core	5.42	3.0	253.6	2.1	18	0.3	9.5	18.0	413	2.56	5.0	64.2	1.2	152	<0.1	0.2	0.4	84	4.39	0.094
528071	Drill Core	5.49	1.0	45.6	1.8	20	<0.1	12.0	23.0	486	2.96	20.9	36.5	1.0	67	<0.1	0.3	0.5	95	4.38	0.116
528072	Drill Core	6.04	1.4	26.6	2.0	24	<0.1	19.2	23.7	585	3.48	27.9	34.8	0.9	140	<0.1	0.5	0.4	132	4.90	0.097
528073	Drill Core	5.49	4.9	170.2	3.2	27	0.3	9.8	23.6	492	3.34	14.6	83.5	1.1	95	<0.1	0.3	0.8	61	3.97	0.080
528074	Drill Core	4.95	0.9	135.1	2.1	24	0.3	5.9	14.4	440	3.58	6.6	44.7	0.8	63	<0.1	0.5	0.3	166	2.61	0.126
528075	Rock Pulp	0.04	7.6	3157	14.4	127	0.7	97.4	13.6	780	5.49	12.5	255.8	1.5	177	0.5	6.6	0.4	54	2.78	0.112
528076	Drill Core	5.21	7.5	411.4	4.7	27	0.6	5.3	16.4	358	2.59	30.0	218.3	1.3	45	0.3	0.4	0.4	79	2.27	0.079
528077	Drill Core	4.59	4.3	297.9	5.3	24	0.3	4.8	14.2	276	2.10	10.7	40.0	1.3	37	0.3	0.3	0.1	51	1.72	0.064
528078	Drill Core	4.91	2.3	308.4	3.4	16	0.3	5.2	18.3	251	2.76	4.5	35.1	1.2	31	0.1	0.2	0.2	71	1.67	0.066
528079	Drill Core	5.41	2.9	264.7	4.6	19	0.2	4.5	15.7	195	2.21	7.4	35.9	1.2	32	0.2	0.2	0.2	43	1.43	0.071
528080	Drill Core	5.16	15.4	307.5	4.3	23	0.4	3.9	13.2	276	2.14	9.1	94.3	1.2	41	0.2	0.2	0.2	52	1.92	0.070
528081	Drill Core	5.72	4.2	988.2	4.9	28	1.0	3.9	11.7	338	2.89	18.0	89.0	1.3	84	0.3	0.3	0.4	56	1.59	0.067
528082	Drill Core	5.39	2.3	621.8	3.6	24	0.7	5.2	22.4	312	3.29	19.8	307.9	0.9	48	0.1	0.3	0.5	78	2.39	0.142
528083	Drill Core	5.10	4.8	728.7	2.8	23	0.8	20.8	40.0	340	4.35	12.0	86.5	0.9	71	<0.1	0.3	0.4	103	2.63	0.206
528084	Drill Core	5.25	5.4	121.0	2.1	20	0.2	16.7	12.1	388	2.41	3.8	209.0	1.2	57	0.1	0.3	0.2	76	2.30	0.089
528085	Drill Core	4.51	8.1	191.3	2.3	21	0.5	6.0	18.1	401	4.13	20.0	105.3	1.2	39	<0.1	0.3	0.6	86	2.99	0.074
528086	Drill Core	4.37	1.4	85.2	1.5	31	0.2	9.8	19.7	597	4.46	9.5	21.0	1.1	70	<0.1	0.4	0.2	161	3.17	0.155
528087	Drill Core	4.61	2.7	334.9	3.0	22	0.3	8.1	16.6	383	2.87	7.1	57.7	1.1	61	<0.1	0.3	0.1	80	2.08	0.080
528088	Drill Core	5.44	2.3	263.5	2.2	21	0.3	6.9	19.3	337	3.70	11.2	48.6	0.7	81	<0.1	0.4	0.3	110	2.60	0.160
528089	Drill Core	5.45	29.5	119.5	2.4	18	0.1	8.5	15.5	329	3.86	6.7	42.1	0.8	89	<0.1	0.3	0.4	138	3.01	0.107
528090	Drill Core	4.38	2.2	16.4	1.4	16	<0.1	6.7	7.8	298	3.91	5.9	15.7	0.9	48	<0.1	0.2	0.2	146	2.73	0.104

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.5	0.2
528061	Drill Core	5	24	1.16	18	0.124	4	1.05	0.097	0.08	0.3	0.78	8.1	<0.1	2.68	4	2.8	0.7
528062	Drill Core	4	18	1.65	40	0.237	6	1.97	0.112	0.12	0.4	0.98	9.8	<0.1	2.91	8	3.3	0.9
528063	Drill Core	5	13	1.34	27	0.163	4	1.85	0.079	0.09	0.4	0.40	7.1	<0.1	1.32	7	1.9	0.5
528064	Drill Core	6	12	1.38	34	0.141	4	1.63	0.082	0.12	0.4	0.17	7.2	<0.1	0.40	7	0.8	<0.2
528065	Drill Core	7	18	1.03	53	0.141	4	1.56	0.135	0.11	0.3	0.41	7.1	<0.1	1.30	6	2.7	0.6
528066	Drill Core	5	11	1.30	50	0.127	2	1.54	0.077	0.14	0.5	0.54	7.0	<0.1	0.93	6	1.0	0.7
528067	Drill Core	5	9	1.28	66	0.140	6	1.86	0.116	0.20	0.3	0.21	7.4	<0.1	0.34	6	0.6	<0.2
528068	Drill Core	6	12	0.89	30	0.128	5	1.72	0.131	0.10	0.2	0.36	5.4	<0.1	1.23	7	2.5	0.4
528069	Drill Core	6	13	0.86	32	0.120	6	1.37	0.098	0.08	0.2	0.48	4.9	<0.1	1.29	5	3.0	0.3
528070	Drill Core	7	13	0.78	41	0.103	3	1.03	0.088	0.12	0.2	0.44	5.7	<0.1	1.46	4	2.5	0.5
528071	Drill Core	8	26	0.91	37	0.127	3	1.39	0.118	0.14	0.2	0.52	9.7	<0.1	1.71	5	2.7	0.5
528072	Drill Core	6	46	1.20	71	0.147	3	1.91	0.182	0.13	0.2	0.46	12.1	0.1	1.77	5	2.9	0.4
528073	Drill Core	8	15	0.79	56	0.066	4	1.23	0.069	0.16	0.3	0.53	5.7	<0.1	2.31	4	3.2	0.8
528074	Drill Core	5	7	1.51	29	0.162	5	1.80	0.098	0.12	0.3	0.31	7.9	<0.1	1.11	7	3.5	0.2
528075	Rock Pulp	6	124	1.11	36	0.001	6	1.04	0.058	0.36	0.4	1.53	7.8	0.2	2.88	3	7.4	0.3
528076	Drill Core	6	5	0.74	47	0.109	4	1.19	0.077	0.12	0.2	0.38	4.2	<0.1	1.50	6	1.7	0.4
528077	Drill Core	7	4	0.39	64	0.106	4	1.12	0.110	0.15	0.2	0.30	2.8	<0.1	1.12	6	1.7	<0.2
528078	Drill Core	6	4	0.37	58	0.106	5	0.99	0.081	0.14	0.2	0.13	1.8	<0.1	1.42	6	2.5	<0.2
528079	Drill Core	6	3	0.21	55	0.106	7	1.01	0.099	0.15	0.2	0.14	1.5	<0.1	1.31	7	2.2	<0.2
528080	Drill Core	6	4	0.45	51	0.103	4	1.11	0.084	0.11	0.2	0.23	2.5	<0.1	1.44	6	1.7	<0.2
528081	Drill Core	7	4	0.45	69	0.099	4	1.08	0.092	0.12	0.3	0.25	2.4	0.2	1.65	6	1.3	0.4
528082	Drill Core	6	4	0.74	49	0.123	9	1.75	0.096	0.13	0.3	0.48	3.7	<0.1	2.11	7	3.9	0.4
528083	Drill Core	7	4	0.85	41	0.136	15	2.21	0.141	0.14	0.3	0.34	4.8	<0.1	2.01	8	9.7	0.7
528084	Drill Core	5	43	0.94	45	0.104	2	1.01	0.079	0.11	0.2	0.22	3.8	<0.1	0.96	5	1.7	<0.2
528085	Drill Core	5	5	0.82	45	0.091	1	1.00	0.060	0.14	0.4	0.46	4.9	<0.1	2.50	6	1.5	0.8
528086	Drill Core	6	19	1.70	44	0.138	2	1.67	0.069	0.10	0.6	0.20	9.6	<0.1	0.78	7	0.8	<0.2
528087	Drill Core	6	6	0.95	55	0.121	3	1.16	0.077	0.12	0.3	0.22	4.7	<0.1	0.93	6	1.7	0.2
528088	Drill Core	5	6	1.06	52	0.124	13	2.14	0.110	0.15	0.3	0.30	5.9	<0.1	1.71	8	1.8	0.4
528089	Drill Core	6	27	0.84	49	0.139	9	1.50	0.108	0.09	0.1	0.36	3.5	<0.1	1.66	6	1.8	0.5
528090	Drill Core	6	18	1.01	42	0.106	8	1.85	0.078	0.14	0.2	0.23	4.9	<0.1	0.85	7	1.2	0.2

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method Analyte	Unit	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528091	Drill Core	4.64	2.4	20.0	1.7	19	<0.1	6.0	7.2	425	3.16	5.8	27.2	0.9	118	<0.1	0.4	0.2	118	3.49	0.109
528092	Drill Core	4.92	7.2	94.4	2.6	21	0.2	9.4	16.1	473	3.88	5.6	68.0	0.7	114	<0.1	0.5	0.4	124	3.26	0.111
528093	Drill Core	4.23	2.5	52.4	1.4	35	0.1	8.6	19.3	696	6.11	14.9	341.9	0.7	70	<0.1	0.3	0.9	129	3.79	0.118
528094	Drill Core	5.30	1.9	15.9	1.0	20	<0.1	10.0	6.7	573	3.93	4.9	17.2	0.7	55	<0.1	0.4	0.2	141	2.96	0.125
528095	Drill Core	5.19	0.9	73.1	1.1	30	0.1	15.5	13.6	723	5.33	7.1	55.2	1.0	47	<0.1	0.4	0.2	170	3.60	0.131
528096	Drill Core	4.84	10.0	54.5	1.4	23	0.2	9.7	6.9	557	3.92	4.9	55.5	0.8	54	<0.1	0.2	0.7	120	4.02	0.111
528097	Drill Core	5.35	2.6	51.4	2.0	24	0.2	8.5	10.6	685	4.13	12.9	56.9	0.6	126	<0.1	0.3	0.7	72	5.82	0.095
528098	Drill Core	5.73	5.5	142.7	2.9	26	0.3	11.4	16.1	722	5.07	18.2	192.5	0.6	134	<0.1	0.4	1.0	63	6.14	0.102
528099	Rock Pulp	0.04	7.2	3138	13.6	119	0.5	118.6	12.5	772	5.66	11.0	278.0	1.5	154	0.5	6.1	0.3	56	2.81	0.103
528100	Rock Pulp	0.04	5.2	34.7	4.0	40	<0.1	10.9	4.6	531	2.89	2.4	1.2	2.4	26	<0.1	0.3	0.1	27	0.56	0.041
528101	Drill Core	5.12	3.0	111.1	4.1	23	0.4	10.8	12.4	635	4.55	22.8	664.9	0.7	124	0.1	0.5	0.9	68	5.42	0.099
528102	Drill Core	5.14	4.1	76.2	1.6	23	0.2	21.4	37.0	634	4.99	8.3	63.6	0.8	72	<0.1	0.3	0.5	148	4.56	0.108
528103	Drill Core	4.72	1.1	331.3	1.7	27	0.3	9.2	11.9	611	5.39	6.7	61.6	0.9	62	<0.1	0.3	0.3	141	3.22	0.139
528104	Drill Core	4.81	3.6	121.3	2.4	23	0.2	16.3	33.7	620	4.09	11.6	123.9	0.9	85	<0.1	0.5	0.4	121	4.28	0.095
528105	Drill Core	5.63	3.3	118.4	1.1	23	0.1	14.4	24.7	572	3.06	2.7	194.8	0.8	80	<0.1	0.2	0.2	101	4.29	0.095
528106	Drill Core	4.70	3.1	232.6	1.4	26	0.2	13.3	17.6	619	4.78	4.7	51.9	0.9	72	<0.1	0.2	0.2	141	4.43	0.124
528107	Drill Core	4.71	1.0	86.8	1.1	27	0.2	12.6	14.6	663	5.53	5.8	90.9	0.9	87	<0.1	0.2	0.2	149	4.87	0.126
528108	Drill Core	4.96	1.0	158.4	1.1	26	0.2	15.0	12.1	579	3.97	4.7	69.1	0.7	110	<0.1	0.3	0.1	120	4.62	0.102
528109	Drill Core	5.11	10.4	377.8	1.1	20	0.4	16.3	17.3	622	4.16	4.6	105.0	0.8	89	<0.1	0.3	0.2	131	4.81	0.110
528110	Drill Core	5.08	18.4	545.1	1.5	21	0.5	21.1	29.6	616	3.84	5.7	265.6	0.8	96	0.1	0.5	0.3	109	4.67	0.111
528111	Drill Core	4.95	4.5	233.6	1.4	20	0.2	14.3	18.3	537	3.72	4.6	124.7	0.7	88	<0.1	0.4	0.1	134	4.21	0.069
528112	Drill Core	5.29	2.7	335.8	1.5	22	0.3	17.7	17.5	558	3.94	5.1	89.2	0.6	111	<0.1	0.4	0.2	141	4.93	0.098
528113	Drill Core	5.55	1.5	202.6	1.5	24	0.2	13.1	16.7	600	4.31	7.6	74.4	0.6	107	<0.1	0.5	0.2	107	5.07	0.109
528114	Drill Core	4.38	3.2	438.1	2.0	23	0.2	15.7	20.4	626	4.43	5.8	117.1	0.8	62	<0.1	0.5	0.2	169	4.02	0.095
528115	Drill Core	5.57	2.4	389.5	2.6	21	0.3	16.9	24.5	667	3.97	5.3	147.4	0.8	84	<0.1	0.4	0.2	119	5.59	0.085
528116	Drill Core	5.63	2.6	339.4	1.6	21	0.2	14.0	24.4	579	3.89	4.5	405.8	0.9	57	<0.1	0.3	0.2	115	4.05	0.089
528117	Drill Core	4.81	3.3	425.1	1.8	24	0.2	19.0	28.3	629	3.78	4.9	449.2	1.0	68	<0.1	0.3	0.2	122	4.20	0.096
528118	Drill Core	4.80	2.8	802.1	2.8	19	0.4	18.5	28.3	601	3.84	7.0	1008	0.9	80	<0.1	0.5	0.2	170	4.31	0.089
528119	Drill Core	4.69	3.6	375.9	3.2	20	0.3	13.8	21.9	528	2.65	6.5	166.0	1.0	134	<0.1	0.4	0.2	120	4.78	0.093
528120	Drill Core	4.92	3.0	138.7	2.6	20	0.2	7.4	12.3	626	3.63	7.3	128.8	1.0	175	<0.1	0.3	<0.1	128	4.00	0.090

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
528091	Drill Core	7	22	1.19	67	0.129	4	1.50	0.081	0.09	0.2	0.23	6.6	<0.1	0.75	7	<0.5	<0.2
528092	Drill Core	7	24	1.18	85	0.129	5	1.51	0.088	0.08	0.2	0.36	6.4	<0.1	1.83	7	1.4	0.4
528093	Drill Core	7	12	1.45	55	0.054	5	1.78	0.061	0.23	0.2	0.48	6.3	<0.1	2.43	7	1.3	0.5
528094	Drill Core	6	32	1.63	44	0.116	3	1.44	0.083	0.07	0.2	0.23	8.0	<0.1	0.63	7	<0.5	0.4
528095	Drill Core	6	33	2.35	37	0.091	2	2.11	0.051	0.11	0.3	0.59	11.5	<0.1	0.81	9	0.7	0.6
528096	Drill Core	8	17	1.55	31	0.025	5	1.72	0.056	0.15	<0.1	0.77	7.8	<0.1	1.10	6	<0.5	1.1
528097	Drill Core	5	12	1.27	73	0.001	11	2.03	0.037	0.26	<0.1	0.90	6.9	<0.1	1.49	4	1.7	0.6
528098	Drill Core	4	9	1.36	36	0.001	10	2.32	0.023	0.29	<0.1	1.60	5.6	<0.1	1.88	4	1.0	0.8
528099	Rock Pulp	6	141	1.12	39	0.002	5	1.00	0.060	0.35	0.4	1.39	7.3	0.2	2.93	2	7.2	0.5
528100	Rock Pulp	6	21	0.45	64	0.091	1	0.94	0.086	0.08	0.9	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
528101	Drill Core	4	13	1.25	64	0.001	15	2.08	0.033	0.31	<0.1	1.60	6.9	<0.1	1.70	4	<0.5	1.3
528102	Drill Core	10	38	1.98	39	0.032	4	2.11	0.054	0.13	<0.1	1.11	10.8	<0.1	2.18	7	1.7	0.7
528103	Drill Core	7	7	1.71	54	0.085	4	1.97	0.051	0.19	0.3	0.55	7.2	<0.1	0.86	8	1.0	0.4
528104	Drill Core	8	28	1.49	67	0.033	4	1.67	0.053	0.13	0.1	1.06	6.9	<0.1	2.03	7	2.8	0.4
528105	Drill Core	8	29	1.47	115	0.020	4	1.50	0.056	0.11	<0.1	0.66	7.1	<0.1	1.12	6	1.3	<0.2
528106	Drill Core	8	22	1.72	139	0.025	4	1.80	0.048	0.12	<0.1	0.47	10.7	<0.1	1.03	7	1.8	0.3
528107	Drill Core	7	21	1.89	114	0.006	5	2.18	0.040	0.15	0.2	0.46	12.4	<0.1	0.91	8	0.6	0.3
528108	Drill Core	6	27	1.47	208	0.015	8	1.69	0.048	0.19	<0.1	0.48	10.4	<0.1	0.62	6	0.8	<0.2
528109	Drill Core	7	41	1.45	140	0.031	14	1.31	0.051	0.15	<0.1	0.34	9.6	<0.1	0.95	5	0.9	<0.2
528110	Drill Core	7	29	1.50	83	0.051	12	1.37	0.056	0.14	<0.1	0.68	10.5	<0.1	1.61	5	2.1	<0.2
528111	Drill Core	6	30	1.41	185	0.072	16	1.31	0.058	0.11	0.1	0.51	10.5	<0.1	0.70	6	2.3	<0.2
528112	Drill Core	6	19	1.33	167	0.041	11	1.55	0.052	0.17	<0.1	0.63	9.4	<0.1	0.81	5	1.9	<0.2
528113	Drill Core	4	14	1.34	146	0.022	12	1.83	0.035	0.22	0.1	0.70	9.2	<0.1	0.97	5	1.3	<0.2
528114	Drill Core	6	38	1.89	28	0.122	7	1.73	0.049	0.10	0.2	0.94	10.4	<0.1	1.43	8	2.5	<0.2
528115	Drill Core	7	26	1.42	62	0.038	11	1.64	0.046	0.14	<0.1	0.85	8.4	<0.1	1.94	6	2.7	0.3
528116	Drill Core	7	25	1.70	65	0.044	14	1.71	0.045	0.14	<0.1	1.09	8.2	<0.1	1.61	7	1.5	<0.2
528117	Drill Core	7	43	2.17	117	0.069	13	1.91	0.057	0.16	0.1	0.83	9.1	<0.1	1.32	7	3.5	<0.2
528118	Drill Core	9	36	1.56	68	0.063	9	1.49	0.051	0.11	0.2	0.97	8.1	<0.1	1.66	6	2.8	0.2
528119	Drill Core	6	31	1.39	142	0.109	6	1.23	0.057	0.07	0.2	0.94	8.9	<0.1	1.22	6	1.8	<0.2
528120	Drill Core	6	22	1.85	169	0.102	10	1.78	0.055	0.11	0.2	0.80	8.2	<0.1	0.73	7	0.8	<0.2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: 240
 Report Date: October 10, 2013

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
528121	Drill Core	4.74	2.7	569.2	3.3	23	0.4	41.8	25.7	654	3.67	16.5	290.7	1.2	95	0.2	0.5	0.3	129	4.74	0.091
528122	Drill Core	5.11	1.6	96.1	3.2	22	0.2	8.7	10.2	442	2.15	13.2	723.5	1.7	76	<0.1	0.5	0.2	110	3.96	0.123
528123	Drill Core	4.95	0.8	280.9	2.0	20	0.3	8.1	16.1	481	4.28	15.1	614.5	1.3	88	<0.1	0.4	0.2	146	3.55	0.110
528124	Drill Core	4.73	1.1	256.0	1.9	21	0.3	8.9	21.1	418	4.22	14.8	499.5	1.0	110	<0.1	0.4	0.2	115	3.01	0.122
528125	Rock Pulp	0.04	10.3	3173	13.6	135	0.7	264.8	16.6	809	6.11	13.4	300.8	1.5	179	0.5	7.5	0.4	58	2.89	0.105



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 Canada

Project: 240
 Report Date: October 10, 2013

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003918.1

Method	1DX30																	
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2
528121	Drill Core	6	49	1.64	73	0.140	7	1.76	0.049	0.16	0.7	0.73	8.9	<0.1	1.29	7	1.4	0.3
528122	Drill Core	8	15	0.89	52	0.153	5	1.24	0.096	0.14	0.7	0.39	9.8	<0.1	0.75	5	<0.5	<0.2
528123	Drill Core	5	11	1.28	48	0.158	6	2.23	0.093	0.16	0.4	0.44	7.1	<0.1	0.97	7	1.0	0.2
528124	Drill Core	5	10	1.17	74	0.132	9	2.16	0.109	0.15	0.4	0.61	6.7	<0.1	1.16	7	1.1	<0.2
528125	Rock Pulp	6	350	1.15	162	0.002	6	1.04	0.059	0.40	0.8	1.55	7.5	0.2	3.09	3	7.8	0.4

QUALITY CONTROL REPORT

VAN13003918.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
528001	Drill Core	3.23	4.9	242.9	3.5	20	0.2	7.2	11.1	311	3.36	4.9	36.1	1.6	35	0.2	0.3	<0.1	118	1.95	0.098
REP 528001	QC		4.9	241.7	3.4	21	0.2	7.2	10.7	313	3.38	4.8	40.2	1.7	34	<0.1	0.3	<0.1	119	1.96	0.099
528019	Drill Core	5.32	1.7	20.9	2.9	20	0.2	7.8	29.1	415	4.76	7.8	36.2	1.6	45	<0.1	0.4	0.6	111	2.83	0.133
REP 528019	QC		1.8	21.5	3.0	20	0.2	8.0	28.2	419	4.81	7.6	37.7	1.5	47	0.1	0.4	0.6	111	2.86	0.134
528032	Drill Core	5.58	2.0	606.0	2.9	23	0.4	17.6	31.8	501	4.40	14.1	209.2	1.1	68	<0.1	0.5	0.5	124	3.38	0.119
REP 528032	QC		1.9	618.6	3.0	24	0.4	21.4	31.9	502	4.44	14.1	212.4	1.1	66	<0.1	0.4	0.5	126	3.40	0.120
528050	Drill Core	5.25	6.5	468.3	2.1	14	0.2	19.4	17.7	340	2.60	4.6	55.8	1.3	33	<0.1	0.3	0.2	114	3.55	0.083
REP 528050	QC		6.6	459.7	2.2	12	0.2	17.3	16.9	331	2.54	5.2	58.4	1.2	31	<0.1	0.2	0.2	112	3.45	0.079
528064	Drill Core	4.60	1.0	67.3	1.4	26	0.2	7.8	10.1	539	4.00	6.5	49.1	1.0	61	<0.1	0.4	0.1	121	2.88	0.140
REP 528064	QC		1.0	67.5	1.3	25	0.1	7.4	9.7	533	3.97	6.3	69.3	1.0	61	0.1	0.4	0.1	122	2.85	0.131
528081	Drill Core	5.72	4.2	988.2	4.9	28	1.0	3.9	11.7	338	2.89	18.0	89.0	1.3	84	0.3	0.3	0.4	56	1.59	0.067
REP 528081	QC		4.1	971.3	5.0	28	1.1	3.9	10.7	332	2.82	17.6	86.7	1.2	82	0.5	0.3	0.4	55	1.57	0.070
528095	Drill Core	5.19	0.9	73.1	1.1	30	0.1	15.5	13.6	723	5.33	7.1	55.2	1.0	47	<0.1	0.4	0.2	170	3.60	0.131
REP 528095	QC		1.0	75.8	1.0	32	0.2	16.6	14.1	722	5.35	7.0	50.5	1.0	49	<0.1	0.4	0.2	170	3.63	0.129
528112	Drill Core	5.29	2.7	335.8	1.5	22	0.3	17.7	17.5	558	3.94	5.1	89.2	0.6	111	<0.1	0.4	0.2	141	4.93	0.098
REP 528112	QC		2.5	336.4	1.5	19	0.3	17.1	16.3	560	3.91	4.4	91.7	0.6	108	<0.1	0.3	0.2	141	4.94	0.094
528125	Rock Pulp	0.04	10.3	3173	13.6	135	0.7	264.8	16.6	809	6.11	13.4	300.8	1.5	179	0.5	7.5	0.4	58	2.89	0.105
REP 528125	QC		10.9	3121	13.9	127	0.7	266.5	16.7	797	6.08	12.4	289.9	1.6	183	0.5	7.9	0.4	58	2.90	0.109
Core Reject Duplicates																					
528029	Drill Core	4.98	6.9	424.6	2.0	15	0.3	10.4	22.9	303	3.52	10.5	86.3	0.8	90	0.1	0.5	0.4	106	2.91	0.106
DUP 528029	QC		6.4	431.9	2.1	15	0.4	10.6	24.5	308	3.57	10.6	86.1	0.9	87	0.1	0.5	0.4	106	2.96	0.112
528067	Drill Core	5.22	1.0	146.6	1.6	29	0.2	7.1	6.1	550	4.41	9.0	34.0	0.8	68	<0.1	0.5	0.1	125	2.46	0.134
DUP 528067	QC		1.0	148.4	1.5	28	0.2	7.5	7.2	545	4.38	9.0	35.4	0.7	70	<0.1	0.5	0.2	126	2.46	0.143
528105	Drill Core	5.63	3.3	118.4	1.1	23	0.1	14.4	24.7	572	3.06	2.7	194.8	0.8	80	<0.1	0.2	0.2	101	4.29	0.095
DUP 528105	QC		3.5	124.8	1.4	22	0.1	15.2	27.3	588	3.22	3.4	243.2	0.8	85	<0.1	0.3	0.2	102	4.52	0.093
Reference Materials																					
STD DS10	Standard		15.7	154.3	160.5	349	2.0	74.3	12.9	883	2.78	45.6	74.8	8.1	58	2.5	8.5	9.9	44	1.09	0.072
STD DS10	Standard		15.8	152.7	148.4	348	2.0	74.9	13.3	865	2.76	42.6	126.3	7.8	60	2.3	8.1	9.2	44	1.07	0.073

QUALITY CONTROL REPORT

VAN13003918.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
528001	Drill Core	6	14	0.71	44	0.116	10	1.32	0.086	0.13	0.2	0.16	3.8	<0.1	0.70	6	0.8	<0.2
REP 528001	QC	6	13	0.70	43	0.115	9	1.32	0.079	0.12	0.2	0.16	3.8	<0.1	0.69	6	0.8	<0.2
528019	Drill Core	5	6	1.07	31	0.133	7	1.56	0.084	0.11	0.4	0.94	5.9	<0.1	3.17	6	4.8	1.0
REP 528019	QC	5	6	1.09	33	0.132	6	1.58	0.084	0.11	0.4	1.01	5.6	<0.1	3.21	6	4.8	0.9
528032	Drill Core	6	27	1.42	34	0.145	5	1.81	0.119	0.11	0.3	0.62	7.7	<0.1	2.26	6	3.7	0.3
REP 528032	QC	6	26	1.42	36	0.145	6	1.80	0.109	0.10	0.3	0.59	7.7	<0.1	2.27	6	4.8	0.6
528050	Drill Core	6	30	0.93	37	0.152	5	1.48	0.077	0.09	0.2	0.37	5.2	<0.1	1.39	8	2.2	<0.2
REP 528050	QC	5	30	0.91	33	0.146	4	1.44	0.080	0.09	0.2	0.34	5.1	<0.1	1.38	8	2.9	<0.2
528064	Drill Core	6	12	1.38	34	0.141	4	1.63	0.082	0.12	0.4	0.17	7.2	<0.1	0.40	7	0.8	<0.2
REP 528064	QC	5	12	1.36	34	0.137	4	1.61	0.081	0.12	0.3	0.15	7.6	<0.1	0.40	6	0.6	0.2
528081	Drill Core	7	4	0.45	69	0.099	4	1.08	0.092	0.12	0.3	0.25	2.4	0.2	1.65	6	1.3	0.4
REP 528081	QC	6	4	0.44	66	0.096	5	1.06	0.091	0.12	0.2	0.24	2.3	<0.1	1.63	5	1.3	0.4
528095	Drill Core	6	33	2.35	37	0.091	2	2.11	0.051	0.11	0.3	0.59	11.5	<0.1	0.81	9	0.7	0.6
REP 528095	QC	6	33	2.34	39	0.092	3	2.11	0.052	0.11	0.3	0.64	11.8	<0.1	0.83	9	<0.5	0.3
528112	Drill Core	6	19	1.33	167	0.041	11	1.55	0.052	0.17	<0.1	0.63	9.4	<0.1	0.81	5	1.9	<0.2
REP 528112	QC	6	18	1.33	165	0.041	10	1.54	0.053	0.17	0.1	0.62	9.2	<0.1	0.82	5	2.2	<0.2
528125	Rock Pulp	6	350	1.15	162	0.002	6	1.04	0.059	0.40	0.8	1.55	7.5	0.2	3.09	3	7.8	0.4
REP 528125	QC	6	350	1.14	184	0.003	5	1.02	0.059	0.40	0.8	1.47	7.9	0.2	3.09	3	8.9	0.6
Core Reject Duplicates																		
528029	Drill Core	6	12	0.78	71	0.130	14	1.96	0.140	0.14	0.3	0.79	5.9	<0.1	2.26	7	3.3	0.6
DUP 528029	QC	6	12	0.79	66	0.135	12	1.92	0.115	0.13	0.3	0.83	5.3	<0.1	2.29	7	4.9	0.5
528067	Drill Core	5	9	1.28	66	0.140	6	1.86	0.116	0.20	0.3	0.21	7.4	<0.1	0.34	6	0.6	<0.2
DUP 528067	QC	5	9	1.28	60	0.144	5	1.81	0.102	0.18	0.3	0.21	7.3	<0.1	0.36	7	0.5	<0.2
528105	Drill Core	8	29	1.47	115	0.020	4	1.50	0.056	0.11	<0.1	0.66	7.1	<0.1	1.12	6	1.3	<0.2
DUP 528105	QC	8	27	1.49	87	0.017	6	1.54	0.048	0.11	<0.1	0.65	7.0	<0.1	1.31	6	1.8	0.4
Reference Materials																		
STD DS10	Standard	19	56	0.79	359	0.084	7	1.09	0.070	0.35	3.4	0.31	3.0	5.1	0.28	4	2.1	5.3
STD DS10	Standard	17	56	0.77	329	0.081	8	1.08	0.070	0.34	3.0	0.29	2.9	4.7	0.29	5	1.8	4.7

QUALITY CONTROL REPORT

VAN13003918.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS10	Standard		15.5	144.1	146.0	356	2.0	81.1	13.5	907	2.87	46.4	89.1	8.3	67	2.6	9.6	11.3	45	1.09	0.083
STD DS10	Standard		15.5	160.9	157.2	380	2.0	76.0	12.9	906	2.82	48.3	110.5	8.3	71	2.8	8.9	12.0	45	1.11	0.086
STD DS10	Standard		13.9	148.7	155.6	342	2.0	72.7	12.2	850	2.77	44.3	91.7	8.0	63	2.1	8.1	9.8	43	1.05	0.070
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	2.3	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank		0.2	2.4	3.0	47	<0.1	4.3	4.2	579	2.03	<0.5	1.1	5.2	60	<0.1	<0.1	<0.1	37	0.47	0.082
G1	Prep Blank		<0.1	2.1	2.6	44	<0.1	3.5	4.0	564	2.03	<0.5	0.8	4.9	56	<0.1	<0.1	<0.1	37	0.46	0.083

QUALITY CONTROL REPORT

VAN13003918.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS10	Standard	19	60	0.80	387	0.090	7	1.10	0.069	0.35	3.5	0.32	3.3	4.9	0.29	4	2.4	5.2
STD DS10	Standard	19	58	0.81	371	0.086	7	1.12	0.072	0.35	3.5	0.28	3.1	5.1	0.29	5	2.3	4.9
STD DS10	Standard	18	54	0.77	345	0.080	8	1.05	0.068	0.34	3.3	0.29	3.1	4.8	0.27	4	2.1	4.1
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	10	8	0.58	256	0.131	2	1.07	0.124	0.55	<0.1	<0.01	2.9	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	10	8	0.57	243	0.129	2	1.04	0.118	0.54	<0.1	<0.01	2.9	0.3	<0.05	5	<0.5	<0.2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 CANADA

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: October 02, 2013
Report Date: October 23, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN13003997.1

CLIENT JOB INFORMATION

Project: 240
Shipment ID:
P.O. Number
Number of Samples: 145

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	134	Crush, split and pulverize 250 g rock to 200 mesh			VAN
G601	40	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
1DX3	145	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



A Bureau Veritas Group Company

www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**

1280 - 625 Howe St.

Vancouver BC V6C 2T6 CANADA

Project: 240

Report Date: October 23, 2013

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
528126	Drill Core	4.82		6.1	246.4	4.4	37	0.4	33.4	5.4	465	3.47	23.1	17.7	1.2	59	0.2	1.2	0.3	109	2.09
528127	Drill Core	4.75		5.0	370.1	2.4	33	0.5	23.0	14.7	536	4.02	46.1	45.9	0.6	35	<0.1	0.5	0.5	115	2.51
528128	Drill Core	5.29		5.8	72.0	1.9	29	0.2	14.6	14.2	524	3.38	24.3	15.8	0.5	50	<0.1	0.4	0.4	95	2.80
528129	Drill Core	4.54		6.2	175.7	3.2	48	0.5	15.2	13.2	597	3.47	45.1	29.5	0.6	41	0.2	0.3	0.4	94	2.49
528130	Drill Core	5.12		4.9	257.0	4.3	52	0.7	18.0	9.5	594	3.04	43.5	27.4	0.6	40	0.4	0.2	0.3	93	2.76
528131	Drill Core	4.80		4.0	215.8	4.3	51	0.5	18.4	10.8	553	2.77	25.4	22.1	0.5	42	0.4	0.3	0.3	85	2.98
528132	Drill Core	4.11		1.0	448.8	2.6	34	1.1	26.3	19.3	514	3.49	21.6	53.5	0.4	40	0.4	0.4	0.7	77	2.73
528133	Drill Core	4.77		3.7	192.7	2.0	29	0.4	25.8	19.8	536	2.95	12.2	63.4	0.6	37	0.1	0.3	0.7	138	2.78
528134	Drill Core	4.70		6.8	140.4	2.0	30	0.3	24.9	20.4	517	3.20	22.7	37.3	0.8	35	<0.1	0.2	1.0	144	2.43
528135	Drill Core	5.07		6.7	248.8	2.6	25	0.5	32.0	18.1	396	2.89	35.6	33.0	0.8	45	<0.1	0.3	1.1	105	2.21
528136	Drill Core	5.27		5.3	240.8	2.9	39	0.5	29.9	17.0	472	3.29	67.5	30.5	0.7	62	0.2	0.4	0.5	92	2.69
528137	Drill Core	5.06		10.9	29.9	1.8	12	0.1	33.0	18.0	266	4.08	9.4	39.7	0.9	37	<0.1	0.6	1.4	138	1.90
528138	Drill Core	5.22		14.2	17.5	2.7	15	0.1	29.1	13.6	308	3.58	7.7	31.5	0.6	40	<0.1	0.6	1.0	125	2.32
528139	Drill Core	4.59		13.1	9.4	1.6	15	<0.1	32.1	11.4	355	3.98	8.9	24.2	0.9	52	<0.1	0.9	0.9	141	2.11
528140	Drill Core	4.93		18.6	6.8	1.7	15	<0.1	27.0	11.8	411	3.62	9.2	26.8	0.8	55	<0.1	0.7	0.7	140	2.99
528141	Drill Core	4.33		2.4	17.6	2.1	16	0.1	30.0	14.2	430	3.57	12.0	32.2	1.0	77	<0.1	0.8	0.7	163	3.72
528142	Drill Core	5.53		3.8	80.9	4.4	31	0.2	9.9	13.2	384	2.81	23.5	25.8	1.2	67	0.2	0.5	0.4	74	1.86
528143	Drill Core	3.25		3.2	116.5	2.1	39	0.2	9.0	21.4	687	3.18	16.1	23.2	0.8	82	<0.1	0.4	0.2	100	3.03
528144	Drill Core	4.72		5.9	44.5	3.5	28	0.2	5.0	9.5	754	2.39	16.1	39.1	0.9	121	0.2	0.4	0.1	54	8.25
528145	Drill Core	5.17		2.8	58.8	2.8	20	<0.1	3.3	7.0	346	2.26	4.1	29.2	1.3	45	<0.1	0.2	0.2	46	2.26
528146	Drill Core	6.44		2.5	62.0	3.2	25	0.1	5.8	8.9	417	2.34	7.2	15.6	1.2	44	<0.1	0.2	0.3	59	2.59
528147	Drill Core	3.98		3.5	167.0	6.9	103	0.5	4.2	6.9	399	2.22	33.0	22.1	1.1	51	0.7	0.3	0.2	62	1.99
528148	Drill Core	5.17		4.6	107.8	2.5	33	0.3	3.9	9.4	365	2.28	4.2	21.7	1.1	31	0.1	0.2	0.4	61	1.99
528149	Rock Pulp	0.04		5.0	36.1	3.6	38	<0.1	12.0	4.5	517	2.86	2.5	1.3	2.2	29	<0.1	0.5	0.1	26	0.54
528150	Rock Pulp	0.04		8.4	3224.0	13.8	124	0.6	174.1	14.0	794	5.40	12.2	240.4	1.4	184	0.5	6.5	0.4	55	2.81
528151	Drill Core	4.06		5.5	104.8	3.7	22	0.1	4.1	14.3	268	1.83	3.6	36.2	1.1	25	0.3	0.2	0.3	48	1.70
528152	Drill Core	2.99		6.5	8.7	5.2	23	0.1	5.6	16.2	235	1.76	4.8	12.8	1.0	49	0.2	0.2	0.3	46	1.63
528153	Drill Core	5.97		6.0	32.3	3.7	18	0.1	4.9	15.7	238	1.65	3.8	11.4	1.1	22	<0.1	0.2	0.3	48	1.48
528154	Drill Core	4.65		2.3	6.0	2.9	15	<0.1	5.7	15.1	274	1.64	4.2	5.8	1.1	27	<0.1	0.1	0.2	61	2.13
528155	Drill Core	4.67		0.5	17.6	4.0	26	0.1	5.7	10.7	359	1.78	7.8	20.7	0.6	48	0.1	0.6	0.2	60	2.73

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
528126	Drill Core	0.101	7	38	0.83	50	0.122	3	1.32	0.093	0.10	0.2	0.12	4.4	<0.1	1.35	6	3.3	<0.2
528127	Drill Core	0.085	4	39	0.99	28	0.104	6	1.54	0.071	0.07	0.3	0.06	5.1	<0.1	1.96	7	2.9	<0.2
528128	Drill Core	0.074	4	32	0.98	34	0.114	8	1.98	0.093	0.09	0.4	0.07	7.3	<0.1	1.38	7	1.0	<0.2
528129	Drill Core	0.085	4	26	1.06	41	0.093	7	1.88	0.095	0.08	0.4	0.09	7.0	<0.1	1.29	7	2.5	<0.2
528130	Drill Core	0.078	4	28	1.13	52	0.103	10	2.07	0.110	0.09	0.5	0.12	7.0	<0.1	0.98	8	1.8	<0.2
528131	Drill Core	0.078	4	37	0.96	47	0.107	15	2.01	0.104	0.10	0.5	0.11	6.0	<0.1	0.97	8	2.3	<0.2
528132	Drill Core	0.090	3	53	0.88	26	0.144	6	1.57	0.097	0.07	0.3	0.09	4.4	<0.1	2.20	7	4.6	<0.2
528133	Drill Core	0.083	6	42	0.88	32	0.124	3	1.05	0.069	0.07	0.2	0.05	5.0	<0.1	1.88	5	2.6	<0.2
528134	Drill Core	0.083	6	45	0.98	37	0.124	3	1.08	0.107	0.08	0.2	0.03	5.6	<0.1	2.06	5	6.4	<0.2
528135	Drill Core	0.105	5	30	0.95	49	0.144	11	1.58	0.127	0.13	0.2	0.05	5.3	<0.1	1.71	6	2.5	0.2
528136	Drill Core	0.104	4	34	1.08	70	0.104	20	2.03	0.120	0.11	0.3	0.15	6.5	<0.1	1.51	6	1.1	<0.2
528137	Drill Core	0.082	7	18	0.53	33	0.152	2	0.81	0.111	0.09	0.2	0.10	3.0	<0.1	3.86	5	3.4	0.4
528138	Drill Core	0.083	6	21	0.63	30	0.129	6	1.14	0.079	0.07	0.2	0.10	3.3	<0.1	3.14	6	2.5	0.3
528139	Drill Core	0.088	7	26	0.64	36	0.153	5	1.18	0.126	0.10	0.2	0.15	4.3	<0.1	3.13	6	2.5	0.2
528140	Drill Core	0.083	6	31	0.82	24	0.142	4	1.07	0.067	0.06	0.2	0.13	4.1	<0.1	2.84	6	2.8	<0.2
528141	Drill Core	0.084	7	29	0.82	36	0.179	4	1.16	0.082	0.07	0.4	0.15	4.4	<0.1	2.87	6	2.6	0.2
528142	Drill Core	0.083	7	8	0.68	74	0.119	5	1.11	0.132	0.12	0.2	0.09	4.6	<0.1	1.96	6	2.2	<0.2
528143	Drill Core	0.127	6	11	1.45	69	0.129	3	1.67	0.098	0.09	0.3	0.10	9.0	<0.1	1.47	7	1.2	<0.2
528144	Drill Core	0.068	6	4	0.79	138	0.002	5	0.92	0.038	0.17	<0.1	0.06	4.0	<0.1	1.07	3	1.2	<0.2
528145	Drill Core	0.062	10	3	0.47	48	0.028	6	0.79	0.065	0.16	<0.1	0.04	3.2	<0.1	1.33	4	0.6	<0.2
528146	Drill Core	0.066	9	16	0.74	52	0.059	4	0.87	0.064	0.12	0.2	0.09	4.2	<0.1	1.58	5	0.9	<0.2
528147	Drill Core	0.066	7	4	0.69	79	0.084	5	0.92	0.073	0.12	0.2	0.39	3.3	<0.1	1.32	5	0.7	<0.2
528148	Drill Core	0.083	6	4	0.60	48	0.103	4	0.83	0.071	0.10	0.2	0.14	3.2	<0.1	1.63	6	1.4	<0.2
528149	Rock Pulp	0.042	6	20	0.46	64	0.079	2	0.91	0.083	0.08	1.0	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
528150	Rock Pulp	0.110	6	214	1.12	36	0.002	5	0.93	0.056	0.34	0.6	1.40	7.6	0.2	2.80	2	7.1	<0.2
528151	Drill Core	0.065	6	3	0.39	49	0.095	5	0.83	0.085	0.10	0.2	0.08	2.0	<0.1	1.40	6	1.6	<0.2
528152	Drill Core	0.068	4	4	0.35	72	0.088	7	0.79	0.070	0.08	0.2	0.07	1.8	<0.1	1.36	6	1.8	<0.2
528153	Drill Core	0.063	5	4	0.37	46	0.092	8	0.85	0.088	0.10	0.2	0.04	1.7	<0.1	1.22	6	2.2	<0.2
528154	Drill Core	0.068	4	5	0.56	39	0.087	4	0.77	0.074	0.08	0.2	0.06	2.6	<0.1	1.03	5	1.0	<0.2
528155	Drill Core	0.146	4	4	0.77	30	0.111	19	1.59	0.089	0.08	0.5	0.08	3.6	<0.1	0.90	7	0.8	<0.2

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
528156	Drill Core	3.74		0.1	17.3	4.0	27	0.2	6.2	11.0	388	1.62	8.1	19.7	0.5	52	0.2	0.4	0.3	52	3.21
528157	Drill Core	5.02	<0.1	59.0	2.9	18	<0.1	3.5	2.0	389	1.03	6.9	26.8	0.6	74	<0.1	0.5	<0.1	57	3.19	
528158	Drill Core	5.60	1.2	72.8	3.0	18	0.1	4.5	6.0	314	1.41	294.1	14.9	1.0	40	<0.1	0.5	<0.1	57	1.90	
528159	Drill Core	3.31	2.1	44.8	3.3	17	0.1	4.2	11.7	273	1.87	114.3	7.7	1.2	28	0.1	0.3	0.2	52	1.78	
528160	Drill Core	3.42	2.0	4.9	2.6	16	<0.1	5.3	13.6	354	1.77	6.6	4.9	1.3	25	<0.1	0.2	0.2	65	2.25	
528161	Drill Core	5.20	1.3	63.8	2.5	17	0.2	4.6	10.2	293	1.56	7.3	25.2	1.2	33	<0.1	0.2	0.2	56	1.97	
528162	Drill Core	4.59	1.7	56.6	2.3	18	0.3	4.7	12.4	355	1.96	14.8	169.2	1.3	37	0.2	0.3	0.3	59	2.89	
528163	Drill Core	3.65	1.1	110.1	2.5	16	0.2	3.7	9.8	329	1.69	11.0	16.6	1.2	27	<0.1	0.2	0.2	54	1.64	
528164	Drill Core	4.58	4.7	297.2	1.9	20	0.3	16.2	21.1	478	3.24	9.3	43.0	0.8	113	0.1	0.5	0.5	96	2.39	
528165	Drill Core	5.34	4.9	436.2	1.8	22	0.3	29.5	26.8	562	2.67	4.8	52.5	0.7	57	<0.1	0.5	0.8	142	3.49	
528166	Drill Core	5.43	10.2	6.6	0.7	21	<0.1	18.8	12.9	663	2.12	7.9	19.0	1.0	42	<0.1	0.3	0.3	232	4.87	
528167	Drill Core	4.03	8.0	42.0	1.2	24	0.1	30.4	31.0	672	2.63	7.3	22.8	0.7	62	<0.1	0.2	0.5	160	5.60	
528168	Drill Core	5.34	3.9	78.5	1.5	27	0.1	27.6	20.3	745	2.95	15.4	25.1	0.9	69	<0.1	1.0	0.3	164	5.26	
528169	Drill Core	5.81	5.4	178.6	1.4	19	0.2	24.4	13.8	526	2.41	8.7	27.7	0.9	74	<0.1	0.7	0.3	130	4.77	
528170	Drill Core	4.70	5.1	96.6	1.3	21	0.1	19.3	13.8	514	2.54	4.2	19.5	0.9	73	<0.1	0.6	0.1	97	3.17	
528171	Drill Core	4.85	4.5	449.7	1.4	24	0.3	20.6	17.2	592	3.15	6.6	75.2	0.9	84	<0.1	0.7	0.2	126	3.67	
528172	Drill Core	6.43	2.3	20.2	1.5	23	<0.1	4.4	1.8	626	1.55	3.4	26.0	0.6	84	<0.1	0.4	<0.1	83	5.65	
528173	Drill Core	5.56	0.8	85.4	1.5	28	0.4	10.0	9.6	651	2.65	6.5	5224.9	0.7	75	<0.1	0.6	0.1	93	4.30	
528174	Drill Core	4.96	2.0	97.2	1.9	27	0.1	17.2	21.8	617	3.42	6.6	22.9	0.6	71	<0.1	0.4	0.2	92	2.72	
528175	Rock Pulp	0.04	7.6	3131.1	13.6	122	0.6	167.7	14.1	802	5.52	11.6	271.6	1.5	176	0.8	6.2	0.4	55	2.86	
528176	Drill Core	4.78	2.5	79.5	1.9	26	0.1	26.0	25.1	561	3.54	6.4	42.9	0.6	94	<0.1	0.4	0.3	94	2.41	
528177	Drill Core	5.13	2.1	83.3	1.4	25	<0.1	25.2	22.6	569	4.39	7.6	44.4	0.7	96	<0.1	0.5	0.3	121	2.48	
528178	Drill Core	5.19	1.9	67.3	1.5	22	0.1	26.5	26.6	534	4.18	7.5	42.5	0.7	80	<0.1	0.6	0.3	115	2.75	
528179	Drill Core	5.86	2.0	79.7	1.9	28	0.2	21.8	19.1	718	3.49	6.0	1059.9	0.7	91	<0.1	0.4	0.2	107	3.57	
528180	Drill Core	5.50	1.2	202.9	2.4	25	0.2	18.3	18.9	615	2.79	6.5	23.0	0.9	81	0.1	0.6	0.1	96	4.83	
528181	Drill Core	5.72	0.8	119.5	1.5	25	0.2	20.6	18.1	540	3.14	6.2	21.1	0.7	70	<0.1	0.5	0.1	97	2.77	
528182	Drill Core	4.28	1.1	124.0	1.5	24	0.1	23.6	20.9	511	3.14	13.1	16.5	0.7	67	0.1	0.5	0.1	106	3.29	
528183	Drill Core	4.72	1.3	169.3	1.6	21	0.2	23.8	21.4	431	3.24	15.0	21.1	0.7	60	<0.1	0.6	0.2	99	3.24	
528184	Drill Core	5.69	2.0	158.8	1.8	20	0.3	20.5	26.8	533	3.46	11.2	30.0	0.8	57	<0.1	0.5	0.4	83	4.01	
528185	Drill Core	5.39	1.3	11.1	2.6	40	<0.1	4.0	10.7	992	4.51	6.7	4.4	1.4	61	<0.1	0.4	<0.1	132	4.73	

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
528156	Drill Core	0.170	4	5	0.83	25	0.093	14	1.67	0.074	0.06	0.4	0.11	3.3	<0.1	0.75	7	1.0	<0.2
528157	Drill Core	0.170	4	4	0.84	37	0.111	13	1.61	0.102	0.06	0.3	0.04	4.3	<0.1	0.11	7	<0.5	<0.2
528158	Drill Core	0.084	5	4	0.61	43	0.082	5	0.89	0.078	0.08	0.3	0.07	2.7	<0.1	0.55	5	<0.5	<0.2
528159	Drill Core	0.068	5	4	0.49	45	0.082	5	0.95	0.083	0.09	0.2	0.11	2.0	<0.1	1.24	6	0.9	<0.2
528160	Drill Core	0.064	5	5	0.60	33	0.080	4	0.80	0.083	0.08	0.2	0.08	3.0	<0.1	1.11	5	1.8	<0.2
528161	Drill Core	0.065	6	4	0.55	41	0.076	4	0.78	0.089	0.08	<0.1	0.10	2.3	<0.1	1.01	4	1.0	<0.2
528162	Drill Core	0.062	6	4	0.46	47	0.072	3	0.74	0.085	0.10	0.2	0.12	2.9	<0.1	1.35	4	1.2	0.3
528163	Drill Core	0.058	6	3	0.57	39	0.086	4	0.83	0.083	0.08	0.2	0.08	2.1	<0.1	0.93	5	0.7	<0.2
528164	Drill Core	0.110	5	16	1.36	80	0.162	6	1.66	0.119	0.09	0.2	0.05	7.2	<0.1	1.96	7	2.3	<0.2
528165	Drill Core	0.082	4	41	1.23	32	0.171	2	1.20	0.075	0.07	0.3	0.52	5.6	<0.1	1.80	5	3.2	0.8
528166	Drill Core	0.095	6	50	1.38	10	0.090	2	1.26	0.081	0.04	0.2	0.24	8.6	<0.1	0.76	6	1.2	0.3
528167	Drill Core	0.097	5	55	1.24	32	0.061	2	1.27	0.066	0.09	0.2	0.32	8.4	<0.1	1.30	5	1.9	0.3
528168	Drill Core	0.138	7	33	1.50	23	0.189	4	1.75	0.124	0.08	0.3	0.13	13.9	<0.1	1.03	6	0.7	0.3
528169	Drill Core	0.114	5	28	1.19	29	0.161	3	1.62	0.140	0.08	0.3	0.19	10.1	<0.1	0.95	7	1.7	<0.2
528170	Drill Core	0.133	6	22	1.43	18	0.144	4	1.53	0.128	0.06	0.4	0.08	7.9	<0.1	0.63	6	1.0	<0.2
528171	Drill Core	0.132	5	23	1.62	34	0.185	3	1.93	0.142	0.08	0.3	0.06	10.8	<0.1	0.94	6	0.8	0.3
528172	Drill Core	0.113	5	16	1.21	31	0.068	4	1.55	0.089	0.11	0.2	0.04	8.4	<0.1	<0.05	4	<0.5	<0.2
528173	Drill Core	0.135	4	13	1.36	40	0.120	2	1.70	0.111	0.13	0.5	0.34	7.9	<0.1	0.76	6	<0.5	<0.2
528174	Drill Core	0.130	4	15	1.51	51	0.132	5	1.88	0.112	0.11	0.3	0.13	6.9	<0.1	1.42	6	1.7	0.3
528175	Rock Pulp	0.111	6	210	1.14	36	0.002	4	0.96	0.055	0.35	0.5	1.44	7.8	0.1	2.89	2	8.0	0.3
528176	Drill Core	0.117	3	26	1.46	74	0.147	5	2.07	0.138	0.13	0.3	0.21	7.7	<0.1	1.59	6	2.1	<0.2
528177	Drill Core	0.128	4	44	1.38	79	0.172	6	1.78	0.118	0.11	0.4	0.16	8.5	<0.1	1.45	6	0.9	0.3
528178	Drill Core	0.130	4	39	1.25	64	0.168	5	1.68	0.138	0.14	1.3	0.35	8.2	<0.1	1.58	5	1.6	<0.2
528179	Drill Core	0.119	4	26	1.54	68	0.143	4	1.95	0.124	0.13	0.4	0.19	8.9	<0.1	0.97	5	1.2	<0.2
528180	Drill Core	0.125	5	20	1.48	90	0.157	6	2.28	0.098	0.09	0.4	0.06	6.1	<0.1	0.66	7	0.6	<0.2
528181	Drill Core	0.124	5	19	1.45	35	0.136	7	1.96	0.110	0.11	0.3	0.05	5.7	<0.1	0.73	6	0.9	<0.2
528182	Drill Core	0.122	4	24	1.42	42	0.147	10	2.30	0.105	0.11	0.4	0.10	6.4	<0.1	0.81	7	1.4	<0.2
528183	Drill Core	0.121	4	26	1.32	40	0.143	16	2.33	0.105	0.10	0.3	0.12	6.5	<0.1	0.98	7	1.0	<0.2
528184	Drill Core	0.121	4	18	1.38	38	0.135	12	2.18	0.114	0.10	0.4	0.14	7.1	<0.1	2.05	7	1.3	0.2
528185	Drill Core	0.172	7	4	1.47	94	0.127	5	1.98	0.063	0.28	0.4	0.14	7.3	<0.1	0.32	7	<0.5	<0.2

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
528186	Drill Core	5.02		5.0	19.0	1.9	35	<0.1	20.3	22.5	845	3.79	13.1	14.7	0.9	56	<0.1	0.5	0.3	119	4.31
528187	Drill Core	5.56		0.1	176.6	1.3	39	0.2	11.6	10.7	861	3.97	9.1	49.5	0.7	72	<0.1	0.6	0.4	129	3.23
528188	Drill Core	4.75		<0.1	313.6	0.6	40	0.3	7.5	3.4	761	3.07	4.8	63.4	0.9	72	<0.1	0.7	0.1	98	2.92
528189	Drill Core	5.69		1.9	187.6	1.2	35	0.2	17.0	6.4	824	3.10	7.7	115.3	0.7	67	<0.1	0.5	0.2	123	3.94
528190	Drill Core	5.29		0.4	96.1	1.0	39	<0.1	13.6	9.1	842	3.69	5.7	407.8	0.8	88	<0.1	0.4	<0.1	140	3.85
528191	Drill Core	5.38		1.3	78.6	1.8	52	0.1	17.1	17.0	987	4.96	6.3	34.3	0.9	69	<0.1	0.3	<0.1	182	4.06
528192	Drill Core	5.33		0.4	79.5	0.9	63	<0.1	29.4	17.2	963	4.73	10.5	25.5	0.6	61	<0.1	0.4	<0.1	171	3.50
528193	Drill Core	4.61		1.4	56.8	2.0	50	<0.1	20.1	14.8	961	4.83	13.4	28.9	0.7	92	<0.1	1.0	<0.1	172	4.76
528194	Drill Core	5.18		1.3	49.4	2.0	41	<0.1	24.6	14.7	1030	3.68	13.0	50.9	0.9	73	0.1	0.5	<0.1	165	5.19
528195	Drill Core	4.36		0.8	7.8	0.9	32	<0.1	7.3	3.2	910	2.09	5.8	266.6	1.3	55	<0.1	0.5	<0.1	204	4.97
528196	Drill Core	5.00		0.8	27.9	2.8	30	0.1	15.1	6.8	929	3.45	11.3	966.3	0.9	114	<0.1	1.2	0.2	126	4.54
528197	Drill Core	6.07		1.8	9.5	1.3	29	<0.1	20.8	23.0	808	4.17	5.9	28.2	0.9	75	<0.1	0.5	0.3	137	3.73
528198	Drill Core	5.15		1.2	133.2	1.6	31	0.2	20.7	16.1	663	3.67	4.9	26.8	0.7	81	<0.1	0.5	0.2	122	2.89
528199	Rock Pulp	0.04		5.1	38.8	3.5	44	<0.1	11.3	4.8	527	2.89	2.5	3.2	2.2	31	<0.1	0.4	0.1	27	0.61
528200	Rock Pulp	0.04		7.0	3086.3	12.3	122	0.6	137.2	13.7	803	5.64	11.0	243.8	1.4	162	0.5	5.6	0.4	59	2.89
528201	Drill Core	5.81		1.5	406.7	2.5	28	0.5	25.2	24.2	545	3.56	6.0	53.8	0.7	74	0.1	0.6	0.4	100	3.30
528202	Drill Core	4.62		2.9	124.9	1.5	25	0.1	26.7	13.8	397	3.35	6.7	32.5	1.0	63	<0.1	0.7	0.1	157	2.96
528203	Drill Core	5.46		5.0	351.7	2.0	28	0.4	31.8	23.5	453	3.02	6.8	59.8	0.8	48	<0.1	0.4	0.3	105	2.85
528204	Drill Core	5.76		5.3	174.8	1.2	23	0.3	18.0	5.2	703	2.06	4.1	75.9	1.0	99	0.1	0.9	0.1	92	4.59
528205	Drill Core	5.56		27.4	120.9	1.7	27	0.1	23.1	24.7	671	3.10	5.2	29.9	0.9	69	<0.1	0.4	0.4	96	3.63
528206	Drill Core	5.34		14.9	77.6	1.8	20	0.2	28.8	22.4	448	2.59	8.3	42.1	1.1	81	<0.1	0.7	0.2	91	3.69
528207	Drill Core	5.67		23.4	305.3	2.5	17	0.5	28.0	25.3	355	2.90	5.1	61.5	1.3	138	0.2	0.6	0.5	77	2.50
528208	Drill Core	3.29		3.3	103.1	1.2	24	0.1	20.7	9.0	674	1.99	6.4	22.4	1.5	65	0.1	0.2	0.3	131	5.60
528209	Drill Core	4.77		3.4	23.3	1.3	27	<0.1	19.0	10.6	700	2.21	8.0	38.6	1.3	47	<0.1	0.3	0.2	138	5.89
528210	Drill Core	5.61		3.2	90.6	1.5	25	0.1	23.4	11.2	627	2.28	4.4	35.0	1.0	59	<0.1	0.4	0.3	110	3.87
528211	Drill Core	5.63		4.0	158.3	1.8	27	0.2	16.4	10.3	484	3.00	5.2	21.1	0.7	56	0.2	0.4	0.3	91	2.26
528212	Drill Core	5.14		6.9	183.0	2.5	24	0.2	17.9	17.3	410	3.30	11.9	18.4	0.7	75	<0.1	0.7	0.5	72	2.36
528213	Drill Core	5.12		3.1	144.4	2.0	28	0.2	18.5	19.4	548	4.13	8.8	20.7	1.0	83	<0.1	0.7	0.3	114	2.93
528214	Drill Core	5.31		2.9	218.1	2.8	18	0.4	20.2	22.6	424	4.34	9.6	34.2	0.7	174	<0.1	1.4	0.4	89	3.17
528215	Drill Core	4.61		3.7	95.1	2.1	22	0.2	22.0	17.5	597	4.61	12.6	26.6	0.6	186	0.3	1.1	0.5	80	4.00



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: Bearing Resources Ltd.
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
Report Date: October 23, 2013

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
528186	Drill Core	0.134	4	29	1.56	45	0.136	6	1.90	0.118	0.14	0.7	0.16	9.9	<0.1	1.35	7	0.7	<0.2
528187	Drill Core	0.135	4	7	1.99	52	0.116	3	2.24	0.103	0.09	0.5	0.18	9.7	<0.1	0.93	7	1.0	0.2
528188	Drill Core	0.126	5	8	1.96	73	0.095	3	2.23	0.067	0.17	0.3	0.17	9.2	<0.1	0.35	8	<0.5	<0.2
528189	Drill Core	0.126	4	20	1.74	51	0.121	5	2.09	0.088	0.16	0.5	0.10	10.8	<0.1	0.61	7	0.8	<0.2
528190	Drill Core	0.136	5	18	1.93	87	0.105	4	2.30	0.107	0.19	0.6	0.05	10.5	<0.1	0.09	8	<0.5	<0.2
528191	Drill Core	0.165	5	28	2.18	51	0.135	6	2.38	0.111	0.14	0.4	<0.01	7.9	<0.1	<0.05	8	<0.5	<0.2
528192	Drill Core	0.144	4	41	2.49	33	0.136	6	2.41	0.088	0.12	0.4	0.03	6.9	<0.1	<0.05	8	<0.5	<0.2
528193	Drill Core	0.155	5	38	2.00	80	0.166	5	2.21	0.093	0.21	0.5	0.06	10.5	<0.1	0.28	8	<0.5	<0.2
528194	Drill Core	0.135	7	44	2.15	52	0.159	6	2.40	0.063	0.13	0.6	0.04	11.9	<0.1	0.48	8	<0.5	<0.2
528195	Drill Core	0.139	5	63	1.79	28	0.116	1	1.70	0.095	0.07	0.2	0.02	10.4	<0.1	0.10	6	<0.5	<0.2
528196	Drill Core	0.132	5	15	1.71	42	0.148	2	2.37	0.040	0.11	2.8	0.20	8.5	<0.1	0.77	8	<0.5	<0.2
528197	Drill Core	0.139	5	23	1.64	48	0.142	5	2.29	0.157	0.14	0.5	0.20	10.0	<0.1	1.17	7	1.1	0.2
528198	Drill Core	0.122	4	24	1.50	71	0.157	6	2.11	0.126	0.13	0.3	0.06	6.4	<0.1	0.96	7	0.7	<0.2
528199	Rock Pulp	0.047	7	22	0.47	65	0.095	1	0.99	0.090	0.08	0.8	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
528200	Rock Pulp	0.112	6	181	1.15	31	0.002	4	1.13	0.058	0.39	0.5	1.34	7.3	0.2	2.88	3	8.1	0.4
528201	Drill Core	0.116	4	23	1.40	49	0.179	6	2.04	0.112	0.11	0.3	0.08	5.4	<0.1	1.99	6	2.3	0.5
528202	Drill Core	0.115	5	26	0.89	50	0.121	16	2.28	0.122	0.17	0.2	0.07	5.4	<0.1	0.78	7	1.6	0.2
528203	Drill Core	0.137	5	27	1.26	36	0.162	10	2.29	0.137	0.12	0.3	0.14	5.9	<0.1	1.78	7	3.4	0.2
528204	Drill Core	0.136	11	20	1.31	47	0.123	5	1.87	0.081	0.15	0.3	0.09	6.6	<0.1	0.42	5	0.6	<0.2
528205	Drill Core	0.133	5	19	1.22	43	0.118	8	1.77	0.104	0.11	0.2	0.36	6.1	<0.1	1.79	5	3.5	0.5
528206	Drill Core	0.151	5	22	0.87	57	0.144	5	1.54	0.129	0.11	0.2	0.24	5.0	<0.1	1.72	6	2.8	0.3
528207	Drill Core	0.155	7	25	0.68	56	0.161	6	1.30	0.142	0.13	0.4	0.18	4.7	<0.1	2.55	4	5.6	0.3
528208	Drill Core	0.252	8	74	1.17	54	0.107	3	1.24	0.140	0.08	0.4	0.13	8.9	<0.1	0.73	6	1.1	<0.2
528209	Drill Core	0.212	7	81	1.22	30	0.111	2	1.26	0.143	0.07	0.6	0.17	12.1	<0.1	0.73	6	1.1	0.3
528210	Drill Core	0.120	5	54	1.36	49	0.153	4	1.23	0.096	0.09	0.4	0.19	6.5	<0.1	1.09	5	1.8	<0.2
528211	Drill Core	0.118	5	26	1.01	47	0.152	8	1.52	0.103	0.16	0.3	0.18	4.4	<0.1	1.24	5	2.7	<0.2
528212	Drill Core	0.121	6	18	0.84	58	0.139	75	1.78	0.129	0.17	0.3	0.18	4.8	<0.1	2.00	6	4.0	<0.2
528213	Drill Core	0.122	6	24	1.21	38	0.162	213	2.15	0.124	0.13	0.4	0.26	7.3	<0.1	1.84	7	2.6	<0.2
528214	Drill Core	0.113	5	28	0.86	38	0.177	3	1.54	0.128	0.10	0.5	0.64	6.4	<0.1	3.38	5	4.3	<0.2
528215	Drill Core	0.206	7	40	1.03	31	0.157	27	1.75	0.117	0.07	0.7	0.43	6.4	<0.1	3.08	6	4.8	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
528216	Drill Core	5.16		6.7	82.3	1.6	21	0.2	31.9	16.5	557	3.93	8.9	17.3	0.7	169	0.1	1.2	0.5	93	3.65
528217	Drill Core	5.72		3.1	229.1	1.9	26	0.3	26.9	22.3	621	3.82	9.0	30.8	0.8	119	0.2	1.3	0.6	89	3.42
528218	Drill Core	5.33		1.9	197.8	2.2	29	0.4	30.8	20.3	748	4.34	9.8	33.4	0.9	157	<0.1	1.2	0.9	104	4.02
528219	Drill Core	4.59		2.3	353.3	1.7	27	0.5	22.6	26.9	613	4.42	4.5	32.2	0.6	74	<0.1	0.5	0.9	97	3.26
528220	Drill Core	4.91		1.3	130.0	2.4	36	0.2	67.3	23.6	560	3.80	10.0	23.3	0.9	101	0.2	0.6	0.7	99	3.69
528221	Drill Core	4.82		2.3	196.5	3.3	26	0.3	69.0	28.4	488	4.49	10.8	10.6	0.8	59	<0.1	0.4	0.4	89	1.54
528222	Drill Core	4.81		1.9	339.0	1.2	29	0.3	24.8	16.8	494	3.19	17.1	20.0	0.5	74	<0.1	0.4	0.2	88	3.31
528223	Drill Core	4.09		6.8	430.0	2.2	26	0.4	27.7	25.5	688	4.08	7.8	33.7	0.6	78	0.1	0.9	0.5	91	3.38
528224	Drill Core	2.45		9.0	406.0	1.8	21	0.6	30.6	39.2	1245	6.23	10.0	32.5	0.5	74	<0.1	0.6	0.8	172	4.43
528225	Rock Pulp	0.04		7.6	3001.8	13.1	114	0.7	139.7	13.8	795	5.56	12.1	239.0	1.4	173	0.4	6.6	0.4	58	2.82
528226	Drill Core	2.59	0.354	0.6	81.5	1.2	23	0.2	15.3	15.6	1374	5.25	26.8	285.4	0.4	73	<0.1	0.4	0.5	88	8.30
528227	Drill Core	2.70	0.039	0.4	27.2	1.0	22	<0.1	14.4	5.2	1167	12.47	15.2	40.9	0.3	78	<0.1	0.6	0.2	126	5.68
528228	Drill Core	3.38	0.027	0.2	22.4	0.7	24	<0.1	28.1	12.4	866	21.08	6.5	25.7	0.2	46	<0.1	0.4	0.2	167	2.82
528229	Drill Core	3.12	0.073	0.9	38.5	0.9	24	0.1	14.8	8.2	1334	4.68	14.6	71.1	0.7	80	<0.1	0.9	0.2	89	5.59
528230	Drill Core	3.20	0.136	0.4	11.3	0.8	23	<0.1	15.3	11.2	1017	8.97	17.8	147.8	0.5	115	<0.1	0.9	0.3	74	5.30
528231	Drill Core	2.96	0.104	0.6	60.0	1.2	27	0.1	12.9	9.6	975	3.16	8.7	16.6	0.8	128	<0.1	1.7	<0.1	111	4.78
528232	Drill Core	2.56	0.048	0.8	188.0	1.6	32	0.4	16.9	24.6	865	5.14	6.8	43.6	0.8	39	<0.1	0.3	0.3	124	2.25
528233	Drill Core	2.52	0.075	3.3	12.5	0.7	24	<0.1	13.1	16.4	1003	4.45	12.1	58.7	0.6	148	<0.1	1.5	0.2	70	5.43
528234	Drill Core	2.50	0.035	6.2	219.6	1.7	37	0.2	15.4	16.8	789	4.23	10.2	38.4	0.7	70	<0.1	0.6	0.2	98	2.42
528235	Drill Core	2.29	0.096	2.1	9.5	1.0	28	<0.1	4.9	1.6	1185	2.92	7.9	25.9	0.7	81	<0.1	1.0	<0.1	75	5.52
528236	Drill Core	2.80	0.044	0.5	4.3	0.9	23	<0.1	8.6	1.7	1019	8.81	8.0	311.8	0.3	73	<0.1	0.7	0.1	102	5.30
528237	Drill Core	2.40	0.032	0.2	8.1	0.5	25	<0.1	12.2	2.6	981	15.05	4.8	39.7	0.3	47	<0.1	0.4	<0.1	79	5.22
528238	Drill Core	3.77	0.085	0.1	46.0	0.8	20	0.2	41.5	92.1	729	24.90	30.5	65.1	<0.1	18	<0.1	0.3	0.6	74	2.15
528239	Drill Core	3.08	0.024	44.9	24.0	0.7	27	<0.1	42.4	40.7	779	24.90	16.1	33.9	0.3	20	<0.1	0.2	0.3	157	2.39
528240	Rock Pulp	0.04	0.277	10.1	3237.8	13.2	123	0.6	288.5	16.9	811	6.00	11.2	249.2	1.5	172	0.4	7.8	0.3	61	2.91
528241	Drill Core	4.59	0.201	>2000	65.1	0.9	13	0.3	48.0	79.3	381	26.56	139.7	133.9	<0.1	10	<0.1	0.2	1.0	49	1.38
528242	Drill Core	4.17	0.256	624.9	660.4	1.6	15	0.5	43.5	59.2	410	28.43	59.2	152.0	<0.1	11	<0.1	0.4	1.0	36	1.56
528243	Drill Core	3.28	0.404	206.8	802.1	1.4	27	0.8	23.6	102.3	696	24.01	50.2	290.4	0.3	17	<0.1	0.2	0.9	56	1.77
528244	Drill Core	3.83	1.320	24.6	3249.0	1.7	26	2.4	31.5	282.6	589	26.92	14.7	1184.4	0.2	15	<0.1	0.4	0.8	57	1.10
528245	Drill Core	3.38	1.299	2.4	2315.7	1.3	20	2.5	36.3	209.6	516	22.20	27.3	1226.3	0.3	28	0.1	0.4	1.1	70	2.16

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
528216	Drill Core	0.143	7	52	1.07	29	0.201	9	1.65	0.123	0.09	0.4	0.44	6.6	<0.1	2.40	6	3.5	0.5
528217	Drill Core	0.187	6	35	1.16	43	0.183	5	1.35	0.110	0.10	0.7	0.76	4.8	<0.1	2.73	7	4.6	0.5
528218	Drill Core	0.156	6	60	1.34	36	0.189	7	1.50	0.085	0.08	0.7	0.87	7.3	<0.1	3.03	7	4.7	0.9
528219	Drill Core	0.128	5	48	1.16	32	0.158	5	1.27	0.080	0.09	0.3	0.58	4.7	<0.1	3.23	7	5.8	1.0
528220	Drill Core	0.148	6	46	1.66	67	0.192	11	1.44	0.080	0.18	0.2	0.70	5.1	<0.1	1.83	7	1.8	0.5
528221	Drill Core	0.148	6	27	1.91	75	0.178	9	1.58	0.091	0.18	0.4	0.09	3.2	<0.1	1.72	7	2.5	<0.2
528222	Drill Core	0.102	3	29	1.23	52	0.105	26	2.79	0.103	0.15	0.2	0.11	7.3	<0.1	1.02	7	2.2	<0.2
528223	Drill Core	0.128	6	41	1.08	26	0.117	8	1.67	0.086	0.08	0.5	0.25	4.2	<0.1	2.22	6	4.0	0.7
528224	Drill Core	0.159	6	73	0.84	22	0.144	4	1.48	0.079	0.06	0.5	0.32	7.6	<0.1	2.93	6	8.1	0.5
528225	Rock Pulp	0.114	6	176	1.15	35	0.001	9	1.10	0.057	0.38	0.4	1.39	7.4	0.2	2.88	4	10.3	<0.2
528226	Drill Core	0.125	3	27	1.31	21	0.081	11	2.09	0.029	0.08	0.5	0.26	6.5	<0.1	2.15	6	1.7	0.7
528227	Drill Core	0.065	7	24	1.02	19	0.076	10	1.47	0.030	0.07	0.8	0.11	5.1	<0.1	0.36	5	<0.5	<0.2
528228	Drill Core	0.082	3	58	0.77	42	0.067	7	1.11	0.026	0.11	0.3	0.08	6.7	<0.1	0.68	4	0.9	<0.2
528229	Drill Core	0.107	4	38	1.28	43	0.109	7	2.27	0.068	0.13	0.7	0.08	7.4	<0.1	0.48	5	<0.5	<0.2
528230	Drill Core	0.093	2	38	0.93	30	0.103	7	1.76	0.071	0.09	0.5	0.13	5.5	<0.1	0.85	5	<0.5	0.3
528231	Drill Core	0.131	5	10	1.00	16	0.171	9	1.82	0.073	0.05	0.7	0.06	5.7	<0.1	0.39	6	0.8	<0.2
528232	Drill Core	0.124	4	11	1.43	31	0.146	9	2.06	0.120	0.10	0.4	0.42	7.4	<0.1	1.09	6	1.5	0.5
528233	Drill Core	0.118	4	24	0.99	34	0.106	7	1.73	0.030	0.09	1.1	0.10	4.6	<0.1	0.92	4	0.8	0.3
528234	Drill Core	0.129	5	12	1.51	49	0.103	14	2.63	0.091	0.18	0.3	0.10	4.6	<0.1	0.76	7	1.0	<0.2
528235	Drill Core	0.110	9	21	1.27	54	0.110	5	2.10	0.061	0.15	1.1	0.03	5.6	<0.1	<0.05	4	<0.5	<0.2
528236	Drill Core	0.071	12	72	1.17	61	0.064	5	1.93	0.022	0.17	13.4	0.02	9.5	<0.1	0.26	6	<0.5	<0.2
528237	Drill Core	0.101	43	45	1.45	47	0.079	6	1.84	0.026	0.19	0.4	0.07	12.9	<0.1	0.09	5	<0.5	<0.2
528238	Drill Core	0.035	7	37	0.65	20	0.011	6	1.22	0.020	0.07	4.3	0.03	7.5	<0.1	4.33	4	2.9	<0.2
528239	Drill Core	0.070	3	35	1.04	32	0.028	7	1.50	0.061	0.09	0.2	0.09	8.8	<0.1	2.47	5	2.0	0.5
528240	Rock Pulp	0.116	6	390	1.16	161	0.002	12	1.15	0.057	0.43	1.0	1.28	7.8	0.2	2.97	3	5.9	<0.2
528241	Drill Core	0.020	<1	13	0.19	14	0.016	6	0.60	0.021	0.02	0.2	0.31	3.1	<0.1	5.27	4	3.8	1.7
528242	Drill Core	0.016	<1	9	0.21	20	0.013	18	0.57	0.027	0.02	0.2	0.19	2.5	<0.1	4.37	4	4.8	0.7
528243	Drill Core	0.048	1	14	0.82	22	0.053	9	1.22	0.049	0.07	0.4	0.27	7.0	<0.1	6.45	4	8.5	1.7
528244	Drill Core	0.047	2	33	0.54	17	0.049	9	0.87	0.043	0.05	3.2	0.20	6.9	<0.1	8.91	3	12.8	0.8
528245	Drill Core	0.074	11	36	0.81	20	0.083	3	1.00	0.058	0.06	3.1	0.41	4.7	<0.1	9.42	3	10.3	1.4

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
528246	Drill Core	3.60	1.208	1.7	1736.8	2.1	23	2.3	38.3	140.9	578	23.44	25.0	1113.3	0.1	24	<0.1	0.5	0.9	73	1.40
528247	Drill Core	3.06	0.500	1.5	97.9	1.2	24	0.6	48.7	131.6	546	19.25	19.4	551.2	0.1	50	<0.1	0.6	0.9	126	1.85
528248	Drill Core	3.12	0.179	0.5	160.7	0.6	35	0.2	41.5	52.1	926	13.66	19.5	148.6	<0.1	73	<0.1	0.5	0.2	137	3.46
528249	Rock Pulp	0.04	0.074	6.3	36.8	3.4	43	<0.1	12.1	5.1	515	2.90	<0.5	1.2	2.3	27	<0.1	0.5	0.1	26	0.54
528250	Rock Pulp	0.04	0.282	10.0	3076.0	12.7	134	0.5	248.6	17.6	786	5.86	10.8	246.1	1.5	183	0.3	7.1	0.4	57	2.86
528251	Drill Core	3.14	0.448	0.4	963.5	0.5	42	0.7	41.8	49.2	956	18.25	14.8	417.0	<0.1	58	<0.1	0.4	0.2	134	3.39
528252	Drill Core	3.57	0.781	0.2	1874.2	1.1	33	1.5	52.7	117.5	610	18.52	23.0	759.1	<0.1	20	0.1	0.4	0.4	116	1.51
528253	Drill Core	3.36	0.136	0.4	689.3	0.9	45	0.6	54.3	71.9	824	18.44	13.1	190.1	<0.1	21	<0.1	0.3	0.2	123	1.38
528254	Drill Core	3.29	0.239	6.4	500.9	1.1	21	0.4	66.9	146.6	447	20.19	15.9	253.7	<0.1	48	<0.1	0.8	0.4	111	2.02
528255	Drill Core	2.70	0.154	0.3	336.2	0.6	49	0.4	81.4	34.3	1554	6.82	20.3	149.4	0.1	64	0.1	0.5	0.2	118	8.03
528256	Drill Core	2.94	0.070	20.3	457.6	1.2	21	0.3	85.0	39.8	1154	5.72	20.0	62.2	0.1	88	0.1	0.3	0.2	101	9.77
528257	Drill Core	2.87	0.040	57.3	288.6	1.1	27	0.2	109.4	20.7	1173	4.29	13.0	42.6	0.2	38	0.2	0.3	0.2	94	4.89
528258	Drill Core	2.78	0.025	65.5	127.9	0.8	11	<0.1	63.3	8.6	1256	3.21	13.6	24.3	0.1	30	0.2	0.2	<0.1	107	7.62
528259	Drill Core	2.68	0.043	31.0	228.0	1.3	17	0.2	133.6	28.4	841	3.17	22.4	41.7	0.1	52	<0.1	0.6	0.1	79	5.58
528260	Drill Core	3.10	0.037	73.3	184.2	1.3	20	0.2	89.6	20.3	535	2.16	24.0	37.2	0.1	34	0.2	0.3	0.1	66	3.88
528261	Drill Core	3.05	0.052	126.7	283.3	1.6	26	0.2	92.3	38.2	660	3.17	18.7	43.4	0.1	60	<0.1	0.4	0.1	80	3.90
528262	Drill Core	3.11	0.049	51.2	273.2	23.3	22	0.2	112.6	29.7	456	2.41	18.0	42.7	0.1	35	0.1	0.3	0.1	61	2.97
528263	Drill Core	2.79	0.048	13.9	198.5	1.4	28	0.2	102.8	31.0	501	2.50	22.9	41.3	0.1	36	0.2	0.4	0.1	75	3.09
528264	Drill Core	3.37	0.062	7.8	210.2	1.1	18	0.1	87.1	18.8	757	2.55	23.2	56.4	0.1	34	<0.1	0.3	0.1	98	4.44
528265	Drill Core	2.54	0.047	3.2	220.2	1.1	18	0.3	83.8	17.3	815	2.58	19.5	37.0	0.1	36	<0.1	0.3	0.1	114	5.05
528266	Rock Pulp	0.04		8.4	3087.9	13.2	122	0.5	133.3	13.0	789	5.49	12.0	258.8	1.4	176	0.7	6.4	0.3	55	2.86
528267	Rock Pulp	0.04		5.3	31.7	3.3	37	<0.1	10.2	4.6	502	2.79	2.5	<0.5	2.0	25	<0.1	0.4	0.1	26	0.54
528268	Drill Core	4.99		21.1	63.2	0.5	38	<0.1	355.7	30.2	560	4.09	6.7	21.7	0.1	64	<0.1	<0.1	<0.1	119	0.77
528269	Drill Core	5.05		13.8	162.0	1.2	34	<0.1	176.2	31.6	477	4.28	11.4	58.8	<0.1	39	<0.1	0.1	0.1	135	1.64
528270	Drill Core	5.10		4.7	157.3	1.2	31	0.1	143.3	29.0	462	4.01	8.9	23.5	0.1	48	<0.1	<0.1	0.1	149	1.94



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 23, 2013

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003997.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
528246	Drill Core	0.058	5	42	0.77	18	0.064	10	1.02	0.053	0.06	2.6	0.32	8.5	<0.1	8.33	4	7.4	0.7
528247	Drill Core	0.053	6	103	0.98	19	0.099	3	1.13	0.038	0.07	22.1	0.48	7.2	<0.1	7.70	3	3.6	0.8
528248	Drill Core	0.061	<1	119	1.94	21	0.093	3	2.12	0.026	0.10	1.5	0.11	9.1	<0.1	2.53	5	1.9	0.6
528249	Rock Pulp	0.048	6	19	0.45	60	0.099	<1	0.91	0.082	0.08	1.2	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
528250	Rock Pulp	0.114	6	319	1.14	162	0.003	5	0.96	0.057	0.37	0.8	1.34	7.7	0.2	2.93	3	10.3	0.7
528251	Drill Core	0.073	4	116	1.92	21	0.088	7	2.22	0.032	0.08	1.8	0.09	8.5	<0.1	1.89	6	0.9	<0.2
528252	Drill Core	0.058	<1	72	1.25	27	0.071	8	1.54	0.047	0.16	3.3	0.11	5.5	<0.1	4.84	5	2.5	0.3
528253	Drill Core	0.065	1	93	1.79	38	0.082	8	2.01	0.060	0.16	1.5	0.05	6.5	<0.1	2.28	6	0.9	<0.2
528254	Drill Core	0.046	2	57	0.63	11	0.062	5	0.80	0.032	0.04	0.4	0.09	4.3	<0.1	4.01	3	0.8	0.4
528255	Drill Core	0.068	2	120	2.26	11	0.113	4	2.88	0.006	0.03	0.6	0.06	15.2	<0.1	1.44	6	1.1	0.2
528256	Drill Core	0.074	2	77	0.93	8	0.077	3	1.85	0.005	0.04	0.6	0.05	10.9	<0.1	3.16	4	2.7	<0.2
528257	Drill Core	0.089	4	85	1.41	16	0.097	8	2.52	0.031	0.15	0.4	0.05	8.9	<0.1	1.80	4	2.2	<0.2
528258	Drill Core	0.080	3	68	0.56	12	0.074	8	2.30	0.016	0.08	0.6	0.04	7.6	<0.1	0.66	4	0.5	<0.2
528259	Drill Core	0.080	3	69	0.88	13	0.089	22	2.53	0.019	0.09	0.5	0.04	7.3	<0.1	1.47	5	2.1	<0.2
528260	Drill Core	0.080	3	77	1.03	14	0.064	26	2.88	0.028	0.13	0.2	0.05	4.7	<0.1	1.04	5	0.7	<0.2
528261	Drill Core	0.085	3	71	1.30	10	0.090	17	2.90	0.040	0.10	0.3	0.12	6.0	<0.1	1.82	5	2.1	<0.2
528262	Drill Core	0.081	2	76	1.07	10	0.075	20	2.47	0.045	0.13	0.4	0.05	4.3	<0.1	1.59	4	2.8	<0.2
528263	Drill Core	0.072	2	82	1.42	11	0.099	24	2.72	0.052	0.14	0.4	0.05	5.3	<0.1	1.40	5	1.3	<0.2
528264	Drill Core	0.086	2	82	1.05	3	0.081	21	2.68	0.049	0.03	0.3	0.06	6.8	<0.1	1.20	5	1.8	<0.2
528265	Drill Core	0.091	2	101	1.01	4	0.077	21	2.84	0.031	0.05	0.4	0.05	7.5	<0.1	1.11	5	1.8	<0.2
528266	Rock Pulp	0.112	5	164	1.14	36	0.002	7	1.00	0.056	0.35	0.4	1.41	7.4	0.1	2.91	3	6.5	0.5
528267	Rock Pulp	0.041	6	19	0.46	56	0.077	1	0.92	0.083	0.08	1.0	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
528268	Drill Core	0.062	1	259	5.42	89	0.145	5	3.89	0.076	2.30	<0.1	0.05	4.1	0.5	0.55	8	<0.5	<0.2
528269	Drill Core	0.063	1	159	3.47	74	0.154	12	3.36	0.076	1.07	0.1	0.09	5.3	0.2	1.08	8	0.7	<0.2
528270	Drill Core	0.071	1	137	3.06	82	0.156	13	3.04	0.096	0.86	0.1	0.12	5.4	0.2	0.76	7	<0.5	<0.2

QUALITY CONTROL REPORT

VAN13003997.1

Method	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
528140	Drill Core	4.93		18.6	6.8	1.7	15	<0.1	27.0	11.8	411	3.62	9.2	26.8	0.8	55	<0.1	0.7	0.7	140	2.99
REP 528140	QC			18.8	7.0	1.9	16	<0.1	26.7	11.9	411	3.62	9.3	29.7	0.8	57	<0.1	0.8	0.7	142	2.99
REP 528171	QC			4.4	438.7	1.4	24	0.4	21.9	17.7	600	3.18	7.0	58.1	0.9	87	<0.1	0.7	0.3	126	3.72
528203	Drill Core	5.46		5.0	351.7	2.0	28	0.4	31.8	23.5	453	3.02	6.8	59.8	0.8	48	<0.1	0.4	0.3	105	2.85
REP 528203	QC			5.0	360.6	1.9	28	0.4	32.3	23.2	462	3.09	6.8	66.1	0.8	48	<0.1	0.6	0.3	106	2.92
528234	Drill Core	2.50	0.035	6.2	219.6	1.7	37	0.2	15.4	16.8	789	4.23	10.2	38.4	0.7	70	<0.1	0.6	0.2	98	2.42
REP 528234	QC			6.6	221.6	1.6	38	0.2	15.0	16.1	796	4.22	10.7	26.5	0.7	67	<0.1	0.5	0.2	96	2.41
528265	Drill Core	2.54	0.047	3.2	220.2	1.1	18	0.3	83.8	17.3	815	2.58	19.5	37.0	0.1	36	<0.1	0.3	0.1	114	5.05
REP 528265	QC		0.037	4.2	212.8	1.2	19	0.2	82.2	17.0	822	2.59	19.4	32.5	0.1	38	<0.1	0.3	0.1	115	5.09
Core Reject Duplicates																					
528133	Drill Core	4.77		3.7	192.7	2.0	29	0.4	25.8	19.8	536	2.95	12.2	63.4	0.6	37	0.1	0.3	0.7	138	2.78
DUP 528133	QC			3.4	194.8	2.3	32	0.5	24.5	19.8	539	3.00	12.4	38.9	0.7	40	<0.1	0.3	0.7	143	2.79
528171	Drill Core	4.85		4.5	449.7	1.4	24	0.3	20.6	17.2	592	3.15	6.6	75.2	0.9	84	<0.1	0.7	0.2	126	3.67
DUP 528171	QC			4.3	429.9	1.4	21	0.4	21.8	17.1	588	3.14	6.6	50.2	0.9	84	<0.1	0.7	0.2	127	3.68
528209	Drill Core	4.77		3.4	23.3	1.3	27	<0.1	19.0	10.6	700	2.21	8.0	38.6	1.3	47	<0.1	0.3	0.2	138	5.89
DUP 528209	QC			3.3	22.5	1.2	27	<0.1	16.2	10.3	705	2.21	8.4	37.2	1.2	46	0.1	0.2	0.2	139	5.96
528247	Drill Core	3.06	0.500	1.5	97.9	1.2	24	0.6	48.7	131.6	546	19.25	19.4	551.2	0.1	50	<0.1	0.6	0.9	126	1.85
DUP 528247	QC		0.568	1.5	100.3	1.3	22	0.7	47.0	130.9	565	19.65	19.6	514.3	<0.1	52	<0.1	0.5	0.9	130	1.87
Reference Materials																					
STD DS10	Standard			15.1	157.6	157.6	361	2.1	77.1	13.0	897	2.82	45.9	114.3	7.8	71	2.5	9.2	12.6	44	1.08
STD DS10	Standard			15.4	154.4	153.5	364	2.0	76.8	13.1	865	2.75	44.6	88.6	7.6	70	2.6	8.9	12.1	44	1.07
STD DS10	Standard			15.4	146.9	157.9	333	2.0	74.5	13.1	880	2.83	42.3	89.2	8.1	73	2.2	8.5	11.4	46	1.11
STD DS10	Standard			16.6	155.1	149.3	368	1.8	78.8	13.2	880	2.77	44.3	84.6	7.7	69	2.2	8.7	11.0	45	1.08
STD DS10	Standard			14.8	154.6	152.8	361	1.9	71.3	12.7	884	2.79	45.1	76.7	7.6	66	3.0	8.9	11.4	44	1.08
STD OXC109	Standard		0.199																		
STD OXC109	Standard		0.195																		
STD OXC109	Standard			1.3	34.7	10.7	38	<0.1	70.9	18.8	418	2.91	0.7	181.0	1.4	146	<0.1	<0.1	<0.1	48	0.67
STD OXC109	Standard			1.6	36.6	11.4	38	<0.1	73.2	20.2	407	2.89	<0.5	185.1	1.5	145	<0.1	<0.1	<0.1	47	0.65

QUALITY CONTROL REPORT

VAN13003997.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
528140	Drill Core	0.083	6	31	0.82	24	0.142	4	1.07	0.067	0.06	0.2	0.13	4.1	<0.1	2.84	6	2.8	<0.2	
REP 528140	QC	0.082	6	31	0.82	26	0.144	3	1.06	0.057	0.05	0.3	0.13	4.2	<0.1	2.85	6	3.6	<0.2	
REP 528171	QC	0.129	6	24	1.63	35	0.181	3	1.90	0.151	0.08	0.2	0.05	10.5	<0.1	0.95	6	1.3	<0.2	
528203	Drill Core	0.137	5	27	1.26	36	0.162	10	2.29	0.137	0.12	0.3	0.14	5.9	<0.1	1.78	7	3.4	0.2	
REP 528203	QC	0.130	5	29	1.29	35	0.164	13	2.29	0.132	0.12	0.3	0.13	6.4	<0.1	1.80	7	2.5	0.4	
528234	Drill Core	0.129	5	12	1.51	49	0.103	14	2.63	0.091	0.18	0.3	0.10	4.6	<0.1	0.76	7	1.0	<0.2	
REP 528234	QC	0.112	4	12	1.51	47	0.088	12	2.58	0.090	0.17	0.3	0.11	4.4	<0.1	0.76	7	1.2	<0.2	
528265	Drill Core	0.091	2	101	1.01	4	0.077	21	2.84	0.031	0.05	0.4	0.05	7.5	<0.1	1.11	5	1.8	<0.2	
REP 528265	QC	0.083	2	99	1.01	5	0.075	23	2.87	0.033	0.05	0.4	0.06	7.8	<0.1	1.13	6	1.0	<0.2	
Core Reject Duplicates																				
528133	Drill Core	0.083	6	42	0.88	32	0.124	3	1.05	0.069	0.07	0.2	0.05	5.0	<0.1	1.88	5	2.6	<0.2	
DUP 528133	QC	0.091	6	45	0.89	37	0.139	4	1.12	0.082	0.08	0.2	0.07	5.5	<0.1	1.87	6	3.2	<0.2	
528171	Drill Core	0.132	5	23	1.62	34	0.185	3	1.93	0.142	0.08	0.3	0.06	10.8	<0.1	0.94	6	0.8	0.3	
DUP 528171	QC	0.136	5	23	1.59	33	0.183	4	1.92	0.149	0.08	0.3	0.05	11.0	<0.1	0.95	6	1.8	<0.2	
528209	Drill Core	0.212	7	81	1.22	30	0.111	2	1.26	0.143	0.07	0.6	0.17	12.1	<0.1	0.73	6	1.1	0.3	
DUP 528209	QC	0.201	6	79	1.22	28	0.113	2	1.27	0.154	0.08	0.6	0.15	12.2	<0.1	0.72	6	0.9	<0.2	
528247	Drill Core	0.053	6	103	0.98	19	0.099	3	1.13	0.038	0.07	22.1	0.48	7.2	<0.1	7.70	3	3.6	0.8	
DUP 528247	QC	0.057	7	109	1.01	22	0.098	3	1.17	0.042	0.07	21.2	0.48	7.3	<0.1	7.72	3	4.5	1.0	
Reference Materials																				
STD DS10	Standard	0.078	18	56	0.80	368	0.076	8	1.06	0.068	0.34	3.4	0.30	3.2	5.0	0.28	4	1.6	5.3	
STD DS10	Standard	0.074	18	56	0.78	351	0.077	7	1.04	0.067	0.34	3.5	0.29	3.0	4.9	0.28	4	2.8	4.3	
STD DS10	Standard	0.078	20	56	0.81	376	0.094	11	1.14	0.072	0.36	3.5	0.26	3.1	5.1	0.28	5	1.4	5.1	
STD DS10	Standard	0.075	19	57	0.80	351	0.084	7	1.13	0.071	0.34	3.4	0.32	3.2	5.0	0.28	5	2.0	5.5	
STD DS10	Standard	0.075	17	53	0.79	336	0.075	8	1.07	0.067	0.34	3.2	0.29	3.3	5.0	0.28	4	2.3	4.5	
STD OXC109	Standard																			
STD OXC109	Standard																			
STD OXC109	Standard	0.103	12	56	1.47	57	0.356	2	1.53	0.708	0.43	0.1	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2	
STD OXC109	Standard	0.106	12	61	1.45	54	0.387	1	1.55	0.676	0.42	0.2	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2	

QUALITY CONTROL REPORT

VAN13003997.1

	WGHT	G6	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
STD OXC109	Standard		1.6	33.5	11.1	35	<0.1	69.2	19.2	415	2.85	0.8	186.5	1.5	155	0.1	<0.1	<0.1	<0.1	50	0.79
STD OXC109	Standard		1.1	35.9	10.7	42	<0.1	75.6	18.8	413	2.86	1.1	194.4	1.5	147	<0.1	<0.1	<0.1	<0.1	50	0.78
STD OXC109	Standard		1.3	33.4	10.4	37	<0.1	74.7	20.1	407	2.80	0.6	195.9	1.4	137	<0.1	<0.1	<0.1	<0.1	48	0.69
STD OXI96	Standard	1.838																			
STD OXI96	Standard	1.817																			
STD OXL93	Standard	6.006																			
STD OXL93	Standard	5.744																			
STD OXI96 Expected		1.802																			
STD OXL93 Expected		5.841																			
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	
STD OXC109 Expected		0.201											201								
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.2	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	1.3	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		0.2	1.8	2.9	50	<0.1	3.4	3.8	561	2.02	<0.5	<0.5	4.6	57	<0.1	<0.1	<0.1	<0.1	36	0.41
G1	Prep Blank		0.2	2.0	2.9	53	<0.1	3.7	3.9	570	2.02	<0.5	<0.5	4.6	59	<0.1	<0.1	<0.1	<0.1	36	0.41



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 23, 2013

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

VAN13003997.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXC109	Standard	0.097	12	57	1.48	55	0.407	3	1.62	0.714	0.42	0.2	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2	
STD OXC109	Standard	0.096	13	62	1.47	57	0.392	1	1.62	0.722	0.42	0.2	<0.01	1.5	<0.1	<0.05	6	<0.5	<0.2	
STD OXC109	Standard	0.112	12	58	1.44	56	0.359	2	1.57	0.699	0.42	0.2	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2	
STD OXI96	Standard																			
STD OXI96	Standard																			
STD OXL93	Standard																			
STD OXL93	Standard																			
STD OXI96 Expected																				
STD OXL93 Expected																				
STD DS10 Expected		0.073	17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89	
STD OXC109 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.076	9	6	0.56	230	0.109	2	0.97	0.086	0.49	<0.1	<0.01	2.5	0.3	<0.05	5	<0.5	<0.2	
G1	Prep Blank	0.078	9	7	0.57	239	0.109	2	0.97	0.085	0.51	<0.1	<0.01	2.5	0.3	<0.05	5	<0.5	<0.2	



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 CANADA

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: October 07, 2013
Report Date: October 21, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN13004106.1

CLIENT JOB INFORMATION

Project: 240
Shipment ID:
P.O. Number
Number of Samples: 72

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	69	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	72	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13004106.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
528271	Drill Core	5.43	0.5	28.0	0.9	29	<0.1	122.8	16.0	434	3.63	3.2	11.1	0.2	44	<0.1	0.2	<0.1	136	1.71	0.070
528272	Drill Core	5.10	0.3	106.9	11.4	42	<0.1	147.1	25.2	379	3.61	3.4	49.5	0.2	38	0.1	0.1	<0.1	136	1.33	0.063
528273	Drill Core	5.24	0.3	71.0	2.1	33	<0.1	126.3	15.9	465	4.17	4.0	181.3	0.2	28	<0.1	0.2	<0.1	143	1.48	0.063
528274	Drill Core	4.99	1.3	17.4	1.6	27	<0.1	134.0	22.0	375	3.74	3.6	21.8	0.2	27	<0.1	0.1	<0.1	144	1.38	0.066
528275	Drill Core	4.94	0.6	23.7	1.8	31	<0.1	139.5	23.0	451	3.91	7.5	17.5	0.2	27	<0.1	0.1	<0.1	149	2.09	0.057
528276	Drill Core	5.44	3.0	76.8	1.1	32	<0.1	148.0	23.0	474	4.03	7.9	53.8	0.1	27	<0.1	0.2	<0.1	148	1.87	0.069
528277	Drill Core	5.01	1.5	78.9	1.3	26	<0.1	138.2	26.5	388	4.00	7.7	23.3	0.2	24	<0.1	0.2	<0.1	161	2.10	0.061
528278	Drill Core	6.09	1.0	33.0	2.1	66	<0.1	136.7	24.4	377	3.26	3.6	11.8	0.2	16	0.3	0.2	<0.1	119	1.40	0.072
528279	Drill Core	5.60	2.4	11.0	1.4	25	<0.1	176.0	24.2	476	3.36	4.9	7.5	0.1	18	<0.1	0.2	0.2	111	1.91	0.051
528280	Drill Core	5.24	2.3	134.4	1.5	23	0.1	174.1	30.9	429	3.31	3.3	22.0	0.2	24	<0.1	0.2	0.2	110	1.92	0.062
528281	Drill Core	4.47	1.0	91.5	1.0	31	<0.1	175.6	26.2	504	3.51	3.9	22.8	0.2	22	<0.1	0.2	<0.1	120	1.71	0.064
528282	Drill Core	3.21	0.2	5.8	0.6	35	<0.1	172.5	23.0	555	3.88	3.0	4.2	0.2	21	<0.1	0.2	<0.1	118	1.72	0.060
528283	Drill Core	4.15	8.7	141.8	3.3	44	0.2	32.1	8.8	470	2.52	22.0	12.5	0.9	39	0.2	0.5	0.3	147	2.88	0.102
528284	Drill Core	3.80	5.1	82.2	1.2	24	0.3	26.7	19.4	475	3.16	32.7	13.0	0.9	33	<0.1	0.4	0.4	119	3.36	0.116
528285	Drill Core	5.37	3.8	377.7	3.2	52	0.7	23.3	10.9	572	4.27	49.8	20.3	1.0	39	0.3	0.6	0.3	119	2.69	0.145
528286	Drill Core	4.55	5.9	188.7	1.9	23	0.3	28.2	18.4	594	3.21	30.1	24.9	1.1	44	<0.1	0.4	1.0	130	3.14	0.096
528287	Drill Core	4.68	3.8	380.1	2.4	23	0.4	27.7	16.7	579	2.56	10.7	41.9	0.9	50	<0.1	0.5	0.6	132	3.70	0.087
528288	Drill Core	4.39	1.8	124.1	2.0	52	0.2	14.3	16.4	902	4.85	10.9	10.1	0.7	56	<0.1	0.4	<0.1	142	3.54	0.152
528289	Drill Core	4.93	4.1	25.4	2.2	52	<0.1	19.1	15.2	843	3.61	22.4	7.6	0.6	65	<0.1	0.7	<0.1	102	3.53	0.095
528290	Drill Core	4.86	8.1	62.6	2.1	41	0.1	16.0	9.9	688	2.49	7.5	6.4	0.4	67	<0.1	0.4	0.3	80	2.62	0.069
528291	Drill Core	5.15	3.0	103.6	1.7	40	0.2	8.0	13.3	738	2.90	5.3	23.3	0.8	44	<0.1	0.5	0.1	91	2.70	0.098
528292	Drill Core	4.67	3.6	192.8	4.1	47	0.4	16.6	8.9	605	3.03	30.8	28.3	0.5	32	<0.1	0.2	0.4	83	1.94	0.082
528293	Drill Core	4.00	4.4	199.6	3.0	37	0.4	18.8	5.9	598	2.57	14.1	20.9	0.4	27	<0.1	0.2	0.4	66	2.45	0.066
528294	Drill Core	4.89	2.6	597.9	3.2	45	1.1	22.1	13.0	642	3.32	31.9	99.0	0.4	44	0.2	0.4	0.6	84	2.59	0.072
528295	Drill Core	4.04	2.8	377.1	3.0	35	1.2	18.4	30.9	510	3.53	21.5	67.8	0.3	66	0.1	0.6	0.7	66	2.91	0.070
528296	Drill Core	5.16	2.2	186.6	2.7	42	0.3	20.6	24.8	754	3.56	27.7	21.8	0.6	80	0.1	0.6	0.7	93	4.36	0.108
528297	Drill Core	4.68	5.6	186.2	2.6	29	0.3	22.2	13.5	403	2.23	7.0	30.1	0.6	63	0.1	0.6	0.3	87	2.55	0.084
528298	Drill Core	4.56	7.2	438.0	3.8	23	0.6	27.0	19.0	318	2.40	6.1	45.6	0.7	33	0.1	0.5	0.4	90	1.64	0.076
528299	Rock Pulp	0.04	5.5	38.0	3.7	40	0.1	11.3	4.9	534	2.87	1.8	5.2	2.3	27	0.1	0.4	0.1	26	0.55	0.041
528300	Rock Pulp	0.04	6.6	3134.9	14.3	122	0.6	125.9	14.2	784	5.64	10.2	247.5	1.5	175	0.6	6.1	0.4	54	2.79	0.112



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 21, 2013

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13004106.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528271	Drill Core	1	135	3.01	79	0.139	7	2.82	0.160	0.76	0.1	0.02	5.5	0.2	0.11	7	<0.5	<0.2
528272	Drill Core	1	139	3.78	158	0.168	8	3.07	0.148	1.40	<0.1	0.03	5.5	0.3	0.07	8	<0.5	<0.2
528273	Drill Core	1	145	3.22	97	0.153	7	2.87	0.142	1.05	<0.1	0.02	5.5	0.3	<0.05	8	<0.5	<0.2
528274	Drill Core	1	138	3.25	111	0.169	8	2.91	0.138	1.39	<0.1	0.01	5.5	0.3	0.20	7	<0.5	<0.2
528275	Drill Core	1	139	3.40	58	0.168	44	3.31	0.136	0.61	0.1	0.03	5.4	0.1	0.17	8	<0.5	<0.2
528276	Drill Core	1	126	3.16	61	0.194	12	3.36	0.098	0.63	0.1	0.01	4.2	0.1	0.23	8	<0.5	<0.2
528277	Drill Core	1	118	3.37	68	0.184	54	3.54	0.113	0.75	0.1	0.04	4.8	0.2	0.27	9	<0.5	<0.2
528278	Drill Core	1	130	3.18	103	0.132	3	2.65	0.142	1.13	<0.1	0.05	5.0	0.3	0.17	7	<0.5	<0.2
528279	Drill Core	<1	198	3.72	47	0.131	6	2.90	0.193	0.66	0.1	0.17	6.8	0.3	0.48	7	<0.5	<0.2
528280	Drill Core	1	176	2.87	61	0.139	10	2.54	0.233	0.60	<0.1	0.03	7.2	0.1	0.36	6	<0.5	<0.2
528281	Drill Core	1	203	3.29	44	0.134	12	2.65	0.166	0.41	0.1	0.02	6.1	<0.1	0.16	7	<0.5	<0.2
528282	Drill Core	<1	201	3.59	40	0.131	5	2.64	0.077	0.29	0.2	0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
528283	Drill Core	7	46	0.88	37	0.157	1	1.18	0.076	0.08	0.2	0.14	2.8	<0.1	0.77	6	1.2	<0.2
528284	Drill Core	5	30	0.91	20	0.158	8	1.91	0.068	0.05	0.4	0.04	5.3	<0.1	1.32	8	2.0	<0.2
528285	Drill Core	6	18	1.20	29	0.164	9	2.27	0.118	0.09	0.5	0.11	6.9	<0.1	1.55	8	2.2	<0.2
528286	Drill Core	6	48	0.94	33	0.140	2	1.08	0.051	0.06	0.2	0.15	4.7	<0.1	2.09	5	2.7	0.3
528287	Drill Core	6	45	0.98	42	0.127	1	1.15	0.057	0.08	0.2	0.13	6.2	<0.1	1.39	4	2.9	0.3
528288	Drill Core	6	24	1.73	38	0.104	2	2.02	0.076	0.11	0.2	0.02	7.1	<0.1	0.26	8	<0.5	<0.2
528289	Drill Core	5	30	1.39	33	0.121	2	1.82	0.076	0.09	0.3	0.03	6.8	<0.1	0.79	7	1.1	<0.2
528290	Drill Core	3	33	1.17	49	0.113	5	1.80	0.092	0.09	0.5	0.08	5.0	<0.1	0.79	6	1.2	<0.2
528291	Drill Core	6	16	1.25	34	0.136	4	1.73	0.076	0.07	0.6	0.04	6.2	<0.1	0.83	8	<0.5	<0.2
528292	Drill Core	4	35	1.05	29	0.112	8	1.69	0.067	0.08	0.4	0.05	5.1	<0.1	1.31	7	1.6	<0.2
528293	Drill Core	3	26	1.00	25	0.102	12	2.09	0.080	0.09	0.3	0.03	4.6	<0.1	0.93	8	1.5	<0.2
528294	Drill Core	3	39	0.99	25	0.133	8	1.88	0.065	0.06	0.4	0.09	4.2	<0.1	1.80	6	3.1	<0.2
528295	Drill Core	3	36	0.76	36	0.139	7	1.81	0.086	0.08	0.4	0.09	3.9	<0.1	2.67	6	3.3	0.4
528296	Drill Core	4	36	0.95	47	0.157	3	1.58	0.117	0.11	0.5	0.13	7.8	<0.1	2.37	5	4.0	0.2
528297	Drill Core	5	38	0.67	40	0.143	5	1.20	0.073	0.06	0.3	0.11	3.3	<0.1	1.33	6	1.6	<0.2
528298	Drill Core	5	24	0.53	26	0.139	4	0.76	0.073	0.06	0.2	0.11	2.5	<0.1	1.82	4	2.3	0.3
528299	Rock Pulp	6	21	0.46	61	0.092	4	0.94	0.080	0.08	1.0	0.02	2.5	<0.1	<0.05	4	<0.5	<0.2
528300	Rock Pulp	6	161	1.14	34	0.002	3	0.94	0.057	0.36	0.4	1.44	7.1	0.2	2.99	2	6.9	0.6

CERTIFICATE OF ANALYSIS

VAN13004106.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528301	Drill Core	4.92	7.8	440.9	3.7	27	0.4	31.1	17.4	332	2.26	8.5	39.4	1.1	28	0.2	0.3	0.7	87	2.17	0.089
528302	Drill Core	4.18	8.2	373.3	4.0	30	0.5	29.1	12.3	333	2.16	8.9	44.5	0.7	26	0.1	0.2	0.7	83	2.10	0.090
528303	Drill Core	5.77	8.2	152.8	3.2	37	0.3	26.9	21.4	450	2.53	12.9	35.5	0.8	48	0.2	0.5	0.7	94	2.50	0.091
528304	Drill Core	5.96	5.4	234.5	3.2	31	0.2	28.4	21.5	390	2.82	9.3	27.6	0.7	60	0.2	0.4	0.9	75	2.01	0.105
528305	Drill Core	4.99	17.5	86.8	2.1	23	0.2	35.4	12.8	314	2.60	4.9	29.2	1.0	31	<0.1	0.5	1.1	115	1.43	0.083
528306	Drill Core	4.66	14.9	84.1	1.7	38	0.2	34.2	8.9	542	3.20	9.7	38.2	0.7	41	<0.1	0.5	0.9	155	2.01	0.081
528307	Drill Core	4.52	14.8	178.4	1.8	36	0.3	34.5	12.5	435	2.94	5.2	39.4	0.9	30	<0.1	0.6	1.0	135	1.30	0.088
528308	Drill Core	5.59	8.5	403.5	4.7	41	0.4	25.4	12.8	483	3.17	6.2	61.3	0.8	54	0.3	0.5	0.9	121	2.37	0.091
528309	Drill Core	4.96	2.0	337.0	2.1	35	0.4	9.7	19.5	480	3.52	12.9	48.6	0.8	48	<0.1	0.5	0.8	80	2.00	0.130
528310	Drill Core	4.62	10.6	249.2	2.9	34	0.4	30.9	21.7	675	3.96	7.5	171.5	0.9	50	0.2	0.4	1.4	205	3.33	0.085
528311	Drill Core	4.49	9.4	202.6	1.6	23	0.3	28.7	14.0	562	3.17	5.6	52.9	1.1	47	<0.1	0.4	0.7	181	3.42	0.080
528312	Drill Core	5.01	3.1	11.0	3.0	16	<0.1	2.8	6.6	284	1.96	14.3	14.5	1.4	39	<0.1	0.3	0.2	58	2.05	0.059
528313	Drill Core	4.79	1.4	40.6	3.2	16	0.1	4.4	7.7	301	2.24	8.6	37.1	1.3	48	<0.1	0.3	0.3	64	2.32	0.061
528314	Drill Core	4.61	1.2	25.4	3.2	16	<0.1	3.4	5.8	278	2.31	9.9	10.5	1.3	96	0.1	0.1	0.2	54	1.76	0.060
528315	Drill Core	5.13	0.6	21.2	2.9	15	<0.1	4.3	6.7	236	2.40	7.0	10.8	1.2	81	0.1	<0.1	0.3	44	1.87	0.066
528316	Drill Core	5.32	1.0	33.9	3.4	15	0.1	3.1	7.0	178	2.20	7.5	10.1	1.2	71	0.1	0.2	0.3	34	1.44	0.061
528317	Drill Core	4.97	1.7	20.1	3.3	15	<0.1	4.5	5.3	239	1.66	3.9	13.0	1.1	56	0.1	0.2	0.1	48	1.54	0.065
528318	Drill Core	3.59	1.9	17.7	3.1	15	<0.1	4.7	7.5	253	2.11	5.3	15.8	1.2	55	<0.1	0.2	0.2	52	1.79	0.069
528319	Drill Core	4.53	2.5	43.6	3.3	11	<0.1	3.1	8.9	172	2.19	3.8	31.1	1.1	63	0.1	0.2	0.3	37	1.74	0.067
528320	Drill Core	4.44	0.9	19.7	3.3	13	<0.1	4.4	5.8	227	1.99	3.4	13.5	1.1	40	<0.1	0.2	0.2	66	2.02	0.065
528321	Drill Core	4.36	1.1	18.7	3.2	14	<0.1	3.8	3.0	275	2.09	4.4	7.9	1.0	46	0.1	0.2	<0.1	68	1.83	0.066
528322	Drill Core	5.16	1.5	5.9	2.8	16	<0.1	3.4	1.9	347	1.89	5.4	3.6	1.1	50	0.1	0.2	<0.1	64	2.17	0.063
528323	Drill Core	3.64	0.8	64.8	2.9	15	0.1	2.9	3.3	308	1.86	3.8	11.7	1.0	40	0.2	0.2	0.3	65	1.85	0.065
528324	Drill Core	4.02	1.3	100.5	2.6	17	0.2	4.3	5.3	352	1.79	5.5	20.6	1.2	68	<0.1	0.3	0.3	61	2.03	0.064
528325	Rock Pulp	0.04	7.6	3074.7	13.8	124	0.6	130.8	13.4	782	5.58	10.8	247.2	1.5	178	0.6	6.2	0.4	53	2.80	0.104
528326	Drill Core	4.98	0.9	52.7	2.9	16	0.1	4.0	5.5	356	1.84	5.4	35.4	1.0	45	<0.1	0.3	0.2	55	1.91	0.064
528327	Drill Core	4.69	1.0	3.0	3.4	13	<0.1	3.7	6.1	258	1.76	2.0	14.9	1.1	38	<0.1	0.1	0.1	52	2.15	0.063
528328	Drill Core	5.07	1.1	3.0	2.8	14	<0.1	3.2	5.1	271	2.01	2.1	9.9	1.1	53	<0.1	0.1	0.1	65	1.86	0.065
528329	Drill Core	5.29	1.4	28.3	2.7	17	<0.1	3.3	5.5	304	2.10	2.9	8.3	1.2	46	<0.1	<0.1	0.1	66	1.78	0.065
528330	Drill Core	3.49	1.6	80.5	2.8	14	0.3	4.5	11.0	343	1.88	3.9	20.0	1.2	51	<0.1	0.2	0.2	42	2.29	0.063



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 21, 2013

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13004106.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528301	Drill Core	7	31	0.54	32	0.123	2	0.67	0.081	0.06	0.2	0.12	2.6	<0.1	1.79	4	4.0	<0.2
528302	Drill Core	6	23	0.56	33	0.108	6	0.95	0.067	0.07	0.2	0.09	2.7	<0.1	1.54	5	2.8	<0.2
528303	Drill Core	6	30	0.82	37	0.148	6	1.35	0.096	0.09	0.3	0.09	4.1	<0.1	1.53	5	3.0	<0.2
528304	Drill Core	5	26	0.78	47	0.118	9	1.37	0.102	0.10	0.3	0.19	4.4	<0.1	1.86	5	2.1	0.3
528305	Drill Core	6	22	0.61	47	0.142	1	0.64	0.082	0.10	<0.1	0.48	2.9	<0.1	2.10	4	2.9	0.7
528306	Drill Core	5	31	0.89	42	0.119	2	1.03	0.076	0.09	0.1	0.51	3.6	<0.1	1.78	6	1.2	0.4
528307	Drill Core	6	29	0.75	41	0.138	2	0.80	0.073	0.09	0.1	0.45	3.9	<0.1	2.05	5	1.8	0.7
528308	Drill Core	5	23	0.81	52	0.146	1	1.02	0.087	0.11	0.4	0.42	3.9	<0.1	2.08	5	1.8	0.5
528309	Drill Core	4	8	1.03	39	0.119	4	1.28	0.066	0.09	0.4	0.48	4.1	<0.1	2.32	6	3.7	0.5
528310	Drill Core	7	40	1.11	61	0.139	<1	1.11	0.072	0.11	0.4	1.14	6.1	<0.1	3.24	5	2.4	1.5
528311	Drill Core	6	37	1.00	39	0.131	<1	1.04	0.056	0.08	0.3	0.56	5.6	<0.1	2.35	5	2.3	0.5
528312	Drill Core	6	5	0.30	51	0.094	3	0.81	0.137	0.12	0.4	0.13	2.7	<0.1	1.41	4	1.1	<0.2
528313	Drill Core	7	5	0.39	44	0.086	3	1.02	0.075	0.09	0.3	0.50	2.5	<0.1	1.44	5	0.7	<0.2
528314	Drill Core	7	5	0.37	94	0.087	4	1.08	0.084	0.10	0.2	0.48	2.2	<0.1	1.47	5	0.6	<0.2
528315	Drill Core	7	5	0.31	76	0.083	3	0.98	0.084	0.09	0.2	0.26	2.1	<0.1	1.94	4	1.3	<0.2
528316	Drill Core	7	4	0.21	79	0.084	5	1.02	0.086	0.10	0.3	0.94	1.2	<0.1	1.82	5	2.1	0.2
528317	Drill Core	5	4	0.26	69	0.084	8	0.91	0.077	0.07	0.3	0.59	1.2	<0.1	0.90	5	0.7	<0.2
528318	Drill Core	6	6	0.33	61	0.089	7	1.08	0.093	0.09	0.2	0.57	1.9	<0.1	1.43	6	1.5	<0.2
528319	Drill Core	5	4	0.19	70	0.079	10	1.16	0.085	0.09	0.2	0.88	1.1	<0.1	1.73	6	0.9	<0.2
528320	Drill Core	7	5	0.23	84	0.093	12	1.27	0.095	0.11	0.3	0.52	1.5	<0.1	0.86	7	0.6	<0.2
528321	Drill Core	6	5	0.31	80	0.079	8	1.18	0.091	0.10	0.3	0.79	1.6	<0.1	0.53	7	<0.5	<0.2
528322	Drill Core	7	4	0.42	51	0.072	7	1.10	0.075	0.10	0.2	0.14	2.3	<0.1	0.40	6	<0.5	<0.2
528323	Drill Core	6	5	0.36	74	0.089	10	1.34	0.092	0.09	0.3	0.05	1.9	<0.1	0.53	7	0.7	<0.2
528324	Drill Core	7	5	0.49	69	0.089	4	0.94	0.084	0.10	0.3	0.11	2.6	<0.1	0.88	5	0.8	<0.2
528325	Rock Pulp	5	165	1.14	36	0.002	3	0.95	0.059	0.35	0.4	1.36	7.2	0.1	2.95	2	8.1	0.3
528326	Drill Core	6	5	0.44	72	0.065	4	1.01	0.066	0.09	0.2	0.12	1.9	<0.1	0.78	6	1.3	<0.2
528327	Drill Core	6	5	0.30	79	0.085	11	1.34	0.104	0.09	0.3	0.12	1.8	<0.1	1.01	7	0.8	<0.2
528328	Drill Core	6	5	0.31	87	0.076	6	1.17	0.097	0.10	0.2	0.66	1.6	<0.1	0.80	6	<0.5	<0.2
528329	Drill Core	7	6	0.34	79	0.080	6	1.09	0.079	0.09	0.2	0.66	1.6	<0.1	0.75	6	0.8	<0.2
528330	Drill Core	7	4	0.41	48	0.043	4	0.90	0.066	0.12	0.3	0.19	2.2	<0.1	1.24	4	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13004106.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
528331	Drill Core	4.95	1.2	18.5	2.1	16	0.1	2.5	4.6	359	1.58	4.1	5.6	1.0	29	<0.1	0.2	<0.1	54	1.75	0.060
528332	Drill Core	3.06	0.1	6.9	4.0	17	0.1	1.4	1.2	291	0.82	0.8	9.9	0.9	22	<0.1	0.2	<0.1	37	1.95	0.066
528333	Drill Core	4.96	0.2	11.2	2.1	14	<0.1	1.9	1.6	291	1.45	3.1	<0.5	0.9	26	<0.1	0.3	<0.1	49	1.62	0.061
528334	Drill Core	5.44	1.3	14.1	3.7	16	<0.1	3.8	14.2	284	1.80	5.2	10.3	1.3	52	<0.1	0.2	0.3	46	1.87	0.065
528335	Drill Core	5.00	1.3	11.1	3.1	18	<0.1	4.8	9.5	316	2.13	3.9	16.8	1.3	40	<0.1	0.2	0.4	50	1.72	0.065
528336	Drill Core	5.02	1.3	3.7	2.1	16	<0.1	3.8	5.2	376	1.59	3.8	210.3	1.3	28	0.1	0.2	0.2	52	2.27	0.067
528337	Drill Core	5.25	1.3	93.8	2.4	22	0.2	3.1	5.8	470	1.89	13.6	140.7	1.2	55	0.1	0.3	0.2	51	2.67	0.059
528338	Drill Core	4.97	1.3	141.8	3.2	27	0.2	1.5	7.1	405	1.78	23.2	28.0	1.3	375	0.3	0.8	0.1	55	2.78	0.052
528339	Drill Core	5.16	11.2	34.7	2.1	26	0.1	17.9	17.5	652	3.23	9.5	100.5	1.2	55	<0.1	0.4	0.7	140	4.00	0.075
528340	Drill Core	5.39	5.9	14.6	1.9	30	<0.1	11.5	5.2	650	1.57	3.1	13.5	0.5	65	<0.1	0.6	0.2	99	3.81	0.080
528341	Drill Core	4.15	10.9	94.2	2.3	25	0.2	25.1	12.7	439	2.23	4.5	16.5	0.8	45	0.1	0.8	0.3	128	2.85	0.076
528342	Drill Core	3.10	6.2	65.6	2.4	17	0.1	30.2	16.7	351	3.83	6.1	42.0	1.0	36	<0.1	0.7	0.8	161	2.56	0.087



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 21, 2013

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13004106.1

	Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
528331	Drill Core	6	6	0.50	36	0.086	1	0.72	0.073	0.10	0.2	0.19	1.7	<0.1	0.43	5	0.7	<0.2
528332	Drill Core	6	5	0.38	14	0.097	<1	0.53	0.093	0.04	0.2	0.03	2.1	<0.1	<0.05	4	0.9	<0.2
528333	Drill Core	7	5	0.35	37	0.113	3	0.66	0.078	0.10	0.3	0.05	1.6	<0.1	0.08	5	<0.5	0.5
528334	Drill Core	6	4	0.31	38	0.093	4	0.76	0.105	0.07	0.6	0.07	2.0	<0.1	1.38	4	2.8	0.4
528335	Drill Core	6	9	0.43	47	0.097	5	0.89	0.090	0.09	0.3	0.13	2.5	<0.1	1.74	5	2.2	0.5
528336	Drill Core	7	6	0.51	44	0.067	4	0.70	0.072	0.09	0.3	0.21	3.1	<0.1	0.93	4	2.2	0.4
528337	Drill Core	8	4	0.40	57	0.062	3	0.73	0.071	0.12	0.3	0.20	2.7	<0.1	1.00	4	0.6	0.5
528338	Drill Core	7	4	0.40	188	0.087	3	1.68	0.133	0.09	0.2	0.15	3.4	<0.1	0.96	4	<0.5	0.2
528339	Drill Core	6	34	0.89	42	0.111	2	1.25	0.104	0.10	0.2	0.33	7.2	<0.1	2.10	5	2.6	0.9
528340	Drill Core	3	33	0.98	30	0.148	4	1.21	0.082	0.06	0.3	0.12	4.8	<0.1	0.63	5	<0.5	<0.2
528341	Drill Core	5	31	0.71	43	0.188	6	0.93	0.088	0.09	0.3	0.12	4.2	<0.1	1.62	4	4.1	0.9
528342	Drill Core	5	27	0.57	24	0.199	5	0.80	0.068	0.05	0.3	0.24	2.8	<0.1	3.58	4	3.8	0.5

QUALITY CONTROL REPORT

VAN13004106.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
528274	Drill Core	4.99	1.3	17.4	1.6	27	<0.1	134.0	22.0	375	3.74	3.6	21.8	0.2	27	<0.1	0.1	<0.1	144	1.38	0.066
REP 528274	QC		1.0	18.4	1.5	28	<0.1	132.9	22.0	373	3.72	3.6	19.6	0.2	26	<0.1	0.2	<0.1	142	1.37	0.067
REP 528306	QC		15.9	80.9	1.6	37	0.2	31.6	8.8	526	3.17	10.1	33.1	0.8	41	<0.1	0.6	0.8	156	2.01	0.085
528339	Drill Core	5.16	11.2	34.7	2.1	26	0.1	17.9	17.5	652	3.23	9.5	100.5	1.2	55	<0.1	0.4	0.7	140	4.00	0.075
REP 528339	QC		11.7	35.1	2.1	29	0.1	19.0	17.3	647	3.19	10.1	36.3	1.2	55	<0.1	0.4	0.7	138	3.95	0.075
Core Reject Duplicates																					
528306	Drill Core	4.66	14.9	84.1	1.7	38	0.2	34.2	8.9	542	3.20	9.7	38.2	0.7	41	<0.1	0.5	0.9	155	2.01	0.081
DUP 528306	QC		15.2	85.7	1.6	36	0.2	34.4	8.9	526	3.14	11.6	37.2	0.7	41	<0.1	0.5	0.8	155	1.99	0.081
Reference Materials																					
STD DS10	Standard		13.8	147.6	153.1	352	2.1	70.8	12.6	877	2.83	46.0	104.0	7.8	70	2.3	9.7	12.1	43	1.10	0.073
STD DS10	Standard		13.8	154.2	153.8	356	1.9	76.8	12.9	870	2.75	44.2	81.8	7.5	68	2.5	8.9	11.3	43	1.05	0.073
STD DS10	Standard		14.6	156.3	139.5	348	1.8	77.1	12.9	891	2.76	41.5	81.8	6.9	65	2.2	8.3	10.1	43	1.06	0.075
STD OXC109	Standard		1.8	35.9	10.9	37	<0.1	69.2	18.9	415	2.90	1.6	200.2	1.5	145	<0.1	<0.1	<0.1	47	0.72	0.106
STD OXC109	Standard		1.6	36.5	11.4	39	<0.1	72.5	19.9	401	2.83	<0.5	199.9	1.5	141	<0.1	<0.1	<0.1	47	0.63	0.103
STD OXC109	Standard		1.6	34.9	10.8	38	<0.1	74.1	19.1	402	2.84	<0.5	179.3	1.5	145	<0.1	<0.1	<0.1	47	0.67	0.103
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
STD OXC109 Expected												201									
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank		0.1	1.3	2.9	47	<0.1	3.7	4.6	574	1.93	<0.5	<0.5	4.9	54	<0.1	<0.1	0.3	37	0.41	0.075
G1	Prep Blank		0.2	1.4	2.7	46	<0.1	3.4	4.3	557	1.91	<0.5	<0.5	4.6	54	<0.1	<0.1	0.1	36	0.41	0.073

QUALITY CONTROL REPORT

VAN13004106.1

Method		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
528274	Drill Core	1	138	3.25	111	0.169	8	2.91	0.138	1.39	<0.1	0.01	5.5	0.3	0.20	7	<0.5	<0.2
REP 528274	QC	1	140	3.17	110	0.160	7	2.83	0.134	1.34	<0.1	0.02	5.0	0.3	0.20	7	<0.5	<0.2
REP 528306	QC	5	31	0.89	44	0.119	3	1.05	0.078	0.10	0.2	0.49	3.6	<0.1	1.76	6	1.2	0.3
528339	Drill Core	6	34	0.89	42	0.111	2	1.25	0.104	0.10	0.2	0.33	7.2	<0.1	2.10	5	2.6	0.9
REP 528339	QC	6	34	0.89	43	0.108	2	1.25	0.107	0.10	0.3	0.33	8.0	<0.1	2.05	5	3.0	0.3
Core Reject Duplicates																		
528306	Drill Core	5	31	0.89	42	0.119	2	1.03	0.076	0.09	0.1	0.51	3.6	<0.1	1.78	6	1.2	0.4
DUP 528306	QC	5	30	0.88	43	0.121	3	1.03	0.076	0.09	0.1	0.48	3.5	<0.1	1.75	6	1.7	0.4
Reference Materials																		
STD DS10	Standard	18	56	0.79	351	0.080	9	1.09	0.069	0.34	3.2	0.31	2.9	4.8	0.28	5	2.9	5.1
STD DS10	Standard	17	55	0.78	347	0.074	9	1.03	0.064	0.33	3.2	0.30	2.9	4.9	0.28	4	1.6	4.8
STD DS10	Standard	17	55	0.78	322	0.079	7	1.07	0.067	0.34	2.8	0.25	2.7	4.5	0.28	4	2.1	4.5
STD OXC109	Standard	12	60	1.43	56	0.366	2	1.55	0.692	0.42	0.2	<0.01	1.5	<0.1	<0.05	5	<0.5	0.3
STD OXC109	Standard	13	59	1.42	56	0.375	1	1.48	0.679	0.41	0.2	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	12	60	1.45	55	0.376	1	1.55	0.691	0.41	0.2	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
STD OXC109 Expected																		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	9	10	0.59	229	0.115	<1	0.98	0.072	0.48	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	9	11	0.56	215	0.104	<1	0.93	0.066	0.47	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 CANADA

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: October 08, 2013
Report Date: October 25, 2013
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN13004131.1

CLIENT JOB INFORMATION

Project: 240
Shipment ID:
P.O. Number
Number of Samples: 143

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	134	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	143	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method Analyte	Unit	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528343	Drill Core	3.09	0.4	28.6	1.0	28	<0.1	131.4	43.4	396	5.73	7.8	60.3	0.1	84	<0.1	0.5	0.7	69	1.87	0.086
528344	Drill Core	4.64	<0.1	21.8	1.4	24	<0.1	115.3	42.1	405	4.94	10.9	74.4	0.1	102	<0.1	0.9	1.1	48	2.23	0.094
528345	Drill Core	5.98	8.7	36.2	0.8	27	<0.1	102.0	24.7	424	4.66	9.7	79.2	0.1	86	<0.1	0.8	0.6	73	1.85	0.090
528346	Drill Core	3.47	2.4	10.1	1.0	32	<0.1	124.8	35.2	509	6.37	9.7	61.2	<0.1	44	<0.1	0.5	0.9	74	1.34	0.105
528347	Drill Core	4.84	14.7	8.4	2.0	30	<0.1	130.6	44.3	503	7.24	9.1	41.6	<0.1	63	<0.1	0.6	1.1	92	2.48	0.078
528348	Drill Core	5.84	1.0	34.8	1.2	34	<0.1	117.0	28.9	500	5.02	6.3	37.4	0.2	42	<0.1	0.3	0.5	118	1.41	0.091
528349	Rock Pulp	0.04	5.6	35.7	3.4	41	<0.1	10.9	4.7	512	2.80	2.6	4.1	2.1	24	<0.1	0.3	0.1	26	0.53	0.045
528350	Rock Pulp	0.04	7.8	3164.1	14.1	122	0.6	122.2	13.5	788	5.97	11.6	243.9	1.6	160	0.5	6.5	0.4	54	2.84	0.111
528351	Drill Core	4.83	1.0	39.9	1.0	32	<0.1	109.1	21.7	500	4.74	5.6	44.1	0.2	56	<0.1	0.4	0.4	131	1.78	0.085
528352	Drill Core	5.39	0.6	30.6	1.0	29	<0.1	141.4	32.5	453	4.62	5.8	26.7	0.1	50	<0.1	0.3	0.4	121	1.27	0.073
528353	Drill Core	5.54	0.4	12.3	1.1	28	<0.1	127.8	27.0	480	5.68	5.7	45.3	0.2	40	<0.1	0.2	0.4	129	1.56	0.079
528354	Drill Core	4.58	1.0	51.6	0.6	24	<0.1	27.1	13.8	390	4.38	5.1	20.2	0.6	57	<0.1	0.3	0.1	125	2.00	0.136
528355	Drill Core	3.26	0.3	45.2	0.9	27	<0.1	160.4	26.7	489	4.59	4.3	15.2	0.3	96	<0.1	0.3	0.1	131	2.05	0.081
528356	Drill Core	3.13	0.3	97.2	0.8	29	<0.1	144.9	30.1	497	5.04	5.4	28.7	0.2	72	<0.1	0.3	0.1	149	2.26	0.077
528357	Drill Core	5.03	0.2	55.1	0.9	24	<0.1	132.2	29.0	379	4.40	5.0	41.6	0.1	50	<0.1	0.3	0.1	127	1.89	0.075
528358	Drill Core	5.15	0.2	103.7	0.7	24	<0.1	136.8	27.8	366	4.12	5.5	50.9	<0.1	51	<0.1	0.2	0.1	120	1.48	0.067
528359	Drill Core	4.31	0.6	115.9	0.9	27	<0.1	158.0	41.9	434	4.49	5.0	62.2	<0.1	46	<0.1	0.3	0.2	122	1.62	0.063
528360	Drill Core	4.79	0.5	19.5	1.0	27	<0.1	163.8	34.1	426	4.38	4.6	40.8	<0.1	54	<0.1	0.3	0.3	118	2.05	0.064
528361	Drill Core	6.65	1.6	36.9	0.9	29	<0.1	150.2	28.9	435	4.19	4.6	24.6	<0.1	38	<0.1	0.3	0.3	105	1.62	0.064
528362	Drill Core	5.60	0.8	92.2	1.6	25	<0.1	138.7	34.1	398	4.27	5.7	57.1	0.4	39	<0.1	0.4	0.3	118	2.36	0.080
528363	Drill Core	6.07	0.5	107.9	1.4	21	0.1	76.1	33.1	339	4.05	5.4	74.4	<0.1	55	<0.1	0.3	0.3	131	2.40	0.079
528364	Drill Core	5.39	0.4	115.2	0.9	23	<0.1	107.2	34.5	381	3.89	4.9	41.2	<0.1	35	<0.1	0.3	0.3	111	2.18	0.070
528365	Drill Core	6.18	0.3	84.4	1.1	28	<0.1	167.6	42.5	452	4.10	4.3	73.5	<0.1	41	<0.1	0.2	0.2	106	1.05	0.064
528366	Drill Core	4.98	0.6	94.5	0.7	27	<0.1	178.8	30.5	420	3.72	3.3	51.1	<0.1	51	<0.1	0.3	0.1	91	1.58	0.056
528367	Drill Core	4.92	0.5	31.4	1.0	28	<0.1	165.7	35.6	422	3.84	4.3	31.4	<0.1	39	<0.1	0.3	0.2	92	1.15	0.056
528368	Drill Core	6.43	0.3	95.0	0.9	29	<0.1	124.8	39.9	401	4.24	4.8	32.5	<0.1	40	<0.1	0.3	0.2	113	1.73	0.065
528369	Drill Core	5.53	0.1	124.8	0.5	29	<0.1	111.5	15.1	398	4.20	3.5	19.0	<0.1	31	<0.1	0.2	<0.1	128	2.10	0.074
528370	Drill Core	4.45	0.2	84.2	1.0	30	<0.1	105.6	27.6	445	4.32	5.3	71.9	0.1	49	<0.1	0.4	0.2	119	2.58	0.072
528371	Drill Core	5.49	0.9	36.3	0.7	31	<0.1	46.5	17.7	463	4.80	5.1	29.1	0.4	91	<0.1	0.6	<0.1	123	2.51	0.113
528372	Drill Core	4.14	0.5	44.5	1.1	27	<0.1	106.8	32.4	429	4.12	4.7	26.4	0.1	76	<0.1	0.6	0.4	118	2.37	0.077

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	
528343	Drill Core	2	140	2.03	25	0.110	5	1.77	0.072	0.11	0.4	0.24	3.2	<0.1	3.51	5	1.1	0.7
528344	Drill Core	1	116	1.70	8	0.122	2	1.48	0.047	0.04	0.2	0.53	4.2	<0.1	3.31	4	1.7	1.5
528345	Drill Core	1	127	2.06	22	0.134	3	1.89	0.087	0.11	0.3	0.34	4.5	<0.1	2.28	5	0.8	1.0
528346	Drill Core	1	161	3.00	20	0.126	2	2.15	0.039	0.08	0.3	0.50	5.1	<0.1	3.74	6	1.3	1.1
528347	Drill Core	<1	131	2.82	39	0.138	18	2.41	0.078	0.42	0.4	0.65	5.1	0.2	4.69	7	1.0	1.1
528348	Drill Core	1	162	3.04	54	0.154	5	2.66	0.112	0.51	0.3	0.37	4.5	0.2	1.61	8	<0.5	0.6
528349	Rock Pulp	6	20	0.44	60	0.079	2	0.89	0.079	0.08	1.0	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
528350	Rock Pulp	6	157	1.14	43	0.002	4	0.98	0.059	0.35	0.5	1.44	7.6	0.2	2.92	3	6.7	0.3
528351	Drill Core	1	137	3.10	69	0.179	5	2.87	0.119	0.77	0.3	0.13	6.2	0.3	1.12	8	<0.5	<0.2
528352	Drill Core	1	166	3.08	88	0.130	5	2.67	0.129	1.09	0.2	0.17	4.2	0.5	1.25	8	<0.5	0.3
528353	Drill Core	1	138	3.20	73	0.151	6	2.71	0.111	1.17	0.3	0.29	4.8	0.6	1.86	8	0.5	0.6
528354	Drill Core	3	44	2.12	33	0.166	5	2.30	0.141	0.14	0.2	0.14	7.5	<0.1	0.49	8	<0.5	<0.2
528355	Drill Core	2	124	3.20	55	0.160	5	3.25	0.124	0.65	0.2	0.13	5.0	0.3	0.56	9	<0.5	<0.2
528356	Drill Core	1	155	2.92	44	0.152	9	3.46	0.119	0.56	0.2	0.09	5.7	0.2	0.52	9	<0.5	<0.2
528357	Drill Core	1	135	2.42	39	0.107	10	2.82	0.073	0.64	0.1	0.15	3.6	0.3	0.60	7	<0.5	0.4
528358	Drill Core	<1	136	2.98	64	0.102	6	2.81	0.084	0.80	0.1	0.10	3.2	0.4	0.58	7	<0.5	0.2
528359	Drill Core	<1	164	3.45	113	0.130	10	3.32	0.095	1.16	0.1	0.22	4.5	0.5	1.04	8	<0.5	0.3
528360	Drill Core	<1	179	3.53	66	0.131	11	3.19	0.094	0.93	0.1	0.30	4.5	0.4	1.13	8	<0.5	0.5
528361	Drill Core	<1	170	3.41	56	0.118	7	2.93	0.072	0.73	0.2	0.21	4.3	0.3	1.12	7	<0.5	0.5
528362	Drill Core	1	120	2.88	23	0.107	12	3.07	0.041	0.30	0.2	0.25	3.5	0.1	1.10	8	<0.5	0.3
528363	Drill Core	1	94	2.11	30	0.115	13	3.12	0.061	0.43	0.2	0.41	3.1	0.2	0.94	7	<0.5	0.6
528364	Drill Core	<1	124	2.61	58	0.108	12	3.08	0.065	0.72	0.1	0.28	3.9	0.3	1.25	7	<0.5	0.3
528365	Drill Core	<1	184	3.57	122	0.107	3	3.04	0.097	1.77	<0.1	0.26	3.8	0.7	0.78	8	<0.5	0.5
528366	Drill Core	<1	213	3.23	108	0.107	4	2.91	0.116	1.35	0.1	0.16	4.0	0.6	0.69	7	<0.5	0.2
528367	Drill Core	<1	205	3.12	87	0.102	4	2.66	0.103	1.12	<0.1	0.26	4.0	0.5	0.70	7	<0.5	0.7
528368	Drill Core	<1	149	2.80	52	0.119	10	2.92	0.071	0.62	0.3	0.19	3.5	0.2	1.07	7	<0.5	0.4
528369	Drill Core	<1	127	2.56	16	0.122	14	3.11	0.049	0.19	0.3	0.05	3.4	<0.1	0.22	8	<0.5	<0.2
528370	Drill Core	<1	131	2.53	17	0.141	15	3.26	0.074	0.16	0.3	0.20	4.6	<0.1	0.86	8	<0.5	<0.2
528371	Drill Core	2	48	2.36	29	0.140	6	2.60	0.071	0.16	0.3	0.05	6.2	<0.1	0.59	8	<0.5	<0.2
528372	Drill Core	<1	107	2.42	31	0.129	15	3.28	0.149	0.23	0.2	0.76	5.2	<0.1	1.10	8	<0.5	0.5

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528373	Drill Core	4.96	0.7	84.3	1.9	16	0.1	52.5	29.0	263	4.56	5.2	86.1	0.2	46	<0.1	0.5	0.9	83	2.37	0.102
528374	Drill Core	4.98	0.2	242.2	0.9	25	0.1	84.4	27.6	380	3.61	4.7	104.3	0.1	54	<0.1	0.5	0.2	113	2.79	0.078
528375	Rock Pulp	0.04	8.9	3257.5	14.1	120	0.7	167.1	14.4	782	5.64	10.7	257.8	1.5	167	0.5	6.8	0.4	56	2.77	0.111
528376	Drill Core	4.62	1.1	85.4	1.5	23	<0.1	38.0	22.3	390	4.00	4.3	125.5	0.3	38	<0.1	0.3	0.6	84	1.97	0.114
528377	Drill Core	4.53	139.5	154.2	6.5	25	0.5	52.3	24.3	456	4.66	8.3	164.2	0.4	39	0.3	0.8	0.7	111	2.67	0.101
528378	Drill Core	3.99	6.9	89.8	1.7	27	0.2	204.2	31.3	609	4.80	6.5	106.4	0.2	34	<0.1	0.5	0.5	108	2.97	0.066
528379	Drill Core	5.39	1.3	85.5	1.3	24	<0.1	123.2	29.8	546	4.20	6.4	24.4	0.2	53	<0.1	0.4	0.3	107	1.77	0.078
528380	Drill Core	4.93	0.5	155.0	1.2	24	<0.1	110.9	24.8	525	4.53	5.1	29.2	0.2	40	<0.1	0.4	0.1	146	2.39	0.088
528381	Drill Core	3.86	0.4	55.1	1.1	24	<0.1	161.5	33.7	475	4.46	5.5	23.4	0.1	28	<0.1	0.3	0.3	114	2.31	0.074
528382	Drill Core	4.54	1.0	47.2	1.4	24	<0.1	144.3	33.1	443	4.27	4.6	31.6	0.2	42	<0.1	0.3	0.3	117	2.95	0.073
528383	Drill Core	4.44	0.6	54.3	1.2	26	<0.1	149.8	27.4	449	4.12	4.7	19.8	0.4	91	<0.1	0.3	0.1	129	1.58	0.095
528384	Drill Core	5.31	0.7	102.1	1.3	25	<0.1	144.2	36.4	497	4.42	5.1	57.0	0.2	64	<0.1	0.4	0.3	119	2.07	0.083
528385	Drill Core	4.33	1.1	51.4	1.2	26	<0.1	148.0	30.9	501	4.40	3.9	49.3	0.2	63	<0.1	0.3	0.3	117	1.75	0.080
528386	Drill Core	5.50	1.1	36.1	1.3	28	<0.1	146.2	33.4	520	4.87	4.5	138.8	0.1	93	<0.1	0.3	0.3	121	2.51	0.075
528387	Drill Core	5.40	1.2	31.8	2.0	26	<0.1	131.2	32.0	487	4.23	5.2	42.5	0.2	67	<0.1	0.4	0.3	120	2.77	0.078
528388	Drill Core	4.79	0.1	76.7	2.5	25	<0.1	120.5	27.8	447	4.23	6.1	33.3	0.1	54	<0.1	0.4	0.4	113	2.06	0.077
528389	Drill Core	5.16	1.4	137.5	1.4	23	<0.1	114.9	34.4	435	4.07	5.9	57.4	<0.1	69	<0.1	0.3	0.5	98	2.07	0.074
528390	Drill Core	4.92	0.7	39.5	1.7	20	<0.1	35.8	29.9	406	4.78	4.7	36.0	0.4	39	<0.1	0.3	0.5	112	2.79	0.097
528391	Drill Core	3.93	0.8	6.5	1.4	20	<0.1	27.8	21.1	422	4.26	5.9	59.9	0.4	27	<0.1	0.2	0.4	106	2.82	0.100
528392	Drill Core	3.28	0.4	25.9	1.1	27	<0.1	120.4	33.4	545	4.03	4.6	19.8	0.2	26	<0.1	0.3	0.3	112	2.22	0.076
528393	Drill Core	4.74	0.1	42.9	0.8	26	<0.1	125.5	15.5	486	3.96	4.3	30.3	<0.1	43	<0.1	0.4	0.1	116	2.19	0.066
528394	Drill Core	5.19	3.4	232.2	1.2	25	0.1	152.2	29.8	516	4.21	7.3	78.7	0.1	73	<0.1	0.6	0.3	114	3.08	0.068
528395	Drill Core	5.08	2.6	134.0	1.0	22	<0.1	110.4	30.7	424	3.82	7.5	58.7	0.1	65	<0.1	0.5	0.2	111	3.30	0.075
528396	Drill Core	5.16	2.2	124.8	0.8	21	<0.1	95.4	26.5	384	3.67	5.8	37.0	0.1	51	<0.1	0.5	0.1	101	3.04	0.076
528397	Drill Core	4.55	0.3	81.5	0.6	22	<0.1	84.2	20.7	352	3.52	4.8	13.9	0.1	63	<0.1	0.5	<0.1	103	2.86	0.075
528398	Drill Core	4.52	0.3	146.1	0.7	24	<0.1	106.8	26.0	369	4.00	4.7	25.0	0.1	83	<0.1	0.4	<0.1	122	2.33	0.080
528399	Rock Pulp	0.04	5.9	37.0	3.5	42	<0.1	11.3	4.8	521	2.82	2.4	1.2	2.1	25	<0.1	0.3	0.1	26	0.54	0.041
528400	Rock Pulp	0.04	8.1	3253.2	14.4	123	0.6	144.6	14.2	782	5.74	10.9	246.0	1.6	166	0.6	6.4	0.4	58	2.82	0.104
528401	Drill Core	4.96	0.2	145.8	0.8	23	<0.1	89.8	22.2	386	3.78	10.1	35.4	0.1	58	<0.1	0.5	<0.1	122	3.12	0.074
528402	Drill Core	4.92	0.2	91.1	0.6	19	<0.1	84.6	17.5	348	3.57	7.4	26.3	0.1	42	<0.1	0.5	<0.1	115	2.86	0.072

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
528373	Drill Core	1	49	1.36	31	0.108	18	2.65	0.092	0.18	0.2	1.39	4.0	<0.1	3.34	6	1.5	1.4
528374	Drill Core	<1	105	2.30	19	0.112	19	3.37	0.098	0.16	0.2	0.30	4.5	<0.1	0.88	8	<0.5	0.3
528375	Rock Pulp	6	205	1.14	35	0.002	4	0.98	0.059	0.35	0.5	1.43	7.9	0.2	2.91	2	7.2	0.4
528376	Drill Core	2	47	1.49	24	0.104	12	2.08	0.097	0.09	0.2	0.64	5.5	<0.1	2.34	8	0.8	0.7
528377	Drill Core	3	70	1.78	29	0.155	9	2.19	0.107	0.14	0.6	0.78	8.9	0.6	2.99	7	1.3	0.7
528378	Drill Core	<1	161	3.21	15	0.125	4	2.48	0.087	0.13	0.4	0.65	9.0	0.1	2.66	8	1.7	0.7
528379	Drill Core	1	106	2.92	42	0.111	6	2.62	0.137	0.30	0.2	0.30	7.3	0.1	1.61	8	1.3	0.4
528380	Drill Core	2	106	3.36	37	0.177	6	3.16	0.106	0.27	0.3	0.25	6.9	0.1	1.04	10	0.8	<0.2
528381	Drill Core	1	136	3.53	20	0.140	5	3.02	0.080	0.20	0.2	0.26	5.7	<0.1	1.69	8	<0.5	0.4
528382	Drill Core	1	143	3.17	38	0.148	3	2.81	0.093	0.33	0.1	0.40	6.1	0.2	1.95	9	1.7	0.7
528383	Drill Core	2	132	3.17	94	0.151	4	2.64	0.134	0.54	0.2	0.14	5.7	0.3	0.79	8	<0.5	<0.2
528384	Drill Core	1	152	3.12	69	0.163	2	2.62	0.139	0.54	0.2	0.35	7.0	0.3	1.96	9	1.3	0.5
528385	Drill Core	1	155	3.66	44	0.147	2	2.86	0.158	0.52	0.2	0.30	6.4	0.2	1.61	10	0.9	0.5
528386	Drill Core	1	173	3.55	59	0.157	2	3.01	0.151	0.60	0.1	0.36	6.4	0.3	1.62	10	0.6	0.4
528387	Drill Core	1	156	3.02	17	0.139	3	2.82	0.120	0.13	0.2	0.36	6.8	<0.1	1.27	8	<0.5	0.4
528388	Drill Core	<1	138	2.77	21	0.107	4	2.61	0.118	0.18	0.2	0.35	5.7	0.1	1.50	8	0.6	0.7
528389	Drill Core	<1	118	2.23	22	0.089	10	2.61	0.125	0.17	<0.1	0.63	5.3	<0.1	1.93	7	0.6	0.8
528390	Drill Core	2	31	1.98	21	0.104	11	2.72	0.110	0.15	0.2	0.50	8.4	<0.1	2.80	8	0.9	0.6
528391	Drill Core	1	20	2.01	12	0.084	11	2.73	0.087	0.11	0.3	0.68	8.0	<0.1	2.41	8	0.9	0.6
528392	Drill Core	<1	137	2.86	9	0.092	7	2.88	0.093	0.07	0.2	0.41	7.1	<0.1	1.27	8	<0.5	0.4
528393	Drill Core	<1	145	2.57	15	0.089	10	2.79	0.112	0.11	0.1	0.08	5.2	<0.1	0.24	7	<0.5	<0.2
528394	Drill Core	<1	141	2.46	27	0.135	15	3.42	0.151	0.20	0.2	0.16	6.3	<0.1	1.26	8	<0.5	0.4
528395	Drill Core	<1	96	1.93	15	0.125	24	3.56	0.079	0.13	0.2	0.13	5.4	<0.1	1.16	8	<0.5	<0.2
528396	Drill Core	<1	101	1.73	16	0.092	15	2.87	0.081	0.14	0.1	0.11	5.1	<0.1	0.73	7	<0.5	<0.2
528397	Drill Core	1	108	1.76	20	0.096	14	2.85	0.101	0.16	0.1	0.06	4.8	<0.1	0.28	7	<0.5	<0.2
528398	Drill Core	1	105	2.11	29	0.119	12	3.02	0.122	0.21	0.2	0.04	4.8	<0.1	0.42	7	<0.5	<0.2
528399	Rock Pulp	6	21	0.45	61	0.084	<1	0.91	0.085	0.08	1.0	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
528400	Rock Pulp	6	172	1.16	44	0.002	3	1.06	0.060	0.37	0.5	1.47	7.4	0.2	2.98	3	6.5	0.3
528401	Drill Core	1	105	1.93	14	0.105	18	3.27	0.060	0.11	0.1	0.04	5.0	<0.1	0.37	8	<0.5	<0.2
528402	Drill Core	1	103	1.75	15	0.094	20	3.05	0.068	0.14	0.1	0.01	4.2	<0.1	0.20	7	<0.5	<0.2

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
528403	Drill Core	5.30	0.3	53.9	0.4	25	<0.1	95.3	17.1	450	4.16	5.5	14.9	0.1	44	<0.1	0.4	<0.1	127	2.93	0.077
528404	Drill Core	4.89	0.7	61.3	1.0	20	<0.1	89.4	26.1	393	4.00	4.8	28.1	0.3	52	<0.1	0.4	0.2	119	3.31	0.082
528405	Drill Core	5.25	0.4	101.0	0.7	20	<0.1	97.1	24.5	373	3.70	6.4	37.5	0.1	29	<0.1	0.3	0.2	105	2.97	0.078
528406	Drill Core	4.35	0.2	52.1	1.1	23	<0.1	107.7	26.6	399	4.27	7.9	89.2	0.1	26	<0.1	0.4	0.3	98	2.91	0.076
528407	Drill Core	4.57	0.8	142.4	1.1	25	<0.1	117.3	34.6	466	4.82	7.8	112.9	0.1	28	<0.1	0.4	0.4	99	2.88	0.076
528408	Drill Core	4.98	0.8	75.6	1.1	24	<0.1	118.7	35.8	437	4.95	7.9	147.2	0.2	40	<0.1	0.4	0.5	102	2.52	0.081
528409	Drill Core	5.80	3.1	163.9	1.2	23	0.1	125.2	36.2	443	5.16	6.3	114.0	0.2	43	<0.1	0.4	0.6	95	2.09	0.077
528410	Drill Core	5.80	1.6	16.2	1.6	17	<0.1	40.6	71.8	423	6.02	5.8	406.0	0.8	34	<0.1	0.3	0.7	87	4.18	0.110
528411	Drill Core	5.67	2.2	42.5	1.5	24	<0.1	93.9	31.0	415	4.25	6.1	65.0	0.8	29	<0.1	0.4	0.5	90	3.51	0.103
528412	Drill Core	5.46	1.4	146.3	1.3	19	<0.1	80.1	27.1	439	4.40	5.5	35.1	0.6	36	<0.1	0.3	0.3	109	2.60	0.096
528413	Drill Core	4.92	1.1	145.1	1.8	24	<0.1	64.6	27.9	512	4.76	5.5	61.8	0.6	28	<0.1	0.3	0.3	126	2.70	0.103
528414	Drill Core	4.45	0.2	43.1	0.5	19	<0.1	217.5	32.8	445	3.44	2.6	6.3	0.2	84	<0.1	0.2	0.1	85	1.63	0.066
528415	Drill Core	5.42	1.0	64.7	2.6	44	<0.1	209.0	30.5	586	4.25	3.7	3.9	1.4	129	<0.1	0.2	0.1	124	1.48	0.164
528416	Drill Core	5.51	2.0	80.2	2.5	28	<0.1	178.9	32.1	484	4.09	17.6	10.1	0.4	52	<0.1	0.3	0.3	99	2.35	0.088
528417	Drill Core	5.14	0.1	71.1	0.5	20	<0.1	197.3	31.7	437	4.06	2.8	8.4	0.2	118	<0.1	0.2	0.1	107	1.55	0.068
528418	Drill Core	5.17	1.5	47.4	1.0	20	<0.1	118.9	25.4	444	4.40	3.9	19.5	0.5	46	<0.1	0.2	0.5	102	1.80	0.096
528419	Drill Core	3.15	1.1	65.6	1.6	19	<0.1	133.8	27.5	438	4.22	3.6	21.2	0.7	50	<0.1	0.8	0.4	92	2.16	0.087
528420	Drill Core	4.27	3.0	9.2	1.3	27	<0.1	149.2	41.7	383	6.49	8.2	125.5	0.2	78	<0.1	0.6	1.4	58	1.56	0.083
528421	Drill Core	6.27	1.0	31.1	0.7	34	<0.1	157.2	31.9	417	4.74	6.1	116.1	0.1	63	<0.1	0.4	0.6	68	1.19	0.084
528422	Drill Core	5.37	6.4	38.5	0.9	34	<0.1	139.5	31.8	409	4.18	6.6	114.3	0.1	62	<0.1	0.2	0.4	102	1.08	0.093
528423	Drill Core	5.13	6.6	26.7	0.8	39	<0.1	212.4	33.0	498	5.01	7.7	33.8	0.2	64	<0.1	0.3	0.5	85	1.16	0.089
528424	Drill Core	5.33	12.5	6.4	1.3	30	<0.1	184.2	38.4	466	6.88	9.0	48.2	0.1	86	<0.1	0.5	0.8	72	1.69	0.083
528425	Rock Pulp	0.05	7.9	3111.5	14.1	117	0.7	143.6	13.4	784	6.18	11.5	251.4	1.6	159	0.4	6.6	0.4	57	2.83	0.107
528426	Drill Core	5.99	6.0	8.0	1.5	29	<0.1	136.8	26.2	478	5.67	8.9	119.9	0.1	71	<0.1	0.6	0.8	67	2.24	0.089
528427	Drill Core	6.04	33.7	37.5	2.7	32	0.1	146.4	69.4	498	9.67	12.3	167.9	<0.1	54	<0.1	0.3	1.8	89	2.13	0.076
528428	Drill Core	5.06	5.3	17.3	1.6	27	<0.1	82.0	40.1	416	8.34	8.0	135.8	0.3	54	<0.1	0.3	1.5	91	1.61	0.084
528429	Drill Core	5.62	1.6	7.2	1.7	24	<0.1	16.0	15.9	424	5.04	4.1	57.6	0.7	32	<0.1	0.2	1.0	88	2.06	0.110
528430	Drill Core	4.51	1.2	50.9	2.4	25	<0.1	12.2	13.0	484	3.81	5.3	40.9	0.7	49	<0.1	0.4	0.5	85	2.84	0.120
528431	Drill Core	3.71	0.7	54.8	1.1	26	<0.1	9.4	10.7	398	3.07	5.6	25.1	0.7	55	<0.1	0.4	<0.1	71	1.92	0.117
528432	Drill Core	5.38	1.1	45.4	1.3	31	<0.1	10.3	12.3	462	3.22	5.4	30.3	0.8	53	<0.1	0.6	0.1	65	1.88	0.121

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528403	Drill Core	1	125	2.10	24	0.111	15	3.19	0.075	0.18	0.2	0.03	6.3	<0.1	0.16	8	<0.5	<0.2
528404	Drill Core	2	110	1.76	23	0.113	14	3.00	0.096	0.19	0.2	0.20	6.1	<0.1	0.89	8	<0.5	0.3
528405	Drill Core	1	132	1.97	9	0.083	20	3.19	0.053	0.10	0.2	0.11	4.6	<0.1	0.84	8	<0.5	0.3
528406	Drill Core	<1	142	2.15	8	0.080	15	3.14	0.050	0.10	0.2	0.14	5.4	<0.1	1.87	8	<0.5	0.3
528407	Drill Core	<1	125	2.37	7	0.101	10	3.25	0.059	0.08	0.3	0.23	5.9	<0.1	2.63	8	0.6	0.4
528408	Drill Core	<1	108	2.35	15	0.107	13	2.94	0.111	0.11	0.2	0.36	5.8	<0.1	2.95	8	0.5	0.5
528409	Drill Core	1	102	2.55	25	0.126	6	2.63	0.134	0.19	0.2	0.46	6.0	<0.1	3.08	7	1.4	0.4
528410	Drill Core	4	22	1.31	13	0.116	5	1.79	0.112	0.15	0.3	0.62	6.4	<0.1	4.78	6	2.1	0.9
528411	Drill Core	3	82	1.95	16	0.146	6	2.35	0.081	0.14	0.3	0.59	5.6	0.1	2.42	8	1.2	0.7
528412	Drill Core	3	54	2.16	21	0.123	7	2.58	0.107	0.14	0.2	0.15	6.2	<0.1	1.64	9	1.0	0.2
528413	Drill Core	3	55	2.28	24	0.136	8	2.78	0.087	0.15	0.3	0.13	7.9	<0.1	1.70	9	1.5	<0.2
528414	Drill Core	1	146	3.33	74	0.108	4	2.90	0.185	0.46	0.1	0.02	5.3	0.2	0.61	6	<0.5	<0.2
528415	Drill Core	8	75	3.86	272	0.237	3	2.67	0.131	0.66	0.2	0.09	4.1	0.2	0.42	8	<0.5	<0.2
528416	Drill Core	3	123	3.46	63	0.141	7	3.17	0.103	0.21	0.3	0.06	4.9	0.1	1.19	8	<0.5	0.2
528417	Drill Core	1	121	3.45	100	0.116	4	3.23	0.164	0.73	<0.1	0.05	5.2	0.3	0.61	7	0.7	<0.2
528418	Drill Core	3	75	2.54	54	0.125	5	2.53	0.141	0.37	0.1	0.25	6.2	0.2	1.86	8	0.8	0.4
528419	Drill Core	3	96	2.67	58	0.140	5	3.05	0.138	0.46	0.2	0.20	5.1	0.2	1.73	8	0.8	0.2
528420	Drill Core	2	131	1.90	25	0.125	2	1.69	0.052	0.08	0.3	0.56	3.4	<0.1	4.33	4	0.9	1.7
528421	Drill Core	2	172	2.45	25	0.095	2	2.00	0.081	0.13	0.3	0.33	2.3	<0.1	2.24	5	<0.5	0.9
528422	Drill Core	3	170	2.39	39	0.109	4	2.15	0.115	0.35	0.2	0.27	2.1	0.2	1.47	7	<0.5	0.7
528423	Drill Core	2	228	3.14	39	0.120	3	2.44	0.089	0.56	0.2	0.35	2.8	0.2	2.24	7	1.0	0.9
528424	Drill Core	2	214	2.32	34	0.120	2	1.91	0.078	0.41	0.2	0.56	3.9	0.2	4.75	6	1.8	1.3
528425	Rock Pulp	6	182	1.13	38	0.001	5	1.05	0.058	0.37	0.5	1.38	7.6	0.2	2.88	3	7.3	0.4
528426	Drill Core	2	175	2.34	23	0.114	2	2.01	0.095	0.23	0.3	0.34	3.8	<0.1	3.58	6	1.8	1.2
528427	Drill Core	<1	168	2.59	45	0.128	1	2.17	0.085	0.86	0.2	0.85	4.9	0.4	6.89	7	4.8	2.3
528428	Drill Core	2	111	2.03	42	0.126	2	1.94	0.130	0.77	0.3	0.77	4.8	0.4	6.03	7	1.9	1.7
528429	Drill Core	4	20	1.33	45	0.113	2	1.32	0.062	0.13	0.5	0.52	5.2	<0.1	3.42	6	0.9	1.0
528430	Drill Core	4	22	1.36	37	0.113	9	2.08	0.085	0.12	0.4	0.20	4.7	<0.1	1.51	7	0.6	0.5
528431	Drill Core	3	12	1.17	33	0.089	8	1.91	0.083	0.09	0.3	0.07	3.5	<0.1	0.66	6	<0.5	0.2
528432	Drill Core	3	15	1.30	33	0.095	5	1.63	0.082	0.10	0.3	0.10	3.7	<0.1	1.18	6	<0.5	0.3



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
 1280 - 625 Howe St.
 Vancouver BC V6C 2T6 CANADA

Project: 240
 Report Date: October 25, 2013

Page: 5 of 6 Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528433	Drill Core	3.52	1.0	21.8	1.9	29	0.1	9.6	14.6	487	3.40	5.2	100.2	0.8	36	<0.1	0.3	0.2	72	1.92	0.116
528434	Drill Core	5.52	6.1	43.0	2.5	34	0.2	41.9	23.3	569	5.45	8.7	808.0	0.7	44	0.2	0.4	1.5	99	2.65	0.104
528435	Drill Core	5.18	5.6	44.8	1.0	33	<0.1	162.8	36.2	481	5.64	7.4	39.7	<0.1	122	<0.1	0.3	0.6	138	1.81	0.076
528436	Drill Core	4.56	0.9	56.5	1.0	29	<0.1	160.0	43.2	400	4.54	7.7	52.3	<0.1	113	<0.1	0.3	0.3	132	1.67	0.071
528437	Drill Core	5.37	0.5	82.6	0.6	36	<0.1	166.1	27.6	493	4.24	4.6	29.8	<0.1	60	<0.1	0.2	0.2	120	1.20	0.065
528438	Drill Core	4.94	0.2	130.9	1.3	46	0.2	198.5	32.6	704	4.60	10.4	29.3	<0.1	39	<0.1	0.3	0.4	109	1.51	0.067
528439	Drill Core	5.78	0.4	101.3	1.7	47	0.1	121.0	32.1	748	5.58	12.3	29.9	0.3	53	<0.1	0.4	0.5	156	2.15	0.117
528440	Drill Core	6.33	0.4	119.3	1.9	37	0.2	156.1	34.9	552	4.95	8.1	44.3	<0.1	41	<0.1	0.3	0.7	103	1.76	0.073
528441	Drill Core	5.31	1.6	22.6	1.5	42	<0.1	149.2	35.4	556	5.59	6.3	48.1	<0.1	63	<0.1	0.3	0.7	119	1.30	0.076
528442	Drill Core	4.59	0.9	114.9	0.7	53	0.1	164.3	25.6	710	4.72	4.9	32.9	0.1	101	<0.1	0.3	0.3	140	1.72	0.078
528443	Drill Core	5.07	0.3	96.0	1.2	59	0.2	166.9	33.6	1024	6.09	7.6	277.6	0.1	317	<0.1	0.6	0.8	126	3.12	0.072
528444	Drill Core	6.67	0.7	69.1	1.5	35	0.2	82.3	34.1	614	6.92	10.8	336.3	0.4	52	<0.1	0.6	1.2	117	2.97	0.105
528445	Drill Core	6.19	4.4	388.9	1.6	55	0.4	137.3	81.9	886	11.72	18.4	850.5	0.2	44	<0.1	0.4	1.5	135	2.64	0.079
528446	Drill Core	4.88	6.7	78.5	1.5	49	<0.1	150.0	43.4	735	7.16	9.7	124.2	<0.1	50	<0.1	0.5	1.0	115	2.01	0.067
528447	Drill Core	5.98	15.0	37.2	2.3	24	0.2	68.2	49.0	428	15.29	19.8	250.4	<0.1	65	<0.1	0.5	1.1	74	2.32	0.056
528448	Drill Core	5.59	7.2	55.2	2.1	33	0.1	68.3	39.3	537	6.68	10.6	126.8	0.2	28	<0.1	0.4	0.7	131	2.62	0.093
528449	Rock Pulp	0.04	5.0	36.4	3.5	42	<0.1	11.0	4.5	517	2.82	2.4	<0.5	2.0	25	<0.1	0.4	0.1	25	0.55	0.042
528450	Rock Pulp	0.04	8.7	3344.6	14.6	128	0.7	164.4	14.5	791	5.94	11.9	281.5	1.6	169	0.6	6.8	0.4	61	2.82	0.114
528451	Drill Core	5.31	8.3	124.1	1.7	35	0.1	125.6	33.9	523	5.96	9.1	179.5	<0.1	37	<0.1	0.5	0.6	121	2.37	0.072
528452	Drill Core	5.71	7.3	35.1	2.4	35	<0.1	122.7	36.0	502	6.65	8.7	114.0	0.1	35	<0.1	0.5	1.0	136	2.41	0.078
528453	Drill Core	5.56	1.2	74.1	1.5	34	0.1	116.7	29.8	463	5.10	6.4	111.9	0.1	84	<0.1	0.3	0.5	146	2.68	0.081
528454	Drill Core	4.33	0.4	42.9	1.5	33	<0.1	99.2	35.3	550	4.92	7.8	57.7	0.2	38	<0.1	0.5	0.3	162	3.88	0.082
528455	Drill Core	4.92	0.6	84.1	1.2	28	<0.1	76.1	35.7	526	4.50	6.5	50.5	0.3	61	<0.1	0.6	0.4	125	3.32	0.097
528456	Drill Core	5.35	0.1	313.9	1.2	32	0.2	112.1	30.7	566	4.22	6.5	50.1	0.1	48	0.1	0.5	0.2	125	4.08	0.086
528457	Drill Core	5.25	0.6	176.8	0.9	32	<0.1	108.9	28.3	572	4.09	4.9	21.5	0.1	46	<0.1	0.5	0.1	117	3.01	0.085
528458	Drill Core	4.89	0.2	39.7	1.0	33	<0.1	107.4	27.8	543	4.19	6.0	20.7	0.1	44	<0.1	0.4	0.2	115	3.55	0.086
528459	Drill Core	5.47	0.2	55.8	1.6	31	<0.1	97.7	27.1	497	3.96	6.7	29.5	0.1	90	<0.1	0.5	0.2	128	4.36	0.079
528460	Drill Core	5.38	0.4	66.7	1.8	25	<0.1	95.6	29.9	433	3.90	5.9	55.3	0.2	127	<0.1	0.5	0.4	113	3.59	0.078
528461	Drill Core	4.92	0.3	144.2	1.1	27	<0.1	112.9	31.9	461	3.85	6.0	60.5	0.1	75	<0.1	0.5	0.2	118	3.71	0.081
528462	Drill Core	5.27	0.7	121.5	1.8	27	<0.1	114.5	31.4	499	3.90	6.0	64.7	0.2	58	<0.1	0.7	0.4	116	4.43	0.080

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method Analyte Unit MDL	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
528433	Drill Core	4	13	1.60	32	0.104	4	1.77	0.065	0.11	0.3	0.11	4.3	<0.1	1.37	6	0.7	0.5
528434	Drill Core	3	58	1.81	44	0.131	3	1.86	0.079	0.31	0.8	0.41	5.8	0.1	3.37	6	1.5	0.8
528435	Drill Core	<1	153	3.18	89	0.134	5	3.19	0.176	1.10	0.2	0.35	3.6	0.5	2.89	8	0.7	0.5
528436	Drill Core	<1	148	2.89	58	0.106	8	3.12	0.142	0.77	0.2	0.25	3.5	0.3	1.79	8	0.8	0.6
528437	Drill Core	<1	164	3.51	84	0.105	4	3.06	0.104	1.33	0.1	0.09	3.3	0.6	0.77	8	<0.5	0.4
528438	Drill Core	<1	278	3.48	38	0.109	5	2.96	0.104	0.46	0.2	0.03	5.4	0.2	1.02	7	<0.5	0.4
528439	Drill Core	3	152	3.18	43	0.128	6	3.07	0.084	0.45	0.2	0.06	6.7	0.2	1.15	9	<0.5	0.3
528440	Drill Core	<1	185	3.21	43	0.105	9	3.22	0.079	0.56	0.2	0.16	4.8	0.2	2.16	7	<0.5	0.6
528441	Drill Core	<1	148	3.58	80	0.127	4	3.11	0.132	1.21	0.2	0.32	5.7	0.5	2.58	7	<0.5	0.6
528442	Drill Core	<1	180	3.83	96	0.149	4	3.42	0.170	1.16	0.2	0.10	5.7	0.5	0.98	8	<0.5	0.3
528443	Drill Core	<1	239	3.76	94	0.146	3	3.94	0.172	0.97	0.2	0.27	6.4	0.5	2.57	8	0.7	0.7
528444	Drill Core	2	101	2.61	50	0.140	4	2.40	0.105	0.24	0.6	0.88	7.7	0.2	4.58	7	1.5	1.2
528445	Drill Core	1	207	3.48	34	0.165	3	2.96	0.067	0.35	0.4	0.63	9.0	0.3	7.29	10	3.2	1.4
528446	Drill Core	<1	201	3.36	59	0.140	6	3.26	0.131	0.84	0.1	0.47	7.1	0.3	3.81	8	2.2	1.0
528447	Drill Core	1	78	1.46	14	0.138	4	1.60	0.052	0.16	0.4	0.51	5.7	0.1	>10	5	7.3	1.4
528448	Drill Core	2	102	2.38	15	0.143	11	2.94	0.089	0.17	0.2	0.27	7.8	<0.1	4.65	9	2.3	0.9
528449	Rock Pulp	6	21	0.44	59	0.076	2	0.89	0.086	0.08	1.1	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
528450	Rock Pulp	6	198	1.18	40	0.001	6	1.21	0.061	0.40	0.5	1.58	8.1	0.2	2.90	3	9.2	0.4
528451	Drill Core	<1	120	2.66	38	0.136	12	3.06	0.085	0.54	0.2	0.28	7.4	0.2	3.83	8	2.5	0.8
528452	Drill Core	<1	145	2.82	15	0.147	12	3.31	0.084	0.21	0.2	0.36	7.0	0.1	4.29	10	1.7	0.9
528453	Drill Core	1	127	2.63	36	0.120	18	3.55	0.119	0.43	0.2	0.12	6.1	0.2	1.82	9	0.6	0.5
528454	Drill Core	1	147	2.48	12	0.138	21	3.85	0.087	0.13	0.3	0.16	9.4	<0.1	1.10	10	<0.5	<0.2
528455	Drill Core	1	96	2.02	17	0.133	17	3.22	0.112	0.14	0.2	0.12	8.1	<0.1	1.61	8	<0.5	0.3
528456	Drill Core	<1	123	2.19	9	0.126	26	4.21	0.071	0.09	0.2	0.08	7.9	<0.1	1.02	9	<0.5	<0.2
528457	Drill Core	<1	119	2.34	10	0.120	19	3.69	0.065	0.10	0.2	0.12	7.7	<0.1	0.58	8	<0.5	<0.2
528458	Drill Core	<1	115	2.35	10	0.105	20	3.98	0.072	0.11	0.2	0.11	7.3	<0.1	0.99	9	<0.5	0.4
528459	Drill Core	<1	102	2.33	23	0.143	22	4.26	0.083	0.17	0.2	0.09	6.4	<0.1	1.02	9	<0.5	0.3
528460	Drill Core	<1	107	2.00	27	0.131	19	3.66	0.120	0.18	0.2	0.11	5.3	<0.1	1.69	8	<0.5	0.3
528461	Drill Core	<1	97	2.15	21	0.119	25	4.02	0.111	0.14	0.2	0.06	6.3	<0.1	1.12	9	<0.5	0.2
528462	Drill Core	<1	133	2.13	14	0.134	23	3.95	0.098	0.12	0.1	0.11	7.8	<0.1	1.78	9	<0.5	0.4

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method	Analyte	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
528463	Drill Core	4.95	0.7	134.6	2.6	29	0.1	73.8	27.5	566	4.18	8.1	94.8	0.4	48	<0.1	0.6	0.4	127	4.60	0.096
528464	Drill Core	4.35	2.7	76.4	2.4	20	<0.1	18.0	25.3	424	4.14	6.2	108.6	0.8	41	<0.1	0.4	0.3	129	3.57	0.121
528465	Drill Core	5.42	1.3	85.1	2.3	26	0.1	54.9	23.3	608	4.46	7.2	54.7	0.3	32	<0.1	0.5	0.2	134	3.40	0.109
528466	Drill Core	5.13	0.3	61.2	1.6	23	<0.1	97.4	30.0	385	3.93	4.8	42.7	0.1	62	<0.1	0.4	0.3	120	3.48	0.082
528467	Drill Core	4.94	0.2	127.3	1.0	23	<0.1	90.7	22.1	441	3.94	4.7	32.9	0.1	92	<0.1	0.5	<0.1	130	3.58	0.083
528468	Drill Core	5.28	0.5	85.6	1.1	22	<0.1	85.7	24.6	408	3.92	3.7	35.0	0.1	42	<0.1	0.4	<0.1	139	3.27	0.080
528469	Drill Core	5.11	0.3	45.9	1.2	32	<0.1	88.3	21.0	452	4.38	4.0	23.5	0.2	76	<0.1	0.3	0.2	142	2.13	0.087
528470	Drill Core	5.26	0.5	56.3	1.7	30	0.1	74.3	31.8	626	5.23	5.9	499.3	0.1	52	<0.1	0.4	0.8	151	4.01	0.078
528471	Drill Core	5.11	0.6	169.6	0.8	24	<0.1	73.7	24.2	471	4.40	4.5	80.4	0.1	58	<0.1	0.3	0.3	135	2.21	0.079
528472	Drill Core	5.23	0.9	81.7	1.1	25	<0.1	118.2	31.1	517	4.13	5.8	147.8	0.2	69	<0.1	0.4	0.4	123	3.19	0.083
528473	Drill Core	5.37	0.7	169.1	1.3	31	0.1	119.5	31.5	648	4.29	4.3	173.0	0.1	91	<0.1	0.4	0.4	113	5.06	0.081
528474	Drill Core	4.97	1.2	100.4	1.6	27	<0.1	136.4	31.2	511	4.50	5.3	200.2	0.1	140	<0.1	0.3	0.5	129	3.06	0.079
528475	Rock Pulp	0.04	8.2	3318.9	14.4	123	0.7	141.6	13.5	788	5.94	11.7	278.1	1.5	164	0.6	7.0	0.4	56	2.79	0.115
528476	Drill Core	5.56	2.0	104.9	1.2	22	<0.1	131.7	31.2	391	4.39	6.2	91.6	0.1	121	<0.1	0.5	0.5	92	2.51	0.079
528477	Drill Core	5.17	0.5	164.1	0.8	22	0.1	137.3	31.4	361	4.04	7.9	112.1	0.1	93	<0.1	0.4	0.3	100	2.35	0.083
528478	Drill Core	4.80	0.4	34.8	0.9	23	<0.1	167.7	33.0	409	4.11	9.0	56.4	0.1	57	<0.1	0.4	0.3	104	2.48	0.073
528479	Drill Core	4.80	6.8	205.2	1.0	25	0.1	224.6	39.6	497	4.93	7.0	180.0	0.1	52	<0.1	0.4	0.6	79	2.73	0.069
528480	Drill Core	5.34	2.0	72.5	1.6	21	<0.1	30.7	21.4	381	4.43	3.5	104.1	1.0	27	<0.1	0.2	0.5	106	2.45	0.150
528481	Drill Core	4.71	3.3	87.4	2.5	22	0.1	8.4	26.0	361	4.58	4.1	60.7	1.3	23	<0.1	0.3	0.6	110	2.39	0.165
528482	Drill Core	4.42	5.1	221.3	0.9	24	0.1	158.6	30.4	557	3.84	5.7	165.1	0.3	25	<0.1	0.3	0.3	90	2.66	0.094
528483	Drill Core	5.56	21.8	162.0	0.9	27	0.1	207.5	35.3	488	4.05	4.5	162.2	0.1	28	<0.1	0.2	0.4	91	3.07	0.068
528484	Drill Core	5.07	2.7	128.3	1.0	31	0.1	223.1	41.3	496	4.47	4.7	87.7	0.1	23	<0.1	0.2	0.4	97	2.16	0.073
528485	Drill Core	3.17	0.9	55.9	0.8	49	<0.1	72.2	27.0	862	5.34	5.3	26.9	0.5	62	<0.1	0.4	<0.1	145	1.97	0.136

CERTIFICATE OF ANALYSIS

VAN13004131.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
528463	Drill Core	2	98	1.93	17	0.162	21	3.66	0.070	0.10	0.3	0.11	7.7	<0.1	2.00	10	0.6	0.4
528464	Drill Core	5	29	1.46	36	0.188	18	2.54	0.122	0.13	0.4	0.19	9.9	<0.1	1.93	9	1.2	0.4
528465	Drill Core	2	76	2.14	20	0.113	15	3.17	0.084	0.10	0.5	0.25	10.5	<0.1	1.33	10	1.0	<0.2
528466	Drill Core	1	124	2.13	19	0.097	22	3.84	0.082	0.11	0.2	0.08	6.2	<0.1	1.27	9	<0.5	<0.2
528467	Drill Core	1	127	2.26	24	0.092	23	3.77	0.068	0.11	0.2	0.07	6.3	<0.1	0.37	9	<0.5	<0.2
528468	Drill Core	1	121	2.15	17	0.101	26	3.57	0.066	0.13	0.1	0.04	6.2	<0.1	0.51	9	<0.5	<0.2
528469	Drill Core	1	115	2.60	35	0.128	9	2.90	0.130	0.18	0.2	0.11	4.9	<0.1	0.73	9	<0.5	<0.2
528470	Drill Core	<1	130	2.81	16	0.139	8	3.23	0.094	0.15	0.4	0.23	11.1	0.1	2.23	9	0.6	0.5
528471	Drill Core	1	102	2.53	23	0.121	8	2.70	0.090	0.20	0.2	0.09	6.3	<0.1	0.86	8	<0.5	0.2
528472	Drill Core	2	125	2.36	24	0.116	12	3.08	0.134	0.19	0.3	0.16	6.2	<0.1	1.55	9	1.3	0.3
528473	Drill Core	2	151	2.09	31	0.121	4	2.49	0.139	0.32	0.2	0.12	11.3	0.2	1.72	8	<0.5	0.3
528474	Drill Core	1	155	2.84	31	0.138	5	2.82	0.147	0.23	0.2	0.16	7.4	0.1	2.02	8	1.2	0.3
528475	Rock Pulp	6	168	1.16	46	0.001	4	0.99	0.060	0.35	0.5	1.49	7.8	0.2	2.87	3	8.7	0.3
528476	Drill Core	<1	121	2.47	33	0.124	8	2.88	0.165	0.30	0.1	0.29	6.6	0.1	2.57	6	0.6	0.4
528477	Drill Core	1	136	2.48	25	0.107	11	3.15	0.143	0.20	0.1	0.19	5.7	<0.1	1.91	7	<0.5	0.3
528478	Drill Core	<1	163	2.75	25	0.096	10	3.11	0.109	0.21	0.2	0.21	6.3	<0.1	1.82	7	<0.5	0.3
528479	Drill Core	<1	197	2.96	17	0.102	9	3.11	0.125	0.22	0.1	0.55	5.5	<0.1	2.79	7	1.5	0.8
528480	Drill Core	5	34	1.62	13	0.097	3	1.73	0.123	0.12	0.3	0.41	6.4	<0.1	2.78	8	1.6	0.3
528481	Drill Core	5	9	1.47	17	0.108	5	1.80	0.090	0.13	0.4	0.20	6.5	<0.1	3.01	8	2.8	0.3
528482	Drill Core	2	125	2.34	8	0.094	11	2.80	0.116	0.09	0.1	0.22	6.9	<0.1	1.49	8	1.1	0.3
528483	Drill Core	<1	206	2.64	12	0.101	14	3.21	0.087	0.15	0.2	0.15	6.6	<0.1	1.58	8	1.1	<0.2
528484	Drill Core	<1	240	3.10	10	0.116	13	3.24	0.076	0.11	0.2	0.13	5.0	<0.1	1.67	8	0.9	0.3
528485	Drill Core	4	72	2.39	21	0.114	6	2.55	0.077	0.15	0.1	0.16	6.2	<0.1	0.34	10	<0.5	<0.2

QUALITY CONTROL REPORT

VAN13004131.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
528358	Drill Core	5.15	0.2	103.7	0.7	24	<0.1	136.8	27.8	366	4.12	5.5	50.9	<0.1	51	<0.1	0.2	0.1	120	1.48	0.067
REP 528358	QC		0.2	102.1	0.8	25	<0.1	146.3	28.3	388	4.35	5.5	42.3	<0.1	54	<0.1	0.2	0.1	131	1.63	0.068
528389	Drill Core	5.16	1.4	137.5	1.4	23	<0.1	114.9	34.4	435	4.07	5.9	57.4	<0.1	69	<0.1	0.3	0.5	98	2.07	0.074
REP 528389	QC		1.5	136.4	1.4	23	<0.1	120.8	34.8	474	4.31	6.8	50.8	0.1	73	<0.1	0.4	0.5	110	2.30	0.076
528420	Drill Core	4.27	3.0	9.2	1.3	27	<0.1	149.2	41.7	383	6.49	8.2	125.5	0.2	78	<0.1	0.6	1.4	58	1.56	0.083
REP 528420	QC		3.1	9.5	1.2	28	<0.1	145.6	40.1	362	6.19	8.6	113.3	0.2	70	<0.1	0.6	1.4	55	1.47	0.081
528452	Drill Core	5.71	7.3	35.1	2.4	35	<0.1	122.7	36.0	502	6.65	8.7	114.0	0.1	35	<0.1	0.5	1.0	136	2.41	0.078
REP 528452	QC		6.9	36.0	2.5	35	<0.1	123.8	35.5	503	6.70	9.0	115.8	0.1	34	<0.1	0.4	1.0	134	2.41	0.082
528483	Drill Core	5.56	21.8	162.0	0.9	27	0.1	207.5	35.3	488	4.05	4.5	162.2	0.1	28	<0.1	0.2	0.4	91	3.07	0.068
REP 528483	QC		23.5	173.3	1.0	26	0.1	210.4	36.4	497	4.13	5.2	151.8	0.1	29	<0.1	0.3	0.3	92	3.18	0.071
Core Reject Duplicates																					
528343	Drill Core	3.09	0.4	28.6	1.0	28	<0.1	131.4	43.4	396	5.73	7.8	60.3	0.1	84	<0.1	0.5	0.7	69	1.87	0.086
DUP 528343	QC		0.4	25.7	1.0	27	<0.1	133.2	44.3	392	5.82	7.3	66.3	0.1	89	<0.1	0.6	0.6	69	1.91	0.085
528381	Drill Core	3.86	0.4	55.1	1.1	24	<0.1	161.5	33.7	475	4.46	5.5	23.4	0.1	28	<0.1	0.3	0.3	114	2.31	0.074
DUP 528381	QC		0.4	50.3	1.1	24	<0.1	155.9	32.4	458	4.30	5.6	20.9	0.1	28	<0.1	0.4	0.2	110	2.33	0.076
528419	Drill Core	3.15	1.1	65.6	1.6	19	<0.1	133.8	27.5	438	4.22	3.6	21.2	0.7	50	<0.1	0.8	0.4	92	2.16	0.087
DUP 528419	QC		1.0	63.9	1.6	18	<0.1	132.2	26.5	438	4.22	3.5	19.6	0.6	48	<0.1	0.8	0.4	92	2.16	0.085
528457	Drill Core	5.25	0.6	176.8	0.9	32	<0.1	108.9	28.3	572	4.09	4.9	21.5	0.1	46	<0.1	0.5	0.1	117	3.01	0.085
DUP 528457	QC		0.6	176.0	0.9	33	<0.1	96.9	27.9	545	3.90	4.7	17.9	0.1	42	<0.1	0.4	0.1	110	2.78	0.086
Reference Materials																					
STD DS10	Standard		16.1	155.7	157.3	370	2.3	76.1	12.8	888	2.79	46.1	89.4	7.7	63	2.6	9.3	11.2	46	1.09	0.075
STD DS10	Standard		14.8	156.9	154.1	369	2.1	72.5	12.6	906	2.91	43.8	122.9	7.5	61	2.4	8.8	11.2	46	1.09	0.077
STD DS10	Standard		14.7	153.3	155.2	361	1.9	76.9	13.0	858	2.72	43.4	98.3	7.6	61	2.5	8.3	10.6	44	1.06	0.068
STD DS10	Standard		15.0	154.1	155.0	350	2.0	76.4	13.0	890	2.85	43.0	86.2	7.4	59	2.8	8.2	10.6	44	1.07	0.073
STD DS10	Standard		15.0	159.6	158.6	352	1.8	76.3	13.1	900	2.79	44.9	91.6	8.1	60	2.6	8.2	10.7	45	1.06	0.073
STD OXC109	Standard		1.5	36.6	11.7	44	<0.1	73.4	20.6	428	2.99	0.6	222.2	1.5	142	<0.1	<0.1	<0.1	53	0.82	0.099
STD OXC109	Standard		1.5	35.7	10.7	44	<0.1	72.5	19.8	425	3.01	<0.5	203.5	1.5	127	<0.1	<0.1	<0.1	50	0.67	0.103
STD OXC109	Standard		1.6	36.3	11.1	42	<0.1	74.7	19.8	411	2.87	<0.5	199.3	1.5	131	<0.1	<0.1	<0.1	49	0.71	0.101

QUALITY CONTROL REPORT

VAN13004131.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
528358	Drill Core	<1	136	2.98	64	0.102	6	2.81	0.084	0.80	0.1	0.10	3.2	0.4	0.58	7	<0.5	0.2
REP 528358	QC	<1	150	3.17	67	0.123	8	3.08	0.094	0.84	0.1	0.08	3.7	0.3	0.59	8	<0.5	<0.2
528389	Drill Core	<1	118	2.23	22	0.089	10	2.61	0.125	0.17	<0.1	0.63	5.3	<0.1	1.93	7	0.6	0.8
REP 528389	QC	<1	128	2.37	23	0.109	12	2.83	0.138	0.18	0.1	0.61	5.6	<0.1	1.96	7	1.1	0.7
528420	Drill Core	2	131	1.90	25	0.125	2	1.69	0.052	0.08	0.3	0.56	3.4	<0.1	4.33	4	0.9	1.7
REP 528420	QC	2	125	1.81	23	0.111	2	1.58	0.049	0.08	0.3	0.56	2.8	<0.1	4.23	4	1.2	1.5
528452	Drill Core	<1	145	2.82	15	0.147	12	3.31	0.084	0.21	0.2	0.36	7.0	0.1	4.29	10	1.7	0.9
REP 528452	QC	<1	140	2.82	16	0.138	13	3.31	0.086	0.21	0.2	0.36	6.9	<0.1	4.28	10	1.6	0.6
528483	Drill Core	<1	206	2.64	12	0.101	14	3.21	0.087	0.15	0.2	0.15	6.6	<0.1	1.58	8	1.1	<0.2
REP 528483	QC	<1	213	2.72	13	0.104	14	3.33	0.087	0.15	0.2	0.15	6.3	<0.1	1.61	8	1.3	0.3
Core Reject Duplicates																		
528343	Drill Core	2	140	2.03	25	0.110	5	1.77	0.072	0.11	0.4	0.24	3.2	<0.1	3.51	5	1.1	0.7
DUP 528343	QC	2	138	2.01	24	0.121	4	1.77	0.070	0.11	0.3	0.22	3.2	<0.1	3.63	4	0.8	0.8
528381	Drill Core	1	136	3.53	20	0.140	5	3.02	0.080	0.20	0.2	0.26	5.7	<0.1	1.69	8	<0.5	0.4
DUP 528381	QC	1	130	3.43	20	0.134	6	2.94	0.074	0.20	0.2	0.25	5.7	<0.1	1.63	8	1.0	0.5
528419	Drill Core	3	96	2.67	58	0.140	5	3.05	0.138	0.46	0.2	0.20	5.1	0.2	1.73	8	0.8	0.2
DUP 528419	QC	3	96	2.67	60	0.142	5	3.06	0.138	0.45	0.2	0.16	4.9	0.2	1.72	8	0.8	0.3
528457	Drill Core	<1	119	2.34	10	0.120	19	3.69	0.065	0.10	0.2	0.12	7.7	<0.1	0.58	8	<0.5	<0.2
DUP 528457	QC	<1	111	2.22	8	0.106	17	3.42	0.061	0.10	0.2	0.12	7.1	<0.1	0.56	7	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	19	56	0.79	364	0.078	7	1.11	0.069	0.34	3.6	0.34	3.1	5.2	0.29	4	2.6	5.3
STD DS10	Standard	17	53	0.80	360	0.071	6	1.07	0.069	0.34	3.9	0.30	3.0	5.3	0.29	5	3.2	5.5
STD DS10	Standard	18	53	0.76	346	0.077	6	1.04	0.070	0.34	3.3	0.26	2.8	5.0	0.29	5	2.2	5.6
STD DS10	Standard	18	57	0.78	346	0.079	7	1.09	0.070	0.35	3.1	0.27	3.1	5.1	0.28	5	2.4	5.0
STD DS10	Standard	18	56	0.77	367	0.081	6	1.09	0.067	0.34	3.3	0.32	2.9	5.0	0.29	4	2.0	5.2
STD OXC109	Standard	13	63	1.53	58	0.379	2	1.66	0.708	0.42	0.2	<0.01	1.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	12	58	1.51	56	0.369	1	1.58	0.713	0.43	0.2	0.01	1.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	13	60	1.48	56	0.377	1	1.56	0.699	0.41	0.2	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2

QUALITY CONTROL REPORT

VAN13004131.1

		WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC109	Standard		1.5	36.7	10.7	42	<0.1	74.1	19.5	401	2.94	0.6	207.5	1.5	125	<0.1	<0.1	<0.1	48	0.66	0.098
STD OXC109	Standard		1.8	36.0	10.7	41	<0.1	72.7	19.6	403	2.89	0.8	184.8	1.4	125	<0.1	<0.1	<0.1	48	0.68	0.101
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
STD OXC109 Expected													201								
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank		<0.1	2.2	2.4	50	<0.1	3.9	4.2	530	1.86	1.1	1.2	4.0	43	<0.1	<0.1	<0.1	33	0.40	0.079
G1	Prep Blank		<0.1	2.0	2.7	48	<0.1	4.1	4.3	543	1.90	1.0	1.6	4.3	51	<0.1	<0.1	<0.1	34	0.45	0.079

QUALITY CONTROL REPORT

VAN13004131.1

		1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC109	Standard	12	59	1.42	55	0.374	1	1.52	0.700	0.42	0.2	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	12	60	1.43	54	0.375	2	1.54	0.703	0.42	0.2	<0.01	1.7	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
STD OXC109 Expected																		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
G1	Prep Blank	8	10	0.54	234	0.098	2	0.84	0.073	0.51	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	8	9	0.55	219	0.104	2	0.92	0.078	0.48	<0.1	<0.01	2.4	0.3	<0.05	5	<0.5	<0.2



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Bearing Resources Ltd.**
1280 - 625 Howe St.
Vancouver BC V6C 2T6 CANADA

Submitted By: Rob Cameron
Receiving Lab: Canada-Vancouver
Received: October 11, 2013
Report Date: October 30, 2013
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN13004179.1

CLIENT JOB INFORMATION

Project: 240
Shipment ID:
P.O. Number
Number of Samples: 87

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	82	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX3	87	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 90 days Invoice for Storage

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bearing Resources Ltd.
1280 - 625 Howe St.
Vancouver BC V6C 2T6
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method Analyte	Unit	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
528486	Drill Core	7.50	0.8	92.1	0.7	23	<0.1	210.6	35.5	433	3.64	4.8	33.9	0.1	34	<0.1	0.2	0.3	87	2.44	0.069
528487	Drill Core	5.21	0.7	36.3	0.7	22	<0.1	196.0	35.5	454	3.81	4.8	26.8	0.1	42	<0.1	0.2	0.2	94	2.80	0.067
528488	Drill Core	5.98	1.2	82.1	1.4	24	0.1	149.7	29.6	480	4.44	9.5	61.0	0.3	38	<0.1	0.4	0.2	121	3.62	0.081
528489	Drill Core	4.91	2.0	124.2	0.6	22	<0.1	165.4	28.0	417	4.67	3.7	55.7	0.2	30	<0.1	0.2	<0.1	126	2.40	0.065
528490	Drill Core	2.44	1.1	115.6	0.5	22	<0.1	159.9	23.2	383	4.16	3.0	28.8	0.1	37	<0.1	0.1	0.2	116	2.77	0.067
528491	Drill Core	4.51	1.6	176.7	0.6	24	<0.1	174.3	22.9	453	4.30	3.2	24.3	0.2	47	<0.1	0.1	<0.1	138	2.20	0.073
528492	Drill Core	5.65	1.3	139.6	0.4	20	<0.1	180.5	24.7	330	4.36	1.8	18.8	0.2	161	<0.1	<0.1	<0.1	157	1.43	0.069
528493	Drill Core	5.84	1.9	180.2	1.0	20	<0.1	108.0	23.8	353	3.85	2.7	74.8	0.5	52	<0.1	0.2	0.1	141	2.70	0.104
528494	Drill Core	4.01	2.6	85.0	2.3	13	0.1	9.8	30.3	245	4.06	4.3	35.2	1.1	22	<0.1	0.2	0.6	127	3.27	0.165
528495	Drill Core	4.14	2.7	29.4	2.2	14	<0.1	11.1	38.4	260	4.13	2.9	36.8	1.0	20	<0.1	0.2	0.6	116	3.11	0.152
528496	Drill Core	3.34	1.5	89.3	2.1	15	0.1	14.4	42.5	339	4.06	3.6	143.8	1.0	29	<0.1	0.2	0.5	113	3.60	0.149
528497	Drill Core	5.07	1.7	60.9	1.6	15	<0.1	11.6	29.7	409	3.84	4.4	114.5	0.9	34	<0.1	0.2	0.4	142	3.61	0.158
528498	Drill Core	5.02	1.7	164.6	2.1	15	0.1	35.3	24.7	287	4.05	5.9	169.4	0.9	30	<0.1	0.2	0.4	125	3.48	0.134
528499	Rock Pulp	0.04	5.1	39.0	3.7	42	<0.1	12.5	5.1	544	2.91	2.7	<0.5	2.4	31	<0.1	0.4	0.3	27	0.63	0.043
528500	Rock Pulp	0.04	9.6	3140.5	13.8	124	0.6	273.8	16.6	803	5.95	11.6	253.3	1.5	172	0.5	6.3	0.4	57	2.84	0.106
528501	Drill Core	6.19	1.5	146.1	0.7	19	<0.1	145.2	23.7	381	3.20	2.7	52.6	0.4	43	<0.1	0.1	<0.1	99	2.34	0.085
528502	Drill Core	5.03	2.2	225.1	1.7	24	0.1	160.2	18.8	388	3.18	2.4	43.5	0.4	63	<0.1	0.1	<0.1	88	1.75	0.100
528503	Drill Core	3.43	0.8	83.9	3.9	46	<0.1	176.8	26.6	516	3.98	2.3	15.0	1.0	115	<0.1	0.1	<0.1	119	1.38	0.182
528504	Drill Core	3.18	1.0	478.6	2.8	23	0.2	9.4	13.3	436	5.59	6.6	97.9	1.4	43	<0.1	0.3	<0.1	171	2.36	0.088
528505	Drill Core	2.31	2.4	89.0	2.8	22	0.2	7.3	13.3	502	3.97	8.5	30.5	1.5	118	<0.1	0.6	0.1	105	3.68	0.107
528506	Drill Core	5.36	1.0	167.2	2.3	24	0.1	7.3	10.8	517	4.19	4.8	20.8	1.7	81	<0.1	0.3	<0.1	152	2.75	0.111
528507	Drill Core	4.19	0.9	131.0	2.7	26	0.1	7.1	11.5	397	4.68	3.2	24.1	1.9	70	<0.1	0.2	<0.1	153	2.07	0.111
528508	Drill Core	4.74	1.1	152.2	2.8	30	0.1	6.7	12.6	539	4.46	3.0	83.3	1.7	90	<0.1	0.2	<0.1	157	2.59	0.123
528509	Drill Core	5.97	0.7	255.2	2.7	32	0.1	6.9	12.4	418	4.55	4.1	31.8	1.7	119	<0.1	0.2	<0.1	155	2.31	0.128
528510	Drill Core	4.97	1.1	290.4	3.8	40	0.5	6.6	13.9	1192	4.35	7.7	107.6	1.8	88	0.1	1.0	0.2	126	4.66	0.123
528511	Drill Core	4.22	1.1	145.4	3.5	32	2.6	5.8	10.0	860	3.40	8.9	177.6	2.0	72	0.2	1.6	<0.1	116	3.13	0.126
528512	Drill Core	2.38	1.0	170.8	2.8	21	0.1	8.3	13.2	479	4.11	7.5	51.5	1.5	54	<0.1	0.6	<0.1	142	2.95	0.128
528513	Drill Core	3.69	2.9	173.1	2.8	21	0.1	8.2	13.2	463	4.75	7.3	22.3	1.6	61	0.1	0.6	<0.1	154	3.54	0.106
528514	Drill Core	4.42	1.4	121.0	3.1	25	0.1	7.3	12.6	573	4.75	10.1	20.6	1.5	71	<0.1	0.6	<0.1	163	4.50	0.110
528515	Drill Core	5.59	1.3	182.7	3.5	20	0.2	7.4	13.4	501	4.10	10.1	27.0	1.3	95	0.1	1.0	0.1	128	4.10	0.116

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method Analyte	1DX30		1DX30		1DX30		1DX30		1DX30		1DX30		1DX30		1DX30		1DX30	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
528486	Drill Core	<1	171	2.55	12	0.098	21	3.06	0.064	0.10	0.1	0.03	3.8	<0.1	0.96	7	0.6	<0.2
528487	Drill Core	<1	170	2.68	26	0.103	14	3.21	0.061	0.20	0.1	0.11	4.5	<0.1	0.92	7	0.7	<0.2
528488	Drill Core	2	176	2.58	13	0.128	14	3.30	0.052	0.10	0.4	0.35	7.5	<0.1	1.08	8	1.5	<0.2
528489	Drill Core	1	133	2.57	21	0.126	8	2.93	0.053	0.14	0.1	0.07	4.2	<0.1	0.32	7	0.6	<0.2
528490	Drill Core	1	141	2.49	18	0.129	12	3.16	0.047	0.11	0.1	0.12	3.3	<0.1	0.40	8	<0.5	<0.2
528491	Drill Core	1	126	3.07	33	0.143	8	3.04	0.055	0.15	0.1	0.04	3.4	<0.1	0.22	8	<0.5	<0.2
528492	Drill Core	2	105	3.08	208	0.157	5	2.99	0.126	0.70	<0.1	0.04	2.8	0.1	0.07	8	<0.5	<0.2
528493	Drill Core	3	91	2.43	37	0.161	10	3.15	0.072	0.17	0.2	0.11	5.4	<0.1	0.84	8	1.0	<0.2
528494	Drill Core	5	6	1.51	20	0.175	14	2.90	0.060	0.10	0.2	0.22	7.5	<0.1	2.85	10	3.0	<0.2
528495	Drill Core	4	5	1.38	13	0.145	12	2.72	0.062	0.08	0.3	0.23	6.9	<0.1	3.15	9	3.7	0.2
528496	Drill Core	5	6	1.36	9	0.121	10	2.82	0.065	0.08	0.4	0.31	7.0	<0.1	3.08	9	1.9	0.3
528497	Drill Core	5	7	1.60	9	0.131	10	3.01	0.063	0.06	0.3	0.22	7.7	<0.1	2.27	10	1.0	0.2
528498	Drill Core	5	40	1.72	13	0.155	15	3.20	0.054	0.08	0.3	0.18	6.2	<0.1	2.27	10	1.8	<0.2
528499	Rock Pulp	7	21	0.47	66	0.112	2	1.00	0.087	0.08	1.1	<0.01	3.0	0.1	<0.05	4	<0.5	<0.2
528500	Rock Pulp	6	365	1.14	156	0.003	7	1.09	0.056	0.41	0.9	1.35	7.4	0.2	2.97	2	7.2	0.5
528501	Drill Core	2	165	2.79	46	0.125	5	2.64	0.140	0.19	0.1	0.05	6.7	<0.1	0.41	6	0.5	<0.2
528502	Drill Core	3	144	2.84	110	0.128	5	2.18	0.138	0.31	<0.1	0.05	5.2	<0.1	0.08	5	<0.5	<0.2
528503	Drill Core	8	61	3.67	351	0.226	8	2.12	0.096	0.75	<0.1	0.07	3.2	0.1	0.12	7	<0.5	<0.2
528504	Drill Core	5	12	0.60	27	0.093	10	1.64	0.055	0.10	0.1	0.16	3.6	<0.1	0.35	7	<0.5	<0.2
528505	Drill Core	5	10	0.79	53	0.133	7	1.96	0.093	0.11	0.4	0.45	3.7	<0.1	1.76	5	1.2	0.3
528506	Drill Core	6	12	0.71	38	0.130	10	2.11	0.080	0.11	0.1	0.14	3.0	<0.1	0.24	7	<0.5	<0.2
528507	Drill Core	6	14	0.51	37	0.100	8	1.72	0.088	0.10	0.1	0.15	2.3	<0.1	0.22	6	<0.5	<0.2
528508	Drill Core	7	11	0.65	41	0.128	11	2.10	0.084	0.12	0.2	0.19	3.1	<0.1	0.28	7	<0.5	<0.2
528509	Drill Core	7	11	0.56	47	0.108	8	1.91	0.102	0.11	0.2	0.22	2.2	<0.1	0.34	7	<0.5	<0.2
528510	Drill Core	7	10	0.97	39	0.150	6	2.28	0.053	0.17	0.5	0.40	4.8	<0.1	1.05	7	<0.5	0.3
528511	Drill Core	6	5	0.97	36	0.141	6	1.89	0.052	0.13	0.5	0.53	4.6	<0.1	0.51	6	<0.5	1.0
528512	Drill Core	6	16	0.79	26	0.129	11	2.24	0.042	0.11	0.2	0.30	3.3	<0.1	0.30	8	<0.5	<0.2
528513	Drill Core	5	15	0.79	21	0.147	14	2.43	0.044	0.10	0.3	0.17	3.7	<0.1	0.16	9	<0.5	<0.2
528514	Drill Core	6	11	0.95	23	0.159	14	3.23	0.045	0.11	0.2	0.20	4.9	<0.1	0.22	11	<0.5	<0.2
528515	Drill Core	5	13	1.08	21	0.166	11	3.07	0.042	0.08	0.3	0.58	5.0	<0.1	1.51	10	1.1	0.3

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
528516	Drill Core	4.29	1.2	426.3	3.1	30	0.2	6.7	14.4	528	4.35	10.8	78.1	1.5	111	0.1	1.4	0.3	136	4.00	0.135
528517	Drill Core	4.23	1.1	330.6	2.8	31	0.2	35.1	17.9	610	4.41	14.5	54.4	1.7	93	<0.1	1.1	0.2	145	2.99	0.134
528518	Drill Core	5.30	0.6	128.6	4.5	23	0.2	7.4	20.8	474	3.83	16.8	54.9	1.6	126	0.2	1.4	0.3	107	2.78	0.137
528519	Drill Core	5.29	0.8	115.6	3.8	28	0.2	8.5	17.1	523	4.11	13.5	49.8	1.6	105	0.1	1.2	0.2	123	2.85	0.129
528520	Drill Core	4.22	0.9	140.6	2.6	22	0.1	6.8	10.6	449	3.66	11.8	32.7	1.8	95	<0.1	0.6	<0.1	129	3.40	0.129
528521	Drill Core	4.78	0.7	238.1	3.4	29	0.2	6.6	10.9	490	3.69	15.8	36.0	2.0	96	<0.1	0.6	<0.1	137	3.34	0.138
528522	Drill Core	4.81	0.7	239.5	3.5	25	0.2	6.3	14.2	390	4.01	10.9	34.2	2.0	106	0.1	0.4	<0.1	136	2.90	0.138
528523	Drill Core	5.60	0.8	238.9	3.4	28	0.2	7.1	11.9	546	3.73	16.0	29.5	2.0	90	0.2	0.3	<0.1	135	4.55	0.129
528524	Drill Core	4.72	0.7	179.5	3.7	26	0.2	5.9	10.8	553	4.09	12.3	140.0	1.9	108	<0.1	0.4	<0.1	149	3.39	0.122
528525	Rock Pulp	0.04	10.2	3172.0	14.5	134	0.8	310.6	16.5	816	5.99	12.3	294.9	1.6	184	0.6	7.3	0.5	60	2.86	0.118
528526	Drill Core	5.36	0.7	304.8	3.0	25	0.1	6.4	11.1	484	4.15	6.9	48.8	1.9	76	<0.1	0.3	<0.1	142	2.70	0.134
528527	Drill Core	4.97	0.7	363.4	4.0	30	0.2	9.2	14.5	603	4.72	6.4	52.5	2.1	106	0.2	0.5	<0.1	152	3.46	0.124
528528	Drill Core	4.93	0.7	115.1	2.6	31	<0.1	8.8	12.1	640	4.35	6.9	20.5	2.0	88	<0.1	0.6	<0.1	149	3.55	0.131
528529	Drill Core	5.19	0.7	201.0	3.3	39	0.4	8.6	13.7	767	4.67	10.4	68.0	1.8	76	<0.1	1.0	0.3	142	3.95	0.118
528530	Drill Core	4.72	0.7	205.7	3.3	32	0.5	7.0	27.4	770	3.81	9.4	85.1	1.7	62	<0.1	0.8	0.5	116	4.14	0.124
528531	Drill Core	4.57	0.7	83.1	2.9	19	0.2	4.4	10.8	479	3.16	7.4	44.2	2.0	98	<0.1	0.7	0.1	107	3.18	0.115
528532	Drill Core	4.91	0.5	95.9	4.3	22	0.3	6.9	18.0	442	3.76	7.7	35.9	1.8	114	<0.1	0.7	0.2	135	2.83	0.127
528533	Drill Core	5.14	0.6	80.4	3.0	23	<0.1	7.0	10.5	389	3.59	6.6	14.1	1.8	126	<0.1	0.3	<0.1	133	3.18	0.140
528534	Drill Core	4.71	0.8	78.3	2.4	19	0.1	6.5	6.2	299	3.59	10.5	10.0	1.2	133	<0.1	0.2	0.1	133	3.12	0.153
528535	Drill Core	5.28	0.8	58.5	2.1	18	<0.1	7.6	10.9	295	4.11	13.6	8.1	1.6	117	<0.1	0.3	0.1	168	3.05	0.146
528536	Drill Core	5.60	0.8	57.7	3.0	23	0.2	9.5	26.0	371	3.99	10.5	25.0	1.5	91	<0.1	0.5	0.3	127	3.91	0.149
528537	Drill Core	5.25	0.8	49.0	2.8	26	0.1	7.6	14.3	395	3.41	7.0	33.7	1.5	82	<0.1	0.5	0.2	115	2.48	0.148
528538	Drill Core	5.69	1.1	44.3	2.4	34	0.1	7.3	15.8	586	3.94	7.8	28.6	1.9	118	<0.1	0.5	0.2	121	2.64	0.125
528539	Drill Core	5.43	0.8	66.0	2.0	24	<0.1	7.3	11.3	438	3.36	5.4	23.0	2.0	79	<0.1	0.4	0.1	119	3.09	0.115
528540	Drill Core	4.51	0.9	172.0	3.0	15	0.1	6.2	12.1	267	2.74	5.4	28.5	2.5	62	<0.1	0.4	0.2	76	1.98	0.099
528541	Drill Core	2.94	0.5	50.7	2.7	17	<0.1	4.2	7.0	275	2.42	5.9	32.2	2.4	52	<0.1	0.3	0.1	69	1.96	0.102
528542	Drill Core	6.26	0.7	69.2	2.3	18	<0.1	7.3	11.0	339	3.91	9.0	11.5	1.5	79	<0.1	0.2	<0.1	171	2.46	0.150
528543	Drill Core	5.37	0.7	34.1	2.4	27	<0.1	9.1	11.9	420	4.76	6.7	8.8	1.6	75	<0.1	0.2	<0.1	202	2.75	0.149
528544	Drill Core	4.51	0.5	32.4	2.2	27	<0.1	7.7	10.7	436	3.84	8.9	12.2	1.5	67	<0.1	0.3	<0.1	155	2.78	0.151
528545	Drill Core	5.27	0.9	39.8	2.4	21	<0.1	6.0	8.3	534	3.51	8.0	24.9	1.8	102	<0.1	0.5	<0.1	171	3.20	0.152

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	
528516	Drill Core	5	10	0.87	30	0.146	12	3.01	0.038	0.12	0.5	0.61	3.9	<0.1	1.10	12	0.9	0.2
528517	Drill Core	6	60	1.36	28	0.151	10	2.74	0.046	0.11	0.5	0.60	4.7	<0.1	0.73	10	0.9	0.2
528518	Drill Core	6	11	1.08	24	0.153	10	2.20	0.048	0.09	0.7	0.75	4.3	<0.1	1.91	8	1.9	0.5
528519	Drill Core	6	14	1.14	22	0.140	12	2.29	0.052	0.09	0.7	0.71	4.8	<0.1	1.53	9	<0.5	<0.2
528520	Drill Core	6	11	0.81	28	0.131	14	2.69	0.068	0.10	0.4	0.48	3.6	<0.1	0.35	8	<0.5	<0.2
528521	Drill Core	6	9	0.85	29	0.115	15	2.60	0.078	0.10	0.4	0.25	4.5	<0.1	0.28	9	<0.5	<0.2
528522	Drill Core	7	10	0.71	47	0.109	14	2.36	0.090	0.14	0.3	0.41	4.0	<0.1	0.41	8	<0.5	0.2
528523	Drill Core	7	13	0.74	37	0.112	16	2.31	0.069	0.13	0.2	0.41	3.8	<0.1	0.28	8	0.7	<0.2
528524	Drill Core	7	12	0.82	45	0.115	14	2.57	0.096	0.14	0.2	0.38	4.9	<0.1	0.21	9	<0.5	<0.2
528525	Rock Pulp	6	396	1.16	145	0.003	6	1.08	0.057	0.42	1.0	1.56	7.7	0.2	3.01	3	9.0	0.2
528526	Drill Core	6	10	0.88	39	0.109	11	2.14	0.072	0.13	0.2	0.27	4.5	<0.1	0.08	9	<0.5	<0.2
528527	Drill Core	7	19	0.99	44	0.140	10	2.50	0.062	0.12	0.4	0.26	4.7	<0.1	0.19	10	<0.5	<0.2
528528	Drill Core	6	30	1.11	27	0.139	10	2.70	0.052	0.13	0.4	0.20	5.4	<0.1	0.23	10	<0.5	<0.2
528529	Drill Core	6	16	1.04	24	0.154	7	2.64	0.032	0.11	0.7	0.55	6.3	<0.1	0.87	10	0.6	0.4
528530	Drill Core	6	9	1.27	19	0.147	4	1.74	0.042	0.09	0.8	0.72	7.5	<0.1	2.32	7	0.7	0.6
528531	Drill Core	6	8	0.83	34	0.129	7	2.07	0.061	0.11	0.5	0.50	3.9	<0.1	0.95	7	<0.5	<0.2
528532	Drill Core	6	10	0.75	38	0.126	6	2.34	0.086	0.11	0.4	0.67	3.5	<0.1	1.30	7	1.1	0.3
528533	Drill Core	6	12	0.59	50	0.101	9	2.30	0.081	0.12	0.3	0.42	4.2	<0.1	0.40	8	<0.5	<0.2
528534	Drill Core	6	13	0.55	61	0.094	12	2.35	0.070	0.10	0.2	0.32	3.1	<0.1	0.08	8	<0.5	<0.2
528535	Drill Core	6	9	0.72	70	0.138	13	2.50	0.080	0.10	0.3	0.37	4.2	<0.1	0.34	8	0.7	<0.2
528536	Drill Core	6	10	1.08	39	0.181	18	2.75	0.076	0.08	0.3	0.61	8.3	<0.1	2.27	9	1.5	0.4
528537	Drill Core	5	4	1.16	52	0.202	10	2.07	0.082	0.12	0.4	0.66	6.3	<0.1	1.55	7	0.8	0.4
528538	Drill Core	5	4	1.41	59	0.207	8	1.99	0.073	0.12	0.5	0.73	7.9	<0.1	1.95	7	0.9	0.4
528539	Drill Core	5	5	1.17	34	0.170	9	2.51	0.065	0.10	0.4	0.30	7.7	<0.1	1.26	9	1.2	<0.2
528540	Drill Core	5	3	0.67	39	0.117	7	1.35	0.076	0.11	0.3	0.52	3.3	<0.1	1.68	6	1.0	<0.2
528541	Drill Core	5	3	0.70	31	0.118	6	1.19	0.062	0.09	0.4	0.78	3.6	<0.1	1.30	5	0.9	<0.2
528542	Drill Core	5	5	0.79	48	0.149	11	2.02	0.077	0.12	0.2	0.25	4.9	<0.1	0.42	7	0.8	<0.2
528543	Drill Core	5	5	1.01	66	0.201	13	2.47	0.063	0.14	0.2	0.21	6.0	<0.1	0.33	8	<0.5	<0.2
528544	Drill Core	5	6	1.17	35	0.180	15	2.33	0.058	0.10	0.3	0.30	7.1	<0.1	0.59	8	<0.5	<0.2
528545	Drill Core	6	5	0.92	37	0.155	6	2.35	0.091	0.12	0.3	0.41	6.5	<0.1	0.41	7	<0.5	<0.2

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method Analyte Unit MDL	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
528546	Drill Core	5.22	1.3	63.2	3.3	29	0.1	9.6	18.9	674	5.02	9.6	34.1	2.1	108	<0.1	1.0	<0.1	220	3.61	0.150
528547	Drill Core	5.07	0.9	42.4	2.6	34	<0.1	10.2	18.5	714	5.39	17.4	18.7	2.0	86	<0.1	0.7	0.3	223	3.35	0.161
528548	Drill Core	5.25	1.0	39.5	3.2	41	0.4	9.2	18.4	850	5.27	31.1	94.1	2.3	118	<0.1	0.7	0.4	215	4.40	0.163
528549	Rock Pulp	0.04	5.3	37.8	3.8	43	<0.1	12.6	5.1	557	2.80	0.7	9.4	2.3	29	<0.1	0.5	0.3	25	0.56	0.048
528550	Rock Pulp	0.04	9.6	3210.2	13.7	138	0.6	242.6	16.0	809	5.79	11.6	264.5	1.5	174	0.5	7.4	0.5	55	2.81	0.121
528551	Drill Core	4.99	0.8	54.5	2.4	27	0.1	9.9	17.3	606	5.66	14.6	25.7	2.7	115	<0.1	0.4	0.1	234	3.09	0.204
528552	Drill Core	4.62	1.1	74.2	2.8	31	0.1	9.9	19.9	710	6.32	20.4	9.8	2.1	83	0.1	0.3	<0.1	234	2.82	0.161
528553	Drill Core	5.27	1.0	70.2	2.4	28	<0.1	9.8	17.8	678	5.61	13.7	66.3	1.8	91	<0.1	0.4	0.1	225	3.74	0.160
528554	Drill Core	5.18	0.8	70.3	4.7	27	0.1	9.8	16.8	694	5.70	8.2	14.8	1.5	81	<0.1	0.5	0.2	213	3.12	0.164
528555	Drill Core	4.60	0.7	64.3	3.1	29	0.2	11.3	21.3	706	5.89	12.3	13.9	1.3	87	<0.1	0.7	0.2	221	3.71	0.167
528556	Drill Core	4.02	0.7	36.0	2.4	26	0.1	7.0	14.1	513	4.20	7.5	6.8	1.6	101	<0.1	0.7	0.1	141	3.55	0.137
528557	Drill Core	4.31	1.4	120.8	4.8	43	1.1	6.0	21.7	585	4.06	11.7	170.4	1.9	91	0.3	1.6	0.5	96	3.27	0.107
528558	Drill Core	4.94	13.9	116.3	25.7	56	3.6	21.8	15.9	2072	4.78	31.8	452.4	1.6	67	0.6	16.1	1.3	101	5.44	0.123
528559	Drill Core	5.49	1.3	38.4	2.4	19	<0.1	6.2	15.6	506	4.96	11.2	11.8	1.5	68	<0.1	1.0	<0.1	135	2.52	0.123
528560	Drill Core	5.19	3.3	69.6	2.5	19	0.1	4.6	20.6	485	3.39	6.1	23.5	1.6	59	<0.1	0.7	<0.1	97	2.81	0.093
528561	Drill Core	4.99	2.6	51.3	2.4	27	0.1	6.3	16.1	493	4.88	7.9	16.9	1.4	74	<0.1	0.5	0.1	154	2.59	0.152
528562	Drill Core	4.92	0.8	74.6	2.8	26	0.2	6.7	12.5	537	4.99	17.8	76.1	1.6	100	0.1	0.5	0.2	156	3.36	0.158
528563	Drill Core	4.89	1.0	123.7	2.5	31	0.2	8.5	10.4	589	6.09	9.3	32.6	1.6	64	0.1	0.5	<0.1	210	3.05	0.157
528564	Drill Core	4.44	0.8	29.5	2.7	28	0.2	6.8	11.8	545	5.05	9.7	29.2	1.6	77	<0.1	0.4	0.1	151	4.01	0.175
528565	Drill Core	5.01	1.7	50.7	2.0	21	0.1	7.3	12.3	425	3.95	9.3	68.7	0.9	87	<0.1	0.4	0.2	135	3.85	0.136
528566	Drill Core	4.74	18.8	631.0	2.1	26	0.8	11.0	24.6	662	4.64	21.7	185.6	1.3	125	<0.1	0.6	0.6	142	4.08	0.147
528567	Drill Core	4.74	10.9	196.9	2.1	24	0.2	7.9	14.9	471	4.51	20.1	32.8	1.4	77	<0.1	0.4	0.1	158	2.85	0.168
528568	Drill Core	5.07	0.9	55.1	1.8	23	<0.1	7.1	13.2	495	4.85	10.9	25.0	1.8	177	<0.1	0.4	<0.1	200	2.44	0.160
528569	Drill Core	5.05	0.5	89.8	2.8	27	0.1	7.4	16.9	527	4.71	10.1	9.8	1.6	197	<0.1	0.4	<0.1	174	3.13	0.149
528570	Drill Core	4.89	0.7	56.4	2.9	25	<0.1	5.6	11.9	779	4.19	11.1	9.1	1.4	184	<0.1	0.6	<0.1	135	4.90	0.140
528571	Drill Core	5.00	0.5	23.4	1.9	25	<0.1	5.0	10.0	566	3.83	11.7	6.8	1.4	70	<0.1	0.3	<0.1	120	3.02	0.152
528572	Drill Core	3.27	0.4	44.0	1.6	57	<0.1	37.8	21.5	1093	4.51	8.4	4.5	0.7	89	<0.1	0.6	<0.1	167	4.31	0.144

CERTIFICATE OF ANALYSIS

VAN13004179.1

Method	Analyte	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
528546	Drill Core	7	8	1.35	55	0.289	6	2.45	0.089	0.15	0.3	0.62	8.6	<0.1	0.70	9	<0.5	<0.2
528547	Drill Core	7	9	1.45	36	0.268	9	2.65	0.084	0.13	0.3	0.48	7.9	<0.1	0.76	9	0.6	<0.2
528548	Drill Core	7	9	1.25	60	0.247	4	2.12	0.094	0.16	0.6	0.49	13.2	<0.1	1.18	8	0.6	0.5
528549	Rock Pulp	6	22	0.46	69	0.099	1	0.95	0.088	0.08	1.2	0.01	2.6	<0.1	<0.05	4	1.6	<0.2
528550	Rock Pulp	6	318	1.13	165	0.003	5	0.98	0.058	0.38	0.9	1.54	7.6	0.2	2.93	3	8.8	0.2
528551	Drill Core	8	9	1.09	49	0.207	6	2.37	0.121	0.13	0.2	0.15	7.7	<0.1	0.23	8	0.6	<0.2
528552	Drill Core	7	9	1.15	46	0.220	6	2.06	0.086	0.13	0.2	0.17	8.1	<0.1	0.44	9	0.6	<0.2
528553	Drill Core	6	9	1.27	34	0.223	8	2.86	0.069	0.10	0.3	0.14	8.8	<0.1	0.49	10	<0.5	<0.2
528554	Drill Core	6	7	1.34	37	0.241	5	2.16	0.092	0.12	0.4	0.17	7.9	<0.1	1.19	8	0.7	<0.2
528555	Drill Core	6	7	1.19	36	0.231	6	2.10	0.079	0.11	0.4	0.20	8.6	<0.1	1.04	8	0.9	<0.2
528556	Drill Core	6	5	0.81	30	0.152	5	2.75	0.069	0.10	0.3	0.32	6.1	<0.1	1.03	8	0.8	<0.2
528557	Drill Core	6	5	0.72	36	0.124	2	1.90	0.059	0.12	0.5	0.64	6.8	<0.1	2.29	6	1.5	0.6
528558	Drill Core	8	57	1.10	39	0.090	5	1.75	0.065	0.27	0.4	1.71	9.8	<0.1	2.36	6	1.3	1.5
528559	Drill Core	6	6	0.71	36	0.099	4	1.55	0.118	0.14	0.2	0.24	6.0	<0.1	1.22	5	1.2	<0.2
528560	Drill Core	5	5	1.06	28	0.120	5	1.76	0.061	0.09	0.3	0.59	6.4	<0.1	1.06	6	0.9	<0.2
528561	Drill Core	5	6	0.98	28	0.127	8	1.99	0.065	0.09	0.3	0.29	4.9	<0.1	1.29	7	0.8	<0.2
528562	Drill Core	6	7	0.80	36	0.123	9	2.13	0.081	0.11	0.4	0.29	4.2	<0.1	1.36	7	1.1	0.2
528563	Drill Core	5	5	0.98	30	0.115	8	2.16	0.079	0.12	0.3	0.30	6.4	<0.1	0.70	8	<0.5	<0.2
528564	Drill Core	5	5	1.10	33	0.115	10	2.97	0.108	0.14	0.3	0.18	8.4	<0.1	1.49	10	1.0	0.2
528565	Drill Core	4	4	1.08	33	0.115	11	2.93	0.088	0.08	0.5	0.20	6.9	<0.1	1.51	9	0.7	0.3
528566	Drill Core	5	8	1.23	40	0.153	4	2.22	0.099	0.10	0.4	0.36	9.2	<0.1	2.80	6	2.6	0.7
528567	Drill Core	6	8	0.96	50	0.147	9	2.01	0.082	0.15	0.5	0.19	5.4	<0.1	0.91	7	1.1	<0.2
528568	Drill Core	6	6	0.93	92	0.160	6	2.15	0.110	0.13	0.2	0.26	5.4	<0.1	0.47	7	0.7	<0.2
528569	Drill Core	5	4	1.00	70	0.152	7	2.22	0.149	0.10	0.2	0.19	6.3	<0.1	0.86	6	1.0	<0.2
528570	Drill Core	6	6	0.89	74	0.154	4	2.12	0.104	0.13	0.4	0.17	7.6	<0.1	0.58	6	0.6	<0.2
528571	Drill Core	6	6	0.90	38	0.116	4	1.67	0.112	0.13	0.3	0.15	6.4	<0.1	0.50	6	0.7	<0.2
528572	Drill Core	6	44	2.40	31	0.149	4	2.91	0.077	0.10	0.3	0.08	10.3	<0.1	0.07	9	<0.5	<0.2

QUALITY CONTROL REPORT

VAN13004179.1


Method	WGHT	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
528488	Drill Core	5.98	1.2	82.1	1.4	24	0.1	149.7	29.6	480	4.44	9.5	61.0	0.3	38	<0.1	0.4	0.2	121	3.62	0.081
REP 528488	QC		0.9	81.6	1.4	23	0.1	149.8	29.6	472	4.43	9.5	61.6	0.3	40	<0.1	0.4	0.2	122	3.64	0.083
528520	Drill Core	4.22	0.9	140.6	2.6	22	0.1	6.8	10.6	449	3.66	11.8	32.7	1.8	95	<0.1	0.6	<0.1	129	3.40	0.129
REP 528520	QC		0.9	146.1	2.7	24	0.1	6.1	10.3	461	3.73	12.1	27.9	1.7	99	<0.1	0.7	<0.1	131	3.49	0.125
528551	Drill Core	4.99	0.8	54.5	2.4	27	0.1	9.9	17.3	606	5.66	14.6	25.7	2.7	115	<0.1	0.4	0.1	234	3.09	0.204
REP 528551	QC		0.7	51.8	2.3	29	<0.1	9.8	16.8	602	5.59	14.8	23.1	2.7	112	0.1	0.5	0.1	234	3.08	0.204
Core Reject Duplicates																					
528521	Drill Core	4.78	0.7	238.1	3.4	29	0.2	6.6	10.9	490	3.69	15.8	36.0	2.0	96	<0.1	0.6	<0.1	137	3.34	0.138
DUP 528521	QC		0.8	234.0	3.4	27	0.2	6.1	10.4	488	3.64	16.4	36.6	1.8	94	0.1	0.5	<0.1	137	3.34	0.131
528559	Drill Core	5.49	1.3	38.4	2.4	19	<0.1	6.2	15.6	506	4.96	11.2	11.8	1.5	68	<0.1	1.0	<0.1	135	2.52	0.123
DUP 528559	QC		1.0	39.4	2.5	18	0.1	6.4	16.3	516	5.03	12.3	13.4	1.5	68	<0.1	1.0	0.1	135	2.53	0.129
Reference Materials																					
STD DS10	Standard		15.9	155.4	153.8	354	1.9	76.1	13.4	875	2.80	44.0	92.8	7.9	67	2.2	8.2	11.4	44	1.09	0.073
STD DS10	Standard		14.7	149.4	142.1	365	2.2	76.2	12.9	893	2.79	46.0	95.0	7.4	69	2.4	8.5	10.9	43	1.07	0.076
STD DS10	Standard		15.4	152.5	150.2	363	2.2	76.9	13.1	886	2.81	45.2	86.8	7.8	71	2.3	8.8	11.2	45	1.09	0.073
STD OXC109	Standard		1.4	34.9	10.7	38	<0.1	71.6	19.3	398	2.82	0.8	198.1	1.4	141	<0.1	<0.1	<0.1	46	0.71	0.102
STD OXC109	Standard		1.4	34.9	10.8	40	<0.1	69.6	19.2	412	2.86	1.1	211.2	1.5	139	<0.1	<0.1	<0.1	47	0.70	0.107
STD OXC109	Standard		1.4	36.6	10.6	42	<0.1	70.0	18.2	415	2.88	0.8	212.5	1.4	148	<0.1	<0.1	<0.1	49	0.78	0.105
STD DS10 Expected			14.69	154.61	150.55	352.9	1.96	74.6	12.9	861	2.7188	43.7	91.9	7.5	67.1	2.48	9.51	11.65	43	1.0355	0.073
STD OXC109 Expected												201									
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.2	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
G1	Prep Blank		<0.1	2.0	2.5	47	<0.1	3.5	4.2	549	1.93	<0.5	0.5	4.5	57	<0.1	<0.1	<0.1	33	0.45	0.066
G1	Prep Blank		<0.1	2.3	3.3	47	<0.1	4.1	4.2	568	2.02	0.6	<0.5	4.6	58	<0.1	<0.1	<0.1	36	0.48	0.067

QUALITY CONTROL REPORT

VAN13004179.1

Method	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	1DX30	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
528488	Drill Core	2	176	2.58	13	0.128	14	3.30	0.052	0.10	0.4	0.35	7.5	<0.1	1.08	8	1.5	<0.2
REP 528488	QC	2	181	2.64	14	0.136	16	3.41	0.050	0.10	0.4	0.36	7.5	<0.1	1.07	8	0.8	0.2
528520	Drill Core	6	11	0.81	28	0.131	14	2.69	0.068	0.10	0.4	0.48	3.6	<0.1	0.35	8	<0.5	<0.2
REP 528520	QC	6	11	0.83	27	0.133	15	2.71	0.070	0.10	0.4	0.45	3.5	<0.1	0.36	8	<0.5	<0.2
528551	Drill Core	8	9	1.09	49	0.207	6	2.37	0.121	0.13	0.2	0.15	7.7	<0.1	0.23	8	0.6	<0.2
REP 528551	QC	8	9	1.09	49	0.217	5	2.38	0.118	0.13	0.2	0.16	7.3	<0.1	0.23	8	0.9	<0.2
Core Reject Duplicates																		
528521	Drill Core	6	9	0.85	29	0.115	15	2.60	0.078	0.10	0.4	0.25	4.5	<0.1	0.28	9	<0.5	<0.2
DUP 528521	QC	6	10	0.84	30	0.113	16	2.58	0.077	0.10	0.3	0.27	4.8	<0.1	0.28	9	<0.5	<0.2
528559	Drill Core	6	6	0.71	36	0.099	4	1.55	0.118	0.14	0.2	0.24	6.0	<0.1	1.22	5	1.2	<0.2
DUP 528559	QC	6	6	0.71	36	0.102	4	1.56	0.116	0.14	0.2	0.26	6.0	<0.1	1.21	5	1.2	<0.2
Reference Materials																		
STD DS10	Standard	19	57	0.78	350	0.087	7	1.14	0.071	0.35	3.1	0.30	3.0	4.7	0.27	4	2.2	4.4
STD DS10	Standard	18	54	0.79	345	0.078	6	1.08	0.070	0.35	3.4	0.30	3.2	5.0	0.28	5	3.0	5.6
STD DS10	Standard	19	59	0.80	368	0.091	6	1.12	0.070	0.35	3.4	0.32	3.3	5.1	0.28	5	3.2	4.8
STD OXC109	Standard	12	59	1.44	54	0.369	2	1.57	0.669	0.41	0.2	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC109	Standard	12	56	1.44	54	0.375	2	1.55	0.697	0.42	0.2	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC109	Standard	13	57	1.47	56	0.380	<1	1.58	0.692	0.43	0.2	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.7651	349	0.0817		1.0259	0.0638	0.3245	3.34	0.289	2.8	4.79	0.2743	4.3	2.3	4.89
STD OXC109 Expected																		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	0.5	<0.2
Prep Wash																		
G1	Prep Blank	9	7	0.56	221	0.093	2	0.92	0.075	0.48	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	10	8	0.58	231	0.106	2	0.99	0.079	0.49	<0.1	<0.01	2.5	0.3	<0.05	5	<0.5	<0.2

MAP POCKET



Legend


- Claims with Tenure #
- 2013 Drill Hole
- Historical Drill Hole
- A B C D E A' B' C' D' E' Cross Section Line
- Road

Bearing Resources Ltd

**October Dome
2013 Drilling
Drill Plan**

Date: 20/07/2014	
Author: BL	
Office:	
Drawing:	
Scale: 1:5000	Projection: UTM Zone 10 (NAD 83)

0 75 150 300 metres



Legends


Au (ppb) Histogram 1mm = 10ppb Au	Overburden
Au (ppb) Text	Dibrite/Monzonite
Lithology Trace Shade	Poly Breccia
Sample # Text	Dyke
ECH mm given at scale of 1:500	Sediments/Hornfels
	Skarn
	Pillow Basalt
	Fault

Bearing Resources Ltd


**October Dome
2013 Drilling
Section A - A'
OD-5**

Date: 19/07/2014	
Author: BL	
Office:	
Drawing:	
Scale: 1:500	Projection: Non-Earth (meters)

0 7.5 15 30 metres



<p style="font-size: 8px;">Au (ppb) Histogram 1mm = 10ppb Au</p> <p style="font-size: 8px;">Au (ppb) Text</p> <p style="font-size: 8px;">Lithology Trace Shade</p> <p style="font-size: 8px;">ECH mm given at scale of 1:500</p>	<p style="text-align: center;">Legends</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 15px; background-color: #cccccc;"></td> <td>Overburden</td> </tr> <tr> <td style="width: 20px; height: 15px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px);"></td> <td>Dbrile/Monzonite</td> </tr> <tr> <td style="width: 20px; height: 15px; background: radial-gradient(circle, black 1px, transparent 1px); background-size: 4px 4px;"></td> <td>Poly Breccia</td> </tr> <tr> <td style="width: 20px; height: 15px; background: repeating-linear-gradient(-45deg, transparent, transparent 2px, black 2px, black 4px);"></td> <td>Dyke</td> </tr> <tr> <td style="width: 20px; height: 15px; background: repeating-linear-gradient(90deg, transparent, transparent 2px, black 2px, black 4px);"></td> <td>Sediments/Hornfels</td> </tr> <tr> <td style="width: 20px; height: 15px; background-color: black;"></td> <td>Skarn</td> </tr> <tr> <td style="width: 20px; height: 15px; background: repeating-linear-gradient(-45deg, transparent, transparent 2px, black 2px, black 4px);"></td> <td>Pillow Basalt</td> </tr> <tr> <td style="width: 20px; height: 15px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px);"></td> <td>Fault</td> </tr> </table>		Overburden		Dbrile/Monzonite		Poly Breccia		Dyke		Sediments/Hornfels		Skarn		Pillow Basalt		Fault
	Overburden																
	Dbrile/Monzonite																
	Poly Breccia																
	Dyke																
	Sediments/Hornfels																
	Skarn																
	Pillow Basalt																
	Fault																
<p>Bearing Resources Ltd.</p>																	
<p>October Dome 2013 Drilling Section B - B' OD-6, OD-7</p>																	
<p>Date: 19/07/2014</p> <p>Author: BL</p> <p>Office:</p> <p>Drawing:</p> <p>Scale: 1:500 Projection: Non-Earth (meters)</p>	<p>0 7.5 15 30</p> <p style="text-align: center;">metres</p>																



Legends

- Overburden
- Diorite/Monzonite
- Poly Breccia
- Dyke
- Sediments/Hornfels
- Skarn
- Pillow Basalt
- Fault

Au (ppb) Histogram
1mm = 10ppb Au

Au (ppb) Text Sample # Text

Lithology Trace/ Shade

EOH
mm given at scale of 1:500


Bearing Resources Ltd

**October Dome
2013 Drilling
Section C - C'
OD-8**


Date: 19/07/2014
Author: BL
Office:
Drawing:

Scale: 1:500 Projection: Non-Earth (meters)

0 7.5 15 30
metres



<p>Legend</p> <ul style="list-style-type: none"> Overburden Diorite/Monzonite Poly Breccia Dyke Sediments/Hornfels Skarn Pillow Basalt Fault 	
<p>Au (ppb) Histogram 1mm = 10ppb Au</p>	<p>Sample # Text</p>
<p>Au (ppb) Text</p>	<p>Lithology Trace Shade</p>
<p>ECH mm given at scale of 1:500</p>	
<p>Bearing Resources Ltd</p>	
<p>October Dome 2013 Drilling Section D - D' OD-9</p>	
<p>Date: 19/07/2014</p> <p>Author: BL</p> <p>Office:</p> <p>Drawing:</p>	<p>Scale: 1:500 Projection: Non-Earth (meters)</p>
<p>0 7.5 15 30 metres</p>	



<p>Legend</p> <ul style="list-style-type: none"> Overburden Diorite/Monzonite Poly Breccia Dyke Sediments/Hornfels Skarn Pillow Basalt Fault 	
<p>Bearing Resources Ltd</p>	
<p>October Dome 2013 Drilling Section E - E' OD-10</p>	
<p>Date: 18/07/2014</p> <p>Author: BL</p> <p>Office:</p> <p>Drawing:</p>	<p>Scale: 1:500</p> <p>Projection: Non-Earth (meters)</p>
<p>0 7.5 15 30 metres</p>	