




ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: Assessment Report on the Geology and Geochemical Exploration of the Peach Property

TOTAL COST: \$10,714.96

AUTHOR(S): Jordan Lewis

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): N/A

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): N/A

YEAR OF WORK: 2013

PROPERTY NAME: Peach

CLAIM NAME(S) (on which work was done):

Peach 1

COMMODITIES SOUGHT: Gold, Copper, Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 082ENW115, 082ENW108

MINING DIVISION: Osoyoos

NTS / BCGS: 082E13W/082E071

LATITUDE: _____ ° _____ ' _____ "

LONGITUDE: _____ ° _____ ' _____ " (at centre of work)

UTM Zone: 11 **EASTING:** 285500 **NORTHING:** 5516250

OWNER(S): Jordan Lewis

MAILING ADDRESS:

13716 North Bluff Road, White Rock, BC, V4B 3B9

OPERATOR(S) [who paid for the work]: Jordan Lewis

MAILING ADDRESS:

13716 North Bluff Road, White Rock, BC, V4B 3B9

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

granodiorite, feldspar porphyry; Jurassic; potassic

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

EMP ASS RPT 01141, 07788, 10819

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	300x300 meters	Peach 1	\$3751.65
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil	18	Peach 1	\$1700.65
Silt			
Rock	14	Peach 1	\$1871.00
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
	1000x1000 meters	Peach 1	\$3751.65
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
		TOTAL COST	\$10714.96

**Assessment Report on the Geology and Geochemical Exploration of
the Peach Property**

Claim # 1020454

NTS Mapsheet 082E/13

British Columbia, Canada

Osoyoos Mining Division

UTM NAD 83 Zone 11N 285500mE 5516250mN

Owner/Operator – Jordan Lewis

Written By

Jordan Lewis, Coast Mountain Geological

April 10, 2014

Contents

Introduction	3
Location and Access	3
Climate	6
Tenures and Ownership	6
Regional Geology	6
Local Geology	8
History	8
Previous Work	8
2013 Work Program	9
Summer 2013	9
Fall 2013	10
Sampling Method and Procedures	10
Conclusions and Recommendations	13
References	15

Tables

Table 1 – Tenure and Ownership	6
Table 2 – 2014 Proposed Budget	14

Figures

Figure 1 – Peach Property Location Map	4
Figure 2 – Peach Property Claim Location	5
Figure 3 – Peach Property Regional Geology	7
Figure 4 – Geochemistry Gold ppb	11
Figure 5 – Geochemistry Copper ppm	12

Appendices

Appendix I – Statement of Costs	
Appendix II – Sample Descriptions	
Appendix III – Analytical Certificates	
Appendix IV – Statement of Qualifications	

Introduction

The Peach Property was staked in June of 2013 to cover ground favourable for economic copper/molybdenum/gold mineralization, specifically the Marg 1/Juniper showing. The showing, a trench excavated in the early 1960's, historically assayed 0.87% Cu over 120 meters with "some gold" and supposedly lies within a potassic-altered granodiorite. The area has seen very little work since 1982.

Digital maps on the Ministry of Mines and Energy website have until very recently located the Marg 1 showing as being approximately 1.8km NW of its true location, possibly explaining the lack of recent work. The true location was determined through systematic review and compilation of all assessment reports pertaining to the area.

During two short prospecting programs in the summer/fall of 2013, 14 rock samples and 18 soil samples were collected by the author. Soil samples assayed up to 24ppb Au, and rock samples returned up to 0.11% Cu. Soil samples were collected from two lines that were projected to cross the historic potassic-altered zone. All rock samples were collected from highly fractured and weathered surface rock with no obvious copper mineralization.

The 120m trench was not conclusively found, though 1 large pit measuring 2m wide by 5m deep was discovered where the Marg 1/Juniper showing was projected to be located, with overgrown dozer trails leading in many directions. Time constraints did not allow for thorough geological interpretation of the area, though outcrops discovered while traversing were mapped.

Location and Access


The property is located approximately 30 kilometres by two-wheel drive gravel roads from the town of Peachland, British Columbia (Figure 1). The Glen Lake Forest Service Road cuts NE/SW across the western half of the property starting around the 18km mark, and a spur road provides access to the southwest portion of the claims (Figure 2). Active logging in the area ensures the roads are well maintained. The city of Kelowna, 25 minutes from Peachland, has an international airport and provides all necessary services.

Base camp was established at Glen Lake, about 1km north of the property. Several rustic camping sites are available for tent camping/camper parking. Longer programs might consider utilizing a hotel in Peachland.

British Columbia with Inset of Peachland Area



Figure 1: Peach Property Location Map



Climate

This area is typical of the dry Okanagan Valley: hot summers and cold winters. Temperatures routinely break 35° C in the summer and drop well below freezing from December – February. Annual average rainfall is 310mm and annual average snowfall is 90cm.

Vegetation is a mixture of deciduous and coniferous trees, both new and old growth. Logging occurred heavily on the property in 1979; the area was subsequently replanted in the 1980's.

Topography consists of ridges, peaks and valleys; the majority of the claim lies on a moderate east-west slope and overall elevation gain is less than 100m.

Tenures and Ownership

The Peach Property consists of one claim wholly owned and operated by the author (Table 1). The claim is 187.82 hectares.

Claim Name	Owner	Issue Date	Expiry Date	Area (ha)	Tenure
Peach 1	Jordan Lewis	June 21, 2013	June 21, 2014	187.82	1020454


Table 1 - Tenure and Ownership

Regional Geology

The Peach Claim lies within a large undifferentiated suite of Coast intrusives of Jurassic or Lower Cretaceous age identified as the Nelson Plutonics.

Historical mapping by the Geological Survey of Canada in 1940 identified 3 separate intrusive events in the area. These are described as a grey granodiorite, a reddish coarse grained siliceous granite/granodiorite and a light colored granodiorite. They were seen to cut one another but in places appear to have a gradational contact. The 3 granitoids are acidic in nature and have plenty of visible free quartz. Pegmatite/aplite dykes are reportedly common throughout. (Cairnes, C.E., 1940)

Newer mapping from 1983-1984 classifies the underlying bedrock as the Nelson Plutonics (Figure 3), a Jurassic suite of undifferentiated granodiorites, quartz diorites and granites. To the north of the claims sits a Triassic volcanic/sedimentary package consisting of shales, slates, phyllite, andesite and basalt. To the south lies the Jurassic Okanagan Batholith, comprised of massive, med.-coarse grained light grey weathering biotite-granodiorite and granite (Templeman-Kluit, D.J., 1989).



Drawn By: J. Lewis
 Date: Apr. 8, 2014
1:100,000
 UTM NAD 83 Zone 11

Figure 3
Peach Property
Regional Geology

Geology From Tempelman-Kluit 1989, GSC Map 1736A

Local Geology

Previous work programs have identified a “potassic altered zone” that hosts the main copper showing. Field visits by the author were unsuccessful in locating this zone, instead finding outcrop consisting mostly of light grey silicified and variably sericite-altered granodiorite. In places on the claim, this unit was seen to be cut by a feldspar porphyry intrusive. Both units were highly fractured and weakly to intensely oxidized/gossanous along the fracture surfaces (Figure 4, 5).

History

The area surrounding the Peach Property has a long mining history. The Silver King polymetallic vein, located 4km north of the property, saw development work as early as the late 1890’s, with sporadic exploration programs continuing to the present day. Recorded production can only be found for the period 1939 – 1941, identified as 244 tonnes of ore yielding 15,116 grams of silver and 1,618 grams of gold.

Uranium exploration by D.G. Leighton and Associates during the 1970’s resulted in several minor showings southeast of the claim group, predominately occurring as accumulation in clay/soils due to groundwater leaching labile uranium from fresh igneous rocks exposed after glaciation.

11 km north of the property is the past-producing Brenda Mine (Cu-Mo-Au porphyry). From 1970 – 1990 the mine produced 278,000 tonnes of copper, 66,000 tonnes of molybdenum, 125 tonnes of silver and 2 tonnes of gold. Mineralization was fracture-controlled and hosted in the Brenda Stock granodiorite, part of the Pennask Batholith.

Previous Work

The showing was first discovered by Don Agur of Summerland, BC in the early 1960s. Mr. Agur apparently trenched the showing to uncover a potassic-altered granodiorite with chalcopyrite in fractures. The average assay from the 125m trench was 0.87% copper with “some gold” (Sutherland, 1979).

In 1967, following the discovery of the Cu-Mo-Au Brenda Mine to the north, Juniper Mines Ltd carried out a large-scale percussion drilling program aimed at testing strongly sericite-altered zones on and around the property (Philip, R.H.D., 1967). This report states that drilling returned values of 0.025% MoS₂ and geochemical sampling returned 0.9% Cu over 120m.

In 1978 the claims were re-staked by Ian G. Sutherland of Peachland, B.C. Mr. Sutherland carried out prospecting and geochemical programs up until 1982. These programs resulted in a

700m east-west gold-in-soil anomaly of >100ppb covering the northern portion of the claims. A “Shear Zone” was also identified just to the south of the gold soil anomaly with anomalous copper values (Sutherland, I. 1978; Sutherland, I. 1982).

A geology report was prepared in 2007 by Adam Travis, B.Sc., at the behest of Kitcher Resources. In this report, found in archived SEC filings, Mr. Travis sums up the information from old assessment reports and strongly recommends that a two phase program be carried out to locate and expand upon the historic trench. Kitcher Resources merged with Blue Water of Key West in 2008; no account can be found as to whether or not Kitcher Resources acted on any of Mr. Travis’s recommendations (**Travis, A., 2007**).

2013 Work Program

Two separate work programs were carried out in 2013 resulting in 18 soil samples and 14 rock samples. The total cost of both programs was \$10,714.96. The Statement of Costs can be found in Appendix I. Sample descriptions from both programs are included in Appendix II.

Summer 2013 (August 8 - 12)

During a short four day program in August of 2013, 8 rock samples and 18 soil samples were collected. The purpose of this program was to attempt to correlate old reports with actual locations. Evidence of past work was apparent, including an old overgrown dozer road and suspicious large pits, but no significant mineralization was found.

Rocks were collected mostly from rough angular float, with one sample definitively coming from outcrop. Without exception, all rocks were granodiorite with varying degrees of silica, sericite and propylitic alteration. Pyrite was common as small disseminations up to 2-3%, with rare veinlets. Many float rocks near the old dozer road exhibited strong gossanous coatings but were too strongly weathered to identify. Assay results were uniformly low in copper, with a high of 136 ppm; gold results were negligible.

Two soil lines were completed with the goal of confirming the historic gold-in-soil anomaly. Samples were taken at 25m intervals over the projected potassic alteration zone and at 50m intervals elsewhere. Though not as impressive as the results obtained by Mr. Sutherland, a gold anomaly occurs centered over the projected zone, with a high of 24ppb Au.

Prospecting failed to find the location of the old trench and was inconclusive in defining anomalous surface mineralization.

Fall 2013 (October 9 -10)

In October of 2013, after further review of old reports, it was determined another day of mapping was warranted. An overlooked map in the 1982 assessment report by Mr. Sutherland had a rough drawn location of an “open cut with visible copper mineralization” approximately 100-200m east of where the summer program was concentrated. 6 more rock samples were collected from outcrop and a large open shaft, 2m wide by 5m deep, was discovered.

Two distinct lithologies were apparent in the samples.

- A silica-sericite-propylitic altered granodiorite, relatively barren of visible mineralization but with gossanous fractures.
- A strongly fractured feldspar porphyry containing abundant sulphides with intense gossanous weathering along all surfaces; possible potassic alteration.

The porphyritic rocks appear to have intruded the barren granodiorite. Very strong fracturing and weathering to depths of at least 0.5m of excavation prevented any confident structural measurements from being obtained from either lithology.

Copper results were anomalous for all 6 samples. The 4 samples classified as potassic-altered feldspar porphyry ran 406ppm to 1127ppm, while the two granodiorite samples assayed 137ppm and 222ppm respectively. No visible copper mineralization was identified, but due to the heavily fractured, oxidized and weathered nature of the rock it is assumed that the grades improve at depth. A supergene enrichment zone could also occur at depth.



Before sending the 6 rocks in for assay, the rocks were brought to the offices of Coast Mountain Geological Ltd. and subjected to testing with a portable XRF Analyzer. Anomalous copper values were found along gossanous weathered fracture planes.

Once again, nothing was discovered in the field that could conclusively be identified as the old trench.

Sampling Method and Procedures

All samples were located using a handheld Garmin GPS 62 projected in UTM NAD83, Zone 11N; accuracy ranged from 3-7 meters.

Rock samples were obtained from outcrop where possible, and were clearly described as float if no definite outcrop source could be identified. Approximately 1-3 kilograms of material was collected into clear plastic polybags, labelled with the corresponding sample number then tied closed with flagging tape. A representative sample was collected from each site and is stored with the author.



==== Gravel Road
 ~~~~~ Stream  
 --- Contour (20m)


█ Feldspar Porphyry  
 █ Granodiorite  
 ▨ Potassic Altered Zone (From Sutherland 1982)

○ Open Pit

**Gold in Rocks (ppb)**  
 █ < 25.0

**Gold in Soils (ppb)**  
 × < 5.0  
 ● 5.01 - 10.0  
 ● 10.01 - 25.0

|                     |                                               |
|---------------------|-----------------------------------------------|
| Drawn By: J. Lewis  | <b>Figure 4<br/>Geochemistry<br/>Gold ppb</b> |
| Date: Apr. 10, 2014 |                                               |
| <b>1:1500</b>       |                                               |
| UTM NAD 83 Zone 11  |                                               |



===== Gravel Road  
 ~~~~~ Stream  
 --- Contour (20m)

■ Feldspar Porphyry
 ■ Granodiorite
 ▨ Potassic Altered Zone (From Sutherland 1982)

○ Open Pit


Copper in Rocks (ppm)
 ■ < 150.0
 ■ 150.01 - 500.0
 ■ > 500.01

Copper in Soils (ppm)
 × < 25.0
 ● 25.01 - 50.0
 ● > 50.01

| |
|---------------------|
| Drawn By: J. Lewis |
| Date: Apr. 10, 2014 |
| 1:1500 |
| UTM NAD 83 Zone 11 |

Figure 5
Geochemistry
Copper ppm

L2 500 / 8.57 L3 500 / 14.46
 L2 450 / 25.5 × L3 450 / 21.88
 L2 400 / 13.44 L3 400 / 30.29
 L2 350 / 173.52 L3 350 / 42.78
 JJR-5 / 59.92 JJR-13 / 1126.81
 L3 325 / 25.07 JJR-10 / 1003.88
 JJR-3 / 54.75 JJR-2 / 4.93 JJR-12 / 753.61
 L2 300 / 15.29 JJR-7 / 18.12 JJR-14 / 222.19
 JJR-4 / 136.06 JJR-6 / 53.7 JJR-11 / 405.99
 Open Pit × L3 300 / 15.24
 JJR-1 / 77.93 L2 250 / 13.96
 L3 250 / 24.35
 L2 200 / 26.59 L3 200 / 13.5
 L3 150 / 14.48
 L2 150 / 17.89
 L2 100 / 20.95
 JJR-8 / 41.89



Soil samples were collected from the B horizon at a depth of 25-40 centimetres utilizing a mattock and a plastic trowel. Approximately 500 grams of material was placed into brown Kraft bags, labelled with a station number, then tied closed with flagging tape. All jewellery was removed prior to sampling and care was taken to avoid contamination of the sample with soil from previous stations.

All sample sites were marked with flagging tape denoting the sample number, date, and initials of the sampler. Samples were transported back to camp and kept securely locked in the truck. At the end of the program, samples were packed into rice bags and submitted to Acme Labs for analysis.

Soil samples were dried at 60° C then sieved to 100g passing -80 mesh; rock samples were crushed, split then pulverized to 250g passing -200 mesh. Both sample types were subjected to Aqua Regia digestion and ICP-MS analysis.

Conclusions and Recommendations

Historic work from the 1960's resulted in a trench, uncovering a potassic altered zone, that assayed an average of 0.87% over 120m. Chalcopyrite was the principle mineral, occurring along fracture planes.

Two short work programs during the summer/fall of 2013 identified anomalous gold-in-soil and anomalous copper values in rock. Though the historic trench was not conclusively located, evidence of old workings was apparent around the projected potassic alteration zone.

Copper mineralization appears to be hosted within an intensely fractured potassic-altered feldspar porphyry, with anomalous copper values localized along fracture planes. Due to the strongly weathered and crumbly nature of surface outcrops, it is suspected that better grades will be obtained deeper underground, with the possibility of a supergene enrichment zone.

It is recommended for a two man crew to spend two weeks in 2014 thoroughly mapping, prospecting and sampling the entirety of the claim. The proposed budget is \$30,560 (Table 2).

In addition, it is recommended that intense research of all available documents and maps pertaining to the Glen Lake area should be undertaken in order to try and pinpoint the location of the historic trench. It may be the case that 50 years of weather and logging have destroyed it, but every other option should be exhausted before accepting that. This research should also include an attempt to contact Mr. Sutherland or his next of kin to see if they possess any additional information ie: original assay certificates, old rock samples etc.

| 2014 Proposed Budget | | | | |
|-------------------------------|-------------|--------|-------|--------------------|
| Vehicle | | | | |
| Item | Days | Cost | Total | |
| Truck Rental | 14 | 50 | 700 | |
| Gas | 14 | 20 | 280 | |
| Subtotal Vehicle | | | | \$980.00 |
| Accommodation | | | | |
| Item | Cost/Night | Nights | Total | |
| Peachland Hotel | 50 | 14 | 700 | |
| Subtotal Accommodation | | | | \$700.00 |
| Food | | | | |
| Item | Cost/day | Days | Total | |
| Food (\$40/day/person) | 80 | 14 | 1120 | |
| Subtotal Food | | | | \$1,120.00 |
| Employees | | | | |
| Item | Wage | Days | Total | |
| Geologist | 400 | 14 | 5600 | |
| Technician | 200 | 14 | 2800 | |
| Subtotal Wages | | | | \$8,400.00 |
| Equipment Rental | | | | |
| Item | Unit | Days | Total | |
| Shovels, Hammers, Bags | 5 | 14 | 70 | |
| Radios | 10 | 14 | 140 | |
| Subtotal Rentals | | | | \$210.00 |
| Assays | | | | |
| Item | Cost/sample | Total | | |
| Rocks (100 samples) | 35 | 3500 | | |
| Soils (500 samples) | 25 | 12500 | | |
| Subtotal Assays | | | | \$16,000.00 |
| Report Writing | | | | |
| Item | Wage | Days | Total | |
| Geologist | 400 | 7 | 2800 | |
| Subtotal Report | | | | \$3,150.00 |
| TOTAL BUDGET | | | | \$30,560.00 |

Table 2 - 2014 Proposed Budget

References

Kettle River Geology (West Half). Cairnes, E.C. 1940. Regional Geology Map of the Kettle River Area. GSC Map 538A

Geology, Penticton, British Columbia. Tempelman-Kluit, D.J. 1989. Regional Geology Map of the Penticton Area. GSC Map 1736A

Report on Geological, Magnetometer and Geochemical Surveys on the Glen Lake Property of Juniper Mines. Philip, R.H.D. 1967. EMPR Assessment Report 01141.

A Report on the Glen Lake Claims, Peachland B.C. Sutherland, Ian G. 1978. EMPR Assessment Report 07790.

Prospecting Report on the Marg 1 and Marg 2 Claims. Sutherland, Ian G. EMPR Assessment Report 10819.

Geological Report on the Marg Mineral Property. Travis, Adam 2007. Prepared for Kitcher Resources Inc. (recovered from sec.gov archives).

Appendix I
Statement of Costs

Appendix II
Sample Descriptions

| ROCKS | | | | | | |
|---------------|-----------|---------|---------|---|----------|-----------|
| Sample Number | Date | Sampler | Type | Description | UTM_mE | UTM_mN |
| JJR-1 | 09-Aug-13 | JL/JR | Outcrop | Altered intrusive..granodiorite(?). Feldspars weak-moderate sericite altered. Mafic minerals (25% of rock) mod chl altered, sericite alteration of plagioclase. Py 5% localized along fractures w/ rare disseminations. Tan/gossanous weathered surface, gray/brown/green fresh. | 285563 | 5516672 |
| JJR-2 | 09-Aug-13 | JL/JR | Subcrop | Granodiorite. Fine-grained to med grained, relatively unaltered aside from weak chl alt of mafic minerals. Very gossanous weathered surface, fresh is white-grey. 0.1% Py as disseminations. | 285545 | 5516669 |
| JJR-3 | 09-Aug-13 | JL/JR | Subcrop | Very similar to JJR-1, less ser alteration more gossanous on weathered surface. | 285524 | 5516673 |
| JJR-4 | 09-Aug-13 | JL/JR | Subcrop | Similar to JJR-1/JJR-3, highly weathered and rubbly. Comes from large open pit 1.5 m wide and 2.5 m deep, taken from exposed weathered subcrop at bottom | 285508 | 5516651 |
| JJR-5 | 10-Aug-13 | JL/JR | Float | See JJR-1, 2% diss/fracture controlled Py | 285503.9 | 5516704.9 |
| JJR-6 | 10-Aug-13 | JL/JR | Outcrop | See JJR-1, 2% diss/fracture controlled Py +/- | 285563.1 | 5516676.9 |
| JJR-7 | 10-Aug-13 | JL/JR | Outcrop | As last JJR-1 | 285565.2 | 5516681.3 |
| JJR-8 | 10-Aug-13 | JL/JR | Outcrop | Very siliceous granodiorite, small books of biotite, weak-moderate pervasive ser alteration. 1 % Py | 285306.4 | 5516493.5 |
| JJR-9 | 17-Oct-13 | JL/RL | Outcrop | Strongly fractured/altered intrusive. Original texture/fabric obliterated by silica/sericite alteration. Weak remnant feldspars, evidence of patchy brown potassic alteration. Fresh surface mottled grey/green/white/brown, weathered gossanous/oxidized. Up 2-5% sulphides, primarily Py with minor Cpy/Bo. Sulphs along fracture planes and as small disseminations/blebs | 285645.9 | 5516738.8 |
| JJR-10 | 17-Oct-13 | JL/RL | Outcrop | As at JJR-9. Up to 10% sulphides, difficult to tell between weathered Py and Cpy. Sulphides vary between chunky veins along fracture planes, blebs, clots and disseminations. | 285650.4 | 5516715.6 |
| JJR-11 | 17-Oct-13 | JL/RL | Outcrop | Distinctly porphyritic intrusive. Porph felds. are strongly K-altered to brown/orange and are in a grey/green silica/sericite altered groundmass. Very gossanous. 5-10% sulphides, predominately pyrite; possible Cu mineral due to blebby iridescent blue/purple metallic luster in subhedral grainy Py fracture-fill, but may be tarnished Py. Sulphide veins/fracture fills up to 0.5cm wide | 285652.6 | 5516693.5 |
| JJR-12 | 17-Oct-13 | JL/RL | Float | Taken from angular pile of rocks next to old shaft. As at JJR-13, very little sulphides | 285662.9 | 5516710 |
| JJR-13 | 17-Oct-13 | JL/RL | Outcrop | Distinctly porphyritic intrusive. Porph felds. are strongly K-altered to brown/orange and are in a grey/green silica/sericite altered groundmass. Very gossanous. 5-10% sulphides, predominately pyrite; possible Cu mineral due to blebby iridescent blue/purple metallic luster in subhedral grainy Py fracture-fill, but may be tarnished Py. Sulphide veins/fracture fills up to 0.5cm wide | 285655.5 | 5516703 |
| JJR-14 | 17-Oct-13 | JL/RL | Outcrop | Porphyritic intrusive. Grey/green Si/Ser altered groundmass with 0.5mm porph weakly-K-altered feldspars. 1% Py on fracture planes and minor disseminations | 285669.6 | 5516693.8 |

| SOILS | | | | | | | | | | | | | |
|---------------|-----------|---------|-------|------------|---------|--------------|-----------|-------------|-------|------------------------------------|------------|----------|-----------|
| Sample Number | Date | Sampler | Color | Depth (cm) | Horizon | Organics Pct | Rocks Pct | Composition | Slope | Comments | Reference | UTM_mE | UTM_mN |
| L2 100 | 10-Aug-13 | JL/JR | IBR | 20 | B | 5 | 5 | Silt | 0 | Replanted bench | 2013 Field | 285622.2 | 5516463 |
| L2 150 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 5 | 5 | Silt | 5 NW | | 2013 Field | 285597 | 5516515.8 |
| L2 200 | 10-Aug-13 | JL/JR | IGYBR | 30 | B | 5 | 15 | Silt/Clay | 10 NW | Open forest | 2013 Field | 285569.7 | 5516558.3 |
| L2 250 | 10-Aug-13 | JL/JR | IGYBR | 40 | B | 5 | 5 | Silt | 5 NW | Open forest | 2013 Field | 285548 | 5516612 |
| L2 300 | 10-Aug-13 | JL/JR | IGYBR | 30 | B | 2 | 10 | Silt | 20 NW | | 2013 Field | 285526.3 | 5516663.4 |
| L2 350 | 10-Aug-13 | JL/JR | ORBR | 40 | Talus | 5 | 60 | Silt/Clay | 25 NW | Talus fines | 2013 Field | 285508 | 5516707 |
| L2 400 | 10-Aug-13 | JL/JR | IGYBR | 30 | B | 5 | 10 | Silt/Clay | 0 | Logged 1978, round cobbles in hole | 2013 Field | 285489.5 | 5516757.4 |
| L2 450 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 5 | 0 | Silt/Clay | 0 | Logged 1978 | 2013 Field | 285465 | 5516801.1 |
| L2 500 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 5 | 0 | Silt | 0 | Logged 1978 | 2013 Field | 285445 | 5516846 |
| L3 150 | 10-Aug-13 | JL/JR | BR | 30 | B | 10 | 5 | Silt | 5 NW | Ravine 10m N | 2013 Field | 285677.6 | 5516558.5 |
| L3 200 | 10-Aug-13 | JL/JR | IBR | 20 | B | 5 | 5 | Silt | 10 NW | Open forest | 2013 Field | 285646.5 | 5516601 |
| L3 250 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 5 | 5 | Silt | 10 NW | Open forest | 2013 Field | 285619.5 | 5516639.6 |
| L3 300 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 5 | 5 | Silt | 5 NW | Old skidder road 10m downslope | 2013 Field | 285569.1 | 5516669.7 |
| L3 325 | 10-Aug-13 | JL/JR | IBR | 25 | B | 5 | 5 | Silt | 0 | 2m W of old hand dug 5 m trench | 2013 Field | 285543.4 | 5516681.4 |
| L3 350 | 10-Aug-13 | JL/JR | IBR | 25 | B | 5 | 20 | Silt | 30 NW | Near base of slope | 2013 Field | 285528.1 | 5516719.6 |
| L3 400 | 10-Aug-13 | JL/JR | IGYBR | 20 | B | 10 | 30 | Silt | 0 | Logged 1978 | 2013 Field | 285511 | 5516759 |
| L3 450 | 10-Aug-13 | JL/JR | IBR | 20 | B | 10 | 10 | Silt | 0 | Logged 1978 | 2013 Field | 285493.8 | 5516802.7 |
| L3 500 | 10-Aug-13 | JL/JR | IBR | 30 | B | 5 | 0 | Silt | 0 | Logged 1978 | 2013 Field | 285489 | 5516853.4 |

Appendix III
Analytical Certificates



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Lewis, Jordan**
309 - 15158 Royal Ave
White Rock BC V4B 1M3 CANADA

Submitted By: Jordan Lewis
Receiving Lab: Canada-Vancouver
Received: August 14, 2013
Report Date: August 30, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003148.1

CLIENT JOB INFORMATION

Project: PEACH
Shipment ID: PEACH 1
P.O. Number
Number of Samples: 18

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Lewis, Jordan
309 - 15158 Royal Ave
White Rock BC V4B 1M3
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| Dry at 60C | 18 | Dry at 60C | | | VAN |
| SS80 | 18 | Dry at 60C sieve 100g to -80 mesh | | | VAN |
| 1F02 | 18 | 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis | 15 | Completed | VAN |

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: August 30, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003148.1

| Method | Analyte | Unit | MDL | 1F15 Mo | 1F15 Cu | 1F15 Pb | 1F15 Zn | 1F15 Ag | 1F15 Ni | 1F15 Co | 1F15 Mn | 1F15 Fe | 1F15 As | 1F15 U | 1F15 Au | 1F15 Th | 1F15 Sr | 1F15 Cd | 1F15 Sb | 1F15 Bi | 1F15 V | 1F15 Ca | 1F15 P |
|----------|---------|------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|---------|---------|---------|---------|--------|---------|--------|
| | | | | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | | | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | 0.001 |
| L2 100 N | Soil | | | 0.89 | 20.95 | 15.64 | 155.5 | 522 | 7.5 | 4.8 | 396 | 1.84 | 2.2 | 0.8 | <0.2 | 1.2 | 21.0 | 0.13 | 0.10 | 5.67 | 37 | 0.23 | 0.062 |
| L2 150 N | Soil | | | 1.09 | 17.89 | 16.68 | 86.8 | 117 | 8.1 | 6.1 | 383 | 1.96 | 1.7 | 1.2 | 1.1 | 2.7 | 25.4 | 0.10 | 0.11 | 2.85 | 44 | 0.29 | 0.015 |
| L2 200 N | Soil | | | 0.72 | 26.59 | 12.62 | 92.1 | 169 | 5.9 | 4.6 | 228 | 1.72 | 0.9 | 2.0 | 4.7 | 2.5 | 21.8 | 0.09 | 0.08 | 0.89 | 43 | 0.27 | 0.011 |
| L2 250 N | Soil | | | 1.63 | 13.96 | 22.22 | 192.9 | 183 | 9.8 | 7.4 | 482 | 2.08 | 2.9 | 0.7 | 0.6 | 2.0 | 31.3 | 0.38 | 0.12 | 2.27 | 46 | 0.36 | 0.099 |
| L2 300 N | Soil | | | 1.12 | 15.29 | 10.31 | 321.6 | 391 | 6.5 | 4.8 | 579 | 1.43 | 1.9 | 0.7 | <0.2 | 1.4 | 28.0 | 0.65 | 0.09 | 0.81 | 30 | 0.36 | 0.069 |
| L2 350 N | Soil | | | 7.32 | 173.5 | 29.53 | 155.9 | 162 | 6.8 | 14.1 | 628 | 4.22 | 20.2 | 3.9 | <0.2 | 11.5 | 22.3 | 0.35 | 0.28 | 1.87 | 32 | 0.27 | 0.069 |
| L2 400 N | Soil | | | 1.06 | 13.44 | 20.47 | 152.8 | 261 | 4.4 | 5.1 | 425 | 1.86 | 2.1 | 0.9 | <0.2 | 1.7 | 22.5 | 0.18 | 0.08 | 3.27 | 42 | 0.23 | 0.055 |
| L2 450 N | Soil | | | 0.67 | 25.50 | 22.02 | 226.0 | 341 | 6.7 | 5.2 | 392 | 1.82 | 2.3 | 1.7 | 1.1 | 2.6 | 29.8 | 0.20 | 0.10 | 3.05 | 38 | 0.27 | 0.059 |
| L2 500 N | Soil | | | 1.63 | 8.57 | 13.64 | 104.4 | 208 | 7.2 | 5.2 | 354 | 1.49 | 1.1 | 0.5 | 3.7 | 2.1 | 19.7 | 0.11 | 0.07 | 0.59 | 35 | 0.20 | 0.093 |
| L3 150 N | Soil | | | 0.79 | 14.48 | 16.64 | 128.4 | 291 | 8.1 | 6.1 | 465 | 2.07 | 2.4 | 0.5 | 1.9 | 2.1 | 15.1 | 0.07 | 0.10 | 1.71 | 51 | 0.16 | 0.055 |
| L3 200 N | Soil | | | 0.73 | 13.50 | 12.11 | 101.0 | 432 | 9.3 | 4.8 | 225 | 1.79 | 2.8 | 0.4 | 3.1 | 1.5 | 19.9 | 0.08 | 0.08 | 0.53 | 43 | 0.20 | 0.071 |
| L3 250 N | Soil | | | 0.80 | 24.35 | 14.56 | 186.9 | 375 | 9.2 | 6.4 | 516 | 1.69 | 1.7 | 1.2 | 0.3 | 1.3 | 25.9 | 0.22 | 0.09 | 0.52 | 39 | 0.32 | 0.051 |
| L3 300 N | Soil | | | 0.97 | 15.24 | 19.47 | 306.1 | 279 | 9.4 | 7.2 | 448 | 2.07 | 2.8 | 0.6 | 1.8 | 2.0 | 20.0 | 0.34 | 0.08 | 1.19 | 48 | 0.19 | 0.124 |
| L3 325 N | Soil | | | 1.69 | 25.07 | 18.26 | 586.3 | 284 | 6.7 | 5.9 | 283 | 1.93 | 3.9 | 1.3 | 24.8 | 1.9 | 17.6 | 0.33 | 0.07 | 1.12 | 39 | 0.20 | 0.021 |
| L3 350 N | Soil | | | 5.64 | 42.78 | 11.62 | 154.6 | 193 | 7.7 | 8.3 | 288 | 2.09 | 5.3 | 1.0 | 9.0 | 3.8 | 17.7 | 0.18 | 0.12 | 1.22 | 35 | 0.17 | 0.048 |
| L3 400 N | Soil | | | 1.18 | 30.29 | 28.79 | 223.8 | 241 | 6.1 | 6.8 | 653 | 2.13 | 2.5 | 2.4 | 1.0 | 2.1 | 34.3 | 0.38 | 0.12 | 4.26 | 46 | 0.33 | 0.065 |
| L3 450 N | Soil | | | 0.85 | 21.88 | 23.72 | 214.2 | 225 | 5.0 | 5.9 | 536 | 1.92 | 2.1 | 1.2 | 1.4 | 2.3 | 27.7 | 0.17 | 0.10 | 3.52 | 42 | 0.31 | 0.060 |
| L3 500 N | Soil | | | 2.11 | 14.46 | 14.77 | 149.4 | 211 | 7.4 | 5.9 | 590 | 1.62 | 1.3 | 1.1 | 0.7 | 2.2 | 24.3 | 0.24 | 0.09 | 0.72 | 37 | 0.21 | 0.098 |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: August 30, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003148.1

| Method | Analyte | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|----------|---------|------|------|------|-------|-------|------|------|-------|------|------|------|------|-------|------|------|-------|-----|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | |
| MDL | | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 |
| L2 100 N | Soil | 6.1 | 9.7 | 0.19 | 131.7 | 0.074 | 2 | 2.02 | 0.019 | 0.09 | 0.3 | 1.3 | 0.08 | <0.02 | 32 | <0.1 | 0.20 | 6.6 |
| L2 150 N | Soil | 7.0 | 11.2 | 0.24 | 107.7 | 0.061 | <1 | 1.57 | 0.015 | 0.13 | 0.3 | 1.7 | 0.10 | <0.02 | 22 | <0.1 | 0.22 | 5.3 |
| L2 200 N | Soil | 10.3 | 10.4 | 0.24 | 45.0 | 0.071 | 2 | 1.23 | 0.020 | 0.08 | 0.3 | 1.8 | 0.09 | <0.02 | 14 | 0.2 | 0.08 | 4.6 |
| L2 250 N | Soil | 4.9 | 12.7 | 0.28 | 141.1 | 0.082 | 2 | 1.98 | 0.015 | 0.12 | 0.5 | 1.7 | 0.09 | <0.02 | 17 | <0.1 | 0.26 | 7.0 |
| L2 300 N | Soil | 4.5 | 7.5 | 0.14 | 76.2 | 0.076 | 2 | 1.45 | 0.021 | 0.07 | 0.2 | 1.5 | 0.07 | <0.02 | 40 | <0.1 | 0.05 | 5.0 |
| L2 350 N | Soil | 11.7 | 6.1 | 0.26 | 76.0 | 0.023 | 1 | 1.86 | 0.014 | 0.11 | 0.3 | 1.9 | 0.16 | 0.02 | 35 | 0.3 | 0.38 | 6.5 |
| L2 400 N | Soil | 6.6 | 9.5 | 0.30 | 77.9 | 0.042 | <1 | 0.80 | 0.015 | 0.12 | 0.4 | 1.7 | 0.10 | <0.02 | <5 | <0.1 | 0.03 | 3.7 |
| L2 450 N | Soil | 11.0 | 10.7 | 0.36 | 119.0 | 0.055 | 1 | 1.24 | 0.021 | 0.15 | 0.5 | 2.8 | 0.13 | <0.02 | 15 | <0.1 | 0.04 | 4.1 |
| L2 500 N | Soil | 6.2 | 10.0 | 0.25 | 82.9 | 0.057 | <1 | 1.18 | 0.015 | 0.08 | 0.9 | 2.3 | 0.07 | <0.02 | 12 | <0.1 | <0.02 | 4.4 |
| L3 150 N | Soil | 4.9 | 11.8 | 0.25 | 124.4 | 0.084 | 1 | 1.71 | 0.015 | 0.06 | 0.6 | 2.1 | 0.09 | <0.02 | 13 | <0.1 | 0.14 | 6.7 |
| L3 200 N | Soil | 4.7 | 9.9 | 0.21 | 101.9 | 0.079 | <1 | 1.85 | 0.017 | 0.07 | 0.7 | 1.7 | 0.05 | <0.02 | 30 | <0.1 | 0.06 | 5.6 |
| L3 250 N | Soil | 6.3 | 10.7 | 0.24 | 124.6 | 0.070 | 1 | 1.53 | 0.018 | 0.11 | 0.2 | 2.0 | 0.09 | <0.02 | 24 | <0.1 | 0.05 | 5.2 |
| L3 300 N | Soil | 5.4 | 13.5 | 0.26 | 126.1 | 0.083 | <1 | 1.69 | 0.018 | 0.07 | 0.5 | 2.3 | 0.05 | <0.02 | 21 | 0.2 | 0.06 | 5.7 |
| L3 325 N | Soil | 4.5 | 9.4 | 0.18 | 84.0 | 0.066 | <1 | 1.61 | 0.018 | 0.07 | 0.2 | 1.5 | 0.07 | <0.02 | <5 | 0.2 | 0.03 | 5.1 |
| L3 350 N | Soil | 6.8 | 8.1 | 0.18 | 95.9 | 0.042 | <1 | 1.57 | 0.016 | 0.10 | 0.2 | 1.2 | 0.09 | <0.02 | 24 | 0.2 | 0.20 | 5.7 |
| L3 400 N | Soil | 12.7 | 11.9 | 0.40 | 107.4 | 0.047 | 1 | 1.07 | 0.016 | 0.16 | 0.4 | 2.5 | 0.12 | <0.02 | 9 | <0.1 | 0.11 | 4.3 |
| L3 450 N | Soil | 10.4 | 10.4 | 0.35 | 108.3 | 0.046 | <1 | 0.98 | 0.016 | 0.14 | 0.5 | 2.1 | 0.12 | <0.02 | <5 | <0.1 | 0.11 | 3.8 |
| L3 500 N | Soil | 7.6 | 10.3 | 0.28 | 127.0 | 0.059 | <1 | 1.37 | 0.016 | 0.10 | 0.9 | 2.3 | 0.11 | <0.02 | 12 | 0.1 | 0.03 | 5.1 |

QUALITY CONTROL REPORT

VAN13003148.1

| Method | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|----------|-------|-------|-------|-------|------|------|------|------|-------|------|------|-------|------|------|-------|-------|-------|------|--------|--------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| L2 200 N | Soil | 0.72 | 26.59 | 12.62 | 92.1 | 169 | 5.9 | 4.6 | 228 | 1.72 | 0.9 | 2.0 | 4.7 | 2.5 | 21.8 | 0.09 | 0.08 | 0.89 | 43 | 0.27 | 0.011 |
| REP L2 200 N | QC | 0.70 | 27.59 | 12.07 | 86.1 | 152 | 6.4 | 4.8 | 226 | 1.75 | 1.0 | 2.0 | 1.9 | 2.7 | 21.0 | 0.06 | 0.08 | 0.85 | 44 | 0.27 | 0.011 |
| L2 450 N | Soil | 0.67 | 25.50 | 22.02 | 226.0 | 341 | 6.7 | 5.2 | 392 | 1.82 | 2.3 | 1.7 | 1.1 | 2.6 | 29.8 | 0.20 | 0.10 | 3.05 | 38 | 0.27 | 0.059 |
| REP L2 450 N | QC | 0.65 | 25.06 | 21.70 | 223.8 | 387 | 7.0 | 5.0 | 408 | 1.83 | 2.1 | 1.7 | 1.8 | 2.7 | 30.4 | 0.22 | 0.09 | 3.05 | 38 | 0.26 | 0.059 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS9 | Standard | 13.25 | 110.2 | 132.3 | 309.2 | 1740 | 41.0 | 7.1 | 518 | 2.32 | 23.5 | 2.9 | 122.2 | 6.5 | 67.5 | 2.37 | 5.49 | 6.58 | 40 | 0.73 | 0.079 |
| STD DS9 Expected | | 12.84 | 108 | 126 | 317 | 1830 | 40.3 | 7.6 | 575 | 2.33 | 25.5 | 2.69 | 118 | 6.38 | 69.6 | 2.4 | 4.94 | 6.32 | 40 | 0.7201 | 0.0819 |
| BLK | Blank | <0.01 | <0.01 | <0.01 | <0.1 | <2 | <0.1 | <0.1 | <1 | <0.01 | <0.1 | <0.1 | <0.2 | <0.1 | <0.5 | <0.01 | <0.02 | <0.02 | <2 | <0.01 | <0.001 |

QUALITY CONTROL REPORT

VAN13003148.1

| Method | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|----------|------|-------|--------|-------|--------|------|--------|--------|-------|------|------|-------|--------|------|------|-------|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | |
| MDL | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | |
| L2 200 N | Soil | 10.3 | 10.4 | 0.24 | 45.0 | 0.071 | 2 | 1.23 | 0.020 | 0.08 | 0.3 | 1.8 | 0.09 | <0.02 | 14 | 0.2 | 0.08 | 4.6 |
| REP L2 200 N | QC | 10.5 | 10.2 | 0.23 | 45.8 | 0.073 | <1 | 1.24 | 0.020 | 0.08 | 0.3 | 2.2 | 0.09 | <0.02 | <5 | <0.1 | 0.03 | 4.6 |
| L2 450 N | Soil | 11.0 | 10.7 | 0.36 | 119.0 | 0.055 | 1 | 1.24 | 0.021 | 0.15 | 0.5 | 2.8 | 0.13 | <0.02 | 15 | <0.1 | 0.04 | 4.1 |
| REP L2 450 N | QC | 11.4 | 10.2 | 0.37 | 121.4 | 0.057 | 1 | 1.27 | 0.021 | 0.14 | 0.3 | 2.7 | 0.12 | <0.02 | 7 | <0.1 | 0.05 | 4.3 |
| Reference Materials | | | | | | | | | | | | | | | | | | |
| STD DS9 | Standard | 13.4 | 118.9 | 0.61 | 291.2 | 0.112 | 3 | 0.94 | 0.083 | 0.39 | 3.1 | 2.5 | 5.20 | 0.17 | 219 | 5.2 | 5.20 | 4.5 |
| STD DS9 Expected | | 13.3 | 121 | 0.6165 | 295 | 0.1108 | | 0.9577 | 0.0853 | 0.395 | 2.89 | 2.5 | 5.3 | 0.1615 | 200 | 5.2 | 5.02 | 4.59 |
| BLK | Blank | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | <0.1 |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Lewis, Jordan**
309 - 15158 Royal Ave
White Rock BC V4B 1M3 CANADA

Submitted By: Jordan Lewis
Receiving Lab: Canada-Vancouver
Received: August 14, 2013
Report Date: September 09, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003149.1

CLIENT JOB INFORMATION

Project: PEACH
Shipment ID: PEACH 1
P.O. Number
Number of Samples: 8

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code | Number of Samples | Code Description | Test Wgt (g) | Report Status | Lab |
|----------------|-------------------|---|--------------|---------------|-----|
| R200-250 | 8 | Crush, split and pulverize 250 g rock to 200 mesh | | | VAN |
| 1F02 | 8 | 1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis | 15 | Completed | VAN |

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Lewis, Jordan
309 - 15158 Royal Ave
White Rock BC V4B 1M3
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: September 09, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13003149.1

| Method | WGHT | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------|------|------|------|-------|------|-------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|------|------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | |
| JJR 1 | Rock | 1.72 | 0.38 | 77.93 | 4.69 | 105.9 | 229 | 2.2 | 8.4 | 173 | 2.72 | 1.1 | 4.4 | 1.6 | 4.9 | 20.5 | 0.13 | 0.08 | 2.38 | 12 | 0.42 |
| JJR 2 | Rock | 0.91 | 1.00 | 4.93 | 6.17 | 25.1 | 46 | 1.4 | 2.8 | 129 | 1.12 | 0.2 | 4.7 | <0.2 | 5.8 | 8.5 | 0.02 | <0.02 | 0.81 | 13 | 0.11 |
| JJR 3 | Rock | 1.23 | 4.79 | 54.75 | 8.51 | 19.6 | 284 | 1.7 | 4.8 | 74 | 2.67 | 17.4 | 1.8 | 7.3 | 4.4 | 17.2 | <0.01 | 0.03 | 9.67 | 12 | 0.07 |
| JJR 4 | Rock | 1.01 | 2.21 | 136.1 | 6.88 | 28.2 | 293 | 1.8 | 3.8 | 142 | 1.76 | 1.7 | 3.7 | 2.8 | 5.7 | 13.7 | 0.03 | 0.05 | 0.81 | 7 | 0.18 |
| JJR 5 | Rock | 0.72 | 0.49 | 59.92 | 5.29 | 15.3 | 63 | 0.9 | 0.8 | 54 | 2.10 | 47.1 | 1.2 | <0.2 | 6.2 | 12.8 | 0.02 | 0.27 | 1.64 | 3 | 0.05 |
| JJR 6 | Rock | 1.09 | 0.53 | 53.70 | 5.72 | 28.7 | 183 | 2.1 | 3.7 | 219 | 1.48 | 0.3 | 4.8 | <0.2 | 6.4 | 9.3 | 0.03 | <0.02 | 1.09 | 16 | 0.08 |
| JJR 7 | Rock | 1.24 | 2.20 | 18.12 | 6.28 | 28.4 | 115 | 1.5 | 5.6 | 129 | 2.58 | 2.9 | 5.3 | <0.2 | 7.0 | 16.9 | <0.01 | 0.06 | 16.88 | 14 | 0.03 |
| JJR 8 | Rock | 1.52 | 0.44 | 41.89 | 5.97 | 27.9 | 80 | 2.8 | 3.0 | 158 | 1.52 | 0.2 | 2.8 | <0.2 | 6.3 | 10.8 | 0.04 | <0.02 | 0.45 | 23 | 0.14 |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: September 09, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13003149.1

| Method | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------|-------|-------|------|------|------|-------|-------|------|-------|-------|------|------|------|------|------|------|------|------|-----|
| Analyte | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga | |
| Unit | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | |
| MDL | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 | |
| JJR 1 | Rock | 0.036 | 2.9 | 7.5 | 0.23 | 24.3 | 0.035 | 2 | 1.20 | 0.148 | 0.23 | 1.2 | 0.9 | 0.27 | 1.20 | <5 | 0.1 | 0.19 | 3.8 |
| JJR 2 | Rock | 0.035 | 7.4 | 6.7 | 0.26 | 20.6 | 0.007 | 1 | 0.48 | 0.045 | 0.15 | 0.2 | 1.3 | 0.13 | 0.14 | <5 | <0.1 | 0.17 | 3.4 |
| JJR 3 | Rock | 0.031 | 5.3 | 5.7 | 0.19 | 31.0 | 0.023 | 1 | 0.53 | 0.040 | 0.34 | 0.2 | 1.1 | 0.35 | 1.15 | <5 | <0.1 | 5.90 | 3.5 |
| JJR 4 | Rock | 0.037 | 7.9 | 6.8 | 0.18 | 28.4 | 0.006 | <1 | 0.68 | 0.052 | 0.19 | 0.2 | 0.7 | 0.14 | 0.14 | <5 | <0.1 | 0.17 | 2.7 |
| JJR 5 | Rock | 0.034 | 6.7 | 5.3 | 0.07 | 49.0 | 0.003 | <1 | 0.52 | 0.021 | 0.24 | <0.1 | 0.3 | 0.14 | 0.19 | <5 | <0.1 | 0.21 | 1.9 |
| JJR 6 | Rock | 0.028 | 4.5 | 7.9 | 0.30 | 33.5 | 0.025 | <1 | 0.55 | 0.043 | 0.18 | 0.2 | 2.2 | 0.17 | 0.15 | <5 | <0.1 | 0.49 | 4.2 |
| JJR 7 | Rock | 0.019 | 1.0 | 8.5 | 0.39 | 36.2 | 0.022 | <1 | 0.72 | 0.034 | 0.35 | 0.5 | 1.5 | 0.39 | 0.53 | <5 | <0.1 | 9.05 | 6.1 |
| JJR 8 | Rock | 0.042 | 8.5 | 9.2 | 0.34 | 46.0 | 0.063 | <1 | 0.58 | 0.053 | 0.22 | 0.6 | 2.6 | 0.15 | 0.06 | <5 | <0.1 | 0.06 | 4.5 |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: September 09, 2013

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN13003149.1

| Method | WGHT | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|------------|------|-------|-------|-------|-------|------|------|------|------|-------|------|------|-------|------|------|-------|-------|------|------|--------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| JJR 3 | Rock | 1.23 | 4.79 | 54.75 | 8.51 | 19.6 | 284 | 1.7 | 4.8 | 74 | 2.67 | 17.4 | 1.8 | 7.3 | 4.4 | 17.2 | <0.01 | 0.03 | 9.67 | 12 | 0.07 |
| REP JJR 3 | QC | | 5.19 | 53.43 | 8.86 | 19.6 | 298 | 1.5 | 4.1 | 71 | 2.68 | 18.4 | 1.8 | 5.8 | 4.7 | 19.3 | 0.01 | 0.03 | 9.89 | 12 | 0.07 |
| JJR 8 | Rock | 1.52 | 0.44 | 41.89 | 5.97 | 27.9 | 80 | 2.8 | 3.0 | 158 | 1.52 | 0.2 | 2.8 | <0.2 | 6.3 | 10.8 | 0.04 | <0.02 | 0.45 | 23 | 0.14 |
| REP JJR 8 | QC | | 0.40 | 40.72 | 6.12 | 26.5 | 65 | 2.2 | 3.1 | 151 | 1.51 | <0.1 | 3.0 | <0.2 | 6.1 | 10.4 | 0.03 | <0.02 | 0.34 | 22 | 0.14 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS9 | Standard | | 13.18 | 104.1 | 131.5 | 301.7 | 1812 | 40.5 | 7.3 | 599 | 2.32 | 25.6 | 2.9 | 113.2 | 6.5 | 75.0 | 2.42 | 6.06 | 6.90 | 39 | 0.72 |
| STD DS9 | Standard | | 14.36 | 100.6 | 118.6 | 290.2 | 1834 | 35.3 | 6.6 | 560 | 2.27 | 24.0 | 2.9 | 137.3 | 6.8 | 71.5 | 2.41 | 6.08 | 6.61 | 40 | 0.71 |
| STD DS9 Expected | | | 12.84 | 108 | 126 | 317 | 1830 | 40.3 | 7.6 | 575 | 2.33 | 25.5 | 2.69 | 118 | 6.38 | 69.6 | 2.4 | 4.94 | 6.32 | 40 | 0.7201 |
| BLK | Blank | | <0.01 | <0.01 | <0.01 | <0.1 | <2 | <0.1 | <0.1 | <1 | <0.01 | 0.1 | <0.1 | <0.2 | <0.1 | <0.5 | <0.01 | <0.02 | 0.02 | <2 | <0.01 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | | 0.11 | 2.56 | 2.86 | 42.2 | 42 | 2.6 | 3.7 | 532 | 1.85 | 0.1 | 1.6 | 2.5 | 5.0 | 48.1 | 0.04 | 0.06 | 0.10 | 35 | 0.46 |

QUALITY CONTROL REPORT

VAN13003149.1

| Method | | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|------------|--------|------|-------|--------|-------|--------|------|--------|--------|-------|------|------|-------|--------|------|------|-------|------|--|
| Analyte | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga | |
| Unit | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | |
| MDL | | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | |
| JJR 3 | Rock | 0.031 | 5.3 | 5.7 | 0.19 | 31.0 | 0.023 | 1 | 0.53 | 0.040 | 0.34 | 0.2 | 1.1 | 0.35 | 1.15 | <5 | <0.1 | 5.90 | 3.5 | |
| REP JJR 3 | QC | 0.033 | 5.4 | 5.1 | 0.22 | 30.0 | 0.023 | 1 | 0.55 | 0.041 | 0.34 | 0.2 | 1.1 | 0.35 | 1.15 | <5 | 0.1 | 6.14 | 3.7 | |
| JJR 8 | Rock | 0.042 | 8.5 | 9.2 | 0.34 | 46.0 | 0.063 | <1 | 0.58 | 0.053 | 0.22 | 0.6 | 2.6 | 0.15 | 0.06 | <5 | <0.1 | 0.06 | 4.5 | |
| REP JJR 8 | QC | 0.040 | 7.9 | 8.7 | 0.34 | 45.4 | 0.061 | <1 | 0.56 | 0.052 | 0.21 | 0.6 | 2.5 | 0.14 | 0.06 | <5 | <0.1 | 0.08 | 4.6 | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD DS9 | Standard | 0.086 | 14.6 | 115.6 | 0.63 | 292.1 | 0.118 | <1 | 0.97 | 0.082 | 0.39 | 3.0 | 2.5 | 5.17 | 0.16 | 196 | 4.9 | 5.24 | 4.4 | |
| STD DS9 | Standard | 0.089 | 11.7 | 112.7 | 0.60 | 322.3 | 0.103 | 3 | 0.91 | 0.078 | 0.39 | 2.9 | 2.5 | 5.09 | 0.16 | 181 | 5.4 | 5.52 | 4.2 | |
| STD DS9 Expected | | 0.0819 | 13.3 | 121 | 0.6165 | 295 | 0.1108 | | 0.9577 | 0.0853 | 0.395 | 2.89 | 2.5 | 5.3 | 0.1615 | 200 | 5.2 | 5.02 | 4.59 | |
| BLK | Blank | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | <0.1 | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | 0.070 | 11.6 | 11.3 | 0.47 | 160.7 | 0.100 | 3 | 0.84 | 0.076 | 0.46 | <0.1 | 2.2 | 0.29 | <0.02 | <5 | <0.1 | <0.02 | 4.3 | |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Lewis, Jordan
309 - 15158 Royal Ave
White Rock BC V4B 1M3 CANADA

Submitted By: Jordan Lewis
Receiving Lab: Canada-Vancouver
Received: October 18, 2013
Report Date: November 02, 2013
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13004320.1

CLIENT JOB INFORMATION

Project: PEACH
Shipment ID: Peach2
P.O. Number
Number of Samples: 6

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Procedure Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Contains two rows of sample preparation data.

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Lewis, Jordan
309 - 15158 Royal Ave
White Rock BC V4B 1M3
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: November 02, 2013

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN13004320.1

| Method | WGHT | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------|------|------|------|---------|-------|-------|------|------|------|------|-------|------|------|------|------|------|------|------|--------|------|------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | |
| JJR-009 | Rock | 1.49 | 0.53 | 136.96 | 12.73 | 56.3 | 427 | 2.0 | 5.0 | 434 | 2.17 | 5.1 | 2.7 | 2.2 | 6.4 | 21.3 | 0.05 | 0.06 | 1.39 | 14 | 0.23 |
| JJR-010 | Rock | 2.08 | 5.01 | 1003.88 | 9.63 | 160.7 | 1796 | 4.0 | 14.4 | 256 | 11.45 | 31.1 | 6.3 | 3.6 | 3.7 | 2.3 | 0.19 | 0.80 | 7.53 | 10 | 0.03 |
| JJR-011 | Rock | 1.42 | 2.65 | 405.99 | 20.94 | 53.4 | 1395 | 2.7 | 30.5 | 184 | 12.14 | 42.0 | 1.9 | 20.5 | 3.7 | 10.2 | 0.07 | 0.31 | 5.18 | 11 | 0.09 |
| JJR-012 | Rock | 1.63 | 2.50 | 753.61 | 8.64 | 43.5 | 1313 | 3.1 | 11.0 | 287 | 6.75 | 9.0 | 7.0 | 12.9 | 6.3 | 6.6 | 0.04 | 0.16 | 120.37 | 12 | 0.10 |
| JJR-013 | Rock | 1.26 | 5.87 | 1126.81 | 6.04 | 53.2 | 951 | 5.7 | 14.3 | 340 | 11.79 | 9.8 | 5.1 | 4.6 | 4.7 | 5.0 | 0.03 | 0.48 | 2.78 | 14 | 0.08 |
| JJR-014 | Rock | 1.66 | 0.99 | 222.19 | 3.28 | 31.0 | 207 | 1.7 | 2.8 | 271 | 3.86 | 1.4 | 7.5 | 1.2 | 5.7 | 4.9 | 0.03 | 0.14 | 9.94 | 12 | 0.07 |



www.acmelab.com

Acme Analytical Laboratories (Vancouver) Ltd.
 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
 PHONE (604) 253-3158

Client: **Lewis, Jordan**
 309 - 15158 Royal Ave
 White Rock BC V4B 1M3 CANADA

Project: PEACH
 Report Date: November 02, 2013

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN13004320.1

| Method | | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 |
|---------|------|-------|------|------|------|------|-------|------|------|-------|------|------|------|------|------|------|------|------|------|
| Analyte | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga |
| Unit | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm |
| MDL | | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 |
| JJR-009 | Rock | 0.041 | 4.5 | 5.5 | 0.31 | 29.6 | 0.038 | <1 | 1.09 | 0.076 | 0.23 | 0.4 | 1.2 | 0.24 | 0.72 | <5 | <0.1 | 0.05 | 4.5 |
| JJR-010 | Rock | 0.019 | 2.9 | 3.5 | 0.43 | 20.1 | 0.015 | 2 | 2.12 | 0.004 | 0.20 | 0.2 | 1.1 | 0.58 | 5.46 | <5 | 0.2 | 0.31 | 9.1 |
| JJR-011 | Rock | 0.022 | 3.2 | 3.6 | 0.22 | 19.7 | 0.016 | <1 | 1.12 | 0.043 | 0.20 | 0.2 | 0.9 | 0.34 | 9.34 | 9 | <0.1 | 0.46 | 6.1 |
| JJR-012 | Rock | 0.027 | 3.0 | 5.7 | 0.46 | 29.2 | 0.040 | <1 | 1.19 | 0.028 | 0.36 | 1.2 | 1.1 | 0.64 | 4.24 | 23 | 0.2 | 0.49 | 4.7 |
| JJR-013 | Rock | 0.026 | 4.0 | 3.9 | 0.53 | 14.4 | 0.022 | 2 | 2.18 | 0.022 | 0.22 | 0.2 | 1.7 | 1.00 | 6.39 | <5 | 0.2 | 0.37 | 9.6 |
| JJR-014 | Rock | 0.029 | 2.2 | 5.5 | 0.53 | 48.2 | 0.045 | 1 | 1.36 | 0.018 | 0.51 | 0.6 | 0.9 | 0.86 | 0.97 | <5 | <0.1 | 0.18 | 6.4 |

QUALITY CONTROL REPORT

VAN13004320.1

| Method | WGHT | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|------------|------|-------|--------|--------|-------|------|------|------|------|--------|------|------|-------|------|-------|-------|-------|-------|------|--------|
| Analyte | Wgt | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | |
| Unit | kg | ppm | ppm | ppm | ppm | ppb | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | |
| MDL | 0.01 | 0.01 | 0.01 | 0.01 | 0.1 | 2 | 0.1 | 0.1 | 1 | 0.01 | 0.1 | 0.1 | 0.2 | 0.1 | 0.5 | 0.01 | 0.02 | 0.02 | 2 | 0.01 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| JJR-014 | Rock | 1.66 | 0.99 | 222.19 | 3.28 | 31.0 | 207 | 1.7 | 2.8 | 271 | 3.86 | 1.4 | 7.5 | 1.2 | 5.7 | 4.9 | 0.03 | 0.14 | 9.94 | 12 | 0.07 |
| REP JJR-014 | QC | | 0.94 | 221.93 | 3.28 | 30.2 | 211 | 1.6 | 2.9 | 273 | 3.86 | 1.3 | 7.1 | 1.0 | 5.6 | 5.0 | 0.01 | 0.14 | 9.87 | 12 | 0.06 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | | 16.04 | 166.24 | 161.73 | 359.5 | 2049 | 79.1 | 13.2 | 913 | 2.88 | 45.9 | 2.8 | 90.8 | 8.1 | 68.2 | 2.36 | 8.74 | 12.27 | 46 | 1.12 |
| STD OXC109 | Standard | | 1.65 | 38.64 | 11.30 | 40.6 | 26 | 76.0 | 21.5 | 448 | 2.94 | 0.5 | 0.6 | 198.3 | 1.6 | 143.0 | 0.07 | 0.04 | 0.10 | 49 | 0.72 |
| STD DS10 Expected | | | 14.69 | 154.61 | 150.55 | 352.9 | 1960 | 74.6 | 12.9 | 861 | 2.7188 | 43.7 | 2.59 | 91.9 | 7.5 | 67.1 | 2.48 | 9.51 | 11.65 | 43 | 1.0355 |
| STD OXC109 Expected | | | | | | | | | | | | | | 201 | | | | | | | |
| BLK | Blank | | <0.01 | <0.01 | <0.01 | 0.2 | 3 | <0.1 | <0.1 | <1 | <0.01 | 0.1 | <0.1 | <0.2 | <0.1 | <0.5 | <0.01 | <0.02 | 0.09 | <2 | <0.01 |
| Prep Wash | | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | | 0.04 | 2.45 | 2.79 | 49.5 | 13 | 3.3 | 4.1 | 632 | 2.12 | <0.1 | 1.4 | 1.6 | 5.3 | 72.7 | 0.02 | 0.04 | 0.10 | 38 | 0.47 |

QUALITY CONTROL REPORT

VAN13004320.1

| Method | | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | 1F15 | |
|---------------------|------------|--------|------|------|--------|-------|--------|------|--------|--------|--------|------|------|-------|--------|------|------|-------|------|--|
| Analyte | | P | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Sc | Tl | S | Hg | Se | Te | Ga | |
| Unit | | % | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | % | ppb | ppm | ppm | ppm | |
| MDL | | 0.001 | 0.5 | 0.5 | 0.01 | 0.5 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.1 | 0.02 | 0.02 | 5 | 0.1 | 0.02 | 0.1 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | |
| JJR-014 | Rock | 0.029 | 2.2 | 5.5 | 0.53 | 48.2 | 0.045 | 1 | 1.36 | 0.018 | 0.51 | 0.6 | 0.9 | 0.86 | 0.97 | <5 | <0.1 | 0.18 | 6.4 | |
| REP JJR-014 | QC | 0.029 | 2.2 | 5.6 | 0.53 | 49.6 | 0.047 | <1 | 1.37 | 0.018 | 0.51 | 0.6 | 0.8 | 0.91 | 0.97 | <5 | <0.1 | 0.10 | 6.1 | |
| Reference Materials | | | | | | | | | | | | | | | | | | | | |
| STD DS10 | Standard | 0.076 | 18.4 | 58.2 | 0.82 | 362.2 | 0.093 | 6 | 1.12 | 0.067 | 0.35 | 3.1 | 3.2 | 4.90 | 0.29 | 297 | 2.4 | 5.34 | 4.4 | |
| STD OXC109 | Standard | 0.102 | 12.4 | 60.1 | 1.48 | 57.4 | 0.423 | 1 | 1.56 | 0.688 | 0.42 | 0.2 | 1.2 | 0.02 | <0.02 | <5 | <0.1 | <0.02 | 5.5 | |
| STD DS10 Expected | | 0.073 | 17.5 | 54.6 | 0.7651 | 349 | 0.0817 | | 1.0259 | 0.0638 | 0.3245 | 3.34 | 2.8 | 4.79 | 0.2743 | 289 | 2.3 | 4.89 | 4.3 | |
| STD OXC109 Expected | | | | | | | | | | | | | | | | | | | | |
| BLK | Blank | <0.001 | <0.5 | <0.5 | <0.01 | <0.5 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.1 | <0.02 | <0.02 | <5 | <0.1 | <0.02 | <0.1 | |
| Prep Wash | | | | | | | | | | | | | | | | | | | | |
| G1 | Prep Blank | 0.072 | 10.7 | 8.5 | 0.60 | 223.0 | 0.132 | 2 | 0.98 | 0.070 | 0.48 | <0.1 | 2.3 | 0.33 | <0.02 | <5 | <0.1 | 0.09 | 4.7 | |

Appendix IV


Statement of Qualifications

STATEMENT OF QUALIFICATIONS

I, Jordan William Lewis, of White Rock, BC do hereby certify that:

1. I graduated, with Honours, from the Mining and Mineral Exploration Technology Diploma Program at the British Columbia Institute of Technology.
2. I have practiced my profession for 6 years. This experience includes primarily precious and base metal exploration in Yukon Territory, British Columbia, Ontario and Newfoundland/Labrador
3. I am currently employed by Coast Mountain Geological Ltd, and have been since 2008.
4. I am the author and am responsible for the preparation of the report titled “Assessment Report on the Geology and Geochemistry of the Peach Property” dated April 10, 2014.
5. I personally collected or supervised the collection of all samples and data.
6. I am the sole Owner/Operator of the Peach Property

This 10th day of April, 2014



Jordan Lewis