



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2013 DIAMOND DRILLING PROGRAM ON THE BRENDA GOLD-COPPER
PROPERTY TOODOGGONE RIVER MAP AREA, NORTHERN BRITISH COLUMBIA

TOTAL COST: \$329,123.22

AUTHOR(S): R.A. (Bob) Lane
SIGNATURE(S):

A handwritten signature in blue ink, appearing to read "R. A. Lane", written over the signature line.

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-GEN-54
STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5504948

YEAR OF WORK: 2013

PROPERTY NAME: Brenda

CLAIM NAME(S) (on which work was done): 238771, 239993

COMMODITIES SOUGHT: Copper, Gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 094E 008, 107, 142, 147

MINING DIVISION: Omineca

NTS / BCGS: 094E/07W or 094E026, 094E027

LATITUDE: 57° 15' 23"

LONGITUDE: 126° 52' 05"

UTM Zone: 9 (NAD 83)

EASTING: 628607

NORTHING: 6347939

OWNER(S): Canasil Resources Inc.

MAILING ADDRESS: 915 – 700 W. Pender Street, Vancouver, B.C., V6C 1G8

OPERATOR(S): Canasil Resources Inc.

MAILING ADDRESS: 915 – 700 W. Pender Street, Vancouver, B.C., V6C 1G8

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. Triassic-Jurassic; Takla Group, Hazelton Group (Toodoggone Formation); Clastic Volcanics, Quartz Monzonite, Monzonite; Porphyry Copper-Gold; Potassic, Phyllic and Propylitic

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

13064, 14789, 15310, 15555, 15924, 18441, 19447, 20963, 22248, 22820, 23385, 24628, 25439, 27161, 27422, 27556, 30176.

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock (259 total Samples)		238771, 239993.	\$ 59,242.18
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core (962.6 m; 1 hole)		238771, 239993.	\$ 269,881.04
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
		TOTAL COST	\$ 329,123.22

ASSESSMENT REPORT

2013 DIAMOND DRILLING PROGRAM ON THE

BRENDA GOLD-COPPER PROPERTY

TOODOGGONE RIVER MAP AREA, NORTHERN BRITISH COLUMBIA

OMINECA MINING DIVISION

CENTERED ON:

LATITUDE: 57° 16' North LONGITUDE: 126° 52' West

BCGS 094E026, 094E027

MTO EVENT: 5504948

- Owned and Operated By-

Canasil Resources Inc.

915 – 700 W. Pender Street
Vancouver, British Columbia
Canada V6C 1G8

November 25, 2014

Prepared by
R.A. (Bob) Lane, P.Geo.
Plateau Minerals Corp.

TABLE OF CONTENTS

	Page
1.0 SUMMARY	4
2.0 INTRODUCTION	6
3.0 LOCATION AND ACCESS	6
4.0 MINERAL TENURE INFORMATION	6
5.0 DISTRICT EXPLORATION AND MINING HISTORY	8
6.0 REGIONAL GEOLOGY	11
7.0 STRUCTURAL SETTING	13
8.0 PROPERTY GEOLOGY	15
8.1 Lithologic Units	15
8.1.1 <i>Volcanic Rocks</i>	15
8.1.2 <i>Dykes</i>	16
8.1.3 <i>Stocks</i>	16
8.2 Structure	17
8.3 Alteration	18
8.4 Mineralization	19
9.0 SUMMARY OF 2013 EXPLORATION PROGRAM	20
9.1 2013 Diamond Drilling Program	20
9.1.1 <i>Drillhole BR-13-01 Description</i>	21
9.2.2 <i>Results</i>	21
9.2.3 <i>Methodology</i>	23
10.0 CONCLUSIONS AND RECOMMENDATIONS	26
11.0 STATEMENT OF COSTS	27
12.0 REFERENCES	28
13.0 STATEMENTS OF QUALIFICATIONS	30
14.0 APPENDICES	31

LIST OF FIGURES

FIGURE 1	BRENDA PROPERTY LOCATION	7
FIGURE 2	BRENDA MINERAL TENURE	10
FIGURE 3	REGIONAL GEOLOGY	14
FIGURE 4	BRENDA PROPERTY GEOLOGY	17
FIGURE 5	DRILL HOLE COLLAR LOCATION	22
FIGURE 6	DIAMOND DRILLHOLE SECTION BR-13-01	24
FIGURE 7	COPPPER-GOLD INTERVALS, SECTION 10+550 N	25

LIST OF TABLES

TABLE 1	LIST OF MINERAL TENURE	8
TABLE 2	SUMMARY OF PAST WORK	9
TABLE 3	REGIONAL STRATIGRAPHY	12
TABLE 4	2013 DRILLHOLE COLLAR DATA	20
TABLE 5	2013 DRILLHOLE ASSAY COMPOSITES	23
TABLE 6	SUMMARY STATEMENT OF COSTS	27

LIST OF APPENDICES

APPENDIX 1	DIAMOND DRILLHOLE LOG FOR BR-13-01 with SELECTED ANALYTICAL RESULTS
APPENDIX 2	SAMPLE RECORDS FOR DRILLHOLE BR-13-01
APPENDIX 3	ALS CHEMEX CERTIFICATES OF ANALYSIS & CHEMICAL PROCEDURES

1.0 SUMMARY

The Brenda gold-copper property is located in a mountainous area east of Spatsizi Plateau and west of the Swannell Ranges near Thutade Lake, north-central British Columbia. The property is in the Omineca Mining Division and lies approximately 450 kilometres northwest of Prince George and 270 kilometres north of Smithers. The property is road accessible from late spring through to early fall via a spur road that exits the Omineca Resource Access Road (ORAR) north of the Kemess mine site.

The Brenda property is underlain primarily by lava flows of the Metsantan member, lower Toodoggone Formation of the Early Jurassic Hazelton Group. The Hazelton volcanics are in fault contact to the south and west with older volcanic rocks of the Takla Group. The volcanic rocks are intruded by at least several phases of porphyritic dykes that are believed to be part of the Black Lake Intrusive Suite. In the northern part of the property at the White Pass zone, a swarm of porphyritic dykes occur within a broad zone of propylitic and clay alteration with widespread pyrite mineralization. The main zone of interest is a north-south trending zone of argillic, phyllic and potassic alteration that covers about 2.5 kilometres of strike length. Part of the large alteration zone has been tested by drilling and contains extensive zones with consistently elevated gold values (commonly between 0.5 - 1.0 g/t Au) and modest copper values (often in the 0.1% Cu range). Drilling has shown that gold and copper grades are highest in potassic altered rock with well-developed quartz-magnetite-sulphide veinlets and stockworks surrounded by an envelope of phyllic alteration with disseminated pyrite and minor chalcopyrite.

In the summer of 2013 Canasil Resources Inc. of Vancouver, British Columbia, completed one deep diamond drillhole on its Brenda property. The 2013 drillhole, BR-13-01, was drilled from within 2 m of the collar location of 2007 drillhole BR-07-04 and with the same azimuth and dip. The upper part of drillhole BR-13-01 twinned drillhole BR-07-04, and for the most part was not sampled. The lower portion of drillhole BR-13-01, from 500 m to the end-of-hole at 962.6 m, was sampled in its entirety.

The highest grade intersection encountered in BR-13-01 averaged 0.376 g/t Au and 0.073% Cu over 68 m from a starting depth of 504.0 m. Mineralization consists of quartz+/-magnetite+/-pyrite+/-chalcopyrite in association with modest zones of potassic alteration within clastic volcanics and cross cutting quartz monzonite dykes. Below a depth of 572 m, narrow intervals of weakly potassic-altered clastic volcanics and quartz monzonite carried consistently anomalous, albeit low values copper, gold and silver (e.g. 525 ppm Cu, 35 ppb Au and 1.52 ppm Ag over 64 m from a depth 832.0 m). Post-

mineral monzonite dykes dominate BR-13-01 and are responsible for its overall weak grades.

Drillhole BR-13-01 encountered weakly anomalous gold-copper mineralization below the depth of hole BR-07-04. Additional deep drilling should be considered in order to determine the existence of more strongly altered and more highly mineralized parts of the porphyry system away from the late, dilutive monzonite dykes.

A recommended program of approximately 10 line-km of ground based geophysics and two follow-up diamond drillholes totaling 2000 metres, would cost an estimated of \$900,000.

2.0 INTRODUCTION

This report details exploration work carried out during the 2013 field season on the Brenda property, north-central British Columbia, by Canasil Resources Inc., a publically traded junior exploration company based in Vancouver, British Columbia. The author was hired to manage the drilling program and to provide a summary report for assessment purposes.

3.0 LOCATION AND ACCESS

The Brenda property is located in a mountainous area east of Spatsizi Plateau and west of the Swannell Ranges near Thutade Lake, approximately 270 kilometers north of Smithers and 450 kilometers northwest of Prince George at 57°16' north latitude and 126°52' west longitude (Figure 1). The property lies in the Omineca Mining Division and spans the boundary between the 94E and 94D NTS map sheets.

The property is accessible seasonally by road. Well-maintained gravel roads leading north from the towns of Mackenzie and Fort St. James connect to the Omineca Resource Access Road (ORAR) which extends past the property. A rough 4x4 pick-up trail, approximately 20 kilometres in length, provides access to the centre of the property.

The area is characterized by broad, open, drift and moraine covered valleys, yielding to sub-alpine plateaus and rugged incised peaks and cirques. Elevations range from 1200m to 1800m, with the tree line at about 1500m.

The climate is generally moderate, although snow can occur during any month. Temperatures range from -35°C to 30°C and average annual precipitation is 890mm.

4.0 MINERAL TENURE INFORMATION

The Brenda property consists of 22 contiguous mineral claims totaling 4,450.0 hectares of subsurface mineral rights in the Omineca Mining Division (Figure 2). The individual claims and their respective anniversary dates are listed in Table 1. All of the claims are 100%-owned by Canasil Resources Inc. (Free Miners Certificate: 104199).




Figure 1. Brenda Property – Location

Table 1. Brenda Property – List of Mineral Claims

Tenure Number	Claim Name	Owner	Tenure Type	Tenure Sub Type	Map Number	Issue Date	Good To Date	Area (ha)
238271	BRENDA #1	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238272	BRENDA #4	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238273	BRENDA #5	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238274	BRENDA #6	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238275	BRENDA #7	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238276	BRENDA #8	104199 (100%)	Mineral	Claim	094E026	1980/jun/13	2024/may/30	25
238770	JAN 1	104199 (100%)	Mineral	Claim	094E026	1984/mar/29	2024/may/30	150
238771	JAN 2	104199 (100%)	Mineral	Claim	094E026	1984/mar/29	2024/may/30	400
238872	MAX NO. 1	104199 (100%)	Mineral	Claim	094E026	1984/aug/21	2024/may/30	25
238873	MAX 2	104199 (100%)	Mineral	Claim	094E026	1984/aug/21	2024/may/30	25
238874	MAX 3	104199 (100%)	Mineral	Claim	094E026	1984/aug/21	2024/may/30	25
239100	JAN 6	104199 (100%)	Mineral	Claim	094E026	1986/feb/28	2024/may/30	100
239101	JAN 7	104199 (100%)	Mineral	Claim	094E026	1986/feb/28	2024/may/30	500
239102	JAN 8	104199 (100%)	Mineral	Claim	094E026	1986/feb/28	2024/may/30	250
239522	POCK	104199 (100%)	Mineral	Claim	094E026	1987/jul/06	2024/may/30	400
239523	HANS	104199 (100%)	Mineral	Claim	094E026	1987/jul/06	2024/may/30	150
239993	TOM 4	104199 (100%)	Mineral	Claim	094E026	1988/may/31	2024/may/30	150
240972	JAN #9	104199 (100%)	Mineral	Claim	094E026	1989/jul/06	2024/may/30	400
306720	TOM 3	104199 (100%)	Mineral	Claim	094E026	1988/may/31	2024/may/30	225
306721	TOM 5	104199 (100%)	Mineral	Claim	094E026	1988/may/31	2024/may/30	500
319655	KATH 1	104199 (100%)	Mineral	Claim	094E027	1993/jul/19	2024/may/30	500
319657	KATH 3	104199 (100%)	Mineral	Claim	094E027	1993/jul/20	2024/may/30	500

5.0 DISTRICT EXPLORATION AND MINING HISTORY

The earliest reports of exploration activity in the area date back to the discovery of placer gold at the mouth of McConnell Creek in 1889. Several years later there was a brief staking rush in 1907 and prospecting remained active in the area through the early 1920's resulting in a placer discovery at McClair Creek. Cominco Ltd. was active in the area in the 1930's exploring for base metals.

In 1966 Kennco Explorations (Western) Limited conducted reconnaissance exploration programs to evaluate the area for its potential to contain copper porphyry systems. Follow-up fieldwork was conducted on several prospects including Kemess North, Pine, Fin, Chappelle (aka Baker), Shasta and Lawyers. The latter three prospects are gold-silver epithermal vein systems that became small short-lived producing mines, albeit

potential exists for further exploration and development of these shallow mineral systems. Exploration in the vicinity of a prominent gossan that demarcates the Kemess North occurrence led to the discovery of the Kemess South gold-copper porphyry deposit. Kemess South was put into production in 1998 by Royal Oak Mines. Northgate Exploration Ltd. took over the mining operation in 2001. The mine closed in 2010; over the life of mining operations, metal production from the Kemess South mine totaled 783.6 million pounds of copper and 2.95 million ounces of gold from the milling of 228.7 million tonnes of ore. Exploration in the Toodoggone District continues with a focus on both epithermal gold-silver systems and bulk tonnage gold-copper deposits, including the Kemess Underground and Kemess East deposits of Aurico Gold Inc.

The history of exploration conducted on the Brenda property is summarized in Table 2.

Table 2. Brenda Property – Exploration History

Year(s)	Activity
1950	Discovery of gold-bearing epithermal quartz veins along Jock and Red creeks
1980-84	Prospecting and hand trenching on the veins by Canmine Development Co. Ltd.
1985	Detailed mapping, geophysical surveys and soil sampling conducted along Jock Creek by Canasil Resources Ltd.
1987	Trenching and geochemical surveys completed on the veins by a joint venture partnership between Canasil Resources and Cypress Gold Canada Inc.
1988	Cypress Gold Canada Inc. diamond drills 1219m in 12 holes on the Creek zone, the EB zone and the Takla zone
1989	Geochemical and geophysical surveys plus trenching completed by Canasil Resources Inc.
1990	Follow-up trenching program conducted by Canasil on the Creek zone, the White Pass east zone and the EB zone
1991	Hand trenching and rock sampling completed on the White Pass east zone, the EB zone and the Creek zone including a geochemical survey of the White Pass east zone
1992	Canasil drills 271m in 4 holes on the White Pass zone; 2 drill holes on the Creek zone and 7 holes on the EB zone
1993	Diamond drilling of 958m in 6 holes, IP/resistivity, magnetic and expansion of soil surveys by Romulus Resources Ltd. in the White Pass area
1994-97	Canasil conducts soil geochemistry, hand trenching and 1919m of diamond drilling in 16 holes on White Pass and East Creek zones
2002	Northgate Exploration Ltd. conducts airborne magnetic, radiometric and satellite imaging surveys followed by 1650m of diamond drilling in 4 holes
2003	Northgate completes 1484m of diamond drilling in 5 holes
2004	Northgate completes 1446m of diamond drilling in 5 holes on the White Pass zone
2007	Canasil completes 1708mm of diamond drilling in 5 holes and 32.2 line-km of IP




Figure 2. Brenda Property – Distribution of Mineral Claims

6.0 REGIONAL GEOLOGY

The Toodoggone district is underlain by Mesozoic arc-related volcanic rocks that comprise the eastern margin of the Intermontane Belt. The oldest rocks, or basement, are Lower Permian Asitka Group, which are disconformably overlain by Upper Triassic Takla Group, which are in turn unconformably overlain by Toodoggone Formation of the Middle and Lower Jurassic Hazelton Group. To the west these assemblages are overlain by sedimentary rocks of the Upper Cretaceous Sustut Group. The lithologic units comprising the stratigraphic succession are summarized in Table 3.

Granitic rocks, mainly of Early Jurassic age, and cogenetic dykes intrude the volcanic successions. Phases of the Black Lake intrusive suite, which include granodiorite, hornblende diorite, pyroxene quartz-diorite, quartz-monzonite and quartz monzodiorite, are important hosts to gold-copper mineralization. Some of these plutonic masses are the Duncan Lake stock (197.3 Ma), the Sovereign stock (202.7 Ma) and the Maple Leaf pluton (199.6 Ma). The latter hosts the Kemess South gold-copper deposit. The regional distribution of Permian to Upper Cretaceous stratigraphy and intrusions (after Diakow, 2004) are shown in Figure 3.

Table 3. Regional Stratigraphy (after Diakow et al. (2005) and Diakow and Rhodes (2005))

Age	Lithostratigraphic Unit	Description
Upper Cretaceous	Sustut Group	Sustut rocks grade from Brothers Peak Formation conglomerate, sandstone, mudstone with minor tuffaceous units down to the basal Tango Creek Formation polymictic conglomerate, sandstone, mudstone with minor lignite seams.
Middle and Lower Jurassic	Hazelton Group (Toodoggone Formation)	Consists of the Pillar, Graves, Quartz Lake, Saunders, Metsantan and Duncan members. Pillar member is a well-bedded, oxidized sequence dominated by clasts. Quartz Lake member is a conglomerate with finer clastic beds containing fine-grained porphyritic basalt clasts and pyroxene grains with minor basalt and rhyodacite flows. Graves member is a quartz-biotite bearing dacitic ash flow tuff deposit locally associated with rhyolitic flow and fallout facies. Saunders member is a dacite ash flow tuff with up to 45% plagioclase, quartz, hornblende and biotite. Metsantan member is an andesitic flow with 15-25% plagioclase or a coarse to medium-grained feldspathic sandstone sub-member with moderately well-sorted volcanic conglomerate and minor mudstone. Duncan member is a lapilli tuff interbedded with volcanic epiclasts or a poorly-sorted conglomerate submember marking the base of the Toodoggone formation.
Upper Triassic	Takla Group	Sequences of basalt distinguished by abundant plagioclase laths up to 3cm long. Upper layers generally display smaller plagioclase laths between 2 and 5mm long and up to 7% pyroxene. Fine to medium-grained porphyritic to aphanitic basalt with subordinate andesite flows containing medium-grained plagioclase and clinopyroxene phenocrysts are common. These flows occur both above and below the coarsely-bedded plagioclase porphyritic basalt. Intervolcanic, internally laminated intervals of siltstone and sandstone, containing angular grains of plagioclase and pyroxene are present; often with limestone lenses.
Lower Permian	Asitka Group	Units of massive to thickly bedded limestone and chert or dacitic lapilli tuffs. Limestone units are locally interbedded with black, limy carbonaceous siltstone and mudstone and locally intruded by basaltic dikes and sills. Lapilli tuff units contain porphyritic andesite and dacitic flows and rare accretionary lapilli tuff.

7.0 STRUCTURAL SETTING

The Mesozoic volcanic-dominated assemblages are typically upright, shallow dipping sequences that are cross-cut by high-angle north to northwest trending faults. Significant regional structures are the Finlay-Ingenika and Moosevale fault systems, which bound the eastern margin of the belt. These structures are dextral strike-slip features and are related to the terrain bounding faults between the Intermontane and Omineca belts.

More local to the Brenda property are the Pillar and Saunders Faults, which are north-northwest normal, block fault structures. Low angle thrust faults are present in the district and are interpreted to be Eocene or younger with displacement believed to be towards the northeast.

The district is characterized by three superimposed volcanic arcs whose construction began in the upper Paleozoic. Marine volcanic and sedimentary successions dominated until the lower-middle Jurassic, when continental, quartz-normative volcanism began with the deposition of the Hazelton Group. The plutonic rocks of the Black Lake intrusive suite are coeval with the Toodoggone Formation and are likely co-magmatic. Block faulting has juxtaposed and exposed panels of varying depth from the magmatic and volcanic systems.

Gold and copper mineralization at the Brenda property is associated with intense phyllic and potassic alteration that is centered on White Pass Hill and has been traced by drilling, mapping and geophysical survey over a north-south trend for 1000 meters. Argillic and quartz alunite alteration has been traced by mapping and trenching over an additional 750 metres to the north and to the south. The strong north trending alteration is thought to be related to a tensional fracture zone splaying off the northwest trending Pillar Fault which, on the Brenda property, separates Takla rocks from Toodoggone rocks. The alteration zone extends further to the north and onto the Pil property owned by Finlay Minerals Ltd. where the Pillar Fault is associated with copper and gold mineralization.




Figure 3. Regional Geology in the vicinity of the Brenda property (after Diakow, 2004).

8.0 PROPERTY GEOLOGY

The most recent geological bedrock mapping of the Brenda property (Figure 4) was conducted by Diakow *et al.* (2006) and Panteleyev (2006) and the information presented below is primarily a summary of their findings.

The northeastern two thirds of the property are underlain by mainly porphyritic volcanic flows of the Metsantan member, Lower Toodoggone Formation of the Early Jurassic Hazelton Group. A large zone of hydrothermally altered Metsantan volcanic rocks, associated with porphyritic dyke swarms, punctuate the main area of exploration interest in the northern part of the property. In the southwestern part of the property Late Triassic Takla volcanic rocks are generally in fault contact with the Metsantan units or are intruded by a granitic pluton. The most westerly part of the property is underlain by mainly ash flows of the Duncan member, the basal unit of the Toodoggone Formation.

8.1 LITHOLOGIC UNITS

The main lithologic map units present in map area, after Panteleyev (2006), are:

8.1.1 Volcanic Rocks

Pyroxene basalts of the Late Triassic Takla Group are generally porphyritic, coarse-grained augite phyric basalt flows that form dark green, well-jointed massive outcrops. Most flows contain epidote after calcic plagioclase and chlorite after mafic minerals. Rare amygdules contain epidote, quartz and chlorite.

Porphyritic volcanic flows ('latite') of the Metsantan Member (lower Toodoggone Formation of the Early Jurassic Hazelton Group) are the predominant volcanic unit in the map area. They contain 20-30% pink hematitic and albitized plagioclase phenocrysts accompanied by strongly chloritized hornblende (and possibly pyroxene), lesser biotite, rare quartz and rare, but pronounced, vitreous euhedral orthoclase crystals up to one centimetre in size. Outcrops commonly display pale pink phenocrysts in a pale to darker grey-green matrix, commonly with up to 5% epidote as discrete grains and fracture fillings. Argon-argon dating of typical flows from the southern part of the property by Diakow *et al.* (2006) produced an apparent age of 194.1 ± 2.0 Ma. Dacitic ash flows occur locally as thin flow units in the Metsantan porphyry flow successions. The ash flows are pink, pale weathering quartz-rich crystal ash tuffs.

Subordinate grey-green dacitic crystal ash tuffs of the Duncan Member are characterized by pale brown-weathering plagioclase-phyric cognate fragments in a

similar crystal ash matrix. Argon-argon dating on non-welded crystal-rich ash flow tuffs by Diakow *et al.* (2006) produced an apparent age of 198.9 ± 1.3 Ma.

8.1.2 Dykes

Three types of dykes are recognized on the property. They are generally a few metres to tens of metres wide. From oldest to youngest they are:

Quartz monzonite: equigranular to weakly porphyritic, medium grained 'crowded' texture with 40-50% equant plagioclase from 1-2 mm in size. Interstitial fine-grained minerals are hornblende, biotite and quartz. Alteration is primarily weakly chloritized mafic minerals and turbid plagioclase giving rise to chalky-weathering cream to buff-coloured feldspars. The dykes contain minor pyrite, have pale phyllic (illite/sericite) alteration envelopes and contain weakly anomalous gold values. They appear to be syn- to late mineralization intrusions. Three of these dykes trend northwesterly along the northern slope of the White Pass ridge alteration zone.

Hornblende feldspar porphyry (monzonite/quartz monzonite): typically pink to reddish-orange matrix when oxidized with equant pink, hematitic and albitized plagioclase phenocrysts. Chloritized hornblende and rare fine-grained quartz grains and possibly biotite are present. Epidote occurs as a characteristic alteration product, mainly as disseminated grains and patches, and less commonly in veinlets and fracture fillings. These are the most common type of dyke on the Brenda property. In the White Pass/Camp Creek area the dykes trend dominantly northwest- to north-northwesterly.

Syenite/monzonite: 15-20% equant, pale grey to cream plagioclase phenocrysts up to 3 mm in size occur in a brick-red microcrystalline matrix. Thin laths of hornblende up to 2 mm in length and fine-grained biotite comprise up to 8% of the rock. These rocks form coarse blocky jointed, resistant outcrops. An argon-argon date from a porphyritic monzonite dyke of apparently this type, from eastern White Pass ridge, is reported to have an age of 187.3 ± 1.2 Ma (Diakow *et al.*, 2006).

Minor dyke types include very fine granular to weakly amygdaloidal basalt dykes, rarely more than one metre wide. A few dykes of biotite-quartz-potassium feldspar porphyry are present and may be genetically associated with dacitic ash flows.

8.1.3 Stocks

One large stock and one smaller stock of pale grey to pink, relatively unaltered looking quartz monzonite/granodiorite are composed of medium- to coarse- grained feldspars and quartz with biotite and hornblende. They are considered to be part of the Black Lake intrusive suite.




Figure 4. Geology of the Brenda Property (Panteleyev, 2006)

8.2 STRUCTURE

Regional scale faults in the central Toodoggone River map area are typically north- to northwesterly-trending (Diakow *et al.*, 2006). The areas between these faults are commonly cut by westerly-trending structures that are consistent with block faulting in an extensional setting. More local to Brenda are the Pillar and Saunders faults, which are north-northwest trending normal, block fault structures. A well-developed 2.5 kilometer north trending argillic-phyllitic-potassic alteration zone, with associated gold and copper mineralization, is thought to be related to a tensional fracture zone splaying off from the northwest trending Pillar Fault. On the Brenda property the Pillar Fault separates Takla volcanic rocks from those of the younger Metsantan succession. Low angle thrust faults are also present in the district and are interpreted to be Eocene or younger with displacement believed to be towards the northeast.

A number of smaller faults are defined by narrow zones of sheared, shattered and strongly clay-altered rocks. Basalt dykes have been injected into some of these structures which typically dip 50-65 degrees to the west.

The Metsantan volcanic succession rarely displays bedding. A single bedding measurement near Jock Lake indicates a southwesterly dip of about 45 degrees, and is compatible with the 20-45 degree dips observed throughout the Toodoggone region. Dykes cutting Metsantan rocks on the Brenda property are generally steeply dipping and most strike north- to north-northwesterly. Dykes in Takla rocks in the southwestern part of the property appear to trend predominantly to the northeast.

8.3 ALTERATION

In the northern part of the Brenda property a widespread propylitic alteration zone consisting of illite, chlorite, epidote, carbonate and gypsum with disseminated pyrite, is surrounded and locally overprinted, by a distal zone with fracture fillings containing pink zeolite (laumontite) and carbonate minerals.

Propylitic alteration of the Metsantan flows and dykes has left the rocks with a characteristic spotted or speckled appearance. The pale grey-green matrix contrasts with subhedral grains, small irregular patches and fracture fillings of pistachio-green epidote and phenocrysts of grey to pink plagioclase. Chlorite with minor epidote has typically replaced mafic minerals. Veins of gypsum are common. Fracture fillings and veinlets containing calcite, pink zeolite (laumontite) and, rarely, pale purple anhydrite, also occur.

In the central White Pass area a north-trending argillic-phyllic-potassic alteration zone, associated with gold and copper mineralization, occurs over a distance of about 2.5 kilometres. It is dominated by argillic alteration with irregular flat lying areas of quartz alunite along dyke margins. Drilling beneath the north and south extremities of the argillic-quartz alunite alteration has intersected phyllic alteration suggesting that the argillic alteration is supergene. Drilling under the central portion of the argillic alteration at the top of White Pass has intersected a vertical central zone of potassic alteration averaging 300 meters in thickness. It is enveloped by phyllic alteration that averages 150 meters in thickness. This alteration is cut by a large shallow dipping post mineral dyke near surface which is 400 meters thick on the west and bifurcates and thins to the east. The dyke dips at 10 to 30 degrees to the west.

The most extensive development of the quartz-alunite-aluminosilicate alteration forms a white, sub-horizontal zone that caps the phyllic-potassic altered gold-copper zone.

The ridge capping is comprised predominantly of massive fine-grained quartz-dickite-alunite with inclusions of foliated breccia near the outer margins.

8.4 MINERALIZATION

Sulphide mineralization occurs mainly in the central White Pass gold-copper zone, but it also occurs beneath and surrounding the large quartz-alunite cap zone located 1000 metres to the east.

In the phyllic alteration zones sulphide mineralization consists mainly of widespread 2-3% disseminated pyrite, but can exceed 10% when present as grains in quartz+/-magnetite veinlets, on fractures and as patchy, fine-grained replacements. Chalcopyrite is inconsistently distributed and occurs in small aggregates and in quartz+/-magnetite veinlets. Molybdenite was noted as rare small grains in quartz veinlets. Dark brown to black sphalerite and lesser galena occur as disseminations and as fracture fillings primarily in a zone 500 meters wide that encompasses both of the mineralized zones in the phyllic and propylitic alteration zones, resulting in a broad zinc-lead geochemical halo.

Veining is well-developed within the potassic alteration zone. Quartz occurs in thin (1-2 mm) grey to white veinlets that have formed crosscutting stockworks. The quartz veinlets can include magnetite, pyrite and chalcopyrite, but generally lack sulphide minerals. Veins are not as prominent in zones of propylitic and phyllic alteration, but contain pyrite and minor chalcopyrite as fine-grained disseminations and clots. Veinlets of gypsum are widespread in both propylitic and argillic alteration zones. Anhydrite occurs in short veins and irregular dilational openings, especially in the phyllic alteration zone.

Zones of gold and copper mineralization are dissected and diluted by the barren, younger porphyritic monzonite dykes. A thick sequence of post-mineral, sheeted monzonite dykes invade the upper portion of the White Pass gold-copper mineralized zone at a shallow dip of 10 to 30 degrees to the west. The dykes have bleached and altered the potassic and phyllic altered areas to a pale green siliceous sericite-pyrite rock, and lowered the grades near the dyke contacts. Locally the post mineral dykes have assimilated sections of the potassic quartz-magnetite stockwork.

9.0 2013 EXPLORATION PROGRAM

The exploration program conducted in 2013 by Canasil Resources on its Brenda property consisted of one deep NQ-diameter diamond drillhole designed to test the central White Pass area at a depth not previously assessed. Drilling commenced on August 26, 2013 and concluded on September 13, 2013. Camp facilities located on the property provided comfortable accommodation for the crew as well as core logging and core splitting facilities.

9.1 2013 DIAMOND DRILLING

Drillhole BR-13-01 was collared within 2 m of the collar location of 2007 drillhole BR-07-04 and drilled to a depth of 962.6 m. The two drillholes had the same azimuth (054°) and dip (-75°). The upper part of drillhole BR13-01 effectively twinned drillhole BR-07-04 (end of hole: 561.96 m) and the lower part provided new data for depths not previously explored on the property. The entire length of core from drillhole BR-13-01 was logged, but the upper 500 m of the hole was not sampled. The lower section of the hole, from a depth of 500 m to its end at 962.6 m, was sampled and assayed in its entirety. Therefore, analytical data from 500 – 562 m for the two holes can be directly compared.

A total of 259 samples (including geochemical blanks and standards and duplicate pairs) were shipped to ALS Chemex in Vancouver for analysis. The drillhole collar location is shown in Figure 6 and drillhole location, orientation and length data is shown in Table 4. Drill assay results of note are presented in Table 5. The complete geological drill log with sample analysis, geotechnical logs and assay certificates are provided in the Appendices. A geological plan map of the property, including the White Pass zone, is provided Figure 6 and Plate 1. The drillhole section is presented in Figure 6.

Core logging was conducted by experienced geologist Mr. Chris Baldys. Core splitting was completed by experienced geotechnicians working under Mr. Baldys's direction utilizing a hydraulic core splitter. The split core was stored on the property in core racks with core from previous exploration programs.

Table 4. Drillhole BR-13-01 Collar Location and Orientation Data

Drillhole ID	Easting (NAD83)	Northing (NAD83)	Elev (m)	Azimuth	Dip	Depth (m)
BR-13-01	628530	6347852	1594	54	-75	962.6

9.2.1 Drillhole BR-13-01 Description

Drillhole BR-13-01 collared in propylitically-altered porphyritic monzonite at a depth of 11.6 m. From that point on it passed through sequences of phyllic to potassic-altered intermediate clastic volcanics that are cut by syn to late-mineralization quartz monzonite dykes and post-mineralization monzonite dykes. The upper part of the hole was logged in cursory fashion and is similar to its twin, drillhole BR-07-04. Sampling of drillhole BR-13-01 began at a depth of 500 m and continued to the end of the hole at a depth of 962.6 m.

BR-13-01 encountered primarily phyllic-altered clastic volcanics from a depth of 504.0 - 530.4 m. The volcanics are in faulted contact with quartz monzonite that extends to a depth of 571.2 m. Weak, patchy potassic alteration occurs from 504.0 - 571.2 m carrying scarce quartz stringers and modest quartz stockwork zones with up to 5% pyrite that coincide with gold-copper mineralization. Grades drop off abruptly at 571.2 m where the quartz monzonite is truncated by a post-mineral monzonite dyke. Similar post-mineral monzonite dykes, typically reddish brown, sparsely propylitic and weak propylitic-altered, dominate the hole to a depth of 719.8 m. Weakly mineralized quartz monzonite extends from 719.8 - 766.6 m, but is again truncated by post-mineral monzonite dykes from 766.6 - 831.0 m. Potassic-altered quartz monzonite with quartz-magnetite stringers extends to 854.6 where it is in contact with moderately potassic-altered clastic volcanics. The altered volcanic sequence is again interrupted by post-mineral monzonite dykes at a depth of 896.7 m; they dominate the hole to its terminus at a depth of 962.6 m. A geological log of the drillhole is provided in Appendix A.

9.2.2 Results

The highest grade intersection in BR-13-01 returned 0.376 g/t Au and 0.073% Cu over 68 m from 504 - 572 m. This intersection was, however, significantly lower in average grade than the equivalent section of BR-07-04 between 504 - 562 m. The deeper part of drillhole BR-13-01 is dominated by post-mineral monzonite dykes that, unless carrying inclusions of older mineralized quartz monzonite or volcanic rock, are effectively barren. Intervals of weakly potassic-altered clastic volcanics and quartz monzonite below a depth of 562 m returned relatively low copper grades and weak gold grades. Tabulated weighted averages are listed in Table 5 and assay certificates are provided in Appendix B.

A drillhole section showing geology, alteration, and copper and gold values is shown in Figure 6. A cross-section depicting copper-gold mineralized intervals for section 10+550 N is shown in Figure 7.



◆ 2013 drill hole collar

Canasil Resources Inc.					
BRENDA GOLD-COPPER PROPERTY					
WHITEPASS AREA DRILL PLAN					
	Date	Nov 24, 2014	Scale	1:10,000	Figure 5
	Projection	UTM Zone 9 - NAD83	State/Province	BC, Canada	
	Author	MJD	File	B-sizeGeo	

Table 5. Drillhole Assay Composites

Drillhole ID	From (m)	To (m)	Interval (m)	Au (ppm)	Cu (ppm)	Ag (ppm)
BR-13-01	504.0	572.0	68.0	0.376	735	3.38
and	602.0	630.0	28.0	0.036	16	0.87
and	720.0	766.0	46.0	0.047	306	1.87
and	832.0	896.0	64.0	0.034	525	1.52
and	930.0	942.0	12.0	0.015	442	0.87
BR-07-04	504.00	561.96	57.96	0.707	1190	-


9.2.3 Methodology

The drillhole collar location was surveyed by hand-held GPS, and is considered to be accurate within 3 metres in plan. Elevation data is taken from the BC government digital elevation model presented on 1:20,000 scale trim, and is considered accurate within 20 metres. At the completion of drilling, a downhole gyro survey was completed and used to accurately portray the trace of BR-13-01.

The drill core was logged for both geologic and geotechnical properties. Sample intervals were determined by the geologist, but were usually 2.0 metres in length. Descriptive geological logs, geotechnical logs and assay certificates are presented in appendices attached to this report.

Core was halved using a diamond saw and samples were sent to ALS Chemex Laboratories in North Vancouver, B.C., for preparation and assay analysis for gold and silver by fire assay with an atomic absorption finish ("FA-AA") on a 30 gram split, and for a 28 element package of major and trace elements by ICP Analysis. A total of 259 core samples were submitted for analysis.

Quality control samples (blanks, duplicates and standards) were inserted into the sample stream at regular intervals; in addition, ALS Chemex Laboratory inserted standards of its own and ran some duplicates as part of standard operating procedures. Appendix 3 provides Certificates of Analysis and the analytical procedures used.



10.0 CONCLUSIONS AND RECOMMENDATIONS

Results from the 2013 program build on the results obtained previously by Canasil and other operators of the Brenda property.

The single hole completed in 2013, BR-13-01, was drilled to a depth of 962.6 m. The upper 562 m of the hole attempted to twin previous drillhole BR-07-04. Sampling of BR-13-01 started at a depth of 500 m, enabling a direct comparison with the bottom 62 m of BR07-04 to be made. The average grade of that interval in BR13-01 was approximately half that returned in BR-07-04. The reasons for this marked difference are uncertain, but one possibility is that BR-13-01 did not accurately twin BR-07-04. The downhole survey methods used in 2007 were heavily affected by the strongly magnetic characteristics of the rock, and therefore do not accurately reflect the position of the drill trace. This issue was resolved in 2013 with the use of the gyro tool, such that the drill trace of BR-13-01 is known, but its position relative to that of BR-07-04 remains uncertain. Therefore, the location of hole BR-13-01 at a depth of 500-562 m may be far enough removed from that of hole BR-07-04 to explain the differing results.

Post-mineral monzonite dykes dominate the lower half of BR-13-01 and are responsible for the overall weak grades in the lower half of drillhole. Below a depth of 572 m, narrow intervals of weakly potassic-altered clastic volcanics and quartz monzonite, with sparse veinlets or stockworks of quartz+/-magnetite+/-pyrite+/-chalcopyrite, correlate with weak copper and gold grades.

Drillhole BR-13-01 encountered weakly anomalous gold-copper mineralization below the depth of drillhole BR-07-04. The 2013 drillhole may have passed into a non-mineralized portion of the system and missed flanking mineralization. Drill testing at depth laterally to the area tested by BR-13-01 may be warranted. In order to better define other potential drill targets, deep sensing 3D geophysical surveys, such as the Titan 24 DCIP (Direct Current resistivity and Induced Polarization chargeability) and MT (Magnetotelluric resistivity), should be considered. These surveys have been used effectively at the Copper Mountain and Kemess North projects, B.C.

A program of approximately 10 line-km of ground-based geophysics and two deep follow-up diamond drillholes totaling 2000 metres is recommended. The estimated cost of the recommended program is \$900,000.

11.0 STATEMENT OF COSTS

Expenditures for the 2013 exploration program conducted on the Brenda property totaled \$329,123.22 as detailed in the table below.

Table 6. Summary of 2013 Exploration Costs

Brenda Project 2013		Dates Worked	Days/Hrs	Rate	Amount	TOTALS	
Schedule A - Crew Personnel							
Wages & Salaries:							
Leonard, J	Camp Manager	Aug 21 - Sep 17/13	27.50	496.00	13,640.00		
Gifford, S	Assistant Manager	Aug 21 - Sep 17/13	2.50	500.00	1,250.00		
Baldys, C	Geologist, Core Logging	Aug 21 - Sep 17/13	25.50	575.00	14,662.50		
Nordin, E	Core Cutter/Geological Assistant	Aug 21 - Sep 17/13	15.00	425.00	6,375.00		
Bonshor, B	Core Cutter/Geological Assistant	Aug 21 - Sep 17/13	5.00	425.00	2,125.00		
Johnson, B	Geological Assistant	Aug 21 - Sep 17/13	2.00	450.00	900.00		
Durfeld, B	Field Technician	Aug 21 - Sep 17/13	8.00	300.00	2,400.00		
Szerensci, P	Logistics Manager	Aug 21 - Sep 17/13	1.50	333.33	500.00		
Cochrane, C	Camp Cook/Level 3 First Aid	Aug 21 - Sep 17/13	1.00	450.00	450.00		
Riemer, H	Camp Cook/Level 3 First Aid	Aug 21 - Sep 17/13	25.00	500.00	12,320.00		
Lane, B	Project Geologist/Manager	Aug 21 - Sep 17/13	8.00	700.00	5,600.00		
			93.50		60,222.50	60,222.50	
Schedule B - Camp (Room & Board)							
Plateau Minerals Corp. and Mountainside Exploration Mgmt Inc.	Crew, Drillers & Contractors - Food, Kitchen Items; 182 worker days @	Aug 23 - Sep 16/13	182.00	57.99	10,553.88	10,553.88	
Schedule C - Transportation & Rentals							
Fuel, Deliveries and Tank Rentals							
Esso	Mackenzie		1.00	27,884.04	27,884.04	27,884.04	
Rentals - Equipment							
Mountainside Exploration Mgmt Inc. & Plateau Minerals Corp	Transport Truck, ATV's, Saws, Generators, Containers, Field Equipment etc.	Aug 21 - Sep 17/13	1.00		11,223.73	11,223.73	
Transportation (on-site) & Field Supplies							
Mountainside Exploration Mgmt Inc. & Plateau Minerals Corp	Crew	Aug 23 - Sep 15/13	1.00		8,074.26	8,074.26	
Travel (to/from site)							
Mountainside Exploration Mgmt Inc. & Plateau Minerals Corp	Crew	Aug 21 - Sep 17/13	1.00		7,833.56	7,833.56	
Schedule D - Surveys & Contracting							
Geochemical Analysis & Assaying							
Chemex Labs	Inv. 2997290 165 samples VA13168803		1.00	38.91	6,420.85		
	Inv. 2997275 120 samples VA13168804		1.00	39.26	4,710.78		
					11,131.63	11,131.63	
Contracting - Expediting and Project Support							
Solomon, K	Expediting Services - Black Lake	Aug 21-22/13	2.00	330.00	660.00		
Plateau Minerals Corp	Expediting Services - Prince George	Aug 21 - Sep 17/13	27.00		7,173.75		
					7,833.75	7,833.75	
Consulting - Report Writing PGEO							
Moonraker	GIS Mapping Services	Aug - Nov/14	1.00		2,981.25		
Plateau Minerals Corp.	PGEO Report Writing	Oct - Nov/14	3.00	700.00	2,100.00		
			4.00		5,081.25	5,081.25	
Drilling, Mob & Demob							
Radius Drilling Corp.	NQ2 Coring/Drilling {962 m @ \$186.37/m} incl Core Boxes	Aug 23 - Sep 17/13	26.00	186.37	179,284.62	179,284.62	
Total Cost Statement		Brenda Project 2013				329,123.22	

12.0 REFERENCES


- Diakow, L.J. (2004): Geology of the Samuel Black Range Between the Finlay River and Toodoggone River, Toodoggone River Map Area, North-central British Columbia, Parts of NTS 94E/2,6 and 7, *B.C. Ministry of Energy, Mines and Petroleum Resources*, Open File Map 2004-4.
- Diakow, L.J. (2001): Geology of the Southern Toodoggone River and Northern McConnell Creek Map Areas, North-Central British Columbia; *B.C. Ministry of Energy, Mines and Petroleum Resources*, Map 2001-1.
- Diakow, L.J., Nixon, R.R. and Lane, B. (2005): Geology between the Finlay and Toodoggone Rivers, Toodoggone River Map Area, North-Central British Columbia (Parts of the NTS 94E/2, 6 and 7); *Geological Survey of Canada*, Open File Map 2005-3.
- Diakow, L.J., Panteleyev, A. and Schroeter, T.G. (1993): Geology of the Early Jurassic Toodoggone Formation and Gold Silver Deposits in the Toodoggone River Map Area, Northern British Columbia, B.C. Geological Survey Branch, Bulletin 86.
- Diakow, L.J., Panteleyev, A. and Schroeter, T.G., (1991): Jurassic Epithermal Deposits in the Toodoggone River Area, Northern British Columbia: Examples of Well-preserved, Volcanic-hosted, Precious Metal Mineralization; *Economic Geology*, Volume 86, pages 529-554.
- Diakow, L.J. and Rhodes, R. (2005): Geology between the Toodoggone River and Chukachida Lake (Parts of NTS 94E/6, 7, 10 and 11), North-Central British Columbia; in *Geological Fieldwork 2005*, *B.C. Ministry of Energy, Mines and Petroleum Resources*, Paper 2006-1, pages 29-38.
- Edmunds, F.C. and Konst, R.A. (2003): Exploration Program (Diamond Drill Program) on the Kemess Property, Assessment Report, 2003.
- Massey, N.D.W., MacIntyre, D.G. and Desjardins, P.J. (2003): Digital Map of British Columbia: Tile NO9 North Central B.C., *B.C. Ministry of Energy, Mines and Petroleum Resources*, Geofile 2003-18.
- Mauler, A. and Thompson A.J.B. (2007): Petrographic Description of 3 Samples, Brenda Property, BC, prepared for Canasil Resources Inc., 13 pages.
- Monger, J.W.H. (1977): The Triassic Takla Group in McConnell Creek Map-area, North-central British Columbia, *Geological Survey of Canada*, Paper 76-29, 45 pages.
- Nordin, G. and Lane, R.A. (2008): 2007 Diamond Drilling Program and 3D Induced Polarization Survey, Brenda Gold-Copper Property; *B.C. Ministry of Energy and Mines*, Assessment Report 30176, 218 pages.
- Panteleyev, A. (2006): Report on 2006 Geological Mapping, Brenda Copper-Gold Property, Toodoggone District, Northern British Columbia, prepared for Canasil Resources Inc., 16 pages.
- Rebagliati, C.M., Bowen, B.K, Copeland, D.J. and Niosi, D.W.A., Kemess South and North Porphyry Gold-Copper Deposits Northern British Columbia, in *Porphyry Deposits of the Northwestern Cordillera of North America*, CIM Special Volume 46.

13.0 STATEMENT OF QUALIFICATIONS

I, R. A. (Bob) Lane, of 3000 18th Street, Vernon, B.C., do hereby certify that:

1. I managed the 2013 exploration program on the Brenda property, compiled the resulting information and used it to author the assessment report under the direction Canasil Resources Inc.
2. I graduated from the University of British Columbia in 1990 with a M.Sc. in Geology.
3. I am a Professional Geoscientist (P.Ge.) registered with the Association of Professional Engineers and Geoscientists of British Columbia, license # 18993, and have been a member in good standing since 1992.
4. I have been continuously employed as a geologist in the mining and mineral exploration sector since 1990.

Dated this 25th day of November, 2014, at Vernon, British Columbia.



R. A. (Bob) Lane, P.Ge.
Plateau Minerals Corp.

14.0 APPENDICES

APPENDIX 1

**DIAMOND DRILLHOLE LOG FOR BR-13-01 with
SELECTED ANALYTICAL RESULTS**

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Company: Canasil Resources Inc			Datum: NAD83	Date(s) Drilled: Aug 28 to Sep 12, 2013	Sample ID	From (m)	To (m)	Width (m)	Analytical Results	
Project:	Brenda		Azimuth: 054°	Date(s) Logged: Aug 29 to Sep 13, 2013					Au-AA25	ME-ICP61
Hole:	BR13-01	(twin of BR07-04)	Dip: -75	Start of Hole: 0.00 m					Au (ppm)	Cu (%)
Collar Location (NAD83): 628530; 6347852			Elevation: 1594 m	End of Hole: 962.6 m						

Lithology Log								Notes:
From	To	Lithology	Colour	Texture	Alteration	Mineralogy		
0.0	11.6	Overburden						TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED
11.6	38.5	Monzonite						
38.5	42.1	Fault Gouge - Breccia						
42.1	48.2	Monzonite						
48.2	51.2	Fault						
51.2	68.6	Quartz Monzonite						
68.6	70.5	Clastic Volcanics						
70.5	87.0	Quartz Monzonite						
87.0	99.0	Clastic Volcanics						
99.0	104.2	Basalt Dyke						
104.2	115.3	Clastic Volcanics						
115.3	116.0	Vein						
116.0	257.7	Clastic Volcanics						
257.7	272.5	Monzonite						
272.5	277.4	Clastic Volcanics						
277.4	290.6	Quartz Monzonite						
290.6	295.7	Clastic Volcanics						
295.7	300.2	Fault Breccia						
300.2	319.7	Clastic Volcanics						
319.7	349.2	Quartz Monzonite Porphyry						
349.2	350.3	Clastic Volcanics						
350.3	371.8	Quartz Monzonite Porphyry						
371.8	372.2	Fault						
372.2	386.0	Monzonite						
386.0	392.4	Quartz Monzonite						
392.4	394.4	Fault						
394.4	397.2	Monzonite						
397.2	408.0	Quartz Monzonite						
408.0	413.1	Monzonite						
413.1	414.5	Clastic Volcanics						
414.5	416.4	Fault						
416.4	418.5	Clastic Volcanics						
418.5	419.2	Fault						
419.2	432.5	Clastic Volcanics						
432.5	441.7	Monzonite						
441.7	453.5	Clastic Volcanics						
453.5	455.7	Fault						
455.7	459.6	Monzonite						
459.6	461.6	Fault						
461.6	476.8	Quartz Monzonite						
476.8	494.9	Monzonite						
494.9	496.8	Clastic Volcanics						

- START OF SAMPLING -

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log								TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:						
496.8	504.0	Monzonite	reddish brown	coarse xline	weak pot; phyllic overprint	ksp, qtz, ser	locally w porphyroblastic texture; fractures healed by sericite; very scarce qtz stringers	G067703	500.0	502.0	2.0	0.01	41
								G067704	502.0	504.0	2.0	0.01	83
504.0	524.8	Clastic Volcanics	dk grey	volc-clastic	weak pot; phyllic overprint	qtz, ser	scarce qtz stringers and late fractures w sericite	G067705	504.0	506.0	2.0	0.25	536
								G067706	506.0	508.0	2.0	0.46	972
								G067707	508.0	510.0	2.0	0.24	708
								G067708	510.0	512.0	2.0	0.2	841
								G067709	512.0	514.0	2.0	0.41	758
								G067710	514.0	516.0	2.0	0.55	1395
								G067711	516.0	518.0	2.0	0.49	754
								G067712	518.0	520.0	2.0	0.67	711
								G067713	520.0	522.0	2.0	0.81	873
								G067714	522.0	524.0	2.0	0.64	969
524.8	530.4	Fault Zone			weak pot; phyllic overprint		fractured & healed clastic volcanics	G067715	524.0	526.0	2.0	0.52	466
								G067716	526.0	528.0	2.0	0.46	663
								G067717	528.0	530.0	2.0	0.91	1225
530.4	571.2	Quartz Monzonite	dk grey	med-coarse xline	weak pot; phyllic overprint	ksp, qtz, ser	altered, qtz veined, propylitized, w local potassic alt; up to 5% py as diss and in qtz veins	G067718	530.0	532.0	2.0	0.26	610
								G067719	532.0	534.0	2.0	0.39	577
								G067722	534.0	536.0	2.0	0.19	618
								G067723	536.0	538.0	2.0	0.24	792
								G067724	538.0	540.0	2.0	0.23	683
								G067725	540.0	542.0	2.0	0.19	525
								G067726	542.0	544.0	2.0	0.59	994
								G067727	544.0	546.0	2.0	0.62	1070
								G067728	546.0	548.0	2.0	0.25	829
								G067729	548.0	550.0	2.0	0.15	525
								G067730	550.0	552.0	2.0	0.25	497
								G067731	552.0	554.0	2.0	0.33	515
								G067732	554.0	556.0	2.0	0.26	531
								G067733	556.0	558.0	2.0	0.3	593
								G067734	558.0	560.0	2.0	0.27	472
								G067735	560.0	562.0	2.0	0.39	675
								G067736	562.0	564.0	2.0	0.36	714
								G067737	564.0	566.0	2.0	0.46	754
								G067738	566.0	568.0	2.0	0.17	778
								G067741	568.0	570.0	2.0	0.18	1025
								G067742	570.0	572.0	2.0	0.11	335
571.2	605.5	Monzonite	reddish brown	coarse xline	prop; local pot		homogeneous w consistent propylitic alt; section includes fragment of altered/mineralized Qtz Monz from 602.4 - 603.0m; pink zeolite (laumontite?) healing fractures locally	G067743	572.0	574.0	2.0	<0.01	13
								G067744	574.0	576.0	2.0	<0.01	18
								G067745	576.0	578.0	2.0	<0.01	24
								G067746	578.0	580.0	2.0	<0.01	25
								G067747	580.0	582.0	2.0	0.01	13
								G067748	582.0	584.0	2.0	<0.01	32

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log								TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:						
								G067749	584.0	586.0	2.0	<0.01	44
								G067750	586.0	588.0	2.0	<0.01	138
								G067751	588.0	590.0	2.0	<0.01	131
								G067752	590.0	592.0	2.0	<0.01	58
								G067753	592.0	594.0	2.0	<0.01	26
								G067754	594.0	596.0	2.0	<0.01	24
								G067755	596.0	598.0	2.0	<0.01	23
								G067756	598.0	600.0	2.0	<0.01	20
								G067757	600.0	602.0	2.0	<0.01	81
								G067760	602.0	604.0	2.0	0.03	425
								G067761	604.0	606.0	2.0	0.02	114
605.5	629.4	Quartz Monzonite Porphyry	dk grey	coarse xline	pot		altered, qtz veined w crowded porphyritic texture preseved locally	G067762	606.0	608.0	2.0	0.02	36
								G067763	608.0	610.0	2.0	0.01	54
								G067764	610.0	612.0	2.0	0.05	153
								G067765	612.0	614.0	2.0	0.05	246
								G067766	614.0	616.0	2.0	0.06	109
								G067767	616.0	618.0	2.0	0.03	159
								G067768	618.0	620.0	2.0	0.04	173
								G067769	620.0	622.0	2.0	0.03	109
								G067770	622.0	624.0	2.0	0.03	95
								G067771	624.0	626.0	2.0	0.07	128
								G067772	626.0	628.0	2.0	0.04	348
								G067773	628.0	630.0	2.0	0.02	128
629.4	664.2	Monzonite	reddish brown	coarse xline	prop		as above, propylitized w tect fractures healed by sericit-pyrite; most intense fracturing and local shearing from 638.2-639.2m; w poss included clast of Qtz	G067774	630.0	632.0	2.0	<0.01	80
								G067775	632.0	634.0	2.0	<0.01	74
								G067776	634.0	636.0	2.0	<0.01	41
								G067779	636.0	638.0	2.0	<0.01	31
								G067780	638.0	640.0	2.0	0.03	75
								G067781	640.0	642.0	2.0	0.04	76
								G067782	642.0	644.0	2.0	0.01	57
								G067783	644.0	646.0	2.0	<0.01	150
								G067784	646.0	648.0	2.0	<0.01	14
								G067785	648.0	650.0	2.0	0.01	9
								G067786	650.0	652.0	2.0	<0.01	14
								G067787	652.0	654.0	2.0	<0.01	11
								G067788	654.0	656.0	2.0	<0.01	17
								G067789	656.0	658.0	2.0	<0.01	12
								G067790	658.0	660.0	2.0	<0.01	10
								G067791	660.0	662.0	2.0	<0.01	26
								G067792	662.0	664.0	2.0	<0.01	16
664.2	666.0	Basalt Dyke	dark grey-black	aphanitic	none		contacts at 55 degrees TCA	G067793	664.0	666.0	2.0	<0.01	39
666.0	682.1	Monzonite	reddish brown	coarse xline	prop; weak pot	ksp, qtz, epi	propylitized, w weak pervasive epidote and locally increased silica (680.0-682.1m)	G067794	666.0	668.0	2.0	0.02	75
								G067795	668.0	670.0	2.0	<0.01	32

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log								TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:						
								G067798	670.0	672.0	2.0	0.01	50
								G067799	672.0	674.0	2.0	<0.01	42
								G067800	674.0	676.0	2.0	0.01	46
								G067801	676.0	678.0	2.0	<0.01	27
								G067802	678.0	680.0	2.0	0.02	67
								G067803	680.0	682.0	2.0	0.01	44
682.1	683.1	Quartz Monzonite	dk reddish grey	coarse xline	strong pot	ksp, qtz	strongly qtz-ksp altered, but only weak metallic mineralization	G067804	682.0	684.0	2.0	0.02	231
683.1	706.7	Monzonite	reddish brown	coarse xline	prop, weak pot/sil	ksp, qtz, epi, ser	propylitized, local weak pervasive silica accompanying strong propylitic alt of mafics--leads to discolouration of 'brick red' colour to grey; fractures healed by epidote and locally sericite-pyrite	G067805	684.0	686.0	2.0	<0.01	61
								G067806	686.0	688.0	2.0	<0.01	20
								G067807	688.0	690.0	2.0	<0.01	11
								G067808	690.0	692.0	2.0	<0.01	14
								G067809	692.0	694.0	2.0	<0.01	20
								G067810	694.0	696.0	2.0	<0.01	7
								G067811	696.0	698.0	2.0	<0.01	9
								G067812	698.0	700.0	2.0	<0.01	18
								G067813	700.0	702.0	2.0	<0.01	39
								G067814	702.0	704.0	2.0	<0.01	120
								G067817	704.0	706.0	2.0	0.01	95
706.7	709.2	Quartz Monzonite	reddish brown	medium xline	prop; weak pot	ksp, qtz	altered, w qtz stringers	G067818	706.0	708.0	2.0	0.01	101
709.2	719.8	Monzonite	reddish brown	porphyritic, coarse xline	prop; weak pot	ksp, qtz, anh	locally porphyritic; increasing silica content; fractures healed with epidote and locally anhydrite (toward lower contact) w traces of sphalerite; overall weakly propylitic alt'd w 3% blebby diss pyrite	G067819	708.0	710.0	2.0	<0.01	74
								G067820	710.0	712.0	2.0	0.1	45
								G067821	712.0	714.0	2.0	<0.01	39
								G067822	714.0	716.0	2.0	<0.01	68
								G067823	716.0	718.0	2.0	<0.01	42
								G067824	718.0	720.0	2.0	<0.01	97
719.8	766.6	Quartz Monzonite	dk reddish grey	medium xline	prop; weak pot	ksp, qtz, anh	altered, qtz-mgt veinlets w pervasive alteration; shears & fractures cemented by hem, anh and laumontite(?) from 735-737m; Absence of veinlets from 752.2-758.6 where porphyritic ksp texture and propylitic alt occurs--somewhat resembling monzonite.	G067825	720.0	722.0	2.0	0.02	385
								G067826	722.0	724.0	2.0	0.05	370
								G067827	724.0	726.0	2.0	0.07	240
								G067828	726.0	728.0	2.0	0.04	236
								G067829	728.0	730.0	2.0	0.04	348
								G067830	730.0	732.0	2.0	0.03	222
								G067831	732.0	734.0	2.0	0.06	254
								G067832	734.0	736.0	2.0	0.15	590
								G067833	736.0	738.0	2.0	0.07	274
								G067836	738.0	740.0	2.0	0.03	178
								G067837	740.0	742.0	2.0	0.09	187
								G067838	742.0	744.0	2.0	0.07	441
								G067839	744.0	746.0	2.0	0.02	577
								G067840	746.0	748.0	2.0	0.02	499
								G067841	748.0	750.0	2.0	0.03	352

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log								TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:						
								G067842	750.0	752.0	2.0	0.03	193
								G067843	752.0	754.0	2.0	0.03	128
								G067844	754.0	756.0	2.0	0.01	99
								G067845	756.0	758.0	2.0	0.01	99
								G067846	758.0	760.0	2.0	0.06	316
								G067847	760.0	762.0	2.0	0.07	538
								G067848	762.0	764.0	2.0	0.03	269
								G067849	764.0	766.0	2.0	0.04	234
766.6	772.5	Monzonite	greenish grey	medium xline	prop		strong propylitic alt	G067850	766.0	768.0	2.0	0.01	127
								G067851	768.0	770.0	2.0	0.01	103
								G067852	770.0	772.0	2.0	<0.01	18
772.5	822.2	Monzonite	reddish brown	coarse xline	weak prop	epi	generally massive & weakly altered; epidote locally selectively replaces plagand mafics; late-stage pinkish laumontite and/or epidote healing fractures with narrow bands of breccia up to 3 cm thick	G067855	772.0	774.0	2.0	<0.01	13
								G067856	774.0	776.0	2.0	0.02	16
								G067857	776.0	778.0	2.0	0.02	19
								G067858	778.0	780.0	2.0	<0.01	36
								G067859	780.0	782.0	2.0	0.01	14
								G067860	782.0	784.0	2.0	<0.01	44
								G067861	784.0	786.0	2.0	<0.01	25
								G067862	786.0	788.0	2.0	0.01	45
								G067863	788.0	790.0	2.0	<0.01	7
								G067864	790.0	792.0	2.0	<0.01	38
								G067865	792.0	794.0	2.0	<0.01	231
								G067866	794.0	796.0	2.0	<0.01	119
								G067867	796.0	798.0	2.0	<0.01	39
								G067868	798.0	800.0	2.0	<0.01	19
								G067869	800.0	802.0	2.0	<0.01	22
								G067870	802.0	804.0	2.0	<0.01	13
								G067871	804.0	806.0	2.0	<0.01	46
								G067874	806.0	808.0	2.0	<0.01	84
								G067875	808.0	810.0	2.0	<0.01	121
								G067876	810.0	812.0	2.0	<0.01	132
								G067877	812.0	814.0	2.0	<0.01	15
								G067878	814.0	816.0	2.0	<0.01	65
								G067879	816.0	818.0	2.0	<0.01	166
								G067880	818.0	820.0	2.0	<0.01	307
								G067881	820.0	822.0	2.0	<0.01	42
822.2	823.2	Quartz Monzonite	dk reddish grey	medium xline	prop; weak pot		inclusion in larger Monzonite section; altered w minor qzt-mgt stringers	G067882	822.0	824.0	2.0	0.01	285
823.2	831.0	Monzonite	reddish brown	coarse xline	prop; weak pot	epi	local large ksp megacrysts; section fractured and healed by laumontite and epidote; propylitized	G067883	824.0	826.0	2.0	<0.01	50
								G067884	826.0	828.0	2.0	<0.01	94
								G067885	828.0	830.0	2.0	<0.01	163
								G067886	830.0	832.0	2.0	0.01	320
831.0	852.6	Quartz Monzonite	dk reddish grey	medium xline	pot	ksp, mgt	altered w strong patchy to locally pervasive potassic alt'n; abundant mgt, minor qtz or qtz-mgt stringers; strongly fractured	G067887	832.0	834.0	2.0	0.02	441

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log													
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:	TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
								G067888	834.0	836.0	2.0	0.02	295
								G067889	836.0	838.0	2.0	0.04	611
								G067890	838.0	840.0	2.0	0.02	795
								G067893	840.0	842.0	2.0	0.08	1115
								G067894	842.0	844.0	2.0	0.07	1055
								G067895	844.0	846.0	2.0	0.05	645
								G067896	846.0	848.0	2.0	0.02	839
								G067897	848.0	850.0	2.0	0.02	399
								G067898	850.0	852.0	2.0	0.03	395
852.6	861.1	Clastic Volcanics	dk greenish grey	volc-clastic	pot w prop overprint	ksp, mgt, epi	altered with 2 narrow sections of qtz monz (854.9-855.3 & 857.9-858.1m); moderately potassic altered--pervasive mgt, scarce qtz-mgt veinlets and locally semi-massive pyrite veinlets; fractures healed by epidote; chlorite replaces mafics grains	G067899	852.0	854.0	2.0	0.04	534
								G067900	854.0	856.0	2.0	0.04	515
								G067951	856.0	858.0	2.0	0.07	400
								G067952	858.0	860.0	2.0	0.05	332
								G067953	860.0	862.0	2.0	0.04	637
861.1	863.4	Fault Zone					anhydrite-healed fractures resembling stockwork	G067954	862.0	864.0	2.0	0.04	362
863.4	879.0	Clastic Volcanics	dk greenish grey	volc-clastic	pot to phyllic		altered w massive pinkish-grey ksp section (864.5-864.7m); overall weak to moderate potassic alt'n w scarce qtz veinlets with py-chl along margins; alteration grades to phyllic down-section	G067955	864.0	866.0	2.0	0.05	558
								G067956	866.0	868.0	2.0	0.04	332
								G067957	868.0	870.0	2.0	0.02	274
								G067958	870.0	872.0	2.0	0.03	460
								G067959	872.0	874.0	2.0	0.03	456
								G067962	874.0	876.0	2.0	0.02	565
								G067963	876.0	878.0	2.0	0.02	237
								G067964	878.0	880.0	2.0	0.03	373
879.0	881.5	Volcanic Breccia	dk greenish grey	breccia	prop, phyllic	chl-ser	matrix-supported polymictic volcano-clastic section with some pot-alt'd monz clasts; matrix is dk grey chl-ser	G067965	880.0	882.0	2.0	0.04	221
881.5	896.7	Clastic Volcanics	dk greenish grey	volc-clastic			weak to moderately phyllic altered w scarce qtz veinlets; chlorite and sericite along shear fractures; breccia from 887.4 - 888.2	G067966	882.0	884.0	2.0	0.03	522
								G067967	884.0	886.0	2.0	0.05	993
								G067968	886.0	888.0	2.0	0.02	475
								G067969	888.0	890.0	2.0	0.03	479
								G067970	890.0	892.0	2.0	0.02	709
								G067971	892.0	894.0	2.0	0.01	395
								G067972	894.0	896.0	2.0	0.01	385
896.7	922.5	Monzonite	reddish brown	coarse xline	weak prop		propylitic alteration affecting plag and mafic grains	G067973	896.0	898.0	2.0	<0.01	114
								G067974	898.0	900.0	2.0	<0.01	48
								G067975	900.0	902.0	2.0	<0.01	16
								G067976	902.0	904.0	2.0	<0.01	25
								G067977	904.0	906.0	2.0	<0.01	45
								G067978	906.0	908.0	2.0	<0.01	48
								G067981	908.0	910.0	2.0	<0.01	59
								G067982	910.0	912.0	2.0	<0.01	41
								G067983	912.0	914.0	2.0	<0.01	22
								G067984	914.0	916.0	2.0	<0.01	10

Canasil Resources Inc - Brenda Project - 2013 Diamond Drillhole Log

Lithology Log								TOP 500 m OF HOLE WAS LOGGED BUT NOT SAMPLED					
From	To	Lithology	Colour	Texture	Alteration	Mineralogy	Notes:						
								G067985	916.0	918.0	2.0	<0.01	4
								G067986	918.0	920.0	2.0	<0.01	4
								G067987	920.0	922.0	2.0	<0.01	4
922.5	926.2	Quartz Monzonite	reddish grey	medium xline	weak pot, prop		weak potassic alteration, scarce qtz veinlets, strongly fractured - healed w epidote	G067988	922.0	924.0	2.0	0.01	211
								G067989	924.0	926.0	2.0	<0.01	276
926.2	931.1	Monzonite	reddish-green brown	coarse xline	prop	epi	propylitized, fractured with epidote healing fractures	G067990	926.0	928.0	2.0	<0.01	25
								G067991	928.0	930.0	2.0	<0.01	2
								G067992	930.0	932.0	2.0	<0.01	294
931.1	943.2	Quartz Monzonite	dk reddish grey	medium xline		ksp, -qtz	strongly fractured, epidote-healed zone; weak potassic alteration and scarce qtz stringers up to 0.5cm thick; late anhydrite +/-epidote	G067993	932.0	934.0	2.0	0.01	388
								G067994	934.0	936.0	2.0	0.01	292
								G067995	936.0	938.0	2.0	0.02	810
								G067996	938.0	940.0	2.0	0.03	559
								G067997	940.0	942.0	2.0	0.02	311
								G068000	942.0	944.0	2.0	0.01	15
943.2	962.6 (EOH)	Monzonite	greenish-brown to brown-red	coarse xline		ksp	propylitized, strongly fractured, healed by epidote +/- laumontite and sericite; strong hematitic section from 956.3 - 959.8m; porphyritic - may be a phase of unaltered qtz monz; narrow basalt dykes at 954.5m & 954.7m	G067651	944.0	946.0	2.0	<0.01	3
								G067652	946.0	948.0	2.0	<0.01	76
								G067653	948.0	950.0	2.0	<0.01	9
								G067654	950.0	952.0	2.0	<0.01	7
								G067655	952.0	954.0	2.0	<0.01	28
								G067656	954.0	956.0	2.0	<0.01	64
								G067657	956.0	958.0	2.0	<0.01	22
								G067658	958.0	960.0	2.0	<0.01	28
								G067659	960.0	962.6	2.6	0.01	268

APPENDIX 2

SAMPLE RECORDS FOR DRILLHOLE BR-13-01

Project: BRENDA

Drillhole ID: BR13-01

Page 1 of 7

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped
		<u>6067701</u>	Standard (mid or high-grade: <u>CDN-CGS-18</u>)				
		<u>702</u>	Blank (<u>BL-10</u>)				
<u>500.0</u>	<u>502.0</u>	<u>703</u>	Core				
<u>502</u>	<u>504</u>	<u>704</u>	Core				
<u>504</u>	<u>506</u>	<u>705</u>	Core				
<u>506</u>	<u>508</u>	<u>706</u>	Core				
<u>508</u>	<u>510</u>	<u>707</u>	Core				
<u>510</u>	<u>512</u>	<u>708</u>	Core				
<u>512</u>	<u>514</u>	<u>709</u>	Core				
<u>514</u>	<u>516</u>	<u>710</u>	Core				
<u>516</u>	<u>518</u>	<u>711</u>	Core				
<u>518</u>	<u>520</u>	<u>712</u>	Core				
<u>520</u>	<u>522</u>	<u>713</u>	Core				
<u>522</u>	<u>524</u>	<u>714</u>	Core	✓			
<u>524</u>	<u>526</u>	<u>715</u>	Core	✓			
<u>526</u>	<u>528</u>	<u>716</u>	Core	✓			
<u>528</u>	<u>530</u>	<u>717</u>	Core	✓			
<u>530</u>	<u>532</u>	<u>718</u>	Core	✓			
<u>532</u>	<u>534</u>	<u>719A</u>	Core (<u>1/4</u>)	✓			
<u>532</u>	<u>534</u>	<u>719B</u>	Duplicate (<u>1/4</u>)	<u>SPLIT</u>			
		<u>720</u>	Standard (mid or low-grade: <u>CDN-CGS-9</u>)				
		<u>721</u>	Blank (<u>BL-10</u>)				
<u>534</u>	<u>536</u>	<u>722</u>	Core				
<u>536</u>	<u>538</u>	<u>723</u>	Core				
<u>538</u>	<u>540</u>	<u>724</u>	Core				
<u>540</u>	<u>542</u>	<u>725</u>	Core				
<u>542</u>	<u>544</u>	<u>726</u>	Core				
<u>544</u>	<u>546</u>	<u>727</u>	Core				
<u>546</u>	<u>548</u>	<u>728</u>	Core				
<u>548</u>	<u>550</u>	<u>729</u>	Core				
<u>550</u>	<u>552</u>	<u>730</u>	Core				
<u>552</u>	<u>554</u>	<u>731</u>	Core				
<u>554</u>	<u>556</u>	<u>732</u>	Core				
<u>556</u>	<u>558</u>	<u>733</u>	Core				
<u>558</u>	<u>560</u>	<u>734</u>	Core				
<u>560</u>	<u>562</u>	<u>735</u>	Core				
<u>562</u>	<u>564</u>	<u>736</u>	Core				
<u>564</u>	<u>566</u>	<u>737</u>	Core				
<u>566</u>	<u>568</u>	<u>738A</u>	Core (<u>1/4</u>)				
<u>566</u>	<u>568</u>	<u>738B</u>	Duplicate (<u>1/4</u>)	<u>SPLIT</u>			

1300LA

Project: BRENDA

Drillhole ID: BR13-01

Page 2 of 07

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped	
		6067739	Standard (mid or high-grade: <u>CDN-CGS-9</u>)					
		740	Blank (<u>BL-10</u>)					
568	570	741	Core					
570	572	742	Core					
572	574	743	Core					
574	576	744	Core					
576	578	745	Core					
578	580	746	Core					
580	582	747	Core					
582	584	748	Core					
584	586	749	Core					
586	588	750	Core					
588	590	751	Core					
590	592	752	Core					
592	594	753	Core					
594	596	754	Core					
596	598	755	Core					
598	600	756	Core					
600	602	757A	Core (1/4)					
600	602	757B	Duplicate (1/4)	SPLIT				
		758	Standard (mid or low-grade: <u>ODN-CGS-9</u>)					
		759	Blank (<u>BL-10</u>)					
602	604	760	Core					
604	606	761	Core					
606	608	762	Core					
608	610	763	Core					
610	612	764	Core					
612	614	765	Core					
614	616	766	Core					
616	618	767	Core					
618	620	768	Core					
620	622	769	Core					
622	624	770	Core					
624	626	771	Core					
626	628	772	Core					
628	630	773	Core					
630	632	774	Core					
632	634	775	Core					
634	636	776A	Core (1/4)					
634	636	776B	Duplicate (1/4)	SPLIT				

Book B3

Project: BRENDA

Drillhole ID: BR13-D1

Page 3 of 7

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped
		<u>606777</u>	Standard (mid or high-grade: <u>CDN-CGS-9</u>)				
		<u>606778</u>	Blank (<u>BL-10</u>)				
<u>636</u>	<u>638</u>	<u>779</u>	Core				
<u>638</u>	<u>640</u>	<u>780</u>	Core				
<u>640</u>	<u>642</u>	<u>781</u>	Core				
<u>642</u>	<u>644</u>	<u>782</u>	Core				
<u>644</u>	<u>646</u>	<u>783</u>	Core				
<u>646</u>	<u>648</u>	<u>784</u>	Core				
<u>648</u>	<u>650</u>	<u>785</u>	Core				
<u>650</u>	<u>652</u>	<u>786</u>	Core				
<u>652</u>	<u>654</u>	<u>787</u>	Core				
<u>654</u>	<u>656</u>	<u>788</u>	Core				
<u>656</u>	<u>658</u>	<u>789</u>	Core				
<u>658</u>	<u>660</u>	<u>790</u>	Core				
<u>660</u>	<u>662</u>	<u>791</u>	Core				
<u>662</u>	<u>664</u>	<u>792</u>	Core				
<u>664</u>	<u>666</u>	<u>793</u>	Core				
<u>666</u>	<u>668</u>	<u>794</u>	Core				
<u>668</u>	<u>670</u>	<u>795A</u>	Core (1/4)				
<u>668</u>	<u>670</u>	<u>795B</u>	Duplicate (1/4)	<u>SPLIT</u>			
		<u>606796</u>	Standard (mid or low-grade: <u>CDN-CGS-16</u>)				
		<u>606797</u>	Blank (<u>BL-10</u>)				
<u>670</u>	<u>672</u>	<u>798</u>	Core				
<u>672</u>	<u>674</u>	<u>799</u>	Core				
<u>674</u>	<u>676</u>	<u>800</u>	Core				
<u>676</u>	<u>678</u>	<u>801</u>	Core				
<u>678</u>	<u>680</u>	<u>802</u>	Core				
<u>680</u>	<u>682</u>	<u>803</u>	Core				
<u>682</u>	<u>684</u>	<u>804</u>	Core				
<u>684</u>	<u>686</u>	<u>805</u>	Core				
<u>686</u>	<u>688</u>	<u>806</u>	Core				
<u>688</u>	<u>690</u>	<u>807</u>	Core				
<u>690</u>	<u>692</u>	<u>808</u>	Core				
<u>692</u>	<u>694</u>	<u>809</u>	Core				
<u>694</u>	<u>696</u>	<u>810</u>	Core				
<u>696</u>	<u>698</u>	<u>811</u>	Core				
<u>698</u>	<u>700</u>	<u>812</u>	Core				
<u>700</u>	<u>702</u>	<u>813</u>	Core				
<u>702</u>	<u>704</u>	<u>814A</u>	Core (1/4)				
<u>702</u>	<u>704</u>	<u>814B</u>	Duplicate (1/4)	<u>SPLIT</u>			

Book C

Project: BRENDA

Drillhole ID: BR13-01

Page 4 of 7

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped	
		<u>G067815</u>	Standard (mid or high-grade: <u>CDN-C65-9</u>)					
		<u>816</u>	Blank (<u>BL-10</u>)					
<u>704</u>	<u>706</u>	<u>817</u>	Core					
<u>706</u>	<u>708</u>	<u>818</u>	Core					
<u>708</u>	<u>710</u>	<u>819</u>	Core					
<u>710</u>	<u>712</u>	<u>820</u>	Core					
<u>712</u>	<u>714</u>	<u>821</u>	Core					
<u>714</u>	<u>716</u>	<u>822</u>	Core					
<u>716</u>	<u>718</u>	<u>823</u>	Core					
<u>718</u>	<u>720</u>	<u>824</u>	Core					
<u>720</u>	<u>722</u>	<u>825</u>	Core					
<u>722</u>	<u>724</u>	<u>826</u>	Core					
<u>724</u>	<u>726</u>	<u>827</u>	Core					
<u>726</u>	<u>728</u>	<u>828</u>	Core					
<u>728</u>	<u>730</u>	<u>829</u>	Core					
<u>730</u>	<u>732</u>	<u>830</u>	Core					
<u>732</u>	<u>734</u>	<u>831</u>	Core					
<u>734</u>	<u>736</u>	<u>832</u>	Core					
<u>736</u>	<u>738</u>	<u>833A</u>	Core (1/4)					
<u>736</u>	<u>738</u>	<u>833B</u>	Duplicate (1/4)	<u>SPLIT</u>				
		<u>834</u>	Standard (mid or low-grade: <u>CDN-C65-9</u>)					
		<u>835</u>	Blank (<u>BL-10</u>)					
<u>738</u>	<u>740</u>	<u>836</u>	Core					
<u>740</u>	<u>742</u>	<u>837</u>	Core					
<u>742</u>	<u>744</u>	<u>838</u>	Core					
<u>744</u>	<u>746</u>	<u>839</u>	Core					
<u>746</u>	<u>748</u>	<u>840</u>	Core					
<u>748</u>	<u>750</u>	<u>841</u>	Core					
<u>750</u>	<u>752</u>	<u>842</u>	Core					
<u>752</u>	<u>754</u>	<u>843</u>	Core					
<u>754</u>	<u>756</u>	<u>844</u>	Core					
<u>756</u>	<u>758</u>	<u>845</u>	Core					
<u>758</u>	<u>760</u>	<u>846</u>	Core					
<u>760</u>	<u>762</u>	<u>847</u>	Core					
<u>762</u>	<u>764</u>	<u>848</u>	Core					
<u>764</u>	<u>766</u>	<u>849</u>	Core					
<u>766</u>	<u>768</u>	<u>850</u>	Core					
<u>768</u>	<u>770</u>	<u>851</u>	Core					
<u>770</u>	<u>772</u>	<u>852A</u>	Core (1/4)					
<u>770</u>	<u>772</u>	<u>852B</u>	Duplicate (1/4)	<u>SPLIT</u>				

Book D

36/37

Project: BRENDA

Drillhole ID: BR13-01

Page 5 of 7

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped
		<u>6067853</u>	Standard (mid or high-grade: <u>CDN-CGS-9</u>)				
		<u>854</u>	Blank (<u>BL-10</u>)				
<u>772</u>	<u>774</u>	<u>855</u>	Core				
<u>774</u>	<u>776</u>	<u>856</u>	Core				
<u>776</u>	<u>778</u>	<u>857</u>	Core				
<u>778</u>	<u>780</u>	<u>858</u>	Core				
<u>780</u>	<u>782</u>	<u>859</u>	Core				
<u>782</u>	<u>784</u>	<u>860</u>	Core				
<u>784</u>	<u>786</u>	<u>861</u>	Core				
<u>786</u>	<u>788</u>	<u>862</u>	Core				
<u>788</u>	<u>790</u>	<u>863</u>	Core				
<u>790</u>	<u>792</u>	<u>864</u>	Core				
<u>792</u>	<u>794</u>	<u>865</u>	Core				
<u>794</u>	<u>796</u>	<u>866</u>	Core				
<u>796</u>	<u>798</u>	<u>867</u>	Core				
<u>798</u>	<u>800</u>	<u>868</u>	Core				
<u>800</u>	<u>802</u>	<u>869</u>	Core				
<u>802</u>	<u>804</u>	<u>870</u>	Core				
<u>804</u>	<u>806</u>	<u>871A</u>	Core (1/4)				
<u>804</u>	<u>806</u>	<u>871B</u>	Duplicate (1/4)	<u>SPLIT</u>			
		<u>872</u>	Standard (mid or low-grade: <u>CDN-CGS-16</u>)				
		<u>873</u>	Blank (<u>BL-10</u>)				
<u>806</u>	<u>808</u>	<u>874</u>	Core				
<u>808</u>	<u>810</u>	<u>875</u>	Core				
<u>810</u>	<u>812</u>	<u>876</u>	Core				
<u>812</u>	<u>814</u>	<u>877</u>	Core				
<u>814</u>	<u>816</u>	<u>878</u>	Core				
<u>816</u>	<u>818</u>	<u>879</u>	Core				
<u>818</u>	<u>820</u>	<u>880</u>	Core				
<u>820</u>	<u>822</u>	<u>881</u>	Core				
<u>822</u>	<u>824</u>	<u>882</u>	Core				
<u>824</u>	<u>826</u>	<u>883</u>	Core				
<u>826</u>	<u>828</u>	<u>884</u>	Core				
<u>828</u>	<u>830</u>	<u>885</u>	Core				
<u>830</u>	<u>832</u>	<u>886</u>	Core				
<u>832</u>	<u>834</u>	<u>887</u>	Core				
<u>834</u>	<u>836</u>	<u>888</u>	Core				
<u>836</u>	<u>838</u>	<u>889</u>	Core				
<u>838</u>	<u>840</u>	<u>890A</u>	Core (1/4)				
<u>838</u>	<u>840</u>	<u>890B</u>	Duplicate (1/4)	<u>SPLIT</u>			

36/4

Project: BRENDA

Drillhole ID: BR13-01

Page 6 of 87

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped
		6067891	Standard (mid or high-grade: <u>CDN-CGS-9</u>)				
		892	Blank (<u>BL 10</u>)				
840	842	893	Core				
842	844	894	Core				
844	846	895	Core				
846	848	896	Core				
848	850	897	Core				
850	852	898	Core				
852	854	899	Core				
854	856	900	Core				
856	858	607951	Core				
858	860	952	Core				
860	862	953	Core				
862	864	954	Core				
864	866	955	Core				
866	868	956	Core				
868	870	957	Core				
870	872	958	Core				
872	874	959A	Core (1/4)				
872	874	959B	Duplicate (1/4)	SPLIT			
		960	Standard (mid or low-grade: <u>CDN-CGS-16</u>)				
		961	Blank (<u>BL-10</u>)				
874	876	962	Core				
876	878	963	Core				
878	880	964	Core				
880	882	965	Core				
882	884	966	Core				
884	886	967	Core				
886	888	968	Core				
888	890	969	Core				
890	892	970	Core				
892	894	971	Core				
894	896	972	Core				
896	898	973	Core				
898	900	974	Core				
900	902	975	Core				
902	904	976	Core				
904	906	977	Core				
906	908	978A	Core (1/4)				
906	908	978B	Duplicate (1/4)	SPLIT			

Book E

Project: BRENDA

Drillhole ID: BR13-01

Page 7 of 7

Interval

From (m)	To (m)	Sample ID	Sample Type	STD Type	Box #	Date Sampled	Date Shipped	
		G067979	Standard (mid or high-grade: <u>CDN-CGS-9</u>)					
		980	Blank (<u>BL-10</u>)					
908	910	981	Core					
910	912	982	Core					
912	914	983	Core					
914	916	984	Core					
916	918	985	Core					
918	920	986	Core					
920	922	987	Core					
922	924	988	Core					
924	926	989	Core					
926	928	990	Core					
928	930	991	Core					
930	932	992	Core					
932	934	993	Core					
934	936	994	Core					
936	938	995	Core					
938	940	996	Core					
940	942	997A	Core (1/4)					
940	942	997B	Duplicate (1/4)	<u>SPLIT</u>				
		G067998	Standard (mid or low-grade: <u>CDN-CGS-9</u>)					
		999	Blank (<u>BL-10</u>)					
942	944	G068000	Core					
944	946	G067651	Core					
946	948	652	Core					
948	950	653	Core					
950	952	654	Core					
952	954	655	Core					
954	956	656	Core					
956	958	657	Core					
958	960	658	Core					
960	962.6	659	Core					
		EOH	Core					
		Sept 12, 2013	Core					
			Core					
			Core					
			Core					
			Core					
			Core (1/4)					
			Duplicate (1/4)					

Book 1-

APPENDIX 3

**ALS CHEMEX CERTIFICATES OF ANALYSIS &
CHEMICAL PROCEDURES**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
G067811		5.28	<0.5	7.43	8	1840	1.1	<2	3.95	<0.5	7	4	9	3.60	20	3.23
G067812		4.94	<0.5	7.71	<5	2120	1.1	<2	3.31	<0.5	8	13	18	3.65	20	4.25
G067813		5.48	<0.5	7.86	<5	1880	1.2	2	3.46	2.9	6	4	39	3.54	20	4.03
G067814		5.04	0.6	7.65	<5	500	1.0	<2	2.97	2.9	7	3	120	3.73	20	3.97
G067814 A		<0.02	0.5	7.79	6	620	1.0	2	3.04	3.2	8	4	115	3.86	20	3.97
G067814 B		<0.02	0.7	7.38	7	510	1.0	2	2.87	2.9	7	3	114	3.64	20	3.86
G067815		0.10	1.2	6.54	11	650	0.8	<2	2.56	<0.5	9	22	4750	6.01	20	2.47
G067816		0.10	<0.5	6.75	<5	540	0.8	<2	2.84	<0.5	13	54	26	3.61	10	0.90
G067817		4.36	0.5	7.59	<5	750	1.0	<2	3.04	5.4	6	3	95	3.60	20	4.16
G067818		5.16	0.6	7.50	<5	460	0.9	<2	2.83	0.6	9	4	101	4.62	20	3.57
G067819		5.56	0.5	7.62	<5	410	1.1	<2	3.47	0.9	9	3	74	4.60	20	2.94
G067820		5.62	5.2	7.61	<5	590	1.1	<2	4.20	1.2	8	3	45	3.68	20	3.23
G067821		5.24	<0.5	7.67	<5	1000	1.1	<2	3.20	1.5	7	3	39	3.74	10	3.15
G067822		4.98	<0.5	7.68	<5	1780	1.1	<2	3.39	4.3	9	3	68	3.61	20	2.71
G067823		4.88	<0.5	7.49	5	1680	1.1	<2	3.55	2.8	8	3	42	3.67	20	2.77
G067824		5.38	0.8	7.71	<5	1820	1.1	<2	4.30	3.4	8	3	97	4.73	20	3.09
G067825		5.12	1.8	7.33	<5	1760	0.9	5	2.49	4.7	9	6	385	6.17	20	3.10
G067826		5.20	1.6	7.30	<5	1480	0.9	<2	2.35	1.7	8	5	370	5.77	20	2.99
G067827		4.94	1.2	6.77	<5	1220	0.8	2	2.75	1.7	8	6	240	5.44	20	2.49
G067828		4.76	1.3	6.69	<5	600	0.7	<2	2.72	2.4	6	5	236	5.82	20	2.81
G067829		4.94	1.4	7.00	<5	1430	0.8	<2	1.99	2.7	7	6	348	5.47	20	3.32
G067830		4.18	1.5	6.71	<5	380	0.6	<2	2.12	2.6	9	5	222	6.01	20	3.51
G067831		4.28	3.1	6.09	<5	100	0.6	<2	3.13	5.9	11	5	254	6.58	20	2.82
G067832		4.52	4.2	6.29	5	100	0.7	<2	4.00	5.0	8	4	590	5.36	20	3.06
G067833		5.20	2.1	6.49	11	270	0.6	<2	3.31	5.5	8	4	274	5.41	20	3.33
G067833 A		<0.02	2.5	6.66	10	190	0.6	<2	3.42	5.3	8	5	288	5.51	20	3.39
G067833 B		<0.02	2.3	6.55	10	210	0.6	<2	3.35	5.6	8	5	281	5.45	20	3.36
G067834		0.10	1.0	6.35	5	610	0.7	<2	2.56	<0.5	9	22	4780	5.94	10	2.41
G067835		0.10	<0.5	6.25	<5	480	0.7	<2	2.70	<0.5	12	51	24	3.31	10	0.83
G067836		4.44	1.2	7.55	9	1800	0.9	<2	2.15	2.1	6	5	178	5.35	20	4.05
G067837		4.94	2.0	6.51	30	150	0.6	<2	2.32	2.4	17	5	187	5.61	20	3.39
G067838		4.30	3.1	6.57	21	190	0.7	<2	2.41	9.6	11	5	441	5.09	20	3.69
G067839		4.62	3.4	6.32	6	130	0.7	<2	3.82	13.0	9	5	577	5.37	20	3.25
G067840		4.40	2.7	6.79	8	870	0.7	<2	3.39	13.1	8	5	499	4.82	20	2.99
G067841		4.06	1.7	6.76	<5	330	0.7	<2	3.52	8.1	9	6	352	4.97	20	2.79
G067842		4.46	1.6	7.15	6	280	0.8	<2	2.81	2.4	15	6	193	5.32	20	2.69
G067843		4.16	1.3	7.28	5	410	0.8	<2	2.65	1.0	11	7	128	4.12	20	2.79
G067844		4.48	0.5	7.16	<5	730	0.8	<2	4.21	13.8	7	4	99	3.41	20	3.88
G067845		4.28	0.5	7.41	<5	1670	0.9	<2	3.38	1.8	8	5	99	3.51	20	3.24
G067846		3.80	1.8	6.15	16	140	0.7	<2	5.23	3.5	9	6	316	3.85	10	2.51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method	ME- ICP61														
	Analyte	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
LOR		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	
G067811		10	0.83	2070	<1	2.33	2	890	36	1.70	<5	9	595	<20	0.30	<10
G067812		10	0.88	2030	<1	1.91	3	920	38	1.30	<5	9	464	<20	0.30	<10
G067813		10	0.87	2150	<1	1.91	2	910	48	1.93	<5	9	439	<20	0.29	<10
G067814		10	0.97	2520	2	1.49	1	900	114	3.15	<5	9	344	<20	0.27	10
G067814 A		10	1.01	2590	2	1.51	1	900	123	3.28	<5	9	350	<20	0.28	<10
G067814 B		10	0.94	2430	2	1.45	1	850	117	3.09	<5	9	329	<20	0.26	<10
G067815		10	1.04	822	10	1.33	11	840	9	1.75	6	10	313	<20	0.20	<10
G067816		10	1.37	719	2	2.44	30	670	5	0.05	<5	16	323	<20	0.38	<10
G067817		10	1.01	3110	2	1.37	2	850	84	2.48	<5	9	338	<20	0.26	<10
G067818		10	0.92	2790	5	1.66	2	900	34	3.40	<5	10	339	<20	0.27	10
G067819		10	0.97	3210	5	2.13	2	1030	51	3.52	<5	10	488	<20	0.30	10
G067820		10	0.94	2610	2	2.29	1	1130	90	2.88	<5	9	554	<20	0.31	10
G067821		10	0.97	2350	3	2.50	1	1130	54	2.40	<5	9	544	<20	0.32	<10
G067822		10	0.90	2110	2	2.60	2	1040	12	1.46	<5	9	675	<20	0.31	<10
G067823		10	0.94	2800	3	2.48	2	1080	39	1.66	<5	9	683	<20	0.31	10
G067824		10	1.00	3040	2	2.03	1	1140	64	1.85	<5	10	587	<20	0.33	<10
G067825		10	1.14	3570	4	2.13	2	860	284	1.40	<5	9	372	<20	0.29	<10
G067826		10	1.12	3520	5	2.25	4	790	54	0.94	<5	8	345	<20	0.28	<10
G067827		10	0.97	3140	4	2.40	1	820	37	1.55	<5	7	360	<20	0.27	<10
G067828		10	0.99	3570	5	1.87	3	750	100	2.36	<5	7	307	<20	0.26	<10
G067829		10	0.94	3230	4	1.97	2	840	94	1.60	<5	7	287	<20	0.29	<10
G067830		10	0.95	3010	4	1.59	1	790	92	2.92	<5	6	235	<20	0.27	<10
G067831		10	0.92	3280	6	1.34	2	730	524	5.78	<5	6	268	<20	0.25	<10
G067832		10	0.98	3230	5	0.98	1	750	90	4.39	<5	6	341	<20	0.25	<10
G067833		10	0.85	2530	5	1.20	1	750	83	3.28	<5	6	297	<20	0.25	<10
G067833 A		10	0.88	2580	6	1.18	1	770	84	3.50	<5	6	300	<20	0.26	<10
G067833 B		10	0.87	2550	6	1.21	<1	770	81	3.31	<5	6	299	<20	0.25	<10
G067834		10	1.02	806	10	1.27	10	770	8	1.66	9	10	291	<20	0.19	<10
G067835		10	1.27	673	2	2.25	25	590	5	0.04	<5	14	290	<20	0.35	<10
G067836		10	1.01	2620	4	1.71	3	860	78	1.29	<5	7	271	<20	0.29	<10
G067837		10	0.88	2250	6	1.44	3	700	72	3.90	<5	6	237	<20	0.25	<10
G067838		10	0.96	2720	6	1.15	<1	770	239	3.42	<5	6	239	<20	0.26	<10
G067839		10	0.90	2840	6	1.06	1	780	130	4.53	<5	6	336	<20	0.25	<10
G067840		10	0.92	2670	4	1.68	2	860	37	2.07	<5	7	344	<20	0.27	<10
G067841		10	0.92	2400	4	1.95	<1	820	50	2.75	<5	6	356	<20	0.27	<10
G067842		10	0.90	2750	13	1.61	3	860	28	3.24	<5	6	308	<20	0.27	<10
G067843		10	0.88	2210	13	2.19	1	860	33	2.82	<5	7	325	<20	0.29	<10
G067844		10	0.93	2410	2	1.46	<1	800	60	2.06	<5	8	412	<20	0.27	<10
G067845		10	0.87	2040	2	2.14	<1	800	122	0.99	<5	8	449	<20	0.27	<10
G067846		10	0.77	1640	5	2.09	1	680	109	4.51	<5	6	473	<20	0.24	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067811		<10	97	<10	138	<0.01
G067812		<10	99	<10	150	<0.01
G067813		<10	97	<10	446	<0.01
G067814		<10	91	10	465	<0.01
G067814 A		<10	92	<10	493	<0.01
G067814 B		<10	89	<10	462	<0.01
G067815		10	89	10	101	0.34
G067816		<10	126	10	60	<0.01
G067817		<10	93	<10	698	0.01
G067818		<10	101	<10	209	0.01
G067819		<10	111	<10	258	<0.01
G067820		<10	100	<10	275	0.10
G067821		<10	99	<10	318	<0.01
G067822		10	103	<10	679	<0.01
G067823		<10	106	<10	458	<0.01
G067824		<10	117	<10	592	<0.01
G067825		<10	116	<10	770	0.02
G067826		<10	141	<10	402	0.05
G067827		<10	100	<10	365	0.07
G067828		<10	90	<10	458	0.04
G067829		<10	83	<10	536	0.04
G067830		<10	79	<10	544	0.03
G067831		<10	77	<10	987	0.06
G067832		<10	76	<10	678	0.15
G067833		<10	78	<10	745	0.07
G067833 A		<10	79	<10	710	0.08
G067833 B		<10	78	<10	756	0.07
G067834		<10	83	10	98	0.33
G067835		<10	113	10	55	<0.01
G067836		<10	82	<10	393	0.03
G067837		<10	72	<10	405	0.09
G067838		<10	75	<10	1250	0.07
G067839		<10	74	<10	2030	0.02
G067840		<10	80	<10	2000	0.02
G067841		<10	76	<10	1330	0.03
G067842		<10	81	<10	494	0.03
G067843		<10	76	<10	260	0.03
G067844		<10	85	<10	1690	0.01
G067845		<10	82	<10	324	0.01
G067846		<10	62	<10	480	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	10	0.01	
G067847		4.54	2.4	6.84	8	400	0.9	<2	3.04	3.4	8	8	538	4.37	20	2.55
G067848		5.08	2.0	7.27	<5	810	0.9	<2	2.49	2.8	10	7	269	4.55	20	2.77
G067849		5.36	0.7	7.67	<5	1420	1.2	<2	2.54	1.1	10	6	234	3.80	20	2.58
G067850		4.40	0.8	7.55	6	2080	0.9	<2	3.98	2.0	7	6	127	3.53	20	3.26
G067851		5.86	0.5	7.54	<5	2210	0.9	<2	3.85	4.2	6	5	103	3.51	20	3.45
G067852		5.20	<0.5	7.67	<5	1620	1.0	<2	4.27	<0.5	6	5	18	3.53	20	2.41
G067852 A		<0.02	<0.5	7.30	<5	1540	0.9	<2	4.04	<0.5	5	5	20	3.34	20	2.32
G067852 B		<0.02	<0.5	7.12	<5	1540	0.9	<2	4.08	<0.5	5	5	17	3.36	20	2.30
G067853		0.10	1.1	6.16	10	590	0.7	<2	2.53	<0.5	9	22	4740	5.82	10	2.38
G067854		0.10	<0.5	6.04	<5	460	0.7	<2	2.62	<0.5	12	50	23	3.19	10	0.80
G067855		4.60	<0.5	6.85	<5	1450	0.9	<2	3.63	<0.5	7	7	13	3.11	10	2.26
G067856		4.14	<0.5	7.23	6	1610	1.0	<2	3.32	<0.5	6	5	16	3.14	20	2.63
G067857		4.30	<0.5	6.88	9	1580	0.8	<2	3.01	3.5	5	5	19	2.90	10	2.79
G067858		4.96	<0.5	7.04	7	1710	0.8	<2	3.03	5.6	5	4	36	2.93	10	3.19
G067859		4.06	<0.5	6.84	6	1750	0.8	<2	2.88	3.9	7	4	14	2.95	10	3.07
G067860		6.28	<0.5	7.03	5	1870	0.9	<2	2.86	4.4	7	6	44	3.12	20	3.04
G067861		5.16	<0.5	6.56	<5	2230	0.8	<2	3.18	0.8	6	7	25	2.99	10	3.09
G067862		5.46	<0.5	7.64	7	1810	0.9	<2	2.99	0.6	8	6	45	3.18	10	3.13
G067863		4.88	<0.5	7.01	6	1820	0.9	<2	3.06	<0.5	8	6	7	3.18	20	2.91
G067864		5.48	0.5	7.44	8	2090	0.9	<2	3.39	<0.5	7	5	38	3.55	20	3.15
G067865		4.94	1.6	7.68	<5	2080	0.9	2	3.50	0.6	11	3	231	4.28	20	3.28
G067866		5.34	0.8	7.33	<5	1870	1.0	<2	3.15	0.9	8	4	119	3.70	10	3.54
G067867		4.72	<0.5	7.48	<5	1830	1.0	3	3.51	1.2	10	4	39	3.49	10	3.39
G067868		4.78	<0.5	7.96	5	1610	1.1	<2	4.03	<0.5	9	5	19	3.66	20	2.87
G067869		4.70	<0.5	7.39	<5	1700	1.1	<2	3.00	<0.5	9	5	22	3.50	20	2.80
G067870		4.24	<0.5	7.39	<5	1610	1.0	<2	3.12	<0.5	10	5	13	3.42	20	2.65
G067871		4.24	<0.5	7.86	<5	1460	1.1	<2	3.80	2.1	8	4	46	3.49	20	2.52
G067871 A		<0.02	<0.5	7.68	<5	1430	1.1	<2	3.75	1.9	8	5	43	3.55	20	2.50
G067871 B		<0.02	<0.5	7.07	5	1430	1.1	<2	3.67	2.0	8	4	41	3.39	20	2.50
G067872		0.10	0.9	7.49	41	1210	0.9	<2	4.86	1.4	24	42	1095	5.64	20	1.97
G067873		0.10	<0.5	6.37	7	480	0.7	2	2.63	<0.5	12	52	22	3.29	10	0.83
G067874		3.92	1.1	7.75	<5	1600	1.1	<2	3.69	5.8	8	5	84	3.52	20	2.79
G067875		4.20	<0.5	7.55	<5	1710	1.0	<2	3.86	1.6	8	3	121	3.64	10	2.84
G067876		4.38	0.6	7.88	<5	1880	1.1	<2	3.47	1.0	10	4	132	3.80	20	3.05
G067877		4.66	<0.5	7.96	8	1910	1.1	<2	3.11	<0.5	8	4	15	3.66	20	3.00
G067878		3.36	<0.5	7.79	5	1670	1.2	<2	3.38	2.3	10	3	65	3.81	20	2.72
G067879		5.20	0.7	7.46	<5	1710	1.1	<2	3.74	3.8	8	4	166	3.57	20	2.59
G067880		5.78	1.4	7.91	<5	1760	1.0	<2	3.97	4.1	10	4	307	4.36	20	2.63
G067881		5.24	<0.5	7.17	5	1410	0.9	<2	4.29	<0.5	9	3	42	3.98	20	2.02
G067882		5.64	0.8	7.78	<5	1960	0.9	<2	2.97	1.1	10	4	285	3.97	20	3.47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method	ME- ICP61														
	Analyte	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
LOR		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	
G067847		10	0.91	2150	9	2.17	<1	760	57	2.82	<5	6	402	<20	0.26	<10
G067848		10	0.83	1960	8	2.41	<1	800	50	2.27	<5	6	376	<20	0.27	<10
G067849		10	0.80	1450	6	3.07	<1	840	37	1.24	<5	6	526	<20	0.28	10
G067850		10	0.88	2630	3	1.78	<1	870	32	1.09	<5	8	430	<20	0.28	<10
G067851		10	0.94	2840	4	1.42	1	880	33	0.67	<5	9	397	<20	0.28	<10
G067852		10	0.89	2680	3	1.85	<1	870	23	0.46	<5	9	505	<20	0.29	<10
G067852 A		10	0.85	2550	3	1.78	<1	850	24	0.44	<5	9	479	<20	0.27	<10
G067852 B		10	0.83	2570	3	1.78	<1	840	21	0.44	<5	8	480	<20	0.28	<10
G067853		10	0.99	796	10	1.24	9	740	8	1.61	7	9	284	<20	0.19	<10
G067854		10	1.23	651	2	2.16	24	560	6	0.04	<5	14	280	<20	0.33	<10
G067855		10	0.77	1870	2	2.38	<1	770	13	0.49	<5	7	528	<20	0.26	<10
G067856		10	0.80	1990	3	2.32	<1	790	18	0.58	<5	8	472	<20	0.27	<10
G067857		10	0.76	2090	3	1.93	1	710	112	0.84	<5	8	359	<20	0.24	<10
G067858		10	0.77	2070	8	1.34	2	750	232	0.57	<5	8	297	<20	0.25	<10
G067859		10	0.75	1845	2	1.40	1	740	559	0.67	<5	8	295	<20	0.24	<10
G067860		10	0.78	1995	2	2.07	3	830	65	0.48	<5	8	393	<20	0.27	<10
G067861		10	0.73	1975	1	1.85	1	800	31	0.35	<5	7	388	<20	0.26	<10
G067862		20	0.81	1890	1	2.30	1	810	49	0.29	<5	8	443	<20	0.27	<10
G067863		10	0.79	1955	2	2.22	<1	820	21	0.36	<5	8	435	<20	0.27	<10
G067864		10	0.90	2580	2	1.72	2	820	40	0.55	<5	9	423	<20	0.27	<10
G067865		20	1.10	3110	2	1.44	1	840	44	0.72	<5	11	478	<20	0.32	<10
G067866		20	0.89	2250	2	1.84	<1	810	29	0.59	<5	10	456	<20	0.30	<10
G067867		10	0.85	2230	3	1.99	2	810	47	0.82	<5	10	520	<20	0.30	<10
G067868		10	0.90	2310	2	2.39	<1	850	30	0.52	<5	10	595	<20	0.31	<10
G067869		10	0.96	1600	2	2.73	2	870	11	0.12	<5	10	554	<20	0.31	<10
G067870		20	0.95	1610	1	2.70	<1	820	12	0.07	<5	10	490	<20	0.30	<10
G067871		20	0.84	1950	2	2.55	<1	810	241	0.24	<5	10	557	<20	0.31	<10
G067871 A		10	0.83	1950	2	2.56	<1	810	210	0.24	<5	10	545	<20	0.31	<10
G067871 B		10	0.83	1920	1	2.56	<1	810	228	0.25	<5	10	524	<20	0.31	<10
G067872		10	1.99	873	14	1.81	27	1380	16	1.36	<5	17	399	<20	0.43	10
G067873		10	1.25	670	2	2.22	27	600	4	0.04	<5	15	293	<20	0.35	<10
G067874		20	0.86	2200	3	2.33	1	810	709	0.52	<5	10	559	<20	0.30	<10
G067875		10	0.93	2460	3	1.83	<1	810	49	0.58	<5	10	553	<20	0.30	<10
G067876		20	0.97	2330	3	2.34	1	860	31	0.50	<5	10	608	<20	0.32	<10
G067877		10	0.99	1685	2	2.70	1	850	18	0.06	<5	10	621	<20	0.32	<10
G067878		10	0.96	1970	2	2.57	<1	860	251	0.14	<5	10	585	<20	0.32	<10
G067879		20	0.92	2660	3	1.97	<1	790	379	0.43	<5	10	568	<20	0.29	<10
G067880		20	1.07	3070	2	1.69	1	900	411	0.52	<5	12	583	<20	0.34	<10
G067881		20	0.89	3150	3	1.10	1	810	18	0.64	<5	9	601	<20	0.29	10
G067882		10	0.82	2110	4	1.67	2	820	20	1.29	<5	8	379	<20	0.28	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067847		<10	69	<10	478	0.07
G067848		<10	72	<10	463	0.03
G067849		<10	69	<10	236	0.04
G067850		<10	88	<10	379	0.01
G067851		<10	94	<10	624	0.01
G067852		<10	92	<10	166	<0.01
G067852 A		<10	88	<10	159	<0.01
G067852 B		<10	90	<10	162	<0.01
G067853		<10	83	10	97	0.37
G067854		<10	109	20	53	<0.01
G067855		<10	79	<10	111	<0.01
G067856		<10	81	<10	152	0.02
G067857		<10	73	<10	513	0.02
G067858		<10	76	<10	708	<0.01
G067859		<10	76	<10	578	0.01
G067860		<10	87	<10	590	<0.01
G067861		<10	81	<10	185	<0.01
G067862		<10	84	<10	179	0.01
G067863		<10	88	<10	130	<0.01
G067864		<10	90	<10	144	<0.01
G067865		<10	117	<10	207	<0.01
G067866		<10	105	<10	265	<0.01
G067867		<10	108	<10	254	<0.01
G067868		<10	114	<10	142	<0.01
G067869		<10	108	<10	97	<0.01
G067870		<10	106	<10	95	<0.01
G067871		<10	109	<10	308	<0.01
G067871 A		<10	110	<10	300	<0.01
G067871 B		<10	106	<10	310	<0.01
G067872		<10	216	<10	113	0.21
G067873		<10	114	10	56	<0.01
G067874		<10	107	<10	813	<0.01
G067875		<10	106	<10	332	<0.01
G067876		<10	110	<10	240	<0.01
G067877		<10	111	<10	114	<0.01
G067878		<10	114	<10	374	<0.01
G067879		<10	103	<10	603	<0.01
G067880		<10	122	<10	629	<0.01
G067881		<10	99	<10	112	<0.01
G067882		<10	90	<10	272	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	10	0.01	
G067883		4.12	<0.5	7.50	<5	1720	0.9	2	3.23	0.7	7	4	50	3.05	10	3.05
G067884		4.48	0.6	7.21	<5	1630	0.8	<2	3.55	6.6	11	3	94	3.44	20	2.72
G067885		4.74	0.5	7.23	<5	1790	0.8	<2	3.78	5.6	9	5	163	3.51	20	2.78
G067886		4.36	1.2	7.41	<5	1340	0.9	<2	3.48	2.4	10	7	320	3.83	20	2.40
G067887		4.42	2.2	7.34	9	1030	1.0	3	3.00	0.9	12	7	441	4.11	20	2.11
G067888		4.52	0.8	7.95	<5	880	1.1	<2	2.85	0.8	9	8	295	4.77	20	2.15
G067889		5.14	1.6	7.58	7	1130	1.0	<2	2.71	<0.5	13	7	611	5.51	20	2.76
G067890		5.64	1.9	7.81	<5	1090	1.0	<2	3.22	2.4	13	7	795	4.00	20	3.26
G067890 A		<0.02	2.2	7.84	10	1260	1.0	<2	3.21	2.4	12	9	677	3.96	20	3.27
G067890 B		<0.02	1.9	8.29	<5	670	1.1	<2	3.49	2.2	14	11	831	4.25	20	3.53
G067891		0.10	1.1	6.65	5	630	0.7	<2	2.63	<0.5	9	23	4880	6.15	10	2.54
G067892		0.10	<0.5	6.53	<5	500	0.7	<2	2.74	<0.5	13	52	26	3.50	10	0.86
G067893		5.28	2.4	8.04	<5	1740	1.0	<2	2.48	2.5	14	8	1115	5.07	20	3.09
G067894		4.34	5.6	7.93	<5	1640	0.8	<2	2.24	2.8	12	9	1055	4.98	20	3.26
G067895		5.52	1.8	7.99	<5	1320	1.1	<2	2.91	3.0	16	9	645	5.31	20	2.21
G067896		5.80	3.4	7.82	<5	660	0.9	<2	2.14	0.6	17	10	839	4.70	20	2.72
G067897		5.08	1.3	8.08	5	500	1.1	<2	3.17	<0.5	22	8	399	6.29	20	2.51
G067898		5.96	1.0	8.17	<5	980	1.0	<2	2.85	5.2	9	7	395	5.11	20	2.34
G067899		5.06	1.6	7.71	<5	760	1.0	<2	3.13	7.2	11	7	534	5.88	20	1.98
G067900		4.08	1.2	8.26	<5	630	1.1	<2	3.33	0.6	15	8	515	5.83	20	2.09
G067951		5.14	0.8	7.97	<5	290	1.1	<2	2.72	1.4	13	7	400	5.75	20	2.77
G067952		4.74	1.1	7.95	8	320	1.0	<2	3.17	10.6	11	7	332	5.24	20	2.59
G067953		4.42	1.3	6.85	<5	230	0.9	<2	5.87	2.3	11	5	637	6.61	20	1.96
G067954		5.00	1.0	6.30	<5	300	0.8	<2	7.06	2.2	12	6	362	4.30	10	1.93
G067955		5.06	1.5	7.11	<5	220	0.9	<2	3.11	1.5	13	5	558	4.08	20	2.28
G067956		4.88	1.0	7.47	7	260	1.0	<2	2.85	2.9	10	6	332	4.00	20	2.34
G067957		4.88	1.8	6.69	<5	300	1.0	<2	5.84	1.1	10	3	274	3.55	10	2.63
G067958		4.76	1.3	6.83	5	430	0.9	<2	3.61	0.5	8	5	460	3.64	10	2.23
G067959		4.04	1.3	7.37	<5	720	0.9	<2	2.62	<0.5	11	7	456	3.94	10	1.94
G067959 A		<0.02	1.3	7.53	<5	700	0.9	<2	2.70	<0.5	11	6	476	4.06	10	2.04
G067959 B		<0.02	1.4	7.23	<5	670	0.9	<2	2.60	<0.5	12	7	449	3.90	10	1.91
G067960		0.10	0.8	7.53	38	1220	0.9	<2	5.02	1.2	24	41	1130	5.80	20	2.06
G067961		0.10	<0.5	6.67	<5	510	0.7	<2	2.79	<0.5	13	54	23	3.61	10	0.88
G067962		4.30	1.3	7.79	5	850	1.0	<2	2.55	0.6	14	6	565	4.43	20	2.07
G067963		5.22	0.7	7.58	10	1140	1.0	<2	2.88	0.6	10	9	237	4.38	20	2.41
G067964		4.38	0.7	7.97	15	660	1.0	<2	2.63	<0.5	11	9	373	4.11	20	2.43
G067965		5.44	0.5	7.46	7	900	1.0	<2	3.59	<0.5	9	8	221	4.28	20	1.96
G067966		4.62	2.0	7.03	<5	500	1.0	<2	3.02	1.1	11	6	522	4.00	10	1.93
G067967		4.54	2.8	6.68	<5	460	0.9	<2	3.01	4.6	12	6	993	3.81	10	2.29
G067968		4.80	1.3	6.71	<5	520	0.7	<2	3.53	1.3	13	6	475	4.20	10	3.34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method	ME- ICP61														
	Analyte	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	
Units		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
LOR		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	
G067883		20	0.82	1805	1	1.95	<1	750	17	0.27	<5	8	468	<20	0.26	<10
G067884		20	0.80	2450	2	1.49	1	730	31	0.49	<5	8	446	<20	0.26	<10
G067885		20	0.86	2490	2	1.26	2	720	13	0.67	<5	8	474	<20	0.26	<10
G067886		10	0.86	1900	4	2.18	2	910	15	1.69	<5	8	456	<20	0.27	<10
G067887		10	0.93	1840	6	2.69	2	940	188	2.02	<5	7	431	<20	0.29	<10
G067888		10	1.05	1945	5	2.79	<1	970	26	1.44	<5	8	400	<20	0.31	<10
G067889		10	0.84	1550	5	2.44	3	990	24	2.28	<5	7	377	<20	0.30	<10
G067890		10	0.89	1690	4	2.29	3	1050	45	2.34	<5	8	421	<20	0.29	<10
G067890 A		10	0.90	1695	5	2.28	3	1030	44	2.30	<5	8	420	<20	0.30	<10
G067890 B		10	0.96	1770	4	2.46	11	1110	49	2.50	<5	8	447	<20	0.31	<10
G067891		<10	1.07	827	10	1.33	13	820	14	1.75	6	10	308	<20	0.20	<10
G067892		10	1.31	681	2	2.33	31	620	5	0.04	<5	15	300	<20	0.36	<10
G067893		10	1.06	2030	9	2.54	3	1060	43	1.58	<5	8	402	<20	0.30	<10
G067894		10	0.90	1750	8	2.60	4	880	45	1.66	<5	7	390	<20	0.27	<10
G067895		10	1.22	2530	9	2.77	2	1080	121	2.02	<5	8	420	<20	0.32	<10
G067896		10	0.86	1960	10	2.11	3	740	36	2.21	<5	6	342	<20	0.23	<10
G067897		10	1.09	2630	8	2.16	4	1060	22	3.06	<5	8	437	<20	0.32	<10
G067898		10	1.06	2560	11	2.45	4	1060	116	2.64	<5	8	394	<20	0.30	<10
G067899		10	1.18	3210	8	2.08	4	1100	104	3.46	<5	8	394	<20	0.34	<10
G067900		10	0.97	2670	12	2.65	4	1070	64	3.02	5	9	493	<20	0.31	<10
G067951		10	0.95	2160	9	2.35	3	980	68	3.75	<5	8	399	<20	0.28	<10
G067952		10	1.04	2220	11	2.14	3	940	142	3.86	<5	8	377	<20	0.29	<10
G067953		10	1.04	2320	8	1.75	2	610	42	4.86	<5	7	536	<20	0.25	<10
G067954		<10	0.85	1740	6	1.49	2	520	67	7.22	<5	6	579	<20	0.21	<10
G067955		<10	0.99	1990	4	1.78	2	620	97	4.32	<5	8	332	<20	0.23	<10
G067956		<10	0.94	2130	6	2.24	1	660	103	3.63	<5	8	376	<20	0.24	<10
G067957		10	0.73	2050	11	1.05	2	570	46	4.01	<5	7	416	<20	0.23	<10
G067958		10	0.79	2050	15	1.77	2	560	42	2.57	5	6	402	<20	0.24	<10
G067959		10	0.73	1770	7	2.56	3	610	25	2.59	<5	7	343	<20	0.25	<10
G067959 A		10	0.74	1800	7	2.58	2	620	24	2.68	<5	7	347	<20	0.25	<10
G067959 B		10	0.72	1760	6	2.51	2	610	23	2.57	<5	7	337	<20	0.24	<10
G067960		10	2.09	871	17	1.85	30	1420	15	1.44	12	17	406	<20	0.44	<10
G067961		10	1.35	691	2	2.39	29	630	4	0.05	<5	15	309	<20	0.37	<10
G067962		10	1.15	2300	6	2.59	2	710	31	1.85	<5	8	372	<20	0.29	<10
G067963		10	0.95	2270	10	1.84	3	700	26	1.87	<5	8	344	<20	0.27	<10
G067964		10	0.98	2700	4	2.23	2	720	21	2.34	<5	8	391	<20	0.28	<10
G067965		10	0.97	2810	7	1.64	2	650	21	2.06	<5	7	462	<20	0.26	<10
G067966		10	0.82	1790	6	1.94	2	560	35	1.96	5	7	415	<20	0.25	<10
G067967		10	0.77	1710	30	1.37	2	500	243	2.40	<5	6	327	<20	0.22	<10
G067968		10	0.74	1580	15	0.76	1	570	42	4.53	<5	7	386	<20	0.22	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067883		<10	82	<10	164	<0.01
G067884		<10	83	<10	1170	<0.01
G067885		<10	84	<10	973	<0.01
G067886		<10	84	<10	401	0.01
G067887		<10	81	<10	226	0.02
G067888		<10	88	<10	250	0.02
G067889		<10	98	<10	196	0.04
G067890		<10	89	<10	358	0.02
G067890 A		<10	89	<10	377	0.02
G067890 B		<10	94	<10	387	0.02
G067891		<10	87	10	104	0.36
G067892		<10	115	10	59	<0.01
G067893		<10	99	10	406	0.08
G067894		<10	85	10	428	0.07
G067895		<10	97	10	479	0.05
G067896		<10	73	<10	215	0.02
G067897		<10	94	<10	147	0.02
G067898		<10	98	10	629	0.03
G067899		<10	104	<10	883	0.04
G067900		<10	103	<10	203	0.04
G067951		<10	99	<10	286	0.07
G067952		<10	91	<10	1160	0.05
G067953		<10	82	10	387	0.04
G067954		<10	63	<10	320	0.04
G067955		<10	70	10	272	0.05
G067956		<10	68	<10	401	0.04
G067957		<10	63	<10	238	0.02
G067958		<10	63	10	215	0.03
G067959		<10	67	<10	129	0.03
G067959 A		<10	69	10	133	0.04
G067959 B		<10	66	<10	131	0.04
G067960		<10	220	10	112	0.12
G067961		<10	119	20	58	<0.01
G067962		<10	71	10	260	0.02
G067963		<10	78	10	184	0.02
G067964		<10	77	<10	134	0.03
G067965		<10	82	<10	156	0.04
G067966		<10	73	<10	272	0.03
G067967		<10	61	10	622	0.05
G067968		<10	67	<10	243	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	10	0.01	
G067969		5.18	1.0	7.17	<5	340	0.9	<2	2.95	2.9	8	7	479	3.43	10	2.33
G067970		4.82	0.9	7.03	<5	630	0.9	<2	2.68	4.0	9	7	709	3.32	10	2.06
G067971		4.90	0.8	7.17	<5	1230	0.9	<2	3.59	<0.5	9	7	395	3.73	10	1.42
G067972		4.94	0.6	7.59	<5	1140	1.0	<2	2.87	<0.5	12	7	385	4.01	10	1.80
G067973		4.58	<0.5	7.06	<5	410	1.1	<2	6.87	<0.5	7	3	114	3.65	10	2.10
G067974		4.74	1.5	7.78	<5	1730	1.1	<2	4.01	<0.5	8	7	48	3.71	20	1.93
G067975		5.22	<0.5	7.86	<5	990	1.1	<2	4.84	<0.5	7	6	16	3.86	20	1.42
G067976		4.34	<0.5	7.70	<5	1640	1.1	<2	3.89	<0.5	8	8	25	3.55	20	1.75
G067977		5.04	<0.5	7.85	<5	1670	1.1	<2	3.75	<0.5	7	7	45	3.48	20	2.32
G067978		4.74	<0.5	7.81	<5	1650	1.0	<2	4.09	<0.5	7	8	48	3.46	20	2.09
G067978 A		<0.02	<0.5	7.66	<5	1630	1.0	<2	4.01	<0.5	7	6	48	3.39	20	2.05
G067978 B		<0.02	<0.5	7.73	<5	1640	1.0	<2	4.05	<0.5	8	7	65	3.44	20	2.08
G067979		0.10	1.0	6.40	<5	620	0.7	<2	2.49	<0.5	9	21	4650	5.90	20	2.36
G067980		0.10	<0.5	6.32	5	490	0.7	<2	2.65	<0.5	12	51	24	3.30	10	0.83
G067981		4.54	<0.5	8.08	<5	1730	1.1	<2	3.74	<0.5	7	8	59	3.67	20	2.42
G067982		4.36	<0.5	7.68	<5	1640	1.2	<2	3.90	<0.5	8	9	41	3.60	20	2.47
G067983		4.96	<0.5	8.00	<5	1660	1.1	<2	3.92	<0.5	7	11	22	3.73	20	2.29
G067984		5.10	<0.5	7.72	<5	1570	1.1	<2	4.25	<0.5	6	5	10	3.76	20	2.15
G067985		4.62	<0.5	7.77	<5	1510	1.1	<2	4.22	<0.5	8	8	4	3.79	20	1.88
G067986		4.76	<0.5	7.91	5	1740	1.1	<2	4.44	<0.5	8	5	4	3.87	20	2.12
G067987		5.20	<0.5	7.77	<5	2610	0.9	<2	4.85	<0.5	8	6	4	3.82	20	3.15
G067988		4.50	0.5	7.59	<5	1650	1.0	<2	4.35	<0.5	10	7	211	3.73	20	2.62
G067989		5.52	0.5	7.70	<5	1430	1.0	<2	3.74	<0.5	9	7	276	3.27	20	2.35
G067990		4.50	<0.5	7.36	<5	2680	0.8	<2	5.15	0.5	7	9	25	3.44	20	3.13
G067991		4.56	<0.5	7.63	6	1600	0.8	<2	5.01	<0.5	7	6	2	3.81	20	2.38
G067992		4.46	0.5	7.68	<5	1500	1.1	<2	3.83	<0.5	8	8	294	3.48	20	2.38
G067993		5.14	0.5	7.33	6	1620	1.0	<2	3.35	<0.5	8	7	388	3.16	20	1.96
G067994		4.90	0.5	7.76	<5	1220	1.1	<2	3.44	<0.5	10	8	292	3.38	20	1.76
G067995		4.52	2.0	7.90	<5	1630	1.2	<2	3.35	<0.5	10	7	810	3.27	20	1.98
G067996		4.76	1.1	8.07	<5	1170	1.2	<2	3.86	<0.5	11	8	559	3.37	20	1.72
G067997		4.64	0.6	7.73	5	1430	1.2	<2	3.62	<0.5	11	7	311	3.44	20	1.82
G067997 A		<0.02	0.6	7.94	<5	1420	1.1	<2	3.65	<0.5	12	7	299	3.45	20	1.82
G067997 B		<0.02	0.7	7.80	<5	1410	1.1	<2	3.51	<0.5	11	11	298	3.39	20	1.78
G067998		0.10	1.1	6.61	9	640	0.8	3	2.66	<0.5	9	22	4870	6.12	20	2.53
G067999		0.10	<0.5	6.59	<5	500	0.7	<2	2.80	<0.5	12	52	25	3.52	10	0.88
G068000		4.74	<0.5	7.56	5	1420	1.1	<2	4.63	<0.5	8	7	15	3.53	20	1.66
G067651		4.72	<0.5	7.44	<5	1780	1.0	<2	4.26	<0.5	8	9	3	3.67	20	1.93
G067652		5.28	<0.5	7.14	9	1580	1.0	<2	4.25	<0.5	8	9	76	3.52	20	1.73
G067653		4.70	<0.5	7.41	<5	1630	0.9	<2	4.15	<0.5	7	6	9	3.68	20	2.02
G067654		4.92	<0.5	7.55	5	1660	0.9	<2	3.95	<0.5	7	10	7	3.63	20	2.00



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	
		La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 5	Sc ppm 1	Sr ppm 1	Th ppm 20	Ti % 0.01	Tl ppm 10
G067969		10	0.83	1800	3	1.98	2	610	32	2.73	<5	8	411	<20	0.24	<10
G067970		<10	0.82	1840	2	2.14	2	560	22	1.81	<5	7	451	<20	0.26	<10
G067971		<10	1.00	2100	1	2.49	3	690	16	1.82	<5	9	550	<20	0.30	<10
G067972		10	1.14	2250	3	2.29	4	720	16	1.16	<5	10	515	<20	0.31	<10
G067973		10	0.79	2300	1	1.22	1	710	23	3.01	5	9	585	<20	0.29	10
G067974		10	0.94	2600	1	2.00	<1	860	17	0.71	<5	9	511	<20	0.30	<10
G067975		10	0.88	2690	<1	2.12	<1	850	12	0.11	<5	9	763	<20	0.30	<10
G067976		10	0.88	2190	1	2.64	<1	880	11	0.22	<5	9	594	<20	0.31	<10
G067977		20	0.86	2310	2	2.29	<1	850	6	0.14	<5	9	563	<20	0.31	<10
G067978		10	0.84	2290	1	2.37	<1	850	10	0.45	<5	9	565	<20	0.31	<10
G067978 A		10	0.83	2250	1	2.30	<1	840	9	0.46	<5	9	558	<20	0.30	<10
G067978 B		20	0.83	2270	2	2.36	<1	830	11	0.44	<5	9	566	<20	0.31	<10
G067979		10	1.01	801	9	1.26	8	780	4	1.66	11	10	298	<20	0.19	<10
G067980		10	1.27	673	2	2.23	26	600	<2	0.04	<5	15	295	<20	0.35	<10
G067981		10	0.88	2220	2	2.54	<1	860	8	0.28	<5	10	565	<20	0.33	<10
G067982		10	0.87	2360	2	2.25	<1	850	9	0.17	<5	9	599	<20	0.31	<10
G067983		10	0.90	2330	2	2.58	2	860	9	0.25	<5	9	609	<20	0.32	<10
G067984		10	0.87	2350	2	2.47	<1	870	11	0.23	<5	9	631	<20	0.32	<10
G067985		10	0.88	2210	1	2.54	<1	850	11	0.46	<5	9	617	<20	0.31	<10
G067986		10	0.88	2410	1	2.33	2	870	8	0.37	<5	9	642	<20	0.31	<10
G067987		10	0.83	3030	4	0.85	1	880	15	0.21	<5	9	758	<20	0.30	10
G067988		10	0.76	2840	13	1.36	2	830	12	1.65	<5	7	639	<20	0.28	<10
G067989		10	0.86	2800	7	2.09	2	840	10	1.29	<5	7	613	<20	0.28	<10
G067990		10	0.79	2370	10	0.94	1	770	18	0.90	<5	7	676	<20	0.25	<10
G067991		20	0.82	2540	3	0.68	2	800	11	0.19	<5	9	713	<20	0.27	<10
G067992		10	0.87	2000	4	2.00	2	880	11	0.44	<5	8	618	<20	0.28	<10
G067993		10	0.83	1955	3	2.76	2	830	8	0.96	<5	7	538	<20	0.28	<10
G067994		10	0.91	2040	7	2.76	2	830	8	0.85	<5	7	616	<20	0.29	<10
G067995		10	0.99	2130	4	2.87	2	880	9	1.06	<5	7	723	<20	0.30	10
G067996		10	1.03	2250	5	3.05	2	900	7	1.12	<5	8	723	<20	0.31	<10
G067997		10	0.93	2100	4	2.85	2	850	8	0.86	<5	7	684	<20	0.30	<10
G067997 A		10	0.96	2110	4	2.86	1	870	10	0.87	<5	8	690	<20	0.30	<10
G067997 B		10	0.93	2030	4	2.81	2	850	8	0.84	<5	7	675	<20	0.29	<10
G067998		10	1.03	847	9	1.31	10	800	8	1.72	9	10	304	<20	0.21	<10
G067999		10	1.31	699	1	2.31	28	620	<2	0.04	<5	16	308	<20	0.36	<10
G068000		10	0.88	2560	25	1.92	2	850	18	0.53	<5	8	720	<20	0.30	<10
G067651		10	0.89	2360	9	1.71	<1	820	13	0.32	<5	9	628	<20	0.30	<10
G067652		10	0.83	2400	37	1.81	<1	780	33	0.48	<5	8	622	<20	0.28	<10
G067653		10	0.84	2250	3	1.66	<1	770	36	0.35	<5	9	609	<20	0.28	<10
G067654		10	0.86	1680	1	2.66	<1	830	13	0.49	<5	9	548	<20	0.30	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067969		<10	69	10	499	0.03
G067970		<10	70	10	595	0.02
G067971		<10	84	<10	169	0.01
G067972		<10	93	<10	133	0.01
G067973		<10	88	<10	188	<0.01
G067974		<10	96	<10	156	<0.01
G067975		<10	107	<10	110	<0.01
G067976		<10	99	<10	97	<0.01
G067977		<10	98	<10	94	<0.01
G067978		<10	97	<10	85	<0.01
G067978 A		<10	94	<10	83	<0.01
G067978 B		<10	97	<10	84	<0.01
G067979		<10	84	10	101	0.33
G067980		<10	114	20	57	<0.01
G067981		<10	99	<10	85	<0.01
G067982		<10	96	<10	92	<0.01
G067983		<10	98	<10	89	<0.01
G067984		<10	102	<10	94	<0.01
G067985		<10	95	<10	102	<0.01
G067986		<10	98	<10	101	<0.01
G067987		<10	101	<10	109	<0.01
G067988		<10	86	<10	93	0.01
G067989		<10	77	<10	122	<0.01
G067990		<10	87	<10	110	<0.01
G067991		<10	95	<10	77	<0.01
G067992		<10	85	<10	92	<0.01
G067993		<10	69	<10	92	0.01
G067994		<10	75	<10	97	0.01
G067995		<10	75	<10	93	0.02
G067996		<10	82	<10	102	0.03
G067997		<10	80	<10	88	0.02
G067997 A		<10	80	<10	90	0.02
G067997 B		<10	78	<10	85	0.02
G067998		<10	89	10	107	0.36
G067999		<10	118	20	60	<0.01
G068000		<10	91	<10	114	0.01
G067651		<10	91	<10	104	<0.01
G067652		10	82	<10	104	<0.01
G067653		<10	88	<10	124	<0.01
G067654		<10	91	<10	90	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
G067655		4.22	<0.5	7.65	<5	1710	1.0	<2	3.93	0.6	8	12	28	3.84	20	1.93
G067656		5.00	0.5	7.46	<5	1150	1.2	<2	5.36	6.7	11	5	64	4.24	20	1.97
G067657		4.42	<0.5	6.67	<5	1460	0.8	<2	2.60	<0.5	8	9	22	2.80	10	3.05
G067658		4.48	<0.5	6.24	<5	1320	0.9	<2	3.21	<0.5	7	9	28	2.39	10	3.05
G067659		5.86	<0.5	6.88	<5	1110	1.0	<2	3.83	2.5	9	11	268	3.65	10	1.56

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61														
		La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
G067655		10	0.90	2030	3	2.22	<1	830	79	0.19	<5	9	600	<20	0.31	<10
G067656		10	1.09	2090	4	1.54	<1	880	288	0.80	<5	11	520	<20	0.34	<10
G067657		10	0.78	831	2	2.50	2	510	16	0.51	<5	8	329	<20	0.23	<10
G067658		10	0.64	797	3	2.61	1	420	18	1.29	<5	6	343	<20	0.20	<10
G067659		10	0.83	1780	2	2.35	1	710	72	0.39	<5	8	599	<20	0.28	<10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 24- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

Sample Description	Method Analyte Units LOR	ME- ICP61 U ppm 10	ME- ICP61 V ppm 1	ME- ICP61 W ppm 10	ME- ICP61 Zn ppm 2	Au- AA25 Au ppm 0.01
G067655		<10	93	<10	191	<0.01
G067656		<10	125	<10	1065	<0.01
G067657		10	81	<10	73	<0.01
G067658		10	68	<10	64	<0.01
G067659		<10	86	10	294	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
SUITE 915 - 700 WEST PENDER STREET
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24- SEP- 2013
Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168803

CERTIFICATE COMMENTS																	
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au- AA25</td><td>CRU- 31</td><td>CRU- QC</td><td>LOG- 21</td></tr><tr><td>LOG- 21d</td><td>LOG- 23</td><td>ME- ICP61</td><td>PUL- 31</td></tr><tr><td>PUL- 31d</td><td>PUL- QC</td><td>SPL- 21</td><td>SPL- 21d</td></tr><tr><td>SPL- 34</td><td>WEI- 21</td><td></td><td></td></tr></tbody></table>	Au- AA25	CRU- 31	CRU- QC	LOG- 21	LOG- 21d	LOG- 23	ME- ICP61	PUL- 31	PUL- 31d	PUL- QC	SPL- 21	SPL- 21d	SPL- 34	WEI- 21		
Au- AA25	CRU- 31	CRU- QC	LOG- 21														
LOG- 21d	LOG- 23	ME- ICP61	PUL- 31														
PUL- 31d	PUL- QC	SPL- 21	SPL- 21d														
SPL- 34	WEI- 21																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
SUITE 915 - 700 WEST PENDER STREET
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 25- SEP- 2013
Account: CANASI

CERTIFICATE VA13168804

Project: BRENDA
P.O. No.:
This report is for 120 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17- SEP- 2013.
The following have access to data associated with this certificate:
BOB LANE | BAHMAN YAMINI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
SPL- 34	Pulp Splitting Charge
LOG- 21	Sample logging - ClientBarCode
CRU- QC	Crushing QC Test
CRU- 31	Fine crushing - 70% <2mm
PUL- QC	Pulverizing QC Test
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode
LOG- 21d	Sample logging - ClientBarCode Dup
SPL- 21d	Split sample - duplicate
PUL- 31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- ICP61	33 element four acid ICP- AES	ICP- AES
Au- AA25	Ore Grade Au 30g FA AA finish	AAS

To: CANASIL RESOURCES LTD.
ATTN: BAHMAN YAMINI
SUITE 915 - 700 WEST PENDER STREET
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
G067701		0.10	3.1	7.58	57	770	1.0	<2	1.78	1.6	16	103	3110	4.70	20	1.59
G067702		0.10	<0.5	6.38	<5	490	0.7	<2	2.65	<0.5	12	51	34	3.29	10	0.82
G067703		5.18	0.5	7.16	23	1700	0.8	<2	3.07	3.7	7	4	41	3.08	10	3.26
G067704		4.96	0.7	7.63	11	1650	0.9	<2	3.38	2.6	6	5	83	3.40	20	3.37
G067705		4.60	3.3	7.09	12	990	0.7	3	1.77	4.6	10	3	536	5.61	20	2.00
G067706		5.24	3.7	7.06	<5	1210	0.6	<2	2.83	11.2	10	2	972	4.97	20	2.46
G067707		4.80	3.8	6.91	<5	750	0.7	<2	3.19	7.7	11	2	708	5.62	20	1.49
G067708		5.08	4.3	7.04	<5	790	0.8	<2	3.05	11.0	8	2	841	5.13	20	1.93
G067709		5.38	3.0	7.28	<5	710	0.8	4	2.87	7.6	10	3	758	4.11	20	2.74
G067710		5.10	5.0	6.80	9	960	0.8	3	2.72	7.6	11	3	1395	4.37	10	2.32
G067711		4.96	3.2	6.89	15	1130	0.8	<2	3.08	3.7	9	9	754	4.74	20	2.19
G067712		5.36	3.2	7.06	23	720	0.9	5	3.03	7.5	11	3	711	4.73	20	2.36
G067713		4.96	1.9	6.82	<5	980	0.8	2	3.77	5.8	8	3	873	4.09	10	2.44
G067714		5.10	2.8	6.83	<5	890	0.7	2	3.35	4.2	8	3	969	4.22	10	2.59
G067715		4.86	4.1	6.81	10	570	0.8	4	4.05	1.9	10	3	466	3.57	20	3.02
G067716		4.46	4.8	5.92	16	530	0.8	<2	6.59	2.2	7	2	663	4.33	10	2.52
G067717		5.76	3.8	7.12	12	700	0.8	3	2.80	6.1	8	3	1225	4.73	20	2.44
G067718		5.30	3.2	6.60	<5	360	0.8	3	3.44	2.5	8	3	610	4.22	20	2.36
G067719		5.60	2.7	7.12	<5	1150	0.8	3	2.96	3.3	9	3	577	4.52	20	2.68
G067719 A		<0.02	3.1	7.23	<5	1320	0.8	4	3.06	3.5	7	3	688	4.47	20	2.86
G067719 B		<0.02	2.8	7.46	<5	1260	0.9	2	3.11	3.4	9	3	603	4.70	20	2.79
G067720		0.10	0.8	6.28	8	600	0.7	4	2.44	<0.5	8	21	4610	5.72	10	2.37
G067721		0.10	<0.5	6.17	<5	470	0.7	<2	2.58	<0.5	12	49	25	3.16	10	0.81
G067722		4.68	2.9	6.84	<5	1180	0.8	<2	3.68	2.9	7	3	618	4.43	10	2.28
G067723		4.92	3.7	6.60	<5	1040	0.7	<2	3.31	3.9	10	3	792	5.12	20	2.33
G067724		5.24	3.1	6.63	<5	500	0.7	3	3.14	7.6	12	6	683	5.07	20	2.38
G067725		5.68	2.8	6.95	<5	1170	0.8	2	2.89	1.3	12	5	525	5.63	20	2.36
G067726		5.08	4.3	6.92	<5	1160	0.7	3	2.92	3.8	10	6	994	5.46	20	2.51
G067727		5.00	4.1	6.45	<5	1130	0.6	2	3.26	4.4	9	6	1070	5.25	20	2.75
G067728		5.08	4.4	6.66	<5	980	0.7	2	2.84	1.4	10	6	829	4.80	20	2.07
G067729		5.14	2.8	6.89	5	910	0.6	2	2.48	0.6	9	5	525	5.05	10	2.59
G067730		5.28	3.3	6.39	55	830	0.6	5	2.68	2.7	13	9	497	5.97	20	2.34
G067731		5.00	2.1	6.99	<5	830	0.9	<2	3.30	2.8	8	6	515	5.09	20	2.05
G067732		5.12	2.5	6.76	5	840	0.8	2	2.84	12.5	9	7	531	5.60	20	1.89
G067733		4.74	2.4	6.61	<5	1330	0.7	<2	2.74	1.3	12	5	593	5.18	20	2.78
G067734		5.20	2.2	6.81	<5	1200	0.7	<2	2.96	1.8	9	4	472	5.36	20	2.47
G067735		5.22	2.7	6.52	<5	800	0.7	3	3.38	0.6	10	5	675	5.44	20	2.29
G067736		5.04	2.8	6.95	<5	1010	0.8	2	3.09	0.5	13	5	714	5.74	20	2.10
G067737		5.50	4.1	6.96	9	970	0.9	2	3.07	4.9	10	6	754	5.36	20	2.00
G067738		4.84	3.9	6.84	9	630	0.7	4	3.37	7.1	9	4	778	4.87	20	2.15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61														
		La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
G067701		10	1.06	836	41	2.11	153	660	97	0.83	<5	14	292	<20	0.33	<10
G067702		10	1.27	676	2	2.23	27	590	3	0.04	<5	15	296	<20	0.34	<10
G067703		10	0.83	2150	3	1.55	1	800	129	0.80	<5	8	305	<20	0.26	<10
G067704		20	0.90	2290	2	1.55	3	850	93	0.59	<5	9	338	<20	0.28	<10
G067705		10	1.44	3400	11	2.42	<1	940	38	1.72	<5	10	231	<20	0.29	<10
G067706		10	1.20	3480	11	2.42	<1	990	143	2.41	<5	9	308	<20	0.30	<10
G067707		10	1.24	3020	10	2.65	2	910	629	2.49	<5	10	343	<20	0.29	<10
G067708		10	1.17	3880	9	2.23	2	940	293	2.94	<5	10	323	<20	0.29	<10
G067709		10	0.80	2760	13	1.25	1	940	202	3.50	<5	8	287	<20	0.26	<10
G067710		10	1.13	3340	14	1.43	1	830	141	2.57	<5	8	297	<20	0.26	<10
G067711		10	1.18	2200	8	1.96	<1	890	81	2.49	<5	10	399	<20	0.27	<10
G067712		10	1.12	1740	7	1.76	2	920	130	3.47	5	10	354	<20	0.28	<10
G067713		10	0.92	1580	11	2.24	1	910	80	2.59	<5	10	454	<20	0.27	<10
G067714		10	0.98	1495	10	1.47	2	970	64	3.05	<5	10	347	<20	0.26	<10
G067715		10	0.60	807	11	0.44	1	810	47	4.93	<5	10	328	<20	0.25	10
G067716		10	0.64	2030	10	0.20	1	770	75	5.69	<5	9	458	<20	0.23	<10
G067717		20	1.23	2420	9	1.32	2	860	87	3.14	<5	10	272	<20	0.26	<10
G067718		10	0.99	2170	9	1.65	1	890	39	3.98	6	10	336	<20	0.26	<10
G067719		10	0.92	2120	4	2.13	<1	930	51	2.32	<5	10	372	<20	0.27	<10
G067719 A		10	0.91	2160	5	2.10	<1	930	49	2.33	<5	10	381	<20	0.28	<10
G067719 B		10	0.96	2220	5	2.23	<1	960	54	2.44	<5	10	390	<20	0.29	<10
G067720		10	0.97	790	9	1.24	10	750	10	1.63	11	9	288	<20	0.19	<10
G067721		10	1.21	667	1	2.19	25	590	8	0.05	<5	14	287	<20	0.33	<10
G067722		10	0.96	3630	5	2.27	1	910	33	2.06	<5	9	434	<20	0.28	<10
G067723		10	0.95	3490	7	2.27	1	850	34	2.81	<5	9	340	<20	0.27	<10
G067724		10	0.96	3530	8	1.93	<1	860	37	3.52	<5	9	310	<20	0.27	<10
G067725		10	1.01	2630	8	2.42	2	1100	31	1.87	<5	10	321	<20	0.31	<10
G067726		10	0.93	2040	8	2.51	2	990	23	1.68	<5	9	321	<20	0.28	<10
G067727		10	0.89	1805	11	2.24	1	790	27	2.18	<5	9	319	<20	0.24	<10
G067728		10	1.01	2440	15	2.38	<1	850	25	2.43	<5	9	304	<20	0.25	<10
G067729		10	1.03	1885	10	2.13	<1	850	23	3.06	<5	9	278	<20	0.25	<10
G067730		10	1.03	1920	9	2.20	2	810	52	3.38	<5	8	276	<20	0.23	<10
G067731		10	1.09	1510	5	2.89	<1	910	29	1.15	<5	9	367	<20	0.26	<10
G067732		10	1.14	1675	10	2.66	1	860	102	1.15	<5	9	323	<20	0.25	<10
G067733		10	0.98	1425	8	2.34	2	810	41	2.04	<5	9	360	<20	0.24	<10
G067734		10	1.16	1780	7	2.65	1	890	44	2.06	6	9	349	<20	0.26	<10
G067735		10	0.92	1630	7	2.32	<1	850	27	3.57	<5	9	351	<20	0.25	<10
G067736		10	1.02	1615	7	2.85	<1	890	24	2.53	<5	10	355	<20	0.26	<10
G067737		10	1.03	1950	6	3.06	<1	940	77	2.00	<5	10	372	<20	0.27	<10
G067738		10	1.12	3010	9	2.22	<1	870	61	3.13	<5	9	340	<20	0.26	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067701		<10	111	10	353	0.30
G067702		<10	112	20	58	<0.01
G067703		<10	82	<10	554	0.01
G067704		<10	88	10	457	0.01
G067705		<10	98	<10	796	0.25
G067706		<10	91	<10	1535	0.46
G067707		<10	104	<10	1155	0.24
G067708		<10	101	<10	1595	0.20
G067709		<10	95	<10	1070	0.41
G067710		<10	91	<10	1045	0.55
G067711		<10	102	<10	556	0.49
G067712		<10	103		956	0.67
G067713		<10	97	<10	767	0.81
G067714		<10	99	<10	640	0.64
G067715		<10	97	10	286	0.52
G067716		<10	89	<10	362	0.46
G067717		<10	101	<10	887	0.91
G067718		<10	98	<10	455	0.26
G067719		<10	100	<10	537	0.39
G067719 A		<10	99	<10	544	0.44
G067719 B		<10	104	<10	566	0.37
G067720		<10	80	10	99	0.33
G067721		<10	105	10	56	<0.01
G067722		<10	101	<10	482	0.19
G067723		<10	99	<10	617	0.24
G067724		<10	98	<10	1080	0.23
G067725		<10	109	10	287	0.19
G067726		<10	103	<10	534	0.59
G067727		<10	92	<10	595	0.62
G067728		<10	82	<10	350	0.25
G067729		<10	81	<10	207	0.15
G067730		<10	78	<10	406	0.25
G067731		<10	94	<10	413	0.33
G067732		<10	90	<10	1610	0.26
G067733		<10	93	<10	247	0.30
G067734		<10	94	<10	354	0.27
G067735		<10	88	<10	191	0.39
G067736		<10	101	<10	141	0.36
G067737		<10	102	<10	643	0.46
G067738		<10	91	<10	1050	0.17



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	10	0.01	
G067738 A		<0.02	3.2	6.68	<5	900	0.7	<2	3.23	5.9	10	4	716	4.81	10	2.03
G067738 B		<0.02	3.7	6.79	<5	700	0.7	5	3.33	7.0	9	4	780	4.83	20	2.11
G067739		0.10	1.1	6.44	6	620	0.7	4	2.48	<0.5	8	21	4630	5.78	20	2.43
G067740		0.10	<0.5	6.33	<5	480	0.7	<2	2.66	<0.5	11	50	24	3.24	10	0.84
G067741		5.50	6.2	6.66	<5	590	0.7	4	3.22	7.1	10	6	1025	5.44	20	2.65
G067742		4.76	1.7	6.61	5	1120	0.8	3	3.16	1.1	8	10	335	4.86	20	2.44
G067743		4.90	<0.5	6.63	<5	1500	0.9	3	4.18	<0.5	6	5	13	3.25	20	3.52
G067744		4.76	<0.5	7.07	<5	1640	0.9	<2	3.22	<0.5	7	6	18	3.40	20	3.73
G067745		5.60	<0.5	6.80	<5	1550	0.8	<2	3.37	0.8	6	6	24	3.07	20	3.03
G067746		4.74	<0.5	6.84	<5	1770	0.9	<2	4.16	<0.5	7	7	25	3.10	20	3.50
G067747		4.84	<0.5	6.60	<5	1640	0.8	<2	4.07	0.6	7	6	13	3.14	20	3.23
G067748		4.98	<0.5	6.95	<5	1440	0.9	<2	4.15	1.6	8	6	32	3.51	20	2.98
G067749		5.28	<0.5	7.21	<5	1580	0.9	<2	3.63	2.1	7	5	44	3.70	20	2.94
G067750		4.52	0.9	7.52	<5	2080	1.0	2	3.96	6.5	5	5	138	3.73	20	3.44
G067751		4.86	0.6	7.69	<5	2180	0.9	<2	3.63	3.1	5	5	131	3.96	10	3.66
G067752		4.64	<0.5	7.87	5	1880	0.9	<2	3.69	1.5	4	4	58	3.69	20	3.46
G067753		4.40	<0.5	7.90	<5	1820	1.0	<2	3.97	0.7	5	5	26	3.82	20	3.42
G067754		5.32	<0.5	7.78	<5	1820	0.8	3	3.57	0.9	5	6	24	3.60	10	3.26
G067755		4.74	<0.5	7.98	<5	1980	1.1	2	3.70	1.9	5	6	23	3.80	20	3.82
G067756		4.90	<0.5	7.53	<5	1970	1.0	3	4.03	1.5	4	8	20	3.71	20	3.37
G067757		4.92	<0.5	7.72	<5	2170	0.9	<2	3.99	6.7	4	7	81	3.66	10	3.76
G067757 A		<0.02	<0.5	7.64	<5	2110	0.9	<2	3.90	5.4	4	10	69	3.65	20	3.73
G067757 B		<0.02	<0.5	7.87	<5	2190	0.9	<2	3.99	6.7	4	9	80	3.69	20	3.81
G067758		0.10	1.0	6.90	8	650	0.8	3	2.73	<0.5	8	22	5010	6.33	10	2.63
G067759		0.10	<0.5	6.70	<5	510	0.7	3	2.83	<0.5	11	51	26	3.55	10	0.88
G067760		4.92	1.8	8.02	9	1820	1.0	<2	3.27	10.6	6	7	425	4.17	20	3.54
G067761		4.82	<0.5	7.24	6	900	0.8	<2	3.45	1.9	7	5	114	5.90	10	3.31
G067762		4.60	0.5	6.36	<5	950	0.7	3	3.59	1.3	12	4	36	6.06	10	2.87
G067763		5.02	<0.5	7.46	8	1390	0.9	<2	3.41	3.5	6	6	54	5.54	20	2.94
G067764		4.76	0.6	7.44	5	660	0.9	2	2.82	5.9	7	5	153	4.92	10	3.57
G067765		5.46	0.7	7.16	9	1230	0.7	<2	2.56	9.0	9	6	246	5.81	10	3.52
G067766		4.60	1.1	7.01	14	980	0.9	4	3.55	5.6	7	5	109	5.19	10	3.09
G067767		5.10	1.1	7.19	7	1100	0.9	4	3.16	7.4	10	5	159	5.69	20	3.16
G067768		4.84	1.1	7.08	<5	1180	0.8	<2	3.08	3.3	6	4	173	5.25	10	3.32
G067769		4.76	1.0	6.38	<5	910	0.7	5	2.36	1.6	11	7	109	5.73	10	3.21
G067770		4.86	0.9	6.65	<5	1260	0.7	2	2.31	3.0	11	8	95	6.36	10	3.88
G067771		4.70	1.4	6.99	<5	1250	0.8	3	2.56	5.6	9	8	128	5.61	10	3.51
G067772		5.76	1.1	6.84	<5	1160	0.8	<2	2.42	1.7	12	15	348	6.03	10	3.55
G067773		4.98	0.9	7.44	6	1270	1.0	<2	2.92	2.6	9	8	128	4.89	10	3.41
G067774		4.78	<0.5	7.89	<5	1660	1.0	2	3.98	0.9	4	4	80	3.84	20	2.74



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61														
		La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm
G067738 A		10	1.07	2850	8	2.12	<1	790	55	3.18	<5	9	330	<20	0.25	10
G067738 B		10	1.11	2980	8	2.19	<1	830	62	3.12	5	9	336	<20	0.26	<10
G067739		10	0.98	799	9	1.27	9	770	14	1.64	11	10	294	<20	0.19	<10
G067740		10	1.24	686	1	2.24	25	580	5	0.04	<5	15	293	<20	0.35	<10
G067741		10	1.14	2960	7	2.04	2	910	186	3.35	<5	9	361	<20	0.26	<10
G067742		10	0.88	2130	8	2.09	1	810	33	2.38	5	8	372	<20	0.25	<10
G067743		10	0.76	1730	<1	1.82	1	930	33	1.59	<5	7	358	<20	0.27	<10
G067744		10	0.76	1700	1	1.98	<1	940	25	0.66	<5	8	286	<20	0.28	<10
G067745		10	0.72	1605	2	2.15	<1	770	17	0.79	<5	7	316	<20	0.26	<10
G067746		10	0.73	1825	<1	1.91	<1	740	22	1.29	<5	7	345	<20	0.27	<10
G067747		10	0.76	2130	1	1.67	<1	840	18	1.47	<5	7	386	<20	0.26	10
G067748		10	0.77	2430	5	1.81	<1	910	92	0.64	<5	8	384	<20	0.29	<10
G067749		10	0.88	2660	<1	1.81	2	1060	36	1.13	5	8	391	<20	0.31	10
G067750		10	0.93	3480	<1	1.48	2	980	135	1.27	<5	9	428	<20	0.31	<10
G067751		20	0.95	3470	<1	1.46	1	1030	33	0.95	<5	9	410	<20	0.31	<10
G067752		20	0.87	3490	<1	1.24	1	880	20	0.81	<5	9	362	<20	0.28	<10
G067753		20	0.95	3960	<1	0.92	3	890	24	0.87	<5	9	395	<20	0.29	<10
G067754		20	0.89	2850	<1	1.87	2	880	21	0.47	<5	8	372	<20	0.29	<10
G067755		20	0.91	2890	<1	1.52	3	910	31	0.26	<5	9	419	<20	0.30	10
G067756		10	0.86	2750	<1	1.76	3	890	22	0.34	<5	8	445	<20	0.29	<10
G067757		20	0.89	2750	<1	1.43	2	890	32	0.52	<5	8	404	<20	0.29	<10
G067757 A		10	0.88	2710	<1	1.42	1	880	23	0.47	<5	8	396	<20	0.29	<10
G067757 B		20	0.92	2740	<1	1.44	2	900	28	0.52	<5	9	411	<20	0.29	<10
G067758		10	1.12	866	9	1.36	11	830	11	1.82	6	10	314	<20	0.21	<10
G067759		10	1.37	703	<1	2.36	30	620	5	0.05	<5	15	304	<20	0.37	<10
G067760		20	1.05	2700	2	1.76	2	890	34	1.42	<5	9	363	<20	0.29	<10
G067761		10	0.93	2370	5	1.80	<1	870	35	2.20	<5	8	373	<20	0.27	<10
G067762		10	0.83	2350	8	0.81	<1	700	29	5.43	<5	7	308	<20	0.23	<10
G067763		10	1.00	3330	2	1.90	3	950	17	1.93	<5	9	423	<20	0.28	<10
G067764		10	0.92	2450	5	1.91	1	850	28	3.27	<5	8	377	<20	0.25	<10
G067765		10	0.98	2790	9	1.66	2	800	65	2.77	<5	8	332	<20	0.25	<10
G067766		10	0.78	2140	6	0.99	1	800	47	5.66	<5	8	389	<20	0.24	<10
G067767		10	1.11	3050	5	1.13	<1	840	30	3.88	<5	8	334	<20	0.26	<10
G067768		10	1.04	2800	6	1.55	2	760	19	3.96	<5	8	338	<20	0.23	<10
G067769		10	0.94	2300	7	1.19	1	710	42	4.00	<5	7	272	<20	0.21	10
G067770		10	0.93	2560	6	1.02	<1	690	25	5.02	<5	8	289	<20	0.21	<10
G067771		10	0.90	2160	7	1.44	1	740	35	4.41	<5	8	328	<20	0.22	<10
G067772		10	0.72	1230	15	1.87	2	640	69	4.49	<5	8	362	<20	0.19	10
G067773		10	0.83	2040	5	1.68	2	770	28	3.88	<5	8	395	<20	0.25	10
G067774		10	0.89	3170	1	1.72	<1	880	34	0.47	<5	9	521	<20	0.30	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067738 A		<10	87	<10	896	0.16
G067738 B		<10	90	<10	1050	0.17
G067739		<10	83	10	102	0.35
G067740		<10	111	20	58	<0.01
G067741		<10	94	<10	1055	0.18
G067742		<10	81	<10	247	0.11
G067743		<10	91	<10	153	<0.01
G067744		<10	93	<10	147	<0.01
G067745		<10	84	<10	202	<0.01
G067746		<10	85	<10	145	<0.01
G067747		<10	85	<10	181	0.01
G067748		<10	99	<10	349	<0.01
G067749		<10	103	<10	429	<0.01
G067750		<10	98	<10	1130	<0.01
G067751		<10	101	<10	579	<0.01
G067752		<10	92	<10	324	<0.01
G067753		<10	96	<10	219	<0.01
G067754		<10	90	<10	228	<0.01
G067755		<10	98	<10	412	<0.01
G067756		<10	96	<10	309	<0.01
G067757		<10	94	<10	1120	<0.01
G067757 A		<10	91	<10	925	<0.01
G067757 B		<10	94	<10	1130	<0.01
G067758		<10	90	10	106	0.35
G067759		<10	118	10	58	<0.01
G067760		<10	92	<10	1320	0.03
G067761		<10	105	<10	403	0.02
G067762		<10	92	<10	321	0.02
G067763		<10	110	<10	658	0.01
G067764		<10	86	<10	915	0.05
G067765		<10	79	<10	1310	0.05
G067766		<10	89	<10	802	0.06
G067767		<10	85	<10	1260	0.03
G067768		<10	72	<10	641	0.04
G067769		<10	73	<10	383	0.03
G067770		<10	77	<10	541	0.03
G067771		<10	79	<10	911	0.07
G067772		<10	76	<10	299	0.04
G067773		<10	83	<10	466	0.02
G067774		<10	98	<10	263	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	WEI- 21	ME- ICP61													
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	0.01	10	0.01	
G067775		4.78	<0.5	7.82	<5	1770	1.0	5	3.56	1.7	5	6	74	3.60	10	2.83
G067776		4.92	<0.5	7.86	<5	1800	1.0	<2	3.85	2.5	4	8	41	3.70	20	2.96
G067776 A		<0.02	<0.5	8.09	<5	1790	1.0	3	3.85	2.4	4	6	48	3.73	20	2.97
G067776 B		<0.02	<0.5	7.91	<5	1790	1.0	<2	3.81	2.5	4	4	41	3.66	10	2.94
G067777		0.10	1.1	6.58	6	630	0.7	<2	2.62	<0.5	8	22	4810	6.09	10	2.51
G067778		0.10	<0.5	6.62	11	500	0.7	2	2.80	<0.5	11	52	24	3.53	10	0.87
G067779		4.96	<0.5	7.94	<5	1890	1.0	<2	3.50	2.3	5	5	31	3.69	20	3.03
G067780		5.06	1.8	7.64	<5	970	1.1	2	3.54	5.8	6	5	75	4.71	20	3.35
G067781		5.10	0.6	7.78	<5	610	1.1	<2	3.40	<0.5	4	2	76	3.68	20	3.22
G067782		4.78	0.8	7.83	<5	1810	1.0	2	3.67	5.7	7	4	57	3.59	20	3.32
G067783		4.56	<0.5	7.47	<5	1290	0.9	<2	3.90	0.7	8	6	150	3.73	20	2.88
G067784		5.00	<0.5	7.62	<5	1710	1.0	<2	3.51	<0.5	7	10	14	3.45	20	2.76
G067785		4.52	<0.5	7.47	<5	1560	0.9	3	3.17	0.8	6	7	9	3.30	20	2.65
G067786		4.46	<0.5	7.16	<5	1660	1.0	<2	3.76	<0.5	6	6	14	3.25	20	2.71
G067787		3.54	<0.5	7.57	<5	1490	0.9	<2	3.78	<0.5	6	6	11	3.45	20	2.84
G067788		3.82	<0.5	7.33	<5	1670	0.9	<2	3.56	0.9	6	8	17	3.30	20	2.92
G067789		3.42	<0.5	7.41	<5	1620	0.9	3	3.69	<0.5	6	7	12	3.22	20	2.74
G067790		4.94	<0.5	7.40	<5	1570	0.9	3	4.36	1.0	7	12	10	3.46	20	2.55
G067791		4.40	<0.5	7.69	5	2000	0.9	2	3.57	3.7	7	7	26	3.57	20	3.28
G067792		5.10	<0.5	7.87	<5	1900	0.9	<2	3.85	2.8	6	5	16	3.53	20	3.22
G067793		4.50	<0.5	8.35	20	1210	0.9	<2	4.96	0.7	20	2	39	6.34	20	1.96
G067794		5.06	0.7	7.75	10	1580	0.9	2	3.61	7.1	8	6	75	3.96	20	3.03
G067795		4.80	<0.5	7.89	7	1720	1.0	2	3.33	4.7	7	7	32	3.64	20	3.08
G067795 A		<0.02	<0.5	7.45	<5	1670	1.0	4	3.18	4.7	7	7	32	3.56	20	2.98
G067795 B		<0.02	<0.5	7.79	<5	1700	1.0	2	3.26	4.5	6	6	32	3.60	20	3.05
G067796		0.10	0.8	7.59	51	1210	0.9	<2	4.96	1.4	23	39	1160	5.68	20	2.04
G067797		0.10	<0.5	6.56	<5	500	0.7	2	2.74	<0.5	12	52	23	3.36	10	0.86
G067798		4.94	0.6	7.48	10	1550	0.9	3	3.49	5.4	7	7	50	3.62	20	3.11
G067799		5.04	<0.5	7.87	<5	1680	1.0	<2	3.23	4.6	7	9	42	3.65	20	2.97
G067800		5.54	0.5	8.00	<5	1820	1.0	3	3.15	5.8	7	7	46	3.62	20	3.33
G067801		4.98	<0.5	7.40	7	1720	0.9	2	3.14	3.2	6	6	27	3.37	20	3.11
G067802		5.12	0.8	7.70	5	1770	1.0	<2	3.28	6.4	6	6	67	3.64	20	3.57
G067803		5.16	<0.5	7.61	5	1480	0.9	2	2.87	5.8	6	6	44	3.53	20	3.50
G067804		4.96	0.6	7.54	<5	1550	0.8	5	2.43	4.7	9	8	231	4.82	20	3.22
G067805		4.76	<0.5	7.75	<5	1540	1.1	2	2.65	<0.5	7	7	61	3.47	20	3.51
G067806		5.70	<0.5	7.44	<5	1840	0.9	<2	3.31	3.4	7	5	20	3.40	20	3.73
G067807		4.88	<0.5	7.48	<5	2260	0.8	<2	3.23	1.5	5	7	11	3.39	20	4.30
G067808		5.34	<0.5	7.96	9	2080	0.9	2	3.33	1.0	5	6	14	3.46	20	3.79
G067809		4.68	<0.5	7.58	<5	1830	1.1	<2	3.31	0.5	7	9	20	3.44	20	3.45
G067810		5.38	<0.5	7.61	<5	1790	1.0	2	3.29	1.0	7	6	7	3.38	20	3.24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61														
		La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
G067775		20	0.89	2920	1	2.02	<1	850	41	0.47	<5	9	496	<20	0.30	<10
G067776		10	0.90	3070	1	1.83	<1	840	35	0.57	<5	9	481	<20	0.30	<10
G067776 A		20	0.92	3050	<1	1.86	<1	850	38	0.55	<5	9	477	<20	0.31	10
G067776 B		20	0.90	3020	<1	1.81	1	860	38	0.57	<5	9	478	<20	0.30	<10
G067777		10	1.07	831	9	1.30	9	800	10	1.75	7	10	301	<20	0.20	<10
G067778		10	1.36	697	1	2.34	28	620	5	0.05	<5	15	301	<20	0.36	10
G067779		10	0.92	2930	<1	2.14	1	860	48	0.60	<5	9	451	<20	0.30	<10
G067780		20	0.83	5950	2	0.36	<1	850	160	4.10	<5	10	313	<20	0.29	<10
G067781		20	0.89	3300	<1	1.21	<1	840	44	2.89	<5	9	429	<20	0.29	<10
G067782		20	0.86	4930	1	0.86	5	890	150	1.22	<5	9	436	<20	0.30	10
G067783		10	0.85	2350	3	1.78	3	780	27	1.83	<5	8	431	<20	0.28	<10
G067784		10	0.83	1945	1	2.38	2	850	31	0.54	<5	9	469	<20	0.29	<10
G067785		10	0.82	1610	1	2.25	1	850	26	0.76	<5	9	423	<20	0.28	<10
G067786		10	0.83	1845	2	1.76	2	780	34	0.91	6	8	404	<20	0.27	<10
G067787		20	0.88	1750	1	1.98	1	860	34	1.46	<5	9	423	<20	0.29	<10
G067788		10	0.81	1800	<1	2.10	<1	800	40	1.19	<5	9	430	<20	0.28	<10
G067789		10	0.81	1800	1	2.33	<1	820	29	1.67	5	8	458	<20	0.28	<10
G067790		10	0.82	2080	<1	2.33	1	820	43	1.46	5	8	519	<20	0.28	10
G067791		10	0.89	2300	2	1.96	<1	840	67	1.13	<5	9	459	<20	0.29	10
G067792		20	0.87	2220	<1	2.14	2	850	32	1.20	<5	9	489	<20	0.29	<10
G067793		10	1.96	1900	<1	3.20	1	1300	16	0.28	8	17	516	<20	0.51	<10
G067794		10	1.07	2850	2	1.90	1	910	107	1.47	6	10	430	<20	0.29	<10
G067795		10	0.98	3090	2	2.28	1	890	157	0.89	5	9	453	<20	0.28	<10
G067795 A		10	0.93	3000	1	2.21	1	840	161	0.85	<5	9	434	<20	0.27	<10
G067795 B		10	0.97	3040	2	2.25	2	870	149	0.86	<5	9	447	<20	0.28	10
G067796		10	2.01	881	17	1.86	29	1400	17	1.42	10	17	403	<20	0.43	<10
G067797		10	1.29	693	1	2.32	28	620	6	0.04	<5	15	303	<20	0.35	<10
G067798		10	0.96	3010	3	1.96	2	830	61	1.83	<5	9	434	<20	0.26	<10
G067799		10	0.96	2810	2	2.56	1	900	109	0.72	<5	9	458	<20	0.28	<10
G067800		10	0.97	2980	2	2.25	1	890	104	1.20	5	9	419	<20	0.27	<10
G067801		10	0.92	3120	2	1.83	<1	820	50	0.90	<5	8	381	<20	0.25	<10
G067802		10	0.97	3130	2	1.96	2	860	77	1.62	<5	9	393	<20	0.27	<10
G067803		10	0.99	2900	2	1.63	1	830	48	1.88	<5	9	331	<20	0.26	<10
G067804		10	0.94	2510	5	2.19	1	850	29	1.87	<5	9	316	<20	0.26	<10
G067805		20	0.98	2280	4	1.96	1	840	48	1.78	<5	9	320	<20	0.27	<10
G067806		10	0.82	2370	1	1.71	<1	800	49	1.62	<5	9	410	<20	0.28	10
G067807		10	0.80	2580	<1	1.28	<1	790	40	1.10	5	8	378	<20	0.28	<10
G067808		20	0.87	2360	1	1.85	<1	880	42	0.99	8	9	422	<20	0.29	<10
G067809		10	0.80	1880	1	2.24	1	840	44	1.04	6	9	565	<20	0.29	<10
G067810		10	0.82	1905	<1	2.17	<1	820	56	1.22	<5	9	518	<20	0.28	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
 SUITE 915 - 700 WEST PENDER STREET
 VANCOUVER BC V6C 1G8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 25- SEP- 2013
 Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

Sample Description	Method Analyte Units LOR	ME- ICP61	ME- ICP61	ME- ICP61	ME- ICP61	Au- AA25
		U ppm 10	V ppm 1	W ppm 10	Zn ppm 2	Au ppm 0.01
G067775		<10	91	<10	350	<0.01
G067776		<10	93	<10	486	<0.01
G067776 A		<10	94	<10	466	<0.01
G067776 B		<10	93	<10	474	<0.01
G067777		<10	87	<10	101	0.34
G067778		<10	117	10	58	<0.01
G067779		<10	93	<10	455	<0.01
G067780		<10	95	<10	850	0.03
G067781		<10	92	<10	176	0.04
G067782		<10	90	<10	976	0.01
G067783		<10	86	<10	201	<0.01
G067784		<10	92	<10	186	<0.01
G067785		<10	86	<10	218	0.01
G067786		<10	86	10	169	<0.01
G067787		<10	92	<10	154	<0.01
G067788		<10	87	<10	224	<0.01
G067789		<10	86	<10	132	<0.01
G067790		<10	88	<10	227	<0.01
G067791		<10	91	<10	567	<0.01
G067792		<10	91	<10	465	<0.01
G067793		<10	224	<10	172	<0.01
G067794		<10	103	<10	916	0.02
G067795		<10	93	<10	668	<0.01
G067795 A		<10	91	<10	655	<0.01
G067795 B		<10	93	<10	660	0.01
G067796		<10	217	<10	115	0.12
G067797		<10	115	10	60	0.01
G067798		<10	87	<10	734	0.01
G067799		<10	93	<10	647	<0.01
G067800		<10	90	<10	770	0.01
G067801		<10	85	<10	476	<0.01
G067802		<10	91	<10	844	0.02
G067803		<10	86	<10	766	0.01
G067804		<10	76	<10	665	0.02
G067805		<10	91	<10	166	<0.01
G067806		<10	85	<10	507	<0.01
G067807		<10	87	<10	308	<0.01
G067808		<10	91	<10	223	<0.01
G067809		<10	89	<10	175	<0.01
G067810		<10	88	<10	213	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: CANASIL RESOURCES LTD.
SUITE 915 - 700 WEST PENDER STREET
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25- SEP- 2013
Account: CANASI

Project: BRENDA

CERTIFICATE OF ANALYSIS VA13168804

CERTIFICATE COMMENTS																	
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au- AA25</td><td>CRU- 31</td><td>CRU- QC</td><td>LOG- 21</td></tr><tr><td>LOG- 21d</td><td>LOG- 23</td><td>ME- ICP61</td><td>PUL- 31</td></tr><tr><td>PUL- 31d</td><td>PUL- QC</td><td>SPL- 21</td><td>SPL- 21d</td></tr><tr><td>SPL- 34</td><td>WEI- 21</td><td></td><td></td></tr></tbody></table>	Au- AA25	CRU- 31	CRU- QC	LOG- 21	LOG- 21d	LOG- 23	ME- ICP61	PUL- 31	PUL- 31d	PUL- QC	SPL- 21	SPL- 21d	SPL- 34	WEI- 21		
Au- AA25	CRU- 31	CRU- QC	LOG- 21														
LOG- 21d	LOG- 23	ME- ICP61	PUL- 31														
PUL- 31d	PUL- QC	SPL- 21	SPL- 21d														
SPL- 34	WEI- 21																