Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Soils, trenching, and diamond drilling

TOTAL COST: $943,374.17

AUTHOR(S): L. John Peters

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-408

YEAR OF WORK: 2014

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5548631+634

PROPERTY NAME: Dillard

CLAIM NAME(S) (on which the work was done): 249368, 505708, 859527, 706514

COMMODITIES SOUGHT: Cu, Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: SIMILKAMEEN MINING DIVISION

NTS/BCGS: 92H/9W and 16W

LATITUDE: 49 ° 45 ' " **LONGITUDE:** 120 ° 25 ' " **(at centre of work)**

OWNER(S):
1) Francis LaRoche
2) Mike Ware

MAILING ADDRESS:
2589 Thompson Drive, Kamloops, BC V2C 4L5
Box 2369, Princeton, BC V0X 1W0

OPERATOR(S) [who paid for the work]:
1) Fjordland Exploration Inc
2) Sumac Mines Canada Ltd

MAILING ADDRESS:
1100-1111 Melville Street, Vancouver BC V6E 3V6
1730-700 West Georgia Street, Vancouver, BC V7Y 1A1

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
The property is underlain by Upper Triassic-aged Nicola Group intermediate to mafic volcanic rocks intruded by both discordant and concordant intrusive bodies composed of fine-grained diorites, latites and feldspar/hornblende porphyries. Granite and quartz diorite of the Middle Jurassic Osprey Lake batholith intrude the Nicola volcanic rocks at the eastern portion of the property. Various smaller plutonic plugs, dykes and sills composed of diorite, granite and monzonite intrude the volcanic rocks.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 2354, 2355, 2356, 4341, 4491, 6877, 7340, 7521, 8364, 9429, 11605, 18410, 19335, 19593, 21198, 22220, 25992, 29817, 30318, 32558, 33363, 34560

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	25 ha	249368, 505708, 859527, 706514	11,540.72
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	243	505708, 859527, 706514	
Silt			
Rock	663	505708, 859527, 706514	
Other	Core: 1775	249368, 505708, 859527, 706514	
DRILLING (total metres; number of holes, size)			
Core	5574; 14; NQ	249368, 505708, 859527, 706514	685,954.88
Non-core			
RELATED TECHNICAL			
Sampling/assaying	3124	Multi-element ICP	67,877.45
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)	2070	505708, 859527, 706514	80,306.88
Underground dev. (metres)			
Other			
		TOTAL COST:	943,374.17

BC Geological Survey
Assessment Report
35301

2014 ASSESSMENT REPORT

Including Soil Sampling, Geological Mapping, Trenching, and Diamond Drilling

on the

DILLARD PROPERTY

Mineral Tenures:

656543	731222	750006	782302	505708
700584	742762	755882	836452	249368
706514	748224	755942	836508	
717122	749722	781842	859527	

MTO Events # 5548631 and 5548634

NTS map areas 92H/9W and 16W
SIMILKAMEEN MINING DIVISION,
British Columbia
Latitude 49°45' N, Longitude 120°25' W

Prepared for Operator:

FJORDLAND EXPLORATION INC.
1100 – 1111 Melville Street
Vancouver, B.C., Canada V6E 3V6

By:

L. John Peters,
B.Sc., P .Geo.

27 March 2015
Vancouver, B.C.

Table of Contents page

1. Summary 1
2. Property Location, Size, Access and Physiography 3
3. History 5
4. Geological Setting 7
   - 4.1 Property Geology 9
   - 4.2 Mineralization 11
5. 2014 Exploration Program 12
   - 5.1 Soil Geochemistry 12
   - 5.2 Prospecting and Geological Mapping 16
   - 5.3 Trenching 16
     - 5.3.1 Survey Description, Sample QAQC, and Security 16
     - 5.3.2 Results 17
   - 5.4 Diamond Drilling 21
     - 5.4.1 Survey Description, Core and Sample QAQC, and Security 21
     - 5.4.2 Results 22
     - 5.4.3 Core Geochemistry 28
     - 5.4.4 Susceptibility Survey on Drillcore 30
     - 5.4.5 Core Recovery 30
   - 5.5 Analytical QAQC 30
6. Interpretation and Conclusions 34
7. Recommendations 35
8. Statement of Expenditures 36
9. References 37
10. Authors Statement of Qualifications 39

List of Tables

S1. Notable Drill Grade Intersections 2
1. List of Tenures 5
2. Summary of Historic Exploration Surveys 7
3. Minfile Occurrences 11
4. Soil Geochemistry Analytical Statistics 14
5. Trench Location Benchmarks 18
6. Trench Sample Analytical Statistics 19
7. Diamond Drill Collar Locations 22
8. Notable Grade Intersections 23
9. Summary of Correlation Coefficients 28
10. Drill Sample Analytical Statistics 29
11. Average Core Recoveries 30
12. Comparative Copper Values Utilizing Different Labs and Techniques 31
13. Statement of Expenditures 36

List of Figures

1. Location Map 3
2. Dillard Claims 4
3. Geology 8
4. Property Geology Compilation 10
5. Exploration Location Map 12
6. Historic Cu-in-soils Geochemistry Compilation 13
7. Copper-in-Soil Geochemistry 14
8. Gold-in-Soil Geochemistry 15
9. Trench Location Map 17
10. Dillard East Drill and Trench Location Map 20
11. Dillard West Drill Location Map 26
12. Analytical Comparisons for Copper 32
13. Copper and Gold Standards Batch Comparison 33
14. Repeatability of Prep Duplicates 33

Appendices

Appendix A: Soil Sample Descriptions
Appendix B: Trenching Program Logs and Results
Appendix C: Drill Program Logs, Core Surveys, and Results
Appendix D: Re-logging of 1991 Drillcore
Appendix E: Analytical Methodology and Descriptions
Appendix F: Analytical Certificates

1. SUMMARY

This report fulfills assessment regulatory requirements for MTO Events 5548631 and 5548634 dated 27 March 2015, reporting on the 2014 exploration activities conducted by Fjordland Exploration Inc on the Dillard Property, B.C..

Exploration, completed on the Dillard Property between 20 May to 28 September 2014, consisted of soil geochemistry, geological mapping, trenching, and diamond drilling programs. The total cost of exploration was $943,374.[17].

The Dillard Property is located 50 kilometres west of Peachland and 47 kilometres southeast of Merritt in south-central British Columbia. At the date of this report the Property, divided into the Dillard West and Dillard East areas, consists of 18 mineral tenures with a total area of 2,592.2 hectares.

The Dillard West portion of the property is underlain by Upper Triassic-aged Nicola Group intermediate to mafic volcanic rocks intruded by both discordant and concordant intrusive bodies composed of fine-grained diorites, latites and feldspar/hornblende porphyries. The western portion of the Dillard East area is underlain by Upper Triassic-aged Nicola Group volcanic rocks with local interbeds of argillite and minor limestone. Granite and quartz diorite of the Middle Jurassic Osprey Lake batholith intrude the Nicola volcanic rocks at the eastern portion of the property. Various smaller plutonic plugs, dykes and sills composed of diorite, granite and monzonite intrude the volcanic rocks.

In May 2014 a soil sampling program was completed in the Dillard East area consisting of 243 samples collected at 50 metre intervals along 21 lines set at 100 m intervals. A large strong copper-in-soil anomaly, spanning 900 metres north-south and extending off the grid to the north and south was delineated. Samples graded up to 2110 ppm Cu. A large 300 metre long north-south trending gold-in-soil anomaly was also delineated situated immediately east of the copper anomaly. Samples graded up to 73.7 ppb Au.

Follow-up trenching was completed over the soil geochemical anomalies in July. A total of 2,070 metres was excavated in 10 trenches. Trenching of the soil geochemical anomalies uncovered a succession of fine to medium grained volcanics and dioritic intrusive units. Copper backgrounds were elevated with narrow scattered higher grading intervals containing significant copper concentrations. Trench T14-06 hosted the largest copper interval including a 27 metre zone averaging 0.13% Cu.

A diamond drilling program was completed from July to September. The 2014 drill program was designed to test the depth potential of surface mineralization found in Dillard East and to test for mineralization at the shoulders of the upper and lower chargeability limits, the geometry of geology and mineralization, and the continuity of mineralization to depth at Dillard West.

A total of 14 holes were drilled totaling 5,574.1 metres. Seven holes drilled in the Dillard West portion of the property intersected concordant dioritic intrusive rocks interbedded with fine to medium grained volcanics in the southern area at the valley bottom in the vicinity of a major east-west trending fault system. Copper (and weak gold) mineralization was intersected in all holes as detailed in Table S1. A summary of notable weight-averaged grade intersections from the 2014 drilling program are

presented in Table S1. No effort at this time has been made to correct for true thickness on past or recent reported drill intersections. All intervals are expressed in metres.

Hole ID	From	To	Interval	% Cu	ppb Au	Zone
DI14-07	19.0	121.0	102.0	0.17	69	West
Incl	46.0	118.0	72.0	0.20	62	West
DI14-07	247.0	280.0	33.0	0.17	90	West
DI14-08	40.0	97.0	57.0	0.13	67	West
DI14-08	394.0	487.0	93.0	0.12	33	West
DI14-09	33.0	162.0	129.0	0.14	58	West
Incl	93.0	150.0	57.0	0.19	73	West
DI14-09	246.0	297.0	51.0	0.13	81	West
DI14-10	27.0	45.0	18.0	0.12	123	West
DI14-10	81.0	180.0	99.0	0.14	61	West
DI14-11	57.0	87.0	30.0	0.13	91	West
DI14-12	93.0	150.0	57.0	0.13	50	West
Incl	93.0	111.0	18.0	0.22	97	West
DI14-12	183.0	399.0	216.0	0.07	27	West
Incl	183.0	207.0	24.0	0.14	47	West
Incl	378.0	399.0	21.0	0.13	90	West
DI14-19	55.5	66.0	10.5	0.15	43	West
DI14-19	105.0	258.0	153.0	0.20	90	West
DI14-19	129.0	231.0	102.0	0.23	98	West
DI14-19	303.0	312.0	9.0	0.25	101	West
DI14-19	333.0	360.0	27.0	0.16	85	West
DI14-13	111.0	132.0	21.0	0.11	14	East
DI14-14	105.0	120.0	15.0	0.10	10	East
DI14-15	12.0	21.0	9.0	0.14	3	East
DI14-15	300.0	306.4	6.4	0.11	6	East
DI14-16	7.0	27.0	20.0	0.00	396	East
DI14-16b	12.0	24.0	12.0	0.01	1,223	East
DI14-16b	465.0	471.0	6.0	0.22	246	East

Table S1: Notable Drill Grade Intersections

Seven holes drilled in the Dillard East portion of the property were collared to test surface copper anomalies at depth. Drilling intersected narrow intervals of low grading copper mineralization in interbedded dioritic and volcanic rocks.

Drillholes DI14-16 + 16b and trench T14-06 intersected a NNW trending gold zone grading 0.52 g/t Au over 12.0 metres in T14-06, 0.40 g/t Au over 20.0 metres in DI14-16 and 1.22 g/t Au over 12.0 metres and in DI14-16b. The gold zone has a high Au-Te correlation suggesting a separate deposition event from the porphyry copper mineralization.

Overall, copper mineralization encountered to date at Dillard West is uneconomic at current metal prices. Additional porphyry-type copper mineralization in the Dillard East area may be discovered with additional drilling, however, it is likely to be at deeper levels. There is gold potential at Dillard East that may be followed up on along the 300 metre strike delineated by the gold-in-soils anomaly and at depth.

A program of trenching is recommended to ascertain gold potential in the Dillard East area. A limited program of mechanized surface trenching is estimated to cost $25,000.

2.0 PROPERTY LOCATION, SIZE, ACCESS AND PHYSIOGRAPHY

The Dillard Property is located 50 kilometres west of Peachland and 47 kilometres southeast of Merritt in south-central British Columbia (Figure 1). The Property is located in the Similkameen Mining Division of south-central British Columbia, centered on latitude 49°45'N and longitude 120°25' W within NTS map areas 92H/9W and 16W.



Figure 1: Location

Unpaved forest service roads (FSR) provide access from Princeton in the south and from Merritt in the north. The closest access by vehicle is from Merritt. Travelling south 25 km on Hwy #5A from the town of Merritt to the Peachland Connector Road (Hwy 97C), turn east and travel for 15 km turning south at the Loon Lake exit. Take the first turn to the right (south) on the Shrimpton Creek FSR and travel 15 km. In early 2014 the Shrimpton Rd became unusable due to flooding from a beaver dam. The alternate access route used was via Hwy #54 south of Aspen Grove to the Dillard FSR. Travel 21.5 km east along the Dillard Rd, then turn right onto the Jura FSR and travel 1 km to reach the property. Old and new logging roads provide access to most portions of the Property. There was no active logging or hauling along either access route in 2014 and road use was mainly tourists and local traffic.

The claims are situated in rolling, hilly terrain on a broad uplands plateau. Elevations range from 1,740 m asl in the center of the property to 1,310 m in the southeast and 1,430 m in the north. Small streams drain the property in all directions from the high elevation point in the centre of the property. Outcrop exposures are moderately abundant and till cover overall is relatively shallow. Mature stands of spruce, balsam, fir

and pine have been recently logged over at least 50% of the property. Annual temperatures range from -20° to 30° C and precipitation is low to moderate. The area is basically snow-free from late June through October.



Figure 2: Dillard Claims

At the date of this report, the Dillard Property consists of 18 mineral tenures totaling 2,592 ha (Figure 2). The Dillard East portion of the Property is owned by Mike Adam of Princeton B.C. and Francis LaRoche of Kamloops B.C. Fjordland optioned the Dillard East portion of property (Dillard Option) in 2011 and is currently earning a 100% interest (owners retaining an NSR).

The Dillard West portion of the property was previously owned by Almaden Minerals of Vancouver, B.C. Fjordland optioned the property in 2012 (Dill Option) and has since earned a 100% interest in the property (owners retaining an NSR). Fjordland is a public company incorporated in Canada, with offices at #1100-1111 Melville Street, Vancouver, BC, Canada, V6E 3V6.

In 2013 Sumac Mines Ltd of Vancouver, B.C. entered into an agreement with Fjordland to earn a 51% interest in the property. Fjordland is currently the operator.

A listing of tenures comprising the Dillard Property follows on Table 1. Expiry dates on tenures are currently valid pending the acceptance of this report.

Tenure #	Issue Date	Good To Date	Name	Area (ha)	Owner
656543	2009/Oct/21	2025/Mar/27		83	F. LaRoche + M. Adam
700584	2010/Jan/16	2025/Mar/27		230	F. LaRoche + M. Adam
706514	2010/Feb/18	2025/Mar/27		146	F. LaRoche + M. Adam
717122	2010/Mar/06	2025/Mar/27		21	F. LaRoche + M. Adam
731222	2010/Mar/20	2025/Mar/27	DRILL	21	F. LaRoche + M. Adam
742762	2010/Apr/07	2025/Mar/27		271	F. LaRoche + M. Adam
748224	2010/Apr/14	2025/Mar/27		209	F. LaRoche + M. Adam
749722	2010/Apr/16	2025/Mar/27		42	F. LaRoche + M. Adam
750006	2010/Apr/16	2025/Mar/27		271	F. LaRoche + M. Adam
755882	2010/Apr/24	2025/Mar/27		250	F. LaRoche + M. Adam
755942	2010/Apr/24	2025/Mar/27		42	F. LaRoche + M. Adam
781842	2010/May/30	2025/Mar/27		84	F. LaRoche + M. Adam
782302	2010/May/31	2025/Mar/27		209	F. LaRoche + M. Adam
836452	2010/Oct/22	2025/Mar/27		21	F. LaRoche + M. Adam
836508	2010/Oct/23	2025/Mar/27		42	F. LaRoche + M. Adam
859527	2011/Jun/26	2025/Mar/27		167	F. LaRoche + M. Adam
505708	2005/Feb/03	2025/Mar/27		83	F. LaRoche + M. Adam
249368	1988/Oct/13	2025/Mar/27	Dill #2	400	Fjordland Exploration

Table 1: List of Tenures

3.0 HISTORY

The Dillard West Area was explored for copper, gold and silver from 1963 through 1970 by several companies using soil sampling, geological mapping, trenching, IP, ground EM, airborne and ground magnetometer and percussion and diamond drilling.

A 1969 drilling program on the Dillard West area included intercepts of 0.25% Cu over 207 m (69-1) including 59 m of 0.37% Cu and 0.23% Cu over 119 m (67-4). A 1990

program of IP, magnetometer and VLF-EM surveys identified two parallel high chargeability trends over the anomalous copper/gold soil geochemistry zone in the Dillard West area. These were tested in 1991 with a program of eleven diamond drill holes totaling 2,030 m.

Significant chalcopyrite mineralization were reportedly hosted by monzonites, monzodiorites and diorites and andesitic volcanic rocks. Significant intercepts from the 1991 drill program included 187.1 m of 0.24% Cu (D91-2), 48.2 m of 0.28% Cu (D91-5) and 180.4 m of 0.13% Cu (D91-8). Gold values were generally low with only one isolated intersection of 710 ppb Au over 3.1 m, leaving the source of highly anomalous gold-in-soil geochemical anomalies (>50 ppb Au) unexplained.

The area to the east of the Dill #2 property (Dillard East) was explored for copper in the 1970's by Noranda and 1980's by Cominco. Geologic mapping, soil sampling and ground geophysics discovered disseminated chalcopyrite and chalcopyrite in quartz-calcite veins cutting volcanic rocks intruded by dykes of variable composition.

The entire claim area was staked by Fairfield Minerals in 1988 following a grid soil sampling program that identified areas of anomalous copper geochemistry. Placer Dome Inc. subsequently optioned the Property from Fairfield in 1989, staked several surrounding claims and conducted a program of soil sampling, IP, trenching and rock sampling. Continuous chip samples across quartz veins and altered wallrock from trenches in the eastern portion of the property yielded values up to 254.4 g/t Au over 0.5 metres.

A small property, owned and operated by Harold Adams from 1989 to 1999, is located within the Dillard East block. Two drill programs, consisting of a total of 4 diamond drill holes (335.9 m), tested vein-style gold potential observed in trenches. No significant gold was intersected.

In 2011, Fjordland completed a program of prospecting over the Dillard East Area in an attempt to verify reported locations of historic soil geochemical anomalies. Fjordland completed several ground geophysical surveys over selected areas in 2012 including 23.3 line-kilometres of ground magnetics and 11.0 line-kilometres of IP chargeability and resistivity.

In 2013 Fjordland completed a property-wide helicopter airborne magnetics/radiometrics survey totaling 293 line-kilometres. A total of 16 lines (49.5 line-kilometres) of north-south trending IP and ground magnetics were also completed extending the coverage from the 2012 surveys. Diamond drilling, consisting of 7 holes (1 lost in overburden) totaling 2,636.1 metres, tested both the eastern and western portions of the property.

A summary of historic exploration programs as listed on the ARIS database follows on Table 2.

ARIS #	Year	Company	Description	Area
2354	1970	Pageant Mines	Compilation - 33 DDH (3744m) and Soils	Dillard W
2355	1970	Pageant Mines	Airborne Magnetic Survey	Dillard W
2356	1970	Pageant Mines	Photo-Geological Survey	Regional
4341	1972	Noranda Expl	Soil Geochemistry, Ground Mag	Dillard E
4491	1973	Noranda Expl	Soil Geochemistry	Dillard E
6877	1978	Atled Exploration	Trenching	Dillard W
7340	1979	Atled Exploration	Ground Mag	Dillard W
7521	1979	Atled Exploration	Geologic Mapping	Dillard W
8364	1980	Atled Exploration	Geologic Mapping	Dill E+W
9429	1981	Cominco Ltd	Soil Geochemistry, Mag+VLF-EM	Dillard E
11605	1983	Cominco Ltd	Soil Geochemistry	Dillard E
18410	1988	Fairfield Minerals	Soil Geochemistry	Dillard E
19335	1989	Harold Adams	2 BQ DDH (152.4m)	Dillard E
19593	1989	Fairfield/Placer Dome	Soil Geochemistry, IP, Trenching	Dillard E
21198	1990	Fairfield Minerals	Soil Geochemistry, IP, VLF-EM, Mag	Dillard W
22220	1992	Fairfield Minerals	11 NQ DDH (2030m), IP	Dillard W
25992	1999	Harold Adams	2 AQ DDH (183.5m)	Dillard E
29817	2008	John Kerr	Soil + Silt Geochemistry	Dillard E
30318	2008	Almaden Minerals	Stream Sed Sampling	Dillard W
32558	2011	Fjordland Exploration	Prospecting	Dillard E
33363	2012	Fjordland Exploration	IP, Ground Mag	Dillard E
34560	2013	Fjordland Exploration	Airborne Mag, IP, Ground Mag, 6 NQ DDH (2636m)	Dillard

Table 2: Summary of Historic Exploration Surveys

4.0 GEOLOGICAL SETTING

The Dillard Property is situated in the southern Nicola arc of the Intermontane tectonic belt in south-central British Columbia. The regional geology (Figure 3) is described from the BCGS Southern Nicola Arc Project (SNAP) Paper 2014-1 by Mihalynuk, M (2014).

The southern Nicola arc and underlying basement rocks belong to the Quesnel Terrane, a composite island arc that initiated at the western margin of ancestral North America in Devonian time (Monger et al., 1972; Monger, 1977; Mihalynuk et al., 1994; Ferri, 1997), on rocks at least as old as Late Silurian; (Read and Okulitch, 1977). Like modern Japan, a back-arc basin formed as Quesnel arc rifted farther from its continental margin homeland (Davis et al., 1978; Tempelman- Kluit, 1979; Ferri, 1997). As the back arc basin grew to oceanic proportions, Quesnellia became isolated enough from North America to permit the colonization of endemic organisms, the fossil remains of which are lacking in now adjacent parts of cratonic North America, but are found to the west in Stikine terrane (Ross and Ross, 1983 and 1985). Both Quesnel and Stikine terranes were repatriated with North America by Early to Middle Jurassic (Ricketts et al., 1992; Nixon et al., 1993; Mihalynuk et al., 2004;) as they buckled against the margin, capturing exotic oceanic rocks of the Cache Creek terrane between them (Monger and Ross, 1971; Mihalynuk et al., 1994). Since Middle Jurassic time, rocks of the Quesnel arc were deformed during collisions that shuffled rocks along the ancestral continental margin



Figure 3: Geology (after Mihalynuk, M. et al, 2014)

southward and then northward, coming to rest in the Eocene (Enkin, 2006; Sigloch and Mihalynuk, 2013). Eocene extension in the southern Cordillera (Brown and Journeay, 1987) gave rise to the landscape from which the modern topography was inherited, with

relatively minor modification by Quaternary glaciation (Tribe, 2005). Accurate reconstruction of the prolifically mineralized Late Triassic arc cannot be achieved without restoring the effects of Jurassic to Eocene (and younger?) deformation.

The main volcanosedimentary assemblage in the area of the Dillard Property is the Nicola Group, a lower succession of volcaniclastic strata derived from coarse augite porphyry breccia overlain by coarse augite-hornblende porphyry. They are intruded by mineralized synvolcanic intrusions. All magmatic rocks show geochemical characteristics typical of arc parentage. Polymictic conglomerate derived from these rocks overlies, and is intercalated with the youngest augitehornblende-phyric volcanic rocks. Mafic rocks invariably display an authigenic epidote-chlorite-actinolite ± prehnite assemblage typical of low-grade regional depth-controlled hydrothermal metamorphism in Cordilleran volcanic terranes (Cho and Liou, 1987; Mihalynuk and Ghent, 1996).

New geochronologic data (Mihalynuk, L, 2013) reveal that parts of the Nicola Group, hitherto considered Late Triassic, extend into the Early Jurassic.

4.1 Property Geology

The current property geology map is compiled from historic and ongoing mapping, trenching and drill data (Figure 4).

The western and central portions of the property are underlain by Upper Triassic Nicola Group intermediate to mafic volcanic rocks, with local interbeds of argillite and minor limestone. These are intruded by consanguineous bodies of latite, diorite, granodiorite and dacite. These rocks have a genetic association with tectonic activity along the Summer's Creek and Allison fault systems which dominate the Late Triassic geology of the region (Preto, 1979).

The Nicola Group volcanic rocks are comprised of predominantly light green to almost black, fine grained andesite to basaltic flows and fragmental units containing up to 70% augite ± hornblende and plagioclase phenocrysts which are contemporaneous with zones of diorite to granodiorite composition, considered to be sub-volcanic feeders. Less common volcanic breccia consists of sparse to concentrated clasts of granodiorite, monzonite, syenite and volcanic rock up to 15 cm, but typically 0.5 – 3 cm, with diffuse margins supported by a dark green to black fine-grained matrix with local augite ± hornblende phenocrysts. Coarse grained andesites, trachyandesites and fine-grained tuffs are locally present.

The volcanic rocks are massive, non-foliated and weakly metamorphosed, locally grading into greenschist facies. Weak sericitic and propylitic alteration is common, with plagioclase phenocryst cores replaced by sericite ± calcite and mafic minerals altered to chlorite ± epidote, carbonate, biotite and secondary amphibole. Zones of intense argillic, carbonate and silica alteration are locally developed around faults or areas of intense fracturing; primary textures are destroyed resulting in a grey or orange to green incompetent aggregate of sericite, K-feldspar and clay minerals. Secondary quartz and wispy narrow veinlets of MnO3 are common. Potassic alteration occurs as locally pervasive pink K-feldspar flooding of the volcanic rock, as thin K-feldspar alteration selvedges along carbonate ± epidote stringers and as K-feldspar filling microfractures. Silicification is evident in quartz ± calcite ± epidote veins and stringers and in fault zones as flooding. Hematite occurrences probably resulted from near-surface oxidation of

magnetite and as a by-product of hydrothermal alteration at depth. Local albite flooding occurs proximal to carbonate and epidote stringers.



Figure 4: Property Geologic Compilation

The volcanic rocks are intruded by numerous subvolcanic units consisting of diorites and latites with lesser granites and dacites likely related to the Pennask Batholith located to the east. Porphyritic textures are common, with 1 to 3 mm hornblende and plagioclase phenocrysts in a fine groundmass that varies from aphanitic to medium-grained interlocking crystals. Post-mineralization porphyritic dykes indicate multiple intrusive events.

To the east of the property, these rocks are in contact with the southern limit of the Triassic to early Jurassic-aged Pennask Batholith which is cut to the south and east by the middle Jurassic-aged Osprey Lake Batholith (Parrish and Monger, 1992). The Pennask batholith is a (quartz) diorite (feldspar > biotite/amphibole > quartz). It ranges from foliated to hornfelsed, to weakly chlorite-hematite altered. Most rocks exhibit weak to moderate magnetism. The coarse-grained Osprey Lake batholith is granitic to syenogranitic (K-spar > plagioclase > quartz > amphibole/biotite) in composition. It is often crumbly and chlorite-kaoline-sericite altered with or without epidote, carbonate, hematite, and various vein-related sulphides (sphalerite-galena-pyrite-chalcopyrite-malachite-azurite).

4.2 Mineralization

A total of 7 occurrences from the BC Government's MINFILE database are located on the property as shown on Table 3 and illustrated in Figure 2.

Minfile #	Name	Type	Commodity
092HNE191	DILL	Prospect	Au, Cu, Ag
092HNE246	DILL 29	Showing	Cu
092HNE244	DILLARD LAKE	Showing	Cu
092HNE245	GOLD CORE	Showing	Zn, Pb, Ag
092HNE112	LORRY	Showing	Cu
092HNE124	STAR	Showing	Cu
092HNE055	PRIMER	Prospect	Cu, Au

Table 3: Minfile Occurrences

In the Dillard West area porphyry style copper mineralization is present as chalcopyrite in fracture coatings, fine veinlets, disseminations, and masses. Weak copper-oxides occur near surface. Significant concentrations of chalcopyrite (up to 1% locally) are hosted by intrusive but mainly volcanic rocks. Pyrite occurs in veinlets (± carbonate, sericite, epidote, quartz, and anhydrite) and as fine to medium-grained disseminations. Mineralization is also associated with early carbonate-sericite-(quartz) filled breccia. Local potassic alteration coincides with high chalcopyrite concentrations. Enriched gold values of up to 1.2 ppm over 12.0 m (DI14-16b) correlate well with increased quartz + calcite epidote veinlets.

Samples taken from outcroppings in the Dillard East portion of the property during the 2011 prospecting program included a sample grading 1.6% Cu and 11 additional samples grading > 0.1% Cu from fractured, silicified volcanics. Samples from two locations hosting small quartz veins in diorite contained 3.3 ppm Au and 28.9 ppm Au.

Results from the 2014 trenching and drilling programs are described in Section 5.

5.0 2014 EXPLORATION PROGRAM

Exploration, completed on the Dillard Property during the summer of 2014, consisted of soil geochemistry, geological mapping, trenching, and diamond drilling programs. Locations of the soil grids, trenches and drill collars are displayed on Figure 5.



Figure 5: Exploration Location Map

Soil geochemistry and trenching in Dillard East was completed to delineate and characterize the intrusive rocks for drill targeting. Follow-up drilling tested the depth potential of surface mineralization. In Dillard West, drilling was completed to test for mineralization at the shoulders of the upper and lower chargeability limits, the geometry of geology and mineralization, and the continuity of mineralization to depth.

5.1 Soil Geochemistry

A total of 8 historic soil sampling programs have been completed on the Property. Analytical results from all of the surveys were compiled into a common database and results for copper are presented in Figure 6.



Figure 6: Historic Cu-in-Soils Geochemistry Compilation

The copper anomalies located in the Dillard East area are coincident with IP chargeability anomalies delineated by the 2012 - 2013 IP surveys as well as copper-in-rock anomalies derived from the 2011 prospecting program. Locations of the historic soil sampling programs are limited to maps from the ARIS assessment reports. No gps records were taken of any of the actual locations and due to the inaccuracies related to historic sampling procedures it was decided to complete a new sampling program over previously reported anomalies prior to trenching.

Between 20-24 May 2014 a soil sampling program was completed by Mark Ralph of McLeese Lake, B.C. and Jeremy Marlow of Kamloops, B.C.. A total of 243 samples were collected at 50 metre intervals along 21 lines set at 100 m intervals. Sample points were determined in the field using a Garmin 62csx GPS. All samples were taken from the enriched "B" horizon approximately 30 centimetres below surface. Soil samples were taken using augers and placed into Kraft paper bags with sample grid locations marked on using a felt pen. Sample descriptions and locations are presented and results for copper are illustrated in Appendix A.

No sample preparation was conducted by an employee, officer, director or associate of Fjordland prior to delivery to the laboratory for analyses. Samples were hand delivered by the samplers to a sample preparation facility of ALS Laboratories located in Kamloops, BC. Samples were analyzed for a 51-element suite of elements using ALS's ME-MS41L aqua regia ICP-MS method. Description of the methodology is presented in Appendix E.

Three historic copper anomalies were selected for re-sampling (Grids A, B, and C). Results for copper and gold are displayed in Appendix A. Analytical statistical results are presented in Table 4.

Grid		Mean	Median	Low	High	75%-tile	Au-Cu Corr Coeff
A	Cu	163	134	27	804	210	0.206
	Au	2.8	1.7	0.2	40.9	2.7	
B	Cu	248	141	20	2,110	288	0.004
	Au	58.5	65.1	0.3	98.6	5.9	
C	Cu	101	80	37	300	122	0.386
	Au	14.5	1.4	1.1	81.3	4.7	

Table 4: Soil Geochemistry Analytical Statistics

Distribution of anomalous copper and gold are illustrated in Figures 7-8. On average, background copper values are approximately 25 ppm Cu and values > 122 ppm Cu are deemed statistically anomalous. Background gold values average 0.8 ppb Au and values > 4.7 ppb Au are statistically anomalous.



Figure 7: Copper-in-Soil Geochemistry



Figure 8: Gold-in-Soil Geochemistry

Grid B contains the largest copper-in-soil anomaly, spanning 900 metres north-south and extending off the grid to the north and south. Samples graded up to 2,110 ppm Cu. Several scattered gold anomalies were delineated, the largest 300 metre long north-south trending anomaly situated immediately east of the copper anomaly. Samples graded up to 73.7 ppb Au.

Grid A contains weaker copper anomalies trending in a roughly east-west direction over 550 metres and extending off the grid to the east and west. Samples graded up to 804 ppm Cu. Small scattered gold anomalies composed of single samples graded up to 40.9 ppb Au.

Grid C delineated 2 small weakly elevated copper anomalies with samples grading up to 300 ppm Cu. A coincident gold anomaly of 81.3 ppb Au was noted.

Correlation coefficients for gold and copper were calculated for each of the grids. Grids A and C demonstrate a weak gold-copper affinity related to porphyry style mineralization. Grid B shows no correlation between gold and copper suggesting a separate gold deposition event unrelated to copper mineralization.

Grids A and B encompassed areas with recent logging operations, resulting in considerable soil disturbance. Grid C encompassed virgin forest with no soil disturbance, however, the area was marshy, possibly affecting sample quality.

5.2 Prospecting and Geological Mapping

From 23 to 30 June 2014 a program of geological mapping and prospecting was completed on the Dillard East portion of the Property. The focus of the program was to confirm previously reported outcrop locations, search for copper mineralization in anomalous areas delineated by the soil sampling program, and to prepare for trenching.

Mapping and prospecting was completed by Greg Thompson, PGeo of Langley, B.C. and Mark Ralph, GIT of McLeese Lake, B.C. Results of the geological mapping in conjunction with the results of the trenching were incorporated into a geological map illustrated on Figure 10.

5.3 Trenching

From 1 - 31 July a program of mechanized trenching was completed on the Dillard East portion of the property. A total of 2,070 metres was excavated in 10 trenches. The trenches were positioned to cover the anomalies delineated by the soil sampling program. Trench locations are illustrated in Figure 9.

5.3.1 Survey Description, Sample QAQC, and Security

A Hitachi 150LC-5 excavator was used, both machine and operator supplied by Dorado Drilling Ltd of Vernon, B.C.

Geological mapping of the trenches was completed by Greg Thompson, PGeo of Langley, B.C., sampling was completed by Mark Ralph, GIT of McLeese Lake, B.C. and Takuma Suga of Isa City, Japan, and trench washing and assistance was completed by Zachary Cantin of Montreal, P.Q. and Kurtis Pearson of Merritt, B.C. The program was supervised by the author. A geological compilation plan map was generated from mapping and trenching (Figure 10)

Trenches were washed and geologically mapped. Sulphide content, silicification and alteration were noted during mapping. Susceptibility readings were taken at 1.0 metre intervals throughout the length of the trench. Plan maps and trench logs, including total depth and depth of overburden, alteration, geology, and notable analytical results are located in Appendix B.

Three metre intervals along the trench were chained from gps recorded waypoints and painted on exposed outcrop. All rock exposed during trenching was sampled at 3.0 metre intervals. A total of 691 three metre long channel samples were chipped from rock using hammers and chisels and placed into plastic bags. Unique sample tags were placed into each bag, locations (from and to) were noted and a similar tag was fixed to the trench. Bags were closed with plastic straps and placed into rice bags for shipment.



Figure 9: Trench Location Map (Copper-in-Soils Background)

Field geostandards (11) and blank samples (13), obtained from WCM Minerals of Burnaby, B.C., were inserted at approximately 25 sample intervals as an analytical check for laboratory batches. Results for these checks are discussed in Section 5.4.5.

Photographs were taken of each sample interval. As well, photographs were taken of the site before disturbance and after reclamation.

No sample preparation was conducted by an employee, officer, director or associate of Fjordland prior to delivery to the laboratory for analyses. Samples were sealed and inserted into large rice sacks, labeled with the sample range and company name prior to shipping. Samples were personally delivered by the author to ALS Laboratories Ltd preparation facility located in Kamloops, BC. Samples were analyzed for a 51-element suite of elements using ALS's ME-MS41L aqua regia ICPMS method. Description of the methodology is presented in Appendix E.

5.3.2 Results

All trench intervals were measured from benchmark posts whose position was established using GPS. All measurements listed in the trench logs are relative to the benchmarks. A list of trench benchmark points are listed on Table 5. All geographic coordinates are on datum Nad83 Zone10.

Trench-ID	Easting	Northing	Elev	Bearing	Length
T14-01-a	686123	5514546	1517	288	66
T14-01-b	686058	5514550	1509	293	33
T14-01-c	686035	5514577	1495	287	57
T14-01-d	685982	5514596	1492	284	77
T14-02-a	686175	5514657	1509	235	75
T14-02-b	686106	5514609	1507	309	18
T14-02-c	686101	5514618	1506	285	180
T14-03	686151	5514371	1538	271	96
T14-04	685929	5514370	1504	270	105
T14-05	685882	5514133	1516	84	228
T14-06-a	686013	5514084	1531	253	90
T14-06-b	686013	5514084	1531	73	47
T14-06-c	686057	5514097	1534	88	143
T14-07	685935	5513967	1521	86	228
T14-08	685197	5513667	1509	115	324
T14-09	685656	5513633	1535	294	180
T14-10	685416	5513351	1579	297	120

Table 5: Trench Location Benchmarks

Overburden depths were found to be relatively shallow, averaging approximately 0.7 metres overall. Several fault zones were cut which often actively produced water that had to be diverted or drained.

Analytical statistics for copper grades were calculated for each trench and are presented on Table 6.

Trench	Mean (ppm Cu)	Median (ppm Cu)	Low (ppm Cu)	High (ppm Cu)	75%-tile (ppm Cu)	Au-Cu Corr Coeff	High (ppb Au)	Susc-Cu Corr Coeff
T14-01	199	168	50	1070	249	0.435	132	0.142
T14-02	160	160	11	782	208	0.780	74	0.263
T14-03	185	169	67	466	324	0.450	64	0.146
T14-04	262	246	23	577	352	0.345	62	0.434
T14-05	329	266	67	807	424	0.133	342	-0.386
T14-06	502	412	58	2830	568	0.016	761	-0.004
T14-07	331	292	44	1045	450	0.596	207	-0.249
T14-08	561	445	83	1665	757	0.002	153	-0.039
T14-09	293	234	72	1015	382	0.356	61	-0.346
T14-10	318	270	14	1695	400	0.172	41	0.038

Table 6: Trench Sample Analytical Statistics

Trenches T14-01 to T14-07 tested the copper and gold-in-soil anomalies delineated in Grid B. The trenches were all east-west oriented. Trenches T14-01 and T14-02, located to the north extent of the trenching program and situated 50 metres apart, uncovered large bodies of fine to medium grained diorites separated by fine to medium gained hornblende dominated volcanics. Copper background values were generally elevated in the vicinity of the soil anomaly, however, only small sporadic intervals contained notable amounts of copper mineralization, the highest sample grading 0.1% copper.

Trench T14-03 and T14-04, located 220 metres south of T14-01 and situated 110 metres apart, both intersected volcanics with smaller intervals of fine to medium grained diorites. Both trenches had elevated copper backgrounds similar to trenches T14-01 and T14-02, however, higher grading intervals of copper were absent.

All samples from trenches T14-01 to 04 demonstrated moderate copper-gold and weak copper-susceptibility correlations with elevated copper background and overall weak gold mineralization present.

Trenches T14-05 and T14-06, located 230 metres south of T14-03 and T14-04 and situated 60 metres apart, tested both the copper and gold-in-soil anomalies. Both trenches uncovered mainly diorites with lesser volcanic intervals. Copper background in the rocks were highly elevated with the average mean copper approximately twice that found in trenches 01-04. The highest 3-metre interval of copper was found in trench T14-06 grading 0.28% Cu within a 27 metre zone averaging 0.13% Cu. Trenching over the gold-in-soils anomaly averaged 0.52 g/t Au over 12.0 metres.

Trench T14-07, located 110 metres south of T14-06, intersected mainly fine to medium grained diorite. Copper grades were similar to trenches T14-05 and T14-06 with a high copper value of 0.1% Cu. Several discrete gold zones were intersected in trenches T14-05 to T14-07 spatially related to copper mineralization. No correlation was found between copper and susceptibility in the above trenches.



Figure 10: Dillard East Drill and Trench Location Map (Geological Compilation Background)

Trenches T14-08, T14-09 and T14-10, located 500 metres southwest of T14-07 and situated approximately 170 metres apart, tested the copper-in-soil anomalies from Grid A. The trenches were all northwest-southeast oriented. The trenches uncovered mainly hornblende dominated volcanics intruded by several diorite units to 50 metres in width. Volcanic breccia zones were also noted in T14-08 associated with copper mineralization. Background copper values were highly elevated in all three trenches. T14-08 intersected several zones elevated in copper including 0.09% Cu/30 metres, 0.13% Cu/9 metres, 0.16% Cu/6 metres and 0.11% Cu/12 metres. Copper in trenches T14-09 and T14-10 was elevated, however, only one narrow 3.0 metre interval was found to contain copper > 0.1% copper in both trenches.

5.4 Diamond Drilling

A diamond drilling program was completed from 8 July to 28 September 2014. The 2014 drill program was designed to test the depth potential of surface mineralization found in Dillard East. In Dillard West, drilling was designed to test for mineralization at the shoulders of the upper and lower chargeability limits, the geometry of geology and mineralization, and the continuity of mineralization to depth.

Drilling was contracted to Dorado Drilling Ltd of Vernon, B.C. under the supervision of the author. Geological logging, interpretation and sampling of core was completed by the author. Geotechnical measuring and core splitting was completed by Mark Coutlee and Steven Jurreit of Merritt, BC.

5.4.1 Survey Description, Core and Sample QAQC, and Security

Drilling of NQ2 sized (50.5 mm diameter) core was completed using a Hydracore 2000 skid mounted diamond drill. Drill collar locations, fore-sights/backsight markers aligned to direction of drilling, drill pad construction and drill dips at collars were selected and supervised by the author. Locations of drill holes were recorded using a Garmin 62sc GPS. Downhole surveys used to measure azimuth and dip of the hole at depth were completed at 100 metre intervals using a Reflex survey device. Drill pads, sumps and trails were constructed and the drill was moved between holes by the drilling contractor using a Hitachi 150LC-5 excavator. Photographs of the collar locations were taken prior to disturbance and after reclamation.

Handling of core prior to sampling consisted of representatives of Dorado moving the core from the property every morning to a leased secure core logging facility located in Merritt, B.C. owned by Tibar Construction. The core was then logged, split, and is currently being stored at the facility along with the historic core.

All core handling was done by or under the supervision of the author. Care was taken to eliminate sampling biases that could impact the analytical results. All jewelry was removed prior to handling core and the work area was kept clean during splitting and sampling.

The core was measured for recovery and RQD, photographed at macroscopic and microscopic (50x at 1m intervals) levels, measured by Susceptibility Meter at 1 metre intervals, and geologically logged. Boxes were labeled with metal tags and catalogued. Drill logs, geotechnical measurements, susceptibility readings, analytical results and

cross sections showing geology, alteration and grade distribution are located in Appendix C.

All of the core from the 2014 drill program was split and sampled. A total of 1,775 intervals from the 5,305 metres of core obtained were split into halves lengthwise using a conventional manual core splitter, one half placed into plastic sample bags with identifying tag and closed using plastic strap closures. The remaining drill core half was left in labeled core boxes at the core logging facility with a copy of the sample tag affixed to the box. Samples were selected at approximately 3.0 metre downhole (dh) intervals depending on geology and mineralization. Field geostandards and blank samples, obtained from WCM Minerals of Burnaby, B.C., were inserted at approximately 25 sample intervals as an analytical check for laboratory batches.

No sample preparation was conducted by an employee, officer, director or associate of Fjordland prior to delivery to the laboratory for analyses. Samples were sealed and inserted into large rice sacks, labeled with the sample range and company name prior to shipping. Samples were personally delivered by the author to ALS Laboratories Ltd preparation facility located in Kamloops, BC. Samples were analyzed for a 51-element suite of elements using ALS's ME-MS41L aqua regia ICPMS method. Description of the analytical methodology and preparation methods is presented in Appendix E. Analytical certificates are located in Appendix F.

5.4.2 Results

A total of 14 holes were drilled totaling 5,574.1 metres. Hole locations are illustrated on Figure 5 and described on Table 7. All geographic coordinates are on datum Nad83 Zone10.

Collar	Easting	Northing	Elevation	Azimuth	Dip	Depth	Area
DI14-07	683116	5514069	1421	355	-55	451.0	West
DI14-08	683498	5514015	1465	352	-50	522.0	West
DI14-09	683708	5513957	1466	354	-60	498.0	West
DI14-10	683708	5513957	1466	180	-60	501.0	West
DI14-11	683294	5514344	1453	0	-70	87.0	West
DI14-12	683252	5514301	1445	0	-65	501.0	West
DI14-13	685328	5513606	1538	120	-50	150.0	East
DI14-14	685328	5513606	1538	294	-55	225.0	East
DI14-15	685360	5513380	1566	308	-35	306.4	East
DI14-16	686229	5514022	1553	270	-45	79.7	East
DI14-16b	686229	5514022	1553	270	-55	651.0	East
DI14-17	685928	5514652	1482	105	-55	501.0	East
DI14-18	685701	5514233	1492	90	-55	501.0	East
DI14-19	683206	5514249	1437	175	-55	600.0	West

Table 7: Diamond Drill Collar Locations

A summary of notable weight-averaged grade intersections from the 2014 drilling program are presented in Table 8. No effort at this time has been made to correct for true thickness on past or recent reported drill intersections. All intervals are expressed in metres.

Hole ID	From	To	Interval	% Cu	ppb Au	Zone
DI14-07	19.0	121.0	102.0	0.17	69	West
Incl	46.0	118.0	72.0	0.20	62	West
DI14-07	247.0	280.0	33.0	0.17	90	West
DI14-08	40.0	97.0	57.0	0.13	67	West
DI14-08	394.0	487.0	93.0	0.12	33	West
DI14-09	33.0	162.0	129.0	0.14	58	West
Incl	93.0	150.0	57.0	0.19	73	West
DI14-09	246.0	297.0	51.0	0.13	81	West
DI14-10	27.0	45.0	18.0	0.12	123	West
DI14-10	81.0	180.0	99.0	0.14	61	West
DI14-11	57.0	87.0	30.0	0.13	91	West
DI14-12	93.0	150.0	57.0	0.13	50	West
Incl	93.0	111.0	18.0	0.22	97	West
DI14-12	183.0	399.0	216.0	0.07	27	West
Incl	183.0	207.0	24.0	0.14	47	West
Incl	378.0	399.0	21.0	0.13	90	West
DI14-13	111.0	132.0	21.0	0.11	14	East
DI14-14	105.0	120.0	15.0	0.10	10	East
DI14-15	12.0	21.0	9.0	0.14	3	East
DI14-15	300.0	306.4	6.4	0.11	6	East
DI14-16	7.0	27.0	20.0	0.00	396	East
DI14-16b	12.0	24.0	12.0	0.01	1,223	East
DI14-16b	465.0	471.0	6.0	0.22	246	East
DI14-19	55.5	66.0	10.5	0.15	43	West
DI14-19	105.0	258.0	153.0	0.20	90	West
DI14-19	129.0	231.0	102.0	0.23	98	West
DI14-19	303.0	312.0	9.0	0.25	101	West
DI14-19	333.0	360.0	27.0	0.16	85	West

Table 8: Notable Grade Intersections

Approximately 43% of the drillcore from Placer Dome Inc's 1991 drill program was discovered, salvaged and reconditioned in 2012. This remaining core was relogged in 2014 by the author to conform with geological and alteration codes being used in the current drilling database. Descriptive logs are presented in Appendix D. The 2014 drilling results have been incorporated into a common database with the results from the 2013 drilling program (also completed by the author) and the 1991 drill core to facilitate interpretation.

Dillard East

A total of 7 holes drilled in the Dillard East portion of the property were collared to test surface copper anomalies at depth (Figure 10). Holes DI14-13 and DI14-14 were collared at the same location on trench T14-08, targeting a copper-bearing volcanic breccia unit underlying copper-in-soil anomalies (Appendix C, Figures 19-21). The target was on the west flank of a moderate chargeability anomaly and a low magnetic embayment. Hole DI14-13 (Az 120°, Dip -50°) intersected mainly fine grained andesitic to basaltic volcanics intruded by narrow diorite units, the largest at 12.5 metres wide. Moderate to strong propylitic alteration was evident. Moderate levels of magnetite were present in the strongly propylitic alteration in the volcanics. Overall copper mineralization was absent in the diorites and was weakly consistent in the volcanics with a deeper zone grading 0.11% Cu over 21.0 metres. Gold was consistently weak.

Hole DI14-14 (Az 294°, Dip -55°) intersected fine to medium grained andesitic volcanics with small intervals of diorite to 150 metre depth where faulting, brecciation and silicification was encountered. After the fault and to the end of the hole drilling intersected comparable amounts of fine grained highly silicified andesitic volcanics and medium grained diorites. Alteration consisted of propylitic and silicification. Minor magnetite was noted in the volcanic units. Sulphides were generally at trace amount levels throughout. Copper mineralization was absent in the silicified fault zone and was weak overall with a 15.0 metre interval at 105 metre depth grading 0.10% copper. Gold was consistently weak.

Hole DI14-15 (Az 308°, Dip -35°) was collared on at the midpoint of trench T14-10, undercutting a 9 metre interval grading 0.10% copper (Appendix C, Figures 16-18) coincident with a small copper-in-soils anomaly. The target was on the western flank of a moderate chargeability and high magnetic anomaly. Drilling intersected mainly fine grained andesitic to basaltic volcanics with several small scattered diorite units. The surface anomaly was intersected at 12.0 metres depth grading 0.14% copper over 9.0 metres. The remainder of the hole was low in copper except for the end of the hole which graded 0.11% copper over 6.4 metres. The hole bottomed in mineralization. Alteration consisted mainly of low to moderately propylitic and no silicified zones were encountered and no notable gold was found. Weak sulphides (<1%) of mainly pyrite were noted throughout the hole. Moderate magnetite concentrations were noted in areas with higher propylitic alteration.

Holes DI14-16 and DI14-16b were both collared on the eastern flank of a moderate chargeability anomaly, to the east of and between trenches T14-06 + 07 (Appendix C, Figures 22-24). The holes targeted large strong (copper and gold)-in-soil anomalies and trench (T14-06) intervals for gold (0.52 g/t Au over 12.0 m) and copper (0.13% Cu over 27 m). DI14-16 (Az 270°, Dip -45°) was terminated at 81m depth. DI14-16b (Az 270°, Dip -55°) intersected equal amounts of alternating fine to medium grained volcanics and fine to medium grained diorites intervals. Low to moderate propylitic alteration was pervasive throughout the hole. Strong silicification was evident in large fault zones from 250 to 490 metres depth. Magnetite was present in small isolated pockets. Pyrite concentrations were generally <1% throughout, however, 2-4% pyrrhotite was noted from 519 to 595 metres depth. A small copper zone was intersected directly below the trench anomaly at depth grading 0.22% Cu over 6.0 metres. The gold interval from trench T14-06 was intersected in both holes as two discrete NNW trending gold zones situated 15 metres apart grading 0.40 g/t Au over 20.0 metres and 0.20 g/t Au over 6.0

metres in DI14-16 and 1.22 g/t Au over 12.0 metres and 0.22 g/t Au over 6.0 metres in DI14-16b. It is interesting to note that four holes targeting gold mineralization, drilled into this area in 1989 and 1999, did not intersect any significant gold intervals.

Hole DI14-17 (Az 105°, Dip -55°) was collared at the western edge of trench T14-02, west of a moderate chargeability anomaly and a magnetic low embayment (Appendix C, Figures 28-30). Drilling intersected a succession of mainly fine grained basaltic volcanics and fine to medium grained diorites. Sulphides, composed mainly of pyrite, were strongest from bedrock surface to 74 metres depth. Trace levels of pyrrhotite were noted from 422 to 440 metres depth. Weak to moderate propylitic alteration was ubiquitous with minor quartz-healed fault zones encountered. Magnetite concentrations were very low, with scattered weak pockets evident. Overall, copper grades were uniformly low with isolated 3-metre intervals grading 0.25% and 0.13% Cu. No significant gold was found.

Hole DI14-18 (Az 90°, Dip -55°) was collared approximately 200 metres WNW of trench T14-05, on the western flank of copper-in-soils and chargeability anomalies in a low magnetic embayment (Appendix C, Figures 25-27). Drilling intersected alternating units of fine grained andesitic to basaltic volcanics and smaller fine grained diorites. Moderate propylitic alteration was ubiquitous with moderate to strong potassic alteration from 186 to 253 metres depth. Magnetite levels were consistently weak. Pyrite ranged from trace to 2% from bedrock surface to 400 metre depth. Pyrrhotite concentrations to 5% were noted from 405 to 490 metres depth. Overall copper grades were low with isolated 3-metre intervals grading between 0.14% to 0.16% Cu. The highest gold interval encountered was 0.12 g/t over 6.0 metres.

Appreciable amounts of pyrrhotite were noted in the volcanics at approximately 400 metres depth in holes DI14-16, DI14-17, and DI14-18, likely due to hotter formation conditions indicative of a deep-seated magmatic chamber feeding the numerous diorite units encountered. Visible chalcopyrite was often noted associated with these zones.

Dillard West

The Dillard West area hosts historically reported porphyry-style copper-gold mineralization from previous drilling programs. Seven holes were drilled in the Dillard West area in 2014 as illustrated in Figure 11.

Hole DI14-07 (Az 355°, Dip -55°) targeted a zone of low magnetic, moderate to high chargeability, and high copper-in soils, situated south of NW-SE trending fault system (Appendix C, Figures 4-6). Drilling intersected mainly fine to medium grained diorites to 108 metres depth where a series of clay-filled faults were encountered followed by a succession of alternating diorites and fine to medium andesitic volcanics. Widespread propylitic alteration was evident with moderate potassic alteration occurring in the bottom half of the hole. Minor gypsum was encountered at midhole. Magnetite was absent. Sulphides, ranging from 1-5% and composed mainly of pyrite with lesser fine grained chalcopyrite, occur throughout the hole. Notable copper concentrations occurred from bedrock surface to 127 metres averaging 0.17% Cu over 102.0 metres.

Hole DI14-08 (Az 352°, Dip -50°) targeted a moderate IP chargeability embayment bounded on the north, south and west by high chargeability anomalies. The target was



Figure 11: Dillard West Drill Location Map (Geological Compilation Background)

coincident with small scattered moderate magnetic anomalies and a high copper-in-soils anomaly (Appendix C, Figures 10-12). Drilling intersected mainly medium grained diorites to 420 metres depth encompassing a 50m interval of medium grained feldspar porphyritic volcanic unit. The bottom of the hole intersected mainly fine to medium grained andesitic volcanics and smaller fine to medium grained diorites. The entire hole was weakly propylitically altered with weak to moderate potassic alteration from 420 to 475 metres depth. Numerous silicified faults were encountered. Magnetite concentrations were generally low. Gypsum veins were prevalent from 230 to 500 metres depth. Sulphides were generally low, however, from 450 to 500 metres depth pyrite averaged 4-5%. Notable copper concentrations occurred from bedrock surface to 97 metres averaging 0.13% Cu over 57.0 metres and at 394 metres depth averaging 0.12% Cu over 93.0 metres.

Holes DI14-09 and DI14-10 were drilled north and south in a scissor pattern from a common collar (Appendix C, Figures 12-14). The holes targeted a possible eastern extension of the copper mineralized intrusive body intersected by holes DI14-08, D91-02, DI13-04 and DI14-07. The holes targeted a moderate IP chargeability embayment, weak magnetic, and moderate copper-in-soils anomalies. Hole DI14-09 (Az 354°, Dip -60°) intersected a succession of fine to medium grained andesitic to basaltic volcanics and fine to medium grained diorites. The entire hole was weakly propylitically altered. Numerous large silicified fault zones were intersected to 360 metres depth. Below 360 metres depth additional fault zones generally contained clay gouge and carbonates. Magnetite was generally weak with local patches. Sulphides, composed of pyrite, occur to 2% from bedrock surface to 100 metres depth. Notable copper mineralization intervals occur from bedrock surface averaging 0.14% Cu over 129.0 metres and at 246 metres depth averaging 0.13% Cu over 51.0 metres. A 3-metre intersection at 318 metres depth graded 1.4 g/t Au.

Hole DI14-10 (Az 180°, Dip -60°) intersected mainly fine grained diorites from bedrock surface to 170 metres depth, followed by mainly fine grained andesitic volcanics and smaller discrete diorite units. Weak propylitic alteration was noted throughout the hole increasing with depth. Large silicified fault zones were intersected in the top half of the hole to 380 metres depth. Magnetite was weak throughout the hole increasing at the bottom with the propylitic alteration. Sulphides were generally trace to <1% pyrite. Potassic alteration was noted from bedrock surface to 45 metres depth. Notable copper mineralization was encountered from bedrock surface averaging 0.12% Cu over 18.0 metres and at 81 metres depth averaging 0.14% copper over 99.0 metres.

Holes DI14-11, DI14-12, and DI14-19 tested the southeastern limit of a high IP chargeability anomaly at the southeastern limit of a high magnetic anomaly, at the northeastern limit of a copper-in-soils anomaly. Hole DI14-11 (Az 0°, Dip -70°) intersected highly faulted silicified medium grained quartz diorites. At 87 metres depth the hole was lost in a rubble gouge fault zone. Notable copper mineralization averaged 0.13% Cu over 30.0 metres.

Hole DI14-12 (Az 0°, Dip -65°) was collared 70 metres southwest of DI14-11 in an attempt to avoid the poor ground conditions resulting in the loss of DI14-11. Drilling intersected a 120 metre section of mainly diorites near surface followed by a 200 metre unit of mainly volcanics. The hole bottomed in a succession of narrower diorites and volcanic units. Low to moderate propylitic alteration was evident throughout the hole. The bottom half of the hole, past 200 metres depth to the end of the hole, contained

minor local narrow quartz healed fault zones, minor local areas containing potassic alteration, increased sulphides (pyrite to 5%), and scattered occurrences of gypsum. Low levels of magnetite were evident at the top and bottom of the hole. Drilling intersected 3 intervals of copper mineralization at 93 metres depth: 0.22% Cu over 18.0 metres, at 183 metres depth: 0.14% Cu over 24 metres, and at 378 metres depth: 0.13% Cu over 21 metres.

Hole DI14-19 (Az 175°, Dip -55°) was collared 70 metres southwest of DI14-12. Drilling intersected 240 metres of fine grained silicified diorites from bedrock surface followed by 80 metres of fine to medium grained volcanics. The remainder of the hole consisted mainly of a succession of fine to medium grained volcanics and narrower (to 20 metres) diorite units. The upper units of diorites and volcanics to 320 metres depth contained numerous quartz filled fault zones with lesser gouge-filled faults. Magnetite was absent, sulphides were weak and carbonate alteration zones were also present. The volcanics in the bottom remainder of the hole contained moderate propylitic alteration, moderate levels of magnetite, and higher levels of pyrite (decreasing with depth). Copper mineralization was constrained to the upper part of the hole, intersecting multiple zones including at 55.5 metres depth: 0.15% Cu over 10.5 metres, at 105.0 metres: 0.20% Cu over 153.0 metres, at 303 metres depth: 0.25% Cu over 9.0 metres, and at 333 metres depth: 0.16% over 27.0 metres.

Copper and gold mineralization in the Dillard West area occurs in both volcanic and intrusive rocks. The centre of mineralization, and highest copper-gold grades encountered, occurs in the vicinity of the east-west trending structure as defined by the valley bottom at the location of the seasonally active creek.

Copper mineralization occurs mainly as chalcopyrite with some near surface oxidation to malachite. Chalcopyrite mineralization occurs as very fine-grained disseminations, in veinlets (dry, quartz, anhydrite), and as coarse blebs.

5.4.3 Core Geochemistry

Correlation coefficients were calculated for all elements analyzed via the multi-element ICP analyses. A summary of notable correlation coefficients for geochemical inter-relationships was calculated for each of the holes and is presented in Table 9.

	Hole	Cu-Au	Cu-Ag	Cu-Co	Cu-Se	Cu-Mo	Cu-As	Cu-Zn	Au-Ag	Au-Hg	Au-As	Au-Te
Dillard West	DI14-07	0.443	0.305	0.337	0.637	0.242	0.197	0.005	0.107	0.223	0.082	-0.049
	DI14-08	0.458	0.329	0.429	0.689	0.239	0.169	-0.019	0.154	0.031	0.091	0.000
	DI14-09	0.229	0.535	0.425	0.844	0.603	-0.012	-0.397	0.242	0.058	-0.032	-0.027
	DI14-10	0.811	0.727	0.081	0.832	0.582	0.276	-0.327	0.708	0.031	0.363	0.151
	DI14-11	-0.006	0.759	0.923	-0.357	0.229	0.187	0.365	0.143	0.124	0.282	0.030
	DI14-12	0.575	0.544	0.328	0.574	0.448	0.018	-0.049	0.459	0.117	0.078	-0.107
	DI14-19	0.707	0.855	0.120	0.837	0.693	0.113	0.062	0.714	0.125	0.070	-0.094
Dillard East	DI14-13	0.627	0.719	0.571	0.722	0.207	0.087	-0.001	0.515	-0.222	-0.065	0.493
	DI14-14	0.739	0.793	0.655	0.928	0.281	0.120	0.054	0.638	-0.044	0.063	0.229
	DI14-15	0.044	0.752	0.206	0.754	0.140	0.173	0.188	0.550	0.073	0.013	0.074
	DI14-16	-0.203	0.905	0.626	0.410	-0.211	0.278	0.119	-0.116	0.101	-0.143	0.345
	DI14-16b	0.031	0.858	0.463	0.727	0.425	0.542	0.084	0.129	0.020	0.048	0.456
	DI14-17	0.418	0.881	0.134	0.263	0.188	0.056	0.220	0.492	0.027	0.062	0.226
	DI14-18	0.556	0.877	0.211	0.519	0.503	0.347	0.103	0.597	0.089	0.096	0.533

Table 9: Summary of Correlation Coefficients

Dillard West: Drill core from Dillard West shows a moderate to good correlation between copper and gold silver and selenium over most holes. Copper also has a moderate correlation with cobalt and lower correlations with molybdenum and arsenic.

Hole DI04-09 shows a lower Cu-Au correlation due to several gold-only occurrences situated below 315 metres depth, the most notable intersection grading 1.32 g/t Au and 0.03% Cu over 3 metres at 318 metres depth. The upper portion of the hole had comparable correlation to other holes in Dillard West.

Hole DI14-11 drilled 50 metres of highly silicified diorites before being lost in fault rubble. The silicification resulted in increased gold, cobalt and zinc with a reduction of selenium. The increase in Au-As correlation suggests the event is epithermal in nature.

Dillard East: Drill core from Dillard East shows a very high correlation between copper and silver, moderately high correlation between copper and selenium, and low to moderate correlation between copper and molybdenum, cobalt and arsenic.

Copper and gold correlation was variable. Moderate correlation between gold and tellurium was noted increasing toward the west. The coincident low correlation between gold and mercury / arsenic suggests an event of gold mineralization in the form of gold tellurides exists separate from the porphyry mineralization, most notable in drillhole DI14-16.

Analytical statistics for copper grades were calculated for each drillhole and are presented on Table 10.

	Hole	Mean (ppm Cu)	Median (ppm Cu)	Low (ppm Cu)	75%-tile (ppm Cu)	High (ppm Cu)	High (ppb Au)	Susc-Cu Corr Coeff
Dillard West	DI14-07	886	681	41	1130	5,110	439	-0.061
	DI14-08	649	512	4	887	3,580	294	0.065
	DI14-09	617	185	2	1135	4,680	1,350	0.029
	DI14-10	470	168	4	718	2,690	244	-0.141
	DI14-11	808	612	9	1325	2,310	370	0.373
	DI14-12	664	503	92	879	4,990	190	-0.072
	DI14-19	1001	574	4	1505	13,000	473	-0.367
Dillard East	DI14-13	611	578	129	871	1,320	47	0.487
	DI14-14	388	318	3	535	1,190	13	0.521
	DI14-15	453	312	14	587	2,520	119	-0.114
	DI14-16	118	81	7	148	696	1,145	0.109
	DI14-16b	305	226	3	359	3,270	3,510	-0.154
	DI14-17	161	106	5	182	2,480	213	0.081
	DI14-18	646	200	2	369	1,570	130	-0.144

Table 10: Drill Sample Analytical Statistics

5.4.4 Susceptibility Survey on Drillcore

Magnetic susceptibility is defined as the degree to which a substance can be magnetized. All drill core from the current drill program was measured for susceptibility during the core logging. Readings were taken at 1 metre intervals down the entire length of core in each hole using an Exploranium KT-9 Kappameter. Readings for the program are presented in Appendix C.

Overall, magnetite was generally low and sporadic. Calculated correlation coefficients for copper-susceptibility on each of the holes (Table 10) were consistently low except for DI14-13 and DI14-14 which exhibited moderate correlation. Some concentrations of magnetite were noted associated with higher propylitic alteration in the volcanics. Results are illustrated as downhole histograms on cross sections with alteration features in Appendix C.

5.4.5 Core Recovery

The core from the drilling program was fairly competent averaging 89% recovery overall. Table 12 lists average core recoveries and RQD's for each individual hole. Detailed recoveries are presented in Appendix C.

Area	Hole	% Recovery	% RQD	Total Length
West	DI14-07	82%	44%	451.0
West	DI14-08	85%	50%	522.0
West	DI14-09	84%	46%	498.0
West	DI14-10	89%	63%	501.0
West	DI14-11	75%	54%	87.0
West	DI14-12	87%	42%	501.0
East	DI14-13	92%	55%	150.0
East	DI14-14	91%	53%	225.0
East	DI14-15	92%	51%	306.4
East	DI14-16	85%	47%	79.7
East	DI14-16b	92%	55%	651.0
East	DI14-17	93%	46%	501.0
East	DI14-18	93%	50%	501.0
West	DI14-19	93%	40%	600.0
	Total	**89%**	**47%**	**5574.1**

Table 11: Average Core Recoveries

5.5 Analytical QAQC

Drill core from the 2013 drilling program on the Dillard Property was analyzed by Acme Analytical Laboratories of Vancouver, BC. Prior to the 2014 program, a series of pulps from the 2013 program was sent to a number of laboratories for comparative analyses. A total of 15 pulp samples were selected from copper mineralized areas in drillholes DI13-03, 04 + 05. The pulps were initially analyzed using a Niton XL Series XRF analyzer. Samples were analyzed through the brown paper package and also through clear plastic bags. The pulps were then sent to AGAT Laboratories Ltd of Burnaby, BC for ICP-OES and 4-acid digestion multi-element analyses. The pulps were then forwarded to SGS of

Burnaby, BC for multi-element analyses using their ICP-AES (2-acid-aqua regia digestion) [14B], ICP-AES (4-acid digestion) [40B], and ICP-AES (Sodium Peroxide Fusion) [90Q] methods.

An additional 10 pulps were sent to ALS Laboratories of North Vancouver for multi-element analyses using their ICP-ES method. Results for copper are presented on Table 11 and illustrated in Figure 12.

It was calculated that on average analyses using the Niton XRF through the paper packaging averaged 62% lower copper values. Through plastic packaging the XRF averaged 84% lower copper values.

Analytical values using AGAT's ICP-OES technique resulted in an average copper increase of 101.4% of reported values by Acme. AGAT's 4-acid digestion resulted in an average 103.7% increase.

Sample	Acme	XRF		AGAT		SGS			ALS
#	ICP-ES	paper	plastic	4-Acid	ICP-OES	ICP-ES	4-Acid	Na2O2	ICP-ES
2300922	3,059	1,891	2,673	3,250	3,150	3,400	3,200	3,160	
2300958	2,943	1,816		3,120	3,030	3,000	2,970	3,100	
2301020	2,667	1,673		2,650	2,630	2,700	2,590	2,790	
2301046	2,494	1,556		2,540	2,570	2,570	2,570	2,650	
2301069	2,577	1,627		2,800	2,720	2,620	2,670	2,760	
2301086	3,564	2,277	2,904	3,720	3,610	3,460	3,630	3,720	
2301090	3,409	2,089		3,570	3,470	3,390	3,330	3,520	
2301110	2,246	1,451		2,350	2,340	2,390	2,270	2,430	
2301194	2,624	1,609		2,760	2,640	2,740	2,690	2,690	
2301216	2,263	1,445		2,370	2,330	2,350	2,430	2,400	
2301229	2,586	1,551		2,560	2,550	2,450	2,670	2,610	
2301243	3,418	2,125	2,823	3,580	3,460	3,590	3,460	3,600	
2301247	2,532	1,516		2,690	2,600	2,660	2,580	2,650	
2301315	2,279	1,349		2,290	2,220	2,300	2,180	2,210	
2301349	2,999	1,929		2,990	2,900	2,830	2,840	3,070	
2300940	1,002								1,075
2301106	1,438								1,595
2301074	2,038								2,140
2301055	2,494								2,740
2301205	2,591								2,890
2300955	2,644								2,780
2301235	3,413								3,720
2301088	4,088								4,270
2300918	4,132								4,470
2300924	5,735								6,430

Table 12: Comparative Copper Values Utilizing Different Labs and Analytical Techniques

SGS's ICP-AES 2-acid analyses resulted in an average increase in copper grades of 102% that reported by Acme. The 4-acid digestion resulted in an average of 101.1% increase in copper values. The peroxide fusion analyses resulted in an average of 104.1% increase.

ALS's ICP-ES analyses resulted in an average of 108.3% increase in copper values reported by Acme. It appears that Acme's Aqua Regia digestions did not fully digest the samples being analyzed. Due to the testing results, cost factors, and ALS's convenient preparation facility located in Kamloops, it was decided to send samples to their laboratory for the 2014 program.



Figure 12: Analytical Comparisons for Copper

Sampling quality assurance/quality control (QA/QC) for the 2014 trench and drill program consisted of inserting field standards into the core sample streams at a frequency of approximately 1 standard and 1 blank per ~ 25 samples.

Field standards (CU183), pre-packaged 60 gram sealed foil patches, were purchased from WCM Minerals of Burnaby, BC. and used to assess laboratory precision and accuracy. These standards represent homogenized material that contains known concentrations of copper (3,700 ppm Cu). A total of 68 blanks and 64 standards were submitted with the drill core. A total of 17 blanks and 10 standards were submitted with the trench samples.

Field standards and blanks were compared with certified standard values (Figure 13) on a batch basis to test for contamination during the sampling process. Samples falling between 2SD (standard deviations) of their certified values are deemed within acceptable statistical error. No large outliers were detected and no reruns were requested. All analyses on laboratory standards were within acceptable levels.



Figure 13: Copper and Gold Standards Batch Comparison



Figure 14: Repeatability of Prep Duplicates

ALS Laboratory's in-house QAQC procedures consist of introducing a variety of standards and blanks into each batch being analyzed. Pulp and preparation duplicates were also analyzed in each batch. A total of 254 in house standards (5 types), 139 blanks, and 163 duplicates were analyzed over 37 analytical runs. All samples passed ALS's screening process within thresholds and results are considered acceptable. A

discussion of lab procedures and standards/blanks documentation is located in Appendix E.

A total of 312 additional pulps were created from the sample rejects. The samples were selected randomly from all drillholes. The pulps were sent to SGS Laboratory for analyses using their ICP-14B (2-acid ICP-AES) multi-element technique. The checks were to test for sample analytical repeatability. Scatter plots of the results are illustrated in Figure 14. Overall, all samples demonstrated excellent repeatability.

6.0 INTERPRETATION AND CONCLUSIONS

Dillard West

Drilling in the Dillard West portion of the property intersected concordant dioritic intrusive rocks interbedded with fine to medium grained andesitic to basaltic volcanics and feldspar porphyries in the southern area at the valley bottom in the vicinity of a major east-west trending fault system. Low to moderate propylitic alteration was ubiquitous and numerous large fault zones (often quartz healed) were intersected. Local potassic alteration coincides with high chalcopyrite concentrations. Gypsum occurred below 150 metres depth, usually associated with chalcopyrite mineralization. Magnetite concentrations were weak overall with no apparent association with copper mineralization. Core geochemistry noted a distinct Cu-Au-Ag-Se-Co-Mo relationship.

Alternatively, drilling in 2013 intersected copper mineralization to the north associated with mainly hornblende dominated volcanics cut by concordant barren intrusive bodies. Magnetite concentrations were much higher, associated directly with copper mineralization.

Copper (and weak gold) mineralization was intersected in all holes as chalcopyrite in fracture coatings, fine veinlets, disseminations, and (epigenetic?) masses. Weak copper-oxides occur near surface. Significant concentrations of chalcopyrite (up to 1% locally) are hosted by both intrusive and volcanic rocks. Pyrite occurred in veinlets (± carbonate, sericite, epidote, quartz, and anhydrite) and as fine to medium-grained disseminations.

Dillard East

Soil geochemistry delineated large copper-in-soil anomalies, the most notable spanning 900 metres north-south and extending off the grid to the north and south. Samples graded up to 2,110 ppm Cu. Several scattered gold anomalies were delineated, the largest a 300 metre long north-south trending anomaly situated immediately east of the large copper anomaly. Samples graded up to 73.7 ppb Au. The copper anomalies located in the Dillard East area are coincident with IP chargeability anomalies delineated by the 2012 - 2013 IP surveys as well as copper-in-rock anomalies discovered during the 2011 prospecting program.

Trenching of the soil geochemical anomalies uncovered a succession of fine to medium grained volcanics and dioritic intrusive units. Copper mineralization, occurring as fine grained chalcopyrite, was associated with structural breaks in both volcanics and intrusives. Copper backgrounds were elevated with narrow scattered higher grading

intervals containing significant copper concentrations. Trench T14-06 hosted the largest copper interval including a 27 metre zone averaging 0.13% Cu

Drilling in the Dillard East portion of the property tested the geochemical targets, on the western flank of a deep chargeability target. Drilling intersected large diorite bodies and narrow units of dioritic rocks interbedded with fine to medium grained andesitic to basaltic volcanics. Moderate to high propylitic alteration was ubiquitous. Magnetite concentrations were weak overall increasing with high propylitic alteration. Except for holes DI14-13 + 14, no correlation was seen between copper mineralization and magnetite occurrences. Potassic alteration was rare. Numerous large fault zones (often quartz healed) were intersected. High concentrations of pyrrhotite mineralization occurred below 400 metres depth near high chargeability targets. Core geochemistry noted a Cu-Au-Ag-Se relationship.

Drillholes DI14-16 + 16b and trench T14-06 intersected two discrete NNW trending quartz vein dominated gold zones situated approximately 15 metres apart. The zones grading 0.52 g/t Au over 12.0 metres in T14-06, 0.40 g/t Au over 20.0 metres (including 1.15 g/t Au over 3.0 metres) from 7.0 to 27.0 metres depth and 0.20 g/t Au over 6.0 metres from 42.0 to 48.0 metres depth in DI14-16, and 1.22 g/t Au over 12.0 metres (including 2.9 g/t Au over 6.0 metres) from 12.0 to 24.0 metres depth and 0.22 g/t Au over 6.0 metres from 39.0 to 45 metres depth in DI14-16b. The gold zone has a high Au-Te correlation suggesting a separate event from the porphyry copper mineralization.

7.0 RECOMMENDATIONS

Overall, copper mineralization encountered to date at Dillard West is uneconomic at current metal prices. Additional porphyry-type copper mineralization in the Dillard East area may be discovered with additional drilling, however, it is likely to be at deeper levels. There is gold potential at Dillard East that may be followed up on along the 300 metre strike delineated by the gold-in-soils anomaly and at depth.

A program of trenching is recommended to ascertain gold potential in the Dillard East area. A limited program of mechanized surface trenching is estimated to cost $25,000.

8.0 STATEMENT OF EXPENDITURES

Item	Expense	Rate/diem	Mandays	Dates
Soils				
Mark Ralph	$ 2,000.00	$ 400	5	20 -24 May
Jeremy Marlow	$ 1,350.00	$ 270	5	20 -24 May
Food	$ 239.80			
Vehicle	$ 482.40			
Accommodations	$ 331.80			
Analytical	$ 4,932.90			
Subtotal	**$ 9,336.90**			
Geology				
Greg Thompson	$ 4,500.00	$ 500	9	30 Jun - 8 July
Mark Ralph	$ 3,600.00	$ 400	9	30 Jun - 8 July
Food	$ 670.91			
Vehicle	$ 786.67			
Supplies	$ 53.46			
Accommodations	$ 1,583.64			
Analytical	$ 346.04			
Subtotal	**$ 11,540.72**			
Trenching				
Dorado	$ 26,945.00		30	1 - 29 July
Mark Ralph	$ 11,000.00	$ 400	27.5	9 - 29 July
Greg Thompson	$ 15,750.00	$ 500	31.5	9 - 28 July
Kurtis Pearson	$ 7,500.00	$ 300	25	12 - 29 July
Zachary Cantin	$ 2,550.00	$ 150	17	12 - 28 July
Equipment	$ 3,276.33			
Supplies	$ 860.51			
Food	$ 2,256.62			
Vehicle	$ 2,400.27			
Accommodation	$ 7,599.85			
Telephone	$ 168.30			
Analytical	$ 16,532.72			
Subtotal	**$ 96,839.60**			
Drilling				
John Peters	$ 78,137.50	$ 600	130	20 May - 4 Oct
Mark Coutlee	$ 15,400.00	$ 200	77	3 July - 23 Sept
Steve Jurriet	$ 14,350.00	$ 175	82	3 July - 23 Sept
Dorado	$ 532,616.36		328	2 July - 23 Sept
Supplies	$ 6,875.49			
Logging Facility Rental	$ 8,667.32			
Accommodation	$ 8,013.90			
Food	$ 5,175.86			
Vehicle	$ 17,246.13			
Shipping/Courier	$ 118.44			
Telephone	$ 492.52			
Analytical	$ 46,065.79			
Subtotal	**$ 732,020.67**			
Data / Report Writing - L. Peters	$ 7,875.00	$ 525	15	18 Nov - 24 Mar
Management Fees (10%)	$ 85,761.29			
Subtotal	**$ 93,636.29**			
TOTAL	**$ 943,374.17**		**791**	

Table 13: Statement of Expenditures

9.0 REFERENCES

Chapman, D.A. (1970): Tectonic Analysis of Fracture Density to accompany Geological Survey Report by Western Geological Services Ltd. Geochemical Survey Report by D. A. Chapman & Associates Ltd. Photogeological Report. Assessment Report 02356.

Cochrane, D.R. (1969): Geophysical Report on an Airborne Magnetometer Survey. Assessment Report 02355.

Cormier, J. (1989): 1989 Geochemical, Geophysical & Trenching Report on the Dill Claim Group. Fairfield Minerals Ltd. Assessment Report 19593.

Cormier, J. (1990): 1990 Geochemical and Geophysical Report on the Dill Claim Group. Fairfield Minerals Ltd. Assessment Report 21198.

Cormier, J. (1991): 1991 Geochemical and Drilling Report on the Dill Claim Group. Fairfield Minerals Ltd. Assessment Report 22220.

Crooker, G.F. (1989): Diamond Drilling Report on the GOLD CORE 1 CLAIM. Assessment Report 19335.

Crooker, G.F. (1999): Diamond Drilling Report on the Gold Core 1 and Gold Core A and B Mineral Claims. Assessment Report 25992.

Gutrath, G. (1978): Outcrop Geology Trenched Area, Prime 2 Claim. Assessment Report 06877.

Gutrath, G. (1979): Geophysical and Preliminary Geological Report on the Prime Claim Group. Assessment Report 07340.

Gutrath, G. (1979): Outcrop Geology Report on the Prime Claim Group. Assessment Report 07521.

Gutrath, G. (1980): Outcrop Geology Report on the Prime 2 Claim. Assessment Report 08364.

Heim, R.C. et al (1972): Combined Geochemical and Geophysical Report on t h e Lorry 1-9, 11, 13, 15, 17-32; SP 1-20 and SP 1-7 Fractional Mineral Claims. Noranda Exploration Company Ltd. Assessment Report 04341.

Heim, R.C. et al (1973): Combined Geochemical and Geological Report on the Star 1-2, 9-16, 17-18, 50, 52, 54, 57-59, 61-63, 65 and Star 45 Fraction Mineral Claims. Noranda Exploration Company Ltd. Assessment Report 04491.

Kerr, J.R. (2008): Geochemical Report, 2008 on the Geoff Claims, Nicola M.D., BC. Assessment Report 29817.

Mehner, D.T. (1981): Assessment Report on a Soil Geochemical, Ground Magnetic, VLF and Geological Mapping Survey of the Toba Property. Cominco Ltd. Assessment Report 09429.

Mehner, D.T. (1983): Assessment Report on a Soil Geochemical Survey of the Toba Seven Mineral Claim. Cominco Ltd. Assessment Report 11605.

Mehner, D.T. (1983): Assessment Report on a Soil Geochemical Survey of the Toba Seven Mineral Claim, Toba Property. Cominco Ltd. Assessment Report 11605.

Mihalynuk, M.G., Diakow, L.J., Logan, J.M, and Friedman, R.M., 2015. Preliminary geology of the Shrimpton Creek area (NTS 092H/15E, 16W) Southern Nicola Arc Project. In: Geological Fieldwork 2014, British Columbia Ministry of Energy and Mines, British Columbia Geological Survey Paper 2015-1, pp. 129-163.

Peters, L.J. (2011): Dillard Assessment Report 2011, Assessment Report 32558.

Peters, L.J. (2012): Geophysical Report on the Dillard Property, Assessment Report 33363.

Peters, L.J. (2014): 2013 Assessment Report on the Dillard Property, Assessment Report 34560.

Poliquin, M.J. and Ullrich, T.D., (2008): 2008 Report on Exploration Activities. Rock and Stream Sediment Sampling and Geochemistry, Dill#2 Property. Assessment Report 30318.

Reinertson, L.C. et al (1973): Combined Geochemical and Geological Report on the Star Mineral Claims. Assessment Report 04491.

Rowe, J.D. (1989): Geochemical Report On the DILL #1 Mineral Claim. Fairfield Minerals Ltd. Assessment Report 18410.

Tully, D.W. (1970): Report on Diamond Drill and Geochemical Results for Pageant Mines Ltd and Primer Group Minerals Ltd. Assessment Report 02354.

10.0 AUTHOR'S STATEMENT OF QUALIFICATIONS – L. John Peters

I, **L. John Peters, P.Geo** do hereby certify that:

a. I am a consulting geologist with addresses at 6549 Portland Street, Burnaby, BC, Canada, V5E 1A1.

b. I graduated with a Bachelor of Science degree (Geology) from the University of Western Ontario in 1984.

c. I am a Professional Geoscientist (P.Geo.) in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (#19010).

d. I have worked as a geologist for a total of 29 years since my graduation from university.

e. I am responsible for the preparation of all sections of the technical report titled "2014 Assessment Report Including Soil Geochemistry, Trenching, and Diamond Drilling on the Dillard Property" and dated 27 March 2015 relating to the Dillard Property. Work on the Dillard Property was completed by experienced contractors under my supervision and I represent Fjordland as Exploration Manager.

f. I was not involved in any of the historic work programs on the Dillard Property, however, I have been involved in all aspects of Fjordland's exploration activities on the Property since 2011.

g. I am not aware of any material fact or material change with respect to the subject matter of the Technical Report that is not reflected in the Technical Report, the omission to disclose which makes the Technical Report misleading.

Dated this 27th day of March 2015.

"Lawrence John Peters"

Appendix A:
Soil Sample Descriptions

2014 Soil Sample Descriptions

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L01+000	A	685221	5513177	1561	40	Light Brown	Silty Clay	5%	20	300		202	2.2
L01+050	A	685265	5513176	1573	40	Brown	Silty Clay	10%	10	280		58	1.2
L01+100	A	685321	5513175	1579	30	Light Brown	Silty Clay	5%	0	300		64.4	0.8
L01+150	A	685375	5513175	1562	25	Brown	Silty Clay	5%	5	300		103.5	0.9
L01+200	A	685420	5513174	1579	20	Rusty Brown	Clayey Silt	5%	20	270		79	1.5
L01+250	A	685467	5513173	1595	25	Rusty Brown	Silty Clay	5%	10	300	Lots of Outcrop here for 10s of meters in all directions	111.5	1.3
L01+300	A	685520	5513172	1606	25	Rusty Brown	Silt	10%	10	250		120	0.2
L01+350	A	685573	5513178	1591	20	Rusty Brown	Silt	5%	10	80		140.5	2.2
L01+400	A	685623	5513176	1562	25	Rusty Brown	Silty Clay	5%	5	30		124	18.7
L01+450	A	685674	5513179	1543	25	Brown	Clayey Silt	0%	10	80		69.9	0.2
L01+500	A	685725	5513176	1573	30	Brown	Silt	5%	5	110		48.9	0.2
L01+550	A	685762	5513160	1565	30	Brown	Silt	30%	5	110	Moved 15 SSW due to road and bog.	77.5	0.6
L02+000	A	685225	5513274	1544	25	Brown	Clayey Silt	5%	20	270		87.9	0.6
L02+050	A	685268	5513273	1552	25	Brown	Silty Clay	5%	5	290		256	2
L02+100	A	685326	5513268	1559	25	Brown	Clayey Silt	5%	5	280	Moved 10m N due to slash pile	86.1	1.4
L02+150	A	685370	5513272	1567	25	Rusty Brown	Clayey Silt	5%	15	280		250	1.8
L02+200	A	685419	5513274	1577	25	Brown	Clayey Silt	0%	10	280		112	1
L02+250	A	685476	5513277	1579	25	Brown	Clayey Silt	0%	5	310		65.8	1.2
L02+300	A	685521	5513273	1572	30	Brown	Silt	5%	10	0		67.5	1.8
L02+350	A	685569	5513271	1562	25	Rusty Brown	Silt	10%	0	0		94.2	1.7
L02+400	A	685622	5513276	1559	20	Light Brown	Silt	5%	0	90		82.6	1
L02+450	A	685677	5513276	1546	20	Brown	Silty Clay	1-4%	0	70		162.5	0.6
L02+500	A	685721	5513273	1569	25	Brown	Silt	5%	30	90		86	2
L02+550	A	685768	5513275	1555	40	Dark Brown	Clay	30%	0	90		252	0.9
L03+000	A	685220	5513375	1540	25	Brown	Silty Clay	5%	10	270		222	1.2
L03+050	A	685270	5513375	1552	25	Brown	Clayey Silt	5%	10	290		201	1
L03+100	A	685320	5513375	1569	25	Brown	Silt	5%	10	270		271	2.8
L03+150	A	685370	5513374	1569	20	Rusty Brown	Silt	0%	20	300		254	2.2
L03+200	A	685420	5513374	1580	25	Brown	Clayey Silt	10%	10	270		182	1.3
L03+250	A	685471	5513377	1582	25	Brown	Clayey Silt	5%	0	45		122	2.2
L03+300	A	685523	5513376	1578	25	Brown	Silty Clay	0%	0	0		141	5

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L03+350	A	685572	5513375	1574	30	Brown	Silty Clay	0%	5	0		248	1.5
L03+400	A	685621	5513376	1573	25	Brown	Silty Clay	5%	0	0		219	1.8
L03+450	A	685676	5513373	1570	25	Rusty Brown	Silt	5%	10	30	Moved due to Out crop	69.3	0.7
L03+500	A	685737	5513369	1558	25	Brown	Silt	5%	30	90	Moved 10m W due to extremely heavy wood fall	84	40.9
L03+550	A	685764	5513377	1546	20	Light Brown	Silt	0%	20	90		84.1	1.7
L04+000	A	685222	5513475	1530	35	Brown	Silty Clay	5%	10	290		100.5	0.9
L04+050	A	685268	5513475	1541	25	Brown	Clayey Silt	5%	20	270		145.5	0.7
L04+100	A	685323	5513473	1550	30	Tan Green	Silty Clay	5%	5	280		155.5	10
L04+150	A	685376	5513470	1553	2	Rusty Brown	Silty Clay	0%	0	0		134.5	1.8
L04+200	A	685421	5513472	1562	20	Brown	Clayey Silt	0%	25	0		107	2
L04+250	A	685470	5513476	1563	20	Rusty Brown	Clayey Silt	0%	0	0		160.5	1.5
L04+300	A	685520	5513477	1562	25	Rusty Brown	Clayey Silt	5%	5	180		137	1.7
L04+350	A	685571	5513470	1562	25	Rusty Brown	Silty Clay	5%	5	0	Moved due to road.	373	2.9
L04+400	A	685621	5513476	1562	25	Rusty Brown	Silt	5%	5	340		173.5	2.3
L04+450	A	685671	5513474	1560	25	Brown	Clayey Silt	0%	5	20		249	1.3
L04+500	A	685721	5513474	1552	30	Rusty Brown	Silty Clay	0%	0	90		541	2.1
L04+550	A	685766	5513474	1541	25	Rusty Brown	Clayey Silt	5%	10	70		120.5	2.5
L05+000	A	685221	5513575	1528	25	Brown	Silty Clay	0%	20	290		189	3.7
L05+050	A	685270	5513573	1538	25	Brown	Clayey Silt	0%	10	290		221	1.7
L05+100	A	685321	5513575	1547	25	Rusty Brown	Silt	0%	15	0		297	1.4
L05+150	A	685371	5513575	1552	20	Rusty Brown	Silt	5%	5	320		204	0.4
L05+200	A	685420	5513575	1551	20	Rusty Brown	Silt	5%	5	340		804	23.7
L05+250	A	685476	5513573	1559	30	Brown	Clayey Silt	5%	10	90		198.5	3
L05+300	A	685521	5513575	1554	25	Brown	Silt	5%	10	80		66	2.7
L05+350	A	685571	5513574	1558	25	Brown	Sandy Silt	0%	20	80		199	0.9
L05+400	A	685621	5513575	1557	25	Brown	Silt	10%	5	20		210	2.6
L05+450	A	685676	5513573	1546	25	Light Brown	Silt	5%	10	300		135	3.1
L05+500	A	685787	5513563	1528	25	Light Brown	Silt	0%	10	80		346	0.9
L05+550	A	685720	5513579	1532	25	Brown	Silt	5%	15	0	Moved 20m SE due to creek	94.4	3.7
L06+000	A	685218	5513673	1514	30	Brown	Silty Clay	5%	10	290		678	2.4
L06+050	A	685270	5513677	1522	35	Brown	Silty Clay	10%	5	0		158.5	0.6
L06+100	A	685320	5513675	1525	20	Brown	Silty Clay	5%	3	0		187	1.3
L06+150	A	685371	5513676	1530	25	Rusty Brown	Silt	5%	5	300		172	1

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L06+200	A	685421	5513676	1533	20	Brown	Silty Clay	5%	25	350		161.5	0.7
L06+250	A	685469	5513673	1535	25	Brown	Silty Clay	5%	30	55		209	1.7
L06+300	A	685520	5513674	1527	25	Light Brown	Silty Clay	5%	5	0		256	2.3
L06+350	A	685569	5513675	1534	30	Rusty Brown	Clayey Silt	0%	15	0		516	3.6
L06+400	A	685621	5513674	1536	25	Brown	Silt	1-4%	10	0		256	2.9
L06+450	A	685670	5513670	1530	20	Brown	Clayey Silt	0%	15	0		302	5.4
L06+500	A	685708	5513673	1524	25	Light Brown	Silt	5%	70	20	Station moved 15m west due to road and cliff.	132	2.2
L06+550	A	685773	5513679	1513	50	Dark Brown	Clay	20%	5	0	Very boggy area.	259	2.5
L07+000	A	685219	5513776	1499	35	Dark Brown	Silty Clay	5%	0	20		209	1.6
L07+050	A	685268	5513776	1515	20	Brown	Silt	0%	5	290		116.5	1.1
L07+100	A	685319	5513777	1521	20	Brown	Silt	0%	10	350		53.5	0.2
L07+150	A	685373	5513777	1518	20	Brown	Clayey Silt	5%	20	35		48.6	1.5
L07+200	A	685424	5513774	1515	25	Rusty Brown	Clayey Silt	5%	20	340	Highly disturbed ground.	46.7	0.8
L07+250	A	685471	5513775	1515	30	Brown	Silt	10%	25	0		212	1
L07+300	A	685519	5513776	1514	25	Brown	Silt	5%	10	0		142.5	4.6
L07+350	A	685567	5513774	1516	30	Brown	Clayey Silt	5%	15	0		68.4	3.3
L07+400	A	685620	5513775	1517	30	Brown	Silt	10%	5	0	Highly disturbed.	61.7	0.9
L07+450	A	685671	5513773	1512	30	Brown	Clayey Silt	5%	0	0		293	3.1
L07+525	A	685747	5513776	1507	25	Rusty Brown	Silt	5%	25	210	Samp moved 25m east due to several roads. Outcrop near this location.	188.5	16.1
L07+565	A	685786	5513776	1508	25	Brown	Clayey Silt	10%	0	0	Sample moved to compensate for last sample move.	39	0.9
L08+000	A	685218	5513869	1500	25	Rusty Brown	Sandy Silt	5%	5	160		32.1	0.6
L08+050	A	685274	5513868	1492	30	Brown	Silty Clay	0%	2	90	Next to creek	62.5	2.7
L08+100	A	685323	5513873	1494	30	Tan	Silt	5%	5	0		27	0.8
L08+150	A	685373	5513874	1493	20	Light Brown	Silt	5%	15	0		57.5	0.9
L08+200	A	685423	5513871	1492	25	Tan	Silt	0%	15	340		44.7	1.7
L08+250	A	685472	5513873	1490	25	Brown	Silt	5%	5	340		103.5	3.2
L08+300	A	685525	5513869	1495	20	Rusty Brown	Silt	5%	25	340		68.3	1.2
L08+350	A	685575	5513871	1495	25	Tan	Silt	5%	10	330		29.1	5
L08+400	A	685626	5513874	1497	20	Brown	Clay	5%	5	0		227	1.6

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L08+450	A	685672	5513876	1499	20	Brown	Silt	5%	30	0		55.4	2.7
L08+500	A	685724	5513873	1501	15	Brown	Sandy Silt	10%	0	0	Very disturbed ground	63.4	4.6
L08+550	A	685774	5513874	1507	25	Brown	Sandy Silt	5%	10	270		34	3.1
L08+600	A	685821	5513876	1514	30	Brown	Silty Clay	5%	10	210		45.4	0.4
L08+650	A	685873	5513875	1519	30	Rusty Brown	Silty Clay	0%	5	210		57.8	1.4
L08+700	B	685921	5513874	1523	25	Rusty Brown	Clayey Silt	0%	5	270	possible k-spar in monz with less then 1% Sx - sub crop	91.7	0.8
L08+750	B	685971	5513874	1533	20	Rusty Brown	Clayey Silt	5%	5	270	at 760 monz with 3-5% Sx + veinlet's and minor calc float	424	8.7
L08+800	B	686022	5513874	1537	30	Brown	Clayey Silt	5%	5	210		225	1.1
L08+850	B	686072	5513875	1543	30	Brown	Silty Clay	0%	5	260		98.5	0.8
L08+900	B	686121	5513876	1550	25	Brown	Clayey Silt	1-4%	2	270		146.5	2.7
L08+950	B	686171	5513874	1556	25	Brown	Silty Clay	10%	2	270		130	1.8
L08+1000	B	686221	5513872	1559	25	Rusty Brown	Clayey Silt	5%	2	270		163	2.9
L08+1050	B	686274	5513875	1561	25	Rusty Brown	Silty Clay	0%	0	0		182	4.5
L08+1100	B	686323	5513874	1561	15	Brown	Silt	0%	0	0		198	4.9
L09+000	B	685723	5513972	1506	25	Brown	Silty Clay	10%	10	270		30.1	20.4
L09+050	B	685772	5513973	1515	20	Brown	Silty Clay	15%	10	270		29.9	0.8
L09+100	B	685823	5513975	1520	20	Brown	Silty Clay	10%	5	270		42.2	1.1
L09+150	B	685874	5513974	1525	25	Brown	Silty Clay	5%	5	270		153.5	1
L09+200	B	685921	5513973	1531	30	Brown	Silty Clay	5%	5	270		630	2.5
L09+250	B	685974	5513972	1538	20	Brown	Silt	10%	5	270		227	1
L09+300	B	686028	5513975	1544	25	Brown	Silty Clay	5%	5	270		322	1.9
L09+350	B	686074	5513976	1549	20	Brown	Silty Clay	5%	5	290		675	8.6
L09+400	B	686125	5513974	1555	20	Dark Brown	Silt	20%	5	300		196.5	3.8
L09+450	B	686172	5513973	1560	35	Light Brown	Clay	0%	0	0		184.5	6.5
L09+500	B	686223	5513973	1563	20	Brown	Clayey Silt	1-4%	0	0		79.6	11
L09+550	B	686274	5513973	1566	15	Brown	Silt	5%	0	0		69.9	73.7
L10+000	B	685720	5514074	1501	20	Light Brown	Silty Clay	10%	5	210		27.7	0.3
L10+050	B	685772	5514074	1508	35	Light Brown	Clayey Silt	0%	5	200		28.2	2.7
L10+100	B	685822	5514075	1510	20	Brown	Clay	0%	0	0		35.2	1.7
L10+150	B	685869	5514073	1519	20	Light Brown	Silt	0%	20	270		27.4	3.2
L10+200	B	685925	5514073	1525	35	Brown	Silty Clay	10%	5	240		91	2.7
L10+250	B	685973	5514078	1528	20	Brown	Silty Clay	5%	5	270		2110	5
L10+300	B	686021	5514075	1535	30	Rusty Brown	Clayey Silt	15%	10	270		290	12.8

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L10+350	B	686073	5514074	1541	15	Brown	Silt	1-4%	10	270		71	2.5
L10+400	B	686123	5514075	1547	20	Brown	Silty Clay	5%	0	0		686	3.8
L10+450	B	686170	5514074	1551	15	Rusty Brown	Silt	1-4%	5	270	Sample moved 10m E due to road. @ 460m mineralized float or more likely subcrop.	128	9.2
L10+500	B	686233	5514078	1559	20	Brown	Silt	10%	5	0		92.9	6
L10+550	B	686273	5514075	1560	25	Brown	Silty Clay	15%	0	0		118	10.2
L11+000	B	685723	5514173	1500	30	Brown	Clayey Silt	0%	25	200		32.5	0.7
L11+050	B	685773	5514173	1510	25	Brown	Silt	0%	20	210		26.1	0.7
L11+100	B	685823	5514173	1511	25	Rusty Brown	Silt	0%	0	0		23.1	0.8
L11+150	B	685872	5514174	1511	40	Black	Mud	40%	0	0		1895	8.9
L11+200	B	685925	5514173	1514	25	Brown	Clayey Silt	0%	5	290		288	1.3
L11+250	B	685974	5514174	1518	25	Brown	Clayey Silt	10%	0	0		169.5	2.1
L11+300	B	686022	5514171	1520	25	Brown	Silt	0%	5	300		809	8.5
L11+350	B	686071	5514174	1525	20	Brown	Silt	0%	5	290		228	2.8
L11+400	B	686125	5514173	1523	25	Light Brown	Silt	10%	5	290	mineralized boulders in sub crop.	140.5	65.1
L11+450	B	686174	5514174	1555	25	Brown	Silty Clay	10%	0	0		252	12.8
L11+500	B	686224	5514172	1556	30	Brown	Clay	0%	0	0		96.9	3.8
L11+550	B	686271	5514175	1561	30	Brown	Silty Clay	15%	0	0		47.6	2.7
L12+000	B	685721	5514277	1505	20	Brown	Clayey Silt	10%	20	290	Significant till between here and L12+100	20	0.5
L12+050	B	685773	5514276	1502	25	Brown	Clayey Silt	20%	10	0		40.3	0.5
L12+100	B	685823	5514276	1506	20	Light Brown	Sandy Silt	1-4%	10	300		307	3.7
L12+150	B	685871	5514275	1513	40	Brown	Clayey Silt	15%	5	320		43.2	7.5
L12+200	B	685923	5514273	1517	35	Brown	Clayey Silt	1-4%	10	350		296	1.9
L12+250	B	685973	5514276	1525	20	Light Brown	Silt	0%	10	50		757	3.6
L12+300	B	686025	5514274	1530	20	Brown	Silt	20%	5	270	Highly mineralized boulder with a minor veinlet with massive sx with possible cpy	253	5.9
L12+350	B	686076	5514273	1536	15	Light Brown	Silt	10%	5	270		159.5	5.9
L12+400	B	686128	5514278	1540	25	Rusty Brown	Silt	10%	5	270	Small rusty patch within monz rubble zone at 425	70.9	20.3

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L12+450	B	686176	5514269	1545	20	Brown	Silty Clay	6-10%	3	270	Boulder field with Fe Carb + dis Sx and clots of Sx. Possible cpy	70.6	4.1
L12+500	B	686223	5514274	1549	15	Rusty Brown	Silt	10%	0	270		67.5	2.6
L12+550	B	686273	5514274	1556	20	Brown	Silt	20%	0	290		28.6	2.7
L13+000	B	685737	5514381	1489	25	Brown	Clayey Silt	0%	5	0	Moved 15m east due to road.	45.9	1.1
L13+050	B	685777	5514374	1493	50	Dark Brown	Clay	30%	0	0	Subcrop at 075m east - hbl porph	549	4.1
L13+100	B	685823	5514374	1497	30	Tan	Clayey Silt	0%	5	240		213	1.3
L13+150	B	685872	5514378	1503	30	Brown	Clayey Silt	0%	5	290		434	2.5
L13+200	B	685919	5514378	1513	40	Brown	Clayey Silt	6-10%	10	270		440	1.8
L13+250	B	685972	5514375	1520	25	Brown	Sandy Silt	1-4%	5	270		81.1	10.7
L13+300	B	686021	5514377	1526	15	Rusty Brown	Silt	1-4%	2	270		55.2	1.8
L13+350	B	686075	5514378	1530	30	Brown	Silt	10%	0	0		498	4.2
L13+400	B	686123	5514378	1533	30	Brown	Clayey Silt	10%	0	270		729	48
L13+450	B	686174	5514373	1540	25	Light Brown	Silt	10%	5	290		68	1
L13+500	B	686224	5514375	1547	15	Tan	Clayey Silt	20%	5	290		65.2	1.7
L13+550	B	686272	5514377	1554	15	Brown	Sandy Silt	1-4%	5	290		97.6	3.1
L14+000	B	685724	5514473	1484	25	Rusty Brown	Sandy Silt	1-4%	0	0		37.4	1
L14+100	B	685824	5514473	1496	30	Brown	Clayey Silt	10%	5	270	Moderate disturbance.	164	1.6
L14+150	B	685874	5514473	1507	15	Brown	Sandy Silt	6-10%	15	290		75.3	21.6
L14+200	B	685923	5514473	1515	15	Rusty Brown	Silt	6-10%	10	280		103	24.1
L14+250	B	685974	5514474	1520	15	Rusty Brown	Silt	1-4%	10	330		210	4.3
L14+300	B	686023	5514474	1520	25	Brown	Clayey Silt	1-4%	10	290		304	4.9
L14+350	B	686073	5514474	1526	20	Brown	Clayey Silt	1-4%	5	300		151	4.3
L14+400	B	686125	5514476	1531	25	Rusty Brown	Sandy Silt	6-10%	10	310		159.5	5.4
L14+450	B	686173	5514474	1532	20	Light Brown	Silt	1-4%	10	300		99	6
L14+500	B	686225	5514477	1539	25	Brown	Silty Clay	1-4%	0	0		235	43.3
L14+550	B	686271	5514474	1545	20	Brown	Sandy Silt	6-10%	10	290		97	2.1
L15+000	B	685729	5514577	1474	20	Brown	Silty Clay	10%	0	0		219	5.4
L15+050	B	685772	5514575	1477	20	Brown	Silt	10%	0	0		72.7	1.3
L15+100	B	685825	5514575	1485	30	Greenish Tan	Silty Clay	10%	0	0		75.4	1.1
L15+150	B	685883	5514578	1494	30	Light Brown	Clay	10%	10	15	Heavy disturbance to East. Poor sample quality.	603	9.4
L15+200	B	685923	5514574	1499	20	Rusty Brown	Silt	10%	5	45		183.5	2.4

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L15+250	B	685971	5514577	1503	20	Rusty Brown	Silt	10%	10	45	Very disturbed area.	390	2.6
L15+300	B	686022	5514578	1507	35	Dark Brown	Clayey Silt	20%	10	45	Very disturbed area.	1230	3.6
L15+350	B	686074	5514569	1512	20	Rusty Brown	Silt	10%	5	0	Very disturbed area. Sample moved 10 S due to Road.	46.4	1.4
L15+400	B	686117	5514576	1517	25	Brown	Silty Clay	10%	5	290	Very disturbed area.	235	3.4
L15+450	B	686175	5514575	1520	25	Brown	Silt	10%	15	290	Very disturbed area.	149	3.3
L15+500	B	686221	5514575	1526	15	Rusty Brown	Silt	1-4%	15	290		77.2	4.5
L15+550	B	686271	5514575	1533	20	Brown	Silty Sand	1-4%	10	290		193.5	1.4
L16+000	B	685721	5514676	1473	20	Rusty Brown	Silty Clay	6-10%	0	0		56.6	2.7
L16+050	B	685773	5514678	1473	60	Black	Clay	55%	0	0	B Horizon not identified. Sample may fail.	1040	7.4
L16+100	B	685823	5514676	1478	10	Brown	Silt	6-10%	10	45		49.5	0.4
L16+150	B	685892	5514680	1485	30	Brown	Silty Clay	20%	5	45		192	11.3
L16+200	B	685933	5514671	1487	20	Light Brown	Clay	6-10%	15	315	Location moved 10m east due to road and bog	293	4.5
L16+250	B	685980	5514670	1490	25	Brown	Clay	6-10%	5	0	Location moved 15m south due to old trench	513	2.4
L16+300	B	686028	5514672	1496	20	Brown	Silty Sand	6-10%	10	315	Location moved 5m south due to old trench	365	7.7
L16+350	B	686070	5514671	1499	25	Brown	Clay	6-10%	10	315	Location moved 5m south due to old trench and bog	526	3.4
L16+400	B	686123	5514676	1503	25	Brown	Clay	6-10%	10	315		986	4.2
L16+450	B	686175	5514679	1512	20	Rusty Brown	Silt	1-4%	10	315		74.6	5.1
L16+500	B	686222	5514675	1515	30	Brown	Clay	6-10%	10	0		476	4.8
L16+550	B	686272	5514676	1522	25	Brown	Silt	6-10%	10	325		90.8	1.3
L17+000	B	685724	5514776	1473	20	Rusty Brown	Silt	6-10%	0	0		46.4	1.3
L17+050	B	685774	5514775	1470	25	Rusty Brown	Clayey Silt	6-10%	10	315		76.4	32.5
L17+100	B	685835	5514773	1465	40	Brown	Clayey Silt	40%	10	315		169.5	1.6
L17+150	B	685875	5514778	1466	25	Brown	Clay	20%	10	315		90.6	1.6
L17+200	B	685925	5514778	1470	15	Brown	Silt	6-10%	20	0		62.1	12.2
L17+250	B	685973	5514777	1472	15	Brown	Silty Clay	30%	10	0		50.5	1

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L17+300	B	686020	5514788	1470	20	Brown	Silty Clay	30%	10	0		535	3.4
L17+350	B	686073	5514778	1483	25	Brown	Clay	6-10%	15	320		123	98.6
L17+400	B	686124	5514776	1489	15	Brown	Clay	6-10%	15	320		175.5	1.6
L17+450	B	686173	5514774	1497	10	Brown	Clayey Silt	15%	15	320		55.9	1.6
L17+500	B	686229	5514777	1503	25	Brown	Silty Clay	15%	15	330		110	2.1
L17+550	B	686266	5514765	1507	35	Light Brown	Clayey Silt	25%	15	330	Sample moved 10m SW due to heavy disturbance in an old clear cut	74.2	0.9
L18+000	C	686741	5513683	1591	25	Dark Brown	Silty Clay	20%	5	20	Extreme water logged area. Difficult sample.	116.5	1.5
L18+050	C	686799	5513687	1588	20	Brown	Silty Clay	10%	5	30		126.5	5.2
L18+100	C	686845	5513688	1585	25	Brown	Silt	1-4%	5	30	Hornblendite with 1% Sx, possible cpy	80.2	1.4
L18+150	C	686899	5513686	1593	15	Brown	Silt	10%	15	45		59.4	1.2
L18+200	C	686944	5513689	1585	20	Rusty Brown	Silt	5%	45	45		111.5	2.2
L18+250	C	686983	5513684	1577	20	Brown	Silt	0%	0	0	Moved due to road.	101.5	4.7
L18+300	C	687033	5513686	-	25	Dark Brown	Silt	5%	10	35	Location estimated due to very poor Satellite reception	52.6	1.9
L19+000	C	686747	5513793	1571	20	Dark Brown	Sandy Silt	5%	10	340		300	5.1
L19+050	C	686801	5513788	1565	25	Brown	Clayey Silt	5%	5	10		109	2
L19+100	C	686842	5513791	1563	20	Tan	Silt	0%	10	20		38	10.9
L19+150	C	686893	5513790	1560	20	Rusty Brown	Silt	5%	10	20		137	2.1
L19+200	C	686945	5513791	1557	25	Brown	Silt	5%	30	20		45.6	1.7
L19+250	C	686995	5513791	1545	25	Tan	Silt	5%	20	70		58.9	1.6
L19+300	C	687049	5513786	1536	20	Brown	Silt	0%	15	10		84.9	7.1
L20+000	C	686750	5513890	1556	20	Light Brown	Sandy Silt	0%	0	310	Small boulder sample with cpy in veinlet.	37.3	10.9
L20+050	C	686801	5513893	1555	25	Tan	Sandy Silt	0%	0	0		37.1	2.6
L20+100	C	686852	5513891	1550	20	Brown	Clayey Silt	5%	10	0		39.7	1.5
L20+150	C	686900	5513889	1550	20	Light Brown	Silt	0%	15	0		246	81.3
L20+200	C	686959	5513896	1531	20	Brown	Silt	0%	25	0		241	2.4
L20+250	C	687000	5513887	1528	25	Rusty Brown	Clayey Silt	1-4%	0	0	Very boggy section.	91	4.3
L20+300	C	687050	5513889	1522	25	Brown	Silt	5%	10	90		158	3
L21+000	C	686747	5513993	1544	20	Rusty Brown	Silt	0%	15	90		42.2	2.9
L21+050	C	686800	5513978	1534	20	Brown	Clayey Silt	0%	25	150		41.5	3.3

Label	Grid	Easting	Northing	Elevation	Depth	Color	Texture	Organics	Slope - Dip	Slope - Az	Note	ppm Cu	ppb Au
L21+100	C	686848	5513986	1535	25	Brown	Sandy Silt	0%	20	180		41.1	1.1
L21+150	C	686901	5513991	-	10	Light Brown	Sandy Silt	20%	0	0	Location estimated due to very poor Satellite reception. Very boggy section.	39.7	2.7
L21+200	C	686942	5513993	1525	20	Dark Brown	Silty Clay	20%	0	0	Very boggy section.	218	3.7
L21+250	C	686992	5513992	1523	20	Brown	Silt	5%	0	0	Very boggy section. Leached layer ontop of B horizon.	42.2	1.8
L21+300	C	687041	5513996	1519	20	Brown	Silty Clay	5%	0	0	Very boggy section.	122	4.7



Figure 1:
Dillard Property 2014 Soil Survey
(COPPER GEOCHEMISTRY)
Scale 1:1000



Figure 2:
Dillard Property 2014 Soil Survey
(GOLD GEOCHEMISTRY)
Scale 1:1000

Appendix B:
Trenching Program Logs and Results

Dillard Property

2014 Trenching

Trench: T14-01a

East	North	Elevation	Sample Direction
686123	5514546	1517	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347101	0.0	3.0	3.0	V	9.1	1	diss (tr)			1	3	1	2	0.6	0.8	poorly exposed, strongly brkn, limonitic, fg silic diorite, wk magn	382	22	0.38	3.1	0.5	0.36
Q347102	3.0	6.0	3.0	V	2.3	1						1	2	0.6	0.8	poorly exposed, strongly brkn, limonitic, fg silic diorite, wk magn	391	19	0.41	2.8	0.3	0.12
Q347103	6.0	9.0	3.0	V	1.3	1						1	2	0.6	0.8	(6m-7.5m O/C) (7.5m-9m NS), poorly exposed, limonitic	396	20	0.24	2.7	0.2	0.10
Q347104	9.0	12.0	3.0	V	2.8	1						1	2			limonitic gouge 10-12 m, inferred fault zone ~ 10- 15 m, depression with no o/c, non-magn	147	8	0.11	3.0	0.2	0.06
Q347105	12.0	15.0	3.0	go												16-21m, strongly limonitic w ang frags fg dior w limon sand-silt gouge, non magn	1070	32	0.62	11.6	0.1	0.03
Q347106	15.0	18.0	3.0	Di2												(15m-17m NS) (17m-18m O/C)	80	7	0.07	3.1	0.1	0.02
Q347107	18.0	21.0	3.0	Di2													200	13	0.23	2.5	0.1	0.04
Q347108	21.0	24.0	3.0	Di2		1	diss (<1%)	tr		2	0.5	1	1	0.8	0.8	mixed rk frags and gouge	50	4	0.08	2.2	0.2	0.10
Q347109	24.0	27.0	3.0	Di2	2.7	1						1	1	0.4	1		67	8	0.08	2.5	0.1	0.10
Q347110	27.0	30.0	3.0	Di2	1.8							1	1	0.4	1		51	5	0.05	2.0	0.1	0.05
Q347111	30.0	33.0	3.0	Di2	3.4	1						1	1	0.4	1		108	11	0.13	2.3	0.6	0.04
Q347112	33.0	36.0	3.0	Di2	11.0	1						1	1	0.3	0.8		155	14	0.16	2.4	0.7	0.07
Q347113	36.0	39.0	3.0	Di2	14.1	1						1	1	0.3	0.8		206	15	0.22	1.9	0.9	0.18
Q347114	39.0	42.0	3.0	HD	17.3	1	diss (1%)	tr			3	1	1	0.4	1		242	25	0.12	2.2	1.1	0.08
Q347115	42.0	45.0	3.0	HD	5.1							1	1	0.3	1.1		249	18	0.15	2.0	0.6	0.11
Q347116	45.0	48.0	3.0	HD	9.6	1						1	1	0.3	1.3		192	25	0.24	2.4	0.9	0.30
Q347117	48.0	51.0	3.0	HD	9.5	1						1	1	0.3	1		78	8	0.07	1.6	1.4	0.13
Q347118	51.0	54.0	3.0	HD	12.3	1						1	1	0.3	1.2		183	21	0.19	1.8	1.5	0.12
Q347119	54.0	57.0	3.0	HD	6.4	1	tr		1	1		1	1	0.5	1.25		353	47	0.36	2.0	0.9	0.19
Q347120	57.0	60.0	3.0	Di1	5.6	1						1	1	0.5	0.8		320	50	0.33	2.5	0.8	0.20
Q347121	60.0	63.0	3.0	Di1	3.9	1						1	1	0.7	0.8		191	17	0.15	1.9	0.7	0.17
Q347122	63.0	66.0	3.0	Di2	3.3	1	tr		1			1	1			broken diorite rubble @ 63-71 m	105	9	0.09	1.6	0.4	0.06

Dillard Property

2014 Trenching

Trench: T14-01b

East	North	Elevation	Sample Direction
686058	5514550	1509	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347123	0.0	3.0	3.0	Di2	8.9	1	diss (tr)	tr		2	4	1	1	1.5	1.5		78	4	0.05	2.4	0.3	0.09
Q347124	3.0	6.0	3.0	Di2	15.7	1						1	1	0.7	1.1		212	16	0.17	2.1	0.6	0.07
Q347126	6.0	9.0	3.0	Di2	13.0	1						1	1	0.4	0.7		354	27	0.32	6.4	0.4	0.14
Q347127	9.0	12.0	3.0	Di2	13.0	1	diss (<1%)	tr	<1%	3		1	1	0.3	0.7		283	14	0.18	1.6	0.5	0.10
Q347128	12.0	15.0	3.0	Di2	15.0	1						1	1	0.2	0.6		178	12	0.11	1.5	0.4	0.11
Q347129	15.0	18.0	3.0	Di2	8.4	1						1	1				198	12	0.12	1.5	0.4	0.08
Q347130	18.0	21.0	3.0	Di2	10.8	1						2	1	0.3	0.6		185	8	0.11	1.6	0.6	0.03
Q347131	21.0	24.0	3.0	Di2	14.6	1						2	1	0.3	0.6		252	18	0.17	1.8	0.9	0.09
Q347132	24.0	27.0	3.0	Di2	4.4	1						1	1	0.4	0.8		135	15	0.10	2.1	1.0	0.06
Q347133	27.0	30.0	3.0	Di2	10.5	1						1	1	0.4	0.8		133	13	0.11	2.0	0.6	0.05
Q347134	30.0	33.0	3.0	Di2	11.1	1	diss (tr)			2	3	1	1	0.4	0.9	Sampled other side of Trench, brkn sheared bull qtz vn, ~30cm wide, trending ~ 20/subvert	275	28	0.20	1.9	0.7	0.09

Dillard Property

2014 Trenching

Trench: T14-01c

East	North	Elevation	Sample Direction
686035	5514577	1495	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347135	0.0	3.0	3.0	Di1	8.9		diss (<1%)	tr		2	1	1	1	1.5	1.7	Qtz veinlet	272	132	0.43	3.6	0.8	0.32
Q347136	3.0	6.0	3.0	Di1	2.2	1						2	1	1	1.2		257	18	0.26	2.7	1.0	0.15
Q347137	6.0	9.0	3.0	Di1	10.6	1						1	1	0.7	1		499	43	0.67	3.2	0.9	0.17
Q347138	9.0	12.0	3.0	Di1	7.5							1	1	0.55	0.85		282	14	0.27	1.8	1.1	0.11
Q347139	12.0	15.0	3.0	Di1	13.0							1	1	0.7	1		226	14	0.15	2.3	1.2	0.08
Q347140	15.0	18.0	3.0	Di1	12.9	1						2	1	0.75	1		197	15	0.13	2.7	0.7	0.09
Q347141	18.0	21.0	3.0	Di1	9.5							1	1	1	1.2		220	17	0.10	2.4	0.9	0.04
Q347142	21.0	24.0	3.0	Di2	19.5	1				1	3	1	1				199	13	0.18	2.1	1.0	0.06
Q347143	24.0	27.0	3.0	Di2	15.5							1	1				346	15	0.16	4.8	1.1	0.10
Q347144	27.0	30.0	3.0	Di2	4.5							1	1	0.2	0.6		152	13	0.14	2.2	1.2	0.17
Q347145	30.0	33.0	3.0	Di2	7.1	1						1	1	0.1	0.5		175	15	0.13	1.9	1.4	0.10
Q347146	33.0	36.0	3.0	Di2	8.2	1						1	1	0.4	0.7		377	32	0.59	3.6	1.4	0.32
Q347147	36.0	39.0	3.0	Di2	11.4							2	1	0.7	1		385	47	0.68	3.5	1.1	0.22
Q347148	39.0	42.0	3.0	HD	7.1	1						1	1	0.5	0.8		266	23	0.37	3.6	1.6	0.33
Q347149	42.0	45.0	3.0	HD	9.2							2	1				135	19	0.19	3.7	1.1	0.22
Q347151	45.0	48.0	3.0	HD	8.9		diss (<1%)	tr		2	3	1	1	0.5	0.9		168	22	0.25	3.5	0.9	0.30
Q347152	48.0	51.0	3.0	HD	13.7							2	1	0.5	0.8		197	15	0.27	2.5	1.5	0.17
Q347153	51.0	54.0	3.0	HD	10.4							1	1				152	16	0.21	2.5	1.4	0.26
Q347154	54.0	57.0	3.0	HD	7.6		diss (tr)	tr			1		1				146	12	0.14	2.5	1.0	0.15

Dillard Property **Trench: T14-01d**

2014 Trenching

East	North	Elevation	Sample Direction
685982	5514596	1492	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347155	0.0	3.0	3.0	HD	5.8	1						2	2	0.6	0.9		303	54	0.30	2.9	1.0	0.61
Q347156	3.0	6.0	3.0	HD	5.6	1						2	2	0.1	0.5		241	22	0.26	2.3	1.4	0.27
Q347157	6.0	9.0	3.0	go	3.3										0.7	limonitic gouge	215	14	0.13	2.7	0.9	0.11
Q347158	9.0	12.0	3.0	HD	4.1	1						2	1	0.4	0.7		187	18	0.23	2.3	1.5	0.30
Q347159	12.0	15.0	3.0	HD	10.3									0.4	0.7		106	14	0.11	2.0	1.5	0.06
Q347160	15.0	18.0	3.0	HD	9.5												130	14	0.13	1.5	1.6	0.10
Q347161	18.0	21.0	3.0	HD	9.8	1						1	1	0.3	0.6		149	19	0.15	1.8	1.7	0.20
Q347162	21.0	24.0	3.0	go	9.2										0.7	mixed gouge and rock frags	138	28	0.13	2.4	1.5	0.17
Q347163	24.0	27.0	3.0	HD	5.9	1						1	1	0.4	0.9		90	9	0.08	2.0	1.9	0.10
Q347164	27.0	30.0	3.0	HD	1.1	1						2	1	0.3	0.6		126	16	0.16	1.6	2.2	0.25
Q347165	30.0	33.0	3.0	HD	5.4	1						1	1	0.4	0.8		117	9	0.10	1.3	1.7	0.10
Q347166	33.0	36.0	3.0	HD	9.0							1	1	0.4	0.8		109	15	0.10	1.6	1.6	0.16
Q347167	36.0	39.0	3.0	HD	7.4							1	1	0.5	0.8		106	11	0.09	1.3	1.7	0.13
Q347168	39.0	42.0	3.0	HD	4.5							1	1	0.8	0.8		101	12	0.10	1.9	1.0	0.13
Q347169	42.0	45.0	3.0	HD	8.4	1						1	1	0.4	0.7		95	14	0.15	2.3	0.5	0.57
Q347170	45.0	48.0	3.0	HD	3.5	1						2	1	0.4	0.9		91	11	0.08	1.7	1.6	0.04
Q347171	48.0	51.0	3.0	HP	2.0							2	1	0.5	0.9		131	20	0.13	2.0	1.6	0.10
Q347172	51.0	54.0	3.0	HP	3.3	1						1	1	0.4	0.8		119	9	0.08	1.7	1.4	0.04
Q347173	54.0	57.0	3.0	HP	5.5							1	1	0.4	0.9		137	8	0.09	1.9	1.3	0.02
Q347174	57.0	60.0	3.0	HP	2.3							1	1	0.4	0.8		89	8	0.07	1.9	1.5	0.02
Q347176	60.0	63.0	3.0	Di1	11.7	1						2	1	0.5	0.9		114	7	0.12	4.6	0.6	0.04
Q347177	63.0	66.0	3.0	Di1	14.3	1						1	1		1.5	poorly exposed, water infill 64-77 m, semi-competent o/c ~ 64-71m, f.g. dio, wk epid, no sulph.	99	4	0.05	3.1	0.8	0.09
Q347178	66.0	69.0	3.0	Di1	15.1	1						1	1		1.5		87	6	0.06	1.9	1.4	0.04
Q347179	69.0	72.0	3.0	Di1	9.8	1						1	1	0.3	1.4		93	9	0.09	2.1	1.3	0.01
Q347180	72.0	75.0	3.0	Di1	8.1								1		1.5		93	8	0.08	2.3	1.4	0.01
Q347181	75.0	77.0	2.0	Di1	8.1								1		1.5		89	5	0.07	2.1	1.7	0.01

Dillard Property

2014 Trenching

Trench: T14-02a

East	North	Elevation	Sample Direction
686175	5514657	1509	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347182	0.0	3.0	3.0	Di1	0.4									0.3	1	0-~ 15m:strongly limonitic, mostly non-competent, locally comp. o/c, possible fault following trench direction	456	25	0.37	3.2	0.2	0.10
Q347183	3.0	6.0	3.0	Di1	0.7		diss (<1%)			1				0.3	0.8		144	17	0.12	6.1	0.1	0.03
Q347184	6.0	9.0	3.0	Di1	0.9									0	0.5		728	74	0.62	5.9	0.1	0.08
Q347185	9.0	12.0	3.0	Di1	0.9									1	1.6		549	71	0.82	4.4	0.2	0.20
Q347186	12.0	15.0	3.0	Di2	0.7									0.9	1.3		59	13	0.11	3.3	0.2	0.06
Q347187	15.0	18.0	3.0	Di3	2.2	1	diss (<1%)					1	1	0.8	1.5		64	13	0.10	3.4	0.1	0.09
Q347188	18.0	21.0	3.0	Di3	2.1							1	1	0.4	1.3		25	4	0.04	2.5	0.1	0.05
Q347189	21.0	24.0	3.0	Di3	0.5							1	1	0.3	1.3	non-competent oc, water filled	92	16	0.10	8.2	0.1	0.04
Q347190	24.0	27.0	3.0	Di3	0.5		diss (<1%)					1	1	0.5	1.1		19	13	0.10	3.1	0.1	0.11
Q347191	27.0	30.0	3.0	Di2	0.4		diss (<1%)					1	1	0.5	1		24	7	0.08	3.1	0.2	0.07
Q347192	30.0	33.0	3.0	Di3	1.2							1	1	0.3	1.3		51	13	0.17	3.4	0.2	0.11
Q347193	33.0	36.0	3.0	Di3	2.1		diss (<1%)					1	1	0.6	1.4		33	6	0.06	2.9	0.2	0.10
Q347194	36.0	39.0	3.0	Di3	1.3		diss (<1%)			1				0.4	0.9		17	9	0.03	3.3	0.1	0.08
Q347195	39.0	42.0	3.0	Di3	2.3	2				1		2	2	0.4	0.8		11	11	0.04	3.9	0.4	0.33
Q347196	42.0	45.0	3.0	Di3	2.3		diss (<1%)					1	1	0.5	0.8		12	2	0.03	2.2	0.2	0.07
Q347197	45.0	48.0	3.0	Di3	1.6	1	diss (<1%)			1		1	1		0.8		17	9	0.03	2.5	0.2	0.10
Q347198	48.0	51.0	3.0	Di3	1.7		diss (1%)			2		1	1	0.4	0.7		13	2	0.02	2.8	0.1	0.04
Q347199	51.0	54.0	3.0	Di3	1.1		diss (<1%)					1	1	0.6	1		40	4	0.04	3.4	0.1	0.02
Q347201	54.0	57.0	3.0	Di3	2.8		diss (1%)			1		1	1	1.7	2		43	3	0.05	3.1	0.2	0.03
Q347202	57.0	60.0	3.0	Di3	5.4		diss (1%)					1	1	1.6	2		39	3	0.05	2.9	0.2	0.05
Q347203	60.0	63.0	3.0	Di3	2.4		diss (1%)					1	1	1.6	2		46	3	0.06	2.3	0.1	0.04
Q347204	63.0	66.0	3.0	Di3	4.7		diss (<1%)							1.6	2		37	3	0.04	2.2	0.2	0.06
Q347205	66.0	69.0	3.0	Di3	4.4	1				1						rubble/brkn o/c	80	7	0.07	2.6	0.2	0.05
Q347206	69.0	72.0	3.0	Di3	5.1					2							167	10	0.14	1.7	0.2	0.08
Q347207	72.0	75.0	3.0	Di3	3.7		diss (tr)										70	4	0.06	2.2	0.2	0.04

Dillard Property

2014 Trenching

Trench: T14-02b

East	North	Elevation	Sample Direction
686106	5514609	1507	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347208	0.0	3.0	3.0	Di3	3.9	1	diss (<1%)						1	1.2	1.6		117	6	0.09	2.1	0.2	0.04
Q347209	3.0	6.0	3.0	Di3	2.6	1				1			1				128	7	0.09	2.1	0.2	0.05
Q347210	6.0	9.0	3.0	Di3	2.9	1	diss (1%)			1		1	1	1.2	1.6		116	7	0.09	1.8	0.4	0.06
Q347211	9.0	12.0	3.0	Di3	2.0	1						1	1	0.6	1		133	7	0.11	1.7	0.2	0.05
Q347212	12.0	15.0	3.0	Di3	3.2	1						2	2	0.5	1		147	11	0.09	1.9	0.2	0.06
Q347213	15.0	18.0	3.0	Di3	2.9	1	diss (tr)			1		2	2	0.5	1		52	7	0.04	3.4	0.1	0.09

Dillard Property **Trench: T14-02c**

2014 Trenching

East	North	Elevation	Sample Direction
686101	5514618	1506	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347214	0.0	3.0	3.0	Di3	3.4	1	diss (3%)	tr				1	1	0.7	1		152	17	0.12	2.0	0.3	0.07
Q347215	3.0	6.0	3.0	Di3	9.6	1	diss (1%)	tr		1		1	2	0.4	0.8		50	7	0.07	2.1	0.3	0.11
Q347216	6.0	9.0	3.0	Di3	13.2	1						1	1				61	4	0.05	2.3	0.2	0.07
Q347217	9.0	12.0	3.0	Di3	5.1	1	diss (tr)					1	1	0.6	0.9		27	3	0.03	2.0	0.2	0.06
Q347218	12.0	15.0	3.0	Di3	5.1	1						1	1	1	1.2	trench drops ~ 1.5 m	30	5	0.04	2.0	0.2	0.06
Q347219	15.0	18.0	3.0	Di2	3.5	1						2	2	0.8	1.2		52	7	0.07	2.3	0.5	0.19
Q347220	18.0	21.0	3.0	Di3	1.3									1.1	1.1	limonitic gouge underlying fresh dio. In N wall @ 18-21 m, gouge/ incompetent zone extends to ~ 26m	117	5	0.06	3.1	0.2	0.01
Q347221	21.0	24.0	3.0	Di3	2.3									1.1	1.1		123	6	0.08	4.1	0.1	<0.01
Q347222	24.0	27.0	3.0	Di3	1.9												105	5	0.05	4.3	0.1	<0.01
Q347223	27.0	30.0	3.0	Di3	1.6									0.9	1.3	30-39 m: mainly incompetent o/c grading to gouge, continuation of fault structure along trench @ 18-26m	64	10	0.06	2.6	0.2	0.09
Q347224	30.0	33.0	3.0	HP	6.8									0.8	1.3	Sampled other side of Trench	139	52	0.18	2.2	0.8	0.20
Q347226	33.0	36.0	3.0	HP	9.2												404	54	0.23	5.3	0.3	0.07
Q347227	36.0	39.0	3.0	Di3	6.4									0.3	1.4		201	37	0.16	2.1	0.6	0.05
Q347228	39.0	42.0	3.0	Di2	6.8									0	0.7		75	11	0.05	2.5	0.3	0.05
Q347229	42.0	45.0	3.0	Di3	4.2							1	1	0.3	0.8		65	10	0.06	2.9	0.1	0.11
Q347230	45.0	48.0	3.0	Di3	9.4							1					54	5	0.08	1.9	0.3	0.02
Q347231	48.0	51.0	3.0	Di3	7.3		diss (1%)		tr					0.4	0.8		130	27	0.24	2.0	0.6	0.11
Q347232	51.0	54.0	3.0	Di3	12.6	1						2	2	0.1	0.6	mod silic'n @ 51-56.5m, trc malachite @ 51.7m	307	37	0.43	1.5	1.0	0.09
Q347233	54.0	57.0	3.0	Di2	18.5	1						2	2	0.1	0.6		216	20	0.16	1.7	0.8	0.06
Q347234	57.0	60.0	3.0	Di3	9.9											58-67m: strongly and finely brkn, limonitic, partial gouge, strong gouge 58.5-61.0m, incompetent 69-71m	328	17	0.14	2.2	0.7	0.19
Q347235	60.0	63.0	3.0	Di2	19.3									0.1	0.6		309	39	0.27	2.4	1.3	0.14
Q347236	63.0	66.0	3.0	Di2	12.6									0.5	1.2		782	37	0.50	7.0	1.2	0.11
Q347237	66.0	69.0	3.0	Di2	7.7	1						2	2	2.5	7		310	9	0.16	2.6	1.4	0.06
Q347238	69.0	72.0	3.0	Di2	9.5	1						1	1		4		323	18	0.28	1.8	1.5	0.13
Q347239	72.0	75.0	3.0	Di3	5.8	1	diss (1%)		tr			1	1	0	1		390	33	0.45	2.3	1.0	0.63
Q347240	75.0	78.0	3.0	Di3	3.9	1	diss (1%)					1	1	0	1		139	5	0.10	1.9	1.0	0.28
Q347241	78.0	81.0	3.0	Di3	4.0	1	diss (1%)			2		1	2	0.3	0.8		139	14	0.09	1.8	0.6	0.21
Q347242	81.0	84.0	3.0	Di3	2.6	1	diss (1%)		tr			1	2	0.4	0.8		177	22	0.15	2.1	0.7	0.27
Q347243	84.0	87.0	3.0	Di1	5.4		diss (1%)			2		1	2			84-98m: mixed competent-non-competent, local gouge	534	45	0.53	2.8	0.9	0.25
Q347244	87.0	90.0	3.0	Di1	4.0		diss (1%)		tr	2		1	2	0.2	1.2		658	40	0.56	2.4	1.5	0.17
Q347245	90.0	93.0	3.0	Di1	1.1		diss (1%)			2		1	2	0.2	1		170	14	0.22	2.1	1.4	0.14

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347246	93.0	96.0	3.0	Di1	1.4							1	1	0	1		378	25	0.35	2.9	1.2	0.09
Q347247	96.0	99.0	3.0	Di1	1.4							2	2	0	1		273	11	0.16	3.7	1.0	0.05
Q347248	99.0	102.0	3.0	Di1	3.7							1	1	0.1	1		83	7	0.09	3.0	0.9	0.09
Q347249	102.0	105.0	3.0	Di1	1.0	1						1	2	0.2	1		208	19	0.19	3.6	0.8	0.21
Q347251	105.0	108.0	3.0	Va	1.2	1						1	2	0.1	0.9		292	24	0.35	3.9	1.5	0.15
Q347252	108.0	111.0	3.0	Di1	1.4							1	1	0.2	1		121	7	0.07	2.7	1.4	0.02
Q347253	111.0	114.0	3.0	Va	1.3										1.4	clay/till	110	3	0.03	4.1	1.8	0.02
Q347254	114.0	117.0	3.0	Va	2.8								1	0.3	1		52	4	0.04	2.6	1.9	0.05
Q347255	117.0	120.0	3.0	FP	2.7							1	1	0.3	1		84	11	0.05	2.5	1.8	0.08
Q347256	120.0	123.0	3.0	FP	1.1							1	1	0.2	0.8		49	4	0.03	2.7	1.5	0.02
Q347257	123.0	126.0	3.0	HD	1.5							1	1	0.2	0.8	poorly defined o/c after 126 m, remainder of trench consists of mixed limonitic gouge w. variably strongly brkn competent to incompetent diorite o/c, diorites are generally fine grained, weakly altered w trc f.g py	92	14	0.09	2.9	1.8	0.10
Q347258	126.0	129.0	3.0	HD	2.9									0.3	1.3		229	18	0.15	4.3	1.2	0.34
Q347259	129.0	132.0	3.0	HD	0.5										1.2		241	22	0.15	5.2	0.7	0.33
Q347260	132.0	135.0	3.0	HD	0.8									0.2	1		97	17	0.11	3.6	0.7	0.24
Q347261	135.0	138.0	3.0	HD	1.3									0	0.8		156	19	0.17	4.8	0.8	0.38
Q347262	138.0	141.0	3.0	Di1	2.0												225	33	0.23	3.8	0.7	0.44
Q347263	141.0	144.0	3.0	HP	1.7											Hp overlain Di1 - Fault contact	214	29	0.14	5.8	1.0	0.14
Q347264	144.0	147.0	3.0	HP	3.0									0.2	1.2	Hp overlain Di1 - Fault contact	367	79	0.24	7.7	1.0	0.35
Q347265	147.0	150.0	3.0	Di2	5.0									0.3	1.1	Hp overlain Di1 to Di2 - Fault contact. Di1 dominant	283	41	0.35	4.7	0.8	0.43
Q347266	150.0	153.0	3.0	Di1	12.6									0.6	1.2	Locally Di 2	171	23	0.16	2.6	0.5	0.20
Q347267	153.0	156.0	3.0	Di1	1.6									0.2	1.3	Locally Di 2	81	5	0.05	2.2	0.4	0.10
Q347268	156.0	159.0	3.0	Di1	0.5									0.2	1.4	Locally Di 2	148	18	0.15	2.3	0.6	0.26
Q347269	159.0	162.0	3.0	Di2	0.6									1.3	2.2		120	13	0.05	3.0	0.9	0.06
Q347270	162.0	165.0	3.0	Di2	0.3									0.6	1.6		75	4	0.07	3.9	0.2	0.04
Q347271	165.0	168.0	3.0	Di2	0.6									0.4	1.6		54	6	0.03	2.7	0.2	0.04
Q347272	168.0	171.0	3.0	Di1	0.6												49	4	0.03	2.3	0.2	0.05
Q347273	171.0	174.0	3.0	Di2	0.9							1	2	0.3	1.3		44	5	0.03	1.6	0.4	0.10
Q347274	174.0	177.0	3.0	Di2	1.1	1						1	2			Trench 14-02 consists entirely of D1-(D2) fine grained diorite	78	5	0.05	1.6	0.5	0.17
Q347276	177.0	180.0	3.0	Di2	1.2											Areas of rock destruction through faulting makes rock identification/texture description very challenging after 126 m	70	7	0.07	2.1	0.3	0.20

Dillard Property
2014 Trenching

Trench: T14-03

East	North	Elevation	Sample Direction
686151	5514371	1538	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347277	0.0	3.0	3.0	Di1	26.0	1	diss (<1%)			1		1	2	0.2	0.4		145	6	0.08	2.0	0.6	0.04
Q347278	3.0	6.0	3.0	Di1	11.0		diss (<1%)			2					0.5		149	64	0.18	5.9	0.6	0.18
Q347279	6.0	9.0	3.0	Di1	10.1	1	diss (<1%)			1		1	2	0.2	0.4		182	14	0.18	2.7	0.4	0.22
Q347280	9.0	12.0	3.0	Di1	16.4	1				1		1	2	0.1	0.6		246	5	0.14	1.9	0.9	0.08
Q347281	12.0	15.0	3.0	Di1	15.9	1	diss (<1%)			1		1	2	0.3	0.7		289	34	0.20	2.6	0.9	0.17
Q347282	15.0	18.0	3.0	Di1	11.8		diss (1%)			1		1	2	0.4	0.9		208	12	0.16	3.6	0.8	0.06
Q347283	18.0	21.0	3.0	Di1	7.9		diss (1%)			1		1	1	0.2	0.6		216	9	0.16	2.5	0.7	0.08
Q347284	21.0	24.0	3.0	Di1	6.0					1					1	water fill no o/c	228	51	0.27	4.9	0.6	0.19
Q347285	24.0	27.0	3.0	HP	9.6	1	diss (<1%)					2	2	0.4	0.8		466	40	0.27	14.5	0.4	0.20
Q347286	27.0	30.0	3.0	HP	10.0	2	diss (<1%)			2		2	2	0.3	0.7		179	14	0.14	7.3	0.5	0.16
Q347287	30.0	33.0	3.0	Di3	3.8	2	diss (1%)					2	2	0.3	0.8		167	16	0.14	6.3	0.2	0.27
Q347288	33.0	36.0	3.0	Di1	9.8	1	diss (1%)					2	2	0.2	0.7		260	32	0.21	6.7	0.4	0.20
Q347289	36.0	39.0	3.0	Di1	14.2	1	diss (1%)			2		2	1	0.3	0.8		227	10	0.12	4.5	0.8	0.15
Q347290	39.0	42.0	3.0	Va	8.4	1	diss (<1%)			1		2	1	0.2	0.8		86	7	0.08	3.6	0.7	0.19
Q347291	42.0	45.0	3.0	Va	14.6	1	diss (tr)					1	1	0.6	0.9		143	10	0.12	2.4	0.9	0.18
Q347292	45.0	48.0	3.0	Va	10.4	1						1	1				255	16	0.19	2.6	1.0	0.25
Q347293	48.0	51.0	3.0	Va	6.8	1							1	0.1	0.8		216	6	0.12	2.1	0.9	0.33
Q347294	51.0	54.0	3.0	Va	5.9	1				1			1	0.1	0.8		96	5	0.07	1.9	0.8	0.08
Q347295	54.0	57.0	3.0	Va	4.6	2	diss (<1%)			2		1	1	0	0.6		270	14	0.16	1.6	1.3	0.86
Q347296	57.0	60.0	3.0	Va	5.2	2	diss (<1%)			1		1	1	0.3	0.7		163	17	0.10	1.5	1.1	0.30
Q347297	60.0	63.0	3.0	Di2	8.3		-1%			2			2	0.4	0.7	D2 diorite dyke? 60-62m, qtz flooded, no sulph.	206	14	0.13	1.5	0.5	0.21
Q347298	63.0	66.0	3.0	Va	4.3	1						1	1	0.2	0.6		196	17	0.18	1.4	1.1	0.27
Q347299	66.0	69.0	3.0	Va	6.9	1	diss (<1%)			1				0	0.2	poorly exposed subcrop of non-variable silicified f.g volcanics to end of trench, neglible alt'n, trc py	67	4	0.04	1.4	1.0	0.07
Q347301	69.0	72.0	3.0	Va	7.6	1	diss (<1%)					1	1	0	0.2		80	8	0.07	2.1	0.9	0.06
Q347302	72.0	75.0	3.0	Va	4.3	1	diss (<1%)			1		1	1	0	0.2		120	6	0.10	2.2	0.9	0.25
Q347303	75.0	78.0	3.0	Va	10.1	1	diss (<1%)			2		1	1	0	0.2		149	7	0.10	1.9	1.3	0.18
Q347304	78.0	81.0	3.0	Va	9.2	1	diss (3%)					1	1	0	0.2		127	8	0.12	2.8	0.9	0.29

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347305	81.0	84.0	3.0	Va	6.1	1	diss (1%)			2		1	1	0	0.2		169	15	0.16	2.3	1.0	0.08
Q347306	84.0	87.0	3.0	Va	7.2	1						1	1	0	0.2		133	9	0.11	2.9	0.6	0.10
Q347307	87.0	90.0	3.0	Va	8.7	1	diss (1%)			2		1	1	0	0.2		212	24	0.23	2.3	1.0	0.14
Q347308	90.0	93.0	3.0	Va	6.5	1						1	1	0	0.2		128	11	0.13	2.1	1.2	0.06
Q347309	93.0	96.0	3.0	Va	9.6	1						1	1	0	0.2		159	21	0.20	4.1	0.8	0.06

Dillard Property **Trench: T14-04**

2014 Trenching

East	North	Elevation	Sample Direction
685929	5514370	1504	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347341	0.0	3.0	3.0	go	3.2		diss (<1%)			1	3			0.3	1.3		265	7	0.08	2.0	1.1	0.05
Q347342	3.0	6.0	3.0	Va	10.2	1						1	1	0.4	1.1		324	22	0.12	2.9	0.9	0.05
Q347343	6.0	9.0	3.0	Va	7.5							1	1	0	0.8	mostly gouge w semi-comp o/c	209	38	0.15	4.5	1.8	0.09
Q347344	9.0	12.0	3.0	Va	5.3							1	1				104	11	0.06	4.1	1.5	0.05
Q347345	12.0	15.0	3.0	go	1.4												209	16	0.29	16.2	1.1	0.10
Q347346	15.0	18.0	3.0	go	4.3												246	15	0.20	4.3	0.7	0.09
Q347347	18.0	21.0	3.0	Va	5.8							1	1		0.5		126	14	0.16	4.3	1.3	0.19
Q347348	21.0	24.0	3.0	Va	4.1		diss (tr)				1	1	1	0.3	0.9		207	14	0.19	4.8	1.3	0.23
Q347349	24.0	27.0	3.0	Va	10.5							1	1	0.3	1.3		202	15	0.20	2.7	1.5	0.18
Q347351	27.0	30.0	3.0		7.8	1		Tr				1	1	0.1	1.2	27.5-28.5 clear texture D3 diorite, wk alt'n, mod silic'd,trc mal at 28.5m, trc py within hb laths, ~28.5-31.5: silic'd f.g volcs, trc diss/fract fill py to 1% +/- trc cpy, fresh D2 diorite 31.5-39.5m, zone forms distinctive hump in trench from increased silic'n	292	23	0.36	2.5	1.0	0.19
Q347352	30.0	33.0	3.0	Di3	7.5	1		Tr				1	2	0	0.3		249	21	0.28	1.8	0.6	0.09
Q347353	33.0	36.0	3.0	Di2	3.2	1		Tr				1	1				23	4	0.05	2.4	0.2	0.11
Q347354	36.0	39.0	3.0	Di2	1.4	1		Tr				1	1				30	5	0.04	2.6	0.1	0.09
Q347355	39.0	42.0	3.0	Di2	4.4	1						1	1			approx diorite/volc contact @ 39.5m, strongly brkn w mixed gouge @ 39.5-44m	395	17	0.20	3.3	1.0	0.06
Q347356	42.0	45.0	3.0	Va	9.6	1						1	1				189	6	0.06	3.4	0.7	0.03
Q347357	45.0	48.0	3.0	Va	11.9	1											273	15	0.18	2.8	1.3	0.04
Q347358	48.0	51.0	3.0	Va	13.0	1						1	1			48-102 m poorly exposed, partial o/c, all in uniform f.g volcanics	204	20	0.14	1.9	1.2	0.06
Q347359	51.0	54.0	3.0	Va	11.1	1						1	1				250	14	0.13	2.0	1.5	0.03
Q347360	54.0	57.0	3.0	Va	17.9	1						1	1			partly gouge	174	8	0.05	3.2	0.8	0.03
Q347361	57.0	60.0	3.0	Va	10.4	1						1	1				107	7	0.04	2.6	0.7	0.02
Q347362	60.0	63.0	3.0	Va	13.1	1	diss (1%)	tr	<1%		4	1	1				220	11	0.15	2.6	0.9	0.06
Q347363	63.0	66.0	3.0	Va	14.0	1						1	1				395	20	0.25	3.0	0.8	0.07
Q347364	66.0	69.0	3.0	Va	22.1	1						1	1				232	11	0.16	2.1	1.2	0.04
Q347365	69.0	72.0	3.0	Go	20.3								1				577	25	0.19	6.4	1.0	0.04
Q347366	72.0	75.0	3.0	Va	16.2	1						1	1				361	29	0.28	2.8	1.5	0.06
Q347367	75.0	78.0	3.0	Va	10.1	1						1	1				390	29	0.25	3.7	1.3	0.07
Q347368	78.0	81.0	3.0	Va	14.1	1	diss (<1%)	tr	<1%		3	1	1				384	19	0.17	3.4	1.6	0.03
Q347369	81.0	84.0	3.0	Va	16.7	1						1	1				352	50	0.34	3.6	1.3	0.06
Q347370	84.0	87.0	3.0	Va	14.0	1						1	1				370	17	0.25	2.7	1.6	0.05
Q347371	87.0	90.0	3.0	Va	6.1	1						1	1			rubbled o/c after 88m to 102 m, trench depth less than 1 m	399	18	0.27	3.9	1.2	0.08
Q347372	90.0	93.0	3.0	Va	7.5	1						1	1				402	23	0.26	3.6	1.1	0.07
Q347373	93.0	96.0	3.0	Va	10.1	1						1	1				339	13	0.17	3.2	0.3	0.07
Q347374	96.0	99.0	3.0	Va	10.3	1					4	1	1				228	12	0.15	3.4	0.3	0.05
Q347376	99.0	102.0	3.0		9.8	1						1	1				179	62	0.10	4.6	0.3	0.05
Q347377	102.0	105.0	3.0	Va		1						1	1				273	13	0.11	7.6	0.3	0.02

Dillard Property **Trench: T14-05**

2014 Trenching

East	North	Elevation	Sample Direction
685882	5514133	1516	West to East

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347378	?	?	3.0	Va												Sample misslabeled+S3:S70	264	10	0.20	2.3	1.0	0.08
Q347379	0.0	3.0	3.0	go												Sample misslabeled	652	14	0.27	2.2	1.1	0.07
Q347380	3.0	6.0	3.0	go												water-filled 0-11m,	323	16	0.19	3.5	0.6	0.18
Q347381	6.0	9.0	3.0	Di2								1	1				346	22	0.26	1.6	0.5	0.10
Q347382	9.0	12.0	3.0	Di3								1	1	2.1	2.5		374	18	0.23	1.6	0.5	0.07
Q347383	12.0	15.0	3.0	Di3										1.4	1.8	13.5-16.0: semi-comp o/c w gouge	446	44	0.29	1.9	0.5	0.10
Q347384	15.0	18.0	3.0	Di1		1						1	1	1.4	1.8		494	17	0.21	2.1	1.1	0.06
Q347385	18.0	21.0	3.0	Di1	9.8									1.3	1.5	poor exp. Strongly brkn, part gouge	542	39	0.24	2.9	0.8	0.11
Q347386	21.0	24.0	3.0	Di1	2.4									1.4	1.8	poor exp. Strongly brkn, part gouge	670	68	0.36	2.6	0.6	0.21
Q347387	24.0	27.0	3.0	Di3	0.5	2		Tr				1	2	1.2	1.6		421	36	0.19	2.2	0.3	0.24
Q347388	27.0	30.0	3.0	Di3	3.6	2		Tr				1	2	1.1	1.5		329	21	0.15	2.0	0.2	0.37
Q347389	30.0	33.0	3.0	Di3	4.0	2	diss (1%)	Tr			3	1	2	1.1	1.5		351	26	0.19	1.9	0.2	0.40
Q347390	33.0	36.0	3.0		4.1									1.2	1.2	poor exp. - till	266	10	0.11	1.6	0.4	0.15
Q347391	36.0	39.0	3.0		1.4									1	1	poor exp. - till	353	10	0.11	2.9	0.4	0.13
Q347392	39.0	42.0	3.0		6.2									1.2	1.5	poor exp. - till	574	23	0.33	2.1	0.4	0.18
Q347393	42.0	45.0	3.0	Di2	6.4	2	diss (1%)	tr		1	4	1	2	1.5	1.8	trc cpy	374	9	0.16	1.9	0.6	0.37
Q347394	45.0	48.0	3.0	Di2	1.0	2		Tr						1	1.6	trc cpy	211	6	0.13	1.2	0.3	0.81
Q347395	48.0	51.0	3.0	Di2	4.5											water 49-53m	495	35	0.39	1.4	0.3	0.81
Q347396	51.0	54.0	3.0	Di2	0.4												639	22	0.45	1.5	0.5	1.04
Q347397	54.0	57.0	3.0	go	1.0									2	2.5	gouge w fine frags	657	18	0.26	1.6	0.5	0.62
Q347398	57.0	60.0	3.0	Di1	1.8									1	1.5	gouge/dio contact @ 58.5 m	388	15	0.29	2.7	0.5	0.64
Q347399	60.0	63.0	3.0	Di1	0.4	2						1	2	0.5	0.9		287	15	0.27	1.7	0.4	0.60
Q347401	63.0	66.0	3.0		0.6		diss (1%)			3	1			0	0.8		207	8	0.20	1.3	0.3	0.67
Q347402	66.0	69.0	3.0	Di2	0.9	2		Tr				1	2	0.4	0.8		273	11	0.30	1.9	0.4	0.53
Q347403	69.0	72.0	3.0	Di2	0.4	2		Tr				1	2	1.1	1.4		431	22	0.39	1.5	0.5	0.32
Q347404	72.0	75.0	3.0	Di2	0.8	2		Tr				1	1	1	1.6	strongly brkn, part gouge	381	12	0.25	1.5	0.3	0.32
Q347405	75.0	78.0	3.0	Di2	1.3	2		Tr				1	2	0.4	1.1	strongly brkn, part gouge	373	13	0.36	1.7	0.4	0.36
Q347406	78.0	81.0	3.0	Di2	0.3		diss (1%)	tr		3	0.5			0.8	1.6		261	15	0.19	6.1	0.8	0.09
Q347407	81.0	84.0	3.0	go	0.2									0.4	1.1		793	28	0.52	13.9	0.5	0.21
Q347408	84.0	87.0	3.0	go	0.2									0.8	1.6		746	33	0.41	4.2	1.0	0.09
Q347409	87.0	90.0	3.0	go	0.3									0.6	1.2		746	30	0.23	20.9	0.5	0.09
Q347410	90.0	93.0	3.0	go	0.2									0.7	1.5		716	31	0.23	24.4	0.5	0.05
Q347411	93.0	96.0	3.0	go	0.2									0.5	1.7		424	16	0.13	16.4	0.4	0.05
Q347412	96.0	99.0	3.0	go	0.2									0.5	1.5		294	11	0.08	9.8	0.3	0.04
Q347413	99.0	102.0	3.0	go	0.4									0.7	1.7		230	14	0.08	5.6	0.2	0.05
Q347414	102.0	105.0	3.0	go	0.9									0.7	1.7		96	3	0.05	2.9	0.2	0.05
Q347415	105.0	108.0	3.0	Di2	1.2	1	diss (tr)				3	1	1	0.4	1.6		187	7	0.14	3.6	0.2	0.08
Q347416	108.0	111.0	3.0	go	4.1									1	1.3		232	10	0.12	5.3	0.8	0.06
Q347417	111.0	114.0	3.0	go	2.5									1	1.3	water 111.5-115m	180	12	0.18	4.4	0.4	0.14
Q347418	114.0	117.0	3.0	go	3.5									1.3	1.7		175	5	0.12	2.0	0.3	0.09
Q347419	117.0	120.0	3.0	Di1	7.9	1						1	2	1.2	1.6		434	17	0.23	3.3	0.6	0.06
Q347420	120.0	123.0	3.0	Di2	6.0	1						1	1	1.3	1.7		224	10	0.19	2.1	1.0	0.07

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347421	123.0	126.0	3.0	Di2	11.7	1	diss (<1%)	tr	<1		2	1	1	1.3	1.7		201	7	0.18	2.6	0.4	0.15
Q347422	126.0	129.0	3.0	go	12.4									0.8	1.1	gouge 126-128.5m	327	7	0.13	2.1	0.5	0.07
Q347423	129.0	132.0	3.0	Di2	4.7	1						1	1	1.1	1.7		338	9	0.16	2.1	0.6	0.07
Q347424	132.0	135.0	3.0	Di2	1.6	1						1	1	1.1	1.5		333	13	0.24	1.5	0.3	0.13
Q347426	135.0	138.0	3.0		3.9	1						1	1	1.1	1.5		192	8	0.09	1.2	0.3	0.17
Q347427	138.0	141.0	3.0	Di2	2.4	1	diss (<1%)			1	2	1	1	0.9	1.3		151	8	0.09	1.0	0.5	0.21
Q347428	141.0	144.0	3.0	Di3	2.4	1						1	1	0.6	0.9		89	9	0.05	0.9	0.7	0.02
Q347429	144.0	147.0	3.0	Di3	0.8	1						1	1	0.8	1.2		151	14	0.07	1.3	0.6	0.03
Q347430	147.0	150.0	3.0	Di3	2.7	1						1	1	0.8	1.1	grad. change to volcs ~ 148-149 m	67	5	0.06	1.6	0.7	0.08
Q347431	150.0	153.0	3.0	Di3	9.9	1						1		0.5	0.8		194	8	0.14	2.5	0.4	0.55
Q347432	153.0	156.0	3.0	Va	8.0	1						1		0.4	0.8		113	5	0.09	2.4	0.5	0.32
Q347433	156.0	159.0	3.0	Va	7.2	1						1		0.4	0.8		121	5	0.10	1.7	0.6	0.21
Q347434	159.0	162.0	3.0	Va	5.1	1						1		0.2	1		146	10	0.19	2.9	0.4	0.45
Q347435	162.0	165.0	3.0	Va	12.4	1						1		0.4	0.8		236	342	0.30	2.9	0.5	0.17
Q347436	165.0	168.0	3.0	Va	14.1	1						1		0.6	1		131	26	0.13	3.0	0.5	0.12
Q347437	168.0	171.0	3.0	Va	14.2	1	diss (<1%)			1	4	1		0.4	0.7		149	10	0.14	3.2	0.5	0.10
Q347438	171.0	174.0	3.0	Va	16.6	1						1		0.4	0.8		129	4	0.08	2.2	1.3	0.04
Q347439	174.0	177.0	3.0	Va	13.7	1						1		1	1.3		191	6	0.11	2.5	1.0	0.10
Q347440	177.0	180.0	3.0	Va	21.5	1						1		1	1.3		198	6	0.11	2.7	1.3	0.13
Q347441	180.0	183.0	3.0	Va	14.1	1						1		0.9	1.4		251	8	0.14	2.9	0.6	0.15
Q347442	183.0	186.0	3.0	Va	8.6	1						1		0.8	1.4		260	7	0.16	1.6	0.7	0.15
Q347443	186.0	189.0	3.0	Va	10.5	1						1			1.7		228	7	0.11	2.4	0.4	0.10
Q347444	189.0	192.0	3.0	Va	26.5	1						1					175	4	0.07	1.7	0.9	0.05
Q347445	192.0	195.0	3.0	Va	14.5	1						1		0.6	0.9		367	8	0.19	1.8	0.3	0.15
Q347446	195.0	198.0	3.0	Di3	11.9	2						1	2	0.3	0.5		181	6	0.11	1.5	0.4	0.13
Q347447	198.0	201.0	3.0	Di3	20.2	2	diss (1%)	tr			3	1	2	0.4	0.8		152	6	0.10	2.0	0.3	0.12
Q347448	201.0	204.0	3.0	Di3	7.9	2						1	2	0.7	0.9		109	4	0.04	1.5	0.1	0.06
Q347449	204.0	207.0	3.0	Va	3.3	1								0.6	1	volc contact @ 205 m	660	30	0.61	2.3	0.3	0.16
Q347451	207.0	210.0	3.0		6.8	1						1	1	1	1.2		238	11	0.15	1.9	0.4	0.27
Q347452	210.0	213.0	3.0	Va	10.0	1						1	1	0.3	1.1		186	9	0.09	1.9	0.6	0.19
Q347453	213.0	216.0	3.0	Va	4.4	1						1	1	1	2		383	5	0.15	2.2	0.4	0.39
Q347454	216.0	219.0	3.0	Va	0.5	1						1	1				807	14	0.40	4.3	0.3	0.38
Q347455	219.0	222.0	3.0	Va	1.5	1						1	1				441	6	0.16	2.5	0.5	0.52
Q347456	222.0	225.0	3.0	Va	3.4	1	diss (tr)				0.5	1	1				425	7	0.16	2.1	0.5	0.29
Q347457	225.0	228.0	3.0	Va	2.1	1						1	1				188	8	0.14	2.3	0.4	0.26

Dillard Property **Trench: T14-06a**

2014 Trenching

East	North	Elevation	Sample Direction
685927	5514058	1525	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347310	0.0	3.0	3.0	Di1	3.4	1							1	0.5	1	0-10: strongly brkn, limonitic, part gouge	1010	55	1.00	2.5	0.2	0.24
Q347311	3.0	6.0	3.0	Di1	3.2	1							1	1.1	1.4		1170	47	0.64	1.8	0.3	0.23
Q347312	6.0	9.0	3.0	Di1	0.5	1							1	0.2	1	8-9m: dk coating w conspic mod-strong mal, azur coatings	1290	117	1.02	4.9	0.1	0.16
Q347313	9.0	12.0	3.0	Di1	3.9									0.2	1.2		412	22	0.36	2.9	0.2	0.21
Q347314	12.0	15.0	3.0	Di1	4.5									0.4	1.3		722	30	0.45	2.5	0.1	0.16
Q347315	15.0	18.0	3.0	Di1	3.3									1.2	2.2		661	40	0.32	2.5	0.1	0.19
Q347316	18.0	21.0	3.0	Di1	3.3									1	2.2	gouge 19.5-23 m	680	47	0.57	3.3	0.1	0.12
Q347317	21.0	24.0	3.0	Di1	0.8									0.8	2.2		819	55	0.84	4.3	0.2	0.28
Q347318	24.0	27.0	3.0	Di1	2.6	1							2	1	1.8		459	29	0.58	2.6	0.2	0.24
Q347319	27.0	30.0	3.0	Di1	0.4								2	1	1.4		224	19	0.26	2.4	0.2	0.29
Q347320	30.0	33.0	3.0	Di1	1.0	2		Tr				1	2			increased py to 5% @ 30m, trc cpy, gouge 31.5-33m	550	21	0.45	10.5	0.1	0.27
Q347321	33.0	36.0	3.0	Di1	0.3	1		Tr	Tr			1	2	0.6	1.6	partial gouge 33-37m, 33-45m sporadic fine conc's dis cpy +/- mal, 0.5-1% py, local hairline -2mm qtz vnlts, local weak k-spar alt'n	1350	124	1.58	4.6	0.1	0.38
Q347322	36.0	39.0	3.0	Di1	6.7	2		Tr				1	2	1	2		2830	146	2.16	4.0	0.2	0.26
Q347323	39.0	42.0	3.0	Di1	5.0	2		Tr				1	2	0.7	0.9		546	51	0.29	2.6	0.2	0.14
Q347324	42.0	45.0	3.0	Di1	2.4	1		Tr				1	2	1.8	2.6		568	23	0.28	2.7	0.2	0.09
Q347326	45.0	48.0	3.0		1.6	2						1	1	2.2	2.5		881	43	0.67	2.2	0.2	0.25
Q347327	48.0	51.0	3.0	Di2	1.9	1							1	1.5	2		1500	34	0.56	3.4	0.4	0.05
Q347328	51.0	54.0	3.0	Di3	3.7	1							1	0.7	1		1120	39	0.59	1.9	0.4	0.39
Q347329	54.0	57.0	3.0	Di3	3.9	1						1	1	0.8	1.1		1435	62	0.98	2.0	0.4	0.47
Q347330	57.0	60.0	3.0	Di2	5.6	1						2	1	0.8	1.1		1650	60	1.03	2.0	0.5	0.18
Q347331	60.0	63.0	3.0	Di2	10.9								1				804	36	0.32	2.3	0.7	0.09
Q347332	63.0	66.0	3.0	Di2	12.0								1	0.5	0.8		959	45	0.36	4.1	0.8	0.11
Q347333	66.0	69.0	3.0	Di2	15.7								1	2.1	2.5		568	34	0.39	3.1	0.8	0.07
Q347334	69.0	72.0	3.0	V	11.9								1	2	2.5		459	25	0.34	2.8	0.9	0.07
Q347335	72.0	75.0	3.0	V									1	0.9	2.5		458	49	0.25	2.6	1.1	0.06
Q347336	75.0	78.0	3.0	V		1						1	1				251	17	0.18	3.2	0.6	0.03
Q347337	78.0	81.0	3.0	V		1						1	1	3.3	3.5		248	13	0.21	2.2	0.8	0.04
Q347338	81.0	84.0	3.0	V		1						1	1			mainly till after 81 m	161	15	0.13	4.0	0.6	0.07
Q347339	84.0	87.0	3.0	V		1						1	1				303	8	0.14	1.9	1.5	0.02
Q347340	87.0	90.0	3.0	V		1						1	1				220	6	0.09	2.2	1.5	0.02

Dillard Property **Trench: T14-06b**

2014 Trenching

East	North	Elevation	Sample Direction
686013	5514084	1531	West to East

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347458	0.0	3.0	3.0	Di1	4.4	1						1	1	0.9	0.6		807	33	0.75	2.2	0.2	0.22
Q347459	3.0	6.0	3.0	Di1	1.5	1	Tr							0.4	1		976	31	0.75	2.4	0.1	0.20
Q347460	6.0	9.0	3.0	Di1	6.5	1	Tr							0.2	0.8		418	24	0.26	1.9	0.2	0.19
Q347461	9.0	12.0	3.0	Di1	5.8	1						2	1	0.3	0.7		476	8	0.18	1.9	0.3	0.20
Q347462	12.0	15.0	3.0	Di1	4.3	1						2	1	1	1.5		679	21	0.33	3.4	0.2	0.17
Q347463	15.0	18.0	3.0	Di1	0.7	1	Tr					2	2	1.2	2	< 1 m gouge band @16m, @ 16-18m: flat-lying bluish grey intensely silicified msv layer w sporad qtz vnlts w. limon haloes, wk cb alt'n, v. fine red hem streaks, trc diss fg py,cpy	491	16	0.33	65.4	0.3	0.10
Q347464	18.0	21.0	3.0	Silic	0.2	1	Tr					1	3	1.2	2	gouge @ 18-19.5m, @ 19.5 - 24m: massive silic'd +/- k-spar, k-spar weakly perv., local k-spar bands, fine bands wisps f.g dark mineral, often dendritic (tourmaline?), sporadic bright apple green spots (fuchsite?), trc fg dissem py, cpy, occas coarser py clots, v. fine red hem spots/fracture fills	448	25	0.43	35.1	0.3	0.21
Q347465	21.0	24.0	3.0	Silic	0.2	1	Tr					1	3	0.7	1.2	massive silic'd +/- k-spar, k-spar weakly perv., local k-spar bands, fine bands wisps f.g dark mineral, often dendritic (tourmaline?), sporadic bright apple green spots (fuchsite?), trc fg dissem py, cpy, occas coarser py clots, v. fine red hem spots/fracture fills	279	15	0.23	31.9	0.1	0.13
Q347466	24.0	26.0	2.0	Silic	0.3	1	Tr					1	3	1.5	2	Very strongly and finely brkn, probable continuation of strongly silicified zone as seen at 16-24m Miss labeled in trench. Sample is 1m shorter then Tags in trench. Sample intervals in sample books are off by 1 meter from this sample location to the end of this trench. This log contains the correct intervals.	295	12	0.28	12.8	0.1	0.24
Q347467	26.0	29.0	3.0	Di1	0.1											Continuous limonitic gouge zone, 26m to approx 71 m, little to no competent o/c exposure, generally f.g silic'd diorite w. negiligible to trc v.f.g py	288	17	0.28	4.9	0.2	0.14
Q347468	29.0	32.0	3.0	Di1	0.1									0.5	2.5	gouge	276	12	0.15	27.2	0.3	0.02
Q347469	32.0	35.0	3.0	Di1	0.4									1.6	2.5	"	530	23	0.35	70.7	0.2	0.08
Q347470	35.0	38.0	3.0	Di1	0.6									1.5	2.3	" , two in-situ intervals, (30 cm @ 36.5m , 50 cm @ 37.5m) of msv silic'd rock within gouge on wall and floor, same material as seen at 17-24m	428	10	0.33	50.4	0.3	0.15
Q347471	38.0	41.0	3.0	Di1	0.5									1.3	2.1	"	493	12	0.29	28.8	0.3	0.09
Q347472	41.0	44.0	3.0	Di1	0.4									1.4	2.2	"	566	9	0.26	5.6	0.5	0.11
Q347473	44.0	47.0	3.0	Di1	0.9									1.8	2.3	"	408	8	0.20	2.9	0.4	0.16

Dillard Property **Trench: T14-06c**

2014 Trenching

East	North	Elevation	Sample Direction
686057	5514097	1534	West to East

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347474	0.0	3.0	3.0	Di1	1.1									1.9	2.3	"	408	8	0.23	3.2	0.2	0.14
Q347476	3.0	6.0	3.0	Di1	1.5									1.5	2	"	635	15	0.25	5.6	0.4	0.09
Q347477	6.0	9.0	3.0	Di1	1.6									1.5	2	"	506	11	0.22	5.2	0.4	0.18
Q347478	9.0	12.0	3.0	Di1	3.5									0.6	2	"	471	9	0.21	2.5	0.3	0.14
Q347479	12.0	15.0	3.0	Di1	2.0									1.9	2.5	"	400	8	0.12	3.0	0.5	0.08
Q347480	15.0	18.0	3.0	Di1	2.5										2	"	518	7	0.14	2.5	0.3	0.15
Q347481	18.0	21.0	3.0	Di1	3.8									1.5	2.2	"	478	7	0.16	1.9	0.2	0.20
Q347482	21.0	24.0	3.0	Di1	2.0									1.5	2.2	mixed gouge, till	460	7	0.12	2.5	0.5	0.08
Q347483	24.0	27.0	3.0	Di1	1.2									1.6	1.6	mainly till, neglig o/c	531	8	0.15	2.4	0.4	0.14
Q347484	27.0	30.0	3.0	Di1	3.3									1.6	1.6	mainly till, neglig o/c	503	9	0.22	2.4	0.3	0.20
Q347485	30.0	33.0	3.0	Di1	4.0									1.7	1.7	mainly till, neglig o/c	528	9	0.27	2.4	0.3	0.17
Q347486	33.0	36.0	3.0	Di1	1.0									2.1	2.1	mainly till, neglig o/c	689	14	0.31	2.5	0.2	0.08
Q347487	36.0	39.0	3.0	Di1	1.2									2.5	2.5	mainly till, neglig o/c	508	13	0.41	2.5	0.1	0.16
Q347488	39.0	42.0	3.0	Di1	1.4	1						1	2	2.2	2.3		376	73	0.46	2.4	0.2	0.11
Q347489	42.0	45.0	3.0	Di1	1.3										2.5	no exposure, old trench @ 89m	347	16	0.26	2.3	0.1	0.08
Q347490	45.0	48.0	3.0	Di1	1.9	1						1	1				142	6	0.11	1.7	0.1	0.05
Q347491	48.0	51.0	3.0	Di1	4.2	1						1	1	1.8	2		99	4	0.09	1.7	0.2	0.04
Q347492	51.0	54.0	3.0	Di1	2.8	1						1	1	1.8	2		141	13	0.21	2.8	0.1	0.05
Q347493	54.0	57.0	3.0	Di1	2.9	1						2	2		2		192	14	0.19	2.2	0.2	0.05
Q347494	57.0	60.0	3.0	Va	2.3	1						1	1	0.7	1.1	perv f.g volcanics @ 105-120m	235	11	0.19	2.0	0.1	0.05
Q347495	60.0	63.0	3.0	Va	2.7	1						1	1	0.3	0.8		296	17	0.24	1.9	0.1	0.03
Q347496	63.0	66.0	3.0	Va	1.8	1						1	1	1	1.4		333	22	0.42	1.9	0.2	0.07
Q347497	66.0	69.0	3.0	Va	1.0	1						1	1	0.6	1		189	21	0.14	2.1	0.2	0.03
Q347498	69.0	72.0	3.0	Va	1.2	1						1	1	0.5	0.7		176	7	0.17	2.5	0.0	0.07
Q347499	72.0	75.0	3.0	Di2	1.3	1						1	2	0.6	0.8	f.g-m.g D2 equigran diorite	183	13	0.15	2.0	0.2	0.16
Q347601	75.0	78.0	3.0	Di2	1.6	2						1	2	0.7	1	Sequence jump from 500 to 601	108	5	0.05	1.3	0.2	0.11
Q347602	78.0	81.0	3.0	Di2	5.9	2						1	2	0.7	0.9		114	4	0.09	1.3	0.3	0.10
Q347603	81.0	84.0	3.0	Di2	7.9	2						1	2	0.6	0.8		77	6	0.05	1.0	0.2	0.08
Q347604	84.0	87.0	3.0	Di2	3.9	2						1	2	0.4	0.8		98	6	0.07	1.1	0.2	0.12
Q347605	87.0	90.0	3.0	Di2	3.4	2						1	2	0.5	0.7		102	5	0.06	1.2	0.3	0.07
Q347606	90.0	93.0	3.0	Di2	3.2	2						1	2	0.5	0.7		134	6	0.07	1.2	0.2	0.14
Q347607	93.0	96.0	3.0	Di2	2.6	1						1	2	0.4	0.7	wk pervasive k-spar alt'n in groundmass	140	9	0.11	2.2	0.2	0.14
Q347608	96.0	99.0	3.0	Di2	7.5									0.7	1	poor exposure	136	11	0.14	4.7	0.1	0.11
Q347609	99.0	102.0	3.0	Di1	12.3										0.9	very brkn, poor exp.	122	13	0.08	3.3	0.2	0.07
Q347610	102.0	105.0	3.0	Di1	11.3	1						2	2	0.7	1.1	149m-161: wk-locally moderate pinkish k-spar alt'n	97	8	0.10	3.1	0.2	0.07
Q347611	105.0	108.0	3.0	Di1	4.6	1						2	2	1.3	1.5		91	19	0.12	2.8	0.2	0.15
Q347612	108.0	111.0	3.0	Di1	4.2	1						2	2	1.5	1.7	k-spar vnlts 2-5 mm @ 157.5m	76	19	0.09	2.5	0.4	0.22
Q347613	111.0	114.0	3.0	Di1	2.5	1						2	2	1.4	1.6	Limonitic +/- hem gouge w local partial competent dio o/c	108	18	0.11	2.7	0.4	0.22
Q347614	114.0	117.0	3.0	Di1	2.6									1.9	2.2	Limonitic +/- hem gouge w local competent dio o/c	264	28	0.29	3.1	0.3	0.26
Q347615	117.0	120.0	3.0	Di1	3.9									1.5	2.2	Limon +/- hem gouge w local partial competent dio oc	1005	24	0.49	2.6	0.1	0.31
Q347616	120.0	123.0	3.0	Di1	6.0											"	1645	52	1.03	4.2	0.1	0.15
Q347617	123.0	126.0	3.0	Di1	5.9											"	365	12	0.36	1.9	0.2	0.23
Q347618	126.0	129.0	3.0	Di1	3.7											"	263	137	0.44	2.6	0.1	0.23
Q347619	129.0	132.0	3.0	Di1	6.4											"	234	761	0.56	25.6	0.2	0.10
Q347620	132.0	135.0	3.0	Di1	11.3											"	179	160	0.24	3.0	0.2	0.07

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347621	135.0	138.0	3.0	Di1	14.3									1.9	2.5	"	58	584	0.17	3.8	0.3	0.09
Q347622	138.0	141.0	3.0	Di1	6.4									2.1	2.5	"	230	558	0.26	2.9	0.2	0.03
Q347623	141.0	142.8	1.8	Di2										1.5	2.3	competent 1m o/c of fresh unaltered D2 diorite in floor, bright yellow fg py smears on fract/jnt sfcs	71	122	0.12	2.7	0.1	0.19

Dillard Property **Trench: T14-07**

2014 Trenching

East	North	Elevation	Sample Direction
685935	5513967	1521	West to East

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347624	0.0	3.0	3.0	Di1		2						1	2			trc malachite	210	17	0.13	2.8	0.4	0.21
Q347626	3.0	6.0	3.0	Di1		2						1	2			trc malachite	243	13	0.24	2.5	0.5	0.23
Q347627	6.0	9.0	3.0	Di1		2						1	2			trc malachite	348	51	0.29	2.6	0.7	0.21
Q347628	9.0	12.0	3.0	Di2		1						1	2			transition from altered dio to less altered	241	15	0.20	3.0	0.7	0.37
Q347629	12.0	15.0	3.0	Di2		1						1	2			transition from altered dio to less altered	143	24	0.17	4.0	0.2	0.22
Q347630	15.0	18.0	3.0	Di2		1						1	2				44	3	0.04	2.5	0.1	0.04
Q347631	18.0	21.0	3.0	Di2	0.6	1						1	2				64	3	0.07	2.6	0.2	0.12
Q347632	21.0	24.0	3.0	Di2	0.5	1						1	2				80	5	0.06	2.8	0.2	0.12
Q347633	24.0	27.0	3.0	Di2	0.9	1						1	2				159	6	0.17	2.9	0.4	0.30
Q347634	27.0	30.0	3.0	Di2	1.6	1						1	2				135	6	0.15	2.9	1.0	0.19
Q347635	30.0	33.0	3.0	Di2	10.9	1						1	2				154	5	0.15	2.5	1.2	0.21
Q347636	33.0	36.0	3.0	Di2	14.5	1						1	2				91	4	0.07	2.5	1.6	0.11
Q347637	36.0	39.0	3.0	Di2	14.1	1						1	2				74	6	0.09	2.9	0.7	0.28
Q347638	39.0	42.0	3.0	Di2	12.8	2						1	2				102	5	0.11	2.7	1.2	0.26
Q347639	42.0	45.0	3.0	Di2	9.3	2						1	2				49	2	0.08	3.5	0.5	0.17
Q347640	45.0	48.0	3.0	Di2	3.4	2						1	2				72	6	0.12	2.6	0.2	0.11
Q347641	48.0	51.0	3.0	Di1	0.5	1						1	2			strongly brkn w limon coatings from 49m-61.5m	119	6	0.15	3.3	0.2	0.12
Q347642	51.0	54.0	3.0	Di1	0.8	1						1	2				182	15	0.26	3.6	0.6	0.27
Q347643	54.0	57.0	3.0	Di1	0.8	1						1	2				271	15	0.33	2.7	0.7	0.27
Q347644	57.0	60.0	3.0	Di1	0.5	1						1	2				45	4	0.11	2.6	0.5	0.23
Q347645	60.0	63.0	3.0	Di1	1.1											gouge 61.5-64.5	68	3	0.08	3.5	0.7	0.12
Q347646	63.0	66.0	3.0	Di1	2.3												125	14	0.16	4.2	0.5	0.10
Q347647	66.0	69.0	3.0	Di1	0.9											continuous limonitic gouge/ cataclastite @ 68m-132 m, local intervals of semicompetent occasionally w.remnant jointing, competent fragments are f.g silic'd diorite w trc f.g sulphides	123	9	0.18	4.2	0.4	0.11
Q347648	69.0	72.0	3.0	Di1												gouge	164	12	0.51	30.8	0.3	0.88
Q347649	72.0	75.0	3.0	Di1	0.3											"	445	31	1.28	91.3	0.2	0.32
Q347651	75.0	78.0	3.0	Di1	0.7											gouge w.partly competent o/c at 76m-81m	471	11	0.38	5.7	0.2	0.10
Q347652	78.0	81.0	3.0	Di1	0.7											gouge w.partly competent o/c	355	10	0.27	6.3	0.8	0.06
Q347653	81.0	84.0	3.0	Di1	0.5											gouge	333	11	0.28	10.1	0.4	0.15
Q347654	84.0	87.0	3.0	Di1	0.4											gouge	444	12	0.20	2.8	1.0	0.14
Q347655	87.0	90.0	3.0	Di1	0.9											"	539	11	0.17	1.8	1.1	0.10
Q347656	90.0	93.0	3.0	Di1	0.5											"	620	22	0.20	2.6	1.0	0.16
Q347657	93.0	96.0	3.0	Di1	2.1											"	531	9	0.18	2.2	1.0	0.15
Q347658	96.0	99.0	3.0	Di1	0.6											"	346	13	0.23	4.6	0.5	0.20
Q347659	99.0	102.0	3.0	Di1	0.7											"	259	8	0.22	4.1	0.2	0.16
Q347660	102.0	105.0	3.0	Di1	0.6											"	490	18	0.46	4.4	0.3	0.59
Q347661	105.0	108.0	3.0	Di1	1.3											gouge, Sampled other side of Trench	323	15	0.23	8.3	0.5	0.41
Q347662	108.0	111.0	3.0	Di1	3.1											gouge, Sampled other side of Trench	318	11	0.20	5.0	0.4	0.10
Q347663	111.0	114.0	3.0	Di1	1.1											gouge	450	21	0.31	4.2	0.3	0.08
Q347664	114.0	117.0	3.0	Di1	1.9											remnant o/c within gouge	313	20	0.22	2.0	0.6	0.13
Q347665	117.0	120.0	3.0	Di1	2.3											remnant o/c within gouge	331	27	0.29	1.7	1.0	0.09
Q347666	120.0	123.0	3.0	Di1	1.7											gouge	331	18	0.24	1.7	0.4	0.18
Q347667	123.0	126.0	3.0	Di1	1.6											Sampled other side of Trench- n wall, qtz frags across 50 cm (brk vn) @ 125 m - N. wall, s wall in gouge	499	37	0.26	2.8	0.3	0.24

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347668	126.0	129.0	3.0	Di1	0.9											Sampled other side of Trench, s wall in gouge	215	21	0.16	1.3	0.5	0.26
Q347669	129.0	132.0	3.0	Di1	4.3											End of main gouge zone @ 132m, sampled other side of tr.	612	38	0.36	1.6	1.2	0.14
Q347670	132.0	135.0	3.0	Di1	3.3											v. brkn w. partial gouge from 132m to approx 171m	761	41	0.54	2.5	0.5	0.25
Q347671	135.0	138.0	3.0	Di1	8.3											"	624	11	0.28	1.9	0.8	0.09
Q347672	138.0	141.0	3.0	Di1	8.3											"	537	20	0.26	1.6	1.2	0.08
Q347673	141.0	144.0	3.0	Di1	3.4											"	436	20	0.22	1.7	0.4	0.14
Q347674	144.0	147.0	3.0	Va	2.7	1							1			v. brkn f.g silic. volcs	386	16	0.24	1.6	0.4	0.24
Q347676	147.0	150.0	3.0	Va	5.3	1										v. brkn f.g. silic. Volcs	321	9	0.16	1.5	0.5	0.09
Q347677	150.0	153.0	3.0	Di1	4.7											"	493	64	0.28	2.2	0.5	0.14
Q347678	153.0	156.0	3.0	Di1	0.6											"	658	35	0.41	3.0	0.5	0.09
Q347679	156.0	159.0	3.0	Di1	3.4											"	580	21	0.29	1.9	0.5	0.31
Q347680	159.0	162.0	3.0	Di1	1.7											"	1045	120	0.84	2.3	0.5	0.26
Q347681	162.0	165.0	3.0	Di1	1.6											"	699	207	1.06	3.9	0.4	0.29
Q347682	165.0	168.0	3.0	Di1	1.2											"	456	38	0.46	4.0	0.3	0.26
Q347683	168.0	171.0	3.0	Di1	0.7											"	425	33	0.55	2.6	0.2	0.15
Q347684	171.0	174.0	3.0	Di1	1.2	1						2	1				350	14	0.23	1.5	0.9	0.11
Q347685	174.0	177.0	3.0	Di1	2.3											mixed gouge and non-competent o/c	989	45	0.51	1.0	0.5	0.10
Q347686	177.0	180.0	3.0	Di1	0.5											"	482	44	0.53	2.3	0.2	0.12
Q347687	180.0	183.0	3.0	Di1	3.3							1	1			clear hb lath diorite, D2, wk epid, no sulph	142	9	0.09	1.4	0.2	0.14
Q347688	183.0	186.0	3.0	Di1	1.7							1	1			"	134	6	0.10	1.1	0.3	0.22
Q347689	186.0	189.0	3.0	Di1	5.7											gouge @ 187m-195m	933	43	0.72	0.7	0.4	0.08
Q347690	189.0	192.0	3.0	Di1	13.5											"	211	8	0.10	1.0	0.3	0.05
Q347691	192.0	195.0	3.0	Di1	17.3											"	276	14	0.14	4.6	0.2	0.06
Q347692	195.0	198.0	3.0	Di1	11.7	1							1			competent wkly silic'd f.g dio, trc f.g sulpides	201	16	0.12	0.7	0.4	0.05
Q347693	198.0	201.0	3.0	Di1	6.4	1							1			"	215	15	0.17	1.9	0.2	0.15
Q347694	201.0	204.0	3.0	Di1	5.7	1							1			"	260	28	0.29	1.7	0.3	0.07
Q347695	204.0	207.0	3.0	Di1	6.6	1							1			gouge	385	28	0.27	1.1	0.4	0.09
Q347696	207.0	210.0	3.0	Di1	3.3	1							1			202m-219m: mixed gouge w semicomp o/c, locally competent	292	21	0.24	1.6	0.4	0.22
Q347697	210.0	213.0	3.0	Di1	2.7	1							1			"	209	17	0.21	2.0	0.2	0.05
Q347698	213.0	216.0	3.0	Di1	1.1	1							1			"	448	33	0.35	3.1	0.1	0.07
Q347699	216.0	219.0	3.0	Di1	9.3	1							1			"	193	21	0.17	11.4	0.2	0.06
Q347701	219.0	222.0	3.0	Di1	12.2	1							1			219m-223m mainly competent w partial gouge/semi-compet. o/c	185	11	0.13	1.2	0.3	0.16
Q347702	222.0	225.0	3.0	Di1	9.2												180	11	0.11	1.5	0.2	0.07
Q347703	225.0	228.0	3.0	Di1	9.4											Trench DI-07 was difficult to obtain geological interpretation due to the extent of overall rock gouge/cataclastite throughout most of the trench	126	5	0.07	1.1	0.2	0.07

Dillard Property **Trench: T14-08**

2014 Trenching

East	North	Elevation	Sample Direction
685197	5513667	1509	West to East

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347704	0.0	3.0	3.0	V	3.1	1					4	1	1				1225	13	0.39	7.1	0.6	0.13
Q347705	3.0	6.0	3.0	V	5.5	1						1	1				890	28	0.34	2.6	0.4	0.13
Q347706	6.0	9.0	3.0	V	12.4											9m-36m: pervasive mixed till/gouge, difficult to distinguish, strongly brkn w locally compet. F.g volcanic frags	757	48	0.25	2.5	0.6	0.10
Q347707	9.0	12.0	3.0	V	15.9											"	1385	18	0.22	3.7	0.7	0.08
Q347708	12.0	15.0	3.0	V	12.6											"	959	29	0.32	3.5	0.9	0.05
Q347709	15.0	18.0	3.0	V	18.2											"	585	38	0.17	3.2	0.4	0.05
Q347710	18.0	21.0	3.0	V	18.5											"	425	11	0.11	3.6	0.3	0.04
Q347711	21.0	24.0	3.0	V	11.7		diss (<1%)			3	4					"	551	12	0.23	2.8	0.2	0.08
Q347712	24.0	27.0	3.0	V	3.3											"	357	13	0.14	2.4	0.3	0.03
Q347713	27.0	30.0	3.0	V	15.4											"	495	5	0.23	2.2	0.2	0.05
Q347714	30.0	33.0	3.0	V	14.5	1						1	1			"	415	2	0.19	2.0	0.2	0.05
Q347715	33.0	36.0	3.0	V	7.2											"	311	4	0.11	3.5	0.2	0.05
Q347716	36.0	39.0	3.0	V	8.0	1						1	1			v. brkn, silic f.g volcs, trc py, 36m-46m	232	6	0.11	3.5	0.2	0.08
Q347717	39.0	42.0	3.0	V	3.1	1						1	1			"	296	7	0.10	3.3	0.3	0.02
Q347718	42.0	45.0	3.0	V	3.2	1						1	1			"	190	11	0.08	2.5	0.4	0.04
Q347719	45.0	48.0	3.0	V	0.3	1	diss (<1%)				3	1	1			gouge 46m-48m	525	19	0.56	94.3	0.5	0.07
Q347720	48.0	51.0	3.0	V	0.4	1						1	1			strongly brk f.g volcs, limonitic , strong limon/hem induration	340	6	0.32	36.8	0.5	0.06
Q347721	51.0	54.0	3.0	V	0.5	1						1	1				468	3	0.39	45.1	0.4	0.08
Q347722	54.0	57.0	3.0	V	1.0											limonitic gouge 54m-58.5m	860	6	0.61	51.2	0.5	0.05
Q347723	57.0	60.0	3.0	V	1.4											58.5m-65m: fresh v.brkn volcs overlain by 0.5m-0.8m limon. Gouge	853	4	0.47	7.0	0.2	0.06
Q347724	60.0	63.0	3.0	V	2.1		diss (<1%)	tr		1	1					"	913	12	0.36	11.0	0.3	0.15
Q347726	63.0	66.0	3.0	V	5.3											gouge in gully @65m-72m	692	5	0.23	4.1	0.2	0.15
Q347727	66.0	69.0	3.0	V	4.1											"	869	6	0.31	4.9	0.3	0.18
Q347728	69.0	72.0	3.0	V	0.3											"	1350	18	0.89	22.6	1.2	0.08
Q347729	72.0	75.0	3.0	V	3.8											start of steeper slope	788	19	0.38	3.3	1.6	0.07
Q347730	75.0	78.0	3.0	V	3.5												631	10	0.22	6.5	0.9	0.06
Q347731	78.0	81.0	3.0	V	12.1	2							2			prominent o/c of mod. Silic'd volcs @ 79m -85m, sporadic 1-2mm qtz vnlts w assoc conspic cpy, py blebs, mal, trc bornite	1010	17	0.20	3.6	0.8	0.04
Q347732	81.0	84.0	3.0	V	20.0	2	diss (<1%)	tr	<1%				2			"	679	15	0.22	1.5	0.8	0.06
Q347733	84.0	87.0	3.0	V	4.4	1							2			mod silic'd D2 diorite @ 85m-88m, no sulph, non-magnetic	159	37	0.06	1.0	0.3	0.07
Q347734	87.0	90.0	3.0	V	3.1	2							2				548	4	0.18	2.2	0.4	0.02
Q347735	90.0	93.0	3.0	V	8.0	2							2			local strong cpy +/- mal, azur.	1665	44	1.84	1.7	0.7	0.32
Q347736	93.0	96.0	3.0	V	3.6	2	diss (1%)	tr	FC				2			volcanic/dio contact @ 94m, intense malachite, 5% cpy at contact	1595	9	1.26	1.5	0.1	0.09
Q347737	96.0	99.0	3.0	Di1	0.9	1							2				273	14	0.18	1.2	0.1	0.01
Q347738	99.0	102.0	3.0	Di1	1.0	1							2				411	2	0.14	0.9	0.2	0.03

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347739	102.0	105.0	3.0	V	8.3	1	diss (1%)	tr	<1%	3	4		1				616	7	0.34	4.2	0.7	0.06
Q347740	105.0	108.0	3.0	V	4.7								1			v. brkn, almost gouge	803	79	0.33	5.6	0.6	0.09
Q347741	108.0	111.0	3.0	V	5.7		diss (<1%)	tr		1	4		1			"	1095	17	0.28	1.5	0.5	0.05
Q347742	111.0	114.0	3.0	V	6.3								1			", trc cpy, mal azurite@ 112m	1500	3	0.58	1.3	0.2	0.11
Q347743	114.0	117.0	3.0	Bx	7.1	2						2	2			pale green fg volcs, mod-strg Mn, Limon coatings, perv cb, seric, chlor in groundmass, local mal patches/spots, trc f'g py, cpy, wk-strongly magnetic, abundant wht-pinkish gypsum vnlts, breccia texture is indistinct	1310	2	0.92	1.7	0.2	0.06
Q347744	117.0	120.0	3.0	V	15.9	1						2	1			gouge 118m-119m	631	2	0.43	1.8	0.3	0.06
Q347745	120.0	123.0	3.0	V	17.3	1						2	1			fine cb fract coatings +- hem	752	5	0.21	1.6	0.6	0.07
Q347746	123.0	126.0	3.0	V	16.6	1						2	1				602	3	0.28	1.6	0.3	0.03
Q347747	126.0	129.0	3.0	V	18.2	1	diss (1%)	tr		3	4	2	1				417	2	0.27	1.9	0.2	0.06
Q347748	129.0	132.0	3.0	V	19.2	1						2	1				409	3	0.24	2.3	0.4	0.06
Q347749	132.0	135.0	3.0	V	14.8	1						2	1				316	3	0.17	4.5	0.5	0.13
Q347751	135.0	138.0	3.0	v	3.1	2						2	2				650	4	0.29	9.2	0.5	0.19
Q347752	138.0	141.0	3.0	v	1.6	2						2	2				724	7	0.36	2.7	1.1	0.19
Q347753	141.0	144.0	3.0	v	0.3	2						2	2				836	10	0.56	86.1	0.4	0.06
Q347754	144.0	147.0	3.0	v	0.3											gouge @ 146m-158m	420	3	0.13	38.3	0.2	0.07
Q347755	147.0	150.0	3.0	v	0.3											gouge @ 146m-158m	800	6	0.51	81.4	0.2	0.22
Q347756	150.0	153.0	3.0	v	0.2		tr	tr	<1%							gouge @ 146m-158m	703	5	0.16	19.4	0.4	0.04
Q347757	153.0	156.0	3.0	v	0.2											gouge @ 146m-158m	522	8	0.10	4.9	0.7	0.03
Q347758	156.0	159.0	3.0	v	0.9											gouge @ 146m-158m	515	10	0.16	7.5	0.6	0.09
Q347759	159.0	162.0	3.0	v	3.2	1						2	1			20 cm msv silic'd band @ 158m	607	10	0.13	6.8	0.9	0.06
Q347760	162.0	165.0	3.0	v	5.6	1						1	1				546	43	0.48	2.5	0.7	0.41
Q347761	165.0	168.0	3.0	v	10.7	1						1	1				495	7	0.47	3.2	0.8	0.07
Q347762	168.0	171.0	3.0	v	3.9	1						1	1			D2 diorite band @ 170m-173m , faulting @ 173m-174m	245	2	0.08	1.7	0.8	0.03
Q347763	171.0	174.0	3.0	v	13.9	1	FC (3%)	tr	tr		1	1	1				329	3	0.09	1.1	0.6	0.09
Q347764	174.0	177.0	3.0	v	38.1	1						1	1				349	43	0.08	1.3	1.3	0.05
Q347765	177.0	180.0	3.0	v	28.0	1						1	1				475	5	0.13	1.8	1.1	0.09
Q347766	180.0	183.0	3.0	v	15.9	1						1	1				761	5	0.25	1.1	1.1	0.12
Q347767	183.0	186.0	3.0	v	11.9	1						1	1				366	3	0.29	1.3	0.6	0.11
Q347768	186.0	189.0	3.0	v	13.2	1						1	1				413	4	0.30	1.5	0.7	0.05
Q347769	189.0	192.0	3.0	Bx	7.4	2						2				Breccia zone: approx. 189m-199m: v brkn w strg hem coatings, crowded pinkish (k-spar) subang frags sub mm to 1-3 cms, matrix supported (chlor, cb, gypsum), breccia texture often oscured by rock breakage	882	2	0.99	1.3	0.2	0.08
Q347770	192.0	195.0	3.0	Bx	2.3	2						2					1650	2	2.47	1.2	0.1	0.09
Q347771	195.0	198.0	3.0	Bx	1.1	2	diss (<1%)	tr	tr		2	2					903	2	0.89	1.5	0.2	0.08
Q347772	198.0	201.0	3.0	v	1.5												1085	4	1.24	1.4	0.2	0.04
Q347773	201.0	204.0	3.0	v	9.1												406	4	0.33	1.4	0.3	0.09
Q347774	204.0	207.0	3.0	v	18.7												523	3	0.18	1.7	0.3	0.02
Q347776	207.0	210.0	3.0	Di1	9.5							2	2			malachite trc	751	3	0.29	1.7	0.2	0.03
Q347777	210.0	213.0	3.0	v	11.6	1			<1%	3	3						577	3	0.27	1.8	0.5	0.08

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347778	213.0	216.0	3.0	v	1.8	1											1050	3	0.39	12.2	0.3	0.04
Q347779	216.0	219.0	3.0	v	2.5	1											1230	3	0.59	2.6	0.3	0.02
Q347780	219.0	222.0	3.0	v	0.5	1											1030	5	0.57	13.2	0.3	0.01
Q347781	222.0	225.0	3.0	v	1.1											mixed gouge and non-comp o/c @ 222m-223m, gouge 223-225m	275	1	0.05	1.8	0.3	0.01
Q347782	225.0	228.0	3.0	Di1	6.8	1						1	2			D1 to D-2, locally D3	269	3	0.09	1.2	0.3	0.04
Q347783	228.0	231.0	3.0	Di1	1.2	1						1	2				203	10	0.07	2.6	0.3	0.03
Q347784	231.0	234.0	3.0	Di2	0.6	1				2	1	1	2			Qtz veinlet	197	55	0.09	4.8	0.5	0.06
Q347785	234.0	237.0	3.0	Di1	0.5	1						1	2				272	153	0.15	1.8	0.8	0.10
Q347786	237.0	240.0	3.0	Di1		1						1	2			till filling @ 237m-243m	284	12	0.12	5.5	0.5	0.05
Q347787	240.0	243.0	3.0	Di1		1						1	2				394	7	0.14	1.5	0.5	0.06
Q347788	243.0	246.0	3.0	Di2	3.5	1						1	2				199	6	0.09	1.4	0.3	0.06
Q347789	246.0	249.0	3.0	Di2	8.1	1						1	2				412	4	0.21	2.5	0.6	0.16
Q347790	249.0	252.0	3.0	Di2	2.6	1						1	2				125	4	0.05	7.6	0.2	0.04
Q347791	252.0	255.0	3.0	Di2	2.1	1						1	2				97	2	0.04	1.4	0.3	0.04
Q347792	255.0	258.0	3.0	Di2	0.6	1	diss (tr)			1	1	1	2			gouge 257m - 260m	90	2	0.03	2.2	0.4	0.01
Q347793	258.0	261.0	3.0	Di2	0.2	1						1	2				181	17	0.03	3.0	0.6	<0.01
Q347794	261.0	264.0	3.0	Di2	0.2	1						1	2				202	68	0.04	5.8	1.0	0.01
Q347795	264.0	267.0	3.0	Di2	0.8	1						1	2				90	2	0.02	2.9	0.4	0.01
Q347796	267.0	270.0	3.0	Di2	1.9	1						1	2				83	5	0.03	1.9	0.4	0.02
Q347797	270.0	273.0	3.0	Di2	4.1	1						1	2				174	6	0.08	2.7	0.5	0.09
Q347798	273.0	276.0	3.0	Di2	3.7	1						1	2				94	4	0.03	1.4	0.9	0.01
Q347799	276.0	279.0	3.0	V	15.6	1							1			dio/volc contact at 277m	230	12	0.10	1.2	1.0	0.03
Q347801	279.0	282.0	3.0	v	4.6	1				1			1				297	10	0.07	1.7	1.0	0.01
Q347802	282.0	285.0	3.0	v	4.4	1							1				306	24	0.05	2.8	0.8	0.01
Q347803	285.0	288.0	3.0	v	5.0	1							1				316	12	0.13	2.9	1.1	0.07
Q347804	288.0	291.0	3.0	v	9.1	1							1				233	6	0.13	2.7	0.8	0.07
Q347805	291.0	294.0	3.0	v	14.1	1							1				225	3	0.10	3.1	0.7	0.04
Q347806	294.0	297.0	3.0	v	11.0	1							1				248	8	0.05	3.7	1.1	0.02
Q347807	297.0	300.0	3.0	v	0.3	1							1				254	2	0.02	3.6	1.5	0.02
Q347808	300.0	303.0	3.0	v	0.4	1							1				445	9	0.08	21.4	1.1	0.03
Q347809	303.0	306.0	3.0	v	3.7	1	diss (1%)	tr		3	1		1				439	4	0.06	9.6	0.9	0.05
Q347810	306.0	309.0	3.0	v	11.0	1							1				407	3	0.10	3.5	1.2	0.10
Q347811	309.0	312.0	3.0	v	9.8	1							1				519	10	0.16	2.7	1.2	0.05
Q347812	312.0	315.0	3.0	v	7.7	1							1				289	4	0.07	3.4	1.0	0.05
Q347813	315.0	318.0	3.0	v	11.8	1							1				239	6	0.06	3.4	1.3	0.05
Q347814	318.0	321.0	3.0	v	12.6	1							1				228	10	0.06	2.3	1.5	0.04
Q347815	321.0	324.0	3.0	v	3.2	1					1		1				306	11	0.10	1.6	1.7	0.04

Dillard Property **Trench: T14-09**

2014 Trenching

East	North	Elevation	Sample Direction
685656	5513633	1535	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347816	0.0	3.0	3.0	Va	21.0		diss (tr)	tr		3	4	1	2	0	0.3		172	8	0.35	6.3	0.5	0.26
Q347817	3.0	6.0	3.0	Va	21.5							1	2	0.9	1.1		155	5	0.27	4.8	0.6	0.25
Q347818	6.0	9.0	3.0	Va	6.3							1	2	0.8	1.1		110	5	0.12	4.5	0.5	0.13
Q347819	9.0	12.0	3.0	Va	10.4							1	2	0.2	0.5		323	14	0.62	3.7	0.1	0.15
Q347820	12.0	15.0	3.0	Va	12.4							1	2	0.3	0.8		132	19	0.23	3.8	0.1	0.17
Q347821	15.0	18.0	3.0	Va	10.3							1	2	0.8	1		85	4	0.12	3.4	0.1	0.16
Q347822	18.0	21.0	3.0	Di2	11.2		diss (tr)					1		0.4	0.8	fresh D2 diorite	72	1	0.07	1.7	0.4	0.06
Q347823	21.0	24.0	3.0	Va	4.2							1	2		1.3	No Sample from 22.5 to 23 (poor exposure)	144	3	0.11	3.3	0.8	0.14
Q347824	24.0	27.0	3.0	Va	7.3							1	2	0.9	1.2	No Sample from 25.5 to 27 "	102	3	0.13	3.8	0.7	0.15
Q347826	27.0	30.0	3.0	Va	13.6							2		1	1.5		110	4	0.20	2.9	0.5	0.39
Q347827	30.0	33.0	3.0	Va	11.6									1.5	1.5	poor exposure	74	2	0.04	2.2	1.6	0.02
Q347828	33.0	36.0	3.0	Va	2.3								2	0.9	1.5		108	3	0.11	2.4	0.6	0.46
Q347829	36.0	39.0	3.0	Va	9.8		diss (tr)	tr		2	3	1	2	1	1.5	very brkn @37m-39m, part gouge	225	5	0.16	2.5	0.3	0.12
Q347830	39.0	42.0	3.0	Va	20.2							2	2	0.6	1.4		182	4	0.19	3.0	0.6	0.09
Q347831	42.0	45.0	3.0	Va	26.6							1	2	1	1.4		368	10	0.30	4.5	1.4	0.14
Q347832	45.0	48.0	3.0	Di2	10.2							1	2	0.6	1	fresh D2 diorite @46.5-52m	210	5	0.26	3.5	0.9	0.06
Q347833	48.0	51.0	3.0	Di2	12.7							1	2	0.6	0.8		77	2	0.11	3.8	0.5	0.01
Q347834	51.0	54.0	3.0	Va	8.4							1	2	1.2	1.5		378	15	0.25	2.2	2.0	0.03
Q347835	54.0	57.0	3.0	Va	1.2							1	2	0.9	1.2		133	3	0.12	4.7	1.0	0.17
Q347836	57.0	60.0	3.0	Va	3.8		diss (<1%)	tr		3		1	2	0.7	1		214	9	0.34	3.7	1.0	0.38
Q347837	60.0	63.0	3.0	Va	9.1							1	2	0.8	1.2		184	6	0.17	3.2	1.0	0.07
Q347838	63.0	66.0	3.0	Va	3.9							1	2	0.9	1.5		156	3	0.15	3.2	1.3	0.02
Q347839	66.0	69.0	3.0	Va	2.1							1	2	1	1.4		220	3	0.11	3.6	1.4	0.04
Q347840	69.0	72.0	3.0	Va	1.2							1	2	0.9	1.3		241	6	0.17	3.0	1.7	0.06
Q347841	72.0	75.0	3.0	Va	1.4							1	2	0.8	1.3		164	4	0.13	2.8	1.7	0.02
Q347842	75.0	78.0	3.0	Va	6.7							1	2	1	1.5		345	11	0.19	2.3	1.9	0.04
Q347843	78.0	81.0	3.0	Va	6.3							1	2	1.2	1.5		303	20	0.26	3.2	1.8	0.05
Q347844	81.0	84.0	3.0	Va	7.6		diss (tr)	tr		1	2	1	2	0.8	1.1		354	4	0.16	2.3	1.4	0.06
Q347845	84.0	87.0	3.0	Va	10.9							1	2	0.3	1.5		592	14	0.26	3.0	1.7	0.04
Q347846	87.0	90.0	3.0	Va	2.0							1	2	0.6	1		472	8	0.15	2.7	1.5	0.03
Q347847	90.0	93.0	3.0	Va	2.6							1	2	0.5	0.8		421	9	0.13	3.0	1.7	0.02
Q347848	93.0	96.0	3.0	Va	1.1							1	2	0.6	1.4	gouge w local semi-compet o/c @ 94.5m-106m	631	10	0.17	5.3	1.6	0.01
Q347849	96.0	99.0	3.0	Va	0.2							1	2	1.6	2.3	gouge w local semi-compet o/c @ 94.5m-106m	1015	12	0.52	78.7	0.7	<0.01
Q347851	99.0	102.0	3.0	Va	0.3							1	2	1.4	2.1	gouge	963	12	0.84	23.8	1.0	<0.01
Q347852	102.0	105.0	3.0	Va	0.9							1	2	1.4	2	gouge	415	9	0.12	4.7	1.4	<0.01
Q347853	105.0	108.0	3.0	Va	3.2		diss (tr)			1	3	1	2	1.2	1.8		451	20	0.23	4.0	1.0	0.04
Q347854	108.0	111.0	3.0	Va	7.9							1	2	0.6	1.3		389	26	0.15	5.3	1.0	0.04
Q347855	111.0	114.0	3.0	Va	5.4							1	2	0.4	0.8	gouge @ 111.5m-117m	362	18	0.21	7.7	1.2	0.06
Q347856	114.0	117.0	3.0	Va	1.4							1	2	0.6	1		304	11	0.13	4.1	0.9	0.04
Q347857	117.0	120.0	3.0	Va	1.1							1	2	0.7	1		445	43	0.26	3.8	1.0	0.10

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347858	120.0	123.0	3.0	Va	1.3		diss (1%)			2	0.5	1	2	0.5	1		246	8	0.16	3.5	0.8	0.19
Q347859	123.0	126.0	3.0	Va	0.8							1	2	0.5	1.5	125m-137m: mixed gouge w. locally competent o/c	476	15	0.20	22.1	0.8	0.12
Q347860	126.0	129.0	3.0	Va	0.3							1	2	0.7	1		650	13	0.41	62.6	1.2	0.01
Q347861	129.0	132.0	3.0	Va	0.3							1	2				374	61	0.56	50.8	1.9	<0.01
Q347862	132.0	135.0	3.0	Va	0.3							1	2				353	45	0.25	34.3	1.5	<0.01
Q347863	135.0	138.0	3.0	Va	2.0							1	2				382	13	0.36	15.0	1.4	0.04
Q347864	138.0	141.0	3.0	Va	2.4							1	2				140	6	0.06	3.8	0.5	0.01
Q347865	141.0	144.0	3.0	Va	7.0							1	2				157	7	0.06	4.9	0.9	<0.01
Q347866	144.0	147.0	3.0	Va	5.6		diss (tr)			2	1	1	2				124	6	0.05	4.2	0.7	0.01
Q347867	147.0	150.0	3.0	Va	2.0							1	2			147m-149m: gouge	149	2	0.06	4.4	0.3	0.01
Q347868	150.0	153.0	3.0	Va	4.8							1	2			149m-159m: broken limonitic o/c, partly gouge	109	3	0.02	3.8	0.4	0.01
Q347869	153.0	156.0	3.0	Va	5.3							1	2				328	12	0.16	4.6	0.4	0.04
Q347870	156.0	159.0	3.0	Va	2.7							1	2				281	5	0.08	7.9	0.4	0.01
Q347871	159.0	162.0	3.0	Till	11.1												163	6	0.10	4.4	0.6	0.06
Q347872	162.0	165.0	3.0	Till	6.6												451	9	0.19	3.7	1.0	0.21
Q347873	165.0	168.0	3.0	Till	9.8		diss (tr)	tr		1	3						444	6	0.14	3.3	0.7	0.04
Q347874	168.0	171.0	3.0	Till													383	7	0.14	3.9	0.9	0.07
Q347876	171.0	174.0	3.0	Till	4.5												234	4	0.12	4.0	0.8	0.08
Q347877	174.0	177.0	3.0	Till	12.8											50% bedrock: 50% Till - Only rock sampled.	192	3	0.11	3.7	0.9	0.16
Q347878	177.0	180.0	3.0	Till	8.4											60% bedrock: 40% Till - Only rock sampled.	128	3	0.06	3.3	0.6	0.04

Dillard Property **Trench: T14-10**

2014 Trenching

East	North	Elevation	Sample Direction
685416	5513351	1579	East to West

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347879	0.0	3.0	3.0	Va	11.2					1	4	1	1	0	0.2		16	1	0.03	3.7	0.4	0.01
Q347880	3.0	6.0	3.0	Va	11.9							1	1	0	0.3		23	1	0.02	2.8	0.7	0.01
Q347881	6.0	9.0	3.0	Va	18.8							1	1	0.1	0.3		67	7	0.07	2.4	0.5	0.01
Q347882	9.0	12.0	3.0	Va	10.7							1	1	0	0.3		29	3	0.03	2.8	1.3	0.01
Q347883	12.0	15.0	3.0	Va	12.9							1	1	0.1	0.5		14	1	0.02	2.7	1.2	0.01
Q347884	15.0	18.0	3.0	Va	10.5							1	1	0	0.2		36	2	0.03	2.9	0.9	0.02
Q347885	18.0	21.0	3.0	Va	3.9							1	1	0.3	1		152	1	0.26	2.8	0.5	0.37
Q347886	21.0	24.0	3.0	Va	20.3		diss (1%)	tr		1	3	1	1	0.3	0.9		115	3	0.24	3.4	0.5	0.33
Q347887	24.0	27.0	3.0	Va	13.2		FC (1%)			3	1	1	1	0.6	0.8		39	1	0.05	2.9	0.9	0.05
Q347888	27.0	30.0	3.0	Va	14.4							1	1		0.6	poor exposure	173	1	0.15	2.2	0.6	0.17
Q347889	30.0	33.0	3.0	Va	20.9							1	1		0.6	"	117	1	0.09	2.5	0.5	0.10
Q347890	33.0	36.0	3.0	Va	15.8							1	1		0.5	"	202	7	0.15	2.5	0.8	0.09
Q347891	36.0	39.0	3.0	Va	16.9							1	1	0.4	0.8		139	4	0.11	2.0	0.7	0.09
Q347892	39.0	42.0	3.0	Va	17.5							1	1	0.7	1		94	2	0.04	1.9	0.8	0.04
Q347893	42.0	45.0	3.0	Va	14.4							1	1	0.4	0.7		105	2	0.04	2.1	0.5	0.03
Q347894	45.0	48.0	3.0	Va	20.9							1	1	0.5	0.9	gully/depression from 48m-60m	112	2	0.06	2.0	0.9	0.07
Q347895	48.0	51.0	3.0	Va	37.4							1	1	0.4	0.9		473	7	0.35	2.1	0.9	0.04
Q347896	51.0	54.0	3.0	Va		1						1	1	2.1	2.5		298	5	0.19	2.6	0.8	0.23
Q347897	54.0	57.0	3.0	Till									1		2.5	Till-filled at base of gully, no o/c, possible fault	421	5	0.17	2.2	0.4	0.10
Q347898	57.0	60.0	3.0	Till									1		2.5		584	41	0.28	3.0	0.5	0.11
Q347899	60.0	63.0	3.0	Va	25.1	1						2	1	2.3	2.5	62.5m-63.5m: strongly fract'd volcs, wk-mod perv epid., sporadic blebs cpy + trc born., sparry gypsum 0.5- 1.5 cm vnlts across 10 cm, @ 62.8m w cpy blebs, malachite stained throughout, no py	390	3	0.22	2.1	0.4	0.09
Q347901	63.0	66.0	3.0	Va	30.3	1	diss (<1%)	tr	<1%	3	4	1	1	2.3	2.5		512	3	0.39	2.9	1.4	0.05
Q347902	66.0	69.0	3.0	Va	19.9	1						1	1				217	3	0.16	2.7	0.8	0.03
Q347903	69.0	72.0	3.0	Va	11.8	1						1	1			69m-79m, gouge, brkn comp o/c @ 73m-76m	322	4	0.23	13.0	0.8	0.02
Q347904	72.0	75.0	3.0	Va	8.4	1						1	1	0.5	1		200	2	0.10	3.9	0.9	0.01
Q347905	75.0	78.0	3.0	Va	8.9	1						1	1	0.6	0.9		309	4	0.27	3.1	0.6	0.11
Q347906	78.0	81.0	3.0	Va	8.3	1						1	1	0.6	0.9		380	0	0.15	3.0	0.4	0.01
Q347907	81.0	84.0	3.0	Va	10.0	1	diss (<1%)	tr	<1%	3	3	1	1	0.4	0.8		557	1	0.37	2.6	0.3	0.07
Q347908	84.0	87.0	3.0	Va	9.6	1						1	1	0.5	0.6	o/c in floor	822	2	0.55	2.3	0.3	0.03
Q347909	87.0	90.0	3.0	Va	18.6	1						1	1	0.3	0.7	malachite coatings @ 87m-90m, fg cpy on fract's @ 88m	1100	4	1.31	2.6	0.3	0.04
Q347910	90.0	93.0	3.0	Va	16.0	1						1	1	0.4	0.7		270	3	0.15	2.3	0.8	0.02
Q347911	93.0	96.0	3.0	Di2	11.8	1							2	0.5	0.7	diorite @ 95m-99m, qtz flooded @ 95m-96m w chlor, cb, gypsum vnlts, trc py, cpy, as blebs/fine fract fills, mal.	1695	2	1.34	2.0	0.7	0.02
Q347912	96.0	99.0	3.0	Di2	3.7								2	0.2	0.5		471	1	0.28	0.9	0.2	0.01
Q347913	99.0	102.0	3.0	Va	14.2	1	diss (<1%)	tr	tr	1			1	0.4	0.6		281	2	0.11	2.7	0.2	0.01
Q347914	102.0	105.0	3.0	Va	24.9	1							1	0.1	0.5		176	2	0.06	2.0	0.4	0.01
Q347915	105.0	108.0	3.0	Va	28.3	1							1	0.2	0.5		343	5	0.15	1.0	0.7	0.05

Sample Number	From (m)	To (m)	Int (m)	Rock Code	Suscep	% Total Sulphides	Py	Cpy	Mal	Ep alt	Mag	Epidote/ Hematite/ chlorite	Silica	OB Depth	Trench Depth	Notes	Cu ppm	Au ppb	Ag ppm	As ppm	%K	%S
Q347916	108.0	111.0	3.0	Va	32.2	1							1	0	0.3		400	5	0.24	2.3	0.7	0.04
Q347917	111.0	114.0	3.0	Va	35.8	1							1	0.4	0.7		290	5	0.09	1.6	1.0	0.01
Q347918	114.0	117.0	3.0	Va	26.4	1							1	0.1	0.5		307	6	0.16	1.6	0.9	0.04
Q347919	117.0	120.0	3.0	Va	23.3	1				1	4		1	0.3	0.4		455	15	0.13	1.4	1.2	0.03

2014 Trenching Programs
Geological Legend

Abbreviation	Item
NS	No Sample
O/C	Outcrop
go	gouge
Di1	Micro Diorite
Di2	Fg Diorite
Di3	Cg Diorite
V	Undifferentiate Volcanics
Va	Fine-grained volcanics
FP	Feldspar Porphyry
HP	Hornblende Porphyry
HD	Hornblendite
Silic	Quartz/Silicified Rock
Bx	Breccia
OB	Till

Fg	Fine Grained
Mg	Medium Grained
Cg	Coarse Grained



Figure 1:
Dillard Property 2014 Trenching
Trenches T14-01 and T14-02
Plan View Sampling and Geology
Scale 1:1000



Figure 2:
Dillard Property 2014 Trenching
Trenches T14-03 and T14-04
Plan View Sampling and Geology
Scale 1:1000



Figure *:
Dillard Property 2014 Trenching
Trenches T14-05 and T14-06
Plan View Sampling and Geology
Scale 1:1000



Figure *:
Dillard Property 2014 Trenching
Trenches T14-06 and T14-07
Plan View Sampling and Geology
Scale 1:1000



Figure *:
Dillard Property 2014 Trenching
Trench T14-08
Plan View Sampling and Geology
Scale 1:1000



Figure *:
Dillard Property 2014 Trenching
Trench T14-09
Plan View Sampling and Geology
Scale 1:1000



Figure *:
Dillard Property 2014 Trenching
Trench T14-10
Plan View Sampling and Geology
Scale 1:1000

2014 Trenching Program
Susceptibility Readings

Trench-ID	Interval	Suscep
T14-01-a	1	4.5
T14-01-a	2	15.5
T14-01-a	3	7.2
T14-01-a	4	1.4
T14-01-a	5	0.3
T14-01-a	6	0.4
T14-01-a	7	0.6
T14-01-a	8	2.7
T14-01-a	9	1.4
T14-01-a	10	4.8
T14-01-a	11	2.3
T14-01-a	23	0.6
T14-01-a	24	1.2
T14-01-a	25	5.7
T14-01-a	26	2.5
T14-01-a	27	1.2
T14-01-a	28	3.9
T14-01-a	29	0.9
T14-01-a	30	1.1
T14-01-a	31	2.2
T14-01-a	32	0.6
T14-01-a	33	9.7
T14-01-a	34	14.8
T14-01-a	35	12.3
T14-01-a	36	7
T14-01-a	37	18
T14-01-a	38	5.3
T14-01-a	39	26.1
T14-01-a	40	9.3
T14-01-a	41	20.1
T14-01-a	42	13.5
T14-01-a	43	2.9
T14-01-a	44	2.4
T14-01-a	45	1.5
T14-01-a	46	8.1
T14-01-a	47	18.8
T14-01-a	48	9.9
T14-01-a	49	6.7
T14-01-a	50	17.2
T14-01-a	51	4.3
T14-01-a	52	10.3
T14-01-a	53	13.9
T14-01-a	54	20.7
T14-01-a	55	3.9
T14-01-a	56	0.4
T14-01-a	57	0.5
T14-01-a	58	11.9
T14-01-a	59	1.1
T14-01-a	60	8.7
T14-01-a	61	1.8
T14-01-a	62	1.3
T14-01-a	63	3.6
T14-01-a	64	2.8
T14-01-a	65	3.9
T14-01-a	66	2.7
T14-01-a	67	0.9
T14-01-a	68	0.3
T14-01-a	69	5.2
T14-01-a	70	0.8
T14-01-a	71	3.6
T14-01-a	72	4.7
T14-01-b	0	11.6
T14-01-b	1	9
T14-01-b	2	10.4
T14-01-b	3	4.6
T14-01-b	4	26
T14-01-b	5	13.7
T14-01-b	6	18.3
T14-01-b	7	13.8
T14-01-b	8	15.1
T14-01-b	9	4.9
T14-01-b	10	8.5
T14-01-b	11	10.3
T14-01-b	12	28.1
T14-01-b	13	14.5
T14-01-b	14	9.6
T14-01-b	15	7.8
T14-01-b	16	16.2
T14-01-b	17	7.3
T14-01-b	18	2.4
T14-01-b	19	16
T14-01-b	20	7.5
T14-01-b	21	17.2
T14-01-b	22	22.7
T14-01-b	23	9.5
T14-01-b	24	8.9
T14-01-b	25	0.4
T14-01-b	26	0.2
T14-01-b	27	7.9
T14-01-b	28	9.6
T14-01-b	29	14.3
T14-01-b	30	10.2
T14-01-b	31	9.2
T14-01-b	32	12.1
T14-01-b	33	13
T14-01-c	1	2.7
T14-01-c	2	18.2
T14-01-c	3	1.7
T14-01-c	4	3
T14-01-c	5	1.8
T14-01-c	6	2.2
T14-01-c	7	17
T14-01-c	8	15.9
T14-01-c	9	7.3
T14-01-c	10	10.1
T14-01-c	11	7.8
T14-01-c	12	4.8
T14-01-c	13	11.4
T14-01-c	14	24.1
T14-01-c	15	11.7
T14-01-c	16	14.3
T14-01-c	17	16.5
T14-01-c	18	9
T14-01-c	19	10
T14-01-c	20	2.8
T14-01-c	21	16.1
T14-01-c	22	7.6
T14-01-c	23	29.2
T14-01-c	24	25
T14-01-c	25	16.6
T14-01-c	26	10.1
T14-01-c	27	10.1
T14-01-c	28	1.4
T14-01-c	29	1.4
T14-01-c	30	5
T14-01-c	31	5.8
T14-01-c	32	9.3
T14-01-c	33	8.1
T14-01-c	34	11.8

Trench-ID	Interval	Suscep
T14-01-c	35	4.3
T14-01-c	36	8.5
T14-01-c	37	16.2
T14-01-c	38	16.4
T14-01-c	39	4.6
T14-01-c	40	10.8
T14-01-c	41	7.1
T14-01-c	42	5.7
T14-01-c	43	7.2
T14-01-c	44	15.2
T14-01-c	45	8.5
T14-01-c	46	15.5
T14-01-c	47	3
T14-01-c	48	8.7
T14-01-c	49	10
T14-01-c	50	17.5
T14-01-c	51	18.5
T14-01-c	52	12.6
T14-01-c	53	6.7
T14-01-c	54	3.8
T14-01-c	55	5.9
T14-01-c	56	18
T14-01-c	57	2.7
T14-01-d	0	0.3
T14-01-d	1	3.1
T14-01-d	2	5.3
T14-01-d	3	14.3
T14-01-d	4	7
T14-01-d	5	0.6
T14-01-d	6	0.5
T14-01-d	7	0.8
T14-01-d	8	10
T14-01-d	9	2
T14-01-d	10	11.3
T14-01-d	11	2.2
T14-01-d	12	0.8
T14-01-d	13	10.9
T14-01-d	14	16.6
T14-01-d	15	13
T14-01-d	16	4.6
T14-01-d	17	11.6
T14-01-d	18	8.9
T14-01-d	19	3.9
T14-01-d	20	13.5
T14-01-d	21	12.8
T14-01-d	22	2

Trench-ID	Interval	Suscep
T14-01-d	23	12.8
T14-01-d	24	9.2
T14-01-d	25	2.1
T14-01-d	26	11.5
T14-01-d	27	0.9
T14-01-d	28	1.1
T14-01-d	29	0.9
T14-01-d	30	1.3
T14-01-d	31	2.8
T14-01-d	32	8.3
T14-01-d	33	9.2
T14-01-d	34	5.3
T14-01-d	35	8.7
T14-01-d	36	12.6
T14-01-d	37	3.7
T14-01-d	38	12.5
T14-01-d	39	0.6
T14-01-d	40	6.2
T14-01-d	41	3.1
T14-01-d	42	7.9
T14-01-d	43	5.8
T14-01-d	44	9.7
T14-01-d	45	10.2
T14-01-d	46	1.9
T14-01-d	47	0.5
T14-01-d	48	1.5
T14-01-d	49	2.6
T14-01-d	50	0.3
T14-01-d	51	3.5
T14-01-d	52	1.3
T14-01-d	53	0.7
T14-01-d	54	7.7
T14-01-d	55	1.7
T14-01-d	56	12.1
T14-01-d	57	0.6
T14-01-d	58	1.4
T14-01-d	59	0.4
T14-01-d	60	6.6
T14-01-d	61	4.7
T14-01-d	62	9
T14-01-d	63	26.6
T14-01-d	64	14.7
T14-01-d	65	14.8
T14-01-d	66	1.2
T14-01-d	67	24.2
T14-01-d	68	18.4

Trench-ID	Interval	Suscep
T14-01-d	69	16.6
T14-01-d	70	12.3
T14-01-d	71	4.2
T14-01-d	72	6.1
T14-01-d	73	13.2
T14-01-d	74	5.5
T14-01-d	75	7.7
T14-01-d	76	10.9
T14-01-d	77	3.1
T14-01-d	78	10.7
T14-02-a	0	0.5
T14-02-a	1	0.5
T14-02-a	2	0.3
T14-02-a	3	0.4
T14-02-a	4	0.4
T14-02-a	5	0.4
T14-02-a	6	1.4
T14-02-a	7	0.1
T14-02-a	8	1.6
T14-02-a	9	0.3
T14-02-a	10	1.7
T14-02-a	11	0.1
T14-02-a	12	1.5
T14-02-a	13	0.4
T14-02-a	14	0.5
T14-02-a	15	0.5
T14-02-a	16	1.6
T14-02-a	17	0.3
T14-02-a	18	6.3
T14-02-a	19	1.5
T14-02-a	20	0.3
T14-02-a	21	0.3
T14-02-a	22	0.4
T14-02-a	23	0.8
T14-02-a	24	0.4
T14-02-a	25	0.6
T14-02-a	26	0.4
T14-02-a	27	0.7
T14-02-a	28	0.4
T14-02-a	29	0.4
T14-02-a	30	0.1
T14-02-a	31	0.3
T14-02-a	32	3.9
T14-02-a	33	0.6
T14-02-a	34	2.5
T14-02-a	35	2.3

Trench-ID	Interval	Suscep
T14-02-a	36	2.8
T14-02-a	37	1.1
T14-02-a	38	0.9
T14-02-a	39	0.3
T14-02-a	40	0.5
T14-02-a	41	6.3
T14-02-a	42	1.9
T14-02-a	43	3.9
T14-02-a	44	2.7
T14-02-a	45	0.5
T14-02-a	46	0.9
T14-02-a	47	3.6
T14-02-a	48	1.2
T14-02-a	49	1.9
T14-02-a	50	0.5
T14-02-a	51	3.1
T14-02-a	52	0.6
T14-02-a	53	0.5
T14-02-a	54	0.3
T14-02-a	55	5.3
T14-02-a	56	0.4
T14-02-a	57	5
T14-02-a	58	6.7
T14-02-a	59	7.6
T14-02-a	60	2.2
T14-02-a	61	3.1
T14-02-a	62	2.1
T14-02-a	63	2.1
T14-02-a	64	8.7
T14-02-a	65	4.3
T14-02-a	66	3.7
T14-02-a	67	4
T14-02-a	68	4.2
T14-02-a	69	5.8
T14-02-a	70	3.7
T14-02-a	71	7.6
T14-02-a	72	3.3
T14-02-a	73	0.7
T14-02-a	74	3.8
T14-02-a	75	7
T14-02-b	1	1
T14-02-b	2	6.7
T14-02-b	3	0.7
T14-02-b	4	2.1
T14-02-b	5	4.4
T14-02-b	6	3
T14-02-b	7	3.8
T14-02-b	8	3.3
T14-02-b	9	1.4
T14-02-b	10	0.4
T14-02-b	11	3.6
T14-02-b	12	2.4
T14-02-b	13	6.7
T14-02-b	14	3.1
T14-02-b	15	0.5
T14-02-b	16	0.9
T14-02-b	17	4.9
T14-02-c	1	5.7
T14-02-c	2	1.2
T14-02-c	3	1.7
T14-02-c	4	0.8
T14-02-c	5	2.5
T14-02-c	6	33.2
T14-02-c	7	13
T14-02-c	8	5.2
T14-02-c	9	1.4
T14-02-c	10	7.8
T14-02-c	11	8.4
T14-02-c	12	2.6
T14-02-c	13	7.7
T14-02-c	14	2.3
T14-02-c	15	7.9
T14-02-c	16	2.5
T14-02-c	17	3.3
T14-02-c	18	0.2
T14-02-c	19	2.3
T14-02-c	20	2.1
T14-02-c	21	0.4
T14-02-c	22	1
T14-02-c	23	3.2
T14-02-c	24	4.5
T14-02-c	25	0.5
T14-02-c	26	0.5
T14-02-c	27	2.1
T14-02-c	28	1.9
T14-02-c	29	0.9
T14-02-c	30	1.3
T14-02-c	31	16.7
T14-02-c	32	1.8
T14-02-c	33	7.3
T14-02-c	34	4.5
T14-02-c	35	17
T14-02-c	36	8
T14-02-c	37	0.9
T14-02-c	38	0.3
T14-02-c	39	16.5
T14-02-c	40	1.7
T14-02-c	41	2.5
T14-02-c	42	6.6
T14-02-c	43	8.7
T14-02-c	44	0.3
T14-02-c	45	1.2
T14-02-c	46	11.7
T14-02-c	47	14.9
T14-02-c	48	9.8
T14-02-c	49	8.6
T14-02-c	50	1.3
T14-02-c	51	9.6
T14-02-c	52	10.5
T14-02-c	53	10
T14-02-c	54	20.4
T14-02-c	55	29.3
T14-02-c	56	18.4
T14-02-c	57	6
T14-02-c	58	0.5
T14-02-c	59	20.1
T14-02-c	60	12.9
T14-02-c	61	21
T14-02-c	62	23.9
T14-02-c	63	19.4
T14-02-c	64	22.5
T14-02-c	65	7.5
T14-02-c	66	1.1
T14-02-c	67	1
T14-02-c	68	7.8
T14-02-c	69	20.7
T14-02-c	70	7.7
T14-02-c	71	5.3
T14-02-c	72	4.4
T14-02-c	73	6
T14-02-c	74	6.9
T14-02-c	75	5.8
T14-02-c	76	2.2
T14-02-c	77	3.2
T14-02-c	78	4.2
T14-02-c	79	1.8
T14-02-c	80	5.9
T14-02-c	81	4.1

Trench-ID	Interval	Suscep
T14-02-c	82	0.2
T14-02-c	83	3.6
T14-02-c	84	2.6
T14-02-c	85	8
T14-02-c	86	1.8
T14-02-c	87	9.2
T14-02-c	88	0.3
T14-02-c	89	5.5
T14-02-c	90	0.9
T14-02-c	91	0.4
T14-02-c	92	0.4
T14-02-c	93	2.7
T14-02-c	94	2.4
T14-02-c	95	0.4
T14-02-c	96	0.2
T14-02-c	97	0.4
T14-02-c	98	0.3
T14-02-c	99	4.5
T14-02-c	100	7.1
T14-02-c	101	0.8
T14-02-c	102	2.5
T14-02-c	103	0.6
T14-02-c	104	0.4
T14-02-c	105	0.3
T14-02-c	106	0.5
T14-02-c	107	1.9
T14-02-c	108	2.2
T14-02-c	109	0.7
T14-02-c	110	0.7
T14-02-c	111	1.9
T14-02-c	112	0.3
T14-02-c	113	1.4
T14-02-c	114	1.6
T14-02-c	115	0.6
T14-02-c	116	2.7
T14-02-c	117	6.2
T14-02-c	118	0.9
T14-02-c	119	0.3
T14-02-c	120	3.2
T14-02-c	121	0.3
T14-02-c	122	0.3
T14-02-c	123	0.4
T14-02-c	124	1.8
T14-02-c	125	0.5
T14-02-c	126	3.1
T14-02-c	127	3.7
T14-02-c	128	4.1
T14-02-c	129	0.7
T14-02-c	130	0.4
T14-02-c	131	0.1
T14-02-c	132	0.6
T14-02-c	133	0.1
T14-02-c	134	0.8
T14-02-c	135	1.8
T14-02-c	136	0.4
T14-02-c	137	0.7
T14-02-c	138	2.2
T14-02-c	139	0.9
T14-02-c	140	1.5
T14-02-c	141	3.3
T14-02-c	142	1.4
T14-02-c	143	0.9
T14-02-c	144	1.3
T14-02-c	145	6.1
T14-02-c	146	4.1
T14-02-c	147	0.5
T14-02-c	148	2.4
T14-02-c	149	6.3
T14-02-c	150	10.7
T14-02-c	151	4.7
T14-02-c	152	33.6
T14-02-c	153	1.2
T14-02-c	154	1.6
T14-02-c	155	3.3
T14-02-c	156	0.3
T14-02-c	157	0.7
T14-02-c	158	0.3
T14-02-c	159	0.6
T14-02-c	160	0.5
T14-02-c	161	0.7
T14-02-c	162	0.4
T14-02-c	163	0.2
T14-02-c	164	0.3
T14-02-c	165	0.3
T14-02-c	166	0.8
T14-02-c	167	0.4
T14-02-c	168	0.7
T14-02-c	169	0.4
T14-02-c	170	0.5
T14-02-c	171	0.7
T14-02-c	172	2.3
T14-02-c	173	0.1
T14-02-c	174	0.3
T14-02-c	175	2.2
T14-02-c	176	0.9
T14-02-c	177	0.9
T14-02-c	178	0.5
T14-02-c	179	2
T14-02-c	180	1.3
T14-03	0	40.2
T14-03	1	22.9
T14-03	2	12.5
T14-03	3	28.3
T14-03	4	10.3
T14-03	5	1.2
T14-03	6	4
T14-03	7	14.8
T14-03	8	1
T14-03	9	20.7
T14-03	10	13
T14-03	11	22.6
T14-03	12	9.4
T14-03	13	6.3
T14-03	14	12.6
T14-03	15	35.3
T14-03	16	9.3
T14-03	17	1.3
T14-03	18	1.2
T14-03	19	9.7
T14-03	20	7.5
T14-03	21	13.3
T14-03	22	1.6
T14-03	23	6.1
T14-03	24	3.1
T14-03	25	12.1
T14-03	26	9.8
T14-03	27	13.5
T14-03	28	21.7
T14-03	29	4.1
T14-03	30	0.7
T14-03	31	1.1
T14-03	32	10.5
T14-03	33	2.7
T14-03	34	2.7
T14-03	35	21.7
T14-03	36	12.2
T14-03	37	15.7
T14-03	38	15.2

Trench-ID	Interval	Suscep
T14-03	39	13.6
T14-03	40	2.3
T14-03	41	0.4
T14-03	42	17.4
T14-03	43	20.3
T14-03	44	3.7
T14-03	45	17
T14-03	46	16.6
T14-03	47	2.5
T14-03	48	5.3
T14-03	49	12
T14-03	50	8
T14-03	51	2
T14-03	52	2
T14-03	53	5.4
T14-03	54	14
T14-03	55	0.5
T14-03	56	1.1
T14-03	57	2.7
T14-03	58	13
T14-03	59	1.6
T14-03	60	3.4
T14-03	61	14.7
T14-03	62	13.5
T14-03	63	1.5
T14-03	64	3.1
T14-03	65	9
T14-03	66	3.5
T14-03	67	11.2
T14-03	68	5
T14-03	69	8
T14-03	70	9.2
T14-03	71	12.1
T14-03	72	1
T14-03	73	0.7
T14-03	74	5.7
T14-03	75	9.7
T14-03	76	4.7
T14-03	77	14.6
T14-03	78	11.4
T14-03	79	5.5
T14-03	80	19.4
T14-03	81	0.4
T14-03	82	14.7
T14-03	83	8.5
T14-03	84	0.8
T14-03	85	12
T14-03	86	4.3
T14-03	87	11.5
T14-03	88	10.2
T14-03	89	0.8
T14-03	90	12.3
T14-03	91	5.7
T14-03	92	1.5
T14-03	93	6.4
T14-03	94	9.6
T14-03	95	8.4
T14-03	96	13.8
T14-04	0	0.8
T14-04	1	6.6
T14-04	2	2.9
T14-04	3	2.3
T14-04	4	12.2
T14-04	5	17.2
T14-04	6	9
T14-04	7	10.2
T14-04	8	3.8
T14-04	9	7.1
T14-04	10	5.9
T14-04	11	6.8
T14-04	12	1.3
T14-04	13	1.5
T14-04	16	3.6
T14-04	17	2.5
T14-04	18	6.7
T14-04	19	7.5
T14-04	20	7.3
T14-04	21	1.8
T14-04	22	4.8
T14-04	23	3.8
T14-04	24	5.9
T14-04	25	19.5
T14-04	26	8
T14-04	27	8.7
T14-04	28	2.7
T14-04	29	9.9
T14-04	30	9.7
T14-04	31	9.2
T14-04	32	6.8
T14-04	33	4.3
T14-04	34	2.3
T14-04	35	3.2
T14-04	36	2.9
T14-04	37	1
T14-04	38	0.5
T14-04	39	1.1
T14-04	40	4.8
T14-04	41	1.5
T14-04	42	10.1
T14-04	43	9.8
T14-04	44	7
T14-04	45	11.5
T14-04	46	9.7
T14-04	47	9.3
T14-04	48	16.9
T14-04	49	15.3
T14-04	50	16.4
T14-04	51	3.2
T14-04	52	14
T14-04	53	12.8
T14-04	54	14.5
T14-04	55	7.3
T14-04	56	29.6
T14-04	57	20
T14-04	58	2
T14-04	59	10.2
T14-04	60	9.2
T14-04	61	20.5
T14-04	62	9.6
T14-04	63	12.9
T14-04	64	12.4
T14-04	65	16.3
T14-04	66	14.5
T14-04	67	15.2
T14-04	68	14.5
T14-04	69	44.2
T14-04	70	15.4
T14-04	71	8.3
T14-04	72	13.2
T14-04	73	13.6
T14-04	74	19.9
T14-04	75	18
T14-04	76	4.4
T14-04	77	11.9
T14-04	78	5.9
T14-04	79	6.7
T14-04	80	29.2
T14-04	81	14.5

Trench-ID	Interval	Suscep
T14-04	82	20
T14-04	83	25.2
T14-04	84	7.2
T14-04	85	26.3
T14-04	86	14
T14-04	87	8.4
T14-04	88	5.3
T14-04	89	6.9
T14-04	90	3.7
T14-04	91	6.3
T14-04	92	6.8
T14-04	93	13.2
T14-04	94	9.6
T14-04	95	10.3
T14-04	96	7.3
T14-04	97	13
T14-04	98	12.5
T14-04	99	8.3
T14-04	100	10.4
T14-04	101	19.2
T14-04	102	1.3
T14-04	103	4.4
T14-05	18	13.2
T14-05	19	15.2
T14-05	20	10.6
T14-05	21	0.3
T14-05	22	0.1
T14-05	23	8.7
T14-05	24	0.3
T14-05	25	0.6
T14-05	26	0.6
T14-05	27	0.3
T14-05	28	13.6
T14-05	29	0.3
T14-05	30	0.2
T14-05	31	1.3
T14-05	32	9.3
T14-05	33	5.3
T14-05	34	4.6
T14-05	35	5.5
T14-05	36	1.1
T14-05	37	0.5
T14-05	38	1.7
T14-05	39	2.2
T14-05	40	1.3
T14-05	41	14.3
T14-05	42	7.1
T14-05	43	1.7
T14-05	44	16.1
T14-05	45	0.7
T14-05	46	1.1
T14-05	47	1.8
T14-05	48	0.4
T14-05	49	0.2
T14-05	50	13
T14-05	54	0.4
T14-05	55	0.2
T14-05	56	0.2
T14-05	57	3.2
T14-05	58	3.2
T14-05	59	0.3
T14-05	60	0.4
T14-05	61	0.2
T14-05	62	0.3
T14-05	63	0.5
T14-05	64	0.3
T14-05	65	0.5
T14-05	66	1
T14-05	67	0.5
T14-05	68	1.8
T14-05	69	0.4
T14-05	70	0.2
T14-05	71	0.6
T14-05	72	0.4
T14-05	73	1.5
T14-05	74	0.4
T14-05	75	1
T14-05	76	3.6
T14-05	77	0.3
T14-05	78	0.3
T14-05	79	0.3
T14-05	80	0.3
T14-05	81	0.3
T14-05	82	0.1
T14-05	83	0.1
T14-05	84	0.1
T14-05	85	0.2
T14-05	86	0.3
T14-05	87	0.3
T14-05	88	0.3
T14-05	89	0.3
T14-05	90	0.4
T14-05	91	0.2
T14-05	92	0.1
T14-05	93	0.2
T14-05	94	0.4
T14-05	95	0.1
T14-05	96	0.1
T14-05	97	0.2
T14-05	98	0.1
T14-05	99	0.2
T14-05	100	0.1
T14-05	101	1
T14-05	102	0.3
T14-05	103	1.4
T14-05	104	0.5
T14-05	105	1.4
T14-05	106	2.7
T14-05	107	0.5
T14-05	108	0.2
T14-05	109	7.9
T14-05	110	6.4
T14-05	111	1.7
T14-05	112	0.4
T14-05	113	3.9
T14-05	114	3.8
T14-05	115	3.3
T14-05	116	0.9
T14-05	117	5.9
T14-05	118	4
T14-05	119	12.3
T14-05	120	9.2
T14-05	121	3
T14-05	122	7
T14-05	123	4.8
T14-05	124	8.2
T14-05	125	13
T14-05	126	20.9
T14-05	127	17.5
T14-05	128	6.5
T14-05	129	4.5
T14-05	130	1.3
T14-05	131	12.1
T14-05	132	0.8
T14-05	133	1.1
T14-05	134	1.2
T14-05	135	3.4
T14-05	136	2

Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep
T14-05	137	6.8	T14-05	183	10.1	T14-05	229	0.4
T14-05	138	3.5	T14-05	184	12.3	T14-05	230	0.9
T14-05	139	0.9	T14-05	185	8.4	T14-05	231	1.9
T14-05	140	1.6	T14-05	186	3.7	T14-06-b	0	7.6
T14-05	141	3.4	T14-05	187	6.7	T14-06-b	1	3.7
T14-05	142	2.2	T14-05	188	19.7	T14-06-b	2	3.6
T14-05	143	2.9	T14-05	189	11.9	T14-06-b	3	2.6
T14-05	144	1.1	T14-05	190	28.9	T14-06-b	4	0.4
T14-05	145	0.6	T14-05	191	36.4	T14-06-b	5	0.5
T14-05	146	0.9	T14-05	192	28.6	T14-06-b	6	2.5
T14-05	147	0.6	T14-05	193	21.2	T14-06-b	7	6.1
T14-05	148	6.2	T14-05	194	3.5	T14-06-b	8	15.3
T14-05	149	2.4	T14-05	195	4.8	T14-06-b	9	1.9
T14-05	150	1.4	T14-05	196	2.2	T14-06-b	10	1.3
T14-05	151	17.4	T14-05	197	18.8	T14-06-b	11	13.2
T14-05	152	4.5	T14-05	198	21.6	T14-06-b	12	6.7
T14-05	153	16.4	T14-05	199	42.2	T14-06-b	13	1.9
T14-05	154	5	T14-05	200	14	T14-06-b	14	6.9
T14-05	155	3.9	T14-05	201	3	T14-06-b	15	1.6
T14-05	156	6.8	T14-05	202	13.7	T14-06-b	16	0.5
T14-05	157	5.6	T14-05	203	10.6	T14-06-b	17	0.6
T14-05	158	11.2	T14-05	204	4.1	T14-06-b	18	0.1
T14-05	159	5.3	T14-05	205	3.5	T14-06-b	19	0.2
T14-05	160	0.3	T14-05	206	4.5	T14-06-b	20	0.2
T14-05	161	0.8	T14-05	207	1	T14-06-b	21	0.3
T14-05	162	14.1	T14-05	208	11	T14-06-b	22	0.1
T14-05	163	17.5	T14-05	209	3.2	T14-06-b	23	0.2
T14-05	164	8.4	T14-05	210	12.1	T14-06-b	24	0.3
T14-05	165	9.5	T14-05	211	2.7	T14-06-b	25	0.6
T14-05	166	20.4	T14-05	212	10.3	T14-06-b	26	0.3
T14-05	167	12.3	T14-05	213	14.7	T14-06-b	27	0.1
T14-05	168	14	T14-05	214	0.4	T14-06-b	33	0.1
T14-05	169	14.4	T14-05	215	2.1	T14-06-b	34	0.2
T14-05	170	14	T14-05	216	0.4	T14-06-b	35	0.1
T14-05	171	14.4	T14-05	217	0.6	T14-06-b	36	1.1
T14-05	172	9.9	T14-05	218	0.3	T14-06-b	37	0.3
T14-05	173	34.7	T14-05	219	0.5	T14-06-b	38	0.5
T14-05	174	7.2	T14-05	220	4.3	T14-06-b	39	0.6
T14-05	175	17.3	T14-05	221	0.5	T14-06-b	40	1
T14-05	176	7.4	T14-05	222	0.7	T14-06-b	41	0.2
T14-05	177	22.8	T14-05	223	5.3	T14-06-b	42	0.1
T14-05	178	23.8	T14-05	224	1.9	T14-06-b	43	0.4
T14-05	179	26.9	T14-05	225	5.8	T14-06-b	44	0.3
T14-05	180	12.6	T14-05	226	0.7	T14-06-b	45	0.8
T14-05	181	15.5	T14-05	227	0.5	T14-06-b	46	0.4
T14-05	182	18.2	T14-05	228	1.4	T14-06-b	47	1.3

Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep
T14-06-c	1	1.2	T14-06-c	50	5.2	T14-06-c	96	0.8
T14-06-c	2	0.9	T14-06-c	51	4.7	T14-06-c	97	0.2
T14-06-c	3	1.5	T14-06-c	52	3.4	T14-06-c	98	3.6
T14-06-c	4	0.6	T14-06-c	53	2.1	T14-06-c	99	9.3
T14-06-c	5	1.1	T14-06-c	54	2.2	T14-06-c	100	17
T14-06-c	6	3.9	T14-06-c	55	3.6	T14-06-c	101	12.7
T14-06-c	7	0.5	T14-06-c	56	1.2	T14-06-c	102	5
T14-06-c	8	0.5	T14-06-c	57	4.8	T14-06-c	103	14.3
T14-06-c	9	1.2	T14-06-c	58	2	T14-06-c	104	10.4
T14-06-c	10	4.2	T14-06-c	59	1.5	T14-06-c	105	10.2
T14-06-c	11	6.6	T14-06-c	60	3.6	T14-06-c	106	10.1
T14-06-c	12	2.3	T14-06-c	61	2.2	T14-06-c	107	1.5
T14-06-c	13	1	T14-06-c	62	2.3	T14-06-c	108	1.3
T14-06-c	14	3.5	T14-06-c	63	3.4	T14-06-c	109	5.5
T14-06-c	15	1.9	T14-06-c	64	2.9	T14-06-c	110	4.2
T14-06-c	16	1.7	T14-06-c	65	1.5	T14-06-c	111	1.3
T14-06-c	17	0.9	T14-06-c	66	2.1	T14-06-c	112	5.8
T14-06-c	18	1.1	T14-06-c	67	0.7	T14-06-c	113	0.8
T14-06-c	19	6.1	T14-06-c	68	1.7	T14-06-c	114	0.4
T14-06-c	20	3	T14-06-c	69	0.4	T14-06-c	115	2.8
T14-06-c	21	1.2	T14-06-c	70	1.2	T14-06-c	116	4.5
T14-06-c	22	4.7	T14-06-c	71	0.7	T14-06-c	117	1.2
T14-06-c	23	0.4	T14-06-c	72	0.8	T14-06-c	118	1.8
T14-06-c	24	1.2	T14-06-c	73	1.9	T14-06-c	119	1
T14-06-c	25	1.8	T14-06-c	74	0.4	T14-06-c	120	5.6
T14-06-c	26	0.9	T14-06-c	75	0.7	T14-06-c	121	7
T14-06-c	27	1.4	T14-06-c	76	2.1	T14-06-c	123	0.5
T14-06-c	28	0.8	T14-06-c	77	1.6	T14-06-c	124	10.5
T14-06-c	29	1.6	T14-06-c	78	1.6	T14-06-c	125	4.7
T14-06-c	30	1.1	T14-06-c	79	1.2	T14-06-c	126	3.7
T14-06-c	31	9.6	T14-06-c	80	6.7	T14-06-c	127	4.8
T14-06-c	32	2.6	T14-06-c	81	7.7	T14-06-c	128	3.7
T14-06-c	33	2.6	T14-06-c	82	7.8	T14-06-c	129	2.1
T14-06-c	34	1.2	T14-06-c	83	9.2	T14-06-c	130	4
T14-06-c	35	1.9	T14-06-c	84	11.3	T14-06-c	131	0.2
T14-06-c	36	0.6	T14-06-c	85	3.2	T14-06-c	132	0.9
T14-06-c	37	0.3	T14-06-c	86	1.8	T14-06-c	133	20.4
T14-06-c	38	0.9	T14-06-c	87	5.9	T14-06-c	134	3.8
T14-06-c	39	2.8	T14-06-c	88	4.5	T14-06-c	135	5.6
T14-06-c	40	0.7	T14-06-c	89	2	T14-06-c	136	15.2
T14-06-c	41	2.1	T14-06-c	90	1.9	T14-06-c	137	6.1
T14-06-c	42	1.5	T14-06-c	91	5.2	T14-06-c	138	22.4
T14-06-c	43	1.3	T14-06-c	92	2.7	T14-06-c	139	13.3
T14-06-c	47	0.3	T14-06-c	93	2.4	T14-06-c	140	2.2
T14-06-c	48	1.9	T14-06-c	94	2.3	T14-06-c	141	5.3
T14-06-c	49	3.6	T14-06-c	95	7.2	T14-06-c	142	4.9

Trench-ID	Interval	Suscep
T14-06-c	143	6.5
T14-06-a	0	6.8
T14-06-a	1	1.1
T14-06-a	2	1.7
T14-06-a	3	3.9
T14-06-a	4	8.1
T14-06-a	5	0.5
T14-06-a	6	0.4
T14-06-a	7	1.2
T14-06-a	8	0.1
T14-06-a	9	0.3
T14-06-a	10	0.4
T14-06-a	11	2.1
T14-06-a	12	12.6
T14-06-a	13	2.1
T14-06-a	14	0.9
T14-06-a	15	2.3
T14-06-a	16	1.7
T14-06-a	17	3.2
T14-06-a	18	5.8
T14-06-a	19	5.3
T14-06-a	20	0.5
T14-06-a	21	1.6
T14-06-a	22	0.7
T14-06-a	23	0.4
T14-06-a	24	0.5
T14-06-a	25	0.2
T14-06-a	26	9.2
T14-06-a	27	0.3
T14-06-a	28	0.4
T14-06-a	29	0.3
T14-06-a	30	0.4
T14-06-a	31	2.9
T14-06-a	32	0.3
T14-06-a	33	0.2
T14-06-a	34	0.2
T14-06-a	35	0.4
T14-06-a	36	0.3
T14-06-a	37	20.9
T14-06-a	38	5.4
T14-06-a	39	0.3
T14-06-a	40	10.9
T14-06-a	41	2.3
T14-06-a	42	6.6
T14-06-a	43	1.6
T14-06-a	44	0.4
T14-06-a	45	1
T14-06-a	46	1.4
T14-06-a	47	3.6
T14-06-a	48	0.5
T14-06-a	49	0.4
T14-06-a	50	3.9
T14-06-a	51	2.6
T14-06-a	52	2.4
T14-06-a	53	0.4
T14-06-a	54	9.3
T14-06-a	55	5.1
T14-06-a	56	0.7
T14-06-a	57	0.6
T14-06-a	58	0.7
T14-06-a	59	7
T14-06-a	60	14.1
T14-06-a	61	11.7
T14-06-a	62	5.1
T14-06-a	63	12.8
T14-06-a	64	7.1
T14-06-a	65	14.5
T14-06-a	66	13.4
T14-06-a	67	18.3
T14-06-a	68	13.3
T14-06-a	69	17.9
T14-06-a	70	19
T14-06-a	71	9.5
T14-06-a	72	1.1
T14-07	0	1.1
T14-07	1	0.3
T14-07	2	0.3
T14-07	3	0.2
T14-07	4	0.4
T14-07	5	0.8
T14-07	6	8.1
T14-07	7	7.6
T14-07	8	0.3
T14-07	9	0.5
T14-07	10	0.3
T14-07	11	0.8
T14-07	12	2
T14-07	13	0.9
T14-07	14	1.6
T14-07	15	1.3
T14-07	16	0.3
T14-07	17	0.3
T14-07	18	0.7
T14-07	19	1.1
T14-07	20	0.3
T14-07	21	0.3
T14-07	22	0.7
T14-07	23	0.7
T14-07	24	0.3
T14-07	25	1.8
T14-07	26	1.2
T14-07	27	0.4
T14-07	28	0.8
T14-07	29	4.4
T14-07	30	0.9
T14-07	31	15.5
T14-07	32	14.7
T14-07	33	12.5
T14-07	34	15
T14-07	35	11.3
T14-07	36	19.2
T14-07	37	13.9
T14-07	38	5.8
T14-07	39	17.5
T14-07	40	10.3
T14-07	41	10.3
T14-07	42	12.9
T14-07	43	11.5
T14-07	44	0.4
T14-07	45	12.5
T14-07	46	0.4
T14-07	47	0.3
T14-07	48	0.3
T14-07	49	0.3
T14-07	50	0.9
T14-07	53	0.9
T14-07	54	0.7
T14-07	55	1.9
T14-07	56	0.2
T14-07	57	0.5
T14-07	58	0.4
T14-07	59	0.4
T14-07	60	0.8
T14-07	61	0.5
T14-07	62	1.9
T14-07	63	1.1
T14-07	64	0.9
T14-07	65	5.8

Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep
T14-07	66	1.3	T14-07	119	2.5	T14-07	165	3.5
T14-07	67	1.1	T14-07	120	0.6	T14-07	166	0.8
T14-07	68	0.3	T14-07	121	3.5	T14-07	167	0.3
T14-07	74	0.1	T14-07	122	0.8	T14-07	168	0.3
T14-07	75	0.4	T14-07	123	1.9	T14-07	169	0.3
T14-07	76	0.4	T14-07	124	0.2	T14-07	170	0.3
T14-07	77	1.4	T14-07	125	3.8	T14-07	171	1.7
T14-07	78	0.7	T14-07	126	0.3	T14-07	172	0.8
T14-07	79	0.3	T14-07	127	1.2	T14-07	173	1
T14-07	80	0.8	T14-07	128	1.6	T14-07	174	1.1
T14-07	81	0.9	T14-07	129	0.4	T14-07	175	6.3
T14-07	82	0.3	T14-07	130	8.8	T14-07	176	1.5
T14-07	83	0.5	T14-07	131	7.6	T14-07	177	0.3
T14-07	84	0.4	T14-07	132	0.3	T14-07	178	0.7
T14-07	87	0.4	T14-07	133	0.8	T14-07	179	0.3
T14-07	88	0.4	T14-07	134	2.8	T14-07	180	0.7
T14-07	89	2.2	T14-07	135	9.4	T14-07	181	0.7
T14-07	90	0.4	T14-07	136	6.1	T14-07	182	11.3
T14-07	91	0.8	T14-07	137	6.2	T14-07	183	0.3
T14-07	92	0.2	T14-07	138	11.3	T14-07	184	1.7
T14-07	93	0.6	T14-07	139	15.2	T14-07	185	0.5
T14-07	94	5.3	T14-07	140	2.3	T14-07	186	4.4
T14-07	95	1.9	T14-07	141	4.4	T14-07	187	5.1
T14-07	96	0.6	T14-07	142	2.5	T14-07	188	1.7
T14-07	97	0.5	T14-07	143	1.9	T14-07	189	11.5
T14-07	98	0.9	T14-07	144	4.7	T14-07	190	8.5
T14-07	99	0.2	T14-07	145	1	T14-07	191	18.9
T14-07	100	1.4	T14-07	146	3.8	T14-07	192	14.9
T14-07	101	0.4	T14-07	147	1.1	T14-07	193	19.7
T14-07	102	0.6	T14-07	148	3.6	T14-07	194	13
T14-07	103	0.7	T14-07	149	0.7	T14-07	195	21.4
T14-07	104	0.4	T14-07	150	15.7	T14-07	196	15.3
T14-07	105	0.6	T14-07	151	0.8	T14-07	197	6.5
T14-07	106	0.7	T14-07	152	1.2	T14-07	198	3.4
T14-07	107	1.2	T14-07	153	1	T14-07	199	9.9
T14-07	108	2.7	T14-07	154	1.2	T14-07	200	0.7
T14-07	109	5.4	T14-07	155	0.1	T14-07	201	11.4
T14-07	110	2.5	T14-07	156	0.2	T14-07	202	0.4
T14-07	111	1.7	T14-07	157	0.3	T14-07	203	4.1
T14-07	112	1	T14-07	158	12.3	T14-07	204	6.9
T14-07	113	1.4	T14-07	159	0.7	T14-07	205	0.5
T14-07	114	0.3	T14-07	160	1.8	T14-07	206	8.2
T14-07	115	2.3	T14-07	161	3.8	T14-07	207	10.7
T14-07	116	2.5	T14-07	162	0.6	T14-07	208	0.2
T14-07	117	2.4	T14-07	163	1.3	T14-07	209	0.7
T14-07	118	3.5	T14-07	164	0.8	T14-07	210	1.7

Trench-ID	Interval	Suscep
T14-07	211	6.3
T14-07	212	0.6
T14-07	213	2.3
T14-07	214	0.9
T14-07	215	0.1
T14-07	216	1.1
T14-07	217	12.5
T14-07	218	6.6
T14-07	219	17
T14-07	220	3.6
T14-07	221	12.7
T14-07	222	15.4
T14-07	223	10.9
T14-07	224	3
T14-07	225	7.6
T14-07	226	6.8
T14-07	227	8.5
T14-07	228	14.8
T14-08	0	0.2
T14-08	1	0.5
T14-08	2	7.8
T14-08	3	4
T14-08	4	0.7
T14-08	5	2.2
T14-08	6	14.9
T14-08	7	14.7
T14-08	8	9.9
T14-08	9	10
T14-08	10	22.4
T14-08	11	25.4
T14-08	12	5.8
T14-08	13	25.9
T14-08	14	7.3
T14-08	15	11.2
T14-08	16	17.9
T14-08	17	26.3
T14-08	18	17.3
T14-08	19	15.8
T14-08	20	17.4
T14-08	21	23.5
T14-08	22	15.4
T14-08	23	5.6
T14-08	24	2.1
T14-08	25	4.1
T14-08	26	2.5
T14-08	27	4.5
T14-08	28	6.7
T14-08	29	22.1
T14-08	30	28.1
T14-08	31	1.1
T14-08	32	15.4
T14-08	33	13.4
T14-08	36	0.9
T14-08	37	7.5
T14-08	38	20.5
T14-08	39	2.9
T14-08	40	3.7
T14-08	41	0.4
T14-08	42	5.4
T14-08	43	3.2
T14-08	44	3.8
T14-08	45	0.2
T14-08	46	0.3
T14-08	47	0.2
T14-08	48	0.4
T14-08	49	0.3
T14-08	50	0.3
T14-08	51	0.5
T14-08	52	0.2
T14-08	53	0.3
T14-08	54	1.1
T14-08	55	0.5
T14-08	56	0.2
T14-08	57	2
T14-08	58	0.3
T14-08	59	2.1
T14-08	60	1.1
T14-08	61	5.2
T14-08	62	0.2
T14-08	63	1.7
T14-08	64	2.9
T14-08	65	7.1
T14-08	66	9.5
T14-08	67	6.5
T14-08	68	0.2
T14-08	69	0.3
T14-08	70	0.2
T14-08	71	0.4
T14-08	72	0.3
T14-08	73	0.8
T14-08	74	9.6
T14-08	75	4.6
T14-08	76	4.2
T14-08	77	2.4
T14-08	78	2.7
T14-08	79	0.2
T14-08	80	18.4
T14-08	81	27.1
T14-08	82	23.9
T14-08	83	17.2
T14-08	84	11.7
T14-08	85	0.6
T14-08	86	3.8
T14-08	87	1.6
T14-08	88	1.4
T14-08	89	0.5
T14-08	90	8.8
T14-08	91	11
T14-08	92	11.2
T14-08	93	1
T14-08	94	1.5
T14-08	95	10.4
T14-08	96	1.5
T14-08	97	0.2
T14-08	98	0.2
T14-08	99	1.7
T14-08	100	0.8
T14-08	101	0.9
T14-08	102	0.6
T14-08	103	2.7
T14-08	104	17
T14-08	105	12.8
T14-08	106	1.2
T14-08	107	0.4
T14-08	108	4.4
T14-08	109	8.7
T14-08	110	2
T14-08	111	7.5
T14-08	112	8.8
T14-08	113	3.9
T14-08	114	5
T14-08	115	5.5
T14-08	116	1.3
T14-08	117	16.7
T14-08	120	15
T14-08	121	18.1
T14-08	122	22.7
T14-08	123	13.3

Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep	Trench-ID	Interval	Suscep
T14-08	124	21.4	T14-08	170	4.5	T14-08	216	0.5
T14-08	125	12.9	T14-08	171	2.5	T14-08	217	3.3
T14-08	126	18.6	T14-08	172	4	T14-08	218	5.1
T14-08	127	14.8	T14-08	173	3.5	T14-08	219	1
T14-08	128	17.8	T14-08	174	45.7	T14-08	220	0.5
T14-08	129	21.7	T14-08	175	38.4	T14-08	221	0.4
T14-08	130	11.9	T14-08	176	41.7	T14-08	222	0.2
T14-08	131	14.2	T14-08	177	26.6	T14-08	223	0.2
T14-08	132	28.9	T14-08	178	41.3	T14-08	224	0.2
T14-08	133	3.8	T14-08	179	26.6	T14-08	225	3.6
T14-08	134	17.3	T14-08	180	17.4	T14-08	226	16.7
T14-08	135	9.3	T14-08	181	14	T14-08	227	4.8
T14-08	136	0.2	T14-08	182	18.4	T14-08	228	2.1
T14-08	137	0.4	T14-08	183	13.8	T14-08	229	1.9
T14-08	138	2.5	T14-08	184	12.8	T14-08	230	0.3
T14-08	139	2.5	T14-08	185	6.2	T14-08	231	0.4
T14-08	140	1.3	T14-08	186	14.7	T14-08	232	1.2
T14-08	141	0.2	T14-08	187	15.9	T14-08	233	0.1
T14-08	142	0.4	T14-08	188	10.6	T14-08	234	0.7
T14-08	143	0.2	T14-08	189	11.4	T14-08	235	0.5
T14-08	144	0.3	T14-08	190	1.3	T14-08	236	0.4
T14-08	145	0.3	T14-08	191	14.2	T14-08	244	2.2
T14-08	146	0.2	T14-08	192	2.5	T14-08	245	6.3
T14-08	147	0.2	T14-08	193	2.4	T14-08	246	2.1
T14-08	148	0.2	T14-08	194	2.3	T14-08	247	3.8
T14-08	149	0.2	T14-08	195	1.9	T14-08	248	21.9
T14-08	150	0.4	T14-08	196	1.1	T14-08	249	4.4
T14-08	151	0.2	T14-08	197	1.1	T14-08	250	3.1
T14-08	152	0.1	T14-08	198	0.3	T14-08	251	1.1
T14-08	153	0.2	T14-08	199	0.7	T14-08	252	1.9
T14-08	154	0.3	T14-08	200	1.8	T14-08	253	4.5
T14-08	155	0.2	T14-08	201	3.3	T14-08	254	0.3
T14-08	156	0.1	T14-08	202	1.8	T14-08	255	1.6
T14-08	157	0.4	T14-08	203	1.4	T14-08	256	0.3
T14-08	158	1.3	T14-08	204	30	T14-08	257	0.2
T14-08	159	1.7	T14-08	205	11.4	T14-08	258	0.2
T14-08	160	5.5	T14-08	206	16.9	T14-08	259	0.3
T14-08	161	0.1	T14-08	207	16.6	T14-08	260	0.2
T14-08	162	5.4	T14-08	208	4.9	T14-08	261	0.2
T14-08	163	0.3	T14-08	209	1.3	T14-08	262	0.2
T14-08	164	0.8	T14-08	210	15	T14-08	263	0.1
T14-08	165	15.9	T14-08	211	20.2	T14-08	264	0.2
T14-08	166	8.4	T14-08	212	10.3	T14-08	265	0.4
T14-08	167	14.3	T14-08	213	0.7	T14-08	266	1
T14-08	168	4.2	T14-08	214	5.4	T14-08	267	1.7
T14-08	169	4.4	T14-08	215	0.5	T14-08	268	0.9

Trench-ID	Interval	Suscep
T14-08	269	2.7
T14-08	270	2.3
T14-08	271	2
T14-08	272	7.6
T14-08	273	4.4
T14-08	274	2.8
T14-08	275	4.1
T14-08	276	3.5
T14-08	277	15.6
T14-08	278	40.6
T14-08	279	2.8
T14-08	280	0.4
T14-08	281	5.9
T14-08	282	9.2
T14-08	283	2.3
T14-08	284	0.6
T14-08	285	5.5
T14-08	286	4.2
T14-08	287	6.1
T14-08	288	4.2
T14-08	289	7.7
T14-08	290	15.9
T14-08	291	8.6
T14-08	292	1.8
T14-08	293	2.7
T14-08	294	43.2
T14-08	295	0.4
T14-08	296	0.2
T14-08	297	0.2
T14-08	298	0.6
T14-08	299	0.2
T14-08	300	0.2
T14-08	301	0.2
T14-08	302	0.6
T14-08	303	0.7
T14-08	304	1.1
T14-08	305	8.6
T14-08	306	4.3
T14-08	307	12.1
T14-08	308	8.6
T14-08	309	19.1
T14-08	310	16.6
T14-08	311	1
T14-08	312	2.5
T14-08	313	5.3
T14-08	314	9.1
T14-08	315	13.9
T14-08	316	6.7
T14-08	317	17.1
T14-08	318	9.3
T14-08	319	21.9
T14-08	320	17.9
T14-08	321	1.2
T14-08	322	4.2
T14-08	324	4.2
T14-09	0	25
T14-09	1	30.6
T14-09	2	22.2
T14-09	3	6.2
T14-09	4	22.3
T14-09	5	37.2
T14-09	6	20.2
T14-09	7	0.9
T14-09	8	2.2
T14-09	9	1.7
T14-09	10	10.3
T14-09	11	5.1
T14-09	12	24.4
T14-09	13	5.7
T14-09	14	17.6
T14-09	15	1.7
T14-09	16	6.8
T14-09	17	21.9
T14-09	18	10.8
T14-09	19	15.6
T14-09	20	17.6
T14-09	21	0.7
T14-09	22	0.5
T14-09	23	6.3
T14-09	24	9.2
T14-09	25	14.5
T14-09	26	4.1
T14-09	27	1.2
T14-09	28	12.1
T14-09	29	20.6
T14-09	30	20.5
T14-09	31	17.5
T14-09	32	7.6
T14-09	33	0.8
T14-09	34	3.6
T14-09	35	3.7
T14-09	36	1.1
T14-09	37	10.5
T14-09	38	20.7
T14-09	39	6.9
T14-09	40	27.5
T14-09	41	14.7
T14-09	42	31.5
T14-09	43	29.9
T14-09	44	35.9
T14-09	45	9.1
T14-09	46	7.5
T14-09	47	4.3
T14-09	48	19.7
T14-09	49	23.9
T14-09	50	6.6
T14-09	51	0.7
T14-09	52	19
T14-09	53	12.2
T14-09	54	1.5
T14-09	55	1.5
T14-09	56	1
T14-09	57	0.9
T14-09	58	0.2
T14-09	59	0.4
T14-09	60	13.5
T14-09	61	12.5
T14-09	62	5.9
T14-09	63	4.4
T14-09	64	6.2
T14-09	65	2.4
T14-09	66	2.7
T14-09	67	2.8
T14-09	68	2
T14-09	69	0.7
T14-09	70	0.8
T14-09	71	2.6
T14-09	72	0.5
T14-09	73	0.7
T14-09	74	0.9
T14-09	75	3.5
T14-09	76	11.2
T14-09	77	7.8
T14-09	78	4.1
T14-09	79	7.5
T14-09	80	7.3
T14-09	81	6.1
T14-09	82	6.2

Trench-ID	Interval	Suscep
T14-09	83	6.8
T14-09	84	11.3
T14-09	85	0.6
T14-09	86	26.2
T14-09	87	5.5
T14-09	88	0.6
T14-09	89	0.5
T14-09	90	1.2
T14-09	91	2
T14-09	92	4.4
T14-09	93	2.8
T14-09	94	1.4
T14-09	95	0.2
T14-09	96	0.1
T14-09	97	0.1
T14-09	98	0.2
T14-09	99	0.3
T14-09	100	0.2
T14-09	101	0.2
T14-09	102	0.5
T14-09	103	0.3
T14-09	104	1
T14-09	105	1.6
T14-09	106	2.2
T14-09	107	3.5
T14-09	108	5.5
T14-09	109	5.7
T14-09	110	3.2
T14-09	111	17.3
T14-09	112	3.6
T14-09	113	0.4
T14-09	114	0.3
T14-09	115	1.3
T14-09	116	2.9
T14-09	117	0.9
T14-09	118	3.1
T14-09	119	0.2
T14-09	120	0.3
T14-09	121	1
T14-09	122	3.1
T14-09	123	0.7
T14-09	124	0.5
T14-09	125	1.9
T14-09	126	0.2
T14-09	127	0.3
T14-09	128	0.2
T14-09	129	0.4
T14-09	130	0.2
T14-09	131	0.2
T14-09	132	0.4
T14-09	133	0.2
T14-09	134	0.2
T14-09	135	0.3
T14-09	136	3.1
T14-09	137	1.1
T14-09	138	3.3
T14-09	139	1.5
T14-09	140	2
T14-09	141	2.6
T14-09	142	17.2
T14-09	143	6.7
T14-09	144	1.3
T14-09	145	3.7
T14-09	146	16.3
T14-09	147	1.1
T14-09	148	0.5
T14-09	149	0.9
T14-09	150	5.4
T14-09	151	5.8
T14-09	152	0.5
T14-09	153	7.3
T14-09	154	6.3
T14-09	155	2
T14-09	156	5.6
T14-09	157	1.3
T14-09	158	0.5
T14-09	159	3.5
T14-09	160	30.5
T14-09	161	4.7
T14-09	162	5.8
T14-09	163	4.8
T14-09	164	1.2
T14-09	165	14.5
T14-09	166	7.1
T14-09	167	7.8
T14-09	172	2.2
T14-09	173	4.8
T14-09	174	6.6
T14-09	175	13.2
T14-09	176	25.8
T14-09	177	5.7
T14-09	178	13.1
T14-09	179	1
T14-09	180	13.6
T14-10	0	15.4
T14-10	1	8.8
T14-10	2	2.5
T14-10	3	18.2
T14-10	4	0.7
T14-10	5	12.7
T14-10	6	15.8
T14-10	7	24.8
T14-10	8	17.2
T14-10	9	17.4
T14-10	10	0.8
T14-10	11	7.3
T14-10	12	17.4
T14-10	13	15.8
T14-10	14	7.4
T14-10	15	11.1
T14-10	16	11.3
T14-10	17	12.1
T14-10	18	7.5
T14-10	19	1.4
T14-10	20	0.3
T14-10	21	6.3
T14-10	22	30.6
T14-10	23	24.8
T14-10	24	19.3
T14-10	25	13.7
T14-10	26	7.9
T14-10	27	12
T14-10	28	18.3
T14-10	29	17.5
T14-10	30	9.7
T14-10	31	23.4
T14-10	32	36.6
T14-10	33	14
T14-10	34	8.3
T14-10	35	25.6
T14-10	36	15.4
T14-10	37	29.4
T14-10	38	18
T14-10	39	4.9
T14-10	40	21
T14-10	41	27.1
T14-10	42	16.8
T14-10	43	10.9

Trench-ID	Interval	Suscep
T14-10	44	10.7
T14-10	45	19
T14-10	46	11.6
T14-10	47	19.9
T14-10	48	33
T14-10	49	37.3
T14-10	50	41.8
T14-10	63	25.1
T14-10	64	24
T14-10	65	54.3
T14-10	66	17.9
T14-10	67	14.4
T14-10	68	28.7
T14-10	69	18.5
T14-10	70	15.2
T14-10	71	7.8
T14-10	72	5.5
T14-10	73	5.7
T14-10	74	17.1
T14-10	75	5.4
T14-10	76	6.7
T14-10	77	14.4
T14-10	78	9
T14-10	79	7.8
T14-10	80	0.6
T14-10	81	15.8
T14-10	82	3.4
T14-10	83	11.9
T14-10	84	9
T14-10	85	18.9
T14-10	86	2.6
T14-10	87	8
T14-10	88	45.4
T14-10	89	6.6
T14-10	90	14.3
T14-10	91	23.9
T14-10	92	12.3
T14-10	93	13.5
T14-10	94	18.2
T14-10	95	11.2
T14-10	96	4.4
T14-10	97	3.5
T14-10	98	1.6
T14-10	99	5.1
T14-10	100	12.7
T14-10	101	18.6

Trench-ID	Interval	Suscep
T14-10	102	20.5
T14-10	103	30.1
T14-10	104	25.2
T14-10	105	23.8
T14-10	106	30.8
T14-10	107	27.4
T14-10	108	31
T14-10	109	34.9
T14-10	110	32.5
T14-10	111	30.3
T14-10	112	36.1
T14-10	113	41.4
T14-10	114	35.5
T14-10	115	30.8
T14-10	116	15
T14-10	117	24.2
T14-10	118	23
T14-10	119	27.8
T14-10	120	18

Trench-ID	Interval	Suscep

Appendix C:
Drill Program Logs, Core Surveys, and Results

2014 Drill Collar Location and Survey

Collar	Easting	Northing	Elev	Az	Dip	Depth	Area	Note
DI14-07	683116	5514069	1421	355	-55	451.0	West	
DI14-08	683498	5514015	1465	352	-50	522.0	West	
DI14-09	683708	5513957	1466	354	-60	498.0	West	
DI14-10	683708	5513957	1466	180	-60	501.0	West	
DI14-11	683294	5514344	1453	0	-70	87.0	West	Lost
DI14-12	683252	5514301	1445	0	-65	501.0	West	
DI14-13	685328	5513606	1538	120	-50	150.0	East	
DI14-14	685328	5513606	1538	294	-55	225.0	East	
DI14-15	685360	5513380	1566	308	-35	306.4	East	Lost
DI14-16	686229	5514022	1553	270	-45	79.7	East	error (not charged)
DI14-16b	686229	5514022	1553	270	-55	651.0	East	
DI14-17	685928	5514652	1482	105	-55	501.0	East	
DI14-18	685701	5514233	1492	90	-55	501.0	East	
DI14-19	683206	5514249	1437	175	-55	600.0	West	Water at 354m
					Total	**5,574.1**		

Datum: Nad83 Z10
Units in metres

Survey (Dip Tests)

Collar			Az(test)	Az (Cor)	Dip	Depth
DI14-07			338.8	355.3	-54.4	9
DI14-07			339.9	356.4	-55.1	100
DI14-07			340.6	357.1	-56.5	202
DI14-07			341.0	357.5	-57.9	301
DI14-07			344.0	0.5	-58.4	400
DI14-07			345.2	1.7	-58.2	451
DI14-08			336.3	352.8	-49.3	25
DI14-08			337.6	354.1	-49.8	100
DI14-08			340.3	356.8	-49.3	202
DI14-08			343.4	359.9	-48.4	301
DI14-08			347.0	3.5	-47.5	403
DI14-08			351.7	8.2	-44.3	522
DI14-09			338.3	354.8	-60.8	39
DI14-09			339.6	356.1	-61	102
DI14-09			340.8	357.3	-62.6	201
DI14-09			341.4	357.9	-63.1	303
DI14-09			344.4	0.9	-63.5	406
DI14-09			344.2	0.7	-64.3	497
DI14-10			160.3	176.8	-61.2	90
DI14-10			159.3	175.8	-62	201
DI14-10			162.3	178.8	-62.1	303
DI14-10			162.7	179.2	-62.8	405
DI14-10			164.8	181.3	-63.4	501
DI14-12			348.1	4.6	-67.5	85
DI14-12			342.8	359.3	-68.4	186
DI14-12			344.6	1.1	-68.5	286
DI14-12			347.9	4.4	-68.4	386
DI14-12			351.4	7.9	-68.1	486
DI14-12			353.6	10.1	-67.8	501
DI14-13			98.8	120.0	-51.4	12
DI14-13			105.6	122.1	-52.2	114
DI14-14			277.6	294.1	-55.3	18
DI14-14			280.8	297.3	-56.8	118
DI14-14			283	299.5	-57.1	201
DI14-15			291	307.5	-35	21
DI14-15			281.3	297.8	-35.7	126
DI14-16			251.4	267.9	-45.3	24
DI14-16b			248.7	265.2	-55.1	30
DI14-16b			251.9	268.4	-55.3	132
DI14-16b			252.3	268.8	-56.3	230
DI14-16b			255.9	272.4	-56.4	330
DI14-16b			259.4	275.9	-56.3	430
DI14-16b			261	277.5	-55.5	525
DI14-16b			268.6	285.1	-51.4	651
DI14-17			92.1	108.6	-54.4	21
DI14-17			92.7	109.2	-53.6	121
DI14-17			94.2	110.7	-54.4	230
DI14-17			97.9	114.4	-51.2	336
DI14-17			102.1	118.6	-47.5	423
DI14-17			104.5	121.0	-45.2	501

Collar			Az(test)	Az (Cor)	Dip	Depth
DI14-18			77.3	93.8	-54.9	24
DI14-18			76.5	93.0	-55.5	126
DI14-18			81.3	97.8	-56.6	222
DI14-18			85.3	101.8	-57.6	321
DI14-18			88.7	105.2	-57.1	429
DI14-18			97.4	113.9	-56.4	501
DI14-19			158.6	175.1	-55.9	69
DI14-19			160.0	176.5	-56.6	171
DI14-19			161.6	178.1	-57.1	270
DI14-19			164.7	181.2	-57.3	369
DI14-19			169.2	185.7	-56.0	468
DI14-19			173.3	189.8	-53.9	600

Drill Core Analytical

Weight Averaged Grade Composites
2014 Dillard Drill Program

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-07	347501	19	22	3	98	0.28				5.9	4.4	0.3	198
DI14-07	347502	22	25	3	72	0.17				5.2	396.0	0.3	460
DI14-07	347503	25	28	3	58	0.18				2.9	78.0	0.5	174
DI14-07	347504	28	31	3	6	0.02				0.6	5.2	0.1	535
DI14-07	347505	31	34	3	38	0.09				1.0	4.0	0.2	580
DI14-07	347506	34	37	3	2	0.01				0.3	2.9	0.1	70
DI14-07	347507	37	40	3	3	0.01				0.2	2.0	0.1	63
DI14-07	347508	40	43	3	68	0.15				1.7	1.8	0.3	72
DI14-07	347509	43	46	3	227	0.14				2.0	1.3	0.3	47
DI14-07	347510	46	49	3	91	0.27				1.5	1.6	0.4	71
DI14-07	347511	49	52	3	86	0.18				1.3	2.1	0.5	116
DI14-07	347513	52	55	3	50	0.10				1.4	11.0	0.2	162
DI14-07	347514	55	58	3	46	0.15				1.0	3.0	0.2	145
DI14-07	347515	58	61	3	49	0.16				3.1	11.2	5.2	127
DI14-07	347516	61	64	3	55	0.21				3.4	1.3	0.5	111
DI14-07	347517	64	67	3	93	0.24				3.5	0.7	0.3	194
DI14-07	347518	67	70	3	81	0.20				6.2	1.3	0.3	85
DI14-07	347519	70	73	3	66	0.24				4.1	0.9	0.3	119
DI14-07	347520	73	76	3	59	0.15				3.1	1.3	0.2	226
DI14-07	347521	76	79	3	85	0.18				3.7	1.4	0.2	232
DI14-07	347522	79	82	3	46	0.20				9.1	108.5	0.4	131
DI14-07	347523	82	85	3	84	0.19				6.2	5.0	0.4	57
DI14-07	347524	85	88	3	73	0.22				19.9	3.6	0.4	50
DI14-07	Q347526	88	91	3	86	0.27				710.0	28.8	23.4	279
DI14-07	347527	91	94	3	48	0.11				4.8	1.2	0.2	134
DI14-07	347528	94	97	3	34	0.03				1.4	1.1	0.1	52
DI14-07	347529	97	100	3	71	0.20				5.4	1.4	0.3	75
DI14-07	347530	100	103	3	58	0.23				10.0	1.7	0.3	181
DI14-07	347531	103	106	3	103	0.38				11.1	3.3	0.6	142
DI14-07	347532	106	109	3	97	0.32				10.3	2.5	0.5	74
DI14-07	347533	109	112	3	45	0.09				2.6	2.5	0.2	96
DI14-07	347534	112	115	3	94	0.20				7.3	1.2	0.3	42
DI14-07	347535	115	118	3	93	0.27	**0.198**	**62**	**72**	17.4	1.2	0.5	82
DI14-07	347536	118	121	3	73	0.11	**0.174**	**69**	**102**	11.9	1.5	0.2	76
DI14-07	347537	121	124	3	19	0.04				3.9	1.6	0.1	538
DI14-07	Q347539	124	127	3	24	0.02				5.5	1.2	0.1	130
DI14-07	347540	127	130	3	12	0.01				2.4	2.4	0.0	119
DI14-07	347541	130	133	3	10	0.01				1.6	2.7	0.1	91
DI14-07	347542	133	136	3	16	0.02				2.0	1.6	0.1	156
DI14-07	347543	136	139	3	30	0.10				6.3	49.5	0.4	84
DI14-07	347544	139	142	3	42	0.09				18.6	14.3	0.3	63
DI14-07	347545	142	145	3	67	0.09				11.2	2.9	0.4	84
DI14-07	347546	145	148	3	130	0.18				13.2	3.7	0.4	63
DI14-07	347547	148	151	3	39	0.07				8.3	2.7	0.2	30
DI14-07	347548	151	154	3	33	0.05				3.5	1.8	0.1	38
DI14-07	347549	154	157	3	55	0.09				5.4	1.8	0.2	106
DI14-07	347551	157	160	3	35	0.08				5.6	20.8	0.4	169
DI14-07	347552	160	163	3	30	0.06				2.8	104.5	1.4	185
DI14-07	347553	163	166	3	31	0.09				20.0	3.9	0.2	161
DI14-07	347554	166	169	3	19	0.08				32.4	3.8	0.2	42
DI14-07	347555	169	172	3	40	0.10				6.9	6.3	0.2	48
DI14-07	347556	172	175	3	49	0.12				25.1	43.5	0.2	137
DI14-07	347557	175	178	3	41	0.12				10.3	4.9	0.2	88
DI14-07	347558	178	181	3	40	0.11				7.2	3.4	0.2	92
DI14-07	347559	181	184	3	43	0.08				11.6	6.9	0.2	80
DI14-07	347560	184	187	3	19	0.08				5.8	2.6	0.2	46

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-07	347561	187	190	3	11	0.05				8.3	2.3	0.2	102
DI14-07	347562	190	193	3	12	0.04				3.3	1.8	0.1	85
DI14-07	347563	193	196	3	11	0.03				5.8	1.7	0.1	77
DI14-07	347564	196	199	3	1	0.01				5.5	1.2	0.1	126
DI14-07	Q347565	196	199	3	19	0.07				5.9	3.5	0.2	97
DI14-07	347567	202	205	3	31	0.06				5.7	4.1	0.2	74
DI14-07	347568	205	208	3	23	0.08				8.0	2.6	0.2	143
DI14-07	347569	208	211	3	45	0.11				16.2	2.4	0.3	118
DI14-07	347570	211	214	3	31	0.08				30.1	2.1	0.1	97
DI14-07	347571	214	217	3	48	0.09				19.6	18.1	0.2	53
DI14-07	347572	217	220	3	389	0.11				38.4	33.6	0.6	94
DI14-07	347573	220	223	3	69	0.10				20.7	5.7	0.4	116
DI14-07	347574	223	226	3	93	0.18				27.5	3.6	0.5	134
DI14-07	347576	226	229	3	40	0.09				14.4	1.9	0.2	148
DI14-07	347577	229	232	3	49	0.10				11.7	2.5	0.3	91
DI14-07	347578	232	235	3	24	0.07				12.8	2.2	0.2	90
DI14-07	347579	235	238	3	29	0.07				8.5	2.0	0.2	99
DI14-07	347580	238	241	3	21	0.06				11.2	1.7	0.1	75
DI14-07	347581	241	244	3	14	0.03				2.6	3.0	0.1	32
DI14-07	347582	244	247	3	40	0.05				3.9	3.2	0.2	16
DI14-07	347583	247	250	3	177	0.51				5.1	9.4	5.1	45
DI14-07	347584	250	253	3	60	0.06				12.0	5.3	1.1	24
DI14-07	347585	253	256	3	66	0.08				15.7	15.3	0.6	31
DI14-07	347586	256	259	3	75	0.10				14.6	4.1	0.6	87
DI14-07	347587	259	262	3	49	0.07				9.3	5.7	0.3	92
DI14-07	347588	262	265	3	120	0.30				125.0	198.0	0.8	69
DI14-07	347590	265	268	3	97	0.19				65.4	8.6	0.4	67
DI14-07	347591	268	271	3	56	0.11				9.7	22.9	0.3	101
DI14-07	347592	271	274	3	85	0.14				5.4	3.5	0.4	53
DI14-07	347593	274	277	3	93	0.14				3.3	3.7	0.4	60
DI14-07	347594	277	280	3	108	0.14	**0.168**	**90**	**33**	2.9	2.7	0.4	106
DI14-07	347595	280	283	3	62	0.07				1.2	3.5	0.2	151
DI14-07	347596	283	286	3	24	0.05				16.6	7.4	0.2	50
DI14-07	347597	286	289	3	53	0.09				0.8	3.7	0.3	58
DI14-07	347598	289	292	3	25	0.05				3.8	2.5	0.1	64
DI14-07	347599	292	295	3	52	0.06				1.9	2.4	0.2	64
DI14-07	345601	295	298	3	96	0.06				1.5	2.9	0.2	73
DI14-07	345602	298	301	3	19	0.04				2.0	2.4	0.5	86
DI14-07	345603	301	304	3	60	0.08				1.4	2.7	0.2	67
DI14-07	345604	304	307	3	50	0.07				1.4	2.5	0.2	61
DI14-07	345605	307	310	3	439	0.14				2.9	2.3	0.4	42
DI14-07	345606	310	313	3	40	0.07				0.8	2.4	0.3	26
DI14-07	345607	313	316	3	31	0.06				0.7	1.9	0.2	26
DI14-07	345608	316	319	3	25	0.01				0.8	1.7	0.1	25
DI14-07	345609	319	322	3	16	0.08				0.4	1.7	0.7	53
DI14-07	345610	322	325	3	10	0.02				0.2	1.8	0.1	43
DI14-07	345611	325	328	3	43	0.01				0.3	1.5	0.1	51
DI14-07	345612	328	331	3	14	0.03				0.2	2.2	0.1	55
DI14-07	345613	331	334	3	29	0.04				0.3	2.3	0.2	40
DI14-07	345615	334	337	3	54	0.06				0.3	2.1	0.2	66
DI14-07	345616	337	340	3	55	0.09				0.7	2.7	0.4	55
DI14-07	345617	340	343	3	63	0.03				0.4	2.7	0.3	52
DI14-07	345618	343	346	3	30	0.02				2.0	22.2	0.2	116
DI14-07	345619	346	349	3	49	0.03				8.0	9.3	0.2	100
DI14-07	345620	349	352	3	43	0.02				1.6	3.6	0.1	108
DI14-07	345621	352	355	3	210	0.04				4.1	3.0	0.2	73
DI14-07	345622	355	358	3	94	0.02				3.4	3.3	0.1	168
DI14-07	345623	358	361	3	41	0.02				3.8	2.2	0.1	142
DI14-07	345624	361	364	3	52	0.02				3.3	4.8	0.2	102

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-07	345626	364	367	3	32	0.03				3.2	3.3	0.2	60
DI14-07	345627	367	370	3	31	0.03				25.3	3.2	0.2	59
DI14-07	345628	370	373	3	30	0.03				14.9	3.1	0.2	48
DI14-07	345629	373	376	3	49	0.04				7.1	3.1	0.2	47
DI14-07	345630	376	379	3	39	0.02				11.7	3.3	0.2	62
DI14-07	345631	379	382	3	71	0.02				7.3	2.5	0.1	72
DI14-07	345632	382	385	3	66	0.02				3.7	2.3	0.2	102
DI14-07	345633	385	388	3	37	0.02				7.1	2.8	0.2	98
DI14-07	345634	388	391	3	28	0.03				2.3	2.7	0.2	157
DI14-07	345635	391	394	3	95	0.01				3.0	3.1	0.1	137
DI14-07	345636	394	397	3	21	0.01				2.1	3.0	0.1	79
DI14-07	345637	397	400	3	34	0.01				0.7	2.8	0.1	229
DI14-07	345638	400	403	3	31	0.01				0.5	2.7	0.1	165
DI14-07	345640	403	406	3	18	0.01				0.5	3.0	0.1	143
DI14-07	345641	406	409	3	12	0.01				1.0	17.3	0.1	305
DI14-07	345642	409	412	3	93	0.01				1.1	23.0	0.2	195
DI14-07	345643	412	415	3	25	0.01				0.4	12.5	0.1	178
DI14-07	345644	415	418	3	15	0.01				0.5	2.0	0.0	187
DI14-07	345645	418	421	3	8	0.01				0.3	2.4	0.0	196
DI14-07	345646	421	424	3	11	0.00				0.5	2.3	0.0	90
DI14-07	345647	424	427	3	11	0.01				0.6	2.7	0.1	176
DI14-07	345648	427	430	3	17	0.01				0.8	2.6	0.1	137
DI14-07	345649	430	433	3	16	0.01				0.6	2.0	0.1	172
DI14-07	345651	433	436	3	26	0.04				0.4	2.2	0.3	153
DI14-07	345652	436	439	3	30	0.02				0.7	2.1	0.2	84
DI14-07	345653	439	442	3	26	0.04				0.2	2.1	0.2	159
DI14-07	345654	442	445	3	38	0.02				0.2	2.0	0.1	141
DI14-07	345655	445	448	3	17	0.01				1.7	3.9	1.4	129
DI14-07	345656	448	451	3	52	0.02				1.1	2.8	0.3	91
DI14-08	345657	40	43	3	90	0.36				1.2	1.8	0.6	171
DI14-08	345658	43	46	3	44	0.10				1.4	1.6	0.3	124
DI14-08	345659	46	49	3	37	0.10				1.0	1.1	0.2	105
DI14-08	345660	49	52	3	42	0.12				0.7	1.4	0.2	178
DI14-08	345661	52	55	3	61	0.24				1.0	1.8	0.4	214
DI14-08	345662	55	58	3	91	0.16				3.6	2.6	0.2	519
DI14-08	345663	58	61	3	50	0.21				0.6	209.0	0.5	232
DI14-08	345665	61	64	3	57	0.11				0.4	168.5	0.3	290
DI14-08	345666	64	67	3	58	0.09				0.4	113.5	0.2	185
DI14-08	345667	67	70	3	22	0.07				0.4	58.7	0.2	229
DI14-08	345668	70	73	3	10	0.05				0.4	31.2	0.2	889
DI14-08	345669	73	76	3	8	0.02				0.2	15.3	0.1	180
DI14-08	345670	76	79	3	57	0.14				0.5	13.8	0.2	61
DI14-08	345671	79	82	3	47	0.11				0.3	88.4	0.2	627
DI14-08	345672	82	85	3	99	0.11				0.4	16.2	0.2	196
DI14-08	345673	85	88	3	60	0.19				0.3	3.6	0.2	590
DI14-08	345674	88	91	3	63	0.11				0.2	2.9	0.2	485
DI14-08	345676	91	94	3	294	0.12				0.5	1.8	0.2	220
DI14-08	345677	94	97	3	88	0.14	**0.133**	**67**	**57**	0.4	2.0	0.3	145
DI14-08	345678	97	100	3	21	0.04				1.0	55.7	0.1	286
DI14-08	345679	100	103	3	37	0.05				1.7	39.8	1.5	302
DI14-08	345680	103	106	3	62	0.03				0.4	1.5	0.6	80
DI14-08	345681	106	109	3	12	0.00				0.6	1.6	0.1	107
DI14-08	345682	109	112	3	141	0.00				0.8	1.3	0.0	271
DI14-08	345683	112	115	3	54	0.04				0.4	1.0	0.2	399
DI14-08	345684	115	118	3	2	0.00				0.9	0.9	0.0	331
DI14-08	345685	118	121	3	3	0.00				0.5	1.0	0.0	573
DI14-08	345686	121	124	3	13	0.03				0.9	14.1	0.1	827
DI14-08	345687	124	127	3	3	0.01				0.4	1.5	0.0	480
DI14-08	345688	127	130	3	4	0.01				0.2	6.8	0.1	672

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-08	345690	130	133	3	8	0.01				0.4	3.0	0.1	656
DI14-08	345691	133	136	3	16	0.01				0.4	4.4	0.1	832
DI14-08	345692	136	139	3	11	0.00				1.1	2.5	0.0	664
DI14-08	345693	139	142	3	5	0.00				1.0	2.2	0.0	279
DI14-08	345694	142	145	3	3	0.00				0.3	1.9	0.0	379
DI14-08	345695	145	148	3	5	0.00				0.9	1.8	0.0	264
DI14-08	345696	148	151	3	4	0.00				0.9	1.5	0.0	304
DI14-08	345697	151	154	3	110	0.00				1.3	1.5	0.1	305
DI14-08	345698	154	157	3	15	0.00				3.2	0.9	0.0	74
DI14-08	345699	157	160	3	30	0.01				6.4	1.1	0.1	108
DI14-08	345701	160	163	3	20	0.07				3.8	1.7	0.2	159
DI14-08	345702	163	166	3	12	0.02				3.2	1.6	0.1	148
DI14-08	345703	166	169	3	13	0.00				1.1	1.6	0.0	107
DI14-08	345704	169	172	3	59	0.01				2.4	1.1	0.1	111
DI14-08	345705	172	175	3	8	0.02				5.8	1.0	0.1	185
DI14-08	345706	175	178	3	28	0.04				7.1	1.1	0.2	249
DI14-08	345707	178	181	3	29	0.04				6.1	1.2	0.2	191
DI14-08	345708	181	184	3	42	0.02				5.6	1.6	0.1	496
DI14-08	345709	184	187	3	34	0.01				0.7	1.0	0.1	654
DI14-08	345710	187	190	3	5	0.01				0.7	1.2	0.0	412
DI14-08	345711	190	193	3	5	0.01				4.8	0.9	0.1	278
DI14-08	345712	193	196	3	2	0.00				1.1	0.7	0.0	149
DI14-08	345713	196	199	3	24	0.02				1.3	0.7	0.1	132
DI14-08	345715	199	202	3	6	0.00				0.6	0.9	0.0	301
DI14-08	345716	202	205	3	8	0.01				1.5	0.8	0.1	261
DI14-08	345717	205	208	3	6	0.01				0.6	1.1	0.0	266
DI14-08	345718	208	211	3	7	0.00				1.6	1.3	0.0	250
DI14-08	345719	211	214	3	15	0.01				5.6	1.2	0.0	524
DI14-08	345720	214	217	3	18	0.03				2.3	1.3	0.1	447
DI14-08	345721	217	220	3	27	0.03				2.7	1.2	0.2	390
DI14-08	345722	220	223	3	8	0.01				2.3	1.2	0.1	742
DI14-08	345723	223	226	3	18	0.04				2.2	1.2	0.2	368
DI14-08	345724	226	229	3	10	0.02				1.1	1.1	0.1	881
DI14-08	345726	229	232	3	31	0.03				3.8	2.7	0.2	247
DI14-08	345727	232	235	3	14	0.05				6.4	1.8	0.3	189
DI14-08	345728	235	238	3	21	0.06				8.8	1.4	0.3	179
DI14-08	345729	238	241	3	20	0.09				57.3	2.4	0.3	155
DI14-08	345730	241	244	3	19	0.05				3.5	3.5	0.3	259
DI14-08	345731	244	247	3	12	0.03				5.6	1.7	0.1	184
DI14-08	345732	247	250	3	15	0.06				12.9	1.3	0.2	193
DI14-08	345733	250	253	3	16	0.07				13.1	1.7	0.2	158
DI14-08	345734	253	256	3	19	0.08				6.8	1.7	0.2	178
DI14-08	345735	256	259	3	13	0.06				4.5	3.0	0.1	231
DI14-08	345736	259	262	3	24	0.11				3.8	2.8	0.4	285
DI14-08	345737	262	265	3	29	0.08				3.6	1.9	0.3	501
DI14-08	345738	265	268	3	14	0.04				2.6	1.2	0.2	810
DI14-08	345740	268	271	3	17	0.05				4.7	2.7	0.4	495
DI14-08	345741	271	274	3	25	0.09				3.2	5.1	0.3	545
DI14-08	345742	274	277	3	33	0.08				5.6	104.5	1.4	759
DI14-08	345743	277	280	3	16	0.04				8.8	56.6	1.1	535
DI14-08	345744	280	283	3	7	0.03				2.5	42.0	0.5	360
DI14-08	345745	283	286	3	10	0.05				2.4	31.1	0.3	582
DI14-08	345746	286	289	3	23	0.09				4.6	2.3	0.2	545
DI14-08	345747	289	292	3	23	0.09				10.1	2.1	0.3	533
DI14-08	345748	292	295	3	11	0.04				4.5	2.1	0.1	782
DI14-08	345749	295	298	3	17	0.05				3.0	1.7	0.3	795
DI14-08	345751	298	301	3	17	0.04				1.7	2.7	0.2	1020
DI14-08	345752	301	304	3	14	0.04				2.9	1.6	0.2	459
DI14-08	345753	304	307	3	12	0.05				1.1	2.0	0.1	308

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-08	345754	307	310	3	24	0.07				2.6	2.2	0.2	216
DI14-08	345755	310	313	3	20	0.03				1.4	1.7	0.2	214
DI14-08	345756	313	316	3	23	0.04				1.2	1.9	0.2	336
DI14-08	345757	316	319	3	6	0.02				0.9	1.5	0.1	669
DI14-08	345758	319	322	3	3	0.01				3.6	1.5	0.1	333
DI14-08	345759	322	325	3	9	0.03				2.3	2.8	0.1	602
DI14-08	345760	325	328	3	17	0.04				1.7	2.2	0.2	235
DI14-08	345761	328	331	3	19	0.04				6.5	2.0	0.2	163
DI14-08	345762	331	334	3	48	0.06				1.2	4.1	0.2	296
DI14-08	345763	334	337	3	9	0.04				0.8	1.6	0.1	266
DI14-08	345765	337	340	3	16	0.07				0.6	1.6	0.3	247
DI14-08	345766	340	343	3	22	0.06				0.5	2.0	0.2	184
DI14-08	345767	343	346	3	2	0.01				0.9	1.4	0.1	269
DI14-08	345768	346	349	3	11	0.03				5.2	2.0	0.1	174
DI14-08	345769	349	352	3	12	0.02				3.3	2.2	0.1	91
DI14-08	345770	352	355	3	17	0.05				2.7	2.6	0.2	124
DI14-08	345771	355	358	3	9	0.07				2.2	2.0	0.3	86
DI14-08	345772	358	361	3	29	0.06				1.9	3.1	0.3	75
DI14-08	345773	361	364	3	24	0.08				15.1	11.4	0.4	97
DI14-08	345774	364	367	3	29	0.06				4.7	2.8	0.3	167
DI14-08	345776	367	370	3	22	0.07				3.5	4.1	0.3	117
DI14-08	345777	370	373	3	13	0.06				3.0	2.7	0.2	275
DI14-08	345778	373	376	3	9	0.03				1.6	2.3	0.1	66
DI14-08	345779	376	379	3	23	0.04				1.1	5.3	0.3	47
DI14-08	345780	379	382	3	19	0.03				0.7	2.3	0.2	69
DI14-08	345781	382	385	3	28	0.06				0.9	3.3	0.3	71
DI14-08	345782	385	388	3	12	0.09				1.4	4.6	0.3	51
DI14-08	345783	388	391	3	12	0.04				0.6	1.9	0.1	46
DI14-08	345784	391	394	3	34	0.08				1.0	1.8	0.2	41
DI14-08	345785	394	397	3	72	0.15				2.4	2.2	0.3	87
DI14-08	345786	397	400	3	149	0.27				4.5	2.5	0.5	54
DI14-08	345787	400	403	3	46	0.12				4.4	2.5	0.3	300
DI14-08	345788	403	406	3	24	0.08				0.8	3.4	0.2	72
DI14-08	345790	406	409	3	39	0.10				4.2	2.1	0.2	231
DI14-08	345791	409	412	3	30	0.09				6.5	2.3	0.3	246
DI14-08	345792	412	415	3	39	0.07				6.8	2.2	0.2	166
DI14-08	345793	415	418	3	46	0.18				2.6	2.3	0.4	66
DI14-08	345794	418	421	3	66	0.16				12.8	2.0	0.3	128
DI14-08	345795	421	424	3	16	0.09				23.3	3.9	0.2	200
DI14-08	345796	424	427	3	37	0.14				31.2	2.8	0.3	68
DI14-08	345797	427	430	3	16	0.17				20.7	2.3	0.4	39
DI14-08	345798	430	433	3	18	0.12				14.4	2.4	0.2	25
DI14-08	345799	433	436	3	10	0.13				16.2	2.3	0.2	22
DI14-08	345801	436	439	3	6	0.09				9.6	2.3	0.1	31
DI14-08	345802	439	442	3	10	0.17				8.9	2.3	0.2	25
DI14-08	345803	442	445	3	5	0.10				9.5	1.8	0.1	29
DI14-08	345804	445	448	3	87	0.23				4.0	2.9	0.5	47
DI14-08	345805	448	451	3	6	0.11				12.0	3.4	0.1	38
DI14-08	345806	451	454	3	15	0.13				15.4	1.9	0.3	78
DI14-08	345807	454	457	3	12	0.12				25.0	1.7	0.2	55
DI14-08	345808	457	460	3	10	0.07				11.4	2.9	0.1	83
DI14-08	345809	460	463	3	23	0.14				8.0	3.0	0.3	60
DI14-08	345810	463	466	3	15	0.10				25.8	3.3	0.2	113
DI14-08	345811	466	469	3	8	0.09				12.4	2.5	0.2	65
DI14-08	345812	469	472	3	19	0.08				12.3	3.2	0.3	86
DI14-08	345813	472	475	3	10	0.07				5.5	22.4	1.9	47
DI14-08	345815	475	478	3	34	0.08				10.3	174.0	1.0	49
DI14-08	345816	478	481	3	109	0.11				8.6	5.1	0.7	53
DI14-08	345817	481	484	3	27	0.08				3.2	5.3	0.3	150

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-08	345818	484	487	3	20	0.12	**0.120**	**33**	**93**	12.6	2.9	0.4	64
DI14-08	345819	487	490	3	14	0.07				8.8	3.4	0.3	77
DI14-08	345820	490	493	3	17	0.06				8.8	4.2	0.5	65
DI14-08	345821	493	496	3	25	0.06				6.2	4.4	0.7	60
DI14-08	345822	496	499	3	41	0.05				13.0	2.7	0.7	46
DI14-08	345823	499	502	3	13	0.04				9.6	1.9	0.2	111
DI14-08	345824	502	505	3	15	0.05				2.0	4.0	0.1	260
DI14-08	345826	505	508	3	19	0.08				2.5	1.9	0.3	193
DI14-08	345827	508	511	3	19	0.06				1.2	1.3	0.2	122
DI14-08	345828	511	514	3	10	0.03				3.8	1.5	0.2	164
DI14-08	345829	514	517	3	4	0.02				1.0	1.8	0.1	314
DI14-08	345830	517	520	3	12	0.05				6.0	2.1	0.3	46
DI14-08	345831	520	523	3	9	0.03				5.3	2.4	0.2	38
DI14-09	345832	30	33	3	31	0.04				1.6	0.9	0.2	307
DI14-09	345833	33	36	3	94	0.16				1.5	1.5	0.8	73
DI14-09	345834	36	39	3	50	0.12				13.0	1.5	0.5	79
DI14-09	345835	39	42	3	68	0.09				10.3	1.7	0.4	171
DI14-09	345836	42	45	3	92	0.22				13.0	2.8	0.7	48
DI14-09	345838	45	48	3	114	0.20				1.9	3.1	0.5	38
DI14-09	345839	48	51	3	49	0.12				3.1	3.2	0.4	33
DI14-09	345840	51	54	3	31	0.12				6.0	3.2	0.4	54
DI14-09	345841	54	57	3	25	0.11				2.8	2.6	0.3	142
DI14-09	345842	57	60	3	70	0.13				2.9	2.8	0.5	166
DI14-09	345843	60	63	3	31	0.12				16.6	3.4	0.7	190
DI14-09	345844	63	66	3	21	0.04				0.8	4.7	0.5	153
DI14-09	345845	66	69	3	9	0.04				0.4	3.2	0.4	117
DI14-09	345846	69	72	3	8	0.02				0.1	29.0	0.3	197
DI14-09	345847	72	75	3	6	0.02				0.1	27.5	0.2	77
DI14-09	345848	75	78	3	16	0.05				0.6	22.0	0.4	142
DI14-09	345849	78	81	3	41	0.12				2.5	3.3	0.3	162
DI14-09	345851	81	84	3	37	0.15				13.6	66.9	0.4	52
DI14-09	345852	84	87	3	73	0.21				20.2	2.7	0.4	155
DI14-09	345853	87	90	3	47	0.11				5.4	6.9	0.5	279
DI14-09	345854	90	93	3	43	0.13				3.3	3.6	0.6	183
DI14-09	345855	93	96	3	201	0.47				7.6	3.0	1.2	77
DI14-09	345856	96	99	3	58	0.12				7.1	1.8	0.3	159
DI14-09	345857	99	102	3	39	0.11				8.2	1.5	0.2	107
DI14-09	345858	102	105	3	37	0.14				6.5	1.2	0.4	207
DI14-09	345859	105	108	3	50	0.16				7.3	1.3	0.4	146
DI14-09	345860	108	111	3	113	0.29				6.0	1.3	3.8	204
DI14-09	345861	111	114	3	98	0.24				5.7	1.6	0.4	27
DI14-09	345863	114	117	3	52	0.14				11.3	1.5	0.3	27
DI14-09	345864	117	120	3	84	0.44				13.7	1.5	0.6	134
DI14-09	345865	120	123	3	56	0.24				14.7	1.1	0.4	215
DI14-09	345866	123	126	3	39	0.11				8.1	1.5	0.4	751
DI14-09	345867	126	129	3	16	0.04				0.6	1.0	0.2	437
DI14-09	345868	129	132	3	13	0.02				0.8	1.3	0.1	200
DI14-09	345869	132	135	3	41	0.12				3.9	1.8	0.3	335
DI14-09	345870	135	138	3	159	0.18				3.1	1.8	0.3	209
DI14-09	345871	138	141	3	45	0.12				0.4	1.6	0.1	265
DI14-09	345872	141	144	3	51	0.16				0.8	1.4	0.3	152
DI14-09	345873	144	147	3	105	0.21				0.5	1.7	0.3	470
DI14-09	345874	147	150	3	130	0.23	**0.187**	**73**	**57**	2.3	2.5	0.3	126
DI14-09	345876	150	153	3	16	0.07				0.9	2.9	0.2	191
DI14-09	345877	153	156	3	40	0.07				3.4	2.4	0.2	177
DI14-09	345878	156	159	3	27	0.05				0.9	2.5	0.3	198
DI14-09	345879	159	162	3	100	0.14	**0.143**	**58**	**129**	0.3	3.1	0.3	218
DI14-09	345880	162	165	3	58	0.06				0.4	2.5	0.3	123
DI14-09	345881	165	168	3	6	0.00				0.8	1.5	0.0	775

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-09	345882	168	171	3	15	0.01				3.9	2.4	0.1	390
DI14-09	345883	171	174	3	19	0.00				0.8	4.8	0.1	374
DI14-09	345884	174	177	3	16	0.01				0.7	10.0	0.1	288
DI14-09	345885	177	180	3	10	0.00				0.2	3.0	0.0	348
DI14-09	345886	180	183	3	9	0.01				0.7	2.0	0.0	420
DI14-09	345888	183	186	3	10	0.00				0.4	1.9	0.1	647
DI14-09	345889	186	189	3	8	0.00				0.3	1.7	0.0	382
DI14-09	345890	189	192	3	8	0.01				0.9	3.5	0.1	503
DI14-09	345891	192	195	3	9	0.01				0.4	2.7	0.1	556
DI14-09	345892	195	198	3	6	0.00				0.3	1.4	0.0	590
DI14-09	345893	198	201	3	7	0.01				1.5	3.0	0.1	374
DI14-09	345894	201	204	3	4	0.01				0.1	2.2	0.1	340
DI14-09	345895	204	207	3	2	0.00				0.4	2.2	0.0	219
DI14-09	345896	207	210	3	3	0.00				0.7	3.3	0.0	115
DI14-09	345897	210	213	3	8	0.01				1.5	1.6	0.1	188
DI14-09	345898	213	216	3	5	0.02				2.3	2.3	0.1	85
DI14-09	345899	216	219	3	2	0.01				0.5	2.2	0.0	99
DI14-09	915001	219	222	3	4	0.01				1.9	2.6	0.1	127
DI14-09	915002	222	225	3	28	0.02				1.2	2.0	0.1	81
DI14-09	915003	225	228	3	2	0.01				0.4	2.1	0.0	90
DI14-09	915004	228	231	3	10	0.01				0.4	1.7	0.1	72
DI14-09	915005	231	234	3	21	0.03				1.3	2.0	0.2	69
DI14-09	915006	234	237	3	52	0.02				0.6	2.3	0.1	51
DI14-09	915007	237	240	3	11	0.01				0.4	1.4	0.1	47
DI14-09	915008	240	243	3	10	0.01				0.3	2.1	0.1	202
DI14-09	915009	243	246	3	20	0.04				0.8	2.3	0.1	56
DI14-09	915010	246	249	3	120	0.14				0.3	2.2	0.2	135
DI14-09	915011	249	252	3	101	0.13				1.4	1.9	0.3	108
DI14-09	915012	252	255	3	73	0.13				2.2	2.8	0.3	138
DI14-09	915014	255	258	3	104	0.25				1.5	2.8	0.4	34
DI14-09	915015	258	261	3	86	0.08				1.7	5.5	0.2	43
DI14-09	915016	261	264	3	53	0.09				2.5	6.2	0.2	28
DI14-09	915017	264	267	3	121	0.20				0.8	2.3	0.3	34
DI14-09	915018	267	270	3	56	0.24				6.8	2.9	0.5	46
DI14-09	915019	270	273	3	81	0.13				6.4	2.7	0.2	19
DI14-09	915020	273	276	3	196	0.11				2.3	3.0	0.3	56
DI14-09	915021	276	279	3	19	0.04				4.5	2.7	1.9	87
DI14-09	915022	279	282	3	22	0.04				3.9	2.1	0.2	169
DI14-09	915023	282	285	3	37	0.05				1.9	1.7	0.2	97
DI14-09	915024	285	288	3	47	0.09				3.5	2.4	0.3	49
DI14-09	915025	288	291	3	89	0.18				5.0	4.5	1.2	231
DI14-09	915026	291	294	3	65	0.12				1.4	15.3	0.3	65
DI14-09	915027	294	297	3	103	0.17	**0.129**	**81**	**51**	3.0	11.9	0.4	334
DI14-09	915028	297	300	3	16	0.02				0.6	4.3	0.1	580
DI14-09	915029	300	303	3	18	0.01				0.4	3.1	0.1	332
DI14-09	915030	303	306	3	17	0.01				0.6	2.5	0.1	556
DI14-09	915031	306	309	3	25	0.01				0.3	3.0	0.1	553
DI14-09	915032	309	312	3	54	0.02				0.5	4.7	0.1	843
DI14-09	915033	312	315	3	25	0.02				0.4	5.7	0.2	575
DI14-09	915034	315	318	3	353	0.02				0.9	2.0	0.2	865
DI14-09	915035	318	321	3	1350	0.03	**0.025**	**852**	**6**	1.2	3.2	0.8	612
DI14-09	915036	321	324	3	86	0.02				2.1	15.4	0.5	332
DI14-09	915038	324	327	3	1	0.00				0.5	2.4	0.0	304
DI14-09	915039	327	330	3	1	0.00				0.6	3.7	0.0	336
DI14-09	915040	330	333	3	29	0.00				9.1	14.3	0.5	363
DI14-09	915041	333	336	3	61	0.03				1.1	6.3	0.3	363
DI14-09	915042	336	339	3	37	0.07				2.7	5.3	0.5	172
DI14-09	915043	339	342	3	24	0.03				8.0	15.4	0.4	225
DI14-09	915044	342	345	3	31	0.09				4.2	40.9	0.6	290

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-09	915045	345	348	3	13	0.02				0.6	17.3	0.4	391
DI14-09	915046	348	351	3	34	0.02				1.2	2.0	0.6	598
DI14-09	915047	351	354	3	16	0.01				0.4	2.4	0.2	568
DI14-09	915048	354	357	3	5	0.01				0.4	4.4	0.2	1070
DI14-09	915049	357	360	3	2	0.00				0.2	2.7	0.1	906
DI14-09	915051	360	363	3	4	0.01				0.8	3.7	0.1	565
DI14-09	915052	363	366	3	2	0.01				0.3	3.3	0.1	690
DI14-09	915053	366	369	3	9	0.01				0.3	2.9	0.1	228
DI14-09	915054	369	372	3	12	0.01				0.9	2.6	0.2	200
DI14-09	915055	372	375	3	9	0.01				0.4	2.8	0.1	211
DI14-09	915056	375	378	3	22	0.01				2.2	3.3	0.2	338
DI14-09	915057	378	381	3	8	0.01				0.6	2.0	0.1	380
DI14-09	915058	381	384	3	4	0.01				0.5	3.0	0.1	265
DI14-09	915059	384	387	3	5	0.05				1.7	4.4	0.3	460
DI14-09	915060	387	390	3	16	0.01				2.0	5.1	0.2	295
DI14-09	915061	390	393	3	28	0.01				1.3	13.1	0.1	293
DI14-09	915062	393	396	3	5	0.00				0.7	2.5	0.1	189
DI14-09	915064	396	399	3	4	0.00				0.3	3.2	0.0	134
DI14-09	915065	399	402	3	21	0.02				1.5	17.8	0.2	222
DI14-09	915066	402	405	3	50	0.05				0.2	5.6	0.1	229
DI14-09	915067	405	408	3	17	0.01				0.3	3.7	0.0	468
DI14-09	915068	408	411	3	2	0.00				0.4	2.4	0.0	379
DI14-09	915069	411	414	3	34	0.01				0.7	1.4	0.2	311
DI14-09	915070	414	417	3	44	0.03				0.5	5.8	0.3	290
DI14-09	915071	417	420	3	17	0.01				0.5	9.8	0.2	131
DI14-09	915072	420	423	3	2	0.00				0.1	2.1	0.0	300
DI14-09	915073	423	426	3	2	0.00				0.1	2.7	0.0	201
DI14-09	915074	426	429	3	3	0.00				0.3	2.1	0.0	202
DI14-09	915076	429	432	3	3	0.00				1.2	2.3	0.1	116
DI14-09	915077	432	435	3	3	0.00				0.3	2.7	0.1	138
DI14-09	915078	435	438	3	3	0.00				0.2	2.4	0.1	203
DI14-09	915079	438	441	3	3	0.00				0.1	3.9	0.1	288
DI14-09	915080	441	444	3	5	0.01				1.1	2.6	0.1	68
DI14-09	915081	444	447	3	12	0.01				0.6	6.0	0.1	76
DI14-09	915082	447	450	3	3	0.01				0.2	4.6	0.1	32
DI14-09	915083	450	453	3	3	0.01				0.2	3.8	0.1	64
DI14-09	915084	453	456	3	4	0.02				0.4	3.9	0.1	149
DI14-09	915085	456	459	3	3	0.02				0.3	2.8	0.1	132
DI14-09	915086	459	462	3	8	0.01				0.6	2.6	0.1	244
DI14-09	915087	462	465	3	6	0.02				0.4	2.0	0.2	654
DI14-09	915089	465	468	3	6	0.01				0.6	2.5	0.1	318
DI14-09	915090	468	471	3	6	0.01				0.8	8.3	0.1	403
DI14-09	915091	471	474	3	4	0.00				0.3	3.4	0.1	815
DI14-09	915092	474	477	3	9	0.01				0.4	2.9	0.1	116
DI14-09	915093	477	480	3	4	0.01				0.4	2.3	0.1	100
DI14-09	915094	480	483	3	16	0.02				3.4	4.4	0.3	109
DI14-09	915095	483	486	3	1	0.00				0.1	2.9	0.0	52
DI14-09	915096	486	489	3	1	0.00				0.1	2.7	0.0	73
DI14-09	915097	489	492	3	0	0.00				0.1	3.1	0.0	87
DI14-09	915098	492	495	3	0	0.00				0.1	2.6	0.0	71
DI14-09	915099	495	498	3	1	0.00				0.1	2.4	0.0	73
DI14-10	915101	27	30	3	177	0.11				2.0	3.1	0.5	46
DI14-10	915102	30	33	3	37	0.09				1.5	21.3	0.3	65
DI14-10	915103	33	36	3	244	0.22				6.2	135.0	1.0	79
DI14-10	915104	36	39	3	63	0.10				1.8	4.3	0.5	46
DI14-10	915105	39	42	3	35	0.03				5.2	3.6	0.2	103
DI14-10	915106	42	45	3	182	0.15	**0.119**	**123**	**18.0**	2.9	3.9	0.6	92
DI14-10	915107	45	48	3	69	0.07				0.6	18.0	0.4	512
DI14-10	915108	48	51	3	37	0.04				0.5	42.7	0.2	203

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-10	915109	51	54	3	19	0.05				1.1	3.7	0.2	183
DI14-10	915110	54	57	3	23	0.06				0.5	1.9	0.2	38
DI14-10	915111	57	60	3	11	0.03				0.5	2.3	0.1	49
DI14-10	915112	60	63	3	16	0.00				0.5	2.1	0.0	85
DI14-10	915114	63	66	3	18	0.00				0.6	2.1	0.1	133
DI14-10	915115	66	69	3	8	0.01				0.3	3.0	0.1	87
DI14-10	915116	69	72	3	31	0.00				0.9	2.4	0.4	88
DI14-10	915117	72	75	3	12	0.02				1.3	2.8	0.1	147
DI14-10	915118	75	78	3	66	0.07				0.9	3.3	0.4	63
DI14-10	915119	78	81	3	40	0.08				4.3	44.9	0.8	136
DI14-10	915120	81	84	3	74	0.13				7.1	4.7	1.3	59
DI14-10	915121	84	87	3	62	0.11				5.1	4.4	0.3	101
DI14-10	915122	87	90	3	38	0.10				19.1	2.8	0.4	189
DI14-10	915123	90	93	3	78	0.13				6.9	1.9	0.3	116
DI14-10	915124	93	96	3	46	0.15				50.4	2.6	0.3	67
DI14-10	915126	96	99	3	85	0.19				4.5	2.6	0.3	51
DI14-10	915127	99	102	3	51	0.14				4.6	2.9	0.2	96
DI14-10	915128	102	105	3	83	0.15				8.2	2.5	0.3	44
DI14-10	915129	105	108	3	25	0.06				28.1	1.8	0.2	108
DI14-10	915130	108	111	3	30	0.11				9.1	2.9	0.4	102
DI14-10	915131	111	114	3	15	0.08				11.6	4.7	0.2	187
DI14-10	915132	114	117	3	52	0.12				4.1	2.1	0.2	33
DI14-10	915133	117	120	3	91	0.16				34.7	2.6	0.4	19
DI14-10	915134	120	123	3	52	0.12				17.9	2.1	0.4	32
DI14-10	915135	123	126	3	86	0.17				4.0	2.6	0.8	66
DI14-10	915136	126	129	3	146	0.24				3.7	2.0	0.5	99
DI14-10	915137	129	132	3	36	0.08				5.1	1.7	0.2	429
DI14-10	915139	132	135	3	15	0.04				7.5	2.6	0.1	223
DI14-10	915140	135	138	3	129	0.10				3.2	2.9	0.3	406
DI14-10	915141	138	141	3	49	0.14				7.7	12.6	0.3	486
DI14-10	915142	141	144	3	32	0.10				9.1	15.3	0.4	373
DI14-10	915143	144	147	3	43	0.15				31.1	7.2	0.3	437
DI14-10	915144	147	150	3	71	0.14				4.4	3.8	0.3	431
DI14-10	915145	150	153	3	130	0.27				34.5	14.0	0.5	256
DI14-10	915146	153	156	3	44	0.15				8.9	23.8	0.3	264
DI14-10	915147	156	159	3	22	0.08				10.9	22.4	0.3	194
DI14-10	915148	159	162	3	34	0.11				8.4	76.1	0.6	238
DI14-10	915149	162	165	3	52	0.15				11.8	40.8	0.3	409
DI14-10	915151	165	168	3	43	0.07				5.2	5.4	0.2	1085
DI14-10	915152	168	171	3	53	0.14				5.6	33.5	0.7	431
DI14-10	915153	171	174	3	86	0.24				3.8	12.8	0.5	51
DI14-10	915154	174	177	3	133	0.22				5.5	4.5	0.6	120
DI14-10	915155	177	180	3	36	0.14	**0.136**	**61**	**99**	13.0	7.2	0.3	226
DI14-10	915156	180	183	3	19	0.09				9.0	4.4	0.2	121
DI14-10	915157	183	186	3	24	0.08				5.5	3.9	0.2	117
DI14-10	915158	186	189	3	38	0.09				1.2	4.7	0.2	122
DI14-10	915159	189	192	3	13	0.06				1.6	3.3	0.1	157
DI14-10	915160	192	195	3	13	0.04				1.3	4.8	0.1	87
DI14-10	915161	195	198	3	15	0.04				6.8	6.2	0.1	14
DI14-10	915162	198	201	3	22	0.03				2.2	6.2	0.2	79
DI14-10	915164	201	204	3	20	0.02				3.9	5.5	0.1	195
DI14-10	915165	204	207	3	9	0.00				0.9	5.5	0.0	62
DI14-10	915166	207	210	3	4	0.00				1.0	4.1	0.0	296
DI14-10	915167	210	213	3	10	0.02				1.5	20.1	0.2	105
DI14-10	915168	213	216	3	4	0.01				0.4	5.5	0.1	70
DI14-10	915169	216	219	3	12	0.01				0.6	6.2	0.0	216
DI14-10	915170	219	222	3	17	0.01				0.9	4.6	0.1	37
DI14-10	915171	222	225	3	17	0.01				0.3	12.4	0.1	37
DI14-10	915172	225	228	3	6	0.02				1.3	8.3	0.1	153

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-10	915173	228	231	3	8	0.01				0.7	37.4	0.1	343
DI14-10	915174	231	234	3	4	0.01				0.2	15.7	0.1	565
DI14-10	915176	234	237	3	2	0.00				0.2	5.2	0.0	935
DI14-10	915177	237	240	3	23	0.01				0.2	9.9	0.1	795
DI14-10	915178	240	243	3	3	0.01				0.1	8.5	0.1	245
DI14-10	915179	243	246	3	1	0.01				0.1	10.1	0.1	1575
DI14-10	915180	246	249	3	7	0.01				1.1	17.7	0.1	441
DI14-10	915181	249	252	3	14	0.01				0.8	42.1	0.2	505
DI14-10	915182	252	255	3	61	0.01				0.7	17.7	0.1	135
DI14-10	915183	255	258	3	26	0.01				0.5	9.1	0.1	336
DI14-10	915184	258	261	3	5	0.01				0.3	16.8	0.1	722
DI14-10	915185	261	264	3	16	0.07				0.4	32.5	0.2	630
DI14-10	915186	264	267	3	5	0.00				0.5	17.2	0.1	441
DI14-10	915187	267	270	3	5	0.00				0.7	14.4	0.1	50
DI14-10	915189	270	273	3	38	0.00				0.7	5.1	0.1	562
DI14-10	915190	273	276	3	26	0.02				0.7	2.4	0.1	756
DI14-10	915191	276	279	3	26	0.06				0.6	3.5	0.3	174
DI14-10	915192	279	282	3	48	0.05				0.6	3.4	0.3	138
DI14-10	915193	282	285	3	23	0.03				2.5	18.9	0.2	374
DI14-10	915194	285	288	3	13	0.03				2.0	2.3	0.2	150
DI14-10	915195	288	291	3	74	0.06				1.8	3.1	0.5	238
DI14-10	915196	291	294	3	15	0.03				1.3	18.6	0.4	34
DI14-10	915197	294	297	3	23	0.05				1.8	6.9	0.3	13
DI14-10	915198	297	300	3	11	0.03				1.4	4.6	0.2	15
DI14-10	915199	300	303	3	11	0.03				1.3	4.4	0.1	24
DI14-10	915201	303	306	3	9	0.01				0.3	4.7	0.1	14
DI14-10	915202	306	309	3	5	0.01				0.2	4.3	0.1	82
DI14-10	915203	309	312	3	2	0.01				0.5	5.6	0.1	12
DI14-10	915204	312	315	3	6	0.01				0.2	4.1	0.1	93
DI14-10	915205	315	318	3	7	0.01				0.7	3.4	0.1	220
DI14-10	915206	318	321	3	14	0.01				2.0	2.6	0.2	161
DI14-10	915207	321	324	3	13	0.01				1.0	1.9	0.1	333
DI14-10	915208	324	327	3	7	0.02				2.2	3.8	0.2	426
DI14-10	915209	327	330	3	39	0.02				1.7	4.2	0.1	143
DI14-10	915210	330	333	3	13	0.01				2.7	3.0	0.1	2370
DI14-10	915211	333	336	3	4	0.00				7.7	3.0	0.0	863
DI14-10	915212	336	339	3	5	0.02				1.1	3.0	0.1	130
DI14-10	915214	339	342	3	13	0.03				1.4	2.8	0.1	194
DI14-10	915215	342	345	3	12	0.01				3.9	2.5	0.1	229
DI14-10	915216	345	348	3	1	0.00				0.2	2.8	0.0	214
DI14-10	915217	348	351	3	1	0.00				0.2	2.5	0.0	155
DI14-10	915218	351	354	3	5	0.02				0.9	2.2	0.1	195
DI14-10	915219	354	357	3	3	0.00				0.2	2.1	0.0	229
DI14-10	915220	357	360	3	3	0.01				0.7	2.3	0.0	422
DI14-10	915221	360	363	3	28	0.02				1.4	2.3	0.1	541
DI14-10	915222	363	366	3	6	0.02				1.2	4.1	0.2	503
DI14-10	915223	366	369	3	9	0.02				2.0	7.6	0.2	558
DI14-10	915224	369	372	3	3	0.03				0.9	10.1	0.3	529
DI14-10	915226	372	375	3	6	0.01				2.1	9.9	0.2	424
DI14-10	915227	375	378	3	2	0.01				0.3	22.7	0.1	444
DI14-10	915228	378	381	3	3	0.00				0.5	1.6	0.0	418
DI14-10	915229	381	384	3	1	0.00				0.5	2.4	0.0	213
DI14-10	915230	384	387	3	5	0.01				0.4	2.1	0.1	495
DI14-10	915231	387	390	3	4	0.01				1.3	1.4	0.1	146
DI14-10	915232	390	393	3	6	0.02				0.8	2.3	0.3	144
DI14-10	915233	393	396	3	1	0.01				0.9	3.2	0.1	204
DI14-10	915234	396	399	3	2	0.02				0.8	2.6	0.2	96
DI14-10	915235	399	402	3	2	0.02				0.9	2.5	0.1	79
DI14-10	915236	402	405	3	3	0.02				0.4	3.8	0.1	83

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-10	915237	405	408	3	2	0.01				0.3	3.6	0.1	66
DI14-10	915239	408	411	3	1	0.00				0.5	2.3	0.0	63
DI14-10	915240	411	414	3	8	0.01				0.4	1.3	0.1	61
DI14-10	915241	414	417	3	1	0.00				0.6	1.6	0.1	34
DI14-10	915242	417	420	3	1	0.00				0.3	1.9	0.0	65
DI14-10	915243	420	423	3	1	0.01				0.3	1.7	0.1	34
DI14-10	915244	423	426	3	2	0.01				0.7	2.2	0.1	65
DI14-10	915245	426	429	3	3	0.01				0.4	2.0	0.1	45
DI14-10	915246	429	432	3	2	0.02				0.4	2.6	0.1	33
DI14-10	915247	432	435	3	2	0.01				0.7	2.7	0.1	33
DI14-10	915248	435	438	3	1	0.01				0.3	2.4	0.1	33
DI14-10	915249	438	441	3	1	0.00				0.3	2.4	0.0	39
DI14-10	915251	441	444	3	2	0.00				0.7	2.5	0.0	39
DI14-10	915252	444	447	3	2	0.01				0.3	3.8	0.1	130
DI14-10	915253	447	450	3	1	0.00				0.2	4.6	0.0	76
DI14-10	915254	450	453	3	2	0.01				0.2	13.7	0.1	72
DI14-10	915255	453	456	3	1	0.00				0.3	3.0	0.0	46
DI14-10	915256	456	459	3	8	0.01				0.3	2.6	0.1	51
DI14-10	915257	459	462	3	3	0.02				0.8	1.8	0.2	27
DI14-10	915258	462	465	3	2	0.02				0.8	2.3	0.2	81
DI14-10	915259	465	468	3	2	0.02				0.6	2.2	0.1	34
DI14-10	915260	468	471	3	2	0.01				0.7	2.6	0.1	42
DI14-10	915261	471	474	3	2	0.00				0.4	4.0	0.1	41
DI14-10	915262	474	477	3	6	0.02				0.8	4.9	0.3	40
DI14-10	915264	477	480	3	4	0.01				1.1	2.3	0.1	49
DI14-10	915265	480	483	3	3	0.01				0.6	2.2	0.1	37
DI14-10	915266	483	486	3	1	0.01				0.4	2.2	0.2	41
DI14-10	915267	486	489	3	4	0.02				0.9	2.4	0.2	61
DI14-10	915268	489	492	3	4	0.01				0.8	2.8	0.2	45
DI14-10	915269	492	495	3	3	0.01				0.7	2.1	0.2	35
DI14-10	915270	495	498	3	3	0.02				0.6	2.3	0.3	54
DI14-10	915271	498	501	3	5	0.01				0.4	1.9	0.1	33
DI14-11	915272	37	40	3	370	0.01				2.2	9.2	0.4	455
DI14-11	915273	40	42	2	39	0.00				1.7	4.8	0.1	397
DI14-11	915274	42	45	3	95	0.00				3.1	5.7	0.2	1160
DI14-11	915276	45	48	3	30	0.00				1.0	3.2	0.1	1240
DI14-11	915277	48	51	3	71	0.01				2.0	4.6	0.2	534
DI14-11	915278	51	54	3	30	0.00				0.6	4.1	0.3	641
DI14-11	915279	54	57	3	29	0.06				0.5	4.2	0.4	506
DI14-11	915280	57	60	3	79	0.12				0.7	2.2	0.5	274
DI14-11	915281	60	63	3	41	0.09				1.2	12.4	0.4	144
DI14-11	915282	63	66	3	123	0.06				0.9	20.8	0.9	326
DI14-11	915283	66	69	3	86	0.16				6.9	13.4	1.3	254
DI14-11	915284	69	72	3	83	0.15				8.7	15.5	1.5	236
DI14-11	915285	72	75	3	63	0.06				11.0	9.0	1.3	239
DI14-11	915286	75	78	3	94	0.17				3.1	4.4	1.2	208
DI14-11	915287	78	81	3	126	0.23				2.3	19.9	5.2	173
DI14-11	915289	81	84	3	40	0.13				2.0	9.3	0.8	205
DI14-11	915290	84	87	3	174	0.12	**0.129**	**91**	**30**	31.6	223.0	1.4	161
DI14-12	915291	28.7	30	1.3	23	0.03				0.2	1.5	0.1	315
DI14-12	915292	30	33	3	11	0.03				0.3	2.0	0.1	353
DI14-12	915293	33	36	3	18	0.03				0.3	3.6	0.1	275
DI14-12	915294	36	39	3	14	0.03				0.2	1.7	0.1	285
DI14-12	915295	39	42	3	23	0.05				0.4	3.7	0.2	370
DI14-12	915296	42	45	3	35	0.05				0.5	1.6	0.2	197
DI14-12	915297	45	48	3	22	0.03				0.5	1.0	0.1	249
DI14-12	915298	48	51	3	42	0.03				0.9	2.0	0.2	274
DI14-12	915299	51	54	3	109	0.06				4.5	10.3	0.3	117
DI14-12	915301	54	57	3	76	0.07				2.6	2.8	0.3	66

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-12	915302	57	60	3	28	0.06				3.7	1.7	0.2	72
DI14-12	915303	60	63	3	24	0.04				2.0	1.2	0.1	196
DI14-12	915304	63	66	3	10	0.03				1.4	0.7	0.1	177
DI14-12	915305	66	69	3	16	0.02				2.9	0.9	0.1	189
DI14-12	915306	69	72	3	31	0.03				2.6	1.1	0.2	127
DI14-12	915307	72	75	3	22	0.06				2.2	1.0	0.3	90
DI14-12	915308	75	78	3	46	0.05				1.7	1.6	0.3	91
DI14-12	915309	78	81	3	60	0.02				1.2	0.9	0.2	69
DI14-12	915310	81	84	3	11	0.02				0.9	0.9	0.1	157
DI14-12	915311	84	87	3	18	0.05				4.3	0.8	0.2	121
DI14-12	915312	87	90	3	16	0.04				2.0	0.8	0.1	78
DI14-12	915314	90	93	3	12	0.05				1.2	0.8	0.1	111
DI14-12	915315	93	96	3	85	0.10				0.7	1.0	0.2	460
DI14-12	915316	96	99	3	98	0.17				7.7	0.9	0.4	107
DI14-12	915317	99	102	3	66	0.20				102.0	1.1	0.3	59
DI14-12	915318	102	105	3	190	0.16				13.6	0.8	0.3	319
DI14-12	915319	105	108	3	67	0.19				7.1	1.2	0.4	530
DI14-12	915320	108	111	3	74	0.50	**0.2177**	**97**	**18**	32.7	1.5	0.9	128
DI14-12	915321	111	114	3	26	0.08				3.3	2.1	0.2	409
DI14-12	915322	114	117	3	27	0.11				5.4	1.7	0.3	282
DI14-12	915323	117	120	3	23	0.12				3.1	2.1	0.3	115
DI14-12	915324	120	123	3	45	0.13				9.6	2.0	0.4	56
DI14-12	915326	123	126	3	40	0.09				4.2	1.7	0.5	46
DI14-12	915327	126	129	3	23	0.06				9.1	1.3	0.2	349
DI14-12	915328	129	132	3	5	0.03				2.3	0.7	0.1	293
DI14-12	915329	132	135	3	12	0.03				3.1	0.7	0.1	244
DI14-12	915330	135	138	3	39	0.13				4.2	1.5	0.4	73
DI14-12	915331	138	141	3	52	0.13				5.6	0.9	0.4	93
DI14-12	915332	141	144	3	33	0.14				6.1	0.8	0.3	193
DI14-12	915333	144	147	3	24	0.08				2.8	1.0	0.2	231
DI14-12	915334	147	150	3	20	0.10	**0.134**	**50**	**57**	3.1	0.5	0.4	238
DI14-12	915335	150	153	3	6	0.01				0.5	0.8	0.1	223
DI14-12	915336	153	156	3	28	0.03				0.9	3.1	0.1	99
DI14-12	915337	156	159	3	16	0.02				1.9	1.3	0.0	88
DI14-12	915339	159	162	3	8	0.02				1.3	0.8	0.0	198
DI14-12	915340	162	165	3	17	0.03				2.8	1.3	0.1	291
DI14-12	915341	165	168	3	6	0.02				2.7	1.8	0.1	265
DI14-12	915342	168	171	3	12	0.01				1.7	1.9	0.1	203
DI14-12	915343	171	174	3	10	0.02				3.4	1.6	0.1	324
DI14-12	915344	174	177	3	17	0.03				5.8	1.3	0.1	118
DI14-12	915345	177	180	3	25	0.04				1.4	1.1	0.1	114
DI14-12	915346	180	183	3	21	0.06				1.8	1.0	0.2	68
DI14-12	915347	183	186	3	44	0.11				2.1	1.1	0.3	43
DI14-12	915348	186	189	3	53	0.13				2.9	1.6	0.3	101
DI14-12	915349	189	192	3	39	0.13				6.0	1.5	0.2	83
DI14-12	915351	192	195	3	57	0.18				18.8	29.5	0.4	128
DI14-12	915352	195	198	3	74	0.14				4.8	25.1	0.4	65
DI14-12	915353	198	201	3	22	0.10				2.5	1.8	0.1	94
DI14-12	915354	201	204	3	36	0.09				2.7	1.0	0.1	53
DI14-12	915355	204	207	3	51	0.26	**0.14**	**47**	**24**	8.0	1.6	0.3	74
DI14-12	915356	207	210	3	21	0.09				2.7	1.1	0.1	125
DI14-12	915357	210	213	3	17	0.09				9.6	0.7	0.1	155
DI14-12	915358	213	216	3	29	0.09				18.4	1.6	0.1	146
DI14-12	915359	216	219	3	29	0.12				8.9	4.1	0.2	89
DI14-12	915360	219	222	3	11	0.09				4.0	1.6	0.2	49
DI14-12	915361	222	225	3	20	0.08				1.9	1.7	0.1	54
DI14-12	915362	225	228	3	40	0.10				7.9	1.4	0.2	55
DI14-12	915364	228	231	3	25	0.11				14.4	1.5	0.2	58
DI14-12	915365	231	234	3	27	0.08				8.0	2.8	0.1	24

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-12	915366	234	237	3	23	0.08				5.3	2.3	0.2	17
DI14-12	915367	237	240	3	27	0.08				2.7	4.7	0.2	52
DI14-12	915368	240	243	3	25	0.05				3.6	1.7	0.1	162
DI14-12	915369	243	246	3	21	0.09				5.3	1.5	0.3	72
DI14-12	915370	246	249	3	20	0.08				6.6	13.8	0.2	34
DI14-12	915371	249	252	3	15	0.09				10.4	1.6	0.1	44
DI14-12	915372	252	255	3	19	0.09				4.7	1.0	0.1	73
DI14-12	915373	255	258	3	16	0.09				8.4	1.6	0.1	130
DI14-12	915374	258	261	3	11	0.06				4.1	1.4	0.1	106
DI14-12	915376	261	264	3	14	0.07				5.2	34.9	0.2	180
DI14-12	915377	264	267	3	10	0.06				17.7	2.2	0.2	61
DI14-12	915378	267	270	3	11	0.08				5.1	2.5	0.2	43
DI14-12	915379	270	273	3	8	0.05				3.9	2.2	0.1	47
DI14-12	915380	273	276	3	10	0.06				8.5	1.9	0.1	51
DI14-12	915381	276	279	3	7	0.07				15.3	2.3	0.1	36
DI14-12	915382	279	282	3	15	0.05				4.8	2.5	0.1	21
DI14-12	915383	282	285	3	16	0.07				6.8	2.4	0.2	12
DI14-12	915384	285	288	3	9	0.04				9.6	2.3	0.1	12
DI14-12	915385	288	291	3	8	0.02				1.9	2.5	0.1	16
DI14-12	915386	291	294	3	34	0.10				4.9	2.6	0.4	19
DI14-12	915387	294	297	3	16	0.04				3.8	2.2	0.2	28
DI14-12	915389	297	300	3	8	0.05				18.5	2.7	0.1	20
DI14-12	915390	300	303	3	12	0.04				8.5	1.8	0.1	26
DI14-12	915391	303	306	3	9	0.03				1.2	2.2	0.1	45
DI14-12	915392	306	309	3	17	0.03				1.1	4.2	0.1	83
DI14-12	915393	309	312	3	9	0.03				4.7	3.9	0.1	59
DI14-12	915394	312	315	3	7	0.05				3.0	2.6	0.1	31
DI14-12	915395	315	318	3	8	0.04				5.0	2.1	0.1	35
DI14-12	915396	318	321	3	7	0.04				4.6	2.6	0.1	26
DI14-12	915397	321	324	3	5	0.01				1.4	2.4	0.0	67
DI14-12	915398	324	327	3	8	0.03				2.4	2.1	0.1	47
DI14-12	915399	327	330	3	10	0.05				2.4	2.5	0.1	41
DI14-12	915401	330	333	3	22	0.08				11.6	5.3	0.2	50
DI14-12	915402	333	336	3	10	0.03				3.7	2.4	0.1	95
DI14-12	915403	336	339	3	10	0.03				5.7	2.6	0.1	66
DI14-12	915404	339	342	3	13	0.05				3.9	4.6	0.1	50
DI14-12	915405	342	345	3	20	0.02				1.1	3.3	0.1	83
DI14-12	915406	345	348	3	12	0.05				2.1	3.0	0.1	74
DI14-12	915407	348	351	3	26	0.03				5.9	9.6	0.1	89
DI14-12	915408	351	354	3	15	0.03				4.9	9.2	0.1	81
DI14-12	915409	354	357	3	25	0.05				4.3	5.6	0.1	63
DI14-12	915410	357	360	3	6	0.02				3.3	3.1	0.0	142
DI14-12	915411	360	363	3	10	0.02				2.1	3.6	0.1	96
DI14-12	915412	363	366	3	12	0.05				3.0	7.8	0.1	53
DI14-12	915414	366	369	3	10	0.05				2.9	6.2	0.1	35
DI14-12	915415	369	372	3	8	0.06				3.4	4.7	0.1	36
DI14-12	915416	372	375	3	18	0.03				3.8	3.4	0.1	78
DI14-12	915417	375	378	3	36	0.07				18.5	7.5	0.2	33
DI14-12	915418	378	381	3	140	0.21				11.2	4.1	0.6	47
DI14-12	915419	381	384	3	114	0.20				4.3	4.3	0.5	37
DI14-12	915420	384	387	3	110	0.16				1.9	6.7	0.4	24
DI14-12	915421	387	390	3	46	0.11				1.4	3.4	0.3	38
DI14-12	915422	390	393	3	24	0.09				2.2	3.1	0.3	54
DI14-12	915423	393	396	3	18	0.06	**0.13**	**90**	**21**	2.0	3.5	0.2	55
DI14-12	915424	396	399	3	179	0.10	**0.07**	**27**	**216.0**	3.7	3.1	0.3	31
DI14-12	915426	399	402	3	25	0.09				4.5	4.1	0.3	51
DI14-12	915427	402	405	3	21	0.06				1.3	2.7	0.2	50
DI14-12	915428	405	408	3	19	0.04				1.8	3.1	0.2	73
DI14-12	915429	408	411	3	23	0.04				4.1	8.6	0.3	135

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-12	915430	411	414	3	14	0.03				2.0	4.1	0.3	153
DI14-12	915431	414	417	3	30	0.05				2.6	8.2	0.4	114
DI14-12	915432	417	420	3	36	0.05				2.5	6.9	0.6	97
DI14-12	915433	420	423	3	25	0.03				3.2	16.0	0.4	84
DI14-12	915434	423	426	3	22	0.03				3.2	3.4	0.3	149
DI14-12	915435	426	429	3	12	0.02				4.9	4.9	0.1	73
DI14-12	915436	429	432	3	20	0.02				2.8	8.2	0.2	78
DI14-12	915437	432	435	3	23	0.01				2.1	16.5	0.5	50
DI14-12	915439	435	438	3	19	0.01				5.6	13.5	0.3	180
DI14-12	915440	438	441	3	28	0.06				1.7	3.9	0.2	24
DI14-12	915441	441	444	3	32	0.05				1.5	2.9	0.2	29
DI14-12	915442	444	447	3	16	0.05				1.8	2.3	0.2	58
DI14-12	915443	447	450	3	28	0.07				2.9	2.1	0.2	39
DI14-12	915444	450	453	3	35	0.08				2.6	4.2	0.3	119
DI14-12	915445	453	456	3	59	0.13				4.9	5.3	2.0	108
DI14-12	915446	456	459	3	27	0.10				22.4	3.7	0.5	75
DI14-12	915447	459	462	3	24	0.05				13.3	3.7	0.2	35
DI14-12	915448	462	465	3	24	0.05				14.8	3.9	0.2	33
DI14-12	915449	465	468	3	14	0.07				9.8	3.5	0.3	49
DI14-12	915451	468	471	3	16	0.07				18.8	5.5	0.3	10
DI14-12	915452	471	474	3	4	0.02				1.8	4.7	0.1	38
DI14-12	915453	474	477	3	7	0.02				1.3	4.0	0.1	63
DI14-12	915454	477	480	3	5	0.01				0.9	2.3	0.0	46
DI14-12	915455	480	483	3	18	0.01				1.9	4.3	0.1	57
DI14-12	915456	483	486	3	10	0.02				1.3	4.1	0.1	42
DI14-12	915457	486	489	3	8	0.02				0.6	3.9	0.1	26
DI14-12	915458	489	492	3	20	0.02				2.0	6.5	0.1	28
DI14-12	915459	492	495	3	7	0.01				0.8	3.0	0.1	23
DI14-12	915460	495	498	3	13	0.02				0.7	2.7	0.1	39
DI14-12	915461	498	501	3	18	0.04				0.7	2.1	0.1	121
DI14-13	915462	4	7	3	4	0.09				0.8	49.0	0.4	35
DI14-13	915464	7	10	3	1	0.05				0.4	4.6	0.3	75
DI14-13	915465	10	12	2	7	0.11				0.2	4.3	0.6	33
DI14-13	915466	12	15	3	3	0.06				0.7	2.1	0.1	52
DI14-13	915467	15	18	3	6	0.07				1.2	1.1	0.1	275
DI14-13	915468	18	21	3	25	0.13				0.7	2.2	0.2	205
DI14-13	915469	21	24	3	4	0.05				0.5	2.1	0.1	75
DI14-13	915470	24	27	3	5	0.07				0.6	2.0	0.1	60
DI14-13	915471	27	30	3	6	0.06				0.8	2.7	0.2	68
DI14-13	915472	30	33	3	2	0.04				0.5	3.4	0.1	83
DI14-13	915473	33	36	3	2	0.02				0.3	3.0	0.0	141
DI14-13	915474	36	39	3	3	0.04				0.3	2.8	0.1	141
DI14-13	915476	39	42	3	2	0.02				0.8	13.9	0.1	80
DI14-13	915477	42	45	3	1	0.07				0.6	11.3	0.1	240
DI14-13	915478	45	48	3	4	0.06				0.7	18.8	0.2	89
DI14-13	915479	48	51	3	8	0.08				0.9	2.0	0.2	92
DI14-13	915480	51	54	3	7	0.06				0.3	1.4	0.1	77
DI14-13	915481	54	57	3	6	0.08				0.4	1.0	0.1	138
DI14-13	915482	57	60	3	12	0.10				0.9	1.3	0.2	127
DI14-13	915483	60	63	3	6	0.11				0.9	1.8	0.2	179
DI14-13	915484	63	66	3	2	0.05				0.3	1.1	0.1	567
DI14-13	915485	66	69	3	2	0.02				0.1	1.0	0.1	180
DI14-13	915486	69	72	3	1	0.02				0.2	0.9	0.1	72
DI14-13	915487	72	75	3	1	0.02				0.4	1.0	0.1	54
DI14-13	915489	75	78	3	1	0.02				0.4	0.9	0.1	52
DI14-13	915490	78	81	3	1	0.07				0.3	1.2	0.4	39
DI14-13	915491	81	84	3	0	0.04				0.1	1.1	0.3	36
DI14-13	915492	84	87	3	0	0.02				0.1	1.1	0.1	96
DI14-13	915493	87	90	3	1	0.02				0.1	0.9	0.2	215

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-13	915494	90	93	3	1	0.03				0.1	0.8	0.1	113
DI14-13	915495	93	96	3	0	0.01				0.1	0.6	0.1	241
DI14-13	915496	96	99	3	1	0.01				0.1	0.6	0.1	187
DI14-13	915497	99	102	3	1	0.01				0.1	1.3	0.1	137
DI14-13	915498	102	105	3	2	0.03				0.1	2.7	0.1	309
DI14-13	915499	105	108	3	1	0.02				0.2	0.7	0.1	382
DI14-13	915501	108	111	3	3	0.06				1.2	8.2	0.4	365
DI14-13	915502	111	114	3	47	0.11				0.8	1.5	0.6	132
DI14-13	915503	114	117	3	12	0.13				2.2	1.2	0.4	72
DI14-13	915504	117	120	3	5	0.12				0.8	1.5	0.4	105
DI14-13	915505	120	123	3	10	0.11				4.9	1.5	0.3	116
DI14-13	915506	123	126	3	13	0.11				1.0	2.0	0.3	105
DI14-13	915507	126	129	3	4	0.06				0.6	2.1	0.2	46
DI14-13	915508	129	132	3	6	0.10	**0.11**	**14**	**21.0**	0.8	2.5	0.3	53
DI14-13	915509	132	135	3	9	0.09				29.7	2.8	0.4	51
DI14-13	915510	135	138	3	2	0.06				2.3	3.0	0.3	85
DI14-13	915511	138	141	3	2	0.05				0.7	3.0	0.2	53
DI14-13	915512	141	144	3	4	0.09				1.6	2.2	0.3	57
DI14-13	915514	144	147	3	3	0.06				2.8	2.3	0.2	84
DI14-13	915515	147	150	3	8	0.09				2.6	1.9	0.4	125
DI14-14	915516	3	6	3	5	0.05				0.9	2.8	0.2	75
DI14-14	915517	6	9	3	7	0.11				0.5	1.3	0.2	68
DI14-14	915518	9	12	3	2	0.03				0.2	0.9	0.1	37
DI14-14	915519	12	15	3	3	0.05				0.2	1.0	0.1	71
DI14-14	915520	15	18	3	11	0.11				0.2	1.5	0.4	64
DI14-14	915521	18	21	3	2	0.05				0.8	0.9	0.2	72
DI14-14	915522	21	24	3	1	0.03				0.5	1.2	0.2	302
DI14-14	915523	24	27	3	0	0.02				0.2	1.0	0.1	416
DI14-14	915524	27	30	3	1	0.02				0.1	0.6	0.1	134
DI14-14	915526	30	33	3	1	0.02				0.4	0.9	0.1	75
DI14-14	915527	33	36	3	5	0.09				0.2	1.1	0.2	156
DI14-14	915528	36	39	3	1	0.02				0.1	0.9	0.1	189
DI14-14	915529	39	42	3	3	0.04				0.1	0.8	0.2	74
DI14-14	915530	42	45	3	1	0.04				0.1	0.9	0.1	167
DI14-14	915531	45	48	3	6	0.05				0.1	0.9	0.1	83
DI14-14	915532	48	51	3	2	0.04				0.1	1.0	0.2	93
DI14-14	915533	51	54	3	1	0.02				0.1	2.9	0.1	46
DI14-14	915534	54	57	3	1	0.01				0.1	1.3	0.1	107
DI14-14	915535	57	60	3	3	0.02				0.1	1.4	0.1	122
DI14-14	915536	60	63	3	4	0.04				0.1	6.3	0.2	73
DI14-14	915537	63	66	3	2	0.02				0.1	5.3	0.1	59
DI14-14	915539	66	69	3	2	0.03				0.3	29.4	0.1	558
DI14-14	915540	69	72	3	2	0.03				0.5	14.0	0.2	475
DI14-14	915541	72	75	3	2	0.03				0.2	9.0	0.2	669
DI14-14	915542	75	78	3	2	0.04				0.3	3.1	0.2	204
DI14-14	915543	78	81	3	7	0.06				0.1	4.0	0.2	467
DI14-14	915544	81	84	3	3	0.05				0.3	32.9	0.3	527
DI14-14	915545	84	87	3	4	0.08				0.3	26.3	0.5	466
DI14-14	915546	87	90	3	5	0.04				0.2	1.9	0.2	465
DI14-14	915547	90	93	3	5	0.04				0.3	1.8	0.2	439
DI14-14	915548	93	96	3	4	0.04				1.0	0.9	0.2	251
DI14-14	915549	96	99	3	6	0.10				3.0	1.5	0.5	107
DI14-14	915551	99	102	3	5	0.05				0.6	2.0	0.3	75
DI14-14	915552	102	105	3	7	0.09				0.4	1.6	0.2	135
DI14-14	915553	105	108	3	11	0.11				0.8	2.0	0.4	142
DI14-14	915554	108	111	3	13	0.12				0.9	2.4	0.5	263
DI14-14	915555	111	114	3	9	0.11				0.8	8.8	0.4	327
DI14-14	915556	114	117	3	8	0.07				0.5	2.7	0.3	290
DI14-14	915557	117	120	3	9	0.10	**0.10**	**10**	**15.0**	0.4	2.0	0.1	219

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-14	915558	120	123	3	11	0.09				0.4	1.7	0.1	168
DI14-14	915559	123	126	3	1	0.01				0.1	1.1	0.0	319
DI14-14	915560	126	129	3	1	0.00				0.1	1.1	0.0	491
DI14-14	915561	129	132	3	2	0.01				0.1	1.2	0.0	357
DI14-14	915562	132	135	3	0	0.00				0.1	0.9	0.0	1035
DI14-14	915564	135	138	3	0	0.00				0.1	1.9	0.0	820
DI14-14	915565	138	141	3	0	0.00				0.1	1.1	0.0	539
DI14-14	915566	141	144	3	0	0.00				0.1	1.0	0.0	508
DI14-14	915567	144	147	3	0	0.00				0.1	0.9	0.0	500
DI14-14	915568	147	150	3	0	0.00				0.1	1.1	0.0	473
DI14-14	915569	150	153	3	0	0.00				0.1	1.7	0.0	1390
DI14-14	915570	153	156	3	1	0.00				0.1	2.1	0.0	1285
DI14-14	915571	156	159	3	1	0.01				0.2	1.2	0.0	659
DI14-14	915572	159	162	3	1	0.02				0.7	6.2	0.1	481
DI14-14	915573	162	165	3	1	0.06				0.5	3.4	0.2	380
DI14-14	915574	165	168	3	2	0.05				0.3	3.2	0.2	248
DI14-14	915576	168	171	3	4	0.07				0.6	3.5	0.3	210
DI14-14	915577	171	174	3	0	0.02				0.4	4.6	0.1	430
DI14-14	915578	174	177	3	4	0.05				0.2	16.7	0.2	807
DI14-14	915579	177	180	3	10	0.06				0.6	6.2	0.2	1220
DI14-14	915580	180	183	3	5	0.08				0.3	5.8	0.2	151
DI14-14	915581	183	186	3	6	0.10				0.6	1.6	0.3	498
DI14-14	915582	186	189	3	2	0.03				1.2	0.8	0.1	264
DI14-14	915583	189	192	3	3	0.03				1.0	0.8	0.1	492
DI14-14	915584	192	195	3	10	0.05				4.6	15.1	0.3	610
DI14-14	915585	195	198	3	1	0.01				1.2	4.7	0.1	2050
DI14-14	915586	198	201	3	0	0.00				0.7	2.7	0.1	188
DI14-14	915587	201	204	3	5	0.01				0.5	3.0	0.1	238
DI14-14	915589	204	207	3	7	0.01				0.2	1.7	0.1	487
DI14-14	915590	207	210	3	5	0.02				0.2	2.0	0.2	389
DI14-14	915591	210	213	3	9	0.01				0.1	4.9	0.1	429
DI14-14	915592	213	216	3	6	0.02				0.2	2.7	0.2	317
DI14-14	915593	216	219	3	8	0.01				0.3	2.6	0.1	113
DI14-14	915594	219	222	3	3	0.02				0.4	2.0	0.2	87
DI14-14	915595	222	225	3	4	0.02				0.2	2.3	0.2	108
DI14-15	915596	7.5	10	2.5	4	0.07				0.5	3.4	0.5	223
DI14-15	915597	10	12	2	3	0.09				0.6	3.8	0.6	174
DI14-15	915598	12	15	3	4	0.22				0.8	3.3	1.5	68
DI14-15	915599	15	18	3	2	0.12				0.5	3.6	0.8	75
DI14-15	915601	18	21	3	2	0.10	**0.14**	**3**	**9.0**	19.9	2.2	0.8	44
DI14-15	915602	21	24	3	2	0.07				0.7	1.6	0.4	43
DI14-15	915603	24	27	3	4	0.00				0.3	3.2	0.1	113
DI14-15	915604	27	30	3	2	0.03				0.2	1.7	0.2	187
DI14-15	915605	30	33	3	2	0.01				0.4	1.6	0.1	230
DI14-15	915606	33	36	3	1	0.02				1.0	1.4	0.1	47
DI14-15	915607	36	39	3	4	0.08				0.6	2.2	0.5	39
DI14-15	915608	39	42	3	3	0.00				0.5	1.5	0.0	34
DI14-15	915609	42	45	3	0	0.00				0.2	1.8	0.0	28
DI14-15	915610	45	48	3	1	0.00				0.3	1.9	0.0	35
DI14-15	915611	48	51	3	1	0.02				0.2	2.1	0.1	26
DI14-15	915612	51	54	3	2	0.03				0.5	1.4	0.2	34
DI14-15	915614	54	57	3	4	0.02				0.4	1.5	0.1	38
DI14-15	915615	57	60	3	11	0.05				1.8	2.0	0.2	54
DI14-15	915616	60	63	3	6	0.03				0.3	1.2	0.1	45
DI14-15	915617	63	66	3	4	0.03				0.4	1.8	0.1	51
DI14-15	915618	66	69	3	2	0.03				1.8	1.1	0.1	51
DI14-15	915619	69	72	3	7	0.03				0.6	1.1	0.1	38
DI14-15	915620	72	75	3	9	0.03				0.7	1.1	0.1	34
DI14-15	915621	75	78	3	9	0.03				0.6	1.1	0.1	36

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-15	915622	78	81	3	5	0.02				1.1	1.2	0.1	39
DI14-15	915623	81	84	3	14	0.00				0.5	1.4	0.0	51
DI14-15	915624	84	87	3	16	0.08				1.0	1.4	0.3	39
DI14-15	915626	87	90	3	2	0.01				0.8	1.9	0.1	30
DI14-15	915627	90	93	3	10	0.10				43.1	1.3	0.4	44
DI14-15	915628	93	96	3	1	0.02				1.1	1.4	0.1	41
DI14-15	915629	96	99	3	5	0.12				3.5	1.4	0.7	28
DI14-15	915630	99	102	3	0	0.02				0.9	0.8	0.1	379
DI14-15	915631	102	105	3	3	0.04				1.2	1.9	0.2	39
DI14-15	915632	105	108	3	1	0.03				4.0	0.5	0.2	47
DI14-15	915633	108	111	3	1	0.03				0.6	1.3	0.3	174
DI14-15	915634	111	114	3	2	0.03				0.8	1.1	0.3	57
DI14-15	915635	114	117	3	8	0.14				6.4	1.1	1.0	57
DI14-15	915636	117	120	3	3	0.01				1.2	0.6	0.2	154
DI14-15	915637	120	123	3	119	0.02				0.5	1.8	2.1	165
DI14-15	915639	123	126	3	14	0.06				0.3	2.1	0.3	95
DI14-15	915640	126	129	3	9	0.03				0.4	5.7	0.2	57
DI14-15	915641	129	132	3	13	0.04				0.4	2.0	0.1	50
DI14-15	915642	132	135	3	6	0.03				0.9	2.1	0.2	38
DI14-15	915643	135	138	3	5	0.04				4.3	0.8	0.1	125
DI14-15	915644	138	141	3	5	0.04				2.5	0.6	0.1	47
DI14-15	915645	141	144	3	7	0.03				5.0	0.9	0.1	76
DI14-15	915646	144	147	3	1	0.01				2.9	1.1	0.1	70
DI14-15	915647	147	150	3	2	0.04				1.4	3.7	0.3	35
DI14-15	915648	150	153	3	1	0.04				0.7	2.7	0.3	33
DI14-15	915649	153	156	3	4	0.06				2.2	3.2	0.4	359
DI14-15	915651	156	159	3	2	0.02				0.7	3.7	0.2	127
DI14-15	915652	159	162	3	1	0.02				2.9	2.8	0.1	71
DI14-15	915653	162	165	3	4	0.03				17.0	3.1	0.1	38
DI14-15	915654	165	168	3	3	0.03				0.4	2.9	0.1	125
DI14-15	915655	168	171	3	2	0.00				0.4	2.5	0.0	56
DI14-15	915656	171	174	3	8	0.06				3.1	2.6	0.4	90
DI14-15	915657	174	177	3	3	0.02				0.3	2.5	0.2	123
DI14-15	915658	177	180	3	7	0.02				0.2	1.6	0.2	74
DI14-15	915659	180	183	3	1	0.01				0.2	2.8	0.1	96
DI14-15	915660	183	186	3	2	0.02				0.8	1.8	0.1	90
DI14-15	915661	186	189	3	2	0.05				54.1	1.4	0.2	156
DI14-15	915662	189	192	3	4	0.03				1.4	1.2	0.1	86
DI14-15	915664	192	195	3	6	0.06				1.0	1.5	0.2	88
DI14-15	915665	195	198	3	1	0.02				0.8	1.3	0.1	79
DI14-15	915666	198	201	3	4	0.02				8.1	1.6	0.1	151
DI14-15	915667	201	204	3	39	0.03				8.0	1.3	0.1	139
DI14-15	915668	204	207	3	26	0.06				2.7	1.1	0.4	143
DI14-15	915669	207	210	3	7	0.06				2.4	1.4	0.3	91
DI14-15	915670	210	213	3	2	0.03				0.4	1.7	0.2	34
DI14-15	915671	213	216	3	6	0.05				1.1	3.0	0.3	28
DI14-15	915672	216	219	3	6	0.02				0.5	2.0	0.1	33
DI14-15	915673	219	222	3	13	0.02				0.8	2.0	0.1	105
DI14-15	915674	222	225	3	4	0.02				0.3	2.1	0.1	31
DI14-15	915676	225	228	3	15	0.15				1.1	2.2	0.8	23
DI14-15	915677	228	231	3	18	0.07				1.2	2.7	0.5	84
DI14-15	915678	231	234	3	36	0.06				1.1	4.7	0.5	56
DI14-15	915679	234	237	3	5	0.05				1.5	4.9	0.4	94
DI14-15	915680	237	240	3	3	0.07				2.6	3.7	0.4	77
DI14-15	915681	240	243	3	2	0.02				1.1	4.1	0.3	33
DI14-15	915682	243	246	3	8	0.08				0.4	2.5	0.7	51
DI14-15	915683	246	249	3	4	0.04				0.5	3.7	0.3	158
DI14-15	915684	249	252	3	5	0.02				0.5	4.0	0.1	129
DI14-15	915685	252	255	3	7	0.06				2.2	2.6	0.5	83

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-15	915686	255	258	3	2	0.03				0.3	1.2	0.3	118
DI14-15	915687	258	261	3	1	0.04				1.8	2.1	0.3	149
DI14-15	915689	261	264	3	2	0.06				0.9	2.0	0.4	23
DI14-15	915690	264	267	3	12	0.25				0.5	2.9	1.6	58
DI14-15	915691	267	270	3	3	0.05				0.9	2.7	0.3	89
DI14-15	915692	270	273	3	2	0.03				3.4	1.4	0.2	111
DI14-15	915693	273	276	3	1	0.00				0.1	1.8	0.0	236
DI14-15	915694	276	279	3	1	0.00				0.9	1.7	0.0	405
DI14-15	915695	279	282	3	3	0.03				0.8	2.4	0.2	144
DI14-15	915696	282	285	3	5	0.15				0.7	2.7	0.6	116
DI14-15	915697	285	288	3	8	0.03				0.5	3.1	0.2	81
DI14-15	915698	288	291	3	12	0.03				0.6	2.7	0.2	285
DI14-15	915699	291	294	3	10	0.04				1.1	2.9	0.3	316
DI14-15	915701	294	297	3	17	0.03				1.3	2.1	0.3	242
DI14-15	915702	297	300	3	11	0.04				0.5	1.7	0.2	240
DI14-15	915703	300	303	3	8	0.11				2.8	1.7	0.5	42
DI14-15	915704	303	306.4	3.4	5	0.11	**0.11**	**6**	**6.4**	4.0	1.0	0.6	61
DI14-16	915705	1.5	4	2.5	18	0.00				0.3	1.1	0.1	117
DI14-16	915706	4	7	3	8	0.00				2.0	1.2	0.0	86
DI14-16	915707	7	10	3	753	0.00				0.5	1.7	0.1	84
DI14-16	915708	10	13	3	130	0.00				0.1	2.0	0.0	87
DI14-16	915709	13	15	2	341	0.01				0.5	1.3	0.2	97
DI14-16	915710	15	18	3	11	0.00				0.2	1.6	0.1	86
DI14-16	915711	18	21	3	256	0.01				0.6	1.8	0.1	76
DI14-16	915712	21	24	3	136	0.00				0.6	1.6	0.1	61
DI14-16	915714	24	27	3	1145	0.00	**0.00**	**396**	**20**	0.3	1.9	0.1	151
DI14-16	915715	27	30	3	13	0.00				0.4	2.8	0.0	139
DI14-16	915716	30	33	3	19	0.01				0.2	2.4	0.2	77
DI14-16	915717	33	36	3	74	0.07				0.2	3.6	0.9	96
DI14-16	915718	36	39	3	12	0.01				0.2	1.4	0.1	43
DI14-16	915719	39	42	3	39	0.02				0.1	1.7	0.2	40
DI14-16	915720	42	45	3	299	0.01				0.1	2.7	0.2	74
DI14-16	915721	45	48	3	101	0.02	**0.02**	**200**	**6.0**	0.1	4.8	0.2	67
DI14-16	915722	48	51	3	6	0.01				0.2	2.4	0.1	49
DI14-16	915723	51	54	3	14	0.01				0.1	1.9	0.2	58
DI14-16	915724	54	57	3	9	0.02				0.1	1.6	0.3	35
DI14-16	915726	57	60	3	24	0.03				0.6	2.3	0.6	36
DI14-16	915727	60	63	3	9	0.00				0.3	1.6	0.2	56
DI14-16	915728	63	66	3	232	0.01				0.2	1.5	0.3	62
DI14-16	915729	66	69	3	16	0.01				0.7	2.1	0.2	54
DI14-16	915730	69	72	3	33	0.01				0.5	2.5	0.4	84
DI14-16	915731	72	75	3	43	0.02				0.7	2.5	0.5	69
DI14-16	915732	75	78	3	11	0.01				1.1	3.2	0.2	62
DI14-16	915733	78	81	3	4	0.01				0.6	6.0	0.1	155
DI14-16b	915734	2	4	2	15	0.00				0.2	1.0	0.0	114
DI14-16b	915735	4	7	3	55	0.00				0.3	2.0	0.1	99
DI14-16b	915736	7	9	2	12	0.00				0.8	1.7	0.0	62
DI14-16b	915737	9	12	3	28	0.00				0.4	1.9	0.0	61
DI14-16b	915739	12	15	3	205	0.01				0.2	2.2	0.1	29
DI14-16b	915740	15	18	3	123	0.01				0.1	2.0	0.1	106
DI14-16b	915741	18	21	3	3510	0.01				0.2	2.2	0.5	59
DI14-16b	915742	21	24	3	1055	0.01	**0.01**	**1223**	**12**	0.4	1.9	0.3	73
DI14-16b	915743	24	27	3	129	0.01				0.3	2.2	0.0	84
DI14-16b	915744	27	30	3	5	0.00				0.1	1.9	0.1	119
DI14-16b	915745	30	33	3	7	0.00				0.1	1.4	0.1	89
DI14-16b	915746	33	36	3	5	0.01				0.1	1.3	0.1	125
DI14-16b	915747	36	39	3	77	0.01				0.2	1.6	0.1	71
DI14-16b	915748	39	42	3	124	0.01				0.2	1.8	0.1	37
DI14-16b	915749	42	45	3	314	0.03	**0.02**	**219**	**6.0**	0.1	1.8	0.3	39

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-16b	915751	45	48	3	94	0.01				0.7	9.2	0.4	35
DI14-16b	915752	48	51	3	28	0.02				0.1	2.1	0.3	213
DI14-16b	915753	51	54	3	9	0.01				0.2	1.8	0.1	30
DI14-16b	915754	54	57	3	28	0.02				0.6	1.8	0.2	26
DI14-16b	915755	57	60	3	42	0.00				0.1	1.1	0.0	64
DI14-16b	915756	60	63	3	19	0.01				0.1	1.9	0.1	30
DI14-16b	915757	63	66	3	12	0.02				0.2	1.6	0.2	37
DI14-16b	915758	66	69	3	9	0.01				0.4	1.9	0.1	105
DI14-16b	915759	69	72	3	7	0.01				0.4	1.2	0.1	116
DI14-16b	915760	72	75	3	3	0.01				0.4	1.4	0.1	108
DI14-16b	915761	75	78	3	16	0.02				1.3	1.9	0.1	134
DI14-16b	915762	78	81	3	20	0.03				1.2	1.5	0.2	137
DI14-16b	915764	81	84	3	19	0.02				1.6	1.5	0.2	66
DI14-16b	915765	84	87	3	43	0.02				1.3	1.9	0.2	92
DI14-16b	915766	87	90	3	18	0.03				1.0	1.0	0.3	77
DI14-16b	915767	90	93	3	17	0.03				1.8	2.2	0.2	141
DI14-16b	915768	93	96	3	14	0.03				0.8	1.1	0.2	127
DI14-16b	915769	96	99	3	17	0.04				2.4	1.0	0.3	62
DI14-16b	915770	99	102	3	17	0.02				4.0	1.5	0.2	33
DI14-16b	915771	102	105	3	22	0.03				0.2	1.7	0.3	33
DI14-16b	915772	105	108	3	8	0.03				0.5	1.4	0.2	39
DI14-16b	915773	108	111	3	16	0.04				1.0	1.5	0.3	33
DI14-16b	915774	111	114	3	20	0.03				1.0	1.4	0.2	89
DI14-16b	915776	114	117	3	48	0.09				2.4	1.7	0.7	43
DI14-16b	915777	117	120	3	18	0.03				5.9	1.9	0.2	61
DI14-16b	915778	120	123	3	12	0.00				4.6	2.0	0.1	45
DI14-16b	915779	123	126	3	19	0.03				6.2	1.6	0.3	37
DI14-16b	915780	126	129	3	101	0.15				6.4	1.7	0.9	40
DI14-16b	915781	129	132	3	40	0.07				7.6	1.6	0.6	63
DI14-16b	915782	132	135	3	32	0.08				7.4	1.2	0.4	69
DI14-16b	915783	135	138	3	30	0.07				7.7	1.2	0.4	55
DI14-16b	915784	138	141	3	80	0.07				16.5	1.3	0.5	57
DI14-16b	915785	141	144	3	36	0.09				14.9	1.3	0.5	49
DI14-16b	915786	144	147	3	17	0.05				7.9	1.0	0.3	50
DI14-16b	915787	147	150	3	13	0.02				8.5	1.2	0.1	75
DI14-16b	915789	150	153	3	28	0.05				31.7	1.3	0.3	71
DI14-16b	915790	153	156	3	29	0.04				12.7	1.7	0.3	144
DI14-16b	915791	156	159	3	85	0.15				6.9	53.1	1.0	56
DI14-16b	915792	159	162	3	39	0.07				3.4	1.7	0.6	67
DI14-16b	915793	162	165	3	10	0.02				1.2	2.3	0.2	43
DI14-16b	915794	165	168	3	28	0.07				12.4	3.1	0.7	38
DI14-16b	915795	168	171	3	20	0.06				1.6	5.4	0.7	21
DI14-16b	915796	171	174	3	10	0.04				24.9	17.8	0.3	23
DI14-16b	915797	174	177	3	52	0.05				3.9	2.8	0.4	55
DI14-16b	915798	177	180	3	29	0.05				27.4	12.1	0.6	61
DI14-16b	915799	180	183	3	24	0.03				1.7	17.7	0.3	107
DI14-16b	915801	183	186	3	13	0.02				1.0	22.6	0.2	172
DI14-16b	915802	186	189	3	8	0.01				1.9	2.1	0.1	157
DI14-16b	915803	189	192	3	30	0.03				1.4	66.7	0.5	125
DI14-16b	915804	192	195	3	7	0.04				0.8	2.8	0.2	79
DI14-16b	915805	195	198	3	4	0.02				3.1	1.6	0.1	138
DI14-16b	915806	198	201	3	13	0.01				7.4	1.9	0.1	89
DI14-16b	915807	201	204	3	4	0.02				1.8	1.1	0.1	112
DI14-16b	915808	204	207	3	9	0.02				3.3	1.3	0.2	118
DI14-16b	915809	207	210	3	12	0.06				5.8	1.6	0.3	99
DI14-16b	915810	210	213	3	18	0.03				0.4	1.6	0.2	134
DI14-16b	915811	213	216	3	5	0.02				0.4	2.2	0.1	173
DI14-16b	915812	216	219	3	8	0.03				0.3	3.7	0.2	141
DI14-16b	915814	219	222	3	4	0.02				1.2	1.0	0.1	182

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-16b	915815	222	225	3	6	0.03				0.6	1.9	0.2	116
DI14-16b	915816	225	228	3	15	0.03				0.8	1.4	0.3	120
DI14-16b	915817	228	231	3	6	0.02				0.2	0.9	0.2	135
DI14-16b	915818	231	234	3	8	0.03				1.0	1.1	0.2	101
DI14-16b	915819	234	237	3	108	0.06				12.3	3.4	0.4	63
DI14-16b	915820	237	240	3	13	0.03				3.2	4.6	0.3	73
DI14-16b	915821	240	243	3	2	0.01				0.4	2.6	0.1	49
DI14-16b	915822	243	246	3	4	0.02				3.4	4.3	0.2	32
DI14-16b	915823	246	249	3	40	0.07				5.2	5.2	0.5	78
DI14-16b	915824	249	252	3	46	0.07				1.5	4.3	0.5	67
DI14-16b	915826	252	255	3	8	0.05				1.7	37.0	0.4	34
DI14-16b	915827	255	258	3	2	0.01				4.1	5.4	0.1	4
DI14-16b	915828	258	261	3	2	0.01				0.4	3.0	0.0	5
DI14-16b	915829	261	264	3	2	0.01				1.0	11.2	0.1	182
DI14-16b	915830	264	267	3	25	0.02				0.3	5.9	0.1	9
DI14-16b	915831	267	270	3	2	0.01				2.4	3.9	0.0	34
DI14-16b	915832	270	273	3	8	0.03				13.6	156.0	0.3	9
DI14-16b	915833	273	276	3	4	0.01				0.8	42.9	0.2	45
DI14-16b	915834	276	279	3	39	0.02				2.7	411.0	0.2	246
DI14-16b	915835	279	282	3	36	0.09				1.6	187.0	0.7	164
DI14-16b	915836	282	285	3	12	0.05				0.9	55.8	0.5	76
DI14-16b	915837	285	288	3	11	0.05				1.5	183.0	0.7	120
DI14-16b	915839	288	291	3	10	0.04				1.0	56.6	0.3	111
DI14-16b	915840	291	294	3	4	0.03				1.2	103.5	0.2	18
DI14-16b	915841	294	297	3	13	0.03				2.4	97.1	0.4	56
DI14-16b	915842	297	300	3	5	0.02				0.4	14.7	0.3	44
DI14-16b	915843	300	303	3	16	0.05				0.6	11.0	0.6	35
DI14-16b	915844	303	306	3	10	0.04				0.9	10.0	0.4	43
DI14-16b	915845	306	309	3	47	0.11				5.4	10.6	1.0	46
DI14-16b	915846	309	312	3	15	0.03				1.1	6.5	0.3	82
DI14-16b	915847	312	315	3	21	0.04				1.7	5.7	0.3	131
DI14-16b	915848	315	318	3	24	0.08				1.6	8.6	0.5	201
DI14-16b	915849	318	321	3	36	0.08				0.3	4.6	0.7	97
DI14-16b	915851	321	324	3	11	0.03				0.6	3.0	0.2	141
DI14-16b	915852	324	327	3	29	0.05				1.9	3.5	0.3	71
DI14-16b	915853	327	330	3	386	0.03				0.4	3.7	0.5	48
DI14-16b	915854	330	333	3	6	0.03				0.2	3.4	0.3	203
DI14-16b	915855	333	336	3	25	0.04				0.3	7.7	0.7	73
DI14-16b	915856	336	339	3	24	0.04				0.5	10.1	0.7	48
DI14-16b	915857	339	342	3	7	0.01				0.2	3.4	0.2	70
DI14-16b	915858	342	345	3	8	0.03				0.2	3.9	0.2	55
DI14-16b	915859	345	348	3	6	0.01				0.2	3.7	0.1	67
DI14-16b	915860	348	351	3	6	0.02				0.4	4.8	0.1	104
DI14-16b	915861	351	354	3	14	0.02				0.2	7.9	0.2	140
DI14-16b	915862	354	357	3	11	0.03				2.4	5.4	0.2	199
DI14-16b	915864	357	360	3	18	0.01				3.9	17.8	0.5	148
DI14-16b	915865	360	363	3	29	0.03				2.7	16.7	0.6	29
DI14-16b	915866	363	366	3	8	0.02				0.9	6.7	0.2	42
DI14-16b	915867	366	369	3	7	0.02				1.1	9.0	0.1	49
DI14-16b	915868	369	372	3	10	0.03				0.6	8.5	0.3	54
DI14-16b	915869	372	375	3	7	0.01				1.8	6.2	0.2	24
DI14-16b	915870	375	378	3	4	0.01				2.7	4.3	0.2	35
DI14-16b	915871	378	381	3	5	0.01				1.2	3.6	0.1	69
DI14-16b	915872	381	384	3	13	0.03				1.7	5.9	0.3	44
DI14-16b	915873	384	387	3	8	0.01				2.2	8.2	0.1	16
DI14-16b	915874	387	390	3	30	0.03				5.6	6.8	0.5	45
DI14-16b	915876	390	393	3	10	0.03				1.9	4.1	0.3	56
DI14-16b	915877	393	396	3	5	0.01				5.7	3.7	0.1	59
DI14-16b	915878	396	399	3	2	0.00				1.5	3.5	0.0	83

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-16b	915879	399	402	3	8	0.00				0.4	2.2	0.0	107
DI14-16b	915880	402	405	3	10	0.00				0.7	1.7	0.1	204
DI14-16b	915881	405	408	3	2	0.00				0.7	2.2	0.0	138
DI14-16b	915882	408	411	3	12	0.00				0.7	3.2	0.0	99
DI14-16b	915883	411	414	3	1	0.00				0.6	2.2	0.0	115
DI14-16b	915884	414	417	3	5	0.02				2.8	4.5	0.2	55
DI14-16b	915885	417	420	3	108	0.10				5.1	15.3	0.9	18
DI14-16b	915886	420	423	3	13	0.04				1.3	13.4	0.3	42
DI14-16b	915887	423	426	3	8	0.02				2.6	28.0	0.3	11
DI14-16b	915889	426	429	3	10	0.02				3.7	13.3	0.3	10
DI14-16b	915890	429	432	3	11	0.02				0.9	9.3	0.2	12
DI14-16b	915891	432	435	3	16	0.01				5.2	28.3	0.4	22
DI14-16b	915892	435	438	3	21	0.03				21.3	24.3	0.3	17
DI14-16b	915893	438	441	3	14	0.02				2.6	14.2	0.3	11
DI14-16b	915894	441	444	3	21	0.04				0.9	16.8	0.4	19
DI14-16b	915895	444	447	3	12	0.02				1.4	18.2	0.3	18
DI14-16b	915896	447	450	3	11	0.03				4.5	74.9	0.3	26
DI14-16b	915897	450	453	3	5	0.03				2.4	102.5	0.2	13
DI14-16b	915898	453	456	3	3	0.02				2.4	51.5	0.1	18
DI14-16b	915899	456	459	3	2	0.02				5.1	85.5	0.1	10
DI14-16b	915901	459	462	3	4	0.02				3.7	32.1	0.3	13
DI14-16b	915902	462	465	3	13	0.03				4.7	110.5	0.4	19
DI14-16b	915903	465	468	3	344	0.33				19.3	728.0	3.5	19
DI14-16b	915904	468	471	3	147	0.11	**0.22**	**246**	**6.0**	29.2	303.0	1.4	27
DI14-16b	915905	471	474	3	32	0.04				6.5	58.1	0.6	37
DI14-16b	915906	474	477	3	43	0.03				4.7	138.0	0.4	37
DI14-16b	915907	477	480	3	39	0.02				3.9	26.3	1.7	34
DI14-16b	915908	480	483	3	18	0.01				2.9	35.8	0.7	29
DI14-16b	915909	483	486	3	12	0.01				2.2	28.6	0.4	12
DI14-16b	915910	486	489	3	9	0.00				6.2	18.8	0.3	15
DI14-16b	915911	489	492	3	26	0.04				2.9	9.3	0.5	18
DI14-16b	915912	492	495	3	4	0.00				7.8	5.8	0.1	17
DI14-16b	915914	495	498	3	4	0.00				6.2	4.9	0.1	14
DI14-16b	915915	498	500.4	2.4	3	0.01				3.4	5.1	0.1	29
DI14-16b	915916	500.4	501.9	1.5	61	0.12				2.2	18.9	1.7	20
DI14-16b	915917	501.9	504	2.1	2	0.01				0.4	6.2	0.1	79
DI14-16b	915918	504	507	3	4	0.01				0.4	5.9	0.1	124
DI14-16b	915919	507	510	3	7	0.01				0.2	3.3	0.2	157
DI14-16b	915920	510	513	3	5	0.02				0.6	5.1	0.2	124
DI14-16b	915921	513	516	3	20	0.02				0.5	9.8	0.2	113
DI14-16b	915922	516	519.4	3.4	1	0.00				0.4	4.3	0.1	123
DI14-16b	915923	519.4	522	2.6	10	0.02				2.5	6.2	0.3	17
DI14-16b	915924	522	525	3	25	0.10				6.0	10.7	0.8	22
DI14-16b	916103	525	528	3	6	0.02				2.8	7.7	0.2	24
DI14-16b	916104	528	531	3	22	0.09				4.2	16.4	0.7	19
DI14-16b	916105	531	534	3	7	0.06				4.6	18.2	0.4	21
DI14-16b	916106	534	537	3	4	0.02				3.4	27.4	0.3	12
DI14-16b	916107	537	540	3	4	0.01				3.4	9.7	0.1	16
DI14-16b	916108	540	543	3	1	0.01				4.6	10.9	0.1	25
DI14-16b	916109	543	546	3	31	0.01				1.5	35.2	0.1	25
DI14-16b	916110	546	549	3	7	0.01				1.3	29.6	0.1	22
DI14-16b	916111	549	552	3	5	0.03				13.3	12.8	0.3	53
DI14-16b	916112	552	555	3	3	0.00				1.1	6.7	0.1	104
DI14-16b	916113	555	558	3	3	0.01				0.9	4.1	0.1	102
DI14-16b	916114	558	561	3	36	0.04				3.3	7.8	0.4	47
DI14-16b	916115	561	564	3	5	0.04				12.7	9.2	0.4	66
DI14-16b	916116	564	567	3	6	0.04				3.0	9.9	0.3	41
DI14-16b	916117	567	570	3	2	0.02				1.6	24.5	0.1	29
DI14-16b	916118	570	573	3	86	0.03				2.7	32.6	0.3	56

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-16b	916119	573	576	3	2	0.02				1.8	6.9	0.1	26
DI14-16b	916120	576	579	3	2	0.03				2.6	29.8	0.2	28
DI14-16b	916121	579	582	3	4	0.03				1.8	28.0	0.2	63
DI14-16b	916122	582	585	3	3	0.02				2.7	7.2	0.2	47
DI14-16b	916123	585	588	3	3	0.02				0.9	11.0	0.2	53
DI14-16b	916124	588	591	3	8	0.03				1.0	14.8	0.5	73
DI14-16b	916126	591	594	3	7	0.03				1.2	9.7	0.4	101
DI14-16b	916127	594	597	3	7	0.03				1.7	4.9	0.3	335
DI14-16b	916128	597	600	3	2	0.01				1.3	7.7	0.2	60
DI14-16b	916129	600	603	3	2	0.02				1.5	5.5	0.1	72
DI14-16b	916130	603	606	3	2	0.02				1.1	25.9	0.2	54
DI14-16b	916131	606	609	3	5	0.02				2.0	12.5	0.2	61
DI14-16b	916132	609	612	3	5	0.02				2.1	9.1	0.2	42
DI14-16b	916133	612	615	3	2	0.01				0.6	2.9	0.1	58
DI14-16b	916134	615	618	3	22	0.12				3.5	3.3	0.8	70
DI14-16b	916135	618	621	3	11	0.09				4.0	3.2	0.6	101
DI14-16b	916136	621	624	3	2	0.01				0.7	3.9	0.1	136
DI14-16b	916137	624	627	3	2	0.00				0.6	3.4	0.1	270
DI14-16b	916138	627	630	3	12	0.02				0.6	5.3	0.3	200
DI14-16b	916139	630	633	3	12	0.01				0.7	12.2	0.4	151
DI14-16b	916140	633	636	3	2	0.00				0.5	3.5	0.1	85
DI14-16b	916141	636	639	3	4	0.00				0.3	6.2	0.1	53
DI14-16b	916142	639	642	3	34	0.05				0.4	6.0	0.3	50
DI14-16b	916143	642	645	3	6	0.01				0.4	4.7	0.1	74
DI14-16b	916144	645	648	3	206	0.01				1.2	5.0	0.3	58
DI14-16b	916145	648	651	3	24	0.02				1.6	4.5	0.3	57
DI14-17	915926	3	6	3	5	0.01				0.8	2.1	0.1	298
DI14-17	915927	6	9	3	9	0.02				1.8	1.8	0.1	125
DI14-17	915928	9	12	3	19	0.02				0.7	2.3	0.2	102
DI14-17	915929	12	15	3	12	0.03				0.3	2.5	0.2	216
DI14-17	915930	15	18	3	16	0.03				0.5	1.4	0.2	221
DI14-17	915931	18	21	3	23	0.04				0.9	1.9	0.3	219
DI14-17	915932	21	24	3	10	0.02				0.3	2.1	0.2	225
DI14-17	915933	24	27	3	9	0.02				0.2	4.1	0.1	177
DI14-17	915934	27	30	3	27	0.03				2.3	2.0	0.3	73
DI14-17	915935	30	33	3	9	0.02				0.5	5.4	0.1	118
DI14-17	915936	33	36	3	3	0.01				0.3	1.7	0.1	319
DI14-17	915937	36	39	3	14	0.00				0.5	6.2	0.1	65
DI14-17	915939	39	42	3	6	0.01				0.4	3.1	0.1	65
DI14-17	915940	42	45	3	4	0.01				0.5	3.1	0.0	53
DI14-17	915941	45	48	3	4	0.00				0.3	2.7	0.0	68
DI14-17	915942	48	51	3	3	0.00				0.3	2.4	0.0	57
DI14-17	915943	51	54	3	33	0.00				3.6	4.5	0.4	57
DI14-17	915944	54	57	3	24	0.00				1.9	4.6	0.1	41
DI14-17	915945	57	60	3	53	0.00				1.4	4.0	0.2	51
DI14-17	915946	60	63	3	27	0.01				0.8	3.5	0.2	95
DI14-17	915947	63	66	3	14	0.06				2.1	2.8	0.2	110
DI14-17	915948	66	69	3	2	0.01				0.3	4.1	0.0	149
DI14-17	915949	69	72	3	3	0.00				0.2	2.3	0.0	218
DI14-17	915951	72	75	3	15	0.01				6.5	3.8	0.1	107
DI14-17	915952	75	78	3	6	0.00				0.6	2.2	0.0	94
DI14-17	915953	78	81	3	8	0.01				0.4	3.5	0.1	48
DI14-17	915954	81	84	3	6	0.00				0.3	3.5	0.1	60
DI14-17	915955	84	87	3	23	0.01				1.2	4.8	0.2	45
DI14-17	915956	87	90	3	22	0.01				0.5	9.1	0.2	129
DI14-17	915957	90	93	3	45	0.01				4.7	14.4	0.6	142
DI14-17	915958	93	96	3	11	0.02				0.6	4.6	0.2	105
DI14-17	915959	96	99	3	23	0.01				0.3	3.9	0.1	119
DI14-17	915960	99	102	3	13	0.01				0.3	5.2	0.1	118

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-17	915961	102	105	3	20	0.02				0.2	5.7	0.3	92
DI14-17	915962	105	108	3	10	0.01				0.1	8.6	0.2	35
DI14-17	915964	108	111	3	4	0.00				0.1	5.9	0.0	51
DI14-17	915965	111	114	3	3	0.00				0.1	5.9	0.1	31
DI14-17	915966	114	117	3	3	0.00				0.1	4.1	0.0	111
DI14-17	915967	117	120	3	59	0.25				0.9	7.6	2.5	200
DI14-17	915968	120	123	3	4	0.02				0.4	4.3	0.3	81
DI14-17	915969	123	126	3	7	0.01				1.8	6.1	0.3	49
DI14-17	915970	126	129	3	5	0.00				6.1	8.0	0.0	20
DI14-17	915971	129	132	3	19	0.02				1.2	5.6	0.3	25
DI14-17	915972	132	135	3	3	0.01				2.6	8.9	0.1	31
DI14-17	915973	135	138	3	7	0.00				2.1	41.3	0.1	25
DI14-17	915974	138	141	3	4	0.01				2.0	18.3	0.1	72
DI14-17	915976	141	144	3	57	0.02				2.5	17.9	0.3	179
DI14-17	915977	144	147	3	5	0.02				3.4	69.4	0.2	174
DI14-17	915978	147	150	3	10	0.02				4.7	141.5	0.2	78
DI14-17	915979	150	153	3	4	0.01				2.5	34.4	0.2	122
DI14-17	915980	153	156	3	4	0.01				1.4	12.4	0.1	77
DI14-17	915981	156	159	3	16	0.04				2.0	35.1	0.6	82
DI14-17	915982	159	162	3	4	0.02				1.7	11.0	0.3	103
DI14-17	915983	162	165	3	14	0.01				0.5	3.4	0.2	49
DI14-17	915984	165	168	3	11	0.02				0.6	3.4	0.2	97
DI14-17	915985	168	171	3	7	0.01				0.2	2.7	0.1	25
DI14-17	915986	171	174	3	48	0.01				0.4	9.5	0.2	103
DI14-17	915987	174	177	3	20	0.02				0.8	10.2	0.3	128
DI14-17	915988	177	180	3	8	0.01				0.4	5.1	0.1	91
DI14-17	915989	180	183	3	8	0.00				0.2	5.0	0.1	77
DI14-17	915990	183	186	3	3	0.00				0.2	4.0	0.1	90
DI14-17	915991	186	189	3	10	0.01				0.2	10.3	0.2	86
DI14-17	915992	189	192	3	8	0.01				0.3	3.2	0.1	89
DI14-17	915993	192	195	3	5	0.00				0.3	4.4	0.1	89
DI14-17	915994	195	198	3	14	0.02				0.3	2.6	0.3	131
DI14-17	915995	198	201	3	8	0.01				0.1	2.8	0.1	56
DI14-17	915996	201	204	3	4	0.00				0.1	3.8	0.1	50
DI14-17	915997	204	207	3	5	0.00				0.2	3.2	0.1	62
DI14-17	915998	207	210	3	5	0.00				0.2	3.2	0.1	48
DI14-17	915999	210	213	3	5	0.00				0.3	3.1	0.1	47
DI14-17	916001	213	216	3	15	0.01				0.6	2.8	0.8	67
DI14-17	916002	216	219	3	7	0.00				0.4	3.0	0.1	71
DI14-17	916003	219	222	3	18	0.00				0.2	3.4	0.2	62
DI14-17	916004	222	225	3	3	0.00				0.3	2.9	0.1	59
DI14-17	916005	225	228	3	4	0.00				0.3	2.4	0.1	65
DI14-17	916006	228	231	3	10	0.01				1.5	2.8	0.1	68
DI14-17	916007	231	234	3	9	0.01				0.5	3.8	0.1	41
DI14-17	916008	234	237	3	4	0.00				0.2	4.3	0.0	90
DI14-17	916009	237	240	3	7	0.01				1.2	4.1	0.1	124
DI14-17	916010	240	243	3	39	0.03				0.6	3.4	0.5	164
DI14-17	916011	243	246	3	15	0.01				0.8	7.4	0.3	122
DI14-17	916013	246	249	3	21	0.03				2.3	25.2	0.4	15
DI14-17	916014	249	252	3	49	0.05				4.6	29.2	0.6	16
DI14-17	916015	252	255	3	77	0.02				1.2	13.0	0.2	20
DI14-17	916016	255	258	3	10	0.01				0.6	6.4	0.1	54
DI14-17	916017	258	261	3	9	0.01				0.6	12.6	0.2	48
DI14-17	916018	261	264	3	10	0.01				0.6	9.3	0.2	38
DI14-17	916019	264	267	3	19	0.04				3.0	13.4	0.5	28
DI14-17	916020	267	270	3	35	0.04				4.2	15.3	0.4	14
DI14-17	916021	270	273	3	3	0.01				1.7	6.5	0.1	27
DI14-17	916022	273	276	3	4	0.01				0.7	4.3	0.2	41
DI14-17	916023	276	279	3	10	0.02				1.0	4.5	0.4	49

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-17	916024	279	282	3	7	0.01				1.9	2.7	0.3	48
DI14-17	916026	282	285	3	13	0.03				0.8	2.0	0.2	199
DI14-17	916027	285	288	3	2	0.00				0.5	1.8	0.0	188
DI14-17	916028	288	291	3	41	0.04				0.6	2.2	0.3	185
DI14-17	916029	291	294	3	6	0.00				0.4	1.9	0.0	238
DI14-17	916030	294	297	3	2	0.00				0.3	1.6	0.0	292
DI14-17	916031	297	300	3	2	0.00				0.4	2.6	0.1	162
DI14-17	916032	300	303	3	5	0.01				0.2	3.6	0.1	163
DI14-17	916033	303	306	3	5	0.02				0.2	7.2	0.2	109
DI14-17	916034	306	309	3	6	0.01				0.2	2.4	0.2	137
DI14-17	916035	309	312	3	7	0.02				1.0	2.0	0.3	337
DI14-17	916036	312	315	3	3	0.00				0.3	2.2	0.1	194
DI14-17	916038	315	318	3	30	0.03				0.3	3.2	0.3	123
DI14-17	916039	318	321	3	3	0.00				0.3	3.7	0.1	56
DI14-17	916040	321	324	3	3	0.01				1.0	2.6	0.1	62
DI14-17	916041	324	327	3	1	0.00				1.2	2.2	0.1	44
DI14-17	916042	327	330	3	1	0.00				0.4	3.6	0.1	96
DI14-17	916043	330	333	3	2	0.00				0.5	1.6	0.1	161
DI14-17	916044	333	336	3	6	0.02				0.2	2.3	0.2	80
DI14-17	916045	336	339	3	3	0.01				0.2	2.6	0.1	98
DI14-17	916046	339	342	3	7	0.02				0.2	3.3	0.2	124
DI14-17	916047	342	345	3	41	0.13				0.5	2.9	1.2	114
DI14-17	916048	345	348	3	10	0.03				0.7	3.2	0.3	124
DI14-17	916049	348	351	3	7	0.03				0.3	4.8	0.3	60
DI14-17	916051	351	354	3	6	0.02				0.5	2.7	0.2	125
DI14-17	916052	354	357	3	13	0.04				0.3	4.0	0.3	127
DI14-17	916053	357	360	3	10	0.03				0.4	15.7	0.3	181
DI14-17	916054	360	363	3	13	0.02				1.7	32.1	0.2	90
DI14-17	916055	363	366	3	9	0.01				0.7	4.4	0.1	52
DI14-17	916056	366	369	3	5	0.02				0.6	10.4	0.1	48
DI14-17	916057	369	372	3	8	0.02				0.6	24.7	0.2	32
DI14-17	916058	372	375	3	2	0.00				1.4	6.1	0.1	64
DI14-17	916059	375	378	3	11	0.01				1.1	9.8	0.3	123
DI14-17	916060	378	381	3	15	0.02				0.8	23.7	0.3	43
DI14-17	916061	381	384	3	4	0.01				1.5	60.8	0.1	50
DI14-17	916062	384	387	3	8	0.01				0.8	46.7	0.1	62
DI14-17	916063	387	390	3	89	0.01				2.1	33.5	0.3	20
DI14-17	916064	390	393	3	29	0.02				3.5	42.9	0.4	74
DI14-17	916065	393	396	3	6	0.01				0.6	33.6	0.2	68
DI14-17	916066	396	399	3	4	0.00				1.4	6.3	0.1	29
DI14-17	916067	399	402	3	9	0.01				0.2	16.8	0.3	166
DI14-17	916068	402	405	3	11	0.01				0.3	5.5	0.2	93
DI14-17	916069	405	408	3	17	0.01				0.3	7.9	0.2	98
DI14-17	916070	408	411	3	8	0.01				0.3	4.9	0.1	47
DI14-17	916071	411	414	3	17	0.01				0.4	15.2	0.1	44
DI14-17	916072	414	417	3	14	0.01				1.7	16.0	0.2	54
DI14-17	916073	417	420	3	14	0.01				4.3	14.5	0.1	47
DI14-17	916074	420	423	3	11	0.02				4.0	172.0	0.3	24
DI14-17	916075	423	426	3	13	0.01				3.1	109.0	0.1	31
DI14-17	916076	426	429	3	58	0.01				5.7	61.5	0.1	22
DI14-17	916078	429	432	3	43	0.01				1.9	23.0	0.1	25
DI14-17	916079	432	435	3	5	0.01				1.8	38.1	0.1	28
DI14-17	916080	435	438	3	32	0.06				10.3	31.2	0.5	38
DI14-17	916081	438	441	3	21	0.05				10.0	73.2	0.7	39
DI14-17	916082	441	444	3	55	0.08				2.1	7.6	2.0	49
DI14-17	916083	444	447	3	8	0.01				1.0	10.3	0.2	38
DI14-17	916084	447	450	3	10	0.01				2.7	13.2	0.2	32
DI14-17	916085	450	453	3	1	0.00				2.0	6.8	0.0	39
DI14-17	916086	453	456	3	9	0.02				1.5	6.5	0.2	36

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-17	916087	456	459	3	17	0.02				0.9	4.6	0.3	114
DI14-17	916088	459	462	3	8	0.04				0.8	4.0	0.3	39
DI14-17	916089	462	465	3	6	0.01				0.5	3.8	0.1	126
DI14-17	916090	465	468	3	12	0.01				0.5	3.1	0.2	320
DI14-17	916091	468	471	3	11	0.01				0.5	4.0	0.2	146
DI14-17	916092	471	474	3	15	0.01				1.1	3.4	0.2	89
DI14-17	916093	474	477	3	16	0.03				0.2	4.3	0.3	46
DI14-17	916094	477	480	3	23	0.02				0.6	4.3	0.2	45
DI14-17	916095	480	483	3	18	0.02				0.7	21.5	0.3	98
DI14-17	916096	483	486	3	213	0.07				1.9	4.4	0.9	37
DI14-17	916097	486	489	3	9	0.01				0.3	3.7	0.1	129
DI14-17	916098	489	492	3	15	0.00				0.5	4.3	0.1	173
DI14-17	916099	492	495	3	11	0.00				0.2	2.2	0.1	65
DI14-17	916101	495	498	3	4	0.00				0.2	3.9	0.1	223
DI14-17	916102	498	501	3	8	0.00				0.4	2.4	0.1	86
DI14-18	916146	13.5	16	2.5	12	0.01				0.6	3.0	0.1	92
DI14-18	916147	16	18	2	37	0.02				0.5	2.0	0.2	77
DI14-18	916148	18	21	3	29	0.02				0.7	2.5	0.3	72
DI14-18	916149	21	24	3	27	0.01				0.6	3.5	0.2	143
DI14-18	916151	24	27	3	15	0.01				1.7	3.1	0.2	80
DI14-18	916152	27	30	3	115	0.16				9.4	3.8	1.2	84
DI14-18	916153	30	33	3	115	0.06				4.1	4.2	0.7	36
DI14-18	916154	33	36	3	68	0.02				0.4	3.8	0.3	22
DI14-18	916155	36	39	3	46	0.02				0.9	4.9	0.2	184
DI14-18	916156	39	42	3	17	0.01				0.4	2.9	0.1	92
DI14-18	916157	42	45	3	50	0.04				0.9	3.3	0.4	84
DI14-18	916158	45	48	3	52	0.01				1.5	9.0	0.2	95
DI14-18	916159	48	51	3	27	0.00				1.2	4.9	0.1	145
DI14-18	916160	51	54	3	26	0.02				1.0	2.7	0.2	167
DI14-18	916161	54	57	3	27	0.02				0.5	3.8	0.2	97
DI14-18	916162	57	60	3	44	0.01				0.4	3.7	0.1	108
DI14-18	916163	60	63	3	22	0.02				0.2	3.8	0.2	83
DI14-18	916164	63	66	3	35	0.02				1.1	5.3	0.2	87
DI14-18	916165	66	69	3	23	0.03				0.4	2.3	0.3	117
DI14-18	916166	69	72	3	46	0.05				0.4	2.7	0.5	181
DI14-18	916167	72	75	3	17	0.02				0.2	2.6	0.2	107
DI14-18	916168	75	78	3	16	0.01				0.1	4.8	0.1	121
DI14-18	916169	78	81	3	14	0.00				0.1	6.6	0.1	183
DI14-18	916170	81	84	3	16	0.01				0.3	5.1	0.2	211
DI14-18	916171	84	87	3	34	0.03				0.4	13.8	0.3	35
DI14-18	916172	87	90	3	12	0.01				0.3	2.5	0.2	63
DI14-18	916173	90	93	3	9	0.02				0.3	2.0	0.2	189
DI14-18	916174	93	96	3	15	0.02				2.9	3.5	0.3	173
DI14-18	916176	96	99	3	10	0.01				5.2	4.7	0.2	149
DI14-18	916177	99	102	3	13	0.01				0.8	2.9	0.2	211
DI14-18	916178	102	105	3	18	0.02				0.7	4.3	0.2	80
DI14-18	916179	105	108	3	36	0.04				0.9	8.9	0.6	95
DI14-18	916180	108	111	3	23	0.04				0.4	8.2	0.5	122
DI14-18	916181	111	114	3	40	0.02				0.4	4.3	0.3	172
DI14-18	916182	114	117	3	6	0.01				0.1	5.6	0.1	174
DI14-18	916183	117	120	3	6	0.01				0.2	5.7	0.1	233
DI14-18	916184	120	123	3	21	0.02				0.3	3.3	0.2	153
DI14-18	916185	123	126	3	20	0.02				2.6	3.8	0.2	221
DI14-18	916186	126	129	3	14	0.02				0.4	3.1	0.2	202
DI14-18	916187	129	132	3	20	0.02				0.6	2.5	0.3	297
DI14-18	916188	132	135	3	20	0.02				1.4	2.4	0.9	177
DI14-18	916189	135	138	3	20	0.02				0.3	3.1	0.2	173
DI14-18	916190	138	141	3	130	0.01				0.2	3.5	0.2	129
DI14-18	916191	141	144	3	18	0.02				1.0	7.6	0.2	81

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-18	916192	144	147	3	5	0.01				0.5	2.8	0.1	191
DI14-18	916193	147	150	3	6	0.02				0.6	2.6	0.2	111
DI14-18	916194	150	153	3	13	0.02				0.7	1.8	0.2	105
DI14-18	916195	153	156	3	68	0.01				0.4	1.9	0.1	97
DI14-18	916196	156	159	3	6	0.01				0.2	2.2	0.1	140
DI14-18	916197	159	162	3	6	0.01				0.2	1.6	0.1	139
DI14-18	916198	162	165	3	4	0.00				0.1	2.4	0.1	135
DI14-18	916199	165	168	3	6	0.01				0.3	2.3	0.1	144
DI14-18	916201	168	171	3	10	0.02				3.1	3.6	0.2	52
DI14-18	916202	171	174	3	15	0.01				2.5	5.1	0.2	36
DI14-18	916203	174	177	3	16	0.02				9.2	4.4	0.3	50
DI14-18	916204	177	180	3	19	0.01				1.3	5.2	0.3	41
DI14-18	916205	180	183	3	7	0.01				0.5	3.1	0.1	69
DI14-18	916206	183	186	3	5	0.01				0.7	2.3	0.1	51
DI14-18	916207	186	189	3	13	0.02				0.5	5.0	0.2	28
DI14-18	916208	189	192	3	11	0.03				3.8	3.6	0.3	50
DI14-18	916209	192	195	3	6	0.01				0.5	3.7	0.1	134
DI14-18	916210	195	198	3	9	0.04				0.8	4.4	0.3	169
DI14-18	916211	198	201	3	25	0.03				1.6	3.9	0.3	47
DI14-18	916212	201	204	3	20	0.04				2.9	8.2	0.5	23
DI14-18	916213	204	207	3	93	0.16				4.1	10.0	2.8	55
DI14-18	916214	207	210	3	38	0.06				3.1	19.0	1.3	43
DI14-18	916215	210	213	3	23	0.03				1.0	4.8	0.4	37
DI14-18	916216	213	216	3	63	0.01				12.9	4.3	0.2	36
DI14-18	916217	216	219	3	12	0.01				5.9	5.7	0.2	113
DI14-18	916218	219	222	3	11	0.01				0.7	11.6	0.1	116
DI14-18	916219	222	225	3	21	0.04				6.4	68.5	0.4	255
DI14-18	916220	225	228	3	38	0.05				10.6	6.7	0.6	75
DI14-18	916221	228	231	3	15	0.02				6.2	6.8	0.4	82
DI14-18	916222	231	234	3	7	0.01				0.4	3.4	0.1	65
DI14-18	916223	234	237	3	3	0.01				0.3	2.3	0.1	87
DI14-18	916224	237	240	3	5	0.00				0.4	2.1	0.0	58
DI14-18	916226	240	243	3	9	0.01				0.9	2.8	0.2	55
DI14-18	916227	243	246	3	20	0.05				0.8	5.8	0.6	44
DI14-18	916228	246	249	3	23	0.06				5.1	6.6	0.6	53
DI14-18	916229	249	252	3	14	0.04				10.3	4.5	0.5	42
DI14-18	916230	252	255	3	11	0.02				1.3	2.2	0.2	103
DI14-18	916231	255	258	3	6	0.03				0.3	3.6	0.2	115
DI14-18	916232	258	261	3	8	0.01				0.2	5.5	0.1	246
DI14-18	916233	261	264	3	9	0.03				0.2	6.8	0.1	526
DI14-18	916234	264	267	3	9	0.03				0.3	7.7	0.2	444
DI14-18	916235	267	270	3	5	0.01				0.4	8.7	0.1	274
DI14-18	916236	270	273	3	4	0.02				1.5	2.8	0.2	272
DI14-18	916237	273	276	3	6	0.02				0.5	5.1	0.1	397
DI14-18	916238	276	279	3	28	0.05				0.5	64.6	0.4	205
DI14-18	916239	279	282	3	8	0.03				0.4	9.5	0.2	390
DI14-18	916240	282	285	3	63	0.14				1.9	6.7	1.1	207
DI14-18	916241	285	288	3	6	0.02				0.3	3.2	0.1	334
DI14-18	916242	288	291	3	7	0.01				0.7	2.7	0.1	400
DI14-18	916243	291	294	3	11	0.02				0.3	3.5	0.2	330
DI14-18	916244	294	297	3	5	0.01				0.3	1.8	0.1	200
DI14-18	916245	297	300	3	5	0.01				0.6	2.2	0.1	231
DI14-18	916246	300	303	3	4	0.02				0.4	1.4	0.1	183
DI14-18	916247	303	306	3	6	0.04				0.4	1.5	0.2	208
DI14-18	916248	306	309	3	6	0.04				0.5	1.1	0.2	149
DI14-18	916249	309	312	3	6	0.03				0.8	1.6	0.2	168
DI14-18	916251	312	315	3	5	0.02				0.8	2.1	0.1	90
DI14-18	916252	315	318	3	9	0.02				0.5	3.4	0.2	86
DI14-18	916253	318	321	3	5	0.02				0.3	2.4	0.1	108

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-18	916254	321	324	3	17	0.03				0.3	1.9	0.2	72
DI14-18	916255	324	327	3	14	0.03				3.1	2.3	0.2	49
DI14-18	916256	327	330	3	13	0.04				0.4	2.2	0.2	216
DI14-18	916257	330	333	3	11	0.03				0.4	2.4	0.2	200
DI14-18	916258	333	336	3	7	0.02				0.5	3.2	0.1	228
DI14-18	916259	336	339	3	8	0.03				0.4	1.0	0.1	268
DI14-18	916260	339	342	3	8	0.02				0.5	1.6	0.1	263
DI14-18	916261	342	345	3	24	0.03				0.5	1.2	0.2	233
DI14-18	916262	345	348	3	10	0.02				0.8	1.5	0.1	208
DI14-18	916263	348	351	3	5	0.01				0.4	1.4	0.1	228
DI14-18	916264	351	354	3	7	0.01				0.5	2.3	0.1	182
DI14-18	916265	354	357	3	4	0.01				0.8	1.5	0.1	125
DI14-18	916266	357	360	3	6	0.01				0.8	2.4	0.1	178
DI14-18	916267	360	363	3	2	0.01				0.4	1.6	0.1	224
DI14-18	916268	363	366	3	4	0.02				0.4	1.9	0.1	307
DI14-18	916269	366	369	3	12	0.02				0.4	1.7	0.1	310
DI14-18	916270	369	372	3	10	0.02				0.8	5.1	0.2	364
DI14-18	916271	372	375	3	18	0.03				2.2	3.1	0.3	412
DI14-18	916272	375	378	3	5	0.02				1.2	1.5	0.2	353
DI14-18	916273	378	381	3	21	0.05				2.4	2.0	0.4	104
DI14-18	916274	381	384	3	42	0.04				1.4	3.1	0.4	45
DI14-18	916276	384	387	3	7	0.02				0.8	2.9	0.2	151
DI14-18	916277	387	390	3	2	0.00				1.3	1.1	0.0	292
DI14-18	916278	390	393	3	2	0.01				0.3	1.1	0.0	303
DI14-18	916279	393	396	3	3	0.01				0.3	1.7	0.0	146
DI14-18	916280	396	399	3	3	0.01				0.3	2.5	0.1	273
DI14-18	916281	399	402	3	6	0.01				0.3	1.2	0.1	232
DI14-18	916282	402	405	3	4	0.01				2.1	1.7	0.1	225
DI14-18	916283	405	408	3	8	0.06				3.0	1.8	0.2	34
DI14-18	916284	408	411	3	9	0.04				3.6	7.4	0.2	35
DI14-18	916285	411	414	3	3	0.01				4.1	12.7	0.1	23
DI14-18	916286	414	417	3	4	0.02				3.5	9.3	0.1	51
DI14-18	916287	417	420	3	3	0.02				5.2	17.5	0.1	22
DI14-18	916288	420	423	3	2	0.01				5.1	58.0	0.1	16
DI14-18	916289	423	426	3	4	0.01				1.7	20.3	0.1	26
DI14-18	916290	426	429	3	2	0.02				0.9	8.4	0.1	53
DI14-18	916291	429	432	3	3	0.02				3.1	19.6	0.1	63
DI14-18	916292	432	435	3	4	0.04				4.1	3.6	0.2	23
DI14-18	916293	435	438	3	4	0.04				8.2	10.8	0.2	98
DI14-18	916294	438	441	3	4	0.02				4.5	17.0	0.2	39
DI14-18	916295	441	444	3	5	0.03				3.8	7.7	0.2	38
DI14-18	916296	444	447	3	2	0.02				0.2	4.5	0.1	54
DI14-18	916297	447	450	3	3	0.01				0.4	9.2	0.1	43
DI14-18	916298	450	453	3	6	0.02				12.0	19.3	0.2	30
DI14-18	916299	453	456	3	6	0.03				6.8	7.1	0.3	24
DI14-18	916301	456	459	3	12	0.07				11.7	11.4	0.6	50
DI14-18	916302	459	462	3	4	0.01				0.6	6.4	0.1	38
DI14-18	916303	462	465	3	8	0.02				0.3	7.9	0.2	48
DI14-18	916304	465	468	3	42	0.08				7.3	5.0	1.0	42
DI14-18	916305	468	471	3	48	0.05				2.0	13.6	0.7	51
DI14-18	916306	471	474	3	54	0.14				25.2	295.0	1.7	26
DI14-18	916307	474	477	3	21	0.06				8.3	250.0	0.7	52
DI14-18	916308	477	480	3	2	0.01				0.5	36.3	0.1	66
DI14-18	916309	480	483	3	10	0.01				5.5	29.4	0.2	37
DI14-18	916310	483	486	3	7	0.01				2.7	23.2	0.1	42
DI14-18	916311	486	489	3	9	0.02				2.2	89.5	0.1	23
DI14-18	916312	489	492	3	2	0.00				2.1	12.1	0.0	45
DI14-18	916313	492	495	3	2	0.00				0.5	1.6	0.0	158
DI14-18	916314	495	498	3	1	0.00				0.7	2.9	0.0	59

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-18	916315	498	501	3	1	0.00				0.5	2.4	0.0	67
DI14-19	916316	55.5	57	1.5	60	0.16				1.2	1.4	0.2	140
DI14-19	916317	57	60	3	49	0.17				1.8	2.8	0.3	256
DI14-19	916318	60	63	3	49	0.19				0.8	1.5	0.2	127
DI14-19	916319	63	66	3	22	0.10	**0.15**	**42.94**	**10.5**	1.4	2.4	0.2	294
DI14-19	916320	66	69	3	32	0.07				1.3	3.2	0.2	357
DI14-19	916321	69	72	3	25	0.06				2.7	1.3	0.1	419
DI14-19	916322	72	75	3	112	0.06				1.0	1.9	0.1	719
DI14-19	916323	75	78	3	443	0.06				3.6	1.9	0.1	286
DI14-19	916324	78	81	3	51	0.17				10.6	1.4	0.3	388
DI14-19	916326	81	84	3	72	0.10				1.9	1.1	0.2	284
DI14-19	916327	84	87	3	27	0.03				1.8	1.8	0.1	156
DI14-19	916328	87	90	3	84	0.08				2.0	83.4	1.4	288
DI14-19	916329	90	93	3	31	0.05				4.8	8.1	0.3	197
DI14-19	916330	93	96	3	62	0.04				1.1	19.9	0.6	194
DI14-19	916331	96	99	3	62	0.04				0.9	33.6	0.8	75
DI14-19	916332	99	102	3	89	0.06				1.7	68.5	1.1	178
DI14-19	916333	102	105	3	37	0.03				5.7	6.8	0.2	202
DI14-19	916334	105	108	3	106	0.20				1.7	3.2	0.3	435
DI14-19	916335	108	111	3	43	0.17				5.3	2.2	0.2	270
DI14-19	916336	111	114	3	58	0.10				1.2	2.0	0.2	311
DI14-19	916337	114	117	3	106	0.11				3.9	2.7	0.2	140
DI14-19	916338	117	120	3	82	0.10				4.7	2.2	0.1	48
DI14-19	916339	120	123	3	26	0.07				7.9	2.1	0.2	93
DI14-19	916340	123	126	3	51	0.08				8.3	1.7	0.2	151
DI14-19	916341	126	129	3	72	0.10				14.4	2.2	0.3	102
DI14-19	916342	129	132	3	88	0.21				5.6	1.3	0.3	168
DI14-19	916343	132	135	3	121	0.26				8.8	2.1	0.4	148
DI14-19	916344	135	138	3	109	0.28				18.1	2.0	0.5	100
DI14-19	916345	138	141	3	113	0.33				2.8	1.9	0.5	121
DI14-19	916346	141	144	3	68	0.18				3.4	1.6	0.3	53
DI14-19	916347	144	147	3	59	0.15				2.9	2.9	0.3	179
DI14-19	916348	147	150	3	79	0.14				10.1	4.0	0.3	114
DI14-19	916349	150	153	3	88	0.19				45.1	5.3	0.6	120
DI14-19	916351	153	156	3	111	0.23				4.3	4.2	0.5	107
DI14-19	916352	156	159	3	61	0.09				1.6	3.2	0.4	192
DI14-19	916353	159	162	3	137	0.22				1.6	3.8	0.5	90
DI14-19	916354	162	165	3	123	0.04				0.5	2.6	0.3	88
DI14-19	916355	165	168	3	1	0.01				0.3	3.0	0.1	84
DI14-19	916356	168	171	3	100	0.27				9.6	1.9	0.5	153
DI14-19	916357	171	174	3	62	0.15				8.2	8.8	0.4	185
DI14-19	916358	174	177	3	124	0.29				3.8	5.0	0.4	147
DI14-19	916359	177	180	3	79	0.24				4.6	2.6	0.5	130
DI14-19	916360	180	183	3	120	0.28				4.3	28.1	0.7	99
DI14-19	916361	183	186	3	82	0.20				2.8	9.1	0.4	137
DI14-19	916362	186	189	3	85	0.23				2.7	2.1	0.3	149
DI14-19	916363	189	192	3	81	0.24				4.1	1.4	0.3	177
DI14-19	916364	192	195	3	64	0.14				11.5	2.4	0.3	66
DI14-19	916365	195	198	3	44	0.16				1.8	2.1	0.3	143
DI14-19	916366	198	201	3	51	0.18				4.6	1.8	0.3	109
DI14-19	916367	201	204	3	58	0.09				7.9	1.8	0.2	124
DI14-19	916368	204	207	3	127	0.30				3.4	4.1	0.7	54
DI14-19	916369	207	210	3	60	0.15				14.4	2.6	0.4	204
DI14-19	916370	210	213	3	60	0.19				10.3	2.2	0.5	150
DI14-19	916371	213	216	3	70	0.15				16.5	1.4	0.4	115
DI14-19	916372	216	219	3	84	0.19				41.2	2.1	0.7	176
DI14-19	916373	219	220.5	1.5	148	0.21				26.3	4.2	0.6	299
DI14-19	916374	220.5	222	1.5	293	1.30				120.0	84.4	2.4	72
DI14-19	916376	222	223.5	1.5	209	0.36				40.9	78.1	0.6	263

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-19	916377	223.5	225	1.5	473	0.86				239.0	5.3	2.6	95
DI14-19	916378	225	228	3	177	0.44				97.5	4.6	0.8	132
DI14-19	916379	228	231	3	82	0.21	**0.23**	**98**	**102.0**	12.7	2.6	0.5	163
DI14-19	916380	231	234	3	63	0.19				25.4	2.1	0.4	91
DI14-19	916381	234	237	3	51	0.12				10.4	5.4	0.4	143
DI14-19	916382	237	240	3	138	0.22				25.2	8.6	0.5	106
DI14-19	916383	240	243	3	37	0.13				7.9	2.7	0.3	206
DI14-19	916384	243	246	3	43	0.15				9.9	9.1	0.3	236
DI14-19	916385	246	249	3	59	0.11				119.5	13.5	0.3	202
DI14-19	916386	249	252	3	116	0.25				22.0	32.3	0.5	130
DI14-19	916387	252	255	3	104	0.14				10.2	20.4	0.3	135
DI14-19	916388	255	258	3	128	0.24	**0.20**	**90**	**153.0**	10.1	12.8	0.5	151
DI14-19	916389	258	261	3	25	0.09				5.9	14.1	0.2	222
DI14-19	916390	261	264	3	230	0.06				4.3	8.1	0.3	171
DI14-19	916391	264	267	3	35	0.07				4.1	3.4	0.2	115
DI14-19	916392	267	270	3	32	0.10				5.8	189.0	0.3	149
DI14-19	916393	270	273	3	26	0.03				8.2	24.2	0.1	255
DI14-19	916394	273	276	3	13	0.03				3.1	30.3	0.1	268
DI14-19	916395	276	279	3	19	0.03				5.2	7.0	0.1	243
DI14-19	916396	279	282	3	28	0.03				1.8	10.3	0.1	159
DI14-19	916397	282	285	3	24	0.03				2.2	2.0	0.1	273
DI14-19	916398	285	288	3	18	0.02				1.7	20.1	0.1	333
DI14-19	916399	288	291	3	49	0.05				3.3	61.0	0.3	181
DI14-19	916401	291	294	3	35	0.04				6.0	66.3	0.2	164
DI14-19	916402	294	297	3	40	0.02				1.3	29.1	0.1	76
DI14-19	916403	297	300	3	21	0.07				5.4	246.0	0.2	22
DI14-19	916404	300	303	3	44	0.09				13.3	374.0	0.3	32
DI14-19	916405	303	306	3	88	0.15				7.1	327.0	0.5	37
DI14-19	916406	306	309	3	98	0.28				10.8	59.0	0.5	124
DI14-19	916407	309	312	3	116	0.34	**0.25**	**101**	**9.0**	4.5	5.0	0.6	118
DI14-19	916408	312	315	3	49	0.12				7.0	3.8	0.2	141
DI14-19	916409	315	318	3	42	0.07				10.9	2.2	0.2	115
DI14-19	916410	318	321	3	47	0.07				6.7	3.8	0.2	78
DI14-19	916411	321	324	3	27	0.06				16.9	2.5	0.1	91
DI14-19	916412	324	327	3	55	0.06				14.1	2.0	0.2	97
DI14-19	916413	327	330	3	46	0.07				7.8	7.6	0.2	58
DI14-19	916414	330	333	3	31	0.07				20.8	3.1	0.2	63
DI14-19	916415	333	336	3	58	0.10				4.8	2.1	0.2	43
DI14-19	916416	336	339	3	57	0.16				2.8	1.5	0.4	55
DI14-19	916417	339	342	3	104	0.27				4.4	1.9	0.6	42
DI14-19	916418	342	345	3	105	0.24				4.1	1.2	0.6	123
DI14-19	916419	345	348	3	82	0.09				11.8	1.8	0.2	76
DI14-19	916420	348	351	3	127	0.17				11.9	2.0	0.4	62
DI14-19	916421	351	354	3	85	0.21				11.9	2.0	0.5	58
DI14-19	916422	354	357	3	85	0.14				8.3	1.7	0.6	96
DI14-19	916423	357	360	3	66	0.10	**0.16**	**85**	**27.0**	3.1	1.6	0.3	81
DI14-19	916424	360	363	3	41	0.09				11.4	4.5	0.3	111
DI14-19	916426	363	366	3	39	0.06				5.4	2.3	0.3	42
DI14-19	916427	366	369	3	35	0.07				5.4	2.0	0.2	45
DI14-19	916428	369	372	3	56	0.11				6.3	5.7	0.3	135
DI14-19	916429	372	375	3	51	0.08				4.0	2.1	0.2	170
DI14-19	916430	375	378	3	34	0.06				8.6	1.9	0.1	106
DI14-19	916431	378	381	3	39	0.06				7.7	18.1	0.2	52
DI14-19	916432	381	384	3	45	0.05				1.4	2.3	0.1	55
DI14-19	916433	384	387	3	32	0.05				5.0	2.0	0.1	45
DI14-19	916434	387	390	3	20	0.03				2.3	2.0	0.1	51
DI14-19	916435	390	393	3	26	0.04				4.0	3.1	0.1	61
DI14-19	916436	393	396	3	39	0.05				5.6	2.7	0.2	42
DI14-19	916437	396	399	3	28	0.06				2.5	2.5	0.1	51

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-19	916438	399	402	3	9	0.03				1.6	2.0	0.1	51
DI14-19	916439	402	405	3	19	0.04				2.3	2.5	0.1	44
DI14-19	916440	405	408	3	16	0.03				3.3	3.5	0.2	117
DI14-19	916441	408	411	3	34	0.06				4.7	2.7	0.3	84
DI14-19	916442	411	414	3	216	0.03				1.8	2.6	0.3	150
DI14-19	916443	414	417	3	42	0.03				1.3	34.0	0.4	75
DI14-19	916444	417	420	3	24	0.03				1.2	6.5	0.1	163
DI14-19	916445	420	423	3	40	0.01				1.0	2.5	0.1	57
DI14-19	916446	423	426	3	19	0.01				0.8	3.5	0.1	95
DI14-19	916447	426	429	3	39	0.02				1.4	2.1	0.1	69
DI14-19	916448	429	432	3	17	0.02				1.5	2.6	0.1	41
DI14-19	916449	432	435	3	13	0.02				0.8	2.1	0.1	53
DI14-19	916451	435	438	3	1	0.01				0.1	2.9	0.0	226
DI14-19	916452	438	441	3	1	0.00				0.1	1.3	0.0	203
DI14-19	916453	441	444	3	1	0.00				0.1	1.5	0.0	75
DI14-19	916454	444	447	3	10	0.01				0.4	1.6	0.1	76
DI14-19	916455	447	450	3	17	0.02				0.7	2.6	0.1	43
DI14-19	916456	450	453	3	13	0.02				1.0	1.8	0.1	43
DI14-19	916457	453	456	3	10	0.01				0.8	1.7	0.1	26
DI14-19	916458	456	459	3	14	0.01				1.0	2.3	0.1	28
DI14-19	916459	459	462	3	11	0.01				0.9	2.5	0.0	28
DI14-19	916460	462	465	3	11	0.00				0.9	2.8	0.0	53
DI14-19	916461	465	468	3	29	0.02				1.0	2.2	0.1	76
DI14-19	916462	468	471	3	45	0.02				0.9	1.8	0.1	113
DI14-19	916463	471	474	3	16	0.01				0.9	1.9	0.1	31
DI14-19	916464	474	477	3	34	0.01				0.9	2.9	0.1	43
DI14-19	916465	477	480	3	18	0.02				0.6	2.7	0.1	69
DI14-19	916466	480	483	3	12	0.02				0.8	2.1	0.1	56
DI14-19	916467	483	486	3	119	0.01				1.7	3.2	0.1	27
DI14-19	916468	486	489	3	13	0.02				0.6	1.9	0.1	41
DI14-19	916469	489	492	3	20	0.01				0.8	2.2	0.0	98
DI14-19	916470	492	495	3	17	0.02				0.7	2.7	0.1	27
DI14-19	916471	495	498	3	13	0.02				0.8	1.6	0.1	21
DI14-19	916472	498	501	3	24	0.03				1.2	1.6	0.1	20
DI14-19	916473	501	504	3	7	0.02				1.4	1.6	0.1	27
DI14-19	916474	504	507	3	13	0.01				1.4	1.7	0.1	31
DI14-19	916476	507	510	3	4	0.01				1.3	1.5	0.1	28
DI14-19	916477	510	513	3	3	0.01				1.0	1.3	0.0	24
DI14-19	916478	513	516	3	8	0.01				1.0	1.2	0.0	33
DI14-19	916479	516	519	3	6	0.01				1.0	1.9	0.1	56
DI14-19	916480	519	522	3	15	0.02				0.6	2.1	0.1	143
DI14-19	916481	522	525	3	2	0.00				0.2	1.4	0.0	28
DI14-19	916482	525	528	3	6	0.00				0.5	1.9	0.0	25
DI14-19	916483	528	531	3	5	0.00				0.4	1.3	0.0	23
DI14-19	916484	531	534	3	5	0.00				0.4	2.2	0.0	25
DI14-19	916485	534	537	3	6	0.02				0.6	1.7	0.1	45
DI14-19	916486	537	540	3	4	0.00				0.4	1.8	0.0	40
DI14-19	916487	540	543	3	9	0.00				0.4	1.6	0.0	112
DI14-19	916488	543	546	3	5	0.01				0.3	2.1	0.0	37
DI14-19	916489	546	549	3	3	0.04				0.2	1.5	0.2	162
DI14-19	916490	549	552	3	1	0.04				1.1	1.5	0.1	404
DI14-19	916491	552	555	3	1	0.01				0.6	0.9	0.0	193
DI14-19	916492	555	558	3	3	0.03				1.5	2.5	0.1	479
DI14-19	916493	558	561	3	1	0.00				0.8	1.3	0.0	148
DI14-19	916494	561	564	3	5	0.02				0.9	1.8	0.1	120
DI14-19	916495	564	567	3	8	0.02				0.4	1.9	0.1	45
DI14-19	916496	567	570	3	2	0.01				0.4	2.3	0.0	43
DI14-19	916497	570	573	3	4	0.00				0.3	1.6	0.0	82
DI14-19	916498	573	576	3	10	0.00				0.5	2.0	0.0	79

Hole ID	Sample Number	From (m)	To (m)	Int (m)	Au ppb	Cu %	% Cu	ppb Au	Interval	Mo ppm	As ppm	Ag ppm	Ba ppm
DI14-19	916499	576	579	3	8	0.01				0.4	5.0	0.1	41
DI14-19	917001	579	582	3	3	0.00				0.3	2.1	0.0	46
DI14-19	917002	582	585	3	3	0.00				0.6	1.9	0.0	107
DI14-19	917003	585	588	3	20	0.02				2.5	3.1	0.2	52
DI14-19	917004	588	591	3	23	0.02				3.5	2.7	0.3	102
DI14-19	917005	591	594	3	4	0.01				1.2	2.6	0.1	63
DI14-19	917006	594	597	3	4	0.00				0.7	1.8	0.0	37
DI14-19	917007	597	600	3	3	0.00				0.6	1.8	0.0	36

Drill Core Log Sheets

Dillard Property - 2014 Drilling

Hole: DI14-07

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683116	5514069	1421	355	-55	451.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	4.00	4.00	ob			Till																											
4.00	19.00	15.00	ob			Till and boulders. Chloritized, silicified boulders, gouge and till.	P2												3		2	1	3					Tr			2		
19.00	28.30	9.30	DI4	Q Dior	m	Med grained quartz diorite. Highly fractured with high silicification. Traces of vfg sulphides. Calcite veins 28.1 - 28.3.	S2			1				2					3		1					Tr		Tr					
28.30	32.00	3.70	DI2	Dior	m	Dark grey med grained diorite. Equigranular hornblende-feldspar (variable size). Ca in fractures.	P1			7				9							2		2	2		<1 (2,8)		1 (5,5)					
32.00	33.10	1.10	DI2	Dior	m	Silica healed fracture zone in diorite	S3	12	8					14					4		1	1	Tr	1		<1 (7,3)		3 (8,2)					
33.10	39.70	6.60	DI2	Dior	m	Dark green med grained hornblende rich diorite. Minor narrow cb veinlets	P3			3				4			1				3		1	1		Tr		1 (1,9)					
39.70	40.30	0.60	HP	Hp	m	Porphyritic hornblende In welded fine grained feldspar matrix.	P1			4				6			1				1		2			Tr		Tr					
40.30	45.12	4.82	Di2	Dior	m	Crowded feldspar (80%) diorite; minor biotite. 44-47: moderate silicification + 5% py. 45.12: 1.5cm Cb-Kspar-py vein 80°CA	K1		2	3				4		1					1		2	1	Tr	Tr		4 (4,6)					
45.12	50.00	4.88	DI1	Dior	f	Microdiorite. Clay alteration.	P1							1		1	Tr		1		1		1		2			1 (2,8)					
50.00	50.20	0.20	VA	Volc	F	Fine grained volcanic. Possibly a phase change of above.	P1			1				2					1	1	1	1	1					<1 (1,9)					
50.20	58.20	8.00	DI1	Dior	f-m	Dark green Microdiorite. Hornblende-biotite ~30%. 51.2-51.7: multiple cb veins/flooding, 54.8: 1cm hem-cb-py vein 90°CA.	P1			2				7							1	1	1	Tr				3 (3,7)					
58.20	61.00	2.80	Fa	Fault	vf	Fault zone gouge (lost most of core).	A4														1	2	1		3								

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
61.00	79.20	18.20	DI1	Dior	f	Microdiorite. High hornblende content. 62.91: 1cm qv 60°CA, 66.8-67: 1 cm qv 45°CA with K-feld alt + clay+epid, 69.65: 2cm cb-py vein 80°CA, 70.33: 1cm qv-cb vein 50°CA, 70.5: 3cm qv-cb vei 70°CA, 73.04: 1cm qv 85°CA. 67-37.5: minor fault (broken rock)	P1			5				6		1			1		2	1	1		1	Tr		5 (3,7)					
79.20	80.60	1.40	FA	Fault	f,bx, fol	Fault zone. Lost core. Highly silicified	S4	10						12		2			4				3					2 (0,9)					
80.60	87.80	7.20	Di1	Dior	f	Highly silicified grey-green microdiorite. Minor fine cb veinlets often containing sulphides with traces cpy.	K2	2		1				4		1			2		2		1	1	1	Tr		3 (4,6)			1		
87.80	97.00	9.20	Di2	Dir	m	Dark green high hornblende diorite. 91-97 fault zone, highly broken, lost core.	P1	1		1				2			Tr				2		1	1		Tr		5 (2,8)					
97.00	100.70	3.70	VP	Volc	f	Feldspar porphyry.	P1							1		3					1	1	1	2		0.1 (5,5)		2 (5,5)			1		
100.70	104.00	3.30	DI2	Dior	m,cla-i	Dark green-grey diorite containing large intrusive fragmentals	P1			3				5							2		1	1	1			1 (1,9)					
104.00	104.30	0.30	Fa	qz	f	0.13 qtz-aplite dyke in highly silicified country rock.	S4	10								2			4					1	2	Tr		1 (0,10)					
104.30	108.00	3.70	Di2	dior	m	Dark grey-green altered diorite. Short silicified intervals. Fragmentals as above.	P1			4				6		1			1		2		Tr	1	2	Tr		1 (1,9)					
108.00	108.10	0.10	FA	fault	f	Broken zone as above.	f														2		Tr					4 (1,9)					
108.10	111.50	3.40	VP	Volc	f,por	Very fine grained tan-green volc with clay-ep alt feldspars.	P1			1				2			2					1	1	1				Tr					
111.50	115.00	3.50	FA	Fault	m	Broken rock as below.	P1														1	1	2	1	2			<1 (1,9)			1		
115.00	116.10	1.10	DI2	dior	m	Dark grey diorite.	P1			1				1							1	1	2	1	2			<1 (1,9)			1		

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
116.10	119.10	3.00	DI1	Dior	f, cla-v	Green-tan microdiorite. Feldspars clay altered. Minor fragmentals. Flow banding @ 50°CA. Ca veinlets to 3mm VAg 45°CA. 118.3: 2 cm vuggy cb veining.	P1			4				5		Tr			1		2	1	3	1	2	Tr		4 (2,8)					
119.10	119.70	0.60	DM	Volc	vf	Green-tan v fine grained volcanic dyke? Sharp contact 40°CA. Py-ca veining.	P1		2	3				4							2		2	1				5 (8,2)					
119.70	123.00	3.30	DI1	Dior	f	Dark green Microdiorite. Hornblende ~50%. Minor silicified zones.	P1			2				2					1		1		2					3 (2,8)					
123.00	125.00	2.00	FA	qz	f,bx	Highly silicified fault zone. Multiple 3cm qv-cb veins 75°CA bounded by bx.	K3	3								3			4				3					Tr					
125.00	135.85	10.85	DI2	dior	m,cla-v	Grey diorite (fresh). Occasional fg black fragmental to 3cm. Vfg sulphides. K-alt decreasing with depth to 129.	K3			1				1		3					1		1	1				2 (0,10)					
135.85	136.60	0.75	FA	dior	f, bx	Highly silicified zone around 2cm qz-cb vein 50°CA. Multiple fine qz-py veins.	S2	6	6							3			3				2	1	1	Tr		5 (8,2)					
136.60	137.50	0.90	VP	Volc	f,por	Feldspar porphyry in dark vfg matrix. Cb-py veinlets 20-80°CA.		4	4	7				7					1				2	1	1			Tr			1		
137.50	138.90	1.40	VP	Volc	f,por	As above, highly silicified alt zone.	s2			2									3				2	1	1	Tr		3 (1,9)					
138.90	139.60	0.70	FA/DI4	dior	m	Pale grey Quartz Diorite bounded at top and bottom by faults containing 3-5cm qz-cb veins.	s3							1					3					1				<1					
139.60	141.80	2.20	VA	and	f	Highly silicified pale green volcanics. Multiple x-cutting fracture sets with qz-cb-py veinlets.	S1	6	6	5				10					2					2	1			5 (8,2)					
141.80	148.80	7.00	DI1	dior	f,cla-I	Silicified microdiorite. Occasional intr fragmental to 4cm.	P2		3							Tr			1		2		1		2	Tr		3 (4,6)					
148.80	149.40	0.60	FA	Fault	bx	Fault 30°CA. very broken rock.	P2									1			1		1	2	3	1	3			6 (3,7)					
149.40	152.40	3.00	DI1	dior	f	Pale grey microdiorite.	P1							1		1					1	1	2					2 (2,8)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
152.40	158.40	6.00	Va	And	f,bx	Dark grey volcanics. Minor qz-db-py veining to 0.5cm 20-90°CA. 155-157 very broken rock: faulted	P2	1	3	2				4							2	1	3			Tr		3 (7,3)					
158.40	168.00	9.60	DI1	dior	f	Pale grey quartz microdiorite. Highly silicified, 159.03: 1cm qz-cb vein 75°CA, 161.1:5cm zone of qz-cb veins 45°CA, 161.23: 1cm py vein 80°CA, 162.7-163.45 highly clay-si altered zone, 164-164.1: gouge seam, 165: 2cm gouge seam75°CA.	S3							1		Tr			3		1		1	Tr	1			5 (3,7)					
168.00	171.60	3.60	FA	Fault	f	As above, very broken rock.	P2												1		2	2	1		1			10 (1,9)			Tr		
171.60	176.20	4.60	Qz	Fault	f	Highly silicified zone in quartz-microdiorite (mafics almost obliterated) bounding vuggy quartz veins at 171.6 - 6cm, 173.8 - 15cm, 15.75 - 26cm ~70°CA. 174.1: 1c, cb vein 20°CA	S4	8						9		Tr			4		1	1	1	Tr	1			1 (0,10)					
176.20	181.00	4.80	DI1	dior	f-m, cla-l	Dark grey green microdiorite. Local ep alt envelopes around clay-cb microfractures. Cb-py veins common; 177.66-3cm zone py-cb veining 15°CA. Minor clay alt In feldspars. Minor intr fragmentals to 3 cm.	P2	1	2	3				4		Tr					1	2	2	Tr	2			4 (6,4)					
181.00	182.50	1.50	FA	fault	f	Broken rock, minor gouge, lost core. As above. Minor qz-cb veining.	P1	2		2				3					1		2		1		2			1 (0,10)					
182.50	199.00	16.50	VA	bas	f	Light to dark grey. Local alteration around clay-cb veinlets, numerous 2mm qv to 1cm (191) x-cutting cb-clay veinlets (minor).	P1	2	4		8			10					Tr		1		Tr		1			3 (7,3)					
199.00	202.00	3.00	FA	fault	bx	Lost core-gouge areas washed out.	P2	1	5					7					Tr		2	1	Tr		3			3 (5,5)					
202.00	203.80	1.80	DI2	dior	m	Dark grey-tan hornblende rich diorite. Very thin cb-py veinlets	P1		3	1				5		Tr	1				2	1		1				4 (5,5)					
203.80	207.00	3.20	FA	dior	bx,fol	Fault zone. Feldspar rich microdiorite. Quartz veining to 2cm.	S1	3	3					3		Tr			2		2				2			5 (3,7)					
207.00	212.10	5.10	DI1	dior	f	Fine grained microdiorite. Feldspar dominated (90%). Clay veilets ~45°CA. vfg sulphides.	K2		2	2				5		2			1				Tr		Tr			2 (3,7)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
212.10	220.50	8.40	DI4	dior	f	Light tan highly silicified alteration zone in qtz diorite.	KS3	7	1	1	2			9		2			3				1	Tr	2	Tr		3 (2,8)					
220.50	231.80	11.30	DI4	dior	m	Dark grey-green crowded feldspar (70%) quartz microdiorite; numerous quartz veins: 231.9-5cm 90°CA, 233.92-2cm 60°CA, 226.42-1cm qtz-clay 70°CA, 227.5-1cm qv 80°CA. Broad alt halos around fine veinlets.	K2	5	3	5	4			8		2			1		1		1		1			2 (7,3)					
231.80	240.16	8.36	Va	bas	f,bx	Dark grey-black volcanics. Numerous fine (to 2mm) qtz-cb veinlets 20-90°CA. Minor intr fragmentals to 3cm	P1	3	2	1	7			16		Tr			1		1	Tr	1	1	1			<1 (4,6)			Tr		
240.16	243.30	3.14	Vm	and	m	As above; med grained. 241.75-14cm bx unit; high ep + qv, 243-1cm qtz-clay-chlorite vein 45°CA.		2	1		2			9									Tr					<1					
243.30	246.87	3.57	Va	and	f	Dark grey-tan hornblende rich diorite. Very thin cb-py veinlets	P1	2	1					8					1		1	1	Tr	1	1			<1 (2,8)			Tr		
246.87	248.90	2.03	DI4	dior	f,cla-l	Feldspar dominated qtz microdiorte. Sharp contact with above unit @ 50°CA. 249:7cm mafic intr fragmental.	K2	2	1					3		2						1	Tr	1				4 (5,5)					
248.90	252.50	3.60	DI2	dior	m	Diorite,30% mafics overall. Increasing sil with depth. 249.5-250: 10% clotted cpy in qv, 250.43-4cm qtz-py vein 30°CA, 250.86-16cm bx/qv 25°CA, 251.45-2cm qtz-py-cb vein 25°CA, 152.14-2cm qtz-py vein 25°CA. Cpy clot at 250m.	S1	3	2					4					2						1		6 (5,5)					
252.50	254.78	2.28	FA	dior	f	Pale grey. As above, highly silicified alt zone. 10cm qv stkwk at 254.68.	S4	6	3					10		Tr			4				1		3			5 (6,4)					
254.78	267.10	12.32	DI4	dior	f-m	Mod altered pale grey microdiorite.	K-S1	3		2				3		2			2			1	1		2			2 (7,3)					
267.10	281.66	14.56	DI1	dior	f	Dark grey-green microdiorite. 273-2cm gouge in minor fault (minimal alt). 275.46-2cm qtz-cb-chl vein 55°CA, 278.8-2cm chalc qtz-cb vein 35°CA, 280.85- 1cm qtz-cb vein 45°CA	K1	3	1					3		2			1			1	1		Tr			3 (1,9)					
281.66	283.20	1.54	FA	?	f	As above, highly silicified alt zone. 282.8- 4cm qv 40°CA.	S4	2						1		Tr	1		4			1	3		3			6 (8,2)					
283.20	284.13	0.93	Fa	Fault	f	As below, high alteratio to clay. 283.95 - 13cm gouge	A4														2		1		4			Tr					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
284.13	291.20	7.07	HP	Volc	f,por	Feldspar/hornblende porphyry. Welded fine-grained feldspar matrix, hornblende altered to clay. 285.2-1cm cb-py vein	P1	2						4			2				1	2		1	1			<1			Tr		
291.20	295.56	4.36	Va	bas	f, por	V fine dark grey-black volc with clay altered fine feldspar laths.	P1		2								1				2	1	1		1			4 (8,2)					
295.56	298.84	3.28	DI1	dior	f	Fine microdiorite, 50% mafics. Local K-alt halos around fine veinlets. 298.42- two 1cm qtz-py veins 80°CA	K1		4					1		1					2	1	3	1				5 (8,2)					
298.84	300.00	1.16	Va	and	f	vf dark green-grey volc. Vf cb veinlets.	P1			1				1								1	1		Tr			Tr					
300.00	304.00	4.00	VP	and	f,por	Dark grey feldspar porphyry. Laths mod altered to clay + ep. Minor vf cb vnlts.	P1							1								1			1			<1 (0,10)					
304.00	304.55	0.55	Va	and	f	As above unit.	P1							1								1			1			Tr					
304.55	305.90	1.35	FA	goug	f	Pale green-grey. High clay alteration around several 6cm gouge seams. 305.04-3cm qv 60°CA	A3	1						3					1		1	2	1		3			Tr					
305.90	317.93	12.03	VM	and	f-m, cla-l	Dark grey volcanics. Rare intr fragmental to 2cm. Numerous fine qv VAg 60°CA; 308-1.5cm qtz-cb-ep vein 85°CA. Minor local clay alteration. Local py to 10%.	P1	3			2			4					1			2	1		1			<1					
317.93	333.10	15.17	DI1	dior	f	Pale grey-tan-green microdiorite (monzonite?) Very minor cb + clay + qtz veinlets.	K2	1						1		2					1	1	1		1	Tr		3 (1,9)					
333.10	340.10	7.00	VA	and	vf	Dark green-grey volcanics. 333.8-12cm qtz-chl-cb vein 30°CA	P1			2				2			Tr				1	Tr	1	1				1 (5,5)					
340.10	344.50	4.40	VM	and	m	Dark grey-green volc. 341.8-1cm py-cb vein 30°CA.	P1	1	2	3				3								1	1	Tr				1 (4,6)					
344.50	346.30	1.80	FA	Fault	f	As above. Pale grey bleached alt. Sharp contact (0.5cm qv) with above unit. 344.64-27cm qtz-cb stkwk 45°CA.	S3	5	5					10					3			Tr	3		3	Tr		5 (9,1)					
346.30	349.60	3.30	DI1	dior	f-m	Dark green microdiorite. Variable local alteration 348.73-348.9	P1			2				2		1					1	1	1					2 (1,9)					

							Alteration	Veins							Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
349.60	385.10	35.50	DI2	dior	m, cla-v	Dark grey diorite. 355.65-10cm VA fragmental. Local ep alt halos (1cm) around fine fractures at top, k-alt 362 down. 363-2cm qtz-k-feldsp vein 20°CA, 365.52-2cm Ca-k-feld vei 45°CA, 373.9-1cm cb vein 25°CA (25cm k-alt halo). 377.76-3cm cb-chl vein 45°CA, 379.9-1cm cb-hem vein 15°CA, 383.3-1cm qtz-py vein 5°CA	K3		1	1				1		3					1	2	1	Tr		Tr		3 (2,8)					
385.10	388.30	3.20	VM	volc	m	Hornblende rich volcanics.	K1			1				1		1						1	2		Tr			3 (3,7)					
388.30	395.70	7.40	DI2	dior	m	Dark grey-green diorite. K+ep alt halos. 389.9-1cm cb-py vein 10°CA, 392.4-1cm py vein 30°CA	K2			1				1		2						2	1		Tr	Tr		5 (4,6)					
395.70	397.30	1.60	FA	dior		Fault zone. Highly silicified and bleached. 397.15-1cm cb-chl vein 45°.	S3	4	3					5					4			Tr	Tr		2			3 (5,5)					
397.30	400.50	3.20	DI2	dior	m	As above.Bleached near lower contact with fault.	S1							3			Tr				1	1	Tr		2	Tr		5 (4,6)					
400.50	400.60	0.10	FA		f	Shear zone. Flaky chl-cb veining 20°CA.	A3												1			2	4		4			Tr					
400.60	401.14	0.54	Di2	dior	m	As above. Bleached from above fault.	S2		6					7								1	1		2			7 (8,2)					
401.14	403.18	2.04	HP	and	f, por	Dark grey fg vol; occasional zoning of m grained. Minor hornblende por	P1		2		2			3								1	2	1	1			5 (2,8)					
403.18	405.40	2.22	DI1	dior	f	Dark grey microdiorite; as above but more well developed.	P1							1								1	2	1	1			5 (2,8)					
405.40	406.00	0.60	VA	and	f	As above	P1							2								1	2	1	1			5 (2,8)					
406.00	413.20	7.20	FA	sil	f.bx	Pale tan-buff highly silicified zone.406.17-10cm qtz-chl vein 60°CA, 406.48-1cm qv 25°CA, 407.75-2cm qtz-py vein 25°CA, 408.5-qtz-py (tr mariposite) clots to 3cm, 409.02-fg bas fragm 2cm, 410.3-50cm qtz-clay stkwk zone, 410.2-1cm qv 45°CA, 412-2cm qv 45°CA, 413.15-2cm qv 25°CA.	S4	3	2							2			4		2	1	Tr	1	3			3 (1,9)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Vns1	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
413.20	418.40	5.20	DI1	dior	f	Dark grey-tan microdiorite. Zones of strong K-alt	K4		2					2		4						2	3	1		Tr		2 (2,8)					
418.40	436.90	18.50	Di2	dior	m,cla-v	As above, coarser grained, weaker K-alt to 423m. 417-1cm ep vein 45°Ca. very minor volc fragmental to 1cm. ~1cm clay-ep alt halos around py veinlets 30-45°CA.	K1P1			2				3		2	1				1	2	2	1		Tr		2 (3,7)					
436.90	438.80	1.90	VA	and	f	Dark grey volc.	P1			1				1			Tr				2	Tr	2	1				4 (1,9)					
438.80	439.10	0.30	Di2	dior	m	Dark grey green diorite.	P1							1							1			2				1 (0,10)					
439.10	448.28	9.18	VA	and	f-m	Dark grey-green volc. 440-cpy vein, 440.1-25cm fault bx cb-chl healed. 445.6-9cm qtz-db-chl vein 80°CA.	K2P2		2		2			3		2	Tr				2	2	Tr	1		Tr		4 (3,7)					
448.28	451.00	2.72	DI1	dior	f-m	Dark grey green microdiorite. Local patchy ep alt envelopes around clay-cb microfractures. 451-1cm py vein 30°CA.	P1		1		3			4							1	2	Tr		Tr			3 (2,8)					
end																																	

Dillard Property - 2014 Drilling

Hole: DI14-08

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683498	5514015	1465	352	-50	522.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	40.00	40.00	CAS			Casing: Boulders, clay and subcrop. Bouilers coposed of hornblende porphyry, Di2, Di3.																											
40.00	51.30	11.30	DI2	dior	m	Dark grey diorite. Minor alt halos (ep-clay) bounding vf py veinlets.	P1		4	2	1			7			1				1	1	1	1			2 (8,2)			Tr	Tr	
51.30	53.90	2.60	FA	dior	fol	As above. Highly altered to pale green clays-ep. 52.8-1cm qtz-cb vein 30°CA, 5 cm gouge at 53m.	P4														1	4	3		3			Tr					
53.90	57.60	3.70	Di2	dior	m	Dark grey diorite as above. Hornblendes altered to ep.	P2	5			2			10		1	2				1	2	1	1				1 (2,8)					
57.60	77.30	19.70	FA	?	f,fol	Pale green-tan-green highly silicified alteration zone. 57.7-2cm qv 80°CA, 60.7-30cm qtz stkwk, 63.8-20cm qtz stkwk, 67-60cm qtz stkwk, 71-74.2 gouge-rubble-qv, 75.4-2cm qv, 76.1-7cm 20°CA, 77-10cm gouge,	S4	20											5		1	4	Tr	2	3	Tr		Tr					
77.30	80.00	2.70	VM	and	m	Silicified dark green-grey volc.	P1S2		2	1	5								2		1	1	1	1	2			<1 (1,9)					
80.00	82.64	2.64	FA	dior	m	Pale grey-green-tan alteration zone in microdiorite/VM?. Highly silicified. 80.3-15cm qtz-gouge, 82.2-10cm vuggy qv.	S3	5	1		7		hem2	9					3		1	3	Tr	1	3			Tr					
82.64	87.00	4.36	VM	and	f-m	Clay altered bx volc	P1		2	5				8		Tr					1	1	2	1	1			<1 (9,1)					
87.00	88.90	1.90	VM	and	f-m.bx,fol	Pale green bleached volc. Alteration zone	P3		3	6	2			10		1						3	2	2	2	Tr		1 (8,2)					
88.90	89.20	0.30	DI2	dior	m	Dark green. 92.14-1cm qtx-py vein 40°CA, 92.9 multiple 1cm qtz-cb veins 45°CA	P1	3		9	6			15					Tr		1	2	1	1	1	Tr		Tr (0,10)					
89.20	96.70	7.50	VM	And	m	Dark grey-green.	P1	3		9	6			15			Tr		Tr		1	2	1	1	1			Tr					
96.70	98.20	1.50	VM	And	f,fol	As above. Highly altered to pale gray.	K2	5	2	4				10		2			4				Tr		1			<1 (8,2)					
98.20	103.00	4.80	DF	aplite?	f	Pale tan vfg	K1												5			1	2	1									

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
103.00	107.50	4.50	VM	and	m	Dark green grey volc.	P1		1	4				4							1	1	2	Tr	1			<1 (91)					
107.50	108.70	1.20	DI2	dior	m	Pale-dark green diorite. Contact with above unit ~ 45°CA. Local ep+kspar alt.	P1K1		1					2		1						2						1 (8,2)					
108.70	124.00	15.30	VP	eldsp porp	f,por	45° contact with above unit. Dark grey tan v fine matrix with large feldspar xtls to 3mm, varible smaller hornblende xtls. Silicified matrix. 122.8-124: highly silicified pale tan bleached rock around 15cm gouge zone at 123.6m.	S2				1			1		2			2				Tr	3	Tr			Tr					
124.00	128.90	4.90	VM	And	m,cla-l	75% larger crowded feldspar. Local ep+/-kspar alt around py veinlets. Minor fragmental to 4cm.	P2		2		3			3		1					1	2		1	1	Tr		1 (7,3)					
128.90	134.00	5.10	FA	?	bx	Highly silicified alteration zone around gouge/crush zones at 130.2-40cm, 132.77-53cm gouge	K2	2	2		3			4		3			2				2		3			<1 (8,2)					
134.00	136.80	2.80	VM	and	m	Lessor clay alt	P1		1		3		ep2	3		Tr						1	2		1			<1 5,5)					
136.80	137.00	0.20	FA	goug	bx	Minor fault zone. Gouge and crushed rock.	C3																4		3			Tr					
137.00	141.70	4.70	VP	volc	f,por	Large feldsp to 3cm in v fine pale green (hard) matrix, 20% finer hornblende xtls. Local k-alt to bottom.	P1				1					1			1		1	1	Tr	Tr				Tr					
141.70	141.78	0.08	FA	qtz	f,bx	Narrow qtz-clay-ep-cb filled fault.	S3												3			2	3		3								
141.78	149.20	7.42	VM	and	m,cla-v	Med grey-green volc. Occasional small black fragmentals.	P2			1				1		1					1	2	2		1			Tr					
149.20	151.56	2.36	VP	volc	f,por	Dk grey-green-tan volc. 151-16cm gouge (cb+clay)	k2			1	1			1		2						1	2		2	Tr		Tr					
151.56	152.00	0.44	VM	and	m	Grey-green volc.	k1			2	1			3		1					1	1	1			Tr		Tr					
152.00	153.00	1.00	VP	volc	f,por	Dark grey. Ghost porphyry. Matrix a little coarser than above.				1	1			1									1		1								
153.00	154.65	1.65	VM	and	m	Grey-green volc.	P1			2	2			3							1	2	1		1			Tr					

							Alteration	Veins							Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
154.65	155.00	0.35	VP	volc	F	Dark-pale grey, as above.	K2			2	1			3		2					1	2	1		2			Tr					
155.00	157.88	2.88	VM	and	m	Grey-green volc. 45°sharp contact with VP.	K1			2				2		1					1	1			Tr			<1					
157.88	159.00	1.12	VP	volc	f	Tan fg matrix. Feldspars to 3mm. Local k-alt (2cm around cb vnlets)	K2			2				2		3						1	1	1				Tr					
159.00	161.90	2.90	VM	and	m	Pale grey-green volc.	P1				3			3								2			1			Tr					
161.90	167.55	5.65	DI1	Dior	m	Pale to dark grey microdiorite. 45° contact with below. 166.7-1cm cb-py vein 45°CA.				1	3			3		Tr						Tr		Tr	1	<0.1		3 (1,9)					
167.55	171.10	3.55	VP	volc	f,por, cla-i	Dark green to tan vfg matrix, felsp to 5mm. Last 20 cm containing slump blocks	k2				1			1								1	1		Tr			Tr					
171.10	177.60	6.50	DI2	dior	m	Dark green-grey. 1cm ep halos around microveinlets. Blotches of pink cb.	P1			3	1			3							1	2	2	1	1	Tr		<1 (2,8)					
177.60	178.00	0.40	FA	goug	f,fol	Pale grey high clay alt zone, 5cm gouge.	A3			3				4				2			1				3			Tr					
178.00	178.45	0.45	DI2	dior	m	As above.	P1			1						Tr			1			2	1		1			Tr					
178.45	183.20	4.75	VM	and	f-m	Dark grey-green. 182.85-5cm qtz-cb vein 75°CA. Increasing clay alt last 0.4m.	P2			2	4		ep3	5								2	1			Tr		<1 (8,2)					
183.20	183.25	0.05	FA	gouge	f,fol	Pale grey clay-cb 45°CA.	A3																4		4			Tr					
183.25	186.10	2.85	DI1	dior	f	Pale grey-tan clay alt microdiorit; crowded feldspars (75%). 70°contact with below.	P3		1	4	2			5							1	3	3			Tr		<1 (9,1)					
186.10	186.60	0.50	VA	and	f	Pale tan vfg. Qtz-clay alt	K1			2				2		1			2			2	2		2	Tr		Tr					
186.60	186.83	0.23	FA	qv	f,bx	12cm white-pink qtz-cb vein 45¯CA in clay bx.	S2												2		2		4		3			Tr					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
186.83	186.98	0.15	VA	and	f	As above. 186.97-4cm qv 45°CA.	K1	1						1		1			2				2	2				Tr					
186.98	208.00	21.02	DI2	dior	m	50% feldspar. Vuggy ep-cb veinlets. Vfg diss sulphides.	P2	2		3	1		ep3	5			1				1	2	2			Tr		<1 (8,2)					
208.00	210.30	2.30	VP	volc	f,por	Dark grey, vfg matrix (tan-grey) feldsp to 3mm.	K1			1	1			1		1						1	1					Tr					
210.30	212.90	2.60	DI2	dior	m	Dark grey-green. Minor pulses of finer grained material. 212.3-1cm pink cb vein 10°CA, 212.5-4cm gouge seam 90°CA	P1		3	3	2			5							1	1	1		1			1 (7,3)					
212.90	212.95	0.05	FA		f	Qtz-cb vein + gouge 45°CA.	S3	1											3		1				3								
212.95	215.55	2.60	DI1	dior	f-m	Dark to pale grey. 214.5-1cm qv 15°CA, 214.9-1cm qv 40°CA,	A1	1			2			3								Tr	1		2	Tr		Tr					
215.55	216.35	0.80	FA		f,fol	Pale grey qtz-cb-clay high alt zone.	A3	5		2						Tr			3		1		1		4			Tr					
216.35	220.00	3.65	DI2	dior	m	Med Grey diorite.	A1				4			4								Tr	1	1	1			<1 (0,10)					
220.00	221.00	1.00	FA	dior	m	Broken rubble, minor gouge. As above.	A3				1			1								Tr	2		3	Tr		Tr					
221.00	223.77	2.77	VP	volc	f	Pale tan vfg matrix, felds to 3mm. 45° contact with unit below.				2	1			2								1		1									
223.77	225.80	2.03	VM	and	m	Green-grey. 224.6-1cm qv40°Ca xcut by 1cm qv 25°CA, 225.42- 225.8:multiple qv to 1.5cm 60°CA	P1		1	3	3		ep2	5								1	1		1			Tr					
225.80	226.08	0.28	FA	gouge	f,fol	Pale green silicified, clay gouge	A3												2				2		3			Tr					
226.08	228.60	2.52	DI2	dior	m	Dark grey-green. Vuggy cb veining.	P2			4	2			6								2	1		2			Tr					
228.60	229.70	1.10	VP	volc	f	Dark tan.				1	2			2									2	2									

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
229.70	231.40	1.70	DI1	dior	f	Dark grey-green.	P1		3	12		3		20								Tr	1					<1 (8,2)					
231.40	232.40	1.00	FA	goug	m	As above (med grained) pale grey alteration zone with multiple gouge zones.	S2	8	3	9		2		26					3				2		3	Tr		<1 (7,3)					
232.40	248.50	16.10	DI1	dior	f-m, cla-v	Grey-green diorite. Cb alteration halos around cb vnlts (10-90°CA). Occassional dark black volc fragmental to 5cm. 241-242.1: clay-sil alt zone around 10cm qv 45°CA, 244.43-5cm gouge.	P1			8		1		10		1						Tr	2	1	Tr			<1 (2,8)					
248.50	259.60	11.10	DI2	dior	m, Cla-l	As above, coarser grained. Med grey. Minor fragmentals to 5cm. Zoned darker grey qtz veins with ep-clay core VAg 60°CA. Narrow (1cm) alt halos. K-alt near bottom.	P1	5		4		4	hem1	7		Tr	Tr					1	1	Tr	1	Tr		1 (3,7)					
259.60	260.10	0.50	FA	goug	f,fol	Pale grey rubble and gouge. 3cm qtz-cb vein at 260.	C3	1		2									1		2		3		3			<1 (0,10)					
260.10	262.43	2.33	VM	and	m,cla-v	Dark green grey volc. Minor small black fragmentals. 261.1-3cm cb-qtzx-ep bx vein 45°CA, 262.16-10cm gouge: 30cm bleached sil alt zone. 45¯ contact with below unit.	P1	1	3	2	2	1		9		Tr			2		1	1	2		2	Tr		1 (5,5)					
262.43	266.40	3.97	DI1	dior	f-m	Dark-pale grey.	C2	3		6			hem5	15		Tr			3				2	2	1	Tr		1 (2,8)					
266.40	267.47	1.07	DI4	dior	f,bx	As above Pale grey bleached highly silicified bx.	S4	2		1	2	4		9						4		1	1		2	Tr		<1 (1,9)					
267.47	271.43	3.96	VA	bas	f	Dark black-green. Ep alt around vfg cb vnlts, local k-alt. Multiple tan-darker grey qv to 1.2cm VAg 30°Ca (often sulphides included). Fault gouge 268-20cm.	P3	3	3	15		4		25		1						3	1	1		Tr		2 (8,2)					
271.43	276.70	5.27	FA	bas	f,bx	As above. Pale grey-green-tan alt zone around multiple white gypsum veins 60-90°CA. Remnant grey qv present +/- cpy.	S4	2	5	8		10	cpy2	35		1			4		2		1	Tr	3	<1 (8,2)		1 (6,4)					
276.70	277.63	0.93	Di2	dior	m	Pale grey highly silicified/bleached alteration	S2	2				7				1			3				Tr		2	Tr		<1 (5,5)					
277.63	285.15	7.52	FA	?	f	As above. Pale grey-green-tan alt zone around multiple white qtz veins 60-90°CA. Minor remnant grey qv present. QV: 281.65-6cm, 284.1-33cm. Gouge: 280.8-16cm (60°CA), 284.9-14cm.	S4	4		1	20	28	hem4	50					4				Tr	1	3	Tr		<1 (2,8)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
285.15	292.71	7.56	DI2	dior	m	Dark green. Lessor grey qv <1cm +/-cpy. 292-2cm qtz-cpy vein (25%cpy)	K2/P3	3		8			ep 7	12		3						3	3	Tr		<0.1 (8,2		Tr		Tr Mo			
292.71	294.00	1.29	FA	?	f	Highly silicified alteration zone around 12cm qv 70°CA.	S3	3						3		2			3		Tr				3			Tr					
294.00	298.20	4.20	DI1	dior	f-m	Dark grey-green. Numerous vfg cb veinlets + coarser (1mm) cb-hem veins.	P2	1	2	10		2	hem6			Tr					1	2	2	3		Tr		<1 (8,2)					
298.20	300.70	2.50	FA	qv	f	Gouge and rubble around 5cm qv at 298.6 and 50cm sil bx/gouge zone at 300.3. Country rock as above.	S2	2	1					1		1						Tr		3	3			Tr					
300.70	313.00	12.30	DI1	dior	f-m	302-305: numerous dark tan qv to 1cm +/-cpy, 305-308: maroon qv +/-cpy, late stage white qv (barren). Later ep-hem-cb x-cutting everything.	P1	6	4	15		16	hem-ep	28		Tr						1	2	2		<1 (8,2)		<1 (8,2)					
313.00	313.14	0.14	FA	goug	f,fol	Pale grey-green fault gouge.	A3														2		1		4								
313.14	314.00	0.86	DI2	dior	m	Dark red-green diorite. Vfg sulphides.	P3	4				4	ep4	5								3	1	4		Tr?		1 (0,10)					
314.00	342.05	28.05	DI1	dior	f, cla-v	Dark grey reddish-green diorite. Vfg sulphides in microveinlets and rare grey qv decreasing with depth. 314.8 local clots of cpy to 1.5cm. 317.8-2cm qtz-cb vein 60°CA, 322.1-12cm qtz-cb vein 20°CA, 323.9-1cm cb-chl vein 10°CA, 327.6-1cm white qv 45°CA, 331.6-6cm hem gouge, 335.5-2cm cb vein 45°CA. Occasional small fragmental. Local k-alt	P2	2	2	9		3	ep2	18		Tr	1				1	2	2	2		<1 (7,3)		<1 (8,2)					
342.05	345.46	3.41	VA	and	f-m	Transitional from above unit to fine grained.Dark reddish grey. Vfg sulphides.	P2			6		4	ep-cb15	20								3	1	2		Tr?		Tr					
345.46	350.40	4.94	DI2	dior	m,cla-v	Greenish grey diorite. Occasional black fg fragmental to 4cm. 349.05-3cm qtz-chl vein 85°CA. Narrow white barren qv common (all orientations). Tr vfg sulphides.	P2-K2	1		2		1		9		2						3						Tr					
350.40	351.10	0.70	VA	bas	f	Dark grey. 45° contact with unit below.	P2			3		2										2			2			Tr					
351.10	354.10	3.00	DI2	dior	m	Dark grey green. Cpy vein at 352.8 (1mm), 353.7 (1mm)	P2	4		Tr		2		5							1	2			1	<1 (9,1)		Tr					
354.10	355.60	1.50	VP	volc	f	Reddish fg matrix, mainly feldspars to 5mm with some hornblende to 2mm.	P3			3		1	ep25			1						3	Tr	3									

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
355.60	360.10	4.50	DI1/FA	dior	f,fol	Dark to pale grey fault zone in diorite. 257.3-3cm cb-chl vein 30°CA, 357-4cm grey qv (tr cpy) 30°CA, 357.5-2cm gy qv 30°CA, 359.7-12cm gouge, 360-7cm gouge-cb. 359 cpy veinlet 45°CA	P1	5		2		5		7					1		1	2	Tr	1	3	<1 (7,3)		Tr					
360.10	363.40	3.30	DI1	dior	f-m	Dark grey (fine to medium grained pulses) . Vfg cpy veinlets 35-80°CA. Sil alt zone 30 cm to fault below.	K2	2		3		7	cpy9	8		2			1		1	1	Tr	Tr		1 (8,2)		Tr					
363.40	363.90	0.50	FA	qtz	f,bx	Pale grey-white bx zone filled by white qtz veins.	S3	1				15		17		1			4						4	Tr							
363.90	374.30	10.40	Di1	dior	f-m	F-M grained as above. 365.1-2cm white chalcedony vein 70°Ca,366.95-5cm gouge-qv 65°CA, 367.8-4cm hem-cb vein, 368.7-1.5cm cb-chl vein 30°CA, 369.8-2cm white qtz vein 15°Ca, 370.56-1cm white qv 15°CA. cpy veinlets 45-80°CA with narrow grey qv +/-ep.	P1	2	2			8	cpy 4, ep,hem	14		Tr						2		3		<1 (4,6)		<1 (6,4)					
374.30	377.50	3.20	FA	bas	f	Fresh dark grey. Vf cb veinlets				2		3		2			1						1		Tr			Tr					
377.50	391.94	14.44	DI1	dior	f-m	Dark grey-green. Cpy-grey qv (50°Ca). 378.35-1cm grey qv+cpy 45°CA, 378.83-5cm chalcedony+hem+ep vein 45°CA, 382-2cm qv. Cpy veinlets in qv and mainly ep veinlets	P3	4				12	cpy14, ep15	17			2				1	3	1	2		2 (8,2)		<1					
391.94	393.10	1.16	FA	and	f	Fault contact with above unit, minor gouge. Vf cpy veinlets ~45°CA.	P2	5					cpy25	30								2				3 (9,1)		<1					
393.10	393.80	0.70	DI2	dior	m	Coarser grained dior. Cpy mainly with ep vnlets, minor qv.	P2	1				2	cpy8	8								2				<1 (9,1)		<1					
393.80	403.00	9.20	DI1	dior	f	Dark grey fine grained microdiorite. 3 types of qv, white (barren) all orientations, tan-grey +cpy, and grey +/-cpy (45°.	P3	3	5			6	cpy5	12			3					3		1		<1 (8,2)		2 (9,1)					
403.00	403.20	0.20	FA	goug-qv	f,bx,fol	Gouge + 9cm white qv 80°CA.	S2	1											3				3	2	4	Tr (0,10)		Tr					
403.20	407.50	4.30	FA	goug	f	Broken rubble/multiple gouge zone. As above? Hem altered.	P2														2	2	1	3	2	Tr		<1 (8,2)					
407.50	409.80	2.30	DI1	dior	m	Sil-hem alt zone. Grey qtz veins w mainly py + lessor cpy	S2	5		7		4	hem4,	12									3	3	2	<1 (8,2)		1 (9,1)					
409.80	420.00	10.20	DI1	dior	f	Pale grey-tan fine microdiorite. Numerous vf ep veinlets. Grey qv ~ 45°CA. 411-2cm cb-chl vein 80°Ca, 412-4cm cb-chl vein 80°CA. 420- narrow magnetite vein.	P3	7	22			12	ep15, hem3, cpy10	35			2				1	3	Tr	2		1 (8,2)		1 (8,2)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
420.00	420.20	0.20	FA	qv	f	11cm qv and gouge	S3	1																	3								
420.20	439.00	18.80	VA	and	F	Med-pale grey fg volc. Cpy with mainly py in qv and dry 45-60°CA. Hem decreasing with depth to 424. Mainly fg white gypsum with grey qv(5). Primary bedding visible @ 30°.	K2	5	25			14		35		2					2	1		2		<1 (9,1)		1 (9,1)					
439.00	449.00	10.00	VM	and	m	Dark grey-green diorite. Qtz--py-ep veinlets common. Narrow white qv (no preferred orientation). Local magnetite veining.	P3	4	16			16	ep16	35			1					3				Tr (9,1)		2 (8,2)					
449.00	453.90	4.90	VA	and	f	As above, finer grained. Pulses of VM. Local k-alt around ep veining. Traces cpy in qtz veinlets 45°CA. 446.3-7cm gouge 80°CA, 447.1-10cm gouge around 3cm grey qv 45°CA, 449.2-17cm py stkwk, 450.9-10cm white qv bx 45°CA with 40cm clay-sil alt halo, 453-5cm anhydrite clot.	K1	4	12			5	ep16	30		2						1		Tr	1	Tr (9,1)		1 (9,1)					
453.90	459.48	5.58	VM	and	f-m	Med grey-green volc. Mainly white gypsum - all orientations. Rare grey qv+cpy. 455.7-cpy clot, 457.9 qv+cpy.	P2	4				18	ep8	25		1					1	2			1	Tr		3 (2,8)					
459.48	463.15	3.67	VA	and	f	Dark green-black. Vf white gypsum veinlets. Rare grey qv: 461-2cm maroon-gy qv +py-cpy, 462.8-1cm maroon qv+py+cpy 35°CA.	P1	1	8			8	ep8	15								1				Tr		1 (6,4)					
463.15	469.46	6.31	DI2	dior	m	Pale green-tan. 464.5-multiple 4cm white qv 80°CA with 80cm sil alt zone. 469-1cm white gypsum 45°+cpy+py	K2	3	12			15	ep7	25		2						3			1	Tr		5 (5,5)					
469.46	473.07	3.61	VA	and	f-m	Dark grey-green to tan. Variable grain size. 469.76-3cm qv+py-cpy, 470.55-3cm qtz-ep-cb vein 30°CA, 470.34-1cm maroon qv + py-cpy, 471.55-2cm grey qv+py+cpy, 472.2-2cm cb-chl vein 45°CA, 472.6-3cm qt-cb-chl vein 80°CA, 473.05-2cm cb-chl vein.	K1-P1	3	9			12	ep4	15		1					1	1			1	Tr		2 (6,4)					
473.07	477.40	4.33	VA	and	f	Pale grey sil alt zone. Grey qv (4). 474.6-1cm qv+py-cpy 60°CA, 475.02-2cm qv 45°, 476.5-2cm white qv 80°CA, 476.7-5cm qtz-cb-gouge vein 30°CA.	K1	2	22	4		14		40		1						Tr	2		1	Tr		3 (5,5)					
477.40	478.23	0.83	DI2	dior	m	Pale grey bleached diorite.	S1	2	18	7		9		25					1				3		2	Tr		5 (3,7)					
478.23	481.70	3.47	VA	and	f	Pale gray to dark grey-green with depth (480m). Grain size increasing with depth. 478.4-7cm qv +py-cpy 45°CA followed by 1m bx zone ~10%py, tr cpy, 480.5-1cm white qv.	P1	4	24	5		11		30							1	2	2		1	Tr		5 (5,5)					
481.70	486.60	4.90	VM	and	m	Dark green-grey.	P2	3	2	3		5	ep15	25							1	3	Tr					<1 (3,7)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Clay	Gypsum	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
486.60	489.70	3.10	VA	and	f	Dark to pale grey	P1	2	6	1		3		12		Tr					1	1	1	Tr				2 (4,6)					
489.70	497.40	7.70	DI1	dior	f-m	Dark grey-green. Mainly narrow white gypsum veins, grey qv 1/2m, 490.15-1cm cb-hem-py vein, 495.4-5cm qtz-py vein 85°CA	P1	2	14	1		9		22							1	2		Tr	Tr	Tr		4 (1,9)					
497.40	501.90	4.50	DI2	dior	m	Dark red diorite.	C2	2	2	2		2		5								1	3	4				<1 (1,9)					
501.90	515.70	13.80	Mo	monz	m	Pale green-grey-tan Monzonite?/Diorite?.	C1	1		3												1	1	1	1			<1 (0,10)					
515.70	519.00	3.30	VM	and	m	Dark red hem alt volc. 516-2cm cb vein 60°CA	P1			7											1	2	2	4	2			Tr					
519.00	523.00	4.00	VA	and	f	Pale green-grey.	P2		2	8											1	2	1	1	1			<1 (1,9)					
	eoh																																

Dillard Property - 2014 Drilling

Hole: DI14-09

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683708	5513957	1466	354	-60	498.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	30.00	30.00	CAS			Rubble and clay.																											
30.00	32.60	2.60	Di2	Dior	m	Dark grey, variable sized minerals.				2				3			1						Tr	1	1						2		
32.60	59.00	26.40	VA	And	f-m	Dark grey, mainly fine grained. Fine ep-cb-py veinlets ~40°CA. 42.3-43.5-sil welded fine grained matrix, 57.3-2cm cb vein 80°CA, ep increasing with depth.	P1	1	4	5			ep5	9			1		1		1	2	1	1	1			<1 (8,2)			1		
59.00	77.67	18.67	DI4	Dior	m	Pale grey-green. Minor qvs. High carbonate content. Traces mariposite. 69.4-10cm gouge zone, 71.6- gouge zone, 72-77.3 fault zone- gouge+rubble (lost core), 77.5 to end-highly silicified + feldspars alt to clay.	C3	3	15	20		4		30					2		Tr	1	3	1	2	Tr		4 (7,3)					
77.67	82.10	4.43	VA	Bas	f	Dark black-green, numerous fine ep-hem-cb-py veining VAg 30°CA, coarser cb-chl veining 45°CA	P1	2	7	20			cb-hem6	35			Tr				1	2	2	2	1	Tr		2 (9,1)					
82.10	83.20	1.10	DI2	Dior	m	Pale green-grey, sil-cb altered.	S2	6	9	12				15					2			1	2		2			1 (9,1)					
83.20	83.85	0.65	Fa	goug-qtz	f,bx,fol	Pale grey goug with white qtzcb veining.	S3													4		Tr	3		4			Tr					
83.85	84.90	1.05	VA	bas	f	Dark black-green, numerous fine ep-hem-cb-py veining VAg 45°CA.	P1			25				25							1	1	2	2	1			2 (9,1)					
84.90	85.45	0.55	DI2	dior	m,bx	Pale tan diorite, 45° contact with above unit. Brecciated, cb filled. Py clots in bx.	K1			15				15		2						Tr	1	1				1 (1,9)					
85.45	89.00	3.55	VA	bas	f	Dark black-green, numerous fine ep-hem-cb-py veining VAg 45°CA. Bottom 1m bleached-sil-clay alt.	P1	2	4	25			ep-cb-hem6	25			Tr		1		1	1	2	2	1			2 (9,1)					
89.00	90.50	1.50	FA	qtz-goug	f,sil	As above; fault zone. 30cm white qtz+cb vein 60°CA bounded by pale grey gouge.	Q3												2	3		2	1		3			Tr					
90.50	99.50	9.00	VA	and	f-m	Dark grey-green. sil alt zone by fault decreasing with depth.95-20cm zone of 8% py <1%cpy in vuggy cb, 96.1-10cm gouge, 98.7-80cm gouge zone.		5	3	5		2		15		1			2		2	2	1	2	2	Tr		<1 (5,5)					
99.50	110.80	11.30	VM	and	m, cla-v	Dark grey-tan volc. Welded feldspar grains. 104.9-cpy in 3cm magn vein, 111-5cm gouge.111.5-cpy vein. Minor black fragmental.	P2	2	4	40		5	cp-hem8	50		Tr?			1		1	2	1	3	2	Tr		1 (6,4)					
110.80	114.10	3.30	DI1	dior	f	Fine grained dark grey-green.	P1		2	12		2		14			Tr					1	1	1	1			<1					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
114.10	123.60	9.50	DI2	dior	m	Drk grey tan. 117- cpy vein, 119-1cm grey vuggy qv 5°CA+cpy+py, 119.8 cpy vein.	P1	1	4	3			cb-hem5	12					1			1	1	2	2	<1 (9,1)		1 (8,2)					
123.60	136.50	12.90	DI3	Dior	m,por	Dark green-red, porphyrytic feldspars (welded). 123.5-124.2-highly silicified, 124.2-4cm gouge, cpy veinlet 134m.	P1			2			clay-hem2	5					2		1			3	2	Tr		Tr			1		
136.50	139.00	2.50	DI1	dior	f-m	Dark-pale grey-tan. Core very broken. Grey qv+py-cpy at 141.8, 143. 80cm silicified zone before fault.	P1	2		4				4					2		2	1	1	2	2	<1 (8,2)		<1 (7,3)					
139.00	144.00	5.00	FA	qv	f	10cm white qv 45°CA, gouge at margins.											1		5														
144.00	152.60	8.60	VM	and	m	Dark grey-red. Broken ore.	P2		1	1		2		3							2	2	1	2	2			Tr					
152.60	164.90	12.30	VA	and	f-m	Grey qv-ofte barren +/-cpy. 153.3-12cm bx, 153.65-2cm cb vein 30°CA. k-alt halo around cb veinlet+cpy at 155.	P2	2	1	2		2	ep-cb2	5		1	Tr				1	2	1	2	1	<1 (9,1)		Tr					
164.90	166.70	1.80	VP	volc	f,por	Red welded matrix with feldspar to 3mm. Hornblend xtls carbonate altered.	P1						clay-cb-ep10	10								1	2	3									
166.70	172.55	5.85	DI2	dior	m	Pale grey-green. Vfg diss sulphides. 170.8-1cm grey qv10°CA (barren). 2m sil halo to fault below.	P1	1		6		3	ep4	7					2			2	2	1				Tr					
172.55	174.60	2.05	FA	qtz-goug	f,bx,fol	Pale grey-white fault zone. Multiple white qv 45-25°CA	S4	20								2			4		1			1	3			Tr					
174.60	189.10	14.50	DI1	dior	f-m, cla-v	Sil alt to 178.3 from fault above. Vfg diss sulphides. Multiple grey and reddish qvs increasing with depth. 175.1-4cm cb in bx, 175.5-3cm cb in bx, 179.9-1cm qv+tr cpy, 181-tr cpy in centre of 0.5cm tan qv 55°CA,	S2	3		3		3		5		1			2			1	Tr	Tr		Tr		<1 (0,10)					
189.10	193.00	3.90	FA	goug-qtz	fol,bx	Pale grey gouge/rubble with multiple white qv. 191 vfg cpy in dk grey qv	S3	7											3		1				4	Tr		Tr					
193.00	196.00	3.00	DI2	dior	m	Pale green-tan. Multiple tan qv with vfg sulphides (<1%), ~50°CA.	P2	7		1			ep3	10		1			1		1	1		1	1	<1 (8,2)		Tr					
196.00	196.80	0.80	FA	goug		Pale grey gouge/rubble.	A5																1		5								
196.80	210.00	13.20	DI2	dior	m	Dark grey, pale green. 199-tr cpy. Very minor grey qv. Vfg cpy in magnetite vein at 203m.	P2	2		7		4	ep6,hem3	17		Tr	Tr				1	2		1		Tr		Tr (9,1)					

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
210.00	215.00	5.00	DI1	dior	f	Dark grey tan.	P1			3				4		Tr						1		1				Tr					
215.00	239.80	24.80	DI2	dior	m	Dark grey black. Epidote veining decreasing with depth to 228, increasing ep alt on feldspars past 235 to 244m. Dark grey barren +/- tr py qtz veining to 1cm common. 235.65-4cm gouge 70°CA, 235.9-20cm fault rubble. Tr local magnetite.	P2	5	1	2			ep-cb20	20		1	1				1	3	1	Tr		Tr		Tr					
239.80	249.00	9.20	VA	and	f-m	Dark grey tan, brittle fractures cb filled. Hematite-sil alt increasing with depth. 240- 2cm cb-chl vein 45°CA	P3	3		40			ep-cb-20, hem3	60			2		1		1	4	3	3	1			<1 (3,7)					
249.00	256.80	7.80	FA	goug-qtz	bx,fol	As above; fault zone. Pale grey-green gouge and veining. Qtz-cb veining ~ 30°CA.	S3	3		6				10					3			4	3		4								
256.80	269.60	12.80	VA	and	f,bx	Grey-tan volc. 260-262: bx zone, cb-qtz filled. Vfg diss sulpides to 1% +-cpy.	K1			10			qtz-hem2	12		1	Tr		2		2		1	1	1	Tr		<1 (0,10)					
269.60	272.60	3.00	FA	goug	fol,bx	Pale grey gouge with minor qv	S2	5						5					3				1		4			Tr					
272.60	275.20	2.60	VM	and	f-m	Pale green-red. Cpy clot in qv at 274.3.	P1	1					cb-hem5	5					1		1	1	1	2		Tr		Tr					
275.20	276.00	0.80	DI1	dior	m	Red hem stained diorite.	P1				3		cb-hem3	5								1	3	4									
276.00	277.00	1.00	FA	goug		Pale grey gouge.																	2		5								
277.00	292.50	15.50	VM	and	m	Grey-green volc. Clay alt near fault zone above. Py veinlets decreasing with depth. 286-10cm cb-chl vein. Pale grey alt from 289 to fault below.	P1		3	5	1			12			Tr					1	2	1	2			<1 (5,5)					
292.50	298.20	5.70	FA	goug		Pale grey gouge. Minor cb, no quartz.				3											2	1	1		4								
298.20	301.40	3.20	DI1	dior	f-m,bx	Reddish green. Highly clay altered and broken.	P2			7			cb-hem3	10							2	1	3	2	2			Tr					
301.40	301.55	0.15	VA	and	f	Tan volc. Contact at 80° with unit below.	P1			2				2								1	1	2				Tr					
301.55	305.80	4.25	FA	dior	m	Pale grey-green. High alteration zone in diorite. High silica + hematite. 302.8-multiple 3cm white qv 45°CA, 305.1-15cm gouge zone	S2	3		2									3		1	1		3	2								

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
305.80	309.00	3.20	VM	and	m	Dark green-red. Numerous fine white qv.	P2	4	1				hem-cb6	9							1	1	2	2	1			<1 (1,9)					
309.00	309.40	0.40	FA	goug		Pale green-red gouge.	A4												1			1		3	4								
309.40	312.50	3.10	VA	and	f-m	Pale green red, bleaching increasing to fault below. Fine grained increasing to med grain with depth to 310.2, 2cm white qv 30°CA, fine grained after vein. Vfg diss sulphides.	A2	2		10			hem-cb5	15					1			2		2				Tr					
312.50	314.30	1.80	FA	qv	bx	Pale grey tan. Bx country, dk grey silica sealed, white qtz veins. Vfg sulphides in grey qtz bx filling.	S3	7						30					4						1	Tr		Tr					
314.30	317.50	3.20	VA	and	f	Dark grey (fresh) volc.				10				10							1			1									
317.50	322.40	4.90	VA	and	f	As above, pale grey green bleaching to fault below. Vfg diss sulphides. 2mm Cpy vein at 318.5m, 323-15cm qtz-hem-chl-py bx.	A2	4		2			hem-cb3, hem-qv5	12					2		1	1		2	3	Tr		Tr					
322.40	323.20	0.80	FA	gouge		Pale grey green gouge.	A4												2			1			5								
323.20	329.90	6.70	VP	volc	f,por	vfg pale grey matrix with white feldspars to 2mm. Trace vfg disseminated sulphides. Fine white qv ~50°CA. 327-12cm bx zone.	P1	6					ep4									1						Tr					
329.90	347.00	17.10	FA	goug,qv	bx	Pale grey tan. Bx country, dk grey silica sealed with vfg sulphides. Gouge seams common at 329.9-10cm, 332.8-10cm, 333.2-8cm, 340.2-20cm, 343-28cm. Epithermal textures.	E3	3						3					3				2	Tr	3			<1 (0,10)					
347.00	360.40	13.40	VA	and	f,bx	Pale grey-green highly altered volcanics; 60cm adjacent to fault above, 20cm white qv at bottom 45°CA . Vfg diss sulphides. Barren white qvs-~1mm	E1	2					hem-cb6	8					2						2	Tr		<1 (1,9)					
360.40	369.80	9.40	VA	and	f	Dark grey volc. Very competent. Low angle cb+/-hem veins ~ 20°CA	P2			5			hem-cb2	7								3	2	1									
369.80	401.00	31.20	VA	and	f,bx, clay	As above, bx zone - angular frags to 4cm in fine volc matrix. Itense bx 376-383m. Flow bedding @ 55°CA. Ep alt mainly in fragmenals with dark grey-green vfg matrix occuring as patches. 371.5-1cm pink+white cb vein 35°CA, 372.2-2cm cb-hem vein 15°CA, 384.9-12 cm qtz-chl vein 40°CA, 387.8-3cm qtz-cb-hem vein 45°CA, 390-3cm cb-chl vein 25°Ca. Local fg concentrations of py <1% disseminated.	P2			4			hem-cb1	6			Tr					Tr	3	1	Tr				Tr					

							Alteration	Veins							Alteration Minerals															Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
401.00	403.40	2.40	VM	and	m	Dark green-grey volc	P2			3			ep2, hem-cb5	5			1					3	Tr	2									
403.40	408.00	4.60	VA	and	f,por	Dark green to tan. Increasing hematite with depth in fine matrix with por ep-alt feldspars.	P2			10			ep2, hem-cb1	14			2					2		1									
408.00	410.00	2.00	VP	and	f,por	Dark grey, light grey-tan fg matrix with feldspars to 2mm.	P1			9			hem2	9								Tr	Tr	1								
410.00	414.80	4.80	VA	and	f	Grey-green volc.	C2			16			hem1	17									3	Tr								
414.80	420.16	5.36	FA	and	bx	Pale grey to red. Numerous successive gouge seams bounded by highly altered volc. Gouge seams at 420.16-20cm, 420.70-14cm, 416.5-40cm, 417.4-50cm, 418.0 to 418.9, 419.4-20cm, 420-16cm.	A4																Tr	4	4							
420.16	427.70	7.54	DI1	dior	f-m	Dark green-grey diorite. Small fault at base.	P2			4			hem2	6							1	2	1	2								
427.70	431.80	4.10	VA	and	f,por	Dark green-grey. Large epidote patches (por)	P2			2			hem-cb3	5			1					2		1									
431.80	440.10	8.30	VM/HP	and	m	As above, coarser grained. Larger hornblende xtls often altered to epidote. 439.3-15 cm bleached alt zone around 4cm hem-cb vein 30°CA.	P2			2			hem-cb4	6			Tr					2	2	1									
440.10	440.80	0.70	FA	qtz-cb	fol,bx	As above. hem alt around 6cm qtz-cb stkwk 45°CA	A2												2		1	1	2	3	2							
440.80	444.40	3.60	VA	and	f,bx	Dark green fine matrix with large (>5cm) ep+cb alt volc clasts, tr vfg sulphides in clasts. Flow bedding ~50°CA.	P3			6				6								3	2					Tr					
444.40	456.40	12.00	FA	and	f,bx	As above. Fault zone: qtz-cb clots and fragments, gouge zones at 444.6-6cm, 445.8-30cm, 4493-40cm, 451.4-30cm, 453-60cm, 455-20cm.															1	2	3	4	3			Tr					
456.40	469.20	12.80	VA	and	f,bx,cla-v	Grey-green vf volc, flow banding at 65°CA. Numerous ep patches "potatoes" to 3cm and altered volc fragmentals to 6cm. Cb microveinlets prominent. Trace vfg diss sulphides , small cpy in cb vein at 458m.	P3			25			hem-cb6	30								3	1	1		Tr		Tr					
469.20	471.20	2.00	FA	and	f,bx,cla-v	Pale green alt zone around cb veining. Previously ep alt fragmentals now hem alt. 470-8cm white cb vein 15°CA, 470.3-9cm gouge, 470.82-3cm cb-hem veining 30°CA,				3			hem-cb6	9					2			1	1	2	2								

							Alteration	Veins							Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
471.20	473.00	1.80	VA	and	f,bx,cla-v	As above, pale grey, hematitic fragmentals. 472-hem-cb-chl vein 25°CA.	P2			8									1		1	1	1	2	1								
473.00	483.00	10.00	VA	and	f,bx,cla-v	Dark green volcanic breccia. Pale green ep-alt fragmentals as above.	p2			4			ch-hem3	6								2	2										
483.00	498.00	15.00	HP	volc	m,por,cla-v	Dark grey-green fresh looking hornblende porphyry, lessor smaller feldspar xtls. Occasional black volc fragmental to 5cm. 487.9-10cm cb-hem-chl vein at 45°CA.	P1						ep3,hem1	4								2		1										
	eoh																																

Dillard Property - 2014 Drilling

Hole: DI14-10

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683708	5513957	1466	180	-60	501.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	27.00	27.00	CAS			Rubble, boulders and clay.																												
27.00	33.00	6.00	VA	and	f-m, por	Dark grey. Crowded feldspar porphyry	K1		1	6				ep4	7		1	1					1	Tr					<1 (2,8)					
33.00	33.40	0.40	FA		fol	Pale grey alt zone around 7cm qtz-cb-chl vein 80°CA.		1										1		2						3						1		
33.40	43.80	10.40	VM	and	m,por	Dark grey. Crowded feldspar porphyry (to 1mm). Vf cb veinlets + py. 35.1-1cm cb vein 75°CA, 36.3-minor 30cm fault rubble, 42-43- broken core (4cm gouge), 43.8-3cm gouge. Ep halos around py veining.	K2		5	8					14		2	1		1			1				Tr		2 (6,4)					
43.80	48.00	4.20	DI1	dior	m,por	Dark to pale grey. Pale bleaching from 45.8 increasing to bottom			7	13					18			2					1	1	1	2			1 (5,5)			1		
48.00	49.65	1.65	FA	Gouge	bx	Fault zone. Dark grey-black (sil?) fracture filling.														2			1	1	1	3			Tr					
49.65	54.80	5.15	VA	and	f	Dark grey volc. 49.65 to 51.0: Pale tan bleached (sil-hem alt) zone. Vfg py veinlets + clots with ep alt halos.	P1		7	10				ep-cb5	20		Tr	2				1	2				Tr		2 (8,2)					
54.80	78.30	23.50	Di2	dior	m	Dark grey to tan. 65.3-66:Fault-clay-sil alt around 4cm gouge, 67.2 to 68.2-high clay altered zone around 4cm gouge seam, 75.4-10 cm ep-cb alt zone in fault,	P2		4	4				ep-cb9, hem1	13			1					2	1	Tr				1 (5,5)					
78.30	78.85	0.55	FA	qtz	f	Pale grey sil alt zone. Several 1cm grey qv + py-cpy.		14	16						25					4					Tr	1	<1		<1					
78.85	84.00	5.15	DI2	dior	m	Dark grey-green, increasing alt to bottom.	P1	2	3	8					12			Tr					1	2					2 (7,3)					
84.00	86.00	2.00	FA		f	Pale tan alt zone, rubble, minor gouge. Fine dark grey qv.	K2	16		2					8		2			4						1			<1 (9,1)					
86.00	87.80	1.80	Di2	dior	m	Grey tan. Welded feldspar tan matrix	K2		1	6				hem1	8		2	Tr					1		1	1			<1 (1,9)					
87.80	88.00	0.20	FA	Gouge	bx	Pale grey gouge+rubble.	S1													2			1	2		4			Tr					
88.00	105.14	17.14	DI1	dior	f	Dark grey green. Core very broken, no gouge. Local magn veining. 97-tr cpy, 99.2-local cpy to 1%, 104.2-2cm black qtz/pink cb vein 30°CA with hem-ep halo, 104.9-6cm gouge	P2		6	4				cb-ep-py7, mag2	9		1	1				1	2	2	Tr		Tr		2 (9,1)					

							Alteration	Veins								Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
105.14	105.34	0.20	FA	Gouge	fol	Dark red-green alt zone- mainly hem + ep, minor cb.								hem10									4	1	3				Tr						
105.34	110.25	4.91	DI1	dior	f	Grey-green-tan. Welded feldspars + hem, k-spar? Fine cb veinlets x-cutting ep-py veinlets. 106.4-1cm cb-chl vein 40°A, 108.15-20cm sil zone with qv-py veins.	P2	1	6	8				ep-py3	14		1			1		1	2	1	1		Tr		<1 (8,2)						
110.25	118.30	8.05	FA	dior-qtz	f	Pale green-tan. As above, highly bleached with qtz veining + hem veins to 113.8m. 113-80cm pale green gouge, 115.4-20cm grey gouge, 117.7-30cm gouge. Cpy clots and veins in qv's.	S3	12	5					hem12	28		Tr			3			2		1	2	<1 (8,2)		1 (5,5)						
118.30	121.80	3.50	DI1	dior	f-m	Pale grey to tan. Core broken. 119.3-cpy clot in qv, 121.2-2cm cb-py vein 60°CA.	P1	3	5	9				ep-hem-cb4	16		1					2	1	1	1		Tr		2 (4,6)						
121.80	126.50	4.70	VA	and	f-m	Grey-green. 122.6-20cm gouge	P2			24				hem3, ep6	30		Tr					2	2	3	Tr	1			<1 (1,9)						
126.50	138.00	11.50	DI1	and	f-m	Pale grey-tan (bleached). Cb decreasing/sil increasing with depth. Very fine (<0.1mm) black minerals. Fine white qv. 128.6-1cm vuggy pink cb vein 30°, 136.1-1cm qtz-py-cpy vein 20°CA	S1	9		4					13		Tr	Tr		2		1	2	Tr	1	1	Tr		<1 (0,10)						
138.00	143.00	5.00	FA	Gouge		Pale grey gouge.														3				2		5			Tr						
143.00	153.40	10.40	DI4	dior	f	Pale grey alt zone. Mainly feldspars + qtz, lessor smaller hornblende. White qtz-cb veining prolific +/-hem-ep, grey qv +/-py-cpy. Large clots of cpy at 145.2, 150.1. Gouge zone at 148.3-10cm.	S3	4	6	9				hem-ep-cb2	22					3			1		Tr	2	<1 (8,2)		1 (9,1)						
153.40	161.00	7.60	FA	Gouge		Pale grey gouge and rubble. Gouge zones at 154-20cm, 157.3-10cm, 158.7-150cm. White qtz veins and clots.		3	10	1					14					1		1			Tr	4			<1 (9,1)						
161.00	172.50	11.50	DI2/FA	dior	m,bx, fol	Pale grey-tan (bleached) alt zone. Minor gneissic textures. Gouge zones at 165-20cm. Dark grey-black qtz? veins/fracture filling + cpy at 162.5, 169.4 to 172.5	S3	7	7						14		2			3	1					1	<1 (9,1)		<1 (5,5)						
172.50	178.00	5.50	VM	and	m	Grey green.174.3-cpy+py vein. 174.9-1cm cb-chl vein 30°CA	K1			10					10		1			1		1	2		Tr	1	Tr		<1 (2,8)						
178.00	186.70	8.70	VA	and	f, cla-v	Pale tan to dark green volc. Hem-ep alt intr + volc fragmentals to 6cm. 177.6-cb-chl-cpy vein 45°CA, 178-2cm qtz-cb vein 90°CA, sil tan bleached zone 179.5 to 180.3 (~<1%cpy). Sulphides decreasing with depth.	P1		3	8				hem-ep-cb2	14			Tr				1	2		Tr		Tr		2 (7,3)						

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
186.70	188.30	1.60	DI1	dior	f	Dark grey.	P2		1	6				hem-cb6	12										1	1			<1 (5,5)					
188.30	201.30	13.00	VA	and	f, bx, cla-l	Dark grey-green. Fragmentals to 8cm (mainly alt intr). 189-5cm gouge, 192.6-3cm vuggy cb vein 70°CA, 194.9-50cm gouge, 197-10c gouge	P2			8				hem-ep4	12			Tr				1	2	1	2				<1 (3,7)					
201.30	203.40	2.10	DI2	dior	m	Dark grey to pale tan.	P2			14				ep-cb3	15							1	2	2	2				<1 (1,9)					
203.40	213.10	9.70	VM	and	f-m, cla-v	Dark gree, black fg fragmentals. 203.5-6cm cb-ep-hem vein045°CA. 210.3 to 211.3-bleached alt zone with vf dark black pyritic veins.	P1			7				cb-hem2	8					2			2		1	1	Tr		<1 (5,5)					
213.10	217.00	3.90	HP	por	m,por, cla-l	Dark green. Hornblende porphyry, some smaller feldspars	P2			6				cb-hem2	8			Tr				1	2		Tr				1 (2,8)					
217.00	219.50	2.50	VA	and	f,m, cla-lv	Interbedded sequences of coarse and vfg volc. Seams of ep alt. Fragmentals to 4cm.	P3			4				cb-hem3	8								3		1				Tr					
219.50	220.30	0.80	FA	Gouge		Rubble/gouge. As above.	P3																3		2	3								
220.30	221.20	0.90	VA/VM	and	f-m	Interbedded sequences of coarse and vfg volc 50°CA. Seams of ep alt. cb-hem microfractures.	P3			4				cb-hem30	35								3											
221.20	221.65	0.45	FA	and	f	As above, gouge and rubble	P3																3		1	3								
221.65	222.60	0.95	VA	and	f	Dark green.	P3			4					4							1	2		2									
222.60	225.00	2.40	FA	and	bx	Broken rubble with lessor gouge seams. White QV at 224.2-14cm.	P3															1	2		3	2								
225.00	227.40	2.40	VA	and	f	Dark green grey.	P3			5				cb-hem9	14								3		Tr				Tr					
227.40	253.20	25.80	FA	qtz	bx	Pale grey-green sil alt zone. Numerous white qtz veins an bx. Gouge seams at 228.7 + 231.3. 227.4 to 232.5-as above, DI1 to 244, VA to end. Hem alt halos aroud fine qvs. 240.9-5cm qtz-cb-hem vein 60°CA, 244.5-14cm white qv 45°CA, 245-246: white qv, 247-2cm wh qv 25°CA, 247.4-40cm qv 20°CA, 250-5cm qv, 250-251.5: numerous dark grey-black qtz-sulphide veinlets.	S4	9						hem-cb2	14					4			2		3	1			Tr					
253.20	259.00	5.80	VA	and	f, cla-i	Pale grey-green sil alt zone.	S2	4						qtz-hem6	5					3			1		1	1			<1 (2,8)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
259.00	261.30	2.30	DI2	dior	m	Pale grey-tan. Highly silicified. Unknown pale green vein at 261.	S2	7						qtz-hem4	11					3			1		1	1								
261.30	268.20	6.90	VA	and	f	Pale grey-green sil. 30cm zone of fine black sulphide veining at 262. 50cm, 264.4-7cm qv. gouge/rubble + 10cm gouge at base.	S2	12		1					14					3			1		Tr	1			Tr					
268.20	271.30	3.10	VA	and	f	Pale red-green hematitic/silicic.271.9-2cm white qv 80°CA.	S2	4						hem5	9					2			1	2	3				Tr					
271.30	275.10	3.80	DI1	dior	m	Dark green. Hornblende porphyry, some smaller feldspars. Fine cb veinlets	P2			16					16							1	1	3					Tr					
275.10	275.50	0.40	VA	and	f	Dark green fine grained	P1			3					3								1	3	Tr				Tr					
275.50	282.30	6.80	VM	and	f-m	Dark green-grey-reddish. 282.25-5cm bx zone with hem-ep-py filling. 278.5-anhydrite bleb with cpy	P1			7				hem2	9			1				2	1	3	1		Tr		Tr					
282.30	289.50	7.20	VA	and	f	Dark green-grey. Bedding at ~ 90°CA. 282.9-283.9:silicified alt zone around multiple whte qtz veins at 283.55.	P2	1		12					13			Tr		2			2	2	Tr				Tr					
289.50	293.80	4.30	VA	and	bx	Highly silicified breccia zone.	S3	18							18					3			1		Tr	1								
293.80	302.90	9.10	VM	and	m,cla-l	Dark green. Ep alt fragmentals. Gouge seams and clay alteration.	P2		3	12				cb-ep-py2	16							2	2	3	Tr	2			<1 (7,3)					
302.90	303.70	0.80	FA	qtz		13cm white qtz stkwk bounded by pale green gouge.		8		2										2			2	1	2	4								
303.70	311.60	7.90	VM	and	f-m	Dark green grey. Multiple vf hem-cb veinlets.311.6-1cm cb vein + hem alt.	P2			4				hem-cb3	7			1					2	3	1									
311.60	329.80	18.20	VA	and	f	Dk green-grey. 314.2-1cm cb-chl vein 25°CA,314.6-2cm qtz-cb-hem vein 20°CA, 317.2-2cm cb vein 20°CA, 318.8 to 321- pale green alt zone; 5% sulphides, <1% cpy, 324-328.4: pale grey-green bleached zone	P3			7					7		Tr	1		1		1	3	2	1		Tr		<1 (3,7)					
329.80	332.85	3.05	VM	and	m	Dark red-green hem rich volc.	P2			4				hem-cb3	5								2	1	3									
332.85	335.45	2.60	VA	and	f	Dark t pale green increasing alt to qv below.	S2	3		1				hem-cb2	6					2			1	1	2									
335.45	336.60	1.15	QZ	qtz	f,bx	White quartz vein.	S5													5														

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
336.60	337.30	0.70	VM	and	m	Sil alt zone. Pale green.	S3	8							8					4		1	4		2	2								
337.30	352.00	14.70	Va/VM	and	m-f	Dark green. 340-8cm cb vein, 348-1cm cb-jem-chl vein 45°CA. multiple small cb veining often with hem colouration.	P2			8				cb-hem3	10			Tr					2	1	1				<1 (1,9)					
352.00	365.30	13.30	VA	and	f,cla-i	Dark green. Frequent fragmentals to 8cm both intr + volc. 360.8-2cm qtz-cb vein with 10cm pale grey alt zone, 360.8-5cm aplite dyke, 362.9-60cm bleached sil alt zone (minor hem veining), 363.8-40cm bleached tan sil alt zone	P2			14				cd-hem2	14					1		1	3	1	1				Tr					
365.30	368.00	2.70	VA	and	f	Dark green. 368-py+cpy clots in cb-hem stkwk.	P3			8				hem-cb6	12								3	3	2		Tr		<1					
368.00	378.30	10.30	FA	qtz	f,bx	Pale grey-tan-green sil alt zone. 369.3-40cm qv bx followed by 30cm gouge, 370.2-20cm hematite zone, 375.7-30cm white qv followed by 80cm gouge and rubble	S3	7		2				hem-cb4	12					3					2				Tr						
378.30	385.70	7.40	VM	and	f-m	Dark to pale grey-green. 380-5cm aplite dyke 75°CA, 380.8-30cm aplite dyke bounded by hem alt halo, 383.5-9cm cb-chl vein 45°CA, 383.6 to 385.7-patchy pale sil alt bounded by hem halos, 384.6-9cm qtz-cb-chl vein 45°CA	P1			10					10					1		1	1	1	2	1			<1 (0,10)					
385.70	389.95	4.25	DI2	dior	m	Pale green-tan. 385.7-2cm white qv with 30cm pale grey alt zone	P1			5					5							1	1	1	1				1 (1,9)					
389.95	399.40	9.45	VM	and	f-m, cla-I,bx	Dark green volc. Dense intr fragmentals to 10cm. 396.6-5cm cb-hem-qtz-chl vein 30°CA, 399.1-9cm sil-ep alt zone (5% py),	P2			12				hem-cb2	13			Tr					3	2					2 (3,7)					
399.40	407.70	8.30	HP/VM	volc	f,por, cla-i	As above, fine grained matrix with small (<1mm) hornblende xts. Dense fragmentals as above. Flow beds at 75°CA. 407-2cm cb-chl vein 30°CA, 407.6-2cm cb-chl vein 30°CA.	P2			10				cb-ep5	15			Tr				1	3						Tr					
407.70	425.50	17.80	VA	and	f	Dark green-grey. 412-5cm vuggy cb-chl (tr py). 408.3-25cm hem alt zone, 424.3-2cm cb-chl vein 20°CA	P1			12				ep-cb3, hem-cb1	15			1				1	2		Tr				Tr					
425.50	438.16	12.66	VM	and	f-m, cla-I,bx	Dark green, Int fragmentals to 15cm.	P3			20					20			2					3		Tr								
438.16	439.20	1.04	DI2	dior	m	Dark green intr. Sharp contact 80° with above and below units. V fine cb vnlts.	P1			8					8								1											
439.20	450.30	11.10	VM	and	f-m, cla-I,bx	Dark green, Int fragmentals to 10cm. 446.2 to 447.1- hem-ep alt zone around multiple red-white cb-hem veins, 448.7-5cm hem gouge, 449.4-4cm hem-cb veining 85°CA, 450.05-2cm hem0cb vein 45°CA.	P1			5				cb-hem4	5			2					2		2									

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
450.30	451.80	1.50	FA	qtz	f,fol	Pale tan-grey sil alt zone around multiple white qv at 451-16cm.	S4	15		2					18					4					Tr									
451.80	501.00	49.20	VM	and	f-m, bx, cla-v,i	Dark green volc. Minor bx. Flow banding ~80°CA, intermittent fine grained interbeds. Lessor fragmentals (v) to 465m then large (i) fragmentals to 15cm. 464-4cm cb-qtz-ep vein 40°CA. 473.7-5cm gouge 45°CA, 474.03-4cm gouge 70°CA. minor vf sulphides mainly in fragmentals. Magnetite in fragmentals and volcanic groundmass.	P3			5				ep4	9			2				1	3		Tr				Tr					
	eoh																																	

Dillard Property - 2014 Drilling

Hole: DI14-11

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683294	5514344	1462	0	-70	87.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	37.00	37.00	CAS			Overburden, rubble.																												
37.00	52.30	15.30	VA	And?	f, bx	Subcrop. Fine grained volcanics, silicified, bx, clay														2			1	2		3			Tr			3	2	
52.30	64.00	11.70	DI4	dior	m	Pale grey. Dark grey qv. 54.6-20cm gouge (clay+hem), 57.3-2.5cm qv 40°CA. Dark black fg veinlets usually assoc with sulphides.	C2	4	1	8					13		Tr			1				2	Tr	1	Tr		<1 (1,9)			1		
64.00	80.00	16.00	Fa	goug	bx	As above. Clay/cb altered. Highly clay altered, gouge zones at 64-25cm 65.8-25cm, 70.7-72.3	C3													2				3		4			Tr			1		
80.00	87.00	7.00	FA	qtz	bx	Fault zone. Core very broken; rubble with gouge zones at 86m-15cm. Highly silicified with dark grey pyritic bx filling and crackle veinlets.	S4	3	10											4				1		2	Tr		4 (8,2)					
	hole lost																																	

Dillard Property - 2014 Drilling

Hole: DI14-12

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683252	5514301	1445	0	-65	501.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	28.70	28.70	CAS			Red clay and boulders (as below)																												
28.70	46.10	17.40	VM	And	m-c, cla-v	Grey unsorted volc, 70% feldspar, feld + hornblende 0.1 to 2mm. Infrequent dark black fragmentals to 2cm. Core fairly broken. 31.6-hem/lim gouge 10cm, 40.1-15cm hem gouge, 40.7-30cm hem gouge, 41.6-40cm gouge/rubble. Magnetite increasing with depth.	P1			2					2			Tr				1	2		1				Tr			1	2	
46.10	48.05	1.95	VA	And	f	Grey. Hem/cb fractures.	C2			1														2	1				Tr			1		
48.05	51.80	3.75	VM	And	m-c	Grey unsorted volc to 1.5mm. <1% diss vfg sulphides. Occasional hem broken zones.	C1		1	4					4			Tr						1			Tr		<1 (1,9)			2		
51.80	55.90	4.10	VP	volc	f,por	Grey. Fine grained matrix with feldspar por to 2mm.	C1, P1		4	8					10			Tr					1	1					1 (2,8)			1		
55.90	68.00	12.10	VM/D2	and	f-m, por	Dark grey. Sections of porphyritic feldspars/hornblendes to 2mm. Mag in veins and blotches. Occasional sections to DI2.	P1			2					2			2					2				Tr		<1 (1,9)			1		
68.00	68.30	0.30	VA	and	f	Dark grey volc. Vvfg diss sulphides.	C3											1					1	3					Tr					
68.30	78.10	9.80	VM/DI2	and	m	Dark grey. feldspars/hornblendes to 2mm. Mag in veins and blotches. Vfg cb veinlets	P1		1	4				ep1	4			Tr				1	2						Tr					
78.10	80.70	2.60	VA	And	f	Dark grey	C2			4				hem-cb2	5			1					Tr	2	Tr									
80.70	89.20	8.50	Di2	dior	m	Pale grey . Intermittent small zones of finer grained <1% Vfg diss sulphides	P2		1	2				ep-cb4	5			2					2	Tr					<1 (5,5)					
89.20	92.80	3.60	DI1	dior	f-m, cla-i	Grey green. Small intr fragmentals near base. 70° flow band at base.	P2		3	3				ep-cb5	8			1					2						<1 (5,5)					
92.80	100.70	7.90	DI2	dior	m	Pale grey. Bleached 92.8 to 97.8, 100 to 100.7 . 94.15-13cm vuggy cb veining, 96.2-1cm mag vein 45°CA, 96.6-4cm gouge, 98-10cm zone mag veining + tr cpy	C1	3		2					6			Tr		1				1		1	Tr		1 (2,8)					
100.70	102.20	1.50	FA	?	f, bx, fol	Pale grey-green to white. Highly brecciated, vuggy white cb + qtz veining and fragments. 102 cpy in cb-hem-py-chl vein	S2													3		2		3		1	Tr		3 (3,7)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
102.20	106.50	4.30	DI1	dior	f-m	Dark green. Very broken core.	P3		7	5				ep-cb-py12	22								4					2 (9,1)					
106.50	106.65	0.15	FA	qtz	f	White-pink qtz-cb vein 70°CA	S5																											
106.65	111.80	5.15	VM	and	f-m	Dark green. Feldspars to 1mm. Intermittent f to m interbeds.	P2	2		8				qtz-cb7	12			1				1	2	Tr	Tr		< 0.5		1 (4,6)					
111.80	112.50	0.70	DI3	dior	c	Pale grey. Sharp contact with above unit 60°CA.								ep1	1							1	2											
112.50	113.15	0.65	VA	bas	f	Dark green-black	P2		5					py-ep7	10			1				1	2	2					4 (8,2)					
113.15	113.45	0.30	FA		f	6cm white qv with 20cm sil alt zone. Tr mariposite.	S4													4														
113.45	117.20	3.75	VA	and	f-m	Dark to pale grey. 113.9-40cm zone of cb-ser veins 45 to 90°CA, 115.5-* increased bleaching	P1	2		5					7			Tr			2	2	1			2			<1 (0,10)					
117.20	119.60	2.40	DI2	dior	m	Dark grey. Very broken core.	P1			1				apl1, ep-py1	2			1				1	2						Tr					
119.60	125.80	6.20	VA	and	f-m	Dark grey. 124.4-10cm bx followed by carbonate increase in core.	P1		3	5				ep-cb8	17			2			1	2	1	1					<1 (9,1)					
125.80	135.00	9.20	DI2	dior	m	Pale grey. 127-1cm vuggy cb vein 45°CA.	P1		5	3				ep-py6, ep-cb7	13			Tr					1	1					1 (9,1)					
135.00	139.20	4.20	VM	and	f-m, cla-v	Dark green grey. Very iinor black fragmental. 137.4 to 139.1- pale grey bleached/sil zone. 137.6-1cm qtz-chl vein 40°CA. Dk grey qv ~70°CA.	P2	5						ep-py9	13			2				1	2				Tr		2 (8,2)					
139.20	148.00	8.80	VA	bas	f	Dark green-black. Vf ep-py veining. Qv +/-cpy	P3	2	10	3				ep-py12	15			2				1	3				Tr		2 (9,1)					
148.00	167.30	19.30	DI2	dior	m	Grey-green. Lessor vf ep-py veining. Ep decreasing with depth, chl increasing. 156-3cm qv 25°CA, qv + cpy at 155.9, 161.6. 165.8-multiple cb veinlets 45°CA	P1		2					ep-cb+/-py3	5			1				2	2						<1 (9,1)					
167.30	168.70	1.40	VA	bas	f	Dark Grey-black.	P1			4					4			2					2	2					Tr					
168.70	179.00	10.30	DI2	dior	m, cla-v	Grey. Minor black fragmentals from above unit. Minor qv +/-cpy.	P1	1	5	3				ep-cb4	7							1	1	1	Tr		Tr		1 (9,1)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
179.00	183.90	4.90	VA	and	f	Dark grey. Intense grey-maroon qtz veining 1-3cm VAg 80°CA, minor cb veinlets.	P1	16		4					20			1		1		2	1	1			Tr		<1 (5,5)					
183.90	192.15	8.25	VA	and	f-m	Pale to dark grey. Narrower qtz-cb veining.	P1	3		4				qtz-cb-ser14	20			Tr			2	2	1		Tr		Tr		Tr					
192.15	192.85	0.70	FA	qtz	fol	Pale green-white. 192.45-5cm pink cb vein 60°CA	S2											3		3				1	1	2	Tr		Tr					
192.85	195.00	2.15	VA	and	f	Dark grey.	P1			12				cb-hem2	14							1	1	2	1				2 (2,8)					
195.00	196.80	1.80	FA	goug	fol	Green-grey. Gouge and rubble	P2															1	2	3		4			Tr					
196.80	204.00	7.20	VA	bas	f	Black. High density narrow fractures.	P1			10				cb-ep-ser14	24			1			2	1	1						Tr					
204.00	204.60	0.60	DI2	dior	m	Dark grey.	P2			14				ep-py14	24								2						2 (9,1)					
204.60	209.00	4.40	VA	bas	f	Dark grey. High density fractures.	P2	1	16	10				ep-py8	30			1			1		3	1					3 (9,1)					
209.00	238.10	29.10	VP	bas	f,por	As above. Fine por feldspars.213.5-2 cm qv (30°CA) bounded by ep x-cut by cb veinlet, 220-1.5cm white qv-ep-py+cpy 20°CA	P2	2	17	4				ep-py+/-ser10	30			1			1		3				Tr		4 (7,3)					
238.10	247.10	9.00	DI2	dior	m, cla-v	Pale green. Very minor black 2cm fragmentals. 245-40cm gouge	P1		4	3	2			cb-py5	11						2	1	1						3 (5,5)					
247.10	256.50	9.40	VP	bas	f,por	Dark grey-green. Multiple vf py-ep-cb veining - no preferred orientation. 254.8-2cm py-cb-ep vein 25°CA	P2	2	10	6				cb-ep-py16	25			1				1	2	1			Tr		2 (9,1)					
256.50	267.40	10.90	DI1	dior	f, cla-v	Dark green grey. Very minor black fragmental to 4cm. Multiple gypsum veining to 0.5cm x-cutting py-cb veinlets. 262.5-15cm gouge	P1		7	3	8			cb-ep-py8	20								1						3 (7,3)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
267.40	284.00	16.60	VA	bas	f	Dark grey-black. Ghost porphyries (alt feld/hnbl?). Numerous ep-py veining with qtz+/-cb+/-gyp. Gypsum ending 273m, qv increasing with depth. 272-5cm qtz-cb-py-anhy vein 60°CA, 0.5cm cb-py-anhy vein at 272.5 45°CA, 273.5-4cm qtz-ep-py-cpy vein 35°CA, 274.8 to 275.4-pale grey bleaching, 279 magn blotches + veins, 280.47-40cm sil-clay gouge, 283.1-2cm py+cb-ep vein 45°CA, 284.2-5cm qtz-hem-ser vein 45°CA, 284.3-1cm qtz-hem-py-ser vein 45°CA.	P2	5	10		4	Tr		qtz-ep-py-+/-cb+/-gyp20	30			2			1		2		Tr	1	Tr		5 (8,2)					
284.00	302.00	18.00	VA	bas	f	As above. Ghost porphyritic textures. Very minor cb veining. Numerouse white and grey qtz/chalcedony-py-ep veins. Sil halos around qtz veins 284-285. 289.6-5cm qtz-ser vein 40°CA, 290.8-7cm qtz-cb bx, 295-7cm felspar porphry dyke 45°CA, 295.1-2cm qtz-cb vein 5°CA, 295-cpy in white qv.	P2	14	7	2				qtz-py-+/-ep,ser	25			Tr		1	2	1	2				Tr		2 (9,1)					
302.00	309.00	7.00	VA	bas	f	Dark grey as above. Very fine py veinlets. 305-1cm qtz-py vein80°CA, 307-18cm gouge bounded by 5cm qtz-cb vein 60°CA. 305 + 306 tr cpy.	P2		8	3	6				16							2	2				Tr		1 (7,3)					
309.00	331.80	22.80	VA	bas	f	Dark grey as above. Ep-py veinlets with cb or qtz. 324.7-7cm multiple qv+ser+py 70°CA, 326.9-1cm qtz-ep-py vein 70°CA, 331.5-1cm qtz-py-ser vein 5°CA	P2	6	8	5				ep-py+/-cb/qtz	18			2			1	1	2		Tr				4 (8,2)					
331.80	335.10	3.30	VP	and	f, por	Dark grey-green feldspar porphyry. 332.2-5cm qtz-py-cpy vein, 332.4-10cm gouge	P1	3	3	4					16			1			1	2	1	2			<1		2 (8,2)					
335.10	360.40	25.30	VA	and	f	As above, minor larger xtls. Intermittent zones of ghost porphyritic feldspars. 343.5-2cm white+grey qv 60°CA, 344.5-30cm bx zone with white qtz infilling, 348.8-5cm chalcedonic white-grey qv 60°CA, 351.5-2cm qtz-cb vein40°CA, 354.6-356.7: high carbonate alt.	P1	9	6	2				py-=qtz-ser+/-hem5	24						1	1	1		Tr				1 (8,2)					
360.40	364.50	4.10	VA	and	f,por	As above. Intermittent zones of ghost porphyritic feldspars. Fine qtz + gypsum veinlets. Cpy in veinlets at 361, 362.9 (in andydrite), 364 (in epidote vein).	P1	2	4		4	Tr		ep-py2				1				2	1				<1 (10,0)		<1 (10,0)					
364.50	371.90	7.40	VA	and	f,por	As above. Tr cpy in ep-py veinlets at 368, 368.4, 370.2	P1	1	9	1				ep-py9	10			1				2	2				Tr		4 (8,2)					
371.90	388.00	16.10	VA	bas	f	Dark black. Irregularly sized feldspars. Py in fine cb and qtz veins. 378.5-tr cpy in qv, 379-1cm ep-qtz-py-cb+cpy vein 25°CA, 381.43-6cm qtz-cb-chl vein 80°CA, 381.55-1cm qv+cpy, 382-10cm sil shear zone 70°CA, 383-8cm sil shear zone, 386-qtz-ep-py-cpy vein 5°CA.	P1	5	6	1	4			ep-cb-py5	15			Tr				1	1				<1 (10,0)		1 (9,1)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
388.00	392.50	4.50	DI1	dior	f	Grey green. Multiple qtz-ep-py+/-cpy veins x-cut by gypsum veins. 394.45-2cm qv 25°CA,		5		1	6			ep-py9	20		1	Tr					3				<1 (10,0)		2 (9,1)					
392.50	400.10	7.60	VA	bas	f	Black-green. Some coarser feldspars. Ep alt around py veins	P2	8	9	2	3	Tr			25						1	1	3				<1 (10,0)		4 (8,2)					
400.10	404.00	3.90	DI1	dior	f	Pale grey. 403-404- Carbonate alt zone	P1	9	6	5	4				20						2	1	1	1			1 (10,0)		2 (9,1)					
404.00	404.90	0.90	VA	bas	vf, cla-i	Dark black. Intrusive fragmentals o 3cm. 403.3-3cm white chalcedony vein	P1	2	4					ep-py3	9								2						1 (5,5)					
404.90	411.00	6.10	DI1	dior	f	pale grey 408.8-3cm qv+ser-kspar-py-cpy 25°CA, 409.4 to 410.2- sil bleached zone, 409.9-1cm qv + py-cpy,		4							4		2	Tr		1		1	2	Tr	Tr		Tr		4 (4,6)					
411.00	423.00	12.00	DI1	dior	f	Pale green. Py veining associated with qv. 414.5 to 418.8- Highly altered pale grey bleached/silicified zone, multiple narrow qv ~ 90°CA, 417-15cm gouge, 419.8-5cm qtz-cb-py vein 80°CA	P2	3	3	5					10							1	3	1						3 (3,7)					
423.00	428.00	5.00	HP	volc	f	Grey-green. Hornblende to 2mm. 427.1-3cm qtz-ser-py vein,	P1	2	3	6	3				14						2		1	2		1			2 (8,2)					
428.00	429.40	1.40	FA	goug	fol	bleached/sil alt zone, 328.7-1cm vuggy cb vein 40°CA, 429.2-20cm gouge	S3													3						3			1 (1,9)					
429.40	433.30	3.90	VA	and	f	Dark grey-green. 330-5 cm qtz-cb-py vein 25°CA, 432.4-1cm cb-py vein 10°CA	P1	3	5	4					12							2	1	2					3 (9,1)					
433.30	437.00	3.70	FA	qtz	fol	Pale grey sil alt zone, high density qtz veining (all orientations). 436-20cm sil healed fault 30°CA	S4	16							16					4						1	Tr		5 (9,1)					
437.00	440.60	3.60	VA	bas	f	Dark grey-black.	P1			7				ep1	8			1				1	1	2	Tr				<1 (5,5)					
440.60	442.20	1.60	DI1	dior	f	Very fine microdiorite. Dark grey.	P1			6				ep2	6							1	1	2	Tr				<1 (6,4)					
442.20	444.10	1.90	VA	bas	vf	Black.				3					3			Tr						Tr	1				Tr					
444.10	452.00	7.90	DI2	dior	f	Green-grey. Broken core. 451.5-3cm tan qtz-cb vein 20°CA	P1	1		2					2						2	1	2			1			<1 (1,9)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
452.00	453.50	1.50	VA	bas	f, por	Dark black, ghosted por feldspars.				2					2								1						Tr					
453.50	457.00	3.50	VA	bas	f	As above, high alt zone with high desity qtz-cb-sericite-anhydrite veining 30-90°CA. 456.5-457:py-qtz veining 15%	P1	4	5	4		8		qtz-cb-ser-anh10	15								2			2			<1 (8,2)					
457.00	464.30	7.30	VA	bas	f	Dark black, ghosted small feldspars and magnetite.458-4cm white qv 25°CA, 462.6-2cm qtz-py-cpy vein 20°CA, 464.2-2cm qtz-cb-ep-hem vein 15°CA.					5				5												Tr		Tr					
464.30	465.30	1.00	FA	goug		Pale green gouge.																												
465.30	472.30	7.00	HP	volc	f,por	Dark grey, hornblede xtles to 2mm, some feldspars to 1mm, fine matrix.	P1			6					6			1				1	1	1					<1 (1,9)					
472.30	472.60	0.30	FA	goug		Pale green gouge.	P2																2	2										
472.60	481.00	8.40	VA	and	f	Pale grey. Fine grained tuff.				10					10			Tr				1	1	2	1				Tr					
481.00	481.60	0.60	FA	goug		Pale green gouge/rubble. 2cm white qv 75°CA.	P2													1		2	2	1	2				5 (7,3)					
481.60	484.20	2.60	VA	and	f	Pale grey-green welded tuff.	P1							qtz-ser-ep7	7							1	2						5 (1,9)					
484.20	484.70	0.50	FA	goug		Pale green gouge+qv	P3													1	1		4		2	3			2 (0,10)					
484.70	501.00	16.30	FA	and	f	Green-grey. Some welded zones near top. Larger hornblende xtls <1mm. Large magnetite xtls to 1cm. 489.7-2 one cm py+cb veins 45°CA, 492.3-4cm gouge 60°CA, 491 to 493-multiple gypsum veinlets, 494.8-1cm qtz-ep-py vein 20°CA, 495-multiple 1cm py veins 500.4-10cm gouge, 500.2-5cm gouge+cb.	P1	2	1	3	2				8			1					1						1 (6,4)					
		eoh																																

Dillard Property - 2014 Drilling

Hole: DI14-13

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
685328	5513606	1538	120	-50	150.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	5.00	5.00	CAS	gouge		Red clay and boulders (as below)																										3	4	
5.00	11.60	6.60	VA	and	f	Pale grey. Sil bleached zone. 5.1-cpy in qtz vein 80°CA	S2	3		4		Tr		qtz-chl-cb3+/-hem+/-cpy	10					2	2	2		1			Tr		Tr			2		
11.60	13.20	1.60	FA	goug	bx	Pale green gouge + rubble. Qtz bx at 12.1														2			1	3		4								
13.20	15.40	2.20	DI1	dior	f-m	Grey-green.	P2							ep-cb5	5							1	2	1	1				Tr					
15.40	17.10	1.70	DI1/VA	dior	f-m, cla-i	Grey. Interbeds of diorite and basalt.	P1	1		2				ep-cb3	6			1			1		1						Tr					
17.10	23.40	6.30	VA	bas	f, cla-i	Black. Intr fragmentals to 6cm. Fine ep veinlets 80°CA, grey qv to 1cm ~ 45°CA+/-cpy.	P2	4	4					ep-qtz+/-hem16	22			1					2				Tr			<1					
23.40	26.80	3.40	VA	bas	f	Dark grey.	P1		2	7				ep-cb+/-py3	11			1				1	1	1			Tr		<1 (8,2)					
26.80	44.00	17.20	VA	bas	f, cla-i	Dark grey-black. 31.2-3cm qtz-magn vein 25°CA, 34 to 39.1 increased qtz veining 60-90°CA (10cm qv at 38.5), 39.1 to 44- highly fractured with hem-ep-sil alteration with numerous fine white qtz veining.		3	1	1				qtz-cb+/-hem3, ep4	12			2			1		1				Tr		<1					
44.00	44.70	0.70	FA		bx	pale tan fault zone: sil, qv, gouge.	S3										1			3						2								
44.70	57.70	13.00	VA	bas	f, cla-i	Dark grey-black.	P3			3				cb-hem2, ep-cb6	9			1				1	3			1			Tr					
57.70	59.50	1.80	DI1	dior	m	Pale green.	P2	6						ep2	8							1	2				Tr		<1 (3,7)					
59.50	69.00	9.50	VA	bas	f, cla-i	Dark grey-black. High density fragmentals to 8cm. 66-69: narrow qtz veining.	P3	1	12	5				qtz-cb-hem2, ep-py12	22			1					3	1	Tr				1 (9,1)					
69.00	78.80	9.80	DI1	dior	f-m, cla-v	Dark green-grey. Minor black fragmentals to 1cm.	P2							ep-cb18	18								3	1					Tr					
78.80	81.60	2.80	VA	and	f	Dark grey. 80.5-trace cpy	P1			6					6			Tr			1	2					Tr		Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
81.60	83.00	1.40	DI1	dior	f	Dark grey.	P1			5		Tr			5						1	1	1			1			Tr					
83.00	83.50	0.50	VA	and	f	Dark grey.	P1			6					6						1	2							Tr					
83.50	85.00	1.50	DI1	dior	f	Dark grey.	P1			6					6						1	1	1			1			Tr					
85.00	96.00	11.00	DI1	dior	f,bx	Dark grey. Containing multiple anhydrite-cb veins VAg 25°CA (to 45°CA). 93.2 to 96- bx with fine black mineral in veins with cb +/-ep +/- py-cpy, 94.8-8cm gouge 45°CA.	P1	1		8		2			12			Tr				1	1	2			Tr		<1					
96.00	102.60	6.60	VM	and	m	Dark to pale grey. Minor black min bx at 98.4.	P2		2	7				ep-cb+/-hem9	15						1	1	2	2					<1 (5,5)					
102.60	109.70	7.10	VA	and	f-m, cla-v	Black.Crowded feldspars to 0.5mm. Minor small black fragmentals. 104.1-10cm sil alt around 4cm white qv, 104.6-30cm sil alt zone around 1cm qtz-cb vein.	P1			10				cb-ser-ep3	12					1		1	1	1			Tr		1 (6,4)					
109.70	110.40	0.70	VA	and	f,fol	Pale grey highly silicified. Foliated and veined 75°CA.	P1			9		1			15					3		1		1			Tr		Tr					
110.40	123.30	12.90	VA	and	f	Dark grey. 112.5-8cm qtz bx (10%py), 113.4-10cm white qv (10% py+cpy clot) 45°CA, 122-cpy veinlet.	P2			4				ep5	9			2				1	2	1			Tr		<1					
123.30	150.00	26.70	VA	and	f,cla-v,bx	Grey-green. Black magnetite fragmentals to 4cm changing to intr past 145m.Minor ep-alt bx zones. 132.2-cpy in ep-cb vein, 133-cpy in 1cm anhydrite-cb vein, 138.1-1cm chl-cb-hem vein+cpy 15°CA, 141.2-1cm cb-hem-ep-py vein 30°CA, 149.9-1cm py vein 25°CA bouded by 10cm ep halo.	P3		3	2		Tr		ep7 cb-hem1	13			3				1	3		1	Tr	Tr		1 (9,1)					
		eoh																																

Dillard Property - 2014 Drilling

Hole: DI14-14

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
685328	5513606	1538	294	-55	225.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	1.00	1.00	CA			Casing																										4	1	
1.00	5.00	4.00	VA	?	goug	Highly oxidized rubble and gouge.																			3	2						4	1	
5.00	11.90	6.90	VA	and	f	Dark grey.			2	14					14										1				<1 (6,4)			1		
11.90	14.00	2.10	FA	goug	bx	Dark grey-green. Gouge and rubble.																	1	3		4								
14.00	29.10	15.10	VA	and/bas	f,bx	Dark grey-green. Local bx sections infilled with mainly ep at top. 21.1-flow contact 90°CA, 23.8-cb-kspar-cpy, 24.8-fault 4cm cb vein 30°CA, 25 to 29.1-bx infilled with fine black matrix, 27.1-cb vein In bx+cpy.	P3			3				ep18	22		Tr	1					3				Tr		<1					
29.10	34.60	5.50	VA	and	f-m	Dark grey green. 34-20cm bleached zone+ qtz-hem-clay, 34.4-20cm bleached zone+clay-ep	P3			4				ep20	24								3				Tr		Tr					
34.60	38.00	3.40	DI1	dior	f-m, cla-v	Pale green-grey. Rounded large black minerals to 4cm	P2			3			2	ep4	9								2						Tr					
38.00	41.30	3.30	VA	and	f	Pale grey. 38-4cm gouge, 38.9-3cm pink cb vein 90°CA.	P3			4				ep8	12								3	1					Tr					
41.30	46.30	5.00	VM	and	m, bx	Pale grey. Numerous grey qtz veins <1cm 30-70°CA. Local minor bx infilled with black material.		4		2				cb-hem1	7			Tr		1			1	2	1				Tr					
46.30	51.00	4.70	VA	and	f-m, cla-v	Pale grey-green. Minor fragmentals. 48.9-1cm cb vein 90°CA	P1			3			1	ep3	7						1		1	2			Tr		Tr					
51.00	54.90	3.90	VA	and	f-m	As above. Alteration zone- sil, bleached pale grey.	S2	6		1					7					2		2				2								
54.90	59.30	4.40	VM	and	m, bx	Pale green. Dark black mineral +cb infilling local bx zones ~50°CA	P1			5				ep4	9						1	1	2	1	Tr				Tr					
59.30	66.80	7.50	FA	goug	f	Dark red to pale green gouge and rubble. As above. Gouge zones: 59.8-20cm, 65.6-30cm, 66.2-30cm.								hem50	50					2		1	2		4	3									
66.80	73.70	6.90	VM	and	m	Pale green-grey. Rounded large black minerals to 1cm. 70.3-2cm hem-cb vein 30°CA, gouge seam at 73.5-30cm. Dark black fg veining (2) +/-py-cpy. Ep increasing with depth	P2			5			5	ep7	17		Tr			1	1		2	1	1	1	Tr		Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
73.70	80.30	6.60	DI2	dior	m	Pale grey-green. Minor fragmentals to 3cm.	P1			3		Tr		ep3	6							1	1	2	1				Tr					
80.30	85.60	5.30	FA		m	As above to 83m, as below to 85.6. Alteration zone- sil, bleached pale grey. Numerous veining 60-90°CA. Gouge zones at 82.4-20cm, 85.3-10cm.	S1	2		16		1		ep4	23					2			1	3	1	2			Tr							
85.60	90.30	4.70	VM	and	m, por	Xtl tuff. Light to dark grey. Larger feldspars to 2mm.	P1			3				ep5	8								1	1					Tr					
90.30	95.00	4.70	VA	and	f-m	Numerous grey qtz vein often with cb core bounded by ep. Frequent fine black mineral in veins with cb centre.	P1	5		3					8								1	1	Tr		<0.5 (9,1)		Tr					
95.00	123.10	28.10	VA	and	f-m, cla-v, bx	Dark black. As above, finer grained, fragmentals to 10cm decreasing with depth. Qtz veins decreasing from 105-115, qtz-cb+ cb increasing, qv increasing with depth after 115 cb decreasing. 107.6-15cm felsic dyke, 113.6-4cm chalcedony vein 45°CA	P1	4		2				ep5	11			1		1		1	1	1	Tr		Tr		Tr					
123.10	130.20	7.10	VM	and	m, por, cla-v	Green-grey. Black magnetic fragmentals to 6cm. Crowded feldspars.	C2			8				qtz-cb2	8						2	1		2					Tr					
130.20	155.70	25.50	VM/FA	and?	m, bx	Pale grey-green, as above. Sil bleached alt zone. 147 to 150 - numerous purple cb-anhydrite-qtz veins 30-45°CA, 150 to 151.2 - gouge/rubble (highly silicified), 154-3cm qtz-anhy-cb vein 45°CA, 154.9-30cm qtz bx/gouge. Dark black fg fracture filling.	S2	2		3				hem-cb-5, cb-anhy3	13					3	1	1	1		1	2			Tr					
155.70	158.80	3.10	DI2	dior	m	Pale grey to burgandy red. Mafics highly altered to red hem.	P1	5						qtz-hem3, qtz-anhy1	9					2	2		1		4									
158.80	167.40	8.60	Qtz	qtz	f	Pale grey to white sil alt zone	S4	4		2			6	qtz-aplite2	8					4	2	1				2	Tr		Tr					
167.40	177.00	9.60	VA	and	f	Black-green-red. 167.4 to 171- green-black highly fractured qtz-ser filled, mulitple grey qv+py+/-cpy, 167.5-15cm qtz filled bx, 169.5-40cm sil k-spar alt + 1%cpy-py+ tenarite, 171-50 cm hem alt: qv+cpy, 171.8-30cm k-spar alt + anhydrite-cb veining, 172.1 to 173-hem alt, 173 to 175-kspar alt + qv+/-anhydrite, 175.7-50cm hem-ep alt.	K1	3		2		1		qtz-any2	8		1			1	2	1	2		3		<1 (9,0)		1 (9,1)					
177.00	184.50	7.50	VA	and	f	Dark green. High ep alt with occ cb-anhy veins.	P3			10		1		cb-anhy2	13			2				1	3				Tr		Tr					
184.50	194.40	9.90	DI2	dior	m	Pale grey. Increasing sil alt from 192 to end. 185-20cm gouge, Qtz + dark black fg mineral in veins in sil zone +/-cpy (<1%).	P2	1		5		3	1	cb-anh-chl5	14							2	1	1			Tr		Tr					

							Alteration	Veins								Alteration Minerals															Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
194.40	203.10	8.70	QTZ	qtz	f,bx	White sil zone	S5													5						3								
203.10	225.00	21.90	VA	and	f, cla-iv	Dark green-grey. Intr and volc fragmentals to 7cm.	P1			7				cb-anh4, cb-hem3	14			Tr				1	2	1	1								
		EOH																															

Dillard Property - 2014 Drilling

Hole: DI14-15

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
685360	5513380	1566	308	-35	306.4	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	7.50	7.50	CAS			Casing																												
7.50	9.00	1.50	FA	and	fol,f,cl a-l, bx	Dark grey alt zone. 8-30cm fe-ox rubble, 8.8-20cm gouge+anhy vein	A2					1	9									2				3			5 (3,7)			2		
9.00	20.00	11.00	VA	and	cla-l, f, bx	Dark grey+green. Intr fragmentals to 10cm. Cpy in epidote veins and one qv at 9.4, cpy decreasing with depth. Local bx zones at 18.5-5cm, 8.9-14cm,	P3	1		2		Tr		ep6	9			1				1	3		1		<1 (10,0)		<1 (9,1)					
20.00	23.10	3.10	DI1	dior	m	Pale grey-green.	P2		2	3				ep14	19		Tr						2	1					<1 (9,1)					
23.10	25.80	2.70	VA	and	f-m, cla-i	Dark green-grey. Interbedded coarser grained feldspars often in ep-cb matrix.	P3			4				ep5	9			Tr					3	1					Tr					
25.80	31.60	5.80	VA	bas	f	Dark black. Very fine fractures filled with cb/ep. 31.2-1cm cb-hem-py vein 15°CA,	P1			6				ep2	8			2				1	1	1			Tr		Tr					
31.60	41.20	9.60	VA	and	f, cla-i	Dark grey. intr fragmentals 34-37m to 4cm, 38-1cm cb-hem-ep-py vein 45°CA	P3			3				ep8	11			1					3		Tr				Tr					
41.20	45.80	4.60	VA	bas	f, cla-v	Dark black. Fragmentals from above unit. 43.2-1cm qtz-cb-ep-chl-hem vein 40°CA.	P2			1				ep16	17			2				Tr	2						Tr					
45.80	53.40	7.60	VA	and	f	Dark grey-green. 48.25-7cm cb-hem vein 70°CA, 50-15cm local k-spar alt around bx, 51 to 51.8-several fine black veins +/-cb with ep halos 45°CA	P2			2				ep10	13		1	2				1	2						Tr					
53.40	68.00	14.60	VA	bas	f, cla-v	Dark black-grey. Fragmentals to 8cm. 57-10cm k-spar alt bx, 59.9-qtz-cb-cpy veining, 66.6-5cm qtz-cb vein 70°CA	P2	1	2	3				cb-ep4	10		Tr	1				1	2				Tr		<1 (9,1)					
68.00	69.10	1.10	DI1	dior	m	Dark grey.	P1		1	2								Tr					1		1				<1 (9,1)					
69.10	83.50	14.40	VA	and/bas	f, cla-v	Interbedded (~70°) volcanic tuffs and flows (bas). 76.9-8cm kspar alt zone around 1 cm cb-hem-py-cpy vein 60°CA	P2		3	6				cb-hem+/-py5	11			1					2			1	Tr		Tr					
83.50	90.90	7.40	VA	and	f	Dark grey-green. Fine veinlets.	P2		2	6				cb-ep+/-py5	13			Tr				1	2	1	Tr				<1 (9,1)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
90.90	92.15	1.25	VA	and	f	Dark red-green. Hem alt.				7															3				Tr					
92.15	107.50	15.35	VA	and	f	Dark grey-green. 93.9-1.2m zone with cb-anhy-chl+tr cpy veining around fault gouge at 94m, 95.8-3cm vuggy cb+anhy-chl vein 90°CA, 97.6-7cm bx: hem alt+cb-chl, 109-45cm cb-chl alt zone, 101.65-4cm cb-anhy vein in bx 20°CA, 105.4-40cm bx: chl-ep-cb-hem alt. Cb-anhy near base.	P1			6		3		cb-ser3, cb-anhy2	14			Tr			1	2	1	2	1	1	Tr		Tr					
107.50	108.40	0.90	DI1	dior	m	Pale grey.	P1			5				hem4	9							1		1	1									
108.40	115.70	7.30	VA	and	f	Dark grey-green. 111.4-cpy clot in 2cm cb-anhy vein 45°CA, 112.2-2cm cb-anhy-chl vein 45°CA	P1			4		2	3	cb-anhy-chl7	16						2	1		1	1		Tr		Tr					
115.70	117.50	1.80	VA	and	f,bx	Red-green. Hematite alt bx zone, qtz infilling. 116-1m diss fg cpy.		12		6					18					2					3		<0.5%		2 (1,9)					
117.50	120.60	3.10	DI1	dior	f-m	Dark grey-green.	P1			3				cb-anhy5	8						1		1	1	1				<1 (0,10)					
120.60	121.20	0.60	FA	qtz	fol	Fault zone. Qtz veining. 120.7-2cm qtz-chl+py vein 45°CA, 121-10 cm qtz bx.	S3	15	1			1			17					3	2	2			1				1 (9,1)					
121.20	135.10	13.90	VA	and	f	Dark grey-green. Very fine ep + cb veinlets. 132.4 to 134.4- fault zone with gouge and rubble.	P2			2		3		ep12	17			Tr			1	2	2						Tr					
135.10	139.30	4.20	DI1	dior	m	Pale green-grey. Large ep alt halos around fractures. 135.6 to 136- multiple qv+py-cpy 45°CA	P3	2													1		3				Tr		<1 (2,8)					
139.30	142.70	3.40	VM	and	f-m	Dark to pale green. 141.2-25cm gouge, 141.8-3cm white cb vein 45°CA, 142.3-10cm bx zone with dk black infilling.	P2			2				chl-hem2	4							2	1		1	2			Tr					
142.70	146.60	3.90	DI1	dior	m, cla-v	Pale green. Minor black fragmentals to 3cm (some magnetic). Hem alt bottom 1m.	P2							ep7	7							1	2		2				Tr					
146.60	155.30	8.70	VA	and	f	Dark grey. Dark black veinlets 147 to 149m, 147.2-2cm qtz-cb-ser+py vein 45°CA, 148.8-14cm gouge, 153.2-5cm gouge, 154.8-2cm gouge. Very fine cb veinlets througout.	P1			6			2		8						1	1	1	1	1				Tr					
155.30	156.00	0.70	FA	and	f, fol	As above. Highly sil/cb fault zone. Numerous qtz-cb veins.	S3	8		8			6		22					3		1		4		3			Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
156.00	165.00	9.00	VA	bas	f,bx	Dark black green. 158.35-8cm bx+vfg sulphides, 160-70cm clay-rubble, 160.8-1cm vuggy cb vein 35°CA, 162-30cm cb filled bx zone.	P2			7			2	ep4	13		Tr					1	2		1	2			Tr						
165.00	171.10	6.10	VA	bas	f, cla-v	As above. Fragmentals to 5cm (often magnetic). 165.6-1cm cb vein 30°CA with 30cm hem alt zone, 167-17cm hem-chl gouge-rubble	P3			6				ep9, hem2	15			1				1	3		1				Tr						
171.10	184.73	13.63	VA	and	f,bx	Dark grey. Contact with above unit at 60°. Hem alt. Chl veining. 172.2-2.5cm pink cb vein 85°CA, local bx zone infilled with chl-cb infilling at 176.75-25cm, 177.8-4cm, 179.6-40cm, 181.5-13cm, tan sil alt from 181.5 to 182.15 (tr cpy)	P2		1	9				chl5, cb-hem-chl4	14					1		3			1	1	Tr		<1					
184.73	186.20	1.47	DI1	dior	m	Pale green-tan, hem alt. 184.15-1cm vuggy cb vein 90°CA	P1			6					6							1		1	2				Tr					
186.20	188.45	2.25	VA	and	f	Dark grey-green. Very fine py veins +/-cb.			7	11				cb-chl-hem5	22			1				1		1			Tr		1 (9,1)					
188.45	189.50	1.05	DI1	dior	m	Pale green-red. Hem-ep alt.	P1			9				ep3	12			2					2	1	1									
189.50	214.00	24.50	VA	and	f, cla-i	Dark grey-green. Minor fragmentals at 191.7 (6cm) + 199 (8cm). Large ep alt halos around cb-hem veinlets. 206-1cm ep-cb-chl-py vein 60°CA, 211.8-1cm chl-cb-hem-ep vein 80°CA	P3		3	6				cb-hem-chl+/-py7	15			2				1	3	2	1				<1 (9,1)					
214.00	214.40	0.40	FA	qtz	bx	Gouge and rubble around 4cm qv														2		2			2	1								
214.40	216.40	2.00	VA	and	f	As above. Dark green.	P2		1	14				ep-cb-py2	17			1				1	2		1				<1 (5,5)					
216.40	229.00	12.60	VA	bas	f	Dark black-green.227.8-30cm gouge/rubble + kspar. 229-0.5cm qv+py.	P1		2	10				cb-chl3, ep-cb6	21			1				2	1	1	Tr				1(5,5)					
229.00	233.70	4.70	VA	and	f	As above. Very broken rubble zone, some gouge.	P1			3					3							1	2		2	2			Tr					
233.70	237.70	4.00	DI1	dior	m	Reddish Broken rubble. Highly hem alt	P1			4					4							1	2	Tr	4	2			Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
237.70	240.10	2.40	FA	and	bx	Rubble and gouge. Tan-grey volcanics. Multiple gouge zones wih very broken rubble.	P1															2	1	1	3	4								
240.10	248.50	8.40	VA	and		Grey-green-tan. Fine white qv. 247.6-2cm cb-anhy-chl vein 80°CA	P1	3		7		1	2	cb-hem3	16	1	1				1		1		1				Tr					
248.50	260.20	11.70	VA	bas	f	Dark black.	P1			12					12			Tr					2	1	1				Tr					
260.20	264.00	3.80	VM	and	f-m, cla-i	Green-grey. Rare fragmentals to 6cm. 262.2-20cm zone of dark black bx veining +/- py-cpy around 2cm ep-qtz vein 15°CA	P2			3				ep7, chl2	12		1	Tr					3		1		Tr		Tr					
264.00	264.20	0.20	FA	and		Gouge and rubble.																	2	1	2									
264.20	269.10	4.90	VA	bas	f	Black.	P1		1	4		Tr			5							1	2	1					<1 (8,2)				
269.10	271.70	2.60	DI1	dior	m	Reddish green.	P2			3				ep7	10						1		1	1	1				<1 (1,9)				
271.70	271.90	0.20	FA	gouge		Reddish green gouge zone.	P3																2	1	2				Tr				
271.90	276.90	5.00	VM/VP	and	m, por	Dark green. Porphyritic ep-alt feldspars to 2mm.	P3			4				chl-hem5	9							2	3		2				Tr				
276.90	280.40	3.50	FA	and	f	Grey. 278.3-50cm Pale grey alt zone with sil/gouge stkwk.	S2			4			3		7					2						3							
280.40	300.80	20.40	VA	bas	f	Dark grey-black. Ep decreasing with depth, chl increasing. VF pyrite veinlets.Pale grey alt 299.7 to end. Contact at base at 20°CA. 300.38-2cm cb vein 90°CA	P2		2	6				ep-chl-cb+/-hem4				1					2	2		1				<1 (9,1)				
300.80	303.20	2.40	DI1	dior	m	Pale grey-red. 301-301.5: <1% cpy diss.	P2			3											2	2	1	1	2	1	Tr		1 (0,10)				
303.20	305.85	2.65	FA	dior	f-m	Dark green-red. 304.3-highly silicified around 4cm gouge, 305.5-35cm gouge bounded by sil alt.	P2												2	3		2			2	3								
305.85	306.40	0.55	VA	and	f	Dark green-tan. Hem alt.	P2			3										1	2			1	2									
		Lost																																

Dillard Property - 2014 Drilling

Hole: DI14-16

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
686229	5514022	1553	270	-45	79.7	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	1.50	1.50	CA			Casing																												
1.50	24.05	22.55	DI2	dior	m	Grey to green. Local fine aplite veining. Tr tremolite. Qtz veins at 5.2-2cm 40°CA, 7.5-1cm 30°CA, 8.3-2cm, 8.7-3cm 45°CA, 9.7-3cm 45°CA +py, 10.4-1cm cb-chl-hem-aplite ein 25°CA, 12.8-5cm gouge, 13.7-30cm bx hem/apl-ep alt zone 5%py, 18.1-4cm cb-chl-apl vein 45°CA, 20-1cm hem-ep vein 45°CA, 20.2-10cm qv bounded by gouge.	P3	1						ep2, cb-chl-hem1, apl1	4		1	Tr			2	3		1		Tr		<1 (2,8)					
24.05	24.14	0.09	FA	qtz	f	4cm white qtz vein bounded by broken rock. Possible vg at 24.1.	S2	1	1					apl1	3		1																	
24.14	24.42	0.28	VA	bas	f, por	Dark black, well developed feldspars.	P2							ep6	6					4			2						<1 (9,1)					
24.42	30.50	6.08	DI2	dior	m,bx	Grey to green. 25.4-34cm bx zone ep-apl, 26.1-5cm hem alt zone, 29.1-17cm gouge in 60cm bx zone, 30.4-6cm qtz-apl-chl-anhy vein 25°CA. Local py to 5%.	P2							apl2	2			1				1	3		1				<1 (4,6)					
30.50	31.00	0.50	VA	bas	f	Dark black-green. 30.7-1cm qtz-chl vein 10°CA.	P2	1							1			Tr				2	1						5 (1,9)					
31.00	32.60	1.60	DI1	dior	m	Grey-green. 31.4-1cm qv with chl-hem alt.		1						apl3, ep4	8		1					2	3	Tr	Tr				Tr					
32.60	34.80	2.20	DI1	dior	m,bx	Pale grey bx zone. Fine black mineral infilling. Clots of cpy.	P3	1						ep5, chl3, apl1	15		2	Tr		2		3	2	Tr	Tr		<1 (9,1)		5 (3,7)					
34.80	37.10	2.30	DI1	dior	m	Grey-green. 36.9-20cm alt zone: epidote-aplite.,	P3							ep5, chl2, apl7	14		2	1				3	2						Tr					
37.10	43.60	6.50	VM	and	f-m	Grey. 39.6-1cm cb-chl vein 60°CA, 39.8-5cm qv 45°CA, 39.95-3cm cb-chl vein 60°CA	P2			2				apl2, ep7	11		1	1				1	2						Tr					
43.60	45.00	1.40	FA	goug	f	Dark green. Mainly gouge.																3	3	2	Tr				1 (0,10)					
45.00	46.10	1.10	DI1	dior	m	Dark grey. 45.4-3cm qv+5cm gouge.	P2							apl7, ep4	11		2	1				1	3		Tr				Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
46.10	62.80	16.70	VA	bas	f	Dark grey-black. 47-1cm cb-chl+py vein 60°CA, 47.7-2cm cb vein 80°CA, 49-10cm gouge, 49.9-10cm gouge+1cm cb vein 30°CA, 58.5- 3 one cm qv 75°CA	P2	1		7				apl3, ep3	14		2	Tr				2	2	1	Tr				Tr					
62.80	65.25	2.45	DI2	dior	m	Pale grey. 64.5-10cm gouge/ some rubble.	P2			2													3			1								
65.25	69.60	4.35	VM	and	f-m, cla-i	Pale grey-green. 67.2-3cm qtz-chl vein 20°CA, 69.5-1cm chl vein rimmed with aplite+5% py	P2							apl5, ep2, chl1			2	Tr				2	2						Tr						
69.60	70.50	0.90	FA	qtz/ goug		30 cm white qv with gouge.	P2			3										3		3	1		1	3								
70.50	75.20	4.70	VA	and	f, fol	Dark grey. 78-4cm qtz-ep vein 20°CA, 79-30 cm zone of black min veining	P1	3		7					7							2		2					6 (2,8)					
75.20	75.70	0.50	FA	gouge		Fault zone.	P2													2		2	1			4			Tr					
75.70	83.60	7.90	VA	and	f	Grey-green. 78.25-1cm hem-cb vein 30°CA, 79.1-10cm qv: 1m sil alt zone halo, 79.3-40cm sil-hem alt zone, 80 to 82- several qv-py veins 45°CA, 82.1-4cm gouge, 83.4-7cm qtz-ep-aplite vein 75°CA.	P3	2	1	5				ep5	13						1	2	3	1	1				1 (9,1)					
		EOH																																

Dillard Property - 2014 Drilling

Hole: DI14-16B

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
686229	5514022	1553	270	-55	651.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	2.00	2.00	CA			Casing																										2		
2.00	23.60	21.60	DI2	dior	m	Grey green. Multiple chl veins with k-alt halos. 8-multiple qv<1cm with k-alt halos+py. 13.4-30cm gouge, 22.1-6cm white qv 75°CA	P3	1						ep2, cb-chl+/-hem1, apl1	4		1	Tr			3	2		1		Tr					1		
23.60	23.73	0.13	FA	qtz	f	white qtz vein bounded by broken rock. Aplite/k-spar halo.	S2	1							1																			
23.73	32.20	8.47	DI2	dior	m, bx	Grey green. Ep veinlets x-cutting aplite veins. 23.93-2cm qv+cpy, 24.5-14cm gouge/rubble, 25-7cm qtz-apl-black mineral vein 80°CA with 40cm black min filled bx, 27.8-10cm qtzbx-cb-goug vein 60°CA, 30.07-1cm qv, 30.2-1cm cb vein 5°CA, 31-70cm bx zone with black mineral in veins and clots,	P3	1		3				ep12, chl+/-hem2, apl2	20		1	Tr			2	3	Tr			Tr		Tr					
32.20	35.20	3.00	VA/VM	and	f-m	32.65-8cm aplite-black mineral in veins. Numerous qtz-aplite veins. 35.2-3cm qv 45°CA.	P2	2		1				apl7, ep7	17			Tr			1	3							Tr					
35.20	36.94	1.74	DI1	dior	m	Pale grey-green. Qtz-aplite veining, minor black mineral. 38.9-2cm qtz-apl vein 75°CA, 39.3-1cm qv 80°CA, 41-6cm qtz-apl vein 75°CA	P3	2	1	2				ep6, apl3	14		1	Tr			1	4		Tr					Tr					
36.94	42.65	5.71	VM	and	f-m	Dark grey-green.	P3	1		3				apl7, ep7	18		1	Tr			3	2	1						Tr					
42.65	57.60	14.95	VA	bas/ and	f-m	Dark grey. 44.6-40cm gouge/rubble, 45.86-5cm white qv 80°CA, 47-4cm qtz-hem-gouge vein 35°CA. diss py in ep veining, 52-2cm cb-chl vein 70°CA, 56.2-1cm qtz-py-ep vein	P3	2		6				apl3, ep+/-hem3, chl-cb1	15						3	2	1	1				<1 (1,9)					
57.60	60.30	2.70	DI1	dior	m	Grey. 64.5-10cm gouge/ some rubble.	P2			2				chl-cb1	3		Tr	Tr			1		1											
60.30	65.77	5.47	VA	bas	f	Black.	P1	2		3				apl2	7			Tr				1	2	1					Tr					
65.77	68.00	2.23	DI2	dior	m	Dark grey-green.	P3	2		2				apl5	9		2	1				2	3						<1 (5,5)					
68.00	82.60	14.60	VM/DI1	and	m	Dark grey-green. 71.5 to 72.8- scattered black mineral in clots and veins, 78.04-4cm cb-chl vein 50°CA, 82.5-3cm cb-chl vein 30°CA	P3	1	2	3				cb-chl2	8		1					2	3	1					<1 (8,2)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
82.60	87.00	4.40	VA	bas	f-m, por	Dark grey-black. Some well developed feldspars. 82.75-1cm py vein, 85.9-5cm white qv with py margins	P2	1	4					ep3	8		Tr	Tr				2	2						2 (5,5)					
87.00	95.20	8.20	DI1	dior	m	Dark grey. Tr albite. 92-50cm rubble/gouge, 95-20cm alt zone: cb-kspar-chl	P3		2					ep7	9			Tr				2	3	Tr										
95.20	100.00	4.80	DI2	dior	m	Dark grey-black-green.	P2	2	1	1				ep4	8		Tr	Tr				1	2						<1 (2,8)					
100.00	100.20	0.20	FA	goug		Pale grey-green gouge + 2cm cb vein 45°CA	P2			1					1								3	4		4								
100.20	108.40	8.20	VM/DI1	and	f-m	Grey-green. 103.8-35cm gouge/rubble, 104.9-1cm cb vein 50°CA, 106-10cm gouge, 107-10cm gouge, 106.6-70cm zone with aplite veining, 109-20cm gouge, 110-30cm gouge/rubble	P2			3				ep4, apl1	8		Tr					2	2						Tr					
108.40	110.40	2.00	VA	and	f	Dark black-green. 109.1-17cm gouge, 110-40cm gouge	P3			1					1		Tr					2	3	Tr					<1 (0,10)					
110.40	114.35	3.95	DI2	dior	m	Dark grey.	P2			1					1							1	2	Tr	Tr				<1 (0,10)					
114.35	115.70	1.35	VA	bas	f	Black. Bottom 90cm highly sil.	P3							ep6	6		Tr			2		2	3						1 (6,4)					
115.70	133.10	17.40	DI1	dior	m	Grey. Local kspar on alt halos. 123-40cm zone containing black min veining + minor bx, 125-30cm fault rubble, 125.85-17cm qtz-py+ep-hem vein 45°CA, 127-13cm zone of qtz-apl-py-chl, 129.2-1cm chl-ep vein, 130.56-6cm white qv+py 45°CA, 131.35-20cm white qv+py: chl alt halo,	P3	2	3	3				chl-cb2, ep4			1			2		3	2	Tr					2 (9,1)					
133.10	134.30	1.20	VA	and	f	Pale grey to black. 133.1-40cm sil alt zone, 134.2-10cm ep gouge.	P1	1							1					2			1						3 (6,4)					
134.30	147.80	13.50	DI1	dior	m	Dark grey. 136.2-2cm qtz-ep-kspar-chl vein, 136.6-2cm qtz-py vein 35°CA, 137-1cm qtz-cb-apl vein 50°CA, 139.3-3cm white qv 45°CA, 143.5-1cm qv+apl+chl 15°CA, 146.93-2cm cb-chl vein 20°CA.	P2	2		3				cb-ep-hem2	7		Tr					2	2		1				1 (5,5)					
147.80	148.40	0.60	FA	goug		Fault zone. Pale green gouge with 2cm qv.														1		1	4	2		4								
148.40	155.90	7.50	DI1	dior	m	Grey-green. 149.1-2cm qtz-apl-cb vein 40°CA.	P3		1	2				ep6, apl1	10							1	3		Tr				<1 (1,9)					

							Alteration	Veins								Alteration Minerals															Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
155.90	158.75	2.85	FA	goug	fol	Rubble/gouge zone. Pale green to white.	P2																3	1	1	3			<1					
158.75	169.00	10.25	DI1	dior	m	Dark grey.	P2		1	3				cb-ep-apl+/-chl2	5		1					2	2	1					<1 (5,5)					
169.00	170.00	1.00	FA	goug	for	Pale green gouge+rubble.	P2																2	1		4			1 (0,10)					
170.00	177.00	7.00	VA	bas	f, cla-v	Dark grey-black. 172.5-3cm qtz-aplite vein 25°CA, 172.7-6cm cb-chl-hem vein 80°CA. Mainly black volc fragmentals 173.5 to 175m, 175.8-20cm zone of rounded qtz-py fragmentals, 175-1cm py vein 80°CA,	P1			1					1							2	2					Tr					
177.00	177.40	0.40	HP	bas	f,por	Dark black. Chlorite/sericite alt xtls to 3mm in basalt.	P2														3	3							Tr					
177.40	178.20	0.80	FA	goug	fol	Pale grey. Foliations ~ 45°CA.														2						4			<1 (0,10)					
178.20	189.80	11.60	VA	bas	f	Black. 179.3-50cm clay-chl alt zone, 184.5-40cm fault zone around 8cm chl gouge, 187.2-10cm chl gouge, 187.6-80cm bleached alt zone around 4cm gouge.	P1			3		Tr		cb-ep-chl+/-hem5	8			Tr				2	1	Tr					<1 (0,10)					
189.80	191.50	1.70	FA	qtz/goug		Pale grey-white. Multiple gouge seams around white qtz veins to 40cm.	S3													4	2					4			Tr					
191.50	199.80	8.30	HP/VA	bas	f, por	Dark grey-black. Intermittent zones of hornblende porphyry with fg bas.	P2			1				ep+/-py3,hem cb-chl1	5			Tr				1	3	Tr					Tr					
199.80	211.50	11.70	VA	bas	f	Dark grey-black. Py increasing past 208m. 200.4-8cm qtz-ser-chl vein 75°CA, 205.2-1cm qtz-ser-chl vein 55°CA, 206.8-1cm chl-cb-hem-py vein 20°CA,	P1		2	3				ep-cb-py2	6			1				1	1						1 (9,1)					
211.50	212.10	0.60	DI1	dior	m	Dark grey. 211.8- splotches of ep-py-qtz.	P2											Tr		1		1	2						1 (5,5)					
212.10	216.00	3.90	VA	bas	f	Dark grey-black.	P1		2	8				ep-cb-py2	10			Tr				1	1	2					1 (9,1)					
216.00	217.30	1.30	Hp	and	por	Grey-green. 216.3-34cm bx zone: high ep alt, 216.6-2cm cb-chl-ser-apl vein 40°CA	P1			7					7			Tr			2	1	2	1					2 (1,9)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
217.30	225.75	8.45	VA	and	f-m, fol	Dark grey. Minor intervals of ep alt HP.	P1	1	4					qtz-py4	8			Tr				1	2						1 (9,1)					
225.75	227.00	1.25	FA	volc	f,fol	Pale grey. Sheared cb-chl fracture filled (50%)	P3															4		4					Tr					
227.00	241.30	14.30	VA	and	f-m, por	Dark grey. Minor intervals of ep alt HP. 236.5-40cm shear zone 25°CA, 238-10cm cb bx zone, 238.3-20cm gouge, 238.74-8cm gouge, 239.3-qtz stkwk+16cm alt zone, 239.8-12cm alt zone with 0.5cm qv.	P1	1	2	6					9			Tr				2	1	2		1			2 (8,2)					
241.30	247.40	6.10	HP	and	f,por	Dark grey-pale green. Ep alt matrix, hnbld to 3mm. 242.3-3cm cb-ep-hem vein 40°CA.	P3			10				cb-hm2	12							1	4	2										
247.40	250.90	3.50	FA	and	fol, bx	Fault zone. As above. 247.7-10cm gouge+qv ,248- 10cm gouge, 249-50cm long 1cm cb vein 5°CA, 250-30cm qtz-cb-chl-hem bx zone	P3															3	1	3	1									
250.90	253.87	2.97	HP	and	f,por	Dark grey-pale green. FG ep alt matrix, hnbld to 3mm. 253.1-2cm qtz-chl-cb-py vein 10°CA, 253.44-1cm qv	P3	2	1	10				cb-hm2	12							1	2	1					Tr					
253.87	257.00	3.13	VA	and	f	Grey. Silicified, fine qtz veins. 254.4-1cm qtz-ser-py vein 25°CA.	S2	7						qtz-ser3	10			1		2	2	1	Tr						Tr					
257.00	264.10	7.10	HP	and	f,por	Grey. Silicified, fine qtz veins.	S1	3						qtz-ser5	8			2		1	2	1							Tr					
264.10	265.70	1.60	FA	and	por	VA/VP. Dark grey gouge and rubble.	S1													1						2								
265.70	270.00	4.30	VM	and	f-m	Grey. Numerous small white qv. Increasing sil to end.	S2	17	1					qtz-ser2	20			2		1	2	1	1						<1 (9,1)					
270.00	301.50	31.50	FA	qtz	bx,fol	Pale grey to white bx qtz zone, extremely sil counry rock with white qtz veins and stkwks. Foliation ~ 40°CA. 270.9-10cm bx, 273.15-20cm bx with dark grey qtz filling, 295.7 to 298-strong qtz-ep-hem alt.	S5	35						qtz-py1	36			Tr		5	2		1		1	1			Tr (1,9)					
301.50	307.67	6.17	VA	bas	f	Black. Multiple narrow qv ~ 30°CA. 306.1-3cm qtz-chl-cb-hem vein 30°CA,	P1	8						qtz-ser+/-chl2	10						1	1							<1 (0,10)					
307.67	309.35	1.68	DI1	dior	m	Pale grey. 308.1- multiple 1cm ep-chl veins with 40cm hem alt halo, 308.65-1cm ep-chl vein 75°CA with 20cm hem alt halo.	P2			3					3			Tr		1		2	2		1									

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
309.35	334.10	24.75	HP	bas	f,por	Black, hornblende rich volc, Porphyritic hornblende increasing with depth. 312-3cm gouge, 315.7-3cm qtz-cb-chl vein 20°CA, 323.85-10cm gouge+1cm qtz-chl vein 30°CA, 325.1-1cm qv 30°Ca with 20cm clay alt zone.	P1	1		8					9			Tr			1	2	Tr	1					<1 (7,3)					
334.10	340.00	5.90	FA	volc	fol, bx	Shear/alteration zone. Pale green.	P2	6		4				cb-hem1	11					2	1	2	1	1	1	2			5 (2,8)					
340.00	392.10	52.10	HP	volc	por	Dark grey-green. Hornblendite with mostly por hornblende. 343.4-5cm gouge, 343.8-10cm gouge, 346.25-4cm qtz-chl vein 80°CA with 5cm gouge, 353-2cm cb-chl vein 45°CA, 359-25cm qv bx, 359.7-40cm fault gouge+ 1.5m qtz-ser alt zone, 362.3 to 363.8-qtz-ser alt zone, 364.9-10cm gouge + 10cm qtz-ser alt zone, 366.6-1cm qv 45°CA, 367.1-2cm qv with 10cm qtz-ser alt zone, 368.7-40cm qtz-ser vein, 372.9-60cm zone of intense white qv bx + chl-hem-cb fol 30°CA, 377.5-2cm chl-cb-ep vein 45°CA, 387.4 to 389.4- fault gouge/rubble+qtz veins, 393.7-30cm gouge-1cm qv.	P2	3		6				cb-hem1, qtz-ser3, cb-ep-py1	11					1	3	3	2	1		Tr			<1 (5,5)					
392.10	416.30	24.20	VP	volc	f,por	Pale red feldspar porphyry. Very fine welded matrix with feldspars to 6mm. Fine hornblende with local areas of coarser grained. Very fine chalcedonic qv. 415.1-1cm qv 20°CA	S2	7							7			Tr		3	Tr	Tr			2										
416.30	419.50	3.20	HP	volc	f,por	Green-grey hornblendite porphyry. 418.1-40cm pale tan sil alt zone	P3	3		1										2		3	3						Tr					
419.50	420.40	0.90	VP	volc	f,por	Pale red feldspar porphyry. Very fine welded matrix with feldspars to 6mm. 419.8-2cm qv 80°CA	S2	1												3					2									
420.40	423.60	3.20	VM	and	m	Dark grey-green.	P2	1						ep4, cb-hem2								2	3	1					Tr					
423.60	427.60	4.00	FA	goug		Pale grey gouge/quartz.	S3													4						4								
427.60	432.40	4.80	DI1/VM	dior	m	Green. 330.4-10cm gouge	P2		2	2												2	2						2 (5,5)					
432.40	433.20	0.80	FA	and	fol,bx	Shear zone ~ 25°CA.	S2	6												2	3	2	1	1	Tr	2			2 (2,8)					
433.20	448.40	15.20	DI1	dior	m	Dark grey-green. 434.5-10cm qtz-chl vein 45°CA, 435.3-2cm white qv, 438-30cm zone with multiple py veinlets, 438.4-13cm gouge+1cm qv 15°CA, 442.6-40cm gouge, 444.6-2cm qtz-cb-chl-ser-hem vein 85°CA	P1	2	2	1				cb-chl1							1	2	1	Tr				2 (8,2)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
448.40	468.90	20.50	FA/DI1	dior/qtz	f-m	As above, highly silicified. Pale grey-green. 449.4-1cm qtz-py vein 80°CA, 450.4-1cm white qv 45°CA, 451.4-4cm qv 50°CA, 453.4 to 458.4- Pale to dark grey quartz.Qtz + cb veins ~75°CA, 460-90cm qtz, 461.5-50cm qv, 462.1-70cm qv, 463-20cm gouge, 466-10cm white qv 45°CA + py, 466.7-20cm qv, 466.9-40cm sheared gouge, 467.4 to 468-9- white qvs + 80% py+cpy, 468.9-30cm gouge.	S4	7	1	2				cb-chl2			2			3		1	3				Tr		<1 (8,2)					
468.90	478.10	9.20	DI1	dior	m,bx	Dark green. Minor bx zones.	P3		2	4							Tr					1	3	1					5 (5,5)					
478.10	489.60	11.50	FA	qtz	bx	Pale grey. Highly silicified qtz zone. 477-479.2: fault gouge/rubble, 483.5-10cm gouge, 484.1-15cm gouge. Local py clusters. Local bx zones in qtz.	S4													5									<1 (1,9)					
489.60	493.10	3.50	VM	and	m,bx, cla-i	Dark to pale green.	P2	2		1				apl2	5	1						1	3	1			Tr		<1 (1,9)					
493.10	500.30	7.20	DI1	dior	f-m, cla-v	Dark grey to pale green. Minor fragmental to 4cm. 495.1-1cm qtz apl vein 80°CA:1cm ep halo,	P3	3						chl2	5					1		2	3				Tr		<1 (2,8)					
500.30	502.00	1.70	VA	?	f,bx	Pale green bx-alt zone. 500.3-700cm bx 30%py <1%cpy+magnetite and yellow garnets, 501.6-1cm chl-qtz vein 40°CA, 501.8-2cm chl.	P4	1						chl2	3		1	3				3	4				<1 (0,10)		10 (1,9)					
502.00	519.40	17.40	VA	bas	f	Dark grey-black hornblendite. Very fine veinlets.	P1		1	3				ep2	6			Tr					1						<1 (7,3)					
519.40	525.00	5.60	VM	and	f-m, cla-vi	Pale green. Fragmentals to 8cm. 519.9-3cm pink qv 15°CA, 520.45-1cm qtz-anhy vein 80°CA, 521.95-5cm py+cpy clots, 522-1cm qv+py+cpy, 522.35-30cm zone 40% py, 522.8-3cm white qv 75°CA, 523.17-1cm qv + tr cpy, 523.8-4cm qv 80°CA+ tr cpy.	P3	2		1		Tr		ep1	4		1					2	4				<1 (5,5)		5 (1,9)	2 (2,8)				
	Continuation																																	
525.00	536.00	11.00	VM	and	m, bx, cla-vi	Pale green. Fragmentals to 6cm. Unsorted agglomerate/bx. Minor narrow DI1 sections. 527-1cm qtz-kspar-ep vein 20°CA, 529.1-1.5cm qtz-chl vein 70°CA, 530.6-30cm sil-chl alt zone, 533.1-4cm po vein 80°CA, 533.3-5cm sil-kspar alt around qtz-chl veinlets, 535-2cm qtz-cb vein 45°CA, 536-1.5cm qv 20°CA with 45cm kspar alt halo	P3	1		1				qtz-chl-py3	5		1	Tr		1		3	3			1			1 (8,2)	4 (1,9)				
536.00	536.70	0.70	VA	and		Dark grey-green.	P2			2					2						1	2	1	Tr					Tr					
536.70	536.90	0.20	DI2	dior	m	Dark grey.	P2							ep-cb-chl4	4							2	1						Tr					
536.90	538.40	1.50	DI1	dior	f	Dark grey-green.57.57-3cm qtz-chl vein 65°CA.	P2	1		1					2							3	Tr						Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
538.40	549.50	11.10	VM	and	f-c, por, cla-vi	Grey green (pale). Fragmentals to 5cm. Unsorted agglomerate with large feldspars to 4mm. Local clusters of pyrrhotite to 20%. 539.1-8cm po-ep cluster, 539.5-local garnet-po cluster, 543.37-1cm chl vein with ep halo, 543.8-20cm ep-chl alt zone, 546.6-10cm kspar alt zone, 547-25cm kspar alt zone.	P3			3				chl2	5		1					3	3				Tr		<1 (0,10)	2 (2,8)				
549.50	566.00	16.50	DI2	dior	m	Dark grey-green. Vfg sulphides. 560.4-2cm chl-qtz vein 45°CA + cpy: 40cm ep alt, 561.7-0.5cm qv+chl+cpy.	P2	2		1				cb-hem-chl1	4		Tr					3	1				Tr		2 (0,10)					
566.00	595.30	29.30	VM	and	f-c, por, cla-vi	Pale grey-green. Interbedded fine and coarse intervals. Lessor fragmentals. Local clusters of po+cpy (fragmental replacement?), local ep alt around qvs. 570.65-20cm kpar-chl alt zone, 573.35-8cm massive po+cpy, 575-578 traces cpy with po clusters, 577.8-7cm bx, 581.75-10cm qtz-chl-gouge, 582.4-10cm qtz-ep-chl vein + cpy 30°CA, 584.2-3cm py+ep veining 80°CA, 584.6-5cm ep alt zone around chl veins 75°CA, 590.3-1.5cm chl vein 40°CA with 15cm ep-kspar py halo, 591.3-1cm qtz-cb vein 45°CA, 592-2cm qtz-chl vein 50°CA.	P3	3		1		Tr		chl2, ep1	7		Tr					3	2				Tr		<1	3 (1,9)				
595.30	599.50	4.20	DI1	dior	f-m, cla-vi	Grey-green. Sparse fg mainly volc fragmentals. Local kspar alt around veins. Tr cpy 596m.	P3/K2		5	1				chl4, ep5	15		1					3	2				Tr		<1 (7,3)	Tr				
599.50	604.30	4.80	VM	and	f-m, cla-vi	Grey. Dense fragmentals mainly volcanic often altered to po. 599.8-1cm ep-qtz vein 45°CA, 601.74-1cm chl vein 75°CA, 603.8-2cm chl-qtz vein 80°CA, 603.9-2cm qtz-chl vein 80°CA, 604.1-1cm qtz-chl vein 60°CA, 604.3-2cm qtz-chl vein.	P2							chl2, ep1, chl-qtz2	5		Tr					3	1						Tr	<1				
604.30	606.80	2.50	VA	and	f	Pale grey. 605.3-50cm sil-kspar alt zone.	K2	2		2				cb-ep3	7		2			1		1	2						Tr	<1				
606.80	610.50	3.70	VM	and	f-m, cla-i	Dark grey. 609.7-1cm cb vein 25°CA.	P2	1		2				cb-ep3	6							2	2				Tr		Tr	<1				
610.50	614.30	3.80	VA	bas	f, por	Dark black. Occasional feldspar and hornblende porphyry. Tr cpy at 608.5, 612.23-2cm chl-mag-py vein 90°CA	P2							cb-ep3	3			Tr				3	1						<1 (1,9)					
614.30	616.50	2.20	VM	and	m	Pale grey.	P3			2				cb-hem-py2	4			1				3	3	Tr	2				<1 (1,9)	2				

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
616.50	620.50	4.00	VA	bas	f	Dark black.	P2							ep3	3			Tr				2	2						Tr	1				
620.50	621.50	1.00	VM	and	m	Pale grey-green. Vfg sulphides. 620.82-2cm qtz-chl-kspar vein 75°CA + py-cpy.	P3	1							1		1					1	3		Tr		Tr		Tr					
621.50	629.15	7.65	VA	bas	f	Dark grey-black. Sil increasing with depth.	P2			3				ep1, chl-qtz1	5			2				1	2		Tr				<1 (0,10)					
629.15	631.80	2.65	FA	qtz		Pale grey-white. Contact 20°CA.	S4													4					Tr	3			Tr					
631.80	632.30	0.50	VM	and	m, bx, cla-iv	Pale green. Crowded fragmentals to 4cm.	P3			3				chl-hem1			2			2		2	3	2	1				1 (0,10)	<1				
632.30	645.90	13.60	DI2	dior	m	Grey-green. 632.9-1cm chl vein + tr cpy, 639.1-1cm chl+cb+cpy, 644.7-3cm chl-qtz-kspar vein 80°CA	K2		1	3				cb-hem2, ep2, chl2			2					2	3	1	2		Tr		1 (2,8)					
645.90	647.16	1.26	VA	bas	f	Dark grey. Alt increasing with depth.	P2															2	2	1					2 (2,8)					
647.16	650.70	3.54	DI2	dior	m	Dark grey. Vfg sulphides.647.4-2cm chl-py vein	K2							chl3, ep1			2					3	2	2					3 (0,10)					
650.70	651.00	0.30	VA	and	f	Dark grey.	P2							ep2								2	2	1					2 (0,10)					
	end																																	

Dillard Property - 2014 Drilling

Hole: DI14-17

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
685928	5514652	1482	105	-55	501.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	2.50	2.50	CA			Casing																												
2.50	29.20	26.70	VA	bas	f	Dark grey. Patches and veins ep. Fe-ox to 5m. 20.6-30cm gouge, 24.5-25cm gouge,	P2		4					py-ep2, chl2, cb-hem1	9			1				2	3		Tr				2 (5,5)			1		
29.20	31.60	2.40	DI2	dior	m	Dark grey. Patches and veins ep. Fe-ox to 5m.	P2							ep7	7							1	3						1 (5,5)					
31.60	32.60	1.00	FA	gouge		Pale grey gouge.	P2															3	2			4								
32.60	35.40	2.80	HP/VP	and	f-m, por	Dark grey. Hornblend to 3mm, feldspar to 1mm.	P2							cb-ep7	7							1	2		1				Tr					
35.40	36.00	0.60	FA	goug		Pale green gouge.	P3															4	1		1	4								
36.00	38.00	2.00	DI2	dior	m	Dark grey. Vf carbonate veins.		2		4					6							2	1		1				<1					
38.00	38.90	0.90	FA	goug		Pale grey green gouge.	P2															2	2	2	1	4								
38.90	40.00	1.10	HP	and	f	Dark grey. Large sparse hornblende to 5mm. 39-50cm qtz-chl-hem alt zone.	P2	4						qtz-cb5	9			Tr		1		2	2		1				Tr					
40.00	51.60	11.60	DI1	Dior	m, cla-v	Grey-green. Rare black fragmentals to 1cm. Vf cb veinlets. 43.3-1cm qv in 6cm gouge, 49.3-7cm gouge, 51.6-54cm zone of high k-spar, sil, vf py 5%, 52.2-1cm chl-black min vein + 60%py+sil	P3/P2			12		Tr		chl-hem2	14		2					2	4		1				2 (2,8)					
51.60	62.00	10.40	FA	qtz		As above. Tan to green.Cb-py veinlets 5°CA. numerouse fine white qv. 61 to 62-gouge/rubble.	S4/K3	20						cb-py3	23		3			4			1		2		Tr		8 (8,2)					
62.00	73.50	11.50	DI1	dior	m	Dark grey-tan. 69.6-3cm pink-white chalc qv 30°CA, 67.8-4cm qtz-cb-chl vein 45°CA, 71.4-1cm qv 40°CA, 72.8-1cm qtz-chl-ep-py vein 45°CA, 73.5-2cm qtz-py-kspar vein 25°CA	P2/K2	3	2	14				ep3	22		2			1	1	2	2	1	1	1			4 (3,7)					
73.50	77.90	4.40	DI1	dior	m	Dark grey.	P2	2	1	5				ep2	9							2	1						<1 (1,9)					
77.90	83.00	5.10	DI1	dior	m, cla-v	Pale grey. Minor black fragmental to 2cm. Alt zone before fault at end.	P3			5				cb-hem2	7		1			1		3	3	1	1	1			Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
83.00	86.00	3.00	FA			Pale green gouge/rubble. DI2 past 84m.																1	4		1	2								
86.00	87.10	1.10	DI2	dior	m	Dark grey-tan. Welded feldspars.	K2	2							2		2					2	1		1				5 (0,10)					
87.10	90.60	3.50	VA	bas	f	Black.	P1			7				py-cb4	11							1	1	1					6 (8,2)					
90.60	91.60	1.00	FA	qtz	fol	Pale grey-white. White qtz-cb veining in gouge.	S2							qtz-cb16	16					2				2		4			<1					
91.60	125.10	33.50	VA	bas	f	Black. 102-30cm gouge/rubble, 104.3-20cm zone with chl-black min-kspar+cb-hem veining + 10%py, 104.85-30cm gouge, 107.5-50 cm zone: multiple qv 30°CA +cb-hem veining + ep-chl alt halo, 113-20cm gouge, 114-10cm sil zone, 119-1cm cb vein 5°CA+py	P3			3					3		Tr	Tr				2	3		Tr				Tr					
125.10	130.00	4.90	VA	?	f	Grey. Highly silicified zone. Pale qtz flooding around qvs. Late stage cb veinlets x-cutting.	S4	14		1					15					4														
130.00	132.50	2.50	DI1	dior	m	Grey-green. 132-50cm gouge/rubble.	P2			1					1							2	2						Tr					
132.50	134.30	1.80	VA	bas	f	Grey. Multiple fine pale grey cb veinlets 80°CA.				25					25								Tr											
134.30	138.00	3.70	FA	qtz		Grey. Highly silicified alt zone around 20cm qv at 135.4. 137.4-25cm gouge.	S2	3						qtz-ser10	13		1			3	2					2								
138.00	148.50	10.50	VA	bas	f	Dark grey. Silicified. Flow banding 90°CA. 143-20cm coarser grained	P1							cb-chl5, ser3						1		1	Tr						<1 (1,9)					
148.50	150.00	1.50	FA	qtz		Pale grey fault zone. Highly sil gouge/rubble around 6cm qv at 140.4	S3										2			3						3			Tr					
150.00	152.00	2.00	VA	bas	f	Dark grey. Silicified. Flow banding 90°CA.	P1							cb-chl5, ser3						1		1	Tr						<1 (1,9)					
152.00	152.36	0.36	VP/HP	bas	f, por	Dark black. Feldspars to 2mm, Hornblende to 6mm																	Tr											
152.36	155.80	3.44	VA	bas	f	As above. Dark grey, sil.	P1							ser3						1	2	2												

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
155.80	159.80	4.00	DI1	dior	m	Dark grey. Sil. 157-50cm gouge/rubble. 158.2-40cm ep-ser alt zone.	P2			1				ser10						2	2	2	Tr											
159.80	172.00	12.20	VA/HP	and	f, por, cla-i	Grey. Interbedded fine grained volcanics with horblende porphyry. Rare fragmentals to 5cm. 161-30cm hem-chl-qtz alt zone on shear 90°CA tr cpy, 166.75-1cm qtz-db-chl-hem vein 40°CA	P2							cb-hem1, ep-cb5, qtz-chl2	10							1	2		1		Tr		Tr					
172.00	175.55	3.55	FA	qtz		As above. Multiple qv to 10cm (50%), 174.9-65cm hem-chl gouge.	S2	15												1	2	3	Tr		2									
175.55	201.50	25.95	VA/HP	bas	f, por, cla-iv, bx	Dark grey-green. Interbedded fine grained volcanics with horblende porphyry. Rare fragmentals to 3cm increasing with depth (past 190m mainly volcanic). Minor local ep alt bx zones. 186.4-110cm gouge/rubble, 191.8-20cm high alt zone around 1cm qv 30°CA, 192.5-74cm gouge/rubble zone + 5cm qtz-cb-hem vein 40°CA, 198.75-1cm qtz-cb-chl-hem vein 45°CA.	P2		1	1				cb-hem1, ep-cb5, qtz-chl2	10			Tr				1	3		1				Tr					
201.50	207.00	5.50	FA	goug		As above. Pale green gouge and rubble.	P3															3	2	1	1	2								
207.00	213.00	6.00	VA	and	f, bx, cla-v	Dark green. Breccia zone. Dark black fragmentals (often magnetic) to 4cm (rounded) with fine grained ep rich matrix. 210.1-1cm chl-py+cb-hem vein 20°CA.	P2		1	1					2			1				1	2	Tr					<1 (6,4)					
213.00	215.20	2.20	FA	and	f	Pale green rubble	P2														2	2	2	1	Tr	1								
215.20	227.80	12.60	VM	and	f-m, bx, cla-iv	Dark grey. 30% fragmentals - intr + volc. Minor intervals HP.	P2		1					ep-chl2	3		Tr	1				2	2	Tr					<1 (1,9)					
227.80	242.10	14.30	VA	and	f, cla-iv	Dark grey. 15% fragmentals decreasing with depth. 228.1-70cm sil+hem alt zone.	P2		2					chl1	3			Tr			1	1	3		Tr				2 (3,7)					
242.10	242.80	0.70	FA	goug	f	Dark to pale green. Minor rubble.	P3															2	3		1	3								
242.80	257.40	14.60	VA	bas	f, cla-i	Dark grey. Mainly intr fragmentals increasing with depth. 245.7-2cm chl +qtz-kspar-cpy, 248 to 250.4 flow banding 60°CA+ extensive ep+qtz-cb alt. 254-1cm chl-py vein 25°CA, 254.9-1cm chl+py-cpy vein 50°CA	P3							chl1, ep-cb2	3							2	4	1			Tr		<1 (1,9)					
257.40	264.13	6.73	DI1	dior	f,cla-i	Grey. Large crowded intr fragmentals to 10cm.	P2			1				chl-py1	2							3	1						<1 (5,5)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
264.13	270.25	6.12	VA	and	f, cla-I, bx	Light grey. Silicified + flow banding ~70°CA. Local bx zones.	P2													1		3	1						<1 (1,9)					
270.25	302.20	31.95	VM	and	f-m, cla-i	Dark grey. Large crowded fragmentals (60%) to 20cm decreasing with depth past 286m. 275-3cm fragmental + ep-cpy. Local ep mainly on fragmentals. 280.5-1cm chl+py vein 55°CA, 287.3-1cm cb+hem-chl vein 65°CA, 296-1cm py-ep vein 10°CA, 298.5-1cm chl-hem-cb-py vein 30°CA	P2		1					chl-hem-cb-py1	2			1				3	1				Tr		<1 (7,3)					
302.20	304.70	2.50	FA	qtz	bx, fol	Pale grey-white. Highly silicified + qv. 302.2-10cm gouge, 304.2-20cm gouge.	S3			1					1					4		1				2			Tr					
304.70	306.00	1.30	VM	and	f-m, cla-i	Grey green.	P2							chl-hem-cb-py1	1							2	1						Tr					
306.00	309.00	3.00	DI1	dior	f	Grey.	P1			2					2						2		1						<1 (0,10)					
309.00	318.00	9.00	VA	bas	f, cla-i	Dark grey-black. Occasional fragmental to 2cm. 313.4-1cm cb vein 75°CA	P1		1	3					4						1	2	1						<1 (3,7)					
318.00	320.80	2.80	DI1	dior	f	Grey-green microdiorite.	P2			3					3							3	1		1				1 (0,10)					
320.80	322.50	1.70	VP	and	f,por	Dark grey. Fine feldspars to 0.3mm. 320.8-321: gouge																				3								
322.50	326.30	3.80	HP		f,por	Red sil zone, hornblendes Fe-oxidized. Multiple white qvs.	S4	25							25					4					3	1						2		
326.30	338.00	11.70	VA	and	f, cla-i	Dark grey, xtls equigranular to 0.25mm grain size. Occasional fragmental to 5cm. 327.6-30cm sil+hem alt zone.	P2			2				cb-hem2, ep-py1	4			1				2	2		Tr				1 (2,8)					
338.00	342.10	4.10	VM	and	f-m, cla-i	Grey. As above. 338.9-10cm gouge, 340.4-10cm sil-kspar-py alt zone,	P2			1				ep-py2	2		Tr	1		Tr		3	2		Tr				<1 (2,8)					
342.10	354.10	12.00	VA	bas	f,cla-i	Dark grey. Rare fragmental to 7cm. 349.8-1cm cb-hem vein 45°CA with 15cm ep-py alt halo,	P2			1				ep-py2				Tr				2	2		Tr				Tr					
354.10	359.40	5.30	VP	and	f, por	Dark grey. Feldspars to 1mm, often ep altered.								ep4								2	3						Tr					
359.40	363.00	3.60	FA	goug	f,fol	Pale grey. Sil+hem alt zone. 360-1cm qv15°CA, 361-10cm gouge.	S2	2		2				qtz-ser3						2		3			1	2			Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
363.00	365.00	2.00	DI1	and	f	Grey microdiorite.	P1			1												2	1						1 (2,8)					
365.00	373.40	8.40	VA	and	f, cla-i	Grey. Occassional fragmental to 10cm. 365.55-2 anhydrite veins 45°CA, 367.2-1cm magnetite+po vein 15°CA,	P2		1	1		Tr		ep1	3			Tr				2	2						1 (3,7)	Tr				
373.40	377.00	3.60	FA	qtz		Pale grey/yellow. Highly silicified. 376.5-50cm gouge/rubble.	S5	8							8					5			1		Tr								
377.00	381.20	4.20	VM	and	f-m	Dark grey-green. 380.4-1cm qtz-cb vein 80°CA, local sil alt+/-kspar	P2	1		7				cb-hem1	9		Tr			1		3	Tr	2	Tr	1			<1 (0,10)					
381.20	384.00	2.80	VP	and	f, por	Dark grey. Feldspars to 2mm. 382-20cm sil+kspar alt zone around 0.5cm qv, 383-10cm sil-kspar alt zone, 383.2-cpy+po in ep vein, 383.5-10cm sil-kspar alt zone	K1	2						ep3	5		1			2		2	1			1	Tr		Tr	Tr				
384.00	389.20	5.20	HP	and	f,por, bx	Grey. Hornblende xtls to 3mm. Minor fine qv. Local k-spar halos. 387-1cm qtz-cb vein 70°CA, 388-1cm qtz-cb vein 80°CA + 20cm kspar alt halo, 388-70cm bx zone	K1	2							2		1			1		2	1			1			<1 (1,9)					
389.20	395.10	5.90	FA	qtz	bx, fol	White to tan. Strong sil alt with high density qtz veining and bx.		30					2		32					4		1				3								
395.10	407.90	12.80	VA	and	f	Pale grey. Numerous ep halos around cb/qtz+/-py veins 45-85°CA. 396.3-2cm chl-cb vein 45°CA, 401.3-30cm sil alt zone around multiple white qv ~80°CA, 401.9-1cm chl-cb-py vein 75°CA, 404.25-1cm white qv 25°CA, 407.1-10cm qtz-cb+chl vein 90°CA	P3	3	1	5				ep13	21		Tr			1		2	3						<1 (3,7)					
407.90	417.40	9.50	VA/HP	and	f-m	Grey-green. Interbedded HP and VA. 412.6-5cm qtz-cb stkwk, 413.8-2cm chl-qtz vein 20°CA, 415.5-10cm sil alt zone+vf sulphides, 416-7cm qtz-chl vein +5%py @ 30°CA	P2	1		2				ep4, chl1	8		Tr					2	2						<1 (3,7)	Tr				
417.40	420.40	3.00	DI1	dior	f	Dark grey. Fine microdiorite. Fine cb + qtz-ser veinlets.	P1	2		3				ep2, chl1	8						Tr	2	1						Tr					
420.40	422.40	2.00	FA	qtz	bx	White qtz bx	S4							qtz-chl2	2					4		1				3			Tr					
422.40	427.60	5.20	VA	and	f	Grey to pale grey. 425-30cm sil-kspar alt zone + qtz-chl veining, 426.03-4cm qv 90°CA, 428.3-14cm qv 90°CA.	P2	2						qtz-chl1	3		1			2		1	2						1 (4,6)	Tr				
427.60	429.10	1.50	DI1	dior	m	Dark grey. 428.8-1cm qtz-cb-chl vein 20°CA.	P1	1		1					2		Tr			1		2	1						1 (2,8)	Tr				
429.10	437.60	8.50	VA	and	f, cla-v, bx	Grey. Rare ep alt fragmentals to 7cm. 431.8-30cm sil alt zone with multiple qtz-cb-ser veins, 434.2-local cb filled bx.	P2		1					cb-chl-ep5	6					1	1	2	2	1					<1 (5,5)	Tr				

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
437.60	440.00	2.40	VA	and	f, cla-v,	Grey. Rare ep alt fragmentals to 4cm. Strong ep alt zone	P4		6	3					9						1	2	4	1			Tr		5 (8,2)	Tr				
440.00	445.80	5.80	VA	and	f	Grey. As above. 441.5-7cm chl+cb-py-cpy vein 45°CA with 3cm ep halo.	P2			2				cb-chl2, ep3	7							2	2	Tr			Tr		1 (1,9)					
445.80	450.30	4.50	VM	and	f-m	Dark grey. Becoming more silicious with depth. 417.5-10cm bx zone with qtz-cb infill, 447.86-1cm ep vein + kspar alt halo with tr cpy,	P2		1	1			3	ep4, chl1	10		1			1	1	2	3				Tr		<1 (2,8)					
450.30	454.30	4.00	FA	qtz	f	Reddish white qv.	S5													5									Tr					
454.30	463.20	8.90	VM/HP	and	f-m, cla-i	Dark grey. Rare large intr fragmentals. 457.2-60cm sil-ep alt zone + qv-hem veining + 5%py, 261-cpy blotch in black fg mineral vein.	P3	2		2				ep3, cb-hem1	6							2	3		1		Tr		2 (2,8)					
463.20	470.80	7.60	VA	bas	f, cla-i	Dark grey-black. Numerous ep-alt fragmentals to 6cm.	P3	1	1	2				cb-hem2	6		Tr	1				2	3		1				<1 (1,9)					
470.80	481.80	11.00	VM/HP/VA	and	f-m, cla-l, bx	Interbedded sequences ~45°CA. Fragmentals to 10cm. 476.15-3cm qv 90°CA, 479-40cm sil alt zone around 5cm cb-gouge, 480.9-1cm chalc qv 45°CA, 480.7-30cm sil zone, 481.4-50 cm zone intense ep alt around qtz-cb-chl+/-mag veining - 3cm cpy clot in cb-chl-py vein.	P4	4	1					qtz-cb-hem3	7			Tr		1		2	4		Tr		Tr		<1 (4,6)					
481.80	482.80	1.00	FA	qtz		Tan sil around pale grey-white gouge.	S3													3			1		1	4	Tr		3 (3,7)					
482.80	486.80	4.00	VM	and	f-m, cla-l, bx	Grey-green. Local kspar on fragmentals. Increase sil with depth. 483.9-40cm bx	P3	6						qtz-hem1, ep2	9					1		2	3		Tr				2 (2,8)					
486.80	492.00	5.20	DI1	dior	m	Pale red. Highly silicified with white qtz veining. 487-4cm qv, 489-20cm gouge/rubble.	S2	5							5					3					3				<1 (0,10)				
492.00	494.60	2.60	DI1	dior	f, cla-i	Grey-green microdiorite. Minor small fragmentals.	P2	8	3	1				ep2, qtz-chl2	16					1		1	2						<1 (0,10)				
494.60	496.30	1.70	DI1	dior	m	Pale tan sil alt zone.495.5-9cm white qv 20°CA. vfg sulphides.	S3	6									1			3	2				1				Tr				
496.30	501.00	4.70	DI1	dior	m	Grey-green. 498.9-6cm gouge, 500 to 500.8-high density qv+kspar alt (3) sil zone.	P3	3	1	1				ep6, qtz-hem4			2			1		2	3		1				2 (2,8)				
	eoh																																	

Dillard Property - 2014 Drilling

Hole: DI14-18

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
685701	5514233	1492	90	-55	501.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
							Alteration	Veins								Alteration Minerals																Weathering /Alt		
0.00	13.50	13.50	CA			Casing																												
13.50	18.10	4.60	VM	and	f-m, bx, cla-v	Dark grey. Chl-cb bx/vein filling with kspar alt halo.	P2							chl-cb2	2		1	2				3	1	1			Tr		<1 (1,9)			1		
18.10	21.30	3.20	DI2	dior	m	Pale grey-green. 20.5-2cm chl vein 70°CA with ep halo.	P3							chl-ep2	2		Tr					2	3	2			Tr		1 (2,8)					
21.30	24.90	3.60	VA	and	f	Dark grey. 21.9-2cm chl+qtz-py vein 20°CA	P3			2				cb-chl+/-hem2, ep7	11							3	3	2	1				2 (7,3)					
24.90	27.00	2.10	DI2	dior	m	Pale grey-green.	P4							ep5	5		1					1	4	Tr	Tr				Tr					
27.00	48.00	21.00	VA	and/bas	f	Dark grey. Cb-hem-chl veins running 5°CA. 29.3-7cm gouge, 30-5cm gouge, 30.6-10cm gouge, 31-30cm bx zone with cb-chl veining and hem alt, 33.1-20cm gouge, 35.6-100cm gouge/rubble followed by 5m intense cb+/-chl veining. 37.8-3cm aplite vein 50°Ca +ep-py-cpy, 42.1-1cm cb-chl vein 30°CA, 46.2-125cm zone of aplite + ep-chl-cb-py	P2	1		3				cb-hem-chl3	7		Tr	Tr		1		3	1	1	2		Tr		<1 (5,5)					
48.00	53.40	5.40	VA	bas	f	Dark black.	P2			1				ep12	13		Tr					2	2	Tr					Tr					
53.40	60.66	7.26	VA	bas	f, cla-i	As above. Fragmentals to 5cm. 55.6-30cm aplite flood zone, 57.3-40cm qtz-kspar + ep-py alt zone, 58.6-2cm aplite+chl-ep-py vein, 59.4-24 cm multiple aplite-py veins, 60.3-2cm aplite-py vein 45°CA.	P2			4				ep5	9		1	1		1		2	2	1					Tr					
60.66	63.00	2.34	VA	and	f	Dark grey.	P2		2	2				ep4	8		1					2	2						1 (8,2)					
63.00	67.80	4.80	VA	bas	f, cla-i	As above. Fragmentals to 3cm. 65-25cm aplite-ep-chl-py alt/veins, 65.63-40cm intense cb-qtz-aplite-chl+hem veining, 66.4-20cm zone of multiple cb vein ~45°CA	P2			4				ep5	9		Tr	1				2	2	1	1				Tr					
67.80	68.35	0.55	DI1	dior	m	Pale grey-green.	P3			2				cb-hem1	3							1	3	2	Tr									

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
68.35	85.60	17.25	VA	bas	f, cla-i	Dark grey. Fragmentals to 7cm. 70.8-10cm chl-cb veins + kspar alt+ep. 74-20cm gouge, 84-5cm gouge, 84.8-60cm multiple cb veining	P2			3				ep3	5		Tr	Tr				2	2	1	Tr				Tr						
85.60	89.10	3.50	HP/VP	volc	f-m	Dark grey-green. Core very broken. Hem-chl prevalent. Magnetite veining.	P2		1	2				hem-chl3	5		1	1		1		3	1	1	2				<1 (2,8)					
89.10	102.60	13.50	VA	bas	f, cla-iv, por	Dark grey-black. Scattered fragmentals to 3cm. 95m-minor interval of porphyritic felspar. 91-2cm ep-py vein 80°CA	P2		1	2				ep3	6							2	2		Tr				<1 (2,8)					
102.60	103.10	0.50	DI1	dior	m	Grey.	P3							ep3	3							1	3	1	1				1 (0,10)					
103.10	108.40	5.30	VA	bas	f	Grey-black.	P3			2												2	3	1										
108.40	109.00	0.60	FA	gouge	fol	Pale grey. Qtz-cb-chl alt zone + gouge.														3		4		3		3	<1 (0,10)		<1 (0,10)					
109.00	115.60	6.60	VA	bas	f,cla-i	Dark grey-black. Minor small fragmentals. 110.8-2cm chl vein with aplite halo 60°CA. Local magnetite. 113.7-1cm ep-py-magn vein 5°CA.	P2							chl-aplite1	1			Tr				2	2						<1 (1,9)					
115.60	116.80	1.20	VP	bas	f,por	Grey felspar porphyry, feldspar to 1mm often altered to ep.	P3											Tr				1	3						Tr					
116.80	134.00	17.20	VA	bas	f	Dark grey. Local ep clusters. 119.6-6cm cb-ep vein 80°CA, 122-40cm cb veining, 123.8-3cm ep vein 75°CA, 124.9-4cm ep+py vein, 125.8-120cm fault zone-gouge/rubble.	P3	1		2				ep+/-py5	8			Tr				2	3		Tr				Tr						
134.00	135.00	1.00	FA	goug		Dark green gouge/rubble.	P4															4				3								
135.00	137.20	2.20	VA	bas	f	Dark grey. Local ep clusters and veins.	P3			2				ep+/-py6	8			Tr				2	3						<1 (9,1)					
137.20	141.80	4.60	VA	bas	f, cla-i	Dark grey. As above, fragmentals to 3cm. 140.7-2cm qv 60°CA	P2	1		2				ep-py2	5			Tr				2	1		1				Tr					
141.80	150.36	8.56	VP	bas	f-m, por	Green-black. Broken core, high intensity ep veining. 146.5 to 148 - gouge/rubble	P3	3	6	2				ep+/-py15	26			Tr				2	3		2				1 (8,2)					
150.36	151.03	0.67	DI1	dior	m	Grey.	P1			1					1							1	1						2 (5,5)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
151.03	157.00	5.97	VA	and	f	Dark grey.	P2		4					ep-cb-py2, chl-py1	7			Tr				2	2						2 (9,1)					
157.00	169.50	12.50	DI1	dior	f, cla-v	Dark grey. Minor black fragmentals to 1cm. 1586-10cm red gouge.	P3							chl-ep1	1							2	3		1				2 (0,10)					
169.50	170.40	0.90	FA	cb	bx	Pale tan-green alt zone. Cb-hem filling in bx.	C3																	4										
170.40	175.20	4.80	DI1	dior	f, cla-i	Grey microdiorite. Grey-green. DI2 fragmentals. 171.9-1cm chl-ep-aplite vein 40°CA, 172.9-1cm chl vein with 4cm ep halo 60°CA.	P3		2	2				chl-ep-py +/- aplite3	7							2	3						2 (7,3)					
175.20	178.70	3.50	VA	and	f-m, bx	Dark grey. Rare fragmental to 5cm. Local bx zones. Ep decreasing with depth, chl increasing. 175.8-30cm bx + ep-kspar-chl	P3		3					chl-ep-py 2	5							2	3	1					3 (8,2)					
178.70	179.30	0.60	DI1	dior	m	Dark Grey.	P4		1					ep4	5							1	4						Tr					
179.30	184.80	5.50	VA	bas	f cla-l	Dark grey. DI2 fragmentals to 5cm. 180.9-14cm zone of aplite-ep veining 25°CA.	P3				1			chl-cb2	3							1	3	1					Tr					
184.80	186.40	1.60	VA	and	f-m, bx	Pale grey-green. Highly brecciated.	P4							ep-py3	3			Tr				3	4		1				<1 (7,3)					
186.40	192.60	6.20	DI1	dior	m	Pale grey-tan.	P3/K2			2				ep-py +/- aplite4	6		2					2	3		1				1 (8,2)					
192.60	198.24	5.64	VA	bas	f	Dark grey-black. Local kspar alt. 194.5-2cm chl vein rimmed by apl-ep halo 45°CA, 197.4-1cm chl-ep-py-kspar vein 40°CA, 198-2cm chl-ep-py-kspar vein 45'CA.	P2							chl-apl-py2	2		1					2	2						<1 (8,2)					
198.24	200.00	1.76	DI1	dior	m, cla-i	Pale grey-tan. Rare ep-alt fragmental to 4cm. 199.3-7cm cb-ep vein	P2/K3			2				chl3	5		3					2	3	1	1				1 (2,8)					
200.00	201.10	1.10	VA/DI2		bx	Grey-green bx zone. 200.6-10cm qv 35°CA	K2		4								3					3	1	1			Tr		<1 (5,5)					
201.10	204.20	3.10	SS	greyw	f	Fine banded greywacke 80°CA. Light grey to black interbeds. Vfg diss sulphides. 202.5-2cm white-pink qv 35°CA, 212-1cm kspar-py-ep vein 40°CA																					Tr		5 (3,7)					
204.20	214.70	10.50	DI2	dior	m	Grey. 221.8 to 213.4-hem-cb vein 3°CA+intense kpar+ep alt halo, 214-1cm chl vein 20°CA+kspar-ep alt.	P1/K1		1	1				chl1	3		1					2	1						1 (1,9)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
214.70	216.80	2.10	DI2	dior	m	As above. Light tan-green alteration zone. 215-1cm cb vein 10°CA, 216-1cm qv 40°CA	K3	1		1					2		4					2	3						<1 (0,10)					
216.80	224.80	8.00	FA	qtz	m	As above. Pale grey tan. Highly silicified alt zone. Local py clots. 216.8-10cm qtz stkwk, 217.3-20cm gouge, 221.9-60cm white qtz bx, 223.2-30cm zone of black qtz filled bx.	S3	7							7		2			4		2		Tr		2			Tr						
224.80	229.00	4.20	DI2	dior	m, cla-v	Grey. Rare small black fragmentals. 226.2-2cm chl (actinolite?) vein with kspar-ep alt halo + cpy.	K2							ep2,chl1	3		2					1	2				Tr		3 (0,10)					
229.00	230.16	1.16	VA	an	f	Dark grey.	P1															2		1					Tr					
230.16	230.40	0.24	FA	qtz	bx	Qtz vein 85°CA. qtz bx with cb infilling.	S4													4		1		3		2			Tr					
230.40	233.00	2.60	DI2	dior	m	Pale tan-green. 230.6-6cm qtz-cb veining. 25° contact with below unit.	K3/P3							chl3	3		3					1	3	1					4 (1,9)					
233.00	244.10	11.10	HP	volc	f-m	Dark grey hornblendite. 237.1-multiple qtz-chl veining <1cm, 238-5cm qtz-hem-ep-chl vein 45°CA, 242.3-7cm cb-chl vein in gouge, 242.5-1cm aplite vein 35°CA	P2	1						qtz-chl1, ep-chl1	3							1	2	Tr					<1 (0,10)					
244.10	253.00	8.90	DI2	dior	m, cla-v	Grey-tan. Rare black fragmentals. 245.3-1cm ep-chl vein +py-cpy 30°CA, 247.9-1cm cb vein 30°CA, 248.45-1cm qv 45°, 249-0.5cm chl vein+cpy, 249.6-1cm chl-cb vein + cpy	K2	1		1				ep3, chl3	8		2					2	2				Tr		1 (1,9)					
253.00	276.80	23.80	HP	bas	f-m, por, bx, cla-iv	Dark grey-black hornblendite. Local bx. Black fragmentals to 3cm changing to intr with depth. 256.5-1cm qtz-chl vein 45°CA, 257.7-3cm py-cpy clot, 259.9-7cm qv/gouge 25°CA, 262.5-7cm qtz-chl veining 50°CA, 264.4-multiple 1cm qv+hem-py, 266-4cm ep vein, 267.3-2cm white qv 20°CA, 267.7-4cm gouge, 269-1cm qv 70°CA, 274.1-2cm qtz-hem-chl vein 35°CA	P2	3						ep2	5			Tr				2	2				Tr		<1 (0,10)					
276.80	279.30	2.50	FA	qtz		Pale grey sil zone with multple qv.	S4	15							15					4	1		1		1	1			Tr					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
279.30	316.80	37.50	HP	bas	f-m, por, bx, cla-iv	Dark grey-black hornblendite. Local bx. Sparse fragmentals to 3cm. Prevalent qtz veins to 285 changing to cb veins downward. 280.6-14cm qtz-hem alt zone around 3cm gouge, 282.5-30cm multiple qv 60°CA, 284-3cm qtz-cb vein 20°+py-cpy, 289.3-1cm cb-hem-ep vein 85°CA, 296.3-1cm cb-ep vein 75°CA, 297.4-1cm cb-chl vein 75°CA, 299.9-1cm qtz-cb-chl vein 40°CA, 305.8-2cm cb-ep vein 85°CA, 306.1-1cm cb-ep vein 50°CA, 310.7-2cm cb-ep-chl vein + cpy, 312.2-1.3m bx zone.	P2	3		3				ep2, cb-hem1	9			Tr		1		2	2				Tr		<1 (0,10)					
316.80	317.00	0.20	DI2	dior	m	Tan-green.											2						1						<1 (0,10)					
317.00	320.70	3.70	HP/VP	and	f-m, por, cla-i	Dark grey-black hornblendite. Sparse fragmentals to 2cm.	P1			2				ep2, cb-hem1	5			1				1	1				Tr		<1 (0,10)					
320.70	329.30	8.60	DI2	dior	m	Grey-green. Veins of dark vfg black mineral (hematite?) with ep alt halos. 324.6-30cm zone of intense ep/hem alt. Contact with below unit 90°CA.	P3			2				hem3, ep	5		1	Tr		1			3		1				1 (0,10)					
329.30	340.70	11.40	HP	and	f-m, por	Dark green-grey. 331.65-3cm ep-qtz vein, 333.1-2cm black qtz vein+6cm bx halo filled with qtz,	P1	1		2				ep3	6			1				1	2		Tr				Tr					
340.70	342.60	1.90	VA	bas	f	Black. 342.5-10cm white qtz bx filling (fault).	P1	3							3			Tr		1	1	1							<1 (1,9)					
342.60	342.95	0.35	DI2	dior	m	Grey. Fresh (dyke?).																	Tr						3 (0,10)					
342.95	376.00	33.05	HP	and	f-m, por, cla-i	Dark grey hornblendite. Rare small fragmental. Minor feldspar porphyry. Ep-chl increasing with depth. 343.6-2cm qv 40°CA, 344.13-1cm ep vein, 352-70cm ep-qtz-ser alt zone around multiple white qv 25°CA + hem-chl, 357.74-1cm ep vein 80°CA, 357.85-1cm ep vein 80°CA, 359.3-20cm broken rubble around small qvs, 363.6-20cm gouge/rubble, 367.6-1cm qv 45°CA, 368.5-1cm cb-anhydrite vein + cpy, 25°CA, 370-1cm qtz-cb vein 10°CA, 371-20cm fault; qtz-chl veining 90°CA + gouge, 374-hem-chl alt around qv 15°CA.	P2	2		1				ep+/-py3	6			Tr				1	2				Tr		<1 (1,9)					
376.00	386.10	10.10	VA	and	f	Dark grey. Rare intervals of hornblende porphyry. 381.1-2cm qtz-chl-ep vein 45°CA, 381.3-30cm gouge/rubble, 382.1-3cm ep-qtz-py vein 45°CA	P2	1						ep4	5			Tr		1		3	2		1				1 (1,9)					
386.10	405.55	19.45	DI2	dior	m	Grey-green. Minor local kspar alt around ep-py veins. 389.2-3cm qtz-kspar-py vein 70°CA, 398-10cm ep vein 75°CA, 400-3cm ep vein 85°CA, 404.8-30cm kspar alt around chl-ep vein 5°CA.	P3		2	1				ep7	10		1					2	3		Tr				2 (2,8)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
405.55	411.90	6.35	VM	and	f-m, cla-iv	Dark to pale grey-green. Fragmentals to 5cm. 405.55-90cm sil alt, 407.3-70cm sil alt, 410.6-220cm sil alt, 413.7-3cm ep-chl-qtz-py vein 35°CA, 413.9-30cm chl gouge.	P3							ep2	2					2		2	3						2 (0,10)	Tr				
411.90	422.20	10.30	VA	and	f, cla-iv	Pale grey-green. Highly bleached + silicified (cherty). Fragmentals to 10cm. Po mainly in fragmentals + a few veins.420.6-40cm bx zone highly bleached + white quartz veining	S3	5							5			Tr		2			2				Tr		<1 (1,9)	<1 (2,8)				
422.20	428.20	6.00	VM	and	f-m, cla-iv	Grey. Fragmentals to 3cm. 423.9-multiple 1cm qv 75°CA, 424.7-7cm qv 50°CA + chl,	P2	2						ep1	3			Tr				2	2						Tr	<1 (0,10)				
428.20	429.90	1.70	VA	bas	f	Black.	P1											Tr				1			Tr									
429.90	430.05	0.15	DI2	dior	m	Pale grey.	P1							ep1	1		Tr						Tr							1 (0,10)				
430.05	432.80	2.75	VM/VA	and	f-m, cla-iv	Pale grey interbedded (25°CA). Fragmentals to 4cm (often containing po). 432.25+ 432.7-tr cpy veins.	P3													2		1	3				Tr		Tr	3(1,9)				
432.80	433.30	0.50	DI2	dior	m	Dark grey. 45°CA sharp contact with above unit.	P1																Tr	Tr					Tr					
433.30	437.00	3.70	VM/VA	and	f-m, cla-i	Pale grey interbedded (25°CA). Fragmentals to 13cm (often containing po). Cpy traces throughout.	P3													2		1	3				1 (8,2)		Tr	5(1,9)				
437.00	440.00	3.00	VM	and	f-m	As above. Olive green.	P3	1		1				cb-chl2	3		Tr					3	1	1			Tr		Tr	Tr				
440.00	442.30	2.30	VA	and	f, cla-i	Pale grey-green. Fragmentals (often ep altered) to 4cm.	P2	2						ep1								1	2	Tr			Tr		Tr	Tr				
442.30	451.10	8.80	DI2	dior	m, cla-v	Pale grey. Dar black fragmentals to 7cm. 448.85-4cm qv 80°CA. Dissem po+/-cpy throughout	P1	2						ep1									1				<1 (1,9)		Tr	2 (1,9)				
451.10	457.75	6.65	VA/VM	and	f, cla-v	Bleached pale green volc. Interbedded with minor coarser volc. 456.8- clots of po + cpy.	P3							ep-po3						2			3				Tr			<1 (1,9)				
457.75	465.01	7.26	DI2	dior	m, cla-v	Pale grey. Minor fragmentals to 3cm.Sulphides decreasing with depth. 461-2cm qv 45°CA, 461.6-15cm qtz-chl vein/alt zone 30°CA, 464.8-1cm	P1			2				ep1, chl-py1						1			1				Tr		<1 (2,8)	1 (1,9)				
465.01	474.00	8.99	VA/HP	and	f,por, cla-iv	Grey-green. Intermittent zones of hornblende porphyry. Very minor small fragmentals. 465.55-1cm ep vein 50°CA, 469.9-30cm high ep alt bx +cpy, 474-6cm qtz-cb stkwk with 80cm kspar-sil slt zone	P2									1		Tr		1		2	2				Tr		<1 (5,5)	<1 (2,8)				

							Alteration	Veins								Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
474.00	478.70	4.70	VM	and	f-m	Dark grey. 477.2-2cm gouge/ep, <1 vfg sulphides	P1							ser2							1	1	1						<1					
478.70	485.60	6.90	DI2	dior	m, cla-v	Dark grey. Infrequent black fragmental to 2cm. 480-8cm gouge, 480.4-70cm gouge/rubble, 481.9-8cm gouge/rubble, 484-5cm gouge.	P1			2							Tr					1	2						<1					
485.60	490.40	4.80	DI1	dior	f, cla-i	Pale green-tan microdiorite. 485.6-2cm qtz-cb vein 30°CA, 486-4cm sil-kspar alt, 486.36-11cm qtz-ser alt zone, 486.6-20cm qtz-ser-kspar alt zone, 487-75cm qtz-ser alt zone, 488.7-40cm qtz-ser alt.	P1	2		1			2				Tr			2	2	1	1					Tr	1 (0,10)				
490.40	501.00	10.60	VP	volc	c	Dark grey to red. Feldspar grains to 3mm in fine grained groundmass. Local and pervasive kspar alt. 497.45-multiple qtz-cb veins over 10cm 45°CA, 499.3-1cm cb vein 20°CA	K3										3	Tr				1	1						1 (0,10)					
	end																																		

Dillard Property - 2014 Drilling

Hole: DI14-19

East	North	Elev	Azi	Dip	Depth	Logged By:	LJP	NAD83Zn10
683206	5514249	1437	175	-55	600.0	Date:		

From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alteration: Alt Type	Veins: Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Alteration Minerals: Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Weathering /Alt: Fe-Ox	Limonite	% CuOx
0.00	55.50	55.50	CA																															
55.50	76.60	21.10	DI2	dior	m	Pale grey. Silicified. 59.2-2cm qv20°CA, 61.6-70cm clay alt, 63.2-10cm gouge, 65.6-20cm gouge, 74.4-20cm gouge,	S2	3		1					4					2	1	1				1			<1 (0,10)			Tr		
76.60	78.60	2.00	FA	goug	f	As above. Gouge and rubble.														1			2			3			Tr					
78.60	83.50	4.90	DI1	dior	f	Pale grey. Silicified. 79.7-tr cpy, 80.1-15cm white qv, 45¯CA, 80.9-4cm grey-maroon qv 45°CA, 81.6-2cm grey-maroon qv 45°CA	S2	5							5						2		1			1	Tr		<1 (0,10)					
83.50	129.50	46.00	FA	qtz	bx	Pale grey. Intensely silicified and brecciated. Very fine black veins in qtz (sil+vfg py). Gouge: 87-90, 90.8-91.3, 93.5-98.7, 99.3-101.3, 101.8-103, 104.8-105.7, 108-112, 112.8-113.2, 114.3-114.7, 127.7-128.4. 102.6-6cm qv 25°CA. Infrequent local py to 2%.	S4	5							5					4	2				Tr	3			Tr			1		
129.50	132.50	3.00	DI1	dior	m	Dark grey	S1	1							1					1	2	1	1						Tr					
132.50	145.70	13.20	DI1	dior	f	As above. Qtz-Carbonate/clay alt. Pale grey. 145.7-20cm gouge. Cpy veinlets at 148.5 to 141 + bornite traces.	S3	1		4					5					2	2	2		1	Tr	3	<1 (9,1)	Tr	Tr						
145.70	162.00	16.30	FA	cb/goug	bx	Pale grey microdiorite. Highly cb alt zone around 50cm qtz-cb bx zone at 152.15. Rock very broken. Gouge seams at 145.7-146.1, 149.2-149.5, 150.9-151. 150.8-tr cpy	C3	1	1	10					12					1	2	1		3	Tr	3	Tr		<1 (2,8)					
162.00	168.90	6.90	DI2	dior	m	Dark grey. 162.5-1cm cb+py vein, 162.6-1cm cb+cpy vein 45°CA	P2			2					2			2				2	2	1	1				Tr					
168.90	184.30	15.40	DI1	dior	f	Pale to dark grey microdiorite. 171.5 to 174.7-sil alt zone around 20cm white qv at 174m, tr cpy at 173.4+174.8, 181.7 to 184.3- pale sil alt zone +cpy around 20cm gouge at 182 + 15cm cb/qtz vein at 12.65 + 15cm qtz-cb-gouge bx zone at 183.8.	C2	1		2					3		Tr			1		2		2			Tr		<1 (1,9)					
184.30	215.40	31.10	DI1	dior	m	Dark grey-green. Vuggy qtz-cb veining. Several cpy veins. 198.5-40cm gouge/rubble, 200-1cm qtz-anhydrite vein +cpy, 201-15cm cb filled bx, 206.3-10cm gouge, 207 to 213.7-sil/clay-cb alt zone	P2	3	3	6		Tr		cb-ep2	10						2	3	1	2	Tr		Tr		2 (8,2)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
215.40	224.80	9.40	FA	qtz	bx	Pale grey sil alt zone. Prolific v fine black qtz-sulphide veinlets. 219.8-10cm gouge, 220.33-26cm gouge, 220.8-25cm white qv + 10% cpy 30°CA, 224.4-4cm qv+20%cpy 30°CA.	S4	8							8		2			4							2 (8,2)		<1 (7,3)					
224.80	233.80	9.00	DI1	dior	m	Grey, silicified/cb alt. Vfg sulphides. 229.7-20cm gouge.	S2	2	2	6		Tr			10					2	1	2		2					<1 (5,5)					
233.80	244.10	10.30	VA	and	f-m	Dark grey. 237.1-1cm qv 45°CA+8cm alt halo, 238.3-40cm sil alt halo around 1cm qv	C2	1	2	8					13			Tr			1	2		2					3 (4,6)					
244.10	251.20	7.10	FA	qtz	f, bx	Pale grey. Highly silicified alt zone. Prolific fine black veinlets of qtz-vfg sulphides.	S3	4	1	1				black qtz-sulf6	12					3	2			1			Tr		1 (4,6)					
251.20	272.00	20.80	VA	and	f	Grey to pale grey. Contains several sil alt zones as above: 253.8 to 255.2, 256.1 to 256.7, 266.5 to269.2, 270.2 to272. 259.3-2m fault gouge. 256.5-2cm qv, 263.7-0.5cm cb-chl+cpy vein 80°CA	S2	2	1	5				black qtz-sulf3	7					2	2	1				2	Tr		<1 (5,5)					
272.00	273.70	1.70	FA	qtz		White qtz vein	S5													5														
273.70	281.10	7.40	VA?	clay	f	Pale grey. High clay-sil alt zone from above. Gouge seams at 276.9-60cm, 277.8-35cm, 278.5-30cm, 279.4-45cm, 280.2-10cm. 278.95-5cm white qv	E3	1							1					1	3			1		3			<1 (0,10)					
281.10	300.00	18.90	VM	and	m, bx	Light grey. Moderately clay altered. 285.6-3cm qtz-cb vein 25°CA, 287.-2cm qtz-cb-chl vein 40°CA, 289.2-4cm qv 85°CA, 289.4-4cm qv 45¯CA, 296.4-300 - sil/bx+kspar	A2	4	1	4					9		Tr			1	2	1	Tr	1	Tr	1			<1 (2,8)					
300.00	303.50	3.50	FA	goug		Grey. Gouge and rubble.		6							6					2						3			<1 (2,8)					
303.50	308.90	5.40	VM?		f-m	Pale grey. Highly silicified alt zone. Prolific fine black veinlets of qtz-vfg sulphides.	S3	12						black qtz-sulf7	19		1			3	3	Tr					Tr		1 (7,3)					
308.90	314.10	5.20	VM		f-m	Grey. As above, less altered. 312-50cm sil alt zone as above.	P1/C2	4		2					6		Tr			1	2	1	Tr	2					1 (4,6)					
314.10	336.20	22.10	DI1	dior	m	Pale to dark grey microdiorite. Local kspar alt around py veins. 319-40cm broken rubble,, 319.8-4cm qtz-cb vein 40°CA, 328.3-1cm qtz-cb vein 30°CA, 330.8-1cm qtz-cb-chl vein 20°CA	C2	3		4				qtz-cb5	12		Tr			1	1	2		2					1 (1,9)					
336.20	340.00	3.80	FA		f-m	Dark grey-green VM. Rubble and gouge.	P3											Tr				3		3		2			2 (1,9)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
340.00	363.00	23.00	DI1	dior	f-m, por	Dark grey. Minor large hornblendes to 2mm. Core very broken with minor gouge intervals, Intermittent silicified area throughout. 362.5-50cm bleached sil-kspar alt around qtz-ser-chl veinlets.	P2	2	4					ep-py2	8					2	1	2	Tr		Tr				3 (8,2)					
363.00	370.30	7.30	DI1	dior	f, cla-v	Dark grey microdiorite. Rare black fragmental to 3cm.	P2		3	2				ep-cb2	7							2	2	1	Tr				5 (2,8)					
370.30	371.20	0.90	FA	qtz		Creamy white qtz-cb vein + minor gouge.	S5													5				3		2								
371.20	381.20	10.00	DI1	dior	f-m	Grey-green. Cb alt near fault contact, decreasing with depth. 373-15cm gouge, 379.3-6cm qtz-cb-chl vein 45°CA with 75cm bleached high cb alt zone.	P2		4	1				ep1	6		Tr			1		2	1	2	Tr				6 (4,6)					
381.20	383.50	2.30	VA	bas	f	Black. Gradually increasing in grain size to below. 381.1-1cm py vein 10°CA.	P1		6					ep1	7			3				1	1		1				4 (8,2)					
383.50	387.00	3.50	DI1	dior	f-m	Dark grey green microdiorite, increasing grain size with depth. 384.7-4cm cb-py vein 25°CA with 15cm bleached cb-kspar alt halo.	P2		3	1				ep1	5		Tr					1	2	1					3 (9,1)					
387.00	392.40	5.40	DI2	dior	m	Dark grey. 391.7-55cm cb alt zone around multiple cb-chl veins, 391.25-15cm gouge.	P1		4	2				ep1	7		Tr	2				1	1	1					4 (7,3)					
392.40	393.60	1.20	VA	and	f	Dark grey.	P1		2	1					3			1				2	1	2					2 (2,8)					
393.60	398.10	4.50	DI1/HP	dior	f-m, por	Dark grey. Minor larger hornblende crystals.	P1		3						3			Tr				1	1	1					3 (5,5)					
398.10	405.80	7.70	VA/HP	and	f-m, por	Dark grey-black. Fragmentals to 3cm decreasing with depth to 401m. As above, fine grained. Minor larger hornblende crystals.	P1		6					ep1	7			1				1	2	Tr					2 (8,2)					
405.80	409.50	3.70	FA	goug	f	Pale green gouge and rubble.	P4											Tr					4	1	1	3			5(2,8)					
409.50	411.70	2.20	D1	dior	m, cla-i	Dark grey-black. Cb alt near above and below faults.			3					ep-ser3	6			Tr				1	2	Tr			Tr		3 (1,9)					
411.70	412.30	0.60	FA	qtz		Pale green. Ep-cb-sil-kspar alt zone around 10cm qtz-cb-chl vein.	S2										1			2			4	3	1				10 (2,8)					
412.30	415.00	2.70	HP/VP	volc	por	Green-grey. Ep-clay altered phenocrysts.	P3		3						3			1			3		3						2 (8,2)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
415.00	416.80	1.80	FA	qtz		415-50cm gouge, 416-65cm qtz bx 40°CA, sil bleached alt zone, 417-1cm cb vein 45°CA	S4											Tr		4	2		3						1 (0,10)					
416.80	419.60	2.80	HP/VP	volc	por	Green-grey. Ep-clay altered phenocrysts.	P3		3	2				ep3	8			1			3		3						2 (8,2)					
419.60	422.80	3.20	VA	bas	f, cla-i	Dark grey. Crowded small fragmentals.	P3		4	2				ep3	9			1					3						1 (6,4)					
422.80	425.50	2.70	VA	bas	f	Dark green-black.	P3		5	3					8							1	3	2					4 (5,5)					
425.50	433.70	8.20	VA/HP	bas	f, por, cla-i	Dark grey. Crowded small fragmentals to 2cm.	P2		2					cb-ep3	5			2				1	2						3 (1,9)					
433.70	446.00	12.30	VA	and	f	Olive green. 436.4 to 437.9-fault: multiple gouge seams with rubble + cb-hem veining 30°CA.	P3							cb-hem5	5						2	1	3	2	2				Tr					
446.00	460.30	14.30	VA	bas/and	f, cla-i	Dark grey. Fragmentals to 5cm.	P2		1	2		Tr			3			1				1	2		1			<1 (9,1)					
460.30	463.70	3.40	VM	bas/and	f-m, cla-i	As above, coarser grained. Fragmentals to 6cm.	P2		1	2	3			ep2	8			2				1	2						<1 (5,5)					
463.70	465.20	1.50	FA	goug		Pale green grey. Minor qtz-cb veinlets in gouge/rubble.	P4		1	1					2							2	4		2	3			1 (0,10)					
465.20	482.60	17.40	VM	and	f-m, cla-l, por	Fine and coarse intervals with ep-minor alt feldspar porphyry. Fragmentals to 7cm. 466.7-1cm qv 60°CA, 468.7-30cm gouge, 473.3-2cm ep vein 45°CA, 480.9-4cm qtz+chl vein 50°CA.	P2		2	3		Tr			5			2				1	2	1	1			2 (3,7)					
482.60	501.80	19.20	HP/VM	and	f, por, cla-i	Dark green. Intermittent ep-alt hornblende phenocrysts. Local traces of kspar alt in halos. 483.3-1cm ep-qtz-cb-hem-py vein 35°CA, 485.4- 0.5cm py vein 5°CA, 490.5-10cm gouge+1cm cb vein 45°CA, 492.9-12cm high ep-kspar alt + py, 495-1cm cb-anhy vein 10°CA, 499.6-3cm ep alt around 2 1cm qtz-cb veins, 500.5-2cm chalc qtz-cb+chl vein 45°CA	P3	1	3	3		Tr		ep-cb3	10		Tr	1				2	3	1	Tr			3 (8,2)					
501.80	506.20	4.40	DI1	dior	f-m	Dark grey-green. Local high ep + kspar alt patches. 503-3cm gouge.	P3	1	1	3				ep-cb3	8		Tr	2				1	3	Tr	Tr				<1 (7,3)					
506.20	511.30	5.10	HP	and	f, por	Dark grey. Hornblende phenos to 2mm, intermittend feldspars to 2mm.	P2			1				ep-cb2, hem-cb1				3				1	2	1	1				<1 (1,9)					

							Alteration	Veins								Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type	Qtz Vns (B)	Pyritic (D)	Carbonate	Gypsum	Anhydrite	Clay	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
511.30	533.30	22.00	VA/HP	and	f, cla-i	Dark grey-black. Fragmentals to 3cm, generally ep-alt. Occasional hornblende phenos to 1mm often ep-alt. 517-1cm cb vein with 30cm ep alt halo, 520.9-14cm qtz+ser+hem-anhydrite vein 30°CA, 527.6-10cm qv+gouge+50%py 35°CA, 532.9-40cm gouge/rubble+multiple qv to 6cm.	P2	2	1	2		Tr			3			2			Tr	2	2	Tr	Tr				<1 (2,8)					
533.30	535.10	1.80	DI2	dior	m	Dark grey-tan.	P2										3					2	2						3 (0,10)					
535.10	546.90	11.80	VA/HP	and	f,cla-iv	Dark grey. As previous unit. Fragmentals to 4cm. Local py to 5%. 538.3-4cm gouge, 537.05-0.5cm gypsum vein 50°CA, 538.7-1cm qtz-cb-anhy-py vein 20°CA, 540.1-.05cm qtz-cb-anhy vein 20°CA, 540.5-40cm gouge	P2	2	1		Tr	Tr						1				1	2						<1 (8,2)					
546.90	561.40	14.50	DI2	dior	m, cla-v	Grey to pale grey. Minor infrequent black volc fragmental to 6cm. 550.1-40cm gouge/rubble+qtz-ser, 555-2m bleached sil alt zone: 556.1-multiple >1cm qv 45°CA, 559-80cm sil alt zone	P1	2		2							2			2	1	2			1				Tr					
561.40	583.20	21.80	VA/HP	and	f, cla-iv, por	Dark grey-green. Crowded fragmentals to 9cm. 574.2-60cm sil-kspar alt zone around 5cm qtz-chl-cb-py vein 45°CA+ gouge, 576.35-80cm sil-kspar alt zone around 5cm qtz-cb chl vein at 576.7 25°CA	P2			2				ep1			1	Tr		1		2	3	1					<1 (1,9)					
583.20	585.40	2.20	FA	goug		Fault zone- crushed rubble and gouge	P3	3												1		3	2			2			Tr					
585.40	600.00	14.60	VA/HP	and	f-m, por	Dark grey. 587.1-10cm 50%py, 588.3-6cm ep-py vein 75°CA, 589.2-0.5cm cb-hem vein 30°CA, 591.2-10cm crush zone (rubble/gouge), 598.6-4cm qtz-cb-hem vein 45°CA.	P2	1	1	2						1					1	2	1	1				<1 (3,7)					
	end																																	

2014 Drill Log Legend

Lithology

Unit	Code
Overburden	0B
Fine grained volcanics	VA
Medium grained volcanics	VM
Volcanic Breccia, fragmentals	VB
Feldspar Porphyry	VP
Hornblende Porphryry/Hornblendite	HP
Granite	GR
Dacite	DA
Micro Diorite	DI1
Fine Diorite (<1mm)	DI2
Medium Diorite	DI3
Quartz Diorite	DI4
Monzonite	MN
Mafic Dyke	DM
Felsic Dyke	DF
Fault, gouge	GG
Quartz	QZ
Rhyolite	FR
Syenite	SY
Sedimentary - Siltstone/Greywacke	SS

Rock Type	Code
Unconsolidated; overburden, soils	Ob
Alluvium	Alv
Till	Till
Basalt	Bas
Tuff, mafic	Mtf
Tuff, felsic	Ftf
Rhyolite	Rhy
Andesite	And
Dacite	Dac
Granite	Gr
Granodiorite	Grd
Tonalite	Ton
Diorite	Dio
Gabbro	Gb
Quartz Monzonite	Qm
Syenite	Sy
Monzonite	Mz
Monzonite breccia	Mzb
Monzodiorite	Mzd
Monzogabbro	Mzg
Meta-andesite	Mand
Meta-basalt	Mbas
Mafic, meta-volcanic bxa, agglom.	Mvbx
Felsic, meta-volcanic breccia	Mfbx
Conglomerate	Cgl
Lithic Sandstone	Lss
Sandstone	Ss
Lithic Siltstone	Lst
Siltstone	St
Mudstone	Sh
Sandstone, volcaniclastic, epiclastic	VSs
Siltstone, volcaniclastic, epiclastic	VSt
Argillite	Arg
Phyllite	Phy
Skarn	Sk
Hornfels	Hf
Breccia - Sedimentary	Bs
Breccia - Volcanic	Bv
Breccia - Igneous	Bi
Breccia - Hydrothermal	Bh
Breccia - Fault	Bf
Fault Rock	FR
Vein	VN

Texture	Code
Fine groundmass, equigranular	F
Medium groundmass, equigran	M
Coarse groundmass, equigran	C
Foliated	Fol
Brecciated	Bx
Clastic (Sed, Hydrothermal, Igneous)	Cla-(S,H,I)
Porphyritic	P
vesicular	V

Veins

"B" type Quartz-Sulfide veins	%	#/m
"D" type Pyritic veins/veinlets	%	#/m

Alteration Type

Alt_1 (dominant) P1-5, E1-5, A1-5, S1-5, K1-5, C1-5, D1-5, H1-5, S1-5
where: P=Propylitic, E=Epithermal, A=Argillic, S=Silicification, K=Potassic, C=Carbonate, D=Sodic, H=Hornfels, S=Qtz/Silicification

Alteration Minerals

Mineral species bi=biotite, ep=epidote, cb=carbonate, chl=chlorite, k=potassic, si=silicification, qz=quartz, clay=smecktite/illite/clay, gyp=anhydrite, hem=hematite, mag=magnetite, tour=tourmaline

Sulfides

Mineral species cpy=chalcopyrite, bn=bornite, po=pyrhotite, py=pyrite
1 to 5 (vein,diss) out of 10

Weathering

Redox State	Code
Fe-Ox	1 to 5
Cu-Ox	1 to 5
Limonite	1 to 5

Drill Core Susceptibility Survey Results

HOLE ID	READING	DEPTH
DI-14-07	16.7	4
DI-14-07	13.0	5
DI-14-07	0.5	6
DI-14-07	0.8	7
DI-14-07	0.4	8
DI-14-07	0.1	9
DI-14-07	0.3	10
DI-14-07	0.5	11
DI-14-07	0.4	12
DI-14-07	0.2	13
DI-14-07	0.2	14
DI-14-07	0.4	15
DI-14-07	0.3	16
DI-14-07	0.2	17
DI-14-07	0.1	18
DI-14-07	0.2	19
DI-14-07	1.0	20
DI-14-07	0.1	21
DI-14-07	0.1	22
DI-14-07	0.6	23
DI-14-07	0.2	24
DI-14-07	0.4	25
DI-14-07	0.1	26
DI-14-07	0.2	27
DI-14-07	0.4	28
DI-14-07	0.5	29
DI-14-07	4.7	30
DI-14-07	8.8	31
DI-14-07	1.7	32
DI-14-07	0.2	33
DI-14-07	0.5	34
DI-14-07	9.0	35
DI-14-07	17.1	36
DI-14-07	10.7	37
DI-14-07	9.0	38
DI-14-07	15.2	39
DI-14-07	18.1	40
DI-14-07	8.5	41
DI-14-07	1.9	42
DI-14-07	10.1	43
DI-14-07	2.4	44
DI-14-07	0.9	45
DI-14-07	0.5	46
DI-14-07	11.9	47
DI-14-07	15.5	48
DI-14-07	2.4	49
DI-14-07	1.8	50
DI-14-07	1.3	51
DI-14-07	0.1	52
DI-14-07	6.7	53
DI-14-07	5.8	54
DI-14-07	0.3	55
DI-14-07	0.3	56
DI-14-07	0.2	57
DI-14-07	3.5	58
DI-14-07	1.0	59
DI-14-07	0.4	60
DI-14-07	1.0	61
DI-14-07	0.4	62
DI-14-07	0.2	63

HOLE ID	READING	DEPTH
DI-14-07	2.3	64
DI-14-07	0.5	65
DI-14-07	1.8	66
DI-14-07	0.9	67
DI-14-07	8.9	68
DI-14-07	0.3	69
DI-14-07	0.3	70
DI-14-07	1.1	71
DI-14-07	3.8	72
DI-14-07	1.6	73
DI-14-07	1.5	74
DI-14-07	2.4	75
DI-14-07	0.5	76
DI-14-07	14.5	77
DI-14-07	5.9	78
DI-14-07	1.2	79
DI-14-07	0.3	80
DI-14-07	0.4	81
DI-14-07	0.2	82
DI-14-07	0.2	83
DI-14-07	0.2	84
DI-14-07	2.3	85
DI-14-07	0.4	86
DI-14-07	0.3	87
DI-14-07	1.3	88
DI-14-07	0.3	89
DI-14-07	0.4	90
DI-14-07	0.3	91
DI-14-07	0.6	92
DI-14-07	1.1	93
DI-14-07	15.5	94
DI-14-07	10.9	95
DI-14-07	1.9	96
DI-14-07	0.1	97
DI-14-07	0.4	98
DI-14-07	1.3	99
DI-14-07	2.1	100
DI-14-07	2.9	101
DI-14-07	0.5	102
DI-14-07	0.7	103
DI-14-07	0.3	104
DI-14-07	0.2	105
DI-14-07	3.3	106
DI-14-07	1.8	107
DI-14-07	4.0	108
DI-14-07	1.0	109
DI-14-07	8.5	110
DI-14-07	1.6	111
DI-14-07	6.0	112
DI-14-07	2.7	113
DI-14-07	5.4	114
DI-14-07	0.4	115
DI-14-07	0.3	116
DI-14-07	0.4	117
DI-14-07	13.4	118
DI-14-07	0.7	119
DI-14-07	1.2	120
DI-14-07	0.5	121
DI-14-07	1.3	122
DI-14-07	0.6	123

HOLE ID	READING	DEPTH
DI-14-07	5.0	124
DI-14-07	4.7	125
DI-14-07	0.4	126
DI-14-07	0.3	127
DI-14-07	0.2	128
DI-14-07	0.3	129
DI-14-07	0.1	130
DI-14-07	0.2	131
DI-14-07	0.2	132
DI-14-07	0.2	133
DI-14-07	1.0	134
DI-14-07	1.1	135
DI-14-07	0.2	136
DI-14-07	0.4	137
DI-14-07	0.4	138
DI-14-07	0.2	139
DI-14-07	0.3	140
DI-14-07	0.2	141
DI-14-07	1.1	142
DI-14-07	0.3	143
DI-14-07	0.1	144
DI-14-07	2.9	145
DI-14-07	0.3	146
DI-14-07	0.9	147
DI-14-07	0.2	148
DI-14-07	0.2	149
DI-14-07	0.2	150
DI-14-07	0.3	151
DI-14-07	0.1	152
DI-14-07	0.3	153
DI-14-07	6.5	154
DI-14-07	0.9	155
DI-14-07	1.6	156
DI-14-07	0.6	157
DI-14-07	0.5	158
DI-14-07	0.2	159
DI-14-07	6.0	160
DI-14-07	0.1	161
DI-14-07	0.3	162
DI-14-07	0.1	163
DI-14-07	0.2	164
DI-14-07	0.1	165
DI-14-07	0.3	166
DI-14-07	0.6	167
DI-14-07	0.2	168
DI-14-07	0.5	169
DI-14-07	0.3	170
DI-14-07	0.2	171
DI-14-07	0.3	172
DI-14-07	0.4	173
DI-14-07	0.2	174
DI-14-07	0.4	175
DI-14-07	0.1	176
DI-14-07	2.8	177
DI-14-07	0.6	178
DI-14-07	0.2	179
DI-14-07	1.0	180
DI-14-07	0.3	181
DI-14-07	0.8	182
DI-14-07	0.8	183

HOLE ID	READING	DEPTH
DI-14-07	0.6	184
DI-14-07	1.8	185
DI-14-07	0.5	186
DI-14-07	0.5	187
DI-14-07	1.4	188
DI-14-07	2.8	189
DI-14-07	0.5	190
DI-14-07	3.3	191
DI-14-07	0.9	192
DI-14-07	1.9	193
DI-14-07	0.8	194
DI-14-07	0.5	195
DI-14-07	0.4	196
DI-14-07	2.2	197
DI-14-07	1.3	198
DI-14-07	14.9	199
DI-14-07	9.0	200
DI-14-07	0.9	201
DI-14-07	29.2	202
DI-14-07	2.1	203
DI-14-07	1.0	204
DI-14-07	0.3	205
DI-14-07	0.4	206
DI-14-07	0.3	207
DI-14-07	0.2	208
DI-14-07	0.2	209
DI-14-07	0.2	210
DI-14-07	0.2	211
DI-14-07	0.3	212
DI-14-07	0.4	213
DI-14-07	0.1	214
DI-14-07	0.3	215
DI-14-07	0.3	216
DI-14-07	0.2	217
DI-14-07	0.2	218
DI-14-07	0.3	219
DI-14-07	0.1	220
DI-14-07	0.2	221
DI-14-07	0.2	222
DI-14-07	0.4	223
DI-14-07	0.8	224
DI-14-07	0.4	225
DI-14-07	0.2	226
DI-14-07	0.4	227
DI-14-07	1.4	228
DI-14-07	0.7	229
DI-14-07	0.2	230
DI-14-07	0.3	231
DI-14-07	1.1	232
DI-14-07	5.7	233
DI-14-07	1.3	234
DI-14-07	1.1	235
DI-14-07	7.8	236
DI-14-07	2.2	237
DI-14-07	4.3	238
DI-14-07	4.2	239
DI-14-07	0.9	240
DI-14-07	0.4	241
DI-14-07	3.1	242
DI-14-07	1.0	243

HOLE ID	READING	DEPTH
DI-14-07	0.7	244
DI-14-07	1.7	245
DI-14-07	0.3	246
DI-14-07	0.2	247
DI-14-07	0.2	248
DI-14-07	0.4	249
DI-14-07	1.1	250
DI-14-07	0.2	251
DI-14-07	0.1	252
DI-14-07	0.1	253
DI-14-07	0.4	254
DI-14-07	0.3	255
DI-14-07	0.2	256
DI-14-07	0.1	257
DI-14-07	0.8	258
DI-14-07	0.3	259
DI-14-07	0.3	260
DI-14-07	0.2	261
DI-14-07	0.1	262
DI-14-07	0.1	263
DI-14-07	0.1	264
DI-14-07	0.4	265
DI-14-07	0.5	266
DI-14-07	0.6	267
DI-14-07	0.2	268
DI-14-07	0.3	269
DI-14-07	0.3	270
DI-14-07	0.5	271
DI-14-07	0.2	272
DI-14-07	0.3	273
DI-14-07	1.7	274
DI-14-07	0.3	275
DI-14-07	0.1	276
DI-14-07	0.1	277
DI-14-07	0.3	278
DI-14-07	5.3	279
DI-14-07	3.2	280
DI-14-07	19.8	281
DI-14-07	0.8	282
DI-14-07	0.3	283
DI-14-07	1.2	284
DI-14-07	2.7	285
DI-14-07	2.7	286
DI-14-07	29.7	287
DI-14-07	28.8	288
DI-14-07	4.0	289
DI-14-07	1.2	290
DI-14-07	5.8	291
DI-14-07	4.5	292
DI-14-07	6.6	293
DI-14-07	4.8	294
DI-14-07	5.8	295
DI-14-07	2.9	296
DI-14-07	0.5	297
DI-14-07	1.8	298
DI-14-07	15.7	299
DI-14-07	7.9	300
DI-14-07	1.9	301
DI-14-07	0.3	302
DI-14-07	2.4	303

HOLE ID	READING	DEPTH
DI-14-07	5.2	304
DI-14-07	1.7	305
DI-14-07	4.6	306
DI-14-07	7.0	307
DI-14-07	4.0	308
DI-14-07	1.2	309
DI-14-07	6.5	310
DI-14-07	2.3	311
DI-14-07	9.5	312
DI-14-07	4.2	313
DI-14-07	3.0	314
DI-14-07	5.1	315
DI-14-07	1.7	316
DI-14-07	0.9	317
DI-14-07	0.4	318
DI-14-07	0.4	319
DI-14-07	0.3	320
DI-14-07	0.2	321
DI-14-07	0.6	322
DI-14-07	0.6	323
DI-14-07	0.2	324
DI-14-07	0.2	325
DI-14-07	0.1	326
DI-14-07	0.3	327
DI-14-07	0.2	328
DI-14-07	0.1	329
DI-14-07	0.3	330
DI-14-07	0.6	331
DI-14-07	4.5	332
DI-14-07	2.6	333
DI-14-07	1.5	334
DI-14-07	11.2	335
DI-14-07	6.5	336
DI-14-07	13.3	337
DI-14-07	4.6	338
DI-14-07	6.9	339
DI-14-07	1.4	340
DI-14-07	1.3	341
DI-14-07	0.6	342
DI-14-07	0.4	343
DI-14-07	2.1	344
DI-14-07	0.6	345
DI-14-07	0.5	346
DI-14-07	0.4	347
DI-14-07	0.2	348
DI-14-07	0.2	349
DI-14-07	0.9	350
DI-14-07	0.1	351
DI-14-07	0.2	352
DI-14-07	0.3	353
DI-14-07	0.5	354
DI-14-07	0.2	355
DI-14-07	0.2	356
DI-14-07	3.1	357
DI-14-07	0.5	358
DI-14-07	0.7	359
DI-14-07	0.2	360
DI-14-07	0.2	361
DI-14-07	0.2	362
DI-14-07	1.0	363

HOLE ID	READING	DEPTH
DI-14-07	0.3	364
DI-14-07	1.5	365
DI-14-07	0.3	366
DI-14-07	0.1	367
DI-14-07	0.6	368
DI-14-07	0.1	369
DI-14-07	0.1	370
DI-14-07	0.1	371
DI-14-07	0.1	372
DI-14-07	0.3	373
DI-14-07	0.3	374
DI-14-07	0.1	375
DI-14-07	0.1	376
DI-14-07	0.1	377
DI-14-07	0.3	378
DI-14-07	0.3	379
DI-14-07	0.1	380
DI-14-07	0.1	381
DI-14-07	0.1	382
DI-14-07	0.4	383
DI-14-07	0.1	384
DI-14-07	0.1	385
DI-14-07	0.1	386
DI-14-07	0.1	387
DI-14-07	0.3	388
DI-14-07	0.2	389
DI-14-07	0.6	390
DI-14-07	0.4	391
DI-14-07	1.0	392
DI-14-07	0.1	393
DI-14-07	4.3	394
DI-14-07	5.9	395
DI-14-07	0.7	396 *
DI-14-07	0.2	397
DI-14-07	7.7	398
DI-14-07	11.3	399
DI-14-07	0.6	400
DI-14-07	8.1	401
DI-14-07	0.3	402
DI-14-07	0.3	403
DI-14-07	2.2	404
DI-14-07	0.2	405
DI-14-07	0.9	406
DI-14-07	0.8	407
DI-14-07	0.3	408
DI-14-07	0.3	409
DI-14-07	0.2	410
DI-14-07	0.7	411
DI-14-07	0.3	412
DI-14-07	0.3	413
DI-14-07	0.5	414
DI-14-07	0.5	415
DI-14-07	1.1	416
DI-14-07	0.7	417
DI-14-07	1.0	418
DI-14-07	0.2	419
DI-14-07	5.2	420
DI-14-07	0.4	421
DI-14-07	0.4	422
DI-14-07	0.4	423

HOLE ID	READING	DEPTH
DI-14-07	0.2	424
DI-14-07	7.0	425
DI-14-07	6.3	426
DI-14-07	5.2	427
DI-14-07	3.0	428
DI-14-07	3.9	429
DI-14-07	7.2	430
DI-14-07	1.2	431
DI-14-07	1.5	432
DI-14-07	8.6	433
DI-14-07	0.4	434
DI-14-07	0.3	435
DI-14-07	10.2	436
DI-14-07	1.1	437
DI-14-07	0.3	438
DI-14-07	0.3	439
DI-14-07	0.6	440
DI-14-07	0.4	441
DI-14-07	0.4	442
DI-14-07	0.2	443
DI-14-07	0.4	444
DI-14-07	5.6	445
DI-14-07	0.4	446
DI-14-07	1.7	447
DI-14-07	2.1	448
DI-14-07	0.2	449
DI-14-07	0.7	450
DI-14-07	0.2	451
DI14-08	7.3	28
DI14-08	14.3	29
DI14-08	7.9	30
DI14-08	6.9	31
DI14-08	11.1	32
DI14-08	5.2	33
DI14-08	1.2	34
DI14-08	32.2	35
DI14-08	13.0	36
DI14-08	4.3	37
DI14-08	6.1	38
DI14-08	4.4	39
DI14-08	1.3	40
DI14-08	2.8	41
DI14-08	23.9	42
DI14-08	11.0	43
DI14-08	7.6	44
DI14-08	3.1	45
DI14-08	15.8	46
DI14-08	10.0	47
DI14-08	27.2	48
DI14-08	3.9	49
DI14-08	4.6	50
DI14-08	6.0	51
DI14-08	0.4	52
DI14-08	0.5	53
DI14-08	1.2	54
DI14-08	21.4	55
DI14-08	15.7	56
DI14-08	3.5	57
DI14-08	0.7	58
DI14-08	0.6	59

HOLE ID	READING	DEPTH
DI14-08	0.4	60
DI14-08	0.2	61
DI14-08	0.4	62
DI14-08	0.5	63
DI14-08	0.6	64
DI14-08	0.5	65
DI14-08	0.3	66
DI14-08	0.2	67
DI14-08	0.3	68
DI14-08	0.2	69
DI14-08	0.5	70
DI14-08	0.2	71
DI14-08	0.5	72
DI14-08	0.3	73
DI14-08	0.2	74
DI14-08	0.4	75
DI14-08	0.4	76
DI14-08	0.3	77
DI14-08	0.9	78
DI14-08	0.7	79
DI14-08	0.5	80
DI14-08	0.4	81
DI14-08	1.1	82
DI14-08	0.8	83
DI14-08	0.6	84
DI14-08	1.0	85
DI14-08	1.2	86
DI14-08	0.8	87
DI14-08	0.2	88
DI14-08	0.4	89
DI14-08	3.4	90
DI14-08	4.0	91
DI14-08	5.2	92
DI14-08	2.9	93
DI14-08	7.4	94
DI14-08	7.2	95
DI14-08	3.0	96
DI14-08	1.1	97
DI14-08	0.4	98
DI14-08	0.8	99
DI14-08	0.2	100
DI14-08	0.1	101
DI14-08	0.4	102
DI14-08	0.1	103
DI14-08	7.5	104
DI14-08	0.8	105
DI14-08	0.6	106
DI14-08	8.5	107
DI14-08	8.2	108
DI14-08	7.6	109
DI14-08	8.4	110
DI14-08	6.5	111
DI14-08	9.0	112
DI14-08	2.0	113
DI14-08	0.9	114
DI14-08	10.4	115
DI14-08	4.5	116
DI14-08	4.1	117
DI14-08	1.8	118
DI14-08	6.7	119

HOLE ID	READING	DEPTH
DI14-08	7.5	120
DI14-08	0.9	121
DI14-08	0.5	122
DI14-08	0.2	123
DI14-08	0.1	124
DI14-08	6.1	125
DI14-08	2.2	126
DI14-08	14.9	127
DI14-08	5.4	128
DI14-08	0.5	129
DI14-08	0.2	130
DI14-08	0.3	131
DI14-08	0.4	132
DI14-08	0.2	133
DI14-08	1.0	134
DI14-08	0.2	135
DI14-08	0.7	136
DI14-08	0.2	137
DI14-08	9.8	138
DI14-08	9.9	139
DI14-08	11.0	140
DI14-08	11.6	141
DI14-08	4.7	142
DI14-08	15.6	143
DI14-08	11.6	144
DI14-08	6.5	145
DI14-08	1.9	146
DI14-08	3.1	147
DI14-08	0.7	148
DI14-08	10.8	149
DI14-08	11.3	150
DI14-08	0.7	151
DI14-08	16.0	152
DI14-08	8.6	153
DI14-08	2.9	154
DI14-08	7.2	155
DI14-08	15.1	156
DI14-08	13.8	157
DI14-08	2.9	158
DI14-08	13.4	159
DI14-08	6.6	160
DI14-08	1.3	161
DI14-08	1.5	162
DI14-08	1.8	163
DI14-08	0.4	164
DI14-08	2.0	165
DI14-08	2.8	166
DI14-08	4.5	167
DI14-08	11.3	168
DI14-08	9.7	169
DI14-08	10.6	170
DI14-08	10.3	171
DI14-08	1.9	172
DI14-08	4.1	173
DI14-08	8.4	174
DI14-08	8.4	175
DI14-08	2.0	176
DI14-08	0.2	177 *
DI14-08	0.3	178
DI14-08	1.2	179

HOLE ID	READING	DEPTH
DI14-08	1.8	180
DI14-08	1.5	181
DI14-08	5.6	182
DI14-08	0.2	183
DI14-08	0.1	184
DI14-08	0.2	185
DI14-08	0.3	186
DI14-08	0.8	187
DI14-08	13.8	188
DI14-08	14.1	189
DI14-08	6.8	190
DI14-08	2.2	191
DI14-08	9.9	192
DI14-08	3.8	193
DI14-08	8.2	194
DI14-08	2.8	195
DI14-08	3.8	196
DI14-08	2.1	197
DI14-08	9.7	198
DI14-08	6.8	199
DI14-08	0.3	200
DI14-08	4.8	201
DI14-08	0.3	202
DI14-08	7.2	203
DI14-08	5.4	204
DI14-08	0.5	205
DI14-08	4.7	206
DI14-08	3.2	207
DI14-08	3.6	208
DI14-08	9.6	209
DI14-08	0.8	210
DI14-08	3.4	211
DI14-08	2.1	212
DI14-08	0.9	213
DI14-08	7.5	214
DI14-08	0.6	215
DI14-08	0.4	216
DI14-08	0.6	217
DI14-08	0.1	218
DI14-08	2.2	219
DI14-08	0.3	220
DI14-08	0.2	221
DI14-08	4.1	222
DI14-08	0.1	223
DI14-08	3.5	224
DI14-08	0.3	225
DI14-08	0.2	226
DI14-08	0.4	227
DI14-08	0.2	228
DI14-08	0.4	229
DI14-08	0.2	230
DI14-08	0.2	231
DI14-08	0.1	232
DI14-08	0.2	233
DI14-08	0.5	234
DI14-08	0.2	235
DI14-08	0.2	236
DI14-08	0.2	237
DI14-08	1.0	238
DI14-08	1.2	239

HOLE ID	READING	DEPTH
DI14-08	1.3	240
DI14-08	1.0	241
DI14-08	0.2	242
DI14-08	0.1	243
DI14-08	0.4	244
DI14-08	0.3	245
DI14-08	0.6	246
DI14-08	0.9	247
DI14-08	0.2	248
DI14-08	3.0	249
DI14-08	6.6	250
DI14-08	0.8	251
DI14-08	0.2	252
DI14-08	0.2	253
DI14-08	0.2	254
DI14-08	0.6	255
DI14-08	0.1	256
DI14-08	0.2	257
DI14-08	0.2	258
DI14-08	0.3	259
DI14-08	0.1	260
DI14-08	0.2	261
DI14-08	0.3	262
DI14-08	1.8	263
DI14-08	0.2	264
DI14-08	0.4	265
DI14-08	0.7	266
DI14-08	0.5	267
DI14-08	8.8	268
DI14-08	0.5	269
DI14-08	2.9	270
DI14-08	3.9	271
DI14-08	0.7	272
DI14-08	0.3	273
DI14-08	0.3	274
DI14-08	0.2	275
DI14-08	0.2	276
DI14-08	0.2	277
DI14-08	0.2	278
DI14-08	0.2	279
DI14-08	0.4	280
DI14-08	0.6	281
DI14-08	0.5	282
DI14-08	0.2	283
DI14-08	0.3	284
DI14-08	0.2	285
DI14-08	0.2	286
DI14-08	0.4	287
DI14-08	1.9	288
DI14-08	0.6	289
DI14-08	4.7	290
DI14-08	7.1	291
DI14-08	0.6	292
DI14-08	0.9	293
DI14-08	0.3	294
DI14-08	0.9	295
DI14-08	0.7	296
DI14-08	0.4	297
DI14-08	3.3	298
DI14-08	0.3	299

HOLE ID	READING	DEPTH
DI14-08	0.1	300
DI14-08	0.1	301
DI14-08	0.4	302
DI14-08	0.3	303
DI14-08	0.8	304
DI14-08	2.8	305
DI14-08	3.8	306
DI14-08	2.6	307
DI14-08	0.6	308
DI14-08	0.2	309
DI14-08	1.6	310
DI14-08	0.3	311
DI14-08	3.6	312
DI14-08	0.3	313
DI14-08	0.5	314
DI14-08	1.1	315
DI14-08	1.3	316
DI14-08	0.2	317
DI14-08	0.3	318
DI14-08	1.5	319
DI14-08	7.4	320
DI14-08	6.0	321
DI14-08	0.5	322
DI14-08	3.3	323
DI14-08	0.6	324
DI14-08	0.9	325
DI14-08	2.7	326
DI14-08	14.2	327
DI14-08	2.0	328
DI14-08	17.3	329
DI14-08	12.6	330
DI14-08	8.4	331
DI14-08	1.9	332
DI14-08	1.1	333
DI14-08	2.6	334
DI14-08	1.4	335
DI14-08	10.8	336
DI14-08	0.6	337
DI14-08	10.8	338
DI14-08	3.1	339
DI14-08	8.9	340
DI14-08	11.3	341
DI14-08	5.6	342
DI14-08	12.3	343
DI14-08	10.7	344
DI14-08	4.5	345
DI14-08	9.0	346
DI14-08	6.2	347
DI14-08	8.3	348
DI14-08	1.2	349
DI14-08	0.6	350
DI14-08	14.0	351
DI14-08	14.0	352
DI14-08	2.6	353
DI14-08	0.9	354
DI14-08	2.0	355
DI14-08	15.6	356
DI14-08	0.4	357
DI14-08	23.7	358
DI14-08	13.3	359

HOLE ID	READING	DEPTH
DI14-08	0.5	360
DI14-08	0.9	361
DI14-08	2.9	362
DI14-08	0.2	363
DI14-08	0.2	364
DI14-08	2.7	365
DI14-08	0.3	366
DI14-08	0.3	367
DI14-08	1.0	368
DI14-08	7.9	369
DI14-08	1.2	370
DI14-08	6.6	371
DI14-08	1.6	372
DI14-08	12.3	373
DI14-08	5.0	374
DI14-08	11.4	375
DI14-08	5.0	376
DI14-08	1.8	377
DI14-08	0.3	378
DI14-08	0.4	379
DI14-08	8.0	380
DI14-08	18.3	381
DI14-08	0.2	382
DI14-08	11.7	383
DI14-08	14.7	384
DI14-08	15.7	385
DI14-08	1.2	386
DI14-08	8.4	387
DI14-08	60.6	388
DI14-08	4.3	389
DI14-08	10.3	390
DI14-08	5.6	391
DI14-08	13.4	392
DI14-08	9.2	393
DI14-08	8.2	394
DI14-08	33.9	395
DI14-08	40.2	396
DI14-08	6.0	397
DI14-08	2.6	398
DI14-08	2.0	399
DI14-08	3.7	400
DI14-08	2.9	401
DI14-08	6.0	402
DI14-08	0.3	403
DI14-08	3.4	404
DI14-08	3.0	405
DI14-08	2.5	406
DI14-08	0.3	407
DI14-08	0.3	408
DI14-08	0.4	409
DI14-08	0.2	410
DI14-08	0.3	411
DI14-08	0.4	412
DI14-08	0.8	413
DI14-08	0.7	414
DI14-08	2.1	415
DI14-08	9.7	416
DI14-08	17.9	417
DI14-08	10.2	418
DI14-08	2.2	419

HOLE ID	READING	DEPTH
DI14-08	54.0	420
DI14-08	0.3	421
DI14-08	0.2	422
DI14-08	0.3	423
DI14-08	0.4	424
DI14-08	0.6	425
DI14-08	0.2	426
DI14-08	0.3	427
DI14-08	0.3	428
DI14-08	0.2	429
DI14-08	0.3	430
DI14-08	0.2	431
DI14-08	0.5	432
DI14-08	0.3	433
DI14-08	0.6	434
DI14-08	6.7	435
DI14-08	0.6	436
DI14-08	0.2	437
DI14-08	0.4	438
DI14-08	1.3	439
DI14-08	6.3	440
DI14-08	26.7	441
DI14-08	2.2	442
DI14-08	15.2	443
DI14-08	2.7	444
DI14-08	16.9	445
DI14-08	0.3	446
DI14-08	2.6	447
DI14-08	2.1	448
DI14-08	0.4	449
DI14-08	0.8	450
DI14-08	0.2	451
DI14-08	0.5	452
DI14-08	0.2	453
DI14-08	0.7	454
DI14-08	0.2	455
DI14-08	0.1	456
DI14-08	0.3	457
DI14-08	0.6	458
DI14-08	5.7	459
DI14-08	0.8	460
DI14-08	0.3	461
DI14-08	0.3	462
DI14-08	0.2	463
DI14-08	0.3	464
DI14-08	0.2	465
DI14-08	0.3	466
DI14-08	0.2	467
DI14-08	0.2	468
DI14-08	0.1	469
DI14-08	0.2	470
DI14-08	0.5	471
DI14-08	0.7	472
DI14-08	0.6	473
DI14-08	0.8	474
DI14-08	0.1	475
DI14-08	0.3	476
DI14-08	0.7	477
DI14-08	0.1	478
DI14-08	0.1	479

HOLE ID	READING	DEPTH
DI14-08	0.4	480
DI14-08	4.0	481
DI14-08	0.7	482
DI14-08	0.9	483
DI14-08	0.9	484
DI14-08	0.5	485
DI14-08	0.3	486
DI14-08	0.3	487
DI14-08	0.2	488
DI14-08	0.2	489
DI14-08	0.4	490
DI14-08	0.2	491
DI14-08	0.6	492
DI14-08	0.1	493
DI14-08	0.2	494
DI14-08	0.6	495
DI14-08	0.3	496
DI14-08	0.4	497
DI14-08	0.1	498
DI14-08	0.2	499
DI14-08	0.6	500
DI14-08	0.6	501
DI14-08	0.1	502
DI14-08	0.3	503
DI14-08	0.4	504
DI14-08	0.1	505
DI14-08	0.2	506
DI14-08	0.2	507
DI14-08	0.1	508
DI14-08	0.1	509
DI14-08	0.3	510
DI14-08	1.5	511
DI14-08	0.3	512
DI14-08	0.1	513
DI14-08	0.2	514
DI14-08	0.4	515
DI14-08	0.1	516
DI14-08	0.3	517
DI14-08	0.2	518
DI14-08	0.4	519
DI14-08	0.2	520
DI14-08	0.4	521
DI14-08	0.1	522
DI14-08	0.7	523
DI14-09	6.9	31
DI14-09	5.5	32
DI14-09	4.4	33
DI14-09	0.6	34
DI14-09	1.1	35
DI14-09	1.5	36
DI14-09	0.9	37
DI14-09	3.1	38
DI14-09	0.3	39
DI14-09	2.7	40
DI14-09	0.2	41
DI14-09	1.7	42
DI14-09	0.3	43
DI14-09	0.3	44
DI14-09	2.0	45
DI14-09	1.7	46

HOLE ID	READING	DEPTH
DI14-09	1.1	47
DI14-09	3.9	48
DI14-09	2.1	49
DI14-09	3.6	50
DI14-09	4.8	51
DI14-09	2.5	52
DI14-09	4.5	53
DI14-09	0.3	54
DI14-09	13.6	55
DI14-09	0.3	56
DI14-09	0.5	57
DI14-09	21.8	58
DI14-09	1.0	59
DI14-09	0.2	60
DI14-09	0.1	61
DI14-09	0.5	62
DI14-09	0.1	63
DI14-09	0.1	64
DI14-09	1.3	65
DI14-09	0.2	66
DI14-09	0.2	67
DI14-09	0.2	68
DI14-09	0.2	69
DI14-09	0.4	70
DI14-09	0.3	71
DI14-09	0.2	72
DI14-09	1.0	73
DI14-09	0.3	74
DI14-09	0.2	75
DI14-09	0.3	76
DI14-09	0.1	77
DI14-09	2.1	78
DI14-09	7.7	79
DI14-09	0.6	80
DI14-09	6.8	81
DI14-09	0.5	82
DI14-09	0.8	83
DI14-09	3.6	84
DI14-09	2.9	85
DI14-09	4.7	86
DI14-09	3.7	87
DI14-09	9.7	88
DI14-09	0.4	89
DI14-09	0.1	90
DI14-09	0.2	91
DI14-09	0.4	92
DI14-09	0.4	93
DI14-09	2.0	94
DI14-09	2.1	95
DI14-09	0.2	96
DI14-09	0.7	97
DI14-09	0.3	98
DI14-09	0.2	99
DI14-09	2.4	100
DI14-09	0.2	101
DI14-09	0.2	102
DI14-09	0.3	103
DI14-09	0.3	104
DI14-09	0.5	105
DI14-09	0.4	106

HOLE ID	READING	DEPTH
DI14-09	8.1	107
DI14-09	4.3	108
DI14-09	8.2	109
DI14-09	10.4	110
DI14-09	2.1	111
DI14-09	5.4	112
DI14-09	13.1	113
DI14-09	4.3	114
DI14-09	3.7	115
DI14-09	6.3	116
DI14-09	10.0	117
DI14-09	0.8	118
DI14-09	0.5	119
DI14-09	6.8	120
DI14-09	3.2	121
DI14-09	2.8	122
DI14-09	0.3	123
DI14-09	0.8	124
DI14-09	0.9	125
DI14-09	0.2	126
DI14-09	0.2	127
DI14-09	0.3	128
DI14-09	0.2	129
DI14-09	0.3	130
DI14-09	0.3	131
DI14-09	0.4	132
DI14-09	0.3	133
DI14-09	6.5	134
DI14-09	4.7	135
DI14-09	0.7	136
DI14-09	6.4	137
DI14-09	4.2	138
DI14-09	5.9	139
DI14-09	14.0	140
DI14-09	4.9	141
DI14-09	0.2	142
DI14-09	0.8	143
DI14-09	0.4	144
DI14-09	0.7	145
DI14-09	0.3	146
DI14-09	0.7	147
DI14-09	1.5	148
DI14-09	1.8	149
DI14-09	1.0	150
DI14-09	4.8	151
DI14-09	7.9	152
DI14-09	0.2	153
DI14-09	0.5	154
DI14-09	1.0	155
DI14-09	0.2	156
DI14-09	0.4	157
DI14-09	0.1	158
DI14-09	9.4	159
DI14-09	3.9	160
DI14-09	0.2	161
DI14-09	0.4	162
DI14-09	4.4	163
DI14-09	0.4	164
DI14-09	6.5	165
DI14-09	1.0	166

HOLE ID	READING	DEPTH
DI14-09	0.3	167
DI14-09	0.3	168
DI14-09	0.2	169
DI14-09	0.3	170
DI14-09	0.3	171
DI14-09	0.3	172
DI14-09	0.5	173
DI14-09	0.3	174
DI14-09	0.3	175
DI14-09	0.3	176
DI14-09	1.0	177
DI14-09	0.8	178
DI14-09	0.6	179
DI14-09	0.3	180
DI14-09	0.3	181
DI14-09	0.5	182
DI14-09	0.6	183
DI14-09	0.3	184
DI14-09	0.3	185
DI14-09	0.4	186
DI14-09	0.9	187
DI14-09	0.3	188
DI14-09	0.3	189
DI14-09	0.4	190
DI14-09	0.2	191
DI14-09	0.2	192
DI14-09	0.5	193
DI14-09	0.4	194
DI14-09	0.2	195
DI14-09	0.4	196
DI14-09	0.5	197
DI14-09	0.4	198
DI14-09	0.4	199
DI14-09	1.0	200
DI14-09	0.3	201
DI14-09	6.7	202
DI14-09	15.1	203
DI14-09	0.4	204
DI14-09	0.3	205
DI14-09	5.4	206
DI14-09	1.7	207
DI14-09	1.7	208
DI14-09	0.5	209
DI14-09	2.3	210
DI14-09	0.2	211
DI14-09	0.2	212
DI14-09	0.2	213
DI14-09	0.5	214
DI14-09	17.1	215
DI14-09	3.8	216
DI14-09	21.3	217
DI14-09	19.3	218
DI14-09	4.3	219
DI14-09	15.3	220
DI14-09	3.1	221
DI14-09	14.4	222
DI14-09	3.3	223
DI14-09	10.2	224
DI14-09	6.2	225 *
DI14-09	1.9	226

HOLE ID	READING	DEPTH
DI14-09	13.4	227
DI14-09	4.3	228
DI14-09	6.9	229
DI14-09	4.5	230
DI14-09	3.0	231
DI14-09	0.2	232
DI14-09	0.4	233
DI14-09	5.7	234
DI14-09	4.5	235
DI14-09	0.6	236
DI14-09	0.6	237
DI14-09	1.2	238
DI14-09	0.4	239
DI14-09	0.4	240
DI14-09	6.2	241
DI14-09	10.8	242
DI14-09	13.2	243
DI14-09	1.5	244
DI14-09	0.4	245
DI14-09	0.5	246
DI14-09	0.8	247
DI14-09	0.4	248
DI14-09	0.2	249
DI14-09	0.2	250
DI14-09	0.7	251
DI14-09	0.1	252
DI14-09	0.2	253
DI14-09	0.2	254
DI14-09	0.4	255
DI14-09	0.5	256
DI14-09	0.9	257
DI14-09	0.4	258
DI14-09	3.4	259
DI14-09	1.1	260
DI14-09	0.6	261
DI14-09	0.3	262
DI14-09	2.2	263
DI14-09	0.3	264
DI14-09	0.2	265
DI14-09	0.3	266
DI14-09	0.2	267
DI14-09	0.2	268
DI14-09	0.1	269
DI14-09	0.9	270
DI14-09	1.4	271
DI14-09	1.3	272
DI14-09	4.3	273
DI14-09	2.3	274
DI14-09	0.4	275
DI14-09	0.9	276
DI14-09	0.2	277
DI14-09	8.6	278
DI14-09	3.0	279
DI14-09	6.1	280
DI14-09	0.9	281
DI14-09	0.3	282
DI14-09	0.9	283
DI14-09	0.3	284
DI14-09	0.7	285
DI14-09	0.2	286

HOLE ID	READING	DEPTH
DI14-09	1.2	287
DI14-09	0.3	288
DI14-09	1.3	289
DI14-09	0.2	290
DI14-09	0.1	291
DI14-09	0.2	292
DI14-09	0.2	293
DI14-09	0.3	294
DI14-09	0.1	295
DI14-09	0.2	296
DI14-09	0.1	297
DI14-09	0.4	298
DI14-09	0.3	299
DI14-09	0.5	300
DI14-09	1.2	301
DI14-09	1.0	302
DI14-09	0.2	303
DI14-09	0.2	304
DI14-09	0.2	305
DI14-09	0.4	306
DI14-09	1.0	307
DI14-09	0.5	308
DI14-09	0.2	309
DI14-09	0.4	310
DI14-09	0.3	311
DI14-09	0.3	312
DI14-09	0.3	313
DI14-09	0.3	314
DI14-09	0.3	315
DI14-09	0.3	316
DI14-09	0.3	317
DI14-09	0.3	318
DI14-09	0.4	319
DI14-09	0.4	320
DI14-09	0.3	321
DI14-09	0.2	322
DI14-09	0.3	323
DI14-09	0.4	324
DI14-09	0.1	325
DI14-09	0.2	326
DI14-09	0.2	327
DI14-09	0.4	328
DI14-09	0.1	329
DI14-09	0.2	330
DI14-09	0.3	331
DI14-09	0.2	332
DI14-09	0.4	333
DI14-09	0.2	334
DI14-09	0.5	335
DI14-09	0.4	336
DI14-09	0.4	337
DI14-09	0.4	338
DI14-09	0.3	339
DI14-09	0.4	340
DI14-09	0.2	341
DI14-09	0.1	342
DI14-09	0.2	343
DI14-09	0.2	344
DI14-09	0.2	345
DI14-09	0.1	346

HOLE ID	READING	DEPTH
DI14-09	0.4	347
DI14-09	0.3	348
DI14-09	0.3	349
DI14-09	0.4	350
DI14-09	0.4	351
DI14-09	0.1	352
DI14-09	0.2	353
DI14-09	0.4	354
DI14-09	0.2	355
DI14-09	0.2	356
DI14-09	0.7	357
DI14-09	0.3	358
DI14-09	2.5	359
DI14-09	0.2	360
DI14-09	2.0	361
DI14-09	1.1	362
DI14-09	0.5	363
DI14-09	1.0	364
DI14-09	3.1	365
DI14-09	8.5	366
DI14-09	4.0	367
DI14-09	4.1	368
DI14-09	0.5	369
DI14-09	3.2	370
DI14-09	7.1	371
DI14-09	5.6	372
DI14-09	10.4	373
DI14-09	2.6	374
DI14-09	4.1	375
DI14-09	0.4	376
DI14-09	2.0	377
DI14-09	0.6	378
DI14-09	0.8	379
DI14-09	0.6	380
DI14-09	0.6	381
DI14-09	1.6	382
DI14-09	1.0	383
DI14-09	3.0	384
DI14-09	1.0	385
DI14-09	0.7	386
DI14-09	0.8	387
DI14-09	0.8	388
DI14-09	0.6	389
DI14-09	0.7	390
DI14-09	0.4	391
DI14-09	1.5	392
DI14-09	0.4	393
DI14-09	4.4	394
DI14-09	6.1	395
DI14-09	1.2	396
DI14-09	0.6	397
DI14-09	7.8	398
DI14-09	7.0	399
DI14-09	5.0	400
DI14-09	0.6	401
DI14-09	9.1	402
DI14-09	6.2	403
DI14-09	2.6	404
DI14-09	8.2	405
DI14-09	29.8	406

HOLE ID	READING	DEPTH
DI14-09	17.4	407
DI14-09	3.7	408
DI14-09	0.9	409
DI14-09	1.4	410
DI14-09	2.1	411
DI14-09	1.9	412
DI14-09	0.3	413
DI14-09	0.7	414
DI14-09	0.3	415
DI14-09	0.5	416
DI14-09	0.6	417
DI14-09	0.5	418
DI14-09	0.3	419
DI14-09	0.5	420
DI14-09	0.8	421
DI14-09	2.4	422
DI14-09	5.0	423
DI14-09	1.2	424
DI14-09	0.4	425
DI14-09	2.9	426
DI14-09	4.1	427
DI14-09	0.9	428
DI14-09	9.6	429
DI14-09	15.7	430
DI14-09	1.8	431
DI14-09	1.3	432
DI14-09	0.9	433
DI14-09	1.6	434
DI14-09	4.3	435
DI14-09	2.3	436
DI14-09	5.3	437
DI14-09	1.5	438
DI14-09	1.7	439
DI14-09	1.4	440
DI14-09	5.6	441
DI14-09	2.2	442
DI14-09	0.6	443
DI14-09	0.4	444
DI14-09	0.2	445
DI14-09	0.5	446
DI14-09	0.5	447
DI14-09	1.6	448
DI14-09	2.5	449
DI14-09	1.5	450
DI14-09	1.8	451
DI14-09	3.2	452
DI14-09	1.1	453
DI14-09	2.5	454
DI14-09	0.7	455
DI14-09	3.9	456
DI14-09	3.4	457
DI14-09	2.3	458
DI14-09	1.2	459
DI14-09	2.9	460
DI14-09	1.1	461
DI14-09	1.6	462
DI14-09	2.8	463
DI14-09	2.0	464
DI14-09	1.6	465
DI14-09	1.4	466

HOLE ID	READING	DEPTH
DI14-09	1.1	467
DI14-09	1.4	468
DI14-09	2.0	469
DI14-09	0.3	470
DI14-09	0.5	471
DI14-09	0.3	472
DI14-09	1.6	473
DI14-09	1.2	474
DI14-09	7.7	475
DI14-09	8.7	476
DI14-09	9.2	477
DI14-09	7.5	478
DI14-09	1.0	479
DI14-09	0.8	480
DI14-09	1.8	481
DI14-09	2.3	482
DI14-09	0.6	483
DI14-09	1.0	484
DI14-09	1.8	485
DI14-09	0.6	486
DI14-09	0.4	487
DI14-09	1.3	488
DI14-09	0.5	489
DI14-09	0.4	490
DI14-09	0.5	491
DI14-09	0.5	492
DI14-09	0.9	493
DI14-09	1.8	494
DI14-09	1.7	495
DI14-09	1.7	496
DI14-09	0.5	497
DI14-09	0.8	498
DI14-10	22.5	30
DI14-10	17.0	31
DI14-10	12.2	32
DI14-10	0.4	33
DI14-10	2.2	34
DI14-10	0.4	35
DI14-10	12.8	36
DI14-10	1.9	37
DI14-10	6.1	38
DI14-10	7.7	39
DI14-10	13.9	40
DI14-10	8.9	41
DI14-10	1.2	42
DI14-10	20.0	43
DI14-10	15.2	44
DI14-10	22.8	45
DI14-10	17.6	46
DI14-10	0.5	47
DI14-10	0.5	48
DI14-10	0.2	49
DI14-10	0.2	50
DI14-10	1.3	51
DI14-10	18.5	52
DI14-10	12.0	53
DI14-10	20.1	54
DI14-10	30.6	55
DI14-10	45.1	56
DI14-10	11.8	57

HOLE ID	READING	DEPTH
DI14-10	16.3	58
DI14-10	21.1	59
DI14-10	5.0	60
DI14-10	1.2	61
DI14-10	0.3	62
DI14-10	0.5	63
DI14-10	0.6	64
DI14-10	0.2	65
DI14-10	0.3	66
DI14-10	0.4	67
DI14-10	0.3	68
DI14-10	0.2	69
DI14-10	0.1	70
DI14-10	0.3	71
DI14-10	0.2	72
DI14-10	0.2	73
DI14-10	0.4	74
DI14-10	0.7	75
DI14-10	3.2	76
DI14-10	2.3	77
DI14-10	1.4	78
DI14-10	0.6	79
DI14-10	9.5	80
DI14-10	1.1	81
DI14-10	0.3	82
DI14-10	1.1	83
DI14-10	0.1	84
DI14-10	0.2	85
DI14-10	0.4	86
DI14-10	0.3	87
DI14-10	0.3	88
DI14-10	0.4	89
DI14-10	1.6	90
DI14-10	0.5	91
DI14-10	2.5	92
DI14-10	4.5	93
DI14-10	4.5	94
DI14-10	3.9	95
DI14-10	0.4	96
DI14-10	2.3	97
DI14-10	2.4	98
DI14-10	3.9	99
DI14-10	6.5	100
DI14-10	9.3	101
DI14-10	0.7	102
DI14-10	11.2	103
DI14-10	1.1	104
DI14-10	8.0	105
DI14-10	1.2	106
DI14-10	3.7	107
DI14-10	0.5	108
DI14-10	1.0	109
DI14-10	1.6	110
DI14-10	1.7	111
DI14-10	1.9	112
DI14-10	0.3	113
DI14-10	0.2	114
DI14-10	1.2	115
DI14-10	0.5	116
DI14-10	0.1	117

HOLE ID	READING	DEPTH
DI14-10	0.4	118
DI14-10	1.4	119
DI14-10	0.3	120
DI14-10	1.7	121
DI14-10	4.2	122
DI14-10	2.1	123
DI14-10	0.3	124
DI14-10	0.5	125
DI14-10	0.3	126
DI14-10	11.8	127
DI14-10	1.9	128
DI14-10	1.0	129
DI14-10	1.0	130
DI14-10	1.4	131
DI14-10	0.4	132
DI14-10	1.1	133
DI14-10	0.7	134
DI14-10	0.3	135
DI14-10	0.4	136
DI14-10	0.5	137
DI14-10	0.3	138
DI14-10	0.2	139
DI14-10	0.3	140
DI14-10	0.2	141
DI14-10	0.2	142
DI14-10	0.3	143
DI14-10	0.3	144
DI14-10	0.3	145
DI14-10	0.5	146
DI14-10	0.2	147
DI14-10	0.2	148
DI14-10	0.1	149
DI14-10	0.3	150
DI14-10	0.1	151
DI14-10	0.2	152
DI14-10	0.1	153
DI14-10	0.1	154
DI14-10	0.4	155
DI14-10	0.4	156
DI14-10	0.1	157
DI14-10	0.4	158
DI14-10	0.5	159
DI14-10	0.1	160
DI14-10	0.2	161
DI14-10	0.3	162
DI14-10	0.4	163
DI14-10	0.4	164
DI14-10	0.2	165
DI14-10	0.3	166
DI14-10	0.2	167
DI14-10	0.1	168
DI14-10	0.4	169
DI14-10	0.2	170
DI14-10	0.3	171
DI14-10	0.5	172
DI14-10	0.2	173
DI14-10	1.2	174
DI14-10	0.8	175
DI14-10	0.7	176
DI14-10	0.1	177

HOLE ID	READING	DEPTH
DI14-10	0.2	178
DI14-10	5.1	179
DI14-10	0.4	180
DI14-10	0.3	181
DI14-10	0.2	182
DI14-10	0.4	183
DI14-10	0.5	184
DI14-10	4.4	185
DI14-10	3.1	186
DI14-10	6.7	187
DI14-10	11.1	188
DI14-10	0.3	189
DI14-10	9.0	190
DI14-10	4.9	191
DI14-10	1.0	192
DI14-10	1.9	193
DI14-10	13.6	194
DI14-10	8.6	195
DI14-10	0.1	196
DI14-10	1.0	197
DI14-10	0.4	198
DI14-10	0.4	199
DI14-10	2.6	200
DI14-10	1.3	201
DI14-10	9.3	202
DI14-10	1.4	203
DI14-10	0.6	204
DI14-10	7.6	205
DI14-10	3.8	206
DI14-10	1.2	207
DI14-10	9.2	208
DI14-10	3.9	209
DI14-10	1.3	210
DI14-10	0.4	211
DI14-10	0.3	212
DI14-10	0.2	213
DI14-10	2.6	214
DI14-10	1.7	215
DI14-10	0.6	216
DI14-10	2.1	217
DI14-10	1.5	218
DI14-10	0.3	219
DI14-10	2.1	220
DI14-10	0.5	221
DI14-10	0.2	222
DI14-10	0.3	223
DI14-10	0.3	224
DI14-10	0.3	225
DI14-10	0.5	226
DI14-10	1.0	227
DI14-10	0.5	228
DI14-10	0.2	229
DI14-10	0.2	230
DI14-10	0.3	231
DI14-10	0.3	232
DI14-10	0.3	233
DI14-10	0.2	234
DI14-10	0.4	235
DI14-10	0.1	236
DI14-10	0.2	237

HOLE ID	READING	DEPTH
DI14-10	0.3	238
DI14-10	0.2	239
DI14-10	0.3	240
DI14-10	0.2	241
DI14-10	0.3	242
DI14-10	0.2	243
DI14-10	0.5	244
DI14-10	0.2	245
DI14-10	0.5	246
DI14-10	0.3	247
DI14-10	0.7	248
DI14-10	0.2	249
DI14-10	0.2	250
DI14-10	0.3	251
DI14-10	0.2	252
DI14-10	0.2	253
DI14-10	0.5	254
DI14-10	0.3	255
DI14-10	0.4	256
DI14-10	2.2	257
DI14-10	0.3	258
DI14-10	0.2	259
DI14-10	0.3	260
DI14-10	1.1	261
DI14-10	1.6	262
DI14-10	0.7	263
DI14-10	0.4	264
DI14-10	0.2	265
DI14-10	0.2	266
DI14-10	0.3	267
DI14-10	0.5	268
DI14-10	0.1	269
DI14-10	0.2	270
DI14-10	0.5	271
DI14-10	0.7	272
DI14-10	0.3	273
DI14-10	0.5	274
DI14-10	5.9	275
DI14-10	13.8	276
DI14-10	23.3	277
DI14-10	0.9	278
DI14-10	5.8	279
DI14-10	5.0	280
DI14-10	1.4	281
DI14-10	7.2	282
DI14-10	1.3	283
DI14-10	8.6	284
DI14-10	13.4	285
DI14-10	6.4	286
DI14-10	3.9	287
DI14-10	0.9	288
DI14-10	0.4	289
DI14-10	0.4	290
DI14-10	0.3	291
DI14-10	0.2	292
DI14-10	0.2	293
DI14-10	0.7	294
DI14-10	0.7	295
DI14-10	0.6	296
DI14-10	1.9	297

HOLE ID	READING	DEPTH
DI14-10	1.0	298
DI14-10	4.0	299
DI14-10	1.6	300
DI14-10	0.7	301
DI14-10	0.4	302
DI14-10	0.6	303
DI14-10	0.5	304
DI14-10	1.8	305
DI14-10	2.8	306
DI14-10	12.1	307
DI14-10	0.4	308
DI14-10	1.6	309
DI14-10	42.0	310
DI14-10	0.4	311
DI14-10	2.7	312
DI14-10	15.6	313
DI14-10	9.3	314
DI14-10	0.7	315
DI14-10	0.4	316
DI14-10	0.2	317
DI14-10	0.3	318
DI14-10	0.2	319
DI14-10	0.3	320
DI14-10	1.6	321
DI14-10	1.5	322
DI14-10	0.4	323
DI14-10	4.2	324
DI14-10	0.4	325
DI14-10	0.3	326
DI14-10	0.8	327
DI14-10	0.2	328
DI14-10	0.4	329
DI14-10	0.1	330
DI14-10	0.2	331
DI14-10	0.3	332
DI14-10	0.2	333
DI14-10	0.2	334
DI14-10	0.1	335
DI14-10	0.2	336
DI14-10	0.5	337
DI14-10	0.4	338
DI14-10	0.5	339
DI14-10	0.5	340
DI14-10	1.6	341
DI14-10	3.5	342
DI14-10	0.4	343
DI14-10	2.0	344
DI14-10	0.6	345
DI14-10	4.8	346
DI14-10	4.5	347
DI14-10	1.1	348
DI14-10	3.7	349
DI14-10	3.3	350
DI14-10	6.0	351
DI14-10	2.4	352
DI14-10	6.7	353
DI14-10	3.2	354
DI14-10	2.5	355
DI14-10	4.4	356
DI14-10	4.9	357

HOLE ID	READING	DEPTH
DI14-10	2.8	358
DI14-10	0.7	359
DI14-10	0.7	360
DI14-10	2.2	361
DI14-10	0.7	362
DI14-10	0.4	363
DI14-10	0.4	364
DI14-10	2.6	365
DI14-10	2.9	366
DI14-10	3.1	367
DI14-10	0.6	368
DI14-10	0.3	369
DI14-10	0.5	370
DI14-10	0.2	371
DI14-10	0.2	372
DI14-10	0.9	373
DI14-10	0.5	374
DI14-10	0.2	375
DI14-10	0.1	376
DI14-10	0.2	377
DI14-10	0.2	378
DI14-10	0.2	379
DI14-10	0.4	380
DI14-10	0.2	381
DI14-10	0.3	382
DI14-10	0.1	383
DI14-10	0.2	384
DI14-10	0.3	385
DI14-10	0.6	386
DI14-10	0.2	387
DI14-10	0.7	388
DI14-10	0.3	389
DI14-10	3.7	390
DI14-10	14.2	391
DI14-10	5.9	392
DI14-10	5.3	393
DI14-10	7.4	394
DI14-10	4.0	395
DI14-10	4.2	396
DI14-10	3.7	397
DI14-10	9.3	398
DI14-10	5.6	399
DI14-10	1.6	400
DI14-10	1.6	401
DI14-10	1.9	402
DI14-10	9.7	403
DI14-10	11.4	404
DI14-10	19.2	405
DI14-10	11.6	406
DI14-10	9.0	407
DI14-10	7.6	408
DI14-10	9.0	409
DI14-10	3.1	410
DI14-10	6.5	411
DI14-10	15.5	412
DI14-10	14.0	413
DI14-10	4.8	414
DI14-10	12.8	415
DI14-10	9.5	416
DI14-10	4.6	417

HOLE ID	READING	DEPTH
DI14-10	7.2	418
DI14-10	7.4	419
DI14-10	4.7	420
DI14-10	8.5	421
DI14-10	2.6	422
DI14-10	6.6	423
DI14-10	6.3	424
DI14-10	14.0	425
DI14-10	7.5	426
DI14-10	12.1	427
DI14-10	18.9	428
DI14-10	21.1	429
DI14-10	7.7	430
DI14-10	15.3	431
DI14-10	10.3	432
DI14-10	9.5	433
DI14-10	7.8	434
DI14-10	1.8	435
DI14-10	29.2	436
DI14-10	6.6	437
DI14-10	18.4	438
DI14-10	27.6	439
DI14-10	15.8	440
DI14-10	27.2	441
DI14-10	11.6	442
DI14-10	4.4	443
DI14-10	2.3	444
DI14-10	0.3	445
DI14-10	2.1	446
DI14-10	1.5	447
DI14-10	0.9	448
DI14-10	0.6	449
DI14-10	0.5	450
DI14-10	0.8	451
DI14-10	0.3	452
DI14-10	6.6	453
DI14-10	34.2	454
DI14-10	19.2	455
DI14-10	6.0	456
DI14-10	6.3	457
DI14-10	4.7	458
DI14-10	1.1	459
DI14-10	2.9	460
DI14-10	4.6	461
DI14-10	8.7	462
DI14-10	11.5	463
DI14-10	7.2	464
DI14-10	14.7	465
DI14-10	22.2	466
DI14-10	30.6	467
DI14-10	11.7	468
DI14-10	25.3	469
DI14-10	13.1	470
DI14-10	10.5	471
DI14-10	15.6	472
DI14-10	10.7	473
DI14-10	7.1	474
DI14-10	15.2	475
DI14-10	1.7	476
DI14-10	0.8	477

HOLE ID	READING	DEPTH
DI14-10	9.6	478
DI14-10	1.6	479
DI14-10	5.6	480
DI14-10	7.5	481
DI14-10	5.6	482
DI14-10	5.5	483
DI14-10	4.5	484
DI14-10	2.5	485
DI14-10	14.9	486
DI14-10	17.2	487
DI14-10	13.7	488
DI14-10	4.9	489
DI14-10	10.7	490
DI14-10	5.2	491
DI14-10	8.1	492
DI14-10	10.0	493
DI14-10	2.4	494
DI14-10	5.5	495
DI14-10	6.2	496
DI14-10	3.6	497
DI14-10	1.5	498
DI14-10	2.4	499
DI14-10	0.4	500
DI14-10	1.1	501
DI14-11	0.1	37
DI14-11	0.1	38
DI14-11	0.1	39
DI14-11	0.2	40
DI14-11	0.2	41
DI14-11	0.1	42
DI14-11	0.1	43
DI14-11	0.3	44
DI14-11	0.4	45
DI14-11	0.1	46
DI14-11	0.2	47
DI14-11	0.1	48
DI14-11	0.2	49
DI14-11	0.2	50
DI14-11	0.2	51
DI14-11	0.1	52
DI14-11	0.2	53
DI14-11	0.2	54
DI14-11	0.2	55
DI14-11	0.2	56
DI14-11	0.2	57
DI14-11	1.0	58
DI14-11	1.0	59
DI14-11	2.6	60
DI14-11	0.3	61
DI14-11	1.6	62
DI14-11	0.7	63
DI14-11	0.6	64
DI14-11	0.1	65
DI14-11	0.3	66
DI14-11	1.9	67
DI14-11	0.7	68
DI14-11	0.1	69
DI14-11	0.3	70
DI14-11	1.2	71
DI14-11	0.1	72

HOLE ID	READING	DEPTH
DI14-11	2.6	73
DI14-11	3.4	74
DI14-11	0.2	75
DI14-11	0.6	76
DI14-11	0.3	77
DI14-11	0.2	78
DI14-11	0.2	79
DI14-11	0.7	80
DI14-11	0.3	81
DI14-11	1.1	82
DI14-11	0.1	83
DI14-11	0.2	84
DI14-11	0.1	85
DI14-11	0.4	86
DI14-12	5.2	26
DI14-12	4.6	27
DI14-12	6.2	28
DI14-12	12.3	29
DI14-12	7.1	30
DI14-12	11.2	31
DI14-12	23.1	32
DI14-12	1.5	33
DI14-12	4.1	34
DI14-12	0.6	35
DI14-12	0.9	36
DI14-12	16.2	37
DI14-12	2.9	38
DI14-12	14.8	39
DI14-12	10.8	40
DI14-12	16.3	41
DI14-12	2.4	42
DI14-12	22.1	43
DI14-12	17.1	44
DI14-12	8.8	45
DI14-12	21.1	46
DI14-12	17.2	47
DI14-12	7.5	48
DI14-12	5.4	49
DI14-12	17.0	50
DI14-12	16.8	51
DI14-12	14.8	52
DI14-12	0.2	53
DI14-12	6.8	54
DI14-12	0.7	55
DI14-12	19.7	56
DI14-12	24.7	57
DI14-12	23.4	58
DI14-12	7.9	59
DI14-12	20.4	60
DI14-12	0.6	61
DI14-12	19.6	62
DI14-12	17.5	63
DI14-12	21.5	64
DI14-12	16.7	65
DI14-12	16.2	66
DI14-12	22.5	67
DI14-12	1.7	68
DI14-12	12.7	69
DI14-12	16.0	70
DI14-12	3.3	71

HOLE ID	READING	DEPTH
DI14-12	10.7	72
DI14-12	0.4	73
DI14-12	15.6	74
DI14-12	20.8	75
DI14-12	21.2	76
DI14-12	15.4	77
DI14-12	12.5	78
DI14-12	7.8	79
DI14-12	4.1	80
DI14-12	10.5	81
DI14-12	2.4	82
DI14-12	9.8	83
DI14-12	9.9	84
DI14-12	12.9	85
DI14-12	11.8	86
DI14-12	11.3	87
DI14-12	11.1	88
DI14-12	11.5	89
DI14-12	5.6	90
DI14-12	11.0	91
DI14-12	5.8	92
DI14-12	0.5	93
DI14-12	0.4	94
DI14-12	4.0	95
DI14-12	0.5	96
DI14-12	0.5	97
DI14-12	16.9	98
DI14-12	2.2	99
DI14-12	0.2	100
DI14-12	0.2	101
DI14-12	2.9	102
DI14-12	1.0	103
DI14-12	1.8	104
DI14-12	15.7	105
DI14-12	19.5	106
DI14-12	2.6	107
DI14-12	4.2	108
DI14-12	18.3	109
DI14-12	2.1	110
DI14-12	2.1	111
DI14-12	10.3	112
DI14-12	7.0	113
DI14-12	12.9	114
DI14-12	1.0	115
DI14-12	0.5	116
DI14-12	8.3	117
DI14-12	14.2	118
DI14-12	10.7	119
DI14-12	1.8	120
DI14-12	33.5	121
DI14-12	29.4	122
DI14-12	3.8	123
DI14-12	0.3	124
DI14-12	4.3	125
DI14-12	4.3	126
DI14-12	6.6	127
DI14-12	4.1	128
DI14-12	3.9	129
DI14-12	16.2	130
DI14-12	9.5	131

HOLE ID	READING	DEPTH
DI14-12	8.7	132
DI14-12	8.0	133
DI14-12	4.5	134
DI14-12	12.8	135
DI14-12	1.0	136
DI14-12	4.4	137
DI14-12	1.1	138
DI14-12	3.8	139
DI14-12	18.1	140
DI14-12	6.3	141
DI14-12	2.4	142
DI14-12	13.6	143
DI14-12	8.9	144
DI14-12	22.1	145
DI14-12	2.9	146
DI14-12	5.2	147
DI14-12	5.8	148
DI14-12	18.0	149
DI14-12	15.8	150
DI14-12	9.4	151
DI14-12	7.8	152
DI14-12	5.9	153
DI14-12	0.5	154
DI14-12	0.3	155
DI14-12	0.1	156
DI14-12	0.5	157
DI14-12	0.5	158
DI14-12	6.0	159
DI14-12	5.9	160
DI14-12	4.3	161
DI14-12	7.8	162
DI14-12	4.7	163
DI14-12	10.1	164
DI14-12	2.2	165
DI14-12	5.0	166
DI14-12	6.2	167
DI14-12	0.9	168
DI14-12	4.2	169
DI14-12	1.9	170
DI14-12	3.7	171
DI14-12	2.1	172
DI14-12	3.1	173
DI14-12	0.3	174
DI14-12	6.0	175
DI14-12	1.0	176
DI14-12	0.3	177
DI14-12	3.5	178
DI14-12	3.2	179
DI14-12	2.5	180
DI14-12	2.9	181
DI14-12	11.9	182
DI14-12	8.4	183
DI14-12	1.9	184
DI14-12	0.3	185
DI14-12	1.6	186
DI14-12	5.6	187
DI14-12	9.6	188
DI14-12	3.7	189
DI14-12	17.1	190
DI14-12	19.2	191

HOLE ID	READING	DEPTH
DI14-12	5.2	192
DI14-12	0.1	193
DI14-12	1.7	194
DI14-12	7.3	195
DI14-12	0.1	196
DI14-12	4.0	197
DI14-12	2.6	198
DI14-12	20.5	199
DI14-12	13.3	200
DI14-12	7.9	201
DI14-12	0.8	202
DI14-12	1.5	203
DI14-12	0.7	204
DI14-12	0.9	205
DI14-12	15.2	206
DI14-12	0.6	207
DI14-12	1.2	208
DI14-12	0.2	209
DI14-12	8.9	210
DI14-12	0.7	211
DI14-12	2.8	212
DI14-12	1.6	213
DI14-12	2.2	214
DI14-12	6.6	215
DI14-12	13.9	216
DI14-12	1.4	217
DI14-12	13.4	218
DI14-12	0.7	219
DI14-12	16.5	220
DI14-12	1.7	221
DI14-12	0.2	222
DI14-12	6.5	223
DI14-12	0.6	224
DI14-12	1.2	225
DI14-12	12.7	226
DI14-12	0.8	227
DI14-12	1.3	228
DI14-12	0.5	229
DI14-12	0.7	230
DI14-12	5.5	231
DI14-12	3.5	232
DI14-12	1.5	233
DI14-12	0.3	234
DI14-12	0.7	235
DI14-12	3.2	236
DI14-12	4.4	237
DI14-12	0.1	238
DI14-12	0.2	239
DI14-12	0.2	240
DI14-12	0.2	241
DI14-12	0.7	242
DI14-12	0.4	243
DI14-12	0.2	244
DI14-12	0.1	245
DI14-12	0.3	246
DI14-12	0.1	247
DI14-12	0.6	248
DI14-12	1.2	249
DI14-12	0.7	250
DI14-12	9.6	251

HOLE ID	READING	DEPTH
DI14-12	4.1	252
DI14-12	0.9	253
DI14-12	6.6	254
DI14-12	3.7	255
DI14-12	0.3	256
DI14-12	4.4	257
DI14-12	0.2	258
DI14-12	0.2	259
DI14-12	1.7	260
DI14-12	1.0	261
DI14-12	0.2	262
DI14-12	0.4	263
DI14-12	0.3	264
DI14-12	0.8	265
DI14-12	3.1	266
DI14-12	2.6	267
DI14-12	0.5	268
DI14-12	3.7	269
DI14-12	6.2	270
DI14-12	15.9	271
DI14-12	1.2	272
DI14-12	0.7	273
DI14-12	11.1	274
DI14-12	0.6	275
DI14-12	13.5	276
DI14-12	0.6	277
DI14-12	15.3	278
DI14-12	53.2	279
DI14-12	1.1	280
DI14-12	7.6	281
DI14-12	0.3	282
DI14-12	7.6	283
DI14-12	1.0	284
DI14-12	0.5	285
DI14-12	1.2	286
DI14-12	7.9	287
DI14-12	3.7	288
DI14-12	3.4	289
DI14-12	6.5	290
DI14-12	0.6	291
DI14-12	0.5	292
DI14-12	2.3	293
DI14-12	0.2	294
DI14-12	0.4	295
DI14-12	17.8	296
DI14-12	7.7	297
DI14-12	2.8	298
DI14-12	0.9	299
DI14-12	3.9	300
DI14-12	8.7	301
DI14-12	6.9	302
DI14-12	1.3	303
DI14-12	15.2	304
DI14-12	14.9	305
DI14-12	7.8	306
DI14-12	1.0	307
DI14-12	18.7	308
DI14-12	11.8	309
DI14-12	13.8	310
DI14-12	12.5	311

HOLE ID	READING	DEPTH
DI14-12	7.0	312
DI14-12	15.1	313
DI14-12	19.7	314
DI14-12	8.7	315
DI14-12	0.9	316
DI14-12	1.1	317
DI14-12	0.7	318
DI14-12	0.7	319
DI14-12	31.0	320
DI14-12	8.1	321
DI14-12	5.0	322
DI14-12	8.7	323
DI14-12	0.8	324
DI14-12	1.3	325
DI14-12	22.6	326
DI14-12	7.0	327
DI14-12	10.5	328
DI14-12	8.8	329
DI14-12	14.4	330
DI14-12	2.7	331
DI14-12	1.7	332
DI14-12	11.3	333
DI14-12	8.8	334
DI14-12	2.5	335
DI14-12	1.2	336
DI14-12	4.8	337
DI14-12	6.3	338
DI14-12	1.7	339
DI14-12	0.7	340
DI14-12	0.8	341
DI14-12	9.9	342
DI14-12	6.8	343
DI14-12	4.4	344
DI14-12	3.6	345
DI14-12	0.9	346
DI14-12	1.5	347
DI14-12	7.6	348
DI14-12	1.7	349
DI14-12	2.3	350
DI14-12	2.4	351
DI14-12	1.7	352
DI14-12	2.1	353
DI14-12	0.8	354
DI14-12	0.3	355
DI14-12	0.4	356
DI14-12	0.4	357
DI14-12	2.1	358
DI14-12	0.5	359
DI14-12	0.4	360
DI14-12	13.0	361
DI14-12	1.3	362
DI14-12	3.0	363
DI14-12	10.2	364
DI14-12	7.5	365
DI14-12	4.8	366
DI14-12	5.3	367
DI14-12	11.7	368
DI14-12	3.4	369
DI14-12	1.9	370
DI14-12	6.6	371

HOLE ID	READING	DEPTH
DI14-12	13.8	372
DI14-12	5.6	373
DI14-12	3.7	374
DI14-12	3.9	375
DI14-12	2.5	376
DI14-12	0.8	377
DI14-12	3.7	378
DI14-12	2.8	379
DI14-12	0.8	380
DI14-12	0.5	381
DI14-12	1.7	382
DI14-12	1.8	383
DI14-12	8.4	384
DI14-12	1.4	385
DI14-12	1.5	386
DI14-12	7.5	387
DI14-12	5.0	388
DI14-12	1.2	389
DI14-12	7.9	390
DI14-12	4.3	391
DI14-12	0.6	392
DI14-12	6.6	393
DI14-12	3.5	394
DI14-12	1.8	395
DI14-12	3.9	396
DI14-12	2.2	397
DI14-12	0.5	398
DI14-12	0.4	399
DI14-12	0.6	400
DI14-12	0.1	401
DI14-12	0.3	402
DI14-12	1.9	403
DI14-12	9.2	404
DI14-12	4.0	405
DI14-12	0.6	406
DI14-12	5.8	407
DI14-12	6.0	408
DI14-12	0.9	409
DI14-12	0.6	410
DI14-12	0.5	411
DI14-12	0.7	412
DI14-12	0.2	413
DI14-12	0.5	414
DI14-12	1.0	415
DI14-12	0.5	416
DI14-12	0.1	417
DI14-12	0.1	418
DI14-12	0.1	419
DI14-12	0.2	420
DI14-12	0.2	421
DI14-12	1.4	422
DI14-12	0.2	423
DI14-12	0.3	424
DI14-12	3.7	425
DI14-12	0.6	426
DI14-12	0.6	427
DI14-12	0.1	428
DI14-12	0.1	429
DI14-12	0.1	430
DI14-12	1.1	431

HOLE ID	READING	DEPTH
DI14-12	7.6	432
DI14-12	3.1	433
DI14-12	0.2	434
DI14-12	0.1	435
DI14-12	0.1	436
DI14-12	1.5	437
DI14-12	7.9	438
DI14-12	3.1	439
DI14-12	4.6	440
DI14-12	2.3	441
DI14-12	0.3	442
DI14-12	0.4	443
DI14-12	6.5	444
DI14-12	0.6	445
DI14-12	0.6	446
DI14-12	0.3	447
DI14-12	0.1	448
DI14-12	0.2	449
DI14-12	0.2	450
DI14-12	0.1	451
DI14-12	0.2	452
DI14-12	5.9	453
DI14-12	1.4	454
DI14-12	2.1	455
DI14-12	1.6	456
DI14-12	9.1	457
DI14-12	13.5	458
DI14-12	14.5	459
DI14-12	24.1	460
DI14-12	23.6	461
DI14-12	2.3	462
DI14-12	3.6	463
DI14-12	4.6	464
DI14-12	2.3	465
DI14-12	15.8	466
DI14-12	8.8	467
DI14-12	12.1	468
DI14-12	13.3	469
DI14-12	3.2	470
DI14-12	8.7	471
DI14-12	3.1	472
DI14-12	5.4	473
DI14-12	21.1	474
DI14-12	5.3	475
DI14-12	6.9	476
DI14-12	11.6	477
DI14-12	1.7	478
DI14-12	5.6	479
DI14-12	7.0	480
DI14-12	0.8	481
DI14-12	0.5	482
DI14-12	0.2	483
DI14-12	2.3	484
DI14-12	1.4	485
DI14-12	7.6	486
DI14-12	4.2	487
DI14-12	2.6	488
DI14-12	11.2	489
DI14-12	1.9	490
DI14-12	1.3	491

HOLE ID	READING	DEPTH
DI14-12	18.6	492
DI14-12	1.6	493
DI14-12	15.5	494
DI14-12	1.0	495
DI14-12	9.0	496
DI14-12	7.6	497
DI14-12	3.8	498
DI14-12	1.7	499
DI14-12	3.1	500
DI14-12	0.4	501
DI14-13	0.1	3
DI14-13	0.1	4
DI14-13	0.3	5
DI14-13	0.2	6
DI14-13	0.2	7
DI14-13	0.5	8
DI14-13	4.0	9
DI14-13	1.7	10
DI14-13	0.4	11
DI14-13	0.2	12
DI14-13	0.5	13
DI14-13	3.9	14
DI14-13	5.9	15
DI14-13	15.7	16
DI14-13	3.5	17
DI14-13	15.2	18
DI14-13	3.3	19
DI14-13	7.3	20
DI14-13	6.3	21
DI14-13	3.5	22
DI14-13	9.4	23
DI14-13	3.0	24
DI14-13	5.6	25
DI14-13	15.4	26
DI14-13	5.8	27
DI14-13	14.1	28
DI14-13	6.1	29
DI14-13	18.8	30
DI14-13	15.8	31
DI14-13	16.4	32
DI14-13	4.2	33
DI14-13	12.1	34
DI14-13	12.7	35
DI14-13	7.6	36
DI14-13	6.6	37
DI14-13	1.2	38
DI14-13	0.8	39
DI14-13	0.3	40
DI14-13	0.3	41
DI14-13	0.5	42
DI14-13	0.5	43
DI14-13	0.4	44
DI14-13	0.2	45
DI14-13	1.5	46
DI14-13	5.8	47
DI14-13	8.7	48
DI14-13	8.0	49
DI14-13	11.2	50
DI14-13	2.1	51
DI14-13	12.7	52

HOLE ID	READING	DEPTH
DI14-13	17.9	53
DI14-13	8.6	54
DI14-13	12.7	55
DI14-13	20.4	56
DI14-13	7.0	57
DI14-13	6.9	58
DI14-13	7.1	59
DI14-13	7.0	60
DI14-13	12.5	61
DI14-13	10.3	62
DI14-13	2.9	63
DI14-13	1.7	64
DI14-13	0.6	65
DI14-13	0.6	66
DI14-13	3.5	67
DI14-13	4.6	68
DI14-13	0.7	69
DI14-13	3.6	70
DI14-13	3.3	71
DI14-13	1.4	72
DI14-13	3.3	73
DI14-13	0.2	74
DI14-13	2.6	75
DI14-13	3.4	76
DI14-13	2.1	77
DI14-13	0.4	78
DI14-13	11.7	79
DI14-13	5.4	80
DI14-13	3.1	81
DI14-13	0.2	82
DI14-13	1.0	83
DI14-13	1.5	84
DI14-13	0.6	85
DI14-13	1.0	86
DI14-13	0.5	87
DI14-13	0.9	88
DI14-13	2.1	89
DI14-13	3.1	90
DI14-13	0.4	91
DI14-13	1.0	92
DI14-13	0.5	93
DI14-13	0.3	94
DI14-13	20.0	95
DI14-13	0.1	96
DI14-13	0.7	97
DI14-13	0.4	98
DI14-13	0.9	99
DI14-13	2.9	100
DI14-13	0.2	101
DI14-13	0.2	102
DI14-13	0.7	103
DI14-13	3.4	104
DI14-13	0.2	105
DI14-13	0.3	106
DI14-13	3.0	107
DI14-13	0.6	108
DI14-13	0.8	109
DI14-13	0.4	110
DI14-13	20.6	111
DI14-13	7.8	112

HOLE ID	READING	DEPTH
DI14-13	10.9	113
DI14-13	10.4	114
DI14-13	1.1	115
DI14-13	8.8	116
DI14-13	7.9	117
DI14-13	10.1	118
DI14-13	17.0	119
DI14-13	10.5	120
DI14-13	12.3	121
DI14-13	7.8	122
DI14-13	21.1	123
DI14-13	18.7	124
DI14-13	15.1	125
DI14-13	6.0	126
DI14-13	11.9	127
DI14-13	16.1	128
DI14-13	19.3	129
DI14-13	9.4	130
DI14-13	5.6	131
DI14-13	18.9	132
DI14-13	15.0	133
DI14-13	18.4	134
DI14-13	16.3	135
DI14-13	20.6	136
DI14-13	4.6	137
DI14-13	4.4	138
DI14-13	24.9	139
DI14-13	14.9	140
DI14-13	18.7	141
DI14-13	13.2	142
DI14-13	12.0	143
DI14-13	15.3	144
DI14-13	5.8	145
DI14-13	7.5	146
DI14-13	28.9	147
DI14-13	56.8	148
DI14-13	10.1	149
DI14-13	2.2	150
DI14-14	0.6	13
DI14-14	9.1	14
DI14-14	12.8	15
DI14-14	6.3	16
DI14-14	4.9	17
DI14-14	3.4	18
DI14-14	13.6	19
DI14-14	21.8	20
DI14-14	10.3	21
DI14-14	21.3	22
DI14-14	26.9	23
DI14-14	4.5	24
DI14-14	1.5	25
DI14-14	0.1	26
DI14-14	0.0	27
DI14-14	1.2	28
DI14-14	0.4	29
DI14-14	1.6	30
DI14-14	0.2	31
DI14-14	2.6	32
DI14-14	3.1	33
DI14-14	0.6	34

HOLE ID	READING	DEPTH
DI14-14	2.3	35
DI14-14	0.8	36
DI14-14	1.4	37
DI14-14	0.7	38
DI14-14	1.2	39
DI14-14	0.5	40
DI14-14	0.7	41
DI14-14	2.6	42
DI14-14	0.1	43
DI14-14	0.5	44
DI14-14	2.0	45
DI14-14	10.1	46
DI14-14	3.1	47
DI14-14	1.3	48
DI14-14	0.9	49
DI14-14	0.2	50
DI14-14	0.1	51
DI14-14	0.4	52
DI14-14	0.2	53
DI14-14	0.1	54
DI14-14	0.3	55
DI14-14	0.9	56
DI14-14	2.3	57
DI14-14	0.2	58
DI14-14	0.8	59
DI14-14	0.2	60
DI14-14	0.2	61
DI14-14	0.4	62
DI14-14	0.1	63
DI14-14	0.1	64
DI14-14	0.1	65
DI14-14	0.2	66
DI14-14	0.3	67
DI14-14	0.5	68
DI14-14	0.3	69
DI14-14	0.2	70
DI14-14	0.2	71
DI14-14	0.4	72
DI14-14	0.2	73
DI14-14	0.3	74
DI14-14	0.7	75
DI14-14	0.9	76
DI14-14	0.1	77
DI14-14	0.1	78
DI14-14	0.8	79
DI14-14	0.2	80
DI14-14	0.1	81
DI14-14	0.2	82
DI14-14	0.3	83
DI14-14	0.1	84
DI14-14	0.1	85
DI14-14	0.2	86
DI14-14	0.2	87
DI14-14	0.2	88
DI14-14	0.9	89
DI14-14	0.2	90
DI14-14	0.3	91
DI14-14	0.3	92
DI14-14	0.9	93
DI14-14	1.5	94

HOLE ID	READING	DEPTH
DI14-14	0.9	95
DI14-14	0.8	96
DI14-14	9.2	97
DI14-14	22.7	98
DI14-14	9.6	99
DI14-14	9.2	100
DI14-14	11.2	101
DI14-14	12.9	102
DI14-14	15.1	103
DI14-14	9.5	104
DI14-14	14.3	105
DI14-14	2.8	106
DI14-14	3.3	107
DI14-14	4.2	108
DI14-14	9.1	109
DI14-14	4.3	110
DI14-14	15.5	111
DI14-14	9.6	112
DI14-14	1.9	113
DI14-14	2.6	114
DI14-14	2.0	115
DI14-14	13.5	116
DI14-14	6.0	117
DI14-14	8.6	118
DI14-14	15.6	119
DI14-14	7.6	120
DI14-14	12.4	121
DI14-14	3.9	122
DI14-14	8.5	123
DI14-14	1.5	124
DI14-14	1.5	125
DI14-14	0.4	126
DI14-14	0.7	127
DI14-14	3.3	128
DI14-14	1.4	129
DI14-14	0.4	130
DI14-14	0.3	131
DI14-14	0.3	132
DI14-14	0.4	133
DI14-14	0.2	134
DI14-14	0.5	135
DI14-14	0.6	136
DI14-14	0.6	137
DI14-14	0.2	138
DI14-14	0.4	139
DI14-14	0.4	140
DI14-14	0.4	141
DI14-14	0.1	142
DI14-14	0.2	143
DI14-14	0.2	144
DI14-14	0.2	145
DI14-14	0.3	146
DI14-14	0.3	147
DI14-14	0.5	148
DI14-14	0.3	149
DI14-14	0.2	150
DI14-14	0.1	151
DI14-14	0.5	152
DI14-14	0.2	153
DI14-14	0.0	154

HOLE ID	READING	DEPTH
DI14-14	1.4	155
DI14-14	0.3	156
DI14-14	0.6	157
DI14-14	0.3	158
DI14-14	0.4	159
DI14-14	0.3	160
DI14-14	0.1	161
DI14-14	0.2	162
DI14-14	0.2	163
DI14-14	0.4	164
DI14-14	0.3	165
DI14-14	0.4	166
DI14-14	0.3	167
DI14-14	1.4	168
DI14-14	2.1	169
DI14-14	1.2	170
DI14-14	1.0	171
DI14-14	0.6	172
DI14-14	0.3	173
DI14-14	0.1	174
DI14-14	0.3	175
DI14-14	0.6	176
DI14-14	5.4	177
DI14-14	6.9	178
DI14-14	1.6	179
DI14-14	0.3	180
DI14-14	1.8	181
DI14-14	20.9	182
DI14-14	8.4	183
DI14-14	19.6	184
DI14-14	0.0	185
DI14-14	0.1	186
DI14-14	0.4	187
DI14-14	0.4	188
DI14-14	0.1	189
DI14-14	0.2	190
DI14-14	0.2	191
DI14-14	0.2	192
DI14-14	0.5	193
DI14-14	0.5	194
DI14-14	0.2	195
DI14-14	0.2	196
DI14-14	0.4	197
DI14-14	0.2	198
DI14-14	0.2	199
DI14-14	0.3	200
DI14-14	0.0	201
DI14-14	0.3	202
DI14-14	0.4	203
DI14-14	1.5	204
DI14-14	1.0	205
DI14-14	0.4	206
DI14-14	0.4	207
DI14-14	7.4	208
DI14-14	5.4	209
DI14-14	1.7	210
DI14-14	0.7	211
DI14-14	1.7	212
DI14-14	2.7	213
DI14-14	7.3	214
DI14-14	3.9	215
DI14-14	0.6	216
DI14-14	6.4	217
DI14-14	4.2	218
DI14-14	6.5	219
DI14-14	2.2	220
DI14-14	6.9	221
DI14-14	2.6	222
DI14-14	2.3	223
DI14-14	2.3	224
DI14-14	2.5	225
DI14-15	0.2	8
DI14-15	1.2	9
DI14-15	19.7	10
DI14-15	19.7	11
DI14-15	13.8	12
DI14-15	19.8	13
DI14-15	2.0	14
DI14-15	15.1	15
DI14-15	3.4	16
DI14-15	11.3	17
DI14-15	4.2	18
DI14-15	0.8	19
DI14-15	9.4	20
DI14-15	0.8	21
DI14-15	0.8	22
DI14-15	5.3	23
DI14-15	6.4	24
DI14-15	14.0	25
DI14-15	16.0	26
DI14-15	10.8	27
DI14-15	15.7	28
DI14-15	23.3	29
DI14-15	15.4	30
DI14-15	14.6	31
DI14-15	23.4	32
DI14-15	9.8	33
DI14-15	12.3	34
DI14-15	12.6	35
DI14-15	8.9	36
DI14-15	14.1	37
DI14-15	3.9	38
DI14-15	7.0	39
DI14-15	11.6	40
DI14-15	16.0	41
DI14-15	21.2	42
DI14-15	3.2	43
DI14-15	23.0	44
DI14-15	26.0	45
DI14-15	31.3	46
DI14-15	17.7	47
DI14-15	20.2	48
DI14-15	11.7	49
DI14-15	17.6	50
DI14-15	15.3	51
DI14-15	11.6	52
DI14-15	11.1	53
DI14-15	8.4	54
DI14-15	16.5	55
DI14-15	14.8	56
DI14-15	6.5	57
DI14-15	8.4	58
DI14-15	13.2	59
DI14-15	13.1	60
DI14-15	9.1	61
DI14-15	13.7	62
DI14-15	9.9	63
DI14-15	5.8	64
DI14-15	3.0	65
DI14-15	4.2	66
DI14-15	5.5	67
DI14-15	13.0	68
DI14-15	4.0	69
DI14-15	4.9	70
DI14-15	11.3	71
DI14-15	14.0	72
DI14-15	7.5	73
DI14-15	15.3	74
DI14-15	7.4	75
DI14-15	20.2	76
DI14-15	5.6	77
DI14-15	5.9	78
DI14-15	8.0	79
DI14-15	17.5	80
DI14-15	7.7	81
DI14-15	16.6	82
DI14-15	0.9	83
DI14-15	3.7	84
DI14-15	15.3	85
DI14-15	15.7	86
DI14-15	14.9	87
DI14-15	3.5	88
DI14-15	6.1	89
DI14-15	6.5	90
DI14-15	0.5	91
DI14-15	1.3	92
DI14-15	6.2	93
DI14-15	1.6	94
DI14-15	1.4	95
DI14-15	0.8	96
DI14-15	1.6	97
DI14-15	2.6	98
DI14-15	0.9	99
DI14-15	0.6	100
DI14-15	4.7	101
DI14-15	6.6	102
DI14-15	16.3	103
DI14-15	12.8	104
DI14-15	5.9	105
DI14-15	0.7	106
DI14-15	0.6	107
DI14-15	0.5	108
DI14-15	0.5	109
DI14-15	0.5	110
DI14-15	0.3	111
DI14-15	6.5	112
DI14-15	0.8	113
DI14-15	1.8	114
DI14-15	11.6	115
DI14-15	1.1	116

HOLE ID	READING	DEPTH
DI14-15	0.5	117
DI14-15	1.8	118
DI14-15	0.7	119
DI14-15	0.2	120
DI14-15	0.3	121
DI14-15	5.5	122
DI14-15	5.3	123
DI14-15	5.0	124
DI14-15	4.2	125
DI14-15	9.8	126
DI14-15	14.1	127
DI14-15	10.3	128
DI14-15	3.2	129
DI14-15	8.2	130
DI14-15	16.5	131
DI14-15	1.8	132
DI14-15	3.0	133
DI14-15	0.8	134
DI14-15	4.5	135
DI14-15	0.8	136
DI14-15	2.0	137
DI14-15	2.1	138
DI14-15	0.2	139
DI14-15	0.6	140
DI14-15	0.2	141
DI14-15	0.8	142
DI14-15	1.8	143
DI14-15	4.1	144
DI14-15	3.2	145
DI14-15	1.5	146
DI14-15	1.9	147
DI14-15	4.9	148
DI14-15	0.6	149
DI14-15	0.5	150
DI14-15	1.8	151
DI14-15	2.2	152
DI14-15	6.7	153
DI14-15	0.5	154
DI14-15	1.5	155
DI14-15	3.9	156
DI14-15	5.3	157
DI14-15	5.5	158
DI14-15	3.4	159
DI14-15	0.8	160
DI14-15	2.3	161
DI14-15	0.3	162
DI14-15	7.7	163
DI14-15	9.2	164
DI14-15	15.4	165
DI14-15	5.6	166
DI14-15	2.2	167
DI14-15	10.1	168
DI14-15	6.5	169
DI14-15	6.6	170
DI14-15	5.1	171
DI14-15	0.8	172
DI14-15	3.5	173
DI14-15	2.0	174
DI14-15	3.5	175
DI14-15	3.9	176

HOLE ID	READING	DEPTH
DI14-15	1.4	177
DI14-15	3.2	178
DI14-15	5.9	179
DI14-15	0.9	180
DI14-15	2.7	181
DI14-15	0.5	182
DI14-15	2.3	183
DI14-15	4.9	184
DI14-15	0.8	185
DI14-15	1.4	186
DI14-15	7.1	187
DI14-15	24.4	188
DI14-15	1.8	189
DI14-15	17.4	190
DI14-15	14.1	191
DI14-15	12.1	192
DI14-15	1.3	193
DI14-15	26.8	194
DI14-15	31.1	195
DI14-15	21.1	196
DI14-15	24.6	197
DI14-15	23.6	198
DI14-15	13.4	199
DI14-15	5.8	200
DI14-15	13.5	201
DI14-15	15.7	202
DI14-15	24.0	203
DI14-15	9.6	204
DI14-15	15.9	205
DI14-15	19.6	206
DI14-15	13.5	207
DI14-15	15.4	208
DI14-15	12.5	209
DI14-15	16.7	210
DI14-15	13.4	211
DI14-15	23.5	212
DI14-15	7.0	213
DI14-15	0.7	214
DI14-15	12.4	215
DI14-15	10.5	216
DI14-15	22.7	217
DI14-15	19.8	218
DI14-15	9.5	219
DI14-15	5.7	220
DI14-15	12.0	221
DI14-15	14.1	222
DI14-15	10.7	223
DI14-15	15.2	224
DI14-15	2.6	225
DI14-15	0.5	226
DI14-15	5.5	227
DI14-15	0.5	228
DI14-15	0.7	229
DI14-15	0.3	230
DI14-15	4.1	231
DI14-15	0.2	232
DI14-15	0.2	233
DI14-15	0.3	234
DI14-15	0.2	235
DI14-15	0.8	236

HOLE ID	READING	DEPTH
DI14-15	1.4	237
DI14-15	2.0	238
DI14-15	0.3	239
DI14-15	0.7	240
DI14-15	3.5	241
DI14-15	4.9	242
DI14-15	1.6	243
DI14-15	0.1	244
DI14-15	4.7	245
DI14-15	2.3	246
DI14-15	1.2	247
DI14-15	2.4	248
DI14-15	2.1	249
DI14-15	2.9	250
DI14-15	3.9	251
DI14-15	1.0	252
DI14-15	5.8	253
DI14-15	10.2	254
DI14-15	1.0	255
DI14-15	1.4	256
DI14-15	5.5	257
DI14-15	2.8	258
DI14-15	2.2	259
DI14-15	1.7	260
DI14-15	2.7	261
DI14-15	6.6	262
DI14-15	21.7	263
DI14-15	2.3	264
DI14-15	7.0	265
DI14-15	2.3	266
DI14-15	21.0	267
DI14-15	3.8	268
DI14-15	2.8	269
DI14-15	0.4	270
DI14-15	0.3	271
DI14-15	0.3	272
DI14-15	0.4	273
DI14-15	0.3	274
DI14-15	0.2	275
DI14-15	0.6	276
DI14-15	3.3	277
DI14-15	1.1	278
DI14-15	3.4	279
DI14-15	16.7	280
DI14-15	4.3	281
DI14-15	10.3	282
DI14-15	9.1	283
DI14-15	18.5	284
DI14-15	6.8	285
DI14-15	0.5	286
DI14-15	0.7	287
DI14-15	0.3	288
DI14-15	5.3	289
DI14-15	1.4	290
DI14-15	3.9	291
DI14-15	1.7	292
DI14-15	3.7	293
DI14-15	6.0	294
DI14-15	6.9	295
DI14-15	2.5	296

HOLE ID	READING	DEPTH
DI14-15	3.2	297
DI14-15	20.6	298
DI14-15	2.6	299
DI14-15	20.1	300
DI14-15	0.2	301
DI14-15	0.2	302
DI14-15	0.2	303
DI14-15	0.1	304
DI14-15	0.1	305
DI14-15	0.6	306
DI14-16	2.9	2
DI14-16	9.4	3
DI14-16	0.6	4
DI14-16	22.2	5
DI14-16	13.3	6
DI14-16	0.8	7
DI14-16	1.3	8
DI14-16	0.6	9
DI14-16	7.7	10
DI14-16	1.7	11
DI14-16	1.0	12
DI14-16	0.9	13
DI14-16	2.0	14
DI14-16	13.3	15
DI14-16	6.7	16
DI14-16	8.5	17
DI14-16	9.3	18
DI14-16	0.4	19
DI14-16	0.2	20
DI14-16	9.2	21
DI14-16	10.6	22
DI14-16	0.7	23
DI14-16	7.2	24
DI14-16	9.5	25
DI14-16	5.0	26
DI14-16	3.9	27
DI14-16	14.0	28
DI14-16	0.9	29
DI14-16	4.0	30
DI14-16	3.6	31
DI14-16	0.5	32
DI14-16	1.0	33
DI14-16	7.1	34
DI14-16	12.5	35
DI14-16	10.2	36
DI14-16	0.8	37
DI14-16	26.3	38
DI14-16	10.4	39
DI14-16	12.5	40
DI14-16	15.8	41
DI14-16	5.3	42
DI14-16	12.9	43
DI14-16	7.0	44
DI14-16	11.8	45
DI14-16	16.0	46
DI14-16	5.9	47
DI14-16	3.0	48
DI14-16	0.9	49
DI14-16	1.1	50
DI14-16	2.6	51

HOLE ID	READING	DEPTH
DI14-16	12.6	52
DI14-16	4.0	53
DI14-16	7.8	54
DI14-16	7.3	55
DI14-16	4.7	56
DI14-16	3.6	57
DI14-16	2.1	58
DI14-16	6.3	59
DI14-16	1.8	60
DI14-16	9.2	61
DI14-16	0.9	62
DI14-16	0.8	63
DI14-16	1.6	64
DI14-16	1.9	65
DI14-16	2.3	66
DI14-16	0.4	67
DI14-16	6.7	68
DI14-16	7.2	69
DI14-16	0.3	70
DI14-16	0.5	71
DI14-16	0.3	72
DI14-16	0.4	73
DI14-16	0.2	74
DI14-16	0.6	75
DI14-16	0.5	76
DI14-16	0.3	77
DI14-16	0.3	78
DI14-16	0.5	79
DI14-16		80
DI14-16		81
DI14-16b	7.1	2
DI14-16b	8.5	3
DI14-16b	5.3	4
DI14-16b	5.2	5
DI14-16b	0.8	6
DI14-16b	6.3	7
DI14-16b	2.4	8
DI14-16b	1.3	9
DI14-16b	6.9	10
DI14-16b	0.3	11
DI14-16b	0.2	12
DI14-16b	0.8	13
DI14-16b	0.3	14
DI14-16b	1.1	15
DI14-16b	1.2	16
DI14-16b	11.8	17
DI14-16b	14.7	18
DI14-16b	14.3	19
DI14-16b	3.5	20
DI14-16b	2.6	21
DI14-16b	2.5	22
DI14-16b	0.6	23
DI14-16b	0.9	24
DI14-16b	1.5	25
DI14-16b	6.4	26
DI14-16b	4.2	27
DI14-16b	10.0	28
DI14-16b	0.7	29
DI14-16b	4.7	30
DI14-16b	0.5	31

HOLE ID	READING	DEPTH
DI14-16b	1.9	32
DI14-16b	10.9	33
DI14-16b	8.6	34
DI14-16b	14.2	35
DI14-16b	1.0	36
DI14-16b	0.5	37
DI14-16b	0.3	38
DI14-16b	6.9	39
DI14-16b	7.0	40
DI14-16b	8.9	41
DI14-16b	4.5	42
DI14-16b	9.4	43
DI14-16b	2.3	44
DI14-16b	1.6	45
DI14-16b	0.0	46
DI14-16b	0.2	47
DI14-16b	0.5	48
DI14-16b	0.6	49
DI14-16b	1.0	50
DI14-16b	3.5	51
DI14-16b	6.6	52
DI14-16b	4.5	53
DI14-16b	1.2	54
DI14-16b	6.9	55
DI14-16b	0.8	56
DI14-16b	2.5	57
DI14-16b	0.6	58
DI14-16b	4.8	59
DI14-16b	3.7	60
DI14-16b	2.6	61
DI14-16b	3.8	62
DI14-16b	11.1	63
DI14-16b	12.8	64
DI14-16b	15.7	65
DI14-16b	5.7	66
DI14-16b	10.0	67
DI14-16b	8.4	68
DI14-16b	6.4	69
DI14-16b	1.1	70
DI14-16b	15.4	71
DI14-16b	7.8	72
DI14-16b	6.7	73
DI14-16b	1.0	74
DI14-16b	0.5	75
DI14-16b	1.5	76
DI14-16b	1.8	77
DI14-16b	0.4	78
DI14-16b	0.4	79
DI14-16b	1.0	80
DI14-16b	0.3	81
DI14-16b	6.4	82
DI14-16b	4.5	83
DI14-16b	0.6	84
DI14-16b	1.0	85
DI14-16b	0.2	86
DI14-16b	0.4	87
DI14-16b	3.7	88
DI14-16b	2.2	89
DI14-16b	8.8	90
DI14-16b	2.0	91

HOLE ID	READING	DEPTH
DI14-16b	0.1	92
DI14-16b	1.6	93
DI14-16b	3.4	94
DI14-16b	4.9	95
DI14-16b	8.0	96
DI14-16b	8.2	97
DI14-16b	2.8	98
DI14-16b	2.6	99
DI14-16b	0.3	100
DI14-16b	0.5	101
DI14-16b	0.2	102
DI14-16b	0.2	103
DI14-16b	0.7	104
DI14-16b	0.4	105
DI14-16b	0.2	106
DI14-16b	0.2	107
DI14-16b	0.3	108
DI14-16b	1.0	109
DI14-16b	0.1	110
DI14-16b	0.1	111
DI14-16b	0.2	112
DI14-16b	4.8	113
DI14-16b	1.7	114
DI14-16b	1.1	115
DI14-16b	0.5	116
DI14-16b	12.5	117
DI14-16b	1.2	118
DI14-16b	0.3	119
DI14-16b	0.3	120
DI14-16b	0.2	121
DI14-16b	0.3	122
DI14-16b	0.3	123
DI14-16b	0.2	124
DI14-16b	0.1	125
DI14-16b	0.2	126
DI14-16b	0.1	127
DI14-16b	0.7	128
DI14-16b	0.3	129
DI14-16b	1.4	130
DI14-16b	0.2	131
DI14-16b	2.2	132
DI14-16b	1.0	133
DI14-16b	0.1	134
DI14-16b	0.3	135
DI14-16b	0.5	136
DI14-16b	1.0	137
DI14-16b	2.0	138
DI14-16b	9.0	139
DI14-16b	4.1	140
DI14-16b	5.9	141
DI14-16b	0.5	142
DI14-16b	0.6	143
DI14-16b	5.2	144
DI14-16b	0.4	145
DI14-16b	0.4	146
DI14-16b	0.4	147
DI14-16b	3.0	148
DI14-16b	3.4	149
DI14-16b	7.2	150
DI14-16b	3.0	151

HOLE ID	READING	DEPTH
DI14-16b	0.3	152
DI14-16b	0.5	153
DI14-16b	1.5	154
DI14-16b	0.5	155
DI14-16b	0.4	156
DI14-16b	0.2	157
DI14-16b	0.3	158
DI14-16b	0.7	159
DI14-16b	0.2	160
DI14-16b	0.4	161
DI14-16b	0.5	162
DI14-16b	0.7	163
DI14-16b	0.3	164
DI14-16b	0.4	165
DI14-16b	0.3	166
DI14-16b	0.3	167
DI14-16b	0.3	168
DI14-16b	0.2	169
DI14-16b	0.8	170
DI14-16b	0.8	171
DI14-16b	0.3	172
DI14-16b	1.4	173
DI14-16b	3.6	174
DI14-16b	1.2	175
DI14-16b	0.5	176
DI14-16b	0.8	177
DI14-16b	0.3	178
DI14-16b	1.8	179
DI14-16b	1.3	180
DI14-16b	9.3	181
DI14-16b	3.6	182
DI14-16b	3.1	183
DI14-16b	2.4	184
DI14-16b	4.0	185
DI14-16b	5.7	186
DI14-16b	10.4	187
DI14-16b	0.1	188
DI14-16b	6.8	189
DI14-16b	0.3	190
DI14-16b	0.2	191
DI14-16b	2.6	192
DI14-16b	0.5	193
DI14-16b	2.6	194
DI14-16b	1.4	195
DI14-16b	10.9	196
DI14-16b	1.2	197
DI14-16b	2.0	198
DI14-16b	2.4	199
DI14-16b	0.9	200
DI14-16b	0.6	201
DI14-16b	0.5	202
DI14-16b	10.7	203
DI14-16b	3.4	204
DI14-16b	7.7	205
DI14-16b	3.2	206
DI14-16b	0.5	207
DI14-16b	7.7	208
DI14-16b	5.6	209
DI14-16b	10.5	210
DI14-16b	17.0	211

HOLE ID	READING	DEPTH
DI14-16b	3.1	212
DI14-16b	5.0	213
DI14-16b	5.7	214
DI14-16b	8.2	215
DI14-16b	3.8	216
DI14-16b	3.0	217
DI14-16b	7.0	218
DI14-16b	6.5	219
DI14-16b	13.3	220
DI14-16b	3.9	221
DI14-16b	8.0	222
DI14-16b	6.6	223
DI14-16b	0.9	224
DI14-16b	0.4	225
DI14-16b	1.0	226
DI14-16b	0.4	227
DI14-16b	0.6	228
DI14-16b	18.7	229
DI14-16b	1.4	230
DI14-16b	3.0	231
DI14-16b	5.8	232
DI14-16b	1.0	233
DI14-16b	0.9	234
DI14-16b	0.6	235
DI14-16b	0.6	236
DI14-16b	0.3	237
DI14-16b	0.5	238
DI14-16b	0.4	239
DI14-16b	0.6	240
DI14-16b	1.0	241
DI14-16b	0.2	242
DI14-16b	0.4	243
DI14-16b	0.3	244
DI14-16b	0.5	245
DI14-16b	0.4	246
DI14-16b	0.4	247
DI14-16b	0.1	248
DI14-16b	0.3	249
DI14-16b	0.2	250
DI14-16b	0.3	251
DI14-16b	0.7	252
DI14-16b	5.8	253
DI14-16b	18.3	254
DI14-16b	52.8	255
DI14-16b	19.9	256
DI14-16b	13.1	257
DI14-16b	16.4	258
DI14-16b	38.8	259
DI14-16b	35.8	260
DI14-16b	18.5	261
DI14-16b	31.8	262
DI14-16b	14.9	263
DI14-16b	11.6	264
DI14-16b	0.2	265
DI14-16b	21.9	266
DI14-16b	18.2	267
DI14-16b	26.1	268
DI14-16b	1.9	269
DI14-16b	2.0	270
DI14-16b	0.6	271

HOLE ID	READING	DEPTH
DI14-16b	0.2	272
DI14-16b	0.2	273
DI14-16b	0.2	274
DI14-16b	0.2	275
DI14-16b	0.1	276
DI14-16b	0.2	277
DI14-16b	0.5	278
DI14-16b	0.5	279
DI14-16b	0.7	280
DI14-16b	0.2	281
DI14-16b	0.1	282
DI14-16b	0.2	283
DI14-16b	0.3	284
DI14-16b	0.2	285
DI14-16b	0.1	286
DI14-16b	0.2	287
DI14-16b	0.3	288
DI14-16b	0.1	289
DI14-16b	0.2	290
DI14-16b	11.2	291
DI14-16b	0.4	292
DI14-16b	0.3	293
DI14-16b	0.3	294
DI14-16b	0.2	295
DI14-16b	0.3	296
DI14-16b	0.6	297
DI14-16b	0.2	298
DI14-16b	0.4	299
DI14-16b	0.9	300
DI14-16b	0.5	301
DI14-16b	0.4	302
DI14-16b	1.2	303
DI14-16b	0.7	304
DI14-16b	0.2	305
DI14-16b	0.5	306
DI14-16b	0.6	307
DI14-16b	6.6	308
DI14-16b	5.2	309
DI14-16b	1.2	310
DI14-16b	0.5	311
DI14-16b	0.4	312
DI14-16b	0.0	313
DI14-16b	0.2	314
DI14-16b	0.3	315
DI14-16b	0.3	316
DI14-16b	0.1	317
DI14-16b	0.3	318
DI14-16b	0.7	319
DI14-16b	1.0	320
DI14-16b	0.3	321
DI14-16b	0.5	322
DI14-16b	1.4	323
DI14-16b	0.6	324
DI14-16b	0.5	325
DI14-16b	0.4	326
DI14-16b	0.4	327
DI14-16b	0.5	328
DI14-16b	0.8	329
DI14-16b	0.5	330
DI14-16b	0.8	331

HOLE ID	READING	DEPTH
DI14-16b	0.8	332
DI14-16b	1.3	333
DI14-16b	20.7	334
DI14-16b	0.3	335
DI14-16b	0.2	336
DI14-16b	0.2	337
DI14-16b	0.4	338
DI14-16b	0.4	339
DI14-16b	0.3	340
DI14-16b	0.4	341
DI14-16b	0.7	342
DI14-16b	0.5	343
DI14-16b	1.1	344
DI14-16b	0.4	345
DI14-16b	0.5	346
DI14-16b	0.7	347
DI14-16b	0.9	348
DI14-16b	2.3	349
DI14-16b	3.3	350
DI14-16b	1.0	351
DI14-16b	3.4	352
DI14-16b	4.4	353
DI14-16b	3.9	354
DI14-16b	1.5	355
DI14-16b	1.3	356
DI14-16b	1.7	357
DI14-16b	2.8	358
DI14-16b	0.7	359
DI14-16b	0.4	360
DI14-16b	0.3	361
DI14-16b	0.2	362
DI14-16b	0.4	363
DI14-16b	0.3	364
DI14-16b	0.3	365
DI14-16b	0.3	366
DI14-16b	0.3	367
DI14-16b	0.3	368
DI14-16b	0.4	369
DI14-16b	0.4	370
DI14-16b	0.4	371
DI14-16b	0.4	372
DI14-16b	0.2	373
DI14-16b	0.3	374
DI14-16b	0.4	375
DI14-16b	0.6	376
DI14-16b	0.6	377
DI14-16b	1.0	378
DI14-16b	0.6	379
DI14-16b	0.4	380
DI14-16b	0.4	381
DI14-16b	1.0	382
DI14-16b	0.6	383
DI14-16b	0.2	384
DI14-16b	0.6	385
DI14-16b	0.5	386
DI14-16b	0.4	387
DI14-16b	0.3	388
DI14-16b	0.3	389
DI14-16b	0.6	390
DI14-16b	0.4	391

HOLE ID	READING	DEPTH
DI14-16b	0.4	392
DI14-16b	0.4	393
DI14-16b	0.4	394
DI14-16b	0.3	395
DI14-16b	0.5	396
DI14-16b	0.5	397
DI14-16b	0.9	398
DI14-16b	3.0	399
DI14-16b	2.9	400
DI14-16b	0.9	401
DI14-16b	6.7	402
DI14-16b	1.4	403
DI14-16b	7.1	404
DI14-16b	2.0	405
DI14-16b	1.5	406
DI14-16b	7.4	407
DI14-16b	6.0	408
DI14-16b	2.8	409
DI14-16b	2.5	410
DI14-16b	0.2	411
DI14-16b	2.6	412
DI14-16b	0.9	413
DI14-16b	1.3	414
DI14-16b	2.2	415
DI14-16b	1.7	416
DI14-16b	1.1	417
DI14-16b	0.3	418
DI14-16b	0.3	419
DI14-16b	0.1	420
DI14-16b	0.5	421
DI14-16b	1.1	422
DI14-16b	0.2	423
DI14-16b	1.5	424
DI14-16b	0.2	425
DI14-16b	0.3	426
DI14-16b	0.2	427
DI14-16b	0.3	428
DI14-16b	0.6	429
DI14-16b	0.3	430
DI14-16b	0.3	431
DI14-16b	0.5	432
DI14-16b	0.7	433
DI14-16b	0.3	434
DI14-16b	0.3	435
DI14-16b	0.2	436
DI14-16b	0.2	437
DI14-16b	0.3	438
DI14-16b	0.3	439
DI14-16b	0.4	440
DI14-16b	0.4	441
DI14-16b	0.3	442
DI14-16b	0.2	443
DI14-16b	0.2	444
DI14-16b	0.3	445
DI14-16b	0.4	446
DI14-16b	0.4	447
DI14-16b	0.5	448
DI14-16b	0.4	449
DI14-16b	0.4	450
DI14-16b	0.2	451

HOLE ID	READING	DEPTH
DI14-16b	0.6	452
DI14-16b	0.6	453
DI14-16b	0.2	454
DI14-16b	0.2	455
DI14-16b	0.4	456
DI14-16b	0.2	457
DI14-16b	0.4	458
DI14-16b	0.3	459
DI14-16b	0.2	460
DI14-16b	0.1	461
DI14-16b	0.4	462
DI14-16b	0.1	463
DI14-16b	0.2	464
DI14-16b	0.3	465
DI14-16b	0.3	466
DI14-16b	0.2	467
DI14-16b	0.7	468
DI14-16b	0.4	469
DI14-16b	1.1	470
DI14-16b	0.1	471
DI14-16b	0.1	472
DI14-16b	0.1	473
DI14-16b	0.9	474
DI14-16b	0.3	475
DI14-16b	0.3	476
DI14-16b	0.2	477
DI14-16b	0.2	478
DI14-16b	0.0	479
DI14-16b	0.2	480
DI14-16b	0.4	481
DI14-16b	0.1	482
DI14-16b	0.2	483
DI14-16b	0.2	484
DI14-16b	0.3	485
DI14-16b	0.3	486
DI14-16b	0.1	487
DI14-16b	0.1	488
DI14-16b	0.0	489
DI14-16b	0.2	490
DI14-16b	0.3	491
DI14-16b	0.2	492
DI14-16b	0.7	493
DI14-16b	0.4	494
DI14-16b	0.3	495
DI14-16b	0.3	496
DI14-16b	0.3	497
DI14-16b	0.3	498
DI14-16b	0.5	499
DI14-16b	0.3	500
DI14-16b	0.4	501
DI14-16b	0.4	502
DI14-16b	0.5	503
DI14-16b	0.4	504
DI14-16b	0.5	505
DI14-16b	1.1	506
DI14-16b	2.5	507
DI14-16b	3.8	508
DI14-16b	9.5	509
DI14-16b	8.0	510
DI14-16b	4.9	511

HOLE ID	READING	DEPTH
DI14-16b	2.4	512
DI14-16b	1.4	513
DI14-16b	1.1	514
DI14-16b	0.3	515
DI14-16b	0.8	516
DI14-16b	1.7	517
DI14-16b	3.5	518
DI14-16b	6.3	519
DI14-16b	1.1	520
DI14-16b	0.8	521
DI14-16b	0.9	522
DI14-16b	1.3	523
DI14-16b	0.2	524
DI14-16b	1.4	525
DI14-17	8.9	12
DI14-17	15.0	13
DI14-17	0.4	14
DI14-17	30.1	15
DI14-17	0.9	16
DI14-17	0.6	17
DI14-17	1.3	18
DI14-17	17.0	19
DI14-17	4.5	20
DI14-17	10.7	21
DI14-17	2.9	22
DI14-17	1.2	23
DI14-17	10.3	24
DI14-17	8.5	25
DI14-17	0.8	26
DI14-17	0.6	27
DI14-17	0.3	28
DI14-17	2.3	29
DI14-17	0.6	30
DI14-17	1.5	31
DI14-17	0.2	32
DI14-17	0.2	33
DI14-17	1.4	34
DI14-17	0.3	35
DI14-17	3.0	36
DI14-17	0.2	37
DI14-17	0.2	38
DI14-17	0.5	39
DI14-17	13.8	40
DI14-17	0.5	41
DI14-17	1.8	42
DI14-17	0.2	43
DI14-17	0.3	44
DI14-17	0.4	45
DI14-17	0.1	46
DI14-17	0.5	47
DI14-17	0.2	48
DI14-17	0.3	49
DI14-17	0.5	50
DI14-17	0.3	51
DI14-17	0.2	52
DI14-17	0.1	53
DI14-17	0.2	54
DI14-17	0.2	55
DI14-17	0.3	56
DI14-17	0.1	57

HOLE ID	READING	DEPTH
DI14-17	0.3	58
DI14-17	0.3	59
DI14-17	0.1	60
DI14-17	0.5	61
DI14-17	0.7	62
DI14-17	0.2	63
DI14-17	0.2	64
DI14-17	0.5	65
DI14-17	0.3	66
DI14-17	0.2	67
DI14-17	0.2	68
DI14-17	0.2	69
DI14-17	0.5	70
DI14-17	0.3	71
DI14-17	0.2	72
DI14-17	0.2	73
DI14-17	0.2	74
DI14-17	0.3	75
DI14-17	0.7	76
DI14-17	1.2	77
DI14-17	0.4	78
DI14-17	0.2	79
DI14-17	0.3	80
DI14-17	0.2	81
DI14-17	0.6	82
DI14-17	0.2	83
DI14-17	0.2	84
DI14-17	0.3	85
DI14-17	0.1	86
DI14-17	0.2	87
DI14-17	0.2	88
DI14-17	0.6	89
DI14-17	0.4	90
DI14-17	0.1	91
DI14-17	0.5	92
DI14-17	0.6	93
DI14-17	0.4	94
DI14-17	0.6	95
DI14-17	0.2	96
DI14-17	0.2	97
DI14-17	1.3	98
DI14-17	1.8	99
DI14-17	2.0	100
DI14-17	2.6	101
DI14-17	0.5	102
DI14-17	7.2	103
DI14-17	0.6	104
DI14-17	0.4	105
DI14-17	3.9	106
DI14-17	3.0	107
DI14-17	0.4	108
DI14-17	0.7	109
DI14-17	1.0	110
DI14-17	6.0	111
DI14-17	0.4	112
DI14-17	0.4	113
DI14-17	0.3	114
DI14-17	0.9	115
DI14-17	1.9	116
DI14-17	9.3	117

HOLE ID	READING	DEPTH
DI14-17	9.5	118
DI14-17	1.7	119
DI14-17	0.4	120
DI14-17	0.3	121
DI14-17	0.4	122
DI14-17	0.3	123
DI14-17	0.4	124
DI14-17	0.3	125
DI14-17	0.2	126
DI14-17	0.9	127
DI14-17	0.2	128
DI14-17	0.3	129
DI14-17	0.3	130
DI14-17	0.6	131
DI14-17	0.4	132
DI14-17	0.3	133
DI14-17	0.3	134
DI14-17	0.1	135
DI14-17	0.0	136
DI14-17	0.1	137
DI14-17	0.3	138
DI14-17	0.6	139
DI14-17	0.3	140
DI14-17	0.4	141
DI14-17	0.1	142
DI14-17	0.4	143
DI14-17	0.3	144
DI14-17	0.2	145
DI14-17	0.2	146
DI14-17	0.7	147
DI14-17	0.5	148
DI14-17	0.2	149
DI14-17	0.2	150
DI14-17	0.4	151
DI14-17	0.3	152
DI14-17	0.4	153
DI14-17	0.5	154
DI14-17	0.4	155
DI14-17	0.2	156
DI14-17	0.3	157
DI14-17	0.4	158
DI14-17	0.2	159
DI14-17	0.9	160
DI14-17	0.2	161
DI14-17	0.9	162
DI14-17	1.8	163
DI14-17	0.4	164
DI14-17	0.8	165
DI14-17	0.8	166
DI14-17	0.7	167
DI14-17	0.6	168
DI14-17	0.7	169
DI14-17	0.6	170
DI14-17	1.2	171
DI14-17	2.7	172
DI14-17	0.1	173
DI14-17	0.5	174
DI14-17	0.8	175
DI14-17	0.4	176
DI14-17	0.4	177

HOLE ID	READING	DEPTH
DI14-17	0.7	178
DI14-17	4.2	179
DI14-17	15.1	180
DI14-17	0.5	181
DI14-17	0.6	182
DI14-17	0.9	183
DI14-17	1.1	184
DI14-17	1.7	185
DI14-17	2.1	186
DI14-17	0.5	187
DI14-17	7.4	188
DI14-17	4.5	189
DI14-17	1.2	190
DI14-17	0.5	191
DI14-17	0.4	192
DI14-17	0.2	193
DI14-17	0.5	194
DI14-17	4.3	195
DI14-17	2.3	196
DI14-17	5.3	197
DI14-17	11.6	198
DI14-17	4.9	199
DI14-17	1.2	200
DI14-17	0.9	201
DI14-17	1.3	202
DI14-17	0.7	203
DI14-17	0.9	204
DI14-17	0.3	205
DI14-17	0.9	206
DI14-17	2.4	207
DI14-17	2.2	208
DI14-17	4.6	209
DI14-17	1.2	210
DI14-17	1.0	211
DI14-17	23.1	212
DI14-17	6.5	213
DI14-17	3.4	214
DI14-17	1.5	215
DI14-17	1.5	216
DI14-17	2.2	217
DI14-17	8.9	218
DI14-17	5.4	219
DI14-17	11.1	220
DI14-17	2.1	221
DI14-17	8.8	222
DI14-17	1.8	223
DI14-17	14.2	224
DI14-17	12.4	225
DI14-17	22.9	226
DI14-17	12.8	227
DI14-17	8.3	228
DI14-17	2.2	229
DI14-17	6.9	230
DI14-17	2.2	231
DI14-17	2.1	232
DI14-17	1.3	233
DI14-17	2.5	234
DI14-17	11.1	235
DI14-17	3.8	236
DI14-17	2.4	237

HOLE ID	READING	DEPTH
DI14-17	0.5	238
DI14-17	4.0	239
DI14-17	0.3	240
DI14-17	2.9	241
DI14-17	1.4	242
DI14-17	1.0	243
DI14-17	0.5	244
DI14-17	0.1	245
DI14-17	0.1	246
DI14-17	1.4	247
DI14-17	2.0	248
DI14-17	2.2	249
DI14-17	0.3	250
DI14-17	1.0	251
DI14-17	0.3	252
DI14-17	0.4	253
DI14-17	0.6	254
DI14-17	0.3	255
DI14-17	0.4	256
DI14-17	0.2	257
DI14-17	0.1	258
DI14-17	0.2	259
DI14-17	0.5	260
DI14-17	0.4	261
DI14-17	0.3	262
DI14-17	0.4	263
DI14-17	0.2	264
DI14-17	0.5	265
DI14-17	0.3	266
DI14-17	0.5	267
DI14-17	0.5	268
DI14-17	0.3	269
DI14-17	0.6	270
DI14-17	0.7	271
DI14-17	0.6	272
DI14-17	0.4	273
DI14-17	0.6	274
DI14-17	0.3	275
DI14-17	0.5	276
DI14-17	0.4	277
DI14-17	0.4	278
DI14-17	0.8	279
DI14-17	3.9	280
DI14-17	5.4	281
DI14-17	15.4	282
DI14-17	8.2	283
DI14-17	16.0	284
DI14-17	12.1	285
DI14-17	15.2	286
DI14-17	17.8	287
DI14-17	11.5	288
DI14-17	8.2	289
DI14-17	1.3	290
DI14-17	9.0	291
DI14-17	6.1	292
DI14-17	2.6	293
DI14-17	7.8	294
DI14-17	10.5	295
DI14-17	11.9	296
DI14-17	3.0	297

HOLE ID	READING	DEPTH
DI14-17	4.3	298
DI14-17	3.5	299
DI14-17	3.6	300
DI14-17	0.9	301
DI14-17	3.0	302
DI14-17	0.2	303
DI14-17	0.2	304
DI14-17	1.6	305
DI14-17	0.5	306
DI14-17	0.4	307
DI14-17	0.5	308
DI14-17	0.5	309
DI14-17	0.3	310
DI14-17	1.5	311
DI14-17	0.1	312
DI14-17	1.1	313
DI14-17	4.4	314
DI14-17	0.5	315
DI14-17	0.7	316
DI14-17	5.4	317
DI14-17	5.5	318
DI14-17	10.7	319
DI14-17	8.5	320
DI14-17	3.1	321
DI14-17	8.6	322
DI14-17	0.8	323
DI14-17	0.4	324
DI14-17	0.4	325
DI14-17	0.2	326
DI14-17	4.4	327
DI14-17	6.5	328
DI14-17	4.7	329
DI14-17	11.0	330
DI14-17	8.3	331
DI14-17	10.0	332
DI14-17	5.0	333
DI14-17	2.2	334
DI14-17	4.6	335
DI14-17	11.4	336
DI14-17	18.7	337
DI14-17	9.4	338
DI14-17	3.7	339
DI14-17	13.3	340
DI14-17	7.7	341
DI14-17	1.9	342
DI14-17	0.5	343
DI14-17	1.0	344
DI14-17	5.5	345
DI14-17	9.9	346
DI14-17	3.0	347
DI14-17	14.2	348
DI14-17	1.1	349
DI14-17	2.1	350
DI14-17	2.5	351
DI14-17	1.1	352
DI14-17	5.5	353
DI14-17	2.4	354
DI14-17	0.5	355
DI14-17	0.2	356
DI14-17	0.4	357

HOLE ID	READING	DEPTH
DI14-17	2.1	358
DI14-17	0.4	359
DI14-17	0.8	360
DI14-17	0.2	361
DI14-17	0.2	362
DI14-17	0.2	363
DI14-17	0.6	364
DI14-17	0.5	365
DI14-17	1.3	366
DI14-17	0.9	367
DI14-17	0.9	368
DI14-17	1.1	369
DI14-17	0.3	370
DI14-17	0.4	371
DI14-17	0.3	372
DI14-17	0.2	373
DI14-17	0.1	374
DI14-17	0.2	375
DI14-17	0.1	376
DI14-17	1.5	377
DI14-17	0.4	378
DI14-17	0.3	379
DI14-17	0.6	380
DI14-17	0.3	381
DI14-17	0.1	382
DI14-17	0.2	383
DI14-17	0.2	384
DI14-17	0.1	385
DI14-17	0.4	386
DI14-17	0.5	387
DI14-17	0.3	388
DI14-17	0.2	389
DI14-17	0.2	390
DI14-17	0.4	391
DI14-17	0.2	392
DI14-17	0.3	393
DI14-17	0.3	394
DI14-17	0.4	395
DI14-17	0.4	396
DI14-17	0.7	397
DI14-17	0.2	398
DI14-17	0.2	399
DI14-17	0.6	400
DI14-17	0.3	401
DI14-17	0.3	402
DI14-17	0.4	403
DI14-17	0.5	404
DI14-17	0.2	405
DI14-17	0.4	406
DI14-17	0.4	407
DI14-17	0.3	408
DI14-17	0.5	409
DI14-17	0.4	410
DI14-17	0.4	411
DI14-17	0.5	412
DI14-17	0.5	413
DI14-17	0.4	414
DI14-17	0.5	415
DI14-17	0.3	416
DI14-17	0.5	417

HOLE ID	READING	DEPTH
DI14-17	0.4	418
DI14-17	0.4	419
DI14-17	0.3	420
DI14-17	0.2	421
DI14-17	0.6	422
DI14-17	0.5	423
DI14-17	0.4	424
DI14-17	0.3	425
DI14-17	0.3	426
DI14-17	0.3	427
DI14-17	0.5	428
DI14-17	1.0	429
DI14-17	0.4	430
DI14-17	0.3	431
DI14-17	0.3	432
DI14-17	0.4	433
DI14-17	0.4	434
DI14-17	0.4	435
DI14-17	0.3	436
DI14-17	0.6	437
DI14-17	1.0	438
DI14-17	0.5	439
DI14-17	0.7	440
DI14-17	0.3	441
DI14-17	0.3	442
DI14-17	0.4	443
DI14-17	0.5	444
DI14-17	2.1	445
DI14-17	0.2	446
DI14-17	0.2	447
DI14-17	0.5	448
DI14-17	0.4	449
DI14-17	0.3	450
DI14-17	0.2	451
DI14-17	0.4	452
DI14-17	0.4	453
DI14-17	0.3	454
DI14-17	0.6	455
DI14-17	0.7	456
DI14-17	0.6	457
DI14-17	0.7	458
DI14-17	0.2	459
DI14-17	0.4	460
DI14-17	0.4	461
DI14-17	0.4	462
DI14-17	0.5	463
DI14-17	1.1	464
DI14-17	7.8	465
DI14-17	9.8	466
DI14-17	9.7	467
DI14-17	6.7	468
DI14-17	8.8	469
DI14-17	6.3	470
DI14-17	6.8	471
DI14-17	14.0	472
DI14-17	4.1	473
DI14-17	7.8	474
DI14-17	2.9	475
DI14-17	0.6	476
DI14-17	1.5	477

HOLE ID	READING	DEPTH
DI14-17	1.7	478
DI14-17	0.5	479
DI14-17	0.5	480
DI14-17	0.7	481
DI14-17	0.4	482
DI14-17	1.0	483
DI14-17	1.1	484
DI14-17	3.6	485
DI14-17	0.6	486
DI14-17	0.3	487
DI14-17	0.5	488
DI14-17	0.2	489
DI14-17	0.2	490
DI14-17	0.4	491
DI14-17	0.3	492
DI14-17	0.4	493
DI14-17	0.2	494
DI14-17	0.4	495
DI14-17	0.5	496
DI14-17	0.2	497
DI14-17	0.3	498
DI14-17	0.3	499
DI14-17	0.6	500
DI14-17	0.8	501
DI14-16b	0.3	526
DI14-16b	0.9	527
DI14-16b	0.5	528
DI14-16b	1.0	529
DI14-16b	0.7	530
DI14-16b	0.5	531
DI14-16b	7.2	532
DI14-16b	2.6	533
DI14-16b	1.1	534
DI14-16b	0.4	535
DI14-16b	0.4	536
DI14-16b	0.3	537
DI14-16b	0.8	538
DI14-16b	0.4	539
DI14-16b	0.6	540
DI14-16b	0.6	541
DI14-16b	0.4	542
DI14-16b	0.3	543
DI14-16b	1.2	544
DI14-16b	0.3	545
DI14-16b	7.9	546
DI14-16b	0.4	547
DI14-16b	1.2	548
DI14-16b	0.5	549
DI14-16b	0.2	550
DI14-16b	0.2	551
DI14-16b	3.1	552
DI14-16b	3.7	553
DI14-16b	0.6	554
DI14-16b	0.6	555
DI14-16b	0.2	556
DI14-16b	0.3	557
DI14-16b	0.2	558
DI14-16b	0.3	559
DI14-16b	0.4	560
DI14-16b	0.2	561

HOLE ID	READING	DEPTH
DI14-16b	0.3	562
DI14-16b	0.3	563
DI14-16b	1.5	564
DI14-16b	0.2	565
DI14-16b	0.4	566
DI14-16b	1.1	567
DI14-16b	0.4	568
DI14-16b	1.8	569
DI14-16b	1.4	570
DI14-16b	0.5	571
DI14-16b	2.0	572
DI14-16b	0.7	573
DI14-16b	1.6	574
DI14-16b	1.0	575
DI14-16b	0.9	576
DI14-16b	1.5	577
DI14-16b	0.6	578
DI14-16b	0.7	579
DI14-16b	1.5	580
DI14-16b	0.4	581
DI14-16b	0.4	582
DI14-16b	0.7	583
DI14-16b	0.8	584
DI14-16b	0.1	585
DI14-16b	0.3	586
DI14-16b	0.3	587
DI14-16b	0.6	588
DI14-16b	0.2	589
DI14-16b	0.3	590
DI14-16b	0.2	591
DI14-16b	0.3	592
DI14-16b	1.9	593
DI14-16b	1.0	594
DI14-16b	0.3	595
DI14-16b	0.4	596
DI14-16b	0.2	597
DI14-16b	0.2	598
DI14-16b	0.5	599
DI14-16b	1.4	600
DI14-16b	1.6	601
DI14-16b	0.9	602
DI14-16b	1.2	603
DI14-16b	1.8	604
DI14-16b	0.7	605
DI14-16b	0.9	606
DI14-16b	0.6	607
DI14-16b	0.2	608
DI14-16b	0.4	609
DI14-16b	0.2	610
DI14-16b	0.8	611
DI14-16b	1.7	612
DI14-16b	3.3	613
DI14-16b	8.1	614
DI14-16b	5.6	615
DI14-16b	13.1	616
DI14-16b	5.2	617
DI14-16b	3.1	618
DI14-16b	6.6	619
DI14-16b	8.8	620
DI14-16b	11.0	621

HOLE ID	READING	DEPTH
DI14-16b	12.7	622
DI14-16b	18.1	623
DI14-16b	11.4	624
DI14-16b	17.2	625
DI14-16b	13.9	626
DI14-16b	14.0	627
DI14-16b	16.1	628
DI14-16b	2.6	629
DI14-16b	0.9	630
DI14-16b	0.3	631
DI14-16b	1.3	632
DI14-16b	0.4	633
DI14-16b	0.5	634
DI14-16b	0.3	635
DI14-16b	0.4	636
DI14-16b	0.6	637
DI14-16b	0.9	638
DI14-16b	0.3	639
DI14-16b	0.2	640
DI14-16b	0.4	641
DI14-16b	0.4	642
DI14-16b	0.3	643
DI14-16b	0.2	644
DI14-16b	0.2	645
DI14-16b	0.2	646
DI14-16b	0.2	647
DI14-16b	0.8	648
DI14-16b	0.5	649
DI14-16b	0.2	650
DI14-16b	0.3	651
DI14-18	10.7	13
DI14-18	17.8	14
DI14-18	9.2	15
DI14-18	9.6	16
DI14-18	14.4	17
DI14-18	2.3	18
DI14-18	0.8	19
DI14-18	2.0	20
DI14-18	0.5	21
DI14-18	0.2	22
DI14-18	2.7	23
DI14-18	2.2	24
DI14-18	0.7	25
DI14-18	3.2	26
DI14-18	1.1	27
DI14-18	6.6	28
DI14-18	0.6	29
DI14-18	0.3	30
DI14-18	0.5	31
DI14-18	0.4	32
DI14-18	0.5	33
DI14-18	0.4	34
DI14-18	1.6	35
DI14-18	0.7	36
DI14-18	1.1	37
DI14-18	0.4	38
DI14-18	2.1	39
DI14-18	5.6	40
DI14-18	6.8	41
DI14-18	4.3	42

HOLE ID	READING	DEPTH
DI14-18	6.9	43
DI14-18	0.8	44
DI14-18	5.4	45
DI14-18	0.4	46
DI14-18	0.2	47
DI14-18	0.4	48
DI14-18	0.8	49
DI14-18	0.3	50
DI14-18	0.3	51
DI14-18	3.7	52
DI14-18	12.6	53
DI14-18	8.0	54
DI14-18	14.1	55
DI14-18	0.9	56
DI14-18	2.9	57
DI14-18	3.1	58
DI14-18	0.9	59
DI14-18	9.0	60
DI14-18	4.3	61
DI14-18	14.1	62
DI14-18	1.0	63
DI14-18	6.6	64
DI14-18	4.9	65
DI14-18	1.5	66
DI14-18	15.0	67
DI14-18	4.4	68
DI14-18	4.6	69
DI14-18	12.1	70
DI14-18	16.5	71
DI14-18	1.4	72
DI14-18	4.9	73
DI14-18	3.9	74
DI14-18	2.5	75
DI14-18	5.7	76
DI14-18	8.5	77
DI14-18	1.8	78
DI14-18	3.1	79
DI14-18	11.1	80
DI14-18	7.9	81
DI14-18	7.6	82
DI14-18	9.2	83
DI14-18	1.0	84
DI14-18	0.7	85
DI14-18	13.0	86
DI14-18	10.7	87
DI14-18	13.0	88
DI14-18	2.2	89
DI14-18	5.1	90
DI14-18	0.8	91
DI14-18	0.5	92
DI14-18	3.1	93
DI14-18	2.2	94
DI14-18	12.1	95
DI14-18	1.3	96
DI14-18	2.6	97
DI14-18	9.5	98
DI14-18	0.5	99
DI14-18	1.0	100
DI14-18	1.1	101
DI14-18	18.4	102

HOLE ID	READING	DEPTH
DI14-18	0.6	103
DI14-18	1.2	104
DI14-18	7.5	105
DI14-18	0.9	106
DI14-18	0.2	107
DI14-18	0.9	108
DI14-18	3.7	109
DI14-18	0.7	110
DI14-18	3.9	111
DI14-18	4.8	112
DI14-18	10.8	113
DI14-18	1.3	114
DI14-18	10.0	115
DI14-18	3.3	116
DI14-18	7.3	117
DI14-18	8.8	118
DI14-18	8.7	119
DI14-18	6.8	120
DI14-18	5.4	121
DI14-18	0.6	122
DI14-18	6.9	123
DI14-18	9.2	124
DI14-18	1.9	125
DI14-18	1.4	126
DI14-18	7.1	127
DI14-18	1.2	128
DI14-18	6.0	129
DI14-18	2.7	130
DI14-18	8.3	131
DI14-18	0.9	132
DI14-18	4.3	133
DI14-18	4.9	134
DI14-18	0.3	135
DI14-18	1.0	136
DI14-18	13.0	137
DI14-18	6.8	138
DI14-18	3.0	139
DI14-18	1.5	140
DI14-18	0.3	141
DI14-18	0.4	142
DI14-18	0.5	143
DI14-18	12.7	144
DI14-18	0.4	145
DI14-18	2.1	146
DI14-18	0.7	147
DI14-18	1.5	148
DI14-18	0.8	149
DI14-18	0.5	150
DI14-18	0.2	151
DI14-18	0.4	152
DI14-18	6.8	153
DI14-18	0.9	154
DI14-18	0.4	155
DI14-18	0.6	156
DI14-18	2.2	157
DI14-18	1.6	158
DI14-18	0.6	159
DI14-18	0.7	160
DI14-18	1.5	161
DI14-18	0.8	162

HOLE ID	READING	DEPTH
DI14-18	0.2	163
DI14-18	0.3	164
DI14-18	0.4	165
DI14-18	0.3	166
DI14-18	0.5	167
DI14-18	0.4	168
DI14-18	0.4	169
DI14-18	0.2	170
DI14-18	0.3	171
DI14-18	0.5	172
DI14-18	0.2	173
DI14-18	0.5	174
DI14-18	0.1	175
DI14-18	0.1	176
DI14-18	0.3	177
DI14-18	2.3	178
DI14-18	0.4	179
DI14-18	0.2	180
DI14-18	0.8	181
DI14-18	0.8	182
DI14-18	2.7	183
DI14-18	8.1	184
DI14-18	3.0	185
DI14-18	2.0	186
DI14-18	1.7	187
DI14-18	0.4	188
DI14-18	7.1	189
DI14-18	1.1	190
DI14-18	0.2	191
DI14-18	0.1	192
DI14-18	7.4	193
DI14-18	2.8	194
DI14-18	0.7	195
DI14-18	0.7	196
DI14-18	0.3	197
DI14-18	0.1	198
DI14-18	0.1	199
DI14-18	0.1	200
DI14-18	0.3	201
DI14-18	1.1	202
DI14-18	0.1	203
DI14-18	0.4	204
DI14-18	0.2	205
DI14-18	0.4	206
DI14-18	0.1	207
DI14-18	0.2	208
DI14-18	0.6	209
DI14-18	0.2	210
DI14-18	0.3	211
DI14-18	0.2	212
DI14-18	0.1	213
DI14-18	0.1	214
DI14-18	0.2	215
DI14-18	0.3	216
DI14-18	0.1	217
DI14-18	0.2	218
DI14-18	0.3	219
DI14-18	0.2	220
DI14-18	0.1	221
DI14-18	0.2	222

HOLE ID	READING	DEPTH
DI14-18	0.2	223
DI14-18	0.4	224
DI14-18	0.2	225
DI14-18	0.3	226
DI14-18	0.3	227
DI14-18	0.2	228
DI14-18	0.4	229
DI14-18	0.3	230
DI14-18	0.1	231
DI14-18	0.3	232
DI14-18	0.3	233
DI14-18	0.3	234
DI14-18	0.3	235
DI14-18	0.5	236
DI14-18	0.2	237
DI14-18	0.9	238
DI14-18	0.2	239
DI14-18	0.2	240
DI14-18	0.4	241
DI14-18	0.1	242
DI14-18	0.2	243
DI14-18	0.7	244
DI14-18	0.3	245
DI14-18	0.2	246
DI14-18	0.2	247
DI14-18	0.2	248
DI14-18	0.3	249
DI14-18	0.1	250
DI14-18	0.4	251
DI14-18	3.8	252
DI14-18	2.2	253
DI14-18	3.5	254
DI14-18	0.4	255
DI14-18	0.3	256
DI14-18	0.6	257
DI14-18	1.6	258
DI14-18	11.4	259
DI14-18	1.1	260
DI14-18	2.8	261
DI14-18	4.0	262
DI14-18	0.8	263
DI14-18	1.5	264
DI14-18	5.8	265
DI14-18	8.1	266
DI14-18	0.7	267
DI14-18	1.0	268
DI14-18	2.4	269
DI14-18	2.9	270
DI14-18	12.4	271
DI14-18	15.0	272
DI14-18	3.5	273
DI14-18	0.8	274
DI14-18	6.2	275
DI14-18	0.3	276
DI14-18	0.4	277
DI14-18	0.2	278
DI14-18	0.2	279
DI14-18	1.1	280
DI14-18	0.3	281
DI14-18	0.5	282

HOLE ID	READING	DEPTH
DI14-18	1.1	283
DI14-18	0.4	284
DI14-18	3.5	285
DI14-18	3.1	286
DI14-18	0.9	287
DI14-18	7.0	288
DI14-18	1.7	289
DI14-18	2.7	290
DI14-18	2.2	291
DI14-18	10.0	292
DI14-18	2.0	293
DI14-18	5.0	294
DI14-18	2.7	295
DI14-18	15.3	296
DI14-18	6.0	297
DI14-18	2.2	298
DI14-18	7.1	299
DI14-18	0.9	300
DI14-18	2.5	301
DI14-18	3.3	302
DI14-18	2.8	303
DI14-18	14.0	304
DI14-18	14.0	305
DI14-18	5.2	306
DI14-18	2.9	307
DI14-18	14.0	308
DI14-18	11.3	309
DI14-18	12.0	310
DI14-18	5.5	311
DI14-18	10.6	312
DI14-18	6.6	313
DI14-18	8.8	314
DI14-18	0.2	315
DI14-18	0.3	316
DI14-18	7.0	317
DI14-18	4.2	318
DI14-18	0.5	319
DI14-18	18.5	320
DI14-18	2.0	321
DI14-18	0.6	322
DI14-18	6.7	323
DI14-18	0.6	324
DI14-18	0.3	325
DI14-18	0.4	326
DI14-18	1.8	327
DI14-18	3.6	328
DI14-18	6.9	329
DI14-18	10.1	330
DI14-18	10.0	331
DI14-18	12.2	332
DI14-18	12.0	333
DI14-18	14.5	334
DI14-18	18.2	335
DI14-18	14.5	336
DI14-18	11.9	337
DI14-18	5.8	338
DI14-18	2.2	339
DI14-18	7.2	340
DI14-18	1.7	341
DI14-18	6.7	342

HOLE ID	READING	DEPTH
DI14-18	15.4	343
DI14-18	9.6	344
DI14-18	13.0	345
DI14-18	7.9	346
DI14-18	4.1	347
DI14-18	3.3	348
DI14-18	13.1	349
DI14-18	9.2	350
DI14-18	4.4	351
DI14-18	2.5	352
DI14-18	0.5	353
DI14-18	6.9	354
DI14-18	8.8	355
DI14-18	5.7	356
DI14-18	5.7	357
DI14-18	8.5	358
DI14-18	7.4	359
DI14-18	4.0	360
DI14-18	2.2	361
DI14-18	5.7	362
DI14-18	6.0	363
DI14-18	3.6	364
DI14-18	11.7	365
DI14-18	14.6	366
DI14-18	6.6	367
DI14-18	6.5	368
DI14-18	11.0	369
DI14-18	7.9	370
DI14-18	1.1	371
DI14-18	7.9	372
DI14-18	0.5	373
DI14-18	0.4	374
DI14-18	4.0	375
DI14-18	2.8	376
DI14-18	3.6	377
DI14-18	7.0	378
DI14-18	2.9	379
DI14-18	0.7	380
DI14-18	0.3	381
DI14-18	0.2	382
DI14-18	9.5	383
DI14-18	2.1	384
DI14-18	0.5	385
DI14-18	3.1	386
DI14-18	1.8	387
DI14-18	3.0	388
DI14-18	0.5	389
DI14-18	0.2	390
DI14-18	0.3	391
DI14-18	5.6	392
DI14-18	0.6	393
DI14-18	2.1	394
DI14-18	5.1	395
DI14-18	3.7	396
DI14-18	0.7	397
DI14-18	0.3	398
DI14-18	1.1	399
DI14-18	3.9	400
DI14-18	4.4	401
DI14-18	3.1	402

HOLE ID	READING	DEPTH
DI14-18	0.7	403
DI14-18	0.5	404
DI14-18	0.1	405
DI14-18	0.2	406
DI14-18	0.4	407
DI14-18	0.4	408
DI14-18	0.4	409
DI14-18	0.3	410
DI14-18	0.6	411
DI14-18	0.2	412
DI14-18	0.2	413
DI14-18	0.2	414
DI14-18	0.1	415
DI14-18	0.2	416
DI14-18	0.5	417
DI14-18	1.5	418
DI14-18	1.4	419
DI14-18	0.8	420
DI14-18	0.7	421
DI14-18	3.5	422
DI14-18	1.0	423
DI14-18	1.7	424
DI14-18	0.3	425
DI14-18	0.7	426
DI14-18	2.0	427
DI14-18	0.8	428
DI14-18	0.6	429
DI14-18	1.5	430
DI14-18	1.7	431
DI14-18	0.7	432
DI14-18	0.6	433
DI14-18	1.6	434
DI14-18	1.1	435
DI14-18	1.9	436
DI14-18	0.7	437
DI14-18	0.5	438
DI14-18	0.3	439
DI14-18	0.4	440
DI14-18	0.3	441
DI14-18	0.3	442
DI14-18	1.2	443
DI14-18	1.3	444
DI14-18	0.6	445
DI14-18	0.8	446
DI14-18	1.2	447
DI14-18	0.9	448
DI14-18	0.3	449
DI14-18	0.2	450
DI14-18	5.7	451
DI14-18	1.4	452
DI14-18	0.1	453
DI14-18	1.2	454
DI14-18	2.6	455
DI14-18	0.8	456
DI14-18	0.6	457
DI14-18	1.3	458
DI14-18	0.6	459
DI14-18	0.5	460
DI14-18	0.1	461
DI14-18	0.1	462

HOLE ID	READING	DEPTH
DI14-18	0.7	463
DI14-18	1.4	464
DI14-18	0.6	465
DI14-18	4.0	466
DI14-18	5.8	467
DI14-18	2.4	468
DI14-18	1.4	469
DI14-18	0.5	470
DI14-18	0.2	471
DI14-18	1.3	472
DI14-18	1.9	473
DI14-18	0.1	474
DI14-18	0.2	475
DI14-18	0.7	476
DI14-18	0.7	477
DI14-18	0.9	478
DI14-18	0.9	479
DI14-18	0.2	480
DI14-18	0.0	481
DI14-18	0.2	482
DI14-18	0.3	483
DI14-18	0.2	484
DI14-18	0.4	485
DI14-18	0.3	486
DI14-18	0.3	487
DI14-18	1.3	488
DI14-18	0.4	489
DI14-18	0.3	490
DI14-18	8.3	491
DI14-18	6.0	492
DI14-18	4.8	493
DI14-18	9.4	494
DI14-18	11.3	495
DI14-18	3.9	496
DI14-18	11.1	497
DI14-18	6.9	498
DI14-18	10.1	499
DI14-18	14.7	500
DI14-18	13.8	501
DI14-19	0.7	56
DI14-19	0.4	57
DI14-19	1.1	58
DI14-19	1.3	59
DI14-19	0.1	60
DI14-19	0.1	61
DI14-19	0.2	62
DI14-19	0.3	63
DI14-19	0.3	64
DI14-19	0.2	65
DI14-19	0.1	66
DI14-19	0.2	67
DI14-19	0.3	68
DI14-19	0.2	69
DI14-19	3.9	70
DI14-19	3.6	71
DI14-19	1.3	72
DI14-19	0.3	73
DI14-19	6.3	74
DI14-19	0.4	75
DI14-19	1.6	76

HOLE ID	READING	DEPTH
DI14-19	0.3	77
DI14-19	0.1	78
DI14-19	0.3	79
DI14-19	0.7	80
DI14-19	0.4	81
DI14-19	3.4	82
DI14-19	1.5	83
DI14-19	0.1	84
DI14-19	1.1	85
DI14-19	0.3	86
DI14-19	4.5	87
DI14-19	0.2	88
DI14-19	0.1	89
DI14-19	0.1	90
DI14-19	0.2	91
DI14-19	0.2	92
DI14-19	0.1	93
DI14-19	0.4	94
DI14-19	0.2	95
DI14-19	0.4	96
DI14-19	1.2	97
DI14-19	0.5	98
DI14-19	0.3	99
DI14-19	0.3	100
DI14-19	0.1	101
DI14-19	0.3	102
DI14-19	0.1	103
DI14-19	0.5	104
DI14-19	0.3	105
DI14-19	0.2	106
DI14-19	0.4	107
DI14-19	0.4	108
DI14-19	8.7	109
DI14-19	6.1	110
DI14-19	0.1	111
DI14-19	0.1	112
DI14-19	0.1	113
DI14-19	0.4	114
DI14-19	0.5	115
DI14-19	2.9	116
DI14-19	1.8	117
DI14-19	0.2	118
DI14-19	1.0	119
DI14-19	0.5	120
DI14-19	1.3	121
DI14-19	0.9	122
DI14-19	2.8	123
DI14-19	0.3	124
DI14-19	0.1	125
DI14-19	0.1	126
DI14-19	0.1	127
DI14-19	0.4	128
DI14-19	0.4	129
DI14-19	0.2	130
DI14-19	0.1	131
DI14-19	0.1	132
DI14-19	0.1	133
DI14-19	0.1	134
DI14-19	0.1	135
DI14-19	0.2	136

HOLE ID	READING	DEPTH
DI14-19	0.1	137
DI14-19	0.1	138
DI14-19	0.2	139
DI14-19	0.1	140
DI14-19	0.6	141
DI14-19	0.4	142
DI14-19	0.2	143
DI14-19	0.8	144
DI14-19	0.3	145
DI14-19	0.7	146
DI14-19	0.0	147
DI14-19	0.1	148
DI14-19	0.1	149
DI14-19	0.5	150
DI14-19	0.2	151
DI14-19	0.3	152
DI14-19	0.2	153
DI14-19	0.2	154
DI14-19	0.2	155
DI14-19	0.2	156
DI14-19	0.3	157
DI14-19	1.8	158
DI14-19	2.6	159
DI14-19	3.1	160
DI14-19	0.3	161
DI14-19	1.5	162
DI14-19	14.9	163
DI14-19	14.7	164
DI14-19	16.1	165
DI14-19	0.7	166
DI14-19	11.5	167
DI14-19	20.0	168
DI14-19	0.5	169
DI14-19	1.3	170
DI14-19	0.2	171
DI14-19	0.4	172
DI14-19	0.3	173
DI14-19	0.2	174
DI14-19	0.2	175
DI14-19	0.6	176
DI14-19	1.0	177
DI14-19	0.7	178
DI14-19	1.7	179
DI14-19	0.6	180
DI14-19	0.4	181
DI14-19	0.1	182
DI14-19	0.5	183
DI14-19	1.0	184
DI14-19	0.5	185
DI14-19	1.2	186
DI14-19	0.4	187
DI14-19	2.9	188
DI14-19	0.1	189
DI14-19	0.4	190
DI14-19	0.2	191
DI14-19	0.8	192
DI14-19	0.7	193
DI14-19	0.6	194
DI14-19	0.3	195
DI14-19	0.4	196

HOLE ID	READING	DEPTH
DI14-19	2.2	197
DI14-19	0.9	198
DI14-19	0.4	199
DI14-19	8.5	200
DI14-19	0.8	201
DI14-19	0.1	202
DI14-19	3.6	203
DI14-19	1.3	204
DI14-19	0.5	205
DI14-19	5.0	206
DI14-19	0.4	207
DI14-19	0.2	208
DI14-19	0.3	209
DI14-19	0.1	210
DI14-19	1.4	211
DI14-19	0.3	212
DI14-19	0.1	213
DI14-19	0.1	214
DI14-19	0.1	215
DI14-19	0.3	216
DI14-19	0.2	217
DI14-19	0.2	218
DI14-19	0.3	219
DI14-19	0.2	220
DI14-19	0.2	221
DI14-19	0.1	222
DI14-19	0.5	223
DI14-19	0.2	224
DI14-19	0.2	225
DI14-19	0.2	226
DI14-19	0.1	227
DI14-19	0.3	228
DI14-19	0.1	229
DI14-19	0.2	230
DI14-19	0.1	231
DI14-19	0.3	232
DI14-19	0.3	233
DI14-19	0.2	234
DI14-19	0.3	235
DI14-19	2.8	236
DI14-19	0.3	237
DI14-19	0.3	238
DI14-19	2.5	239
DI14-19	6.3	240
DI14-19	1.1	241
DI14-19	19.5	242
DI14-19	1.0	243
DI14-19	1.6	244
DI14-19	0.2	245
DI14-19	0.4	246
DI14-19	0.1	247
DI14-19	0.2	248
DI14-19	0.2	249
DI14-19	0.2	250
DI14-19	0.1	251
DI14-19	0.1	252
DI14-19	0.2	253
DI14-19	0.3	254
DI14-19	0.7	255
DI14-19	0.8	256

HOLE ID	READING	DEPTH
DI14-19	0.4	257
DI14-19	0.2	258
DI14-19	0.4	259
DI14-19	0.2	260
DI14-19	0.2	261
DI14-19	0.3	262
DI14-19	0.7	263
DI14-19	0.7	264
DI14-19	0.5	265
DI14-19	0.2	266
DI14-19	0.2	267
DI14-19	0.1	268
DI14-19	0.2	269
DI14-19	1.5	270
DI14-19	0.3	271
DI14-19	0.2	272
DI14-19	0.2	273
DI14-19	0.3	274
DI14-19	0.2	275
DI14-19	0.2	276
DI14-19	0.8	277
DI14-19	0.4	278
DI14-19	0.2	279
DI14-19	0.2	280
DI14-19	0.2	281
DI14-19	0.3	282
DI14-19	0.4	283
DI14-19	0.3	284
DI14-19	0.3	285
DI14-19	0.3	286
DI14-19	0.4	287
DI14-19	0.1	288
DI14-19	0.1	289
DI14-19	0.1	290
DI14-19	0.2	291
DI14-19	0.2	292
DI14-19	0.1	293
DI14-19	0.2	294
DI14-19	0.2	295
DI14-19	0.0	296
DI14-19	0.1	297
DI14-19	0.2	298
DI14-19	0.3	299
DI14-19	0.4	300
DI14-19	0.1	301
DI14-19	0.2	302
DI14-19	0.5	303
DI14-19	1.9	304
DI14-19	0.5	305
DI14-19	1.7	306
DI14-19	0.2	307
DI14-19	1.0	308
DI14-19	0.2	309
DI14-19	0.4	310
DI14-19	0.1	311
DI14-19	1.3	312
DI14-19	1.6	313
DI14-19	0.5	314
DI14-19	0.7	315
DI14-19	0.1	316

HOLE ID	READING	DEPTH
DI14-19	0.2	317
DI14-19	0.1	318
DI14-19	0.1	319
DI14-19	0.1	320
DI14-19	0.1	321
DI14-19	0.1	322
DI14-19	0.2	323
DI14-19	0.3	324
DI14-19	0.7	325
DI14-19	0.7	326
DI14-19	4.9	327
DI14-19	0.7	328
DI14-19	3.0	329
DI14-19	0.2	330
DI14-19	0.1	331
DI14-19	0.1	332
DI14-19	0.2	333
DI14-19	0.3	334
DI14-19	0.1	335
DI14-19	0.1	336
DI14-19	6.6	337
DI14-19	31.7	338
DI14-19	0.9	339
DI14-19	8.6	340
DI14-19	0.2	341
DI14-19	0.1	342
DI14-19	1.1	343
DI14-19	0.2	344
DI14-19	8.7	345
DI14-19	0.1	346
DI14-19	0.2	347
DI14-19	0.8	348
DI14-19	0.7	349
DI14-19	0.1	350
DI14-19	0.1	351
DI14-19	0.2	352
DI14-19	0.1	353
DI14-19	0.2	354
DI14-19	0.2	355
DI14-19	0.3	356
DI14-19	0.1	357
DI14-19	0.3	358
DI14-19	0.2	359
DI14-19	0.7	360
DI14-19	1.6	361
DI14-19	1.6	362
DI14-19	0.5	363
DI14-19	1.0	364
DI14-19	0.3	365
DI14-19	0.1	366
DI14-19	0.1	367
DI14-19	0.2	368
DI14-19	4.0	369
DI14-19	4.6	370
DI14-19	0.3	371
DI14-19	0.9	372
DI14-19	1.8	373
DI14-19	3.6	374
DI14-19	0.2	375
DI14-19	0.2	376

HOLE ID	READING	DEPTH
DI14-19	0.3	377
DI14-19	1.7	378
DI14-19	1.2	379
DI14-19	0.9	380
DI14-19	1.6	381
DI14-19	38.9	382
DI14-19	9.9	383
DI14-19	22.7	384
DI14-19	3.9	385
DI14-19	0.6	386
DI14-19	28.2	387
DI14-19	35.0	388
DI14-19	23.5	389
DI14-19	7.6	390
DI14-19	0.7	391
DI14-19	5.1	392
DI14-19	14.9	393
DI14-19	0.2	394
DI14-19	1.2	395
DI14-19	26.1	396
DI14-19	16.3	397
DI14-19	11.4	398
DI14-19	7.6	399
DI14-19	13.9	400
DI14-19	14.9	401
DI14-19	13.2	402
DI14-19	28.5	403
DI14-19	22.6	404
DI14-19	33.0	405
DI14-19	2.1	406
DI14-19	3.7	407
DI14-19	3.1	408
DI14-19	10.0	409
DI14-19	3.2	410
DI14-19	15.2	411
DI14-19	0.5	412
DI14-19	11.3	413
DI14-19	5.9	414
DI14-19	4.7	415
DI14-19	1.0	416
DI14-19	7.9	417
DI14-19	8.7	418
DI14-19	32.4	419
DI14-19	9.1	420
DI14-19	10.9	421
DI14-19	10.9	422
DI14-19	8.3	423
DI14-19	1.0	424
DI14-19	2.8	425
DI14-19	24.8	426
DI14-19	43.2	427
DI14-19	38.5	428
DI14-19	25.4	429
DI14-19	36.5	430
DI14-19	25.7	431
DI14-19	21.3	432
DI14-19	5.6	433
DI14-19	1.7	434
DI14-19	0.6	435
DI14-19	0.1	436

HOLE ID	READING	DEPTH
DI14-19	0.6	437
DI14-19	0.2	438
DI14-19	0.2	439
DI14-19	0.3	440
DI14-19	0.2	441
DI14-19	0.0	442
DI14-19	0.2	443
DI14-19	0.2	444
DI14-19	1.5	445
DI14-19	3.9	446
DI14-19	15.8	447
DI14-19	7.0	448
DI14-19	14.1	449
DI14-19	25.9	450
DI14-19	21.1	451
DI14-19	23.7	452
DI14-19	19.2	453
DI14-19	14.3	454
DI14-19	10.3	455
DI14-19	9.4	456
DI14-19	18.6	457
DI14-19	26.0	458
DI14-19	23.5	459
DI14-19	27.6	460
DI14-19	23.4	461
DI14-19	29.0	462
DI14-19	37.5	463
DI14-19	6.8	464
DI14-19	8.6	465
DI14-19	32.3	466
DI14-19	15.7	467
DI14-19	29.5	468
DI14-19	8.0	469
DI14-19	9.8	470
DI14-19	21.4	471
DI14-19	13.0	472
DI14-19	22.1	473
DI14-19	12.3	474
DI14-19	21.8	475
DI14-19	26.5	476
DI14-19	32.7	477
DI14-19	19.0	478
DI14-19	24.4	479
DI14-19	17.1	480
DI14-19	12.6	481
DI14-19	25.6	482
DI14-19	28.2	483
DI14-19	3.9	484
DI14-19	0.8	485
DI14-19	21.2	486
DI14-19	14.6	487
DI14-19	19.7	488
DI14-19	30.9	489
DI14-19	7.6	490
DI14-19	24.1	491
DI14-19	32.3	492
DI14-19	1.7	493
DI14-19	11.9	494
DI14-19	1.7	495
DI14-19	17.5	496

HOLE ID	READING	DEPTH
DI14-19	8.5	497
DI14-19	0.4	498
DI14-19	2.7	499
DI14-19	17.3	500
DI14-19	24.0	501
DI14-19	26.0	502
DI14-19	20.2	503
DI14-19	18.9	504
DI14-19	25.0	505
DI14-19	20.1	506
DI14-19	17.6	507
DI14-19	38.3	508
DI14-19	4.8	509
DI14-19	21.6	510
DI14-19	21.3	511
DI14-19	29.1	512
DI14-19	27.6	513
DI14-19	29.9	514
DI14-19	31.2	515
DI14-19	19.8	516
DI14-19	1.1	517
DI14-19	29.6	518
DI14-19	21.3	519
DI14-19	7.7	520
DI14-19	0.6	521
DI14-19	1.8	522
DI14-19	31.9	523
DI14-19	6.6	524
DI14-19	8.0	525
DI14-19	15.1	526
DI14-19	13.0	527
DI14-19	14.9	528
DI14-19	8.0	529
DI14-19	18.4	530
DI14-19	32.0	531
DI14-19	11.5	532
DI14-19	1.2	533
DI14-19	3.3	534
DI14-19	0.8	535
DI14-19	3.9	536
DI14-19	7.0	537
DI14-19	4.7	538
DI14-19	15.8	539
DI14-19	14.8	540
DI14-19	1.3	541
DI14-19	4.9	542
DI14-19	14.6	543
DI14-19	2.7	544
DI14-19	3.2	545
DI14-19	0.5	546
DI14-19	2.1	547
DI14-19	2.7	548
DI14-19	3.5	549
DI14-19	0.2	550
DI14-19	0.9	551
DI14-19	0.8	552
DI14-19	1.1	553
DI14-19	0.2	554
DI14-19	0.1	555
DI14-19	0.1	556

HOLE ID	READING	DEPTH
DI14-19	0.1	557
DI14-19	0.1	558
DI14-19	0.1	559
DI14-19	0.9	560
DI14-19	0.4	561
DI14-19	2.6	562
DI14-19	13.6	563
DI14-19	10.5	564
DI14-19	4.9	565
DI14-19	14.6	566
DI14-19	4.3	567
DI14-19	9.7	568
DI14-19	8.3	569
DI14-19	3.1	570
DI14-19	17.4	571
DI14-19	0.3	572
DI14-19	14.7	573
DI14-19	1.1	574
DI14-19	0.4	575
DI14-19	0.3	576
DI14-19	0.3	577
DI14-19	0.5	578
DI14-19	14.3	579
DI14-19	13.4	580
DI14-19	21.0	581
DI14-19	27.9	582
DI14-19	3.7	583
DI14-19	3.2	584
DI14-19	5.4	585
DI14-19	8.9	586
DI14-19	1.1	587
DI14-19	60.0	588
DI14-19	16.4	589
DI14-19	25.5	590
DI14-19	24.3	591
DI14-19	6.1	592
DI14-19	2.0	593
DI14-19	7.1	594
DI14-19	6.7	595
DI14-19	4.0	596
DI14-19	13.6	597
DI14-19	19.9	598
DI14-19	21.6	599
DI14-19	0.1	600

HOLE ID	READING	DEPTH

Drill Core Recoveries and RQD

2014 Drillcore Recovery and RQD

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-07	0	10	10	2.02	0.42	3	20.2%	20.8%
DI14-07	10	13	3	0.60	0.00	0	20.0%	0.0%
DI14-07	13	16	3	1.46	0.44	4	48.7%	30.1%
DI14-07	16	19	3	1.95	0.36	3	65.0%	18.5%
DI14-07	19	22	3	0.80	0.38	2	26.7%	47.5%
DI14-07	22	25	3	1.60	0.33	2	53.3%	20.6%
DI14-07	25	28	3	0.80	0.00	0	26.7%	0.0%
DI14-07	28	31	3	2.50	0.34	9	83.3%	13.6%
DI14-07	31	34	3	2.73	0.41	3	91.0%	15.0%
DI14-07	34	37	3	2.79	2.20	9	93.0%	78.9%
DI14-07	37	40	3	2.76	1.10	6	92.0%	39.9%
DI14-07	40	43	3	2.50	0.62	5	83.3%	24.8%
DI14-07	43	46	3	2.64	0.23	2	88.0%	8.7%
DI14-07	46	49	3	2.45	0.36	3	81.7%	14.7%
DI14-07	49	52	3	2.95	1.72	11	98.3%	58.3%
DI14-07	52	55	3	2.53	1.47	9	84.3%	58.1%
DI14-07	55	58	3	1.89	0.00	0	63.0%	0.0%
DI14-07	58	61	3	0.40	0.00	0	13.3%	0.0%
DI14-07	61	64	3	1.85	0.45	3	61.7%	24.3%
DI14-07	64	67	3	2.74	1.12	7	91.3%	40.9%
DI14-07	67	70	3	2.42	1.00	7	80.7%	41.3%
DI14-07	70	73	3	1.73	1.48	10	57.7%	85.5%
DI14-07	73	76	3	2.95	2.80	15	98.3%	94.9%
DI14-07	76	79	3	2.78	1.66	10	92.7%	59.7%
DI14-07	79	82	3	1.87	0.86	7	62.3%	46.0%
DI14-07	82	85	3	2.25	0.86	6	75.0%	38.2%
DI14-07	85	88	3	2.42	1.27	6	80.7%	52.5%
DI14-07	88	91	3	2.45	1.24	6	81.7%	50.6%
DI14-07	91	94	3	0.80	0.00	0	26.7%	0.0%
DI14-07	94	97	3	0.21	0.00	0	7.0%	0.0%
DI14-07	97	100	3	1.40	0.18	1	46.7%	12.9%
DI14-07	100	103	3	2.20	0.80	6	73.3%	36.4%
DI14-07	103	106	3	2.94	1.82	9	98.0%	61.9%
DI14-07	106	109	3	1.74	0.44	2	58.0%	25.3%
DI14-07	109	112	3	1.53	0.44	4	51.0%	28.8%
DI14-07	112	115	3	0.83	0.00	0	27.7%	0.0%
DI14-07	115	118	3	2.81	1.32	8	93.7%	47.0%
DI14-07	118	121	3	2.90	0.39	3	96.7%	13.4%
DI14-07	121	124	3	2.01	0.78	4	67.0%	38.8%
DI14-07	124	127	3	2.61	1.27	11	87.0%	48.7%
DI14-07	127	130	3	2.50	1.52	10	83.3%	60.8%
DI14-07	130	133	3	2.92	1.15	8	97.3%	39.4%
DI14-07	133	136	3	2.82	1.18	8	94.0%	41.8%
DI14-07	136	139	3	2.61	2.12	9	87.0%	81.2%
DI14-07	139	142	3	2.29	0.51	4	76.3%	22.3%
DI14-07	142	145	3	2.66	1.36	9	88.7%	51.1%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-07	145	148	3	2.83	2.22	11	94.3%	78.4%
DI14-07	148	151	3	2.33	0.83	6	77.7%	35.6%
DI14-07	151	154	3	2.61	0.86	7	87.0%	33.0%
DI14-07	154	157	3	1.88	0.00	0	62.7%	0.0%
DI14-07	157	160	3	2.31	0.64	4	77.0%	27.7%
DI14-07	160	163	3	2.63	1.09	6	87.7%	41.4%
DI14-07	163	166	3	2.47	0.37	2	82.3%	15.0%
DI14-07	166	169	3	1.37	0.00	0	45.7%	0.0%
DI14-07	169	172	3	2.51	0.11	1	83.7%	4.4%
DI14-07	172	175	3	2.82	1.89	10	94.0%	67.0%
DI14-07	175	178	3	2.53	1.24	7	84.3%	49.0%
DI14-07	178	181	3	2.19	0.50	3	73.0%	22.8%
DI14-07	181	184	3	1.82	0.28	2	60.7%	15.4%
DI14-07	184	187	3	2.83	2.31	10	94.3%	81.6%
DI14-07	187	190	3	2.96	1.76	10	98.7%	59.5%
DI14-07	190	193	3	2.57	1.45	9	85.7%	56.4%
DI14-07	193	196	3	2.83	2.38	10	94.3%	84.1%
DI14-07	196	199	3	1.44	0.52	2	48.0%	36.1%
DI14-07	199	202	3	0.70	0.00	0	23.3%	0.0%
DI14-07	202	205	3	1.70	0.11	1	56.7%	6.5%
DI14-07	205	208	3	2.06	0.28	2	68.7%	13.6%
DI14-07	208	211	3	2.78	0.97	6	92.7%	34.9%
DI14-07	211	214	3	2.94	0.99	8	98.0%	33.7%
DI14-07	214	217	3	2.32	0.50	3	77.3%	21.6%
DI14-07	217	220	3	2.16	0.77	4	72.0%	35.6%
DI14-07	220	223	3	2.52	1.53	7	84.0%	60.7%
DI14-07	223	226	3	2.69	1.90	11	89.7%	70.6%
DI14-07	226	229	3	2.90	2.08	13	96.7%	71.7%
DI14-07	229	232	3	2.73	1.20	7	91.0%	44.0%
DI14-07	232	235	3	2.98	2.26	12	99.3%	75.8%
DI14-07	235	238	3	2.77	2.13	9	92.3%	76.9%
DI14-07	238	241	3	2.90	1.92	11	96.7%	66.2%
DI14-07	241	244	3	2.80	1.68	11	93.3%	60.0%
DI14-07	244	247	3	2.78	0.93	4	92.7%	33.5%
DI14-07	247	250	3	2.78	1.76	7	92.7%	63.3%
DI14-07	250	253	3	2.92	2.70	13	97.3%	92.5%
DI14-07	253	256	3	2.47	0.80	5	82.3%	32.4%
DI14-07	256	259	3	2.68	0.93	5	89.3%	34.7%
DI14-07	259	262	3	2.48	0.95	6	82.7%	38.3%
DI14-07	262	265	3	2.89	1.60	11	96.3%	55.4%
DI14-07	265	268	3	2.78	1.96	7	92.7%	70.5%
DI14-07	268	271	3	2.73	1.76	9	91.0%	64.5%
DI14-07	271	274	3	2.56	1.77	12	85.3%	69.1%
DI14-07	274	277	3	2.81	1.70	9	93.7%	60.5%
DI14-07	277	280	3	3.00	1.21	6	100.0%	40.3%
DI14-07	280	283	3	2.76	1.79	9	92.0%	64.9%
DI14-07	283	286	3	2.90	1.15	8	96.7%	39.7%
DI14-07	286	289	3	2.58	0.70	6	86.0%	27.1%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-07	289	292	3	2.86	0.36	3	95.3%	12.6%
DI14-07	292	295	3	2.57	0.86	6	85.7%	33.5%
DI14-07	295	298	3	2.45	0.44	3	81.7%	18.0%
DI14-07	298	301	3	2.61	0.71	4	87.0%	27.2%
DI14-07	301	304	3	2.54	0.59	4	84.7%	23.2%
DI14-07	304	307	3	2.79	0.63	4	93.0%	22.6%
DI14-07	307	310	3	2.91	1.44	8	97.0%	49.5%
DI14-07	310	313	3	2.69	1.51	10	89.7%	56.1%
DI14-07	313	316	3	3.00	1.81	9	100.0%	60.3%
DI14-07	316	319	3	2.45	0.70	5	81.7%	28.6%
DI14-07	319	322	3	2.45	0.73	4	81.7%	29.8%
DI14-07	322	325	3	3.24	1.79	8	108.0%	55.2%
DI14-07	325	328	3	2.83	1.14	8	94.3%	40.3%
DI14-07	328	331	3	2.45	0.82	5	81.7%	33.5%
DI14-07	331	334	3	2.21	0.82	4	73.7%	37.1%
DI14-07	334	337	3	2.28	1.06	7	76.0%	46.5%
DI14-07	337	340	3	2.11	0.45	3	70.3%	21.3%
DI14-07	340	343	3	2.32	0.65	5	77.3%	28.0%
DI14-07	343	346	3	2.81	1.90	10	93.7%	67.6%
DI14-07	346	349	3	2.83	2.02	9	94.3%	71.4%
DI14-07	349	352	3	2.85	2.09	9	95.0%	73.3%
DI14-07	352	355	3	2.84	2.57	7	94.7%	90.5%
DI14-07	355	358	3	2.89	2.27	11	96.3%	78.5%
DI14-07	358	361	3	2.65	1.44	7	88.3%	54.3%
DI14-07	361	364	3	2.84	2.12	10	94.7%	74.6%
DI14-07	364	367	3	2.84	2.27	13	94.7%	79.9%
DI14-07	367	370	3	2.78	1.92	11	92.7%	69.1%
DI14-07	370	373	3	2.80	1.65	9	93.3%	58.9%
DI14-07	373	376	3	2.82	2.26	12	94.0%	80.1%
DI14-07	376	379	3	2.73	2.09	11	91.0%	76.6%
DI14-07	379	382	3	2.88	1.95	10	96.0%	67.7%
DI14-07	382	385	3	2.89	2.79	8	96.3%	96.5%
DI14-07	385	388	3	2.87	2.60	10	95.7%	90.6%
DI14-07	388	391	3	2.84	1.64	10	94.7%	57.7%
DI14-07	391	394	3	4.72	2.96	14	157.3%	62.7%
DI14-07	394	397	3	3.05	0.93	6	101.7%	30.5%
DI14-07	397	400	3	2.75	1.11	7	91.7%	40.4%
DI14-07	400	403	3	2.64	1.21	7	88.0%	45.8%
DI14-07	403	406	3	2.60	1.30	7	86.7%	50.0%
DI14-07	406	409	3	2.54	0.84	5	84.7%	33.1%
DI14-07	409	412	3	2.05	0.45	3	68.3%	22.0%
DI14-07	412	415	3	2.74	1.50	10	91.3%	54.7%
DI14-07	415	418	3	2.88	1.63	9	96.0%	56.6%
DI14-07	418	421	3	2.38	0.85	6	79.3%	35.7%
DI14-07	421	424	3	2.73	1.50	11	91.0%	54.9%
DI14-07	424	427	3	2.74	1.20	8	91.3%	43.8%
DI14-07	427	430	3	2.85	1.47	6	95.0%	51.6%
DI14-07	430	433	3	2.88	1.59	8	96.0%	55.2%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-07	433	436	3	2.30	0.64	4	76.7%	27.8%
DI14-07	436	439	3	2.88	1.43	6	96.0%	49.7%
DI14-07	439	442	3	1.91	0.43	3	63.7%	22.5%
DI14-07	442	445	3	3.15	1.96	10	105.0%	62.2%
DI14-07	445	448	3	2.85	2.13	10	95.0%	74.7%
DI14-07	448	451	3	2.82	2.22	9	94.0%	78.7%
DI14-08	28	31	3	1.44	0.57	5	48.0%	39.6%
DI14-08	31	34	3	0.53	0.15	1	17.7%	28.3%
DI14-08	34	37	3	0.60	0.00	0	20.0%	0.0%
DI14-08	37	40	3	0.26	0.00	0	8.7%	0.0%
DI14-08	40	43	3	2.06	0.34	3	68.7%	16.5%
DI14-08	43	46	3	2.53	1.10	8	84.3%	43.5%
DI14-08	46	49	3	2.81	0.50	3	93.7%	17.8%
DI14-08	49	52	3	2.43	1.12	6	81.0%	46.1%
DI14-08	52	55	3	2.66	1.47	9	88.7%	55.3%
DI14-08	55	58	3	2.97	2.31	13	99.0%	77.8%
DI14-08	58	61	3	1.57	0.37	2	52.3%	23.6%
DI14-08	61	64	3	2.88	0.46	3	96.0%	16.0%
DI14-08	64	67	3	2.62	1.05	7	87.3%	40.1%
DI14-08	67	70	3	1.53	0.32	2	51.0%	20.9%
DI14-08	70	73	3	0.79	0.00	0	26.3%	0.0%
DI14-08	73	76	3	2.29	0.60	5	76.3%	26.2%
DI14-08	76	79	3	2.78	1.02	7	92.7%	36.7%
DI14-08	79	82	3	2.79	1.61	9	93.0%	57.7%
DI14-08	82	85	3	2.80	1.31	9	93.3%	46.8%
DI14-08	85	88	3	2.38	1.58	10	79.3%	66.4%
DI14-08	88	91	3	2.82	1.65	11	94.0%	58.5%
DI14-08	91	94	3	2.70	1.80	9	90.0%	66.7%
DI14-08	94	97	3	2.67	1.45	7	89.0%	54.3%
DI14-08	97	100	3	2.69	1.15	8	89.7%	42.8%
DI14-08	100	103	3	1.72	0.25	2	57.3%	14.5%
DI14-08	103	106	3	2.58	1.41	8	86.0%	54.7%
DI14-08	106	109	3	2.39	0.78	5	79.7%	32.6%
DI14-08	109	112	3	1.05	0.25	2	35.0%	23.8%
DI14-08	112	115	3	0.68	0.00	0	22.7%	0.0%
DI14-08	115	118	3	1.80	0.22	2	60.0%	12.2%
DI14-08	118	121	3	1.68	0.12	0	56.0%	7.1%
DI14-08	121	124	3	1.79	0.35	3	59.7%	19.6%
DI14-08	124	127	3	2.53	1.71	8	84.3%	67.6%
DI14-08	127	130	3	2.49	1.12	6	83.0%	45.0%
DI14-08	130	133	3	1.70	0.52	3	56.7%	30.6%
DI14-08	133	136	3	2.63	1.14		87.7%	43.3%
DI14-08	136	139	3	2.18	0.67	4	72.7%	30.7%
DI14-08	139	142	3	2.39	0.90	7	79.7%	37.7%
DI14-08	142	145	3	2.32	0.00	0	77.3%	0.0%
DI14-08	145	148	3	2.39	0.25	2	79.7%	10.5%
DI14-08	148	151	3	1.97	0.00	0	65.7%	0.0%
DI14-08	151	154	3	2.19	0.42	4	73.0%	19.2%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-08	154	157	3	2.06	0.69	4	68.7%	33.5%
DI14-08	157	160	3	2.56	0.61	5	85.3%	23.8%
DI14-08	160	163	3	2.37	0.72	6	79.0%	30.4%
DI14-08	163	166	3	2.66	0.81	5	88.7%	30.5%
DI14-08	166	169	3	2.42	0.88	6	80.7%	36.4%
DI14-08	169	172	3	2.71	1.12	8	90.3%	41.3%
DI14-08	172	175	3	2.53	1.41	6	84.3%	55.7%
DI14-08	175	178	3	2.40	0.38	2	80.0%	15.8%
DI14-08	178	181	3	2.33	1.03	6	77.7%	44.2%
DI14-08	181	184	3	2.90	1.87	11	96.7%	64.5%
DI14-08	184	187	3	2.74	1.77	11	91.3%	64.6%
DI14-08	187	190	3	2.36	0.53	3	78.7%	22.5%
DI14-08	190	193	3	2.28	0.00	0	76.0%	0.0%
DI14-08	193	196	3	2.44	0.60	4	81.3%	24.6%
DI14-08	196	199	3	2.77	0.13	1	92.3%	4.7%
DI14-08	199	202	3	2.20	0.70	1	73.3%	31.8%
DI14-08	202	205	3	2.70	0.15	1	90.0%	5.6%
DI14-08	205	208	3	2.36	0.84	6	78.7%	35.6%
DI14-08	208	211	3	2.54	0.14	1	84.7%	5.5%
DI14-08	211	214	3	2.68	0.58	4	89.3%	21.6%
DI14-08	214	217	3	2.80	1.42	6	93.3%	50.7%
DI14-08	217	220	3	2.55	1.05	7	85.0%	41.2%
DI14-08	220	223	3	2.03	0.10	1	67.7%	4.9%
DI14-08	223	226	3	2.66	1.43	8	88.7%	53.8%
DI14-08	226	229	3	2.50	0.47	3	83.3%	18.8%
DI14-08	229	232	3	2.66	0.89	5	88.7%	33.5%
DI14-08	232	235	3	2.81	1.42	10	93.7%	50.5%
DI14-08	235	238	3	2.85	2.25	11	95.0%	78.9%
DI14-08	238	241	3	2.94	2.13	12	98.0%	72.4%
DI14-08	241	244	3	2.90	2.30	9	96.7%	79.3%
DI14-08	244	247	3	2.87	1.94	11	95.7%	67.6%
DI14-08	247	250	3	2.71	2.23	9	90.3%	82.3%
DI14-08	250	253	3	2.72	1.24	6	90.7%	45.6%
DI14-08	253	256	3	2.99	2.64	14	99.7%	88.3%
DI14-08	256	259	3	2.72	1.98	10	90.7%	72.8%
DI14-08	259	262	3	2.64	1.47	7	88.0%	55.7%
DI14-08	262	265	3	2.74	2.30	10	91.3%	83.9%
DI14-08	265	268	3	2.81	1.87	7	93.7%	66.5%
DI14-08	268	271	3	2.96	1.67		98.7%	56.4%
DI14-08	271	274	3	2.79	1.63	9	93.0%	58.4%
DI14-08	274	277	3	2.70	0.96	6	90.0%	35.6%
DI14-08	277	280	3	2.44	0.94	6	81.3%	38.5%
DI14-08	280	283	3	2.54	0.70	5	84.7%	27.6%
DI14-08	283	286	3	2.26	1.01	8	75.3%	44.7%
DI14-08	286	289	3	2.56	1.69	9	85.3%	66.0%
DI14-08	289	292	3	2.91	2.26	10	97.0%	77.7%
DI14-08	292	295	3	2.91	2.75	10	97.0%	94.5%
DI14-08	295	298	3	2.72	0.94	7	90.7%	34.6%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-08	298	301	3	2.56	0.87	6	85.3%	34.0%
DI14-08	301	304	3	2.51	1.05	8	83.7%	41.8%
DI14-08	304	307	3	2.93	1.70	8	97.7%	58.0%
DI14-08	307	310	3	2.77	2.11	12	92.3%	76.2%
DI14-08	310	313	3	2.81	1.51	8	93.7%	53.7%
DI14-08	313	316	3	2.82	1.64	8	94.0%	58.2%
DI14-08	316	319	3	2.74	0.83	6	91.3%	30.3%
DI14-08	319	322	3	2.60	0.90	7	86.7%	34.6%
DI14-08	322	325	3	2.72	1.84	11	90.7%	67.6%
DI14-08	325	328	3	2.83	1.90	12	94.3%	67.1%
DI14-08	328	331	3	2.92	2.08	11	97.3%	71.2%
DI14-08	331	334	3	2.70	1.39	9	90.0%	51.5%
DI14-08	334	337	3	2.60	1.16	6	86.7%	44.6%
DI14-08	337	340	3	2.89	1.26	8	96.3%	43.6%
DI14-08	340	343	3	2.93	2.25	9	97.7%	76.8%
DI14-08	343	346	3	2.78	2.38	14	92.7%	85.6%
DI14-08	346	349	3	2.79	2.28	13	93.0%	81.7%
DI14-08	349	352	3	2.70	1.95	10	90.0%	72.2%
DI14-08	352	355	3	2.66	1.48	8	88.7%	55.6%
DI14-08	355	358	3	2.51	1.31	8	83.7%	52.2%
DI14-08	358	361	3	2.44	0.66	4	81.3%	27.0%
DI14-08	361	364	3	2.97	2.54	11	99.0%	85.5%
DI14-08	364	367	3	2.69	1.69	6	89.7%	62.8%
DI14-08	367	370	3	2.87	2.09	8	95.7%	72.8%
DI14-08	370	373	3	2.24	0.76	4	74.7%	33.9%
DI14-08	373	376	3	2.60	1.71	8	86.7%	65.8%
DI14-08	376	379	3	2.65	1.46	8	88.3%	55.1%
DI14-08	379	382	3	2.70	1.59	9	90.0%	58.9%
DI14-08	382	385	3	2.85	2.30	12	95.0%	80.7%
DI14-08	385	388	3	2.75	1.97	8	91.7%	71.6%
DI14-08	388	391	3	2.85	2.00	8	95.0%	70.2%
DI14-08	391	394	3	2.71	1.99	10	90.3%	73.4%
DI14-08	394	397	3	3.02	2.66	13	100.7%	88.1%
DI14-08	397	400	3	2.59	1.01	6	86.3%	39.0%
DI14-08	400	403	3	2.36	0.24	2	78.7%	10.2%
DI14-08	403	406	3	2.57	0.32	3	85.7%	12.5%
DI14-08	406	409	3	2.30	1.03	7	76.7%	44.8%
DI14-08	409	412	3	3.02	1.06	8	100.7%	35.1%
DI14-08	412	415	3	2.73	2.07	10	91.0%	75.8%
DI14-08	415	418	3	2.95	2.53	10	98.3%	85.8%
DI14-08	418	421	3	2.58	1.48	9	86.0%	57.4%
DI14-08	421	424	3	2.74	1.23	8	91.3%	44.9%
DI14-08	424	427	3	2.82	2.24	10	94.0%	79.4%
DI14-08	427	430	3	2.88	2.34	9	96.0%	81.3%
DI14-08	430	433	3	2.77	2.07	9	92.3%	74.7%
DI14-08	433	436	3	2.92	2.02	11	97.3%	69.2%
DI14-08	436	439	3	2.96	2.16	7	98.7%	73.0%
DI14-08	439	442	3	2.78	2.36	10	92.7%	84.9%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-08	442	445	3	2.96	2.80	9	98.7%	94.6%
DI14-08	445	448	3	2.86	2.12	13	95.3%	74.1%
DI14-08	448	451	3	2.74	2.39	9	91.3%	87.2%
DI14-08	451	454	3	2.83	2.35	10	94.3%	83.0%
DI14-08	454	457	3	2.89	2.10	11	96.3%	72.7%
DI14-08	457	460	3	2.99	2.70	11	99.7%	90.3%
DI14-08	460	463	3	2.75	1.84	10	91.7%	66.9%
DI14-08	463	466	3	2.83	1.93	10	94.3%	68.2%
DI14-08	466	469	3	2.92	2.60	9	97.3%	89.0%
DI14-08	469	472	3	2.74	1.43	6	91.3%	52.2%
DI14-08	472	475	3	2.78	1.73	6	92.7%	62.2%
DI14-08	475	478	3	2.86	1.78	8	95.3%	62.2%
DI14-08	478	481	3	2.74	2.19	10	91.3%	79.9%
DI14-08	481	484	3	2.72	1.32	8	90.7%	48.5%
DI14-08	484	487	3	2.64	1.29	8	88.0%	48.9%
DI14-08	487	490	3	2.77	1.61	11	92.3%	58.1%
DI14-08	490	493	3	2.88	1.50	8	96.0%	52.1%
DI14-08	493	496	3	2.79	1.88	8	93.0%	67.4%
DI14-08	496	499	3	2.87	2.23	7	95.7%	77.7%
DI14-08	499	502	3	2.81	2.13	10	93.7%	75.8%
DI14-08	502	505	3	2.72	1.25	7	90.7%	46.0%
DI14-08	505	508	3	2.79	1.62	5	93.0%	58.1%
DI14-08	508	511	3	2.88	2.15	12	96.0%	74.7%
DI14-08	511	514	3	2.84	1.30	6	94.7%	45.8%
DI14-08	514	517	3	2.71	0.99	5	90.3%	36.5%
DI14-08	517	520	3	2.80	1.52	8	93.3%	54.3%
DI14-08	520	523	3	2.29	1.65	7	76.3%	72.1%
DI14-09	30	33	3	1.30	0.70	4	43.3%	53.8%
DI14-09	33	36	3	1.17	0.11	1	39.0%	9.4%
DI14-09	36	39	3	2.08	0.13	1	69.3%	6.3%
DI14-09	39	42	3	2.20	0.00	0	73.3%	0.0%
DI14-09	42	45	3	2.05	0.11	1	68.3%	5.4%
DI14-09	45	48	3	2.46	0.58	4	82.0%	23.6%
DI14-09	48	51	3	2.40	0.35	2	80.0%	14.6%
DI14-09	51	54	3	2.12	0.41	3	70.7%	19.3%
DI14-09	54	57	3	2.35	0.30	2	78.3%	12.8%
DI14-09	57	60	3	2.57	0.59	4	85.7%	23.0%
DI14-09	60	63	3	1.95	0.50	3	65.0%	25.6%
DI14-09	63	66	3	2.11	1.32	6	70.3%	62.6%
DI14-09	66	69	3	2.88	2.49	13	96.0%	86.5%
DI14-09	69	72	3	1.90	0.73	5	63.3%	38.4%
DI14-09	72	75	3	1.41	0.12	1	47.0%	8.5%
DI14-09	75	78	3	2.75	1.47	8	91.7%	53.5%
DI14-09	78	81	3	2.94	2.27	9	98.0%	77.2%
DI14-09	81	84	3	2.50	1.77	9	83.3%	70.8%
DI14-09	84	87	3	2.88	0.78	6	96.0%	27.1%
DI14-09	87	90	3	2.52	0.95	5	84.0%	37.7%
DI14-09	90	93	3	2.30	0.98	8	76.7%	42.6%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-09	93	96	3	2.12	1.08	7	70.7%	50.9%
DI14-09	96	99	3	2.40	0.77	6	80.0%	32.1%
DI14-09	99	102	3	2.52	1.13	8	84.0%	44.8%
DI14-09	102	105	3	2.50	0.83	5	83.3%	33.2%
DI14-09	105	108	3	2.45	0.47	4	81.7%	19.2%
DI14-09	108	111	3	2.63	1.44	7	87.7%	54.8%
DI14-09	111	114	3	2.98	1.65	11	99.3%	55.4%
DI14-09	114	117	3	2.66	0.70	5	88.7%	26.3%
DI14-09	117	120	3	2.00	0.53	4	66.7%	26.5%
DI14-09	120	123	3	2.47	0.45	3	82.3%	18.2%
DI14-09	123	126	3	2.49	0.81	6	83.0%	32.5%
DI14-09	126	129	3	3.30	1.19	6	110.0%	36.1%
DI14-09	129	132	3	1.74	0.19	1	58.0%	10.9%
DI14-09	132	135	3	2.40	0.70	5	80.0%	29.2%
DI14-09	135	138	3	2.05	0.29	2	68.3%	14.1%
DI14-09	138	141	3	2.30	0.00	0	76.7%	0.0%
DI14-09	141	144	3	2.40	1.01	7	80.0%	42.1%
DI14-09	144	147	3	2.40	0.31	2	80.0%	12.9%
DI14-09	147	150	3	1.66	0.00	0	55.3%	0.0%
DI14-09	150	153	3	2.42	0.22	2	80.7%	9.1%
DI14-09	153	156	3	2.72	1.37	7	90.7%	50.4%
DI14-09	156	159	3	2.10	0.44	3	70.0%	21.0%
DI14-09	159	162	3	2.34	0.43	3	78.0%	18.4%
DI14-09	162	165	3	2.54	1.07	7	84.7%	42.1%
DI14-09	165	168	3	2.75	1.07	8	91.7%	38.9%
DI14-09	168	171	3	2.84	2.16	13	94.7%	76.1%
DI14-09	171	174	3	2.71	2.09	12	90.3%	77.1%
DI14-09	174	177	3	2.99	2.63	11	99.7%	88.0%
DI14-09	177	180	3	2.82	2.21	8	94.0%	78.4%
DI14-09	180	183	3	2.91	2.53	12	97.0%	86.9%
DI14-09	183	186	3	2.85	2.71	12	95.0%	95.1%
DI14-09	186	189	3	2.93	2.54	7	97.7%	86.7%
DI14-09	189	192	3	2.52	0.78	5	84.0%	31.0%
DI14-09	192	195	3	2.71	1.37	9	90.3%	50.6%
DI14-09	195	198	3	2.28	0.60	4	76.0%	26.3%
DI14-09	198	201	3	2.71	0.70	5	90.3%	25.8%
DI14-09	201	204	3	2.75	0.96	5	91.7%	34.9%
DI14-09	204	207	3	2.31	0.40	3	77.0%	17.3%
DI14-09	207	210	3	2.68	0.83	5	89.3%	31.0%
DI14-09	210	213	3	2.87	0.87	5	95.7%	30.3%
DI14-09	213	216	3	2.40	0.56	4	80.0%	23.3%
DI14-09	216	219	3	2.48	0.24	2	82.7%	9.7%
DI14-09	219	222	3	2.47	0.23	2	82.3%	9.3%
DI14-09	222	225	3	2.52	0.30	1	84.0%	11.9%
DI14-09	225	228	3	2.51	0.00	0	83.7%	0.0%
DI14-09	228	231	3	2.50	1.04	5	83.3%	41.6%
DI14-09	231	234	3	2.85	2.06	11	95.0%	72.3%
DI14-09	234	237	3	2.73	1.59	9	91.0%	58.2%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-09	237	240	3	2.44	0.88	6	81.3%	36.1%
DI14-09	240	243	3	2.95	0.84	5	98.3%	28.5%
DI14-09	243	246	3	2.77	0.98	5	92.3%	35.4%
DI14-09	246	249	3	2.73	0.92	6	91.0%	33.7%
DI14-09	249	252	3	2.48	0.70	2	82.7%	28.2%
DI14-09	252	255	3	1.68	0.51	3	56.0%	30.4%
DI14-09	255	258	3	1.85	0.70	4	61.7%	37.8%
DI14-09	258	261	3	2.75	1.52	9	91.7%	55.3%
DI14-09	261	264	3	2.65	0.94	5	88.3%	35.5%
DI14-09	264	267	3	2.64	1.47	13	88.0%	55.7%
DI14-09	267	270	3	1.65	1.04	8	55.0%	63.0%
DI14-09	270	273	3	2.00	0.34	2	66.7%	17.0%
DI14-09	273	276	3	2.41	1.01	7	80.3%	41.9%
DI14-09	276	279	3	3.57	1.69	10	119.0%	47.3%
DI14-09	279	282	3	2.74	2.52	11	91.3%	92.0%
DI14-09	282	285	3	2.87	1.71	11	95.7%	59.6%
DI14-09	285	288	3	2.77	1.26	8	92.3%	45.5%
DI14-09	288	291	3	2.89	2.14	10	96.3%	74.0%
DI14-09	291	294	3	2.71	1.71	9	90.3%	63.1%
DI14-09	294	297	3	2.13	0.53	3	71.0%	24.9%
DI14-09	297	300	3	2.58	1.47	8	86.0%	57.0%
DI14-09	300	303	3	2.71	1.95	9	90.3%	72.0%
DI14-09	303	306	3	2.41	0.74	3	80.3%	30.7%
DI14-09	306	309	3	2.76	2.26	10	92.0%	81.9%
DI14-09	309	312	3	2.67	1.51	6	89.0%	56.6%
DI14-09	312	315	3	2.67	1.74	10	89.0%	65.2%
DI14-09	315	318	3	2.79	2.47	11	93.0%	88.5%
DI14-09	318	321	3	2.82	2.19	6	94.0%	77.7%
DI14-09	321	324	3	2.76	2.14	12	92.0%	77.5%
DI14-09	324	327	3	2.68	1.23	9	89.3%	45.9%
DI14-09	327	330	3	2.53	0.89	6	84.3%	35.2%
DI14-09	330	333	3	2.12	1.82	9	70.7%	85.8%
DI14-09	333	336	3	2.70	1.43	7	90.0%	53.0%
DI14-09	336	339	3	2.74	1.03	6	91.3%	37.6%
DI14-09	339	342	3	2.63	2.17	11	87.7%	82.5%
DI14-09	342	345	3	2.36	1.32	6	78.7%	55.9%
DI14-09	345	348	3	2.75	1.31	6	91.7%	47.6%
DI14-09	348	351	3	2.11	0.62	4	70.3%	29.4%
DI14-09	351	354	3	2.10	0.34	3	70.0%	16.2%
DI14-09	354	357	3	2.15	0.62	3	71.7%	28.8%
DI14-09	357	360	3	1.15	0.27	2	38.3%	23.5%
DI14-09	360	363	3	2.62	1.86	9	87.3%	71.0%
DI14-09	363	366	3	2.79	2.71	10	93.0%	97.1%
DI14-09	366	369	3	1.87	1.58	5	62.3%	84.5%
DI14-09	369	372	3	4.14	3.74	14	138.0%	90.3%
DI14-09	372	375	3	2.84	2.61	9	94.7%	91.9%
DI14-09	375	378	3	3.05	2.95	9	101.7%	96.7%
DI14-09	378	381	3	2.90	2.11	6	96.7%	72.8%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-09	381	384	3	2.84	2.00	5	94.7%	70.4%
DI14-09	384	387	3	2.65	1.68	8	88.3%	63.4%
DI14-09	387	390	3	2.98	2.42	11	99.3%	81.2%
DI14-09	390	393	3	2.77	1.82	8	92.3%	65.7%
DI14-09	393	396	3	2.42	0.75	5	80.7%	31.0%
DI14-09	396	399	3	2.47	0.86	6	82.3%	34.8%
DI14-09	399	402	3	2.58	1.70	9	86.0%	65.9%
DI14-09	402	405	3	2.52	1.65	8	84.0%	65.5%
DI14-09	405	408	3	2.89	2.63	13	96.3%	91.0%
DI14-09	408	411	3	3.12	2.24	12	104.0%	71.8%
DI14-09	411	414	3	2.38	1.00	5	79.3%	42.0%
DI14-09	414	417	3	2.33	1.40	9	77.7%	60.1%
DI14-09	417	420	3	2.74	1.67	10	91.3%	60.9%
DI14-09	420	423	3	1.74	1.05	5	58.0%	60.3%
DI14-09	423	426	3	2.28	0.84	5	76.0%	36.8%
DI14-09	426	429	3	2.33	0.25	2	77.7%	10.7%
DI14-09	429	432	3	2.05	0.43	3	68.3%	21.0%
DI14-09	432	435	3	2.15	0.23	2	71.7%	10.7%
DI14-09	435	438	3	2.59	0.82	6	86.3%	31.7%
DI14-09	438	441	3	2.72	0.86	4	90.7%	31.6%
DI14-09	441	444	3	2.29	0.31	2	76.3%	13.5%
DI14-09	444	447	3	2.06	0.51	4	68.7%	24.8%
DI14-09	447	450	3	2.16	0.40	2	72.0%	18.5%
DI14-09	450	453	3	2.47	0.34	2	82.3%	13.8%
DI14-09	453	456	3	2.38	0.73	5	79.3%	30.7%
DI14-09	456	459	3	2.72	1.76	11	90.7%	64.7%
DI14-09	459	462	3	2.86	1.23	6	95.3%	43.0%
DI14-09	462	465	3	2.58	1.58	8	86.0%	61.2%
DI14-09	465	468	3	2.85	2.61	10	95.0%	91.6%
DI14-09	468	471	3	3.20	2.59	14	106.7%	80.9%
DI14-09	471	474	3	2.51	1.89	10	83.7%	75.3%
DI14-09	474	477	3	2.54	1.74	10	84.7%	68.5%
DI14-09	477	480	3	2.87	1.66	9	95.7%	57.8%
DI14-09	480	483	3	3.06	1.95	9	102.0%	63.7%
DI14-09	483	486	3	2.28	1.64	8	76.0%	71.9%
DI14-09	486	489	3	3.37	2.99	12	112.3%	88.7%
DI14-09	489	492	3	2.94	1.25	8	98.0%	42.5%
DI14-09	492	495	3	1.86	0.87	6	62.0%	46.8%
DI14-09	495	498	3	3.31	2.13	11	110.3%	64.4%
DI14-10	30	33	3	1.91	1.14	7	63.7%	59.7%
DI14-10	33	36	3	2.47	1.37	7	82.3%	55.5%
DI14-10	36	39	3	2.46	7.00	4	82.0%	284.6%
DI14-10	39	42	3	1.78	0.56	4	59.3%	31.5%
DI14-10	42	45	3	1.77	0.12	0	59.0%	6.8%
DI14-10	45	48	3	2.28	1.56	8	76.0%	68.4%
DI14-10	48	51	3	2.00	1.41	7	66.7%	70.5%
DI14-10	51	54	3	2.70	1.57	10	90.0%	58.1%
DI14-10	54	57	3	2.33	0.84	5	77.7%	36.1%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-10	57	60	3	2.29	1.33	9	76.3%	58.1%
DI14-10	60	63	3	2.39	1.36	7	79.7%	56.9%
DI14-10	63	66	3	2.75	1.77	9	91.7%	64.4%
DI14-10	66	69	3	2.52	1.65	11	84.0%	65.5%
DI14-10	69	72	3	2.47	0.81	6	82.3%	32.8%
DI14-10	72	75	3	2.64	1.34	7	88.0%	50.8%
DI14-10	75	78	3	2.70	2.18	14	90.0%	80.7%
DI14-10	78	81	3	2.79	2.16	12	93.0%	77.4%
DI14-10	81	84	3	1.92	0.00	0	64.0%	0.0%
DI14-10	84	87	3	2.26	0.38	3	75.3%	16.8%
DI14-10	87	90	3	1.72	0.51	3	57.3%	29.7%
DI14-10	90	93	3	2.40	0.41	3	80.0%	17.1%
DI14-10	93	96	3	2.05	0.00	0	68.3%	0.0%
DI14-10	96	99	3	1.93	0.00	0	64.3%	0.0%
DI14-10	99	102	3	1.90	0.39	3	63.3%	20.5%
DI14-10	102	105	3	2.15	0.50	4	71.7%	23.3%
DI14-10	105	108	3	2.54	0.89	6	84.7%	35.0%
DI14-10	108	111	3	2.60	1.06	7	86.7%	40.8%
DI14-10	111	114	3	2.74	1.83	8	91.3%	66.8%
DI14-10	114	117	3	2.00	0.24	2	66.7%	12.0%
DI14-10	117	120	3	2.25	0.70	5	75.0%	31.1%
DI14-10	120	123	3	2.17	0.24	2	72.3%	11.1%
DI14-10	123	126	3	2.67	0.76	6	89.0%	28.5%
DI14-10	126	129	3	2.84	1.86	14	94.7%	65.5%
DI14-10	129	132	3	2.82	1.59	11	94.0%	56.4%
DI14-10	132	135	3	2.31	0.60	4	77.0%	26.0%
DI14-10	135	138	3	2.61	1.17	7	87.0%	44.8%
DI14-10	138	141	3	1.18	0.34	1	39.3%	28.8%
DI14-10	141	144	3	2.27	0.80	5	75.7%	35.2%
DI14-10	144	147	3	2.72	1.89	10	90.7%	69.5%
DI14-10	147	150	3	2.60	0.75	5	86.7%	28.8%
DI14-10	150	153	3	1.51	0.45	3	50.3%	29.8%
DI14-10	153	156	3	1.88	0.23	2	62.7%	12.2%
DI14-10	156	159	3	2.00	0.65	5	66.7%	32.5%
DI14-10	159	162	3	3.00	0.88	5	100.0%	29.3%
DI14-10	162	165	3	1.95	0.47	3	65.0%	24.1%
DI14-10	165	168	3	2.36	0.24	2	78.7%	10.2%
DI14-10	168	171	3	2.45	1.41	8	81.7%	57.6%
DI14-10	171	174	3	2.83	1.46	9	94.3%	51.6%
DI14-10	174	177	3	2.90	2.28	8	96.7%	78.6%
DI14-10	177	180	3	2.87	1.85	10	95.7%	64.5%
DI14-10	180	183	3	2.80	2.52	13	93.3%	90.0%
DI14-10	183	186	3	2.91	2.30	9	97.0%	79.0%
DI14-10	186	189	3	2.96	2.68	15	98.7%	90.5%
DI14-10	189	192	3	2.85	2.48	11	95.0%	87.0%
DI14-10	192	195	3	2.84	2.47	11	94.7%	87.0%
DI14-10	195	198	3	2.46	0.46	4	82.0%	18.7%
DI14-10	198	201	3	2.87	2.14	12	95.7%	74.6%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-10	201	204	3	2.85	2.32	12	95.0%	81.4%
DI14-10	204	207	3	2.82	2.10	12	94.0%	74.5%
DI14-10	207	210	3	3.03	2.66	11	101.0%	87.8%
DI14-10	210	213	3	2.80	1.50	9	93.3%	53.6%
DI14-10	213	216	3	2.92	2.62	13	97.3%	89.7%
DI14-10	216	219	3	2.88	1.94	11	96.0%	67.4%
DI14-10	219	222	3	2.22	0.80	5	74.0%	36.0%
DI14-10	222	225	3	2.23	0.41	3	74.3%	18.4%
DI14-10	225	228	3	2.68	0.83	5	89.3%	31.0%
DI14-10	228	231	3	2.16	0.35	3	72.0%	16.2%
DI14-10	231	234	3	2.59	1.24	8	86.3%	47.9%
DI14-10	234	237	3	2.76	1.89	10	92.0%	68.5%
DI14-10	237	240	3	2.78	1.67	7	92.7%	60.1%
DI14-10	240	243	3	2.64	1.32	7	88.0%	50.0%
DI14-10	243	246	3	2.82	1.36	7	94.0%	48.2%
DI14-10	246	249	3	2.70	0.75	4	90.0%	27.8%
DI14-10	249	252	3	3.07	1.07	7	102.3%	34.9%
DI14-10	252	255	3	2.43	1.11	5	81.0%	45.7%
DI14-10	255	258	3	2.86	2.12	9	95.3%	74.1%
DI14-10	258	261	3	2.80	1.27	6	93.3%	45.4%
DI14-10	261	264	3	2.62	1.42	9	87.3%	54.2%
DI14-10	264	267	3	2.84	1.92	11	94.7%	67.6%
DI14-10	267	270	3	2.57	1.47	8	85.7%	57.2%
DI14-10	270	273	3	3.08	2.13	9	102.7%	69.2%
DI14-10	273	276	3	2.97	2.00	10	99.0%	67.3%
DI14-10	276	279	3	2.96	2.42	12	98.7%	81.8%
DI14-10	279	282	3	2.73	2.03	12	91.0%	74.4%
DI14-10	282	285	3	2.86	2.32	11	95.3%	81.1%
DI14-10	285	288	3	2.95	2.72	11	98.3%	92.2%
DI14-10	288	291	3	2.94	2.57	8	98.0%	87.4%
DI14-10	291	294	3	2.78	2.07	11	92.7%	74.5%
DI14-10	294	297	3	2.72	0.50	3	90.7%	18.4%
DI14-10	297	300	3	2.88	2.14	12	96.0%	74.3%
DI14-10	300	303	3	2.72	1.68	9	90.7%	61.8%
DI14-10	303	306	3	2.73	1.47	9	91.0%	53.8%
DI14-10	306	309	3	2.97	2.21	10	99.0%	74.4%
DI14-10	309	312	3	2.77	0.95	6	92.3%	34.3%
DI14-10	312	315	3	2.76	1.35	9	92.0%	48.9%
DI14-10	315	318	3	2.70	1.19	8	90.0%	44.1%
DI14-10	318	321	3	2.87	2.04	7	95.7%	71.1%
DI14-10	321	324	3	2.90	2.04	7	96.7%	70.3%
DI14-10	324	327	3	2.82	1.79	9	94.0%	63.5%
DI14-10	327	330	3	2.82	1.72	9	94.0%	61.0%
DI14-10	330	333	3	2.98	2.77	12	99.3%	93.0%
DI14-10	333	336	3	2.85	1.98	12	95.0%	69.5%
DI14-10	336	339	3	2.83	2.09	11	94.3%	73.9%
DI14-10	339	342	3	2.94	2.60	11	98.0%	88.4%
DI14-10	342	345	3	2.83	2.42	10	94.3%	85.5%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-10	345	348	3	2.85	2.52	11	95.0%	88.4%
DI14-10	348	351	3	3.00	2.87	13	100.0%	95.7%
DI14-10	351	354	3	2.82	2.47	7	94.0%	87.6%
DI14-10	354	357	3	2.92	2.78	10	97.3%	95.2%
DI14-10	357	360	3	2.98	2.74	12	99.3%	91.9%
DI14-10	360	363	3	2.21	1.52	7	73.7%	68.8%
DI14-10	363	366	3	2.79	2.30	10	93.0%	82.4%
DI14-10	366	369	3	2.93	2.82	9	97.7%	96.2%
DI14-10	369	372	3	2.70	1.28	6	90.0%	47.4%
DI14-10	372	375	3	2.68	1.82	6	89.3%	67.9%
DI14-10	375	378	3	2.40	0.74	3	80.0%	30.8%
DI14-10	378	381	3	2.84	2.31	11	94.7%	81.3%
DI14-10	381	384	3	3.04	2.17	9	101.3%	71.4%
DI14-10	384	387	3	2.96	2.58	9	98.7%	87.2%
DI14-10	387	390	3	2.93	2.73	11	97.7%	93.2%
DI14-10	390	393	3	2.94	2.28	10	98.0%	77.6%
DI14-10	393	396	3	2.91	2.57	12	97.0%	88.3%
DI14-10	396	399	3	2.80	2.43	12	93.3%	86.8%
DI14-10	399	402	3	3.05	2.66	8	101.7%	87.2%
DI14-10	402	405	3	2.97	2.51	6	99.0%	84.5%
DI14-10	405	408	3	2.93	2.27	12	97.7%	77.5%
DI14-10	408	411	3	2.79	1.60	12	93.0%	57.3%
DI14-10	411	414	3	2.85	2.55	14	95.0%	89.5%
DI14-10	414	417	3	2.85	2.16	12	95.0%	75.8%
DI14-10	417	420	3	2.95	2.61	12	98.3%	88.5%
DI14-10	420	423	3	2.87	2.25	12	95.7%	78.4%
DI14-10	423	426	3	2.77	2.06	9	92.3%	74.4%
DI14-10	426	429	3	3.15	2.62	14	105.0%	83.2%
DI14-10	429	432	3	2.89	2.54	11	96.3%	87.9%
DI14-10	432	435	3	2.70	1.75	11	90.0%	64.8%
DI14-10	435	438	3	2.68	1.62	10	89.3%	60.4%
DI14-10	438	441	3	2.67	1.88	9	89.0%	70.4%
DI14-10	441	444	3	2.98	2.34	9	99.3%	78.5%
DI14-10	444	447	3	2.65	2.30	8	88.3%	86.8%
DI14-10	447	450	3	3.10	2.70	10	103.3%	87.1%
DI14-10	450	453	3	2.70	2.37	8	90.0%	87.8%
DI14-10	453	456	3	3.18	3.04	12	106.0%	95.6%
DI14-10	456	459	3	2.75	1.86	10	91.7%	67.6%
DI14-10	459	462	3	3.19	2.41	11	106.3%	75.5%
DI14-10	462	465	3	2.88	1.90	12	96.0%	66.0%
DI14-10	465	468	3	2.81	2.32	10	93.7%	82.6%
DI14-10	468	471	3	2.84	2.37	13	94.7%	83.5%
DI14-10	471	474	3	2.86	1.68	10	95.3%	58.7%
DI14-10	474	477	3	2.79	2.10	11	93.0%	75.3%
DI14-10	477	480	3	2.98	2.80	10	99.3%	94.0%
DI14-10	480	483	3	3.04	2.65	12	101.3%	87.2%
DI14-10	483	486	3	2.99	2.11	8	99.7%	70.6%
DI14-10	486	489	3	2.80	2.33	9	93.3%	83.2%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-10	489	492	3	2.96	2.16	10	98.7%	73.0%
DI14-10	492	495	3	3.08	1.72	10	102.7%	55.8%
DI14-10	495	498	3	2.77	2.37	10	92.3%	85.6%
DI14-10	498	501	3	2.95	2.75	11	98.3%	93.2%
DI14-11	37	40	3	2.18	1.55	9	72.7%	71.1%
DI14-11	40	42	2	1.51	1.27	8	75.5%	84.1%
DI14-11	42	45	3	2.76	2.50	10	92.0%	90.6%
DI14-11	45	48	3	2.50	1.14	6	83.3%	45.6%
DI14-11	48	51	3	2.25	1.16	5	75.0%	51.6%
DI14-11	51	54	3	2.64	1.17	7	88.0%	44.3%
DI14-11	54	57	3	2.62	1.23	7	87.3%	46.9%
DI14-11	57	60	3	2.93	2.42	13	97.7%	82.6%
DI14-11	60	63	3	2.90	2.23	11	96.7%	76.9%
DI14-11	63	66	3	2.17	1.72	8	72.3%	79.3%
DI14-11	66	69	3	2.67	1.66	7	89.0%	62.2%
DI14-11	69	72	3	1.80	1.23	6	60.0%	68.3%
DI14-11	72	75	3	1.08	0.00	0	36.0%	0.0%
DI14-11	75	78	3	1.00	0.41	3	33.3%	41.0%
DI14-11	78	81	3	2.95	0.31	2	98.3%	10.5%
DI14-11	81	84	3	1.86	0.41	2	62.0%	22.0%
DI14-11	84	87	3	1.80	0.65	5	60.0%	36.1%
DI14-12	27	30	3	2.52	1.42	10	84.0%	56.3%
DI14-12	30	33	3	2.00	0.00	0	66.7%	0.0%
DI14-12	33	36	3	2.38	0.54	4	79.3%	22.7%
DI14-12	36	39	3	2.44	0.47	3	81.3%	19.3%
DI14-12	39	42	3	1.84	0.21	2	61.3%	11.4%
DI14-12	42	45	3	2.45	0.38	3	81.7%	15.5%
DI14-12	45	48	3	2.73	1.04	6	91.0%	38.1%
DI14-12	48	51	3	1.89	1.10	7	63.0%	58.2%
DI14-12	51	54	3	2.10	0.37	2	70.0%	17.6%
DI14-12	54	57	3	2.60	0.85	5	86.7%	32.7%
DI14-12	57	60	3	2.47	0.37	2	82.3%	15.0%
DI14-12	60	63	3	2.51	0.12	1	83.7%	4.0%
DI14-12	63	66	3	2.77	0.32	3	92.3%	10.7%
DI14-12	66	69	3	2.13	0.11	1	71.0%	3.7%
DI14-12	69	72	3	1.78	0.60	5	59.3%	20.0%
DI14-12	72	75	3	2.45	0.29	2	81.7%	9.7%
DI14-12	75	78	3	1.18	0.00	0	39.3%	0.0%
DI14-12	78	81	3	2.45	1.18	7	81.7%	39.3%
DI14-12	81	84	3	2.35	0.49	4	78.3%	16.3%
DI14-12	84	87	3	2.65	0.36	3	88.3%	12.0%
DI14-12	87	90	3	2.53	0.35	3	84.3%	11.7%
DI14-12	90	93	3	2.60	0.34	3	86.7%	11.3%
DI14-12	93	96	3	2.77	1.79	10	92.3%	59.7%
DI14-12	96	99	3	2.63	1.65	8	87.7%	55.0%
DI14-12	99	102	3	2.51	0.37	3	83.7%	12.3%
DI14-12	102	105	3	2.10	0.00	0	70.0%	0.0%
DI14-12	105	108	3	2.31	0.73	4	77.0%	24.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-12	108	111	3	2.61	0.65	4	87.0%	21.7%
DI14-12	111	114	3	2.48	0.71	5	82.7%	23.7%
DI14-12	114	117	3	2.77	1.66	9	92.3%	55.3%
DI14-12	117	120	3	2.30	0.12	1	76.7%	4.0%
DI14-12	120	123	3	2.32	0.12	1	77.3%	4.0%
DI14-12	123	126	3	2.64	1.57	8	88.0%	52.3%
DI14-12	126	129	3	2.75	0.74	5	91.7%	24.7%
DI14-12	129	132	3	2.39	0.00	0	79.7%	0.0%
DI14-12	132	135	3	2.34	0.00	0	78.0%	0.0%
DI14-12	135	138	3	2.54	0.60	4	84.7%	20.0%
DI14-12	138	141	3	2.66	1.38	9	88.7%	46.0%
DI14-12	141	144	3	2.46	0.00	0	82.0%	0.0%
DI14-12	144	147	3	2.10	0.11	1	70.0%	3.7%
DI14-12	147	150	3	2.08	0.34	3	69.3%	11.3%
DI14-12	150	153	3	2.33	0.11	1	77.7%	3.7%
DI14-12	153	156	3	2.79	2.00	9	93.0%	66.7%
DI14-12	156	159	3	2.89	2.40	14	96.3%	80.0%
DI14-12	159	162	3	2.62	1.14	8	87.3%	38.0%
DI14-12	162	165	3	2.54	0.63	5	84.7%	21.0%
DI14-12	165	168	3	2.57	1.47	8	85.7%	49.0%
DI14-12	168	171	3	2.44	0.61	4	81.3%	20.3%
DI14-12	171	174	3	2.67	0.88	5	89.0%	29.3%
DI14-12	174	177	3	2.47	1.80	10	82.3%	60.0%
DI14-12	177	180	3	2.79	1.33	7	93.0%	44.3%
DI14-12	180	183	3	2.53	1.74	11	84.3%	58.0%
DI14-12	183	186	3	2.40	1.45	6	80.0%	48.3%
DI14-12	186	189	3	3.30	1.39	8	110.0%	46.3%
DI14-12	189	192	3	2.88	1.97	11	96.0%	65.7%
DI14-12	192	195	3	2.47	1.43	11	82.3%	47.7%
DI14-12	195	198	3	2.42	0.92	6	80.7%	30.7%
DI14-12	198	201	3	2.58	1.61	10	86.0%	53.7%
DI14-12	201	204	3	2.46	0.36	3	82.0%	12.0%
DI14-12	204	207	3	2.84	0.52	3	94.7%	17.3%
DI14-12	207	210	3	2.64	0.92	6	88.0%	30.7%
DI14-12	210	213	3	2.90	1.38	10	96.7%	46.0%
DI14-12	213	216	3	1.55	0.87	5	51.7%	29.0%
DI14-12	216	219	3	2.27	0.70	5	75.7%	23.3%
DI14-12	219	222	3	2.59	1.46	9	86.3%	48.7%
DI14-12	222	225	3	2.55	1.27	9	85.0%	42.3%
DI14-12	225	228	3	2.73	1.10	8	91.0%	36.7%
DI14-12	228	231	3	1.87	0.00	0	62.3%	0.0%
DI14-12	231	234	3	2.80	1.09	7	93.3%	36.3%
DI14-12	234	237	3	2.70	1.71	8	90.0%	57.0%
DI14-12	237	240	3	2.51	0.82	5	83.7%	27.3%
DI14-12	240	243	3	2.59	1.45	10	86.3%	48.3%
DI14-12	243	246	3	1.97	0.80	4	65.7%	26.7%
DI14-12	246	249	3	2.00	0.52	3	66.7%	17.3%
DI14-12	249	252	3	2.79	2.35	12	93.0%	78.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-12	252	255	3	2.67	2.11	12	89.0%	70.3%
DI14-12	255	258	3	2.88	2.37	12	96.0%	79.0%
DI14-12	258	261	3	2.94	2.37	13	98.0%	79.0%
DI14-12	261	264	3	2.71	2.23	7	90.3%	74.3%
DI14-12	264	267	3	2.82	2.10	10	94.0%	70.0%
DI14-12	267	270	3	3.02	2.67	14	100.7%	89.0%
DI14-12	270	273	3	2.95	2.38	13	98.3%	79.3%
DI14-12	273	276	3	2.90	1.77	10	96.7%	59.0%
DI14-12	276	279	3	2.90	2.05	14	96.7%	68.3%
DI14-12	279	282	3	2.83	1.67	10	94.3%	55.7%
DI14-12	282	285	3	2.83	1.33	9	94.3%	44.3%
DI14-12	285	288	3	2.91	2.13	11	97.0%	71.0%
DI14-12	288	291	3	2.85	1.50	12	95.0%	50.0%
DI14-12	291	294	3	2.74	1.84	8	91.3%	61.3%
DI14-12	294	297	3	2.71	1.42	9	90.3%	47.3%
DI14-12	297	300	3	2.68	1.46	11	89.3%	48.7%
DI14-12	300	303	3	2.83	1.94	12	94.3%	64.7%
DI14-12	303	306	3	2.82	2.36	13	94.0%	78.7%
DI14-12	306	309	3	2.78	1.36	8	92.7%	45.3%
DI14-12	309	312	3	2.30	0.86	5	76.7%	28.7%
DI14-12	312	315	3	2.42	1.24	9	80.7%	41.3%
DI14-12	315	318	3	3.02	2.20	16	100.7%	73.3%
DI14-12	318	321	3	3.10	2.25	11	103.3%	75.0%
DI14-12	321	324	3	2.87	2.22	7	95.7%	74.0%
DI14-12	324	327	3	2.96	2.71	14	98.7%	90.3%
DI14-12	327	330	3	2.94	2.32	12	98.0%	77.3%
DI14-12	330	333	3	2.86	1.62	9	95.3%	54.0%
DI14-12	333	336	3	2.52	0.55	4	84.0%	18.3%
DI14-12	336	339	3	2.66	1.06	8	88.7%	35.3%
DI14-12	339	342	3	2.62	0.88	5	87.3%	29.3%
DI14-12	342	345	3	2.75	1.43	9	91.7%	47.7%
DI14-12	345	348	3	2.70	1.66	10	90.0%	55.3%
DI14-12	348	351	3	2.91	2.46	13	97.0%	82.0%
DI14-12	351	354	3	2.94	2.26	12	98.0%	75.3%
DI14-12	354	357	3	2.65	1.75	10	88.3%	58.3%
DI14-12	357	360	3	2.54	0.59	4	84.7%	19.7%
DI14-12	360	363	3	2.65	1.68	11	88.3%	56.0%
DI14-12	363	366	3	2.50	0.65	4	83.3%	21.7%
DI14-12	366	369	3	3.01	2.05	10	100.3%	68.3%
DI14-12	369	372	3	2.20	0.57	3	73.3%	19.0%
DI14-12	372	375	3	2.45	0.82	6	81.7%	27.3%
DI14-12	375	378	3	2.85	0.80	6	95.0%	26.7%
DI14-12	378	381	3	2.91	2.22	10	97.0%	74.0%
DI14-12	381	384	3	2.81	1.89	11	93.7%	63.0%
DI14-12	384	387	3	2.72	2.24	13	90.7%	74.7%
DI14-12	387	390	3	2.71	2.12	13	90.3%	70.7%
DI14-12	390	393	3	3.18	2.43	9	106.0%	81.0%
DI14-12	393	396	3	2.53	1.48	8	84.3%	49.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-12	396	399	3	2.91	1.47	8	97.0%	49.0%
DI14-12	399	402	3	2.82	2.00	12	94.0%	66.7%
DI14-12	402	405	3	2.53	0.83	6	84.3%	27.7%
DI14-12	405	408	3	2.44	0.75	6	81.3%	25.0%
DI14-12	408	411	3	2.74	1.35	9	91.3%	45.0%
DI14-12	411	414	3	2.77	0.68	3	92.3%	22.7%
DI14-12	414	417	3	2.61	1.51	10	87.0%	50.3%
DI14-12	417	420	3	2.40	1.25	6	80.0%	41.7%
DI14-12	420	423	3	2.05	0.62	4	68.3%	20.7%
DI14-12	423	426	3	2.70	0.54	5	90.0%	18.0%
DI14-12	426	429	3	2.86	1.30	8	95.3%	43.3%
DI14-12	429	432	3	2.48	0.78	5	82.7%	26.0%
DI14-12	432	435	3	2.76	1.49	7	92.0%	49.7%
DI14-12	435	438	3	2.85	2.19	11	95.0%	73.0%
DI14-12	438	441	3	2.70	1.06	8	90.0%	35.3%
DI14-12	441	444	3	2.20	0.12	1	73.3%	4.0%
DI14-12	444	447	3	2.54	0.32	3	84.7%	10.7%
DI14-12	447	450	3	2.78	0.84	6	92.7%	28.0%
DI14-12	450	453	3	2.93	1.44	9	97.7%	48.0%
DI14-12	453	456	3	2.90	2.40	10	96.7%	80.0%
DI14-12	456	459	3	2.74	1.44	8	91.3%	48.0%
DI14-12	459	462	3	2.92	1.96	10	97.3%	65.3%
DI14-12	462	465	3	2.86	2.22	9	95.3%	74.0%
DI14-12	465	468	3	2.90	2.16	12	96.7%	72.0%
DI14-12	468	471	3	2.75	2.10	9	91.7%	70.0%
DI14-12	471	474	3	2.75	1.69	8	91.7%	56.3%
DI14-12	474	477	3	2.92	2.30	12	97.3%	76.7%
DI14-12	477	480	3	2.85	1.92	12	95.0%	64.0%
DI14-12	480	483	3	2.81	1.19	7	93.7%	39.7%
DI14-12	483	486	3	2.61	0.96	7	87.0%	32.0%
DI14-12	486	489	3	2.90	2.06	8	96.7%	68.7%
DI14-12	489	492	3	2.98	2.65	11	99.3%	88.3%
DI14-12	492	495	3	2.83	2.29	10	94.3%	76.3%
DI14-12	495	498	3	2.88	1.62	10	96.0%	54.0%
DI14-12	498	501	3	2.89	1.46	11	96.3%	48.7%
DI14-13	4	7	3	1.73	0.46	2	57.7%	15.3%
DI14-13	7	10	3	2.40	1.73	6	80.0%	57.7%
DI14-13	10	12	2	1.80	0.61	4	90.0%	30.5%
DI14-13	12	15	3	2.43	0.95	7	81.0%	31.7%
DI14-13	15	18	3	2.95	1.79	9	98.3%	59.7%
DI14-13	18	21	3	2.94	1.36	8	98.0%	45.3%
DI14-13	21	24	3	2.74	1.15	8	91.3%	38.3%
DI14-13	24	27	3	2.99	2.36	12	99.7%	78.7%
DI14-13	27	30	3	2.70	1.63	8	90.0%	54.3%
DI14-13	30	33	3	3.07	2.15	12	102.3%	71.7%
DI14-13	33	36	3	2.83	1.97	10	94.3%	65.7%
DI14-13	36	39	3	2.82	1.59	9	94.0%	53.0%
DI14-13	39	42	3	2.30	0.89	5	76.7%	29.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-13	42	45	3	2.90	0.85	6	96.7%	28.3%
DI14-13	45	48	3	2.82	1.61	10	94.0%	53.7%
DI14-13	48	51	3	2.83	1.79	12	94.3%	59.7%
DI14-13	51	54	3	2.99	2.62	14	99.7%	87.3%
DI14-13	54	57	3	2.96	2.69	14	98.7%	89.7%
DI14-13	57	60	3	2.92	2.56	11	97.3%	85.3%
DI14-13	60	63	3	2.95	2.62	14	98.3%	87.3%
DI14-13	63	66	3	2.98	2.73	13	99.3%	91.0%
DI14-13	66	69	3	2.80	2.43	10	93.3%	81.0%
DI14-13	69	72	3	2.37	0.40	3	79.0%	13.3%
DI14-13	72	75	3	2.78	1.26	9	92.7%	42.0%
DI14-13	75	78	3	2.91	1.17	9	97.0%	39.0%
DI14-13	78	81	3	2.76	1.64	10	92.0%	54.7%
DI14-13	81	84	3	2.52	1.39	10	84.0%	46.3%
DI14-13	84	87	3	2.63	1.39	8	87.7%	46.3%
DI14-13	87	90	3	2.70	1.74	9	90.0%	58.0%
DI14-13	90	93	3	3.00	2.25	13	100.0%	75.0%
DI14-13	93	96	3	2.84	1.88	10	94.7%	62.7%
DI14-13	96	99	3	2.70	1.87	9	90.0%	62.3%
DI14-13	99	102	3	2.66	1.82	11	88.7%	60.7%
DI14-13	102	105	3	2.82	1.96	10	94.0%	65.3%
DI14-13	105	108	3	2.98	2.35	11	99.3%	78.3%
DI14-13	108	111	3	2.90	2.30	11	96.7%	76.7%
DI14-13	111	114	3	2.77	0.88	6	92.3%	29.3%
DI14-13	114	117	3	2.95	2.02	12	98.3%	67.3%
DI14-13	117	120	3	2.78	1.28	9	92.7%	42.7%
DI14-13	120	123	3	2.81	1.37	8	93.7%	45.7%
DI14-13	123	126	3	2.63	1.62	10	87.7%	54.0%
DI14-13	126	129	3	2.71	0.83	5	90.3%	27.7%
DI14-13	129	132	3	2.62	0.83	5	87.3%	27.7%
DI14-13	132	135	3	2.77	1.70	11	92.3%	56.7%
DI14-13	135	138	3	2.71	1.71	8	90.3%	57.0%
DI14-13	138	141	3	2.90	1.97	12	96.7%	65.7%
DI14-13	141	144	3	2.77	1.25	8	92.3%	41.7%
DI14-13	144	147	3	2.96	1.20	7	98.7%	40.0%
DI14-13	147	150	3	2.73	1.23	7	91.0%	41.0%
DI14-14	12	15	3	1.80	0.00	0	60.0%	0.0%
DI14-14	15	18	3	1.39	0.26	2	46.3%	8.7%
DI14-14	18	21	3	2.88	2.04	13	96.0%	68.0%
DI14-14	21	24	3	2.83	1.74	10	94.3%	58.0%
DI14-14	24	27	3	2.76	0.87	6	92.0%	29.0%
DI14-14	27	30	3	2.60	0.96	6	86.7%	32.0%
DI14-14	30	33	3	2.90	1.87	12	96.7%	62.3%
DI14-14	33	36	3	2.44	0.90	5	81.3%	30.0%
DI14-14	36	39	3	2.70	1.02	6	90.0%	34.0%
DI14-14	39	42	3	2.65	1.49	8	88.3%	49.7%
DI14-14	42	45	3	2.90	2.21	12	96.7%	73.7%
DI14-14	45	48	3	2.85	1.76	11	95.0%	58.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-14	48	51	3	2.98	2.42	9	99.3%	80.7%
DI14-14	51	54	3	2.74	1.29	6	91.3%	43.0%
DI14-14	54	57	3	2.87	1.88	8	95.7%	62.7%
DI14-14	57	60	3	2.30	1.15	6	76.7%	38.3%
DI14-14	60	63	3	2.40	0.52	4	80.0%	17.3%
DI14-14	63	66	3	2.22	0.30	2	74.0%	10.0%
DI14-14	66	69	3	2.58	0.77	5	86.0%	25.7%
DI14-14	69	72	3	2.60	1.12	6	86.7%	37.3%
DI14-14	72	75	3	2.74	1.59	7	91.3%	53.0%
DI14-14	75	78	3	2.86	1.93	10	95.3%	64.3%
DI14-14	78	81	3	2.93	1.84	7	97.7%	61.3%
DI14-14	81	84	3	2.75	0.97	5	91.7%	32.3%
DI14-14	84	87	3	2.88	1.66	9	96.0%	55.3%
DI14-14	87	90	3	2.74	1.58	9	91.3%	52.7%
DI14-14	90	93	3	3.07	2.36	7	102.3%	78.7%
DI14-14	93	96	3	2.75	2.05	10	91.7%	68.3%
DI14-14	96	99	3	2.77	1.09	5	92.3%	36.3%
DI14-14	99	102	3	2.23	0.72	5	74.3%	24.0%
DI14-14	102	105	3	2.81	2.18	13	93.7%	72.7%
DI14-14	105	108	3	2.96	2.16	11	98.7%	72.0%
DI14-14	108	111	3	2.83	2.61	12	94.3%	87.0%
DI14-14	111	114	3	2.95	1.82	10	98.3%	60.7%
DI14-14	114	117	3	2.61	1.21	7	87.0%	40.3%
DI14-14	117	120	3	2.91	2.66	12	97.0%	88.7%
DI14-14	120	123	3	2.94	1.92	11	98.0%	64.0%
DI14-14	123	126	3	2.92	2.21	10	97.3%	73.7%
DI14-14	126	129	3	2.97	2.44	12	99.0%	81.3%
DI14-14	129	132	3	2.83	1.87	11	94.3%	62.3%
DI14-14	132	135	3	2.90	2.26	15	96.7%	75.3%
DI14-14	135	138	3	2.69	1.10	9	89.7%	36.7%
DI14-14	138	141	3	2.54	1.27	7	84.7%	42.3%
DI14-14	141	144	3	2.87	1.06	7	95.7%	35.3%
DI14-14	144	147	3	2.91	1.80	11	97.0%	60.0%
DI14-14	147	150	3	2.76	1.82	10	92.0%	60.7%
DI14-14	150	153	3	2.40	1.13	8	80.0%	37.7%
DI14-14	153	156	3	2.80	1.30	6	93.3%	43.3%
DI14-14	156	159	3	2.96	2.27	11	98.7%	75.7%
DI14-14	159	162	3	2.80	0.86	7	93.3%	28.7%
DI14-14	162	165	3	2.77	1.63	7	92.3%	54.3%
DI14-14	165	168	3	2.82	2.27	11	94.0%	75.7%
DI14-14	168	171	3	3.00	2.51	10	100.0%	83.7%
DI14-14	171	174	3	2.88	2.20	12	96.0%	73.3%
DI14-14	174	177	3	2.81	1.62	9	93.7%	54.0%
DI14-14	177	180	3	2.77	1.68	9	92.3%	56.0%
DI14-14	180	183	3	2.88	2.13	11	96.0%	71.0%
DI14-14	183	186	3	2.66	1.73	8	88.7%	57.7%
DI14-14	186	189	3	2.89	1.46	10	96.3%	48.7%
DI14-14	189	192	3	2.76	1.66	10	92.0%	55.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-14	192	195	3	2.96	1.68	10	98.7%	56.0%
DI14-14	195	198	3	2.90	1.95	11	96.7%	65.0%
DI14-14	198	201	3	2.90	2.21	13	96.7%	73.7%
DI14-14	201	204	3	2.66	1.41	7	88.7%	47.0%
DI14-14	204	207	3	2.87	1.95	9	95.7%	65.0%
DI14-14	207	210	3	2.78	1.35	8	92.7%	45.0%
DI14-14	210	213	3	2.95	1.69	10	98.3%	56.3%
DI14-14	213	216	3	2.81	1.31	10	93.7%	43.7%
DI14-14	216	219	3	2.78	1.76	10	92.7%	58.7%
DI14-14	219	222	3	2.72	1.67	11	90.7%	55.7%
DI14-14	222	225	3	2.71	1.67	12	90.3%	55.7%
DI14-15	10	13	3	2.63	1.29	8	87.7%	43.0%
DI14-15	13	15	2	2.14	1.06	7	107.0%	53.0%
DI14-15	15	18	3	1.50	0.10	1	50.0%	3.3%
DI14-15	18	21	3	3.04	1.92	11	101.3%	64.0%
DI14-15	21	24	3	2.80	2.11	12	93.3%	70.3%
DI14-15	24	27	3	2.70	1.28	9	90.0%	42.7%
DI14-15	27	30	3	2.79	1.70	10	93.0%	56.7%
DI14-15	30	33	3	2.81	2.05	13	93.7%	68.3%
DI14-15	33	36	3	2.87	1.81	10	95.7%	60.3%
DI14-15	36	39	3	2.90	1.78	13	96.7%	59.3%
DI14-15	39	42	3	2.77	1.74	9	92.3%	58.0%
DI14-15	42	45	3	2.82	1.61	10	94.0%	53.7%
DI14-15	45	48	3	2.92	1.97	11	97.3%	65.7%
DI14-15	48	51	3	2.86	1.89	8	95.3%	63.0%
DI14-15	51	54	3	2.83	2.08	12	94.3%	69.3%
DI14-15	54	57	3	2.91	2.53	12	97.0%	84.3%
DI14-15	57	60	3	2.90	2.52	11	96.7%	84.0%
DI14-15	60	63	3	2.91	2.05	10	97.0%	68.3%
DI14-15	63	66	3	2.86	1.04	8	95.3%	34.7%
DI14-15	66	69	3	2.73	1.48	9	91.0%	49.3%
DI14-15	69	72	3	2.87	2.19	12	95.7%	73.0%
DI14-15	72	75	3	2.96	2.63	14	98.7%	87.7%
DI14-15	75	78	3	2.64	1.69	11	88.0%	56.3%
DI14-15	78	81	3	2.97	1.64	10	99.0%	54.7%
DI14-15	81	84	3	2.72	1.20	7	90.7%	40.0%
DI14-15	84	87	3	2.71	1.50	10	90.3%	50.0%
DI14-15	87	90	3	2.72	0.73	4	90.7%	24.3%
DI14-15	90	93	3	2.82	1.24	7	94.0%	41.3%
DI14-15	93	96	3	2.83	2.43	13	94.3%	81.0%
DI14-15	96	99	3	2.80	1.88	9	93.3%	62.7%
DI14-15	99	102	3	2.66	1.69	9	88.7%	56.3%
DI14-15	102	105	3	2.89	1.75	10	96.3%	58.3%
DI14-15	105	108	3	2.99	2.23	11	99.7%	74.3%
DI14-15	108	111	3	2.94	2.50	10	98.0%	83.3%
DI14-15	111	114	3	2.59	1.21	7	86.3%	40.3%
DI14-15	114	117	3	2.90	1.53	7	96.7%	51.0%
DI14-15	117	120	3	3.08	2.01	11	102.7%	67.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-15	120	123	3	2.91	1.44	8	97.0%	48.0%
DI14-15	123	126	3	2.67	1.70	11	89.0%	56.7%
DI14-15	126	129	3	2.74	0.87	5	91.3%	29.0%
DI14-15	129	132	3	2.57	1.46	7	85.7%	48.7%
DI14-15	132	135	3	2.00	0.54	4	66.7%	18.0%
DI14-15	135	138	3	2.64	1.88	12	88.0%	62.7%
DI14-15	138	141	3	2.60	0.58	3	86.7%	19.3%
DI14-15	141	144	3	2.60	1.56	10	86.7%	52.0%
DI14-15	144	147	3	2.83	1.73	9	94.3%	57.7%
DI14-15	147	150	3	2.67	1.36	8	89.0%	45.3%
DI14-15	150	153	3	2.78	1.55	9	92.7%	51.7%
DI14-15	153	156	3	2.86	1.42	9	95.3%	47.3%
DI14-15	156	159	3	2.61	1.00	6	87.0%	33.3%
DI14-15	159	162	3	2.58	0.96	8	86.0%	32.0%
DI14-15	162	165	3	2.81	1.63	10	93.7%	54.3%
DI14-15	165	168	3	2.54	0.94	7	84.7%	31.3%
DI14-15	168	171	3	2.96	2.27	12	98.7%	75.7%
DI14-15	171	174	3	2.64	1.59	10	88.0%	53.0%
DI14-15	174	177	3	2.91	2.60	11	97.0%	86.7%
DI14-15	177	180	3	2.99	2.77	8	99.7%	92.3%
DI14-15	180	183	3	2.77	1.75	10	92.3%	58.3%
DI14-15	183	186	3	2.74	1.59	11	91.3%	53.0%
DI14-15	186	189	3	2.95	2.27	10	98.3%	75.7%
DI14-15	189	192	3	2.82	1.92	10	94.0%	64.0%
DI14-15	192	195	3	2.92	2.29	13	97.3%	76.3%
DI14-15	195	198	3	2.80	1.85	11	93.3%	61.7%
DI14-15	198	201	3	2.50	1.05	8	83.3%	35.0%
DI14-15	201	204	3	2.65	0.88	6	88.3%	29.3%
DI14-15	204	207	3	2.78	1.61	11	92.7%	53.7%
DI14-15	207	210	3	2.75	0.76	6	91.7%	25.3%
DI14-15	210	213	3	2.69	0.22	2	89.7%	7.3%
DI14-15	213	216	3	2.71	0.75	6	90.3%	25.0%
DI14-15	216	219	3	2.89	1.04	7	96.3%	34.7%
DI14-15	219	222	3	2.68	1.58	12	89.3%	52.7%
DI14-15	222	225	3	2.94	1.52	9	98.0%	50.7%
DI14-15	225	228	3	2.71	1.00	7	90.3%	33.3%
DI14-15	228	231	3	2.50	0.30	2	83.3%	10.0%
DI14-15	231	234	3	2.77	0.31	2	92.3%	10.3%
DI14-15	234	237	3	2.65	0.12	1	88.3%	4.0%
DI14-15	237	240	3	2.10	0.12	1	70.0%	4.0%
DI14-15	240	243	3	2.77	1.69	12	92.3%	56.3%
DI14-15	243	246	3	3.00	1.60	9	100.0%	53.3%
DI14-15	246	249	3	2.77	2.03	11	92.3%	67.7%
DI14-15	249	252	3	2.91	2.17	11	97.0%	72.3%
DI14-15	252	255	3	2.81	1.62	11	93.7%	54.0%
DI14-15	255	258	3	2.77	2.03	11	92.3%	67.7%
DI14-15	258	261	3	2.85	2.22	11	95.0%	74.0%
DI14-15	261	264	3	2.83	1.94	10	94.3%	64.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-15	264	267	3	2.68	1.05	7	89.3%	35.0%
DI14-15	267	270	3	2.86	1.38	10	95.3%	46.0%
DI14-15	270	273	3	2.76	1.62	10	92.0%	54.0%
DI14-15	273	276	3	2.92	1.72	10	97.3%	57.3%
DI14-15	276	279	3	2.88	1.65	10	96.0%	55.0%
DI14-15	279	282	3	2.81	0.68	5	93.7%	22.7%
DI14-15	282	285	3	2.88	1.58	12	96.0%	52.7%
DI14-15	285	288	3	2.63	1.41	10	87.7%	47.0%
DI14-15	288	291	3	2.64	1.69	8	88.0%	56.3%
DI14-15	291	294	3	2.62	0.76	5	87.3%	25.3%
DI14-15	294	297	3	2.74	0.43	3	91.3%	14.3%
DI14-15	297	300	3	2.73	1.47	10	91.0%	49.0%
DI14-15	300	303	3	2.75	1.47	7	91.7%	49.0%
DI14-15	303	306	3	1.85	0.20	2	61.7%	6.7%
DI14-15	306	306.4	0.4	0.44	0.24	2	110.0%	60.0%
DI14-16	1.5	4	2.5	1.72	0.22	2	68.8%	8.8%
DI14-16	4	7	3	2.05	0.64	4	68.3%	21.3%
DI14-16	7	10	3	2.36	0.91	6	78.7%	30.3%
DI14-16	10	13	3	1.47	0.23	2	49.0%	7.7%
DI14-16	13	15	2	1.96	1.48	8	98.0%	74.0%
DI14-16	15	18	3	1.65	1.04	7	55.0%	34.7%
DI14-16	18	21	3	2.79	1.16	7	93.0%	38.7%
DI14-16	21	24	3	2.27	1.07	7	75.7%	35.7%
DI14-16	24	27	3	2.76	1.79	11	92.0%	59.7%
DI14-16	27	30	3	2.57	1.37	9	85.7%	45.7%
DI14-16	30	33	3	2.81	1.89	12	93.7%	63.0%
DI14-16	33	36	3	2.89	2.16	9	96.3%	72.0%
DI14-16	36	39	3	2.84	2.34	12	94.7%	78.0%
DI14-16	39	42	3	2.65	1.69	10	88.3%	56.3%
DI14-16	42	45	3	2.54	1.46	7	84.7%	48.7%
DI14-16	45	48	3	2.73	1.38	8	91.0%	46.0%
DI14-16	48	51	3	2.67	1.47	8	89.0%	49.0%
DI14-16	51	54	3	2.55	1.37	9	85.0%	45.7%
DI14-16	54	57	3	2.99	2.01	11	99.7%	67.0%
DI14-16	57	60	3	2.98	2.18	12	99.3%	72.7%
DI14-16	60	63	3	1.95	0.54	3	65.0%	18.0%
DI14-16	63	66	3	2.70	1.32	7	90.0%	44.0%
DI14-16	66	69	3	3.00	2.25	10	100.0%	75.0%
DI14-16	69	72	3	2.53	1.50	9	84.3%	50.0%
DI14-16	72	75	3	2.97	2.30	14	99.0%	76.7%
DI14-16	75	78	3	2.57	0.37	3	85.7%	12.3%
DI14-16	78	79.7	1.7	1.52	0.56	4	89.4%	32.9%
DI14-16b	2	4	2	1.90	0.18	1	95.0%	9.0%
DI14-16b	4	7	3	2.29	0.70	4	76.3%	23.3%
DI14-16b	7	9	2	2.30	1.08	6	115.0%	54.0%
DI14-16b	9	12	3	1.55	0.88	7	51.7%	29.3%
DI14-16b	12	15	3	1.79	0.00	0	59.7%	0.0%
DI14-16b	15	18	3	2.90	1.91	13	96.7%	63.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-16b	18	21	3	2.88	1.95	11	96.0%	65.0%
DI14-16b	21	24	3	2.64	1.34	9	88.0%	44.7%
DI14-16b	24	27	3	2.99	1.70	12	99.7%	56.7%
DI14-16b	27	30	3	2.69	1.51	9	89.7%	50.3%
DI14-16b	30	33	3	2.78	1.65	9	92.7%	55.0%
DI14-16b	33	36	3	2.66	1.45	9	88.7%	48.3%
DI14-16b	36	39	3	2.81	1.66	11	93.7%	55.3%
DI14-16b	39	42	3	2.75	2.26	11	91.7%	75.3%
DI14-16b	42	45	3	2.62	0.67	4	87.3%	22.3%
DI14-16b	45	48	3	2.41	0.95	6	80.3%	31.7%
DI14-16b	48	51	3	2.55	1.47	11	85.0%	49.0%
DI14-16b	51	54	3	3.00	1.93	10	100.0%	64.3%
DI14-16b	54	57	3	2.72	1.48	9	90.7%	49.3%
DI14-16b	57	60	3	2.76	1.31	9	92.0%	43.7%
DI14-16b	60	63	3	2.82	1.66	9	94.0%	55.3%
DI14-16b	63	66	3	3.01	2.32	12	100.3%	77.3%
DI14-16b	66	69	3	2.55	1.16	7	85.0%	38.7%
DI14-16b	69	72	3	2.59	1.51	9	86.3%	50.3%
DI14-16b	72	75	3	2.26	0.87	6	75.3%	29.0%
DI14-16b	75	78	3	1.53	0.00	0	51.0%	0.0%
DI14-16b	78	81	3	2.69	2.05	7	89.7%	68.3%
DI14-16b	81	84	3	2.90	1.67	8	96.7%	55.7%
DI14-16b	84	87	3	2.55	1.62	7	85.0%	54.0%
DI14-16b	87	90	3	2.76	1.19	7	92.0%	39.7%
DI14-16b	90	93	3	2.36	0.79	5	78.7%	26.3%
DI14-16b	93	96	3	2.73	1.54	8	91.0%	51.3%
DI14-16b	96	99	3	2.61	0.89	7	87.0%	29.7%
DI14-16b	99	102	3	2.63	1.50	9	87.7%	50.0%
DI14-16b	102	105	3	2.64	0.49	4	88.0%	16.3%
DI14-16b	105	108	3	2.29	0.98	5	76.3%	32.7%
DI14-16b	108	111	3	2.27	0.71	5	75.7%	23.7%
DI14-16b	111	114	3	1.94	0.47	4	64.7%	15.7%
DI14-16b	114	117	3	2.78	1.64	9	92.7%	54.7%
DI14-16b	117	120	3	2.90	2.02	12	96.7%	67.3%
DI14-16b	120	123	3	2.81	1.60	10	93.7%	53.3%
DI14-16b	123	126	3	2.68	0.67	5	89.3%	22.3%
DI14-16b	126	129	3	1.55	0.73	5	51.7%	24.3%
DI14-16b	129	132	3	2.74	1.72	10	91.3%	57.3%
DI14-16b	132	135	3	2.77	1.32	9	92.3%	44.0%
DI14-16b	135	138	3	2.78	2.19	14	92.7%	73.0%
DI14-16b	138	141	3	2.87	2.54	12	95.7%	84.7%
DI14-16b	141	144	3	2.90	1.90	12	96.7%	63.3%
DI14-16b	144	147	3	2.97	1.84	11	99.0%	61.3%
DI14-16b	147	150	3	2.51	0.60	5	83.7%	20.0%
DI14-16b	150	153	3	2.86	1.42	11	95.3%	47.3%
DI14-16b	153	156	3	2.56	0.98	7	85.3%	32.7%
DI14-16b	156	159	3	1.96	0.10	1	65.3%	3.3%
DI14-16b	159	162	3	2.78	2.34	13	92.7%	78.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-16b	162	165	3	2.85	1.96	9	95.0%	65.3%
DI14-16b	165	168	3	2.91	1.68	9	97.0%	56.0%
DI14-16b	168	171	3	2.56	1.22	8	85.3%	40.7%
DI14-16b	171	174	3	2.81	1.71	6	93.7%	57.0%
DI14-16b	174	177	3	2.83	1.76	12	94.3%	58.7%
DI14-16b	177	180	3	2.56	0.54	3	85.3%	18.0%
DI14-16b	180	183	3	2.82	1.63	10	94.0%	54.3%
DI14-16b	183	186	3	2.85	1.51	8	95.0%	50.3%
DI14-16b	186	189	3	2.89	1.77	11	96.3%	59.0%
DI14-16b	189	192	3	2.58	1.67	11	86.0%	55.7%
DI14-16b	192	195	3	2.90	2.41	10	96.7%	80.3%
DI14-16b	195	198	3	2.80	2.26	9	93.3%	75.3%
DI14-16b	198	201	3	2.95	2.39	12	98.3%	79.7%
DI14-16b	201	204	3	2.78	1.85	10	92.7%	61.7%
DI14-16b	204	207	3	2.86	2.24	13	95.3%	74.7%
DI14-16b	207	210	3	2.86	1.71	11	95.3%	57.0%
DI14-16b	210	213	3	2.83	2.12	12	94.3%	70.7%
DI14-16b	213	216	3	2.92	2.33	12	97.3%	77.7%
DI14-16b	216	219	3	2.98	2.42	13	99.3%	80.7%
DI14-16b	219	222	3	2.87	2.43	14	95.7%	81.0%
DI14-16b	222	225	3	2.97	2.19	10	99.0%	73.0%
DI14-16b	225	228	3	2.87	1.49	9	95.7%	49.7%
DI14-16b	228	231	3	2.88	2.08	11	96.0%	69.3%
DI14-16b	231	234	3	2.82	2.23	11	94.0%	74.3%
DI14-16b	234	237	3	3.00	2.40	11	100.0%	80.0%
DI14-16b	237	240	3	2.75	1.78	9	91.7%	59.3%
DI14-16b	240	243	3	2.85	2.26	11	95.0%	75.3%
DI14-16b	243	246	3	2.76	1.60	8	92.0%	53.3%
DI14-16b	246	249	3	2.86	1.96	8	95.3%	65.3%
DI14-16b	249	252	3	2.71	1.17	9	90.3%	39.0%
DI14-16b	252	255	3	2.89	2.20	11	96.3%	73.3%
DI14-16b	255	258	3	2.91	2.39	9	97.0%	79.7%
DI14-16b	258	261	3	3.01	2.15	9	100.3%	71.7%
DI14-16b	261	264	3	2.91	2.29	8	97.0%	76.3%
DI14-16b	264	267	3	2.25	0.85	5	75.0%	28.3%
DI14-16b	267	270	3	3.03	2.54	13	101.0%	84.7%
DI14-16b	270	273	3	2.80	0.47	3	93.3%	15.7%
DI14-16b	273	276	3	2.79	2.08	9	93.0%	69.3%
DI14-16b	276	279	3	2.66	1.22	6	88.7%	40.7%
DI14-16b	279	282	3	2.76	0.70	4	92.0%	23.3%
DI14-16b	282	285	3	2.73	1.60	11	91.0%	53.3%
DI14-16b	285	288	3	2.73	1.17	7	91.0%	39.0%
DI14-16b	288	291	3	2.93	2.30	12	97.7%	76.7%
DI14-16b	291	294	3	2.91	1.53	7	97.0%	51.0%
DI14-16b	294	297	3	2.78	2.37	14	92.7%	79.0%
DI14-16b	297	300	3	2.79	1.26	5	93.0%	42.0%
DI14-16b	300	303	3	2.90	1.74	10	96.7%	58.0%
DI14-16b	303	306	3	2.74	1.76	11	91.3%	58.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-16b	306	309	3	2.85	1.87	11	95.0%	62.3%
DI14-16b	309	312	3	2.90	2.25	11	96.7%	75.0%
DI14-16b	312	315	3	2.92	2.15	7	97.3%	71.7%
DI14-16b	315	318	3	2.99	1.90	11	99.7%	63.3%
DI14-16b	318	321	3	2.95	2.58	12	98.3%	86.0%
DI14-16b	321	324	3	2.82	1.98	11	94.0%	66.0%
DI14-16b	324	327	3	3.05	2.40	12	101.7%	80.0%
DI14-16b	327	330	3	2.97	2.62	12	99.0%	87.3%
DI14-16b	330	333	3	2.97	2.64	15	99.0%	88.0%
DI14-16b	333	336	3	2.90	2.44	11	96.7%	81.3%
DI14-16b	336	339	3	2.92	1.91	10	97.3%	63.7%
DI14-16b	339	342	3	2.81	2.69	11	93.7%	89.7%
DI14-16b	342	345	3	2.92	1.64	10	97.3%	54.7%
DI14-16b	345	348	3	2.85	2.19	11	95.0%	73.0%
DI14-16b	348	351	3	2.50	2.38	11	83.3%	79.3%
DI14-16b	351	354	3	3.02	2.16	10	100.7%	72.0%
DI14-16b	354	357	3	2.67	1.04	6	89.0%	34.7%
DI14-16b	357	360	3	2.90	1.48	9	96.7%	49.3%
DI14-16b	360	363	3	2.74	2.05	9	91.3%	68.3%
DI14-16b	363	366	3	3.07	2.64	13	102.3%	88.0%
DI14-16b	366	369	3	2.75	1.16	8	91.7%	38.7%
DI14-16b	369	372	3	2.87	1.91	13	95.7%	63.7%
DI14-16b	372	375	3	2.84	0.83	16	94.7%	27.7%
DI14-16b	375	378	3	2.90	2.20	12	96.7%	73.3%
DI14-16b	378	381	3	2.99	2.28	13	99.7%	76.0%
DI14-16b	381	384	3	2.80	2.00	10	93.3%	66.7%
DI14-16b	384	387	3	2.92	1.26	7	97.3%	42.0%
DI14-16b	387	390	3	2.67	1.09	7	89.0%	36.3%
DI14-16b	390	393	3	2.88	1.78	10	96.0%	59.3%
DI14-16b	393	396	3	2.80	1.39	7	93.3%	46.3%
DI14-16b	396	399	3	2.72	1.39	9	90.7%	46.3%
DI14-16b	399	402	3	2.46	0.35	3	82.0%	11.7%
DI14-16b	402	405	3	2.90	1.39	10	96.7%	46.3%
DI14-16b	405	408	3	2.37	0.92	8	79.0%	30.7%
DI14-16b	408	411	3	3.10	1.14	7	103.3%	38.0%
DI14-16b	411	414	3	2.50	0.25	2	83.3%	8.3%
DI14-16b	414	417	3	2.28	0.00	0	76.0%	0.0%
DI14-16b	417	420	3	2.95	0.57	5	98.3%	19.0%
DI14-16b	420	423	3	2.71	0.65	5	90.3%	21.7%
DI14-16b	423	426	3	2.01	0.34	2	67.0%	11.3%
DI14-16b	426	429	3	2.81	1.32	9	93.7%	44.0%
DI14-16b	429	432	3	2.76	1.70	10	92.0%	56.7%
DI14-16b	432	435	3	2.60	0.86	7	86.7%	28.7%
DI14-16b	435	438	3	2.98	1.74	9	99.3%	58.0%
DI14-16b	438	441	3	2.61	0.76	5	87.0%	25.3%
DI14-16b	441	444	3	2.37	0.72	5	79.0%	24.0%
DI14-16b	444	447	3	2.77	1.52	10	92.3%	50.7%
DI14-16b	447	450	3	2.73	1.25	6	91.0%	41.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-16b	450	453	3	2.83	1.59	8	94.3%	53.0%
DI14-16b	453	456	3	2.90	2.12	13	96.7%	70.7%
DI14-16b	456	459	3	2.60	1.66	9	86.7%	55.3%
DI14-16b	459	462	3	2.70	1.62	9	90.0%	54.0%
DI14-16b	462	465	3	2.85	0.86	5	95.0%	28.7%
DI14-16b	465	468	3	2.92	1.83	9	97.3%	61.0%
DI14-16b	468	471	3	2.75	1.27	7	91.7%	42.3%
DI14-16b	471	474	3	2.72	1.46	9	90.7%	48.7%
DI14-16b	474	477	3	2.57	0.36	3	85.7%	12.0%
DI14-16b	477	480	3	2.75	0.41	3	91.7%	13.7%
DI14-16b	480	483	3	2.93	2.10	11	97.7%	70.0%
DI14-16b	483	486	3	2.64	1.34	8	88.0%	44.7%
DI14-16b	486	489	3	3.00	1.85	10	100.0%	61.7%
DI14-16b	489	492	3	2.90	1.57	11	96.7%	52.3%
DI14-16b	492	495	3	2.87	1.95	10	95.7%	65.0%
DI14-16b	495	498	3	2.95	2.77	12	98.3%	92.3%
DI14-16b	498	501	3	2.89	2.23	15	96.3%	74.3%
DI14-16b	501	504	3	2.84	2.19	13	94.7%	73.0%
DI14-16b	504	507	3	2.75	1.87	7	91.7%	62.3%
DI14-16b	507	510	3	2.79	1.96	12	93.0%	65.3%
DI14-16b	510	513	3	2.99	2.29	12	99.7%	76.3%
DI14-16b	513	516	3	2.88	1.32	8	96.0%	44.0%
DI14-16b	516	519	3	2.83	2.15	12	94.3%	71.7%
DI14-16b	519	522	3	2.92	2.59	9	97.3%	86.3%
DI14-16b	522	525	3	2.91	2.53	11	97.0%	84.3%
DI14-16b	525	528	3	2.72	2.03	12	90.7%	67.7%
DI14-16b	528	531	3	2.89	2.16	12	96.3%	72.0%
DI14-16b	531	534	3	2.90	2.40	14	96.7%	80.0%
DI14-16b	534	537	3	2.86	1.90	10	95.3%	63.3%
DI14-16b	537	540	3	2.90	1.31	7	96.7%	43.7%
DI14-16b	540	543	3	2.76	2.25	10	92.0%	75.0%
DI14-16b	543	546	3	2.76	2.20	12	92.0%	73.3%
DI14-16b	546	549	3	2.96	2.35	10	98.7%	78.3%
DI14-16b	549	552	3	2.81	1.99	13	93.7%	66.3%
DI14-16b	552	555	3	3.10	2.23	10	103.3%	74.3%
DI14-16b	555	558	3	2.81	2.34	8	93.7%	78.0%
DI14-16b	558	561	3	3.02	2.31	11	100.7%	77.0%
DI14-16b	561	564	3	2.89	2.44	13	96.3%	81.3%
DI14-16b	564	567	3	2.94	1.87	8	98.0%	62.3%
DI14-16b	567	570	3	2.87	2.57	12	95.7%	85.7%
DI14-16b	570	573	3	3.04	2.38	13	101.3%	79.3%
DI14-16b	573	576	3	2.99	2.20	11	99.7%	73.3%
DI14-16b	576	579	3	2.92	1.84	9	97.3%	61.3%
DI14-16b	579	582	3	2.80	1.73	11	93.3%	57.7%
DI14-16b	582	585	3	3.01	2.32	12	100.3%	77.3%
DI14-16b	585	588	3	3.01	1.95	10	100.3%	65.0%
DI14-16b	588	591	3	2.86	2.25	11	95.3%	75.0%
DI14-16b	591	594	3	2.77	2.00	12	92.3%	66.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-16b	594	597	3	2.66	1.47	9	88.7%	49.0%
DI14-16b	597	600	3	2.97	2.22	11	99.0%	74.0%
DI14-16b	600	603	3	2.87	2.47	14	95.7%	82.3%
DI14-16b	603	606	3	2.85	1.45	8	95.0%	48.3%
DI14-16b	606	609	3	2.78	1.96	13	92.7%	65.3%
DI14-16b	609	612	3	2.67	1.00	6	89.0%	33.3%
DI14-16b	612	615	3	2.61	1.17	7	87.0%	39.0%
DI14-16b	615	618	3	2.84	1.67	11	94.7%	55.7%
DI14-16b	618	621	3	2.74	1.02	7	91.3%	34.0%
DI14-16b	621	624	3	2.81	0.63	5	93.7%	21.0%
DI14-16b	624	627	3	2.95	1.54	12	98.3%	51.3%
DI14-16b	627	630	3	2.88	2.04	12	96.0%	68.0%
DI14-16b	630	633	3	2.73	2.00	8	91.0%	66.7%
DI14-16b	633	636	3	2.88	1.61	12	96.0%	53.7%
DI14-16b	636	639	3	2.58	0.25	2	86.0%	8.3%
DI14-16b	639	642	3	2.85	1.39	10	95.0%	46.3%
DI14-16b	642	645	3	2.84	1.73	10	94.7%	57.7%
DI14-16b	645	648	3	2.87	1.84	12	95.7%	61.3%
DI14-16b	648	651	3	2.79	0.90	7	93.0%	30.0%
DI14-17	12	15	3	1.73	0.36	3	57.7%	12.0%
DI14-17	15	18	3	2.87	0.90	6	95.7%	30.0%
DI14-17	18	21	3	2.94	0.56	6	98.0%	18.7%
DI14-17	21	24	3	2.44	1.36	8	81.3%	45.3%
DI14-17	24	27	3	2.98	0.34	2	99.3%	11.3%
DI14-17	27	30	3	2.66	0.54	4	88.7%	18.0%
DI14-17	30	33	3	2.40	0.25	1	80.0%	8.3%
DI14-17	33	36	3	2.63	0.94	5	87.7%	31.3%
DI14-17	36	39	3	2.40	0.20	2	80.0%	6.7%
DI14-17	39	42	3	2.46	0.42	3	82.0%	14.0%
DI14-17	42	45	3	2.75	1.33	9	91.7%	44.3%
DI14-17	45	48	3	2.89	1.81	13	96.3%	60.3%
DI14-17	48	51	3	2.65	0.39	3	88.3%	13.0%
DI14-17	51	54	3	2.74	1.20	6	91.3%	40.0%
DI14-17	54	57	3	2.81	1.13	7	93.7%	37.7%
DI14-17	57	60	3	2.67	1.62	11	89.0%	54.0%
DI14-17	60	63	3	2.35	0.30	2	78.3%	10.0%
DI14-17	63	66	3	2.76	1.05		92.0%	35.0%
DI14-17	66	69	3	2.71	0.82	7	90.3%	27.3%
DI14-17	69	72	3	2.64	0.72	5	88.0%	24.0%
DI14-17	72	75	3	2.79	0.84	7	93.0%	28.0%
DI14-17	75	78	3	2.72	0.71	5	90.7%	23.7%
DI14-17	78	81	3	2.83	0.83	6	94.3%	27.7%
DI14-17	81	84	3	2.65	0.41	3	88.3%	13.7%
DI14-17	84	87	3	2.76	0.47	4	92.0%	15.7%
DI14-17	87	90	3	3.04	1.32	8	101.3%	44.0%
DI14-17	90	93	3	2.89	1.43	8	96.3%	47.7%
DI14-17	93	96	3	2.69	1.00	7	89.7%	33.3%
DI14-17	96	99	3	2.79	0.62	5	93.0%	20.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-17	99	102	3	2.70	0.70	5	90.0%	23.3%
DI14-17	102	105	3	2.79	1.46	9	93.0%	48.7%
DI14-17	105	108	3	2.52	1.30	9	84.0%	43.3%
DI14-17	108	111	3	2.53	0.71	5	84.3%	23.7%
DI14-17	111	114	3	2.84	0.51	3	94.7%	17.0%
DI14-17	114	117	3	2.68	0.93	6	89.3%	31.0%
DI14-17	117	120	3	2.97	0.98	7	99.0%	32.7%
DI14-17	120	123	3	2.78	1.96	13	92.7%	65.3%
DI14-17	123	126	3	2.79	1.58	9	93.0%	52.7%
DI14-17	126	129	3	2.59	1.79	10	86.3%	59.7%
DI14-17	129	132	3	2.69	1.08	8	89.7%	36.0%
DI14-17	132	135	3	2.92	1.13	7	97.3%	37.7%
DI14-17	135	138	3	2.67	1.11	7	89.0%	37.0%
DI14-17	138	141	3	3.01	2.28	11	100.3%	76.0%
DI14-17	141	144	3	2.82	1.31	7	94.0%	43.7%
DI14-17	144	147	3	2.88	1.62	9	96.0%	54.0%
DI14-17	147	150	3	2.85	0.96	6	95.0%	32.0%
DI14-17	150	153	3	2.77	2.49	12	92.3%	83.0%
DI14-17	153	156	3	2.82	0.86	4	94.0%	28.7%
DI14-17	156	159	3	2.86	1.08	7	95.3%	36.0%
DI14-17	159	162	3	2.92	2.37	8	97.3%	79.0%
DI14-17	162	165	3	2.99	2.17	8	99.7%	72.3%
DI14-17	165	168	3	2.93	2.39	13	97.7%	79.7%
DI14-17	168	171	3	3.00	2.03	12	100.0%	67.7%
DI14-17	171	174	3	2.87	1.80	12	95.7%	60.0%
DI14-17	174	177	3	2.80	1.25	8	93.3%	41.7%
DI14-17	177	180	3	2.77	1.29	9	92.3%	43.0%
DI14-17	180	183	3	2.91	0.91	6	97.0%	30.3%
DI14-17	183	186	3	2.88	1.05	6	96.0%	35.0%
DI14-17	186	189	3	2.95	1.54	9	98.3%	51.3%
DI14-17	189	192	3	2.86	2.15	11	95.3%	71.7%
DI14-17	192	195	3	2.62	0.47	4	87.3%	15.7%
DI14-17	195	198	3	2.58	1.09	9	86.0%	36.3%
DI14-17	198	201	3	2.83	0.87	7	94.3%	29.0%
DI14-17	201	204	3	2.35	2.52	7	78.3%	84.0%
DI14-17	204	207	3	2.02	0.26	2	67.3%	8.7%
DI14-17	207	210	3	2.51	1.07	7	83.7%	35.7%
DI14-17	210	213	3	2.87	1.65	12	95.7%	55.0%
DI14-17	213	216	3	1.62	0.61	4	54.0%	20.3%
DI14-17	216	219	3	2.83	0.28	2	94.3%	9.3%
DI14-17	219	222	3	2.07	0.94	6	69.0%	31.3%
DI14-17	222	225	3	2.97	0.77	5	99.0%	25.7%
DI14-17	225	228	3	2.77	1.44	7	92.3%	48.0%
DI14-17	228	231	3	2.74	1.02	5	91.3%	34.0%
DI14-17	231	234	3	3.00	2.18	12	100.0%	72.7%
DI14-17	234	237	3	2.92	1.91	11	97.3%	63.7%
DI14-17	237	240	3	2.95	2.35	12	98.3%	78.3%
DI14-17	240	243	3	2.53	1.22	7	84.3%	40.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-17	243	246	3	3.05	0.73	6	101.7%	24.3%
DI14-17	246	249	3	2.80	1.91	11	93.3%	63.7%
DI14-17	249	252	3	2.88	1.53	11	96.0%	51.0%
DI14-17	252	255	3	2.86	1.50	10	95.3%	50.0%
DI14-17	255	258	3	2.68	1.29	9	89.3%	43.0%
DI14-17	258	261	3	2.92	1.84	9	97.3%	61.3%
DI14-17	261	264	3	2.82	1.74	9	94.0%	58.0%
DI14-17	264	267	3	2.88	1.59	7	96.0%	53.0%
DI14-17	267	270	3	2.91	1.85	9	97.0%	61.7%
DI14-17	270	273	3	2.92	1.79	9	97.3%	59.7%
DI14-17	273	276	3	2.89	1.50	8	96.3%	50.0%
DI14-17	276	279	3	2.83	1.44	11	94.3%	48.0%
DI14-17	279	282	3	2.69	0.83	6	89.7%	27.7%
DI14-17	282	285	3	2.86	1.10	7	95.3%	36.7%
DI14-17	285	288	3	2.89	1.16	9	96.3%	38.7%
DI14-17	288	291	3	2.79	1.69	11	93.0%	56.3%
DI14-17	291	294	3	2.55	1.07	7	85.0%	35.7%
DI14-17	294	297	3	2.82	1.47	9	94.0%	49.0%
DI14-17	297	300	3	3.23	1.05	6	107.7%	35.0%
DI14-17	300	303	3	2.35	0.58	4	78.3%	19.3%
DI14-17	303	306	3	2.70	1.17	7	90.0%	39.0%
DI14-17	306	309	3	3.00	2.58	13	100.0%	86.0%
DI14-17	309	312	3	2.88	1.88	11	96.0%	62.7%
DI14-17	312	315	3	2.90	2.36	11	96.7%	78.7%
DI14-17	315	318	3	2.80	1.26	7	93.3%	42.0%
DI14-17	318	321	3	2.25	0.50	4	75.0%	16.7%
DI14-17	321	324	3	2.95	1.63	11	98.3%	54.3%
DI14-17	324	327	3	2.61	0.91	5	87.0%	30.3%
DI14-17	327	330	3	2.66	2.10	13	88.7%	70.0%
DI14-17	330	333	3	3.02	1.98	12	100.7%	66.0%
DI14-17	333	336	3	3.07	1.89	12	102.3%	63.0%
DI14-17	336	339	3	2.74	0.90	7	91.3%	30.0%
DI14-17	339	342	3	2.83	1.05	6	94.3%	35.0%
DI14-17	342	345	3	2.87	1.26	8	95.7%	42.0%
DI14-17	345	348	3	2.89	0.99	5	96.3%	33.0%
DI14-17	348	351	3	2.90	1.23	9	96.7%	41.0%
DI14-17	351	354	3	2.86	1.17	9	95.3%	39.0%
DI14-17	354	357	3	2.87	0.57	4	95.7%	19.0%
DI14-17	357	360	3	2.97	1.65	11	99.0%	55.0%
DI14-17	360	363	3	2.76	0.75	5	92.0%	25.0%
DI14-17	363	366	3	2.91	1.84	7	97.0%	61.3%
DI14-17	366	369	3	2.92	2.19	13	97.3%	73.0%
DI14-17	369	372	3	3.05	1.30	9	101.7%	43.3%
DI14-17	372	375	3	2.97	1.70	11	99.0%	56.7%
DI14-17	375	378	3	2.20	1.42	9	73.3%	47.3%
DI14-17	378	381	3	2.34	1.00	7	78.0%	33.3%
DI14-17	381	384	3	2.58	1.17	8	86.0%	39.0%
DI14-17	384	387	3	2.72	0.84	6	90.7%	28.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-17	387	390	3	2.57	1.58	9	85.7%	52.7%
DI14-17	390	393	3	2.84	1.63	10	94.7%	54.3%
DI14-17	393	396	3	2.86	1.40	7	95.3%	46.7%
DI14-17	396	399	3	2.96	1.63	10	98.7%	54.3%
DI14-17	399	402	3	2.89	1.45	10	96.3%	48.3%
DI14-17	402	405	3	2.95	1.93	11	98.3%	64.3%
DI14-17	405	408	3	2.90	1.54	8	96.7%	51.3%
DI14-17	408	411	3	2.90	1.14	7	96.7%	38.0%
DI14-17	411	414	3	2.82	1.53	9	94.0%	51.0%
DI14-17	414	417	3	2.91	1.99	13	97.0%	66.3%
DI14-17	417	420	3	2.93	1.98	13	97.7%	66.0%
DI14-17	420	423	3	2.88	1.40	8	96.0%	46.7%
DI14-17	423	426	3	2.82	1.51	11	94.0%	50.3%
DI14-17	426	429	3	2.82	0.95	6	94.0%	31.7%
DI14-17	429	432	3	2.88	1.00	5	96.0%	33.3%
DI14-17	432	435	3	2.84	2.09	13	94.7%	69.7%
DI14-17	435	438	3	3.06	1.76	10	102.0%	58.7%
DI14-17	438	441	3	2.90	1.14	10	96.7%	38.0%
DI14-17	441	444	3	2.92	2.28	12	97.3%	76.0%
DI14-17	444	447	3	2.95	2.45	13	98.3%	81.7%
DI14-17	447	450	3	2.71	1.16	7	90.3%	38.7%
DI14-17	450	453	3	2.75	0.41	2	91.7%	13.7%
DI14-17	453	456	3	2.77	1.02	7	92.3%	34.0%
DI14-17	456	459	3	2.85	2.40	13	95.0%	80.0%
DI14-17	459	462	3	2.86	1.75	10	95.3%	58.3%
DI14-17	462	465	3	2.86	2.02	11	95.3%	67.3%
DI14-17	465	468	3	2.95	2.22	14	98.3%	74.0%
DI14-17	468	471	3	2.84	2.14	10	94.7%	71.3%
DI14-17	471	474	3	2.95	2.18	11	98.3%	72.7%
DI14-17	474	477	3	2.93	1.81	11	97.7%	60.3%
DI14-17	477	480	3	2.89	1.66	9	96.3%	55.3%
DI14-17	480	483	3	3.04	2.43	11	101.3%	81.0%
DI14-17	483	486	3	2.92	2.72	13	97.3%	90.7%
DI14-17	486	489	3	3.00	2.27	12	100.0%	75.7%
DI14-17	489	492	3	2.88	1.31	9	96.0%	43.7%
DI14-17	492	495	3	2.80	1.78	11	93.3%	59.3%
DI14-17	495	498	3	2.88	2.52	12	96.0%	84.0%
DI14-17	498	501	3	3.02	2.43	11	100.7%	81.0%
DI14-18	13.5	15	1.5	0.74	0.21	1	49.3%	14.0%
DI14-18	15	18	3	2.53	1.09	8	84.3%	36.3%
DI14-18	18	21	3	2.71	1.72	11	90.3%	57.3%
DI14-18	21	24	3	2.88	1.39	9	96.0%	46.3%
DI14-18	24	27	3	2.82	1.66	7	94.0%	55.3%
DI14-18	27	30	3	2.15	0.79	5	71.7%	26.3%
DI14-18	30	33	3	2.75	1.15	6	91.7%	38.3%
DI14-18	33	36	3	2.60	0.98	6	86.7%	32.7%
DI14-18	36	39	3	2.36	1.18	7	78.7%	39.3%
DI14-18	39	42	3	2.79	1.17	7	93.0%	39.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-18	42	45	3	2.76	0.46	3	92.0%	15.3%
DI14-18	45	48	3	2.93	1.15	8	97.7%	38.3%
DI14-18	48	51	3	2.60	0.98	7	86.7%	32.7%
DI14-18	51	54	3	2.88	1.45	9	96.0%	48.3%
DI14-18	54	57	3	2.58	1.07	5	86.0%	35.7%
DI14-18	57	60	3	2.84	2.11	10	94.7%	70.3%
DI14-18	60	63	3	2.81	2.25	12	93.7%	75.0%
DI14-18	63	66	3	2.96	2.31	12	98.7%	77.0%
DI14-18	66	69	3	2.87	2.19	12	95.7%	73.0%
DI14-18	69	72	3	2.92	1.66	10	97.3%	55.3%
DI14-18	72	75	3	2.87	1.80	13	95.7%	60.0%
DI14-18	75	78	3	2.96	1.84	9	98.7%	61.3%
DI14-18	78	81	3	2.99	1.92	11	99.7%	64.0%
DI14-18	81	84	3	2.85	1.05	8	95.0%	35.0%
DI14-18	84	87	3	2.70	1.34	9	90.0%	44.7%
DI14-18	87	90	3	2.93	0.97	6	97.7%	32.3%
DI14-18	90	93	3	2.79	0.90	6	93.0%	30.0%
DI14-18	93	96	3	2.79	1.59	11	93.0%	53.0%
DI14-18	96	99	3	2.90	1.04	8	96.7%	34.7%
DI14-18	99	102	3	2.66	0.14	1	88.7%	4.7%
DI14-18	102	105	3	2.75	0.87	6	91.7%	29.0%
DI14-18	105	108	3	2.85	1.34	6	95.0%	44.7%
DI14-18	108	111	3	2.48	0.76	5	82.7%	25.3%
DI14-18	111	114	3	2.60	2.11	10	86.7%	70.3%
DI14-18	114	117	3	2.84	1.31	9	94.7%	43.7%
DI14-18	117	120	3	2.42	1.22	7	80.7%	40.7%
DI14-18	120	123	3	2.13	1.17	7	71.0%	39.0%
DI14-18	123	126	3	4.11	1.95	13	137.0%	65.0%
DI14-18	126	129	3	1.73	0.58	4	57.7%	19.3%
DI14-18	129	132	3	2.97	1.74	8	99.0%	58.0%
DI14-18	132	135	3	2.33	1.18	8	77.7%	39.3%
DI14-18	135	138	3	2.77	1.48	9	92.3%	49.3%
DI14-18	138	141	3	2.60	1.38	7	86.7%	46.0%
DI14-18	141	144	3	2.40	0.60	4	80.0%	20.0%
DI14-18	144	147	3	2.83	0.67	5	94.3%	22.3%
DI14-18	147	150	3	2.86	0.59	4	95.3%	19.7%
DI14-18	150	153	3	2.90	1.25	8	96.7%	41.7%
DI14-18	153	156	3	2.68	0.72	5	89.3%	24.0%
DI14-18	156	159	3	2.67	1.49	9	89.0%	49.7%
DI14-18	159	162	3	2.87	1.17	9	95.7%	39.0%
DI14-18	162	165	3	3.43	1.16	8	114.3%	38.7%
DI14-18	165	168	3	2.81	1.44	11	93.7%	48.0%
DI14-18	168	171	3	2.73	2.10	12	91.0%	70.0%
DI14-18	171	174	3	2.90	2.06	12	96.7%	68.7%
DI14-18	174	177	3	2.89	2.59	16	96.3%	86.3%
DI14-18	177	180	3	2.87	1.51	7	95.7%	50.3%
DI14-18	180	183	3	3.04	2.70	17	101.3%	90.0%
DI14-18	183	186	3	2.59	1.21	6	86.3%	40.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-18	186	189	3	2.97	1.56	10	99.0%	52.0%
DI14-18	189	192	3	2.94	2.28	13	98.0%	76.0%
DI14-18	192	195	3	2.86	2.02	13	95.3%	67.3%
DI14-18	195	198	3	2.96	2.56	14	98.7%	85.3%
DI14-18	198	201	3	2.98	2.43	13	99.3%	81.0%
DI14-18	201	204	3	2.89	2.26	10	96.3%	75.3%
DI14-18	204	207	3	2.96	2.63	13	98.7%	87.7%
DI14-18	207	210	3	2.93	2.15	10	97.7%	71.7%
DI14-18	210	213	3	2.82	1.71	10	94.0%	57.0%
DI14-18	213	216	3	2.98	2.71	12	99.3%	90.3%
DI14-18	216	219	3	2.80	1.25	7	93.3%	41.7%
DI14-18	219	222	3	2.85	1.37	7	95.0%	45.7%
DI14-18	222	225	3	2.63	1.79	9	87.7%	59.7%
DI14-18	225	228	3	2.82	2.56	12	94.0%	85.3%
DI14-18	228	231	3	2.72	1.76	10	90.7%	58.7%
DI14-18	231	234	3	2.96	2.48	16	98.7%	82.7%
DI14-18	234	237	3	2.92	2.28	12	97.3%	76.0%
DI14-18	237	240	3	2.77	1.67	10	92.3%	55.7%
DI14-18	240	243	3	2.75	1.78	8	91.7%	59.3%
DI14-18	243	246	3	2.85	1.84	12	95.0%	61.3%
DI14-18	246	249	3	2.84	2.48	11	94.7%	82.7%
DI14-18	249	252	3	2.87	2.22	13	95.7%	74.0%
DI14-18	252	255	3	2.90	2.06	11	96.7%	68.7%
DI14-18	255	258	3	2.94	2.37	14	98.0%	79.0%
DI14-18	258	261	3	2.91	1.60	8	97.0%	53.3%
DI14-18	261	264	3	2.82	1.13	6	94.0%	37.7%
DI14-18	264	267	3	2.84	2.31	11	94.7%	77.0%
DI14-18	267	270	3	2.87	2.23	12	95.7%	74.3%
DI14-18	270	273	3	2.98	2.37	13	99.3%	79.0%
DI14-18	273	276	3	2.85	2.29	13	95.0%	76.3%
DI14-18	276	279	3	2.92	2.21	10	97.3%	73.7%
DI14-18	279	282	3	2.93	2.11	9	97.7%	70.3%
DI14-18	282	285	3	2.82	2.05	12	94.0%	68.3%
DI14-18	285	288	3	2.95	1.34	9	98.3%	44.7%
DI14-18	288	291	3	2.79	1.80	10	93.0%	60.0%
DI14-18	291	294	3	2.98	1.32	9	99.3%	44.0%
DI14-18	294	297	3	2.78	1.75	11	92.7%	58.3%
DI14-18	297	300	3	2.85	1.86	13	95.0%	62.0%
DI14-18	300	303	3	2.89	1.44	7	96.3%	48.0%
DI14-18	303	306	3	2.84	0.89	7	94.7%	29.7%
DI14-18	306	309	3	2.68	0.98	7	89.3%	32.7%
DI14-18	309	312	3	2.74	0.74	5	91.3%	24.7%
DI14-18	312	315	3	2.39	0.61	4	79.7%	20.3%
DI14-18	315	318	3	2.98	1.83	14	99.3%	61.0%
DI14-18	318	321	3	2.71	1.55	11	90.3%	51.7%
DI14-18	321	324	3	3.08	2.35	13	102.7%	78.3%
DI14-18	324	327	3	2.72	1.59	9	90.7%	53.0%
DI14-18	327	330	3	2.93	0.63	5	97.7%	21.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-18	330	333	3	2.56	0.41	4	85.3%	13.7%
DI14-18	333	336	3	2.73	0.79	6	91.0%	26.3%
DI14-18	336	339	3	2.76	1.22	8	92.0%	40.7%
DI14-18	339	342	3	2.79	1.87	13	93.0%	62.3%
DI14-18	342	345	3	2.75	1.68	11	91.7%	56.0%
DI14-18	345	348	3	2.78	1.75	14	92.7%	58.3%
DI14-18	348	351	3	2.82	1.08	8	94.0%	36.0%
DI14-18	351	354	3	2.56	0.42	4	85.3%	14.0%
DI14-18	354	357	3	2.52	0.79	7	84.0%	26.3%
DI14-18	357	360	3	2.53	0.77	5	84.3%	25.7%
DI14-18	360	363	3	2.85	1.26	9	95.0%	42.0%
DI14-18	363	366	3	2.75	1.44	10	91.7%	48.0%
DI14-18	366	369	3	2.72	0.93	7	90.7%	31.0%
DI14-18	369	372	3	2.70	0.67	4	90.0%	22.3%
DI14-18	372	375	3	2.76	0.90	7	92.0%	30.0%
DI14-18	375	378	3	2.85	2.29	13	95.0%	76.3%
DI14-18	378	381	3	2.75	0.62	5	91.7%	20.7%
DI14-18	381	384	3	2.50	0.64	5	83.3%	21.3%
DI14-18	384	387	3	2.80	1.30	8	93.3%	43.3%
DI14-18	387	390	3	2.90	2.05	11	96.7%	68.3%
DI14-18	390	393	3	2.80	1.83	12	93.3%	61.0%
DI14-18	393	396	3	2.71	0.96	7	90.3%	32.0%
DI14-18	396	399	3	2.78	1.05	6	92.7%	35.0%
DI14-18	399	402	3	2.93	0.87	6	97.7%	29.0%
DI14-18	402	405	3	2.90	0.81	6	96.7%	27.0%
DI14-18	405	408	3	2.74	1.60	8	91.3%	53.3%
DI14-18	408	411	3	2.53	1.21	7	84.3%	40.3%
DI14-18	411	414	3	3.02	1.04	6	100.7%	34.7%
DI14-18	414	417	3	2.63	0.13	1	87.7%	4.3%
DI14-18	417	420	3	3.10	2.10	12	103.3%	70.0%
DI14-18	420	423	3	2.93	1.99	10	97.7%	66.3%
DI14-18	423	426	3	2.89	1.75	9	96.3%	58.3%
DI14-18	426	429	3	2.81	2.10	13	93.7%	70.0%
DI14-18	429	432	3	2.74	1.88	13	91.3%	62.7%
DI14-18	432	435	3	3.06	2.87	13	102.0%	95.7%
DI14-18	435	438	3	2.76	1.69	7	92.0%	56.3%
DI14-18	438	441	3	2.75	1.14	7	91.7%	38.0%
DI14-18	441	444	3	2.66	2.04	11	88.7%	68.0%
DI14-18	444	447	3	2.90	1.56	9	96.7%	52.0%
DI14-18	447	450	3	2.80	1.66	11	93.3%	55.3%
DI14-18	450	453	3	2.66	1.36	10	88.7%	45.3%
DI14-18	453	456	3	2.83	1.71	12	94.3%	57.0%
DI14-18	456	459	3	2.92	1.63	8	97.3%	54.3%
DI14-18	459	462	3	2.87	1.97	12	95.7%	65.7%
DI14-18	462	465	3	2.91	2.13	10	97.0%	71.0%
DI14-18	465	468	3	2.89	2.23	11	96.3%	74.3%
DI14-18	468	471	3	2.62	1.13	8	87.3%	37.7%
DI14-18	471	474	3	2.96	1.40	9	98.7%	46.7%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-18	474	477	3	3.04	1.82	11	101.3%	60.7%
DI14-18	477	480	3	2.74	1.89	13	91.3%	63.0%
DI14-18	480	483	3	2.32	0.82	5	77.3%	27.3%
DI14-18	483	486	3	2.98	1.40	10	99.3%	46.7%
DI14-18	486	489	3	2.85	1.30	9	95.0%	43.3%
DI14-18	489	492	3	2.81	1.12	6	93.7%	37.3%
DI14-18	492	495	3	2.73	1.63	9	91.0%	54.3%
DI14-18	495	498	3	2.81	0.78	4	93.7%	26.0%
DI14-18	498	501	3	2.80	0.97	8	93.3%	32.3%
DI14-19	55.5	57	1.5	1.45	0.92	5	96.7%	61.3%
DI14-19	57	60	3	2.94	2.21	13	98.0%	73.7%
DI14-19	60	63	3	2.85	1.38	12	95.0%	46.0%
DI14-19	63	66	3	2.59	1.12	8	86.3%	37.3%
DI14-19	66	69	3	2.88	1.70	11	96.0%	56.7%
DI14-19	69	72	3	2.90	2.47	11	96.7%	82.3%
DI14-19	72	75	3	2.67	1.22	6	89.0%	40.7%
DI14-19	75	78	3	2.38	0.85	3	79.3%	28.3%
DI14-19	78	81	3	2.92	0.99	7	97.3%	33.0%
DI14-19	81	84	3	2.85	1.63	11	95.0%	54.3%
DI14-19	84	87	3	1.82	0.50	4	60.7%	16.7%
DI14-19	87	90	3	2.05	0.25	2	68.3%	8.3%
DI14-19	90	93	3	2.48	1.12	5	82.7%	37.3%
DI14-19	93	96	3	2.27	0.63	3	75.7%	21.0%
DI14-19	96	99	3	2.26	0.49	3	75.3%	16.3%
DI14-19	99	102	3	1.95	0.64	4	65.0%	21.3%
DI14-19	102	105	3	2.16	0.75	6	72.0%	25.0%
DI14-19	105	108	3	2.47	1.13	7	82.3%	37.7%
DI14-19	108	111	3	1.90	0.00	0	63.3%	0.0%
DI14-19	111	114	3	2.78	0.87	4	92.7%	29.0%
DI14-19	114	117	3	2.57	1.22	9	85.7%	40.7%
DI14-19	117	120	3	2.87	0.24	2	95.7%	8.0%
DI14-19	120	123	3	2.73	0.11	1	91.0%	3.7%
DI14-19	123	126	3	2.91	0.91	6	97.0%	30.3%
DI14-19	126	129	3	2.75	0.50	4	91.7%	16.7%
DI14-19	129	132	3	2.46	0.58	5	82.0%	19.3%
DI14-19	132	135	3	3.14	2.13	8	104.7%	71.0%
DI14-19	135	138	3	2.84	2.48	10	94.7%	82.7%
DI14-19	138	141	3	2.42	1.65	8	80.7%	55.0%
DI14-19	141	144	3	3.33	2.49	11	111.0%	83.0%
DI14-19	144	147	3	2.70	0.36	3	90.0%	12.0%
DI14-19	147	150	3	2.54	0.28	2	84.7%	9.3%
DI14-19	150	153	3	2.88	1.67	9	96.0%	55.7%
DI14-19	153	156	3	2.54	1.47	10	84.7%	49.0%
DI14-19	156	159	3	2.68	0.13	1	89.3%	4.3%
DI14-19	159	162	3	2.71	0.00	0	90.3%	0.0%
DI14-19	162	165	3	2.35	0.34	3	78.3%	11.3%
DI14-19	165	168	3	2.77	1.24	8	92.3%	41.3%
DI14-19	168	171	3	2.80	0.91	6	93.3%	30.3%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-19	171	174	3	2.95	1.77	10	98.3%	59.0%
DI14-19	174	177	3	2.80	1.09	8	93.3%	36.3%
DI14-19	177	180	3	2.70	0.75	5	90.0%	25.0%
DI14-19	180	183	3	2.67	1.47	0	89.0%	49.0%
DI14-19	183	186	3	2.95	2.15	3	98.3%	71.7%
DI14-19	186	189	3	2.87	1.28	8	95.7%	42.7%
DI14-19	189	192	3	2.90	1.71	10	96.7%	57.0%
DI14-19	192	195	3	2.70	1.66	10	90.0%	55.3%
DI14-19	195	198	3	2.82	1.79	10	94.0%	59.7%
DI14-19	198	201	3	2.98	1.34	6	99.3%	44.7%
DI14-19	201	204	3	2.84	1.61	9	94.7%	53.7%
DI14-19	204	207	3	2.91	1.27	7	97.0%	42.3%
DI14-19	207	210	3	2.85	1.05	5	95.0%	35.0%
DI14-19	210	213	3	2.80	1.68	11	93.3%	56.0%
DI14-19	213	216	3	2.94	2.01	10	98.0%	67.0%
DI14-19	216	219	3	2.95	2.49	11	98.3%	83.0%
DI14-19	219	222	3	2.84	1.17	7	94.7%	39.0%
DI14-19	222	225	3	2.74	2.50	11	91.3%	83.3%
DI14-19	225	228	3	2.86	1.33	7	95.3%	44.3%
DI14-19	228	231	3	2.71	1.21	7	90.3%	40.3%
DI14-19	231	234	3	2.91	2.37	10	97.0%	79.0%
DI14-19	234	237	3	2.95	2.36	9	98.3%	78.7%
DI14-19	237	240	3	2.83	2.06	9	94.3%	68.7%
DI14-19	240	243	3	3.00	2.69	10	100.0%	89.7%
DI14-19	243	246	3	2.96	1.82	9	98.7%	60.7%
DI14-19	246	249	3	2.76	1.27	7	92.0%	42.3%
DI14-19	249	252	3	2.92	2.30	10	97.3%	76.7%
DI14-19	252	255	3	2.76	1.96	10	92.0%	65.3%
DI14-19	255	258	3	2.86	2.08	8	95.3%	69.3%
DI14-19	258	261	3	2.79	0.71	4	93.0%	23.7%
DI14-19	261	264	3	2.86	2.33	10	95.3%	77.7%
DI14-19	264	267	3	2.93	2.17	10	97.7%	72.3%
DI14-19	267	270	3	2.79	1.39	8	93.0%	46.3%
DI14-19	270	273	3	2.69	0.59	4	89.7%	19.7%
DI14-19	273	276	3	2.20	1.00	7	73.3%	33.3%
DI14-19	276	279	3	2.77	1.00	6	92.3%	33.3%
DI14-19	279	282	3	2.71	1.35	8	90.3%	45.0%
DI14-19	282	285	3	2.78	2.35	9	92.7%	78.3%
DI14-19	285	288	3	2.84	0.95	7	94.7%	31.7%
DI14-19	288	291	3	2.85	1.57	10	95.0%	52.3%
DI14-19	291	294	3	2.83	1.23	6	94.3%	41.0%
DI14-19	294	297	3	2.87	0.98	8	95.7%	32.7%
DI14-19	297	300	3	2.87	0.35	2	95.7%	11.7%
DI14-19	300	303	3	2.99	0.11	1	99.7%	3.7%
DI14-19	303	306	3	3.05	1.96	10	101.7%	65.3%
DI14-19	306	309	3	2.66	1.70	10	88.7%	56.7%
DI14-19	309	312	3	3.03	2.08	11	101.0%	69.3%
DI14-19	312	315	3	2.91	1.77	9	97.0%	59.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-19	315	318	3	2.97	0.30	2	99.0%	10.0%
DI14-19	318	321	3	2.74	0.60	4	91.3%	20.0%
DI14-19	321	324	3	3.01	1.69	8	100.3%	56.3%
DI14-19	324	327	3	2.88	0.61	5	96.0%	20.3%
DI14-19	327	330	3	2.82	1.83	9	94.0%	61.0%
DI14-19	330	333	3	2.74	0.94	5	91.3%	31.3%
DI14-19	333	336	3	2.62	0.22	2	87.3%	7.3%
DI14-19	336	339	3	2.45	0.15	1	81.7%	5.0%
DI14-19	339	342	3	2.29	0.23	2	76.3%	7.7%
DI14-19	342	345	3	2.84	0.00	0	94.7%	0.0%
DI14-19	345	348	3	2.40	0.00	0	80.0%	0.0%
DI14-19	348	351	3	2.60	0.00	0	86.7%	0.0%
DI14-19	351	354	3	2.68	0.13	1	89.3%	4.3%
DI14-19	354	357	3	2.57	0.00	0	85.7%	0.0%
DI14-19	357	360	3	3.32	0.00	0	110.7%	0.0%
DI14-19	360	363	3	2.68	0.40	3	89.3%	13.3%
DI14-19	363	366	3	2.90	0.30	2	96.7%	10.0%
DI14-19	366	369	3	3.05	0.33	3	101.7%	11.0%
DI14-19	369	372	3	3.02	0.61	5	100.7%	20.3%
DI14-19	372	375	3	2.85	0.59	4	95.0%	19.7%
DI14-19	375	378	3	3.03	1.20	9	101.0%	40.0%
DI14-19	378	381	3	2.71	0.74	5	90.3%	24.7%
DI14-19	381	384	3	2.81	0.56	4	93.7%	18.7%
DI14-19	384	387	3	2.63	0.60	5	87.7%	20.0%
DI14-19	387	390	3	2.89	0.75	6	96.3%	25.0%
DI14-19	390	393	3	3.00	0.84	6	100.0%	28.0%
DI14-19	393	396	3	3.00	1.53	10	100.0%	51.0%
DI14-19	396	399	3	2.89	1.55	11	96.3%	51.7%
DI14-19	399	402	3	2.93	1.44	10	97.7%	48.0%
DI14-19	402	405	3	2.88	1.14	7	96.0%	38.0%
DI14-19	405	408	3	2.60	0.50	3	86.7%	16.7%
DI14-19	408	411	3	2.96	1.22	7	98.7%	40.7%
DI14-19	411	414	3	2.48	1.06	5	82.7%	35.3%
DI14-19	414	417	3	3.13	1.25	9	104.3%	41.7%
DI14-19	417	420	3	2.75	1.29	7	91.7%	43.0%
DI14-19	420	423	3	2.83	1.87	12	94.3%	62.3%
DI14-19	423	426	3	2.82	1.86	11	94.0%	62.0%
DI14-19	426	429	3	2.61	0.88	6	87.0%	29.3%
DI14-19	429	432	3	2.69	1.04	6	89.7%	34.7%
DI14-19	432	435	3	2.86	0.74	5	95.3%	24.7%
DI14-19	435	438	3	2.33	0.10	1	77.7%	3.3%
DI14-19	438	441	3	2.84	0.69	5	94.7%	23.0%
DI14-19	441	444	3	2.68	0.57	5	89.3%	19.0%
DI14-19	444	447	3	2.96	0.74	7	98.7%	24.7%
DI14-19	447	450	3	2.60	1.30	9	86.7%	43.3%
DI14-19	450	453	3	2.89	0.81	7	96.3%	27.0%
DI14-19	453	456	3	2.89	0.99	7	96.3%	33.0%
DI14-19	456	459	3	2.67	0.60	5	89.0%	20.0%

Hole ID	FROM (m)	TO (m)	LENGTH (m)	RECOVERY (m)	RQD (m)	#PIECES	% Recovery	%RQD
DI14-19	459	462	3	2.65	0.96	6	88.3%	32.0%
DI14-19	462	465	3	3.00	1.33	8	100.0%	44.3%
DI14-19	465	468	3	2.95	0.48	8	98.3%	16.0%
DI14-19	468	471	3	2.92	0.70	6	97.3%	23.3%
DI14-19	471	474	3	3.00	0.70	5	100.0%	23.3%
DI14-19	474	477	3	3.02	0.52	4	100.7%	17.3%
DI14-19	477	480	3	2.68	1.09	8	89.3%	36.3%
DI14-19	480	483	3	2.96	1.58	10	98.7%	52.7%
DI14-19	483	486	3	2.98	1.17	7	99.3%	39.0%
DI14-19	486	489	3	3.05	1.63	9	101.7%	54.3%
DI14-19	489	492	3	2.84	1.14	7	94.7%	38.0%
DI14-19	492	495	3	2.97	1.39	10	99.0%	46.3%
DI14-19	495	498	3	2.80	2.47	12	93.3%	82.3%
DI14-19	498	501	3	2.99	1.68	11	99.7%	56.0%
DI14-19	501	504	3	2.84	1.83	9	94.7%	61.0%
DI14-19	504	507	3	2.93	2.10	13	97.7%	70.0%
DI14-19	507	510	3	2.50	0.80	5	83.3%	26.7%
DI14-19	510	513	3	2.72	1.45	10	90.7%	48.3%
DI14-19	513	516	3	3.05	2.27	11	101.7%	75.7%
DI14-19	516	519	3	2.84	1.46	10	94.7%	48.7%
DI14-19	519	522	3	2.80	0.81	6	93.3%	27.0%
DI14-19	522	525	3	2.90	1.70	11	96.7%	56.7%
DI14-19	525	528	3	2.68	1.23	9	89.3%	41.0%
DI14-19	528	531	3	2.99	1.58	11	99.7%	52.7%
DI14-19	531	534	3	2.61	0.70	4	87.0%	23.3%
DI14-19	534	537	3	2.77	1.27	7	92.3%	42.3%
DI14-19	537	540	3	2.66	0.47	3	88.7%	15.7%
DI14-19	540	543	3	2.92	1.53	12	97.3%	51.0%
DI14-19	543	546	3	2.91	1.39	8	97.0%	46.3%
DI14-19	546	549	3	2.65	1.22	9	88.3%	40.7%
DI14-19	549	552	3	2.67	0.96	8	89.0%	32.0%
DI14-19	552	555	3	2.86	1.04	8	95.3%	34.7%
DI14-19	555	558	3	3.04	2.18	12	101.3%	72.7%
DI14-19	558	561	3	2.76	1.20	8	92.0%	40.0%
DI14-19	561	564	3	2.63	1.23	7	87.7%	41.0%
DI14-19	564	567	3	2.90	1.77	11	96.7%	59.0%
DI14-19	567	570	3	2.81	2.03	11	93.7%	67.7%
DI14-19	570	573	3	2.82	2.21	10	94.0%	73.7%
DI14-19	573	576	3	2.66	1.71	10	88.7%	57.0%
DI14-19	576	579	3	3.12	2.11	11	104.0%	70.3%
DI14-19	579	582	3	2.85	1.94	11	95.0%	64.7%
DI14-19	582	585	3	2.69	0.61	4	89.7%	20.3%
DI14-19	585	588	3	2.57	0.62	4	85.7%	20.7%
DI14-19	588	591	3	2.92	2.72	12	97.3%	90.7%
DI14-19	591	594	3	2.77	1.29	8	92.3%	43.0%
DI14-19	594	597	3	3.09	1.53	10	103.0%	51.0%
DI14-19	597	600	3	2.90	2.04	13	96.7%	68.0%

Drill Core Library

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-07	1	3.5	12.0
DI-14-07	2	12.0	17.0
DI-14-07	3	17.0	19.5
DI-14-07	4	19.5	25.7
DI-14-07	5	25.7	32.1
DI-14-07	6	32.1	36.0
DI-14-07	7	36.0	40.0
DI-14-07	8	40.0	43.5
DI-14-07	9	43.5	47.0
DI-14-07	10	47.0	51.3
DI-14-07	11	51.3	55.3
DI-14-07	12	55.3	62.3
DI-14-07	13	62.3	66.0
DI-14-07	14	66.0	70.3
DI-14-07	15	70.3	74.7
DI-14-07	16	74.7	78.6
DI-14-07	17	78.6	83.2
DI-14-07	18	83.2	88.3
DI-14-07	19	88.3	97.0
DI-14-07	20	97.0	102.8
DI-14-07	21	102.8	106.7
DI-14-07	22	106.7	112.4
DI-14-07	23	112.4	118.6
DI-14-07	24	118.6	122.6
DI-14-07	25	122.6	126.2
DI-14-07	26	126.2	130.6
DI-14-07	27	130.6	134.5
DI-14-07	28	134.5	138.4
DI-14-07	29	138.4	143.2
DI-14-07	30	143.2	147.3
DI-14-07	31	147.3	151.1
DI-14-07	32	151.1	154.8
DI-14-07	33	154.8	158.3
DI-14-07	34	158.3	162.4
DI-14-07	35	162.4	166.6
DI-14-07	36	166.6	170.9
DI-14-07	37	170.9	175.6
DI-14-07	38	175.6	179.7
DI-14-07	39	179.7	185.2
DI-14-07	40	185.2	189.4
DI-14-07	41	189.4	193.8
DI-14-07	42	193.8	199.1
DI-14-07	43	199.1	205.6
DI-14-07	44	205.6	209.6
DI-14-07	45	209.6	214.0
DI-14-07	46	214.0	218.0
DI-14-07	47	218.0	223.0
DI-14-07	48	223.0	227.3
DI-14-07	49	227.3	231.5
DI-14-07	50	231.5	235.7
DI-14-07	51	235.7	240.2
DI-14-07	52	240.2	244.6
DI-14-07	53	244.6	248.7
DI-14-07	54	248.7	253.4
DI-14-07	55	253.4	257.5
DI-14-07	56	257.5	261.9
DI-14-07	57	261.9	265.9
DI-14-07	58	265.9	269.8
DI-14-07	59	269.8	274.5
DI-14-07	60	274.5	278.7
DI-14-07	61	278.7	282.8
DI-14-07	62	282.8	286.7
DI-14-07	63	286.7	290.6
DI-14-07	64	290.6	294.0
DI-14-07	65	294.0	298.3
DI-14-07	66	298.3	302.1
DI-14-07	67	302.1	306.2
DI-14-07	68	306.2	310.4
DI-14-07	69	310.4	314.7
DI-14-07	70	314.7	318.4
DI-14-07	71	318.4	322.9
DI-14-07	72	322.9	327.3
DI-14-07	73	327.3	331.5
DI-14-07	74	331.5	335.8
DI-14-07	75	335.8	341.0
DI-14-07	76	341.0	345.7
DI-14-07	77	345.7	350.1
DI-14-07	78	350.1	354.4
DI-14-07	79	354.4	358.7
DI-14-07	80	358.7	362.3
DI-14-07	81	362.3	367.0
DI-14-07	82	367.0	371.3

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-07	83	371.3	375.5
DI-14-07	84	375.5	380.1
DI-14-07	85	380.1	384.3
DI-14-07	86	384.3	388.7
DI-14-07	87	388.7	392.8
DI-14-07	88	392.8	397.2
DI-14-07	89	397.2	401.5
DI-14-07	90	401.5	406.0
DI-14-07	91	406.0	410.1
DI-14-07	92	410.1	414.6
DI-14-07	93	414.6	418.9
DI-14-07	94	418.9	423.2
DI-14-07	95	423.2	427.5
DI-14-07	96	427.5	431.7
DI-14-07	97	431.7	436.2
DI-14-07	98	436.2	439.6
DI-14-07	99	439.6	444.2
DI-14-07	100	444.2	448.0
DI-14-07	101	448.0	451.0

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-08	1	1.0	19.0
DI-14-08	2	19.0	28.0
DI-14-08	3	28.0	40.6
DI-14-08	4	40.6	45.1
DI-14-08	5	45.1	49.2
DI-14-08	6	49.2	53.6
DI-14-08	7	53.6	58.2
DI-14-08	8	58.2	62.7
DI-14-08	9	62.7	67.1
DI-14-08	10	67.1	73.5
DI-14-08	11	73.5	77.7
DI-14-08	12	77.7	81.6
DI-14-08	13	81.6	85.7
DI-14-08	14	85.7	90.1
DI-14-08	15	90.1	94.4
DI-14-08	16	94.4	98.6
DI-14-08	17	98.6	103.2
DI-14-08	18	103.2	107.4
DI-14-08	19	107.4	115.0
DI-14-08	20	115.0	121.3
DI-14-08	21	121.3	126.6
DI-14-08	22	126.6	130.6
DI-14-08	23	130.6	136.0
DI-14-08	24	136.0	140.1
DI-14-08	25	140.1	143.6
DI-14-08	26	143.6	147.2
DI-14-08	27	147.2	151.8
DI-14-08	28	151.8	156.0
DI-14-08	29	156.0	160.5
DI-14-08	30	160.5	164.3
DI-14-08	31	164.3	168.0
DI-14-08	32	168.0	172.5
DI-14-08	33	172.5	176.3
DI-14-08	34	176.3	181.1
DI-14-08	35	181.1	185.3
DI-14-08	36	185.3	189.7
DI-14-08	37	189.7	193.3
DI-14-08	38	193.3	197.4
DI-14-08	39	197.4	200.6
DI-14-08	40	200.6	205.0
DI-14-08	41	205.0	209.0
DI-14-08	42	209.0	212.8
DI-14-08	43	212.8	217.1
DI-14-08	44	217.1	220.9
DI-14-08	45	220.9	225.0
DI-14-08	46	225.0	229.3
DI-14-08	47	229.3	233.4
DI-14-08	48	233.4	237.7
DI-14-08	49	237.7	242.0
DI-14-08	50	242.0	246.0
DI-14-08	51	246.0	250.5
DI-14-08	52	250.5	254.4
DI-14-08	53	254.4	258.5
DI-14-08	54	258.5	262.9
DI-14-08	55	262.9	267.4
DI-14-08	56	267.4	271.2
DI-14-08	57	271.2	275.2
DI-14-08	58	275.2	279.9
DI-14-08	59	279.9	284.0
DI-14-08	60	284.0	288.8
DI-14-08	61	288.8	293.2

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-08	62	293.2	297.2
DI-14-08	63	297.2	301.5
DI-14-08	64	301.5	305.6
DI-14-08	65	305.6	310.0
DI-14-08	66	310.0	313.7
DI-14-08	67	313.7	317.9
DI-14-08	68	317.9	322.0
DI-14-08	69	322.0	326.0
DI-14-08	70	326.0	330.3
DI-14-08	71	330.3	334.5
DI-14-08	72	334.5	338.9
DI-14-08	73	338.9	342.9
DI-14-08	74	342.9	347.2
DI-14-08	75	347.2	351.3
DI-14-08	76	351.3	355.6
DI-14-08	77	355.6	359.5
DI-14-08	78	359.5	364.1
DI-14-08	79	364.1	368.5
DI-14-08	80	368.5	372.9
DI-14-08	81	372.9	376.8
DI-14-08	82	376.8	380.1
DI-14-08	83	380.1	385.5
DI-14-08	84	385.5	389.9
DI-14-08	85	389.9	394.4
DI-14-08	86	394.4	399.1
DI-14-08	87	399.1	403.4
DI-14-08	88	403.4	406.9
DI-14-08	89	406.9	411.1
DI-14-08	90	411.1	415.9
DI-14-08	91	415.9	420.0
DI-14-08	92	420.0	424.0
DI-14-08	93	424.0	428.4
DI-14-08	94	428.4	432.4
DI-14-08	95	432.4	4369.0
DI-14-08	96	4369.0	441.1
DI-14-08	97	441.1	445.5
DI-14-08	98	445.5	449.7
DI-14-08	99	449.7	454.3
DI-14-08	100	454.3	458.7
DI-14-08	101	458.7	463.0
DI-14-08	102	463.0	467.3
DI-14-08	103	467.3	471.5
DI-14-08	104	471.5	476.1
DI-14-08	105	476.1	480.1
DI-14-08	106	480.1	484.3
DI-14-08	107	484.3	488.4
DI-14-08	108	488.4	492.7
DI-14-08	109	492.7	497.2
DI-14-08	110	497.2	501.6
DI-14-08	111	501.6	505.6
DI-14-08	112	505.6	509.8
DI-14-08	113	509.8	514.1
DI-14-08	114	514.1	517.8
DI-14-08	115	517.8	522.0

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-09	1	0.0	6.3
DI-14-09	2	6.3	21.5
DI-14-09	3	21.5	30.6
DI-14-09	4	30.6	36.3
DI-14-09	5	36.3	40.3
DI-14-09	6	40.3	44.0
DI-14-09	7	44.0	48.8
DI-14-09	8	48.8	52.9
DI-14-09	9	52.9	57.7
DI-14-09	10	57.7	61.4
DI-14-09	11	61.4	67.2
DI-14-09	12	67.2	72.2
DI-14-09	13	72.2	77.3
DI-14-09	14	77.3	81.8
DI-14-09	15	81.8	86.0
DI-14-09	16	86.0	90.0
DI-14-09	17	90.0	94.3
DI-14-09	18	94.3	98.4
DI-14-09	19	98.4	102.9
DI-14-09	20	102.9	1069.0
DI-14-09	21	1069.0	111.6
DI-14-09	22	111.6	115.4
DI-14-09	23	115.4	119.0
DI-14-09	24	119.0	124.0
DI-14-09	25	124.0	128.0
DI-14-09	26	128.0	130.7

CORE BOX			
HOLE ID	BOX #	FROM	TO
DI-14-09	27	130.7	135.8
DI-14-09	28	135.8	140.1
DI-14-09	29	140.1	144.0
DI-14-09	30	144.0	147.5
DI-14-09	31	147.5	151.7
DI-14-09	32	151.7	156.1
DI-14-09	33	156.1	159.9
DI-14-09	34	159.9	163.5
DI-14-09	35	163.5	168.0
DI-14-09	36	168.0	172.4
DI-14-09	37	172.4	177.0
DI-14-09	38	177.0	181.3
DI-14-09	39	181.3	186.0
DI-14-09	40	186.0	190.1
DI-14-09	41	190.1	194.2
DI-14-09	42	194.2	198.6
DI-14-09	43	198.6	202.6
DI-14-09	44	202.6	206.0
DI-14-09	45	206.0	210.2
DI-14-09	46	210.2	214.0
DI-14-09	47	214.0	217.6
DI-14-09	48	217.6	221.2
DI-14-09	49	221.2	225.0
DI-14-09	50	225.0	229.0
DI-14-09	51	229.0	233.9
DI-14-09	52	233.9	238.0
DI-14-09	53	238.0	242.2
DI-14-09	54	242.2	246.4
DI-14-09	55	246.4	250.2
DI-14-09	56	250.2	255.3
DI-14-09	57	255.3	260.3
DI-14-09	58	260.3	264.8
DI-14-09	59	264.8	268.8
DI-14-09	60	268.8	273.3
DI-14-09	61	273.3	277.0
DI-14-09	62	277.0	280.4
DI-14-09	63	280.4	284.9
DI-14-09	64	284.9	289.1
DI-14-09	65	289.1	292.9
DI-14-09	66	292.9	297.4
DI-14-09	67	297.4	301.5
DI-14-09	68	301.5	305.9
DI-14-09	69	305.9	310.1
DI-14-09	70	310.1	314.4
DI-14-09	71	314.4	319.1
DI-14-09	72	319.1	323.4
DI-14-09	73	323.4	327.8
DI-14-09	74	327.8	333.0
DI-14-09	75	333.0	336.8
DI-14-09	76	336.8	340.9
DI-14-09	77	340.9	346.7
DI-14-09	78	346.7	349.7
DI-14-09	79	349.7	354.7
DI-14-09	80	354.7	360.5
DI-14-09	81	360.5	365.5
DI-14-09	82	365.5	371.0
DI-14-09	83	371.0	374.3
DI-14-09	84	374.3	378.8
DI-14-09	85	378.8	383.1
DI-14-09	86	383.1	387.7
DI-14-09	87	387.7	391.5
DI-14-09	88	391.5	396.0
DI-14-09	89	396.0	400.1
DI-14-09	90	400.1	404.6
DI-14-09	91	404.6	408.9
DI-14-09	92	408.9	412.4
DI-14-09	93	412.4	417.3
DI-14-09	94	417.3	420.7
DI-14-09	95	420.7	426.0
DI-14-09	96	426.0	429.8
DI-14-09	97	429.8	433.9
DI-14-09	98	433.9	438.7
DI-14-09	99	438.7	442.7
DI-14-09	100	442.7	447.2
DI-14-09	101	447.2	451.1
DI-14-09	102	451.1	454.5
DI-14-09	103	454.5	459.3
DI-14-09	104	459.3	463.4
DI-14-09	105	463.4	468.3
DI-14-09	106	468.3	472.1
DI-14-09	107	472.1	476.5
DI-14-09	108	476.5	481.1

HOLE ID	BOX #	FROM	TO
DI-14-09	109	481.1	485.2
DI-14-09	110	485.2	489.8
DI-14-09	111	489.8	493.7
DI-14-09	112	493.7	498.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-10	1	0.0	6.5
DI-14-10	2	6.5	15.1
DI-14-10	3	15.1	21.8
DI-14-10	4	21.8	26.7
DI-14-10	5	26.7	31.2
DI-14-10	6	31.2	36.5
DI-14-10	7	36.5	40.3
DI-14-10	8	40.3	45.6
DI-14-10	9	45.6	49.9
DI-14-10	10	49.9	54.8
DI-14-10	11	54.8	58.6
DI-14-10	12	58.6	63.4
DI-14-10	13	63.4	67.2
DI-14-10	14	67.2	71.1
DI-14-10	15	71.1	75.5
DI-14-10	16	75.5	79.6
DI-14-10	17	79.6	84.1
DI-14-10	18	84.1	88.1
DI-14-10	19	88.1	92.9
DI-14-10	20	92.9	96.4
DI-14-10	21	96.4	100.0
DI-14-10	22	100.0	105.0
DI-14-10	23	105.0	109.2
DI-14-10	24	109.2	113.6
DI-14-10	25	113.6	117.8
DI-14-10	26	117.8	121.9
DI-14-10	27	121.9	126.5
DI-14-10	28	126.5	130.7
DI-14-10	29	130.7	134.3
DI-14-10	30	134.3	138.6
DI-14-10	31	138.6	144.4
DI-14-10	32	144.4	148.2
DI-14-10	33	148.2	153.4
DI-14-10	34	153.4	158.7
DI-14-10	35	158.7	161.7
DI-14-10	36	161.7	166.0
DI-14-10	37	166.0	170.0
DI-14-10	38	170.0	174.9
DI-14-10	39	174.9	179.2
DI-14-10	40	179.2	183.7
DI-14-10	41	183.7	188.1
DI-14-10	42	188.1	192.3
DI-14-10	43	192.3	196.2
DI-14-10	44	196.2	200.7
DI-14-10	45	200.7	205.2
DI-14-10	46	205.2	209.6
DI-14-10	47	209.6	213.9
DI-14-10	48	213.9	218.3
DI-14-10	49	218.3	222.5
DI-14-10	50	222.5	226.7
DI-14-10	51	226.7	229.9
DI-14-10	52	229.9	234.8
DI-14-10	53	234.8	239.1
DI-14-10	54	239.1	243.0
DI-14-10	55	243.0	246.8
DI-14-10	56	246.8	250.6
DI-14-10	57	250.6	254.3
DI-14-10	58	254.3	259.0
DI-14-10	59	259.0	262.8
DI-14-10	60	262.8	267.2
DI-14-10	61	267.2	271.4
DI-14-10	62	271.4	275.6
DI-14-10	63	275.6	280.0
DI-14-10	64	280.0	284.6
DI-14-10	65	284.6	289.1
DI-14-10	66	289.1	293.6
DI-14-10	67	293.6	298.1
DI-14-10	68	298.1	302.5
DI-14-10	69	302.5	307.1
DI-14-10	70	307.1	311.2
DI-14-10	71	311.2	315.4
DI-14-10	72	315.4	319.8
DI-14-10	73	319.8	324.4
DI-14-10	74	324.4	328.9
DI-14-10	75	328.9	333.2
DI-14-10	76	333.2	337.4
DI-14-10	77	337.4	341.8

HOLE ID	BOX #	FROM	TO
DI-14-10	78	341.8	346.1
DI-14-10	79	346.1	350.5
DI-14-10	80	350.5	354.8
DI-14-10	81	354.8	359.2
DI-14-10	82	359.2	363.6
DI-14-10	83	363.6	368.1
DI-14-10	84	368.1	372.2
DI-14-10	85	372.2	376.0
DI-14-10	86	376.0	380.6
DI-14-10	87	380.6	385.1
DI-14-10	88	385.1	389.5
DI-14-10	89	389.5	393.9
DI-14-10	90	393.9	398.4
DI-14-10	91	398.4	403.0
DI-14-10	92	403.0	407.4
DI-14-10	93	407.4	411.8
DI-14-10	94	411.8	416.1
DI-14-10	95	416.1	420.7
DI-14-10	96	420.7	425.1
DI-14-10	97	425.1	429.3
DI-14-10	98	429.3	433.5
DI-14-10	99	433.5	437.4
DI-14-10	100	437.4	441.8
DI-14-10	101	441.8	446.0
DI-14-10	102	446.0	450.3
DI-14-10	103	450.3	454.9
DI-14-10	104	454.9	459.2
DI-14-10	105	459.2	463.3
DI-14-10	106	463.3	467.6
DI-14-10	107	467.6	472.9
DI-14-10	108	472.9	476.5
DI-14-10	109	476.5	480.9
DI-14-10	110	480.9	485.2
DI-14-10	111	485.2	489.8
DI-14-10	112	489.8	494.1
DI-14-10	113	494.1	498.6
DI-14-10	114	498.6	501.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-11	1	0.0	10.5
DI-14-11	2	10.5	14.5
DI-14-11	3	14.5	18.2
DI-14-11	4	18.2	22.5
DI-14-11	5	22.5	28.8
DI-14-11	6	28.8	32.0
DI-14-11	7	32.0	37.2
DI-14-11	8	37.2	10.9
DI-14-11	9	10.9	44.0
DI-14-11	10	44.0	48.6
DI-14-11	11	48.6	53.1
DI-14-11	12	53.1	57.6
DI-14-11	13	57.6	61.8
DI-14-11	14	61.8	66.8
DI-14-11	15	66.8	72.2
DI-14-11	16	59.1	62.0
DI-14-11	17	62.0	64.8
DI-14-11	18	64.8	68.2
DI-14-11	19	68.2	78.3
DI-14-11	20	78.3	81.5
DI-14-11	21	81.5	85.8
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-12	1	0.0	12.0
DI-14-12	2	12.0	18.5
DI-14-12	3	18.5	21.7
DI-14-12	4	21.7	24.9
DI-14-12	5	24.9	28.6
DI-14-12	6	28.6	31.2
DI-14-12	7	31.2	34.5
DI-14-12	8	34.5	37.4
DI-14-12	9	37.4	40.3
DI-14-12	10	40.3	43.4
DI-14-12	11	43.4	46.4
DI-14-12	12	46.4	48.1
DI-14-12	13	48.1	51.7
DI-14-12	14	51.7	52.5
DI-14-12	15	52.5	55.0
DI-14-12	16	55.0	57.0
DI-14-12	17	57.0	58.4
DI-14-12	18	58.4	60.8
DI-14-12	19	60.8	63.0
DI-14-12	20	63.0	64.7
DI-14-12	21	64.7	66.3

HOLE ID	BOX #	FROM	TO
DI-14-12	22	66.3	67.5
DI-14-12	23	67.5	70.2
DI-14-12	24	70.2	71.5
DI-14-12	25	71.5	75.4
DI-14-12	26	75.4	81.0
DI-14-12	27	81.0	84.7
DI-14-12	28	84.7	88.1
DI-14-12	29	88.1	91.8
DI-14-12	30	91.8	96.1
DI-14-12	31	96.1	100.0
DI-14-12	32	100.0	103.4
DI-14-12	33	103.4	108.3
DI-14-12	34	108.3	111.7
DI-14-12	35	111.7	115.8
DI-14-12	36	115.8	119.0
DI-14-12	37	119.0	122.3
DI-14-12	38	122.3	126.4
DI-14-12	39	126.4	129.8
DI-14-12	40	129.8	133.2
DI-14-12	41	133.2	136.8
DI-14-12	42	136.8	141.2
DI-14-12	43	141.2	144.7
DI-14-12	44	144.7	148.5
DI-14-12	45	148.5	153.3
DI-14-12	46	153.3	157.5
DI-14-12	47	157.5	161.5
DI-14-12	48	161.5	165.5
DI-14-12	49	165.5	169.1
DI-14-12	50	169.1	172.9
DI-14-12	51	172.9	177.7
DI-14-12	52	177.7	181.4
DI-14-12	53	181.4	186.0
DI-14-12	54	186.0	189.3
DI-14-12	55	189.3	193.0
DI-14-12	56	193.0	196.9
DI-14-12	57	196.9	201.3
DI-14-12	58	201.3	204.7
DI-14-12	59	204.7	208.1
DI-14-12	60	208.1	211.9
DI-14-12	61	211.9	216.6
DI-14-12	62	216.6	221.1
DI-14-12	63	221.1	225.5
DI-14-12	64	225.5	228.7
DI-14-12	65	228.7	233.2
DI-14-12	66	233.2	237.6
DI-14-12	67	237.6	241.7
DI-14-12	68	241.7	246.4
DI-14-12	69	246.4	251.1
DI-14-12	70	251.1	255.6
DI-14-12	71	255.6	259.9
DI-14-12	72	259.9	264.2
DI-14-12	73	264.2	268.5
DI-14-12	74	268.5	272.7
DI-14-12	75	272.7	276.5
DI-14-12	76	276.5	280.3
DI-14-12	77	280.3	284.2
DI-14-12	78	284.2	288.5
DI-14-12	79	288.5	292.6
DI-14-12	80	292.6	296.4
DI-14-12	81	296.4	300.4
DI-14-12	82	300.4	304.3
DI-14-12	83	304.3	308.2
DI-14-12	84	308.2	312.2
DI-14-12	85	312.2	316.4
DI-14-12	86	316.4	320.2
DI-14-12	87	320.2	324.4
DI-14-12	88	324.4	328.7
DI-14-12	89	328.7	332.7
DI-14-12	90	332.7	337.0
DI-14-12	91	337.0	340.8
DI-14-12	92	340.8	344.5
DI-14-12	93	344.5	349.0
DI-14-12	94	349.0	353.2
DI-14-12	95	353.2	357.2
DI-14-12	96	357.2	361.1
DI-14-12	97	361.1	364.6
DI-14-12	98	364.6	368.6
DI-14-12	99	368.6	372.2
DI-14-12	100	372.2	375.9
DI-14-12	101	375.9	379.0
DI-14-12	102	379.0	382.0
DI-14-12	103	382.0	386.5
DI-14-12	104	386.5	390.8

HOLE ID	BOX #	FROM	TO
DI-14-12	105	390.8	396.0
DI-14-12	106	396.0	400.1
DI-14-12	107	400.1	403.8
DI-14-12	108	403.8	407.4
DI-14-12	109	407.4	412.0
DI-14-12	110	412.0	415.8
DI-14-12	111	415.8	420.3
DI-14-12	112	420.3	424.6
DI-14-12	113	424.6	428.6
DI-14-12	114	428.6	432.8
DI-14-12	115	432.8	436.9
DI-14-12	116	436.9	441.0
DI-14-12	117	441.0	444.8
DI-14-12	118	444.8	448.3
DI-14-12	119	448.3	451.9
DI-14-12	120	451.9	456.1
DI-14-12	121	456.1	460.4
DI-14-12	122	460.4	464.6
DI-14-12	123	464.6	468.8
DI-14-12	124	468.8	472.8
DI-14-12	125	472.8	477.2
DI-14-12	126	477.2	481.4
DI-14-12	127	481.4	485.3
DI-14-12	128	485.3	489.9
DI-14-12	129	489.9	494.1
DI-14-12	130	494.1	498.4
DI-14-12	131	498.4	501.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-13	1	0.0	5.4
DI-14-13	2	5.4	10.0
DI-14-13	3	10.0	13.4
DI-14-13	4	13.4	18.0
DI-14-13	5	18.0	22.0
DI-14-13	6	22.0	26.2
DI-14-13	7	26.2	30.3
DI-14-13	8	30.3	34.5
DI-14-13	9	34.5	38.4
DI-14-13	10	38.4	42.6
DI-14-13	11	42.6	45.9
DI-14-13	12	45.9	49.8
DI-14-13	13	49.8	54.2
DI-14-13	14	54.2	58.6
DI-14-13	15	58.6	62.9
DI-14-13	16	62.9	67.1
DI-14-13	17	67.1	71.0
DI-14-13	18	71.0	75.7
DI-14-13	19	75.7	79.4
DI-14-13	20	79.4	83.1
DI-14-13	21	83.1	87.6
DI-14-13	22	87.6	91.6
DI-14-13	23	91.6	96.0
DI-14-13	24	96.0	99.9
DI-14-13	25	99.9	104.3
DI-14-13	26	104.3	108.4
DI-14-13	27	108.4	112.6
DI-14-13	28	112.6	116.7
DI-14-13	29	116.7	120.7
DI-14-13	30	120.7	124.7
DI-14-13	31	124.7	128.1
DI-14-13	32	128.1	132.6
DI-14-13	33	132.6	136.8
DI-14-13	34	136.8	141.0
DI-14-13	35	141.0	144.9
DI-14-13	36	144.9	148.7
DI-14-13	37	148.7	150.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-14	1	0.0	4.1
DI-14-14	2	4.1	7.2
DI-14-14	3	7.2	12.0
DI-14-14	4	12.0	15.9
DI-14-14	5	15.9	21.3
DI-14-14	6	21.3	25.3
DI-14-14	7	25.3	29.1
DI-14-14	8	29.1	33.5
DI-14-14	9	33.5	37.6
DI-14-14	10	37.6	41.4
DI-14-14	11	41.4	45.6
DI-14-14	12	45.6	49.9
DI-14-14	13	49.9	54.0
DI-14-14	14	54.0	58.2
DI-14-14	15	58.2	62.2

HOLE ID	BOX #	FROM	TO
DI-14-14	16	62.2	66.6
DI-14-14	17	66.6	70.9
DI-14-14	18	70.9	75.2
DI-14-14	19	75.2	79.5
DI-14-14	20	79.5	83.3
DI-14-14	21	83.3	87.6
DI-14-14	22	87.6	92.1
DI-14-14	23	92.1	96.3
DI-14-14	24	96.3	99.9
DI-14-14	25	99.9	104.5
DI-14-14	26	104.5	109.0
DI-14-14	27	109.0	113.5
DI-14-14	28	113.5	117.6
DI-14-14	29	117.6	122.0
DI-14-14	30	122.0	126.4
DI-14-14	31	126.4	130.7
DI-14-14	32	130.7	135.0
DI-14-14	33	135.0	139.2
DI-14-14	34	139.2	143.5
DI-14-14	35	143.5	147.6
DI-14-14	36	147.6	151.3
DI-14-14	37	151.3	156.0
DI-14-14	38	156.0	160.2
DI-14-14	39	160.2	164.0
DI-14-14	40	164.0	168.4
DI-14-14	41	168.4	172.4
DI-14-14	42	172.4	176.3
DI-14-14	43	176.3	180.3
DI-14-14	44	180.3	184.6
DI-14-14	45	184.6	188.4
DI-14-14	46	188.4	192.4
DI-14-14	47	192.4	196.4
DI-14-14	48	196.4	200.1
DI-14-14	49	200.1	204.8
DI-14-14	50	204.8	208.7
DI-14-14	51	208.7	213.0
DI-14-14	52	213.0	217.3
DI-14-14	53	217.3	221.6
DI-14-14	54	221.6	225.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-15	1	0.0	7.8
DI-14-15	2	7.8	10.3
DI-14-15	3	10.3	13.3
DI-14-15	4	13.3	15.0
DI-14-15	5	15.0	19.9
DI-14-15	6	19.9	24.0
DI-14-15	7	24.0	28.0
DI-14-15	8	28.0	32.4
DI-14-15	9	32.4	36.5
DI-14-15	10	36.5	40.4
DI-14-15	11	40.4	44.5
DI-14-15	12	44.5	48.9
DI-14-15	13	48.9	53.0
DI-14-15	14	53.0	57.5
DI-14-15	15	57.5	61.9
DI-14-15	16	61.9	66.0
DI-14-15	17	66.0	70.0
DI-14-15	18	70.0	74.4
DI-14-15	19	74.4	78.6
DI-14-15	20	78.6	82.4
DI-14-15	21	82.4	86.5
DI-14-15	22	86.5	90.5
DI-14-15	23	90.5	94.6
DI-14-15	24	94.6	99.0
DI-14-15	25	99.0	103.1
DI-14-15	26	103.1	107.2
DI-14-15	27	107.2	111.5
DI-14-15	28	111.5	115.6
DI-14-15	29	115.6	119.7
DI-14-15	30	119.7	123.2
DI-14-15	31	123.2	127.5
DI-14-15	32	127.5	131.4
DI-14-15	33	131.4	136.0
DI-14-15	34	136.0	140.0
DI-14-15	35	140.0	144.2
DI-14-15	36	144.2	148.3
DI-14-15	37	148.3	152.3
DI-14-15	38	152.3	156.5
DI-14-15	39	156.5	160.4
DI-14-15	40	160.4	164.6
DI-14-15	41	164.6	168.7
DI-14-15	42	168.7	172.7

HOLE ID	BOX #	FROM	TO
DI-14-15	43	172.7	177.3
DI-14-15	44	177.3	181.5
DI-14-15	45	181.5	185.5
DI-14-15	46	185.5	190.0
DI-14-15	47	190.0	194.4
DI-14-15	48	194.4	198.6
DI-14-15	49	198.6	202.5
DI-14-15	50	202.5	206.6
DI-14-15	51	206.6	210.5
DI-14-15	52	210.5	214.0
DI-14-15	53	214.0	217.9
DI-14-15	54	217.9	221.6
DI-14-15	55	221.6	225.8
DI-14-15	56	225.8	229.1
DI-14-15	57	229.1	232.7
DI-14-15	58	232.7	235.8
DI-14-15	59	235.8	238.8
DI-14-15	60	238.8	243.3
DI-14-15	61	243.3	247.0
DI-14-15	62	247.0	251.2
DI-14-15	63	251.2	255.5
DI-14-15	64	255.5	259.7
DI-14-15	65	259.7	263.8
DI-14-15	66	263.8	267.8
DI-14-15	67	267.8	271.9
DI-14-15	68	271.9	276.8
DI-14-15	69	276.8	280.1
DI-14-15	70	280.1	284.0
DI-14-15	71	284.0	288.0
DI-14-15	72	288.0	291.8
DI-14-15	73	291.8	295.0
DI-14-15	74	295.0	300.0
DI-14-15	75	300.0	303.8
DI-14-15	76	303.8	306.4
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-16	1	1.5	4.4
DI-14-16	2	4.4	8.1
DI-14-16	3	8.1	11.0
DI-14-16	4	11.0	15.3
DI-14-16	5	15.3	20.4
DI-14-16	6	20.4	24.7
DI-14-16	7	24.7	29.0
DI-14-16	8	29.0	33.2
DI-14-16	9	33.2	37.5
DI-14-16	10	37.5	42.0
DI-14-16	11	42.0	46.1
DI-14-16	12	46.1	50.1
DI-14-16	13	50.1	54.9
DI-14-16	14	54.9	58.8
DI-14-16	15	58.8	63.4
DI-14-16	16	63.4	67.4
DI-14-16	17	67.4	71.1
DI-14-16	18	71.1	75.5
DI-14-16	19	75.5	79.5
DI-14-16	20	79.5	83.6
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-16b	1	2.0	4.4
DI-14-16b	2	4.4	77.0
DI-14-16b	3	77.0	10.2
DI-14-16b	4	10.2	16.2
DI-14-16b	5	16.2	20.3
DI-14-16b	6	20.3	24.4
DI-14-16b	7	24.4	28.3
DI-14-16b	8	28.3	32.5
DI-14-16b	9	32.5	36.7
DI-14-16b	10	36.7	40.7
DI-14-16b	11	40.7	45.0
DI-14-16b	12	45.0	49.1
DI-14-16b	13	49.1	53.8
DI-14-16b	14	53.8	57.8
DI-14-16b	15	57.8	61.6
DI-14-16b	16	61.6	65.8
DI-14-16b	17	65.8	69.7
DI-14-16b	18	69.7	73.8
DI-14-16b	19	73.8	78.9
DI-14-16b	20	78.9	82.9
DI-14-16b	21	82.9	87.4
DI-14-16b	22	87.4	91.3
DI-14-16b	23	91.3	95.6
DI-14-16b	24	95.6	99.6
DI-14-16b	25	99.6	103.4

HOLE ID	BOX #	FROM	TO
DI-14-16b	26	103.4	107.1
DI-14-16b	27	107.1	111.5
DI-14-16b	28	111.5	116.1
DI-14-16b	29	116.1	120.6
DI-14-16b	30	120.6	124.6
DI-14-16b	31	124.6	129.5
DI-14-16b	32	129.5	133.6
DI-14-16b	33	133.6	137.8
DI-14-16b	34	137.8	142.3
DI-14-16b	35	142.3	146.5
DI-14-16b	36	146.5	150.5
DI-14-16b	37	150.5	154.2
DI-14-16b	38	154.2	157.7
DI-14-16b	39	157.7	163.0
DI-14-16b	40	163.0	167.1
DI-14-16b	41	167.1	171.3
DI-14-16b	42	171.3	174.9
DI-14-16b	43	174.9	178.8
DI-14-16b	44	178.8	183.2
DI-14-16b	45	183.2	187.4
DI-14-16b	46	187.4	191.2
DI-14-16b	47	191.2	195.7
DI-14-16b	48	195.7	200.1
DI-14-16b	49	200.1	204.5
DI-14-16b	50	204.5	208.7
DI-14-16b	51	208.7	213.0
DI-14-16b	52	213.0	217.3
DI-14-16b	53	217.3	221.7
DI-14-16b	54	221.7	225.8
DI-14-16b	55	225.8	230.3
DI-14-16b	56	230.3	234.6
DI-14-16b	57	234.6	238.7
DI-14-16b	58	238.7	243.0
DI-14-16b	59	243.0	247.5
DI-14-16b	60	247.5	251.3
DI-14-16b	61	251.3	255.7
DI-14-16b	62	255.7	260.1
DI-14-16b	63	260.1	264.2
DI-14-16b	64	264.2	268.3
DI-14-16b	65	268.3	271.8
DI-14-16b	66	271.8	276.0
DI-14-16b	67	276.0	279.9
DI-14-16b	68	279.9	283.5
DI-14-16b	69	283.5	287.3
DI-14-16b	70	287.3	291.8
DI-14-16b	71	291.8	295.8
DI-14-16b	72	295.8	300.0
DI-14-16b	73	300.0	303.9
DI-14-16b	74	303.9	308.3
DI-14-16b	75	308.3	312.5
DI-14-16b	76	312.5	316.8
DI-14-16b	77	316.8	321.0
DI-14-16b	78	321.0	325.4
DI-14-16b	79	325.4	329.6
DI-14-16b	80	329.6	334.1
DI-14-16b	81	334.1	338.2
DI-14-16b	82	338.2	342.6
DI-14-16b	83	342.6	346.5
DI-14-16b	84	346.5	350.8
DI-14-16b	85	350.8	354.8
DI-14-16b	86	354.8	358.9
DI-14-16b	87	358.9	363.3
DI-14-16b	88	363.3	367.4
DI-14-16b	89	367.4	371.6
DI-14-16b	90	371.6	376.1
DI-14-16b	91	376.1	380.5
DI-14-16b	92	380.5	384.7
DI-14-16b	93	384.7	388.5
DI-14-16b	94	388.5	392.7
DI-14-16b	95	392.7	396.6
DI-14-16b	96	396.6	400.4
DI-14-16b	97	400.4	404.7
DI-14-16b	98	404.7	408.7
DI-14-16b	99	408.7	412.2
DI-14-16b	100	412.2	415.9
DI-14-16b	101	415.9	420.2
DI-14-16b	102	420.2	423.9
DI-14-16b	103	423.9	428.1
DI-14-16b	104	428.1	432.4
DI-14-16b	105	432.4	436.1
DI-14-16b	106	436.1	440.1
DI-14-16b	107	440.1	444.3
DI-14-16b	108	444.3	448.5

HOLE ID	BOX #	FROM	TO
DI-14-16b	109	448.5	452.3
DI-14-16b	110	452.3	456.5
DI-14-16b	111	456.5	460.9
DI-14-16b	112	460.9	464.6
DI-14-16b	113	464.6	468.7
DI-14-16b	114	468.7	472.8
DI-14-16b	115	472.8	476.4
DI-14-16b	116	476.4	480.2
DI-14-16b	117	480.2	484.1
DI-14-16b	118	484.1	488.5
DI-14-16b	119	488.5	492.5
DI-14-16b	120	492.5	496.6
DI-14-16b	121	496.6	500.8
DI-14-16b	122	500.8	505.2
DI-14-16b	123	505.2	509.4
DI-14-16b	124	509.4	513.6
DI-14-16b	125	513.6	517.9
DI-14-16b	126	517.9	522.0
DI-14-16b	127	522.0	525.0
DI-14-16b	128	525.0	529.3
DI-14-16b	129	529.3	533.4
DI-14-16b	130	533.4	537.5
DI-14-16b	131	537.5	541.5
DI-14-16b	132	541.5	546.0
DI-14-16b	133	546.0	550.0
DI-14-16b	134	550.0	554.2
DI-14-16b	135	554.2	558.4
DI-14-16b	136	558.4	562.5
DI-14-16b	137	562.5	566.6
DI-14-16b	138	566.6	571.0
DI-14-16b	139	571.0	575.3
DI-14-16b	140	575.3	579.6
DI-14-16b	141	579.6	584.0
DI-14-16b	142	584.0	588.2
DI-14-16b	143	588.2	592.5
DI-14-16b	144	592.5	596.4
DI-14-16b	145	596.4	600.8
DI-14-16b	146	600.8	604.9
DI-14-16b	147	604.9	609.2
DI-14-16b	148	609.2	612.8
DI-14-16b	149	612.8	617.1
DI-14-16b	150	617.1	321.1
DI-14-16b	151	321.1	625.1
DI-14-16b	152	625.1	629.2
DI-14-16b	153	629.2	633.6
DI-14-16b	154	633.6	637.4
DI-14-16b	155	637.4	641.5
DI-14-16b	156	641.5	645.7
DI-14-16b	157	645.7	649.7
DI-14-16b	158	649.7	651.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-17	1	2.5	9.0
DI-14-17	2	9.0	13.5
DI-14-17	3	13.5	18.5
DI-14-17	4	18.5	22.2
DI-14-17	5	22.2	26.0
DI-14-17	6	26.0	29.3
DI-14-17	7	29.3	33.4
DI-14-17	8	33.4	37.2
DI-14-17	9	37.2	41.0
DI-14-17	10	41.0	45.5
DI-14-17	11	45.5	49.4
DI-14-17	12	49.4	53.4
DI-14-17	13	53.4	57.4
DI-14-17	14	57.4	61.2
DI-14-17	15	61.2	65.3
DI-14-17	16	65.3	69.3
DI-14-17	17	69.3	73.1
DI-14-17	18	73.1	76.6
DI-14-17	19	76.6	80.4
DI-14-17	20	80.4	84.1
DI-14-17	21	84.1	87.7
DI-14-17	22	87.7	91.5
DI-14-17	23	91.5	95.2
DI-14-17	24	95.2	98.7
DI-14-17	25	98.7	102.5
DI-14-17	26	102.5	106.6
DI-14-17	27	106.6	111.2
DI-14-17	28	111.2	114.6
DI-14-17	29	114.6	118.3
DI-14-17	30	118.3	122.3
DI-14-17	31	122.3	126.4

HOLE ID	BOX #	FROM	TO
DI-14-17	32	126.4	130.5
DI-14-17	33	130.5	134.3
DI-14-17	34	134.3	138.2
DI-14-17	35	138.2	142.1
DI-14-17	36	142.1	146.3
DI-14-17	37	146.3	150.0
DI-14-17	38	150.0	154.1
DI-14-17	39	154.1	157.9
DI-14-17	40	157.9	162.3
DI-14-17	41	162.3	166.6
DI-14-17	42	166.6	170.8
DI-14-17	43	170.8	174.8
DI-14-17	44	174.8	179.1
DI-14-17	45	179.1	182.7
DI-14-17	46	182.7	186.5
DI-14-17	47	186.5	190.5
DI-14-17	48	190.5	194.4
DI-14-17	49	194.4	198.8
DI-14-17	50	198.8	203.2
DI-14-17	51	203.2	206.0
DI-14-17	52	206.0	210.9
DI-14-17	53	210.9	213.8
DI-14-17	54	213.8	219.8
DI-14-17	55	219.8	224.1
DI-14-17	56	224.1	228.1
DI-14-17	57	228.1	232.0
DI-14-17	58	232.0	236.1
DI-14-17	59	236.1	240.1
DI-14-17	60	240.1	244.2
DI-14-17	61	244.2	247.9
DI-14-17	62	247.9	251.7
DI-14-17	63	251.7	255.6
DI-14-17	64	255.6	259.4
DI-14-17	65	259.4	263.5
DI-14-17	66	263.5	267.7
DI-14-17	67	267.7	271.7
DI-14-17	68	271.7	275.9
DI-14-17	69	275.9	280.0
DI-14-17	70	280.0	283.7
DI-14-17	71	283.7	287.7
DI-14-17	72	287.7	292.0
DI-14-17	73	292.0	296.2
DI-14-17	74	296.2	299.9
DI-14-17	75	299.9	303.8
DI-14-17	76	303.8	308.2
DI-14-17	77	308.2	312.4
DI-14-17	78	312.4	316.7
DI-14-17	79	316.7	320.0
DI-14-17	80	320.0	324.5
DI-14-17	81	324.5	328.5
DI-14-17	82	328.5	332.7
DI-14-17	83	332.7	336.5
DI-14-17	84	336.5	340.2
DI-14-17	85	340.2	344.2
DI-14-17	86	344.2	348.0
DI-14-17	87	348.0	351.9
DI-14-17	88	351.9	355.7
DI-14-17	89	355.7	359.5
DI-14-17	90	359.5	363.2
DI-14-17	91	363.2	367.7
DI-14-17	92	367.7	371.8
DI-14-17	93	371.8	375.8
DI-14-17	94	375.8	380.2
DI-14-17	95	380.2	384.0
DI-14-17	96	384.0	387.9
DI-14-17	97	387.9	392.0
DI-14-17	98	392.0	396.0
DI-14-17	99	396.0	400.2
DI-14-17	100	400.2	404.1
DI-14-17	101	404.1	408.2
DI-14-17	102	408.2	412.1
DI-14-17	103	412.1	416.1
DI-14-17	104	416.1	420.4
DI-14-17	105	420.4	424.6
DI-14-17	106	424.6	428.5
DI-14-17	107	428.5	432.4
DI-14-17	108	432.4	436.5
DI-14-17	109	436.5	440.6
DI-14-17	110	440.6	445.0
DI-14-17	111	445.0	449.2
DI-14-17	112	449.2	453.0
DI-14-17	113	453.0	457.1
DI-14-17	114	457.1	461.3

HOLE ID	BOX #	FROM	TO
DI-14-17	115	461.3	465.6
DI-14-17	116	465.6	469.8
DI-14-17	117	469.8	474.3
DI-14-17	118	474.3	478.5
DI-14-17	119	478.5	482.8
DI-14-17	120	482.8	487.2
DI-14-17	121	487.2	491.2
DI-14-17	122	491.2	495.6
DI-14-17	123	495.6	499.9
DI-14-17	124	499.9	501.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-18	1	13.5	18.0
DI-14-18	2	18.0	21.9
DI-14-18	3	21.9	25.5
DI-14-18	4	25.5	30.0
DI-14-18	5	30.0	34.0
DI-14-18	6	34.0	38.2
DI-14-18	7	38.2	42.6
DI-14-18	8	42.6	46.2
DI-14-18	9	46.2	49.7
DI-14-18	10	49.7	53.4
DI-14-18	11	53.4	57.3
DI-14-18	12	57.3	61.5
DI-14-18	13	61.5	65.7
DI-14-18	14	65.7	69.8
DI-14-18	15	69.8	73.8
DI-14-18	16	73.8	77.5
DI-14-18	17	77.5	81.5
DI-14-18	18	81.5	85.2
DI-14-18	19	85.2	88.8
DI-14-18	20	88.8	92.5
DI-14-18	21	92.5	97.0
DI-14-18	22	97.0	100.5
DI-14-18	23	100.5	104.2
DI-14-18	24	104.2	108.0
DI-14-18	25	108.0	111.8
DI-14-18	26	111.8	116.0
DI-14-18	27	116.0	120.3
DI-14-18	28	120.3	124.7
DI-14-18	29	124.7	126.7
DI-14-18	30	126.7	131.9
DI-14-18	31	131.9	135.9
DI-14-18	32	135.9	140.0
DI-14-18	33	140.0	144.2
DI-14-18	34	144.2	147.5
DI-14-18	35	147.5	151.0
DI-14-18	36	151.0	154.5
DI-14-18	37	154.5	158.3
DI-14-18	38	158.3	162.4
DI-14-18	39	162.4	166.0
DI-14-18	40	166.0	170.2
DI-14-18	41	170.2	174.6
DI-14-18	42	174.6	178.9
DI-14-18	43	178.9	183.2
DI-14-18	44	183.2	187.4
DI-14-18	45	187.4	191.3
DI-14-18	46	191.3	195.7
DI-14-18	47	195.7	199.9
DI-14-18	48	199.9	204.3
DI-14-18	49	204.3	208.4
DI-14-18	50	208.4	212.6
DI-14-18	51	212.6	216.7
DI-14-18	52	216.7	220.4
DI-14-18	53	220.4	224.5
DI-14-18	54	224.5	229.2
DI-14-18	55	229.2	233.5
DI-14-18	56	233.5	237.5
DI-14-18	57	237.5	241.7
DI-14-18	58	241.7	246.0
DI-14-18	59	246.0	250.3
DI-14-18	60	250.3	254.6
DI-14-18	61	254.6	259.0
DI-14-18	62	259.0	262.9
DI-14-18	63	262.9	267.4
DI-14-18	64	267.4	271.6
DI-14-18	65	271.6	275.9
DI-14-18	66	275.9	280.4
DI-14-18	67	280.4	284.6
DI-14-18	68	284.6	288.7
DI-14-18	69	288.7	293.0
DI-14-18	70	293.0	297.2
DI-14-18	71	297.2	301.4

HOLE ID	BOX #	FROM	TO
DI-14-18	72	301.4	305.4
DI-14-18	73	305.4	309.9
DI-14-18	74	309.9	313.6
DI-14-18	75	313.6	317.2
DI-14-18	76	317.2	322.1
DI-14-18	77	322.1	325.9
DI-14-18	78	325.9	330.0
DI-14-18	79	330.0	333.6
DI-14-18	80	333.6	337.3
DI-14-18	81	337.3	341.1
DI-14-18	82	341.1	345.4
DI-14-18	83	345.4	349.5
DI-14-18	84	349.5	353.0
DI-14-18	85	353.0	357.2
DI-14-18	86	357.2	361.1
DI-14-18	87	361.1	364.8
DI-14-18	88	364.8	369.0
DI-14-18	89	369.0	372.8
DI-14-18	90	372.8	376.8
DI-14-18	91	376.8	380.3
DI-14-18	92	380.3	384.2
DI-14-18	93	384.2	388.0
DI-14-18	94	388.0	392.2
DI-14-18	95	392.2	396.3
DI-14-18	96	396.3	400.3
DI-14-18	97	400.3	403.6
DI-14-18	98	403.6	407.3
DI-14-18	99	407.3	411.5
DI-14-18	100	411.5	414.9
DI-14-18	101	414.9	418.7
DI-14-18	102	418.7	422.6
DI-14-18	103	422.6	426.9
DI-14-18	104	426.9	431.1
DI-14-18	105	431.1	435.5
DI-14-18	106	435.5	439.3
DI-14-18	107	439.3	443.5
DI-14-18	108	443.5	447.9
DI-14-18	109	447.9	452.0
DI-14-18	110	452.0	456.2
DI-14-18	111	456.2	460.6
DI-14-18	112	460.6	465.0
DI-14-18	113	465.0	469.1
DI-14-18	114	469.1	472.8
DI-14-18	115	472.8	476.6
DI-14-18	116	476.6	480.5
DI-14-18	117	480.5	484.8
DI-14-18	118	484.8	488.6
DI-14-18	119	488.6	492.3
DI-14-18	120	492.3	495.9
DI-14-18	121	495.9	499.7
DI-14-18	122	499.7	501.0
CORE BOX			
HOLE ID	**BOX #**	**FROM**	**TO**
DI-14-19	1	55.5	59.5
DI-14-19	2	59.5	63.3
DI-14-19	3	63.3	67.6
DI-14-19	4	67.6	71.9
DI-14-19	5	71.9	75.8
DI-14-19	6	75.8	79.6
DI-14-19	7	79.6	83.4
DI-14-19	8	83.4	87.8
DI-14-19	9	87.8	92.1
DI-14-19	10	92.1	96.8
DI-14-19	11	96.8	100.8
DI-14-19	12	100.8	106.2
DI-14-19	13	106.2	111.0
DI-14-19	14	111.0	114.7
DI-14-19	15	114.7	118.6
DI-14-19	16	118.6	121.8
DI-14-19	17	121.8	125.7
DI-14-19	18	125.7	129.4
DI-14-19	19	129.4	133.5
DI-14-19	20	133.5	137.6
DI-14-19	21	137.6	142.5
DI-14-19	22	142.5	145.8
DI-14-19	23	145.8	149.1
DI-14-19	24	149.1	153.2
DI-14-19	25	153.2	156.9
DI-14-19	26	156.9	160.3
DI-14-19	27	160.3	163.8
DI-14-19	28	163.8	168.2
DI-14-19	29	168.2	171.9
DI-14-19	30	171.9	175.9

HOLE ID	BOX #	FROM	TO
DI-14-19	31	175.9	179.5
DI-14-19	32	179.5	183.7
DI-14-19	33	183.7	187.9
DI-14-19	34	187.9	192.2
DI-14-19	35	192.2	196.2
DI-14-19	36	196.2	200.5
DI-14-19	37	200.5	204.8
DI-14-19	38	204.8	208.6
DI-14-19	39	208.6	213.0
DI-14-19	40	213.0	217.2
DI-14-19	41	217.2	221.1
DI-14-19	42	221.1	225.6
DI-14-19	43	225.6	229.5
DI-14-19	44	229.5	233.6
DI-14-19	45	233.6	237.9
DI-14-19	46	237.9	242.2
DI-14-19	47	242.2	246.5
DI-14-19	48	246.5	250.7
DI-14-19	49	250.7	254.8
DI-14-19	50	254.8	259.2
DI-14-19	51	259.2	262.9
DI-14-19	52	262.9	267.2
DI-14-19	53	267.2	271.0
DI-14-19	54	271.0	274.9
DI-14-19	55	274.9	279.0
DI-14-19	56	279.0	283.3
DI-14-19	57	283.3	287.5
DI-14-19	58	287.5	291.6
DI-14-19	59	291.6	295.4
DI-14-19	60	295.4	298.8
DI-14-19	61	298.8	302.2
DI-14-19	62	302.2	306.0
DI-14-19	63	306.0	310.0
DI-14-19	64	310.0	314.1
DI-14-19	65	314.1	317.5
DI-14-19	66	317.5	320.7
DI-14-19	67	320.7	324.7
DI-14-19	68	324.7	328.4
DI-14-19	69	328.4	332.2
DI-14-19	70	332.2	336.1
DI-14-19	71	336.1	339.7
DI-14-19	72	339.7	343.5
DI-14-19	73	343.5	346.9
DI-14-19	74	346.9	351.0
DI-14-19	75	351.0	354.5
DI-14-19	76	354.5	358.1
DI-14-19	77	358.1	361.1
DI-14-19	78	361.1	364.8
DI-14-19	79	364.8	368.5
DI-14-19	80	368.5	371.7
DI-14-19	81	371.7	375.0
DI-14-19	82	375.0	378.6
DI-14-19	83	378.6	382.3
DI-14-19	84	382.3	386.0
DI-14-19	85	386.0	389.7
DI-14-19	86	389.7	393.2
DI-14-19	87	393.2	369.9
DI-14-19	88	369.9	400.7
DI-14-19	89	400.7	404.8
DI-14-19	90	404.8	408.8
DI-14-19	91	408.8	412.6
DI-14-19	92	412.6	417.0
DI-14-19	93	417.0	421.0
DI-14-19	94	421.0	424.9
DI-14-19	95	424.9	428.5
DI-14-19	96	428.5	432.8
DI-14-19	97	432.8	436.3
DI-14-19	98	436.3	440.6
DI-14-19	99	440.6	444.4
DI-14-19	100	444.4	447.7
DI-14-19	101	447.7	451.9
DI-14-19	102	451.9	455.5
DI-14-19	103	455.5	459.3
DI-14-19	104	459.3	463.5
DI-14-19	105	463.5	467.2
DI-14-19	106	467.2	470.2
DI-14-19	107	470.2	474.2
DI-14-19	108	474.2	477.6
DI-14-19	109	477.6	481.6
DI-14-19	110	481.6	485.4
DI-14-19	111	485.4	489.2
DI-14-19	112	489.2	493.2
DI-14-19	113	493.2	497.1

HOLE ID	BOX #	FROM	TO		HOLE ID	BOX #	FROM	TO		HOLE ID	BOX #	FROM	TO		HOLE ID	BOX #	FROM	TO
DI-14-19	114	497.1	501.1															
DI-14-19	115	501.1	505.4															
DI-14-19	116	505.4	509.2															
DI-14-19	117	509.2	513.5															
DI-14-19	118	513.5	517.4															
DI-14-19	119	517.4	521.1															
DI-14-19	120	521.1	525.2															
DI-14-19	121	525.2	527.2															
DI-14-19	122	527.2	532.9															
DI-14-19	123	532.9	536.6															
DI-14-19	124	536.6	540.6															
DI-14-19	125	540.6	544.7															
DI-14-19	126	544.7	548.4															
DI-14-19	127	548.4	552.3															
DI-14-19	128	552.3	555.7															
DI-14-19	129	555.7	559.3															
DI-14-19	130	559.3	563.2															
DI-14-19	131	563.2	567.3															
DI-14-19	132	567.3	571.6															
DI-14-19	133	571.6	575.5															
DI-14-19	134	575.5	579.7															
DI-14-19	135	579.7	583.2															
DI-14-19	136	583.2	587.0															
DI-14-19	137	587.0	591.7															
DI-14-19	138	591.7	595.7															
DI-14-19	139	595.7	599.4															
DI-14-19	140	599.4	600.0															

Maps and Cross Sections



DILLARD WEST **Geology and Drill Location Map**



Figure 2:
X-Section 2950 E
(looking East)



Figure 3:
X-Section 2950 E
(looking East)
Alteration Map



Figure 4:
X-Section 3120 E
(looking East)



Figure 5:
X-Section 3120 E (looking East) Alteration Map


600 mE
800 mE
1,000 mE
1,400 mN
1,200 mN
D67-04
D69-07
D91-10
DI14-07
Scale 1:1000
0
50
100
metres
147.83m
189m
305.1m
451m
Geology Legend
CA - Casing
DF - Felsic Dyke
SS - Greywacke
AV - Fine grained volcanics
VM - Medium grained volcanics
HP - Hornblendite/hornblende porphyry
VP - Feldspar Porphyry
VB - Volcanic Breccia
DI - Undifferentiated diorite
DM - Monzodiorite
DI1- Fine grained microdiorite
DI2 - Medium grained diorite
DI3 - Coarse grained diorite
DI4 - Quartz diorite
RY - Rylite
GR - Granite
FA - Fault/gouge
QZ - Quartz
HoleID
ppb Au
ppm Cu
Sample Number
EOH
Background Geology
Late Stage "barren" Intrusives
Undifferentiated Intrusives
Undifferentiated Volcanics
X-Section 3120 E
Hole DI14-07
(looking East)
Compilation



Figure 7:
X-Section 3250 E
(looking East)



Figure 8:
X-Section 3250 E (looking East) Alteration Map


400 mE
600 mE
800 mE
1,000 mE
1,400 mN
1,200 mN
1,000 mN
D91-06
DI14-11
DI14-12
DI14-19
D69-02
D69-01
D91-02
DI13-04
87m
183.49m
122.8m
171.3m
247.5m
197.5m
452m
533m
501m
600m
Scale 1:1000
0
50
100
metres
Geology Legend
CA - Casing
DF - Felsic Dyke
SS - Greywacke
AV - Fine grained volcanics
VM - Medium grained volcanics
HP - Hornblendite/hornblende porphyry
VP - Feldspar Porphyry
VB - Volcanic Breccia
DI - Undifferentiated diorite
DM - Monzodiorite
DFI - Fine grained microdiorite
DI2 - Medium grained diorite
DI3 - Coarse grained diorite
DI4 - Quartz diorite
RY - Ryolite
GR - Granite
FA - Faultgouge
QZ - Quartz
Header
ppb Au
ppm Cu
Sample Number
EOH
Background Geology
Late Stage "barren" Intrusives
Undifferentiated Intrusives
Undifferentiated Volcanics
X-Section 3250 E
Holes DI14-11+12+19
(looking East)
Compilation



Figure 10:
X-Section 3500 E
(looking East)



Figure 11:
X-Section 3500 E (looking East) Alteration Map


600 mE
800 mE
D69-03
DI14-08
75m
522m
1,400 mN
1,200 mN
Geology Legend
CA - Casing
DF - Felsic Dyke
SS - Greywacke
AV - Fine grained volcanics
VM - Medium grained volcanics
HP - Hornblendite/hornblende porphyry
VP - Feldspar Porphyry
VB - Volcanic Breccia
DI - Undifferentiated diorite
DM - Monzodiorite
DI1- Fine grained microdiorite
DI2 - Medium grained diorite
DI3 - Coarse grained diorite
DI4 - Quartz diorite
RY - Ryolite
GR - Granite
FA - Fault/gouge
QZ - Quartz
HoleID
ppb Au
ppm Cu
Sample Number
EOH
Background Geology
Late Stage "barren" Intrusives
Undifferentiated Intrusives
Undifferentiated Volcanics
Scale 1:1000
0
50
100
metres
X-Section 3500 E
Hole DI14-08
(looking East)
Compilation



Figure 12:
X-Section 3700 E
(looking East)



Figure 13:
X-Section 3700 E (looking East Alteration Map


D69-06
DI14-09+10
D69-05
800 mE
1,000 mE
1,200 mE
1,400 mN
1,200 mN
1,000 mN
Scale 1:1000
0
50
100
metres
182.3m
247.5m
498m
501m
Geology Legend
CA - Casing
DF - Felsic Dyke
SS - Greywacke
AV - Fine grained volcanics
VM - Medium grained volcanics
HP - Hornblendite/hornblende porphyry
VP - Feldspar Porphyry
VB - Volcanic Breccia
DI - Undifferentiated diorite
DM - Monzodiorite
DI1 - Fine grained microdiorite
DI2 - Medium grained diorite
DI3 - Coarse grained diorite
DI4 - Quartz diorite
RY - Ryolite
GR - Granite
FA - Fault/gouge
QZ - Quartz
Background Geology
Late Stage "barren" Intrusives
Undifferentiated Intrusives
Undifferentiated Volcanics
X-Section 3700 E
Holes DI14-09+10
(looking East)
Compilation



DILLARD EAST **Geology and Drill Location Map**



Figure 16:
X-Section 3400 N
(looking North)



Figure 17:
X-Section 3400 N (looking North) Alteration Map



X-Section 3400 N
Hole DI14-15
(looking North)
Compilation



Figure 19:
X-Section 3550 N
(looking North)



Figure 20:
X-Section 3550 N (looking North) Alteration Map



X-Section 3550 N
Holes DI14-13 + 14
(looking North)
Compilation



Figure 22:
X-Section 4000 N
(looking North)



Figure 23:
X-Section 4000 N
(looking North)
Alteration Map



X-Section 4000 N
Holes DI14-16 + 16b
(looking North)
Compilation



Figure 25:
X-Section 4200 N
(looking North)



Figure 26:
X-Section 4200 N (looking North) Alteration Map



X-Section 4200 N
Hole DI14-18
(looking North)
Compilation



Figure 28:
X-Section 4575 N
(looking North)



Figure 29:
X-Section 4575 N (looking North) Alteration Map



Geology Legend

- CA - Casing
- DF - Felsic Dyke
- SS - Greywacke
- AV - Fine grained volcanics
- VM - Medium grained volcanics
- HP - Hornblendite/hornblende porphyry
- VP - Feldspar Porphyry
- VB - Volcanic Breccia
- DI - Undifferentiated diorite
- DM - Monzodiorite
- DI1 - Fine grained microdiorite
- DI2 - Medium grained diorite
- DI3 - Coarse grained diorite
- DI4 - Quartz diorite
- RY - Ryolite
- GR - Granite
- FA - Fault/gouge
- QZ - Quartz

NaleID

ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number
ppb Au	ppm Cu	Sample Number

EOH

Background Geology

- Late Stage "barren" Intrusives
- Undifferentiated Intrusives
- Undifferentiated Volcanics

Scale 1:1000

0 50 100

metres

X-Section 4575 N
Hole DI14-17
(looking North)
Compilation

Appendix D:
Re-logging of 1991 Drillcore

Core Library: 1991 Dillard Drill Core

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-01	1	4.3	10.2
91-01	2	10.2	15.0
91-01	3	15.0	20.1
91-01	4	20.1	25.2
91-01	5	25.2	30.6
91-01	7	36.9	42.0
91-03	3	19.3	24.6
91-03	4	24.6	30.1
91-03	5	30.1	35.9
91-03	6	35.9	40.8
91-03	7	40.8	46.2
91-03	8	46.2	51.2
91-03	9	51.2	57.0
91-03	10	57.0	62.2
91-03	11	62.2	67.7
91-03	12	67.7	73.0
91-03	13	73.0	78.4
91-03	15	83.8	89.1
91-03	16	89.1	94.3
91-03	17	94.3	99.5
91-03	18	99.5	104.9
91-03	19	104.9	110.3
91-03	20	110.3	115.4
91-03	21	115.4	121.1
91-03	22	121.1	126.4
91-03	23	126.4	131.7
91-03	24	131.7	137.1
91-03	26	142.5	147.6
91-03	27	147.6	152.9
91-03	29	157.9	163.1
91-03	30	163.1	168.1

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-04	1	1.9	7.6
91-04	2	7.6	12.8
91-04	3	12.8	18.3
91-04	4	18.3	23.9
91-04	5	23.9	29.6
91-04	6	29.6	35.3
91-04	7	35.3	40.4
91-04	8	40.4	45.7
91-04	9	45.7	51.2
91-04	10	51.2	56.7
91-04	11	56.7	61.6
91-04	12	61.6	67.0
91-04	13	67.0	72.2
91-04	14	72.2	77.9
91-04	15	77.9	82.6
91-04	16	82.6	87.9
91-04	17	87.9	93.2
91-04	18	93.2	98.2
91-04	19	98.2	103.6
91-04	20	103.6	108.8
91-04	21	108.8	114.5
91-04	22	114.5	120.0
91-04	23	120.0	125.3
91-04	26	135.5	141.0
91-04	27	141.0	146.4
91-04	28	146.4	151.5
91-04	29	151.5	156.8
91-04	30	156.8	162.2
91-04	31	162.2	167.4
91-04	32	167.4	172.8
91-04	33	172.8	177.4

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-05	9	44.8	50.6
91-05	10	50.6	55.5
91-05	22	113.8	117.7
91-05	23	117.7	123.9
91-05	24	123.9	128.9
91-05	25	128.9	133.9
91-05	26	133.9	139.1
91-05	27	139.1	144.4
91-05	28	144.4	150.0
91-05	29	150.0	155.4
91-05	30	155.4	160.5
91-05	32	166.1	171.9
91-05	33	171.9	177.0
91-05	34	177.0	182.6
91-05	35	182.6	188.1
91-06	7	104.7	110.0
91-06	8	110.0	114.8
91-06	9	114.8	119.8
91-06	10	119.8	124.9
91-06	15	146.2	151.5
91-06	16	151.5	157.0
91-06	17	157.0	162.4
91-06	20	173.4	178.9
91-06	21	178.9	183.5

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-07	6	36.5	41.8
91-07	7	41.8	47.1
91-07	8	47.1	52.4
91-07	9	52.4	57.8
91-07	11	62.1	67.4
91-07	19	106.7	112.5
91-07	26	144.4	149.9
91-08	5	30.5	35.3
91-08	7	41.1	46.6
91-08	9	52.2	57.4
91-08	11	63.8	68.2
91-08	12	68.2	73.7
91-08	13	73.7	79.1
91-08	14	79.1	84.4
91-08	16	89.8	95.3
91-08	17	95.3	100.8
91-08	18	100.8	106.0
91-08	19	106.0	111.0
91-08	20	111.0	116.5
91-08	21	116.5	121.9
91-08	22	121.9	127.1
91-08	23	127.1	132.2
91-08	24	132.2	137.5
91-08	25	137.5	142.8
91-08	26	142.8	147.9
91-08	27	147.9	153.1
91-08	28	153.1	158.3
91-08	29	158.3	163.6
91-08	30	163.6	168.9
91-08	31	168.9	174.2
91-08	32	174.2	179.7
91-08	33	179.7	185.0
91-08	34	185.0	189.6

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-09	18	136.6	142.0
91-09	25	174.6	180.3
91-09	26	180.3	185.6
91-09	27	185.6	189.6

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-11	2	26.6	31.7
91-11	3	31.7	37.2
91-11	4	37.2	42.2
91-11	5	42.2	46.6
91-11	6	46.6	51.6

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-11	7	51.6	55.3
91-11	9	61.7	66.9
91-11	10	66.9	71.5
91-11	11	71.5	77.5
91-11	12	77.5	82.9

CORE BOX			
HOLE ID	BOX #	FROM	TO
91-11	13	82.9	88.1
91-11	14	88.1	93.3
91-11	23	132.3	138.9
91-11	24	138.9	144.4
91-11	25	144.4	149.5

1991 Diamond Drilling Collar Data

Hole Id	Easting	Northing	Elevation	Azimuth	Dip	Depth
D91-01	683375	5513758	1442	180	-51	219
D91-03	683301	5514661	1490	180	-52	198
D91-04	683285	5514860	1502	180	-51	177
D91-05	683103	5514702	1470	179	-50	188
D91-06	683331	5514361	1457	184	-53	183
D91-07	682934	5514933	1433	182	-50	183
D91-08	682918	5514650	1444	181	-50	190
D91-09	682926	5514339	1420	180	-50	190
D91-11	682938	5514137	1405	181	-50	183

Coordinate units in UTM Nad83Z10.

Dillard Property - 1991 Drilling

Hole: 91-01

							Alteration Type		Veins					Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Other Mins	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
4.30	30.60	26.30	VA	Bas	f-m	Dk grey fine volcanics	ep	P1								1			1		1	1	1				2 (6,4)					
36.90	42.00	5.10	VA	Bas	f	As above	ep,k	P2							1	1					1	2					Tr					

Dillard Property - 1991 Drilling

Hole: 91-03

							Alteration Type		Veins					Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
19.30	46.00	26.70	Va	Bi	f,l-frag	Fine grained volcanics, minor areas of developed feldspars to 0.1mm. Minor fragmentals	P1								1	3					1	2			1 (5,5)		2 (6,4)					Tr
46.00	48.00	2.00	Hp		f,por	Hornblende porphyry	P1									1		2			1	1			Tr		2 (9,1)					
48.00	75.50	27.50	Va	Bi	f	Minor small fragmentals, minor developed feldspars and hornblende.	P2								1	3				1	2	2			1 (3,7)		3 (6,4)					
75.50	78.40	2.90	Di2	Dio	f-m	Diorite	P1													2	1	2			Tr		1 (2,8)					
83.80	94.00	10.20	DI2	Dio	m	Diorite	P1													1		1		1	Tr		1 (1,9)					
94.00	99.50	5.50	DF		f	Fine felsite dyke												4			1	2			Tr		2(0,10)					
99.50	125.00	25.50	DI2	Dio	m	Med grained diorite.	P1								Tr					1	1	1		1			1 (1,9)					
125.00	129.00	4.00	Va	And	f-m	Fine grained volcanics.	P2								1					1	2	1			1 (8,2)		6 (8,2)					
129.00	136.50	7.50	Vm	And	m	Med grained volcanics. Predominately feldspars and hornblende.	P2													1	2	1		1	1 (6,4)		4 (6,4)					
136.50	137.10	0.60	Va	Bi	f,l-frag	Fine grained with intrusive fragmentals.	P2									2				1	2	1			1 (6,4)		4 (6,4)					
142.50	143.50	1.00	Va	Bi	f,l-frag	As above	P2									1				1	2	1			<1 (6,4)		4 (6,4)					
143.50	144.50	1.00	Di2	Dio	m	Diorite. To 1.5mm.	P1									2					1											

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
144.50	152.90	8.40	Va	And	f-m	Fine grained volcanics	P1									2		1		1	1	2			<1		4 (5,5)					
157.90	158.30	0.40	Di2	Dio	m	Predominately feldspars.															Tr			1			Tr					
158.30	164.20	5.90	Di1	Dio		Microdiorite																1			Tr		1 (1,9)					
164.20	168.10	3.90	Vp	And		Feldspar/Hornblende porphyry. Clasts to 0.5mm.	P2									3				1	2	1			Tr		Tr					

Dillard Property - 1991 Drilling

Hole: 91-04

							Alteration Type		Veins					Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Other Mins	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
1.90	13.50	11.60	VM	And	p,f-m	dk gn, fine to med grained, feldspar porph 12-14, minor hnbl porphyry; rare sub-angular intrusive fragments	chl, ep	P2		1						3			1	2		1			<0.1		4 (3,7)					
13.50	38.50	25.00	VA	Bas	cla,f-m	fine grey volc, occ py veinlets, minor feld porph, local hnbl por @ 34m	chl, ep	P1		1						4			2	1		1			tr		1 (7,3)					
38.50	49.00	10.50	VP	And	por, f	felds porph to 1mm; fine gn matrix; feld highly altered to clays.	chl, ep	P2								4			1		2	tr	2				1 (5,5)					
49.00	52.00	3.00	VA	Bas	f, v,por	v minor feld porph, dk grey	chl, ep	P1								3					1						tr					
52.00	69.00	17.00	VP	And	f,por	strongly porph to 58.5 (crowded feldspar to 1.5mm)	chl, ep	P1								3					1											
69.00	90.50	21.50	VA	?	f,bx	Oxidized pale red alt zone	sil,cb	E2	3						2	Tr		2				2			tr		tr					
90.50	96.00	5.50	VM	And	m,por	0.2mm feldspar and hrnbl por in finer matrix.	ep,ser	P1							1	1			2		1											
96.00	97.50	1.50	DI1	diorite	f	Fine grained diorite to 0.75mm grain size.	ep	P1								1						1	1									
97.50	100.00	2.50	VM	And	m,por	0.2mm feldspar and hrnbl por in finer matrix.	ep,ser	P1							1	2			2		1											
100.00	106.50	6.50	VP	And	f,por	20% feld phenos, minor mafics.	k,sil	K1							1	3		1	1				1				1(6,4)					
106.50	125.30	18.80	VA	And	f,clal	dk gy, minor fragmentals, minor feldspar porph	ep,chl	P1								3				1	1	1					1 (3,7)					

							Alteration Type		Veins					Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Other Mins	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
135.50	139.60	4.10	VA	And	f	pale grey-green	ep,cal	P1								1			1		1	1					2(2,8)					
139.60	141.00	1.40	VP	And	m,por	felds porph to 1mm; fine gn matrix	ep,chl	P1								2											1 (2,8)					
141.00	160.50	19.50	DI2	diorite	c	Coarse diorite, equigranular; xts to 5mm.	k,hem	k1							1	1							2				1 (1,9)					
160.50	164.50	4.00	VP	And	m,por	felds porph to 3mm; fine gn matrix	k,ep,chl	P1K1							1	1				1	1	1	1				tr					
164.50	177.39	12.89	VA	And	f,por	minor felds porph.	chl,ep	P1								2			1	1	2	1			<.2(8,2)		4 (8,2)					

Dillard Property - 1991 Drilling

Hole: 91-05

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Other Mins	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
44.80	55.50	10.70	DI2	Dio	m	Medium diorite		P1												1	1		2	1			1 (2,8)					
113.80	123.50	9.70	Va	And	f	fine grained volcanics. Feldspar dominated to 0.2mm.		P2							1	2				1	2	1			2 (2,8)		1 (6,4)					
123.50	124.50	1.00	DI2	Dio	m	Medium diorite		P2												1	2	1			2 (2,8)		1 (6,4)					
124.50	125.50	1.00	Vf	And	f,por	Fine grained volcanics. Large epidote altered feldspar porphyrys.		P2												2	1	1			2 (2,8)		2 (6,4)					
125.50	160.50	35.00	DI2	Dio	m	Medium grained diorite		P1							Tr	Tr				1	1	1					3 (5,5)					
166.10	177.00	10.90	VA	Bi	f,clal	minor f-gnd felds porph. Small intrusive fragmentals. Albite?		P1							Tr	3				1		1			1 (3,7)		2 (3,7)					
177.00	178.50	1.50	Va	And	f-m			P1							1	2					1	1			1 (1,9)		Tr					
178.50	180.00	1.50	VP	And	f, por	Felds porphy		P1							1	3					1	1			1 (1,9)		Tr					
180.00	182.00	2.00	VP/HP		f-m	Hornblende + felspar porphyry		P1							Tr	3					1	1			1 (2,8)		1 (0,10)					
182.55	188.00	5.45	VA	Bi	f,clal	minor f-gnd felds porph		P1							Tr	Tr					1	1			1 (0,10)		2 (3,7)					

Dillard Property - 1991 Drilling

Hole: 91-06

							Alteration Type		Veins					Alteration Minerals																	Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
104.70	106.00	1.30	VM	and	m,por	feldsp porph to 0.5mm	P2									2		1		1		1			Tr							
106.00	109.00	3.00	DI2	dio	m	Anhydral feldspar growth.	P1													1		1	1									
109.00	112.80	3.80	DI1	dio	f	Microdiorite	P1								Tr	2				1	1	1										
112.80	120.50	7.70	DI2	dio	m	Well formed crystals - Diorite	P2								1	Tr				1	2	2			Tr		Tr					
120.50	124.90	4.40	DI1	dio	f	Microdiorite	A1											1				1										
146.20	152.00	5.80	DI2	dio	m	Diorite	A3											3			2	2		2						3		
152.00	154.70	2.70	DI1	dio	f	Finer grained diorite	A1								Tr					1		1					Tr					
154.70	162.40	7.70	DI2	dio	m	medium grained diorite	P1									Tr				1	2	2					<1					
173.40	175.50	2.10	DI2	dio	m	Diorite	P2									1				2	1						Tr					
175.50	183.49	7.99	DI1	dio	f	Microdiorite	P2									2				2	1						Tr					

Dillard Property - 1991 Drilling

Hole: 91-07

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
36.50	42.00	5.50	VA	And	f	fine grained volc.	P1									2				1	1	1					3 (7,3)					
42.00	57.80	15.80	DI1	Dio	f	Some porphyritic feldspar	P1									1				1				1			1 (5,5)					
62.10	67.40	5.30	HPVP	Volc		Hornblende/feldspar porphyry	P1									3				1							Tr					
106.72	112.50	5.78	VM	And	m, por	minor small feld porph	P2									4				2	1						Tr					
144.41	149.86	5.45	VM	And	m, por	minor small feld porph	K1								1	Tr				1	1				Tr		2 (4,6)					

Dillard Property - 1991 Drilling

Hole: 91-08

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
30.50	35.30	4.80	VA	Bi	f,clal	large clasts to 5cm; very minor porph felds.	ep,hem	P2								1				1	2	1	3				1(1,9)					
41.10	46.60	5.50	VA	bas	f	dk gy, hem in fractures.	hem	P1								2					1	1	3		0.2		1 (1,9)					
52.20	57.40	5.20	VA	bas	f	Lt gy	ep,hem	A1								1		1	2		2	1	1	1	0.2		1(2,8)					
63.80	74.00	10.20	VA	bas	f	Lt gy, argillic alt in veinlets.	ep,chl	A1P2								Tr			1	1	2	1	1									
74.00	78.00	4.00	FA	bas	f	Pale gy-or bleached	sil,clay	E2 A2	4									2	1	2		3		3	0.2		1(2,8)					
78.00	84.40	6.40	VA	bas	f	pale grey, minor clal at top.	hem	P1												1		1	1		0.5		1(2,8)					
89.80	100.00	10.20	VA	bas	f	pale grey	hem,ep	P2							1	2					1	2	1	2	0.5		1(2,8)					
100.00	110.50	10.50	FA	bas	f	clay altered pale grey, gouge-fault zone	clay	A2								Tr						2	1	3	0.5		1(2,8)					
110.50	123.00	12.50	VA	Bi	f,clal	minor large fragmentals	hl.ep,her	P2								2				2	1	1	1		0.5		1(2,8)					
123.00	144.00	21.00	HPVP	volc	f-m,por	hornblende and feldspar prophyry to 1mm.	hl,ep,her	P3								2				2	2	1	1		0.1		1 (4,6)					
144.00	156.00	12.00	VA	Bi	f,clal	v large clal, hematite veining	hl,ep,her	P2								2			1	1	1	1	2									
156.00	172.00	16.00	HP	volc	f,por	mainly hnbl, some feldspar. Some segments of VA.	hl,ep,her	P2								3				2	1	1	1				Tr					
172.00	179.50	7.50	DI1	dior	f	microdiorite; 80% feldsp	chl,ep	P1												1	1	1		1			Tr					

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
179.50	183.50	4.00	DI2	dior	m	Coarser as above; xtls to 2mm.	chl.ep	P1													1	1	1				Tr					
183.50	189.60	6.10	DI1	dior	f	Bleached fine fused microdiorite									Tr			1		1		1		1			Tr					

Dillard Property - 1991 Drilling

Hole: 91-09

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Other Mins	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
136.60	142.00	5.40	VP	Volc	f-m,por	Feldspar porphyry. High sil at 142m.	P1													1	1	1					4 (2,8)					
174.60	185.00	10.40	HP	Volc	f,por	Hornblende + feldspar porphyry.	P1									Tr					1	1					3 (2,8)					
185.00	189.59	4.59	DI1	Dior	f-m,por	Micordiorite; albitized	P1								Tr					1	1	1					2 (1,9)					

Dillard Property - 1991 Drilling

Hole: 91-11

							Alteration Type		Veins					Alteration Minerals																Weathering /Alt		
From (m)	To (m)	Interval (m)	Unit	Rock Type	Texture	Notes/Description	Alt Type 1	Alt Type 2	Qtz Vns (B)	Pyritic (D)	Other Vns1	Other Veins2	Vein Density	Hydrotherm Bio	Hydrotherm Ksp	Magnetite	Tourmaline	Silica/Quartz	Sericite	Chlorite	Epidote	Calcite	Hematite	Clay	Cpy (%)	Bn (%)	Py (%)	Po (%)	Other Sulfides	Fe-Ox	Limonite	% CuOx
26.64	55.30	28.66	DI1	Dior	f	Microdiorite; albitized?	P1													1		1					2 (2,8)					
61.70	74.00	12.30	DI1	Dior	f	Microdiorite; albitized?	P1														1	1			Tr		2 (2,8)					
74.00	76.50	2.50	DI2	Dior	m,por	As above with hornblende pophyry.	P1									2				1	1	1					2 (1,9)					
76.50	83.00	6.50	DI1	Dior	f	Microdiorite	P1												Tr	1	1	2					3 (1,9)					
83.00	93.30	10.30	Vm	Volc	f,m	Fine grained volcanics, 0.1mm developed feldspars,	P1									2				1	2	1		1	<1		3 (2,8)					
132.30	149.50	17.20	DI1	Dior	f	Microdiorite (possibly Vm)	P1								1	1					1	1			Tr		3 (1,9)					

Appendix E:
Analytical Methodology and Descriptions

PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

The sample is logged in the tracking system, weighed, dried and finely crushed to better than 70 % passing a 2 mm (Tyler 9 mesh, US Std. No.10) screen. A split of up to 250 g is taken and pulverized to better than 85 % passing a 75 micron (Tyler 200 mesh, US Std. No. 200) screen. This method is appropriate for rock chip or drill samples.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70 % of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85 % of the sample passing 75 microns.

Flow Chart - Sample Preparation Package – PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize



PREP-41
Standard Preparation: Dry sample and dry-sieve to –180 micron

Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

An entire sample is dried and then dry-sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to 1 kg in weight.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
SCR-41	Sample is dry-sieved to – 180 micron and both the plus and minus fractions are retained.

Sample Preparation Flowchart Package –PREP-41



ME-MS41
Ultra-Trace Level Methods Using ICP-MS and ICP-AES

Sample Decomposition:

Aqua Regia Digestion (GEO-AR01)

Analytical Method:

Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES) Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

A prepared sample (0.50 g) is digested with aqua regia in a graphite heating block. After cooling, the resulting solution is diluted to with deionized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten and diluted accordingly. Samples are then analysed by ICP-MS for the remaining suite of elements. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	25
Arsenic	As	ppm	0.1	10 000
Gold	Au	ppm	0.2	25
Boron	B	ppm	10	10 000
Barium	Ba	ppm	10	10 000
Beryllium	Be	ppm	0.05	1 000
Bismuth	Bi	ppm	0.01	10 000
Calcium	Ca	%	0.01	25
Cadmium	Cd	ppm	0.01	1 000
Cerium	Ce	ppm	0.02	500
Cobalt	Co	ppm	0.1	10 000

Element	Symbol	Units	Lower Limit	Upper Limit
Chromium	Cr	ppm	1	10 000
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10 000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10 000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.02	500
Mercury	Hg	ppm	0.01	10 000
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.2	10 000
Lithium	Li	ppm	0.1	10 000
Magnesium	Mg	%	0.01	25
Manganese	Mn	ppm	5	50 000
Molybdenum	Mo	ppm	0.05	10 000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.05	500
Nickel	Ni	ppm	0.2	10 000
Phosphorus	P	ppm	10	10 000
Lead	Pb	ppm	0.2	10 000
Rubidium	Rb	ppm	0.1	10 000
Rhenium	Re	ppm	0.001	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10 000
Scandium	Sc	ppm	0.1	10 000
Selenium	Se	ppm	0.2	1 000
Tin	Sn	ppm	0.2	500

Element	Symbol	Units	Lower Limit	Upper Limit
Strontium	Sr	ppm	0.2	10 000
Tantalum	Ta	ppm	0.01	500
Tellurium	Te	ppm	0.01	500
Thorium	Th	ppm	0.2	10000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10 000
Uranium	U	ppm	0.05	10 000
Vanadium	V	ppm	1	10 000
Tungsten	W	ppm	0.05	10 000
Yttrium	Y	ppm	0.05	500
Zinc	Zn	ppm	2	10 000
Zirconium	Zr	ppm	0.5	500

NOTE: In the majority of geological matrices, data reported from an aqua regia leach should be considered as representing only the leachable portion of the particular analyte.

WCM Minerals

CERTIFICATE OF ANALYSIS

PM 457

Gold Reference Material

LAB	LAB 1	LAB 1	LAB 2	LAB 2	LAB 3	LAB 3	LAB 4	LAB 4	LAB 5	LAB 5	LAB 6	LAB 6
No.	Au oz/t	Au g/t	Au oz/t	Au g/t	Au oz/t	Au g/t	Au oz/t	Au g/t	Au oz/t	Au g/t	Au oz/t	Au g/t
1	0.019	0.66	0.020	0.673	0.019	0.644	0.018	0.63	0.020	0.670	0.017	0.582
2	0.019	0.66	0.019	0.653	0.019	0.642	0.018	0.63	0.020	0.698	0.017	0.593
3	0.019	0.65	0.019	0.652	0.018	0.633	0.018	0.62	0.020	0.680	0.017	0.593
4	0.018	0.63	0.019	0.657	0.018	0.603	0.018	0.61	0.021	0.710	0.017	0.586
5	0.019	0.64	0.020	0.671	0.019	0.642	0.018	0.63	0.020	0.675	0.017	0.596
6	0.018	0.63	0.019	0.643	0.019	0.638	0.019	0.64	0.020	0.676	0.017	0.588
7	0.020	0.67	0.020	0.669								
8			0.019	0.644								
Average	0.0189	0.6486	0.0192	0.6578	0.0185	0.6337	0.0183	0.6267	0.0200	0.6848	0.0172	0.5897
Std Dev.	0.0005	0.0157	0.0003	0.0119	0.0005	0.0155	0.0003	0.0103	0.0005	0.0157	0.0002	0.0052
Average T	0.019	0.641										
Std Dev. T	0.0009	0.0313										
Report	**Au oz/t**	**Au g/t**										
	0.019	**0.64**										

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (WCM Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

CERTIFICATE OF ANALYSIS
WCM MINERALS
CU 183

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 1	LAB 1	LAB 1	LAB 1	LAB 2	LAB 2	LAB 2	LAB 2	LAB 3	LAB 3	LAB 3	LAB 3
Replicate	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t
1	0.382	0.071	25	0.38	0.374	0.074	26	0.41	0.378	0.076	25.9	0.37
2	0.381	0.072	25	0.38	0.364	0.070	24	0.40	0.382	0.075	26.9	0.36
3	0.383	0.071	25	0.39	0.367	0.071	25	0.40	0.386	0.075	26.5	0.37
4	0.381	0.071	25	0.37	0.359	0.070	25	0.40	0.380	0.077	25.8	0.38
5	0.371	0.070	24	0.38	0.366	0.070	24	0.37	0.382	0.074	26.7	0.37
6	0.377	0.071	25	0.36	0.366	0.070	25	0.42	0.387	0.075	26.9	0.37
Average	0.3792	0.0710	24.833	0.3767	0.3660	0.0708	24.833	0.4015	0.3824	0.0756	26.427	0.3711
Std Dev.	0.0045	0.0006	0.4082	0.0103	0.0049	0.0016	0.7528	0.0168	0.0035	0.0007	0.4932	0.0073
Average T	0.3728	0.0732	25.2601	0.3847								
Std Dev.	0.0098	0.0025	0.9836	0.0177								
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**								
Value	**0.37**	**0.073**	**25**	**0.38**								

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (WCM Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

CERTIFICATE OF ANALYSIS
WCM MINERALS
CU 183

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 4	LAB 4	LAB 4	LAB 4	LAB 5	LAB 5	LAB 5	LAB 5	LAB 6	LAB 6	LAB 6	LAB 6
Replicate	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t
1	0.363	0.070	26.5	0.39	0.385	0.0760	24.0	0.388	0.3606	0.0738	25.1	0.40
2	0.369	0.070	26.5	0.40	0.378	0.0769	24.0	0.371	0.3558	0.0729	24.8	0.38
3	0.365	0.071	26.7	0.39	0.384	0.0744	24.5	0.367	0.3610	0.0741	24.4	0.37
4	0.382	0.075	26.2	0.41	0.372	0.0735	23.5	0.347	0.3594	0.0743	25.8	0.37
5	0.370	0.073	26.2	0.40	0.383	0.0768	24.0	0.374	0.3578	0.0746	24.9	0.38
6	0.371	0.073	26.4	0.40	0.383	0.0789	25.0	0.396	0.3573	0.0719	24.4	0.42
Average	0.3699	0.0720	26.400	0.3983	0.3808	0.0761	24.167	0.3738	0.3587	0.0736	24.9000	0.3867
Std Dev.	0.0065	0.0018	0.1868	0.0075	0.0050	0.0019	0.5164	0.0171	0.0020	0.0010	0.5215	0.0197
Average T	0.3728	0.0732	25.2601	0.3847								
Std Dev.	0.0098	0.0025	0.9836	0.0177								
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**								
Value	**0.37**	**0.073**	**25**	**0.38**								

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (WCM Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

WCM Minerals

CERTIFICATE OF ANALYSIS

CU 199

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 1	LAB 1	LAB 1	LAB 1	LAB 2	LAB 2	LAB 2	LAB 2	LAB 3	LAB 3	LAB 3	LAB 3	LAB 4	LAB 4
Replicate	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %
1	0.369	0.061	53	0.807	0.351	0.057	53	0.802	0.366	0.060	52	0.80	0.3517	0.0595
2	0.375	0.060	51	0.839	0.359	0.059	55	0.805	0.366	0.060	51	0.78	0.3645	0.0627
3	0.362	0.060	53	0.824	0.366	0.059	55	0.819	0.365	0.060	50	0.78	0.3484	0.0578
4	0.365	0.060	52	0.816	0.360	0.058	55	0.837	0.367	0.060	52	0.81	0.3476	0.0586
5	0.354	0.059	54	0.816	0.354	0.057	53	0.821	0.370	0.061	52	0.80	0.3587	0.0596
6	0.358	0.060	53	0.861	0.357	0.059	54	0.792	0.366	0.060	51	0.79	0.3487	0.0581
Average	0.3638	0.0600	52.67	0.8272	0.3578	0.0582	54.17	0.8127	0.3667	0.0602	51.33	0.7933	0.3533	0.0594
Std Dev.	0.0076	0.0006	1.033	0.0198	0.0052	0.0010	0.9832	0.0161	0.0018	0.0004	0.8165	0.0121	0.0069	0.0018
Average T	0.362	0.060	52.574	0.827										
Std Dev.	0.0109	0.0016	1.614	0.0377										
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**										
Value	**0.36**	**0.060**	**53**	**0.83**										

Country of Origin – Canada

Legal Notice:
WCM Sales Ltd. (WCM Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

WCM Minerals
CERTIFICATE OF ANALYSIS
CU 199

Copper, Molybdenum, Silver, Gold Reference Material

LAB	LAB 4	LAB 4	LAB 5	LAB 5	LAB 5	LAB 5	LAB 6	LAB 6	LAB 6	LAB 6	LAB 1	LAB 1	LAB 1	LAB 1
Replicate	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t	Cu %	Mo %	Ag g/t	Au g/t
1	54.0	0.80	0.367	0.0625	52.5	0.931	0.340	0.058	51	0.797	0.358	0.059	52	0.829
2	56.8	0.82	0.375	0.0603	52.5	0.895	0.345	0.057	51	0.813	0.373	0.059	54	0.835
3	53.3	0.81	0.371	0.0626	51.0	0.884	0.345	0.058	50	0.865	0.379	0.061	52	0.854
4	54.2	0.79	0.375	0.0612	51.5	0.897	0.345	0.058	50	0.882	0.365	0.061	53	0.831
5	54.1	0.79	0.379	0.0596	51.5	0.874	0.355	0.058	51	0.818	0.380	0.064	55	0.804
6	53.2	0.79	0.378	0.0602	50.5	0.913	0.352	0.059	51	0.806	0.378	0.060	54	0.809
Average	54.27	0.8000	0.3742	0.0611	51.58	0.8990	0.3470	0.0580	50.67	0.8302	0.3722	0.0607	53.33	0.8270
Std Dev.	1.311	0.0126	0.0045	0.0013	0.8010	0.0204	0.0055	0.0006	0.5164	0.0347	0.0089	0.0019	1.211	0.0183
Average T	0.362	0.060	52.574	0.827										
Std Dev.	0.0109	0.0016	1.614	0.0377										
Recommended	**Cu %**	**Mo %**	**Ag g/t**	**Au g/t**										
Value	**0.36**	**0.060**	**53**	**0.83**										

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (WCM Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

WCM Minerals

CERTIFICATE OF ANALYSIS

BL 125

Blank Reference Material

.	LAB 1	LAB 2	LAB 3	LAB 4	LAB 5	LAB 6	LAB 1	LAB 1	LAB 1	LAB 1	LAB 1	LAB 1	LAB 1
	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Au g/t	Ag g/t	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm
1	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	92	5	5	44	14	9
2	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	92	5	5	44	15	10
3	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	91	5	3	44	14	9
4	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	91	5	4	44	14	9
5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	90	5	3	44	14	10
6	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.2	93	5	4	45	15	9
7	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	96	5	5	45	15	10
8	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	90	5	3	43	15	9
9	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	87	5	4	43	14	8
10	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.2	90	5	3	43	15	9

N0.	LAB 2	LAB 2	LAB 2	LAB 2	LAB 2	LAB 2	LAB 2	LAB 3	LAB 3	LAB 3	LAB 3	LAB 3	LAB 3	LAB 3
	Ag g/t	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm	Ag g/t	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm
1	<0.3	93	5	6	43	14	7	<0.2	89	7	2	44	11	9
2	<0.3	94	5	4	43	14	7	<0.2	88	5	3	42	11	9
3	<0.3	92	5	<3	41	14	7	<0.2	90	6	2	45	11	9
4	<0.3	93	6	<3	43	14	7	<0.2	95	5	3	44	13	10
5	<0.3	94	5	4	43	14	7	<0.2	88	5	4	43	12	9
6	<0.3	93	5	5	42	14	7	<0.2	89	5	3	44	11	9
7	<0.3	92	5	<3	42	14	7	<0.2	92	5	<2	44	13	9
8	<0.3	93	5	<3	41	14	7	<0.2	97	6	2	50	15	10
9	<0.3	97	6	<3	43	14	7	<0.2	88	5	2	44	12	9
10	<0.3	95	6	<3	43	15	7	<0.2	91	5	3	45	14	9
Rpt.	Au g/t	Ag g/t	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ni ppm	Co ppm						
Av.	**<0.01**	**<0.3**	**91**	**5**	**4**	**44**	**14**	**9**						
			*	*	*	*	*	*						

* Informational values

Country of Origin - Canada

Legal Notice:
WCM Sales Ltd. (*WCM* Minerals) has prepared and analyzed the reference materials using qualified analytical laboratories and generally accepted assay procedures. WCM Sales Ltd. accepts liability only for the cost of the standards purchased. The purchaser, with the receipt of the product, releases WCM Sales Ltd. from all liabilities related to the use of the reference materials and information.

Lloyd Twaites Glen Armanini
Registered Assayers, Province of British Columbia

WCM Sales Ltd. 7729 Patterson Avenue Burnaby, BC, Canada, V5J 3P4
Phone: 604-437-0280
E-mail: WCMminerals@telus.net Web-site: www.WCMminerals.ca

Appendix F:
Analytical Certificates

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE VA14089228

This report is for 10 Pulp samples submitted to our lab in Vancouver, BC, Canada on 9-JUN-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE OF ANALYSIS VA14089228

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
2300918		0.205	0.773	2.14	3.81	<10	54.7	0.23	0.051	2.89	0.219	5.31	16.40	41.2	2.78	4420
2300924		0.0911	1.130	2.04	3.34	<10	9.1	0.17	0.075	5.58	0.062	9.52	29.2	38.1	1.965	5880
2300940		0.0355	0.471	1.61	4.87	<10	22.2	0.20	0.070	4.03	0.155	9.57	19.50	18.20	2.97	1025
2300955		0.105	0.408	1.69	45.0	<10	77.7	0.22	0.027	3.67	0.049	9.90	28.8	27.6	4.03	2710
2301055		0.168	0.360	2.19	1.48	<10	132.0	0.17	0.028	1.38	0.037	8.26	18.40	40.8	4.45	2520
2301074		0.257	0.269	1.53	1.33	<10	34.5	0.20	0.015	2.27	0.025	7.21	14.35	24.7	1.400	2100
2301088		0.148	0.435	2.13	1.61	<10	95.6	0.27	0.017	2.29	0.063	9.19	28.9	50.2	1.995	4150
2301106		0.0399	0.360	2.13	2.61	<10	29.9	0.21	0.024	3.85	0.255	6.70	30.1	72.9	1.495	1490
2301205		0.0771	0.942	2.52	11.65	<10	42.6	0.32	0.092	6.09	0.212	10.15	42.5	58.1	1.020	2850
2301235		0.109	0.411	2.72	2.46	<10	22.4	0.31	0.010	2.36	0.043	9.03	30.7	71.1	0.285	3620

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE OF ANALYSIS VA14089228

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
2300918		4.65	8.62	0.091	0.098	0.142	0.040	0.11	2.15	13.8	2.32	424	2.07	0.033	0.009	26.7
2300924		3.95	7.40	0.099	0.055	0.165	0.085	0.09	3.89	10.5	2.24	310	4.84	0.030	0.010	34.5
2300940		4.33	5.22	0.057	0.028	0.072	0.016	0.17	4.24	9.4	1.42	287	10.55	0.019	0.002	15.10
2300955		3.44	5.30	0.061	0.042	0.078	0.021	0.20	4.30	11.7	1.84	194.5	53.9	0.018	0.004	25.3
2301055		3.68	8.41	0.155	0.101	0.005	0.017	0.52	3.58	11.3	2.15	190.0	8.09	0.069	0.047	21.2
2301074		3.21	7.12	0.144	0.085	0.051	0.012	0.12	3.01	9.4	1.39	232	1.59	0.045	0.048	15.05
2301088		3.66	8.01	0.100	0.052	0.148	0.033	0.51	4.11	8.9	2.19	257	6.70	0.029	0.012	30.1
2301106		4.62	8.29	0.237	0.094	0.249	0.007	0.11	2.76	13.1	2.23	382	8.65	0.038	0.082	38.7
2301205		6.75	8.84	0.113	0.136	0.125	0.043	0.14	4.60	15.3	2.56	872	11.70	0.045	0.014	35.0
2301235		6.09	9.68	0.185	0.155	0.070	0.010	0.07	4.04	14.5	3.16	471	3.98	0.032	0.029	33.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE OF ANALYSIS VA14089228

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
2300918		0.086	2.70	0.007	0.003	5.13	0.017	1.81	0.136	16.15	8.8	0.41	44.5	<0.005	0.09	0.311
2300924		0.107	2.44	0.004	0.004	4.35	0.025	1.76	0.253	11.35	6.8	0.49	52.3	<0.005	0.27	0.315
2300940		0.106	3.12	0.004	0.002	6.36	0.053	3.37	0.090	7.48	5.5	0.23	111.0	<0.005	0.20	0.280
2300955		0.100	1.225	0.008	0.003	8.83	0.238	1.80	1.105	17.05	6.2	0.18	172.5	<0.005	0.10	0.302
2301055		0.107	1.355	0.010	0.002	22.6	0.034	0.43	0.034	14.15	3.7	0.33	60.7	<0.005	0.05	0.602
2301074		0.106	1.660	0.018	0.003	5.25	0.004	0.45	0.044	10.95	3.0	0.30	51.3	<0.005	0.04	0.504
2301088		0.111	1.530	0.018	0.005	25.1	0.035	1.12	0.066	19.30	5.0	0.40	100.5	<0.005	0.04	0.585
2301106		0.130	3.70	0.012	0.004	5.97	0.044	3.08	0.097	10.70	4.8	0.41	157.0	<0.005	0.11	0.420
2301205		0.158	2.68	0.032	0.003	7.69	0.138	1.71	0.449	20.2	5.2	0.41	105.5	<0.005	0.24	0.575
2301235		0.174	0.468	0.041	0.003	3.01	0.015	0.51	0.085	13.10	5.3	0.30	63.6	<0.005	0.06	0.672

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE OF ANALYSIS VA14089228

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
2300918		0.049	0.052	0.103	166.0	0.014	7.73	55.5	2.80
2300924		0.050	0.046	0.131	129.5	0.016	11.10	40.5	1.51
2300940		0.007	0.048	0.082	82.5	0.130	10.85	33.7	1.39
2300955		0.006	0.060	0.140	117.0	0.025	12.45	19.4	1.71
2301055		0.256	0.090	0.126	201	0.087	9.78	24.4	3.52
2301074		0.240	0.024	0.121	193.0	0.089	9.68	28.8	1.59
2301088		0.064	0.107	0.114	176.0	0.022	9.84	37.2	1.24
2301106		0.232	0.034	0.152	191.0	0.168	8.02	57.1	2.18
2301205		0.135	0.073	0.267	211	0.111	11.50	38.5	3.16
2301235		0.270	0.012	0.172	219	0.086	9.46	24.5	4.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 17-JUN-2014
Account: PEC

CERTIFICATE OF ANALYSIS VA14089228

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12-JUL-2014
Account: PEC

CERTIFICATE VA14099291

Project: Dillard

This report is for 11 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS	TOM SCHROETER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
Q347051		0.102	17.60	1.39	3.85	<10	99.0	0.32	1.535	0.91	4.10	7.39	57.4	4.42	0.672	>10000
Q347052		0.0968	11.05	2.41	1.61	<10	303	0.46	0.504	0.58	1.400	11.15	39.6	7.32	3.48	>10000
Q347053		0.0032	0.189	1.74	18.15	<10	65.6	0.18	0.126	1.38	0.056	7.60	10.85	4.64	1.485	183.0
Q347054		0.0321	0.998	0.77	2.82	<10	23.8	0.12	0.137	1.13	0.076	6.97	18.10	33.3	0.463	1190
Q347055		0.0051	0.069	2.07	2.76	<10	78.3	0.24	0.089	1.42	0.071	5.93	9.28	4.76	1.270	50.6
Q347056		0.0017	0.206	1.32	1.00	<10	72.1	0.07	0.199	1.04	0.052	4.17	6.62	8.33	0.840	147.5
Q347057		0.0029	0.079	1.08	1.24	<10	68.1	0.13	0.016	1.39	0.060	6.59	3.97	14.75	0.658	65.6
Q347058		0.0052	0.026	0.36	9.49	10	324	0.28	0.032	5.17	0.098	0.672	8.00	4.06	7.91	22.0
Q347059		0.0269	0.315	1.01	8.38	<10	103.0	0.16	0.113	0.94	0.090	3.86	24.2	9.09	0.377	203
Q347060		0.0245	0.310	0.66	2.30	<10	30.5	0.08	0.100	1.18	0.026	8.35	4.63	12.35	0.597	101.0
Q347061		0.0073	0.166	1.44	4.18	<10	49.0	0.15	0.061	1.60	0.086	5.52	17.15	51.9	1.100	148.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002	ME- MS41L Ni ppm 0.04
Q347051		4.51	4.33	0.059	0.198	0.227	0.404	0.36	3.58	9.9	0.90	404	124.0	0.017	0.119	8.09
Q347052		4.91	9.06	0.110	0.228	0.100	0.286	1.43	5.65	23.4	1.92	568	56.1	0.030	0.076	6.11
Q347053		2.72	5.75	0.075	0.067	0.005	<0.005	0.23	3.72	10.9	0.49	255	2.15	0.174	0.116	7.38
Q347054		2.49	2.94	0.126	0.258	0.006	0.014	0.14	3.13	4.3	0.56	245	0.99	0.131	0.268	23.3
Q347055		2.89	7.21	0.101	0.064	0.009	<0.005	0.44	2.93	15.1	0.71	443	1.42	0.196	0.096	2.05
Q347056		1.930	4.21	0.073	0.094	<0.004	<0.005	0.16	1.870	8.1	0.42	189.0	0.32	0.165	0.059	6.17
Q347057		1.970	3.14	0.068	0.161	0.020	<0.005	0.13	3.06	3.7	0.28	159.5	0.29	0.113	0.105	5.73
Q347058		2.40	1.185	0.047	0.024	0.062	0.011	0.20	0.274	4.4	1.94	619	0.14	0.015	0.002	9.38
Q347059		1.790	3.68	0.051	0.103	0.008	<0.005	0.18	1.545	8.8	0.50	216	0.21	0.064	0.074	7.19
Q347060		1.540	2.68	0.097	0.199	0.007	<0.005	0.08	4.63	1.8	0.19	112.5	0.96	0.054	0.234	2.87
Q347061		2.87	5.50	0.152	0.231	<0.004	<0.005	0.38	2.40	9.7	1.05	519	0.35	0.178	0.081	33.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01	ME- MS41L Th ppm 0.002
Q347051		0.102	3.31	0.001	0.003	17.90	0.087	2.45	0.809	3.69	5.1	0.21	57.1	0.006	1.69	0.956
Q347052		0.144	2.52	0.005	0.002	83.2	0.030	0.53	0.630	11.70	2.1	0.38	60.1	0.005	0.57	0.888
Q347053		0.129	2.16	<0.001	<0.002	14.20	0.001	0.68	0.334	3.14	0.6	0.30	86.6	0.006	0.15	1.025
Q347054		0.117	1.545	0.005	0.002	6.56	0.002	1.17	0.284	5.07	2.3	0.36	52.2	0.007	0.20	0.466
Q347055		0.120	1.605	0.001	<0.002	22.3	0.001	0.34	0.741	3.76	0.5	0.31	74.3	0.006	0.12	0.890
Q347056		0.095	0.877	0.003	<0.002	8.58	<0.001	0.65	0.097	2.27	0.5	0.16	56.5	0.006	0.25	0.257
Q347057		0.142	1.445	0.001	<0.002	4.98	<0.001	0.01	0.179	3.38	0.4	0.15	80.8	0.005	0.02	0.343
Q347058		0.007	1.290	0.005	0.003	7.11	<0.001	0.10	0.563	10.15	0.2	0.05	81.9	0.005	0.03	0.110
Q347059		0.114	2.70	0.002	<0.002	6.07	<0.001	0.64	0.237	2.29	0.9	0.16	30.6	0.005	0.17	0.228
Q347060		0.207	1.765	0.003	<0.002	2.97	0.002	0.13	0.469	2.19	1.0	0.19	126.5	0.006	0.13	0.521
Q347061		0.126	1.505	0.007	0.002	14.80	<0.001	0.18	0.658	7.99	0.7	0.28	39.7	0.006	0.10	0.406

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347051		0.118	0.192	0.596	66.2	0.702	5.44	402	3.89
Q347052		0.204	0.562	0.650	175.0	0.627	7.70	264	6.16
Q347053		0.112	0.259	0.265	58.1	0.198	6.30	25.8	2.46
Q347054		0.214	0.049	0.267	78.8	0.399	8.40	22.6	6.15
Q347055		0.133	0.166	0.185	67.7	0.995	5.13	21.1	2.36
Q347056		0.096	0.048	0.124	50.5	0.198	4.11	12.8	1.75
Q347057		0.156	0.031	0.180	112.5	0.144	6.68	9.7	3.50
Q347058		0.001	0.070	0.169	70.1	0.095	4.99	35.5	1.08
Q347059		0.116	0.030	0.134	57.5	0.549	4.78	17.1	2.79
Q347060		0.148	0.018	0.267	58.0	0.171	6.15	7.2	4.11
Q347061		0.223	0.088	0.192	111.5	0.237	8.39	41.4	5.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 12-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

CERTIFICATE KL14103104

Project: Dillard

This report is for 242 Soil samples submitted to our lab in Kamloops, BC, Canada on 4-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L1 0+00E		0.0022	0.361	2.49	3.24	<10	165.5	0.44	0.097	0.62	0.126	17.95	10.35	30.6	1.940	202
L1 0+50E		0.0012	0.152	2.10	3.37	<10	120.5	0.39	0.075	0.53	0.078	10.85	10.35	28.7	2.64	58.0
L1 1+00E		0.0008	0.220	2.00	1.92	<10	150.0	0.33	0.083	0.56	0.183	16.55	9.54	23.4	6.85	64.4
L1 1+50E		0.0009	0.165	2.21	3.23	<10	133.5	0.41	0.088	0.41	0.087	12.20	9.70	23.2	5.23	103.5
L1 2+00E		0.0015	0.151	2.35	3.55	<10	91.1	0.45	0.074	0.35	0.114	14.45	13.35	21.8	3.51	79.0
L1 2+50E		0.0013	0.147	2.68	1.90	<10	127.0	0.35	0.061	0.71	0.095	9.80	16.95	14.45	3.32	111.5
L1 3+00E		0.0002	0.123	2.48	2.96	<10	97.6	0.33	0.083	0.30	0.117	7.43	13.85	15.80	2.99	120.0
L1 3+50E		0.0022	0.295	2.40	3.59	<10	85.4	0.41	0.133	0.30	0.211	11.15	15.85	17.85	4.57	140.5
L1 4+00E		0.0187	0.218	1.95	3.84	<10	87.6	0.31	0.095	0.28	0.173	8.19	12.25	18.20	3.41	124.0
L1 4+50E		<0.0002	0.187	2.05	13.40	<10	64.7	0.34	0.102	0.18	0.196	6.61	11.70	18.65	3.35	69.9
L1 5+00E		0.0002	0.230	1.87	2.88	<10	82.0	0.28	0.066	0.27	0.090	6.44	13.65	90.0	3.18	48.9
L1 5+50E		0.0006	0.116	1.80	3.13	<10	93.6	0.26	0.070	0.32	0.139	7.85	12.60	54.5	2.16	77.5
L2 0+00E		0.0006	0.114	2.14	1.44	<10	69.1	0.39	0.083	0.44	0.103	8.97	10.20	24.4	2.66	87.9
L2 0+50E		0.0020	0.258	2.07	2.06	<10	80.2	0.40	0.080	0.52	0.104	14.75	9.77	24.5	1.685	256
L2 1+00E		0.0014	0.130	1.88	2.37	<10	84.5	0.37	0.079	0.36	0.096	7.84	8.84	22.4	1.800	86.1
L2 1+50E		0.0018	0.166	2.07	2.49	<10	90.5	0.39	0.100	0.33	0.069	10.40	14.75	19.65	2.65	250
L2 2+00E		0.0010	0.085	2.41	3.17	<10	78.1	0.46	0.072	0.30	0.063	10.35	12.65	21.2	2.79	112.0
L2 2+50E		0.0012	0.182	2.03	3.63	<10	128.5	0.39	0.133	0.27	0.115	9.70	12.20	17.80	8.33	65.8
L2 3+00E		0.0018	0.197	1.78	2.55	<10	104.0	0.33	0.132	0.30	0.248	7.36	13.05	14.00	8.08	67.5
L2 3+50E		0.0017	0.300	1.66	5.36	<10	176.0	0.32	0.140	0.30	0.183	8.85	12.20	14.35	5.94	94.2
L2 4+00E		0.0010	0.151	2.31	3.85	<10	100.0	0.40	0.101	0.18	0.155	8.41	11.40	12.75	4.24	82.6
L2 4+50E		0.0006	0.240	2.52	3.61	<10	109.5	0.42	0.091	0.30	0.094	10.60	12.60	24.7	4.52	162.5
L2 5+00E		0.0020	0.401	1.73	3.03	<10	96.3	0.29	0.069	0.33	0.150	5.65	12.15	44.5	3.68	86.0
L2 5+50E		0.0009	0.813	2.17	4.16	<10	133.5	0.40	0.082	1.01	0.432	10.50	11.40	52.6	7.60	252
L3 0+00E		0.0012	0.224	1.94	2.34	<10	70.6	0.32	0.071	0.34	0.167	7.13	11.60	25.9	2.38	222
L3 0+50E		0.0010	0.268	2.02	1.95	<10	73.1	0.35	0.076	0.35	0.096	7.42	10.75	26.2	2.10	201
L3 1+00E		0.0028	0.176	2.24	2.63	<10	78.4	0.44	0.076	0.25	0.116	11.25	12.75	22.3	2.13	271
L3 1+50E		0.0022	0.138	1.93	2.61	<10	65.7	0.35	0.063	0.27	0.161	8.60	11.65	20.0	1.895	254
L3 2+00E		0.0013	0.189	2.02	2.20	<10	53.9	0.34	0.073	0.23	0.103	6.54	10.70	16.65	2.30	182.0
L3 2+50E		0.0022	0.254	1.99	2.10	<10	73.4	0.23	0.078	0.37	0.141	5.72	12.20	14.10	2.82	122.0
L3 3+00E		0.0050	0.302	1.99	3.45	<10	125.0	0.34	0.077	0.35	0.132	11.75	12.30	17.15	10.50	141.0
L3 3+50E		0.0015	0.398	2.60	2.97	<10	249	0.41	0.132	0.60	0.185	14.45	13.50	31.6	14.45	248
L3 4+00E		0.0018	0.324	2.15	2.37	<10	97.9	0.35	0.089	0.32	0.173	8.24	13.50	18.00	8.36	219
L3 4+50E		0.0007	0.388	1.85	2.72	<10	67.1	0.34	0.115	0.16	0.251	5.95	9.93	11.05	2.69	69.3
L3 5+00E		0.0409	0.237	1.75	2.19	<10	79.2	0.30	0.088	0.23	0.114	7.49	11.60	14.60	2.02	84.0
L3 5+50E		0.0017	0.416	1.71	2.10	<10	63.4	0.24	0.082	0.22	0.139	5.86	11.65	20.7	2.44	84.1
L4 0+00E		0.0009	0.148	2.04	2.10	<10	86.3	0.36	0.088	0.55	0.087	10.60	8.53	22.8	3.15	100.5
L4 0+50E		0.0007	0.274	1.92	3.06	<10	87.1	0.35	0.070	0.31	0.134	9.06	10.10	21.7	3.70	145.5
L4 1+00E		0.0100	0.137	1.80	3.30	<10	103.0	0.30	0.058	0.41	0.060	9.85	10.40	25.2	2.44	155.5
L4 1+50E		0.0018	0.428	2.03	2.86	<10	184.5	0.37	0.080	0.37	0.131	11.80	9.19	20.0	4.31	134.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002	ME- MS41L Ni ppm 0.04
L1 0+00E		2.79	7.81	0.044	0.126	0.044	0.036	0.07	8.39	21.8	0.50	403	0.49	0.028	1.025	19.50
L1 0+50E		2.72	7.16	0.037	0.152	0.022	0.024	0.05	5.26	13.1	0.45	310	0.31	0.024	0.921	16.10
L1 1+00E		2.61	6.09	0.053	0.169	0.036	0.019	0.06	5.63	23.9	0.49	276	0.23	0.026	0.907	12.20
L1 1+50E		2.50	7.31	0.050	0.107	0.028	0.007	0.06	7.11	15.5	0.41	330	0.34	0.019	0.983	14.05
L1 2+00E		3.07	7.87	0.046	0.094	0.033	0.015	0.08	5.61	13.7	0.68	586	0.48	0.017	1.025	12.85
L1 2+50E		3.32	8.15	0.057	0.047	0.006	0.009	0.12	4.78	20.1	1.33	711	0.42	0.018	0.926	11.20
L1 3+00E		3.02	7.46	0.035	0.074	0.022	0.012	0.06	3.11	14.3	0.70	666	0.45	0.019	1.150	10.50
L1 3+50E		2.83	7.63	0.035	0.076	0.029	0.022	0.06	4.79	13.8	0.57	483	0.68	0.016	1.150	11.75
L1 4+00E		2.71	6.91	0.025	0.064	0.017	0.020	0.06	3.63	10.9	0.47	709	0.50	0.014	0.855	10.30
L1 4+50E		2.66	7.80	0.032	0.079	0.042	0.016	0.05	2.90	11.4	0.38	530	1.36	0.015	0.992	11.50
L1 5+00E		2.48	6.21	0.036	0.096	0.018	0.008	0.05	2.71	13.2	0.71	355	0.55	0.016	0.793	27.1
L1 5+50E		2.58	6.18	0.028	0.149	0.027	0.014	0.08	3.21	11.4	0.61	223	0.49	0.018	0.827	19.50
L2 0+00E		3.01	7.38	0.034	0.079	0.028	0.027	0.06	3.41	14.4	0.62	293	0.49	0.020	0.931	12.90
L2 0+50E		2.82	6.03	0.039	0.100	0.039	0.024	0.05	6.70	12.9	0.51	347	0.46	0.022	0.990	12.50
L2 1+00E		2.64	6.47	0.024	0.066	0.039	0.027	0.06	3.80	11.5	0.42	409	0.47	0.017	0.966	11.35
L2 1+50E		3.28	6.71	0.050	0.126	0.024	0.023	0.07	4.55	14.3	0.80	382	1.86	0.016	0.875	10.20
L2 2+00E		3.00	7.51	0.039	0.163	0.031	0.025	0.06	4.57	11.8	0.69	497	0.46	0.014	1.035	11.80
L2 2+50E		3.09	7.34	0.034	0.055	0.025	0.026	0.07	4.43	11.5	0.56	551	0.82	0.016	0.839	9.89
L2 3+00E		2.80	6.78	0.015	0.020	0.042	0.026	0.07	3.25	9.5	0.40	767	0.52	0.012	0.831	8.51
L2 3+50E		2.50	6.03	0.027	0.044	0.032	0.017	0.04	3.88	9.5	0.35	394	0.89	0.016	0.921	8.63
L2 4+00E		2.60	7.20	0.034	0.132	0.033	0.013	0.04	3.61	10.0	0.49	511	0.70	0.016	1.135	8.95
L2 4+50E		2.98	7.70	0.044	0.116	0.027	0.022	0.07	4.44	12.9	0.62	354	0.58	0.016	0.917	13.50
L2 5+00E		2.53	6.10	0.035	0.029	0.027	0.011	0.06	2.52	12.9	0.58	266	0.43	0.016	0.680	18.45
L2 5+50E		2.61	6.27	0.048	0.049	0.091	0.020	0.06	6.85	33.7	0.69	478	1.02	0.025	0.547	24.0
L3 0+00E		2.94	6.79	0.033	0.056	0.026	0.030	0.07	3.12	11.3	0.56	348	0.62	0.015	0.917	13.40
L3 0+50E		2.95	6.83	0.033	0.085	0.021	0.024	0.06	3.69	10.7	0.56	239	0.72	0.014	0.793	13.60
L3 1+00E		3.05	7.43	0.038	0.146	0.035	0.024	0.06	4.52	9.8	0.57	556	1.35	0.015	0.942	11.50
L3 1+50E		2.73	6.31	0.033	0.106	0.024	<0.005	0.06	3.54	10.5	0.49	366	0.61	0.013	1.030	10.30
L3 2+00E		2.72	7.36	0.032	0.109	0.032	0.022	0.05	2.88	12.2	0.57	267	0.61	0.014	1.015	9.42
L3 2+50E		2.68	6.65	0.022	0.025	0.030	0.017	0.08	2.51	12.9	0.74	398	0.71	0.014	0.847	9.84
L3 3+00E		2.87	6.88	0.026	0.085	0.015	0.033	0.07	4.28	13.6	0.63	328	0.80	0.015	0.735	10.90
L3 3+50E		3.25	7.77	0.033	0.183	0.028	0.038	0.07	4.33	22.9	0.78	339	0.54	0.022	1.050	16.15
L3 4+00E		3.00	7.90	0.029	0.058	0.021	0.010	0.07	4.21	18.6	0.63	364	0.60	0.016	0.857	11.95
L3 4+50E		2.68	7.79	0.022	0.058	0.028	0.022	0.05	2.62	9.4	0.36	330	0.56	0.014	1.055	5.86
L3 5+00E		2.37	6.23	0.017	0.054	0.026	0.032	0.06	3.19	9.5	0.46	323	0.50	0.014	0.834	8.81
L3 5+50E		2.47	6.45	0.021	0.080	0.033	0.013	0.05	2.64	11.9	0.49	231	0.47	0.014	0.928	9.72
L4 0+00E		2.51	6.54	0.031	0.051	0.028	0.028	0.06	3.46	11.3	0.40	379	0.64	0.018	1.000	12.80
L4 0+50E		2.85	6.65	0.029	0.059	0.021	0.042	0.06	3.68	9.6	0.43	297	0.58	0.016	0.947	11.65
L4 1+00E		2.86	6.01	0.029	0.098	0.017	0.018	0.05	3.92	8.8	0.55	249	0.41	0.013	0.634	11.85
L4 1+50E		2.64	6.80	0.023	0.064	0.039	0.023	0.06	5.22	10.5	0.37	201	0.68	0.017	0.978	10.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
L1 0+00E		0.033	6.31	<0.001	<0.002	10.80	0.001	0.02	0.200	5.63	0.8	0.60	37.8	0.007	0.02	0.990
L1 0+50E		0.057	5.61	<0.001	<0.002	10.90	<0.001	0.01	0.199	4.20	0.1	0.53	35.7	0.006	0.05	0.912
L1 1+00E		0.024	7.69	0.002	<0.002	12.20	<0.001	0.01	0.175	3.93	0.4	0.49	28.7	0.007	0.04	1.040
L1 1+50E		0.066	6.06	<0.001	<0.002	12.05	<0.001	0.01	0.177	3.80	0.4	0.45	27.1	0.006	0.02	0.873
L1 2+00E		0.114	7.12	<0.001	<0.002	15.50	<0.001	0.01	0.180	3.75	0.2	0.52	25.4	0.011	0.02	0.927
L1 2+50E		0.060	5.82	0.002	<0.002	13.25	<0.001	0.01	0.085	2.86	0.4	0.36	41.0	0.005	0.02	0.518
L1 3+00E		0.124	11.40	0.001	<0.002	14.10	<0.001	0.02	0.179	2.11	0.1	0.48	23.8	0.011	0.04	0.703
L1 3+50E		0.100	9.71	<0.001	<0.002	15.70	<0.001	0.02	0.203	2.84	0.3	0.53	22.5	0.010	0.05	0.815
L1 4+00E		0.099	11.05	0.002	<0.002	16.80	0.001	0.01	0.242	2.76	0.2	0.47	21.4	0.007	0.01	0.700
L1 4+50E		0.090	9.90	<0.001	<0.002	9.19	<0.001	0.01	0.259	2.23	0.2	0.52	16.35	0.012	0.02	0.751
L1 5+00E		0.096	8.98	<0.001	0.003	8.35	<0.001	0.01	0.164	2.25	<0.1	0.37	18.05	0.006	0.03	0.653
L1 5+50E		0.100	5.74	0.001	<0.002	9.68	<0.001	0.01	0.158	2.72	0.1	0.41	22.4	0.006	0.03	0.766
L2 0+00E		0.038	4.16	0.001	<0.002	10.40	0.001	<0.01	0.197	4.14	0.4	0.43	22.0	<0.005	0.01	0.617
L2 0+50E		0.045	4.50	0.003	<0.002	11.35	<0.001	0.01	0.223	3.84	0.3	0.46	27.5	<0.005	0.02	0.896
L2 1+00E		0.077	4.76	<0.001	<0.002	12.25	<0.001	0.01	0.218	3.34	0.2	0.45	23.1	<0.005	<0.01	0.693
L2 1+50E		0.081	4.90	0.002	<0.002	13.10	<0.001	0.01	0.180	3.47	0.3	0.45	28.4	<0.005	0.04	1.020
L2 2+00E		0.110	5.47	0.002	0.002	11.80	<0.001	<0.01	0.213	3.89	0.3	0.43	26.4	<0.005	0.01	1.055
L2 2+50E		0.113	7.66	0.002	0.002	14.35	<0.001	0.03	0.256	3.25	0.6	0.45	23.6	<0.005	0.13	0.706
L2 3+00E		0.089	6.13	0.001	<0.002	15.80	0.001	<0.01	0.250	2.55	0.4	0.43	18.70	<0.005	0.01	0.530
L2 3+50E		0.062	8.35	0.002	<0.002	9.79	<0.001	0.01	0.256	2.70	0.3	0.44	21.0	<0.005	0.08	0.565
L2 4+00E		0.115	10.35	0.001	<0.002	9.24	<0.001	0.01	0.205	2.71	0.2	0.43	14.70	0.013	0.04	0.814
L2 4+50E		0.077	6.33	0.001	<0.002	14.05	<0.001	0.01	0.185	3.41	0.3	0.49	19.40	<0.005	0.04	0.875
L2 5+00E		0.093	4.57	0.001	<0.002	11.85	<0.001	0.01	0.135	2.41	0.2	0.33	19.00	<0.005	0.03	0.404
L2 5+50E		0.067	5.35	0.007	0.002	9.51	0.003	0.04	0.219	2.30	1.0	0.31	35.4	<0.005	0.03	0.144
L3 0+00E		0.054	4.96	0.001	0.002	15.20	<0.001	<0.01	0.259	3.41	0.2	0.43	23.4	<0.005	<0.01	0.611
L3 0+50E		0.068	4.24	0.002	0.002	12.15	<0.001	<0.01	0.184	3.63	0.2	0.37	22.8	<0.005	<0.01	0.739
L3 1+00E		0.093	5.25	0.003	<0.002	10.85	<0.001	<0.01	0.217	3.83	0.5	0.45	20.3	0.005	0.04	1.050
L3 1+50E		0.101	5.46	0.002	<0.002	12.90	<0.001	<0.01	0.207	2.94	0.2	0.41	19.65	0.005	0.02	0.817
L3 2+00E		0.088	5.47	0.001	<0.002	11.45	<0.001	<0.01	0.167	2.47	0.3	0.47	17.85	<0.005	0.01	0.825
L3 2+50E		0.055	7.87	0.002	<0.002	19.25	<0.001	<0.01	0.148	2.07	0.2	0.38	21.7	<0.005	0.01	0.458
L3 3+00E		0.039	11.95	0.001	0.003	16.05	<0.001	<0.01	0.305	3.53	0.3	0.45	20.0	<0.005	0.02	0.796
L3 3+50E		0.033	9.87	0.002	0.002	13.50	<0.001	<0.01	0.242	4.65	0.4	0.53	29.9	<0.005	0.04	1.190
L3 4+00E		0.074	6.72	0.003	0.003	15.40	<0.001	<0.01	0.182	3.37	0.4	0.45	24.2	<0.005	0.02	0.766
L3 4+50E		0.101	10.20	0.002	<0.002	13.45	<0.001	<0.01	0.185	2.03	0.1	0.56	12.50	0.009	0.02	0.746
L3 5+00E		0.089	6.42	0.001	<0.002	14.35	<0.001	<0.01	0.182	2.22	0.1	0.37	18.65	0.005	0.02	0.682
L3 5+50E		0.089	6.72	0.002	0.002	10.85	<0.001	<0.01	0.177	2.10	0.2	0.40	18.20	<0.005	0.01	0.588
L4 0+00E		0.087	4.71	0.002	0.002	10.10	<0.001	0.01	0.153	3.11	0.3	0.43	27.7	<0.005	0.01	0.607
L4 0+50E		0.084	5.01	0.002	0.011	12.00	<0.001	<0.01	0.217	3.09	0.3	0.46	20.4	<0.005	0.04	0.695
L4 1+00E		0.055	10.05	0.002	0.003	15.55	<0.001	<0.01	0.377	3.89	0.4	0.32	26.3	<0.005	<0.01	0.814
L4 1+50E		0.056	8.71	0.001	<0.002	12.55	<0.001	<0.01	0.263	3.51	0.5	0.41	22.1	<0.005	<0.01	0.769

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
L1 0+00E		0.109	0.049	0.815	84.9	0.075	13.10	39.4	5.35
L1 0+50E		0.113	0.044	0.475	87.2	0.073	5.38	39.7	6.37
L1 1+00E		0.121	0.056	0.559	78.4	0.076	5.85	49.5	6.79
L1 1+50E		0.106	0.048	0.435	76.8	0.092	8.50	59.2	4.82
L1 2+00E		0.136	0.070	0.468	94.8	0.103	4.89	69.7	4.60
L1 2+50E		0.181	0.056	0.444	95.3	0.090	5.16	88.6	1.87
L1 3+00E		0.157	0.081	0.309	85.5	0.107	2.40	112.5	3.39
L1 3+50E		0.129	0.070	0.413	83.7	0.108	4.14	102.5	3.38
L1 4+00E		0.098	0.056	0.270	85.9	0.109	2.82	93.3	2.33
L1 4+50E		0.114	0.081	0.272	82.1	0.111	2.01	105.0	3.15
L1 5+00E		0.124	0.043	0.273	66.3	0.096	2.17	109.0	4.26
L1 5+50E		0.129	0.040	0.276	77.5	0.105	2.69	82.2	5.60
L2 0+00E		0.125	0.039	0.296	92.3	0.093	3.34	51.3	3.25
L2 0+50E		0.118	0.046	0.527	82.1	0.096	7.75	47.1	4.60
L2 1+00E		0.108	0.040	0.309	77.7	0.102	3.65	45.2	3.14
L2 1+50E		0.142	0.059	0.368	94.9	0.130	4.09	58.5	5.22
L2 2+00E		0.147	0.080	0.380	91.8	0.144	3.67	59.8	6.90
L2 2+50E		0.112	0.208	0.305	88.6	0.107	2.70	93.2	2.38
L2 3+00E		0.083	0.063	0.268	81.1	0.133	2.16	72.4	1.19
L2 3+50E		0.074	0.055	0.288	80.4	0.109	2.91	65.2	1.93
L2 4+00E		0.110	0.077	0.338	76.8	0.120	2.75	96.9	5.38
L2 4+50E		0.125	0.067	0.358	93.4	0.103	4.67	75.9	5.40
L2 5+00E		0.109	0.039	0.213	72.8	0.076	2.20	86.8	1.10
L2 5+50E		0.090	0.114	1.660	65.2	0.083	10.00	101.5	1.42
L3 0+00E		0.122	0.050	0.257	92.0	0.104	2.76	56.2	2.14
L3 0+50E		0.122	0.049	0.293	92.5	0.104	3.60	42.1	3.37
L3 1+00E		0.122	0.074	0.379	88.1	0.116	3.89	62.1	7.27
L3 1+50E		0.114	0.049	0.312	82.7	0.124	2.87	65.7	4.35
L3 2+00E		0.132	0.051	0.279	83.3	0.137	2.34	58.4	4.82
L3 2+50E		0.129	0.048	0.201	82.4	0.106	1.920	64.4	1.12
L3 3+00E		0.106	0.069	0.315	90.9	0.114	3.05	143.0	3.24
L3 3+50E		0.129	0.069	0.390	88.5	0.076	4.16	116.5	7.24
L3 4+00E		0.112	0.052	0.276	92.1	0.187	4.07	76.5	2.52
L3 4+50E		0.110	0.048	0.251	76.3	0.145	1.915	75.0	2.82
L3 5+00E		0.111	0.052	0.261	71.6	0.129	2.31	69.5	2.56
L3 5+50E		0.126	0.043	0.219	73.4	0.184	2.08	73.5	2.95
L4 0+00E		0.106	0.040	0.373	74.3	0.090	3.36	49.0	2.39
L4 0+50E		0.106	0.038	0.302	80.8	0.121	3.50	54.6	2.78
L4 1+00E		0.101	0.056	0.307	94.3	0.088	3.66	49.4	4.75
L4 1+50E		0.099	0.057	0.358	80.3	0.105	5.79	78.4	3.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005	ME- MS41L Cu ppm 0.01
L4 2+00E		0.0020	0.129	2.19	1.14	<10	254	0.28	0.039	0.23	0.042	4.82	12.05	23.1	3.06	107.0
L4 2+50E		0.0015	0.170	2.12	2.58	<10	98.5	0.32	0.067	0.26	0.074	7.64	13.05	20.6	2.10	160.5
L4 3+00E		0.0017	0.092	1.96	2.66	<10	66.2	0.30	0.074	0.18	0.051	7.08	11.35	13.45	3.17	137.0
L4 3+50E		0.0029	0.273	2.26	1.89	<10	89.6	0.35	0.092	0.44	0.205	12.90	11.80	14.35	6.42	373
L4 4+00E		0.0023	0.266	1.79	2.04	<10	43.1	0.31	0.147	0.14	0.130	5.31	8.08	9.59	1.885	173.5
L4 4+50E		0.0013	0.104	2.09	2.04	<10	57.5	0.31	0.104	0.25	0.123	5.65	15.45	10.25	1.780	249
L4 5+00E		0.0021	0.304	2.08	2.42	<10	92.2	0.39	0.090	0.39	0.188	11.00	12.25	16.70	3.25	541
L4 5+50E		0.0025	0.375	1.70	1.76	<10	57.9	0.24	0.094	0.20	0.061	4.52	9.38	14.35	1.715	120.5
L5 0+00E		0.0037	0.181	1.99	1.92	<10	125.0	0.27	0.073	0.31	0.066	5.01	9.39	21.4	4.86	189.0
L5 0+50E		0.0017	0.112	1.86	2.62	<10	77.8	0.33	0.075	0.24	0.098	7.89	11.95	40.7	3.96	221
L5 1+00E		0.0014	0.263	2.03	3.77	<10	69.0	0.40	0.068	0.25	0.094	10.00	12.85	25.8	4.68	297
L5 1+50E		0.0004	0.392	1.86	3.83	<10	76.7	0.32	0.083	0.17	0.104	8.48	10.90	15.30	3.46	204
L5 2+00E		0.0237	0.698	2.06	2.12	<10	77.1	0.29	0.095	0.25	0.096	4.79	16.95	18.90	3.15	804
L5 2+50E		0.0030	0.204	2.24	2.59	<10	70.7	0.35	0.060	0.23	0.060	6.32	11.65	15.65	2.56	198.5
L5 3+00E		0.0027	0.184	1.71	3.09	<10	59.1	0.32	0.076	0.18	0.136	5.43	9.81	16.45	4.32	66.0
L5 3+50E		0.0009	0.219	2.06	2.03	<10	58.6	0.35	0.073	0.14	0.075	5.68	10.75	14.05	2.96	199.0
L5 4+00E		0.0026	0.501	1.94	3.69	<10	74.9	0.32	0.109	0.19	0.145	7.05	12.75	13.20	2.70	210
L5 4+50E		0.0031	0.273	2.05	2.97	<10	80.6	0.37	0.087	0.19	0.075	6.15	15.25	13.00	2.65	135.0
L5 5+00E		0.0009	0.280	2.22	2.08	<10	101.5	0.42	0.095	0.26	0.145	9.00	14.40	11.25	4.28	346
L5 5+50E		0.0037	0.266	1.86	3.53	<10	96.4	0.31	0.092	0.35	0.072	9.17	12.30	19.60	4.27	94.4
L6 0+00E		0.0024	0.413	2.06	3.71	<10	138.5	0.49	0.088	0.67	0.148	17.00	11.80	23.9	7.73	678
L6 0+50E		0.0006	0.496	1.51	12.15	<10	109.5	0.31	0.074	0.41	0.177	11.70	7.36	14.45	5.75	158.5
L6 1+00E		0.0013	0.367	1.73	4.38	<10	82.3	0.30	0.071	0.24	0.203	8.33	12.05	14.85	5.77	187.0
L6 1+50E		0.0010	0.301	1.80	2.75	<10	61.1	0.37	0.090	0.16	0.135	6.31	12.25	15.65	2.52	172.0
L6 2+00E		0.0007	0.211	2.40	1.96	<10	55.0	0.44	0.099	0.21	0.155	6.18	16.65	10.20	2.16	161.5
L6 2+50E		0.0017	0.188	2.01	2.62	<10	77.0	0.37	0.073	0.27	0.073	8.40	13.70	18.95	1.880	209
L6 3+00E		0.0023	0.386	2.05	5.37	<10	133.5	0.44	0.080	0.41	0.335	17.65	12.35	21.9	8.75	256
L6 3+50E		0.0036	0.189	2.26	6.80	<10	105.0	0.45	0.072	0.27	0.155	10.70	18.70	13.95	8.16	516
L6 4+00E		0.0029	0.125	2.27	4.36	<10	72.7	0.42	0.084	0.21	0.091	10.95	15.25	18.05	3.27	256
L6 4+50E		0.0054	0.045	2.36	4.62	<10	94.7	0.48	0.058	0.38	0.085	23.0	15.95	26.8	3.43	302
L6 5+00E		0.0022	0.136	2.05	2.52	<10	48.1	0.43	0.087	0.18	0.074	7.80	10.00	12.20	2.22	132.0
L6 5+50E		0.0025	0.345	1.44	3.30	<10	73.4	0.27	0.070	0.95	0.378	12.50	7.88	12.00	3.30	259
L7 0+00E		0.0016	0.433	1.48	2.25	<10	106.5	0.35	0.067	0.92	0.151	11.95	5.51	15.85	3.61	209
L7 0+50E		0.0011	0.146	1.76	2.27	<10	55.4	0.33	0.076	0.20	0.066	6.27	10.15	20.7	2.05	116.5
L7 1+00E		<0.0002	0.116	1.92	3.22	<10	47.9	0.39	0.077	0.19	0.048	7.26	8.68	21.4	1.815	53.5
L7 1+50E		0.0015	0.193	1.51	2.14	<10	78.0	0.29	0.083	0.31	0.076	9.06	7.73	19.30	1.540	48.6
L7 2+00E		0.0008	0.119	1.69	3.18	<10	65.8	0.33	0.067	0.22	0.059	8.51	8.42	28.2	2.40	46.7
L7 2+50E		0.0010	0.241	1.87	9.41	<10	116.0	0.32	0.077	0.36	0.243	8.55	9.84	16.45	8.40	212
L7 3+00E		0.0046	0.376	1.91	3.53	<10	119.5	0.37	0.076	0.47	0.148	11.20	10.85	20.4	6.10	142.5
L7 3+50E		0.0033	0.139	1.70	3.02	<10	64.1	0.31	0.080	0.21	0.157	6.61	9.79	13.65	7.21	68.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L4 2+00E		2.99	7.87	0.023	0.016	0.022	0.020	0.14	2.18	9.5	0.94	218	0.35	0.011	0.414	13.70
L4 2+50E		2.94	6.83	0.034	0.166	0.019	0.040	0.10	3.42	6.9	0.52	555	0.58	0.036	0.859	11.30
L4 3+00E		2.76	7.65	0.032	0.086	0.029	0.022	0.07	3.35	10.3	0.55	229	0.96	0.013	1.030	8.43
L4 3+50E		2.75	6.89	0.027	0.078	0.019	0.012	0.05	4.73	19.7	0.59	361	0.73	0.023	0.956	10.85
L4 4+00E		2.21	7.22	0.020	0.069	0.049	0.017	0.03	2.46	9.5	0.25	111.5	1.66	0.017	1.260	6.23
L4 4+50E		2.85	7.67	0.046	0.083	0.023	0.029	0.08	2.59	12.4	0.76	201	1.03	0.012	1.315	9.04
L4 5+00E		2.66	7.01	0.043	0.038	0.038	0.030	0.06	5.45	18.2	0.56	586	1.58	0.017	0.839	13.05
L4 5+50E		2.15	6.46	0.027	0.092	0.035	0.022	0.05	2.18	11.8	0.38	224	0.55	0.018	1.075	7.21
L5 0+00E		2.43	7.01	0.033	0.058	0.007	0.019	0.04	2.13	14.8	0.54	172.5	0.25	0.015	0.747	12.55
L5 0+50E		2.74	7.10	0.045	0.088	0.021	0.008	0.05	3.44	10.4	0.57	241	0.41	0.011	0.906	15.05
L5 1+00E		2.98	7.04	0.045	0.133	0.020	0.017	0.04	4.46	10.3	0.57	319	0.70	0.013	0.928	11.50
L5 1+50E		2.49	6.59	0.034	0.076	0.027	0.026	0.04	3.65	9.6	0.32	352	0.74	0.009	0.948	8.35
L5 2+00E		3.18	7.82	0.071	0.056	0.041	0.034	0.11	2.22	14.6	0.88	252	0.69	0.013	0.772	21.7
L5 2+50E		3.08	9.18	0.046	0.128	0.033	0.010	0.09	2.99	16.3	0.81	271	0.80	0.011	0.857	9.40
L5 3+00E		2.40	6.97	0.040	0.050	0.117	0.005	0.06	2.49	11.9	0.36	246	0.60	0.012	1.000	9.87
L5 3+50E		2.57	9.10	0.051	0.105	0.036	0.016	0.07	2.65	16.2	0.66	339	0.60	0.017	0.961	8.76
L5 4+00E		2.69	7.66	0.047	0.075	0.011	0.018	0.07	3.19	14.1	0.52	649	0.56	0.015	0.904	8.59
L5 4+50E		2.85	7.66	0.039	0.064	0.021	0.023	0.09	2.80	16.8	0.71	267	0.84	0.013	0.795	11.05
L5 5+00E		2.97	7.47	0.052	0.085	0.019	0.017	0.07	4.09	28.7	0.70	360	0.77	0.017	0.753	11.40
L5 5+50E		2.68	6.75	0.042	0.089	0.042	0.027	0.05	3.76	22.5	0.60	283	0.70	0.016	0.994	9.74
L6 0+00E		3.08	6.75	0.058	0.097	0.024	0.016	0.05	8.76	18.5	0.48	579	0.61	0.017	0.974	14.20
L6 0+50E		1.940	5.42	0.035	0.088	0.036	<0.005	0.06	4.80	9.5	0.21	115.0	0.43	0.018	0.879	7.69
L6 1+00E		2.58	6.79	0.030	0.045	0.033	0.018	0.04	3.05	16.6	0.38	437	0.75	0.017	0.747	9.19
L6 1+50E		2.57	7.68	0.036	0.077	0.028	0.024	0.05	2.80	13.0	0.47	272	1.10	0.011	1.030	8.26
L6 2+00E		3.44	8.51	0.051	0.118	0.023	0.013	0.08	2.78	19.7	0.88	366	0.79	0.015	1.150	9.52
L6 2+50E		2.93	7.24	0.047	0.086	0.033	0.021	0.05	3.77	12.9	0.68	807	0.57	0.012	1.005	10.10
L6 3+00E		2.85	6.76	0.059	0.099	0.029	0.013	0.09	7.07	23.8	0.56	383	0.56	0.015	1.010	13.65
L6 3+50E		3.49	8.27	0.058	0.070	0.024	0.024	0.12	4.78	16.3	0.77	515	0.98	0.012	0.669	9.81
L6 4+00E		3.00	7.86	0.048	0.106	0.026	0.011	0.05	4.97	14.0	0.64	381	1.02	0.012	0.996	10.40
L6 4+50E		3.81	7.80	0.081	0.126	0.015	0.019	0.10	11.20	12.4	1.19	430	1.11	0.010	0.501	12.70
L6 5+00E		2.69	7.90	0.046	0.196	0.039	0.018	0.04	3.68	12.4	0.48	206	0.96	0.011	1.195	6.89
L6 5+50E		1.940	4.61	0.050	0.069	0.078	0.008	0.04	5.33	16.1	0.25	706	3.01	0.033	0.473	10.45
L7 0+00E		1.750	4.82	0.053	0.065	0.081	0.013	0.03	7.05	13.6	0.28	276	0.48	0.026	0.545	8.19
L7 0+50E		2.48	6.94	0.043	0.154	0.027	0.017	0.05	2.78	10.5	0.37	241	0.86	0.013	0.988	9.81
L7 1+00E		2.45	6.73	0.039	0.138	0.034	0.021	0.04	3.24	10.6	0.35	259	0.59	0.012	1.130	10.95
L7 1+50E		2.28	6.07	0.037	0.058	0.021	0.019	0.04	4.21	9.2	0.29	187.5	0.54	0.012	0.879	8.82
L7 2+00E		2.46	5.81	0.036	0.100	0.018	0.016	0.04	3.68	8.5	0.33	186.0	0.60	0.013	0.881	13.45
L7 2+50E		2.64	7.11	0.046	0.043	0.040	0.025	0.09	3.88	16.2	0.43	345	0.73	0.013	0.904	11.35
L7 3+00E		2.71	7.14	0.053	0.057	0.025	0.013	0.08	4.87	16.0	0.51	318	0.48	0.017	0.911	11.20
L7 3+50E		2.36	6.53	0.036	0.079	0.038	0.015	0.07	3.05	10.8	0.33	343	1.32	0.014	0.998	9.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01	ME- MS41L Th ppm 0.002
L4 2+00E		0.060	2.63	0.003	0.003	19.70	<0.001	<0.01	0.096	4.10	0.3	0.35	15.80	<0.005	0.01	0.338
L4 2+50E		0.099	7.51	0.003	0.002	15.60	<0.001	<0.01	0.203	2.91	0.3	0.48	20.6	<0.005	0.04	0.813
L4 3+00E		0.059	5.07	<0.001	0.002	12.80	<0.001	<0.01	0.226	2.81	0.4	0.44	13.45	<0.005	0.01	0.671
L4 3+50E		0.036	5.61	0.002	<0.002	10.45	0.001	<0.01	0.127	2.84	0.4	0.46	21.8	<0.005	0.03	0.821
L4 4+00E		0.064	6.90	0.001	<0.002	7.16	<0.001	0.01	0.120	1.565	0.4	0.49	11.55	0.012	0.03	0.580
L4 4+50E		0.055	4.63	0.003	0.002	13.05	<0.001	<0.01	0.136	2.09	0.4	0.49	19.15	0.006	0.04	0.665
L4 5+00E		0.042	8.74	0.001	0.002	14.30	<0.001	<0.01	0.226	2.86	0.5	0.50	25.1	<0.005	<0.01	0.603
L4 5+50E		0.106	5.29	0.002	<0.002	7.87	<0.001	<0.01	0.118	1.680	0.1	0.43	14.25	0.007	0.02	0.561
L5 0+00E		0.049	4.18	0.003	<0.002	9.24	<0.001	0.01	0.144	3.00	0.4	0.39	19.45	0.006	0.01	0.473
L5 0+50E		0.071	8.41	0.002	0.002	9.69	<0.001	0.01	0.180	2.92	0.3	0.42	18.25	0.008	0.04	0.719
L5 1+00E		0.102	10.15	0.003	0.002	10.90	<0.001	0.01	0.233	3.65	0.4	0.39	19.75	0.010	0.05	1.045
L5 1+50E		0.088	9.31	0.002	0.004	11.15	<0.001	0.01	0.203	2.47	0.6	0.40	13.50	0.013	0.04	0.784
L5 2+00E		0.135	3.47	0.002	0.002	7.18	<0.001	0.02	0.059	2.49	5.8	0.40	15.30	0.008	0.44	0.534
L5 2+50E		0.079	5.13	<0.001	<0.002	14.40	<0.001	0.01	0.129	3.89	0.4	0.44	14.75	0.006	0.02	0.727
L5 3+00E		0.084	4.90	0.001	0.002	9.32	<0.001	0.01	0.171	2.26	0.3	0.51	17.55	0.012	0.02	0.530
L5 3+50E		0.083	5.41	0.002	0.002	11.30	<0.001	0.01	0.085	3.34	0.3	0.42	13.60	0.014	0.01	0.657
L5 4+00E		0.100	11.75	<0.001	0.002	16.55	<0.001	0.01	0.373	2.63	0.4	0.48	16.50	0.009	0.02	0.590
L5 4+50E		0.070	8.35	0.001	0.003	15.10	<0.001	0.01	0.209	2.61	0.5	0.37	18.35	0.006	0.03	0.681
L5 5+00E		0.057	8.80	0.001	<0.002	12.75	0.001	0.01	0.177	2.79	0.3	0.40	20.0	0.005	0.02	0.785
L5 5+50E		0.054	8.28	0.002	<0.002	8.39	<0.001	0.01	0.249	2.94	0.5	0.41	24.4	0.006	0.05	0.723
L6 0+00E		0.033	12.55	0.002	0.004	15.15	0.001	0.01	0.364	5.51	1.2	0.44	32.8	0.005	0.01	0.838
L6 0+50E		0.031	11.45	0.003	<0.002	6.99	<0.001	0.01	0.587	2.95	1.2	0.39	20.5	0.007	0.02	0.709
L6 1+00E		0.068	7.92	<0.001	0.003	9.57	<0.001	0.01	0.172	2.92	0.5	0.45	15.05	0.006	<0.01	0.675
L6 1+50E		0.089	6.50	0.002	<0.002	10.60	<0.001	0.01	0.197	2.53	0.4	0.45	11.75	0.010	0.03	0.711
L6 2+00E		0.102	3.48	<0.001	0.002	10.60	<0.001	0.01	0.086	2.83	0.4	0.45	19.15	0.009	0.03	0.726
L6 2+50E		0.118	4.50	0.001	0.002	9.32	<0.001	0.01	0.142	2.61	0.3	0.33	21.9	0.007	0.08	0.810
L6 3+00E		0.052	18.65	0.002	<0.002	14.30	<0.001	0.01	0.579	4.14	0.6	0.45	25.7	0.005	0.02	0.989
L6 3+50E		0.082	18.80	<0.001	0.002	15.15	<0.001	0.01	0.822	3.98	0.8	0.43	20.6	0.005	0.06	1.035
L6 4+00E		0.092	14.55	0.001	0.003	9.82	<0.001	0.01	0.486	3.54	0.5	0.47	20.8	0.009	0.03	1.015
L6 4+50E		0.099	8.49	0.003	0.002	10.75	<0.001	0.01	0.559	5.38	0.6	0.34	34.1	0.005	0.07	1.425
L6 5+00E		0.105	6.21	0.001	0.002	7.71	<0.001	0.01	0.238	2.12	0.5	0.48	18.05	0.013	0.03	1.125
L6 5+50E		0.089	5.72	0.008	0.004	4.88	0.003	0.05	0.222	1.870	1.7	0.37	40.5	0.013	0.01	0.159
L7 0+00E		0.057	4.37	0.005	<0.002	4.80	0.003	0.04	0.257	1.830	1.2	0.32	37.5	0.008	0.02	0.215
L7 0+50E		0.075	4.41	0.002	0.003	9.51	<0.001	0.01	0.142	2.25	0.3	0.47	19.00	0.010	0.02	0.853
L7 1+00E		0.090	4.30	<0.001	0.002	6.23	<0.001	0.01	0.176	2.63	0.3	0.45	17.10	0.017	0.06	0.905
L7 1+50E		0.089	3.87	<0.001	0.002	8.34	<0.001	0.01	0.176	2.30	0.6	0.35	20.9	0.011	0.05	0.671
L7 2+00E		0.088	5.42	0.003	<0.002	7.48	<0.001	0.01	0.227	3.36	0.3	0.38	20.9	0.012	0.03	0.935
L7 2+50E		0.055	48.7	<0.001	<0.002	9.95	<0.001	0.02	0.956	2.99	0.6	0.49	19.40	0.006	0.01	0.609
L7 3+00E		0.079	8.85	0.001	<0.002	10.05	<0.001	0.01	0.409	3.29	0.7	0.39	25.9	0.006	0.03	0.754
L7 3+50E		0.096	5.99	0.001	0.002	7.91	<0.001	0.01	0.301	2.02	0.5	0.47	17.50	0.009	0.02	0.717

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
L4 2+00E		0.083	0.055	0.146	119.0	0.069	1.870	39.5	0.62
L4 2+50E		0.135	0.086	0.263	95.3	0.103	2.47	75.4	7.06
L4 3+00E		0.118	0.056	0.247	88.8	0.110	2.58	91.0	3.20
L4 3+50E		0.132	0.053	0.524	79.9	0.092	4.58	49.5	3.84
L4 4+00E		0.123	0.031	0.239	60.5	0.155	1.985	57.8	3.48
L4 4+50E		0.167	0.043	0.247	85.3	0.127	2.71	45.9	3.90
L4 5+00E		0.124	0.105	0.321	82.9	0.121	5.59	73.2	1.71
L4 5+50E		0.122	0.044	0.203	62.5	0.119	1.920	59.3	3.81
L5 0+00E		0.080	0.033	0.202	94.2	0.060	2.10	35.9	2.11
L5 0+50E		0.104	0.049	0.292	94.0	0.075	2.76	100.0	4.04
L5 1+00E		0.110	0.083	0.380	100.5	0.095	3.43	122.0	5.68
L5 1+50E		0.072	0.079	0.310	74.0	0.129	2.28	87.8	3.59
L5 2+00E		0.112	0.035	0.284	94.5	3.76	2.05	77.0	2.22
L5 2+50E		0.123	0.058	0.224	114.5	0.105	2.53	55.0	4.16
L5 3+00E		0.101	0.039	0.247	86.1	0.126	1.940	68.7	2.59
L5 3+50E		0.130	0.092	0.232	102.0	0.088	2.13	71.7	4.05
L5 4+00E		0.125	0.075	0.217	91.2	0.108	2.16	87.0	2.26
L5 4+50E		0.114	0.074	0.240	95.5	0.096	2.18	104.0	2.69
L5 5+00E		0.130	0.074	0.338	88.5	0.086	3.37	107.5	2.76
L5 5+50E		0.122	0.062	0.304	86.2	0.142	3.28	91.5	2.98
L6 0+00E		0.082	0.067	0.603	96.2	0.084	9.18	110.5	3.97
L6 0+50E		0.077	0.042	0.338	60.9	0.087	4.45	67.2	4.26
L6 1+00E		0.080	0.056	0.281	89.5	0.064	2.12	155.0	2.22
L6 1+50E		0.096	0.051	0.245	85.9	0.111	1.800	67.3	2.78
L6 2+00E		0.143	0.049	0.283	101.0	0.110	2.25	72.8	4.80
L6 2+50E		0.133	0.051	0.306	96.8	0.167	2.57	57.2	3.61
L6 3+00E		0.109	0.061	0.536	89.6	0.117	6.79	209	3.79
L6 3+50E		0.138	0.109	0.320	111.5	0.116	3.28	156.0	3.38
L6 4+00E		0.124	0.077	0.396	99.7	0.148	3.40	79.4	4.34
L6 4+50E		0.144	0.091	0.517	134.5	0.153	6.68	67.4	5.44
L6 5+00E		0.137	0.067	0.388	80.7	0.162	2.83	44.9	7.49
L6 5+50E		0.063	0.154	0.909	56.9	0.093	8.64	70.2	2.21
L7 0+00E		0.064	0.055	1.085	53.4	0.091	8.99	43.4	2.49
L7 0+50E		0.116	0.040	0.284	81.7	0.114	2.24	37.9	6.77
L7 1+00E		0.111	0.045	0.317	80.5	0.132	2.35	36.0	5.78
L7 1+50E		0.096	0.030	0.322	75.6	0.103	3.07	32.8	2.47
L7 2+00E		0.105	0.046	0.336	84.8	0.117	2.91	42.3	5.27
L7 2+50E		0.105	0.056	0.269	83.6	0.136	3.45	243	1.88
L7 3+00E		0.114	0.051	0.392	84.1	0.107	4.35	121.0	2.83
L7 3+50E		0.101	0.040	0.263	73.1	0.133	2.04	72.8	3.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L7 4+00E		0.0009	0.122	1.73	3.00	<10	69.0	0.31	0.085	0.24	0.082	7.38	10.30	16.90	3.03	61.7
L7 4+50E		0.0031	0.124	2.07	3.29	<10	84.6	0.38	0.089	0.26	0.099	11.15	12.90	21.7	3.20	293
L7 5+25E		0.0161	0.211	2.16	4.63	<10	64.8	0.38	0.117	0.23	0.101	6.81	18.20	17.25	3.88	188.5
L7 5+65E		0.0009	0.098	1.45	2.25	<10	89.9	0.24	0.058	0.27	0.048	9.14	5.62	15.50	1.320	39.0
L8 0+00E		0.0006	0.069	1.73	2.78	<10	71.6	0.34	0.075	0.27	0.065	7.41	7.83	23.1	1.210	32.1
L8 0+50E		0.0027	0.025	1.33	4.70	<10	95.1	0.29	0.050	0.56	0.043	14.60	9.56	36.2	1.235	62.5
L8 1+00E		0.0008	0.120	1.50	2.97	<10	53.4	0.28	0.074	0.23	0.050	5.37	6.08	21.5	1.160	27.0
L8 1+50E		0.0009	0.188	1.93	1.84	<10	72.6	0.32	0.091	0.25	0.053	9.29	6.80	16.70	2.70	57.5
L8 2+00E		0.0017	0.217	1.76	2.56	<10	46.6	0.27	0.073	0.24	0.093	7.38	9.76	17.85	2.33	44.7
L8 2+50E		0.0032	0.190	2.00	2.49	<10	97.0	0.32	0.109	0.22	0.154	10.25	7.52	14.90	4.53	103.5
L8 3+00E		0.0012	0.103	1.94	2.25	<10	60.4	0.31	0.097	0.19	0.041	7.51	7.67	12.00	3.44	68.3
L8 3+50E		0.0050	0.118	1.63	2.25	<10	34.7	0.23	0.080	0.16	0.047	5.43	5.62	12.85	3.91	29.1
L8 4+00E		0.0016	0.229	2.61	2.57	<10	143.5	0.45	0.136	0.59	0.223	14.65	9.02	22.1	5.16	227
L8 4+50E		0.0027	0.064	2.01	2.86	<10	42.6	0.35	0.080	0.19	0.072	7.64	8.99	17.95	2.03	55.4
L8 5+00E		0.0046	0.060	1.47	3.41	<10	89.7	0.29	0.063	0.44	0.058	12.20	9.55	26.4	1.215	63.4
L8 5+50E		0.0031	0.116	1.64	2.43	<10	85.4	0.31	0.075	0.30	0.050	7.79	7.94	22.0	1.050	34.0
L8 6+00E		0.0004	0.062	1.64	2.39	<10	120.5	0.32	0.069	0.39	0.023	9.18	7.13	21.7	0.948	45.4
L8 6+50E		0.0014	0.149	2.39	2.11	<10	189.0	0.37	0.099	0.44	0.038	10.70	6.36	18.70	1.090	57.8
L8 7+00E		0.0008	0.279	1.72	2.48	<10	71.5	0.31	0.092	0.27	0.056	7.70	8.06	19.05	1.270	91.7
L8 7+50E		0.0087	0.364	2.39	23.9	<10	63.4	0.54	0.132	0.27	0.628	11.05	11.15	19.20	3.29	424
L8 8+00E		0.0011	0.227	2.15	1.97	<10	126.5	0.40	0.095	0.51	0.071	11.35	7.25	19.35	2.02	225
L8 8+50E		0.0008	0.250	2.31	2.51	<10	125.0	0.37	0.096	0.44	0.049	6.70	8.64	21.5	1.680	98.5
L8 9+00E		0.0027	0.451	1.98	2.00	<10	72.6	0.34	0.088	0.29	0.075	7.20	9.43	27.6	2.40	146.5
L8 9+50E		0.0018	0.134	1.42	1.58	<10	69.0	0.24	0.085	0.40	0.056	6.53	9.26	22.0	1.730	130.0
L8 10+00E		0.0029	0.345	2.25	2.94	<10	85.2	0.47	0.100	0.30	0.097	9.44	13.45	33.6	2.96	163.0
L8 10+50E		0.0045	0.453	2.12	3.71	<10	80.3	0.48	0.142	0.27	0.061	7.89	16.85	29.5	3.45	182.0
L8 11+00E		0.0049	0.248	2.29	3.10	<10	74.7	0.43	0.128	0.22	0.045	7.29	16.00	33.7	2.62	198.0
L9 0+00E		0.0204	0.072	1.84	2.22	<10	84.1	0.35	0.092	0.32	0.043	7.37	7.39	19.50	1.135	30.1
L9 0+50E		0.0008	0.103	1.77	2.49	<10	67.2	0.27	0.087	0.26	0.029	5.76	6.88	18.35	0.968	29.9
L9 1+00E		0.0011	0.157	1.70	2.36	<10	120.0	0.22	0.076	0.63	0.072	14.85	9.38	20.9	0.789	42.2
L9 1+50E		0.0010	0.223	1.95	2.08	<10	137.5	0.45	0.084	0.48	0.060	16.95	8.18	18.50	1.005	153.5
L9 2+00E		0.0025	0.250	2.25	1.74	<10	124.5	0.38	0.089	0.62	0.186	13.30	9.26	25.3	2.59	630
L9 2+50E		0.0010	0.273	1.79	2.24	<10	79.5	0.34	0.096	0.39	0.095	8.30	11.80	18.85	3.88	227
L9 3+00E		0.0019	0.117	1.79	1.48	<10	107.5	0.31	0.079	0.46	0.041	11.10	8.97	23.8	4.53	322
L9 3+50E		0.0086	0.381	2.44	2.88	<10	119.5	0.45	0.111	0.37	0.068	9.77	9.99	18.60	6.00	675
L9 4+00E		0.0038	0.378	1.75	2.02	<10	109.0	0.28	0.104	0.41	0.084	5.11	8.35	19.05	5.72	196.5
L9 4+50E		0.0065	0.114	1.95	2.95	<10	129.5	0.33	0.072	0.59	0.074	10.60	10.70	26.4	3.69	184.5
L9 5+00E		0.0110	0.203	1.99	2.02	<10	185.0	0.39	0.142	0.39	0.053	8.86	10.50	31.9	6.76	79.6
L9 5+50E		0.0737	0.203	1.74	2.94	<10	75.6	0.35	0.126	0.27	0.088	7.47	10.05	26.0	3.41	69.9
L10 0+00E		0.0003	0.082	1.59	1.24	<10	117.5	0.28	0.077	0.42	0.030	9.42	7.16	18.85	1.035	27.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L7 4+00E		2.47	6.16	0.045	0.061	0.034	0.023	0.07	3.42	10.0	0.41	353	1.17	0.014	1.020	10.00
L7 4+50E		2.52	7.25	0.040	0.191	0.032	0.015	0.06	4.89	16.0	0.31	175.0	1.43	0.015	1.055	16.20
L7 5+25E		3.47	7.86	0.053	0.096	0.025	0.029	0.10	3.32	17.9	0.76	255	1.74	0.012	1.135	9.88
L7 5+65E		1.890	5.50	0.043	0.035	0.027	0.008	0.03	4.20	7.8	0.22	95.3	0.45	0.013	0.741	7.62
L8 0+00E		2.46	5.65	0.038	0.193	0.035	0.008	0.03	3.00	9.0	0.30	264	0.38	0.017	0.868	11.35
L8 0+50E		3.09	4.21	0.060	0.063	0.029	0.005	0.04	6.31	6.8	0.50	327	0.46	0.014	0.444	14.65
L8 1+00E		2.38	5.29	0.032	0.094	0.041	<0.005	0.03	2.48	6.9	0.25	147.0	0.39	0.014	0.953	7.95
L8 1+50E		2.10	6.18	0.039	0.100	0.037	0.005	0.02	2.87	17.3	0.28	172.0	0.96	0.022	1.140	9.51
L8 2+00E		2.55	6.38	0.035	0.123	0.040	<0.005	0.04	3.30	9.6	0.49	321	0.44	0.016	0.932	8.70
L8 2+50E		2.28	6.83	0.046	0.126	0.019	0.020	0.03	4.44	15.0	0.32	259	0.64	0.018	1.125	8.83
L8 3+00E		2.48	7.54	0.042	0.090	0.020	<0.005	0.04	3.51	8.5	0.34	292	0.61	0.018	1.200	6.56
L8 3+50E		2.01	6.32	0.030	0.135	0.044	<0.005	0.03	2.56	9.3	0.21	108.5	0.53	0.016	1.175	5.97
L8 4+00E		2.54	7.96	0.045	0.059	0.042	0.028	0.06	5.20	25.1	0.34	602	4.19	0.028	1.295	21.0
L8 4+50E		2.44	6.44	0.038	0.153	0.043	0.011	0.03	3.55	9.0	0.37	205	0.59	0.017	1.175	8.36
L8 5+00E		2.73	4.65	0.049	0.072	0.028	0.011	0.09	5.04	6.6	0.43	248	0.48	0.016	0.730	11.45
L8 5+50E		2.37	6.27	0.037	0.129	0.022	<0.005	0.06	3.78	9.6	0.37	194.5	0.59	0.018	1.015	9.97
L8 6+00E		2.35	5.30	0.048	0.122	0.012	0.012	0.05	4.56	11.0	0.39	193.5	0.57	0.023	0.685	11.35
L8 6+50E		2.29	6.97	0.052	0.163	0.022	0.021	0.06	4.45	16.3	0.31	206	1.07	0.037	1.185	12.40
L8 7+00E		2.29	6.16	0.043	0.081	0.034	<0.005	0.04	3.58	12.3	0.34	165.0	0.80	0.019	1.045	10.50
L8 7+50E		2.51	7.44	0.043	0.171	0.041	<0.005	0.05	5.02	18.9	0.38	263	1.57	0.021	1.355	17.40
L8 8+00E		2.26	6.36	0.057	0.074	0.028	0.016	0.06	6.67	25.9	0.38	310	1.04	0.030	0.987	13.80
L8 8+50E		2.50	6.94	0.037	0.079	0.033	0.006	0.07	3.24	19.3	0.42	209	0.65	0.022	0.984	14.85
L8 9+00E		2.51	6.90	0.034	0.158	0.017	0.012	0.06	3.19	16.4	0.40	166.5	1.07	0.017	1.075	14.40
L8 9+50E		2.21	5.14	0.037	0.030	0.023	0.005	0.06	3.17	13.0	0.47	249	0.67	0.020	0.677	12.75
L8 10+00E		2.89	6.93	0.043	0.117	0.034	0.023	0.09	3.93	13.4	0.52	364	1.17	0.018	1.020	18.90
L8 10+50E		3.04	7.14	0.041	0.071	0.023	0.021	0.08	3.59	13.1	0.44	258	1.26	0.017	0.940	19.15
L8 11+00E		3.04	7.17	0.042	0.188	0.031	0.020	0.05	3.13	13.0	0.48	445	2.73	0.019	1.025	20.7
L9 0+00E		2.40	6.66	0.030	0.118	0.028	<0.005	0.05	4.18	12.2	0.30	136.5	0.44	0.019	1.035	10.15
L9 0+50E		2.17	6.38	0.028	0.160	0.014	0.010	0.04	2.84	13.2	0.30	118.5	0.43	0.021	0.964	9.76
L9 1+00E		2.46	5.88	0.049	0.040	0.033	0.009	0.05	3.91	13.8	0.43	402	1.67	0.025	0.904	10.45
L9 1+50E		2.21	5.68	0.052	0.160	0.045	<0.005	0.06	7.49	18.1	0.44	500	1.83	0.034	1.075	13.00
L9 2+00E		2.56	6.44	0.054	0.128	0.026	0.005	0.06	6.90	28.5	0.54	312	1.47	0.026	1.115	25.4
L9 2+50E		2.28	6.24	0.046	0.032	0.037	0.006	0.05	4.13	17.1	0.38	346	1.12	0.024	0.890	13.60
L9 3+00E		2.58	5.68	0.044	0.078	0.013	0.014	0.04	5.20	18.9	0.49	265	0.88	0.026	0.835	15.15
L9 3+50E		2.62	7.93	0.041	0.113	0.040	0.016	0.05	4.24	19.9	0.36	199.5	1.82	0.022	1.160	21.4
L9 4+00E		2.15	6.11	0.028	0.027	0.037	0.011	0.05	2.22	15.9	0.29	157.5	0.96	0.018	0.771	15.50
L9 4+50E		2.74	5.92	0.036	0.068	0.030	0.005	0.08	4.32	22.6	0.63	313	0.70	0.027	0.879	16.45
L9 5+00E		2.56	5.93	0.042	0.075	0.017	0.011	0.05	4.24	16.2	0.44	209	0.45	0.021	0.866	17.30
L9 5+50E		2.39	5.67	0.032	0.045	0.043	<0.005	0.04	3.34	10.0	0.39	373	0.76	0.017	0.839	13.10
L10 0+00E		1.940	5.21	0.042	0.064	0.016	0.008	0.05	5.28	11.4	0.37	226	0.34	0.024	0.845	8.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01	ME- MS41L Th ppm 0.002
L7 4+00E		0.097	6.21	<0.001	0.004	9.78	<0.001	0.02	0.296	2.37	0.7	0.34	21.4	0.009	0.03	0.724
L7 4+50E		0.074	5.42	0.001	<0.002	9.24	<0.001	0.01	0.225	3.31	0.6	0.49	21.9	0.008	<0.01	1.035
L7 5+25E		0.080	6.37	0.001	0.002	10.80	<0.001	0.02	0.227	2.32	0.3	0.38	20.2	0.007	0.10	0.844
L7 5+65E		0.039	7.25	<0.001	<0.002	5.11	<0.001	0.01	0.150	2.58	0.4	0.32	23.8	0.006	0.01	0.385
L8 0+00E		0.127	3.77	0.002	<0.002	5.27	<0.001	<0.01	0.181	2.83	0.3	0.38	19.10	<0.005	0.02	0.887
L8 0+50E		0.107	3.07	0.004	<0.002	5.27	<0.001	<0.01	0.345	5.28	0.4	0.25	30.1	<0.005	0.06	0.798
L8 1+00E		0.163	3.72	0.002	<0.002	4.87	<0.001	0.01	0.161	2.08	0.2	0.38	16.25	0.009	0.05	0.651
L8 1+50E		0.033	4.33	0.001	<0.002	3.13	0.001	0.01	0.144	2.10	0.4	0.50	17.65	0.006	0.03	0.694
L8 2+00E		0.107	3.51	0.002	<0.002	6.63	<0.001	0.01	0.151	2.75	0.4	0.37	18.35	0.005	0.04	0.806
L8 2+50E		0.067	4.59	<0.001	<0.002	4.73	<0.001	0.01	0.236	2.80	0.4	0.40	19.15	<0.005	0.05	0.842
L8 3+00E		0.098	4.88	0.001	<0.002	7.13	<0.001	0.01	0.168	2.29	0.3	0.45	16.10	0.005	0.04	0.769
L8 3+50E		0.083	3.86	<0.001	<0.002	4.67	<0.001	0.01	0.144	1.840	0.3	0.47	13.20	0.010	0.04	0.794
L8 4+00E		0.037	6.47	0.003	<0.002	6.85	0.004	0.01	0.174	3.39	1.5	0.66	38.8	<0.005	0.06	0.512
L8 4+50E		0.119	4.21	0.001	<0.002	4.75	<0.001	0.01	0.156	2.43	0.3	0.35	15.30	0.014	0.04	0.924
L8 5+00E		0.111	5.63	0.002	<0.002	7.34	<0.001	0.01	0.279	3.51	0.4	0.25	28.7	<0.005	0.05	0.791
L8 5+50E		0.094	4.11	0.002	<0.002	5.41	<0.001	0.01	0.128	2.65	0.2	0.37	21.2	<0.005	0.06	0.879
L8 6+00E		0.039	4.20	0.002	<0.002	7.33	<0.001	<0.01	0.120	2.97	0.3	0.35	25.1	<0.005	0.03	0.864
L8 6+50E		0.029	5.62	<0.001	<0.002	7.53	0.002	0.01	0.098	2.64	0.6	0.59	24.5	<0.005	0.04	1.090
L8 7+00E		0.090	4.21	0.001	<0.002	7.56	<0.001	0.01	0.144	2.26	0.4	0.36	18.30	<0.005	0.04	0.760
L8 7+50E		0.115	62.0	<0.001	<0.002	7.94	0.001	0.01	0.156	2.85	0.5	0.58	17.60	0.011	0.06	1.150
L8 8+00E		0.027	5.16	<0.001	<0.002	10.55	0.001	0.01	0.141	2.94	0.7	0.41	25.1	<0.005	0.03	0.829
L8 8+50E		0.072	5.09	0.001	<0.002	12.20	0.001	0.01	0.140	2.67	0.3	0.47	23.4	<0.005	0.06	0.772
L8 9+00E		0.061	4.93	<0.001	<0.002	10.50	<0.001	<0.01	0.154	2.56	0.2	0.49	19.10	<0.005	0.03	0.847
L8 9+50E		0.034	4.31	0.001	<0.002	12.30	<0.001	0.01	0.173	2.55	0.3	0.32	25.6	<0.005	0.05	0.291
L8 10+00E		0.103	8.05	<0.001	<0.002	17.05	<0.001	0.01	0.224	3.82	0.2	0.51	22.4	<0.005	0.10	0.937
L8 10+50E		0.087	8.24	0.002	<0.002	14.70	<0.001	0.01	0.302	3.31	0.2	0.48	18.50	<0.005	0.10	0.751
L8 11+00E		0.092	5.40	<0.001	<0.002	9.70	<0.001	0.01	0.216	3.03	0.3	0.42	16.20	<0.005	0.08	0.921
L9 0+00E		0.109	5.16	0.002	<0.002	5.68	<0.001	0.01	0.101	2.06	0.3	0.42	19.70	<0.005	0.02	0.846
L9 0+50E		0.096	4.75	<0.001	<0.002	4.67	0.001	0.01	0.132	2.21	0.1	0.49	18.05	<0.005	0.05	0.892
L9 1+00E		0.034	3.71	0.002	<0.002	7.15	0.004	0.02	0.132	2.58	0.6	0.32	32.0	<0.005	0.03	0.438
L9 1+50E		0.033	4.50	0.002	<0.002	8.49	0.001	0.01	0.153	3.38	0.6	0.46	27.9	<0.005	0.03	1.100
L9 2+00E		0.028	4.63	0.001	<0.002	11.80	0.001	0.01	0.152	4.54	0.7	0.44	34.3	<0.005	0.03	0.967
L9 2+50E		0.066	6.70	0.002	<0.002	8.44	<0.001	0.01	0.153	2.18	0.4	0.40	24.4	<0.005	0.03	0.411
L9 3+00E		0.031	4.42	<0.001	<0.002	9.85	0.001	<0.01	0.155	2.98	0.4	0.40	29.2	<0.005	0.03	0.761
L9 3+50E		0.059	5.97	0.003	<0.002	9.16	0.001	0.01	0.178	3.45	0.4	0.49	21.0	<0.005	0.08	0.795
L9 4+00E		0.057	6.42	0.001	<0.002	7.86	<0.001	0.01	0.172	2.47	0.3	0.45	19.85	<0.005	0.06	0.328
L9 4+50E		0.033	5.51	0.003	<0.002	23.9	0.002	0.01	0.248	4.06	0.5	0.39	34.5	<0.005	0.05	0.788
L9 5+00E		0.046	4.94	0.002	<0.002	9.39	<0.001	0.01	0.201	3.48	0.2	0.40	24.2	<0.005	0.06	0.646
L9 5+50E		0.086	5.62	<0.001	<0.002	9.52	<0.001	0.02	0.226	2.73	0.3	0.35	19.95	<0.005	0.09	0.445
L10 0+00E		0.030	3.83	<0.001	<0.002	8.82	<0.001	<0.01	0.139	2.66	0.3	0.31	27.5	<0.005	0.03	0.612

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
L7 4+00E		0.114	0.051	0.288	79.7	0.153	2.59	42.5	3.12
L7 4+50E		0.118	0.049	0.415	78.6	0.137	4.96	41.4	8.68
L7 5+25E		0.145	0.065	0.291	104.5	0.178	2.43	88.1	4.58
L7 5+65E		0.085	0.046	0.286	61.4	0.105	3.25	30.2	1.22
L8 0+00E		0.110	0.036	0.308	78.6	0.103	2.77	45.5	8.04
L8 0+50E		0.101	0.040	0.528	107.0	0.189	8.73	29.2	2.89
L8 1+00E		0.103	0.025	0.270	76.9	0.128	1.900	33.7	3.85
L8 1+50E		0.122	0.023	0.301	62.3	0.085	2.35	33.5	4.53
L8 2+00E		0.135	0.035	0.302	87.0	0.106	2.74	57.9	5.81
L8 2+50E		0.110	0.034	0.363	64.3	0.126	5.27	99.5	4.64
L8 3+00E		0.129	0.042	0.304	71.1	0.128	2.98	46.1	4.32
L8 3+50E		0.120	0.019	0.270	60.2	0.093	1.785	25.0	6.01
L8 4+00E		0.116	0.088	0.463	70.6	0.140	5.22	38.9	2.71
L8 4+50E		0.128	0.041	0.344	74.6	0.145	2.57	38.1	7.95
L8 5+00E		0.109	0.052	0.326	90.3	0.108	4.07	44.3	2.83
L8 5+50E		0.120	0.034	0.303	77.5	0.089	2.84	33.7	5.77
L8 6+00E		0.116	0.045	0.325	76.2	0.078	3.35	26.8	4.75
L8 6+50E		0.123	0.052	0.390	58.5	0.080	3.73	27.3	6.95
L8 7+00E		0.117	0.031	0.283	68.2	0.119	2.61	38.1	3.62
L8 7+50E		0.134	0.055	0.448	71.4	0.141	4.58	103.0	8.27
L8 8+00E		0.114	0.052	0.495	61.6	0.091	5.49	35.7	3.38
L8 8+50E		0.113	0.042	0.271	65.6	0.093	2.51	39.8	3.40
L8 9+00E		0.129	0.043	0.283	74.2	0.106	2.66	56.3	6.76
L8 9+50E		0.107	0.038	0.229	74.1	0.095	2.80	33.3	0.86
L8 10+00E		0.129	0.065	0.337	88.4	0.147	3.20	61.6	5.34
L8 10+50E		0.118	0.054	0.300	86.1	0.121	2.96	64.0	3.18
L8 11+00E		0.131	0.066	0.320	89.4	0.137	2.57	61.8	8.80
L9 0+00E		0.120	0.035	0.302	69.9	0.114	2.96	31.7	4.84
L9 0+50E		0.115	0.026	0.273	64.4	0.082	2.19	26.9	6.46
L9 1+00E		0.115	0.048	0.350	73.4	0.121	3.62	25.9	1.80
L9 1+50E		0.125	0.072	0.483	62.4	0.103	6.82	36.2	6.96
L9 2+00E		0.123	0.072	0.526	68.5	0.099	6.95	37.4	4.84
L9 2+50E		0.112	0.043	0.295	65.4	0.112	3.13	43.2	1.35
L9 3+00E		0.127	0.043	0.348	78.8	0.080	3.93	33.2	3.43
L9 3+50E		0.128	0.055	0.343	76.2	0.137	4.21	52.0	5.46
L9 4+00E		0.090	0.046	0.196	62.5	0.093	1.980	34.3	1.13
L9 4+50E		0.137	0.060	0.322	87.3	0.112	3.78	60.4	2.60
L9 5+00E		0.111	0.050	0.294	78.4	0.133	4.31	42.2	2.31
L9 5+50E		0.097	0.049	0.280	74.7	0.166	2.61	49.0	1.57
L10 0+00E		0.108	0.042	0.443	57.6	0.081	4.13	30.0	2.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L10 0+50E		0.0027	0.084	1.65	2.30	<10	73.4	0.24	0.067	0.26	0.037	6.92	6.05	17.45	1.150	28.2
L10 1+00E		0.0017	0.080	1.70	1.80	<10	123.0	0.25	0.062	0.42	0.045	9.57	7.48	20.8	1.095	35.2
L10 1+50E		0.0032	0.055	1.55	2.43	<10	54.3	0.29	0.071	0.32	0.048	6.68	7.14	20.6	1.360	27.4
L10 2+00E		0.0027	0.156	1.74	2.17	<10	112.5	0.28	0.060	0.69	0.056	13.00	9.11	25.5	1.600	91.0
L10 2+50E		0.0050	0.364	2.20	2.43	<10	131.5	0.31	0.094	0.59	0.141	13.15	10.05	23.3	7.74	2110
L10 3+00E		0.0128	0.290	2.22	2.26	<10	199.5	0.40	0.089	0.84	0.163	15.15	9.38	17.00	9.51	290
L10 3+50E		0.0025	0.306	1.77	5.20	<10	121.0	0.30	0.088	0.38	0.070	6.40	10.35	18.95	14.90	71.0
L10 4+00E		0.0038	0.247	2.16	2.06	<10	156.5	0.31	0.081	0.51	0.084	9.63	12.30	40.1	5.13	686
L10 4+50E		0.0092	0.298	1.87	3.30	<10	64.0	0.32	0.102	0.21	0.050	6.99	9.98	25.3	5.00	128.0
L10 5+00E		0.0060	0.102	2.05	4.03	<10	65.7	0.38	0.108	0.26	0.066	8.07	11.00	23.3	2.51	92.9
L10 5+50E		0.0102	0.385	3.07	3.79	<10	363	0.54	0.191	0.46	0.074	18.60	9.21	23.8	5.07	118.0
L11 0+00E		0.0007	0.108	1.43	2.73	<10	55.9	0.27	0.058	0.35	0.048	8.69	8.01	23.9	1.220	32.5
L11 0+50E		0.0007	0.062	1.44	2.25	<10	63.2	0.26	0.067	0.27	0.036	7.06	7.03	19.60	1.395	26.1
L11 1+00E		0.0008	0.070	1.38	1.92	<10	46.4	0.24	0.064	0.24	0.028	5.70	6.52	17.00	1.345	23.1
L11 1+50E		0.0089	0.634	1.70	1.85	<10	131.0	0.45	0.065	1.66	0.239	13.90	5.27	14.00	4.70	1895
L11 2+00E		0.0013	0.518	2.09	2.31	<10	97.5	0.28	0.084	0.24	0.148	4.74	10.40	22.2	5.44	288
L11 2+50E		0.0021	0.181	1.78	1.36	<10	129.0	0.20	0.071	0.46	0.077	5.70	7.85	16.90	2.24	169.5
L11 3+00E		0.0085	0.428	2.37	3.30	<10	187.0	0.46	0.098	0.49	0.182	16.60	13.50	24.5	4.91	809
L11 3+50E		0.0028	0.279	2.22	2.67	<10	144.0	0.33	0.088	0.39	0.092	8.89	12.45	23.5	5.60	228
L11 4+00E		0.0651	0.300	1.48	4.69	<10	123.0	0.25	0.084	0.47	0.086	5.99	10.95	28.1	9.44	140.5
L11 4+50E		0.0128	0.687	3.13	7.18	<10	444	0.50	0.174	0.78	0.136	17.80	12.85	26.0	11.50	252
L11 5+00E		0.0038	0.175	2.02	2.14	<10	295	0.28	0.096	0.42	0.033	7.05	9.55	19.65	7.07	96.9
L11 5+50E		0.0027	0.108	1.45	2.47	<10	139.5	0.17	0.066	0.46	0.043	4.34	8.97	17.70	5.94	47.6
L12 0+00E		0.0005	0.100	1.55	1.99	<10	63.1	0.27	0.073	0.28	0.043	6.21	6.52	17.30	1.135	20.0
L12 0+50E		0.0005	0.191	1.80	2.95	<10	76.9	0.30	0.064	0.32	0.078	7.48	8.12	22.5	1.245	40.3
L12 1+00E		0.0037	0.276	2.59	3.13	<10	268	0.53	0.081	0.84	0.153	19.45	10.30	25.4	6.75	307
L12 1+50E		0.0075	0.135	1.71	1.99	<10	59.4	0.29	0.057	0.21	0.057	5.88	8.41	15.00	3.43	43.2
L12 2+00E		0.0019	0.159	1.61	2.02	<10	111.5	0.25	0.062	0.63	0.141	9.05	9.14	20.7	2.58	296
L12 2+50E		0.0036	0.329	2.07	3.81	<10	118.0	0.37	0.111	0.45	0.072	7.45	10.55	15.85	6.95	757
L12 3+00E		0.0059	0.259	1.96	4.53	10	194.0	0.34	0.150	1.13	0.104	6.84	12.85	17.65	4.48	253
L12 3+50E		0.0059	0.290	1.45	3.48	<10	75.0	0.24	0.120	0.40	0.121	4.24	7.29	9.47	3.53	159.5
L12 4+00E		0.0203	0.275	1.30	15.15	<10	92.7	0.21	0.260	0.39	0.081	3.23	7.42	16.95	4.66	70.9
L12 4+50E		0.0041	0.289	2.23	2.69	<10	204	0.31	0.120	0.48	0.062	7.64	8.33	15.75	7.56	70.6
L12 5+00E		0.0026	0.237	2.67	3.65	<10	224	0.44	0.118	0.27	0.073	9.51	8.96	14.65	7.65	67.5
L12 5+50E		0.0027	0.064	1.38	2.18	<10	81.2	0.19	0.074	0.38	0.033	4.84	7.74	15.90	4.55	28.6
L13 0+00E		0.0011	0.116	1.82	1.96	<10	125.0	0.24	0.074	0.62	0.064	12.70	6.59	18.80	2.13	45.9
L13 0+50E		0.0041	0.369	1.68	2.32	<10	109.5	0.41	0.090	0.85	0.218	11.85	6.61	17.15	6.45	549
L13 1+00E		0.0013	0.144	1.52	2.05	<10	93.4	0.23	0.076	0.40	0.086	6.80	8.92	23.8	7.26	213
L13 1+50E		0.0025	0.298	1.88	2.17	<10	74.4	0.34	0.079	0.26	0.083	5.47	10.45	20.4	10.55	434
L13 2+00E		0.0018	0.187	1.73	1.55	<10	65.5	0.27	0.089	0.46	0.083	7.01	10.35	19.70	7.43	440

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L10 0+50E		1.960	5.59	0.034	0.086	0.021	0.011	0.05	3.37	8.1	0.27	134.5	0.42	0.019	0.925	8.50
L10 1+00E		2.26	5.34	0.045	0.103	0.019	0.012	0.05	4.35	10.0	0.42	298	0.59	0.026	0.765	11.00
L10 1+50E		2.38	6.01	0.043	0.047	0.016	0.026	0.05	3.24	8.8	0.33	158.0	0.57	0.017	0.864	10.40
L10 2+00E		2.56	5.50	0.066	0.067	0.047	0.024	0.05	7.01	12.2	0.64	465	0.99	0.029	0.826	11.80
L10 2+50E		2.84	5.84	0.054	0.093	0.020	0.031	0.04	5.69	20.5	0.47	397	1.10	0.031	0.909	24.7
L10 3+00E		2.49	5.77	0.049	0.111	0.031	0.030	0.03	6.48	22.4	0.47	200	0.65	0.030	1.000	13.80
L10 3+50E		2.66	6.22	0.040	0.024	0.036	0.017	0.05	2.77	11.4	0.32	169.5	0.62	0.017	0.788	11.85
L10 4+00E		2.55	6.36	0.050	0.038	0.017	0.022	0.05	4.33	21.7	0.64	207	0.45	0.025	0.882	28.6
L10 4+50E		2.47	6.58	0.044	0.064	0.032	0.013	0.03	3.08	11.0	0.34	153.0	0.53	0.019	1.025	13.65
L10 5+00E		2.63	6.48	0.039	0.086	0.036	0.025	0.04	3.54	9.2	0.43	360	0.64	0.016	0.950	12.10
L10 5+50E		2.64	7.95	0.058	0.111	0.084	0.014	0.05	9.66	18.4	0.36	210	0.55	0.029	1.330	18.75
L11 0+00E		2.49	4.85	0.049	0.062	0.023	0.018	0.05	4.07	6.6	0.36	183.5	0.45	0.016	0.818	10.35
L11 0+50E		2.24	5.37	0.039	0.091	0.024	0.011	0.05	3.33	7.5	0.31	242	0.45	0.016	0.983	9.89
L11 1+00E		2.06	5.02	0.037	0.078	0.030	0.023	0.04	2.65	7.1	0.27	231	0.39	0.017	0.885	8.15
L11 1+50E		1.800	4.36	0.081	0.079	0.228	0.018	0.04	10.55	9.2	0.32	406	1.45	0.032	0.686	15.25
L11 2+00E		2.67	6.83	0.035	0.024	0.015	0.012	0.07	2.33	18.5	0.48	170.0	0.96	0.017	0.881	15.65
L11 2+50E		2.08	5.92	0.042	0.065	0.027	0.021	0.04	3.17	13.8	0.46	216	0.47	0.030	0.868	11.60
L11 3+00E		2.90	6.66	0.063	0.106	0.043	0.036	0.06	8.03	22.0	0.61	296	1.07	0.024	1.060	29.5
L11 3+50E		2.94	6.96	0.041	0.024	0.024	0.031	0.05	3.34	15.0	0.60	342	0.67	0.020	0.824	16.35
L11 4+00E		2.83	5.21	0.044	0.019	0.022	0.007	0.06	3.06	11.1	0.43	299	0.60	0.020	0.595	16.35
L11 4+50E		3.49	7.98	0.070	0.131	0.106	0.023	0.06	9.33	26.2	0.55	377	0.52	0.035	1.095	25.6
L11 5+00E		2.43	6.50	0.044	0.037	0.030	0.012	0.05	4.51	18.3	0.52	319	0.31	0.031	0.746	14.30
L11 5+50E		2.27	5.09	0.037	0.022	0.015	0.016	0.09	2.21	12.3	0.53	206	0.28	0.020	0.544	9.34
L12 0+00E		2.20	6.01	0.039	0.158	0.023	0.017	0.06	2.93	8.2	0.27	136.5	0.31	0.020	0.953	9.82
L12 0+50E		2.48	5.25	0.037	0.103	0.039	0.011	0.05	3.79	7.9	0.37	182.0	0.45	0.015	0.902	10.20
L12 1+00E		2.85	7.00	0.082	0.067	0.075	0.014	0.06	11.45	29.1	0.56	799	1.36	0.030	0.872	20.0
L12 1+50E		2.13	5.84	0.043	0.087	0.031	0.015	0.05	2.68	9.2	0.38	267	1.23	0.018	0.938	9.05
L12 2+00E		2.38	4.88	0.055	0.059	0.022	0.021	0.06	3.43	11.9	0.51	354	0.96	0.023	0.810	12.50
L12 2+50E		2.50	6.72	0.050	0.069	0.035	<0.005	0.09	5.87	18.0	0.44	240	0.81	0.024	0.870	19.50
L12 3+00E		2.69	6.34	0.055	0.039	0.032	0.022	0.30	3.48	10.9	0.51	914	1.50	0.074	0.758	12.10
L12 3+50E		1.860	5.24	0.041	0.016	0.070	0.018	0.05	2.15	7.3	0.23	235	1.06	0.020	0.783	7.39
L12 4+00E		2.07	5.20	0.031	0.025	0.041	0.019	0.05	1.855	8.2	0.23	138.0	0.53	0.014	0.720	8.21
L12 4+50E		2.43	6.13	0.034	0.028	0.037	0.014	0.05	4.58	19.7	0.37	316	0.32	0.030	0.784	11.55
L12 5+00E		2.29	8.20	0.050	0.076	0.034	0.025	0.04	5.03	17.8	0.28	223	0.37	0.023	1.175	11.55
L12 5+50E		2.12	5.23	0.029	0.016	0.027	0.015	0.06	2.11	8.3	0.33	175.5	0.44	0.018	0.653	7.89
L13 0+00E		2.28	5.69	0.053	0.067	0.022	0.025	0.05	4.13	11.8	0.34	234	0.78	0.031	0.996	10.00
L13 0+50E		1.930	5.50	0.052	0.055	0.102	0.022	0.04	6.89	14.5	0.36	356	1.17	0.030	1.020	14.55
L13 1+00E		2.47	4.90	0.030	0.050	0.018	0.014	0.05	3.43	17.4	0.49	217	0.52	0.018	0.871	13.70
L13 1+50E		2.48	6.66	0.036	0.079	0.027	0.018	0.06	2.55	16.6	0.47	223	0.81	0.017	1.030	15.55
L13 2+00E		2.39	5.78	0.032	0.025	0.027	0.020	0.06	3.52	21.6	0.47	197.5	0.71	0.020	0.942	15.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
L10 0+50E		0.119	4.27	0.001	0.002	5.34	<0.001	<0.01	0.114	2.21	0.1	0.41	18.50	<0.005	<0.01	0.744
L10 1+00E		0.027	4.61	0.001	<0.002	7.56	<0.001	<0.01	0.129	2.92	0.2	0.40	26.5	<0.005	<0.01	0.974
L10 1+50E		0.106	4.19	<0.001	<0.002	8.01	<0.001	0.01	0.181	2.35	0.2	0.39	22.3	<0.005	<0.01	0.592
L10 2+00E		0.044	3.51	0.002	0.003	11.05	0.002	0.01	0.209	3.41	0.8	0.41	36.2	<0.005	<0.01	0.753
L10 2+50E		0.036	4.80	<0.001	<0.002	6.23	<0.001	0.01	0.223	3.47	0.4	0.45	27.7	<0.005	0.01	0.719
L10 3+00E		0.023	8.71	0.002	<0.002	6.20	<0.001	0.01	0.292	3.45	0.6	0.49	28.2	<0.005	0.01	0.777
L10 3+50E		0.070	5.35	0.002	<0.002	8.79	<0.001	0.01	0.298	3.41	0.4	0.36	19.50	0.005	0.04	0.411
L10 4+00E		0.032	4.24	0.004	<0.002	7.36	<0.001	0.01	0.115	2.87	0.5	0.45	25.9	<0.005	0.03	0.557
L10 4+50E		0.092	4.99	0.002	<0.002	7.80	<0.001	0.01	0.213	2.17	0.1	0.46	16.65	0.005	0.06	0.567
L10 5+00E		0.106	5.21	0.003	<0.002	8.89	<0.001	0.01	0.246	2.40	0.2	0.48	19.35	0.008	0.04	0.746
L10 5+50E		0.033	6.39	0.003	0.002	5.40	<0.001	0.01	0.200	3.72	0.7	0.63	28.3	<0.005	0.09	0.992
L11 0+00E		0.095	4.17	0.002	<0.002	5.89	<0.001	<0.01	0.184	2.77	<0.1	0.34	26.3	<0.005	0.02	0.874
L11 0+50E		0.083	4.57	<0.001	0.002	6.53	<0.001	<0.01	0.178	2.34	0.2	0.43	22.2	0.006	0.04	0.807
L11 1+00E		0.120	4.15	0.001	<0.002	5.92	<0.001	0.01	0.180	1.775	0.1	0.37	18.05	0.008	0.01	0.678
L11 1+50E		0.099	3.65	0.011	0.002	7.24	0.003	0.07	0.304	2.43	3.2	0.39	52.8	0.006	0.02	0.166
L11 2+00E		0.056	5.92	0.002	0.002	10.90	<0.001	<0.01	0.301	2.56	0.1	0.53	16.70	<0.005	0.02	0.513
L11 2+50E		0.019	4.78	0.002	0.002	10.40	<0.001	<0.01	0.164	2.30	0.5	0.44	25.4	<0.005	0.03	0.554
L11 3+00E		0.028	6.56	0.004	0.002	11.65	<0.001	<0.01	0.315	5.34	0.6	0.44	28.3	<0.005	0.04	0.954
L11 3+50E		0.054	7.06	0.002	<0.002	10.95	<0.001	<0.01	0.430	2.76	0.2	0.44	23.3	<0.005	0.03	0.487
L11 4+00E		0.037	7.99	0.002	<0.002	12.20	<0.001	0.01	0.362	3.18	0.3	0.32	25.7	<0.005	0.08	0.342
L11 4+50E		0.040	6.94	0.004	0.002	6.68	<0.001	0.02	0.337	7.59	1.0	0.55	36.4	<0.005	0.05	1.075
L11 5+00E		0.030	4.41	0.003	<0.002	4.88	<0.001	<0.01	0.155	3.77	0.2	0.45	25.6	<0.005	0.02	0.476
L11 5+50E		0.045	3.90	0.012	0.010	12.45	<0.001	<0.01	0.208	2.32	0.1	0.30	28.8	<0.005	0.03	0.324
L12 0+00E		0.152	4.27	0.002	<0.002	5.29	<0.001	<0.01	0.114	2.25	0.1	0.46	22.5	0.010	0.01	0.904
L12 0+50E		0.151	4.09	0.002	0.002	6.57	<0.001	<0.01	0.199	2.59	<0.1	0.36	22.2	<0.005	0.01	0.823
L12 1+00E		0.052	5.27	0.007	0.002	7.56	0.001	0.02	0.227	6.12	1.1	0.48	34.6	<0.005	0.01	0.608
L12 1+50E		0.090	3.73	0.001	<0.002	8.37	<0.001	<0.01	0.104	1.760	0.1	0.40	17.10	0.006	0.01	0.645
L12 2+00E		0.031	4.67	0.003	0.002	10.60	<0.001	0.01	0.294	2.44	0.3	0.35	31.5	<0.005	0.02	0.540
L12 2+50E		0.048	4.94	0.001	<0.002	8.10	<0.001	0.01	0.170	2.74	0.3	0.47	25.0	<0.005	0.04	0.557
L12 3+00E		0.230	6.44	0.004	<0.002	19.80	<0.001	0.01	0.285	2.69	0.4	0.53	48.3	0.006	0.08	0.544
L12 3+50E		0.083	5.75	<0.001	<0.002	6.83	<0.001	0.03	0.120	1.235	0.4	0.45	18.95	0.005	0.04	0.178
L12 4+00E		0.089	4.35	0.004	<0.002	5.66	<0.001	0.02	0.315	1.830	0.3	0.43	19.90	<0.005	0.10	0.257
L12 4+50E		0.027	5.06	0.004	<0.002	6.89	<0.001	0.01	0.168	2.82	0.3	0.46	27.4	<0.005	0.04	0.372
L12 5+00E		0.114	5.88	0.002	<0.002	5.28	<0.001	<0.01	0.145	3.18	0.3	0.56	17.00	<0.005	0.02	0.764
L12 5+50E		0.053	4.36	0.001	<0.002	7.91	<0.001	0.01	0.195	1.795	0.4	0.34	23.0	<0.005	0.04	0.293
L13 0+00E		0.029	4.26	0.002	<0.002	8.51	0.001	0.01	0.123	2.79	0.5	0.44	29.9	<0.005	<0.01	0.677
L13 0+50E		0.054	4.20	0.005	0.002	5.98	0.005	0.03	0.198	3.16	1.4	0.43	40.1	0.007	<0.01	0.316
L13 1+00E		0.052	4.80	<0.001	<0.002	8.24	<0.001	<0.01	0.177	2.71	0.4	0.39	26.1	<0.005	<0.01	0.545
L13 1+50E		0.052	10.85	<0.001	<0.002	9.45	<0.001	0.01	0.280	2.43	0.6	0.46	18.95	<0.005	0.04	0.573
L13 2+00E		0.028	6.65	<0.001	<0.002	8.69	<0.001	0.01	0.225	2.50	0.6	0.38	27.3	<0.005	0.03	0.371

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
L10 0+50E		0.109	0.034	0.276	55.6	0.114	2.41	31.6	4.21
L10 1+00E		0.117	0.053	0.389	67.0	0.094	3.44	32.2	4.03
L10 1+50E		0.114	0.029	0.237	71.5	0.124	2.40	27.2	2.05
L10 2+00E		0.128	0.056	0.574	80.0	0.116	6.74	30.7	2.67
L10 2+50E		0.126	0.050	0.552	76.0	0.103	5.93	42.4	3.89
L10 3+00E		0.108	0.053	0.343	59.7	0.109	6.48	42.6	4.59
L10 3+50E		0.093	0.065	0.234	82.4	0.162	2.27	65.4	1.21
L10 4+00E		0.139	0.045	0.452	70.1	0.111	5.03	41.4	2.27
L10 4+50E		0.128	0.032	0.261	70.4	0.157	2.54	43.8	2.54
L10 5+00E		0.123	0.072	0.322	76.4	0.206	2.72	48.1	3.77
L10 5+50E		0.132	0.067	0.936	69.5	0.239	10.65	27.2	6.29
L11 0+00E		0.119	0.034	0.286	80.0	0.134	2.88	32.0	3.23
L11 0+50E		0.120	0.034	0.268	69.4	0.139	2.26	33.6	4.31
L11 1+00E		0.105	0.032	0.226	61.7	0.110	1.815	34.3	3.80
L11 1+50E		0.063	0.101	2.11	42.8	0.126	17.10	25.8	3.29
L11 2+00E		0.107	0.034	0.210	75.4	0.130	2.03	55.2	1.61
L11 2+50E		0.127	0.042	0.245	58.6	0.087	2.83	41.2	2.87
L11 3+00E		0.129	0.081	0.744	75.7	0.144	9.91	48.5	5.30
L11 3+50E		0.131	0.041	0.259	85.4	0.141	3.24	53.8	1.09
L11 4+00E		0.092	0.118	0.256	83.2	0.257	2.87	45.1	0.77
L11 4+50E		0.132	0.137	0.966	82.4	0.239	14.40	40.4	5.96
L11 5+00E		0.120	0.085	0.297	65.8	0.142	6.21	45.7	1.44
L11 5+50E		0.112	0.042	0.186	71.3	0.184	2.30	35.9	0.83
L12 0+00E		0.112	0.024	0.251	64.3	0.122	2.22	34.7	7.24
L12 0+50E		0.109	0.036	0.305	74.8	0.133	3.05	33.1	3.91
L12 1+00E		0.113	0.094	0.848	75.1	0.107	13.75	52.7	2.90
L12 1+50E		0.118	0.038	0.229	60.8	0.148	1.880	43.0	3.65
L12 2+00E		0.115	0.042	0.275	71.2	0.104	3.18	41.4	2.36
L12 2+50E		0.120	0.047	0.318	68.4	0.122	7.21	48.8	3.04
L12 3+00E		0.120	0.047	0.227	77.5	0.190	2.97	70.1	1.80
L12 3+50E		0.094	0.038	0.200	49.4	0.182	1.845	33.1	0.99
L12 4+00E		0.081	0.033	0.162	58.1	0.162	1.920	37.4	1.13
L12 4+50E		0.099	0.049	0.363	60.5	0.152	5.12	36.6	0.89
L12 5+00E		0.106	0.048	0.392	54.7	0.195	6.36	53.8	3.69
L12 5+50E		0.099	0.031	0.188	63.1	0.208	2.06	26.4	0.88
L13 0+00E		0.111	0.053	0.390	60.8	0.196	3.78	27.2	3.32
L13 0+50E		0.092	0.081	0.633	52.9	0.097	9.62	30.6	3.10
L13 1+00E		0.119	0.036	0.248	79.9	0.114	3.01	46.7	1.76
L13 1+50E		0.114	0.051	0.224	73.7	0.114	2.50	67.2	2.83
L13 2+00E		0.108	0.051	0.374	69.4	0.109	3.52	58.7	1.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L13 2+50E		0.0107	0.223	1.94	2.75	<10	98.1	0.31	0.124	0.43	0.097	7.27	12.50	23.6	4.55	81.1
L13 3+00E		0.0018	0.144	2.12	2.49	<10	92.6	0.34	0.078	0.23	0.051	8.52	9.45	24.0	2.42	55.2
L13 3+50E		0.0042	0.163	2.36	1.96	<10	77.9	0.24	0.116	0.49	0.058	4.24	13.55	19.00	8.01	498
L13 4+00E		0.0480	0.197	1.98	9.78	<10	87.5	0.29	0.226	0.47	0.109	5.56	13.65	17.20	8.20	729
L13 4+50E		0.0010	0.085	1.96	2.07	<10	41.1	0.30	0.101	0.18	0.068	5.06	8.06	18.30	6.86	68.0
L13 5+00E		0.0017	0.254	1.46	1.95	<10	28.3	0.24	0.114	0.16	0.074	3.84	7.98	10.50	10.20	65.2
L13 5+50E		0.0031	0.337	1.86	4.46	<10	88.5	0.36	0.144	0.25	0.109	6.79	13.90	26.8	9.76	97.6
L14 0+00E		0.0010	0.063	1.63	2.51	<10	81.0	0.25	0.074	0.30	0.077	8.11	7.15	19.65	1.500	37.4
L14 1+00E		0.0016	0.156	1.86	2.15	<10	71.5	0.29	0.094	0.38	0.055	6.81	8.57	24.1	5.42	164.0
L14 1+50E		0.0216	0.130	1.70	2.10	<10	56.6	0.27	0.088	0.33	0.037	6.23	9.86	28.9	4.24	75.3
L14 2+00E		0.0241	0.135	2.33	2.59	<10	80.8	0.38	0.100	0.26	0.052	7.66	14.45	28.8	4.41	103.0
L14 2+50E		0.0043	0.177	2.18	2.87	<10	75.4	0.36	0.093	0.31	0.064	6.40	14.75	29.7	3.67	210
L14 3+00E		0.0049	0.167	2.32	2.96	<10	114.0	0.36	0.079	0.59	0.061	12.90	17.00	35.2	4.03	304
L14 3+50E		0.0043	0.374	2.10	3.07	<10	55.8	0.33	0.099	0.26	0.082	6.07	13.50	23.0	4.42	151.0
L14 4+00E		0.0054	0.231	2.00	16.10	<10	69.1	0.31	0.186	0.27	0.079	6.90	15.30	20.4	4.91	159.5
L14 4+50E		0.0060	0.398	1.89	6.82	<10	60.5	0.35	0.149	0.16	0.066	6.57	10.95	14.20	9.71	99.0
L14 5+00E		0.0433	0.146	1.73	2.76	<10	67.6	0.32	0.103	0.38	0.070	7.67	9.75	21.2	11.30	235
L14 5+50E		0.0021	0.381	1.72	3.98	<10	59.7	0.33	0.179	0.19	0.085	6.07	11.65	27.0	7.35	97.0
L15 0+00E		0.0054	0.456	3.23	4.19	<10	233	0.67	0.171	0.84	0.174	17.65	11.15	32.8	4.31	219
L15 0+50E		0.0013	0.146	1.83	1.96	<10	104.0	0.30	0.100	0.40	0.030	9.24	9.74	30.0	2.31	72.7
L15 1+00E		0.0011	0.175	1.86	1.92	<10	90.8	0.34	0.068	0.52	0.061	9.06	11.30	49.1	6.04	75.4
L15 1+50E		0.0094	0.504	2.61	2.87	<10	115.0	0.50	0.168	0.78	0.091	14.20	14.60	27.8	8.49	603
L15 2+00E		0.0024	0.199	2.05	2.33	<10	76.0	0.37	0.101	0.37	0.088	6.13	12.05	18.45	4.66	183.5
L15 2+50E		0.0026	0.176	1.99	1.49	<10	54.9	0.36	0.092	0.40	0.106	7.36	11.00	21.4	4.76	390
L15 3+00E		0.0036	0.382	2.11	1.42	<10	69.3	0.41	0.105	0.69	0.168	12.00	18.60	29.8	10.85	1230
L15 3+50E		0.0014	0.203	2.30	2.41	<10	71.4	0.48	0.110	0.23	0.150	7.37	9.87	16.35	4.24	46.4
L15 4+00E		0.0034	0.249	2.12	5.45	<10	138.0	0.37	0.109	0.61	0.088	14.30	12.15	28.8	10.00	235
L15 4+50E		0.0033	0.291	1.73	5.86	<10	66.0	0.30	0.139	0.28	0.067	6.96	10.80	18.55	4.28	149.0
L15 5+00E		0.0045	0.319	1.81	3.72	<10	54.0	0.35	0.145	0.19	0.066	5.34	11.35	18.70	3.55	77.2
L15 5+50E		0.0014	0.245	1.97	3.40	<10	61.9	0.34	0.124	0.25	0.050	3.89	21.8	118.5	4.49	193.5
L16 0+00E		0.0027	0.157	1.70	2.30	<10	72.1	0.28	0.108	0.24	0.131	7.35	11.90	37.2	2.10	56.6
L16 0+50E		0.0074	1.145	1.39	3.88	<10	234	0.74	0.073	3.65	0.407	12.75	8.43	13.40	1.980	1040
L16 1+00E		0.0004	0.177	1.88	1.61	<10	99.2	0.27	0.077	0.41	0.034	7.42	10.10	22.3	1.540	49.5
L16 1+50E		0.0113	0.380	2.31	2.34	<10	114.5	0.50	0.117	0.51	0.120	17.65	9.29	22.3	9.03	192.0
L16 2+00E		0.0045	0.225	1.87	2.56	<10	102.0	0.42	0.088	0.61	0.050	17.55	10.75	30.3	11.80	293
L16 2+50E		0.0024	0.317	2.07	2.04	<10	97.9	0.36	0.103	0.56	0.083	11.55	12.45	20.5	9.10	513
L16 3+00E		0.0077	0.409	1.77	3.08	<10	86.5	0.28	0.364	0.33	0.074	5.97	18.45	13.80	5.75	365
L16 3+50E		0.0034	0.359	1.95	2.42	<10	70.9	0.25	0.090	0.39	0.100	9.74	12.20	20.3	7.28	526
L16 4+00E		0.0042	0.350	2.27	2.84	<10	117.0	0.43	0.120	0.72	0.123	16.40	15.00	23.6	9.27	986
L16 4+50E		0.0051	0.299	1.73	2.60	<10	57.4	0.24	0.096	0.18	0.107	3.59	7.46	10.95	4.57	74.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L13 2+50E		2.88	6.47	0.036	0.036	0.021	0.019	0.11	3.33	13.3	0.61	279	0.57	0.019	0.875	12.10
L13 3+00E		2.36	7.11	0.039	0.048	0.024	0.032	0.05	3.94	12.9	0.42	166.0	0.50	0.020	1.040	12.80
L13 3+50E		2.72	7.67	0.042	0.028	0.018	0.033	0.07	2.18	23.1	0.76	265	0.95	0.026	1.030	15.80
L13 4+00E		2.60	5.81	0.037	0.045	0.021	0.028	0.04	2.61	33.0	0.36	205	1.92	0.031	1.150	27.9
L13 4+50E		2.17	7.19	0.038	0.091	0.028	0.009	0.08	2.27	11.3	0.35	149.0	1.07	0.021	1.265	8.88
L13 5+00E		1.790	6.36	0.035	0.043	0.039	0.006	0.04	1.790	8.1	0.14	161.0	0.73	0.020	1.310	6.38
L13 5+50E		2.58	6.33	0.034	0.075	0.039	0.026	0.05	2.74	11.4	0.34	430	0.82	0.018	0.958	17.95
L14 0+00E		2.30	5.83	0.039	0.092	0.028	0.024	0.05	3.72	9.5	0.34	139.5	0.38	0.018	0.957	8.67
L14 1+00E		2.51	6.11	0.039	0.037	0.024	0.015	0.10	3.61	13.7	0.45	184.5	0.78	0.019	0.939	13.75
L14 1+50E		2.57	6.19	0.037	0.048	0.017	0.020	0.07	2.88	14.9	0.52	205	0.54	0.018	0.823	13.55
L14 2+00E		3.07	7.53	0.045	0.150	0.020	0.011	0.07	3.27	14.1	0.69	344	0.72	0.019	1.000	14.55
L14 2+50E		2.97	7.10	0.045	0.141	0.031	0.028	0.08	2.91	14.7	0.69	253	0.84	0.018	1.055	14.95
L14 3+00E		3.39	7.08	0.063	0.130	0.016	0.018	0.12	4.56	25.3	1.12	364	0.88	0.026	0.938	21.7
L14 3+50E		2.79	7.08	0.043	0.112	0.036	0.029	0.08	2.57	17.0	0.61	206	1.65	0.021	1.090	16.15
L14 4+00E		2.76	5.49	0.027	0.071	0.035	0.023	0.09	3.06	11.4	0.58	289	1.65	0.022	0.937	12.40
L14 4+50E		2.18	6.49	0.031	0.153	0.024	0.017	0.05	2.86	12.4	0.31	191.5	1.59	0.021	1.210	9.81
L14 5+00E		2.38	5.90	0.041	0.081	0.019	0.029	0.04	2.70	14.6	0.37	156.0	1.45	0.021	1.110	18.70
L14 5+50E		2.20	6.11	0.035	0.069	0.038	0.017	0.06	2.68	13.5	0.31	223	1.54	0.018	0.960	17.55
L15 0+00E		3.52	8.81	0.060	0.093	0.061	0.028	0.10	8.40	28.7	0.62	546	1.47	0.036	1.185	21.3
L15 0+50E		2.47	6.36	0.038	0.032	0.010	0.017	0.06	5.64	15.2	0.64	274	0.50	0.026	0.784	14.25
L15 1+00E		2.61	6.05	0.041	0.060	0.019	0.022	0.07	4.62	19.8	0.66	332	0.38	0.024	0.824	18.65
L15 1+50E		3.56	7.56	0.076	0.070	0.054	0.020	0.11	8.58	26.5	0.89	731	1.89	0.029	0.977	20.3
L15 2+00E		2.85	6.81	0.041	0.079	0.019	0.025	0.10	2.83	19.0	0.65	326	0.80	0.017	1.090	12.45
L15 2+50E		2.59	6.58	0.044	0.073	0.018	0.024	0.08	3.60	16.8	0.52	353	1.18	0.020	1.105	13.35
L15 3+00E		2.85	6.33	0.054	0.070	0.029	0.026	0.09	5.89	29.4	0.72	533	1.84	0.030	1.080	30.7
L15 3+50E		2.30	7.63	0.031	0.089	0.038	0.027	0.04	3.23	13.1	0.30	388	1.03	0.021	1.390	9.37
L15 4+00E		3.01	6.41	0.051	0.090	0.041	0.026	0.05	6.36	28.1	0.69	402	1.60	0.030	1.015	18.15
L15 4+50E		2.37	6.27	0.039	0.047	0.028	0.022	0.06	3.25	15.0	0.41	203	0.93	0.021	0.919	11.95
L15 5+00E		2.30	7.06	0.032	0.095	0.027	0.026	0.05	2.43	13.6	0.34	187.5	1.25	0.024	1.065	11.85
L15 5+50E		2.92	6.06	0.040	0.059	0.027	0.018	0.07	1.950	15.4	0.66	291	2.61	0.018	0.661	46.7
L16 0+00E		2.69	5.67	0.036	0.066	0.034	0.024	0.04	3.17	12.1	0.52	195.5	0.74	0.018	0.906	16.70
L16 0+50E		1.910	3.21	0.088	0.212	0.389	0.015	0.04	12.65	6.1	0.24	1405	2.93	0.015	0.701	17.80
L16 1+00E		2.48	6.30	0.039	0.033	0.007	0.006	0.05	3.63	15.1	0.58	249	0.38	0.022	0.927	12.80
L16 1+50E		2.64	6.98	0.052	0.117	0.031	0.008	0.10	9.07	22.2	0.45	448	1.01	0.024	1.400	18.00
L16 2+00E		2.85	6.09	0.060	0.137	0.047	0.024	0.08	7.66	19.9	0.59	456	1.61	0.020	1.045	23.3
L16 2+50E		2.70	6.36	0.042	0.044	0.033	0.020	0.06	6.19	24.4	0.58	343	1.35	0.020	0.980	21.3
L16 3+00E		3.66	5.95	0.045	0.056	0.024	0.022	0.09	2.74	13.0	0.64	309	2.29	0.013	0.825	11.20
L16 3+50E		3.06	6.18	0.030	0.064	0.019	0.007	0.04	4.09	18.2	0.74	220	2.10	0.016	1.025	16.20
L16 4+00E		3.15	6.79	0.056	0.099	0.065	0.010	0.07	9.95	33.7	0.74	481	1.04	0.020	1.110	26.1
L16 4+50E		2.25	7.52	0.027	0.076	0.025	0.015	0.04	1.695	24.7	0.32	160.0	0.43	0.015	1.180	11.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
L13 2+50E		0.075	59.6	<0.001	<0.002	24.3	<0.001	<0.01	0.324	2.64	0.1	0.40	25.0	<0.005	0.07	0.565
L13 3+00E		0.080	5.01	0.001	<0.002	10.15	<0.001	<0.01	0.165	2.46	0.2	0.40	18.40	<0.005	<0.01	0.501
L13 3+50E		0.027	4.43	0.001	<0.002	8.95	<0.001	<0.01	0.210	1.975	0.3	0.47	24.1	<0.005	0.07	0.336
L13 4+00E		0.030	5.32	0.002	<0.002	4.15	0.001	0.01	0.221	2.00	0.6	0.54	21.3	<0.005	0.12	0.440
L13 4+50E		0.069	4.15	0.001	<0.002	9.79	<0.001	<0.01	0.111	1.340	0.1	0.47	13.60	0.006	0.02	0.672
L13 5+00E		0.079	4.31	0.002	<0.002	8.10	<0.001	0.01	0.134	0.976	<0.1	0.52	9.09	0.012	0.04	0.477
L13 5+50E		0.059	16.05	<0.001	<0.002	7.85	<0.001	<0.01	0.570	2.62	0.1	0.49	17.80	<0.005	0.05	1.275
L14 0+00E		0.097	3.49	0.001	<0.002	6.64	<0.001	<0.01	0.137	2.56	0.3	0.37	20.6	0.005	0.01	0.755
L14 1+00E		0.059	4.34	0.002	<0.002	16.15	<0.001	<0.01	0.156	2.67	0.3	0.46	23.8	<0.005	0.02	0.521
L14 1+50E		0.048	4.59	0.002	<0.002	14.90	<0.001	<0.01	0.205	2.84	0.2	0.34	23.0	<0.005	0.01	0.529
L14 2+00E		0.066	4.99	0.002	<0.002	12.15	<0.001	<0.01	0.270	3.18	<0.1	0.43	20.8	<0.005	0.06	0.782
L14 2+50E		0.067	4.12	<0.001	<0.002	13.20	<0.001	<0.01	0.207	2.78	0.3	0.37	21.8	<0.005	0.06	0.753
L14 3+00E		0.052	3.87	0.001	<0.002	10.75	0.001	<0.01	0.242	3.68	0.5	0.37	30.3	<0.005	0.06	0.829
L14 3+50E		0.063	4.48	0.001	<0.002	12.50	0.001	<0.01	0.152	2.21	0.1	0.49	18.75	<0.005	0.07	0.676
L14 4+00E		0.099	4.14	0.001	0.002	12.95	<0.001	0.01	0.288	2.64	0.1	0.44	18.60	<0.005	0.10	0.688
L14 4+50E		0.072	4.65	0.002	<0.002	6.37	<0.001	<0.01	0.174	1.635	0.3	0.48	12.65	0.010	0.06	0.816
L14 5+00E		0.029	6.85	0.002	<0.002	5.59	<0.001	<0.01	0.281	2.46	0.4	0.42	22.7	<0.005	0.02	0.583
L14 5+50E		0.078	4.53	0.001	<0.002	8.31	<0.001	<0.01	0.522	1.955	0.2	0.46	13.25	0.005	0.09	0.585
L15 0+00E		0.062	6.04	0.004	<0.002	16.95	0.003	0.01	0.195	6.10	1.0	0.64	41.4	<0.005	0.07	0.832
L15 0+50E		0.034	4.52	<0.001	<0.002	11.90	<0.001	<0.01	0.114	3.31	0.3	0.34	27.0	<0.005	0.03	0.457
L15 1+00E		0.039	4.37	0.002	0.002	12.15	0.001	<0.01	0.207	3.28	<0.1	0.31	30.1	<0.005	0.03	0.706
L15 1+50E		0.047	4.30	0.006	<0.002	16.30	0.001	0.01	0.242	5.59	1.3	0.43	38.6	<0.005	0.09	0.676
L15 2+00E		0.089	5.65	0.003	<0.002	12.95	<0.001	<0.01	0.230	2.82	<0.1	0.41	23.0	<0.005	0.03	0.663
L15 2+50E		0.064	3.98	<0.001	<0.002	10.80	<0.001	<0.01	0.163	2.38	0.2	0.46	22.6	<0.005	0.03	0.582
L15 3+00E		0.038	4.19	0.002	<0.002	12.80	0.002	0.01	0.252	3.46	0.6	0.42	32.1	<0.005	0.05	0.652
L15 3+50E		0.128	5.97	<0.001	0.003	7.15	<0.001	<0.01	0.129	2.14	0.1	0.55	13.65	0.013	0.02	0.685
L15 4+00E		0.032	4.38	0.002	<0.002	5.66	0.001	<0.01	0.287	4.14	0.6	0.41	31.5	<0.005	0.04	0.824
L15 4+50E		0.119	4.30	0.001	<0.002	9.64	0.001	0.01	0.203	2.14	0.3	0.40	16.90	<0.005	0.05	0.500
L15 5+00E		0.086	5.11	0.001	<0.002	8.35	<0.001	0.01	0.253	1.630	<0.1	0.41	14.45	0.010	0.05	0.629
L15 5+50E		0.073	3.95	0.001	<0.002	11.10	<0.001	<0.01	0.163	2.67	0.3	0.37	13.95	<0.005	0.05	0.440
L16 0+00E		0.043	4.24	0.002	<0.002	5.75	<0.001	0.01	0.300	3.01	0.2	0.35	19.90	<0.005	0.10	0.615
L16 0+50E		0.117	3.32	0.013	0.004	3.73	0.056	0.19	0.742	2.54	6.6	0.18	123.0	0.006	0.05	0.251
L16 1+00E		0.046	4.05	0.001	<0.002	9.85	<0.001	0.01	0.161	2.91	0.3	0.36	26.1	0.006	0.03	0.374
L16 1+50E		0.048	5.43	0.001	<0.002	13.95	0.001	0.01	0.180	5.12	1.0	0.50	28.2	0.007	0.02	0.769
L16 2+00E		0.057	4.44	0.001	<0.002	8.03	0.001	0.01	0.374	6.55	1.0	0.42	35.8	0.006	0.03	0.997
L16 2+50E		0.034	4.44	0.002	0.441	7.01	0.002	0.02	0.235	4.04	0.9	0.47	29.8	0.006	0.05	0.428
L16 3+00E		0.072	4.07	0.001	0.002	10.35	0.001	0.03	0.548	2.88	0.4	0.37	21.2	0.007	0.27	0.482
L16 3+50E		0.019	3.38	0.001	0.002	6.40	0.001	0.01	0.252	3.86	0.5	0.44	23.2	0.007	0.07	0.572
L16 4+00E		0.040	5.43	0.001	0.002	11.55	0.001	0.02	0.216	5.52	1.5	0.41	30.8	0.006	0.07	0.729
L16 4+50E		0.093	5.39	0.001	<0.002	6.06	<0.001	0.01	0.105	1.915	0.4	0.47	11.35	0.011	0.05	0.463

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
L13 2+50E		0.121	0.052	0.254	84.1	0.207	2.61	267	1.78
L13 3+00E		0.113	0.046	0.315	67.2	0.138	2.92	46.0	1.84
L13 3+50E		0.152	0.036	0.172	71.7	0.126	2.20	48.0	1.16
L13 4+00E		0.123	0.059	0.250	57.2	0.150	2.63	49.7	2.11
L13 4+50E		0.143	0.027	0.222	62.7	0.193	1.635	51.6	5.27
L13 5+00E		0.107	0.028	0.181	45.8	0.164	0.988	47.3	2.58
L13 5+50E		0.109	0.056	0.311	71.9	0.183	2.17	98.8	3.26
L14 0+00E		0.116	0.031	0.313	71.6	0.126	2.87	35.0	3.69
L14 1+00E		0.110	0.044	0.264	74.4	0.146	3.15	49.6	1.74
L14 1+50E		0.131	0.034	0.214	80.4	0.166	2.56	45.2	1.96
L14 2+00E		0.155	0.062	0.303	94.4	0.171	2.98	63.6	5.66
L14 2+50E		0.149	0.042	0.246	89.3	0.187	2.46	52.7	5.82
L14 3+00E		0.176	0.060	0.383	99.6	0.155	4.88	62.5	5.17
L14 3+50E		0.146	0.034	0.217	84.3	0.157	2.29	93.6	4.44
L14 4+00E		0.125	0.053	0.259	76.6	0.720	2.33	85.6	3.17
L14 4+50E		0.119	0.044	0.277	59.3	0.196	2.08	68.2	7.91
L14 5+00E		0.127	0.028	0.270	76.4	0.187	2.54	45.6	3.30
L14 5+50E		0.104	0.035	0.223	61.0	0.291	1.990	53.3	3.16
L15 0+00E		0.123	0.095	0.985	88.7	0.170	8.94	53.8	4.12
L15 0+50E		0.123	0.059	0.303	76.3	0.142	5.16	42.9	1.11
L15 1+00E		0.137	0.040	0.353	78.7	0.141	4.39	43.5	2.67
L15 1+50E		0.148	0.127	1.045	99.6	0.206	12.80	63.3	3.36
L15 2+00E		0.138	0.046	0.259	83.4	0.224	2.47	67.5	3.30
L15 2+50E		0.133	0.038	0.291	73.8	0.256	3.30	54.9	3.09
L15 3+00E		0.152	0.069	0.517	78.3	0.232	6.45	64.5	3.20
L15 3+50E		0.118	0.055	0.357	62.2	0.837	2.10	61.4	4.66
L15 4+00E		0.149	0.046	0.460	91.1	0.168	6.51	37.7	3.84
L15 4+50E		0.110	0.032	0.268	66.7	0.155	2.52	51.2	1.91
L15 5+00E		0.123	0.033	0.241	61.2	0.190	1.725	83.6	4.50
L15 5+50E		0.119	0.033	0.173	61.5	0.139	1.390	59.2	2.82
L16 0+00E		0.128	0.047	0.259	82.6	0.193	2.96	60.4	3.10
L16 0+50E		0.027	0.165	1.825	72.9	0.177	23.3	11.9	9.79
L16 1+00E		0.119	0.045	0.259	76.3	0.109	3.14	48.2	1.32
L16 1+50E		0.119	0.061	0.560	72.2	0.137	12.00	46.7	4.70
L16 2+00E		0.131	0.071	0.592	86.7	0.121	9.69	41.3	5.61
L16 2+50E		0.115	0.059	0.409	75.8	0.125	7.83	45.7	2.03
L16 3+00E		0.128	0.059	0.241	91.3	0.132	2.55	51.1	1.96
L16 3+50E		0.150	0.041	0.316	106.5	0.167	4.82	34.1	2.38
L16 4+00E		0.133	0.072	0.776	91.0	0.145	15.00	55.4	3.98
L16 4+50E		0.118	0.022	0.183	64.7	0.137	1.590	72.4	2.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L16 5+00E		0.0048	0.215	2.25	2.61	<10	152.0	0.31	0.072	0.63	0.057	12.55	18.55	18.30	3.08	476
L16 5+50E		0.0013	0.308	1.69	6.44	<10	67.2	0.30	0.119	0.24	0.060	5.44	14.30	17.35	2.91	90.8
L17 0+00E		0.0013	0.152	1.85	2.38	<10	77.2	0.31	0.118	0.26	0.055	7.33	10.10	20.4	2.26	46.4
L17 0+50E		0.0325	0.166	1.69	2.67	<10	77.5	0.30	0.116	0.30	0.034	7.82	10.80	24.1	2.79	76.4
L17 1+00E		0.0016	0.423	2.08	1.78	<10	126.5	0.57	0.096	0.64	0.160	13.55	8.92	22.5	5.09	169.5
L17 1+50E		0.0016	0.409	1.64	2.28	<10	119.0	0.41	0.074	0.77	0.184	13.30	8.63	22.7	1.725	90.6
L17 2+00E		0.0122	0.126	1.51	1.74	<10	86.6	0.31	0.062	0.50	0.075	9.15	9.02	24.9	1.955	62.1
L17 2+50E		0.0010	0.154	1.58	1.91	<10	117.0	0.27	0.057	0.49	0.049	8.10	8.83	22.7	1.815	50.5
L17 3+00E		0.0034	0.602	1.96	3.19	<10	132.5	0.44	0.100	0.97	0.205	12.35	12.50	18.70	10.50	535
L17 3+50E		0.0986	0.282	2.03	2.27	<10	138.0	0.38	0.085	0.47	0.071	11.60	12.20	26.8	2.29	123.0
L17 4+00E		0.0016	0.334	2.04	2.28	<10	89.0	0.30	0.071	0.54	0.082	8.18	15.45	17.10	3.14	175.5
L17 4+50E		0.0016	0.172	1.89	2.15	<10	80.3	0.30	0.089	0.44	0.084	7.94	8.19	21.8	3.48	55.9
L17 5+00E		0.0021	0.375	1.80	2.44	<10	105.0	0.38	0.124	0.64	0.156	15.40	9.55	27.5	2.64	110.0
L17 5+50E		0.0009	0.183	1.48	1.85	<10	74.9	0.25	0.087	0.58	0.127	10.60	7.60	22.8	2.01	74.2
L18 0+00E		0.0015	0.311	1.58	3.05	<10	104.0	0.31	0.102	0.85	0.206	12.60	10.00	23.4	4.24	116.5
L18 0+50E		0.0052	0.175	1.85	4.32	<10	122.0	0.36	0.203	0.67	0.085	12.80	17.70	36.2	4.67	126.5
L18 1+00E		0.0014	0.209	1.82	3.77	<10	86.7	0.32	0.186	0.51	0.078	5.78	17.75	26.1	6.19	80.2
L18 1+50E		0.0012	0.294	1.91	21.8	<10	69.6	0.41	0.197	0.20	0.175	6.85	16.20	18.65	3.11	59.4
L18 2+00E		0.0022	0.333	1.89	48.6	<10	73.8	0.40	0.207	0.30	0.211	6.06	18.50	19.80	4.52	111.5
L18 2+50E		0.0047	0.288	1.74	5.74	<10	85.8	0.29	0.356	0.34	0.198	6.58	14.40	32.2	3.79	101.5
L18 3+00E		0.0019	0.201	1.89	3.53	<10	73.1	0.32	0.190	0.31	0.206	8.85	13.45	26.5	3.22	52.6
L19 0+00E		0.0051	0.277	1.83	3.34	<10	106.0	0.32	0.123	0.69	0.206	10.90	18.25	33.5	4.23	300
L19 0+50E		0.0020	0.249	1.59	2.69	<10	84.0	0.29	0.080	0.60	0.118	10.35	9.85	22.7	2.53	109.0
L19 1+00E		0.0109	0.352	1.46	1.81	<10	39.6	0.24	0.137	0.21	0.085	4.09	8.44	17.35	1.750	38.0
L19 1+50E		0.0021	0.153	1.68	2.85	<10	70.6	0.21	0.078	0.46	0.094	6.97	10.55	22.7	2.63	137.0
L19 2+00E		0.0017	0.081	2.09	4.05	<10	42.5	0.32	0.139	0.15	0.085	5.14	10.00	16.70	2.43	45.6
L19 2+50E		0.0016	0.135	1.79	5.60	<10	50.2	0.27	0.128	0.30	0.074	5.27	13.75	29.1	2.59	58.9
L19 3+00E		0.0071	0.167	1.69	5.11	<10	57.7	0.30	0.346	0.35	0.069	6.50	14.35	29.8	3.09	84.9
L20 0+00E		0.0109	0.215	1.83	2.68	<10	43.5	0.30	0.089	0.25	0.069	5.25	8.83	19.85	2.19	37.3
L20 0+50E		0.0026	0.097	1.75	2.54	<10	52.9	0.27	0.076	0.25	0.045	5.93	9.74	19.55	1.700	37.1
L20 1+00E		0.0015	0.173	1.69	2.38	<10	51.2	0.27	0.076	0.25	0.064	6.09	8.53	19.15	1.350	39.7
L20 1+50E		0.0813	0.419	1.98	3.79	<10	79.9	0.34	0.202	0.21	0.069	6.98	12.70	22.5	1.975	246
L20 2+00E		0.0024	0.278	1.96	2.51	<10	77.1	0.25	0.107	0.35	0.098	4.65	16.95	63.0	1.815	241
L20 2+50E		0.0043	0.307	1.71	3.25	<10	81.8	0.29	0.131	0.27	0.087	5.07	12.60	26.8	3.10	91.0
L20 3+00E		0.0030	0.164	1.84	1.78	<10	68.6	0.27	0.110	0.46	0.125	5.96	13.50	24.2	4.15	158.0
L21 0+00E		0.0029	0.132	1.48	2.35	<10	56.8	0.24	0.057	0.28	0.034	5.72	9.97	23.8	1.440	42.2
L21 0+50E		0.0033	0.130	1.40	2.64	<10	55.7	0.26	0.069	0.32	0.052	8.50	9.03	23.8	1.435	41.5
L21 1+00E		0.0011	0.110	1.60	2.40	<10	63.8	0.27	0.070	0.28	0.068	5.85	9.86	24.4	1.990	41.1
L21 1+50E		0.0027	0.102	1.34	3.25	<10	63.8	0.26	0.061	0.37	0.061	7.87	9.40	24.9	1.170	39.7
L21 2+00E		0.0037	0.468	2.69	3.92	<10	183.0	0.54	0.120	0.42	0.296	18.60	11.70	32.2	2.22	218

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L16 5+00E		3.82	7.24	0.065	0.060	0.018	0.007	0.25	6.17	33.6	1.21	409	0.93	0.017	0.783	17.35
L16 5+50E		2.31	5.96	0.034	0.037	0.041	0.011	0.06	2.52	12.9	0.46	273	0.69	0.014	0.917	10.95
L17 0+00E		2.48	6.54	0.041	0.090	0.032	0.011	0.05	3.30	13.0	0.50	235	0.45	0.017	1.035	11.05
L17 0+50E		2.52	5.56	0.041	0.072	0.029	0.014	0.05	3.46	10.8	0.46	336	0.45	0.013	0.918	12.95
L17 1+00E		2.40	6.62	0.059	0.132	0.049	0.010	0.05	8.85	20.3	0.50	550	1.05	0.029	1.375	16.35
L17 1+50E		2.34	5.38	0.054	0.046	0.037	0.007	0.05	7.41	13.5	0.50	360	0.73	0.025	0.770	12.85
L17 2+00E		2.39	5.29	0.041	0.051	0.015	<0.005	0.05	4.49	12.7	0.50	354	0.42	0.018	0.935	12.65
L17 2+50E		2.37	5.28	0.036	0.075	0.023	0.015	0.06	3.90	13.6	0.53	345	0.37	0.022	0.883	12.90
L17 3+00E		2.70	5.96	0.074	0.061	0.078	0.015	0.10	8.99	22.6	0.76	685	1.15	0.020	0.915	19.80
L17 3+50E		2.92	6.02	0.040	0.119	0.018	0.024	0.07	4.52	22.4	0.74	360	0.30	0.019	0.849	16.80
L17 4+00E		3.04	6.37	0.049	0.062	0.027	<0.005	0.09	4.08	32.2	0.90	400	0.35	0.021	0.912	15.40
L17 4+50E		2.57	6.45	0.036	0.087	0.017	0.023	0.06	4.18	18.4	0.40	186.5	0.37	0.019	1.125	14.85
L17 5+00E		2.66	5.75	0.046	0.045	0.042	0.010	0.06	7.51	27.4	0.48	606	1.64	0.022	1.015	19.35
L17 5+50E		2.38	4.66	0.044	0.071	0.031	0.006	0.05	3.90	24.9	0.39	316	0.85	0.020	0.940	18.50
L18 0+00E		2.38	5.10	0.048	0.047	0.065	0.017	0.07	6.07	16.7	0.48	471	0.67	0.024	0.922	16.25
L18 0+50E		3.53	6.03	0.060	0.076	0.036	0.008	0.24	5.11	15.2	0.89	434	0.62	0.019	0.843	22.1
L18 1+00E		3.24	6.64	0.043	0.039	0.036	0.016	0.13	2.44	14.7	0.71	513	0.74	0.022	0.777	19.45
L18 1+50E		2.76	6.85	0.027	0.019	0.028	0.024	0.05	2.99	9.5	0.29	736	0.98	0.013	0.803	27.0
L18 2+00E		4.06	7.25	0.028	0.015	0.030	0.030	0.05	2.49	12.6	0.46	614	0.92	0.014	0.668	22.7
L18 2+50E		3.31	6.39	0.031	0.044	0.022	<0.005	0.07	2.85	9.8	0.55	372	1.08	0.014	0.746	23.8
L18 3+00E		2.45	6.11	0.043	0.071	0.027	0.013	0.04	3.14	30.1	0.40	532	0.47	0.019	1.000	22.9
L19 0+00E		3.14	5.74	0.056	0.048	0.032	0.007	0.16	4.67	11.7	0.58	632	2.19	0.032	0.697	22.2
L19 0+50E		2.40	5.16	0.036	0.044	0.041	0.007	0.05	4.91	12.5	0.47	279	0.54	0.017	0.914	13.50
L19 1+00E		2.37	6.47	0.029	0.105	0.019	<0.005	0.04	1.885	12.5	0.28	109.5	0.44	0.014	1.115	9.24
L19 1+50E		2.50	5.79	0.031	0.058	0.028	0.024	0.04	3.07	15.7	0.53	193.5	0.74	0.018	1.030	21.6
L19 2+00E		2.35	7.11	0.024	0.102	0.036	0.020	0.03	2.34	8.1	0.27	331	1.05	0.015	1.285	12.00
L19 2+50E		2.67	6.31	0.033	0.063	0.023	0.006	0.04	2.33	10.2	0.43	218	0.74	0.019	1.145	17.30
L19 3+00E		2.81	5.53	0.031	0.092	0.021	0.011	0.05	2.78	11.2	0.47	252	0.62	0.016	0.891	18.85
L20 0+00E		2.46	6.09	0.026	0.081	0.018	0.005	0.04	2.71	9.8	0.37	160.0	0.77	0.014	1.100	9.53
L20 0+50E		2.44	5.64	0.041	0.137	0.013	0.012	0.04	2.74	9.2	0.41	181.0	0.61	0.013	0.987	10.10
L20 1+00E		2.41	5.53	0.038	0.075	0.014	0.012	0.04	2.93	8.8	0.38	209	0.59	0.015	0.942	9.21
L20 1+50E		3.35	6.87	0.038	0.110	0.034	<0.005	0.06	3.39	11.2	0.49	272	1.98	0.015	0.994	15.35
L20 2+00E		3.02	6.86	0.044	0.048	0.016	<0.005	0.06	2.16	20.2	0.84	250	1.08	0.020	0.835	48.7
L20 2+50E		2.89	5.90	0.025	0.036	0.017	0.018	0.04	2.23	11.7	0.39	133.0	1.06	0.013	0.726	17.95
L20 3+00E		2.71	5.82	0.036	0.046	0.016	0.010	0.05	2.28	30.8	0.66	501	0.46	0.021	0.922	24.7
L21 0+00E		2.55	5.07	0.032	0.077	0.013	<0.005	0.04	2.66	10.0	0.49	201	0.39	0.015	0.756	12.25
L21 0+50E		2.40	4.81	0.039	0.083	0.026	<0.005	0.04	3.66	9.2	0.45	190.5	0.48	0.015	0.797	11.35
L21 1+00E		2.38	5.58	0.037	0.109	0.026	0.016	0.04	2.80	10.3	0.42	293	0.35	0.017	0.893	12.15
L21 1+50E		2.44	4.47	0.043	0.058	0.018	0.005	0.04	3.60	8.1	0.40	256	0.40	0.014	0.729	11.05
L21 2+00E		3.15	6.72	0.066	0.090	0.099	0.014	0.05	13.60	17.6	0.50	867	2.08	0.015	1.190	19.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
L16 5+00E		0.033	6.12	0.003	<0.002	32.2	0.001	0.02	0.209	6.01	2.1	0.34	27.8	0.006	0.06	0.631
L16 5+50E		0.116	3.97	0.001	<0.002	10.30	<0.001	0.01	0.246	2.16	0.4	0.35	18.55	0.013	0.05	0.404
L17 0+00E		0.074	4.12	0.001	<0.002	9.48	<0.001	0.01	0.215	2.59	0.2	0.41	21.4	0.010	0.04	0.722
L17 0+50E		0.087	4.79	0.001	<0.002	8.23	<0.001	0.01	0.314	3.12	0.2	0.32	23.8	0.009	0.05	0.700
L17 1+00E		0.036	5.36	0.003	<0.002	10.05	0.004	0.02	0.212	4.66	1.2	0.46	33.2	0.006	0.02	0.985
L17 1+50E		0.078	3.91	<0.001	<0.002	8.49	0.002	0.03	0.234	2.80	1.4	0.34	35.4	0.008	0.04	0.414
L17 2+00E		0.057	4.01	0.001	<0.002	12.35	0.001	0.01	0.207	3.29	0.4	0.33	30.4	0.006	0.03	0.517
L17 2+50E		0.046	4.05	0.002	<0.002	10.90	<0.001	0.01	0.183	3.50	0.3	0.35	28.3	0.007	0.04	0.553
L17 3+00E		0.053	4.90	0.003	<0.002	10.30	0.002	0.04	0.314	4.56	1.8	0.37	36.3	0.007	0.08	0.298
L17 3+50E		0.030	7.05	<0.001	<0.002	20.3	0.001	0.01	0.226	4.82	0.5	0.37	26.0	0.006	0.03	0.893
L17 4+00E		0.032	4.28	0.001	<0.002	14.75	0.001	0.01	0.175	4.06	0.6	0.40	27.2	0.006	0.03	0.531
L17 4+50E		0.079	5.57	<0.001	<0.002	11.30	<0.001	0.01	0.225	3.45	0.7	0.45	24.3	0.006	0.01	0.742
L17 5+00E		0.042	6.66	0.001	<0.002	13.65	0.001	0.02	0.299	4.44	1.6	0.40	31.2	0.006	0.04	0.559
L17 5+50E		0.040	5.47	0.002	<0.002	15.40	0.001	0.02	0.266	3.63	0.5	0.29	27.9	0.006	0.04	0.636
L18 0+00E		0.042	6.35	0.001	<0.002	10.05	0.001	0.03	0.314	3.98	0.9	0.36	45.1	0.007	0.05	0.342
L18 0+50E		0.066	4.44	0.001	<0.002	16.90	<0.001	0.02	0.276	5.52	0.6	0.30	31.6	0.006	0.15	0.698
L18 1+00E		0.056	4.07	0.002	0.003	15.10	<0.001	0.02	0.258	3.94	0.3	0.41	22.4	0.007	0.14	0.200
L18 1+50E		0.093	5.29	0.001	<0.002	11.10	<0.001	0.03	0.242	3.31	0.2	0.44	13.75	0.007	0.13	0.293
L18 2+00E		0.069	16.75	0.001	<0.002	15.70	<0.001	0.03	0.733	4.67	0.3	0.47	16.95	<0.005	0.15	0.312
L18 2+50E		0.047	4.03	0.002	<0.002	13.00	<0.001	0.02	0.256	4.52	0.2	0.34	20.7	<0.005	0.29	0.551
L18 3+00E		0.106	4.75	0.001	0.002	9.63	<0.001	0.03	0.223	2.75	0.1	0.40	17.05	0.008	0.09	0.610
L19 0+00E		0.094	20.5	0.004	<0.002	14.15	0.001	0.03	0.214	5.29	0.5	0.36	36.3	<0.005	0.09	0.571
L19 0+50E		0.045	4.53	0.002	<0.002	8.64	<0.001	0.03	0.175	2.75	0.4	0.29	30.9	<0.005	0.05	0.411
L19 1+00E		0.072	4.17	0.002	<0.002	6.07	<0.001	0.02	0.102	1.610	0.2	0.43	12.85	0.011	0.09	0.560
L19 1+50E		0.022	3.96	0.003	<0.002	7.09	<0.001	0.02	0.172	2.80	0.3	0.36	28.2	<0.005	0.02	0.544
L19 2+00E		0.137	5.20	<0.001	<0.002	6.20	<0.001	0.03	0.140	1.950	0.3	0.42	10.75	0.014	0.07	0.621
L19 2+50E		0.068	4.27	0.002	0.002	7.52	<0.001	0.03	0.185	2.61	0.2	0.39	17.05	0.009	0.09	0.603
L19 3+00E		0.076	3.98	0.001	0.002	9.88	<0.001	0.02	0.199	2.81	0.2	0.30	19.90	<0.005	0.26	0.639
L20 0+00E		0.090	4.40	0.001	<0.002	7.54	<0.001	0.02	0.147	2.28	0.3	0.32	16.60	0.011	0.06	0.715
L20 0+50E		0.067	4.93	0.001	<0.002	8.57	<0.001	0.02	0.158	2.63	0.2	0.39	18.20	0.006	0.04	0.818
L20 1+00E		0.094	3.85	0.001	0.002	7.68	<0.001	0.02	0.135	2.18	0.2	0.33	17.00	0.010	0.02	0.715
L20 1+50E		0.095	10.45	0.004	0.002	9.37	<0.001	0.04	0.181	3.32	0.5	0.45	16.10	0.007	0.18	0.753
L20 2+00E		0.041	4.10	0.003	<0.002	10.25	0.001	0.03	0.168	2.11	0.2	0.33	19.50	<0.005	0.09	0.362
L20 2+50E		0.052	4.65	0.002	0.002	9.95	<0.001	0.02	0.320	3.25	0.1	0.38	18.15	<0.005	0.10	0.478
L20 3+00E		0.033	4.77	0.001	<0.002	9.29	<0.001	0.02	0.191	2.45	0.2	0.36	23.6	<0.005	0.07	0.477
L21 0+00E		0.075	3.73	0.002	<0.002	6.99	<0.001	0.02	0.142	2.45	<0.1	0.25	19.80	<0.005	0.04	0.636
L21 0+50E		0.094	3.89	<0.001	<0.002	6.26	<0.001	0.02	0.159	2.78	0.2	0.32	21.2	<0.005	0.05	0.776
L21 1+00E		0.105	4.37	<0.001	<0.002	7.82	<0.001	0.02	0.152	2.41	0.2	0.31	17.90	0.005	0.08	0.719
L21 1+50E		0.084	4.81	0.002	<0.002	7.04	<0.001	0.02	0.156	2.37	0.3	0.22	24.1	<0.005	0.04	0.663
L21 2+00E		0.164	6.19	0.004	<0.002	6.98	0.001	0.03	0.281	6.23	2.3	0.42	23.2	<0.005	0.03	0.711

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
L16 5+00E		0.159	0.072	0.406	126.5	0.093	10.20	51.0	2.56
L16 5+50E		0.101	0.044	0.213	68.8	0.162	2.10	74.3	1.45
L17 0+00E		0.131	0.046	0.277	76.1	0.145	2.73	40.3	4.10
L17 0+50E		0.120	0.048	0.304	78.9	0.141	2.92	47.2	3.46
L17 1+00E		0.122	0.074	0.484	70.6	0.095	9.07	42.2	5.71
L17 1+50E		0.099	0.062	0.453	69.5	0.109	7.90	53.4	1.75
L17 2+00E		0.119	0.038	0.294	77.3	0.084	4.14	37.5	2.16
L17 2+50E		0.117	0.047	0.312	75.5	0.095	3.99	36.1	2.54
L17 3+00E		0.107	0.107	0.585	74.7	0.104	11.90	49.2	2.56
L17 3+50E		0.136	0.054	0.383	91.5	0.084	4.67	55.8	5.33
L17 4+00E		0.159	0.052	0.316	91.9	0.116	4.91	57.9	2.00
L17 4+50E		0.112	0.041	0.313	76.4	0.104	3.81	55.2	3.78
L17 5+00E		0.110	0.076	0.431	83.6	0.120	7.65	52.6	2.00
L17 5+50E		0.108	0.041	0.289	74.4	0.118	3.25	37.0	2.44
L18 0+00E		0.108	0.110	0.646	71.7	0.132	8.09	43.3	2.13
L18 0+50E		0.153	0.123	0.421	110.0	0.291	6.31	45.6	3.29
L18 1+00E		0.142	0.137	0.212	93.1	0.141	3.78	73.5	1.20
L18 1+50E		0.073	0.281	0.306	82.1	0.180	2.33	88.4	0.87
L18 2+00E		0.081	0.124	0.224	108.5	0.188	3.02	117.0	0.57
L18 2+50E		0.130	0.076	0.211	104.0	0.263	2.74	89.5	1.73
L18 3+00E		0.128	0.054	0.256	69.5	0.123	2.79	100.0	3.06
L19 0+00E		0.120	0.101	0.353	95.3	0.274	5.13	86.6	2.05
L19 0+50E		0.123	0.053	0.370	78.3	0.118	4.82	38.9	2.16
L19 1+00E		0.140	0.029	0.184	69.9	0.268	1.605	76.2	4.36
L19 1+50E		0.150	0.049	0.262	81.7	0.154	3.59	37.2	2.28
L19 2+00E		0.119	0.044	0.260	65.6	0.236	1.720	62.6	3.94
L19 2+50E		0.136	0.045	0.232	82.9	0.168	2.30	73.4	3.16
L19 3+00E		0.125	0.050	0.255	86.0	0.173	2.78	50.4	3.54
L20 0+00E		0.125	0.023	0.245	77.2	0.174	1.960	46.4	3.88
L20 0+50E		0.128	0.036	0.264	80.1	0.152	2.37	50.2	6.62
L20 1+00E		0.128	0.034	0.276	76.1	0.158	2.43	42.5	4.76
L20 1+50E		0.149	0.073	0.267	96.3	0.261	3.00	57.2	5.10
L20 2+00E		0.177	0.055	0.178	97.5	0.160	2.87	52.8	1.78
L20 2+50E		0.103	0.044	0.193	87.0	0.138	2.25	48.9	1.38
L20 3+00E		0.145	0.050	0.191	80.0	0.094	2.63	92.6	1.97
L21 0+00E		0.123	0.032	0.228	80.9	0.125	2.09	40.9	3.04
L21 0+50E		0.122	0.042	0.282	79.5	0.134	3.09	38.1	3.23
L21 1+00E		0.128	0.044	0.248	74.5	0.118	2.14	50.3	4.43
L21 1+50E		0.117	0.043	0.277	80.4	0.120	3.01	44.3	1.88
L21 2+00E		0.112	0.112	1.395	92.6	0.197	17.95	59.7	4.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005	ME-MS41L Cu ppm 0.01
L21 2+50E		0.0018	0.122	1.96	1.93	<10	64.4	0.31	0.079	0.32	0.092	6.50	10.75	20.2	1.655	42.2
L21 3+00E		0.0047	0.291	1.91	3.11	<10	66.2	0.38	0.088	0.39	0.119	10.60	11.15	22.8	1.760	122.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002	ME-MS41L Ni ppm 0.04
L21 2+50E		2.40	6.24	0.031	0.135	0.022	<0.005	0.04	2.51	14.2	0.52	316	0.47	0.019	1.160	10.45
L21 3+00E		2.54	6.13	0.045	0.065	0.030	<0.005	0.04	5.98	12.9	0.54	330	0.63	0.015	1.045	14.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01	ME-MS41L Th ppm 0.002
L21 2+50E		0.125	4.97	0.001	0.004	7.96	<0.001	0.02	0.098	1.980	0.3	0.46	17.85	0.014	0.02	0.734
L21 3+00E		0.083	5.04	0.001	<0.002	9.07	<0.001	0.02	0.155	2.91	0.3	0.45	21.5	0.008	0.04	0.725

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
L21 2+50E		0.147	0.032	0.247	70.2	0.091	2.21	97.0	5.48
L21 3+00E		0.138	0.072	0.368	81.2	0.124	5.33	82.4	3.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14103104

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND- 02 ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

CERTIFICATE KL14104854

Project: Dillard

This report is for 47 Rock samples submitted to our lab in Kamloops, BC, Canada on 10-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005
Q347135		3.71	0.132	0.427	1.83	3.61	<10	106.0	0.17	0.067	1.17	0.063	11.15	26.3	10.80	1.905
Q347136		4.63	0.0182	0.261	1.95	2.73	<10	102.5	0.14	0.039	1.17	0.052	12.65	17.55	6.32	2.31
Q347137		5.16	0.0428	0.669	1.84	3.20	<10	122.5	0.15	0.055	1.13	0.067	11.60	17.25	7.85	2.30
Q347138		5.59	0.0143	0.267	1.88	1.83	<10	135.0	0.17	0.037	1.09	0.050	12.85	20.0	5.25	2.31
Q347139		5.84	0.0140	0.153	1.88	2.34	<10	131.5	0.16	0.042	1.03	0.053	12.85	17.75	5.73	2.74
Q347140		4.86	0.0150	0.131	1.81	2.71	<10	79.2	0.16	0.027	1.08	0.040	13.00	15.40	7.69	2.15
Q347141		6.51	0.0172	0.103	1.74	2.35	<10	79.6	0.14	0.033	1.02	0.042	13.55	14.10	5.89	3.15
Q347142		5.57	0.0126	0.179	1.86	2.13	<10	100.0	0.15	0.020	1.15	0.039	14.80	18.20	6.05	2.54
Q347143		6.85	0.0152	0.163	1.89	4.76	<10	104.5	0.27	0.059	1.03	0.086	13.75	19.15	5.12	5.31
Q347144		4.85	0.0125	0.141	1.98	2.22	<10	130.0	0.13	0.049	1.05	0.030	13.10	19.30	5.65	2.95
Q347145		6.52	0.0151	0.133	2.17	1.94	<10	196.5	0.16	0.032	0.98	0.037	13.15	20.6	5.20	3.23
Q347146		6.00	0.0317	0.585	2.14	3.63	<10	166.5	0.18	0.059	0.95	0.030	13.35	30.0	5.59	3.60
Q347147		4.31	0.0474	0.682	2.15	3.51	<10	126.0	0.17	0.048	1.02	0.025	13.00	19.90	4.79	2.71
Q347148		5.36	0.0228	0.373	2.81	3.62	<10	239	0.22	0.083	0.89	0.046	12.20	23.7	6.91	3.68
Q347149		5.09	0.0192	0.192	2.44	3.70	<10	182.0	0.19	0.078	1.01	0.026	11.60	26.1	8.79	2.66
Q347150		0.09	0.816	53.6	1.08	978	10	110.0	0.18	21.5	3.23	0.874	12.85	35.4	31.1	0.733
Q347151		6.43	0.0221	0.253	2.03	3.52	<10	86.3	0.15	0.100	0.98	0.043	11.70	24.2	5.78	1.940
Q347152		6.06	0.0149	0.268	2.16	2.48	<10	86.8	0.15	0.059	0.90	0.034	13.60	25.2	4.93	3.10
Q347153		6.43	0.0157	0.211	2.20	2.51	<10	89.5	0.16	0.055	1.00	0.032	14.35	19.85	5.11	2.65
Q347154		6.04	0.0116	0.142	2.04	2.48	<10	74.4	0.19	0.033	1.04	0.034	12.90	19.15	9.99	2.42
Q347155		3.76	0.0538	0.297	2.18	2.93	<10	85.8	0.21	0.116	0.92	0.043	11.15	26.3	4.89	2.87
Q347156		4.16	0.0215	0.257	2.24	2.31	<10	109.5	0.14	0.076	0.91	0.036	12.10	20.6	16.65	3.00
Q347157		2.39	0.0144	0.133	1.81	2.68	<10	83.2	0.21	0.042	1.05	0.035	12.30	14.95	7.48	2.91
Q347158		3.33	0.0183	0.230	2.24	2.33	<10	111.5	0.14	0.048	0.90	0.020	12.65	22.2	6.38	3.28
Q347159		3.33	0.0137	0.105	2.10	2.03	<10	85.7	0.13	0.021	0.93	0.021	12.10	15.75	7.09	2.98
Q347160		4.03	0.0138	0.131	2.24	1.49	<10	112.0	0.13	0.019	0.92	0.024	12.15	19.95	5.41	2.71
Q347161		5.16	0.0188	0.145	2.36	1.77	<10	137.0	0.13	0.029	0.97	0.030	12.55	22.3	5.10	3.29
Q347162		4.48	0.0275	0.133	2.23	2.42	<10	140.0	0.13	0.043	0.93	0.035	12.10	18.60	4.27	3.29
Q347163		6.20	0.0089	0.078	2.62	1.97	<10	156.0	0.12	0.018	0.86	0.019	11.50	21.0	4.67	3.75
Q347164		6.69	0.0158	0.158	2.77	1.57	<10	208	0.11	0.033	0.76	0.015	10.80	23.9	4.71	4.26
Q347165		6.92	0.0089	0.095	2.45	1.34	<10	204	0.13	0.009	0.92	0.018	12.10	20.8	5.10	3.49
Q347166		5.40	0.0153	0.104	2.30	1.57	<10	216	0.12	0.020	0.97	0.016	12.05	19.65	4.88	3.16
Q347167		6.45	0.0106	0.094	2.38	1.30	<10	258	0.11	0.024	0.90	0.022	12.35	21.4	10.65	3.38
Q347168		6.99	0.0117	0.097	1.92	1.92	<10	132.0	0.12	0.032	1.06	0.020	8.49	18.80	10.20	2.23
Q347169		6.93	0.0135	0.147	1.68	2.28	<10	143.5	0.19	0.062	1.23	0.059	10.20	14.45	4.34	1.395
Q347170		7.10	0.0110	0.076	2.21	1.70	<10	172.0	0.10	0.013	0.90	0.032	11.40	19.05	4.58	2.66
Q347171		4.42	0.0197	0.130	2.20	1.97	<10	197.0	0.10	0.034	0.85	0.035	10.85	16.45	4.27	2.76
Q347172		7.30	0.0085	0.079	2.16	1.71	<10	162.0	0.14	0.026	0.97	0.027	11.75	15.00	4.47	2.52
Q347173		6.84	0.0077	0.087	2.08	1.91	<10	140.0	0.14	0.024	0.93	0.039	12.10	19.10	4.04	2.72
Q347174		6.13	0.0080	0.065	2.12	1.86	<10	129.0	0.11	0.012	0.95	0.019	12.35	19.00	5.29	2.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347135		272	3.84	6.45	0.121	0.105	<0.004	<0.005	0.75	4.84	16.1	1.58	469	0.61	0.069	0.116
Q347136		257	3.47	6.22	0.141	0.116	0.004	0.005	1.00	5.56	16.5	1.57	481	0.54	0.080	0.107
Q347137		499	3.61	6.60	0.121	0.121	0.006	<0.005	0.86	5.03	16.9	1.51	442	0.51	0.074	0.126
Q347138		282	3.64	6.35	0.125	0.088	0.008	<0.005	1.08	5.56	15.1	1.40	428	0.49	0.081	0.095
Q347139		226	3.44	6.08	0.137	0.079	0.006	0.005	1.19	5.67	14.1	1.48	429	0.50	0.080	0.092
Q347140		196.5	3.31	5.93	0.123	0.106	0.006	<0.005	0.74	5.61	15.1	1.42	474	0.73	0.062	0.128
Q347141		220	3.70	5.64	0.111	0.082	0.008	<0.005	0.92	5.95	13.6	1.34	440	1.36	0.065	0.159
Q347142		198.5	3.88	6.26	0.149	0.101	0.010	0.009	1.03	6.45	15.3	1.36	495	0.64	0.076	0.113
Q347143		346	4.01	6.08	0.125	0.059	0.015	0.015	1.07	6.23	12.1	1.38	612	2.85	0.059	0.142
Q347144		152.0	3.44	6.11	0.147	0.080	0.009	0.007	1.21	5.86	13.3	1.63	514	1.02	0.065	0.092
Q347145		175.0	3.78	7.00	0.157	0.081	0.007	<0.005	1.39	5.69	17.5	1.87	590	0.97	0.075	0.096
Q347146		377	4.26	6.99	0.163	0.077	0.008	<0.005	1.40	5.76	16.5	1.85	579	1.78	0.072	0.124
Q347147		385	3.90	7.19	0.164	0.083	0.005	0.005	1.14	5.62	19.6	1.99	607	1.02	0.061	0.065
Q347148		266	5.78	9.08	0.151	0.074	<0.004	0.007	1.61	5.16	27.9	2.38	865	1.23	0.084	0.062
Q347149		134.5	4.93	7.86	0.154	0.130	0.005	0.011	1.10	5.27	25.7	2.20	741	1.26	0.074	0.083
Q347150		3710	2.97	3.56	0.077	0.169	0.737	0.087	0.15	7.66	7.1	0.36	637	526	0.095	0.172
Q347151		167.5	4.15	7.06	0.148	0.120	<0.004	0.011	0.93	5.36	19.6	1.86	621	1.01	0.057	0.083
Q347152		197.0	4.18	7.33	0.150	0.111	0.004	0.009	1.49	6.07	15.9	1.77	625	0.92	0.066	0.064
Q347153		151.5	3.92	7.28	0.169	0.177	<0.004	0.008	1.38	6.33	17.6	1.80	653	0.86	0.070	0.074
Q347154		146.0	3.68	6.58	0.166	0.182	0.004	0.016	1.01	5.67	16.4	1.75	622	1.09	0.069	0.090
Q347155		303	4.50	8.05	0.165	0.112	0.008	0.013	1.02	4.81	20.0	2.03	680	2.00	0.062	0.070
Q347156		241	4.33	7.34	0.179	0.119	0.004	0.010	1.39	5.50	17.6	1.95	695	0.99	0.071	0.077
Q347157		215	3.57	5.83	0.154	0.137	0.008	0.009	0.93	5.59	11.3	1.42	562	1.64	0.062	0.132
Q347158		187.0	4.31	7.53	0.160	0.114	<0.004	<0.005	1.53	5.60	15.8	1.88	668	1.72	0.082	0.063
Q347159		105.5	3.65	6.72	0.176	0.157	<0.004	0.007	1.48	5.49	14.1	1.71	637	0.96	0.073	0.059
Q347160		129.5	3.91	6.91	0.165	0.119	<0.004	0.012	1.63	5.57	13.5	1.76	698	0.60	0.079	0.059
Q347161		148.5	4.30	7.47	0.157	0.080	<0.004	0.007	1.67	5.52	14.5	1.81	731	0.80	0.101	0.085
Q347162		138.0	4.02	6.84	0.164	0.102	0.004	0.005	1.50	5.34	13.6	1.84	737	1.99	0.075	0.081
Q347163		89.8	4.44	8.09	0.168	0.093	<0.004	0.006	1.94	5.15	17.6	2.17	887	0.71	0.089	0.042
Q347164		126.0	4.80	8.32	0.152	0.100	0.006	0.010	2.15	4.76	16.6	2.30	875	1.44	0.097	0.056
Q347165		117.0	4.03	7.24	0.166	0.087	0.005	0.007	1.74	5.46	15.1	1.88	704	1.10	0.104	0.063
Q347166		109.0	3.97	6.94	0.146	0.100	0.004	<0.005	1.56	5.36	14.7	1.76	648	0.77	0.105	0.089
Q347167		105.5	4.19	7.21	0.155	0.109	0.004	0.008	1.74	5.38	14.6	1.87	719	0.66	0.096	0.056
Q347168		100.5	3.19	6.06	0.147	0.111	<0.004	0.009	1.03	3.65	12.9	1.54	564	0.74	0.073	0.062
Q347169		94.5	3.28	4.91	0.088	0.162	0.005	0.012	0.52	4.27	5.9	0.78	356	1.26	0.164	0.107
Q347170		90.9	3.49	5.98	0.120	0.113	<0.004	0.007	1.64	5.25	12.0	1.82	574	0.68	0.057	0.038
Q347171		131.0	3.57	5.74	0.129	0.125	0.006	0.006	1.59	5.05	12.8	1.77	540	1.24	0.072	0.065
Q347172		118.5	3.36	5.68	0.125	0.136	<0.004	<0.005	1.43	5.18	13.1	1.69	523	1.21	0.060	0.080
Q347173		137.0	3.37	5.60	0.119	0.114	0.005	0.013	1.32	5.30	12.5	1.58	510	0.84	0.060	0.070
Q347174		88.6	3.37	5.75	0.128	0.132	0.004	0.007	1.48	5.41	12.9	1.68	597	0.89	0.066	0.051

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347135		11.90	0.153	3.11	0.013	0.005	30.7	<0.001	0.32	0.182	2.88	0.9	0.26	69.3	<0.005	0.32
Q347136		10.75	0.155	1.835	0.004	0.003	40.6	0.001	0.15	0.220	3.34	0.6	0.25	82.2	<0.005	0.18
Q347137		11.65	0.152	2.55	0.008	0.005	34.9	<0.001	0.17	0.191	4.00	1.0	0.26	61.3	<0.005	0.30
Q347138		10.00	0.156	0.915	0.006	0.004	40.0	<0.001	0.11	0.148	3.45	1.0	0.25	74.4	<0.005	0.08
Q347139		10.10	0.153	0.812	0.006	0.003	47.6	0.001	0.08	0.153	3.32	0.5	0.27	70.0	<0.005	0.12
Q347140		10.05	0.154	1.095	0.005	0.003	31.0	<0.001	0.09	0.237	3.56	0.5	0.24	72.7	<0.005	0.12
Q347141		9.60	0.154	0.967	0.006	0.003	40.1	<0.001	0.04	0.225	3.28	0.5	0.25	66.3	<0.005	0.13
Q347142		10.10	0.159	0.913	0.006	0.003	39.4	<0.001	0.06	0.142	3.52	0.4	0.31	72.9	<0.005	0.08
Q347143		10.45	0.158	6.76	0.007	0.003	43.3	0.001	0.10	0.463	4.97	0.8	0.26	64.5	<0.005	0.12
Q347144		9.88	0.156	1.040	0.006	0.003	45.0	<0.001	0.17	0.209	3.51	0.7	0.29	74.0	<0.005	0.20
Q347145		10.10	0.161	0.848	0.006	0.005	49.8	<0.001	0.10	0.187	4.40	0.6	0.22	71.4	<0.005	0.10
Q347146		11.15	0.159	1.075	0.008	0.004	55.8	<0.001	0.32	0.329	4.30	1.0	0.31	60.4	<0.005	0.24
Q347147		10.60	0.155	1.925	0.008	0.004	45.8	<0.001	0.22	0.328	3.52	0.6	0.32	76.7	<0.005	0.22
Q347148		13.95	0.164	1.550	0.009	0.005	62.5	<0.001	0.33	0.434	6.34	0.8	0.46	62.7	<0.005	0.21
Q347149		13.30	0.153	1.690	0.008	0.005	39.6	0.001	0.22	0.412	6.17	0.7	0.68	62.7	<0.005	0.17
Q347150		27.3	0.076	83.9	0.005	<0.002	4.98	0.093	0.51	119.5	2.14	2.9	1.94	123.5	<0.005	2.68
Q347151		11.45	0.158	2.29	0.011	0.005	35.8	0.001	0.30	0.348	4.21	0.7	0.32	79.0	<0.005	0.25
Q347152		10.95	0.160	1.195	0.008	0.005	56.7	0.001	0.17	0.276	4.63	0.7	0.33	87.6	<0.005	0.16
Q347153		10.50	0.158	1.420	0.008	0.005	49.9	0.001	0.26	0.298	4.76	0.9	0.32	101.0	<0.005	0.22
Q347154		11.25	0.153	0.977	0.006	0.004	38.3	0.002	0.15	0.232	5.45	0.5	0.31	114.0	<0.005	0.11
Q347155		11.70	0.157	1.155	0.007	0.004	36.5	0.009	0.61	0.401	6.05	1.4	0.30	90.0	<0.005	0.28
Q347156		12.35	0.162	0.924	0.009	0.007	50.8	<0.001	0.27	0.372	5.51	0.8	0.23	77.9	<0.005	0.21
Q347157		10.45	0.154	1.115	0.010	0.005	34.9	0.001	0.11	0.470	5.26	0.5	0.27	95.5	<0.005	0.12
Q347158		10.85	0.157	0.750	0.006	0.005	59.1	0.002	0.30	0.276	4.48	0.8	0.22	87.4	<0.005	0.14
Q347159		11.40	0.154	0.700	0.008	0.003	58.1	<0.001	0.06	0.328	4.21	0.4	0.43	103.0	<0.005	0.10
Q347160		10.35	0.156	0.591	0.009	0.003	55.8	0.001	0.10	0.236	4.44	0.5	0.43	115.5	<0.005	0.07
Q347161		10.85	0.159	0.637	0.005	0.003	59.6	0.001	0.20	0.221	4.14	0.9	0.25	74.5	<0.005	0.10
Q347162		10.30	0.157	1.025	0.005	0.007	50.4	0.005	0.17	0.420	4.54	0.6	0.26	72.3	<0.005	0.17
Q347163		11.65	0.159	0.529	0.006	0.003	65.3	0.001	0.10	0.160	3.98	0.5	0.26	86.9	<0.005	0.08
Q347164		11.25	0.159	0.512	0.008	0.003	75.6	0.003	0.25	0.143	4.30	0.8	0.31	87.3	<0.005	0.14
Q347165		10.65	0.156	0.500	0.005	0.003	58.3	0.001	0.10	0.225	3.76	0.4	0.21	88.4	<0.005	0.07
Q347166		10.05	0.160	0.556	0.007	0.004	49.9	0.002	0.16	0.266	3.44	0.8	0.27	80.4	<0.005	0.05
Q347167		11.65	0.156	0.582	0.007	0.003	60.9	0.001	0.13	0.192	3.56	0.7	0.23	65.3	<0.005	0.08
Q347168		10.45	0.153	0.792	0.004	0.004	35.1	0.001	0.13	0.292	5.11	0.3	0.22	77.6	<0.005	0.13
Q347169		4.33	0.162	1.345	0.003	<0.002	19.40	0.001	0.57	0.343	2.83	0.5	0.21	99.9	<0.005	0.11
Q347170		10.10	0.150	0.597	0.005	0.004	60.8	<0.001	0.04	0.352	3.78	0.4	0.22	62.8	<0.005	0.05
Q347171		9.30	0.148	0.601	0.005	0.003	56.8	0.002	0.10	0.307	3.25	0.5	0.19	61.8	<0.005	0.10
Q347172		9.29	0.152	0.608	0.004	0.004	52.0	<0.001	0.04	0.278	3.31	0.4	0.26	68.7	<0.005	0.10
Q347173		9.30	0.150	0.704	0.001	0.004	50.7	<0.001	0.02	0.410	3.71	0.4	0.22	70.1	<0.005	0.13
Q347174		10.10	0.154	0.622	0.003	0.006	56.9	0.002	0.02	0.357	3.44	0.2	0.25	69.4	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Th ppm 0.002	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
Q347135		0.914	0.293	0.179	0.277	146.5	0.469	8.47	48.9	2.21
Q347136		1.030	0.289	0.212	0.328	136.0	0.277	8.57	49.6	2.49
Q347137		0.945	0.296	0.182	0.265	160.5	0.344	8.86	47.6	2.79
Q347138		1.115	0.282	0.191	0.315	146.5	0.218	8.71	39.0	2.38
Q347139		1.020	0.269	0.252	0.315	136.5	0.318	8.59	43.0	2.39
Q347140		1.000	0.254	0.166	0.309	130.0	0.279	8.64	44.8	2.75
Q347141		0.986	0.249	0.217	0.342	140.5	0.267	9.52	41.7	2.42
Q347142		1.150	0.279	0.181	0.412	156.5	0.207	10.10	42.7	2.85
Q347143		1.045	0.223	0.289	0.371	145.0	0.162	9.35	58.5	2.27
Q347144		1.010	0.268	0.227	0.383	134.0	0.240	8.92	46.7	2.30
Q347145		0.933	0.291	0.254	0.333	151.5	0.199	9.20	51.6	2.24
Q347146		0.970	0.270	0.304	0.358	154.0	0.275	9.71	60.1	2.22
Q347147		0.928	0.253	0.230	0.348	148.5	0.322	9.05	66.7	2.07
Q347148		0.972	0.248	0.352	0.317	187.0	1.030	7.70	80.4	1.86
Q347149		0.874	0.265	0.232	0.363	170.0	0.715	7.37	77.0	4.00
Q347150		1.395	0.064	0.059	1.490	37.6	8.08	5.58	128.0	4.73
Q347151		0.925	0.243	0.192	0.378	143.0	0.545	7.46	64.1	3.54
Q347152		1.060	0.245	0.287	0.443	157.5	0.184	8.21	61.6	3.12
Q347153		1.140	0.268	0.252	0.477	147.5	0.345	8.82	59.4	5.48
Q347154		0.963	0.251	0.195	0.402	136.0	0.281	8.11	54.9	5.57
Q347155		0.818	0.244	0.214	0.304	152.5	0.191	7.82	65.8	3.37
Q347156		0.826	0.284	0.248	0.361	165.5	0.233	8.24	66.8	3.96
Q347157		0.898	0.233	0.180	0.390	131.5	0.269	7.99	54.2	5.01
Q347158		0.947	0.261	0.283	0.403	166.0	0.191	7.89	61.7	4.83
Q347159		0.814	0.266	0.289	0.294	150.5	0.210	7.65	58.8	5.49
Q347160		0.814	0.280	0.228	0.277	150.0	0.120	7.53	64.2	4.05
Q347161		0.719	0.294	0.259	0.237	175.5	0.180	8.15	65.0	3.44
Q347162		0.753	0.255	0.266	0.262	154.0	0.161	7.80	62.8	3.72
Q347163		0.693	0.294	0.261	0.258	176.0	0.205	7.00	77.9	3.22
Q347164		0.620	0.313	0.285	0.207	185.5	0.204	6.74	83.9	3.30
Q347165		0.712	0.291	0.232	0.242	161.5	0.130	7.35	58.3	3.30
Q347166		0.728	0.279	0.201	0.237	149.5	0.115	7.23	54.6	2.98
Q347167		0.795	0.286	0.250	0.258	158.5	0.116	7.61	73.3	3.84
Q347168		0.508	0.236	0.165	0.233	131.5	0.155	5.78	45.3	3.61
Q347169		1.005	0.151	0.103	0.277	83.3	0.153	6.20	25.5	5.90
Q347170		0.704	0.243	0.275	0.199	119.0	0.131	6.27	49.3	4.53
Q347171		0.689	0.240	0.252	0.220	122.0	0.211	6.13	47.5	4.39
Q347172		0.750	0.248	0.221	0.255	110.0	0.183	6.75	44.8	4.77
Q347173		0.763	0.244	0.218	0.232	116.5	0.143	6.67	47.3	4.88
Q347174		0.751	0.247	0.215	0.198	122.0	0.152	6.76	51.6	4.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347175		0.09	1.030	52.5	0.98	938	10	103.5	0.16	22.7	3.01	0.839	12.80	33.9	28.5	0.689
Q347176		8.03	0.0073	0.116	1.62	4.57	<10	77.3	0.22	0.036	1.04	0.041	9.71	15.00	9.45	2.22
Q347177		6.69	0.0043	0.047	1.83	3.13	<10	139.0	0.22	0.025	1.15	0.054	8.53	14.95	18.80	3.07
Q347178		6.79	0.0063	0.062	2.14	1.89	<10	164.5	0.15	0.016	0.84	0.022	12.65	20.0	4.90	3.98
Q347179		7.29	0.0089	0.094	2.10	2.13	<10	126.0	0.17	0.007	0.87	0.014	11.90	17.50	4.50	3.76
Q347180		6.51	0.0078	0.077	2.15	2.33	<10	129.0	0.15	0.012	0.91	0.033	12.20	18.60	5.19	3.84
Q347181		6.45	0.0045	0.068	2.28	2.06	<10	153.0	0.14	0.012	0.85	0.022	11.50	14.80	4.39	4.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347175		3610	2.77	3.29	0.063	0.147	0.661	0.079	0.14	7.63	6.5	0.34	619	492	0.085	0.175
Q347176		114.0	3.40	5.47	0.084	0.120	0.008	0.009	0.57	4.19	12.3	1.21	539	0.96	0.056	0.092
Q347177		98.6	3.58	5.33	0.077	0.109	0.006	0.013	0.75	3.69	9.6	1.10	462	0.86	0.103	0.083
Q347178		87.2	3.86	6.54	0.117	0.124	0.004	0.008	1.42	5.53	13.9	1.70	620	0.52	0.062	0.075
Q347179		93.4	3.75	6.48	0.142	0.130	0.005	<0.005	1.31	5.21	15.3	1.77	664	0.46	0.066	0.066
Q347180		92.6	3.58	6.25	0.118	0.114	0.007	0.011	1.44	5.27	15.6	1.76	625	0.47	0.067	0.053
Q347181		89.2	3.82	6.55	0.133	0.111	0.008	<0.005	1.67	4.89	17.2	1.95	692	0.58	0.068	0.054

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ni ppm 0.04	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01
Q347175		26.1	0.071	76.8	0.002	<0.002	4.95	0.094	0.48	128.5	2.05	2.4	1.64	118.5	<0.005	2.73
Q347176		7.95	0.140	1.475	0.004	0.002	24.2	0.002	0.04	0.578	3.34	0.5	0.18	64.8	<0.005	0.11
Q347177		7.49	0.125	1.275	0.003	0.002	28.3	<0.001	0.09	0.457	5.71	0.5	0.20	59.5	<0.005	0.07
Q347178		10.10	0.144	0.773	0.004	0.003	58.8	<0.001	0.04	0.453	4.03	0.5	0.26	71.3	<0.005	0.04
Q347179		10.75	0.146	0.694	0.003	0.005	49.5	<0.001	0.01	0.487	3.48	0.4	0.24	76.9	<0.005	0.08
Q347180		10.35	0.147	0.796	0.004	0.004	51.7	<0.001	0.01	0.477	3.89	0.1	0.18	89.2	<0.005	0.04
Q347181		10.30	0.150	0.708	0.004	0.004	58.9	0.001	0.01	0.466	4.32	0.3	0.18	89.4	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347175		1.460	0.057	0.048	1.535	36.2	7.59	5.34	119.0	4.41
Q347176		0.633	0.184	0.122	0.200	116.0	0.172	6.12	47.4	3.80
Q347177		0.667	0.186	0.159	0.203	130.5	0.137	7.21	39.8	3.69
Q347178		0.794	0.258	0.242	0.246	148.0	0.131	7.60	56.0	4.82
Q347179		0.775	0.237	0.204	0.259	142.5	0.096	7.57	55.0	4.53
Q347180		0.803	0.242	0.211	0.252	141.5	0.096	7.35	53.6	4.04
Q347181		0.715	0.246	0.268	0.264	147.0	0.119	7.15	63.3	3.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104854

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

CERTIFICATE VA14099291

Project: Dillard

This report is for 11 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS	TOM SCHROETER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41L	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with Cu-OG46 results imported from VA14087287***

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	Cu- OG46 Cu % 0.001	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347051		1.705	0.102	17.60	1.39	3.85	<10	99.0	0.32	1.535	0.91	4.10	7.39	57.4	4.42	0.672
Q347052		1.325	0.0968	11.05	2.41	1.61	<10	303	0.46	0.504	0.58	1.400	11.15	39.6	7.32	3.48
Q347053			0.0032	0.189	1.74	18.15	<10	65.6	0.18	0.126	1.38	0.056	7.60	10.85	4.64	1.485
Q347054			0.0321	0.998	0.77	2.82	<10	23.8	0.12	0.137	1.13	0.076	6.97	18.10	33.3	0.463
Q347055			0.0051	0.069	2.07	2.76	<10	78.3	0.24	0.089	1.42	0.071	5.93	9.28	4.76	1.270
Q347056			0.0017	0.206	1.32	1.00	<10	72.1	0.07	0.199	1.04	0.052	4.17	6.62	8.33	0.840
Q347057			0.0029	0.079	1.08	1.24	<10	68.1	0.13	0.016	1.39	0.060	6.59	3.97	14.75	0.658
Q347058			0.0052	0.026	0.36	9.49	10	324	0.28	0.032	5.17	0.098	0.672	8.00	4.06	7.91
Q347059			0.0269	0.315	1.01	8.38	<10	103.0	0.16	0.113	0.94	0.090	3.86	24.2	9.09	0.377
Q347060			0.0245	0.310	0.66	2.30	<10	30.5	0.08	0.100	1.18	0.026	8.35	4.63	12.35	0.597
Q347061			0.0073	0.166	1.44	4.18	<10	49.0	0.15	0.061	1.60	0.086	5.52	17.15	51.9	1.100

Comments: ***Corrected copy with Cu- OG46 results imported from VA14087287***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347051		>10000	4.51	4.33	0.059	0.198	0.227	0.404	0.36	3.58	9.9	0.90	404	124.0	0.017	0.119
Q347052		>10000	4.91	9.06	0.110	0.228	0.100	0.286	1.43	5.65	23.4	1.92	568	56.1	0.030	0.076
Q347053		183.0	2.72	5.75	0.075	0.067	0.005	<0.005	0.23	3.72	10.9	0.49	255	2.15	0.174	0.116
Q347054		1190	2.49	2.94	0.126	0.258	0.006	0.014	0.14	3.13	4.3	0.56	245	0.99	0.131	0.268
Q347055		50.6	2.89	7.21	0.101	0.064	0.009	<0.005	0.44	2.93	15.1	0.71	443	1.42	0.196	0.096
Q347056		147.5	1.930	4.21	0.073	0.094	<0.004	<0.005	0.16	1.870	8.1	0.42	189.0	0.32	0.165	0.059
Q347057		65.6	1.970	3.14	0.068	0.161	0.020	<0.005	0.13	3.06	3.7	0.28	159.5	0.29	0.113	0.105
Q347058		22.0	2.40	1.185	0.047	0.024	0.062	0.011	0.20	0.274	4.4	1.94	619	0.14	0.015	0.002
Q347059		203	1.790	3.68	0.051	0.103	0.008	<0.005	0.18	1.545	8.8	0.50	216	0.21	0.064	0.074
Q347060		101.0	1.540	2.68	0.097	0.199	0.007	<0.005	0.08	4.63	1.8	0.19	112.5	0.96	0.054	0.234
Q347061		148.0	2.87	5.50	0.152	0.231	<0.004	<0.005	0.38	2.40	9.7	1.05	519	0.35	0.178	0.081

Comments: ***Corrected copy with Cu- OG46 results imported from VA14087287***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347051		8.09	0.102	3.31	0.001	0.003	17.90	0.087	2.45	0.809	3.69	5.1	0.21	57.1	0.006	1.69
Q347052		6.11	0.144	2.52	0.005	0.002	83.2	0.030	0.53	0.630	11.70	2.1	0.38	60.1	0.005	0.57
Q347053		7.38	0.129	2.16	<0.001	<0.002	14.20	0.001	0.68	0.334	3.14	0.6	0.30	86.6	0.006	0.15
Q347054		23.3	0.117	1.545	0.005	0.002	6.56	0.002	1.17	0.284	5.07	2.3	0.36	52.2	0.007	0.20
Q347055		2.05	0.120	1.605	0.001	<0.002	22.3	0.001	0.34	0.741	3.76	0.5	0.31	74.3	0.006	0.12
Q347056		6.17	0.095	0.877	0.003	<0.002	8.58	<0.001	0.65	0.097	2.27	0.5	0.16	56.5	0.006	0.25
Q347057		5.73	0.142	1.445	0.001	<0.002	4.98	<0.001	0.01	0.179	3.38	0.4	0.15	80.8	0.005	0.02
Q347058		9.38	0.007	1.290	0.005	0.003	7.11	<0.001	0.10	0.563	10.15	0.2	0.05	81.9	0.005	0.03
Q347059		7.19	0.114	2.70	0.002	<0.002	6.07	<0.001	0.64	0.237	2.29	0.9	0.16	30.6	0.005	0.17
Q347060		2.87	0.207	1.765	0.003	<0.002	2.97	0.002	0.13	0.469	2.19	1.0	0.19	126.5	0.006	0.13
Q347061		33.6	0.126	1.505	0.007	0.002	14.80	<0.001	0.18	0.658	7.99	0.7	0.28	39.7	0.006	0.10

Comments: ***Corrected copy with Cu- OG46 results imported from VA14087287***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Th ppm 0.002	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
Q347051		0.956	0.118	0.192	0.596	66.2	0.702	5.44	402	3.89
Q347052		0.888	0.204	0.562	0.650	175.0	0.627	7.70	264	6.16
Q347053		1.025	0.112	0.259	0.265	58.1	0.198	6.30	25.8	2.46
Q347054		0.466	0.214	0.049	0.267	78.8	0.399	8.40	22.6	6.15
Q347055		0.890	0.133	0.166	0.185	67.7	0.995	5.13	21.1	2.36
Q347056		0.257	0.096	0.048	0.124	50.5	0.198	4.11	12.8	1.75
Q347057		0.343	0.156	0.031	0.180	112.5	0.144	6.68	9.7	3.50
Q347058		0.110	0.001	0.070	0.169	70.1	0.095	4.99	35.5	1.08
Q347059		0.228	0.116	0.030	0.134	57.5	0.549	4.78	17.1	2.79
Q347060		0.521	0.148	0.018	0.267	58.0	0.171	6.15	7.2	4.11
Q347061		0.406	0.223	0.088	0.192	111.5	0.237	8.39	41.4	5.84

Comments: ***Corrected copy with Cu-OG46 results imported from VA14087287***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS VA14099291

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Cu- OG46 FND- 02 ME- MS41L ME- OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

CERTIFICATE KL14104852

Project: Dillard

This report is for 22 Rock samples submitted to our lab in Kamloops, BC, Canada on 10-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104852

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005
Q347101		4.48	0.0215	0.376	1.69	3.06	<10	219	0.14	0.124	0.95	0.035	9.94	19.20	16.25	2.30
Q347102		4.39	0.0188	0.405	1.24	2.81	<10	59.9	0.16	0.090	0.98	0.068	7.35	17.65	13.90	2.22
Q347103		2.33	0.0201	0.243	1.06	2.68	<10	51.4	0.17	0.073	0.92	0.122	4.64	10.60	12.15	2.26
Q347104		4.68	0.0084	0.111	0.96	3.01	<10	70.2	0.16	0.055	0.89	0.079	6.00	11.15	32.9	1.940
Q347105		1.35	0.0319	0.622	1.06	11.55	<10	149.5	0.59	0.151	1.09	0.543	14.85	24.0	30.7	4.45
Q347106		1.13	0.0072	0.071	1.48	3.10	<10	31.3	0.28	0.049	0.93	0.082	9.19	5.42	39.4	2.63
Q347107		4.37	0.0133	0.233	1.45	2.45	<10	64.2	0.22	0.060	1.10	0.052	11.90	11.70	22.6	1.840
Q347108		4.00	0.0035	0.075	1.13	2.16	<10	56.8	0.12	0.060	1.06	0.031	6.36	13.00	30.0	1.285
Q347109		5.20	0.0080	0.076	0.99	2.53	<10	41.9	0.15	0.049	1.11	0.082	6.79	11.40	28.1	0.824
Q347110		5.32	0.0047	0.049	1.12	1.95	<10	42.1	0.13	0.026	1.12	0.066	7.32	10.25	29.4	0.902
Q347111		4.48	0.0111	0.132	1.49	2.25	<10	84.3	0.12	0.030	1.06	0.057	9.36	10.20	25.6	1.345
Q347112		6.07	0.0140	0.158	1.58	2.44	<10	126.0	0.15	0.055	1.07	0.050	9.89	15.85	25.8	1.890
Q347113		5.41	0.0148	0.217	1.71	1.93	<10	133.0	0.16	0.104	1.10	0.020	12.15	23.9	39.9	1.995
Q347114		6.30	0.0254	0.123	1.81	2.23	<10	142.5	0.16	0.066	0.90	0.059	13.05	23.5	34.8	2.88
Q347115		6.37	0.0179	0.145	1.59	2.00	<10	96.7	0.19	0.059	1.00	0.040	13.15	22.7	44.8	2.58
Q347116		6.86	0.0250	0.243	1.84	2.44	<10	124.0	0.16	0.097	1.03	0.040	12.70	27.6	43.4	2.19
Q347117		4.93	0.0083	0.068	2.07	1.59	<10	240	0.11	0.036	0.86	0.040	12.60	20.1	4.76	2.67
Q347118		5.19	0.0212	0.189	2.22	1.81	<10	255	0.12	0.052	0.93	0.047	13.80	21.9	5.63	2.85
Q347119		4.38	0.0473	0.362	1.86	1.98	<10	190.5	0.16	0.062	1.02	0.034	11.50	21.6	16.30	2.16
Q347120		5.55	0.0502	0.325	1.67	2.54	<10	129.0	0.16	0.088	1.07	0.051	10.35	19.60	18.10	2.16
Q347121		4.43	0.0172	0.149	1.50	1.93	<10	90.2	0.11	0.056	0.98	0.089	9.59	16.65	16.75	3.02
Q347122		4.14	0.0092	0.086	1.26	1.64	<10	68.6	0.12	0.026	0.95	0.085	7.19	12.00	30.6	2.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104852

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347101		382	3.85	6.77	0.091	0.078	0.019	0.008	0.48	5.09	11.5	1.38	541	1.21	0.082	0.109
Q347102		391	3.18	5.23	0.059	0.088	0.069	0.007	0.26	3.92	8.0	0.93	360	1.74	0.072	0.097
Q347103		396	2.40	4.19	0.049	0.125	0.178	0.013	0.23	2.28	5.4	0.65	370	4.30	0.064	0.070
Q347104		147.0	1.980	3.89	0.051	0.129	0.129	0.012	0.18	3.06	5.7	0.66	418	3.20	0.050	0.072
Q347105		1070	5.59	3.72	0.070	0.039	0.232	0.016	0.10	7.02	2.9	0.39	1985	18.65	0.023	0.047
Q347106		80.0	3.22	6.17	0.059	0.079	0.116	0.021	0.05	4.45	8.2	1.01	797	1.40	0.035	0.006
Q347107		200	2.80	5.23	0.075	0.061	0.052	0.014	0.10	5.98	7.9	1.02	686	2.09	0.043	0.069
Q347108		50.4	2.05	3.95	0.046	0.130	0.022	0.011	0.19	3.57	7.5	0.82	360	1.41	0.056	0.071
Q347109		67.1	1.830	3.73	0.050	0.108	0.058	0.005	0.11	3.72	5.8	0.64	334	2.98	0.048	0.124
Q347110		50.7	1.910	4.10	0.056	0.114	0.065	0.007	0.14	3.87	6.4	0.75	360	1.27	0.053	0.119
Q347111		107.5	2.63	5.48	0.085	0.101	0.150	0.010	0.60	4.33	8.9	1.18	449	0.53	0.057	0.084
Q347112		155.0	3.29	5.75	0.116	0.085	0.205	0.007	0.66	4.75	8.5	1.17	497	0.63	0.067	0.114
Q347113		206	4.05	5.37	0.117	0.083	0.010	0.014	0.92	6.25	9.5	1.30	471	1.15	0.070	0.133
Q347114		242	4.53	6.79	0.139	0.062	0.004	0.010	1.07	5.76	13.4	1.47	499	1.12	0.063	0.099
Q347115		249	3.50	5.58	0.125	0.055	0.008	0.011	0.63	5.75	12.0	1.23	458	1.11	0.057	0.145
Q347116		192.0	3.95	5.92	0.117	0.064	0.006	0.010	0.88	5.37	14.1	1.54	496	0.56	0.061	0.118
Q347117		78.4	3.75	6.72	0.143	0.070	0.006	0.006	1.41	5.43	16.1	1.77	498	1.10	0.077	0.089
Q347118		183.0	4.17	7.44	0.152	0.077	0.009	0.008	1.45	5.87	17.0	1.83	524	0.38	0.087	0.102
Q347119		353	3.62	6.33	0.148	0.108	0.018	0.007	0.91	4.94	15.2	1.61	459	0.55	0.067	0.103
Q347120		320	3.19	5.99	0.139	0.124	0.035	0.008	0.75	4.52	11.9	1.35	391	0.96	0.075	0.119
Q347121		191.0	2.76	5.05	0.120	0.132	0.008	0.007	0.65	4.17	10.4	1.17	342	0.52	0.063	0.134
Q347122		104.5	2.18	4.54	0.091	0.156	0.013	<0.005	0.42	3.21	9.7	0.96	313	0.25	0.067	0.110

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104852

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347101		14.20	0.154	1.315	0.007	0.004	21.6	0.002	0.36	0.333	4.88	1.2	0.27	46.5	<0.005	0.18
Q347102		10.00	0.136	2.86	0.011	0.005	11.75	0.002	0.12	0.260	4.02	0.6	0.28	52.9	<0.005	0.11
Q347103		9.26	0.126	2.72	0.004	0.003	9.99	0.004	0.10	0.303	4.43	0.6	0.17	52.3	<0.005	0.10
Q347104		14.30	0.133	2.32	0.005	0.005	8.06	0.002	0.06	0.385	5.54	0.5	0.21	44.4	<0.005	0.04
Q347105		36.1	0.130	18.30	0.007	0.003	5.92	0.002	0.03	1.265	17.15	1.8	0.20	28.0	<0.005	0.11
Q347106		19.40	0.165	3.69	0.016	0.010	3.14	<0.001	0.02	1.370	12.15	0.4	0.16	36.8	<0.005	0.04
Q347107		16.50	0.171	2.53	0.020	0.005	5.32	<0.001	0.04	0.932	7.46	0.4	0.17	59.4	<0.005	0.10
Q347108		14.05	0.143	2.84	0.007	0.003	8.07	0.001	0.10	0.476	3.85	0.6	0.14	58.8	<0.005	0.10
Q347109		13.30	0.133	4.07	0.005	0.006	4.88	0.004	0.10	0.383	3.55	0.6	0.18	67.6	<0.005	0.09
Q347110		13.85	0.134	2.72	0.008	0.005	5.68	0.001	0.05	0.365	3.39	0.6	0.15	73.7	<0.005	0.05
Q347111		14.10	0.157	2.47	0.011	0.005	23.8	0.001	0.04	0.312	3.98	0.4	0.13	57.2	<0.005	0.08
Q347112		12.50	0.149	1.520	0.007	0.004	23.1	<0.001	0.07	0.400	4.11	0.6	0.26	57.8	<0.005	0.09
Q347113		14.80	0.175	1.095	0.007	0.004	31.6	0.001	0.18	0.254	4.01	0.9	0.28	58.0	<0.005	0.08
Q347114		15.80	0.162	0.884	0.007	0.003	38.7	<0.001	0.08	0.179	4.48	0.9	0.37	46.7	<0.005	0.07
Q347115		17.50	0.166	1.065	0.002	0.003	22.7	<0.001	0.11	0.353	4.94	0.9	0.24	56.3	<0.005	0.08
Q347116		18.65	0.167	1.615	0.004	0.002	30.8	<0.001	0.30	0.248	3.44	0.8	0.30	53.3	<0.005	0.15
Q347117		10.60	0.156	0.832	0.005	0.003	48.0	<0.001	0.13	0.112	3.05	0.6	0.26	54.4	<0.005	0.10
Q347118		11.40	0.159	0.872	0.008	0.003	49.7	<0.001	0.12	0.138	3.72	0.6	0.26	63.8	<0.005	0.12
Q347119		12.95	0.148	1.105	0.012	0.008	35.1	<0.001	0.19	0.182	4.60	0.8	0.27	63.4	<0.005	0.14
Q347120		12.30	0.144	1.605	0.013	0.006	30.5	0.001	0.20	0.238	5.30	0.8	0.31	67.2	<0.005	0.18
Q347121		11.60	0.129	2.03	0.006	0.003	28.4	<0.001	0.17	0.144	3.34	0.3	0.21	64.8	<0.005	0.10
Q347122		12.50	0.113	2.00	0.005	0.003	17.50	<0.001	0.06	0.150	3.49	0.4	0.23	56.3	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104852

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347101		0.958	0.198	0.154	0.301	141.5	0.241	9.01	68.7	2.42
Q347102		0.626	0.183	0.091	0.223	117.5	0.304	8.24	53.5	3.27
Q347103		0.395	0.145	0.060	0.187	92.3	0.249	6.60	55.0	4.06
Q347104		0.582	0.141	0.070	0.213	87.2	0.260	5.45	35.1	3.92
Q347105		0.861	0.026	0.178	0.295	130.0	0.189	16.35	171.5	1.36
Q347106		0.769	0.037	0.060	0.174	122.0	0.115	8.22	76.7	1.49
Q347107		0.998	0.132	0.044	0.228	104.0	0.171	9.11	47.8	2.15
Q347108		0.591	0.156	0.058	0.196	81.3	0.453	5.99	34.0	3.21
Q347109		0.594	0.185	0.031	0.231	82.9	0.270	6.79	28.5	3.11
Q347110		0.719	0.182	0.035	0.232	82.0	0.421	6.91	28.9	2.83
Q347111		0.803	0.213	0.151	0.238	117.0	0.335	7.23	41.5	2.48
Q347112		0.970	0.231	0.156	0.271	126.0	0.276	7.95	40.0	2.38
Q347113		1.145	0.264	0.207	0.416	146.5	0.214	8.77	41.5	2.14
Q347114		1.080	0.265	0.227	0.389	175.0	0.182	9.13	50.4	1.68
Q347115		1.055	0.227	0.144	0.407	121.0	0.122	8.61	41.5	1.82
Q347116		1.030	0.256	0.170	0.414	131.0	0.236	7.98	51.1	2.05
Q347117		1.155	0.286	0.233	0.371	147.5	0.252	8.27	47.0	1.66
Q347118		1.265	0.309	0.238	0.376	162.5	0.294	9.23	49.4	1.95
Q347119		0.995	0.290	0.185	0.334	143.5	0.440	7.16	40.4	2.38
Q347120		0.937	0.256	0.192	0.281	129.0	0.656	6.83	39.4	3.57
Q347121		0.893	0.230	0.168	0.271	109.5	0.461	6.43	35.8	3.23
Q347122		0.636	0.196	0.105	0.256	95.2	0.401	5.09	33.3	3.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 23-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104852

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.
CRU-31 CRU-QC LOG-22 PUL-31
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24-JUL-2014
This copy reported on
28-JUL-2014
Account: PEC

CERTIFICATE KL14104859

Project: Dillard

This report is for 12 Rock samples submitted to our lab in Kamloops, BC, Canada on 14-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104859

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347123	4.19	0.0041	0.051	1.08	2.36	<10	44.9	0.22	0.036	1.16	0.064	6.48	8.87	21.9	1.415
Q347124	7.90	0.0157	0.166	1.49	2.12	<10	75.9	0.15	0.040	1.16	0.050	7.30	16.40	44.0	3.07
Q347125	0.05	0.697	53.2	1.06	951	20	105.0	0.19	22.4	3.32	0.903	13.45	32.9	28.3	0.755
Q347126	6.66	0.0270	0.322	1.46	6.36	<10	99.4	0.13	0.182	1.05	0.052	6.25	16.90	30.2	1.855
Q347127	6.38	0.0137	0.181	1.48	1.61	<10	99.9	0.12	0.029	1.17	0.043	5.40	14.55	23.5	2.59
Q347128	6.22	0.0116	0.105	1.36	1.54	<10	67.9	0.15	0.033	1.18	0.048	5.67	13.40	20.3	2.06
Q347129	3.94	0.0117	0.122	1.26	1.53	<10	58.5	0.13	0.025	1.05	0.053	5.78	11.75	21.3	1.825
Q347130	3.70	0.0075	0.106	1.49	1.63	<10	58.2	0.15	0.020	1.24	0.070	10.30	11.85	10.45	2.39
Q347131	3.27	0.0180	0.174	1.82	1.79	<10	146.0	0.15	0.035	1.08	0.055	12.65	18.50	14.10	3.07
Q347132	3.14	0.0148	0.095	1.79	2.05	<10	118.5	0.13	0.039	1.07	0.040	11.70	14.25	10.60	3.69
Q347133	4.31	0.0131	0.108	1.44	2.03	<10	61.9	0.13	0.032	1.02	0.052	8.93	12.00	18.80	2.54
Q347134	6.26	0.0282	0.199	1.40	1.89	<10	97.6	0.13	0.050	1.00	0.032	8.43	16.50	15.70	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104859

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347123		77.5	1.910	4.15	0.049	0.143	0.010	0.010	0.25	3.25	7.8	0.73	246	0.49	0.068	0.116
Q347124		212	3.38	5.57	0.096	0.125	0.006	0.012	0.61	3.40	11.3	1.27	344	0.48	0.080	0.106
Q347125		3600	3.00	3.71	0.070	0.160	0.667	0.084	0.15	8.09	7.5	0.36	651	521	0.093	0.199
Q347126		354	3.22	5.03	0.075	0.100	0.008	0.018	0.43	2.86	11.9	1.16	370	0.92	0.074	0.098
Q347127		283	2.89	4.55	0.083	0.104	0.007	0.010	0.53	2.43	10.2	1.05	258	0.68	0.083	0.076
Q347128		178.0	2.62	4.65	0.079	0.077	0.007	0.009	0.37	2.52	9.9	0.96	245	0.70	0.078	0.091
Q347129		197.5	2.37	4.71	0.091	0.109	0.006	0.010	0.35	2.46	10.8	1.03	235	0.89	0.068	0.098
Q347130		184.5	3.07	5.30	0.083	0.104	<0.004	0.011	0.57	4.43	10.7	1.02	288	0.45	0.081	0.203
Q347131		252	3.89	6.02	0.131	0.105	0.005	0.011	0.87	5.39	15.6	1.50	452	0.66	0.077	0.157
Q347132		135.0	3.32	6.19	0.138	0.125	0.005	0.009	1.03	5.10	11.8	1.58	418	0.81	0.075	0.115
Q347133		133.0	2.93	5.40	0.087	0.125	0.004	0.009	0.63	4.07	10.4	1.26	345	0.38	0.064	0.095
Q347134		275	3.07	5.09	0.084	0.098	<0.004	0.009	0.70	3.95	8.6	1.13	314	1.22	0.068	0.144

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104859

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ni ppm 0.04	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01
Q347123		10.10	0.135	2.01	0.012	0.006	10.05	<0.001	0.09	0.196	4.29	0.3	0.15	54.7	<0.005	0.14
Q347124		21.9	0.135	1.260	0.009	0.003	24.5	<0.001	0.07	0.206	4.97	0.7	0.23	71.6	<0.005	0.16
Q347125		26.3	0.073	80.9	0.003	<0.002	5.12	0.097	0.49	127.0	2.03	2.9	2.02	124.5	<0.005	3.24
Q347126		16.75	0.124	1.035	0.007	0.003	15.05	0.001	0.14	0.217	5.44	0.9	0.18	53.8	<0.005	0.10
Q347127		14.10	0.119	0.777	0.008	0.005	17.25	0.001	0.10	0.085	4.85	0.7	0.19	55.7	<0.005	0.11
Q347128		12.65	0.126	1.170	0.007	0.006	13.25	<0.001	0.11	0.130	5.14	0.7	0.21	57.0	<0.005	0.10
Q347129		13.30	0.122	1.180	0.007	0.005	12.40	0.001	0.08	0.144	4.29	0.7	0.24	54.3	<0.005	0.11
Q347130		10.45	0.134	1.320	0.004	0.004	24.1	<0.001	0.03	0.145	3.27	0.8	0.23	68.3	<0.005	0.06
Q347131		14.00	0.138	0.968	0.010	0.004	35.3	<0.001	0.09	0.185	3.91	0.8	0.28	61.8	<0.005	0.10
Q347132		12.00	0.141	0.915	0.015	0.007	42.1	0.001	0.06	0.182	4.54	0.6	0.27	63.0	<0.005	0.15
Q347133		11.70	0.133	1.620	0.023	0.010	27.1	<0.001	0.05	0.205	4.48	0.5	0.26	64.3	<0.005	0.15
Q347134		10.40	0.133	1.125	0.039	0.013	27.6	0.001	0.09	0.197	4.72	0.4	0.20	53.7	<0.005	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104859

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347123		0.570	0.152	0.071	0.169	81.9	0.499	5.17	23.3	4.02
Q347124		0.474	0.269	0.181	0.189	139.0	0.411	6.75	31.1	3.12
Q347125		1.405	0.061	0.050	1.555	35.6	8.62	5.71	125.5	4.64
Q347126		0.517	0.194	0.106	0.192	126.0	0.449	6.18	28.0	3.02
Q347127		0.471	0.187	0.130	0.162	119.5	0.718	5.34	20.4	3.16
Q347128		0.449	0.175	0.094	0.171	110.5	0.411	5.28	21.6	2.81
Q347129		0.421	0.189	0.096	0.204	106.5	0.771	5.33	22.8	3.27
Q347130		0.814	0.230	0.151	0.289	126.0	0.380	7.22	25.5	2.81
Q347131		0.937	0.273	0.193	0.358	149.5	0.387	8.18	39.1	2.91
Q347132		0.967	0.275	0.273	0.329	142.0	0.455	7.16	37.6	2.96
Q347133		0.863	0.220	0.197	0.296	124.5	0.394	5.72	32.8	3.36
Q347134		0.828	0.209	0.170	0.274	123.5	0.636	5.65	26.3	5.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 24- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104859

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
This copy reported on
28-JUL-2014
Account: PEC

CERTIFICATE KL14104858

Project: Dillard

This report is for 123 Rock samples submitted to our lab in Kamloops, BC, Canada on 14-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347182		5.87	0.0248	0.365	1.33	3.21	<10	52.9	0.32	0.244	0.99	0.141	11.45	17.05	41.2	1.960
Q347183		6.39	0.0165	0.117	1.53	6.06	<10	85.7	0.33	0.189	1.17	0.104	5.25	14.25	72.8	3.56
Q347184		4.19	0.0738	0.619	1.02	5.87	<10	294	0.54	0.365	1.15	0.155	14.50	33.8	71.1	2.34
Q347185		5.12	0.0710	0.815	1.70	4.40	<10	124.5	0.36	0.532	0.84	0.222	14.90	27.9	53.0	2.73
Q347186		5.75	0.0131	0.107	1.40	3.29	<10	128.5	0.34	0.149	0.90	0.168	8.00	15.10	32.0	3.01
Q347187		6.19	0.0131	0.104	1.08	3.38	<10	116.0	0.24	0.139	0.86	0.175	5.71	15.60	23.3	2.12
Q347188		7.55	0.0042	0.042	1.04	2.47	<10	77.5	0.20	0.048	0.91	0.075	4.79	9.72	23.0	1.580
Q347189		4.99	0.0158	0.099	1.24	8.23	<10	131.0	0.38	0.166	0.78	1.320	10.05	17.15	31.5	4.34
Q347190		5.97	0.0131	0.103	1.03	3.10	<10	80.9	0.19	0.120	0.97	0.130	5.19	17.45	21.6	1.520
Q347191		6.34	0.0068	0.077	1.33	3.08	<10	159.0	0.24	0.119	0.90	0.142	7.56	17.20	26.4	2.82
Q347192		5.66	0.0133	0.173	1.50	3.41	<10	84.5	0.32	0.124	0.77	0.388	7.30	26.8	34.6	4.44
Q347193		5.79	0.0059	0.059	1.23	2.87	<10	85.0	0.22	0.065	0.97	0.166	5.21	13.60	26.9	1.665
Q347194		5.17	0.0087	0.034	0.92	3.32	<10	63.7	0.17	0.094	0.92	0.112	4.70	11.60	17.95	1.280
Q347195		5.42	0.0107	0.043	1.31	3.86	<10	101.0	0.22	0.155	0.93	0.082	4.80	19.15	15.10	1.525
Q347196		6.05	0.0015	0.030	1.08	2.17	<10	68.0	0.16	0.031	1.07	0.101	4.67	9.18	20.4	1.015
Q347197		5.67	0.0090	0.025	1.25	2.48	<10	84.6	0.17	0.046	1.16	0.077	4.50	12.85	24.8	1.635
Q347198		3.45	0.0019	0.021	1.06	2.75	<10	59.5	0.16	0.032	1.13	0.062	4.90	7.51	23.1	1.440
Q347199		3.95	0.0036	0.037	1.19	3.42	<10	58.7	0.17	0.037	1.08	0.111	6.13	10.15	22.9	2.40
Q347200		0.03	0.745	52.8	1.02	938	20	103.0	0.15	20.9	3.23	0.900	12.55	33.6	28.4	0.687
Q347201		3.86	0.0030	0.051	1.23	3.12	<10	52.9	0.19	0.038	0.96	0.078	5.36	12.90	26.6	2.72
Q347202		4.21	0.0030	0.047	1.15	2.85	<10	78.5	0.20	0.038	1.08	0.119	5.47	10.75	22.2	2.25
Q347203		4.28	0.0025	0.056	1.04	2.34	<10	52.6	0.14	0.019	0.90	0.115	5.42	7.87	17.10	1.875
Q347204		3.73	0.0032	0.037	1.14	2.15	<10	72.6	0.17	0.021	1.10	0.053	5.06	7.64	11.65	2.59
Q347205		4.15	0.0066	0.071	1.23	2.56	<10	75.7	0.17	0.026	1.21	0.060	5.33	8.24	12.80	2.52
Q347206		5.69	0.0099	0.138	1.12	1.71	<10	72.2	0.16	0.019	1.07	0.049	5.03	8.05	13.35	2.73
Q347207		8.84	0.0035	0.058	1.14	2.21	<10	54.6	0.17	0.020	1.00	0.068	5.13	8.91	16.75	2.89
Q347208		4.39	0.0060	0.094	1.02	2.10	<10	42.3	0.14	0.026	0.90	0.056	5.40	8.06	16.10	2.58
Q347209		3.36	0.0069	0.088	1.15	2.11	<10	50.8	0.14	0.031	1.02	0.050	5.29	9.27	14.00	2.99
Q347210		2.87	0.0065	0.087	1.33	1.77	<10	95.0	0.14	0.020	1.05	0.052	4.77	8.94	15.40	2.62
Q347211		5.89	0.0073	0.108	0.95	1.67	<10	60.1	0.14	0.021	0.86	0.054	5.20	8.34	14.50	2.68
Q347212		6.09	0.0105	0.085	0.81	1.85	<10	54.1	0.15	0.039	0.86	0.055	5.09	12.05	13.10	2.14
Q347213		3.73	0.0066	0.038	0.79	3.39	<10	45.3	0.14	0.046	0.95	0.050	5.24	9.49	16.60	1.470
Q347214		4.15	0.0165	0.123	1.28	2.04	<10	94.9	0.18	0.026	1.16	0.066	5.35	11.40	24.0	3.30
Q347215		5.77	0.0072	0.070	1.13	2.09	<10	60.9	0.12	0.033	1.04	0.062	4.65	11.55	24.9	1.695
Q347216		5.61	0.0043	0.052	1.14	2.27	10	62.2	0.15	0.036	1.17	0.066	5.58	10.70	23.5	1.815
Q347217		5.92	0.0026	0.034	1.12	1.95	<10	57.6	0.13	0.027	1.17	0.068	5.24	9.55	23.1	2.01
Q347218		4.23	0.0050	0.035	1.13	1.97	<10	57.3	0.12	0.030	1.15	0.052	4.74	9.44	27.4	1.835
Q347219		7.52	0.0073	0.074	1.39	2.31	<10	78.3	0.14	0.075	1.03	0.049	3.64	19.05	25.9	3.50
Q347220		6.22	0.0052	0.057	1.30	3.06	<10	46.6	0.23	0.101	0.92	0.123	5.76	17.85	28.8	6.64
Q347221		3.23	0.0062	0.075	0.93	4.08	<10	56.3	0.31	0.114	0.72	0.168	10.10	22.9	20.1	11.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347182		456	3.07	4.76	0.068	0.102	0.031	0.010	0.15	5.64	8.1	0.89	819	0.75	0.041	0.057
Q347183		144.0	2.94	4.95	0.087	0.071	0.035	0.019	0.09	2.79	9.5	1.10	925	0.78	0.031	0.073
Q347184		728	4.18	3.51	0.080	0.074	0.314	0.027	0.08	6.95	4.1	0.44	1165	2.18	0.029	0.091
Q347185		549	5.69	6.67	0.088	0.090	0.125	0.021	0.20	6.27	11.3	1.20	1085	2.78	0.033	0.054
Q347186		58.9	3.23	4.61	0.042	0.150	0.030	0.022	0.16	3.56	7.8	0.95	817	1.06	0.045	0.039
Q347187		63.6	2.51	3.99	0.045	0.147	0.029	0.012	0.12	2.64	6.5	0.74	621	1.02	0.052	0.048
Q347188		25.4	2.02	3.85	0.046	0.133	0.022	0.012	0.11	2.24	6.9	0.75	515	0.57	0.053	0.044
Q347189		92.4	4.28	4.72	0.059	0.100	0.042	0.051	0.14	4.52	6.7	0.70	1355	1.65	0.027	0.041
Q347190		18.80	2.17	3.70	0.048	0.158	0.028	0.017	0.13	2.40	6.3	0.74	480	1.19	0.062	0.044
Q347191		23.9	2.72	4.62	0.037	0.076	0.039	0.015	0.15	3.11	8.0	0.97	644	1.13	0.056	0.031
Q347192		50.9	3.50	5.78	0.043	0.098	0.041	0.022	0.18	3.25	12.0	1.15	794	1.15	0.040	0.021
Q347193		33.0	2.49	4.69	0.059	0.147	0.059	0.009	0.15	2.60	10.5	1.05	449	1.20	0.069	0.051
Q347194		17.25	1.840	4.08	0.041	0.131	0.100	<0.005	0.13	2.12	7.7	0.55	310	0.82	0.066	0.054
Q347195		10.70	2.21	5.32	0.063	0.091	0.089	0.008	0.39	2.04	9.5	0.80	297	0.54	0.114	0.053
Q347196		12.30	1.770	3.97	0.049	0.132	0.005	0.005	0.15	2.11	11.0	0.72	267	0.39	0.075	0.053
Q347197		17.05	2.00	4.79	0.070	0.130	0.015	0.010	0.23	2.15	12.9	0.97	280	0.45	0.074	0.067
Q347198		12.75	1.660	4.23	0.064	0.149	0.006	0.009	0.13	2.25	8.8	0.76	284	0.31	0.073	0.075
Q347199		39.8	2.15	4.75	0.074	0.121	0.020	0.015	0.13	2.79	8.4	0.83	535	1.11	0.058	0.083
Q347200		3560	2.93	3.85	0.080	0.131	0.617	0.071	0.14	7.53	6.5	0.36	644	517	0.090	0.213
Q347201		42.8	2.43	5.57	0.062	0.147	0.029	0.009	0.15	2.45	10.9	0.97	436	0.93	0.059	0.057
Q347202		39.0	2.21	4.65	0.067	0.163	0.025	0.011	0.15	2.59	8.4	0.75	334	0.64	0.070	0.055
Q347203		45.5	1.790	4.65	0.054	0.168	0.019	0.011	0.12	2.51	8.2	0.71	277	0.89	0.057	0.048
Q347204		36.8	1.910	4.73	0.059	0.173	0.026	0.009	0.20	2.36	8.0	0.68	238	1.62	0.076	0.066
Q347205		79.9	2.28	4.83	0.069	0.122	0.022	0.010	0.19	2.53	8.2	0.82	280	1.96	0.082	0.059
Q347206		167.0	1.960	4.29	0.055	0.176	0.027	0.007	0.20	2.37	6.8	0.66	222	2.55	0.077	0.073
Q347207		69.7	1.960	4.33	0.058	0.157	0.029	0.007	0.18	2.38	7.3	0.67	278	1.18	0.063	0.073
Q347208		116.5	1.850	4.05	0.060	0.187	0.081	0.013	0.17	2.60	6.6	0.66	244	1.35	0.058	0.066
Q347209		127.5	2.08	4.40	0.073	0.167	0.074	0.011	0.21	2.48	6.8	0.76	266	1.61	0.076	0.070
Q347210		116.0	2.08	4.46	0.068	0.141	0.031	0.007	0.37	2.25	7.7	0.87	240	2.09	0.079	0.052
Q347211		132.5	1.740	3.89	0.067	0.170	0.046	0.007	0.22	2.42	5.7	0.55	223	3.79	0.064	0.081
Q347212		147.0	1.840	3.50	0.064	0.159	0.181	0.008	0.15	2.45	4.5	0.44	271	4.22	0.062	0.103
Q347213		51.8	1.770	3.48	0.067	0.170	0.202	0.007	0.13	2.54	4.4	0.49	295	1.10	0.062	0.117
Q347214		151.5	2.05	4.55	0.070	0.138	0.073	0.012	0.30	2.48	7.3	0.74	290	2.20	0.081	0.079
Q347215		49.5	2.10	4.61	0.074	0.155	0.348	0.009	0.31	2.20	7.7	0.88	299	0.76	0.067	0.063
Q347216		61.2	2.27	4.33	0.074	0.170	0.378	0.016	0.20	2.38	6.2	0.85	357	0.51	0.084	0.075
Q347217		26.8	2.13	4.21	0.068	0.177	0.078	0.011	0.18	2.26	6.2	0.87	332	0.60	0.086	0.064
Q347218		29.9	2.06	4.26	0.073	0.175	0.095	0.013	0.22	2.13	6.9	0.92	320	1.15	0.089	0.060
Q347219		51.6	2.35	4.14	0.074	0.112	0.174	0.010	0.51	1.805	9.0	1.05	339	0.83	0.076	0.054
Q347220		117.0	2.81	4.83	0.066	0.079	0.180	0.011	0.19	2.83	8.2	0.76	509	4.47	0.040	0.106
Q347221		122.5	3.77	3.28	0.063	0.034	0.220	0.026	0.09	3.71	2.4	0.27	939	15.60	0.013	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347182		18.60	0.161	8.49	0.008	0.003	7.64	0.001	0.10	0.720	11.85	1.0	0.20	51.7	<0.005	0.32
Q347183		18.85	0.106	8.28	0.004	0.007	5.92	<0.001	0.03	1.210	11.55	0.8	0.18	76.3	<0.005	0.34
Q347184		24.0	0.192	11.90	0.008	0.006	5.09	0.005	0.08	0.905	18.80	1.0	0.19	54.7	<0.005	1.09
Q347185		24.6	0.152	16.10	0.010	0.005	9.61	0.002	0.20	1.850	15.05	1.5	0.19	31.0	<0.005	1.02
Q347186		19.90	0.133	10.10	0.005	0.002	7.55	<0.001	0.06	0.612	11.60	0.7	0.23	37.5	<0.005	0.23
Q347187		16.70	0.122	8.92	0.007	0.003	5.26	<0.001	0.09	0.509	8.91	0.7	0.19	36.9	<0.005	0.22
Q347188		13.70	0.122	3.83	0.003	0.003	4.26	0.002	0.05	0.521	7.20	0.5	0.17	42.6	<0.005	0.08
Q347189		21.1	0.121	91.3	0.006	0.004	7.89	<0.001	0.04	0.916	13.55	0.9	0.22	32.3	<0.005	0.08
Q347190		13.80	0.119	6.92	0.007	0.006	5.10	<0.001	0.11	0.503	8.45	0.4	0.21	45.4	<0.005	0.22
Q347191		17.05	0.124	3.25	0.001	0.006	6.81	0.001	0.07	0.400	9.81	0.6	0.26	41.9	<0.005	0.19
Q347192		22.1	0.127	5.20	0.003	0.003	8.90	0.002	0.11	0.475	15.10	0.9	0.17	27.3	<0.005	0.17
Q347193		14.75	0.120	3.07	0.002	0.004	5.89	0.002	0.10	0.334	8.14	0.7	0.22	46.1	<0.005	0.14
Q347194		10.20	0.120	2.50	0.005	0.003	4.96	<0.001	0.08	0.389	5.10	0.5	0.24	41.7	<0.005	0.22
Q347195		10.80	0.117	2.50	0.002	0.003	14.50	<0.001	0.33	0.345	5.35	0.5	0.17	45.7	<0.005	0.30
Q347196		10.55	0.121	2.43	0.004	0.004	5.09	<0.001	0.07	0.280	4.03	0.2	0.18	43.4	<0.005	0.07
Q347197		13.75	0.120	2.37	0.004	0.005	8.91	<0.001	0.10	0.274	4.58	0.5	0.18	54.5	<0.005	0.14
Q347198		11.50	0.119	2.86	0.006	0.004	5.29	<0.001	0.04	0.377	5.38	0.3	0.18	56.8	<0.005	0.08
Q347199		14.15	0.127	4.01	0.004	0.004	5.81	<0.001	0.02	0.455	6.97	0.4	0.20	60.8	<0.005	0.10
Q347200		25.9	0.072	78.6	0.005	<0.002	5.11	0.094	0.48	125.5	2.12	2.8	1.86	121.0	<0.005	2.78
Q347201		14.65	0.122	2.85	0.005	0.004	7.16	0.001	0.03	0.406	7.13	0.5	0.24	45.7	<0.005	0.07
Q347202		12.55	0.121	3.56	0.005	0.003	6.08	<0.001	0.05	0.230	6.22	0.4	0.17	51.0	<0.005	0.09
Q347203		11.30	0.103	3.12	0.004	0.003	5.09	0.002	0.04	0.289	5.59	0.2	0.22	50.5	<0.005	0.10
Q347204		8.38	0.114	2.07	0.004	0.003	7.31	0.004	0.06	0.364	4.48	0.4	0.18	58.8	<0.005	0.05
Q347205		8.93	0.132	2.49	0.004	0.003	7.01	0.007	0.05	0.424	5.79	0.5	0.19	65.7	<0.005	0.09
Q347206		8.53	0.102	1.960	0.004	0.003	7.36	0.005	0.08	0.494	4.22	0.4	0.21	59.0	<0.005	0.08
Q347207		10.75	0.096	3.36	0.006	0.004	7.04	0.001	0.04	0.590	4.23	0.3	0.20	49.0	<0.005	0.07
Q347208		9.48	0.099	2.78	0.003	0.003	6.99	0.003	0.04	0.293	4.32	0.3	0.26	48.6	<0.005	0.07
Q347209		8.77	0.116	1.975	0.005	0.004	7.99	0.003	0.05	0.479	5.58	0.5	0.23	58.9	<0.005	0.07
Q347210		9.41	0.109	2.32	0.005	0.004	12.05	0.005	0.06	0.383	4.41	0.4	0.18	60.7	<0.005	0.06
Q347211		8.58	0.091	2.39	0.006	0.002	8.82	0.006	0.05	0.536	4.22	0.5	0.16	47.3	<0.005	0.09
Q347212		8.40	0.103	2.17	0.004	0.003	6.62	0.005	0.06	0.731	5.32	0.5	0.20	38.7	<0.005	0.11
Q347213		8.37	0.111	2.64	0.004	0.004	4.60	<0.001	0.09	0.591	4.96	0.4	0.21	43.9	<0.005	0.09
Q347214		12.80	0.121	2.52	0.004	0.003	12.40	0.006	0.07	0.607	4.77	0.5	0.20	51.9	<0.005	0.09
Q347215		12.60	0.118	2.68	0.004	0.003	13.10	0.002	0.11	0.313	4.92	0.5	0.20	47.2	<0.005	0.10
Q347216		12.15	0.124	2.79	0.006	0.005	8.08	<0.001	0.07	0.347	6.43	0.3	0.20	54.3	<0.005	0.08
Q347217		11.60	0.117	3.45	0.006	0.003	6.75	<0.001	0.06	0.317	6.48	0.3	0.17	50.3	<0.005	0.06
Q347218		12.50	0.118	2.65	0.006	0.004	8.38	0.001	0.06	0.398	6.09	0.2	0.18	51.7	<0.005	0.09
Q347219		14.30	0.126	2.31	0.004	0.004	21.0	<0.001	0.19	0.386	4.31	0.4	0.15	36.0	<0.005	0.13
Q347220		16.40	0.120	2.93	0.004	0.002	9.59	<0.001	0.01	0.679	7.32	0.7	0.19	30.1	<0.005	0.14
Q347221		18.15	0.122	2.70	0.006	0.003	7.78	0.001	<0.01	0.996	15.60	3.2	0.21	12.75	<0.005	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347182		0.919	0.081	0.082	0.260	100.0	0.131	9.67	64.5	2.53
Q347183		0.334	0.132	0.075	0.204	93.5	0.266	6.77	66.6	2.34
Q347184		0.945	0.083	0.133	0.438	94.4	5.11	11.65	70.1	2.43
Q347185		1.040	0.051	0.102	0.316	138.0	0.064	11.10	160.0	2.38
Q347186		0.608	0.084	0.075	0.196	98.9	0.094	7.45	113.0	3.91
Q347187		0.517	0.113	0.054	0.195	90.0	0.156	6.79	101.0	3.86
Q347188		0.437	0.122	0.050	0.153	80.6	0.170	5.08	108.0	3.92
Q347189		0.647	0.064	0.143	0.202	114.0	0.210	7.74	1920	3.62
Q347190		0.396	0.118	0.051	0.143	82.6	0.210	5.29	114.5	4.02
Q347191		0.460	0.097	0.069	0.196	104.0	0.219	5.98	146.0	3.49
Q347192		0.451	0.057	0.070	0.169	120.0	0.185	8.51	328	2.27
Q347193		0.404	0.132	0.044	0.196	101.0	0.265	5.08	101.0	4.54
Q347194		0.412	0.121	0.036	0.171	74.8	0.257	4.75	39.5	3.53
Q347195		0.362	0.139	0.106	0.141	88.0	0.286	4.98	28.9	2.81
Q347196		0.387	0.144	0.039	0.169	76.2	0.322	4.06	22.0	3.88
Q347197		0.397	0.159	0.066	0.157	87.0	0.957	4.29	27.0	3.49
Q347198		0.390	0.141	0.035	0.174	73.5	0.273	4.70	25.2	4.27
Q347199		0.458	0.127	0.055	0.221	83.8	0.315	5.33	37.0	3.88
Q347200		1.420	0.059	0.051	1.515	36.2	8.34	5.63	123.0	4.52
Q347201		0.414	0.127	0.046	0.191	97.3	0.333	5.05	37.9	4.02
Q347202		0.421	0.128	0.043	0.199	86.6	0.286	5.10	25.8	4.09
Q347203		0.408	0.115	0.034	0.168	75.7	0.206	5.01	25.9	4.47
Q347204		0.363	0.134	0.052	0.149	78.5	0.198	5.11	20.6	4.62
Q347205		0.330	0.147	0.051	0.164	94.4	0.169	5.40	23.9	4.46
Q347206		0.377	0.131	0.057	0.196	75.4	0.148	5.04	19.0	4.56
Q347207		0.377	0.126	0.055	0.177	72.5	0.234	5.05	23.6	4.10
Q347208		0.418	0.126	0.046	0.200	72.2	0.258	4.93	23.1	4.39
Q347209		0.375	0.122	0.057	0.217	83.6	0.461	5.51	22.1	4.18
Q347210		0.360	0.136	0.080	0.203	82.6	0.410	5.00	21.3	4.15
Q347211		0.403	0.123	0.061	0.180	67.6	0.284	4.83	19.9	4.51
Q347212		0.401	0.116	0.048	0.169	64.6	0.646	5.21	19.3	4.05
Q347213		0.450	0.130	0.032	0.230	66.6	0.451	4.94	21.7	4.50
Q347214		0.414	0.136	0.084	0.211	83.3	0.358	4.88	23.7	3.92
Q347215		0.371	0.156	0.084	0.187	85.1	0.435	4.58	28.1	4.40
Q347216		0.410	0.143	0.048	0.194	88.1	0.357	4.97	27.6	4.63
Q347217		0.378	0.129	0.046	0.161	88.6	0.253	4.75	23.6	4.91
Q347218		0.349	0.148	0.060	0.184	85.9	0.280	4.82	27.1	5.29
Q347219		0.296	0.178	0.161	0.139	90.0	0.601	4.37	28.9	2.86
Q347220		0.430	0.106	0.085	0.289	98.9	0.584	6.99	32.9	2.72
Q347221		0.532	0.006	0.095	0.417	115.5	0.548	8.07	24.5	0.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347222		5.08	0.0053	0.051	1.53	4.30	<10	55.7	0.33	0.082	0.97	0.069	9.49	18.15	27.3	5.42
Q347223		6.57	0.0098	0.059	1.30	2.59	<10	69.4	0.26	0.059	1.20	0.022	4.28	13.15	24.5	2.87
Q347224		6.37	0.0520	0.178	1.56	2.24	<10	132.0	0.09	0.065	0.91	0.028	9.35	18.05	3.84	3.22
Q347225		0.11	0.844	52.2	1.07	952	20	105.0	0.18	24.0	3.22	0.877	12.90	33.6	28.1	0.729
Q347226		5.76	0.0540	0.234	1.56	5.31	<10	72.5	0.42	0.273	0.86	0.038	14.65	40.6	22.3	5.66
Q347227		7.63	0.0374	0.162	1.50	2.10	<10	115.5	0.20	0.129	0.89	0.021	12.30	22.1	12.10	4.45
Q347228		8.00	0.0110	0.053	1.16	2.53	<10	67.0	0.20	0.048	0.92	0.043	9.26	16.65	25.4	2.45
Q347229		6.22	0.0096	0.059	1.23	2.92	<10	33.3	0.19	0.065	1.03	0.037	11.80	20.8	8.05	2.04
Q347230		6.41	0.0048	0.081	1.24	1.89	<10	56.5	0.15	0.021	1.06	0.026	7.71	10.80	30.9	1.780
Q347231		5.41	0.0265	0.237	1.49	1.99	<10	127.5	0.17	0.050	1.03	0.039	10.60	17.20	18.45	1.900
Q347232		4.38	0.0372	0.429	1.81	1.46	<10	169.5	0.15	0.028	0.92	0.030	13.00	19.30	12.60	2.51
Q347233		4.85	0.0195	0.157	1.59	1.65	<10	119.5	0.14	0.051	1.05	0.036	10.80	12.80	13.20	2.08
Q347234		4.68	0.0170	0.144	1.58	2.19	<10	103.5	0.13	0.190	0.95	0.044	8.54	12.40	24.9	3.99
Q347235		5.53	0.0386	0.272	2.14	2.38	<10	229	0.15	0.060	1.02	0.028	12.85	15.60	10.00	4.34
Q347236		4.17	0.0373	0.496	2.14	7.03	<10	197.5	0.14	0.065	1.00	0.055	14.30	22.8	13.10	4.72
Q347237		6.44	0.0092	0.162	2.34	2.63	<10	206	0.22	0.012	0.88	0.022	14.45	15.10	23.6	4.19
Q347238		5.95	0.0182	0.277	2.59	1.78	<10	259	0.16	0.022	0.95	0.006	10.25	15.75	20.7	3.75
Q347239		5.85	0.0328	0.451	2.18	2.31	<10	176.5	0.17	0.063	1.20	0.042	4.85	17.80	33.9	2.83
Q347240		6.98	0.0050	0.101	2.35	1.93	<10	237	0.17	0.023	1.24	0.022	4.96	15.25	33.8	3.63
Q347241		7.13	0.0140	0.094	1.75	1.75	<10	111.5	0.18	0.048	1.02	0.041	5.17	11.90	30.3	3.00
Q347242		5.28	0.0222	0.153	1.93	2.06	<10	116.5	0.18	0.061	1.08	0.051	6.21	14.55	35.4	3.74
Q347243		4.85	0.0453	0.534	1.94	2.76	<10	132.0	0.23	0.134	1.06	0.050	8.63	24.4	16.05	3.85
Q347244		6.33	0.0398	0.561	2.40	2.38	<10	201	0.22	0.146	1.11	0.049	12.45	28.1	7.14	5.57
Q347245		5.69	0.0139	0.216	2.24	2.14	<10	87.6	0.15	0.067	1.11	0.024	11.75	14.55	3.46	4.24
Q347246		7.12	0.0249	0.346	1.97	2.85	<10	81.3	0.18	0.059	1.02	0.039	12.45	17.75	3.22	4.01
Q347247		6.70	0.0113	0.157	2.01	3.70	<10	83.5	0.19	0.067	1.05	0.052	13.15	14.80	3.87	5.04
Q347248		5.93	0.0067	0.087	1.92	2.98	<10	84.7	0.17	0.038	1.12	0.030	11.70	10.00	3.65	2.80
Q347249		3.33	0.0185	0.192	2.00	3.59	<10	103.0	0.24	0.131	1.05	0.025	12.30	18.70	4.88	3.78
Q347250		0.12	0.720	54.2	1.10	981	20	108.0	0.22	24.0	3.41	0.884	13.65	36.4	30.9	0.730
Q347251		5.40	0.0238	0.354	2.42	3.86	<10	218	0.24	0.110	1.08	0.028	11.15	19.40	7.82	5.09
Q347252		6.89	0.0065	0.067	2.27	2.67	<10	186.0	0.18	0.021	1.09	0.020	12.90	12.60	3.98	4.08
Q347253		5.97	0.0034	0.032	2.63	4.06	<10	195.5	0.19	0.029	0.99	0.029	12.90	18.50	4.29	6.68
Q347254		6.86	0.0039	0.041	2.59	2.61	<10	222	0.15	0.025	0.92	0.008	10.75	18.50	3.92	5.29
Q347255		6.07	0.0110	0.053	2.54	2.51	<10	266	0.16	0.035	0.87	0.031	11.60	24.6	6.52	5.31
Q347256		4.41	0.0036	0.025	2.27	2.73	<10	169.5	0.15	0.015	0.91	0.031	10.65	17.25	3.92	5.47
Q347257		7.46	0.0142	0.093	2.52	2.90	<10	164.5	0.15	0.029	0.98	0.042	11.50	16.85	4.02	4.57
Q347258		5.19	0.0175	0.154	2.13	4.25	<10	169.5	0.16	0.157	0.94	0.028	11.65	24.1	10.70	4.98
Q347259		4.62	0.0219	0.153	1.80	5.17	<10	140.5	0.21	0.165	0.93	0.059	9.91	38.1	15.75	4.04
Q347260		5.97	0.0166	0.109	1.68	3.60	<10	201	0.22	0.073	1.02	0.068	5.71	19.60	22.0	3.02
Q347261		6.16	0.0190	0.170	1.74	4.80	<10	205	0.31	0.183	0.93	0.039	5.69	26.5	28.3	4.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347222		105.0	3.77	5.07	0.066	0.076	0.251	0.018	0.11	4.68	4.6	0.58	849	11.85	0.031	0.052
Q347223		63.9	2.24	4.49	0.060	0.097	0.029	0.008	0.19	2.07	7.0	0.73	319	0.83	0.074	0.084
Q347224		138.5	3.25	6.07	0.131	0.092	0.011	0.006	0.79	3.76	8.3	1.17	347	0.52	0.099	0.123
Q347225		3590	2.89	3.63	0.077	0.159	0.672	0.086	0.14	7.76	6.3	0.35	637	515	0.092	0.223
Q347226		404	4.25	5.47	0.103	0.056	0.352	0.020	0.25	6.73	4.2	0.74	862	6.20	0.024	0.114
Q347227		201	4.16	5.78	0.125	0.077	0.038	0.012	0.58	5.69	5.8	1.08	551	2.64	0.045	0.219
Q347228		75.4	2.69	4.25	0.081	0.098	0.017	0.009	0.25	4.07	5.5	0.73	434	1.90	0.037	0.176
Q347229		65.4	2.84	4.81	0.088	0.086	0.012	0.007	0.13	5.01	7.5	0.91	345	1.29	0.040	0.246
Q347230		53.5	2.29	4.65	0.082	0.133	0.006	<0.005	0.33	3.40	7.4	0.95	266	0.31	0.056	0.109
Q347231		129.5	3.16	5.55	0.108	0.105	0.008	0.006	0.56	4.42	9.2	1.13	330	0.46	0.065	0.160
Q347232		307	3.66	6.38	0.115	0.101	0.006	0.005	1.00	5.60	11.1	1.39	403	0.44	0.070	0.154
Q347233		216	3.08	5.48	0.105	0.141	<0.004	0.006	0.76	4.93	11.1	1.16	322	0.55	0.072	0.206
Q347234		328	3.69	5.12	0.088	0.115	0.008	0.006	0.69	4.50	11.4	1.25	280	1.74	0.062	0.219
Q347235		309	4.53	6.97	0.129	0.126	0.019	0.011	1.25	5.74	17.3	1.80	490	0.70	0.080	0.152
Q347236		782	4.15	6.98	0.157	0.108	0.016	0.015	1.18	6.31	12.5	1.49	523	0.81	0.061	0.143
Q347237		310	3.77	7.73	0.122	0.116	0.011	0.006	1.40	6.36	15.6	1.77	575	0.78	0.072	0.105
Q347238		323	3.92	7.83	0.116	0.116	0.005	0.009	1.54	4.58	20.8	2.10	519	3.01	0.099	0.076
Q347239		390	3.15	6.45	0.087	0.093	0.005	0.008	0.96	2.30	17.2	1.50	381	0.66	0.133	0.056
Q347240		139.0	3.07	6.51	0.078	0.061	0.009	0.007	0.97	2.37	18.3	1.59	425	0.43	0.139	0.040
Q347241		139.0	2.40	5.38	0.072	0.073	0.015	0.008	0.60	2.38	12.1	0.98	349	1.07	0.131	0.076
Q347242		177.0	2.71	6.14	0.080	0.060	0.021	<0.005	0.69	2.75	11.3	1.00	358	1.23	0.180	0.098
Q347243		534	3.91	6.48	0.129	0.099	0.010	0.013	0.92	3.99	14.5	1.36	495	1.32	0.123	0.113
Q347244		658	4.91	6.98	0.148	0.173	0.011	0.022	1.50	5.70	15.5	2.02	650	2.18	0.077	0.129
Q347245		170.0	3.16	5.97	0.112	0.071	<0.004	0.005	1.37	5.35	14.1	1.85	488	0.57	0.079	0.109
Q347246		378	3.41	5.61	0.112	0.077	0.004	0.006	1.15	5.51	13.2	1.55	511	0.77	0.073	0.110
Q347247		273	3.70	5.72	0.124	0.076	0.007	0.013	0.98	5.82	13.5	1.48	536	1.26	0.072	0.181
Q347248		83.3	3.02	5.29	0.115	0.092	0.005	<0.005	0.88	5.28	15.1	1.50	460	0.79	0.073	0.108
Q347249		208	3.71	6.31	0.106	0.061	0.006	0.010	0.80	5.32	16.2	1.41	527	2.20	0.079	0.174
Q347250		3680	3.03	3.45	0.061	0.155	0.596	0.091	0.15	8.06	8.4	0.37	648	538	0.100	0.278
Q347251		292	4.91	6.49	0.113	0.095	0.010	0.018	1.48	5.12	12.8	1.80	696	1.99	0.077	0.106
Q347252		120.5	3.88	6.16	0.125	0.098	0.006	0.008	1.42	5.81	12.5	1.74	616	0.72	0.086	0.087
Q347253		109.5	4.46	7.33	0.131	0.094	0.006	0.016	1.77	5.78	12.9	2.07	807	0.99	0.076	0.098
Q347254		51.9	4.23	7.25	0.126	0.155	<0.004	0.007	1.88	4.69	15.1	2.11	701	0.52	0.091	0.069
Q347255		83.7	4.52	6.45	0.112	0.125	0.007	0.015	1.76	5.09	14.5	2.02	713	0.64	0.100	0.090
Q347256		49.3	3.60	6.57	0.133	0.137	<0.004	<0.005	1.50	4.47	15.3	1.76	668	0.48	0.084	0.099
Q347257		92.1	4.12	7.41	0.144	0.109	0.005	0.013	1.79	5.07	17.6	1.99	673	0.43	0.102	0.080
Q347258		229	4.74	6.39	0.135	0.087	0.009	0.010	1.16	5.08	13.5	1.63	647	3.04	0.101	0.144
Q347259		241	4.40	5.88	0.111	0.079	0.012	0.016	0.73	4.62	13.3	1.25	659	6.18	0.081	0.175
Q347260		96.8	2.86	5.45	0.066	0.076	0.008	0.009	0.73	2.52	11.7	1.17	456	1.02	0.090	0.090
Q347261		155.5	3.97	5.94	0.071	0.041	0.008	0.005	0.75	3.06	12.5	1.19	510	3.31	0.082	0.139

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347222		17.45	0.127	5.39	0.004	0.003	6.58	<0.001	<0.01	1.055	13.50	3.0	0.22	31.4	<0.005	0.08
Q347223		12.30	0.125	2.14	0.005	0.003	7.81	<0.001	0.09	0.591	4.22	0.3	0.15	39.3	<0.005	0.12
Q347224		7.74	0.146	1.290	0.008	0.003	32.1	<0.001	0.20	0.287	3.17	0.6	0.15	40.6	<0.005	0.13
Q347225		27.5	0.072	80.1	0.004	<0.002	4.98	0.088	0.48	126.5	1.990	2.7	1.92	122.0	<0.005	2.47
Q347226		15.75	0.130	2.52	0.014	0.004	12.50	0.001	0.07	3.01	11.25	1.2	0.21	31.5	<0.005	0.48
Q347227		11.05	0.166	1.070	0.011	0.003	25.2	<0.001	0.05	0.849	5.79	1.0	0.19	33.1	<0.005	0.24
Q347228		12.50	0.143	1.990	0.008	0.005	11.40	<0.001	0.05	0.801	6.65	0.5	0.20	43.4	<0.005	0.12
Q347229		11.20	0.152	1.855	0.007	0.004	7.11	<0.001	0.11	0.802	3.86	0.8	0.59	62.9	<0.005	0.14
Q347230		13.35	0.138	1.300	0.010	0.004	13.20	<0.001	0.02	0.399	3.72	0.5	0.14	65.2	<0.005	0.05
Q347231		12.20	0.145	1.690	0.019	0.005	22.9	<0.001	0.11	0.304	3.86	0.6	0.22	57.6	<0.005	0.14
Q347232		11.20	0.149	0.938	0.028	0.005	42.0	<0.001	0.09	0.200	3.86	0.8	0.20	57.4	<0.005	0.10
Q347233		9.24	0.151	0.996	0.011	0.005	29.2	0.001	0.06	0.240	3.63	0.5	0.23	66.2	<0.005	0.10
Q347234		12.30	0.142	1.460	0.015	0.004	23.8	<0.001	0.19	0.227	4.55	1.3	0.18	57.7	<0.005	0.35
Q347235		11.80	0.149	0.769	0.011	0.006	45.0	0.001	0.14	0.264	5.18	0.9	0.26	51.4	<0.005	0.16
Q347236		12.00	0.143	1.105	0.015	0.006	39.0	<0.001	0.11	0.255	6.93	0.8	0.26	59.5	<0.005	0.17
Q347237		13.45	0.136	0.757	0.005	0.004	42.5	0.002	0.06	0.101	7.38	0.6	0.34	58.3	<0.005	<0.01
Q347238		12.70	0.148	0.592	0.006	0.003	47.8	0.023	0.13	0.071	7.52	1.3	0.33	68.0	<0.005	0.05
Q347239		18.65	0.147	1.205	0.008	0.004	31.9	0.002	0.63	0.150	5.24	1.2	0.20	72.6	<0.005	0.20
Q347240		19.05	0.142	1.020	0.009	0.005	30.0	0.001	0.28	0.187	4.86	0.5	0.18	81.8	<0.005	0.12
Q347241		15.85	0.111	1.495	0.009	0.003	23.8	0.003	0.21	0.183	4.78	0.5	0.17	53.8	<0.005	0.13
Q347242		17.55	0.114	1.555	0.007	0.005	29.3	0.004	0.27	0.204	6.68	0.8	0.22	54.1	<0.005	0.22
Q347243		14.00	0.127	1.375	0.010	0.006	40.9	0.002	0.25	0.357	7.42	0.9	0.30	47.1	<0.005	0.31
Q347244		14.75	0.141	1.235	0.011	0.007	61.5	0.001	0.17	0.667	8.59	0.8	0.37	74.0	<0.005	0.41
Q347245		10.30	0.154	1.025	0.008	0.005	56.8	0.002	0.14	0.497	3.22	0.4	0.21	88.1	<0.005	0.14
Q347246		9.30	0.154	1.070	0.007	0.006	49.1	0.001	0.09	0.386	3.92	0.3	0.20	69.6	<0.005	0.11
Q347247		10.25	0.156	1.760	0.008	0.004	43.3	0.001	0.05	0.747	5.50	0.5	0.22	64.2	<0.005	0.11
Q347248		9.82	0.153	1.680	0.007	0.003	36.7	<0.001	0.09	0.594	3.27	0.3	0.23	77.0	<0.005	0.11
Q347249		11.20	0.157	2.07	0.005	0.008	34.7	0.002	0.21	0.934	4.90	0.8	0.24	82.8	<0.005	0.27
Q347250		28.1	0.074	84.7	0.003	<0.002	5.23	0.096	0.50	131.5	2.29	2.9	1.73	132.0	<0.005	2.55
Q347251		14.55	0.145	3.75	0.011	0.007	60.0	0.001	0.15	1.425	6.69	0.9	0.38	70.5	<0.005	0.16
Q347252		10.80	0.155	1.080	0.008	0.002	54.6	<0.001	0.02	0.790	5.02	0.5	0.23	93.4	<0.005	0.05
Q347253		11.85	0.155	0.972	0.007	0.006	66.1	<0.001	0.02	0.965	7.19	0.4	0.21	92.7	<0.005	0.06
Q347254		11.10	0.155	0.520	0.005	0.004	69.9	<0.001	0.05	0.382	4.97	0.4	0.20	98.1	<0.005	0.07
Q347255		11.50	0.146	0.672	0.006	0.003	63.4	<0.001	0.08	0.331	5.44	0.6	0.23	90.3	<0.005	0.08
Q347256		9.85	0.143	0.572	0.007	0.002	54.1	<0.001	0.02	0.284	5.13	0.3	0.22	99.4	<0.005	0.04
Q347257		10.85	0.154	0.530	0.008	0.004	66.7	<0.001	0.10	0.307	4.41	0.5	0.23	109.0	<0.005	0.07
Q347258		13.15	0.148	0.714	0.008	0.004	43.6	<0.001	0.34	0.525	8.05	1.4	0.39	74.3	<0.005	0.32
Q347259		15.70	0.150	1.645	0.008	0.006	28.4	0.010	0.33	0.998	7.70	1.2	0.22	57.8	<0.005	0.48
Q347260		14.10	0.140	1.645	0.008	0.005	27.2	0.001	0.24	0.906	5.94	0.6	0.24	68.8	<0.005	0.20
Q347261		16.50	0.143	2.29	0.011	0.005	29.6	<0.001	0.38	0.877	7.40	0.8	0.22	62.4	<0.005	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347222		0.554	0.029	0.143	0.413	124.0	0.265	8.61	37.1	2.08
Q347223		0.314	0.147	0.079	0.154	92.2	0.362	4.44	23.8	2.66
Q347224		0.949	0.226	0.242	0.214	133.5	0.388	7.67	29.5	1.96
Q347225		1.360	0.064	0.053	1.435	36.1	8.75	5.70	122.0	4.61
Q347226		1.045	0.055	0.211	0.386	119.0	0.251	10.45	33.7	1.99
Q347227		1.205	0.213	0.233	0.297	141.5	0.262	9.37	30.5	2.70
Q347228		0.705	0.173	0.115	0.284	107.5	0.358	7.07	25.7	3.44
Q347229		1.085	0.225	0.068	0.270	103.5	0.540	9.36	30.8	2.25
Q347230		0.746	0.201	0.086	0.218	104.0	0.347	6.29	21.4	3.23
Q347231		1.030	0.267	0.130	0.258	134.0	0.302	8.19	24.7	2.65
Q347232		1.495	0.294	0.178	0.290	157.5	0.275	9.35	31.1	2.81
Q347233		1.170	0.252	0.147	0.369	132.0	0.476	8.21	24.4	3.58
Q347234		0.972	0.214	0.156	0.357	122.0	0.427	7.08	24.2	3.42
Q347235		1.320	0.313	0.273	0.459	186.5	0.343	9.01	41.8	2.69
Q347236		1.350	0.264	0.212	0.409	169.5	0.195	8.67	45.9	3.20
Q347237		1.580	0.248	0.188	0.388	171.5	0.186	8.99	44.9	4.02
Q347238		1.290	0.274	0.242	0.334	183.5	0.199	7.78	41.5	2.91
Q347239		0.518	0.212	0.208	0.216	129.0	0.826	5.99	32.7	2.37
Q347240		0.465	0.217	0.184	0.206	129.5	0.334	4.56	31.2	1.45
Q347241		0.417	0.169	0.146	0.200	99.9	0.471	5.56	23.4	1.86
Q347242		0.417	0.179	0.209	0.203	114.0	0.617	7.27	25.0	2.07
Q347243		0.688	0.227	0.251	0.272	138.0	0.572	7.76	36.0	2.51
Q347244		0.974	0.302	0.392	0.391	170.0	0.280	8.90	52.7	6.00
Q347245		0.760	0.274	0.364	0.266	129.5	0.234	7.47	42.7	2.32
Q347246		0.800	0.252	0.312	0.278	140.0	0.195	8.32	42.4	2.39
Q347247		0.906	0.223	0.282	0.299	141.0	0.201	8.73	47.1	2.71
Q347248		0.771	0.234	0.224	0.230	122.0	0.264	7.21	43.8	2.40
Q347249		0.829	0.203	0.258	0.265	131.5	0.274	7.44	47.2	2.40
Q347250		1.480	0.067	0.049	1.575	37.7	7.80	6.15	127.0	4.92
Q347251		0.766	0.260	0.388	0.260	169.0	0.203	7.07	65.0	3.02
Q347252		0.856	0.264	0.354	0.296	147.5	0.164	8.47	51.8	3.25
Q347253		0.869	0.258	0.401	0.361	168.0	0.120	8.21	63.4	3.26
Q347254		0.690	0.282	0.388	0.269	169.5	0.116	7.42	59.9	3.41
Q347255		0.779	0.263	0.380	0.271	170.0	0.125	7.65	60.9	4.03
Q347256		0.693	0.233	0.305	0.281	140.5	0.075	6.54	56.4	4.29
Q347257		0.729	0.277	0.360	0.287	165.5	0.117	7.57	59.5	3.76
Q347258		0.723	0.194	0.305	0.320	160.5	0.142	7.74	47.0	3.71
Q347259		0.685	0.162	0.228	0.305	141.5	0.166	7.53	45.1	3.10
Q347260		0.360	0.180	0.182	0.173	116.0	0.226	5.85	43.6	2.47
Q347261		0.338	0.161	0.233	0.273	120.0	0.304	6.70	47.4	1.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347262		6.16	0.0327	0.231	1.50	3.83	<10	232	0.21	0.206	0.98	0.036	4.92	16.90	23.3	3.66
Q347263		5.50	0.0294	0.143	2.21	5.75	<10	273	0.21	0.125	1.26	0.052	7.39	25.1	28.4	4.95
Q347264		6.83	0.0785	0.238	2.30	7.68	<10	264	0.23	0.113	1.30	0.068	7.57	37.5	63.4	4.97
Q347265		7.49	0.0412	0.354	1.89	4.67	<10	219	0.15	0.141	1.11	0.038	7.32	26.7	36.1	3.64
Q347266		5.58	0.0226	0.164	1.43	2.57	<10	160.0	0.15	0.076	0.91	0.037	6.77	15.95	25.6	3.79
Q347267		5.22	0.0047	0.047	1.21	2.22	<10	98.4	0.16	0.035	0.92	0.027	5.86	11.20	22.3	3.49
Q347268		6.95	0.0175	0.148	1.37	2.29	<10	101.0	0.17	0.125	0.89	0.040	6.36	17.45	20.5	3.41
Q347269		6.88	0.0134	0.051	1.80	2.99	<10	151.0	0.19	0.055	1.02	0.036	8.86	17.15	16.80	4.78
Q347270		6.27	0.0039	0.068	1.75	3.92	<10	102.0	0.41	0.037	1.20	0.067	13.75	14.90	24.5	5.49
Q347271		5.36	0.0057	0.032	1.09	2.68	<10	60.1	0.21	0.030	0.91	0.055	6.92	9.34	20.8	4.86
Q347272		7.17	0.0044	0.034	1.34	2.26	<10	74.2	0.22	0.038	1.05	0.036	6.50	10.80	19.40	3.87
Q347273		6.53	0.0054	0.033	1.37	1.57	<10	239	0.17	0.022	1.00	0.030	5.41	12.70	25.3	3.39
Q347274		5.59	0.0048	0.053	1.49	1.62	<10	205	0.16	0.028	0.96	0.032	5.10	12.45	28.8	3.73
Q347275		0.09	0.831	53.1	1.03	937	20	105.5	0.14	24.6	3.23	0.866	12.85	33.5	28.2	0.749
Q347276		5.57	0.0069	0.073	1.29	2.14	<10	326	0.14	0.035	0.99	0.031	5.18	12.35	26.1	3.20
Q347277		3.19	0.0058	0.075	1.42	2.00	<10	61.5	0.12	0.016	1.09	0.033	10.65	12.70	33.8	1.280
Q347278		7.35	0.0636	0.176	1.57	5.88	<10	100.5	0.14	0.183	1.12	0.049	10.85	16.75	35.9	1.970
Q347279		5.63	0.0142	0.175	1.33	2.72	<10	57.8	0.13	0.086	1.17	0.063	11.45	20.3	33.7	1.325
Q347280		4.99	0.0052	0.143	1.67	1.93	<10	61.8	0.14	0.028	0.94	0.059	12.10	16.60	13.50	2.43
Q347281		6.15	0.0339	0.196	1.70	2.58	<10	110.5	0.13	0.073	1.03	0.053	11.85	19.85	29.0	2.41
Q347282		4.58	0.0115	0.158	1.66	3.55	<10	126.0	0.14	0.052	1.11	0.059	10.80	17.00	65.8	1.885
Q347283		4.39	0.0087	0.159	1.51	2.53	<10	73.8	0.13	0.046	1.06	0.055	10.45	17.45	58.5	2.05
Q347284		5.60	0.0512	0.267	1.49	4.92	<10	67.0	0.17	0.101	1.05	0.066	10.35	16.65	52.1	2.46
Q347285		6.35	0.0402	0.271	1.30	14.45	<10	99.5	0.25	0.204	1.21	0.080	10.05	34.3	21.1	2.97
Q347286		5.08	0.0142	0.135	1.44	7.27	<10	97.2	0.21	0.103	1.26	0.072	7.81	24.8	47.9	3.01
Q347287		5.21	0.0161	0.135	0.95	6.33	<10	68.5	0.15	0.077	1.49	0.056	4.73	16.80	57.0	1.230
Q347288		5.37	0.0323	0.209	1.09	6.68	<10	58.7	0.17	0.075	1.32	0.058	8.41	20.6	59.3	1.885
Q347289		6.74	0.0099	0.116	1.63	4.49	<10	103.5	0.13	0.049	0.97	0.052	13.95	20.8	18.80	3.17
Q347290		6.02	0.0071	0.081	1.46	3.64	<10	116.5	0.13	0.048	1.16	0.037	7.74	19.95	82.7	1.925
Q347291		7.69	0.0095	0.115	1.81	2.43	<10	157.5	0.13	0.047	0.95	0.034	12.30	18.90	23.4	2.72
Q347292		7.61	0.0162	0.190	1.67	2.62	<10	121.5	0.13	0.050	0.94	0.069	12.50	16.80	22.5	2.41
Q347293		6.62	0.0061	0.124	1.66	2.05	<10	89.2	0.14	0.038	0.97	0.070	12.25	18.25	18.55	2.42
Q347294		7.31	0.0052	0.068	1.59	1.94	<10	67.7	0.15	0.021	1.02	0.031	12.40	15.75	17.10	2.18
Q347295		5.64	0.0138	0.163	1.99	1.62	<10	154.5	0.12	0.076	0.90	0.022	10.30	23.6	27.2	2.71
Q347296		5.24	0.0174	0.102	1.91	1.49	<10	143.5	0.13	0.039	1.07	0.017	10.60	19.35	22.7	2.31
Q347297		5.86	0.0136	0.125	1.17	1.52	<10	90.1	0.15	0.029	0.81	0.032	11.40	14.80	19.85	2.07
Q347298		8.07	0.0172	0.175	1.83	1.35	<10	109.0	0.15	0.057	1.04	0.017	10.05	22.8	28.3	2.87
Q347299		4.11	0.0038	0.041	1.83	1.42	<10	111.5	0.14	0.022	1.11	0.024	9.72	18.00	30.3	2.52
Q347300		0.09	0.739	51.1	1.02	934	20	103.0	0.15	21.2	3.24	0.829	12.35	33.4	28.0	0.695
Q347301		8.02	0.0081	0.067	1.89	2.09	<10	102.0	0.16	0.024	1.25	0.034	9.55	15.55	34.2	2.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347262		225	3.99	4.94	0.075	0.063	0.009	0.013	0.69	2.82	9.1	0.92	397	7.32	0.109	0.167
Q347263		214	4.07	5.47	0.118	0.125	0.015	0.022	0.97	3.35	12.7	1.52	737	3.28	0.132	0.073
Q347264		367	4.90	5.69	0.126	0.101	0.017	0.027	0.98	3.67	13.3	1.47	857	4.83	0.121	0.090
Q347265		283	4.29	4.99	0.122	0.128	0.011	0.014	0.83	3.61	10.5	1.32	578	4.41	0.111	0.143
Q347266		170.5	2.91	4.74	0.074	0.089	0.017	0.010	0.53	3.00	8.4	0.94	517	2.36	0.101	0.104
Q347267		81.4	2.09	4.13	0.056	0.084	0.010	0.013	0.36	2.49	7.1	0.68	395	1.46	0.087	0.075
Q347268		147.5	3.10	4.63	0.080	0.117	0.017	0.011	0.56	3.06	8.5	0.93	397	2.65	0.081	0.111
Q347269		120.0	3.39	5.54	0.125	0.157	0.011	0.023	0.86	3.87	10.8	1.29	523	1.47	0.073	0.110
Q347270		75.2	3.37	6.26	0.102	0.298	0.030	0.013	0.17	6.29	12.8	1.11	596	1.00	0.171	0.173
Q347271		53.5	2.09	3.87	0.052	0.158	0.011	0.016	0.16	2.91	6.2	0.55	389	1.50	0.067	0.062
Q347272		49.3	2.43	4.43	0.045	0.115	0.019	0.009	0.20	2.73	7.4	0.67	318	1.26	0.098	0.062
Q347273		44.4	2.08	4.40	0.044	0.101	0.010	0.008	0.38	2.20	9.2	0.81	411	0.99	0.098	0.056
Q347274		78.0	2.36	4.78	0.059	0.119	0.010	0.010	0.45	2.12	11.7	0.96	403	1.25	0.089	0.046
Q347275		3590	2.94	3.36	0.045	0.155	0.587	0.091	0.14	7.41	6.7	0.36	645	509	0.094	0.222
Q347276		69.8	2.10	4.52	0.051	0.135	0.010	<0.005	0.34	2.19	9.4	0.80	325	1.40	0.099	0.065
Q347277		145.0	3.24	5.01	0.075	0.163	<0.004	0.005	0.60	4.75	10.5	1.12	417	0.93	0.095	0.100
Q347278		148.5	3.20	5.08	0.098	0.194	0.007	0.017	0.62	4.79	9.7	1.15	462	0.85	0.093	0.119
Q347279		182.0	2.82	4.47	0.089	0.185	0.006	0.012	0.35	4.82	11.8	1.00	421	0.66	0.083	0.179
Q347280		246	3.70	5.90	0.083	0.134	0.006	0.010	0.90	5.43	14.1	1.30	464	0.67	0.090	0.111
Q347281		289	3.61	5.64	0.086	0.145	0.005	0.012	0.85	4.94	13.3	1.34	563	0.58	0.093	0.093
Q347282		208	3.43	5.42	0.099	0.093	0.005	0.007	0.79	4.60	13.7	1.47	607	0.69	0.087	0.083
Q347283		216	3.27	5.06	0.108	0.106	0.004	0.012	0.70	4.42	10.9	1.29	532	2.59	0.078	0.087
Q347284		228	3.22	5.04	0.115	0.125	0.008	0.011	0.62	4.47	11.2	1.27	547	0.94	0.070	0.132
Q347285		466	3.73	4.29	0.102	0.100	0.037	0.014	0.35	4.87	7.7	0.85	826	2.38	0.065	0.253
Q347286		178.5	3.27	4.36	0.073	0.090	0.025	0.010	0.47	3.33	7.9	0.86	622	1.68	0.109	0.191
Q347287		166.5	2.30	2.87	0.088	0.122	0.004	0.017	0.15	2.23	3.8	0.41	344	1.31	0.071	0.168
Q347288		260	3.19	3.62	0.114	0.106	0.007	0.019	0.38	3.83	4.2	0.67	495	1.36	0.069	0.229
Q347289		227	3.81	5.56	0.104	0.097	0.009	0.007	0.83	5.75	10.5	1.32	648	1.65	0.085	0.179
Q347290		85.9	2.97	4.37	0.096	0.121	0.005	0.010	0.68	2.99	11.7	1.34	661	0.79	0.091	0.099
Q347291		142.5	3.94	6.68	0.108	0.138	0.004	0.006	0.92	5.35	16.4	1.66	680	0.86	0.100	0.086
Q347292		255	3.65	5.52	0.093	0.138	0.006	<0.005	0.96	5.70	14.3	1.49	546	3.08	0.086	0.102
Q347293		216	3.52	5.15	0.099	0.110	0.010	<0.005	0.93	5.66	14.1	1.45	539	2.44	0.073	0.152
Q347294		95.9	2.95	4.98	0.094	0.137	0.009	0.010	0.82	5.72	12.9	1.38	492	1.44	0.071	0.107
Q347295		270	4.24	6.42	0.106	0.141	0.010	0.011	1.34	4.52	13.2	1.71	508	0.86	0.095	0.098
Q347296		163.0	3.60	5.77	0.122	0.155	0.006	0.016	1.12	4.60	12.4	1.56	485	0.79	0.095	0.106
Q347297		206	2.78	4.69	0.088	0.193	0.006	0.013	0.50	4.63	8.8	0.83	384	1.53	0.080	0.148
Q347298		195.5	3.56	5.54	0.110	0.199	0.005	0.016	1.11	4.23	12.9	1.51	517	1.04	0.100	0.094
Q347299		67.3	3.78	5.99	0.126	0.220	0.004	0.010	0.98	4.25	13.5	1.56	563	0.55	0.097	0.112
Q347300		3480	2.91	3.32	0.061	0.134	0.577	0.078	0.15	7.46	7.4	0.36	646	509	0.088	0.219
Q347301		80.3	3.58	5.96	0.131	0.187	0.007	0.018	0.92	4.20	14.4	1.64	566	0.58	0.091	0.127

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347262		13.45	0.134	1.590	0.003	0.005	23.8	0.002	0.44	1.260	6.39	1.2	0.23	74.3	<0.005	0.51
Q347263		23.2	0.120	0.942	0.008	0.002	34.8	0.002	0.14	0.935	12.05	0.5	0.28	71.3	<0.005	0.26
Q347264		33.7	0.140	0.919	0.005	0.004	35.1	0.001	0.35	1.190	11.45	0.8	0.34	79.3	<0.005	0.35
Q347265		20.4	0.137	0.872	0.005	0.004	29.5	0.003	0.43	1.230	8.46	0.8	0.22	67.4	<0.005	0.39
Q347266		15.70	0.117	1.325	0.006	0.002	18.80	0.001	0.20	0.324	7.38	0.5	0.21	51.7	<0.005	0.19
Q347267		12.70	0.106	1.140	0.003	0.003	13.45	0.001	0.10	0.442	6.20	0.5	0.23	61.0	<0.005	0.10
Q347268		14.30	0.111	1.265	0.006	0.005	22.4	0.001	0.26	0.697	6.32	0.6	0.24	56.8	<0.005	0.30
Q347269		15.10	0.126	1.025	0.007	0.006	36.0	<0.001	0.06	0.956	8.91	0.9	0.36	57.2	<0.005	0.10
Q347270		18.50	0.137	2.37	0.004	0.002	7.04	0.001	0.04	0.494	7.71	0.2	0.35	79.6	<0.005	0.05
Q347271		14.45	0.107	1.625	0.006	0.003	7.61	0.001	0.04	1.055	7.75	0.7	0.22	59.0	<0.005	0.07
Q347272		12.25	0.118	1.455	0.003	0.004	8.78	<0.001	0.05	1.010	5.98	1.0	0.23	73.2	<0.005	0.07
Q347273		16.75	0.106	0.969	0.007	0.003	13.25	<0.001	0.10	0.639	6.16	0.5	0.19	75.6	<0.005	0.07
Q347274		17.95	0.104	0.921	0.003	0.002	14.85	<0.001	0.17	0.340	6.34	0.5	0.22	68.3	<0.005	0.10
Q347275		26.2	0.071	86.5	0.003	<0.002	4.87	0.092	0.49	127.5	2.18	2.7	1.83	122.5	<0.005	2.32
Q347276		16.35	0.101	0.922	0.002	0.003	12.30	0.001	0.20	0.545	5.98	0.5	0.19	78.4	<0.005	0.13
Q347277		13.25	0.155	0.800	0.004	0.002	32.0	0.001	0.04	0.095	4.59	0.5	0.26	66.3	<0.005	0.02
Q347278		15.40	0.150	1.705	0.003	0.003	30.6	0.001	0.18	0.215	5.73	0.6	0.28	70.0	<0.005	0.08
Q347279		13.95	0.154	1.795	0.005	0.003	18.65	<0.001	0.22	0.189	4.81	0.9	0.28	72.4	<0.005	0.09
Q347280		9.67	0.147	0.750	0.002	<0.002	46.4	<0.001	0.08	0.111	4.07	0.5	0.26	66.1	<0.005	0.02
Q347281		15.95	0.158	0.940	0.005	0.003	39.5	<0.001	0.17	0.239	5.90	0.6	0.28	55.3	<0.005	0.06
Q347282		17.85	0.166	0.888	0.006	0.003	33.0	0.001	0.06	0.425	5.88	0.4	0.25	50.3	<0.005	0.05
Q347283		14.70	0.139	0.742	0.008	0.003	36.1	0.003	0.08	0.213	6.90	0.6	0.21	53.8	<0.005	0.03
Q347284		16.45	0.153	1.250	0.006	0.003	30.5	<0.001	0.19	0.330	6.22	0.7	0.28	50.6	<0.005	0.08
Q347285		14.45	0.160	3.44	0.004	0.003	16.50	0.002	0.20	0.886	7.86	1.1	0.29	67.2	<0.005	0.19
Q347286		13.50	0.182	1.670	0.005	0.002	22.0	<0.001	0.16	0.313	7.89	0.6	0.30	71.3	<0.005	0.09
Q347287		11.20	0.151	1.525	0.002	0.003	7.51	0.001	0.27	0.232	6.17	1.1	0.23	73.7	<0.005	0.09
Q347288		15.30	0.167	1.665	0.005	0.004	18.15	<0.001	0.20	0.185	6.97	1.1	0.28	66.9	<0.005	0.13
Q347289		15.70	0.139	1.650	0.002	0.002	41.7	0.002	0.15	0.145	6.24	0.7	0.21	48.4	<0.005	0.04
Q347290		21.5	0.144	1.220	0.007	0.004	34.5	0.001	0.19	0.121	6.59	0.5	0.18	44.4	<0.005	0.07
Q347291		16.20	0.135	1.000	0.004	0.002	45.2	0.001	0.18	0.119	5.29	0.7	0.17	42.5	<0.005	0.06
Q347292		15.25	0.134	1.920	0.004	0.002	46.8	0.009	0.25	0.131	3.64	1.1	0.20	49.3	<0.005	0.09
Q347293		14.05	0.135	1.855	0.001	0.002	45.9	0.001	0.33	0.152	3.53	0.9	0.25	57.3	<0.005	0.08
Q347294		13.60	0.141	0.792	0.002	0.003	40.4	0.004	0.08	0.113	3.54	0.6	0.24	61.7	<0.005	0.04
Q347295		15.45	0.143	0.783	0.004	<0.002	61.2	0.002	0.86	0.062	4.49	1.1	0.30	49.1	<0.005	0.15
Q347296		13.45	0.141	0.651	0.004	0.008	47.9	0.001	0.30	0.112	4.50	1.0	0.26	67.1	<0.005	0.06
Q347297		9.27	0.112	0.933	0.002	<0.002	25.6	0.001	0.21	0.093	4.08	0.7	0.28	46.6	<0.005	0.06
Q347298		15.15	0.137	0.681	0.003	0.002	56.3	0.003	0.27	0.102	5.40	0.9	0.27	61.1	<0.005	0.09
Q347299		14.80	0.143	0.499	0.002	0.003	46.7	<0.001	0.07	0.120	4.85	0.5	0.30	58.6	<0.005	0.04
Q347300		25.9	0.071	79.5	0.001	<0.002	4.52	0.089	0.48	123.0	1.830	2.5	1.74	120.0	<0.005	2.32
Q347301		14.95	0.143	0.683	0.003	0.003	44.1	<0.001	0.06	0.150	5.30	0.5	0.27	79.1	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Th ppm 0.002	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
Q347262		0.292	0.168	0.170	0.254	105.5	0.446	6.85	31.0	2.47
Q347263		0.433	0.219	0.243	0.245	160.0	0.695	8.92	49.3	4.11
Q347264		0.473	0.206	0.218	0.296	152.5	0.222	8.45	63.5	3.58
Q347265		0.422	0.202	0.183	0.276	127.0	0.245	7.30	43.3	3.59
Q347266		0.346	0.139	0.142	0.195	95.8	2.53	6.34	30.1	3.16
Q347267		0.322	0.116	0.115	0.158	76.0	0.189	5.36	21.7	2.82
Q347268		0.386	0.163	0.154	0.209	94.3	0.236	6.21	36.0	3.64
Q347269		0.567	0.192	0.232	0.240	125.5	0.183	6.94	42.9	4.72
Q347270		1.015	0.181	0.050	0.413	108.5	0.189	8.59	48.2	12.10
Q347271		0.367	0.089	0.066	0.174	73.5	0.111	6.74	31.6	3.94
Q347272		0.449	0.111	0.068	0.172	72.8	0.167	6.09	33.4	3.56
Q347273		0.250	0.135	0.104	0.138	78.3	0.138	5.91	31.5	2.94
Q347274		0.260	0.135	0.095	0.135	81.6	0.114	5.58	25.8	3.17
Q347275		1.535	0.060	0.051	1.545	36.8	7.81	5.67	124.0	4.55
Q347276		0.287	0.133	0.084	0.143	76.3	0.131	5.82	23.8	3.59
Q347277		0.766	0.211	0.129	0.300	125.5	0.165	6.91	41.1	4.33
Q347278		0.834	0.212	0.149	0.322	116.0	0.262	6.76	42.7	5.10
Q347279		0.751	0.203	0.085	0.325	93.9	0.295	7.09	41.3	5.35
Q347280		1.005	0.205	0.188	0.333	125.5	0.167	7.43	43.9	3.66
Q347281		0.794	0.203	0.199	0.346	129.0	0.205	7.51	52.4	4.05
Q347282		0.631	0.214	0.173	0.267	121.0	0.237	7.09	53.7	3.23
Q347283		0.756	0.210	0.174	0.229	115.5	0.182	6.90	44.5	2.94
Q347284		0.784	0.204	0.162	0.314	108.0	0.256	6.88	49.6	3.68
Q347285		0.755	0.161	0.147	0.405	97.6	0.633	8.57	46.3	3.07
Q347286		0.482	0.179	0.147	0.362	116.0	0.254	8.18	39.4	3.06
Q347287		0.365	0.139	0.048	0.250	63.4	0.367	5.51	21.9	3.62
Q347288		0.661	0.170	0.095	0.415	85.1	0.321	6.81	25.0	3.71
Q347289		1.245	0.220	0.178	0.612	125.0	0.232	8.68	50.2	3.14
Q347290		0.614	0.217	0.171	0.277	102.0	0.311	6.04	51.7	3.60
Q347291		1.215	0.227	0.195	0.545	137.0	0.212	7.90	63.0	3.21
Q347292		1.105	0.251	0.185	0.512	133.0	0.224	7.88	56.3	3.43
Q347293		1.120	0.241	0.187	0.556	123.0	0.251	8.39	53.4	2.99
Q347294		1.125	0.235	0.166	0.512	109.0	0.195	8.03	42.4	3.64
Q347295		0.782	0.243	0.246	0.261	128.0	0.202	7.08	40.5	3.69
Q347296		0.796	0.233	0.197	0.262	110.0	0.189	7.20	37.0	4.33
Q347297		1.295	0.143	0.107	0.394	82.6	0.163	5.58	28.0	5.74
Q347298		0.751	0.235	0.219	0.274	118.0	0.158	7.35	42.3	5.14
Q347299		0.744	0.252	0.186	0.291	131.0	0.140	7.39	42.7	5.00
Q347300		1.320	0.061	0.048	1.410	36.0	7.68	5.55	123.0	4.38
Q347301		0.737	0.256	0.182	0.287	126.0	0.225	7.44	46.3	4.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347302		9.70	0.0059	0.103	1.69	2.21	<10	132.0	0.13	0.049	1.18	0.036	8.83	19.20	33.3	2.46
Q347303		5.20	0.0071	0.104	2.15	1.91	<10	157.0	0.15	0.022	1.17	0.017	8.66	20.2	26.1	3.31
Q347304		4.18	0.0083	0.124	1.81	2.84	<10	122.0	0.14	0.059	1.20	0.040	9.25	18.85	27.9	2.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347302		119.5	3.28	5.33	0.132	0.195	0.007	0.012	0.86	3.93	11.4	1.43	516	0.40	0.081	0.105
Q347303		149.0	3.79	6.44	0.143	0.208	0.006	0.014	1.31	3.83	14.0	1.80	625	0.53	0.114	0.093
Q347304		127.0	3.63	5.52	0.101	0.168	0.004	0.011	0.89	4.20	13.7	1.46	506	0.65	0.086	0.140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ni ppm 0.04	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01
Q347302		15.30	0.137	0.755	0.002	0.003	37.0	0.001	0.25	0.153	5.32	0.9	0.31	70.5	<0.005	0.08
Q347303		13.90	0.127	0.684	0.001	0.002	53.0	<0.001	0.18	0.071	5.52	0.6	0.30	68.3	<0.005	0.05
Q347304		14.70	0.151	1.225	0.003	0.003	36.6	<0.001	0.29	0.167	4.49	0.6	0.26	73.9	<0.005	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347302		0.669	0.235	0.151	0.252	113.0	0.177	6.86	45.3	4.86
Q347303		0.681	0.245	0.235	0.263	125.5	0.159	7.11	53.9	5.33
Q347304		0.692	0.229	0.184	0.226	124.0	0.200	7.19	46.5	4.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 27- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104858

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

CERTIFICATE KL14107688

Project: Dillard

This report is for 93 Rock samples submitted to our lab in Kamloops, BC, Canada on 17- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347305		4.54	0.0146	0.157	1.94	2.29	<10	91.0	0.16	0.037	1.26	0.036	10.65	17.40	33.3	2.66
Q347306		8.72	0.0091	0.108	1.87	2.91	<10	81.6	0.19	0.050	1.26	0.055	9.89	15.00	34.9	2.67
Q347307		5.82	0.0243	0.234	2.02	2.32	<10	101.5	0.13	0.042	1.26	0.057	10.65	19.60	35.0	2.30
Q347308		7.37	0.0112	0.128	2.15	2.13	<10	127.0	0.18	0.025	1.14	0.032	10.15	18.20	36.2	2.41
Q347309		6.39	0.0205	0.203	2.41	4.10	<10	147.0	0.30	0.037	1.18	0.191	14.15	18.25	30.9	2.76
Q347310		6.63	0.0554	0.997	0.97	2.50	<10	101.5	0.12	0.076	0.94	0.090	5.12	18.00	22.6	1.755
Q347311		7.25	0.0472	0.642	1.22	1.81	<10	88.0	0.19	0.059	1.09	0.104	5.87	18.80	23.5	3.54
Q347312		8.18	0.117	1.015	0.98	4.91	10	252	0.24	0.073	0.97	0.163	6.72	18.60	22.3	3.85
Q347313		6.26	0.0219	0.359	1.08	2.86	<10	70.0	0.28	0.089	1.11	0.147	6.32	16.20	18.95	4.21
Q347314		7.33	0.0302	0.451	0.92	2.49	<10	68.6	0.15	0.056	0.91	0.136	6.53	14.80	20.3	2.74
Q347315		7.09	0.0403	0.319	1.02	2.51	<10	88.2	0.19	0.089	0.96	0.131	5.05	18.65	22.3	2.15
Q347316		7.62	0.0470	0.566	1.07	3.34	<10	53.9	0.19	0.078	0.92	0.088	4.98	16.00	19.70	2.56
Q347317		6.88	0.0550	0.835	1.30	4.34	<10	83.5	0.21	0.151	0.84	0.094	6.54	22.0	26.6	4.69
Q347318		8.16	0.0289	0.575	0.99	2.57	<10	56.9	0.12	0.082	0.96	0.106	4.64	13.85	20.3	1.650
Q347319		5.92	0.0187	0.256	1.24	2.38	<10	63.8	0.14	0.077	1.11	0.071	4.96	13.95	21.5	1.775
Q347320		5.90	0.0205	0.452	1.21	10.45	<10	71.4	0.25	0.093	1.22	0.478	5.93	17.45	24.6	2.13
Q347321		7.16	0.124	1.580	0.82	4.58	<10	72.2	0.14	0.141	0.84	0.093	5.53	21.0	20.0	0.814
Q347322		5.89	0.146	2.16	1.05	3.99	<10	78.9	0.13	0.203	0.78	0.159	6.22	47.8	21.8	1.600
Q347323		5.51	0.0506	0.290	1.61	2.63	<10	118.5	0.19	0.063	0.98	0.070	8.23	17.45	41.4	1.680
Q347324		7.71	0.0234	0.281	1.81	2.70	<10	68.0	0.19	0.067	1.08	0.068	11.15	18.90	25.4	1.145
Q347325		0.09	1.080	57.3	1.12	1000	20	113.5	0.16	23.0	3.35	0.881	12.80	36.1	31.6	0.707
Q347326		7.71	0.0433	0.673	1.23	2.22	10	69.5	0.15	0.074	1.10	0.092	5.90	16.00	22.9	1.315
Q347327		8.31	0.0341	0.557	1.96	3.36	<10	125.0	0.22	0.065	1.07	0.125	11.90	22.4	32.3	4.64
Q347328		6.91	0.0390	0.590	1.54	1.89	<10	94.9	0.13	0.100	0.96	0.105	6.70	19.40	34.0	2.41
Q347329		8.06	0.0620	0.983	1.20	2.00	<10	66.3	0.08	0.163	0.84	0.106	6.34	23.3	36.7	1.300
Q347330		5.85	0.0596	1.025	1.38	2.00	<10	65.7	0.10	0.114	0.87	0.104	8.05	29.2	23.1	2.42
Q347331		9.55	0.0360	0.319	1.84	2.26	<10	89.2	0.15	0.058	1.06	0.091	11.10	24.1	35.3	3.70
Q347332		9.86	0.0450	0.359	2.00	4.06	<10	70.7	0.16	0.109	1.14	0.105	10.85	28.3	33.1	2.87
Q347333		8.42	0.0344	0.389	1.89	3.09	<10	96.6	0.17	0.084	1.03	0.099	13.60	14.70	29.5	3.36
Q347334		8.68	0.0253	0.342	1.93	2.76	<10	123.5	0.15	0.096	1.01	0.098	13.25	14.40	12.10	2.80
Q347335		10.19	0.0488	0.249	2.19	2.55	<10	166.0	0.13	0.056	1.09	0.084	13.20	15.75	10.20	3.35
Q347336		6.53	0.0171	0.180	2.00	3.17	<10	153.0	0.24	0.042	1.31	0.096	15.30	16.60	25.0	3.04
Q347337		9.28	0.0129	0.206	1.76	2.21	<10	163.0	0.17	0.046	1.12	0.069	12.45	12.60	17.55	1.710
Q347338		7.02	0.0153	0.133	2.05	3.97	<10	169.5	0.22	0.039	1.53	0.101	13.85	18.50	28.7	1.615
Q347339		6.44	0.0083	0.140	2.32	1.88	<10	125.0	0.10	0.022	0.82	0.063	11.85	24.7	9.90	2.12
Q347340		5.22	0.0058	0.086	2.42	2.19	<10	188.0	0.10	0.013	0.85	0.051	11.10	18.85	9.20	1.690
Q347341		5.74	0.0071	0.084	1.94	1.98	<10	117.0	0.25	0.019	0.93	0.037	15.75	21.4	8.14	3.73
Q347342		6.56	0.0218	0.121	1.72	2.88	<10	106.0	0.22	0.027	0.88	0.030	14.65	23.8	7.43	3.24
Q347343		7.82	0.0376	0.147	2.53	4.46	<10	330	0.22	0.061	0.85	0.023	13.85	24.6	6.10	4.77
Q347344		8.33	0.0110	0.062	2.21	4.12	<10	241	0.18	0.038	0.85	0.026	12.10	17.20	5.31	4.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347305		168.5	3.52	5.98	0.118	0.188	<0.004	0.014	0.95	4.83	11.5	1.48	565	0.79	0.104	0.103
Q347306		132.5	3.76	5.86	0.124	0.215	<0.004	0.020	0.63	4.53	13.5	1.46	606	0.84	0.101	0.110
Q347307		212	3.87	6.15	0.128	0.234	0.004	0.019	0.98	4.95	11.9	1.60	626	1.67	0.118	0.095
Q347308		128.0	3.86	6.65	0.117	0.165	<0.004	0.013	1.15	4.77	12.5	1.83	629	0.64	0.097	0.076
Q347309		159.0	4.51	7.26	0.104	0.163	0.006	0.030	0.81	6.66	20.8	2.02	729	1.17	0.077	0.034
Q347310		1010	2.31	4.90	0.087	0.130	0.029	0.008	0.24	2.54	6.5	0.73	245	5.38	0.058	0.121
Q347311		1170	2.65	4.59	0.086	0.118	0.089	0.011	0.31	2.78	5.9	0.74	283	2.43	0.082	0.105
Q347312		1290	2.46	4.03	0.061	0.125	0.129	0.024	0.13	3.13	3.3	0.43	881	3.10	0.056	0.046
Q347313		412	2.50	4.12	0.057	0.126	0.097	0.022	0.17	3.03	3.8	0.45	402	2.18	0.060	0.047
Q347314		722	2.46	3.42	0.058	0.147	0.046	0.019	0.12	3.15	3.7	0.46	332	4.28	0.054	0.077
Q347315		661	2.94	3.86	0.062	0.154	0.046	0.006	0.12	2.38	4.3	0.53	503	3.90	0.054	0.047
Q347316		680	2.67	4.48	0.069	0.108	0.035	0.015	0.11	2.48	5.8	0.66	374	5.80	0.045	0.063
Q347317		819	3.06	5.21	0.077	0.140	0.059	0.029	0.18	3.14	7.0	0.89	509	4.79	0.044	0.059
Q347318		459	2.06	3.86	0.062	0.175	0.019	0.014	0.16	2.18	6.1	0.67	307	18.45	0.058	0.061
Q347319		224	2.15	4.32	0.066	0.140	0.011	<0.005	0.19	2.68	8.2	0.86	325	1.15	0.069	0.101
Q347320		550	3.11	4.46	0.056	0.107	0.050	0.017	0.10	3.05	8.2	0.85	589	7.68	0.042	0.074
Q347321		1350	2.63	3.25	0.063	0.113	0.018	0.014	0.14	2.99	4.6	0.47	296	15.45	0.054	0.226
Q347322		2830	3.61	3.91	0.084	0.086	0.033	0.016	0.20	3.08	5.8	0.67	489	33.7	0.048	0.178
Q347323		546	3.20	5.25	0.063	0.169	0.019	0.017	0.20	4.13	13.6	1.29	513	2.01	0.062	0.129
Q347324		568	3.61	6.02	0.074	0.141	0.014	0.020	0.17	5.32	14.2	1.46	612	3.21	0.071	0.099
Q347325		3670	3.06	3.52	0.060	0.160	0.619	0.081	0.15	8.19	6.6	0.37	678	535	0.098	0.191
Q347326		881	2.53	3.97	0.048	0.193	0.045	<0.005	0.21	2.94	7.1	0.82	309	5.03	0.088	0.122
Q347327		1500	3.77	6.35	0.087	0.225	0.038	0.008	0.35	5.74	13.0	1.21	512	2.78	0.064	0.176
Q347328		1120	3.02	5.04	0.072	0.156	0.040	0.020	0.44	3.07	9.8	1.22	321	4.29	0.102	0.079
Q347329		1435	3.20	4.48	0.094	0.153	0.037	0.009	0.41	2.98	8.3	1.06	314	7.06	0.082	0.140
Q347330		1650	3.36	5.13	0.098	0.132	0.037	0.006	0.51	3.73	8.8	1.15	348	9.28	0.072	0.155
Q347331		804	3.65	5.89	0.114	0.135	0.021	0.015	0.71	5.43	11.0	1.39	427	3.39	0.086	0.184
Q347332		959	4.47	6.40	0.109	0.123	0.022	0.009	0.76	5.34	12.8	1.60	566	6.83	0.080	0.191
Q347333		568	4.29	6.73	0.130	0.199	0.010	0.006	0.75	6.88	10.5	1.32	445	6.27	0.093	0.202
Q347334		459	3.96	6.54	0.128	0.237	0.016	0.012	0.87	6.35	12.3	1.40	438	4.42	0.094	0.139
Q347335		458	4.45	6.83	0.127	0.196	0.011	0.007	1.09	6.30	13.7	1.57	501	4.24	0.111	0.114
Q347336		251	3.67	6.13	0.115	0.251	0.014	0.010	0.63	7.81	12.9	1.29	584	1.30	0.200	0.089
Q347337		248	3.75	6.04	0.103	0.209	0.014	<0.005	0.76	5.98	10.5	1.26	499	1.68	0.102	0.072
Q347338		160.5	4.23	6.76	0.115	0.264	0.013	0.015	0.61	6.92	12.1	1.50	737	1.17	0.083	0.064
Q347339		303	4.95	8.14	0.134	0.190	0.008	<0.005	1.51	5.63	12.4	1.84	685	0.96	0.095	0.056
Q347340		220	4.77	7.18	0.130	0.083	<0.004	0.007	1.52	5.22	11.2	1.80	559	0.85	0.135	0.049
Q347341		265	4.24	6.29	0.120	0.110	0.098	0.012	1.06	7.23	9.5	1.31	720	2.05	0.068	0.110
Q347342		324	4.21	5.84	0.125	0.126	0.015	0.014	0.85	6.83	11.8	1.28	671	5.59	0.059	0.126
Q347343		209	5.27	8.42	0.166	0.093	0.326	0.011	1.76	6.43	15.0	2.03	706	2.33	0.078	0.082
Q347344		103.5	4.36	6.78	0.150	0.087	0.133	0.008	1.53	5.58	11.8	1.85	554	2.59	0.072	0.111

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347305		14.25	0.152	1.420	0.008	0.003	41.1	<0.001	0.08	0.215	4.86	0.4	0.29	73.0	<0.005	0.05
Q347306		15.10	0.149	1.310	0.003	0.003	28.6	<0.001	0.10	0.371	5.02	0.4	0.34	65.7	<0.005	0.06
Q347307		15.15	0.151	0.976	0.004	0.002	40.8	0.003	0.14	0.200	5.52	0.6	0.33	73.1	<0.005	0.06
Q347308		16.10	0.157	0.799	0.008	0.004	44.6	<0.001	0.06	0.208	4.77	0.5	0.27	65.5	<0.005	0.05
Q347309		16.90	0.159	2.59	0.005	0.003	33.3	0.001	0.06	0.395	10.00	0.5	0.37	61.6	<0.005	0.03
Q347310		12.60	0.109	2.09	0.011	0.003	9.35	0.008	0.24	0.172	5.81	1.6	0.46	46.5	<0.005	0.16
Q347311		14.65	0.115	1.540	0.010	0.003	12.80	0.002	0.23	0.118	8.10	1.4	0.37	57.9	<0.005	0.15
Q347312		14.55	0.113	6.85	0.014	0.003	5.55	0.003	0.16	0.422	10.55	1.1	0.31	56.5	<0.005	0.18
Q347313		12.95	0.116	3.19	0.008	0.003	7.42	<0.001	0.21	0.517	9.30	0.7	0.29	52.6	<0.005	0.12
Q347314		12.80	0.114	4.37	0.010	0.003	5.17	0.006	0.16	0.311	8.63	0.8	0.24	53.4	<0.005	0.09
Q347315		15.10	0.112	4.16	0.011	0.004	4.52	0.002	0.19	0.332	8.64	0.9	0.24	59.9	<0.005	0.15
Q347316		12.15	0.111	3.09	0.008	0.004	4.45	0.014	0.12	0.319	7.49	0.6	0.27	53.7	<0.005	0.14
Q347317		17.35	0.108	6.14	0.007	0.004	8.89	0.005	0.28	0.359	10.35	1.0	0.35	42.5	<0.005	0.25
Q347318		11.90	0.108	2.13	0.008	0.004	6.06	0.026	0.24	0.316	6.10	0.7	0.35	55.7	<0.005	0.18
Q347319		13.25	0.115	2.70	0.005	0.003	8.17	0.001	0.29	0.372	5.50	0.6	0.25	72.4	<0.005	0.17
Q347320		19.95	0.116	18.00	0.005	0.004	5.42	0.002	0.27	1.380	11.40	1.2	0.24	49.1	<0.005	0.14
Q347321		10.25	0.105	3.90	0.007	0.003	4.95	0.013	0.38	0.378	4.72	2.1	0.42	42.3	<0.005	0.34
Q347322		14.15	0.095	3.71	0.014	0.003	7.74	0.010	0.26	0.280	6.88	2.7	0.28	40.2	<0.005	0.37
Q347323		22.8	0.124	2.38	0.008	0.003	8.55	0.001	0.14	0.258	8.64	0.6	0.30	61.5	<0.005	0.14
Q347324		17.90	0.144	1.665	0.007	0.003	7.03	<0.001	0.09	0.349	7.76	0.6	0.31	70.7	<0.005	0.10
Q347325		28.6	0.076	84.3	0.006	<0.002	4.98	0.096	0.52	123.0	1.790	2.4	2.04	125.5	<0.005	2.52
Q347326		12.85	0.111	3.47	0.010	0.003	7.37	0.004	0.25	0.238	6.27	0.9	0.26	59.1	<0.005	0.09
Q347327		20.3	0.137	3.85	0.011	0.003	18.65	0.002	0.05	0.268	7.21	0.9	0.28	61.5	<0.005	0.14
Q347328		19.35	0.119	1.815	0.009	0.003	17.00	0.002	0.39	0.145	6.78	1.2	0.36	52.2	<0.005	0.17
Q347329		23.7	0.132	1.760	0.006	0.005	16.00	0.004	0.47	0.165	4.54	1.4	0.36	31.5	<0.005	0.34
Q347330		16.55	0.140	1.300	0.005	0.003	20.4	0.003	0.18	0.147	5.63	1.1	0.35	38.4	<0.005	0.18
Q347331		18.45	0.142	1.610	0.008	0.003	31.5	<0.001	0.09	0.156	5.40	0.8	0.38	61.8	<0.005	0.10
Q347332		18.90	0.152	2.01	0.007	0.003	33.1	0.001	0.11	0.291	4.78	0.6	0.34	62.8	<0.005	0.29
Q347333		16.25	0.144	1.830	0.007	0.004	32.9	0.001	0.07	0.183	4.49	1.1	0.46	62.2	<0.005	0.13
Q347334		11.60	0.142	1.920	0.003	0.002	36.8	0.001	0.07	0.144	4.23	0.7	0.39	59.2	<0.005	0.17
Q347335		11.90	0.146	1.285	0.010	0.004	43.8	0.001	0.06	0.111	4.05	0.6	0.42	79.2	<0.005	0.21
Q347336		14.35	0.145	2.40	0.006	0.004	26.0	<0.001	0.03	0.171	4.73	0.4	0.35	82.5	<0.005	0.09
Q347337		12.45	0.137	1.490	0.008	0.005	28.1	0.001	0.04	0.118	4.37	0.9	0.28	66.2	<0.005	0.07
Q347338		16.75	0.155	3.78	0.007	0.002	23.1	<0.001	0.07	0.224	6.44	0.4	0.30	69.5	<0.005	0.05
Q347339		11.25	0.143	0.741	0.003	0.003	56.0	<0.001	0.02	0.048	5.41	0.5	0.37	50.2	<0.005	0.06
Q347340		9.86	0.137	0.536	0.002	0.002	53.7	<0.001	0.02	0.043	4.49	0.4	0.26	59.8	<0.005	0.02
Q347341		10.50	0.151	0.962	0.006	0.003	42.9	<0.001	0.05	0.358	8.77	0.6	0.37	55.6	<0.005	0.02
Q347342		10.55	0.152	0.926	0.007	0.006	36.1	0.007	0.05	0.470	7.56	0.8	0.34	52.9	<0.005	0.06
Q347343		11.95	0.163	1.000	0.008	0.007	70.9	0.003	0.09	0.654	7.26	0.5	0.43	47.0	<0.005	0.11
Q347344		8.24	0.149	1.055	0.003	0.002	59.3	0.002	0.05	0.573	6.03	0.7	0.36	56.1	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347305		0.823	0.251	0.218	0.276	125.0	0.275	7.41	51.4	5.45
Q347306		0.770	0.236	0.148	0.291	125.0	0.326	7.27	53.2	5.72
Q347307		0.901	0.261	0.203	0.359	142.5	0.270	7.79	56.7	5.98
Q347308		0.820	0.258	0.230	0.282	140.5	0.257	7.27	62.1	4.71
Q347309		1.030	0.181	0.190	0.334	153.0	0.147	8.83	75.4	4.60
Q347310		0.284	0.191	0.080	0.225	109.5	0.405	6.61	31.7	3.99
Q347311		0.333	0.158	0.096	0.193	127.0	0.153	7.05	24.0	4.07
Q347312		0.381	0.112	0.115	0.151	115.0	0.070	8.00	42.8	3.90
Q347313		0.340	0.115	0.149	0.135	111.5	0.112	7.83	34.1	3.60
Q347314		0.442	0.113	0.086	0.145	105.0	0.074	7.09	34.4	4.37
Q347315		0.297	0.126	0.105	0.156	110.0	0.143	6.95	51.9	3.86
Q347316		0.303	0.126	0.062	0.186	106.0	0.153	6.67	43.9	3.37
Q347317		0.415	0.128	0.098	0.190	134.0	0.150	8.16	54.2	3.65
Q347318		0.329	0.162	0.051	0.191	93.1	0.209	6.04	35.6	4.87
Q347319		0.341	0.179	0.059	0.195	94.0	0.236	5.86	34.8	4.48
Q347320		0.324	0.111	0.097	0.174	114.5	0.151	8.48	140.5	3.11
Q347321		0.361	0.152	0.056	0.279	79.8	0.362	6.52	28.9	4.03
Q347322		0.355	0.148	0.062	0.370	101.5	0.373	6.64	28.8	3.09
Q347323		0.654	0.149	0.057	0.248	122.5	0.265	6.67	44.7	4.76
Q347324		0.920	0.178	0.049	0.323	125.0	0.171	8.06	54.9	3.96
Q347325		1.395	0.063	0.048	1.485	38.0	9.94	5.84	126.5	4.82
Q347326		0.452	0.184	0.048	0.212	108.5	0.309	6.43	27.9	4.96
Q347327		1.040	0.206	0.108	0.357	138.0	0.333	8.34	45.0	7.36
Q347328		0.545	0.182	0.104	0.228	115.0	0.291	6.63	29.8	3.96
Q347329		0.467	0.198	0.101	0.273	102.5	0.453	6.03	31.1	4.09
Q347330		0.579	0.203	0.125	0.292	115.0	0.288	6.95	33.5	3.90
Q347331		0.793	0.232	0.170	0.318	135.0	0.248	7.71	37.5	4.48
Q347332		0.822	0.245	0.193	0.411	140.0	0.295	7.72	51.6	4.72
Q347333		1.065	0.253	0.179	0.602	152.0	0.263	8.79	40.4	7.29
Q347334		1.160	0.273	0.198	0.707	154.0	0.282	8.91	41.5	7.04
Q347335		1.190	0.303	0.232	0.605	167.0	0.365	8.75	43.3	5.46
Q347336		1.375	0.214	0.135	0.480	139.5	0.176	8.57	57.5	7.71
Q347337		1.050	0.249	0.139	0.448	147.0	0.211	8.20	40.6	6.45
Q347338		1.235	0.218	0.115	0.409	159.5	0.143	8.71	68.5	7.50
Q347339		0.910	0.296	0.219	0.380	188.5	0.264	8.37	54.3	5.52
Q347340		0.762	0.274	0.210	0.160	135.5	0.173	6.86	37.9	2.39
Q347341		1.100	0.193	0.211	0.407	153.0	0.053	10.10	47.7	4.09
Q347342		1.085	0.209	0.206	0.455	149.5	0.061	10.10	49.2	4.97
Q347343		1.045	0.265	0.396	0.423	196.0	0.195	9.89	58.3	3.80
Q347344		0.853	0.254	0.356	0.295	154.5	0.111	8.75	49.9	2.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347345		4.14	0.0162	0.291	2.04	16.15	<10	118.5	0.27	0.170	0.75	0.168	13.90	22.4	6.66	6.86
Q347346		5.37	0.0149	0.197	1.70	4.27	<10	102.0	0.39	0.087	0.90	0.273	16.90	38.8	7.34	4.27
Q347347		7.55	0.0135	0.159	2.17	4.30	<10	207	0.19	0.040	0.96	0.040	11.80	22.3	7.16	3.33
Q347348		7.36	0.0144	0.191	2.09	4.76	<10	237	0.18	0.070	0.86	0.046	10.10	22.5	8.16	4.04
Q347349		7.21	0.0146	0.203	2.28	2.65	<10	286	0.15	0.047	0.87	0.032	10.80	20.1	4.42	4.02
Q347350		0.09	0.805	53.4	1.05	942	20	107.0	0.17	21.7	3.14	0.824	12.15	33.0	29.3	0.680
Q347351		5.90	0.0232	0.357	1.87	2.50	<10	248	0.15	0.057	0.92	0.044	10.50	19.85	17.75	2.68
Q347352		5.05	0.0211	0.275	1.36	1.80	<10	148.0	0.13	0.023	0.97	0.037	9.08	10.85	21.1	1.495
Q347353		6.18	0.0039	0.046	0.78	2.37	<10	87.2	0.12	0.044	0.57	0.102	5.48	13.75	12.90	1.725
Q347354		6.34	0.0050	0.039	0.71	2.57	<10	47.8	0.13	0.027	0.58	0.031	5.48	9.11	14.20	1.390
Q347355		8.28	0.0170	0.203	1.78	3.34	<10	197.5	0.23	0.034	0.79	0.051	12.65	18.25	6.81	3.64
Q347356		8.31	0.0064	0.057	1.78	3.35	<10	118.0	0.25	0.028	0.87	0.049	15.90	18.05	8.09	4.01
Q347357		6.50	0.0145	0.177	1.99	2.84	<10	186.5	0.22	0.030	0.80	0.043	15.85	22.6	4.89	3.38
Q347358		6.04	0.0204	0.144	2.02	1.89	<10	230	0.14	0.015	0.88	0.033	12.45	22.3	12.50	2.85
Q347359		5.62	0.0135	0.125	2.23	2.02	<10	320	0.15	0.014	0.93	0.013	14.15	19.50	7.15	2.84
Q347360		5.86	0.0078	0.048	1.76	3.22	<10	196.0	0.19	0.016	1.02	0.036	12.90	18.15	7.33	2.73
Q347361		10.03	0.0067	0.038	1.75	2.61	<10	145.0	0.17	0.011	1.05	0.053	11.70	15.30	9.78	2.73
Q347362		6.36	0.0110	0.148	1.81	2.63	<10	163.0	0.17	0.021	1.07	0.085	14.55	17.25	8.69	2.23
Q347363		5.56	0.0200	0.254	1.83	3.02	<10	161.5	0.23	0.017	0.99	0.091	11.90	21.0	19.95	2.97
Q347364		5.22	0.0111	0.164	2.07	2.07	<10	172.5	0.17	0.008	1.00	0.037	12.85	18.10	26.2	3.37
Q347365		5.88	0.0253	0.187	1.93	6.35	<10	160.5	0.32	0.019	0.94	0.088	13.20	21.5	29.6	5.09
Q347366		4.81	0.0285	0.281	2.21	2.79	<10	285	0.16	0.017	0.94	0.036	13.45	21.7	27.1	3.36
Q347367		4.69	0.0290	0.245	2.18	3.70	<10	264	0.22	0.018	1.06	0.051	13.75	27.3	7.45	3.75
Q347368		4.75	0.0191	0.170	2.49	3.44	<10	345	0.27	0.020	1.01	0.039	13.70	22.1	6.36	4.44
Q347369		4.71	0.0500	0.341	2.28	3.55	<10	270	0.20	0.023	1.07	0.029	13.70	21.9	7.85	3.56
Q347370		5.04	0.0169	0.246	2.42	2.65	<10	253	0.20	0.012	1.00	0.040	14.80	22.3	7.36	4.19
Q347371		5.87	0.0178	0.270	2.20	3.86	<10	187.0	0.22	0.022	1.05	0.045	15.25	26.3	8.95	5.06
Q347372		5.16	0.0229	0.258	1.99	3.63	<10	140.5	0.22	0.016	1.01	0.046	13.55	20.6	29.9	3.67
Q347373		5.69	0.0131	0.165	1.10	3.17	<10	95.6	0.27	0.013	0.96	0.120	6.83	13.30	12.70	3.02
Q347374		6.13	0.0122	0.146	1.10	3.36	<10	71.8	0.21	0.013	0.96	0.066	7.54	11.15	14.20	2.97
Q347375		0.09	0.0014	0.100	1.76	1.04	<10	130.0	0.13	0.067	1.00	0.087	15.00	9.15	18.00	0.302
Q347376		6.78	0.0618	0.095	1.52	4.60	<10	59.6	0.31	0.016	0.85	0.068	6.76	16.95	18.05	3.65
Q347377		5.89	0.0131	0.114	1.04	7.58	<10	80.0	0.57	0.027	0.74	0.259	12.95	15.30	13.65	6.44
Q347378		6.47	0.0096	0.196	1.95	2.32	<10	226	0.15	0.015	1.12	0.043	8.80	8.49	49.3	2.21
Q347379		6.66	0.0139	0.265	1.79	2.16	<10	269	0.16	0.029	0.95	0.074	14.15	36.3	25.3	2.25
Q347380		9.28	0.0160	0.188	1.95	3.46	<10	204	0.27	0.046	0.97	0.168	9.96	17.50	31.6	2.95
Q347381		4.97	0.0215	0.255	1.72	1.55	<10	152.5	0.18	0.025	0.90	0.092	7.45	13.00	28.0	2.49
Q347382		6.04	0.0175	0.229	1.97	1.61	<10	144.0	0.20	0.026	1.11	0.116	5.87	12.65	25.3	2.40
Q347383		6.18	0.0440	0.293	1.86	1.89	<10	131.5	0.19	0.039	1.11	0.106	6.80	16.65	24.3	2.98
Q347384		6.88	0.0171	0.212	2.15	2.07	<10	139.5	0.16	0.032	0.96	0.059	12.80	15.05	10.75	2.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347345		209	4.94	5.72	0.110	0.083	0.726	0.028	1.08	6.86	8.1	1.38	605	5.04	0.047	0.083
Q347346		246	3.92	5.17	0.106	0.092	0.041	0.009	0.71	7.62	10.0	1.07	890	2.29	0.052	0.122
Q347347		125.5	4.21	6.71	0.132	0.106	0.038	0.007	1.25	5.60	16.7	1.74	558	1.28	0.080	0.106
Q347348		207	4.27	6.71	0.125	0.084	0.023	0.006	1.29	4.55	14.3	1.69	570	2.04	0.085	0.112
Q347349		202	4.57	7.36	0.159	0.092	0.012	0.005	1.53	4.87	15.8	1.88	538	1.68	0.089	0.093
Q347350		3430	2.87	3.33	0.059	0.170	0.591	0.064	0.14	7.73	7.9	0.35	607	497	0.093	0.187
Q347351		292	3.62	6.41	0.123	0.110	0.022	0.007	1.02	4.72	10.6	1.45	514	2.63	0.080	0.078
Q347352		249	2.67	4.57	0.089	0.152	0.032	0.014	0.57	4.37	7.0	0.91	326	2.09	0.108	0.115
Q347353		22.5	1.680	3.01	0.039	0.102	0.135	0.016	0.17	2.34	4.9	0.40	280	4.58	0.062	0.129
Q347354		29.9	1.640	2.76	0.039	0.121	0.224	0.011	0.11	2.37	4.0	0.33	276	2.69	0.062	0.107
Q347355		395	4.30	6.24	0.134	0.107	0.046	0.013	0.97	6.22	12.4	1.31	526	5.61	0.066	0.216
Q347356		188.5	4.18	6.37	0.131	0.110	0.019	0.013	0.70	6.94	13.4	1.28	541	2.24	0.067	0.144
Q347357		273	4.35	6.96	0.143	0.101	0.020	0.014	1.31	7.28	13.3	1.48	597	3.40	0.066	0.099
Q347358		204	4.09	5.20	0.106	0.149	0.008	0.009	1.24	5.74	14.2	1.62	514	0.79	0.070	0.080
Q347359		250	4.65	7.05	0.147	0.141	<0.004	0.011	1.45	6.41	14.1	1.83	664	1.00	0.078	0.050
Q347360		174.0	3.86	5.52	0.126	0.093	0.011	0.011	0.82	5.94	10.1	1.25	556	1.52	0.065	0.131
Q347361		106.5	3.79	5.48	0.120	0.124	0.005	0.012	0.71	5.20	11.3	1.32	522	0.86	0.060	0.089
Q347362		220	4.07	5.82	0.132	0.154	0.021	0.022	0.91	6.60	12.7	1.39	544	2.08	0.072	0.103
Q347363		395	4.03	6.07	0.126	0.085	0.042	0.013	0.80	5.34	12.8	1.41	621	1.38	0.053	0.082
Q347364		232	4.10	6.59	0.133	0.119	0.049	0.021	1.22	6.03	13.0	1.70	558	2.32	0.080	0.071
Q347365		577	4.58	6.38	0.144	0.085	0.444	0.012	0.98	6.16	11.9	1.46	841	6.46	0.050	0.115
Q347366		361	4.63	6.79	0.155	0.161	0.313	0.010	1.54	6.25	13.9	1.91	631	3.56	0.076	0.045
Q347367		390	4.86	6.90	0.177	0.197	0.248	0.019	1.26	6.64	14.4	1.83	670	5.15	0.087	0.055
Q347368		384	4.81	7.46	0.184	0.173	0.067	0.030	1.59	6.39	15.9	2.05	772	2.64	0.080	0.056
Q347369		352	4.97	6.85	0.168	0.208	0.049	0.032	1.32	6.23	16.1	1.90	642	2.13	0.082	0.061
Q347370		370	5.01	7.92	0.177	0.170	0.038	0.028	1.58	6.72	17.8	1.99	612	1.91	0.081	0.059
Q347371		399	4.89	6.88	0.177	0.116	0.159	0.019	1.15	6.89	17.8	1.78	639	1.87	0.065	0.073
Q347372		402	4.35	6.88	0.156	0.142	0.034	0.006	1.05	6.61	13.4	1.61	574	1.87	0.082	0.083
Q347373		339	2.82	4.16	0.078	0.119	0.071	0.023	0.25	3.11	6.5	0.69	794	4.08	0.066	0.073
Q347374		228	2.53	4.10	0.071	0.092	0.089	0.021	0.26	3.41	6.5	0.71	538	2.86	0.058	0.079
Q347375		91.2	3.35	5.37	0.084	0.114	<0.004	0.017	0.21	6.83	7.8	0.78	472	6.15	0.192	0.172
Q347376		178.5	3.52	5.57	0.084	0.092	0.088	0.018	0.26	3.20	13.0	1.17	712	3.66	0.034	0.042
Q347377		273	4.85	3.66	0.065	0.081	0.275	0.023	0.27	6.16	6.5	0.54	1265	7.99	0.032	0.126
Q347378		264	3.26	5.59	0.102	0.070	0.014	0.010	1.01	4.15	9.1	1.27	286	4.86	0.135	0.062
Q347379		652	3.65	6.34	0.138	0.140	0.020	0.019	1.08	6.44	10.0	1.40	722	6.52	0.084	0.071
Q347380		323	3.24	6.22	0.102	0.173	0.022	0.020	0.58	4.66	13.7	1.30	404	3.49	0.071	0.046
Q347381		346	2.53	5.33	0.083	0.152	0.009	0.005	0.54	3.18	10.6	1.02	288	3.73	0.075	0.030
Q347382		374	2.67	5.64	0.084	0.139	0.011	0.018	0.51	2.54	11.8	1.17	367	4.23	0.104	0.034
Q347383		446	3.07	5.60	0.089	0.131	0.017	0.020	0.52	3.20	10.4	1.21	387	4.46	0.089	0.053
Q347384		494	4.03	6.83	0.108	0.118	0.007	0.007	1.08	6.10	10.6	1.45	442	3.79	0.104	0.103

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347345		12.35	0.137	169.5	0.006	0.005	51.6	0.005	0.10	8.14	9.00	0.6	0.36	53.3	<0.005	0.16
Q347346		12.45	0.151	7.98	0.006	0.005	33.0	0.001	0.09	1.535	9.11	0.7	0.29	55.0	<0.005	0.13
Q347347		10.65	0.155	8.32	0.009	0.005	53.1	0.001	0.19	0.554	4.46	0.8	0.33	62.9	<0.005	0.10
Q347348		10.10	0.166	7.82	0.006	0.004	56.8	0.002	0.23	0.548	5.84	0.9	0.35	51.6	<0.005	0.12
Q347349		8.89	0.160	1.015	0.005	0.003	64.7	0.002	0.18	0.330	5.70	0.6	0.32	57.1	<0.005	0.09
Q347350		25.7	0.072	82.2	0.003	<0.002	4.79	0.096	0.48	115.0	1.535	2.6	1.81	116.5	<0.005	2.37
Q347351		11.45	0.146	1.180	0.006	0.005	39.6	0.003	0.19	0.340	4.36	0.8	0.31	63.5	<0.005	0.14
Q347352		9.88	0.130	1.065	0.006	0.003	22.0	0.003	0.09	0.192	4.19	0.5	0.30	62.6	<0.005	0.08
Q347353		6.69	0.106	2.85	0.004	0.002	7.57	0.006	0.11	0.191	3.57	0.4	0.18	29.7	<0.005	0.11
Q347354		6.61	0.100	1.535	0.003	0.003	4.22	0.002	0.09	0.139	4.43	0.3	0.23	33.0	<0.005	0.06
Q347355		10.65	0.134	5.07	0.010	0.004	41.2	0.002	0.06	0.275	5.70	0.8	0.35	39.6	<0.005	0.07
Q347356		10.10	0.139	2.02	0.006	0.004	30.1	<0.001	0.03	0.257	5.69	0.5	0.36	50.5	<0.005	0.05
Q347357		9.15	0.150	0.726	0.003	0.004	53.0	0.001	0.04	0.101	6.89	0.6	0.36	40.0	<0.005	0.09
Q347358		11.90	0.147	0.950	0.010	0.005	42.8	<0.001	0.06	0.094	5.69	0.5	0.30	45.7	<0.005	0.07
Q347359		10.30	0.143	0.671	0.010	0.004	48.6	<0.001	0.03	0.098	6.03	0.3	0.32	45.2	<0.005	0.06
Q347360		8.91	0.138	1.015	0.005	0.003	29.8	<0.001	0.03	0.237	5.31	0.4	0.33	60.5	<0.005	0.02
Q347361		9.41	0.139	1.295	0.004	0.003	24.8	<0.001	0.02	0.195	4.72	0.3	0.21	64.0	<0.005	0.04
Q347362		9.00	0.143	3.19	0.005	0.004	32.4	0.001	0.06	0.265	4.06	0.3	0.31	62.9	<0.005	0.15
Q347363		12.75	0.148	1.620	0.005	0.003	28.0	<0.001	0.07	0.283	5.99	0.9	0.30	54.1	<0.005	0.07
Q347364		14.85	0.154	0.851	0.006	0.004	46.3	0.003	0.04	0.187	4.84	0.5	0.35	55.9	<0.005	0.07
Q347365		17.30	0.159	1.335	0.007	0.002	35.0	0.001	0.04	0.526	6.91	0.7	0.27	46.7	<0.005	0.15
Q347366		14.60	0.151	0.852	0.007	0.004	53.2	0.005	0.06	0.230	6.13	0.5	0.35	35.6	<0.005	0.07
Q347367		11.75	0.137	0.944	0.009	0.004	41.5	0.002	0.07	0.278	8.68	0.8	0.40	36.2	<0.005	0.11
Q347368		11.85	0.142	0.949	0.010	0.006	52.4	<0.001	0.03	0.297	10.40	0.6	0.36	41.4	<0.005	0.04
Q347369		12.45	0.135	0.888	0.010	0.005	45.8	0.001	0.06	0.231	8.62	1.0	0.36	50.1	<0.005	0.09
Q347370		12.00	0.140	0.649	0.008	0.006	59.9	0.001	0.05	0.153	8.05	0.8	0.40	46.1	<0.005	0.10
Q347371		12.25	0.147	0.936	0.009	0.006	44.1	0.001	0.08	0.386	6.85	0.9	0.43	55.0	<0.005	0.07
Q347372		14.70	0.161	2.13	0.006	0.003	42.6	0.002	0.07	0.200	6.68	0.9	0.34	50.5	<0.005	0.06
Q347373		9.09	0.132	3.49	0.010	0.006	9.82	0.001	0.07	0.314	8.18	0.7	0.24	48.0	<0.005	0.04
Q347374		9.34	0.128	3.35	0.006	0.003	11.15	0.001	0.05	0.631	6.70	0.5	0.23	52.2	<0.005	0.05
Q347375		13.70	0.057	4.08	0.004	<0.002	7.30	0.001	0.01	0.231	3.43	0.3	1.41	91.6	<0.005	0.04
Q347376		14.65	0.135	2.63	0.006	0.005	10.85	0.002	0.05	0.890	7.56	0.5	0.27	46.4	<0.005	0.09
Q347377		15.85	0.128	3.48	0.007	0.003	13.90	0.001	0.02	2.39	10.70	0.8	0.23	39.7	<0.005	0.10
Q347378		14.10	0.191	0.677	0.010	<0.002	44.4	0.002	0.08	0.195	4.95	0.6	0.29	84.1	<0.005	0.06
Q347379		13.55	0.173	0.903	0.007	0.002	45.3	0.002	0.07	0.253	5.68	0.6	0.38	57.7	<0.005	0.11
Q347380		19.55	0.125	3.05	0.006	0.002	19.95	0.001	0.18	0.179	6.53	0.8	0.27	66.4	<0.005	0.12
Q347381		14.90	0.110	1.190	0.007	0.003	17.90	<0.001	0.10	0.074	7.37	0.8	0.25	67.0	<0.005	0.09
Q347382		15.35	0.109	2.11	0.009	0.004	17.25	0.001	0.07	0.072	7.91	0.8	0.22	66.9	<0.005	0.12
Q347383		14.55	0.112	2.22	0.006	0.003	19.20	0.001	0.10	0.095	6.53	0.7	0.25	69.3	<0.005	0.13
Q347384		9.48	0.136	1.150	0.005	<0.002	40.4	0.001	0.06	0.098	4.81	0.6	0.31	72.9	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347345		1.180	0.168	0.584	0.436	156.0	0.158	8.19	262	2.71
Q347346		1.185	0.148	0.333	0.397	127.5	0.049	9.99	192.0	2.78
Q347347		0.848	0.245	0.283	0.317	153.0	0.130	8.27	64.1	3.14
Q347348		0.714	0.219	0.334	0.294	158.0	0.123	7.73	60.8	2.79
Q347349		0.737	0.255	0.325	0.317	167.5	0.071	8.54	51.7	2.83
Q347350		1.380	0.058	0.043	1.415	35.4	9.09	5.37	117.0	4.50
Q347351		0.712	0.225	0.210	0.291	132.0	0.120	7.09	43.0	3.08
Q347352		0.619	0.191	0.110	0.278	104.0	0.170	6.28	25.2	4.55
Q347353		0.434	0.093	0.048	0.181	61.0	0.155	3.90	26.0	3.33
Q347354		0.440	0.073	0.057	0.202	57.7	0.115	3.61	21.0	3.25
Q347355		0.896	0.213	0.244	0.457	147.5	0.581	9.46	45.6	3.61
Q347356		1.145	0.193	0.203	0.421	142.5	0.095	9.71	44.6	4.02
Q347357		1.200	0.222	0.277	0.403	167.0	0.099	10.85	42.4	3.07
Q347358		0.979	0.251	0.200	0.369	167.5	0.112	8.51	41.2	4.09
Q347359		1.100	0.266	0.205	0.386	179.5	0.062	8.54	47.4	5.17
Q347360		0.954	0.213	0.155	0.333	134.5	0.098	8.12	36.6	3.28
Q347361		0.910	0.211	0.116	0.318	133.5	0.082	7.50	39.7	3.40
Q347362		1.175	0.240	0.138	0.421	132.5	0.158	8.93	45.7	4.82
Q347363		0.953	0.198	0.139	0.344	135.0	0.108	8.27	45.8	3.31
Q347364		0.989	0.251	0.190	0.371	150.0	0.278	8.63	47.6	3.76
Q347365		0.991	0.170	0.331	0.425	145.5	0.148	10.15	49.6	3.03
Q347366		1.110	0.269	0.231	0.435	167.0	0.258	8.76	49.8	5.89
Q347367		1.165	0.267	0.201	0.446	177.0	0.503	8.67	49.5	8.57
Q347368		1.135	0.270	0.235	0.443	189.5	0.243	8.68	52.9	8.45
Q347369		1.115	0.282	0.201	0.460	182.0	0.308	8.23	51.5	8.82
Q347370		1.200	0.296	0.251	0.489	191.0	0.252	9.61	52.1	6.62
Q347371		1.155	0.257	0.214	0.462	179.0	0.131	9.08	53.2	4.61
Q347372		1.045	0.216	0.183	0.458	158.5	0.197	8.58	53.5	5.78
Q347373		0.470	0.119	0.086	0.231	105.5	0.234	7.50	33.4	3.96
Q347374		0.490	0.126	0.116	0.259	98.9	0.205	6.33	32.8	4.06
Q347375		2.83	0.147	0.043	0.797	93.6	0.543	5.11	43.7	2.31
Q347376		0.436	0.109	0.129	0.227	122.0	0.131	6.18	61.2	3.07
Q347377		0.613	0.067	0.221	0.365	113.5	0.295	9.36	86.4	3.39
Q347378		0.415	0.223	0.197	0.281	148.5	0.206	6.81	24.5	3.19
Q347379		0.999	0.239	0.232	0.342	153.0	0.180	8.71	37.5	6.27
Q347380		0.715	0.167	0.108	0.236	117.0	0.147	7.58	43.9	5.09
Q347381		0.432	0.142	0.093	0.171	108.0	0.110	6.53	26.2	3.84
Q347382		0.390	0.161	0.103	0.154	114.5	0.136	5.92	29.7	5.03
Q347383		0.482	0.175	0.109	0.201	117.0	0.151	6.42	32.0	5.24
Q347384		0.791	0.219	0.203	0.288	113.0	0.139	8.14	33.8	3.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347385		8.56	0.0386	0.244	1.88	2.92	<10	133.5	0.19	0.060	0.99	0.076	13.15	14.50	13.30	2.38
Q347386		7.78	0.0675	0.355	1.65	2.64	<10	107.5	0.18	0.116	0.95	0.106	10.45	18.35	13.55	2.20
Q347387		9.51	0.0358	0.188	1.45	2.22	<10	98.4	0.17	0.078	1.09	0.118	5.79	13.65	18.80	1.500
Q347388		8.09	0.0210	0.148	1.32	2.02	<10	119.0	0.17	0.062	1.20	0.109	5.69	16.20	19.95	1.280
Q347389		5.66	0.0256	0.192	1.20	1.90	<10	90.0	0.17	0.060	1.17	0.122	5.23	16.50	16.50	1.275
Q347390		5.13	0.0100	0.113	1.66	1.58	<10	105.0	0.19	0.030	1.42	0.097	7.80	12.30	20.7	1.535
Q347391		7.41	0.0095	0.109	1.64	2.86	<10	95.3	0.25	0.045	1.27	0.081	10.50	13.80	23.9	2.12
Q347392		6.80	0.0233	0.325	1.60	2.14	<10	97.6	0.15	0.055	1.07	0.092	14.05	19.15	20.8	1.665
Q347393		9.82	0.0092	0.158	1.57	1.90	<10	126.0	0.14	0.048	1.10	0.080	10.20	20.3	21.8	1.725
Q347394		4.09	0.0060	0.134	1.23	1.23	<10	111.0	0.12	0.046	1.08	0.046	5.09	13.25	13.20	0.960
Q347395		9.05	0.0353	0.389	1.21	1.38	<10	88.4	0.13	0.072	0.95	0.068	5.03	15.50	14.85	1.280
Q347396		7.79	0.0223	0.447	1.63	1.51	<10	106.0	0.14	0.103	1.12	0.067	6.19	19.65	13.15	2.02
Q347397		7.13	0.0178	0.260	1.68	1.59	<10	108.0	0.18	0.069	0.99	0.082	7.17	17.75	14.95	2.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347385		542	3.68	5.94	0.122	0.134	0.017	0.015	0.82	6.46	11.0	1.27	417	5.18	0.080	0.178
Q347386		670	3.32	5.54	0.100	0.097	0.021	0.016	0.57	5.35	10.4	1.17	343	9.45	0.073	0.172
Q347387		421	2.54	4.37	0.070	0.124	0.009	0.013	0.32	2.94	10.1	0.97	258	8.91	0.073	0.088
Q347388		329	2.36	4.15	0.057	0.107	0.009	0.020	0.21	2.79	8.4	0.84	311	7.53	0.082	0.063
Q347389		351	2.24	3.86	0.054	0.133	0.017	0.025	0.19	2.58	7.2	0.72	277	5.22	0.082	0.054
Q347390		266	2.66	4.76	0.079	0.152	0.011	0.021	0.39	3.73	8.9	0.99	332	4.89	0.115	0.076
Q347391		353	3.22	5.10	0.095	0.178	0.017	0.016	0.39	5.06	10.2	1.10	498	2.22	0.083	0.093
Q347392		574	3.89	4.92	0.098	0.191	0.011	0.012	0.41	6.55	9.3	1.23	417	5.96	0.072	0.128
Q347393		374	3.57	4.96	0.109	0.182	0.013	0.016	0.55	4.67	8.6	1.12	377	3.29	0.093	0.112
Q347394		211	2.47	4.06	0.072	0.158	0.017	0.007	0.27	2.28	7.1	0.87	262	2.00	0.110	0.070
Q347395		495	2.59	4.37	0.081	0.183	0.025	<0.005	0.32	2.08	7.6	0.90	252	6.14	0.079	0.084
Q347396		639	3.01	4.88	0.088	0.183	0.029	0.008	0.49	2.62	7.5	0.91	255	4.80	0.121	0.069
Q347397		657	3.12	5.34	0.088	0.114	0.030	0.010	0.47	3.10	9.0	0.99	352	9.77	0.095	0.053

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347385		11.00	0.139	1.945	0.006	<0.002	30.8	0.002	0.11	0.176	4.14	0.4	0.34	76.4	<0.005	0.15
Q347386		11.00	0.132	2.36	0.006	0.002	21.2	0.009	0.21	0.157	4.15	1.1	0.36	65.6	<0.005	0.32
Q347387		12.60	0.117	2.36	0.004	0.003	10.85	0.011	0.24	0.149	4.85	0.8	0.23	70.2	<0.005	0.19
Q347388		14.00	0.118	3.09	0.007	0.002	7.62	0.017	0.37	0.182	5.56	0.9	0.25	68.6	<0.005	0.17
Q347389		12.55	0.118	3.80	0.006	0.003	6.48	0.012	0.40	0.141	5.23	0.7	0.27	66.4	<0.005	0.12
Q347390		13.10	0.126	1.970	0.005	0.003	12.75	0.008	0.15	0.096	6.45	0.4	0.27	87.2	<0.005	0.06
Q347391		15.50	0.146	1.945	0.004	0.003	14.75	0.002	0.13	0.182	5.84	0.4	0.25	73.6	<0.005	0.08
Q347392		14.40	0.155	1.385	0.005	<0.002	16.70	0.006	0.18	0.164	4.88	0.8	0.44	66.6	<0.005	0.16
Q347393		13.10	0.147	1.245	0.007	0.002	19.25	0.003	0.37	0.124	4.81	0.8	0.69	58.3	<0.005	0.10
Q347394		9.74	0.122	1.430	0.003	0.002	8.75	0.003	0.81	0.058	5.53	0.7	0.26	54.6	<0.005	0.12
Q347395		11.15	0.125	2.19	0.006	0.003	11.60	0.006	0.81	0.089	5.10	1.0	0.25	43.9	<0.005	0.10
Q347396		11.00	0.131	1.435	0.006	0.002	17.85	0.007	1.04	0.099	4.42	2.4	0.33	69.2	<0.005	0.17
Q347397		11.60	0.127	1.765	0.004	0.004	16.90	0.013	0.62	0.148	6.52	1.3	0.30	61.2	<0.005	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347385		0.834	0.205	0.150	0.241	121.0	0.262	8.04	33.9	4.23
Q347386		0.647	0.166	0.132	0.236	92.3	0.604	7.32	32.8	3.67
Q347387		0.396	0.166	0.072	0.196	85.0	0.368	5.51	23.9	4.55
Q347388		0.375	0.153	0.062	0.175	85.0	0.249	5.48	25.6	3.91
Q347389		0.355	0.137	0.062	0.157	77.9	0.193	4.97	24.3	4.18
Q347390		0.562	0.170	0.073	0.219	98.9	0.139	6.33	26.9	5.02
Q347391		0.815	0.173	0.084	0.291	105.0	0.107	6.99	39.3	6.17
Q347392		1.055	0.210	0.085	0.504	139.5	0.167	8.60	38.3	6.07
Q347393		0.731	0.203	0.110	0.343	123.5	0.217	7.00	29.1	5.09
Q347394		0.294	0.155	0.061	0.137	82.8	0.337	5.19	21.4	4.72
Q347395		0.272	0.150	0.079	0.137	92.1	0.388	5.68	23.4	4.64
Q347396		0.325	0.158	0.106	0.174	94.1	0.251	6.95	21.1	5.25
Q347397		0.423	0.118	0.115	0.192	102.0	0.150	7.36	31.1	4.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 4- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107688

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

CERTIFICATE KL14107687

Project: Dillard

This report is for 173 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 17-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347520		6.46	0.0590	0.209	2.01	1.30	<10	226	0.19	0.017	2.70	0.045	8.28	17.15	32.7	3.19
Q347521		7.42	0.0854	0.210	2.44	1.42	<10	232	0.27	0.012	2.77	0.036	8.14	17.45	31.4	3.04
Q347522		5.11	0.0461	0.396	2.23	108.5	<10	131.0	0.23	0.058	3.43	0.123	7.40	30.9	29.6	3.47
Q347523		6.09	0.0844	0.383	2.06	4.97	<10	56.5	0.18	0.090	3.88	0.059	7.43	29.8	32.4	2.10
Q347524		5.66	0.0731	0.387	2.09	3.64	<10	50.2	0.19	0.047	2.84	0.049	7.95	21.2	33.5	1.925
Q347525		0.08	0.302	23.4	0.35	28.8	<10	279	0.22	4.11	1.27	0.199	11.40	3.46	20.4	1.005
Q347526		5.60	0.0860	0.381	2.33	2.17	<10	205	0.20	0.059	2.18	0.028	9.79	35.1	49.6	3.21
Q347527		2.29	0.0481	0.160	2.64	1.19	<10	134.0	0.19	0.028	1.75	0.018	8.54	20.2	35.0	3.12
Q347528		0.89	0.0341	0.055	1.86	1.13	<10	51.5	0.20	0.004	1.82	0.027	7.15	8.96	23.2	1.550
Q347529		3.16	0.0710	0.291	2.33	1.42	<10	74.5	0.23	0.028	1.82	0.038	6.99	18.20	32.1	2.94
Q347530		5.88	0.0576	0.301	2.28	1.68	<10	181.0	0.22	0.067	2.20	0.051	11.10	23.7	27.2	3.70
Q347531		5.86	0.103	0.585	2.14	3.31	<10	142.0	0.25	0.090	2.59	0.068	13.30	27.0	25.2	3.42
Q347532		4.68	0.0966	0.506	2.17	2.51	<10	73.7	0.21	0.049	2.54	0.108	13.40	23.7	22.2	2.64
Q347533		4.26	0.0454	0.227	1.76	2.47	<10	95.9	0.19	0.029	2.20	0.175	12.50	8.63	18.45	3.36
Q347534		2.13	0.0943	0.323	2.59	1.24	<10	41.7	0.19	0.023	1.71	0.035	6.29	19.80	38.2	2.62
Q347535		6.24	0.0931	0.513	2.22	1.22	<10	81.8	0.19	0.080	2.44	0.076	7.79	30.1	35.3	4.77
Q347536		6.89	0.0734	0.240	2.23	1.48	<10	75.6	0.19	0.058	2.37	0.051	8.15	30.9	33.6	4.07
Q347537		6.32	0.0192	0.124	1.56	1.64	<10	538	0.24	0.018	3.18	0.038	8.22	11.30	28.2	3.32
Q347538		0.08	0.0007	0.083	1.77	1.16	<10	129.5	0.11	0.061	0.99	0.062	13.85	9.45	18.50	0.347
Q347539		8.21	0.0235	0.054	1.61	1.33	<10	177.0	0.22	0.015	2.17	0.031	6.28	17.50	19.80	2.05
Q347540		6.97	0.0118	0.046	1.63	2.40	<10	118.5	0.25	0.017	2.10	0.048	5.47	11.05	15.00	1.070
Q347541		7.77	0.0100	0.051	2.03	2.69	10	91.1	0.30	0.013	2.13	0.050	5.70	15.15	20.9	1.500
Q347542		7.26	0.0155	0.053	1.90	1.63	<10	155.5	0.22	0.007	2.63	0.025	6.87	15.50	21.1	1.805
Q347543		6.59	0.0304	0.369	1.55	49.5	<10	83.6	0.33	0.076	4.76	0.239	11.80	31.2	43.2	4.71
Q347544		5.01	0.0420	0.266	1.62	14.30	<10	63.1	0.34	0.119	4.10	0.099	11.05	34.0	51.0	3.79
Q347545		6.80	0.0670	0.397	2.13	2.87	<10	84.2	0.24	0.118	3.32	0.049	8.82	39.0	107.5	2.37
Q347546		7.88	0.130	0.433	2.00	3.71	<10	62.9	0.23	0.160	2.13	0.061	9.18	49.1	74.1	2.71
Q347547		5.97	0.0393	0.239	1.77	2.70	<10	29.6	0.18	0.109	3.32	0.057	9.02	39.9	42.3	1.400
Q347548		6.86	0.0327	0.133	2.09	1.80	<10	37.5	0.19	0.083	3.02	0.038	8.12	26.4	55.0	1.630
Q347549		6.45	0.0545	0.203	2.26	1.83	<10	105.5	0.18	0.063	1.40	0.019	9.34	38.6	87.6	2.80
Q347550		0.08	0.365	25.6	0.31	27.3	<10	263	0.15	3.58	1.21	0.160	11.25	3.42	19.55	0.923
Q347551		6.48	0.0354	0.356	2.20	20.8	<10	169.0	0.22	0.051	2.61	0.196	9.06	19.75	50.4	3.82
Q347552		6.43	0.0302	1.400	1.74	104.5	<10	184.5	0.31	0.031	3.61	1.205	9.81	17.45	19.95	7.90
Q347553		5.86	0.0314	0.198	1.95	3.93	<10	160.5	0.25	0.037	3.72	0.031	9.14	21.4	34.8	7.85
Q347554		3.32	0.0189	0.153	2.42	3.82	<10	41.8	0.20	0.037	2.72	0.043	4.97	28.3	37.8	3.52
Q347555		7.45	0.0399	0.176	2.09	6.32	<10	47.5	0.15	0.021	2.00	0.047	6.07	24.1	39.5	3.27
Q347556		6.96	0.0485	0.217	1.65	43.5	<10	137.0	0.24	0.038	3.79	0.075	7.91	24.8	28.5	4.40
Q347557		6.46	0.0407	0.228	1.47	4.87	<10	88.4	0.22	0.042	4.45	0.052	7.51	25.2	26.2	3.71
Q347558		5.50	0.0403	0.233	1.95	3.39	<10	92.0	0.16	0.043	2.47	0.034	7.41	25.5	26.7	4.08
Q347559		3.87	0.0434	0.205	2.28	6.86	<10	80.4	0.18	0.085	3.73	0.074	7.22	27.7	145.5	2.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347520		1500	3.76	7.04	0.128	0.060	0.059	0.017	0.65	3.91	9.8	1.95	247	3.07	0.043	0.009
Q347521		1770	4.18	8.16	0.155	0.080	0.112	0.023	0.57	3.74	13.1	2.05	244	3.67	0.067	0.012
Q347522		1990	5.12	7.84	0.089	0.094	0.199	0.047	0.26	3.47	16.2	2.30	329	9.14	0.061	0.012
Q347523		1890	4.72	8.08	0.091	0.082	0.269	0.033	0.13	3.42	14.2	2.11	407	6.18	0.054	0.010
Q347524		2150	4.02	7.88	0.104	0.103	0.155	0.023	0.25	3.81	12.7	2.11	280	19.85	0.072	0.011
Q347525		3720	1.930	1.560	0.032	0.042	0.970	0.064	0.16	6.09	2.0	0.10	387	710	0.038	0.145
Q347526		2670	4.66	7.97	0.133	0.068	0.065	0.043	0.96	4.53	10.3	2.31	222	13.60	0.082	0.021
Q347527		1060	3.82	8.75	0.162	0.143	0.049	0.023	0.59	3.78	11.0	1.84	219	4.75	0.193	0.067
Q347528		337	3.24	5.82	0.100	0.102	0.018	<0.005	0.15	3.45	6.3	0.78	152.0	1.38	0.164	0.085
Q347529		1960	3.78	8.99	0.124	0.106	0.031	0.029	0.31	3.27	11.5	2.04	226	5.38	0.100	0.036
Q347530		2280	4.65	8.32	0.133	0.103	0.053	0.016	0.74	5.15	11.3	2.17	199.0	9.95	0.083	0.020
Q347531		3760	4.86	7.71	0.116	0.107	0.103	0.050	0.57	6.32	11.7	2.21	273	11.10	0.056	0.009
Q347532		3200	4.39	7.38	0.102	0.096	0.086	0.012	0.27	6.52	12.3	1.90	437	10.25	0.079	0.008
Q347533		929	3.30	5.99	0.069	0.103	0.025	0.019	0.30	6.19	8.4	1.00	690	2.61	0.084	0.019
Q347534		1970	3.69	9.14	0.145	0.097	0.045	0.013	0.19	2.82	13.5	1.99	172.5	7.28	0.107	0.053
Q347535		2670	4.15	8.19	0.099	0.080	0.039	0.033	0.40	3.76	10.6	1.89	218	17.35	0.081	0.008
Q347536		1050	4.07	7.68	0.101	0.079	0.033	0.021	0.32	3.81	9.9	1.65	224	11.85	0.108	0.013
Q347537		360	3.18	5.36	0.061	0.126	0.038	0.006	0.18	4.05	7.1	1.16	438	3.88	0.062	0.023
Q347538		89.8	3.25	5.28	0.084	0.152	0.004	0.007	0.20	7.16	6.8	0.76	483	5.53	0.193	0.224
Q347539		162.0	2.79	6.00	0.081	0.169	0.013	0.006	0.10	3.16	7.9	1.11	352	2.75	0.073	0.038
Q347540		118.5	2.58	5.24	0.106	0.226	0.007	<0.005	0.07	2.92	10.5	1.06	357	2.36	0.057	0.047
Q347541		121.0	3.05	6.12	0.125	0.253	0.011	<0.005	0.07	2.89	11.6	1.28	387	1.61	0.071	0.032
Q347542		155.0	2.94	5.84	0.107	0.285	0.025	0.017	0.08	3.41	10.8	1.44	446	1.96	0.058	0.028
Q347543		987	5.62	5.06	0.075	0.094	0.157	0.032	0.27	4.91	9.0	2.15	457	6.30	0.045	0.008
Q347544		942	5.68	5.52	0.085	0.097	0.101	0.030	0.18	4.59	9.4	1.74	370	18.60	0.030	0.012
Q347545		926	5.28	8.15	0.150	0.136	0.166	0.040	0.21	3.56	15.5	2.48	478	11.15	0.052	0.023
Q347546		1840	6.12	6.96	0.116	0.116	0.050	0.039	0.30	3.67	9.2	2.00	333	13.20	0.085	0.016
Q347547		704	4.56	7.40	0.083	0.140	0.016	0.027	0.13	3.66	11.7	1.88	521	8.34	0.052	0.009
Q347548		470	4.68	8.55	0.099	0.184	0.012	0.029	0.26	3.22	12.7	2.08	503	3.52	0.077	0.022
Q347549		868	4.98	9.18	0.179	0.106	0.029	0.028	0.74	3.74	11.5	2.00	192.5	5.37	0.136	0.083
Q347550		3720	1.870	1.490	0.019	0.045	0.907	0.068	0.14	5.41	1.6	0.09	370	654	0.030	0.114
Q347551		806	4.67	8.62	0.120	0.085	0.109	0.014	0.38	3.72	16.3	1.95	215	5.55	0.098	0.046
Q347552		614	3.60	5.49	0.054	0.077	0.276	0.027	0.21	4.22	19.1	1.30	327	2.83	0.062	0.011
Q347553		876	3.77	7.10	0.066	0.061	0.207	0.015	0.22	3.93	16.3	2.18	249	19.95	0.038	0.003
Q347554		842	4.10	10.30	0.149	0.072	0.061	0.011	0.22	2.05	24.2	2.58	161.5	32.4	0.088	0.025
Q347555		975	4.01	8.45	0.111	0.074	0.070	0.008	0.19	2.39	16.1	1.98	203	6.92	0.078	0.019
Q347556		1205	3.95	6.38	0.074	0.042	0.127	0.021	0.17	3.12	12.3	1.78	279	25.1	0.023	0.003
Q347557		1170	4.40	5.27	0.067	0.057	0.049	0.028	0.15	3.02	8.7	2.25	281	10.25	0.047	0.002
Q347558		1120	4.12	7.39	0.071	0.063	0.049	0.025	0.20	3.08	14.3	1.98	187.0	7.16	0.053	0.013
Q347559		750	5.20	8.92	0.152	0.087	0.081	0.023	0.59	3.03	13.7	2.60	327	11.60	0.083	0.038

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347520		20.8	0.112	0.792	0.010	0.004	24.6	0.014	0.45	0.139	23.9	2.8	0.40	73.5	<0.005	0.03
Q347521		21.4	0.113	0.997	0.010	0.003	21.8	0.017	0.78	0.044	21.6	2.8	0.42	74.5	<0.005	0.02
Q347522		23.2	0.116	3.14	0.011	0.005	11.50	0.022	2.62	3.73	19.25	5.2	0.37	57.8	<0.005	0.15
Q347523		24.2	0.106	1.755	0.012	0.004	6.44	0.024	2.14	0.208	19.40	4.4	0.36	56.1	<0.005	0.09
Q347524		22.3	0.115	1.285	0.008	0.003	11.25	0.088	1.50	0.146	20.6	4.3	0.41	66.8	<0.005	0.06
Q347525		14.20	0.047	41.6	0.005	<0.002	4.00	0.733	0.63	56.2	0.667	0.4	2.21	176.5	<0.005	1.88
Q347526		32.4	0.130	1.770	0.011	0.002	37.6	0.073	1.70	0.078	26.9	5.7	0.52	89.8	<0.005	0.10
Q347527		18.45	0.137	1.005	0.005	0.003	27.2	0.025	0.89	0.027	14.00	2.3	0.53	93.7	<0.005	0.10
Q347528		10.80	0.118	1.660	0.006	0.003	6.04	0.004	0.17	0.030	4.08	0.9	0.34	95.8	<0.005	0.02
Q347529		16.55	0.121	1.830	0.013	0.003	14.40	0.017	0.90	0.068	14.30	4.2	0.43	69.5	<0.005	0.09
Q347530		22.7	0.147	1.150	0.007	0.003	35.0	0.059	1.67	0.130	23.3	5.8	0.50	88.2	<0.005	0.12
Q347531		25.7	0.155	1.910	0.016	0.002	26.8	0.063	2.06	0.737	23.4	6.7	0.39	102.5	<0.005	0.16
Q347532		19.70	0.144	2.24	0.012	0.003	12.90	0.064	1.11	0.154	19.05	4.8	0.38	100.0	<0.005	0.05
Q347533		7.78	0.119	1.790	0.008	<0.002	12.95	0.004	0.27	0.119	5.65	1.8	0.22	67.7	<0.005	0.02
Q347534		21.0	0.118	0.913	0.011	0.002	8.78	0.028	0.83	0.016	12.60	4.1	0.48	76.7	<0.005	0.05
Q347535		23.1	0.109	1.120	0.004	0.003	19.85	0.069	1.42	0.065	18.65	6.6	0.34	87.9	<0.005	0.04
Q347536		21.0	0.115	1.530	0.008	0.003	14.60	0.051	1.50	0.059	17.10	5.1	0.39	94.7	<0.005	0.06
Q347537		14.40	0.119	1.385	0.006	0.003	6.71	0.009	0.31	0.081	7.78	1.3	0.21	102.5	<0.005	0.03
Q347538		14.45	0.057	4.30	0.003	<0.002	7.27	0.001	<0.01	0.255	3.13	0.2	1.44	88.9	<0.005	<0.01
Q347539		13.40	0.119	1.515	0.005	0.004	3.59	0.004	0.48	0.054	6.12	1.3	0.21	81.4	<0.005	0.03
Q347540		10.25	0.125	1.160	0.004	0.002	1.865	0.001	0.63	0.042	3.98	0.9	0.24	59.6	<0.005	0.01
Q347541		13.25	0.131	1.205	0.005	0.003	1.990	0.001	0.61	0.105	4.79	1.0	0.28	84.8	<0.005	0.07
Q347542		13.40	0.129	1.100	0.005	0.003	2.93	0.002	0.44	0.147	7.41	0.7	0.25	99.6	<0.005	0.03
Q347543		31.7	0.130	3.41	0.009	0.004	10.15	0.031	2.60	4.25	15.85	5.5	0.30	134.0	<0.005	0.18
Q347544		37.9	0.126	2.74	0.005	0.007	7.34	0.216	3.51	0.890	13.00	7.1	0.39	104.5	<0.005	0.19
Q347545		70.5	0.115	1.075	0.006	0.007	11.00	0.078	2.98	0.123	18.60	6.1	0.49	77.2	<0.005	0.35
Q347546		59.1	0.142	1.855	0.009	0.008	14.35	0.076	3.60	0.258	14.90	7.0	0.52	104.0	<0.005	0.25
Q347547		34.6	0.112	2.19	0.007	0.004	6.19	0.045	2.64	0.106	10.45	5.0	0.36	62.9	<0.005	0.27
Q347548		33.2	0.124	1.560	0.006	0.005	12.55	0.014	2.15	0.062	11.75	3.3	0.49	66.3	<0.005	0.24
Q347549		56.0	0.140	1.460	0.008	0.007	38.5	0.024	2.46	0.041	9.36	6.4	0.67	104.0	<0.005	0.12
Q347550		13.90	0.044	38.9	0.003	<0.002	4.08	0.717	0.61	54.2	0.729	0.5	2.36	169.0	<0.005	2.50
Q347551		27.3	0.132	7.13	0.005	0.003	16.20	0.028	1.98	0.557	9.60	4.5	0.43	111.0	<0.005	0.14
Q347552		14.75	0.104	44.2	0.007	0.002	10.05	0.016	1.38	5.99	9.14	2.5	0.19	169.5	<0.005	0.07
Q347553		20.5	0.102	1.815	0.007	0.003	11.00	0.096	1.80	0.196	13.65	4.5	0.27	98.5	<0.005	0.07
Q347554		23.6	0.099	1.230	0.010	0.004	10.50	0.054	2.18	0.058	19.00	6.7	0.56	62.9	<0.005	0.08
Q347555		24.3	0.109	1.320	0.007	0.005	9.92	0.035	1.80	0.146	15.05	6.5	0.42	70.4	<0.005	0.05
Q347556		23.9	0.091	1.815	0.006	0.003	8.07	0.096	1.86	0.963	16.55	6.2	0.26	100.5	<0.005	0.09
Q347557		22.7	0.094	1.610	0.007	0.004	7.59	0.060	1.88	0.069	18.35	5.6	0.29	105.5	<0.005	0.10
Q347558		20.0	0.093	1.215	0.007	0.003	9.76	0.037	2.02	0.132	16.75	5.6	0.34	107.0	<0.005	0.10
Q347559		86.1	0.108	1.495	0.007	0.004	28.3	0.071	3.11	0.070	13.30	3.9	0.54	313	<0.005	0.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347520		0.495	0.106	0.115	0.144	211	0.010	11.55	21.1	1.53
Q347521		0.458	0.176	0.102	0.152	223	0.013	11.70	21.9	1.65
Q347522		0.415	0.096	0.070	0.255	181.5	0.023	11.75	47.3	2.27
Q347523		0.422	0.074	0.069	0.175	178.5	0.018	10.15	30.1	2.20
Q347524		0.465	0.118	0.068	0.158	193.5	0.018	10.60	22.3	1.94
Q347525		0.918	0.007	0.033	0.696	11.2	1.005	3.09	42.0	0.95
Q347526		0.691	0.179	0.217	0.213	251	0.018	13.80	21.1	1.89
Q347527		0.722	0.292	0.114	0.223	245	0.167	10.85	20.9	3.51
Q347528		0.457	0.179	0.032	0.171	171.0	0.156	5.82	15.6	2.55
Q347529		0.527	0.175	0.060	0.186	192.5	0.065	10.40	34.9	3.02
Q347530		0.903	0.166	0.143	0.272	249	0.017	15.15	18.4	3.06
Q347531		0.926	0.073	0.129	0.248	223	0.008	16.20	26.4	2.39
Q347532		0.991	0.069	0.067	0.267	188.0	0.018	15.40	37.5	2.56
Q347533		0.614	0.056	0.068	0.227	94.5	0.032	7.61	43.7	3.32
Q347534		0.348	0.252	0.045	0.174	207	0.106	10.00	22.3	2.62
Q347535		0.381	0.051	0.083	0.163	164.5	0.012	11.65	24.2	1.99
Q347536		0.415	0.084	0.066	0.179	164.5	0.020	11.65	24.1	2.27
Q347537		0.540	0.057	0.028	0.194	99.9	0.058	8.71	33.2	2.82
Q347538		2.86	0.146	0.046	0.899	97.3	0.571	5.37	45.2	2.21
Q347539		0.384	0.103	0.018	0.169	97.0	0.084	5.87	40.7	4.01
Q347540		0.288	0.115	0.015	0.241	79.3	0.368	4.28	31.6	5.43
Q347541		0.331	0.115	0.012	0.235	89.6	0.222	4.63	34.4	5.47
Q347542		0.349	0.111	0.015	0.268	96.5	0.151	5.71	39.3	6.43
Q347543		0.507	0.021	0.072	0.253	125.5	0.028	15.10	40.9	3.55
Q347544		0.573	0.020	0.050	0.300	110.5	0.022	14.35	26.3	2.83
Q347545		0.444	0.118	0.065	0.239	158.5	0.086	11.10	30.3	3.67
Q347546		0.517	0.101	0.092	0.232	163.0	0.040	11.85	22.7	3.34
Q347547		0.353	0.043	0.038	0.203	103.5	0.038	9.63	46.3	3.98
Q347548		0.380	0.136	0.069	0.198	135.5	0.071	9.74	42.1	5.07
Q347549		0.409	0.324	0.206	0.217	182.5	0.272	10.05	19.9	3.09
Q347550		0.861	0.007	0.031	0.823	10.6	0.920	3.25	40.4	0.99
Q347551		0.421	0.177	0.093	0.158	152.5	0.133	10.55	29.3	2.50
Q347552		0.413	0.019	0.057	0.143	80.5	0.058	11.75	81.6	2.74
Q347553		0.353	0.030	0.072	0.163	119.5	0.039	11.65	24.1	2.39
Q347554		0.248	0.250	0.068	0.174	222	0.482	8.63	16.8	2.15
Q347555		0.211	0.202	0.061	0.145	196.0	0.154	9.14	25.0	2.20
Q347556		0.208	0.018	0.058	0.204	119.5	0.045	13.85	26.6	1.40
Q347557		0.183	0.027	0.051	0.164	130.0	0.025	12.80	25.9	1.86
Q347558		0.266	0.103	0.063	0.129	158.0	0.075	11.45	19.6	2.08
Q347559		0.333	0.227	0.180	0.146	160.5	0.346	8.47	29.8	2.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347560	6.99	0.0185	0.157	1.57	2.55	<10	45.6	0.16	0.061	3.31	0.022	6.41	36.9	83.3	1.670
Q347561	7.59	0.0112	0.156	2.21	2.33	<10	101.5	0.11	0.054	3.01	0.028	4.95	28.8	154.5	2.13
Q347562	7.43	0.0116	0.086	2.37	1.78	<10	84.5	0.13	0.043	2.99	0.026	4.04	24.9	187.0	2.15
Q347563	7.66	0.0105	0.067	2.26	1.72	<10	77.4	0.15	0.036	2.96	0.015	4.61	22.6	189.5	1.970
Q347564	0.08	0.0010	0.115	1.67	1.21	<10	126.0	0.11	0.064	0.94	0.064	14.20	9.98	18.55	0.339
Q347565	4.64	0.0187	0.136	2.47	1.47	<10	92.2	0.13	0.044	1.84	0.011	4.50	30.9	175.0	2.42
Q347566	2.38	0.0122	0.189	2.35	3.52	<10	96.6	0.17	0.012	2.02	0.053	6.58	19.50	103.5	2.32
Q347567	4.66	0.0310	0.219	1.74	4.08	<10	73.6	0.19	0.037	2.81	0.143	7.92	21.0	42.7	1.355
Q347568	4.64	0.0232	0.163	1.75	2.56	<10	143.0	0.14	0.038	2.44	0.029	7.69	20.0	22.3	2.79
Q347569	6.30	0.0452	0.283	1.73	2.40	<10	118.0	0.16	0.056	2.63	0.056	8.01	22.0	22.2	2.54
Q347570	6.71	0.0309	0.142	1.88	2.06	<10	97.4	0.18	0.033	3.30	0.046	9.51	18.65	20.0	4.07
Q347571	6.28	0.0478	0.198	0.61	18.10	<10	53.2	0.30	0.055	4.19	0.251	7.72	21.9	6.54	6.65
Q347572	5.65	0.389	0.551	0.72	33.6	<10	93.5	0.25	0.046	4.70	0.362	8.01	18.60	14.95	3.57
Q347573	6.59	0.0687	0.374	1.32	5.70	<10	116.0	0.18	0.050	3.62	0.052	8.31	17.40	15.10	2.72
Q347574	6.84	0.0926	0.456	1.48	3.64	<10	134.0	0.16	0.032	2.43	0.116	8.87	17.70	16.55	3.18
Q347575	0.08	0.360	24.5	0.30	25.2	<10	259	0.17	3.49	1.22	0.197	10.70	3.25	19.40	0.872
Q347576	7.55	0.0398	0.211	1.83	1.85	<10	148.0	0.19	0.043	2.33	0.039	6.40	13.70	17.20	2.11
Q347577	7.24	0.0485	0.268	1.72	2.52	<10	90.5	0.22	0.073	2.41	0.073	7.45	19.95	26.3	2.13
Q347578	7.57	0.0237	0.165	2.05	2.20	<10	90.0	0.19	0.038	2.98	0.029	7.74	27.6	94.4	1.700
Q347579	7.90	0.0294	0.162	2.10	2.03	<10	99.4	0.14	0.063	2.26	0.018	6.32	27.7	91.6	1.725
Q347580	7.95	0.0205	0.127	2.28	1.70	<10	75.2	0.15	0.060	2.45	0.020	5.25	31.3	151.0	1.705
Q347581	8.20	0.0140	0.071	2.32	2.97	<10	31.6	0.25	0.059	2.53	0.018	5.29	32.6	144.0	2.07
Q347582	7.20	0.0403	0.168	1.80	3.22	<10	16.1	0.18	0.086	2.70	0.036	5.31	25.7	97.3	1.465
Q347583	6.95	0.177	5.08	1.76	9.39	<10	45.1	0.17	0.570	2.64	0.764	7.00	53.0	38.0	2.35
Q347584	8.00	0.0596	1.090	1.39	5.26	<10	24.4	0.27	0.332	4.28	0.220	9.72	56.5	21.9	4.02
Q347585	5.93	0.0661	0.625	1.07	15.25	10	31.4	0.24	0.173	4.65	0.797	7.88	31.1	15.40	4.71
Q347586	7.15	0.0749	0.555	1.62	4.08	<10	86.9	0.18	0.171	3.01	0.141	8.49	30.5	25.4	2.62
Q347587	6.27	0.0487	0.337	1.40	5.73	<10	91.6	0.21	0.158	3.24	0.141	7.41	25.1	21.5	2.80
Q347588	7.56	0.120	0.831	1.26	198.0	<10	69.1	0.23	0.150	4.59	3.11	8.48	30.5	26.3	3.93
Q347589	0.08	0.0006	0.099	1.81	0.84	<10	133.0	0.12	0.062	1.02	0.077	14.75	9.18	18.40	0.301
Q347590	7.35	0.0967	0.443	1.93	8.59	<10	67.2	0.19	0.149	3.32	0.238	7.29	30.7	35.0	3.82
Q347591	6.35	0.0564	0.311	1.96	22.9	<10	100.5	0.20	0.127	3.14	0.155	6.55	27.2	30.0	4.11
Q347592	7.02	0.0854	0.376	1.88	3.54	<10	52.8	0.20	0.135	2.36	0.059	5.91	28.4	43.4	3.34
Q347593	7.44	0.0928	0.418	1.89	3.73	<10	59.7	0.19	0.152	2.48	0.091	6.63	25.0	52.5	2.36
Q347594	7.54	0.108	0.423	1.83	2.65	<10	105.5	0.16	0.083	3.20	0.110	6.28	19.05	27.7	2.56
Q347595	7.31	0.0621	0.189	1.52	3.50	<10	150.5	0.33	0.048	6.10	0.087	10.35	21.0	74.6	4.16
Q347596	8.30	0.0240	0.206	1.74	7.42	<10	49.5	0.40	0.107	4.78	0.091	10.60	32.4	133.5	3.18
Q347597	6.90	0.0527	0.275	1.50	3.74	<10	57.8	0.31	0.060	4.13	0.089	10.55	26.3	104.5	2.46
Q347598	8.06	0.0246	0.146	1.66	2.54	<10	64.3	0.24	0.075	2.49	0.063	7.45	25.7	175.0	2.23
Q347599	7.22	0.0515	0.188	1.90	2.41	<10	63.9	0.16	0.074	1.84	0.047	6.10	24.8	184.0	1.940

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347560		779	4.07	6.34	0.113	0.078	0.072	0.014	0.44	2.55	9.1	1.62	151.0	5.80	0.071	0.048
Q347561		460	4.13	7.08	0.114	0.077	0.028	0.025	0.97	2.10	9.2	2.27	255	8.30	0.104	0.047
Q347562		369	3.72	7.29	0.125	0.059	0.009	0.018	1.08	1.610	10.0	2.49	231	3.27	0.097	0.024
Q347563		342	3.68	7.44	0.130	0.060	0.019	0.016	0.98	1.915	10.3	2.35	168.5	5.77	0.102	0.038
Q347564		88.4	3.18	5.29	0.075	0.112	<0.004	0.019	0.20	6.43	6.2	0.74	456	5.54	0.184	0.165
Q347565		678	4.53	8.09	0.149	0.068	0.024	0.013	1.03	1.865	10.6	2.60	181.5	3.89	0.110	0.034
Q347566		845	4.86	7.99	0.126	0.081	0.021	0.018	0.65	2.80	11.0	2.50	262	5.90	0.126	0.037
Q347567		633	5.03	7.31	0.121	0.097	0.077	0.012	0.14	3.54	9.7	1.76	293	5.68	0.073	0.056
Q347568		811	3.57	6.89	0.082	0.103	0.079	0.011	0.14	3.20	10.8	1.59	195.0	8.00	0.087	0.010
Q347569		1070	3.82	7.36	0.074	0.118	0.078	0.032	0.14	3.38	9.4	1.53	198.0	16.15	0.083	0.007
Q347570		794	3.74	6.73	0.061	0.118	0.082	0.018	0.35	4.25	11.8	1.56	191.0	30.1	0.046	0.004
Q347571		858	3.41	1.845	0.049	0.071	0.565	0.018	0.26	3.26	4.3	1.36	206	19.55	0.010	<0.002
Q347572		1130	3.22	2.12	0.048	0.060	0.562	0.028	0.23	3.37	6.7	1.53	278	38.4	0.009	<0.002
Q347573		1015	2.97	5.06	0.056	0.089	0.146	0.015	0.15	3.56	7.9	1.37	265	20.7	0.050	0.013
Q347574		1755	3.21	6.33	0.051	0.072	0.064	0.033	0.12	3.83	7.0	1.19	189.0	27.5	0.065	0.006
Q347575		3670	1.840	1.480	0.027	0.044	0.970	0.078	0.14	5.17	1.8	0.09	369	660	0.031	0.134
Q347576		924	3.03	4.91	0.067	0.081	0.019	0.023	0.10	2.72	6.9	1.21	155.0	14.40	0.119	0.022
Q347577		992	3.75	6.06	0.064	0.088	0.027	0.008	0.11	3.27	7.5	1.41	174.5	11.65	0.091	0.015
Q347578		717	4.86	7.09	0.129	0.060	0.034	0.010	0.44	3.27	9.3	2.09	308	12.75	0.100	0.022
Q347579		734	4.58	6.82	0.138	0.087	0.038	0.012	0.59	2.74	8.1	1.77	188.5	8.45	0.124	0.073
Q347580		616	4.42	7.08	0.154	0.069	0.029	0.011	0.45	2.36	13.0	2.57	227	11.15	0.090	0.079
Q347581		341	3.69	6.58	0.119	0.075	0.039	0.005	0.27	2.58	19.5	2.65	273	2.56	0.067	0.039
Q347582		505	4.11	6.30	0.120	0.094	0.093	0.011	0.08	2.27	10.7	2.12	204	3.93	0.066	0.044
Q347583		5110	6.97	5.32	0.086	0.054	0.203	0.067	0.14	2.94	11.5	1.78	445	5.14	0.053	0.009
Q347584		567	6.01	3.70	0.053	0.026	0.047	0.018	0.19	4.14	10.2	1.59	518	11.95	0.017	<0.002
Q347585		751	5.09	3.33	0.055	0.047	0.231	0.033	0.20	3.35	5.7	1.37	421	15.70	0.023	0.002
Q347586		1045	5.04	6.22	0.046	0.046	0.128	0.026	0.14	3.66	8.9	1.77	376	14.60	0.045	0.002
Q347587		733	4.74	4.87	0.045	0.075	0.142	0.022	0.16	3.17	7.0	1.53	372	9.28	0.056	0.004
Q347588		2980	5.40	3.98	0.065	0.048	0.193	0.081	0.16	3.63	6.5	1.92	380	125.0	0.043	0.005
Q347589		87.8	3.43	5.02	0.649	0.097	<0.004	0.008	0.21	6.81	6.0	0.80	471	5.52	0.203	0.182
Q347590		1915	5.15	6.36	0.073	0.064	0.113	0.049	0.13	3.15	12.5	1.84	276	65.4	0.084	0.013
Q347591		1095	4.56	5.90	0.065	0.096	0.142	0.019	0.14	2.81	12.2	1.58	234	9.69	0.083	0.017
Q347592		1415	4.82	5.72	0.071	0.097	0.087	0.022	0.10	2.27	8.2	1.43	189.5	5.36	0.108	0.017
Q347593		1445	4.94	5.76	0.085	0.101	0.104	0.020	0.09	2.58	8.1	1.66	242	3.25	0.114	0.020
Q347594		1425	4.04	5.42	0.081	0.083	0.151	0.013	0.11	2.37	8.3	1.62	307	2.91	0.089	0.016
Q347595		687	5.04	4.73	0.053	0.053	0.113	0.032	0.15	4.41	9.1	2.25	648	1.24	0.065	0.014
Q347596		466	6.09	5.98	0.084	0.138	0.091	0.053	0.08	4.40	9.0	2.04	664	16.55	0.035	0.012
Q347597		861	6.17	6.05	0.092	0.111	0.081	0.052	0.09	4.56	8.5	1.79	608	0.83	0.063	0.032
Q347598		488	4.63	6.36	0.099	0.134	0.103	0.033	0.19	3.14	9.6	2.02	399	3.83	0.080	0.013
Q347599		589	4.55	7.05	0.118	0.091	0.076	0.034	0.37	2.71	9.5	2.07	308	1.90	0.092	0.017

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347560		68.8	0.109	0.969	0.008	0.005	20.1	0.030	4.21	0.065	6.23	5.3	0.34	123.5	<0.005	0.17
Q347561		126.5	0.099	0.590	0.003	0.005	42.1	0.056	2.96	0.065	6.50	3.7	0.29	113.5	<0.005	0.17
Q347562		148.0	0.086	0.500	0.004	0.003	44.3	0.014	2.59	0.036	5.53	2.9	0.30	100.0	<0.005	0.11
Q347563		133.5	0.093	0.386	0.006	0.004	40.6	0.031	2.93	0.022	4.27	3.3	0.33	103.5	<0.005	0.19
Q347564		14.50	0.056	4.11	0.002	<0.002	7.15	<0.001	0.01	0.250	3.20	0.3	1.40	85.0	<0.005	<0.01
Q347565		134.0	0.095	0.470	0.010	0.004	50.0	0.025	2.79	0.033	6.66	5.4	0.39	190.5	<0.005	0.10
Q347566		76.1	0.129	0.789	0.008	0.004	32.5	0.035	0.65	0.042	7.17	2.3	0.36	95.7	<0.005	0.05
Q347567		25.6	0.135	1.705	0.007	0.003	6.43	0.025	2.45	0.057	7.67	4.7	0.29	145.5	<0.005	0.17
Q347568		16.35	0.108	1.690	0.007	0.002	6.45	0.039	1.93	0.172	10.35	6.1	0.25	102.0	<0.005	0.06
Q347569		16.20	0.111	1.010	0.005	0.002	6.52	0.077	2.22	0.133	9.51	6.2	0.26	75.9	<0.005	0.09
Q347570		13.75	0.107	0.901	0.005	0.002	14.55	0.124	1.72	0.190	9.75	4.2	0.21	102.5	<0.005	0.06
Q347571		13.75	0.094	4.18	0.005	0.002	10.95	0.077	2.07	4.12	8.47	4.9	0.08	103.5	<0.005	0.13
Q347572		17.40	0.094	8.00	0.002	0.003	8.87	0.147	1.49	8.72	12.55	4.6	0.07	145.5	<0.005	0.08
Q347573		13.10	0.098	1.295	0.008	0.002	6.03	0.102	1.36	0.664	9.22	4.2	0.18	179.0	<0.005	0.16
Q347574		13.25	0.099	5.39	0.003	0.003	5.49	0.138	1.62	0.105	10.60	4.7	0.23	123.5	<0.005	0.08
Q347575		13.45	0.044	36.2	0.018	<0.002	3.71	0.682	0.62	50.4	0.600	0.4	1.99	165.5	<0.005	2.31
Q347576		10.55	0.102	0.971	0.008	0.002	4.01	0.065	1.79	0.069	7.27	3.2	0.28	361	<0.005	0.07
Q347577		17.70	0.102	6.45	0.009	0.003	4.55	0.057	2.52	0.080	9.14	4.7	0.27	137.5	<0.005	0.16
Q347578		74.1	0.113	0.489	0.007	0.003	20.7	0.050	2.29	0.052	8.83	4.0	0.38	104.0	<0.005	0.16
Q347579		71.5	0.117	0.323	0.009	0.003	25.9	0.030	2.88	0.032	4.52	4.2	0.48	100.0	<0.005	0.27
Q347580		155.5	0.103	0.254	0.006	0.004	20.8	0.041	2.48	0.051	4.36	2.9	0.36	116.5	<0.005	0.22
Q347581		189.0	0.093	0.309	0.009	0.005	12.55	0.013	1.77	0.077	3.73	1.5	0.15	60.1	<0.005	0.10
Q347582		86.9	0.099	1.070	0.007	0.005	4.13	0.012	2.46	0.085	5.96	3.1	0.36	43.7	<0.005	0.23
Q347583		30.4	0.085	6.15	0.007	0.002	5.42	0.021	6.03	0.186	12.40	10.4	0.16	89.2	<0.005	1.12
Q347584		23.7	0.080	2.92	0.005	<0.002	6.38	0.028	4.71	0.203	10.55	4.9	0.12	111.5	<0.005	0.69
Q347585		19.75	0.081	9.39	0.007	0.002	7.18	0.038	3.77	2.83	9.46	5.2	0.14	124.0	<0.005	0.49
Q347586		23.0	0.098	1.645	0.010	0.003	5.86	0.058	3.57	0.254	14.15	5.4	0.23	75.4	<0.005	0.44
Q347587		22.6	0.097	1.635	0.009	0.004	6.92	0.069	3.25	0.250	12.30	3.9	0.26	75.1	<0.005	0.29
Q347588		28.8	0.093	2.53	0.008	0.002	6.35	0.197	3.80	6.65	12.75	6.7	0.20	90.4	<0.005	0.29
Q347589		13.25	0.057	3.89	0.004	<0.002	7.03	<0.001	0.01	0.268	3.14	0.3	1.30	85.9	<0.005	0.01
Q347590		26.0	0.087	1.565	0.009	0.006	5.43	0.124	3.58	0.355	12.30	5.2	0.33	142.0	<0.005	0.38
Q347591		22.4	0.094	1.900	0.008	0.003	5.58	0.021	3.27	1.290	10.80	3.9	0.33	107.5	<0.005	0.31
Q347592		32.0	0.102	0.941	0.010	0.004	4.74	0.025	3.45	0.039	8.68	5.4	0.27	101.5	<0.005	0.28
Q347593		35.8	0.113	0.968	0.009	0.004	3.91	0.021	3.47	0.074	9.59	4.8	0.35	106.5	<0.005	0.31
Q347594		19.05	0.097	1.085	0.011	<0.002	3.87	0.012	2.70	0.096	9.76	4.3	0.21	150.5	<0.005	0.08
Q347595		52.2	0.104	2.24	0.010	0.004	6.44	0.004	1.51	0.438	10.80	2.1	0.22	146.5	<0.005	0.07
Q347596		95.2	0.134	2.37	0.014	0.005	4.47	0.076	2.35	0.915	15.70	3.2	0.44	125.0	<0.005	0.32
Q347597		62.5	0.153	1.980	0.012	0.004	4.37	0.005	1.30	0.437	15.00	1.5	0.35	113.0	<0.005	0.11
Q347598		86.0	0.128	0.804	0.011	0.005	8.83	0.019	1.62	0.198	10.30	1.9	0.21	85.8	<0.005	0.19
Q347599		92.1	0.122	0.608	0.013	0.005	16.30	0.010	1.45	0.038	5.04	1.9	0.30	52.9	<0.005	0.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347560		0.237	0.208	0.128	0.117	122.0	0.272	6.76	11.6	2.03
Q347561		0.212	0.262	0.267	0.115	123.5	0.197	4.41	15.0	1.83
Q347562		0.184	0.226	0.290	0.092	107.5	0.112	3.74	13.5	1.45
Q347563		0.197	0.235	0.269	0.119	114.0	0.156	3.53	10.0	1.74
Q347564		2.95	0.147	0.044	0.922	94.7	0.603	5.31	43.4	2.23
Q347565		0.243	0.261	0.290	0.119	137.0	0.203	4.50	12.6	1.82
Q347566		0.427	0.262	0.174	0.178	174.5	0.311	6.62	20.6	2.26
Q347567		0.434	0.173	0.043	0.157	144.5	0.151	8.03	33.8	2.70
Q347568		0.377	0.043	0.039	0.133	111.5	0.037	9.49	20.0	3.14
Q347569		0.389	0.026	0.043	0.132	107.5	0.029	9.71	16.0	3.96
Q347570		0.395	0.031	0.094	0.149	110.5	0.044	10.35	15.5	4.04
Q347571		0.322	0.002	0.073	0.111	49.7	0.043	9.79	34.9	2.93
Q347572		0.332	0.003	0.060	0.124	74.6	0.027	9.87	35.7	2.24
Q347573		0.374	0.030	0.036	0.129	83.0	0.026	9.71	18.4	2.84
Q347574		0.356	0.013	0.031	0.094	91.0	0.019	9.83	27.8	2.08
Q347575		0.808	0.007	0.027	0.615	10.0	0.905	2.91	39.5	0.89
Q347576		0.331	0.077	0.030	0.095	97.0	0.029	7.29	14.2	1.96
Q347577		0.340	0.053	0.026	0.115	102.5	0.049	8.73	17.0	2.08
Q347578		0.404	0.158	0.131	0.172	136.0	0.029	7.78	14.0	2.16
Q347579		0.333	0.242	0.184	0.160	140.5	0.157	5.59	11.7	1.99
Q347580		0.299	0.216	0.141	0.169	119.5	0.148	4.57	10.7	2.02
Q347581		0.341	0.201	0.099	0.164	98.4	0.112	3.09	9.5	2.01
Q347582		0.250	0.206	0.032	0.137	118.5	0.132	4.76	12.1	2.00
Q347583		0.159	0.033	0.038	0.085	125.5	0.048	8.67	45.1	1.55
Q347584		0.131	0.002	0.036	0.112	81.6	0.042	10.70	45.2	1.41
Q347585		0.182	0.004	0.056	0.103	77.6	0.045	9.69	67.6	1.57
Q347586		0.240	0.008	0.043	0.123	136.5	0.022	9.72	45.4	1.69
Q347587		0.218	0.020	0.051	0.172	119.5	0.029	8.53	43.8	1.90
Q347588		0.227	0.013	0.048	0.143	104.0	0.036	10.50	154.0	1.37
Q347589		2.80	0.152	0.044	0.854	95.3	0.657	5.21	41.9	2.21
Q347590		0.196	0.078	0.041	0.107	139.0	0.045	9.75	37.4	1.79
Q347591		0.202	0.100	0.040	0.111	134.0	0.076	8.19	29.7	1.88
Q347592		0.256	0.101	0.032	0.128	113.5	0.030	7.82	16.0	2.27
Q347593		0.307	0.111	0.031	0.144	116.5	0.039	8.62	23.7	2.68
Q347594		0.318	0.115	0.029	0.109	130.0	0.031	8.75	29.7	1.94
Q347595		0.417	0.050	0.037	0.185	101.5	0.039	11.50	33.9	1.51
Q347596		0.507	0.072	0.044	0.169	137.0	0.021	11.70	35.3	2.56
Q347597		0.574	0.154	0.035	0.224	170.0	0.043	10.90	33.1	3.06
Q347598		0.469	0.111	0.058	0.152	119.0	0.016	6.92	21.2	3.30
Q347599		0.399	0.203	0.105	0.168	128.5	0.040	4.28	17.7	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347600		0.08	0.339	26.3	0.34	24.5	<10	268	0.17	3.62	1.25	0.142	12.65	3.36	20.0	0.958
Q345601		6.26	0.0956	0.212	1.80	2.85	<10	72.8	0.17	0.091	1.76	0.042	5.52	23.9	75.7	2.66
Q345602		6.91	0.0193	0.507	1.50	2.44	<10	86.1	0.18	0.036	2.74	0.080	12.95	13.15	64.9	3.19
Q345603		6.59	0.0604	0.239	1.64	2.71	<10	66.5	0.36	0.036	3.15	0.082	9.87	22.2	137.5	4.44
Q345604		7.84	0.0501	0.183	1.49	2.51	<10	61.0	0.31	0.033	2.81	0.063	8.74	19.50	126.5	3.95
Q345605		7.40	0.439	0.362	1.57	2.32	<10	42.3	0.19	0.044	2.41	0.087	6.76	20.6	121.5	2.96
Q345606		7.42	0.0401	0.250	1.47	2.35	<10	26.0	0.18	0.043	2.21	0.090	6.32	17.15	195.0	2.09
Q345607		8.91	0.0313	0.230	1.70	1.94	<10	25.5	0.20	0.036	2.17	0.053	5.67	15.20	184.5	1.875
Q345608		6.97	0.0247	0.102	1.73	1.69	<10	24.8	0.19	0.030	2.67	0.036	6.40	14.35	86.7	1.340
Q345609		6.78	0.0156	0.692	2.16	1.66	<10	52.7	0.26	0.044	3.20	0.182	7.54	17.10	18.95	1.390
Q345610		6.08	0.0097	0.100	2.13	1.82	<10	42.9	0.29	0.033	3.17	0.106	6.59	16.20	33.5	1.165
Q345611		7.97	0.0429	0.103	2.21	1.49	<10	50.6	0.25	0.034	2.89	0.057	6.44	15.10	12.25	1.165
Q345612		5.95	0.0141	0.125	1.59	2.16	<10	55.2	0.19	0.059	2.17	0.086	6.48	12.45	9.79	1.315
Q345613		6.25	0.0286	0.180	1.53	2.34	<10	39.9	0.24	0.072	3.55	0.071	6.66	15.75	126.0	1.455
Q345614		0.08	0.0019	0.093	1.91	1.04	<10	136.5	0.12	0.064	1.10	0.065	14.85	9.33	18.65	0.295
Q345615		5.27	0.0543	0.228	1.95	2.07	<10	65.5	0.18	0.082	2.61	0.102	5.89	22.1	247	1.640
Q345616		5.58	0.0554	0.384	2.11	2.66	<10	55.3	0.14	0.076	2.25	0.225	5.45	20.3	272	1.865
Q345617		6.57	0.0627	0.265	1.16	2.68	<10	51.8	0.18	0.090	2.32	0.170	5.48	13.70	34.5	1.595
Q345618		7.11	0.0300	0.217	1.08	22.2	<10	115.5	0.24	0.102	4.23	0.205	7.21	16.25	15.80	3.88
Q345619		7.85	0.0487	0.244	1.47	9.30	<10	99.6	0.22	0.102	4.29	0.196	7.60	19.25	17.35	2.95
Q345620		7.26	0.0430	0.125	1.88	3.62	<10	107.5	0.19	0.075	2.75	0.075	5.10	12.15	15.35	2.53
Q345621		7.69	0.210	0.190	1.72	2.96	<10	73.2	0.22	0.109	2.25	0.076	4.69	12.75	14.30	1.865
Q345622		8.35	0.0941	0.110	1.72	3.34	<10	168.0	0.18	0.094	2.12	0.047	4.92	11.70	21.0	1.590
Q345623		7.24	0.0412	0.114	1.72	2.24	<10	142.0	0.15	0.083	2.42	0.034	5.58	16.20	17.90	1.480
Q345624		7.02	0.0520	0.167	1.77	4.78	<10	102.0	0.15	0.184	2.45	0.045	5.94	22.6	17.85	1.245
Q345625		0.08	0.724	55.4	1.17	987	20	112.0	0.19	24.0	3.38	0.923	14.60	35.6	31.7	0.725
Q345626		8.08	0.0321	0.155	1.29	3.31	<10	59.9	0.19	0.131	2.25	0.101	5.57	15.60	9.73	1.145
Q345627		7.02	0.0305	0.154	1.41	3.16	<10	59.4	0.20	0.187	2.30	0.053	5.38	17.55	11.20	1.440
Q345628		7.18	0.0296	0.180	1.27	3.06	<10	47.9	0.24	0.152	2.08	0.072	5.08	16.00	9.97	1.250
Q345629		7.34	0.0490	0.227	1.19	3.14	<10	47.3	0.17	0.160	2.65	0.072	5.09	16.30	8.75	2.02
Q345630		7.33	0.0386	0.233	1.42	3.34	<10	61.8	0.18	0.145	2.73	0.069	7.07	17.00	12.40	2.02
Q345631		6.93	0.0713	0.142	1.82	2.46	10	71.5	0.22	0.101	2.83	0.072	5.49	11.50	12.95	1.925
Q345632		6.50	0.0662	0.180	1.50	2.28	<10	101.5	0.22	0.096	2.85	0.060	5.60	11.00	10.80	0.884
Q345633		6.44	0.0372	0.199	1.33	2.82	<10	98.3	0.16	0.101	2.12	0.090	5.16	15.65	9.24	1.570
Q345634		7.22	0.0281	0.196	1.84	2.65	<10	157.0	0.21	0.058	2.40	0.038	5.54	10.60	9.19	2.32
Q345635		6.16	0.0947	0.111	1.68	3.06	<10	136.5	0.18	0.100	2.51	0.053	5.92	14.05	12.85	2.34
Q345636		7.36	0.0214	0.120	1.48	3.03	<10	79.0	0.21	0.094	2.73	0.092	8.24	16.45	15.30	2.93
Q345637		7.44	0.0337	0.080	1.81	2.76	<10	229	0.17	0.060	2.32	0.079	6.40	12.30	17.15	2.59
Q345638		6.06	0.0309	0.131	1.85	2.74	<10	164.5	0.17	0.140	2.78	0.052	7.25	13.50	16.25	2.78
Q345639		0.08	0.0032	0.091	1.79	1.04	<10	128.0	0.11	0.063	1.00	0.076	14.45	9.03	18.05	0.284

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347600		3650	1.910	1.520	0.012	0.038	0.862	0.048	0.15	5.99	1.7	0.10	373	705	0.031	0.104
Q345601		604	3.91	5.40	0.078	0.082	0.058	0.017	0.27	2.32	6.7	1.44	182.0	1.47	0.106	0.026
Q345602		379	3.34	4.62	0.036	0.085	0.042	0.009	0.19	5.91	6.3	1.13	543	1.97	0.074	0.018
Q345603		769	4.65	5.34	0.068	0.121	0.114	0.036	0.08	4.01	7.9	1.94	553	1.44	0.061	0.004
Q345604		681	4.20	4.83	0.059	0.115	0.086	0.044	0.07	3.62	7.0	1.74	496	1.38	0.056	0.002
Q345605		1390	4.40	5.75	0.090	0.084	0.086	0.017	0.13	2.82	7.5	1.84	332	2.90	0.068	0.006
Q345606		651	4.06	5.35	0.081	0.120	0.077	0.030	0.10	2.71	7.3	1.74	311	0.82	0.092	0.016
Q345607		551	3.76	5.79	0.104	0.129	0.047	0.021	0.11	2.70	8.5	1.90	289	0.70	0.094	0.026
Q345608		141.0	3.54	6.06	0.073	0.177	0.031	0.022	0.07	2.81	9.3	1.69	476	0.81	0.056	0.019
Q345609		762	4.24	7.04	0.074	0.233	0.028	0.027	0.10	3.28	11.4	1.81	620	0.37	0.048	0.019
Q345610		175.0	4.17	7.39	0.091	0.260	0.022	0.013	0.10	3.06	12.8	1.94	584	0.21	0.039	0.023
Q345611		83.7	4.02	7.01	0.053	0.206	0.083	0.011	0.08	2.83	12.6	1.84	632	0.27	0.037	0.015
Q345612		263	3.20	5.29	0.087	0.252	0.171	0.012	0.08	2.69	7.9	1.37	465	0.18	0.052	0.028
Q345613		359	4.15	5.53	0.079	0.173	0.110	0.040	0.08	2.83	7.8	1.86	616	0.32	0.064	0.022
Q345614		85.5	3.48	5.71	0.066	0.133	0.004	0.016	0.22	6.85	6.7	0.81	499	4.95	0.214	0.187
Q345615		573	4.58	7.27	0.114	0.116	0.105	0.027	0.26	2.67	11.0	2.31	431	0.31	0.071	0.030
Q345616		900	5.00	7.96	0.144	0.105	0.074	0.028	0.23	2.43	10.8	2.61	434	0.72	0.067	0.029
Q345617		336	2.84	4.25	0.063	0.180	0.063	0.022	0.09	2.18	7.0	1.05	336	0.43	0.064	0.040
Q345618		151.5	4.12	3.03	0.056	0.099	0.100	0.015	0.15	3.12	5.2	1.31	708	2.03	0.060	0.026
Q345619		322	4.17	4.38	0.062	0.143	0.119	0.014	0.12	3.03	8.3	1.23	575	7.97	0.055	0.017
Q345620		177.5	3.03	4.60	0.069	0.154	0.067	0.007	0.09	2.33	7.8	0.93	320	1.57	0.083	0.031
Q345621		425	3.34	4.73	0.070	0.133	0.066	0.011	0.07	2.06	8.3	0.99	255	4.12	0.078	0.040
Q345622		216	3.03	3.85	0.065	0.147	0.089	<0.005	0.09	2.18	5.5	0.88	241	3.41	0.099	0.047
Q345623		187.5	3.08	4.39	0.069	0.181	0.058	0.019	0.10	2.57	6.7	1.01	341	3.76	0.104	0.039
Q345624		246	3.61	4.70	0.077	0.171	0.089	0.005	0.09	2.62	7.0	1.09	353	3.29	0.116	0.046
Q345625		3510	3.07	3.76	0.050	0.143	0.710	0.098	0.15	8.79	6.8	0.36	660	531	0.100	0.222
Q345626		265	3.12	3.60	0.056	0.175	0.150	<0.005	0.11	2.27	5.1	0.61	190.0	3.16	0.070	0.049
Q345627		282	3.99	4.64	0.070	0.144	0.388	<0.005	0.11	2.07	7.3	0.85	175.5	25.3	0.067	0.043
Q345628		295	3.53	3.77	0.055	0.163	0.230	0.016	0.10	2.05	5.7	0.64	166.0	14.85	0.059	0.061
Q345629		353	3.67	3.25	0.050	0.108	0.232	<0.005	0.11	2.00	6.3	0.73	216	7.13	0.057	0.046
Q345630		229	3.82	4.11	0.049	0.125	0.120	0.011	0.11	2.93	7.0	0.84	291	11.70	0.065	0.036
Q345631		184.0	3.10	5.11	0.076	0.187	0.078	0.019	0.09	2.44	10.0	1.18	285	7.26	0.062	0.039
Q345632		200	3.90	4.77	0.077	0.155	0.134	0.013	0.09	2.53	7.4	0.85	261	3.65	0.070	0.068
Q345633		247	3.05	3.44	0.059	0.179	0.138	<0.005	0.11	2.20	6.1	0.72	230	7.06	0.067	0.061
Q345634		250	2.62	4.47	0.070	0.180	0.097	0.019	0.12	2.38	6.2	0.76	276	2.29	0.114	0.050
Q345635		91.9	3.14	3.91	0.071	0.152	0.118	<0.005	0.10	2.54	5.6	0.84	301	2.97	0.096	0.035
Q345636		67.7	3.77	4.32	0.050	0.145	0.088	0.018	0.14	3.47	6.4	1.19	437	2.14	0.083	0.012
Q345637		61.4	3.36	4.46	0.059	0.168	0.113	0.010	0.12	2.85	6.0	1.06	458	0.66	0.113	0.025
Q345638		79.9	3.98	4.95	0.056	0.119	0.251	0.012	0.15	3.25	8.2	1.23	708	0.54	0.091	0.017
Q345639		84.1	3.28	5.16	0.073	0.110	<0.004	0.009	0.21	6.73	5.9	0.75	475	5.04	0.205	0.210

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347600		13.30	0.044	36.0	0.006	0.002	3.63	0.753	0.62	52.4	0.630	0.6	2.22	171.0	<0.005	2.36
Q345601		42.7	0.103	0.550	0.007	0.004	12.20	0.009	2.03	0.054	6.74	2.6	0.29	68.7	<0.005	0.27
Q345602		29.3	0.114	1.150	0.007	0.002	7.92	0.002	0.74	0.057	3.82	1.0	0.20	68.4	<0.005	0.11
Q345603		70.4	0.133	2.25	0.010	0.004	4.48	0.007	0.83	0.476	16.10	1.8	0.28	122.0	<0.005	0.09
Q345604		62.8	0.119	1.910	0.010	0.003	3.94	0.007	0.76	0.415	13.40	1.5	0.20	107.5	<0.005	0.03
Q345605		58.3	0.114	2.17	0.020	0.004	6.31	0.015	1.36	0.188	9.11	2.5	0.16	73.8	<0.005	0.14
Q345606		79.7	0.119	0.868	0.022	0.005	5.06	0.003	1.23	0.126	6.98	1.8	0.21	64.5	<0.005	0.18
Q345607		83.3	0.122	0.812	0.023	0.003	4.95	0.002	1.15	0.036	4.92	1.4	0.22	56.7	<0.005	0.13
Q345608		38.0	0.119	1.010	0.009	0.003	2.44	<0.001	0.99	0.094	5.89	1.0	0.23	53.0	<0.005	0.13
Q345609		13.30	0.125	1.215	0.009	0.004	2.72	0.001	0.96	0.082	7.86	1.0	0.23	60.9	<0.005	0.16
Q345610		16.45	0.128	1.015	0.012	0.003	3.24	<0.001	1.23	0.077	6.26	0.8	0.20	42.2	<0.005	0.19
Q345611		10.15	0.127	0.973	0.009	0.003	1.910	<0.001	0.91	0.076	5.34	0.6	0.22	48.2	<0.005	0.28
Q345612		10.70	0.127	1.135	0.009	0.003	2.09	<0.001	1.10	0.129	6.35	1.0	0.28	67.9	<0.005	0.53
Q345613		56.7	0.121	1.430	0.011	0.002	2.83	<0.001	1.20	0.253	7.62	1.1	0.27	77.5	<0.005	0.38
Q345614		13.90	0.057	4.08	0.004	<0.002	6.88	<0.001	0.01	0.248	3.17	0.2	1.39	92.8	<0.005	<0.01
Q345615		104.5	0.117	1.205	0.021	0.003	10.55	0.001	1.06	0.141	7.12	0.9	0.26	49.7	<0.005	0.37
Q345616		114.5	0.120	1.320	0.010	0.004	8.84	0.002	1.38	0.123	6.59	1.7	0.31	43.2	<0.005	0.37
Q345617		23.6	0.125	3.19	0.006	0.004	3.89	<0.001	1.98	0.135	5.70	2.5	0.39	38.6	<0.005	0.34
Q345618		17.30	0.113	4.66	0.008	0.003	4.83	0.003	2.32	2.94	6.86	2.3	0.20	83.6	<0.005	0.34
Q345619		15.90	0.114	2.49	0.005	0.002	3.50	0.018	2.92	0.740	7.50	2.9	0.30	70.3	<0.005	0.34
Q345620		11.35	0.115	1.330	0.006	0.002	2.35	0.003	1.89	0.077	4.39	1.3	0.37	80.5	<0.005	0.34
Q345621		10.45	0.118	1.270	0.004	<0.002	1.905	0.007	2.66	0.073	3.41	2.7	0.32	66.3	<0.005	0.37
Q345622		14.40	0.117	1.070	0.007	<0.002	2.19	0.005	2.12	0.042	3.69	1.0	0.23	71.0	<0.005	0.33
Q345623		12.30	0.120	1.120	0.007	0.003	2.38	0.004	1.93	0.050	5.23	1.4	0.38	76.7	<0.005	0.35
Q345624		13.75	0.120	1.470	0.007	0.002	2.26	0.007	2.84	0.053	5.85	2.0	0.37	80.6	<0.005	0.64
Q345625		28.5	0.073	83.1	0.001	<0.002	5.01	0.093	0.51	131.5	2.08	2.2	2.00	128.5	<0.005	4.09
Q345626		10.85	0.118	1.570	0.004	<0.002	2.42	0.007	2.95	0.093	3.18	1.5	0.33	76.5	<0.005	0.37
Q345627		11.45	0.118	1.310	0.009	0.002	2.85	0.056	3.88	0.079	4.03	4.5	0.36	72.0	<0.005	0.47
Q345628		10.50	0.117	1.455	0.007	0.003	2.39	0.010	3.45	0.069	2.50	2.6	0.26	73.9	<0.005	0.50
Q345629		10.75	0.116	1.450	0.004	0.002	2.63	0.003	3.58	0.082	3.50	2.4	0.28	72.7	<0.005	0.54
Q345630		10.95	0.117	1.510	0.007	<0.002	3.09	0.027	3.29	0.110	3.98	2.7	0.32	70.1	<0.005	0.46
Q345631		10.35	0.117	1.270	0.007	0.003	2.22	0.017	2.48	0.085	4.42	2.1	0.35	72.2	<0.005	0.41
Q345632		10.30	0.115	1.065	0.010	0.003	2.18	0.004	3.75	0.050	3.56	3.2	0.33	57.8	<0.005	0.60
Q345633		10.15	0.118	1.100	0.009	0.004	2.80	0.006	2.86	0.050	2.49	2.5	0.36	76.8	<0.005	0.61
Q345634		8.31	0.120	0.997	0.008	0.002	2.40	0.002	1.83	0.029	3.48	1.5	0.32	109.0	<0.005	0.37
Q345635		10.65	0.118	1.235	0.004	0.003	2.62	0.004	2.15	0.095	4.57	1.4	0.35	100.5	<0.005	0.43
Q345636		13.15	0.119	1.605	0.007	0.003	3.89	0.003	2.41	0.127	7.36	1.6	0.21	92.7	<0.005	0.38
Q345637		11.65	0.116	1.450	0.013	0.027	3.28	<0.001	1.22	0.194	6.28	0.9	0.27	123.5	<0.005	0.32
Q345638		12.35	0.117	2.01	0.005	0.002	4.78	<0.001	1.89	0.244	7.91	1.3	0.15	80.5	<0.005	0.71
Q345639		13.75	0.054	3.78	0.001	<0.002	6.37	<0.001	0.01	0.243	3.30	0.1	1.26	86.7	<0.005	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347600		0.897	0.007	0.029	0.635	10.9	1.035	3.15	39.4	0.91
Q345601		0.282	0.170	0.077	0.136	119.5	0.056	6.12	13.2	2.07
Q345602		0.569	0.079	0.042	0.193	70.8	0.571	7.02	30.5	2.43
Q345603		0.560	0.054	0.042	0.122	121.5	0.026	11.00	33.5	2.86
Q345604		0.461	0.050	0.034	0.116	109.5	0.007	9.55	29.0	2.51
Q345605		0.431	0.112	0.050	0.095	124.0	0.017	6.97	30.3	2.41
Q345606		0.425	0.142	0.030	0.109	111.5	0.034	5.15	18.3	3.63
Q345607		0.408	0.194	0.030	0.127	102.0	0.070	4.18	19.5	3.41
Q345608		0.334	0.116	0.016	0.165	100.0	0.057	5.55	31.9	4.75
Q345609		0.383	0.092	0.016	0.191	124.5	0.045	7.05	41.3	6.56
Q345610		0.375	0.102	0.020	0.196	123.0	0.060	5.47	33.3	7.13
Q345611		0.369	0.067	0.012	0.185	101.5	0.032	5.72	42.7	5.33
Q345612		0.388	0.091	0.019	0.188	91.6	0.039	6.56	44.4	6.63
Q345613		0.338	0.132	0.016	0.154	105.0	0.051	8.33	42.2	4.70
Q345614		2.69	0.161	0.041	0.944	96.9	0.552	5.36	43.6	2.30
Q345615		0.455	0.229	0.050	0.117	138.0	0.081	5.18	29.4	3.98
Q345616		0.434	0.258	0.043	0.089	145.0	0.082	5.17	42.6	3.43
Q345617		0.408	0.111	0.021	0.135	76.9	0.327	5.61	36.3	4.88
Q345618		0.374	0.045	0.037	0.173	70.9	0.120	9.51	48.4	2.38
Q345619		0.323	0.070	0.054	0.142	90.7	0.100	9.63	49.8	2.49
Q345620		0.320	0.107	0.017	0.128	81.4	0.226	4.81	32.5	3.35
Q345621		0.285	0.121	0.007	0.121	74.7	0.347	4.88	23.3	2.91
Q345622		0.320	0.117	0.011	0.135	74.0	0.282	4.48	22.0	3.10
Q345623		0.328	0.117	0.008	0.174	83.4	0.234	5.33	29.9	3.60
Q345624		0.331	0.117	0.011	0.199	89.7	0.281	5.85	33.6	3.54
Q345625		1.435	0.064	0.050	1.620	39.0	9.01	6.48	130.0	5.30
Q345626		0.262	0.112	0.011	0.141	57.7	0.287	5.70	19.9	3.18
Q345627		0.279	0.103	0.011	0.162	71.3	0.276	6.41	19.1	2.90
Q345628		0.273	0.109	0.011	0.150	55.9	0.345	5.43	20.1	3.24
Q345629		0.241	0.083	0.013	0.121	58.8	0.343	5.91	18.3	2.40
Q345630		0.284	0.079	0.013	0.189	63.7	0.221	6.40	25.3	2.53
Q345631		0.250	0.106	0.012	0.125	79.8	0.256	5.55	33.1	3.16
Q345632		0.265	0.121	0.010	0.109	63.4	0.301	5.47	20.3	2.87
Q345633		0.246	0.123	0.012	0.162	60.1	0.356	5.53	20.2	3.28
Q345634		0.275	0.127	0.014	0.187	68.5	0.265	5.67	20.1	4.04
Q345635		0.284	0.106	0.017	0.144	76.8	0.184	6.16	30.3	3.83
Q345636		0.398	0.063	0.026	0.264	93.3	0.107	7.99	28.3	3.04
Q345637		0.374	0.106	0.020	0.175	106.5	0.142	6.07	30.5	3.39
Q345638		0.345	0.066	0.028	0.129	105.0	0.088	7.76	39.1	2.22
Q345639		2.65	0.156	0.046	0.798	93.7	0.734	5.29	40.7	2.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345640		8.32	0.0179	0.097	1.70	2.96	<10	143.0	0.16	0.094	2.29	0.049	5.49	13.85	16.10	2.75
Q345641		6.93	0.0123	0.092	1.30	17.30	<10	305	0.40	0.082	3.95	0.091	10.55	14.85	12.60	8.90
Q345642		4.97	0.0934	0.208	0.74	23.0	<10	195.0	0.28	0.108	6.20	0.331	8.98	16.30	8.35	4.76
Q345643		7.32	0.0246	0.142	1.28	12.50	<10	178.0	0.28	0.109	4.91	0.178	10.15	15.85	13.30	5.85
Q345644		7.64	0.0147	0.049	2.02	1.95	<10	186.5	0.20	0.066	3.11	0.051	7.50	16.70	20.3	4.19
Q345645		5.70	0.0078	0.025	2.04	2.41	<10	196.0	0.19	0.036	3.00	0.037	6.66	13.10	17.25	3.79
Q345646		7.47	0.0114	0.044	2.07	2.26	<10	90.2	0.21	0.065	3.28	0.065	6.02	15.65	19.00	1.780
Q345647		7.53	0.0106	0.068	1.93	2.65	<10	176.0	0.23	0.050	2.26	0.070	5.31	13.20	17.20	1.830
Q345648		7.56	0.0172	0.063	1.59	2.64	<10	137.0	0.18	0.060	1.75	0.090	4.49	12.70	15.15	1.685
Q345649		7.28	0.0160	0.098	1.87	2.01	<10	172.0	0.18	0.089	2.03	0.062	4.69	9.51	16.55	1.775
Q345650		0.08	0.816	53.1	1.07	964	10	109.5	0.16	22.2	3.23	0.849	12.80	35.7	30.2	0.712
Q345651		6.25	0.0259	0.273	1.81	2.22	<10	152.5	0.20	0.120	2.23	0.080	5.33	10.70	19.10	1.755
Q345652		7.51	0.0295	0.177	1.31	2.11	<10	83.9	0.15	0.179	1.98	0.056	4.84	11.05	15.45	1.380
Q345653		4.60	0.0256	0.198	2.24	2.10	<10	159.0	0.19	0.088	3.20	0.082	6.84	16.70	21.9	2.18
Q345654		8.20	0.0381	0.126	1.85	2.02	<10	140.5	0.14	0.106	2.54	0.052	5.54	8.88	14.35	1.985
Q345655		6.92	0.0173	1.445	1.82	3.86	<10	128.5	0.16	0.099	4.15	0.143	5.78	8.54	12.35	3.77
Q345656		6.37	0.0515	0.286	1.87	2.82	<10	90.8	0.15	0.119	2.72	0.039	5.37	11.70	13.95	2.17
Q345657		5.74	0.0897	0.555	1.39	1.79	<10	170.5	0.17	0.015	2.62	0.086	9.31	16.20	44.5	2.25
Q345658		7.57	0.0442	0.253	1.43	1.63	<10	124.0	0.15	0.009	2.34	0.061	8.18	16.70	46.6	2.30
Q345659		8.18	0.0372	0.207	1.66	1.09	<10	104.5	0.13	0.010	2.19	0.171	7.20	13.80	47.2	2.06
Q345660		6.00	0.0416	0.240	1.43	1.39	<10	178.0	0.19	0.010	2.78	0.093	9.28	16.10	47.4	2.97
Q345661		6.91	0.0611	0.353	1.37	1.81	<10	214	0.25	0.011	3.44	0.057	10.95	17.25	49.2	2.92
Q345662		7.86	0.0912	0.232	1.10	2.63	<10	519	0.21	0.012	3.34	0.045	9.94	18.10	45.1	4.37
Q345663		4.92	0.0496	0.463	0.55	209	<10	232	0.37	0.013	8.42	0.276	9.25	22.3	22.9	8.15
Q345664		0.08	0.139	0.116	1.68	1.99	<10	130.0	0.10	0.055	0.95	0.078	13.55	9.13	17.90	0.317
Q345665		6.57	0.0570	0.344	0.58	168.5	<10	290	0.33	0.009	6.48	0.140	8.88	22.2	43.3	7.51
Q345666		7.05	0.0579	0.217	0.60	113.5	<10	184.5	0.29	0.010	6.60	0.212	8.52	20.8	54.9	4.65
Q345667		4.11	0.0220	0.204	0.83	58.7	<10	229	0.36	0.016	5.96	0.302	10.65	18.60	52.4	6.11
Q345668		1.57	0.0100	0.154	0.83	31.2	<10	889	0.35	0.011	6.27	0.196	10.05	17.00	40.3	6.19
Q345669		6.09	0.0082	0.064	1.12	15.25	<10	180.0	0.38	0.019	5.67	0.118	7.98	18.50	17.55	8.86
Q345670		7.42	0.0568	0.177	0.94	13.80	<10	61.3	0.32	0.013	4.46	0.152	11.05	15.05	56.1	3.98
Q345671		6.31	0.0471	0.198	0.78	88.4	<10	627	0.36	0.017	4.15	0.093	10.60	18.00	62.1	6.44
Q345672		7.18	0.0991	0.234	0.95	16.15	<10	196.0	0.25	0.018	5.31	0.084	9.82	15.55	58.2	3.01
Q345673		6.19	0.0598	0.190	0.96	3.56	<10	590	0.30	0.017	4.23	0.061	11.30	14.05	46.6	3.83
Q345674		7.28	0.0625	0.172	1.23	2.92	<10	485	0.27	0.015	3.66	0.070	9.86	15.05	27.4	3.34
Q345675		0.08	0.855	54.3	1.06	946	10	107.5	0.20	21.2	3.19	0.902	12.90	34.1	29.3	0.702
Q345676		7.60	0.294	0.199	1.43	1.82	<10	220	0.19	0.024	3.08	0.027	6.97	14.05	26.4	2.66
Q345677		6.74	0.0877	0.292	1.44	2.01	<10	145.0	0.18	0.039	3.48	0.035	7.58	15.25	27.6	2.21
Q345678		7.04	0.0214	0.111	0.52	55.7	<10	286	0.18	0.021	4.98	0.106	12.05	11.05	6.05	3.01
Q345679		4.57	0.0366	1.540	0.64	39.8	<10	302	0.23	0.017	3.15	0.082	15.95	8.19	9.15	2.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345640		64.8	3.59	4.56	0.068	0.158	0.390	0.013	0.10	2.42	8.3	1.19	461	0.46	0.094	0.036
Q345641		70.8	3.95	3.18	0.033	0.048	0.157	0.031	0.22	4.67	6.8	1.40	731	0.97	0.037	0.004
Q345642		81.4	4.07	1.840	0.028	0.036	0.156	0.045	0.25	4.03	4.9	2.20	894	1.08	0.022	0.002
Q345643		123.0	4.21	3.46	0.043	0.049	0.126	0.028	0.21	4.51	7.6	1.52	697	0.44	0.034	0.004
Q345644		50.0	4.20	5.90	0.061	0.157	0.136	0.032	0.11	3.03	12.8	1.74	551	0.53	0.063	0.013
Q345645		50.3	3.58	5.56	0.058	0.138	0.070	0.020	0.12	2.66	11.8	1.49	435	0.31	0.077	0.010
Q345646		41.2	3.96	5.68	0.065	0.156	0.087	<0.005	0.11	2.43	13.1	1.63	570	0.45	0.067	0.023
Q345647		116.5	3.38	5.27	0.068	0.156	0.053	0.018	0.10	2.27	9.7	1.19	357	0.61	0.097	0.027
Q345648		85.6	3.35	4.55	0.074	0.121	0.074	0.010	0.09	2.03	6.8	0.92	264	0.84	0.107	0.024
Q345649		146.5	3.05	5.03	0.075	0.119	0.065	<0.005	0.09	2.05	5.2	0.84	244	0.56	0.152	0.040
Q345650		3550	2.92	3.58	0.068	0.154	0.623	0.091	0.15	7.30	5.8	0.35	645	506	0.094	0.225
Q345651		432	3.11	4.75	0.080	0.148	0.129	0.016	0.08	2.36	6.8	1.06	293	0.36	0.113	0.034
Q345652		225	3.21	3.69	0.069	0.147	0.348	0.018	0.07	2.24	5.7	0.93	273	0.72	0.091	0.039
Q345653		372	3.88	6.59	0.085	0.202	0.132	0.035	0.08	2.94	13.2	2.08	492	0.20	0.061	0.027
Q345654		187.5	3.06	5.14	0.081	0.126	0.102	0.008	0.08	2.49	6.6	1.07	324	0.23	0.116	0.032
Q345655		135.5	2.93	4.58	0.074	0.096	0.054	0.020	0.10	2.39	5.7	0.80	609	1.69	0.127	0.024
Q345656		180.0	3.65	4.89	0.064	0.141	0.073	0.013	0.07	2.41	6.2	0.95	372	1.05	0.124	0.028
Q345657		3580	3.61	4.24	0.074	0.121	0.159	0.033	0.10	4.02	5.1	0.99	290	1.18	0.061	0.011
Q345658		1045	3.34	4.43	0.077	0.106	0.090	0.010	0.09	3.56	4.8	0.93	242	1.37	0.082	0.012
Q345659		1010	3.70	4.70	0.081	0.077	0.075	0.011	0.10	3.38	3.9	0.80	197.5	1.04	0.115	0.023
Q345660		1215	3.88	4.38	0.075	0.101	0.072	0.017	0.10	4.09	4.6	0.93	298	0.68	0.064	0.006
Q345661		2390	3.80	4.51	0.066	0.120	0.043	0.024	0.07	4.68	4.9	1.21	387	0.98	0.028	0.002
Q345662		1585	3.62	3.71	0.070	0.102	0.058	0.013	0.11	4.35	5.0	1.21	349	3.64	0.053	0.005
Q345663		2050	4.70	1.410	0.062	0.041	0.264	0.039	0.21	3.96	3.5	2.79	770	0.55	0.017	<0.002
Q345664		92.9	3.30	5.19	0.072	0.105	<0.004	0.010	0.21	6.19	6.0	0.77	480	5.61	0.188	0.165
Q345665		1075	4.87	1.615	0.059	0.053	0.302	0.030	0.17	3.85	4.1	2.64	740	0.39	0.019	<0.002
Q345666		901	4.60	1.875	0.061	0.056	0.787	0.033	0.12	3.55	3.7	2.83	721	0.43	0.027	<0.002
Q345667		717	4.34	2.91	0.061	0.074	0.280	0.040	0.13	4.48	5.2	1.83	771	0.38	0.018	<0.002
Q345668		460	4.32	2.98	0.057	0.047	0.034	0.037	0.12	4.21	4.9	2.14	929	0.40	0.018	<0.002
Q345669		199.0	4.19	3.34	0.067	0.063	0.016	0.026	0.14	3.36	7.2	1.97	846	0.19	0.019	<0.002
Q345670		1360	3.57	3.70	0.072	0.128	0.035	0.029	0.07	4.62	4.6	1.12	520	0.45	0.023	0.002
Q345671		1055	4.82	3.34	0.077	0.074	0.037	0.029	0.12	4.28	4.7	1.41	615	0.30	0.031	0.002
Q345672		1135	4.64	4.05	0.066	0.085	0.051	0.024	0.13	4.17	5.1	1.65	617	0.36	0.029	0.002
Q345673		1865	4.06	4.03	0.067	0.062	0.053	0.028	0.12	4.81	3.9	1.09	536	0.27	0.025	0.002
Q345674		1050	3.66	4.71	0.057	0.077	0.030	0.009	0.11	4.20	5.5	1.05	455	0.17	0.026	0.002
Q345675		3450	2.88	3.41	0.062	0.131	0.588	0.096	0.14	7.69	6.9	0.35	631	550	0.091	0.202
Q345676		1215	3.38	5.62	0.069	0.106	0.027	0.009	0.12	3.03	7.0	1.08	355	0.50	0.051	0.006
Q345677		1420	3.83	6.44	0.086	0.075	0.052	0.018	0.11	3.25	8.2	1.36	314	0.40	0.041	0.009
Q345678		439	3.17	1.285	0.037	0.039	0.085	0.009	0.24	6.04	2.7	1.44	729	1.04	0.011	<0.002
Q345679		484	2.88	1.830	0.035	0.055	0.022	0.009	0.24	8.11	3.8	0.81	667	1.73	0.020	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345640		11.70	0.117	1.235	0.007	<0.002	2.83	<0.001	1.97	0.223	6.01	1.1	0.24	90.9	<0.005	0.60
Q345641		13.00	0.113	3.86	0.007	0.002	8.23	0.001	1.20	0.759	12.60	0.6	0.12	114.5	<0.005	0.26
Q345642		13.20	0.096	5.84	0.005	0.003	7.03	0.001	1.86	2.01	7.69	1.2	0.05	109.0	<0.005	0.49
Q345643		13.05	0.107	2.33	0.003	<0.002	6.84	<0.001	1.78	1.160	10.05	1.4	0.16	92.4	<0.005	0.38
Q345644		13.20	0.115	0.821	0.007	0.002	3.76	<0.001	1.75	0.205	10.60	0.8	0.22	114.0	<0.005	0.43
Q345645		11.70	0.119	0.735	0.008	0.003	3.33	<0.001	1.02	0.107	8.94	0.6	0.23	86.2	<0.005	0.18
Q345646		13.45	0.115	0.657	0.005	<0.002	2.93	<0.001	1.89	0.118	6.16	0.8	0.23	95.7	<0.005	0.38
Q345647		11.20	0.116	0.505	0.006	0.003	2.30	0.001	1.34	0.100	5.40	0.6	0.26	92.8	<0.005	0.30
Q345648		9.82	0.113	0.578	0.004	0.004	2.14	0.001	1.87	0.108	4.43	1.6	0.12	71.7	<0.005	0.31
Q345649		9.34	0.120	0.830	0.005	0.003	1.965	<0.001	1.45	0.043	4.70	1.2	0.23	94.5	<0.005	0.32
Q345650		29.0	0.074	76.1	0.006	<0.002	5.16	0.093	0.50	121.5	2.16	2.7	1.77	124.5	<0.005	2.39
Q345651		12.35	0.128	0.916	0.003	0.002	2.02	<0.001	1.73	0.145	4.55	1.6	0.26	96.9	<0.005	0.44
Q345652		12.55	0.132	0.800	0.003	<0.002	1.925	<0.001	2.55	0.140	3.96	1.9	0.19	55.7	<0.005	0.68
Q345653		16.25	0.128	1.630	0.011	0.003	2.77	0.001	1.71	0.235	8.30	1.2	0.20	74.5	<0.005	0.25
Q345654		9.70	0.127	1.065	0.013	0.005	2.54	0.001	1.79	0.107	4.43	1.3	0.19	87.3	<0.005	0.41
Q345655		9.75	0.120	6.04	0.014	0.006	3.32	0.004	1.84	0.218	6.30	1.9	0.20	124.0	<0.005	0.34
Q345656		11.80	0.132	1.680	0.012	0.005	2.36	0.002	3.11	0.067	4.59	1.9	0.16	93.3	<0.005	0.51
Q345657		17.95	0.128	0.901	0.011	0.004	3.39	0.006	0.72	0.181	8.46	4.8	0.25	65.4	<0.005	0.06
Q345658		16.30	0.128	1.020	0.016	0.004	2.86	0.007	0.49	0.064	7.32	2.2	0.23	79.0	<0.005	0.02
Q345659		13.90	0.131	1.510	0.010	0.004	2.72	0.005	0.60	0.013	4.39	2.1	0.17	83.3	<0.005	0.05
Q345660		15.10	0.133	1.325	0.007	0.005	3.78	0.002	0.77	0.033	8.40	2.3	0.23	69.1	<0.005	0.06
Q345661		18.20	0.133	0.602	0.013	0.005	3.57	0.004	0.45	0.059	15.30	4.2	0.24	73.6	<0.005	0.03
Q345662		18.10	0.129	0.809	0.011	0.005	4.55	0.027	0.54	0.049	13.60	2.7	0.20	103.0	<0.005	0.02
Q345663		19.95	0.100	3.39	0.019	0.003	8.40	0.003	0.42	2.37	25.4	4.1	0.08	129.0	<0.005	0.01
Q345664		13.70	0.056	4.39	0.003	<0.002	6.78	0.001	0.01	0.235	3.08	0.4	1.27	81.3	<0.005	<0.01
Q345665		22.9	0.099	2.19	0.012	0.004	7.51	0.003	0.55	2.78	26.7	1.9	0.11	112.0	<0.005	0.02
Q345666		24.5	0.088	2.62	0.017	0.004	5.68	0.002	0.30	5.70	27.4	1.9	0.16	105.5	<0.005	0.04
Q345667		21.8	0.108	4.14	0.043	0.004	5.54	0.002	0.34	2.24	25.5	1.7	0.15	93.4	<0.005	0.04
Q345668		21.3	0.100	3.80	0.015	0.004	5.27	0.002	0.11	1.075	19.65	1.2	0.15	96.8	<0.005	0.03
Q345669		19.15	0.098	3.91	0.005	0.003	7.37	<0.001	0.11	0.504	17.45	0.7	0.14	90.0	<0.005	0.01
Q345670		17.35	0.126	2.10	0.015	0.005	3.47	0.001	0.32	0.326	21.2	2.5	0.20	78.0	<0.005	0.02
Q345671		22.2	0.123	2.03	0.028	0.005	6.27	0.001	0.26	2.91	25.3	2.3	0.17	93.5	<0.005	0.05
Q345672		17.75	0.117	2.12	0.023	0.004	4.91	0.002	0.40	0.313	20.8	2.3	0.14	85.3	<0.005	0.04
Q345673		16.95	0.134	1.790	0.027	0.005	4.65	0.005	0.32	0.083	20.7	2.9	0.19	106.0	<0.005	0.04
Q345674		15.25	0.141	1.555	0.030	0.004	4.07	0.001	0.44	0.050	14.70	2.7	0.15	80.6	<0.005	0.05
Q345675		27.3	0.072	83.4	0.003	<0.002	4.99	0.092	0.49	125.5	2.02	2.4	1.74	126.0	<0.005	2.60
Q345676		14.05	0.115	1.250	0.048	0.003	4.40	0.002	0.42	0.048	11.50	3.2	0.17	74.9	<0.005	0.06
Q345677		14.80	0.111	1.760	0.071	0.004	4.26	0.001	0.95	0.061	9.45	3.3	0.16	65.6	<0.005	0.08
Q345678		6.38	0.097	3.13	0.075	0.002	5.99	0.002	0.41	0.217	5.11	1.5	0.07	61.9	<0.005	0.07
Q345679		4.88	0.102	1.560	0.033	<0.002	5.99	0.001	0.23	0.107	4.52	1.5	0.10	49.5	<0.005	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345640		0.313	0.112	0.019	0.136	91.4	0.128	6.02	33.0	3.17
Q345641		0.381	0.004	0.081	0.105	87.7	0.029	11.15	37.4	0.94
Q345642		0.279	0.001	0.050	0.164	53.6	0.028	10.15	62.5	0.95
Q345643		0.344	0.013	0.057	0.137	81.2	0.043	10.55	41.8	1.35
Q345644		0.356	0.077	0.025	0.130	112.5	0.091	8.76	28.8	3.07
Q345645		0.337	0.079	0.017	0.113	105.5	0.085	7.23	25.7	2.87
Q345646		0.286	0.099	0.019	0.112	94.2	0.092	7.18	28.0	3.82
Q345647		0.313	0.123	0.012	0.115	99.8	0.161	4.71	21.1	4.03
Q345648		0.210	0.091	0.008	0.087	82.8	0.170	3.70	16.9	2.85
Q345649		0.202	0.098	0.010	0.087	98.7	0.219	4.17	29.2	3.29
Q345650		1.355	0.063	0.052	1.465	38.6	8.29	5.91	126.0	4.81
Q345651		0.416	0.104	0.008	0.132	90.7	0.272	4.29	23.5	3.47
Q345652		0.328	0.104	0.010	0.084	75.3	0.272	3.98	17.4	3.45
Q345653		0.441	0.114	0.018	0.105	120.5	0.115	6.52	40.1	3.99
Q345654		0.439	0.108	0.012	0.103	91.0	0.168	4.33	25.1	3.22
Q345655		0.368	0.073	0.027	0.096	94.0	0.101	6.01	37.1	2.58
Q345656		0.412	0.095	0.010	0.110	84.2	0.173	4.39	22.6	3.72
Q345657		0.539	0.083	0.019	0.298	130.0	0.024	7.26	29.0	3.28
Q345658		0.414	0.094	0.021	0.237	132.0	0.069	6.24	18.9	2.77
Q345659		0.377	0.133	0.014	0.176	152.0	0.034	4.52	36.4	2.49
Q345660		0.517	0.082	0.036	0.162	134.5	0.015	7.30	33.6	3.02
Q345661		0.594	0.035	0.052	0.174	133.0	0.002	10.75	18.5	3.39
Q345662		0.463	0.051	0.084	0.135	127.0	0.007	8.43	19.6	2.71
Q345663		0.376	0.001	0.357	0.339	122.0	0.038	13.45	60.1	1.68
Q345664		2.67	0.151	0.039	0.793	92.1	0.566	4.87	41.0	1.95
Q345665		0.403	0.002	0.352	0.231	144.5	0.024	11.00	44.1	1.79
Q345666		0.444	0.002	0.360	0.217	178.0	0.063	11.50	60.7	2.26
Q345667		0.501	0.007	0.151	0.173	144.5	0.041	13.05	82.8	2.15
Q345668		0.430	0.004	0.137	0.114	118.0	0.077	14.20	83.3	1.49
Q345669		0.396	0.006	0.051	0.136	113.5	0.030	10.30	77.1	1.71
Q345670		0.587	0.010	0.057	0.134	128.0	0.008	11.80	31.7	2.44
Q345671		0.617	0.014	0.052	0.114	186.0	0.017	13.05	42.1	2.07
Q345672		0.618	0.011	0.052	0.169	158.0	0.004	12.10	34.7	1.85
Q345673		0.606	0.006	0.045	0.098	139.0	0.008	12.35	30.2	1.47
Q345674		0.601	0.013	0.033	0.118	124.0	0.003	12.10	30.9	1.54
Q345675		1.395	0.059	0.059	1.510	36.0	8.49	5.63	123.5	4.60
Q345676		0.507	0.054	0.037	0.147	136.5	0.007	8.51	31.3	2.29
Q345677		0.567	0.073	0.033	0.119	138.0	0.007	8.48	28.0	1.83
Q345678		0.502	0.001	0.095	0.148	53.1	0.025	7.88	45.6	1.61
Q345679		0.592	0.010	0.042	0.136	62.1	3.24	6.98	33.7	2.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345680		5.98	0.0616	0.576	2.06	1.50	<10	80.2	0.19	0.065	2.39	0.038	8.86	17.75	29.6	2.26
Q345681		5.58	0.0123	0.050	1.94	1.64	<10	107.0	0.20	0.055	2.07	0.030	8.03	16.00	24.9	1.835
Q345682		3.32	0.141	0.035	1.02	1.32	<10	271	0.22	0.004	1.46	0.015	12.50	5.86	8.15	1.180
Q345683		2.54	0.0537	0.180	1.90	1.00	<10	399	0.29	0.033	3.38	0.032	9.00	13.70	24.5	2.39
Q345684		1.85	0.0018	0.012	0.92	0.94	<10	331	0.19	0.005	1.54	0.017	15.30	5.78	9.00	1.880
Q345685		4.67	0.0027	0.014	0.94	1.02	<10	573	0.22	0.007	1.80	0.004	16.50	5.70	7.05	2.44
Q345686		4.67	0.0132	0.099	0.84	14.10	10	827	0.27	0.053	2.80	0.055	13.95	9.86	7.52	3.60
Q345687		6.31	0.0032	0.029	1.64	1.49	<10	480	0.26	0.014	3.33	0.030	8.37	14.80	26.7	2.38
Q345688		6.36	0.0040	0.050	1.23	6.75	<10	672	0.20	0.013	4.75	0.028	8.37	14.45	18.35	2.61
Q345689		0.08	0.0009	0.096	1.81	1.13	<10	134.0	0.12	0.067	1.02	0.075	14.30	9.51	18.70	0.340
Q345690		3.89	0.0080	0.096	0.56	2.97	<10	656	0.24	0.027	4.93	0.024	10.20	14.60	8.84	4.20
Q345691		6.01	0.0156	0.082	1.33	4.40	<10	832	0.22	0.124	4.78	0.036	9.05	13.35	18.35	3.85
Q345692		5.32	0.0108	0.026	1.24	2.46	<10	664	0.29	0.025	2.51	0.035	12.85	8.52	12.25	2.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345680		278	3.63	8.78	0.069	0.043	0.068	0.012	0.14	4.16	13.1	2.02	365	0.38	0.024	0.002
Q345681		44.2	3.48	8.47	0.078	0.118	0.014	0.006	0.11	3.95	13.6	1.67	364	0.57	0.042	0.024
Q345682		3.85	2.45	6.46	0.059	0.412	<0.004	<0.005	0.11	6.32	9.5	0.74	312	0.81	0.072	0.100
Q345683		402	4.18	8.14	0.053	0.041	0.025	0.007	0.18	4.45	15.2	1.68	554	0.41	0.023	0.002
Q345684		8.13	2.26	5.58	0.051	0.326	<0.004	0.007	0.12	7.58	6.5	0.66	295	0.89	0.066	0.028
Q345685		6.70	2.18	5.59	0.039	0.332	<0.004	<0.005	0.15	8.52	5.7	0.67	306	0.46	0.061	0.024
Q345686		260	2.43	3.39	0.031	0.164	0.026	<0.005	0.24	7.06	4.5	0.79	354	0.94	0.040	0.011
Q345687		50.7	4.21	7.58	0.070	0.078	0.015	0.009	0.13	3.71	8.7	1.44	436	0.35	0.038	0.006
Q345688		59.0	3.41	4.92	0.047	0.074	0.055	0.009	0.14	3.91	8.2	1.43	521	0.24	0.033	0.008
Q345689		89.3	3.40	5.91	0.073	0.118	0.004	0.016	0.21	6.99	6.4	0.80	495	5.77	0.211	0.174
Q345690		72.0	3.05	1.480	0.035	0.035	0.038	0.017	0.26	4.77	2.3	1.08	541	0.41	0.011	<0.002
Q345691		81.9	2.90	4.98	0.039	0.041	0.135	0.007	0.20	4.35	6.9	1.47	607	0.39	0.025	0.002
Q345692		23.7	2.48	6.35	0.047	0.279	0.023	0.007	0.16	6.45	8.0	0.87	368	1.13	0.056	0.057

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345680		15.20	0.107	1.110	0.196	0.006	5.62	0.001	0.60	0.051	12.55	1.8	0.16	44.4	<0.005	0.21
Q345681		12.15	0.102	1.250	0.073	0.005	5.00	0.002	0.65	0.058	8.03	1.0	0.21	48.6	<0.005	0.08
Q345682		3.36	0.072	1.255	0.003	<0.002	3.96	0.001	0.01	0.080	3.63	0.1	0.32	39.3	<0.005	0.03
Q345683		12.60	0.106	1.705	0.056	0.003	6.82	0.001	0.16	0.044	9.62	0.9	0.12	63.4	<0.005	0.16
Q345684		3.49	0.068	1.085	0.005	<0.002	4.52	<0.001	0.01	0.070	2.98	0.2	0.23	37.4	<0.005	<0.01
Q345685		3.37	0.071	1.025	0.001	<0.002	5.15	<0.001	0.02	0.061	3.14	0.3	0.15	48.3	<0.005	0.01
Q345686		6.16	0.083	1.645	0.014	0.002	7.05	0.003	0.43	0.096	4.36	0.9	0.45	79.0	<0.005	0.04
Q345687		13.75	0.114	0.593	0.039	0.003	4.05	<0.001	0.35	0.074	12.55	1.1	0.16	86.7	<0.005	0.02
Q345688		10.75	0.104	1.090	0.062	0.003	4.04	0.001	0.31	0.169	10.45	0.8	0.15	95.3	<0.005	0.03
Q345689		13.30	0.058	3.94	0.005	<0.002	7.20	<0.001	0.01	0.205	3.01	0.2	1.35	87.1	<0.005	0.01
Q345690		8.02	0.100	1.400	0.045	0.004	7.71	0.001	0.44	0.075	7.16	1.5	0.07	97.2	<0.005	0.06
Q345691		10.90	0.100	1.185	0.032	0.005	5.96	0.002	0.39	0.065	8.40	0.7	0.09	92.0	<0.005	0.26
Q345692		6.09	0.082	1.230	0.010	0.002	5.24	0.001	0.15	0.054	5.09	0.6	0.20	78.3	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345680		0.546	0.042	0.032	0.185	147.5	0.186	10.60	33.7	1.10
Q345681		0.737	0.125	0.026	0.326	145.5	0.038	7.47	31.6	3.28
Q345682		2.35	0.068	0.024	1.080	56.1	0.078	4.25	22.1	11.30
Q345683		0.539	0.018	0.034	0.185	131.5	0.018	9.40	36.9	1.35
Q345684		2.16	0.017	0.024	0.837	49.4	0.025	4.76	19.3	8.97
Q345685		2.63	0.013	0.042	0.854	46.6	0.028	5.10	20.0	9.11
Q345686		1.655	0.012	0.040	0.480	50.1	0.070	6.49	22.5	4.73
Q345687		0.541	0.059	0.028	0.121	174.0	0.001	9.99	23.7	2.07
Q345688		0.453	0.041	0.028	0.126	136.0	0.011	10.15	23.8	1.66
Q345689		2.78	0.162	0.039	0.836	97.2	0.838	5.33	43.7	2.20
Q345690		0.473	0.001	0.058	0.187	56.3	0.052	9.01	32.2	1.09
Q345691		0.517	0.005	0.035	0.211	79.9	0.016	10.05	32.3	0.87
Q345692		1.755	0.043	0.030	0.757	62.4	0.085	6.49	26.7	7.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 6- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14107687

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

CERTIFICATE KL14110425

Project: Dillard

This report is for 46 Rock samples submitted to our lab in Kamloops, BC, Canada on 22- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347608		7.16	0.0107	0.140	0.80	4.69	<10	116.0	0.18	0.094	0.78	0.115	7.08	15.20	33.0	1.820
Q347609		5.17	0.0131	0.082	1.33	3.32	<10	169.0	0.21	0.036	1.10	0.048	10.90	12.25	41.0	1.650
Q347610		8.03	0.0079	0.095	1.06	3.10	<10	115.5	0.22	0.038	0.96	0.103	8.11	8.66	22.1	1.440
Q347611		5.65	0.0193	0.124	1.31	2.75	<10	104.5	0.23	0.049	1.10	0.071	7.16	10.95	37.0	1.630
Q347612		5.23	0.0187	0.091	1.42	2.47	<10	174.0	0.21	0.050	1.01	0.097	6.13	13.40	17.35	1.980
Q347613		4.50	0.0175	0.111	1.41	2.72	<10	222	0.23	0.064	0.95	0.082	6.73	15.20	17.40	2.48
Q347614		5.08	0.0275	0.288	1.27	3.11	<10	179.0	0.25	0.163	1.09	0.135	5.59	21.3	87.0	2.28
Q347615		6.66	0.0235	0.487	0.80	2.62	<10	135.0	0.30	0.075	1.26	0.103	6.99	31.9	147.5	2.33
Q347616		5.77	0.0519	1.025	1.06	4.22	<10	111.5	0.40	0.137	1.08	0.184	8.06	43.5	140.5	5.29
Q347617		6.10	0.0122	0.364	1.04	1.87	<10	74.8	0.17	0.071	1.11	0.070	6.04	23.2	126.5	3.41
Q347618		4.66	0.137	0.439	1.18	2.58	<10	45.8	0.18	0.107	1.09	0.066	6.00	22.8	104.5	2.06
Q347619		6.29	0.761	0.561	1.15	25.6	<10	85.8	0.39	1.425	0.88	0.074	7.19	29.5	118.0	9.89
Q347620		4.61	0.160	0.240	0.95	2.98	<10	147.0	0.23	0.302	1.23	0.071	7.00	11.25	70.7	2.39
Q347621		3.54	0.584	0.174	1.29	3.84	<10	86.1	0.20	0.556	1.44	0.077	8.37	11.25	26.4	2.32
Q347622		4.22	0.558	0.260	1.16	2.91	<10	153.5	0.16	0.541	1.28	0.060	7.04	8.54	28.0	1.735
Q347623		4.90	0.122	0.116	1.02	2.69	<10	132.0	0.16	0.156	0.99	0.070	5.96	16.35	19.65	1.120
Q347624		6.60	0.0165	0.130	1.94	2.76	<10	153.0	0.23	0.066	0.92	0.153	6.72	12.50	12.80	2.55
Q347625		0.05	0.0005	0.102	1.74	1.10	<10	130.0	0.08	0.073	0.99	0.077	13.85	9.53	18.00	0.295
Q347626		5.15	0.0132	0.243	1.76	2.50	<10	119.5	0.13	0.048	1.26	0.112	7.18	15.60	17.70	1.590
Q347627		4.28	0.0514	0.287	1.96	2.62	<10	116.0	0.16	0.085	1.26	0.125	6.73	20.0	47.7	2.26
Q347628		6.53	0.0147	0.196	1.93	3.02	<10	135.0	0.13	0.105	1.21	0.127	7.97	20.1	15.05	1.905
Q347629		6.16	0.0238	0.172	1.08	3.95	<10	86.1	0.22	0.088	1.11	0.229	5.28	17.25	7.24	0.460
Q347630		5.34	0.0033	0.041	0.95	2.45	<10	62.1	0.18	0.023	1.13	0.207	6.46	5.37	6.19	0.354
Q347631		4.45	0.0034	0.072	1.18	2.64	<10	88.1	0.16	0.033	1.22	0.126	6.13	9.00	7.32	0.421
Q347632		7.06	0.0053	0.063	1.27	2.76	<10	91.6	0.19	0.037	1.11	0.103	7.57	9.56	11.90	0.651
Q347633		4.98	0.0061	0.165	1.52	2.94	<10	129.0	0.20	0.050	1.14	0.128	7.54	15.25	19.95	1.060
Q347634		7.54	0.0060	0.150	2.17	2.94	<10	204	0.17	0.048	1.25	0.051	6.12	20.9	48.5	2.27
Q347635		6.82	0.0050	0.147	2.14	2.54	<10	210	0.13	0.035	1.42	0.028	7.82	21.2	49.3	2.40
Q347636		7.56	0.0040	0.066	2.37	2.47	<10	292	0.11	0.028	1.26	0.035	8.67	24.4	47.7	3.59
Q347637		7.33	0.0060	0.091	1.60	2.90	<10	146.0	0.12	0.035	1.15	0.040	9.59	22.9	34.1	1.420
Q347638		7.17	0.0045	0.106	2.07	2.74	<10	217	0.14	0.043	1.36	0.038	10.45	19.90	35.5	2.50
Q347639		5.71	0.0020	0.082	1.62	3.49	<10	98.6	0.19	0.040	1.30	0.046	10.10	12.90	22.7	1.395
Q347640		6.46	0.0057	0.115	1.02	2.64	<10	71.3	0.17	0.043	0.95	0.077	6.59	9.18	9.50	0.936
Q347641		8.38	0.0056	0.148	1.35	3.31	<10	88.4	0.16	0.054	1.07	0.107	7.76	11.45	20.8	1.860
Q347642		7.69	0.0149	0.263	1.54	3.64	<10	144.0	0.16	0.156	1.16	0.060	8.73	27.7	25.7	2.28
Q347643		7.74	0.0148	0.333	1.65	2.66	<10	174.5	0.18	0.141	1.27	0.021	7.61	20.7	27.6	1.790
Q347644		8.38	0.0035	0.106	1.55	2.59	<10	92.7	0.18	0.122	1.20	0.030	10.30	21.0	24.0	1.485
Q347645		7.53	0.0033	0.083	1.86	3.45	<10	97.1	0.18	0.115	1.26	0.010	9.64	17.55	28.6	2.42
Q347646		5.76	0.0143	0.161	1.72	4.20	<10	104.0	0.18	0.197	1.03	0.057	9.22	15.80	38.7	3.10
Q347647		5.96	0.0085	0.179	1.43	4.16	10	69.3	0.27	0.166	1.17	0.258	12.95	14.60	26.4	5.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347608		136.0	1.760	3.26	0.054	0.104	0.058	0.006	0.14	3.24	5.1	0.47	334	0.43	0.058	0.120
Q347609		122.0	2.51	4.49	0.084	0.147	0.027	0.015	0.18	5.24	8.0	0.72	370	0.41	0.104	0.134
Q347610		97.4	1.950	4.06	0.057	0.136	0.015	<0.005	0.15	3.78	7.2	0.54	280	0.27	0.086	0.094
Q347611		91.3	2.05	4.47	0.077	0.133	0.024	0.006	0.20	3.37	7.3	0.59	277	0.28	0.105	0.066
Q347612		75.5	2.28	5.13	0.080	0.107	0.081	<0.005	0.37	2.98	9.9	0.76	280	0.22	0.103	0.085
Q347613		107.5	2.41	4.89	0.077	0.121	0.032	0.018	0.37	3.36	8.6	0.71	338	0.35	0.098	0.073
Q347614		264	2.78	4.30	0.085	0.118	0.036	0.008	0.28	2.61	7.1	0.81	477	0.64	0.080	0.058
Q347615		1005	3.05	2.75	0.098	0.146	0.050	0.033	0.07	3.24	2.5	0.48	696	0.62	0.044	0.043
Q347616		1645	4.36	4.03	0.086	0.188	0.054	0.035	0.09	3.52	4.6	0.57	801	0.52	0.025	0.018
Q347617		365	3.15	4.25	0.113	0.171	0.035	0.013	0.20	2.67	7.3	0.96	434	0.39	0.071	0.075
Q347618		263	2.85	4.32	0.075	0.199	0.019	0.014	0.14	2.87	10.0	1.11	416	0.30	0.077	0.067
Q347619		234	6.44	5.59	0.129	0.136	0.649	0.076	0.23	3.17	5.9	0.73	1065	1.19	0.033	0.068
Q347620		179.0	2.49	4.36	0.075	0.174	0.140	0.010	0.16	3.40	6.4	0.76	379	0.27	0.072	0.073
Q347621		57.8	2.78	5.51	0.091	0.205	0.287	0.022	0.25	4.30	8.4	0.90	453	0.33	0.076	0.065
Q347622		230	2.45	4.86	0.075	0.182	0.145	0.014	0.17	3.69	7.6	0.76	343	0.24	0.076	0.074
Q347623		71.3	2.14	4.32	0.062	0.157	0.310	0.014	0.13	3.27	7.1	0.67	274	0.25	0.085	0.078
Q347624		210	2.69	7.60	0.078	0.109	0.011	0.013	0.37	3.49	13.0	1.08	372	2.91	0.112	0.080
Q347625		87.1	3.28	5.30	0.074	0.101	<0.004	0.012	0.21	6.73	6.1	0.76	463	5.65	0.208	0.226
Q347626		243	2.42	5.14	0.102	0.131	0.010	0.010	0.52	3.58	11.1	1.13	361	1.50	0.139	0.127
Q347627		348	2.77	5.80	0.129	0.103	0.016	0.014	0.67	3.53	11.4	1.26	397	1.76	0.162	0.161
Q347628		241	3.07	5.62	0.139	0.132	0.010	0.016	0.73	4.02	9.8	1.16	381	1.67	0.155	0.163
Q347629		143.0	1.770	4.10	0.074	0.136	<0.004	0.010	0.15	2.91	8.3	0.56	287	7.34	0.077	0.117
Q347630		44.0	1.070	3.54	0.069	0.156	0.005	0.014	0.14	3.24	6.3	0.39	238	6.40	0.073	0.105
Q347631		64.1	1.600	4.08	0.077	0.140	0.005	0.005	0.19	3.07	7.5	0.60	266	2.42	0.098	0.100
Q347632		80.4	1.920	4.36	0.081	0.175	0.006	0.006	0.23	4.08	8.2	0.73	332	2.32	0.081	0.121
Q347633		158.5	2.52	5.79	0.099	0.143	0.013	0.005	0.43	3.85	10.8	1.01	398	2.49	0.106	0.141
Q347634		134.5	3.58	7.18	0.125	0.091	0.008	0.008	1.03	3.10	16.5	1.72	530	2.34	0.119	0.060
Q347635		154.0	3.90	6.93	0.154	0.108	0.004	0.013	1.21	3.70	13.8	1.72	551	1.11	0.139	0.076
Q347636		91.1	4.50	8.18	0.146	0.126	<0.004	0.016	1.63	4.11	15.1	2.19	755	0.44	0.096	0.062
Q347637		74.2	3.32	5.41	0.132	0.160	<0.004	0.011	0.71	4.48	11.9	1.28	484	0.91	0.082	0.131
Q347638		101.5	3.82	6.42	0.126	0.127	0.004	0.006	1.20	4.92	14.9	1.67	553	0.85	0.111	0.092
Q347639		48.6	2.61	5.05	0.127	0.140	<0.004	0.011	0.50	4.54	12.4	1.19	478	0.87	0.085	0.160
Q347640		72.0	1.730	4.25	0.072	0.110	0.014	0.006	0.17	3.13	8.1	0.62	359	0.91	0.066	0.147
Q347641		118.5	2.25	5.03	0.088	0.089	0.012	<0.005	0.21	3.85	11.4	0.89	451	0.83	0.071	0.262
Q347642		181.5	3.32	5.62	0.159	0.161	0.010	0.025	0.59	4.60	9.2	1.20	534	1.65	0.097	0.167
Q347643		271	3.11	5.31	0.164	0.158	0.009	0.015	0.69	4.12	7.5	1.21	506	2.31	0.096	0.207
Q347644		45.1	2.95	4.51	0.121	0.149	0.012	0.020	0.53	5.01	7.0	1.12	480	0.86	0.067	0.214
Q347645		67.9	3.49	5.86	0.135	0.123	0.007	0.023	0.65	5.05	8.5	1.42	571	1.04	0.071	0.150
Q347646		124.5	3.31	5.89	0.078	0.084	0.012	0.043	0.52	4.76	8.1	1.23	629	1.61	0.054	0.143
Q347647		122.5	3.08	5.00	0.113	0.159	0.028	0.047	0.39	6.34	6.0	1.06	725	2.27	0.057	0.126

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347608		14.25	0.118	5.73	0.002	0.002	6.32	0.001	0.11	0.504	4.65	0.4	0.20	36.5	<0.005	0.12
Q347609		16.65	0.120	2.92	0.004	0.002	9.41	<0.001	0.07	0.249	5.01	0.4	0.26	68.8	<0.005	0.04
Q347610		11.50	0.114	3.17	0.004	<0.002	7.05	<0.001	0.07	0.325	4.04	0.5	0.24	51.5	<0.005	0.07
Q347611		13.45	0.116	3.01	0.002	0.002	9.08	<0.001	0.15	0.241	4.68	0.5	0.20	52.0	<0.005	0.10
Q347612		11.45	0.115	2.49	0.002	0.002	16.95	<0.001	0.22	0.231	3.80	0.4	0.19	62.9	<0.005	0.13
Q347613		14.30	0.119	3.29	0.002	<0.002	16.20	<0.001	0.22	0.224	5.02	0.4	0.14	52.0	<0.005	0.14
Q347614		36.9	0.122	3.27	0.012	0.006	13.95	<0.001	0.26	0.440	8.65	0.6	0.21	49.8	<0.005	0.33
Q347615		44.5	0.142	4.90	0.012	0.006	4.13	<0.001	0.31	0.235	14.00	1.1	0.35	42.8	<0.005	0.08
Q347616		62.5	0.157	5.83	0.016	0.006	6.77	<0.001	0.15	0.366	20.3	1.2	0.41	34.2	<0.005	0.13
Q347617		53.7	0.141	0.893	0.007	0.003	9.79	0.001	0.23	0.304	8.56	0.8	0.28	44.8	<0.005	0.09
Q347618		46.0	0.139	1.495	0.005	0.007	7.68	<0.001	0.23	0.501	6.84	0.6	0.24	46.0	<0.005	0.18
Q347619		96.1	0.117	2.35	0.008	0.005	17.95	0.001	0.10	2.83	14.60	0.4	0.25	30.6	<0.005	1.06
Q347620		30.4	0.125	2.39	0.012	0.005	7.00	<0.001	0.07	0.613	7.69	0.5	0.26	53.1	<0.005	0.25
Q347621		14.20	0.122	2.31	0.005	0.004	10.10	0.001	0.09	0.382	6.22	0.6	0.30	72.1	<0.005	0.61
Q347622		16.70	0.120	2.24	0.003	0.005	6.26	<0.001	0.03	0.320	5.41	0.5	0.23	59.8	<0.005	0.61
Q347623		11.30	0.121	2.11	0.005	0.008	6.20	<0.001	0.19	0.402	4.58	0.3	0.19	57.7	<0.005	0.21
Q347624		13.05	0.119	3.15	0.004	0.002	16.10	0.001	0.21	0.183	5.10	0.6	0.35	67.8	<0.005	0.23
Q347625		14.20	0.056	4.07	0.002	<0.002	6.88	0.001	0.01	0.229	3.24	0.4	1.44	85.3	<0.005	<0.01
Q347626		12.95	0.133	1.530	0.002	0.002	24.5	0.001	0.23	0.177	3.74	1.0	0.34	74.5	<0.005	0.15
Q347627		25.2	0.125	1.720	0.006	0.003	31.1	0.002	0.21	0.131	4.66	0.7	0.29	64.4	<0.005	0.14
Q347628		11.65	0.131	2.23	0.006	0.004	34.3	0.003	0.37	0.072	4.54	1.1	0.28	72.5	<0.005	0.26
Q347629		5.86	0.135	6.34	0.004	0.003	5.00	0.015	0.22	0.090	3.75	0.5	0.18	52.9	<0.005	0.20
Q347630		5.77	0.128	8.14	0.004	0.003	4.49	0.020	0.04	0.087	3.20	0.3	0.23	52.5	<0.005	0.06
Q347631		6.01	0.133	4.56	0.005	0.003	6.74	0.006	0.12	0.076	3.89	0.5	0.22	67.3	<0.005	0.05
Q347632		8.21	0.135	4.16	0.008	0.003	9.62	0.005	0.12	0.108	4.01	0.6	0.25	66.0	<0.005	0.05
Q347633		13.10	0.149	4.60	0.001	<0.002	18.65	0.006	0.30	0.152	3.96	0.6	0.33	66.1	<0.005	0.11
Q347634		18.55	0.179	1.410	0.008	0.002	48.7	0.004	0.19	0.072	4.46	0.8	0.29	66.0	<0.005	0.14
Q347635		17.25	0.164	1.130	0.006	0.003	55.9	<0.001	0.21	0.064	4.65	1.0	0.35	67.8	<0.005	0.11
Q347636		21.4	0.154	0.941	0.002	0.005	71.8	<0.001	0.11	0.069	6.64	0.6	0.31	53.9	<0.005	0.06
Q347637		13.65	0.157	2.20	0.002	0.003	32.4	0.001	0.28	0.133	3.20	0.7	0.25	79.3	<0.005	0.09
Q347638		15.65	0.160	1.355	0.004	0.002	55.5	0.001	0.26	0.073	4.77	0.6	0.29	73.0	<0.005	0.11
Q347639		13.20	0.150	2.21	0.003	0.003	23.8	0.002	0.17	0.203	4.17	0.9	0.27	76.6	<0.005	0.08
Q347640		7.06	0.120	3.81	0.002	0.002	6.81	0.002	0.11	0.205	4.00	0.8	0.21	49.1	<0.005	0.06
Q347641		11.60	0.135	3.21	0.005	0.003	11.00	<0.001	0.12	0.222	4.30	0.5	0.32	59.4	<0.005	0.10
Q347642		14.50	0.141	2.10	0.005	0.003	23.8	0.003	0.27	0.320	6.46	1.0	0.35	59.5	<0.005	0.14
Q347643		15.15	0.161	1.565	0.006	0.003	27.0	0.005	0.27	0.543	6.04	1.1	0.31	70.4	<0.005	0.12
Q347644		12.85	0.148	1.025	0.003	0.002	25.0	0.001	0.23	0.359	4.43	0.6	0.31	86.7	<0.005	0.11
Q347645		15.25	0.153	1.265	0.004	0.004	30.1	0.001	0.12	0.588	5.41	0.5	0.28	82.6	<0.005	0.14
Q347646		15.85	0.139	1.540	0.003	0.003	27.9	0.002	0.10	0.532	6.99	0.7	0.22	51.1	<0.005	0.12
Q347647		16.75	0.155	21.8	0.004	0.005	20.9	0.002	0.11	0.642	8.85	0.7	0.39	46.1	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347608		0.564	0.108	0.079	0.273	63.0	0.272	5.61	32.3	2.91
Q347609		1.035	0.151	0.077	0.342	94.1	0.155	6.38	31.7	5.18
Q347610		0.819	0.143	0.059	0.265	79.1	0.211	6.08	27.0	3.77
Q347611		0.741	0.138	0.088	0.244	78.1	0.602	5.61	25.0	3.37
Q347612		0.598	0.155	0.117	0.252	86.9	0.693	5.62	24.4	2.87
Q347613		0.665	0.141	0.132	0.264	85.5	0.584	6.15	26.5	3.10
Q347614		0.575	0.131	0.123	0.203	84.1	0.624	5.43	36.1	3.32
Q347615		0.536	0.126	0.057	0.273	84.6	0.106	6.14	39.3	4.38
Q347616		0.522	0.092	0.087	0.264	117.0	0.043	8.56	63.0	3.18
Q347617		0.388	0.209	0.089	0.275	109.0	0.130	6.73	35.7	5.08
Q347618		0.395	0.202	0.067	0.223	103.5	0.175	6.00	33.8	5.13
Q347619		0.501	0.118	0.799	0.286	124.5	0.258	9.38	61.7	3.79
Q347620		0.531	0.160	0.114	0.203	97.1	0.176	7.58	31.3	6.13
Q347621		0.757	0.154	0.074	0.305	110.0	0.290	6.65	36.0	6.33
Q347622		0.557	0.137	0.053	0.315	100.5	0.153	6.84	27.9	5.78
Q347623		0.497	0.150	0.053	0.273	86.3	0.286	6.12	23.5	4.29
Q347624		0.475	0.124	0.090	0.216	99.7	0.279	7.66	37.5	3.16
Q347625		2.64	0.151	0.046	0.796	96.7	0.671	5.27	43.9	2.09
Q347626		0.595	0.203	0.115	0.376	90.9	0.470	6.37	36.1	3.84
Q347627		0.531	0.215	0.163	0.209	100.5	2.58	6.68	40.9	3.17
Q347628		0.611	0.204	0.168	0.209	99.7	0.382	6.58	36.1	4.57
Q347629		0.405	0.150	0.024	0.197	78.4	1.135	5.30	30.6	3.83
Q347630		0.444	0.141	0.023	0.242	62.9	0.814	5.17	29.3	4.11
Q347631		0.427	0.154	0.029	0.207	79.0	0.860	5.63	28.1	4.18
Q347632		0.598	0.158	0.040	0.243	81.9	0.505	6.20	31.5	5.09
Q347633		0.519	0.182	0.089	0.214	95.0	0.496	6.29	43.0	4.42
Q347634		0.360	0.241	0.208	0.187	135.0	0.463	6.97	55.9	2.50
Q347635		0.521	0.270	0.263	0.220	141.5	0.430	6.89	53.1	3.72
Q347636		0.667	0.285	0.317	0.227	172.0	0.291	7.39	58.5	3.48
Q347637		0.703	0.236	0.145	0.298	112.0	0.347	7.23	40.8	5.54
Q347638		0.645	0.258	0.235	0.230	132.0	0.441	7.36	52.7	4.44
Q347639		0.672	0.230	0.114	0.281	94.6	0.386	6.84	44.1	4.48
Q347640		0.500	0.135	0.048	0.207	70.6	0.910	5.22	28.8	3.47
Q347641		0.598	0.149	0.072	0.239	85.6	0.462	6.02	41.9	3.41
Q347642		0.734	0.219	0.164	0.303	113.5	0.302	7.81	47.0	5.74
Q347643		0.635	0.233	0.167	0.311	111.0	0.314	8.58	47.1	5.41
Q347644		0.744	0.213	0.139	0.358	101.0	0.277	7.32	40.7	5.39
Q347645		0.762	0.230	0.187	0.272	117.5	0.352	7.45	53.7	4.63
Q347646		0.726	0.148	0.204	0.238	119.5	0.377	6.40	49.3	3.38
Q347647		1.045	0.189	0.245	0.345	111.5	0.288	8.36	108.0	4.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347648		7.99	0.0117	0.508	1.08	30.8	<10	93.3	0.41	0.893	1.67	0.842	14.85	40.3	31.3	5.06
Q347649		6.01	0.0309	1.275	0.93	91.3	<10	460	0.45	0.448	0.94	1.755	11.05	28.6	22.6	8.20
Q347650		0.05	0.0007	0.100	1.86	1.18	<10	134.0	0.09	0.068	1.07	0.073	14.50	9.26	17.85	0.329
Q347651		6.24	0.0114	0.381	1.39	5.72	<10	76.7	0.33	0.097	1.20	0.163	9.29	18.25	29.6	5.62
Q347652		7.57	0.0102	0.269	1.69	6.33	<10	156.0	0.16	0.074	1.05	0.221	11.80	15.65	20.7	7.76
Q347653		5.98	0.0106	0.284	1.37	10.10	<10	165.5	0.25	0.117	0.92	0.209	9.82	13.45	14.50	3.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347648		163.5	7.24	3.64	0.072	0.049	0.278	0.264	0.34	7.14	6.2	0.49	1530	7.33	0.009	0.015
Q347649		445	3.92	3.46	0.054	0.061	0.680	0.062	0.24	5.29	2.3	0.22	939	11.05	0.021	0.017
Q347650		85.7	3.40	5.54	0.074	0.099	<0.004	0.018	0.21	7.09	6.5	0.79	497	5.76	0.224	0.206
Q347651		471	3.37	4.98	0.073	0.108	0.023	0.019	0.22	4.63	5.6	0.65	650	6.82	0.065	0.087
Q347652		355	3.65	5.50	0.122	0.111	0.053	0.008	0.80	5.71	6.8	1.15	595	5.71	0.073	0.119
Q347653		333	2.52	5.33	0.071	0.139	0.134	0.016	0.40	4.95	6.5	0.73	424	2.81	0.094	0.121

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347648		30.1	0.149	419	0.006	0.006	15.85	0.004	0.88	3.40	15.40	1.9	0.16	28.0	<0.005	0.17
Q347649		20.7	0.151	1385	0.007	0.005	15.65	0.003	0.32	12.10	13.30	1.3	0.30	49.1	<0.005	0.19
Q347650		13.80	0.058	4.98	0.002	<0.002	6.77	<0.001	0.01	0.228	3.41	0.2	1.32	90.1	<0.005	<0.01
Q347651		17.20	0.165	10.25	0.004	0.004	11.15	0.002	0.10	0.694	10.25	0.6	0.33	71.2	<0.005	0.08
Q347652		16.55	0.151	35.3	0.004	0.002	34.3	0.002	0.06	2.14	7.15	0.6	0.35	59.4	<0.005	0.08
Q347653		12.40	0.129	45.8	0.003	0.003	17.60	0.003	0.15	2.67	5.72	0.6	0.25	59.8	<0.005	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347648		0.969	0.009	0.244	0.597	120.5	0.212	11.25	1015	1.82
Q347649		0.771	0.016	0.435	0.589	90.9	0.135	9.37	951	2.02
Q347650		2.72	0.164	0.043	0.846	97.7	0.646	5.48	44.8	2.21
Q347651		0.573	0.142	0.194	0.253	107.5	0.137	8.23	85.4	3.74
Q347652		0.803	0.202	0.343	0.299	117.0	0.170	8.44	104.0	4.31
Q347653		0.787	0.119	0.192	0.263	95.4	0.144	8.25	101.5	4.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 8- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110425

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

CERTIFICATE KL14110424

Project: Dillard

This report is for 33 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 22-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110424

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345798	6.94	0.0182	0.180	1.87	2.41	<10	24.7	0.27	0.037	2.47	0.030	8.95	29.4	84.8	1.640
Q345799	7.89	0.0102	0.174	1.97	2.26	<10	22.4	0.26	0.028	2.78	0.058	7.72	28.8	77.1	1.580
Q345800	0.05	0.711	55.8	1.03	964	10	107.5	0.16	26.0	3.18	1.050	14.00	35.8	29.9	0.749
Q345801	8.91	0.0063	0.139	1.60	2.27	<10	30.6	0.27	0.042	3.34	0.104	11.05	23.9	35.7	2.45
Q345802	6.72	0.0104	0.215	1.30	2.28	<10	24.7	0.18	0.022	2.80	0.029	6.76	39.2	46.5	1.445
Q345803	7.87	0.0047	0.123	1.35	1.84	<10	28.5	0.18	0.014	2.75	0.028	6.65	27.7	46.2	1.190
Q345804	8.39	0.0869	0.510	1.44	2.94	<10	46.7	0.22	0.054	4.55	0.121	9.33	31.4	47.3	1.960
Q345805	7.93	0.0063	0.133	1.32	3.43	<10	37.5	0.20	0.012	2.93	0.070	8.36	29.3	39.0	1.805
Q345806	7.81	0.0150	0.306	1.84	1.94	<10	77.8	0.22	0.046	4.08	0.032	9.62	31.4	40.5	3.95
Q345807	7.88	0.0121	0.247	1.75	1.71	<10	55.4	0.19	0.022	3.44	0.062	8.07	20.3	20.8	4.17
Q345808	8.15	0.0104	0.126	1.74	2.94	<10	82.7	0.15	0.021	2.84	0.019	7.35	19.55	26.2	2.68
Q345809	7.70	0.0228	0.332	1.59	2.96	<10	59.5	0.22	0.055	2.44	0.040	10.40	30.3	51.3	4.53
Q345810	7.53	0.0145	0.229	1.16	3.33	<10	113.0	0.20	0.035	3.14	0.073	11.25	22.7	16.55	5.40
Q345811	7.52	0.0075	0.235	1.78	2.54	<10	64.9	0.25	0.032	2.68	0.035	6.20	20.6	22.9	3.47
Q345812	7.58	0.0187	0.262	1.95	3.24	<10	85.6	0.27	0.045	4.16	0.056	10.10	23.4	41.4	4.19
Q345813	7.49	0.0103	1.925	1.69	22.4	<10	46.9	0.37	0.098	5.27	4.39	13.90	29.8	44.9	5.02
Q345814	0.05	0.0005	0.105	1.75	1.05	<10	135.0	0.10	0.065	0.99	0.063	15.15	10.15	18.85	0.305
Q345815	8.22	0.0338	1.030	1.36	174.0	<10	48.8	0.28	0.167	6.24	0.988	11.15	95.6	26.1	4.52
Q345816	7.47	0.109	0.747	1.55	5.05	<10	53.1	0.20	0.169	6.14	0.081	11.65	23.9	35.3	3.14
Q345817	7.08	0.0274	0.301	2.66	5.27	<10	149.5	0.29	0.057	4.48	0.062	11.70	27.0	83.1	4.18
Q345818	7.12	0.0195	0.423	2.20	2.88	<10	63.6	0.21	0.073	3.16	0.104	8.06	46.0	102.0	2.34
Q345819	7.25	0.0142	0.348	1.84	3.41	<10	77.1	0.22	0.103	4.49	0.133	9.27	34.5	57.4	3.16
Q345820	7.65	0.0173	0.489	2.04	4.22	<10	64.5	0.24	0.139	3.98	0.070	8.30	34.4	62.4	2.60
Q345821	8.21	0.0247	0.741	1.70	4.35	<10	59.9	0.17	0.097	3.19	0.061	6.86	26.9	54.2	1.475
Q345822	7.81	0.0410	0.683	2.06	2.72	<10	46.1	0.24	0.056	2.84	0.057	6.67	18.90	46.2	1.510
Q345823	7.26	0.0133	0.215	1.90	1.89	<10	111.0	0.29	0.036	2.83	0.037	6.35	16.95	44.9	1.765
Q345824	7.54	0.0149	0.117	1.59	4.04	<10	260	0.24	0.016	3.90	0.039	10.65	10.40	15.15	5.04
Q345825	0.05	0.693	58.7	1.08	990	10	111.0	0.17	25.9	3.29	1.135	14.95	37.8	31.0	0.811
Q345826	6.93	0.0191	0.333	1.69	1.88	<10	193.0	0.21	0.028	2.60	0.053	6.13	11.95	16.85	2.08
Q345827	7.45	0.0194	0.244	1.58	1.31	<10	121.5	0.13	0.033	3.51	0.035	4.99	10.95	15.50	1.995
Q345828	7.65	0.0099	0.191	1.52	1.48	<10	163.5	0.17	0.034	3.39	0.061	8.10	11.35	16.80	2.46
Q345829	7.01	0.0036	0.061	1.78	1.81	<10	314	0.20	0.010	3.27	0.050	8.05	10.40	16.20	3.06
Q345830	6.35	0.0120	0.265	1.96	2.09	<10	46.2	0.29	0.032	4.32	0.098	10.35	18.90	57.0	4.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110424

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345798		1150	4.12	7.69	0.179	0.102	0.142	<0.005	0.06	4.09	17.5	2.06	145.0	14.40	0.045	0.109
Q345799		1310	4.40	6.90	0.172	0.131	0.135	<0.005	0.06	3.59	13.2	1.86	174.0	16.20	0.046	0.095
Q345800		3570	2.90	3.38	0.070	0.136	0.663	0.094	0.14	8.38	7.6	0.35	646	515	0.094	0.270
Q345801		930	3.83	6.53	0.108	0.107	0.088	0.007	0.08	5.27	12.0	1.57	226	9.61	0.037	0.059
Q345802		1685	5.25	4.79	0.112	0.124	0.096	<0.005	0.06	3.17	6.4	1.20	183.5	8.87	0.038	0.075
Q345803		1015	4.39	4.53	0.095	0.122	0.055	0.009	0.07	3.20	7.5	1.22	190.5	9.51	0.041	0.088
Q345804		2260	5.14	5.64	0.107	0.098	0.172	0.015	0.07	4.33	8.5	1.50	485	4.01	0.041	0.023
Q345805		1140	4.49	4.22	0.090	0.121	0.096	0.015	0.08	3.77	5.9	1.49	259	12.00	0.046	0.054
Q345806		1250	5.09	6.40	0.098	0.067	0.115	0.013	0.11	4.14	10.9	1.84	311	15.35	0.061	0.016
Q345807		1180	3.51	6.48	0.089	0.040	0.044	<0.005	0.08	3.43	12.2	1.80	208	25.0	0.049	0.038
Q345808		708	3.50	6.03	0.099	0.114	0.070	<0.005	0.08	3.26	11.9	1.61	207	11.35	0.071	0.063
Q345809		1360	4.69	5.68	0.110	0.124	0.257	0.009	0.07	5.22	10.8	1.55	261	7.99	0.045	0.051
Q345810		1010	3.77	3.88	0.073	0.084	0.106	<0.005	0.11	4.63	6.2	1.30	252	25.8	0.047	0.021
Q345811		928	3.56	5.84	0.099	0.112	0.092	<0.005	0.08	2.39	17.1	1.80	181.5	12.35	0.045	0.050
Q345812		802	4.71	7.10	0.076	0.095	0.084	0.023	0.13	4.83	13.4	2.01	353	12.30	0.042	0.025
Q345813		700	5.72	4.90	0.066	0.055	0.226	0.023	0.17	6.67	14.7	1.85	512	5.45	0.025	0.003
Q345814		92.7	3.41	5.16	0.063	0.089	0.004	<0.005	0.21	7.00	6.0	0.79	503	5.66	0.211	0.236
Q345815		793	5.72	4.10	0.059	0.032	0.150	0.028	0.19	5.41	9.1	1.66	513	10.25	0.021	0.004
Q345816		1075	5.30	5.38	0.059	0.041	0.119	0.028	0.14	5.46	10.5	1.58	562	8.60	0.029	0.006
Q345817		834	5.52	7.97	0.122	0.145	0.065	0.046	0.08	5.60	17.3	2.64	527	3.23	0.033	0.018
Q345818		1170	4.59	7.94	0.148	0.144	0.139	0.025	0.04	3.66	15.3	2.38	374	12.55	0.029	0.037
Q345819		701	4.73	5.23	0.074	0.132	0.215	0.036	0.06	4.35	11.4	1.87	422	8.78	0.036	0.017
Q345820		629	5.12	6.39	0.093	0.145	0.129	0.016	0.08	4.06	12.3	1.86	437	8.84	0.039	0.029
Q345821		567	4.43	5.16	0.086	0.185	0.131	0.015	0.07	3.37	10.1	1.59	355	6.16	0.044	0.054
Q345822		539	3.66	6.31	0.111	0.208	0.075	0.009	0.06	3.19	13.1	1.76	347	13.00	0.045	0.038
Q345823		406	3.26	5.28	0.099	0.173	0.037	0.005	0.05	2.84	11.8	1.72	360	9.61	0.041	0.022
Q345824		482	2.73	5.34	0.054	0.078	0.033	0.009	0.11	4.89	9.9	1.37	442	1.99	0.037	0.004
Q345825		3720	3.00	3.61	0.064	0.155	0.698	0.083	0.15	9.03	7.4	0.36	672	535	0.096	0.246
Q345826		844	2.36	5.90	0.070	0.100	0.022	<0.005	0.09	2.64	14.8	1.59	323	2.45	0.038	0.024
Q345827		617	2.48	5.11	0.053	0.067	0.025	<0.005	0.14	2.01	12.8	1.51	284	1.19	0.039	0.033
Q345828		339	2.49	5.21	0.047	0.080	0.023	<0.005	0.10	3.35	11.1	1.44	318	3.83	0.039	0.018
Q345829		163.0	2.70	5.93	0.055	0.115	0.015	0.009	0.10	3.59	11.9	1.52	393	0.97	0.043	0.014
Q345830		476	3.34	6.51	0.058	0.111	0.059	0.021	0.07	4.48	13.8	1.74	491	6.00	0.040	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110424

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345798		45.4	0.165	0.543	0.011	0.006	2.95	0.044	3.27	0.044	7.09	6.6	0.46	101.0	<0.005	0.05
Q345799		46.6	0.136	1.575	0.011	0.003	3.18	0.051	3.41	0.057	6.19	7.8	0.40	111.0	<0.005	0.04
Q345800		28.6	0.075	88.9	0.003	<0.002	5.11	0.103	0.50	131.0	1.765	2.4	1.87	125.5	<0.005	2.60
Q345801		24.9	0.151	2.72	0.011	0.002	4.04	0.037	3.02	0.109	5.71	5.3	0.34	104.0	<0.005	0.09
Q345802		43.3	0.158	0.932	0.013	0.004	3.12	0.033	4.29	0.120	3.56	8.9	0.24	116.5	<0.005	0.11
Q345803		34.2	0.175	0.434	0.012	0.003	3.49	0.034	3.00	0.071	3.92	5.5	0.29	123.5	<0.005	0.06
Q345804		33.3	0.167	1.505	0.008	0.003	4.12	0.018	3.00	0.263	12.75	6.7	0.33	101.0	<0.005	0.18
Q345805		29.4	0.161	1.625	0.012	<0.002	4.21	0.059	3.30	0.361	6.70	6.7	0.22	133.0	<0.005	0.10
Q345806		27.6	0.151	1.105	0.010	0.004	4.99	0.052	3.96	0.241	11.15	7.7	0.21	245	<0.005	0.16
Q345807		14.60	0.117	1.015	0.007	0.002	4.45	0.106	2.74	0.066	8.96	5.4	0.20	161.0	<0.005	0.11
Q345808		17.10	0.132	0.363	0.006	0.002	3.74	0.035	2.61	0.064	7.03	4.0	0.27	165.0	<0.005	0.09
Q345809		31.5	0.169	0.952	0.010	0.003	3.99	0.030	3.62	0.341	5.92	6.9	0.36	143.0	<0.005	0.15
Q345810		15.80	0.121	1.615	0.007	0.002	5.44	0.043	2.54	0.587	9.43	6.6	0.21	134.5	<0.005	0.13
Q345811		16.55	0.116	0.552	0.005	0.002	4.02	0.021	3.43	0.082	6.45	7.9	0.21	136.5	<0.005	0.06
Q345812		26.7	0.147	1.045	0.008	0.002	5.16	0.044	2.93	0.164	9.59	4.3	0.29	190.0	<0.005	0.08
Q345813		35.7	0.175	83.1	0.014	0.004	6.08	0.023	3.86	13.85	12.05	4.9	0.17	106.0	<0.005	0.23
Q345814		15.30	0.059	4.23	0.004	<0.002	6.80	0.001	0.01	0.218	3.01	0.3	1.26	86.2	<0.005	<0.01
Q345815		79.6	0.143	109.0	0.008	0.005	5.91	0.021	3.88	4.57	8.22	6.2	0.33	91.7	<0.005	0.12
Q345816		23.1	0.144	1.685	0.008	0.002	5.24	0.018	3.83	0.526	8.64	5.9	0.11	94.1	<0.005	0.45
Q345817		54.0	0.150	1.500	0.011	0.004	3.88	0.012	1.91	0.424	12.40	4.7	0.32	133.0	<0.005	0.09
Q345818		76.7	0.130	1.115	0.005	0.003	2.44	0.048	2.48	0.129	8.93	5.1	0.47	183.5	<0.005	0.15
Q345819		42.2	0.149	1.215	0.009	0.002	3.47	0.032	3.58	0.187	11.65	4.0	0.36	126.0	<0.005	0.27
Q345820		50.1	0.161	1.125	0.008	0.003	4.16	0.033	3.92	0.118	5.97	4.4	0.38	166.0	<0.005	0.35
Q345821		41.3	0.164	0.963	0.008	0.003	2.95	0.018	3.43	0.079	4.54	3.3	0.40	63.7	<0.005	0.26
Q345822		24.8	0.143	1.210	0.006	0.003	2.34	0.037	2.05	0.072	5.53	2.4	0.36	76.6	<0.005	0.13
Q345823		21.5	0.119	0.879	0.005	0.004	2.06	0.026	1.40	0.052	7.27	2.7	0.37	151.0	<0.005	0.05
Q345824		10.40	0.108	1.000	0.004	<0.002	4.83	0.009	0.45	0.143	7.33	1.4	0.17	147.0	<0.005	0.03
Q345825		30.9	0.076	89.0	0.003	<0.002	5.30	0.115	0.51	139.5	1.735	3.0	2.19	131.0	<0.005	2.53
Q345826		10.20	0.103	0.768	0.002	<0.002	3.37	0.014	1.26	0.063	4.01	2.8	0.16	213	<0.005	0.04
Q345827		10.40	0.108	0.821	0.002	<0.002	4.38	0.006	2.27	0.068	3.17	4.4	0.16	144.0	<0.005	0.04
Q345828		10.50	0.106	0.850	0.003	0.002	4.22	0.013	1.62	0.081	4.51	3.0	0.24	150.5	<0.005	0.13
Q345829		10.05	0.110	1.190	0.003	0.003	4.16	0.004	0.77	0.090	5.35	1.4	0.24	173.0	<0.005	0.03
Q345830		42.3	0.113	6.25	0.001	0.002	4.28	0.028	1.16	0.055	11.20	2.8	0.26	125.0	<0.005	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110424

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345798		0.532	0.230	0.017	0.195	145.0	0.160	10.30	12.6	2.84
Q345799		0.439	0.236	0.014	0.206	127.5	0.187	8.65	15.7	3.72
Q345800		1.605	0.056	0.067	1.695	36.9	9.44	5.94	125.5	4.61
Q345801		0.635	0.094	0.028	0.185	105.5	0.123	9.80	22.8	2.84
Q345802		0.364	0.148	0.016	0.191	127.5	0.148	6.26	15.3	2.61
Q345803		0.332	0.156	0.016	0.176	144.0	0.152	6.53	14.3	3.07
Q345804		0.387	0.081	0.027	0.154	144.0	0.076	10.00	40.2	2.56
Q345805		0.402	0.107	0.019	0.234	96.1	0.068	8.85	21.3	3.01
Q345806		0.462	0.053	0.026	0.152	130.5	0.099	10.10	23.4	1.55
Q345807		0.298	0.070	0.025	0.115	123.0	0.122	9.32	18.3	1.24
Q345808		0.324	0.138	0.023	0.148	128.5	0.143	6.86	14.8	2.23
Q345809		0.572	0.102	0.031	0.334	111.0	0.155	7.95	17.8	3.00
Q345810		0.421	0.042	0.043	0.186	81.4	0.068	10.25	15.5	2.33
Q345811		0.254	0.145	0.027	0.111	111.5	0.211	6.54	18.9	2.48
Q345812		0.374	0.073	0.031	0.168	135.0	0.103	9.33	20.6	2.40
Q345813		0.576	0.003	0.037	0.160	109.0	0.062	12.55	220	1.47
Q345814		2.94	0.145	0.054	0.892	99.6	0.619	5.23	45.3	2.08
Q345815		0.346	0.002	0.039	0.196	81.8	0.082	11.60	68.2	1.32
Q345816		0.346	0.010	0.035	0.175	98.6	0.091	10.70	25.7	1.22
Q345817		0.486	0.095	0.020	0.179	150.0	0.109	11.05	26.1	2.51
Q345818		0.376	0.148	0.015	0.172	135.5	0.144	8.50	21.3	3.55
Q345819		0.419	0.036	0.023	0.138	108.5	0.091	11.25	23.6	2.68
Q345820		0.357	0.090	0.027	0.162	110.5	0.152	7.52	21.8	3.24
Q345821		0.398	0.122	0.022	0.215	92.0	0.154	5.94	18.6	4.02
Q345822		0.388	0.110	0.016	0.213	98.9	0.127	5.40	23.8	4.20
Q345823		0.274	0.108	0.012	0.175	91.5	0.137	5.35	22.8	4.15
Q345824		0.401	0.006	0.023	0.137	84.1	0.024	9.72	23.8	1.83
Q345825		1.750	0.059	0.065	1.735	38.9	10.35	6.17	129.5	4.86
Q345826		0.262	0.071	0.015	0.094	75.9	0.078	6.14	21.5	1.96
Q345827		0.223	0.096	0.023	0.106	72.8	0.146	5.28	18.5	1.76
Q345828		0.319	0.036	0.024	0.108	70.6	0.068	8.07	20.4	1.56
Q345829		0.302	0.030	0.020	0.128	73.1	0.038	7.86	25.4	1.88
Q345830		0.448	0.010	0.019	0.154	89.3	0.036	12.45	35.7	2.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110424

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

CERTIFICATE KL14108394

Project: Dillard

This report is for 81 Rock samples submitted to our lab in Kamloops, BC, Canada on 24- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347654		6.04	0.0122	0.198	2.64	2.79	<10	281	0.25	0.121	0.95	0.125	9.75	13.70	18.00	5.92
Q347655		6.86	0.0105	0.166	2.79	1.84	<10	364	0.24	0.052	1.11	0.092	9.88	18.55	17.75	4.94
Q347656		6.23	0.0216	0.196	2.43	2.62	<10	262	0.19	0.060	1.12	0.087	8.42	15.10	20.9	3.64
Q347657		5.78	0.0092	0.178	2.39	2.16	<10	322	0.19	0.055	1.12	0.076	8.13	16.90	18.35	3.15
Q347658		5.75	0.0127	0.231	2.05	4.58	<10	216	0.19	0.064	1.11	0.108	7.34	14.20	21.2	3.34
Q347659		4.59	0.0076	0.218	1.62	4.14	<10	84.6	0.23	0.110	1.26	0.097	5.50	17.85	31.3	3.17
Q347660		6.28	0.0181	0.462	1.96	4.40	<10	109.5	0.26	0.263	1.08	0.120	4.41	40.8	43.3	3.14
Q347661		5.48	0.0150	0.225	1.96	8.27	<10	182.5	0.18	0.115	1.32	0.065	5.87	20.8	44.6	2.56
Q347662		5.30	0.0109	0.197	2.26	4.97	<10	144.5	0.21	0.067	1.09	0.076	12.45	19.20	31.5	2.85
Q347663		5.28	0.0212	0.309	1.95	4.22	<10	89.4	0.25	0.096	1.18	0.082	11.75	21.0	28.0	3.79
Q347664		6.61	0.0204	0.216	1.95	1.98	<10	112.5	0.22	0.093	1.22	0.063	7.40	12.80	14.15	3.47
Q347665		5.65	0.0268	0.290	2.18	1.71	<10	162.0	0.16	0.055	1.23	0.061	10.10	19.85	30.3	3.00
Q347666		6.25	0.0183	0.241	1.84	1.72	<10	116.0	0.18	0.081	1.21	0.057	7.30	15.40	16.60	2.50
Q347667		5.67	0.0370	0.263	1.63	2.80	<10	146.5	0.23	0.457	0.99	0.098	5.05	14.70	14.35	2.12
Q347668		8.11	0.0210	0.158	2.78	1.34	<10	181.5	0.23	0.073	1.47	0.044	5.81	12.95	17.60	2.30
Q347669		5.20	0.0378	0.357	2.53	1.55	<10	278	0.18	0.092	1.14	0.045	12.10	23.6	35.2	3.30
Q347670		6.57	0.0408	0.543	1.85	2.52	<10	124.5	0.17	0.192	1.25	0.062	11.60	25.6	26.9	1.630
Q347671		6.16	0.0111	0.282	1.89	1.94	<10	145.0	0.13	0.081	1.11	0.051	12.30	23.4	22.9	2.00
Q347672		5.26	0.0197	0.259	2.47	1.64	<10	338	0.16	0.049	1.21	0.043	11.95	21.9	18.25	3.70
Q347673		5.20	0.0203	0.216	1.73	1.68	<10	115.0	0.13	0.061	1.43	0.054	6.11	15.05	24.5	1.825
Q347674		5.70	0.0155	0.236	1.89	1.61	<10	189.0	0.12	0.074	1.53	0.056	5.31	19.00	28.6	1.805
Q347675		0.03	0.0012	0.091	1.85	1.28	<10	135.5	0.09	0.060	1.07	0.073	13.75	9.25	17.50	0.315
Q347676		5.06	0.0089	0.157	2.24	1.54	<10	183.0	0.14	0.022	1.59	0.023	5.67	16.10	39.0	2.64
Q347677		7.47	0.0639	0.279	2.08	2.21	<10	153.5	0.16	0.039	1.53	0.056	5.83	17.85	36.7	3.11
Q347678		5.39	0.0351	0.414	2.04	2.96	<10	135.5	0.17	0.185	1.12	0.067	4.83	20.1	43.4	3.95
Q347679		5.95	0.0208	0.287	2.27	1.87	<10	105.0	0.30	0.105	1.27	0.086	8.13	14.65	16.25	3.99
Q347680		6.65	0.120	0.837	1.49	2.28	<10	129.0	0.17	0.162	1.22	0.077	9.08	28.7	53.4	3.38
Q347681		5.76	0.207	1.060	1.21	3.85	<10	112.5	0.17	0.326	1.19	0.083	8.37	33.0	54.1	2.35
Q347682		5.46	0.0380	0.462	1.51	3.96	<10	117.0	0.21	0.563	1.23	0.116	8.75	37.0	45.1	3.42
Q347683		6.77	0.0330	0.550	1.22	2.58	<10	78.1	0.16	0.163	1.09	0.109	4.89	18.75	21.9	2.01
Q347684		6.54	0.0140	0.225	2.12	1.46	<10	165.0	0.12	0.067	1.24	0.052	4.57	17.80	35.7	3.93
Q347685		6.90	0.0446	0.511	1.69	1.02	<10	193.0	0.14	0.037	1.14	0.078	5.44	18.40	30.8	4.33
Q347686		6.16	0.0441	0.530	1.47	2.31	<10	95.2	0.17	0.091	1.12	0.068	6.09	16.30	25.4	3.33
Q347687		7.12	0.0089	0.093	1.12	1.38	<10	81.1	0.14	0.081	1.04	0.039	6.64	10.65	9.83	2.22
Q347688		6.12	0.0055	0.104	1.13	1.05	<10	86.9	0.14	0.076	0.97	0.052	5.35	14.85	10.25	1.945
Q347689		6.36	0.0434	0.719	1.53	0.73	<10	116.5	0.19	0.038	1.10	0.040	6.24	16.80	28.0	3.73
Q347690		8.03	0.0081	0.103	1.38	0.98	<10	140.5	0.24	0.018	1.21	0.037	6.50	11.90	19.95	4.35
Q347691		6.98	0.0139	0.142	1.42	4.64	<10	420	0.23	0.033	1.30	0.139	6.50	13.70	20.7	3.31
Q347692		4.20	0.0162	0.123	1.81	0.71	<10	138.0	0.14	0.022	1.66	0.031	5.37	11.95	23.7	2.65
Q347693		5.99	0.0153	0.170	1.36	1.90	<10	114.5	0.15	0.086	1.21	0.080	5.65	20.9	21.4	2.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347654		444	3.41	8.46	0.063	0.128	0.026	0.009	0.95	4.59	13.6	1.40	414	2.48	0.149	0.027
Q347655		539	3.31	8.16	0.072	0.178	0.032	0.009	1.14	4.42	13.4	1.45	504	2.03	0.223	0.044
Q347656		620	3.13	7.66	0.080	0.158	0.129	0.015	1.00	4.02	13.0	1.51	451	1.25	0.190	0.081
Q347657		531	3.04	7.51	0.066	0.174	0.073	0.010	0.97	3.97	12.1	1.38	444	1.15	0.201	0.090
Q347658		346	2.99	7.33	0.054	0.121	0.017	0.016	0.53	3.71	12.1	1.22	482	1.58	0.148	0.074
Q347659		259	2.40	5.55	0.053	0.121	0.006	0.010	0.22	2.58	8.5	0.87	475	1.26	0.103	0.032
Q347660		490	4.09	8.25	0.077	0.082	0.015	0.009	0.26	2.18	17.1	1.56	643	5.04	0.060	0.042
Q347661		323	3.35	6.96	0.077	0.164	0.037	0.018	0.50	2.90	11.6	1.52	504	0.97	0.141	0.047
Q347662		318	4.31	8.24	0.103	0.132	0.035	0.030	0.40	6.01	16.0	2.14	721	1.25	0.094	0.067
Q347663		450	3.87	7.40	0.086	0.117	0.042	0.017	0.31	5.71	13.9	1.58	604	1.73	0.079	0.110
Q347664		313	2.75	6.31	0.052	0.127	0.060	0.012	0.55	3.54	7.3	0.86	444	3.71	0.162	0.085
Q347665		331	3.49	6.60	0.091	0.117	0.020	0.008	0.98	4.87	9.7	1.45	511	4.15	0.128	0.097
Q347666		331	2.83	6.10	0.059	0.144	0.024	0.005	0.43	3.44	8.8	0.93	376	1.85	0.134	0.095
Q347667		499	2.90	5.38	0.048	0.097	0.045	0.017	0.31	2.58	7.2	0.66	487	3.97	0.118	0.085
Q347668		215	2.86	8.39	0.090	0.148	0.011	0.006	0.52	3.02	12.1	1.05	486	1.47	0.254	0.061
Q347669		612	4.67	8.31	0.135	0.126	0.016	0.016	1.23	5.91	11.0	1.76	620	1.55	0.130	0.120
Q347670		761	4.02	6.35	0.112	0.109	0.011	0.014	0.47	5.79	9.9	1.32	537	1.91	0.122	0.166
Q347671		624	4.46	6.87	0.147	0.236	0.008	0.017	0.78	6.47	8.8	1.48	591	2.27	0.114	0.143
Q347672		537	4.91	8.36	0.125	0.217	0.012	0.019	1.21	5.85	10.9	1.89	662	1.68	0.146	0.087
Q347673		436	2.92	5.38	0.075	0.136	0.011	0.011	0.41	3.09	7.4	0.94	325	0.99	0.141	0.068
Q347674		386	2.91	4.85	0.057	0.138	0.012	0.006	0.36	2.70	7.8	1.04	328	0.81	0.146	0.071
Q347675		87.8	3.40	5.41	0.061	0.115	0.006	0.010	0.21	6.79	6.0	0.79	516	5.50	0.225	0.194
Q347676		321	3.14	5.96	0.076	0.158	0.021	0.012	0.52	2.65	8.6	1.29	409	0.67	0.173	0.059
Q347677		493	3.22	5.79	0.078	0.139	0.057	0.012	0.46	2.94	7.4	1.19	441	1.26	0.143	0.068
Q347678		658	3.50	6.57	0.076	0.109	0.107	0.011	0.51	2.33	9.8	1.34	531	2.52	0.091	0.039
Q347679		580	3.30	7.97	0.058	0.090	0.019	0.009	0.52	4.58	7.5	0.76	423	2.59	0.229	0.118
Q347680		1045	3.35	5.25	0.084	0.090	0.019	0.014	0.51	4.50	5.6	1.01	457	2.91	0.104	0.135
Q347681		699	3.53	4.63	0.098	0.117	0.032	0.012	0.44	4.44	5.1	0.92	389	5.35	0.095	0.165
Q347682		456	3.56	5.31	0.127	0.079	0.036	0.019	0.25	4.73	8.5	1.18	563	6.30	0.063	0.158
Q347683		425	2.40	4.83	0.060	0.098	0.099	0.005	0.20	2.43	7.1	0.73	364	2.64	0.063	0.089
Q347684		350	3.39	7.16	0.088	0.096	0.211	0.010	0.93	2.20	10.5	1.54	410	1.03	0.114	0.052
Q347685		989	3.20	5.28	0.063	0.087	0.041	0.010	0.54	2.60	6.8	0.98	404	3.00	0.098	0.062
Q347686		482	2.73	6.52	0.057	0.090	0.045	0.013	0.22	2.74	9.7	0.84	397	3.04	0.073	0.091
Q347687		142.0	2.13	4.22	0.063	0.110	0.318	0.011	0.22	3.20	4.3	0.52	315	0.92	0.096	0.143
Q347688		133.5	2.14	4.21	0.048	0.111	0.400	0.008	0.25	2.59	4.8	0.62	299	2.22	0.094	0.084
Q347689		933	2.81	5.04	0.062	0.137	0.027	0.017	0.39	2.79	4.5	0.72	472	1.52	0.076	0.049
Q347690		211	2.56	4.50	0.057	0.127	0.037	0.014	0.27	2.89	4.0	0.51	379	1.51	0.095	0.038
Q347691		276	2.72	4.61	0.059	0.100	0.065	0.019	0.18	2.93	4.1	0.56	430	1.94	0.101	0.043
Q347692		201	2.69	5.48	0.073	0.143	0.034	0.016	0.35	2.47	6.2	0.90	295	6.83	0.167	0.046
Q347693		215	2.58	4.85	0.080	0.118	0.049	0.017	0.19	2.87	6.5	0.72	374	3.99	0.096	0.082

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347654		15.65	0.129	1.775	0.003	0.003	34.5	0.002	0.14	0.153	6.55	0.6	0.24	81.2	<0.005	0.19
Q347655		18.20	0.130	1.855	0.003	0.002	41.9	0.001	0.10	0.166	5.79	0.7	0.33	119.5	<0.005	0.08
Q347656		17.40	0.128	4.08	0.006	0.004	35.0	0.001	0.16	0.236	6.30	0.8	0.24	103.0	<0.005	0.03
Q347657		15.00	0.129	4.47	0.004	0.002	32.2	0.001	0.15	0.237	5.69	0.8	0.26	112.5	<0.005	0.07
Q347658		14.30	0.132	2.97	0.005	0.003	20.7	0.002	0.20	0.229	6.10	1.1	0.23	80.0	<0.005	0.07
Q347659		16.95	0.134	2.43	0.007	0.005	9.62	<0.001	0.16	0.417	10.15	0.6	0.31	61.2	<0.005	0.19
Q347660		27.3	0.125	3.35	0.006	0.006	12.50	0.003	0.59	0.632	7.62	1.3	0.30	57.1	<0.005	0.39
Q347661		22.4	0.129	2.62	0.008	0.006	20.5	<0.001	0.41	0.242	8.34	1.3	0.30	72.5	<0.005	0.14
Q347662		23.2	0.138	1.705	0.005	0.003	15.85	<0.001	0.10	0.316	10.70	0.7	0.35	63.2	<0.005	0.08
Q347663		20.1	0.131	3.81	0.007	0.003	14.55	0.003	0.08	0.344	9.22	0.8	0.35	64.2	<0.005	0.13
Q347664		11.00	0.122	6.25	0.007	0.002	22.0	0.007	0.13	0.245	5.65	0.6	0.22	84.1	<0.005	0.27
Q347665		19.20	0.124	1.570	0.005	0.005	39.9	0.007	0.09	0.542	6.05	0.7	0.30	80.9	<0.005	0.10
Q347666		11.80	0.124	2.21	0.005	0.002	16.75	0.003	0.18	0.199	5.28	0.6	0.22	77.4	<0.005	0.22
Q347667		11.30	0.086	4.17	0.004	0.002	12.35	0.002	0.24	0.260	5.06	0.8	0.16	57.3	<0.005	0.55
Q347668		12.35	0.119	1.490	0.002	0.003	22.7	0.001	0.26	0.151	6.28	0.6	0.20	90.5	<0.005	0.16
Q347669		18.45	0.157	1.330	0.005	0.003	40.6	0.001	0.14	0.115	7.46	1.3	0.39	66.1	<0.005	0.21
Q347670		15.55	0.151	1.335	0.006	0.003	19.85	0.002	0.25	0.350	5.74	1.2	0.28	67.2	<0.005	0.30
Q347671		13.95	0.144	1.265	0.005	0.003	26.6	0.002	0.09	0.128	6.34	1.2	0.38	50.0	<0.005	0.09
Q347672		14.80	0.142	2.97	0.005	0.002	41.9	0.002	0.08	0.109	8.61	1.3	0.35	54.4	<0.005	0.11
Q347673		14.40	0.120	2.18	0.006	0.003	15.05	0.001	0.14	0.095	7.17	0.9	0.27	81.6	<0.005	0.12
Q347674		17.80	0.113	1.510	0.004	0.004	11.80	0.002	0.24	0.103	8.35	1.4	0.25	73.8	<0.005	0.19
Q347675		13.75	0.060	4.12	<0.001	<0.002	6.44	<0.001	0.01	0.214	3.15	0.4	1.21	89.0	<0.005	0.01
Q347676		21.9	0.105	1.100	0.007	0.005	15.55	0.001	0.09	0.072	9.51	1.0	0.33	75.0	<0.005	0.07
Q347677		24.0	0.103	1.210	0.008	0.003	16.00	0.002	0.14	0.173	9.88	1.1	0.28	72.6	<0.005	0.13
Q347678		27.6	0.101	0.915	0.012	0.004	20.6	0.004	0.09	0.124	11.40	0.9	0.29	47.5	<0.005	0.08
Q347679		11.30	0.140	1.035	0.002	<0.002	27.5	0.004	0.31	0.103	5.10	0.7	0.25	72.2	<0.005	0.12
Q347680		24.9	0.175	0.949	0.014	0.004	23.5	0.005	0.26	0.157	7.44	1.4	0.37	43.7	<0.005	0.29
Q347681		22.3	0.175	1.615	0.011	0.006	18.05	0.010	0.29	0.237	6.43	2.0	0.29	50.0	<0.005	0.53
Q347682		27.6	0.177	2.38	0.009	0.004	12.50	0.022	0.26	0.606	8.09	1.3	0.28	49.1	<0.005	0.43
Q347683		16.35	0.120	3.08	0.007	0.005	8.29	0.007	0.15	0.520	8.03	0.8	0.29	49.3	<0.005	0.14
Q347684		22.1	0.122	1.065	0.006	0.003	36.2	0.003	0.11	0.226	8.70	1.0	0.25	74.5	<0.005	0.13
Q347685		19.55	0.118	1.105	0.005	0.003	17.95	0.005	0.10	0.125	10.05	1.2	0.21	68.6	<0.005	0.11
Q347686		20.0	0.120	4.72	0.008	0.004	10.60	0.006	0.12	0.236	8.46	1.4	0.23	49.0	<0.005	0.13
Q347687		8.32	0.121	1.710	0.004	0.003	8.67	0.001	0.14	0.159	5.55	0.6	0.26	60.3	<0.005	0.14
Q347688		9.55	0.125	1.560	0.004	0.002	10.15	0.006	0.22	0.136	4.66	0.6	0.18	51.8	<0.005	0.15
Q347689		18.35	0.111	0.831	0.008	0.006	14.60	<0.001	0.08	0.103	11.90	0.8	0.29	61.6	<0.005	0.06
Q347690		13.75	0.100	0.999	0.006	0.003	10.45	0.001	0.05	0.232	11.30	0.4	0.20	55.7	<0.005	0.01
Q347691		16.85	0.111	3.79	0.006	0.004	6.87	0.001	0.06	0.458	13.80	0.6	0.21	64.9	<0.005	0.04
Q347692		14.10	0.107	0.793	0.010	0.002	11.65	0.019	0.05	0.084	10.90	0.5	0.25	88.5	<0.005	0.03
Q347693		14.25	0.109	2.08	0.006	0.004	8.44	0.009	0.15	0.327	11.05	0.7	0.25	65.4	<0.005	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347654		0.722	0.095	0.303	0.191	116.5	0.088	8.55	32.4	4.21
Q347655		0.776	0.147	0.292	0.215	123.0	0.139	7.37	35.0	5.45
Q347656		0.729	0.197	0.252	0.247	121.0	0.248	7.83	33.8	4.92
Q347657		0.763	0.191	0.228	0.244	113.5	0.153	7.16	32.9	5.24
Q347658		0.596	0.155	0.159	0.216	120.5	0.284	7.68	39.3	3.27
Q347659		0.319	0.153	0.086	0.151	116.5	0.341	8.02	33.7	2.90
Q347660		0.264	0.163	0.102	0.178	136.5	0.506	7.46	62.3	2.15
Q347661		0.414	0.222	0.158	0.164	145.0	0.396	8.15	36.6	3.63
Q347662		0.982	0.215	0.142	0.348	177.5	0.268	8.18	49.8	4.53
Q347663		0.918	0.213	0.143	0.334	151.0	0.369	9.26	57.1	4.14
Q347664		0.547	0.145	0.184	0.176	108.0	0.387	6.42	33.6	4.70
Q347665		0.824	0.251	0.238	0.314	142.5	0.269	7.80	39.4	3.94
Q347666		0.532	0.163	0.142	0.207	109.0	0.397	6.85	29.1	4.31
Q347667		0.389	0.104	0.128	0.154	89.9	0.626	5.62	31.3	3.36
Q347668		0.401	0.150	0.158	0.160	122.5	0.575	6.27	25.8	4.38
Q347669		1.060	0.266	0.270	0.363	180.0	0.266	9.34	46.4	3.64
Q347670		1.070	0.241	0.142	0.359	142.5	0.641	9.31	36.7	3.93
Q347671		1.120	0.250	0.156	0.481	168.5	0.233	9.17	41.5	7.79
Q347672		1.075	0.292	0.238	0.393	211	0.177	9.54	48.8	8.02
Q347673		0.457	0.202	0.112	0.243	145.0	0.203	7.26	25.3	4.08
Q347674		0.272	0.205	0.097	0.172	147.0	0.188	7.94	19.8	4.27
Q347675		2.88	0.156	0.053	0.923	95.8	0.576	5.29	42.3	2.04
Q347676		0.290	0.220	0.117	0.178	162.0	0.176	8.24	23.6	4.38
Q347677		0.330	0.210	0.124	0.184	156.5	0.214	8.01	23.5	4.33
Q347678		0.226	0.175	0.161	0.132	167.5	0.194	8.32	29.2	2.93
Q347679		0.716	0.099	0.204	0.242	77.9	1.770	7.42	22.6	4.26
Q347680		0.589	0.189	0.180	0.282	133.0	0.202	9.34	30.4	2.93
Q347681		0.549	0.199	0.149	0.308	114.0	0.273	8.07	30.4	3.84
Q347682		0.624	0.171	0.126	0.316	117.5	0.314	8.61	39.1	3.22
Q347683		0.280	0.190	0.112	0.185	121.0	0.388	8.27	28.9	2.62
Q347684		0.269	0.264	0.262	0.119	173.0	0.299	7.88	33.8	2.66
Q347685		0.353	0.176	0.191	0.169	156.0	0.086	8.33	22.6	2.75
Q347686		0.356	0.177	0.115	0.175	137.0	0.290	8.53	38.4	3.18
Q347687		0.491	0.134	0.096	0.228	82.8	0.323	6.58	17.4	5.03
Q347688		0.411	0.116	0.091	0.159	82.3	0.431	5.98	19.0	4.28
Q347689		0.328	0.133	0.173	0.194	149.0	0.069	8.13	23.8	3.91
Q347690		0.408	0.116	0.168	0.131	141.5	0.046	7.89	22.2	4.21
Q347691		0.352	0.105	0.151	0.133	150.5	0.099	7.78	45.9	3.66
Q347692		0.301	0.182	0.096	0.128	159.0	0.129	6.13	19.6	4.47
Q347693		0.330	0.153	0.100	0.178	130.0	0.232	6.79	25.2	4.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347694		6.00	0.0279	0.288	1.48	1.71	<10	78.0	0.19	0.053	1.29	0.070	6.22	12.25	20.9	3.90
Q347695		6.09	0.0277	0.266	1.51	1.10	<10	123.0	0.18	0.049	1.33	0.090	6.42	13.55	21.1	4.93
Q347696		6.65	0.0206	0.238	1.58	1.58	<10	225	0.17	0.051	1.27	0.083	5.63	12.60	17.90	3.46
Q347697		8.39	0.0166	0.213	1.10	1.97	<10	164.0	0.21	0.057	1.02	0.113	6.57	7.88	16.50	2.71
Q347698		5.78	0.0329	0.352	1.08	3.11	<10	327	0.30	0.088	1.06	0.143	7.82	17.40	17.60	3.62
Q347699		6.49	0.0207	0.174	1.26	11.40	<10	226	0.30	0.105	1.02	0.117	7.73	11.70	20.6	6.09
Q347700		0.05	0.0010	0.095	1.68	1.06	<10	127.0	0.09	0.123	0.98	0.071	13.45	9.27	18.05	0.302
Q347701		5.76	0.0106	0.130	1.59	1.19	<10	138.0	0.16	0.040	1.46	0.069	5.76	12.85	22.6	2.15
Q347702		4.25	0.0109	0.106	1.48	1.52	<10	92.3	0.16	0.026	1.38	0.054	6.22	11.15	19.25	1.585
Q347703		6.96	0.0050	0.070	1.74	1.08	<10	125.0	0.21	0.016	1.45	0.032	5.91	9.28	13.45	2.35
Q347704		6.78	0.0133	0.394	2.06	7.13	<10	286	0.34	0.052	0.83	0.267	21.0	24.0	9.23	4.03
Q347705		6.33	0.0276	0.341	2.02	2.61	<10	108.5	0.25	0.035	0.63	0.138	21.5	18.90	14.95	2.75
Q347706		6.30	0.0475	0.254	2.09	2.52	<10	130.0	0.29	0.011	0.92	0.062	26.5	20.2	9.34	1.915
Q347707		6.35	0.0177	0.223	2.22	3.72	<10	130.5	0.31	0.025	0.94	0.130	26.3	24.1	22.2	2.60
Q347708		6.48	0.0294	0.319	2.41	3.52	<10	131.0	0.34	0.016	0.90	0.092	23.8	25.6	32.0	2.35
Q347709		6.30	0.0384	0.166	2.08	3.23	<10	84.3	0.31	0.008	1.21	0.075	21.9	25.0	7.27	1.325
Q347710		7.25	0.0109	0.109	2.14	3.61	<10	74.8	0.32	0.015	1.10	0.091	22.8	25.4	24.7	1.310
Q347711		6.49	0.0115	0.226	2.44	2.84	<10	87.6	0.32	0.018	0.87	0.122	23.0	24.0	19.35	1.665
Q347712		4.01	0.0126	0.136	2.49	2.43	<10	93.5	0.34	0.012	0.89	0.114	21.3	22.9	24.2	1.970
Q347713		5.28	0.0051	0.234	2.23	2.20	<10	77.4	0.30	0.023	0.89	0.143	21.2	24.6	20.9	1.385
Q347714		5.28	0.0017	0.191	2.39	2.01	<10	70.7	0.31	0.020	1.10	0.074	20.3	25.4	20.1	1.180
Q347715		5.35	0.0038	0.110	2.03	3.53	<10	130.5	0.36	0.019	1.06	0.074	21.8	20.1	30.8	1.710
Q347716		5.54	0.0058	0.114	2.31	3.50	<10	94.4	0.33	0.038	1.00	0.079	24.5	30.9	16.70	1.950
Q347717		6.20	0.0070	0.101	1.96	3.26	<10	81.0	0.24	0.032	0.66	0.103	25.3	20.3	26.1	2.70
Q347718		5.84	0.0111	0.081	2.04	2.52	<10	212	0.37	0.014	0.75	0.268	18.75	19.75	20.5	2.17
Q347719		5.60	0.0193	0.561	1.13	94.3	<10	435	0.39	0.378	0.50	0.748	16.60	15.40	11.65	3.17
Q347720		6.42	0.0064	0.320	1.16	36.8	<10	842	0.44	0.121	0.68	1.165	28.5	18.65	9.11	4.39
Q347721		5.85	0.0029	0.391	1.01	45.1	<10	1425	0.39	0.080	0.58	1.255	21.3	16.10	10.50	4.02
Q347722		7.80	0.0064	0.611	1.07	51.2	<10	237	0.36	0.151	0.64	1.620	21.9	22.3	17.55	5.42
Q347723		6.07	0.0035	0.467	2.38	7.03	<10	108.5	0.39	0.047	0.81	0.586	12.20	25.5	83.3	2.53
Q347724		4.49	0.0117	0.360	1.86	11.00	<10	100.5	0.33	0.015	0.90	0.556	13.85	22.4	58.6	2.71
Q347725		0.05	0.0020	0.094	1.79	1.11	<10	132.0	0.13	0.074	1.05	0.068	14.30	9.66	18.80	0.344
Q347726		5.83	0.0050	0.231	1.99	4.07	<10	119.5	0.29	0.021	0.82	0.518	18.00	22.7	43.3	2.24
Q347727		6.21	0.0064	0.313	1.72	4.91	<10	163.0	0.39	0.015	0.99	1.175	24.5	24.8	42.3	2.32
Q347728		7.09	0.0178	0.888	2.17	22.6	<10	334	0.51	0.021	0.69	2.38	33.2	29.0	47.3	4.01
Q347729		4.06	0.0190	0.383	2.69	3.31	<10	392	0.36	0.035	0.98	0.212	28.2	25.1	44.6	4.12
Q347730		6.06	0.0096	0.215	2.02	6.47	<10	383	0.40	0.013	0.64	0.307	25.9	24.0	41.1	3.12
Q347731		7.25	0.0167	0.201	1.97	3.63	<10	175.5	0.36	0.009	0.80	0.120	20.0	20.6	34.2	4.72
Q347732		7.10	0.0154	0.219	1.83	1.51	<10	160.0	0.27	0.012	1.01	0.081	24.5	21.5	41.2	2.25
Q347733		6.60	0.0368	0.058	1.84	0.95	<10	146.5	0.21	0.010	0.74	0.045	8.12	15.30	28.9	1.880

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347694		260	2.43	5.26	0.084	0.171	0.092	0.022	0.30	2.87	6.7	0.80	448	2.10	0.100	0.044
Q347695		385	2.71	4.99	0.077	0.131	0.233	0.018	0.37	2.94	5.8	0.69	582	0.88	0.108	0.034
Q347696		292	2.31	5.64	0.083	0.115	0.051	0.009	0.41	2.52	7.1	0.71	350	0.80	0.167	0.066
Q347697		209	2.09	4.27	0.066	0.148	0.107	0.018	0.17	3.06	5.1	0.44	467	0.64	0.079	0.045
Q347698		448	2.74	4.59	0.065	0.122	0.113	0.017	0.14	3.54	2.8	0.29	474	1.07	0.051	0.021
Q347699		192.5	3.15	4.95	0.070	0.093	0.126	0.021	0.18	3.67	6.4	0.52	518	2.00	0.068	0.051
Q347700		84.3	3.22	5.22	0.056	0.104	<0.004	0.008	0.20	6.30	5.8	0.75	472	5.16	0.204	0.195
Q347701		185.0	2.59	5.14	0.066	0.206	0.076	0.014	0.26	2.88	8.4	0.79	285	0.67	0.134	0.060
Q347702		180.0	2.43	5.41	0.064	0.166	0.062	0.007	0.20	3.21	8.1	0.77	309	0.36	0.109	0.073
Q347703		126.0	2.33	5.16	0.047	0.119	0.033	0.009	0.19	2.83	7.9	0.58	268	0.22	0.156	0.044
Q347704		1225	4.39	5.98	0.065	0.035	0.031	0.031	0.56	11.00	9.8	1.29	1175	0.70	0.029	0.018
Q347705		890	4.09	7.27	0.070	0.039	0.019	0.040	0.43	9.93	11.4	1.47	1065	0.74	0.050	0.021
Q347706		757	4.54	9.27	0.123	0.100	0.012	0.014	0.55	11.25	12.1	1.62	954	0.40	0.086	0.074
Q347707		1385	5.34	9.93	0.148	0.049	0.023	0.033	0.72	12.35	12.5	1.62	1220	0.36	0.081	0.056
Q347708		959	5.41	10.35	0.153	0.064	0.013	0.020	0.87	11.85	13.3	1.87	1255	0.29	0.082	0.100
Q347709		585	5.06	9.23	0.154	0.154	0.025	0.020	0.43	10.50	11.0	1.53	918	0.41	0.093	0.120
Q347710		425	5.29	9.83	0.164	0.149	0.009	0.041	0.34	10.35	12.2	1.67	1250	0.42	0.084	0.111
Q347711		551	5.37	10.35	0.108	0.075	0.012	0.035	0.18	9.63	15.8	1.95	1235	0.40	0.062	0.037
Q347712		357	5.21	10.05	0.089	0.091	0.011	0.027	0.29	9.05	18.5	2.05	1045	0.25	0.061	0.033
Q347713		495	5.24	9.56	0.085	0.162	0.012	0.030	0.21	8.19	15.8	1.84	1000	0.33	0.064	0.078
Q347714		415	5.23	10.35	0.095	0.094	0.010	0.029	0.16	7.89	16.5	2.07	886	0.26	0.057	0.028
Q347715		311	4.67	8.42	0.082	0.129	0.009	0.023	0.18	9.09	13.7	1.56	824	0.63	0.066	0.056
Q347716		232	5.57	10.40	0.083	0.052	0.024	0.021	0.24	11.40	19.3	1.92	1015	0.42	0.072	0.037
Q347717		296	4.56	8.09	0.067	0.061	0.021	0.020	0.28	10.30	13.6	1.48	767	0.30	0.066	0.025
Q347718		189.5	4.30	7.07	0.061	0.066	0.008	0.011	0.42	8.18	13.2	1.49	1025	0.69	0.039	0.007
Q347719		525	4.00	2.87	0.065	0.038	0.073	0.050	0.49	8.70	3.8	0.33	1455	1.66	0.017	0.031
Q347720		340	3.91	3.03	0.078	0.037	0.308	0.048	0.48	13.75	1.7	0.15	1235	0.37	0.027	0.021
Q347721		468	3.36	2.57	0.056	0.040	0.245	0.049	0.44	10.25	1.2	0.11	1165	0.45	0.028	0.010
Q347722		860	4.71	3.01	0.074	0.040	0.358	0.060	0.48	11.15	2.4	0.23	1915	1.19	0.029	0.032
Q347723		853	4.73	9.66	0.084	0.095	0.120	0.043	0.21	6.16	16.1	2.29	1060	1.05	0.048	0.015
Q347724		913	3.97	7.64	0.092	0.163	0.096	0.042	0.28	6.99	10.8	1.56	759	1.49	0.081	0.037
Q347725		87.7	3.33	5.64	0.081	0.124	<0.004	0.013	0.21	6.78	7.9	0.78	497	5.53	0.222	0.201
Q347726		692	4.32	8.29	0.105	0.165	0.051	0.026	0.23	8.74	12.2	1.84	824	0.91	0.064	0.050
Q347727		869	4.17	6.80	0.134	0.169	0.079	0.018	0.29	11.60	8.5	1.25	850	0.50	0.046	0.095
Q347728		1350	5.69	9.03	0.121	0.082	0.385	0.045	1.16	16.05	10.7	1.20	1265	0.65	0.047	0.041
Q347729		788	5.44	11.90	0.154	0.092	0.098	0.032	1.57	13.55	18.1	2.14	1370	0.28	0.105	0.026
Q347730		631	5.08	9.03	0.126	0.084	0.081	0.038	0.94	11.30	12.5	1.54	1305	0.45	0.076	0.034
Q347731		1010	4.22	7.48	0.094	0.130	0.058	0.018	0.82	10.35	9.6	1.31	903	0.48	0.057	0.070
Q347732		679	4.69	7.77	0.155	0.197	0.013	0.021	0.76	10.50	10.3	1.45	787	0.29	0.081	0.102
Q347733		158.5	2.76	6.90	0.062	0.123	0.061	<0.005	0.33	3.48	10.4	1.32	510	0.19	0.060	0.037

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347694		14.20	0.113	1.980	0.009	0.003	13.45	0.004	0.07	0.580	12.45	0.5	0.26	62.7	<0.005	0.06
Q347695		12.75	0.113	1.080	0.008	0.003	15.30	0.002	0.09	0.252	12.50	0.8	0.24	62.6	<0.005	0.04
Q347696		11.65	0.102	1.770	0.005	0.003	16.05	0.002	0.22	0.207	7.33	1.0	0.21	66.5	<0.005	0.05
Q347697		12.80	0.116	2.19	0.009	0.004	7.94	<0.001	0.05	0.396	12.25	0.5	0.27	51.3	<0.005	0.03
Q347698		15.40	0.122	2.57	0.010	0.004	7.41	0.001	0.07	0.366	16.10	0.7	0.28	53.5	<0.005	0.09
Q347699		15.40	0.122	2.74	0.013	0.005	9.76	0.001	0.06	0.674	14.95	0.4	0.26	52.8	<0.005	0.08
Q347700		12.75	0.056	3.99	0.003	<0.002	6.34	0.001	0.01	0.249	2.93	0.1	1.33	78.8	<0.005	0.01
Q347701		12.40	0.116	1.785	0.008	0.004	9.78	0.001	0.16	0.179	7.74	0.5	0.24	81.6	<0.005	0.07
Q347702		11.65	0.113	2.25	0.010	0.005	7.90	<0.001	0.07	0.223	7.71	0.5	0.23	83.3	<0.005	0.05
Q347703		9.27	0.100	1.135	0.006	0.002	7.75	<0.001	0.07	0.116	4.74	0.5	0.20	82.1	<0.005	0.04
Q347704		9.26	0.178	9.04	0.009	0.019	18.00	0.001	0.13	1.190	6.51	1.1	0.10	24.1	<0.005	0.09
Q347705		9.49	0.166	2.91	0.004	0.002	15.15	0.001	0.13	0.529	9.04	1.5	0.25	24.3	<0.005	0.09
Q347706		5.63	0.192	0.979	0.005	0.002	20.7	<0.001	0.10	0.433	7.43	1.5	0.47	73.6	<0.005	0.07
Q347707		7.97	0.201	1.160	0.010	0.003	27.6	0.001	0.08	0.737	10.15	1.2	0.52	50.7	<0.005	0.03
Q347708		12.40	0.196	1.150	0.004	0.002	32.9	<0.001	0.05	0.459	11.50	1.5	0.42	63.7	<0.005	0.03
Q347709		7.79	0.207	1.015	0.008	0.003	17.65	0.001	0.05	0.351	11.20	1.2	0.52	117.0	<0.005	0.04
Q347710		11.40	0.188	1.640	0.009	0.004	14.60	<0.001	0.04	0.346	10.45	1.4	0.44	114.0	<0.005	0.01
Q347711		10.35	0.178	2.23	0.003	0.003	8.10	<0.001	0.08	0.335	12.30	1.8	0.43	71.9	<0.005	0.04
Q347712		12.95	0.179	2.01	0.007	0.003	11.75	<0.001	0.03	0.272	10.40	0.8	0.31	49.0	<0.005	0.05
Q347713		10.05	0.171	2.55	0.006	0.003	9.40	<0.001	0.05	0.224	10.30	1.2	0.36	63.5	<0.005	0.08
Q347714		11.20	0.177	2.03	0.007	0.003	6.97	0.001	0.05	0.191	12.15	0.9	0.46	82.4	<0.005	0.03
Q347715		12.70	0.170	2.57	0.008	0.002	7.11	0.002	0.05	0.419	10.40	0.7	0.42	79.7	<0.005	0.03
Q347716		12.05	0.188	2.09	0.004	0.002	10.05	<0.001	0.08	0.453	12.40	0.8	0.39	44.3	<0.005	0.04
Q347717		12.75	0.180	2.33	0.007	0.003	11.30	0.001	0.02	0.445	11.15	0.9	0.25	27.5	<0.005	0.03
Q347718		14.90	0.154	6.25	0.003	0.004	13.95	<0.001	0.04	0.550	6.55	0.4	0.10	25.5	<0.005	0.03
Q347719		12.90	0.143	64.0	0.006	0.003	14.45	<0.001	0.07	4.99	4.35	1.0	0.10	20.5	<0.005	0.09
Q347720		10.20	0.184	285	0.009	0.003	18.65	0.001	0.06	5.42	5.72	0.6	0.08	24.7	<0.005	0.06
Q347721		9.77	0.150	458	0.009	0.003	16.70	<0.001	0.08	6.75	5.09	0.6	0.08	22.4	<0.005	0.04
Q347722		18.20	0.172	470	0.009	0.007	16.30	0.003	0.05	6.85	8.71	1.1	0.10	22.9	<0.005	0.05
Q347723		60.5	0.153	101.5	0.008	0.006	9.90	0.004	0.06	1.125	21.8	0.9	0.25	33.4	<0.005	0.05
Q347724		34.3	0.155	112.0	0.012	0.005	13.15	0.004	0.15	1.640	17.15	1.1	0.39	48.3	<0.005	0.04
Q347725		13.50	0.058	4.34	0.003	<0.002	7.17	0.001	0.02	0.236	3.21	0.4	1.36	87.6	<0.005	<0.01
Q347726		34.9	0.162	21.7	0.011	0.004	11.50	0.002	0.15	0.748	13.80	1.1	0.52	54.7	<0.005	0.02
Q347727		16.95	0.190	46.3	0.010	0.004	12.00	<0.001	0.18	1.020	9.37	1.6	0.36	71.7	<0.005	0.04
Q347728		16.60	0.206	847	0.010	0.003	43.5	0.001	0.08	1.570	16.45	1.4	0.37	21.4	<0.005	0.03
Q347729		16.85	0.193	114.0	0.005	0.003	62.6	<0.001	0.07	0.260	16.00	1.3	0.52	38.0	<0.005	0.08
Q347730		15.35	0.181	40.3	0.007	0.002	34.4	<0.001	0.06	1.110	13.40	1.8	0.40	30.2	<0.005	0.04
Q347731		15.90	0.168	49.4	0.007	0.003	34.4	<0.001	0.04	0.862	11.30	1.4	0.38	44.6	<0.005	0.03
Q347732		14.40	0.195	1.455	0.009	0.002	32.1	0.001	0.06	0.143	6.92	1.5	0.51	76.1	<0.005	0.03
Q347733		16.05	0.115	1.275	0.006	0.006	13.10	<0.001	0.07	0.160	6.36	0.5	0.16	59.2	<0.005	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347694		0.371	0.164	0.156	0.130	145.5	0.107	7.28	31.5	4.65
Q347695		0.359	0.132	0.158	0.138	148.5	0.053	7.77	25.0	4.03
Q347696		0.313	0.154	0.151	0.140	117.0	0.136	7.30	25.7	3.32
Q347697		0.487	0.110	0.120	0.174	125.0	0.104	7.54	29.9	4.82
Q347698		0.490	0.069	0.203	0.175	142.5	0.071	8.37	32.8	3.49
Q347699		0.486	0.109	0.368	0.221	159.5	0.218	8.55	33.9	3.19
Q347700		2.71	0.148	0.042	0.809	93.5	0.664	4.94	43.9	2.16
Q347701		0.471	0.178	0.079	0.227	148.5	0.198	6.27	24.7	5.52
Q347702		0.395	0.179	0.065	0.252	132.5	0.249	6.53	24.3	5.09
Q347703		0.453	0.122	0.071	0.181	111.5	0.120	5.60	16.7	3.18
Q347704		0.903	0.029	0.143	0.326	107.5	0.068	13.75	107.5	2.03
Q347705		0.979	0.028	0.139	0.263	147.0	0.033	11.50	53.5	1.90
Q347706		1.540	0.076	0.121	0.371	176.0	0.028	12.10	48.2	4.04
Q347707		1.615	0.067	0.171	0.418	203	0.022	16.45	68.5	2.02
Q347708		1.640	0.118	0.167	0.481	209	0.031	15.80	89.6	2.91
Q347709		1.345	0.162	0.091	0.514	203	0.031	14.00	61.8	5.50
Q347710		1.590	0.146	0.085	0.534	202	0.043	12.60	90.7	5.92
Q347711		1.195	0.033	0.066	0.359	203	0.078	11.00	76.6	3.24
Q347712		1.100	0.052	0.075	0.320	188.0	0.055	10.35	71.6	3.93
Q347713		1.135	0.101	0.063	0.365	183.0	0.033	10.05	67.4	5.63
Q347714		1.105	0.036	0.045	0.263	194.5	0.021	9.12	64.4	3.45
Q347715		1.390	0.060	0.051	0.345	167.5	0.045	11.15	49.0	4.57
Q347716		1.410	0.022	0.087	0.351	189.0	0.031	12.70	95.0	2.81
Q347717		1.635	0.019	0.116	0.294	195.5	0.036	8.62	71.3	2.49
Q347718		0.874	0.014	0.146	0.305	117.0	0.064	7.39	143.0	3.50
Q347719		0.729	0.009	0.186	0.260	78.8	0.123	8.75	415	1.85
Q347720		1.300	0.009	0.258	0.269	84.3	0.120	9.29	509	1.92
Q347721		0.944	0.005	0.238	0.214	73.1	0.110	8.67	506	2.15
Q347722		0.973	0.008	0.231	0.316	90.5	0.122	13.10	567	2.63
Q347723		0.639	0.037	0.132	0.229	211	0.032	10.20	305	3.56
Q347724		0.972	0.085	0.161	0.305	186.0	0.028	11.10	223	4.76
Q347725		2.85	0.158	0.041	0.885	98.4	0.614	5.32	44.4	2.27
Q347726		1.455	0.106	0.134	0.495	183.5	0.045	12.10	262	5.69
Q347727		1.705	0.136	0.170	0.576	153.5	0.060	13.40	293	5.34
Q347728		1.815	0.109	0.395	0.427	226	0.110	15.95	774	3.50
Q347729		1.875	0.149	0.336	0.460	236	0.043	15.10	140.0	3.17
Q347730		1.630	0.101	0.265	0.424	201	0.058	13.65	215	3.43
Q347731		1.330	0.122	0.356	0.559	180.0	0.039	14.30	178.0	4.27
Q347732		1.680	0.198	0.160	0.655	210	0.054	11.75	43.1	5.97
Q347733		0.479	0.082	0.117	0.175	123.0	0.059	5.31	42.6	2.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347734		5.62	0.0044	0.181	1.58	2.18	<10	97.0	0.25	0.009	0.88	0.082	14.75	15.90	25.2	2.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method Analyte Units LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347734		548	3.09	6.50	0.079	0.102	0.024	0.018	0.35	7.05	8.5	1.04	585	0.55	0.067	0.104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method Analyte Units LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347734		12.85	0.153	2.55	0.007	0.002	16.30	<0.001	0.02	0.338	6.39	0.6	0.29	75.4	<0.005	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347734		1.005	0.134	0.146	0.340	152.5	0.051	9.06	58.0	3.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 9- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108394

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

CERTIFICATE KL14110420

Project: Dillard

This report is for 110 Rock samples submitted to our lab in Kamloops, BC, Canada on 20- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347398		5.70	0.0147	0.293	1.42	2.68	<10	119.5	0.12	0.099	0.88	0.082	5.18	17.85	15.95	1.295
Q347399		5.69	0.0147	0.268	1.24	1.73	<10	155.0	0.11	0.067	0.86	0.046	5.74	17.70	15.80	0.942
Q347400		0.05	0.0008	0.099	1.72	1.64	<10	133.0	0.09	0.078	0.97	0.072	14.45	9.28	18.10	0.324
Q347401		4.93	0.0084	0.196	0.98	1.33	<10	147.0	0.10	0.044	0.92	0.048	5.21	13.40	13.05	0.649
Q347402		4.20	0.0105	0.302	1.18	1.91	<10	212	0.13	0.063	0.89	0.063	6.30	18.25	17.65	1.105
Q347403		5.37	0.0215	0.385	1.38	1.51	<10	145.5	0.13	0.062	0.86	0.057	5.90	18.10	21.5	1.765
Q347404		5.72	0.0116	0.245	1.01	1.48	<10	90.8	0.15	0.041	1.00	0.063	7.78	15.05	24.8	1.055
Q347405		6.39	0.0133	0.360	1.19	1.67	<10	176.0	0.12	0.051	0.90	0.045	8.13	15.60	16.45	1.425
Q347406		6.62	0.0147	0.187	2.11	6.11	<10	215	0.32	0.103	0.95	0.148	16.45	16.25	32.0	5.23
Q347407		6.37	0.0276	0.518	1.07	13.85	<10	743	0.48	0.230	1.57	0.654	12.20	24.0	4.87	11.20
Q347408		5.19	0.0325	0.407	1.81	4.22	<10	339	0.38	0.271	0.60	0.165	18.55	27.3	5.71	14.65
Q347409		4.61	0.0299	0.232	1.20	20.9	<10	427	0.39	0.091	0.50	0.224	12.45	23.6	4.06	8.97
Q347410		4.15	0.0311	0.229	1.11	24.4	<10	508	0.47	0.101	0.49	0.187	10.10	27.0	3.22	11.85
Q347411		4.63	0.0156	0.130	0.81	16.35	<10	1090	0.38	0.077	0.32	0.176	5.36	15.90	4.05	7.77
Q347412		4.26	0.0108	0.075	0.85	9.77	<10	1075	0.35	0.092	0.34	0.135	4.90	13.85	5.22	6.36
Q347413		5.76	0.0136	0.075	1.18	5.61	<10	158.0	0.32	0.040	0.69	0.214	11.90	13.50	16.95	5.00
Q347414		5.94	0.0033	0.046	1.16	2.87	<10	170.0	0.23	0.027	0.84	0.120	8.72	9.31	15.00	2.69
Q347415		6.68	0.0068	0.144	1.07	3.58	<10	200	0.29	0.071	0.79	0.298	8.33	10.25	18.80	2.50
Q347416		5.19	0.0102	0.117	2.10	5.28	<10	166.5	0.19	0.180	1.01	0.062	14.35	18.25	31.9	3.35
Q347417		6.82	0.0120	0.180	1.58	4.38	<10	103.5	0.25	0.113	1.02	0.141	11.00	19.65	28.9	2.57
Q347418		7.90	0.0052	0.115	1.08	1.97	<10	105.5	0.18	0.031	0.92	0.111	8.19	12.00	14.95	1.455
Q347419		5.65	0.0169	0.227	1.60	3.31	<10	70.3	0.17	0.057	1.06	0.074	12.50	24.8	45.2	2.19
Q347420		4.76	0.0098	0.191	1.78	2.12	<10	65.3	0.14	0.037	1.01	0.033	11.75	14.40	58.1	2.31
Q347421		5.21	0.0068	0.179	1.32	2.56	<10	43.0	0.16	0.051	1.14	0.044	12.55	12.15	33.2	1.160
Q347422		5.07	0.0074	0.131	1.52	2.06	<10	53.7	0.18	0.046	1.08	0.062	12.65	20.4	41.8	2.15
Q347423		4.97	0.0090	0.156	1.81	2.06	<10	50.3	0.18	0.048	0.96	0.058	15.65	20.2	46.2	2.77
Q347424		4.90	0.0130	0.239	1.15	1.51	<10	57.8	0.13	0.055	0.84	0.057	9.12	18.70	21.0	1.535
Q347425		Empty Bag														
Q347426		5.77	0.0083	0.091	1.32	1.22	<10	73.2	0.12	0.037	1.10	0.050	4.14	16.40	28.9	1.430
Q347427		4.70	0.0079	0.089	1.85	0.98	<10	131.5	0.12	0.016	1.31	0.047	4.43	17.50	32.7	1.450
Q347428		6.73	0.0092	0.047	1.86	0.94	<10	193.5	0.11	0.011	1.31	0.042	4.95	16.25	31.5	1.720
Q347429		6.93	0.0137	0.069	2.19	1.27	<10	124.0	0.16	0.016	1.26	0.054	5.47	20.6	37.7	1.925
Q347430		5.53	0.0047	0.057	1.56	1.64	<10	124.5	0.08	0.022	1.12	0.046	5.53	13.50	24.1	1.480
Q347431		7.18	0.0083	0.143	1.35	2.53	<10	83.7	0.13	0.071	1.09	0.045	10.35	19.55	10.15	1.115
Q347432		5.56	0.0047	0.089	1.58	2.43	<10	105.0	0.17	0.039	1.16	0.026	11.35	15.65	11.80	1.450
Q347433		7.31	0.0052	0.097	1.55	1.73	<10	62.1	0.12	0.047	1.13	0.040	12.50	18.60	30.8	1.815
Q347434		6.02	0.0096	0.189	1.39	2.87	<10	84.1	0.16	0.103	1.18	0.053	11.45	21.0	37.7	1.100
Q347435		5.02	0.342	0.298	1.66	2.94	<10	59.8	0.14	0.168	1.13	0.054	11.95	22.2	30.8	1.275
Q347436		7.69	0.0259	0.132	1.75	3.00	<10	64.7	0.16	0.046	1.46	0.049	9.44	17.65	59.0	1.490
Q347437		6.94	0.0095	0.139	1.79	3.16	<10	70.5	0.16	0.036	1.45	0.072	9.77	16.55	54.1	1.435

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347398		388	2.96	5.33	0.096	0.160	0.048	0.007	0.46	2.33	7.9	1.05	316	2.77	0.100	0.085
Q347399		287	2.57	4.62	0.101	0.146	0.025	0.011	0.37	2.43	7.0	0.94	286	2.53	0.084	0.101
Q347400		85.8	3.42	4.78	0.085	0.107	<0.004	0.012	0.21	6.37	5.8	0.79	477	5.62	0.191	0.223
Q347401		207	2.16	3.35	0.074	0.192	0.013	0.009	0.28	2.30	4.7	0.70	218	3.83	0.092	0.119
Q347402		273	2.60	4.62	0.100	0.144	0.015	0.008	0.37	2.73	6.7	0.88	286	3.85	0.075	0.152
Q347403		431	2.82	5.46	0.109	0.124	0.016	0.012	0.50	2.74	7.6	1.12	308	6.14	0.067	0.110
Q347404		381	2.29	3.48	0.088	0.165	0.013	0.013	0.25	3.64	4.5	0.76	268	3.30	0.087	0.127
Q347405		373	2.41	4.00	0.091	0.179	0.008	0.010	0.41	3.70	6.0	0.94	280	4.08	0.072	0.145
Q347406		261	4.19	7.35	0.114	0.119	0.079	0.017	0.80	7.04	11.7	1.61	696	5.93	0.056	0.152
Q347407		793	6.06	3.57	0.062	0.039	0.559	0.053	0.45	5.71	2.2	0.56	1345	15.70	0.015	0.016
Q347408		746	5.70	7.16	0.104	0.078	0.092	0.048	0.98	8.65	4.8	0.98	984	6.40	0.041	0.025
Q347409		746	5.81	4.83	0.093	0.043	0.205	0.048	0.51	6.49	4.0	0.37	955	15.30	0.018	0.054
Q347410		716	6.33	3.62	0.073	0.041	0.210	0.059	0.49	5.54	2.9	0.20	991	14.35	0.020	0.028
Q347411		424	3.90	2.54	0.055	0.034	0.259	0.024	0.35	3.46	3.4	0.13	776	8.82	0.008	0.015
Q347412		294	2.86	2.60	0.038	0.034	0.216	0.031	0.31	3.68	4.5	0.10	606	11.00	0.009	0.031
Q347413		230	3.17	4.72	0.041	0.057	0.392	0.016	0.21	4.73	5.7	0.43	722	5.00	0.056	0.083
Q347414		95.5	2.34	4.58	0.039	0.106	0.426	0.017	0.17	3.94	5.0	0.52	497	2.60	0.072	0.060
Q347415		186.5	2.64	5.05	0.061	0.114	0.572	0.025	0.16	4.05	5.4	0.53	749	4.18	0.054	0.071
Q347416		232	4.16	6.99	0.127	0.125	0.068	0.033	0.84	6.82	9.8	1.56	745	3.18	0.073	0.126
Q347417		179.5	3.48	6.12	0.109	0.132	0.191	0.015	0.44	5.30	8.5	1.17	633	3.52	0.064	0.101
Q347418		175.0	2.26	4.34	0.080	0.196	0.122	0.008	0.28	3.80	5.6	0.69	448	3.65	0.076	0.101
Q347419		434	3.70	5.94	0.132	0.176	0.023	0.015	0.62	5.99	11.5	1.28	574	3.47	0.067	0.147
Q347420		224	3.42	6.46	0.121	0.184	0.012	0.005	0.99	5.77	11.3	1.48	398	2.81	0.098	0.070
Q347421		201	2.63	4.81	0.120	0.191	0.011	0.015	0.37	6.05	11.8	0.99	276	4.01	0.062	0.175
Q347422		327	2.96	5.42	0.110	0.114	0.036	0.009	0.53	5.87	9.0	1.17	417	4.65	0.076	0.153
Q347423		338	3.59	6.54	0.111	0.107	0.014	0.013	0.55	6.86	18.3	1.62	488	2.60	0.054	0.104
Q347424		333	2.55	4.60	0.075	0.153	0.010	0.010	0.29	4.22	7.6	0.87	335	6.39	0.074	0.093
Q347425																
Q347426		192.0	2.61	4.34	0.077	0.112	0.012	0.009	0.29	1.965	5.6	0.94	308	2.66	0.118	0.062
Q347427		151.0	2.83	5.30	0.084	0.141	0.008	0.016	0.51	2.05	9.3	1.39	355	1.03	0.138	0.033
Q347428		88.7	2.49	5.00	0.089	0.160	0.009	0.019	0.70	2.28	9.6	1.40	375	0.29	0.109	0.046
Q347429		151.0	3.27	6.62	0.088	0.162	0.093	0.011	0.55	2.56	20.7	2.00	426	0.21	0.075	0.024
Q347430		66.5	2.30	3.97	0.073	0.148	0.046	0.007	0.69	2.57	6.7	1.19	295	0.27	0.090	0.056
Q347431		193.5	2.98	4.98	0.098	0.156	0.016	<0.005	0.41	4.79	9.3	0.93	275	0.75	0.084	0.181
Q347432		112.5	2.91	5.67	0.107	0.170	0.011	0.007	0.49	5.30	13.5	1.12	318	0.69	0.085	0.142
Q347433		120.5	2.92	5.07	0.102	0.153	0.008	<0.005	0.62	5.86	9.0	1.18	330	1.10	0.091	0.152
Q347434		146.0	3.02	4.77	0.121	0.195	0.011	0.010	0.38	5.49	9.6	1.09	353	1.23	0.072	0.199
Q347435		236	3.47	5.62	0.101	0.169	0.201	0.006	0.52	5.64	13.9	1.41	426	1.30	0.080	0.115
Q347436		131.0	3.22	5.53	0.094	0.142	0.007	0.006	0.49	4.52	13.7	1.16	318	0.94	0.084	0.092
Q347437		148.5	3.32	5.64	0.101	0.124	0.007	0.006	0.52	4.92	13.3	1.20	358	0.97	0.121	0.086

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347398		11.65	0.121	1.960	0.004	0.002	16.25	0.004	0.64	0.179	4.92	1.3	0.36	39.7	<0.005	0.20
Q347399		11.30	0.123	1.190	0.005	0.002	12.90	0.004	0.60	0.118	5.65	1.2	0.31	45.4	<0.005	0.11
Q347400		14.15	0.058	3.96	0.001	<0.002	6.75	0.001	0.01	0.236	2.78	0.2	1.30	81.6	<0.005	0.01
Q347401		9.18	0.119	1.195	0.004	0.004	9.64	0.012	0.67	0.082	4.85	1.0	0.32	46.9	<0.005	0.07
Q347402		12.80	0.119	2.68	0.004	0.002	14.30	0.006	0.53	0.138	5.44	1.5	0.39	47.9	<0.005	0.11
Q347403		13.60	0.125	1.305	0.007	0.003	20.6	0.007	0.32	0.108	7.05	1.5	0.36	44.5	<0.005	0.16
Q347404		14.90	0.132	1.050	0.015	0.008	8.08	0.004	0.32	0.133	7.25	1.1	0.37	49.7	<0.005	0.14
Q347405		12.35	0.125	1.260	0.008	0.003	16.35	0.006	0.36	0.220	4.84	1.1	0.32	50.6	<0.005	0.09
Q347406		20.1	0.137	5.43	0.006	0.004	36.6	0.002	0.09	1.030	8.89	0.9	0.33	56.2	<0.005	0.13
Q347407		16.35	0.133	14.15	0.011	0.004	22.1	0.005	0.21	1.895	16.55	1.7	0.16	38.5	<0.005	0.22
Q347408		13.20	0.153	1.940	0.008	0.004	50.9	0.003	0.09	0.261	17.30	1.2	0.24	31.0	<0.005	0.17
Q347409		11.60	0.113	2.68	0.008	0.004	27.6	0.013	0.09	0.421	16.65	1.4	0.19	45.6	<0.005	0.14
Q347410		14.00	0.132	1.780	0.003	0.005	24.6	0.012	0.05	0.881	19.65	1.3	0.14	33.4	<0.005	0.12
Q347411		7.77	0.077	1.160	0.006	0.002	16.60	0.001	0.05	0.310	12.30	0.9	0.08	64.2	<0.005	0.11
Q347412		5.64	0.071	1.260	0.004	0.002	14.75	0.008	0.04	0.278	7.98	0.8	0.10	67.7	<0.005	0.12
Q347413		10.65	0.114	18.05	0.002	<0.002	11.75	0.002	0.05	0.704	9.17	0.5	0.24	41.0	<0.005	0.07
Q347414		9.65	0.105	3.44	0.004	<0.002	8.65	0.003	0.05	0.410	7.96	0.5	0.24	49.5	<0.005	0.07
Q347415		12.35	0.111	7.52	0.007	0.003	7.84	0.001	0.08	0.575	9.53	0.5	0.23	50.3	<0.005	0.02
Q347416		16.80	0.147	2.94	0.003	0.003	35.5	0.001	0.06	0.464	8.58	0.6	0.35	55.1	<0.005	0.13
Q347417		15.70	0.130	4.07	0.008	0.003	21.7	0.002	0.14	0.689	7.71	0.8	0.26	52.7	<0.005	0.14
Q347418		10.35	0.114	2.30	0.004	0.002	13.10	0.007	0.09	0.340	4.62	0.5	0.22	58.3	<0.005	0.05
Q347419		16.50	0.155	1.525	0.007	0.003	30.4	0.003	0.06	0.247	4.93	0.5	0.28	61.0	<0.005	0.10
Q347420		18.20	0.147	0.661	0.004	<0.002	48.3	0.007	0.07	0.132	4.95	0.5	0.27	56.4	<0.005	0.05
Q347421		13.70	0.160	0.973	0.005	0.003	18.45	0.007	0.15	0.168	3.88	0.9	0.34	65.8	<0.005	0.06
Q347422		17.65	0.155	1.305	0.007	0.003	25.7	0.007	0.07	0.246	6.85	0.6	0.32	64.1	<0.005	0.06
Q347423		20.6	0.176	0.878	0.006	0.005	28.0	0.002	0.07	0.236	8.20	0.5	0.31	45.4	<0.005	0.08
Q347424		13.60	0.120	0.961	0.005	0.003	12.50	0.012	0.13	0.160	7.76	0.9	0.35	45.4	<0.005	0.11
Q347425																
Q347426		15.40	0.102	0.844	0.005	0.004	10.55	0.004	0.17	0.158	10.60	0.8	0.25	49.5	<0.005	0.10
Q347427		18.70	0.111	0.659	0.004	0.003	16.90	0.001	0.21	0.164	11.05	0.6	0.28	89.6	<0.005	0.03
Q347428		18.80	0.121	0.720	0.004	0.002	23.7	<0.001	0.02	0.155	7.99	0.2	0.20	109.0	<0.005	0.02
Q347429		23.6	0.126	0.994	0.003	0.003	20.9	<0.001	0.03	0.221	9.91	0.3	0.20	94.2	<0.005	0.02
Q347430		14.75	0.123	1.260	0.007	0.002	26.5	<0.001	0.08	0.165	5.05	0.3	0.26	83.8	<0.005	0.03
Q347431		9.08	0.135	1.595	0.001	<0.002	16.65	0.002	0.55	0.152	2.57	1.0	0.34	79.8	<0.005	0.09
Q347432		9.75	0.136	0.808	0.003	<0.002	21.1	0.003	0.32	0.167	3.51	0.7	0.33	74.8	<0.005	0.05
Q347433		13.10	0.148	1.200	0.003	0.002	31.3	0.003	0.21	0.184	4.72	0.7	0.31	75.6	<0.005	0.09
Q347434		15.50	0.167	1.745	0.007	0.003	18.00	0.002	0.45	0.234	4.89	1.0	0.42	73.2	<0.005	0.17
Q347435		15.40	0.158	1.995	0.006	0.003	25.9	0.003	0.17	0.189	4.46	0.9	0.26	69.1	<0.005	0.67
Q347436		15.30	0.167	1.105	0.006	0.003	22.9	0.002	0.12	0.111	3.89	0.6	0.30	79.9	<0.005	0.16
Q347437		15.05	0.177	1.640	0.007	0.003	23.7	0.003	0.10	0.174	4.15	0.5	0.27	82.6	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347398		0.297	0.168	0.109	0.162	106.5	0.581	5.88	33.1	4.27
Q347399		0.267	0.149	0.086	0.173	97.3	0.407	5.58	25.3	4.46
Q347400		2.64	0.151	0.042	0.822	96.1	0.604	5.06	42.4	2.05
Q347401		0.266	0.156	0.060	0.168	77.8	0.370	5.16	18.3	5.15
Q347402		0.361	0.155	0.088	0.173	99.0	0.304	5.84	32.4	4.64
Q347403		0.339	0.156	0.126	0.176	119.5	0.233	6.27	33.4	4.55
Q347404		0.492	0.132	0.059	0.245	90.1	0.261	6.23	27.3	5.67
Q347405		0.586	0.171	0.117	0.228	96.4	0.249	6.28	29.2	5.44
Q347406		1.355	0.201	0.250	0.407	157.0	0.147	9.13	104.0	4.75
Q347407		0.900	0.007	0.440	0.352	126.5	0.083	13.70	501	1.65
Q347408		1.285	0.069	0.456	0.483	163.0	0.055	13.65	58.1	3.04
Q347409		0.958	0.023	0.266	0.427	159.0	0.039	11.65	54.0	2.22
Q347410		0.918	0.009	0.252	0.528	128.5	0.048	11.95	59.3	1.79
Q347411		0.448	0.004	0.198	0.246	81.2	0.047	8.26	33.1	1.83
Q347412		0.357	0.003	0.183	0.200	63.1	0.046	5.64	26.1	1.70
Q347413		0.703	0.049	0.246	0.273	109.5	0.075	8.12	137.5	2.64
Q347414		0.498	0.086	0.135	0.205	96.6	0.086	8.03	40.5	3.79
Q347415		0.500	0.095	0.175	0.212	100.0	0.194	8.84	79.3	3.48
Q347416		1.010	0.205	0.304	0.363	150.5	0.168	8.79	61.0	4.59
Q347417		0.765	0.171	0.227	0.256	124.5	0.183	8.92	74.6	4.57
Q347418		0.535	0.140	0.096	0.200	86.1	0.213	6.31	34.2	5.37
Q347419		0.789	0.219	0.172	0.345	127.0	0.236	7.91	44.7	5.51
Q347420		0.778	0.229	0.243	0.344	144.0	0.180	7.36	37.8	5.18
Q347421		0.748	0.199	0.108	0.459	107.5	0.268	7.66	28.6	5.60
Q347422		0.741	0.188	0.136	0.313	117.0	0.199	7.52	33.6	4.22
Q347423		0.959	0.174	0.154	0.326	138.0	0.177	7.50	44.0	3.94
Q347424		0.586	0.153	0.071	0.297	118.5	0.202	7.52	22.0	4.34
Q347425										
Q347426		0.132	0.156	0.063	0.124	123.0	0.184	7.47	18.5	3.21
Q347427		0.229	0.179	0.080	0.136	129.0	0.166	6.47	24.3	3.70
Q347428		0.342	0.177	0.103	0.178	112.5	0.145	4.68	24.3	4.41
Q347429		0.355	0.164	0.105	0.177	137.0	0.187	4.93	33.3	4.03
Q347430		0.335	0.189	0.128	0.159	106.5	0.229	4.87	24.4	3.91
Q347431		0.543	0.203	0.091	0.226	93.8	0.259	7.99	28.8	4.56
Q347432		0.577	0.222	0.118	0.264	117.0	0.224	8.71	28.8	4.90
Q347433		0.736	0.230	0.157	0.324	125.0	0.236	7.98	33.8	4.96
Q347434		0.680	0.226	0.089	0.331	104.5	0.319	7.67	31.0	5.60
Q347435		0.710	0.238	0.125	0.315	129.5	0.314	7.55	41.3	4.89
Q347436		0.562	0.213	0.123	0.248	132.5	0.199	6.89	29.5	4.11
Q347437		0.565	0.227	0.125	0.278	139.0	0.207	7.35	35.4	3.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347438		6.51	0.0038	0.075	2.13	2.16	<10	189.5	0.12	0.022	0.99	0.029	15.00	18.40	19.10	3.03
Q347439		7.28	0.0061	0.111	2.08	2.46	<10	169.5	0.15	0.044	1.06	0.047	14.20	19.35	23.2	2.78
Q347440		7.19	0.0061	0.111	2.50	2.73	<10	346	0.17	0.049	1.00	0.060	13.75	20.7	12.25	3.10
Q347441		8.77	0.0080	0.141	1.89	2.86	<10	154.0	0.19	0.061	1.15	0.045	11.15	20.3	18.80	1.840
Q347442		9.19	0.0065	0.157	1.66	1.64	<10	132.5	0.14	0.030	1.07	0.044	10.05	17.20	20.9	1.960
Q347443		6.35	0.0070	0.113	1.83	2.37	<10	110.5	0.20	0.035	1.08	0.054	12.70	18.25	20.3	2.25
Q347444		7.49	0.0038	0.066	1.94	1.65	<10	123.0	0.15	0.016	0.99	0.044	14.20	18.15	18.80	2.37
Q347445		6.78	0.0081	0.194	1.61	1.81	<10	97.1	0.17	0.035	0.91	0.075	10.10	19.30	16.80	1.565
Q347446		6.28	0.0057	0.107	1.36	1.48	<10	90.3	0.13	0.028	0.90	0.047	10.55	16.00	20.1	1.425
Q347447		5.63	0.0056	0.102	1.43	2.03	<10	79.2	0.17	0.051	1.14	0.060	11.00	15.40	20.2	1.360
Q347448		6.00	0.0043	0.038	1.43	1.51	<10	49.3	0.18	0.018	1.08	0.083	8.31	10.45	23.9	1.080
Q347449		6.21	0.0302	0.614	1.33	2.28	<10	59.8	0.16	0.061	1.13	0.076	11.35	19.20	24.5	1.625
Q347450		0.04	0.0011	0.093	1.78	1.22	<10	129.5	0.12	0.058	0.98	0.077	13.65	9.69	18.85	0.345
Q347451		5.52	0.0107	0.153	1.34	1.90	<10	118.5	0.19	0.044	1.14	0.047	11.85	16.60	33.2	1.770
Q347452		5.74	0.0085	0.093	1.67	1.85	<10	130.5	0.22	0.023	1.32	0.047	12.65	16.45	25.7	1.705
Q347453		6.61	0.0047	0.146	1.38	2.17	<10	154.5	0.26	0.033	1.15	0.080	10.80	21.8	41.7	2.04
Q347454		6.83	0.0143	0.395	1.45	4.34	<10	122.0	0.27	0.277	1.36	0.137	11.70	37.1	44.8	2.00
Q347455		6.92	0.0064	0.157	1.24	2.53	<10	95.6	0.16	0.034	1.21	0.092	11.65	20.4	46.5	1.490
Q347456		6.83	0.0072	0.164	1.37	2.12	<10	102.5	0.23	0.028	1.29	0.063	9.54	26.2	71.9	1.780
Q347457		7.75	0.0083	0.144	1.29	2.25	<10	98.2	0.19	0.037	1.33	0.037	8.99	21.4	70.6	1.475
Q347458		5.03	0.0334	0.747	0.99	2.20	<10	153.0	0.13	0.077	0.93	0.090	5.02	17.40	21.6	1.670
Q347459		5.48	0.0312	0.754	0.97	2.40	<10	80.5	0.16	0.092	0.91	0.124	5.13	21.2	22.4	2.21
Q347460		5.37	0.0239	0.260	1.01	1.92	<10	126.5	0.14	0.059	0.97	0.087	4.79	16.50	22.0	2.81
Q347461		4.90	0.0081	0.175	1.28	1.87	<10	111.5	0.15	0.026	1.08	0.049	5.36	14.85	24.3	4.06
Q347462		6.10	0.0210	0.325	1.04	3.38	<10	81.2	0.16	0.030	0.99	0.066	5.34	16.25	23.7	3.37
Q347463		6.49	0.0155	0.332	0.93	65.4	10	160.0	0.42	0.039	1.23	0.217	5.65	19.95	19.05	12.30
Q347464		5.26	0.0253	0.431	0.88	35.1	10	278	0.48	0.227	0.86	0.369	6.20	26.7	16.20	12.60
Q347465		5.32	0.0145	0.233	0.59	31.9	10	224	0.35	0.086	0.46	0.190	11.10	15.95	18.10	6.72
Q347466		3.17	0.0117	0.281	0.61	12.80	10	351	0.35	0.100	0.54	0.165	11.20	24.1	17.25	6.59
Q347467		6.04	0.0173	0.280	1.01	4.93	<10	368	0.29	0.086	0.67	0.194	6.70	22.0	31.8	8.63
Q347468		5.22	0.0115	0.153	1.14	27.2	<10	292	0.45	0.024	0.55	0.249	7.09	19.10	37.7	23.2
Q347469		5.13	0.0227	0.348	1.06	70.7	<10	180.5	0.44	0.122	0.51	0.407	8.43	23.2	21.5	7.54
Q347470		5.77	0.0099	0.325	0.83	50.4	<10	858	0.33	0.075	1.03	0.307	7.29	15.10	24.9	6.78
Q347471		5.29	0.0122	0.291	1.01	28.8	<10	734	0.37	0.082	0.55	0.184	8.46	16.60	17.00	10.05
Q347472		6.96	0.0092	0.258	1.60	5.62	<10	107.0	0.27	0.067	0.99	0.079	13.80	22.3	21.4	7.73
Q347473		3.00	0.0082	0.203	1.52	2.87	<10	121.5	0.19	0.033	1.02	0.068	8.47	16.25	20.5	4.30
Q347474		5.03	0.0082	0.226	1.09	3.21	<10	153.0	0.20	0.042	0.85	0.093	7.96	13.55	15.10	5.81
Q347475		0.05	0.0007	0.089	1.79	1.14	<10	129.5	0.12	0.061	0.98	0.078	13.75	9.55	19.00	0.309
Q347476		5.97	0.0149	0.253	1.33	5.56	<10	127.0	0.29	0.050	0.87	0.117	11.00	19.50	19.50	6.66
Q347477		8.46	0.0111	0.216	1.30	5.16	<10	93.5	0.21	0.046	0.91	0.104	9.52	17.55	17.95	4.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347438		128.5	4.56	7.22	0.141	0.208	0.004	0.018	1.29	7.21	14.2	1.86	573	0.69	0.102	0.075
Q347439		191.0	4.32	7.22	0.136	0.163	0.004	0.013	0.99	7.09	15.1	1.81	544	0.55	0.094	0.103
Q347440		197.5	5.35	8.19	0.170	0.204	0.006	0.016	1.25	6.66	21.2	2.34	726	1.15	0.089	0.068
Q347441		251	4.14	6.80	0.122	0.168	0.007	0.018	0.60	5.34	14.5	1.57	460	1.17	0.085	0.079
Q347442		260	3.54	6.20	0.114	0.180	0.005	0.010	0.69	4.83	9.9	1.30	411	1.36	0.093	0.082
Q347443		228	4.19	7.45	0.129	0.206	0.005	0.013	0.43	6.19	14.0	1.63	489	1.41	0.093	0.116
Q347444		174.5	4.46	7.80	0.129	0.152	0.006	0.010	0.86	6.39	13.8	1.71	478	0.43	0.073	0.088
Q347445		367	3.89	6.39	0.101	0.174	0.007	0.021	0.31	4.89	14.8	1.40	423	0.83	0.078	0.087
Q347446		180.5	3.21	5.37	0.083	0.165	0.007	0.015	0.35	4.89	9.4	1.07	359	1.24	0.082	0.090
Q347447		151.5	3.53	5.93	0.100	0.200	0.012	0.016	0.28	5.28	10.6	1.18	357	1.05	0.094	0.107
Q347448		108.5	2.67	5.60	0.067	0.138	0.011	0.011	0.11	3.91	11.4	1.09	433	0.69	0.071	0.068
Q347449		660	3.08	4.88	0.091	0.151	0.025	<0.005	0.34	5.64	6.8	0.93	338	1.47	0.087	0.191
Q347450		90.4	3.29	5.55	0.072	0.108	<0.004	0.018	0.21	6.33	6.8	0.77	480	5.84	0.211	0.199
Q347451		238	2.85	5.21	0.116	0.134	0.008	0.022	0.44	5.82	7.5	0.97	358	1.40	0.100	0.141
Q347452		185.5	3.18	6.37	0.125	0.158	0.005	0.022	0.59	6.11	9.9	1.20	452	1.43	0.130	0.134
Q347453		383	3.00	5.38	0.102	0.109	0.016	0.019	0.35	5.35	8.8	1.05	486	1.55	0.089	0.238
Q347454		807	3.61	5.34	0.117	0.125	0.028	0.025	0.34	6.00	6.8	1.04	633	2.66	0.100	0.186
Q347455		441	3.00	4.45	0.119	0.163	0.024	<0.005	0.52	6.17	5.9	1.00	335	2.18	0.112	0.170
Q347456		425	3.26	5.25	0.116	0.131	0.020	0.025	0.48	5.15	6.9	1.24	439	1.47	0.093	0.112
Q347457		187.5	2.86	4.70	0.117	0.128	0.017	0.016	0.36	4.52	8.7	1.18	394	0.84	0.100	0.078
Q347458		807	2.27	4.64	0.089	0.116	0.026	<0.005	0.19	2.44	7.5	0.77	276	9.25	0.067	0.107
Q347459		976	2.54	4.20	0.073	0.128	0.046	0.007	0.13	2.40	6.7	0.70	371	8.21	0.051	0.072
Q347460		418	2.26	3.73	0.059	0.107	0.020	0.008	0.18	2.33	6.3	0.64	309	3.24	0.071	0.066
Q347461		476	2.90	4.32	0.071	0.112	0.033	0.008	0.34	2.68	6.5	0.69	248	8.72	0.104	0.078
Q347462		679	2.60	3.88	0.065	0.124	0.031	0.013	0.20	2.48	6.2	0.64	301	3.62	0.076	0.065
Q347463		491	4.07	3.46	0.057	0.070	0.547	0.032	0.28	2.77	4.2	0.53	830	3.70	0.030	0.042
Q347464		448	4.74	2.89	0.066	0.052	0.381	0.041	0.30	2.70	2.7	0.22	1150	3.88	0.030	0.009
Q347465		279	3.01	2.70	0.062	0.037	0.343	0.023	0.12	4.72	1.8	0.10	643	1.70	0.042	0.010
Q347466		295	3.33	3.60	0.066	0.034	0.229	0.011	0.13	5.26	2.2	0.18	714	2.05	0.050	0.014
Q347467		288	3.40	5.04	0.075	0.101	0.133	0.017	0.24	3.07	5.4	0.59	736	1.91	0.048	0.026
Q347468		276	4.08	4.58	0.087	0.104	0.289	0.038	0.34	2.95	3.5	0.39	910	6.20	0.027	0.004
Q347469		530	4.62	3.44	0.077	0.092	1.155	0.031	0.24	3.79	6.1	0.30	902	8.36	0.030	0.057
Q347470		428	3.34	2.47	0.042	0.079	0.146	0.012	0.30	3.21	3.5	0.40	816	3.44	0.032	0.032
Q347471		493	3.47	3.41	0.053	0.086	0.066	0.022	0.30	3.86	3.7	0.35	738	3.85	0.040	0.047
Q347472		566	4.08	6.22	0.118	0.119	0.022	0.034	0.54	6.71	7.0	1.07	596	2.36	0.064	0.096
Q347473		408	2.74	5.07	0.080	0.135	0.015	0.015	0.38	4.00	8.4	0.86	381	1.73	0.098	0.068
Q347474		408	2.31	4.16	0.056	0.140	0.016	0.008	0.21	3.61	4.2	0.46	432	1.92	0.091	0.073
Q347475		89.7	3.32	5.60	0.072	0.114	<0.004	0.005	0.21	6.33	6.7	0.78	470	5.89	0.211	0.201
Q347476		635	3.64	5.46	0.116	0.141	0.017	0.012	0.43	5.19	6.6	0.83	503	3.04	0.073	0.090
Q347477		506	3.14	4.93	0.111	0.132	0.023	0.018	0.42	4.37	6.2	0.80	442	2.57	0.068	0.104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347438		13.50	0.144	1.095	0.004	0.002	56.4	0.001	0.04	0.117	6.76	0.5	0.38	47.2	<0.005	0.03
Q347439		14.75	0.144	1.525	0.005	0.003	40.1	0.001	0.10	0.168	5.67	0.6	0.36	54.8	<0.005	0.06
Q347440		13.75	0.144	1.320	0.010	0.004	46.5	0.001	0.13	0.134	8.60	0.6	0.34	37.4	<0.005	0.04
Q347441		13.25	0.133	1.365	0.004	0.003	24.6	0.001	0.15	0.211	6.46	0.7	0.38	54.0	<0.005	0.11
Q347442		13.10	0.130	1.805	0.003	0.003	27.4	0.002	0.15	0.130	6.30	0.9	0.31	59.2	<0.005	0.06
Q347443		13.90	0.140	1.540	0.003	0.002	18.50	0.001	0.10	0.298	7.16	0.8	0.42	59.1	<0.005	0.07
Q347444		12.75	0.150	0.922	0.001	0.002	40.3	<0.001	0.05	0.205	4.98	0.5	0.35	51.0	<0.005	0.02
Q347445		13.70	0.122	2.04	0.004	0.003	13.60	0.002	0.15	0.121	6.90	0.7	0.38	49.9	<0.005	0.11
Q347446		11.95	0.125	1.055	0.001	0.002	16.15	0.002	0.13	0.103	5.08	0.7	0.30	50.7	<0.005	0.06
Q347447		11.55	0.147	1.385	0.004	0.002	12.70	0.001	0.12	0.139	6.05	0.7	0.31	62.7	<0.005	0.13
Q347448		13.20	0.138	2.03	0.004	0.003	4.52	0.001	0.06	0.170	7.21	0.3	0.24	78.7	<0.005	0.04
Q347449		13.85	0.145	1.355	0.005	<0.002	15.20	0.003	0.16	0.159	5.22	1.2	0.33	74.3	<0.005	0.16
Q347450		16.40	0.056	4.21	0.004	<0.002	6.86	0.001	0.01	0.252	3.35	0.3	1.33	85.7	<0.005	<0.01
Q347451		13.15	0.207	0.856	0.007	0.002	19.10	0.003	0.27	0.141	4.89	1.0	0.39	82.0	<0.005	0.08
Q347452		11.60	0.234	0.873	0.005	0.003	23.9	0.003	0.19	0.178	6.64	0.9	0.33	106.0	<0.005	0.05
Q347453		21.0	0.185	1.685	0.005	0.003	16.80	0.002	0.39	0.204	5.65	1.5	0.34	62.2	<0.005	0.05
Q347454		24.9	0.226	1.820	0.007	0.003	16.95	0.002	0.38	0.459	8.37	1.6	0.39	63.1	<0.005	0.27
Q347455		20.7	0.211	0.764	0.010	0.003	23.5	0.004	0.52	0.168	4.96	2.0	0.33	44.0	<0.005	0.08
Q347456		25.1	0.193	1.180	0.006	0.004	23.6	0.003	0.29	0.264	7.33	1.2	0.27	52.1	<0.005	0.03
Q347457		23.1	0.192	1.220	0.005	0.003	15.95	0.001	0.26	0.282	7.42	0.8	0.28	54.6	<0.005	0.08
Q347458		13.70	0.111	2.90	0.006	0.003	7.36	0.014	0.22	0.240	6.22	1.3	0.32	47.9	<0.005	0.21
Q347459		16.15	0.110	3.63	0.006	0.003	5.76	0.005	0.20	0.316	9.95	0.9	0.34	44.2	<0.005	0.18
Q347460		14.25	0.114	2.61	0.004	0.003	7.77	0.003	0.19	0.209	7.01	0.8	0.20	55.1	<0.005	0.09
Q347461		13.25	0.107	1.315	0.004	0.002	12.40	0.002	0.20	0.120	7.49	1.4	0.25	74.5	<0.005	0.07
Q347462		14.10	0.113	1.870	0.008	0.003	7.76	0.002	0.17	0.176	7.76	1.0	0.25	54.0	<0.005	0.06
Q347463		20.7	0.100	4.28	0.006	0.003	12.70	0.003	0.10	2.48	23.6	1.1	0.17	43.3	<0.005	0.07
Q347464		22.6	0.107	8.74	0.004	0.004	13.70	0.002	0.21	1.685	23.4	1.0	0.12	28.2	<0.005	0.21
Q347465		15.15	0.120	5.11	0.005	0.003	6.78	0.001	0.13	1.550	16.65	0.7	0.18	13.45	<0.005	0.15
Q347466		16.60	0.119	3.26	0.005	0.003	7.32	0.001	0.24	0.686	15.60	0.8	0.16	18.20	<0.005	0.18
Q347467		22.7	0.105	6.42	0.009	0.004	12.75	0.001	0.14	0.477	18.70	0.5	0.26	33.3	<0.005	0.17
Q347468		36.9	0.104	7.04	0.009	0.004	20.0	0.001	0.02	1.580	29.1	0.5	0.22	24.0	<0.005	0.03
Q347469		25.8	0.096	5.50	0.007	0.003	11.30	0.001	0.08	1.680	16.90	0.9	0.18	75.7	<0.005	0.16
Q347470		19.15	0.102	4.61	0.006	0.002	13.10	0.002	0.15	0.842	13.05	0.8	0.10	38.3	<0.005	0.06
Q347471		17.50	0.109	3.92	0.003	0.003	13.50	0.001	0.09	0.381	14.00	0.7	0.15	39.8	<0.005	0.08
Q347472		16.25	0.150	2.45	0.007	0.003	25.2	0.001	0.11	0.252	9.87	1.0	0.33	54.3	<0.005	0.06
Q347473		15.30	0.116	2.03	0.005	0.003	15.70	0.001	0.16	0.143	7.29	0.7	0.35	58.3	<0.005	0.05
Q347474		12.50	0.116	2.49	0.006	0.003	9.58	0.001	0.14	0.217	6.59	0.5	0.25	55.0	<0.005	0.04
Q347475		14.20	0.057	4.15	0.003	<0.002	7.14	<0.001	0.01	0.217	3.34	0.1	1.31	86.2	<0.005	0.01
Q347476		16.00	0.128	1.855	0.006	0.003	18.60	<0.001	0.09	0.261	8.86	0.8	0.30	51.2	<0.005	0.08
Q347477		14.15	0.125	2.22	0.005	0.003	19.00	0.001	0.18	0.188	7.14	0.9	0.35	47.4	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347438		1.175	0.288	0.284	0.348	185.0	1.525	8.38	53.9	5.75
Q347439		1.120	0.276	0.231	0.398	171.5	0.196	8.64	49.9	5.62
Q347440		1.045	0.314	0.260	0.378	212	0.207	7.92	65.1	6.24
Q347441		0.726	0.255	0.133	0.345	169.5	0.241	8.56	41.0	5.34
Q347442		0.619	0.231	0.140	0.289	156.0	0.159	8.18	34.5	5.13
Q347443		0.846	0.239	0.102	0.368	168.0	0.237	9.13	39.6	6.08
Q347444		0.937	0.280	0.180	0.357	183.0	0.137	9.75	39.6	5.00
Q347445		0.708	0.196	0.059	0.293	153.5	0.218	8.06	37.4	5.38
Q347446		0.674	0.189	0.069	0.289	129.5	0.145	7.36	29.3	4.56
Q347447		0.711	0.207	0.065	0.363	149.0	0.206	8.07	30.4	5.84
Q347448		0.491	0.111	0.032	0.252	111.5	0.129	5.50	33.1	4.23
Q347449		0.715	0.191	0.082	0.354	114.5	0.187	8.17	29.8	4.80
Q347450		2.66	0.148	0.043	0.803	96.3	0.615	5.43	42.4	2.34
Q347451		0.654	0.188	0.095	0.284	104.0	0.201	9.76	29.3	4.15
Q347452		0.659	0.216	0.130	0.284	128.0	0.155	10.75	37.3	4.59
Q347453		0.632	0.191	0.133	0.399	112.5	0.189	9.41	44.0	4.59
Q347454		0.622	0.196	0.152	0.577	128.5	0.245	11.50	42.9	5.71
Q347455		0.709	0.200	0.171	0.522	110.5	0.191	10.05	29.2	5.69
Q347456		0.540	0.198	0.120	0.295	107.5	0.231	8.58	31.2	4.57
Q347457		0.487	0.189	0.094	0.240	101.5	0.213	7.72	35.1	4.86
Q347458		0.263	0.174	0.062	0.197	105.5	0.312	6.83	30.2	4.46
Q347459		0.281	0.144	0.060	0.174	111.0	0.291	7.04	32.3	4.80
Q347460		0.263	0.144	0.071	0.147	104.5	0.225	6.03	26.5	4.20
Q347461		0.302	0.153	0.102	0.203	132.5	0.170	6.38	17.3	4.53
Q347462		0.304	0.156	0.082	0.174	127.0	0.165	6.55	22.4	5.23
Q347463		0.287	0.048	0.277	0.208	143.5	0.175	10.70	54.0	3.06
Q347464		0.297	0.009	0.382	0.200	121.0	0.183	12.10	74.2	1.93
Q347465		0.583	0.006	0.933	0.190	113.0	0.133	10.55	48.2	1.81
Q347466		0.586	0.008	0.902	0.183	122.0	0.167	9.90	39.7	1.98
Q347467		0.317	0.075	0.494	0.165	136.5	0.359	9.77	57.2	4.00
Q347468		0.234	0.029	1.670	0.273	165.0	0.082	12.75	76.1	3.21
Q347469		0.712	0.035	0.469	0.363	135.5	0.188	12.20	79.4	3.58
Q347470		0.493	0.023	0.272	0.239	83.2	0.115	8.54	58.4	2.82
Q347471		0.615	0.032	0.230	0.245	93.9	0.104	8.94	47.6	3.32
Q347472		1.060	0.177	0.233	0.389	142.5	0.147	10.05	48.6	4.92
Q347473		0.677	0.151	0.143	0.248	110.0	0.183	7.03	29.1	4.66
Q347474		0.589	0.097	0.181	0.246	84.1	0.157	7.16	25.7	4.43
Q347475		2.69	0.150	0.042	0.836	96.4	0.602	5.49	43.8	2.23
Q347476		0.848	0.150	0.211	0.385	127.0	0.087	9.09	36.2	4.70
Q347477		0.664	0.159	0.163	0.297	118.0	0.208	8.48	30.2	4.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347478		8.06	0.0091	0.213	1.05	2.45	<10	73.9	0.17	0.051	0.92	0.065	11.20	16.10	40.2	3.13
Q347479		5.57	0.0077	0.117	1.65	3.04	<10	129.0	0.19	0.038	1.01	0.081	10.00	15.55	42.1	5.19
Q347480		8.13	0.0073	0.143	1.22	2.51	<10	79.3	0.18	0.021	1.00	0.092	8.27	18.20	22.3	3.22
Q347481		5.86	0.0068	0.156	1.09	1.86	<10	93.5	0.15	0.028	1.08	0.075	8.72	14.05	21.4	2.39
Q347482		7.51	0.0073	0.122	1.33	2.51	<10	76.9	0.17	0.031	1.01	0.085	12.80	16.25	32.3	3.14
Q347483		7.40	0.0079	0.148	1.42	2.36	<10	77.6	0.19	0.026	1.08	0.073	10.75	16.50	34.4	2.79
Q347484		8.44	0.0088	0.218	1.21	2.35	<10	64.9	0.16	0.032	1.07	0.081	10.75	13.85	32.5	1.875
Q347485		7.18	0.0091	0.272	1.23	2.43	<10	59.2	0.17	0.034	1.10	0.087	9.76	14.55	31.5	2.04
Q347486		5.67	0.0142	0.310	1.09	2.48	<10	61.9	0.22	0.063	0.78	0.104	9.55	15.85	31.4	3.00
Q347487		6.29	0.0130	0.411	0.97	2.52	<10	53.1	0.19	0.088	1.08	0.092	10.95	17.35	34.5	2.03
Q347488		4.77	0.0734	0.462	0.98	2.39	<10	58.8	0.17	0.093	0.99	0.081	10.30	14.60	28.2	2.05
Q347489		2.57	0.0161	0.260	0.90	2.33	<10	59.8	0.17	0.060	0.87	0.086	11.25	12.55	26.8	1.530
Q347490		3.21	0.0061	0.106	1.04	1.66	<10	69.5	0.16	0.030	0.84	0.084	6.78	9.23	15.50	1.330
Q347491		3.69	0.0035	0.089	1.05	1.74	<10	78.0	0.15	0.031	0.89	0.077	6.64	8.70	14.10	1.345
Q347492		3.20	0.0129	0.206	1.02	2.77	<10	102.0	0.18	0.066	0.90	0.082	7.78	13.15	34.5	0.820
Q347493		3.21	0.0141	0.192	1.09	2.18	<10	65.6	0.14	0.115	0.86	0.079	7.69	10.60	33.5	1.185
Q347494		5.26	0.0110	0.189	0.98	2.04	<10	43.4	0.17	0.027	1.22	0.031	5.63	13.20	102.5	0.562
Q347495		6.95	0.0171	0.235	1.09	1.90	<10	34.4	0.14	0.055	0.89	0.029	4.80	17.45	189.5	0.767
Q347496		8.31	0.0222	0.419	1.11	1.87	<10	42.6	0.14	0.066	1.12	0.030	4.43	18.50	162.0	0.890
Q347497		7.07	0.0205	0.136	1.19	2.06	<10	44.0	0.14	0.028	0.94	0.031	3.69	12.50	182.5	0.922
Q347498		7.80	0.0070	0.170	1.10	2.52	<10	22.1	0.12	0.042	1.20	0.021	3.31	15.20	125.0	0.500
Q347499		7.93	0.0127	0.145	0.81	1.95	<10	60.0	0.13	0.024	0.80	0.035	6.29	10.30	34.9	1.175
Q347500		0.05	0.0008	0.089	1.68	1.09	<10	126.5	0.09	0.066	0.95	0.064	13.70	9.42	17.65	0.312
Q347601		4.40	0.0048	0.050	0.93	1.29	<10	90.4	0.14	0.013	0.81	0.040	6.17	6.94	11.30	0.983
Q347602		5.12	0.0038	0.088	1.12	1.32	<10	96.4	0.14	0.028	0.97	0.045	6.07	10.10	35.7	1.190
Q347603		6.14	0.0058	0.052	1.12	1.02	<10	107.0	0.13	0.015	0.94	0.026	6.10	6.68	9.93	1.030
Q347604		9.03	0.0055	0.070	1.03	1.05	<10	85.1	0.12	0.024	0.81	0.019	5.91	7.60	9.61	1.185
Q347605		4.45	0.0049	0.057	1.03	1.22	<10	95.9	0.11	0.034	0.73	0.023	6.03	6.13	9.95	1.650
Q347606		4.91	0.0061	0.069	1.08	1.20	<10	129.0	0.13	0.017	0.86	0.027	6.06	7.20	9.25	2.35
Q347607		4.77	0.0085	0.107	0.91	2.19	<10	130.0	0.17	0.065	0.77	0.071	7.01	9.98	9.49	2.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347478		471	2.59	4.52	0.095	0.157	0.014	0.014	0.30	5.54	5.3	0.66	322	1.80	0.086	0.133
Q347479		400	3.06	5.89	0.082	0.164	0.011	0.013	0.49	4.64	8.1	0.96	470	1.49	0.106	0.082
Q347480		518	2.65	4.48	0.069	0.114	0.013	0.015	0.33	4.06	5.8	0.69	363	1.19	0.086	0.094
Q347481		478	2.34	3.88	0.061	0.145	0.017	0.011	0.22	4.32	4.1	0.50	280	1.45	0.091	0.110
Q347482		460	3.21	5.34	0.113	0.146	0.017	0.012	0.48	6.32	6.4	0.91	405	2.46	0.084	0.163
Q347483		531	3.14	5.88	0.114	0.143	0.017	0.018	0.44	5.40	8.2	1.01	411	2.34	0.079	0.133
Q347484		503	2.74	4.35	0.103	0.151	0.015	0.011	0.28	5.54	6.7	0.78	318	3.06	0.080	0.188
Q347485		528	2.68	4.57	0.093	0.131	0.022	0.014	0.25	4.92	6.7	0.78	312	1.96	0.083	0.168
Q347486		689	2.28	4.05	0.080	0.162	0.020	0.008	0.18	4.56	7.4	0.68	320	1.34	0.056	0.127
Q347487		508	2.37	3.52	0.106	0.260	0.019	0.016	0.14	5.47	5.1	0.58	347	1.04	0.061	0.124
Q347488		376	2.39	3.67	0.103	0.181	0.012	0.008	0.17	5.03	6.1	0.61	294	0.81	0.076	0.107
Q347489		347	2.23	3.54	0.106	0.198	0.013	0.011	0.13	5.57	5.1	0.52	310	0.76	0.065	0.176
Q347490		142.0	1.710	4.12	0.064	0.187	0.013	<0.005	0.14	3.22	6.6	0.55	243	0.33	0.079	0.072
Q347491		99.2	1.670	3.81	0.053	0.182	0.011	0.007	0.15	3.19	5.4	0.50	239	0.36	0.082	0.076
Q347492		140.5	1.940	3.99	0.071	0.179	0.007	0.018	0.12	3.80	5.1	0.65	353	0.45	0.057	0.067
Q347493		192.0	1.990	3.83	0.081	0.138	0.019	0.015	0.17	3.56	6.4	0.68	317	0.51	0.070	0.109
Q347494		235	1.760	2.72	0.076	0.148	0.007	0.012	0.09	2.83	4.9	0.99	306	0.32	0.054	0.037
Q347495		296	2.21	3.51	0.096	0.098	0.005	0.007	0.09	2.45	8.9	1.27	336	0.88	0.043	0.033
Q347496		333	2.05	2.66	0.092	0.101	0.011	<0.005	0.17	2.39	6.7	1.17	312	0.61	0.055	0.037
Q347497		189.0	2.03	3.39	0.089	0.082	0.008	0.011	0.19	1.860	11.0	1.42	374	0.51	0.049	0.030
Q347498		175.5	2.00	3.00	0.100	0.094	<0.004	0.005	0.04	1.805	7.3	1.13	400	2.14	0.039	0.036
Q347499		182.5	1.570	3.30	0.062	0.110	0.029	<0.005	0.15	2.89	4.3	0.54	242	0.64	0.074	0.108
Q347500		85.2	3.23	4.97	0.073	0.120	<0.004	0.005	0.20	6.27	6.3	0.75	452	5.24	0.197	0.198
Q347601		108.0	1.480	3.84	0.066	0.138	0.039	0.006	0.20	2.77	5.3	0.49	189.0	0.32	0.106	0.098
Q347602		114.0	1.810	3.85	0.090	0.130	0.038	0.006	0.29	2.84	6.2	0.70	218	0.36	0.111	0.089
Q347603		76.6	1.620	4.00	0.086	0.142	0.050	<0.005	0.24	2.75	6.2	0.51	182.5	0.34	0.120	0.102
Q347604		97.5	1.480	3.97	0.068	0.107	0.015	<0.005	0.24	2.61	6.4	0.51	164.0	0.36	0.103	0.104
Q347605		101.5	1.540	3.86	0.058	0.120	0.026	<0.005	0.25	2.67	6.2	0.54	192.5	0.68	0.105	0.099
Q347606		134.0	1.580	3.82	0.066	0.094	0.011	<0.005	0.20	2.71	5.5	0.47	227	0.45	0.112	0.096
Q347607		139.5	1.550	3.46	0.050	0.099	0.020	0.008	0.18	3.11	3.7	0.33	257	0.83	0.095	0.098

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347478		16.10	0.175	1.140	0.006	0.003	13.75	<0.001	0.14	0.167	4.70	0.7	0.31	46.5	<0.005	0.05
Q347479		23.7	0.128	2.95	0.005	0.003	22.5	<0.001	0.08	0.221	6.57	0.6	0.31	62.5	<0.005	0.03
Q347480		14.50	0.125	1.885	0.008	0.003	14.05	<0.001	0.15	0.115	6.51	0.8	0.28	57.2	<0.005	0.04
Q347481		11.85	0.145	1.390	0.008	0.003	8.93	0.001	0.20	0.090	5.85	0.9	0.32	62.5	<0.005	0.09
Q347482		14.70	0.206	1.240	0.003	0.002	22.0	0.001	0.08	0.125	6.42	1.0	0.37	45.7	<0.005	0.07
Q347483		16.25	0.185	1.295	0.007	0.004	18.95	0.002	0.14	0.124	5.92	1.1	0.32	48.3	<0.005	0.08
Q347484		16.20	0.179	1.340	0.007	0.003	12.75	0.002	0.20	0.115	4.88	1.4	0.31	50.7	<0.005	0.07
Q347485		16.10	0.167	1.425	0.005	0.002	11.20	0.001	0.17	0.177	4.98	1.2	0.30	55.2	<0.005	0.08
Q347486		18.40	0.118	2.74	0.009	0.004	9.27	0.002	0.08	0.203	5.88	0.8	0.30	40.2	<0.005	0.11
Q347487		15.30	0.162	2.53	0.007	0.002	6.98	<0.001	0.16	0.146	4.95	0.9	0.29	68.5	<0.005	0.11
Q347488		13.55	0.160	2.05	0.007	<0.002	8.95	0.001	0.11	0.156	4.87	0.6	0.27	67.3	<0.005	0.06
Q347489		11.70	0.146	2.03	0.004	<0.002	6.64	<0.001	0.08	0.208	4.08	0.7	0.24	52.4	<0.005	0.07
Q347490		10.10	0.112	2.23	0.005	<0.002	6.74	<0.001	0.05	0.217	4.49	0.2	0.16	52.3	<0.005	0.03
Q347491		9.47	0.118	1.620	0.003	<0.002	7.69	<0.001	0.04	0.166	4.15	0.2	0.19	51.1	<0.005	0.05
Q347492		15.30	0.133	2.45	0.008	0.002	5.50	<0.001	0.05	0.329	5.96	0.3	0.23	43.8	<0.005	0.11
Q347493		13.55	0.122	1.600	0.002	<0.002	8.02	<0.001	0.05	0.194	4.93	0.1	0.24	44.9	<0.005	0.09
Q347494		29.4	0.145	1.340	0.011	0.005	4.41	<0.001	0.05	0.161	6.43	0.2	0.24	52.2	<0.005	0.06
Q347495		48.8	0.142	1.070	0.007	0.004	4.59	0.001	0.03	0.578	4.80	0.4	0.24	29.0	<0.005	0.09
Q347496		43.8	0.142	1.125	0.010	0.004	9.20	<0.001	0.07	0.173	4.92	0.6	0.12	48.4	<0.005	0.13
Q347497		42.4	0.134	0.842	0.006	0.006	9.68	<0.001	0.03	0.173	4.82	0.1	0.16	36.4	<0.005	0.10
Q347498		32.8	0.145	0.799	0.010	0.005	1.855	0.003	0.07	0.386	4.62	0.3	0.18	48.6	<0.005	0.05
Q347499		13.00	0.121	0.985	0.003	0.002	7.63	0.001	0.16	0.139	3.91	0.3	0.24	39.6	<0.005	0.07
Q347500		12.75	0.055	3.64	0.004	<0.002	7.08	0.001	0.01	0.225	3.34	0.4	1.30	83.0	<0.005	<0.01
Q347601		7.89	0.106	0.924	0.002	<0.002	10.10	0.001	0.11	0.111	3.05	0.4	0.17	49.3	<0.005	<0.01
Q347602		15.40	0.118	1.030	0.006	<0.002	13.75	<0.001	0.10	0.121	3.45	0.3	0.16	57.7	<0.005	0.03
Q347603		7.02	0.108	1.090	0.003	<0.002	10.95	<0.001	0.08	0.092	2.62	0.1	0.18	69.8	<0.005	0.03
Q347604		6.72	0.107	1.025	0.003	<0.002	11.60	<0.001	0.12	0.103	2.27	0.3	0.12	51.3	<0.005	0.05
Q347605		7.57	0.102	1.115	0.004	0.003	11.75	<0.001	0.07	0.109	3.08	0.2	0.19	50.6	<0.005	0.04
Q347606		7.59	0.110	0.990	0.002	0.002	10.10	<0.001	0.14	0.101	2.88	0.4	0.17	51.1	<0.005	0.02
Q347607		8.83	0.107	2.54	0.001	<0.002	8.73	0.001	0.14	0.268	4.30	0.4	0.20	45.0	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347478		0.754	0.154	0.107	0.372	93.1	0.129	9.77	24.0	5.21
Q347479		0.913	0.158	0.159	0.286	111.5	0.129	7.58	41.6	5.48
Q347480		0.640	0.152	0.102	0.267	110.5	0.153	7.72	25.2	4.46
Q347481		0.572	0.147	0.068	0.290	91.4	0.155	8.06	17.9	4.55
Q347482		0.853	0.186	0.132	0.407	118.0	0.155	11.10	30.7	5.34
Q347483		0.647	0.195	0.118	0.390	122.5	0.185	9.99	31.7	5.84
Q347484		0.727	0.182	0.084	0.547	101.5	0.191	9.62	26.3	5.82
Q347485		0.671	0.173	0.067	0.409	102.5	0.218	9.31	25.0	5.28
Q347486		0.795	0.135	0.072	0.295	87.8	0.218	7.10	32.1	4.88
Q347487		0.955	0.150	0.058	0.387	85.8	0.221	7.14	31.7	6.86
Q347488		0.761	0.173	0.058	0.362	97.0	0.185	7.21	28.4	5.64
Q347489		0.845	0.145	0.048	0.378	84.8	0.181	7.32	25.8	5.68
Q347490		0.565	0.113	0.052	0.197	76.0	0.148	5.38	21.7	4.37
Q347491		0.580	0.109	0.057	0.186	76.4	0.084	4.99	19.0	4.07
Q347492		0.628	0.120	0.067	0.279	83.8	0.161	5.70	29.6	4.54
Q347493		0.592	0.125	0.063	0.248	73.3	0.163	5.20	26.5	3.93
Q347494		0.395	0.115	0.030	0.324	60.2	0.163	3.96	21.0	3.93
Q347495		0.396	0.097	0.031	0.209	75.6	0.123	3.10	28.1	3.04
Q347496		0.374	0.119	0.049	0.231	59.5	0.117	3.11	26.4	3.28
Q347497		0.305	0.111	0.051	0.182	62.4	0.124	2.74	34.6	2.49
Q347498		0.252	0.098	0.021	0.161	52.0	0.158	2.72	26.6	2.36
Q347499		0.496	0.109	0.060	0.237	62.5	0.153	4.92	16.4	3.31
Q347500		2.54	0.147	0.045	0.773	93.1	0.642	4.81	42.1	1.95
Q347601		0.481	0.114	0.074	0.206	64.1	0.157	4.70	13.1	3.26
Q347602		0.500	0.136	0.079	0.216	70.9	0.146	4.77	20.2	3.73
Q347603		0.501	0.117	0.061	0.206	68.3	0.146	4.45	14.8	3.18
Q347604		0.457	0.112	0.077	0.197	62.0	0.128	4.22	13.1	2.43
Q347605		0.514	0.108	0.096	0.246	63.5	0.166	4.57	14.7	2.71
Q347606		0.519	0.095	0.087	0.222	58.2	0.122	4.38	13.3	2.13
Q347607		0.544	0.076	0.107	0.249	59.9	0.149	5.11	18.4	2.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14110420

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

CERTIFICATE KL14113516

Project: Dillard

This report is for 81 Rock samples submitted to our lab in Kamloops, BC, Canada on 27- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347735		3.88	0.0437	1.840	1.97	1.65	<10	218	0.19	0.044	0.75	0.103	17.40	22.9	34.6	1.900
Q347736		3.48	0.0087	1.260	1.85	1.49	<10	96.1	0.24	0.019	0.90	0.186	22.8	20.3	32.9	1.590
Q347737		3.26	0.0137	0.181	1.71	1.17	<10	104.5	0.24	0.010	0.80	0.058	14.65	13.40	20.4	1.530
Q347738		4.32	0.0015	0.141	1.92	0.89	<10	368	0.20	0.008	0.86	0.073	9.19	14.75	30.0	2.50
Q347739		4.61	0.0074	0.340	1.85	4.19	<10	426	0.26	0.026	0.82	0.080	28.1	23.1	22.7	4.45
Q347740		6.11	0.0789	0.332	1.67	5.58	<10	103.5	0.42	0.058	0.58	0.221	34.8	22.1	18.00	5.83
Q347741		6.77	0.0168	0.275	1.67	1.50	<10	86.2	0.28	0.035	0.65	0.065	27.6	20.6	17.10	2.01
Q347742		5.76	0.0033	0.582	1.89	1.30	<10	56.6	0.24	0.024	0.85	0.279	27.7	27.3	22.5	1.565
Q347743		5.68	0.0024	0.917	1.99	1.68	<10	36.4	0.31	0.017	1.49	0.434	31.1	31.9	23.8	1.485
Q347744		5.25	0.0022	0.432	2.13	1.77	<10	54.9	0.30	0.023	0.65	0.246	30.1	31.2	24.9	1.470
Q347745		6.54	0.0048	0.213	1.53	1.60	<10	76.1	0.29	0.009	0.96	0.130	24.2	32.1	23.2	1.315
Q347746		6.44	0.0027	0.283	1.64	1.55	<10	64.0	0.32	0.010	1.11	0.166	24.8	32.9	23.7	0.671
Q347747		4.95	0.0020	0.268	1.80	1.94	<10	155.5	0.29	0.014	1.15	0.127	22.1	30.7	32.1	0.728
Q347748		5.09	0.0027	0.238	1.58	2.33	<10	307	0.30	0.014	1.13	0.156	25.1	23.8	24.3	1.640
Q347749		5.47	0.0026	0.167	1.51	4.54	<10	162.5	0.33	0.020	1.08	0.285	25.0	29.9	34.8	2.44
Q347750		0.05	0.0014	0.111	1.77	1.22	<10	134.5	0.10	0.067	0.97	0.082	13.65	10.00	19.05	0.345
Q347751		7.23	0.0044	0.289	1.63	9.16	<10	147.0	0.49	0.037	0.84	0.367	30.2	31.5	23.7	5.44
Q347752		5.50	0.0068	0.364	2.38	2.72	<10	414	0.41	0.023	1.17	0.160	30.0	31.2	26.8	5.39
Q347753		7.07	0.0100	0.562	1.35	86.1	<10	170.5	0.45	0.051	0.71	1.915	34.8	27.0	15.75	3.38
Q347754		6.03	0.0028	0.127	1.09	38.3	<10	242	0.60	0.024	0.91	1.510	28.6	34.7	15.70	5.45
Q347755		5.73	0.0057	0.505	0.96	81.4	<10	249	0.52	0.057	0.79	1.585	34.1	36.2	17.20	2.73
Q347756		5.22	0.0053	0.163	1.45	19.35	<10	67.2	0.63	0.025	0.56	0.632	36.0	32.0	18.85	9.77
Q347757		4.53	0.0080	0.103	1.88	4.91	<10	194.0	0.64	0.032	0.58	0.170	39.4	31.0	42.5	23.4
Q347758		5.85	0.0103	0.158	1.87	7.50	<10	611	0.56	0.027	0.74	0.174	16.10	32.8	73.3	16.60
Q347759		6.67	0.0100	0.129	1.85	6.76	<10	142.0	0.34	0.019	0.83	0.093	30.9	27.9	31.1	7.82
Q347760		6.59	0.0428	0.483	1.97	2.47	<10	213	0.34	0.084	0.83	0.096	34.8	24.6	8.60	2.95
Q347761		4.85	0.0068	0.468	1.99	3.21	<10	86.0	0.32	0.027	1.03	0.153	34.2	22.6	13.50	2.62
Q347762		5.54	0.0020	0.076	2.04	1.65	<10	92.7	0.23	0.013	1.22	0.103	24.4	18.80	28.5	2.04
Q347763		6.53	0.0030	0.093	2.26	1.08	<10	173.5	0.20	0.012	1.42	0.134	10.75	23.1	66.6	1.865
Q347764		6.78	0.0427	0.080	2.32	1.33	<10	164.0	0.22	0.010	1.20	0.092	24.0	39.6	9.19	2.66
Q347765		5.44	0.0054	0.127	1.94	1.82	<10	100.0	0.16	0.012	1.05	0.066	21.0	23.0	20.8	1.845
Q347766		5.07	0.0050	0.249	1.98	1.12	<10	102.5	0.19	0.010	1.31	0.132	24.1	23.1	25.9	1.845
Q347767		5.40	0.0027	0.286	1.88	1.28	<10	67.3	0.24	0.016	1.21	0.169	22.1	18.95	27.3	1.300
Q347768		6.38	0.0037	0.299	2.03	1.47	<10	76.8	0.29	0.016	1.05	0.187	25.0	21.4	17.10	1.765
Q347769		6.50	0.0015	0.990	2.41	1.33	<10	58.6	0.23	0.065	0.61	0.237	32.1	22.9	8.14	0.633
Q347770		4.49	0.0023	2.47	2.36	1.16	<10	88.8	0.15	0.038	0.65	0.359	36.2	21.7	4.88	0.408
Q347771		6.24	0.0015	0.894	2.13	1.45	<10	83.8	0.20	0.043	0.64	0.223	37.0	19.45	2.81	0.619
Q347772		5.48	0.0036	1.235	2.00	1.35	<10	119.0	0.29	0.088	0.50	0.118	33.9	18.55	4.76	0.794
Q347773		5.63	0.0042	0.329	2.04	1.37	<10	118.5	0.34	0.071	0.51	0.091	31.1	18.25	5.23	0.948
Q347774		5.63	0.0026	0.179	2.10	1.70	<10	103.0	0.38	0.015	0.68	0.059	33.2	19.80	2.80	1.660

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347735		1665	4.53	8.16	0.134	0.125	0.062	0.007	0.73	8.56	11.9	1.68	709	0.53	0.082	0.099
Q347736		1595	3.87	7.01	0.136	0.179	0.010	0.014	0.12	10.00	8.6	1.55	749	0.35	0.061	0.065
Q347737		273	2.83	6.30	0.093	0.156	0.008	0.010	0.11	6.48	8.5	1.35	719	0.26	0.056	0.077
Q347738		411	2.90	6.17	0.082	0.117	0.009	0.013	0.15	4.01	9.9	1.58	729	0.20	0.057	0.021
Q347739		616	4.40	6.84	0.112	0.097	0.012	0.047	0.69	11.20	9.7	1.35	685	0.30	0.064	0.035
Q347740		803	5.15	7.95	0.127	0.066	0.128	0.032	0.57	17.10	6.8	0.91	973	0.30	0.052	0.052
Q347741		1095	4.48	8.54	0.135	0.124	0.031	0.033	0.48	13.70	6.4	1.04	805	0.27	0.054	0.043
Q347742		1500	5.01	8.35	0.111	0.104	0.022	0.025	0.23	13.95	9.7	1.53	879	0.32	0.057	0.025
Q347743		1310	5.39	9.53	0.124	0.098	0.009	0.046	0.20	18.70	12.2	1.58	1295	0.33	0.045	0.019
Q347744		631	5.36	9.55	0.114	0.119	0.006	0.031	0.25	12.45	12.5	1.72	1140	0.37	0.058	0.032
Q347745		752	4.63	7.17	0.183	0.265	0.011	0.023	0.59	11.60	7.7	1.03	949	0.66	0.072	0.181
Q347746		602	4.32	7.42	0.174	0.247	0.008	0.019	0.26	11.85	7.9	1.21	1075	0.32	0.072	0.163
Q347747		417	4.20	7.85	0.160	0.275	0.014	0.015	0.20	11.05	9.7	1.50	1025	0.36	0.065	0.110
Q347748		409	4.09	6.53	0.139	0.294	0.024	0.020	0.41	12.35	7.1	1.11	849	0.33	0.074	0.148
Q347749		316	4.69	6.67	0.154	0.283	0.066	0.024	0.48	12.95	6.9	1.05	1040	0.48	0.068	0.173
Q347750		93.6	3.42	5.38	0.097	0.119	<0.004	0.011	0.21	6.74	7.1	0.80	481	5.81	0.188	0.175
Q347751		650	4.86	7.39	0.152	0.149	0.052	0.050	0.49	14.30	5.6	1.02	1285	0.65	0.046	0.092
Q347752		724	4.99	10.00	0.192	0.266	0.025	0.041	1.05	13.85	9.2	1.75	1555	0.37	0.077	0.085
Q347753		836	4.92	5.08	0.117	0.075	0.210	0.041	0.43	16.95	4.5	0.56	1590	0.58	0.046	0.050
Q347754		420	5.62	3.52	0.111	0.045	0.183	0.067	0.24	12.55	3.5	0.24	2020	0.48	0.028	0.022
Q347755		800	6.34	3.79	0.141	0.058	0.247	0.061	0.18	18.80	2.9	0.15	2010	4.17	0.033	0.017
Q347756		703	5.84	5.13	0.147	0.058	0.120	0.075	0.40	19.85	3.3	0.32	1675	1.34	0.027	0.029
Q347757		522	6.50	7.44	0.168	0.057	0.048	0.056	0.68	21.6	3.7	0.73	2050	0.88	0.029	0.047
Q347758		515	6.06	7.78	0.148	0.102	0.039	0.048	0.63	8.45	5.6	0.97	1690	2.30	0.043	0.032
Q347759		607	4.89	7.77	0.184	0.227	0.011	0.029	0.92	14.60	6.1	1.21	1100	0.88	0.074	0.121
Q347760		546	4.97	8.60	0.192	0.243	0.018	0.026	0.65	19.55	8.0	1.49	936	2.22	0.083	0.182
Q347761		495	4.58	8.67	0.191	0.315	0.009	0.033	0.80	18.80	8.2	1.42	1135	0.88	0.082	0.215
Q347762		245	3.88	7.74	0.173	0.318	0.007	0.032	0.76	11.95	7.4	1.50	853	1.60	0.125	0.153
Q347763		329	3.97	7.24	0.152	0.202	0.006	0.031	0.56	4.78	7.1	1.87	762	1.36	0.178	0.044
Q347764		349	6.10	9.53	0.219	0.228	0.006	0.018	1.31	11.35	9.7	1.91	737	0.66	0.094	0.106
Q347765		475	5.39	8.40	0.193	0.274	0.007	0.026	1.05	9.67	9.9	1.25	849	1.11	0.104	0.148
Q347766		761	4.48	8.18	0.235	0.410	0.006	0.027	1.08	12.45	8.8	1.39	1020	0.33	0.097	0.190
Q347767		366	3.92	7.40	0.183	0.392	0.010	0.018	0.64	11.15	8.7	1.41	1030	0.72	0.085	0.225
Q347768		413	4.67	8.36	0.167	0.309	0.007	0.028	0.74	12.05	10.7	1.61	1095	0.52	0.091	0.184
Q347769		882	5.32	10.20	0.086	0.125	0.007	0.039	0.23	12.10	17.8	2.12	1250	0.77	0.067	0.036
Q347770		1650	4.90	9.28	0.066	0.116	0.010	0.049	0.14	14.10	16.2	2.00	1150	0.55	0.065	0.013
Q347771		903	4.57	8.44	0.070	0.085	0.008	0.028	0.15	14.10	14.0	1.73	1030	0.73	0.060	0.011
Q347772		1085	4.47	7.60	0.057	0.079	0.014	0.027	0.18	14.90	12.3	1.56	1065	0.86	0.056	0.017
Q347773		406	4.35	7.56	0.056	0.074	0.016	0.018	0.27	11.20	11.7	1.65	1125	0.65	0.059	0.017
Q347774		523	4.93	9.10	0.120	0.151	0.006	0.033	0.34	11.50	10.9	1.78	1255	0.35	0.069	0.043

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347735		13.90	0.206	1.050	0.007	0.002	26.5	<0.001	0.32	0.133	5.31	2.4	0.30	50.7	<0.005	0.39
Q347736		16.00	0.202	0.900	0.009	0.003	6.63	<0.001	0.09	0.200	7.89	1.6	0.35	76.2	<0.005	0.05
Q347737		13.15	0.151	1.870	0.006	0.003	5.24	<0.001	0.01	0.323	7.40	0.5	0.20	55.6	<0.005	0.02
Q347738		17.60	0.124	0.649	0.004	0.003	7.82	<0.001	0.03	0.119	9.80	0.5	0.17	45.6	<0.005	0.02
Q347739		12.05	0.218	0.952	0.009	0.002	29.9	<0.001	0.06	0.188	8.99	1.1	0.53	39.3	<0.005	0.06
Q347740		9.83	0.214	14.30	0.009	0.003	27.2	<0.001	0.09	1.045	9.84	1.9	0.46	27.1	<0.005	0.26
Q347741		6.76	0.181	1.495	0.006	0.002	20.5	<0.001	0.05	0.150	8.88	2.2	0.46	44.4	<0.005	0.10
Q347742		11.70	0.179	1.375	0.005	0.002	9.98	<0.001	0.11	0.084	9.52	2.1	0.32	33.9	<0.005	0.08
Q347743		12.70	0.196	2.59	0.007	0.002	8.67	<0.001	0.06	0.110	9.30	1.6	0.27	43.7	<0.005	0.03
Q347744		13.30	0.197	2.77	0.006	0.003	11.55	<0.001	0.06	0.149	8.10	1.4	0.35	28.2	<0.005	0.07
Q347745		11.25	0.184	0.895	0.007	0.003	31.4	<0.001	0.07	0.126	5.64	1.7	0.54	62.3	<0.005	0.03
Q347746		11.80	0.197	1.170	0.006	0.002	12.75	<0.001	0.03	0.204	5.81	1.4	0.45	82.9	<0.005	0.04
Q347747		14.20	0.199	2.56	0.007	0.003	9.34	<0.001	0.06	0.194	5.95	1.1	0.37	91.4	<0.005	0.05
Q347748		11.30	0.196	4.30	0.009	0.003	20.5	<0.001	0.06	0.341	5.79	1.1	0.43	83.6	<0.005	0.03
Q347749		15.25	0.191	22.4	0.006	0.003	25.6	0.001	0.13	0.465	8.45	1.4	0.44	68.4	<0.005	0.08
Q347750		14.50	0.058	4.08	0.001	<0.002	7.32	0.001	0.01	0.235	3.09	0.2	1.36	87.3	<0.005	0.01
Q347751		14.00	0.201	22.4	0.008	0.003	25.8	<0.001	0.19	1.220	10.15	2.0	0.38	45.5	<0.005	0.10
Q347752		13.45	0.203	2.19	0.007	0.003	49.7	<0.001	0.19	0.194	9.87	1.9	0.37	69.5	<0.005	0.06
Q347753		10.60	0.172	241	0.006	0.002	20.7	0.001	0.06	3.15	8.66	1.7	0.17	26.9	<0.005	0.15
Q347754		15.95	0.177	156.5	0.007	0.003	14.35	<0.001	0.07	5.17	11.80	1.8	0.25	24.9	<0.005	0.04
Q347755		15.00	0.208	265	0.007	0.003	10.30	0.003	0.22	7.15	12.90	3.4	0.19	22.6	<0.005	0.23
Q347756		14.90	0.193	57.3	0.008	0.003	24.9	0.001	0.04	1.445	19.00	2.2	0.40	21.5	<0.005	0.06
Q347757		21.9	0.186	5.26	0.006	0.005	38.5	<0.001	0.03	0.321	21.4	1.9	0.42	18.70	<0.005	0.07
Q347758		43.3	0.154	2.71	0.009	0.006	31.3	0.001	0.09	0.219	31.3	1.5	0.25	55.6	<0.005	0.11
Q347759		14.30	0.189	2.14	0.006	0.003	43.0	<0.001	0.06	0.149	11.45	1.5	0.41	54.3	<0.005	0.05
Q347760		5.92	0.205	2.29	0.008	0.002	27.4	0.002	0.41	0.147	6.93	2.8	0.40	60.4	<0.005	0.28
Q347761		6.37	0.207	2.55	0.006	0.002	41.8	<0.001	0.07	0.167	6.64	1.7	0.46	55.4	<0.005	0.07
Q347762		13.40	0.178	1.265	0.007	0.003	35.1	<0.001	0.03	0.109	9.10	0.8	0.46	67.5	<0.005	0.03
Q347763		33.3	0.145	1.145	0.006	0.005	22.3	0.001	0.09	0.145	18.20	1.3	0.34	75.2	<0.005	0.04
Q347764		11.85	0.234	0.747	0.014	0.003	61.7	0.001	0.05	0.077	8.81	1.2	0.41	68.9	<0.005	0.05
Q347765		8.13	0.217	0.446	0.010	0.003	54.0	0.002	0.09	0.071	7.24	1.8	0.47	59.3	<0.005	0.04
Q347766		9.72	0.201	0.537	0.007	0.004	54.3	<0.001	0.12	0.047	5.20	1.8	0.49	60.8	<0.005	0.04
Q347767		9.71	0.194	0.987	0.008	0.002	33.6	0.002	0.11	0.060	4.61	1.5	0.42	68.8	<0.005	0.08
Q347768		8.54	0.204	1.645	0.008	0.003	37.5	0.001	0.05	0.109	5.72	1.5	0.38	53.6	<0.005	0.04
Q347769		5.58	0.214	3.10	0.008	0.002	9.11	0.001	0.08	0.102	5.85	2.0	0.26	25.1	<0.005	0.09
Q347770		4.13	0.232	1.830	0.006	0.003	4.62	<0.001	0.09	0.056	6.01	2.7	0.15	19.75	<0.005	0.09
Q347771		4.19	0.212	3.17	0.004	0.002	5.15	0.001	0.08	0.091	5.52	1.9	0.13	20.0	<0.005	0.08
Q347772		5.60	0.208	4.52	0.005	0.003	6.15	<0.001	0.04	0.105	5.65	1.9	0.09	16.55	<0.005	0.10
Q347773		5.44	0.211	3.16	0.010	0.004	9.08	0.001	0.09	0.169	5.87	1.1	0.16	16.15	<0.005	0.07
Q347774		3.88	0.217	1.125	0.001	<0.002	17.85	0.001	0.02	0.119	7.57	1.0	0.38	29.2	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347735		1.235	0.158	0.176	0.432	195.5	0.217	8.63	63.5	3.73
Q347736		1.565	0.084	0.091	0.456	168.0	0.034	10.05	64.7	4.78
Q347737		1.100	0.080	0.090	0.264	121.5	0.028	7.25	63.0	4.03
Q347738		0.498	0.045	0.112	0.155	129.0	0.031	7.05	51.5	2.95
Q347739		1.735	0.089	0.226	0.316	136.5	0.046	12.55	59.0	2.75
Q347740		2.04	0.057	0.346	0.473	193.5	0.467	13.70	148.5	2.83
Q347741		1.815	0.054	0.135	0.445	202	0.061	15.10	48.8	3.39
Q347742		1.595	0.027	0.076	0.456	206	0.022	15.40	60.7	3.39
Q347743		1.690	0.015	0.060	0.522	209	0.025	19.45	85.3	4.24
Q347744		1.730	0.042	0.068	0.486	197.0	0.038	11.60	88.1	4.33
Q347745		1.855	0.190	0.126	0.760	175.5	0.054	12.85	67.0	8.48
Q347746		1.860	0.194	0.065	0.696	165.5	0.063	12.45	88.0	8.40
Q347747		1.655	0.185	0.066	0.625	157.5	0.092	12.30	123.0	8.44
Q347748		2.01	0.189	0.129	0.723	161.5	0.072	13.05	109.5	9.58
Q347749		1.685	0.174	0.218	0.720	179.0	0.067	14.60	139.5	9.16
Q347750		2.56	0.149	0.046	0.889	101.5	0.730	5.42	43.4	2.15
Q347751		2.01	0.080	0.315	0.556	162.5	0.087	14.45	166.5	5.65
Q347752		2.05	0.178	0.258	0.643	192.5	0.102	15.45	122.0	8.75
Q347753		2.45	0.031	0.182	0.400	141.5	0.126	14.10	650	3.77
Q347754		2.25	0.006	0.503	0.466	161.5	0.070	13.45	702	2.43
Q347755		2.14	0.005	0.388	0.594	194.0	0.068	22.5	732	3.45
Q347756		2.78	0.023	0.441	0.387	201	0.043	23.3	272	3.26
Q347757		2.56	0.051	0.450	0.456	237	0.100	27.3	91.0	3.60
Q347758		0.939	0.068	0.431	0.363	249	0.139	18.10	103.5	4.06
Q347759		2.26	0.150	0.286	0.576	196.0	0.080	15.10	74.2	9.23
Q347760		3.16	0.118	0.167	0.747	155.5	0.384	13.10	73.9	9.77
Q347761		3.10	0.174	0.198	0.677	173.0	0.147	12.85	105.0	12.70
Q347762		2.06	0.211	0.155	0.687	177.5	0.174	11.05	73.1	11.90
Q347763		0.582	0.205	0.140	0.305	198.0	0.121	10.15	53.3	6.36
Q347764		1.350	0.283	0.283	0.435	251	0.235	12.00	49.6	7.28
Q347765		1.380	0.253	0.187	0.448	224	0.098	12.30	58.1	7.94
Q347766		1.950	0.277	0.187	0.630	194.0	0.096	12.65	75.5	13.30
Q347767		1.905	0.241	0.161	0.621	154.5	0.128	11.25	107.5	13.35
Q347768		1.810	0.231	0.172	0.603	181.0	0.114	12.10	110.5	11.05
Q347769		1.810	0.042	0.049	0.489	155.5	0.035	11.35	128.5	4.50
Q347770		1.945	0.012	0.028	0.453	133.0	0.025	12.50	113.5	3.95
Q347771		1.725	0.011	0.033	0.415	121.0	0.027	11.20	101.5	3.69
Q347772		1.410	0.011	0.045	0.462	117.0	0.033	11.45	105.5	4.06
Q347773		1.355	0.014	0.059	0.455	121.5	0.091	10.75	72.5	3.63
Q347774		1.910	0.060	0.095	0.549	185.5	0.043	11.10	90.2	5.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347775		0.05	0.0015	0.103	1.66	1.10	<10	126.5	0.12	0.064	0.94	0.086	13.55	9.25	18.35	0.332
Q347776		5.81	0.0027	0.288	2.07	1.73	<10	191.5	0.41	0.021	0.69	0.113	26.2	20.7	22.4	1.620
Q347777		5.56	0.0029	0.267	1.97	1.75	<10	140.5	0.40	0.027	0.71	0.136	34.9	20.1	2.23	1.570
Q347778		6.00	0.0030	0.387	1.38	12.20	<10	104.5	0.50	0.034	0.55	0.257	35.9	20.1	3.06	2.10
Q347779		5.12	0.0031	0.588	1.16	2.57	<10	77.3	0.42	0.092	0.52	0.132	38.5	19.80	2.01	2.11
Q347780		5.78	0.0054	0.567	0.89	13.15	<10	116.5	0.49	0.088	0.41	0.312	32.8	20.3	5.16	2.45
Q347781		4.76	0.0008	0.054	1.15	1.83	<10	125.0	0.43	0.014	0.47	0.407	12.80	15.30	16.35	3.99
Q347782		5.00	0.0031	0.087	1.37	1.18	<10	143.0	0.19	0.008	0.84	0.073	11.25	11.35	11.05	2.98
Q347783		4.86	0.0095	0.070	1.40	2.63	<10	193.5	0.25	0.006	0.64	0.239	9.62	11.25	12.35	2.16
Q347784		5.71	0.0550	0.094	1.12	4.77	<10	173.5	0.31	0.024	0.40	0.346	15.00	12.85	9.92	1.785
Q347785		4.40	0.153	0.153	1.89	1.84	<10	261	0.27	0.010	1.64	0.121	10.80	13.95	17.65	6.27
Q347786		4.77	0.0115	0.117	1.52	5.54	<10	233	0.40	0.013	1.37	0.249	10.85	10.40	11.95	6.55
Q347787		5.63	0.0066	0.135	1.40	1.54	<10	174.5	0.25	0.003	1.85	0.106	18.10	13.05	8.40	5.21
Q347788		5.04	0.0063	0.085	1.52	1.37	<10	88.6	0.24	0.012	1.44	0.135	15.85	19.20	20.6	2.48
Q347789		3.98	0.0042	0.210	2.03	2.45	<10	203	0.30	0.020	1.36	0.127	22.1	28.9	33.4	2.53
Q347790		4.26	0.0035	0.049	1.46	7.55	<10	95.9	0.22	0.009	1.19	0.154	10.10	11.90	19.50	1.495
Q347791		4.76	0.0017	0.037	1.75	1.42	<10	147.5	0.19	0.003	1.16	0.076	8.03	12.80	22.2	2.72
Q347792		4.42	0.0018	0.033	1.62	2.21	<10	113.0	0.36	0.005	0.74	0.090	9.42	12.60	22.7	8.81
Q347793		5.63	0.0169	0.026	1.27	3.03	<10	138.0	0.42	0.007	0.44	0.104	14.80	13.80	19.95	16.85
Q347794		6.70	0.0683	0.035	1.77	5.75	<10	235	0.29	0.006	0.44	0.075	11.60	13.95	30.4	22.7
Q347795		5.53	0.0019	0.020	1.55	2.88	<10	109.5	0.25	0.004	0.85	0.072	8.07	11.20	23.8	7.84
Q347796		4.78	0.0052	0.029	1.60	1.85	<10	102.5	0.18	0.006	0.97	0.082	7.04	11.95	23.1	2.26
Q347797		3.09	0.0056	0.083	2.02	2.73	<10	137.0	0.26	0.020	1.03	0.077	15.80	19.70	28.0	2.83
Q347798		5.31	0.0037	0.026	2.04	1.37	<10	175.5	0.20	0.006	0.91	0.076	8.17	12.45	27.8	2.09
Q347799		5.05	0.0119	0.098	2.20	1.19	<10	226	0.27	0.006	0.70	0.069	22.0	18.50	13.70	2.76
Q347800		0.05	0.0015	0.099	1.81	1.08	<10	134.5	0.11	0.072	1.02	0.067	14.00	9.65	18.25	0.337
Q347801		6.40	0.0102	0.066	2.04	1.68	<10	220	0.32	0.010	0.67	0.041	23.4	16.75	11.95	4.05
Q347802		6.32	0.0241	0.047	1.85	2.75	<10	138.5	0.37	0.009	0.69	0.070	24.9	15.20	8.96	4.48
Q347803		5.23	0.0119	0.126	1.94	2.92	<10	161.0	0.32	0.010	1.02	0.077	26.6	18.10	3.97	2.86
Q347804		5.85	0.0059	0.127	1.91	2.65	<10	128.0	0.32	0.011	0.95	0.073	25.0	18.10	4.36	2.24
Q347805		4.85	0.0029	0.103	1.86	3.14	<10	101.5	0.27	0.016	1.01	0.058	21.4	16.90	17.60	2.25
Q347806		3.40	0.0078	0.051	2.08	3.71	<10	168.0	0.33	0.013	0.64	0.043	21.2	16.80	16.05	16.50
Q347807		6.96	0.0024	0.018	2.36	3.59	<10	221	0.32	0.005	0.53	0.060	25.5	18.20	14.25	40.4
Q347808		5.20	0.0091	0.078	1.98	21.4	<10	115.0	0.37	0.012	0.56	0.061	26.6	17.80	9.29	29.1
Q347809		5.57	0.0042	0.064	1.73	9.56	<10	93.7	0.39	0.010	0.70	0.151	29.6	21.2	4.84	19.60
Q347810		7.21	0.0028	0.100	1.94	3.46	<10	96.2	0.25	0.007	0.97	0.100	22.3	19.30	4.05	3.36
Q347811		6.08	0.0098	0.155	2.37	2.68	<10	175.5	0.27	0.010	1.08	0.128	21.9	21.5	26.8	3.17
Q347812		5.98	0.0042	0.071	2.08	3.35	<10	111.5	0.30	0.006	0.94	0.253	15.80	17.50	10.90	3.42
Q347813		7.14	0.0057	0.057	2.26	3.43	<10	126.5	0.26	0.008	1.18	0.047	20.7	21.9	6.63	2.17
Q347814		5.98	0.0104	0.058	2.42	2.29	<10	167.0	0.24	0.009	1.14	0.029	21.6	22.5	14.90	2.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347775		86.9	3.27	4.89	0.066	0.105	0.005	0.010	0.20	6.56	6.4	0.75	457	5.24	0.187	0.195
Q347776		751	4.50	8.79	0.113	0.098	0.020	0.032	0.24	10.10	11.6	1.83	1230	0.31	0.068	0.030
Q347777		577	4.64	8.94	0.099	0.155	0.022	0.034	0.45	14.75	11.2	1.51	1520	0.28	0.074	0.085
Q347778		1050	4.56	5.58	0.080	0.057	0.038	0.041	0.28	16.80	5.8	0.65	1560	1.03	0.047	0.045
Q347779		1230	4.55	4.92	0.060	0.059	0.039	0.038	0.26	16.90	3.6	0.50	1045	1.06	0.062	0.029
Q347780		1030	4.31	2.78	0.047	0.020	0.066	0.040	0.27	13.45	1.1	0.12	1340	1.83	0.034	0.035
Q347781		275	3.79	3.95	0.028	0.054	0.068	0.020	0.30	7.59	3.2	0.42	1165	1.73	0.030	0.015
Q347782		269	2.63	4.70	0.043	0.123	0.039	0.011	0.28	5.65	5.8	0.91	557	0.40	0.084	0.065
Q347783		203	2.89	4.42	0.030	0.087	0.093	0.011	0.29	4.48	5.7	0.85	764	1.19	0.066	0.029
Q347784		197.0	3.26	3.37	0.032	0.059	0.194	0.010	0.50	7.67	3.3	0.40	839	1.53	0.029	0.034
Q347785		272	3.33	6.80	0.058	0.086	0.559	0.013	0.76	4.83	10.5	1.39	797	0.75	0.070	0.009
Q347786		284	2.58	4.93	0.036	0.121	0.054	0.015	0.50	5.41	7.3	0.73	589	0.71	0.065	0.015
Q347787		394	3.19	5.91	0.098	0.147	0.040	0.010	0.51	8.98	6.5	0.98	701	0.50	0.077	0.037
Q347788		199.0	3.49	6.55	0.061	0.184	0.021	0.019	0.27	7.86	7.1	1.12	770	0.56	0.071	0.032
Q347789		412	4.46	7.79	0.103	0.235	0.010	0.021	0.56	10.80	9.3	1.58	998	0.64	0.074	0.084
Q347790		124.5	2.43	5.43	0.051	0.179	0.023	0.011	0.21	4.96	7.2	1.06	519	0.47	0.083	0.057
Q347791		97.0	2.60	5.99	0.044	0.124	0.019	0.006	0.34	3.94	8.7	1.22	481	0.47	0.087	0.058
Q347792		89.8	2.90	5.67	0.058	0.068	0.018	0.011	0.40	4.59	6.7	0.88	595	0.89	0.061	0.019
Q347793		180.5	3.89	4.71	0.081	0.053	0.079	0.032	0.55	7.00	3.6	0.49	977	4.39	0.037	0.023
Q347794		202	3.73	7.35	0.108	0.081	0.259	0.020	1.01	5.61	6.2	0.97	733	1.41	0.049	0.030
Q347795		89.6	2.49	5.47	0.074	0.136	0.280	0.023	0.43	3.87	5.1	0.89	502	0.89	0.072	0.041
Q347796		82.7	2.25	5.24	0.055	0.129	0.071	0.010	0.35	3.67	6.6	1.09	469	0.72	0.078	0.060
Q347797		174.0	3.93	6.76	0.089	0.179	0.066	0.019	0.52	7.62	9.4	1.56	845	1.03	0.072	0.083
Q347798		93.7	2.86	6.97	0.077	0.121	0.623	0.012	0.86	3.99	9.0	1.41	593	0.28	0.105	0.028
Q347799		230	4.30	9.64	0.096	0.069	0.256	0.012	1.02	10.55	9.5	1.75	789	0.34	0.078	0.049
Q347800		88.2	3.46	5.52	0.061	0.110	0.004	0.013	0.22	6.78	6.3	0.81	505	5.20	0.203	0.165
Q347801		297	4.06	9.47	0.105	0.078	0.180	0.022	0.99	12.15	9.4	1.46	805	0.61	0.071	0.046
Q347802		306	3.82	8.22	0.113	0.069	0.112	0.017	0.82	12.80	8.0	1.28	718	0.32	0.064	0.040
Q347803		316	4.05	8.18	0.199	0.177	0.067	0.012	1.10	12.60	8.5	1.41	724	0.29	0.091	0.170
Q347804		233	4.04	8.61	0.155	0.137	0.058	0.014	0.81	11.60	10.6	1.39	770	0.65	0.082	0.151
Q347805		225	4.13	7.56	0.119	0.175	0.032	0.014	0.66	10.35	12.3	1.48	785	1.23	0.078	0.112
Q347806		248	4.35	9.16	0.149	0.107	0.300	0.024	1.14	10.35	9.3	1.27	967	2.31	0.058	0.071
Q347807		254	4.90	10.05	0.165	0.098	0.466	0.027	1.49	12.20	10.8	1.34	982	2.52	0.060	0.098
Q347808		445	4.35	8.91	0.205	0.084	0.052	0.038	1.07	12.00	7.0	1.14	963	3.94	0.056	0.058
Q347809		439	5.00	8.00	0.200	0.086	0.056	0.027	0.85	14.15	6.2	0.98	1135	4.11	0.064	0.114
Q347810		407	4.10	7.23	0.170	0.216	0.036	0.015	1.18	11.45	8.7	1.47	881	0.88	0.083	0.191
Q347811		519	4.98	8.64	0.193	0.182	0.019	0.029	1.24	10.55	11.6	1.83	1175	1.42	0.082	0.112
Q347812		289	3.75	8.00	0.136	0.124	0.164	0.017	1.04	7.93	11.0	1.44	947	1.02	0.075	0.079
Q347813		239	4.25	7.53	0.185	0.214	0.047	0.012	1.31	10.10	12.1	1.66	826	0.78	0.082	0.151
Q347814		228	4.50	7.96	0.179	0.185	0.079	0.019	1.50	10.65	12.6	1.80	793	0.64	0.082	0.123

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347775		13.55	0.055	3.90	0.003	<0.002	6.81	<0.001	0.01	0.211	3.12	0.4	1.33	83.0	<0.005	0.01
Q347776		12.95	0.196	1.395	0.006	0.002	10.80	<0.001	0.03	0.208	10.05	1.0	0.34	35.8	<0.005	0.04
Q347777		4.00	0.215	1.750	0.010	<0.002	21.9	<0.001	0.08	0.187	5.65	1.3	0.30	31.7	<0.005	0.02
Q347778		4.67	0.200	13.35	0.004	0.002	13.95	<0.001	0.04	1.160	5.95	1.6	0.21	17.45	<0.005	0.04
Q347779		4.46	0.211	3.07	0.006	0.002	13.50	0.001	0.02	0.536	7.19	1.6	0.29	15.80	<0.005	0.02
Q347780		5.53	0.183	48.8	0.005	0.003	12.70	0.001	0.01	1.220	7.30	1.7	0.16	14.30	<0.005	0.06
Q347781		13.20	0.130	17.20	0.005	0.003	14.65	0.001	0.01	1.165	10.60	0.8	0.12	14.75	<0.005	<0.01
Q347782		7.97	0.132	1.910	0.004	0.002	12.15	0.001	0.04	0.127	6.13	0.8	0.23	50.6	<0.005	0.01
Q347783		10.35	0.118	13.25	0.007	<0.002	10.75	0.001	0.03	0.424	6.81	0.6	0.14	41.7	<0.005	0.05
Q347784		8.60	0.117	16.85	<0.001	0.002	17.45	<0.001	0.06	0.778	5.12	0.8	0.13	12.05	<0.005	0.15
Q347785		11.55	0.121	2.95	0.003	0.003	28.7	0.001	0.10	0.310	9.72	0.8	0.18	42.3	<0.005	0.16
Q347786		7.89	0.116	26.4	0.004	0.002	22.0	0.001	0.05	0.765	7.93	0.8	0.16	64.4	<0.005	0.03
Q347787		5.88	0.152	1.950	0.005	<0.002	22.2	0.001	0.06	0.180	6.47	0.9	0.28	63.2	<0.005	0.03
Q347788		10.75	0.153	1.955	0.009	0.002	10.60	0.001	0.06	0.149	7.82	0.6	0.37	57.7	<0.005	0.02
Q347789		13.45	0.191	2.25	0.014	0.003	23.8	0.001	0.16	0.156	6.51	1.2	0.42	63.9	<0.005	0.05
Q347790		9.65	0.133	1.620	0.003	0.002	6.25	0.001	0.04	0.169	5.86	0.7	0.22	63.9	<0.005	0.01
Q347791		13.15	0.123	1.985	0.007	0.002	10.25	<0.001	0.04	0.117	6.99	0.5	0.17	71.9	<0.005	0.02
Q347792		12.55	0.122	2.67	0.005	0.002	15.15	<0.001	0.01	0.300	11.20	0.7	0.19	49.7	<0.005	<0.01
Q347793		13.05	0.131	1.335	0.006	0.003	20.8	0.002	<0.01	0.284	12.45	0.8	0.22	12.75	<0.005	0.06
Q347794		14.30	0.129	1.280	0.006	0.003	28.4	0.001	0.01	0.118	12.95	0.8	0.18	10.50	<0.005	0.16
Q347795		12.60	0.122	2.20	0.001	0.003	14.60	0.001	0.01	0.218	9.77	0.7	0.17	50.9	<0.005	0.01
Q347796		13.10	0.118	2.82	0.008	0.003	10.95	0.003	0.02	0.126	5.76	0.6	0.20	65.8	<0.005	0.02
Q347797		13.00	0.159	2.23	0.008	0.003	19.85	0.003	0.09	0.108	7.55	1.0	0.30	54.4	<0.005	0.03
Q347798		15.20	0.122	1.360	0.006	0.002	28.0	<0.001	0.01	0.067	9.16	0.7	0.18	56.2	<0.005	0.02
Q347799		9.12	0.172	1.605	0.007	0.002	29.1	<0.001	0.03	0.090	8.78	0.6	0.34	30.2	<0.005	0.03
Q347800		13.70	0.058	4.27	0.006	<0.002	6.75	0.001	0.01	0.219	3.05	0.4	1.20	86.3	<0.005	<0.01
Q347801		9.18	0.165	1.575	0.004	0.003	30.3	0.002	0.01	0.111	9.53	0.9	0.24	31.5	<0.005	0.01
Q347802		7.32	0.168	1.925	0.004	<0.002	27.8	<0.001	0.01	0.132	7.77	0.8	0.25	32.9	<0.005	0.01
Q347803		4.47	0.193	1.595	0.004	0.003	39.4	0.001	0.07	0.136	6.01	0.9	0.39	78.1	<0.005	0.02
Q347804		3.94	0.172	2.07	0.002	0.003	30.1	<0.001	0.07	0.188	5.89	1.3	0.28	68.4	<0.005	0.03
Q347805		9.90	0.163	2.15	0.008	0.002	24.3	0.001	0.04	0.177	5.58	0.9	0.30	55.1	<0.005	0.01
Q347806		8.94	0.166	1.900	0.004	0.002	40.8	<0.001	0.02	0.231	10.75	0.8	0.34	28.5	<0.005	0.03
Q347807		8.89	0.177	1.050	0.003	0.002	58.0	<0.001	0.02	0.139	11.35	0.9	0.31	14.15	<0.005	0.05
Q347808		6.99	0.178	1.735	0.006	0.004	45.6	<0.001	0.03	0.556	10.95	1.3	0.31	15.10	<0.005	0.03
Q347809		5.90	0.197	1.820	0.006	<0.002	34.1	0.001	0.05	0.863	10.85	1.0	0.42	31.5	<0.005	0.06
Q347810		4.31	0.190	1.480	0.005	0.002	42.9	<0.001	0.10	0.126	5.25	0.9	0.37	65.6	<0.005	0.03
Q347811		12.00	0.189	2.66	0.012	0.003	46.8	<0.001	0.05	0.172	7.67	1.3	0.35	80.2	<0.005	0.05
Q347812		9.01	0.160	5.67	0.007	0.003	42.8	<0.001	0.05	0.210	8.10	0.7	0.28	70.8	<0.005	0.03
Q347813		7.76	0.183	1.625	0.007	0.004	53.4	<0.001	0.05	0.099	5.54	0.7	0.36	104.5	<0.005	0.03
Q347814		10.95	0.185	1.445	0.011	0.004	62.0	<0.001	0.04	0.101	6.74	0.7	0.37	94.9	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347775		2.62	0.140	0.042	0.885	94.9	0.578	5.04	43.5	2.10
Q347776		1.475	0.051	0.083	0.391	180.5	0.043	10.50	83.1	4.11
Q347777		1.755	0.069	0.110	0.490	153.5	0.080	12.60	104.5	5.54
Q347778		1.720	0.020	0.147	0.535	123.0	0.079	15.70	138.5	3.05
Q347779		1.945	0.021	0.198	0.386	137.5	0.051	14.25	82.2	3.27
Q347780		1.430	0.006	0.267	0.367	87.6	0.094	11.85	176.5	1.33
Q347781		0.667	0.011	0.376	0.289	110.0	0.081	11.80	230	2.19
Q347782		0.738	0.085	0.126	0.195	113.5	0.019	7.49	37.7	4.48
Q347783		0.546	0.045	0.176	0.190	100.5	0.051	6.29	92.2	3.94
Q347784		0.677	0.031	0.218	0.323	80.8	0.130	7.53	106.5	3.22
Q347785		0.621	0.059	0.330	0.142	142.0	0.072	7.77	54.0	2.98
Q347786		0.725	0.053	0.308	0.220	100.0	0.027	7.22	110.0	3.46
Q347787		1.185	0.076	0.182	0.301	140.5	0.029	11.30	43.8	4.62
Q347788		1.170	0.085	0.089	0.412	161.5	0.027	10.45	63.2	4.99
Q347789		1.650	0.179	0.167	0.705	160.5	0.062	12.55	104.5	8.73
Q347790		0.778	0.116	0.061	0.251	113.5	0.047	6.99	39.2	5.11
Q347791		0.586	0.132	0.080	0.187	118.5	0.035	6.64	33.4	3.39
Q347792		0.635	0.042	0.204	0.200	136.0	0.047	8.21	43.2	2.20
Q347793		0.692	0.036	0.315	0.308	183.5	0.102	11.45	39.7	2.58
Q347794		0.662	0.086	0.261	0.201	172.5	0.069	7.95	48.8	2.84
Q347795		0.621	0.097	0.111	0.191	119.5	0.033	6.94	28.5	3.50
Q347796		0.595	0.114	0.069	0.184	99.3	0.031	5.93	29.7	3.44
Q347797		1.140	0.162	0.122	0.450	162.0	0.075	9.48	60.6	6.98
Q347798		0.618	0.130	0.131	0.171	145.5	0.016	6.31	35.2	3.06
Q347799		1.310	0.103	0.151	0.307	200	0.047	14.15	41.8	2.33
Q347800		2.56	0.157	0.053	0.955	97.4	0.546	5.17	43.7	2.08
Q347801		1.315	0.111	0.166	0.295	219	0.042	13.75	43.2	2.57
Q347802		1.460	0.073	0.152	0.325	180.5	0.051	15.30	50.8	2.37
Q347803		1.795	0.217	0.168	0.490	178.5	0.062	15.75	52.8	5.61
Q347804		1.855	0.161	0.132	0.438	162.0	0.057	13.50	53.5	4.81
Q347805		1.810	0.140	0.107	0.410	123.0	0.061	12.20	61.3	5.73
Q347806		1.445	0.123	0.268	0.296	180.0	0.044	11.70	54.0	4.21
Q347807		1.410	0.161	0.368	0.289	193.0	0.030	12.35	49.6	3.84
Q347808		1.705	0.089	0.344	0.301	201	0.051	13.65	55.9	3.93
Q347809		1.830	0.083	0.243	0.340	166.5	0.049	16.70	68.0	4.01
Q347810		1.315	0.236	0.154	0.295	125.0	0.068	15.00	64.3	7.15
Q347811		1.660	0.209	0.197	0.469	199.0	0.101	11.70	79.2	6.85
Q347812		1.115	0.161	0.159	0.272	155.5	0.081	10.10	74.9	4.31
Q347813		1.475	0.254	0.153	0.523	161.0	0.083	10.80	64.7	7.39
Q347814		1.670	0.261	0.191	0.559	177.0	0.081	11.35	60.9	7.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347815		4.30	0.0113	0.099	2.78	1.62	<10	251	0.23	0.013	0.88	0.028	19.30	22.0	18.80	2.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method Analyte Units LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347815		306	4.99	9.95	0.190	0.112	0.061	0.017	1.72	8.97	16.3	2.06	938	0.92	0.089	0.071

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method Analyte Units LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347815		13.10	0.159	1.170	0.005	0.002	64.3	<0.001	0.04	0.151	9.59	0.8	0.52	70.1	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347815		1.300	0.219	0.279	0.429	195.0	0.053	9.58	62.7	4.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 10- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113516

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

CERTIFICATE KL14109179

Project: Dillard

This report is for 105 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 20- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345693		6.23	0.0048	0.010	1.32	2.19	<10	279	0.31	0.003	2.02	0.018	11.40	6.07	12.15	0.921
Q345694		6.64	0.0032	0.009	2.04	1.91	<10	379	0.18	0.011	2.09	0.012	6.69	8.61	24.5	1.355
Q345695		6.63	0.0054	0.027	2.08	1.83	<10	264	0.15	0.007	2.29	0.019	6.62	8.92	27.5	1.065
Q345696		5.74	0.0039	0.019	1.40	1.54	<10	304	0.17	0.006	2.06	0.017	10.65	8.14	20.5	1.110
Q345697		5.28	0.110	0.059	1.71	1.54	<10	305	0.18	0.027	3.33	0.034	11.70	11.55	23.0	1.330
Q345698		4.31	0.0148	0.038	1.72	0.92	<10	74.0	0.18	0.012	2.73	0.025	8.88	10.00	21.2	1.030
Q345699		5.36	0.0296	0.052	1.57	1.11	<10	108.0	0.18	0.028	1.89	0.018	7.41	16.15	18.35	0.498
Q345700		0.05	0.680	52.8	1.03	940	20	103.5	0.16	24.2	3.16	1.010	13.35	35.4	30.7	0.739
Q345701		5.44	0.0197	0.243	2.06	1.66	<10	159.0	0.17	0.074	2.74	0.119	4.78	19.20	21.9	0.671
Q345702		7.60	0.0122	0.124	1.85	1.58	<10	147.5	0.17	0.056	2.87	0.037	5.43	19.10	20.5	0.724
Q345703		6.05	0.0131	0.038	1.60	1.60	<10	106.5	0.25	0.028	2.09	0.033	9.20	12.45	17.45	0.844
Q345704		6.98	0.0587	0.054	1.38	1.11	<10	111.0	0.27	0.009	1.95	0.034	8.62	8.80	13.25	0.681
Q345705		6.75	0.0084	0.096	1.69	1.01	<10	184.5	0.18	0.020	2.54	0.044	6.23	14.85	19.90	0.875
Q345706		6.46	0.0279	0.176	1.48	1.09	<10	249	0.16	0.022	3.29	0.084	7.91	12.60	16.80	1.085
Q345707		5.67	0.0292	0.231	2.25	1.17	<10	191.0	0.21	0.018	2.31	0.034	6.99	13.30	28.2	0.967
Q345708		7.35	0.0424	0.111	1.68	1.58	<10	496	0.20	0.145	4.25	0.088	10.80	15.70	18.00	1.140
Q345709		6.39	0.0343	0.086	1.33	1.01	<10	654	0.27	0.072	6.28	0.049	11.95	9.88	13.95	1.790
Q345710		6.09	0.0052	0.045	1.93	1.21	<10	412	0.24	0.012	2.14	0.032	8.60	9.90	23.6	0.969
Q345711		6.12	0.0051	0.058	2.04	0.89	<10	278	0.23	0.010	1.87	0.024	9.45	9.60	28.2	0.869
Q345712		5.32	0.0016	0.017	2.19	0.67	<10	148.5	0.17	0.002	1.56	0.032	9.24	9.96	28.3	0.961
Q345713		6.63	0.0237	0.118	2.14	0.72	<10	132.0	0.19	0.010	1.79	0.039	9.37	9.90	27.2	0.824
Q345714		0.05	0.0013	0.096	1.94	1.12	<10	138.5	0.12	0.060	1.13	0.089	15.15	9.54	18.40	0.294
Q345715		5.62	0.0059	0.033	2.27	0.91	<10	301	0.17	0.006	1.97	0.022	7.93	8.95	26.4	0.451
Q345716		6.00	0.0082	0.061	1.92	0.83	<10	261	0.18	0.021	2.70	0.053	7.99	10.55	26.6	0.441
Q345717		6.40	0.0057	0.039	2.17	1.07	<10	266	0.18	0.025	2.23	0.024	5.71	10.15	25.8	0.878
Q345718		6.77	0.0072	0.038	1.49	1.32	<10	250	0.19	0.018	2.35	0.018	11.60	8.34	22.3	1.315
Q345719		7.01	0.0147	0.038	2.04	1.16	<10	524	0.17	0.028	3.36	0.027	7.63	10.35	29.0	2.02
Q345720		7.04	0.0184	0.105	1.49	1.26	<10	447	0.21	0.045	3.79	0.050	9.57	11.35	22.3	3.08
Q345721		7.01	0.0271	0.176	1.59	1.17	<10	390	0.16	0.110	3.11	0.025	8.23	11.10	26.4	1.335
Q345722		5.70	0.0081	0.074	1.01	1.19	<10	742	0.18	0.025	2.33	0.024	13.10	6.93	18.75	1.830
Q345723		6.48	0.0181	0.217	1.62	1.16	<10	368	0.22	0.018	2.49	0.045	10.40	10.25	20.3	1.750
Q345724		6.15	0.0102	0.116	1.49	1.06	<10	881	0.20	0.044	2.95	0.020	12.05	8.80	23.8	3.92
Q345725		0.05	0.685	54.3	1.06	948	10	106.5	0.16	22.3	3.15	0.938	13.50	34.3	29.4	0.767
Q345726		6.13	0.0310	0.198	1.48	2.73	<10	247	0.22	0.254	4.17	0.084	10.65	14.45	14.95	3.83
Q345727		6.91	0.0142	0.293	1.80	1.77	<10	188.5	0.31	0.091	4.52	0.043	10.40	14.85	14.40	4.55
Q345728		7.51	0.0206	0.296	1.86	1.37	<10	179.0	0.18	0.103	3.18	0.044	7.81	18.60	16.05	2.35
Q345729		7.35	0.0204	0.297	1.60	2.41	<10	154.5	0.21	0.058	4.06	0.035	9.08	15.30	14.05	3.88
Q345730		7.31	0.0192	0.253	1.32	3.54	<10	259	0.17	0.103	4.18	0.049	7.83	12.00	17.25	2.17
Q345731		7.17	0.0124	0.116	1.56	1.68	<10	184.0	0.17	0.015	2.83	0.061	7.55	10.45	22.1	2.08
Q345732		6.76	0.0150	0.160	1.92	1.26	<10	193.0	0.14	0.028	2.82	0.040	6.92	11.20	25.5	1.815

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345693		5.74	2.52	6.48	0.077	0.339	0.007	0.011	0.10	5.83	8.7	0.92	354	0.96	0.061	0.121
Q345694		6.67	2.85	7.60	0.095	0.153	0.005	0.008	0.10	3.25	11.3	1.33	340	0.31	0.106	0.045
Q345695		36.0	2.91	7.34	0.102	0.192	<0.004	0.005	0.10	3.16	10.5	1.37	375	0.87	0.110	0.046
Q345696		25.4	2.39	6.44	0.074	0.235	0.004	0.006	0.10	5.06	9.3	1.03	368	0.88	0.061	0.032
Q345697		33.4	3.47	7.50	0.105	0.211	0.034	0.006	0.12	5.90	14.5	1.48	550	1.30	0.042	0.027
Q345698		48.2	3.14	7.12	0.085	0.231	0.031	0.006	0.09	4.08	12.7	1.24	462	3.20	0.062	0.022
Q345699		76.0	2.74	6.92	0.118	0.313	0.011	0.006	0.10	3.57	11.9	1.17	398	6.42	0.062	0.082
Q345700		3600	2.84	3.47	0.068	0.158	0.635	0.086	0.14	7.99	7.3	0.35	623	537	0.087	0.191
Q345701		744	3.48	7.24	0.115	0.294	0.022	0.013	0.08	2.02	12.0	1.51	451	3.84	0.071	0.045
Q345702		159.0	3.10	7.01	0.097	0.257	0.027	0.007	0.07	2.34	10.4	1.51	447	3.15	0.051	0.030
Q345703		36.7	3.10	7.29	0.095	0.322	0.035	<0.005	0.10	4.56	10.3	1.12	356	1.09	0.061	0.093
Q345704		50.8	2.67	5.91	0.087	0.335	<0.004	<0.005	0.09	4.23	8.0	0.94	325	2.43	0.062	0.089
Q345705		186.5	2.91	6.75	0.077	0.216	0.010	<0.005	0.08	2.56	9.3	1.31	360	5.82	0.061	0.016
Q345706		442	2.72	5.10	0.075	0.169	0.008	0.011	0.11	3.55	5.9	1.01	306	7.14	0.075	0.032
Q345707		381	3.00	8.48	0.104	0.104	0.019	0.006	0.09	3.33	13.9	1.84	378	6.11	0.056	0.051
Q345708		194.0	2.89	5.69	0.058	0.079	0.047	<0.005	0.14	5.16	7.9	1.32	452	5.60	0.028	0.021
Q345709		131.0	2.53	3.87	0.038	0.029	0.061	0.008	0.17	5.72	6.4	0.96	492	0.65	0.014	0.002
Q345710		139.5	3.15	7.40	0.101	0.121	0.013	0.013	0.10	3.96	9.4	1.44	286	0.68	0.064	0.062
Q345711		102.0	2.96	7.65	0.093	0.121	0.009	<0.005	0.10	4.36	9.2	1.49	278	4.78	0.089	0.068
Q345712		29.0	2.88	7.40	0.097	0.131	<0.004	0.013	0.23	4.25	9.2	1.46	245	1.06	0.152	0.092
Q345713		247	2.96	7.02	0.100	0.136	0.006	0.006	0.11	4.35	9.4	1.49	293	1.26	0.117	0.077
Q345714		89.8	3.63	5.34	0.072	0.136	<0.004	0.005	0.22	7.34	6.3	0.84	486	5.60	0.221	0.208
Q345715		35.7	2.78	8.06	0.112	0.166	<0.004	<0.005	0.10	3.58	10.4	1.73	422	0.58	0.078	0.080
Q345716		109.5	2.77	7.20	0.128	0.159	0.009	0.008	0.08	3.70	8.4	1.45	393	1.54	0.085	0.064
Q345717		63.0	2.66	7.13	0.092	0.153	0.008	0.010	0.08	2.63	9.8	1.44	370	0.59	0.108	0.066
Q345718		34.7	2.81	6.72	0.074	0.325	0.007	<0.005	0.12	5.71	8.9	1.03	354	1.55	0.076	0.076
Q345719		79.4	3.09	7.52	0.072	0.071	0.033	<0.005	0.11	3.53	8.4	1.44	343	5.64	0.092	0.030
Q345720		278	2.79	5.83	0.044	0.042	0.068	0.011	0.14	4.63	6.8	1.41	362	2.32	0.032	0.005
Q345721		335	2.66	6.19	0.076	0.087	0.074	0.013	0.08	3.93	8.4	1.37	423	2.70	0.055	0.021
Q345722		145.5	2.07	4.70	0.042	0.145	0.018	<0.005	0.14	6.75	5.2	0.84	316	2.28	0.049	0.012
Q345723		425	2.88	6.55	0.076	0.131	0.006	0.018	0.11	5.20	10.2	1.29	409	2.16	0.044	0.024
Q345724		189.0	2.25	6.13	0.035	0.075	0.026	0.021	0.13	5.92	8.0	1.17	398	1.14	0.036	0.006
Q345725		3570	2.87	3.64	0.056	0.168	0.701	0.097	0.14	8.02	6.4	0.35	632	484	0.092	0.238
Q345726		257	3.19	5.59	0.045	0.114	0.254	0.011	0.17	4.82	7.2	1.41	503	3.78	0.048	0.006
Q345727		512	3.70	6.33	0.045	0.113	0.108	0.010	0.16	4.57	10.9	1.60	574	6.37	0.028	0.002
Q345728		560	3.45	6.87	0.065	0.156	0.143	<0.005	0.09	3.26	10.6	1.68	467	8.75	0.046	0.014
Q345729		859	3.43	5.76	0.056	0.129	0.071	0.005	0.14	3.96	8.0	1.40	412	57.3	0.049	0.012
Q345730		455	2.94	4.65	0.041	0.100	0.057	0.007	0.10	3.57	6.7	1.67	489	3.45	0.049	0.021
Q345731		336	2.62	5.91	0.061	0.086	0.027	0.008	0.08	3.34	7.8	1.25	252	5.63	0.068	0.042
Q345732		566	2.79	7.21	0.070	0.087	0.019	0.007	0.08	2.95	9.2	1.48	260	12.90	0.090	0.065

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345693		5.01	0.078	1.675	0.003	<0.002	3.27	0.001	0.02	0.114	4.66	0.1	0.26	57.0	<0.005	<0.01
Q345694		10.60	0.117	0.747	0.012	0.003	3.33	0.001	0.11	0.058	4.56	0.2	0.15	77.3	<0.005	0.02
Q345695		11.30	0.115	0.739	0.007	0.004	3.19	0.004	0.09	0.068	6.11	0.1	0.22	69.5	<0.005	0.03
Q345696		8.34	0.087	0.966	0.008	0.002	3.17	0.002	0.05	0.093	5.67	0.4	0.18	58.8	<0.005	0.04
Q345697		11.05	0.092	0.959	0.038	0.005	4.49	0.001	0.11	0.135	9.92	0.4	0.24	75.6	<0.005	0.12
Q345698		10.25	0.099	1.565	0.013	0.003	4.24	0.002	0.13	0.100	7.80	0.8	0.20	65.2	<0.005	0.05
Q345699		8.61	0.090	1.130	<0.001	0.002	4.21	0.007	0.37	0.116	6.27	1.1	0.29	62.7	<0.005	0.07
Q345700		27.2	0.071	81.0	0.002	<0.002	4.99	0.096	0.47	124.5	2.08	2.7	1.86	123.5	<0.005	2.38
Q345701		12.10	0.112	1.765	0.002	0.003	3.13	0.007	1.08	0.114	7.77	2.1	0.24	60.7	<0.005	0.20
Q345702		11.15	0.111	1.020	0.002	0.002	2.70	0.005	1.06	0.113	7.65	2.0	0.25	55.6	<0.005	0.18
Q345703		6.99	0.086	0.918	0.004	0.002	3.96	0.001	0.60	0.101	6.35	2.2	0.21	58.4	<0.005	0.12
Q345704		6.51	0.088	0.911	0.002	<0.002	3.40	0.001	0.10	0.078	4.74	0.4	0.26	62.5	<0.005	0.02
Q345705		11.50	0.112	0.779	0.005	<0.002	2.98	0.004	0.45	0.086	6.81	1.2	0.18	79.8	<0.005	0.05
Q345706		9.94	0.114	0.952	0.004	0.002	3.94	0.018	0.67	0.081	5.29	2.1	0.22	86.5	<0.005	0.01
Q345707		13.00	0.106	0.697	0.014	0.005	4.21	0.017	0.35	0.087	9.08	2.0	0.21	80.1	<0.005	0.11
Q345708		11.15	0.113	1.300	0.017	0.003	4.27	0.024	0.63	0.114	8.13	1.3	0.13	122.0	<0.005	0.34
Q345709		10.30	0.100	1.225	0.017	0.004	5.32	0.001	0.38	0.048	7.59	0.6	0.07	208	<0.005	0.16
Q345710		11.60	0.109	0.938	0.034	0.003	3.17	0.002	0.18	0.086	6.39	0.3	0.16	102.0	<0.005	<0.01
Q345711		12.25	0.111	0.917	0.027	0.004	3.82	0.018	0.11	0.069	6.23	0.4	0.17	96.3	<0.005	<0.01
Q345712		13.70	0.113	0.756	0.011	0.003	7.65	0.005	0.04	0.073	5.86	0.3	0.16	105.0	<0.005	<0.01
Q345713		12.60	0.114	1.010	0.040	0.002	4.07	0.002	0.17	0.071	6.66	0.5	0.17	103.0	<0.005	0.04
Q345714		14.20	0.060	4.00	0.004	<0.002	7.15	0.001	0.01	0.268	3.48	0.1	1.36	89.9	<0.005	<0.01
Q345715		12.95	0.108	0.819	0.016	0.004	3.64	0.001	0.12	0.102	9.60	0.5	0.25	80.9	<0.005	<0.01
Q345716		11.65	0.100	0.880	0.030	0.004	2.96	0.001	0.23	0.062	7.29	0.6	0.19	88.7	<0.005	0.07
Q345717		10.80	0.110	0.774	0.003	0.003	2.93	0.001	0.33	0.066	6.18	0.4	0.19	90.3	<0.005	0.04
Q345718		6.95	0.088	1.290	0.004	0.002	4.30	0.001	0.14	0.099	5.09	0.3	0.23	137.5	<0.005	0.04
Q345719		12.90	0.108	1.005	0.006	0.004	3.90	0.010	0.60	0.075	6.64	0.6	0.18	111.0	<0.005	0.05
Q345720		12.65	0.104	1.325	0.023	0.007	4.93	0.008	0.64	0.182	7.92	1.1	0.10	167.5	<0.005	0.14
Q345721		12.00	0.096	1.045	0.016	0.011	3.20	0.011	0.73	0.139	7.21	1.8	0.14	98.9	<0.005	0.18
Q345722		6.82	0.079	1.165	0.004	0.008	4.81	0.008	0.23	0.095	5.15	0.7	0.13	114.0	<0.005	0.03
Q345723		9.59	0.096	0.904	0.014	0.005	3.91	0.009	0.16	0.114	8.80	1.0	0.20	118.5	<0.005	0.04
Q345724		9.95	0.091	1.115	0.007	0.005	4.99	0.003	0.22	0.088	6.25	0.7	0.10	173.5	<0.005	0.12
Q345725		27.6	0.072	79.3	0.002	<0.002	4.84	0.091	0.49	129.0	2.02	2.4	1.82	127.5	<0.005	2.62
Q345726		10.40	0.102	2.27	0.006	0.003	5.08	0.012	1.23	0.283	6.10	2.3	0.06	131.0	<0.005	0.44
Q345727		12.55	0.119	1.435	0.004	0.002	5.13	0.021	1.29	0.135	7.43	4.5	0.11	155.0	<0.005	0.13
Q345728		11.85	0.120	0.794	0.007	0.002	3.11	0.024	1.41	0.140	7.11	4.5	0.14	226	<0.005	0.21
Q345729		10.95	0.112	1.145	0.006	0.002	4.96	0.233	1.50	0.165	7.21	4.9	0.14	152.5	<0.005	0.05
Q345730		11.10	0.097	1.375	0.009	0.005	3.16	0.010	0.92	0.234	6.04	1.8	0.11	113.0	<0.005	0.19
Q345731		11.25	0.105	0.840	0.009	0.003	2.98	0.015	0.72	0.080	5.17	1.2	0.12	92.4	<0.005	<0.01
Q345732		12.20	0.110	0.748	0.009	0.003	3.13	0.058	0.77	0.061	4.64	1.6	0.12	78.9	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345693		1.845	0.094	0.019	0.844	65.6	0.130	4.43	24.4	8.22
Q345694		0.594	0.192	0.014	0.217	145.0	0.091	5.61	25.6	3.29
Q345695		0.558	0.194	0.013	0.190	149.0	0.135	6.44	26.3	3.66
Q345696		1.335	0.085	0.013	0.470	95.1	0.074	5.67	23.8	5.35
Q345697		0.890	0.100	0.020	0.442	162.5	0.091	8.48	28.9	4.71
Q345698		0.618	0.086	0.019	0.403	128.0	0.081	8.06	32.4	6.25
Q345699		0.862	0.141	0.017	0.522	108.5	0.343	5.47	24.9	7.72
Q345700		1.360	0.057	0.049	1.600	38.4	9.19	5.83	124.0	4.65
Q345701		0.337	0.151	0.014	0.223	130.0	0.209	6.43	31.7	6.89
Q345702		0.308	0.115	0.010	0.252	113.0	0.090	6.39	30.9	6.15
Q345703		1.335	0.113	0.020	0.646	101.5	0.136	5.28	23.8	7.79
Q345704		1.295	0.109	0.018	0.621	85.2	0.124	4.56	21.8	8.13
Q345705		0.352	0.072	0.018	0.230	103.0	0.031	6.73	27.7	5.76
Q345706		0.396	0.101	0.019	0.249	98.1	0.055	7.36	23.9	4.66
Q345707		0.619	0.178	0.020	0.173	152.0	0.185	8.64	33.0	2.80
Q345708		0.745	0.060	0.021	0.171	95.0	0.082	10.25	33.2	2.11
Q345709		0.720	0.002	0.030	0.121	68.1	0.024	11.70	25.5	0.78
Q345710		0.886	0.199	0.018	0.148	166.5	0.091	7.86	23.0	3.06
Q345711		0.823	0.209	0.016	0.130	170.0	0.110	8.24	26.4	2.60
Q345712		0.805	0.234	0.031	0.137	174.0	0.084	7.75	23.7	3.23
Q345713		0.867	0.209	0.017	0.169	168.0	0.091	8.26	28.6	3.02
Q345714		2.62	0.162	0.044	0.953	99.6	0.596	5.60	44.2	2.16
Q345715		0.786	0.203	0.008	0.235	157.5	0.186	8.56	32.2	3.49
Q345716		0.758	0.202	0.011	0.234	143.5	0.177	8.38	27.4	3.64
Q345717		0.536	0.176	0.012	0.128	128.5	0.183	5.80	27.9	2.88
Q345718		1.550	0.095	0.017	0.701	90.0	0.099	6.35	21.8	7.36
Q345719		0.532	0.138	0.017	0.126	141.0	0.051	7.99	25.0	1.53
Q345720		0.407	0.018	0.031	0.127	101.0	0.008	9.70	25.2	0.95
Q345721		0.537	0.073	0.016	0.128	101.0	0.026	8.00	26.5	1.39
Q345722		1.645	0.009	0.019	0.376	53.3	0.014	5.96	21.4	3.61
Q345723		1.020	0.066	0.019	0.359	111.0	0.046	8.03	27.1	3.40
Q345724		0.826	0.023	0.024	0.223	90.7	0.019	7.84	27.3	1.63
Q345725		1.565	0.063	0.052	1.660	36.9	7.50	5.69	126.0	4.51
Q345726		0.770	0.013	0.025	0.257	80.3	0.023	8.51	31.3	3.57
Q345727		0.371	0.010	0.025	0.193	78.5	0.016	11.00	34.3	3.89
Q345728		0.374	0.048	0.014	0.164	94.1	0.018	7.70	34.2	4.20
Q345729		0.363	0.039	0.023	0.190	89.7	0.018	9.17	33.7	4.26
Q345730		0.366	0.069	0.015	0.133	85.7	0.023	7.79	28.3	2.45
Q345731		0.473	0.134	0.017	0.086	104.5	0.020	6.97	26.5	1.11
Q345732		0.527	0.200	0.018	0.084	130.5	0.064	6.64	21.7	1.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345733		5.04	0.0161	0.172	1.99	1.73	<10	157.5	0.18	0.009	2.11	0.021	6.55	12.45	26.2	1.795
Q345734		9.42	0.0187	0.210	2.03	1.71	<10	178.0	0.15	0.027	2.34	0.042	6.85	13.65	29.1	1.900
Q345735		7.35	0.0125	0.149	1.77	2.96	<10	231	0.15	0.013	3.14	0.043	6.80	12.00	27.0	2.18
Q345736		6.96	0.0242	0.403	1.93	2.82	<10	285	0.20	0.060	3.83	0.056	10.30	16.60	70.7	2.36
Q345737		7.23	0.0293	0.264	2.00	1.91	<10	501	0.22	0.056	4.64	0.060	11.70	17.25	30.5	4.77
Q345738		7.76	0.0142	0.181	1.47	1.22	<10	810	0.25	0.029	4.82	0.069	12.10	14.50	44.9	3.68
Q345739		0.05	0.0006	0.099	1.84	1.24	<10	134.0	0.10	0.074	1.05	0.061	14.75	9.39	18.10	0.362
Q345740		7.94	0.0168	0.390	1.70	2.68	<10	495	0.24	0.014	4.77	0.336	11.00	18.05	109.0	1.770
Q345741		7.54	0.0250	0.327	0.93	5.13	<10	545	0.31	0.053	4.86	0.255	10.35	17.00	51.0	3.73
Q345742		7.10	0.0327	1.385	0.53	104.5	10	759	0.22	0.031	5.86	1.755	6.72	11.80	6.98	5.82
Q345743		6.26	0.0158	1.130	0.58	56.6	10	535	0.25	0.022	5.35	1.505	7.11	12.55	6.29	6.50
Q345744		7.02	0.0074	0.468	0.55	42.0	10	360	0.26	0.020	6.55	0.427	7.33	10.80	8.85	4.16
Q345745		6.05	0.0096	0.324	0.85	31.1	<10	582	0.28	0.020	6.57	0.195	8.90	13.55	11.00	4.21
Q345746		6.51	0.0233	0.191	1.40	2.32	<10	545	0.29	0.010	3.48	0.183	9.88	15.25	19.40	3.80
Q345747		7.00	0.0234	0.265	1.25	2.09	<10	533	0.20	0.016	2.88	0.092	9.04	12.35	23.7	5.03
Q345748		7.16	0.0113	0.113	1.08	2.11	10	782	0.20	0.007	4.21	0.132	8.63	11.20	19.00	4.90
Q345749		6.87	0.0170	0.271	1.40	1.66	<10	795	0.19	0.034	3.14	0.064	9.79	12.45	27.4	3.81
Q345750		0.05	0.673	58.6	1.12	1020	20	116.0	0.17	25.6	3.38	1.005	14.50	38.2	31.9	0.815
Q345751		6.97	0.0165	0.222	1.22	2.65	<10	1020	0.27	0.043	4.62	0.096	10.95	11.60	18.45	4.53
Q345752		6.19	0.0136	0.159	1.31	1.60	<10	459	0.19	0.022	3.20	0.042	10.40	11.00	22.4	3.15
Q345753		6.99	0.0120	0.146	1.90	2.04	<10	308	0.21	0.016	2.65	0.061	8.72	12.45	35.6	2.04
Q345754		6.89	0.0236	0.204	1.88	2.17	<10	216	0.15	0.010	3.28	0.070	8.59	15.45	33.7	1.990
Q345755		6.18	0.0199	0.157	1.83	1.67	<10	214	0.17	0.016	3.81	0.047	10.75	11.05	21.8	2.52
Q345756		6.76	0.0228	0.189	2.10	1.87	<10	336	0.19	0.083	4.75	0.138	9.54	14.75	33.2	2.00
Q345757		7.63	0.0059	0.116	1.85	1.46	<10	669	0.21	0.011	4.30	0.080	10.10	10.45	24.7	3.17
Q345758		7.33	0.0026	0.056	2.03	1.53	<10	333	0.16	0.009	4.52	0.025	14.40	7.59	27.4	2.26
Q345759		6.99	0.0088	0.137	2.00	2.83	<10	602	0.24	0.014	5.46	0.042	12.15	11.95	33.0	4.39
Q345760		7.57	0.0173	0.169	1.92	2.17	<10	235	0.22	0.014	4.08	0.066	9.51	12.30	34.2	2.44
Q345761		7.64	0.0192	0.188	2.00	2.03	<10	163.0	0.16	0.017	3.04	0.065	7.75	13.40	27.5	1.680
Q345762		7.38	0.0481	0.196	2.27	4.14	<10	296	0.20	0.010	3.18	0.085	8.50	15.10	15.20	1.675
Q345763		7.10	0.0092	0.135	2.32	1.61	<10	266	0.21	0.012	4.07	0.037	10.50	14.20	15.95	1.700
Q345764		0.05	0.0014	0.121	1.89	1.19	<10	140.5	0.10	0.080	1.05	0.074	15.50	9.57	18.65	0.331
Q345765		7.56	0.0162	0.305	2.03	1.60	<10	247	0.19	0.023	3.16	0.046	8.18	13.50	15.85	1.625
Q345766		7.70	0.0217	0.202	1.96	1.98	<10	184.0	0.20	0.010	2.92	0.046	6.99	11.35	19.00	1.405
Q345767		7.79	0.0024	0.052	1.25	1.43	<10	269	0.17	0.007	3.86	0.024	12.60	6.58	14.60	1.670
Q345768		7.55	0.0110	0.149	2.00	1.95	<10	173.5	0.21	0.019	2.98	0.034	7.06	9.65	33.6	1.590
Q345769		7.99	0.0118	0.128	2.40	2.22	<10	91.3	0.22	0.066	3.97	0.035	8.97	16.60	74.0	2.33
Q345770		6.87	0.0172	0.190	1.66	2.56	<10	123.5	0.20	0.025	3.47	0.056	13.85	15.40	55.2	4.01
Q345771		6.87	0.0091	0.267	1.55	1.98	<10	86.0	0.18	0.013	3.43	0.052	11.25	14.55	51.7	4.59
Q345772		7.39	0.0291	0.277	2.30	3.08	<10	74.7	0.21	0.043	4.22	0.076	9.02	19.25	90.0	4.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345733		714	2.75	8.17	0.093	0.076	0.021	0.007	0.09	2.80	10.8	1.58	214	13.05	0.087	0.074
Q345734		787	2.87	7.87	0.099	0.084	0.023	<0.005	0.08	3.00	10.3	1.71	282	6.84	0.083	0.074
Q345735		550	2.74	7.49	0.076	0.085	0.047	0.005	0.08	2.93	10.5	1.64	370	4.49	0.062	0.037
Q345736		1060	3.52	8.40	0.082	0.066	0.142	0.016	0.10	4.44	10.9	2.12	484	3.76	0.045	0.026
Q345737		754	3.48	6.95	0.045	0.033	0.098	0.025	0.17	5.06	11.8	1.88	545	3.60	0.024	<0.002
Q345738		358	3.27	5.35	0.034	0.043	0.065	0.023	0.15	5.27	8.4	1.75	593	2.55	0.025	0.005
Q345739		91.3	3.42	5.52	0.074	0.122	<0.004	0.024	0.21	6.80	6.0	0.80	484	5.27	0.215	0.216
Q345740		499	4.09	8.01	0.084	0.117	0.139	0.022	0.08	5.04	11.8	2.00	520	4.74	0.046	0.016
Q345741		853	3.66	3.28	0.038	0.033	0.207	0.037	0.17	4.32	7.0	2.00	579	3.18	0.030	0.003
Q345742		840	2.80	1.115	0.027	0.020	5.65	0.015	0.23	2.90	6.6	2.42	489	5.57	0.012	<0.002
Q345743		447	2.96	1.440	0.028	0.020	0.519	0.015	0.26	3.06	6.9	2.07	531	8.76	0.016	0.003
Q345744		273	2.99	1.225	0.034	0.035	0.365	0.008	0.21	3.12	3.8	2.49	616	2.48	0.011	<0.002
Q345745		455	3.34	2.06	0.047	0.048	0.212	0.016	0.24	3.72	7.4	2.14	620	2.39	0.018	<0.002
Q345746		869	3.20	4.77	0.059	0.157	0.043	0.014	0.11	4.15	7.7	1.15	371	4.57	0.049	0.006
Q345747		918	2.70	5.49	0.079	0.075	0.021	0.010	0.10	4.00	7.0	1.31	265	10.05	0.050	0.011
Q345748		388	2.77	4.21	0.046	0.049	0.046	0.009	0.16	3.94	5.9	1.46	401	4.47	0.032	0.005
Q345749		488	2.78	5.67	0.061	0.073	0.057	0.011	0.11	4.52	6.8	1.39	437	2.98	0.041	0.006
Q345750		3750	3.03	3.53	0.073	0.144	0.718	0.096	0.15	8.28	7.0	0.37	667	537	0.095	0.249
Q345751		410	2.88	3.72	0.040	0.035	0.110	0.007	0.20	5.03	6.0	1.76	527	1.66	0.018	<0.002
Q345752		412	2.42	5.01	0.064	0.054	0.045	0.009	0.13	4.81	6.3	1.18	361	2.91	0.038	0.011
Q345753		451	2.84	7.13	0.095	0.107	0.040	<0.005	0.09	4.04	12.5	1.63	318	1.10	0.055	0.041
Q345754		718	3.20	6.56	0.094	0.108	0.034	0.005	0.10	3.98	9.3	1.70	407	2.64	0.036	0.018
Q345755		324	3.24	6.16	0.053	0.049	0.016	0.007	0.15	5.00	9.6	1.55	559	1.39	0.038	0.009
Q345756		371	3.77	8.31	0.066	0.061	0.193	0.009	0.10	4.26	11.1	2.01	540	1.23	0.037	0.010
Q345757		154.0	3.09	7.18	0.043	0.045	0.111	<0.005	0.20	4.69	9.8	1.63	441	0.91	0.040	0.006
Q345758		121.5	3.03	7.38	0.049	0.038	0.028	0.011	0.13	6.16	12.2	1.78	592	3.56	0.035	<0.002
Q345759		266	3.28	6.72	0.062	0.087	0.028	0.013	0.13	5.49	11.7	1.60	564	2.32	0.038	0.006
Q345760		367	3.35	6.29	0.077	0.128	0.037	0.012	0.09	4.33	10.1	1.52	442	1.68	0.047	0.021
Q345761		403	3.50	6.80	0.089	0.121	0.039	0.011	0.10	3.55	11.0	1.66	344	6.46	0.061	0.043
Q345762		562	4.05	7.16	0.085	0.166	0.041	0.013	0.10	3.80	12.6	1.85	456	1.20	0.049	0.026
Q345763		366	3.70	6.73	0.067	0.114	0.020	0.020	0.13	4.51	12.4	1.91	487	0.79	0.035	0.014
Q345764		91.6	3.56	4.86	0.084	0.117	<0.004	0.011	0.22	6.83	6.1	0.83	500	5.68	0.205	0.214
Q345765		677	3.61	5.97	0.090	0.172	0.032	0.011	0.11	3.66	10.7	1.78	445	0.60	0.046	0.031
Q345766		573	3.16	5.81	0.089	0.164	0.021	0.009	0.09	3.14	10.0	1.61	364	0.49	0.053	0.055
Q345767		114.0	2.20	4.44	0.052	0.075	0.011	0.006	0.18	5.86	5.6	0.98	350	0.94	0.034	0.037
Q345768		263	3.23	6.83	0.102	0.125	0.020	<0.005	0.08	3.22	11.3	1.67	409	5.15	0.051	0.034
Q345769		181.0	4.05	8.32	0.101	0.165	0.042	0.012	0.10	3.97	14.2	2.24	579	3.26	0.058	0.034
Q345770		547	3.51	6.99	0.087	0.145	0.025	0.019	0.09	6.37	7.5	1.52	434	2.71	0.042	0.011
Q345771		733	3.29	6.24	0.092	0.125	0.019	0.011	0.06	5.10	6.7	1.52	447	2.20	0.029	0.007
Q345772		592	4.96	8.31	0.097	0.140	0.095	0.010	0.09	3.96	13.2	2.08	562	1.92	0.053	0.020

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345733		12.80	0.108	0.650	0.009	0.004	3.06	0.055	0.76	0.061	4.81	2.4	0.18	66.5	<0.005	<0.01
Q345734		13.90	0.113	0.659	0.010	0.003	3.15	0.029	0.84	0.060	5.69	2.0	0.17	73.1	<0.005	0.04
Q345735		13.80	0.113	0.732	0.008	0.003	3.45	0.021	0.82	0.108	7.09	1.2	0.16	73.5	<0.005	<0.01
Q345736		42.6	0.126	1.105	0.023	0.005	4.17	0.013	0.95	0.143	12.05	1.8	0.20	110.5	<0.005	0.08
Q345737		19.95	0.120	1.020	0.034	0.005	5.78	0.015	0.74	0.125	11.45	1.6	0.17	855	<0.005	0.11
Q345738		22.1	0.118	1.210	0.031	0.009	5.91	0.010	0.42	0.119	12.25	1.3	0.10	359	<0.005	0.04
Q345739		14.00	0.059	4.01	0.001	<0.002	7.04	0.001	0.02	0.263	2.96	0.2	1.20	91.7	<0.005	0.01
Q345740		37.9	0.110	2.63	0.019	0.009	3.96	0.024	0.66	0.111	16.80	1.7	0.34	167.5	<0.005	0.03
Q345741		28.8	0.119	3.45	0.021	0.007	5.79	0.018	0.55	0.248	17.50	1.6	0.11	253	<0.005	0.07
Q345742		11.95	0.095	4.72	0.017	0.004	6.33	0.032	0.46	15.75	8.43	1.4	0.08	185.0	<0.005	0.08
Q345743		11.10	0.089	4.04	0.008	0.002	7.22	0.029	0.45	6.72	7.03	1.2	0.04	162.5	<0.005	0.05
Q345744		12.55	0.091	3.02	0.008	0.003	5.75	0.008	0.23	3.70	8.88	1.1	0.07	133.0	<0.005	0.05
Q345745		12.85	0.106	2.90	0.008	<0.002	6.34	0.011	0.32	1.475	10.80	1.8	0.05	164.5	<0.005	0.04
Q345746		13.85	0.126	2.46	0.007	<0.002	3.86	0.023	0.46	0.141	11.80	2.5	0.15	321	<0.005	0.03
Q345747		13.25	0.110	2.33	0.009	0.003	4.80	0.040	0.33	0.094	11.20	2.0	0.11	136.0	0.006	0.01
Q345748		12.25	0.097	1.575	0.017	0.004	5.79	0.024	0.23	0.279	9.84	1.0	0.08	225	0.005	<0.01
Q345749		14.75	0.091	1.185	0.027	0.002	4.72	0.017	0.31	0.225	11.85	1.1	0.11	213	0.005	0.07
Q345750		27.9	0.076	81.1	0.003	<0.002	5.51	0.097	0.51	148.0	1.970	3.2	2.13	132.0	<0.005	3.37
Q345751		13.15	0.106	1.985	0.024	0.003	6.62	0.006	0.28	0.685	7.71	1.4	0.07	164.5	<0.005	0.07
Q345752		14.50	0.097	0.803	0.019	0.003	4.60	0.015	0.21	0.112	9.27	1.2	0.11	127.0	0.006	<0.01
Q345753		15.15	0.113	0.653	0.027	0.003	3.28	0.004	0.71	0.086	6.35	1.2	0.20	140.5	<0.005	0.04
Q345754		15.65	0.104	0.660	0.023	0.002	4.50	0.013	1.19	0.070	8.87	1.8	0.19	155.0	0.006	0.03
Q345755		10.75	0.115	0.670	0.013	0.003	5.86	0.005	0.65	0.084	8.09	1.1	0.19	118.5	<0.005	0.02
Q345756		16.55	0.114	1.430	0.010	0.003	4.00	0.005	0.89	0.136	10.70	1.2	0.20	122.0	<0.005	0.10
Q345757		13.30	0.120	0.804	0.011	0.003	6.54	0.003	0.50	0.135	7.29	0.8	0.09	199.0	<0.005	0.01
Q345758		13.30	0.106	0.619	0.015	0.004	4.96	0.012	0.26	0.300	9.95	0.7	0.15	103.5	<0.005	0.03
Q345759		15.00	0.109	0.721	0.013	0.004	5.69	0.008	0.61	0.363	12.55	0.9	0.19	165.0	<0.005	0.02
Q345760		14.80	0.114	0.627	0.017	0.002	3.43	0.006	0.71	0.145	10.00	1.1	0.29	193.5	<0.005	0.03
Q345761		13.15	0.120	0.573	0.016	0.004	3.29	0.018	1.21	0.092	7.31	1.3	0.23	142.0	<0.005	0.04
Q345762		11.75	0.140	0.720	0.008	0.003	3.09	0.003	0.78	0.113	7.65	1.6	0.35	142.0	<0.005	0.02
Q345763		12.45	0.132	0.780	0.007	0.003	4.12	0.002	0.82	0.128	8.62	1.6	0.31	166.5	<0.005	0.03
Q345764		14.20	0.060	4.56	0.002	<0.002	7.69	0.001	0.01	0.268	2.93	0.2	1.51	87.4	<0.005	0.02
Q345765		12.05	0.132	0.788	0.010	0.004	3.45	0.002	0.98	0.149	7.53	2.2	0.34	156.0	<0.005	0.05
Q345766		11.40	0.126	0.602	0.010	0.003	2.63	0.002	1.09	0.115	5.83	1.5	0.29	160.0	<0.005	0.04
Q345767		8.23	0.107	0.586	0.007	<0.002	5.98	0.002	0.67	0.076	4.93	0.5	0.15	131.5	0.006	0.01
Q345768		14.55	0.113	0.550	0.015	0.003	2.97	0.019	0.71	0.084	7.93	0.9	0.26	113.5	<0.005	0.05
Q345769		24.6	0.114	0.842	0.012	0.005	4.24	0.004	0.88	0.141	11.45	0.9	0.34	157.0	<0.005	0.19
Q345770		18.05	0.108	0.901	0.014	0.004	4.47	0.018	0.47	0.141	16.10	1.6	0.28	120.0	0.006	0.01
Q345771		18.25	0.108	0.731	0.019	0.002	3.94	0.016	0.67	0.132	14.40	1.6	0.23	133.0	0.005	0.03
Q345772		25.6	0.128	1.415	0.013	0.005	4.59	0.009	1.22	0.283	11.70	1.7	0.33	159.5	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345733		0.501	0.206	0.017	0.075	134.5	0.031	6.62	19.5	1.08
Q345734		0.503	0.210	0.018	0.077	143.0	0.057	7.26	23.4	1.28
Q345735		0.508	0.162	0.025	0.068	129.5	0.034	8.05	26.7	1.00
Q345736		0.661	0.148	0.041	0.202	156.5	0.042	10.40	34.7	1.06
Q345737		0.561	0.027	0.032	0.184	119.0	0.026	12.10	38.4	0.77
Q345738		0.611	0.014	0.033	0.141	107.0	0.015	12.25	38.8	0.78
Q345739		2.78	0.164	0.049	0.801	97.0	0.510	5.13	45.3	1.97
Q345740		0.664	0.089	0.023	0.210	157.5	0.488	12.00	38.3	2.09
Q345741		0.649	0.004	0.036	0.170	104.5	0.016	12.00	42.0	0.88
Q345742		0.396	<0.001	0.043	0.126	57.4	0.062	8.28	98.3	0.65
Q345743		0.412	0.001	0.045	0.090	48.6	0.025	8.73	86.7	0.65
Q345744		0.431	0.001	0.048	0.182	70.6	0.020	9.99	52.8	1.05
Q345745		0.432	0.001	0.044	0.129	79.6	0.023	10.70	42.1	1.93
Q345746		0.636	0.032	0.035	0.191	107.5	0.007	9.32	29.1	3.95
Q345747		0.573	0.036	0.026	0.092	105.0	0.009	10.90	23.4	1.26
Q345748		0.519	0.010	0.025	0.128	78.8	0.018	10.40	26.5	1.14
Q345749		0.623	0.025	0.022	0.135	99.7	0.010	10.35	33.2	1.80
Q345750		1.480	0.064	0.054	1.565	38.9	9.83	6.53	131.0	5.36
Q345751		0.726	0.003	0.032	0.175	71.4	0.037	11.00	34.1	1.21
Q345752		0.784	0.031	0.023	0.144	82.1	0.026	9.87	21.8	1.29
Q345753		0.737	0.137	0.016	0.170	120.0	0.051	7.42	20.2	2.29
Q345754		0.537	0.106	0.019	0.133	124.5	0.047	7.75	31.0	2.04
Q345755		0.539	0.037	0.022	0.112	98.6	0.038	9.15	32.9	1.34
Q345756		0.507	0.053	0.016	0.093	128.0	0.021	10.40	32.8	1.26
Q345757		0.508	0.019	0.026	0.109	94.9	0.029	11.20	26.4	1.00
Q345758		0.612	0.009	0.020	0.098	114.0	0.032	11.85	42.1	1.10
Q345759		0.552	0.028	0.022	0.137	129.5	0.033	13.25	31.0	2.11
Q345760		0.497	0.096	0.014	0.160	148.5	0.047	9.72	27.8	2.94
Q345761		0.500	0.161	0.014	0.127	156.5	0.075	7.55	27.9	2.67
Q345762		0.425	0.096	0.013	0.157	150.0	0.062	8.49	30.4	3.95
Q345763		0.426	0.057	0.017	0.146	126.5	0.046	10.00	33.6	2.88
Q345764		2.76	0.161	0.043	0.797	100.5	0.578	5.51	43.5	2.33
Q345765		0.362	0.119	0.012	0.148	146.0	0.084	7.89	31.2	3.74
Q345766		0.381	0.150	0.011	0.153	133.0	0.099	6.82	26.1	3.78
Q345767		0.616	0.044	0.020	0.153	67.8	0.096	5.26	21.4	2.01
Q345768		0.454	0.155	0.014	0.162	157.5	0.124	6.66	26.5	3.15
Q345769		0.552	0.183	0.018	0.218	181.0	0.126	8.44	39.6	4.46
Q345770		0.910	0.049	0.016	0.273	146.0	0.015	10.50	28.8	2.76
Q345771		0.757	0.046	0.016	0.183	133.5	0.014	9.38	31.2	2.37
Q345772		0.455	0.159	0.030	0.180	186.5	0.048	8.16	38.2	3.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345773		7.83	0.0243	0.364	1.84	11.35	<10	96.9	0.27	0.089	6.25	0.217	8.74	20.0	58.4	3.89
Q345774		7.17	0.0289	0.301	2.13	2.83	<10	166.5	0.25	0.113	5.26	0.057	10.30	24.9	77.2	5.40
Q345775		0.05	0.738	56.4	1.10	977	20	112.0	0.17	27.2	3.30	0.965	14.15	38.6	32.5	0.830
Q345776		7.65	0.0215	0.300	2.41	4.10	<10	116.5	0.26	0.077	6.02	0.080	7.88	20.2	72.2	2.76
Q345777		6.38	0.0128	0.229	2.28	2.72	<10	275	0.19	0.035	4.83	0.039	9.21	22.3	80.0	2.85
Q345778		7.63	0.0091	0.130	2.17	2.34	<10	65.5	0.13	0.038	3.00	0.029	9.37	19.10	107.0	3.04
Q345779		6.88	0.0234	0.251	2.62	5.33	<10	46.5	0.21	0.192	5.65	0.089	9.22	22.6	141.5	3.10
Q345780		7.62	0.0185	0.183	1.57	2.32	<10	68.6	0.25	0.121	4.14	0.087	9.02	18.05	63.7	3.28
Q345781		7.19	0.0282	0.250	1.72	3.25	<10	70.6	0.16	0.037	3.69	0.043	8.48	21.9	63.6	3.12
Q345782		8.47	0.0116	0.267	2.02	4.62	<10	51.1	0.18	0.022	3.13	0.049	7.10	24.5	68.8	1.485
Q345783		8.47	0.0117	0.124	1.68	1.94	<10	45.8	0.18	0.013	2.69	0.036	7.95	16.15	59.3	2.10
Q345784		8.14	0.0339	0.207	1.54	1.79	<10	40.5	0.19	0.020	3.04	0.042	7.93	15.80	64.4	2.47
Q345785		7.87	0.0723	0.278	1.68	2.20	<10	87.4	0.22	0.014	2.85	0.050	8.75	20.3	67.4	1.170
Q345786		8.07	0.149	0.481	1.82	2.49	<10	53.6	0.24	0.014	3.03	0.079	7.81	25.0	67.0	1.165
Q345787		7.23	0.0458	0.300	1.73	2.53	<10	300	0.23	0.020	3.13	0.061	9.13	17.45	32.9	4.79
Q345788		7.85	0.0235	0.195	1.26	3.36	<10	72.3	0.28	0.016	2.37	0.042	11.65	11.50	17.15	7.02
Q345789		0.05	0.0018	0.100	1.87	1.21	<10	135.0	0.12	0.074	1.06	0.089	14.45	9.16	18.60	0.306
Q345790		7.38	0.0392	0.249	1.10	2.09	<10	231	0.25	0.015	3.10	0.123	12.85	13.35	14.60	5.78
Q345791		7.61	0.0303	0.279	1.64	2.31	<10	246	0.26	0.046	4.19	0.092	10.95	14.80	17.30	8.18
Q345792		7.76	0.0387	0.245	1.66	2.24	<10	166.0	0.18	0.025	2.84	0.041	6.59	13.80	19.90	3.33
Q345793		7.96	0.0457	0.436	1.48	2.26	<10	65.6	0.19	0.023	2.85	0.058	7.72	21.9	49.0	1.875
Q345794		7.10	0.0661	0.316	1.69	1.99	<10	128.0	0.33	0.022	4.09	0.090	9.64	27.4	38.4	4.92
Q345795		7.21	0.0161	0.219	2.00	3.88	<10	200	0.26	0.022	3.43	0.049	9.79	17.20	20.5	6.36
Q345796		7.35	0.0366	0.347	2.25	2.82	<10	68.0	0.35	0.043	2.95	0.098	10.55	29.5	67.3	3.95
Q345797		7.50	0.0157	0.377	2.35	2.27	<10	39.3	0.29	0.062	3.63	0.087	8.57	38.0	103.5	2.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345773		773	5.01	5.29	0.074	0.106	0.275	0.017	0.15	3.71	11.7	2.31	739	15.10	0.029	0.014
Q345774		607	4.90	7.91	0.090	0.092	0.193	0.030	0.11	4.55	10.7	2.37	781	4.67	0.027	0.005
Q345775		3670	2.97	3.49	0.076	0.153	0.750	0.101	0.15	8.29	7.0	0.36	647	518	0.093	0.285
Q345776		739	4.50	8.04	0.134	0.182	0.178	0.014	0.09	3.45	14.6	2.22	638	3.50	0.037	0.017
Q345777		633	4.80	8.62	0.139	0.187	0.068	0.023	0.05	3.83	13.3	2.69	656	3.00	0.033	0.007
Q345778		328	4.28	9.06	0.123	0.176	0.027	0.017	0.09	3.80	11.6	2.06	543	1.59	0.062	0.030
Q345779		356	4.89	9.48	0.116	0.196	0.109	0.015	0.07	3.88	19.8	2.60	823	1.11	0.046	0.024
Q345780		304	4.44	4.66	0.077	0.139	0.152	0.021	0.08	3.92	7.7	1.68	605	0.67	0.050	0.008
Q345781		636	4.20	6.00	0.099	0.111	0.071	0.015	0.10	3.76	7.5	1.64	547	0.93	0.063	0.013
Q345782		887	4.97	5.76	0.132	0.187	0.059	0.014	0.07	3.28	12.8	1.86	455	1.37	0.053	0.025
Q345783		356	4.01	5.75	0.078	0.158	0.040	0.013	0.08	3.61	7.9	1.45	379	0.55	0.059	0.021
Q345784		843	3.45	6.07	0.105	0.147	0.061	<0.005	0.08	3.54	8.1	1.42	328	1.01	0.053	0.034
Q345785		1540	3.94	6.73	0.116	0.164	0.063	0.013	0.08	4.03	9.3	1.53	250	2.35	0.048	0.075
Q345786		2680	4.23	7.10	0.157	0.137	0.157	0.022	0.06	3.70	10.9	1.81	248	4.53	0.035	0.095
Q345787		1165	3.82	6.55	0.085	0.158	0.098	0.015	0.09	4.13	8.4	1.45	422	4.42	0.046	0.018
Q345788		758	3.56	5.32	0.057	0.098	0.101	0.024	0.08	5.12	5.6	1.18	397	0.79	0.040	0.003
Q345789		90.1	3.43	5.36	0.076	0.123	<0.004	0.010	0.21	6.83	7.0	0.80	491	5.57	0.215	0.204
Q345790		983	2.96	4.02	0.057	0.053	0.093	0.013	0.14	5.87	5.0	1.13	362	4.15	0.039	0.003
Q345791		855	3.32	5.43	0.053	0.047	0.094	0.014	0.22	4.90	10.1	1.46	349	6.47	0.032	0.002
Q345792		688	2.99	5.74	0.069	0.151	0.071	0.010	0.10	2.95	8.8	1.37	243	6.77	0.062	0.050
Q345793		1795	4.59	5.65	0.124	0.150	0.106	0.018	0.08	3.71	7.7	1.19	225	2.62	0.042	0.061
Q345794		1555	4.03	6.22	0.089	0.148	0.109	0.028	0.16	4.56	12.9	1.80	308	12.75	0.059	0.035
Q345795		876	3.29	7.08	0.072	0.098	0.192	0.010	0.13	4.31	15.0	1.84	268	23.3	0.036	0.004
Q345796		1435	4.10	8.95	0.125	0.127	0.261	0.011	0.10	4.60	20.0	2.19	213	31.2	0.048	0.054
Q345797		1680	5.52	9.89	0.164	0.096	0.193	0.006	0.07	3.71	19.2	2.51	268	20.7	0.038	0.071

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345773		21.6	0.119	2.61	0.012	0.006	5.25	0.083	1.84	1.695	14.85	1.9	0.29	104.0	<0.005	0.09
Q345774		29.9	0.130	2.87	0.021	0.005	6.07	0.020	1.32	0.254	23.6	2.0	0.29	95.6	0.006	0.13
Q345775		28.4	0.074	80.3	0.002	<0.002	5.60	0.092	0.50	142.0	1.970	3.0	2.19	130.0	<0.005	3.22
Q345776		23.8	0.116	1.065	0.008	0.005	4.20	0.013	1.41	0.283	12.90	2.2	0.35	115.5	<0.005	0.06
Q345777		27.9	0.118	1.020	0.015	0.011	3.52	0.014	0.74	0.155	20.6	2.0	0.33	156.5	0.006	0.04
Q345778		29.1	0.121	1.140	0.008	0.003	4.32	0.009	0.48	0.115	10.90	0.9	0.34	80.7	0.005	0.01
Q345779		37.8	0.122	1.480	0.010	0.005	3.82	0.002	1.12	0.284	12.30	1.3	0.36	87.5	<0.005	0.23
Q345780		19.40	0.134	3.24	0.010	0.006	4.09	0.002	0.75	0.398	13.85	1.3	0.27	147.0	<0.005	0.23
Q345781		21.8	0.120	1.525	0.016	0.003	4.41	0.006	0.90	0.259	13.10	2.1	0.24	114.5	0.006	0.05
Q345782		22.4	0.120	0.565	0.018	0.005	3.15	0.003	1.47	0.173	7.49	2.1	0.27	98.3	<0.005	0.05
Q345783		18.45	0.120	0.780	0.011	0.005	3.84	0.001	0.78	0.128	8.70	1.4	0.26	115.0	<0.005	0.03
Q345784		21.9	0.124	0.504	0.020	0.005	3.79	0.001	0.95	0.077	8.14	2.1	0.31	103.0	<0.005	0.04
Q345785		24.8	0.154	0.384	0.016	0.002	3.53	0.008	1.62	0.058	6.45	3.2	0.30	174.5	<0.005	0.04
Q345786		29.7	0.154	0.404	0.019	0.003	3.10	0.018	2.45	0.097	6.89	5.2	0.35	150.5	<0.005	0.02
Q345787		18.15	0.123	1.095	0.009	0.004	4.89	0.022	0.92	0.605	13.20	2.8	0.30	149.0	<0.005	0.05
Q345788		12.55	0.103	2.84	0.011	<0.002	4.56	0.003	0.57	1.300	10.30	1.9	0.26	82.8	<0.005	0.01
Q345789		13.50	0.058	4.04	0.003	<0.002	6.64	0.001	0.01	0.269	3.33	0.3	1.30	89.6	<0.005	<0.01
Q345790		12.00	0.101	2.85	0.013	<0.002	6.83	0.014	0.90	0.462	9.07	2.9	0.18	412	<0.005	0.01
Q345791		13.45	0.110	1.945	0.014	<0.002	9.05	0.020	1.31	0.159	8.02	2.5	0.15	311	<0.005	0.08
Q345792		13.05	0.116	0.548	0.013	0.003	4.59	0.012	1.57	0.095	5.92	1.9	0.26	218	<0.005	0.03
Q345793		28.8	0.155	0.486	0.035	0.002	3.80	0.011	2.06	0.049	4.89	4.0	0.30	177.5	<0.005	0.06
Q345794		26.3	0.150	1.215	0.017	0.005	8.07	0.041	1.93	0.298	11.15	4.5	0.41	157.0	<0.005	0.05
Q345795		14.40	0.114	0.991	0.011	0.003	7.28	0.058	1.26	0.469	10.20	2.4	0.25	194.0	<0.005	0.03
Q345796		34.5	0.148	2.08	0.010	0.003	4.97	0.121	2.77	0.073	8.43	6.4	0.42	181.5	<0.005	0.09
Q345797		53.8	0.139	1.165	0.007	0.003	3.33	0.073	4.12	0.054	10.30	8.7	0.34	125.5	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345773		0.423	0.092	0.032	0.204	148.5	0.062	10.75	43.2	2.60
Q345774		0.497	0.042	0.033	0.141	162.5	0.028	11.35	45.7	2.17
Q345775		1.440	0.063	0.054	1.615	39.6	8.83	6.44	127.0	5.38
Q345776		0.393	0.138	0.027	0.178	161.0	0.078	8.82	35.9	4.54
Q345777		0.398	0.076	0.018	0.193	173.0	0.016	10.35	35.9	3.54
Q345778		0.349	0.156	0.018	0.232	151.0	0.052	6.80	44.8	4.26
Q345779		0.339	0.127	0.025	0.205	153.0	0.106	7.88	46.2	4.60
Q345780		0.456	0.083	0.018	0.177	150.0	0.021	9.96	36.1	3.94
Q345781		0.410	0.110	0.020	0.212	157.5	0.031	9.41	35.2	3.06
Q345782		0.403	0.185	0.018	0.194	146.0	0.069	6.61	26.3	5.16
Q345783		0.460	0.149	0.016	0.191	139.0	0.032	6.99	25.5	4.13
Q345784		0.507	0.163	0.016	0.216	146.5	0.046	7.53	20.4	3.71
Q345785		0.642	0.219	0.016	0.302	165.5	0.096	7.17	22.1	3.38
Q345786		0.502	0.229	0.013	0.248	177.0	0.180	7.10	24.2	2.63
Q345787		0.466	0.082	0.024	0.170	129.5	0.041	9.80	27.8	3.43
Q345788		0.709	0.008	0.030	0.135	97.8	0.015	10.05	24.3	1.81
Q345789		2.76	0.161	0.046	0.910	98.5	0.611	5.45	43.1	2.28
Q345790		0.610	0.004	0.039	0.127	77.9	0.029	13.45	28.8	1.28
Q345791		0.450	0.004	0.050	0.113	81.8	0.069	11.30	30.5	1.72
Q345792		0.350	0.130	0.029	0.168	110.0	0.065	7.32	20.0	4.51
Q345793		0.414	0.187	0.018	0.218	162.5	0.102	7.37	17.9	3.28
Q345794		0.496	0.119	0.036	0.298	134.0	0.071	10.00	21.7	3.75
Q345795		0.440	0.013	0.042	0.144	98.4	0.052	10.30	19.4	2.97
Q345796		0.506	0.122	0.034	0.202	132.0	0.112	11.75	25.6	3.65
Q345797		0.437	0.184	0.020	0.146	163.0	0.156	9.96	28.2	2.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 14- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14109179

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

CERTIFICATE KL14108398

Project: Dillard

This report is for 104 Rock samples submitted to our lab in Kamloops, BC, Canada on 29- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347816		5.17	0.0084	0.351	1.76	6.31	<10	90.0	0.26	0.114	1.01	0.266	10.85	17.00	13.50	2.12
Q347817		5.45	0.0050	0.266	1.79	4.80	<10	87.5	0.19	0.108	0.91	0.214	10.60	16.85	14.00	2.29
Q347818		5.96	0.0049	0.118	1.54	4.50	<10	97.9	0.18	0.058	1.06	0.127	12.40	13.95	15.85	1.375
Q347819		4.80	0.0143	0.618	1.25	3.70	<10	48.8	0.19	0.078	1.21	0.121	14.70	15.40	11.70	0.447
Q347820		4.98	0.0194	0.231	1.44	3.76	<10	50.5	0.21	0.064	0.92	0.141	12.40	20.6	10.05	0.392
Q347821		4.96	0.0036	0.115	1.43	3.44	<10	71.0	0.25	0.053	1.19	0.154	17.25	15.70	12.00	0.661
Q347822		4.21	0.0012	0.065	1.40	1.70	<10	112.0	0.14	0.027	1.01	0.123	6.91	10.80	22.3	1.225
Q347823		4.21	0.0027	0.108	1.87	3.25	<10	129.5	0.17	0.055	0.97	0.105	13.40	15.15	13.45	2.20
Q347824		3.14	0.0025	0.126	1.70	3.79	<10	69.3	0.19	0.058	1.10	0.070	16.25	15.95	36.5	1.740
Q347825		0.05	0.0008	0.103	1.82	1.12	<10	132.0	0.12	0.087	1.05	0.078	15.25	9.82	18.85	0.322
Q347826		5.47	0.0041	0.195	1.41	2.94	<10	70.7	0.16	0.102	1.10	0.071	18.20	18.65	11.00	1.370
Q347827		4.66	0.0016	0.042	2.17	2.17	<10	158.5	0.19	0.026	0.83	0.057	21.2	16.50	17.30	2.75
Q347828		3.56	0.0030	0.113	1.51	2.44	<10	81.8	0.19	0.118	0.95	0.031	18.95	20.8	11.75	1.135
Q347829		4.39	0.0049	0.159	1.49	2.47	<10	59.2	0.24	0.056	1.00	0.047	19.75	18.65	10.70	1.120
Q347830		4.47	0.0043	0.193	1.70	3.00	<10	161.0	0.22	0.050	0.91	0.068	16.60	22.0	9.75	1.255
Q347831		5.05	0.0098	0.296	2.17	4.51	<10	261	0.21	0.075	0.77	0.152	20.1	20.4	14.00	3.18
Q347832		5.86	0.0050	0.256	1.77	3.49	<10	181.5	0.24	0.047	1.11	0.075	18.95	20.4	7.72	2.02
Q347833		4.62	0.0016	0.110	1.37	3.75	<10	96.0	0.18	0.019	1.00	0.162	11.85	11.45	10.10	1.145
Q347834		5.75	0.0153	0.250	2.64	2.15	<10	525	0.21	0.024	1.06	0.083	21.6	23.1	15.15	4.53
Q347835		5.02	0.0032	0.119	1.74	4.70	<10	74.7	0.31	0.055	0.98	0.078	25.8	19.60	1.89	2.28
Q347836		4.94	0.0088	0.341	1.60	3.69	<10	84.8	0.27	0.089	0.95	0.114	24.3	21.4	2.08	2.18
Q347837		4.37	0.0064	0.172	1.66	3.19	<10	56.6	0.26	0.036	0.91	0.097	24.0	16.50	1.82	2.58
Q347838		6.06	0.0031	0.145	1.94	3.19	<10	103.5	0.30	0.028	1.06	0.068	27.0	19.00	1.70	3.22
Q347839		6.10	0.0032	0.111	2.08	3.61	<10	176.5	0.34	0.026	1.04	0.093	25.3	21.1	2.12	3.20
Q347840		4.57	0.0060	0.173	2.32	3.03	<10	183.5	0.33	0.043	1.25	0.147	26.7	18.95	1.91	3.08
Q347841		5.85	0.0037	0.126	2.32	2.75	<10	208	0.36	0.034	1.08	0.116	26.3	21.8	1.93	3.35
Q347842		5.38	0.0106	0.186	2.47	2.30	<10	240	0.28	0.023	1.05	0.056	21.8	22.0	2.33	4.16
Q347843		5.42	0.0202	0.256	2.42	3.22	<10	281	0.28	0.022	1.03	0.075	21.8	22.7	2.43	4.26
Q347844		5.65	0.0042	0.157	2.19	2.29	<10	193.0	0.26	0.016	1.13	0.132	16.90	21.1	2.20	3.85
Q347845		5.93	0.0142	0.260	2.33	2.96	<10	246	0.25	0.013	0.88	0.088	17.45	24.8	2.25	5.35
Q347846		6.46	0.0081	0.148	2.10	2.68	<10	213	0.28	0.015	1.04	0.138	16.95	22.9	2.19	5.07
Q347847		6.69	0.0090	0.129	2.36	3.04	<10	425	0.26	0.018	0.96	0.108	23.2	25.2	6.23	7.59
Q347848		7.24	0.0096	0.172	2.20	5.32	<10	296	0.33	0.017	0.72	0.124	28.5	22.1	11.95	10.15
Q347849		6.41	0.0115	0.521	1.54	78.7	<10	232	0.57	0.020	0.41	0.881	26.6	26.5	10.20	13.05
Q347850		0.05	0.0014	0.112	1.70	1.20	<10	129.0	0.12	0.063	0.99	0.068	15.30	9.98	18.65	0.319
Q347851		5.66	0.0121	0.838	1.82	23.8	<10	174.0	0.50	0.021	0.61	0.319	29.4	23.0	7.59	12.10
Q347852		5.78	0.0092	0.121	1.99	4.72	<10	184.5	0.35	0.022	0.54	0.132	32.8	20.0	6.21	16.85
Q347853		5.02	0.0203	0.231	1.88	4.03	<10	158.5	0.35	0.037	1.11	0.151	24.6	24.2	12.30	5.76
Q347854		4.96	0.0259	0.154	1.96	5.26	<10	185.0	0.39	0.021	0.96	0.111	24.5	26.9	11.25	5.46
Q347855		5.86	0.0176	0.206	1.89	7.69	<10	228	0.33	0.031	0.76	0.186	23.6	21.3	7.41	6.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347816		171.5	4.41	7.46	0.122	0.124	0.006	<0.005	0.50	5.04	18.7	1.39	427	0.32	0.088	0.162
Q347817		155.0	4.49	7.23	0.122	0.085	0.018	<0.005	0.58	4.71	13.9	1.43	376	0.27	0.077	0.121
Q347818		110.0	2.73	5.72	0.104	0.168	<0.004	0.010	0.48	5.47	9.8	0.99	282	0.37	0.101	0.138
Q347819		323	2.56	4.28	0.101	0.170	0.004	0.009	0.14	6.71	7.2	0.68	269	0.46	0.071	0.342
Q347820		131.5	2.97	5.91	0.116	0.116	0.005	0.012	0.10	5.49	15.6	1.08	440	0.36	0.055	0.165
Q347821		85.1	3.08	5.48	0.129	0.168	0.004	0.005	0.14	7.76	12.9	1.00	387	0.41	0.070	0.204
Q347822		71.9	2.25	4.94	0.094	0.180	0.036	0.013	0.44	3.04	7.6	1.08	308	0.54	0.104	0.062
Q347823		143.5	3.61	7.20	0.137	0.149	0.011	0.006	0.82	6.36	15.1	1.47	403	0.55	0.095	0.155
Q347824		102.0	3.55	6.33	0.141	0.166	0.009	0.014	0.71	7.45	13.3	1.36	370	0.62	0.089	0.161
Q347825		90.3	3.38	5.48	0.109	0.137	<0.004	<0.005	0.21	6.96	6.4	0.80	497	5.50	0.217	0.253
Q347826		110.0	3.40	5.31	0.146	0.236	0.014	0.017	0.54	8.47	9.1	1.05	318	2.30	0.076	0.320
Q347827		74.0	4.27	8.87	0.156	0.177	0.018	0.014	1.58	9.81	14.0	1.86	519	0.51	0.102	0.139
Q347828		107.5	3.34	5.91	0.154	0.243	0.018	0.010	0.62	8.94	9.3	1.27	414	2.00	0.080	0.224
Q347829		225	3.50	5.95	0.160	0.192	0.016	0.015	0.29	8.99	10.8	1.17	483	0.99	0.057	0.160
Q347830		182.0	4.18	7.64	0.150	0.184	0.016	0.011	0.63	8.09	18.0	1.56	516	0.54	0.069	0.088
Q347831		368	4.84	8.81	0.158	0.150	0.022	0.014	1.39	9.79	20.4	1.83	779	0.71	0.089	0.079
Q347832		210	3.38	6.66	0.163	0.198	0.037	0.017	0.89	9.56	13.8	1.34	529	0.46	0.079	0.109
Q347833		77.3	2.54	5.15	0.108	0.189	0.097	0.017	0.53	5.91	11.9	0.98	383	0.35	0.087	0.106
Q347834		378	5.17	11.80	0.218	0.124	0.011	0.030	2.01	10.30	22.4	2.16	1105	0.70	0.114	0.039
Q347835		133.0	3.20	7.00	0.147	0.258	0.012	0.011	1.04	12.55	12.9	1.31	755	0.75	0.059	0.123
Q347836		214	3.15	6.72	0.176	0.301	0.017	0.018	0.97	11.85	12.0	1.17	726	0.71	0.070	0.189
Q347837		183.5	3.28	7.26	0.173	0.283	0.014	0.012	1.04	11.70	13.2	1.23	887	0.73	0.077	0.155
Q347838		155.5	3.35	7.31	0.199	0.254	0.008	0.018	1.33	12.95	13.6	1.50	1020	0.53	0.072	0.121
Q347839		220	3.90	7.67	0.188	0.184	0.006	0.013	1.41	12.55	16.4	1.74	1275	0.79	0.063	0.085
Q347840		241	3.67	7.43	0.173	0.218	0.006	0.017	1.69	13.15	16.8	1.92	1125	0.77	0.059	0.066
Q347841		164.0	3.71	8.09	0.212	0.189	0.006	0.012	1.65	12.70	18.4	1.87	1155	0.56	0.060	0.058
Q347842		345	4.25	8.27	0.208	0.197	0.005	0.016	1.91	10.70	19.1	2.00	1340	0.54	0.067	0.076
Q347843		303	4.20	8.46	0.186	0.189	0.006	0.020	1.77	10.70	17.8	1.98	1230	0.66	0.062	0.065
Q347844		354	3.82	7.55	0.192	0.214	0.009	0.021	1.38	8.37	16.6	1.70	1140	0.50	0.061	0.079
Q347845		592	4.43	7.12	0.190	0.189	0.011	0.021	1.70	8.21	16.5	1.87	1140	0.90	0.063	0.083
Q347846		472	3.75	6.64	0.187	0.230	0.010	0.014	1.50	8.40	14.0	1.63	1020	0.76	0.055	0.102
Q347847		421	4.25	7.85	0.198	0.171	0.016	0.011	1.69	10.90	15.0	1.88	1250	0.91	0.062	0.084
Q347848		631	4.27	8.91	0.184	0.129	0.038	0.034	1.55	13.35	14.5	1.62	1220	4.18	0.054	0.048
Q347849		1015	5.73	5.97	0.143	0.063	0.376	0.055	0.70	12.80	6.5	0.73	2650	4.44	0.015	0.048
Q347850		98.0	3.30	5.57	0.089	0.131	<0.004	0.015	0.21	7.34	7.6	0.78	476	5.71	0.208	0.210
Q347851		963	5.12	6.91	0.159	0.111	0.107	0.036	1.04	14.95	7.6	1.13	1335	2.89	0.032	0.087
Q347852		415	4.73	9.15	0.153	0.057	0.028	0.037	1.40	16.65	10.6	1.35	802	2.76	0.051	0.051
Q347853		451	4.20	6.99	0.214	0.209	0.022	0.025	0.97	12.00	10.4	1.29	950	1.26	0.060	0.176
Q347854		389	4.49	8.00	0.192	0.112	0.014	0.025	0.99	11.40	13.5	1.54	1150	1.25	0.063	0.140
Q347855		362	4.15	7.55	0.182	0.114	0.032	0.013	1.19	11.20	11.6	1.46	944	1.31	0.052	0.091

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347816		14.50	0.156	14.80	0.002	0.003	27.7	0.001	0.26	0.309	5.36	1.5	0.35	67.4	<0.005	0.10
Q347817		14.90	0.148	12.20	0.004	0.003	29.3	0.001	0.25	0.333	5.73	1.1	0.27	54.8	<0.005	0.04
Q347818		10.75	0.146	4.03	0.006	0.003	21.5	<0.001	0.13	0.196	4.82	0.6	0.29	66.2	<0.005	0.02
Q347819		7.71	0.158	7.57	0.001	0.002	6.26	0.001	0.15	0.284	2.60	1.1	0.41	80.2	<0.005	0.05
Q347820		7.93	0.154	7.65	0.002	0.002	4.11	<0.001	0.17	0.331	2.85	0.8	0.28	69.0	<0.005	0.06
Q347821		8.36	0.165	6.86	0.004	0.003	7.19	0.001	0.16	0.362	3.72	0.9	0.32	86.6	<0.005	0.04
Q347822		12.75	0.116	3.34	0.007	0.003	16.60	0.001	0.06	0.129	5.51	0.4	0.23	64.0	<0.005	0.03
Q347823		8.86	0.160	6.08	0.005	0.003	37.6	0.001	0.14	0.178	3.17	0.9	0.31	70.3	<0.005	0.03
Q347824		17.55	0.160	3.37	0.001	0.003	34.5	0.001	0.15	0.264	2.99	1.0	0.40	76.9	<0.005	0.04
Q347825		13.70	0.058	4.18	0.001	<0.002	7.48	0.001	<0.01	0.220	3.39	0.1	1.39	88.6	<0.005	0.01
Q347826		7.93	0.160	3.82	0.004	0.002	27.3	0.003	0.39	0.293	3.02	1.9	0.43	74.5	<0.005	0.06
Q347827		12.20	0.143	1.420	0.003	0.002	66.4	<0.001	0.02	0.136	6.54	0.6	0.42	50.3	<0.005	<0.01
Q347828		9.14	0.147	2.55	0.005	0.002	25.6	0.003	0.46	0.237	3.73	3.0	0.41	59.3	<0.005	0.05
Q347829		8.20	0.160	1.685	0.008	0.002	13.35	0.001	0.12	0.227	3.99	1.0	0.40	83.9	<0.005	0.02
Q347830		9.03	0.159	3.12	0.005	0.003	22.6	<0.001	0.09	0.291	3.55	0.7	0.28	72.4	<0.005	0.04
Q347831		9.09	0.177	3.21	0.007	0.002	55.7	0.001	0.14	0.174	4.63	1.1	0.38	51.9	<0.005	0.06
Q347832		7.65	0.178	2.52	0.007	<0.002	34.8	<0.001	0.06	0.190	3.59	0.7	0.32	97.1	<0.005	0.04
Q347833		8.21	0.137	4.60	0.005	0.003	23.5	<0.001	0.01	0.187	3.79	0.3	0.30	72.8	<0.005	0.01
Q347834		10.85	0.173	1.525	0.005	0.003	77.4	0.001	0.03	0.075	11.25	0.8	0.53	58.8	<0.005	0.03
Q347835		3.65	0.205	4.47	0.006	<0.002	47.1	0.001	0.17	0.155	2.90	0.8	0.38	71.8	<0.005	0.05
Q347836		3.27	0.198	3.99	0.004	<0.002	47.2	0.001	0.38	0.092	2.46	1.1	0.46	68.9	<0.005	0.06
Q347837		3.45	0.202	3.19	0.006	<0.002	49.9	0.001	0.07	0.148	2.90	0.8	0.42	56.2	<0.005	0.02
Q347838		3.03	0.214	1.905	0.005	<0.002	52.7	<0.001	0.02	0.099	2.64	0.6	0.41	71.9	<0.005	0.04
Q347839		3.39	0.226	2.26	0.006	0.003	51.5	0.001	0.04	0.134	3.11	0.6	0.37	69.7	<0.005	0.02
Q347840		3.32	0.230	1.870	0.007	0.004	61.8	0.001	0.06	0.117	2.76	0.6	0.32	79.7	<0.005	0.04
Q347841		3.16	0.218	2.01	0.006	0.003	59.1	<0.001	0.02	0.145	3.12	0.6	0.40	78.2	<0.005	0.03
Q347842		3.73	0.203	1.505	0.009	0.004	70.3	<0.001	0.04	0.116	3.68	0.6	0.43	68.3	<0.005	0.05
Q347843		3.73	0.201	1.925	0.007	0.003	66.8	0.001	0.05	0.155	3.88	1.0	0.44	72.2	<0.005	0.08
Q347844		3.45	0.167	2.40	0.005	0.003	51.1	<0.001	0.06	0.123	4.40	0.8	0.35	82.4	<0.005	0.02
Q347845		4.26	0.166	2.47	0.006	0.003	65.4	<0.001	0.04	0.153	5.94	0.8	0.43	65.4	<0.005	0.04
Q347846		3.88	0.168	1.870	0.006	0.002	54.7	0.001	0.03	0.225	4.62	0.8	0.42	86.5	<0.005	0.01
Q347847		6.91	0.174	3.24	0.005	0.003	60.6	<0.001	0.02	0.382	5.68	0.7	0.42	68.2	<0.005	0.06
Q347848		9.37	0.173	2.48	0.009	0.004	54.6	0.003	0.01	0.337	10.95	0.8	0.45	44.1	<0.005	0.03
Q347849		11.25	0.142	475	0.011	0.004	32.0	<0.001	<0.01	29.8	20.0	1.3	0.43	14.50	<0.005	0.05
Q347850		15.35	0.056	4.78	0.003	<0.002	6.67	<0.001	<0.01	0.296	3.16	0.2	1.49	89.9	<0.005	0.01
Q347851		9.18	0.152	105.0	0.007	0.003	42.9	0.001	<0.01	4.23	14.60	1.2	0.50	29.5	<0.005	0.05
Q347852		7.66	0.166	4.10	0.008	<0.002	57.3	0.001	<0.01	1.350	11.50	1.1	0.31	26.9	<0.005	0.07
Q347853		9.64	0.171	4.13	0.010	0.004	32.2	<0.001	0.04	0.829	8.02	0.7	0.45	94.6	<0.005	0.04
Q347854		10.70	0.171	4.55	0.005	0.003	34.8	0.001	0.04	0.752	7.60	0.8	0.45	80.3	<0.005	0.03
Q347855		8.35	0.146	53.6	0.007	0.002	40.4	0.001	0.06	1.595	6.80	0.9	0.38	57.4	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347816		0.947	0.239	0.167	0.347	167.5	0.510	6.50	76.0	3.13
Q347817		0.822	0.189	0.177	0.223	164.0	0.366	5.14	63.9	2.83
Q347818		0.939	0.200	0.117	0.345	136.0	0.238	8.08	37.6	5.18
Q347819		1.130	0.211	0.036	0.531	95.7	0.281	8.64	34.2	5.89
Q347820		1.075	0.140	0.048	0.390	91.8	0.215	6.66	50.6	3.49
Q347821		1.115	0.209	0.051	0.432	114.5	0.201	8.54	47.5	5.60
Q347822		0.402	0.170	0.111	0.198	111.0	0.162	5.92	35.7	5.61
Q347823		0.949	0.244	0.212	0.350	151.0	0.331	7.26	55.0	4.71
Q347824		1.070	0.257	0.169	0.362	143.0	0.188	9.19	42.0	4.56
Q347825		2.90	0.161	0.053	0.879	101.5	0.656	5.26	44.8	2.43
Q347826		1.235	0.253	0.136	0.480	117.0	0.253	9.41	33.5	6.60
Q347827		1.725	0.278	0.297	0.540	147.0	0.186	9.97	48.3	6.67
Q347828		1.390	0.233	0.123	0.496	110.5	0.171	9.23	43.4	8.50
Q347829		1.390	0.182	0.078	0.563	119.5	0.114	9.36	39.5	6.27
Q347830		1.275	0.227	0.123	0.367	135.0	0.201	8.72	58.1	5.60
Q347831		1.660	0.231	0.255	0.512	179.0	0.190	8.91	72.5	5.25
Q347832		1.625	0.218	0.167	0.499	132.0	0.186	8.25	52.7	5.98
Q347833		0.980	0.192	0.115	0.322	118.5	0.248	6.94	42.6	5.73
Q347834		1.570	0.247	0.311	0.502	214	0.139	11.40	79.7	4.45
Q347835		1.785	0.203	0.186	0.559	123.0	0.127	9.81	70.2	7.92
Q347836		1.830	0.220	0.160	0.604	119.0	0.148	10.55	68.1	9.57
Q347837		1.845	0.220	0.179	0.566	131.5	0.139	10.05	84.7	8.64
Q347838		1.880	0.240	0.207	0.536	143.0	0.160	8.78	102.5	8.12
Q347839		1.735	0.227	0.194	0.502	146.5	0.174	9.05	123.0	6.04
Q347840		1.860	0.255	0.235	0.529	151.5	0.182	8.62	122.5	6.86
Q347841		1.880	0.230	0.252	0.497	156.5	0.130	8.66	122.5	5.89
Q347842		1.705	0.287	0.299	0.492	187.5	0.194	8.26	137.0	6.35
Q347843		1.610	0.274	0.297	0.455	178.5	0.141	9.00	138.0	6.13
Q347844		1.265	0.274	0.212	0.428	157.5	0.205	8.58	125.5	6.71
Q347845		1.260	0.280	0.272	0.451	167.0	0.202	9.14	123.0	6.72
Q347846		1.240	0.276	0.266	0.425	141.0	0.123	9.52	111.5	8.23
Q347847		1.625	0.250	0.364	0.462	171.5	0.179	9.37	130.0	6.05
Q347848		2.25	0.186	0.480	0.515	166.5	0.086	13.55	104.0	5.46
Q347849		2.24	0.057	0.533	0.678	183.5	0.124	18.65	523	2.35
Q347850		3.12	0.155	0.040	0.914	98.4	0.605	5.58	45.3	2.16
Q347851		2.69	0.114	0.433	0.606	184.0	0.053	17.95	184.0	5.85
Q347852		2.37	0.126	0.667	0.291	169.0	0.129	13.15	88.0	2.24
Q347853		2.06	0.201	0.269	0.658	148.5	0.117	11.55	71.5	7.66
Q347854		1.720	0.175	0.241	0.573	150.5	0.162	10.75	88.6	6.62
Q347855		1.525	0.161	0.384	0.495	132.5	0.122	11.10	135.0	4.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347856		4.66	0.0109	0.125	1.75	4.09	<10	129.5	0.39	0.022	0.78	0.127	26.1	20.4	4.88	7.25
Q347857		6.49	0.0432	0.259	1.72	3.79	<10	127.5	0.30	0.027	0.74	0.061	20.4	20.4	5.11	4.90
Q347858		3.97	0.0081	0.160	1.66	3.45	<10	255	0.27	0.034	0.86	0.064	20.6	19.90	5.40	3.86
Q347859		6.26	0.0151	0.202	1.67	22.1	<10	256	0.40	0.051	0.91	0.143	21.9	25.3	8.24	8.60
Q347860		6.44	0.0127	0.409	1.86	62.6	<10	256	0.59	0.024	0.57	0.303	26.5	24.7	3.29	24.1
Q347861		5.18	0.0610	0.563	2.58	50.8	<10	301	0.33	0.018	0.50	0.524	28.6	26.2	7.44	23.9
Q347862		5.49	0.0453	0.248	2.10	34.3	<10	278	0.47	0.024	0.45	1.520	33.8	25.0	8.49	19.95
Q347863		5.04	0.0125	0.356	2.24	15.00	<10	360	0.40	0.035	1.03	0.504	24.4	23.9	12.85	10.70
Q347864		5.03	0.0056	0.059	1.69	3.75	<10	137.0	0.30	0.018	1.19	0.420	15.90	18.85	9.88	4.29
Q347865		5.70	0.0069	0.057	2.03	4.85	<10	191.0	0.34	0.020	1.03	0.355	17.45	22.5	10.30	6.28
Q347866		5.64	0.0056	0.047	1.74	4.24	<10	130.0	0.40	0.019	1.20	0.362	20.3	22.3	7.90	5.91
Q347867		5.07	0.0022	0.058	1.74	4.41	<10	87.9	0.56	0.036	1.04	0.235	23.2	18.35	9.87	14.45
Q347868		6.15	0.0031	0.023	1.53	3.78	<10	75.7	0.36	0.019	1.18	0.275	15.90	19.60	14.80	5.31
Q347869		6.86	0.0120	0.162	1.57	4.64	<10	97.8	0.33	0.026	1.16	0.138	16.20	29.4	15.45	4.01
Q347870		4.99	0.0052	0.082	1.75	7.86	<10	95.0	0.49	0.036	0.88	0.367	23.1	14.10	11.85	8.24
Q347871		3.82	0.0055	0.096	1.80	4.39	<10	185.0	0.32	0.031	1.13	0.119	17.45	17.80	25.2	2.64
Q347872		3.22	0.0094	0.193	1.90	3.74	<10	208	0.33	0.041	0.87	0.082	16.25	25.3	18.50	4.21
Q347873		6.55	0.0062	0.143	1.62	3.33	<10	157.0	0.32	0.023	1.03	0.090	19.00	19.25	13.25	4.17
Q347874		3.18	0.0072	0.140	1.76	3.90	<10	194.0	0.31	0.027	0.83	0.146	17.75	17.45	12.90	4.03
Q347875		0.05	0.0010	0.087	1.80	0.96	<10	134.0	0.11	0.064	1.03	0.064	13.70	9.48	18.55	0.317
Q347876		2.80	0.0037	0.122	1.78	3.97	<10	143.5	0.33	0.033	1.08	0.180	19.20	15.65	14.40	2.86
Q347877		3.31	0.0031	0.113	1.80	3.70	<10	210	0.25	0.022	1.10	0.101	16.70	20.8	18.85	2.69
Q347878		3.14	0.0028	0.062	1.81	3.26	<10	119.5	0.25	0.025	1.05	0.213	13.00	15.20	30.5	2.06
Q347879		3.59	0.0005	0.026	1.74	3.71	<10	48.4	0.30	0.013	1.34	0.304	15.35	13.55	4.30	0.570
Q347880		3.11	0.0014	0.021	1.75	2.78	<10	40.4	0.20	0.013	1.11	0.066	17.30	17.45	4.80	1.255
Q347881		3.98	0.0070	0.067	1.65	2.43	<10	38.0	0.25	0.031	1.16	0.117	19.05	16.20	4.81	1.105
Q347882		4.34	0.0031	0.027	1.80	2.77	<10	56.4	0.21	0.022	1.02	0.061	21.4	18.25	5.34	3.26
Q347883		2.73	0.0008	0.016	1.79	2.65	<10	125.0	0.22	0.020	0.91	0.070	22.2	15.10	2.44	1.780
Q347884		3.33	0.0021	0.028	1.67	2.91	<10	92.2	0.25	0.013	1.00	0.082	21.1	14.15	3.33	1.360
Q347885		4.12	0.0014	0.260	1.53	2.77	<10	66.9	0.25	0.047	0.91	0.122	20.9	15.75	3.11	0.917
Q347886		4.22	0.0033	0.239	1.49	3.40	<10	76.2	0.23	0.050	0.98	0.198	19.60	16.95	2.59	0.756
Q347887		5.09	0.0006	0.048	1.93	2.89	<10	91.4	0.30	0.016	1.11	0.214	19.25	14.25	2.97	1.330
Q347888		3.63	0.0013	0.151	1.84	2.24	<10	92.9	0.24	0.022	1.18	0.106	18.00	20.2	9.88	1.190
Q347889		3.71	0.0012	0.088	1.91	2.47	<10	103.0	0.28	0.021	1.47	0.119	13.45	22.8	31.9	1.005
Q347890		4.86	0.0068	0.146	1.85	2.45	<10	73.8	0.20	0.011	1.54	0.106	17.05	21.7	15.95	1.485
Q347891		4.20	0.0037	0.108	1.67	1.96	<10	85.2	0.24	0.017	1.16	0.107	21.1	16.85	13.00	1.100
Q347892		6.99	0.0017	0.040	1.65	1.91	<10	51.7	0.24	0.006	1.06	0.083	23.6	16.45	9.49	1.340
Q347893		5.40	0.0016	0.041	1.47	2.08	<10	49.6	0.25	0.009	0.89	0.137	23.6	12.50	10.85	0.893
Q347894		5.70	0.0022	0.057	1.51	1.98	<10	61.5	0.23	0.014	0.91	0.084	23.3	16.10	10.25	1.975
Q347895		5.18	0.0073	0.349	1.81	2.09	<10	80.6	0.30	0.006	1.08	0.115	20.3	12.55	9.00	1.955

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347856		304	3.32	7.09	0.155	0.109	0.036	0.016	0.94	13.00	10.2	1.17	713	1.32	0.048	0.095
Q347857		445	3.40	7.01	0.154	0.151	0.020	0.015	0.96	10.00	12.2	1.29	706	1.83	0.058	0.179
Q347858		246	3.31	6.86	0.155	0.230	0.022	0.012	0.83	9.72	12.9	1.24	611	1.09	0.055	0.179
Q347859		476	3.62	6.82	0.176	0.148	0.035	0.021	0.81	11.30	10.6	1.16	702	2.46	0.041	0.185
Q347860		650	4.19	7.21	0.135	0.071	0.163	0.030	1.22	12.95	9.2	1.21	674	2.04	0.033	0.039
Q347861		374	5.12	9.33	0.154	0.095	0.137	0.036	1.90	15.15	13.5	1.65	943	2.02	0.019	0.067
Q347862		353	5.44	7.60	0.143	0.126	0.081	0.035	1.54	18.15	6.6	1.18	1420	2.56	0.010	0.099
Q347863		382	4.51	9.14	0.194	0.139	0.041	0.032	1.36	12.20	11.6	1.73	885	3.13	0.047	0.082
Q347864		140.0	3.53	6.55	0.177	0.188	0.014	0.011	0.53	7.69	11.0	1.33	752	0.45	0.051	0.104
Q347865		156.5	4.68	7.22	0.180	0.186	0.012	0.024	0.93	7.89	12.8	1.71	975	0.60	0.052	0.098
Q347866		123.5	3.99	6.07	0.103	0.198	0.022	0.014	0.67	9.56	9.8	1.41	893	0.44	0.050	0.104
Q347867		148.5	4.52	6.67	0.122	0.144	0.022	0.034	0.30	9.72	9.2	1.08	1005	0.64	0.042	0.054
Q347868		109.0	3.36	5.63	0.116	0.234	0.015	0.008	0.41	7.18	9.0	1.12	897	0.49	0.055	0.139
Q347869		328	3.70	5.73	0.133	0.235	0.010	0.031	0.44	7.67	9.3	1.21	866	0.62	0.062	0.157
Q347870		281	4.41	5.74	0.091	0.112	0.038	0.016	0.39	10.95	8.7	1.15	1295	1.34	0.038	0.026
Q347871		163.0	4.07	6.04	0.113	0.292	0.042	0.007	0.58	8.10	10.3	1.32	766	0.48	0.086	0.069
Q347872		451	4.87	7.07	0.105	0.167	0.015	0.020	1.00	7.77	12.0	1.57	986	1.15	0.063	0.075
Q347873		444	3.85	5.92	0.127	0.167	0.020	0.017	0.66	8.78	9.3	1.21	822	0.67	0.062	0.117
Q347874		383	4.08	6.36	0.107	0.120	0.053	0.012	0.88	8.10	9.3	1.28	927	0.95	0.069	0.050
Q347875		90.6	3.42	5.02	0.071	0.083	<0.004	0.007	0.22	6.26	6.9	0.81	518	4.96	0.219	0.163
Q347876		234	3.88	6.35	0.135	0.275	0.026	0.010	0.84	8.53	9.9	1.33	788	0.56	0.077	0.094
Q347877		191.5	4.39	6.43	0.118	0.237	0.026	0.014	0.85	7.97	10.7	1.48	852	0.54	0.077	0.096
Q347878		128.0	4.10	6.93	0.092	0.199	0.084	0.024	0.60	6.24	12.2	1.43	989	0.66	0.073	0.055
Q347879		16.45	3.86	7.37	0.104	0.234	<0.004	0.009	0.39	7.40	16.0	1.31	800	0.25	0.068	0.214
Q347880		22.7	3.69	6.27	0.121	0.257	<0.004	0.008	0.68	8.58	13.6	1.52	745	0.14	0.058	0.176
Q347881		67.4	3.46	6.34	0.132	0.215	0.007	0.008	0.52	9.28	12.6	1.35	886	0.17	0.054	0.130
Q347882		28.7	3.76	6.68	0.145	0.341	0.009	0.018	1.27	10.25	12.1	1.63	1015	0.13	0.071	0.104
Q347883		13.80	3.40	6.25	0.148	0.312	0.005	0.008	1.23	10.40	10.7	1.53	1010	0.09	0.075	0.121
Q347884		35.7	3.30	6.25	0.132	0.311	<0.004	<0.005	0.89	9.88	9.8	1.39	945	0.15	0.071	0.152
Q347885		152.0	3.49	6.17	0.151	0.274	0.005	0.008	0.50	9.72	10.5	1.33	630	0.87	0.065	0.276
Q347886		115.0	3.62	6.26	0.125	0.256	0.007	0.009	0.46	9.02	10.9	1.17	666	0.52	0.073	0.261
Q347887		39.2	4.00	7.46	0.136	0.200	0.006	0.025	0.92	9.17	15.8	1.57	877	0.35	0.079	0.172
Q347888		172.5	3.93	6.78	0.132	0.257	0.008	0.024	0.58	8.44	12.7	1.47	812	0.76	0.073	0.173
Q347889		117.0	4.11	6.63	0.151	0.318	<0.004	0.014	0.46	6.39	14.1	1.65	778	0.56	0.056	0.123
Q347890		202	4.16	6.12	0.147	0.398	0.006	0.030	0.81	8.25	14.0	1.46	844	0.57	0.071	0.125
Q347891		139.0	3.60	6.16	0.142	0.417	0.004	0.025	0.71	9.92	13.4	1.30	749	0.40	0.074	0.173
Q347892		94.1	3.79	6.62	0.155	0.437	<0.004	0.028	0.84	11.55	10.8	1.39	822	0.50	0.084	0.147
Q347893		104.5	3.60	6.44	0.117	0.267	<0.004	0.017	0.52	10.85	10.3	1.30	824	0.38	0.070	0.116
Q347894		111.5	3.54	6.40	0.086	0.256	0.008	<0.005	0.90	11.45	10.0	1.27	819	0.53	0.074	0.131
Q347895		473	4.32	7.82	0.137	0.130	0.012	0.014	0.90	10.20	14.3	1.39	852	0.80	0.108	0.155

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347856		6.27	0.136	6.14	0.003	0.003	38.0	0.001	0.04	1.430	6.69	0.8	0.32	61.2	<0.005	0.05
Q347857		5.78	0.134	4.30	0.001	0.002	36.8	0.003	0.10	0.713	4.65	1.1	0.40	59.5	<0.005	0.09
Q347858		5.81	0.142	4.71	0.006	0.003	32.9	0.001	0.19	0.416	5.02	0.8	0.41	74.6	<0.005	0.10
Q347859		8.08	0.150	43.8	0.004	0.002	32.4	0.001	0.12	1.550	6.13	0.9	0.43	61.1	<0.005	0.05
Q347860		7.49	0.153	195.0	0.009	0.003	55.8	0.001	0.01	10.35	10.85	0.9	0.42	19.65	<0.005	0.02
Q347861		11.15	0.161	291	0.008	0.004	80.7	<0.001	<0.01	15.30	12.20	0.8	0.51	14.45	<0.005	0.06
Q347862		15.70	0.151	118.5	0.006	0.002	63.3	0.001	<0.01	11.30	9.96	0.8	0.28	15.10	<0.005	0.04
Q347863		12.95	0.163	43.7	0.006	0.004	45.1	0.004	0.04	2.37	9.54	0.7	0.42	84.9	<0.005	0.05
Q347864		11.20	0.154	3.81	0.006	0.004	18.35	<0.001	0.01	0.726	6.13	0.4	0.30	116.5	<0.005	0.04
Q347865		13.05	0.163	3.28	0.008	0.003	34.5	<0.001	<0.01	0.675	8.12	0.3	0.38	82.6	<0.005	0.03
Q347866		8.61	0.205	2.86	0.004	0.003	27.0	<0.001	0.01	0.703	6.60	0.6	0.29	84.5	<0.005	<0.01
Q347867		9.53	0.183	6.06	0.007	0.003	20.0	0.001	0.01	1.360	11.25	0.5	0.35	52.3	<0.005	0.05
Q347868		9.69	0.169	2.90	0.005	0.003	17.65	<0.001	0.01	0.517	6.53	0.5	0.27	97.8	<0.005	0.03
Q347869		9.43	0.182	3.01	0.009	0.002	17.45	<0.001	0.04	0.635	6.78	0.7	0.27	87.3	<0.005	0.06
Q347870		11.95	0.173	32.4	0.006	0.003	19.75	0.001	0.01	2.93	9.17	0.6	0.27	46.3	<0.005	0.05
Q347871		14.20	0.160	7.31	0.008	0.002	21.1	0.001	0.06	0.576	7.42	0.6	0.29	71.7	<0.005	0.05
Q347872		11.05	0.164	6.32	0.014	0.002	37.4	<0.001	0.21	0.743	7.01	1.0	0.29	64.2	<0.005	0.08
Q347873		9.18	0.162	3.34	0.014	0.002	26.1	<0.001	0.04	0.807	6.33	0.9	0.28	70.2	<0.005	0.08
Q347874		9.33	0.149	5.00	0.011	0.002	33.2	<0.001	0.07	1.155	8.60	1.2	0.30	51.6	<0.005	0.11
Q347875		12.95	0.059	3.97	0.003	<0.002	6.68	0.001	0.01	0.190	2.96	0.3	1.07	83.0	<0.005	0.01
Q347876		9.71	0.169	4.53	0.004	0.003	31.8	<0.001	0.08	0.649	5.58	0.8	0.27	71.2	<0.005	0.01
Q347877		10.00	0.174	4.21	0.002	<0.002	31.2	0.001	0.16	0.309	5.88	0.7	0.34	57.2	<0.005	0.04
Q347878		15.70	0.142	7.13	0.006	0.002	23.5	0.001	0.04	0.294	7.44	0.3	0.22	106.0	<0.005	0.04
Q347879		5.72	0.145	9.00	0.002	<0.002	18.35	<0.001	0.01	0.127	4.12	0.2	0.31	72.9	<0.005	0.02
Q347880		6.45	0.149	1.815	0.003	<0.002	33.0	<0.001	0.01	0.113	3.64	0.3	0.27	78.7	<0.005	0.02
Q347881		5.57	0.151	3.19	0.006	0.002	25.3	<0.001	0.01	0.168	4.47	0.4	0.20	94.3	<0.005	0.02
Q347882		5.37	0.164	0.836	0.004	0.002	61.0	<0.001	0.01	0.090	3.09	0.5	0.27	60.4	<0.005	0.03
Q347883		2.10	0.173	1.795	0.004	<0.002	51.4	<0.001	0.01	0.066	1.915	0.5	0.26	56.9	<0.005	0.02
Q347884		2.59	0.177	2.79	0.004	<0.002	41.2	<0.001	0.02	0.071	1.885	0.3	0.24	67.6	<0.005	<0.01
Q347885		2.03	0.179	9.30	0.003	<0.002	21.9	0.002	0.37	0.124	2.01	1.7	0.35	78.6	<0.005	0.24
Q347886		2.12	0.187	7.96	0.001	<0.002	21.7	0.002	0.33	0.246	2.16	1.5	0.29	86.2	<0.005	0.10
Q347887		2.65	0.184	4.63	0.001	0.002	43.3	<0.001	0.05	0.157	2.85	0.4	0.32	103.0	<0.005	0.05
Q347888		6.87	0.175	3.11	0.003	0.002	27.4	<0.001	0.17	0.192	4.92	0.9	0.31	87.3	<0.005	0.08
Q347889		18.60	0.160	5.82	0.008	0.004	22.2	<0.001	0.10	0.148	5.43	0.8	0.35	98.0	<0.005	0.03
Q347890		10.55	0.165	2.40	0.006	0.005	41.0	<0.001	0.09	0.091	4.40	0.8	0.41	99.1	<0.005	0.01
Q347891		7.97	0.184	2.73	0.005	<0.002	33.7	<0.001	0.09	0.116	3.47	0.6	0.32	97.4	<0.005	0.06
Q347892		5.92	0.175	1.855	0.005	<0.002	43.4	0.001	0.04	0.132	3.87	0.5	0.39	79.8	<0.005	0.02
Q347893		6.00	0.158	2.30	0.005	0.003	25.7	0.001	0.03	0.122	3.41	0.4	0.28	59.9	<0.005	0.05
Q347894		5.28	0.160	2.41	0.003	0.002	44.8	<0.001	0.07	0.152	2.80	0.6	0.26	50.7	<0.005	0.06
Q347895		5.64	0.171	4.22	0.004	0.002	38.1	<0.001	0.04	0.445	4.72	0.7	0.39	62.3	<0.005	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347856		1.625	0.108	0.318	0.508	111.0	0.078	12.20	81.8	4.63
Q347857		1.180	0.173	0.237	0.442	119.5	0.141	9.98	63.0	5.14
Q347858		1.165	0.188	0.221	0.496	118.0	0.170	9.85	56.8	7.13
Q347859		1.530	0.173	0.422	0.578	115.0	0.194	11.55	110.5	6.89
Q347860		1.815	0.091	1.260	0.452	140.5	0.167	10.20	279	2.48
Q347861		1.850	0.185	1.380	0.782	159.0	0.211	12.65	367	4.31
Q347862		2.34	0.146	0.993	0.884	137.0	0.322	12.75	445	5.58
Q347863		1.805	0.200	0.524	0.516	154.0	0.217	9.75	198.5	4.82
Q347864		1.355	0.196	0.177	0.515	115.5	0.173	7.93	135.0	6.36
Q347865		1.160	0.204	0.258	0.424	153.0	0.126	8.91	136.5	5.12
Q347866		1.455	0.195	0.217	0.388	133.5	0.200	9.05	140.5	5.54
Q347867		2.09	0.057	0.550	0.350	148.5	0.249	8.94	123.5	4.22
Q347868		1.350	0.181	0.179	0.425	117.5	0.147	7.45	96.1	7.55
Q347869		1.400	0.197	0.142	0.432	125.5	0.179	8.12	77.9	9.83
Q347870		1.980	0.039	0.326	0.473	127.5	0.201	9.80	243	2.98
Q347871		1.285	0.175	0.142	0.499	142.0	0.118	8.84	77.2	10.05
Q347872		1.280	0.172	0.216	0.502	153.5	0.168	9.11	87.2	5.05
Q347873		1.435	0.167	0.150	0.436	130.5	0.096	9.30	63.8	6.05
Q347874		1.250	0.124	0.205	0.407	154.5	0.200	9.82	70.0	5.19
Q347875		2.78	0.156	0.050	0.783	96.1	0.752	4.90	45.6	2.02
Q347876		1.415	0.187	0.179	0.586	139.5	0.102	9.68	74.0	8.88
Q347877		1.050	0.223	0.169	0.332	153.0	0.141	10.20	69.4	5.83
Q347878		1.085	0.157	0.140	0.352	156.5	0.113	7.61	76.7	5.80
Q347879		0.998	0.248	0.064	0.262	127.5	0.209	7.47	96.5	7.48
Q347880		1.365	0.232	0.092	0.338	137.0	0.158	6.58	82.1	9.19
Q347881		1.700	0.203	0.074	0.312	145.0	0.159	7.03	82.2	7.55
Q347882		1.390	0.241	0.167	0.299	133.5	0.196	8.82	95.6	10.70
Q347883		1.195	0.217	0.138	0.276	105.5	0.241	10.05	94.5	10.45
Q347884		1.220	0.202	0.108	0.290	104.0	0.155	9.40	84.5	10.55
Q347885		1.260	0.197	0.086	0.343	96.4	0.172	10.35	72.8	10.10
Q347886		1.180	0.191	0.071	0.311	103.5	0.192	9.56	75.4	7.42
Q347887		1.205	0.202	0.127	0.323	118.5	0.176	9.23	95.6	5.40
Q347888		1.140	0.209	0.099	0.373	138.0	0.176	8.27	76.2	8.51
Q347889		0.828	0.265	0.069	0.393	148.5	0.219	8.10	78.2	10.95
Q347890		1.150	0.292	0.109	0.474	159.0	0.183	8.88	76.8	13.55
Q347891		1.355	0.239	0.075	0.518	123.0	0.155	10.75	68.8	13.15
Q347892		1.715	0.237	0.087	0.651	133.5	0.124	12.00	72.2	13.85
Q347893		1.600	0.152	0.062	0.492	127.0	0.095	10.05	68.0	7.23
Q347894		1.720	0.200	0.108	0.497	132.5	0.121	10.65	68.5	8.76
Q347895		1.695	0.195	0.135	0.439	167.0	0.125	11.15	77.4	3.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q347896		5.39	0.0047	0.191	1.69	2.56	<10	96.5	0.36	0.011	1.12	0.109	23.7	21.9	11.85	2.17
Q347897		3.61	0.0045	0.173	1.63	2.16	<10	125.0	0.24	0.019	1.10	0.085	20.5	18.95	23.9	1.530
Q347898		3.27	0.0406	0.278	1.52	3.00	<10	140.0	0.26	0.019	1.27	0.115	21.7	16.40	14.65	1.770
Q347899		5.13	0.0027	0.222	1.63	2.12	<10	89.9	0.28	0.013	2.43	0.179	18.25	17.95	11.05	0.806
Q347900		0.05	0.0014	0.078	1.75	1.09	<10	132.0	0.10	0.063	1.03	0.063	14.70	9.61	19.50	0.319
Q347901		5.04	0.0031	0.388	2.97	2.89	<10	193.0	0.38	0.018	2.36	0.237	13.65	23.1	22.9	3.40
Q347902		5.68	0.0026	0.163	2.22	2.72	<10	105.5	0.40	0.012	1.70	0.221	22.6	14.60	2.89	2.36
Q347903		4.90	0.0042	0.225	1.83	13.00	<10	93.3	0.57	0.029	0.98	0.825	29.4	20.7	2.21	4.40
Q347904		6.43	0.0015	0.100	1.74	3.91	<10	139.5	0.46	0.034	0.80	0.309	24.5	19.85	3.73	5.41
Q347905		7.47	0.0036	0.273	1.81	3.05	<10	139.0	0.27	0.042	0.93	0.169	19.10	25.5	2.58	1.920
Q347906		5.83	0.0003	0.148	1.82	2.95	<10	57.4	0.39	0.014	1.05	0.122	20.7	15.40	2.41	1.075
Q347907		5.44	0.0012	0.365	1.39	2.60	<10	56.6	0.28	0.022	1.21	0.188	20.4	14.55	2.26	0.785
Q347908		3.93	0.0016	0.547	1.67	2.28	<10	58.7	0.25	0.025	1.32	0.069	21.5	15.40	3.85	0.729
Q347909		5.95	0.0035	1.305	1.29	2.55	<10	59.3	0.28	0.024	1.04	0.204	21.5	14.50	2.15	0.880
Q347910		5.31	0.0029	0.150	1.58	2.25	<10	67.5	0.24	0.024	1.23	0.127	21.1	16.35	2.01	1.375
Q347911		4.45	0.0024	1.340	2.05	2.03	<10	79.5	0.27	0.031	0.89	0.200	15.15	24.9	29.5	2.15
Q347912		6.07	0.0013	0.281	1.51	0.93	<10	48.7	0.17	0.009	0.82	0.187	7.08	12.80	28.4	0.961
Q347913		4.67	0.0018	0.108	2.02	2.70	<10	45.3	0.34	0.016	1.17	0.221	16.40	24.9	31.2	0.876
Q347914		6.85	0.0018	0.062	1.89	1.95	<10	83.5	0.27	0.012	1.14	0.086	19.20	25.9	30.8	1.030
Q347915		6.45	0.0046	0.147	1.85	0.99	<10	177.5	0.24	0.014	1.34	0.071	18.40	26.1	28.7	1.275
Q347916		4.02	0.0049	0.240	1.98	2.30	<10	169.5	0.28	0.032	1.52	0.125	17.55	26.7	29.4	1.415
Q347917		5.54	0.0047	0.092	2.06	1.59	<10	189.0	0.24	0.004	1.28	0.049	18.60	25.0	23.4	2.08
Q347918		4.12	0.0057	0.161	2.14	1.58	<10	146.5	0.24	0.027	1.17	0.074	16.85	27.1	29.5	1.620
Q347919		3.70	0.0153	0.125	2.30	1.40	<10	166.0	0.28	0.054	1.02	0.017	15.00	28.9	29.1	1.965

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q347896		298	4.00	6.82	0.104	0.153	0.006	0.015	0.76	11.80	10.9	1.27	801	0.87	0.081	0.132
Q347897		421	4.18	6.71	0.116	0.250	0.017	0.024	0.44	9.40	9.4	1.34	786	0.40	0.073	0.082
Q347898		584	4.08	6.39	0.120	0.243	0.030	0.006	0.46	10.05	8.3	1.22	672	0.46	0.071	0.090
Q347899		390	4.06	7.36	0.129	0.222	0.007	0.018	0.42	9.00	13.2	1.58	922	0.35	0.068	0.113
Q347900		89.3	3.39	4.76	0.066	0.107	<0.004	0.010	0.21	6.72	6.0	0.81	508	5.16	0.218	0.211
Q347901		512	5.79	9.76	0.150	0.070	0.013	0.014	1.40	6.74	16.8	2.29	1165	0.31	0.158	0.030
Q347902		217	4.35	8.32	0.113	0.084	0.006	0.010	0.83	10.55	16.7	1.60	955	0.42	0.135	0.038
Q347903		322	4.60	5.93	0.102	0.056	0.036	0.017	0.78	13.60	7.2	0.91	1495	0.43	0.086	0.050
Q347904		199.5	4.67	5.40	0.105	0.075	0.023	0.024	0.92	11.10	6.1	1.27	1140	0.35	0.048	0.034
Q347905		309	4.50	6.86	0.141	0.127	0.005	0.013	0.59	8.94	11.0	1.59	909	0.47	0.061	0.105
Q347906		380	4.06	6.50	0.145	0.153	0.004	0.011	0.37	9.35	11.0	1.48	908	0.49	0.058	0.070
Q347907		557	3.12	4.80	0.142	0.272	0.006	0.006	0.27	9.40	6.5	0.98	591	0.69	0.060	0.133
Q347908		822	2.95	5.72	0.144	0.247	0.004	0.006	0.25	9.72	8.7	1.26	740	0.42	0.066	0.150
Q347909		1100	3.12	5.08	0.155	0.307	0.010	0.008	0.30	9.50	6.5	0.91	625	0.54	0.057	0.180
Q347910		270	3.57	5.58	0.145	0.322	<0.004	<0.005	0.75	9.49	8.1	1.20	663	0.30	0.069	0.129
Q347911		1695	4.18	7.25	0.123	0.085	0.005	0.016	0.65	6.39	10.2	1.95	862	0.87	0.050	0.101
Q347912		471	2.45	5.16	0.082	0.116	<0.004	<0.005	0.19	3.08	7.9	1.31	571	0.24	0.061	0.029
Q347913		281	4.39	7.13	0.160	0.203	<0.004	0.011	0.22	6.93	11.1	2.05	1130	0.38	0.052	0.069
Q347914		176.0	4.53	6.68	0.151	0.191	0.004	0.009	0.39	8.40	10.1	1.96	916	0.34	0.061	0.087
Q347915		343	4.43	6.10	0.175	0.252	0.006	0.010	0.68	8.31	9.4	1.72	817	0.58	0.077	0.118
Q347916		400	4.83	7.05	0.170	0.324	0.004	0.011	0.69	8.11	11.1	1.94	918	0.38	0.085	0.120
Q347917		290	4.92	6.99	0.162	0.213	<0.004	0.017	1.02	8.46	14.6	1.85	741	0.21	0.091	0.093
Q347918		307	5.06	7.86	0.169	0.227	<0.004	0.010	0.91	7.45	13.2	2.14	1100	0.18	0.071	0.088
Q347919		455	5.02	8.27	0.184	0.250	<0.004	0.021	1.15	6.60	12.9	2.41	1100	1.19	0.065	0.065

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q347896		6.69	0.169	2.48	0.002	<0.002	32.9	<0.001	0.23	0.442	3.82	1.0	0.30	84.0	<0.005	0.02
Q347897		11.85	0.178	2.54	0.010	0.003	20.9	<0.001	0.10	0.235	6.85	0.8	0.35	56.9	<0.005	0.01
Q347898		8.22	0.171	4.74	0.007	0.002	21.6	<0.001	0.11	0.221	5.79	1.1	0.40	66.7	<0.005	0.02
Q347899		6.77	0.168	4.23	0.006	0.003	15.35	<0.001	0.09	0.237	5.06	0.7	0.41	98.0	<0.005	0.01
Q347900		13.65	0.057	3.98	0.004	<0.002	7.32	0.001	0.01	0.163	3.42	0.1	1.19	85.9	<0.005	0.02
Q347901		13.75	0.176	5.45	0.014	0.005	49.4	<0.001	0.05	0.596	8.27	0.6	0.37	114.5	<0.005	0.03
Q347902		3.48	0.196	4.85	0.002	<0.002	31.1	<0.001	0.03	0.544	4.10	0.6	0.31	74.6	<0.005	<0.01
Q347903		5.34	0.196	14.55	0.002	0.003	32.7	<0.001	0.02	1.035	5.40	1.0	0.34	40.7	<0.005	<0.01
Q347904		4.79	0.199	9.90	0.002	0.003	38.8	<0.001	0.01	0.833	5.56	0.8	0.27	49.2	<0.005	0.04
Q347905		3.43	0.193	6.75	0.002	0.003	25.3	0.001	0.11	0.225	3.69	1.1	0.53	71.9	<0.005	0.04
Q347906		3.63	0.208	3.35	0.002	0.002	15.50	0.001	0.01	0.293	3.56	0.6	0.40	115.0	<0.005	0.03
Q347907		3.01	0.201	3.60	0.003	0.004	12.05	<0.001	0.07	0.204	2.35	0.9	0.42	125.5	<0.005	0.02
Q347908		3.89	0.196	3.13	0.002	<0.002	10.75	<0.001	0.03	0.130	3.11	0.9	0.37	116.0	<0.005	<0.01
Q347909		2.98	0.188	7.51	0.002	0.002	14.70	<0.001	0.04	0.144	2.57	1.5	0.41	96.6	<0.005	0.06
Q347910		2.82	0.195	3.05	0.001	<0.002	37.6	<0.001	0.02	0.096	2.77	0.5	0.46	97.0	<0.005	0.01
Q347911		15.90	0.176	2.96	0.004	0.005	33.4	<0.001	0.02	0.119	7.38	1.2	0.43	66.3	<0.005	0.04
Q347912		14.25	0.116	2.87	0.006	0.002	8.21	<0.001	0.01	0.113	6.52	0.3	0.21	60.2	<0.005	0.04
Q347913		18.45	0.181	2.23	0.008	0.006	9.89	<0.001	0.01	0.112	10.10	0.4	0.29	77.3	<0.005	0.04
Q347914		16.90	0.192	1.430	0.010	0.006	14.85	<0.001	0.01	0.101	7.85	0.2	0.31	67.8	<0.005	0.02
Q347915		15.65	0.201	1.900	0.007	0.005	21.4	0.001	0.05	0.093	5.84	0.6	0.28	78.4	<0.005	0.03
Q347916		17.05	0.198	2.13	0.010	0.008	22.4	0.001	0.04	0.124	6.92	0.7	0.45	81.3	<0.005	0.05
Q347917		15.80	0.205	0.873	0.007	0.006	32.8	<0.001	0.01	0.088	5.12	0.6	0.36	86.8	<0.005	0.03
Q347918		16.60	0.207	1.380	0.007	0.008	31.2	<0.001	0.04	0.072	6.20	0.5	0.31	76.6	<0.005	0.02
Q347919		17.00	0.195	0.762	0.010	0.010	41.9	0.003	0.03	0.091	7.65	0.7	0.38	61.3	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q347896		1.690	0.157	0.121	0.485	131.5	0.086	12.20	70.4	4.49
Q347897		1.475	0.150	0.099	0.467	157.5	0.070	10.65	61.7	10.25
Q347898		1.595	0.119	0.107	0.499	174.5	0.043	11.35	57.2	6.41
Q347899		1.375	0.203	0.069	0.442	150.0	0.144	9.97	87.4	6.16
Q347900		2.82	0.157	0.049	0.971	98.9	0.593	5.09	45.7	2.27
Q347901		1.190	0.216	0.203	0.289	236	0.054	8.10	123.0	1.99
Q347902		1.505	0.099	0.138	0.255	160.0	0.047	12.55	96.2	2.23
Q347903		1.620	0.069	0.287	0.333	126.0	0.078	15.65	257	2.01
Q347904		1.380	0.066	0.322	0.367	130.5	0.035	13.80	157.0	2.63
Q347905		1.230	0.140	0.164	0.391	138.5	0.087	11.10	96.5	4.07
Q347906		1.295	0.114	0.093	0.417	109.5	0.064	10.40	88.3	4.40
Q347907		1.255	0.154	0.068	0.385	100.5	0.080	9.99	61.1	8.19
Q347908		1.305	0.162	0.051	0.419	95.8	0.129	10.35	69.1	7.52
Q347909		1.375	0.151	0.064	0.464	97.3	0.082	10.65	58.3	8.40
Q347910		1.240	0.195	0.143	0.408	127.5	0.078	10.95	65.2	8.82
Q347911		0.807	0.157	0.174	0.317	155.5	0.062	8.24	87.7	3.86
Q347912		0.448	0.083	0.052	0.149	104.5	0.038	5.16	49.7	3.84
Q347913		0.948	0.160	0.056	0.342	164.0	0.088	7.28	84.1	5.84
Q347914		1.105	0.200	0.068	0.489	157.0	0.110	8.49	84.0	6.85
Q347915		1.025	0.249	0.107	0.475	155.0	0.155	8.23	77.7	8.80
Q347916		1.075	0.246	0.096	0.446	168.5	0.158	8.18	83.6	9.65
Q347917		1.055	0.253	0.126	0.468	189.0	0.084	8.14	71.6	6.08
Q347918		0.967	0.241	0.118	0.454	184.0	0.100	8.07	93.3	6.79
Q347919		0.930	0.257	0.144	0.426	190.0	0.125	7.71	82.4	7.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 16- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108398

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

CERTIFICATE KL14108395

Project: Dillard

This report is for 59 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 24- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345831		5.52	0.0089	0.171	2.17	2.41	<10	37.6	0.28	0.048	3.52	0.081	7.20	19.00	27.9	2.68
Q345832		5.88	0.0307	0.199	1.16	0.91	<10	307	0.23	0.021	1.91	0.038	16.80	7.39	16.85	2.17
Q345833		3.44	0.0941	0.820	2.10	1.48	<10	72.5	0.30	0.137	2.49	0.061	10.30	20.0	55.4	2.06
Q345834		5.33	0.0495	0.468	1.78	1.53	<10	79.0	0.26	0.064	3.03	0.069	7.03	17.30	15.65	3.37
Q345835		5.84	0.0680	0.355	1.81	1.67	<10	170.5	0.29	0.035	3.05	0.064	7.69	17.10	18.95	3.30
Q345836		5.92	0.0923	0.692	2.20	2.79	<10	48.1	0.27	0.073	2.31	0.081	8.36	42.4	78.9	1.490
Q345837		0.05	0.0012	0.096	1.86	1.18	<10	136.5	0.14	0.068	1.03	0.068	14.10	9.71	18.60	0.328
Q345838		6.91	0.114	0.523	2.19	3.08	<10	37.8	0.29	0.032	2.67	0.104	8.29	21.6	91.3	1.195
Q345839		6.62	0.0488	0.355	1.77	3.24	<10	33.0	0.25	0.035	2.44	0.061	7.46	19.80	71.4	0.938
Q345840		5.65	0.0311	0.355	2.66	3.16	<10	54.4	0.30	0.058	3.34	0.051	9.92	33.4	77.5	2.16
Q345841		5.24	0.0246	0.292	2.68	2.56	<10	141.5	0.34	0.037	3.60	0.061	10.80	32.0	83.7	2.64
Q345842		5.77	0.0696	0.501	2.07	2.84	<10	166.0	0.24	0.046	5.02	0.089	10.40	24.6	65.5	2.36
Q345843		5.43	0.0310	0.702	0.88	3.37	<10	190.0	0.21	0.034	3.63	0.090	7.66	15.40	7.89	3.30
Q345844		5.20	0.0208	0.539	0.71	4.74	<10	152.5	0.20	0.054	4.59	0.071	8.00	10.85	7.75	2.75
Q345845		7.06	0.0086	0.446	0.86	3.21	<10	116.5	0.21	0.061	4.42	0.053	9.95	9.62	11.30	3.12
Q345846		4.76	0.0080	0.263	0.56	29.0	<10	197.0	0.29	0.057	4.58	0.053	10.10	11.05	9.97	3.08
Q345847		3.78	0.0058	0.214	0.64	27.5	<10	77.2	0.33	0.061	4.89	0.043	11.05	10.25	9.91	4.90
Q345848		6.78	0.0155	0.385	0.82	22.0	<10	142.0	0.23	0.090	4.01	0.154	10.05	16.65	26.9	2.48
Q345849		7.49	0.0413	0.272	2.19	3.31	<10	161.5	0.31	0.040	3.53	0.064	8.03	37.0	123.0	2.70
Q345850		0.05	0.696	56.4	1.14	1015	20	113.5	0.19	24.3	3.36	0.906	13.40	37.1	30.2	0.745
Q345851		6.38	0.0366	0.361	1.57	66.9	<10	52.2	0.32	0.047	5.33	0.359	8.06	35.2	70.3	3.78
Q345852		6.35	0.0729	0.379	1.71	2.72	<10	154.5	0.23	0.026	2.94	0.076	7.55	22.7	98.4	1.650
Q345853		6.29	0.0473	0.455	0.86	6.90	<10	279	0.36	0.024	7.52	0.211	8.10	22.5	52.4	4.14
Q345854		5.61	0.0426	0.617	1.68	3.61	<10	182.5	0.43	0.032	5.57	0.148	10.70	30.6	93.2	3.27
Q345855		4.88	0.201	1.155	2.52	2.96	<10	77.4	0.28	0.058	2.44	0.115	9.09	240	108.5	1.725
Q345856		6.49	0.0578	0.277	1.75	1.78	<10	158.5	0.21	0.015	1.70	0.090	6.17	23.1	22.9	1.490
Q345857		6.73	0.0385	0.238	1.68	1.45	<10	106.5	0.22	0.011	2.12	0.053	6.80	11.55	20.1	1.740
Q345858		6.91	0.0369	0.358	1.58	1.20	<10	207	0.22	0.023	2.40	0.051	7.49	17.85	18.80	2.11
Q345859		5.90	0.0501	0.418	1.85	1.26	<10	146.0	0.22	0.016	2.64	0.051	7.86	16.75	38.7	1.625
Q345860		6.72	0.113	3.83	1.89	1.33	<10	204	0.39	0.020	5.59	0.085	11.40	27.0	127.0	1.040
Q345861		7.51	0.0982	0.438	1.76	1.60	<10	27.0	0.24	0.014	1.83	0.052	7.83	22.3	108.0	0.879
Q345862		0.05	0.0009	0.097	1.65	0.96	<10	127.0	0.12	0.061	0.92	0.081	13.05	8.89	17.30	0.280
Q345863		5.68	0.0515	0.283	1.94	1.54	<10	26.8	0.28	0.007	2.20	0.030	8.34	18.30	46.3	1.195
Q345864		4.90	0.0844	0.621	1.47	1.45	<10	133.5	0.36	0.015	4.74	0.103	10.70	16.10	33.8	1.475
Q345865		5.57	0.0556	0.362	2.30	1.12	<10	215	0.29	0.013	3.13	0.060	9.68	21.5	45.6	2.36
Q345866		6.17	0.0385	0.407	0.72	1.53	<10	751	0.25	0.017	3.73	0.177	15.05	10.85	10.25	2.59
Q345867		8.10	0.0159	0.151	1.75	1.00	<10	437	0.26	0.031	3.10	0.039	9.18	11.85	22.2	2.76
Q345868		4.05	0.0129	0.088	1.83	1.27	<10	199.5	0.22	0.046	2.46	0.056	7.86	15.65	19.60	2.71
Q345869		5.98	0.0407	0.284	1.94	1.77	<10	335	0.26	0.016	3.93	0.079	10.90	17.75	32.4	2.42
Q345870		5.86	0.159	0.252	2.20	1.80	<10	209	0.27	0.028	3.33	0.032	11.95	20.0	42.3	1.580

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345831		277	3.69	6.89	0.067	0.095	0.053	0.008	0.06	2.88	18.2	1.87	308	5.30	0.040	0.006
Q345832		373	2.63	5.21	0.042	0.262	0.015	0.014	0.16	8.05	9.2	0.91	488	1.63	0.044	0.023
Q345833		1575	4.97	8.30	0.093	0.095	0.099	0.058	0.11	4.53	23.6	2.11	475	1.47	0.035	0.005
Q345834		1155	3.95	8.02	0.078	0.138	0.057	0.041	0.17	2.81	18.2	1.63	400	13.00	0.045	0.006
Q345835		908	3.97	7.53	0.077	0.186	0.062	0.025	0.17	3.10	17.2	1.67	339	10.25	0.043	0.009
Q345836		2160	5.07	8.88	0.129	0.161	0.077	0.031	0.09	3.65	24.1	2.41	399	12.95	0.046	0.028
Q345837		93.5	3.44	5.16	0.082	0.130	<0.004	0.008	0.21	6.50	8.4	0.80	497	5.55	0.209	0.204
Q345838		1955	5.87	8.91	0.170	0.175	0.083	0.022	0.08	3.75	23.7	2.28	411	1.92	0.043	0.049
Q345839		1180	5.23	7.10	0.150	0.203	0.065	0.017	0.08	3.38	17.3	1.67	373	3.08	0.048	0.070
Q345840		1200	6.67	9.49	0.104	0.118	0.116	0.031	0.10	4.43	26.2	2.72	503	6.03	0.034	0.017
Q345841		1055	5.85	9.10	0.087	0.121	0.052	0.031	0.16	4.86	27.7	2.65	524	2.78	0.040	0.017
Q345842		1315	5.14	7.48	0.081	0.116	0.085	0.040	0.14	4.59	16.6	1.97	614	2.89	0.042	0.013
Q345843		1220	2.42	2.70	0.040	0.055	0.033	0.016	0.22	3.34	5.5	0.81	591	16.55	0.033	0.005
Q345844		404	2.84	1.730	0.039	0.084	0.054	0.012	0.23	3.33	3.9	1.00	626	0.81	0.029	0.003
Q345845		372	3.06	2.33	0.050	0.094	0.080	0.007	0.21	4.10	5.6	1.10	534	0.44	0.028	0.003
Q345846		233	3.07	1.290	0.045	0.060	0.075	0.009	0.20	4.21	3.0	1.04	609	0.14	0.028	0.002
Q345847		150.0	3.17	1.635	0.041	0.061	0.055	0.014	0.20	4.52	3.4	1.00	655	0.13	0.031	<0.002
Q345848		454	3.89	2.74	0.060	0.137	0.077	0.015	0.15	3.92	5.5	1.21	468	0.61	0.047	0.014
Q345849		1235	5.70	7.64	0.123	0.088	0.082	0.019	0.08	3.44	23.0	2.39	465	2.51	0.043	0.038
Q345850		3660	3.03	3.48	0.056	0.168	0.669	0.108	0.15	8.04	8.0	0.37	667	535	0.100	0.201
Q345851		1460	5.99	5.25	0.081	0.073	0.190	0.028	0.14	3.38	15.8	2.20	480	13.60	0.033	0.020
Q345852		2070	4.73	7.53	0.112	0.089	0.085	0.032	0.08	3.21	15.0	2.21	363	20.2	0.041	0.024
Q345853		1135	4.91	3.06	0.057	0.045	0.131	0.034	0.17	3.46	7.2	3.00	727	5.36	0.018	0.005
Q345854		1265	5.33	5.64	0.067	0.049	0.103	0.055	0.16	4.49	15.5	2.63	579	3.29	0.018	0.002
Q345855		4680	7.54	8.84	0.122	0.128	0.171	0.040	0.08	4.04	27.1	2.76	285	7.63	0.019	0.013
Q345856		1220	3.08	7.00	0.080	0.066	0.135	0.007	0.11	2.56	17.4	1.84	161.0	7.10	0.040	0.019
Q345857		1055	2.38	6.31	0.056	0.074	0.057	0.008	0.11	2.73	15.3	1.71	161.5	8.19	0.036	0.014
Q345858		1440	2.71	5.89	0.056	0.043	0.062	0.018	0.15	3.16	12.2	1.52	167.5	6.48	0.032	0.002
Q345859		1595	3.23	7.43	0.063	0.046	0.075	0.020	0.13	3.35	17.1	1.90	238	7.32	0.029	0.005
Q345860		2890	5.19	8.06	0.102	0.124	0.054	0.027	0.05	4.95	17.7	2.51	521	6.00	0.023	0.009
Q345861		2430	3.97	7.57	0.117	0.111	0.069	0.013	0.09	3.47	16.5	1.86	219	5.72	0.043	0.058
Q345862		83.5	3.18	5.01	0.071	0.104	<0.004	0.011	0.20	5.88	6.2	0.74	467	5.36	0.181	0.165
Q345863		1360	3.69	7.60	0.092	0.122	0.066	0.009	0.11	3.54	15.5	1.94	261	11.30	0.043	0.034
Q345864		4410	3.83	5.89	0.075	0.082	0.073	0.051	0.09	4.55	9.8	1.63	413	13.65	0.023	0.006
Q345865		2390	4.41	8.14	0.073	0.157	0.125	0.030	0.15	4.01	13.2	2.27	326	14.70	0.032	0.017
Q345866		1145	2.45	2.15	0.031	0.110	0.063	0.015	0.23	7.31	3.2	1.10	417	8.08	0.026	0.003
Q345867		375	2.87	6.69	0.044	0.091	0.051	0.018	0.16	3.98	10.9	1.66	390	0.63	0.035	0.003
Q345868		199.5	3.40	6.80	0.050	0.132	0.133	0.008	0.13	3.43	12.2	1.73	367	0.77	0.039	0.007
Q345869		1230	4.17	7.91	0.060	0.078	0.160	0.010	0.15	4.78	11.7	1.91	472	3.91	0.030	0.006
Q345870		1840	4.15	8.73	0.078	0.067	0.044	0.009	0.11	5.26	18.4	2.36	342	3.14	0.034	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345831		17.50	0.124	0.983	0.006	0.002	2.93	0.019	3.00	0.047	7.77	3.1	0.30	119.5	<0.005	0.09
Q345832		7.82	0.082	0.747	<0.001	<0.002	5.78	0.002	0.15	0.065	3.13	0.5	0.13	29.3	<0.005	0.03
Q345833		29.4	0.156	1.615	0.006	0.003	4.95	0.004	0.89	0.101	11.65	2.9	0.35	35.1	<0.005	0.24
Q345834		10.35	0.126	1.005	0.007	0.002	7.38	0.039	1.40	0.118	7.88	6.6	0.38	37.2	<0.005	0.14
Q345835		10.80	0.135	0.856	0.005	0.002	7.61	0.009	0.93	0.113	8.44	3.5	0.32	49.4	<0.005	0.08
Q345836		36.5	0.170	0.805	0.013	0.003	3.87	0.036	2.33	0.148	10.35	7.9	0.46	40.6	<0.005	0.17
Q345837		14.45	0.060	4.00	0.007	<0.002	7.31	0.001	0.02	0.252	3.27	0.2	1.34	90.5	<0.005	<0.01
Q345838		42.3	0.163	0.996	0.019	0.004	3.78	0.010	1.97	0.167	10.05	4.8	0.56	58.8	<0.005	0.15
Q345839		34.0	0.160	1.090	0.013	0.005	3.66	0.012	1.87	0.173	6.53	4.4	0.44	68.1	<0.005	0.10
Q345840		41.3	0.175	1.735	0.011	0.004	4.77	0.019	3.10	0.183	12.20	5.0	0.36	59.4	<0.005	0.13
Q345841		43.0	0.171	1.630	0.012	0.004	6.64	0.015	2.11	0.177	10.95	4.0	0.30	63.7	<0.005	0.08
Q345842		29.9	0.158	1.665	0.010	0.003	5.75	0.019	1.97	0.241	10.60	4.0	0.27	68.1	<0.005	0.08
Q345843		10.20	0.095	1.955	0.006	0.003	7.83	0.056	1.61	0.183	1.920	2.7	0.07	42.0	<0.005	0.06
Q345844		10.80	0.109	2.02	0.006	0.002	7.50	0.007	1.70	0.144	2.66	2.6	0.07	54.4	<0.005	0.27
Q345845		10.35	0.113	1.975	0.003	0.002	6.34	0.001	2.08	0.144	3.10	5.2	0.07	57.6	<0.005	0.35
Q345846		10.10	0.117	1.905	0.003	<0.002	6.07	0.003	1.72	0.764	3.86	2.2	0.08	60.7	<0.005	0.33
Q345847		9.97	0.123	1.605	0.002	0.002	7.24	0.005	1.46	0.931	4.71	0.9	0.08	56.7	<0.005	0.44
Q345848		16.95	0.121	2.46	0.004	0.002	5.42	0.006	2.33	0.728	7.04	5.8	0.16	53.4	<0.005	0.53
Q345849		68.1	0.139	1.050	0.010	0.004	3.81	0.015	2.14	0.181	11.30	4.5	0.35	62.3	<0.005	0.17
Q345850		27.8	0.077	78.8	0.005	<0.002	4.82	0.097	0.52	129.0	1.850	2.3	1.85	125.5	<0.005	2.51
Q345851		58.4	0.120	1.900	0.005	0.004	5.28	0.061	2.99	3.04	15.35	5.5	0.23	81.2	<0.005	0.08
Q345852		62.3	0.131	0.808	0.011	0.002	3.80	0.095	1.89	0.155	10.30	6.6	0.33	49.3	<0.005	0.07
Q345853		49.4	0.103	2.06	0.009	0.002	6.36	0.022	1.17	0.333	15.80	3.4	0.14	101.5	<0.005	0.08
Q345854		67.8	0.131	3.03	0.011	0.005	5.99	0.013	1.56	0.406	21.4	3.5	0.23	89.9	<0.005	0.05
Q345855		103.0	0.120	1.150	0.032	0.006	4.04	0.026	4.13	0.191	12.40	10.2	0.29	51.1	<0.005	0.25
Q345856		17.65	0.097	0.652	0.005	0.002	5.20	0.018	1.27	0.131	7.37	4.7	0.28	45.2	<0.005	0.05
Q345857		13.85	0.098	0.564	0.005	0.002	4.53	0.032	0.49	0.093	6.97	2.2	0.25	47.6	<0.005	0.02
Q345858		14.90	0.090	0.514	0.006	<0.002	6.32	0.028	0.97	0.085	6.88	4.1	0.14	47.8	<0.005	0.05
Q345859		25.7	0.101	0.707	0.007	0.003	5.75	0.033	0.64	0.080	8.83	3.8	0.16	44.5	<0.005	0.05
Q345860		61.9	0.131	0.551	0.014	0.004	2.47	0.030	1.11	0.066	19.10	5.1	0.37	91.0	<0.005	0.04
Q345861		43.1	0.132	0.467	0.020	0.006	3.95	0.025	0.98	0.061	6.93	4.9	0.35	49.5	<0.005	0.03
Q345862		12.60	0.056	3.51	0.003	<0.002	6.62	0.001	0.01	0.211	2.98	0.1	1.21	81.4	<0.005	0.02
Q345863		18.95	0.135	0.456	0.015	0.006	5.07	0.037	0.55	0.065	8.23	2.6	0.28	56.0	<0.005	0.04
Q345864		18.60	0.129	0.660	0.010	0.003	4.00	0.044	0.89	0.105	12.95	6.1	0.29	76.8	<0.005	0.03
Q345865		19.65	0.137	0.555	0.012	0.004	6.29	0.051	0.72	0.069	11.15	3.8	0.30	53.1	<0.005	0.04
Q345866		7.73	0.088	1.940	0.008	0.002	7.07	0.019	0.33	0.103	4.56	1.9	0.07	73.3	<0.005	0.04
Q345867		11.70	0.112	0.965	0.007	0.002	6.21	0.002	0.47	0.095	7.15	1.7	0.12	51.0	<0.005	0.07
Q345868		11.10	0.110	1.155	0.005	0.003	5.12	0.001	1.32	0.101	7.12	2.7	0.20	40.1	<0.005	0.09
Q345869		15.20	0.118	1.760	0.014	0.003	5.82	0.010	0.89	0.104	9.03	2.6	0.12	60.4	<0.005	0.04
Q345870		18.85	0.125	0.796	0.019	0.003	5.21	0.015	0.34	0.080	12.10	3.3	0.22	62.3	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345831		0.314	0.027	0.019	0.134	103.0	0.033	9.08	19.1	1.98
Q345832		2.39	0.015	0.027	0.697	52.1	0.053	6.24	20.4	7.32
Q345833		0.810	0.021	0.024	0.254	154.5	0.372	10.00	29.2	3.00
Q345834		0.275	0.024	0.038	0.163	121.0	0.100	9.85	23.9	4.06
Q345835		0.293	0.048	0.035	0.163	126.5	0.056	11.00	23.1	5.39
Q345836		0.715	0.109	0.023	0.314	156.0	0.069	9.76	27.7	4.79
Q345837		2.80	0.157	0.045	0.865	101.0	0.570	5.57	41.8	2.25
Q345838		0.543	0.202	0.023	0.322	185.5	0.132	9.27	25.0	3.78
Q345839		0.480	0.217	0.021	0.329	156.5	0.202	7.78	20.5	4.31
Q345840		0.608	0.097	0.028	0.331	169.5	0.052	10.75	27.6	3.13
Q345841		0.747	0.079	0.033	0.357	162.0	0.050	11.45	23.8	3.36
Q345842		0.488	0.053	0.034	0.242	155.0	0.050	11.20	27.5	2.48
Q345843		0.407	0.004	0.046	0.163	31.5	0.039	8.04	19.6	1.55
Q345844		0.307	0.002	0.042	0.206	33.8	0.032	7.35	34.2	3.26
Q345845		0.274	0.004	0.035	0.173	45.8	0.037	6.87	32.4	3.50
Q345846		0.318	0.001	0.038	0.276	44.8	0.046	8.51	33.3	2.47
Q345847		0.369	0.001	0.041	0.267	51.3	0.053	9.08	38.4	2.61
Q345848		0.346	0.022	0.039	0.244	80.8	0.071	7.97	26.3	4.16
Q345849		0.474	0.196	0.027	0.226	169.0	0.072	9.68	19.0	2.33
Q345850		1.425	0.064	0.054	1.530	38.4	8.47	6.12	123.5	4.86
Q345851		0.371	0.064	0.041	0.292	131.0	0.065	10.65	26.3	1.54
Q345852		0.528	0.128	0.034	0.187	152.0	0.040	8.64	25.2	2.37
Q345853		0.336	0.011	0.042	0.189	103.5	0.029	11.85	28.3	1.16
Q345854		0.495	0.006	0.032	0.154	125.5	0.026	13.00	30.5	1.18
Q345855		0.486	0.075	0.032	0.219	142.5	0.032	12.15	20.7	3.47
Q345856		0.390	0.100	0.032	0.101	129.0	0.042	8.60	12.7	1.34
Q345857		0.428	0.088	0.024	0.108	117.0	0.025	9.63	12.9	1.53
Q345858		0.393	0.012	0.033	0.068	87.6	0.012	9.65	12.0	0.94
Q345859		0.429	0.025	0.027	0.092	117.0	0.028	10.75	15.7	0.93
Q345860		0.588	0.048	0.016	0.150	150.5	0.442	16.90	19.6	2.12
Q345861		0.577	0.257	0.018	0.172	172.0	0.110	7.22	17.1	3.02
Q345862		2.73	0.140	0.041	0.816	93.1	0.691	4.69	41.0	1.91
Q345863		0.619	0.202	0.021	0.151	165.5	0.118	7.45	20.9	3.67
Q345864		0.635	0.029	0.021	0.105	115.5	0.023	10.80	19.3	2.13
Q345865		0.647	0.096	0.028	0.136	149.5	0.054	8.96	22.7	3.63
Q345866		1.635	0.003	0.038	0.449	31.2	0.039	6.38	31.5	3.91
Q345867		0.456	0.017	0.028	0.188	89.8	0.050	7.05	29.1	2.77
Q345868		0.335	0.032	0.029	0.131	85.8	0.030	7.39	29.0	3.83
Q345869		0.595	0.024	0.026	0.146	119.5	0.033	10.00	25.4	2.53
Q345870		0.786	0.118	0.019	0.129	159.5	0.035	11.30	20.4	1.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345871		6.44	0.0448	0.130	2.04	1.57	<10	265	0.26	0.007	3.66	0.034	12.10	18.15	40.7	1.980
Q345872		6.39	0.0513	0.288	1.70	1.40	<10	151.5	0.25	0.011	5.02	0.072	12.80	17.90	32.9	2.54
Q345873		6.47	0.105	0.297	1.95	1.73	<10	470	0.26	0.013	3.19	0.058	10.45	19.75	43.3	2.53
Q345874		4.34	0.130	0.315	2.15	2.45	<10	126.0	0.26	0.017	1.72	0.063	8.61	29.3	42.1	2.13
Q345875		0.05	0.880	54.4	1.07	968	10	108.5	0.15	23.0	3.18	0.854	12.65	34.5	29.1	0.709
Q345876		6.10	0.0156	0.163	2.20	2.87	<10	190.5	0.23	0.027	2.41	0.057	8.27	16.95	22.8	2.93
Q345877		7.29	0.0396	0.231	2.07	2.44	<10	177.0	0.25	0.015	4.12	0.059	7.30	14.80	20.0	3.40
Q345878		6.32	0.0269	0.265	1.89	2.47	<10	198.0	0.19	0.016	4.36	0.081	7.83	16.95	24.1	2.65
Q345879		6.79	0.0995	0.302	1.70	3.13	<10	218	0.14	0.019	2.06	0.064	6.43	12.95	28.7	1.610
Q345880		6.60	0.0580	0.280	2.07	2.53	<10	122.5	0.21	0.245	4.40	0.048	8.71	15.45	38.0	2.38
Q345881		7.50	0.0063	0.041	1.29	1.46	<10	775	0.25	0.013	3.45	0.030	15.65	9.04	14.55	2.57
Q345882		7.68	0.0150	0.102	1.89	2.43	<10	390	0.23	0.017	4.12	0.034	8.39	13.75	23.5	2.94
Q345883		7.44	0.0192	0.139	0.85	4.78	<10	374	0.28	0.022	6.46	0.104	8.77	13.90	12.35	3.44
Q345884		8.08	0.0163	0.068	0.78	9.97	<10	288	0.28	0.047	4.90	0.052	8.86	13.40	12.70	4.24
Q345885		6.99	0.0099	0.047	1.10	2.95	<10	348	0.25	0.086	3.74	0.036	7.93	12.25	15.15	3.69
Q345886		7.36	0.0090	0.049	1.75	1.97	<10	420	0.19	0.039	3.61	0.039	7.12	13.25	22.1	3.13
Q345887		0.05	0.0012	0.094	1.78	1.14	<10	133.5	0.11	0.079	0.99	0.080	13.70	9.47	18.55	0.334
Q345888		7.68	0.0101	0.050	1.93	1.85	<10	647	0.18	0.062	3.24	0.030	5.73	11.70	22.4	3.04
Q345889		7.36	0.0084	0.043	1.61	1.66	<10	382	0.16	0.041	2.98	0.020	6.52	12.75	21.7	3.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345871		1210	4.19	8.43	0.057	0.068	0.026	0.019	0.14	5.32	16.5	2.02	343	0.39	0.032	0.008
Q345872		1625	4.03	6.06	0.055	0.041	0.038	0.012	0.20	5.61	13.0	2.23	465	0.77	0.018	0.008
Q345873		2140	4.15	7.74	0.087	0.059	0.043	0.012	0.15	4.54	16.5	2.29	308	0.53	0.036	0.024
Q345874		2250	4.08	8.91	0.108	0.069	0.086	0.014	0.11	3.66	20.7	2.25	292	2.26	0.047	0.035
Q345875		3550	2.88	3.42	0.056	0.156	0.665	0.075	0.14	7.53	6.3	0.35	644	514	0.092	0.187
Q345876		717	3.71	7.41	0.068	0.115	0.061	0.014	0.13	3.63	15.2	2.02	451	0.86	0.045	0.015
Q345877		746	3.56	6.87	0.063	0.084	0.110	0.017	0.15	3.22	16.5	1.82	521	3.39	0.038	0.011
Q345878		538	3.89	6.21	0.047	0.102	0.134	0.015	0.16	3.40	12.1	1.73	584	0.85	0.034	0.013
Q345879		1410	3.46	6.95	0.096	0.097	0.057	0.011	0.09	2.64	12.8	1.69	355	0.33	0.044	0.014
Q345880		622	4.15	7.85	0.070	0.066	0.391	0.016	0.10	3.68	15.2	2.09	777	0.36	0.035	0.008
Q345881		21.5	2.75	4.71	0.031	0.124	0.020	0.008	0.20	7.57	8.3	1.06	534	0.81	0.034	0.006
Q345882		96.3	3.45	6.82	0.049	0.079	0.076	0.011	0.12	3.75	13.9	1.74	639	3.87	0.036	<0.002
Q345883		35.3	3.33	2.50	0.027	0.032	0.081	0.015	0.20	3.75	4.5	2.03	740	0.78	0.027	<0.002
Q345884		66.1	3.15	2.24	0.024	0.034	0.085	0.009	0.22	3.82	5.2	1.17	622	0.74	0.023	<0.002
Q345885		22.2	3.22	3.53	0.031	0.065	0.061	0.012	0.18	3.46	8.4	1.02	511	0.23	0.038	0.008
Q345886		51.9	3.25	6.17	0.045	0.091	0.054	0.011	0.11	3.12	13.8	1.56	619	0.72	0.041	0.013
Q345887		87.5	3.36	5.30	0.063	0.130	<0.004	0.011	0.21	6.23	6.3	0.78	498	5.68	0.195	0.167
Q345888		42.1	2.85	7.09	0.064	0.098	0.053	0.007	0.10	2.53	13.3	1.65	558	0.44	0.040	0.015
Q345889		16.95	3.01	5.95	0.053	0.104	0.051	0.009	0.10	2.88	11.2	1.53	561	0.31	0.045	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345871		18.35	0.132	0.681	0.010	0.003	6.29	<0.001	0.19	0.061	13.80	1.9	0.19	65.8	<0.005	0.02
Q345872		16.85	0.124	0.916	0.016	0.003	7.12	0.003	0.31	0.064	12.45	2.4	0.13	78.0	<0.005	0.04
Q345873		18.60	0.131	1.155	0.016	0.003	6.43	0.001	0.43	0.069	11.70	2.9	0.22	77.5	<0.005	0.04
Q345874		17.70	0.128	0.791	0.022	0.003	4.89	0.002	0.87	0.067	10.65	5.6	0.23	64.3	<0.005	0.05
Q345875		25.5	0.074	76.4	0.005	<0.002	4.89	0.087	0.49	129.5	1.950	2.7	1.93	122.0	<0.005	2.38
Q345876		14.10	0.123	0.849	0.014	0.003	5.61	0.002	0.17	0.255	10.95	1.4	0.22	88.8	<0.005	0.03
Q345877		12.45	0.113	1.140	0.014	0.003	5.74	0.013	0.66	0.244	9.30	1.6	0.17	85.2	<0.005	0.07
Q345878		15.15	0.121	1.810	0.021	0.003	6.12	0.005	1.07	0.148	9.07	1.3	0.16	82.5	<0.005	0.07
Q345879		14.35	0.112	1.045	0.028	0.004	3.30	0.001	0.51	0.152	9.82	2.6	0.20	65.8	<0.005	0.04
Q345880		16.30	0.112	1.820	0.027	0.004	4.54	<0.001	1.15	0.132	10.80	1.3	0.14	65.1	<0.005	0.38
Q345881		7.40	0.089	1.505	0.009	<0.002	5.84	<0.001	0.28	0.069	4.25	0.3	0.11	93.6	<0.005	0.06
Q345882		12.60	0.112	1.550	0.022	0.003	4.37	0.014	0.73	0.112	9.05	0.7	0.12	90.3	<0.005	0.18
Q345883		11.50	0.099	2.12	0.016	0.003	6.33	0.001	0.93	0.142	7.45	0.5	0.06	121.0	<0.005	0.17
Q345884		10.85	0.114	1.600	0.016	0.003	6.27	0.002	0.98	0.157	7.26	0.6	0.05	130.0	<0.005	0.21
Q345885		10.50	0.119	1.435	0.027	0.006	5.29	0.001	0.91	0.150	8.05	0.4	0.13	114.5	<0.005	0.15
Q345886		11.95	0.112	1.320	0.022	0.003	3.64	0.001	0.65	0.137	7.98	0.4	0.13	110.5	<0.005	0.16
Q345887		13.55	0.059	3.85	0.003	<0.002	7.03	0.001	0.01	0.242	3.22	0.2	1.32	89.7	<0.005	0.02
Q345888		11.80	0.110	1.205	0.026	0.004	3.46	<0.001	0.48	0.227	6.00	0.6	0.17	162.0	<0.005	0.26
Q345889		11.15	0.104	1.030	0.046	0.005	3.50	<0.001	0.78	0.131	8.44	0.5	0.11	125.0	<0.005	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345871		0.764	0.044	0.023	0.156	144.5	0.019	11.45	22.3	1.83
Q345872		0.739	0.024	0.026	0.143	117.0	0.024	11.20	26.4	1.33
Q345873		0.716	0.122	0.026	0.136	161.0	0.030	9.87	26.3	1.42
Q345874		0.719	0.178	0.020	0.124	171.0	0.049	8.84	24.1	1.48
Q345875		1.420	0.060	0.048	1.470	36.3	7.33	5.61	122.0	4.66
Q345876		0.686	0.120	0.026	0.155	145.0	0.031	9.36	29.7	2.38
Q345877		0.609	0.073	0.028	0.131	124.0	0.033	9.37	27.7	1.94
Q345878		0.543	0.098	0.026	0.147	137.0	0.040	9.33	35.4	2.18
Q345879		0.513	0.138	0.019	0.083	152.5	0.027	7.96	24.6	1.88
Q345880		0.707	0.059	0.020	0.102	133.0	0.031	9.28	40.2	1.24
Q345881		1.580	0.006	0.027	0.530	50.5	0.015	8.58	27.7	3.98
Q345882		0.498	0.024	0.023	0.131	111.0	0.014	9.44	32.1	1.58
Q345883		0.435	0.002	0.035	0.188	60.6	0.024	10.95	35.0	1.04
Q345884		0.412	0.002	0.032	0.121	68.8	0.020	9.03	28.0	0.88
Q345885		0.478	0.035	0.027	0.137	97.8	0.024	8.01	25.2	1.49
Q345886		0.532	0.064	0.020	0.135	112.5	0.015	8.22	34.1	1.63
Q345887		2.89	0.155	0.041	0.843	98.5	0.550	5.25	42.8	2.13
Q345888		0.392	0.065	0.019	0.106	96.5	0.020	7.25	34.8	1.67
Q345889		0.431	0.079	0.020	0.121	108.0	0.023	7.65	31.1	1.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108395

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

CERTIFICATE KL14113517

Project: Dillard

This report is for 57 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 27- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345890		5.50	0.0075	0.114	0.67	3.51	10	503	0.24	0.017	5.65	0.100	9.27	11.90	9.60	3.16
Q345891		5.89	0.0088	0.107	1.31	2.68	<10	556	0.21	0.013	4.95	0.103	9.42	12.05	16.40	2.82
Q345892		5.73	0.0064	0.038	1.90	1.37	<10	590	0.18	0.016	3.99	0.017	8.97	13.65	23.0	2.98
Q345893		6.67	0.0067	0.058	1.79	2.97	<10	374	0.26	0.004	3.51	0.029	9.42	12.20	22.5	4.26
Q345894		7.47	0.0044	0.053	1.70	2.21	<10	340	0.17	0.006	2.68	0.078	7.22	12.50	19.80	2.78
Q345895		6.00	0.0024	0.035	1.68	2.18	<10	219	0.18	0.003	2.08	0.031	6.00	11.05	23.2	1.565
Q345896		7.01	0.0025	0.030	2.05	3.33	<10	114.5	0.20	0.002	2.33	0.026	6.11	12.75	27.2	0.824
Q345897		7.00	0.0081	0.083	1.85	1.63	<10	188.0	0.18	0.025	2.55	0.051	5.59	11.25	15.25	0.994
Q345898		5.88	0.0049	0.108	1.93	2.29	<10	85.2	0.19	0.007	2.13	0.008	5.64	12.15	21.8	1.010
Q345899		6.13	0.0023	0.039	1.55	2.20	10	98.5	0.18	0.005	1.87	0.032	5.88	11.40	25.8	1.710
Q345900		0.05	0.825	55.2	1.17	979	20	111.5	0.18	22.4	3.47	0.952	14.40	36.8	31.3	0.809
N915001		5.78	0.0043	0.139	1.79	2.57	10	127.0	0.17	0.013	1.98	0.040	6.22	13.20	29.7	1.605
N915002		6.72	0.0279	0.105	2.26	1.99	10	81.4	0.22	0.016	3.42	0.026	5.79	16.70	31.2	1.305
N915003		6.47	0.0023	0.031	1.61	2.05	10	90.2	0.14	0.004	1.86	0.037	6.05	10.60	25.9	1.910
N915004		7.25	0.0104	0.074	1.88	1.69	10	72.0	0.17	0.005	2.72	0.036	5.94	12.80	25.1	1.520
N915005		7.39	0.0210	0.151	1.94	1.99	10	68.7	0.16	0.027	3.31	0.135	5.61	15.50	27.3	1.420
N915006		7.88	0.0520	0.127	1.92	2.27	<10	50.8	0.18	0.005	3.58	0.057	6.46	14.30	26.4	1.815
N915007		6.39	0.0106	0.080	1.92	1.35	10	46.7	0.16	0.010	2.99	0.057	6.33	12.05	29.0	1.765
N915008		7.37	0.0100	0.067	2.08	2.14	<10	202	0.26	0.010	4.59	0.041	8.96	16.80	37.8	2.17
N915009		6.14	0.0204	0.074	1.82	2.29	<10	56.0	0.29	0.005	4.09	0.034	9.50	13.55	36.3	4.95
N915010		7.41	0.120	0.194	1.63	2.15	<10	135.0	0.21	0.019	3.29	0.016	10.50	14.70	33.0	3.33
N915011		7.07	0.101	0.254	1.10	1.89	<10	107.5	0.28	0.010	5.06	0.083	10.75	11.30	13.90	2.98
N915012		4.23	0.0730	0.315	1.31	2.78	<10	138.0	0.30	0.043	5.45	0.099	12.75	14.15	17.20	5.38
N915013		0.05	0.0015	0.109	1.87	1.13	<10	136.5	0.11	0.062	1.11	0.108	15.10	10.00	18.75	0.313
N915014		5.44	0.104	0.438	1.67	2.80	<10	33.7	0.28	0.033	4.99	0.103	11.55	17.15	26.3	2.44
N915015		7.42	0.0859	0.197	1.92	5.48	<10	43.1	0.18	0.031	5.58	0.031	9.06	16.65	29.5	2.12
N915016		7.49	0.0527	0.174	1.81	6.24	<10	28.2	0.22	0.007	5.88	0.068	8.46	16.95	28.5	2.12
N915017		6.15	0.121	0.313	2.16	2.33	<10	34.1	0.22	0.012	3.67	0.085	9.66	19.35	25.2	2.47
N915018		7.61	0.0560	0.467	2.03	2.88	<10	45.9	0.25	0.012	3.71	0.090	10.65	23.0	27.6	4.64
N915019		5.39	0.0813	0.232	1.50	2.69	<10	18.6	0.32	0.013	5.72	0.071	12.55	15.80	42.9	19.80
N915020		5.64	0.196	0.252	1.75	2.97	<10	56.0	0.20	0.008	3.51	0.021	9.28	17.55	27.4	3.97
N915021		9.09	0.0192	1.855	1.97	2.66	<10	86.7	0.25	0.025	4.10	0.053	9.76	17.90	35.3	5.88
N915022		6.90	0.0223	0.159	2.04	2.09	<10	168.5	0.21	0.011	3.42	0.058	8.46	17.15	31.5	3.11
N915023		6.79	0.0366	0.204	1.65	1.66	<10	97.1	0.18	0.013	3.25	0.049	9.14	16.00	26.7	3.31
N915024		7.31	0.0469	0.324	1.38	2.44	<10	48.8	0.20	0.010	2.99	0.050	10.05	14.20	17.35	3.36
N915025		7.40	0.0886	1.195	0.87	4.52	<10	231	0.15	0.026	3.14	0.063	15.25	14.85	11.25	1.840
N915026		6.78	0.0650	0.329	0.65	15.30	<10	65.3	0.27	0.015	3.58	0.090	15.15	12.15	17.85	2.18
N915027		4.78	0.103	0.426	0.71	11.85	<10	334	0.27	0.013	3.45	0.084	10.00	16.30	18.00	3.08
N915028		6.67	0.0157	0.089	1.86	4.34	<10	580	0.34	0.057	5.09	0.061	8.83	19.45	31.7	6.21
N915029		6.41	0.0175	0.079	2.44	3.14	<10	332	0.45	0.051	6.33	0.042	10.20	26.2	143.0	6.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345890		62.3	2.92	1.970	0.038	0.026	0.068	0.012	0.22	4.52	4.4	1.39	643	0.86	0.018	<0.002
Q345891		63.6	3.13	4.32	0.038	0.043	0.043	0.014	0.21	4.59	7.6	1.55	632	0.44	0.028	0.003
Q345892		34.4	3.33	7.46	0.054	0.068	0.047	0.016	0.14	4.34	13.1	1.70	623	0.28	0.036	0.004
Q345893		130.5	3.33	7.60	0.067	0.089	0.029	0.012	0.14	4.58	14.2	1.56	539	1.52	0.043	0.004
Q345894		62.4	2.96	6.70	0.097	0.153	0.034	0.008	0.12	3.47	13.1	1.44	405	0.14	0.061	0.029
Q345895		25.7	2.73	6.71	0.118	0.185	0.020	0.008	0.09	2.95	11.2	1.33	345	0.39	0.064	0.029
Q345896		35.1	3.02	7.54	0.165	0.234	0.011	0.009	0.06	2.90	14.9	1.87	423	0.74	0.062	0.027
Q345897		140.5	2.94	6.03	0.083	0.191	0.020	0.008	0.08	2.52	14.2	1.63	346	1.54	0.046	0.023
Q345898		165.0	3.07	6.63	0.132	0.191	0.019	0.011	0.07	2.55	12.3	1.75	332	2.31	0.050	0.025
Q345899		117.5	3.14	5.43	0.080	0.159	0.023	0.007	0.11	2.82	8.3	1.10	267	0.54	0.058	0.026
Q345900		3580	3.03	3.86	0.085	0.171	0.727	0.099	0.15	9.14	7.4	0.37	709	521	0.102	0.201
N915001		112.0	3.36	6.10	0.093	0.181	0.015	0.012	0.11	3.03	10.6	1.40	330	1.88	0.068	0.024
N915002		184.0	3.67	7.81	0.120	0.164	0.027	0.011	0.08	2.79	14.8	1.86	450	1.16	0.058	0.023
N915003		58.9	3.09	5.15	0.080	0.157	0.032	0.008	0.12	2.97	8.5	1.09	281	0.36	0.079	0.028
N915004		114.5	3.35	6.47	0.120	0.195	0.035	0.008	0.08	2.87	12.4	1.50	403	0.36	0.064	0.019
N915005		293	3.50	6.46	0.113	0.176	0.060	0.009	0.09	2.70	13.5	1.69	474	1.27	0.061	0.024
N915006		237	3.44	6.42	0.095	0.137	0.048	0.012	0.10	3.00	12.4	1.65	430	0.63	0.055	0.017
N915007		129.5	2.70	6.87	0.091	0.137	0.027	0.012	0.11	2.95	15.2	1.91	403	0.43	0.055	0.020
N915008		111.0	4.08	7.34	0.074	0.153	0.027	0.011	0.11	4.11	14.3	1.76	691	0.30	0.039	0.011
N915009		369	3.29	7.14	0.087	0.115	0.032	0.021	0.06	4.46	12.0	1.63	460	0.75	0.037	0.003
N915010		1370	3.04	6.67	0.062	0.024	0.034	0.015	0.10	4.90	11.4	1.48	331	0.29	0.039	0.004
N915011		1340	2.20	3.95	0.051	0.015	0.115	0.020	0.14	5.15	5.8	1.10	372	1.43	0.028	0.003
N915012		1330	2.33	4.85	0.046	0.015	0.106	0.021	0.15	6.20	6.6	1.02	398	2.16	0.028	0.004
N915013		92.1	3.46	5.55	0.079	0.118	0.005	0.013	0.22	7.36	6.9	0.83	500	5.74	0.224	0.185
N915014		2450	3.63	7.07	0.060	0.030	0.148	0.029	0.12	5.31	10.3	1.51	465	1.46	0.033	0.006
N915015		776	3.93	8.84	0.097	0.049	0.240	<0.005	0.08	3.91	13.3	1.96	572	1.66	0.039	0.009
N915016		919	3.66	7.58	0.088	0.086	0.148	0.009	0.10	3.82	14.5	1.79	519	2.46	0.039	0.016
N915017		1970	3.95	9.08	0.126	0.070	0.157	0.013	0.09	4.33	19.3	2.39	326	0.80	0.041	0.016
N915018		2430	3.87	8.58	0.091	0.059	0.150	0.022	0.12	4.82	18.1	2.26	356	6.75	0.034	0.010
N915019		1290	3.74	6.72	0.067	0.036	0.086	0.026	0.11	5.94	11.2	1.35	472	6.42	0.028	0.003
N915020		1055	3.37	7.43	0.061	0.053	0.047	0.016	0.13	3.94	13.8	1.48	316	2.27	0.045	0.002
N915021		414	4.06	7.15	0.071	0.118	0.075	0.027	0.10	4.39	13.1	1.82	443	4.49	0.043	0.007
N915022		447	3.88	8.23	0.085	0.183	0.045	0.014	0.10	3.92	15.3	1.91	423	3.93	0.049	0.010
N915023		532	2.97	7.24	0.061	0.061	0.055	0.016	0.12	4.19	11.8	1.67	304	1.94	0.045	0.010
N915024		910	2.83	5.74	0.050	0.035	0.052	0.018	0.16	4.68	6.6	1.10	274	3.47	0.039	0.002
N915025		1835	2.74	3.34	0.052	0.047	0.049	0.021	0.20	7.58	3.7	0.88	304	4.99	0.038	<0.002
N915026		1215	2.67	2.00	0.056	0.057	0.045	0.014	0.15	6.69	1.7	1.17	401	1.38	0.031	0.005
N915027		1665	3.08	2.31	0.068	0.050	0.058	0.023	0.12	4.28	1.9	1.47	378	3.00	0.033	<0.002
N915028		197.0	4.90	6.20	0.090	0.039	0.060	0.038	0.15	3.66	12.5	2.20	940	0.61	0.039	0.003
N915029		137.5	6.24	8.32	0.120	0.122	0.036	0.133	0.06	4.35	20.9	3.38	1165	0.35	0.033	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345890		9.91	0.095	1.800	0.023	0.004	5.45	<0.001	0.70	0.146	5.74	0.6	0.05	135.0	<0.005	0.05
Q345891		11.25	0.101	1.970	0.014	0.002	5.36	0.001	0.59	0.073	7.27	0.6	0.07	130.0	<0.005	<0.01
Q345892		12.75	0.108	0.867	0.021	0.006	4.79	0.001	0.46	0.098	9.43	0.4	0.13	104.5	<0.005	0.05
Q345893		11.65	0.108	0.889	0.016	0.004	5.04	0.006	0.32	0.151	11.25	0.4	0.17	106.0	<0.005	0.03
Q345894		11.35	0.110	1.000	0.013	0.004	4.01	<0.001	0.59	0.061	7.08	0.7	0.20	78.3	<0.005	<0.01
Q345895		11.40	0.110	1.375	0.045	0.006	3.12	0.001	0.32	0.075	5.83	0.5	0.18	80.1	<0.005	0.03
Q345896		13.25	0.122	1.025	0.018	0.004	1.885	0.003	0.22	0.073	8.25	0.3	0.22	109.5	<0.005	0.02
Q345897		11.85	0.113	1.275	0.004	0.002	2.43	0.001	0.85	0.058	5.29	0.7	0.26	82.9	<0.005	0.01
Q345898		12.45	0.121	0.738	0.007	0.004	2.30	0.006	0.32	0.133	7.40	0.9	0.24	99.0	<0.005	0.03
Q345899		11.25	0.126	0.457	0.017	0.005	3.74	0.001	0.24	0.046	6.48	1.2	0.19	71.9	<0.005	0.03
Q345900		29.0	0.076	82.7	0.001	<0.002	5.04	0.098	0.51	124.5	2.60	3.0	1.85	122.0	<0.005	3.05
N915001		12.80	0.137	0.545	0.018	0.002	3.19	0.005	0.21	0.089	7.71	1.0	0.20	85.6	<0.005	<0.01
N915002		15.05	0.135	0.598	0.016	0.003	2.83	0.003	0.54	0.090	9.46	1.1	0.25	83.7	<0.005	0.02
N915003		10.15	0.134	0.400	0.009	0.005	3.46	0.001	0.15	0.048	6.40	0.6	0.20	77.7	<0.005	0.01
N915004		12.20	0.129	0.661	0.012	0.003	2.57	<0.001	0.64	0.066	6.90	0.6	0.20	74.5	<0.005	0.01
N915005		14.15	0.131	0.829	0.013	0.004	2.75	0.007	1.01	0.076	9.07	0.9	0.17	62.2	<0.005	0.07
N915006		13.75	0.133	0.958	0.020	0.003	3.67	0.001	0.75	0.142	9.93	0.9	0.20	71.9	<0.005	<0.01
N915007		14.95	0.140	1.015	0.026	0.006	4.11	0.002	0.35	0.101	9.45	0.6	0.31	48.5	<0.005	0.03
N915008		18.55	0.129	0.941	0.011	0.004	4.83	<0.001	0.35	0.258	13.75	0.8	0.21	161.5	<0.005	0.04
N915009		18.50	0.108	0.701	0.010	0.003	4.03	0.003	0.45	0.380	13.70	1.0	0.19	172.0	<0.005	0.02
N915010		19.15	0.103	0.470	0.011	0.002	5.04	<0.001	0.37	0.303	15.60	2.3	0.15	82.5	<0.005	0.03
N915011		11.55	0.114	0.563	0.012	0.002	5.93	0.004	0.52	0.185	7.98	2.0	0.12	89.7	<0.005	0.03
N915012		12.60	0.113	0.839	0.009	0.003	7.54	0.005	0.65	0.240	9.31	2.2	0.11	93.1	<0.005	0.13
N915013		14.60	0.059	4.29	0.002	<0.002	6.93	<0.001	<0.01	0.173	3.65	0.2	1.36	90.1	<0.005	<0.01
N915014		18.35	0.124	1.050	0.022	0.003	5.31	0.001	0.99	0.304	16.00	3.8	0.19	72.5	<0.005	0.09
N915015		20.3	0.129	0.881	0.020	0.004	4.16	0.001	1.10	0.225	14.50	1.5	0.21	50.6	<0.005	0.10
N915016		18.65	0.119	0.934	0.019	0.005	4.82	0.002	1.26	0.127	11.30	1.8	0.16	53.3	<0.005	0.01
N915017		19.15	0.134	1.085	0.011	0.003	4.42	<0.001	1.07	0.108	13.65	2.8	0.22	57.5	<0.005	0.03
N915018		19.85	0.148	1.030	0.012	0.004	6.46	0.026	1.09	0.132	15.95	4.2	0.25	68.8	<0.005	0.03
N915019		20.5	0.113	0.731	0.015	0.004	10.40	0.021	0.41	0.196	17.55	2.1	0.26	99.0	<0.005	0.03
N915020		18.15	0.105	0.732	0.015	0.003	7.34	0.012	0.57	0.205	14.65	2.3	0.24	93.2	<0.005	0.01
N915021		18.10	0.124	1.170	0.007	0.003	6.16	0.003	1.03	0.153	15.70	1.9	0.33	180.5	<0.005	0.05
N915022		17.10	0.119	1.035	0.029	0.003	5.63	0.018	1.05	0.074	13.25	1.2	0.24	1460	<0.005	0.05
N915023		15.55	0.109	0.834	0.020	0.002	6.29	0.008	0.81	0.102	11.70	1.8	0.20	333	<0.005	0.02
N915024		13.05	0.103	0.966	0.013	0.002	7.73	0.019	0.23	0.110	12.75	1.8	0.20	75.8	<0.005	0.02
N915025		12.40	0.107	1.725	0.011	0.002	7.13	0.019	0.43	0.207	7.03	2.4	0.09	80.6	<0.005	0.04
N915026		11.45	0.104	1.790	0.015	0.003	5.80	0.007	0.23	2.20	17.20	2.1	0.18	126.0	<0.005	0.02
N915027		13.15	0.104	1.755	0.017	0.005	5.72	0.018	0.43	1.000	15.55	2.2	0.13	123.0	<0.005	0.06
N915028		28.3	0.103	0.997	0.005	0.002	7.44	0.002	0.24	0.256	16.20	0.9	0.22	186.5	<0.005	0.06
N915029		69.3	0.112	0.800	0.005	0.006	4.83	0.001	0.19	0.273	27.2	0.6	0.33	199.5	<0.005	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345890		0.405	0.001	0.034	0.190	55.2	0.068	9.74	31.1	0.99
Q345891		0.409	0.005	0.031	0.177	77.5	0.023	9.34	30.7	1.30
Q345892		0.536	0.016	0.023	0.157	101.5	0.012	8.78	25.4	1.53
Q345893		0.503	0.024	0.027	0.142	125.0	0.018	10.05	24.1	1.84
Q345894		0.476	0.124	0.015	0.160	119.0	0.045	6.76	19.2	3.03
Q345895		0.455	0.148	0.013	0.149	115.0	0.065	5.32	19.3	3.61
Q345896		0.456	0.188	0.009	0.124	132.5	0.121	6.33	26.3	5.16
Q345897		0.285	0.085	0.012	0.175	82.2	0.039	5.09	33.1	4.81
Q345898		0.346	0.145	0.009	0.167	124.5	0.135	5.97	27.1	4.83
Q345899		0.385	0.143	0.013	0.154	152.5	0.088	5.51	15.4	3.97
Q345900		1.510	0.070	0.050	1.675	39.6	9.43	6.28	126.0	5.26
N915001		0.479	0.162	0.010	0.159	163.0	0.117	5.88	19.7	3.83
N915002		0.408	0.166	0.010	0.143	163.0	0.127	6.35	27.5	4.17
N915003		0.411	0.146	0.012	0.132	152.0	0.107	5.33	16.2	3.75
N915004		0.392	0.160	0.009	0.118	141.5	0.116	5.88	25.3	4.12
N915005		0.421	0.158	0.014	0.099	145.0	0.119	6.56	25.4	3.62
N915006		0.424	0.131	0.016	0.081	148.0	0.128	7.29	23.1	2.74
N915007		0.439	0.159	0.015	0.096	160.5	0.166	7.76	29.1	3.09
N915008		0.550	0.080	0.016	0.114	143.0	0.029	10.00	35.3	2.71
N915009		0.570	0.044	0.021	0.137	134.0	0.014	11.10	25.8	1.82
N915010		0.715	0.016	0.027	0.126	128.0	0.006	12.10	15.5	0.64
N915011		0.702	0.006	0.036	0.338	64.1	0.014	14.20	16.1	0.46
N915012		0.657	0.009	0.043	0.201	76.1	0.014	16.70	17.5	0.44
N915013		2.97	0.161	0.042	1.165	98.1	0.612	5.27	43.8	2.32
N915014		0.698	0.028	0.033	0.144	133.5	0.012	14.65	21.8	0.61
N915015		0.712	0.059	0.056	0.125	163.0	0.012	10.30	22.1	0.78
N915016		0.612	0.100	0.063	0.139	133.5	0.026	8.93	21.2	1.40
N915017		0.586	0.108	0.024	0.137	161.5	0.013	10.80	22.1	1.26
N915018		0.626	0.056	0.034	0.163	158.0	0.018	12.10	24.8	1.34
N915019		0.552	0.008	0.066	0.186	140.5	0.006	14.60	18.6	0.80
N915020		0.420	0.011	0.035	0.091	140.5	0.008	10.40	17.8	1.25
N915021		0.474	0.023	0.032	0.199	131.0	0.695	10.40	34.1	3.59
N915022		0.411	0.066	0.026	0.222	135.0	0.032	8.16	33.9	5.12
N915023		0.477	0.031	0.033	0.080	114.5	0.016	9.88	20.0	1.45
N915024		0.495	0.005	0.027	0.095	101.0	0.006	10.30	18.0	0.95
N915025		0.584	0.003	0.025	0.150	72.5	0.014	8.35	27.4	1.52
N915026		0.386	0.002	0.034	0.215	115.0	0.016	9.78	33.0	2.15
N915027		0.508	0.002	0.043	0.149	113.5	0.032	11.15	27.0	1.78
N915028		0.271	0.003	0.043	0.074	191.5	0.047	15.30	34.2	1.06
N915029		0.531	0.007	0.030	0.160	166.0	0.037	12.70	43.4	2.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915030		6.70	0.0170	0.088	1.60	2.52	<10	556	0.36	0.066	5.42	0.068	10.70	24.9	66.2	6.20
N915031		7.99	0.0249	0.105	2.12	3.02	<10	553	0.37	0.066	5.60	0.082	13.05	27.0	67.6	5.63
N915032		7.50	0.0541	0.115	1.86	4.69	<10	843	0.36	0.057	4.60	0.057	14.00	20.6	24.4	6.49
N915033		7.45	0.0250	0.155	0.92	5.73	<10	575	0.42	0.067	4.99	0.078	12.35	18.10	19.00	3.52
N915034		7.47	0.353	0.202	1.90	1.97	<10	865	0.38	0.249	5.26	0.123	13.45	23.7	31.3	3.90
N915035		7.10	1.350	0.754	1.02	3.21	10	612	0.37	0.447	6.01	0.155	13.15	31.6	32.1	3.92
N915036		7.21	0.0862	0.548	0.59	15.35	10	332	0.42	0.323	5.16	0.258	11.45	29.4	17.20	3.65
N915037		0.05	0.0014	0.102	1.82	1.18	<10	133.0	0.11	0.070	1.04	0.075	15.10	9.78	19.05	0.365
N915038		6.76	0.0014	0.033	0.51	2.39	10	304	0.46	0.036	2.66	0.138	19.90	3.55	1.76	5.03
N915039		7.40	0.0007	0.028	0.42	3.67	<10	336	0.41	0.028	2.49	0.137	20.2	2.61	1.12	4.57
N915040		5.55	0.0294	0.474	0.46	14.25	10	363	0.44	0.250	3.67	0.263	13.05	12.50	2.75	5.03
N915041		7.42	0.0606	0.272	0.54	6.32	<10	363	0.35	0.040	5.09	0.133	8.15	18.40	11.25	2.82
N915042		6.58	0.0371	0.473	0.56	5.31	<10	172.0	0.27	0.048	5.15	0.150	7.56	26.3	12.10	2.32
N915043		7.09	0.0239	0.402	0.49	15.40	<10	225	0.25	0.079	4.83	0.196	7.04	20.8	3.64	4.44
N915044		6.48	0.0307	0.628	0.49	40.9	<10	290	0.29	0.081	5.19	0.266	2.76	22.5	6.12	5.77
N915045		6.89	0.0134	0.395	0.68	17.25	10	391	0.32	0.162	5.10	0.298	6.78	16.55	14.60	4.53
N915046		5.56	0.0336	0.554	1.57	1.99	10	598	0.46	0.446	3.59	0.103	12.50	19.05	61.4	5.17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915030		111.0	5.68	4.08	0.062	0.045	0.066	0.108	0.20	4.51	9.2	2.46	955	0.60	0.026	0.002
N915031		113.5	6.37	6.82	0.113	0.029	0.078	0.099	0.18	5.63	14.9	2.71	1030	0.32	0.026	0.002
N915032		177.5	5.38	5.89	0.101	0.047	0.091	0.072	0.20	6.13	14.0	2.02	912	0.51	0.033	<0.002
N915033		155.5	5.11	2.60	0.087	0.031	0.103	0.045	0.23	5.10	7.6	2.00	841	0.38	0.024	0.003
N915034		221	5.74	5.86	0.086	0.024	0.175	0.032	0.21	6.13	16.0	1.97	900	0.86	0.023	0.002
N915035		273	5.51	2.71	0.077	0.023	0.103	0.080	0.24	6.16	6.1	1.67	1045	1.24	0.018	0.002
N915036		187.0	4.90	1.275	0.067	0.027	0.086	0.049	0.28	4.82	3.6	1.85	1090	2.09	0.013	0.003
N915037		92.5	3.38	5.17	0.102	0.100	<0.004	0.014	0.21	6.77	6.6	0.81	504	5.93	0.207	0.221
N915038		9.48	1.460	1.130	0.044	0.074	0.103	0.024	0.32	8.96	0.5	0.76	619	0.54	0.010	0.026
N915039		13.05	1.350	0.890	0.045	0.085	0.060	0.015	0.27	8.90	0.4	0.73	643	0.61	0.010	0.021
N915040		32.6	2.38	0.967	0.046	0.058	0.196	0.020	0.29	5.94	0.7	1.12	978	9.09	0.014	0.018
N915041		313	3.81	1.170	0.055	0.028	0.185	0.036	0.23	3.68	3.0	1.86	732	1.12	0.013	0.005
N915042		676	4.69	1.180	0.069	0.036	0.268	0.053	0.23	3.25	4.6	2.14	738	2.66	0.018	0.003
N915043		341	3.87	0.966	0.054	0.035	0.683	0.012	0.29	3.14	2.1	1.79	842	7.96	0.012	<0.002
N915044		866	3.74	1.150	0.058	0.027	0.720	0.029	0.30	1.155	2.8	1.82	743	4.17	0.016	0.002
N915045		174.0	4.67	1.480	0.061	0.008	0.380	0.032	0.30	2.78	4.5	2.10	952	0.59	0.016	0.002
N915046		150.0	5.72	4.95	0.077	0.033	0.319	0.089	0.25	5.46	13.5	2.21	1080	1.15	0.028	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915030		38.9	0.122	1.825	0.005	0.003	7.06	<0.001	0.52	0.230	20.3	0.5	0.17	182.5	<0.005	0.04
N915031		44.9	0.127	2.46	0.006	0.004	6.69	<0.001	0.30	0.278	19.90	0.6	0.17	191.0	<0.005	0.04
N915032		22.6	0.131	1.830	0.005	0.003	8.21	<0.001	0.14	0.480	12.95	0.4	0.13	215	<0.005	0.06
N915033		17.90	0.128	2.85	0.006	0.003	7.01	0.001	0.26	0.301	9.95	0.5	0.08	183.0	<0.005	0.09
N915034		19.05	0.145	2.60	0.008	0.004	6.96	0.001	0.12	0.250	10.20	0.5	0.08	254	<0.005	0.18
N915035		20.3	0.141	2.66	0.008	0.004	7.61	0.001	0.39	0.328	10.45	0.9	0.07	210	<0.005	0.54
N915036		17.50	0.138	2.88	0.007	0.003	6.91	0.001	0.47	1.075	10.95	0.7	0.06	122.0	<0.005	0.43
N915037		13.55	0.058	3.86	0.001	<0.002	7.03	0.001	<0.01	0.197	3.15	0.3	1.30	85.6	<0.005	0.01
N915038		2.96	0.087	2.20	<0.001	<0.002	7.77	<0.001	0.08	0.268	1.425	0.3	0.09	96.1	<0.005	<0.01
N915039		1.94	0.079	1.620	0.002	<0.002	6.80	0.001	0.06	0.339	1.125	0.4	0.08	91.1	<0.005	<0.01
N915040		7.36	0.070	2.44	0.003	<0.002	7.04	0.001	0.46	0.457	5.45	0.5	0.10	153.0	<0.005	0.14
N915041		18.20	0.096	2.19	0.004	0.002	5.74	0.003	0.84	0.478	10.75	1.6	0.09	128.5	<0.005	0.11
N915042		22.8	0.110	2.69	0.007	0.004	5.66	0.013	1.33	0.331	13.50	3.0	0.08	127.5	<0.005	0.13
N915043		12.05	0.113	1.895	0.005	0.003	8.38	0.048	1.23	0.809	6.59	2.4	0.07	126.5	<0.005	0.09
N915044		18.55	0.049	1.780	0.004	<0.002	8.68	0.017	1.15	1.130	9.68	2.6	0.05	136.5	<0.005	0.09
N915045		19.40	0.094	2.67	0.002	0.003	8.36	0.001	0.82	0.863	9.26	0.5	0.06	125.5	<0.005	0.28
N915046		52.5	0.131	5.17	0.011	0.006	8.08	<0.001	0.27	0.193	12.20	0.4	0.06	126.5	<0.005	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915030		0.429	0.003	0.052	0.125	128.0	0.082	11.55	43.7	1.20
N915031		0.472	0.005	0.041	0.120	147.0	0.086	12.40	55.9	1.26
N915032		0.719	0.004	0.050	0.136	138.0	0.103	13.45	46.2	1.95
N915033		0.459	0.001	0.053	0.119	81.2	0.122	8.09	43.4	1.00
N915034		0.614	0.003	0.039	0.134	101.0	0.139	8.82	49.6	1.00
N915035		0.598	0.001	0.056	0.137	67.3	0.127	10.50	68.0	0.82
N915036		0.541	0.001	0.069	0.150	41.0	0.111	10.35	128.0	1.16
N915037		2.78	0.157	0.046	0.794	100.5	0.618	5.15	45.2	2.39
N915038		1.010	0.001	0.081	0.244	5.4	0.035	6.81	26.1	3.63
N915039		0.961	0.001	0.117	0.235	3.7	0.032	6.23	26.4	3.77
N915040		0.659	0.001	0.136	0.221	14.1	0.052	6.91	43.7	2.90
N915041		0.379	0.001	0.130	0.130	50.3	0.063	6.88	40.6	1.72
N915042		0.289	0.001	0.102	0.090	57.1	0.048	7.09	44.9	1.07
N915043		0.324	0.001	0.082	0.099	29.4	0.044	7.47	50.6	1.34
N915044		0.180	<0.001	0.232	0.114	47.2	0.046	5.03	50.5	1.44
N915045		0.272	0.001	0.100	0.151	48.8	0.062	8.28	68.1	0.64
N915046		0.505	0.002	0.058	0.179	100.5	0.095	9.47	85.1	1.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14113517

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

CERTIFICATE KL14108399

Project: Dillard

This report is for 43 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 29- JUL- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915047		5.32	0.0156	0.151	2.46	2.35	<10	568	0.49	0.113	4.35	0.075	14.00	26.8	84.0	7.22
N915048		4.78	0.0045	0.168	1.03	4.43	<10	1070	0.44	0.045	5.47	0.235	9.79	20.2	32.5	8.15
N915049		3.55	0.0022	0.062	0.92	2.70	<10	906	0.44	0.030	5.61	0.357	9.92	21.3	19.40	9.58
N915050		0.05	1.020	54.0	1.05	948	10	107.5	0.18	23.4	3.27	0.900	13.80	36.8	29.9	0.780
N915051		6.37	0.0040	0.149	2.57	3.66	<10	565	0.44	0.036	5.22	0.105	10.25	25.2	34.9	7.56
N915052		6.78	0.0016	0.068	2.71	3.33	<10	690	0.39	0.021	5.41	0.088	11.05	23.3	29.9	8.59
N915053		4.67	0.0088	0.079	2.25	2.91	<10	228	0.41	0.019	4.73	0.030	8.85	25.4	30.0	5.79
N915054		11.10	0.0123	0.247	2.51	2.62	<10	200	0.33	0.031	4.62	0.094	9.75	22.5	52.5	4.58
N915055		4.76	0.0093	0.106	2.56	2.77	<10	211	0.30	0.045	5.00	0.099	9.87	25.5	30.8	5.89
N915056		11.29	0.0224	0.175	2.61	3.27	<10	338	0.34	0.153	4.03	0.020	12.45	37.0	55.0	6.79
N915057		7.76	0.0077	0.109	2.82	2.02	<10	380	0.33	0.087	4.13	0.031	12.75	19.05	46.8	7.67
N915058		7.31	0.0037	0.064	2.66	3.00	<10	265	0.41	0.086	4.48	0.040	12.90	20.3	72.6	7.21
N915059		6.63	0.0046	0.267	2.27	4.44	<10	460	0.31	0.105	4.54	0.090	15.30	20.1	46.7	5.58
N915060		8.29	0.0156	0.154	2.86	5.06	<10	295	0.25	0.110	4.79	0.038	9.62	26.3	85.3	4.80
N915061		6.80	0.0280	0.140	2.01	13.05	<10	293	0.20	0.062	3.58	0.021	9.00	16.55	21.4	5.11
N915062		6.78	0.0048	0.071	2.31	2.52	<10	188.5	0.23	0.075	3.47	0.052	8.46	22.5	31.3	5.04
N915063		0.05	0.0012	0.096	1.72	1.01	<10	129.5	0.11	0.078	1.01	0.080	14.80	9.87	18.35	0.334
N915064		6.73	0.0038	0.028	2.01	3.20	<10	133.5	0.23	0.024	2.81	0.058	7.09	21.3	51.3	2.98
N915065		6.40	0.0213	0.177	1.83	17.80	<10	222	0.34	0.351	3.32	0.084	7.95	31.3	71.3	2.16
N915066		7.76	0.0497	0.138	1.83	5.60	<10	229	0.34	0.016	3.78	0.141	7.78	23.2	69.5	4.50
N915067		7.10	0.0165	0.046	1.90	3.67	<10	468	0.31	0.017	4.03	0.121	7.80	25.0	63.1	3.31
N915068		8.75	0.0021	0.029	2.22	2.41	<10	379	0.27	0.039	3.97	0.039	14.40	21.6	44.3	3.57
N915069		6.43	0.0341	0.157	3.19	1.41	<10	311	0.28	0.063	5.28	0.048	13.90	26.4	111.5	2.76
N915070		6.17	0.0436	0.279	1.51	5.81	10	290	0.42	0.099	3.88	0.135	12.70	19.60	41.8	4.43
N915071		7.62	0.0170	0.188	0.91	9.77	10	131.0	0.41	0.190	3.97	0.261	10.85	23.0	37.2	18.00
N915072		4.39	0.0017	0.017	1.95	2.11	<10	300	0.23	0.012	3.19	0.044	5.03	15.50	81.8	4.24
N915073		6.18	0.0015	0.026	2.29	2.66	<10	201	0.25	0.028	3.59	0.029	5.98	19.75	91.6	4.36
N915074		5.97	0.0027	0.026	2.18	2.09	<10	202	0.22	0.035	2.65	0.038	7.30	20.9	70.6	3.68
N915075		0.05	0.919	54.6	1.11	956	20	108.5	0.20	24.3	3.30	1.030	14.80	35.5	32.5	0.799
N915076		4.98	0.0029	0.071	2.39	2.26	<10	116.0	0.20	0.038	2.98	0.048	8.32	18.55	64.3	2.18
N915077		4.86	0.0026	0.100	2.62	2.72	<10	137.5	0.22	0.022	2.96	0.031	4.03	19.60	90.3	2.49
N915078		6.71	0.0029	0.058	2.41	2.35	<10	203	0.20	0.026	3.54	0.030	5.03	18.10	84.7	3.51
N915079		6.39	0.0027	0.086	1.82	3.91	10	288	0.35	0.042	5.13	0.194	8.72	23.3	72.8	11.90
N915080		4.79	0.0051	0.092	2.12	2.64	<10	68.2	0.25	0.019	3.15	0.031	6.59	21.9	120.5	2.88
N915081		6.17	0.0115	0.106	1.71	6.01	<10	75.6	0.36	0.070	3.72	0.272	13.00	20.1	54.8	22.5
N915082		5.58	0.0032	0.072	1.93	4.58	<10	32.4	0.51	0.046	4.48	0.332	13.15	22.1	62.4	47.1
N915083		7.04	0.0031	0.111	2.42	3.84	<10	64.4	0.36	0.048	3.80	0.223	10.65	27.5	52.5	10.85
N915084		6.21	0.0044	0.148	2.72	3.88	<10	148.5	0.39	0.090	5.25	0.050	11.20	25.3	55.1	8.62
N915085		6.43	0.0030	0.136	2.50	2.79	<10	132.0	0.33	0.079	3.70	0.030	13.60	23.7	15.80	4.33
N915086		7.35	0.0076	0.121	2.14	2.58	<10	244	0.35	0.082	3.66	0.019	14.95	17.45	8.74	6.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915047		107.0	5.57	7.95	0.142	0.068	0.121	0.053	0.17	5.97	24.3	2.80	1380	0.39	0.034	<0.002
N915048		79.0	4.78	3.20	0.074	0.032	0.056	0.038	0.24	4.40	9.5	2.14	1270	0.40	0.024	<0.002
N915049		16.40	5.25	2.72	0.071	0.040	0.046	0.046	0.28	4.27	6.6	2.64	1280	0.19	0.023	0.006
N915050		3520	2.86	3.25	0.078	0.145	0.664	0.069	0.14	8.12	7.0	0.36	649	501	0.099	0.264
N915051		58.0	5.36	7.15	0.121	0.111	0.010	0.033	0.15	4.36	26.0	2.52	1360	0.81	0.031	0.008
N915052		60.0	5.23	7.14	0.107	0.089	0.009	0.035	0.14	4.81	26.1	2.55	1415	0.26	0.036	0.009
N915053		51.6	4.97	7.29	0.136	0.231	0.014	0.019	0.07	3.75	21.3	2.35	1110	0.25	0.036	0.012
N915054		137.5	5.20	7.69	0.128	0.193	0.030	0.027	0.11	4.28	21.3	2.50	1230	0.87	0.051	0.019
N915055		104.5	5.66	8.15	0.134	0.111	0.008	0.024	0.11	4.16	24.7	2.53	1400	0.42	0.040	0.007
N915056		102.5	5.33	8.09	0.127	0.100	0.240	0.033	0.20	5.91	24.0	2.46	1115	2.19	0.045	0.013
N915057		147.0	4.70	7.98	0.116	0.100	0.102	0.018	0.19	5.82	23.5	2.43	1250	0.64	0.038	0.007
N915058		107.5	4.93	8.06	0.140	0.133	0.105	0.053	0.10	5.83	22.1	2.64	1265	0.50	0.029	0.009
N915059		533	4.71	7.80	0.080	0.056	0.110	0.027	0.18	7.11	21.0	2.48	1210	1.69	0.034	0.004
N915060		87.7	5.04	8.16	0.080	0.100	0.061	0.030	0.12	4.26	24.4	3.12	1245	1.99	0.050	0.005
N915061		59.9	3.71	6.57	0.067	0.059	0.025	0.021	0.17	3.87	16.4	1.75	949	1.26	0.038	0.004
N915062		25.5	4.26	7.43	0.075	0.074	0.035	0.024	0.14	3.51	21.2	2.14	1105	0.71	0.042	0.004
N915063		90.9	3.29	5.13	0.078	0.128	<0.004	<0.005	0.21	6.69	6.6	0.79	485	5.79	0.213	0.209
N915064		35.9	3.60	6.72	0.095	0.191	0.026	0.015	0.07	2.92	18.5	2.16	853	0.34	0.041	0.014
N915065		214	4.32	6.67	0.151	0.291	0.451	0.021	0.05	3.34	16.9	2.10	874	1.48	0.043	0.033
N915066		541	4.31	6.23	0.179	0.216	0.028	0.021	0.04	3.29	13.8	2.12	841	0.23	0.045	0.033
N915067		105.0	4.52	5.98	0.171	0.200	0.010	0.021	0.03	3.33	14.8	2.40	884	0.28	0.031	0.023
N915068		24.1	4.42	8.35	0.073	0.054	0.031	0.028	0.13	6.49	17.4	2.28	1000	0.38	0.031	<0.002
N915069		142.0	5.64	9.80	0.076	0.042	0.042	0.034	0.12	6.45	23.5	3.27	1540	0.69	0.025	<0.002
N915070		271	6.51	4.18	0.068	0.020	0.106	0.055	0.22	5.75	11.6	1.76	1615	0.48	0.015	<0.002
N915071		66.2	4.94	3.18	0.059	0.037	0.228	0.041	0.24	4.74	6.4	1.62	1245	0.49	0.021	0.004
N915072		2.25	3.63	6.78	0.115	0.175	0.028	0.017	0.11	2.05	20.1	2.51	762	0.09	0.081	0.005
N915073		1.66	4.19	7.84	0.095	0.159	0.022	0.023	0.07	2.31	23.9	3.01	979	0.11	0.058	0.004
N915074		13.70	4.04	9.39	0.095	0.138	0.062	0.020	0.10	3.08	24.2	2.50	851	0.30	0.068	0.004
N915075		3480	2.94	3.71	0.055	0.149	0.658	0.100	0.15	8.88	7.0	0.36	662	514	0.098	0.194
N915076		26.6	4.25	9.10	0.089	0.126	0.036	0.015	0.08	3.62	23.1	2.69	958	1.23	0.043	0.007
N915077		30.6	4.09	8.17	0.152	0.165	0.030	0.010	0.05	1.620	25.6	3.12	924	0.32	0.051	0.008
N915078		29.3	4.15	7.84	0.097	0.150	0.061	0.020	0.11	2.05	23.1	2.79	813	0.20	0.063	0.005
N915079		12.95	4.46	5.95	0.068	0.116	0.211	0.037	0.19	3.73	14.7	2.36	1090	0.12	0.040	0.003
N915080		110.0	3.43	5.86	0.142	0.227	0.074	0.008	0.03	2.70	17.2	2.46	891	1.07	0.051	0.022
N915081		132.0	3.99	5.67	0.101	0.111	0.113	0.034	0.07	5.79	12.4	1.85	1215	0.55	0.034	0.006
N915082		76.1	4.59	6.30	0.064	0.082	0.083	0.043	0.17	5.76	12.1	1.98	1225	0.23	0.032	<0.002
N915083		65.8	5.23	7.79	0.095	0.120	0.084	0.026	0.09	4.51	20.7	2.38	1215	0.17	0.031	0.003
N915084		162.5	5.40	8.69	0.105	0.130	0.073	0.044	0.13	4.80	24.9	2.60	1410	0.36	0.038	0.002
N915085		184.5	4.85	9.75	0.091	0.164	0.080	0.018	0.12	5.65	21.3	2.22	1200	0.26	0.046	0.006
N915086		140.5	4.15	7.74	0.070	0.058	0.113	0.020	0.19	6.30	17.8	1.75	963	0.64	0.039	<0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915047		50.5	0.134	4.79	0.008	0.004	7.29	<0.001	0.09	0.367	23.4	0.5	0.23	178.0	<0.005	0.04
N915048		33.3	0.116	4.52	0.008	0.004	8.44	<0.001	0.12	0.574	18.60	0.4	0.10	213	<0.005	0.10
N915049		17.10	0.128	4.67	0.009	0.003	10.75	<0.001	0.06	0.458	12.45	0.3	0.05	182.5	<0.005	0.01
N915050		29.0	0.072	87.2	0.003	<0.002	5.43	0.095	0.49	128.5	1.980	2.9	2.20	130.0	<0.005	2.29
N915051		17.45	0.151	3.11	0.008	0.004	5.69	<0.001	0.04	0.435	15.75	0.5	0.27	410	<0.005	0.02
N915052		15.35	0.155	3.14	0.015	0.003	4.94	<0.001	0.04	0.401	13.55	0.4	0.22	609	<0.005	0.02
N915053		15.35	0.169	1.975	0.010	0.003	3.37	<0.001	0.11	0.353	17.35	0.3	0.22	235	<0.005	0.03
N915054		22.6	0.162	1.680	0.008	0.004	4.23	0.002	0.07	0.334	16.05	0.4	0.31	195.5	<0.005	0.07
N915055		16.05	0.163	1.405	0.009	0.005	4.43	0.001	0.10	0.218	17.35	0.5	0.31	198.0	<0.005	0.04
N915056		25.2	0.152	2.69	0.012	0.002	7.10	0.001	0.65	0.233	13.00	1.3	0.30	234	<0.005	0.29
N915057		22.5	0.162	2.85	0.008	0.005	7.90	<0.001	0.05	0.438	9.21	0.4	0.25	190.5	<0.005	0.12
N915058		30.9	0.143	3.20	0.005	0.003	5.19	<0.001	0.10	1.095	18.60	0.5	0.29	185.0	<0.005	0.11
N915059		33.7	0.143	3.65	0.012	0.003	7.29	0.001	0.37	0.336	12.35	1.1	0.21	157.5	<0.005	0.08
N915060		76.0	0.124	2.68	0.006	0.007	5.84	0.001	0.45	0.273	20.1	0.8	0.23	175.5	<0.005	0.09
N915061		16.90	0.101	3.53	0.006	0.002	7.55	0.001	0.19	0.324	9.10	0.4	0.16	140.0	<0.005	0.04
N915062		19.30	0.108	1.845	0.004	0.004	6.34	<0.001	0.17	0.255	13.25	0.3	0.24	135.0	<0.005	0.04
N915063		14.45	0.055	4.62	<0.001	<0.002	7.61	<0.001	0.01	0.229	3.37	0.2	1.51	91.7	<0.005	<0.01
N915064		22.2	0.120	1.025	0.009	0.003	3.60	<0.001	0.10	0.173	9.79	0.3	0.26	130.5	<0.005	0.05
N915065		27.4	0.147	1.920	0.014	0.005	2.45	<0.001	0.80	0.245	10.05	1.0	0.29	182.5	<0.005	0.43
N915066		28.9	0.155	1.800	0.012	0.002	3.07	<0.001	0.06	0.428	10.85	0.5	0.27	246	<0.005	0.03
N915067		32.9	0.156	1.465	0.016	0.004	2.08	<0.001	0.02	0.233	10.65	0.3	0.26	209	<0.005	0.02
N915068		20.0	0.108	1.610	0.009	<0.002	6.14	<0.001	0.06	0.292	11.30	0.4	0.20	133.0	<0.005	0.02
N915069		62.7	0.139	1.120	0.008	0.004	5.64	<0.001	0.04	0.146	15.70	0.5	0.14	138.5	<0.005	0.04
N915070		28.1	0.135	3.61	0.012	0.002	8.29	<0.001	0.21	0.254	14.60	0.6	0.11	126.5	<0.005	0.03
N915071		38.5	0.117	14.60	0.009	0.005	13.70	<0.001	0.46	3.09	15.25	0.8	0.14	182.5	<0.005	0.11
N915072		67.8	0.130	1.750	0.012	0.013	4.23	<0.001	0.01	0.242	14.25	0.3	0.24	160.0	<0.005	0.04
N915073		78.3	0.125	1.450	0.011	0.008	3.84	<0.001	0.01	0.266	16.30	0.3	0.25	183.0	<0.005	0.03
N915074		53.8	0.120	1.905	0.008	0.005	4.69	<0.001	0.06	0.226	11.30	0.4	0.26	125.5	<0.005	0.02
N915075		26.5	0.074	81.1	0.001	<0.002	5.23	0.104	0.50	125.0	2.20	2.5	2.03	126.0	<0.005	2.89
N915076		46.6	0.115	3.18	0.007	0.006	3.94	<0.001	0.04	0.236	10.95	0.3	0.26	111.0	<0.005	0.02
N915077		72.4	0.131	0.838	0.009	0.009	2.45	<0.001	0.01	0.220	12.45	0.3	0.24	139.0	<0.005	0.01
N915078		67.0	0.129	0.803	0.009	0.008	4.44	<0.001	0.04	0.184	12.90	0.3	0.17	140.0	<0.005	0.05
N915079		60.7	0.127	7.41	0.008	0.009	11.00	<0.001	0.08	0.742	19.70	0.6	0.21	214	<0.005	0.03
N915080		53.1	0.117	0.981	0.005	0.006	2.17	<0.001	0.03	0.390	8.49	0.3	0.29	143.5	<0.005	0.06
N915081		31.5	0.130	17.00	0.007	0.003	12.05	<0.001	0.03	4.54	13.85	0.3	0.29	198.0	<0.005	0.05
N915082		37.4	0.133	26.0	0.010	0.005	20.2	<0.001	0.02	2.22	21.4	0.5	0.36	314	<0.005	<0.01
N915083		31.7	0.133	13.45	0.007	0.003	7.56	<0.001	0.04	1.660	14.35	0.5	0.30	201	<0.005	0.01
N915084		33.4	0.136	8.56	0.008	0.005	9.15	<0.001	0.03	0.689	15.95	0.7	0.32	210	<0.005	0.04
N915085		15.45	0.154	2.22	0.005	0.004	5.58	<0.001	0.09	0.307	9.52	0.7	0.32	147.5	<0.005	0.03
N915086		11.00	0.161	1.635	0.005	0.003	9.46	<0.001	0.16	0.243	6.77	0.9	0.26	140.0	<0.005	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915047		0.556	0.005	0.038	0.206	160.0	0.079	13.30	68.8	1.81
N915048		0.389	0.002	0.050	0.157	105.0	0.102	11.00	78.4	0.83
N915049		0.516	0.002	0.099	0.186	91.3	0.104	10.75	103.0	0.91
N915050		1.415	0.063	0.059	1.520	38.9	8.87	5.91	128.0	4.60
N915051		0.536	0.041	0.035	0.218	150.5	0.072	11.75	82.3	3.21
N915052		0.541	0.031	0.036	0.211	151.5	0.081	12.65	82.6	2.84
N915053		0.465	0.092	0.024	0.195	161.0	0.138	10.40	62.6	4.65
N915054		0.547	0.122	0.027	0.216	169.0	0.220	10.25	70.0	4.92
N915055		0.487	0.060	0.030	0.204	188.0	0.099	12.00	75.2	2.93
N915056		0.713	0.049	0.053	0.202	137.0	0.108	10.55	62.9	2.75
N915057		0.903	0.034	0.048	0.255	112.0	0.080	10.40	74.9	2.86
N915058		0.804	0.037	0.040	0.330	142.0	0.068	12.25	67.8	3.54
N915059		0.757	0.008	0.046	0.223	128.0	0.068	11.75	91.2	1.99
N915060		0.399	0.025	0.030	0.128	162.5	0.061	10.20	74.7	2.34
N915061		0.219	0.016	0.045	0.104	87.6	0.042	10.35	49.9	1.52
N915062		0.230	0.028	0.046	0.101	124.5	0.059	9.86	65.6	1.59
N915063		2.78	0.152	0.045	0.841	99.1	0.710	5.13	44.3	2.02
N915064		0.325	0.122	0.028	0.169	111.5	0.090	8.43	49.8	5.21
N915065		0.455	0.207	0.019	0.259	128.0	0.200	9.44	42.9	9.02
N915066		0.462	0.186	0.024	0.219	133.5	0.153	9.20	46.9	7.17
N915067		0.443	0.170	0.014	0.235	135.5	0.157	8.55	49.4	6.54
N915068		0.520	0.008	0.038	0.142	112.0	0.037	7.82	72.2	1.40
N915069		0.723	0.009	0.035	0.149	145.5	0.053	9.96	84.1	1.24
N915070		0.444	0.003	0.082	0.135	119.5	0.140	9.09	107.5	0.94
N915071		0.450	0.004	0.130	0.126	94.1	0.061	9.55	135.5	1.06
N915072		0.272	0.119	0.029	0.137	137.0	0.081	6.66	49.9	4.44
N915073		0.271	0.108	0.027	0.152	149.0	0.084	7.85	58.4	3.95
N915074		0.296	0.100	0.032	0.135	132.5	0.062	6.30	62.5	3.49
N915075		1.535	0.063	0.056	1.950	38.7	8.43	6.56	128.0	5.14
N915076		0.277	0.088	0.032	0.122	125.5	0.063	6.58	78.2	3.15
N915077		0.213	0.146	0.019	0.118	143.0	0.310	5.46	63.4	4.29
N915078		0.237	0.110	0.027	0.106	146.5	0.114	6.35	56.5	3.19
N915079		0.376	0.033	0.079	0.154	133.0	0.061	11.00	91.6	2.28
N915080		0.389	0.155	0.015	0.213	94.2	0.137	7.66	51.3	7.48
N915081		0.728	0.025	0.155	0.183	102.0	0.045	12.95	243	2.50
N915082		0.690	0.009	0.155	0.182	118.0	0.012	14.05	184.5	1.78
N915083		0.638	0.026	0.068	0.186	142.5	0.017	11.00	181.0	2.92
N915084		0.576	0.049	0.075	0.217	149.5	0.037	15.25	95.8	3.69
N915085		0.530	0.038	0.043	0.183	115.0	0.022	15.70	64.4	3.62
N915086		0.553	0.012	0.065	0.154	73.8	0.026	15.60	48.4	1.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915087		6.62	0.0059	0.163	2.16	2.04	<10	654	0.33	0.090	3.57	0.017	16.80	19.50	6.00	6.68
N915088		0.05	0.0043	0.095	1.85	1.20	<10	135.5	0.12	0.083	1.06	0.075	15.75	9.66	20.0	0.372
N915089		6.87	0.0063	0.127	2.26	2.51	10	318	0.40	0.077	3.51	0.016	14.30	16.25	9.98	8.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915087		179.5	4.08	6.77	0.057	0.054	0.089	0.019	0.25	7.15	17.1	1.73	940	0.40	0.033	<0.002
N915088		93.1	3.43	5.57	0.086	0.130	<0.004	0.013	0.22	7.29	6.8	0.82	515	5.67	0.213	0.198
N915089		133.0	4.41	7.56	0.069	0.072	0.074	0.022	0.21	6.17	18.1	1.84	968	0.60	0.035	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915087		10.05	0.164	1.525	0.004	0.003	11.45	<0.001	0.17	0.214	5.65	0.5	0.20	180.5	<0.005	0.06
N915088		13.70	0.059	4.16	0.003	<0.002	7.75	<0.001	0.01	0.237	3.67	0.2	1.36	93.6	<0.005	<0.01
N915089		11.50	0.152	1.845	0.009	0.005	9.90	<0.001	0.11	0.373	7.69	0.6	0.22	187.0	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915087		0.573	0.010	0.079	0.143	64.2	0.018	15.70	60.6	1.53
N915088		3.06	0.154	0.046	0.944	99.6	0.699	5.82	45.9	2.40
N915089		0.562	0.022	0.061	0.159	81.8	0.028	14.15	60.9	2.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14108399

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

CERTIFICATE KL14116740

Project: Dillard

This report is for 65 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 1- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915090		8.32	0.0063	0.080	1.54	8.27	10	403	0.40	0.077	5.67	0.101	13.95	16.60	13.65	7.35
N915091		6.06	0.0037	0.058	2.13	3.35	10	815	0.37	0.079	3.40	0.024	12.25	15.65	8.35	7.48
N915092		6.55	0.0086	0.090	2.69	2.86	<10	116.0	0.37	0.068	4.62	0.030	8.71	25.8	56.2	3.56
N915093		7.72	0.0039	0.095	2.87	2.26	<10	99.7	0.29	0.050	3.49	0.018	8.65	20.7	38.7	4.11
N915094		7.24	0.0159	0.330	3.35	4.41	<10	109.0	0.37	0.234	3.36	0.011	7.07	33.7	43.6	5.61
N915095		6.07	0.0005	0.008	2.57	2.88	<10	51.8	0.25	0.008	3.20	0.014	4.42	21.5	83.7	3.82
N915096		9.42	0.0010	0.044	2.49	2.73	<10	72.7	0.24	0.010	3.69	0.022	5.59	22.0	78.0	3.82
N915097		8.45	0.0003	0.006	2.58	3.08	<10	86.6	0.25	0.006	2.55	0.012	4.11	21.9	89.6	2.66
N915098		5.61	0.0002	0.013	2.61	2.63	<10	70.8	0.22	0.006	2.53	0.009	4.66	21.2	101.0	2.42
N915099		8.04	0.0007	0.007	2.18	2.38	<10	72.6	0.22	0.004	1.99	0.013	4.79	17.40	68.9	1.825
N915100		0.05	0.712	54.8	1.11	970	20	110.0	0.17	25.6	3.30	0.903	13.25	34.5	29.1	0.736
N915101		5.45	0.177	0.453	1.38	3.13	<10	45.6	0.25	0.045	2.80	0.141	6.18	14.05	24.4	3.51
N915102		5.66	0.0370	0.263	1.40	21.3	<10	64.9	0.19	0.033	2.15	0.108	5.91	13.70	25.5	2.72
N915103		6.77	0.244	0.950	1.19	135.0	<10	79.1	0.25	0.062	4.29	0.529	6.08	27.6	21.3	3.82
N915104		8.71	0.0627	0.539	1.34	4.34	<10	46.2	0.19	0.103	2.73	0.170	5.66	31.3	19.30	1.705
N915105		2.08	0.0353	0.195	1.11	3.60	<10	102.5	0.23	0.023	3.18	0.066	6.36	18.95	17.05	1.695
N915106		3.50	0.182	0.560	1.44	3.86	<10	91.6	0.21	0.047	2.87	0.107	6.30	22.0	22.1	3.92
N915107		5.58	0.0688	0.446	1.07	18.00	<10	512	0.27	0.037	4.48	0.107	9.41	15.95	21.4	5.75
N915108		4.09	0.0370	0.234	0.92	42.7	10	203	0.33	0.044	3.44	0.096	8.89	14.60	17.05	3.33
N915109		6.22	0.0191	0.156	1.46	3.65	<10	183.0	0.30	0.012	2.31	0.059	7.63	14.40	104.0	2.03
N915110		6.55	0.0234	0.166	1.50	1.88	<10	38.0	0.27	0.011	2.68	0.106	7.17	11.50	131.5	2.17
N915111		5.44	0.0108	0.092	1.78	2.32	<10	49.1	0.32	0.007	2.98	0.119	7.41	14.95	60.5	3.18
N915112		6.13	0.0156	0.040	1.78	2.09	<10	85.4	0.22	0.012	2.95	0.078	6.28	11.10	26.1	2.27
N915113		0.05	0.0011	0.113	1.75	1.10	<10	133.0	0.12	0.179	0.97	0.063	13.60	9.67	18.60	0.318
N915114		7.30	0.0176	0.073	1.50	2.08	<10	133.0	0.18	0.013	3.55	0.078	10.05	12.35	17.60	2.62
N915115		6.95	0.0081	0.140	1.19	2.99	<10	87.2	0.20	0.079	3.54	0.139	9.40	13.50	15.80	3.78
N915116		6.54	0.0310	0.360	1.44	2.43	<10	87.5	0.18	0.070	3.51	0.101	8.11	13.25	20.7	3.41
N915117		6.67	0.0124	0.120	1.60	2.78	<10	146.5	0.22	0.034	3.46	0.046	8.16	14.45	33.6	2.55
N915118		6.98	0.0662	0.401	1.81	3.31	<10	63.3	0.20	0.028	2.76	0.066	6.32	19.20	54.5	1.690
N915119		6.67	0.0403	0.830	1.45	44.9	<10	136.0	0.24	0.042	4.20	0.238	10.30	21.7	29.7	3.09
N915120		4.23	0.0741	1.295	1.62	4.74	<10	58.6	0.22	0.063	2.16	0.175	8.24	22.9	21.5	2.21
N915121		5.06	0.0615	0.288	0.93	4.42	<10	101.0	0.22	0.051	2.27	0.124	8.77	18.80	13.20	2.17
N915122		4.23	0.0380	0.383	1.37	2.84	<10	188.5	0.27	0.031	4.03	0.163	11.00	20.7	24.9	3.57
N915123		5.26	0.0777	0.304	1.95	1.86	<10	116.0	0.26	0.014	2.76	0.069	10.70	18.15	39.2	2.03
N915124		5.58	0.0459	0.263	1.64	2.55	<10	66.8	0.21	0.013	1.99	0.030	8.50	16.85	27.7	1.690
N915125		0.05	0.786	55.6	1.09	993	20	111.0	0.18	22.9	3.24	0.858	12.85	35.0	29.4	0.729
N915126		4.96	0.0848	0.346	1.68	2.61	<10	50.7	0.26	0.022	1.45	0.033	7.98	19.05	28.6	1.720
N915127		3.72	0.0512	0.244	1.66	2.86	<10	95.8	0.23	0.010	2.87	0.060	8.41	17.20	33.6	1.295
N915128		4.96	0.0833	0.335	1.93	2.52	<10	44.1	0.25	0.019	2.73	0.033	10.45	15.90	37.6	1.265
N915129		6.91	0.0249	0.224	1.62	1.80	<10	107.5	0.22	0.015	2.58	0.034	9.22	21.9	28.1	1.630

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915090		125.5	4.82	5.26	0.051	0.039	0.108	0.030	0.30	5.88	11.7	1.76	1300	0.84	0.023	0.002
N915091		43.5	4.35	7.24	0.053	0.047	0.059	0.029	0.24	5.09	17.7	1.69	936	0.33	0.028	0.006
N915092		69.9	4.84	9.26	0.129	0.228	0.142	0.028	0.08	3.67	23.7	2.56	1170	0.43	0.036	0.016
N915093		93.3	5.42	8.36	0.099	0.161	0.042	0.017	0.10	3.81	28.7	2.72	1180	0.38	0.028	0.009
N915094		227	6.10	8.84	0.107	0.139	0.226	0.019	0.11	3.08	37.2	3.14	1360	3.38	0.016	0.010
N915095		3.10	3.74	7.22	0.137	0.246	0.007	0.025	0.08	1.720	27.8	2.89	767	0.13	0.063	0.008
N915096		10.80	4.05	7.62	0.114	0.201	0.015	0.023	0.11	2.21	29.0	2.72	818	0.11	0.061	0.008
N915097		4.61	3.46	7.27	0.125	0.255	0.006	0.022	0.07	1.605	32.8	3.05	698	0.12	0.060	0.013
N915098		7.77	3.45	7.28	0.152	0.288	0.006	0.021	0.09	1.885	29.4	3.02	709	0.14	0.097	0.018
N915099		3.84	3.07	6.63	0.110	0.223	<0.004	0.021	0.11	1.915	24.3	2.51	607	0.10	0.107	0.012
N915100		3610	2.88	3.62	0.067	0.168	0.597	0.096	0.15	8.07	7.9	0.36	650	511	0.092	0.207
N915101		1125	5.22	6.41	0.092	0.114	0.032	0.031	0.12	2.56	10.1	1.27	421	2.01	0.043	0.018
N915102		928	5.43	6.43	0.108	0.166	0.031	0.021	0.11	2.47	10.5	1.36	378	1.54	0.044	0.027
N915103		2230	5.61	6.35	0.086	0.090	0.119	0.081	0.12	2.41	9.3	1.62	476	6.15	0.037	0.009
N915104		1015	6.12	7.66	0.136	0.120	0.106	0.032	0.08	2.24	10.9	1.61	428	1.84	0.032	0.021
N915105		317	5.94	6.77	0.101	0.157	0.023	0.041	0.09	2.60	7.9	1.05	432	5.23	0.036	0.020
N915106		1505	5.34	7.48	0.094	0.127	0.036	0.040	0.10	2.49	11.4	1.33	432	2.86	0.033	0.013
N915107		694	3.92	4.07	0.058	0.062	0.046	0.027	0.17	4.16	8.5	1.21	480	0.55	0.023	0.011
N915108		392	4.26	2.78	0.060	0.036	0.044	0.046	0.18	3.69	5.7	1.19	634	0.50	0.042	<0.002
N915109		533	4.66	7.36	0.121	0.145	0.021	0.025	0.08	3.28	13.3	1.60	373	1.07	0.042	0.053
N915110		558	4.79	7.26	0.122	0.125	0.008	0.024	0.08	3.02	13.8	1.63	399	0.48	0.037	0.048
N915111		297	4.36	7.36	0.098	0.127	0.007	0.023	0.10	3.28	16.9	1.72	430	0.49	0.036	0.025
N915112		13.85	3.08	7.18	0.076	0.244	0.018	0.013	0.08	2.80	18.1	1.59	481	0.51	0.047	0.017
N915113		87.9	3.29	5.12	0.063	0.101	<0.004	0.012	0.21	6.20	6.4	0.78	477	5.53	0.194	0.197
N915114		6.52	3.41	5.34	0.039	0.142	0.032	0.013	0.13	5.50	11.0	1.69	580	0.58	0.037	0.013
N915115		68.3	3.72	4.07	0.038	0.148	0.052	0.013	0.15	4.93	6.8	1.29	499	0.33	0.044	0.012
N915116		22.8	3.55	5.00	0.042	0.138	0.057	0.011	0.14	3.38	10.4	1.38	538	0.91	0.034	0.007
N915117		160.5	3.51	6.42	0.056	0.150	0.068	0.023	0.11	3.38	13.1	1.65	520	1.25	0.032	0.007
N915118		718	4.19	6.24	0.090	0.192	0.055	0.023	0.09	2.78	16.5	1.79	464	0.94	0.033	0.018
N915119		781	4.87	4.95	0.058	0.102	0.035	0.037	0.14	4.53	10.4	1.70	762	4.25	0.041	0.007
N915120		1330	4.30	5.22	0.059	0.095	0.048	0.019	0.14	3.51	12.0	1.72	434	7.12	0.034	0.009
N915121		1120	3.20	3.79	0.045	0.116	0.078	0.019	0.12	3.65	6.3	1.00	252	5.08	0.031	0.005
N915122		1020	3.88	5.08	0.037	0.092	0.080	0.022	0.21	4.59	9.4	1.73	543	19.05	0.018	0.004
N915123		1330	4.17	8.77	0.060	0.175	0.078	0.017	0.12	4.55	18.6	2.12	418	6.93	0.030	0.012
N915124		1545	3.69	8.08	0.087	0.190	0.098	0.006	0.11	3.60	19.2	1.78	296	50.4	0.033	0.056
N915125		3580	2.89	3.43	0.053	0.145	0.642	0.101	0.15	7.59	7.2	0.36	662	523	0.092	0.192
N915126		1925	3.67	7.99	0.088	0.185	0.073	0.010	0.12	3.33	19.4	1.81	247	4.47	0.034	0.073
N915127		1440	3.68	8.04	0.096	0.199	0.035	0.011	0.10	3.67	16.8	1.75	332	4.55	0.030	0.042
N915128		1500	4.01	8.89	0.094	0.140	0.069	0.019	0.08	4.43	18.8	2.17	360	8.23	0.025	0.026
N915129		624	3.89	7.23	0.060	0.174	0.090	0.015	0.08	3.98	13.2	1.71	298	28.1	0.033	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915090	15.30	0.147	5.16	0.006	0.003	12.00	0.001	0.04	0.785	9.22	0.5	0.19	173.5	<0.005	0.04
N915091	12.45	0.154	1.520	0.009	0.004	10.65	<0.001	0.11	0.569	7.15	0.6	0.21	224	<0.005	0.04
N915092	33.4	0.144	1.490	0.012	0.004	3.98	<0.001	0.15	0.307	13.30	0.4	0.37	222	<0.005	0.08
N915093	23.8	0.124	1.040	0.006	0.003	4.76	<0.001	0.05	0.205	10.45	0.5	0.29	166.0	<0.005	0.06
N915094	29.5	0.135	1.485	0.009	0.005	5.35	0.004	0.54	0.311	11.00	0.9	0.25	210	<0.005	0.23
N915095	72.6	0.132	0.665	0.012	0.009	3.18	<0.001	<0.01	0.240	17.80	0.2	0.31	373	<0.005	0.02
N915096	69.9	0.134	0.806	0.008	0.008	4.36	<0.001	<0.01	0.306	17.90	0.4	0.25	212	<0.005	0.01
N915097	83.6	0.129	0.491	0.013	0.027	2.46	<0.001	<0.01	0.172	14.65	0.3	0.26	201	<0.005	0.01
N915098	108.0	0.137	0.557	0.007	0.008	2.71	<0.001	<0.01	0.169	13.20	0.3	0.21	210	<0.005	0.01
N915099	61.6	0.138	0.445	0.009	0.009	2.97	<0.001	<0.01	0.136	11.25	0.3	0.19	151.5	<0.005	0.01
N915100	27.3	0.073	87.6	0.004	<0.002	4.98	0.089	0.49	124.5	2.24	3.0	1.88	130.5	<0.005	2.59
N915101	17.15	0.120	0.971	0.010	0.002	5.62	0.011	0.72	0.124	7.51	1.8	0.41	50.5	<0.005	0.09
N915102	17.15	0.124	0.853	0.012	<0.002	4.81	0.005	0.95	0.180	6.68	1.7	0.40	50.8	<0.005	0.07
N915103	22.4	0.108	7.58	0.010	0.002	5.59	0.018	2.24	1.515	14.65	4.6	0.47	58.0	<0.005	0.09
N915104	16.55	0.099	2.67	0.016	0.002	3.12	0.005	2.43	0.173	9.23	3.9	0.42	40.9	<0.005	0.22
N915105	16.50	0.106	1.710	0.017	0.005	3.52	0.014	0.80	0.191	9.94	1.9	0.31	42.3	<0.005	0.07
N915106	18.90	0.118	1.600	0.023	0.004	4.15	0.008	0.97	0.229	11.80	4.3	0.31	46.4	<0.005	0.10
N915107	18.70	0.147	1.485	0.012	0.006	6.51	0.004	0.58	0.498	10.70	1.5	0.16	69.1	<0.005	0.06
N915108	16.75	0.108	2.06	0.009	0.003	6.80	0.002	0.59	1.120	13.65	1.1	0.15	50.6	<0.005	0.13
N915109	35.4	0.140	0.795	0.016	0.005	3.29	0.003	0.20	0.233	6.10	0.8	0.26	49.9	<0.005	0.06
N915110	44.5	0.129	1.070	0.012	0.003	3.66	0.002	0.10	0.106	6.99	0.7	0.36	46.3	<0.005	0.02
N915111	25.1	0.139	1.215	0.011	0.005	4.42	0.002	0.19	0.107	8.99	0.7	0.27	61.0	<0.005	0.01
N915112	12.85	0.116	1.250	0.004	0.003	3.56	0.001	0.77	0.156	6.81	0.8	0.23	56.4	<0.005	0.02
N915113	13.75	0.057	4.01	0.002	<0.002	7.15	0.001	0.01	0.202	3.21	0.2	1.33	86.5	<0.005	0.01
N915114	10.60	0.115	2.22	0.002	0.002	4.71	0.002	1.09	0.080	6.70	0.6	0.19	53.4	<0.005	0.06
N915115	10.80	0.111	3.20	0.003	0.002	5.74	0.003	1.99	0.108	6.52	1.5	0.16	51.6	<0.005	0.48
N915116	11.10	0.115	1.790	0.003	0.002	5.20	0.002	2.12	0.142	6.31	2.7	0.14	43.4	<0.005	0.47
N915117	14.95	0.116	1.165	0.005	0.004	4.41	0.004	1.30	0.161	8.46	1.6	0.21	46.0	<0.005	0.18
N915118	23.7	0.138	1.565	0.008	0.007	3.56	0.004	1.08	0.211	8.61	1.9	0.30	46.0	<0.005	0.08
N915119	18.30	0.130	2.70	0.008	0.004	5.94	0.017	1.34	1.630	15.70	2.9	0.26	60.3	<0.005	0.13
N915120	16.90	0.130	3.69	0.002	0.004	5.90	0.055	2.10	0.250	11.00	5.2	0.21	34.4	<0.005	0.29
N915121	11.20	0.110	3.15	0.002	0.002	4.88	0.017	1.66	0.365	6.39	4.2	0.17	31.9	<0.005	0.14
N915122	17.75	0.141	2.39	0.010	0.003	7.83	0.067	1.16	0.137	9.17	2.7	0.18	61.0	<0.005	0.10
N915123	18.00	0.147	0.721	0.004	0.003	5.26	0.015	0.93	0.107	9.75	2.9	0.26	41.1	<0.005	0.03
N915124	14.60	0.134	0.611	0.060	0.013	4.52	0.174	0.98	0.069	7.79	3.3	0.28	36.4	<0.005	0.07
N915125	26.2	0.074	77.9	0.004	<0.002	4.87	0.095	0.51	120.5	1.840	2.7	1.73	125.5	<0.005	2.79
N915126	15.40	0.135	0.586	0.065	0.012	4.89	0.011	0.92	0.114	7.78	4.1	0.27	40.7	<0.005	0.11
N915127	16.10	0.136	0.557	0.024	0.005	4.54	0.023	0.73	0.083	8.64	3.1	0.25	47.8	<0.005	0.03
N915128	17.95	0.138	0.696	0.007	0.003	3.95	0.034	0.85	0.109	9.42	2.9	0.27	45.8	<0.005	0.10
N915129	14.60	0.108	0.795	0.003	0.002	3.85	0.101	1.17	0.115	8.80	2.4	0.27	40.0	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915090		0.432	0.007	0.095	0.121	85.7	0.030	14.50	80.8	0.83
N915091		0.438	0.018	0.087	0.112	77.9	0.039	12.15	58.6	1.06
N915092		0.402	0.118	0.030	0.194	145.5	0.040	10.80	63.3	5.34
N915093		0.401	0.085	0.037	0.164	137.0	0.036	10.15	72.7	3.48
N915094		0.374	0.092	0.051	0.154	143.5	0.121	8.97	90.8	2.75
N915095		0.214	0.194	0.023	0.139	153.0	0.147	6.59	45.9	5.09
N915096		0.240	0.151	0.027	0.132	156.0	0.098	7.40	49.0	4.13
N915097		0.204	0.168	0.017	0.175	133.0	0.124	5.60	50.7	5.14
N915098		0.233	0.194	0.016	0.210	140.0	0.134	6.31	56.0	6.54
N915099		0.212	0.172	0.016	0.174	125.5	0.158	5.51	47.7	5.24
N915100		1.365	0.067	0.055	1.530	37.1	9.65	5.93	122.0	4.70
N915101		0.332	0.160	0.031	0.165	181.0	0.101	9.00	28.2	2.72
N915102		0.327	0.179	0.026	0.183	176.0	0.144	7.71	26.4	3.71
N915103		0.329	0.037	0.047	0.280	160.5	0.055	10.15	50.3	1.72
N915104		0.380	0.093	0.023	0.200	164.0	0.099	8.73	34.2	1.83
N915105		0.402	0.085	0.025	0.133	198.0	0.166	9.19	32.6	2.38
N915106		0.381	0.073	0.025	0.120	178.5	0.072	8.97	37.9	1.95
N915107		0.437	0.049	0.039	0.114	126.0	0.078	10.80	25.2	1.32
N915108		0.456	0.002	0.048	0.098	133.0	0.198	11.65	33.1	0.87
N915109		0.584	0.226	0.021	0.165	165.0	0.141	8.43	21.9	2.74
N915110		0.513	0.226	0.016	0.184	176.0	0.100	8.50	29.2	2.87
N915111		0.489	0.199	0.023	0.202	175.0	0.078	6.79	39.5	3.53
N915112		0.355	0.094	0.020	0.184	102.0	0.056	6.34	48.5	5.57
N915113		2.36	0.151	0.043	0.847	98.5	0.661	5.14	43.9	1.96
N915114		0.310	0.037	0.027	0.163	89.6	0.086	7.46	47.7	3.53
N915115		0.272	0.031	0.036	0.219	75.4	0.138	7.50	47.1	4.07
N915116		0.299	0.022	0.032	0.174	76.1	0.071	7.37	44.3	3.98
N915117		0.345	0.052	0.031	0.142	101.0	0.067	7.53	32.8	3.93
N915118		0.468	0.180	0.022	0.177	149.0	0.118	6.13	32.3	4.33
N915119		0.462	0.039	0.033	0.197	156.0	0.050	12.35	44.6	2.59
N915120		0.404	0.062	0.034	0.200	128.5	0.047	9.10	42.4	2.32
N915121		0.365	0.014	0.040	0.212	68.7	0.032	8.35	33.0	3.48
N915122		0.568	0.010	0.044	0.189	91.7	0.051	9.87	37.9	2.25
N915123		0.720	0.075	0.026	0.213	160.5	0.031	9.49	21.8	3.22
N915124		0.562	0.218	0.024	0.170	167.5	0.140	8.04	17.0	2.78
N915125		1.245	0.065	0.052	1.490	37.1	8.37	5.60	125.5	4.33
N915126		0.537	0.233	0.023	0.155	177.0	0.206	7.96	14.4	3.00
N915127		0.498	0.167	0.019	0.175	163.5	0.160	8.60	20.1	4.03
N915128		0.628	0.110	0.017	0.146	150.5	0.081	9.51	23.2	2.83
N915129		0.388	0.048	0.024	0.139	115.5	0.035	8.59	15.5	5.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915130		6.45	0.0301	0.387	1.44	2.92	<10	102.0	0.33	0.022	2.71	0.077	13.55	26.2	20.1	1.875
N915131		6.83	0.0148	0.242	1.17	4.70	<10	186.5	0.41	0.019	2.33	0.097	13.85	20.9	20.2	4.88
N915132		5.86	0.0522	0.228	1.82	2.11	<10	33.3	0.29	0.011	1.55	0.063	16.30	17.60	30.4	3.14
N915133		5.72	0.0905	0.399	1.44	2.55	<10	19.1	0.32	0.018	2.97	0.042	14.30	23.2	25.2	2.39
N915134		5.78	0.0515	0.355	1.70	2.07	<10	31.9	0.30	0.023	4.10	0.056	10.90	21.3	24.1	2.67
N915135		7.56	0.0859	0.762	1.83	2.64	<10	66.4	0.26	0.023	4.00	0.092	7.92	22.1	32.7	2.37
N915136		7.44	0.146	0.500	1.76	2.01	<10	99.2	0.32	0.027	3.52	0.055	10.10	25.2	34.4	1.630
N915137		7.31	0.0363	0.152	1.07	1.66	<10	429	0.25	0.009	3.64	0.055	9.59	17.85	30.7	1.350
N915138		0.05	0.0013	0.104	1.74	1.12	<10	135.0	0.13	0.057	0.99	0.076	14.25	9.42	18.20	0.320
N915139		6.01	0.0148	0.101	0.69	2.60	<10	223	0.35	0.008	3.75	0.038	11.75	16.40	45.9	1.660
N915140		6.75	0.129	0.266	0.50	2.86	<10	406	0.33	0.011	3.53	0.038	9.88	19.00	32.7	1.650
N915141		3.15	0.0491	0.282	0.50	12.60	<10	486	0.38	0.009	5.01	0.139	8.67	19.20	27.4	4.12
N915142		6.07	0.0315	0.400	0.48	15.30	<10	373	0.40	0.014	5.39	0.234	7.38	20.0	17.70	6.55
N915143		6.75	0.0434	0.279	0.66	7.21	<10	437	0.48	0.015	4.91	0.077	10.95	21.6	34.1	2.80
N915144		6.37	0.0708	0.280	0.52	3.82	<10	431	0.35	0.009	4.20	0.059	9.79	13.85	10.60	3.16
N915145		4.19	0.130	0.522	0.55	13.95	<10	256	0.38	0.014	4.45	0.101	9.85	16.60	9.37	4.09
N915146		5.42	0.0444	0.293	0.55	23.8	<10	264	0.38	0.012	3.78	0.077	11.65	19.00	7.87	2.71
N915147		4.28	0.0217	0.270	0.58	22.4	<10	193.5	0.49	0.012	3.59	0.271	11.90	20.2	7.25	3.27
N915148		7.28	0.0336	0.625	0.61	76.1	<10	238	0.49	0.024	4.09	0.256	11.25	20.3	10.70	5.60
N915149		3.78	0.0520	0.274	0.50	40.8	<10	409	0.29	0.014	3.79	0.274	10.75	17.45	11.00	3.40
N915150		0.05	0.862	57.2	1.06	971	20	109.5	0.23	25.4	3.41	1.045	14.20	37.0	33.0	0.775
N915151		5.36	0.0427	0.206	0.47	5.36	10	1085	0.22	0.016	4.73	0.168	8.86	13.90	5.21	5.19
N915152		5.22	0.0527	0.726	0.41	33.5	<10	431	0.25	0.046	5.07	0.386	5.67	19.70	5.28	9.27
N915153		6.51	0.0861	0.542	0.85	12.80	<10	50.6	0.26	0.030	4.33	0.074	7.25	20.9	27.0	2.89
N915154		7.16	0.133	0.573	1.74	4.50	<10	120.0	0.29	0.042	3.82	0.069	8.34	20.3	36.2	3.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915130		1070	4.55	6.42	0.051	0.107	0.122	0.023	0.11	5.91	11.6	1.46	376	9.06	0.024	0.002
N915131		820	4.09	3.90	0.042	0.074	0.111	0.016	0.19	6.01	4.5	1.11	354	11.60	0.028	<0.002
N915132		1215	3.97	6.98	0.053	0.082	0.054	0.019	0.11	7.47	10.4	1.63	408	4.05	0.022	0.004
N915133		1600	4.07	6.45	0.059	0.081	0.102	0.022	0.11	6.59	9.9	1.56	454	34.7	0.024	0.004
N915134		1180	4.47	6.53	0.063	0.089	0.070	0.023	0.17	4.91	13.6	1.69	503	17.85	0.027	0.004
N915135		1735	4.57	7.29	0.071	0.062	0.068	0.030	0.14	3.53	15.0	2.28	485	4.02	0.029	0.003
N915136		2350	4.77	8.69	0.069	0.061	0.134	0.031	0.09	4.46	19.0	2.16	475	3.74	0.028	0.005
N915137		766	4.01	5.30	0.039	0.033	0.078	0.016	0.09	4.27	8.9	1.93	447	5.07	0.027	<0.002
N915138		89.4	3.36	5.40	0.057	0.112	<0.004	0.007	0.21	6.50	7.8	0.80	489	5.51	0.198	0.157
N915139		399	3.89	3.22	0.040	0.025	0.038	0.017	0.09	5.27	4.4	1.65	462	7.45	0.030	0.003
N915140		968	3.81	2.24	0.040	0.026	0.083	0.019	0.11	4.38	2.7	1.20	454	3.23	0.025	<0.002
N915141		1365	4.41	1.455	0.039	0.031	0.053	0.024	0.21	3.48	2.2	2.21	635	7.70	0.020	<0.002
N915142		1035	4.34	1.105	0.036	0.028	0.076	0.026	0.25	3.06	2.1	2.45	656	9.11	0.014	<0.002
N915143		1540	4.25	2.40	0.037	0.040	0.074	0.038	0.15	4.73	4.0	1.33	482	31.1	0.022	<0.002
N915144		1420	2.93	1.675	0.033	0.023	0.057	0.024	0.16	4.36	2.0	0.92	299	4.39	0.021	<0.002
N915145		2690	3.14	1.645	0.035	0.033	0.107	0.038	0.19	4.19	1.8	1.46	298	34.5	0.024	0.002
N915146		1480	4.10	2.10	0.045	0.034	0.091	0.021	0.15	5.03	3.0	1.64	421	8.91	0.033	<0.002
N915147		752	4.41	2.23	0.050	0.033	0.207	0.019	0.14	5.12	3.2	1.60	511	10.90	0.025	<0.002
N915148		1050	4.52	2.35	0.050	0.033	0.454	0.021	0.17	4.78	3.9	1.87	538	8.42	0.027	0.002
N915149		1525	4.00	1.865	0.044	0.042	0.141	0.018	0.18	4.63	3.2	1.84	448	11.80	0.022	<0.002
N915150		3660	2.93	3.78	0.078	0.170	0.788	0.089	0.15	8.38	10.4	0.37	664	531	0.090	0.275
N915151		679	3.80	1.155	0.040	0.035	0.060	0.010	0.27	3.75	1.4	1.86	461	5.20	0.019	<0.002
N915152		1385	3.96	0.932	0.046	0.036	0.246	0.028	0.27	2.42	1.5	1.93	748	5.58	0.015	<0.002
N915153		2360	4.46	3.15	0.056	0.042	0.072	0.029	0.14	3.04	6.3	1.94	532	3.80	0.031	<0.002
N915154		2180	4.40	8.03	0.077	0.074	0.176	0.056	0.10	3.40	17.8	2.29	507	5.46	0.030	<0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915130		15.55	0.139	1.835	0.003	0.003	5.32	0.044	1.30	0.711	10.90	4.1	0.18	44.8	<0.005	0.04
N915131		15.70	0.140	3.31	0.003	0.002	9.31	0.058	0.99	1.515	10.20	3.7	0.16	66.9	<0.005	0.04
N915132		19.00	0.156	0.935	0.006	<0.002	5.57	0.021	0.45	0.524	13.05	2.5	0.21	63.1	<0.005	0.03
N915133		17.80	0.146	1.025	0.006	0.002	5.82	0.205	0.84	0.397	10.00	3.5	0.13	58.8	<0.005	0.04
N915134		18.25	0.124	0.976	0.005	0.003	7.64	0.047	0.68	0.259	10.45	2.9	0.13	56.8	<0.005	0.05
N915135		26.6	0.108	1.300	0.012	<0.002	6.49	0.013	0.75	0.353	14.45	2.9	0.18	72.8	<0.005	0.02
N915136		24.3	0.122	0.654	0.017	0.006	4.20	0.020	0.88	0.250	14.00	4.3	0.22	61.7	<0.005	0.08
N915137		20.5	0.100	0.466	0.012	0.003	4.14	0.020	0.49	0.208	13.75	1.9	0.15	91.5	<0.005	0.03
N915138		13.35	0.058	3.92	0.002	<0.002	7.10	<0.001	0.02	0.228	3.12	0.2	1.41	87.7	<0.005	0.01
N915139		25.2	0.129	0.977	0.009	0.002	4.15	0.035	0.28	0.158	11.60	1.3	0.09	105.0	<0.005	0.01
N915140		20.0	0.117	0.663	0.038	0.003	5.05	0.012	0.61	0.139	11.90	2.5	0.10	103.5	<0.005	0.04
N915141		21.5	0.111	2.28	0.011	0.005	7.99	0.043	0.60	0.606	13.50	2.6	0.08	108.5	<0.005	0.02
N915142		16.55	0.108	2.62	0.008	0.005	10.15	0.050	0.52	0.950	13.80	2.7	0.04	107.0	<0.005	0.04
N915143		19.50	0.124	1.885	0.011	0.005	7.09	0.157	0.66	0.395	16.85	3.6	0.08	125.5	<0.005	0.03
N915144		10.55	0.122	1.155	0.010	0.003	7.22	0.025	0.40	0.372	7.99	2.7	0.05	106.0	<0.005	0.01
N915145		11.75	0.129	1.810	0.007	0.002	8.17	0.155	0.75	1.265	7.50	3.6	0.07	104.0	<0.005	0.07
N915146		10.25	0.142	2.09	0.003	<0.002	6.52	0.045	0.60	0.896	9.35	3.1	0.07	100.5	<0.005	0.01
N915147		11.90	0.144	10.35	0.002	0.002	6.29	0.036	1.11	1.340	9.87	3.2	0.08	95.7	<0.005	0.02
N915148		13.15	0.134	5.84	0.009	0.003	7.37	0.038	0.84	2.86	10.65	3.3	0.10	90.6	<0.005	0.07
N915149		14.35	0.117	14.40	0.006	0.002	7.65	0.075	0.50	2.02	9.92	3.6	0.07	94.4	<0.005	0.04
N915150		30.2	0.075	84.3	0.003	<0.002	5.63	0.106	0.51	134.0	2.32	3.0	2.00	131.0	<0.005	3.89
N915151		11.55	0.111	3.16	0.006	0.003	10.10	0.024	0.28	0.237	10.05	1.6	0.05	120.0	<0.005	0.04
N915152		15.05	0.087	2.75	0.006	0.003	10.60	0.022	0.67	0.671	12.05	3.6	0.04	118.5	<0.005	0.06
N915153		21.0	0.097	1.875	0.010	0.004	6.35	0.023	0.72	0.838	18.65	3.0	0.12	121.0	<0.005	0.06
N915154		26.4	0.095	1.220	0.009	0.004	5.43	0.043	0.96	0.399	23.4	3.3	0.26	128.5	<0.005	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915130		0.546	0.005	0.037	0.142	121.5	0.038	11.75	27.7	2.87
N915131		0.677	0.003	0.071	0.166	104.0	0.036	10.55	44.2	2.13
N915132		0.782	0.005	0.031	0.119	132.0	0.040	12.70	24.2	2.05
N915133		0.640	0.006	0.033	0.170	106.0	0.112	13.00	27.4	2.24
N915134		0.422	0.007	0.038	0.138	105.5	0.184	10.10	28.5	3.07
N915135		0.278	0.012	0.039	0.092	156.5	0.603	10.50	35.4	1.96
N915136		0.343	0.040	0.031	0.084	176.5	0.034	13.05	24.0	0.93
N915137		0.385	0.005	0.027	0.067	149.5	0.029	11.95	19.6	0.60
N915138		2.64	0.156	0.045	0.885	96.9	0.601	5.25	43.8	2.02
N915139		0.619	0.004	0.034	0.086	140.5	0.034	10.45	23.0	0.60
N915140		0.413	0.002	0.047	0.066	121.0	0.037	9.26	20.5	0.61
N915141		0.377	0.001	0.054	0.120	89.4	0.094	8.74	34.9	0.83
N915142		0.392	0.001	0.074	0.157	69.1	0.046	8.51	38.0	0.97
N915143		0.465	0.002	0.065	0.093	134.0	0.043	8.97	28.5	1.10
N915144		0.486	0.001	0.054	0.080	82.4	0.228	9.06	17.5	0.66
N915145		0.559	0.001	0.104	0.089	87.1	0.086	9.60	21.7	0.82
N915146		0.482	0.001	0.062	0.078	123.5	0.089	8.67	22.9	0.76
N915147		0.471	0.001	0.184	0.110	116.0	0.212	9.77	56.8	1.03
N915148		0.514	0.001	0.130	0.211	117.0	1.380	9.41	46.8	1.12
N915149		0.524	0.001	0.067	0.085	108.0	0.054	9.22	43.9	1.25
N915150		1.565	0.061	0.048	1.725	39.7	9.00	6.74	131.5	4.94
N915151		0.437	<0.001	0.062	0.066	57.3	0.066	9.29	35.9	0.81
N915152		0.291	<0.001	0.081	0.134	50.2	0.038	8.06	52.9	1.10
N915153		0.227	0.003	0.051	0.073	146.0	0.024	10.40	28.5	1.24
N915154		0.321	0.014	0.043	0.071	168.5	0.015	13.25	31.3	1.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 20- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116740

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

CERTIFICATE KL14114039

Project: Dillard

This report is for 16 Rock samples submitted to our lab in Kamloops, BC, Canada on 1- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14114039

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
Q345901		1.00	0.0278	3.89	1.54	1.82	<10	366	0.27	0.051	3.93	0.158	16.90	47.2	10.30	3.74
Q345902		1.58	0.0032	0.225	2.19	1.71	<10	48.2	0.35	0.008	3.79	0.111	8.06	28.0	46.3	1.310
Q345903		1.04	0.0078	0.071	1.26	1.11	10	39.6	0.38	0.004	1.41	0.042	22.0	12.80	4.85	0.775
Q345904		1.42	0.0369	0.378	2.24	10.60	<10	28.3	0.20	0.130	1.20	0.096	7.25	57.7	36.3	1.220
Q345905		1.70	0.0261	0.297	3.62	7.65	<10	73.1	0.14	0.088	1.68	0.068	3.63	37.1	46.6	1.515
Q345906		1.65	0.0357	0.255	3.11	5.22	10	129.0	0.19	0.041	1.41	0.057	8.47	36.0	32.4	3.12
Q345907		1.76	0.0430	0.324	1.97	1.48	<10	42.5	0.24	0.042	1.03	0.062	7.39	37.7	48.1	0.136
Q345908		0.56	0.0156	0.236	0.78	14.95	<10	194.5	0.27	0.013	1.25	1.005	5.38	8.58	19.35	16.55
Q345909		0.74	0.146	0.224	2.00	4.04	<10	85.9	0.15	0.446	1.05	0.034	4.23	36.3	27.9	0.324
Q345910		0.89	0.0088	0.158	3.45	1.17	<10	367	0.16	0.009	3.18	0.031	4.80	25.8	43.3	0.652
Q345911		1.34	0.0107	0.384	0.60	0.67	<10	200	0.08	0.019	2.26	0.105	12.75	10.05	12.20	0.435
Q345912		0.45	0.0065	0.032	1.64	3.52	<10	19.7	0.26	0.059	1.57	0.054	3.94	19.50	46.2	0.141
Q345913		1.23	0.0701	0.754	1.20	2.40	<10	124.0	0.10	0.188	0.97	0.114	11.10	24.0	31.0	2.17
Q345914		0.98	0.0570	0.387	1.22	1.92	<10	114.5	0.12	0.057	0.81	0.047	4.90	18.25	16.95	1.100
Q345915		6.94	0.103	0.108	1.40	1.80	<10	168.5	0.15	0.146	1.11	0.061	4.87	10.75	10.65	1.025
Q345916		1.32	0.364	3.36	1.17	10.00	<10	21.8	0.14	0.391	1.33	0.281	3.56	82.9	59.9	0.684

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14114039

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
Q345901		4270	3.33	4.20	0.059	0.057	0.036	0.061	0.29	7.72	7.7	1.04	985	0.86	0.007	0.012
Q345902		205	5.54	8.39	0.127	0.393	0.023	0.021	0.10	3.46	12.3	2.13	1300	0.42	0.056	0.052
Q345903		307	3.34	6.80	0.188	0.205	0.017	0.006	0.28	10.20	6.6	1.10	601	0.40	0.052	0.213
Q345904		2790	8.14	10.05	0.203	0.231	0.400	0.010	0.08	3.00	8.0	2.48	369	3.45	0.080	0.051
Q345905		1690	5.87	11.40	0.160	0.081	0.167	0.008	0.22	1.565	12.8	2.60	227	8.46	0.204	0.035
Q345906		2160	4.03	8.93	0.114	0.082	0.153	0.005	0.25	3.77	12.1	2.30	196.0	1.21	0.108	0.036
Q345907		1515	5.18	7.44	0.106	0.174	0.117	0.011	0.10	3.44	8.5	1.85	393	2.12	0.043	0.046
Q345908		1650	2.26	3.07	0.045	0.068	0.308	0.037	0.25	2.64	4.3	0.45	721	0.59	0.006	0.011
Q345909		483	6.71	7.82	0.140	0.185	0.027	0.019	0.09	1.770	10.4	2.05	405	5.05	0.064	0.065
Q345910		247	4.26	7.17	0.070	0.231	0.015	0.015	0.11	1.975	18.1	3.59	2010	0.18	0.011	0.006
Q345911		818	1.880	3.51	0.039	0.062	0.024	<0.005	0.07	6.03	4.0	0.49	466	1.75	0.030	0.017
Q345912		221	4.17	5.69	0.165	0.392	0.025	0.010	0.06	1.480	8.6	1.82	497	0.53	0.041	0.066
Q345913		716	4.17	4.59	0.143	0.187	0.009	0.006	0.53	5.15	7.6	1.18	374	0.96	0.077	0.078
Q345914		347	2.59	3.81	0.064	0.152	0.008	0.017	0.52	2.24	9.1	0.91	291	1.32	0.091	0.044
Q345915		41.3	2.21	4.50	0.058	0.148	0.015	<0.005	0.17	2.36	7.4	0.43	168.0	0.64	0.127	0.073
Q345916		2740	3.90	3.60	0.094	0.135	0.011	0.011	0.20	1.425	9.5	0.93	316	0.77	0.051	0.109

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14114039

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
Q345901		10.35	0.142	1.520	0.007	0.002	9.20	0.001	0.73	0.404	3.55	6.8	0.11	259	<0.005	0.02
Q345902		26.6	0.184	1.945	0.013	0.004	8.15	<0.001	0.03	0.389	11.45	0.2	0.32	72.8	<0.005	0.01
Q345903		3.64	0.166	0.347	0.008	0.002	15.00	<0.001	0.04	0.127	3.96	0.6	0.27	52.0	<0.005	<0.01
Q345904		33.1	0.197	2.59	0.023	0.003	3.98	0.017	5.98	0.057	19.85	6.7	0.46	57.8	<0.005	0.28
Q345905		24.6	0.107	1.110	0.011	0.004	8.84	0.017	2.78	0.036	17.70	9.0	0.48	72.4	<0.005	0.21
Q345906		27.3	0.107	0.698	0.016	0.003	9.54	0.009	1.50	0.030	14.70	3.3	0.48	506	<0.005	0.08
Q345907		30.7	0.175	0.591	0.039	0.005	3.80	0.012	1.37	0.035	7.96	4.6	0.26	86.1	<0.005	0.04
Q345908		8.52	0.106	57.7	0.005	0.002	14.85	0.003	0.05	1.120	15.85	1.2	0.15	26.9	<0.005	0.02
Q345909		19.90	0.176	0.907	0.014	0.004	2.58	0.020	3.45	0.096	5.61	3.8	0.42	56.6	<0.005	1.08
Q345910		34.1	0.122	1.285	0.005	0.002	2.74	<0.001	0.07	0.133	15.00	0.5	0.21	92.6	<0.005	0.11
Q345911		4.03	0.098	0.766	0.005	0.002	2.29	0.006	0.22	0.067	3.13	1.4	0.10	37.1	<0.005	0.06
Q345912		28.0	0.144	0.859	0.006	0.005	1.580	<0.001	0.09	0.157	4.21	0.4	0.28	77.3	<0.005	0.11
Q345913		16.35	0.145	1.240	0.006	0.002	29.0	0.002	0.84	0.335	4.41	1.8	0.29	45.4	<0.005	0.24
Q345914		11.70	0.101	2.08	0.002	0.004	15.25	0.004	1.04	0.168	5.61	1.8	0.23	50.1	<0.005	0.13
Q345915		7.68	0.122	1.915	0.004	0.002	7.68	0.001	0.67	0.130	3.48	0.7	0.11	65.2	<0.005	0.23
Q345916		34.5	0.157	3.45	0.011	0.006	8.38	0.006	1.97	0.806	3.30	3.4	0.27	67.1	<0.005	0.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14114039

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
Q345901		0.885	0.008	0.082	0.190	53.1	0.034	9.49	60.7	1.93
Q345902		0.732	0.214	0.043	0.325	224	0.167	8.84	85.3	11.00
Q345903		1.150	0.186	0.044	0.231	148.5	0.075	11.45	34.6	4.42
Q345904		0.819	0.283	0.037	0.378	270	0.917	11.15	55.2	5.23
Q345905		0.127	0.300	0.061	0.123	243	0.606	8.46	29.4	1.58
Q345906		0.500	0.264	0.059	0.156	219	0.143	13.65	13.7	1.92
Q345907		0.629	0.230	0.012	0.256	184.0	0.170	6.53	15.9	3.76
Q345908		0.383	0.011	0.236	0.079	129.5	0.024	7.13	254	1.31
Q345909		0.314	0.270	0.025	0.177	177.5	0.538	5.78	30.3	4.40
Q345910		0.323	0.159	0.013	0.138	177.0	0.071	8.38	147.0	5.75
Q345911		0.585	0.006	0.042	0.153	76.5	0.031	6.73	21.4	2.14
Q345912		0.220	0.260	0.025	0.182	114.0	0.202	6.12	29.9	11.15
Q345913		0.875	0.256	0.148	0.382	158.5	0.189	8.20	40.4	3.58
Q345914		0.222	0.165	0.083	0.140	95.1	0.315	5.11	24.4	2.85
Q345915		0.329	0.122	0.055	0.111	87.7	0.768	4.82	13.6	3.32
Q345916		0.177	0.225	0.054	0.173	73.5	0.234	5.79	33.3	2.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14114039

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.
CRU- 31 LOG- 22 PUL- 31 PUL- QC
SPL- 21 WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

CERTIFICATE KL14119807

Project: Dillard

This report is for 53 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 11- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915291		3.08	0.0230	0.137	1.97	1.45	<10	315	0.25	0.010	1.72	0.030	8.09	10.50	32.1	0.341
N915292		7.22	0.0105	0.141	1.85	1.98	<10	353	0.23	0.012	1.59	0.044	8.49	10.35	24.3	0.536
N915293		10.38	0.0180	0.127	1.87	3.55	<10	275	0.25	0.011	1.76	0.059	7.59	12.15	25.0	0.592
N915294		9.59	0.0136	0.129	1.78	1.66	<10	285	0.19	0.012	1.67	0.060	7.56	9.56	20.7	0.610
N915295		9.44	0.0233	0.174	2.06	3.65	<10	370	0.20	0.017	1.99	0.071	8.44	10.00	24.2	1.290
N915296		11.36	0.0348	0.237	1.93	1.59	<10	197.0	0.18	0.007	2.11	0.049	8.29	9.56	23.2	1.140
N915297		11.03	0.0216	0.148	1.70	0.97	<10	249	0.20	0.018	3.01	0.056	12.90	13.05	16.25	1.275
N915298		10.94	0.0423	0.196	1.84	2.00	<10	274	0.23	0.037	2.99	0.046	8.41	13.35	22.0	1.330
N915299		7.17	0.109	0.289	1.55	10.25	<10	116.5	0.25	0.040	3.72	0.114	8.56	13.55	21.7	2.17
N915300		0.05	0.740	55.3	1.07	961	20	108.5	0.20	21.7	3.26	0.803	12.75	33.1	30.0	0.803
N915301		11.73	0.0756	0.271	1.52	2.80	<10	66.4	0.12	0.051	2.35	0.040	6.65	12.50	24.2	0.946
N915302		10.15	0.0283	0.215	1.58	1.73	<10	71.6	0.16	0.033	2.20	0.057	7.27	11.35	23.5	0.735
N915303		7.53	0.0241	0.145	1.88	1.20	<10	195.5	0.18	0.022	2.49	0.033	7.39	10.40	24.0	0.805
N915304		12.18	0.0099	0.097	1.93	0.72	<10	177.0	0.21	0.013	2.18	0.034	6.64	9.86	22.0	0.646
N915305		9.64	0.0162	0.082	1.90	0.85	<10	188.5	0.21	0.008	2.29	0.040	6.54	9.89	20.5	0.797
N915306		10.69	0.0305	0.184	1.91	1.12	<10	126.5	0.17	0.027	2.41	0.038	6.23	11.55	22.5	0.548
N915307		8.41	0.0216	0.257	1.84	0.98	<10	90.4	0.20	0.015	2.30	0.043	5.90	13.45	21.9	0.688
N915308		3.87	0.0457	0.279	1.87	1.60	<10	91.4	0.21	0.015	2.51	0.068	7.64	14.15	26.8	0.906
N915309		5.35	0.0600	0.185	2.54	0.89	<10	68.6	0.14	0.035	4.60	0.075	9.17	17.35	159.0	1.345
N915310		6.11	0.0114	0.129	1.84	0.92	<10	156.5	0.19	0.016	2.83	0.048	7.42	12.75	23.5	1.160
N915311		6.01	0.0181	0.164	1.84	0.84	<10	121.0	0.21	0.017	2.07	0.033	7.22	15.00	24.7	0.860
N915312		6.92	0.0156	0.130	1.93	0.84	<10	78.1	0.16	0.021	2.32	0.025	7.48	13.25	25.6	1.025
N915313		0.09	0.0014	0.096	1.80	1.22	<10	132.5	0.09	0.065	1.01	0.068	13.60	8.94	18.65	0.306
N915314		6.83	0.0115	0.145	1.77	0.81	<10	111.0	0.19	0.014	1.99	0.040	6.92	14.25	21.8	0.822
N915315		6.30	0.0847	0.212	1.27	1.03	<10	460	0.26	0.022	3.85	0.033	9.40	12.85	15.55	3.16
N915316		6.14	0.0978	0.361	1.58	0.90	<10	106.5	0.20	0.017	2.02	0.044	7.76	15.55	18.75	2.32
N915317		6.34	0.0664	0.344	1.28	1.14	<10	59.0	0.14	0.026	3.58	0.030	9.29	10.30	20.2	1.420
N915318		5.07	0.190	0.281	2.28	0.79	<10	319	0.18	0.013	1.73	0.030	9.00	17.85	29.4	2.78
N915319		5.87	0.0668	0.442	1.93	1.21	<10	530	0.27	0.014	3.54	0.037	10.05	23.4	42.2	4.21
N915320		6.05	0.0737	0.857	2.23	1.53	<10	128.0	0.24	0.032	2.35	0.068	9.83	47.9	76.1	2.55
N915321		6.35	0.0259	0.194	1.58	2.09	<10	409	0.25	0.015	3.00	0.032	8.22	20.8	65.5	2.66
N915322		7.41	0.0270	0.316	1.85	1.73	<10	282	0.30	0.020	3.90	0.056	9.38	27.1	69.1	4.25
N915323		5.77	0.0232	0.308	2.20	2.10	<10	114.5	0.18	0.018	1.75	0.050	7.72	26.2	42.2	1.470
N915324		6.23	0.0454	0.386	1.79	1.97	<10	56.1	0.20	0.009	1.70	0.038	7.52	24.0	116.5	0.652
N915325		0.05	0.765	57.0	1.08	976	20	111.5	0.17	24.7	3.28	0.881	12.35	35.0	28.6	0.637
N915326		6.48	0.0398	0.475	1.71	1.69	<10	46.3	0.16	0.088	2.74	0.051	6.58	16.30	38.3	0.632
N915327		5.46	0.0231	0.194	1.89	1.34	<10	349	0.25	0.026	2.38	0.039	8.41	13.70	24.5	0.807
N915328		5.50	0.0053	0.080	1.85	0.71	<10	293	0.14	0.005	1.58	0.010	6.78	10.75	21.2	0.452
N915329		6.08	0.0116	0.098	1.82	0.69	<10	244	0.15	0.008	1.59	0.009	6.36	12.20	21.9	0.409
N915330		6.32	0.0390	0.352	1.64	1.47	<10	73.3	0.19	0.024	2.38	0.035	8.48	20.9	44.8	0.607

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915291		325	3.07	6.29	0.099	0.211	0.043	0.015	0.11	3.83	7.5	1.00	340	0.18	0.118	0.020
N915292		313	3.17	5.83	0.089	0.187	0.052	0.007	0.11	4.02	6.8	0.94	342	0.27	0.121	0.023
N915293		334	3.30	6.30	0.102	0.155	0.046	0.008	0.10	3.67	8.1	1.16	370	0.28	0.111	0.028
N915294		293	2.95	5.47	0.095	0.224	0.040	0.011	0.11	3.53	7.5	1.04	321	0.19	0.112	0.023
N915295		475	3.58	5.95	0.091	0.203	0.053	0.009	0.13	3.96	9.0	1.09	382	0.41	0.123	0.016
N915296		485	3.39	5.55	0.076	0.225	0.050	0.011	0.13	3.85	8.7	1.07	337	0.49	0.112	0.022
N915297		328	3.21	5.71	0.055	0.187	0.033	0.011	0.17	6.11	9.1	1.09	496	0.51	0.077	0.015
N915298		346	3.55	5.80	0.074	0.228	0.043	0.011	0.13	3.88	9.9	1.30	500	0.93	0.073	0.016
N915299		564	4.13	5.24	0.095	0.184	0.079	0.013	0.13	3.82	8.8	1.26	509	4.49	0.053	0.014
N915300		3640	2.87	3.82	0.060	0.140	0.673	0.086	0.15	7.66	8.1	0.36	654	534	0.095	0.226
N915301		672	3.76	5.06	0.084	0.153	0.126	0.008	0.10	2.86	6.8	1.30	331	2.64	0.049	0.035
N915302		595	3.68	5.26	0.096	0.171	0.050	0.006	0.10	3.14	5.9	1.16	288	3.73	0.074	0.030
N915303		357	3.21	5.61	0.095	0.216	0.041	0.006	0.11	3.35	6.7	1.14	341	2.01	0.129	0.020
N915304		268	3.12	5.14	0.091	0.220	0.034	0.012	0.11	3.14	5.2	0.97	288	1.35	0.153	0.026
N915305		157.5	2.95	5.31	0.077	0.204	0.017	0.012	0.12	2.99	6.2	1.09	331	2.86	0.150	0.026
N915306		342	3.07	5.43	0.087	0.225	0.037	0.013	0.11	2.89	6.6	1.20	351	2.62	0.129	0.025
N915307		599	3.30	5.69	0.095	0.218	0.030	0.015	0.10	2.54	7.7	1.28	364	2.20	0.092	0.029
N915308		466	3.90	6.63	0.106	0.255	0.027	0.014	0.11	3.30	8.8	1.43	442	1.72	0.099	0.029
N915309		195.0	4.25	9.54	0.067	0.136	0.014	0.025	0.12	3.73	19.3	2.46	763	1.24	0.052	0.012
N915310		244	3.17	6.08	0.073	0.205	0.020	0.012	0.12	3.26	8.1	1.24	353	0.94	0.099	0.017
N915311		463	3.29	5.73	0.090	0.225	0.033	0.008	0.10	3.19	7.1	1.28	257	4.31	0.094	0.030
N915312		377	3.34	6.58	0.105	0.232	0.028	0.010	0.11	3.32	7.5	1.41	293	1.99	0.099	0.042
N915313		90.5	3.32	5.49	0.079	0.128	<0.004	0.009	0.21	6.21	6.8	0.79	487	5.14	0.204	0.193
N915314		507	3.18	5.34	0.119	0.229	0.020	<0.005	0.10	3.02	6.5	1.30	317	1.16	0.110	0.029
N915315		997	2.92	4.17	0.068	0.097	0.094	0.013	0.22	3.90	4.7	1.25	269	0.67	0.040	0.004
N915316		1660	2.76	6.15	0.120	0.079	0.031	0.009	0.34	3.11	6.5	1.31	151.5	7.68	0.070	0.014
N915317		1975	1.970	5.50	0.110	0.073	0.021	0.007	0.27	4.30	7.0	1.57	162.0	102.0	0.046	0.027
N915318		1565	3.91	8.13	0.165	0.121	0.032	0.006	0.97	3.87	10.3	2.17	176.5	13.55	0.097	0.068
N915319		1875	4.52	6.91	0.125	0.073	0.076	0.014	0.65	4.43	10.7	2.16	291	7.11	0.049	0.041
N915320		4990	5.61	9.05	0.217	0.076	0.104	0.018	0.61	4.44	15.5	2.49	284	32.7	0.071	0.027
N915321		784	4.05	6.38	0.115	0.070	0.061	0.011	0.25	3.62	10.2	1.92	315	3.29	0.053	0.044
N915322		1145	4.22	5.97	0.081	0.061	0.044	0.013	0.26	3.99	14.2	2.30	365	5.36	0.036	0.015
N915323		1235	4.21	8.14	0.156	0.123	0.079	0.008	0.29	3.26	12.4	2.00	230	3.07	0.114	0.070
N915324		1345	5.22	7.66	0.172	0.105	0.032	<0.005	0.21	3.43	10.5	1.69	260	9.61	0.080	0.073
N915325		3570	2.93	3.41	0.079	0.144	0.690	0.079	0.15	7.42	7.7	0.37	657	523	0.096	0.210
N915326		941	3.37	7.11	0.141	0.108	0.164	0.006	0.10	2.86	8.6	1.49	353	4.20	0.071	0.033
N915327		578	3.26	8.16	0.121	0.101	0.057	<0.005	0.14	3.67	10.2	1.47	222	9.13	0.107	0.027
N915328		266	2.77	6.70	0.101	0.147	0.015	<0.005	0.13	2.98	7.4	1.04	135.5	2.34	0.144	0.059
N915329		323	2.73	6.75	0.096	0.128	0.026	<0.005	0.11	2.84	7.3	1.07	158.0	3.14	0.127	0.055
N915330		1325	3.80	6.35	0.111	0.102	0.050	0.010	0.14	3.80	6.9	1.17	251	4.16	0.076	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915291		13.15	0.132	0.626	0.006	0.002	2.59	<0.001	0.05	0.055	6.35	0.6	0.19	97.3	<0.005	0.03
N915292		11.30	0.131	0.694	0.005	<0.002	2.75	<0.001	0.10	0.046	6.02	0.5	0.17	90.5	<0.005	0.03
N915293		12.90	0.123	0.803	0.006	0.003	2.37	0.001	0.12	0.216	5.60	0.4	0.14	98.1	<0.005	0.06
N915294		10.50	0.126	0.872	0.004	0.003	2.27	0.001	0.13	0.034	5.62	0.6	0.16	79.5	<0.005	0.02
N915295		12.05	0.138	1.225	0.005	0.003	3.15	<0.001	0.12	0.085	7.55	1.0	0.19	91.9	<0.005	0.02
N915296		10.05	0.133	0.769	0.008	0.002	3.13	<0.001	0.08	0.068	6.28	0.6	0.19	84.9	<0.005	0.01
N915297		8.30	0.133	1.935	0.003	0.002	3.93	0.002	0.17	0.105	6.63	0.7	0.12	111.0	<0.005	<0.01
N915298		11.70	0.129	1.325	0.002	0.002	3.56	0.004	0.65	0.131	8.38	2.3	0.16	70.0	<0.005	0.10
N915299		12.15	0.126	1.310	0.005	0.002	3.82	0.025	0.75	0.292	9.38	9.0	0.14	70.4	<0.005	0.14
N915300		25.9	0.072	78.7	0.025	<0.002	5.31	0.096	0.49	129.0	2.10	3.5	1.84	128.5	<0.005	2.82
N915301		11.25	0.130	0.895	0.003	<0.002	2.78	0.012	1.16	0.195	5.75	4.3	0.15	49.2	<0.005	0.23
N915302		10.85	0.131	0.848	0.006	0.002	2.65	0.018	0.99	0.125	4.62	3.0	0.12	58.4	<0.005	0.06
N915303		10.90	0.132	0.546	0.004	0.003	2.32	0.008	0.36	0.039	6.67	1.8	0.24	101.0	<0.005	0.09
N915304		10.15	0.134	0.501	0.003	<0.002	1.965	0.009	0.26	0.021	6.32	0.9	0.18	108.0	<0.005	0.07
N915305		9.92	0.132	0.458	0.004	0.002	2.29	0.019	0.21	0.037	6.69	1.0	0.22	110.5	<0.005	0.04
N915306		11.30	0.127	0.611	0.005	0.003	2.28	0.011	0.45	0.062	6.83	1.8	0.22	100.5	<0.005	0.06
N915307		13.25	0.128	0.529	0.006	0.003	2.37	0.010	0.69	0.052	6.02	3.7	0.25	84.3	<0.005	0.03
N915308		17.20	0.140	1.140	0.005	0.003	3.79	0.006	0.43	0.104	7.36	2.3	0.24	85.3	<0.005	0.05
N915309		37.3	0.113	3.16	0.001	<0.002	3.79	0.002	0.08	0.170	10.45	0.8	0.23	80.3	<0.005	0.02
N915310		12.65	0.127	1.480	0.003	0.002	3.56	0.003	0.21	0.066	6.90	1.3	0.16	96.7	<0.005	0.02
N915311		14.50	0.135	0.586	0.006	0.002	2.67	0.019	0.49	0.030	6.02	2.5	0.21	86.3	<0.005	0.03
N915312		14.65	0.135	0.604	0.006	0.003	3.32	0.007	0.66	0.040	6.52	2.6	0.14	87.5	<0.005	0.03
N915313		13.10	0.057	4.08	<0.001	<0.002	7.15	<0.001	0.01	0.214	3.12	0.2	1.23	87.5	<0.005	0.03
N915314		12.60	0.139	0.470	0.005	0.004	2.44	0.005	0.60	0.034	6.31	2.0	0.20	94.2	<0.005	0.03
N915315		14.20	0.104	0.710	0.011	0.003	8.56	0.005	0.57	0.097	15.60	1.6	0.18	87.9	<0.005	0.04
N915316		14.70	0.097	0.390	0.030	0.003	14.75	0.020	0.65	0.029	16.30	3.0	0.25	54.0	<0.005	0.05
N915317		13.50	0.079	0.331	0.026	0.004	11.45	0.276	0.44	0.019	12.35	3.0	0.18	51.9	<0.005	0.05
N915318		18.20	0.127	0.250	0.025	0.003	40.8	0.035	0.56	0.030	16.10	2.8	0.32	66.9	<0.005	0.03
N915319		28.6	0.127	0.694	0.019	0.005	27.0	0.024	0.67	0.049	16.35	3.0	0.26	74.2	<0.005	0.03
N915320		41.8	0.156	0.340	0.039	0.005	27.7	0.070	1.63	0.082	16.60	7.0	0.40	58.3	<0.005	0.10
N915321		34.3	0.119	0.952	0.012	0.004	11.10	0.011	0.54	0.303	7.62	2.2	0.17	68.6	<0.005	0.03
N915322		46.3	0.111	0.727	0.008	0.004	10.75	0.017	0.99	0.210	13.05	3.0	0.15	73.2	<0.005	0.05
N915323		24.4	0.122	0.494	0.023	0.003	11.80	0.013	1.12	0.059	9.21	4.0	0.29	73.3	<0.005	0.07
N915324		40.4	0.145	0.472	0.015	0.003	9.26	0.036	0.65	0.059	7.44	2.4	0.28	57.0	<0.005	0.07
N915325		26.9	0.074	77.9	0.003	<0.002	4.92	0.089	0.51	130.0	1.840	2.6	1.84	130.0	<0.005	2.58
N915326		19.90	0.119	0.933	0.019	0.005	4.67	0.020	1.30	0.151	7.98	2.4	0.20	47.6	<0.005	0.30
N915327		14.40	0.108	0.445	0.007	0.029	5.29	0.034	0.53	0.083	8.74	2.2	0.13	69.7	<0.005	0.10
N915328		10.25	0.116	0.346	0.001	0.003	4.70	0.010	0.28	0.031	2.77	1.4	0.14	76.5	<0.005	0.02
N915329		11.25	0.115	0.316	0.003	0.002	3.74	0.017	0.31	0.051	2.93	1.3	0.15	70.0	<0.005	0.03
N915330		21.4	0.123	0.410	0.016	0.005	6.12	0.014	0.68	0.054	11.00	2.8	0.23	69.6	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915291		0.623	0.113	0.009	0.146	132.0	0.068	5.21	20.2	6.32
N915292		0.596	0.115	0.010	0.137	139.5	0.321	5.56	20.3	6.27
N915293		0.587	0.149	0.008	0.137	133.5	0.073	5.18	21.8	4.59
N915294		0.545	0.118	0.013	0.131	126.0	0.193	5.05	25.5	6.34
N915295		0.598	0.097	0.022	0.153	142.0	0.084	5.89	31.6	6.92
N915296		0.633	0.110	0.011	0.151	147.0	0.139	5.62	20.6	7.50
N915297		0.558	0.067	0.015	0.181	109.0	0.049	4.73	39.8	6.37
N915298		0.579	0.074	0.015	0.197	128.5	0.098	6.86	32.2	6.59
N915299		0.519	0.066	0.021	0.205	149.0	0.135	8.72	29.2	5.39
N915300		1.385	0.060	0.052	1.475	35.4	9.07	5.38	127.0	4.88
N915301		0.419	0.103	0.012	0.134	134.5	0.124	5.78	19.2	4.07
N915302		0.491	0.111	0.018	0.124	138.5	0.093	5.47	18.9	3.76
N915303		0.566	0.109	0.006	0.195	141.0	0.108	5.36	19.2	6.64
N915304		0.487	0.110	0.007	0.172	134.5	0.093	4.46	17.5	6.89
N915305		0.448	0.113	0.005	0.189	123.5	0.082	4.99	19.0	6.38
N915306		0.425	0.114	0.008	0.209	131.5	0.091	4.92	21.2	6.87
N915307		0.454	0.113	0.007	0.192	128.0	0.102	5.43	22.8	6.43
N915308		0.621	0.143	0.012	0.193	167.0	0.184	6.83	28.4	7.95
N915309		0.376	0.082	0.013	0.272	127.0	0.090	6.87	67.5	3.99
N915310		0.580	0.111	0.012	0.212	135.0	0.071	6.38	21.4	6.32
N915311		0.544	0.140	0.008	0.209	136.5	0.088	5.65	19.0	7.27
N915312		0.641	0.162	0.011	0.157	147.5	0.084	6.26	19.9	6.79
N915313		2.52	0.152	0.042	0.783	93.6	0.606	4.91	42.2	2.13
N915314		0.490	0.131	0.009	0.191	136.0	0.072	5.90	21.6	6.84
N915315		0.520	0.015	0.032	0.240	109.5	0.007	11.70	15.4	2.69
N915316		0.561	0.095	0.049	0.138	151.5	0.035	10.15	12.7	2.14
N915317		0.489	0.095	0.042	0.304	129.5	0.102	9.93	11.6	2.52
N915318		0.779	0.323	0.129	0.181	246	0.107	10.50	15.6	2.29
N915319		0.774	0.170	0.098	0.220	191.0	0.074	12.30	21.0	1.79
N915320		0.921	0.181	0.092	0.262	221	0.122	11.50	26.4	1.81
N915321		0.686	0.179	0.046	0.229	151.5	0.086	8.52	20.3	1.76
N915322		0.583	0.065	0.044	0.225	123.5	0.066	11.75	17.7	1.82
N915323		0.717	0.269	0.042	0.229	180.5	0.299	9.37	18.9	2.95
N915324		0.714	0.286	0.033	0.307	224	0.255	7.34	20.3	2.98
N915325		1.450	0.061	0.053	1.480	37.5	8.56	5.84	127.0	4.29
N915326		0.497	0.162	0.019	0.232	148.0	0.087	7.71	26.7	2.28
N915327		0.591	0.117	0.019	0.217	147.0	0.031	10.15	15.9	2.35
N915328		0.659	0.190	0.013	0.129	147.5	0.068	6.05	11.3	2.75
N915329		0.669	0.191	0.009	0.122	151.0	0.060	5.57	12.2	2.58
N915330		0.554	0.110	0.014	0.191	177.0	0.038	8.69	18.1	2.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915331		6.87	0.0518	0.359	1.60	0.93	<10	93.4	0.17	0.023	2.29	0.034	9.85	24.1	72.0	0.831
N915332		6.61	0.0330	0.303	2.05	0.75	<10	193.0	0.20	0.011	1.73	0.046	8.65	24.2	89.5	0.959
N915333		5.70	0.0242	0.227	2.07	0.99	<10	231	0.16	0.008	1.41	0.023	7.76	18.35	147.0	1.365
N915334		5.18	0.0197	0.404	2.15	0.51	<10	238	0.15	0.014	1.64	0.054	7.66	13.35	44.5	1.235
N915335		5.82	0.0063	0.050	2.09	0.77	<10	223	0.15	0.008	1.66	0.005	7.35	11.45	24.6	0.555
N915336		6.86	0.0276	0.110	1.96	3.12	<10	99.1	0.18	0.007	2.79	0.011	6.88	13.15	24.5	1.060
N915337		6.95	0.0157	0.042	2.00	1.31	<10	87.6	0.18	0.004	2.92	0.016	6.34	12.20	19.65	0.762
N915338		0.05	0.0012	0.111	1.74	1.07	<10	133.0	0.12	0.068	0.99	0.076	14.15	9.75	18.00	0.330
N915339		6.29	0.0080	0.046	2.00	0.81	<10	197.5	0.16	0.006	2.13	0.015	6.64	11.90	20.8	0.987
N915340		5.96	0.0171	0.071	2.08	1.32	<10	291	0.22	0.012	2.17	0.025	6.81	12.90	22.2	1.735
N915341		6.47	0.0057	0.077	2.44	1.82	<10	265	0.25	0.011	3.78	0.069	8.58	23.0	75.0	1.505
N915342		6.53	0.0124	0.065	2.09	1.85	<10	203	0.17	0.012	2.79	0.043	7.53	17.25	53.8	2.19
N915343		6.51	0.0100	0.065	1.97	1.56	<10	324	0.17	0.009	2.37	0.025	6.19	13.10	23.1	1.920

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915331		1270	4.22	6.98	0.119	0.086	0.028	0.017	0.38	4.21	7.7	1.55	286	5.64	0.068	0.016
N915332		1370	4.14	7.61	0.141	0.102	0.009	0.009	0.60	3.74	9.1	1.77	247	6.14	0.102	0.082
N915333		798	4.20	7.67	0.145	0.101	0.022	0.010	0.80	3.36	10.1	1.90	223	2.80	0.125	0.063
N915334		1020	3.27	8.78	0.133	0.151	0.020	0.014	0.34	3.31	11.0	1.57	164.5	3.10	0.156	0.082
N915335		142.0	2.96	7.99	0.111	0.107	0.013	<0.005	0.12	3.24	9.7	1.26	158.5	0.48	0.146	0.063
N915336		256	2.89	7.87	0.110	0.102	0.042	<0.005	0.11	3.07	11.4	1.60	182.0	0.88	0.085	0.045
N915337		152.0	2.82	7.65	0.119	0.084	0.026	<0.005	0.09	2.76	10.3	1.44	185.0	1.87	0.073	0.063
N915338		93.3	3.37	5.33	0.078	0.119	<0.004	0.009	0.21	6.41	7.6	0.80	499	5.50	0.195	0.184
N915339		171.5	2.74	7.39	0.100	0.097	0.030	<0.005	0.09	2.90	8.8	1.19	148.0	1.30	0.113	0.056
N915340		251	2.89	7.37	0.109	0.080	0.039	<0.005	0.10	2.98	9.6	1.27	158.0	2.75	0.111	0.049
N915341		203	4.22	8.53	0.152	0.179	0.030	<0.005	0.07	3.66	12.0	2.30	489	2.70	0.059	0.019
N915342		128.5	3.88	7.46	0.115	0.174	0.031	0.007	0.10	3.21	10.3	1.94	387	1.74	0.079	0.035
N915343		195.0	3.05	7.33	0.115	0.105	0.035	<0.005	0.11	2.68	9.6	1.42	192.0	3.40	0.103	0.062

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915331		35.2	0.134	0.416	0.013	0.005	18.40	0.018	0.66	0.062	10.25	3.4	0.24	64.0	<0.005	0.04
N915332		44.2	0.134	0.404	0.013	0.004	26.0	0.020	0.67	0.031	8.12	2.8	0.28	70.1	<0.005	0.03
N915333		59.9	0.134	0.361	0.020	0.005	34.1	0.011	0.32	0.033	5.49	1.4	0.26	54.9	<0.005	0.03
N915334		21.2	0.122	0.549	0.017	0.004	13.70	0.008	0.35	0.062	7.27	1.5	0.27	84.2	<0.005	0.03
N915335		11.75	0.114	0.254	0.016	0.002	4.28	0.001	0.21	0.023	3.83	0.8	0.14	90.1	<0.005	0.01
N915336		13.95	0.115	0.494	0.006	0.002	4.64	0.002	0.68	0.041	6.06	0.9	0.14	55.8	<0.005	0.02
N915337		12.10	0.110	0.431	0.012	0.003	3.69	0.006	0.59	0.005	3.85	0.6	0.09	47.0	<0.005	0.01
N915338		14.55	0.058	3.76	0.003	<0.002	7.27	<0.001	0.01	0.221	3.36	0.4	1.29	89.6	<0.005	0.02
N915339		11.75	0.116	0.553	0.010	0.002	3.37	0.005	0.59	0.009	2.75	0.8	0.12	77.2	<0.005	0.01
N915340		12.05	0.116	0.433	0.004	0.002	3.51	0.008	0.59	0.010	3.43	1.0	0.13	83.6	<0.005	0.02
N915341		29.7	0.103	1.855	0.006	0.004	2.43	0.007	0.54	0.090	11.40	0.9	0.23	90.5	<0.005	0.01
N915342		21.7	0.114	2.39	0.007	0.003	3.78	0.008	0.52	0.069	7.06	1.0	0.15	82.6	<0.005	0.02
N915343		13.15	0.118	0.959	0.006	0.002	4.35	0.015	0.86	0.040	3.50	1.0	0.12	69.0	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915331		0.733	0.101	0.054	0.203	174.5	0.019	10.15	17.6	1.88
N915332		0.690	0.277	0.087	0.218	200	0.195	8.49	17.0	2.11
N915333		0.723	0.349	0.112	0.233	214	0.141	6.47	15.3	2.28
N915334		0.756	0.248	0.047	0.136	192.5	0.182	8.28	16.9	3.00
N915335		0.672	0.214	0.012	0.099	161.5	0.077	6.46	9.0	2.31
N915336		0.594	0.188	0.017	0.108	125.0	0.051	7.76	10.2	1.59
N915337		0.615	0.195	0.014	0.126	114.0	0.045	6.73	9.1	1.66
N915338		2.87	0.149	0.041	0.799	100.5	0.550	5.21	44.2	2.10
N915339		0.685	0.193	0.011	0.140	126.0	0.043	6.02	9.3	1.86
N915340		0.631	0.188	0.011	0.126	132.0	0.037	6.33	10.0	1.70
N915341		0.700	0.162	0.009	0.238	165.5	0.031	8.33	45.4	4.53
N915342		0.685	0.202	0.014	0.236	159.0	0.045	6.76	34.4	4.28
N915343		0.574	0.214	0.014	0.126	127.5	0.061	6.00	13.6	1.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119807

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

CERTIFICATE KL14116741

Project: Dillard

This report is for 91 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 5- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
WSH- 22	"Wash" pulverizers
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915155		7.03	0.0363	0.276	1.55	7.17	<10	226	0.23	0.029	4.31	0.127	11.30	23.8	22.5	2.36
N915156		7.45	0.0185	0.158	1.02	4.40	<10	120.5	0.23	0.045	2.35	0.082	13.65	24.1	6.29	1.875
N915157		7.34	0.0235	0.151	1.67	3.86	<10	116.5	0.28	0.068	2.64	0.146	12.85	28.1	29.1	2.65
N915158		6.72	0.0383	0.178	1.70	4.71	<10	121.5	0.27	0.073	2.67	0.115	13.30	29.0	35.9	2.47
N915159		7.59	0.0133	0.103	1.58	3.31	<10	156.5	0.29	0.063	2.34	0.083	13.80	19.10	11.10	2.17
N915160		7.31	0.0132	0.107	1.79	4.81	<10	87.2	0.34	0.052	2.77	0.140	15.60	21.0	17.90	2.46
N915161		6.57	0.0154	0.134	1.59	6.23	<10	13.5	0.25	0.058	1.52	0.156	15.30	26.0	21.6	2.33
N915162		7.10	0.0223	0.159	1.53	6.15	<10	79.1	0.26	0.107	2.98	0.112	15.95	23.5	23.3	1.895
N915163		0.05	0.0010	0.105	1.78	1.17	<10	131.5	0.09	0.058	1.02	0.079	13.00	9.21	17.75	0.316
N915164		7.79	0.0204	0.147	1.77	5.53	<10	194.5	0.25	0.063	3.07	0.074	10.80	15.90	48.1	1.495
N915165		6.79	0.0091	0.046	1.84	5.48	<10	62.3	0.32	0.018	3.46	0.041	7.58	15.95	53.1	3.37
N915166		7.78	0.0038	0.025	1.85	4.14	<10	296	0.27	0.016	3.31	0.032	6.10	20.9	64.0	2.57
N915167		7.08	0.0102	0.162	1.41	20.1	<10	105.0	0.32	0.034	3.51	0.121	8.98	22.6	61.5	4.52
N915168		7.64	0.0044	0.064	2.27	5.47	<10	70.1	0.23	0.074	2.83	0.035	4.90	21.5	46.0	3.91
N915169		7.86	0.0120	0.042	2.29	6.15	<10	216	0.31	0.044	3.53	0.035	7.06	20.2	80.5	4.29
N915170		6.26	0.0166	0.078	1.82	4.55	<10	37.2	0.32	0.054	2.45	0.061	11.00	22.5	29.5	5.97
N915171		6.31	0.0166	0.107	1.44	12.35	<10	37.4	0.43	0.084	3.17	0.101	12.15	29.6	49.0	8.74
N915172		6.18	0.0055	0.104	1.43	8.33	<10	152.5	0.37	0.104	3.92	0.071	10.55	27.8	44.8	7.72
N915173		5.69	0.0078	0.128	0.71	37.4	10	343	0.31	0.110	5.11	0.195	5.26	26.0	16.55	8.04
N915174		6.50	0.0036	0.084	0.70	15.65	10	565	0.36	0.032	5.22	0.146	4.55	19.85	11.25	7.19
N915175		0.05	0.816	56.5	1.12	993	20	112.5	0.17	24.9	3.39	0.993	12.90	35.0	30.1	0.732
N915176		6.94	0.0019	0.043	0.67	5.15	10	935	0.35	0.015	5.21	0.125	7.41	12.85	5.53	9.61
N915177		6.77	0.0234	0.074	0.63	9.90	10	795	0.35	0.010	4.82	0.211	6.47	14.60	4.21	8.84
N915178		6.90	0.0028	0.056	0.64	8.51	10	245	0.34	0.025	4.40	0.057	8.25	12.25	4.04	10.75
N915179		6.36	0.0005	0.119	0.43	10.10	<10	1575	0.25	0.018	11.35	0.251	4.58	11.35	4.63	9.63
N915180		6.09	0.0074	0.131	0.65	17.70	<10	441	0.46	0.032	6.38	0.174	8.85	16.85	22.4	13.05
N915181		7.97	0.0136	0.236	0.49	42.1	10	505	0.35	0.097	5.78	0.413	4.80	16.50	11.10	5.60
N915182		5.55	0.0605	0.118	0.77	17.70	<10	134.5	0.51	0.091	3.76	0.244	11.20	20.6	27.4	7.72
N915183		6.57	0.0259	0.074	0.96	9.10	<10	336	0.55	0.053	2.86	0.125	13.40	17.40	30.3	13.50
N915184		6.40	0.0048	0.061	0.53	16.80	<10	722	0.35	0.013	4.09	0.242	12.05	13.45	8.37	6.83
N915185		5.69	0.0155	0.199	0.75	32.5	<10	630	0.45	0.047	4.48	0.198	11.65	18.65	21.0	5.70
N915186		7.48	0.0054	0.104	0.42	17.20	10	441	0.22	0.089	5.46	0.375	4.05	18.95	3.27	6.44
N915187		6.60	0.0047	0.083	0.53	14.35	<10	49.6	0.31	0.059	4.74	0.303	5.86	14.80	3.18	10.80
N915188		0.05	0.0008	0.101	1.83	1.32	<10	133.5	0.12	0.065	1.08	0.070	14.80	9.48	18.35	0.313
N915189		8.08	0.0382	0.058	1.18	5.14	<10	562	0.26	0.053	4.07	0.067	7.36	13.80	9.19	9.36
N915190		6.62	0.0257	0.083	1.95	2.37	<10	756	0.36	0.032	3.50	0.050	9.74	18.15	18.05	8.55
N915191		7.57	0.0259	0.254	1.50	3.51	<10	174.0	0.28	0.048	3.13	0.080	9.97	26.6	24.6	4.28
N915192		7.40	0.0475	0.288	2.03	3.43	<10	137.5	0.32	0.070	4.70	0.090	9.86	27.9	27.7	3.58
N915193		7.61	0.0233	0.151	1.26	18.90	<10	374	0.33	0.066	3.85	0.119	10.85	19.20	22.4	6.90
N915194		7.82	0.0134	0.191	2.07	2.27	<10	149.5	0.41	0.055	3.41	0.032	10.40	19.20	43.9	4.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915155		1400	4.75	6.78	0.073	0.066	0.140	0.042	0.10	4.77	8.5	2.00	472	13.00	0.041	0.002
N915156		878	4.15	5.00	0.069	0.066	0.163	0.008	0.12	6.04	5.1	1.18	239	9.01	0.050	0.002
N915157		794	4.94	7.94	0.117	0.172	0.124	0.028	0.08	5.71	10.3	1.91	342	5.46	0.043	0.011
N915158		850	5.24	8.12	0.108	0.197	0.086	0.052	0.11	6.30	8.7	1.78	430	1.20	0.066	0.030
N915159		553	5.02	8.27	0.106	0.171	0.088	0.028	0.06	6.17	9.8	1.67	381	1.61	0.049	0.015
N915160		367	5.32	8.84	0.102	0.182	0.139	0.041	0.09	6.98	10.4	1.75	479	1.30	0.059	0.014
N915161		427	4.76	7.11	0.074	0.122	0.189	0.044	0.07	6.86	9.5	1.53	450	6.81	0.040	0.004
N915162		334	4.92	7.27	0.089	0.163	0.154	0.048	0.06	7.46	9.1	1.59	569	2.16	0.043	0.018
N915163		87.2	3.33	4.95	0.073	0.112	<0.004	0.011	0.21	6.21	4.8	0.79	493	5.19	0.210	0.180
N915164		245	4.52	8.34	0.112	0.216	0.113	0.035	0.06	4.82	12.7	1.91	606	3.92	0.032	0.022
N915165		49.4	4.44	6.69	0.144	0.272	0.027	0.036	0.06	3.30	10.4	1.98	807	0.87	0.036	0.024
N915166		33.7	3.90	5.55	0.153	0.297	0.011	0.018	0.06	2.60	10.3	1.95	587	1.01	0.045	0.036
N915167		208	4.15	5.17	0.100	0.252	0.086	0.050	0.08	4.02	10.5	2.04	850	1.50	0.037	0.032
N915168		76.0	4.72	8.00	0.137	0.244	0.036	0.037	0.08	2.06	19.2	2.56	734	0.44	0.045	0.011
N915169		81.9	4.72	8.61	0.174	0.294	0.024	0.044	0.06	3.11	16.4	2.41	824	0.57	0.047	0.020
N915170		115.0	4.08	6.97	0.082	0.174	0.045	0.052	0.08	5.15	10.0	1.42	719	0.85	0.049	0.009
N915171		113.0	5.30	5.83	0.073	0.081	0.155	0.059	0.08	5.32	7.0	1.80	940	0.31	0.035	0.002
N915172		155.5	5.03	5.31	0.084	0.211	0.142	0.067	0.08	4.60	7.2	1.94	766	1.30	0.037	0.008
N915173		120.5	5.06	1.745	0.051	0.038	0.340	0.046	0.25	2.37	3.8	2.36	1005	0.68	0.021	<0.002
N915174		58.9	4.26	1.530	0.039	0.029	0.293	0.039	0.31	2.09	3.9	2.38	1015	0.20	0.021	<0.002
N915175		3620	3.00	3.38	0.064	0.166	0.698	0.089	0.15	8.02	6.0	0.37	686	526	0.100	0.204
N915176		40.3	3.58	1.585	0.046	0.029	0.028	0.028	0.33	3.46	3.5	1.92	1005	0.19	0.028	0.002
N915177		52.7	3.60	1.335	0.040	0.030	0.070	0.015	0.34	2.98	3.1	1.94	944	0.18	0.021	<0.002
N915178		56.5	3.44	1.380	0.039	0.027	0.030	0.019	0.35	3.84	3.1	1.73	890	0.08	0.017	<0.002
N915179		64.8	4.02	0.936	0.044	0.020	0.286	0.016	0.29	2.14	0.6	4.53	1430	0.14	0.062	<0.002
N915180		118.0	4.78	1.785	0.048	0.023	0.165	0.039	0.29	4.00	2.5	2.68	1230	1.14	0.021	0.002
N915181		149.5	4.73	0.951	0.040	0.016	0.202	0.043	0.30	2.25	1.5	2.24	1135	0.78	0.013	0.002
N915182		102.5	4.95	2.18	0.046	0.030	0.295	0.047	0.25	4.89	3.5	1.59	1010	0.72	0.022	<0.002
N915183		142.5	5.19	3.51	0.063	0.033	0.146	0.072	0.18	5.82	4.4	1.44	852	0.47	0.028	<0.002
N915184		68.0	3.32	1.350	0.043	0.086	0.523	0.017	0.25	5.75	1.3	1.49	940	0.28	0.031	0.002
N915185		665	4.50	2.29	0.046	0.051	0.539	0.035	0.23	5.44	2.8	1.78	975	0.36	0.030	<0.002
N915186		46.1	4.00	0.777	0.034	0.040	0.260	0.027	0.31	1.810	0.6	2.06	1175	0.54	0.012	<0.002
N915187		43.2	3.08	0.952	0.029	0.063	0.247	0.021	0.37	2.69	0.5	1.79	801	0.66	0.012	<0.002
N915188		87.3	3.36	5.21	0.081	0.126	<0.004	0.009	0.22	7.04	5.7	0.80	498	5.26	0.218	0.182
N915189		42.5	3.45	3.10	0.034	0.081	0.084	0.021	0.28	3.20	5.1	1.78	720	0.68	0.020	<0.002
N915190		168.0	4.43	6.94	0.070	0.116	0.032	0.021	0.22	4.25	12.7	1.80	768	0.66	0.038	0.004
N915191		576	4.83	6.10	0.105	0.133	0.048	0.029	0.08	4.50	10.7	1.60	798	0.59	0.039	0.013
N915192		517	5.33	8.70	0.134	0.151	0.059	0.030	0.08	4.34	16.2	2.02	1170	0.56	0.040	0.005
N915193		319	4.38	4.67	0.057	0.106	0.054	0.026	0.20	5.13	7.2	1.66	845	2.52	0.037	0.007
N915194		252	4.55	8.26	0.114	0.185	0.047	0.029	0.12	5.11	15.3	2.15	766	2.01	0.042	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915155		21.5	0.125	2.33	0.009	0.004	4.80	0.089	1.11	0.272	15.85	2.9	0.31	118.5	<0.005	0.06
N915156		12.00	0.154	1.580	0.006	0.003	4.81	0.044	1.95	0.158	5.68	4.0	0.16	83.7	<0.005	0.07
N915157		24.9	0.154	1.005	0.008	0.004	4.15	0.019	2.27	0.147	11.70	4.6	0.48	115.5	<0.005	0.10
N915158		28.5	0.144	3.21	0.008	0.005	5.40	0.003	2.00	0.198	11.95	3.2	0.50	138.0	<0.005	0.09
N915159		13.05	0.154	0.891	0.007	0.003	2.90	0.007	1.65	0.415	9.96	2.9	0.51	126.0	<0.005	0.07
N915160		16.55	0.151	1.400	0.008	0.003	4.15	0.003	1.80	0.518	11.65	2.2	0.59	150.5	<0.005	0.06
N915161		18.60	0.165	2.66	0.005	0.004	3.47	0.039	2.14	0.613	10.75	3.0	0.39	164.0	<0.005	0.06
N915162		19.60	0.155	2.48	0.006	0.004	3.38	0.009	2.14	0.524	10.20	2.4	0.39	157.0	<0.005	0.10
N915163		13.75	0.057	4.20	0.003	<0.002	6.34	0.001	0.01	0.202	3.01	0.1	1.30	82.8	<0.005	0.02
N915164		29.2	0.132	1.870	0.005	0.003	3.11	0.017	1.05	0.358	12.90	1.8	0.33	126.5	<0.005	0.09
N915165		22.9	0.154	6.04	0.008	0.005	3.41	0.001	0.14	0.613	15.20	0.5	0.28	185.5	<0.005	0.05
N915166		25.8	0.152	1.115	0.011	0.004	2.55	0.001	0.15	0.419	10.50	0.4	0.25	623	<0.005	0.03
N915167		38.8	0.147	2.39	0.007	0.004	3.81	0.002	0.55	1.250	15.50	0.9	0.24	141.0	<0.005	0.04
N915168		30.4	0.117	1.260	0.004	0.002	4.38	<0.001	0.63	0.239	16.55	0.5	0.26	149.0	<0.005	0.07
N915169		40.1	0.130	1.610	0.006	0.004	3.66	0.001	0.26	0.433	13.20	0.4	0.34	176.5	<0.005	0.04
N915170		21.3	0.143	4.85	0.009	0.004	4.96	0.001	0.51	1.355	11.30	0.6	0.31	172.5	<0.005	0.06
N915171		33.8	0.140	8.14	0.006	0.007	6.02	0.001	0.58	1.300	19.25	0.8	0.30	190.5	<0.005	0.04
N915172		32.6	0.128	4.08	0.007	0.004	5.23	0.009	0.87	1.125	19.45	1.8	0.38	188.0	<0.005	0.09
N915173		22.9	0.075	7.46	0.007	0.003	7.31	0.001	0.92	2.25	14.30	1.3	0.09	113.5	<0.005	0.10
N915174		18.05	0.068	4.51	0.005	0.003	8.83	<0.001	0.35	0.986	12.45	0.4	0.07	119.5	<0.005	0.02
N915175		27.3	0.076	88.7	0.002	0.002	4.94	0.099	0.51	130.0	1.955	2.6	1.97	125.0	<0.005	2.47
N915176		9.83	0.090	4.42	0.005	<0.002	9.51	<0.001	0.05	0.361	7.55	0.2	0.06	141.5	<0.005	0.02
N915177		10.90	0.087	4.04	0.004	<0.002	10.10	0.001	0.08	0.331	7.13	0.2	0.06	140.0	<0.005	0.01
N915178		8.76	0.110	4.01	0.003	0.002	10.95	<0.001	0.04	0.650	6.99	0.2	0.09	137.5	<0.005	0.01
N915179		13.20	0.059	7.87	0.007	0.016	8.35	<0.001	0.06	1.020	5.17	0.4	0.04	195.5	<0.005	0.01
N915180		18.25	0.118	6.43	0.010	0.004	8.96	0.001	0.29	1.120	18.25	0.7	0.10	165.5	<0.005	0.03
N915181		20.3	0.079	10.95	0.005	0.002	7.61	<0.001	0.46	1.800	8.94	1.0	0.07	125.0	<0.005	0.07
N915182		22.0	0.122	7.42	0.007	0.003	8.92	0.001	0.27	1.140	13.05	0.4	0.09	155.0	<0.005	0.06
N915183		18.70	0.155	4.12	0.019	0.005	10.90	0.001	0.18	0.703	14.65	0.4	0.13	197.5	<0.005	0.03
N915184		8.91	0.097	12.60	0.009	<0.002	7.45	<0.001	0.30	1.095	7.55	0.3	0.10	135.0	<0.005	0.02
N915185		14.70	0.138	10.15	0.045	0.007	7.65	<0.001	0.37	0.744	16.15	1.2	0.09	164.5	<0.005	0.04
N915186		9.38	0.078	6.86	0.009	0.003	7.97	0.001	0.73	1.065	9.14	1.2	0.04	127.0	<0.005	0.04
N915187		7.02	0.116	11.40	0.007	0.002	8.91	0.001	0.59	1.575	12.30	1.0	0.06	109.0	<0.005	0.06
N915188		13.15	0.057	4.21	0.001	0.002	6.75	<0.001	0.01	0.262	3.57	0.2	1.42	94.9	<0.005	0.01
N915189		9.30	0.125	1.915	0.008	0.003	8.24	0.001	0.40	0.544	11.40	0.7	0.08	156.0	<0.005	0.04
N915190		12.35	0.151	1.520	0.021	0.005	7.55	0.003	0.27	0.272	12.30	1.0	0.18	198.5	<0.005	0.03
N915191		12.40	0.174	1.015	0.120	0.012	4.23	0.003	0.55	0.310	15.30	1.7	0.32	174.0	<0.005	0.06
N915192		14.20	0.161	1.035	0.024	0.003	3.98	0.004	0.68	0.306	16.20	1.9	0.43	183.0	<0.005	0.09
N915193		12.95	0.156	1.225	0.020	0.003	7.22	0.009	0.57	0.444	12.00	1.4	0.24	148.0	<0.005	0.05
N915194		19.45	0.156	1.195	0.011	0.002	4.57	0.004	0.43	1.050	13.60	1.1	0.33	132.0	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915155		0.282	0.012	0.041	0.075	152.5	0.026	11.75	26.7	1.28
N915156		0.489	0.004	0.050	0.135	75.4	0.072	12.05	16.4	2.44
N915157		0.534	0.050	0.041	0.187	135.0	0.054	12.70	21.9	4.53
N915158		0.574	0.096	0.046	0.242	152.5	0.064	13.20	21.8	5.02
N915159		0.466	0.051	0.028	0.159	121.5	0.030	15.65	18.5	3.57
N915160		0.484	0.065	0.042	0.176	140.0	0.047	15.40	21.6	4.07
N915161		0.616	0.012	0.045	0.154	115.0	0.045	13.40	21.9	2.76
N915162		0.567	0.054	0.039	0.225	117.0	0.042	15.10	25.2	4.00
N915163		2.67	0.156	0.045	0.842	94.8	0.574	5.04	44.3	2.06
N915164		0.488	0.087	0.031	0.199	127.0	0.107	12.60	31.7	5.12
N915165		0.513	0.148	0.027	0.225	144.5	0.149	11.80	54.3	7.78
N915166		0.430	0.202	0.014	0.239	127.0	0.277	9.28	25.1	8.67
N915167		0.665	0.103	0.099	0.261	127.5	0.114	11.30	34.4	7.05
N915168		0.234	0.174	0.033	0.134	182.0	0.168	11.30	30.2	5.52
N915169		0.443	0.164	0.023	0.244	157.0	0.122	11.00	34.0	7.96
N915170		0.673	0.039	0.041	0.165	120.0	0.032	10.80	47.4	4.34
N915171		0.601	0.005	0.357	0.130	149.0	0.044	13.15	59.1	1.91
N915172		0.559	0.040	0.062	0.180	148.5	0.033	13.30	37.3	4.50
N915173		0.263	0.002	0.126	0.319	85.7	0.040	7.50	60.6	1.37
N915174		0.263	0.001	0.124	0.230	82.0	0.032	6.40	65.2	0.92
N915175		1.460	0.067	0.054	1.565	37.8	8.01	5.77	128.0	4.73
N915176		0.413	0.002	0.075	0.125	70.7	0.045	8.01	55.1	0.80
N915177		0.364	0.001	0.114	0.147	61.8	0.040	6.77	62.9	0.71
N915178		0.542	0.002	0.075	0.141	64.0	0.069	6.65	61.7	0.66
N915179		0.256	<0.001	0.076	0.146	59.3	0.031	8.10	86.7	0.44
N915180		0.485	0.002	0.070	0.153	108.5	0.047	11.15	58.3	0.70
N915181		0.324	0.001	0.102	0.316	39.5	0.039	6.28	89.1	0.86
N915182		0.480	0.002	0.167	0.284	87.9	0.048	9.61	64.7	0.88
N915183		0.624	0.002	0.177	0.127	131.0	0.042	10.50	60.3	1.03
N915184		0.866	0.001	0.700	0.415	55.2	0.026	7.05	67.3	2.60
N915185		0.698	0.002	0.635	0.259	112.5	0.020	10.10	73.4	1.59
N915186		0.272	<0.001	0.214	0.230	36.5	0.026	5.94	84.9	1.81
N915187		0.352	0.001	0.079	0.257	63.7	0.039	7.31	66.4	2.39
N915188		2.99	0.165	0.051	0.943	103.0	0.610	5.46	46.0	2.20
N915189		0.459	0.002	0.047	0.128	101.0	0.043	6.46	39.3	2.82
N915190		0.597	0.027	0.044	0.143	140.0	0.045	8.88	49.5	3.92
N915191		0.559	0.120	0.033	0.180	170.5	0.073	10.55	42.5	3.30
N915192		0.554	0.064	0.033	0.209	174.0	0.021	11.95	46.5	3.09
N915193		0.656	0.034	0.068	0.214	118.5	0.057	9.58	36.4	3.18
N915194		0.665	0.096	0.030	0.277	151.5	0.182	9.57	30.4	5.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915195		7.43	0.0737	0.542	1.26	3.13	<10	238	0.45	0.189	3.47	0.080	14.70	29.2	47.2	6.77
N915196		7.17	0.0149	0.386	0.80	18.55	<10	34.4	0.64	0.115	4.86	0.253	12.00	25.6	39.6	10.65
N915197		7.34	0.0231	0.270	1.50	6.89	<10	13.4	0.45	0.147	2.97	0.187	14.75	39.9	63.3	15.35
N915198		7.49	0.0109	0.151	1.73	4.55	<10	15.4	0.43	0.112	3.40	0.090	13.20	31.0	74.1	11.65
N915199		6.47	0.0112	0.149	1.33	4.43	<10	23.7	0.44	0.080	3.30	0.085	12.90	31.9	51.4	14.95
N915200		0.05	0.827	54.7	1.13	985	20	112.5	0.19	23.8	3.41	0.802	13.40	34.5	29.3	0.702
N915201		6.44	0.0086	0.139	1.89	4.66	<10	13.5	0.43	0.076	4.04	0.061	12.40	18.25	62.0	9.15
N915202		7.33	0.0054	0.110	1.98	4.32	<10	82.4	0.38	0.080	3.96	0.076	10.50	22.0	64.1	4.63
N915203		7.09	0.0024	0.076	2.05	5.59	<10	11.7	0.45	0.053	3.52	0.033	8.88	24.0	72.5	5.73
N915204		6.86	0.0057	0.102	2.13	4.08	<10	93.4	0.43	0.057	4.62	0.048	8.86	26.9	72.3	4.65
N915205		6.09	0.0072	0.127	1.51	3.42	<10	220	0.24	0.135	4.75	0.059	13.95	19.85	9.63	2.69
N915206		7.70	0.0138	0.160	1.40	2.59	<10	160.5	0.29	0.194	5.05	0.115	12.10	19.50	7.43	3.97
N915207		7.95	0.0133	0.144	2.13	1.85	<10	333	0.27	0.120	5.55	0.075	13.90	17.10	18.05	2.34
N915208		7.37	0.0073	0.157	1.47	3.80	<10	426	0.48	0.108	4.49	0.051	12.35	24.6	24.4	7.71
N915209		7.03	0.0392	0.142	1.83	4.23	<10	143.0	0.40	0.059	3.69	0.040	14.65	21.4	44.4	7.06
N915210		7.32	0.0127	0.050	1.91	2.96	<10	2370	0.35	0.003	3.87	0.031	10.75	10.60	25.7	12.65
N915211		7.13	0.0036	0.017	1.00	3.00	10	863	0.40	0.002	5.25	0.049	7.36	8.80	13.00	9.15
N915212		7.64	0.0045	0.082	1.34	3.04	<10	129.5	0.48	0.028	5.03	0.058	8.96	20.0	27.7	8.32
N915213		0.05	0.0012	0.091	1.81	1.07	<10	136.0	0.12	0.104	1.08	0.080	14.50	9.04	17.20	0.295
N915214		7.20	0.0125	0.135	1.92	2.83	<10	194.0	0.35	0.049	4.93	0.109	8.05	23.3	30.4	4.00
N915215		7.36	0.0115	0.119	2.28	2.50	<10	229	0.27	0.030	3.32	0.051	8.86	26.5	28.7	3.88
N915216		7.66	0.0012	0.021	2.82	2.77	<10	214	0.42	0.006	4.08	0.020	12.35	22.7	25.7	7.29
N915217		7.81	0.0011	0.023	2.98	2.46	<10	155.0	0.40	0.006	4.50	0.021	11.80	26.7	35.3	6.97
N915218		7.19	0.0045	0.116	2.60	2.15	<10	195.0	0.36	0.007	4.17	0.027	12.05	27.1	50.7	3.83
N915219		7.48	0.0032	0.010	2.58	2.14	<10	229	0.36	0.005	4.20	0.041	11.55	18.05	49.8	3.51
N915220		7.03	0.0034	0.040	2.59	2.25	<10	422	0.38	0.027	4.72	0.029	15.10	25.8	46.9	6.04
N915221		5.61	0.0277	0.119	2.21	2.31	<10	541	0.43	0.023	4.49	0.079	15.75	24.5	51.2	5.89
N915222		6.60	0.0061	0.174	1.74	4.06	<10	503	0.36	0.069	5.28	0.076	14.05	28.9	43.9	9.76
N915223		6.94	0.0093	0.211	1.70	7.63	10	558	0.34	0.042	5.58	0.122	13.65	28.2	36.3	6.86
N915224		6.78	0.0034	0.259	0.74	10.05	10	529	0.43	0.026	5.41	0.344	11.10	21.4	13.85	6.68
N915225		0.05	0.701	54.9	1.16	960	20	110.0	0.18	25.1	3.45	0.922	14.30	37.8	30.5	0.750
N915226		6.72	0.0055	0.166	0.77	9.85	10	424	0.41	0.026	4.81	0.140	12.80	32.2	11.90	8.06
N915227		5.90	0.0016	0.139	0.60	22.7	10	444	0.40	0.016	6.63	0.580	7.78	14.40	8.31	7.79
N915228		7.16	0.0033	0.041	1.36	1.60	<10	418	0.30	0.018	3.58	0.123	10.85	13.35	21.0	8.04
N915229		7.43	0.0012	0.044	1.54	2.43	<10	213	0.32	0.008	3.12	0.148	11.00	13.40	21.9	8.17
N915230		6.85	0.0047	0.112	1.49	2.07	<10	495	0.25	0.020	3.70	0.088	10.05	16.20	26.4	4.19
N915231		7.32	0.0040	0.125	1.78	1.43	<10	145.5	0.20	0.017	2.97	0.264	7.64	17.50	29.3	2.36
N915232		7.90	0.0061	0.270	2.02	2.26	<10	143.5	0.22	0.034	4.02	0.083	11.55	24.2	47.4	1.510
N915233		7.26	0.0014	0.134	1.82	3.18	<10	204	0.32	0.012	3.62	0.085	11.15	16.55	50.3	2.61
N915234		7.00	0.0023	0.194	1.97	2.64	<10	96.4	0.28	0.029	4.46	0.071	12.95	32.1	57.1	3.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915195		564	4.67	4.82	0.064	0.077	0.138	0.048	0.14	7.71	7.8	1.54	710	1.82	0.032	0.003
N915196		273	5.23	2.55	0.054	0.058	0.209	0.050	0.24	5.56	2.6	2.02	1060	1.32	0.025	<0.002
N915197		493	4.70	5.69	0.060	0.120	0.230	0.080	0.07	6.55	5.4	1.54	703	1.83	0.032	<0.002
N915198		263	5.51	6.58	0.073	0.141	0.106	0.083	0.05	6.05	8.7	1.76	798	1.43	0.032	<0.002
N915199		251	4.70	4.88	0.054	0.082	0.130	0.054	0.12	5.76	5.4	1.37	757	1.28	0.032	<0.002
N915200		3620	2.98	3.72	0.060	0.155	0.658	0.114	0.15	8.43	6.9	0.37	669	530	0.100	0.190
N915201		81.0	5.17	6.61	0.069	0.072	0.046	0.057	0.10	5.41	8.6	2.40	1035	0.33	0.028	<0.002
N915202		123.5	4.85	7.20	0.089	0.158	0.110	0.046	0.04	4.67	11.1	2.00	764	0.19	0.032	0.006
N915203		115.5	5.16	7.11	0.065	0.096	0.063	0.049	0.05	3.82	8.7	1.87	800	0.49	0.032	<0.002
N915204		109.5	5.60	7.08	0.133	0.169	0.092	0.030	0.04	4.02	12.9	2.42	911	0.17	0.028	0.007
N915205		146.0	4.24	5.74	0.049	0.076	0.081	0.028	0.18	6.51	9.1	1.33	826	0.65	0.036	<0.002
N915206		72.4	4.12	4.11	0.047	0.064	0.094	0.029	0.32	5.62	8.3	1.21	752	2.01	0.025	<0.002
N915207		145.5	4.85	5.19	0.051	0.037	0.068	0.018	0.37	7.07	13.1	1.72	809	0.96	0.017	<0.002
N915208		249	4.69	5.47	0.051	0.051	0.104	0.033	0.23	5.92	8.5	1.34	761	2.23	0.026	0.002
N915209		193.0	4.54	6.59	0.066	0.080	0.118	0.041	0.16	7.54	9.9	1.53	752	1.68	0.035	0.002
N915210		91.0	3.07	7.32	0.060	0.110	0.023	0.017	0.16	5.10	13.4	1.68	619	2.70	0.081	<0.002
N915211		17.95	2.92	3.29	0.031	0.061	0.064	0.007	0.29	3.27	6.1	2.06	722	7.73	0.029	<0.002
N915212		183.0	4.76	4.44	0.075	0.178	0.101	0.029	0.14	3.93	6.9	2.35	831	1.14	0.024	0.011
N915213		85.1	3.40	5.46	0.075	0.122	0.004	0.010	0.22	6.94	6.8	0.81	505	5.30	0.218	0.142
N915214		291	4.52	6.70	0.140	0.286	0.083	0.029	0.08	3.68	12.2	1.97	644	1.39	0.040	0.024
N915215		137.0	4.56	5.71	0.093	0.247	0.118	0.039	0.07	3.99	10.2	2.22	657	3.89	0.029	0.011
N915216		34.5	5.09	9.69	0.114	0.236	0.009	0.036	0.13	5.58	16.0	2.45	804	0.20	0.034	0.013
N915217		31.4	5.48	10.25	0.137	0.278	0.015	0.030	0.10	5.38	17.8	2.80	934	0.20	0.032	0.014
N915218		215	5.02	9.10	0.119	0.226	0.013	0.044	0.06	5.35	17.1	2.78	852	0.90	0.033	0.012
N915219		4.17	4.73	8.73	0.130	0.241	0.006	0.033	0.06	5.19	17.8	2.73	827	0.15	0.036	0.012
N915220		56.9	5.37	10.15	0.092	0.166	0.045	0.043	0.10	7.37	16.8	2.65	964	0.74	0.037	0.011
N915221		191.0	5.27	8.07	0.082	0.096	0.050	0.065	0.13	7.38	12.7	2.32	962	1.39	0.031	<0.002
N915222		243	5.17	6.44	0.079	0.068	0.144	0.065	0.18	6.38	10.8	2.16	954	1.18	0.026	0.005
N915223		236	4.80	5.89	0.061	0.066	0.064	0.038	0.20	6.10	10.6	1.87	1005	2.00	0.023	0.005
N915224		288	4.76	1.945	0.048	0.030	0.344	0.024	0.32	5.06	3.0	2.17	1250	0.86	0.013	0.002
N915225		3610	2.94	3.90	0.075	0.173	0.666	0.103	0.15	8.56	8.3	0.36	677	544	0.102	0.209
N915226		93.3	4.38	1.870	0.046	0.021	0.075	0.016	0.34	5.76	3.8	1.86	999	2.13	0.016	0.002
N915227		63.1	3.65	1.415	0.039	0.035	0.746	0.016	0.31	3.56	1.8	2.80	1180	0.34	0.017	0.002
N915228		12.00	3.12	4.73	0.044	0.072	0.085	0.019	0.20	4.86	9.6	1.44	734	0.48	0.031	<0.002
N915229		25.5	3.16	5.84	0.049	0.078	0.090	0.020	0.15	4.78	11.2	1.61	697	0.49	0.030	0.002
N915230		59.0	3.13	5.75	0.048	0.115	0.080	0.026	0.15	4.40	11.8	1.64	720	0.43	0.035	0.007
N915231		71.0	2.97	6.60	0.085	0.195	0.020	0.018	0.07	3.40	15.0	1.81	606	1.34	0.043	0.020
N915232		164.5	4.80	8.42	0.111	0.263	0.016	0.039	0.07	5.21	18.2	2.25	695	0.79	0.041	0.026
N915233		131.5	4.17	7.30	0.127	0.235	0.021	0.027	0.06	5.14	13.3	1.85	658	0.89	0.043	0.038
N915234		177.5	5.25	8.65	0.088	0.189	0.035	0.043	0.08	5.72	16.5	2.19	847	0.76	0.045	0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915195		24.1	0.164	2.97	0.022	0.004	6.85	0.007	1.18	0.501	14.00	2.4	0.22	148.0	<0.005	0.14
N915196		23.2	0.142	15.20	0.009	0.003	9.24	0.004	0.82	4.51	20.6	1.7	0.23	190.0	<0.005	0.10
N915197		27.8	0.168	13.70	0.016	0.004	7.95	0.007	1.13	2.55	26.9	1.8	0.45	322	<0.005	0.09
N915198		34.3	0.173	10.15	0.010	0.003	5.99	0.004	0.94	2.33	26.8	1.5	0.38	322	<0.005	0.05
N915199		25.3	0.165	9.27	0.012	0.004	9.04	0.003	0.41	1.735	25.4	1.0	0.31	311	<0.005	0.02
N915200		25.2	0.075	80.6	0.006	<0.002	4.61	0.093	0.51	129.5	2.01	2.8	1.86	126.5	<0.005	2.33
N915201		28.8	0.150	4.41	0.014	0.005	5.75	<0.001	0.26	1.250	21.9	0.7	0.23	279	<0.005	0.04
N915202		28.1	0.164	3.56	0.015	0.004	3.08	0.001	0.38	1.180	21.4	0.7	0.34	289	<0.005	0.04
N915203		34.5	0.174	4.67	0.017	0.004	4.18	0.002	0.21	1.385	28.8	0.5	0.34	315	<0.005	0.03
N915204		35.5	0.165	3.75	0.020	0.004	2.97	0.001	0.48	1.015	20.4	1.5	0.34	278	<0.005	0.05
N915205		9.02	0.128	2.04	0.005	0.004	6.67	0.001	1.42	0.246	10.15	2.5	0.12	111.5	<0.005	0.05
N915206		8.42	0.139	2.21	0.007	0.003	10.85	0.001	1.56	0.177	6.82	1.7	0.10	137.5	<0.005	0.10
N915207		12.90	0.158	1.315	0.009	0.002	12.75	0.001	0.87	0.183	5.88	1.4	0.08	136.0	<0.005	0.07
N915208		17.00	0.166	2.62	0.010	0.003	7.77	0.002	0.82	0.282	8.65	2.2	0.16	157.5	<0.005	0.07
N915209		20.9	0.168	2.05	0.013	0.003	6.52	0.004	0.62	0.352	13.15	1.6	0.27	155.5	<0.005	0.04
N915210		14.60	0.122	1.430	0.007	0.004	8.99	0.011	0.13	0.477	10.95	0.4	0.15	283	<0.005	0.02
N915211		11.45	0.102	2.44	0.008	0.002	8.91	0.014	0.15	0.449	9.02	0.3	0.08	164.0	<0.005	0.01
N915212		16.60	0.140	3.24	0.013	0.004	6.59	0.008	0.49	0.948	17.50	0.8	0.27	224	<0.005	0.03
N915213		12.25	0.059	3.92	0.004	<0.002	6.46	0.001	0.01	0.207	3.17	0.3	1.31	91.8	<0.005	0.03
N915214		15.55	0.148	2.01	0.010	0.002	3.38	0.004	0.98	0.231	12.55	1.7	0.34	199.0	<0.005	0.05
N915215		16.60	0.152	1.305	0.009	0.004	3.21	0.029	0.63	0.291	12.45	1.4	0.37	201	<0.005	0.03
N915216		20.1	0.167	1.170	0.011	0.004	5.22	0.001	0.02	0.257	14.15	0.3	0.31	211	<0.005	0.01
N915217		23.1	0.163	1.510	0.011	0.006	4.14	<0.001	0.02	0.186	15.85	0.5	0.38	208	<0.005	0.02
N915218		25.3	0.156	1.105	0.011	0.004	3.02	0.002	0.04	0.085	16.85	0.6	0.36	194.5	<0.005	0.01
N915219		23.7	0.155	1.035	0.010	0.003	2.20	<0.001	0.03	0.111	15.35	0.3	0.34	273	<0.005	<0.01
N915220		23.9	0.154	1.340	0.009	0.003	4.34	0.001	0.20	0.152	17.70	0.4	0.27	239	<0.005	0.01
N915221		23.5	0.159	3.51	0.010	0.004	5.40	0.002	0.18	0.286	20.6	0.6	0.28	147.5	<0.005	0.02
N915222		27.6	0.142	3.88	0.013	0.005	8.08	0.006	0.53	0.318	20.1	1.4	0.16	218	<0.005	0.02
N915223		24.3	0.145	3.75	0.017	0.004	7.43	0.011	0.32	0.314	14.35	1.1	0.14	234	<0.005	0.03
N915224		16.75	0.137	16.15	0.012	0.003	10.65	0.002	0.17	1.510	8.18	0.7	0.11	102.5	<0.005	0.03
N915225		28.6	0.074	82.9	0.004	<0.002	5.31	0.097	0.50	131.5	2.19	2.4	1.89	128.0	<0.005	2.45
N915226		17.00	0.152	4.01	0.009	0.002	11.15	0.002	0.15	0.457	5.85	0.6	0.06	99.9	<0.005	0.06
N915227		14.25	0.090	44.6	0.010	0.002	9.41	<0.001	0.19	4.13	7.28	0.7	0.06	121.0	<0.005	0.06
N915228		15.55	0.115	7.74	0.005	0.005	10.40	0.001	0.18	0.690	8.58	0.5	0.10	99.0	<0.005	0.05
N915229		16.90	0.114	6.98	0.009	0.003	8.58	0.001	0.09	1.700	11.20	0.4	0.15	98.5	<0.005	0.02
N915230		16.70	0.112	2.53	0.008	0.004	6.47	0.001	0.27	0.346	9.78	0.7	0.12	93.1	<0.005	0.04
N915231		17.90	0.117	0.687	0.009	0.004	2.97	0.005	0.32	0.125	9.61	0.5	0.23	115.5	<0.005	0.06
N915232		23.6	0.147	0.775	0.011	0.004	3.06	0.003	0.42	0.099	13.55	0.9	0.39	145.0	<0.005	0.09
N915233		24.2	0.148	2.42	0.011	0.005	3.05	0.002	0.12	0.703	10.85	0.4	0.33	206	<0.005	0.03
N915234		28.2	0.149	3.25	0.013	0.003	4.32	0.002	0.28	0.350	16.80	0.9	0.42	119.0	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915195		0.712	0.005	0.056	0.185	129.5	0.069	9.48	37.6	2.28
N915196		0.585	0.002	0.159	0.157	120.5	0.041	14.00	96.9	1.70
N915197		0.925	0.006	0.078	0.102	133.5	0.029	12.50	80.9	2.48
N915198		0.838	0.012	0.048	0.116	136.5	0.016	12.55	63.4	3.00
N915199		0.777	0.005	0.076	0.106	129.0	0.028	12.90	54.4	1.78
N915200		1.400	0.066	0.055	1.565	39.2	8.64	5.89	131.0	4.84
N915201		0.685	0.004	0.056	0.148	138.0	0.043	12.60	69.0	1.57
N915202		0.685	0.060	0.019	0.170	142.5	0.032	11.55	42.4	3.48
N915203		0.959	0.006	0.031	0.103	164.0	0.025	8.73	50.5	1.81
N915204		0.616	0.110	0.030	0.199	160.5	0.091	11.10	54.1	4.52
N915205		0.392	0.003	0.046	0.170	130.0	0.066	12.15	53.4	2.91
N915206		0.352	0.003	0.053	0.129	83.2	1.715	9.50	49.5	2.54
N915207		0.468	0.005	0.056	0.121	79.7	0.253	9.09	77.6	1.47
N915208		0.700	0.002	0.060	0.142	99.4	0.079	11.25	65.0	1.61
N915209		0.998	0.004	0.054	0.160	119.5	0.042	10.70	42.9	2.45
N915210		0.523	0.006	0.080	0.114	103.5	0.016	11.25	33.8	3.17
N915211		0.370	0.001	0.068	0.256	71.9	0.039	9.59	35.3	2.18
N915212		0.601	0.048	0.050	0.191	116.0	0.032	11.05	40.7	4.03
N915213		2.66	0.160	0.043	0.891	97.8	0.570	5.18	44.0	2.17
N915214		0.507	0.147	0.023	0.262	129.5	0.111	9.88	37.6	7.56
N915215		0.601	0.117	0.026	0.241	131.0	0.068	10.05	33.5	6.65
N915216		0.780	0.093	0.031	0.235	158.0	0.033	13.30	36.9	5.58
N915217		0.702	0.139	0.026	0.260	174.5	0.040	13.50	42.6	6.48
N915218		0.631	0.118	0.017	0.264	163.5	0.036	12.65	37.1	5.90
N915219		0.634	0.133	0.014	0.273	150.0	0.060	12.30	37.8	6.51
N915220		0.675	0.068	0.026	0.210	172.0	0.059	13.35	43.9	4.19
N915221		0.773	0.016	0.047	0.155	159.0	0.017	12.00	54.6	2.75
N915222		0.582	0.011	0.079	0.158	153.0	0.028	11.70	53.2	1.73
N915223		0.620	0.013	0.052	0.156	122.0	0.044	11.85	56.5	1.94
N915224		0.638	0.003	0.263	0.269	75.3	0.123	11.75	191.5	1.14
N915225		1.535	0.063	0.059	1.550	39.9	8.44	6.23	129.5	5.23
N915226		0.766	0.002	0.066	0.193	62.3	0.085	10.05	77.8	0.91
N915227		0.311	0.001	0.117	0.366	52.3	0.046	9.26	199.5	1.45
N915228		0.429	0.003	0.098	0.099	76.3	0.025	9.67	73.2	2.15
N915229		0.455	0.003	0.116	0.139	99.4	0.023	10.30	65.2	2.23
N915230		0.402	0.016	0.075	0.129	93.4	0.017	8.94	52.1	2.96
N915231		0.413	0.092	0.020	0.174	106.5	0.040	7.72	33.3	4.43
N915232		0.633	0.150	0.020	0.291	162.0	0.137	10.60	39.4	7.72
N915233		0.660	0.179	0.024	0.271	136.5	0.159	10.00	42.1	7.74
N915234		0.653	0.104	0.027	0.252	167.5	0.047	12.20	66.9	5.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915235		7.70	0.0018	0.133	1.55	2.51	<10	78.8	0.24	0.013	3.36	0.030	11.75	18.75	44.5	5.32
N915236		8.15	0.0033	0.146	1.64	3.81	<10	83.4	0.26	0.012	3.43	0.073	11.05	17.00	43.6	2.56
N915237		7.43	0.0017	0.081	1.52	3.61	<10	65.8	0.26	0.008	3.38	0.088	11.90	11.35	40.4	3.43
N915238		0.09	0.0009	0.101	1.83	1.06	<10	132.0	0.12	0.072	1.08	0.069	14.75	9.50	17.15	0.332
N915239		7.43	0.0009	0.040	1.91	2.27	<10	62.5	0.27	0.009	4.06	0.037	11.95	13.80	50.6	4.43
N915240		7.69	0.0084	0.103	2.64	1.26	<10	61.4	0.18	0.005	5.31	0.091	9.61	21.9	163.0	1.180
N915241		8.01	0.0011	0.068	1.90	1.62	<10	34.1	0.18	0.003	3.59	0.049	6.89	18.45	179.5	1.185
N915242		8.24	0.0005	0.047	1.79	1.93	<10	64.7	0.18	0.005	3.22	0.058	5.63	17.35	175.0	1.465
N915243		8.14	0.0013	0.064	1.68	1.74	<10	33.6	0.15	0.003	3.12	0.035	5.41	15.85	157.0	0.510
N915244		7.99	0.0016	0.105	1.64	2.21	<10	65.4	0.23	0.004	3.47	0.114	7.05	16.55	133.5	1.270
N915245		8.53	0.0029	0.110	1.51	1.98	<10	44.9	0.24	0.003	2.41	0.016	10.25	13.10	39.1	0.999

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915235		151.5	4.19	6.48	0.088	0.194	0.018	0.025	0.09	5.19	11.7	1.53	642	0.85	0.051	0.023
N915236		165.5	4.28	6.95	0.096	0.237	0.024	0.018	0.08	5.01	13.1	1.72	667	0.42	0.050	0.031
N915237		62.2	4.27	6.50	0.090	0.270	0.059	0.019	0.10	5.34	12.2	1.59	681	0.32	0.056	0.031
N915238		87.3	3.32	5.62	0.075	0.135	<0.004	0.018	0.21	6.79	6.7	0.79	506	5.74	0.217	0.174
N915239		23.9	4.82	7.80	0.125	0.249	0.017	0.024	0.08	5.33	16.4	2.07	803	0.46	0.034	0.026
N915240		53.5	5.17	9.56	0.135	0.295	0.004	0.025	0.06	4.30	24.4	3.01	1020	0.43	0.042	0.019
N915241		38.6	3.75	7.01	0.159	0.347	0.004	0.014	0.04	3.12	16.4	2.18	623	0.64	0.063	0.033
N915242		38.3	3.26	5.57	0.155	0.335	<0.004	0.017	0.05	2.40	12.3	2.03	526	0.26	0.065	0.037
N915243		82.2	2.88	5.27	0.148	0.339	<0.004	0.010	0.05	2.28	12.6	1.78	488	0.32	0.070	0.047
N915244		140.0	3.05	5.48	0.136	0.353	0.004	0.010	0.05	3.06	11.2	1.60	546	0.66	0.062	0.067
N915245		129.5	3.47	5.77	0.103	0.430	<0.004	0.011	0.10	4.49	10.6	1.29	431	0.35	0.062	0.111

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915235		21.0	0.155	1.605	0.010	0.004	4.80	0.004	0.12	0.333	11.95	0.5	0.28	169.0	<0.005	0.03
N915236		21.9	0.152	3.08	0.011	0.004	3.85	0.001	0.11	0.858	10.80	0.4	0.26	178.0	<0.005	0.04
N915237		19.05	0.155	3.57	0.009	0.005	5.11	0.001	0.06	0.327	10.95	0.3	0.35	130.0	<0.005	0.02
N915238		14.25	0.058	4.15	0.001	<0.002	6.93	0.001	0.01	0.244	3.19	0.1	1.24	93.8	<0.005	<0.01
N915239		23.1	0.145	3.10	0.010	0.005	4.97	0.002	0.03	0.752	13.25	0.3	0.34	116.5	<0.005	0.01
N915240		41.1	0.107	1.145	0.008	0.006	2.35	0.002	0.03	0.128	14.60	0.3	0.32	146.0	<0.005	0.01
N915241		37.2	0.099	1.595	0.013	0.008	1.490	0.001	0.01	0.181	7.93	0.1	0.29	109.0	<0.005	0.02
N915242		36.2	0.095	1.380	0.017	0.007	1.615	<0.001	0.07	0.263	8.02	0.3	0.27	202	<0.005	0.01
N915243		31.6	0.098	0.817	0.014	0.006	1.150	<0.001	0.07	0.167	6.90	0.3	0.24	155.0	<0.005	0.02
N915244		29.0	0.106	0.853	0.013	0.009	2.08	0.001	0.11	0.217	7.04	0.3	0.30	216	<0.005	0.02
N915245		16.50	0.151	0.638	0.012	0.005	4.09	<0.001	0.13	0.126	5.07	0.3	0.30	169.0	<0.005	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915235		0.698	0.113	0.035	0.235	131.0	0.046	10.50	51.2	5.86
N915236		0.636	0.155	0.023	0.262	139.0	0.083	10.20	59.6	7.43
N915237		0.679	0.138	0.034	0.271	143.0	0.065	11.35	61.8	7.49
N915238		2.82	0.147	0.043	0.851	96.9	0.676	5.24	43.4	2.42
N915239		0.657	0.126	0.056	0.261	158.0	0.114	11.50	69.5	6.88
N915240		0.504	0.171	0.014	0.221	174.0	0.109	10.35	82.2	8.49
N915241		0.488	0.246	0.008	0.246	129.0	0.178	8.19	53.3	11.50
N915242		0.406	0.251	0.010	0.241	112.0	0.160	8.32	30.2	11.45
N915243		0.389	0.250	0.006	0.230	103.0	0.181	7.87	20.8	11.15
N915244		0.535	0.253	0.011	0.279	110.5	0.187	8.80	22.2	12.60
N915245		0.683	0.246	0.017	0.360	126.0	0.249	10.05	22.2	11.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14116741

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.
CRU- 31 CRU- QC LOG- 22 LOG- 23
PUL- 31 PUL- QC SPL- 21 WEI- 21
WSH- 22

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31-JUL-2014
Account: PEC

CERTIFICATE KL14104853

Project: Dillard

This report is for 19 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 10-JUL-2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104853

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.001	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.01	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.01	ME-MS41L Bi ppm 0.001	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.001	ME-MS41L Ce ppm 0.003	ME-MS41L Co ppm 0.001	ME-MS41L Cr ppm 0.01	ME-MS41L Cs ppm 0.005
Q347501		2.12	0.0978	0.291	1.73	4.43	<10	198.0	0.23	0.030	3.54	0.047	7.99	15.55	27.0	3.78
Q347502		4.17	0.0719	0.280	0.49	396	<10	460	0.25	0.023	4.79	0.072	8.80	12.80	13.85	4.00
Q347503		1.64	0.0583	0.491	0.46	78.0	<10	173.5	0.27	0.025	5.11	0.123	10.25	14.10	9.06	1.835
Q347504		5.43	0.0063	0.095	1.85	5.15	<10	535	0.20	0.020	5.59	0.109	8.23	18.25	16.70	3.20
Q347505		6.35	0.0376	0.161	1.37	3.99	<10	580	0.24	0.024	3.96	0.064	9.86	16.10	13.65	2.67
Q347506		7.55	0.0023	0.068	2.10	2.89	<10	69.8	0.18	0.007	3.11	0.046	5.51	17.70	16.30	0.793
Q347507		6.93	0.0026	0.059	2.39	1.95	<10	63.0	0.16	0.014	4.06	0.032	5.76	18.75	19.10	0.960
Q347508		5.78	0.0681	0.283	1.78	1.81	<10	71.9	0.18	0.022	2.30	0.070	7.73	14.05	32.4	1.025
Q347509		6.27	0.227	0.271	1.60	1.29	<10	46.8	0.20	0.043	1.75	0.022	6.52	14.15	25.1	0.814
Q347510		5.80	0.0911	0.380	1.44	1.56	<10	70.9	0.19	0.017	1.88	0.033	7.33	15.80	23.4	0.894
Q347511		6.66	0.0858	0.461	1.54	2.14	<10	116.0	0.16	0.034	3.07	0.044	8.45	13.75	18.25	1.510
Q347512		0.07	0.0012	0.096	1.71	1.02	<10	128.5	0.11	0.056	0.99	0.086	13.85	9.07	18.35	0.308
Q347513		5.58	0.0497	0.209	1.91	10.95	<10	162.0	0.19	0.012	2.42	0.029	7.22	14.15	17.35	1.800
Q347514		3.79	0.0458	0.197	1.95	2.95	<10	145.0	0.23	0.008	1.66	0.031	7.68	13.25	26.2	1.250
Q347515		0.71	0.0490	5.22	1.79	11.20	<10	127.0	0.23	0.010	1.72	0.023	8.06	11.15	29.9	1.295
Q347516		5.88	0.0554	0.469	1.81	1.32	<10	110.5	0.21	0.012	1.81	0.036	8.36	14.45	27.0	1.505
Q347517		5.01	0.0933	0.326	1.42	0.71	<10	193.5	0.22	0.020	1.96	0.027	9.03	15.30	25.2	1.830
Q347518		6.38	0.0808	0.337	1.92	1.31	<10	85.3	0.21	0.040	2.29	0.072	7.81	18.80	19.65	1.720
Q347519		6.25	0.0664	0.292	1.48	0.85	<10	119.0	0.22	0.020	2.23	0.036	9.52	17.10	23.9	2.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104853

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.001	ME-MS41L Ga ppm 0.004	ME-MS41L Ge ppm 0.005	ME-MS41L Hf ppm 0.002	ME-MS41L Hg ppm 0.004	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.002	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 0.1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.001	ME-MS41L Nb ppm 0.002
Q347501		2810	4.27	6.49	0.092	0.055	0.069	0.016	0.69	3.39	7.1	1.72	253	5.91	0.019	0.010
Q347502		1680	2.57	1.410	0.036	0.025	0.144	0.017	0.19	3.66	2.1	1.76	270	5.17	0.015	<0.002
Q347503		1780	3.21	1.260	0.043	0.019	0.247	0.010	0.23	4.49	1.4	1.39	519	2.93	0.013	0.003
Q347504		214	4.26	5.66	0.062	0.136	0.079	0.030	0.17	3.79	8.3	1.75	828	0.61	0.043	0.007
Q347505		852	3.41	4.46	0.059	0.075	0.082	0.019	0.16	4.36	5.6	1.54	617	0.98	0.026	0.005
Q347506		138.5	3.59	6.30	0.121	0.288	0.030	0.010	0.08	2.40	10.6	1.78	769	0.30	0.070	0.023
Q347507		103.5	3.95	6.99	0.090	0.223	0.015	0.016	0.12	2.53	12.7	2.08	984	0.21	0.049	0.014
Q347508		1525	3.31	6.62	0.103	0.091	0.053	0.014	0.11	3.46	9.2	1.46	384	1.70	0.062	0.028
Q347509		1380	3.07	6.93	0.154	0.064	0.080	0.015	0.12	2.70	8.5	1.39	170.5	2.02	0.066	0.036
Q347510		2670	3.08	6.18	0.132	0.060	0.090	0.022	0.14	3.04	7.9	1.20	173.0	1.54	0.057	0.025
Q347511		1800	3.07	5.99	0.071	0.110	0.280	0.017	0.10	3.72	6.7	1.21	276	1.28	0.064	0.011
Q347512		87.6	3.36	5.17	0.085	0.111	<0.004	0.011	0.20	6.33	6.3	0.78	477	5.35	0.183	0.165
Q347513		1040	3.08	6.30	0.106	0.103	0.505	0.017	0.12	3.15	6.5	1.19	241	1.38	0.117	0.021
Q347514		1520	3.40	7.77	0.203	0.073	0.191	0.008	0.27	3.17	9.8	1.63	168.5	0.96	0.098	0.061
Q347515		1570	2.91	7.02	0.151	0.085	0.074	0.009	0.27	3.30	8.3	1.42	159.0	3.13	0.099	0.071
Q347516		2100	2.88	7.35	0.115	0.081	0.046	0.014	0.34	3.49	8.8	1.60	224	3.35	0.092	0.025
Q347517		2370	3.09	5.63	0.098	0.052	0.029	0.017	0.49	3.78	6.3	1.41	231	3.45	0.056	0.015
Q347518		1970	3.22	6.72	0.122	0.112	0.027	0.017	0.28	3.21	6.9	1.29	189.5	6.17	0.108	0.025
Q347519		2430	3.27	5.56	0.091	0.090	0.042	0.015	0.35	4.06	6.2	1.26	232	4.06	0.065	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104853

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Ni ppm 0.04	ME-MS41L P % 0.001	ME-MS41L Pb ppm 0.005	ME-MS41L Pd ppm 0.001	ME-MS41L Pt ppm 0.002	ME-MS41L Rb ppm 0.005	ME-MS41L Re ppm 0.001	ME-MS41L S % 0.01	ME-MS41L Sb ppm 0.005	ME-MS41L Sc ppm 0.005	ME-MS41L Se ppm 0.1	ME-MS41L Sn ppm 0.01	ME-MS41L Sr ppm 0.01	ME-MS41L Ta ppm 0.005	ME-MS41L Te ppm 0.01
Q347501		19.10	0.107	0.782	0.014	0.003	24.4	0.025	1.06	0.082	20.5	4.1	0.30	52.9	<0.005	0.07
Q347502		14.95	0.098	1.745	0.007	<0.002	6.92	0.026	0.68	1.860	8.27	2.9	0.08	55.2	<0.005	0.03
Q347503		10.90	0.096	3.24	0.011	<0.002	7.09	0.007	1.39	0.335	4.40	3.1	0.04	56.9	<0.005	0.06
Q347504		17.55	0.103	2.31	0.008	0.003	6.20	<0.001	0.50	0.516	15.00	0.4	0.20	116.5	<0.005	0.02
Q347505		15.10	0.104	1.915	0.010	<0.002	5.90	0.004	0.52	0.195	9.62	1.7	0.11	78.5	<0.005	0.04
Q347506		16.50	0.104	1.945	0.006	0.003	2.63	<0.001	0.10	0.222	7.83	0.4	0.16	84.0	<0.005	0.01
Q347507		19.80	0.106	1.460	0.009	0.005	5.10	<0.001	0.03	0.255	9.12	0.4	0.16	86.7	<0.005	0.03
Q347508		14.80	0.102	1.280	0.022	0.003	4.47	0.007	0.47	0.174	8.80	2.6	0.19	44.5	<0.005	0.05
Q347509		12.40	0.092	0.656	0.013	<0.002	4.29	0.008	0.95	0.135	9.30	3.4	0.25	34.7	<0.005	0.09
Q347510		14.20	0.104	0.509	0.014	0.002	5.22	0.009	0.80	0.175	9.21	3.9	0.23	39.4	<0.005	0.05
Q347511		13.75	0.099	1.015	0.012	0.002	4.42	0.008	0.87	0.300	8.30	3.1	0.14	55.6	<0.005	0.07
Q347512		13.45	0.059	3.81	0.004	<0.002	6.84	0.001	0.01	0.228	2.95	0.1	1.21	80.3	<0.005	0.02
Q347513		12.80	0.108	0.806	0.011	0.003	4.27	0.006	0.72	1.145	6.54	1.7	0.19	77.3	<0.005	0.05
Q347514		13.50	0.109	0.612	0.023	<0.002	10.05	0.004	0.65	0.170	8.93	2.4	0.23	60.1	<0.005	0.02
Q347515		13.10	0.104	0.780	0.011	0.002	10.20	0.008	0.41	0.231	7.42	2.3	0.54	61.9	<0.005	0.06
Q347516		13.10	0.106	0.464	0.016	0.002	13.30	0.018	0.56	0.179	12.05	3.4	0.21	60.3	<0.005	0.05
Q347517		15.70	0.110	0.369	0.017	0.002	18.35	0.019	0.71	0.068	17.35	3.6	0.27	50.9	<0.005	0.06
Q347518		12.30	0.116	0.823	0.009	0.002	11.55	0.034	1.28	0.032	8.80	4.0	0.23	72.2	<0.005	0.06
Q347519		14.85	0.109	0.487	0.008	0.003	14.85	0.019	0.80	0.094	14.85	3.3	0.26	67.0	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31-JUL-2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104853

Sample Description	Method / Analyte / Units / LOR	ME-MS41L Th ppm 0.002	ME-MS41L Ti % 0.001	ME-MS41L Tl ppm 0.002	ME-MS41L U ppm 0.005	ME-MS41L V ppm 0.1	ME-MS41L W ppm 0.001	ME-MS41L Y ppm 0.003	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.01
Q347501		0.430	0.102	0.138	0.129	160.5	0.150	10.10	16.3	1.38
Q347502		0.686	0.002	0.194	0.177	77.9	0.058	11.25	21.4	1.02
Q347503		0.719	0.001	0.416	0.208	43.4	0.043	11.75	33.3	0.59
Q347504		0.322	0.037	0.060	0.147	125.5	0.032	9.40	64.8	2.84
Q347505		0.535	0.022	0.030	0.124	84.6	0.042	9.92	63.2	1.96
Q347506		0.235	0.149	0.012	0.202	116.0	0.078	5.59	95.6	6.55
Q347507		0.248	0.112	0.015	0.186	122.0	0.048	6.49	87.5	5.59
Q347508		0.784	0.109	0.024	0.130	141.5	0.027	9.34	33.5	2.12
Q347509		0.665	0.162	0.017	0.117	159.0	0.086	7.65	13.0	1.09
Q347510		0.712	0.106	0.027	0.111	149.0	0.021	9.00	13.1	1.21
Q347511		0.612	0.046	0.026	0.127	103.5	0.016	9.56	22.2	2.82
Q347512		2.87	0.147	0.047	0.839	94.8	0.640	4.89	42.2	2.05
Q347513		0.479	0.090	0.028	0.135	107.0	0.025	7.55	18.6	3.25
Q347514		0.819	0.222	0.037	0.112	167.5	0.108	8.57	14.2	1.36
Q347515		0.817	0.192	0.037	0.135	160.0	37.5	8.16	26.9	1.62
Q347516		0.689	0.136	0.051	0.163	150.0	0.119	10.35	18.2	2.06
Q347517		0.656	0.083	0.071	0.125	148.0	0.016	10.85	15.0	1.19
Q347518		0.624	0.108	0.042	0.212	123.5	0.016	9.26	17.4	3.98
Q347519		0.654	0.056	0.060	0.154	133.0	0.009	10.95	17.9	2.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 31- JUL- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14104853

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

CERTIFICATE KL14119804

Project: Dillard

This report is for 45 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 8- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915246		7.65	0.0015	0.128	1.55	2.59	<10	32.7	0.23	0.004	2.60	0.027	9.55	17.10	42.9	1.495
N915247		7.38	0.0024	0.077	1.61	2.71	<10	33.1	0.24	0.005	3.49	0.027	10.05	18.60	42.8	2.91
N915248		8.81	0.0013	0.061	1.47	2.40	<10	33.2	0.23	0.003	2.26	0.020	9.52	15.20	36.6	2.76
N915249		6.91	0.0013	0.018	1.29	2.39	<10	38.9	0.25	0.003	2.49	0.034	10.65	15.00	31.3	4.48
N915250		0.02	0.744	53.7	1.03	938	20	105.0	0.15	24.8	3.31	0.896	12.75	37.0	29.9	0.671
N915251		8.07	0.0018	0.031	1.37	2.45	<10	39.2	0.23	0.007	2.43	0.022	9.70	14.35	34.7	3.03
N915252		6.91	0.0017	0.081	1.77	3.83	<10	129.5	0.41	0.009	4.59	0.057	11.85	20.2	43.7	15.40
N915253		7.77	0.0006	0.040	1.75	4.62	<10	75.7	0.42	0.008	4.08	0.043	13.20	21.9	41.3	13.50
N915254		6.59	0.0019	0.076	1.24	13.65	<10	72.1	0.45	0.018	4.71	0.060	10.90	24.6	31.2	15.05
N915255		8.04	0.0007	0.023	2.09	2.99	<10	45.6	0.24	0.006	2.93	0.027	9.63	17.10	34.4	3.76
N915256		7.09	0.0076	0.102	1.77	2.62	<10	51.0	0.23	0.002	2.76	0.057	9.09	15.65	33.3	3.62
N915257		8.32	0.0029	0.152	1.67	1.75	<10	26.9	0.23	0.005	2.35	0.039	9.81	15.65	64.5	0.942
N915258		7.98	0.0020	0.174	1.69	2.32	<10	80.7	0.25	0.005	2.34	0.045	9.57	15.55	35.7	0.714
N915259		7.57	0.0018	0.136	1.63	2.23	<10	34.0	0.26	0.005	2.52	0.017	9.76	17.25	29.1	0.635
N915260		6.87	0.0015	0.119	1.86	2.63	<10	41.8	0.24	0.017	2.19	0.017	10.55	27.0	18.15	0.669
N915261		7.12	0.0019	0.102	1.84	4.02	<10	41.2	0.27	0.008	2.66	0.015	8.88	28.6	32.2	3.40
N915262		7.14	0.0062	0.319	1.63	4.89	<10	39.9	0.20	0.040	2.86	0.061	8.86	36.3	37.3	3.01
N915263		0.03	0.0010	0.096	1.69	1.09	<10	124.5	0.09	0.070	1.02	0.083	14.10	9.37	17.85	0.283
N915264		8.04	0.0038	0.088	1.74	2.27	<10	49.4	0.18	0.013	2.31	0.016	9.19	13.90	29.2	0.776
N915265		7.69	0.0033	0.132	1.85	2.17	<10	37.4	0.21	0.008	2.57	0.043	9.66	17.50	31.6	1.025
N915266		7.79	0.0012	0.159	1.75	2.16	<10	40.5	0.23	0.005	2.74	0.033	8.62	16.40	40.4	0.538
N915267		7.90	0.0036	0.249	1.58	2.37	<10	60.5	0.21	0.013	2.63	0.063	9.68	29.1	27.7	0.454
N915268		7.69	0.0043	0.155	1.68	2.84	<10	44.5	0.21	0.015	2.39	0.038	9.11	31.4	27.2	0.433
N915269		7.91	0.0033	0.184	1.76	2.12	<10	34.5	0.22	0.014	2.33	0.030	8.68	31.1	29.1	0.763
N915270		6.97	0.0028	0.250	1.71	2.33	<10	53.6	0.21	0.012	2.42	0.048	8.23	27.3	61.5	1.170
N915271		6.77	0.0046	0.110	1.70	1.88	<10	33.4	0.20	0.004	2.19	0.021	8.04	14.80	86.2	0.569
N915272		8.32	0.370	0.352	0.73	9.16	<10	455	0.29	0.052	5.52	0.066	7.97	14.30	5.09	2.43
N915273		5.14	0.0388	0.083	0.60	4.78	10	397	0.29	0.007	6.84	0.048	7.14	8.62	5.27	2.59
N915274		5.87	0.0950	0.195	0.85	5.66	<10	1160	0.28	0.042	5.72	0.074	8.70	10.15	6.71	3.62
N915275		0.06	0.926	52.9	1.10	940	20	108.0	0.15	23.5	3.24	0.771	12.30	32.1	28.0	0.672
N915276		5.76	0.0302	0.110	1.17	3.18	10	1240	0.31	0.026	5.64	0.076	9.63	9.38	10.35	2.73
N915277		5.57	0.0709	0.208	0.71	4.55	10	534	0.25	0.034	4.87	0.064	8.79	12.25	6.28	2.88
N915278		6.71	0.0298	0.250	0.90	4.14	10	641	0.25	0.004	5.41	0.064	9.60	12.60	8.63	2.68
N915279		5.03	0.0287	0.425	0.81	4.22	<10	506	0.29	0.006	5.07	0.082	9.62	14.45	9.63	2.13
N915280		7.50	0.0786	0.452	1.49	2.19	10	274	0.19	0.016	3.88	0.065	11.05	16.50	17.05	1.995
N915281		6.92	0.0410	0.408	1.15	12.40	10	143.5	0.26	0.015	4.37	0.061	11.05	18.65	14.90	2.57
N915282		5.18	0.123	0.923	0.62	20.8	10	326	0.31	0.019	7.43	0.111	8.60	14.55	5.47	8.17
N915283		6.32	0.0858	1.260	1.13	13.35	10	254	0.22	0.017	3.93	0.087	8.82	21.8	11.15	2.36
N915284		4.22	0.0833	1.450	0.70	15.50	10	236	0.34	0.035	5.82	0.088	7.08	22.0	7.08	5.77
N915285		2.73	0.0632	1.340	0.75	8.99	10	239	0.30	0.031	5.64	0.152	9.79	15.05	43.3	4.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915246		172.0	3.47	5.45	0.109	0.349	0.007	0.015	0.06	4.33	11.6	1.51	495	0.38	0.047	0.071
N915247		64.3	3.74	5.94	0.106	0.300	0.010	0.011	0.06	4.62	13.8	1.58	579	0.67	0.043	0.048
N915248		85.6	3.27	5.14	0.116	0.330	0.008	0.012	0.06	4.37	11.9	1.36	444	0.26	0.044	0.074
N915249		6.96	3.62	4.85	0.099	0.300	0.008	0.011	0.09	4.90	10.9	1.24	437	0.27	0.044	0.067
N915250		3480	2.81	3.28	0.073	0.162	0.708	0.083	0.14	7.74	6.9	0.35	678	545	0.091	0.207
N915251		7.42	3.25	4.98	0.113	0.349	0.009	0.009	0.07	4.53	10.3	1.33	428	0.67	0.045	0.080
N915252		75.0	4.42	7.27	0.142	0.257	0.021	0.028	0.09	5.27	15.6	2.14	860	0.31	0.036	0.018
N915253		33.7	4.13	7.04	0.132	0.217	0.008	0.028	0.10	5.93	18.2	2.20	872	0.16	0.034	0.019
N915254		50.0	4.97	4.17	0.134	0.157	0.421	0.023	0.11	4.79	9.2	2.19	937	0.16	0.029	0.022
N915255		20.6	4.41	5.93	0.144	0.285	0.014	0.009	0.04	4.43	14.9	2.28	644	0.31	0.037	0.045
N915256		135.0	3.36	5.61	0.140	0.325	0.010	0.010	0.04	3.91	12.3	1.70	519	0.33	0.044	0.064
N915257		210	3.18	5.58	0.139	0.351	0.009	0.010	0.07	4.22	12.4	1.68	463	0.75	0.042	0.073
N915258		202	3.17	5.45	0.142	0.369	0.008	0.012	0.05	4.37	12.5	1.56	478	0.79	0.046	0.072
N915259		184.0	3.69	6.28	0.141	0.368	0.008	0.012	0.07	4.34	13.0	1.58	505	0.58	0.048	0.082
N915260		62.7	4.75	6.71	0.140	0.316	0.009	0.006	0.07	4.84	14.0	2.01	575	0.74	0.056	0.077
N915261		43.9	4.07	5.54	0.142	0.306	0.021	0.010	0.04	4.00	11.4	1.80	522	0.40	0.044	0.054
N915262		163.5	3.71	5.31	0.122	0.304	0.028	0.014	0.05	3.99	10.6	1.61	527	0.79	0.045	0.054
N915263		91.0	3.18	4.53	0.066	0.117	0.004	0.008	0.20	6.47	5.7	0.75	480	5.49	0.198	0.210
N915264		57.8	3.08	5.18	0.131	0.322	0.009	0.011	0.05	4.01	10.8	1.55	646	1.11	0.047	0.084
N915265		80.5	3.55	6.52	0.146	0.363	0.007	0.011	0.07	4.45	12.9	1.67	750	0.55	0.063	0.074
N915266		118.0	3.38	5.65	0.125	0.349	0.008	0.010	0.06	3.87	11.0	1.53	541	0.44	0.065	0.076
N915267		161.0	3.22	5.37	0.124	0.386	0.011	0.008	0.08	4.59	10.1	1.38	531	0.92	0.067	0.081
N915268		102.5	3.25	5.87	0.125	0.392	0.006	0.006	0.07	4.10	11.4	1.47	497	0.78	0.058	0.099
N915269		91.9	3.42	5.94	0.137	0.356	0.007	0.007	0.07	3.79	10.7	1.49	482	0.74	0.054	0.099
N915270		159.0	3.05	5.61	0.141	0.308	0.004	0.013	0.05	3.64	10.7	1.51	490	0.61	0.049	0.087
N915271		89.1	2.72	5.29	0.132	0.292	0.005	<0.005	0.05	3.53	10.2	1.52	441	0.38	0.047	0.094
N915272		71.2	2.93	1.615	0.052	0.046	0.142	0.008	0.29	3.28	1.1	0.20	647	2.22	0.009	<0.002
N915273		8.84	2.58	1.330	0.050	0.033	0.077	0.007	0.22	3.04	1.8	0.51	688	1.70	0.010	<0.002
N915274		37.3	3.25	1.995	0.074	0.038	0.103	0.010	0.27	3.67	2.5	0.25	525	3.14	0.010	0.002
N915275		3410	2.85	3.42	0.067	0.161	0.635	0.081	0.14	7.33	6.7	0.34	643	497	0.095	0.270
N915276		33.3	2.80	2.45	0.036	0.035	0.068	0.011	0.26	4.34	3.1	0.46	694	0.99	0.011	<0.002
N915277		53.4	2.98	1.350	0.035	0.042	0.115	0.008	0.30	3.84	2.1	0.38	575	1.98	0.007	<0.002
N915278		31.9	2.56	2.00	0.032	0.035	0.148	0.006	0.26	4.25	4.1	0.43	489	0.62	0.012	<0.002
N915279		584	3.00	1.955	0.038	0.048	0.186	0.011	0.23	4.24	2.9	1.17	503	0.51	0.023	<0.002
N915280		1220	3.13	5.21	0.041	0.083	0.232	0.016	0.19	4.71	6.4	1.13	335	0.72	0.035	0.004
N915281		922	3.48	3.41	0.047	0.040	0.181	0.018	0.21	4.69	5.2	1.28	401	1.17	0.027	<0.002
N915282		605	3.24	1.700	0.040	0.036	0.193	0.012	0.27	3.55	2.0	2.67	674	0.91	0.020	<0.002
N915283		1550	3.09	2.48	0.044	0.034	0.162	0.022	0.23	3.62	3.2	0.99	336	6.94	0.020	<0.002
N915284		1520	3.49	1.610	0.043	0.048	0.265	0.010	0.28	2.98	2.8	1.91	517	8.71	0.020	<0.002
N915285		612	3.45	1.980	0.047	0.061	0.146	0.008	0.26	4.41	3.4	1.75	623	11.00	0.028	0.025

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915246		20.3	0.145	0.566	0.011	0.004	2.75	<0.001	0.15	0.201	6.02	0.3	0.27	149.5	<0.005	0.01
N915247		20.3	0.138	0.478	0.009	0.004	3.08	0.001	0.12	0.152	7.69	0.3	0.28	125.5	<0.005	0.01
N915248		17.20	0.147	0.476	0.007	0.004	3.10	<0.001	0.06	0.135	5.04	0.2	0.30	140.0	<0.005	0.01
N915249		14.85	0.155	0.500	0.014	0.003	4.79	<0.001	0.10	0.111	4.69	0.2	0.24	197.5	<0.005	<0.01
N915250		28.8	0.071	78.6	0.004	<0.002	4.52	0.091	0.48	130.0	2.15	2.5	1.83	123.5	<0.005	2.43
N915251		16.10	0.144	0.534	0.012	0.004	3.26	<0.001	0.07	0.188	5.26	0.2	0.28	180.0	<0.005	0.01
N915252		22.5	0.132	1.475	0.013	0.003	7.10	<0.001	0.07	1.315	16.60	0.4	0.31	197.0	<0.005	0.01
N915253		23.8	0.139	1.300	0.012	0.004	6.90	<0.001	0.01	0.787	13.20	0.5	0.28	190.5	<0.005	<0.01
N915254		19.20	0.146	2.83	0.010	0.003	7.90	<0.001	0.27	4.57	14.95	0.4	0.20	165.0	<0.005	0.02
N915255		18.00	0.172	1.010	0.021	0.005	2.31	0.001	0.08	0.212	7.32	0.3	0.26	259	<0.005	0.01
N915256		19.70	0.154	0.820	0.016	0.004	2.25	<0.001	0.07	0.232	4.56	0.2	0.31	241	<0.005	<0.01
N915257		36.1	0.155	1.240	0.009	0.004	2.29	0.002	0.09	0.123	3.75	0.3	0.27	154.0	<0.005	0.02
N915258		19.10	0.159	1.645	0.009	0.005	1.590	0.002	0.09	0.134	5.14	0.2	0.24	210	<0.005	0.01
N915259		17.10	0.152	0.725	0.013	0.004	2.02	0.001	0.11	0.143	5.34	0.4	0.30	162.0	<0.005	<0.01
N915260		13.60	0.160	0.895	0.010	0.004	2.33	<0.001	0.24	0.102	5.87	0.3	0.29	158.0	<0.005	0.02
N915261		18.55	0.171	1.515	0.014	0.004	1.705	0.001	0.23	0.304	6.93	0.4	0.27	210	<0.005	0.02
N915262		20.6	0.169	2.67	0.013	0.005	2.13	0.002	0.58	0.248	5.72	0.5	0.30	170.5	<0.005	0.05
N915263		14.15	0.055	3.85	0.002	<0.002	6.28	<0.001	0.01	0.238	3.23	0.1	1.29	82.4	<0.005	<0.01
N915264		17.35	0.166	1.960	0.013	0.006	1.410	0.002	0.06	0.128	4.88	0.2	0.25	194.0	<0.005	0.02
N915265		17.35	0.145	1.875	0.010	0.004	2.22	<0.001	0.03	0.147	5.48	0.2	0.23	185.5	<0.005	0.02
N915266		20.0	0.150	1.720	0.010	0.005	1.800	<0.001	0.04	0.178	5.20	0.3	0.29	250	<0.005	<0.01
N915267		15.80	0.138	1.290	0.009	0.004	2.08	0.001	0.16	0.130	5.34	0.4	0.29	182.5	<0.005	0.03
N915268		14.40	0.148	0.967	0.013	0.004	2.09	<0.001	0.31	0.112	5.09	0.5	0.27	169.0	<0.005	0.08
N915269		15.90	0.143	0.770	0.008	0.003	2.48	0.001	0.37	0.102	5.34	0.6	0.27	183.0	<0.005	0.08
N915270		26.4	0.144	0.772	0.014	0.004	1.800	0.001	0.51	0.144	4.74	0.4	0.26	244	<0.005	0.04
N915271		36.0	0.155	0.737	0.012	0.005	1.405	<0.001	0.23	0.102	4.31	0.3	0.23	184.0	<0.005	0.04
N915272		9.76	0.110	2.52	0.004	0.002	8.20	0.001	0.49	0.202	4.28	6.8	0.06	33.7	<0.005	0.18
N915273		7.18	0.089	1.595	0.003	<0.002	6.24	<0.001	0.42	0.136	4.47	10.1	0.04	33.9	<0.005	0.05
N915274		8.92	0.102	2.96	0.003	0.002	7.64	<0.001	0.32	0.260	6.13	15.5	0.06	53.4	<0.005	0.08
N915275		22.9	0.072	72.3	0.005	0.002	4.73	0.091	0.48	117.5	1.940	2.7	1.73	117.0	<0.005	2.48
N915276		8.01	0.103	2.12	0.004	0.002	7.03	0.001	0.31	0.145	7.27	1.4	0.05	72.5	<0.005	0.01
N915277		8.87	0.112	3.45	0.005	0.002	8.15	0.002	0.62	0.257	5.62	3.6	0.06	44.0	<0.005	0.09
N915278		8.26	0.110	2.11	0.007	<0.002	7.69	0.019	0.65	0.144	5.50	0.6	0.04	79.9	<0.005	0.01
N915279		9.35	0.110	2.43	0.009	0.002	6.80	0.008	0.87	0.153	6.61	0.9	0.05	69.6	<0.005	0.01
N915280		13.90	0.122	1.150	0.012	0.003	6.04	0.010	1.03	0.127	12.20	1.7	0.18	59.0	<0.005	0.02
N915281		12.90	0.120	1.410	0.007	0.002	6.47	0.011	1.38	0.313	11.95	2.8	0.11	63.0	<0.005	0.03
N915282		9.95	0.081	2.54	0.009	<0.002	9.93	0.004	1.11	0.291	5.62	1.8	0.05	86.2	<0.005	0.09
N915283		12.30	0.119	1.540	0.009	0.002	6.37	0.029	1.13	0.527	8.23	2.9	0.09	56.2	<0.005	0.04
N915284		13.40	0.092	2.96	0.012	0.002	9.15	0.052	1.32	0.393	6.07	3.1	0.07	83.4	<0.005	0.10
N915285		16.65	0.092	3.88	0.008	0.002	8.02	0.025	0.86	0.390	6.02	3.6	0.45	77.7	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915246		0.571	0.200	0.011	0.265	113.0	0.212	9.67	34.5	8.67
N915247		0.608	0.143	0.016	0.260	117.0	0.260	10.20	25.5	7.56
N915248		0.570	0.187	0.014	0.274	105.5	0.163	9.78	21.9	8.36
N915249		0.591	0.174	0.026	0.282	123.5	0.156	9.57	22.9	7.66
N915250		1.350	0.062	0.054	1.475	37.3	8.44	5.90	124.0	4.61
N915251		0.553	0.200	0.016	0.292	103.0	0.188	9.18	25.0	9.25
N915252		0.630	0.096	0.055	0.260	145.5	0.206	12.95	45.7	6.27
N915253		0.729	0.069	0.043	0.259	132.0	0.645	12.70	39.6	5.45
N915254		0.663	0.055	0.582	0.221	140.5	0.848	11.85	57.3	3.84
N915255		0.642	0.191	0.020	0.245	129.5	0.296	8.65	39.1	7.45
N915256		0.537	0.206	0.015	0.250	107.5	0.272	9.34	32.8	8.76
N915257		0.489	0.242	0.010	0.268	111.5	0.289	9.07	26.9	9.09
N915258		0.516	0.215	0.007	0.271	104.5	0.296	8.73	33.6	9.67
N915259		0.506	0.231	0.010	0.270	118.5	0.324	9.28	37.1	9.31
N915260		0.527	0.241	0.013	0.244	137.5	0.312	9.52	56.2	6.76
N915261		0.597	0.190	0.016	0.211	118.0	0.229	8.45	40.7	7.75
N915262		0.588	0.199	0.020	0.260	114.5	0.276	8.35	45.0	7.44
N915263		2.47	0.149	0.040	0.798	92.7	0.583	5.15	42.2	1.96
N915264		0.554	0.214	0.008	0.281	103.0	0.299	8.03	57.3	8.36
N915265		0.601	0.233	0.012	0.339	116.0	0.355	9.43	77.9	8.14
N915266		0.599	0.246	0.009	0.319	115.0	0.324	9.30	57.9	9.38
N915267		0.624	0.224	0.011	0.343	109.5	0.335	9.37	50.0	9.21
N915268		0.666	0.247	0.012	0.322	108.5	0.354	9.32	36.2	9.71
N915269		0.579	0.265	0.013	0.272	116.0	0.335	9.81	27.0	9.51
N915270		0.655	0.233	0.011	0.271	101.0	0.252	8.30	24.4	8.47
N915271		0.668	0.236	0.008	0.283	95.9	0.246	7.64	23.2	8.22
N915272		0.440	0.003	0.040	0.339	27.9	0.062	9.19	16.4	1.59
N915273		0.363	0.002	0.023	0.203	26.3	0.044	8.42	16.8	1.27
N915274		0.550	0.002	0.035	0.339	42.2	0.145	10.10	25.2	1.46
N915275		1.455	0.064	0.051	1.470	35.0	7.49	5.49	122.0	5.10
N915276		0.584	0.001	0.033	0.271	57.6	0.089	10.00	21.8	1.24
N915277		0.550	0.001	0.048	0.230	32.6	0.058	9.39	18.5	1.47
N915278		0.666	0.001	0.046	0.196	38.0	0.055	9.61	17.4	1.28
N915279		0.539	0.002	0.046	0.256	55.6	0.028	10.55	18.3	1.62
N915280		0.591	0.014	0.039	0.204	110.5	0.007	10.85	16.7	2.40
N915281		0.503	0.003	0.036	0.199	102.0	0.011	10.90	21.5	1.76
N915282		0.264	0.002	0.044	0.147	42.6	0.098	10.55	21.9	1.56
N915283		0.496	0.001	0.039	0.165	70.5	0.065	9.21	23.6	1.51
N915284		0.347	0.002	0.061	0.330	43.7	0.115	9.52	22.2	1.87
N915285		0.880	0.006	0.042	0.366	42.7	29.0	10.20	102.0	2.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915286		1.92	0.0936	1.165	0.56	4.36	10	208	0.25	0.023	5.06	0.161	7.32	18.95	4.40	5.14
N915287		7.02	0.126	5.15	0.65	19.90	<10	172.5	0.31	0.031	5.73	1.025	8.88	29.1	36.7	3.99
N915288		0.06	0.0013	0.101	1.96	1.14	<10	142.5	0.13	0.069	1.15	0.096	14.25	9.88	19.05	0.351
N915289		4.48	0.0404	0.803	0.69	9.32	<10	205	0.33	0.020	4.17	0.055	8.46	25.2	24.4	2.74
N915290		3.92	0.174	1.375	0.70	223	<10	161.0	0.40	0.053	6.29	0.469	8.80	21.2	28.2	3.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915286		1670	3.19	1.230	0.047	0.032	0.044	0.005	0.30	3.12	2.2	1.61	373	3.13	0.011	0.030
N915287		2310	5.80	1.835	0.083	0.041	0.269	0.030	0.26	3.87	3.6	2.06	780	2.30	0.016	0.005
N915288		96.3	3.70	5.77	0.079	0.134	<0.004	0.011	0.23	6.63	6.7	0.82	510	5.66	0.228	0.185
N915289		1325	4.58	1.910	0.057	0.041	0.053	0.018	0.23	3.72	2.5	1.63	519	1.95	0.025	0.002
N915290		1175	4.88	1.700	0.058	0.029	0.142	0.027	0.27	3.77	3.3	2.40	721	31.6	0.023	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915286		13.80	0.102	4.28	0.009	0.003	9.02	0.075	1.73	0.615	6.05	3.1	0.09	64.5	<0.005	0.05
N915287		40.4	0.121	3.96	0.018	0.003	8.54	0.033	1.72	1.185	11.30	3.0	0.20	76.8	<0.005	0.07
N915288		14.80	0.062	4.25	0.002	<0.002	6.91	<0.001	0.01	0.272	3.26	0.3	1.34	95.0	<0.005	<0.01
N915289		26.1	0.122	1.920	0.012	<0.002	7.54	0.017	1.55	0.366	9.46	2.8	0.07	56.7	<0.005	0.06
N915290		33.4	0.107	17.15	0.015	0.002	8.00	0.060	1.51	12.45	10.85	3.1	0.10	86.5	<0.005	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915286		0.309	0.001	0.047	0.222	25.1	1480	9.72	392	1.86
N915287		0.374	0.001	0.067	0.198	68.6	33.6	13.10	55.4	2.00
N915288		3.01	0.169	0.049	0.900	102.0	0.740	5.73	45.9	2.27
N915289		0.401	0.001	0.043	0.183	71.2	4.12	9.83	27.6	1.83
N915290		0.386	0.001	0.081	0.590	73.5	0.205	12.25	57.0	1.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 25- AUG- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14119804

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

CERTIFICATE KL14124507

Project: Dillard

This report is for 128 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 19- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915452		7.28	0.0044	0.106	1.61	4.71	<10	38.1	0.37	0.056	4.37	0.045	8.54	22.4	111.5	5.87
N915453		7.39	0.0066	0.075	2.42	4.04	<10	62.9	0.23	0.034	2.66	0.027	5.80	26.8	151.5	5.69
N915454		7.33	0.0045	0.048	2.62	2.29	<10	45.9	0.22	0.066	3.17	0.025	3.91	29.0	150.0	6.67
N915455		6.29	0.0181	0.094	1.68	4.26	<10	57.1	0.21	0.392	2.71	0.028	5.64	40.4	127.0	3.68
N915456		6.69	0.0102	0.093	1.81	4.08	<10	41.5	0.27	0.225	2.93	0.046	5.64	31.4	141.5	4.17
N915457		7.21	0.0075	0.071	2.46	3.91	<10	25.8	0.23	0.042	2.08	0.023	2.89	25.9	147.5	4.55
N915458		7.58	0.0197	0.124	1.67	6.45	10	27.7	0.17	0.257	1.94	0.062	4.42	56.7	116.0	2.29
N915459		7.13	0.0065	0.057	2.26	2.96	<10	22.8	0.19	0.090	1.98	0.034	3.46	24.3	134.5	4.54
N915460		8.17	0.0127	0.067	2.58	2.69	<10	38.6	0.23	0.151	2.23	0.024	4.67	32.9	165.5	5.74
N915461		6.20	0.0181	0.139	3.03	2.13	<10	121.0	0.25	0.127	2.58	0.029	5.32	36.0	184.0	9.90
N915462		5.61	0.0035	0.399	0.85	49.0	<10	35.4	0.65	0.061	1.64	0.526	32.2	22.1	17.35	6.90
N915463		0.05	0.0009	0.099	1.75	1.16	<10	132.5	0.12	0.063	1.03	0.085	14.10	9.86	19.50	0.329
N915464		8.00	0.0012	0.263	1.08	4.62	<10	74.9	0.32	0.036	4.36	0.168	35.2	22.4	15.45	3.61
N915465		4.41	0.0070	0.552	1.21	4.27	<10	33.0	0.42	0.039	3.81	0.208	33.7	20.5	16.90	4.43
N915466		5.32	0.0030	0.143	1.07	2.05	<10	52.3	0.38	0.009	3.48	0.053	14.65	14.25	46.7	5.58
N915467		6.35	0.0063	0.130	1.39	1.13	<10	275	0.16	0.009	1.78	0.030	13.05	15.30	28.6	1.600
N915468		7.08	0.0248	0.212	2.01	2.15	<10	205	0.29	0.007	1.80	0.177	29.8	24.4	4.55	3.95
N915469		6.37	0.0037	0.135	2.07	2.06	<10	74.8	0.32	0.018	2.76	0.131	29.7	22.7	2.92	3.76
N915470		6.61	0.0052	0.147	1.96	1.99	<10	59.8	0.33	0.031	3.09	0.148	35.1	22.3	3.19	4.51
N915471		6.19	0.0058	0.229	1.91	2.69	<10	67.5	0.32	0.057	2.72	0.374	33.2	23.1	2.75	3.85
N915472		7.10	0.0024	0.083	1.81	3.35	<10	82.9	0.27	0.019	2.16	0.245	36.0	21.0	3.40	4.21
N915473		6.30	0.0020	0.025	1.98	2.96	<10	141.0	0.22	0.012	1.66	0.029	32.6	19.35	2.46	4.27
N915474		6.43	0.0028	0.051	1.90	2.77	<10	140.5	0.23	0.010	1.56	0.056	32.2	19.00	4.67	10.10
N915475		0.05	0.956	51.8	1.05	965	20	108.0	0.17	21.4	3.27	0.867	12.65	34.5	30.1	0.731
N915476		4.69	0.0022	0.138	1.69	13.85	<10	79.8	0.41	0.021	2.14	0.593	29.1	19.50	2.01	24.7
N915477		3.50	0.0014	0.148	1.70	11.25	<10	240	0.33	0.011	1.88	0.203	31.0	21.6	1.67	8.32
N915478		10.32	0.0041	0.181	1.42	18.80	<10	89.3	0.34	0.011	2.40	0.514	30.7	19.30	2.03	14.10
N915479		6.99	0.0075	0.206	1.52	2.00	<10	92.3	0.24	0.016	1.86	1.000	26.1	20.7	7.74	2.70
N915480		7.01	0.0066	0.127	1.47	1.37	10	77.2	0.27	0.008	1.93	0.076	23.9	19.75	27.4	2.99
N915481		7.24	0.0063	0.126	1.72	1.04	<10	137.5	0.24	0.007	2.28	0.115	24.6	20.4	21.9	3.20
N915482		6.27	0.0123	0.181	1.36	1.32	<10	127.0	0.22	0.006	2.60	0.113	19.90	16.65	11.50	4.59
N915483		7.51	0.0057	0.187	1.89	1.76	<10	178.5	0.26	0.013	2.03	0.109	34.2	23.8	2.46	6.06
N915484		7.30	0.0016	0.105	1.91	1.12	<10	567	0.29	0.004	2.53	0.097	20.5	17.45	22.2	11.10
N915485		6.98	0.0015	0.110	1.77	0.98	<10	179.5	0.20	0.004	2.41	0.100	20.5	19.20	30.7	3.50
N915486		5.30	0.0009	0.088	1.20	0.93	<10	72.4	0.12	0.004	1.51	0.066	7.59	11.75	23.4	1.535
N915487		7.15	0.0008	0.077	1.21	0.95	<10	54.0	0.14	0.003	1.56	0.096	7.41	11.10	20.5	0.564
N915488		0.05	0.0010	0.110	1.96	1.20	<10	148.5	0.14	0.076	1.12	0.080	16.00	9.75	19.65	0.326
N915489		7.33	0.0012	0.095	1.64	0.85	<10	51.7	0.17	0.008	2.58	0.100	7.27	11.85	27.6	0.842
N915490		6.65	0.0007	0.408	2.03	1.16	<10	38.9	0.21	0.044	3.06	0.124	20.9	17.50	11.15	1.085
N915491		6.80	0.0002	0.329	1.92	1.07	<10	35.6	0.16	0.039	3.38	0.180	12.05	15.85	25.8	1.130

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915452		238	4.23	6.97	0.102	0.197	0.089	0.045	0.19	3.65	11.4	1.76	548	1.78	0.080	0.043
N915453		174.0	4.36	6.26	0.091	0.209	0.015	0.028	0.62	2.17	17.7	2.57	493	1.33	0.135	0.052
N915454		92.3	4.15	6.91	0.114	0.224	0.044	0.019	0.95	1.295	14.4	2.93	511	0.85	0.186	0.060
N915455		113.0	4.92	5.29	0.097	0.205	0.638	0.020	0.31	2.23	10.2	2.20	416	1.89	0.107	0.052
N915456		198.5	4.46	6.13	0.096	0.214	0.327	0.037	0.26	2.26	13.6	2.21	510	1.27	0.083	0.040
N915457		164.0	3.99	6.35	0.096	0.237	0.030	0.013	0.51	1.085	18.4	2.73	367	0.64	0.128	0.055
N915458		233	4.68	4.90	0.104	0.297	0.416	0.020	0.18	1.810	10.4	1.94	297	2.01	0.080	0.122
N915459		116.0	3.83	5.56	0.100	0.246	0.142	0.017	0.65	1.355	10.8	2.50	319	0.79	0.134	0.060
N915460		150.0	4.67	7.46	0.110	0.217	0.166	0.025	0.84	1.825	10.7	2.98	401	0.66	0.127	0.038
N915461		379	5.10	8.13	0.116	0.183	0.095	0.043	1.54	2.14	13.7	3.60	548	0.69	0.127	0.019
N915462		865	3.78	3.00	0.101	0.077	0.070	0.053	0.20	15.20	2.2	0.35	592	0.81	0.029	0.008
N915463		94.3	3.47	5.36	0.068	0.123	<0.004	0.011	0.22	6.53	7.2	0.81	515	5.35	0.208	0.208
N915464		505	4.44	5.52	0.098	0.092	0.009	0.038	0.18	16.90	6.7	1.31	1190	0.37	0.040	0.017
N915465		1110	4.68	5.46	0.085	0.090	0.025	0.035	0.22	16.35	6.6	1.08	953	0.24	0.038	0.010
N915466		554	2.99	4.89	0.090	0.176	0.151	0.023	0.15	6.94	5.0	1.08	783	0.69	0.065	0.071
N915467		662	3.64	6.23	0.088	0.206	0.113	0.019	0.39	5.87	6.1	1.41	640	1.16	0.106	0.092
N915468		1270	4.83	8.71	0.153	0.317	0.020	0.026	1.24	13.65	9.2	1.76	1310	0.66	0.071	0.174
N915469		532	5.16	8.61	0.151	0.205	0.018	0.032	0.81	13.80	10.2	1.93	1360	0.52	0.059	0.072
N915470		655	5.08	9.52	0.147	0.207	0.017	0.039	0.75	16.60	9.4	1.72	1460	0.55	0.065	0.073
N915471		639	4.93	8.82	0.154	0.258	0.015	0.018	0.84	15.65	8.1	1.64	1310	0.79	0.067	0.121
N915472		386	5.63	8.64	0.148	0.118	0.030	0.035	0.89	17.00	7.7	1.66	1110	0.46	0.079	0.057
N915473		184.5	5.18	8.36	0.136	0.137	0.010	0.020	1.32	14.85	8.6	1.76	1030	0.26	0.086	0.097
N915474		394	4.90	8.02	0.137	0.137	0.018	0.023	1.31	14.80	8.4	1.63	935	0.32	0.079	0.036
N915475		3650	2.95	3.21	0.072	0.147	0.582	0.102	0.15	7.62	6.9	0.36	676	516	0.097	0.210
N915476		225	5.04	6.45	0.156	0.114	0.091	0.048	0.92	12.75	5.8	1.40	1410	0.79	0.035	0.015
N915477		683	5.03	6.66	0.130	0.249	0.063	0.025	0.81	14.25	6.4	1.47	1580	0.61	0.061	0.060
N915478		578	4.54	5.85	0.139	0.250	0.089	0.033	0.80	14.30	5.2	1.36	1920	0.66	0.061	0.104
N915479		792	4.20	6.67	0.163	0.307	0.204	0.021	0.69	12.10	7.0	1.33	1635	0.88	0.063	0.116
N915480		625	3.99	6.13	0.115	0.252	0.039	0.010	0.76	10.90	7.0	1.23	779	0.31	0.064	0.169
N915481		758	4.56	6.67	0.133	0.235	0.053	0.017	1.15	11.50	7.9	1.46	850	0.40	0.071	0.124
N915482		987	3.51	6.13	0.087	0.156	0.058	0.020	0.70	9.27	6.1	1.27	664	0.93	0.071	0.094
N915483		1100	5.14	7.80	0.135	0.179	0.093	0.027	1.05	15.45	8.0	1.68	1260	0.89	0.073	0.054
N915484		526	3.85	8.11	0.097	0.111	0.264	0.017	1.23	9.54	10.6	1.57	878	0.32	0.070	0.028
N915485		210	3.79	10.30	0.083	0.091	0.453	0.011	0.77	9.18	13.2	1.54	729	0.14	0.056	0.026
N915486		187.0	1.920	5.02	0.053	0.191	0.073	0.011	0.19	3.54	6.4	1.00	351	0.20	0.082	0.082
N915487		173.5	1.860	4.85	0.048	0.202	0.041	0.012	0.15	3.56	6.4	0.97	376	0.44	0.087	0.090
N915488		94.3	3.76	5.81	0.062	0.136	<0.004	0.014	0.24	7.40	7.4	0.88	538	5.94	0.253	0.310
N915489		160.0	2.63	5.55	0.028	0.170	0.046	0.013	0.19	3.47	9.9	1.51	592	0.41	0.071	0.061
N915490		703	4.09	6.80	0.048	0.062	0.041	0.018	0.29	9.67	13.3	1.75	922	0.25	0.036	0.005
N915491		419	3.54	6.82	0.030	0.051	0.136	0.016	0.24	5.61	12.7	1.72	990	0.12	0.030	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915452		83.3	0.132	1.505	0.009	0.005	11.25	0.002	0.48	0.430	13.45	0.9	0.41	113.5	0.006	0.14
N915453		152.5	0.112	0.646	0.007	0.005	34.3	0.002	0.23	0.219	7.48	0.8	0.34	113.0	0.006	0.10
N915454		174.0	0.104	0.475	0.006	0.004	51.4	0.001	0.32	0.214	6.17	1.0	0.29	118.5	0.007	0.11
N915455		119.0	0.113	1.100	0.010	0.005	17.15	0.003	3.18	0.247	9.03	3.2	0.23	80.2	0.006	1.28
N915456		116.0	0.123	1.985	0.009	0.006	14.10	0.003	1.25	0.453	9.75	1.4	0.28	93.6	0.006	0.68
N915457		139.0	0.113	0.611	0.008	0.005	28.6	0.001	0.39	0.198	4.79	0.9	0.22	185.5	0.006	0.11
N915458		97.9	0.126	1.655	0.006	0.004	9.79	0.002	2.80	0.262	3.55	2.2	0.26	131.0	0.006	0.84
N915459		133.5	0.107	0.666	0.005	0.005	37.9	0.001	0.73	0.234	5.11	0.6	0.29	90.9	0.006	0.26
N915460		168.0	0.120	1.035	0.005	0.004	48.2	0.001	1.12	0.234	7.96	1.1	0.35	105.5	0.005	0.45
N915461		213	0.113	0.975	0.008	0.005	89.0	<0.001	0.76	0.302	10.05	1.3	0.31	132.0	0.006	0.38
N915462		7.79	0.212	94.1	0.009	0.003	11.80	0.003	0.72	1.130	8.06	3.1	0.21	25.0	0.006	0.08
N915463		14.40	0.059	4.40	0.001	<0.002	6.67	<0.001	<0.01	0.230	2.97	0.3	1.32	86.3	<0.005	<0.01
N915464		9.77	0.173	2.73	0.007	0.002	8.56	0.001	0.26	0.155	7.78	1.4	0.12	92.3	0.006	0.03
N915465		11.35	0.168	3.53	0.007	0.002	10.15	0.001	0.36	0.130	6.99	1.9	0.15	78.5	0.006	0.07
N915466		14.45	0.135	0.636	0.007	0.003	8.06	0.001	0.14	0.111	8.59	1.1	0.24	58.6	0.006	0.01
N915467		15.85	0.147	0.636	0.016	0.003	15.80	0.005	0.35	0.053	8.41	1.6	0.24	41.9	0.006	0.02
N915468		4.99	0.210	0.600	0.005	0.002	60.7	0.001	0.58	0.052	6.17	3.4	0.44	47.8	0.006	0.03
N915469		4.12	0.214	1.385	0.007	0.002	38.7	0.001	0.43	0.102	6.45	2.2	0.47	63.5	0.006	0.03
N915470		4.06	0.217	1.050	0.007	0.002	38.6	0.001	0.36	0.127	7.69	2.4	0.40	65.2	0.006	0.04
N915471		3.85	0.212	1.035	0.007	0.002	43.0	0.001	0.48	0.110	6.70	2.8	0.45	73.1	0.006	0.06
N915472		3.61	0.215	15.90	0.004	<0.002	40.7	0.003	0.33	0.376	9.15	2.0	0.32	49.9	0.007	0.02
N915473		2.80	0.218	0.493	0.006	<0.002	60.0	<0.001	0.07	0.066	7.81	1.1	0.40	55.6	0.007	0.02
N915474		4.11	0.203	0.877	0.004	0.002	60.9	0.001	0.25	0.261	9.48	1.6	0.40	51.7	0.007	0.01
N915475		26.5	0.074	79.1	0.001	<0.002	4.67	0.093	0.48	126.0	1.695	2.4	1.81	123.0	<0.005	3.17
N915476		5.90	0.199	56.3	0.007	0.002	45.3	0.002	0.16	2.35	10.90	1.7	0.42	40.8	0.007	0.03
N915477		3.60	0.212	14.30	0.005	0.002	44.0	0.001	0.58	0.741	7.03	2.8	0.39	50.5	0.006	0.03
N915478		3.86	0.203	7.59	0.004	0.002	43.3	0.001	0.24	0.702	6.10	1.8	0.32	50.2	0.006	0.03
N915479		4.89	0.202	0.685	0.009	0.002	31.4	<0.001	0.40	0.122	4.21	2.5	0.35	56.3	<0.005	0.01
N915480		11.05	0.170	1.230	0.008	0.003	32.4	<0.001	0.25	0.047	4.82	2.1	0.38	74.1	0.007	0.02
N915481		9.36	0.177	0.496	0.008	0.004	45.3	0.001	0.26	0.040	5.71	1.8	0.37	69.1	0.006	0.02
N915482		8.14	0.152	0.670	0.010	0.004	32.3	0.001	0.34	0.123	9.45	2.5	0.27	79.7	0.006	0.01
N915483		3.40	0.211	1.530	0.008	0.002	47.2	0.003	0.80	0.157	8.08	4.8	0.37	67.1	0.007	0.03
N915484		13.00	0.146	1.945	0.003	0.003	47.6	0.001	0.30	0.251	12.85	2.7	0.23	70.5	0.007	0.03
N915485		19.85	0.134	1.955	0.010	0.004	33.6	<0.001	0.14	0.257	11.25	1.6	0.18	50.0	0.007	0.01
N915486		13.80	0.108	1.300	0.004	0.004	7.98	<0.001	0.11	0.108	6.04	0.9	0.19	75.1	0.006	0.01
N915487		12.65	0.117	1.540	0.004	0.003	4.96	0.001	0.17	0.097	5.29	0.8	0.24	77.6	0.006	0.02
N915488		14.30	0.063	4.24	0.001	<0.002	7.42	0.001	0.02	0.205	3.30	0.2	1.25	94.2	<0.005	<0.01
N915489		14.30	0.122	2.16	0.003	0.003	6.36	0.002	0.18	0.130	6.83	0.8	0.17	84.1	<0.005	0.01
N915490		8.54	0.173	3.16	0.006	0.002	9.98	0.001	0.21	0.103	3.60	1.9	0.08	77.9	<0.005	0.03
N915491		14.20	0.125	2.18	0.004	0.003	8.33	<0.001	0.10	0.066	6.03	0.9	0.05	91.4	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915452		0.413	0.129	0.101	0.190	122.0	0.100	11.25	22.8	5.16
N915453		0.315	0.232	0.258	0.176	122.0	0.228	9.81	20.9	6.72
N915454		0.231	0.238	0.443	0.165	125.0	0.234	8.77	20.1	6.15
N915455		0.265	0.136	0.124	0.225	89.2	0.221	8.41	18.7	5.48
N915456		0.290	0.165	0.130	0.161	110.0	0.155	9.14	26.0	5.62
N915457		0.183	0.245	0.237	0.147	111.0	0.214	7.10	21.3	7.53
N915458		0.261	0.234	0.070	0.182	89.9	0.357	7.53	26.6	6.86
N915459		0.225	0.248	0.317	0.172	104.0	0.316	7.29	19.1	7.56
N915460		0.240	0.245	0.374	0.164	124.0	0.228	9.33	22.0	6.21
N915461		0.273	0.220	0.700	0.147	132.0	0.152	9.28	27.9	5.63
N915462		2.44	0.005	0.286	0.393	111.0	0.068	13.55	218	2.74
N915463		2.67	0.154	0.045	0.764	97.0	0.706	5.20	44.9	2.10
N915464		2.00	0.008	0.094	0.445	142.5	0.057	15.40	82.5	3.45
N915465		2.24	0.010	0.123	0.395	152.0	0.134	14.60	73.8	3.69
N915466		0.949	0.104	0.181	0.391	125.0	0.065	10.45	40.1	4.96
N915467		0.850	0.153	0.100	0.293	182.5	0.056	8.95	37.5	5.52
N915468		2.03	0.213	0.226	0.669	193.5	0.109	14.35	133.0	10.45
N915469		2.00	0.132	0.167	0.520	185.0	0.052	14.30	123.0	6.84
N915470		2.31	0.116	0.215	0.580	205	0.053	16.50	114.0	7.12
N915471		2.30	0.155	0.215	0.601	188.5	0.063	15.65	108.0	7.80
N915472		2.06	0.119	0.240	0.377	228	0.043	17.60	197.0	3.01
N915473		2.03	0.209	0.332	0.397	221	0.043	16.40	77.9	3.43
N915474		2.10	0.142	0.396	0.343	214	0.035	15.95	71.6	3.01
N915475		1.325	0.061	0.044	1.425	35.0	8.81	5.43	129.0	4.46
N915476		2.39	0.072	0.351	0.238	174.5	0.089	13.80	454	2.77
N915477		2.21	0.144	0.312	0.523	160.5	0.049	13.85	204	6.84
N915478		2.16	0.137	0.186	0.531	157.0	0.072	14.45	271	7.90
N915479		1.745	0.191	0.153	0.596	151.0	0.149	11.80	325	9.71
N915480		1.740	0.207	0.203	0.785	155.5	0.055	12.20	69.0	7.19
N915481		1.770	0.245	0.264	0.766	192.0	0.048	12.90	60.0	7.66
N915482		1.180	0.131	0.264	0.405	164.5	0.031	13.35	41.4	4.94
N915483		2.14	0.128	0.320	0.584	180.5	0.033	16.80	100.5	5.45
N915484		1.170	0.112	0.547	0.274	183.5	0.014	14.00	54.8	2.57
N915485		1.050	0.068	0.220	0.234	182.5	0.032	14.30	53.4	2.08
N915486		0.544	0.103	0.079	0.219	112.0	0.100	6.84	30.4	4.66
N915487		0.499	0.131	0.058	0.243	92.9	0.149	6.14	27.2	5.70
N915488		2.99	0.168	0.051	0.964	104.5	0.614	5.82	47.2	2.56
N915489		0.462	0.113	0.051	0.220	113.0	0.049	6.86	44.2	5.02
N915490		1.095	0.008	0.052	0.330	88.8	0.038	10.75	115.0	2.85
N915491		0.467	0.008	0.042	0.246	85.3	0.029	8.11	112.5	2.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915492		6.03	<0.0002	0.132	1.88	1.11	<10	96.0	0.18	0.017	4.60	0.216	9.92	13.45	28.8	1.095
N915493		6.98	0.0012	0.156	1.68	0.93	<10	215	0.22	0.016	4.01	0.257	10.10	13.25	29.1	1.265
N915494		6.56	0.0005	0.134	1.92	0.79	<10	113.0	0.18	0.013	4.37	0.144	8.66	12.80	23.4	1.235
N915495		5.97	0.0002	0.090	1.94	0.58	<10	241	0.19	0.012	5.32	0.149	8.97	12.05	21.5	1.305
N915496		6.54	0.0007	0.076	1.96	0.58	<10	186.5	0.18	0.008	3.24	0.085	9.04	14.05	31.6	1.265
N915497		6.60	0.0005	0.103	1.91	1.34	<10	137.0	0.22	0.004	2.53	0.134	8.47	12.15	29.1	1.965
N915498		6.86	0.0023	0.148	1.85	2.73	<10	309	0.24	0.004	3.58	0.148	12.05	14.50	24.9	2.34
N915499		7.56	0.0005	0.065	2.06	0.70	<10	382	0.19	0.002	3.38	0.074	9.90	13.20	27.7	2.17
N915500		0.05	0.914	55.6	1.12	1030	20	114.0	0.17	23.6	3.48	0.862	13.30	32.5	29.3	0.748
N915501		6.86	0.0029	0.375	1.25	8.19	<10	365	0.25	0.023	4.61	0.132	15.65	13.20	8.72	2.11
N915502		6.86	0.0466	0.573	2.13	1.45	<10	132.0	0.33	0.054	1.98	0.192	26.1	20.6	17.65	1.815
N915503		7.15	0.0121	0.386	2.46	1.16	<10	72.4	0.48	0.019	2.09	0.122	30.5	21.6	14.30	2.18
N915504		5.97	0.0049	0.390	2.55	1.52	<10	105.0	0.39	0.008	2.76	0.222	25.0	18.65	13.55	1.945
N915505		6.68	0.0102	0.282	2.23	1.51	<10	115.5	0.23	0.010	1.86	0.144	17.20	16.80	7.17	2.09
N915506		6.81	0.0130	0.322	2.11	2.00	<10	105.0	0.26	0.008	1.85	0.207	20.9	21.0	9.81	1.600
N915507		6.72	0.0041	0.195	1.62	2.06	<10	46.3	0.24	0.010	1.78	0.203	20.8	17.90	19.40	0.861
N915508		6.39	0.0061	0.310	1.73	2.50	<10	52.5	0.30	0.006	2.14	0.333	22.5	17.30	11.05	0.869
N915509		6.60	0.0086	0.366	1.70	2.78	<10	51.3	0.28	0.014	2.60	0.311	19.30	17.30	5.77	0.710
N915510		7.81	0.0019	0.270	2.18	3.01	<10	84.8	0.34	0.019	2.99	0.419	17.40	21.5	7.68	0.854
N915511		6.38	0.0016	0.210	1.85	3.01	<10	52.5	0.28	0.012	2.01	0.268	18.60	20.5	8.80	0.698
N915512		6.41	0.0037	0.295	1.78	2.21	<10	56.7	0.21	0.006	1.61	0.127	21.6	19.35	12.35	1.290
N915513		0.05	0.0009	0.106	1.92	1.23	<10	145.0	0.12	0.078	1.11	0.069	15.05	9.41	18.40	0.350
N915514		6.93	0.0034	0.214	1.94	2.27	<10	83.5	0.20	0.008	1.44	0.088	21.1	23.0	13.75	1.625
N915515		6.93	0.0083	0.390	1.97	1.85	<10	124.5	0.28	0.014	1.52	0.133	21.2	33.4	7.73	2.23
N915516		7.88	0.0046	0.166	1.13	2.80	<10	75.0	0.59	0.022	2.27	2.25	34.3	23.3	11.65	7.58
N915517		9.55	0.0073	0.235	1.82	1.29	<10	67.9	0.40	0.011	5.82	0.149	30.2	21.8	20.4	3.04
N915518		2.81	0.0020	0.069	1.22	0.87	<10	37.0	0.30	0.005	6.54	0.090	16.05	14.50	26.8	1.395
N915519		3.92	0.0029	0.104	1.30	1.02	<10	71.0	0.37	0.010	5.65	0.146	21.2	17.70	20.5	2.83
N915520		3.17	0.0110	0.351	1.56	1.53	<10	64.3	0.37	0.022	3.41	0.181	25.3	24.0	19.75	2.69
N915521		7.29	0.0017	0.237	1.33	0.93	<10	71.9	0.16	0.020	1.76	0.128	14.75	18.35	25.2	0.910
N915522		7.90	0.0007	0.168	1.73	1.19	<10	302	0.25	0.009	2.18	0.143	27.9	20.6	26.9	1.080
N915523		5.79	0.0003	0.126	1.74	1.03	<10	416	0.23	0.005	5.63	0.191	26.2	17.65	28.4	1.255
N915524		5.88	0.0005	0.099	1.56	0.63	<10	133.5	0.17	0.003	2.61	0.165	7.89	13.95	28.5	1.185
N915525		0.06	0.775	50.5	1.00	978	20	108.5	0.15	23.0	3.20	0.933	13.35	35.1	29.7	0.754
N915526		6.71	0.0013	0.098	1.49	0.92	<10	74.5	0.14	0.009	2.15	0.171	6.78	11.45	27.5	1.595
N915527		6.29	0.0054	0.197	1.26	1.09	<10	155.5	0.26	0.006	2.14	0.199	8.46	12.25	23.2	3.51
N915528		6.87	0.0012	0.064	1.44	0.86	<10	188.5	0.16	0.006	2.17	0.054	7.42	11.40	24.1	3.56
N915529		6.03	0.0034	0.151	1.66	0.79	<10	74.1	0.15	0.006	1.73	0.096	7.42	14.30	27.9	2.03
N915530		6.92	0.0011	0.141	1.65	0.89	<10	166.5	0.18	0.004	1.82	0.148	9.15	12.70	22.4	3.49
N915531		6.85	0.0058	0.112	1.30	0.91	<10	83.3	0.19	0.004	2.38	0.110	13.45	15.20	21.2	2.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915492		221	3.46	5.81	0.023	0.081	0.061	0.016	0.21	4.49	12.0	1.81	1080	0.13	0.040	0.006
N915493		249	2.94	5.43	0.027	0.088	0.033	0.015	0.25	4.55	10.9	1.60	926	0.12	0.040	0.011
N915494		251	3.21	5.58	0.023	0.074	0.077	0.016	0.25	3.90	10.9	1.78	991	0.12	0.037	0.005
N915495		141.0	3.29	5.86	0.022	0.053	0.133	0.012	0.25	3.97	11.4	1.80	1080	0.11	0.034	<0.002
N915496		138.0	3.17	6.85	0.023	0.079	0.182	0.014	0.27	4.07	14.1	1.81	773	0.11	0.033	0.010
N915497		129.0	2.99	6.42	0.037	0.060	0.253	0.009	0.44	3.85	11.3	1.73	694	0.07	0.032	0.010
N915498		326	3.24	7.16	0.044	0.070	0.256	0.015	0.77	5.70	11.7	1.58	789	0.09	0.047	0.012
N915499		165.0	3.10	7.16	0.027	0.063	0.119	0.010	0.78	4.50	12.6	1.68	639	0.16	0.046	0.009
N915500		3710	3.04	3.46	0.042	0.143	0.708	0.089	0.16	7.96	7.1	0.38	669	561	0.104	0.284
N915501		570	3.16	3.46	0.026	0.066	0.024	0.014	0.53	7.23	4.9	1.28	945	1.15	0.027	0.009
N915502		1140	5.49	8.64	0.120	0.156	0.030	0.029	0.73	12.25	14.1	1.97	799	0.84	0.057	0.192
N915503		1320	5.12	9.97	0.143	0.192	0.021	0.035	1.02	14.05	15.9	2.32	796	2.22	0.059	0.137
N915504		1230	5.26	7.89	0.134	0.199	0.012	0.016	1.14	11.75	13.0	2.41	897	0.78	0.067	0.159
N915505		1100	4.80	7.31	0.136	0.178	0.015	0.010	1.45	8.08	11.2	1.94	826	4.85	0.083	0.093
N915506		1100	5.15	8.08	0.159	0.292	0.010	0.013	1.09	9.37	12.1	1.88	795	1.00	0.086	0.209
N915507		618	4.26	7.14	0.125	0.273	0.011	0.014	0.59	9.56	10.2	1.45	850	0.58	0.071	0.224
N915508		988	4.35	7.74	0.132	0.204	0.008	0.018	0.62	10.55	12.0	1.45	948	0.78	0.071	0.203
N915509		871	4.65	7.54	0.128	0.176	0.009	0.026	0.51	9.16	12.1	1.47	1050	29.7	0.058	0.161
N915510		607	4.79	7.77	0.139	0.192	0.010	0.021	0.68	8.51	13.0	2.03	1210	2.28	0.058	0.138
N915511		486	4.63	7.33	0.151	0.329	0.009	0.023	0.53	9.20	12.1	1.74	939	0.67	0.058	0.195
N915512		903	4.84	7.03	0.153	0.385	0.014	0.018	0.88	10.55	10.6	1.55	776	1.56	0.073	0.254
N915513		92.1	3.67	5.59	0.055	0.121	<0.004	0.015	0.24	6.96	7.0	0.86	508	5.72	0.247	0.274
N915514		555	4.63	7.08	0.144	0.342	0.006	0.016	1.11	10.35	11.2	1.67	785	2.84	0.068	0.202
N915515		936	5.73	7.63	0.168	0.204	0.013	0.013	1.27	10.60	11.0	1.71	867	2.62	0.057	0.131
N915516		450	5.55	5.65	0.108	0.109	0.090	0.050	0.34	16.45	4.7	0.62	2110	0.94	0.035	0.029
N915517		1070	5.11	9.55	0.110	0.124	0.042	0.037	0.61	14.35	10.5	1.71	1490	0.48	0.060	0.036
N915518		322	3.65	6.80	0.046	0.093	0.171	0.025	0.19	7.65	7.7	1.29	1300	0.23	0.041	0.012
N915519		461	4.23	6.23	0.065	0.120	0.137	0.032	0.32	10.20	7.0	1.23	1460	0.22	0.042	0.019
N915520		1100	4.73	7.51	0.091	0.154	0.047	0.034	0.43	12.00	8.5	1.40	1300	0.17	0.061	0.038
N915521		482	3.68	6.11	0.109	0.170	0.048	0.011	0.26	6.87	6.8	1.24	546	0.83	0.078	0.164
N915522		301	5.19	9.38	0.097	0.112	0.022	0.012	0.23	12.10	10.3	1.72	803	0.48	0.061	0.089
N915523		221	4.14	8.31	0.037	0.060	0.025	0.008	0.09	12.25	9.6	1.72	1150	0.21	0.029	0.005
N915524		229	2.95	7.41	0.060	0.131	0.192	0.008	0.08	3.44	11.3	1.56	687	0.09	0.046	0.008
N915525		3450	3.00	3.32	0.063	0.162	0.631	0.112	0.15	7.79	7.8	0.36	608	518	0.092	0.244
N915526		176.0	2.62	6.45	0.081	0.116	0.282	0.009	0.06	3.20	8.0	1.54	534	0.35	0.048	0.009
N915527		877	2.79	5.18	0.053	0.113	0.263	0.011	0.13	3.77	8.5	1.24	547	0.17	0.047	0.016
N915528		183.5	2.49	4.88	0.053	0.112	0.214	0.009	0.27	3.21	8.2	1.20	480	0.10	0.075	0.021
N915529		357	3.11	6.81	0.069	0.116	0.986	<0.005	0.30	3.20	11.8	1.73	583	0.12	0.050	0.018
N915530		364	2.78	6.27	0.045	0.056	0.083	0.005	0.50	4.08	9.2	1.42	442	0.08	0.032	0.009
N915531		546	3.34	5.57	0.082	0.135	0.126	0.012	0.14	6.04	8.0	1.25	549	0.13	0.052	0.038

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915492		15.25	0.115	3.33	0.006	0.002	6.71	<0.001	0.12	0.113	8.73	1.0	0.10	115.0	<0.005	0.02
N915493		15.20	0.107	4.28	0.005	0.003	8.37	<0.001	0.16	0.138	7.65	1.2	0.09	116.5	<0.005	<0.01
N915494		14.15	0.113	2.09	0.005	0.003	7.47	<0.001	0.14	0.103	6.06	1.0	0.08	116.5	<0.005	0.01
N915495		13.85	0.110	1.615	0.006	0.002	8.13	<0.001	0.06	0.079	4.37	0.6	0.05	130.5	<0.005	<0.01
N915496		16.80	0.112	1.645	0.009	0.006	9.50	<0.001	0.06	0.102	6.59	0.8	0.07	78.8	<0.005	0.01
N915497		14.90	0.112	2.23	0.005	0.004	16.40	<0.001	0.03	0.307	8.06	0.8	0.10	74.4	<0.005	0.02
N915498		14.80	0.116	2.85	0.008	0.004	24.2	<0.001	0.15	0.173	6.61	1.8	0.07	69.9	<0.005	0.01
N915499		16.30	0.111	1.105	0.013	0.009	28.6	<0.001	0.06	0.068	6.28	0.8	0.09	65.4	<0.005	<0.01
N915500		25.8	0.075	82.0	0.003	<0.002	4.93	0.091	0.54	128.0	1.865	2.7	1.72	121.5	<0.005	2.45
N915501		8.85	0.144	1.800	0.010	0.007	18.45	0.003	0.21	0.193	3.21	0.9	0.06	108.0	<0.005	0.04
N915502		6.68	0.195	3.20	0.008	<0.002	27.9	0.003	1.70	0.071	5.20	3.5	0.43	80.1	<0.005	0.14
N915503		6.56	0.224	0.940	0.007	0.003	41.4	0.004	0.53	0.075	6.81	3.1	0.46	75.4	<0.005	0.04
N915504		6.44	0.237	1.890	0.007	0.003	36.8	0.004	0.36	0.089	4.71	2.0	0.36	102.5	<0.005	0.03
N915505		3.75	0.197	1.240	0.004	0.003	46.4	0.024	0.38	0.058	4.09	2.2	0.35	64.6	<0.005	0.02
N915506		4.41	0.200	1.690	0.008	0.003	40.9	0.003	0.54	0.092	4.19	2.8	0.45	78.3	<0.005	0.03
N915507		7.13	0.174	1.935	0.002	<0.002	24.0	0.002	0.44	0.069	3.02	2.0	0.40	82.0	<0.005	0.02
N915508		3.75	0.179	3.02	0.002	0.002	25.6	0.001	0.24	0.116	3.25	2.0	0.33	86.8	<0.005	0.01
N915509		3.37	0.172	4.38	0.005	0.002	20.0	0.085	0.41	0.094	3.28	2.3	0.40	78.6	<0.005	0.03
N915510		6.11	0.163	5.33	0.005	0.003	23.4	0.006	0.12	0.128	4.48	1.2	0.26	120.0	<0.005	0.02
N915511		6.83	0.165	6.93	0.005	0.003	20.9	0.001	0.22	0.129	4.36	1.3	0.34	109.0	<0.005	0.03
N915512		7.08	0.169	1.660	0.004	0.003	39.9	0.004	0.35	0.076	4.13	1.9	0.40	81.9	<0.005	0.04
N915513		13.90	0.060	4.21	0.002	<0.002	7.58	0.001	0.01	0.210	3.30	0.2	1.24	91.0	<0.005	<0.01
N915514		7.95	0.172	1.970	0.007	0.003	47.5	0.007	0.65	0.072	4.00	2.0	0.36	79.1	<0.005	0.06
N915515		6.90	0.159	2.12	0.005	0.003	51.5	0.010	1.26	0.063	4.06	5.4	0.50	82.9	<0.005	0.08
N915516		10.55	0.172	157.5	0.008	<0.002	19.95	<0.001	0.21	0.869	9.15	1.9	0.31	42.5	<0.005	0.03
N915517		9.16	0.162	1.960	0.004	0.003	23.9	0.002	0.70	0.155	7.77	3.7	0.34	88.7	<0.005	0.02
N915518		14.20	0.116	0.859	0.006	0.002	7.67	0.001	0.18	0.080	10.25	1.3	0.15	87.4	<0.005	0.01
N915519		9.83	0.138	1.535	0.010	0.002	14.10	0.001	0.45	0.109	8.48	2.5	0.23	77.6	<0.005	0.03
N915520		9.27	0.170	0.710	0.006	0.003	18.75	0.001	0.91	0.110	7.35	4.4	0.38	73.0	<0.005	0.06
N915521		12.45	0.146	0.538	0.008	0.003	11.10	0.008	0.77	0.079	5.36	3.1	0.29	57.3	<0.005	0.09
N915522		13.05	0.201	0.712	0.011	0.005	8.93	0.001	0.14	0.087	10.15	1.2	0.34	51.4	<0.005	0.03
N915523		14.60	0.143	1.320	0.011	0.006	3.89	<0.001	0.12	0.089	11.00	1.2	0.16	74.5	<0.005	0.02
N915524		15.90	0.108	1.315	0.005	0.003	3.46	0.001	0.05	0.044	7.58	0.9	0.16	74.7	<0.005	0.01
N915525		26.5	0.070	80.0	0.002	<0.002	4.81	0.094	0.48	129.0	1.785	2.6	2.10	120.5	<0.005	2.65
N915526		15.35	0.109	0.918	0.003	0.004	2.79	<0.001	0.03	0.132	5.88	0.4	0.13	78.0	<0.005	0.02
N915527		13.70	0.111	18.95	0.004	0.004	7.52	0.001	0.14	0.476	7.57	1.8	0.12	59.4	<0.005	<0.01
N915528		14.00	0.110	0.484	0.006	0.003	10.70	<0.001	0.06	0.072	6.74	0.4	0.15	79.7	<0.005	<0.01
N915529		15.45	0.116	0.548	0.008	0.004	10.20	<0.001	0.09	0.099	6.41	1.2	0.19	62.0	<0.005	0.03
N915530		12.75	0.093	0.458	0.006	0.002	19.15	0.001	0.09	0.071	7.47	1.5	0.12	68.0	<0.005	0.01
N915531		12.20	0.130	0.626	0.007	<0.002	5.87	<0.001	0.18	0.087	6.88	2.2	0.23	74.3	<0.005	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915492		0.417	0.020	0.046	0.160	107.0	0.024	8.87	88.8	2.65
N915493		0.427	0.019	0.053	0.204	94.2	0.017	9.20	81.0	2.94
N915494		0.350	0.018	0.040	0.171	90.4	0.021	7.03	66.1	2.45
N915495		0.295	0.006	0.035	0.209	70.9	0.032	7.08	80.0	2.12
N915496		0.523	0.029	0.050	0.207	99.4	0.021	7.07	67.1	1.82
N915497		0.559	0.048	0.099	0.154	123.5	0.031	7.73	59.8	1.55
N915498		0.580	0.066	0.125	0.177	110.5	0.041	8.85	56.0	1.64
N915499		0.599	0.069	0.136	0.200	112.5	0.015	8.34	38.0	1.70
N915500		1.360	0.065	0.061	1.530	35.3	8.68	5.76	132.0	4.98
N915501		0.800	0.025	0.105	0.255	60.4	0.064	9.46	48.6	2.43
N915502		1.770	0.170	0.123	0.565	162.5	0.170	12.15	72.1	6.02
N915503		2.15	0.205	0.155	0.702	217	0.126	13.75	57.0	7.46
N915504		1.820	0.255	0.130	0.584	203	0.188	11.45	61.2	6.70
N915505		1.130	0.255	0.144	0.429	175.0	0.129	10.65	59.9	6.10
N915506		1.330	0.266	0.117	0.530	183.5	0.164	12.50	63.5	9.47
N915507		1.285	0.205	0.062	0.506	131.5	0.142	11.95	61.7	9.17
N915508		1.405	0.188	0.066	0.462	141.5	0.127	12.65	79.7	6.36
N915509		1.240	0.188	0.053	0.453	137.0	0.246	10.80	82.8	4.58
N915510		1.270	0.267	0.076	0.392	166.0	0.267	8.67	108.0	5.70
N915511		1.470	0.253	0.060	0.530	153.5	0.171	8.17	90.8	11.10
N915512		1.720	0.282	0.097	0.673	157.0	0.123	9.34	68.8	14.10
N915513		2.87	0.161	0.046	0.879	101.5	0.618	5.62	47.4	2.37
N915514		1.640	0.279	0.131	0.745	156.5	0.107	9.24	76.7	12.40
N915515		1.685	0.242	0.155	0.527	170.0	0.121	9.06	83.4	7.49
N915516		2.41	0.030	0.270	0.455	171.5	0.116	15.75	1000	3.65
N915517		1.790	0.095	0.139	0.434	207	0.069	14.65	78.2	4.20
N915518		0.720	0.018	0.067	0.216	154.0	0.037	12.75	51.6	3.22
N915519		1.165	0.036	0.116	0.295	159.0	0.068	12.45	80.8	3.65
N915520		1.675	0.077	0.122	0.408	157.0	0.048	11.85	116.5	5.25
N915521		0.998	0.202	0.056	0.400	166.0	0.114	9.23	41.7	5.27
N915522		1.435	0.142	0.047	0.432	209	0.056	13.20	66.9	3.37
N915523		1.000	0.010	0.023	0.275	184.0	0.027	16.75	70.2	1.72
N915524		0.504	0.038	0.033	0.153	136.0	0.045	7.82	54.1	2.02
N915525		1.535	0.061	0.049	1.625	36.8	8.27	6.01	123.5	4.44
N915526		0.447	0.041	0.030	0.137	102.5	0.042	6.59	47.7	1.93
N915527		0.560	0.042	0.114	0.188	109.5	0.046	8.20	74.7	2.20
N915528		0.576	0.091	0.085	0.161	110.0	0.039	6.95	34.2	2.22
N915529		0.537	0.101	0.071	0.184	125.5	0.053	6.90	52.7	1.74
N915530		0.634	0.049	0.140	0.120	152.0	0.023	8.36	33.9	1.00
N915531		0.973	0.072	0.041	0.304	142.5	0.027	9.53	31.5	2.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915532		6.73	0.0017	0.195	1.59	0.95	<10	93.3	0.17	0.011	2.99	0.262	9.50	13.75	28.8	3.10
N915533		6.41	0.0007	0.100	0.75	2.87	<10	45.9	0.29	0.006	2.76	0.437	11.45	14.30	20.4	2.13
N915534		6.55	0.0009	0.078	1.39	1.27	<10	107.0	0.21	0.005	2.80	0.208	10.35	13.50	25.9	2.81
N915535		5.63	0.0028	0.126	1.46	1.44	<10	122.0	0.19	0.005	2.83	0.178	8.06	11.95	26.5	3.50
N915536		5.35	0.0035	0.232	1.38	6.25	<10	72.8	0.22	0.016	2.83	0.219	10.60	14.90	30.1	8.26
N915537		5.06	0.0016	0.096	1.02	5.34	<10	58.8	0.32	0.011	3.86	0.188	10.10	13.70	23.0	14.55
N915538		0.05	0.0011	0.084	1.59	1.08	<10	127.0	0.10	0.059	0.96	0.088	13.40	9.06	17.15	0.308
N915539		6.36	0.0018	0.148	1.02	29.4	<10	558	0.32	0.004	2.92	0.085	9.03	12.15	20.4	27.4
N915540		6.81	0.0024	0.154	0.73	14.00	<10	475	0.29	0.009	3.20	0.091	10.00	12.65	17.80	22.1
N915541		6.99	0.0018	0.182	1.03	8.98	<10	669	0.19	0.010	2.56	0.096	8.18	11.15	19.40	7.90
N915542		6.57	0.0017	0.196	0.97	3.13	<10	204	0.24	0.007	2.83	0.115	8.62	12.70	20.1	11.20
N915543		7.31	0.0074	0.242	1.18	4.04	<10	467	0.21	0.008	3.10	0.098	9.85	13.55	22.3	5.96
N915544		5.79	0.0034	0.338	0.80	32.9	<10	527	0.36	0.046	3.02	0.187	9.84	15.85	16.40	14.60
N915545		6.87	0.0043	0.466	0.92	26.3	<10	466	0.27	0.017	3.66	0.078	10.10	17.05	19.30	9.71
N915546		6.18	0.0046	0.177	1.53	1.86	<10	465	0.28	0.010	3.62	0.064	11.25	17.15	22.1	6.79
N915547		7.25	0.0051	0.208	1.71	1.81	<10	439	0.21	0.009	3.08	0.031	11.10	15.95	29.4	3.89
N915548		6.89	0.0040	0.247	1.46	0.90	<10	251	0.19	0.007	2.09	0.027	8.49	15.50	28.1	2.14
N915549		6.32	0.0058	0.479	1.09	1.47	<10	106.5	0.23	0.008	1.98	0.084	23.2	15.95	14.25	1.215
N915550		0.05	0.902	50.7	0.99	959	20	108.0	0.14	21.9	3.13	0.878	12.70	35.3	29.3	0.743
N915551		5.78	0.0053	0.282	1.52	2.04	<10	75.2	0.37	0.028	2.06	0.056	32.9	18.60	9.49	2.92
N915552		7.78	0.0068	0.178	1.68	1.57	<10	135.0	0.31	0.009	1.83	0.101	35.1	21.4	10.40	2.16
N915553		8.14	0.0110	0.404	1.75	1.98	<10	142.0	0.24	0.037	1.76	0.115	24.5	29.5	17.80	2.03
N915554		7.66	0.0134	0.466	2.25	2.39	<10	263	0.25	0.032	1.73	0.081	25.1	32.3	16.10	3.50
N915555		7.02	0.0090	0.439	2.14	8.82	<10	327	0.23	0.039	2.30	0.064	24.6	32.6	16.05	6.38
N915556		7.17	0.0075	0.250	2.35	2.67	<10	290	0.23	0.024	1.94	0.030	22.0	28.2	15.55	3.49
N915557		7.70	0.0091	0.124	2.36	1.96	<10	219	0.30	0.009	2.50	0.049	23.8	28.3	20.6	3.82
N915558		7.78	0.0109	0.110	1.79	1.71	<10	167.5	0.16	0.005	1.86	0.072	23.0	23.7	21.6	2.06
N915559		7.07	0.0008	0.028	1.81	1.10	<10	319	0.18	0.002	3.12	0.053	11.50	14.60	26.0	3.16
N915560		6.53	0.0006	0.027	1.93	1.05	<10	491	0.18	0.005	3.37	0.027	11.40	13.90	24.7	3.45
N915561		7.71	0.0017	0.025	1.31	1.22	<10	357	0.27	0.004	4.88	0.077	11.30	11.35	15.60	4.45
N915562		6.87	0.0002	0.007	1.07	0.94	<10	1035	0.19	0.010	3.86	0.077	9.61	10.50	15.10	2.05
N915563		0.05	0.0003	0.083	1.73	1.06	<10	133.0	0.12	0.064	1.05	0.085	13.15	8.85	17.00	0.295
N915564		6.93	<0.0002	0.021	0.86	1.87	<10	820	0.25	0.023	5.08	0.082	9.33	10.65	9.29	4.28
N915565		6.36	0.0003	0.011	0.81	1.13	<10	539	0.22	0.027	3.96	0.063	8.77	8.36	9.12	2.69
N915566		7.74	<0.0002	0.008	0.95	0.95	<10	508	0.25	0.005	3.89	0.055	10.15	9.80	9.46	3.76
N915567		6.40	<0.0002	0.014	0.63	0.94	<10	500	0.26	0.010	3.05	0.231	9.76	12.35	6.97	2.71
N915568		7.44	0.0003	0.020	0.71	1.13	10	473	0.27	0.013	4.35	0.108	9.59	10.15	6.52	4.34
N915569		5.32	<0.0002	0.012	0.77	1.71	<10	1390	0.29	0.012	3.97	0.081	9.31	10.40	10.45	2.72
N915570		5.86	0.0006	0.016	0.59	2.12	<10	1285	0.31	0.006	4.48	0.055	9.40	10.15	9.29	3.52
N915571		6.68	0.0005	0.046	0.81	1.22	<10	659	0.31	0.006	1.52	0.052	10.70	10.50	11.40	3.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915532		364	3.12	5.84	0.033	0.085	0.167	0.012	0.20	4.09	10.2	1.53	650	0.08	0.044	0.005
N915533		160.0	3.58	2.28	0.029	0.050	0.015	0.013	0.21	5.30	3.5	0.96	924	0.08	0.023	<0.002
N915534		138.0	3.09	5.04	0.044	0.069	0.019	0.012	0.18	4.57	8.8	1.31	713	0.08	0.038	0.002
N915535		221	2.64	5.86	0.041	0.099	0.007	<0.005	0.12	3.65	8.9	1.38	625	0.08	0.038	0.004
N915536		432	2.94	5.31	0.041	0.096	0.023	0.014	0.12	4.70	8.0	1.47	798	0.14	0.028	<0.002
N915537		213	3.08	3.97	0.040	0.077	0.014	0.016	0.17	4.31	3.0	1.37	744	0.11	0.039	<0.002
N915538		87.4	3.38	4.69	0.055	0.111	<0.004	0.012	0.21	6.02	5.3	0.75	452	4.97	0.195	0.204
N915539		287	2.53	4.01	0.038	0.117	0.012	0.009	0.23	3.74	2.5	0.93	524	0.29	0.055	0.004
N915540		347	2.52	2.98	0.051	0.128	0.019	0.009	0.19	4.25	2.6	0.96	569	0.54	0.038	0.009
N915541		338	2.20	4.09	0.040	0.152	0.022	0.009	0.12	3.59	5.0	1.00	503	0.24	0.043	0.014
N915542		369	2.53	4.16	0.061	0.100	0.025	0.008	0.12	3.84	4.8	1.12	555	0.25	0.037	0.006
N915543		633	2.69	4.36	0.054	0.120	0.027	0.008	0.40	4.41	5.2	1.01	509	0.12	0.048	0.010
N915544		495	2.69	3.23	0.041	0.047	0.024	0.030	0.46	4.35	2.3	1.08	612	0.26	0.020	0.004
N915545		791	2.76	3.55	0.040	0.043	0.014	0.011	0.50	4.53	4.5	1.07	534	0.27	0.027	0.009
N915546		359	2.69	5.19	0.050	0.073	0.028	0.006	0.65	5.29	8.4	1.30	480	0.19	0.025	0.003
N915547		377	2.92	6.97	0.054	0.055	0.019	0.007	0.62	5.13	10.1	1.47	522	0.33	0.040	0.004
N915548		401	2.67	6.27	0.058	0.097	0.026	0.008	0.58	3.75	8.9	1.31	480	0.96	0.047	0.014
N915549		958	3.22	5.40	0.091	0.194	0.018	0.007	0.34	10.80	6.0	1.01	479	2.99	0.053	0.066
N915550		3560	2.96	3.30	0.052	0.145	0.652	0.092	0.15	7.58	5.8	0.35	619	520	0.093	0.219
N915551		535	4.09	7.49	0.114	0.186	0.022	0.011	0.72	15.55	8.4	1.45	662	0.58	0.057	0.032
N915552		935	4.62	8.04	0.131	0.185	0.030	0.021	1.03	16.15	10.0	1.55	883	0.41	0.066	0.066
N915553		1140	4.82	8.13	0.122	0.117	0.031	0.021	0.87	10.90	8.9	1.80	802	0.75	0.062	0.057
N915554		1190	5.28	9.02	0.142	0.076	0.025	0.019	1.48	11.35	14.0	2.15	782	0.85	0.064	0.049
N915555		1100	5.50	8.17	0.142	0.103	0.035	0.014	1.45	11.10	11.4	2.30	894	0.82	0.063	0.059
N915556		669	5.29	10.50	0.138	0.083	0.014	0.010	1.58	9.72	12.0	2.29	730	0.45	0.064	0.029
N915557		1040	5.67	9.50	0.134	0.075	0.017	0.023	1.53	10.55	12.2	2.36	922	0.39	0.061	0.031
N915558		911	4.81	7.82	0.143	0.152	0.025	0.006	0.99	10.35	9.4	1.76	731	0.36	0.069	0.060
N915559		100.5	3.30	7.53	0.052	0.072	0.019	0.006	0.49	5.20	11.2	1.60	558	0.11	0.054	0.003
N915560		41.9	3.50	8.22	0.080	0.056	0.005	0.016	0.40	5.59	14.9	1.60	542	0.10	0.047	0.004
N915561		51.1	2.88	5.21	0.043	0.059	0.006	0.011	0.47	5.72	7.2	1.05	553	0.07	0.035	0.003
N915562		6.65	2.52	3.80	0.025	0.047	0.007	<0.005	0.29	4.86	6.9	1.16	440	0.06	0.027	<0.002
N915563		80.4	3.48	5.29	0.070	0.105	0.008	0.005	0.22	6.51	6.4	0.77	476	4.81	0.220	0.192
N915564		10.30	2.78	2.12	0.016	0.032	0.023	0.020	0.35	4.67	4.7	1.62	733	0.07	0.014	<0.002
N915565		3.40	2.31	2.17	0.025	0.027	0.006	<0.005	0.31	4.28	4.3	0.94	574	0.06	0.016	<0.002
N915566		11.80	2.36	2.53	0.024	0.029	0.010	0.005	0.32	5.01	5.9	1.07	483	0.09	0.017	<0.002
N915567		6.27	2.36	1.495	0.022	0.028	0.008	<0.005	0.31	4.86	1.7	0.91	566	0.07	0.015	<0.002
N915568		9.88	2.29	1.720	0.018	0.036	0.019	<0.005	0.37	4.82	3.6	1.08	589	0.12	0.011	<0.002
N915569		4.74	2.74	2.56	0.021	0.037	0.005	0.018	0.34	4.50	3.4	1.22	620	0.07	0.025	<0.002
N915570		17.55	2.66	1.705	0.025	0.050	0.009	0.005	0.36	4.22	2.1	1.42	699	0.08	0.018	<0.002
N915571		120.5	2.79	2.78	0.031	0.054	0.042	0.006	0.37	5.21	2.4	0.72	471	0.17	0.021	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915532		16.25	0.110	2.63	0.007	0.004	8.25	<0.001	0.05	0.100	9.20	1.2	0.17	90.5	<0.005	0.04
N915533		14.00	0.112	9.67	0.009	0.003	7.48	<0.001	0.02	0.297	6.83	0.7	0.02	71.3	<0.005	0.04
N915534		15.65	0.111	4.46	0.004	0.003	6.70	<0.001	0.02	0.228	8.26	0.7	0.05	98.8	<0.005	<0.01
N915535		14.65	0.101	2.12	0.006	0.003	5.38	<0.001	0.03	0.360	8.02	0.6	0.11	103.0	<0.005	0.01
N915536		16.35	0.107	4.83	0.007	0.003	7.08	<0.001	0.03	0.558	11.00	1.0	0.13	91.3	<0.005	0.02
N915537		13.95	0.101	4.14	0.006	0.005	11.65	<0.001	0.02	0.610	12.70	0.6	0.16	114.0	<0.005	0.02
N915538		13.00	0.054	3.55	<0.001	<0.002	6.54	0.001	<0.01	0.201	2.43	<0.1	1.28	75.8	<0.005	<0.01
N915539		12.10	0.107	1.690	0.007	0.003	16.15	<0.001	0.06	0.574	13.70	1.0	0.19	149.5	<0.005	0.04
N915540		11.50	0.108	1.925	0.001	0.003	13.80	<0.001	0.07	0.678	12.55	1.0	0.16	117.0	<0.005	<0.01
N915541		11.60	0.111	2.92	0.007	0.003	7.49	<0.001	0.07	0.694	7.75	1.0	0.14	119.0	<0.005	0.01
N915542		13.00	0.105	0.897	0.007	0.002	10.70	0.002	0.06	0.272	10.15	0.7	0.14	117.5	<0.005	0.03
N915543		13.50	0.117	6.21	0.008	0.003	16.55	0.001	0.13	0.532	9.39	1.8	0.15	123.0	<0.005	0.04
N915544		12.45	0.102	6.83	0.006	0.004	20.2	<0.001	0.22	1.035	7.15	2.0	0.04	83.0	<0.005	0.02
N915545		13.50	0.097	1.780	0.004	0.006	20.6	<0.001	0.21	0.304	8.10	2.5	0.10	96.9	<0.005	0.04
N915546		14.45	0.102	1.180	0.006	0.004	23.5	<0.001	0.20	0.200	7.77	1.8	0.14	160.0	<0.005	<0.01
N915547		15.50	0.106	0.503	0.004	0.003	21.6	<0.001	0.10	0.179	10.40	1.3	0.17	116.5	<0.005	0.05
N915548		15.05	0.106	1.125	0.012	0.003	19.05	0.001	0.09	0.092	7.81	1.2	0.16	111.0	<0.005	0.03
N915549		8.13	0.151	0.507	0.008	<0.002	13.90	0.008	0.25	0.111	4.81	2.3	0.29	95.3	<0.005	0.01
N915550		26.3	0.070	76.7	0.004	<0.002	4.79	0.083	0.48	126.5	2.04	2.8	1.90	120.5	<0.005	2.73
N915551		5.54	0.203	0.544	0.014	0.004	33.1	<0.001	0.13	0.174	4.79	1.5	0.30	94.6	<0.005	0.04
N915552		5.01	0.198	0.597	0.007	<0.002	47.0	0.001	0.36	0.077	5.87	2.9	0.49	82.4	<0.005	<0.01
N915553		8.72	0.186	0.655	0.010	0.002	36.0	0.002	0.82	0.046	6.45	3.9	0.47	67.7	<0.005	0.07
N915554		7.80	0.192	0.653	0.008	0.005	58.1	0.001	0.80	0.087	5.93	4.1	0.44	77.7	<0.005	0.14
N915555		8.71	0.183	0.819	0.008	0.003	55.9	0.002	0.86	0.119	7.89	3.6	0.34	80.6	<0.005	0.02
N915556		10.15	0.170	0.579	0.008	0.003	59.5	0.001	0.37	0.108	8.20	1.9	0.38	81.0	<0.005	0.02
N915557		11.75	0.172	0.571	0.011	0.005	62.6	0.001	0.49	0.126	12.90	2.8	0.50	84.0	<0.005	0.01
N915558		9.64	0.167	0.502	0.015	0.006	37.6	0.001	0.56	0.053	6.55	2.7	0.44	81.0	<0.005	<0.01
N915559		14.30	0.116	0.553	0.010	0.006	15.45	0.001	0.06	0.157	8.26	0.6	0.18	119.5	<0.005	<0.01
N915560		13.25	0.127	0.574	0.007	0.005	12.50	<0.001	0.02	0.168	11.40	0.3	0.20	141.0	<0.005	<0.01
N915561		10.15	0.118	1.045	0.016	0.007	15.95	<0.001	0.03	0.103	7.71	0.5	0.10	135.0	<0.005	0.02
N915562		9.95	0.108	1.565	0.013	0.005	8.99	<0.001	0.05	0.181	4.44	<0.1	0.06	149.0	<0.005	0.02
N915563		12.55	0.056	3.37	0.004	<0.002	6.36	<0.001	0.01	0.219	3.22	0.2	1.23	80.4	<0.005	<0.01
N915564		8.78	0.097	1.615	0.010	0.005	10.45	<0.001	0.05	0.314	3.70	0.3	0.03	167.5	<0.005	0.01
N915565		8.12	0.107	1.655	0.007	0.006	9.12	<0.001	0.04	0.198	2.82	<0.1	0.05	154.0	<0.005	0.01
N915566		8.93	0.109	1.265	0.012	0.008	9.39	<0.001	0.03	0.272	3.33	0.2	0.03	148.0	<0.005	0.01
N915567		7.17	0.111	10.85	0.009	0.006	11.20	<0.001	0.06	0.251	3.08	0.1	0.03	110.5	<0.005	<0.01
N915568		7.42	0.104	5.84	0.005	0.010	10.85	<0.001	0.03	0.397	2.70	0.2	0.04	132.0	<0.005	<0.01
N915569		8.78	0.110	3.06	0.014	0.008	10.50	<0.001	0.05	0.185	5.04	0.3	0.08	141.5	<0.005	<0.01
N915570		8.35	0.107	1.330	0.009	0.005	10.70	<0.001	0.04	0.166	4.35	0.4	0.03	134.0	<0.005	<0.01
N915571		8.18	0.117	2.04	0.013	0.012	14.90	0.001	0.10	0.329	8.81	1.0	0.08	100.5	<0.005	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915532		0.594	0.029	0.055	0.193	111.5	0.027	9.27	54.0	1.48
N915533		0.529	0.003	0.052	0.226	82.9	0.022	10.70	192.0	1.42
N915534		0.616	0.019	0.052	0.174	100.5	0.021	10.20	96.4	1.51
N915535		0.566	0.031	0.066	0.163	116.0	0.019	8.14	52.5	1.68
N915536		0.697	0.006	0.096	0.138	118.5	0.012	9.82	75.1	2.00
N915537		0.612	0.005	0.112	0.134	138.5	0.008	10.85	63.3	1.77
N915538		2.43	0.152	0.035	0.744	90.9	0.528	4.85	40.8	1.79
N915539		0.635	0.019	0.225	0.147	125.0	0.007	10.15	36.9	2.50
N915540		0.605	0.026	0.208	0.159	118.0	0.017	11.35	37.0	2.41
N915541		0.578	0.044	0.122	0.170	90.1	0.030	8.42	45.8	2.46
N915542		0.551	0.015	0.165	0.138	107.5	0.034	8.90	40.3	2.02
N915543		0.633	0.048	0.179	0.189	120.0	0.037	9.31	55.1	2.22
N915544		0.594	0.023	0.321	0.140	99.4	0.061	8.18	74.6	1.15
N915545		0.526	0.028	0.216	0.217	118.0	0.022	10.15	46.8	1.22
N915546		0.585	0.046	0.199	0.168	127.0	0.024	10.55	36.9	1.27
N915547		0.666	0.060	0.132	0.166	187.5	0.064	10.35	37.1	1.22
N915548		0.568	0.059	0.106	0.157	163.5	0.148	8.95	36.5	1.44
N915549		2.02	0.086	0.070	0.520	161.0	0.047	11.95	35.8	4.88
N915550		1.380	0.062	0.048	1.500	36.6	8.36	5.88	124.0	4.46
N915551		2.63	0.101	0.147	0.656	186.0	0.051	14.20	53.8	5.10
N915552		2.67	0.158	0.192	0.806	212	0.048	17.10	66.6	5.71
N915553		1.490	0.163	0.201	0.514	186.5	0.052	15.05	67.6	3.22
N915554		1.575	0.216	0.487	0.533	210	0.053	14.40	68.0	2.10
N915555		1.705	0.250	0.529	0.587	219	0.052	14.20	74.4	2.50
N915556		1.440	0.250	0.435	0.502	213	0.039	13.00	55.1	2.40
N915557		1.485	0.229	0.426	0.515	240	0.026	13.95	65.0	1.89
N915558		1.630	0.215	0.229	0.544	206	0.035	13.30	55.0	3.26
N915559		0.644	0.041	0.103	0.160	154.0	0.024	10.30	30.0	1.10
N915560		0.683	0.033	0.082	0.113	175.5	0.026	9.98	32.2	0.97
N915561		0.641	0.028	0.128	0.181	128.5	0.034	9.47	25.2	1.28
N915562		0.459	0.008	0.082	0.119	78.3	0.021	5.02	23.3	1.13
N915563		2.68	0.165	0.041	0.859	93.4	0.600	4.92	40.3	2.20
N915564		0.400	0.005	0.092	0.142	62.2	0.044	6.02	34.5	0.94
N915565		0.416	0.003	0.099	0.108	43.8	0.019	5.28	29.1	0.95
N915566		0.413	0.003	0.094	0.104	49.0	0.030	5.18	25.7	0.93
N915567		0.417	0.003	0.149	0.109	49.1	0.036	5.81	117.0	0.97
N915568		0.367	0.003	0.079	0.112	41.2	0.071	6.14	45.9	0.86
N915569		0.511	0.008	0.101	0.131	76.2	0.049	6.29	40.8	1.33
N915570		0.490	0.004	0.103	0.149	60.1	0.046	6.63	23.8	1.08
N915571		0.660	0.023	0.248	0.144	103.0	0.054	6.06	36.4	1.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915572		5.81	0.0011	0.130	0.65	6.21	<10	481	0.30	0.028	1.40	1.070	12.65	15.75	7.22	1.540
N915573		5.46	0.0009	0.187	0.69	3.42	<10	380	0.56	0.022	2.12	0.378	26.8	19.70	15.55	1.160
N915574		5.78	0.0020	0.201	0.95	3.16	<10	248	0.46	0.030	1.92	0.560	27.0	19.30	17.00	1.090
N915575		0.05	0.748	51.6	1.02	971	20	108.5	0.15	23.7	3.24	0.918	12.25	33.3	28.8	0.648
N915576		7.39	0.0041	0.322	1.30	3.47	<10	210	0.38	0.047	3.29	0.132	33.6	21.9	15.35	1.510
N915577		7.12	0.0004	0.078	0.75	4.63	<10	430	0.30	0.012	2.69	0.424	10.30	8.84	6.61	1.735
N915578		6.16	0.0035	0.192	0.85	16.65	<10	807	0.37	0.012	2.19	0.859	18.90	14.05	7.17	1.205
N915579		6.96	0.0099	0.226	1.56	6.24	<10	1220	0.58	0.026	2.74	0.269	28.4	21.8	21.3	2.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915572		226	3.68	1.960	0.027	0.061	0.058	0.018	0.29	6.37	1.2	0.51	956	0.70	0.017	<0.002
N915573		597	5.32	2.78	0.055	0.066	0.082	0.034	0.15	13.45	2.1	0.66	1060	0.48	0.030	0.002
N915574		523	5.00	3.46	0.059	0.074	0.056	0.028	0.30	13.55	3.8	0.91	1020	0.28	0.031	0.012
N915575		3420	3.04	3.46	0.054	0.153	0.638	0.112	0.15	7.86	7.2	0.35	618	527	0.092	0.237
N915576		677	5.35	5.81	0.083	0.069	0.026	0.025	0.24	17.30	9.4	1.66	1050	0.57	0.043	0.006
N915577		165.5	2.57	2.87	0.028	0.060	0.125	0.014	0.23	5.36	4.2	0.82	553	0.37	0.035	0.002
N915578		481	3.61	4.03	0.040	0.071	0.146	0.013	0.15	9.89	5.6	0.90	677	0.24	0.043	0.005
N915579		575	5.51	6.68	0.110	0.140	0.050	0.067	0.34	14.05	7.3	1.23	1230	0.58	0.049	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915572		9.05	0.121	127.5	0.012	0.008	11.15	0.004	0.26	0.698	6.31	1.3	0.05	82.3	<0.005	0.02
N915573		10.25	0.179	40.4	0.019	0.006	7.14	0.002	0.16	0.822	12.75	1.4	0.12	93.5	<0.005	0.06
N915574		9.54	0.179	82.6	0.010	0.003	11.15	0.001	0.17	0.490	9.00	1.5	0.10	95.2	<0.005	0.04
N915575		24.2	0.072	72.3	0.004	<0.002	5.20	0.087	0.49	119.5	1.870	2.3	1.85	114.5	<0.005	2.66
N915576		8.31	0.162	3.61	0.014	0.004	9.09	0.001	0.34	0.331	9.06	1.6	0.17	100.5	<0.005	0.02
N915577		6.23	0.103	77.4	0.005	0.003	6.97	<0.001	0.06	0.536	5.75	0.7	0.04	98.3	<0.005	0.01
N915578		6.26	0.122	158.5	0.011	0.003	5.28	<0.001	0.18	1.315	7.66	1.1	0.19	109.5	<0.005	<0.01
N915579		11.40	0.178	42.0	0.020	0.006	16.80	<0.001	0.15	1.695	16.75	1.9	0.41	211	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915572		0.612	0.007	0.191	0.173	90.9	0.060	7.56	494	1.76
N915573		1.530	0.006	0.136	0.337	142.5	0.067	11.30	263	2.87
N915574		1.670	0.015	0.141	0.457	135.0	0.092	10.55	380	2.81
N915575		1.470	0.064	0.061	1.470	36.4	8.77	5.59	125.0	4.91
N915576		2.14	0.019	0.092	0.437	147.5	0.082	12.45	69.0	3.45
N915577		0.494	0.008	0.066	0.204	73.8	0.048	5.97	172.0	2.06
N915578		1.145	0.008	0.065	0.236	98.7	0.045	9.26	324	2.72
N915579		1.900	0.059	0.106	0.431	172.5	0.029	14.45	259	3.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14124507

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

CERTIFICATE KL14125371

Project: Dillard

This report is for 74 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 21- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915580		7.47	0.0054	0.193	1.60	5.83	<10	150.5	0.39	0.010	2.23	0.113	32.6	23.1	19.70	1.425
N915581		6.67	0.0058	0.265	1.86	1.59	<10	498	0.28	0.021	4.11	0.068	19.20	21.7	29.2	1.735
N915582		6.81	0.0017	0.120	1.17	0.79	<10	264	0.19	0.011	3.41	0.048	10.65	11.20	14.85	1.445
N915583		7.71	0.0032	0.129	1.07	0.80	<10	492	0.19	0.020	4.12	0.067	9.26	10.45	11.55	1.445
N915584		7.47	0.0096	0.266	0.50	15.10	<10	610	0.24	0.055	4.02	0.611	8.21	14.10	3.90	2.42
N915585		7.03	0.0014	0.108	0.42	4.71	<10	2050	0.32	0.025	5.64	0.496	9.26	11.80	0.81	5.06
N915586		7.69	0.0004	0.056	0.45	2.70	<10	187.5	0.37	0.003	6.24	0.266	11.25	12.85	0.57	5.03
N915587		6.61	0.0054	0.107	1.19	2.98	<10	238	0.39	0.019	5.91	0.206	23.8	16.15	6.73	3.90
N915588		0.05	0.0013	0.103	1.77	1.36	<10	133.5	0.11	0.069	1.05	0.087	14.70	10.30	20.1	0.346
N915589		7.61	0.0067	0.102	2.74	1.68	<10	487	0.42	0.024	4.88	0.088	32.9	22.8	18.15	3.06
N915590		6.81	0.0045	0.200	2.85	2.04	<10	389	0.46	0.052	5.28	0.105	22.9	25.6	87.2	3.10
N915591		7.15	0.0091	0.121	2.21	4.88	<10	429	0.41	0.029	4.55	0.136	29.5	19.90	13.05	4.13
N915592		7.55	0.0060	0.163	2.21	2.73	<10	317	0.35	0.040	3.62	0.134	27.0	20.3	16.15	2.72
N915593		7.28	0.0078	0.143	2.27	2.63	<10	112.5	0.39	0.050	4.19	0.135	25.5	22.1	23.4	3.03
N915594		7.45	0.0030	0.153	2.36	2.03	<10	87.0	0.36	0.017	3.64	0.208	22.6	25.7	24.8	3.10
N915595		7.44	0.0042	0.165	2.46	2.27	<10	107.5	0.32	0.025	3.46	0.164	16.80	23.2	11.85	3.28
N915596		10.61	0.0035	0.529	1.83	3.41	<10	223	0.43	0.043	2.67	0.247	27.3	20.1	1.46	6.28
N915597		11.96	0.0026	0.565	1.86	3.82	<10	174.0	0.31	0.026	2.60	0.389	19.35	17.15	1.83	1.345
N915598		8.28	0.0038	1.525	1.65	3.25	<10	68.1	0.28	0.032	2.28	0.319	17.75	14.65	2.02	1.230
N915599		4.13	0.0022	0.796	1.84	3.55	<10	75.4	0.26	0.030	1.91	0.256	16.25	18.10	4.42	1.170
N915600		0.05	0.642	55.6	1.11	1025	20	115.0	0.16	21.9	3.46	0.905	12.40	33.0	28.2	0.716
N915601		7.44	0.0017	0.760	1.47	2.20	<10	43.7	0.21	0.047	1.84	0.231	13.65	17.30	14.10	0.663
N915602		7.63	0.0015	0.434	1.33	1.60	<10	42.6	0.17	0.016	1.67	0.117	8.34	18.25	18.70	0.524
N915603		7.40	0.0035	0.069	2.50	3.17	<10	112.5	0.27	0.014	2.15	0.040	11.30	24.3	29.0	1.880
N915604		7.49	0.0019	0.219	2.48	1.69	<10	187.0	0.24	0.014	2.60	0.104	14.65	25.1	28.1	3.10
N915605		7.43	0.0022	0.111	2.44	1.63	<10	230	0.20	0.012	3.60	0.069	14.00	24.3	22.2	3.03
N915606		7.93	0.0008	0.124	1.72	1.37	<10	46.9	0.19	0.008	1.48	0.064	18.20	18.25	4.36	1.170
N915607		7.69	0.0036	0.516	1.55	2.15	<10	39.4	0.25	0.022	1.77	0.136	16.45	22.4	3.30	1.190
N915608		7.93	0.0025	0.044	1.64	1.46	<10	34.0	0.22	0.004	1.81	0.081	18.15	17.85	3.43	1.185
N915609		7.83	0.0004	0.025	1.49	1.82	<10	27.6	0.24	0.006	1.99	0.076	17.60	16.95	3.32	0.853
N915610		7.39	0.0010	0.020	1.64	1.91	<10	35.1	0.21	0.010	1.79	0.096	18.40	17.30	3.64	1.030
N915611		7.04	0.0013	0.124	1.88	2.13	<10	26.3	0.25	0.012	2.87	0.129	20.3	19.40	3.39	0.736
N915612		6.94	0.0021	0.191	1.67	1.43	<10	34.3	0.22	0.008	1.66	0.101	20.5	19.05	6.07	0.877
N915613		0.05	0.0005	0.095	1.85	1.01	<10	139.0	0.12	0.065	1.06	0.073	13.70	9.20	18.05	0.297
N915614		7.81	0.0043	0.081	1.74	1.47	<10	38.3	0.22	0.010	1.46	0.066	21.3	15.95	3.41	1.350
N915615		7.40	0.0113	0.154	1.74	2.04	<10	53.5	0.23	0.010	1.75	0.055	23.9	16.85	3.01	1.390
N915616		7.97	0.0060	0.104	1.62	1.20	<10	45.4	0.23	0.005	1.42	0.046	23.2	14.30	3.32	1.130
N915617		8.64	0.0037	0.097	1.77	1.80	<10	51.3	0.29	0.014	2.16	0.069	24.9	16.75	3.45	0.845
N915618		7.28	0.0023	0.148	1.82	1.07	<10	50.5	0.28	0.014	3.05	0.925	21.0	15.95	5.40	0.818
N915619		7.92	0.0068	0.104	1.50	1.14	<10	37.8	0.27	0.009	2.39	0.024	23.1	14.10	3.47	0.642

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915580		763	4.86	7.58	0.157	0.174	0.018	0.045	0.27	15.35	12.4	1.61	1530	0.31	0.054	0.057
N915581		995	4.60	7.82	0.101	0.109	0.031	0.027	0.26	8.83	13.4	2.08	1170	0.64	0.040	0.021
N915582		318	2.62	4.84	0.032	0.053	0.065	0.013	0.20	5.10	7.6	1.16	695	1.18	0.033	<0.002
N915583		310	2.30	3.55	0.031	0.035	0.053	0.014	0.27	4.34	6.3	0.98	719	0.97	0.024	<0.002
N915584		519	2.29	1.320	0.023	0.034	0.056	0.021	0.31	3.70	1.6	1.22	773	4.56	0.016	<0.002
N915585		67.7	2.85	0.819	0.023	0.040	0.063	0.017	0.28	3.85	1.9	1.84	1150	1.16	0.006	<0.002
N915586		24.0	3.62	0.933	0.033	0.045	0.010	0.017	0.29	4.70	2.9	2.07	1185	0.72	0.015	0.002
N915587		93.1	4.00	3.26	0.046	0.046	0.020	0.014	0.40	11.10	6.4	2.10	1340	0.47	0.020	0.004
N915588		96.3	3.49	5.42	0.068	0.118	<0.004	0.015	0.22	6.79	7.1	0.81	524	5.45	0.212	0.211
N915589		106.5	5.10	8.69	0.113	0.090	0.014	0.025	0.50	15.75	16.9	2.58	1400	0.24	0.044	0.007
N915590		168.0	5.25	9.41	0.152	0.123	0.024	0.021	0.79	10.80	16.9	2.88	1695	0.22	0.042	0.011
N915591		126.5	4.76	8.11	0.111	0.094	0.107	0.037	0.88	14.25	12.7	2.24	1615	0.08	0.051	0.009
N915592		168.5	4.83	9.04	0.130	0.115	0.054	0.025	0.75	12.80	13.8	2.32	1560	0.18	0.053	0.008
N915593		143.5	4.85	8.54	0.132	0.129	0.022	0.032	0.90	12.10	14.1	2.28	1720	0.25	0.050	0.010
N915594		197.0	4.67	8.42	0.157	0.253	0.011	0.015	1.16	10.50	17.1	2.29	1710	0.35	0.059	0.035
N915595		196.0	4.50	7.70	0.153	0.256	0.023	0.016	1.22	7.78	18.0	2.54	1325	0.17	0.054	0.035
N915596		737	4.82	6.27	0.104	0.090	0.045	0.028	0.99	12.75	7.9	1.36	1165	0.50	0.060	0.013
N915597		886	4.48	6.94	0.108	0.096	0.015	0.011	0.54	8.92	14.4	1.69	994	0.64	0.061	0.024
N915598		2150	4.01	5.89	0.150	0.228	0.007	0.010	0.78	8.06	10.2	1.39	778	0.77	0.067	0.084
N915599		1160	4.21	6.23	0.115	0.172	<0.004	0.008	0.88	7.42	11.0	1.69	828	0.50	0.069	0.076
N915600		3850	3.18	3.42	0.089	0.161	0.676	0.092	0.16	7.21	7.1	0.39	687	525	0.099	0.209
N915601		991	3.37	5.35	0.115	0.204	0.011	0.011	0.28	6.01	8.0	1.42	658	19.85	0.064	0.084
N915602		664	2.64	4.96	0.102	0.214	0.022	0.009	0.18	3.69	6.9	1.31	584	0.72	0.070	0.069
N915603		49.0	5.22	7.27	0.141	0.234	0.004	0.008	1.00	4.95	13.9	2.86	934	0.29	0.051	0.057
N915604		303	5.54	7.58	0.147	0.257	0.004	0.009	1.44	6.51	12.0	2.69	1070	0.23	0.066	0.051
N915605		142.0	5.68	9.14	0.151	0.192	0.004	0.010	1.58	6.26	12.8	2.60	1160	0.36	0.060	0.047
N915606		184.5	4.01	6.32	0.143	0.321	0.005	0.009	0.87	8.30	10.9	1.56	625	1.03	0.060	0.119
N915607		757	4.19	6.02	0.148	0.247	<0.004	0.013	0.76	7.56	8.4	1.41	591	0.60	0.054	0.112
N915608		36.6	3.87	5.87	0.143	0.279	0.005	0.010	0.82	8.33	8.5	1.44	611	0.47	0.050	0.135
N915609		19.35	4.11	6.71	0.155	0.297	<0.004	0.006	0.53	7.82	9.2	1.48	650	0.21	0.046	0.106
N915610		14.05	4.22	6.27	0.137	0.362	<0.004	0.012	0.74	8.30	8.2	1.52	621	0.29	0.062	0.123
N915611		187.0	4.40	7.76	0.140	0.221	<0.004	0.013	0.44	9.31	11.0	1.94	886	0.23	0.051	0.076
N915612		313	4.01	7.50	0.160	0.294	0.009	0.008	0.69	9.32	10.4	1.54	627	0.46	0.061	0.134
N915613		90.8	3.67	5.31	0.096	0.113	<0.004	0.014	0.23	6.20	6.7	0.86	526	5.26	0.209	0.173
N915614		169.0	4.20	7.06	0.145	0.312	0.009	0.009	1.03	9.83	10.9	1.44	710	0.36	0.083	0.106
N915615		511	4.37	8.37	0.149	0.333	0.010	0.009	1.16	11.15	10.1	1.45	670	1.81	0.098	0.078
N915616		307	3.89	6.84	0.119	0.284	<0.004	0.010	0.96	10.90	7.8	1.37	612	0.26	0.088	0.116
N915617		279	4.23	7.26	0.120	0.259	<0.004	0.009	0.68	11.80	7.6	1.62	804	0.40	0.078	0.090
N915618		271	3.80	7.10	0.089	0.135	0.013	0.009	0.35	9.92	8.2	1.87	776	1.83	0.068	0.034
N915619		253	4.00	7.13	0.098	0.280	<0.004	0.013	0.46	10.95	7.5	1.43	640	0.61	0.081	0.106

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915580		9.16	0.177	10.75	0.008	0.004	11.35	<0.001	0.29	0.690	9.25	2.2	0.43	121.0	<0.005	0.01
N915581		13.50	0.166	2.86	0.008	0.003	10.55	0.001	0.43	0.137	10.95	2.3	0.23	134.0	<0.005	0.04
N915582		9.61	0.106	1.575	0.003	<0.002	6.43	0.005	0.16	0.081	6.71	0.9	0.06	93.0	<0.005	<0.01
N915583		8.29	0.098	1.620	0.003	<0.002	8.14	0.006	0.21	0.091	4.54	1.0	0.05	108.5	<0.005	<0.01
N915584		5.81	0.093	61.4	0.003	<0.002	9.16	0.024	0.42	1.705	2.48	1.6	0.07	103.5	<0.005	0.03
N915585		3.51	0.065	25.2	0.003	<0.002	9.24	0.003	0.14	0.972	4.07	0.4	0.04	123.5	<0.005	<0.01
N915586		2.85	0.069	4.40	0.003	<0.002	8.79	0.002	0.03	0.177	4.60	0.4	0.02	108.0	<0.005	<0.01
N915587		5.42	0.146	3.29	0.006	0.002	12.75	0.001	0.04	0.234	6.33	0.5	0.07	112.5	<0.005	0.03
N915588		14.65	0.060	4.44	0.003	<0.002	6.78	<0.001	<0.01	0.218	3.05	0.2	1.45	87.8	<0.005	0.01
N915589		8.94	0.201	2.16	0.007	0.003	20.0	<0.001	0.05	0.162	8.84	0.3	0.14	134.5	<0.005	0.04
N915590		25.8	0.189	1.700	0.004	0.004	31.7	<0.001	0.02	0.163	11.10	0.5	0.26	177.5	<0.005	0.06
N915591		7.05	0.181	2.57	0.010	0.002	32.7	<0.001	0.02	0.210	6.74	0.5	0.29	154.5	<0.005	0.13
N915592		7.47	0.183	1.495	0.005	0.002	27.0	<0.001	0.02	0.134	6.96	0.4	0.21	133.5	<0.005	0.09
N915593		10.15	0.185	1.870	0.005	0.002	32.3	<0.001	0.03	0.131	6.88	0.5	0.28	141.5	<0.005	0.04
N915594		11.60	0.191	1.100	0.007	0.002	41.2	0.001	0.02	0.148	7.68	0.6	0.32	143.0	<0.005	0.03
N915595		7.70	0.171	1.865	0.012	0.003	43.6	<0.001	0.02	0.194	6.63	0.6	0.28	137.5	<0.005	0.09
N915596		4.06	0.197	4.68	0.005	<0.002	37.4	0.001	0.31	0.681	3.77	1.6	0.24	54.9	<0.005	0.01
N915597		3.17	0.201	4.00	0.006	<0.002	19.50	0.002	0.22	0.470	2.90	1.3	0.29	84.1	<0.005	0.03
N915598		2.58	0.201	3.78	0.002	<0.002	29.0	0.001	0.31	0.254	2.52	2.5	0.45	86.2	<0.005	0.04
N915599		3.44	0.198	4.84	0.001	<0.002	30.9	0.001	0.22	0.239	2.84	1.3	0.39	92.4	<0.005	0.01
N915600		25.6	0.078	80.3	0.002	<0.002	4.71	0.092	0.53	130.5	1.530	2.7	1.70	129.0	<0.005	2.60
N915601		9.39	0.163	4.31	0.009	0.003	10.40	0.037	0.57	0.219	2.96	1.6	0.28	97.9	<0.005	0.07
N915602		10.65	0.147	3.10	0.004	0.003	5.72	0.002	0.21	0.161	3.62	0.7	0.23	86.0	<0.005	0.02
N915603		16.15	0.213	1.625	0.008	0.008	29.3	<0.001	0.03	0.215	4.92	0.2	0.29	119.5	<0.005	0.02
N915604		15.10	0.207	1.380	0.011	0.007	47.6	<0.001	0.05	0.126	5.97	0.4	0.29	87.2	<0.005	0.04
N915605		13.05	0.193	1.370	0.007	0.006	52.9	0.001	0.14	0.070	5.90	0.4	0.33	92.0	<0.005	0.02
N915606		5.06	0.170	1.195	0.005	0.003	34.0	0.002	0.17	0.110	3.57	0.7	0.35	97.8	<0.005	0.01
N915607		5.03	0.163	1.270	0.005	0.002	31.1	0.003	0.39	0.165	3.26	1.4	0.37	106.0	<0.005	0.06
N915608		4.82	0.168	1.360	0.003	0.003	35.1	<0.001	0.06	0.128	3.43	0.5	0.34	108.0	<0.005	0.02
N915609		4.62	0.162	1.725	0.006	0.002	22.4	<0.001	0.02	0.123	3.78	0.4	0.28	103.5	<0.005	0.01
N915610		4.93	0.164	1.835	0.007	0.003	34.6	0.001	0.01	0.141	3.91	0.3	0.30	106.5	<0.005	0.02
N915611		5.07	0.156	1.565	0.003	0.003	20.1	0.001	0.04	0.099	6.36	0.6	0.42	111.5	<0.005	0.01
N915612		5.24	0.162	1.310	0.004	0.003	35.9	0.001	0.15	0.061	4.23	1.1	0.41	94.3	<0.005	0.04
N915613		13.70	0.061	3.78	0.003	<0.002	6.77	<0.001	0.01	0.253	2.73	0.1	1.30	90.1	<0.005	<0.01
N915614		3.97	0.178	0.665	0.004	0.002	51.8	<0.001	0.06	0.057	3.01	0.6	0.39	83.4	<0.005	<0.01
N915615		3.13	0.173	0.374	0.003	<0.002	54.9	0.011	0.24	0.063	3.63	1.4	0.52	68.3	<0.005	0.03
N915616		2.94	0.166	0.448	0.006	0.002	44.3	<0.001	0.10	0.057	3.30	0.9	0.44	72.6	<0.005	<0.01
N915617		3.08	0.170	0.569	0.006	0.002	29.2	0.002	0.11	0.125	5.03	0.9	0.49	97.6	<0.005	<0.01
N915618		4.60	0.154	1.070	0.007	0.003	14.10	0.006	0.19	0.122	5.12	0.9	0.24	120.5	<0.005	0.04
N915619		3.37	0.163	0.297	0.002	0.002	20.7	0.002	0.08	0.118	5.34	0.7	0.43	89.3	<0.005	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Tl % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915580		2.13	0.128	0.065	0.483	168.5	0.063	14.35	156.5	4.93
N915581		0.991	0.073	0.076	0.408	163.0	0.094	11.15	64.3	2.87
N915582		0.292	0.005	0.057	0.117	84.0	0.037	5.60	35.5	1.72
N915583		0.282	0.004	0.075	0.102	55.3	0.043	5.92	31.9	1.31
N915584		0.326	0.001	0.076	0.367	20.8	0.046	6.85	126.5	1.39
N915585		0.679	0.001	0.085	0.697	24.8	0.045	9.79	94.2	1.84
N915586		0.718	0.001	0.087	0.644	29.5	0.051	11.95	64.5	1.67
N915587		1.635	0.010	0.089	0.533	67.3	0.080	11.40	73.9	1.84
N915588		2.79	0.161	0.042	0.861	99.4	0.660	5.24	44.7	2.13
N915589		2.44	0.051	0.117	0.515	150.5	0.068	12.20	96.0	3.04
N915590		1.745	0.101	0.166	0.426	166.0	0.077	10.55	110.0	2.97
N915591		1.860	0.086	0.147	0.491	149.0	0.113	13.00	97.1	2.79
N915592		1.825	0.074	0.133	0.377	161.5	0.081	11.10	107.5	2.98
N915593		1.720	0.110	0.182	0.437	152.0	0.113	11.30	128.0	3.32
N915594		1.745	0.197	0.238	0.636	182.5	0.136	10.65	121.0	6.64
N915595		1.100	0.240	0.205	0.401	179.5	0.106	8.68	84.0	6.29
N915596		1.470	0.071	0.364	0.322	126.0	0.044	13.20	92.6	2.76
N915597		1.220	0.068	0.114	0.333	117.5	0.035	12.70	90.0	2.45
N915598		1.070	0.177	0.128	0.398	134.0	0.083	11.30	74.3	6.04
N915599		1.075	0.190	0.149	0.372	134.5	0.134	10.40	87.4	4.71
N915600		1.305	0.067	0.053	1.445	35.2	7.85	5.38	125.5	4.25
N915601		0.958	0.155	0.056	0.348	92.0	0.097	8.53	63.5	5.18
N915602		0.578	0.151	0.032	0.234	84.0	0.080	6.48	49.9	4.92
N915603		0.783	0.277	0.154	0.411	159.5	0.129	6.83	100.5	6.35
N915604		0.869	0.296	0.226	0.450	190.5	0.115	8.10	97.3	6.37
N915605		0.871	0.281	0.219	0.414	202	0.139	8.49	101.0	6.67
N915606		0.993	0.266	0.117	0.418	148.5	0.094	9.78	63.7	8.26
N915607		0.879	0.211	0.111	0.312	104.0	0.103	9.77	57.9	6.45
N915608		0.968	0.229	0.108	0.380	129.0	0.085	10.25	55.4	7.33
N915609		0.977	0.198	0.078	0.394	123.5	0.074	10.30	52.4	7.76
N915610		1.020	0.251	0.098	0.489	141.5	0.083	10.80	50.2	9.48
N915611		1.080	0.152	0.070	0.406	148.0	0.072	11.90	72.7	5.43
N915612		1.135	0.223	0.105	0.444	150.0	0.082	11.40	49.0	7.29
N915613		2.59	0.169	0.048	0.746	97.2	0.547	5.02	43.9	2.04
N915614		1.235	0.253	0.121	0.496	158.5	0.087	11.95	47.7	9.13
N915615		1.505	0.221	0.127	0.439	146.5	0.056	12.70	33.8	7.32
N915616		1.475	0.230	0.105	0.417	142.0	0.057	11.70	39.9	7.82
N915617		1.520	0.191	0.080	0.440	127.5	0.062	12.80	38.9	7.11
N915618		1.015	0.086	0.044	0.322	136.5	0.056	11.25	40.9	4.14
N915619		1.255	0.184	0.056	0.384	132.5	0.070	12.45	25.9	7.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915620		7.46	0.0086	0.101	1.49	1.14	<10	34.2	0.28	0.008	2.34	0.070	24.1	14.55	3.10	0.823
N915621		7.37	0.0089	0.118	1.61	1.11	<10	36.4	0.32	0.017	2.33	0.046	26.7	16.05	2.75	1.245
N915622		7.99	0.0045	0.085	1.73	1.15	<10	38.8	0.30	0.011	2.16	0.042	23.9	16.30	3.74	1.075
N915623		7.06	0.0138	0.019	1.74	1.37	<10	51.1	0.25	0.005	2.53	0.031	22.5	10.80	2.84	1.355
N915624		6.59	0.0163	0.305	1.63	1.40	<10	38.7	0.26	0.015	2.48	0.108	22.3	16.10	2.62	0.945
N915625		0.05	0.805	52.8	1.04	949	20	106.0	0.16	21.9	3.18	0.867	12.50	34.8	29.0	0.637
N915626		6.86	0.0023	0.064	1.65	1.93	<10	29.7	0.25	0.011	2.79	0.041	24.9	16.40	2.55	0.798
N915627		6.86	0.0096	0.374	1.61	1.30	<10	44.1	0.20	0.017	2.98	0.102	18.15	17.15	7.41	1.045
N915628		7.39	0.0011	0.098	2.03	1.42	<10	41.4	0.21	0.016	4.85	0.096	11.45	14.00	30.7	1.245
N915629		7.18	0.0049	0.683	1.94	1.44	<10	27.9	0.26	0.068	2.61	0.191	22.0	25.1	8.88	1.210
N915630		6.76	0.0003	0.104	1.81	0.83	<10	379	0.23	0.024	4.06	0.198	18.35	16.65	18.65	1.280
N915631		6.66	0.0026	0.208	1.79	1.90	<10	39.4	0.28	0.024	2.08	0.140	26.0	17.25	2.70	1.190
N915632		5.78	0.0014	0.224	1.93	0.50	<10	46.6	0.25	0.035	4.64	0.287	12.70	16.80	17.60	1.420
N915633		6.61	0.0009	0.294	1.91	1.30	<10	173.5	0.30	0.050	4.13	0.330	24.8	20.0	6.38	1.255
N915634		5.80	0.0022	0.287	1.79	1.09	<10	57.0	0.28	0.039	3.85	0.278	25.9	16.80	2.72	1.030
N915635		6.37	0.0083	1.020	1.99	1.09	<10	57.0	0.22	0.052	3.27	0.167	21.9	20.0	10.65	1.185
N915636		8.10	0.0027	0.153	1.95	0.55	<10	153.5	0.19	0.015	3.68	0.060	8.90	13.05	29.0	1.860
N915637		6.98	0.119	2.10	1.94	1.82	<10	164.5	0.34	0.213	3.30	0.105	26.2	17.30	9.26	2.70
N915638		0.05	0.0005	0.099	1.80	1.08	<10	132.5	0.12	0.064	1.04	0.084	14.40	9.58	18.85	0.302
N915639		7.06	0.0141	0.269	2.09	2.14	<10	95.1	0.39	0.032	3.20	0.112	32.4	20.0	2.46	1.890
N915640		6.53	0.0086	0.198	1.82	5.69	<10	57.1	0.37	0.065	3.09	0.075	28.2	17.80	2.24	2.41
N915641		6.50	0.0129	0.117	1.68	2.04	<10	50.1	0.32	0.009	1.93	0.050	24.8	18.30	2.99	2.31
N915642		6.12	0.0061	0.195	1.68	2.11	<10	37.6	0.29	0.014	2.40	0.098	28.3	16.05	2.57	2.62
N915643		7.04	0.0052	0.139	1.33	0.80	<10	124.5	0.15	0.004	2.20	0.052	7.38	10.60	11.60	1.325
N915644		6.56	0.0047	0.140	1.38	0.62	<10	47.2	0.20	0.009	3.20	0.113	8.00	11.10	12.90	1.835
N915645		6.80	0.0065	0.149	1.29	0.88	<10	75.8	0.24	0.008	3.89	0.169	9.79	11.05	10.80	1.850
N915646		6.73	0.0006	0.053	1.53	1.12	<10	69.5	0.20	0.008	2.84	0.107	9.95	11.25	12.95	0.790
N915647		7.13	0.0018	0.285	1.62	3.67	<10	35.2	0.38	0.032	2.98	0.143	28.1	16.75	3.51	2.28
N915648		6.89	0.0007	0.285	1.74	2.66	<10	32.7	0.31	0.024	3.14	0.116	30.2	16.50	3.67	1.710
N915649		7.59	0.0040	0.356	1.57	3.15	<10	359	0.44	0.049	4.50	0.191	27.7	16.65	2.74	4.32
N915650		0.05	0.882	53.1	1.06	935	20	107.0	0.17	22.5	3.25	0.907	13.50	34.3	29.9	0.752
N915651		7.12	0.0021	0.200	1.94	3.71	<10	126.5	0.39	0.044	2.99	0.101	29.6	19.20	3.90	4.49
N915652		6.69	0.0014	0.104	1.46	2.76	<10	70.8	0.34	0.015	4.26	0.174	27.3	14.90	4.79	4.32
N915653		7.61	0.0036	0.117	1.49	3.11	<10	37.9	0.32	0.013	3.23	0.166	28.3	16.80	3.38	2.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915620	312	3.89	6.90	0.096	0.265	0.004	0.014	0.55	11.60	7.1	1.33	695	0.72	0.074	0.143
N915621	265	4.17	7.54	0.120	0.245	0.006	0.024	0.66	12.70	8.2	1.48	635	0.56	0.073	0.068
N915622	193.5	4.05	7.16	0.116	0.264	<0.004	0.014	0.68	11.50	7.8	1.60	572	1.09	0.076	0.122
N915623	32.3	3.83	8.71	0.104	0.214	<0.004	0.014	0.70	11.05	10.0	1.67	805	0.51	0.075	0.084
N915624	774	4.11	8.24	0.108	0.206	0.006	0.012	0.50	10.65	9.3	1.62	699	0.99	0.068	0.092
N915625	3580	2.88	3.49	0.055	0.142	0.622	0.075	0.15	7.71	6.4	0.35	670	498	0.100	0.211
N915626	101.0	4.03	7.98	0.095	0.140	<0.004	0.016	0.28	11.90	9.4	1.55	779	0.82	0.065	0.031
N915627	989	3.78	7.48	0.072	0.068	0.019	0.026	0.36	8.81	9.7	1.46	630	43.1	0.055	0.016
N915628	173.5	3.80	7.86	0.058	0.058	0.089	0.010	0.24	5.41	13.9	1.84	835	1.14	0.065	0.009
N915629	1205	4.47	8.42	0.082	0.057	0.024	0.026	0.21	10.65	11.8	1.85	720	3.51	0.055	0.007
N915630	191.5	4.01	7.32	0.061	0.097	0.026	0.026	0.22	8.58	11.0	1.75	869	0.87	0.056	0.009
N915631	404	4.12	7.16	0.082	0.181	0.006	0.018	0.24	12.15	8.7	1.65	646	1.17	0.069	0.054
N915632	279	3.61	6.12	0.046	0.042	0.029	0.016	0.37	5.79	11.2	1.78	1025	3.98	0.033	<0.002
N915633	312	3.92	5.89	0.057	0.055	0.005	0.014	0.31	11.60	11.1	1.69	954	0.64	0.039	0.007
N915634	277	3.99	6.12	0.072	0.050	0.004	0.017	0.29	12.25	10.6	1.61	955	0.83	0.042	0.008
N915635	1405	4.32	7.09	0.067	0.051	0.004	0.038	0.25	10.30	13.1	1.77	854	6.42	0.039	0.002
N915636	107.5	3.22	6.44	0.047	0.084	0.013	0.014	0.29	3.93	10.8	1.79	673	1.23	0.053	0.005
N915637	196.5	4.31	7.17	0.074	0.077	0.013	0.026	0.62	12.55	9.7	1.65	1010	0.45	0.050	0.008
N915638	92.7	3.49	5.35	0.075	0.116	<0.004	0.014	0.22	6.72	6.6	0.82	487	5.33	0.201	0.164
N915639	615	4.80	9.20	0.095	0.104	0.012	0.034	0.52	15.15	13.0	1.85	1235	0.31	0.059	0.010
N915640	300	4.77	7.80	0.108	0.179	0.014	0.037	0.45	13.30	9.0	1.61	1070	0.35	0.064	0.024
N915641	433	4.40	7.32	0.123	0.268	0.013	0.026	0.80	11.60	7.8	1.42	932	0.36	0.072	0.044
N915642	335	4.15	7.71	0.108	0.180	0.007	0.029	0.42	13.15	9.4	1.49	736	0.85	0.061	0.026
N915643	390	2.28	4.31	0.057	0.156	0.009	0.008	0.20	3.28	6.2	1.04	404	4.28	0.075	0.021
N915644	391	2.48	4.55	0.046	0.139	0.017	0.011	0.21	3.48	7.6	1.21	549	2.52	0.049	0.011
N915645	251	2.78	4.14	0.046	0.129	0.015	0.012	0.20	4.58	6.7	1.16	640	5.01	0.055	0.013
N915646	66.4	2.93	6.10	0.053	0.144	<0.004	0.018	0.12	4.45	8.5	1.39	670	2.91	0.061	0.010
N915647	446	4.31	7.31	0.092	0.159	0.011	0.031	0.21	13.30	8.7	1.50	920	1.40	0.056	0.021
N915648	403	4.54	8.09	0.081	0.081	0.005	0.033	0.20	14.35	10.5	1.62	854	0.65	0.055	0.010
N915649	626	4.23	5.70	0.078	0.072	0.017	0.054	0.56	12.95	6.9	1.46	999	2.18	0.039	0.009
N915650	3570	2.96	3.40	0.061	0.147	0.698	0.098	0.15	8.11	6.7	0.36	648	507	0.090	0.201
N915651	162.5	4.36	7.19	0.088	0.129	0.010	0.042	0.79	13.80	8.2	1.65	1150	0.72	0.048	0.011
N915652	164.5	4.06	6.12	0.080	0.112	0.009	0.036	0.51	12.95	6.9	1.22	946	2.86	0.060	0.010
N915653	280	4.44	6.87	0.097	0.216	0.018	0.043	0.51	13.60	7.0	1.32	1210	16.95	0.064	0.043

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915620		2.82	0.162	0.426	0.006	<0.002	26.6	0.001	0.11	0.098	4.54	0.9	0.43	87.1	<0.005	<0.01
N915621		2.71	0.161	0.366	0.005	0.003	32.1	0.001	0.20	0.072	5.86	1.2	0.40	83.8	<0.005	0.05
N915622		2.95	0.162	0.546	0.004	0.002	30.9	0.006	0.25	0.067	4.80	1.2	0.40	81.5	<0.005	<0.01
N915623		3.98	0.161	0.293	0.001	0.002	35.3	<0.001	0.02	0.057	5.19	0.4	0.35	78.2	<0.005	0.01
N915624		3.43	0.156	0.487	0.006	0.002	23.6	0.004	0.32	0.073	5.48	1.2	0.41	96.5	<0.005	0.04
N915625		27.5	0.072	80.4	0.003	<0.002	4.62	0.092	0.48	124.5	1.845	2.4	1.80	121.5	<0.005	2.61
N915626		3.60	0.156	0.666	0.005	0.002	11.80	0.001	0.12	0.169	5.11	0.5	0.41	114.5	<0.005	0.01
N915627		5.73	0.138	0.688	0.003	<0.002	13.85	0.158	0.38	0.139	6.64	1.6	0.29	99.9	<0.005	0.02
N915628		14.55	0.111	1.865	0.008	0.003	11.05	0.006	0.12	0.201	8.38	0.7	0.16	172.5	<0.005	0.04
N915629		6.92	0.151	2.20	0.008	0.002	8.89	0.018	0.58	0.224	7.59	2.3	0.23	115.5	<0.005	0.10
N915630		10.20	0.123	1.510	0.005	0.002	7.85	0.003	0.17	0.121	8.14	0.9	0.22	170.0	<0.005	<0.01
N915631		3.56	0.169	1.655	0.007	<0.002	9.29	0.007	0.28	0.161	5.19	1.2	0.40	110.0	<0.005	0.07
N915632		10.65	0.116	2.70	0.008	0.002	11.40	0.023	0.15	0.129	5.77	0.9	0.07	179.5	<0.005	0.07
N915633		5.83	0.145	3.31	0.009	0.002	9.73	0.004	0.12	0.215	3.46	0.7	0.08	159.0	<0.005	0.02
N915634		3.85	0.147	3.52	0.004	0.002	9.09	0.007	0.15	0.203	3.42	0.8	0.16	153.0	<0.005	0.02
N915635		8.12	0.127	2.39	0.003	<0.002	7.45	0.043	0.27	0.155	6.54	1.8	0.07	97.8	<0.005	0.06
N915636		14.65	0.114	1.410	0.007	0.003	9.77	0.010	0.13	0.115	9.66	0.6	0.16	116.0	<0.005	0.08
N915637		6.86	0.154	7.06	0.008	<0.002	23.2	0.003	0.14	0.152	6.95	1.5	0.13	89.0	<0.005	1.37
N915638		13.65	0.057	4.09	0.002	<0.002	6.93	0.001	0.01	0.237	3.03	0.2	1.31	90.4	<0.005	<0.01
N915639		3.36	0.173	2.44	0.006	<0.002	21.6	0.001	0.14	0.153	6.98	1.7	0.18	102.0	<0.005	0.03
N915640		3.94	0.160	1.695	0.009	0.005	19.95	0.002	0.16	0.279	7.54	1.1	0.25	122.0	<0.005	<0.01
N915641		4.07	0.170	0.651	0.008	0.002	38.8	0.001	0.09	0.184	6.23	1.2	0.45	116.0	<0.005	0.04
N915642		4.28	0.160	2.24	0.007	0.002	20.2	0.008	0.16	0.161	7.32	1.2	0.39	116.0	<0.005	0.04
N915643		7.71	0.111	0.536	0.005	0.002	6.39	0.020	0.22	0.129	6.66	1.0	0.22	123.0	<0.005	<0.01
N915644		8.69	0.108	1.310	0.007	0.002	7.34	0.015	0.26	0.164	8.26	1.2	0.23	146.5	<0.005	0.02
N915645		8.23	0.107	1.290	0.004	0.003	7.18	0.020	0.15	0.098	7.07	0.8	0.21	144.0	<0.005	0.02
N915646		8.27	0.118	1.175	0.009	0.002	3.97	0.012	0.06	0.128	8.76	0.5	0.18	139.0	<0.005	<0.01
N915647		3.91	0.156	2.18	0.005	0.002	10.45	0.011	0.18	0.270	8.33	1.2	0.34	124.0	<0.005	0.03
N915648		3.86	0.157	1.720	0.006	<0.002	9.04	0.003	0.15	0.425	7.42	1.1	0.26	116.0	<0.005	0.05
N915649		3.25	0.151	4.30	0.007	<0.002	22.3	0.015	0.42	0.472	6.31	1.4	0.24	169.5	<0.005	0.05
N915650		26.0	0.070	80.2	0.005	<0.002	5.06	0.092	0.49	128.0	2.04	2.8	1.88	128.0	<0.005	3.03
N915651		3.50	0.158	3.07	0.008	<0.002	34.4	0.001	0.10	0.746	8.46	0.8	0.35	132.5	<0.005	<0.01
N915652		4.41	0.154	4.30	0.007	<0.002	27.1	0.019	0.07	0.929	8.83	0.8	0.25	157.0	0.005	<0.01
N915653		3.72	0.167	3.91	0.004	<0.002	28.5	0.120	0.07	0.515	8.30	0.8	0.37	115.5	0.005	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915620		1.380	0.187	0.063	0.402	138.5	0.078	12.40	30.5	7.05
N915621		1.480	0.146	0.077	0.360	150.5	0.069	13.20	26.3	6.04
N915622		1.440	0.180	0.080	0.376	131.0	0.075	12.30	25.0	7.18
N915623		1.480	0.165	0.114	0.316	128.0	0.091	12.45	35.9	5.49
N915624		1.285	0.144	0.078	0.329	141.0	0.129	12.15	30.1	5.24
N915625		1.430	0.061	0.051	1.470	37.0	8.29	5.84	129.0	4.32
N915626		1.535	0.051	0.042	0.223	107.0	0.030	13.40	38.0	3.24
N915627		0.979	0.043	0.052	0.205	123.0	0.044	10.55	35.6	2.06
N915628		0.418	0.030	0.049	0.180	121.0	0.026	10.50	51.0	1.40
N915629		0.990	0.020	0.047	0.225	140.0	0.048	11.45	64.1	1.95
N915630		0.768	0.031	0.041	0.207	128.0	0.064	12.65	50.5	2.67
N915631		1.500	0.085	0.049	0.268	116.0	0.032	13.05	43.2	4.61
N915632		0.360	0.008	0.059	0.156	89.2	0.049	7.43	67.0	1.62
N915633		0.753	0.010	0.049	0.264	78.3	0.049	9.78	121.0	1.98
N915634		1.015	0.014	0.050	0.286	78.8	0.038	10.30	103.5	2.20
N915635		0.654	0.009	0.043	0.193	87.2	0.025	9.36	96.8	1.82
N915636		0.318	0.028	0.062	0.120	109.5	0.037	8.13	37.1	2.31
N915637		1.100	0.051	0.111	0.379	117.5	0.039	11.20	70.2	2.67
N915638		2.72	0.165	0.048	0.824	98.5	0.559	5.24	43.5	2.15
N915639		1.485	0.050	0.086	0.421	143.5	0.033	13.15	85.3	3.17
N915640		1.555	0.076	0.115	0.400	172.0	0.028	15.20	63.9	5.14
N915641		1.570	0.156	0.117	0.543	142.0	0.020	13.70	65.4	7.74
N915642		1.655	0.057	0.107	0.413	177.5	0.029	13.20	53.0	4.59
N915643		0.407	0.080	0.054	0.185	89.9	0.032	7.13	22.6	4.02
N915644		0.433	0.035	0.079	0.180	89.3	0.021	7.59	29.1	3.03
N915645		0.410	0.049	0.072	0.290	94.5	0.035	10.25	33.2	3.43
N915646		0.533	0.048	0.045	0.180	116.5	0.018	8.57	34.1	3.63
N915647		1.585	0.039	0.107	0.361	121.0	0.015	14.45	68.7	4.20
N915648		1.595	0.022	0.083	0.258	112.0	0.023	13.95	65.5	2.47
N915649		1.215	0.048	0.141	0.343	100.5	0.033	10.80	67.9	2.58
N915650		1.395	0.066	0.056	1.500	37.8	9.60	5.92	124.0	4.78
N915651		1.665	0.089	0.192	0.337	136.0	0.036	13.10	101.0	3.46
N915652		1.435	0.053	0.208	0.256	133.5	0.030	12.50	71.4	2.83
N915653		1.690	0.104	0.140	0.384	141.5	0.033	14.80	89.7	6.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125371

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

CERTIFICATE KL14117777

Project: Dillard

This report is for 62 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 25- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915654		6.04	0.0033	0.109	1.61	2.90	<10	125.0	0.39	0.017	2.33	0.157	31.3	17.70	2.93	3.16
N915655		7.60	0.0018	0.030	1.97	2.45	<10	56.2	0.48	0.015	2.71	0.112	31.0	20.0	2.78	2.90
N915656		6.87	0.0081	0.436	1.80	2.55	<10	89.9	0.33	0.052	4.29	0.239	29.2	19.10	2.49	1.875
N915657		7.39	0.0029	0.169	1.92	2.53	<10	122.5	0.35	0.022	3.54	0.265	32.0	20.4	1.97	2.37
N915658		6.90	0.0065	0.154	1.79	1.55	<10	74.4	0.35	0.023	3.98	0.214	31.7	18.40	2.57	1.760
N915659		8.01	0.0013	0.098	1.24	2.75	<10	95.8	0.34	0.015	3.98	0.176	31.0	18.85	1.83	1.760
N915660		7.92	0.0019	0.127	1.57	1.82	<10	90.4	0.34	0.020	3.32	0.109	22.4	16.85	7.56	2.10
N915661		8.11	0.0024	0.202	1.66	1.38	<10	156.0	0.30	0.017	4.84	0.093	18.85	19.75	7.11	2.14
N915662		7.50	0.0039	0.076	2.27	1.24	<10	85.8	0.31	0.007	3.85	0.102	15.95	24.1	28.3	2.21
N915663		0.05	0.0008	0.131	1.96	1.21	<10	143.5	0.13	0.071	1.11	0.077	15.25	10.30	19.95	0.330
N915664		7.80	0.0062	0.228	2.65	1.53	<10	88.0	0.37	0.015	4.23	0.124	18.75	29.2	18.35	3.05
N915665		7.71	0.0013	0.077	2.53	1.32	<10	78.6	0.46	0.013	4.24	0.117	19.10	30.2	18.75	1.905
N915666		7.36	0.0040	0.085	2.29	1.59	<10	151.0	0.29	0.016	3.94	0.080	21.6	27.8	14.35	2.06
N915667		7.33	0.0392	0.138	2.54	1.33	<10	139.0	0.32	0.018	3.58	0.078	19.90	25.9	13.70	2.48
N915668		8.28	0.0262	0.379	2.50	1.13	<10	142.5	0.20	0.067	3.42	0.054	15.00	26.6	16.70	2.29
N915669		7.35	0.0071	0.292	1.85	1.40	<10	90.7	0.25	0.018	2.71	0.082	20.5	19.50	5.78	1.625
N915670		7.03	0.0019	0.157	1.64	1.74	<10	33.6	0.33	0.026	2.33	0.093	28.7	19.35	2.46	1.170
N915671		6.36	0.0058	0.287	1.53	3.01	<10	27.5	0.41	0.046	3.77	0.147	33.2	19.70	2.63	1.225
N915672		6.82	0.0064	0.079	1.84	1.97	<10	33.4	0.39	0.017	2.51	0.071	28.3	17.75	2.21	1.065
N915673		6.45	0.0133	0.084	1.74	2.02	<10	105.0	0.32	0.029	2.08	0.163	26.4	18.80	2.28	1.620
N915674		7.12	0.0043	0.141	1.91	2.12	<10	30.5	0.39	0.033	2.80	0.475	29.1	18.50	2.41	1.095
N915675		0.05	0.794	58.3	1.18	1035	20	118.5	0.17	24.2	3.52	1.015	13.95	36.1	30.9	0.777
N915676		5.80	0.0146	0.800	1.88	2.16	<10	23.1	0.36	0.087	2.84	0.205	31.8	22.9	2.93	1.175
N915677		5.27	0.0178	0.510	1.88	2.69	<10	84.4	0.37	0.125	4.29	0.251	35.5	22.8	1.84	2.02
N915678		6.43	0.0361	0.529	2.06	4.67	<10	55.7	0.35	0.111	3.55	0.887	29.4	22.6	3.31	1.310
N915679		6.23	0.0053	0.400	1.97	4.92	<10	94.3	0.31	0.116	3.60	0.183	17.00	19.45	9.32	0.788
N915680		5.39	0.0028	0.424	2.00	3.68	<10	77.2	0.44	0.126	4.31	0.536	28.4	22.5	3.39	1.215
N915681		6.37	0.0023	0.309	2.23	4.12	<10	33.4	0.35	0.082	2.24	0.207	29.2	20.5	2.87	0.564
N915682		7.14	0.0080	0.709	2.02	2.53	<10	51.3	0.27	0.161	3.37	0.329	32.2	17.85	1.90	0.903
N915683		6.80	0.0039	0.320	2.12	3.73	<10	157.5	0.32	0.135	3.91	0.170	31.5	18.30	2.25	1.715
N915684		7.25	0.0051	0.148	2.42	4.04	<10	129.0	0.24	0.066	3.23	0.152	31.6	18.40	2.08	1.035
N915685		7.14	0.0071	0.510	2.49	2.61	<10	83.3	0.25	0.133	2.88	0.176	26.1	21.8	10.70	0.946
N915686		7.49	0.0015	0.286	2.77	1.23	<10	118.0	0.26	0.041	2.66	0.232	14.05	22.1	19.40	1.010
N915687		7.86	0.0014	0.250	2.82	2.13	<10	149.0	0.29	0.030	2.15	0.211	18.40	24.0	2.73	1.155
N915688		0.05	0.0009	0.108	2.00	1.39	<10	142.5	0.12	0.074	1.17	0.068	15.20	10.05	18.45	0.328
N915689		6.70	0.0017	0.402	2.62	2.04	<10	22.6	0.37	0.045	3.35	0.267	19.75	23.3	21.0	0.331
N915690		7.53	0.0123	1.605	2.48	2.94	<10	58.4	0.29	0.087	2.38	1.385	22.5	24.6	19.80	1.550
N915691		7.06	0.0025	0.278	2.69	2.70	<10	88.9	0.28	0.047	2.26	0.364	16.70	21.9	13.15	1.880
N915692		7.70	0.0020	0.159	2.37	1.38	<10	111.0	0.25	0.024	3.02	0.075	9.67	17.60	28.2	0.761
N915693		7.39	0.0012	0.045	2.72	1.75	<10	236	0.28	0.026	3.06	0.043	8.96	19.00	13.90	1.755

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915654	258	4.43	8.27	0.124	0.200	0.106	0.045	0.41	14.95	8.1	1.43	1685	0.42	0.051	0.023
N915655	37.1	4.54	9.60	0.136	0.206	0.018	0.029	0.76	14.25	9.9	1.69	1985	0.40	0.053	0.033
N915656	616	4.53	8.15	0.087	0.078	0.030	0.048	0.33	13.15	11.7	1.54	1680	3.12	0.043	0.010
N915657	195.0	4.66	8.80	0.094	0.066	0.011	0.039	0.46	14.60	11.2	1.72	2080	0.30	0.045	0.012
N915658	170.0	4.58	8.65	0.101	0.086	0.015	0.038	0.36	14.60	10.3	1.67	2080	0.20	0.045	0.013
N915659	142.0	4.31	5.49	0.092	0.053	0.011	0.041	0.25	14.30	6.8	1.46	1655	0.18	0.042	0.009
N915660	195.5	3.99	7.33	0.087	0.112	0.020	0.034	0.31	10.45	9.0	1.48	1270	0.79	0.042	0.011
N915661	541	4.21	5.76	0.074	0.104	0.030	0.041	0.32	8.78	9.5	1.64	1015	54.1	0.041	0.019
N915662	319	5.22	8.10	0.121	0.187	0.022	0.035	0.64	7.63	11.9	2.21	915	1.44	0.050	0.033
N915663	92.0	3.63	5.65	0.077	0.124	0.005	0.014	0.22	7.04	7.3	0.85	527	5.78	0.224	0.205
N915664	590	6.40	10.15	0.137	0.191	0.030	0.047	0.84	8.84	15.3	2.53	1130	0.99	0.053	0.035
N915665	168.0	6.00	8.96	0.119	0.198	0.026	0.028	0.44	9.02	15.0	2.50	1135	0.79	0.037	0.030
N915666	161.0	5.32	8.36	0.136	0.209	0.037	0.024	0.67	10.45	12.2	2.19	1135	8.06	0.045	0.033
N915667	252	5.72	9.06	0.132	0.219	0.019	0.031	1.12	9.52	14.3	2.31	1005	8.04	0.057	0.033
N915668	647	5.36	8.53	0.171	0.263	0.062	0.021	1.11	7.28	15.7	2.29	981	2.67	0.067	0.053
N915669	550	4.58	8.10	0.200	0.314	0.054	0.037	0.76	10.05	11.9	1.64	1230	2.44	0.056	0.115
N915670	345	4.62	7.68	0.132	0.291	0.072	0.033	0.55	13.75	10.1	1.45	1000	0.37	0.056	0.099
N915671	542	5.13	7.90	0.114	0.129	0.055	0.034	0.35	15.85	10.0	1.42	1080	1.11	0.045	0.015
N915672	171.0	4.92	8.70	0.150	0.249	0.014	0.028	0.47	13.80	11.7	1.76	1350	0.52	0.055	0.086
N915673	221	4.45	8.44	0.140	0.264	0.044	0.028	0.85	12.40	10.4	1.45	2120	0.76	0.059	0.127
N915674	247	4.94	10.10	0.147	0.188	0.061	0.044	0.50	13.70	13.3	1.76	2020	0.32	0.051	0.056
N915675	3860	3.18	3.63	0.064	0.160	0.766	0.106	0.16	8.26	7.6	0.38	721	570	0.103	0.240
N915676	1480	5.49	10.35	0.128	0.128	0.059	0.058	0.35	14.70	13.1	1.72	1590	1.06	0.053	0.013
N915677	704	4.96	7.89	0.098	0.116	0.080	0.057	0.41	16.95	12.1	1.59	1800	1.23	0.044	0.013
N915678	578	4.71	8.34	0.087	0.093	0.050	0.058	0.14	14.25	12.0	1.82	1715	1.07	0.036	0.008
N915679	494	4.48	8.56	0.079	0.130	0.021	0.053	0.05	8.62	10.0	1.82	1435	1.51	0.040	0.003
N915680	690	4.50	8.11	0.087	0.149	0.031	0.047	0.04	14.30	8.7	1.62	1600	2.63	0.032	0.011
N915681	226	4.30	9.50	0.136	0.299	0.029	0.042	0.07	14.60	13.0	2.01	1405	1.11	0.046	0.081
N915682	819	4.39	8.65	0.074	0.095	0.039	0.050	0.18	15.80	11.7	1.79	1470	0.43	0.041	0.020
N915683	385	4.51	8.24	0.077	0.087	0.039	0.029	0.40	15.25	12.2	1.98	1445	0.51	0.040	0.014
N915684	184.0	4.79	9.97	0.117	0.089	0.063	0.031	0.62	15.15	15.2	2.16	1495	0.48	0.051	0.019
N915685	635	5.13	10.50	0.130	0.140	0.046	0.027	0.54	13.05	16.9	2.33	1340	2.19	0.047	0.031
N915686	266	4.55	9.56	0.181	0.216	0.016	0.027	0.62	7.11	14.7	2.77	1225	0.30	0.062	0.043
N915687	389	4.51	9.48	0.177	0.221	0.035	0.013	0.66	9.25	14.0	2.75	1340	1.84	0.055	0.085
N915688	94.4	3.63	5.73	0.062	0.113	<0.004	0.014	0.23	7.22	7.1	0.85	531	5.67	0.235	0.195
N915689	587	5.21	11.05	0.187	0.289	0.042	0.033	0.13	10.05	15.1	2.75	1685	0.92	0.045	0.097
N915690	2520	5.00	9.64	0.152	0.231	0.053	0.043	0.66	11.60	13.7	2.49	1505	0.54	0.054	0.132
N915691	494	4.77	10.90	0.160	0.168	0.051	0.025	0.89	8.14	15.2	2.63	1255	0.94	0.057	0.064
N915692	289	3.88	8.78	0.067	0.141	0.013	0.025	0.17	4.74	14.1	2.32	921	3.40	0.048	0.017
N915693	46.1	4.10	7.95	0.072	0.088	0.022	0.019	0.43	4.36	15.0	2.44	971	0.09	0.043	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915654		3.17	0.183	2.41	0.006	0.002	22.9	0.001	0.05	0.684	6.99	0.8	0.37	136.0	<0.005	0.01
N915655		3.14	0.198	1.115	0.006	0.002	39.8	<0.001	0.02	0.318	6.42	0.5	0.36	114.0	<0.005	0.02
N915656		2.96	0.193	4.54	0.007	0.002	15.35	0.018	0.22	0.329	4.84	1.2	0.15	189.0	<0.005	0.05
N915657		2.52	0.185	3.09	0.005	0.003	23.8	0.001	0.08	0.236	5.67	0.9	0.21	121.5	<0.005	0.01
N915658		2.82	0.182	2.34	0.007	0.002	18.45	0.001	0.06	0.166	5.09	1.1	0.17	141.5	<0.005	0.01
N915659		2.80	0.181	2.63	0.009	0.003	11.50	<0.001	0.08	0.163	4.40	0.7	0.12	126.0	<0.005	0.01
N915660		6.16	0.165	1.500	0.008	0.002	16.60	0.004	0.19	0.187	7.92	0.8	0.22	125.0	<0.005	0.03
N915661		6.82	0.154	1.175	0.009	0.003	15.35	0.404	0.54	0.256	7.32	1.5	0.23	212	<0.005	0.05
N915662		18.00	0.155	0.678	0.016	0.007	33.0	0.008	0.17	0.142	11.25	1.0	0.39	172.5	<0.005	0.03
N915663		15.40	0.061	4.09	0.003	<0.002	7.72	0.001	0.01	0.284	3.06	0.2	1.41	94.6	<0.005	0.01
N915664		16.10	0.169	0.832	0.014	0.006	44.0	0.005	0.26	0.293	14.35	1.2	0.42	190.5	<0.005	0.03
N915665		15.80	0.163	0.743	0.009	0.006	24.0	0.003	0.21	0.482	12.80	1.0	0.41	182.0	<0.005	0.04
N915666		11.75	0.177	0.759	0.011	0.004	32.8	0.059	0.29	0.310	10.30	1.5	0.37	171.0	<0.005	0.05
N915667		12.00	0.179	0.788	0.008	0.005	51.4	0.045	0.18	0.316	11.95	1.8	0.39	156.5	<0.005	0.04
N915668		14.65	0.161	0.656	0.010	0.007	51.1	0.016	0.26	0.127	7.88	1.7	0.38	137.0	<0.005	0.09
N915669		6.56	0.180	0.541	0.011	0.005	39.9	0.013	0.34	0.078	4.45	1.2	0.41	106.0	<0.005	0.06
N915670		3.34	0.204	0.874	0.010	0.002	30.2	0.001	0.64	0.104	5.04	2.2	0.44	99.3	<0.005	0.06
N915671		3.79	0.195	1.690	0.008	0.003	17.75	0.009	1.05	0.212	6.61	2.7	0.39	121.0	<0.005	0.07
N915672		3.37	0.215	0.505	0.008	0.003	25.5	0.001	0.25	0.159	5.38	0.7	0.42	99.9	<0.005	0.05
N915673		3.13	0.207	0.439	0.006	0.002	47.4	0.003	0.52	0.116	3.81	1.3	0.36	84.2	<0.005	0.08
N915674		3.37	0.212	0.593	0.006	0.003	27.5	0.001	0.45	0.121	5.84	1.7	0.42	77.0	<0.005	0.06
N915675		28.6	0.079	88.5	0.003	<0.002	5.35	0.098	0.53	138.0	1.825	2.7	2.01	133.0	<0.005	2.51
N915676		4.01	0.214	1.005	0.009	0.003	18.50	0.006	1.92	0.198	6.14	4.8	0.42	110.5	<0.005	0.12
N915677		4.53	0.210	2.43	0.008	0.002	20.5	0.003	1.49	0.249	5.03	2.3	0.27	207	<0.005	0.19
N915678		5.02	0.213	8.00	0.005	0.002	6.42	0.001	0.57	0.719	6.70	0.7	0.27	196.0	<0.005	0.22
N915679		9.67	0.154	5.54	0.005	0.002	2.06	0.002	0.57	0.396	11.60	1.0	0.29	218	<0.005	0.13
N915680		5.35	0.189	6.80	0.010	0.002	2.21	0.005	0.93	0.481	7.95	1.8	0.38	310	<0.005	0.14
N915681		3.83	0.218	2.92	0.004	0.002	3.49	0.003	0.26	0.289	5.24	1.0	0.40	187.0	<0.005	0.12
N915682		3.18	0.207	3.62	0.006	0.002	7.45	<0.001	0.16	0.210	4.75	0.9	0.16	139.5	<0.005	0.07
N915683		4.11	0.203	2.56	0.006	0.003	15.55	0.001	0.13	0.265	5.07	0.8	0.18	224	<0.005	0.11
N915684		3.57	0.210	2.25	0.007	0.002	22.9	0.001	0.23	0.158	5.99	1.1	0.22	112.5	<0.005	0.07
N915685		7.78	0.196	2.04	0.005	0.002	22.0	0.008	0.74	0.152	8.55	2.2	0.22	105.0	<0.005	0.22
N915686		12.75	0.162	1.280	0.006	0.004	24.7	0.001	0.07	0.132	9.85	1.0	0.30	159.5	<0.005	0.12
N915687		3.98	0.190	1.585	0.008	0.002	31.7	0.002	0.14	0.125	4.39	1.0	0.36	139.0	<0.005	0.10
N915688		15.05	0.061	4.28	0.003	<0.002	7.49	0.001	0.01	0.250	3.39	0.2	1.43	97.4	<0.005	<0.01
N915689		10.05	0.189	1.510	0.011	0.003	6.37	0.002	0.16	0.107	8.41	1.3	0.43	160.5	<0.005	0.09
N915690		9.08	0.195	1.480	0.008	0.003	34.8	0.002	0.68	0.151	5.97	3.1	0.43	108.0	<0.005	0.19
N915691		7.66	0.180	0.928	0.006	0.003	44.5	0.005	0.33	0.128	7.98	1.1	0.36	103.5	<0.005	0.13
N915692		16.90	0.139	0.666	0.007	0.002	7.23	0.020	0.23	0.204	8.68	0.8	0.23	147.5	<0.005	0.04
N915693		15.40	0.141	0.900	0.006	<0.002	16.60	<0.001	0.01	0.227	7.43	0.3	0.15	188.5	<0.005	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915654		1.755	0.055	0.121	0.357	159.0	0.041	14.85	164.0	5.29
N915655		1.755	0.106	0.122	0.346	152.5	0.046	14.55	156.0	5.65
N915656		1.225	0.029	0.066	0.427	112.5	0.043	13.25	110.5	2.58
N915657		1.265	0.046	0.100	0.363	102.0	0.053	13.75	171.5	2.62
N915658		1.400	0.037	0.076	0.285	113.5	0.047	13.95	133.0	2.69
N915659		1.195	0.013	0.063	0.256	99.0	0.043	11.55	116.5	2.22
N915660		1.045	0.043	0.092	0.264	131.0	0.043	11.45	72.3	3.11
N915661		0.811	0.041	0.083	0.484	124.5	0.036	11.60	46.8	2.92
N915662		0.819	0.166	0.113	0.373	197.5	0.030	11.00	44.9	5.07
N915663		2.69	0.166	0.048	0.900	100.0	0.598	5.81	48.4	2.26
N915664		1.020	0.193	0.132	0.417	242	0.041	12.05	60.0	5.24
N915665		1.160	0.151	0.080	0.406	202	0.032	11.55	61.4	5.08
N915666		1.310	0.158	0.110	0.417	186.5	0.052	13.10	64.0	5.88
N915667		1.285	0.217	0.166	0.465	217	0.052	12.10	57.9	5.35
N915668		0.998	0.300	0.172	0.492	214	0.122	9.68	56.2	7.39
N915669		1.450	0.216	0.129	0.536	164.5	0.269	10.05	60.7	9.08
N915670		1.825	0.123	0.085	0.499	126.5	0.078	13.70	46.3	7.14
N915671		1.765	0.037	0.071	0.377	123.0	0.058	16.05	67.7	3.37
N915672		1.740	0.134	0.080	0.488	111.5	0.074	13.75	69.3	6.10
N915673		1.670	0.199	0.139	0.556	109.0	0.135	11.90	163.5	7.02
N915674		1.865	0.113	0.100	0.527	158.0	0.054	13.25	222	5.47
N915675		1.445	0.069	0.057	1.735	35.7	8.68	6.22	135.0	4.95
N915676		1.965	0.049	0.082	0.468	181.5	0.056	14.30	127.5	3.67
N915677		1.970	0.044	0.101	0.699	114.5	0.121	15.00	153.0	3.64
N915678		2.18	0.019	0.033	0.537	128.0	0.067	13.15	274	2.98
N915679		1.105	0.011	0.016	0.228	152.0	0.032	11.35	135.5	2.95
N915680		1.935	0.010	0.026	0.287	123.0	0.030	14.90	168.5	4.00
N915681		1.825	0.109	0.021	0.611	137.0	0.489	12.75	171.5	9.18
N915682		1.730	0.024	0.033	0.598	101.0	0.058	13.60	153.0	3.11
N915683		1.565	0.040	0.065	0.608	121.5	0.089	13.65	117.5	2.99
N915684		1.600	0.076	0.093	0.585	136.0	0.070	13.65	139.0	3.11
N915685		1.350	0.112	0.087	0.596	161.0	0.140	12.75	130.5	4.67
N915686		1.045	0.235	0.087	0.382	198.0	0.110	8.66	113.0	6.13
N915687		1.455	0.287	0.111	0.498	179.0	0.181	8.29	140.5	6.52
N915688		3.10	0.170	0.045	0.921	104.0	0.624	5.85	47.4	2.43
N915689		1.550	0.240	0.026	0.561	202	0.178	10.50	151.5	7.41
N915690		1.875	0.273	0.138	0.615	198.0	0.213	11.30	176.0	6.74
N915691		1.390	0.258	0.179	0.470	204	0.202	10.30	128.5	4.83
N915692		0.612	0.089	0.025	0.211	125.0	0.211	8.43	59.9	3.71
N915693		0.583	0.058	0.067	0.214	113.5	0.064	8.25	67.0	2.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915694		7.12	0.0006	0.040	1.49	1.67	<10	405	0.28	0.032	3.46	0.127	22.5	11.75	6.25	1.185
N915695		7.82	0.0026	0.246	2.28	2.39	<10	144.0	0.28	0.037	3.34	0.459	21.5	22.1	8.47	0.893
N915696		7.57	0.0051	0.593	2.43	2.65	<10	115.5	0.28	0.073	2.59	0.780	24.8	23.8	4.62	1.690
N915697		7.17	0.0081	0.195	3.13	3.11	<10	80.9	0.30	0.078	2.51	0.183	19.00	23.4	1.86	3.52
N915698		7.51	0.0123	0.166	3.04	2.72	<10	285	0.35	0.093	3.42	0.178	26.2	22.8	3.47	3.50
N915699		7.57	0.0095	0.258	3.09	2.92	<10	316	0.39	0.070	2.28	0.169	29.5	24.8	2.03	3.82
N915700		0.05	0.863	56.4	1.24	1020	20	119.5	0.20	23.6	3.62	0.920	14.15	36.0	31.1	0.816
N915701		7.12	0.0165	0.272	2.98	2.14	<10	242	0.32	0.069	2.93	0.170	26.9	20.5	3.05	3.02
N915702		6.93	0.0109	0.231	2.87	1.70	<10	240	0.36	0.065	3.60	0.101	19.65	27.8	33.4	3.24
N915703		6.72	0.0082	0.466	2.10	1.69	<10	41.8	0.29	0.062	4.18	1.455	15.95	22.8	13.10	0.649
N915704		5.05	0.0048	0.642	1.60	1.01	<10	60.7	0.33	0.034	4.84	0.285	11.40	18.05	9.88	0.964
N915705		8.17	0.0181	0.051	0.82	1.13	<10	117.0	0.16	0.043	1.16	0.036	8.03	5.04	22.3	0.974
N915706		7.96	0.0075	0.029	0.72	1.16	10	85.5	0.17	0.041	1.38	0.052	6.78	3.40	14.40	1.030
N915707		8.39	0.753	0.149	0.92	1.71	<10	84.2	0.16	0.101	1.61	0.050	7.59	8.48	16.55	0.797
N915708		5.45	0.130	0.046	0.96	2.03	<10	86.5	0.16	0.209	1.77	0.036	8.10	10.70	19.30	1.475
N915709		8.33	0.341	0.166	0.82	1.34	<10	97.2	0.17	0.470	1.83	0.051	8.38	5.06	15.75	1.100
N915710		4.32	0.0108	0.064	1.14	1.55	10	86.4	0.16	0.020	1.66	0.042	8.39	6.00	21.0	1.660
N915711		7.16	0.256	0.109	1.07	1.82	<10	76.0	0.17	0.300	2.32	0.060	8.29	6.51	20.0	2.42
N915712		5.77	0.136	0.052	1.08	1.62	<10	61.2	0.21	0.089	1.70	0.092	7.98	6.54	18.75	1.770
N915713		0.05	0.0011	0.104	1.95	1.29	<10	140.0	0.13	0.084	1.13	0.085	15.10	9.81	18.65	0.314
N915714		6.37	1.145	0.122	0.79	1.93	<10	150.5	0.14	0.087	1.66	0.066	6.78	5.39	19.45	0.995
N915715		6.54	0.0129	0.046	0.89	2.80	<10	138.5	0.18	0.114	2.09	0.086	6.28	11.90	25.5	1.835

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915694		36.0	3.32	5.36	0.051	0.095	0.017	0.023	0.29	11.30	8.1	1.40	1045	0.93	0.037	0.013
N915695		340	4.61	8.51	0.139	0.231	0.078	0.024	0.49	10.75	12.1	2.08	1610	0.79	0.053	0.075
N915696		1470	5.12	9.52	0.170	0.243	0.057	0.035	0.93	12.70	13.1	2.30	1685	0.73	0.055	0.084
N915697		264	4.96	10.55	0.147	0.130	0.038	0.016	1.87	9.44	18.2	2.78	1440	0.52	0.050	0.043
N915698		266	5.39	11.95	0.137	0.072	0.084	0.026	1.77	12.60	17.4	2.76	1645	0.60	0.057	0.024
N915699		369	5.51	12.30	0.174	0.183	0.080	0.021	2.04	14.60	16.7	2.72	1645	1.09	0.066	0.064
N915700		3900	3.22	3.89	0.069	0.157	0.712	0.099	0.17	8.88	8.3	0.39	724	548	0.110	0.250
N915701		315	5.31	12.45	0.155	0.190	0.042	0.022	1.73	13.15	18.4	2.70	1625	1.25	0.064	0.074
N915702		377	5.92	11.50	0.152	0.151	0.040	0.029	1.72	10.10	17.3	2.85	1760	0.52	0.057	0.051
N915703		1055	4.42	9.40	0.087	0.078	0.085	0.040	0.24	8.11	14.7	2.19	1110	2.75	0.045	0.013
N915704		1145	3.62	6.85	0.051	0.066	0.055	0.031	0.22	5.56	10.5	1.73	923	3.99	0.040	0.002
N915705		47.7	1.570	2.93	0.067	0.157	0.032	0.012	0.16	4.07	4.2	0.35	221	0.34	0.086	0.103
N915706		21.1	1.440	2.62	0.051	0.165	0.023	0.011	0.13	3.37	3.3	0.26	160.0	1.97	0.072	0.114
N915707		6.79	1.610	3.55	0.073	0.107	0.055	0.017	0.12	3.41	7.0	0.53	219	0.48	0.057	0.139
N915708		16.90	1.970	3.59	0.064	0.108	0.076	0.010	0.12	3.57	7.2	0.62	231	0.12	0.044	0.111
N915709		80.8	1.720	2.93	0.061	0.160	0.052	0.012	0.12	4.00	4.7	0.45	220	0.46	0.068	0.133
N915710		14.30	2.22	3.82	0.066	0.150	0.015	0.011	0.18	4.12	7.4	0.61	212	0.22	0.096	0.121
N915711		65.2	2.22	3.96	0.065	0.159	0.111	0.018	0.13	4.02	7.2	0.71	305	0.61	0.068	0.097
N915712		18.05	2.19	4.03	0.051	0.176	0.073	0.016	0.17	3.89	6.6	0.59	253	0.58	0.087	0.101
N915713		94.4	3.58	5.56	0.067	0.109	<0.004	0.011	0.22	7.28	6.5	0.83	518	5.69	0.226	0.205
N915714		14.65	1.940	3.63	0.074	0.165	0.098	0.005	0.10	3.23	5.8	0.55	236	0.28	0.060	0.113
N915715		8.25	2.19	4.06	0.079	0.146	0.153	0.012	0.09	2.99	7.3	0.69	313	0.36	0.046	0.049

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915694		6.30	0.121	2.11	0.001	<0.002	11.75	0.001	0.03	0.151	5.42	0.3	0.17	151.0	<0.005	0.01
N915695		6.54	0.177	1.495	0.004	0.005	19.65	0.001	0.24	0.131	5.50	1.3	0.31	134.5	<0.005	0.04
N915696		3.89	0.224	1.620	0.007	0.003	45.0	0.001	0.48	0.099	5.23	3.0	0.40	95.2	<0.005	0.11
N915697		2.95	0.231	1.375	0.008	0.002	84.6	0.001	0.14	0.086	4.41	0.7	0.31	100.0	<0.005	0.22
N915698		4.02	0.230	1.455	0.008	0.003	76.7	0.001	0.26	0.057	7.24	1.1	0.35	99.9	<0.005	0.29
N915699		3.00	0.245	1.865	0.008	0.004	87.9	0.002	0.27	0.061	6.87	1.6	0.40	81.0	<0.005	0.27
N915700		28.4	0.078	82.9	0.002	<0.002	5.56	0.094	0.52	139.5	1.970	2.8	2.19	135.0	<0.005	2.70
N915701		3.65	0.236	1.725	0.007	0.003	71.0	<0.001	0.33	0.092	7.25	0.9	0.41	75.7	<0.005	0.14
N915702		14.95	0.194	0.924	0.013	0.006	74.1	0.005	0.85	0.064	9.39	1.5	0.49	111.0	<0.005	0.14
N915703		10.60	0.159	1.020	0.010	0.003	8.71	0.020	0.81	0.139	7.81	2.2	0.33	169.5	<0.005	0.11
N915704		10.05	0.133	0.991	0.006	0.003	8.28	0.033	0.74	0.117	9.66	3.0	0.12	179.0	<0.005	0.08
N915705		8.30	0.116	0.855	0.008	<0.002	5.85	<0.001	0.04	0.228	3.10	0.3	0.19	64.9	<0.005	0.05
N915706		5.60	0.112	1.680	0.003	0.002	3.89	0.005	0.03	0.292	2.67	0.2	0.17	63.6	<0.005	0.04
N915707		9.28	0.135	1.195	0.012	0.004	4.49	0.001	0.15	0.345	2.72	0.4	0.15	82.6	<0.005	0.18
N915708		12.15	0.137	1.170	0.003	0.005	4.85	<0.001	0.23	0.483	3.54	0.3	0.14	73.3	<0.005	0.21
N915709		7.27	0.131	1.310	0.003	0.004	4.14	0.001	0.07	0.351	3.78	0.1	0.20	75.4	<0.005	0.50
N915710		9.43	0.138	1.230	0.005	0.003	6.97	<0.001	0.02	0.372	3.67	0.1	0.24	95.8	<0.005	<0.01
N915711		10.25	0.132	1.415	0.003	0.004	5.72	0.002	0.14	0.625	5.37	0.2	0.21	91.8	<0.005	0.30
N915712		9.19	0.128	1.630	0.017	0.003	7.48	0.002	0.25	0.558	3.95	0.3	0.21	78.4	<0.005	0.12
N915713		14.75	0.061	4.26	0.003	<0.002	7.35	0.001	0.01	0.258	3.42	0.3	1.43	95.5	<0.005	<0.01
N915714		9.59	0.116	1.930	0.002	0.003	3.96	<0.001	0.12	0.513	3.66	0.3	0.18	70.5	<0.005	0.09
N915715		15.30	0.116	1.955	0.006	0.005	3.90	<0.001	0.16	0.836	6.17	0.2	0.18	79.1	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915694		0.993	0.026	0.050	0.583	68.8	0.041	9.93	62.5	3.33
N915695		1.505	0.207	0.094	0.582	162.0	0.168	9.23	168.5	7.18
N915696		2.02	0.232	0.174	0.657	199.0	0.184	10.80	200	6.21
N915697		1.785	0.259	0.310	0.613	215	0.232	9.21	119.0	3.66
N915698		2.01	0.180	0.265	0.512	224	0.145	11.70	114.0	2.20
N915699		2.28	0.294	0.319	0.681	243	0.184	11.95	125.5	6.05
N915700		1.475	0.071	0.054	1.685	40.4	8.61	6.48	132.5	5.30
N915701		2.21	0.299	0.265	0.663	236	0.407	11.20	127.0	6.06
N915702		1.360	0.235	0.276	0.433	225	0.159	11.05	119.0	3.92
N915703		0.987	0.030	0.036	0.273	150.0	0.105	10.30	64.9	2.49
N915704		0.545	0.006	0.030	0.242	121.0	0.924	10.25	43.8	2.30
N915705		0.583	0.133	0.024	0.289	79.6	0.138	6.34	10.4	4.44
N915706		0.452	0.145	0.011	0.261	85.2	0.307	5.89	8.6	4.22
N915707		0.489	0.190	0.017	0.194	83.8	0.379	6.50	13.1	3.39
N915708		0.549	0.201	0.022	0.185	92.1	0.604	7.33	16.7	3.61
N915709		0.546	0.178	0.021	0.252	83.9	0.160	6.70	11.3	4.76
N915710		0.480	0.193	0.028	0.222	112.0	0.495	6.97	13.8	4.25
N915711		0.562	0.166	0.028	0.233	103.5	0.395	7.45	17.9	4.57
N915712		0.486	0.169	0.038	0.229	102.0	1.130	6.78	16.9	4.42
N915713		2.93	0.169	0.048	0.892	101.0	0.552	5.68	45.4	2.39
N915714		0.453	0.135	0.019	0.226	80.0	0.283	5.21	17.3	3.69
N915715		0.324	0.130	0.024	0.184	89.0	0.512	6.01	23.3	3.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 5- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14117777

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

CERTIFICATE KL14120996

Project: Dillard

This report is for 108 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 15- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915344		5.68	0.0167	0.087	1.74	1.34	<10	117.5	0.15	0.014	2.67	0.041	6.52	12.35	21.4	1.915
N915345		6.99	0.0251	0.092	1.64	1.13	<10	114.0	0.17	0.013	2.27	0.022	7.37	13.80	34.1	3.54
N915346		5.61	0.0211	0.190	1.08	0.96	<10	68.3	0.19	0.025	2.45	0.038	9.25	14.75	84.9	2.85
N915347		4.91	0.0440	0.252	1.51	1.06	<10	43.2	0.23	0.020	2.76	0.030	11.45	16.60	19.80	4.27
N915348		7.59	0.0529	0.285	1.50	1.62	<10	100.5	0.20	0.017	2.83	0.038	9.69	23.9	121.5	4.86
N915349		7.59	0.0385	0.186	1.64	1.49	<10	82.9	0.22	0.013	2.72	0.040	8.49	26.1	156.0	4.67
N915350		0.05	0.758	55.3	1.09	999	20	112.0	0.16	24.6	3.41	0.895	13.15	34.9	29.4	0.656
N915351		6.88	0.0571	0.407	1.61	29.5	<10	128.0	0.34	0.023	6.17	0.432	8.98	31.4	138.5	6.10
N915352		6.69	0.0744	0.408	1.45	25.1	<10	65.3	0.29	0.040	4.25	0.266	9.79	35.1	145.0	4.00
N915353		6.55	0.0218	0.146	1.64	1.78	<10	93.9	0.19	0.010	3.49	0.044	8.21	24.8	151.5	4.55
N915354		5.90	0.0359	0.121	1.39	0.95	<10	52.8	0.11	0.029	1.48	0.014	6.93	33.8	116.0	3.33
N915355		6.05	0.0509	0.262	1.96	1.61	<10	74.0	0.15	0.038	1.27	0.031	6.41	60.2	123.0	3.67
N915356		5.59	0.0209	0.140	1.97	1.09	<10	125.0	0.18	0.036	2.15	0.032	7.69	35.6	126.5	4.33
N915357		7.28	0.0171	0.112	2.08	0.72	<10	154.5	0.21	0.025	2.31	0.011	8.57	30.5	122.0	4.69
N915358		4.33	0.0285	0.120	1.77	1.56	<10	145.5	0.22	0.023	2.66	0.018	6.94	34.0	126.5	6.08
N915359		5.54	0.0291	0.209	2.13	4.12	<10	88.8	0.33	0.051	3.83	0.058	7.95	38.1	154.5	7.72
N915360		7.17	0.0106	0.153	1.81	1.58	<10	49.3	0.14	0.026	2.70	0.025	6.98	28.8	140.0	4.94
N915361		6.05	0.0196	0.125	1.80	1.72	<10	54.3	0.18	0.030	2.52	0.014	6.70	22.0	106.5	3.36
N915362		6.93	0.0402	0.244	1.83	1.41	<10	54.6	0.16	0.029	2.28	0.031	6.52	27.3	135.0	3.59
N915363		0.05	0.0025	0.112	1.90	1.10	<10	139.5	0.14	0.071	1.10	0.066	15.05	9.99	19.35	0.335
N915364		5.77	0.0246	0.181	1.65	1.53	<10	58.4	0.13	0.039	1.30	0.014	5.73	34.4	102.0	2.08
N915365		7.76	0.0265	0.133	1.60	2.76	<10	24.1	0.19	0.039	2.05	0.017	5.50	28.5	106.0	1.520
N915366		7.88	0.0226	0.208	1.63	2.27	<10	17.0	0.18	0.042	2.77	0.039	6.12	25.7	115.0	3.20
N915367		6.62	0.0272	0.246	1.66	4.72	<10	51.5	0.17	0.054	2.68	0.028	6.39	17.85	62.5	2.38
N915368		7.05	0.0245	0.144	1.60	1.74	<10	162.0	0.18	0.028	2.23	0.033	5.94	15.45	16.35	3.47
N915369		4.93	0.0212	0.276	1.54	1.49	<10	71.6	0.17	0.059	2.67	0.044	9.28	18.00	17.60	6.04
N915370		5.61	0.0203	0.153	2.01	13.75	<10	33.7	0.33	0.050	4.15	0.061	8.75	33.3	107.5	7.76
N915371		7.14	0.0149	0.117	1.56	1.59	<10	43.7	0.18	0.044	2.46	0.001	6.68	32.1	100.0	6.53
N915372		6.71	0.0192	0.105	2.07	1.03	<10	73.0	0.21	0.029	2.62	0.015	7.12	35.6	146.0	3.91
N915373		7.96	0.0162	0.115	2.23	1.63	<10	129.5	0.17	0.039	2.60	0.014	7.38	28.6	68.5	6.01
N915374		7.24	0.0105	0.103	2.32	1.38	<10	105.5	0.21	0.040	3.12	0.038	6.80	23.0	26.5	6.59
N915375		0.05	0.691	53.1	1.08	974	20	110.0	0.19	22.1	3.38	0.799	12.60	33.0	28.7	0.649
N915376		6.96	0.0143	0.214	1.62	34.9	<10	179.5	0.30	0.052	3.77	0.109	9.09	27.1	20.5	13.20
N915377		6.82	0.0102	0.170	1.72	2.22	<10	60.5	0.32	0.048	3.00	0.038	9.25	27.5	25.6	12.75
N915378		7.32	0.0113	0.170	1.78	2.47	<10	43.3	0.25	0.044	3.21	0.021	8.34	35.8	115.5	5.85
N915379		8.26	0.0077	0.068	1.54	2.20	<10	46.5	0.15	0.021	2.51	0.022	6.16	24.0	90.0	4.52
N915380		7.12	0.0097	0.124	1.70	1.85	<10	50.6	0.19	0.039	1.90	0.018	7.30	28.8	96.3	6.35
N915381		7.29	0.0068	0.096	1.82	2.30	<10	35.8	0.32	0.036	2.44	0.030	7.26	38.8	125.0	6.97
N915382		6.75	0.0154	0.116	1.82	2.52	<10	21.0	0.44	0.039	4.33	0.031	6.65	31.8	43.3	5.52
N915383		6.87	0.0161	0.167	1.63	2.43	<10	12.4	0.31	0.059	5.06	0.029	7.29	26.6	110.0	5.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915344		322	2.75	6.94	0.099	0.123	0.024	<0.005	0.10	2.97	9.4	1.32	187.5	5.83	0.082	0.057
N915345		369	2.97	6.50	0.082	0.092	0.026	0.013	0.13	3.41	7.2	1.24	217	1.37	0.090	0.025
N915346		553	3.36	4.93	0.081	0.084	0.046	0.022	0.16	4.49	5.2	1.31	291	1.77	0.060	0.007
N915347		1070	3.39	6.80	0.079	0.074	0.050	0.022	0.16	5.36	6.3	1.28	230	2.06	0.074	0.006
N915348		1270	4.41	6.44	0.088	0.089	0.091	0.017	0.35	4.48	6.6	1.76	400	2.89	0.073	0.009
N915349		1250	4.59	6.66	0.108	0.099	0.137	0.022	0.40	3.95	10.1	1.97	347	6.01	0.075	0.019
N915350		3750	3.13	3.63	0.054	0.125	0.603	0.103	0.15	8.26	7.0	0.38	669	536	0.101	0.155
N915351		1775	5.23	6.24	0.068	0.077	0.516	0.022	0.19	4.11	10.0	2.84	829	18.75	0.030	0.008
N915352		1355	5.43	5.69	0.072	0.102	0.618	0.034	0.18	4.44	6.6	2.34	677	4.83	0.049	0.004
N915353		1000	4.89	6.53	0.115	0.066	0.095	0.025	0.48	3.85	8.2	2.02	476	2.53	0.083	0.015
N915354		948	3.96	5.08	0.101	0.075	0.047	0.014	0.38	3.19	5.9	1.53	238	2.66	0.082	0.028
N915355		2580	6.48	7.69	0.152	0.065	0.047	0.013	0.58	3.00	9.5	2.12	206	7.95	0.069	0.037
N915356		940	5.11	7.28	0.133	0.055	0.028	0.011	0.75	3.33	7.4	2.26	310	2.72	0.084	0.025
N915357		879	4.74	6.97	0.105	0.049	0.017	0.020	0.78	3.87	7.8	2.11	335	9.60	0.125	0.017
N915358		908	4.65	5.94	0.123	0.077	0.046	0.013	0.52	2.99	7.3	1.80	351	18.35	0.103	0.014
N915359		1160	5.62	7.53	0.089	0.089	0.065	0.023	0.34	3.62	13.9	2.25	488	8.87	0.076	0.009
N915360		907	4.59	6.46	0.115	0.058	0.077	0.024	0.35	3.26	8.5	2.08	350	4.01	0.090	0.017
N915361		838	3.82	5.76	0.107	0.087	0.080	0.020	0.35	2.97	7.7	1.55	253	1.88	0.140	0.021
N915362		969	4.29	6.80	0.119	0.052	0.079	0.024	0.44	2.93	9.2	2.04	297	7.90	0.100	0.017
N915363		93.6	3.71	5.66	0.076	0.131	<0.004	0.010	0.23	7.27	8.0	0.86	514	6.15	0.224	0.139
N915364		1080	4.47	5.59	0.097	0.081	0.146	0.007	0.40	2.52	7.0	1.57	183.0	14.35	0.110	0.051
N915365		788	4.09	5.56	0.089	0.110	0.149	0.014	0.16	2.44	9.5	1.55	262	7.98	0.089	0.062
N915366		800	4.10	5.80	0.114	0.105	0.160	0.020	0.08	2.94	9.4	1.79	375	5.32	0.093	0.031
N915367		762	3.96	6.94	0.087	0.115	0.159	0.016	0.09	2.79	9.8	1.70	416	2.67	0.078	0.028
N915368		533	2.90	6.07	0.063	0.125	0.088	0.010	0.09	2.53	10.1	1.46	319	3.58	0.056	0.018
N915369		868	3.48	6.02	0.055	0.058	0.138	0.008	0.14	3.79	11.6	1.66	268	5.32	0.048	<0.002
N915370		754	5.20	6.74	0.062	0.075	0.110	0.026	0.16	3.73	15.9	2.07	485	6.60	0.068	0.004
N915371		859	4.22	5.39	0.088	0.095	0.082	0.026	0.24	2.73	7.5	1.68	332	10.40	0.093	0.017
N915372		884	4.96	7.13	0.120	0.084	0.066	0.021	0.63	3.04	8.5	2.11	366	4.71	0.113	0.017
N915373		912	4.33	7.12	0.088	0.058	0.054	0.014	0.49	3.34	11.2	1.90	215	8.42	0.118	0.017
N915374		569	3.93	7.44	0.088	0.073	0.068	0.011	0.28	2.88	12.9	1.81	185.5	4.05	0.126	0.027
N915375		3710	3.08	3.74	0.067	0.140	0.578	0.098	0.15	7.82	8.4	0.37	658	534	0.098	0.151
N915376		703	3.75	5.84	0.062	0.055	0.118	0.011	0.29	4.04	10.4	1.65	275	5.20	0.044	0.004
N915377		594	4.37	6.39	0.060	0.043	0.141	0.013	0.23	4.33	10.6	1.77	297	17.70	0.059	0.004
N915378		809	4.56	5.89	0.090	0.098	0.095	0.024	0.24	3.97	9.1	1.54	341	5.11	0.124	0.018
N915379		465	4.03	4.97	0.095	0.096	0.047	0.019	0.29	2.75	6.2	1.51	289	3.94	0.110	0.024
N915380		587	4.12	6.35	0.077	0.102	0.050	0.018	0.35	3.14	7.6	1.62	291	8.49	0.100	0.021
N915381		706	5.47	7.29	0.108	0.107	0.066	0.027	0.21	3.01	10.3	1.94	466	15.25	0.096	0.017
N915382		497	5.00	7.07	0.079	0.099	0.080	0.026	0.12	2.82	12.1	2.18	515	4.84	0.042	0.004
N915383		720	5.44	6.63	0.114	0.105	0.063	0.023	0.07	3.24	10.6	2.19	537	6.77	0.051	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915344		11.30	0.110	0.844	0.005	0.002	4.15	0.023	0.75	0.028	3.99	1.4	0.17	46.2	<0.005	0.02
N915345		19.00	0.110	0.631	0.019	0.005	5.09	0.003	0.59	0.059	5.63	1.4	0.18	64.5	<0.005	0.05
N915346		37.9	0.100	0.436	0.083	0.021	7.81	0.009	0.37	0.027	8.43	1.7	0.19	71.3	<0.005	0.19
N915347		16.30	0.114	0.598	0.029	0.003	6.96	0.011	0.83	0.057	10.45	3.0	0.19	82.3	<0.005	0.07
N915348		47.0	0.120	1.735	0.022	0.004	17.25	0.015	0.72	0.254	11.80	2.1	0.25	78.9	<0.005	0.06
N915349		52.5	0.127	0.317	0.017	0.005	18.10	0.034	0.78	0.193	9.51	2.7	0.27	69.1	<0.005	0.03
N915350		26.6	0.076	75.6	0.003	<0.002	4.94	0.097	0.52	125.5	1.935	2.4	1.87	128.5	<0.005	3.30
N915351		61.1	0.114	6.89	0.023	0.006	10.00	0.030	1.52	6.58	19.10	3.5	0.25	109.5	<0.005	0.05
N915352		57.1	0.123	13.85	0.007	0.004	9.74	0.023	1.65	2.20	18.95	3.8	0.27	116.0	<0.005	0.09
N915353		57.6	0.119	0.465	0.014	0.003	25.0	0.007	0.81	0.195	12.85	2.6	0.27	94.1	<0.005	0.02
N915354		66.9	0.122	0.183	0.012	0.005	19.20	0.006	1.57	0.024	6.22	3.0	0.31	57.4	<0.005	0.11
N915355		61.2	0.113	0.311	0.017	0.009	29.6	0.033	3.57	0.024	8.30	11.1	0.32	47.2	<0.005	0.11
N915356		69.3	0.123	0.199	0.008	0.003	33.5	0.016	2.03	0.032	10.45	5.0	0.31	68.7	<0.005	0.10
N915357		60.2	0.132	0.189	0.007	0.004	37.3	0.032	1.42	0.025	12.35	3.5	0.34	92.2	<0.005	0.11
N915358		63.9	0.117	0.611	0.006	0.003	24.9	0.039	1.63	0.098	9.83	5.9	0.27	94.4	<0.005	0.07
N915359		74.3	0.119	0.998	0.010	0.006	20.1	0.027	1.90	0.168	15.85	5.2	0.33	97.3	<0.005	0.13
N915360		68.1	0.124	0.610	0.006	0.005	20.3	0.014	1.48	0.062	10.10	4.4	0.23	79.3	<0.005	0.04
N915361		55.3	0.123	0.397	0.007	0.004	19.00	0.007	0.99	0.051	6.06	3.1	0.22	96.0	<0.005	0.05
N915362		63.6	0.123	0.482	0.009	0.005	24.7	0.025	1.44	0.034	8.53	3.3	0.32	69.5	<0.005	0.10
N915363		14.10	0.062	4.12	<0.001	<0.002	7.64	0.001	0.01	0.229	3.58	0.2	1.38	98.1	<0.005	<0.01
N915364		63.5	0.121	0.320	0.010	0.005	21.9	0.049	2.18	0.039	4.19	4.1	0.24	55.1	<0.005	0.11
N915365		70.4	0.124	0.273	0.007	0.005	9.37	0.029	1.47	0.096	4.14	2.9	0.18	56.1	<0.005	0.13
N915366		63.6	0.126	0.534	0.009	0.005	4.74	0.021	1.91	0.150	8.13	3.5	0.22	66.9	<0.005	0.14
N915367		31.6	0.126	0.720	0.006	0.003	4.26	0.009	1.86	0.387	6.81	2.5	0.35	55.6	<0.005	0.09
N915368		11.20	0.114	0.590	0.003	0.002	4.22	0.008	1.38	0.116	5.39	1.9	0.21	76.2	<0.005	0.08
N915369		11.85	0.114	0.802	0.003	0.002	6.85	0.004	2.36	0.211	7.42	4.8	0.24	85.7	<0.005	0.20
N915370		57.8	0.125	1.275	0.005	0.005	9.16	0.037	2.15	0.479	15.15	3.4	0.31	99.2	<0.005	0.13
N915371		63.6	0.126	0.234	0.009	0.006	13.30	0.047	1.93	0.082	7.24	3.4	0.24	88.9	<0.005	0.05
N915372		71.3	0.119	0.215	0.007	0.005	31.1	0.028	1.72	0.053	8.37	5.8	0.29	80.2	<0.005	0.09
N915373		37.2	0.119	0.362	0.012	0.004	23.2	0.036	2.11	0.040	9.60	3.8	0.25	112.5	<0.005	0.12
N915374		16.90	0.114	0.697	0.006	0.002	12.90	0.016	2.50	0.039	8.72	3.4	0.24	120.0	<0.005	0.13
N915375		25.4	0.075	77.1	0.005	<0.002	5.12	0.099	0.51	122.0	2.03	2.8	1.83	126.0	<0.005	3.14
N915376		18.50	0.111	1.080	0.005	0.003	15.50	0.017	1.55	1.210	14.65	3.6	0.22	105.5	<0.005	0.14
N915377		19.00	0.112	0.661	0.004	0.002	13.15	0.084	2.01	0.122	12.90	4.5	0.26	80.8	<0.005	0.18
N915378		59.6	0.124	0.433	0.006	0.004	13.40	0.027	2.32	0.044	10.45	3.8	0.36	112.0	<0.005	0.20
N915379		57.5	0.118	0.317	0.015	0.004	15.25	0.021	1.34	0.085	6.81	2.9	0.22	410	<0.005	0.08
N915380		52.3	0.127	0.248	0.010	0.006	19.40	0.041	1.52	0.033	7.58	3.7	0.23	77.5	<0.005	0.14
N915381		68.1	0.135	0.902	0.009	0.006	12.95	0.083	2.24	0.091	10.85	4.0	0.31	87.3	<0.005	0.12
N915382		30.8	0.106	0.468	0.008	0.005	8.36	0.037	1.95	0.133	17.40	2.5	0.26	104.5	<0.005	0.13
N915383		53.4	0.122	0.628	0.008	0.005	5.87	0.033	2.24	0.122	15.40	4.5	0.29	102.0	<0.005	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915344		0.541	0.196	0.016	0.153	112.5	0.080	5.95	11.4	2.35
N915345		0.539	0.139	0.023	0.151	118.5	0.048	6.27	13.3	2.04
N915346		0.515	0.052	0.025	0.138	117.5	0.014	8.06	16.5	1.92
N915347		0.675	0.023	0.038	0.141	117.5	0.011	10.75	13.6	1.52
N915348		0.660	0.104	0.077	0.167	148.0	0.010	9.19	19.3	2.53
N915349		0.569	0.188	0.077	0.174	164.0	0.034	7.16	17.4	2.40
N915350		1.520	0.062	0.051	1.690	36.6	9.05	5.89	128.5	4.69
N915351		0.565	0.061	0.069	0.264	135.5	0.017	11.20	51.7	2.01
N915352		0.616	0.059	0.063	0.271	130.0	0.010	11.00	46.6	2.61
N915353		0.514	0.156	0.117	0.231	145.5	0.016	8.72	19.3	2.00
N915354		0.433	0.182	0.083	0.189	110.5	0.068	5.55	12.0	2.01
N915355		0.489	0.228	0.124	0.169	151.5	0.118	6.15	18.3	1.56
N915356		0.502	0.187	0.158	0.164	149.0	0.079	7.22	17.5	1.60
N915357		0.570	0.170	0.161	0.196	157.0	0.029	8.52	16.5	1.60
N915358		0.420	0.127	0.157	0.166	130.0	0.048	6.98	14.6	1.87
N915359		0.475	0.109	0.100	0.160	143.0	0.028	8.72	21.1	1.94
N915360		0.416	0.136	0.106	0.193	129.0	0.020	7.05	20.6	1.95
N915361		0.382	0.177	0.103	0.167	122.0	0.060	5.48	12.6	2.17
N915362		0.426	0.187	0.111	0.169	137.0	0.048	6.28	15.5	1.82
N915363		3.24	0.163	0.044	0.957	103.0	0.604	5.80	47.1	2.24
N915364		0.347	0.249	0.112	0.174	127.5	0.336	4.90	12.1	2.00
N915365		0.341	0.250	0.060	0.186	113.5	0.225	4.63	13.4	2.43
N915366		0.425	0.210	0.047	0.184	113.0	0.098	5.56	19.5	2.84
N915367		0.340	0.159	0.061	0.185	114.0	0.055	6.10	23.3	2.94
N915368		0.251	0.096	0.028	0.138	78.4	0.032	5.60	23.2	2.79
N915369		0.370	0.021	0.051	0.182	79.7	0.021	9.52	21.5	1.91
N915370		0.453	0.035	0.062	0.212	110.0	0.014	10.65	22.8	2.06
N915371		0.333	0.097	0.076	0.138	87.6	0.057	7.05	12.6	2.22
N915372		0.344	0.129	0.143	0.137	127.5	0.059	7.21	15.7	2.02
N915373		0.354	0.168	0.111	0.140	152.5	0.040	8.05	13.6	1.91
N915374		0.347	0.199	0.087	0.141	155.0	0.082	8.57	17.5	2.17
N915375		1.515	0.062	0.054	1.595	36.1	8.35	5.66	123.5	4.52
N915376		0.347	0.020	0.077	0.178	107.0	0.017	11.90	21.5	1.48
N915377		0.346	0.024	0.098	0.251	123.0	0.032	11.80	18.6	1.48
N915378		0.422	0.124	0.066	0.190	112.5	0.038	8.86	16.6	3.06
N915379		0.327	0.147	0.081	0.148	105.0	0.073	6.48	11.0	2.60
N915380		0.338	0.112	0.099	0.145	107.5	0.060	7.33	13.8	2.31
N915381		0.394	0.100	0.067	0.186	127.0	0.074	9.53	19.2	2.90
N915382		0.293	0.076	0.084	0.203	149.0	0.019	10.35	21.6	2.43
N915383		0.384	0.100	0.058	0.274	131.0	0.020	10.30	20.0	3.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915384		7.62	0.0086	0.099	1.53	2.32	<10	11.6	0.22	0.027	2.51	0.015	5.81	25.8	111.5	10.40
N915385		8.09	0.0083	0.110	1.63	2.48	<10	16.4	0.22	0.049	4.31	0.026	6.00	21.2	131.0	2.98
N915386		7.40	0.0339	0.423	1.68	2.55	<10	19.2	0.22	0.139	3.89	0.065	6.77	57.6	126.0	4.34
N915387		6.67	0.0155	0.228	1.52	2.22	<10	28.2	0.20	0.056	3.46	0.029	6.96	23.7	107.0	4.62
N915388		0.05	0.0014	0.093	1.77	1.15	<10	133.5	0.12	0.076	1.12	0.063	15.05	9.38	18.50	0.346
N915389		7.08	0.0083	0.108	1.32	2.67	<10	20.1	0.11	0.035	2.15	0.012	5.30	28.6	82.7	3.71
N915390		7.06	0.0124	0.084	1.45	1.81	<10	25.6	0.11	0.027	2.15	0.016	5.63	24.2	91.8	3.81
N915391		8.04	0.0091	0.060	1.81	2.16	<10	44.9	0.14	0.033	2.04	0.011	4.78	25.3	88.7	3.64
N915392		7.76	0.0173	0.090	1.50	4.23	<10	82.7	0.17	0.040	2.70	0.023	5.36	23.5	94.4	4.75
N915393		5.94	0.0094	0.125	1.72	3.85	<10	58.7	0.14	0.048	2.17	0.021	5.44	27.2	87.8	4.17
N915394		6.12	0.0073	0.071	1.24	2.56	<10	30.8	0.22	0.054	2.31	0.024	9.04	28.9	60.9	6.64
N915395		7.30	0.0076	0.074	1.43	2.10	<10	34.6	0.20	0.054	2.37	0.015	9.57	29.9	68.8	6.97
N915396		8.41	0.0066	0.092	1.30	2.63	<10	25.9	0.21	0.034	2.32	0.015	8.04	22.3	66.1	4.30
N915397		8.33	0.0047	0.024	1.98	2.38	<10	66.5	0.15	0.015	2.06	0.001	5.68	19.95	144.0	3.53
N915398		8.02	0.0079	0.083	1.56	2.08	<10	47.1	0.17	0.027	2.25	0.011	7.18	27.3	95.3	5.32
N915399		7.93	0.0101	0.077	1.33	2.53	<10	40.8	0.19	0.034	2.25	0.016	6.69	30.0	61.5	5.13
N915400		0.05	0.846	52.8	1.01	949	20	107.0	0.17	24.1	3.37	0.856	13.30	34.0	30.0	0.712
N915401		7.30	0.0218	0.185	1.49	5.31	<10	50.4	0.22	0.067	2.58	0.043	6.33	32.7	123.0	4.67
N915402		6.87	0.0097	0.065	2.04	2.37	<10	95.2	0.15	0.052	1.62	0.011	5.19	34.1	159.5	4.31
N915403		7.26	0.0099	0.051	1.92	2.60	<10	65.9	0.24	0.025	3.03	0.019	5.92	26.5	152.5	6.16
N915404		6.62	0.0126	0.117	1.73	4.58	<10	49.9	0.20	0.062	2.61	0.014	5.67	34.0	155.0	5.39
N915405		7.14	0.0199	0.089	1.95	3.28	<10	83.0	0.21	0.012	2.60	0.004	5.26	24.3	159.5	5.49
N915406		7.52	0.0124	0.088	2.15	2.99	<10	73.7	0.19	0.056	2.36	0.012	4.79	33.2	159.0	4.96
N915407		8.22	0.0259	0.074	2.34	9.55	<10	89.4	0.20	0.041	2.32	0.025	4.75	28.8	177.0	5.80
N915408		7.68	0.0146	0.092	2.22	9.24	<10	80.5	0.16	0.057	2.42	0.013	5.08	32.7	178.0	5.94
N915409		6.27	0.0248	0.149	2.47	5.58	<10	63.0	0.28	0.076	3.26	0.035	6.31	36.4	176.5	5.33
N915410		6.16	0.0061	0.040	2.79	3.10	<10	141.5	0.24	0.020	2.66	0.018	6.64	30.1	173.0	6.24
N915411		6.55	0.0098	0.053	2.15	3.55	<10	96.4	0.18	0.026	2.15	0.019	5.09	30.8	131.0	4.57
N915412		6.18	0.0124	0.087	1.72	7.78	<10	53.3	0.12	0.041	1.75	0.018	4.96	27.9	127.0	2.52
N915413		0.05	0.0013	0.103	1.70	1.11	<10	130.5	0.10	0.081	1.08	0.083	14.65	9.29	18.85	0.288
N915414		7.58	0.0097	0.078	1.62	6.20	<10	35.4	0.12	0.048	1.82	0.021	5.34	29.8	121.0	2.24
N915415		6.07	0.0081	0.093	1.57	4.73	<10	35.9	0.19	0.047	2.34	0.016	5.79	25.3	112.0	2.41
N915416		6.33	0.0177	0.059	2.01	3.43	<10	78.1	0.15	0.017	2.05	0.012	6.12	23.7	106.5	3.05
N915417		5.93	0.0355	0.150	2.02	7.54	<10	32.7	0.22	0.057	2.80	0.028	6.78	25.2	136.5	4.53
N915418		7.73	0.140	0.565	2.02	4.06	<10	46.9	0.15	0.068	2.68	0.060	7.51	33.0	137.0	3.56
N915419		6.53	0.114	0.498	1.92	4.29	<10	36.8	0.25	0.035	4.19	0.073	8.11	25.5	125.0	6.11
N915420		6.78	0.110	0.404	1.65	6.72	<10	24.3	0.17	0.065	2.88	0.040	6.60	23.5	98.0	2.01
N915421		6.56	0.0457	0.297	1.20	3.39	<10	38.1	0.16	0.032	2.31	0.038	7.92	14.55	42.5	2.06
N915422		8.39	0.0235	0.268	1.27	3.07	<10	53.8	0.18	0.054	2.42	0.049	8.44	23.3	32.3	2.53
N915423		6.74	0.0182	0.225	1.36	3.54	<10	54.6	0.18	0.059	2.85	0.042	8.42	13.60	43.7	2.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915384		378	4.05	5.88	0.132	0.101	0.029	0.018	0.08	2.41	9.2	1.93	370	9.60	0.056	0.012
N915385		230	4.39	6.39	0.120	0.113	0.037	0.022	0.07	2.50	10.0	2.17	516	1.89	0.045	0.017
N915386		966	6.69	7.57	0.171	0.101	0.105	0.046	0.11	2.77	9.4	2.22	518	4.94	0.063	0.013
N915387		415	4.87	6.12	0.117	0.108	0.067	0.027	0.19	2.96	7.3	1.79	430	3.79	0.083	0.024
N915388		88.8	3.54	5.48	0.090	0.126	0.004	<0.005	0.22	6.96	5.9	0.79	478	5.77	0.223	0.192
N915389		538	4.03	4.31	0.081	0.151	0.024	0.011	0.13	2.26	4.5	1.30	283	18.45	0.100	0.033
N915390		426	3.96	5.58	0.100	0.125	0.021	0.010	0.25	2.29	6.1	1.39	288	8.47	0.104	0.031
N915391		295	4.53	6.75	0.123	0.114	0.054	0.014	0.58	1.945	8.1	1.59	321	1.19	0.102	0.033
N915392		316	4.75	5.76	0.101	0.114	0.058	0.024	0.58	2.23	6.1	1.44	406	1.13	0.105	0.027
N915393		298	4.24	6.09	0.113	0.141	0.041	0.018	0.57	2.18	6.0	1.50	353	4.72	0.134	0.040
N915394		462	5.61	5.92	0.116	0.140	0.077	0.023	0.20	3.83	6.6	1.48	346	2.96	0.070	0.027
N915395		379	5.30	6.45	0.118	0.125	0.088	0.018	0.25	3.81	7.8	1.57	369	4.98	0.084	0.013
N915396		353	4.97	6.32	0.108	0.122	0.061	0.012	0.14	3.29	7.5	1.32	314	4.56	0.071	0.028
N915397		149.0	4.03	6.32	0.108	0.122	0.028	<0.005	0.65	2.27	8.4	1.78	330	1.39	0.120	0.030
N915398		332	4.73	6.17	0.109	0.128	0.043	0.015	0.41	2.82	6.1	1.68	379	2.36	0.094	0.032
N915399		457	5.07	5.43	0.093	0.093	0.056	0.016	0.21	2.70	5.1	1.38	386	2.43	0.089	0.024
N915400		3500	3.00	3.54	0.065	0.145	0.628	0.087	0.15	8.08	6.2	0.35	640	507	0.092	0.196
N915401		757	4.53	5.69	0.109	0.112	0.072	0.014	0.39	2.63	5.8	1.50	352	11.55	0.109	0.026
N915402		262	4.37	7.03	0.129	0.100	0.048	0.011	0.81	2.15	8.6	1.88	303	3.66	0.134	0.029
N915403		295	4.59	7.19	0.133	0.113	0.040	0.017	0.62	2.38	9.8	2.21	498	5.72	0.097	0.009
N915404		525	5.02	6.98	0.130	0.104	0.072	0.030	0.33	2.26	11.0	2.32	456	3.88	0.078	0.015
N915405		171.0	4.35	6.93	0.128	0.093	0.023	0.017	0.57	2.15	11.8	2.45	476	1.07	0.092	0.012
N915406		455	4.40	6.95	0.141	0.112	0.071	0.015	0.79	1.895	11.8	2.47	417	2.14	0.097	0.022
N915407		346	4.39	7.19	0.129	0.100	0.056	0.020	0.93	1.925	11.4	2.47	379	5.89	0.130	0.016
N915408		332	5.17	6.82	0.138	0.104	0.079	0.013	1.00	2.10	9.5	2.58	409	4.91	0.109	0.016
N915409		490	6.02	8.01	0.172	0.104	0.061	0.037	0.68	2.68	18.4	3.19	523	4.31	0.082	0.012
N915410		198.0	5.02	7.54	0.134	0.107	0.022	0.031	1.68	2.76	7.9	2.84	545	3.34	0.146	0.009
N915411		214	4.56	6.81	0.136	0.116	0.036	0.011	1.08	2.02	8.0	2.18	417	2.09	0.108	0.020
N915412		461	4.00	5.73	0.099	0.133	0.053	0.015	0.56	1.965	5.9	1.54	251	3.04	0.133	0.032
N915413		90.5	3.48	5.10	0.072	0.124	<0.004	0.009	0.22	6.80	5.6	0.78	478	5.65	0.211	0.210
N915414		475	4.23	5.35	0.106	0.138	0.049	<0.005	0.37	2.35	5.7	1.47	275	2.92	0.116	0.040
N915415		551	4.28	6.23	0.125	0.136	0.055	0.019	0.37	2.34	6.6	1.46	292	3.36	0.091	0.046
N915416		252	4.38	7.29	0.118	0.093	0.027	0.010	0.81	2.57	7.8	1.88	298	3.78	0.105	0.030
N915417		674	4.54	7.82	0.146	0.098	0.106	0.020	0.39	2.84	12.7	2.37	358	18.50	0.075	0.021
N915418		2140	4.28	7.60	0.142	0.093	0.058	0.038	0.51	3.18	8.2	2.11	298	11.20	0.119	0.038
N915419		1990	4.43	7.21	0.123	0.108	0.082	0.041	0.30	3.50	12.1	2.41	432	4.29	0.060	0.020
N915420		1600	3.60	6.48	0.110	0.100	0.195	0.011	0.13	2.92	9.7	1.71	219	1.89	0.080	0.051
N915421		1095	2.59	4.52	0.089	0.119	0.099	0.017	0.15	3.50	4.5	1.02	202	1.44	0.104	0.063
N915422		926	2.85	4.45	0.076	0.125	0.094	0.009	0.10	3.76	4.0	0.91	204	2.18	0.118	0.040
N915423		644	3.07	5.25	0.079	0.129	0.129	0.013	0.11	3.68	5.5	1.14	283	2.01	0.110	0.032

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915384		56.4	0.118	0.291	0.007	0.004	7.00	0.050	1.14	0.073	8.88	2.9	0.24	72.4	<0.005	0.06
N915385		58.5	0.110	0.660	0.006	0.002	4.40	0.012	0.79	0.160	10.50	1.7	0.22	69.4	<0.005	0.16
N915386		64.5	0.121	0.851	0.010	0.004	6.78	0.023	4.04	0.147	14.90	5.0	0.30	83.5	<0.005	0.46
N915387		53.5	0.121	0.401	0.016	0.004	10.90	0.012	1.60	0.175	10.60	2.7	0.25	84.8	<0.005	0.16
N915388		13.30	0.058	4.32	0.003	<0.002	6.84	<0.001	0.02	0.208	3.19	0.2	1.36	88.8	<0.005	<0.01
N915389		51.4	0.126	0.317	0.011	0.003	7.83	0.107	1.75	0.098	6.03	2.3	0.19	78.0	<0.005	0.11
N915390		50.0	0.125	0.264	0.008	0.003	13.15	0.067	1.23	0.044	5.19	2.2	0.27	78.7	<0.005	0.04
N915391		51.6	0.124	0.200	0.007	0.004	28.8	0.003	1.30	0.049	4.28	1.8	0.23	68.5	<0.005	0.22
N915392		46.9	0.120	0.823	0.008	0.004	30.0	0.006	1.18	0.316	8.19	2.3	0.22	100.0	<0.005	0.18
N915393		49.5	0.132	0.385	0.011	0.004	28.9	0.016	1.12	0.204	6.80	1.6	0.25	97.7	<0.005	0.21
N915394		30.1	0.171	0.383	0.010	0.002	11.55	0.008	2.50	0.150	12.10	3.4	0.29	98.2	<0.005	0.13
N915395		38.3	0.160	0.392	0.009	0.005	12.30	0.022	2.35	0.087	9.84	3.8	0.38	100.5	<0.005	0.14
N915396		31.7	0.156	0.348	0.008	0.002	7.49	0.014	1.51	0.114	5.71	2.8	0.30	80.1	<0.005	0.17
N915397		85.3	0.133	0.297	0.008	0.004	26.3	0.007	0.81	0.073	3.50	1.4	0.19	78.4	<0.005	0.07
N915398		56.5	0.142	0.405	0.010	0.003	19.20	0.017	1.23	0.066	7.70	1.9	0.27	90.9	<0.005	0.09
N915399		43.2	0.142	0.518	0.008	0.005	10.10	0.010	1.59	0.212	7.62	3.0	0.23	93.2	<0.005	0.09
N915400		25.6	0.073	87.7	0.002	<0.002	4.74	0.099	0.49	123.5	1.825	3.0	1.92	121.0	<0.005	2.22
N915401		77.7	0.131	0.611	0.007	0.004	18.70	0.054	1.83	0.269	7.39	3.6	0.30	89.1	<0.005	0.17
N915402		102.5	0.120	0.338	0.008	0.004	35.0	0.011	1.27	0.119	3.74	1.7	0.18	77.1	<0.005	0.21
N915403		105.5	0.121	0.434	0.008	0.002	25.2	0.025	0.84	0.181	8.75	1.6	0.20	93.3	<0.005	0.09
N915404		115.5	0.126	0.430	0.004	0.003	15.00	0.012	1.69	0.221	8.84	2.4	0.25	82.0	<0.005	0.14
N915405		111.0	0.125	0.254	0.006	0.003	22.1	0.003	0.42	0.130	7.96	1.1	0.23	90.5	<0.005	0.08
N915406		147.0	0.121	0.834	0.008	0.004	31.8	0.007	1.19	0.098	5.94	1.3	0.16	73.7	<0.005	0.13
N915407		144.0	0.119	0.487	0.006	0.006	40.1	0.026	1.17	0.169	7.35	1.6	0.19	98.8	<0.005	0.23
N915408		146.5	0.121	0.450	0.008	0.003	42.9	0.022	1.95	0.154	7.32	2.7	0.21	87.0	<0.005	0.19
N915409		177.5	0.124	0.681	0.010	0.004	30.0	0.028	1.83	0.157	13.20	2.7	0.37	99.6	<0.005	0.22
N915410		162.5	0.127	0.347	0.010	0.005	70.1	0.011	0.73	0.255	11.30	1.6	0.27	113.0	<0.005	0.14
N915411		99.2	0.116	0.328	0.006	0.005	47.7	0.007	0.63	0.142	7.00	1.2	0.21	80.4	<0.005	0.14
N915412		76.1	0.115	0.331	0.006	0.004	28.0	0.018	1.33	0.120	4.32	2.3	0.22	78.2	<0.005	0.27
N915413		13.40	0.056	4.96	0.001	<0.002	6.83	0.002	0.02	0.233	3.31	0.2	1.46	87.4	<0.005	0.01
N915414		82.0	0.117	0.371	0.006	0.004	19.90	0.010	1.59	0.093	4.68	2.4	0.26	69.4	<0.005	0.16
N915415		61.6	0.123	0.350	0.007	0.004	17.95	0.009	1.28	0.061	5.11	3.1	0.27	69.3	<0.005	0.19
N915416		97.0	0.128	0.329	0.005	0.003	33.7	0.013	0.89	0.036	3.72	1.3	0.26	65.8	<0.005	0.09
N915417		132.5	0.121	0.570	0.006	0.003	18.60	0.066	1.30	0.181	7.70	2.7	0.32	75.8	<0.005	0.32
N915418		129.0	0.119	0.441	0.011	0.006	25.2	0.054	1.66	0.103	5.46	4.3	0.42	104.5	<0.005	0.24
N915419		120.5	0.116	1.805	0.011	0.004	14.50	0.030	1.13	0.137	8.56	3.4	0.31	153.0	<0.005	0.14
N915420		92.8	0.122	0.621	0.014	0.005	5.84	0.007	2.26	0.065	4.38	3.8	0.21	98.7	<0.005	0.32
N915421		36.0	0.127	0.452	0.017	0.005	6.62	0.006	1.35	0.096	4.07	2.1	0.26	111.5	<0.005	0.15
N915422		25.3	0.139	0.376	0.014	0.006	3.44	0.006	2.01	0.086	4.33	3.1	0.22	139.5	<0.005	0.15
N915423		28.0	0.136	0.445	0.020	0.007	3.89	0.006	1.52	0.109	5.40	2.2	0.31	110.5	<0.005	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915384		0.315	0.103	0.045	0.112	99.4	0.054	6.99	16.1	2.59
N915385		0.266	0.119	0.048	0.165	119.5	0.065	8.03	23.0	2.36
N915386		0.286	0.060	0.049	0.150	132.5	0.043	9.28	26.2	2.11
N915387		0.298	0.112	0.060	0.170	124.5	0.051	8.91	23.7	2.59
N915388		2.65	0.158	0.042	0.775	97.8	0.572	5.28	44.4	2.22
N915389		0.259	0.128	0.050	0.135	93.4	0.118	6.13	12.2	3.16
N915390		0.286	0.168	0.068	0.165	112.0	0.053	6.96	13.2	3.14
N915391		0.265	0.202	0.160	0.143	133.0	0.048	6.18	13.9	3.11
N915392		0.278	0.152	0.164	0.139	121.5	0.046	7.75	14.1	2.95
N915393		0.314	0.189	0.148	0.161	125.0	0.099	7.21	17.7	4.01
N915394		0.469	0.086	0.077	0.184	130.0	0.045	10.25	15.5	3.88
N915395		0.415	0.079	0.085	0.155	136.5	0.033	11.25	17.9	2.98
N915396		0.420	0.128	0.054	0.184	139.5	0.053	9.36	15.9	3.70
N915397		0.288	0.218	0.142	0.163	128.0	0.069	5.93	13.8	3.26
N915398		0.319	0.135	0.123	0.135	133.0	0.038	9.39	17.1	2.89
N915399		0.322	0.114	0.073	0.140	125.0	0.046	8.94	15.5	2.60
N915400		1.350	0.062	0.055	1.550	36.5	9.34	5.91	126.0	4.68
N915401		0.282	0.121	0.120	0.169	106.0	0.064	7.97	14.3	3.09
N915402		0.234	0.183	0.199	0.132	112.0	0.086	5.19	14.4	2.77
N915403		0.227	0.113	0.166	0.102	113.5	0.049	8.29	18.8	2.56
N915404		0.279	0.099	0.109	0.120	101.0	0.039	7.44	17.7	2.87
N915405		0.293	0.151	0.147	0.140	115.0	0.125	6.82	20.0	3.14
N915406		0.277	0.176	0.208	0.136	107.5	0.103	5.71	15.8	2.99
N915407		0.248	0.169	0.257	0.133	111.5	0.073	5.22	14.3	2.80
N915408		0.263	0.160	0.260	0.135	114.5	0.051	6.13	13.7	2.80
N915409		0.287	0.161	0.173	0.190	152.5	0.034	7.77	18.9	2.86
N915410		0.348	0.195	0.432	0.145	137.0	0.030	7.50	20.8	2.67
N915411		0.305	0.215	0.278	0.161	132.5	0.069	6.27	18.3	3.03
N915412		0.271	0.217	0.153	0.173	108.5	0.126	5.78	12.3	3.52
N915413		2.72	0.156	0.046	0.841	97.8	0.582	5.37	43.1	2.27
N915414		0.259	0.206	0.102	0.152	102.0	0.173	5.47	14.6	3.69
N915415		0.317	0.224	0.095	0.220	122.0	0.151	5.94	13.4	3.79
N915416		0.350	0.248	0.188	0.186	148.0	0.125	5.14	14.1	3.06
N915417		0.313	0.199	0.115	0.197	126.0	0.041	6.43	14.3	3.15
N915418		0.305	0.239	0.120	0.190	128.5	0.072	6.16	17.6	2.71
N915419		0.346	0.190	0.082	0.155	132.0	0.035	7.42	23.1	2.90
N915420		0.264	0.201	0.033	0.126	113.0	0.149	5.11	12.4	2.78
N915421		0.346	0.140	0.034	0.152	93.7	0.167	6.08	10.9	3.36
N915422		0.360	0.103	0.014	0.138	82.3	0.128	6.54	11.5	3.13
N915423		0.345	0.095	0.017	0.148	101.0	0.113	6.98	16.1	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915424		8.20	0.179	0.330	1.46	3.05	<10	31.2	0.17	0.074	1.79	0.032	7.96	23.7	70.6	2.08
N915425		0.05	0.818	50.9	1.04	929	20	105.5	0.15	21.2	3.16	0.850	12.05	32.3	27.3	0.655
N915426		7.55	0.0246	0.317	1.14	4.05	<10	51.4	0.13	0.077	2.54	0.058	7.43	15.90	24.9	1.545
N915427		7.14	0.0214	0.185	1.30	2.69	<10	50.1	0.15	0.030	2.32	0.030	7.49	14.70	42.0	2.31
N915428		6.44	0.0190	0.199	1.27	3.09	<10	73.0	0.18	0.068	2.25	0.039	7.57	17.15	13.20	3.24
N915429		6.90	0.0225	0.300	1.19	8.62	<10	135.0	0.23	0.080	4.42	0.039	10.30	21.2	13.05	3.81
N915430		6.86	0.0144	0.250	1.05	4.09	10	153.0	0.29	0.076	3.68	0.070	11.85	19.85	11.75	6.31
N915431		6.47	0.0296	0.409	1.13	8.24	10	113.5	0.28	0.074	3.85	0.088	12.05	25.9	16.35	4.46
N915432		6.50	0.0357	0.594	1.16	6.89	<10	97.3	0.22	0.094	3.03	0.134	11.30	20.4	12.85	3.83
N915433		5.97	0.0253	0.418	1.12	16.00	<10	83.7	0.23	0.102	3.53	0.098	8.76	27.7	15.50	4.48
N915434		6.52	0.0215	0.267	1.60	3.40	<10	148.5	0.20	0.079	2.72	0.036	9.38	19.90	19.35	3.42
N915435		7.31	0.0124	0.129	1.31	4.87	<10	73.0	0.15	0.101	2.55	0.051	8.40	17.80	16.90	2.71
N915436		6.51	0.0199	0.220	1.36	8.22	<10	77.6	0.18	0.090	3.25	0.061	9.25	22.4	30.2	2.79
N915437		6.14	0.0229	0.483	1.02	16.50	<10	50.3	0.22	0.091	4.22	0.398	9.03	21.1	13.60	5.48
N915438		0.05	0.0011	0.093	1.74	0.96	<10	130.0	0.09	0.058	0.99	0.048	13.15	8.90	16.90	0.305
N915439		7.37	0.0189	0.279	0.93	13.45	10	180.0	0.27	0.069	5.66	0.261	8.04	16.20	12.05	4.99
N915440		6.10	0.0282	0.213	1.60	3.85	<10	24.2	0.19	0.030	2.54	0.041	6.73	18.55	51.8	1.335
N915441		4.61	0.0324	0.193	1.18	2.88	<10	29.1	0.20	0.034	2.08	0.029	7.81	16.80	45.6	2.28
N915442		6.37	0.0159	0.170	0.94	2.29	<10	58.4	0.15	0.030	1.94	0.023	8.98	16.45	24.6	2.93
N915443		5.61	0.0283	0.248	0.76	2.11	<10	38.9	0.19	0.049	2.07	0.054	8.15	16.15	11.30	3.34
N915444		6.80	0.0345	0.280	1.33	4.20	<10	118.5	0.24	0.041	3.20	0.049	8.85	20.4	72.4	4.36
N915445		7.14	0.0594	1.950	1.65	5.33	<10	107.5	0.22	0.188	5.01	0.111	10.55	33.0	82.5	4.85
N915446		7.71	0.0274	0.497	1.74	3.66	<10	74.8	0.28	0.094	3.21	0.067	8.11	31.6	124.5	4.91
N915447		8.31	0.0238	0.199	2.04	3.65	<10	34.7	0.21	0.083	2.52	0.011	6.45	26.9	120.0	3.94
N915448		7.31	0.0243	0.206	2.14	3.89	<10	33.2	0.27	0.055	4.48	0.054	7.29	30.6	131.0	6.34
N915449		7.53	0.0140	0.254	2.06	3.46	<10	49.3	0.27	0.029	3.39	0.042	5.59	23.5	166.5	4.62
N915450		0.05	0.849	53.7	1.09	955	20	109.0	0.17	22.8	3.28	0.935	12.90	35.5	29.7	0.734
N915451		7.68	0.0157	0.295	1.92	5.49	<10	10.0	0.22	0.052	2.77	0.030	4.09	28.0	144.5	3.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915424		1015	3.65	5.50	0.097	0.124	0.095	0.015	0.10	3.45	6.4	1.33	206	3.68	0.105	0.027
N915425		3470	2.81	3.45	0.066	0.132	0.648	0.094	0.14	7.36	6.4	0.35	634	516	0.089	0.211
N915426		856	2.51	4.77	0.086	0.148	0.148	0.008	0.11	3.11	5.1	1.00	189.0	4.49	0.090	0.048
N915427		597	2.77	5.01	0.106	0.143	0.072	0.007	0.08	3.29	5.5	1.03	213	1.29	0.088	0.048
N915428		419	2.65	4.60	0.066	0.121	0.123	0.007	0.12	3.22	4.8	0.85	185.5	1.84	0.090	0.067
N915429		416	3.06	4.80	0.056	0.093	0.081	0.023	0.17	4.37	7.1	1.03	371	4.12	0.048	0.018
N915430		333	3.51	3.85	0.048	0.078	0.104	0.027	0.20	5.14	4.9	1.33	440	1.99	0.043	0.006
N915431		508	3.51	4.63	0.054	0.096	0.099	0.033	0.16	5.19	5.9	1.05	450	2.55	0.058	0.014
N915432		493	3.52	4.11	0.052	0.064	0.183	0.024	0.23	4.57	5.9	1.32	336	2.50	0.039	0.003
N915433		288	4.05	4.19	0.054	0.102	0.107	0.014	0.16	3.63	6.2	1.22	308	3.20	0.060	0.029
N915434		293	3.25	6.10	0.076	0.153	0.103	0.026	0.14	4.11	7.8	1.27	313	3.20	0.116	0.043
N915435		181.5	3.47	5.08	0.070	0.123	0.195	0.008	0.13	3.39	6.5	1.21	265	4.91	0.101	0.042
N915436		184.5	4.51	5.84	0.068	0.107	0.137	0.028	0.12	3.83	7.7	1.37	450	2.78	0.067	0.012
N915437		104.5	4.41	3.85	0.049	0.070	0.375	0.007	0.19	3.88	4.9	1.33	540	2.09	0.029	0.017
N915438		85.0	3.28	5.20	0.065	0.102	0.005	<0.005	0.21	6.18	5.8	0.77	474	5.42	0.195	0.175
N915439		144.0	4.20	3.21	0.045	0.086	0.248	0.008	0.22	3.54	3.7	2.03	814	5.56	0.041	0.031
N915440		597	4.02	6.52	0.101	0.162	0.241	0.008	0.08	2.89	8.0	1.63	395	1.70	0.065	0.055
N915441		518	3.14	5.25	0.078	0.183	0.078	0.013	0.11	3.36	5.9	1.10	274	1.50	0.072	0.064
N915442		469	2.63	4.26	0.063	0.197	0.091	0.011	0.10	3.80	4.5	0.86	266	1.83	0.069	0.065
N915443		715	2.24	3.96	0.063	0.179	0.154	0.023	0.14	3.38	3.4	0.79	243	2.92	0.067	0.053
N915444		750	4.10	5.43	0.069	0.149	0.143	0.035	0.28	3.73	5.9	1.49	504	2.58	0.087	0.016
N915445		1290	4.27	6.25	0.060	0.154	0.164	0.068	0.27	4.34	7.2	2.00	811	4.93	0.071	0.012
N915446		989	5.67	8.29	0.110	0.212	0.192	0.045	0.20	3.27	10.2	2.20	543	22.4	0.079	0.026
N915447		454	4.83	7.71	0.111	0.248	0.044	0.022	0.51	2.35	11.8	2.10	413	13.30	0.134	0.041
N915448		503	4.38	7.72	0.117	0.238	0.086	0.020	0.39	2.83	13.6	2.45	688	14.80	0.115	0.023
N915449		724	4.85	7.50	0.103	0.214	0.025	0.047	0.31	2.25	14.2	2.26	577	9.84	0.084	0.021
N915450		3570	2.89	3.43	0.065	0.146	0.698	0.105	0.15	8.21	6.9	0.36	654	535	0.095	0.223
N915451		686	3.65	7.05	0.100	0.219	0.062	0.012	0.22	1.525	15.6	2.17	343	18.80	0.053	0.029

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915424		42.5	0.126	0.384	0.011	0.006	3.84	0.014	1.95	0.050	4.97	3.0	0.27	86.6	<0.005	0.20
N915425		25.8	0.072	75.8	0.003	<0.002	4.61	0.091	0.48	122.0	2.04	2.7	1.65	119.5	<0.005	2.03
N915426		16.75	0.125	0.608	0.016	0.009	3.35	0.008	1.64	0.148	4.30	2.9	0.32	81.1	<0.005	0.24
N915427		25.6	0.130	0.512	0.025	0.007	2.91	0.002	1.13	0.077	4.84	1.9	0.24	79.8	<0.005	0.12
N915428		12.15	0.129	0.522	0.017	0.004	4.32	0.004	1.70	0.129	3.67	1.9	0.26	85.5	<0.005	0.16
N915429		13.70	0.126	1.065	0.005	0.004	5.89	0.007	1.84	0.195	8.13	2.8	0.23	94.3	<0.005	0.18
N915430		16.70	0.125	2.08	0.004	0.002	8.51	0.006	1.80	0.632	8.50	2.2	0.21	104.5	<0.005	0.21
N915431		17.05	0.129	1.190	0.003	0.003	6.57	0.005	1.81	0.305	10.75	2.8	0.31	105.5	<0.005	0.14
N915432		13.85	0.129	3.39	0.003	0.004	8.85	0.005	2.63	0.812	7.35	3.7	0.16	80.5	<0.005	0.31
N915433		16.90	0.120	5.07	0.012	0.003	6.31	0.009	3.25	1.145	7.06	3.9	0.18	97.4	<0.005	0.21
N915434		14.25	0.131	1.215	0.018	0.009	5.05	0.005	1.78	0.248	7.36	1.7	0.18	161.0	<0.005	0.26
N915435		15.00	0.126	1.150	0.014	0.015	5.12	0.006	2.78	0.272	5.35	2.9	0.23	116.5	<0.005	0.28
N915436		22.9	0.120	2.11	0.008	0.008	5.09	0.007	2.96	0.395	8.58	3.4	0.21	82.4	<0.005	0.42
N915437		20.0	0.125	69.5	0.011	0.007	8.43	0.005	3.02	5.77	5.92	4.3	0.15	81.2	<0.005	0.33
N915438		13.60	0.058	4.36	0.001	<0.002	6.65	<0.001	<0.01	0.238	2.97	0.2	1.24	79.8	<0.005	0.01
N915439		20.4	0.098	14.90	0.006	0.005	9.81	0.005	1.83	2.23	5.97	1.7	0.11	95.7	<0.005	0.22
N915440		36.8	0.130	1.110	0.013	0.006	3.02	0.005	1.50	0.284	4.67	1.8	0.25	49.2	<0.005	0.06
N915441		30.3	0.133	0.429	0.008	0.008	5.78	0.003	1.13	0.192	3.79	1.2	0.27	68.9	<0.005	0.12
N915442		19.50	0.138	0.691	0.008	0.007	4.55	0.004	1.10	0.179	5.45	1.0	0.30	121.0	<0.005	0.14
N915443		12.85	0.130	0.488	0.008	0.007	6.25	0.024	1.33	0.127	5.44	1.5	0.20	72.2	<0.005	0.19
N915444		53.0	0.127	1.850	0.008	0.007	15.85	0.020	0.84	0.419	11.15	1.2	0.31	131.0	<0.005	0.17
N915445		75.3	0.120	1.980	0.010	0.006	16.45	0.030	1.50	0.407	14.30	2.3	0.44	124.5	<0.005	0.54
N915446		89.8	0.124	0.949	0.009	0.006	13.25	0.117	1.39	0.541	12.40	2.3	0.58	121.0	<0.005	0.29
N915447		77.5	0.128	0.471	0.013	0.005	30.7	0.037	0.44	0.264	9.44	1.4	0.48	93.8	<0.005	0.21
N915448		115.5	0.112	1.220	0.009	0.005	23.1	0.033	0.61	0.465	10.50	2.2	0.39	133.0	<0.005	0.20
N915449		126.0	0.122	1.210	0.009	0.006	19.30	0.025	0.27	0.320	10.65	1.7	0.30	181.0	<0.005	0.08
N915450		28.4	0.074	81.9	0.004	<0.002	5.04	0.092	0.49	132.0	2.50	2.5	1.88	128.5	<0.005	2.42
N915451		127.5	0.113	0.635	0.005	0.005	13.35	0.061	0.47	0.200	4.91	2.0	0.37	62.8	<0.005	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915424		0.355	0.116	0.018	0.158	99.9	0.098	6.68	12.7	3.01
N915425		1.285	0.060	0.048	1.510	32.8	7.75	5.12	115.5	4.09
N915426		0.328	0.110	0.019	0.216	78.9	0.145	6.32	11.6	3.35
N915427		0.335	0.118	0.016	0.145	92.1	0.073	5.88	11.3	3.28
N915428		0.266	0.109	0.020	0.134	80.4	0.164	6.23	12.8	3.08
N915429		0.238	0.030	0.029	0.128	83.1	0.080	8.43	19.0	2.27
N915430		0.300	0.009	0.047	0.197	75.5	0.038	10.40	18.7	2.20
N915431		0.306	0.023	0.041	0.192	94.2	0.059	10.25	21.2	2.48
N915432		0.233	0.005	0.054	0.151	80.6	0.062	9.15	17.6	2.10
N915433		0.255	0.036	0.044	0.101	77.3	0.110	8.41	28.5	2.24
N915434		0.362	0.099	0.030	0.149	108.5	0.171	8.09	14.9	3.08
N915435		0.315	0.077	0.030	0.172	87.4	0.205	7.60	13.9	4.74
N915436		0.331	0.023	0.032	0.129	100.5	0.063	9.27	24.7	2.30
N915437		0.263	0.023	0.059	0.132	71.8	0.097	8.98	139.5	2.06
N915438		2.50	0.150	0.038	0.816	89.9	0.751	4.78	40.7	1.88
N915439		0.213	0.027	0.063	0.237	67.1	0.097	9.92	53.2	2.41
N915440		0.275	0.220	0.028	0.130	114.0	0.238	5.86	15.5	3.93
N915441		0.305	0.157	0.038	0.182	95.8	0.213	6.17	14.7	4.77
N915442		0.351	0.123	0.040	0.199	82.4	0.152	7.39	12.4	5.24
N915443		0.330	0.091	0.044	0.225	66.5	0.127	7.16	11.2	4.89
N915444		0.308	0.092	0.102	0.229	111.5	0.068	10.05	18.7	3.90
N915445		0.283	0.047	0.094	0.199	116.5	0.058	11.75	30.9	3.24
N915446		0.364	0.118	0.077	0.241	130.5	0.074	10.95	24.6	5.40
N915447		0.310	0.240	0.186	0.270	142.5	0.165	9.75	17.8	7.09
N915448		0.282	0.200	0.132	0.226	130.5	0.140	11.25	20.7	7.05
N915449		0.299	0.205	0.113	0.203	123.5	0.137	10.70	25.0	6.09
N915450		1.335	0.064	0.053	1.570	37.3	8.26	5.79	124.5	4.45
N915451		0.237	0.206	0.097	0.207	100.5	0.261	7.46	16.9	6.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14120996

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

CERTIFICATE KL14125373

Project: Dillard

This report is for 87 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 28- AUG- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915716		6.34	0.0185	0.244	0.64	2.37	<10	77.1	0.13	0.428	1.85	0.111	4.16	21.3	15.65	1.370
N915717		7.36	0.0738	0.882	0.46	3.55	10	96.4	0.17	0.567	1.99	0.229	5.27	26.8	41.0	0.878
N915718		7.00	0.0119	0.132	0.56	1.44	<10	42.7	0.12	0.786	1.54	0.074	6.62	5.71	84.1	0.759
N915719		7.63	0.0392	0.247	0.74	1.65	<10	39.7	0.18	0.136	2.83	0.115	6.64	11.30	107.5	1.605
N915720		6.80	0.299	0.207	0.65	2.72	<10	74.2	0.20	2.44	2.42	0.130	7.37	7.99	87.1	1.705
N915721		7.31	0.101	0.176	1.16	4.84	<10	66.8	0.16	0.423	3.02	0.051	5.72	13.35	96.1	2.32
N915722		7.44	0.0061	0.099	1.13	2.39	<10	48.6	0.17	0.058	2.99	0.041	4.17	14.25	156.5	3.57
N915723		7.29	0.0144	0.220	1.03	1.87	<10	58.3	0.13	0.117	1.82	0.033	4.74	13.50	162.0	1.725
N915724		7.43	0.0089	0.288	0.87	1.55	<10	35.0	0.13	0.035	2.05	0.016	4.83	11.60	151.5	1.095
N915725		0.05	0.761	56.0	1.09	1000	20	112.0	0.17	24.5	3.44	0.887	13.40	35.4	30.5	0.757
N915726		7.61	0.0237	0.585	1.11	2.27	<10	35.6	0.12	0.756	2.25	0.038	4.73	15.75	137.0	1.255
N915727		5.20	0.0094	0.159	1.07	1.58	<10	55.7	0.17	0.038	2.34	0.051	5.03	11.30	79.6	1.330
N915728		6.90	0.232	0.338	1.21	1.47	<10	62.3	0.16	0.084	1.86	0.035	4.94	9.99	32.5	1.680
N915729		7.79	0.0162	0.217	0.82	2.05	<10	53.5	0.18	0.112	1.87	0.081	4.43	11.70	30.5	1.800
N915730		6.60	0.0330	0.448	2.31	2.48	<10	84.2	0.27	0.414	2.68	0.101	3.94	23.8	21.0	3.87
N915731		7.51	0.0433	0.464	2.86	2.51	<10	69.3	0.39	0.400	3.35	0.207	3.70	24.4	20.9	4.69
N915732		7.14	0.0113	0.158	0.87	3.15	<10	62.4	0.23	0.087	2.84	0.164	5.86	17.65	10.55	4.98
N915733		7.56	0.0035	0.079	0.80	5.97	<10	155.0	0.23	0.057	3.43	0.094	7.44	9.82	10.05	7.62
N915734		6.28	0.0154	0.044	0.56	1.03	<10	114.0	0.16	0.100	1.01	0.040	7.23	3.71	15.90	1.040
N915735		8.70	0.0545	0.056	0.57	1.98	<10	99.4	0.17	0.163	1.64	0.053	6.66	3.68	12.95	0.840
N915736		8.59	0.0116	0.032	0.76	1.65	<10	61.6	0.13	0.053	1.26	0.034	7.74	9.02	17.90	0.855
N915737		4.52	0.0278	0.042	0.77	1.85	<10	61.4	0.14	0.192	1.42	0.039	7.04	9.94	17.30	1.300
N915738		0.05	0.0009	0.103	1.69	1.29	<10	127.0	0.11	0.069	0.98	0.070	14.55	9.82	19.10	0.339
N915739		4.78	0.205	0.073	0.70	2.16	<10	28.5	0.30	0.218	2.24	0.058	9.48	5.14	14.35	2.08
N915740		7.29	0.123	0.132	0.74	2.02	<10	106.0	0.15	0.335	1.81	0.078	7.46	14.50	16.70	1.805
N915741		6.15	3.51	0.496	0.93	2.18	<10	59.2	0.20	1.325	2.16	0.072	7.60	10.35	19.65	2.14
N915742		6.39	1.055	0.294	0.65	1.93	<10	72.6	0.15	1.490	1.43	0.078	6.80	6.60	15.45	1.425
N915743		7.24	0.129	0.042	0.66	2.23	<10	84.4	0.14	0.096	1.66	0.075	6.51	6.28	17.05	1.620
N915744		6.38	0.0048	0.069	0.76	1.87	<10	118.5	0.15	0.148	2.49	0.077	6.88	15.95	19.40	1.500
N915745		7.19	0.0071	0.063	0.65	1.36	<10	89.1	0.10	0.240	1.38	0.060	5.55	7.51	14.55	0.780
N915746		7.01	0.0047	0.066	0.82	1.25	<10	124.5	0.10	0.031	1.36	0.051	5.39	7.16	18.90	0.952
N915747		6.70	0.0768	0.116	0.66	1.62	<10	70.5	0.12	0.547	1.54	0.057	4.85	7.24	16.50	1.170
N915748		7.12	0.124	0.138	0.60	1.77	<10	36.7	0.15	0.250	2.15	0.064	6.34	5.85	92.2	1.225
N915749		6.80	0.314	0.346	0.68	1.80	<10	39.2	0.15	0.857	2.03	0.046	5.89	8.88	73.7	2.27
N915750		0.05	0.871	55.0	1.03	948	20	106.0	0.16	24.3	3.26	1.005	13.35	35.2	30.3	0.779
N915751		6.29	0.0935	0.380	0.79	9.15	<10	34.5	0.26	0.787	4.07	0.343	4.37	38.6	85.3	3.51
N915752		7.08	0.0277	0.313	0.74	2.13	<10	213	0.24	0.102	2.77	0.052	4.58	9.38	119.5	4.55
N915753		7.66	0.0092	0.122	0.87	1.75	<10	29.7	0.20	0.036	2.48	0.054	4.93	10.45	149.5	2.72
N915754		7.11	0.0280	0.207	0.74	1.75	<10	26.0	0.18	0.088	2.29	0.056	4.94	10.35	82.1	2.71
N915755		6.51	0.0415	0.048	1.00	1.05	<10	64.2	0.16	0.048	1.92	0.031	5.16	8.55	33.8	3.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915716		113.5	1.980	2.71	0.069	0.109	0.173	0.007	0.13	2.05	5.6	0.48	242	0.21	0.067	0.066
N915717		696	2.22	2.15	0.060	0.123	0.067	0.028	0.09	2.42	2.8	0.40	303	0.16	0.052	0.114
N915718		98.2	2.20	2.73	0.096	0.148	0.066	0.015	0.13	2.99	3.3	0.45	210	0.15	0.058	0.133
N915719		204	2.99	3.41	0.103	0.132	0.034	0.014	0.14	2.94	4.5	0.85	459	0.14	0.055	0.087
N915720		148.0	2.80	2.91	0.078	0.140	0.290	0.025	0.11	3.25	4.1	0.87	428	0.14	0.044	0.066
N915721		196.5	2.97	4.23	0.092	0.120	0.100	0.035	0.30	2.62	11.1	1.36	579	0.09	0.053	0.027
N915722		58.0	2.53	3.56	0.074	0.102	0.024	0.012	0.37	1.985	9.1	1.55	600	0.18	0.057	0.014
N915723		129.5	2.52	3.52	0.096	0.119	0.010	<0.005	0.37	2.28	8.3	1.33	399	0.11	0.072	0.017
N915724		224	2.35	3.04	0.081	0.119	0.009	0.012	0.21	2.32	7.3	1.12	406	0.09	0.063	0.016
N915725		3830	3.10	3.53	0.057	0.151	0.691	0.091	0.15	8.11	7.5	0.38	667	559	0.100	0.218
N915726		325	3.03	3.90	0.087	0.099	0.113	0.013	0.25	2.25	9.5	1.35	430	0.58	0.061	0.018
N915727		25.0	2.40	4.39	0.061	0.133	0.038	0.006	0.10	2.31	8.5	1.06	373	0.26	0.073	0.023
N915728		110.0	2.12	4.49	0.043	0.084	0.102	0.005	0.20	2.25	10.8	0.88	296	0.21	0.093	0.026
N915729		109.5	1.680	3.14	0.052	0.115	0.053	0.013	0.12	2.15	5.7	0.51	242	0.68	0.069	0.049
N915730		130.0	3.48	7.07	0.064	0.085	0.195	0.013	0.54	1.820	12.6	1.20	424	0.45	0.201	0.014
N915731		186.0	3.70	8.78	0.076	0.068	0.240	0.011	0.74	1.740	14.0	1.51	542	0.67	0.233	0.010
N915732		81.1	2.20	3.49	0.039	0.127	0.090	0.011	0.13	2.70	5.9	0.75	469	1.09	0.056	0.026
N915733		56.3	2.81	3.64	0.051	0.100	0.066	0.018	0.12	3.30	5.7	1.12	553	0.58	0.052	0.016
N915734		34.8	1.260	2.18	0.055	0.132	0.012	0.005	0.11	3.61	2.9	0.22	168.0	0.22	0.069	0.086
N915735		40.0	1.280	2.58	0.039	0.150	0.015	0.014	0.12	3.21	3.9	0.34	235	0.32	0.053	0.078
N915736		7.65	1.460	3.13	0.058	0.113	0.015	<0.005	0.13	3.52	6.8	0.51	163.0	0.76	0.052	0.107
N915737		18.55	1.650	3.33	0.054	0.127	0.017	0.008	0.14	3.14	6.6	0.56	201	0.36	0.045	0.086
N915738		95.8	3.35	5.43	0.070	0.121	<0.004	0.007	0.21	6.63	6.7	0.78	470	5.47	0.191	0.167
N915739		106.0	1.750	2.74	0.051	0.162	0.166	0.018	0.09	4.34	2.8	0.47	337	0.15	0.038	0.049
N915740		143.5	2.02	2.98	0.050	0.119	0.050	0.013	0.11	3.55	4.9	0.45	224	0.14	0.067	0.098
N915741		79.8	2.20	3.69	0.058	0.126	0.074	0.009	0.13	3.59	7.6	0.72	282	0.16	0.068	0.073
N915742		135.5	1.860	2.78	0.036	0.136	0.474	0.012	0.11	3.20	4.6	0.40	226	0.39	0.059	0.073
N915743		55.0	1.580	3.03	0.058	0.141	0.045	0.013	0.08	2.93	4.9	0.48	269	0.28	0.040	0.052
N915744		11.15	2.07	3.40	0.047	0.140	0.177	0.007	0.09	3.31	7.2	0.66	317	0.11	0.053	0.051
N915745		16.20	1.290	2.82	0.059	0.138	0.245	0.010	0.08	2.66	4.4	0.43	177.0	0.11	0.061	0.085
N915746		57.9	1.710	3.29	0.042	0.135	0.109	0.005	0.14	2.59	5.8	0.46	174.5	0.14	0.085	0.066
N915747		66.1	1.380	3.30	0.042	0.117	0.038	0.013	0.09	2.30	6.4	0.49	207	0.20	0.042	0.068
N915748		96.8	2.16	3.31	0.089	0.174	0.051	0.025	0.09	2.91	4.4	0.58	305	0.16	0.054	0.106
N915749		320	2.30	3.31	0.051	0.138	0.075	0.024	0.10	2.70	5.5	0.70	316	0.14	0.048	0.071
N915750		3620	2.93	3.68	0.060	0.126	0.672	0.098	0.15	8.01	7.1	0.36	631	528	0.093	0.229
N915751		114.0	3.35	3.13	0.063	0.106	0.100	0.023	0.12	2.01	5.7	1.27	759	0.68	0.037	0.030
N915752		186.5	1.860	2.64	0.059	0.103	0.010	0.011	0.14	2.13	5.2	0.96	511	0.10	0.041	0.023
N915753		118.0	2.13	3.13	0.081	0.117	0.007	0.010	0.11	2.34	9.2	1.08	416	0.20	0.063	0.023
N915754		177.0	1.950	2.96	0.042	0.122	0.035	0.006	0.10	2.31	6.9	0.78	349	0.60	0.056	0.044
N915755		30.7	1.820	3.66	0.043	0.114	0.028	0.005	0.15	2.40	7.7	0.67	273	0.13	0.101	0.039

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915716		11.15	0.105	2.27	0.005	0.003	5.96	0.001	0.97	0.397	2.99	0.8	0.13	45.1	<0.005	0.32
N915717		15.30	0.118	3.57	0.013	0.006	3.15	0.001	0.81	0.593	4.17	0.7	0.18	53.2	<0.005	0.39
N915718		19.65	0.129	1.100	0.011	0.002	5.57	<0.001	0.04	0.515	2.89	0.2	0.25	55.8	<0.005	0.41
N915719		34.1	0.130	1.760	0.018	0.005	7.56	<0.001	0.12	0.686	6.78	0.4	0.30	70.7	<0.005	0.14
N915720		28.0	0.126	14.40	0.010	0.006	5.92	<0.001	0.05	1.510	7.65	0.4	0.22	67.9	<0.005	1.39
N915721		38.4	0.116	2.13	0.007	0.005	13.45	<0.001	0.31	0.529	8.26	0.5	0.17	63.2	<0.005	0.22
N915722		49.0	0.119	0.831	0.013	0.006	17.00	<0.001	0.05	0.462	7.32	0.1	0.12	70.6	<0.005	0.04
N915723		41.8	0.127	0.779	0.012	0.006	15.60	<0.001	0.06	0.268	5.43	0.2	0.15	50.0	<0.005	0.07
N915724		36.4	0.125	0.541	0.014	0.005	7.84	<0.001	0.03	0.263	6.52	0.3	0.15	51.9	<0.005	0.06
N915725		27.8	0.077	80.8	0.002	<0.002	4.97	0.092	0.52	134.0	2.11	2.7	1.95	131.0	<0.005	2.75
N915726		37.0	0.125	0.686	0.013	0.006	9.77	0.001	0.65	0.293	5.39	0.3	0.12	44.3	<0.005	0.88
N915727		20.8	0.123	0.839	0.011	0.004	3.41	<0.001	0.21	0.325	6.80	0.5	0.22	66.6	<0.005	0.09
N915728		10.80	0.114	1.025	0.008	0.003	8.04	<0.001	0.37	0.288	4.78	0.3	0.15	60.7	<0.005	0.19
N915729		11.05	0.116	1.745	0.010	0.004	4.68	0.002	0.42	0.547	4.31	0.3	0.22	55.5	<0.005	0.16
N915730		16.85	0.115	2.26	0.011	0.005	20.2	0.001	1.83	0.284	12.10	0.9	0.28	78.3	<0.005	0.68
N915731		17.70	0.117	4.28	0.010	0.003	28.7	0.002	1.69	0.359	13.80	0.6	0.24	101.5	<0.005	0.62
N915732		14.85	0.122	3.28	0.009	0.003	7.03	0.004	0.40	0.570	9.13	0.6	0.20	88.9	<0.005	0.05
N915733		11.80	0.122	2.24	0.004	<0.002	7.52	0.002	0.17	0.965	9.74	0.3	0.14	79.5	<0.005	0.02
N915734		4.49	0.112	1.010	0.004	<0.002	3.34	0.001	0.03	0.226	2.67	0.2	0.12	49.2	<0.005	0.04
N915735		5.39	0.107	1.385	0.005	0.002	3.59	<0.001	0.05	0.394	3.45	0.2	0.13	51.0	<0.005	0.10
N915736		8.54	0.125	0.994	0.005	0.003	5.91	0.002	0.14	0.252	2.29	0.2	0.12	64.9	<0.005	0.06
N915737		10.35	0.119	1.225	0.006	0.005	6.11	0.001	0.27	0.429	3.40	0.2	0.17	58.1	<0.005	0.15
N915738		14.50	0.055	4.11	0.001	<0.002	6.92	0.001	0.01	0.234	2.92	0.1	1.37	87.2	<0.005	<0.01
N915739		7.94	0.121	1.345	0.009	0.004	4.22	<0.001	0.06	0.743	7.58	0.1	0.18	88.5	<0.005	0.24
N915740		8.58	0.121	1.580	0.007	0.004	4.38	<0.001	0.39	0.483	3.92	0.4	0.15	75.6	<0.005	0.34
N915741		9.96	0.121	1.555	0.005	0.004	6.53	<0.001	0.23	0.491	5.25	0.2	0.13	83.1	<0.005	1.55
N915742		7.05	0.108	1.865	0.015	0.002	4.26	0.001	0.24	0.334	3.99	<0.1	0.18	65.1	<0.005	1.74
N915743		8.85	0.110	2.28	0.006	0.003	3.70	<0.001	0.07	0.595	4.41	0.1	0.17	77.4	<0.005	0.07
N915744		10.35	0.103	2.19	0.006	0.002	3.98	<0.001	0.40	0.437	4.95	0.2	0.16	79.1	<0.005	0.11
N915745		7.27	0.102	1.575	0.005	0.004	3.45	<0.001	0.17	0.296	3.16	0.3	0.12	63.3	<0.005	0.15
N915746		8.85	0.097	1.235	0.007	0.003	5.45	<0.001	0.13	0.213	3.41	0.1	0.16	64.6	<0.005	0.06
N915747		11.30	0.102	1.635	0.010	0.004	4.09	0.001	0.18	0.498	3.66	0.4	0.18	55.4	<0.005	0.39
N915748		24.2	0.116	1.445	0.010	0.004	3.52	<0.001	0.04	0.540	4.91	0.1	0.27	56.7	<0.005	0.18
N915749		23.0	0.113	1.280	0.011	0.008	5.75	<0.001	0.14	0.550	7.05	0.1	0.20	71.0	<0.005	0.71
N915750		28.3	0.071	83.7	0.004	<0.002	5.00	0.090	0.49	131.5	2.03	2.8	1.85	127.5	<0.005	2.88
N915751		51.6	0.100	6.61	0.012	0.006	7.24	0.001	1.20	0.950	9.13	1.2	0.16	90.1	<0.005	0.39
N915752		33.3	0.120	1.325	0.015	0.005	7.97	<0.001	0.06	0.573	8.35	0.4	0.18	83.2	<0.005	0.09
N915753		38.2	0.117	1.310	0.015	0.005	5.12	<0.001	0.03	0.313	7.72	0.3	0.14	76.3	<0.005	0.06
N915754		20.8	0.121	1.120	0.012	0.004	4.81	0.001	0.36	0.306	5.28	0.8	0.18	59.8	<0.005	0.19
N915755		11.55	0.109	0.775	0.003	0.002	7.27	<0.001	0.19	0.168	4.89	0.2	0.16	66.0	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915716		0.294	0.118	0.041	0.142	58.4	1.170	4.63	15.2	2.60
N915717		0.381	0.162	0.020	0.187	70.3	0.379	6.11	13.8	2.49
N915718		0.424	0.187	0.028	0.254	80.6	0.272	6.61	11.5	3.67
N915719		0.371	0.207	0.040	0.217	101.5	0.352	8.23	26.2	3.88
N915720		0.498	0.159	0.104	0.245	93.9	0.279	8.15	79.4	3.71
N915721		0.378	0.160	0.088	0.209	112.0	0.210	5.97	36.3	2.90
N915722		0.393	0.119	0.112	0.195	74.7	0.206	4.04	37.0	2.86
N915723		0.487	0.151	0.078	0.231	87.4	0.112	3.72	26.5	3.13
N915724		0.435	0.130	0.037	0.231	81.6	0.108	3.96	25.2	3.40
N915725		1.435	0.063	0.051	1.785	37.8	8.22	5.86	127.0	4.61
N915726		0.418	0.142	0.050	0.174	87.2	0.214	3.93	29.1	2.93
N915727		0.342	0.100	0.021	0.173	94.2	0.362	4.70	23.5	3.64
N915728		0.303	0.093	0.053	0.149	82.5	0.697	4.80	18.2	2.25
N915729		0.291	0.132	0.038	0.188	71.2	0.764	4.66	16.1	2.61
N915730		0.254	0.132	0.134	0.132	139.0	1.890	5.85	40.2	1.70
N915731		0.279	0.127	0.211	0.194	174.5	1.400	5.84	52.2	1.58
N915732		0.299	0.090	0.089	0.146	92.7	0.300	7.01	28.5	2.73
N915733		0.353	0.059	0.601	0.134	115.5	0.240	9.02	37.6	2.27
N915734		0.460	0.107	0.018	0.231	62.1	0.175	5.70	7.4	3.34
N915735		0.431	0.109	0.017	0.238	68.1	0.327	5.79	11.6	3.81
N915736		0.482	0.159	0.025	0.196	79.6	0.586	6.01	12.7	3.35
N915737		0.481	0.154	0.035	0.183	77.6	1.225	6.12	15.0	3.54
N915738		2.82	0.150	0.044	0.822	97.2	0.771	5.30	43.8	2.09
N915739		0.585	0.113	0.029	0.209	78.8	0.337	7.97	14.6	3.84
N915740		0.526	0.131	0.027	0.204	82.4	0.292	6.25	13.9	3.60
N915741		0.494	0.133	0.051	0.200	94.7	0.287	6.41	17.9	3.34
N915742		0.446	0.103	0.030	0.189	73.8	0.944	5.86	12.9	3.20
N915743		0.369	0.113	0.021	0.167	66.3	0.492	5.78	16.9	3.18
N915744		0.322	0.104	0.023	0.174	81.1	0.271	5.93	17.3	3.29
N915745		0.360	0.135	0.019	0.194	67.1	0.272	4.75	12.2	3.29
N915746		0.458	0.167	0.028	0.257	100.0	0.231	4.79	10.8	3.03
N915747		0.341	0.142	0.025	0.218	72.1	1.145	4.85	15.3	2.98
N915748		0.387	0.192	0.027	0.274	90.9	0.315	6.96	17.3	4.30
N915749		0.376	0.161	0.050	0.233	89.7	0.370	6.39	21.0	3.62
N915750		1.410	0.060	0.048	1.560	38.2	9.28	5.85	123.5	4.61
N915751		0.312	0.099	0.082	0.182	74.0	0.490	5.45	36.5	2.76
N915752		0.405	0.100	0.053	0.215	62.0	0.167	4.46	25.2	2.89
N915753		0.429	0.114	0.035	0.235	72.1	0.155	3.96	29.4	3.46
N915754		0.354	0.095	0.039	0.205	66.9	0.278	4.45	21.3	3.12
N915755		0.344	0.088	0.046	0.174	72.2	0.187	4.87	15.6	2.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915756		6.89	0.0190	0.148	0.85	1.90	<10	29.6	0.14	0.079	2.26	0.067	5.03	12.15	122.0	1.720
N915757		7.61	0.0122	0.236	0.78	1.62	<10	37.2	0.15	0.037	1.99	0.071	5.74	12.15	133.0	1.915
N915758		5.81	0.0086	0.121	0.88	1.88	<10	104.5	0.16	0.062	1.95	0.061	5.48	10.35	16.70	2.75
N915759		7.01	0.0071	0.111	0.96	1.17	<10	115.5	0.17	0.046	1.52	0.039	5.20	9.17	16.60	1.920
N915760		5.24	0.0031	0.050	1.17	1.41	<10	108.0	0.20	0.036	1.78	0.067	6.45	9.66	12.15	4.41
N915761		3.11	0.0161	0.146	0.86	1.94	<10	134.0	0.27	0.072	2.33	0.051	6.71	12.80	11.70	5.87
N915762		7.48	0.0198	0.217	1.00	1.46	<10	136.5	0.24	0.067	2.76	0.057	5.24	14.30	17.30	4.71
N915763		0.05	0.0012	0.093	1.86	1.05	<10	138.0	0.13	0.081	1.10	0.090	15.65	9.36	19.55	0.345
N915764		6.75	0.0190	0.181	1.52	1.52	<10	66.1	0.21	0.130	2.79	0.086	4.29	20.2	22.6	3.39
N915765		6.62	0.0430	0.225	3.36	1.86	<10	91.7	0.34	0.290	2.30	0.125	3.68	27.9	28.8	3.97
N915766		6.53	0.0176	0.256	1.35	1.02	<10	76.8	0.15	0.065	1.86	0.091	4.39	13.35	20.3	2.20
N915767		5.67	0.0171	0.192	1.34	2.15	<10	141.0	0.20	0.057	2.28	0.119	4.55	14.25	17.50	3.79
N915768		7.37	0.0137	0.189	1.23	1.12	<10	126.5	0.17	0.035	2.19	0.126	4.59	10.30	17.65	2.55
N915769		6.84	0.0169	0.272	1.16	0.96	<10	62.2	0.10	0.039	1.61	0.076	3.97	10.40	22.1	1.675
N915770		7.41	0.0165	0.163	1.12	1.48	<10	32.7	0.14	0.061	2.40	0.089	4.80	13.20	24.2	2.58
N915771		7.02	0.0217	0.276	1.07	1.66	<10	33.1	0.23	0.068	2.61	0.148	6.65	10.70	8.97	5.04
N915772		5.82	0.0079	0.200	1.21	1.42	<10	39.0	0.18	0.025	1.75	0.070	5.47	8.69	16.05	2.36
N915773		6.39	0.0157	0.293	0.92	1.47	<10	32.9	0.18	0.042	2.02	0.108	5.56	9.93	14.75	2.47
N915774		5.11	0.0203	0.243	1.25	1.40	<10	89.1	0.24	0.042	1.80	0.100	5.68	8.68	10.00	2.54
N915775		0.05	0.958	54.9	1.15	1010	20	116.0	0.21	24.0	3.58	1.040	14.60	34.7	32.7	0.805
N915776		7.91	0.0477	0.675	1.07	1.68	<10	42.5	0.10	0.137	1.38	0.097	4.72	16.95	32.5	1.555
N915777		8.09	0.0176	0.244	1.23	1.91	<10	61.1	0.18	0.060	2.48	0.159	3.69	14.10	25.1	1.485
N915778		7.72	0.0123	0.124	0.97	1.95	<10	45.4	0.16	0.155	2.50	0.254	3.35	13.05	16.50	1.260
N915779		7.84	0.0188	0.302	1.32	1.58	<10	36.6	0.13	0.094	2.29	0.079	3.58	18.25	26.7	2.46
N915780		4.57	0.101	0.909	1.25	1.72	<10	40.4	0.17	0.148	2.43	0.148	3.22	21.1	25.3	2.87
N915781		7.98	0.0397	0.553	1.22	1.61	<10	63.3	0.16	0.170	2.43	0.147	3.10	21.0	26.1	2.74
N915782		7.37	0.0317	0.408	1.57	1.18	<10	69.3	0.16	0.108	2.01	0.081	4.18	16.70	22.7	3.34
N915783		7.71	0.0302	0.413	1.22	1.19	<10	54.8	0.14	0.083	2.04	0.060	3.94	17.05	25.1	2.44
N915784		8.04	0.0800	0.478	1.20	1.25	<10	56.7	0.13	0.077	1.97	0.068	3.79	18.20	22.9	1.335
N915785		8.44	0.0355	0.458	1.20	1.33	<10	48.6	0.14	0.050	1.85	0.105	4.08	18.90	25.8	1.940
N915786		8.59	0.0174	0.256	1.23	1.03	<10	50.3	0.12	0.051	1.81	0.065	3.54	15.75	21.1	2.26
N915787		6.82	0.0128	0.136	1.38	1.18	<10	75.3	0.16	0.024	2.59	0.094	4.31	15.25	26.3	5.16
N915788		0.05	0.0011	0.111	1.87	1.10	<10	136.0	0.11	0.069	1.11	0.070	14.80	9.95	18.15	0.351
N915789		8.47	0.0276	0.274	1.32	1.26	<10	71.3	0.13	0.026	1.98	0.054	4.14	15.70	24.9	2.85
N915790		6.53	0.0292	0.326	1.23	1.65	<10	144.0	0.15	0.050	2.24	0.079	4.73	15.60	25.0	4.64
N915791		5.47	0.0847	1.010	1.11	53.1	<10	56.3	0.38	0.145	2.08	0.995	8.05	21.4	21.8	18.10
N915792		7.70	0.0385	0.574	1.28	1.72	<10	67.2	0.11	0.063	2.01	0.140	3.78	16.85	28.2	2.70
N915793		8.72	0.0103	0.243	1.39	2.28	<10	43.4	0.12	0.071	1.86	0.103	3.64	16.85	28.7	3.58
N915794		7.66	0.0280	0.669	1.18	3.10	<10	38.4	0.12	0.082	1.84	0.185	4.56	20.0	21.5	2.62
N915795		6.88	0.0198	0.681	0.88	5.37	<10	21.4	0.21	0.114	2.27	0.539	5.72	23.9	54.8	7.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915756		96.1	2.23	3.37	0.082	0.139	0.009	0.007	0.14	2.41	8.3	0.99	377	0.14	0.073	0.037
N915757		187.0	2.71	3.32	0.075	0.145	0.010	0.015	0.13	2.75	7.4	0.97	350	0.18	0.072	0.041
N915758		99.9	2.03	3.52	0.028	0.147	0.014	0.015	0.12	2.61	7.5	0.57	272	0.35	0.058	0.046
N915759		102.0	2.00	3.67	0.042	0.137	0.056	<0.005	0.15	2.54	6.8	0.58	237	0.43	0.070	0.040
N915760		56.3	2.15	3.70	0.040	0.106	0.078	<0.005	0.23	2.96	5.2	0.47	251	0.35	0.109	0.037
N915761		218	2.37	3.60	0.044	0.148	0.062	<0.005	0.13	2.99	5.2	0.62	362	1.30	0.058	0.032
N915762		322	2.56	3.91	0.038	0.131	0.023	0.013	0.15	2.47	7.2	0.76	383	1.15	0.053	0.024
N915763		94.3	3.59	5.51	0.052	0.103	<0.004	0.009	0.22	7.20	6.9	0.84	507	5.13	0.217	0.220
N915764		221	3.11	5.58	0.048	0.145	0.079	0.011	0.29	1.960	11.4	1.06	363	1.58	0.098	0.032
N915765		230	3.83	9.23	0.076	0.087	0.194	0.007	1.03	1.695	13.1	1.45	322	1.32	0.265	0.018
N915766		346	2.22	4.21	0.051	0.143	0.012	0.011	0.26	2.00	7.4	0.72	239	0.99	0.119	0.029
N915767		280	2.27	4.23	0.040	0.114	0.023	0.016	0.20	2.14	7.2	0.63	330	1.78	0.097	0.020
N915768		257	2.19	4.00	0.041	0.133	0.019	0.010	0.17	2.06	7.1	0.68	299	0.77	0.091	0.025
N915769		410	2.13	3.88	0.051	0.142	0.016	0.010	0.19	1.880	6.8	0.70	207	2.36	0.090	0.034
N915770		207	2.46	4.44	0.046	0.169	0.017	0.014	0.14	2.10	9.6	0.99	370	3.96	0.056	0.029
N915771		344	2.38	4.15	0.039	0.105	0.055	0.025	0.18	3.04	6.6	0.77	424	0.19	0.049	0.025
N915772		250	1.940	4.35	0.056	0.137	0.021	0.012	0.24	2.39	7.3	0.79	304	0.53	0.074	0.044
N915773		373	1.760	3.64	0.052	0.146	0.024	0.013	0.10	2.53	5.6	0.57	302	0.97	0.052	0.048
N915774		272	1.940	4.60	0.058	0.136	0.058	0.010	0.17	2.57	8.3	0.66	247	0.97	0.102	0.050
N915775		3790	3.17	3.74	0.058	0.153	0.703	0.115	0.16	8.92	7.2	0.39	675	531	0.106	0.257
N915776		920	2.34	4.46	0.063	0.157	0.018	<0.005	0.26	2.16	8.8	0.93	256	2.43	0.065	0.069
N915777		267	2.04	4.07	0.054	0.112	0.012	0.009	0.16	1.580	8.9	0.96	361	5.85	0.060	0.030
N915778		40.9	1.620	3.19	0.034	0.144	0.016	0.006	0.08	1.440	7.4	0.72	348	4.60	0.049	0.034
N915779		313	2.69	4.72	0.064	0.113	0.027	0.005	0.21	1.560	10.9	1.12	366	6.15	0.059	0.022
N915780		1485	2.84	4.70	0.068	0.104	0.030	0.014	0.34	1.375	6.4	0.84	313	6.37	0.072	0.032
N915781		712	2.85	4.54	0.051	0.104	0.033	<0.005	0.30	1.305	6.3	0.84	342	7.62	0.073	0.025
N915782		784	2.69	5.36	0.042	0.078	0.040	0.007	0.45	1.780	8.8	1.04	290	7.44	0.100	0.021
N915783		712	2.60	4.18	0.047	0.119	0.016	0.007	0.16	1.790	8.5	0.87	275	7.71	0.070	0.034
N915784		732	2.40	4.24	0.051	0.165	0.024	0.009	0.14	1.690	8.6	0.91	282	16.45	0.066	0.031
N915785		937	2.47	4.27	0.056	0.179	0.011	0.006	0.18	1.830	9.0	0.92	267	14.90	0.062	0.030
N915786		481	2.32	4.08	0.051	0.114	0.016	0.011	0.16	1.555	9.2	0.90	264	7.89	0.066	0.032
N915787		244	2.78	4.48	0.036	0.135	0.007	0.012	0.15	1.810	9.4	1.18	424	8.48	0.065	0.020
N915788		90.9	3.56	5.24	0.064	0.113	0.005	0.011	0.22	7.16	6.7	0.83	512	5.50	0.219	0.200
N915789		458	2.48	4.25	0.064	0.149	0.012	0.016	0.22	1.855	9.6	1.03	308	31.7	0.080	0.030
N915790		387	2.43	4.09	0.055	0.134	0.026	0.015	0.17	2.16	7.9	0.85	340	12.70	0.086	0.034
N915791		1505	3.65	3.28	0.051	0.057	0.714	0.050	0.24	3.37	4.5	1.05	742	6.94	0.028	0.002
N915792		719	2.41	4.03	0.065	0.168	0.021	0.015	0.22	1.720	11.7	1.09	314	3.38	0.078	0.028
N915793		217	2.41	3.95	0.073	0.156	0.014	0.011	0.26	1.655	13.0	1.11	337	1.24	0.082	0.030
N915794		664	2.38	3.95	0.073	0.143	0.011	0.013	0.17	2.07	11.9	1.01	363	12.35	0.068	0.043
N915795		636	3.08	2.77	0.078	0.124	2.66	0.012	0.17	2.55	6.5	0.90	619	1.58	0.044	0.045

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915756		28.7	0.130	0.959	0.015	0.008	5.84	<0.001	0.15	0.369	5.65	0.3	0.23	44.0	<0.005	0.15
N915757		27.9	0.127	1.025	0.021	0.005	5.94	<0.001	0.16	0.222	6.60	0.6	0.20	44.3	<0.005	0.10
N915758		9.60	0.121	1.345	0.007	0.004	5.60	0.001	0.25	0.302	6.74	0.5	0.16	63.1	<0.005	0.11
N915759		9.42	0.113	0.961	0.009	0.003	6.60	0.001	0.25	0.199	5.97	0.5	0.17	67.2	<0.005	0.07
N915760		8.66	0.124	0.946	0.012	0.003	11.15	0.001	0.25	0.130	5.44	0.5	0.21	87.7	<0.005	0.08
N915761		10.15	0.127	1.675	0.006	0.005	7.30	0.005	0.53	0.337	8.27	0.6	0.23	80.9	<0.005	0.13
N915762		12.35	0.121	1.870	0.012	0.002	7.61	0.004	0.56	0.239	8.79	0.9	0.19	80.3	<0.005	0.09
N915763		13.45	0.061	4.42	0.001	<0.002	7.47	0.001	0.01	0.207	3.10	0.4	1.38	84.6	<0.005	0.02
N915764		15.15	0.116	1.530	0.012	0.004	13.20	0.009	1.01	0.219	10.00	1.1	0.27	72.8	<0.005	0.28
N915765		19.45	0.125	2.32	0.019	0.010	48.5	0.006	1.91	0.179	11.05	1.4	0.25	88.2	<0.005	0.78
N915766		11.95	0.110	3.21	0.009	0.004	11.10	0.004	0.44	0.125	6.69	0.8	0.21	75.4	<0.005	0.13
N915767		11.90	0.112	3.20	0.014	0.005	9.75	0.005	0.40	0.233	10.30	0.8	0.21	91.4	<0.005	0.14
N915768		10.80	0.108	2.07	0.011	0.004	8.10	0.003	0.22	0.162	9.12	0.7	0.19	75.7	<0.005	0.06
N915769		11.10	0.101	1.210	0.010	0.002	7.82	0.007	0.25	0.126	5.42	1.2	0.19	64.0	<0.005	0.10
N915770		17.35	0.100	1.755	0.010	0.004	6.90	0.015	0.39	0.307	9.98	1.2	0.22	63.8	<0.005	0.13
N915771		9.30	0.123	2.67	0.007	0.003	10.10	<0.001	0.31	0.233	8.09	1.5	0.16	68.7	<0.005	0.11
N915772		10.50	0.109	1.210	0.018	0.002	9.95	0.001	0.17	0.205	7.60	0.4	0.23	69.2	<0.005	0.11
N915773		10.40	0.107	1.680	0.009	0.003	5.02	0.004	0.27	0.224	6.41	1.3	0.23	68.3	<0.005	0.06
N915774		7.65	0.121	2.05	0.005	<0.002	6.86	0.004	0.28	0.231	4.21	0.8	0.21	70.6	<0.005	0.10
N915775		26.7	0.079	88.5	0.002	<0.002	5.48	0.099	0.52	129.0	2.09	2.7	2.05	126.0	<0.005	3.10
N915776		17.75	0.090	1.855	0.013	0.005	11.65	0.008	0.74	0.236	6.23	3.1	0.20	49.5	<0.005	0.24
N915777		14.80	0.102	3.49	0.013	0.006	6.81	0.021	0.35	0.424	6.80	1.2	0.22	62.7	<0.005	0.11
N915778		11.45	0.104	4.32	0.011	0.006	3.77	0.017	0.38	0.402	6.86	0.9	0.23	53.5	<0.005	0.19
N915779		18.05	0.106	2.27	0.008	0.005	10.45	0.027	0.97	0.263	7.35	2.0	0.18	61.5	<0.005	0.19
N915780		17.90	0.114	3.86	0.005	0.003	16.50	0.027	1.37	0.187	7.23	2.9	0.30	63.9	<0.005	0.29
N915781		17.05	0.101	2.55	0.007	0.003	13.50	0.031	1.45	0.176	7.68	2.2	0.27	64.5	<0.005	0.39
N915782		15.55	0.110	1.410	0.006	0.002	18.95	0.042	1.06	0.077	5.91	2.1	0.20	70.4	<0.005	0.25
N915783		15.55	0.112	1.175	0.006	0.003	7.03	0.031	0.92	0.193	6.31	1.7	0.23	76.4	<0.005	0.19
N915784		14.35	0.118	1.140	0.009	0.003	5.86	0.087	0.76	0.175	5.46	1.5	0.22	141.0	<0.005	0.19
N915785		16.35	0.110	1.065	0.006	0.004	7.31	0.036	0.87	0.091	5.41	2.0	0.32	60.3	<0.005	0.16
N915786		13.80	0.113	1.450	0.008	0.004	6.64	0.041	0.72	0.108	5.74	1.5	0.28	59.0	<0.005	0.15
N915787		16.55	0.104	11.25	0.011	0.003	7.25	0.047	0.38	0.249	9.80	0.7	0.26	77.2	<0.005	0.09
N915788		14.65	0.060	4.12	0.002	<0.002	6.86	<0.001	0.01	0.237	2.84	0.3	1.33	88.6	<0.005	0.01
N915789		19.45	0.102	1.470	0.011	0.004	7.99	0.111	0.46	0.143	7.09	1.5	0.31	63.2	<0.005	0.07
N915790		18.30	0.104	6.14	0.004	0.003	7.34	0.049	0.60	0.402	6.76	1.6	0.25	81.2	<0.005	0.16
N915791		21.0	0.101	130.0	0.007	0.003	17.20	0.028	0.70	11.65	16.50	2.5	0.32	134.0	<0.005	0.25
N915792		20.2	0.103	2.39	0.004	0.005	7.45	0.012	0.58	0.265	6.31	1.4	0.31	48.1	<0.005	0.07
N915793		22.4	0.103	2.49	0.003	0.003	10.50	0.003	0.59	0.279	6.56	1.0	0.19	65.0	<0.005	0.10
N915794		18.60	0.114	2.49	0.008	0.006	6.69	0.052	0.75	0.371	5.87	2.1	0.28	62.7	<0.005	0.16
N915795		31.5	0.129	20.1	0.011	0.003	8.89	0.006	0.93	1.535	8.57	1.9	0.21	87.5	<0.005	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915756		0.413	0.137	0.035	0.217	82.8	0.214	3.89	24.1	3.63
N915757		0.459	0.138	0.030	0.251	107.5	0.161	4.40	25.6	4.16
N915758		0.340	0.128	0.039	0.214	109.5	0.258	5.97	18.4	2.95
N915759		0.310	0.127	0.046	0.196	107.0	0.273	5.36	17.0	2.92
N915760		0.313	0.103	0.108	0.177	101.0	0.281	6.66	16.1	2.57
N915761		0.368	0.097	0.073	0.188	96.6	0.283	7.54	24.3	3.37
N915762		0.315	0.115	0.058	0.176	111.5	0.279	5.92	24.5	2.78
N915763		3.17	0.158	0.045	1.075	101.5	0.702	5.58	45.9	2.19
N915764		0.229	0.164	0.087	0.135	139.0	0.733	5.93	26.8	2.69
N915765		0.207	0.181	0.280	0.122	178.5	2.53	5.38	34.8	1.92
N915766		0.236	0.154	0.068	0.162	114.5	0.301	5.37	23.4	3.12
N915767		0.231	0.097	0.076	0.122	126.0	0.221	5.69	29.6	2.37
N915768		0.208	0.131	0.045	0.122	122.0	0.144	5.92	23.8	2.84
N915769		0.182	0.144	0.050	0.139	115.0	0.221	5.19	19.3	3.51
N915770		0.199	0.134	0.057	0.132	117.5	0.230	6.96	30.4	3.73
N915771		0.390	0.051	0.121	0.160	89.4	0.162	6.85	38.4	2.44
N915772		0.256	0.132	0.082	0.162	96.6	0.155	6.20	20.5	3.29
N915773		0.325	0.119	0.058	0.185	79.6	0.168	6.13	22.1	4.17
N915774		0.399	0.115	0.055	0.172	82.1	0.233	5.78	21.3	3.16
N915775		1.600	0.066	0.056	1.730	40.5	9.81	6.53	136.5	5.04
N915776		0.488	0.180	0.067	0.349	111.0	0.247	6.81	27.2	3.34
N915777		0.181	0.171	0.055	0.122	111.5	0.251	5.82	33.5	2.25
N915778		0.164	0.147	0.029	0.114	88.9	0.294	5.43	34.7	2.55
N915779		0.195	0.143	0.064	0.097	110.5	0.252	5.36	37.0	2.01
N915780		0.165	0.129	0.106	0.122	108.0	0.366	5.99	36.9	2.13
N915781		0.165	0.126	0.086	0.128	106.5	0.469	5.74	36.8	1.81
N915782		0.296	0.121	0.119	0.148	103.0	0.613	5.97	26.4	1.51
N915783		0.179	0.145	0.038	0.123	106.5	2.30	5.62	23.5	2.55
N915784		0.179	0.152	0.038	0.136	102.0	0.380	5.57	22.9	2.98
N915785		0.189	0.156	0.045	0.192	102.5	0.309	5.85	21.5	3.60
N915786		0.168	0.148	0.042	0.132	98.7	0.338	5.38	31.2	2.57
N915787		0.156	0.135	0.053	0.101	121.5	0.219	7.58	119.5	2.82
N915788		2.76	0.162	0.043	0.845	95.0	0.717	5.40	46.4	2.33
N915789		0.174	0.179	0.061	0.144	111.0	0.248	6.27	24.3	3.61
N915790		0.210	0.158	0.070	0.127	95.3	0.511	6.52	38.2	3.27
N915791		0.240	0.016	0.331	0.078	102.0	0.577	8.52	405	1.20
N915792		0.142	0.195	0.058	0.148	106.5	1.310	6.02	30.5	3.90
N915793		0.149	0.177	0.067	0.081	97.8	0.263	5.80	34.9	4.21
N915794		0.212	0.168	0.042	0.142	91.1	0.345	6.10	39.2	3.55
N915795		0.297	0.131	0.094	0.177	67.7	0.555	5.84	187.5	2.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915796		7.26	0.0102	0.334	1.05	17.75	<10	23.2	0.16	0.051	2.13	0.294	5.69	23.9	119.0	3.09
N915797		8.47	0.0523	0.407	1.49	2.77	<10	54.7	0.13	0.049	2.07	0.109	4.97	23.1	101.0	3.01
N915798		6.40	0.0291	0.607	1.56	12.10	<10	60.8	0.24	0.419	1.68	0.257	7.91	31.9	125.0	3.76
N915799		8.00	0.0243	0.319	1.83	17.65	<10	106.5	0.19	0.143	2.37	0.069	6.51	27.4	125.5	4.83
N915800		0.05	0.727	56.8	1.19	1010	20	115.5	0.16	24.4	3.66	0.951	14.25	37.3	30.3	0.726
N915801		8.05	0.0133	0.222	2.10	22.6	<10	171.5	0.21	0.312	2.50	0.110	7.49	26.7	133.5	4.24
P916250		6.85	0.0075	0.134	1.38	2.13	<10	157.0	0.19	0.076	2.21	0.091	5.53	12.25	10.95	4.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915796		407	2.62	3.23	0.101	0.135	0.055	0.016	0.23	2.72	8.5	1.24	460	24.9	0.061	0.032
N915797		470	3.25	4.68	0.108	0.123	0.016	0.013	0.58	2.23	12.0	1.66	482	3.86	0.073	0.044
N915798		495	4.60	5.44	0.103	0.103	0.263	0.040	0.66	3.30	10.9	1.78	807	27.4	0.066	0.025
N915799		286	4.46	6.17	0.131	0.181	0.559	0.044	0.72	2.78	11.8	2.13	746	1.69	0.087	0.032
N915800		3770	3.21	3.75	0.062	0.144	0.701	0.084	0.16	9.02	7.9	0.39	699	547	0.110	0.222
N915801		177.5	4.80	6.67	0.136	0.265	0.185	0.035	0.95	3.24	11.4	2.40	874	0.95	0.106	0.036
P916250		108.0	2.68	4.27	0.046	0.084	0.045	0.007	0.17	2.68	9.0	0.67	266	1.91	0.114	0.026

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915796		51.2	0.126	4.11	0.018	0.007	9.34	0.091	0.58	1.210	5.87	1.0	0.26	64.4	<0.005	0.13
N915797		45.2	0.124	3.65	0.008	0.005	20.2	0.015	0.49	0.559	4.97	0.7	0.25	61.6	<0.005	0.08
N915798		66.8	0.116	3.07	0.010	0.007	23.7	0.107	0.72	7.89	11.90	1.6	0.32	74.8	<0.005	0.22
N915799		52.1	0.123	2.59	0.010	0.005	25.4	0.012	0.53	3.03	8.25	1.0	0.32	73.0	<0.005	0.08
N915800		29.2	0.079	85.5	0.003	<0.002	4.95	0.095	0.53	132.0	2.12	2.7	1.91	126.5	<0.005	3.05
N915801		57.8	0.129	2.95	0.014	0.005	30.1	0.001	0.43	1.765	9.25	0.6	0.41	84.2	<0.005	0.05
P916250		7.75	0.127	1.730	0.007	<0.002	8.27	0.007	0.61	0.156	4.16	0.5	0.16	93.3	<0.005	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915796		0.313	0.166	0.067	0.242	76.1	0.233	4.97	52.2	3.88
N915797		0.248	0.239	0.100	0.163	111.0	0.248	5.61	57.5	3.32
N915798		0.285	0.180	0.147	0.165	121.5	0.173	8.06	76.7	2.91
N915799		0.278	0.252	0.749	0.121	130.5	0.124	7.83	62.9	7.19
N915800		1.500	0.068	0.059	1.635	37.6	9.24	6.00	135.0	5.31
N915801		0.320	0.279	0.473	0.147	143.0	0.139	9.38	89.6	10.95
P916250		0.245	0.114	0.072	0.114	99.0	0.357	5.85	21.5	2.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14125373

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

CERTIFICATE KL14129281

Project: Dillard

This report is for 101 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 1- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915802		7.36	0.0900	0.375	2.00	39.7	<10	156.5	0.27	1.635	2.17	0.135	8.52	32.0	110.5	6.29
N915803		7.87	0.0302	0.491	1.24	66.7	<10	125.0	0.45	0.618	3.33	1.520	9.50	30.3	95.7	13.45
N915804		8.53	0.0074	0.242	1.43	2.79	<10	78.7	0.12	0.037	1.68	0.069	4.74	29.1	105.5	4.01
N915805		8.06	0.0042	0.115	1.76	1.58	<10	137.5	0.13	0.018	1.48	0.028	4.42	26.8	114.0	4.18
N915806		8.61	0.0127	0.079	2.12	1.86	<10	89.2	0.12	0.051	2.55	0.033	4.46	23.6	218	3.25
N915807		7.81	0.0037	0.090	2.12	1.14	<10	111.5	0.16	0.025	1.80	0.038	4.94	22.8	175.5	2.64
N915808		8.16	0.0090	0.170	1.90	1.28	<10	118.0	0.17	0.031	2.65	0.052	4.81	22.4	119.0	3.10
N915809		8.40	0.0115	0.279	1.71	1.63	<10	99.2	0.12	0.052	1.92	0.155	5.07	32.3	121.5	2.38
N915810		8.05	0.0182	0.160	1.77	1.60	<10	134.0	0.14	0.029	2.16	0.194	5.20	21.3	107.5	2.33
N915811		8.77	0.0045	0.131	2.04	2.16	<10	173.0	0.18	0.020	2.38	0.103	4.41	25.5	130.0	2.91
N915812		8.66	0.0075	0.181	2.14	3.73	<10	141.0	0.17	0.045	3.13	0.514	4.98	26.3	139.0	3.05
N915813		0.05	0.0016	0.102	1.95	1.08	<10	137.5	0.13	0.082	1.15	0.088	14.85	9.39	19.15	0.340
N915814		8.34	0.0039	0.112	2.08	0.98	<10	181.5	0.13	0.019	1.42	0.093	3.53	24.7	128.0	2.91
N915815		8.38	0.0061	0.158	1.79	1.86	<10	116.0	0.17	0.035	2.11	0.120	3.54	25.2	123.0	3.40
N915816		7.94	0.0145	0.267	2.60	1.44	<10	120.0	0.26	0.082	5.55	0.086	6.76	27.4	151.0	6.09
N915817		8.84	0.0057	0.163	1.86	0.86	<10	134.5	0.14	0.031	2.55	0.069	3.35	21.6	129.5	3.21
N915818		8.38	0.0082	0.156	1.82	1.07	<10	100.5	0.09	0.042	1.68	0.043	2.81	24.8	117.5	2.82
N915819		8.02	0.108	0.432	1.70	3.43	<10	63.0	0.23	0.091	2.28	0.185	5.27	30.3	134.5	4.12
N915820		8.25	0.0127	0.257	1.85	4.56	<10	73.2	0.24	0.066	3.82	0.086	7.66	31.5	187.0	6.61
N915821		8.68	0.0024	0.099	1.84	2.55	<10	48.8	0.24	0.015	4.17	0.056	6.41	24.1	149.0	6.96
N915822		8.13	0.0042	0.157	1.64	4.33	<10	32.2	0.21	0.022	3.21	0.066	5.23	19.00	122.5	4.33
N915823		8.00	0.0402	0.463	1.87	5.24	<10	77.7	0.28	0.076	3.69	0.156	7.21	29.6	130.0	5.53
N915824		8.08	0.0463	0.477	1.83	4.30	<10	67.2	0.21	0.042	4.37	0.133	5.66	28.1	114.0	8.29
N915825		0.05	0.785	56.1	1.18	997	20	112.0	0.16	24.5	3.55	0.832	13.30	33.8	30.5	0.689
N915826		7.67	0.0082	0.380	2.56	37.0	<10	34.1	0.30	0.058	4.46	1.370	5.71	54.9	391	4.87
N915827		7.64	0.0017	0.064	2.45	5.38	<10	3.6	0.14	0.025	2.44	0.044	3.90	50.7	461	5.21
N915828		8.69	0.0023	0.042	2.51	2.98	<10	4.5	0.11	0.015	2.09	0.027	4.04	45.7	494	1.655
N915829		6.55	0.0024	0.087	2.05	11.20	<10	181.5	0.18	0.024	2.96	0.130	4.15	40.0	357	8.78
N915830		8.11	0.0250	0.120	2.48	5.93	<10	9.1	0.16	0.103	2.15	0.063	3.88	59.6	494	6.32
N915831		8.33	0.0017	0.032	2.40	3.86	<10	34.2	0.14	0.019	2.57	0.029	4.25	46.5	474	9.34
N915832		6.54	0.0084	0.312	0.42	156.0	<10	9.3	0.46	0.091	7.74	1.250	2.99	51.1	188.5	10.50
N915833		6.85	0.0037	0.196	0.47	42.9	10	45.3	0.46	0.061	7.45	0.496	0.802	19.65	38.9	10.95
N915834		6.98	0.0390	0.215	0.63	411	10	246	0.45	0.102	3.93	0.686	1.690	28.3	47.2	8.15
N915835		6.80	0.0360	0.741	0.65	187.0	10	163.5	0.45	0.142	5.22	1.260	2.02	24.9	77.7	6.65
N915836		7.04	0.0117	0.514	0.92	55.8	10	76.0	0.60	0.090	5.52	1.130	4.96	30.9	83.2	17.05
N915837		7.45	0.0113	0.703	0.50	183.0	10	119.5	0.40	0.070	4.59	0.801	1.875	22.0	55.0	8.71
N915838		0.05	0.0012	0.097	1.78	1.21	<10	135.5	0.12	0.063	1.02	0.064	12.95	8.85	17.00	0.292
N915839		8.11	0.0098	0.349	1.05	56.6	10	110.5	0.33	0.044	4.70	0.254	6.36	28.0	177.0	9.79
N915840		7.00	0.0042	0.228	0.69	103.5	<10	18.1	0.52	0.100	7.20	0.744	4.02	54.1	337	8.70
N915841		7.57	0.0131	0.416	0.64	97.1	<10	55.6	0.29	0.082	3.07	0.437	6.25	13.35	77.3	7.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915802		236	6.01	6.99	0.204	0.147	0.998	0.150	0.64	3.61	19.0	2.30	1110	0.56	0.036	0.025
N915803		288	6.27	5.33	0.132	0.106	0.859	0.127	0.46	3.88	8.2	2.23	1370	1.37	0.025	0.020
N915804		409	3.09	3.92	0.103	0.176	0.012	0.010	0.86	1.835	7.2	1.59	387	0.77	0.048	0.051
N915805		194.5	3.33	5.37	0.124	0.161	0.013	0.011	1.14	1.685	10.6	1.96	465	3.12	0.046	0.035
N915806		131.5	3.22	5.30	0.110	0.165	0.049	0.008	1.19	1.715	11.8	2.68	470	7.37	0.057	0.031
N915807		154.5	3.46	5.06	0.121	0.173	<0.004	0.013	1.44	1.995	14.5	2.51	405	1.82	0.075	0.038
N915808		241	3.69	5.50	0.116	0.174	0.005	0.007	1.13	1.790	17.3	1.96	480	3.31	0.069	0.046
N915809		574	4.07	5.12	0.131	0.239	0.008	<0.005	1.04	1.900	13.5	1.84	401	5.76	0.080	0.073
N915810		319	3.88	5.10	0.123	0.189	<0.004	0.009	1.04	2.02	11.8	1.95	490	0.43	0.084	0.053
N915811		227	4.23	5.93	0.120	0.131	0.006	<0.005	1.08	1.585	15.7	2.31	549	0.43	0.070	0.057
N915812		259	4.47	6.85	0.128	0.142	0.004	0.017	1.05	1.795	16.5	2.50	663	0.25	0.066	0.039
N915813		88.6	3.54	5.22	0.070	0.119	<0.004	0.008	0.22	6.92	6.6	0.83	509	5.52	0.233	0.218
N915814		213	4.14	5.58	0.118	0.171	<0.004	<0.005	1.55	1.260	12.2	2.22	478	1.17	0.075	0.053
N915815		269	3.72	5.15	0.114	0.154	0.014	0.008	1.11	1.205	10.5	1.88	482	0.61	0.065	0.070
N915816		265	5.55	9.00	0.125	0.062	0.009	0.021	2.00	2.46	12.2	2.97	1010	0.79	0.057	0.021
N915817		236	4.02	5.54	0.131	0.151	0.004	0.009	1.24	1.175	11.5	1.92	478	0.21	0.066	0.039
N915818		287	3.81	5.22	0.120	0.179	<0.004	0.019	1.40	0.995	8.2	1.91	416	1.02	0.069	0.040
N915819		639	4.25	5.62	0.142	0.149	0.021	0.029	1.10	2.08	7.0	1.99	554	12.30	0.061	0.033
N915820		312	4.44	6.02	0.137	0.109	0.043	0.018	0.92	3.23	7.7	2.32	678	3.17	0.062	0.022
N915821		135.0	4.07	5.42	0.115	0.119	0.016	0.018	0.56	2.57	9.7	2.24	658	0.44	0.054	0.034
N915822		194.5	3.08	5.06	0.111	0.180	0.011	0.012	0.37	1.885	10.4	1.75	512	3.37	0.063	0.112
N915823		677	4.36	6.69	0.111	0.122	0.079	0.022	0.57	2.77	14.7	2.31	697	5.18	0.047	0.032
N915824		723	3.89	5.29	0.113	0.134	0.030	0.015	0.48	2.13	14.1	2.60	694	1.53	0.050	0.048
N915825		3630	3.11	3.42	0.059	0.142	0.624	0.071	0.15	8.08	5.9	0.38	682	543	0.107	0.223
N915826		459	4.74	5.95	0.098	0.078	0.067	0.019	0.43	2.42	6.5	5.94	746	1.72	0.026	0.005
N915827		87.8	4.90	5.03	0.100	0.029	0.107	0.012	0.05	1.705	2.6	6.42	524	4.12	0.015	<0.002
N915828		55.4	5.04	5.05	0.108	0.019	0.052	0.013	0.03	1.690	2.1	6.73	534	0.36	0.013	<0.002
N915829		139.5	4.11	4.46	0.102	0.069	0.038	0.011	0.29	1.760	3.6	4.99	533	0.99	0.035	0.003
N915830		227	5.07	5.15	0.099	0.024	0.017	0.015	0.05	1.595	2.2	6.37	528	0.31	0.017	<0.002
N915831		52.6	4.72	4.87	0.102	0.029	0.010	0.020	0.05	1.840	2.3	6.45	531	2.37	0.019	<0.002
N915832		293	5.73	1.285	0.049	0.048	0.426	0.022	0.13	1.180	1.5	4.01	1105	13.55	0.025	<0.002
N915833		83.9	4.79	1.325	0.040	0.033	0.291	0.027	0.23	0.285	2.2	3.37	997	0.84	0.025	<0.002
N915834		235	5.02	1.680	0.041	0.059	1.940	0.024	0.24	0.716	3.5	1.98	942	2.72	0.019	<0.002
N915835		858	4.95	1.605	0.042	0.032	1.070	0.053	0.18	0.846	3.6	2.61	1070	1.60	0.022	<0.002
N915836		481	6.65	3.26	0.076	0.045	0.513	0.038	0.47	1.985	4.1	3.58	1295	0.91	0.026	0.002
N915837		532	3.29	1.220	0.038	0.021	0.721	0.020	0.20	0.773	6.7	2.22	578	1.54	0.020	<0.002
N915838		90.9	3.42	5.27	0.068	0.098	<0.004	0.014	0.22	6.07	6.4	0.81	496	5.52	0.211	0.175
N915839		432	3.91	3.17	0.048	0.045	0.116	0.022	0.20	2.83	5.0	3.37	766	0.97	0.054	0.003
N915840		269	5.93	2.01	0.066	0.048	0.232	0.028	0.23	1.560	4.2	4.03	1280	1.18	0.021	0.002
N915841		340	2.38	2.68	0.042	0.072	0.028	0.035	0.23	2.69	5.2	1.35	657	2.42	0.066	0.022

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915802		57.2	0.109	6.31	0.009	0.006	25.2	0.001	1.36	2.09	17.40	0.9	0.22	68.8	<0.005	0.13
N915803		58.1	0.103	200	0.011	0.007	23.2	0.007	1.02	8.02	22.7	1.2	0.25	92.7	<0.005	0.09
N915804		44.7	0.111	0.876	0.013	0.011	33.6	0.005	0.69	0.297	4.73	0.7	0.30	84.7	<0.005	0.05
N915805		49.3	0.114	0.652	0.012	0.008	41.2	0.016	0.36	0.066	5.51	0.6	0.27	78.9	<0.005	0.03
N915806		124.0	0.116	0.645	0.008	0.005	42.9	0.020	0.29	0.138	5.47	0.8	0.23	87.9	<0.005	2.70
N915807		93.2	0.117	1.185	0.008	0.007	49.7	0.004	0.28	0.052	4.85	0.7	0.26	63.8	<0.005	0.08
N915808		41.9	0.123	0.694	0.006	0.007	38.8	0.005	0.42	0.052	5.03	1.0	0.33	76.0	<0.005	0.09
N915809		49.7	0.121	1.225	0.008	0.009	36.3	0.013	1.34	0.032	4.42	2.1	0.33	74.1	<0.005	0.12
N915810		39.9	0.118	1.830	0.006	0.006	34.9	0.001	0.73	0.066	5.67	1.3	0.26	75.4	<0.005	0.11
N915811		46.8	0.122	1.020	0.010	0.010	35.9	0.001	0.52	0.152	4.79	1.1	0.28	89.8	<0.005	0.07
N915812		48.9	0.120	5.90	0.007	0.007	36.5	0.001	0.68	0.152	7.72	1.3	0.36	71.6	<0.005	0.10
N915813		14.00	0.060	4.06	0.003	0.002	7.23	<0.001	0.01	0.225	3.32	0.5	1.29	94.0	<0.005	0.01
N915814		46.2	0.120	0.774	0.007	0.009	58.5	0.005	0.41	0.082	5.08	0.7	0.36	62.7	<0.005	0.04
N915815		43.9	0.123	1.380	0.006	0.008	41.7	0.001	0.49	0.264	6.05	1.0	0.29	87.8	<0.005	0.06
N915816		55.7	0.114	0.657	0.006	0.008	73.6	<0.001	0.45	0.124	13.90	1.0	0.43	85.2	<0.005	0.16
N915817		43.1	0.121	0.415	0.008	0.008	48.8	<0.001	0.37	0.074	4.54	0.6	0.34	64.8	<0.005	0.07
N915818		42.7	0.117	0.318	0.007	0.008	58.1	0.002	0.70	0.057	4.86	0.8	0.34	46.1	<0.005	0.13
N915819		61.2	0.118	0.595	0.006	0.007	48.3	0.025	1.02	0.135	10.05	2.3	0.40	62.4	<0.005	0.18
N915820		84.2	0.125	0.683	0.010	0.006	37.5	0.005	0.77	0.312	12.45	1.5	0.29	95.1	<0.005	0.21
N915821		59.4	0.119	0.569	0.009	0.007	22.6	0.001	0.17	0.356	11.50	0.6	0.31	116.0	<0.005	0.02
N915822		40.3	0.120	1.020	0.008	0.009	14.20	0.006	0.16	0.381	7.16	0.7	0.32	111.5	<0.005	0.06
N915823		65.7	0.119	1.780	0.004	0.008	24.6	0.010	0.86	0.367	11.95	1.6	0.31	88.4	<0.005	0.18
N915824		57.3	0.118	1.785	0.010	0.008	24.5	<0.001	0.48	0.494	10.35	1.3	0.40	138.5	<0.005	0.13
N915825		26.7	0.076	78.0	0.001	<0.002	5.14	0.088	0.52	124.0	1.815	2.3	1.83	122.0	<0.005	2.37
N915826		484	0.084	1.920	0.008	0.008	18.30	0.003	0.68	0.292	13.50	1.3	0.19	94.0	<0.005	0.15
N915827		707	0.061	0.378	0.006	0.042	4.05	0.016	0.24	0.149	5.57	0.6	0.10	49.8	<0.005	0.04
N915828		678	0.061	0.277	0.009	0.005	1.675	<0.001	0.10	0.103	3.08	0.3	0.07	43.8	<0.005	0.01
N915829		433	0.078	4.01	0.004	0.008	13.65	0.005	0.34	0.297	6.69	0.4	0.12	72.0	<0.005	0.06
N915830		640	0.062	1.405	0.004	0.008	4.63	<0.001	0.71	0.146	4.23	0.4	0.09	52.0	<0.005	0.12
N915831		613	0.062	0.901	0.007	0.013	5.32	0.012	0.17	0.360	3.14	0.3	0.07	55.0	<0.005	0.05
N915832		485	0.028	135.5	0.010	0.009	9.77	0.052	0.76	16.75	20.7	1.1	0.10	152.0	<0.005	0.17
N915833		55.9	0.007	36.2	0.006	0.007	10.65	0.003	0.34	9.51	22.1	0.6	0.07	154.0	<0.005	0.07
N915834		56.8	0.019	40.5	0.005	0.007	11.40	0.005	1.07	43.5	16.55	1.2	0.06	82.4	<0.005	0.14
N915835		58.4	0.020	55.0	0.010	0.005	8.99	0.004	0.78	61.4	22.9	1.5	0.08	103.0	<0.005	0.18
N915836		75.8	0.094	40.4	0.011	0.006	23.6	0.001	0.61	10.45	25.5	1.1	0.09	118.5	<0.005	0.10
N915837		106.0	0.038	8.25	0.005	0.002	7.05	0.004	1.02	22.9	9.37	1.4	0.09	123.5	<0.005	0.11
N915838		14.05	0.059	4.21	0.002	<0.002	6.35	0.001	<0.01	0.237	2.77	0.2	1.22	83.7	<0.005	<0.01
N915839		234	0.086	4.34	0.003	0.005	9.31	0.004	0.79	2.98	11.55	1.2	0.10	107.5	<0.005	0.09
N915840		606	0.060	23.7	0.005	0.006	12.95	0.002	0.74	15.85	21.8	0.9	0.11	122.0	<0.005	0.22
N915841		134.0	0.096	5.33	0.006	0.003	10.55	0.005	0.42	4.59	9.41	0.8	0.22	74.9	<0.005	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915802		0.290	0.144	0.246	0.109	151.5	0.152	9.51	143.0	3.85
N915803		0.306	0.086	0.646	0.203	143.5	0.354	11.00	591	2.27
N915804		0.182	0.264	0.190	0.103	102.0	0.243	6.41	40.2	4.35
N915805		0.179	0.286	0.203	0.079	116.5	0.176	6.60	50.8	3.82
N915806		0.191	0.304	0.242	0.149	106.0	0.289	6.25	34.2	4.32
N915807		0.203	0.320	0.245	0.090	118.5	0.231	6.57	34.5	4.99
N915808		0.189	0.365	0.209	0.095	141.0	0.304	7.92	41.8	4.33
N915809		0.201	0.363	0.171	0.118	125.0	0.217	7.59	39.8	5.74
N915810		0.213	0.320	0.168	0.098	133.0	0.162	7.31	48.8	4.85
N915811		0.196	0.373	0.165	0.080	138.5	0.176	7.13	56.8	4.51
N915812		0.211	0.334	0.193	0.091	147.5	0.259	8.28	76.5	3.54
N915813		3.11	0.174	0.046	0.894	99.6	0.579	5.44	44.9	2.16
N915814		0.167	0.385	0.288	0.074	139.5	0.225	6.57	58.3	4.15
N915815		0.165	0.349	0.188	0.081	121.5	0.237	7.16	45.9	4.38
N915816		0.260	0.323	0.433	0.071	189.0	0.179	11.30	60.7	1.36
N915817		0.152	0.374	0.241	0.080	134.5	0.229	6.93	40.3	4.09
N915818		0.146	0.353	0.242	0.080	121.0	0.299	6.00	40.6	4.29
N915819		0.236	0.263	0.222	0.147	124.5	0.207	7.60	41.3	3.56
N915820		0.362	0.228	0.203	0.142	133.0	0.186	8.34	45.6	2.66
N915821		0.253	0.270	0.108	0.104	123.5	0.163	8.74	48.6	3.34
N915822		0.214	0.349	0.077	0.104	101.5	0.363	8.93	37.8	5.14
N915823		0.209	0.207	0.134	0.085	133.5	0.305	11.30	52.5	3.09
N915824		0.207	0.255	0.131	0.113	110.5	0.191	9.15	48.7	3.86
N915825		1.405	0.071	0.057	1.470	36.9	8.15	5.98	123.5	4.93
N915826		0.194	0.080	0.126	0.079	115.5	0.056	6.93	56.6	1.91
N915827		0.174	0.018	0.201	0.081	115.5	0.063	3.35	21.2	1.00
N915828		0.162	0.015	0.051	0.068	114.5	0.061	3.19	15.2	0.46
N915829		0.165	0.043	0.275	0.068	98.0	0.104	3.95	66.0	1.63
N915830		0.170	0.013	0.093	0.075	111.5	0.092	3.70	41.1	0.66
N915831		0.172	0.013	0.115	0.072	105.5	0.116	3.09	20.8	0.72
N915832		0.121	0.002	0.370	0.540	111.0	0.383	6.60	620	1.68
N915833		0.077	0.002	0.388	0.779	103.0	0.316	5.37	206	0.97
N915834		0.242	0.002	5.28	0.908	95.2	0.399	5.78	232	1.92
N915835		0.135	0.001	0.280	0.654	124.0	0.264	6.64	370	0.99
N915836		0.207	0.018	0.427	0.468	137.0	0.283	9.31	467	1.12
N915837		0.125	0.001	0.106	0.218	41.0	0.191	4.22	125.0	0.66
N915838		2.71	0.153	0.046	0.892	95.1	0.625	4.64	43.2	1.87
N915839		0.261	0.008	0.191	0.142	79.0	0.175	5.96	74.3	1.13
N915840		0.149	0.011	0.327	0.172	98.9	0.407	6.27	275	1.53
N915841		0.328	0.025	0.298	0.204	65.4	0.278	6.08	63.8	1.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915842	6.40	0.0054	0.260	0.51	14.70	<10	44.3	0.22	0.040	2.27	0.257	7.85	6.44	12.30	5.03
N915843	8.44	0.0164	0.568	1.09	11.00	<10	34.8	0.22	0.113	2.32	0.236	6.22	21.3	77.9	5.80
N915844	7.28	0.0102	0.386	1.66	10.00	<10	42.8	0.18	0.147	2.17	0.093	5.46	37.6	133.5	6.17
N915845	8.72	0.0465	1.010	1.14	10.55	<10	45.7	0.21	0.232	2.07	0.262	8.01	41.0	65.6	5.78
N915846	8.56	0.0151	0.291	1.35	6.49	<10	82.3	0.19	0.066	2.76	0.090	6.43	20.2	124.0	4.44
N915847	7.90	0.0211	0.290	1.50	5.74	<10	130.5	0.19	0.051	3.95	0.138	5.56	19.95	130.0	5.20
N915848	7.87	0.0239	0.542	2.17	8.56	<10	201	0.17	0.090	2.63	0.150	5.85	28.1	130.5	5.19
N915849	8.45	0.0363	0.729	1.77	4.55	<10	96.8	0.16	0.110	1.92	0.180	4.78	31.5	113.0	3.33
N915850	0.05	0.817	55.5	1.19	1035	20	117.5	0.20	23.0	3.58	1.010	14.25	36.7	32.7	0.787
N915851	8.51	0.0105	0.247	2.11	3.01	<10	141.0	0.14	0.038	3.29	0.082	4.77	25.4	219	3.60
N915852	8.39	0.0291	0.346	1.56	3.45	<10	70.8	0.27	0.098	2.78	0.100	6.17	28.9	169.5	3.87
N915853	8.22	0.386	0.493	1.52	3.66	<10	48.2	0.24	0.109	2.39	0.067	5.40	27.5	111.0	5.01
N915854	8.49	0.0061	0.252	1.77	3.37	<10	203	0.12	0.040	2.75	0.076	3.74	26.6	198.0	2.86
N915855	8.12	0.0248	0.664	1.86	7.72	<10	73.1	0.32	0.191	5.04	0.114	8.34	48.4	161.0	7.01
N915856	8.18	0.0238	0.743	2.07	10.05	<10	47.8	0.47	0.229	5.98	0.106	9.89	52.7	200	10.10
N915857	7.62	0.0072	0.155	2.08	3.40	<10	69.6	0.39	0.050	6.15	0.073	8.29	23.0	204	5.56
N915858	7.85	0.0082	0.230	1.77	3.93	<10	55.3	0.27	0.034	3.59	0.087	5.74	23.3	204	5.21
N915859	8.17	0.0064	0.136	1.63	3.74	<10	67.4	0.19	0.034	2.74	0.126	5.11	19.15	196.5	3.60
N915860	7.89	0.0062	0.136	1.79	4.77	<10	103.5	0.13	0.051	3.52	0.144	3.80	23.0	212	2.78
N915861	7.81	0.0139	0.162	2.14	7.93	<10	140.0	0.19	0.082	4.20	0.337	4.18	25.6	221	4.30
N915862	7.41	0.0107	0.222	1.91	5.42	<10	199.0	0.16	0.049	3.39	0.104	4.52	27.7	229	3.71
N915863	0.05	0.0011	0.098	1.94	1.07	<10	140.0	0.12	0.068	1.12	0.084	15.25	9.53	18.75	0.339
N915864	6.69	0.0180	0.520	2.19	17.80	<10	147.5	0.23	0.175	5.50	0.264	4.89	31.2	205	7.01
N915865	7.05	0.0293	0.569	2.03	16.70	<10	28.5	0.40	0.314	6.61	0.215	10.35	50.6	237	11.85
N915866	8.20	0.0083	0.205	2.28	6.72	<10	41.9	0.37	0.073	6.04	0.127	7.62	27.9	229	11.65
N915867	7.30	0.0072	0.145	1.88	8.98	<10	49.4	0.35	0.066	5.00	0.055	6.84	22.9	196.5	20.6
N915868	8.92	0.0100	0.306	1.72	8.49	<10	54.3	0.16	0.108	2.86	0.100	4.89	26.6	159.5	4.91
N915869	7.71	0.0068	0.194	2.21	6.18	<10	23.8	0.24	0.079	5.50	0.080	6.87	34.3	199.0	5.06
N915870	8.46	0.0042	0.158	1.74	4.29	<10	35.2	0.13	0.032	3.40	0.053	5.31	20.6	182.5	5.32
N915871	8.36	0.0053	0.119	1.99	3.56	<10	69.4	0.12	0.034	2.33	0.064	4.81	21.3	182.0	4.51
N915872	8.65	0.0131	0.250	1.76	5.93	<10	43.9	0.14	0.060	2.31	0.105	4.48	25.4	172.5	4.45
N915873	8.34	0.0084	0.127	1.52	8.15	<10	15.9	0.26	0.275	4.49	0.074	6.28	20.2	167.5	16.00
N915874	7.10	0.0295	0.465	0.77	6.82	<10	44.8	0.26	0.363	6.99	0.176	5.13	19.30	94.2	10.80
N915875	0.05	0.653	50.8	1.06	953	20	107.5	0.16	20.6	3.23	0.746	13.40	34.6	28.8	0.737
N915876	8.11	0.0103	0.303	1.53	4.12	<10	56.0	0.12	0.061	1.92	0.045	3.77	22.3	151.5	5.86
N915877	7.14	0.0048	0.085	0.73	3.71	<10	59.0	0.21	0.018	2.74	0.111	15.40	12.05	49.6	11.00
N915878	7.10	0.0023	0.019	0.50	3.45	<10	83.2	0.31	0.024	1.77	0.066	22.9	6.00	4.86	12.95
N915879	5.85	0.0084	0.012	0.55	2.20	<10	106.5	0.20	0.019	0.98	0.040	18.30	5.40	4.69	8.70
N915880	7.35	0.0100	0.084	0.54	1.72	<10	204	0.28	0.013	1.58	0.046	20.5	5.94	6.51	8.49
N915881	6.14	0.0022	0.013	0.52	2.16	<10	137.5	0.29	0.030	1.42	0.061	18.85	6.22	5.44	8.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915842		217	1.830	2.34	0.046	0.096	0.124	0.024	0.17	3.26	4.8	0.83	505	0.43	0.058	0.025
N915843		462	2.73	3.84	0.076	0.162	0.050	0.021	0.40	2.58	9.6	1.40	547	0.63	0.079	0.054
N915844		404	3.82	5.07	0.112	0.122	0.035	0.010	0.97	2.29	12.8	1.92	585	0.92	0.067	0.042
N915845		1080	4.28	4.92	0.104	0.181	0.046	0.019	0.55	3.74	8.5	1.31	531	5.35	0.066	0.073
N915846		305	3.02	4.71	0.107	0.139	0.030	0.008	0.61	2.99	12.7	1.44	519	1.09	0.072	0.052
N915847		359	3.14	5.38	0.106	0.117	0.013	0.016	0.85	2.28	14.9	1.66	597	1.74	0.078	0.033
N915848		821	4.27	7.38	0.122	0.115	0.012	0.020	1.54	2.28	17.6	2.22	535	1.64	0.089	0.037
N915849		783	3.46	5.17	0.105	0.136	0.015	0.011	1.06	1.875	18.0	1.82	397	0.30	0.067	0.053
N915850		3910	3.21	3.56	0.066	0.150	0.677	0.095	0.16	8.63	8.8	0.39	696	566	0.106	0.241
N915851		268	3.63	6.04	0.136	0.107	0.015	0.017	1.10	2.04	16.0	2.58	638	0.59	0.063	0.025
N915852		452	3.46	4.85	0.094	0.107	0.033	0.017	0.78	2.72	12.8	1.90	514	1.88	0.057	0.032
N915853		250	3.28	4.45	0.097	0.132	0.028	0.015	0.67	2.17	13.7	1.71	499	0.40	0.055	0.061
N915854		250	3.00	4.27	0.113	0.091	0.007	0.008	1.07	1.650	12.6	2.00	482	0.17	0.064	0.021
N915855		437	5.38	5.92	0.092	0.099	0.051	0.033	0.54	3.68	22.1	2.52	914	0.25	0.048	0.018
N915856		394	6.94	7.48	0.090	0.066	0.101	0.049	0.32	4.43	26.9	3.31	1150	0.54	0.030	0.005
N915857		138.0	4.76	6.04	0.091	0.117	0.012	0.033	0.51	3.58	25.4	3.41	1165	0.18	0.047	0.011
N915858		315	3.61	4.93	0.115	0.167	0.011	0.020	0.35	2.53	16.2	2.43	694	0.16	0.052	0.023
N915859		132.0	2.95	4.27	0.090	0.119	0.005	0.014	0.45	2.21	13.0	2.10	563	0.15	0.060	0.023
N915860		174.0	3.16	5.05	0.111	0.095	0.008	0.010	0.52	1.680	18.9	2.08	651	0.40	0.072	0.024
N915861		160.5	3.94	5.83	0.099	0.086	0.020	0.012	0.77	1.790	21.9	2.37	1145	0.19	0.132	0.017
N915862		315	3.67	5.23	0.092	0.104	0.012	0.012	0.90	2.00	18.5	2.21	725	2.44	0.074	0.016
N915863		91.3	3.60	5.26	0.074	0.106	<0.004	0.014	0.22	7.09	7.5	0.83	519	5.21	0.225	0.236
N915864		131.5	4.55	6.36	0.097	0.078	0.016	0.038	0.81	2.16	15.9	2.50	1670	3.88	0.109	0.013
N915865		251	6.10	7.70	0.086	0.078	0.052	0.059	0.25	4.76	24.3	3.28	1390	2.72	0.050	0.005
N915866		172.5	5.58	7.43	0.095	0.114	0.021	0.037	0.46	3.31	25.0	3.54	1185	0.85	0.053	0.005
N915867		159.5	4.89	5.72	0.111	0.100	0.011	0.040	0.84	2.92	11.0	2.88	1030	1.13	0.062	0.013
N915868		309	3.43	5.18	0.094	0.122	<0.004	0.016	0.81	2.12	11.8	2.20	553	0.63	0.073	0.022
N915869		130.5	4.65	6.99	0.097	0.084	0.010	0.029	0.28	2.89	27.5	3.46	918	1.78	0.042	0.009
N915870		114.5	3.28	5.35	0.090	0.114	0.009	0.013	0.46	2.29	13.0	2.21	623	2.71	0.069	0.030
N915871		124.0	3.18	4.94	0.104	0.088	<0.004	0.009	0.97	2.11	14.6	2.20	518	1.17	0.073	0.024
N915872		272	3.05	4.56	0.097	0.103	0.005	0.011	0.60	1.910	15.5	1.95	594	1.71	0.071	0.036
N915873		68.7	4.08	5.41	0.090	0.128	0.088	0.036	0.20	2.74	10.7	1.68	819	2.23	0.057	0.034
N915874		312	3.76	2.51	0.073	0.087	4.15	0.027	0.18	2.23	5.6	2.53	1360	5.62	0.042	0.030
N915875		3540	2.93	3.46	0.065	0.172	0.615	0.101	0.14	7.93	7.5	0.36	633	518	0.095	0.226
N915876		255	2.61	3.73	0.083	0.127	0.049	0.009	0.82	1.660	10.9	1.64	460	1.90	0.077	0.032
N915877		82.3	2.67	2.55	0.066	0.173	0.088	<0.005	0.30	6.99	4.8	1.11	632	5.70	0.055	0.040
N915878		4.50	2.34	2.67	0.066	0.139	0.046	0.016	0.15	10.85	2.8	0.58	502	1.46	0.063	0.019
N915879		4.25	2.16	3.09	0.050	0.107	0.040	0.011	0.12	8.60	4.6	0.44	333	0.36	0.062	0.028
N915880		5.85	2.25	3.06	0.053	0.120	0.030	0.008	0.14	10.00	4.2	0.54	374	0.69	0.067	0.046
N915881		5.67	2.24	3.23	0.043	0.107	0.038	0.005	0.12	9.30	4.5	0.51	383	0.65	0.062	0.046

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915842		17.90	0.111	3.35	0.006	0.002	6.60	0.001	0.32	1.125	7.15	0.6	0.14	42.5	<0.005	0.06
N915843		45.7	0.127	2.55	0.014	0.006	19.25	0.001	0.78	0.540	6.21	1.0	0.26	69.6	<0.005	0.29
N915844		60.4	0.133	2.01	0.011	0.006	43.3	0.001	1.32	0.367	6.09	1.4	0.21	58.4	<0.005	0.32
N915845		47.1	0.097	5.70	0.005	0.004	24.1	0.009	2.14	0.306	5.39	4.0	0.34	49.6	<0.005	0.44
N915846		55.1	0.119	3.53	0.009	0.005	24.1	0.001	0.54	0.432	5.45	0.8	0.28	58.2	<0.005	0.18
N915847		57.6	0.118	4.00	0.013	0.005	33.8	0.005	0.36	0.223	5.91	0.8	0.29	53.2	<0.005	0.16
N915848		56.1	0.126	2.71	0.011	0.006	58.9	0.004	1.05	0.180	7.22	1.7	0.45	49.8	<0.005	0.20
N915849		43.9	0.122	1.920	0.014	0.008	42.4	0.001	0.96	0.270	4.35	1.1	0.31	65.6	<0.005	0.28
N915850		27.6	0.079	80.6	0.003	<0.002	5.24	0.098	0.53	128.5	2.19	2.6	1.82	134.5	<0.005	2.88
N915851		89.5	0.120	2.13	0.016	0.006	40.3	<0.001	0.29	0.285	5.80	0.4	0.24	68.3	<0.005	0.07
N915852		75.5	0.123	2.94	0.020	0.006	31.5	0.007	0.64	0.498	9.11	0.9	0.22	77.3	<0.005	0.17
N915853		41.4	0.118	1.985	0.009	0.006	28.1	0.001	0.56	0.428	7.22	0.8	0.30	92.4	<0.005	0.26
N915854		74.6	0.116	1.720	0.009	0.006	34.2	<0.001	0.34	0.258	4.47	0.5	0.21	62.2	<0.005	0.06
N915855		85.6	0.124	3.15	0.017	0.005	22.1	<0.001	1.60	0.453	13.45	1.5	0.26	92.9	<0.005	0.64
N915856		116.5	0.121	3.42	0.021	0.008	16.70	0.001	1.94	0.758	24.5	1.5	0.29	122.0	<0.005	0.79
N915857		97.1	0.111	1.990	0.026	0.006	21.0	0.001	0.24	0.334	14.15	0.6	0.21	118.0	<0.005	0.15
N915858		85.6	0.116	3.87	0.014	0.005	13.85	<0.001	0.16	0.471	9.44	0.6	0.27	105.0	<0.005	0.09
N915859		72.6	0.118	4.30	0.015	0.005	16.25	<0.001	0.11	0.352	6.16	0.3	0.17	96.9	<0.005	0.08
N915860		79.0	0.118	1.530	0.014	0.004	16.75	<0.001	0.28	0.261	4.61	0.6	0.16	97.6	<0.005	0.09
N915861		85.7	0.117	4.71	0.014	0.005	24.9	<0.001	0.42	0.120	6.71	0.4	0.20	62.1	<0.005	0.11
N915862		78.4	0.119	1.780	0.013	0.006	29.2	0.007	0.48	0.108	6.11	0.8	0.20	60.0	<0.005	0.07
N915863		13.30	0.061	4.14	0.004	0.002	7.07	<0.001	0.01	0.261	3.05	0.3	1.36	92.6	<0.005	<0.01
N915864		85.6	0.116	4.46	0.017	0.005	29.7	0.008	0.68	0.129	9.44	0.5	0.27	83.1	<0.005	0.36
N915865		118.5	0.120	3.32	0.020	0.006	13.85	0.005	1.03	0.182	24.5	1.1	0.29	139.5	<0.005	0.97
N915866		116.5	0.115	4.13	0.014	0.006	21.8	0.002	0.27	0.292	21.4	0.7	0.32	140.5	<0.005	0.20
N915867		95.0	0.119	1.480	0.018	0.006	40.8	0.003	0.22	1.310	19.70	0.6	0.27	142.5	<0.005	0.08
N915868		72.5	0.116	1.195	0.018	0.004	33.6	0.001	0.61	0.210	7.28	0.8	0.23	81.6	<0.005	0.16
N915869		101.0	0.107	1.675	0.011	0.004	12.60	0.006	0.39	0.198	14.15	0.7	0.23	109.5	<0.005	0.15
N915870		77.1	0.119	0.868	0.015	0.004	20.1	0.005	0.18	0.226	6.28	0.3	0.24	88.8	<0.005	0.11
N915871		77.8	0.126	0.542	0.014	0.006	42.7	0.002	0.16	0.245	4.91	0.4	0.17	86.4	<0.005	0.10
N915872		71.0	0.124	1.715	0.011	0.005	29.0	0.003	0.26	0.657	5.24	0.4	0.20	83.7	<0.005	0.17
N915873		75.2	0.130	1.470	0.017	0.007	14.65	0.003	0.56	2.15	14.20	0.8	0.30	116.5	<0.005	0.38
N915874		66.8	0.089	4.39	0.014	0.010	12.90	0.011	0.31	1.160	11.65	0.4	0.18	144.0	<0.005	9.09
N915875		27.1	0.073	78.2	0.007	<0.002	4.93	0.089	0.50	121.5	2.16	2.3	1.79	119.0	<0.005	2.42
N915876		70.8	0.119	1.020	0.012	0.004	42.7	0.004	0.25	0.385	5.59	0.5	0.17	73.6	<0.005	0.14
N915877		29.3	0.092	4.31	0.005	<0.002	17.35	0.002	0.13	2.04	7.09	0.4	0.22	70.2	<0.005	0.04
N915878		3.33	0.079	2.80	0.005	<0.002	10.50	<0.001	0.11	0.677	5.63	0.3	0.25	55.4	<0.005	<0.01
N915879		2.64	0.079	2.26	0.001	<0.002	7.97	<0.001	0.09	0.572	3.86	0.3	0.21	43.1	<0.005	0.03
N915880		3.83	0.081	2.34	<0.001	<0.002	9.01	<0.001	0.06	0.535	4.81	0.4	0.27	51.0	<0.005	0.06
N915881		3.13	0.081	2.40	0.001	<0.002	8.14	<0.001	0.12	0.637	4.71	0.2	0.24	46.4	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915842		0.449	0.024	0.231	0.214	58.3	0.227	6.15	35.5	1.82
N915843		0.357	0.143	0.147	0.171	68.6	0.318	6.43	44.9	3.14
N915844		0.252	0.220	0.266	0.102	85.6	0.231	5.94	64.4	2.42
N915845		0.810	0.158	0.171	0.244	81.6	0.272	6.68	70.7	3.93
N915846		0.474	0.217	0.171	0.189	84.5	0.325	5.77	54.4	3.17
N915847		0.264	0.243	0.210	0.149	99.3	0.411	7.39	73.4	2.52
N915848		0.229	0.314	0.361	0.108	138.0	0.447	8.72	57.0	3.00
N915849		0.184	0.329	0.265	0.102	109.5	0.602	6.63	46.6	3.16
N915850		1.480	0.070	0.058	1.830	40.0	8.24	6.31	131.5	5.16
N915851		0.251	0.285	0.205	0.110	120.0	0.498	5.62	41.4	2.44
N915852		0.310	0.205	0.193	0.125	103.5	0.241	6.70	39.2	2.34
N915853		0.195	0.286	0.183	0.099	97.1	0.345	7.35	50.0	2.55
N915854		0.221	0.252	0.199	0.110	90.4	0.312	4.21	35.4	2.40
N915855		0.426	0.117	0.150	0.135	127.5	0.284	8.11	75.1	2.15
N915856		0.356	0.030	0.119	0.130	169.5	0.303	10.40	104.0	1.20
N915857		0.306	0.140	0.126	0.137	132.5	0.312	10.45	69.3	2.48
N915858		0.299	0.220	0.089	0.138	111.0	0.379	6.39	67.3	4.52
N915859		0.248	0.234	0.101	0.131	94.1	0.311	5.26	57.3	2.83
N915860		0.211	0.237	0.110	0.106	93.2	0.408	4.38	44.6	2.29
N915861		0.217	0.226	0.158	0.106	101.0	0.366	5.37	64.0	1.99
N915862		0.250	0.248	0.163	0.124	102.5	0.313	4.83	40.5	2.25
N915863		2.86	0.173	0.055	0.891	99.9	0.581	5.31	43.7	2.21
N915864		0.226	0.198	0.226	0.106	110.5	0.829	6.67	65.4	1.77
N915865		0.303	0.043	0.116	0.109	161.0	0.157	10.10	100.5	1.53
N915866		0.271	0.098	0.163	0.102	165.5	0.127	9.25	103.5	2.04
N915867		0.289	0.139	0.309	0.103	152.5	0.179	8.72	58.9	2.18
N915868		0.229	0.237	0.194	0.121	105.5	0.236	5.61	42.2	2.64
N915869		0.232	0.116	0.087	0.101	137.0	0.171	7.53	55.9	1.83
N915870		0.235	0.230	0.121	0.113	102.5	0.309	5.36	42.2	2.37
N915871		0.219	0.265	0.236	0.123	101.0	0.261	4.65	42.3	2.47
N915872		0.214	0.242	0.180	0.115	86.9	0.290	4.83	49.7	2.60
N915873		0.288	0.131	0.154	0.151	115.5	0.187	7.97	47.6	2.61
N915874		0.201	0.094	0.154	0.160	70.6	0.189	7.98	66.9	2.06
N915875		1.395	0.062	0.055	1.505	35.9	8.23	5.77	123.5	4.55
N915876		0.196	0.221	0.244	0.107	79.3	0.209	4.20	46.2	2.61
N915877		1.350	0.066	0.188	0.361	65.0	0.414	7.35	44.4	3.96
N915878		2.38	0.010	0.149	0.524	48.9	0.147	7.78	36.9	3.43
N915879		2.63	0.014	0.095	0.533	44.5	0.155	5.79	26.0	2.56
N915880		2.51	0.021	0.088	0.545	47.1	0.191	7.08	26.3	2.70
N915881		2.53	0.019	0.073	0.624	46.5	0.150	6.60	23.4	2.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

CERTIFICATE KL14131905

Project: Dillard

This report is for 84 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 4- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915882		7.41	0.0122	0.013	0.51	3.17	<10	98.7	0.28	0.016	1.46	0.078	21.6	6.90	4.46	11.45
N915883		6.09	0.0007	0.012	0.50	2.22	<10	114.5	0.29	0.006	1.57	0.053	20.8	6.11	4.72	11.40
N915884		5.99	0.0049	0.155	0.56	4.46	<10	54.5	0.32	0.026	3.22	0.137	19.15	12.70	23.6	13.25
N915885		6.93	0.108	0.930	1.01	15.25	<10	18.0	0.45	0.106	4.01	0.263	10.65	28.8	59.1	17.00
N915886		7.32	0.0134	0.336	1.08	13.40	<10	41.7	0.38	0.076	3.45	0.157	9.06	26.1	70.8	20.9
N915887		4.96	0.0082	0.285	1.10	28.0	<10	11.0	0.51	0.110	3.20	0.396	9.06	29.4	60.5	28.8
N915888		0.05	0.0014	0.099	1.82	1.23	<10	135.0	0.11	0.073	1.04	0.069	14.75	9.72	17.60	0.298
N915889		7.35	0.0102	0.322	1.20	13.30	<10	10.4	0.44	0.116	3.65	0.356	6.88	31.2	71.8	15.00
N915890		8.07	0.0113	0.209	1.52	9.29	<10	12.2	0.25	0.116	2.37	0.088	4.85	27.9	82.5	5.34
N915891		7.12	0.0164	0.362	1.16	28.3	<10	21.7	0.40	0.754	4.60	0.417	6.87	43.5	59.6	12.50
N915892		7.51	0.0207	0.272	1.26	24.3	10	17.2	0.30	0.265	3.31	0.188	6.00	32.6	66.5	9.15
N915893		7.42	0.0144	0.272	1.30	14.15	<10	11.1	0.24	0.134	2.59	0.205	5.19	24.3	67.3	5.31
N915894		6.50	0.0211	0.374	1.37	16.75	20	18.6	0.31	0.203	3.05	0.249	5.18	33.2	65.7	8.17
N915895		7.66	0.0122	0.269	1.35	18.20	10	17.9	0.23	0.112	2.67	0.289	4.43	28.2	64.5	6.24
N915896		6.86	0.0113	0.343	1.14	74.9	30	25.8	0.27	0.186	3.17	0.537	8.06	37.7	46.5	4.11
N915897		7.17	0.0051	0.177	0.56	102.5	10	13.2	0.33	0.143	2.76	0.228	16.40	20.5	13.40	2.79
N915898		8.07	0.0028	0.083	0.59	51.5	10	17.9	0.24	0.224	2.94	0.145	10.80	21.6	13.75	2.94
N915899		6.74	0.0022	0.072	0.64	85.5	60	9.9	0.27	0.189	3.24	0.192	13.10	21.3	14.00	5.08
N915900		0.05	0.761	53.5	1.10	986	20	111.5	0.13	22.1	3.35	0.841	14.05	36.1	29.2	0.762
N915901		7.19	0.0039	0.251	0.74	32.1	30	13.3	0.23	0.234	3.08	0.242	14.15	18.25	18.75	4.96
N915902		6.44	0.0131	0.418	0.98	110.5	<10	18.9	0.42	0.467	3.61	1.310	31.3	23.3	18.85	7.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915882		2.53	2.53	2.82	0.063	0.097	0.136	0.017	0.13	10.35	3.1	0.50	493	0.68	0.055	0.021
N915883		3.47	2.37	2.89	0.048	0.130	0.073	0.018	0.13	9.86	3.0	0.60	531	0.57	0.065	0.023
N915884		219	2.97	2.74	0.058	0.166	0.061	0.027	0.12	9.13	3.1	1.27	650	2.75	0.052	0.025
N915885		1020	4.17	3.88	0.063	0.141	0.211	0.059	0.13	4.95	8.7	1.73	978	5.07	0.057	0.015
N915886		366	3.43	3.49	0.065	0.141	0.354	0.014	0.13	4.05	9.3	1.58	725	1.26	0.054	0.027
N915887		186.5	4.42	3.25	0.049	0.099	0.635	0.026	0.22	3.87	7.8	1.44	1005	2.57	0.052	0.007
N915888		88.9	3.48	5.22	0.067	0.139	<0.004	0.011	0.21	6.77	7.1	0.81	488	5.49	0.210	0.211
N915889		206	3.94	3.67	0.067	0.121	0.036	0.019	0.16	2.90	13.6	1.73	758	3.65	0.050	0.030
N915890		162.5	3.22	4.30	0.077	0.139	0.065	<0.005	0.20	2.11	19.7	1.65	440	0.85	0.057	0.032
N915891		139.5	4.33	3.82	0.057	0.115	0.106	0.022	0.20	2.98	10.6	1.60	886	5.22	0.049	0.019
N915892		260	3.66	4.40	0.078	0.172	0.033	0.019	0.23	2.60	14.7	1.28	614	21.3	0.064	0.042
N915893		209	2.72	4.10	0.076	0.146	0.004	0.013	0.18	2.27	17.8	1.26	429	2.60	0.058	0.037
N915894		428	3.53	4.27	0.077	0.125	0.015	0.013	0.23	2.30	15.5	1.42	531	0.89	0.066	0.044
N915895		224	2.97	3.60	0.078	0.121	0.011	<0.005	0.30	2.00	14.2	1.26	418	1.39	0.066	0.040
N915896		325	3.69	3.18	0.068	0.192	0.090	0.006	0.29	3.67	9.5	1.12	569	4.50	0.088	0.085
N915897		315	3.26	2.41	0.087	0.421	0.054	0.020	0.07	7.25	4.8	0.63	509	2.42	0.064	0.229
N915898		217	2.82	2.40	0.074	0.343	0.042	0.021	0.08	5.43	5.0	0.57	453	2.44	0.073	0.246
N915899		203	2.58	2.10	0.093	0.411	0.042	0.016	0.05	6.26	4.9	0.64	549	5.10	0.073	0.216
N915900		3620	3.03	3.55	0.064	0.168	0.669	0.098	0.15	8.39	7.4	0.37	631	539	0.101	0.231
N915901		226	2.77	2.81	0.113	0.366	0.026	0.019	0.13	6.34	5.1	0.61	510	3.74	0.064	0.315
N915902		301	3.54	4.22	0.096	0.233	0.173	0.025	0.17	14.40	7.4	0.72	634	4.67	0.061	0.126

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915882		3.65	0.087	3.71	0.001	<0.002	8.90	<0.001	0.06	1.435	6.49	0.2	0.27	50.1	<0.005	0.02
N915883		3.19	0.085	4.52	0.004	<0.002	8.19	<0.001	0.02	0.564	5.08	0.3	0.27	52.3	<0.005	<0.01
N915884		12.95	0.087	4.63	0.007	0.002	9.64	<0.001	0.21	2.02	8.80	0.4	0.25	83.6	<0.005	0.03
N915885		34.8	0.111	11.70	0.013	0.003	11.50	0.008	0.64	3.23	16.75	1.2	0.63	113.0	<0.005	0.20
N915886		32.7	0.121	9.02	0.010	0.003	12.65	0.004	0.37	5.08	14.20	0.5	0.26	109.0	<0.005	0.09
N915887		40.7	0.123	42.7	0.013	0.005	18.95	0.003	0.52	7.42	20.0	0.7	0.20	112.5	<0.005	0.15
N915888		14.55	0.060	3.87	0.004	<0.002	6.88	<0.001	0.01	0.203	3.13	0.2	1.23	85.0	<0.005	0.01
N915889		40.3	0.128	23.7	0.012	0.003	13.05	0.018	0.95	0.955	15.50	1.4	0.20	108.5	<0.005	0.35
N915890		38.2	0.125	1.940	0.011	0.004	10.60	0.005	1.00	0.384	6.88	1.4	0.17	90.9	<0.005	0.14
N915891		46.3	0.114	4.44	0.013	0.004	14.00	0.014	1.27	0.623	13.90	1.1	0.19	118.0	<0.005	0.82
N915892		35.4	0.124	2.75	0.013	0.004	13.85	0.056	1.17	0.344	9.29	1.6	0.29	74.8	<0.005	0.29
N915893		30.6	0.122	1.705	0.010	0.002	9.60	0.008	0.65	0.261	5.28	0.6	0.20	74.1	<0.005	0.17
N915894		37.3	0.126	2.67	0.013	0.004	12.05	0.003	1.02	0.307	7.08	1.5	0.21	89.0	<0.005	0.20
N915895		37.4	0.126	4.05	0.013	0.003	15.70	0.013	0.95	0.225	5.61	1.2	0.16	77.8	<0.005	0.21
N915896		34.1	0.120	4.32	0.008	<0.002	13.15	0.017	1.64	0.614	7.96	2.5	0.32	79.1	<0.005	0.44
N915897		15.30	0.113	1.755	0.006	<0.002	3.59	0.011	1.44	1.015	8.04	2.5	0.28	67.1	<0.005	0.31
N915898		17.80	0.105	2.32	0.005	<0.002	3.64	0.014	1.37	0.575	6.31	2.5	0.26	68.2	<0.005	0.35
N915899		16.25	0.119	1.980	0.010	<0.002	3.76	0.021	1.19	0.803	7.75	1.7	0.30	76.6	<0.005	0.39
N915900		28.4	0.075	82.9	0.004	<0.002	5.05	0.098	0.52	124.5	2.05	2.5	1.92	124.0	<0.005	2.55
N915901		18.65	0.117	3.13	0.005	<0.002	7.72	0.016	1.15	0.713	6.30	1.6	0.28	71.5	<0.005	0.44
N915902		19.60	0.157	10.70	0.007	<0.002	10.05	0.012	1.58	1.785	10.15	1.8	0.42	83.3	<0.005	0.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915882		2.36	0.009	0.106	0.451	58.3	0.209	7.47	48.9	2.09
N915883		2.40	0.011	0.091	0.702	50.7	0.162	6.98	58.1	3.38
N915884		1.385	0.034	0.118	0.447	66.8	0.148	8.13	60.1	3.65
N915885		0.667	0.065	0.113	0.249	94.6	0.222	8.32	109.5	2.51
N915886		0.627	0.100	0.107	0.197	87.8	0.138	7.63	93.3	2.45
N915887		0.461	0.032	0.271	0.191	86.9	0.274	8.48	216	1.47
N915888		2.91	0.160	0.043	0.883	98.1	0.583	5.35	44.5	2.10
N915889		0.369	0.116	0.187	0.161	94.3	0.214	7.93	130.5	2.62
N915890		0.229	0.212	0.098	0.105	81.5	0.276	5.22	51.4	3.21
N915891		0.312	0.068	0.322	0.238	90.6	0.146	8.47	130.5	2.27
N915892		0.339	0.144	0.161	0.189	88.9	0.316	6.67	58.1	3.37
N915893		0.273	0.179	0.070	0.124	75.9	0.254	5.43	48.3	3.37
N915894		0.260	0.184	0.092	0.123	88.4	0.259	5.66	76.5	3.40
N915895		0.201	0.181	0.130	0.106	73.6	0.259	4.66	56.2	2.76
N915896		0.537	0.171	0.610	0.232	74.2	0.268	7.19	55.9	4.34
N915897		1.225	0.126	0.868	0.483	61.3	0.246	10.80	35.7	8.11
N915898		0.747	0.162	0.549	0.366	53.5	0.777	9.70	27.4	7.75
N915899		1.035	0.147	0.331	0.447	51.3	0.230	10.80	34.5	8.67
N915900		1.620	0.062	0.064	1.725	38.1	9.67	6.00	128.0	4.57
N915901		0.955	0.173	0.164	0.352	58.8	0.393	9.28	35.5	8.59
N915902		2.19	0.060	1.185	0.574	72.7	0.221	12.35	109.0	5.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14129281

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

Applies to Method: ME- MS41L

LABORATORY ADDRESSES

Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

Applies to Method:

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

CERTIFICATE KL14131905

Project: Dillard

This report is for 84 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 4- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915903	7.73	0.344	3.48	0.78	728	<10	18.6	0.39	19.30	6.29	2.06	16.95	201	11.55	3.77
N915904	7.87	0.147	1.400	0.82	303	10	27.4	0.39	30.2	4.90	1.300	8.10	405	8.46	2.19
N915905	7.61	0.0324	0.604	1.08	58.1	<10	37.2	0.33	0.349	4.32	0.593	8.43	23.5	7.39	3.70
N915906	5.57	0.0428	0.445	1.03	138.0	10	36.9	0.33	1.355	2.99	0.396	11.15	22.3	5.45	2.41
N915907	7.28	0.0385	1.680	0.91	26.3	<10	33.7	0.36	1.855	4.00	2.35	13.15	27.3	6.55	6.29
N915908	7.49	0.0179	0.678	0.80	35.8	<10	28.8	0.57	0.810	3.79	0.931	14.90	20.4	7.47	7.99
N915909	6.50	0.0120	0.407	0.64	28.6	<10	12.0	0.63	0.560	4.09	1.160	12.05	22.1	8.54	8.02
N915910	6.84	0.0092	0.337	0.56	18.75	<10	15.4	0.79	0.254	3.66	3.44	10.70	19.15	10.55	4.53
N915911	7.47	0.0262	0.478	1.07	9.28	<10	18.2	0.33	0.103	2.43	0.388	6.73	27.5	7.69	5.25
N915912	7.43	0.0044	0.084	1.20	5.76	<10	17.1	0.25	0.079	3.09	0.226	6.89	5.67	7.54	4.57
N915913	0.05	0.0007	0.099	1.87	0.94	<10	136.5	0.12	0.067	1.10	0.072	14.80	9.85	17.70	0.331
N915914	8.71	0.0039	0.086	0.88	4.87	<10	13.8	0.12	0.068	3.02	0.095	8.31	6.28	16.25	2.22
N915915	6.91	0.0028	0.096	0.84	5.10	<10	28.5	0.18	0.038	3.04	0.120	10.75	7.71	7.91	2.11
N915916	4.28	0.0606	1.660	0.73	18.90	<10	20.1	0.17	0.524	6.34	0.303	5.81	66.9	11.55	2.07
N915917	5.68	0.0021	0.076	1.70	6.21	<10	79.1	0.12	0.055	1.89	0.075	5.47	15.80	75.3	2.15
N915918	7.33	0.0041	0.130	2.03	5.94	<10	123.5	0.12	0.035	1.80	0.083	5.22	21.0	93.7	3.64
N915919	8.01	0.0069	0.153	2.26	3.25	<10	156.5	0.11	0.023	1.61	0.059	6.42	19.80	120.5	3.89
N915920	8.46	0.0048	0.226	1.99	5.09	<10	124.0	0.14	0.119	1.87	0.126	6.02	27.9	96.9	3.64
N915921	8.29	0.0201	0.215	2.03	9.80	<10	112.5	0.13	0.043	1.88	0.076	5.58	22.2	105.0	3.30
N915922	9.10	0.0011	0.060	2.21	4.25	<10	122.5	0.14	0.041	1.85	0.095	5.93	19.55	95.9	3.16
N915923	6.63	0.0099	0.267	0.64	6.18	100	16.5	0.12	0.299	2.00	0.111	9.12	14.05	12.55	0.426
N915924	8.06	0.0247	0.826	0.86	10.70	140	21.9	0.19	0.386	2.34	0.438	9.11	36.3	12.55	0.469
N915925	0.05	0.783	56.6	1.18	1015	20	113.5	0.19	23.7	3.54	1.010	13.90	35.8	28.8	0.786
N915926	3.16	0.0053	0.109	1.94	2.10	<10	298	0.18	0.045	1.31	0.036	6.73	17.10	26.1	6.82
N915927	4.28	0.0090	0.149	1.97	1.82	<10	124.5	0.16	0.087	1.38	0.040	5.30	19.65	27.2	4.52
N915928	3.54	0.0191	0.167	1.89	2.30	<10	101.5	0.15	0.092	1.48	0.030	5.15	27.4	27.8	3.46
N915929	4.36	0.0118	0.190	1.95	2.53	<10	216	0.13	0.032	1.50	0.039	10.75	25.9	10.80	3.33
N915930	7.20	0.0160	0.231	2.24	1.37	<10	221	0.13	0.042	1.38	0.059	11.05	30.1	8.13	4.29
N915931	7.53	0.0225	0.307	2.30	1.85	<10	219	0.12	0.043	1.52	0.067	10.95	32.2	16.50	3.66
N915932	6.10	0.0096	0.173	2.23	2.10	<10	225	0.15	0.022	1.43	0.046	11.20	23.9	12.45	3.68
N915933	5.78	0.0088	0.143	2.62	4.10	<10	177.0	0.21	0.047	1.94	0.053	11.95	24.9	8.16	4.30
N915934	6.11	0.0270	0.305	2.06	1.96	<10	73.1	0.14	0.158	1.55	0.058	5.20	35.4	38.5	4.03
N915935	6.69	0.0090	0.149	2.16	5.36	<10	117.5	0.24	0.041	2.09	0.051	7.41	15.65	25.6	4.32
N915936	7.18	0.0034	0.063	1.91	1.68	<10	319	0.16	0.033	2.06	0.037	6.01	17.05	27.5	5.13
N915937	6.29	0.0144	0.095	1.48	6.16	10	64.8	0.28	0.130	2.96	0.064	8.69	22.2	31.0	11.95
N915938	0.05	0.0015	0.100	1.85	1.16	<10	135.0	0.16	0.077	1.08	0.092	14.85	10.05	19.40	0.316
N915939	6.87	0.0063	0.082	1.39	3.11	10	64.7	0.29	0.056	2.44	0.068	7.93	20.4	34.8	4.77
N915940	7.86	0.0035	0.041	1.18	3.13	<10	52.6	0.20	0.026	2.04	0.042	6.44	9.56	28.5	3.71
N915941	7.03	0.0040	0.040	1.33	2.70	<10	68.2	0.18	0.038	1.84	0.061	6.44	12.50	30.4	1.730
N915942	6.92	0.0027	0.021	1.39	2.42	<10	57.2	0.21	0.022	1.87	0.025	6.20	2.54	29.3	1.975

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915903		3270	14.05	2.94	0.131	0.086	0.171	0.122	0.07	9.45	5.5	1.02	1610	19.25	0.024	0.021
N915904		1095	13.60	2.60	0.143	0.186	0.092	0.096	0.08	4.35	4.0	1.01	1385	29.2	0.036	0.219
N915905		445	3.45	4.26	0.097	0.202	0.037	0.053	0.12	4.18	6.8	0.70	816	6.46	0.059	0.144
N915906		302	2.92	3.88	0.104	0.325	0.042	0.030	0.13	5.73	6.1	0.51	480	4.65	0.074	0.199
N915907		178.0	3.93	3.90	0.061	0.153	0.154	0.040	0.18	6.81	5.2	0.59	836	3.89	0.058	0.058
N915908		126.5	5.16	3.16	0.061	0.048	0.068	0.052	0.24	7.38	4.8	1.32	1350	2.93	0.044	0.004
N915909		109.0	4.86	2.23	0.047	0.028	0.078	0.044	0.17	6.09	3.8	1.43	1365	2.18	0.035	0.002
N915910		39.7	6.56	2.02	0.058	0.038	0.055	0.021	0.16	5.35	4.5	1.45	1870	6.24	0.032	0.002
N915911		415	1.990	3.19	0.081	0.108	0.011	0.007	0.13	3.54	8.9	0.59	454	2.91	0.062	0.139
N915912		41.7	1.920	3.35	0.122	0.163	<0.004	0.014	0.10	3.52	9.3	0.55	554	7.79	0.055	0.164
N915913		95.6	3.47	5.81	0.079	0.127	<0.004	0.008	0.22	7.28	6.8	0.82	529	5.57	0.223	0.204
N915914		43.1	1.680	2.98	0.120	0.261	0.006	0.032	0.08	4.14	5.0	0.38	483	6.16	0.045	0.285
N915915		94.7	1.640	3.09	0.081	0.387	0.010	0.014	0.11	5.18	3.0	0.34	402	3.44	0.073	0.248
N915916		1200	9.00	4.29	0.367	0.253	0.025	0.175	0.05	2.77	2.2	0.27	1325	2.23	0.032	0.354
N915917		64.5	2.73	4.43	0.103	0.118	<0.004	<0.005	0.55	2.47	12.1	1.15	433	0.37	0.118	0.112
N915918		90.7	3.22	5.22	0.104	0.146	<0.004	0.006	1.00	2.36	14.3	1.58	510	0.37	0.115	0.074
N915919		122.5	3.75	5.90	0.120	0.128	0.013	0.009	1.30	2.90	18.8	1.93	590	0.24	0.113	0.047
N915920		153.5	3.63	5.80	0.127	0.158	0.007	0.008	1.05	2.73	18.4	1.75	550	0.55	0.107	0.050
N915921		152.0	3.40	5.18	0.116	0.143	0.009	<0.005	1.00	2.41	19.8	1.72	526	0.54	0.096	0.046
N915922		45.8	3.23	5.73	0.111	0.140	<0.004	<0.005	1.06	2.68	17.6	1.64	509	0.38	0.144	0.046
N915923		249	1.820	2.32	0.109	0.370	0.007	0.012	0.08	4.37	3.1	0.21	223	2.50	0.063	0.403
N915924		952	3.95	3.28	0.124	0.401	0.014	0.046	0.08	4.32	4.8	0.32	417	5.96	0.065	0.422
N915925		3800	3.16	3.88	0.072	0.178	0.794	0.103	0.15	8.91	7.2	0.37	731	554	0.102	0.196
N915926		125.5	3.37	6.88	0.101	0.129	0.009	0.009	1.01	3.05	11.0	1.54	548	0.81	0.099	0.036
N915927		178.5	3.31	6.70	0.082	0.084	0.013	0.011	1.05	2.32	11.1	1.40	502	1.78	0.141	0.031
N915928		195.0	3.45	5.30	0.106	0.143	0.011	0.007	0.81	2.32	11.5	1.33	425	0.68	0.130	0.043
N915929		270	5.00	6.33	0.199	0.250	0.005	0.018	1.08	5.28	12.5	1.52	629	0.34	0.099	0.071
N915930		330	4.98	6.80	0.169	0.196	0.006	0.023	1.65	5.41	12.9	1.91	816	0.50	0.070	0.074
N915931		367	4.56	6.78	0.168	0.232	0.011	0.019	1.40	5.44	14.7	1.98	832	0.88	0.075	0.061
N915932		206	4.62	7.01	0.162	0.238	0.008	0.015	1.25	5.42	16.7	1.96	858	0.26	0.068	0.062
N915933		182.0	4.85	8.12	0.161	0.193	0.006	0.029	1.12	5.82	22.0	2.33	1105	0.17	0.071	0.046
N915934		260	4.34	6.07	0.141	0.168	0.066	0.010	0.96	2.33	13.5	1.73	636	2.33	0.118	0.047
N915935		200	4.03	7.72	0.108	0.070	0.212	0.016	0.35	3.61	15.4	2.12	1040	0.45	0.046	0.009
N915936		55.1	3.34	6.56	0.100	0.084	0.063	0.007	1.00	2.74	10.1	1.68	695	0.33	0.115	0.022
N915937		15.95	3.86	5.24	0.069	0.105	0.095	0.016	0.40	3.91	9.6	1.48	703	0.50	0.075	0.030
N915938		91.0	3.34	5.49	0.076	0.132	0.004	0.014	0.21	6.81	8.5	0.80	489	5.05	0.223	0.197
N915939		61.9	3.31	5.03	0.062	0.137	0.119	0.022	0.29	3.40	9.3	1.22	597	0.41	0.111	0.047
N915940		53.5	2.10	5.19	0.071	0.180	0.131	0.012	0.18	2.72	8.8	1.01	449	0.47	0.090	0.040
N915941		32.2	1.950	5.46	0.056	0.201	0.031	0.019	0.19	2.77	11.4	0.95	405	0.29	0.100	0.057
N915942		18.05	1.880	6.03	0.064	0.178	0.009	0.017	0.16	2.58	10.3	0.93	439	0.27	0.084	0.043

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915903		7.99	0.078	10.30	0.002	<0.002	4.01	0.011	>10.0	15.90	6.14	10.6	0.33	88.3	<0.005	19.80
N915904		12.00	0.087	11.70	0.002	0.003	3.20	0.045	>10.0	9.69	3.44	12.3	0.32	89.6	<0.005	30.6
N915905		5.93	0.128	10.10	0.006	0.004	5.66	0.012	1.45	1.010	5.65	1.3	0.34	80.8	<0.005	0.52
N915906		6.56	0.154	7.06	0.008	0.002	5.15	0.023	1.58	3.03	5.37	1.8	0.40	83.7	<0.005	1.47
N915907		8.98	0.145	24.3	0.008	0.002	11.20	0.014	2.20	1.015	9.09	1.9	0.33	75.4	<0.005	1.77
N915908		19.15	0.138	35.7	0.001	0.002	16.00	0.003	1.44	1.010	13.40	1.3	0.25	70.7	<0.005	0.67
N915909		24.7	0.129	59.7	0.006	0.002	11.70	0.005	1.08	0.683	12.65	1.0	0.14	74.0	<0.005	0.46
N915910		19.05	0.105	116.5	0.008	0.002	10.55	0.001	0.97	0.617	14.95	0.9	0.16	69.5	<0.005	0.28
N915911		8.92	0.145	9.81	0.006	<0.002	8.40	0.004	0.52	0.453	5.87	0.8	0.22	68.4	<0.005	0.21
N915912		8.46	0.146	5.23	0.006	0.002	6.34	0.015	0.19	0.500	4.52	0.2	0.26	92.7	<0.005	0.04
N915913		14.75	0.059	4.23	0.006	<0.002	7.09	0.001	0.01	0.267	3.33	0.1	1.35	94.3	<0.005	<0.01
N915914		7.78	0.126	2.60	0.009	0.005	4.01	0.011	0.20	0.447	3.10	0.3	0.35	71.5	<0.005	0.10
N915915		6.47	0.110	2.11	0.003	0.002	4.65	0.015	0.30	0.325	3.39	0.5	0.31	81.6	<0.005	0.07
N915916		12.80	0.080	5.87	0.001	<0.002	2.44	0.012	4.25	0.196	2.34	5.1	0.66	53.5	0.010	1.18
N915917		54.4	0.116	1.650	0.007	0.006	27.3	<0.001	0.31	0.194	3.41	0.4	0.27	74.7	<0.005	0.10
N915918		62.0	0.119	1.605	0.007	0.005	47.2	<0.001	0.18	0.151	3.68	0.1	0.24	81.7	<0.005	0.07
N915919		69.6	0.131	1.265	0.004	0.004	59.6	<0.001	0.12	0.098	3.27	0.2	0.24	71.7	<0.005	0.09
N915920		62.9	0.123	1.645	0.008	0.005	47.0	0.001	0.65	0.094	4.51	0.8	0.29	68.9	<0.005	0.23
N915921		61.8	0.125	1.540	0.009	0.005	46.5	<0.001	0.26	0.190	4.20	0.4	0.24	79.7	<0.005	0.10
N915922		63.0	0.123	1.855	0.011	0.005	50.3	<0.001	0.20	0.113	4.13	0.4	0.25	91.0	<0.005	0.07
N915923		13.70	0.102	1.270	0.001	<0.002	3.21	0.007	1.06	0.149	2.65	1.4	0.34	42.0	<0.005	0.47
N915924		13.80	0.098	1.910	0.002	0.002	2.77	0.016	2.50	0.190	2.87	3.5	0.44	77.9	<0.005	0.67
N915925		28.7	0.077	82.0	0.003	<0.002	5.29	0.105	0.53	131.0	1.990	2.7	2.12	130.5	<0.005	2.85
N915926		21.4	0.146	0.908	0.008	0.004	32.9	0.001	0.42	0.631	8.60	0.5	0.35	71.7	<0.005	0.07
N915927		20.6	0.138	0.794	0.006	0.004	31.4	0.008	1.18	0.428	7.48	1.2	0.33	99.2	<0.005	0.17
N915928		25.6	0.133	0.869	0.007	0.004	26.8	0.001	1.61	0.460	5.89	1.4	0.26	83.4	<0.005	0.34
N915929		16.55	0.141	0.745	0.012	0.007	40.0	0.001	0.67	0.499	7.67	1.2	0.40	80.3	<0.005	0.14
N915930		15.60	0.140	0.619	0.010	0.007	62.6	0.005	1.06	0.387	7.04	2.0	0.43	71.3	<0.005	0.12
N915931		18.20	0.139	0.930	0.011	0.008	57.0	0.002	0.85	0.324	7.07	1.2	0.36	76.8	<0.005	0.14
N915932		15.40	0.142	1.180	0.016	0.009	52.1	<0.001	0.33	0.525	6.95	0.7	0.35	78.5	<0.005	0.05
N915933		15.70	0.145	1.070	0.011	0.008	47.8	<0.001	0.22	0.625	9.84	0.3	0.30	104.0	<0.005	0.09
N915934		32.2	0.126	1.015	0.006	0.006	32.4	0.012	2.11	0.623	8.28	1.9	0.34	86.1	<0.005	0.38
N915935		21.2	0.147	1.500	0.006	0.004	11.95	0.002	0.17	2.08	12.75	0.2	0.25	132.0	<0.005	0.05
N915936		18.40	0.138	1.045	0.004	0.003	31.6	0.001	0.30	0.980	9.64	0.4	0.30	113.5	<0.005	0.06
N915937		8.76	0.104	2.29	0.002	<0.002	18.20	<0.001	1.08	1.000	14.70	0.8	0.26	104.5	<0.005	0.36
N915938		14.65	0.059	4.70	0.003	0.002	7.34	0.001	0.01	0.244	3.56	0.1	1.35	89.9	<0.005	0.01
N915939		13.45	0.112	1.685	0.005	<0.002	13.05	<0.001	0.54	0.923	11.65	0.7	0.27	105.0	<0.005	0.16
N915940		15.65	0.110	0.923	0.004	0.003	7.56	<0.001	0.22	0.859	8.53	0.6	0.25	98.8	<0.005	0.07
N915941		18.65	0.113	1.700	0.006	<0.002	8.02	<0.001	0.25	0.840	7.59	0.4	0.31	91.5	<0.005	0.09
N915942		15.95	0.112	1.345	0.005	0.004	6.28	<0.001	0.04	1.470	8.46	0.4	0.25	105.5	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915903		0.966	0.003	0.749	0.558	58.3	0.706	13.10	149.0	2.17
N915904		0.520	0.074	1.105	0.617	46.6	0.781	6.60	177.5	4.54
N915905		0.630	0.150	0.712	0.468	78.2	0.683	8.75	61.2	5.13
N915906		0.734	0.175	0.807	0.543	70.4	0.455	9.23	43.2	7.73
N915907		0.847	0.056	0.248	0.362	87.9	0.354	10.05	116.0	3.26
N915908		0.881	0.003	0.470	0.642	114.5	0.154	11.45	358	1.38
N915909		0.692	0.001	0.332	1.395	95.5	0.137	10.65	324	0.72
N915910		0.496	0.001	0.268	2.06	122.5	0.142	12.20	1425	1.09
N915911		0.335	0.146	0.088	0.132	65.3	0.396	6.71	52.5	2.34
N915912		0.340	0.174	0.058	0.236	59.4	0.392	6.77	51.5	4.31
N915913		2.80	0.163	0.050	0.911	98.7	0.639	5.82	46.1	2.25
N915914		0.426	0.245	0.036	0.262	55.7	0.494	6.95	19.8	5.76
N915915		0.583	0.231	0.044	0.421	53.2	0.701	8.65	17.4	9.55
N915916		0.398	0.135	0.024	0.592	54.3	33.7	6.79	22.6	6.63
N915917		0.168	0.308	0.191	0.102	89.3	0.576	6.79	36.5	2.98
N915918		0.180	0.342	0.299	0.110	110.0	0.425	7.46	51.7	3.88
N915919		0.205	0.360	0.359	0.074	138.0	0.372	7.86	61.6	3.24
N915920		0.190	0.334	0.297	0.115	117.5	0.479	7.53	59.0	4.29
N915921		0.182	0.348	0.337	0.106	113.5	0.312	7.25	55.8	4.53
N915922		0.190	0.340	0.292	0.110	118.0	0.531	7.32	58.2	4.27
N915923		0.591	0.232	0.034	0.389	43.8	7.38	8.60	16.1	8.66
N915924		0.598	0.231	0.054	0.475	50.7	6.37	9.26	38.6	9.28
N915925		1.465	0.070	0.063	1.645	37.5	9.01	6.55	131.0	5.05
N915926		0.410	0.199	0.209	0.196	127.0	0.145	7.50	43.2	3.39
N915927		0.252	0.183	0.187	0.158	120.0	0.169	6.98	39.5	2.22
N915928		0.293	0.215	0.133	0.168	116.5	0.274	6.59	36.3	3.67
N915929		0.763	0.305	0.184	0.327	172.0	0.207	8.24	48.5	8.41
N915930		0.739	0.314	0.275	0.297	169.5	0.167	7.86	59.2	6.79
N915931		0.811	0.326	0.261	0.305	159.5	0.219	8.11	68.5	7.80
N915932		0.807	0.337	0.250	0.299	170.5	0.207	8.15	68.0	7.32
N915933		0.755	0.307	0.262	0.271	175.0	0.152	8.67	83.6	5.80
N915934		0.331	0.254	0.185	0.183	143.5	0.592	7.80	53.0	4.63
N915935		0.531	0.148	0.247	0.206	167.5	0.104	7.69	74.6	1.75
N915936		0.338	0.186	0.213	0.158	129.5	0.152	8.05	40.6	2.22
N915937		0.549	0.125	0.241	0.193	132.5	0.138	11.40	43.2	2.47
N915938		3.07	0.160	0.047	0.903	100.0	1.015	5.71	45.4	2.39
N915939		0.519	0.152	0.105	0.195	123.5	0.146	10.30	37.7	3.78
N915940		0.422	0.144	0.059	0.181	90.3	0.132	7.64	31.0	4.15
N915941		0.426	0.181	0.055	0.177	97.2	0.224	7.38	31.3	4.61
N915942		0.416	0.166	0.054	0.190	94.5	0.194	7.62	34.1	4.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915943	6.11	0.0327	0.415	1.24	4.49	<10	57.0	0.14	0.316	2.61	0.082	7.36	38.9	38.6	1.590
N915944	6.10	0.0238	0.136	1.08	4.64	<10	40.8	0.23	0.297	3.37	0.133	7.62	29.5	30.5	4.12
N915945	6.97	0.0532	0.245	0.85	3.97	<10	51.1	0.15	0.393	2.70	0.545	6.23	47.0	31.1	2.59
N915946	6.17	0.0266	0.211	1.51	3.52	<10	94.7	0.25	0.249	2.63	0.083	6.50	29.5	24.4	5.51
N915947	8.29	0.0137	0.249	1.44	2.76	<10	110.0	0.19	0.100	2.24	0.093	5.95	13.25	28.7	5.61
N915948	7.07	0.0024	0.032	1.28	4.13	10	149.0	0.23	0.040	2.52	0.087	7.00	11.65	24.5	14.15
N915949	7.36	0.0029	0.030	1.33	2.29	10	218	0.22	0.045	3.34	0.051	7.71	15.25	26.6	10.90
N915950	0.05	0.784	56.4	1.18	1010	20	113.0	0.20	26.9	3.47	0.965	14.25	37.8	33.6	0.792
N915951	7.57	0.0149	0.148	1.30	3.78	<10	106.5	0.19	0.195	2.25	0.063	7.45	24.8	29.5	8.95
N915952	7.68	0.0058	0.034	1.26	2.15	<10	94.1	0.19	0.082	1.68	0.047	5.75	15.25	28.1	4.62
N915953	7.26	0.0083	0.085	1.06	3.52	<10	47.8	0.17	0.057	1.99	0.071	5.57	13.65	21.4	5.33
N915954	6.61	0.0062	0.061	1.22	3.50	<10	59.6	0.18	0.089	2.41	0.079	4.48	14.50	24.9	5.71
N915955	6.15	0.0233	0.150	1.06	4.82	<10	44.6	0.12	0.245	1.97	0.088	3.45	22.2	23.6	4.70
N915956	6.92	0.0222	0.207	2.26	9.13	<10	128.5	0.18	0.187	2.18	0.035	7.61	26.6	17.00	5.71
N915957	6.86	0.0451	0.591	2.00	14.40	<10	141.5	0.23	0.417	2.80	0.196	11.60	36.8	22.7	7.51
N915958	7.01	0.0105	0.175	2.17	4.64	<10	105.0	0.20	0.095	1.72	0.045	11.40	16.15	31.0	6.07
N915959	7.08	0.0228	0.131	2.11	3.92	<10	118.5	0.16	0.034	1.88	0.025	11.95	12.10	36.4	11.35
N915960	6.75	0.0133	0.127	2.07	5.24	<10	118.0	0.19	0.078	1.53	0.025	10.70	27.0	44.1	6.15
N915961	7.51	0.0197	0.265	1.94	5.69	<10	91.8	0.25	0.131	2.16	0.058	9.22	17.90	46.5	5.24
N915962	7.55	0.0101	0.152	1.52	8.59	<10	35.2	0.35	0.085	3.20	0.052	14.70	26.0	89.0	10.75
N915963	0.05	0.0009	0.086	1.86	1.19	<10	134.5	0.13	0.080	1.08	0.056	14.15	9.59	18.95	0.320
N915964	5.58	0.0037	0.047	1.76	5.85	<10	50.8	0.39	0.043	2.42	0.029	15.80	29.0	114.0	8.23
N915965	5.95	0.0025	0.054	1.62	5.94	<10	31.2	0.36	0.053	3.32	0.038	15.65	25.1	112.0	13.20
N915966	6.37	0.0027	0.035	2.04	4.11	<10	110.5	0.22	0.055	1.94	0.059	10.10	14.25	31.1	7.24
N915967	8.30	0.0591	2.50	2.28	7.58	<10	200	0.23	0.119	4.11	0.436	11.60	20.9	89.6	8.90
N915968	8.28	0.0036	0.292	2.00	4.32	<10	81.1	0.20	0.037	1.86	0.202	7.57	12.30	37.7	4.27
N915969	6.34	0.0070	0.317	1.52	6.12	<10	49.1	0.26	0.029	3.10	0.272	7.55	13.55	20.6	3.99
N915970	6.53	0.0046	0.041	0.77	7.97	10	19.5	0.30	0.051	4.58	0.147	7.09	9.70	28.4	2.95
N915971	7.51	0.0188	0.310	1.80	5.56	<10	25.2	0.19	0.050	2.97	0.135	5.25	14.60	41.7	4.18
N915972	6.75	0.0028	0.141	0.91	8.94	20	30.8	0.22	0.126	3.84	0.099	8.12	10.90	37.6	2.15
N915973	6.32	0.0073	0.083	1.17	41.3	10	24.7	0.31	0.051	4.73	0.400	11.80	12.45	19.15	4.54
N915974	7.04	0.0040	0.126	1.65	18.25	20	72.4	0.17	0.021	2.06	0.083	10.15	12.90	15.10	1.690
N915975	0.05	0.753	56.2	1.18	1020	20	116.5	0.17	23.7	3.52	0.933	12.80	35.9	30.4	0.715
N915976	6.18	0.0565	0.278	1.92	17.85	20	179.0	0.19	0.090	2.11	0.083	9.69	16.90	29.8	2.30
N915977	7.02	0.0051	0.171	2.02	69.4	10	173.5	0.20	0.070	3.09	0.122	9.92	22.1	44.7	3.30
N915978	6.06	0.0100	0.177	1.49	141.5	<10	77.5	0.46	0.180	3.31	0.227	12.15	25.2	34.9	4.38
N915979	6.63	0.0041	0.173	1.67	34.4	20	122.0	0.18	0.127	2.44	0.373	8.95	20.4	28.8	4.44
N915980	6.35	0.0040	0.143	1.78	12.35	10	77.3	0.22	0.029	2.37	0.196	7.21	19.40	85.6	3.31
N915981	6.66	0.0161	0.626	1.57	35.1	20	82.3	0.28	0.188	2.86	1.745	7.91	37.9	52.9	4.22
N915982	7.17	0.0043	0.261	1.26	10.95	20	102.5	0.24	0.079	3.46	0.104	8.03	15.35	50.4	10.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915943		33.7	3.75	5.52	0.063	0.094	0.068	0.018	0.18	3.14	12.8	1.24	553	3.58	0.055	0.020
N915944		18.00	3.97	4.27	0.044	0.066	0.031	0.021	0.21	3.16	10.6	1.10	554	1.94	0.037	0.005
N915945		33.3	4.94	3.54	0.078	0.139	0.045	0.011	0.16	2.43	6.6	1.06	520	1.41	0.045	0.048
N915946		109.5	4.37	5.43	0.092	0.129	0.060	0.013	0.67	2.75	8.6	1.69	641	0.79	0.088	0.056
N915947		589	3.17	5.93	0.073	0.130	0.022	0.021	0.35	2.41	9.7	1.43	517	2.13	0.085	0.037
N915948		61.7	2.48	4.73	0.060	0.122	0.010	0.016	0.34	2.96	5.9	1.22	484	0.27	0.082	0.025
N915949		17.00	2.80	4.83	0.054	0.156	0.014	0.024	0.46	3.22	6.5	1.59	564	0.21	0.085	0.022
N915950		3730	3.06	3.90	0.064	0.160	0.798	0.098	0.15	8.51	8.4	0.37	674	519	0.105	0.224
N915951		98.9	3.32	4.96	0.059	0.151	0.052	0.018	0.49	3.14	6.5	1.22	431	6.49	0.097	0.048
N915952		17.70	2.20	4.37	0.058	0.167	0.035	0.010	0.37	2.40	7.3	0.89	351	0.61	0.115	0.059
N915953		69.6	2.13	4.52	0.053	0.179	0.015	0.019	0.15	2.34	6.4	0.88	382	0.42	0.087	0.050
N915954		16.65	2.40	4.99	0.063	0.152	0.013	0.017	0.17	1.810	8.0	1.20	516	0.28	0.088	0.033
N915955		70.6	3.50	4.51	0.067	0.166	0.049	0.010	0.15	1.290	7.7	1.28	460	1.22	0.089	0.036
N915956		131.5	4.02	6.86	0.144	0.202	0.018	0.017	0.99	3.22	14.8	2.25	678	0.52	0.103	0.068
N915957		102.5	4.77	6.06	0.085	0.131	0.024	0.021	1.19	5.24	10.3	1.94	764	4.72	0.077	0.082
N915958		187.5	3.43	6.85	0.138	0.135	0.012	0.010	1.14	5.15	15.4	2.00	664	0.64	0.089	0.098
N915959		79.9	3.60	6.10	0.121	0.105	0.006	0.012	1.33	5.28	13.2	2.02	711	0.29	0.083	0.040
N915960		66.6	3.64	6.18	0.140	0.176	0.013	0.007	1.20	4.68	16.0	1.82	630	0.30	0.091	0.069
N915961		164.0	3.65	5.98	0.142	0.168	0.040	0.016	0.77	4.07	15.7	1.67	691	0.22	0.082	0.087
N915962		108.0	3.74	4.46	0.151	0.218	0.012	0.015	0.54	6.03	9.4	1.86	804	0.14	0.061	0.074
N915963		90.5	3.32	5.63	0.080	0.129	<0.004	0.014	0.21	6.46	7.6	0.79	489	4.82	0.227	0.171
N915964		22.9	3.49	4.87	0.180	0.220	0.009	0.016	0.94	6.25	12.1	1.79	729	0.11	0.054	0.064
N915965		41.2	3.88	4.61	0.153	0.204	0.008	0.009	0.66	6.21	11.9	2.14	948	0.06	0.045	0.049
N915966		19.50	3.75	6.18	0.187	0.147	<0.004	0.023	1.13	4.37	17.1	1.83	788	0.14	0.080	0.060
N915967		2480	5.33	7.09	0.151	0.108	0.012	0.065	1.78	5.35	16.7	2.57	1215	0.85	0.065	0.029
N915968		171.5	3.18	5.30	0.102	0.140	0.006	0.014	0.78	3.54	21.8	1.61	716	0.39	0.083	0.080
N915969		123.5	3.10	4.38	0.112	0.141	0.016	0.022	0.53	3.76	13.5	1.37	866	1.80	0.064	0.065
N915970		18.70	2.40	2.64	0.115	0.172	0.022	0.029	0.12	4.03	4.1	1.05	832	6.06	0.060	0.090
N915971		195.5	3.03	4.77	0.091	0.215	0.008	0.015	0.14	2.35	15.5	1.38	658	1.23	0.074	0.038
N915972		67.9	1.860	3.19	0.083	0.152	0.007	0.019	0.16	4.51	6.7	0.67	557	2.57	0.079	0.127
N915973		34.0	3.49	5.32	0.081	0.099	0.015	0.025	0.20	6.07	13.9	1.23	918	2.05	0.098	0.061
N915974		67.8	2.52	5.02	0.113	0.142	0.008	0.008	0.51	4.80	10.7	0.88	445	2.03	0.171	0.117
N915975		3800	3.12	3.60	0.062	0.148	0.664	0.101	0.16	8.14	7.0	0.38	719	558	0.101	0.242
N915976		174.0	3.42	6.22	0.139	0.190	0.006	0.019	0.74	4.46	13.9	1.21	628	2.46	0.186	0.085
N915977		181.0	4.44	7.05	0.116	0.185	0.009	0.021	1.05	4.67	13.3	1.54	847	3.40	0.148	0.056
N915978		177.0	4.97	5.03	0.099	0.123	0.090	0.046	0.48	5.78	9.0	1.34	1100	4.65	0.103	0.042
N915979		145.0	3.35	5.03	0.123	0.184	0.005	0.024	0.57	4.41	8.6	1.14	655	2.52	0.170	0.081
N915980		96.7	3.30	5.16	0.108	0.141	<0.004	0.029	0.85	3.44	13.4	1.59	640	1.38	0.105	0.046
N915981		409	4.57	5.19	0.111	0.189	0.023	0.032	0.43	3.72	8.6	1.38	886	1.98	0.096	0.043
N915982		166.5	2.99	4.27	0.124	0.197	<0.004	0.050	0.50	3.67	6.7	1.04	762	1.74	0.058	0.104

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915943		22.7	0.106	1.135	0.004	0.002	6.72	0.009	2.40	0.914	10.55	1.3	0.21	47.7	<0.005	0.76
N915944		18.40	0.098	3.44	0.011	0.008	8.55	0.004	2.89	0.536	11.10	2.3	0.23	66.6	<0.005	0.84
N915945		19.25	0.105	6.69	0.005	0.002	5.44	0.005	4.31	0.594	10.65	3.1	0.30	58.4	<0.005	1.11
N915946		19.50	0.110	2.27	0.006	0.003	27.2	0.001	2.47	0.694	10.40	1.8	0.31	86.8	<0.005	0.63
N915947		17.25	0.120	1.945	0.007	0.003	13.85	0.009	1.09	0.785	9.92	1.1	0.31	97.4	<0.005	0.27
N915948		15.90	0.108	1.495	0.008	0.007	15.25	<0.001	0.30	0.808	10.45	0.4	0.22	127.0	<0.005	0.09
N915949		20.0	0.109	1.295	0.005	0.005	20.2	<0.001	0.46	0.529	11.30	0.4	0.23	127.0	<0.005	0.09
N915950		29.5	0.077	86.4	0.005	<0.002	5.35	0.101	0.52	134.5	2.14	2.5	2.04	127.0	<0.005	2.56
N915951		20.2	0.103	1.440	0.007	0.003	21.1	0.008	1.73	0.470	10.25	1.1	0.27	102.0	<0.005	0.40
N915952		16.45	0.104	1.190	0.007	0.004	14.00	0.001	0.79	0.566	6.97	0.6	0.22	97.7	<0.005	0.30
N915953		14.75	0.104	1.370	0.007	0.003	7.18	0.001	0.68	0.688	7.49	0.6	0.20	108.0	<0.005	0.20
N915954		16.15	0.104	1.550	0.005	0.004	8.75	<0.001	0.46	0.885	11.05	0.4	0.29	108.0	<0.005	0.18
N915955		18.45	0.097	1.725	0.006	0.005	7.44	0.002	2.19	0.544	11.60	1.8	0.22	74.2	<0.005	0.66
N915956		17.95	0.124	1.325	0.015	0.006	44.7	0.001	1.06	0.726	10.85	0.8	0.33	86.7	<0.005	0.45
N915957		20.2	0.131	3.51	0.009	0.004	52.3	0.009	2.28	7.87	9.95	1.8	0.32	84.4	<0.005	0.85
N915958		19.00	0.138	1.190	0.005	0.004	51.2	0.001	0.27	0.922	6.47	1.0	0.30	95.6	<0.005	0.09
N915959		20.0	0.136	0.833	0.005	0.004	59.5	0.001	0.15	0.631	6.91	0.5	0.25	107.5	<0.005	0.07
N915960		19.80	0.150	0.906	0.002	0.002	53.8	<0.001	0.31	0.785	5.38	0.5	0.31	98.9	<0.005	0.13
N915961		19.15	0.161	1.440	0.008	0.004	32.6	<0.001	0.38	1.040	7.22	0.4	0.23	117.0	<0.005	0.13
N915962		24.0	0.214	1.160	0.012	0.009	25.6	<0.001	0.25	1.200	9.50	0.5	0.28	131.5	<0.005	0.10
N915963		14.20	0.059	3.93	0.002	<0.002	6.77	<0.001	0.01	0.230	3.20	<0.1	1.29	88.0	<0.005	0.01
N915964		26.3	0.254	1.105	0.007	0.007	44.1	<0.001	0.18	0.720	9.12	0.4	0.32	111.5	<0.005	0.06
N915965		26.4	0.231	0.740	0.012	0.005	33.4	<0.001	0.14	0.902	10.30	0.5	0.32	121.5	<0.005	0.05
N915966		17.60	0.158	1.005	0.006	0.004	51.8	<0.001	0.07	0.663	7.06	0.3	0.26	89.5	<0.005	0.05
N915967		24.0	0.173	1.020	0.007	0.005	77.5	<0.001	0.65	0.220	10.55	0.8	0.28	82.2	<0.005	0.18
N915968		16.35	0.162	2.37	0.007	0.002	35.5	0.001	0.12	0.429	5.05	0.5	0.24	87.0	<0.005	0.02
N915969		14.50	0.153	2.28	0.006	0.006	22.7	0.002	0.15	0.563	7.15	0.4	0.26	113.0	<0.005	0.08
N915970		20.0	0.177	2.76	0.005	0.004	5.92	0.010	0.06	0.468	8.68	0.4	0.20	101.0	<0.005	0.17
N915971		22.7	0.135	2.06	0.008	0.006	6.53	0.001	0.08	0.813	10.90	0.3	0.21	117.0	<0.005	0.07
N915972		22.3	0.189	1.295	0.010	0.002	6.26	0.002	0.11	0.462	5.92	0.6	0.26	67.9	<0.005	0.13
N915973		10.90	0.210	4.67	0.005	0.002	9.12	0.002	0.19	0.441	9.11	0.9	0.25	82.6	<0.005	0.11
N915974		9.07	0.256	1.150	0.005	0.002	20.6	0.002	0.20	0.542	4.72	0.4	0.28	99.8	<0.005	0.08
N915975		27.9	0.078	78.9	0.004	<0.002	5.24	0.101	0.52	128.0	2.06	2.4	1.91	134.5	<0.005	2.71
N915976		15.50	0.252	1.175	0.005	0.002	29.8	0.002	0.26	0.607	6.48	0.9	0.30	99.1	<0.005	0.13
N915977		25.5	0.236	1.770	0.007	0.004	52.7	0.007	0.63	1.250	7.83	1.4	0.33	84.6	<0.005	0.12
N915978		32.1	0.245	2.91	0.008	0.002	20.2	0.004	0.80	2.85	13.15	2.7	0.31	103.0	<0.005	0.25
N915979		24.6	0.220	4.55	0.009	0.003	22.1	0.004	0.43	0.818	8.42	2.4	0.30	93.4	<0.005	0.17
N915980		30.7	0.213	3.53	0.007	0.005	46.0	0.001	0.18	0.458	8.77	0.6	0.30	82.8	<0.005	0.08
N915981		38.7	0.246	61.1	0.007	0.003	18.45	0.003	1.11	1.735	14.20	2.0	0.29	109.0	<0.005	0.48
N915982		22.6	0.202	1.385	0.006	0.004	24.3	0.006	0.32	0.674	8.41	0.7	0.29	104.0	<0.005	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915943		0.367	0.069	0.053	0.217	110.0	0.184	7.80	42.5	2.15
N915944		0.366	0.008	0.076	0.191	81.5	0.059	8.52	37.7	1.57
N915945		0.383	0.086	0.053	0.205	92.1	0.491	6.99	32.5	2.67
N915946		0.362	0.134	0.196	0.172	113.0	0.174	7.99	46.4	2.82
N915947		0.310	0.127	0.103	0.148	106.5	0.121	7.55	38.6	2.78
N915948		0.436	0.088	0.113	0.134	95.3	0.114	7.88	28.3	2.93
N915949		0.465	0.111	0.173	0.176	104.0	0.092	9.75	34.2	3.45
N915950		1.625	0.069	0.061	1.725	41.5	9.65	6.64	129.0	5.45
N915951		0.444	0.102	0.160	0.178	96.0	0.102	8.12	27.8	3.37
N915952		0.399	0.155	0.105	0.150	86.3	0.242	6.88	24.1	3.94
N915953		0.343	0.119	0.081	0.135	77.3	0.147	7.11	25.9	3.76
N915954		0.213	0.135	0.099	0.114	99.1	0.182	8.51	33.8	3.49
N915955		0.180	0.126	0.056	0.109	102.5	0.221	8.39	35.4	3.05
N915956		0.502	0.292	0.290	0.198	163.0	0.374	7.29	60.5	4.58
N915957		0.843	0.192	0.377	0.395	140.0	0.279	8.37	64.8	3.08
N915958		0.934	0.277	0.344	0.416	137.5	0.776	8.38	66.9	3.89
N915959		1.090	0.244	0.375	0.443	134.5	0.108	8.93	62.0	3.52
N915960		0.873	0.281	0.315	0.421	137.5	0.223	8.18	62.5	4.79
N915961		0.620	0.245	0.216	0.293	127.5	0.339	7.87	62.4	4.89
N915962		0.611	0.203	0.172	0.384	112.5	0.232	9.23	59.8	6.29
N915963		2.92	0.160	0.043	0.947	98.7	0.590	5.52	43.2	2.22
N915964		0.593	0.239	0.290	0.344	110.0	0.320	8.54	62.8	6.46
N915965		0.613	0.160	0.221	0.369	107.5	0.170	8.75	69.4	5.61
N915966		0.762	0.236	0.313	0.288	133.0	0.279	7.28	67.1	3.72
N915967		0.592	0.213	0.439	0.244	150.5	0.204	7.98	95.6	2.85
N915968		0.529	0.229	0.221	0.216	105.0	0.369	6.34	73.2	4.12
N915969		0.561	0.183	0.197	0.248	96.2	0.537	6.85	66.8	3.88
N915970		0.505	0.128	0.112	0.327	65.1	0.225	8.71	46.6	4.12
N915971		0.379	0.203	0.056	0.165	110.0	0.378	7.66	47.5	5.11
N915972		0.591	0.158	0.083	0.242	62.2	0.404	8.30	26.2	4.00
N915973		0.597	0.128	0.183	0.282	111.0	0.344	12.15	64.1	2.45
N915974		0.487	0.198	0.372	0.217	95.8	0.413	10.45	38.2	3.52
N915975		1.330	0.067	0.059	1.500	39.5	8.24	6.03	133.5	4.64
N915976		0.464	0.237	0.534	0.226	124.5	0.374	10.35	47.2	4.90
N915977		0.553	0.263	1.615	0.387	173.0	0.259	10.45	71.0	4.99
N915978		0.646	0.120	3.29	0.504	159.5	0.269	12.85	66.4	3.93
N915979		0.554	0.191	1.115	0.370	132.5	0.394	9.97	81.2	4.90
N915980		0.403	0.215	0.520	0.242	106.5	2.15	8.11	58.3	4.74
N915981		0.434	0.174	0.734	0.341	127.0	0.374	9.91	155.5	5.81
N915982		0.385	0.184	0.180	0.137	108.0	0.471	8.76	36.9	4.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915983		7.45	0.0135	0.166	1.55	3.35	<10	48.8	0.13	0.037	1.96	0.032	6.81	13.65	62.7	1.590
N915984		9.31	0.0114	0.246	1.75	3.44	<10	96.6	0.16	0.054	2.35	0.061	7.22	20.3	69.5	3.69
N915985		8.67	0.0072	0.140	1.13	2.68	<10	24.7	0.14	0.067	2.86	0.039	3.66	7.88	74.0	3.79
N915986		7.68	0.0480	0.208	1.48	9.54	<10	102.5	0.20	0.103	4.10	0.284	4.09	12.40	50.3	9.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915983		115.0	2.52	4.14	0.092	0.190	0.005	0.012	0.62	2.99	14.2	1.25	517	0.50	0.054	0.160
N915984		201	3.11	4.48	0.115	0.180	<0.004	0.025	0.89	3.24	13.3	1.45	625	0.61	0.062	0.130
N915985		83.1	1.970	2.89	0.118	0.179	0.005	0.014	0.37	1.535	5.2	0.89	496	0.24	0.036	0.158
N915986		116.5	3.19	4.40	0.112	0.103	0.018	0.033	0.76	1.730	6.2	1.51	810	0.38	0.079	0.061

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915983		28.9	0.166	0.707	0.007	0.005	26.9	<0.001	0.12	0.626	2.92	0.3	0.27	93.6	<0.005	0.08
N915984		35.4	0.179	2.33	0.005	0.007	40.1	<0.001	0.33	0.777	4.59	0.5	0.25	108.0	<0.005	0.13
N915985		33.0	0.134	1.600	0.006	0.004	17.75	<0.001	0.11	0.795	4.57	0.4	0.18	97.5	<0.005	0.14
N915986		28.7	0.126	39.7	0.007	0.005	28.5	0.001	0.21	0.708	10.35	0.5	0.22	105.0	<0.005	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915983		0.212	0.298	0.166	0.126	88.2	0.385	8.53	46.7	5.48
N915984		0.334	0.293	0.240	0.193	105.5	0.431	7.81	58.0	5.49
N915985		0.182	0.255	0.094	0.136	67.7	0.508	5.23	28.5	5.38
N915986		0.202	0.206	0.178	0.121	121.0	0.798	7.26	52.2	3.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 19- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14131905

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

CERTIFICATE KL14135019

Project: Dillard

This report is for 76 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 8- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
N915987	7.70	0.0204	0.344	1.89	10.20	<10	128.0	0.32	0.093	4.46	0.074	5.37	29.4	193.0	14.80
N915988	7.95	0.0077	0.132	1.74	5.05	<10	91.2	0.16	0.046	1.73	0.053	5.59	21.0	57.0	4.73
N915989	7.21	0.0083	0.119	1.80	4.98	<10	77.4	0.16	0.085	2.06	0.049	6.27	24.7	59.0	4.35
N915990	7.16	0.0032	0.057	1.84	3.99	<10	90.4	0.19	0.051	1.99	0.030	5.04	20.0	70.0	4.36
N915991	7.36	0.0103	0.168	1.60	10.25	<10	85.5	0.20	0.062	2.09	0.153	4.50	17.50	45.3	4.14
N915992	7.99	0.0075	0.125	1.37	3.20	<10	88.5	0.13	0.062	1.83	0.045	4.73	11.80	78.8	3.24
N915993	7.20	0.0050	0.097	1.71	4.43	<10	89.1	0.24	0.085	3.02	0.057	7.36	13.80	67.9	6.65
N915994	7.09	0.0139	0.268	1.82	2.55	<10	131.0	0.17	0.044	1.41	0.040	10.30	17.50	17.55	4.35
N915995	7.47	0.0081	0.091	1.62	2.81	<10	56.2	0.25	0.058	3.22	0.044	11.70	11.00	23.6	4.01
N915996	5.73	0.0038	0.087	1.68	3.76	<10	49.6	0.33	0.090	3.32	0.077	10.90	17.30	55.7	9.81
N915997	5.06	0.0048	0.116	1.57	3.18	<10	61.9	0.27	0.060	2.72	0.051	7.78	21.7	90.6	11.50
N915998	5.97	0.0047	0.061	1.32	3.18	<10	48.4	0.10	0.024	1.33	0.027	4.43	15.90	103.0	1.840
N915999	8.33	0.0047	0.052	1.15	3.12	<10	46.8	0.15	0.035	1.36	0.051	7.02	17.35	58.3	1.580
N916000	0.05	0.864	55.6	1.08	995	10	112.5	0.19	23.5	3.35	0.918	13.05	35.7	31.4	0.723
P916001	2.88	0.0150	0.766	1.35	2.76	<10	67.4	0.16	0.033	1.55	0.085	5.64	17.35	80.0	2.42
P916002	3.53	0.0065	0.073	1.40	2.96	<10	70.9	0.14	0.034	1.41	0.061	5.33	15.70	44.2	2.20
P916003	4.95	0.0175	0.181	1.20	3.44	<10	61.7	0.14	0.028	1.39	0.072	4.77	18.60	80.3	1.395
P916004	5.32	0.0025	0.056	1.38	2.93	<10	58.5	0.16	0.022	1.47	0.057	6.12	10.20	30.8	2.23
P916005	7.18	0.0043	0.052	1.25	2.43	<10	65.0	0.10	0.024	1.43	0.064	5.41	13.90	16.30	1.450
P916006	8.20	0.0100	0.119	1.52	2.78	<10	67.6	0.17	0.070	2.20	0.051	9.85	16.90	13.85	5.72
P916007	7.95	0.0092	0.100	1.34	3.77	<10	41.1	0.19	0.081	1.48	0.184	10.30	23.4	12.05	2.06
P916008	7.54	0.0039	0.039	1.73	4.26	<10	90.3	0.22	0.046	1.55	0.042	12.65	13.80	12.00	3.32
P916009	8.31	0.0067	0.147	1.46	4.13	<10	123.5	0.16	0.032	1.51	0.082	11.10	12.05	18.45	2.34
P916010	7.00	0.0390	0.512	1.84	3.44	<10	163.5	0.20	0.049	2.69	0.154	9.72	23.6	32.0	12.15
P916011	8.08	0.0150	0.285	1.79	7.38	<10	121.5	0.20	0.044	2.86	0.090	9.89	18.45	32.2	6.15
P916012	0.05	0.0015	0.099	1.85	1.18	<10	137.0	0.11	0.071	1.05	0.152	14.55	9.76	18.95	0.324
P916013	7.09	0.0212	0.385	0.95	25.2	<10	14.6	0.24	2.00	3.97	0.065	9.57	16.30	16.00	1.500
P916014	7.44	0.0491	0.641	1.19	29.2	<10	15.7	0.23	3.87	3.92	0.138	9.55	20.5	12.65	0.680
P916015	8.30	0.0769	0.228	0.97	13.00	40	20.3	0.26	0.127	2.59	0.114	8.98	18.15	8.27	0.787
P916016	6.94	0.0104	0.125	1.36	6.43	<10	54.0	0.23	0.077	2.39	0.074	8.39	10.70	28.6	1.245
P916017	7.01	0.0089	0.180	1.38	12.60	<10	47.8	0.31	0.038	2.11	0.079	11.80	16.35	12.75	1.485
P916018	8.36	0.0098	0.163	1.23	9.31	<10	37.6	0.21	0.040	1.63	0.083	12.70	15.25	15.60	1.005
P916019	7.25	0.0188	0.488	1.30	13.35	<10	27.5	0.22	0.769	2.07	0.195	11.30	23.9	22.1	0.988
P916020	8.01	0.0352	0.438	1.06	15.25	<10	14.2	0.18	1.200	3.03	0.054	10.05	26.7	16.20	0.759
P916021	7.88	0.0031	0.142	1.14	6.48	20	26.8	0.20	0.133	2.40	0.127	10.75	11.40	8.54	0.971
P916022	7.56	0.0038	0.158	1.51	4.28	<10	40.7	0.19	0.045	1.83	0.085	10.45	14.60	10.30	1.580
P916023	7.65	0.0096	0.371	1.49	4.54	<10	49.2	0.26	0.040	2.15	0.124	11.00	18.95	15.05	2.67
P916024	6.40	0.0066	0.252	1.39	2.66	<10	48.1	0.23	0.041	2.00	0.054	12.80	16.15	15.85	2.37
P916025	0.05	0.776	55.5	1.11	1010	10	112.5	0.17	23.2	3.40	0.958	13.60	36.1	30.5	0.751
P916026	8.27	0.0125	0.239	2.08	2.01	<10	198.5	0.13	0.029	1.39	0.051	7.55	17.70	24.0	3.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
N915987		166.5	4.12	4.46	0.125	0.098	0.028	0.024	1.22	2.22	9.3	2.95	1005	0.76	0.041	0.010
N915988		94.0	3.25	4.55	0.129	0.226	<0.004	0.010	0.93	2.36	11.8	1.53	546	0.42	0.047	0.067
N915989		30.3	3.44	5.06	0.114	0.188	<0.004	0.016	0.76	2.75	13.2	1.69	648	0.23	0.040	0.066
N915990		15.45	3.29	4.77	0.126	0.231	<0.004	0.021	0.97	2.14	11.5	1.59	588	0.19	0.058	0.061
N915991		119.0	3.66	4.53	0.119	0.170	0.017	0.022	0.75	1.940	8.6	1.54	680	0.18	0.072	0.056
N915992		88.6	2.48	3.70	0.138	0.212	<0.004	0.011	0.62	2.01	6.4	1.17	492	0.31	0.054	0.091
N915993		26.1	3.42	4.23	0.113	0.150	0.004	0.020	0.96	3.26	9.7	2.12	757	0.32	0.053	0.041
N915994		184.0	3.60	5.10	0.136	0.194	<0.004	0.018	1.19	4.53	9.1	1.52	542	0.33	0.062	0.075
N915995		74.5	3.44	5.29	0.128	0.188	<0.004	0.032	0.61	5.15	15.1	1.70	757	0.14	0.052	0.053
N915996		26.4	3.89	4.82	0.106	0.140	0.020	0.027	0.66	4.93	10.1	1.95	851	0.12	0.039	0.038
N915997		28.0	3.64	4.27	0.097	0.133	0.019	0.025	0.71	3.49	8.1	1.76	756	0.24	0.043	0.032
N915998		28.2	2.51	3.70	0.105	0.192	<0.004	0.020	0.54	1.845	9.0	1.15	357	0.23	0.050	0.092
N915999		16.50	2.90	3.83	0.098	0.196	<0.004	0.011	0.48	3.11	7.9	0.90	331	0.25	0.056	0.168
N916000		3770	3.05	3.63	0.059	0.147	0.641	0.099	0.15	7.98	7.1	0.37	659	537	0.090	0.241
P916001		55.4	2.94	4.18	0.100	0.170	0.004	0.010	0.62	2.45	9.7	1.21	449	0.55	0.060	0.100
P916002		5.40	3.01	4.44	0.090	0.141	0.010	0.011	0.58	2.43	13.0	1.07	346	0.35	0.083	0.112
P916003		20.3	2.81	3.81	0.089	0.185	<0.004	0.011	0.44	2.13	12.3	0.92	316	0.22	0.072	0.124
P916004		5.73	2.84	4.39	0.081	0.141	0.006	0.009	0.51	2.79	13.4	1.04	349	0.28	0.080	0.126
P916005		11.50	2.92	3.92	0.074	0.181	<0.004	0.007	0.32	2.45	9.8	0.69	272	0.29	0.106	0.199
P916006		146.5	3.17	4.77	0.085	0.131	0.004	0.011	0.61	4.70	10.1	1.05	428	1.46	0.111	0.092
P916007		53.0	3.06	4.48	0.112	0.199	0.009	0.010	0.44	4.77	11.5	1.01	366	0.49	0.073	0.256
P916008		16.35	3.75	5.61	0.150	0.167	<0.004	0.013	1.00	5.80	13.8	1.39	509	0.16	0.066	0.151
P916009		95.0	2.83	5.13	0.128	0.192	0.006	0.014	0.68	5.08	8.8	1.02	528	1.18	0.090	0.228
P916010		331	3.93	5.51	0.111	0.107	0.008	0.015	1.01	4.38	10.5	1.51	756	0.55	0.089	0.090
P916011		91.2	3.62	6.03	0.110	0.125	0.006	0.022	0.61	4.51	17.4	1.53	726	0.84	0.099	0.067
P916012		93.4	3.60	5.44	0.073	0.129	0.004	0.014	0.23	6.85	6.5	0.83	507	5.68	0.195	0.215
P916013		267	3.17	3.55	0.175	0.269	0.004	0.040	0.08	4.39	6.6	0.56	624	2.34	0.054	0.526
P916014		525	3.29	4.64	0.144	0.209	0.004	0.036	0.07	4.50	8.6	0.70	643	4.55	0.046	0.270
P916015		162.5	2.22	3.36	0.107	0.185	0.005	0.016	0.10	4.29	7.5	0.51	426	1.15	0.056	0.285
P916016		60.0	2.17	4.23	0.105	0.186	0.004	0.013	0.10	3.94	12.2	0.88	459	0.57	0.073	0.148
P916017		79.0	2.42	5.07	0.109	0.201	0.009	0.011	0.08	5.44	13.7	0.86	449	0.58	0.054	0.190
P916018		104.5	2.32	4.44	0.118	0.192	0.007	0.014	0.27	5.68	9.4	0.73	397	0.58	0.075	0.265
P916019		428	3.52	4.43	0.128	0.213	0.012	0.028	0.18	5.23	10.2	0.77	465	2.96	0.087	0.301
P916020		429	3.83	3.83	0.174	0.261	0.013	0.035	0.06	4.68	5.5	0.57	526	4.19	0.040	0.604
P916021		144.5	1.940	3.52	0.097	0.227	0.007	0.011	0.18	5.06	5.9	0.50	370	1.69	0.097	0.396
P916022		98.3	2.35	4.50	0.091	0.177	0.005	0.011	0.39	4.99	7.5	0.75	378	0.73	0.115	0.228
P916023		178.0	2.76	4.75	0.092	0.161	0.004	0.016	0.46	5.11	9.4	0.98	532	1.00	0.098	0.224
P916024		117.5	3.53	5.41	0.113	0.208	0.006	0.017	0.49	5.95	9.3	1.04	507	1.90	0.076	0.227
P916025		3780	3.07	3.68	0.060	0.164	0.641	0.099	0.16	8.23	6.8	0.38	674	539	0.094	0.255
P916026		276	3.99	6.42	0.106	0.138	<0.004	0.010	1.30	3.43	13.3	1.74	514	0.82	0.091	0.053

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
N915987		126.0	0.099	2.82	0.013	0.007	53.3	0.001	0.24	1.920	14.40	0.7	0.22	118.5	<0.005	1.40
N915988		29.4	0.124	1.270	0.009	0.006	46.1	<0.001	0.20	1.370	4.81	0.4	0.25	98.8	<0.005	0.06
N915989		29.1	0.132	1.720	0.008	0.005	35.8	<0.001	0.33	1.210	5.56	0.7	0.24	102.0	<0.005	0.08
N915990		31.1	0.129	1.680	0.011	0.006	46.2	<0.001	0.21	1.220	6.21	0.7	0.27	105.0	<0.005	0.06
N915991		29.4	0.131	9.02	0.012	0.008	34.8	<0.001	0.19	1.520	7.59	0.6	0.26	105.5	<0.005	0.11
N915992		28.9	0.121	1.195	0.009	0.006	26.9	<0.001	0.15	1.010	4.98	0.5	0.24	94.1	<0.005	0.08
N915993		53.6	0.132	2.11	0.010	0.005	49.5	<0.001	0.22	1.045	8.40	0.4	0.27	94.8	<0.005	0.13
N915994		15.40	0.162	1.115	0.012	0.003	60.8	<0.001	0.21	0.586	4.73	0.6	0.25	89.6	<0.005	0.10
N915995		16.65	0.149	1.225	0.011	0.003	31.8	<0.001	0.08	0.690	7.63	0.4	0.26	120.0	<0.005	0.06
N915996		28.4	0.142	8.40	0.012	0.005	33.6	<0.001	0.08	0.995	10.35	0.6	0.24	152.5	<0.005	0.02
N915997		38.5	0.119	4.42	0.009	0.005	39.9	<0.001	0.18	0.746	10.85	0.4	0.22	130.5	<0.005	0.07
N915998		40.6	0.129	0.926	0.005	0.006	27.2	<0.001	0.09	0.740	3.02	0.2	0.19	62.9	<0.005	0.03
N915999		25.7	0.141	1.445	0.005	0.004	25.5	<0.001	0.19	0.827	2.70	0.2	0.24	66.0	<0.005	0.04
N916000		28.2	0.078	82.7	0.003	<0.002	5.21	0.105	0.51	130.5	1.980	2.7	1.90	128.5	<0.005	2.30
P916001		31.8	0.133	3.30	0.009	0.006	30.4	<0.001	0.11	0.667	4.00	0.2	0.19	75.5	<0.005	0.06
P916002		17.55	0.144	1.410	0.007	0.003	28.1	<0.001	0.17	0.472	3.22	0.2	0.18	80.4	<0.005	0.07
P916003		24.1	0.136	1.660	0.009	0.004	19.55	<0.001	0.18	0.594	3.12	0.1	0.25	69.4	<0.005	0.06
P916004		15.60	0.148	1.255	0.005	0.002	24.7	<0.001	0.10	0.560	3.47	0.1	0.19	83.8	<0.005	0.04
P916005		7.61	0.138	1.350	0.006	0.002	12.75	<0.001	0.19	0.309	2.79	0.2	0.20	88.0	<0.005	0.09
P916006		8.91	0.159	1.090	0.006	<0.002	27.0	0.001	0.46	0.209	4.84	0.4	0.20	109.0	<0.005	0.13
P916007		8.01	0.180	2.20	0.005	0.002	22.5	0.001	1.01	0.398	2.74	0.3	0.26	89.4	<0.005	0.24
P916008		7.81	0.193	1.480	0.003	<0.002	53.6	<0.001	0.36	0.426	3.08	0.2	0.28	91.2	<0.005	0.11
P916009		10.70	0.161	1.100	0.004	0.002	31.0	0.002	0.20	0.314	4.67	0.6	0.29	70.0	<0.005	0.07
P916010		16.95	0.185	1.095	0.005	0.003	48.9	<0.001	0.34	0.492	9.44	0.5	0.23	131.0	<0.005	0.09
P916011		18.50	0.194	4.06	0.008	0.003	27.8	0.001	0.19	0.238	8.33	0.4	0.22	92.6	<0.005	0.07
P916012		14.40	0.061	4.01	<0.001	<0.002	7.40	<0.001	0.01	0.230	3.04	0.2	1.37	86.7	<0.005	<0.01
P916013		24.1	0.152	1.210	0.004	<0.002	3.30	0.004	1.25	0.249	3.72	2.0	0.23	93.9	<0.005	1.98
P916014		21.3	0.164	2.94	0.004	0.002	2.77	0.004	0.84	0.569	4.79	1.4	0.22	87.3	<0.005	3.46
P916015		12.60	0.150	2.03	0.004	0.002	4.24	0.001	0.59	0.581	3.28	0.9	0.20	78.2	<0.005	0.20
P916016		12.30	0.149	1.195	0.006	0.003	4.24	<0.001	0.11	0.423	4.40	0.3	0.17	79.6	<0.005	0.06
P916017		8.86	0.175	1.265	0.005	0.002	3.49	<0.001	0.19	0.465	4.36	0.3	0.22	96.4	<0.005	0.05
P916018		7.40	0.184	1.345	0.005	0.003	14.10	0.001	0.26	0.430	4.56	0.4	0.32	79.8	<0.005	0.07
P916019		20.1	0.164	1.425	0.007	0.004	8.22	0.003	1.22	0.655	4.50	1.5	0.23	81.4	<0.005	0.82
P916020		19.35	0.142	1.385	0.003	0.002	2.25	0.005	1.68	0.631	3.14	1.9	0.23	83.1	<0.005	1.18
P916021		8.81	0.182	1.445	0.011	0.002	7.75	0.003	0.43	0.213	3.27	0.7	0.22	99.2	<0.005	0.16
P916022		7.33	0.176	2.02	0.005	0.003	20.1	<0.001	0.17	0.239	3.59	0.4	0.23	113.0	<0.005	0.06
P916023		9.47	0.168	1.435	0.005	0.003	23.4	0.002	0.28	0.566	5.06	0.6	0.25	97.5	<0.005	0.06
P916024		9.33	0.181	1.270	0.004	0.003	22.9	0.011	0.17	0.488	4.31	0.3	0.27	84.9	<0.005	0.07
P916025		27.5	0.079	83.7	0.005	<0.002	5.31	0.108	0.52	131.5	2.00	2.5	1.95	129.0	<0.005	2.34
P916026		13.20	0.161	0.841	0.010	0.003	54.0	0.001	0.10	0.267	4.78	0.2	0.24	87.3	<0.005	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
N915987		0.257	0.128	0.397	0.108	131.0	0.226	9.05	66.1	2.60
N915988		0.264	0.316	0.259	0.146	124.0	0.278	7.71	50.0	6.18
N915989		0.292	0.285	0.211	0.137	124.5	0.346	7.71	57.1	5.18
N915990		0.240	0.310	0.273	0.112	124.5	0.362	7.20	51.8	5.45
N915991		0.239	0.243	0.370	0.107	118.5	0.244	7.34	76.7	4.51
N915992		0.214	0.258	0.173	0.118	93.1	0.458	6.42	36.3	5.56
N915993		0.340	0.214	0.326	0.136	115.0	0.284	8.06	53.6	4.14
N915994		0.401	0.286	0.343	0.169	138.5	0.313	8.12	47.1	5.21
N915995		0.463	0.202	0.168	0.194	130.5	0.301	9.29	45.2	5.28
N915996		0.475	0.171	0.232	0.184	115.0	0.179	9.82	81.2	3.71
N915997		0.454	0.177	0.300	0.197	101.5	0.363	8.41	60.0	3.40
N915998		0.305	0.257	0.174	0.142	79.6	0.343	5.70	34.3	4.57
N915999		0.488	0.225	0.146	0.213	90.1	0.404	6.68	30.5	4.54
N916000		1.460	0.063	0.058	1.560	37.9	8.57	5.81	131.5	4.59
P916001		0.331	0.242	0.167	0.158	91.7	4.06	6.03	58.2	4.17
P916002		0.361	0.210	0.165	0.182	103.5	0.682	5.80	31.0	3.85
P916003		0.317	0.215	0.109	0.193	87.3	1.035	5.54	28.1	4.35
P916004		0.434	0.207	0.151	0.208	102.5	0.565	6.23	32.2	3.96
P916005		0.361	0.181	0.079	0.227	96.6	0.546	5.91	21.9	4.16
P916006		0.598	0.163	0.181	0.237	102.5	0.445	8.12	28.9	2.83
P916007		0.626	0.217	0.121	0.244	87.8	1.100	7.38	35.1	4.57
P916008		0.778	0.250	0.299	0.248	109.0	0.760	8.29	45.2	5.35
P916009		0.675	0.251	0.186	0.227	97.8	0.448	7.43	38.7	5.16
P916010		0.498	0.217	0.325	0.189	125.0	0.349	8.17	54.3	3.25
P916011		0.536	0.207	0.181	0.176	126.5	0.693	7.84	56.0	3.17
P916012		2.95	0.159	0.051	0.915	100.0	0.681	5.26	47.5	2.08
P916013		0.824	0.201	0.290	0.299	49.1	9.18	6.04	22.5	6.07
P916014		0.767	0.181	0.070	0.260	65.6	10.05	6.15	30.7	5.30
P916015		0.578	0.173	0.091	0.195	58.2	1.840	6.14	23.4	4.72
P916016		0.517	0.184	0.046	0.181	75.7	0.564	6.39	29.9	4.49
P916017		0.725	0.197	0.030	0.264	85.3	0.479	7.51	33.0	5.20
P916018		0.729	0.219	0.186	0.262	94.0	0.419	7.79	31.0	5.21
P916019		0.767	0.211	0.181	0.292	76.7	0.949	6.83	37.5	5.34
P916020		0.811	0.212	0.067	0.292	48.6	22.8	5.88	21.1	5.89
P916021		0.682	0.199	0.101	0.266	66.9	1.365	7.07	31.7	5.27
P916022		0.587	0.208	0.127	0.249	88.8	0.524	7.35	32.3	4.32
P916023		0.592	0.223	0.154	0.250	98.2	0.475	7.87	38.6	4.58
P916024		0.795	0.241	0.127	0.296	110.5	0.368	8.79	37.9	5.46
P916025		1.490	0.065	0.061	1.620	38.0	9.70	5.99	130.0	4.73
P916026		0.339	0.277	0.294	0.160	168.5	0.197	6.59	46.1	3.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916027	8.09	0.0018	0.030	1.78	1.79	<10	187.5	0.15	0.024	1.51	0.004	7.14	16.95	22.0	2.76
P916028	7.70	0.0410	0.302	1.91	2.23	<10	185.0	0.12	0.027	1.40	0.057	7.03	16.00	22.2	3.15
P916029	7.50	0.0056	0.032	2.03	1.86	<10	238	0.13	0.044	1.57	0.017	6.96	21.1	24.5	4.05
P916030	8.08	0.0015	0.017	1.78	1.60	<10	292	0.10	0.027	1.36	0.023	6.79	21.1	24.6	2.98
P916031	9.39	0.0024	0.064	1.88	2.59	<10	161.5	0.14	0.037	1.62	0.045	6.87	22.9	20.0	6.96
P916032	6.56	0.0054	0.091	1.70	3.63	<10	163.0	0.31	0.131	2.65	0.098	7.52	28.4	22.0	18.10
P916033	7.86	0.0045	0.206	1.15	7.23	<10	109.0	0.38	0.059	5.01	0.200	9.65	24.6	22.0	22.7
P916034	8.24	0.0055	0.177	1.59	2.36	<10	137.0	0.13	0.049	1.83	0.088	3.42	15.95	34.0	7.70
P916035	7.25	0.0070	0.255	2.42	1.97	<10	337	0.12	0.064	1.62	0.070	7.84	22.7	20.6	4.37
P916036	8.57	0.0031	0.071	2.05	2.23	<10	194.0	0.13	0.048	1.71	0.043	7.26	15.60	21.3	2.91
P916037	0.05	0.0007	0.106	1.92	1.21	<10	130.5	0.13	0.080	1.12	0.069	14.60	9.31	18.45	0.269
P916038	8.23	0.0299	0.286	2.00	3.24	<10	122.5	0.16	0.086	1.59	0.083	6.61	18.80	25.5	3.34
P916039	5.19	0.0034	0.066	1.84	3.71	<10	56.4	0.28	0.057	3.82	0.089	9.22	19.45	22.4	5.11
P916040	8.14	0.0031	0.093	1.27	2.60	<10	61.6	0.23	0.036	1.83	0.172	21.8	11.85	12.90	2.31
P916041	6.87	0.0010	0.056	0.81	2.20	<10	43.6	0.19	0.029	1.44	0.053	31.6	4.31	6.16	1.760
P916042	7.10	0.0012	0.076	2.03	3.56	<10	96.3	0.48	0.045	2.21	0.068	10.20	14.85	23.7	4.16
P916043	7.63	0.0023	0.067	2.10	1.58	<10	160.5	0.15	0.026	1.23	0.022	8.45	18.75	18.70	2.65
P916044	7.65	0.0059	0.200	1.45	2.26	<10	80.2	0.20	0.054	1.24	0.090	15.60	18.20	4.04	2.04
P916045	6.31	0.0028	0.095	1.77	2.55	<10	98.3	0.18	0.053	1.40	0.029	11.00	18.05	13.80	3.84
P916046	7.04	0.0073	0.178	2.12	3.29	<10	123.5	0.16	0.041	1.42	0.068	6.89	24.9	21.7	3.25
P916047	8.20	0.0411	1.230	1.70	2.89	<10	114.0	0.16	0.083	1.36	0.217	15.05	22.5	5.89	2.35
P916048	6.81	0.0098	0.325	1.75	3.19	<10	124.0	0.18	0.073	1.25	0.106	13.90	25.6	14.85	2.34
P916049	7.38	0.0068	0.308	1.37	4.75	<10	59.8	0.24	0.063	1.84	0.256	12.55	27.4	11.95	2.14
P916050	0.05	0.710	54.7	1.15	947	20	105.5	0.18	24.6	3.29	0.831	14.15	33.2	30.7	0.673
P916051	6.72	0.0061	0.237	1.99	2.74	<10	125.0	0.15	0.048	1.52	0.044	7.60	19.95	15.55	3.19
P916052	6.06	0.0134	0.281	1.71	4.04	<10	127.0	0.12	0.018	1.39	0.262	3.61	12.75	20.2	2.99
P916053	8.20	0.0102	0.270	1.83	15.70	<10	181.0	0.11	0.053	1.58	0.296	7.31	18.00	13.90	2.80
P916054	7.65	0.0127	0.206	1.67	32.1	<10	90.3	0.25	0.059	2.37	0.271	9.82	25.9	12.65	5.04
P916055	8.43	0.0092	0.102	1.42	4.42	20	51.6	0.17	0.048	1.68	0.110	6.89	12.60	23.3	1.315
P916056	8.15	0.0045	0.096	1.52	10.40	<10	47.9	0.18	0.080	1.96	0.061	11.10	22.2	10.20	1.380
P916057	8.80	0.0083	0.182	1.42	24.7	<10	32.1	0.31	0.138	2.20	0.143	11.25	19.15	9.66	1.695
P916058	8.37	0.0020	0.070	0.98	6.13	<10	63.6	0.28	0.415	1.72	0.186	20.7	4.71	7.77	1.915
P916059	6.16	0.0113	0.254	1.73	9.83	10	122.5	0.43	0.090	3.30	0.448	20.7	14.25	6.07	6.56
P916060	8.92	0.0146	0.276	1.78	23.7	<10	42.6	0.31	0.044	2.66	0.300	8.47	13.90	10.55	2.79
P916061	6.94	0.0037	0.116	1.52	60.8	<10	50.4	0.34	0.050	2.32	0.205	11.65	15.50	8.89	5.62
P916062	6.97	0.0084	0.083	2.10	46.7	10	61.7	0.45	0.052	3.68	0.081	7.63	20.9	29.9	7.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916027		12.75	3.76	5.36	0.113	0.155	<0.004	0.015	0.91	3.37	12.2	1.46	409	0.47	0.093	0.066
P916028		370	3.70	5.60	0.092	0.126	0.008	0.013	1.08	3.26	12.9	1.56	385	0.62	0.093	0.066
P916029		21.9	3.70	5.76	0.097	0.127	<0.004	0.012	1.20	3.23	15.3	1.71	457	0.40	0.095	0.048
P916030		15.30	3.49	5.04	0.089	0.129	<0.004	0.010	1.03	3.08	11.5	1.41	365	0.33	0.103	0.054
P916031		41.3	3.62	5.78	0.088	0.110	0.006	0.006	1.14	3.18	12.2	1.63	444	0.36	0.092	0.049
P916032		105.0	3.99	5.49	0.076	0.108	0.024	0.013	0.86	3.42	9.9	1.60	525	0.21	0.074	0.048
P916033		192.5	4.58	3.59	0.059	0.108	0.458	0.029	0.54	4.30	5.3	2.20	912	0.17	0.053	0.030
P916034		109.0	2.82	5.24	0.089	0.161	0.011	0.023	0.63	1.395	11.6	1.43	405	0.23	0.111	0.044
P916035		190.0	4.27	6.88	0.112	0.123	0.005	0.007	1.50	3.64	19.3	2.12	559	0.98	0.132	0.064
P916036		49.5	3.52	5.32	0.100	0.196	<0.004	0.005	1.11	3.39	14.9	1.59	456	0.29	0.123	0.083
P916037		92.4	3.46	5.27	0.064	0.122	<0.004	0.011	0.21	6.94	7.3	0.82	505	5.49	0.226	0.207
P916038		266	3.78	5.90	0.082	0.137	0.006	0.006	0.83	3.03	19.8	1.77	440	0.30	0.100	0.067
P916039		26.2	3.92	5.29	0.077	0.177	0.006	0.016	0.41	4.47	20.7	1.50	719	0.32	0.068	0.070
P916040		95.7	2.50	5.46	0.054	0.136	<0.004	0.016	0.41	10.70	12.4	0.95	414	0.95	0.077	0.065
P916041		5.32	1.530	4.18	0.057	0.103	<0.004	0.008	0.32	14.75	7.8	0.67	300	1.19	0.089	0.054
P916042		17.10	3.72	6.95	0.117	0.130	0.007	0.010	0.96	4.94	16.5	1.60	516	0.35	0.078	0.065
P916043		43.2	3.85	5.74	0.102	0.158	<0.004	0.008	1.37	3.91	16.6	1.76	462	0.45	0.117	0.063
P916044		170.0	3.17	5.39	0.106	0.210	<0.004	0.016	0.77	7.30	11.7	1.02	411	0.21	0.080	0.292
P916045		62.0	3.60	5.60	0.093	0.210	0.007	0.014	1.01	5.04	15.6	1.38	457	0.19	0.101	0.100
P916046		168.0	3.91	5.80	0.096	0.130	<0.004	0.010	1.37	3.23	20.1	1.89	468	0.22	0.090	0.060
P916047		1340	3.72	5.90	0.113	0.188	0.009	0.032	1.07	7.15	12.6	1.29	514	0.48	0.085	0.180
P916048		282	4.25	6.16	0.118	0.193	0.004	0.017	1.14	6.52	12.0	1.34	473	0.72	0.096	0.133
P916049		264	3.44	4.85	0.101	0.220	0.004	0.019	0.57	5.75	10.3	1.02	480	0.26	0.080	0.305
P916050		3580	3.04	3.14	0.047	0.181	0.683	0.104	0.15	8.73	7.0	0.36	679	522	0.105	0.303
P916051		185.0	3.63	5.56	0.078	0.125	0.004	0.012	0.91	3.40	16.9	1.59	456	0.48	0.109	0.083
P916052		394	2.47	5.39	0.079	0.130	<0.004	0.014	0.79	1.475	12.7	1.22	365	0.32	0.093	0.045
P916053		259	3.51	5.22	0.085	0.142	0.007	0.012	0.93	3.33	11.5	1.52	570	0.42	0.110	0.075
P916054		186.0	3.83	5.66	0.093	0.157	0.011	0.024	0.50	4.60	13.7	1.29	675	1.74	0.126	0.119
P916055		111.5	2.57	5.19	0.096	0.197	<0.004	0.014	0.35	3.00	11.2	0.93	438	0.69	0.142	0.140
P916056		200	3.54	5.00	0.088	0.227	0.005	0.015	0.38	5.22	11.0	0.95	484	0.56	0.131	0.231
P916057		197.5	2.93	4.66	0.084	0.218	<0.004	0.012	0.13	5.25	12.2	0.80	513	0.64	0.099	0.293
P916058		27.4	1.570	3.69	0.038	0.148	0.020	0.014	0.18	10.10	8.2	0.52	465	1.41	0.086	0.116
P916059		60.9	3.36	4.18	0.030	0.065	0.037	0.022	0.31	10.05	12.7	1.14	801	1.05	0.062	0.019
P916060		171.0	2.83	5.31	0.077	0.175	0.006	0.008	0.12	3.96	14.9	1.14	607	0.82	0.108	0.104
P916061		102.5	2.83	5.33	0.073	0.155	0.019	0.011	0.13	5.66	12.3	0.92	529	1.50	0.109	0.114
P916062		81.7	3.64	6.43	0.077	0.191	0.059	0.022	0.09	3.58	20.3	1.37	769	0.77	0.101	0.064

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916027		11.70	0.158	0.689	0.006	0.003	33.9	<0.001	0.08	0.162	5.02	0.1	0.25	96.1	<0.005	0.02
P916028		12.55	0.163	0.923	0.005	0.003	40.7	<0.001	0.15	0.169	4.85	0.3	0.25	89.8	<0.005	0.11
P916029		13.05	0.163	0.731	0.005	0.003	42.9	<0.001	0.28	0.139	5.46	0.2	0.18	90.4	<0.005	0.10
P916030		12.20	0.158	1.865	0.005	0.004	32.7	<0.001	0.34	0.118	4.69	0.2	0.22	86.7	<0.005	0.07
P916031		12.75	0.160	2.36	0.007	0.003	44.7	<0.001	0.35	0.208	5.88	0.2	0.23	90.5	<0.005	0.08
P916032		14.75	0.151	2.53	0.008	0.004	36.9	<0.001	0.60	0.650	9.74	0.3	0.22	116.5	<0.005	0.10
P916033		18.15	0.131	11.40	0.008	0.005	29.4	<0.001	0.43	1.820	17.40	0.4	0.24	110.0	<0.005	0.07
P916034		17.00	0.120	1.500	0.006	0.006	21.8	0.001	0.53	0.218	8.33	0.3	0.24	68.7	<0.005	0.17
P916035		15.25	0.151	1.515	0.005	0.003	57.8	0.003	0.53	0.174	6.83	0.6	0.26	73.7	<0.005	0.21
P916036		11.75	0.148	0.972	0.006	0.004	46.6	<0.001	0.23	0.182	5.72	0.3	0.22	88.0	<0.005	0.13
P916037		14.00	0.057	4.53	0.002	<0.002	6.85	0.001	0.01	0.250	3.07	0.2	1.08	87.7	<0.005	<0.01
P916038		14.15	0.146	1.325	0.009	0.004	35.9	<0.001	0.64	0.199	5.70	0.5	0.27	73.1	<0.005	0.20
P916039		11.60	0.141	2.18	0.006	0.004	19.70	0.001	0.35	0.461	8.02	0.4	0.27	121.0	<0.005	0.17
P916040		6.58	0.092	3.16	0.002	0.002	18.15	0.001	0.19	0.340	4.17	0.3	0.27	58.5	<0.005	0.08
P916041		3.15	0.060	1.640	0.002	<0.002	14.75	<0.001	0.14	0.207	2.15	0.1	0.21	35.6	<0.005	0.06
P916042		11.95	0.143	1.980	0.010	0.004	44.5	0.001	0.19	0.573	9.14	0.2	0.35	99.9	<0.005	0.16
P916043		12.10	0.149	0.698	0.006	0.003	59.6	0.001	0.20	0.190	5.89	0.4	0.24	72.9	<0.005	0.11
P916044		3.95	0.173	1.455	<0.001	<0.002	36.7	<0.001	0.60	0.246	3.57	0.5	0.26	73.9	<0.005	0.11
P916045		8.69	0.156	1.230	0.003	0.004	46.7	<0.001	0.27	0.277	5.17	0.3	0.33	90.1	<0.005	0.10
P916046		12.75	0.150	1.525	0.005	0.005	61.5	<0.001	0.26	0.324	5.57	0.2	0.26	82.9	<0.005	0.14
P916047		5.00	0.180	1.685	0.002	0.002	47.5	<0.001	0.86	0.191	4.09	1.0	0.32	68.8	<0.005	0.24
P916048		9.15	0.180	1.540	0.002	0.002	49.7	<0.001	0.70	0.201	5.02	0.8	0.36	66.6	<0.005	0.26
P916049		8.07	0.177	3.27	0.004	0.003	26.5	<0.001	1.01	0.286	5.61	0.8	0.39	97.0	<0.005	0.22
P916050		26.3	0.073	81.2	0.001	<0.002	5.12	0.092	0.50	131.0	1.890	2.3	1.79	112.5	<0.005	2.85
P916051		11.50	0.152	1.755	0.009	0.006	40.2	<0.001	0.55	0.277	6.21	0.4	0.22	122.5	<0.005	0.14
P916052		12.30	0.105	2.63	0.009	0.011	32.6	<0.001	0.29	0.268	5.56	0.2	0.21	86.3	<0.005	0.09
P916053		10.45	0.129	3.46	0.005	0.003	37.0	0.001	0.52	0.572	7.54	0.5	0.21	79.2	<0.005	0.17
P916054		14.55	0.150	4.59	0.004	0.003	22.0	0.001	0.65	0.609	9.13	0.9	0.28	101.5	<0.005	0.18
P916055		14.00	0.129	3.52	0.002	0.003	14.70	<0.001	0.39	0.255	5.50	0.5	0.30	57.6	<0.005	0.17
P916056		9.70	0.165	2.02	0.006	0.003	18.50	<0.001	1.02	0.462	4.92	1.1	0.28	78.8	<0.005	0.31
P916057		14.25	0.164	2.44	0.006	0.003	6.14	0.001	0.70	1.390	4.96	1.1	0.30	75.5	<0.005	0.28
P916058		5.22	0.085	3.94	0.001	0.002	6.92	0.001	0.11	0.694	3.28	0.2	0.20	39.6	<0.005	0.37
P916059		7.04	0.101	4.33	0.005	0.002	13.35	<0.001	0.26	1.105	8.19	0.3	0.17	75.2	<0.005	0.12
P916060		9.39	0.142	3.94	0.003	<0.002	5.29	0.001	0.23	1.345	7.13	0.5	0.21	86.8	<0.005	0.18
P916061		9.77	0.147	3.99	0.004	0.003	5.79	0.001	0.40	1.725	5.97	0.6	0.17	79.1	<0.005	0.17
P916062		15.60	0.108	2.28	0.006	0.004	5.40	<0.001	0.30	1.950	9.96	0.4	0.19	117.0	<0.005	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916027		0.334	0.260	0.211	0.168	150.0	0.217	6.46	33.2	3.52
P916028		0.350	0.264	0.257	0.147	154.0	0.382	6.09	35.4	2.90
P916029		0.317	0.260	0.270	0.139	145.5	0.248	6.05	38.0	2.83
P916030		0.312	0.246	0.198	0.134	122.0	0.224	6.04	38.1	3.10
P916031		0.293	0.257	0.295	0.154	144.0	0.291	6.20	48.7	2.85
P916032		0.359	0.184	0.308	0.162	137.5	0.314	7.90	41.0	2.86
P916033		0.470	0.084	0.524	0.345	149.5	0.223	10.40	79.1	2.53
P916034		0.205	0.191	0.159	0.085	115.0	0.269	6.22	31.1	3.41
P916035		0.348	0.292	0.346	0.162	171.5	0.355	7.21	49.0	3.53
P916036		0.330	0.290	0.303	0.168	149.0	0.389	6.61	37.1	3.63
P916037		2.79	0.164	0.046	0.828	96.6	0.571	5.62	43.4	2.31
P916038		0.335	0.268	0.218	0.169	151.5	0.387	6.41	43.6	3.72
P916039		0.412	0.188	0.126	0.168	141.0	0.312	8.62	37.5	3.69
P916040		1.170	0.130	0.127	0.285	79.7	0.185	7.04	36.5	3.17
P916041		2.08	0.060	0.110	0.285	36.9	0.131	7.56	21.4	2.82
P916042		0.493	0.228	0.292	0.184	144.0	0.241	7.02	44.8	2.86
P916043		0.351	0.301	0.340	0.159	165.0	0.280	6.91	39.1	3.84
P916044		0.777	0.228	0.223	0.197	80.7	0.344	9.48	35.2	6.28
P916045		0.600	0.258	0.296	0.220	131.0	0.285	8.28	39.5	5.64
P916046		0.308	0.296	0.383	0.159	156.5	0.247	6.25	43.5	3.61
P916047		0.812	0.244	0.294	0.226	98.5	0.420	9.48	43.2	5.44
P916048		0.830	0.291	0.309	0.369	139.0	0.453	9.29	41.8	5.64
P916049		0.696	0.242	0.199	0.270	102.0	0.367	9.02	41.2	6.33
P916050		1.530	0.070	0.052	1.885	37.5	8.13	6.16	120.5	5.42
P916051		0.338	0.266	0.275	0.175	146.0	0.290	7.00	41.7	3.63
P916052		0.175	0.196	0.302	0.106	94.4	0.240	5.86	39.2	2.85
P916053		0.353	0.235	0.540	0.210	122.0	0.351	7.84	74.9	3.28
P916054		0.544	0.200	0.672	0.216	123.5	0.450	8.56	82.1	3.51
P916055		0.393	0.216	0.170	0.168	93.5	0.463	7.61	31.9	4.72
P916056		0.639	0.250	0.284	0.258	106.0	0.744	7.96	31.1	5.50
P916057		0.678	0.223	0.381	0.252	91.9	0.828	7.72	41.3	5.31
P916058		1.255	0.098	0.066	0.255	45.4	0.341	7.59	37.2	4.00
P916059		1.065	0.024	0.080	0.269	78.5	0.178	8.72	60.8	1.98
P916060		0.483	0.182	0.190	0.211	106.0	0.580	7.44	54.9	4.75
P916061		0.876	0.148	0.860	0.420	93.6	0.437	8.83	47.8	3.11
P916062		0.487	0.175	0.382	0.223	112.0	0.544	8.32	37.2	4.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 22- SEP- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14135019

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

CERTIFICATE KL14144323

Project: Dillard

This report is for 106 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 15- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916063	6.76	0.0894	0.264	1.39	33.5	<10	20.4	0.32	0.760	4.02	0.135	9.79	18.30	38.3	6.76
P916064	6.85	0.0287	0.402	0.82	42.9	<10	74.4	0.48	0.349	2.88	0.215	20.8	34.0	7.34	10.75
P916065	7.08	0.0063	0.150	1.07	33.6	<10	68.0	0.51	0.082	1.31	0.093	20.8	21.1	11.45	7.99
P916066	8.57	0.0035	0.074	0.95	6.31	<10	29.4	0.22	0.060	2.56	0.156	10.65	10.05	11.70	2.12
P916067	8.47	0.0086	0.258	2.07	16.80	<10	165.5	0.18	0.096	2.43	0.442	8.45	19.80	24.4	2.79
P916068	7.37	0.0110	0.166	2.06	5.45	<10	92.8	0.19	0.026	2.19	0.082	7.27	17.25	24.0	6.30
P916069	8.51	0.0172	0.206	2.22	7.86	<10	98.3	0.22	0.067	3.24	0.104	8.50	18.40	25.6	4.76
P916070	8.23	0.0082	0.101	1.80	4.85	<10	46.6	0.19	0.029	2.00	0.054	7.39	9.70	21.4	2.22
P916071	8.02	0.0171	0.130	1.67	15.20	<10	44.0	0.18	0.067	2.18	0.073	7.65	12.25	21.3	1.695
P916072	8.09	0.0141	0.191	1.54	16.00	<10	54.3	0.17	1.495	1.99	0.084	6.57	25.6	19.40	2.07
P916073	7.44	0.0142	0.144	2.26	14.45	<10	46.5	0.20	0.927	2.49	0.045	7.45	23.6	17.00	3.17
P916074	8.50	0.0112	0.290	1.21	172.0	<10	24.0	0.34	0.504	2.80	0.393	18.20	27.2	16.25	2.76
P916075	8.55	0.0126	0.096	1.17	109.0	<10	30.7	0.25	0.883	3.10	0.061	12.75	11.50	9.17	1.850
P916076	7.68	0.0580	0.072	0.84	61.5	<10	21.9	0.22	0.199	3.49	0.090	12.35	8.58	9.55	0.913
P916077	0.05	0.698	54.3	1.07	959	20	110.0	0.13	23.0	3.22	0.996	13.50	33.3	27.7	0.756
P916078	7.11	0.0428	0.091	1.30	23.0	<10	24.8	0.21	0.168	2.94	0.124	12.40	11.55	13.35	1.690
P916079	7.78	0.0052	0.075	1.08	38.1	<10	27.8	0.17	0.292	2.57	0.123	11.10	9.89	9.46	1.185
P916080	7.05	0.0315	0.532	0.68	31.2	<10	37.6	0.22	1.505	1.84	0.161	11.40	15.70	11.20	0.785
P916081	8.40	0.0208	0.713	0.70	73.2	<10	39.0	0.25	1.935	2.15	0.204	10.55	16.60	10.80	0.950
P916082	8.41	0.0548	2.01	1.44	7.61	<10	48.8	0.19	0.918	2.08	0.249	7.72	8.76	12.85	1.950
P916083	8.34	0.0077	0.183	1.40	10.25	<10	38.1	0.23	0.111	1.80	0.111	11.30	14.35	7.94	1.910
P916084	7.98	0.0098	0.241	1.45	13.15	<10	31.8	0.25	0.116	2.23	0.154	8.59	13.00	25.6	4.98
P916085	7.11	0.0009	0.048	0.53	6.84	<10	39.1	0.20	0.052	1.12	0.124	36.8	2.64	3.65	2.20
P916086	7.45	0.0094	0.185	1.12	6.52	<10	35.7	0.19	0.109	1.68	0.052	15.90	15.30	9.57	5.40
P916087	8.33	0.0170	0.263	1.38	4.62	<10	114.0	0.17	0.162	3.59	0.058	9.97	21.6	52.2	10.30
P916088	8.84	0.0078	0.303	1.49	3.96	<10	38.5	0.21	0.104	2.05	0.071	7.76	17.65	52.2	2.63
P916089	8.04	0.0058	0.114	1.60	3.75	<10	126.0	0.21	0.050	2.38	0.036	9.19	14.05	50.4	2.73
P916090	8.67	0.0116	0.167	1.86	3.13	<10	320	0.16	0.060	2.32	0.047	10.20	23.9	56.6	3.53
P916091	8.17	0.0105	0.192	2.04	3.97	<10	146.0	0.19	0.080	2.34	0.048	9.55	27.1	52.1	4.46
P916092	8.08	0.0148	0.213	1.63	3.43	<10	88.7	0.20	0.087	2.43	0.041	8.73	24.9	62.8	5.07
P916093	7.85	0.0164	0.287	1.74	4.25	<10	45.6	0.21	0.094	3.18	0.065	8.84	23.0	50.1	10.55
P916094	7.40	0.0226	0.211	1.57	4.30	<10	44.7	0.38	0.070	3.54	0.058	9.99	13.70	59.8	13.95
P916095	7.34	0.0178	0.341	1.10	21.5	<10	98.0	0.36	0.176	3.45	0.092	12.95	25.3	38.1	12.55
P916096	7.40	0.213	0.912	1.06	4.44	<10	36.7	0.28	0.145	3.27	0.113	10.40	19.10	41.5	16.15
P916097	7.26	0.0092	0.104	0.90	3.71	10	128.5	0.34	0.061	4.16	0.086	8.85	13.45	34.4	11.40
P916098	6.78	0.0152	0.050	0.70	4.31	<10	173.0	0.27	0.131	3.18	0.063	8.89	12.75	13.05	12.50
P916099	7.31	0.0113	0.058	1.00	2.23	<10	64.9	0.35	0.160	2.71	0.068	7.88	14.25	27.0	17.05
P916100	0.05	0.910	52.3	1.05	944	20	107.5	0.15	24.1	3.14	0.881	12.65	33.6	28.4	0.733
P916101	8.71	0.0044	0.053	0.81	3.89	10	223	0.29	0.077	3.76	0.074	9.09	12.70	24.0	18.15
P916102	8.53	0.0080	0.087	1.06	2.35	<10	85.8	0.27	0.110	3.25	0.042	10.30	16.40	36.3	14.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916063		95.6	3.30	4.99	0.066	0.158	0.051	0.021	0.10	4.55	12.4	1.04	868	2.05	0.114	0.057
P916064		214	5.41	3.10	0.058	0.038	0.482	0.057	0.18	10.30	5.1	0.60	1710	3.46	0.041	<0.002
P916065		106.5	4.89	3.40	0.056	0.088	0.230	0.058	0.21	10.05	7.9	0.73	1190	0.64	0.059	0.025
P916066		44.5	1.820	3.94	0.112	0.290	0.007	0.030	0.11	4.97	6.4	0.57	426	1.40	0.072	0.229
P916067		112.5	3.64	6.36	0.118	0.108	0.013	0.043	0.55	4.01	15.5	1.70	746	0.24	0.107	0.041
P916068		109.5	3.26	6.25	0.127	0.105	<0.004	0.010	0.64	3.42	15.3	1.68	538	0.27	0.111	0.043
P916069		135.0	3.16	6.61	0.111	0.111	0.004	0.021	0.64	3.91	14.3	1.51	637	0.28	0.167	0.041
P916070		68.9	2.33	5.23	0.098	0.138	<0.004	0.017	0.23	3.37	12.1	1.00	356	0.29	0.131	0.086
P916071		94.5	2.40	4.99	0.114	0.163	<0.004	0.011	0.21	3.69	13.2	0.99	402	0.38	0.125	0.094
P916072		146.0	2.99	3.26	0.076	0.129	<0.004	0.011	0.17	3.05	10.0	0.95	399	1.72	0.115	0.071
P916073		141.5	3.01	5.30	0.097	0.111	<0.004	0.023	0.25	3.56	11.7	1.08	404	4.31	0.211	0.064
P916074		204	4.04	3.44	0.079	0.139	0.134	0.006	0.12	8.80	6.6	0.70	858	4.01	0.111	0.088
P916075		105.5	2.85	3.46	0.098	0.244	0.048	0.017	0.11	6.01	6.0	0.57	531	3.10	0.152	0.195
P916076		94.8	2.14	3.25	0.102	0.226	0.010	0.025	0.10	5.76	5.6	0.56	589	5.65	0.090	0.255
P916077		3620	2.95	3.25	0.061	0.123	0.623	0.114	0.15	8.12	6.3	0.36	621	506	0.098	0.187
P916078		112.0	2.88	4.83	0.093	0.206	0.008	0.032	0.11	5.71	12.5	0.84	619	1.91	0.127	0.106
P916079		84.6	2.38	3.70	0.109	0.197	0.008	<0.005	0.10	5.23	7.9	0.64	513	1.82	0.111	0.157
P916080		591	5.34	2.73	0.223	0.190	0.005	0.024	0.09	5.17	3.1	0.40	518	10.30	0.043	0.476
P916081		515	4.21	2.62	0.143	0.177	<0.004	0.020	0.10	4.82	3.1	0.47	636	9.95	0.069	0.373
P916082		788	2.42	4.54	0.123	0.124	0.005	0.039	0.39	3.59	7.5	0.91	444	2.07	0.116	0.100
P916083		114.0	2.40	4.63	0.082	0.185	<0.004	<0.005	0.22	5.38	12.0	0.84	377	1.02	0.108	0.163
P916084		146.5	2.50	3.99	0.070	0.137	0.011	0.006	0.20	3.97	9.6	0.90	419	2.68	0.123	0.091
P916085		13.20	1.120	2.31	0.044	0.093	0.052	<0.005	0.20	18.15	3.5	0.24	402	2.01	0.072	0.048
P916086		158.5	2.49	4.05	0.069	0.155	0.031	0.023	0.30	7.45	5.2	0.78	464	1.46	0.081	0.113
P916087		249	3.04	4.99	0.085	0.183	0.007	0.029	0.12	4.74	10.1	1.16	746	0.87	0.068	0.090
P916088		408	3.01	5.14	0.127	0.198	0.006	0.018	0.28	3.49	8.5	1.34	538	0.81	0.076	0.108
P916089		76.0	3.17	5.90	0.124	0.179	<0.004	0.006	0.27	4.02	10.4	1.53	631	0.46	0.075	0.079
P916090		79.6	4.11	6.13	0.133	0.168	0.006	0.013	0.51	4.36	11.5	2.01	724	0.51	0.069	0.050
P916091		147.5	4.56	7.03	0.125	0.160	0.013	0.022	0.67	3.97	13.9	2.22	777	0.49	0.063	0.043
P916092		110.0	3.84	5.76	0.111	0.172	0.004	0.021	0.32	3.72	12.0	1.80	695	1.09	0.072	0.075
P916093		250	4.19	5.28	0.102	0.182	0.006	0.033	0.31	3.88	11.8	1.98	801	0.21	0.063	0.053
P916094		163.0	4.02	5.10	0.082	0.164	0.029	0.058	0.43	4.50	9.3	1.75	847	0.62	0.071	0.047
P916095		178.5	4.86	3.81	0.072	0.100	0.171	0.041	0.30	5.98	5.9	1.32	868	0.67	0.061	0.065
P916096		698	3.47	4.17	0.089	0.231	0.030	0.031	0.20	4.92	7.8	1.43	648	1.94	0.065	0.147
P916097		85.6	3.86	3.70	0.044	0.060	0.025	0.042	0.29	3.80	7.3	1.86	788	0.27	0.051	0.016
P916098		14.00	3.13	2.79	0.038	0.046	0.169	0.044	0.28	3.92	4.3	1.35	593	0.47	0.055	0.005
P916099		8.92	3.37	4.36	0.044	0.058	0.173	0.018	0.35	3.32	7.0	1.32	623	0.22	0.066	0.010
P916100		3570	2.90	3.41	0.059	0.150	0.630	0.080	0.15	7.76	7.6	0.35	626	479	0.095	0.203
P916101		12.25	3.26	3.52	0.037	0.064	0.059	0.033	0.26	3.99	5.9	1.57	723	0.23	0.061	0.009
P916102		29.3	3.65	5.90	0.040	0.063	0.056	0.017	0.22	4.47	11.4	1.76	703	0.42	0.061	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916063		20.0	0.104	2.08	0.009	0.004	5.79	0.001	0.30	2.31	11.80	0.4	0.27	112.5	<0.005	0.75
P916064		12.70	0.113	6.85	0.005	<0.002	10.10	0.001	0.90	6.13	13.30	1.3	0.11	83.1	<0.005	0.42
P916065		13.80	0.156	2.58	0.007	0.002	11.65	0.002	0.34	13.45	17.35	0.7	0.10	73.7	<0.005	0.14
P916066		8.43	0.129	2.98	0.004	<0.002	4.33	0.002	0.19	1.390	4.70	0.3	0.22	75.1	<0.005	0.10
P916067		13.95	0.148	4.93	0.006	0.003	20.4	<0.001	0.27	1.315	9.94	0.4	0.20	111.0	<0.005	0.06
P916068		13.55	0.151	1.590	0.008	0.002	30.7	<0.001	0.12	0.601	8.75	0.2	0.20	117.5	<0.005	0.09
P916069		13.75	0.145	1.820	0.009	0.003	29.1	<0.001	0.18	0.420	10.05	0.3	0.25	181.5	<0.005	0.12
P916070		10.20	0.150	0.995	0.009	0.002	10.45	<0.001	0.05	0.371	6.55	0.3	0.25	139.0	<0.005	0.07
P916071		10.40	0.149	1.445	0.012	0.002	9.49	<0.001	0.23	0.541	6.47	0.3	0.25	110.0	<0.005	0.15
P916072		16.90	0.142	2.18	0.007	0.003	6.61	0.001	0.81	0.676	5.37	1.0	0.19	86.9	<0.005	1.34
P916073		13.00	0.152	1.440	0.010	0.003	11.50	0.001	0.47	1.490	6.35	0.5	0.23	164.5	<0.005	0.89
P916074		17.70	0.146	6.97	0.007	0.003	4.63	0.002	1.03	11.75	9.96	1.2	0.27	107.0	<0.005	0.59
P916075		10.15	0.142	1.400	0.006	0.002	3.91	0.004	1.05	5.21	6.17	1.4	0.31	102.5	<0.005	1.08
P916076		11.20	0.137	1.350	0.005	0.002	3.40	0.004	0.48	1.670	5.50	0.6	0.34	86.6	<0.005	0.28
P916077		27.1	0.074	78.8	0.017	<0.002	4.37	0.091	0.50	128.0	1.830	2.6	2.00	123.5	<0.005	2.36
P916078		10.35	0.132	1.985	0.003	0.002	3.31	0.002	0.47	0.904	7.62	0.7	0.32	90.7	<0.005	0.27
P916079		9.64	0.139	2.24	0.004	0.002	2.98	0.003	0.50	1.060	6.74	0.7	0.29	81.6	<0.005	0.32
P916080		28.5	0.136	2.54	0.003	<0.002	1.650	0.006	3.11	0.841	4.18	3.3	0.27	60.9	<0.005	1.78
P916081		20.3	0.161	2.25	0.005	<0.002	2.16	0.010	2.05	1.225	5.40	2.3	0.25	70.9	<0.005	1.77
P916082		10.80	0.165	1.885	0.006	0.003	16.30	0.005	0.31	0.497	6.04	0.9	0.31	78.3	<0.005	0.96
P916083		7.03	0.186	1.865	0.008	0.002	9.66	0.002	0.44	0.574	6.00	0.6	0.28	84.4	<0.005	0.14
P916084		21.0	0.151	2.10	0.012	0.006	8.72	0.027	0.61	0.797	8.77	0.6	0.23	108.0	<0.005	0.22
P916085		3.50	0.048	2.83	<0.001	<0.002	9.77	<0.001	0.14	0.724	1.780	0.2	0.24	31.4	<0.005	0.05
P916086		11.05	0.113	1.460	0.002	0.003	14.35	0.001	0.54	1.485	5.39	0.4	0.28	91.3	<0.005	0.13
P916087		26.7	0.120	1.105	0.008	0.005	7.56	0.003	0.60	0.927	7.84	0.7	0.31	110.0	<0.005	0.20
P916088		28.8	0.124	0.994	0.009	0.005	12.55	0.001	0.53	0.727	6.37	0.9	0.33	83.8	<0.005	0.18
P916089		27.2	0.120	1.110	0.005	0.005	11.45	<0.001	0.19	0.815	5.88	0.6	0.28	114.0	<0.005	0.05
P916090		34.4	0.129	1.300	0.008	0.005	20.9	<0.001	0.39	0.544	6.46	0.5	0.29	105.0	<0.005	0.09
P916091		28.1	0.129	0.978	0.011	0.005	26.3	0.002	0.33	0.593	7.74	0.4	0.36	88.1	<0.005	0.07
P916092		32.7	0.119	1.240	0.006	0.005	13.70	0.006	0.40	0.712	7.48	0.8	0.29	98.7	<0.005	0.16
P916093		28.0	0.122	1.415	0.008	0.009	16.30	<0.001	0.35	0.933	8.06	0.6	0.28	139.5	<0.005	0.10
P916094		39.0	0.128	1.110	0.006	0.005	22.9	0.002	0.13	1.420	12.10	0.5	0.33	163.0	<0.005	0.03
P916095		43.6	0.130	4.45	0.007	0.005	15.50	0.002	0.66	9.62	15.30	0.7	0.23	118.0	<0.005	0.12
P916096		27.6	0.123	2.47	0.005	0.003	13.40	0.003	0.85	1.265	11.90	0.9	0.33	124.0	<0.005	0.26
P916097		24.4	0.097	2.99	0.004	0.004	15.45	<0.001	0.28	0.944	17.95	0.3	0.24	108.0	<0.005	0.08
P916098		11.80	0.085	2.71	0.002	0.002	14.40	0.001	1.07	1.015	12.45	0.6	0.17	86.0	<0.005	0.29
P916099		18.30	0.099	2.67	0.003	0.002	16.90	<0.001	1.36	0.932	15.75	0.8	0.13	97.6	<0.005	0.35
P916100		26.1	0.072	79.8	0.002	<0.002	5.01	0.087	0.50	124.5	1.970	2.2	2.02	124.0	<0.005	2.59
P916101		18.10	0.098	2.44	0.005	0.002	16.20	<0.001	0.70	1.050	16.30	0.3	0.16	121.0	<0.005	0.11
P916102		22.8	0.105	1.560	0.003	0.004	13.50	<0.001	0.74	0.947	17.25	0.5	0.21	97.2	<0.005	0.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916063		0.610	0.129	0.256	0.230	94.0	0.321	9.67	52.7	3.23
P916064		0.848	0.002	0.400	0.601	61.8	0.410	15.40	66.2	1.22
P916065		0.923	0.041	0.286	0.247	104.0	0.239	13.35	54.9	2.08
P916066		0.828	0.202	0.047	0.293	69.2	0.563	8.97	30.7	5.60
P916067		0.411	0.197	0.157	0.175	124.5	0.407	7.31	71.7	3.01
P916068		0.405	0.203	0.212	0.151	119.5	0.365	6.69	44.7	2.59
P916069		0.406	0.187	0.241	0.154	122.5	0.401	7.90	40.5	2.32
P916070		0.406	0.204	0.069	0.173	99.1	0.410	6.31	26.8	3.52
P916071		0.410	0.199	0.179	0.182	92.3	0.416	6.10	32.9	3.56
P916072		0.334	0.170	0.488	0.126	78.3	0.409	4.98	30.4	2.84
P916073		0.364	0.206	0.153	0.147	102.0	0.437	5.88	29.6	2.70
P916074		0.976	0.117	1.080	0.326	81.1	1.160	10.55	60.4	3.91
P916075		0.837	0.169	0.224	0.242	70.1	32.4	8.31	18.0	5.78
P916076		0.857	0.187	0.185	0.309	63.7	0.884	7.83	18.3	5.64
P916077		1.400	0.063	0.053	1.430	35.2	8.66	5.63	121.5	4.70
P916078		0.794	0.172	0.096	0.288	93.7	0.566	8.81	32.0	5.31
P916079		0.759	0.173	0.248	0.283	73.0	0.715	7.67	30.7	5.46
P916080		0.991	0.169	0.175	0.362	45.8	3.30	5.79	20.3	4.79
P916081		0.783	0.161	0.486	0.336	55.2	29.8	5.74	36.1	4.42
P916082		0.447	0.188	0.138	0.203	90.7	0.861	5.88	46.4	3.54
P916083		0.758	0.185	0.150	0.296	91.3	0.474	7.25	32.9	4.72
P916084		0.510	0.170	0.243	0.198	90.7	0.310	6.67	31.6	3.71
P916085		1.800	0.014	0.138	0.431	10.2	0.105	7.24	19.3	3.08
P916086		0.741	0.183	0.187	0.212	76.1	0.284	8.19	32.2	4.30
P916087		0.556	0.201	0.073	0.196	95.1	0.421	8.90	36.2	5.05
P916088		0.498	0.261	0.090	0.204	95.4	0.767	7.45	40.1	5.69
P916089		0.624	0.271	0.085	0.279	112.5	0.737	8.64	48.7	5.11
P916090		0.697	0.279	0.140	0.334	130.5	0.399	9.40	62.5	4.03
P916091		0.650	0.290	0.177	0.318	149.0	0.333	10.20	67.9	3.45
P916092		0.530	0.260	0.091	0.251	120.5	0.471	9.70	53.7	4.63
P916093		0.480	0.204	0.113	0.180	122.5	0.367	9.11	63.2	4.79
P916094		0.619	0.188	0.206	0.225	114.0	4.97	11.05	59.7	4.56
P916095		1.010	0.107	0.483	0.205	95.4	0.501	10.40	52.6	2.64
P916096		0.830	0.184	0.116	0.236	89.6	0.287	9.71	42.2	5.36
P916097		0.454	0.046	0.146	0.144	129.5	0.240	9.90	59.9	1.67
P916098		0.418	0.012	0.233	0.139	79.6	0.226	8.42	43.0	0.93
P916099		0.370	0.032	0.175	0.106	92.4	0.208	9.26	40.8	1.40
P916100		1.395	0.062	0.048	1.440	36.1	8.91	5.53	122.5	4.74
P916101		0.386	0.024	0.195	0.125	104.5	0.134	10.50	46.6	1.28
P916102		0.433	0.023	0.139	0.138	123.0	0.230	11.35	51.5	1.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916103	7.90	0.0062	0.177	0.66	7.72	10	23.8	0.13	0.160	2.31	0.137	9.85	12.30	13.05	0.618
P916104	7.67	0.0224	0.747	0.59	16.40	10	19.2	0.11	0.274	3.62	0.420	9.22	15.65	9.96	0.492
P916105	7.18	0.0070	0.423	0.53	18.20	10	20.9	0.12	0.314	3.15	0.426	9.15	20.8	9.73	0.458
P916106	8.56	0.0044	0.263	0.62	27.4	20	12.3	0.24	0.152	3.66	0.165	10.90	13.15	11.70	0.981
P916107	7.32	0.0044	0.125	0.63	9.74	10	16.3	0.15	0.149	3.84	0.088	7.99	9.58	8.65	0.420
P916108	7.31	0.0010	0.051	0.54	10.85	10	25.0	0.12	0.067	3.14	0.095	8.52	7.84	12.25	0.503
P916109	7.98	0.0305	0.083	0.61	35.2	10	24.7	0.22	0.349	3.54	0.267	8.31	10.05	9.92	1.335
P916110	8.30	0.0072	0.098	0.68	29.6	10	21.9	0.20	0.424	2.91	0.375	10.80	8.26	10.40	2.98
P916111	8.12	0.0051	0.261	0.81	12.75	10	53.4	0.20	0.225	2.99	0.185	6.58	9.50	7.63	0.928
P916112	8.11	0.0030	0.088	1.07	6.71	<10	103.5	0.24	0.076	3.31	0.149	5.46	10.20	7.50	2.37
P916113	7.58	0.0027	0.122	1.03	4.11	<10	102.0	0.18	0.069	2.04	0.106	4.57	10.85	6.18	2.48
P916114	8.11	0.0362	0.418	0.88	7.79	<10	47.2	0.20	0.139	1.97	0.501	5.18	9.00	6.58	3.62
P916115	6.92	0.0049	0.363	0.94	9.22	<10	65.5	0.26	0.119	2.39	0.177	6.41	9.12	6.37	7.61
P916116	8.38	0.0063	0.257	0.75	9.86	10	41.2	0.16	1.485	1.69	0.300	7.05	25.3	8.25	1.375
P916117	7.46	0.0017	0.128	0.50	24.5	<10	28.9	0.18	0.589	2.39	0.071	8.50	13.95	11.10	0.922
P916118	8.60	0.0862	0.349	0.71	32.6	10	55.6	0.21	1.060	2.92	0.209	9.76	11.95	8.99	4.47
P916119	7.76	0.0016	0.105	0.54	6.92	30	25.6	0.16	0.373	2.24	0.044	9.89	14.35	13.50	0.741
P916120	7.54	0.0018	0.162	0.66	29.8	30	28.1	0.20	0.372	2.57	0.078	9.89	16.70	9.21	1.090
P916121	8.62	0.0038	0.219	1.48	28.0	<10	62.7	0.21	0.222	2.04	0.084	8.97	13.30	8.54	1.705
P916122	8.51	0.0034	0.230	0.98	7.20	<10	46.9	0.16	0.164	1.77	0.447	7.15	7.86	6.89	1.685
P916123	8.28	0.0029	0.230	1.34	11.00	<10	53.4	0.24	0.129	2.45	0.196	9.55	11.10	6.49	2.91
P916124	8.15	0.0084	0.484	1.17	14.75	<10	72.8	0.22	0.628	2.24	0.183	9.16	15.25	13.15	2.03
P916125	0.05	0.585	53.2	1.07	965	20	106.5	0.19	21.3	3.22	0.839	12.55	32.5	28.5	0.698
P916126	7.62	0.0069	0.368	1.14	9.70	<10	101.0	0.17	0.199	2.11	0.213	8.88	17.40	7.85	1.860
P916127	7.35	0.0069	0.302	1.25	4.86	<10	335	0.28	0.134	2.50	0.220	8.74	13.20	5.81	2.57
P916128	9.12	0.0021	0.159	1.43	7.68	<10	59.5	0.17	0.083	1.91	0.144	8.28	9.70	10.05	1.490
P916129	8.24	0.0022	0.137	1.52	5.48	<10	71.8	0.22	0.080	1.98	0.190	9.01	14.15	8.34	0.793
P916130	8.05	0.0019	0.181	1.51	25.9	<10	54.1	0.21	0.125	1.65	0.261	8.03	19.90	9.10	0.924
P916131	8.19	0.0046	0.193	1.71	12.45	<10	61.0	0.21	0.091	1.81	0.088	9.77	20.4	22.0	1.235
P916132	8.27	0.0053	0.178	1.55	9.05	<10	42.0	0.20	0.072	1.82	0.142	8.90	17.25	17.80	1.170
P916133	8.30	0.0018	0.071	2.11	2.88	<10	57.5	0.20	0.046	1.76	0.039	8.12	23.2	37.0	2.06
P916134	8.24	0.0222	0.756	2.12	3.28	<10	70.4	0.21	0.056	2.60	0.153	7.37	24.1	42.5	2.39
P916135	8.12	0.0114	0.645	1.88	3.15	<10	101.0	0.17	0.059	1.59	0.101	8.31	26.6	29.3	2.02
P916136	7.98	0.0021	0.083	2.06	3.86	<10	136.0	0.23	0.027	1.71	0.021	7.28	20.3	37.6	2.41
P916137	8.33	0.0019	0.054	2.14	3.44	<10	270	0.22	0.024	1.99	0.026	7.38	20.8	45.5	1.885
P916138	8.50	0.0123	0.313	2.05	5.28	<10	200	0.33	0.109	4.12	0.060	9.17	22.6	34.2	4.21
P916139	7.77	0.0123	0.431	1.22	12.15	10	150.5	0.53	0.127	5.31	0.185	14.35	16.10	4.72	5.01
P916140	8.57	0.0015	0.068	1.73	3.49	10	84.6	0.23	0.046	2.30	0.053	5.45	11.80	19.65	1.500
P916141	7.03	0.0040	0.117	1.60	6.18	<10	53.1	0.24	0.086	2.53	0.082	4.99	13.30	19.10	1.380
P916142	8.33	0.0338	0.332	1.49	6.01	<10	49.5	0.27	0.103	2.30	0.246	5.25	11.95	17.00	3.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916103	208	1.660	2.45	0.095	0.405	0.008	<0.005	0.09	4.31	4.1	0.27	224	2.79	0.072	0.393
P916104	891	2.57	2.55	0.150	0.379	0.013	0.082	0.06	4.01	3.4	0.18	325	4.18	0.049	0.474
P916105	576	2.68	2.20	0.093	0.368	0.009	0.021	0.07	3.92	3.9	0.17	297	4.63	0.059	0.444
P916106	236	1.970	2.62	0.107	0.348	0.009	0.025	0.05	4.76	4.4	0.34	553	3.44	0.068	0.268
P916107	120.5	1.670	2.90	0.111	0.365	0.007	0.024	0.05	3.27	4.2	0.23	412	3.42	0.057	0.335
P916108	57.8	1.150	1.995	0.092	0.381	0.010	0.009	0.06	3.55	2.7	0.18	368	4.57	0.063	0.362
P916109	87.9	1.730	2.60	0.093	0.365	0.028	0.033	0.07	3.58	4.2	0.38	497	1.47	0.073	0.201
P916110	111.0	1.900	2.46	0.089	0.351	0.050	0.005	0.08	4.61	3.9	0.35	432	1.31	0.103	0.241
P916111	328	2.59	3.09	0.125	0.242	0.009	0.061	0.10	2.93	3.6	0.43	382	13.30	0.097	0.209
P916112	49.1	2.44	3.49	0.054	0.153	0.044	0.028	0.12	2.42	6.3	0.70	396	1.13	0.119	0.072
P916113	111.0	2.08	3.56	0.050	0.142	0.029	0.018	0.17	1.950	7.7	0.65	292	0.92	0.104	0.065
P916114	407	2.13	3.12	0.060	0.144	0.067	0.020	0.11	2.07	8.2	0.58	452	3.29	0.078	0.056
P916115	366	2.13	3.24	0.052	0.116	0.070	0.018	0.12	2.65	7.5	0.58	508	12.65	0.083	0.041
P916116	396	2.72	2.31	0.077	0.231	0.013	0.005	0.09	3.20	4.8	0.36	252	2.95	0.088	0.211
P916117	231	2.58	1.995	0.118	0.356	0.014	0.034	0.06	3.76	2.1	0.31	353	1.58	0.063	0.372
P916118	294	2.62	2.48	0.072	0.277	0.115	0.020	0.10	4.28	4.4	0.42	442	2.70	0.077	0.157
P916119	215	2.32	2.06	0.107	0.424	0.013	0.038	0.08	4.32	2.8	0.22	272	1.77	0.067	0.387
P916120	299	2.91	2.26	0.087	0.353	0.028	0.025	0.08	4.53	3.6	0.40	376	2.64	0.087	0.263
P916121	267	2.57	3.81	0.078	0.251	0.045	0.022	0.14	4.13	7.0	0.54	318	1.80	0.185	0.160
P916122	152.5	1.570	2.81	0.091	0.267	0.018	0.018	0.12	3.29	4.1	0.36	277	2.70	0.120	0.250
P916123	180.0	2.03	3.57	0.077	0.326	0.025	0.016	0.13	4.39	5.1	0.53	386	0.91	0.176	0.166
P916124	291	2.70	3.72	0.095	0.302	0.023	0.014	0.17	4.31	6.1	0.56	450	1.03	0.126	0.175
P916125	3480	2.93	3.50	0.055	0.153	0.651	0.082	0.15	7.45	6.7	0.35	627	482	0.096	0.171
P916126	281	2.61	3.64	0.102	0.223	0.035	0.026	0.18	4.07	5.6	0.57	352	1.18	0.136	0.197
P916127	270	2.28	4.18	0.091	0.266	0.014	0.007	0.14	4.06	8.9	0.63	423	1.69	0.124	0.146
P916128	145.0	2.39	4.78	0.098	0.239	0.011	0.016	0.24	3.72	9.8	0.71	364	1.28	0.163	0.139
P916129	157.5	2.60	4.74	0.113	0.310	0.008	0.018	0.22	4.14	7.8	0.59	317	1.50	0.177	0.256
P916130	192.0	3.41	6.03	0.110	0.247	0.008	0.019	0.31	3.58	15.4	0.94	378	1.07	0.129	0.100
P916131	168.5	3.47	5.85	0.114	0.242	0.006	0.013	0.35	4.66	13.9	1.11	393	2.00	0.138	0.125
P916132	152.0	3.06	5.24	0.098	0.215	0.009	0.019	0.29	4.20	12.1	1.03	371	2.05	0.123	0.097
P916133	62.3	4.12	6.50	0.132	0.135	0.007	0.012	0.66	3.84	15.3	1.74	492	0.58	0.120	0.052
P916134	1190	4.29	6.87	0.117	0.132	0.017	0.007	0.59	3.41	18.9	2.04	642	3.54	0.090	0.042
P916135	853	3.90	6.21	0.128	0.152	0.017	0.025	0.80	3.83	14.7	1.64	447	3.99	0.119	0.061
P916136	73.4	4.14	7.16	0.124	0.128	0.021	0.038	0.83	3.42	19.7	2.00	463	0.73	0.106	0.038
P916137	34.0	4.80	7.73	0.135	0.121	0.004	0.018	0.64	3.41	23.0	2.40	605	0.56	0.107	0.035
P916138	195.0	5.39	7.29	0.082	0.072	0.017	0.025	0.42	4.17	21.2	2.26	923	0.59	0.082	0.030
P916139	141.5	3.68	3.73	0.056	0.080	0.036	0.010	0.39	7.02	7.9	1.77	858	0.70	0.041	0.034
P916140	13.55	2.97	6.56	0.078	0.198	0.015	0.028	0.13	2.27	17.1	1.66	586	0.48	0.097	0.043
P916141	40.7	2.99	6.66	0.070	0.199	0.026	0.014	0.17	2.04	17.4	1.45	548	0.34	0.116	0.031
P916142	498	2.75	6.34	0.057	0.150	0.022	0.024	0.17	2.20	15.1	1.17	492	0.37	0.113	0.054

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916103	13.05	0.102	1.620	0.002	<0.002	3.18	0.005	0.67	0.242	3.70	0.9	0.38	54.2	<0.005	0.29
P916104	10.45	0.097	1.465	0.003	<0.002	1.875	0.013	1.25	0.240	3.00	1.9	0.46	49.9	0.006	0.49
P916105	12.80	0.100	1.120	0.002	0.002	2.08	0.010	1.46	0.480	3.00	2.5	0.41	47.5	<0.005	0.47
P916106	12.05	0.101	1.960	<0.001	0.002	1.920	0.015	0.51	0.415	6.07	1.2	0.32	61.4	<0.005	0.20
P916107	9.78	0.087	0.877	0.001	<0.002	1.700	0.019	0.51	0.267	3.88	0.9	0.47	66.6	<0.005	0.32
P916108	9.42	0.088	0.890	0.001	<0.002	1.820	0.013	0.29	0.154	3.30	0.5	0.33	58.5	<0.005	0.20
P916109	9.49	0.090	7.45	0.007	0.002	2.72	0.002	0.36	0.730	5.25	0.8	0.35	67.4	<0.005	0.50
P916110	11.80	0.096	49.0	0.002	<0.002	3.00	0.002	0.56	1.085	4.46	1.3	0.26	67.3	<0.005	0.62
P916111	5.67	0.108	1.895	0.010	0.005	2.42	0.101	0.94	0.290	4.35	1.1	0.32	66.5	<0.005	0.30
P916112	5.59	0.119	2.76	0.014	0.006	4.17	0.003	0.73	0.270	5.72	0.5	0.19	87.9	<0.005	0.10
P916113	5.57	0.122	2.76	0.017	0.007	5.49	0.006	0.75	0.126	5.22	0.6	0.14	71.4	<0.005	0.16
P916114	6.52	0.121	4.07	0.021	0.008	4.08	0.008	0.58	1.805	6.10	0.8	0.16	60.9	<0.005	0.25
P916115	7.52	0.121	3.46	0.016	0.005	5.99	0.039	0.55	0.508	7.50	0.9	0.20	85.8	<0.005	0.21
P916116	7.85	0.128	2.36	0.014	0.004	2.48	0.014	1.74	0.203	3.66	2.2	0.27	55.5	<0.005	1.48
P916117	11.45	0.098	1.290	0.002	<0.002	1.545	0.002	1.34	0.819	4.18	2.1	0.31	58.1	<0.005	0.68
P916118	9.39	0.104	1.520	0.037	0.007	3.91	0.009	0.99	3.93	6.16	1.1	0.25	68.0	<0.005	1.19
P916119	12.10	0.094	0.600	<0.001	<0.002	2.14	0.005	1.16	0.244	4.19	1.6	0.35	50.4	<0.005	0.38
P916120	9.93	0.114	1.230	0.003	0.002	2.20	0.005	1.49	2.00	4.75	2.3	0.34	59.9	<0.005	0.52
P916121	7.14	0.137	1.860	0.003	0.002	4.33	0.006	0.97	1.270	4.82	1.6	0.29	104.5	<0.005	0.36
P916122	5.29	0.132	3.57	0.012	0.003	4.19	0.004	0.48	0.296	3.72	0.9	0.23	70.9	<0.005	0.17
P916123	6.80	0.134	2.12	0.006	0.002	4.10	0.002	0.69	0.567	5.39	1.3	0.31	105.0	<0.005	0.22
P916124	10.15	0.130	3.87	0.002	0.002	4.69	0.004	1.05	0.486	6.21	2.0	0.38	77.3	<0.005	0.67
P916125	25.7	0.073	74.5	0.003	<0.002	4.75	0.085	0.49	119.5	2.05	2.7	1.82	119.0	<0.005	2.00
P916126	5.99	0.127	2.44	0.018	0.004	5.21	0.001	1.22	0.349	5.56	1.4	0.34	97.7	<0.005	0.27
P916127	4.75	0.131	3.67	0.006	0.003	4.79	0.004	0.79	0.366	4.93	1.5	0.36	246	<0.005	0.21
P916128	6.60	0.130	2.14	0.005	0.002	7.33	0.003	0.53	0.303	4.98	0.9	0.34	86.7	<0.005	0.10
P916129	6.74	0.141	3.02	0.004	0.002	5.97	0.003	0.75	0.209	5.01	1.3	0.39	92.0	<0.005	0.16
P916130	6.15	0.131	3.00	0.004	<0.002	8.62	0.003	1.06	0.280	5.00	2.0	0.32	62.2	<0.005	0.18
P916131	11.45	0.152	1.565	0.006	0.005	12.50	0.007	0.87	0.228	6.55	1.6	0.40	92.4	<0.005	0.16
P916132	7.97	0.154	1.165	0.011	0.003	10.75	0.009	0.73	0.321	6.43	1.0	0.31	86.3	<0.005	0.15
P916133	11.65	0.179	0.697	0.006	0.002	28.9	0.002	0.53	0.322	7.28	0.6	0.28	109.5	<0.005	0.12
P916134	12.60	0.172	0.721	0.011	0.005	25.3	0.008	0.40	0.427	8.59	0.7	0.32	121.0	<0.005	0.13
P916135	11.65	0.165	0.865	0.017	0.004	32.5	0.008	0.62	0.147	6.17	1.0	0.34	100.0	<0.005	0.22
P916136	12.35	0.166	0.647	0.026	0.008	32.1	0.002	0.23	0.272	7.57	0.3	0.29	111.0	<0.005	0.09
P916137	13.60	0.173	1.010	0.010	0.004	25.2	0.001	0.16	0.398	9.74	0.4	0.26	90.6	<0.005	0.06
P916138	13.75	0.158	2.12	0.007	0.005	17.60	0.002	0.64	1.085	14.80	0.7	0.27	117.0	<0.005	0.12
P916139	5.58	0.128	3.59	0.004	0.002	13.65	0.002	0.77	4.16	7.45	1.0	0.15	93.6	<0.005	0.12
P916140	12.50	0.127	2.33	0.003	0.002	4.29	<0.001	0.42	0.705	9.14	0.4	0.20	84.2	<0.005	0.07
P916141	12.95	0.125	2.42	0.006	0.003	5.24	<0.001	0.78	0.584	9.59	0.6	0.28	74.2	<0.005	0.17
P916142	13.85	0.126	5.54	0.005	0.004	6.14	<0.001	0.79	0.610	7.47	0.8	0.27	63.4	<0.005	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916103		0.582	0.238	0.032	0.345	50.6	2.05	8.29	17.1	9.97
P916104		0.600	0.197	0.065	0.434	45.2	1.600	8.06	28.3	9.70
P916105		0.692	0.198	0.157	0.398	42.6	0.675	7.48	23.4	9.28
P916106		0.765	0.191	0.322	0.384	50.2	0.442	8.73	22.5	8.26
P916107		0.509	0.212	0.068	0.337	49.8	3.13	7.72	9.2	8.90
P916108		0.550	0.207	0.049	0.316	43.6	2.69	7.60	9.1	8.34
P916109		0.598	0.195	0.319	0.351	52.6	1.660	8.15	68.0	8.27
P916110		0.726	0.214	0.194	0.385	51.0	2.50	8.61	125.5	9.09
P916111		0.326	0.158	0.080	0.263	70.7	0.768	6.13	17.5	6.24
P916112		0.208	0.129	0.066	0.127	98.9	0.268	6.31	28.5	3.34
P916113		0.196	0.131	0.040	0.107	76.2	0.316	5.34	23.7	3.59
P916114		0.209	0.099	0.046	0.113	73.7	0.283	6.52	31.6	3.33
P916115		0.206	0.083	0.097	0.107	78.7	0.202	7.76	29.6	2.67
P916116		0.378	0.150	0.081	0.216	50.8	7.69	6.15	25.2	5.90
P916117		0.549	0.204	0.262	0.306	48.2	3.15	8.03	11.3	9.09
P916118		0.567	0.162	0.282	0.289	66.8	1.660	9.15	22.5	7.21
P916119		0.718	0.222	0.084	0.403	49.4	4.74	8.70	6.9	10.70
P916120		0.621	0.186	0.296	0.335	55.5	2.03	8.44	14.2	8.97
P916121		0.526	0.180	0.253	0.242	69.1	0.610	7.39	20.1	7.13
P916122		0.492	0.173	0.058	0.232	53.6	54.0	6.72	41.6	6.60
P916123		0.617	0.191	0.211	0.306	68.1	0.829	8.51	28.0	8.45
P916124		0.587	0.196	0.242	0.287	77.3	4.64	8.42	33.1	7.33
P916125		1.345	0.064	0.053	1.405	35.8	7.76	5.63	121.0	4.45
P916126		0.546	0.189	0.143	0.256	82.0	2.36	7.90	32.3	6.52
P916127		0.517	0.186	0.045	0.281	71.8	1.630	8.24	32.0	6.44
P916128		0.511	0.203	0.149	0.268	83.6	0.776	8.01	32.5	6.66
P916129		0.597	0.222	0.095	0.284	78.7	0.584	8.36	28.0	7.05
P916130		0.520	0.218	0.110	0.215	100.5	0.548	7.81	34.9	5.96
P916131		0.549	0.278	0.079	0.276	120.0	0.708	7.87	29.8	5.83
P916132		0.495	0.241	0.065	0.232	112.0	0.787	7.35	28.2	5.45
P916133		0.371	0.308	0.129	0.175	149.0	0.638	6.87	36.4	3.68
P916134		0.328	0.285	0.128	0.189	159.0	0.475	7.02	61.8	2.91
P916135		0.362	0.283	0.157	0.197	149.5	0.581	6.65	41.6	3.49
P916136		0.317	0.287	0.205	0.181	162.5	0.394	6.48	39.7	2.87
P916137		0.331	0.291	0.151	0.208	180.5	0.371	6.59	49.5	2.87
P916138		0.407	0.162	0.115	0.174	161.5	0.320	9.27	75.1	1.84
P916139		0.609	0.044	0.084	0.269	69.7	0.400	12.20	44.6	2.36
P916140		0.301	0.189	0.020	0.143	117.5	0.636	6.45	39.0	4.18
P916141		0.311	0.185	0.024	0.127	117.0	0.558	6.91	39.4	4.42
P916142		0.275	0.150	0.040	0.125	107.5	0.550	6.70	43.3	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916143	7.99	0.0062	0.124	1.36	4.67	<10	74.0	0.23	0.061	1.84	0.276	4.45	10.75	14.05	1.205
P916144	8.34	0.206	0.256	1.46	5.02	<10	58.2	0.24	0.165	1.88	0.222	5.46	25.5	13.60	1.350
P916145	8.30	0.0237	0.332	1.30	4.54	<10	57.3	0.21	0.192	2.04	0.315	7.42	25.2	12.35	1.540
P916146	3.92	0.0117	0.127	1.50	3.04	<10	92.4	0.24	0.044	1.69	0.074	14.30	8.62	12.55	0.986
P916147	4.88	0.0365	0.246	1.38	2.01	<10	76.8	0.20	0.048	1.41	0.074	14.05	15.95	21.9	1.265
P916148	7.21	0.0288	0.257	1.29	2.50	<10	72.4	0.17	0.071	1.62	0.080	7.54	16.35	22.1	0.850
P916149	6.66	0.0274	0.205	2.40	3.45	<10	142.5	0.29	0.102	1.91	0.069	18.40	22.4	25.7	2.35
P916150	0.05	0.715	52.7	0.99	926	10	102.5	0.17	21.5	3.01	0.838	11.90	32.6	27.7	0.671
P916151	7.61	0.0152	0.191	1.64	3.08	<10	80.1	0.24	0.059	2.99	0.077	12.00	11.10	23.9	1.555
P916152	5.61	0.115	1.190	2.03	3.77	<10	84.1	0.25	0.153	3.00	0.080	13.15	18.95	30.1	1.935
P916153	6.46	0.115	0.729	2.18	4.19	<10	35.8	0.36	0.251	5.19	0.098	23.1	24.2	13.20	2.79
P916154	6.52	0.0675	0.278	2.12	3.79	<10	21.7	0.34	0.144	4.14	0.052	21.2	25.0	11.65	1.855
P916155	6.51	0.0456	0.196	2.80	4.89	<10	183.5	0.39	0.187	3.39	0.057	18.90	25.6	21.2	3.85
P916156	8.06	0.0166	0.108	2.36	2.89	<10	92.0	0.26	0.067	3.04	0.082	13.95	19.25	15.10	2.49
P916157	6.86	0.0497	0.388	2.16	3.33	<10	83.7	0.25	0.105	1.97	0.097	13.65	20.6	27.2	2.32
P916158	7.27	0.0517	0.226	2.43	8.96	<10	94.9	0.26	0.266	1.74	0.147	11.10	32.3	9.62	2.58
P916159	6.00	0.0272	0.062	3.14	4.91	<10	145.0	0.24	0.107	1.63	0.026	10.75	22.2	14.25	4.27
P916160	7.73	0.0257	0.163	2.48	2.68	<10	166.5	0.18	0.070	1.65	0.016	12.10	24.7	18.10	3.40
P916161	7.47	0.0267	0.158	1.89	3.82	<10	96.5	0.19	0.081	1.92	0.071	13.90	18.45	20.7	1.780
P916162	7.83	0.0437	0.146	2.65	3.73	<10	107.5	0.22	0.097	2.10	0.154	12.00	21.7	26.2	2.32
P916163	8.21	0.0224	0.161	2.27	3.77	<10	82.8	0.27	0.070	2.09	0.069	12.85	19.40	28.2	2.50
P916164	7.68	0.0354	0.215	2.22	5.29	<10	87.4	0.26	0.161	3.24	0.068	13.60	20.7	28.6	1.800
P916165	8.08	0.0230	0.281	2.13	2.28	<10	117.0	0.21	0.046	3.19	0.062	17.75	17.75	35.6	2.12
P916166	7.09	0.0463	0.501	2.23	2.71	<10	180.5	0.24	0.057	1.83	0.062	16.90	22.5	31.5	2.67
P916167	7.28	0.0172	0.180	2.32	2.62	<10	107.0	0.33	0.055	2.86	0.032	18.65	22.7	27.1	2.16
P916168	6.59	0.0160	0.131	2.40	4.78	<10	121.0	0.36	0.073	2.33	0.034	12.70	22.9	134.5	2.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916143		68.5	2.07	5.43	0.054	0.172	0.005	0.016	0.16	1.910	12.8	0.91	385	0.41	0.132	0.056
P916144		51.8	3.14	5.00	0.064	0.133	0.010	0.026	0.16	2.47	14.4	1.13	406	1.15	0.118	0.064
P916145		168.0	3.18	4.05	0.056	0.143	0.012	0.016	0.18	3.52	9.0	0.81	355	1.55	0.122	0.159
P916146		67.2	3.16	5.74	0.070	0.187	0.014	<0.005	0.28	6.80	10.0	0.94	438	0.64	0.099	0.131
P916147		223	2.85	5.33	0.077	0.137	0.029	0.009	0.31	6.38	8.9	1.18	402	0.48	0.090	0.116
P916148		191.5	2.57	5.20	0.047	0.143	0.049	<0.005	0.31	3.55	7.4	1.15	432	0.65	0.086	0.066
P916149		129.0	4.38	9.33	0.075	0.066	0.052	<0.005	0.91	8.43	15.6	2.04	694	0.58	0.130	0.016
P916150		3420	2.80	3.28	0.042	0.137	0.580	0.071	0.14	7.07	6.2	0.34	591	474	0.089	0.197
P916151		101.0	3.22	6.76	0.068	0.158	0.012	0.025	0.36	5.49	9.2	1.62	740	1.68	0.068	0.029
P916152		1560	4.17	8.23	0.067	0.076	0.043	0.035	0.38	6.16	17.4	2.22	856	9.42	0.066	0.020
P916153		585	4.73	10.00	0.069	0.062	0.024	0.065	0.44	11.05	17.4	1.93	1180	4.13	0.046	0.005
P916154		242	4.95	9.95	0.068	0.050	0.019	0.044	0.18	9.76	20.3	1.92	961	0.37	0.045	0.004
P916155		172.5	5.24	10.70	0.063	0.054	0.023	0.020	1.04	8.97	21.6	2.34	1125	0.91	0.075	0.011
P916156		123.5	4.43	9.50	0.080	0.060	0.010	0.018	0.81	6.43	18.4	1.94	883	0.43	0.113	0.029
P916157		385	4.14	8.58	0.098	0.120	0.033	0.010	0.75	6.23	20.4	2.01	691	0.90	0.115	0.073
P916158		99.1	4.57	8.93	0.102	0.072	0.076	<0.005	1.11	5.06	17.1	1.71	539	1.47	0.193	0.072
P916159		22.7	4.58	10.95	0.120	0.091	0.036	0.024	1.55	5.09	26.8	2.72	710	1.15	0.172	0.054
P916160		189.5	4.08	9.44	0.113	0.091	0.021	0.014	1.36	5.72	21.6	2.53	697	1.00	0.115	0.049
P916161		151.0	3.43	6.93	0.099	0.142	0.015	0.027	0.79	6.39	12.9	1.48	658	0.47	0.135	0.070
P916162		121.0	4.10	9.42	0.114	0.083	0.022	0.016	1.19	5.60	18.8	2.04	805	0.44	0.174	0.055
P916163		153.5	4.03	8.01	0.100	0.130	0.004	<0.005	0.85	6.10	24.6	1.94	806	0.18	0.108	0.053
P916164		154.5	4.28	8.46	0.092	0.120	0.010	0.021	0.78	6.51	22.8	2.13	1115	1.11	0.097	0.050
P916165		307	4.41	8.13	0.081	0.128	0.006	<0.005	0.69	8.32	18.0	2.19	964	0.37	0.086	0.027
P916166		457	4.34	8.50	0.112	0.134	0.011	0.006	1.15	8.04	18.5	2.26	802	0.36	0.090	0.057
P916167		212	4.44	9.10	0.104	0.110	0.005	0.012	0.68	8.63	22.3	2.43	865	0.18	0.082	0.027
P916168		50.1	4.27	8.76	0.108	0.114	0.017	0.024	0.80	5.93	25.7	2.66	841	0.11	0.069	0.025

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916143		11.05	0.124	6.09	0.004	0.004	4.98	<0.001	0.55	0.328	5.43	0.5	0.21	60.8	<0.005	0.09
P916144		12.60	0.143	6.25	0.011	0.003	6.23	0.006	1.71	0.342	6.35	1.8	0.26	64.1	<0.005	0.37
P916145		9.99	0.148	5.43	0.015	0.005	6.96	0.005	1.98	0.474	5.43	2.0	0.31	92.2	<0.005	0.30
P916146		8.10	0.151	2.12	0.005	<0.002	10.40	<0.001	0.15	0.391	3.95	0.5	0.35	81.5	<0.005	0.11
P916147		13.75	0.148	1.190	0.007	0.004	11.45	<0.001	0.41	0.351	2.99	0.5	0.25	81.6	<0.005	0.10
P916148		14.60	0.137	1.660	0.008	0.003	10.90	0.002	0.71	0.327	4.13	0.5	0.21	63.9	<0.005	0.22
P916149		11.80	0.190	1.280	0.009	0.004	32.2	0.003	1.03	0.211	7.53	0.9	0.26	62.5	<0.005	0.22
P916150		25.6	0.070	79.5	0.003	<0.002	4.58	0.090	0.49	116.5	1.975	2.4	1.71	114.0	<0.005	2.30
P916151		13.00	0.151	1.345	0.007	0.004	12.55	0.004	0.20	0.394	8.67	0.4	0.30	97.0	<0.005	0.09
P916152		20.3	0.128	1.520	0.017	0.004	15.10	0.042	0.82	0.212	8.80	1.2	0.30	78.6	<0.005	0.25
P916153		13.25	0.138	1.600	0.013	0.003	20.5	0.016	1.02	0.225	10.65	1.7	0.33	104.0	<0.005	0.19
P916154		13.80	0.138	1.490	0.010	0.003	9.12	0.002	0.63	0.255	11.55	1.2	0.33	98.2	<0.005	0.10
P916155		15.75	0.137	1.305	0.005	0.004	47.5	0.002	0.63	0.144	13.25	0.8	0.28	117.0	<0.005	0.20
P916156		12.95	0.132	1.375	0.009	0.002	38.2	0.001	0.30	0.243	10.85	0.4	0.30	103.0	<0.005	0.04
P916157		14.50	0.150	1.645	0.011	0.003	32.5	0.001	0.66	0.269	7.73	1.2	0.32	80.4	<0.005	0.12
P916158		10.55	0.127	3.20	0.006	0.002	45.6	0.002	2.39	0.209	6.64	1.6	0.29	77.7	<0.005	0.49
P916159		14.15	0.134	1.655	0.009	0.002	64.6	0.001	0.78	0.218	9.13	0.6	0.34	86.9	<0.005	0.26
P916160		12.55	0.140	1.025	0.006	0.002	55.0	0.002	0.55	0.164	6.78	0.6	0.41	89.5	<0.005	0.13
P916161		11.35	0.142	1.810	0.002	0.002	32.3	<0.001	0.50	0.265	6.38	0.7	0.31	97.2	<0.005	0.13
P916162		13.35	0.140	2.98	0.004	0.003	48.8	<0.001	0.78	0.212	7.33	0.9	0.32	88.2	<0.005	0.18
P916163		14.80	0.153	2.53	0.008	0.002	38.6	<0.001	0.50	0.257	6.49	0.7	0.25	94.6	<0.005	0.11
P916164		14.30	0.136	1.985	0.006	0.002	33.3	0.003	0.66	0.221	6.36	0.6	0.25	90.8	<0.005	0.21
P916165		17.45	0.144	1.125	0.008	0.002	28.3	0.001	0.09	0.165	12.55	0.6	0.30	111.5	<0.005	0.02
P916166		16.15	0.150	1.085	0.009	0.003	46.4	<0.001	0.25	0.234	7.53	0.8	0.32	89.6	<0.005	0.10
P916167		15.45	0.146	0.978	0.006	0.002	29.0	<0.001	0.21	0.283	12.55	0.8	0.32	103.5	<0.005	0.05
P916168		32.7	0.166	1.090	0.009	0.006	31.8	<0.001	0.11	0.300	6.74	0.5	0.27	114.5	<0.005	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916143		0.240	0.190	0.028	0.112	88.8	0.739	5.77	42.2	3.51
P916144		0.273	0.203	0.030	0.139	94.2	0.683	5.74	45.0	3.11
P916145		0.304	0.205	0.034	0.159	86.0	0.479	6.79	38.6	3.40
P916146		1.305	0.213	0.058	0.446	114.0	0.839	8.45	35.6	4.86
P916147		1.190	0.239	0.059	0.459	105.5	0.562	8.35	36.0	3.09
P916148		0.609	0.175	0.063	0.266	92.8	0.598	6.05	33.6	3.60
P916149		1.390	0.126	0.168	0.483	160.5	0.234	11.60	59.8	1.71
P916150		1.375	0.057	0.047	1.370	34.8	7.43	5.31	123.0	4.26
P916151		0.875	0.134	0.062	0.341	128.0	0.239	9.17	43.7	2.81
P916152		0.974	0.076	0.101	0.270	134.5	0.194	9.13	55.1	1.83
P916153		1.690	0.030	0.117	0.395	151.0	0.370	13.20	56.0	1.91
P916154		1.460	0.014	0.057	0.333	161.0	0.138	10.60	63.4	1.42
P916155		1.425	0.084	0.224	0.340	175.0	0.122	11.15	83.5	1.52
P916156		1.070	0.152	0.196	0.280	177.5	0.189	9.88	90.2	1.71
P916157		1.150	0.238	0.181	0.427	162.5	0.349	9.00	54.3	3.24
P916158		1.135	0.214	0.270	0.351	137.5	0.696	7.08	44.5	2.08
P916159		1.045	0.277	0.365	0.307	190.5	0.524	6.82	76.3	2.21
P916160		1.055	0.271	0.301	0.348	175.5	0.378	7.61	72.6	3.11
P916161		1.155	0.239	0.186	0.406	139.5	0.473	8.42	47.6	3.55
P916162		0.967	0.236	0.274	0.302	156.5	6.07	7.56	66.0	2.20
P916163		1.045	0.233	0.212	0.371	146.5	0.708	8.09	65.0	3.11
P916164		0.911	0.223	0.161	0.351	151.0	0.568	8.79	66.3	3.19
P916165		1.145	0.152	0.136	0.380	169.0	0.193	11.20	67.5	2.91
P916166		1.145	0.272	0.211	0.423	172.0	0.337	9.96	73.9	3.21
P916167		1.235	0.150	0.140	0.454	167.5	0.164	10.65	68.2	3.13
P916168		0.917	0.230	0.167	0.367	145.5	0.283	7.47	77.2	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 2- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14144323

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

CERTIFICATE KL14147563

Project: Dillard

This report is for 132 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 22- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME- MS41L	51 anal. aqua regia ICPMS	

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916275	0.05	0.0010	0.112	1.88	1.20	<10	139.0	0.09	0.066	1.08	0.105	14.95	9.84	19.45	0.337
P916276	6.71	0.0070	0.206	1.64	2.91	<10	150.5	0.17	0.042	1.68	0.065	10.60	14.35	15.65	2.58
P916277	7.36	0.0024	0.032	1.98	1.10	<10	292	0.12	0.037	1.33	0.045	3.61	9.58	12.50	2.48
P916278	7.76	0.0021	0.039	1.97	1.10	<10	303	0.12	0.017	1.49	0.030	4.04	8.66	12.25	2.73
P916279	7.76	0.0031	0.048	1.74	1.74	<10	145.5	0.15	0.041	1.58	0.042	4.58	11.45	7.58	2.01
P916280	7.56	0.0032	0.063	1.88	2.51	<10	273	0.17	0.029	1.60	0.047	4.52	10.10	8.96	1.855
P916281	6.59	0.0059	0.076	2.04	1.24	<10	232	0.14	0.029	1.45	0.034	4.17	10.20	11.65	2.54
P916282	6.02	0.0040	0.088	1.80	1.73	<10	225	0.19	0.102	1.54	0.067	3.91	10.10	9.20	2.15
P916283	7.62	0.0080	0.222	1.19	1.81	<10	34.4	0.20	0.063	2.01	0.075	14.30	18.70	12.85	0.679
P916284	6.69	0.0088	0.237	1.17	7.35	<10	35.2	0.18	0.081	1.63	0.089	16.20	21.2	15.70	0.703
P916285	7.30	0.0029	0.072	1.04	12.70	<10	23.2	0.24	0.074	2.08	0.111	25.4	13.35	26.1	0.423
P916286	6.64	0.0041	0.134	1.65	9.34	<10	51.0	0.17	0.055	1.68	0.096	14.40	12.40	11.40	1.230
P916287	8.68	0.0025	0.125	0.98	17.50	20	22.2	0.25	0.118	2.72	0.070	16.75	21.6	14.90	0.625
P916288	7.63	0.0022	0.087	0.89	58.0	20	16.1	0.27	0.066	3.11	0.043	25.2	19.40	26.9	1.765
P916289	7.64	0.0042	0.118	1.23	20.3	130	26.2	0.19	0.112	2.07	0.094	12.00	18.90	21.8	0.908
P916290	7.59	0.0017	0.059	1.94	8.41	<10	52.6	0.21	0.072	2.22	0.069	11.80	21.0	18.20	2.03
P916291	7.40	0.0027	0.067	1.25	19.60	10	62.9	0.17	0.067	2.18	0.044	12.75	15.95	7.38	1.150
P916292	8.33	0.0040	0.154	0.71	3.59	10	22.7	0.12	0.136	1.77	0.057	12.75	19.55	12.10	0.408
P916293	7.71	0.0035	0.216	0.87	10.80	90	98.4	0.14	0.157	1.93	0.081	12.30	24.2	8.57	0.724
P916294	7.11	0.0043	0.156	1.72	17.00	10	39.4	0.16	0.056	2.06	0.065	12.00	9.44	8.26	2.41
P916295	6.69	0.0049	0.226	1.39	7.70	10	37.6	0.22	0.113	1.81	0.106	8.75	10.40	11.65	1.370
P916296	7.20	0.0015	0.091	1.46	4.45	30	54.1	0.14	0.083	1.55	0.063	4.93	12.00	13.10	1.835
P916297	7.47	0.0025	0.107	1.15	9.21	90	43.3	0.17	0.087	1.84	0.115	4.66	9.51	10.10	1.295
P916298	8.00	0.0061	0.225	0.99	19.30	80	29.6	0.22	0.072	1.94	0.128	13.90	10.80	14.20	0.771
P916299	7.87	0.0059	0.290	1.00	7.12	40	24.1	0.19	0.149	1.78	0.108	12.65	14.75	11.60	0.665
P916300	0.05	0.0008	0.102	1.93	1.08	<10	142.0	0.12	0.068	1.11	0.105	14.05	9.56	19.15	0.335
P916301	7.96	0.0115	0.573	0.88	11.35	30	50.1	0.19	0.199	1.76	0.154	12.25	18.55	11.95	0.974
P916302	7.29	0.0040	0.102	1.06	6.41	10	37.6	0.20	0.063	2.16	0.195	5.07	8.82	10.60	1.285
P916303	7.12	0.0075	0.155	1.22	7.90	10	48.2	0.26	0.085	1.88	0.155	5.17	15.00	11.25	1.935
P916304	7.93	0.0416	1.035	1.14	4.97	10	42.0	0.15	0.191	1.76	0.206	11.75	25.1	13.70	0.872
P916305	7.20	0.0476	0.731	1.28	13.55	<10	50.7	0.20	0.167	2.18	0.164	11.95	19.90	9.59	1.155
P916306	7.11	0.0535	1.685	0.99	295	<10	26.1	0.24	0.231	1.69	0.279	15.40	28.2	12.50	2.10
P916307	6.70	0.0209	0.703	1.81	250	<10	51.5	0.24	0.143	2.73	0.148	6.16	22.1	28.9	4.22
P916308	7.24	0.0016	0.052	2.17	36.3	<10	66.0	0.20	0.080	2.38	0.026	4.11	16.75	31.6	3.61
P916309	6.55	0.0102	0.192	1.53	29.4	<10	37.3	0.30	0.084	3.29	0.133	5.55	12.70	32.2	8.32
P916310	8.11	0.0066	0.149	1.55	23.2	<10	42.0	0.23	0.055	2.08	0.118	5.48	13.35	30.8	5.63
P916311	7.42	0.0090	0.140	1.07	89.5	<10	23.3	0.41	0.114	2.54	0.266	15.60	21.8	10.35	5.31
P916312	6.87	0.0018	0.049	0.87	12.05	<10	45.0	0.25	0.039	1.60	0.082	12.50	9.06	7.02	3.89
P916313	6.82	0.0021	0.018	0.70	1.59	<10	158.0	0.24	0.027	1.03	0.053	12.50	7.02	7.05	3.96
P916314	6.66	0.0012	0.020	0.61	2.85	<10	59.0	0.24	0.017	1.81	0.061	19.80	8.76	6.97	5.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916275		93.2	3.56	5.34	0.067	0.115	0.004	0.007	0.22	6.83	5.9	0.84	514	5.41	0.214	0.193
P916276		206	3.24	5.65	0.079	0.165	0.022	0.023	0.63	4.85	8.9	1.20	460	0.76	0.123	0.110
P916277		23.5	2.74	6.19	0.057	0.051	0.026	<0.005	0.82	1.445	11.8	1.25	384	1.30	0.175	0.057
P916278		52.7	2.52	6.07	0.049	0.049	0.015	<0.005	0.69	1.725	16.1	1.30	370	0.34	0.141	0.041
P916279		55.6	2.88	5.63	0.059	0.090	0.081	0.007	0.52	2.01	13.8	1.34	342	0.25	0.109	0.056
P916280		99.5	2.75	5.71	0.060	0.070	0.035	<0.005	0.54	1.905	17.8	1.31	386	0.29	0.116	0.046
P916281		131.5	2.78	5.72	0.054	0.069	0.010	<0.005	0.63	1.740	15.9	1.44	402	0.26	0.130	0.038
P916282		123.5	2.42	5.62	0.057	0.068	0.015	<0.005	0.48	1.670	12.2	0.99	345	2.06	0.163	0.068
P916283		596	2.78	3.21	0.122	0.396	0.025	0.015	0.15	6.79	3.2	0.72	393	3.01	0.130	0.521
P916284		385	2.99	3.49	0.104	0.330	0.013	0.015	0.21	7.52	5.4	0.59	348	3.55	0.120	0.669
P916285		90.8	2.01	3.18	0.109	0.414	0.005	0.021	0.09	12.00	4.4	0.62	358	4.09	0.080	1.175
P916286		156.0	2.63	5.10	0.088	0.193	0.005	0.009	0.26	6.98	10.8	0.90	376	3.54	0.174	0.187
P916287		238	2.79	2.96	0.133	0.405	0.006	0.017	0.05	7.92	3.8	0.38	311	5.20	0.079	0.757
P916288		148.0	2.58	3.00	0.103	0.353	0.010	0.020	0.06	12.10	5.9	0.69	440	5.07	0.089	0.607
P916289		147.0	2.71	3.83	0.107	0.295	0.013	0.021	0.16	5.35	8.1	0.86	439	1.66	0.116	0.291
P916290		172.0	3.09	5.03	0.107	0.270	0.008	0.009	0.35	5.34	7.2	0.78	351	0.92	0.212	0.213
P916291		227	2.54	3.29	0.100	0.322	0.011	0.009	0.10	5.91	5.4	0.42	249	3.13	0.133	0.353
P916292		426	3.29	2.39	0.124	0.364	0.011	0.010	0.05	5.93	1.8	0.23	191.0	4.13	0.094	0.898
P916293		412	3.64	3.03	0.114	0.265	0.019	0.012	0.08	5.72	5.5	0.41	309	8.22	0.083	0.459
P916294		199.0	2.39	4.38	0.070	0.132	0.009	0.008	0.23	5.74	8.3	0.66	344	4.50	0.186	0.175
P916295		270	2.29	5.10	0.098	0.178	0.032	0.011	0.13	4.06	12.0	0.65	285	3.76	0.142	0.137
P916296		199.5	2.72	4.68	0.071	0.161	0.052	0.010	0.26	2.04	8.7	0.73	320	0.21	0.192	0.052
P916297		135.5	2.27	4.38	0.058	0.170	0.029	<0.005	0.16	1.990	8.7	0.69	407	0.43	0.136	0.055
P916298		194.0	2.16	3.54	0.090	0.312	0.022	0.019	0.11	6.84	6.1	0.56	393	12.00	0.106	0.499
P916299		341	2.96	3.06	0.106	0.312	0.014	0.014	0.08	6.17	3.6	0.44	280	6.84	0.141	0.495
P916300		91.2	3.65	5.59	0.062	0.106	<0.004	0.010	0.23	6.38	6.2	0.86	529	5.60	0.222	0.192
P916301		650	3.86	3.49	0.108	0.264	0.023	0.016	0.11	6.10	5.1	0.54	322	11.65	0.105	0.318
P916302		89.8	2.18	4.57	0.058	0.152	0.012	0.010	0.12	2.20	8.3	0.67	409	0.64	0.109	0.051
P916303		158.0	2.54	4.54	0.065	0.162	0.011	0.015	0.13	2.26	11.2	0.69	353	0.26	0.122	0.053
P916304		841	2.79	3.13	0.089	0.308	0.009	0.011	0.10	5.49	5.0	0.38	195.5	7.26	0.139	0.465
P916305		460	3.31	4.29	0.089	0.185	0.009	0.021	0.11	5.65	9.0	0.73	405	2.01	0.102	0.244
P916306		1370	4.08	3.75	0.096	0.228	0.044	0.027	0.10	7.15	7.0	0.63	370	25.2	0.114	0.319
P916307		602	3.73	4.90	0.055	0.117	0.090	0.022	0.24	2.73	7.8	0.91	508	8.32	0.208	0.050
P916308		85.4	2.86	5.62	0.066	0.152	0.022	0.015	0.30	1.665	9.4	0.98	358	0.54	0.245	0.035
P916309		122.5	3.50	4.92	0.052	0.136	0.093	0.019	0.17	2.32	11.9	1.20	741	5.53	0.150	0.024
P916310		126.0	2.68	5.28	0.080	0.160	0.063	0.019	0.20	2.45	12.9	1.01	433	2.70	0.163	0.032
P916311		179.0	3.66	3.68	0.078	0.216	0.243	0.027	0.10	7.50	7.5	0.80	705	2.18	0.149	0.130
P916312		47.8	2.27	3.98	0.070	0.199	0.035	0.015	0.11	6.13	6.5	0.52	360	2.07	0.114	0.135
P916313		2.31	2.26	4.52	0.056	0.160	0.009	0.006	0.10	6.05	6.2	0.50	294	0.47	0.087	0.170
P916314		1.80	2.62	3.91	0.039	0.088	0.012	0.013	0.11	9.86	5.4	0.66	449	0.65	0.081	0.052

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916275		14.90	0.060	4.39	0.001	<0.002	7.07	0.001	0.01	0.229	3.18	0.1	1.33	86.4	<0.005	<0.01
P916276		7.53	0.187	1.300	0.003	0.002	27.3	0.002	0.69	0.134	3.37	0.7	0.28	104.0	<0.005	0.11
P916277		8.60	0.111	1.015	0.003	<0.002	29.2	0.005	0.89	0.064	2.35	0.8	0.19	147.5	<0.005	0.09
P916278		7.97	0.111	0.728	0.004	0.002	21.8	0.001	0.65	0.047	2.52	0.6	0.17	131.5	<0.005	0.10
P916279		7.00	0.132	1.290	0.015	0.007	17.55	0.001	0.90	0.101	3.35	0.6	0.16	96.7	<0.005	0.17
P916280		7.38	0.124	1.190	0.012	0.005	15.20	0.002	0.70	0.071	3.46	0.9	0.16	121.0	<0.005	0.07
P916281		9.00	0.117	1.000	0.004	0.002	20.0	0.001	0.65	0.054	2.68	0.7	0.15	134.5	<0.005	0.06
P916282		7.45	0.114	1.460	0.003	<0.002	16.40	0.007	1.14	0.074	2.49	1.2	0.21	142.0	<0.005	0.07
P916283		13.65	0.159	0.872	0.007	0.002	8.22	0.011	2.13	0.054	3.80	3.7	0.45	107.5	<0.005	0.03
P916284		12.55	0.170	0.856	0.004	0.002	10.90	0.014	1.93	0.066	3.27	2.3	0.42	87.8	<0.005	0.11
P916285		24.0	0.175	1.085	0.002	<0.002	4.16	0.007	0.60	0.246	3.40	1.0	0.38	78.7	<0.005	0.07
P916286		10.50	0.174	2.83	0.003	0.002	12.30	0.004	0.63	0.223	2.82	0.9	0.21	82.1	<0.005	0.06
P916287		22.0	0.165	1.755	0.001	0.002	2.29	0.006	1.26	0.409	3.82	1.6	0.27	93.2	<0.005	0.22
P916288		30.4	0.165	1.000	0.001	<0.002	2.66	0.006	0.77	0.531	4.75	1.4	0.37	85.8	<0.005	0.14
P916289		16.80	0.159	1.520	0.007	0.004	7.91	0.002	0.72	0.339	5.16	1.3	0.34	58.6	<0.005	0.20
P916290		13.95	0.177	0.843	0.008	0.004	21.0	0.001	0.89	0.068	5.55	1.4	0.27	133.5	<0.005	0.14
P916291		11.00	0.157	0.773	0.006	0.002	5.34	0.004	1.03	0.212	3.62	1.6	0.25	103.0	<0.005	0.17
P916292		24.0	0.141	0.856	0.002	<0.002	1.710	0.009	1.76	0.091	3.10	3.7	0.34	74.9	<0.005	0.29
P916293		16.20	0.165	1.515	0.005	0.002	3.10	0.025	1.89	0.193	3.08	2.9	0.39	200	<0.005	0.42
P916294		6.62	0.173	0.925	0.004	<0.002	11.50	0.006	0.51	0.462	3.50	0.5	0.18	113.0	<0.005	0.13
P916295		8.25	0.139	1.360	0.005	0.002	4.99	0.006	0.68	0.210	3.96	0.7	0.28	65.8	<0.005	0.24
P916296		8.45	0.114	1.140	0.004	<0.002	10.15	<0.001	0.89	0.084	4.38	1.0	0.18	74.8	<0.005	0.20
P916297		8.61	0.113	2.39	0.004	0.002	5.40	<0.001	0.62	0.188	4.54	1.0	0.17	51.5	<0.005	0.18
P916298		15.25	0.141	1.665	0.003	0.002	3.82	0.065	0.67	0.614	4.38	1.2	0.60	65.7	<0.005	0.21
P916299		15.40	0.152	1.395	0.003	<0.002	3.01	0.009	1.34	0.359	3.45	2.6	0.27	76.8	<0.005	0.36
P916300		14.15	0.061	3.97	0.004	<0.002	7.10	<0.001	0.02	0.248	3.05	0.1	1.28	86.1	<0.005	0.01
P916301		14.65	0.128	1.950	0.002	0.002	3.22	0.008	1.83	0.335	3.98	4.5	0.33	54.0	<0.005	0.41
P916302		8.31	0.108	3.34	0.002	0.003	3.71	0.001	0.47	0.379	5.77	0.8	0.18	52.4	<0.005	0.11
P916303		9.69	0.110	4.33	0.004	0.002	4.30	<0.001	0.82	0.194	5.28	1.6	0.18	49.8	<0.005	0.20
P916304		15.05	0.159	1.950	0.005	0.005	3.19	0.017	1.48	0.375	3.64	4.1	0.31	77.0	<0.005	0.42
P916305		12.55	0.160	2.40	0.004	<0.002	4.34	0.003	1.25	0.619	3.52	3.2	0.29	66.1	<0.005	0.32
P916306		15.45	0.164	1.450	0.006	0.003	3.90	0.052	1.88	4.29	6.35	4.5	0.41	68.2	<0.005	0.49
P916307		22.4	0.129	1.220	0.008	0.004	11.30	0.018	1.21	8.75	10.40	2.1	0.26	126.5	<0.005	0.33
P916308		20.0	0.131	0.777	0.011	0.010	12.80	<0.001	0.64	2.12	8.08	0.8	0.18	128.5	<0.005	0.19
P916309		19.65	0.124	2.29	0.010	0.007	10.20	0.018	0.37	1.715	12.50	0.7	0.24	110.5	<0.005	0.10
P916310		19.65	0.128	1.675	0.010	0.006	10.50	0.007	0.31	1.575	8.89	0.9	0.21	87.0	<0.005	0.10
P916311		12.10	0.134	2.96	0.006	0.002	6.86	0.003	0.82	3.88	8.77	1.4	0.27	118.0	<0.005	0.16
P916312		4.68	0.116	1.750	0.003	<0.002	6.84	<0.001	0.31	0.790	4.52	0.5	0.25	75.8	<0.005	0.06
P916313		2.49	0.081	2.53	0.002	<0.002	5.49	<0.001	0.31	0.205	2.61	0.3	0.25	115.5	<0.005	0.04
P916314		2.95	0.082	1.900	0.001	<0.002	6.61	<0.001	0.26	0.492	4.09	0.4	0.24	60.3	<0.005	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01	Cu- OG46 Cu % 0.001
P916275		2.80	0.161	0.042	0.875	102.0	0.553	5.37	45.4	2.08	
P916276		0.534	0.198	0.141	0.191	97.2	0.415	7.27	35.0	4.54	
P916277		0.244	0.150	0.154	0.104	82.0	0.177	3.91	28.2	1.30	
P916278		0.305	0.128	0.121	0.111	76.9	0.122	4.09	23.7	1.00	
P916279		0.314	0.152	0.097	0.128	95.4	0.415	4.73	24.2	2.05	
P916280		0.329	0.139	0.099	0.130	90.7	0.205	4.65	26.5	1.62	
P916281		0.287	0.147	0.117	0.119	83.1	0.242	3.67	28.4	1.30	
P916282		0.215	0.130	0.104	0.113	65.8	0.379	3.92	24.8	1.49	
P916283		0.875	0.219	0.045	0.409	68.3	0.319	8.23	21.8	10.75	
P916284		0.894	0.242	0.065	0.327	62.7	0.435	8.06	21.5	8.80	
P916285		1.690	0.283	0.044	0.480	44.9	0.620	8.89	23.1	12.00	
P916286		0.772	0.193	0.115	0.310	79.5	0.466	8.41	32.0	4.03	
P916287		1.100	0.223	0.103	0.380	44.2	1.695	7.96	18.7	11.30	
P916288		1.600	0.193	0.160	0.369	49.5	0.476	9.43	18.3	9.60	
P916289		0.717	0.238	0.119	0.241	82.5	0.525	7.61	25.8	8.38	
P916290		0.622	0.215	0.153	0.215	90.8	0.346	7.54	21.9	6.53	
P916291		0.764	0.182	0.069	0.285	55.2	0.431	7.69	11.5	6.77	
P916292		0.926	0.186	0.034	0.317	33.7	0.550	6.92	13.6	9.65	
P916293		0.790	0.188	0.144	0.301	53.1	0.651	7.90	17.7	6.24	
P916294		0.575	0.169	0.287	0.273	72.8	0.443	7.52	20.6	3.07	
P916295		0.490	0.148	0.057	0.219	71.7	1.490	6.67	22.6	4.12	
P916296		0.317	0.128	0.089	0.138	72.2	0.456	5.51	22.5	3.45	
P916297		0.302	0.120	0.074	0.132	64.0	0.567	5.06	26.1	3.37	
P916298		1.055	0.210	0.116	0.291	59.6	0.917	7.64	24.2	7.50	
P916299		0.875	0.200	0.046	0.295	55.2	0.607	7.85	21.6	7.07	
P916300		2.64	0.166	0.043	0.783	102.0	0.544	5.24	44.9	2.08	
P916301		0.946	0.163	0.044	0.258	54.8	0.399	6.49	28.4	5.39	
P916302		0.323	0.115	0.044	0.144	67.8	0.486	5.79	33.2	3.10	
P916303		0.301	0.112	0.076	0.154	67.7	0.409	5.46	30.6	3.63	
P916304		0.748	0.206	0.074	0.331	54.9	0.603	7.59	28.2	7.47	
P916305		0.668	0.187	0.068	0.229	74.5	0.576	7.93	33.2	3.72	
P916306		0.897	0.169	0.461	0.330	83.4	0.599	9.06	45.3	5.78	
P916307		0.274	0.115	1.080	0.135	93.5	0.276	7.53	39.6	2.45	
P916308		0.219	0.157	0.512	0.109	96.7	0.301	6.15	22.7	2.95	
P916309		0.231	0.092	0.396	0.152	97.8	0.500	8.87	36.1	2.20	
P916310		0.292	0.133	0.392	0.145	97.0	0.316	6.82	37.3	3.32	
P916311		0.855	0.099	1.290	0.360	77.8	0.261	12.55	52.4	4.76	
P916312		1.305	0.091	0.168	0.404	58.3	0.218	6.90	23.8	4.73	
P916313		2.26	0.079	0.034	0.726	52.9	0.168	4.84	22.5	3.76	
P916314		2.70	0.017	0.075	0.558	50.0	0.121	7.36	23.3	2.17	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916315	6.36	0.0011	0.020	0.74	2.42	<10	67.4	0.24	0.020	1.34	0.062	14.40	9.04	7.90	4.42
P916316	3.64	0.0600	0.212	1.60	1.38	<10	139.5	0.19	0.014	3.14	0.071	7.96	14.15	22.9	2.14
P916317	6.71	0.0486	0.253	1.76	2.78	<10	256	0.18	0.016	3.40	0.091	8.40	14.35	16.10	3.76
P916318	6.47	0.0493	0.229	1.05	1.52	<10	126.5	0.13	0.015	2.60	0.097	9.04	13.65	18.80	1.955
P916319	6.50	0.0224	0.159	0.73	2.37	<10	294	0.07	0.011	2.10	0.074	7.67	8.91	14.40	2.21
P916320	6.93	0.0318	0.188	1.23	3.23	<10	357	0.16	0.018	2.32	0.058	10.10	11.30	17.60	1.815
P916321	7.07	0.0251	0.127	1.15	1.30	<10	419	0.16	0.010	1.97	0.036	9.01	10.50	19.75	2.19
P916322	6.15	0.112	0.143	1.14	1.89	<10	719	0.20	0.012	2.54	0.063	9.59	11.40	18.80	2.58
P916323	5.98	0.443	0.139	0.95	1.87	<10	286	0.19	0.015	2.27	0.023	10.40	11.10	17.05	3.51
P916324	7.11	0.0512	0.267	1.53	1.40	<10	388	0.20	0.018	3.83	0.057	9.79	23.0	36.4	4.47
P916325	0.05	0.0011	0.110	1.84	0.99	<10	137.5	0.10	0.068	1.06	0.067	15.75	10.50	20.1	0.348
P916326	7.06	0.0721	0.161	1.03	1.08	<10	284	0.22	0.014	2.38	0.046	9.24	15.75	31.6	3.22
P916327	4.98	0.0265	0.146	1.53	1.81	<10	156.0	0.19	0.020	3.65	0.060	9.62	15.25	36.3	2.64
P916328	5.58	0.0841	1.395	0.49	83.4	<10	288	0.26	0.027	7.55	1.875	9.71	17.70	31.8	6.89
P916329	5.53	0.0307	0.278	0.72	8.13	<10	197.0	0.34	0.015	4.46	0.218	10.20	14.75	10.80	6.62
P916330	4.28	0.0619	0.640	0.50	19.90	10	193.5	0.26	0.057	6.83	1.055	9.12	15.00	7.13	8.47
P916331	4.22	0.0624	0.804	0.54	33.6	<10	74.8	0.35	0.142	5.00	1.240	9.59	16.00	10.40	6.36
P916332	3.78	0.0888	1.130	0.60	68.5	<10	178.0	0.45	0.020	5.79	2.38	9.68	17.00	9.98	8.36
P916333	5.90	0.0374	0.177	0.97	6.79	<10	202	0.23	0.012	3.92	0.159	11.15	11.50	15.25	3.39
P916334	5.56	0.106	0.264	1.20	3.21	<10	435	0.22	0.021	3.30	0.112	12.90	17.10	30.6	3.03
P916335	4.69	0.0429	0.218	1.36	2.20	<10	270	0.19	0.014	2.75	0.073	8.60	13.85	26.3	1.970
P916336	7.05	0.0575	0.209	1.02	2.01	<10	311	0.22	0.027	3.91	0.061	10.45	12.45	16.50	2.99
P916337	7.03	0.106	0.223	1.49	2.65	<10	140.0	0.19	0.016	2.59	0.047	9.27	14.85	29.6	1.335
P916338	6.96	0.0817	0.149	1.81	2.19	<10	48.3	0.20	0.014	2.14	0.027	7.88	16.55	36.9	1.155
P916339	5.42	0.0258	0.166	1.53	2.09	<10	93.2	0.18	0.015	1.81	0.038	6.86	12.10	27.2	1.095
P916340	6.78	0.0514	0.179	1.24	1.70	<10	151.0	0.22	0.022	3.56	0.029	6.12	18.85	23.8	0.891
P916341	6.55	0.0718	0.283	1.12	2.20	<10	102.0	0.16	0.058	2.94	0.027	8.19	25.3	23.9	1.380
P916342	5.90	0.0884	0.315	1.10	1.28	<10	167.5	0.17	0.016	2.23	0.044	7.34	15.05	17.70	1.395
P916343	7.79	0.121	0.443	0.91	2.14	<10	148.0	0.18	0.039	2.55	0.135	10.00	23.5	14.65	1.455
P916344	6.71	0.109	0.517	0.72	2.02	<10	100.0	0.16	0.044	2.25	0.045	10.40	23.5	12.05	0.784
P916345	5.83	0.113	0.481	1.35	1.94	<10	120.5	0.17	0.020	2.50	0.038	9.90	22.0	31.7	1.695
P916346	7.64	0.0678	0.333	1.35	1.61	<10	53.2	0.20	0.024	2.71	0.036	10.00	17.40	26.4	1.320
P916347	6.23	0.0589	0.301	1.30	2.85	<10	178.5	0.21	0.028	2.74	0.032	9.56	19.35	21.4	1.815
P916348	5.90	0.0790	0.341	1.23	3.97	<10	113.5	0.22	0.029	4.39	0.049	9.33	18.25	17.15	1.860
P916349	7.06	0.0880	0.600	1.28	5.30	<10	119.5	0.20	0.051	7.40	0.072	9.70	18.80	20.3	2.05
P916350	0.04	0.0011	0.101	1.70	1.14	<10	133.5	0.11	0.065	0.97	0.072	13.10	8.76	17.50	0.290
P916351	5.81	0.111	0.538	1.80	4.23	<10	106.5	0.19	0.056	5.15	0.113	8.10	21.8	24.9	2.95
P916352	6.34	0.0606	0.355	2.21	3.24	<10	192.0	0.14	0.031	2.87	0.039	5.58	19.45	18.30	3.06
P916353	6.54	0.137	0.463	2.49	3.77	<10	90.0	0.14	0.036	2.24	0.114	5.54	21.6	34.0	1.740
P916354	5.94	0.123	0.259	2.32	2.58	<10	88.0	0.19	0.024	3.64	0.071	5.06	22.9	19.45	1.415

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916315		4.30	2.53	4.93	0.050	0.108	0.020	0.007	0.13	6.93	6.8	0.61	320	0.54	0.085	0.118
P916316		1565	2.86	8.20	0.111	0.134	0.127	0.013	0.10	3.41	10.9	1.40	351	1.19	0.066	0.037
P916317		1720	3.08	6.41	0.100	0.150	0.176	0.020	0.12	3.65	8.2	1.33	350	1.76	0.125	0.041
P916318		1940	2.18	4.26	0.066	0.065	0.144	0.021	0.09	3.97	5.5	1.12	250	0.83	0.053	0.011
P916319		973	1.640	2.70	0.037	0.043	0.096	0.011	0.10	3.59	3.2	0.97	185.0	1.41	0.044	0.008
P916320		724	2.17	4.94	0.076	0.069	0.079	0.012	0.09	4.59	6.3	1.12	211	1.26	0.068	0.017
P916321		574	2.39	3.89	0.055	0.054	0.050	0.006	0.09	3.85	4.1	0.88	240	2.71	0.096	0.003
P916322		565	2.58	4.75	0.046	0.066	0.063	0.016	0.10	4.14	5.3	1.05	312	0.96	0.070	0.004
P916323		642	2.42	3.80	0.045	0.059	0.065	0.017	0.09	4.46	4.6	0.94	278	3.57	0.067	0.006
P916324		1665	3.35	5.87	0.059	0.058	0.150	0.022	0.18	4.13	8.9	1.94	350	10.60	0.042	0.004
P916325		95.0	3.55	5.49	0.077	0.142	<0.004	0.015	0.22	7.31	6.2	0.83	502	6.18	0.209	0.211
P916326		1005	3.37	4.41	0.070	0.125	0.060	0.009	0.12	3.84	5.8	1.24	321	1.91	0.065	0.003
P916327		345	4.17	6.41	0.067	0.187	0.108	0.010	0.11	4.10	8.1	1.59	484	1.77	0.052	0.016
P916328		761	3.95	1.335	0.040	0.050	2.08	0.020	0.19	4.20	4.1	2.55	708	1.99	0.013	0.002
P916329		525	3.73	2.06	0.040	0.052	0.359	0.011	0.23	4.34	6.0	1.55	566	4.84	0.016	<0.002
P916330		353	4.20	1.185	0.038	0.064	0.512	0.008	0.21	4.04	6.8	2.37	763	1.09	0.013	0.002
P916331		448	4.25	1.350	0.032	0.067	0.476	0.017	0.22	4.16	4.7	1.66	766	0.94	0.017	<0.002
P916332		564	4.86	1.600	0.042	0.067	1.025	0.015	0.23	4.21	3.7	1.81	810	1.71	0.015	<0.002
P916333		345	2.91	3.16	0.032	0.139	0.266	0.025	0.19	5.01	4.5	1.38	503	5.71	0.042	0.017
P916334		1995	3.14	4.82	0.056	0.071	0.272	0.037	0.12	5.94	6.6	1.50	288	1.67	0.034	0.004
P916335		1665	3.21	5.84	0.071	0.142	0.091	0.012	0.10	3.65	7.8	1.22	264	5.30	0.062	0.011
P916336		1030	2.68	3.53	0.049	0.098	0.117	0.039	0.14	4.46	5.8	1.14	345	1.24	0.032	0.005
P916337		1100	3.42	6.63	0.114	0.115	0.099	0.035	0.11	3.95	8.6	1.53	295	3.91	0.068	0.025
P916338		1035	3.42	8.69	0.151	0.134	0.059	0.007	0.11	3.24	12.2	1.60	256	4.71	0.100	0.087
P916339		695	2.40	6.76	0.094	0.076	0.040	0.006	0.10	2.80	8.4	1.22	157.0	7.94	0.088	0.050
P916340		798	2.41	6.46	0.124	0.101	0.049	<0.005	0.08	2.50	9.3	1.28	220	8.32	0.059	0.038
P916341		1030	3.31	4.97	0.084	0.093	0.086	0.017	0.11	3.53	6.0	1.40	251	14.40	0.051	0.014
P916342		2070	2.41	4.23	0.066	0.048	0.047	0.019	0.40	3.20	5.3	1.28	168.0	5.56	0.059	0.027
P916343		2600	2.87	3.53	0.069	0.032	0.090	0.033	0.23	4.45	4.4	1.34	189.0	8.81	0.046	0.021
P916344		2780	2.72	2.39	0.065	0.036	0.075	0.040	0.17	4.66	2.8	1.01	128.5	18.05	0.034	0.012
P916345		3290	3.79	5.17	0.082	0.066	0.148	0.017	0.30	4.36	5.6	1.51	246	2.84	0.056	0.003
P916346		1825	3.03	5.19	0.079	0.089	0.122	0.016	0.11	4.30	6.4	1.48	228	3.36	0.074	0.021
P916347		1480	3.11	5.09	0.077	0.090	0.148	0.011	0.10	4.19	7.5	1.23	214	2.93	0.046	0.013
P916348		1420	3.34	5.17	0.052	0.079	0.224	0.014	0.16	4.12	6.8	1.25	311	10.10	0.039	0.014
P916349		1875	3.19	5.47	0.046	0.099	0.249	0.019	0.17	4.42	7.8	1.25	473	45.1	0.033	0.012
P916350		85.8	3.38	5.50	0.070	0.125	<0.004	<0.005	0.21	6.08	6.2	0.78	483	5.36	0.194	0.146
P916351		2280	4.58	6.88	0.065	0.095	0.108	0.038	0.17	3.22	11.5	1.92	531	4.30	0.028	0.013
P916352		873	3.79	6.93	0.077	0.147	0.170	0.016	0.14	2.26	9.3	1.53	532	1.64	0.117	0.034
P916353		2180	4.58	8.94	0.143	0.142	0.142	0.007	0.11	2.19	10.7	2.01	439	1.56	0.106	0.028
P916354		387	4.36	7.09	0.086	0.300	0.066	0.012	0.14	2.14	12.6	1.97	977	0.49	0.092	0.033

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916315		3.15	0.085	1.715	<0.001	<0.002	7.97	<0.001	0.25	0.250	3.17	0.2	0.31	51.1	<0.005	0.02
P916316		13.75	0.109	2.16	0.008	0.003	4.18	0.003	0.98	0.035	7.08	3.3	0.18	41.9	<0.005	0.02
P916317		10.95	0.110	2.80	0.008	0.003	4.81	0.013	1.00	0.447	7.21	3.4	0.18	95.1	<0.005	<0.01
P916318		11.50	0.108	2.05	0.011	0.004	3.77	0.005	0.72	0.086	7.97	3.0	0.16	51.3	<0.005	0.02
P916319		11.05	0.075	1.195	0.019	0.032	3.81	0.007	0.41	0.063	5.27	1.2	0.10	49.2	<0.005	0.04
P916320		12.80	0.110	2.70	0.007	0.004	3.66	0.007	0.51	0.118	8.08	1.4	0.12	71.0	<0.005	0.02
P916321		12.45	0.116	1.275	0.008	0.002	3.94	0.019	0.21	0.073	8.63	1.2	0.09	93.0	<0.005	<0.01
P916322		12.05	0.118	1.725	0.005	0.003	4.24	0.007	0.35	0.198	8.87	1.1	0.11	99.3	<0.005	0.01
P916323		10.30	0.119	1.510	0.007	<0.002	4.45	0.016	0.25	0.583	10.55	1.4	0.11	90.8	<0.005	<0.01
P916324		28.0	0.110	1.285	0.022	0.004	8.10	0.050	0.64	0.151	16.30	3.0	0.21	100.0	<0.005	<0.01
P916325		15.30	0.060	4.26	0.001	<0.002	7.78	0.001	0.01	0.273	3.27	0.1	1.48	89.7	<0.005	<0.01
P916326		19.35	0.118	1.110	0.024	0.003	5.71	0.008	0.32	0.087	19.05	2.3	0.19	105.5	<0.005	<0.01
P916327		21.1	0.120	2.46	0.010	<0.002	5.24	0.005	1.03	0.283	11.55	1.7	0.21	78.0	<0.005	0.02
P916328		27.8	0.098	13.55	0.021	0.002	6.92	0.007	1.03	13.85	15.10	2.2	0.10	104.0	<0.005	0.03
P916329		14.45	0.109	9.80	0.017	0.005	8.08	0.012	1.24	1.260	10.95	1.9	0.07	83.0	<0.005	0.01
P916330		15.05	0.090	10.50	0.012	<0.002	7.72	0.008	1.25	2.85	10.35	1.2	0.07	90.1	<0.005	0.11
P916331		16.00	0.100	14.50	0.012	0.002	8.00	0.017	1.33	5.65	10.05	1.4	0.06	70.1	<0.005	0.13
P916332		18.40	0.095	18.25	0.008	<0.002	7.80	0.019	1.56	10.60	7.84	1.3	0.05	79.9	<0.005	0.01
P916333		12.80	0.106	4.66	0.020	<0.002	7.96	0.015	0.48	0.669	8.30	1.0	0.13	84.5	<0.005	0.04
P916334		19.25	0.100	1.760	0.026	0.004	4.61	0.009	0.64	0.310	12.65	3.9	0.18	102.5	<0.005	0.05
P916335		15.00	0.109	1.535	0.019	0.003	3.55	0.033	0.75	0.215	8.28	2.8	0.22	75.1	<0.005	<0.01
P916336		12.30	0.103	1.725	0.016	0.003	4.96	0.005	0.76	0.203	9.68	2.6	0.20	88.8	<0.005	0.06
P916337		16.65	0.109	1.750	0.016	0.003	4.27	0.013	0.82	0.227	11.65	2.4	0.23	75.4	<0.005	0.02
P916338		16.55	0.117	1.805	0.007	0.005	4.38	0.016	0.89	0.044	7.83	2.9	0.27	61.6	<0.005	0.02
P916339		12.20	0.101	0.849	0.008	0.002	3.25	0.032	0.54	0.048	7.14	2.0	0.20	59.6	<0.005	0.03
P916340		11.05	0.094	0.999	0.005	0.003	3.17	0.021	1.29	0.046	6.19	3.3	0.19	39.2	<0.005	0.05
P916341		15.85	0.098	0.826	0.010	0.004	5.15	0.025	1.82	0.088	11.70	4.2	0.21	72.2	<0.005	0.12
P916342		13.65	0.100	0.689	0.009	<0.002	16.15	0.036	0.59	0.045	17.80	2.6	0.25	85.3	<0.005	0.03
P916343		14.15	0.111	1.510	0.013	0.002	9.84	0.033	1.31	0.075	13.40	4.2	0.21	84.2	<0.005	0.06
P916344		12.85	0.106	0.982	0.013	0.002	7.85	0.078	1.50	0.090	13.00	5.0	0.21	94.8	<0.005	0.08
P916345		21.2	0.115	0.711	0.017	0.003	13.00	0.014	1.28	0.054	19.60	4.4	0.32	99.5	<0.005	0.03
P916346		14.65	0.114	0.890	0.011	0.002	5.23	0.014	1.06	0.063	11.30	2.9	0.24	74.4	<0.005	0.03
P916347		13.35	0.105	0.977	0.008	0.002	4.68	0.009	1.21	0.182	8.97	3.4	0.23	81.3	<0.005	0.03
P916348		14.85	0.105	1.530	0.007	0.003	6.13	0.016	1.89	0.237	6.58	4.1	0.16	61.7	<0.005	0.03
P916349		15.20	0.097	1.905	0.013	0.002	6.57	0.039	1.81	0.243	6.10	3.9	0.14	71.5	<0.005	0.07
P916350		13.15	0.057	3.65	0.001	<0.002	6.87	<0.001	0.01	0.196	2.69	0.2	1.25	80.3	<0.005	<0.01
P916351		19.85	0.100	2.19	0.009	0.003	6.12	0.014	2.41	0.334	10.05	4.6	0.25	62.2	<0.005	0.10
P916352		13.30	0.120	1.905	0.008	0.003	5.49	0.006	1.37	0.104	7.88	3.3	0.32	93.4	<0.005	0.06
P916353		22.1	0.110	1.855	0.015	0.004	4.56	0.007	1.27	0.054	13.05	4.0	0.39	90.3	<0.005	0.06
P916354		17.45	0.109	1.530	0.008	0.003	5.40	0.001	0.57	0.139	8.32	1.1	0.24	115.0	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01	Cu- OG46 Cu % 0.001
P916315		2.23	0.059	0.055	0.592	55.3	0.174	5.84	23.6	2.83	
P916316		0.653	0.119	0.031	0.124	113.5	0.035	8.48	42.1	2.67	
P916317		0.550	0.098	0.022	0.160	107.0	0.040	9.00	41.1	3.80	
P916318		0.536	0.031	0.032	0.103	85.0	0.012	9.02	28.1	1.28	
P916319		0.385	0.008	0.031	0.092	50.3	0.032	6.20	17.4	0.74	
P916320		0.684	0.043	0.044	0.113	82.5	0.007	9.87	19.2	1.11	
P916321		0.620	0.013	0.034	0.062	92.5	0.009	9.71	20.2	0.88	
P916322		0.700	0.012	0.039	0.105	90.3	0.004	10.50	26.0	1.06	
P916323		0.776	0.008	0.032	0.073	87.5	0.004	11.60	17.4	0.98	
P916324		0.556	0.025	0.045	0.136	143.0	0.006	12.75	23.5	1.28	
P916325		2.90	0.156	0.053	0.879	104.5	0.744	5.51	47.0	2.31	
P916326		0.496	0.023	0.048	0.083	150.0	0.005	12.60	21.7	1.79	
P916327		0.593	0.080	0.031	0.203	152.0	0.129	10.20	43.7	4.91	
P916328		0.546	0.001	0.069	0.227	92.9	0.097	11.80	101.5	1.60	
P916329		0.697	0.002	0.049	0.224	70.9	0.083	11.50	63.4	1.77	
P916330		0.475	0.001	0.044	0.285	61.8	0.116	11.40	92.9	2.33	
P916331		0.587	0.001	0.053	0.410	69.7	0.055	11.85	92.6	2.43	
P916332		0.484	0.001	0.049	0.477	54.1	0.053	13.15	120.5	3.35	
P916333		0.699	0.012	0.045	0.226	78.2	0.059	9.98	43.3	3.14	
P916334		0.913	0.005	0.030	0.156	118.5	0.014	11.90	24.7	1.94	
P916335		0.760	0.073	0.028	0.185	134.5	0.019	8.06	18.9	2.94	
P916336		0.599	0.007	0.033	0.209	77.8	0.044	9.88	27.5	2.69	
P916337		0.677	0.117	0.022	0.164	147.5	0.027	10.80	24.2	3.47	
P916338		0.616	0.226	0.022	0.122	186.0	0.101	7.71	23.9	4.31	
P916339		0.514	0.130	0.015	0.176	147.5	0.042	7.81	16.2	2.54	
P916340		0.435	0.117	0.020	0.157	104.0	0.063	6.61	16.3	2.47	
P916341		0.575	0.038	0.030	0.192	108.0	0.063	8.73	18.4	2.27	
P916342		0.546	0.067	0.075	0.107	118.5	0.013	8.92	15.0	0.86	
P916343		0.693	0.024	0.055	0.141	103.0	0.019	9.83	21.5	1.12	
P916344		0.677	0.018	0.040	0.116	90.7	0.021	8.76	12.8	1.28	
P916345		0.690	0.044	0.071	0.174	145.0	0.007	12.80	20.4	1.38	
P916346		0.775	0.046	0.032	0.178	107.0	0.018	11.20	17.7	2.26	
P916347		0.680	0.034	0.022	0.190	92.2	0.024	10.10	17.6	2.42	
P916348		0.608	0.019	0.071	0.193	76.7	0.055	10.25	19.4	2.95	
P916349		0.452	0.029	0.084	0.145	77.5	0.054	9.52	27.3	3.34	
P916350		2.52	0.155	0.043	0.762	92.6	0.557	4.75	42.1	2.27	
P916351		0.302	0.044	0.038	0.140	126.0	0.075	10.95	43.0	3.28	
P916352		0.406	0.125	0.029	0.153	137.0	0.072	8.05	49.6	5.00	
P916353		0.352	0.246	0.023	0.143	218	0.132	8.18	46.4	3.83	
P916354		0.214	0.196	0.025	0.198	142.0	0.126	6.50	100.5	7.73	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916355		6.28	0.0010	0.060	2.44	3.00	<10	83.6	0.19	0.007	3.29	0.056	5.64	20.7	19.50	1.320
P916356		6.58	0.100	0.471	1.79	1.87	<10	152.5	0.15	0.034	2.45	0.114	11.15	27.9	22.0	3.39
P916357		6.62	0.0623	0.411	1.08	8.81	<10	185.0	0.24	0.039	4.43	0.095	10.20	24.6	13.65	3.47
P916358		6.73	0.124	0.436	1.65	5.00	<10	146.5	0.22	0.045	4.85	0.087	8.95	41.1	32.3	2.76
P916359		7.41	0.0790	0.513	2.06	2.60	<10	130.0	0.14	0.057	2.85	0.055	9.09	28.4	44.1	2.02
P916360		7.19	0.120	0.687	1.21	28.1	<10	98.8	0.23	0.047	4.98	0.083	9.45	29.7	25.2	3.38
P916361		6.96	0.0821	0.445	1.35	9.08	<10	137.0	0.35	0.029	4.97	0.094	11.75	23.5	52.0	2.88
P916362		6.63	0.0852	0.342	2.20	2.07	<10	149.0	0.24	0.028	2.57	0.046	10.95	30.3	74.0	3.61
P916363		7.26	0.0810	0.267	1.84	1.43	<10	177.0	0.19	0.025	2.71	0.052	10.50	26.5	44.8	3.97
P916364		7.06	0.0637	0.279	2.19	2.41	<10	66.4	0.15	0.018	2.43	0.040	6.86	23.3	38.3	3.63
P916365		7.20	0.0441	0.254	1.65	2.08	<10	143.0	0.16	0.015	2.53	0.038	9.15	18.70	41.3	5.23
P916366		7.45	0.0509	0.315	1.50	1.83	<10	109.0	0.19	0.023	3.19	0.053	10.10	20.6	32.9	7.97
P916367		7.24	0.0578	0.211	1.83	1.79	<10	124.0	0.20	0.035	2.46	0.054	8.18	18.70	35.2	4.40
P916368		7.39	0.127	0.738	1.67	4.12	<10	54.1	0.21	0.053	2.20	0.073	8.26	28.1	31.9	5.10
P916369		7.45	0.0599	0.371	1.63	2.60	<10	204	0.19	0.032	2.68	0.074	9.98	21.8	30.0	3.89
P916370		7.36	0.0601	0.499	1.92	2.16	<10	150.0	0.17	0.068	3.36	0.065	11.30	26.7	31.3	5.02
P916371		7.22	0.0701	0.355	1.79	1.44	<10	115.0	0.20	0.038	2.41	0.036	9.31	28.5	31.5	5.70
P916372		7.48	0.0843	0.675	1.33	2.05	<10	176.0	0.21	0.049	2.90	0.060	10.60	28.8	35.5	4.73
P916373		3.15	0.148	0.624	0.69	4.17	<10	299	0.21	0.032	3.87	0.093	11.15	18.40	14.60	3.99
P916374		4.68	0.293	2.40	0.56	84.4	<10	72.3	0.26	0.060	6.90	0.327	12.00	28.2	9.94	4.64
P916375		0.05	0.0015	0.101	1.82	1.05	<10	139.0	0.10	0.066	1.02	0.079	14.05	9.60	18.65	0.312
P916376		3.35	0.209	0.575	1.08	78.1	<10	263	0.26	0.035	4.73	0.293	10.55	19.15	17.70	4.73
P916377		3.69	0.473	2.64	1.26	5.32	<10	95.0	0.22	0.082	3.36	1.840	12.95	33.3	23.7	3.08
P916378		6.68	0.177	0.820	1.87	4.60	<10	132.0	0.17	0.029	2.35	1.355	10.30	24.6	30.7	4.81
P916379		6.36	0.0824	0.487	1.78	2.63	<10	163.0	0.23	0.027	3.21	0.259	10.25	24.2	31.6	3.38
P916380		7.23	0.0625	0.381	1.71	2.07	<10	91.1	0.20	0.030	2.45	0.213	10.10	26.4	29.9	4.25
P916381		7.49	0.0512	0.388	1.94	5.41	<10	143.0	0.21	0.018	3.27	0.282	12.20	25.6	53.1	3.95
P916382		6.79	0.138	0.514	1.87	8.55	<10	105.5	0.25	0.036	3.77	0.287	12.30	39.2	74.9	3.04
P916383		7.49	0.0366	0.271	2.04	2.74	<10	206	0.32	0.028	3.56	0.054	12.55	28.5	103.5	3.11
P916384		7.86	0.0433	0.325	1.18	9.11	<10	236	0.33	0.016	4.11	0.055	10.45	23.3	22.3	6.31
P916385		7.58	0.0585	0.294	0.51	13.50	<10	202	0.33	0.029	5.11	0.070	7.50	16.95	5.23	8.01
P916386		7.46	0.116	0.455	0.66	32.3	<10	129.5	0.30	0.032	4.23	0.065	7.45	24.9	11.75	5.05
P916387		7.47	0.104	0.280	0.86	20.4	<10	135.0	0.28	0.013	5.07	0.129	8.56	20.1	12.10	4.26
P916388		7.42	0.128	0.548	1.32	12.80	<10	151.0	0.36	0.030	5.67	0.133	13.10	31.6	60.6	4.72
P916389		6.89	0.0246	0.232	1.52	14.10	<10	222	0.33	0.030	3.67	0.123	11.95	22.2	22.8	4.30
P916390		7.12	0.230	0.255	1.62	8.08	<10	170.5	0.29	0.104	4.83	0.128	12.15	20.0	20.8	4.95
P916391		7.05	0.0349	0.178	1.53	3.35	<10	115.0	0.29	0.055	4.79	0.091	11.55	24.6	22.9	4.55
P916392		6.66	0.0316	0.283	0.93	189.0	<10	149.0	0.32	0.055	5.46	0.158	9.73	24.2	16.85	3.42
P916393		6.27	0.0263	0.129	0.61	24.2	<10	255	0.38	0.042	8.89	0.193	8.17	18.80	8.91	6.25
P916394		6.93	0.0126	0.118	0.50	30.3	<10	268	0.32	0.023	9.80	0.177	6.87	16.15	7.07	4.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916355		77.7	3.87	6.62	0.092	0.325	0.031	0.011	0.11	2.40	11.6	2.14	948	0.31	0.082	0.029
P916356		2700	3.68	6.35	0.061	0.044	0.267	0.015	0.19	5.43	8.5	1.82	431	9.56	0.047	0.008
P916357		1535	3.38	3.59	0.054	0.057	0.123	0.014	0.19	4.47	6.1	1.82	411	8.19	0.027	0.005
P916358		2880	3.92	7.04	0.078	0.085	0.153	0.050	0.14	3.69	10.3	2.10	432	3.77	0.044	0.012
P916359		2360	4.73	8.76	0.090	0.105	0.161	0.019	0.14	3.89	10.4	2.25	532	4.63	0.049	0.010
P916360		2780	5.23	4.67	0.073	0.052	0.126	0.028	0.19	4.08	5.8	2.28	598	4.28	0.027	0.002
P916361		1995	5.35	5.40	0.079	0.079	0.073	0.042	0.20	4.91	7.0	2.09	579	2.82	0.051	0.003
P916362		2290	5.31	9.29	0.126	0.063	0.062	0.016	0.72	4.63	9.2	2.24	393	2.72	0.045	0.023
P916363		2350	4.48	7.10	0.101	0.052	0.027	0.016	0.65	4.65	7.3	2.21	300	4.09	0.033	0.012
P916364		1445	4.34	9.27	0.120	0.077	0.023	0.005	0.27	2.91	10.1	2.27	291	11.45	0.061	0.021
P916365		1590	4.54	6.71	0.087	0.066	0.021	0.009	0.52	3.91	6.5	1.85	323	1.83	0.042	0.012
P916366		1780	4.18	6.42	0.101	0.071	0.030	0.020	0.39	4.38	6.6	1.72	335	4.60	0.038	0.007
P916367		914	3.73	7.06	0.089	0.077	0.034	0.007	0.50	3.45	9.7	2.16	273	7.91	0.042	0.005
P916368		3020	5.63	6.94	0.075	0.078	0.058	0.030	0.19	3.50	7.7	1.62	416	3.41	0.030	0.002
P916369		1510	3.32	7.09	0.065	0.056	0.038	0.024	0.22	4.36	8.6	1.96	266	14.40	0.029	0.007
P916370		1875	4.56	7.69	0.078	0.064	0.036	0.022	0.29	4.99	9.2	1.98	391	10.25	0.037	0.005
P916371		1525	3.47	7.18	0.092	0.058	0.019	0.012	0.29	4.23	10.9	1.84	183.0	16.50	0.052	0.013
P916372		1905	3.37	5.27	0.072	0.042	0.046	0.017	0.24	4.75	7.5	1.78	288	41.2	0.040	0.004
P916373		2060	2.93	2.09	0.045	0.040	0.086	0.027	0.20	5.17	2.8	1.68	369	26.3	0.032	0.002
P916374		>10000	4.43	1.430	0.063	0.033	0.344	0.101	0.21	5.59	2.7	2.62	359	120.0	0.012	0.002
P916375		93.7	3.47	5.16	0.062	0.104	<0.004	0.014	0.22	6.47	6.5	0.81	495	5.46	0.214	0.194
P916376		3580	3.30	3.55	0.045	0.046	0.176	0.040	0.25	4.93	5.9	1.84	345	40.9	0.025	0.005
P916377		8560	4.57	4.83	0.076	0.044	0.148	0.101	0.16	6.38	6.9	1.67	363	239	0.038	0.005
P916378		4380	3.74	6.86	0.059	0.049	0.163	0.040	0.30	4.66	11.5	1.85	348	97.5	0.043	0.011
P916379		2140	3.42	6.15	0.057	0.036	0.071	0.015	0.31	4.51	11.3	1.80	324	12.70	0.042	0.012
P916380		1865	3.52	5.80	0.056	0.054	0.052	0.015	0.21	4.49	11.2	1.73	293	25.4	0.044	0.008
P916381		1230	4.62	6.73	0.071	0.098	0.076	0.030	0.26	5.40	10.5	1.93	505	10.35	0.062	0.009
P916382		2200	5.71	7.28	0.093	0.093	0.071	0.047	0.17	5.24	11.0	2.21	593	25.2	0.053	0.008
P916383		1330	6.14	7.70	0.110	0.121	0.065	0.033	0.32	5.24	10.9	2.40	550	7.86	0.090	0.010
P916384		1455	4.19	3.77	0.047	0.064	0.221	0.021	0.25	4.45	5.7	1.74	472	9.87	0.031	0.003
P916385		1075	3.03	1.090	0.027	0.031	0.304	0.017	0.26	3.09	1.9	1.81	371	119.5	0.008	<0.002
P916386		2530	3.85	1.750	0.043	0.055	0.656	0.037	0.27	3.07	2.7	1.63	340	22.0	0.021	0.003
P916387		1400	3.89	2.65	0.037	0.050	0.221	0.010	0.23	3.72	4.5	1.68	705	10.20	0.023	0.004
P916388		2350	5.47	5.00	0.073	0.076	0.309	0.034	0.19	5.44	9.5	2.10	689	10.10	0.029	0.005
P916389		889	4.35	5.05	0.051	0.076	0.113	0.027	0.15	5.18	8.3	1.38	443	5.90	0.042	0.004
P916390		619	4.47	5.27	0.053	0.088	0.255	0.032	0.18	5.52	11.8	1.77	636	4.25	0.054	0.012
P916391		703	4.78	5.30	0.057	0.086	0.065	0.031	0.15	5.16	11.8	1.86	479	4.08	0.051	0.012
P916392		1025	4.12	2.71	0.047	0.083	1.740	0.032	0.15	4.19	8.7	1.85	467	5.83	0.036	0.004
P916393		339	4.56	1.560	0.041	0.056	0.354	0.020	0.17	3.65	5.2	3.53	742	8.21	0.025	0.002
P916394		269	4.03	1.180	0.033	0.038	0.890	0.016	0.14	2.93	4.7	4.03	782	3.05	0.013	<0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916355	19.75	0.108	1.730	0.014	0.004	4.58	<0.001	0.02	0.149	8.52	0.3	0.24	133.5	<0.005	<0.01
P916356	17.25	0.108	2.36	0.012	0.002	8.06	0.062	1.47	0.065	8.60	5.8	0.21	49.0	<0.005	0.07
P916357	15.55	0.105	1.675	0.008	0.002	7.48	0.047	1.40	0.971	9.39	5.0	0.09	111.0	<0.005	0.09
P916358	21.8	0.109	4.41	0.010	0.004	5.90	0.027	2.01	0.372	12.50	6.7	0.26	102.0	<0.005	0.07
P916359	24.9	0.128	1.825	0.006	0.004	5.95	0.026	1.99	0.077	12.10	5.7	0.29	56.0	<0.005	0.14
P916360	26.6	0.105	2.25	0.010	0.004	7.74	0.025	1.85	0.264	15.40	6.0	0.17	116.5	<0.005	0.10
P916361	34.2	0.137	1.880	0.010	0.004	8.78	0.020	1.07	0.440	20.1	4.6	0.30	134.5	<0.005	0.18
P916362	42.0	0.137	1.480	0.014	0.004	32.0	0.020	1.43	0.213	18.45	5.3	0.44	116.0	<0.005	0.10
P916363	29.2	0.112	1.875	0.008	0.004	27.5	0.027	1.31	0.036	21.1	5.7	0.35	114.5	<0.005	0.06
P916364	25.2	0.112	1.910	0.008	0.003	12.90	0.061	1.20	0.066	18.30	4.7	0.34	65.2	<0.005	0.07
P916365	24.7	0.105	1.555	0.015	0.004	23.4	0.009	0.77	0.106	21.9	3.6	0.34	98.9	<0.005	0.05
P916366	21.5	0.114	1.655	0.009	0.003	17.10	0.025	1.13	0.130	19.55	5.0	0.33	113.0	<0.005	0.04
P916367	20.6	0.102	1.525	0.010	0.003	19.70	0.036	1.08	0.236	23.1	3.4	0.33	95.3	<0.005	0.09
P916368	26.9	0.113	2.19	0.010	0.005	9.63	0.018	1.12	1.330	20.2	4.9	0.33	107.5	<0.005	0.12
P916369	21.9	0.111	1.825	0.005	0.002	11.10	0.076	1.21	0.566	15.10	5.2	0.24	105.0	<0.005	0.08
P916370	24.1	0.135	1.625	0.005	0.003	14.20	0.035	1.74	0.242	16.60	5.3	0.24	93.3	<0.005	0.19
P916371	19.30	0.104	0.994	0.004	0.002	13.20	0.068	1.50	0.089	15.20	6.3	0.30	78.6	<0.005	0.06
P916372	24.5	0.110	0.797	0.005	0.002	10.70	0.202	1.40	0.129	15.65	6.0	0.17	93.3	<0.005	0.09
P916373	15.35	0.096	1.425	0.004	0.003	7.61	0.139	0.85	0.298	10.10	4.3	0.07	92.5	<0.005	0.05
P916374	25.0	0.093	5.05	0.013	0.004	7.45	0.350	2.32	2.80	11.60	13.2	0.27	122.5	<0.005	0.13
P916375	13.60	0.059	4.02	0.007	<0.002	6.84	0.001	0.02	0.208	2.94	0.2	1.27	85.8	<0.005	<0.01
P916376	17.25	0.098	4.10	0.005	0.002	10.75	0.110	1.22	4.50	11.00	5.4	0.13	102.0	<0.005	0.05
P916377	25.9	0.102	7.45	0.008	0.004	7.95	0.541	3.10	0.177	12.45	13.0	0.39	97.3	<0.005	0.27
P916378	18.95	0.106	6.07	0.006	0.002	14.05	0.243	1.52	0.266	11.85	6.1	0.22	71.4	<0.005	0.08
P916379	20.3	0.104	2.23	0.003	0.003	12.20	0.057	1.35	0.185	11.40	4.9	0.17	86.5	<0.005	0.08
P916380	19.90	0.102	2.25	0.005	0.004	9.16	0.082	1.40	0.119	12.25	5.1	0.20	80.0	<0.005	0.05
P916381	30.9	0.136	2.47	0.008	0.005	11.05	0.052	1.43	0.153	14.25	4.3	0.31	104.0	<0.005	0.07
P916382	47.0	0.147	2.65	0.015	0.004	8.01	0.147	2.30	0.168	17.70	6.3	0.38	99.7	<0.005	0.10
P916383	52.4	0.156	1.515	0.018	0.005	13.95	0.033	1.52	0.176	19.00	4.5	0.39	148.5	<0.005	0.07
P916384	21.6	0.119	2.86	0.012	0.003	9.97	0.063	1.33	0.896	12.75	4.2	0.14	112.5	<0.005	0.04
P916385	12.15	0.097	2.48	0.006	0.004	8.23	0.792	1.07	0.927	8.50	3.2	0.05	99.3	<0.005	0.08
P916386	15.40	0.103	1.775	0.014	0.003	9.17	0.102	1.49	2.20	11.65	5.7	0.07	114.0	<0.005	0.05
P916387	13.90	0.101	3.26	0.010	0.003	8.08	0.048	1.50	1.535	9.64	3.9	0.09	116.5	<0.005	0.06
P916388	36.2	0.134	2.91	0.035	0.006	7.43	0.038	1.86	3.01	19.05	5.6	0.20	133.0	<0.005	0.05
P916389	15.60	0.125	2.09	0.009	0.003	6.19	0.018	1.45	1.055	12.75	3.3	0.24	156.0	<0.005	0.04
P916390	13.45	0.121	2.06	0.009	0.004	6.32	0.020	1.66	0.468	12.20	3.2	0.20	171.0	<0.005	0.23
P916391	14.70	0.121	2.02	0.003	0.004	5.65	0.021	2.14	0.284	12.95	3.2	0.17	125.5	<0.005	0.21
P916392	13.65	0.121	2.66	0.005	0.002	5.18	0.032	1.86	8.01	13.65	4.6	0.15	98.7	<0.005	0.15
P916393	14.50	0.092	12.25	0.005	0.002	5.82	0.048	1.30	2.56	11.05	2.2	0.09	141.0	<0.005	0.13
P916394	14.05	0.080	9.50	0.006	0.002	4.71	0.013	0.92	2.83	9.11	1.9	0.06	143.5	<0.005	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01	Cu- OG46 Cu % 0.001
P916355	0.246	0.195	0.019	0.195	129.0	0.091	6.14	114.5	8.69	
P916356	0.419	0.038	0.046	0.144	106.5	0.028	11.15	45.0	1.96	
P916357	0.406	0.008	0.039	0.145	84.8	0.079	11.15	37.3	2.71	
P916358	0.392	0.047	0.037	0.158	122.5	0.043	11.40	38.5	3.04	
P916359	0.611	0.085	0.036	0.210	158.0	0.031	10.80	49.0	2.93	
P916360	0.361	0.005	0.060	0.189	126.0	0.085	12.70	47.7	1.97	
P916361	0.534	0.019	0.055	0.167	146.0	0.014	14.65	45.2	2.33	
P916362	0.616	0.180	0.154	0.172	193.0	0.024	14.10	29.8	2.00	
P916363	0.491	0.091	0.127	0.106	179.0	0.027	12.55	28.6	1.31	
P916364	0.364	0.197	0.070	0.139	215	0.053	9.75	35.4	2.65	
P916365	0.445	0.071	0.113	0.113	180.5	0.018	11.45	31.0	1.55	
P916366	0.455	0.051	0.080	0.126	164.0	0.018	12.40	29.7	1.63	
P916367	0.430	0.065	0.105	0.152	182.5	0.020	11.20	30.0	1.70	
P916368	0.412	0.022	0.060	0.139	172.0	0.014	11.70	36.2	1.60	
P916369	0.541	0.029	0.063	0.166	132.5	0.015	12.35	26.9	1.55	
P916370	0.630	0.036	0.070	0.170	164.5	0.021	14.40	45.5	1.73	
P916371	0.485	0.075	0.075	0.180	147.5	0.032	11.85	18.6	1.68	
P916372	0.544	0.018	0.065	0.200	121.0	0.014	12.20	24.5	1.61	
P916373	0.483	0.002	0.050	0.296	79.4	0.059	12.10	32.7	1.61	
P916374	0.465	0.003	0.074	0.233	80.3	0.065	12.70	46.7	1.35	1.120
P916375	2.76	0.162	0.045	0.854	96.5	0.500	5.06	43.6	2.00	
P916376	0.465	0.010	0.071	0.189	91.2	0.021	12.15	49.2	1.22	
P916377	0.562	0.010	0.057	0.170	102.0	0.046	12.50	108.0	1.58	
P916378	0.496	0.040	0.100	0.143	122.0	0.025	10.35	108.0	1.41	
P916379	0.472	0.028	0.092	0.160	121.0	0.042	10.95	38.0	1.37	
P916380	0.496	0.017	0.063	0.158	117.0	0.049	10.75	40.5	1.73	
P916381	0.552	0.033	0.076	0.187	134.5	0.022	11.75	55.2	2.01	
P916382	0.735	0.044	0.056	0.247	174.5	0.038	14.60	64.7	2.46	
P916383	0.734	0.064	0.099	0.232	184.5	0.012	13.80	47.5	3.04	
P916384	0.472	0.007	0.129	0.201	96.0	0.047	12.55	45.6	2.13	
P916385	0.355	0.001	0.148	0.150	41.4	0.070	10.15	26.3	1.69	
P916386	0.358	0.005	0.083	0.150	78.0	0.068	10.85	29.8	2.06	
P916387	0.383	0.004	0.171	0.150	71.6	0.082	11.05	57.4	2.09	
P916388	0.646	0.008	0.157	0.155	139.5	0.050	14.60	43.7	2.23	
P916389	0.699	0.009	0.195	0.171	109.5	0.096	10.15	34.9	1.97	
P916390	0.533	0.022	0.145	0.141	100.5	0.038	10.35	48.3	2.40	
P916391	0.513	0.019	0.034	0.122	109.5	0.044	9.69	32.2	2.32	
P916392	0.451	0.007	0.057	0.189	91.7	0.051	8.87	56.5	2.14	
P916393	0.381	0.001	0.058	0.248	57.1	0.072	8.74	51.4	1.57	
P916394	0.304	0.001	0.062	0.374	57.5	0.046	9.15	52.5	1.54	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916395	7.28	0.0191	0.098	1.33	6.97	<10	243	0.44	0.029	3.64	0.076	13.40	18.60	19.50	5.29
P916396	7.85	0.0278	0.113	1.19	10.25	<10	159.0	0.48	0.036	4.61	0.095	12.20	20.4	18.75	4.66
P916397	7.10	0.0244	0.079	1.41	1.99	<10	273	0.33	0.030	3.68	0.046	11.55	12.60	25.4	5.22
P916398	6.80	0.0175	0.097	0.98	20.1	<10	333	0.41	0.034	4.68	0.050	12.15	15.00	16.40	5.52
P916399	8.16	0.0493	0.294	0.62	61.0	<10	181.0	0.37	0.109	6.28	0.074	11.55	19.35	12.55	2.99
P916400	0.05	0.0011	0.103	1.76	1.07	<10	133.0	0.12	0.081	1.00	0.077	15.15	9.55	18.75	0.319
P916401	7.11	0.0352	0.175	0.67	66.3	<10	164.0	0.29	0.049	6.08	0.109	11.50	18.10	13.70	2.24
P916402	7.88	0.0400	0.093	0.71	29.1	<10	75.8	0.20	0.021	7.57	0.087	13.25	14.35	15.50	1.505
P916403	6.46	0.0208	0.175	0.66	246	<10	22.3	0.23	0.078	6.70	0.210	10.45	21.7	19.05	2.41
P916404	8.03	0.0444	0.306	0.58	374	<10	32.4	0.29	0.053	7.98	0.390	7.36	24.3	10.70	3.82
P916405	7.57	0.0880	0.547	0.53	327	<10	37.3	0.31	0.046	7.47	0.287	7.74	20.5	11.95	3.31
P916406	6.61	0.0977	0.539	0.75	59.0	<10	123.5	0.26	0.069	5.86	0.097	8.74	21.5	17.25	3.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916395	337	4.01	4.19	0.045	0.066	0.285	0.037	0.13	6.10	4.4	1.47	559	5.21	0.024	<0.002
P916396	324	4.38	3.52	0.044	0.067	0.343	0.044	0.16	5.58	5.3	1.49	631	1.77	0.028	<0.002
P916397	264	3.73	5.27	0.052	0.131	0.079	0.046	0.11	4.91	9.5	1.43	504	2.21	0.045	0.007
P916398	174.0	3.79	2.97	0.039	0.061	0.143	0.046	0.15	5.19	6.3	1.67	624	1.68	0.023	<0.002
P916399	515	4.54	1.530	0.043	0.053	0.351	0.041	0.15	4.90	5.2	2.24	753	3.27	0.018	<0.002
P916400	88.2	3.34	5.00	0.054	0.105	<0.004	0.021	0.21	7.06	6.3	0.78	478	5.65	0.206	0.226
P916401	405	4.11	1.720	0.044	0.065	0.626	0.025	0.15	4.90	5.0	1.84	621	5.96	0.018	<0.002
P916402	172.0	4.49	1.450	0.038	0.060	0.223	0.022	0.14	5.74	6.8	2.48	665	1.33	0.008	<0.002
P916403	736	4.64	1.405	0.041	0.064	0.630	0.039	0.14	4.21	6.2	2.46	596	5.39	0.007	<0.002
P916404	883	4.56	1.295	0.043	0.058	0.946	0.024	0.16	2.92	4.0	2.90	757	13.25	0.010	<0.002
P916405	1505	3.81	1.190	0.038	0.053	1.040	0.014	0.21	3.30	3.3	2.67	571	7.11	0.009	<0.002
P916406	2750	4.15	2.24	0.038	0.071	0.101	0.070	0.18	3.59	6.1	1.87	507	10.80	0.019	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916395		13.40	0.122	3.66	0.007	0.002	5.66	0.026	1.24	1.875	16.30	2.4	0.32	189.5	<0.005	0.05
P916396		16.30	0.125	4.62	0.007	0.003	5.61	0.008	1.70	2.58	16.85	1.3	0.22	160.0	<0.005	0.06
P916397		14.00	0.125	2.60	0.004	0.003	4.89	0.015	0.99	0.467	16.65	0.9	0.33	146.0	<0.005	0.06
P916398		14.05	0.123	4.41	0.016	0.002	6.21	0.008	1.02	2.11	16.45	1.1	0.11	148.5	<0.005	0.07
P916399		14.55	0.113	3.49	0.013	0.003	4.74	0.017	1.83	3.61	13.10	2.5	0.11	119.5	<0.005	0.27
P916400		13.45	0.056	4.02	0.002	0.002	7.24	0.001	0.01	0.232	3.01	0.2	1.44	86.1	<0.005	<0.01
P916401		13.50	0.116	3.29	0.004	0.002	4.84	0.038	1.75	3.39	14.00	2.1	0.10	108.5	<0.005	0.07
P916402		13.25	0.125	3.53	0.003	<0.002	4.60	0.007	1.25	1.245	19.35	1.1	0.08	104.5	<0.005	0.02
P916403		20.2	0.117	3.96	0.005	0.003	4.82	0.020	2.44	4.64	20.9	3.1	0.11	86.2	<0.005	0.14
P916404		21.2	0.088	8.76	0.004	0.003	5.47	0.015	1.89	12.35	17.45	3.9	0.12	113.5	<0.005	0.11
P916405		15.75	0.094	6.43	0.004	0.004	7.57	0.036	1.30	5.39	11.85	3.1	0.10	104.5	<0.005	0.04
P916406		17.30	0.097	3.24	0.009	0.003	6.83	0.057	1.85	0.637	20.2	3.5	0.16	113.0	<0.005	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01	Cu- OG46 Cu % 0.001
P916395		0.652	0.002	0.091	0.129	101.0	0.016	12.15	28.4	1.97	
P916396		0.555	0.002	0.093	0.227	101.0	0.028	11.85	36.5	2.20	
P916397		0.593	0.017	0.043	0.159	106.0	0.017	10.95	32.6	3.43	
P916398		0.566	0.001	0.304	0.139	94.2	0.068	11.05	37.3	2.20	
P916399		0.464	0.001	0.113	0.238	88.1	0.062	11.90	53.3	2.45	
P916400		2.99	0.157	0.047	0.997	96.0	0.705	5.26	43.3	2.11	
P916401		0.507	0.001	0.167	0.159	87.1	0.067	10.70	42.3	1.85	
P916402		0.554	0.001	0.088	0.214	113.0	0.079	12.90	40.8	1.83	
P916403		0.504	0.001	0.931	0.187	110.0	0.081	12.40	51.6	1.57	
P916404		0.335	0.001	1.685	0.289	101.5	0.156	13.35	62.1	1.51	
P916405		0.327	0.001	0.392	0.338	81.7	0.040	12.50	62.4	1.77	
P916406		0.274	0.003	0.072	0.173	114.0	0.036	13.15	36.5	1.99	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14147563

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

Applies to Method: ME- MS41L

LABORATORY ADDRESSES

Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

Applies to Method:

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Cu- OG46	ME- MS41L	ME- OG46

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

CERTIFICATE KL14146250

Project: Dillard

This report is for 105 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 18- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916169	6.69	0.0135	0.078	2.77	6.61	<10	183.0	0.22	0.075	2.49	1.680	10.85	24.6	152.0	3.24
P916170	6.71	0.0163	0.184	2.25	5.07	<10	211	0.22	0.071	1.79	0.059	14.20	22.0	23.0	2.45
P916171	6.33	0.0335	0.344	2.89	13.75	<10	34.7	0.24	0.440	4.22	0.054	14.60	29.6	135.5	2.71
P916172	6.40	0.0116	0.159	1.57	2.53	<10	63.0	0.20	0.036	1.45	0.033	17.15	14.70	19.35	1.470
P916173	7.57	0.0088	0.165	2.20	1.97	<10	188.5	0.16	0.052	1.35	0.041	14.70	20.9	25.5	2.60
P916174	7.17	0.0150	0.256	2.20	3.48	<10	172.5	0.18	0.088	1.59	0.063	12.90	26.7	70.9	2.38
P916175	0.05	0.744	54.5	1.12	975	20	111.0	0.23	23.8	3.32	0.704	13.45	35.9	31.2	0.680
P916176	7.19	0.0101	0.176	2.63	4.67	<10	148.5	0.19	0.179	1.74	0.023	9.44	36.3	184.0	3.46
P916177	5.84	0.0132	0.183	2.41	2.89	<10	211	0.21	0.038	1.56	0.025	14.10	22.0	19.30	3.02
P916178	7.23	0.0181	0.245	2.09	4.34	<10	80.4	0.24	0.108	1.71	0.019	13.80	34.8	19.60	2.06
P916179	7.00	0.0360	0.551	2.41	8.92	<10	95.2	0.26	0.155	2.51	0.284	11.60	43.1	47.0	3.87
P916180	6.76	0.0233	0.526	2.40	8.19	<10	122.0	0.24	0.133	2.13	0.061	12.10	30.2	26.0	3.68
P916181	7.08	0.0395	0.304	2.47	4.29	<10	172.0	0.29	0.098	1.62	0.021	13.30	34.1	11.40	3.36
P916182	7.31	0.0060	0.106	2.59	5.64	<10	174.0	0.26	0.073	1.85	0.021	14.45	25.0	10.50	3.17
P916183	6.06	0.0060	0.118	2.63	5.74	<10	233	0.22	0.069	1.64	0.031	14.05	28.9	10.20	4.34
P916184	5.18	0.0214	0.191	2.26	3.26	<10	152.5	0.32	0.031	2.87	0.160	11.70	23.0	32.8	4.10
P916185	11.58	0.0195	0.236	2.53	3.76	<10	221	0.21	0.091	2.13	0.052	11.75	26.9	16.85	4.07
P916186	4.76	0.0139	0.209	2.25	3.12	<10	202	0.28	0.055	2.35	0.059	12.50	23.5	22.8	3.78
P916187	7.34	0.0195	0.257	2.34	2.49	<10	297	0.17	0.055	1.43	0.037	10.35	28.6	7.11	4.05
P916188	6.51	0.0198	0.855	2.21	2.39	<10	177.0	0.24	0.080	1.31	0.028	12.15	28.1	6.07	4.29
P916189	7.32	0.0202	0.239	2.10	3.09	<10	173.0	0.18	0.099	1.42	0.064	10.85	30.7	7.09	3.25
P916190	7.26	0.130	0.202	1.91	3.52	<10	128.5	0.20	0.132	2.30	0.203	14.95	24.9	30.7	3.19
P916191	6.41	0.0183	0.210	2.08	7.57	<10	80.6	0.28	0.172	2.89	0.089	11.55	20.7	34.1	3.54
P916192	7.86	0.0053	0.094	1.95	2.83	<10	191.0	0.17	0.055	2.11	0.019	10.35	22.5	27.3	3.56
P916193	7.29	0.0062	0.155	1.78	2.59	<10	111.0	0.14	0.027	1.89	0.043	9.82	19.35	36.6	3.33
P916194	7.86	0.0129	0.204	1.77	1.84	<10	105.0	0.13	0.078	1.27	0.035	8.38	26.8	24.9	2.44
P916195	6.96	0.0678	0.142	1.90	1.93	<10	97.3	0.14	0.069	1.41	0.025	12.80	21.2	64.6	3.40
P916196	7.44	0.0055	0.078	1.65	2.17	<10	139.5	0.18	0.023	1.99	0.059	8.19	19.30	46.8	2.96
P916197	7.80	0.0061	0.069	1.64	1.59	<10	138.5	0.15	0.016	1.64	0.031	4.24	14.55	30.1	2.02
P916198	6.95	0.0042	0.068	1.72	2.40	<10	135.0	0.12	0.027	1.56	0.069	3.61	22.6	35.1	2.29
P916199	8.03	0.0056	0.146	1.66	2.27	<10	143.5	0.12	0.042	1.66	0.061	4.43	18.00	30.1	2.29
P916200	0.05	0.789	54.6	1.07	965	20	107.5	0.18	24.6	3.20	0.813	13.10	36.9	31.5	0.764
P916201	7.47	0.0104	0.177	1.52	3.55	<10	51.9	0.17	0.069	2.28	0.069	4.92	21.6	24.6	2.08
P916202	8.23	0.0147	0.226	1.33	5.09	<10	35.7	0.23	0.165	2.13	0.091	6.59	27.0	27.2	1.640
P916203	8.38	0.0157	0.328	1.55	4.42	<10	50.2	0.15	0.222	1.97	0.145	9.38	35.8	33.1	2.32
P916204	8.49	0.0187	0.291	1.56	5.16	<10	40.8	0.11	0.156	2.01	0.063	8.14	34.7	59.2	2.26
P916205	8.60	0.0069	0.107	1.80	3.10	<10	69.3	0.16	0.063	1.34	0.072	7.92	21.3	82.7	2.88
P916206	7.10	0.0048	0.114	1.69	2.31	<10	50.8	0.19	0.045	1.39	0.035	10.60	17.80	33.6	2.92
P916207	8.10	0.0134	0.244	1.61	5.03	<10	27.8	0.23	0.122	1.96	0.033	10.75	21.8	17.35	2.45
P916208	8.12	0.0111	0.277	1.22	3.60	<10	49.8	0.12	0.113	1.59	0.048	7.21	16.75	12.75	1.230

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916169		13.70	4.94	9.12	0.139	0.087	0.032	0.038	1.44	5.17	26.2	3.20	1055	0.14	0.061	0.026
P916170		112.0	4.43	8.49	0.117	0.094	0.016	0.027	1.22	6.75	20.7	2.10	846	0.29	0.081	0.061
P916171		266	6.25	12.25	0.133	0.069	0.021	0.098	0.59	6.62	36.4	3.14	1245	0.41	0.040	0.014
P916172		141.0	3.85	7.63	0.097	0.149	0.008	0.007	0.57	8.11	15.3	1.53	594	0.31	0.067	0.050
P916173		165.5	4.22	7.59	0.135	0.143	0.009	0.032	1.37	7.08	15.2	2.03	684	0.29	0.081	0.060
P916174		212	4.37	7.95	0.142	0.149	0.031	0.025	1.11	5.88	19.0	2.25	716	2.93	0.076	0.052
P916175		3610	3.01	3.72	0.058	0.172	0.676	0.136	0.15	8.12	7.1	0.36	659	515	0.097	0.202
P916176		103.5	5.42	9.42	0.149	0.073	0.074	0.025	1.38	4.37	21.3	3.35	688	5.22	0.058	0.035
P916177		140.0	4.33	7.76	0.097	0.094	0.015	0.015	1.21	6.65	18.5	2.46	750	0.81	0.070	0.055
P916178		201	4.57	8.80	0.100	0.109	0.042	<0.005	0.92	6.10	16.9	1.99	717	0.66	0.061	0.028
P916179		369	5.23	7.24	0.126	0.080	0.073	0.018	1.07	5.23	14.6	2.42	956	0.87	0.065	0.030
P916180		367	4.37	6.68	0.124	0.087	0.073	0.059	1.22	5.28	14.6	2.38	863	0.36	0.072	0.020
P916181		194.5	4.53	6.59	0.125	0.075	0.057	0.009	1.32	6.06	21.9	2.29	853	0.40	0.081	0.038
P916182		81.5	4.58	7.09	0.123	0.077	0.079	<0.005	1.17	6.51	23.1	2.67	922	0.14	0.050	0.027
P916183		106.5	4.40	7.24	0.133	0.089	0.042	0.030	1.58	6.15	20.5	2.55	796	0.19	0.053	0.034
P916184		162.0	4.19	7.54	0.123	0.123	0.036	0.009	1.09	5.29	16.3	2.48	1065	0.30	0.053	0.023
P916185		236	4.49	7.80	0.150	0.120	0.039	0.007	1.35	5.28	17.3	2.52	929	2.63	0.067	0.026
P916186		189.0	4.24	7.56	0.142	0.113	0.054	0.034	1.16	5.49	14.9	2.31	986	0.43	0.054	0.021
P916187		246	4.73	7.44	0.151	0.125	0.011	0.005	1.58	4.66	14.2	2.34	903	0.57	0.063	0.029
P916188		242	4.65	7.16	0.126	0.113	0.047	0.011	1.40	5.39	15.1	2.11	806	1.43	0.062	0.022
P916189		239	4.72	7.33	0.130	0.186	0.034	0.021	1.08	4.87	18.5	2.04	699	0.29	0.072	0.051
P916190		141.0	4.46	7.53	0.129	0.139	0.133	0.022	1.00	6.91	14.3	1.97	830	0.22	0.065	0.029
P916191		172.0	4.59	8.92	0.110	0.132	0.072	0.026	0.62	5.25	26.1	2.23	820	1.03	0.053	0.021
P916192		69.5	4.10	7.11	0.130	0.121	0.024	0.021	1.09	4.70	11.3	1.98	651	0.54	0.067	0.054
P916193		185.5	3.75	6.48	0.099	0.121	0.023	<0.005	0.99	4.43	11.9	1.70	529	0.58	0.092	0.053
P916194		222	3.86	6.04	0.106	0.137	0.031	0.013	0.96	3.73	12.1	1.57	394	0.69	0.087	0.062
P916195		124.5	3.94	7.12	0.134	0.137	0.043	<0.005	1.32	5.36	12.2	1.76	442	0.35	0.075	0.060
P916196		102.5	2.95	5.51	0.097	0.143	0.009	<0.005	0.66	3.59	11.9	1.49	430	0.21	0.074	0.037
P916197		89.7	2.29	5.51	0.081	0.124	0.008	<0.005	0.59	1.920	10.4	1.26	335	0.19	0.100	0.035
P916198		34.7	2.62	5.63	0.074	0.091	0.033	<0.005	0.73	1.660	13.1	1.54	356	0.14	0.069	0.027
P916199		101.0	2.62	5.82	0.071	0.108	0.054	<0.005	0.70	2.04	12.1	1.41	386	0.25	0.087	0.025
P916200		3470	2.93	3.75	0.057	0.123	0.646	0.116	0.14	7.96	6.9	0.36	638	487	0.091	0.205
P916201		169.5	2.84	7.00	0.074	0.097	0.010	<0.005	0.23	2.15	16.8	1.37	441	3.11	0.074	0.025
P916202		97.4	3.21	5.55	0.084	0.120	0.013	0.017	0.26	3.00	13.3	1.15	458	2.48	0.050	0.061
P916203		169.5	3.92	5.51	0.122	0.136	0.007	<0.005	0.64	4.31	11.9	1.49	486	9.17	0.064	0.073
P916204		140.0	3.83	5.09	0.100	0.136	0.017	<0.005	0.55	3.61	9.6	1.45	530	1.26	0.065	0.063
P916205		98.6	3.11	5.60	0.101	0.086	0.014	<0.005	1.07	3.70	11.2	1.72	482	0.51	0.063	0.035
P916206		127.5	3.20	5.96	0.107	0.169	0.013	<0.005	0.85	4.88	11.6	1.47	436	0.70	0.078	0.070
P916207		154.5	3.45	6.14	0.127	0.136	0.024	<0.005	0.39	4.87	15.2	1.49	513	0.48	0.053	0.055
P916208		340	2.25	4.73	0.116	0.131	0.016	<0.005	0.37	3.24	9.1	1.05	396	3.76	0.060	0.056

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916169		44.6	0.160	2.38	0.012	0.005	55.4	<0.001	0.15	0.302	9.40	0.3	0.28	75.1	<0.005	0.18
P916170		13.60	0.153	4.07	0.008	0.002	46.3	<0.001	0.35	0.330	4.78	0.5	0.22	65.2	<0.005	0.12
P916171		27.4	0.138	2.48	0.007	0.006	24.2	0.001	1.53	0.273	13.75	1.4	0.29	73.2	<0.005	0.34
P916172		12.40	0.142	2.33	0.004	0.002	22.5	<0.001	0.33	0.182	4.58	0.4	0.33	60.1	<0.005	0.05
P916173		14.15	0.153	1.505	0.005	0.003	53.2	0.002	0.56	0.192	5.85	0.7	0.33	70.7	<0.005	0.11
P916174		25.3	0.152	2.27	0.006	0.002	43.6	0.018	0.92	0.213	5.54	1.6	0.29	66.9	<0.005	0.23
P916175		26.8	0.074	81.4	0.007	<0.002	5.37	0.092	0.51	129.5	2.11	3.0	1.82	126.5	<0.005	2.48
P916176		59.2	0.173	1.355	0.014	0.006	50.7	0.036	1.63	0.243	8.66	5.0	0.26	53.8	<0.005	0.31
P916177		13.75	0.147	1.640	0.006	0.004	46.8	0.002	0.41	0.195	5.44	0.6	0.28	80.9	<0.005	0.11
P916178		13.00	0.153	1.555	0.009	0.003	33.5	0.001	1.25	0.352	11.80	1.6	0.29	59.0	<0.005	0.22
P916179		22.8	0.166	2.04	0.006	0.004	45.1	0.002	1.11	0.517	9.73	1.3	0.29	81.4	<0.005	0.34
P916180		22.3	0.161	1.880	0.009	0.006	50.9	0.001	0.65	0.508	9.66	0.6	0.23	84.9	<0.005	0.14
P916181		16.50	0.165	1.710	0.005	0.005	50.9	<0.001	0.81	0.300	4.65	1.0	0.22	61.8	<0.005	0.10
P916182		16.20	0.170	2.89	0.004	0.005	43.5	<0.001	0.14	0.329	6.16	0.3	0.22	89.7	<0.005	0.03
P916183		17.10	0.175	1.325	0.009	0.004	57.2	<0.001	0.23	0.198	5.81	0.6	0.18	91.9	<0.005	0.09
P916184		17.35	0.153	1.120	0.008	0.004	40.7	<0.001	0.15	0.160	8.44	0.3	0.26	114.5	<0.005	0.05
P916185		17.05	0.150	1.330	0.008	0.006	46.1	0.010	0.39	0.236	8.80	0.6	0.21	102.0	<0.005	0.20
P916186		16.65	0.147	1.255	0.006	0.006	42.5	0.004	0.32	0.618	9.81	0.6	0.29	119.0	<0.005	0.08
P916187		12.75	0.133	1.090	0.013	0.008	55.2	0.003	0.70	0.180	7.10	1.0	0.25	76.0	<0.005	0.15
P916188		14.00	0.137	1.135	0.011	0.006	48.3	0.011	1.06	0.705	8.96	2.2	0.20	95.9	<0.005	0.15
P916189		13.00	0.136	1.905	0.009	0.007	36.9	0.001	1.34	0.342	7.46	1.3	0.26	71.0	<0.005	0.19
P916190		16.95	0.167	2.16	0.007	0.005	39.0	0.002	1.01	0.730	8.78	1.0	0.25	93.7	<0.005	0.39
P916191		18.90	0.157	3.03	0.002	0.005	26.9	0.002	1.25	0.837	10.55	1.6	0.24	91.6	<0.005	0.25
P916192		15.85	0.147	1.060	0.007	0.004	44.3	0.002	0.72	0.367	7.62	1.0	0.37	235	<0.005	0.09
P916193		14.70	0.161	0.883	0.005	0.005	43.7	0.003	0.37	0.088	6.21	0.6	0.25	540	<0.005	0.06
P916194		14.85	0.144	1.045	0.004	0.004	38.4	0.003	1.48	0.112	4.93	1.4	0.26	77.4	<0.005	0.22
P916195		20.8	0.176	1.625	0.006	0.007	63.1	0.001	0.96	0.067	5.14	0.6	0.20	68.9	<0.005	0.22
P916196		20.7	0.143	1.545	0.003	0.004	26.0	<0.001	0.24	0.200	7.41	0.5	0.18	117.5	<0.005	0.04
P916197		16.35	0.119	1.175	0.003	0.004	21.7	<0.001	0.11	0.562	6.28	0.3	0.11	143.0	<0.005	0.05
P916198		21.0	0.122	1.555	0.005	0.004	29.6	<0.001	0.44	0.181	4.97	0.3	0.18	92.1	<0.005	0.04
P916199		18.10	0.121	1.625	0.005	0.004	27.0	0.001	0.44	0.264	5.96	0.4	0.16	88.3	<0.005	0.19
P916200		27.9	0.072	81.5	0.002	0.002	5.22	0.085	0.49	130.5	1.900	2.5	1.72	126.0	<0.005	3.18
P916201		17.40	0.129	1.905	0.005	0.004	10.00	0.005	0.67	0.246	8.29	0.9	0.21	84.0	<0.005	0.17
P916202		19.60	0.140	2.38	0.007	0.004	11.60	0.007	1.71	0.449	5.42	1.3	0.27	73.2	<0.005	0.42
P916203		17.50	0.154	2.69	0.006	0.003	31.2	0.024	2.28	0.276	5.80	2.1	0.21	71.5	<0.005	0.60
P916204		19.50	0.163	1.835	0.006	0.004	26.1	0.005	1.95	0.246	5.02	1.8	0.21	72.6	<0.005	0.42
P916205		24.0	0.152	1.125	0.003	0.004	50.3	0.001	0.78	0.167	3.60	0.9	0.21	73.6	<0.005	0.06
P916206		14.20	0.147	1.025	0.003	0.004	41.0	0.001	0.69	0.189	4.43	0.9	0.35	85.1	<0.005	0.09
P916207		11.50	0.146	1.895	0.006	0.002	19.15	0.002	1.22	0.474	4.94	1.5	0.29	113.0	<0.005	0.18
P916208		8.76	0.129	1.985	0.016	0.010	15.85	0.012	0.54	0.307	3.58	0.8	0.34	57.2	<0.005	0.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916169		0.713	0.232	0.284	0.260	170.0	0.240	7.42	92.9	2.20
P916170		1.015	0.238	0.220	0.321	164.5	0.376	8.11	75.5	3.05
P916171		0.867	0.093	0.155	0.297	189.5	0.200	9.84	90.8	1.79
P916172		0.985	0.149	0.119	0.325	136.0	0.145	9.66	55.6	3.25
P916173		0.954	0.248	0.259	0.337	155.0	0.256	8.49	63.3	4.00
P916174		0.893	0.235	0.215	0.319	145.5	0.414	8.19	68.2	3.71
P916175		1.415	0.061	0.055	1.550	38.1	9.06	5.91	128.5	4.94
P916176		0.615	0.240	0.297	0.264	183.0	0.284	7.26	62.9	2.31
P916177		1.000	0.239	0.256	0.300	161.5	0.374	8.29	71.6	2.95
P916178		0.891	0.168	0.177	0.277	178.0	0.265	9.71	66.2	2.90
P916179		0.851	0.199	0.248	0.318	159.0	0.364	7.54	87.9	2.17
P916180		0.831	0.168	0.328	0.279	145.5	0.251	6.78	80.2	2.06
P916181		0.834	0.209	0.281	0.284	138.5	0.229	6.57	76.8	2.15
P916182		0.970	0.201	0.238	0.321	157.0	0.159	7.42	81.6	2.01
P916183		0.925	0.223	0.302	0.305	149.0	0.161	6.98	67.6	2.38
P916184		0.752	0.189	0.209	0.275	150.0	0.123	8.18	81.5	3.59
P916185		0.769	0.221	0.260	0.264	160.5	0.134	7.44	77.5	3.78
P916186		0.830	0.177	0.237	0.250	157.0	0.085	8.53	71.3	2.93
P916187		0.649	0.264	0.259	0.253	176.5	0.155	7.89	71.3	3.88
P916188		0.713	0.222	0.262	0.213	169.5	1.735	8.78	64.0	3.76
P916189		0.711	0.239	0.226	0.221	157.0	0.242	7.39	53.9	5.77
P916190		0.790	0.174	0.203	0.274	155.5	0.223	10.50	54.0	4.38
P916191		0.590	0.139	0.149	0.189	156.0	0.231	10.30	62.5	3.56
P916192		0.710	0.224	0.226	0.251	144.5	0.220	8.10	43.1	4.19
P916193		0.595	0.224	0.238	0.240	141.0	0.235	7.90	35.2	3.94
P916194		0.552	0.221	0.217	0.234	126.0	0.312	6.51	30.5	4.01
P916195		0.596	0.251	0.323	0.235	130.5	0.275	7.45	33.6	3.79
P916196		0.388	0.170	0.134	0.180	109.0	0.187	6.15	33.9	3.52
P916197		0.304	0.172	0.116	0.117	99.1	0.181	4.10	26.7	3.03
P916198		0.238	0.186	0.178	0.122	104.5	0.424	3.57	34.9	2.68
P916199		0.318	0.175	0.150	0.142	109.0	0.272	4.32	34.5	3.16
P916200		1.400	0.061	0.062	1.505	39.0	7.02	6.10	122.0	4.47
P916201		0.277	0.132	0.063	0.114	122.0	0.259	5.58	46.4	2.67
P916202		0.371	0.149	0.060	0.179	101.5	0.438	5.79	36.1	2.76
P916203		0.511	0.197	0.161	0.208	115.0	0.342	7.13	47.8	3.66
P916204		0.427	0.195	0.151	0.174	97.8	0.394	6.00	47.4	3.07
P916205		0.459	0.221	0.277	0.186	115.5	0.303	5.13	50.2	2.50
P916206		0.642	0.231	0.203	0.280	122.5	0.272	6.78	44.1	4.03
P916207		0.688	0.166	0.099	0.199	108.0	0.323	6.82	47.6	3.49
P916208		0.399	0.166	0.077	0.208	90.6	0.426	6.71	35.1	3.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916209		7.90	0.0058	0.094	1.81	3.67	<10	134.0	0.10	0.049	1.22	0.028	8.31	17.70	8.56	3.07
P916210		7.90	0.0089	0.270	2.13	4.41	<10	168.5	0.17	0.085	1.78	0.046	10.00	15.40	18.30	3.49
P916211		7.41	0.0254	0.301	1.12	3.92	<10	47.0	0.16	0.099	2.52	0.157	6.43	14.20	9.92	1.490
P916212		8.54	0.0196	0.467	0.82	8.16	<10	22.9	0.13	0.126	2.72	0.068	7.98	26.1	15.20	0.916
P916213		7.90	0.0928	2.78	1.26	10.00	<10	55.1	0.14	0.161	1.59	0.654	4.87	18.90	23.0	1.805
P916214		7.80	0.0376	1.305	1.24	18.95	<10	43.3	0.20	0.391	1.71	0.388	5.21	35.3	22.1	1.405
P916215		7.08	0.0233	0.365	1.16	4.83	<10	36.6	0.22	0.104	1.77	0.133	5.28	18.50	15.70	2.04
P916216		6.96	0.0626	0.186	0.78	4.27	<10	36.2	0.16	0.106	2.25	0.121	5.26	14.95	3.76	2.46
P916217		7.04	0.0123	0.150	1.27	5.72	10	112.5	0.34	0.121	3.75	0.095	10.45	18.50	4.56	16.90
P916218		7.10	0.0109	0.108	1.88	11.55	10	116.0	0.38	0.152	3.39	0.113	11.45	19.95	4.19	14.05
P916219		6.84	0.0213	0.398	1.26	68.5	10	255	0.42	0.111	5.51	0.234	7.37	18.80	66.6	10.00
P916220		7.32	0.0379	0.603	1.24	6.71	<10	74.7	0.19	0.125	1.73	0.235	4.27	29.6	29.7	3.31
P916221		6.98	0.0154	0.366	1.91	6.76	<10	82.2	0.22	0.128	2.17	4.35	5.83	24.3	117.0	8.68
P916222		8.04	0.0068	0.117	1.30	3.35	<10	64.7	0.14	0.101	1.53	0.116	4.08	20.5	74.8	3.22
P916223		7.91	0.0027	0.064	1.69	2.25	<10	86.5	0.11	0.025	1.46	0.061	2.96	20.6	190.0	4.95
P916224		7.68	0.0046	0.040	1.93	2.05	<10	58.1	0.15	0.028	2.04	0.062	3.17	21.1	199.0	8.26
P916225		0.05	0.763	52.5	1.02	937	20	105.0	0.16	21.8	3.13	0.834	12.80	33.2	29.6	0.697
P916226		8.44	0.0094	0.152	1.68	2.78	<10	54.8	0.17	0.049	2.09	0.079	3.54	15.80	149.5	5.31
P916227		8.01	0.0202	0.644	1.14	5.78	<10	43.9	0.22	0.418	2.08	0.276	5.94	28.1	24.0	6.32
P916228		7.84	0.0226	0.588	1.34	6.55	<10	53.2	0.20	0.137	2.41	0.384	4.41	25.4	15.30	4.78
P916229		6.90	0.0142	0.465	1.12	4.47	<10	42.0	0.13	0.086	2.25	0.259	4.26	22.6	25.7	3.90
P916230		8.16	0.0106	0.231	1.46	2.21	<10	103.0	0.12	0.047	3.33	0.103	4.90	20.7	102.0	3.43
P916231		8.10	0.0055	0.159	1.66	3.58	<10	114.5	0.18	0.008	2.44	0.092	4.23	22.8	147.5	8.02
P916232		6.53	0.0084	0.091	1.70	5.49	<10	246	0.25	0.016	2.10	0.086	10.60	23.0	45.9	12.85
P916233		6.50	0.0089	0.142	2.04	6.77	<10	526	0.32	0.019	2.22	0.065	12.95	24.4	33.9	18.20
P916234		7.47	0.0093	0.173	1.71	7.68	<10	444	0.38	0.025	2.67	0.057	15.10	24.9	32.0	24.3
P916235		8.39	0.0047	0.097	1.77	8.73	<10	274	0.34	0.038	2.95	0.089	13.55	23.9	22.5	24.9
P916236		8.59	0.0044	0.154	1.77	2.76	<10	272	0.18	0.009	1.86	0.090	10.05	23.0	36.7	12.80
P916237		7.89	0.0060	0.118	1.73	5.10	<10	397	0.33	0.028	2.51	0.075	14.80	25.9	16.15	41.0
P916238		7.93	0.0276	0.436	1.02	64.6	10	205	0.59	0.036	5.55	0.162	5.96	28.4	58.8	18.05
P916239		8.14	0.0076	0.187	1.63	9.54	<10	390	0.51	0.064	4.47	0.149	14.75	26.3	33.2	37.0
P916240		8.63	0.0626	1.125	1.46	6.74	10	207	0.29	1.365	3.89	0.226	15.00	28.3	12.45	25.6
P916241		8.85	0.0064	0.131	1.87	3.23	<10	334	0.29	0.030	2.28	0.067	14.00	21.9	28.8	10.95
P916242		8.18	0.0066	0.123	1.96	2.71	<10	400	0.26	0.073	3.47	0.084	13.80	23.6	21.5	6.37
P916243		8.10	0.0109	0.221	2.02	3.49	<10	330	0.28	0.045	3.38	0.136	14.10	24.1	16.40	4.94
P916244		8.28	0.0048	0.116	1.66	1.82	<10	199.5	0.17	0.014	2.12	0.049	11.95	19.55	48.8	2.50
P916245		7.97	0.0050	0.099	2.00	2.21	10	231	0.20	0.065	3.98	0.049	7.94	24.8	126.5	4.10
P916246		7.78	0.0039	0.125	1.73	1.38	<10	183.0	0.16	0.019	2.37	0.072	8.80	22.2	111.0	3.09
P916247		8.39	0.0061	0.195	1.92	1.45	10	208	0.15	0.019	1.42	0.071	11.00	23.8	24.7	2.85
P916248		7.32	0.0062	0.217	1.91	1.07	<10	148.5	0.13	0.020	1.30	0.072	10.90	24.2	14.30	2.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916209		67.5	3.29	5.97	0.122	0.149	<0.004	0.024	1.11	3.85	11.6	1.66	571	0.53	0.076	0.035
P916210		359	3.70	7.89	0.147	0.146	<0.004	0.007	1.10	4.60	19.1	2.06	706	0.83	0.071	0.031
P916211		322	2.24	4.77	0.070	0.108	<0.004	<0.005	0.18	3.08	11.1	0.91	487	1.56	0.054	0.054
P916212		370	1.800	2.46	0.104	0.247	0.009	0.011	0.06	4.66	3.2	0.33	311	2.89	0.093	0.245
P916213		1570	2.35	4.39	0.084	0.136	0.011	0.014	0.33	2.26	9.0	0.78	313	4.14	0.092	0.032
P916214		634	2.88	4.56	0.100	0.126	0.006	0.021	0.25	2.11	9.7	0.88	334	3.05	0.095	0.040
P916215		296	2.22	4.17	0.077	0.110	0.004	0.018	0.19	2.16	11.8	0.84	332	1.03	0.075	0.050
P916216		89.0	1.750	3.41	0.068	0.116	0.012	<0.005	0.17	2.42	6.3	0.47	328	12.85	0.060	0.066
P916217		62.6	3.29	4.62	0.052	0.102	0.018	0.018	0.16	4.80	14.2	1.15	633	5.86	0.047	0.005
P916218		142.0	3.64	4.10	0.043	0.031	0.037	0.022	0.26	5.36	33.5	1.30	737	0.72	0.046	<0.002
P916219		364	3.93	2.94	0.055	0.047	0.075	0.035	0.21	3.33	20.4	2.26	1020	6.36	0.038	<0.002
P916220		543	2.52	3.57	0.071	0.150	0.015	0.012	0.30	1.835	11.6	0.85	319	10.60	0.084	0.045
P916221		214	3.14	6.26	0.099	0.100	0.052	0.011	0.78	2.62	15.7	1.59	539	6.20	0.090	0.016
P916222		81.1	2.63	4.05	0.075	0.111	0.009	0.012	0.44	1.840	10.3	1.16	341	0.38	0.070	0.045
P916223		57.9	2.06	4.01	0.087	0.117	0.004	0.006	0.65	1.310	15.8	1.76	400	0.34	0.097	0.016
P916224		25.9	2.62	5.07	0.084	0.132	0.004	<0.005	0.74	1.355	18.6	2.36	521	0.35	0.098	0.009
P916225		3500	2.86	3.29	0.067	0.142	0.660	0.091	0.14	7.69	6.6	0.34	654	511	0.090	0.189
P916226		101.0	2.11	4.42	0.076	0.104	0.007	0.009	0.51	1.580	15.6	1.54	421	0.92	0.115	0.019
P916227		503	2.30	3.99	0.086	0.113	0.019	0.014	0.25	2.49	11.1	0.93	442	0.83	0.089	0.040
P916228		577	2.47	5.14	0.078	0.088	0.014	<0.005	0.35	1.965	15.0	0.98	497	5.06	0.073	0.045
P916229		431	2.35	4.68	0.067	0.124	0.020	0.016	0.23	1.825	13.0	0.95	411	10.30	0.068	0.036
P916230		247	2.89	5.13	0.115	0.176	0.047	0.014	0.79	2.09	8.5	1.45	542	1.28	0.072	0.028
P916231		256	2.99	4.28	0.108	0.170	0.012	0.009	0.97	1.790	8.7	2.04	516	0.30	0.082	0.022
P916232		110.0	3.87	5.17	0.130	0.266	0.010	<0.005	1.08	4.70	8.8	1.82	757	0.15	0.071	0.032
P916233		251	4.25	6.64	0.171	0.266	0.016	0.016	1.38	5.83	10.5	2.14	944	0.18	0.077	0.020
P916234		283	4.31	5.83	0.174	0.239	0.009	0.027	1.11	6.73	8.9	1.93	836	0.25	0.058	0.023
P916235		95.1	4.14	5.86	0.159	0.248	0.057	0.014	1.14	6.15	10.0	2.03	1040	0.44	0.060	0.034
P916236		214	3.92	5.58	0.133	0.234	0.019	0.005	1.30	4.56	9.5	1.83	732	1.46	0.066	0.032
P916237		162.0	4.39	5.42	0.161	0.252	0.030	0.023	1.14	6.71	7.6	1.86	942	0.52	0.065	0.029
P916238		461	4.62	3.23	0.101	0.115	1.570	0.034	0.51	2.52	6.2	2.72	1180	0.51	0.039	0.014
P916239		287	4.78	5.41	0.117	0.142	0.094	0.027	1.06	6.52	7.0	2.60	1305	0.40	0.052	0.010
P916240		1445	5.07	6.29	0.143	0.198	0.183	0.036	0.97	6.89	9.6	2.11	1275	1.88	0.062	0.041
P916241		202	3.98	5.93	0.128	0.259	0.010	0.006	1.16	6.48	13.3	1.94	880	0.27	0.064	0.054
P916242		129.5	4.10	6.53	0.133	0.218	0.021	0.011	1.26	6.42	15.2	2.06	1035	0.67	0.066	0.037
P916243		227	4.15	6.13	0.139	0.281	0.026	0.014	1.18	6.53	15.9	2.05	1020	0.31	0.077	0.037
P916244		142.5	3.41	5.22	0.147	0.294	0.010	0.014	0.98	5.66	10.2	1.50	667	0.27	0.078	0.057
P916245		134.0	3.70	5.71	0.129	0.206	0.023	0.011	1.09	3.57	14.0	2.29	1025	0.55	0.083	0.023
P916246		232	3.20	4.80	0.129	0.209	0.028	0.007	1.03	3.98	12.3	1.82	579	0.41	0.077	0.037
P916247		363	3.89	6.22	0.132	0.219	0.035	0.010	1.34	4.90	13.5	1.71	680	0.43	0.087	0.072
P916248		353	3.90	6.06	0.136	0.232	0.023	0.007	1.35	4.88	13.3	1.65	631	0.53	0.083	0.110

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916209		8.26	0.141	1.015	0.004	0.004	54.5	0.002	0.29	0.224	4.82	0.5	0.22	51.4	<0.005	0.11
P916210		13.65	0.141	1.935	0.005	0.003	53.3	0.001	0.41	0.462	6.53	0.7	0.32	56.8	<0.005	0.12
P916211		6.96	0.136	3.13	0.020	0.008	7.55	0.003	0.62	0.604	4.28	1.0	0.21	68.7	<0.005	0.21
P916212		16.35	0.171	1.400	0.009	0.005	2.19	0.006	1.22	0.298	2.67	1.8	0.22	87.0	<0.005	0.42
P916213		21.2	0.112	2.15	0.008	0.005	10.90	0.013	0.97	0.217	4.68	1.7	0.19	51.2	<0.005	0.35
P916214		20.1	0.119	2.80	0.007	0.006	7.98	0.011	1.36	0.382	5.70	2.3	0.20	55.3	<0.005	0.59
P916215		12.60	0.137	3.20	0.014	0.007	7.36	0.001	0.87	0.387	4.79	0.9	0.24	60.1	<0.005	0.22
P916216		5.61	0.125	3.34	0.020	0.011	6.98	0.063	0.91	0.599	3.35	0.9	0.19	66.0	<0.005	0.20
P916217		10.15	0.123	3.36	0.019	0.011	10.45	0.034	1.07	1.495	8.96	1.0	0.21	81.0	<0.005	0.19
P916218		14.25	0.132	2.66	0.034	0.019	11.25	0.002	0.98	3.09	10.60	1.0	0.13	95.0	<0.005	0.21
P916219		32.5	0.121	2.59	0.016	0.005	8.52	0.009	0.59	4.19	14.25	1.3	0.14	150.5	<0.005	0.15
P916220		20.2	0.118	3.74	0.007	0.004	11.75	0.029	1.35	0.252	4.88	2.6	0.25	61.3	<0.005	0.29
P916221		55.9	0.126	186.0	0.009	0.005	34.1	0.015	0.98	0.761	6.61	1.3	0.22	70.6	<0.005	0.27
P916222		27.9	0.126	3.32	0.013	0.009	18.20	<0.001	1.23	0.382	3.29	1.5	0.14	75.3	<0.005	0.19
P916223		76.0	0.109	1.630	0.005	0.003	25.9	<0.001	0.24	0.209	5.17	0.4	0.11	72.6	<0.005	0.06
P916224		106.5	0.105	1.605	0.007	0.006	30.7	<0.001	0.24	0.222	7.85	0.2	0.15	79.1	<0.005	0.10
P916225		28.3	0.073	79.6	0.002	<0.002	4.56	0.089	0.48	129.0	1.895	2.8	1.76	120.0	<0.005	2.45
P916226		58.3	0.114	1.485	0.007	0.004	21.9	0.002	0.25	0.379	5.78	0.5	0.19	98.5	<0.005	0.09
P916227		19.90	0.140	3.79	0.008	0.006	10.05	0.001	0.67	0.281	6.37	1.3	0.25	53.8	<0.005	0.58
P916228		16.90	0.122	5.50	0.013	0.005	10.95	0.007	0.83	0.151	4.44	1.7	0.26	43.7	<0.005	0.38
P916229		18.75	0.104	3.93	0.004	0.003	9.03	0.012	0.73	0.176	5.09	1.3	0.20	52.1	<0.005	0.22
P916230		53.9	0.117	1.185	0.013	0.006	31.1	0.002	0.46	0.176	6.29	0.8	0.23	70.4	<0.005	0.11
P916231		91.6	0.116	0.689	0.011	0.007	40.4	0.001	0.12	0.284	6.99	0.5	0.17	91.1	<0.005	0.05
P916232		38.0	0.162	0.973	0.012	0.004	42.0	<0.001	0.03	0.198	6.17	0.5	0.30	113.5	<0.005	0.03
P916233		26.7	0.166	1.430	0.016	0.003	49.4	<0.001	0.04	0.785	8.66	0.5	0.27	135.5	<0.005	<0.01
P916234		22.3	0.180	1.050	0.012	0.003	44.3	0.001	0.16	2.99	11.40	0.7	0.28	148.0	<0.005	0.04
P916235		20.7	0.167	2.27	0.021	0.004	45.5	0.001	0.13	2.11	8.41	0.7	0.27	864	<0.005	0.04
P916236		24.2	0.158	0.558	0.018	0.005	50.6	0.004	0.11	0.108	5.48	0.4	0.26	374	<0.005	0.03
P916237		18.15	0.195	1.050	0.012	0.003	51.9	0.001	0.22	2.46	9.22	0.6	0.32	147.0	<0.005	0.03
P916238		64.2	0.081	2.30	0.015	0.003	23.5	0.002	0.29	17.75	19.75	0.8	0.15	158.5	<0.005	0.06
P916239		29.2	0.152	2.00	0.018	0.005	43.9	0.002	0.29	2.29	14.50	1.1	0.32	141.5	<0.005	0.06
P916240		16.20	0.174	1.870	0.016	0.003	37.6	0.002	1.56	0.160	7.81	2.0	0.27	124.0	<0.005	1.47
P916241		19.35	0.169	1.560	0.013	0.004	43.1	0.001	0.16	0.294	6.92	0.5	0.27	115.5	<0.005	0.04
P916242		16.40	0.174	1.210	0.014	0.003	40.4	0.003	0.46	0.269	5.77	0.7	0.28	93.4	<0.005	0.12
P916243		16.25	0.179	1.200	0.015	0.003	39.9	0.001	0.24	0.167	6.32	0.7	0.26	91.8	<0.005	0.13
P916244		26.4	0.170	0.860	0.014	0.004	34.6	<0.001	0.04	0.103	4.96	0.4	0.23	94.7	<0.005	0.05
P916245		73.0	0.126	1.630	0.009	0.006	34.4	0.001	0.40	0.109	6.85	0.8	0.25	84.0	<0.005	0.15
P916246		57.4	0.141	0.863	0.015	0.005	33.9	0.002	0.35	0.077	5.02	1.0	0.24	75.1	<0.005	0.04
P916247		15.15	0.153	0.982	0.011	0.004	43.1	0.001	0.60	0.089	3.52	1.5	0.28	75.5	<0.005	0.07
P916248		11.60	0.164	0.677	0.012	0.004	44.6	0.001	0.50	0.055	3.05	1.2	0.29	82.8	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916209		0.605	0.223	0.275	0.262	146.0	0.259	6.41	57.5	4.39
P916210		0.718	0.229	0.280	0.241	164.5	0.453	7.32	99.6	3.25
P916211		0.400	0.141	0.046	0.159	90.9	0.826	6.46	44.6	2.56
P916212		0.502	0.141	0.029	0.293	43.1	0.393	7.96	16.1	6.62
P916213		0.249	0.143	0.155	0.150	88.9	0.384	6.00	79.5	3.55
P916214		0.259	0.144	0.122	0.152	89.4	0.908	6.37	54.8	3.38
P916215		0.317	0.141	0.053	0.154	78.1	1.610	6.02	39.5	2.87
P916216		0.358	0.108	0.057	0.175	65.5	0.568	5.93	22.0	3.29
P916217		0.605	0.018	0.121	0.155	105.5	0.320	9.90	33.0	2.35
P916218		0.519	0.001	0.235	0.378	108.0	0.390	9.26	41.7	0.99
P916219		0.367	0.007	0.189	0.757	97.2	0.317	8.30	50.4	1.31
P916220		0.228	0.144	0.085	0.134	77.9	1.060	5.32	38.1	3.21
P916221		0.318	0.121	0.244	0.154	89.2	0.681	5.40	99.3	2.11
P916222		0.333	0.149	0.122	0.129	66.3	0.575	4.13	35.8	2.69
P916223		0.187	0.148	0.149	0.101	68.0	1.070	3.17	41.4	3.27
P916224		0.207	0.130	0.186	0.080	88.5	0.444	4.12	52.5	3.41
P916225		1.395	0.060	0.056	1.465	35.5	8.94	5.33	125.0	4.48
P916226		0.206	0.141	0.139	0.104	74.0	0.929	3.98	33.8	2.46
P916227		0.314	0.137	0.068	0.176	82.9	10.95	6.61	38.6	2.90
P916228		0.233	0.133	0.084	0.119	88.7	14.45	5.55	52.2	1.63
P916229		0.211	0.131	0.059	0.113	82.9	10.20	5.30	43.9	2.22
P916230		0.288	0.192	0.160	0.163	92.9	0.407	5.48	30.5	4.30
P916231		0.256	0.188	0.211	0.203	88.5	0.124	4.63	33.1	5.11
P916232		0.633	0.223	0.210	0.243	158.0	0.099	7.74	85.1	8.85
P916233		0.808	0.225	0.250	0.306	171.0	0.114	10.05	85.8	9.08
P916234		0.978	0.168	0.249	0.218	160.0	0.131	10.75	50.3	6.22
P916235		0.882	0.190	0.293	0.181	163.5	0.273	9.82	77.7	7.49
P916236		0.588	0.237	0.264	0.194	155.0	0.134	7.50	63.2	6.89
P916237		0.995	0.170	0.357	0.218	165.5	0.144	10.45	83.3	7.20
P916238		0.466	0.046	0.984	1.075	177.5	0.304	11.05	68.5	2.94
P916239		0.945	0.100	0.428	0.452	173.5	0.126	11.55	88.9	3.69
P916240		0.922	0.153	0.259	0.221	151.0	0.124	10.25	87.2	5.39
P916241		0.907	0.233	0.236	0.281	149.5	0.121	9.94	76.9	7.70
P916242		0.832	0.234	0.208	0.239	147.5	0.199	9.76	74.5	6.27
P916243		0.921	0.246	0.191	0.226	161.0	0.224	8.32	77.9	9.06
P916244		0.775	0.266	0.149	0.236	134.5	0.209	7.38	57.4	9.72
P916245		0.384	0.220	0.156	0.235	104.5	0.202	7.17	54.4	5.93
P916246		0.456	0.264	0.164	0.202	101.5	0.198	6.90	36.6	5.88
P916247		0.635	0.315	0.188	0.240	135.5	0.180	9.06	78.0	6.81
P916248		0.603	0.304	0.195	0.257	136.5	0.174	8.91	60.6	6.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916249	8.87	0.0057	0.198	1.90	1.60	10	167.5	0.18	0.016	1.86	0.077	11.25	22.2	20.8	3.20
P916251	7.40	0.0049	0.123	1.67	2.12	<10	90.0	0.17	0.026	2.40	0.062	9.33	20.2	72.6	4.21
P916252	8.89	0.0087	0.162	1.53	3.36	<10	85.5	0.16	0.058	1.94	0.076	10.50	25.2	29.1	3.93
P916253	7.83	0.0052	0.117	1.53	2.40	<10	108.0	0.15	0.020	1.65	0.053	9.30	16.80	36.5	2.06
P916254	8.79	0.0172	0.202	1.03	1.89	<10	72.2	0.12	0.021	1.43	0.119	5.14	13.45	4.92	1.145
P916255	7.27	0.0136	0.190	1.02	2.33	10	48.7	0.12	0.030	2.31	0.111	6.77	16.45	8.91	1.610
P916256	6.85	0.0127	0.239	1.09	2.24	<10	216	0.16	0.019	1.97	0.081	8.37	16.50	14.55	2.67
P916257	6.74	0.0112	0.204	1.84	2.38	<10	200	0.18	0.020	2.21	0.084	10.60	23.0	42.1	3.85
P916258	7.80	0.0073	0.125	1.73	3.16	<10	228	0.15	0.024	2.12	0.075	8.00	22.5	91.9	3.48
P916259	7.75	0.0082	0.135	1.89	0.98	<10	268	0.13	0.009	1.48	0.080	6.62	29.1	126.0	3.69
P916260	7.64	0.0077	0.101	2.20	1.56	<10	263	0.14	0.022	1.46	0.050	5.55	34.5	204	4.06
P916261	8.05	0.0236	0.192	1.80	1.17	<10	233	0.15	0.035	2.43	0.120	6.61	28.8	123.5	3.47
P916262	8.29	0.0104	0.096	1.73	1.52	<10	208	0.10	0.006	1.37	0.064	5.75	22.8	93.3	3.08
P916263	8.18	0.0054	0.065	1.79	1.38	<10	228	0.13	0.005	1.68	0.035	5.30	20.6	117.5	4.69
P916264	6.37	0.0073	0.085	1.76	2.28	<10	181.5	0.26	0.014	3.40	0.051	7.24	25.0	94.1	12.20
P916265	7.25	0.0036	0.068	1.82	1.45	<10	125.0	0.16	0.006	1.76	0.030	7.80	23.0	100.5	6.28
P916266	7.23	0.0055	0.099	1.66	2.35	<10	177.5	0.16	0.017	1.78	0.047	5.13	24.9	87.4	4.28
P916267	7.44	0.0022	0.051	1.77	1.59	<10	224	0.16	0.008	1.43	0.036	4.37	19.50	174.5	3.54
P916268	7.89	0.0035	0.103	1.83	1.92	<10	307	0.22	0.010	1.58	0.044	6.26	22.4	85.5	7.52
P916269	7.31	0.0120	0.141	1.81	1.71	<10	310	0.24	0.024	2.14	0.072	7.32	24.6	63.8	3.88
P916270	7.46	0.0101	0.196	1.86	5.09	<10	364	0.46	0.043	2.55	0.117	10.80	29.6	57.6	19.15
P916271	7.09	0.0179	0.319	1.64	3.09	<10	412	0.32	0.083	2.64	0.070	8.52	31.8	85.6	15.30
P916272	7.73	0.0047	0.193	1.84	1.49	<10	353	0.28	0.020	1.96	0.058	6.79	23.9	63.5	3.31
P916273	6.82	0.0214	0.446	1.48	2.03	<10	104.0	0.20	0.044	1.45	0.047	9.62	22.7	52.0	5.05
P916274	7.06	0.0424	0.369	1.25	3.09	<10	44.6	0.29	0.074	2.14	0.061	16.95	20.2	18.40	6.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description / Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916249	285	3.85	6.03	0.138	0.284	0.030	0.007	1.21	4.96	13.1	1.70	758	0.75	0.089	0.064
P916251	178.0	3.46	5.20	0.123	0.214	0.034	0.005	0.93	4.19	11.7	1.67	676	0.79	0.070	0.069
P916252	196.5	3.80	4.71	0.100	0.183	0.034	0.005	0.78	4.70	11.9	1.34	576	0.46	0.066	0.116
P916253	168.0	3.49	5.02	0.116	0.198	0.044	0.006	0.77	4.12	11.7	1.31	502	0.26	0.070	0.081
P916254	308	2.15	4.18	0.063	0.138	0.219	0.008	0.22	2.20	8.0	0.79	303	0.34	0.081	0.055
P916255	287	2.49	3.94	0.073	0.155	0.139	0.009	0.29	2.91	7.3	0.87	416	3.13	0.069	0.057
P916256	384	3.06	4.33	0.065	0.163	0.084	0.011	0.43	3.67	7.2	0.93	410	0.43	0.067	0.056
P916257	312	3.88	6.07	0.124	0.136	0.030	0.017	1.22	4.70	12.9	1.69	703	0.40	0.066	0.033
P916258	242	3.71	5.81	0.136	0.214	0.015	0.017	1.17	3.46	11.3	1.82	605	0.45	0.069	0.033
P916259	284	3.76	5.78	0.127	0.171	0.008	0.009	1.49	2.90	14.4	2.22	502	0.39	0.069	0.018
P916260	188.5	3.59	5.48	0.126	0.084	0.006	0.014	1.36	2.36	15.0	3.36	403	0.52	0.058	0.014
P916261	346	3.95	5.53	0.131	0.156	0.019	0.011	1.31	2.87	13.4	2.22	534	0.47	0.077	0.030
P916262	197.0	3.62	5.29	0.127	0.153	0.018	0.011	1.21	2.46	12.5	1.78	450	0.82	0.090	0.025
P916263	111.0	3.71	5.27	0.117	0.155	0.013	0.010	1.39	2.19	13.1	2.05	485	0.44	0.073	0.018
P916264	131.0	4.12	5.44	0.102	0.128	0.034	0.015	1.21	2.89	10.6	2.21	757	0.46	0.077	0.016
P916265	108.5	3.74	5.87	0.120	0.177	0.015	0.019	1.20	3.27	12.3	1.67	478	0.82	0.109	0.035
P916266	83.7	3.40	4.80	0.121	0.138	0.037	0.012	1.01	2.13	12.9	1.66	537	0.81	0.059	0.055
P916267	65.3	3.07	4.20	0.117	0.140	0.014	0.014	1.22	1.865	11.4	1.94	450	0.39	0.076	0.026
P916268	174.5	3.70	5.63	0.133	0.204	0.022	0.015	1.18	2.68	12.2	1.88	500	0.42	0.092	0.019
P916269	160.5	3.96	6.39	0.162	0.279	0.027	0.023	1.09	3.25	12.7	1.78	586	0.36	0.099	0.030
P916270	205	4.60	6.37	0.119	0.158	0.057	0.037	1.01	4.64	10.9	1.98	913	0.79	0.096	0.016
P916271	293	3.91	5.18	0.129	0.191	0.083	0.037	0.85	3.84	9.0	1.73	911	2.19	0.102	0.024
P916272	215	3.94	6.28	0.175	0.309	0.021	0.019	0.89	3.03	8.9	1.79	714	1.24	0.167	0.035
P916273	543	3.17	4.95	0.139	0.217	0.025	0.025	0.70	4.45	9.3	1.29	550	2.44	0.090	0.084
P916274	423	3.37	5.11	0.124	0.211	0.033	0.013	0.46	7.81	9.6	1.01	564	1.37	0.067	0.179

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916249		14.95	0.148	0.687	0.010	0.004	42.1	0.003	0.16	0.126	4.46	0.7	0.37	80.0	<0.005	0.06
P916251		38.0	0.133	0.785	0.008	0.005	32.7	0.001	0.35	0.101	5.46	0.7	0.28	92.8	<0.005	0.08
P916252		18.45	0.142	1.105	0.014	0.003	29.6	0.001	1.18	0.183	4.62	1.6	0.33	85.9	<0.005	0.19
P916253		19.85	0.131	1.040	0.008	0.005	27.0	<0.001	0.43	0.127	3.73	1.0	0.30	69.4	<0.005	0.09
P916254		5.49	0.135	1.590	0.020	0.009	8.26	0.001	0.57	0.103	3.47	1.1	0.17	65.2	<0.005	0.09
P916255		8.39	0.132	1.640	0.022	0.011	11.00	0.006	0.66	0.144	4.39	1.1	0.24	69.0	<0.005	0.07
P916256		10.85	0.129	1.365	0.019	0.010	17.10	<0.001	0.44	0.209	6.17	1.4	0.19	78.9	<0.005	0.10
P916257		25.2	0.125	0.991	0.013	0.004	43.6	0.002	0.24	0.299	7.26	0.8	0.28	97.9	<0.005	0.05
P916258		41.9	0.110	0.658	0.010	0.005	38.1	0.001	0.11	0.156	7.01	0.7	0.35	58.0	<0.005	0.04
P916259		79.5	0.111	0.631	0.010	0.006	48.3	0.003	0.22	0.091	7.69	1.0	0.25	59.1	<0.005	0.03
P916260		240	0.111	1.375	0.010	0.011	41.7	0.003	0.23	0.046	4.94	0.6	0.10	41.7	<0.005	0.04
P916261		86.3	0.126	0.971	0.010	0.005	42.5	0.001	0.48	0.060	7.21	1.5	0.23	72.8	<0.005	0.09
P916262		44.5	0.125	0.690	0.012	0.006	45.4	0.001	0.16	0.059	5.84	0.6	0.20	81.3	<0.005	0.04
P916263		54.6	0.120	0.546	0.009	0.007	50.3	0.001	0.04	0.112	6.88	0.4	0.16	71.8	<0.005	0.04
P916264		44.1	0.118	0.795	0.007	0.005	45.1	0.002	0.20	0.393	14.00	0.6	0.39	99.2	<0.005	0.05
P916265		39.5	0.148	0.499	0.011	0.008	46.0	0.002	0.10	0.201	8.13	0.3	0.25	89.5	<0.005	0.04
P916266		38.3	0.113	0.898	0.011	0.006	35.1	0.001	0.27	0.222	5.44	0.5	0.21	76.0	<0.005	0.10
P916267		68.3	0.118	0.732	0.009	0.006	44.2	0.001	0.03	0.187	6.31	0.2	0.21	71.5	<0.005	0.04
P916268		44.1	0.134	0.991	0.011	0.007	48.4	0.001	0.07	0.629	9.57	0.4	0.22	104.0	<0.005	0.05
P916269		32.1	0.143	1.305	0.018	0.005	47.3	0.001	0.14	0.209	8.93	0.6	0.32	107.0	<0.005	0.09
P916270		37.0	0.149	2.02	0.013	0.005	43.6	0.003	0.31	3.96	19.05	0.6	0.30	118.0	<0.005	0.08
P916271		40.5	0.135	1.365	0.019	0.005	35.3	0.005	0.63	1.405	13.30	0.9	0.28	331	<0.005	0.12
P916272		26.8	0.153	0.768	0.019	0.005	34.9	0.003	0.16	0.164	12.70	0.7	0.25	88.3	<0.005	0.06
P916273		20.4	0.154	0.824	0.010	0.004	30.0	0.003	0.70	0.210	6.30	1.2	0.24	65.0	<0.005	0.07
P916274		8.33	0.218	1.335	0.008	0.003	26.7	0.002	0.79	0.781	5.83	1.1	0.40	95.1	<0.005	0.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916249		0.681	0.317	0.174	0.241	142.0	0.163	9.25	78.8	8.67
P916251		0.543	0.268	0.158	0.277	117.0	0.315	8.35	50.3	6.49
P916252		0.583	0.245	0.150	0.232	116.5	0.381	9.48	48.6	4.77
P916253		0.528	0.291	0.131	0.216	118.0	0.253	8.24	41.3	5.76
P916254		0.335	0.143	0.040	0.158	84.3	0.329	5.86	27.4	3.74
P916255		0.387	0.141	0.054	0.183	91.4	0.292	7.27	31.3	3.97
P916256		0.419	0.158	0.085	0.190	112.5	0.178	8.55	33.1	4.56
P916257		0.548	0.248	0.204	0.195	146.5	0.152	10.60	61.8	4.74
P916258		0.382	0.309	0.157	0.246	135.5	0.114	8.22	59.5	6.32
P916259		0.290	0.295	0.180	0.175	136.0	0.094	6.96	51.2	4.36
P916260		0.254	0.196	0.174	0.127	106.5	0.079	5.02	30.3	2.65
P916261		0.284	0.247	0.185	0.133	123.5	0.148	7.72	43.0	4.70
P916262		0.251	0.260	0.177	0.122	128.0	0.121	6.01	39.0	3.74
P916263		0.190	0.263	0.223	0.103	125.0	0.122	6.14	36.2	3.80
P916264		0.227	0.235	0.223	0.106	139.5	0.140	10.20	48.4	3.36
P916265		0.218	0.297	0.200	0.110	134.5	0.154	9.44	41.5	4.77
P916266		0.191	0.303	0.180	0.098	107.5	0.267	6.67	50.8	3.80
P916267		0.187	0.273	0.200	0.107	102.0	0.217	5.17	44.8	3.97
P916268		0.338	0.267	0.231	0.156	141.0	0.154	6.58	47.0	7.25
P916269		0.422	0.298	0.225	0.186	160.5	0.424	8.18	55.1	10.00
P916270		0.572	0.144	0.270	0.130	155.0	0.277	12.35	69.3	3.89
P916271		0.356	0.203	0.199	0.116	127.5	0.219	10.00	57.2	6.23
P916272		0.359	0.280	0.175	0.159	160.0	0.200	7.20	65.0	11.30
P916273		0.526	0.233	0.151	0.249	106.5	0.266	7.58	44.7	6.15
P916274		0.851	0.196	0.130	0.241	103.5	0.608	11.50	38.9	6.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 7- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14146250

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

CERTIFICATE KL14150174

Project: Dillard

This report is for 101 Drill Core samples submitted to our lab in Kamloops, BC, Canada on 26- SEP- 2014.

The following have access to data associated with this certificate:

JOHN PETERS		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
WSH- 22	"Wash" pulverizers
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% <75 um
LOG- 23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41L	51 anal. aqua regia ICPMS

To: FJORDLAND EXPLORATION LTD.
ATTN: JOHN PETERS
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916407	7.64	0.116	0.634	1.86	5.01	<10	118.0	0.20	0.100	4.91	0.061	7.53	25.2	39.9	3.71
P916408	7.17	0.0494	0.246	1.58	3.84	<10	140.5	0.21	0.080	3.95	0.062	8.23	21.1	27.4	3.48
P916409	6.44	0.0423	0.169	2.21	2.20	<10	114.5	0.15	0.090	2.07	0.036	6.73	22.3	31.4	3.89
P916410	6.20	0.0474	0.183	1.72	3.81	<10	77.7	0.18	0.080	4.43	0.041	8.79	17.20	15.70	4.10
P916411	6.59	0.0273	0.130	1.92	2.54	<10	90.5	0.16	0.081	3.31	0.036	8.62	18.85	16.25	3.64
P916412	7.02	0.0552	0.192	2.10	2.00	<10	97.4	0.11	0.067	2.84	0.053	7.11	17.35	17.70	3.61
P916413	6.64	0.0455	0.212	1.78	7.57	<10	58.3	0.15	0.100	4.09	0.075	7.80	22.0	22.3	3.56
P916414	6.80	0.0305	0.193	2.06	3.08	<10	62.8	0.13	0.123	2.66	0.083	5.76	24.7	28.7	2.60
P916415	5.87	0.0583	0.242	2.10	2.05	<10	43.4	0.14	0.106	1.84	0.070	4.83	23.2	25.6	1.595
P916416	6.38	0.0572	0.394	2.69	1.50	<10	54.9	0.13	0.091	2.99	0.060	10.45	22.9	29.2	2.09
P916417	5.04	0.104	0.607	2.90	1.94	<10	41.9	0.10	0.124	2.28	0.110	4.45	29.7	27.7	1.430
P916418	6.96	0.105	0.552	2.85	1.16	<10	122.5	0.10	0.072	2.17	0.057	5.20	15.80	24.0	1.385
P916419	5.73	0.0823	0.237	2.21	1.79	<10	75.6	0.10	0.075	1.80	0.044	4.74	15.85	26.0	1.195
P916420	5.62	0.127	0.398	2.27	1.97	<10	61.6	0.10	0.096	1.79	0.069	4.95	18.50	30.0	1.405
P916421	6.05	0.0846	0.520	1.99	2.00	<10	57.7	0.08	0.072	1.88	0.106	4.61	17.80	28.4	1.995
P916422	5.41	0.0845	0.622	2.31	1.74	<10	96.2	0.12	0.073	2.12	0.065	5.10	20.1	34.0	2.49
P916423	5.52	0.0659	0.302	2.19	1.59	<10	81.4	0.08	0.092	1.85	0.033	4.50	11.55	27.1	2.17
P916424	5.33	0.0407	0.329	1.77	4.54	<10	110.5	0.14	0.125	2.71	0.050	5.28	12.80	23.5	3.42
P916425	0.05	0.0010	0.096	1.86	1.28	<10	138.0	0.07	0.076	1.10	0.054	14.90	9.44	18.15	0.333
P916426	5.64	0.0393	0.256	2.57	2.29	<10	41.5	0.12	0.174	2.27	0.050	4.15	27.4	38.3	3.49
P916427	5.75	0.0349	0.186	2.70	1.96	<10	44.6	0.10	0.123	2.26	0.061	4.47	25.1	32.5	2.91
P916428	5.64	0.0559	0.255	1.94	5.67	<10	134.5	0.14	0.092	4.68	0.066	6.53	22.1	24.9	3.81
P916429	7.10	0.0509	0.203	2.59	2.05	<10	169.5	0.13	0.065	3.01	0.056	4.85	13.70	30.8	4.50
P916430	7.18	0.0340	0.149	2.32	1.89	<10	106.0	0.11	0.116	2.25	0.046	4.17	20.4	29.9	1.980
P916431	6.76	0.0388	0.168	1.79	18.10	<10	51.9	0.13	0.104	4.06	0.074	5.87	24.5	21.2	4.10
P916432	7.00	0.0449	0.124	1.70	2.27	<10	55.4	0.15	0.137	1.79	0.046	7.14	23.8	46.3	1.660
P916433	5.79	0.0318	0.136	1.69	2.01	<10	44.6	0.13	0.190	3.11	0.040	6.60	31.0	26.5	1.410
P916434	6.29	0.0196	0.079	1.69	2.01	<10	51.1	0.12	0.088	2.06	0.040	7.51	19.60	26.7	1.245
P916435	7.24	0.0262	0.117	1.66	3.05	<10	61.0	0.13	0.142	3.32	0.038	7.85	25.9	30.4	1.620
P916436	7.26	0.0386	0.170	1.74	2.74	<10	42.0	0.15	0.273	1.84	0.023	6.78	48.6	32.7	1.420
P916437	5.95	0.0283	0.143	1.95	2.53	<10	51.0	0.14	0.183	2.52	0.071	8.37	29.4	45.8	1.690
P916438	7.29	0.0088	0.077	1.69	1.95	<10	51.3	0.13	0.048	2.13	0.032	8.26	31.0	80.6	1.530
P916439	7.23	0.0190	0.119	1.67	2.45	<10	43.8	0.13	0.080	2.23	0.036	6.47	30.7	53.6	1.050
P916440	6.24	0.0163	0.198	1.38	3.48	<10	117.0	0.21	0.074	3.83	0.068	9.70	24.2	62.5	4.47
P916441	8.03	0.0342	0.259	1.36	2.74	<10	84.3	0.18	0.178	2.27	0.132	8.05	41.6	41.4	2.39
P916442	6.22	0.216	0.258	1.73	2.55	<10	150.0	0.16	0.131	5.03	0.070	9.30	24.6	36.1	1.590
P916443	8.85	0.0420	0.351	1.13	34.0	<10	75.0	0.47	0.146	6.77	0.280	10.20	27.4	39.1	3.79
P916444	8.02	0.0240	0.126	1.86	6.53	<10	163.0	0.26	0.099	4.28	0.064	6.32	24.9	62.6	1.810
P916445	7.85	0.0402	0.052	2.00	2.46	<10	56.6	0.19	0.091	2.31	0.081	5.22	21.9	79.4	1.345
P916446	7.58	0.0186	0.091	2.26	3.50	<10	94.8	0.25	0.222	3.46	0.040	7.33	29.2	94.8	2.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916407		3350	4.98	7.24	0.094	0.113	0.085	0.073	0.12	2.95	12.6	2.25	501	4.46	0.046	0.008
P916408		1150	3.92	5.64	0.071	0.092	0.060	0.037	0.13	3.45	9.3	1.97	336	7.04	0.049	0.004
P916409		672	4.28	7.20	0.115	0.079	0.066	0.012	0.17	2.81	13.0	2.00	198.5	10.85	0.090	0.033
P916410		705	3.75	5.36	0.064	0.075	0.045	0.026	0.13	3.84	9.2	1.50	346	6.69	0.073	0.017
P916411		564	4.05	6.22	0.071	0.056	0.025	0.018	0.13	3.83	12.9	1.40	286	16.85	0.059	0.010
P916412		631	3.92	5.51	0.057	0.084	0.072	0.017	0.12	3.03	7.9	1.42	279	14.10	0.134	0.024
P916413		729	4.30	6.05	0.070	0.069	0.054	0.020	0.13	3.21	11.3	1.90	338	7.81	0.059	0.009
P916414		739	4.50	6.74	0.089	0.065	0.033	0.018	0.13	2.20	11.0	1.92	242	20.8	0.081	0.016
P916415		962	3.92	6.46	0.123	0.111	0.029	<0.005	0.11	1.790	8.6	1.48	190.0	4.77	0.124	0.035
P916416		1555	6.08	9.19	0.148	0.116	0.028	0.036	0.20	4.06	11.3	2.24	751	2.81	0.089	0.044
P916417		2720	4.57	8.18	0.148	0.061	0.049	0.029	0.15	1.590	8.4	2.00	216	4.41	0.165	0.031
P916418		2360	3.80	7.74	0.114	0.070	0.034	0.020	0.30	1.915	7.8	1.64	142.0	4.14	0.185	0.048
P916419		924	3.72	7.78	0.134	0.071	0.042	0.010	0.19	1.760	9.7	1.72	155.5	11.75	0.132	0.048
P916420		1715	4.13	8.18	0.151	0.067	0.044	0.017	0.15	1.810	11.1	1.83	203	11.90	0.145	0.044
P916421		2120	3.77	7.56	0.113	0.063	0.055	0.023	0.13	1.690	10.8	1.76	194.5	11.90	0.114	0.031
P916422		1370	4.55	8.32	0.125	0.063	0.054	0.007	0.29	1.945	11.4	1.92	122.0	8.28	0.126	0.034
P916423		974	3.84	7.25	0.102	0.061	0.018	0.006	0.21	1.640	8.7	1.69	134.0	3.13	0.133	0.041
P916424		907	4.00	6.16	0.083	0.067	0.054	0.014	0.15	2.03	6.6	1.46	262	11.35	0.089	0.026
P916425		91.3	3.52	5.17	0.075	0.113	<0.004	0.010	0.22	6.81	5.2	0.84	519	5.61	0.215	0.168
P916426		640	5.09	8.59	0.105	0.082	0.048	0.009	0.14	1.560	13.2	2.36	324	5.40	0.091	0.020
P916427		712	4.81	7.95	0.102	0.107	0.041	0.006	0.14	1.750	11.0	1.98	229	5.41	0.151	0.033
P916428		1135	4.37	6.00	0.065	0.077	0.068	0.031	0.16	2.72	7.3	1.94	413	6.31	0.068	0.016
P916429		796	4.24	7.72	0.089	0.099	0.055	0.014	0.14	1.915	9.8	1.72	235	4.00	0.152	0.022
P916430		630	4.54	6.86	0.094	0.119	0.072	0.009	0.11	1.635	7.9	1.68	168.0	8.59	0.149	0.052
P916431		601	4.70	5.42	0.067	0.109	0.045	0.024	0.16	2.40	6.9	1.91	302	7.67	0.098	0.031
P916432		486	5.83	6.14	0.100	0.166	0.057	0.017	0.18	3.12	5.4	1.34	195.0	1.44	0.107	0.110
P916433		469	4.74	5.72	0.091	0.172	0.056	0.014	0.10	2.57	4.9	1.25	229	4.98	0.107	0.085
P916434		261	4.50	5.53	0.091	0.197	0.031	0.013	0.11	3.13	4.2	1.04	191.5	2.34	0.141	0.122
P916435		397	4.75	5.57	0.111	0.205	0.056	0.027	0.10	3.13	5.7	1.29	336	4.01	0.111	0.103
P916436		474	5.49	5.89	0.120	0.254	0.115	0.015	0.11	2.60	4.8	1.33	209	5.61	0.127	0.125
P916437		550	5.81	7.35	0.131	0.173	0.130	0.014	0.14	3.40	6.1	1.71	313	2.53	0.138	0.087
P916438		277	4.77	6.13	0.074	0.185	0.019	0.009	0.25	3.43	4.9	1.37	340	1.56	0.139	0.095
P916439		356	5.55	6.06	0.104	0.229	0.048	0.007	0.13	2.68	5.3	1.40	351	2.25	0.103	0.136
P916440		297	5.21	5.39	0.056	0.114	0.066	0.046	0.08	4.13	4.1	1.31	620	3.28	0.047	0.016
P916441		602	5.39	5.41	0.079	0.152	0.117	0.047	0.09	3.47	4.5	1.17	431	4.73	0.070	0.038
P916442		278	5.26	6.29	0.096	0.176	0.083	0.022	0.10	3.83	5.1	1.40	709	1.83	0.108	0.043
P916443		336	6.92	3.68	0.060	0.074	0.305	0.080	0.16	4.46	4.5	2.34	1255	1.33	0.045	0.005
P916444		322	5.81	6.58	0.108	0.148	0.041	0.047	0.10	2.85	9.4	2.02	600	1.17	0.074	0.030
P916445		126.0	4.64	6.71	0.089	0.133	0.040	0.011	0.18	2.11	9.2	1.76	322	1.03	0.128	0.034
P916446		86.5	6.42	8.30	0.112	0.144	0.052	0.039	0.36	2.91	9.0	2.14	488	0.79	0.137	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916407		28.6	0.098	1.445	0.011	0.004	5.73	0.016	2.48	0.186	22.6	4.2	0.42	115.0	<0.005	0.21
P916408		17.90	0.107	1.385	0.004	0.003	5.44	0.028	2.05	0.100	14.75	3.9	0.27	107.0	<0.005	0.15
P916409		17.75	0.114	0.853	0.005	0.003	7.16	0.039	2.48	0.042	11.45	4.7	0.39	77.1	<0.005	0.14
P916410		12.05	0.115	1.845	0.004	0.002	5.33	0.028	1.96	0.174	9.17	2.7	0.26	113.5	<0.005	0.13
P916411		11.55	0.114	1.545	0.005	0.003	4.50	0.076	2.63	0.150	9.34	3.6	0.19	95.0	<0.005	0.18
P916412		11.00	0.106	0.941	0.008	0.004	4.51	0.064	1.98	0.045	7.61	3.2	0.28	131.5	<0.005	0.15
P916413		17.35	0.104	1.310	0.005	0.003	5.26	0.030	2.51	0.914	14.35	4.7	0.24	107.5	<0.005	0.20
P916414		19.50	0.104	1.365	0.008	0.004	5.07	0.066	3.28	0.154	11.65	4.9	0.32	84.3	<0.005	0.23
P916415		18.65	0.107	1.315	0.005	0.004	4.70	0.017	3.05	0.030	6.68	5.1	0.36	83.0	<0.005	0.25
P916416		19.45	0.152	1.015	0.007	0.003	10.05	0.009	1.46	0.041	10.50	2.4	0.40	81.6	<0.005	0.14
P916417		17.10	0.102	1.560	0.007	0.003	6.87	0.021	2.91	0.062	11.35	5.4	0.51	113.5	<0.005	0.25
P916418		14.35	0.108	0.706	0.005	0.002	11.65	0.018	1.99	0.028	9.19	4.6	0.51	133.5	<0.005	0.15
P916419		14.65	0.099	1.240	0.004	0.002	7.23	0.040	2.29	0.057	10.50	4.8	0.47	69.2	<0.005	0.12
P916420		15.70	0.101	1.135	0.007	0.008	5.46	0.032	2.89	0.090	11.65	5.2	0.51	69.7	<0.005	0.15
P916421		15.50	0.099	1.800	0.006	0.002	5.49	0.026	2.78	0.074	10.95	5.7	0.44	62.6	<0.005	0.19
P916422		18.90	0.105	1.060	0.006	0.002	11.00	0.012	3.16	0.055	11.75	5.3	0.56	84.7	<0.005	0.20
P916423		14.95	0.101	0.774	0.005	0.002	8.43	0.012	2.20	0.040	9.53	3.3	0.44	88.7	<0.005	0.13
P916424		15.35	0.099	1.225	0.005	0.003	5.55	0.025	2.46	0.263	7.33	4.1	0.26	78.3	<0.005	0.21
P916425		14.10	0.060	4.06	0.004	<0.002	6.73	0.001	0.02	0.231	3.17	0.2	1.31	88.4	<0.005	<0.01
P916426		26.9	0.113	1.545	0.007	0.004	6.36	0.010	3.43	0.044	10.65	4.8	0.35	70.7	<0.005	0.42
P916427		25.0	0.114	1.330	0.009	0.004	5.94	0.014	3.45	0.035	8.13	5.1	0.41	102.0	<0.005	0.22
P916428		25.3	0.114	2.47	0.008	0.004	6.26	0.018	2.32	1.580	15.00	3.8	0.38	113.0	<0.005	0.24
P916429		23.2	0.111	0.649	0.011	0.004	5.67	0.018	1.74	0.060	10.40	1.9	0.34	141.5	<0.005	0.17
P916430		21.6	0.113	0.459	0.006	0.004	3.87	0.012	3.17	0.028	6.72	2.8	0.37	126.5	<0.005	0.28
P916431		19.05	0.103	1.575	0.012	0.005	6.00	0.019	2.83	1.800	12.40	3.3	0.29	298	<0.005	0.26
P916432		33.6	0.168	0.732	0.012	0.006	8.80	0.003	2.49	0.074	3.44	1.8	0.46	85.4	<0.005	0.22
P916433		26.5	0.155	0.567	0.009	0.005	4.90	0.009	3.35	0.052	4.21	2.4	0.50	93.9	<0.005	0.25
P916434		25.1	0.154	0.481	0.008	0.004	4.59	0.010	1.41	0.052	3.42	1.2	0.32	104.5	<0.005	0.15
P916435		27.8	0.156	0.646	0.009	0.004	4.60	0.007	2.30	0.100	6.15	1.8	0.34	90.7	<0.005	0.27
P916436		36.2	0.161	0.457	0.011	0.005	5.16	0.010	3.45	0.070	3.79	2.9	0.44	88.9	<0.005	0.46
P916437		35.2	0.160	1.120	0.009	0.005	6.37	0.008	3.13	0.070	5.84	2.9	0.53	100.0	<0.005	0.29
P916438		46.2	0.159	0.515	0.011	0.005	12.25	0.003	0.76	0.072	4.74	1.1	0.29	107.5	<0.005	0.07
P916439		36.1	0.173	0.757	0.013	0.005	5.36	0.005	1.88	0.077	3.76	2.1	0.33	153.0	<0.005	0.12
P916440		29.2	0.178	3.70	0.012	0.005	4.49	0.012	0.99	0.682	13.20	1.1	0.25	144.5	<0.005	0.18
P916441		30.0	0.166	3.02	0.014	0.004	4.68	0.012	2.79	0.365	10.75	2.4	0.32	243	<0.005	0.36
P916442		25.7	0.150	1.485	0.008	0.004	4.95	0.005	1.34	0.377	9.38	1.4	0.32	170.0	<0.005	0.17
P916443		31.4	0.147	7.46	0.011	0.005	7.18	0.002	1.35	2.10	19.15	0.8	0.23	146.5	<0.005	0.25
P916444		33.3	0.161	1.055	0.009	0.005	4.47	0.003	1.46	0.318	10.90	0.9	0.43	111.0	<0.005	0.21
P916445		48.4	0.144	0.607	0.009	0.004	9.21	0.005	0.98	0.158	5.01	1.1	0.22	103.0	<0.005	0.24
P916446		53.9	0.147	1.320	0.011	0.005	20.6	0.002	2.70	0.240	11.55	2.3	0.36	154.5	<0.005	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916407		0.194	0.078	0.040	0.117	182.0	0.060	12.80	28.9	2.54
P916408		0.371	0.022	0.043	0.188	119.5	0.036	11.30	27.3	2.37
P916409		0.373	0.179	0.047	0.173	169.5	0.157	9.10	20.5	2.18
P916410		0.407	0.059	0.025	0.185	102.0	0.098	10.60	26.3	1.88
P916411		0.400	0.035	0.026	0.123	92.1	0.049	9.69	28.5	1.54
P916412		0.395	0.088	0.023	0.156	110.5	0.102	8.50	27.2	1.58
P916413		0.264	0.048	0.028	0.134	137.5	0.060	10.20	27.4	1.69
P916414		0.205	0.108	0.029	0.106	155.0	0.184	8.45	28.2	1.64
P916415		0.248	0.183	0.026	0.158	140.5	0.326	6.39	27.0	3.13
P916416		0.673	0.215	0.056	0.252	222	0.416	8.59	59.4	3.83
P916417		0.196	0.218	0.049	0.121	191.0	0.432	7.54	42.6	1.42
P916418		0.213	0.224	0.070	0.130	175.5	0.293	7.32	16.3	1.38
P916419		0.207	0.203	0.044	0.138	162.0	0.402	7.85	17.2	1.76
P916420		0.195	0.204	0.028	0.115	167.5	0.465	8.95	22.5	1.43
P916421		0.187	0.153	0.031	0.099	154.0	0.345	8.14	21.2	1.27
P916422		0.191	0.179	0.088	0.111	165.0	1.285	8.64	12.0	1.40
P916423		0.171	0.202	0.068	0.094	161.0	0.269	7.56	12.9	1.34
P916424		0.170	0.104	0.039	0.090	112.0	0.205	8.03	23.6	1.66
P916425		2.81	0.164	0.051	0.878	99.9	0.639	5.47	43.9	2.06
P916426		0.167	0.205	0.047	0.107	199.0	0.324	7.09	36.4	1.87
P916427		0.143	0.232	0.050	0.129	188.0	0.417	6.14	25.6	2.00
P916428		0.171	0.112	0.064	0.164	160.0	0.183	8.99	32.0	2.07
P916429		0.163	0.211	0.045	0.107	184.0	0.315	7.26	16.9	2.50
P916430		0.166	0.217	0.032	0.112	146.0	0.361	6.22	11.4	2.40
P916431		0.154	0.120	0.037	0.155	144.0	0.252	7.99	28.5	2.29
P916432		0.335	0.262	0.050	0.237	155.5	0.340	7.39	13.4	4.39
P916433		0.331	0.216	0.034	0.201	116.0	0.337	8.13	10.5	4.36
P916434		0.318	0.265	0.036	0.199	145.0	0.417	8.54	10.9	5.15
P916435		0.321	0.236	0.029	0.190	132.0	0.313	9.53	13.4	5.01
P916436		0.329	0.275	0.034	0.233	133.5	0.356	9.15	11.9	5.77
P916437		0.384	0.278	0.041	0.269	159.0	0.404	9.73	32.9	5.33
P916438		0.527	0.263	0.088	0.269	163.5	0.160	8.51	14.3	5.21
P916439		0.419	0.303	0.043	0.309	163.5	0.326	8.45	18.5	5.78
P916440		0.625	0.074	0.029	0.155	144.5	0.073	8.99	39.4	3.11
P916441		0.480	0.118	0.037	0.157	124.0	0.116	8.86	29.8	3.63
P916442		0.390	0.167	0.034	0.178	155.5	0.205	12.20	34.1	4.63
P916443		0.454	0.011	0.145	0.328	118.5	0.048	13.60	79.8	1.66
P916444		0.345	0.188	0.081	0.219	167.5	0.186	8.55	29.4	4.34
P916445		0.321	0.200	0.063	0.183	136.0	0.101	7.15	15.3	3.54
P916446		0.423	0.129	0.159	0.192	147.5	0.080	10.15	25.7	3.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916447	7.60	0.0386	0.093	1.99	2.14	<10	68.6	0.19	0.118	2.15	0.033	4.74	27.9	73.0	1.785
P916448	7.57	0.0174	0.068	1.61	2.63	<10	40.9	0.20	0.056	2.52	0.038	4.29	25.3	65.8	1.395
P916449	6.50	0.0134	0.079	1.99	2.09	<10	52.6	0.19	0.079	2.57	0.095	5.24	22.8	42.1	1.645
P916450	0.05	0.0014	0.099	1.84	1.11	<10	136.5	0.12	0.073	1.05	0.096	14.15	9.64	19.00	0.312
P916451	4.93	0.0012	0.039	2.55	2.87	<10	226	0.29	0.025	3.41	0.039	8.01	14.95	9.00	6.83
P916452	7.12	0.0005	0.026	2.60	1.26	<10	203	0.23	0.014	3.28	0.039	7.59	17.00	11.60	2.98
P916453	5.91	0.0006	0.031	2.59	1.45	<10	75.2	0.28	0.015	2.63	0.039	7.02	16.10	9.50	3.67
P916454	7.24	0.0097	0.076	2.19	1.58	<10	75.6	0.23	0.059	2.53	0.347	6.16	20.6	22.5	1.910
P916455	7.35	0.0169	0.086	1.75	2.62	<10	43.4	0.23	0.059	2.23	0.044	3.87	25.0	67.0	1.405
P916456	7.99	0.0128	0.073	1.77	1.84	<10	42.7	0.22	0.027	2.40	0.055	4.47	15.95	72.1	1.725
P916457	6.67	0.0102	0.060	1.61	1.71	<10	26.0	0.22	0.078	2.36	0.030	3.49	27.3	64.8	1.670
P916458	6.55	0.0139	0.061	1.68	2.25	<10	27.8	0.29	0.034	2.50	0.030	4.32	19.70	68.7	1.665
P916459	7.21	0.0109	0.039	1.66	2.49	<10	28.2	0.27	0.027	2.30	0.031	3.69	17.45	59.5	1.000
P916460	7.70	0.0106	0.030	1.60	2.84	<10	53.1	0.30	0.062	3.28	0.045	6.98	18.85	61.0	2.46
P916461	7.53	0.0285	0.107	1.42	2.24	<10	75.9	0.34	0.111	2.81	0.049	4.83	30.2	64.7	2.03
P916462	6.53	0.0446	0.087	1.65	1.81	<10	112.5	0.24	0.096	2.60	0.054	3.85	27.2	55.7	2.53
P916463	7.10	0.0164	0.059	1.64	1.91	<10	30.7	0.24	0.045	2.01	0.067	3.22	24.5	67.3	1.325
P916464	7.24	0.0339	0.074	1.84	2.86	<10	42.7	0.30	0.108	2.63	0.070	3.84	28.5	58.3	1.445
P916465	6.86	0.0181	0.104	1.87	2.65	<10	69.4	0.32	0.051	3.21	0.116	4.59	24.3	65.9	1.720
P916466	7.34	0.0121	0.079	1.83	2.08	<10	56.0	0.28	0.037	3.17	0.077	4.01	15.70	60.4	1.210
P916467	7.26	0.119	0.099	1.95	3.21	<10	26.7	0.21	0.265	2.66	0.072	5.45	50.5	60.8	1.890
P916468	6.63	0.0127	0.090	1.89	1.87	<10	40.8	0.30	0.049	3.85	0.105	5.25	19.90	65.8	2.41
P916469	6.72	0.0195	0.049	1.75	2.20	<10	97.8	0.29	0.111	3.23	0.070	4.96	26.0	61.7	1.320
P916470	7.56	0.0169	0.111	1.58	2.70	<10	26.7	0.25	0.186	2.66	0.107	5.17	32.5	50.3	1.245
P916471	6.99	0.0126	0.076	1.40	1.64	<10	20.9	0.20	0.076	2.41	0.080	3.81	23.8	55.8	0.919
P916472	8.01	0.0244	0.088	1.51	1.62	<10	20.0	0.27	0.145	2.66	0.104	4.50	36.4	64.3	1.105
P916473	7.95	0.0072	0.064	1.38	1.55	<10	26.6	0.27	0.038	2.76	0.065	5.34	25.2	50.0	0.803
P916474	7.38	0.0125	0.061	1.33	1.73	<10	30.6	0.28	0.022	2.28	0.043	5.76	22.7	42.4	0.660
P916475	0.05	0.0012	0.096	1.84	1.04	<10	136.0	0.13	0.065	1.05	0.081	13.15	8.96	17.35	0.290
P916476	6.93	0.0038	0.050	1.52	1.45	<10	28.1	0.28	0.015	2.57	0.024	6.34	19.40	56.5	1.100
P916477	7.18	0.0031	0.043	1.56	1.33	<10	23.8	0.30	0.017	2.29	0.035	5.08	17.85	58.7	1.105
P916478	7.96	0.0078	0.038	1.60	1.18	<10	32.9	0.24	0.012	2.05	0.029	5.16	14.25	47.2	0.955
P916479	6.83	0.0058	0.056	1.40	1.92	<10	56.0	0.28	0.024	3.71	0.053	6.07	20.4	34.7	1.720
P916480	7.20	0.0154	0.087	1.73	2.11	<10	142.5	0.37	0.030	5.89	0.154	7.91	24.2	79.9	5.09
P916481	8.46	0.0023	0.014	2.13	1.41	<10	28.2	0.17	0.014	2.72	0.045	2.94	20.6	112.5	2.36
P916482	7.20	0.0055	0.011	1.91	1.86	<10	25.0	0.20	0.015	2.26	0.033	2.92	21.8	106.0	2.68
P916483	7.59	0.0048	0.005	1.82	1.27	<10	23.0	0.28	0.021	3.00	0.045	3.88	19.45	98.5	1.695
P916484	7.03	0.0046	0.039	1.78	2.15	<10	24.8	0.32	0.053	3.27	0.043	5.16	20.7	70.5	6.36
P916485	6.56	0.0064	0.111	1.67	1.68	<10	44.7	0.27	0.086	2.36	0.055	6.05	34.9	53.8	1.555
P916486	6.52	0.0038	0.011	1.80	1.75	<10	40.2	0.26	0.014	2.45	0.043	6.15	25.0	86.8	1.585

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916447		181.5	5.08	6.53	0.105	0.147	0.058	0.012	0.29	1.910	8.3	1.64	352	1.37	0.145	0.040
P916448		155.5	5.56	5.85	0.117	0.193	0.012	0.021	0.10	1.810	7.4	1.54	407	1.49	0.091	0.053
P916449		238	5.01	7.07	0.123	0.178	0.019	0.016	0.07	2.32	9.4	1.96	615	0.75	0.060	0.023
P916450		91.5	3.55	5.37	0.082	0.119	<0.004	0.012	0.22	6.57	6.7	0.82	514	5.64	0.207	0.155
P916451		71.5	3.78	6.42	0.044	0.136	<0.004	0.016	0.16	3.82	11.2	2.10	968	0.09	0.030	<0.002
P916452		31.6	3.74	6.89	0.048	0.172	<0.004	0.010	0.14	3.66	11.5	2.26	932	0.08	0.030	0.004
P916453		34.0	3.38	7.20	0.043	0.150	<0.004	0.014	0.10	3.35	12.0	2.13	851	0.08	0.034	0.006
P916454		114.0	3.76	6.87	0.099	0.249	0.054	0.016	0.06	2.88	9.2	2.01	799	0.36	0.052	0.022
P916455		183.5	5.22	5.65	0.095	0.239	0.018	0.009	0.09	1.620	6.9	1.53	421	0.70	0.107	0.062
P916456		157.5	4.94	6.21	0.090	0.250	0.006	0.011	0.12	1.910	7.7	1.63	447	1.03	0.116	0.064
P916457		104.0	4.82	5.41	0.110	0.268	0.008	0.011	0.08	1.495	6.5	1.51	409	0.82	0.100	0.061
P916458		125.0	4.97	6.01	0.105	0.236	0.007	0.007	0.10	1.780	7.9	1.61	461	1.00	0.075	0.062
P916459		80.0	5.25	6.16	0.090	0.240	0.005	0.006	0.09	1.575	8.1	1.67	392	0.90	0.066	0.048
P916460		45.6	5.46	5.55	0.079	0.146	0.021	0.025	0.08	2.94	7.4	1.51	622	0.88	0.081	0.032
P916461		208	5.38	5.16	0.083	0.184	0.016	0.035	0.07	2.16	6.6	1.31	587	0.95	0.066	0.049
P916462		208	5.29	4.97	0.095	0.136	0.023	0.025	0.09	1.705	5.7	1.48	480	0.88	0.106	0.042
P916463		144.0	4.98	5.15	0.087	0.199	0.006	0.012	0.08	1.475	6.3	1.48	378	0.90	0.094	0.058
P916464		146.5	5.14	6.12	0.091	0.196	0.167	0.011	0.09	1.595	7.6	1.81	440	0.89	0.080	0.052
P916465		214	5.01	6.60	0.089	0.205	0.022	0.017	0.09	1.955	9.0	1.88	532	0.60	0.071	0.040
P916466		185.0	4.86	5.79	0.116	0.199	0.023	0.019	0.09	1.750	8.1	1.82	539	0.77	0.082	0.047
P916467		148.5	5.68	6.76	0.123	0.192	0.093	0.028	0.07	2.70	9.1	1.95	565	1.74	0.081	0.054
P916468		240	5.23	5.89	0.011	0.194	0.018	0.047	0.08	2.40	10.0	2.06	731	0.57	0.059	0.033
P916469		82.2	5.11	5.99	0.085	0.244	0.039	0.020	0.09	2.20	8.2	1.71	543	0.82	0.076	0.055
P916470		158.0	5.19	5.77	0.125	0.278	0.048	0.017	0.08	2.22	7.6	1.65	519	0.70	0.068	0.066
P916471		203	5.08	4.87	0.087	0.251	0.029	0.012	0.09	1.660	6.2	1.46	428	0.84	0.059	0.079
P916472		253	4.67	4.96	0.121	0.292	0.047	0.017	0.08	1.890	6.4	1.69	493	1.20	0.052	0.072
P916473		152.5	3.97	5.02	0.083	0.322	0.005	0.014	0.08	2.28	6.1	1.31	438	1.44	0.051	0.093
P916474		141.0	4.03	5.05	0.060	0.274	0.005	0.009	0.10	2.43	6.4	1.30	373	1.36	0.060	0.079
P916475		87.3	3.56	5.56	0.066	0.113	<0.004	0.006	0.22	6.16	6.9	0.83	517	5.41	0.208	0.170
P916476		106.5	4.49	5.57	0.083	0.245	<0.004	0.012	0.09	2.74	7.9	1.49	453	1.27	0.064	0.060
P916477		103.0	4.92	5.43	0.089	0.210	0.004	0.013	0.07	2.20	7.8	1.53	495	1.00	0.062	0.048
P916478		124.0	4.73	5.04	0.097	0.190	<0.004	0.007	0.08	2.24	7.2	1.50	438	0.96	0.078	0.052
P916479		89.1	3.97	5.30	0.101	0.221	0.010	0.019	0.09	2.61	5.9	1.21	544	1.02	0.062	0.045
P916480		177.5	5.22	5.96	0.073	0.139	0.006	0.041	0.17	3.42	8.9	1.86	1015	0.59	0.065	0.022
P916481		27.3	3.82	6.46	0.088	0.203	<0.004	0.015	0.22	1.165	7.8	2.04	490	0.21	0.157	0.030
P916482		19.05	4.17	6.10	0.095	0.194	0.012	0.019	0.34	1.070	7.7	1.95	436	0.45	0.131	0.029
P916483		4.32	4.77	6.05	0.142	0.235	<0.004	0.014	0.17	1.525	7.7	1.97	514	0.43	0.099	0.040
P916484		45.9	5.08	6.23	0.120	0.188	0.014	0.022	0.08	2.03	8.9	1.94	631	0.40	0.073	0.034
P916485		192.0	4.15	5.73	0.110	0.299	0.021	0.015	0.08	2.45	8.6	1.63	441	0.58	0.070	0.071
P916486		14.95	4.67	6.30	0.115	0.270	0.004	0.013	0.09	2.46	8.7	1.83	452	0.40	0.099	0.047

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916447		43.3	0.157	0.617	0.009	0.006	14.45	0.003	1.02	0.134	5.15	0.8	0.26	128.5	<0.005	0.35
P916448		37.6	0.165	0.715	0.012	0.006	4.15	0.003	0.80	0.120	5.61	0.7	0.32	95.7	<0.005	0.14
P916449		27.4	0.152	0.922	0.006	0.004	3.13	0.001	1.28	0.084	5.89	1.4	0.36	97.0	<0.005	0.20
P916450		13.90	0.062	4.14	0.003	<0.002	7.23	0.001	0.01	0.225	3.19	0.1	1.38	89.1	<0.005	0.01
P916451		12.15	0.129	1.655	0.004	0.002	7.29	<0.001	0.06	0.439	6.22	0.1	0.16	176.5	<0.005	0.02
P916452		13.15	0.134	0.987	0.007	0.002	6.02	<0.001	0.08	0.147	4.78	0.1	0.16	266	<0.005	<0.01
P916453		12.90	0.128	1.270	0.005	<0.002	4.64	<0.001	0.02	0.137	5.28	0.1	0.17	204	<0.005	<0.01
P916454		17.65	0.135	1.475	0.004	0.002	2.74	<0.001	0.31	0.102	5.48	0.1	0.22	193.0	<0.005	0.15
P916455		34.8	0.162	1.140	0.011	0.006	3.37	<0.001	0.42	0.090	4.07	0.3	0.29	113.5	<0.005	0.16
P916456		38.6	0.161	1.100	0.010	0.006	5.58	<0.001	0.11	0.074	3.80	0.1	0.27	110.5	<0.005	0.05
P916457		35.5	0.172	0.793	0.011	0.006	3.71	<0.001	0.48	0.094	5.12	0.3	0.28	109.0	<0.005	0.18
P916458		37.5	0.165	1.070	0.013	0.006	4.77	<0.001	0.26	0.086	4.87	0.1	0.28	111.5	<0.005	0.09
P916459		33.7	0.163	0.920	0.010	0.006	3.68	0.001	0.42	0.084	3.57	0.2	0.27	90.6	<0.005	0.08
P916460		36.6	0.165	2.97	0.012	0.006	3.95	0.001	0.38	0.381	9.79	0.3	0.25	135.5	<0.005	0.14
P916461		36.3	0.166	1.240	0.012	0.006	4.05	<0.001	0.57	0.391	8.59	0.2	0.25	135.5	<0.005	0.32
P916462		33.9	0.160	1.720	0.013	0.005	4.28	0.001	0.60	0.256	5.82	0.2	0.20	170.5	<0.005	0.29
P916463		34.7	0.165	1.085	0.012	0.006	3.61	0.001	0.31	0.139	3.92	0.1	0.19	111.5	<0.005	0.19
P916464		35.2	0.168	1.190	0.013	0.008	3.69	<0.001	0.41	0.104	5.19	0.4	0.28	119.5	<0.005	0.33
P916465		36.9	0.167	1.420	0.012	0.007	4.50	<0.001	0.36	0.111	6.61	0.3	0.29	134.5	<0.005	0.17
P916466		30.0	0.165	1.435	0.009	0.007	3.33	0.001	0.27	0.137	5.65	0.2	0.24	128.5	<0.005	0.13
P916467		38.2	0.165	1.725	0.015	0.005	3.25	0.001	2.95	0.128	6.10	1.6	0.34	122.5	<0.005	0.88
P916468		33.3	0.167	2.91	0.012	0.006	3.97	0.001	0.54	0.313	10.45	0.2	0.32	152.0	<0.005	0.18
P916469		33.5	0.165	1.310	0.013	0.006	4.44	<0.001	0.48	0.203	6.23	0.3	0.26	126.5	<0.005	0.33
P916470		28.2	0.172	1.870	0.011	0.006	4.16	<0.001	1.45	0.114	4.53	1.0	0.28	92.0	<0.005	0.46
P916471		33.9	0.163	1.040	0.009	0.005	5.15	<0.001	1.41	0.087	3.52	1.7	0.24	84.2	<0.005	0.23
P916472		41.9	0.166	1.140	0.010	0.006	4.42	0.001	1.98	0.093	5.52	2.6	0.35	77.7	<0.005	0.35
P916473		28.1	0.161	0.985	0.012	0.004	4.53	<0.001	0.45	0.126	4.20	0.2	0.27	128.5	<0.005	0.08
P916474		25.5	0.161	1.060	0.011	0.004	5.14	<0.001	0.38	0.090	3.02	0.2	0.25	102.0	<0.005	0.08
P916475		12.85	0.061	3.87	0.001	0.002	6.49	<0.001	<0.01	0.205	2.85	0.1	1.23	83.9	<0.005	0.01
P916476		27.7	0.164	0.913	0.012	0.004	5.05	<0.001	0.24	0.081	5.49	0.2	0.24	101.0	<0.005	0.07
P916477		30.3	0.174	0.805	0.011	0.006	3.43	0.001	0.27	0.086	5.18	0.2	0.26	98.2	<0.005	0.05
P916478		24.4	0.177	0.945	0.009	0.006	3.96	<0.001	0.24	0.222	4.07	0.1	0.24	115.0	<0.005	0.03
P916479		21.9	0.148	2.23	0.010	0.004	5.27	<0.001	0.24	0.185	6.17	0.5	0.20	140.0	<0.005	0.13
P916480		49.8	0.126	3.06	0.008	0.005	11.45	<0.001	0.17	0.247	12.80	0.4	0.23	161.0	<0.005	0.12
P916481		65.9	0.124	0.790	0.011	0.008	15.25	<0.001	0.23	0.124	6.42	0.1	0.19	132.5	<0.005	0.03
P916482		70.0	0.116	0.478	0.008	0.005	22.7	<0.001	0.34	0.169	6.11	0.4	0.20	103.5	<0.005	0.09
P916483		50.2	0.136	0.475	0.013	0.007	11.55	<0.001	0.51	0.120	7.32	0.1	0.27	111.0	<0.005	0.05
P916484		29.3	0.138	1.045	0.012	0.005	5.74	<0.001	0.87	0.087	10.70	0.8	0.30	108.0	<0.005	0.10
P916485		29.4	0.149	0.850	0.013	0.005	3.93	0.001	1.28	0.083	5.62	0.9	0.30	251	<0.005	0.19
P916486		47.6	0.147	0.585	0.006	0.004	4.45	0.001	0.17	0.152	6.07	0.2	0.28	111.0	<0.005	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916447		0.309	0.210	0.108	0.195	148.0	0.184	7.04	23.3	4.53
P916448		0.280	0.219	0.029	0.190	159.5	0.200	7.40	23.7	5.72
P916449		0.319	0.143	0.019	0.212	128.0	0.072	6.35	49.7	4.24
P916450		2.88	0.157	0.049	0.906	103.5	0.590	5.38	46.0	2.24
P916451		0.628	0.013	0.044	0.165	87.8	0.014	6.18	67.9	2.91
P916452		0.477	0.048	0.033	0.194	83.0	0.018	5.45	73.5	3.68
P916453		0.546	0.029	0.026	0.184	83.3	0.018	5.25	68.8	3.34
P916454		0.433	0.111	0.016	0.212	107.5	0.058	5.71	76.6	5.70
P916455		0.271	0.238	0.022	0.202	153.0	0.282	7.22	46.1	6.11
P916456		0.289	0.234	0.036	0.203	150.5	0.267	7.83	42.7	6.61
P916457		0.309	0.248	0.022	0.208	140.5	0.295	7.43	27.7	7.37
P916458		0.330	0.240	0.029	0.214	150.5	0.303	7.96	39.4	6.52
P916459		0.272	0.237	0.022	0.191	156.0	0.269	6.90	22.6	5.75
P916460		0.372	0.158	0.030	0.155	147.0	0.122	9.33	34.8	4.10
P916461		0.283	0.165	0.025	0.176	129.0	0.163	8.27	37.2	4.69
P916462		0.209	0.187	0.033	0.158	132.5	0.187	6.70	33.4	4.09
P916463		0.201	0.208	0.020	0.169	143.5	0.249	5.90	35.0	4.93
P916464		0.270	0.246	0.023	0.193	153.0	0.227	7.17	42.8	5.56
P916465		0.287	0.214	0.027	0.184	147.0	0.248	7.49	59.0	6.03
P916466		0.219	0.233	0.021	0.180	137.5	0.277	6.26	52.2	6.28
P916467		0.268	0.210	0.023	0.183	117.5	0.298	6.08	55.8	5.66
P916468		0.291	0.179	0.027	0.163	137.0	0.187	7.48	57.2	5.13
P916469		0.285	0.207	0.027	0.182	154.0	0.274	7.66	44.0	6.57
P916470		0.326	0.214	0.029	0.213	134.5	0.302	7.57	52.1	7.42
P916471		0.236	0.221	0.030	0.182	120.0	0.295	6.45	43.5	6.67
P916472		0.304	0.233	0.028	0.236	104.0	0.237	7.95	37.4	6.88
P916473		0.347	0.249	0.024	0.235	119.0	0.251	8.79	37.0	7.78
P916474		0.401	0.239	0.030	0.211	121.5	0.238	8.02	32.1	6.57
P916475		2.57	0.160	0.042	0.859	98.2	0.570	4.92	42.4	2.13
P916476		0.411	0.204	0.025	0.211	126.0	0.206	8.27	32.9	5.97
P916477		0.309	0.208	0.019	0.202	137.5	0.191	7.35	32.2	5.69
P916478		0.289	0.198	0.026	0.191	124.5	0.191	7.13	35.1	5.56
P916479		0.303	0.174	0.026	0.183	120.5	0.208	8.60	46.7	5.81
P916480		0.322	0.109	0.073	0.157	123.0	0.146	11.75	71.4	3.86
P916481		0.209	0.201	0.103	0.147	102.5	0.197	6.07	26.2	6.69
P916482		0.219	0.202	0.142	0.158	109.5	0.185	6.19	20.1	6.19
P916483		0.317	0.243	0.072	0.221	138.0	0.211	6.77	23.2	6.47
P916484		0.297	0.187	0.036	0.192	137.5	0.153	8.29	40.1	5.28
P916485		0.337	0.226	0.023	0.235	111.5	0.218	7.90	31.6	7.67
P916486		0.401	0.246	0.027	0.236	142.5	0.191	8.07	23.9	7.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description / Method / Analyte / Units / LOR	WEI- 21 Recvd Wt. kg 0.02	ME- MS41L Au ppm 0.0002	ME- MS41L Ag ppm 0.001	ME- MS41L Al % 0.01	ME- MS41L As ppm 0.01	ME- MS41L B ppm 10	ME- MS41L Ba ppm 0.5	ME- MS41L Be ppm 0.01	ME- MS41L Bi ppm 0.001	ME- MS41L Ca % 0.01	ME- MS41L Cd ppm 0.001	ME- MS41L Ce ppm 0.003	ME- MS41L Co ppm 0.001	ME- MS41L Cr ppm 0.01	ME- MS41L Cs ppm 0.005
P916487	7.61	0.0092	0.018	2.28	1.61	<10	111.5	0.24	0.038	3.14	0.039	4.98	24.7	148.0	2.73
P916488	6.74	0.0047	0.033	2.34	2.07	<10	37.2	0.26	0.060	3.22	0.052	4.55	33.0	138.0	2.69
P916489	6.51	0.0029	0.161	2.19	1.47	<10	161.5	0.24	0.032	4.03	0.100	8.18	22.2	82.0	3.05
P916490	6.41	0.0011	0.124	1.65	1.47	<10	404	0.19	0.004	4.29	0.136	9.72	11.25	23.4	3.96
P916491	6.57	0.0012	0.038	1.63	0.89	<10	192.5	0.18	0.002	2.55	0.043	7.11	8.67	24.8	1.845
P916492	6.68	0.0027	0.124	1.19	2.48	<10	479	0.24	0.009	5.26	0.073	10.45	10.65	17.75	4.01
P916493	5.58	0.0010	0.014	1.38	1.31	<10	148.0	0.25	0.002	3.89	0.050	9.86	9.90	22.5	6.65
P916494	6.77	0.0052	0.079	1.97	1.82	<10	119.5	0.22	0.053	3.12	0.071	9.05	26.6	25.5	3.40
P916495	7.40	0.0075	0.099	1.79	1.88	<10	44.8	0.16	0.068	2.16	0.058	6.62	28.5	14.45	1.685
P916496	7.06	0.0023	0.036	1.76	2.33	<10	42.8	0.20	0.018	2.34	0.033	6.44	8.95	5.27	2.50
P916497	7.44	0.0039	0.027	1.65	1.63	<10	82.4	0.19	0.039	2.13	0.081	6.71	13.40	12.25	2.38
P916498	7.02	0.0096	0.042	1.95	1.97	<10	78.8	0.25	0.157	3.60	0.096	9.80	44.5	46.6	3.36
P916499	8.11	0.0083	0.062	1.65	4.95	<10	41.0	0.27	0.150	2.80	0.155	9.19	42.1	18.15	2.47
P916500	0.05	0.0010	0.116	2.00	1.26	<10	143.5	0.11	0.074	1.16	0.077	16.15	10.10	19.70	0.331
N917001	7.01	0.0026	0.029	1.92	2.06	<10	45.7	0.26	0.021	2.35	0.043	7.55	13.20	24.5	2.03
N917002	6.42	0.0029	0.027	1.94	1.87	<10	107.0	0.26	0.037	3.07	0.048	13.05	19.45	52.8	7.67
N917003	8.06	0.0196	0.220	2.43	3.08	<10	51.9	0.28	0.171	4.75	0.136	8.22	35.1	93.0	4.26
N917004	7.71	0.0232	0.260	1.92	2.65	<10	101.5	0.34	0.206	4.89	0.150	7.59	35.3	62.0	3.27
N917005	6.69	0.0042	0.096	2.04	2.64	<10	63.1	0.32	0.060	5.33	0.310	8.04	39.6	100.5	4.47
N917006	7.75	0.0035	0.015	2.27	1.80	<10	37.4	0.22	0.026	2.47	0.088	6.28	25.0	143.0	1.805
N917007	7.67	0.0027	0.016	1.77	1.84	<10	35.7	0.28	0.031	3.76	0.113	8.00	21.4	78.0	1.920

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Cu ppm 0.01	ME- MS41L Fe % 0.001	ME- MS41L Ga ppm 0.004	ME- MS41L Ge ppm 0.005	ME- MS41L Hf ppm 0.002	ME- MS41L Hg ppm 0.004	ME- MS41L In ppm 0.005	ME- MS41L K % 0.01	ME- MS41L La ppm 0.002	ME- MS41L Li ppm 0.1	ME- MS41L Mg % 0.01	ME- MS41L Mn ppm 0.1	ME- MS41L Mo ppm 0.01	ME- MS41L Na % 0.001	ME- MS41L Nb ppm 0.002
P916487		42.2	4.72	6.80	0.101	0.211	0.016	0.019	0.12	1.930	9.8	2.35	542	0.36	0.121	0.015
P916488		71.1	5.10	7.08	0.115	0.216	0.032	0.011	0.10	1.750	11.6	2.69	547	0.26	0.119	0.031
P916489		355	4.09	8.12	0.077	0.161	0.037	0.026	0.14	3.54	14.4	2.24	612	0.24	0.070	0.016
P916490		435	2.94	5.36	0.037	0.099	0.012	0.008	0.24	4.35	8.0	1.60	611	1.05	0.038	0.010
P916491		87.9	2.29	6.18	0.068	0.211	0.010	0.007	0.11	3.23	10.0	1.46	387	0.62	0.060	0.038
P916492		324	2.94	4.48	0.040	0.066	0.060	0.015	0.19	4.83	7.9	1.91	693	1.46	0.042	0.007
P916493		26.4	2.95	5.62	0.056	0.125	0.068	0.020	0.12	4.32	8.9	1.42	612	0.78	0.051	0.012
P916494		238	4.29	7.02	0.095	0.254	0.032	0.021	0.13	4.02	10.9	1.59	491	0.91	0.108	0.041
P916495		246	4.39	5.81	0.126	0.297	0.032	0.017	0.10	2.88	8.7	1.33	382	0.41	0.085	0.079
P916496		80.5	3.23	5.52	0.094	0.302	0.011	0.020	0.09	2.76	7.6	1.25	396	0.38	0.063	0.065
P916497		37.4	3.57	5.23	0.096	0.276	0.026	0.026	0.11	2.90	7.4	1.20	344	0.33	0.089	0.068
P916498		36.2	5.88	6.77	0.091	0.156	0.067	0.021	0.13	4.38	10.0	1.79	512	0.48	0.084	0.031
P916499		107.5	5.12	6.05	0.104	0.253	0.064	0.021	0.10	4.15	7.6	1.40	465	0.41	0.073	0.053
P916500		97.8	3.74	5.29	0.065	0.119	<0.004	0.014	0.23	7.45	6.3	0.86	537	5.79	0.224	0.208
N917001		37.1	4.61	6.61	0.107	0.303	0.012	0.025	0.09	3.25	8.3	1.64	441	0.29	0.087	0.059
N917002		26.4	4.36	7.56	0.087	0.182	0.008	0.030	0.13	5.68	8.7	1.74	559	0.55	0.088	0.027
N917003		179.0	7.22	8.07	0.120	0.164	0.024	0.026	0.09	3.33	11.7	2.31	912	2.50	0.086	0.029
N917004		174.0	7.50	8.04	0.127	0.233	0.044	0.031	0.08	3.28	9.1	1.96	974	3.49	0.043	0.045
N917005		100.5	5.25	7.73	0.111	0.153	0.044	0.029	0.07	3.29	11.0	2.33	943	1.24	0.076	0.020
N917006		13.05	4.21	6.84	0.108	0.217	0.015	0.009	0.09	2.42	12.0	2.33	468	0.66	0.138	0.052
N917007		20.6	4.93	6.27	0.146	0.241	0.010	0.014	0.08	3.20	9.4	1.87	657	0.59	0.053	0.072

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Ni ppm 0.04	ME- MS41L P % 0.001	ME- MS41L Pb ppm 0.005	ME- MS41L Pd ppm 0.001	ME- MS41L Pt ppm 0.002	ME- MS41L Rb ppm 0.005	ME- MS41L Re ppm 0.001	ME- MS41L S % 0.01	ME- MS41L Sb ppm 0.005	ME- MS41L Sc ppm 0.005	ME- MS41L Se ppm 0.1	ME- MS41L Sn ppm 0.01	ME- MS41L Sr ppm 0.01	ME- MS41L Ta ppm 0.005	ME- MS41L Te ppm 0.01
P916487		100.0	0.127	0.962	0.009	0.005	8.23	<0.001	0.33	0.219	9.55	0.3	0.28	138.5	<0.005	0.11
P916488		98.8	0.135	0.730	0.009	0.006	5.77	<0.001	1.02	0.197	8.93	0.7	0.25	119.5	<0.005	0.19
P916489		44.0	0.132	1.635	0.010	0.003	6.47	0.001	0.65	0.143	11.25	0.9	0.26	86.9	<0.005	0.08
P916490		15.90	0.124	5.35	0.008	0.004	10.25	0.011	0.17	0.274	6.70	0.8	0.12	216	<0.005	0.02
P916491		13.50	0.130	0.913	0.009	0.006	4.14	0.005	0.22	0.079	6.11	0.3	0.18	240	<0.005	0.02
P916492		14.45	0.119	1.515	0.012	0.004	6.24	0.001	0.52	0.154	8.67	0.6	0.10	152.0	<0.005	0.01
P916493		15.00	0.126	0.953	0.005	0.003	6.54	0.012	0.23	0.332	9.41	0.3	0.19	78.1	<0.005	0.01
P916494		14.65	0.143	0.864	0.006	0.002	5.97	0.008	1.04	0.103	7.33	2.4	0.29	127.5	<0.005	0.10
P916495		10.70	0.136	0.621	0.003	<0.002	4.56	0.002	1.36	0.135	4.54	1.2	0.29	104.0	<0.005	0.11
P916496		4.85	0.134	0.731	0.002	<0.002	4.46	<0.001	0.41	0.161	4.45	0.5	0.30	146.0	<0.005	0.02
P916497		7.71	0.148	0.640	0.003	0.002	5.60	0.001	0.75	0.154	4.51	0.8	0.29	131.0	<0.005	0.12
P916498		29.3	0.139	2.52	0.004	0.003	7.02	0.001	2.63	0.178	8.46	1.6	0.20	92.8	<0.005	0.33
P916499		15.65	0.143	3.55	0.003	<0.002	5.27	0.001	2.58	1.700	7.47	2.0	0.28	78.0	<0.005	0.27
P916500		14.90	0.063	4.26	0.005	<0.002	7.42	0.001	0.02	0.241	3.25	0.1	1.40	95.9	<0.005	<0.01
N917001		14.10	0.140	0.799	0.004	0.003	4.84	<0.001	0.49	0.130	6.04	0.4	0.28	132.0	<0.005	0.04
N917002		33.5	0.153	1.975	0.008	0.003	7.88	<0.001	0.22	0.210	11.15	0.6	0.33	164.0	<0.005	0.02
N917003		49.4	0.143	2.81	0.012	0.005	5.36	0.023	1.80	0.186	14.45	3.2	0.36	129.0	<0.005	0.24
N917004		38.3	0.167	3.15	0.016	0.006	4.73	0.017	2.00	0.254	13.30	2.5	0.36	149.5	<0.005	0.32
N917005		69.6	0.146	2.67	0.012	0.006	4.72	0.009	1.04	0.237	13.60	1.3	0.30	173.0	<0.005	0.14
N917006		94.7	0.137	1.425	0.013	0.007	4.89	<0.001	0.30	0.145	5.92	0.6	0.29	125.0	<0.005	0.07
N917007		41.4	0.161	5.32	0.011	0.006	4.33	0.001	0.22	0.295	8.41	0.8	0.30	117.5	<0.005	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

Sample Description	Method / Analyte / Units / LOR	ME- MS41L Th ppm 0.002	ME- MS41L Ti % 0.001	ME- MS41L Tl ppm 0.002	ME- MS41L U ppm 0.005	ME- MS41L V ppm 0.1	ME- MS41L W ppm 0.001	ME- MS41L Y ppm 0.003	ME- MS41L Zn ppm 0.1	ME- MS41L Zr ppm 0.01
P916487		0.369	0.202	0.055	0.172	130.0	0.087	7.54	31.1	5.89
P916488		0.353	0.242	0.042	0.201	132.0	0.192	7.83	37.9	6.47
P916489		0.356	0.114	0.037	0.164	136.5	0.087	8.92	53.6	4.50
P916490		0.261	0.035	0.054	0.110	83.1	0.052	8.89	76.4	3.09
P916491		0.285	0.135	0.022	0.173	89.8	0.129	6.22	36.1	4.79
P916492		0.295	0.016	0.042	0.165	73.4	0.031	10.05	34.8	1.86
P916493		0.362	0.029	0.044	0.158	98.8	0.046	9.08	35.1	2.13
P916494		0.382	0.157	0.036	0.220	144.0	0.165	9.10	35.2	5.69
P916495		0.412	0.186	0.022	0.213	118.5	0.205	8.19	21.7	7.06
P916496		0.402	0.174	0.023	0.203	103.0	0.214	8.31	27.7	6.75
P916497		0.448	0.165	0.025	0.223	108.0	0.190	7.64	18.5	6.69
P916498		0.457	0.090	0.037	0.194	124.5	0.124	9.86	52.3	3.59
P916499		0.543	0.145	0.033	0.207	118.0	0.165	9.31	51.8	6.15
P916500		2.92	0.176	0.042	0.870	107.0	0.664	5.74	46.5	2.21
N917001		0.492	0.208	0.020	0.246	138.5	0.282	8.54	38.1	7.75
N917002		0.474	0.118	0.044	0.212	125.5	0.080	9.22	47.5	5.23
N917003		0.326	0.151	0.027	0.175	173.0	0.157	10.90	76.7	4.57
N917004		0.406	0.152	0.027	0.227	179.0	0.165	9.91	106.0	5.55
N917005		0.403	0.143	0.030	0.298	143.0	0.142	11.95	64.8	4.23
N917006		0.335	0.310	0.027	0.229	134.0	0.360	8.69	31.0	5.79
N917007		0.453	0.258	0.020	0.262	154.0	0.239	10.35	53.1	7.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: FJORDLAND EXPLORATION LTD.
1111 MELVILLE STREET
11TH FLOOR
VANCOUVER BC V6E 3V6

Finalized Date: 15- OCT- 2014
Account: PEC

Project: Dillard

CERTIFICATE OF ANALYSIS KL14150174

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.

CRU- 31	CRU- QC	LOG- 22	LOG- 23
PUL- 31	PUL- QC	SPL- 21	WEI- 21
WSH- 22			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME- MS41L

Certificate of Analysis

Work Order : VC143946

[Report File No.: 0000009996]

To: JOHN PETERS
FJORDLAND EXPLORATION INC
1111 MELVILLE ST
SUITE 1100
VANCOUVER BC V6E 3V6

Date: Jan 12, 2015

P.O. No.	:	Sample Check N915422-P916284
Project No.	:	-
No. Of Samples	:	100
Date Submitted	:	Dec 18, 2014
Report Comprises	:	Pages 1 to 16 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R. = Listed not received
n.a. = Not applicable
I.S. = Insufficient Sample
-- = No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted
Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
N915422	<2	1.32	3	53	<0.5	<5	2.30	<1
N915427	<2	1.32	4	52	<0.5	<5	2.30	<1
N915435	<2	1.41	6	71	<0.5	<5	2.65	<1
N915445	2	1.70	8	106	<0.5	<5	5.16	<1
N915453	<2	2.49	4	54	<0.5	<5	2.69	<1
N915461	<2	2.85	4	114	<0.5	<5	2.43	<1
N915468	<2	2.12	4	199	<0.5	<5	1.79	<1
N915476	<2	1.70	15	75	<0.5	<5	1.97	<1
N915484	<2	1.93	5	561	<0.5	<5	2.45	<1
N915493	<2	1.71	4	189	<0.5	<5	3.68	<1
N915502	<2	2.07	5	122	<0.5	5	1.78	<1
N915510	<2	2.16	4	77	<0.5	<5	2.70	<1
N915519	<2	1.26	<3	59	<0.5	<5	5.07	<1
N915528	<2	1.59	4	187	<0.5	<5	2.21	<1
N915536	<2	1.50	6	77	<0.5	<5	2.87	<1
N915547	<2	1.77	4	454	<0.5	<5	3.24	<1
N915555	<2	2.33	9	312	<0.5	<5	2.23	<1
N915564	<2	0.86	5	789	<0.5	<5	5.23	<1
N915572	<2	0.66	7	511	<0.5	<5	1.56	1
N915578	<2	0.84	24	830	<0.5	<5	2.17	<1
N915586	<2	0.46	6	185	<0.5	<5	5.76	<1
N915595	<2	2.30	6	92	<0.5	<5	3.30	<1
N915604	<2	2.26	<3	161	<0.5	5	2.35	<1
N915612	<2	1.58	<3	32	<0.5	<5	1.52	<1
N915621	<2	1.49	<3	31	<0.5	<5	2.10	<1
N915630	<2	1.65	<3	350	<0.5	<5	3.61	<1
N915639	<2	1.97	<3	80	<0.5	<5	2.88	<1
N915647	<2	1.53	8	27	<0.5	<5	2.95	<1
N915656	<2	1.67	5	73	<0.5	<5	3.91	<1
N915665	<2	2.42	<3	68	<0.5	<5	4.05	<1
N915674	<2	1.78	<3	27	<0.5	<5	2.48	<1
N915683	<2	1.92	4	142	<0.5	<5	3.51	<1
N915692	<2	2.06	<3	83	<0.5	<5	2.70	<1
N915702	<2	2.60	5	206	<0.5	<5	3.09	<1
N915712	<2	0.94	3	56	<0.5	<5	1.55	<1
N915722	<2	1.18	4	48	<0.5	<5	2.87	<1
N915732	<2	0.93	<3	57	<0.5	<5	2.77	<1
N915741	<2	1.04	5	59	<0.5	<5	2.05	<1
N915751	<2	0.87	8	31	<0.5	<5	4.00	<1
N915760	<2	1.27	<3	110	<0.5	<5	1.82	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
N915769	<2	1.19	<3	64	<0.5	<5	1.52	<1
N915778	<2	0.94	<3	43	<0.5	<5	2.27	<1
N915786	<2	1.22	3	51	<0.5	<5	1.71	<1
N915795	<2	0.85	9	24	<0.5	<5	2.13	<1
N915804	<2	1.48	6	77	<0.5	<5	1.83	<1
N915814	<2	1.97	<3	171	<0.5	<5	1.34	<1
N915822	<2	1.53	4	30	<0.5	5	2.85	<1
N915831	<2	2.33	4	35	<0.5	<5	2.46	<1
N915840	<2	0.74	104	15	0.5	<5	6.92	<1
N915849	<2	1.68	3	88	<0.5	<5	1.83	<1
N915858	<2	1.78	7	54	<0.5	<5	3.61	<1
N915867	<2	1.88	12	48	<0.5	<5	4.76	<1
N915876	<2	1.56	4	54	<0.5	5	1.93	<1
N915885	<2	1.05	15	22	<0.5	<5	3.93	<1
N915894	<2	1.31	17	19	<0.5	<5	2.93	<1
N915903	5	0.70	795	10	<0.5	30	6.86	1
N915911	<2	1.12	10	21	<0.5	<5	2.39	<1
N915920	<2	1.91	4	115	<0.5	<5	1.75	<1
N915929	<2	1.83	3	201	<0.5	<5	1.36	<1
N915937	<2	1.35	6	58	<0.5	<5	2.95	<1
N915946	<2	1.35	<3	83	<0.5	<5	2.56	<1
N915955	<2	0.96	4	37	<0.5	<5	1.83	<1
N915964	<2	1.56	6	44	<0.5	<5	2.22	<1
N915972	<2	0.81	11	25	<0.5	<5	3.60	<1
N915981	<2	1.25	35	66	<0.5	<5	2.40	1
N915990	<2	1.79	6	79	<0.5	<5	2.04	<1
N915999	<2	1.17	3	45	<0.5	<5	1.42	<1
P916008	<2	1.63	3	84	<0.5	<5	1.53	<1
P916017	<2	1.43	12	45	<0.5	<5	2.19	<1
P916026	<2	2.04	<3	185	<0.5	<5	1.47	<1
P916034	<2	1.64	<3	142	<0.5	<5	1.85	<1
P916043	<2	2.38	<3	160	<0.5	<5	1.37	<1
P916052	<2	1.80	7	136	<0.5	<5	1.51	<1
P916060	<2	1.90	20	41	<0.5	<5	2.79	<1
P916068	<2	1.94	4	78	<0.5	<5	2.05	<1
P916076	<2	0.87	52	22	<0.5	<5	3.24	<1
P916085	<2	0.56	4	39	<0.5	<5	1.01	<1
P916093	<2	1.72	4	43	<0.5	<5	3.06	<1
P916102	<2	1.10	<3	76	<0.5	<5	3.26	<1
P916110	<2	0.73	28	23	<0.5	<5	2.84	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
P916118	<2	0.72	27	54	<0.5	<5	2.81	<1
P916127	<2	1.10	5	377	<0.5	<5	2.19	<1
P916135	<2	1.84	<3	93	<0.5	<5	1.59	<1
P916143	<2	1.26	3	57	<0.5	<5	1.78	<1
P916151	<2	2.95	6	135	<0.5	<5	1.50	<1
P916159	<2	2.54	5	110	<0.5	<5	3.05	<1
P916167	<2	2.43	5	136	<0.5	<5	1.64	<1
P916176	<2	2.46	<3	148	<0.5	<5	3.02	<1
P916184	<2	1.50	<3	49	<0.5	<5	2.23	<1
P916201	<2	1.85	8	133	<0.5	<5	1.33	<1
P916209	<2	1.25	7	119	<0.5	<5	3.66	<1
P916217	<2	1.90	<3	56	<0.5	<5	2.33	<1
P916226	<2	1.90	<3	54	<0.5	<5	2.44	<1
P916234	<2	1.94	7	456	<0.5	<5	2.92	<1
P916242	<2	2.24	<3	409	<0.5	<5	3.70	<1
P916251	<2	1.82	<3	87	<0.5	<5	2.66	<1
P916259	<2	2.28	<3	273	<0.5	<5	1.86	<1
P916267	<2	1.86	<3	221	<0.5	<5	1.57	<1
P916276	<2	1.56	5	139	<0.5	<5	1.59	<1
P916284	<2	1.22	10	35	<0.5	<5	1.63	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
N915422	26	37	904	2.96	<1	0.10	2.8	4
N915427	17	48	583	2.78	<1	0.09	3.0	6
N915435	19	19	182	3.79	<1	0.13	3.1	8
N915445	32	85	1210	4.36	<1	0.28	3.5	8
N915453	29	153	190	4.54	<1	0.63	1.4	20
N915461	34	179	344	4.60	<1	1.48	1.3	13
N915468	25	4	1330	4.94	<1	1.28	12.4	10
N915476	20	3	228	5.09	<1	0.93	12.0	6
N915484	18	23	505	3.85	<1	1.27	8.9	10
N915493	13	31	245	2.90	<1	0.25	3.4	10
N915502	23	17	1150	5.31	<1	0.70	11.1	13
N915510	25	8	602	4.83	<1	0.69	7.6	13
N915519	18	21	446	4.07	1	0.32	9.8	7
N915528	13	26	166	2.51	<1	0.27	2.8	8
N915536	13	29	402	2.77	<1	0.14	3.8	8
N915547	15	30	373	2.74	<1	0.61	4.4	11
N915555	34	16	1040	5.37	<1	1.52	10.3	14
N915564	10	8	15.8	2.61	<1	0.37	3.7	5
N915572	17	7	235	3.75	1	0.31	6.0	1
N915578	14	8	548	3.55	<1	0.15	10.0	6
N915586	11	<1	23.2	3.47	<1	0.32	3.9	3
N915595	26	13	165	4.12	<1	1.14	8.2	17
N915604	27	27	225	4.99	<1	1.31	6.4	12
N915612	22	6	282	3.83	<1	0.63	9.0	9
N915621	17	2	212	3.90	<1	0.62	12.1	8
N915630	16	19	173	3.70	<1	0.20	7.5	11
N915639	18	2	469	4.56	<1	0.56	13.7	12
N915647	17	3	524	4.34	<1	0.19	12.7	9
N915656	18	2	524	4.30	<1	0.34	12.6	11
N915665	29	18	166	5.91	<1	0.45	8.4	14
N915674	20	2	232	4.75	<1	0.52	13.9	11
N915683	17	2	318	4.11	<1	0.39	13.4	12
N915692	17	25	211	3.51	<1	0.16	4.0	13
N915702	27	32	330	5.38	<1	1.58	9.2	14
N915712	9	19	22.6	2.01	<1	0.15	3.2	7
N915722	17	170	56.5	2.61	<1	0.38	1.8	9
N915732	19	11	85.9	2.16	<1	0.14	2.2	6
N915741	13	20	90.0	2.27	<1	0.15	3.4	8
N915751	38	90	121	3.43	<1	0.13	1.2	6
N915760	12	12	62.2	2.29	<1	0.24	2.9	5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
N915769	13	22	363	2.11	<1	0.20	1.6	7
N915778	16	16	41.2	1.55	<1	0.09	1.5	8
N915786	18	21	473	2.30	<1	0.16	0.9	9
N915795	25	59	590	3.02	2	0.17	1.9	6
N915804	31	109	408	3.29	<1	0.91	1.3	9
N915814	31	124	219	4.01	<1	1.51	0.7	14
N915822	24	115	238	2.97	<1	0.36	1.3	12
N915831	46	483	54.1	4.66	<1	0.06	1.4	4
N915840	56	350	249	6.33	<1	0.24	0.8	5
N915849	34	103	780	3.40	<1	1.06	1.4	14
N915858	25	206	276	3.62	<1	0.36	2.5	14
N915867	25	208	177	4.78	<1	0.85	2.1	11
N915876	24	156	251	2.71	<1	0.85	0.9	10
N915885	28	64	1020	4.12	<1	0.14	4.3	8
N915894	33	69	437	3.36	<1	0.23	2.0	13
N915903	185	13	3220	>15.0	<1	0.06	7.1	5
N915911	28	9	418	2.03	<1	0.15	3.1	9
N915920	31	100	175	3.60	<1	1.01	2.2	18
N915929	28	12	230	4.92	<1	1.04	4.4	12
N915937	23	34	17.0	4.11	<1	0.40	3.4	10
N915946	30	25	99.6	4.67	<1	0.65	2.6	8
N915955	24	23	70.4	3.86	<1	0.14	1.0	7
N915964	28	104	17.8	3.37	<1	0.93	5.8	9
N915972	14	39	75.8	1.77	<1	0.15	4.3	6
N915981	43	50	342	4.13	<1	0.38	2.7	8
N915990	25	71	12.3	3.29	<1	0.93	1.8	10
N915999	21	55	13.0	2.78	<1	0.43	2.6	7
P916008	17	11	11.9	3.57	1	0.91	4.7	12
P916017	19	13	83.6	2.57	<1	0.08	5.6	13
P916026	21	24	245	4.01	<1	1.22	3.4	13
P916034	19	37	96.8	2.94	<1	0.68	1.5	11
P916043	24	20	43.6	4.35	<1	1.58	3.9	16
P916052	17	22	421	2.59	<1	0.87	1.2	12
P916060	17	11	179	2.97	<1	0.16	3.5	15
P916068	18	23	92.4	3.08	<1	0.56	3.0	13
P916076	11	11	87.3	2.07	<1	0.11	5.3	6
P916085	3	3	12.6	1.10	<1	0.22	15.9	4
P916093	25	53	185	4.00	<1	0.31	3.7	12
P916102	15	35	29.9	3.68	<1	0.24	4.2	10
P916110	12	10	120	1.84	<1	0.08	4.7	4

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
P916118	15	10	291	2.64	<1	0.10	4.1	5
P916127	16	6	267	2.17	<1	0.11	3.9	9
P916135	31	30	867	4.16	<1	0.82	3.5	14
P916143	14	14	78.5	2.08	<1	0.13	1.7	12
P916151	24	13	15.8	4.35	<1	1.50	4.5	24
P916159	25	27	212	5.03	<1	0.76	8.5	24
P916167	34	178	93.3	4.99	<1	1.30	3.2	21
P916176	25	35	159	4.52	<1	1.14	5.1	17
P916184	20	22	141	2.85	<1	0.25	2.0	15
P916201	20	9	63.3	3.39	<1	1.14	4.3	12
P916209	18	4	59.2	3.23	<1	0.18	4.2	15
P916217	21	169	114	2.47	<1	0.59	1.5	17
P916226	20	162	113	2.44	<1	0.59	1.8	17
P916234	28	35	235	4.85	<1	1.22	6.7	9
P916242	28	23	136	4.73	<1	1.44	7.0	18
P916251	26	73	189	3.74	<1	0.99	4.1	13
P916259	32	136	295	4.48	<1	1.68	2.7	16
P916267	23	174	60.8	3.33	<1	1.26	1.4	11
P916276	17	18	186	3.12	<1	0.61	4.7	10
P916284	25	18	357	3.05	<1	0.22	8.6	5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
N915422	0.93	197	1	0.13	28	0.15	<2	2.21
N915427	1.08	221	<1	0.10	28	0.14	<2	1.27
N915435	1.36	291	4	0.11	16	0.14	<2	3.23
N915445	2.18	860	3	0.08	78	0.13	<2	1.70
N915453	2.80	531	<1	0.12	150	0.12	<2	0.24
N915461	3.51	542	<1	0.12	204	0.12	<2	0.67
N915468	1.86	1330	<1	0.07	5	0.22	<2	0.60
N915476	1.45	1460	<1	0.03	6	0.21	54	0.15
N915484	1.65	897	<1	0.07	13	0.16	<2	0.31
N915493	1.67	922	<1	0.04	16	0.12	4	0.15
N915502	1.99	822	<1	0.06	7	0.21	<2	1.50
N915510	2.14	1280	2	0.06	6	0.17	4	0.13
N915519	1.25	1400	<1	0.04	11	0.15	<2	0.45
N915528	1.31	519	<1	0.08	16	0.12	<2	0.08
N915536	1.47	818	<1	0.03	16	0.11	4	0.04
N915547	1.51	550	<1	0.04	16	0.11	<2	0.11
N915555	2.44	931	<1	0.07	8	0.20	<2	0.91
N915564	1.73	797	<1	0.02	10	0.11	<2	0.06
N915572	0.58	1100	<1	0.02	10	0.13	147	0.32
N915578	0.91	726	<1	0.04	7	0.13	194	0.20
N915586	1.96	1120	<1	0.02	2	0.07	3	0.04
N915595	2.33	1290	<1	0.05	8	0.16	3	0.02
N915604	2.44	1010	<1	0.07	14	0.19	<2	0.04
N915612	1.47	603	<1	0.06	5	0.18	2	0.15
N915621	1.39	610	<1	0.06	2	0.16	<2	0.20
N915630	1.63	801	<1	0.05	11	0.13	<2	0.19
N915639	1.78	1250	<1	0.05	3	0.17	2	0.12
N915647	1.48	962	<1	0.05	3	0.16	2	0.24
N915656	1.51	1640	2	0.05	2	0.19	4	0.21
N915665	2.49	1160	<1	0.04	14	0.16	<2	0.23
N915674	1.71	2030	<1	0.05	3	0.21	<2	0.43
N915683	1.83	1370	<1	0.04	3	0.19	3	0.13
N915692	2.11	862	2	0.04	14	0.14	<2	0.20
N915702	2.58	1630	<1	0.07	13	0.19	<2	0.80
N915712	0.56	236	<1	0.08	9	0.13	<2	0.23
N915722	1.63	633	<1	0.07	52	0.13	<2	0.05
N915732	0.74	477	<1	0.06	15	0.13	4	0.44
N915741	0.77	303	<1	0.08	10	0.13	<2	0.25
N915751	1.31	795	<1	0.04	50	0.11	6	1.30
N915760	0.50	278	<1	0.12	9	0.13	<2	0.26

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
N915769	0.74	230	2	0.10	12	0.11	<2	0.24
N915778	0.71	354	4	0.05	13	0.11	4	0.40
N915786	0.87	277	9	0.07	15	0.12	<2	0.74
N915795	0.87	631	<1	0.04	31	0.14	20	1.00
N915804	1.75	428	<1	0.07	43	0.12	<2	0.72
N915814	2.20	500	<1	0.09	48	0.13	<2	0.45
N915822	1.73	500	3	0.06	41	0.13	<2	0.17
N915831	6.31	544	2	0.02	565	0.07	<2	0.17
N915840	4.22	1370	<1	0.03	543	0.07	24	0.81
N915849	1.83	409	<1	0.07	45	0.13	<2	1.01
N915858	2.48	706	<1	0.06	86	0.13	4	0.15
N915867	2.84	1020	<1	0.07	98	0.14	3	0.25
N915876	1.74	496	1	0.08	72	0.13	<2	0.24
N915885	1.68	1000	4	0.06	34	0.11	13	0.71
N915894	1.35	536	<1	0.06	36	0.13	4	1.04
N915903	1.04	1710	16	0.03	7	0.09	8	>5.00
N915911	0.61	445	2	0.07	8	0.16	9	0.55
N915920	1.71	532	<1	0.10	60	0.13	<2	0.70
N915929	1.49	605	<1	0.09	15	0.14	<2	0.63
N915937	1.55	713	<1	0.07	8	0.11	2	1.18
N915946	1.67	665	<1	0.07	20	0.11	2	2.79
N915955	1.28	474	<1	0.08	19	0.10	2	2.52
N915964	1.75	701	<1	0.05	24	0.24	<2	0.18
N915972	0.64	542	2	0.07	22	0.18	<2	0.13
N915981	1.21	773	1	0.08	39	0.23	56	1.23
N915990	1.58	608	<1	0.06	32	0.13	<2	0.23
N915999	0.87	349	<1	0.07	24	0.14	<2	0.21
P916008	1.29	512	<1	0.08	7	0.18	<2	0.33
P916017	0.90	487	<1	0.06	9	0.18	<2	0.21
P916026	1.70	533	<1	0.10	12	0.16	<2	0.10
P916034	1.51	442	<1	0.12	18	0.13	<2	0.54
P916043	1.98	537	<1	0.14	13	0.16	<2	0.22
P916052	1.30	407	<1	0.10	13	0.12	2	0.31
P916060	1.22	648	<1	0.13	10	0.16	4	0.25
P916068	1.57	524	<1	0.11	12	0.13	<2	0.10
P916076	0.56	594	4	0.09	10	0.14	<2	0.44
P916085	0.24	381	2	0.07	3	0.05	3	0.13
P916093	1.90	805	<1	0.07	29	0.13	<2	0.31
P916102	1.81	762	<1	0.06	22	0.11	<2	0.77
P916110	0.35	444	1	0.10	11	0.10	36	0.57

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
P916118	0.42	460	2	0.07	9	0.11	<2	1.07
P916127	0.59	411	1	0.09	4	0.14	4	0.80
P916135	1.77	497	3	0.09	11	0.19	<2	0.70
P916143	0.93	404	<1	0.10	11	0.14	6	0.58
P916151	2.65	729	<1	0.15	13	0.14	<2	0.73
P916159	2.71	1040	<1	0.07	16	0.17	<2	0.23
P916167	3.19	686	3	0.06	56	0.17	<2	1.54
P916176	2.64	1170	<1	0.06	18	0.17	<2	0.17
P916184	1.37	452	2	0.08	15	0.12	<2	0.69
P916201	1.69	592	<1	0.09	8	0.15	<2	0.28
P916209	1.19	626	5	0.05	9	0.12	3	1.08
P916217	1.82	490	<1	0.13	67	0.13	<2	0.29
P916226	1.82	487	<1	0.14	64	0.12	<2	0.30
P916234	2.08	879	<1	0.07	23	0.19	<2	0.19
P916242	2.31	1130	<1	0.08	16	0.18	<2	0.54
P916251	1.77	713	<1	0.08	37	0.14	<2	0.47
P916259	2.68	602	<1	0.09	79	0.12	<2	0.27
P916267	2.14	507	<1	0.10	71	0.13	<2	0.03
P916276	1.17	468	<1	0.11	7	0.18	<2	0.67
P916284	0.59	377	3	0.12	13	0.18	<2	1.95

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
N915422	<5	4.1	<10	126	0.11	93	<10	6.5
N915427	<5	4.6	<10	78	0.12	101	<10	6.1
N915435	<5	5.8	<10	114	0.08	99	<10	8.2
N915445	<5	12.7	<10	115	0.05	123	<10	11.0
N915453	<5	6.2	<10	107	0.25	122	<10	9.4
N915461	<5	9.2	<10	121	0.23	131	<10	8.3
N915468	<5	5.2	<10	49	0.23	203	<10	13.2
N915476	<5	9.9	<10	39	0.07	171	<10	13.0
N915484	<5	11.3	<10	66	0.10	185	<10	12.8
N915493	<5	7.3	<10	106	0.02	96	<10	8.7
N915502	<5	4.3	<10	73	0.17	158	<10	11.3
N915510	<5	3.8	<10	108	0.24	162	<10	8.0
N915519	<5	7.7	<10	72	0.03	158	<10	12.2
N915528	<5	6.7	<10	79	0.10	118	<10	6.7
N915536	<5	10.0	<10	87	<0.01	117	<10	8.8
N915547	<5	9.0	<10	112	0.05	180	<10	9.3
N915555	<5	7.5	<10	77	0.25	229	<10	13.1
N915564	<5	3.2	<10	160	<0.01	61	<10	6.1
N915572	<5	5.8	<10	91	<0.01	90	<10	8.0
N915578	<5	7.2	<10	116	<0.01	98	<10	9.7
N915586	<5	3.8	<10	95	<0.01	27	<10	10.8
N915595	<5	6.7	<10	134	0.22	175	<10	8.5
N915604	<5	6.2	<10	81	0.27	181	<10	7.9
N915612	<5	4.1	<10	86	0.21	159	<10	11.6
N915621	<5	5.0	<10	75	0.14	145	<10	12.6
N915630	<5	7.9	<10	142	0.03	126	<10	11.8
N915639	<5	5.6	<10	87	0.05	135	<10	11.6
N915647	<5	7.1	<10	114	0.03	120	<10	13.8
N915656	<5	4.8	<10	160	0.03	115	<10	12.1
N915665	<5	12.4	<10	159	0.15	197	<10	10.3
N915674	<5	6.2	<10	73	0.12	161	<10	12.8
N915683	<5	4.4	<10	188	0.04	109	<10	12.0
N915692	<5	7.0	<10	123	0.07	109	<10	7.4
N915702	<5	8.4	<10	99	0.22	220	<10	10.1
N915712	<5	3.5	<10	72	0.16	97	<10	6.4
N915722	<5	7.9	<10	69	0.13	88	<10	4.4
N915732	<5	8.9	<10	87	0.11	102	<10	7.1
N915741	<5	4.9	<10	81	0.15	103	<10	6.4
N915751	<5	9.0	<10	85	0.12	78	<10	5.4
N915760	<5	4.8	<10	99	0.12	105	<10	6.8

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
N915769	<5	5.6	<10	65	0.15	120	<10	5.3
N915778	<5	6.6	<10	54	0.14	92	<10	5.2
N915786	<5	5.4	<10	61	0.15	103	<10	5.4
N915795	<5	9.6	<10	88	0.13	75	<10	6.3
N915804	<5	4.9	<10	93	0.31	113	<10	6.6
N915814	<5	5.0	<10	60	0.37	141	<10	6.4
N915822	<5	6.6	<10	100	0.32	99	<10	8.3
N915831	<5	3.2	<10	58	0.01	113	<10	3.2
N915840	15	24.2	<10	112	0.01	109	<10	6.9
N915849	<5	3.8	<10	59	0.32	105	<10	6.2
N915858	<5	9.4	<10	107	0.23	118	<10	6.6
N915867	<5	20.8	<10	130	0.14	166	<10	9.1
N915876	<5	5.5	<10	77	0.23	87	<10	4.3
N915885	<5	14.3	<10	117	0.07	99	<10	8.1
N915894	<5	6.5	<10	89	0.18	94	<10	5.8
N915903	17	5.1	<10	88	<0.01	59	<10	11.7
N915911	<5	6.0	<10	73	0.15	72	<10	6.6
N915920	<5	4.3	<10	66	0.31	122	<10	6.9
N915929	<5	6.8	<10	72	0.27	169	<10	7.3
N915937	<5	13.8	<10	101	0.13	135	<10	10.7
N915946	<5	9.5	<10	83	0.13	112	<10	7.6
N915955	<5	10.8	<10	70	0.12	101	<10	7.8
N915964	<5	7.7	<10	99	0.21	98	<10	7.3
N915972	<5	5.4	<10	62	0.15	62	<10	8.2
N915981	<5	11.9	<10	86	0.15	111	<10	8.8
N915990	<5	5.7	<10	107	0.31	128	<10	7.2
N915999	<5	3.1	<10	72	0.24	94	<10	6.9
P916008	<5	3.1	<10	99	0.24	109	<10	8.2
P916017	<5	4.5	<10	99	0.21	92	<10	7.5
P916026	<5	5.3	<10	96	0.28	173	<10	6.8
P916034	<5	8.4	<10	76	0.19	120	<10	6.1
P916043	<5	6.4	<10	89	0.33	172	<10	7.1
P916052	<5	6.3	<10	101	0.20	105	<10	6.3
P916060	<5	7.3	<10	100	0.20	117	<10	8.0
P916068	<5	8.4	<10	109	0.21	123	<10	6.1
P916076	<5	5.0	<10	82	0.21	71	<10	8.5
P916085	<5	1.7	<10	29	0.02	12	<10	6.7
P916093	<5	8.1	<10	133	0.21	132	<10	9.0
P916102	<5	14.5	<10	91	0.02	127	<10	10.7
P916110	<5	4.0	<10	70	0.24	58	<10	9.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
P916118	<5	5.4	<10	67	0.17	73	<10	9.3
P916127	<5	3.7	<10	234	0.17	69	<10	8.0
P916135	<5	5.4	<10	96	0.28	163	<10	6.8
P916143	<5	4.6	<10	56	0.18	93	<10	5.8
P916151	<5	6.9	<10	75	0.27	197	<10	6.7
P916159	<5	10.2	<10	108	0.16	189	<10	10.7
P916167	<5	6.9	<10	50	0.25	183	<10	6.8
P916176	<5	9.3	<10	120	0.20	166	<10	8.6
P916184	<5	7.9	<10	83	0.15	118	<10	5.1
P916201	<5	5.3	<10	56	0.25	156	<10	6.7
P916209	<5	8.0	<10	81	0.02	106	<10	9.8
P916217	<5	7.1	<10	110	0.17	96	<10	5.3
P916226	<5	7.0	<10	115	0.18	94	<10	5.1
P916234	<5	12.2	<10	165	0.19	188	<10	12.0
P916242	<5	6.3	<10	109	0.28	177	<10	11.2
P916251	<5	5.9	<10	108	0.31	136	<10	9.3
P916259	<5	7.7	<10	71	0.36	152	<10	7.2
P916267	<5	6.2	<10	75	0.28	112	<10	5.4
P916276	<5	3.7	<10	105	0.21	104	<10	7.9
P916284	<5	3.8	<10	97	0.27	76	<10	9.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Zn@	Zr@
Method	GE_ICP14B	GE_ICP14B
Det.Lim.	1	0.5
Units	ppm	ppm
N915422	12	5.4
N915427	11	4.7
N915435	13	5.2
N915445	29	4.9
N915453	17	8.4
N915461	22	8.4
N915468	120	12.6
N915476	414	4.4
N915484	54	4.4
N915493	77	4.3
N915502	66	7.5
N915510	106	6.6
N915519	79	5.1
N915528	37	3.7
N915536	74	3.3
N915547	35	2.4
N915555	74	4.8
N915564	34	2.2
N915572	549	3.3
N915578	310	4.4
N915586	58	3.4
N915595	78	8.4
N915604	86	8.7
N915612	47	10.0
N915621	22	7.9
N915630	45	4.6
N915639	81	4.5
N915647	68	5.3
N915656	106	4.0
N915665	54	7.3
N915674	209	7.4
N915683	103	4.7
N915692	54	4.9
N915702	101	6.6
N915712	14	5.1
N915722	34	4.9
N915732	27	4.1
N915741	15	5.0
N915751	33	4.7
N915760	14	4.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Zn@	Zr@
Method	GE_ICP14B	GE_ICP14B
Det.Lim.	1	0.5
Units	ppm	ppm
N915769	17	5.0
N915778	33	3.5
N915786	27	4.1
N915795	167	4.5
N915804	35	6.3
N915814	52	6.5
N915822	32	6.7
N915831	16	2.6
N915840	243	4.2
N915849	40	5.1
N915858	61	6.3
N915867	56	4.5
N915876	42	4.3
N915885	100	4.6
N915894	70	5.1
N915903	114	7.0
N915911	47	3.6
N915920	53	6.0
N915929	42	9.7
N915937	39	3.7
N915946	40	4.3
N915955	29	4.4
N915964	53	6.5
N915972	23	4.8
N915981	134	7.2
N915990	45	6.8
N915999	59	6.5
P916008	37	7.0
P916017	30	6.6
P916026	38	5.1
P916034	27	4.3
P916043	36	5.7
P916052	40	4.4
P916060	60	6.4
P916068	36	4.2
P916076	16	7.3
P916085	17	4.0
P916093	60	6.6
P916102	46	2.9
P916110	100	11.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143946 Order: Sample Check N915422-P916284

Report File No.: 0000009996

Element	Zn@	Zr@
Method	GE_ICP14B	GE_ICP14B
Det.Lim.	1	0.5
Units	ppm	ppm
P916118	20	8.8
P916127	28	7.0
P916135	39	4.7
P916143	42	4.8
P916151	67	3.9
P916159	67	5.2
P916167	50	4.2
P916176	84	5.8
P916184	37	4.2
P916201	55	6.8
P916209	28	3.9
P916217	33	4.5
P916226	32	4.5
P916234	47	9.6
P916242	72	10.2
P916251	47	9.2
P916259	43	7.0
P916267	40	5.9
P916276	31	6.9
P916284	19	13.0

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate of Analysis

Work Order : VC143945

[Report File No.: 0000010003]

To: JOHN PETERS
FJORDLAND EXPLORATION INC
1111 MELVILLE ST
SUITE 1100
VANCOUVER BC V6E 3V6

Date: Jan 12, 2015

P.O. No.	:	Sample Check Q347501-N915417
Project No.	:	-
No. Of Samples	:	100
Date Submitted	:	Dec 18, 2014
Report Comprises	:	Pages 1 to 16 (Inclusive of Cover Sheet)

Distribution of unused material:
Active files:

Certified By : _____
Cam Chiang
Assistant Operations Manager

SGS Minerals Services Geochemistry Vancouver conforms to the requirements of ISO/IEC 17025 for specific tests as listed on their scope of accreditation which can be found at http://www.scc.ca/en/search/palcan/sgs

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result

*INF = Composition of this sample makes detection impossible by this method

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Elements marked with the @ symbol (e.g. @Cu) denote assays performed using accredited test methods

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Q347501	<2	1.90	9	508	<0.5	<5	3.58	<1
Q347509	<2	1.74	<3	48	<0.5	<5	1.82	<1
Q347518	<2	2.20	6	93	<0.5	<5	2.44	<1
Q347526	<2	2.37	4	199	<0.5	<5	2.33	<1
Q347532	<2	2.17	4	73	<0.5	<5	2.68	<1
Q347541	<2	2.15	7	93	<0.5	<5	2.40	<1
Q347549	<2	2.26	<3	116	<0.5	<5	1.53	<1
Q347558	<2	2.11	4	90	<0.5	<5	2.79	<1
Q347566	<2	2.47	4	94	<0.5	<5	2.23	<1
Q347574	<2	1.57	7	265	<0.5	<5	2.75	<1
Q347583	5	1.84	11	88	<0.5	<5	2.83	<1
Q347591	<2	2.07	25	108	<0.5	<5	3.36	<1
Q345601	<2	1.85	5	69	<0.5	<5	1.89	<1
Q345609	<2	2.16	5	52	<0.5	<5	3.35	<1
Q345617	<2	1.23	5	48	<0.5	<5	2.51	<1
Q345626	<2	1.36	<3	220	<0.5	<5	2.38	<1
Q345634	<2	1.85	3	311	<0.5	<5	2.57	<1
Q345643	<2	1.27	13	266	<0.5	<5	4.95	<1
Q345651	<2	1.90	6	186	<0.5	<5	2.41	<1
Q345657	<2	1.48	4	215	<0.5	<5	2.88	<1
Q345682	<2	0.98	3	271	<0.5	<5	1.57	<1
Q345691	<2	1.37	6	777	<0.5	<5	5.01	<1
Q345701	<2	2.07	<3	155	<0.5	<5	2.67	<1
Q345710	<2	1.90	<3	390	<0.5	<5	2.08	<1
Q345720	<2	1.48	4	647	<0.5	<5	3.57	<1
Q345728	<2	1.92	3	411	<0.5	<5	3.30	<1
Q345736	<2	1.99	<3	318	<0.5	<5	3.95	<1
Q345745	<2	0.82	31	546	<0.5	<5	7.19	<1
Q345751	<2	1.23	6	986	<0.5	<5	4.60	<1
Q345756	<2	2.01	<3	317	<0.5	<5	4.64	<1
Q345761	<2	1.98	5	159	<0.5	<5	3.17	<1
Q345767	<2	1.46	<3	317	<0.5	<5	4.24	<1
Q345772	<2	2.20	6	70	<0.5	<5	4.14	<1
Q345778	<2	2.41	6	64	<0.5	<5	3.41	<1
Q345783	<2	1.85	4	44	<0.5	<5	3.07	<1
Q345788	<2	1.41	5	80	<0.5	<5	2.79	<1
Q345794	<2	1.70	<3	119	<0.5	<5	4.49	<1
Q345799	<2	2.02	<3	23	<0.5	<5	3.02	<1
Q345805	<2	1.47	5	153	<0.5	<5	3.22	<1
Q345810	<2	1.30	4	134	<0.5	<5	3.47	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Q345816	<2	1.74	10	166	<0.5	<5	7.07	<1
Q345821	<2	1.91	5	67	<0.5	<5	3.47	<1
Q345828	<2	1.69	3	281	<0.5	<5	3.35	<1
Q345836	<2	2.17	4	49	<0.5	<5	2.17	<1
Q345844	<2	0.87	6	162	<0.5	<5	4.63	<1
Q345852	<2	1.85	4	261	<0.5	<5	3.06	<1
Q345860	<2	1.91	3	199	<0.5	<5	5.49	<1
Q345870	<2	2.45	<3	213	<0.5	<5	3.41	<1
Q345879	<2	1.78	5	208	<0.5	<5	2.04	<1
Q345888	<2	2.04	<3	955	<0.5	<5	3.32	<1
Q345897	<2	2.01	<3	208	<0.5	<5	2.64	<1
N915007	<2	2.09	<3	47	<0.5	<5	3.09	<1
N915017	<2	2.37	5	33	<0.5	<5	3.70	<1
N915025	<2	0.94	7	240	<0.5	<5	3.12	<1
N915035	<2	1.19	3	663	<0.5	<5	6.29	<1
N915044	<2	0.53	30	495	<0.5	<5	4.59	<1
N915054	<2	2.76	7	188	<0.5	<5	4.96	<1
N915064	<2	2.24	4	137	<0.5	<5	2.84	<1
N915073	<2	2.30	<3	186	<0.5	<5	3.45	<1
N915082	<2	2.12	7	34	<0.5	<5	4.54	<1
N915092	<2	2.72	<3	108	<0.5	<5	4.44	<1
N915101	<2	1.43	<3	43	<0.5	<5	2.78	<1
N915114	<2	1.56	3	144	<0.5	<5	3.50	<1
N915122	<2	1.50	7	481	<0.5	<5	3.92	<1
N915130	<2	1.62	5	107	<0.5	<5	2.70	<1
N915136	<2	1.86	4	96	<0.5	<5	3.50	<1
N915143	<2	0.82	7	475	<0.5	<5	4.68	<1
N915149	<2	0.71	35	417	<0.5	<5	3.68	<1
N915155	<2	1.59	9	245	<0.5	<5	4.16	<1
N915164	<2	1.83	8	210	<0.5	<5	3.25	<1
N915172	<2	1.47	11	167	<0.5	<5	3.99	<1
N915181	<2	0.50	40	566	<0.5	<5	5.88	<1
N915189	<2	1.54	6	682	<0.5	<5	3.90	<1
N915197	<2	1.70	9	17	<0.5	<5	2.87	<1
N915205	<2	1.61	5	281	<0.5	<5	4.95	<1
N915214	<2	2.00	<3	188	<0.5	<5	4.98	<1
N915222	<2	1.95	8	516	<0.5	<5	5.76	<1
N915232	<2	2.23	5	137	<0.5	<5	4.06	<1
N915241	<2	2.00	<3	38	<0.5	<5	3.76	<1
N915251	<2	1.64	<3	43	<0.5	<5	2.58	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Ag@	Al@	As@	Ba@	Be@	Bi@	Ca@	Cd@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	2	0.01	3	5	0.5	5	0.01	1
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm
N915259	<2	1.83	<3	40	<0.5	<5	2.63	<1
N915268	<2	1.84	7	44	<0.5	6	2.61	<1
N915276	<2	1.08	3	1310	<0.5	<5	6.11	<1
N915284	<2	0.68	17	504	<0.5	<5	6.49	<1
N915289	<2	0.79	7	324	<0.5	<5	3.97	<1
N915295	<2	2.45	5	413	<0.5	<5	2.21	<1
N915304	<2	2.31	<3	198	<0.5	<5	2.50	<1
N915312	<2	2.24	<3	87	<0.5	<5	2.46	<1
N915320	<2	2.30	5	128	<0.5	<5	2.29	<1
N915328	<2	1.99	<3	290	<0.5	<5	1.64	<1
N915336	<2	2.25	3	116	<0.5	<5	2.87	<1
N915346	<2	1.28	4	68	<0.5	<5	2.54	<1
N915355	<2	2.13	<3	85	<0.5	<5	1.39	<1
N915364	<2	1.69	3	60	<0.5	<5	1.33	<1
N915373	<2	2.40	6	123	<0.5	<5	2.51	<1
N915383	<2	1.74	<3	14	<0.5	<5	4.81	<1
N915392	<2	1.77	6	96	<0.5	5	2.84	<1
N915401	<2	1.80	8	53	<0.5	<5	2.77	<1
N915409	<2	2.70	8	65	<0.5	<5	3.30	<1
N915417	<2	2.16	9	30	<0.5	<5	2.76	<1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
Q347501	19	31	3020	4.30	<1	0.77	3.4	8
Q347509	18	27	1450	3.18	<1	0.14	2.9	9
Q347518	22	22	2060	3.31	<1	0.33	3.0	7
Q347526	38	51	2840	4.86	<1	1.02	4.4	9
Q347532	24	23	3440	4.40	<1	0.29	6.1	11
Q347541	16	21	127	3.17	<1	0.09	2.8	10
Q347549	41	89	891	5.04	<1	0.79	3.5	11
Q347558	27	27	1170	4.39	<1	0.23	2.5	15
Q347566	23	113	580	4.80	<1	0.80	2.6	12
Q347574	18	18	1880	3.58	<1	0.14	3.6	7
Q347583	52	39	5070	7.03	<1	0.16	2.7	12
Q347591	29	30	1170	4.86	<1	0.14	2.6	13
Q345601	26	82	639	3.95	<1	0.29	2.3	7
Q345609	18	19	888	4.21	<1	0.11	2.8	12
Q345617	15	32	343	2.83	<1	0.11	1.6	6
Q345626	17	9	256	3.09	<1	0.13	2.3	5
Q345634	13	9	248	2.56	<1	0.12	2.6	6
Q345643	15	13	118	4.08	<1	0.23	3.6	7
Q345651	12	20	413	3.21	<1	0.08	2.6	8
Q345657	18	52	3690	3.82	<1	0.11	4.5	7
Q345682	7	9	9.3	2.47	<1	0.11	7.0	8
Q345691	13	18	92.0	2.86	<1	0.23	3.9	7
Q345701	20	21	702	3.24	<1	0.10	1.7	12
Q345710	13	25	121	2.90	<1	0.10	4.2	9
Q345720	11	22	240	2.54	<1	0.15	3.8	7
Q345728	17	16	527	3.36	<1	0.12	3.2	11
Q345736	19	75	967	3.47	<1	0.14	4.0	12
Q345745	12	11	422	3.25	<1	0.24	3.7	6
Q345751	11	17	388	2.75	<1	0.25	5.0	6
Q345756	14	41	366	3.56	<1	0.12	3.9	11
Q345761	15	25	355	3.43	<1	0.12	3.4	11
Q345767	7	15	112	2.29	<1	0.24	6.5	8
Q345772	21	87	460	4.52	<1	0.10	3.6	13
Q345778	21	105	325	4.55	<1	0.11	4.2	16
Q345783	19	60	321	4.31	<1	0.10	3.5	8
Q345788	12	17	755	3.90	<1	0.10	5.4	6
Q345794	28	36	1450	4.14	<1	0.19	4.0	12
Q345799	35	82	1230	4.48	<1	0.08	3.1	15
Q345805	29	42	1130	4.77	<1	0.11	3.7	6
Q345810	19	17	871	3.70	<1	0.14	4.2	7

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
Q345816	24	58	1110	5.72	<1	0.22	5.1	11
Q345821	30	62	548	4.77	<1	0.10	3.5	11
Q345828	11	17	306	2.42	1	0.16	2.6	11
Q345836	38	81	2060	4.70	<1	0.11	3.3	19
Q345844	10	8	427	2.84	<1	0.31	2.8	4
Q345852	25	99	2140	4.75	<1	0.11	3.1	14
Q345860	27	126	2850	4.86	<1	0.07	4.5	15
Q345870	22	46	1990	4.44	<1	0.16	5.1	22
Q345879	15	31	1440	3.48	<1	0.11	2.0	15
Q345888	12	23	62.0	2.86	<1	0.12	2.1	15
Q345897	12	15	134	2.90	<1	0.09	2.1	14
N915007	14	30	132	2.73	<1	0.13	1.8	15
N915017	20	26	2010	4.00	<1	0.10	3.5	19
N915025	14	11	1980	2.69	<1	0.25	6.4	4
N915035	24	31	240	5.16	<1	0.32	5.5	8
N915044	18	6	724	3.25	<1	0.32	<0.5	3
N915054	22	53	157	5.36	<1	0.12	3.7	23
N915064	22	51	37.0	3.71	<1	0.10	2.0	19
N915073	20	86	<0.5	3.93	<1	0.08	1.5	22
N915082	22	64	78.2	4.69	<1	0.20	4.8	12
N915092	25	58	64.6	4.67	1	0.08	3.1	21
N915101	15	25	1040	5.18	<1	0.14	1.6	9
N915114	12	19	4.3	3.32	<1	0.17	5.9	12
N915122	18	26	972	3.76	<1	0.30	3.8	9
N915130	24	21	1080	4.73	<1	0.15	5.5	11
N915136	24	36	2300	4.99	<1	0.13	3.5	18
N915143	20	38	1540	4.32	<1	0.20	4.3	4
N915149	15	10	1460	4.10	<1	0.24	4.2	3
N915155	22	23	1380	4.79	<1	0.13	4.5	12
N915164	17	50	225	4.54	<1	0.08	4.3	16
N915172	27	44	154	5.07	<1	0.10	3.9	9
N915181	15	10	161	4.39	<1	0.33	1.4	1
N915189	14	11	40.5	3.57	<1	0.36	2.8	8
N915197	35	71	433	4.62	<1	0.08	5.4	6
N915205	18	9	148	4.25	<1	0.22	5.2	10
N915214	25	31	279	4.31	<1	0.08	2.8	12
N915222	27	48	243	5.32	<1	0.22	4.8	11
N915232	26	52	157	5.06	<1	0.09	4.9	18
N915241	22	183	38.9	3.83	<1	0.05	2.5	15
N915251	18	39	3.3	3.74	<1	0.10	4.3	12

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Co@	Cr@	Cu@	Fe@	Hg@	K@	La@	Li@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	1	1	0.5	0.01	1	0.01	0.5	1
Units	ppm	ppm	ppm	%	ppm	%	ppm	ppm
N915259	22	33	109	3.97	2	0.08	3.8	13
N915268	41	30	104	3.56	<1	0.08	4.2	12
N915276	9	10	33.7	2.77	<1	0.30	3.9	3
N915284	21	7	1510	3.45	2	0.31	2.1	3
N915289	23	24	1250	4.33	<1	0.28	3.3	2
N915295	13	26	476	3.81	<1	0.17	3.9	8
N915304	14	25	237	3.34	<1	0.15	3.1	5
N915312	17	27	368	3.57	<1	0.14	3.1	7
N915320	47	80	4560	5.42	<1	0.64	3.8	13
N915328	14	23	245	2.69	<1	0.14	2.7	7
N915336	16	27	241	2.98	<1	0.16	2.7	10
N915346	16	96	588	3.69	<1	0.19	4.3	6
N915355	58	125	2350	6.35	<1	0.63	2.9	9
N915364	37	109	1010	4.34	<1	0.42	1.8	8
N915373	31	74	909	4.23	<1	0.51	2.9	10
N915383	26	112	658	5.02	<1	0.08	2.4	9
N915392	26	104	317	4.71	<1	0.61	2.4	7
N915401	33	138	697	4.41	<1	0.43	2.4	7
N915409	39	197	449	5.68	<1	0.70	2.0	21
N915417	27	137	653	4.28	<1	0.39	2.0	14

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
Q347501	1.76	257	6	0.03	22	0.11	<2	1.14
Q347509	1.47	180	2	0.08	13	0.09	<2	0.96
Q347518	1.36	205	5	0.13	14	0.12	<2	1.28
Q347526	2.48	228	11	0.08	34	0.13	<2	1.78
Q347532	2.01	449	10	0.07	20	0.14	<2	1.13
Q347541	1.36	411	1	0.08	13	0.12	<2	0.58
Q347549	2.12	215	5	0.14	57	0.15	<2	2.55
Q347558	2.14	200	7	0.06	21	0.10	<2	2.31
Q347566	2.75	312	6	0.15	85	0.13	<2	0.64
Q347574	1.31	209	25	0.07	14	0.11	4	1.85
Q347583	1.84	450	4	0.06	33	0.09	3	>5.00
Q347591	1.69	242	7	0.09	24	0.10	<2	3.66
Q345601	1.52	219	<1	0.12	48	0.10	<2	2.05
Q345609	1.84	643	<1	0.06	14	0.13	<2	0.96
Q345617	1.09	349	<1	0.08	22	0.12	3	1.95
Q345626	0.63	198	2	0.08	10	0.11	<2	2.94
Q345634	0.79	292	2	0.12	8	0.12	<2	1.76
Q345643	1.52	707	<1	0.04	12	0.11	<2	1.78
Q345651	1.14	313	<1	0.12	12	0.13	<2	1.72
Q345657	1.08	319	<1	0.07	20	0.13	<2	0.70
Q345682	0.76	334	<1	0.07	4	0.07	<2	0.01
Q345691	1.54	609	<1	0.03	12	0.10	<2	0.39
Q345701	1.47	466	3	0.09	11	0.10	<2	0.97
Q345710	1.38	282	<1	0.07	11	0.10	<2	0.15
Q345720	1.34	361	2	0.03	12	0.10	<2	0.58
Q345728	1.69	479	7	0.05	12	0.11	<2	1.33
Q345736	2.15	494	3	0.05	43	0.12	<2	0.93
Q345745	2.11	604	2	0.02	12	0.10	<2	0.31
Q345751	1.71	530	1	0.02	13	0.10	<2	0.28
Q345756	1.97	524	1	0.04	18	0.11	<2	0.84
Q345761	1.66	359	5	0.07	12	0.11	<2	1.13
Q345767	1.11	373	<1	0.05	8	0.11	<2	0.73
Q345772	2.01	547	1	0.05	26	0.12	<2	1.10
Q345778	2.26	586	<1	0.07	29	0.13	<2	0.50
Q345783	1.57	414	<1	0.07	19	0.12	<2	0.80
Q345788	1.30	443	<1	0.05	14	0.10	3	0.60
Q345794	1.91	328	10	0.06	27	0.15	<2	1.92
Q345799	1.93	194	16	0.05	50	0.14	<2	3.64
Q345805	1.57	266	11	0.05	30	0.15	<2	3.40
Q345810	1.43	264	15	0.05	15	0.11	<2	2.34

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
Q345816	1.70	580	8	0.04	28	0.14	<2	4.18
Q345821	1.68	374	5	0.06	44	0.16	<2	3.54
Q345828	1.45	311	2	0.05	10	0.11	<2	1.58
Q345836	2.41	385	14	0.05	36	0.18	<2	2.13
Q345844	1.07	639	<1	0.03	10	0.11	<2	1.70
Q345852	2.33	383	19	0.05	67	0.13	<2	2.04
Q345860	2.48	500	6	0.03	63	0.13	<2	1.09
Q345870	2.63	358	2	0.05	20	0.13	<2	0.36
Q345879	1.77	359	<1	0.05	15	0.12	<2	0.49
Q345888	1.72	562	<1	0.04	12	0.11	<2	0.51
Q345897	1.69	351	1	0.06	11	0.12	<2	0.77
N915007	2.02	437	<1	0.07	15	0.15	<2	0.34
N915017	2.51	333	<1	0.05	19	0.14	<2	1.04
N915025	0.91	311	5	0.05	12	0.11	<2	0.43
N915035	1.68	1030	<1	0.02	22	0.15	3	0.28
N915044	1.62	653	3	0.02	17	0.05	<2	0.98
N915054	2.61	1300	<1	0.05	21	0.18	<2	0.06
N915064	2.22	896	<1	0.05	23	0.13	<2	0.10
N915073	2.88	898	<1	0.06	80	0.13	<2	0.02
N915082	2.09	1260	<1	0.04	41	0.15	23	0.02
N915092	2.52	1140	<1	0.04	32	0.15	<2	0.15
N915101	1.30	409	1	0.05	16	0.12	<2	0.61
N915114	1.69	570	<1	0.06	11	0.12	<2	1.00
N915122	1.73	525	14	0.03	18	0.14	<2	1.03
N915130	1.50	382	9	0.03	16	0.14	<2	1.00
N915136	2.25	479	3	0.04	26	0.13	<2	0.77
N915143	1.38	487	23	0.03	20	0.13	<2	0.60
N915149	1.92	437	8	0.03	13	0.12	11	0.50
N915155	2.04	468	11	0.05	21	0.14	<2	1.04
N915164	1.97	616	3	0.05	28	0.13	<2	1.09
N915172	2.01	779	<1	0.04	32	0.13	3	0.87
N915181	2.18	1070	<1	0.02	19	0.08	10	0.47
N915189	1.86	746	<1	0.03	11	0.14	<2	0.36
N915197	1.54	676	1	0.04	30	0.17	12	1.01
N915205	1.43	826	<1	0.04	9	0.14	<2	1.34
N915214	1.89	633	<1	0.04	17	0.15	<2	0.91
N915222	2.29	955	<1	0.03	27	0.15	3	0.54
N915232	2.45	724	<1	0.05	23	0.16	<2	0.40
N915241	2.31	635	<1	0.07	37	0.11	<2	<0.01
N915251	1.50	467	<1	0.06	17	0.16	<2	0.07

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Mg@	Mn@	Mo@	Na@	Ni@	P@	Pb@	S@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	0.01	2	1	0.01	1	0.01	2	0.01
Units	%	ppm	ppm	%	ppm	%	ppm	%
N915259	1.72	528	<1	0.06	18	0.18	<2	0.09
N915268	1.64	529	<1	0.07	18	0.17	<2	0.33
N915276	0.49	710	<1	0.02	9	0.11	<2	0.28
N915284	2.05	521	8	0.02	15	0.10	<2	1.27
N915289	1.73	511	<1	0.03	25	0.12	<2	1.39
N915295	1.22	408	<1	0.15	13	0.15	<2	0.12
N915304	1.15	344	1	0.20	12	0.15	<2	0.24
N915312	1.56	315	1	0.12	17	0.15	<2	0.62
N915320	2.49	296	31	0.08	45	0.17	<2	1.52
N915328	1.05	141	2	0.15	11	0.12	<2	0.25
N915336	1.64	194	<1	0.11	14	0.12	<2	0.64
N915346	1.51	331	1	0.07	43	0.11	<2	0.37
N915355	2.20	236	6	0.09	66	0.11	<2	3.50
N915364	1.65	213	16	0.11	67	0.13	<2	2.11
N915373	1.96	222	7	0.13	40	0.12	<2	2.01
N915383	2.13	519	5	0.05	56	0.12	<2	1.99
N915392	1.65	441	<1	0.13	54	0.13	<2	1.13
N915401	1.74	390	10	0.13	86	0.14	<2	1.66
N915409	3.43	552	3	0.09	186	0.14	<2	1.75
N915417	2.47	365	16	0.08	134	0.13	<2	1.22

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Q347501	<5	20.7	<10	60	0.10	169	<10	10.9
Q347509	<5	9.6	<10	41	0.18	171	<10	8.2
Q347518	<5	9.3	<10	82	0.12	140	<10	9.9
Q347526	<5	25.2	<10	87	0.18	258	<10	13.5
Q347532	<5	18.1	<10	96	0.07	197	<10	15.3
Q347541	<5	5.1	<10	95	0.15	96	<10	5.0
Q347549	<5	8.6	<10	96	0.36	208	<10	10.0
Q347558	<5	15.9	<10	107	0.12	178	<10	11.2
Q347566	<5	6.2	<10	97	0.28	171	<10	6.0
Q347574	<5	9.8	<10	122	0.01	97	<10	9.1
Q347583	<5	12.8	<10	95	0.03	133	<10	9.0
Q347591	<5	11.2	<10	107	0.12	144	<10	8.4
Q345601	<5	6.2	<10	70	0.19	122	<10	6.4
Q345609	<5	7.9	<10	67	0.11	129	<10	7.2
Q345617	<5	5.4	<10	40	0.14	81	<10	6.0
Q345626	<5	3.2	<10	81	0.14	66	<10	6.3
Q345634	<5	3.8	<10	113	0.15	77	<10	6.3
Q345643	<5	9.6	<10	87	0.01	79	<10	9.5
Q345651	<5	4.6	<10	97	0.13	94	<10	4.5
Q345657	<5	8.8	<10	70	0.09	141	<10	7.9
Q345682	<5	3.5	<10	41	0.07	57	<10	4.5
Q345691	<5	8.1	<10	89	<0.01	78	<10	9.6
Q345701	<5	7.0	<10	64	0.17	124	<10	6.3
Q345710	<5	5.9	<10	108	0.20	158	<10	7.5
Q345720	<5	7.3	<10	153	0.02	98	<10	8.6
Q345728	<5	6.6	<10	210	0.06	95	<10	7.4
Q345736	<5	12.4	<10	104	0.16	163	<10	10.1
Q345745	<5	9.7	<10	146	<0.01	79	<10	10.0
Q345751	<5	7.1	<10	147	<0.01	66	<10	9.4
Q345756	<5	10.5	<10	113	0.05	122	<10	9.0
Q345761	<5	7.3	<10	143	0.17	151	<10	7.0
Q345767	<5	4.2	<10	143	0.06	70	<10	5.0
Q345772	<5	11.9	<10	155	0.17	187	<10	7.8
Q345778	<5	9.6	<10	87	0.20	160	<10	6.5
Q345783	<5	8.1	<10	128	0.17	142	<10	7.0
Q345788	<5	9.6	<10	93	0.01	104	<10	10.4
Q345794	<5	10.4	<10	150	0.13	130	<10	9.8
Q345799	<5	6.0	<10	116	0.27	135	<10	9.0
Q345805	<5	6.9	<10	160	0.14	109	<10	9.3
Q345810	<5	9.8	<10	137	0.05	85	<10	9.9

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
Q345816	<5	10.3	<10	106	0.01	109	<10	11.1
Q345821	<5	5.6	<10	75	0.17	107	<10	7.2
Q345828	<5	5.0	<10	165	0.05	76	<10	7.5
Q345836	<5	10.4	<10	42	0.12	165	<10	9.7
Q345844	<5	2.5	<10	55	<0.01	36	<10	6.9
Q345852	<5	11.0	<10	57	0.16	164	<10	9.0
Q345860	<5	19.6	<10	90	0.06	159	<10	16.5
Q345870	<5	13.0	<10	68	0.15	177	<10	11.9
Q345879	<5	9.9	<10	70	0.16	163	<10	8.0
Q345888	<5	6.2	<10	176	0.07	99	<10	7.0
Q345897	<5	4.9	<10	95	0.11	90	<10	5.4
N915007	<5	9.0	<10	52	0.19	177	<10	7.9
N915017	<5	13.1	<10	59	0.12	174	<10	10.8
N915025	<5	6.4	<10	85	<0.01	75	<10	8.1
N915035	<5	10.5	<10	187	<0.01	64	<10	9.5
N915044	<5	8.1	<10	121	<0.01	42	<10	4.4
N915054	<5	16.2	<10	185	0.14	189	<10	11.2
N915064	<5	10.4	<10	133	0.15	128	<10	8.6
N915073	<5	14.7	<10	172	0.12	155	<10	7.1
N915082	<5	20.8	<10	301	<0.01	127	<10	13.1
N915092	<5	12.6	<10	203	0.13	151	<10	10.6
N915101	<5	6.9	<10	48	0.17	185	<10	8.9
N915114	<5	6.8	<10	54	0.05	96	<10	7.5
N915122	<5	9.3	<10	63	<0.01	95	<10	9.1
N915130	<5	11.3	<10	45	<0.01	134	<10	11.4
N915136	<5	14.2	<10	60	0.05	194	<10	12.6
N915143	<5	17.1	<10	113	<0.01	142	<10	8.3
N915149	<5	8.8	<10	87	<0.01	108	<10	7.4
N915155	<5	15.9	<10	116	0.01	163	<10	12.0
N915164	<5	11.2	<10	132	0.10	130	<10	12.4
N915172	<5	18.4	<10	181	0.04	148	<10	13.2
N915181	<5	8.2	<10	112	<0.01	37	<10	6.0
N915189	<5	10.0	<10	159	<0.01	103	<10	7.0
N915197	<5	24.3	<10	295	<0.01	144	<10	12.0
N915205	<5	9.3	<10	103	<0.01	132	<10	11.7
N915214	<5	12.0	<10	205	0.16	139	<10	10.3
N915222	<5	19.4	<10	209	0.01	163	<10	11.6
N915232	<5	13.9	<10	155	0.19	179	<10	11.8
N915241	<5	7.9	<10	107	0.28	135	<10	8.6
N915251	<5	5.7	<10	202	0.25	121	<10	10.5

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element	Sb@	Sc@	Sn@	Sr@	Ti@	V@	W@	Y@
Method	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B	GE_ICP14B
Det.Lim.	5	0.5	10	5	0.01	1	10	0.5
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
N915259	<5	6.1	<10	192	0.30	146	<10	11.0
N915268	<5	5.4	<10	177	0.30	125	<10	10.6
N915276	<5	6.6	<10	79	<0.01	58	<10	10.5
N915284	<5	5.7	<10	87	<0.01	45	<10	9.7
N915289	<5	8.5	<10	53	<0.01	70	<10	8.8
N915295	<5	8.4	<10	100	0.13	166	<10	7.1
N915304	<5	7.4	<10	128	0.15	162	<10	6.0
N915312	<5	7.2	<10	99	0.19	171	<10	7.1
N915320	<5	16.3	<10	57	0.18	235	<10	11.0
N915328	<5	2.8	<10	74	0.20	153	<10	5.8
N915336	<5	5.8	<10	59	0.20	131	<10	7.4
N915346	<5	9.1	<10	78	0.06	136	<10	8.6
N915355	<5	8.6	<10	53	0.25	161	<10	6.3
N915364	<5	4.9	<10	53	0.28	144	<10	5.6
N915373	<5	8.8	<10	104	0.18	161	<10	7.8
N915383	<5	13.7	<10	96	0.12	142	<10	9.8
N915392	<5	8.7	<10	109	0.19	142	<10	8.8
N915401	<5	7.5	<10	99	0.14	118	<10	8.7
N915409	<5	13.9	<10	97	0.17	166	<10	8.4
N915417	<5	7.3	<10	74	0.21	127	<10	6.2

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Final : VC143945 Order: Sample Check Q347501-N915417

Report File No.: 0000010003

Element Method Det.Lim. Units	Zn@ GE_ICP14B 1 ppm	Zr@ GE_ICP14B 0.5 ppm
Q347501	19	3.1
Q347509	13	2.4
Q347518	18	5.2
Q347526	17	3.9
Q347532	36	4.2
Q347541	31	7.6
Q347549	15	5.3
Q347558	16	4.0
Q347566	15	4.4
Q347574	26	3.7
Q347583	46	4.4
Q347591	28	3.8
Q345601	11	3.7
Q345609	40	8.3
Q345617	33	6.1
Q345626	17	4.6
Q345634	19	5.2
Q345643	37	3.2
Q345651	21	4.8
Q345657	29	5.0
Q345682	21	12.9
Q345691	30	2.2
Q345701	27	8.0
Q345710	19	4.4
Q345720	21	2.1
Q345728	28	5.5
Q345736	30	2.6
Q345745	39	3.6
Q345751	30	2.3
Q345756	31	2.6
Q345761	24	4.3
Q345767	18	3.8
Q345772	35	5.4
Q345778	42	6.5
Q345783	22	5.5
Q345788	21	3.5
Q345794	18	5.1
Q345799	11	5.9
Q345805	18	5.2
Q345810	12	4.1

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was (were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativity of the goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.