

Ministry of Energy and Mines  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Work Assessment Report

TOTAL COST: \$19,167.77

AUTHOR(S): Kristian L. Whitehead

SIGNATURE(S): Kristian L. Whitehead 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-10-216

YEAR OF WORK: 2015

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5552963, 5552953, 5559787

PROPERTY NAME: Frasergold

CLAIM NAME(S) (on which the work was done): 204214 204347 204348 204887 204896 378209 402366 402367 405520

405682 413226 517995 517996 524992 544763 544765 544767 544769 547367 547369 547372 547374 548514

COMMODITIES SOUGHT: Gold, Silver & Copper

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: \_\_\_\_\_

MINING DIVISION: Cariboo

NTS/BCGS: \_\_\_\_\_

LATITUDE: 52 ° 17 ' 30.16 " LONGITUDE: 120 ° 38 ' 1.5 " (at centre of work)

OWNER(S):

1) Eureka Resources

2) \_\_\_\_\_

MAILING ADDRESS:

355 Burrard Street, Vancouver, BC, V6C 2G8

OPERATOR(S) [who paid for the work]:

1) Same as above

2) \_\_\_\_\_

MAILING ADDRESS:

Same as above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Orogenic , sedimentary hosted gold system & porphyry copper, golds system.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: \_\_\_\_\_

| TYPE OF WORK IN THIS REPORT                     | EXTENT OF WORK (IN METRIC UNITS) | ON WHICH CLAIMS | PROJECT COSTS APPORTIONED (incl. support) |
|---|----------------------------------|-----------------|---|
| <b>GEOLOGICAL (scale, area)</b>                 |                                  |                 |   |
| Ground, mapping _____                           |                                  |                 |   |
| Photo interpretation _____                      |                                  |                 |   |
| <b>GEOPHYSICAL (line-kilometres)</b>            |                                  |                 |   |
| <b>Ground</b>                                   |                                  |                 |   |
| Magnetic _____                                  |                                  |                 |   |
| Electromagnetic _____                           |                                  |                 |   |
| Induced Polarization _____                      |                                  |                 |   |
| Radiometric _____                               |                                  |                 |   |
| Seismic _____                                   |                                  |                 |   |
| Other _____                                     |                                  |                 |   |
| <b>Airborne</b> _____                           |                                  |                 |   |
| <b>GEOCHEMICAL</b>                              |                                  |                 |   |
| <b>(number of samples analysed for...)</b>      |                                  |                 |   |
| Soil 71 + 6 _____                               |                                  | 204214, 37829   | 19,167.47                                 |
| Silt _____                                      |                                  |                 |   |
| Rock _____                                      |                                  |                 |   |
| Other _____                                     |                                  |                 |   |
| <b>DRILLING</b>                                 |                                  |                 |   |
| <b>(total metres; number of holes, size)</b>    |                                  |                 |   |
| Core _____                                      |                                  |                 |   |
| Non-core _____                                  |                                  |                 |   |
| <b>RELATED TECHNICAL</b>                        |                                  |                 |   |
| Sampling/assaying _____                         |                                  |                 |   |
| Petrographic _____                              |                                  |                 |   |
| Mineralographic _____                           |                                  |                 |   |
| Metallurgic _____                               |                                  |                 |   |
| <b>PROSPECTING (scale, area)</b> _____          |                                  |                 |   |
| <b>PREPARATORY / PHYSICAL</b>                   |                                  |                 |   |
| Line/grid (kilometres) _____                    |                                  |                 |   |
| Topographic/Photogrammetric (scale, area) _____ |                                  |                 |   |
| Legal surveys (scale, area) _____               |                                  |                 |   |
| Road, local access (kilometres)/trail _____     |                                  |                 |   |
| Trench (metres) _____                           |                                  |                 |   |
| Underground dev. (metres) _____                 |                                  |                 |   |
| Other _____                                     |                                  |                 |   |
| <b>TOTAL COST:</b>                              |                                  |                 | <b>\$19,167.77</b>                        |

**Regional Geochemical Sampling Program Assessment Report for Spring 2015,  
Frasergold Property, Williams Lake Area, British Columbia**

**BC Geological Survey  
Assessment Report  
35521**

Prepared For:  
Eureka Resources  
355 Burrard Street  
Vancouver, British Columbia  
V6C 2G8

Event Numbers: [5552963](#) / [5552953](#) / [5559787](#)  
Mine Permit No: MX-10-216

Cariboo Mining Division, British Columbia  
Property location approximately 50 km east of Horsefly, BC, 100 km east of William Lake, BC, & 230 km southeast of Prince George, BC.

NTS Map Sheet 093A02, 07  
UTM Coordinates NAD 1983, Zone 10N  
52° 19' 06" North Latitude and 120° 35' 25" West Longitude

Dates of Work: April 26 – May 15, 2015

Operator: Eureka Resources Inc.

Owner of Claims: Eureka Resources Inc.

Prepared by: Kristian Whitehead, BSc., P.Geo., Consulting Geologist for Eureka Resources Inc.

Supervised by: Lawrence O'Neil, Director, Eureka Resources Inc.

Date Submitted: June 23rd, 2015

**BC Geological Survey  
Assessment Report  
35521**

## Table of Contents

|  | <b>Page</b> |
|--|-------------|
| 1. Introduction, Property Location, Access, Property Agreements and Mineral Claims | 3           |
| Introduction   |             |
| Property Location  |             |
| Access   |             |
| Property Agreements and Mineral Claims   |             |
| 2. History, Economic and General Assessment, and Adjacent Properties               | 5           |
| History, Economic and General Assessment   |             |
| Adjacent Properties  |             |
| 3. Geological, Structural Description and Deposit Model of Project Area            | 8           |
| Geological and Structural Description  |             |
| Geological Model   |             |
| 4. Generalized Description of 2015 Exploration Program                             | 10          |
| Objective  |             |
| Work Program Description   |             |
| Summary of Results   |             |
| Sampling Method and Approach   |             |
| Sample Preparation, Analyses and Security  |             |
| Sampling Procedures and Protocols  |             |
| 5. Assessment Details and Statement of Expenditures                                | 21          |
| 6. Certificate of Author   | 21          |
| 7. Bibliography  | 22          |

## Figures

|  |    |
|--|----|
| 1. Figure 1: Frasergold Property Location Map                        | 3  |
| 2. Figure 2: Frasergold Property Claim Map                           | 4  |
| 3. Figure 3: General Geological Map of the Property                  | 10 |
| 4. Figure 4: Camp Grid, Gold & Assay Results Maps                    | 14 |
| 5. Figure 5: 18 PPM Extension Grid Proposed Soil Sampling Map        | 15 |
| 6. Figure 6: 18 PPM Extension Grid Collected Soil Sample Map         | 16 |
| 7. Figure 7: 18 PPM Extension Grid, Gold & Copper Assay Results Maps | 17 |

## Tables

|   |    |
|---|----|
| 1. Table 1: Frasergold Property Claims List       | 5  |
| 2. Table 2: Spring 2015 Statement of Expenditures | 21 |

## Appendixes

|  |    |
|--|----|
| 1. Appendix A: Regional Sample Locations and Au, Ag & Cu Assay Values  | 23 |
| 2. Appendix B: Regional Sampling Grid Maps with Au and Cu Assay Values | 26 |
| 3. Appendix C: Regional Sampling Program Assay Certificates            | 32 |

## 1. Introduction, Property Location, Access, Property Agreements and Mineral Claims

### Introduction

Planning for the spring 2015 geological exploration program began in April with compiling of digital data collected from the previous 2007, 2008 and 2011 exploration years and combining it with previous historical data into one central database. The spring 2015 exploration field season began on April 26<sup>th</sup> and was concluded April 29<sup>th</sup>, with remaining data compilation and assay evaluation office work ongoing through to mid-May. The field season included 77 soil samples over two main locations on the property. Post field season work included data compilation, assay and geological interpretation and planning for future programs.

This report summarizes the entirety of the spring 2015 Frasergold exploration program along with the compilation work conducted and displays the results of such work.

All full size maps pertaining to this report are contained within sleeves in the appendices of this report.

### Property Location

The Frasergold Property claims are located approximately 50 kilometers east of the village of Horsefly, BC and 100 kilometers east northeast of city of Williams Lake, BC located on NTS map sheets 093A02, 07 at approximately 52° 19' 06" North latitude and 120° 35' 25" West longitude. The property outlined for assessment comprises 23 contiguous quartz mining claims covering approximately 3,360.07 hectares within the Mackay River valley, a tributary to the Horsefly River.

### Access

The property is road accessible by a series of paved and gravel surfaced roads that lead east northeast from Williams Lake to the village of Horsefly and along the Horsefly River to Mackay River. Recent logging activities have provided a series of tracks that provide good access to most of the exploration areas on the property.


**Figure 1. Property Location**



## Property Agreements and Mineral Claims

There are no currently existing agreements in place with the below listed claims.

**Figure 2** Frasergold Property Claim Map



The claims and registered owners are listed in Table 1.

**Table 1 Frasergold Claims**

| Tenure Number | Claim Name | Owner         | Map Number | Issue Date  | Good To Date | Status | Area (ha) |
|---------------|------------|---------------|------------|-------------|--------------|--------|-----------|
| 204214        | MAC        | 107887 (100%) | 093A038    | 1979/oct/19 | 2016/Oct/15  | GOOD   | 225.00    |
| 204347        | KAY #10    | 107887 (100%) | 093A028    | 1980/sep/25 | 2016/Oct/15  | GOOD   | 150.00    |
| 204348        | KAY #11    | 107887 (100%) | 093A038    | 1980/sep/25 | 2016/Oct/15  | GOOD   | 50.00     |
| 204887        | MAC 9 FR.  | 107887 (100%) | 093A038    | 1984/jul/16 | 2016/Oct/15  | GOOD   | 25.00     |
| 204896        | MAC 11 FR  | 107887 (100%) | 093A038    | 1984/jul/27 | 2016/Oct/15  | GOOD   | 25.00     |
| 378209        | L-1        | 107887 (100%) | 093A037    | 2000/jun/18 | 2018/aug/30  | GOOD   | 25.00     |
| 402366        | KAY #10    | 107887 (100%) | 093A028    | 2003/may/09 | 2016/Oct/15  | GOOD   | 375.00    |
| 402367        | KAY #11    | 107887 (100%) | 093A028    | 2003/may/09 | 2016/Oct/15  | GOOD   | 450.00    |
| 405520        | J#1        | 107887 (100%) | 093A038    | 2003/oct/04 | 2016/Oct/15  | GOOD   | 100.00    |
| 405682        | KAY #9     | 107887 (100%) | 093A038    | 2003/sep/26 | 2016/Oct/15  | GOOD   | 500.00    |
| 413226        | J#2        | 107887 (100%) | 093A028    | 2004/aug/17 | 2016/Oct/15  | GOOD   | 150.00    |
| 517995        | NUGGET     | 107887 (100%) | 093A       | 2005/jul/18 | 2016/Oct/15  | GOOD   | 59.31     |
| 517996        | IMPERIAL   | 107887 (100%) | 093A       | 2005/jul/18 | 2016/Oct/15  | GOOD   | 494.31    |
| 524992        | EUREKA     | 107887 (100%) | 093A       | 2006/jan/10 | 2016/Oct/15  | GOOD   | 296.52    |
| 544763        | EUREKA     | 107887 (100%) | 093A       | 2006/nov/01 | 2016/Oct/15  | GOOD   | 98.81     |
| 544765        | MISSING    | 107887 (100%) | 093A       | 2006/nov/01 | 2016/Oct/15  | GOOD   | 59.29     |
| 544767        | ADD ON     | 107887 (100%) | 093A       | 2006/nov/01 | 2016/Oct/15  | GOOD   | 19.76     |
| 544769        | ANOTHER    | 107887 (100%) | 093A       | 2006/nov/01 | 2016/Oct/15  | GOOD   | 19.76     |
| 547367        | H#1        | 107887 (100%) | 093A       | 2006/dec/14 | 2016/Oct/15  | GOOD   | 19.77     |
| 547369        | H#2        | 107887 (100%) | 093A       | 2006/dec/14 | 2016/Oct/15  | GOOD   | 59.32     |
| 547372        | H#3        | 107887 (100%) | 093A       | 2006/dec/14 | 2016/Oct/15  | GOOD   | 79.11     |
| 547374        | H#4        | 107887 (100%) | 093A       | 2006/dec/14 | 2016/Oct/15  | GOOD   | 59.34     |
| 548514        | EUR #1     | 107887 (100%) | 093A       | 2007/jan/03 | 2016/Oct/15  | GOOD   | 19.77     |

## 2. History, Economic and General Assessment, and Adjacent Properties

Most of the following information was derived from technical reports supplied by Hawthorne Gold Corporation, including the March 2007 and January 2008 NI 43-101 reports.

### History, Economic and General Assessment

The first record of work being conducted in the vicinity of the Frasergold property was in the late 1970's by Clifford E. Gunn who prospected the area after researching historic references to the placer gold potential of the region. During 1978 and 1979 he staked claims and prospected the area to cover a panned gold anomaly discovered in Frasergold Creek, from 1980 to 1982 the ground was optioned by Keron Holdings Ltd. and NCL Resources Ltd. A geology map was produced after preliminary soil and rock geochemical surveys were completed over the property, with results revealing a 10 kilometer long zone containing anomalous gold values from soil samples that was suspected to have a stratigraphic control.

In 1983 Eureka acquired the property and optioned it to Amoco Canada Petroleum Co. Ltd. ("Amoco"), during 1983 and 1984 Amoco collected rock and soil geochemical samples and conducted limited electromagnetic and magnetic surveys. Amoco also drilled 14 diamond drill holes totaling 4,519 meters, with 12 of the drill holes producing coarse visible gold. Anomalous intersections had values ranging from 0.023 oz Au /t over 7.5 meters to 0.342 oz Au /t over 1.5 meters, Amoco terminated the option agreement at the end of these programs and returned the property to Eureka.

Eureka continued exploring the Frasergold property in 1985 and 1986 and completed further soil and rock chip geochemical sampling, trenching and bulk sampling, reverse circulation and diamond drilling, metallurgical testing and an I.P. survey. Four holes totaling 406.5 meters were completed by reverse circulation drilling, and eighteen diamond drill holes, totaling 2,021 meters were completed in three areas. Twelve of the 18 holes had sections with visible gold and anomalous values ranged from 0.057 oz/t over 39.0 meters (hole 86-2) to 1.311 oz Au /t over 1.5 meters (hole 86-18).

A surface bulk sampling program was completed in 1985 by selecting eight sites for excavation. A total of 56 samples were collected and analyzed for gold content by fire assay. One sample, 86-12-2A from the Jay Zone, was submitted to Coastech Research Inc. who milled the material and completed cyanidation testing on the sample. Results from the cyanidation work were compared to the standard fire assay analyses. The mean fire assay (FA) values from the 56 samples varied from 0.06 oz Au/t to 0.128 oz Au/t. Coastech split bulk sample 86-12-2A into 24 composites and completed cyanidation leach metallurgical work on the samples. Leishman and Campbell (1986) report that the bulk sample FA assay results varied from 0.150 oz Au/t to 1.021 oz Au/t, with a weighted average of 0.479 oz Au/t. The gold content of bulk sample 86-12-2A was determined to be 0.137 oz Au/t (Marchant, 1985).

Eureka constructed a core storage facility to securely store all core from the 1986 and previous programs. The core storage building was located at a logging camp on the Horsefly River at the junction of the Horsefly River road and the road to Crooked Lake.

In 1987 Southlands Mining Corporation ("Southlands") undertook an option on the Frasergold property, with Eureka as operator. Southlands constructed and sampled eight trenches totaling 660 meters, and completed 21 reverse circulation holes totaling 1,710 meters.

In late 1987, Southlands optioned a portion of their interest to Sirius Resources Corp. ("Sirius"). Sirius completed 17 diamond drill holes totaling 1,536 meters, drilled 37 reverse circulation holes totaling 2,456 meters, and excavated 184 meters of underground workings to provide 524 tonnes of material for bulk sampling.

In the fall of 1988 Sirius completed work in the Eureka Peak zone, collecting 478 soil samples over a closely spaced grid, collecting 27 rock chip samples from hand trenches and drilling six diamond drill holes totaling 862 meters producing varying anomalous gold assay results.

In August 1989 a legal dispute between Eureka and Southlands over the validity of the option and joint venture agreement was resolved. During September, 1989, Eureka completed a program of underground channel sampling (284 samples), muck sampling (74 samples) from untested rounds, drill core sampling (297 samples) and relogging and geological mapping of underground workings.

In 1990, Eureka entered into a joint venture agreement with Asarco Company of Canada Ltd. (Asarco). During the period 1990 and 1991, Asarco drilled 25 diamond drill holes totaling 4,687.2 meters, and 156



reverse circulation holes totaling 15,720 meters. Four 1.25 ton bulk samples were collected in 1990 for metallurgical testing by Bacon, Donaldson and Associates Ltd. The average composite grade of these bulks samples was 0.068 oz Au/t while preliminary tests indicated gold recoveries ranging from 87 to 92%.

In 1991 the underground workings were lengthened by 114 meters, these workings produced 1,591 tons of material that was divided into nine lots for off-site milling. The calculated average grade of this material was 0.027 oz Au/t. By utilizing the drill hole and underground sample data K.V. Campbell, W. Gruenwald, L. Walters and M. Schatten prepared a 1991 report for Asarco Inc. and Eureka Resources Inc. which stated there is an “in situ resource” of 3,396,970 tons at an average grade of 0.05 oz Au/t within the Main Zone portion of the Frasersgold property. The figures presented above do not conform to currently accepted CIM standards or NI43-101 Standards of Disclosure for mineral exploration projects, and should not be relied upon. Campbell et al (1991) emphasize that this is not an estimate of “ore reserves”, which require detailed engineering and cost estimation. The exploration work completed to provide data for the above resource estimation was conducted using then acceptable industry best practices by professional people and recognized laboratories. This work would require confirmation testing to determine the validity of the results reported. However the work provides relevant data on the Frasersgold project and is provided from sources believed to be reliable. The figures are presented here for historical context only and have not been relied upon by the authors as the sole means of determining the merits of the Frasersgold property.

In January, 1991, the mining, geological and geotechnical engineering firm James Askew Associates, Inc. of Englewood, Colorado was commissioned by Asarco to conduct a pre-feasibility study of the Frasersgold project. This study does not conform to the current usage of a pre-feasibility study as defined by NI43-101, and should not be relied upon. The Askew report does not take into account economic, mining, metallurgical, environmental, social or governmental factors. As part of this study, Askew completed “In Situ Reserves/Resources” for the project using hand drawn polygonal methods. The basis for drawing these mineralized envelopes was data collected by Asarco and others which is believed to be reliable. Askew used a 0.03 oz Au/t cutoff with a minimum true width thickness of three meters. Assays greater than 0.60 oz Au/t were cut to 0.60 oz Au/t. Zones of gold mineralization were extended half way to the adjacent section and were extended 75 meters down dip. A specific gravity of 2.7 was used in the calculations.

Based on these parameters, Askew (1991) summarized the gold mineralization at the Frasersgold property as 6,612,675 tons of mineralized material at an average grade of 0.055 oz Au/t to represent 362,825 ounces of gold. Askew (1991) does not categorize the mineralized material due to “the comparatively small amount of geological and assay data for such a long strike length”. The volume and gold content estimates used by Askew (1991) do not conform to the “CIM Standards on Mineral Resources and Reserves, Definitions and Guidelines”, issued in 2000 and modified with adoption of the “CIM Definition Standards – For Mineral Resources and Mineral Reserves” in 2005. The resource estimate provided by Askew (1991) does not use CIM compliant calculations and therefore do not fulfill NI 43-101 reporting standards, and should not be relied upon. However the Askew (1991) report is relevant to the current review of the Frasersgold property as it provides an indication of the scope and depth of exploration conducted on the project.

A Qualified Person has not conducted sufficient work to classify the above noted historical estimate as current mineral resources, the authors and Hawthorne are not treating the historic estimate as current mineral resources and the historic resources should not be relied upon.

In 2007 Hawthorne conducted a major exploration program on the property. The 2007 drill program was laid out to test four previously defined zones of interest; including the Main Zone, the Grouse Creek West Zone, the Grouse Creek East Zone and the Frasergold Zone. A total of 16 HQ core size diamond drill holes totaling 3,615 meters and were drilled over a period of 3 ½ months, with an average depth of 226 meters.

Between 1980 and 2007 it is estimated that \$11.26 million has been expended on the exploration of the Frasergold property. A total of 39,582 meters of drilling in 344 holes has been completed on the property, along with 298 meters of underground drifts to provide access for bulk sampling and metallurgical testing.

The Frasergold 2008 exploration program was initiated on May 15<sup>th</sup>, 2008 with the crew mobilizing into camp and preparing for the drill program. SCS Drilling Ltd. of Merrit, BC mobilized two diamond drills onto the property on May 28<sup>th</sup> and began drilling shortly thereafter. Drilling utilizing two Boyles B15 drills continued until the July 17<sup>th</sup> whereby only a single drilled continued until completing the program on Aug 6<sup>th</sup>. SCS demobilized both drills and ancillary equipment on August 8<sup>th</sup> and was completed the same day. Hawthorne Gold geological crew remained in camp and continue to process to remaining unprocessed core. In addition to core logging duties the crew participated in several regional programs including soil sampling and mapping. The geological crew field season was concluded on August 24<sup>th</sup> with only a few crew members remaining to begin preparing the Atco trailer camp to be demobilized. Demobilization of the camp supplies and inventory as well as Atco trailers was concluded on September 26<sup>th</sup>. Both 2007 and 2008 split core was labelled and stacked within the large metal storage shed on the property and secured.

Lastly, in 2011 Teslin Resources conducted a modest exploration program which began on October 10<sup>th</sup> and was concluded October 21<sup>st</sup>, with data compilation and assay evaluation office work ongoing through to the end of December. The field season included 565 soil samples, 7 rock grab samples and 6 silt samples over three main locations on the property. Post field season work included data compilation, assay and geological interpretation and planning for future programs.

### **Adjacent Properties**

There are no mines in the immediate vicinity of the Frasergold Property. The closest operating mine is Imperial Metal Corporation's Mount Polley copper-gold porphyry deposit located 30 kilometers to the northwest. Numerous gold and copper prospects are located throughout the region, including the Woodjam property 15 kilometers south of the village of Horsefly, Spanish Mountain 40 kilometers to the north by the town of Likely and QR past producing mine site 50 kilometers northwest.

## **3. Geological, Structural Description and Deposit Model of Project Area**

### **Geological and Structural Description**

The Frasergold property straddles the boundary between two major tectonic belts of the Canadian Cordillera; the Omineca Tectonic belt lies on the east side of the property while the Intermontane Belt occupies the west and central portions of the property. Three regional tectonostratigraphic terranes are present; Kootenay, Slide Mountain and Quesnellia terranes. The Slide Mountain and Quesnellia terranes are part of the Intermontane Belt which has been accreted eastward onto the Kootenay terrane of the Omineca Belt. The Eureka Thrust forms the tectonic boundary between these two Belts.


In the project area the Omineca Tectonic Belt is represented by Hadrynian to early Paleozoic quartz-mica schists and gneisses of the Snowshoe Group. These make up part of the Kootenay terrane; pericratonic, intensely deformed, variably metamorphosed rocks which appear to be stratigraphically related to ancestral North America. The Omineca Tectonic Belt is known for its prevalence of gold and tungsten mineral occurrences such as those in the Barkerville gold mining camp to the north of the property. The Quesnellia Terrane is composed of metavolcanic and phyllite rocks of Permian to Jurassic age. Numerous copper and gold deposits occur within this package of rocks, including the Mt. Polley mine 40 kilometres north of Frasergold.

The northwest trending, shallowly plunging, Eureka Syncline and Perseus Anticline are the dominant interpreted structures in the region. Well developed, northeast striking, near vertical extension joints are clearly manifested in the drainage pattern of the Eureka syncline. Towards the nose of the syncline, southeast of the project area, the syncline becomes overturned to the southwest with axial planes dipping steeply northeast, northeast of the MacKay River the northeast limb is also overturned to the southwest, however the syncline is upright in the area of the property. The core of the Eureka Syncline is occupied by Takla Group basic volcanic rocks consisting of basalt, augite porphyry flows, tuffs and volcanic breccias that have been metamorphosed to a low grade. The contact with the underlying sediments of the Quesnel River Group has been interpreted as a fault.

All of the pre-Tertiary rocks in the area are affected by regional dynamothermal metamorphism, with the lowest grades exposed along the Horsefly River road where clastic textures are preserved. In the Eureka Syncline, the metamorphic grade of all units increases towards the Perseus and Boss Mountain anticlines. Large areas reach medium grade amphibolite facies metamorphism and some rocks in the cores of the nearby anticlines reach the kyanite-staurolite-fibrolite zone and are associated with pegmatites. The age of the folding and metamorphism is considered to be Jurassic to early Cretaceous.

The northwest trending MacKay River valley appears to mark a major zone of vertical or near vertical fracturing. At this location the upper Triassic Quesnel River Group is sandwiched between two more competent units; younger intrusives and volcanoclastics to the south and older amphibolites, schists and gneisses to the north and east. Shearing and faulting appears to have been concentrated in the incompetent phyllite units striking along the valley.

# General Geological Map of the Property



## **Geological Model**

The mineral claims are centred on Eureka Peak and the Eureka Peak syncline. Two styles of gold mineralization are known within this portion of the syncline. The Frasersgold gold-quartz zone is hosted within graphite rich (5-40%) phyllitic sediments and is located on the east limb of the syncline, whereas the Eureka Peak gold-sulphide mineralization is found closer to the core of the fold, near the base of volcanics that overlay the sediments. Both styles of gold mineralization fit within the Orogenic Gold model currently being applied to mineralization within the Cariboo Gold Belt. Deposits within the Orogenic Gold model range in size up to multi-million ounce deposits and include such noted examples as McRaes Flat (New Zealand), Paracatu (Brazil) and Sukhoi Log (Russia). The Frasersgold zone mineralization appears to fit the orogenic lode-gold deposit type; gold tends to occur in quartz veins with coarse particulate gold occurring in segregations of stringers, veins, boudins and mullions. Gold has also been commonly observed as fine anhedral grains set in quartz often near the margins of veins. The gold also appears to be associated with sulphides, including pyrrhotite, pyrite and minor chalcopyrite and sphalerite. Petrographic studies show that a major part of the gold occurs with medium to coarse grained pyrite and pyrrhotite aggregates throughout the mineralized zone. Overall the sulphide content of the Frasersgold zone varies from Tr-12% sulphides, and averaging about 2-3% sulphides. Pervasive low grade gold mineralization is also found within the knotted phyllite strata where quartz is absent, however the gold also appears to be associated with sulphides within the phyllitic strata. In most or all cases the phyllitic metasediments are graphite rich, with Tr-3% chlorite alteration.

## **4. Generalized Description of Spring 2015 Exploration Program**

The spring program utilized a Bell 206 helicopter from Highland Helicopters based in William's Lake, BC. The crew was two geologists, and 1 senior field man and a helicopter pilot. The field program was completed in 2 days from April 27 – 28th. Priority was to conduct a soil sampling program extension grid running N-NW of the 18 ppm soil grid to follow up on an anomalous gold and copper trend.

Objective: To assist the planning of an exploration drill program for 2015 summer/fall, an area of the property was selected on the basis it may offer high grade mineralization, adding substantial value to the overall project. The area has been previously drill tested to a very limited extent, and the historical geochemical results for targeting drill holes are considered somewhat unreliable. It was therefore recommended to complete a detailed geochemistry program to evaluate the worth of this target area:

- 1) 18ppm Au Grid: An 18,000ppb gold soil sample assay value was detected by the Hawthorne crew in 2008/09/11 just northwest of the Main Zone. One hole drilled in 1986 probably was drilled too far down-slope from the bedrock origin of this sample, and consequently only intersected low-grade gold values. A 9.5km grid was recommended in this area, collecting 190 soil samples. The grid area is accessible by road.


### Work Program Description:


- 1) 18ppm Extension Grid: 9.5 line km and 190 soil samples proposed.


In total, approximately 4 line kilometers of the 9.5 line kilometers planned were traversed with 71 soil samples collected of the 190 planned due to time and weather constraints. Snow hindered the collection of the entirety of the proposed samples. The 71 samples were collected on claim # 204214.

- 2) Camp Claim Sampling: Six soil samples were collected on claim # 378209 which is used for camp and core storage. No positive results were derived from these soil samples.

**Figure 4** – Camp Grid, Gold & Copper Assay Results Maps







Summary of Results:

- 1) 18ppm Extension Grid duplicated the earlier anomaly, however did not provide results of similar magnitude. This can be rationalized by the “nuggety” nature of the gold. The grid area is all underlain by sedimentary rocks of the Quesnel River Group, therefore similar style gold mineralization found in the Main Frasergold resource is anticipated. Two significant gold anomalies were derived from this grid area, with soil values upto 18 ppm Au. These anomalies should be drill tested by at least 4 diamond drill holes. Preliminary field work is required to study the location, orientation and depths of the proposed drill holes.

In summary, a total of 4 drill holes have been proposed to follow up on results of the spring 2015 soil sampling program, each hole to a depth of 250 – 300 meters. This drilling is recommended for the summer / fall 2015 field season, totaling 1,000 meters, or approximately \$250,000.





Figure 6 - 18 PPM Extension Grid Collected Soil Sample Map






Figure 7 - 18 PPM Extension Grid, Gold & Copper Assay Results Maps





**Gold in Soils**




**Legend**


**18 ppm Extension Gold (ppb)**

- 0 - 5
- ◊ 5 - 10
- ◐ 10 - 20
- ◑ 20 - 50
- ◒ 50 - 100
- ◓ 100 +

**2012 Soil Samples Gold (ppb)**

- 0 - 5
- ◻ 5 - 10
- ◼ 10 - 20
- ◽ 20 - 50
- ◾ 50 - 100
- ◿ 100 +





Appendix A outlines the locations of where all regional samples were collected grouped by sample type. The table also displays the gold, silver and copper assay values for the samples that were submitted for analysis at ALS Global labs located in North Vancouver, BC.

### **Sampling Method and Approach**

The sampling method and approach used by the Eureka Resources exploration team were based on sampling protocols and procedures commensurate with industry standard practice. All samples were collected under the supervision of an experienced Professional Geologist.

### **Sample Preparation, Analyses and Security**

Regional sample preparation program completed in 2008 by Hawthorne included the collection of representative samples and conducting sampling programs according to industry standards. During the field season geologists described rock grab samples, soils and silt samples in as much detail as possible, the sample sites were recorded with GPS tools and flagged. Individual samples were placed in individual poly plastic sample bags along with their corresponding sample tag. Samples were then placed in rice bags with assay instructions, sealed with a tag lock and subsequently transported to the lab preparation facility. All field notes were transferred from paper records to a digital template and reviewed for discrepancies.

### **Sampling Procedures and Protocols**

The surface and underground sampling procedures and protocols were as follows:

- 1) Soils and silts were collected primarily from the B Horizon with approximately 1kg worth of soil material.
- 2) Standard preparation for soils < 1kg
- 3) Dry, manually disaggregate and sieve 100 grams to -80 mesh, discard reject.
- 4) Analyze for gold and multi elements via Aqua Regia digestion ICP-MS analysis
- 5) Import digital data received by ALS Global's analytical lab into Eureka Resources' digital database. No samples bags were reported missing or tampered with and thus all samples were deemed legitimate and accepted.

## 5. Geochemical Sampling Program - Assessment Details and Statement of Expenditures

**Table 2: Spring 2015 Statement of Expenditures**

| Site  | Invoice # |                        | Days | Hrs   | Rate      | Total    |           |
|---|-----------|------------------------|------|-------|-----------|----------|-----------|
| Infiniti Drilling, Consulting                     | 223       | K.Whitehead P. Geo     |      | 36.00 | 81.25     | 2,925.00 |           |
| Pelly River Ventures, Consulting                  | 1228      | B.Macdonald, Geologist |      | 1.25  | 45.00     | 56.25    |           |
| Infiniti Drilling, Consulting                     | 223       | B.Collum, Soil Sampler | 2.0  |       | 600.00    | 1,200.00 |           |
|   |           |                        |      |       |           |          | 4,181.25  |
| Off-site  | Invoice # |                        | Days | Hrs   | Rate      | Total    |           |
| Infiniti Drilling, Consulting                     | 224       | K.Whitehead, P. Geo    |      | 27.00 | 81.25     | 2,193.75 |           |
| Pelly River Ventures, Consulting                  | 1224      | B.Macdonald, Geologist |      | 11.00 | 45.00     | 495.00   |           |
| Infiniti Drilling, Kristian Whitehead, P.Geo      | 224       | Labour, Office         | 1.0  |       | 530.00    | 530.00   |           |
|   |           |                        |      |       |           |          | 3,218.75  |
| Assaying  |           |                        |      |       | Rate      | Total    |           |
| ALS Global Labs assays & processing               |           |                        |      |       | Total job | 2,347.01 |           |
|   |           |                        |      |       |           |          | 2,347.01  |
| Transportation                                    |           |                        |      |       | Rate      | Total    |           |
| Helicopter  | 19234     | Highland Helicopters   |      |       | Total job | 2,238.53 |           |
| Other Transportation (Taxi / Flights)             |           |                        |      |       | Total job | 1,277.32 |           |
|   |           |                        |      |       |           |          | 2,238.53  |
| Accommodation & Food                              |           |                        |      |       | Rate      | Total    |           |
| Includes : Coast Hotel, Williams's Lake (1 Night) |           |                        |      |       | Total job | 392.76   |           |
| as well as individual hotel and food              |           |                        |      |       |           |          | 392.76    |
| Miscellaneous                                     |           |                        |      |       | Rate      | Total    |           |
| Supplies, Telephone, Courier, Shippers, etc.      |           |                        |      |       | Total job | 6,139.47 |           |
| Field Equipment Rental                            |           |                        |      |       | Total job | 650.00   |           |
|   |           |                        |      |       |           |          | 6,789.47  |
|   |           |                        |      |       |           |          | 19,167.77 |

**Total Eureka Resources Expenditure:**

**\$19,167.77**

## 6. Certificate of Author

I, Kristian Lorne Whitehead, B.Sc., P.Geo do hereby certify that:

- I am a Consulting Geologist for:  
Eureka Resources Inc.  
355 Burrard Street  
Vancouver, British Columbia, V6C 2G8
- I am a graduate of the University of Victoria (B.Sc. Earth and Ocean Science 2004).
- I am a member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia (Member # 143255).

4. I have practiced my profession in the mineral exploration continuously since April 2002. I have worked as an exploration project geologist with StrataGold Corporation based in Vancouver, BC from April 2003 to February 2008. February 2008 to January 2010 Hawthorne Gold Corporation as a Senior Project Geologist. January 2010 to January 2011 Fire River Gold Corporation as a Senior Project Geologist. January 2011 to May 2011 as a Project Manager for Copper Creek Gold Corporation. May 2011 to November 2011 as a Senior Advisor, Hunter Dickinson Inc., November 2011 to 2013 as VP of Exploration Copper Creek Gold Corporation.
5. I have been involved with the exploration of the property that is the subject of the Assessment Report since mid February 2008. During the period of mid February 2008 until current I oversaw the exploration programs on the property during the exploration season, reviewed and interpreted data, and recommended future plans and budgets for the property. My last visit to the property was on April 27, 2015.
6. I have had prior involvement with the property that is subject of the Assessment Report.
7. I am responsible for the assessment report titled "**Regional Geochemical Sampling Program Assessment Report for Spring 2015 Frasergold Property, Williams Lake Area, British Columbia**" and dated May 20th, 2015.
8. As of the date of this Certificate, to my knowledge, information and belief, this Assessment Report contains all scientific and technical information that is required to be disclosed to make the assessment report not misleading.
9. I am currently independently employed as a professional geologist, and own shares of Eureka Resources Inc.

Dated this 5 day of June, 2015.

"Kristian Whitehead"



---

Signature

Kristian Lorne Whitehead, Bsc., P.Geol.

## **7. Bibliography**

Dave Rhys, Panterra Geoservices inc., Memo to Michael Redfearn, Gordon Addie, Sheri Burt and Sam Slaney regarding Frasergold property field observations and report review, September 10, 2007.

Geoffrey Goodall, Global Geological Services Incorporated, and K.V. Campbell, Earth Resource Surveys Incorporated. NI 43-101 Technical Report SUMMARY REPORT AND EXPLORATION PROPOSAL ON THE FRASERGOLD PROJECT, Cariboo Mining Division, BC, January 29, 2007 amended March 27, 2007.

Eureka Resources Inc. website, news releases and property descriptions.



J. Sparling, Hawthorne Gold Corporation, and K.V. Campbell, Earth Resource Surveys Incorporated. NI 43-101 Technical Report SUMMARY REPORT AND EXPLORATION PROPOSAL ON THE FRASERGOLD PROJECT, Cariboo Mining Division, BC, January 31, 2008.

**Appendix A- Regional Sample Locations and Au, Ag & Cu Assay Values**


| Job Number   | Sample Assay ID | Sample Number | Grid             | Easting NAD83 | Northing NAD83 | Au ppm | Ag ppm | Cu ppm |
|--|-----------------|---------------|------------------|---------------|----------------|--------|--------|--------|
| <b>Weakly Anomalous:</b><br><b>Possibly Anomalous:</b><br><b>Probably Anomalous:</b><br><b>Definitely Anomalous:</b><br><b>Strongly Anomalous:</b> |                 |               |                  |               |                | >0.050 |        | <100   |
|  |                 |               |                  |               |                | <0.100 |        | <150   |
|  |                 |               |                  |               |                | <0.200 |        | <500   |
|  |                 |               |                  |               |                | <0.500 |        | >500   |
|  |                 |               |                  |               |                | >0.500 |        |        |
| VA15062445   | Q383802         | 50            | 18 ppm Extension | 664150        | 5799100        | 0.011  | 0.675  | 93.2   |
| VA15062445   | Q383803         | 49            | 18 ppm Extension | 664200        | 5799100        | 0.021  | 1.070  | 140.0  |
| VA15062445   | Q383804         | 48            | 18 ppm Extension | 664250        | 5799100        | 0.042  | 0.615  | 62.3   |
| VA15062445   | Q383805         | 67            | 18 ppm Extension | 664250        | 5799200        | 0.007  | 1.425  | 38.2   |
| VA15062445   | Q383806         | 68            | 18 ppm Extension | 664200        | 5799200        | 0.436  | 0.329  | 29.0   |
| VA15062445   | Q383807         | 69            | 18 ppm Extension | 664150        | 5799200        | 0.005  | 0.705  | 200.0  |
| VA15062445   | Q383808         | 70            | 18 ppm Extension | 664100        | 5799200        | 0.005  | 2.080  | 60.4   |
| VA15062445   | Q383809         | 71            | 18 ppm Extension | 664050        | 5799200        | 0.013  | 1.215  | 178.0  |
| VA15062445   | Q383810         | 72            | 18 ppm Extension | 664000        | 5799200        | 0.001  | 0.872  | 14.1   |
| VA15062445   | Q383811         | 73            | 18 ppm Extension | 663950        | 5799200        | 0.005  | 0.676  | 92.9   |
| VA15062445   | Q383812         | 74            | 18 ppm Extension | 663900        | 5799200        | 0.008  | 0.500  | 53.2   |
| VA15062445   | Q383813         | 75            | 18 ppm Extension | 663850        | 5799200        | 0.014  | 0.291  | 35.1   |
| VA15062445   | Q383814         | 76            | 18 ppm Extension | 663800        | 5799200        | 0.010  | 0.837  | 123.0  |
| VA15062445   | Q383815         | 57            | 18 ppm Extension | 663800        | 5799100        | 0.001  | 0.164  | 30.5   |
| VA15062445   | Q383816         | 56            | 18 ppm Extension | 663850        | 5799100        | 0.004  | 0.669  | 87.3   |
| VA15062445   | Q383817         | 55            | 18 ppm Extension | 663900        | 5799100        | 0.016  | 1.015  | 64.0   |
| VA15062445   | Q383818         | 54            | 18 ppm Extension | 663950        | 5799100        | 0.011  | 6.100  | 56.2   |
| VA15062445   | Q383819         | 53            | 18 ppm Extension | 664000        | 5799100        | 1.525  | 11.000 | 151.5  |
| VA15062445   | Q383820         | 52            | 18 ppm Extension | 664050        | 5799100        | 0.007  | 0.377  | 46.5   |
| VA15062445   | Q383821         | 51            | 18 ppm Extension | 664100        | 5799100        | 0.002  | 0.992  | 18.0   |
| VA15062445   | Q383822         | 91            | 18 ppm Extension | 664000        | 5799300        | 0.010  | 1.100  | 144.0  |
| VA15062445   | Q383823         | 90            | 18 ppm Extension | 664050        | 5799300        | 0.001  | 0.970  | 21.9   |
| VA15062445   | Q383824         | 89            | 18 ppm Extension | 664100        | 5799300        | 0.002  | 3.510  | 46.8   |
| VA15062445   | Q383825         | 88            | 18 ppm Extension | 664150        | 5799300        | 0.012  | 0.672  | 53.6   |
| VA15062445   | Q383826         | 87            | 18 ppm Extension | 664200        | 5799300        | 0.007  | 0.486  | 11.3   |

|            |         |    |                  |        |         |              |        |       |
|------------|---------|----|------------------|--------|---------|--------------|--------|-------|
| VA15062445 | Q383827 | 86 | 18 ppm Extension | 664250 | 5799300 | 0.005        | 0.563  | 5.1   |
| VA15062445 | Q383828 | 85 | 18 ppm Extension | 664300 | 5799300 | 0.004        | 0.402  | 43.1  |
| VA15062445 | Q383829 | 84 | 18 ppm Extension | 664350 | 5799300 | 0.001        | 0.599  | 6.0   |
| VA15062459 | Q383858 | 10 | 18 ppm Extension | 664250 | 5798900 | <b>0.005</b> | 1.445  | 31.6  |
| VA15062459 | Q383859 | 9  | 18 ppm Extension | 664300 | 5798900 | <b>0.007</b> | 0.964  | 38.2  |
| VA15062459 | Q383860 | 8  | 18 ppm Extension | 664350 | 5798900 | <b>0.002</b> | 1.070  | 16.8  |
| VA15062459 | Q383861 | 7  | 18 ppm Extension | 664400 | 5798900 | <b>0.013</b> | 1.155  | 26.1  |
| VA15062459 | Q383862 | 6  | 18 ppm Extension | 664450 | 5798900 | <b>0.007</b> | 1.285  | 23.1  |
| VA15062459 | Q383863 | 5  | 18 ppm Extension | 664500 | 5798900 | <b>0.002</b> | 1.360  | 129.0 |
| VA15062459 | Q383864 | 4  | 18 ppm Extension | 664550 | 5798900 | <b>0.001</b> | 1.575  | 54.3  |
| VA15062459 | Q383865 | 3  | 18 ppm Extension | 664600 | 5798900 | <b>0.001</b> | 6.980  | 35.7  |
| VA15062459 | Q383866 | 2  | 18 ppm Extension | 664650 | 5798900 | <b>0.017</b> | 0.605  | 26.7  |
| VA15062459 | Q383867 | 1  | 18 ppm Extension | 664700 | 5798900 | <b>0.010</b> | 1.570  | 89.7  |
| VA15062459 | Q383868 | 20 | 18 ppm Extension | 664700 | 5799000 | <b>0.003</b> | 1.045  | 195.0 |
| VA15062459 | Q383869 | 21 | 18 ppm Extension | 664650 | 5799000 | <b>0.016</b> | 1.770  | 87.8  |
| VA15062459 | Q383870 | 22 | 18 ppm Extension | 664600 | 5799000 | <b>0.015</b> | 7.960  | 55.9  |
| VA15062459 | Q383871 | 23 | 18 ppm Extension | 664550 | 5799000 | <b>0.003</b> | 1.095  | 70.2  |
| VA15062459 | Q383872 | 24 | 18 ppm Extension | 664500 | 5799000 | 0.002        | 1.395  | 22.0  |
| VA15062459 | Q383873 | 25 | 18 ppm Extension | 664450 | 5799000 | 0.004        | 16.250 | 79.6  |
| VA15062459 | Q383874 | 26 | 18 ppm Extension | 664400 | 5799000 | 0.003        | 5.250  | 49.1  |
| VA15062459 | Q383875 | 27 | 18 ppm Extension | 664350 | 5799000 | 0.039        | 0.702  | 52.1  |
| VA15062459 | Q383876 | 28 | 18 ppm Extension | 664300 | 5799000 | <b>0.005</b> | 1.945  | 46.1  |
| VA15062459 | Q383877 | 29 | 18 ppm Extension | 664250 | 5799000 | <b>0.009</b> | 1.355  | 48.0  |
| VA15062459 | Q383878 | 30 | 18 ppm Extension | 664200 | 5799000 | 0.010        | 1.430  | 37.6  |
| VA15062459 | Q383879 | 31 | 18 ppm Extension | 664150 | 5799000 | 0.005        | 5.330  | 55.7  |
| VA15062459 | Q383880 | 32 | 18 ppm Extension | 664100 | 5799000 | 0.006        | 3.820  | 132.0 |
| VA15062459 | Q383881 | 33 | 18 ppm Extension | 664050 | 5799000 | <b>0.014</b> | 1.080  | 43.1  |
| VA15062459 | Q383882 | 34 | 18 ppm Extension | 664000 | 5799000 | 0.357        | 0.604  | 16.3  |
| VA15062459 | Q383883 | 35 | 18 ppm Extension | 663950 | 5799000 | 0.002        | 1.125  | 27.6  |
| VA15062459 | Q383884 | 36 | 18 ppm Extension | 663900 | 5799000 | 0.006        | 0.228  | 33.9  |
| VA15062459 | Q383885 | 37 | 18 ppm Extension | 663850 | 5799000 | 0.004        | 1.210  | 28.9  |
| VA15062459 | Q383886 | 38 | 18 ppm Extension | 663800 | 5799000 | 0.003        | 0.165  | 50.4  |
| VA15062459 | Q383887 | 19 | 18 ppm Extension | 663800 | 5798900 | <b>0.001</b> | 0.709  | 59.6  |
| VA15062459 | Q383888 | 18 | 18 ppm Extension | 663850 | 5798900 | <b>0.015</b> | 2.520  | 20.8  |
| VA15062459 | Q383889 | 17 | 18 ppm Extension | 663900 | 5798900 | <b>0.010</b> | 0.674  | 29.6  |
| VA15062459 | Q383890 | 16 | 18 ppm Extension | 663950 | 5798900 | 0.008        | 0.426  | 25.6  |
| VA15062459 | Q383891 | 15 | 18 ppm Extension | 664000 | 5798900 | 0.012        | 5.260  | 29.8  |
| VA15062459 | Q383892 | 14 | 18 ppm Extension | 664050 | 5798900 | 0.018        | 2.770  | 66.8  |


|            |         |     |                  |        |         |              |       |              |
|------------|---------|-----|------------------|--------|---------|--------------|-------|--------------|
| VA15062459 | Q383893 | 13  | 18 ppm Extension | 664100 | 5798900 | 0.024        | 0.221 | <b>47.3</b>  |
| VA15062459 | Q383894 | 12  | 18 ppm Extension | 664150 | 5798900 | 0.014        | 0.445 | 30.7         |
| VA15062459 | Q383895 | 11  | 18 ppm Extension | 664200 | 5798900 | 0.007        | 0.865 | <b>20.1</b>  |
| VA15062459 | Q383896 | 92  | 18 ppm Extension | 663950 | 5799300 | <b>0.008</b> | 0.868 | <b>28.6</b>  |
| VA15062459 | Q383897 | 93  | 18 ppm Extension | 663900 | 5799300 | <b>0.012</b> | 1.305 | 70.6         |
| VA15062459 | Q383898 | 94  | 18 ppm Extension | 663850 | 5799300 | <b>0.406</b> | 0.981 | 48.2         |
| VA15062459 | Q383899 | 95  | 18 ppm Extension | 663800 | 5799300 | 0.008        | 1.500 | <b>135.0</b> |
| VA15062459 | Q383900 | 113 | 18 ppm Extension | 663850 | 5799400 | 0.027        | 1.100 | <b>87.8</b>  |
| VA15062459 | Q383852 | 1   | Camp1            | 660409 | 5802854 | 0.001        | 0.374 | <b>21.6</b>  |
| VA15062459 | Q383853 | 2   | Camp2            | 660382 | 5802869 | 0.002        | 0.543 | <b>23.1</b>  |
| VA15062459 | Q383854 | 3   | Camp3            | 660372 | 5802888 | 0.001        | 0.635 | <b>31.9</b>  |
| VA15062459 | Q383855 | 4   | Camp4            | 660327 | 5802913 | 0.000        | 0.386 | <b>26.2</b>  |
| VA15062459 | Q383856 | 5   | Camp5            | 660310 | 5802891 | 0.001        | 0.345 | <b>26.4</b>  |
| VA15062459 | Q383857 | 6   | Camp6            | 660300 | 5802872 | 0.001        | 0.785 | <b>12.4</b>  |

Appendix B: Regional Sampling Grid Maps with Au and Cu Assay Values

18PPM Extension Grid (Sample ID's)



# Gold in Soils



NAD83 Zone 10N

5799500

5799000

579

579

5797500

663500

664000

664500

## Legend

18 ppm Extension Gold (ppb)

- ◊ 0 - 5
- ◆ 5 - 10
- ◇ 10 - 20
- ◇ 20 - 50
- ◇ 50 - 100
- ◆ 100 +


2012 Soil Samples Gold (ppb)

- ◻ 0 - 5
- 5 - 10
- 10 - 20
- 20 - 50
- 50 - 100
- 100 +


0 100 200 300 400 500 m




Q283899  
Q283898  
Q283897  
Q283896  
Q283822  
Q283823  
Q283824  
Q283825  
Q283826  
Q283827  
Q283828  
Q283829  
Q283814  
Q283813  
Q283812  
Q283811  
Q283810  
Q283809  
Q283808  
Q283807  
Q283806  
Q283805  
Q283815  
Q283816  
Q283817  
Q283818  
Q283819  
Q283820  
Q283821  
Q283802  
Q283803  
Q283804  
Q283886  
Q283885  
Q283884  
Q283883  
Q283882  
Q283881  
Q283880  
Q283879  
Q283878  
Q283877  
Q283876  
Q283875  
Q283874  
Q283873  
Q283872  
Q283871  
Q283870  
Q283869  
Q283868  
Q283887  
Q283888  
Q283889  
Q283890  
Q283891  
Q283892  
Q283893  
Q283894  
Q283895  
Q283858  
Q283859  
Q283860  
Q283861  
Q283862  
Q283863  
Q283864  
Q283865  
Q283866  
Q283867



**18PPM Extension Grid (Au Values)**



# Gold in Soils



NAD83 Zone 10N

5799500

5799000

579

579

5797500

663500

664000

664500

## Legend


### 18 ppm Extension Gold (ppb)

- ◊ 0 - 5
- ◆ 5 - 10
- ◇ 10 - 20
- ◇ 20 - 50
- ◇ 50 - 100
- ◆ 100 +


### 2012 Soil Samples Gold (ppb)

- ◻ 0 - 5
- 5 - 10
- 10 - 20
- 20 - 50
- 50 - 100
- 100 +

0 100 200 300 400 500 m




**18PPM Extension Grid (Cu Values)**





# Copper in Soils



NAD83 Zone 10N

5799500

5799000

**Legend**

18ppm Ext Soil Samples Cu (ppm)

- 0 - 25
- 25 - 50
- 50 - 100
- 100 - 250
- 250 - 500
- 500 +

2012 Soil Samples Cu (ppm)

- 0 - 25
- 25 - 50
- 50 - 100
- 100 - 250
- 250 - 500
- 500 +


5797500

663500


664000

664500


0 100 200 300 400 500 m




Camp Grid (Sample ID's)



Camp Gold Grid (Au Values)



# Gold in Soils



5803000

## Legend

Camp Samples (Au ppb)

- ◊ 0 - 5
- ◆ 5 - 10
- ◊ 10 - 20
- ◆ 20 - 50
- ◆ 50 - 100
- ◆ 100 +


Q383855  
Q383856  
Q383857  
Q383854  
Q383853  
Q383852

5802500


0 100 200 300 400 500 m

6600000



6605000



Camp Copper Grid (Cu Values)



# Copper in Soils



**Legend**

Camp Samples (Cu ppm)

- 0 - 25
- 25 - 50
- 50 - 100
- 100 - 250
- 250 - 500
- 500 +

● 26.2  
● 26.4  
○ 12.4  
● 31.9  
○ 23.1  
○ 21.6

0 100 200 300 400 500 m





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 This copy reported on  
 8- MAY- 2015  
 Account: INDRCO

**CERTIFICATE VA15062459**

Project: Soil Sample Prog.for Precious

This report is for 50 Soil samples submitted to our lab in Vancouver, BC, Canada on 29- APR- 2015.

The following have access to data associated with this certificate:

|                   |                 |                    |
|-------------------|-----------------|--------------------|
| BRANDON MACDONALD | LAWRENCE ONEILL | KRISTIAN WHITEHEAD |
|-------------------|-----------------|--------------------|

| SAMPLE PREPARATION |                                 |
|--------------------|---------------------------------|
| ALS CODE           | DESCRIPTION                     |
| WEI- 21            | Received Sample Weight          |
| LOG- 22            | Sample login - Rcd w/o BarCode  |
| SCR- 41            | Screen to - 180um and save both |
| LOG- 24            | Pulp Login - Rcd w/o Barcode    |

| ANALYTICAL PROCEDURES |                                |            |
|-----------------------|--------------------------------|------------|
| ALS CODE              | DESCRIPTION                    | INSTRUMENT |
| ME- OG46              | Ore Grade Elements - AquaRegia | ICP- AES   |
| Zn- OG46              | Ore Grade Zn - Aqua Regia      | VARIABLE   |
| ME- MS41L             | Super Trace AR by ICP- MS      |            |

To: INFINITI DRILLING CORPORATION  
 ATTN: KRISTIAN WHITEHEAD  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method  | WEI- 21   | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |
|--------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    | Analyte | Recvd Wt. | Au        | Ag        | Al        | As        | B         | Ba        | Be        | Bi        | Ca        | Cd        | Ce        | Co        | Cr        | Cs        |
|                    | Units   | kg        | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       |
|                    | LOR     | 0.02      | 0.0002    | 0.001     | 0.01      | 0.01      | 10        | 0.5       | 0.01      | 0.001     | 0.01      | 0.001     | 0.003     | 0.001     | 0.01      | 0.005     |
| Q383851            |         | 0.08      | 0.353     | 60.8      | 1.62      | 47.4      | 10        | 95.6      | 0.28      | 9.43      | 0.79      | 58.4      | 21.5      | 48.2      | 32.4      | 1.045     |
| Q383852            |         | 0.64      | 0.0006    | 0.374     | 2.60      | 2.93      | <10       | 44.4      | 0.64      | 0.459     | 0.10      | 0.433     | 18.05     | 13.05     | 45.3      | 2.08      |
| Q383853            |         | 0.46      | 0.0020    | 0.543     | 1.69      | 2.05      | <10       | 68.3      | 0.50      | 0.283     | 0.11      | 0.456     | 19.70     | 10.80     | 33.2      | 1.800     |
| Q383854            |         | 0.58      | 0.0007    | 0.635     | 2.60      | 2.90      | <10       | 81.9      | 0.68      | 0.352     | 0.14      | 0.412     | 18.90     | 16.85     | 74.4      | 2.59      |
| Q383855            |         | 0.70      | 0.0004    | 0.386     | 1.46      | 3.49      | <10       | 47.9      | 0.30      | 0.491     | 0.11      | 0.282     | 16.80     | 12.90     | 40.0      | 2.18      |
| Q383856            |         | 0.54      | 0.0006    | 0.345     | 2.08      | 3.25      | <10       | 39.6      | 0.45      | 0.502     | 0.07      | 0.316     | 17.15     | 10.45     | 44.1      | 1.680     |
| Q383857            |         | 0.42      | 0.0008    | 0.785     | 0.98      | 2.58      | <10       | 39.7      | 0.24      | 0.495     | 0.14      | 0.249     | 14.40     | 10.15     | 30.4      | 0.773     |
| Q383858            |         | 0.64      | 0.0050    | 1.445     | 0.73      | 19.55     | <10       | 47.9      | 0.11      | 0.372     | 0.17      | 0.507     | 22.1      | 7.74      | 27.2      | 0.595     |
| Q383859            |         | 0.54      | 0.0070    | 0.964     | 0.98      | 10.30     | <10       | 43.1      | 0.17      | 0.222     | 0.20      | 0.483     | 16.60     | 7.46      | 26.2      | 0.591     |
| Q383860            |         | 0.52      | 0.0018    | 1.070     | 0.47      | 5.23      | <10       | 55.1      | 0.07      | 0.245     | 0.17      | 0.303     | 14.25     | 4.56      | 12.45     | 0.272     |
| Q383861            |         | 0.48      | 0.0128    | 1.155     | 0.66      | 8.51      | <10       | 39.8      | 0.14      | 0.278     | 0.09      | 0.477     | 13.75     | 7.27      | 15.60     | 0.447     |
| Q383862            |         | 0.54      | 0.0065    | 1.285     | 0.55      | 3.48      | <10       | 46.2      | 0.07      | 0.334     | 0.04      | 0.310     | 22.2      | 5.22      | 12.50     | 0.658     |
| Q383863            |         | 0.54      | 0.0017    | 1.360     | 1.28      | 4.79      | <10       | 36.7      | 0.31      | 0.439     | 0.03      | 0.948     | 14.70     | 18.05     | 22.6      | 0.571     |
| Q383864            |         | 0.68      | 0.0013    | 1.575     | 0.49      | 6.92      | <10       | 69.4      | 0.10      | 0.376     | 0.04      | 0.499     | 14.10     | 6.60      | 12.95     | 0.562     |
| Q383865            |         | 0.66      | 0.0013    | 6.98      | 0.60      | 4.05      | <10       | 51.0      | 0.14      | 0.392     | 0.11      | 0.557     | 13.90     | 7.98      | 11.40     | 1.080     |
| Q383866            |         | 0.62      | 0.0174    | 0.605     | 0.78      | 11.60     | <10       | 45.4      | 0.12      | 0.415     | 0.05      | 0.406     | 21.1      | 12.80     | 26.6      | 0.770     |
| Q383867            |         | 0.66      | 0.0097    | 1.570     | 1.10      | 6.99      | <10       | 78.4      | 0.25      | 0.284     | 0.08      | 0.713     | 20.2      | 16.50     | 24.7      | 1.090     |
| Q383868            |         | 0.90      | 0.0032    | 1.045     | 0.94      | 4.17      | <10       | 48.1      | 0.29      | 0.477     | 0.06      | 2.15      | 18.85     | 26.4      | 19.35     | 1.005     |
| Q383869            |         | 0.60      | 0.0161    | 1.770     | 0.94      | 3.24      | <10       | 53.3      | 0.20      | 0.359     | 0.05      | 0.859     | 19.05     | 14.10     | 19.00     | 1.860     |
| Q383870            |         | 0.68      | 0.0146    | 7.96      | 1.21      | 2.70      | <10       | 53.1      | 0.24      | 0.338     | 0.04      | 0.731     | 15.45     | 11.30     | 24.5      | 1.340     |
| Q383871            |         | 0.66      | 0.0034    | 1.095     | 0.99      | 4.34      | <10       | 66.9      | 0.24      | 0.455     | 0.04      | 1.300     | 16.45     | 9.78      | 27.2      | 1.015     |
| Q383872            |         | 0.62      | 0.0024    | 1.395     | 0.23      | 2.24      | <10       | 28.1      | 0.04      | 0.162     | 0.04      | 0.235     | 15.10     | 4.60      | 8.36      | 0.856     |
| Q383873            |         | 0.58      | 0.0041    | 16.25     | 1.09      | 4.87      | <10       | 31.9      | 0.24      | 0.397     | 0.03      | 0.752     | 23.4      | 14.40     | 16.70     | 0.970     |
| Q383874            |         | 0.50      | 0.0025    | 5.25      | 0.62      | 0.78      | <10       | 105.0     | 0.19      | 0.071     | 2.72      | 23.0      | 5.34      | 3.76      | 9.80      | 0.737     |
| Q383875            |         | 0.68      | 0.0393    | 0.702     | 1.27      | 10.60     | <10       | 42.9      | 0.29      | 0.222     | 0.07      | 0.431     | 26.0      | 11.70     | 20.0      | 0.536     |
| Q383876            |         | 0.48      | 0.0054    | 1.945     | 1.29      | 9.62      | <10       | 106.0     | 0.28      | 0.245     | 0.50      | 1.525     | 19.90     | 16.60     | 28.8      | 1.040     |
| Q383877            |         | 0.42      | 0.0094    | 1.355     | 1.27      | 15.20     | <10       | 43.0      | 0.25      | 0.298     | 0.16      | 0.611     | 24.8      | 13.25     | 25.5      | 0.574     |
| Q383878            |         | 0.44      | 0.0098    | 1.430     | 1.35      | 8.85      | <10       | 119.0     | 0.30      | 0.282     | 0.09      | 0.690     | 24.4      | 12.25     | 30.6      | 0.913     |
| Q383879            |         | 0.66      | 0.0053    | 5.33      | 1.78      | 8.87      | <10       | 108.0     | 0.47      | 0.297     | 0.15      | 0.637     | 18.50     | 8.89      | 39.1      | 1.400     |
| Q383880            |         | 0.62      | 0.0056    | 3.82      | 2.72      | 13.55     | <10       | 298       | 0.85      | 0.327     | 0.36      | 4.19      | 37.7      | 37.0      | 45.9      | 2.70      |
| Q383881            |         | 0.74      | 0.0142    | 1.080     | 1.35      | 10.80     | <10       | 73.5      | 0.22      | 0.270     | 0.09      | 0.606     | 25.9      | 9.43      | 31.6      | 0.791     |
| Q383882            |         | 0.74      | 0.357     | 0.604     | 0.77      | 9.00      | <10       | 80.1      | 0.11      | 0.224     | 0.14      | 0.376     | 27.9      | 6.14      | 18.75     | 0.512     |
| Q383883            |         | 0.68      | 0.0022    | 1.125     | 0.76      | 8.91      | <10       | 66.8      | 0.09      | 0.181     | 0.12      | 0.225     | 24.1      | 9.27      | 21.1      | 0.867     |
| Q383884            |         | 0.76      | 0.0059    | 0.228     | 1.16      | 17.65     | <10       | 51.8      | 0.16      | 0.248     | 0.09      | 0.361     | 37.8      | 9.30      | 24.6      | 0.416     |
| Q383885            |         | 0.68      | 0.0038    | 1.210     | 0.99      | 15.30     | <10       | 45.3      | 0.15      | 0.240     | 0.04      | 0.287     | 29.7      | 7.55      | 23.1      | 0.717     |
| Q383886            |         | 0.60      | 0.0032    | 0.165     | 1.21      | 15.20     | <10       | 109.5     | 0.25      | 0.229     | 0.11      | 0.295     | 30.4      | 11.75     | 28.9      | 0.811     |
| Q383887            |         | 0.40      | 0.0011    | 0.709     | 0.92      | 6.31      | <10       | 61.2      | 0.06      | 0.090     | 0.39      | 0.182     | 6.25      | 14.95     | 43.0      | 0.423     |
| Q383888            |         | 0.42      | 0.0145    | 2.52      | 1.10      | 8.28      | <10       | 53.1      | 0.10      | 0.202     | 0.12      | 0.127     | 18.70     | 6.96      | 31.6      | 0.864     |
| Q383889            |         | 0.60      | 0.0097    | 0.674     | 1.51      | 15.00     | <10       | 91.5      | 0.24      | 0.259     | 0.12      | 0.488     | 28.7      | 9.64      | 35.6      | 0.977     |
| Q383890            |         | 0.78      | 0.0081    | 0.426     | 1.16      | 11.10     | <10       | 100.5     | 0.28      | 0.258     | 0.08      | 0.345     | 32.1      | 13.05     | 22.2      | 1.090     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb        |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       |
| Q383851            |                          | 6850      | 4.53      | 8.31      | 0.106     | 0.279     | 1.510     | 7.97      | 0.20      | 10.00     | 11.7      | 0.95      | 478       | 27.2      | 0.086     | 0.328     |
| Q383852            |                          | 21.6      | 3.87      | 6.03      | 0.054     | 0.022     | 0.081     | 0.024     | 0.10      | 9.23      | 18.2      | 0.44      | 556       | 2.66      | 0.007     | 2.78      |
| Q383853            |                          | 23.1      | 2.94      | 5.44      | 0.038     | 0.007     | 0.086     | 0.021     | 0.07      | 9.49      | 15.9      | 0.39      | 533       | 2.28      | 0.008     | 2.37      |
| Q383854            |                          | 31.9      | 3.76      | 5.50      | 0.050     | 0.036     | 0.049     | 0.027     | 0.16      | 9.96      | 24.6      | 0.66      | 399       | 3.05      | 0.009     | 3.20      |
| Q383855            |                          | 26.2      | 4.46      | 8.85      | 0.059     | 0.012     | 0.029     | 0.018     | 0.12      | 8.08      | 14.0      | 0.53      | 224       | 4.45      | 0.008     | 5.06      |
| Q383856            |                          | 26.4      | 5.06      | 8.78      | 0.054     | 0.020     | 0.071     | 0.030     | 0.09      | 9.21      | 14.8      | 0.44      | 197.5     | 3.81      | 0.009     | 5.01      |
| Q383857            |                          | 12.40     | 4.31      | 13.95     | 0.049     | 0.172     | 0.038     | 0.020     | 0.05      | 7.14      | 3.4       | 0.33      | 390       | 4.47      | 0.011     | 14.20     |
| Q383858            |                          | 31.6      | 4.48      | 6.58      | 0.048     | 0.004     | 0.118     | 0.026     | 0.03      | 10.85     | 4.2       | 0.20      | 348       | 4.55      | 0.006     | 0.460     |
| Q383859            |                          | 38.2      | 3.96      | 2.74      | 0.044     | 0.009     | 0.131     | 0.028     | 0.03      | 8.26      | 9.0       | 0.30      | 218       | 4.70      | 0.006     | 0.306     |
| Q383860            |                          | 16.75     | 2.46      | 4.35      | 0.027     | <0.002    | 0.093     | 0.011     | 0.06      | 7.23      | 2.3       | 0.11      | 515       | 5.43      | 0.006     | 0.186     |
| Q383861            |                          | 26.1      | 3.37      | 3.93      | 0.030     | 0.002     | 0.063     | 0.020     | 0.03      | 6.78      | 4.3       | 0.16      | 546       | 6.70      | 0.006     | 0.147     |
| Q383862            |                          | 23.1      | 2.72      | 6.81      | 0.032     | <0.002    | 0.065     | 0.015     | 0.03      | 11.00     | 3.0       | 0.07      | 188.0     | 15.85     | 0.006     | 0.549     |
| Q383863            |                          | 129.0     | 8.92      | 5.14      | 0.067     | 0.031     | 0.109     | 0.058     | 0.03      | 7.12      | 8.8       | 0.24      | 875       | 45.9      | 0.005     | 0.411     |
| Q383864            |                          | 54.3      | 5.37      | 5.91      | 0.052     | <0.002    | 0.077     | 0.034     | 0.05      | 7.65      | 2.6       | 0.07      | 977       | 36.4      | 0.007     | 0.200     |
| Q383865            |                          | 35.7      | 4.89      | 4.78      | 0.041     | <0.002    | 0.113     | 0.038     | 0.04      | 6.20      | 3.7       | 0.10      | 800       | 40.1      | 0.004     | 0.281     |
| Q383866            |                          | 26.7      | 5.22      | 6.42      | 0.050     | 0.002     | 0.073     | 0.027     | 0.03      | 10.20     | 4.8       | 0.13      | 1530      | 6.92      | 0.005     | 0.612     |
| Q383867            |                          | 89.7      | 3.55      | 3.40      | 0.048     | 0.027     | 0.070     | 0.024     | 0.06      | 9.43      | 12.2      | 0.42      | 1650      | 7.48      | 0.004     | 0.203     |
| Q383868            |                          | 195.0     | 4.95      | 2.79      | 0.068     | 0.026     | 0.063     | 0.045     | 0.04      | 9.22      | 7.6       | 0.31      | 1040      | 30.0      | 0.003     | 0.190     |
| Q383869            |                          | 87.8      | 4.29      | 3.15      | 0.060     | 0.011     | 0.087     | 0.030     | 0.05      | 8.99      | 8.2       | 0.35      | 829       | 11.80     | 0.003     | 0.165     |
| Q383870            |                          | 55.9      | 4.16      | 3.96      | 0.045     | 0.019     | 0.165     | 0.037     | 0.04      | 7.44      | 10.6      | 0.18      | 816       | 5.91      | 0.004     | 0.561     |
| Q383871            |                          | 70.2      | 4.79      | 5.34      | 0.054     | 0.004     | 0.076     | 0.030     | 0.05      | 8.12      | 9.7       | 0.41      | 360       | 25.5      | 0.004     | 0.283     |
| Q383872            |                          | 22.0      | 1.840     | 3.62      | 0.026     | <0.002    | 0.025     | 0.014     | 0.03      | 7.60      | 1.1       | 0.03      | 139.5     | 8.99      | 0.005     | 0.241     |
| Q383873            |                          | 79.6      | 5.73      | 3.55      | 0.067     | 0.020     | 0.105     | 0.054     | 0.03      | 9.80      | 7.8       | 0.19      | 556       | 36.4      | 0.005     | 0.219     |
| Q383874            |                          | 49.1      | 0.580     | 1.255     | 0.159     | 0.071     | 0.208     | 0.009     | 0.02      | 6.49      | 2.0       | 0.15      | 1290      | 7.68      | 0.009     | 0.166     |
| Q383875            |                          | 52.1      | 3.82      | 2.60      | 0.043     | 0.048     | 0.083     | 0.025     | 0.03      | 12.70     | 10.6      | 0.28      | 301       | 7.50      | 0.005     | 0.262     |
| Q383876            |                          | 46.1      | 3.33      | 3.34      | 0.041     | 0.040     | 0.106     | 0.027     | 0.08      | 10.40     | 13.5      | 0.49      | 1050      | 3.94      | 0.008     | 0.204     |
| Q383877            |                          | 48.0      | 3.56      | 2.88      | 0.052     | 0.014     | 0.110     | 0.026     | 0.03      | 11.25     | 11.2      | 0.38      | 498       | 6.16      | 0.006     | 0.226     |
| Q383878            |                          | 37.6      | 3.51      | 4.14      | 0.049     | 0.010     | 0.071     | 0.027     | 0.10      | 13.25     | 13.6      | 0.45      | 419       | 5.27      | 0.010     | 0.216     |
| Q383879            |                          | 55.7      | 4.08      | 5.68      | 0.047     | 0.007     | 0.185     | 0.046     | 0.09      | 9.89      | 11.8      | 0.28      | 392       | 8.07      | 0.009     | 0.292     |
| Q383880            |                          | 132.0     | 5.61      | 6.93      | 0.077     | 0.031     | 0.178     | 0.044     | 0.20      | 16.05     | 20.3      | 0.48      | 4450      | 7.51      | 0.016     | 0.178     |
| Q383881            |                          | 43.1      | 4.64      | 3.92      | 0.052     | 0.011     | 0.106     | 0.033     | 0.07      | 11.70     | 9.3       | 0.32      | 371       | 7.13      | 0.007     | 0.237     |
| Q383882            |                          | 16.25     | 3.16      | 4.72      | 0.052     | 0.002     | 0.056     | 0.021     | 0.05      | 13.80     | 5.7       | 0.21      | 502       | 3.73      | 0.008     | 0.268     |
| Q383883            |                          | 27.6      | 2.96      | 4.28      | 0.042     | <0.002    | 0.066     | 0.009     | 0.05      | 11.80     | 5.7       | 0.28      | 477       | 1.85      | 0.008     | 0.218     |
| Q383884            |                          | 33.9      | 4.01      | 4.78      | 0.057     | 0.003     | 0.045     | 0.027     | 0.06      | 18.40     | 11.2      | 0.42      | 345       | 2.87      | 0.011     | 0.255     |
| Q383885            |                          | 28.9      | 3.16      | 4.82      | 0.050     | <0.002    | 0.069     | 0.017     | 0.04      | 14.30     | 7.1       | 0.26      | 233       | 3.49      | 0.009     | 0.165     |
| Q383886            |                          | 50.4      | 3.75      | 4.27      | 0.051     | 0.003     | 0.035     | 0.019     | 0.06      | 14.95     | 11.9      | 0.41      | 420       | 3.37      | 0.008     | 0.161     |
| Q383887            |                          | 59.6      | 4.09      | 4.02      | 0.038     | 0.006     | 0.077     | 0.015     | 0.05      | 3.02      | 5.9       | 0.66      | 402       | 1.07      | 0.009     | 0.236     |
| Q383888            |                          | 20.8      | 3.67      | 5.42      | 0.049     | 0.013     | 0.102     | 0.017     | 0.03      | 9.28      | 8.5       | 0.37      | 274       | 2.39      | 0.006     | 0.493     |
| Q383889            |                          | 29.6      | 4.29      | 4.98      | 0.052     | 0.002     | 0.079     | 0.032     | 0.06      | 13.95     | 15.6      | 0.43      | 393       | 2.70      | 0.008     | 0.248     |
| Q383890            |                          | 25.6      | 3.43      | 5.16      | 0.048     | 0.004     | 0.072     | 0.027     | 0.08      | 14.65     | 9.9       | 0.26      | 1270      | 3.48      | 0.012     | 0.146     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |      |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te   |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm  |
| Q383851            |                          | 31.9      | 0.046     | 4190      | 0.003     | <0.002    | 7.93      | 0.011     | 2.84      | 65.2      | 4.38      | 4.0       | 185.0     | 32.0      | <0.005    | 0.10 |
| Q383852            |                          | 26.1      | 0.158     | 9.74      | 0.001     | <0.002    | 24.2      | <0.001    | 0.03      | 0.115     | 2.64      | 1.0       | 0.42      | 6.11      | 0.048     | 0.04 |
| Q383853            |                          | 25.2      | 0.120     | 7.92      | 0.001     | <0.002    | 17.75     | <0.001    | 0.03      | 0.088     | 2.06      | 0.7       | 0.47      | 8.03      | 0.021     | 0.04 |
| Q383854            |                          | 35.9      | 0.126     | 9.15      | 0.001     | <0.002    | 29.3      | <0.001    | 0.03      | 0.107     | 3.44      | 0.9       | 0.42      | 8.80      | 0.041     | 0.07 |
| Q383855            |                          | 26.5      | 0.085     | 12.60     | 0.001     | <0.002    | 26.9      | <0.001    | 0.03      | 0.117     | 2.99      | 1.2       | 0.65      | 7.92      | 0.024     | 0.08 |
| Q383856            |                          | 26.6      | 0.089     | 14.70     | <0.001    | <0.002    | 17.90     | <0.001    | 0.03      | 0.128     | 3.74      | 1.0       | 0.59      | 6.62      | 0.057     | 0.05 |
| Q383857            |                          | 17.10     | 0.108     | 13.60     | 0.001     | <0.002    | 7.76      | <0.001    | 0.03      | 0.096     | 1.705     | 0.6       | 1.39      | 9.07      | 0.072     | 0.05 |
| Q383858            |                          | 22.7      | 0.114     | 16.50     | 0.001     | <0.002    | 4.71      | <0.001    | 0.03      | 0.466     | 1.015     | 1.7       | 0.27      | 13.10     | <0.005    | 0.10 |
| Q383859            |                          | 31.4      | 0.092     | 13.00     | 0.002     | <0.002    | 3.29      | <0.001    | 0.03      | 0.309     | 1.080     | 1.7       | 0.13      | 12.55     | <0.005    | 0.09 |
| Q383860            |                          | 15.85     | 0.178     | 9.39      | 0.001     | <0.002    | 3.89      | <0.001    | 0.03      | 0.186     | 0.350     | 1.4       | 0.28      | 9.90      | <0.005    | 0.08 |
| Q383861            |                          | 23.8      | 0.225     | 13.45     | 0.001     | <0.002    | 3.69      | <0.001    | 0.03      | 0.415     | 0.510     | 1.6       | 0.18      | 8.05      | <0.005    | 0.12 |
| Q383862            |                          | 21.7      | 0.078     | 15.60     | <0.001    | <0.002    | 4.12      | <0.001    | 0.03      | 0.297     | 0.716     | 1.7       | 0.54      | 5.45      | <0.005    | 0.09 |
| Q383863            |                          | 86.7      | 0.168     | 36.4      | 0.002     | <0.002    | 2.98      | <0.001    | 0.05      | 0.839     | 1.435     | 4.8       | 0.27      | 4.26      | 0.006     | 0.23 |
| Q383864            |                          | 37.6      | 0.159     | 37.9      | <0.001    | <0.002    | 3.32      | <0.001    | 0.07      | 0.790     | 0.410     | 4.1       | 0.43      | 9.29      | <0.005    | 0.18 |
| Q383865            |                          | 59.0      | 0.128     | 16.75     | 0.001     | <0.002    | 7.65      | <0.001    | 0.04      | 0.517     | 0.495     | 3.9       | 0.29      | 11.75     | <0.005    | 0.15 |
| Q383866            |                          | 26.2      | 0.151     | 14.95     | <0.001    | <0.002    | 5.64      | <0.001    | 0.02      | 0.453     | 1.400     | 2.0       | 0.35      | 4.82      | <0.005    | 0.13 |
| Q383867            |                          | 81.5      | 0.110     | 12.50     | 0.002     | <0.002    | 7.67      | <0.001    | 0.02      | 0.454     | 1.795     | 3.6       | 0.16      | 6.44      | <0.005    | 0.19 |
| Q383868            |                          | 133.0     | 0.144     | 30.6      | 0.004     | <0.002    | 6.38      | <0.001    | 0.02      | 0.620     | 2.04      | 7.9       | 0.17      | 4.23      | <0.005    | 0.20 |
| Q383869            |                          | 87.1      | 0.124     | 19.35     | 0.002     | <0.002    | 9.70      | <0.001    | 0.02      | 0.970     | 0.926     | 5.5       | 0.19      | 3.70      | <0.005    | 0.21 |
| Q383870            |                          | 52.8      | 0.143     | 12.20     | 0.002     | <0.002    | 8.51      | <0.001    | 0.02      | 0.530     | 1.240     | 4.1       | 0.28      | 3.02      | 0.012     | 0.30 |
| Q383871            |                          | 79.2      | 0.144     | 21.0      | 0.003     | <0.002    | 8.71      | <0.001    | 0.02      | 0.486     | 1.395     | 6.7       | 0.28      | 3.78      | <0.005    | 0.17 |
| Q383872            |                          | 27.9      | 0.033     | 4.18      | <0.001    | <0.002    | 6.11      | <0.001    | 0.02      | 0.366     | 0.474     | 2.2       | 0.38      | 3.96      | <0.005    | 0.16 |
| Q383873            |                          | 65.8      | 0.128     | 23.3      | 0.001     | <0.002    | 4.60      | <0.001    | 0.02      | 0.550     | 1.255     | 4.0       | 0.17      | 4.44      | <0.005    | 0.16 |
| Q383874            |                          | 138.5     | 0.186     | 4.10      | 0.003     | <0.002    | 2.23      | 0.158     | 0.44      | 0.301     | 0.777     | 47.2      | 0.10      | 151.0     | 0.009     | 0.02 |
| Q383875            |                          | 36.3      | 0.094     | 11.05     | 0.001     | <0.002    | 3.42      | <0.001    | 0.02      | 0.420     | 1.575     | 1.9       | 0.13      | 5.38      | <0.005    | 0.10 |
| Q383876            |                          | 41.1      | 0.127     | 12.25     | 0.002     | <0.002    | 7.60      | 0.004     | 0.05      | 0.288     | 1.850     | 2.6       | 0.19      | 29.9      | <0.005    | 0.08 |
| Q383877            |                          | 34.8      | 0.100     | 12.25     | 0.001     | <0.002    | 4.12      | 0.001     | 0.02      | 0.474     | 1.940     | 2.1       | 0.15      | 10.50     | 0.005     | 0.08 |
| Q383878            |                          | 34.0      | 0.075     | 12.85     | 0.001     | <0.002    | 7.63      | <0.001    | 0.03      | 0.282     | 1.860     | 1.8       | 0.24      | 10.05     | <0.005    | 0.09 |
| Q383879            |                          | 26.9      | 0.115     | 12.90     | 0.003     | <0.002    | 9.05      | 0.002     | 0.05      | 0.259     | 1.260     | 2.5       | 0.39      | 14.10     | <0.005    | 0.09 |
| Q383880            |                          | 74.1      | 0.195     | 17.25     | 0.005     | <0.002    | 17.05     | 0.003     | 0.06      | 0.478     | 2.84      | 3.1       | 0.46      | 31.4      | <0.005    | 0.15 |
| Q383881            |                          | 32.1      | 0.174     | 16.10     | 0.001     | <0.002    | 6.20      | <0.001    | 0.02      | 0.326     | 1.280     | 2.8       | 0.18      | 7.45      | <0.005    | 0.14 |
| Q383882            |                          | 17.30     | 0.130     | 8.84      | <0.001    | <0.002    | 5.87      | <0.001    | 0.02      | 0.243     | 1.025     | 1.0       | 0.20      | 8.53      | <0.005    | 0.09 |
| Q383883            |                          | 15.70     | 0.076     | 8.09      | 0.001     | <0.002    | 4.41      | <0.001    | 0.03      | 0.271     | 0.982     | 0.5       | 0.30      | 8.59      | <0.005    | 0.06 |
| Q383884            |                          | 27.2      | 0.084     | 10.05     | 0.001     | <0.002    | 4.57      | <0.001    | 0.02      | 0.421     | 1.425     | 0.9       | 0.19      | 6.69      | <0.005    | 0.07 |
| Q383885            |                          | 20.9      | 0.073     | 9.26      | 0.001     | <0.002    | 4.89      | <0.001    | 0.03      | 0.374     | 0.772     | 0.8       | 0.24      | 6.71      | <0.005    | 0.07 |
| Q383886            |                          | 28.4      | 0.072     | 10.00     | 0.001     | <0.002    | 6.92      | <0.001    | 0.02      | 0.422     | 1.300     | 1.0       | 0.15      | 8.02      | <0.005    | 0.09 |
| Q383887            |                          | 24.9      | 0.057     | 5.32      | 0.005     | 0.002     | 3.91      | <0.001    | 0.04      | 0.453     | 2.79      | 0.4       | 0.18      | 22.7      | <0.005    | 0.09 |
| Q383888            |                          | 16.55     | 0.070     | 8.57      | 0.001     | <0.002    | 4.66      | <0.001    | 0.02      | 0.296     | 1.505     | 0.7       | 0.31      | 10.40     | <0.005    | 0.06 |
| Q383889            |                          | 22.7      | 0.055     | 14.55     | 0.001     | <0.002    | 6.13      | <0.001    | 0.02      | 0.339     | 1.210     | 1.1       | 0.27      | 10.20     | <0.005    | 0.06 |
| Q383890            |                          | 21.4      | 0.083     | 9.67      | <0.001    | <0.002    | 8.59      | <0.001    | 0.02      | 0.333     | 0.861     | 1.2       | 0.29      | 7.54      | <0.005    | 0.07 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method  | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | Zn- OG46 |
|--------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
|                    | Analyte | Th        | Ti        | Ti        | U         | V         | W         | Y         | Zn        | Zr        | Zn       |
| Units              |         | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | %        |
| LOR                |         | 0.002     | 0.001     | 0.002     | 0.005     | 0.1       | 0.001     | 0.003     | 0.1       | 0.01      | 0.001    |
| Q383851            |         | 3.70      | 0.131     | 1.640     | 1.330     | 57.2      | 34.0      | 8.08      | >10000    | 8.22      | 1.515    |
| Q383852            |         | 2.69      | 0.095     | 0.132     | 1.030     | 47.3      | 0.512     | 3.92      | 123.5     | 0.62      |          |
| Q383853            |         | 2.48      | 0.088     | 0.137     | 0.867     | 42.8      | 0.458     | 3.76      | 87.3      | 0.30      |          |
| Q383854            |         | 4.93      | 0.119     | 0.173     | 0.900     | 52.2      | 0.616     | 4.58      | 141.5     | 1.56      |          |
| Q383855            |         | 3.68      | 0.170     | 0.145     | 0.880     | 71.3      | 0.678     | 3.69      | 97.9      | 0.81      |          |
| Q383856            |         | 5.06      | 0.132     | 0.106     | 1.040     | 68.1      | 0.734     | 3.65      | 97.9      | 0.96      |          |
| Q383857            |         | 2.98      | 0.401     | 0.060     | 0.530     | 107.0     | 0.661     | 2.63      | 51.3      | 15.65     |          |
| Q383858            |         | 0.503     | 0.053     | 0.055     | 0.476     | 57.5      | 0.128     | 1.670     | 68.1      | 0.31      |          |
| Q383859            |         | 0.811     | 0.021     | 0.047     | 0.697     | 23.3      | 0.089     | 2.80      | 92.0      | 0.29      |          |
| Q383860            |         | 0.130     | 0.020     | 0.053     | 0.410     | 35.3      | 0.103     | 0.937     | 52.6      | 0.04      |          |
| Q383861            |         | 0.226     | 0.016     | 0.083     | 0.511     | 28.5      | 0.130     | 1.695     | 94.9      | 0.19      |          |
| Q383862            |         | 1.000     | 0.031     | 0.080     | 0.565     | 49.0      | 0.221     | 1.135     | 78.7      | 0.10      |          |
| Q383863            |         | 3.03      | 0.011     | 0.091     | 2.38      | 48.6      | 0.376     | 2.22      | 393       | 1.17      |          |
| Q383864            |         | 0.158     | 0.016     | 0.165     | 0.790     | 64.6      | 0.359     | 1.150     | 189.0     | 0.03      |          |
| Q383865            |         | 0.367     | 0.021     | 0.091     | 0.969     | 35.9      | 0.297     | 1.535     | 132.5     | 0.08      |          |
| Q383866            |         | 1.480     | 0.035     | 0.085     | 0.469     | 44.8      | 0.151     | 1.475     | 102.5     | 0.16      |          |
| Q383867            |         | 2.07      | 0.013     | 0.108     | 1.140     | 24.0      | 0.097     | 4.00      | 173.0     | 0.78      |          |
| Q383868            |         | 1.640     | 0.013     | 0.146     | 3.89      | 30.3      | 0.344     | 8.53      | 429       | 0.76      |          |
| Q383869            |         | 1.285     | 0.018     | 0.191     | 1.290     | 26.7      | 0.127     | 3.40      | 184.5     | 0.31      |          |
| Q383870            |         | 1.990     | 0.028     | 0.101     | 1.105     | 26.5      | 0.132     | 2.67      | 166.0     | 0.62      |          |
| Q383871            |         | 1.065     | 0.017     | 0.154     | 0.963     | 63.3      | 0.210     | 1.905     | 250       | 0.12      |          |
| Q383872            |         | 0.777     | 0.017     | 0.078     | 0.275     | 30.8      | 0.134     | 0.826     | 60.9      | 0.04      |          |
| Q383873            |         | 1.995     | 0.014     | 0.103     | 1.410     | 28.9      | 0.208     | 2.79      | 302       | 0.58      |          |
| Q383874            |         | 0.373     | 0.010     | 0.092     | 3.16      | 8.4       | 0.024     | 7.13      | 305       | 2.22      |          |
| Q383875            |         | 3.78      | 0.015     | 0.059     | 1.025     | 22.6      | 0.085     | 2.94      | 118.0     | 1.90      |          |
| Q383876            |         | 0.854     | 0.017     | 0.079     | 1.095     | 29.6      | 0.077     | 7.07      | 143.0     | 1.08      |          |
| Q383877            |         | 1.250     | 0.029     | 0.056     | 0.734     | 26.0      | 0.114     | 3.42      | 112.0     | 0.43      |          |
| Q383878            |         | 0.988     | 0.021     | 0.082     | 0.816     | 36.1      | 0.103     | 5.66      | 121.0     | 0.33      |          |
| Q383879            |         | 0.198     | 0.028     | 0.099     | 2.28      | 52.2      | 0.123     | 5.00      | 101.5     | 0.21      |          |
| Q383880            |         | 0.475     | 0.026     | 0.213     | 2.60      | 58.4      | 0.147     | 18.40     | 275       | 0.80      |          |
| Q383881            |         | 0.977     | 0.021     | 0.070     | 0.942     | 36.9      | 0.118     | 2.42      | 108.5     | 0.42      |          |
| Q383882            |         | 0.949     | 0.033     | 0.067     | 0.379     | 36.7      | 0.103     | 1.545     | 62.5      | 0.08      |          |
| Q383883            |         | 0.550     | 0.037     | 0.059     | 0.330     | 44.7      | 0.086     | 1.185     | 43.3      | 0.11      |          |
| Q383884            |         | 1.580     | 0.019     | 0.046     | 0.447     | 30.8      | 0.084     | 1.800     | 72.5      | 0.13      |          |
| Q383885            |         | 0.348     | 0.022     | 0.056     | 0.422     | 40.4      | 0.099     | 1.690     | 60.5      | 0.06      |          |
| Q383886            |         | 0.722     | 0.020     | 0.052     | 0.557     | 34.1      | 0.080     | 2.76      | 84.5      | 0.12      |          |
| Q383887            |         | 0.327     | 0.118     | 0.035     | 0.179     | 96.8      | 0.077     | 1.215     | 36.8      | 0.34      |          |
| Q383888            |         | 1.035     | 0.085     | 0.049     | 0.375     | 60.0      | 0.116     | 1.200     | 45.4      | 0.45      |          |
| Q383889            |         | 0.566     | 0.031     | 0.054     | 0.517     | 42.8      | 0.088     | 1.810     | 69.4      | 0.11      |          |
| Q383890            |         | 0.327     | 0.019     | 0.076     | 0.549     | 35.5      | 0.093     | 2.39      | 80.2      | 0.08      |          |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg | ME- MS41L Au ppm | ME- MS41L Ag ppm | ME- MS41L Al % | ME- MS41L As ppm | ME- MS41L B ppm | ME- MS41L Ba ppm | ME- MS41L Be ppm | ME- MS41L Bi ppm | ME- MS41L Ca % | ME- MS41L Cd ppm | ME- MS41L Ce ppm | ME- MS41L Co ppm | ME- MS41L Cr ppm | ME- MS41L Cs ppm |
|--------------------|--------------------------|----------------------|------------------|------------------|----------------|------------------|-----------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|
|                    |                          | 0.02                 | 0.0002           | 0.001            | 0.01           | 0.01             | 10              | 0.5              | 0.01             | 0.001            | 0.01           | 0.001            | 0.003            | 0.001            | 0.01             | 0.005            |
| Q383891            |                          | 0.74                 | 0.0120           | 5.26             | 1.08           | 10.30            | <10             | 80.1             | 0.21             | 0.240            | 0.05           | 0.612            | 29.0             | 8.98             | 23.3             | 0.815            |
| Q383892            |                          | 0.58                 | 0.0183           | 2.77             | 1.64           | 11.50            | <10             | 157.5            | 0.39             | 0.273            | 0.36           | 2.16             | 30.2             | 21.4             | 31.1             | 1.245            |
| Q383893            |                          | 0.60                 | 0.0240           | 0.221            | 1.33           | 10.15            | <10             | 103.0            | 0.26             | 0.241            | 0.11           | 0.636            | 25.0             | 9.32             | 29.0             | 0.677            |
| Q383894            |                          | 0.60                 | 0.0135           | 0.445            | 1.12           | 7.31             | <10             | 97.3             | 0.23             | 0.231            | 0.06           | 0.569            | 25.0             | 7.16             | 27.5             | 1.100            |
| Q383895            |                          | 0.70                 | 0.0067           | 0.865            | 0.61           | 10.60            | <10             | 39.6             | 0.09             | 0.234            | 0.07           | 0.241            | 24.3             | 5.11             | 16.50            | 0.595            |
| Q383896            |                          | 0.64                 | 0.0080           | 0.868            | 0.80           | 5.56             | <10             | 84.4             | 0.09             | 0.196            | 0.20           | 0.344            | 10.90            | 7.23             | 33.3             | 0.772            |
| Q383897            |                          | 0.62                 | 0.0122           | 1.305            | 1.65           | 8.08             | <10             | 156.5            | 0.35             | 0.220            | 0.65           | 0.941            | 19.20            | 17.80            | 66.4             | 1.075            |
| Q383898            |                          | 0.54                 | 0.406            | 0.981            | 1.30           | 8.35             | <10             | 156.5            | 0.21             | 0.198            | 0.55           | 0.370            | 17.30            | 18.85            | 46.6             | 0.768            |
| Q383899            |                          | 0.46                 | 0.0078           | 1.500            | 1.72           | 8.36             | <10             | 212              | 0.38             | 0.179            | 0.83           | 1.440            | 16.95            | 24.5             | 84.4             | 0.991            |
| Q383900            |                          | 0.62                 | 0.0273           | 1.100            | 1.66           | 8.62             | <10             | 178.0            | 0.31             | 0.202            | 0.72           | 0.649            | 16.60            | 19.00            | 76.7             | 0.947            |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |        |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Cu ppm    | Fe %      | Ga ppm    | Ge ppm    | Hf ppm    | Hg ppm    | In ppm    | K %       | La ppm    | Li ppm    | Mg %      | Mn ppm    | Mo ppm    | Na %      | Nb ppm |
|                    |                          | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.004     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.01      | 0.001     | 0.002  |
| Q383891            |                          | 29.8      | 3.90      | 3.95      | 0.056     | 0.003     | 0.063     | 0.026     | 0.05      | 13.90     | 11.5      | 0.33      | 466       | 4.53      | 0.010     | 0.146  |
| Q383892            |                          | 66.8      | 4.10      | 4.06      | 0.067     | 0.031     | 0.104     | 0.026     | 0.10      | 15.30     | 15.2      | 0.43      | 1670      | 4.88      | 0.014     | 0.157  |
| Q383893            |                          | 47.3      | 3.80      | 3.72      | 0.055     | 0.003     | 0.067     | 0.027     | 0.07      | 11.95     | 12.9      | 0.41      | 247       | 5.17      | 0.009     | 0.211  |
| Q383894            |                          | 30.7      | 2.86      | 4.61      | 0.051     | 0.034     | 0.091     | 0.027     | 0.06      | 12.80     | 9.2       | 0.32      | 239       | 3.86      | 0.010     | 0.182  |
| Q383895            |                          | 20.1      | 2.31      | 4.08      | 0.043     | 0.002     | 0.084     | 0.012     | 0.02      | 12.20     | 3.3       | 0.16      | 208       | 3.10      | 0.006     | 0.184  |
| Q383896            |                          | 28.6      | 2.43      | 4.79      | 0.034     | 0.006     | 0.082     | 0.018     | 0.06      | 5.54      | 3.8       | 0.31      | 323       | 2.11      | 0.007     | 0.425  |
| Q383897            |                          | 70.6      | 3.22      | 4.61      | 0.052     | 0.009     | 0.100     | 0.025     | 0.10      | 10.10     | 16.0      | 0.69      | 383       | 2.53      | 0.012     | 0.244  |
| Q383898            |                          | 48.2      | 3.68      | 4.33      | 0.050     | 0.006     | 0.085     | 0.018     | 0.07      | 9.42      | 11.6      | 0.59      | 1380      | 2.07      | 0.011     | 0.225  |
| Q383899            |                          | 135.0     | 3.31      | 4.34      | 0.073     | 0.008     | 0.169     | 0.023     | 0.09      | 12.60     | 12.5      | 0.62      | 1290      | 1.98      | 0.012     | 0.257  |
| Q383900            |                          | 87.8      | 3.68      | 4.27      | 0.055     | 0.011     | 0.132     | 0.024     | 0.09      | 9.74      | 15.4      | 0.62      | 680       | 2.68      | 0.010     | 0.238  |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |        |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Ni ppm    | P %       | Pb ppm    | Pd ppm    | Pt ppm    | Rb ppm    | Re ppm    | S %       | Sb ppm    | Sc ppm    | Se ppm    | Sn ppm    | Sr ppm    | Ta ppm    | Te ppm |
|                    |                          | 0.04      | 0.001     | 0.005     | 0.001     | 0.002     | 0.005     | 0.001     | 0.01      | 0.005     | 0.005     | 0.1       | 0.01      | 0.01      | 0.005     | 0.01   |
| Q383891            |                          | 26.9      | 0.071     | 9.45      | <0.001    | <0.002    | 6.65      | <0.001    | 0.02      | 0.316     | 0.760     | 1.8       | 0.18      | 5.06      | <0.005    | 0.08   |
| Q383892            |                          | 47.5      | 0.117     | 13.35     | 0.004     | <0.002    | 9.02      | 0.009     | 0.04      | 0.397     | 2.46      | 2.9       | 0.21      | 19.75     | <0.005    | 0.08   |
| Q383893            |                          | 33.7      | 0.058     | 12.35     | 0.002     | <0.002    | 5.15      | <0.001    | 0.03      | 0.358     | 1.100     | 2.0       | 0.16      | 9.66      | <0.005    | 0.09   |
| Q383894            |                          | 18.95     | 0.069     | 9.10      | 0.002     | <0.002    | 10.15     | <0.001    | 0.02      | 0.204     | 0.662     | 1.7       | 0.20      | 9.02      | <0.005    | 0.07   |
| Q383895            |                          | 13.15     | 0.048     | 7.05      | 0.002     | <0.002    | 3.79      | <0.001    | 0.01      | 0.234     | 0.598     | 0.8       | 0.20      | 9.58      | <0.005    | 0.06   |
| Q383896            |                          | 13.20     | 0.112     | 7.61      | 0.002     | 0.002     | 7.77      | <0.001    | 0.02      | 0.191     | 1.145     | 0.7       | 0.25      | 18.00     | <0.005    | 0.05   |
| Q383897            |                          | 34.2      | 0.121     | 10.45     | 0.004     | <0.002    | 7.89      | 0.005     | 0.04      | 0.239     | 2.41      | 1.9       | 0.17      | 32.2      | <0.005    | 0.09   |
| Q383898            |                          | 26.0      | 0.061     | 9.42      | 0.004     | 0.002     | 6.32      | 0.002     | 0.04      | 0.281     | 3.43      | 1.4       | 0.17      | 27.9      | <0.005    | 0.07   |
| Q383899            |                          | 50.0      | 0.108     | 9.10      | 0.008     | 0.002     | 7.90      | 0.007     | 0.06      | 0.368     | 12.85     | 3.1       | 0.19      | 32.4      | <0.005    | 0.07   |
| Q383900            |                          | 34.8      | 0.105     | 10.20     | 0.005     | <0.002    | 7.35      | 0.005     | 0.04      | 0.279     | 7.92      | 1.7       | 0.16      | 32.9      | <0.005    | 0.11   |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | Zn- OG46 |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
|                    |                          | Th ppm    | Ti %      | Tl ppm    | U ppm     | V ppm     | W ppm     | Y ppm     | Zn ppm    | Zr ppm    | Zn %     |
|                    |                          | 0.002     | 0.001     | 0.002     | 0.005     | 0.1       | 0.001     | 0.003     | 0.1       | 0.01      | 0.001    |
| Q383891            |                          | 0.566     | 0.017     | 0.065     | 0.554     | 29.7      | 0.086     | 1.885     | 96.2      | 0.11      |          |
| Q383892            |                          | 0.758     | 0.019     | 0.118     | 1.510     | 34.9      | 0.087     | 12.35     | 133.5     | 1.05      |          |
| Q383893            |                          | 0.621     | 0.025     | 0.068     | 0.631     | 33.3      | 0.091     | 2.26      | 104.0     | 0.12      |          |
| Q383894            |                          | 0.235     | 0.022     | 0.091     | 0.690     | 34.9      | 0.090     | 2.74      | 57.9      | 0.08      |          |
| Q383895            |                          | 0.322     | 0.030     | 0.077     | 0.304     | 35.3      | 0.068     | 1.240     | 42.3      | 0.09      |          |
| Q383896            |                          | 0.186     | 0.087     | 0.067     | 0.355     | 51.0      | 0.076     | 1.460     | 40.0      | 0.21      |          |
| Q383897            |                          | 0.434     | 0.037     | 0.094     | 1.230     | 53.7      | 0.075     | 6.75      | 114.5     | 0.37      |          |
| Q383898            |                          | 0.457     | 0.035     | 0.067     | 0.453     | 49.1      | 0.076     | 3.62      | 65.1      | 0.13      |          |
| Q383899            |                          | 0.271     | 0.039     | 0.087     | 0.886     | 52.9      | 0.085     | 17.10     | 103.5     | 0.25      |          |
| Q383900            |                          | 0.404     | 0.037     | 0.080     | 1.235     | 51.6      | 0.079     | 9.48      | 94.6      | 0.29      |          |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 7- MAY- 2015  
 Account: INDRCO

Project: Soil Sample Prog.for Precious

**CERTIFICATE OF ANALYSIS VA15062459**

| <b>CERTIFICATE COMMENTS</b> |   |           |         |           |  |  |         |         |          |  |          |
|-----------------------------|---|-----------|---------|-----------|--|--|---------|---------|----------|--|----------|
| Applies to Method:          | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).<br/>           ME- MS41L</p>   |           |         |           |  |  |         |         |          |  |          |
| Applies to Method:          | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">LOG- 22</td> <td style="width: 33%;">LOG- 24</td> <td style="width: 33%;">ME- MS41L</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> <tr> <td>SCR- 41</td> <td>WEI- 21</td> <td>Zn- OG46</td> <td></td> <td>ME- OG46</td> </tr> </table> | LOG- 22   | LOG- 24 | ME- MS41L |  |  | SCR- 41 | WEI- 21 | Zn- OG46 |  | ME- OG46 |
| LOG- 22                     | LOG- 24   | ME- MS41L |         |           |  |  |         |         |          |  |          |
| SCR- 41                     | WEI- 21   | Zn- OG46  |         | ME- OG46  |  |  |         |         |          |  |          |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 1  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

**CERTIFICATE VA15062445**

Project: Soil sample Prog. for Precious

This report is for 29 Soil samples submitted to our lab in Vancouver, BC, Canada on 29- APR- 2015.

The following have access to data associated with this certificate:

|                   |                 |                    |
|-------------------|-----------------|--------------------|
| BRANDON MACDONALD | LAWRENCE ONEILL | KRISTIAN WHITEHEAD |
|-------------------|-----------------|--------------------|

| SAMPLE PREPARATION |                                 |
|--------------------|---------------------------------|
| ALS CODE           | DESCRIPTION                     |
| WEI- 21            | Received Sample Weight          |
| LOG- 22            | Sample login - Rcd w/o BarCode  |
| SCR- 41            | Screen to - 180um and save both |
| LOG- 24            | Pulp Login - Rcd w/o Barcode    |

| ANALYTICAL PROCEDURES |                                |            |
|-----------------------|--------------------------------|------------|
| ALS CODE              | DESCRIPTION                    | INSTRUMENT |
| Ag- OG46              | Ore Grade Ag - Aqua Regia      | VARIABLE   |
| ME- OG46              | Ore Grade Elements - AquaRegia | ICP- AES   |
| ME- MS41L             | Super Trace AR by ICP- MS      |            |

To: INFINITI DRILLING CORPORATION  
 ATTN: KRISTIAN WHITEHEAD  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

Project: Soil sample Prog. for Precious

**CERTIFICATE OF ANALYSIS VA15062445**

| Sample Description | Method  | WEI- 21   | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |
|--------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    | Analyte | Recvd Wt. | Au        | Ag        | Al        | As        | B         | Ba        | Be        | Bi        | Ca        | Cd        | Ce        | Co        | Cr        | Cs        |
|                    | Units   | kg        | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       |
|                    | LOR     |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| Q383801            |         | 0.08      | 0.519     | >100      | 1.03      | 53.1      | 10        | 182.5     | 0.34      | 1.685     | 1.05      | 56.5      | 20.3      | 12.70     | 18.45     | 1.385     |
| Q383802            |         | 0.54      | 0.0113    | 0.675     | 1.37      | 10.70     | <10       | 95.0      | 0.30      | 0.277     | 0.19      | 1.015     | 28.8      | 20.8      | 35.5      | 0.876     |
| Q383803            |         | 0.50      | 0.0207    | 1.070     | 1.26      | 18.25     | <10       | 102.5     | 0.31      | 0.313     | 0.19      | 1.835     | 29.1      | 37.7      | 32.9      | 0.805     |
| Q383804            |         | 0.52      | 0.0417    | 0.615     | 1.23      | 14.30     | <10       | 69.6      | 0.13      | 0.264     | 0.15      | 0.234     | 18.70     | 10.05     | 38.7      | 0.442     |
| Q383805            |         | 0.48      | 0.0069    | 1.425     | 1.11      | 18.70     | <10       | 57.5      | 0.13      | 0.382     | 0.11      | 0.393     | 15.20     | 9.38      | 35.6      | 0.521     |
| Q383806            |         | 0.56      | 0.436     | 0.329     | 0.91      | 11.60     | <10       | 53.0      | 0.09      | 0.281     | 0.11      | 0.157     | 14.60     | 6.84      | 21.4      | 0.617     |
| Q383807            |         | 0.46      | 0.0048    | 0.705     | 1.32      | 10.30     | <10       | 78.3      | 0.22      | 0.255     | 0.16      | 0.813     | 16.10     | 13.55     | 41.0      | 1.130     |
| Q383808            |         | 0.54      | 0.0052    | 2.08      | 1.06      | 9.65      | <10       | 102.5     | 0.26      | 0.287     | 0.27      | 1.825     | 14.60     | 14.40     | 33.1      | 1.005     |
| Q383809            |         | 0.54      | 0.0125    | 1.215     | 2.02      | 13.05     | <10       | 92.7      | 0.33      | 0.195     | 0.46      | 0.909     | 11.50     | 34.6      | 64.5      | 1.195     |
| Q383810            |         | 0.66      | 0.0010    | 0.872     | 0.55      | 6.20      | <10       | 44.4      | 0.07      | 0.229     | 0.11      | 0.156     | 14.95     | 5.86      | 18.35     | 1.265     |
| Q383811            |         | 0.38      | 0.0046    | 0.676     | 1.51      | 9.03      | <10       | 79.4      | 0.22      | 0.170     | 0.34      | 0.582     | 20.0      | 21.3      | 56.2      | 0.764     |
| Q383812            |         | 0.48      | 0.0075    | 0.500     | 1.24      | 10.15     | <10       | 94.6      | 0.23      | 0.223     | 0.15      | 0.411     | 27.3      | 13.40     | 41.0      | 0.821     |
| Q383813            |         | 0.52      | 0.0137    | 0.291     | 1.06      | 14.15     | <10       | 105.5     | 0.18      | 0.237     | 0.11      | 0.313     | 36.3      | 8.30      | 30.2      | 0.644     |
| Q383814            |         | 0.64      | 0.0101    | 0.837     | 1.81      | 9.01      | <10       | 157.5     | 0.36      | 0.227     | 0.42      | 0.497     | 26.0      | 29.1      | 75.9      | 1.575     |
| Q383815            |         | 0.52      | 0.0013    | 0.164     | 0.44      | 9.30      | <10       | 66.1      | 0.07      | 0.193     | 0.20      | 0.109     | 14.15     | 8.77      | 38.7      | 0.671     |
| Q383816            |         | 0.34      | 0.0039    | 0.669     | 1.20      | 11.40     | <10       | 174.5     | 0.29      | 0.237     | 0.29      | 0.666     | 27.0      | 18.75     | 34.3      | 1.170     |
| Q383817            |         | 0.56      | 0.0159    | 1.015     | 1.24      | 10.20     | <10       | 176.5     | 0.28      | 0.233     | 0.31      | 0.657     | 30.0      | 15.90     | 28.5      | 0.975     |
| Q383818            |         | 0.30      | 0.0109    | 6.10      | 1.70      | 7.43      | <10       | 195.0     | 0.41      | 0.248     | 0.96      | 1.450     | 18.70     | 17.60     | 35.2      | 2.09      |
| Q383819            |         | 0.44      | 1.525     | 11.00     | 2.33      | 12.85     | <10       | 240       | 0.62      | 0.312     | 1.05      | 3.90      | 17.50     | 24.3      | 56.1      | 3.06      |
| Q383820            |         | 0.58      | 0.0069    | 0.377     | 1.66      | 12.75     | <10       | 105.0     | 0.33      | 0.286     | 0.09      | 0.511     | 28.2      | 10.70     | 37.7      | 0.825     |
| Q383821            |         | 0.56      | 0.0020    | 0.992     | 0.97      | 5.91      | <10       | 64.4      | 0.14      | 0.244     | 0.10      | 0.379     | 13.55     | 6.85      | 25.7      | 0.887     |
| Q383822            |         | 0.54      | 0.0095    | 1.100     | 1.64      | 11.75     | <10       | 127.0     | 0.28      | 0.253     | 0.27      | 0.887     | 18.75     | 25.3      | 59.3      | 1.310     |
| Q383823            |         | 0.42      | 0.0012    | 0.970     | 0.40      | 5.52      | <10       | 133.5     | 0.05      | 0.182     | 0.46      | 0.307     | 8.89      | 6.41      | 18.35     | 0.476     |
| Q383824            |         | 0.56      | 0.0021    | 3.51      | 1.25      | 8.30      | <10       | 89.3      | 0.19      | 0.266     | 0.28      | 0.693     | 15.70     | 20.9      | 35.4      | 1.325     |
| Q383825            |         | 0.62      | 0.0123    | 0.672     | 0.97      | 13.15     | <10       | 75.3      | 0.08      | 0.250     | 0.21      | 0.433     | 8.94      | 14.80     | 39.8      | 0.570     |
| Q383826            |         | 0.50      | 0.0073    | 0.486     | 0.30      | 3.66      | <10       | 46.7      | 0.04      | 0.216     | 0.09      | 0.227     | 27.1      | 3.52      | 9.25      | 0.789     |
| Q383827            |         | 0.56      | 0.0048    | 0.563     | 0.42      | 4.16      | <10       | 35.7      | 0.04      | 0.229     | 0.12      | 0.080     | 23.7      | 2.71      | 11.15     | 0.482     |
| Q383828            |         | 0.58      | 0.0040    | 0.402     | 1.48      | 9.57      | <10       | 44.3      | 0.12      | 0.236     | 0.10      | 0.182     | 9.25      | 11.15     | 95.4      | 0.621     |
| Q383829            |         | 0.50      | 0.0005    | 0.599     | 0.12      | 0.77      | <10       | 38.6      | 0.03      | 0.077     | 0.07      | 0.246     | 18.15     | 1.190     | 5.96      | 0.360     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

Project: Soil sample Prog. for Precious

**CERTIFICATE OF ANALYSIS VA15062445**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |        |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Cu ppm    | Fe %      | Ga ppm    | Ge ppm    | Hf ppm    | Hg ppm    | In ppm    | K %       | La ppm    | Li ppm    | Mg %      | Mn ppm    | Mo ppm    | Na %      | Nb ppm |
| Q383801            |                          | 4620      | 3.47      | 8.92      | 0.115     | 0.094     | 1.090     | 12.45     | 0.44      | 10.15     | 6.2       | 0.62      | 489       | 36.8      | 0.064     | 0.316  |
| Q383802            |                          | 93.2      | 4.02      | 3.70      | 0.071     | 0.009     | 0.073     | 0.027     | 0.09      | 12.95     | 11.3      | 0.53      | 673       | 7.81      | 0.005     | 0.277  |
| Q383803            |                          | 140.0     | 4.89      | 3.11      | 0.068     | 0.009     | 0.063     | 0.026     | 0.06      | 12.95     | 12.1      | 0.62      | 1405      | 9.83      | 0.006     | 0.206  |
| Q383804            |                          | 62.3      | 3.96      | 5.46      | 0.041     | 0.007     | 0.059     | 0.019     | 0.06      | 7.54      | 6.7       | 0.54      | 342       | 3.38      | 0.005     | 0.732  |
| Q383805            |                          | 38.2      | 5.98      | 4.85      | 0.049     | 0.010     | 0.071     | 0.031     | 0.03      | 7.37      | 6.0       | 0.37      | 442       | 6.33      | 0.004     | 0.632  |
| Q383806            |                          | 29.0      | 3.31      | 6.74      | 0.040     | 0.006     | 0.038     | 0.013     | 0.05      | 7.29      | 3.1       | 0.27      | 248       | 3.86      | 0.005     | 0.841  |
| Q383807            |                          | 200       | 3.50      | 4.76      | 0.038     | 0.007     | 0.084     | 0.025     | 0.07      | 7.80      | 9.5       | 0.57      | 380       | 4.52      | 0.005     | 0.410  |
| Q383808            |                          | 60.4      | 4.05      | 4.03      | 0.061     | 0.006     | 0.088     | 0.023     | 0.06      | 10.90     | 5.4       | 0.35      | 738       | 4.49      | 0.004     | 0.238  |
| Q383809            |                          | 178.0     | 5.71      | 3.18      | 0.067     | 0.024     | 0.046     | 0.013     | 0.12      | 5.32      | 11.6      | 1.21      | 969       | 2.60      | 0.005     | 0.446  |
| Q383810            |                          | 14.05     | 1.790     | 5.02      | 0.036     | 0.004     | 0.060     | 0.016     | 0.04      | 7.52      | 2.4       | 0.17      | 391       | 2.08      | 0.006     | 0.299  |
| Q383811            |                          | 92.9      | 3.75      | 3.65      | 0.050     | 0.005     | 0.048     | 0.018     | 0.10      | 9.73      | 11.2      | 0.81      | 603       | 3.10      | 0.008     | 0.348  |
| Q383812            |                          | 53.2      | 3.64      | 4.70      | 0.056     | 0.008     | 0.047     | 0.025     | 0.06      | 13.00     | 11.4      | 0.50      | 423       | 4.38      | 0.007     | 0.370  |
| Q383813            |                          | 35.1      | 3.54      | 4.98      | 0.052     | 0.005     | 0.056     | 0.016     | 0.06      | 17.95     | 7.7       | 0.37      | 261       | 3.44      | 0.009     | 0.284  |
| Q383814            |                          | 123.0     | 4.40      | 5.36      | 0.057     | 0.006     | 0.071     | 0.038     | 0.09      | 11.95     | 13.0      | 0.57      | 1240      | 3.57      | 0.011     | 0.253  |
| Q383815            |                          | 30.5      | 3.08      | 4.74      | 0.036     | 0.012     | 0.027     | 0.016     | 0.03      | 7.10      | 1.7       | 0.15      | 143.0     | 4.14      | 0.006     | 0.653  |
| Q383816            |                          | 87.3      | 3.34      | 4.19      | 0.040     | 0.004     | 0.079     | 0.033     | 0.08      | 13.30     | 6.5       | 0.28      | 819       | 4.01      | 0.013     | 0.241  |
| Q383817            |                          | 64.0      | 3.38      | 3.82      | 0.046     | 0.003     | 0.076     | 0.022     | 0.11      | 13.80     | 11.2      | 0.34      | 1060      | 5.00      | 0.011     | 0.168  |
| Q383818            |                          | 56.2      | 2.75      | 3.55      | 0.063     | 0.026     | 0.253     | 0.025     | 0.09      | 13.85     | 13.2      | 0.38      | 1480      | 2.06      | 0.014     | 0.189  |
| Q383819            |                          | 151.5     | 4.43      | 5.04      | 0.087     | 0.017     | 0.252     | 0.041     | 0.12      | 21.0      | 18.3      | 0.50      | 2700      | 4.26      | 0.014     | 0.275  |
| Q383820            |                          | 46.5      | 5.59      | 6.02      | 0.058     | 0.008     | 0.079     | 0.034     | 0.06      | 13.50     | 12.5      | 0.42      | 348       | 5.61      | 0.007     | 0.739  |
| Q383821            |                          | 17.95     | 2.82      | 5.37      | 0.037     | 0.008     | 0.095     | 0.015     | 0.03      | 6.78      | 6.7       | 0.22      | 310       | 4.09      | 0.007     | 0.945  |
| Q383822            |                          | 144.0     | 4.45      | 4.83      | 0.053     | 0.011     | 0.093     | 0.021     | 0.09      | 9.46      | 14.0      | 0.75      | 627       | 5.14      | 0.010     | 0.484  |
| Q383823            |                          | 21.9      | 1.820     | 3.15      | 0.027     | 0.017     | 0.171     | 0.014     | 0.06      | 4.60      | 1.8       | 0.15      | 819       | 2.45      | 0.007     | 0.273  |
| Q383824            |                          | 46.8      | 4.08      | 5.15      | 0.038     | 0.002     | 0.080     | 0.027     | 0.06      | 8.41      | 6.5       | 0.44      | 2460      | 10.00     | 0.008     | 0.320  |
| Q383825            |                          | 53.6      | 4.31      | 4.74      | 0.037     | 0.013     | 0.054     | 0.017     | 0.04      | 4.31      | 4.7       | 0.49      | 407       | 3.12      | 0.008     | 0.808  |
| Q383826            |                          | 11.25     | 1.320     | 4.19      | 0.035     | <0.002    | 0.032     | 0.011     | 0.04      | 13.45     | 1.5       | 0.07      | 243       | 6.37      | 0.006     | 0.190  |
| Q383827            |                          | 5.11      | 1.120     | 5.58      | 0.039     | 0.003     | 0.050     | <0.005    | 0.06      | 11.75     | 1.6       | 0.10      | 211       | 1.90      | 0.008     | 0.548  |
| Q383828            |                          | 43.1      | 4.91      | 6.22      | 0.035     | 0.013     | 0.055     | 0.014     | 0.05      | 4.75      | 7.4       | 0.76      | 256       | 4.07      | 0.005     | 1.380  |
| Q383829            |                          | 5.95      | 0.660     | 1.005     | 0.021     | <0.002    | 0.035     | 0.005     | 0.03      | 9.41      | 0.5       | 0.02      | 38.5      | 2.62      | 0.010     | 0.118  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

Project: Soil sample Prog. for Precious

**CERTIFICATE OF ANALYSIS VA15062445**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L |      |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te   |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm  |
| Q383801            |                          | 11.65     | 0.078     | 9610      | 0.005     | <0.002    | 23.9      | 0.019     | 1.61      | 134.0     | 4.25      | 3.1       | 341       | 60.8      | <0.005    | 0.13 |
| Q383802            |                          | 56.4      | 0.090     | 16.40     | 0.005     | 0.002     | 7.90      | <0.001    | 0.02      | 0.418     | 2.57      | 2.1       | 0.26      | 14.25     | <0.005    | 0.14 |
| Q383803            |                          | 69.3      | 0.096     | 17.30     | 0.004     | 0.002     | 4.65      | <0.001    | 0.02      | 0.521     | 2.89      | 2.0       | 0.12      | 15.70     | <0.005    | 0.18 |
| Q383804            |                          | 24.0      | 0.095     | 9.90      | 0.002     | 0.002     | 3.90      | <0.001    | 0.02      | 0.352     | 2.27      | 1.0       | 0.29      | 21.3      | <0.005    | 0.11 |
| Q383805            |                          | 22.9      | 0.235     | 14.80     | 0.002     | <0.002    | 6.93      | <0.001    | 0.02      | 0.419     | 2.11      | 1.1       | 0.19      | 13.05     | <0.005    | 0.13 |
| Q383806            |                          | 14.75     | 0.155     | 9.76      | 0.002     | <0.002    | 4.21      | <0.001    | 0.02      | 0.241     | 1.520     | 0.9       | 0.32      | 17.30     | <0.005    | 0.11 |
| Q383807            |                          | 25.3      | 0.084     | 10.35     | 0.005     | 0.002     | 10.25     | <0.001    | 0.04      | 0.261     | 1.605     | 1.3       | 0.26      | 17.25     | <0.005    | 0.09 |
| Q383808            |                          | 23.8      | 0.119     | 10.55     | 0.007     | 0.004     | 8.02      | 0.001     | 0.05      | 0.296     | 2.49      | 1.8       | 0.24      | 20.6      | <0.005    | 0.08 |
| Q383809            |                          | 46.0      | 0.133     | 12.45     | 0.008     | 0.004     | 5.31      | <0.001    | 0.01      | 0.399     | 3.60      | 1.2       | 0.09      | 26.9      | <0.005    | 0.09 |
| Q383810            |                          | 9.35      | 0.088     | 8.52      | 0.002     | 0.002     | 10.15     | <0.001    | 0.02      | 0.163     | 0.711     | 0.5       | 0.31      | 18.20     | <0.005    | 0.04 |
| Q383811            |                          | 38.9      | 0.113     | 8.39      | 0.005     | 0.003     | 7.78      | <0.001    | 0.02      | 0.339     | 2.82      | 1.1       | 0.16      | 28.2      | <0.005    | 0.07 |
| Q383812            |                          | 30.8      | 0.058     | 9.57      | 0.003     | 0.002     | 7.08      | 0.001     | 0.02      | 0.282     | 1.890     | 1.3       | 0.22      | 16.30     | <0.005    | 0.07 |
| Q383813            |                          | 23.3      | 0.048     | 9.54      | 0.003     | <0.002    | 6.29      | <0.001    | 0.02      | 0.361     | 1.680     | 1.1       | 0.23      | 12.55     | <0.005    | 0.07 |
| Q383814            |                          | 39.4      | 0.099     | 10.25     | 0.008     | 0.002     | 12.75     | 0.003     | 0.04      | 0.428     | 8.71      | 1.7       | 0.29      | 23.5      | <0.005    | 0.08 |
| Q383815            |                          | 16.35     | 0.043     | 8.02      | 0.005     | 0.004     | 3.85      | <0.001    | 0.02      | 0.425     | 2.89      | 0.7       | 0.41      | 21.7      | <0.005    | 0.09 |
| Q383816            |                          | 24.2      | 0.079     | 9.87      | 0.002     | <0.002    | 9.36      | 0.001     | 0.04      | 0.377     | 1.635     | 1.4       | 0.28      | 18.60     | <0.005    | 0.07 |
| Q383817            |                          | 37.5      | 0.078     | 10.85     | 0.008     | <0.002    | 8.30      | 0.001     | 0.03      | 0.334     | 1.755     | 1.5       | 0.43      | 14.85     | <0.005    | 0.06 |
| Q383818            |                          | 36.2      | 0.211     | 11.55     | 0.004     | <0.002    | 8.47      | 0.014     | 0.14      | 0.210     | 1.485     | 3.5       | 0.23      | 34.6      | 0.005     | 0.06 |
| Q383819            |                          | 63.2      | 0.179     | 17.30     | 0.008     | <0.002    | 12.50     | 0.009     | 0.09      | 0.530     | 4.27      | 4.6       | 0.29      | 53.1      | <0.005    | 0.10 |
| Q383820            |                          | 29.7      | 0.101     | 13.20     | 0.001     | 0.002     | 7.67      | <0.001    | 0.02      | 0.329     | 2.57      | 1.8       | 0.27      | 12.85     | <0.005    | 0.10 |
| Q383821            |                          | 14.35     | 0.112     | 9.91      | 0.003     | <0.002    | 5.14      | <0.001    | 0.03      | 0.217     | 1.435     | 1.1       | 0.40      | 14.70     | <0.005    | 0.07 |
| Q383822            |                          | 49.4      | 0.095     | 11.25     | 0.008     | 0.003     | 9.86      | 0.001     | 0.04      | 0.348     | 4.99      | 1.5       | 0.26      | 27.2      | <0.005    | 0.09 |
| Q383823            |                          | 12.95     | 0.062     | 7.27      | 0.001     | 0.003     | 5.63      | <0.001    | 0.05      | 0.297     | 1.000     | 0.7       | 0.23      | 26.2      | <0.005    | 0.04 |
| Q383824            |                          | 25.5      | 0.122     | 12.85     | 0.003     | <0.002    | 11.95     | 0.001     | 0.05      | 0.319     | 1.755     | 1.5       | 0.31      | 27.8      | <0.005    | 0.07 |
| Q383825            |                          | 23.5      | 0.059     | 11.50     | 0.004     | 0.002     | 4.68      | <0.001    | 0.04      | 0.403     | 2.33      | 0.9       | 0.27      | 24.0      | <0.005    | 0.09 |
| Q383826            |                          | 10.55     | 0.035     | 8.00      | 0.001     | <0.002    | 7.50      | <0.001    | 0.02      | 0.201     | 0.553     | 0.8       | 0.30      | 9.13      | <0.005    | 0.09 |
| Q383827            |                          | 4.73      | 0.076     | 8.07      | <0.001    | <0.002    | 7.32      | <0.001    | 0.02      | 0.153     | 0.894     | 0.3       | 0.39      | 13.45     | <0.005    | 0.04 |
| Q383828            |                          | 24.8      | 0.056     | 15.30     | 0.003     | 0.002     | 3.98      | <0.001    | 0.03      | 0.221     | 1.385     | 0.8       | 0.30      | 9.53      | <0.005    | 0.08 |
| Q383829            |                          | 4.83      | 0.023     | 5.66      | 0.002     | <0.002    | 2.62      | <0.001    | 0.03      | 0.077     | 0.442     | 1.0       | 0.19      | 5.59      | <0.005    | 0.04 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

Project: Soil sample Prog. for Precious

**CERTIFICATE OF ANALYSIS VA15062445**

| Sample Description | Method Analyte Units LOR | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | ME- MS41L | Ag- OG46 |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
|                    |                          | Th ppm    | Ti %      | Tl ppm    | U ppm     | V ppm     | W ppm     | Y ppm     | Zn ppm    | Zr ppm    | Ag ppm   |
|                    |                          | 0.002     | 0.001     | 0.002     | 0.005     | 0.1       | 0.001     | 0.003     | 0.1       | 0.01      | 1        |
| Q383801            |                          | 3.60      | 0.105     | 3.06      | 0.690     | 59.8      | 13.45     | 6.89      | 7340      | 2.09      | 107      |
| Q383802            |                          | 1.450     | 0.041     | 0.109     | 0.929     | 42.6      | 0.124     | 5.39      | 157.5     | 0.18      |          |
| Q383803            |                          | 1.810     | 0.032     | 0.092     | 1.035     | 36.2      | 0.122     | 6.83      | 204       | 0.33      |          |
| Q383804            |                          | 0.882     | 0.107     | 0.052     | 0.382     | 72.6      | 0.152     | 1.595     | 65.3      | 0.38      |          |
| Q383805            |                          | 1.405     | 0.071     | 0.058     | 0.444     | 69.1      | 0.159     | 1.645     | 75.9      | 0.38      |          |
| Q383806            |                          | 0.936     | 0.101     | 0.093     | 0.279     | 71.8      | 0.152     | 1.340     | 45.9      | 0.29      |          |
| Q383807            |                          | 0.308     | 0.082     | 0.080     | 0.508     | 58.5      | 0.126     | 2.62      | 71.4      | 0.24      |          |
| Q383808            |                          | 0.149     | 0.050     | 0.046     | 1.190     | 52.3      | 0.093     | 9.43      | 66.3      | 0.15      |          |
| Q383809            |                          | 1.210     | 0.147     | 0.071     | 0.590     | 59.9      | 0.093     | 6.42      | 108.5     | 0.67      |          |
| Q383810            |                          | 0.155     | 0.056     | 0.080     | 0.280     | 41.7      | 0.101     | 1.240     | 32.3      | 0.14      |          |
| Q383811            |                          | 1.005     | 0.078     | 0.073     | 0.535     | 55.0      | 0.103     | 3.60      | 100.5     | 0.16      |          |
| Q383812            |                          | 0.812     | 0.065     | 0.072     | 0.615     | 54.6      | 0.116     | 2.85      | 81.8      | 0.21      |          |
| Q383813            |                          | 0.672     | 0.040     | 0.068     | 0.451     | 49.4      | 0.111     | 2.32      | 71.9      | 0.14      |          |
| Q383814            |                          | 0.397     | 0.052     | 0.087     | 0.929     | 69.7      | 0.129     | 6.41      | 100.0     | 0.18      |          |
| Q383815            |                          | 0.926     | 0.148     | 0.035     | 0.293     | 96.0      | 0.123     | 1.430     | 35.0      | 0.35      |          |
| Q383816            |                          | 0.172     | 0.032     | 0.072     | 0.816     | 45.8      | 0.133     | 5.30      | 68.6      | 0.09      |          |
| Q383817            |                          | 0.477     | 0.023     | 0.089     | 0.855     | 36.8      | 0.097     | 4.22      | 114.0     | 0.13      |          |
| Q383818            |                          | 0.210     | 0.018     | 0.111     | 2.00      | 35.0      | 0.060     | 17.35     | 86.0      | 0.60      |          |
| Q383819            |                          | 0.268     | 0.036     | 0.154     | 4.34      | 55.0      | 0.134     | 44.8      | 162.5     | 0.37      |          |
| Q383820            |                          | 2.52      | 0.077     | 0.093     | 0.618     | 60.3      | 0.165     | 2.19      | 105.5     | 0.39      |          |
| Q383821            |                          | 1.110     | 0.104     | 0.073     | 0.424     | 50.8      | 0.158     | 1.260     | 67.6      | 0.47      |          |
| Q383822            |                          | 0.912     | 0.107     | 0.102     | 1.030     | 69.7      | 0.138     | 7.99      | 117.0     | 0.37      |          |
| Q383823            |                          | 0.117     | 0.046     | 0.072     | 0.208     | 41.7      | 0.098     | 0.993     | 58.6      | 0.09      |          |
| Q383824            |                          | 0.239     | 0.082     | 0.097     | 0.774     | 66.7      | 0.134     | 4.05      | 96.3      | 0.18      |          |
| Q383825            |                          | 0.514     | 0.192     | 0.050     | 0.336     | 92.9      | 0.160     | 1.840     | 65.9      | 0.44      |          |
| Q383826            |                          | 0.333     | 0.029     | 0.061     | 0.236     | 36.4      | 0.097     | 1.000     | 38.9      | 0.02      |          |
| Q383827            |                          | 1.250     | 0.066     | 0.071     | 0.176     | 39.4      | 0.111     | 0.932     | 20.6      | 0.14      |          |
| Q383828            |                          | 1.090     | 0.160     | 0.045     | 0.233     | 67.9      | 0.184     | 0.875     | 60.1      | 0.48      |          |
| Q383829            |                          | 1.310     | 0.019     | 0.029     | 0.195     | 17.2      | 0.072     | 0.787     | 18.7      | 0.07      |          |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: INFINITI DRILLING CORPORATION  
 2763 PANORAMA DRIVE  
 NORTH VANCOUVER BC V7G 1V7

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 11- MAY- 2015  
 Account: INDRCO

Project: Soil sample Prog. for Precious

**CERTIFICATE OF ANALYSIS VA15062445**

| <b>CERTIFICATE COMMENTS</b> |   |          |           |         |  |          |         |         |           |
|-----------------------------|---|----------|-----------|---------|--|----------|---------|---------|-----------|
| Applies to Method:          | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).<br/>           ME- MS41L</p>   |          |           |         |  |          |         |         |           |
| Applies to Method:          | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Ag- OG46</td> <td style="width: 33%;">LOG- 22</td> <td style="width: 33%;">LOG- 24</td> <td style="width: 15%;"></td> </tr> <tr> <td>ME- OG46</td> <td>SCR- 41</td> <td>WEI- 21</td> <td>ME- MS41L</td> </tr> </table> | Ag- OG46 | LOG- 22   | LOG- 24 |  | ME- OG46 | SCR- 41 | WEI- 21 | ME- MS41L |
| Ag- OG46                    | LOG- 22   | LOG- 24  |           |         |  |          |         |         |           |
| ME- OG46                    | SCR- 41   | WEI- 21  | ME- MS41L |         |  |          |         |         |           |