

**Ministry of Energy and Mines**  
BC Geological Survey

**Assessment Report**  
**Title Page and Summary**

TYPE OF REPORT [type of survey(s)]: Soil and Rock Geochemistry

TOTAL COST: 41,110.00

AUTHOR(S): Adrian Smith SIGNATURE(S): \_\_\_\_\_

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): \_\_\_\_\_ YEAR OF WORK: 2015

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): SOW Event Number 5573144

PROPERTY NAME: Golden Bear (Wolverine)

CLAIM NAME(S) (on which the work was done): WOLV 2, WOLV 3, WOLV 4, WOLV 5, WOLV 6, WOLV\_7, WOLV 8, WOLV 9

COMMODITIES SOUGHT: Copper, Gold, Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 104J 059

MINING DIVISION: ATLIN NTS/BCGS: 104J / 02 & 104J / 12

LATITUDE: 58 ° 06 ' 56 " LONGITUDE: 131 ° 41 ' 07 " (at centre of work)

OWNER(S):  
1) Garibaldi Resources Corp 2) \_\_\_\_\_

MAILING ADDRESS:  
1150-409 Granville St. Vancouver, BC, V6C 1T2

OPERATOR(S) [who paid for the work]:  
1) Garibaldi Resources Corp 2) \_\_\_\_\_

MAILING ADDRESS:  
\_\_\_\_\_  
\_\_\_\_\_

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):  
Triassic and Jurassic, Volcanics Sediments and Intrusives, North-South Faulting possible control on mineralization

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 20945, 22126, 27770

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
<b>GEOLOGICAL (scale, area)</b>			
<b>Ground, mapping</b>	_____	_____	_____
<b>Photo interpretation</b>	_____	_____	_____
<b>GEOPHYSICAL (line-kilometres)</b>			
<b>Ground</b>			
<b>Magnetic</b>	_____	_____	_____
<b>Electromagnetic</b>	_____	_____	_____
<b>Induced Polarization</b>	_____	_____	_____
<b>Radiometric</b>	_____	_____	_____
<b>Seismic</b>	_____	_____	_____
<b>Other</b>	_____	_____	_____
<b>Airborne</b>	_____	_____	_____
<b>GEOCHEMICAL (number of samples analysed for...)</b>			
<b>Soil</b>	143	1031402, 1031392, 1032386, 1031402	37,722.00
<b>Silt</b>	HJ	_____	_____
<b>Rock</b>	_____	1031402, 1031392, 1032386, 1031402	10,038
<b>Other</b>	_____	_____	_____
<b>DRILLING (total metres; number of holes, size)</b>			
<b>Core</b>	_____	_____	_____
<b>Non-core</b>	_____	_____	_____
<b>RELATED TECHNICAL</b>			
<b>Sampling/assaying</b>	_____	_____	_____
<b>Petrographic</b>	_____	_____	_____
<b>Mineralographic</b>	_____	_____	_____
<b>Metallurgic</b>	_____	_____	_____
<b>PROSPECTING (scale, area)</b>			
<b>PREPARATORY / PHYSICAL</b>			
<b>Line/grid (kilometres)</b>	_____	_____	_____
<b>Topographic/Photogrammetric (scale, area)</b>	_____	_____	_____
<b>Legal surveys (scale, area)</b>	_____	_____	_____
<b>Road, local access (kilometres)/trail</b>	_____	_____	_____
<b>Trench (metres)</b>	_____	_____	_____
<b>Underground dev. (metres)</b>	_____	_____	_____
<b>Other</b>	_____	_____	_____
		<b>TOTAL COST:</b>	<b>47,760.00</b>

**Geochemical, and Geological  
Assessment Report  
On the  
Golden Bear (Wolverine) Claims**

**Tenure Numbers:**

1031392, 1031401, 1031402, 1031403, 1032386, 1035277, 1035811, 1036044

Atlin and Liard Mining Divisions

NTS: 104 J/04

BCGS 104J/002, 104J/012

Latitude: 58° 06' N Longitude: 131° 41' W

UTM NAD 83 Zone 9: 341777mE / 6443994mN

Prepared for:

Garibaldi Resources Corp.  
Suite 1150, 409 Granville Street,

By: Adrian Smith, P.Geo.

December 20, 2015

## TABLE OF CONTENTS

<b>Summary</b> .....	<b>3</b>
<b>Introduction</b> .....	<b>3</b>
<b>Location and Access</b> .....	<b>3</b>
<b>Physiography and Climate</b> .....	<b>5</b>
<b>Tenure Data</b> .....	<b>5</b>
<b>Exploration History</b> .....	<b>6</b>
<b>Regional Geology</b> .....	<b>8</b>
<b>Property Geology</b> .....	<b>10</b>
<b>Property Mineralization</b> .....	<b>10</b>
<b>2015 Field Program</b> .....	<b>11</b>
<b>Discussion and Conclusions</b> .....	<b>11</b>
<b>References</b> .....	<b>13</b>
<b>Statement of Costs</b> .....	<b>14</b>
<b>Statement of Qualifications</b> .....	<b>17</b>

## Figures

<b>Figure 1: Property Location</b> .....	<b>4</b>
<b>Figure 2: Claim Map</b> .....	<b>(after pg.) 5</b>
<b>Figure 3: Regional Geology Map</b> .....	<b>9</b>
<b>Figure 4a-b: Property Geology Map</b> .....	<b>(after pg.) 12</b>
<b>Figure 5a-c: Soil Geochemistry</b> .....	<b>(after pg.) 12</b>
<b>Figure 6a-b: Rock Geochemistry</b> .....	<b>(after pg.) 12</b>

## Tables

<b>Table 1: List of mineral tenures</b> .....	<b>6</b>
---	----------

## Appendices

**APPENDIX A: List of Rock Samples and descriptions**

**APPENDIX B: List of Soil Samples**

**APPENDIX C: Assay Certificates**

**APPENDIX D: Digital file containing all maps in this report**

## Summary

This report summarizes work completed on the Golden Bear (Wolverine) Claims during the summer of 2015.

Surface work conducted during August of 2015 included mapping / rock sampling and soil sampling designed to expand upon the soil grids established in 2004 as well as target broad areas of copper gold anomalism identified in the early 1990's.

The Golden Bear (Wolverine) property shows gold-enriched structural zones broadly associated with widely anomalous Copper geochemical anomalies. The highly anomalous gold in soil sample identified during this program, located in the northwest portion of the property, is the highest priority target. Further expansion of the soil grid to the south from this location would help to determine the total length of the potential structural zone enriched in gold. Further work in this area should include soil sampling and trenching to identify the source of the soil sample containing > 1g/t Au.

## Introduction

The Golden Bear (wolverine) property is located in Northwest BC approximately 105 km Southwest of Dease Lake, BC in the Atlin and Liard Mining Divisions. Garibaldi Resources Corp. acquired the rights to the Golden Bear (Wolverine) Mineral Tenures covering and around the area of the historic "Wolverine" Minfile showing (104J 059) in the summer of 2015 and conducted preliminary soil sampling and geological mapping program following up and expanding the work conducted in 2004.

This assessment report summarizes the surface exploration work Garibaldi Resources conducted in August 2015, including geological observations, sampling, and soil and rock assay results obtained.

## Location and Access

The Golden Bear (Wolverine) Property is located approximately 105 km southwest of the community of Dease Lake, and approximately 37 km northwest of the community of Telegraph Creek, northwest BC in the Liard and Atlin Mining Divisions (Figure 1).



Figure 1: Property Location Map.

The property consists of 8 contiguous mineral tenures comprising 1384.7 Ha. The claims are located on Mapsheet 104J / 4 and BCGS sheets 104J / 02 & 104 J / 12. The center of the claim block is at Latitude: 58.108991N Longitude: 131.68539W, or UTM NAD 83 Zone 9: 341777mE and 6443994mN.

The property can be accessed by the way of Golden Bear mine access road (also known as Muddy Lake Road). Immediately west from the community of Dease Lake, the Telegraph Creek road is taken for approximately 80km to the Golden Bear mine road. The main camp location was along the road near the historic wolverine showing. The road is not maintained and there are several occurrences where the original bridge structures are damaged or washed out. Access is still available (with permission) by means of ATV along the road and is actively used by local community members. Helicopter access is also available from a fulltime base (PWH) at the Dease Lake airstrip approximately 45min away by air.

### **Physiography and Climate**

The area immediately surrounding the claims is typified by warm summers and cold winters with moderate to low precipitation compared to coastal areas. Average temperatures at the closest community of Telegraph Creel are -5 to -10C in the winter months and 10-15 C in the summer months. The average annual precipitation for Telegraph Creek is 33cm/year.


The topography of the property ranges from around 900m in the northern portions of the claim to 1600m in the southern portion of the claims. Slopes are generally gentle to moderate throughout with steeper slopes within the creek canyons and valleys.

The vegetation consists of sub alpine spruce in the higher areas with poplar and pine and spruce covering the majority of the lower areas. Water for drilling and for camps is available from several small streams and lakes on and around the property.

### **Tenure Data**

The Golden Bear (Wolverine) property is comprised of 8 contiguous mineral tenures comprising 1384.7 Ha in the Atlin and Liard mining divisions (figure 2). Garibaldi Resources Corp. holds 100% interest in all mineral Tenures subject of this report and listed in Table 1.





**LEGEND**

- Contours
- Existing Roads
- Rivers
- Lakes

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**

**Claim Map**

Date: Dec 2015

Scale: 1:50,000

Projection: UTM NAD 83 Zone 9

1,036,044 1,031,402 1,035,277 1,035,811  
1,031,392  
1,031,403  
1,032,386 1,031,401

Title Number	Claim Name	Title Type	Map Number	Good To Date	Status	Area (ha)
1031392	WOLV 2	Mineral	104J	2019/nov/04	GOOD	290.5
1031401	WOLV 3	Mineral	104J	2019/nov/04	GOOD	461.7
1031402	WOLV 4	Mineral	104J	2019/nov/04	GOOD	51.3
1031403	WOLV 5	Mineral	104J	2019/nov/04	GOOD	51.3
1032386	WOLV 6	Mineral	104J	2019/nov/04	GOOD	393.2
1035277	WOLV_7	Mineral	104J	2019/nov/04	GOOD	17.1
1035811	WOLV 8	Mineral	104J	2019/nov/04	GOOD	34.2
1036044	WOLV 9	Mineral	104J	2019/nov/04	GOOD	85.4
<b>TOTAL =</b>						<b>1384.7</b>

Table 1. List of Mineral Tenures (note: good to dates are subject to the acceptance of this report).

### **Exploration History**

Mineral exploration has been active in the area of the Golden Bear (Wolverine) property since the early 1990's when the wolverine showing (MINFILE No 104J 059) was discovered, however there are records of previous work in area begging in the 1970's.

The first recorded exploration work within the current claims occurred with the staking of the VI claims in 1971 by Sumitomo Metal Mining Canada Ltd. Geological mapping and soil sampling (522 samples) were conducted between 1971 and 1972. This work identified a broad pyritized zone (1 km x 2.5 km) with some chalcopyrite located near the contact of plutonic and volcanic rocks and anomalous copper values in soil. Some of these anomalies were recommended for further prospecting, geologic mapping and possibly trenching or geophysical surveying.

No further recorded exploration work occurred on the claims until 1988 when construction began on a 155 kilometre long access road into the Golden Bear Mine. During construction, the road was mapped and sampled as part of a 50/50 joint venture between Chevron Minerals and North American Metals, which resulted in the discovery of several showings including Wolverine and Round Mountain (Rebic & Sketchley,1988). Follow up work on the Wolverine showing in 1989 located a massive sulphide bearing vein with significant gold and copper grades (Marsden et al. 1989). Chevron Minerals staked the Wolverine and Quick claims in November 1989 following the removal of the staking moratorium along the road corridor.

During 1990 Chevron and North American Metals completed an airborne magnetometer and VLF survey

as well as grid controlled sampling and mapping. The magnetometer survey differentiated intrusive bodies in the southwestern portion of the claims from poorly exposed Triassic flows and sediments in the eastern portion of the claims. Several gold-copper soil anomalies were outlined in the southwestern part of the Wolverine claim group by widely spaced reconnaissance soil sampling.

The largest multi-element soil anomaly measured approximately 1.5 km x 1.0 km, including a strongly anomalous core that measures 700 m x 250 m. The soil anomalies were believed to occur along a contact of the Jurassic diorite and upper Triassic volcanic rocks.

Also in 1990, Pass Lake worked their JC property off the southeast corner of Chevron and North American Metals Wolverine property, on ground that is now partially covered by the current claims. Pass Lake collected 7 silt samples and 12 rock samples and identified a diorite to granodiorite stock intruding Triassic volcanics near the western boundary, and Tertiary to Quaternary volcanics in the eastern portion of their claims. The intrusive rocks are sericite altered, contain magnetite and are malachite stained and correlate with an airborne magnetic anomaly. Limited rock sampling near the western boundary of their claims, now within the current claims, discovered samples containing disseminated pyrite, pyrrhotite and chalcopyrite assaying up to 2,290 ppm copper.

During 1991, North American Metals completed 13 line kilometres of grid on their Wolverine 5 claim to assist in soil sampling and geological mapping of a previous copper and gold in soil anomaly. A brief trenching program was performed during late September to expose bedrock below a small coincident copper-gold anomaly.

In April 2002, the Iskut North Syndicate staked the Wolverine 1& 2 claims. No work was recorded on the claims and cash-in-lieu was paid in order to keep the claims in good standing.

In April 2004 Amarc Resources optioned the Wolverine Property from the Iskut North Syndicate and acquired the surrounding GBR claims. Amarc Resources performed a surface exploration program on the property from June to September 2004. Geological mapping, soil and rock sampling and geophysical surveys were conducted over the claim block. In total, a 60 line-kilometre grid was established, 49 line-kilometres of Induced Polarization (IP) and Magnetics (mag) geophysical surveys were conducted and 1286 soil samples were collected. This work is applied as 3 years of assessment.

In 2015 Garibaldi Resources Corp. acquired 100% interest in the claims from Divitiae Resources Ltd. and

conducted a small field program to follow up on the detailed work conducted in 2004.

## Regional Geology

The Telegraph Creek area lies on the western margin of the Intermontane Belt, within the Stikine Arch, near its contact with the Coast Plutonic Complex (Figure 3). In the region, Upper Triassic Stuhini Group island arc volcanic and sedimentary rocks unconformably overlie a sequence of Paleozoic to Middle Triassic marine sediments. These rocks have been intruded by Late Triassic to Jurassic syenitic stocks and by Jurassic to Lower Cretaceous quartz diorite and granodiorite plutons of the Coast Plutonic complex.

The oldest Paleozoic rock assemblage in the Telegraph Creek area consists of Devonian to Permian limestones, argillites, cherts, volcanic and epiclastic rocks, which host the Golden Bear Mine, located approximately 35 kilometres to the west-northwest of the Golden Bear (Wolverine) property.

Unconformably overlying the Paleozoic rocks is the Upper Triassic Stuhini Group, which is mainly composed of interbedded sediments, augite andesite breccias, conglomerates and volcanoclastic rocks.

This Upper Triassic assemblage is correlative with the rocks that host the Snip Gold Mine, approximately 160 kilometres to the south.

Small, oval or round syenite, pyroxenite and orthoclase porphyry stocks, dated as late Triassic to early Jurassic (Souther, 1971), intrude mainly Stuhini Group volcanic rocks. Regionally these intrusive rocks all fall within the Stikine Arch structural domain, a regional feature along which Early Jurassic intrusive and related (island arc type) volcanic activity took place. Commonly the alkalic intrusives, including those found on or near the Golden Bear (Wolverine) property, are associated with porphyry copper-gold and/or precious metal vein systems.

The rocks of the region have been strongly deformed by folding and faulting during three main periods of deformation. The first period, of middle Triassic or earlier age, formed tight, north trending, upright antiforms and synforms. Broader second stage northwest-trending open folds were caused by east-west shortening during the Jurassic. A series of normal fault structures related to the youngest period of deformation were caused by extensional tectonics during the Tertiary. Post-intrusive deformation is characterized by regional scale vertical, north-south trending faults and shear zones. Similar structures also trend northwest to southeast.




Figure 3. Regional Geology Map.

## Property Geology

The property scale geology consists of Stuhini group sediments and volcanics (augite andesite breccias, conglomerates and volcanoclastic rocks) being intruded mainly as northeast oriented dykes and sills. The intrusives are predominantly of intermediate composition and appear to be related to the large diorite stock that occurs on the southwest margin and to the southwest of the property. The intrusives in general appear to follow the stratigraphic controls of the volcanics and sediments giving the overall north-south / northeast-southwest orientations.

In 2004 Jim Oliver conducted a detailed program of geological mapping in 2004 and concluded that there were 4 main types of intrusives. 1) The oldest gabbroic sills that are moderately magnetic, unaltered and contain no significant sulphides. 2) A megacrystic monzonite to monzo-gabbro with trace chalcopyrite but with insignificant alteration. 3) Hornblende diorite and quartz hornblende diorites with fine grained disseminated pyrite along fracture surfaces when near large scale fault structures. 4) The main intrusive mass in the area, a large quartz-diorite stock which exhibits primary igneous flow foliation and lacks significant tectonic fabric. In general the structural setting appears to be brittle in nature with the most apparent fault orientation cutting across the steeply dipping generally north-south oriented stratigraphic unit.

## Property Mineralization

Known mineralization with appreciable copper and gold grades occur on the Golden Bear (Wolverine) property at the historic Wolverine showing (MINFILE No 104J 059). Mineralization consists of pods and or disrupted veins of massive pyrite and chalcopyrite which occur in a fault gouge cutting a microcrystalline marginal phase diorite over a mapped length of 8m. This showing yielded up to 154 g/t Gold over 0.4m width with several smaller segments yielding grades up to 16 g/t gold (ARIS report number 20945). However this was not the focus of the program.

Two separate areas with overlapping copper and gold in soil anomalies grades occur on the Golden Bear (Wolverine property); First, on the north western portion of the property over an area roughly 1.1 km long by 0.7km wide was identified by the sampling in the 2004 soil program conducted by AMARC (ARIS report number 27770). Second, on the southern most portion of the property, originally identified by Homestake in 1991, over an area approximately 1.1km by 0.8km (ARIS report number 22126). Follow up sampling during the summer of 2015 identified high grade copper mineralization in a heavily iron stained medium grained dioritic intrusive rock in the southern portion of the property (Sample GB-15-25)

Mineralization on other parts of the property occurs mainly as pyritic disseminations within the intrusive and volcanic rocks.

## 2015 field Program

Although known mineralization of appreciable Copper and Gold grades occur on the Golden Bear (Wolverine) property at the historic Wolverine showing, this was not the main focus of the work program. The main focus of the 2015 field program was to follow up on the large copper gold in soil anomalies identified by the historic soil sampling to try to identify larger areas with similar characteristics or grades to the historic Wolverine showing.

Two separate areas with overlapping copper and gold in soil anomalies occur on the Golden Bear (Wolverine property); First, on the north western portion of the property over an area roughly 1.1 km long by 0.7km wide was identified by the sampling in the 2004 soil program conducted by AMARC (ARIS report number 27770). Second, on the southern most portion of the property, originally identified by Homestake in 1991, over an area approximately 1.1km by 0.8km (ARIS report number 22126).

The 2015 sampling program was successful in identifying new anomalies and expanding the previously identified anomalous areas. Sampling consisted of 39 rock samples taken at widespread locations across the property, and 143 B - Horizon Soil samples taken along grid lines designed to expand the anomalous areas identified in the most recent 2004 work program. The soil lines were sampled at 50m intervals on 100m spaced lines where applicable to match existing grids on the property. Of the 143 soil samples, 98 were targeted to expand the northwest copper and gold anomalous zone, 24 targeting gold anomalies with marginal chargeability, and 21 targeting the furthest south wide spread copper and gold in soil anomaly. For complete results see the soil and rock sample maps included with Cu, Au, Pb, Zn, Mo values, and for complete list of elements see Appendix C containing all assay certificate. Locations of all samples are given in spreadsheet form on the included maps in UTM NAD 83 Zone 9 format. See Appendix A for Rock sample descriptions.

## Discussion and Conclusions

The 2015 sampling program was successful in identifying new anomalies and expanding the previously identified anomalous areas. Sampling consisted of 39 rock samples taken at widespread locations across the property, and 143 soil samples taken along grid lines designed to expand the anomalous areas as

previously described in the Property Mineralization section. For complete results see the included soil and rock sample maps with Cu, Au, Pb, Zn, Mo values shown and for complete list of elements see Appendix C containing all assay certificate. Locations of all samples are given in spreadsheet form on the included maps:


It is important to note that this program was of limited duration and had to cover a large area using limited resources. Because of this no specific area was given a great deal of attention, instead the program was designed to cover as much area as possible to further refine the location for more detailed follow up work.

In general there are still 2 main areas of interest.

- 1) The northwestern anomaly along Wolverine Creek. Soil sampling in the northwest portion of the property identified Gold in soil anomaly of greater than 1g/t (sample # 43796). This area is directly south of the gold in soil anomaly that was historically identified by Chevron in 1990 (ARIS 20945) and confirmed / better defined by AMARC (ARIS 27770). Due to the limited width of the anomaly and the high grade of the soil sample it is probable that this is representing a narrow high grade structurally controlled gold zone and warrants further field investigation by means of trenching.
- 2) The southern anomaly where two rock samples were taken from iron stained outcrop 80m apart, both with highly elevated copper values. Sample GB-15-25 assayed greater than 1% Cu (maximum analytical value for the procedure used) and 0.13g/t Au. At this time GB-15-25 has not been tested to determine total value of Cu. Sample GB-15-26 assayed 0.15% Cu with negligible gold. It is also interesting to note that the soils samples taken in this area did not show signs of elevated copper, however over 200m directly east a single soil sample assayed 0.15% Cu and .08 g/t Au. Due to the limited amount of work that was done in this area (one soil line and a total of 4 rock samples) this area warrant further follow up work in the form of additional soil sampling and bedrock mapping.

The anomalous gold in soil in the northwest portion of the property remains the highest priority target. Further expansion of the soil grid to the south would help to determine the total length of the zone enriched in gold. Further work in this area should include trenching to identify the source of the soil sample containing > 1g/t Au.





**Symbols and Abbreviations**

- Joint surface
- Bedding Plane
- Fault Orientation (ball on down thrown block and movement sense indicated)
- Fault trace
- Orientation of Glacial Sills
- Geological Contact
- Outcrop Boundary
- Rubble or Talus: NEX = no exposure
- Vein Orientation
- Trench
- Claim Boundary: LOM (limit of mapping)

**Lithologies**

**Surficial Deposits (Quaternary and Younger)**

- Q Quaternary Till
- Unstratified clast rich tills and related glacial fluvial deposits.

**Supracrustal Rocks (Buhini Group - mid-Triassic)**

- Ma-I Mafic Agglomerates and Lapilli Pyroclastics
- Poorly sorted coarse grained, heterolithic mafic pyroclastics. Sub-rounded to sub-angular volcanic, sedimentary and intrusive matrix. Metasomatized volcanic rocks are dominated by masses of clinoclase-feldspar +/- magnetite, no primary textures are preserved.
- MT Mafic Tuffs and Sillites
- Well bedded pale green - grey mafic tuffs and fine grained locally quartz rich, brown weathering sillites. Sporadic graded beds.
- CI Crystal Tuffs
- Crossed plagioclase phyrlic crystal tuffs. Plagioclase commonly exceeds 60-70% rock volume. Minor, less than 15% hornblende and 5-10% quartz grains. Locally well bedded.


**Intrusive Rocks (mid - Triassic to Jurassic)**

- Gp Gabbroic Sills - Plagioclase Phyrlic
- Medium to coarse grained strongly plagioclase phyrlic sills. Locally gnomonophyrlic textural features. Calcic plagioclase phenocrysts are embayed within a fine grained green-grey matrix. Plagioclase, 1.5 - 5 mm, form typically less than 50% rock volume.
- Mh-D Hybrid Mafic Volcanic - Dioritic Intrusions (southeast map area)
- Transitions between moderately plagioclase phyrlic light grey-green gabbros and completely recrystallized rocks of probable volcanic origin. Metasomatized volcanic rocks are dominated by masses of clinoclase-feldspar +/- magnetite, no primary textures are preserved.
- MG Monzonite Gabbro
- Intrusive lithology dominated by calcic plagioclase. Plagioclase phenocrysts frequently form megacrysts, greater than 2.0 mm in length and forming more than 40-45% of the rock volume, forming interstitial to rhythmic textures with minor mafic mineral phases. Fine quartz, <3%.
- GD Gabbro Diorites
- Compact fine grained gabbro-diorites, reddish brown weathering surfaces. Equigranular fine (<1.0 mm) and mg.p. (1-2 mm) phenocrysts phase common, occasionally gradational to gabbroic sills.
- QD Quartz Diorites
- Medium grained, locally foliated quartz diorites. Quartz averages 5-10% rock volume. Hornblende and biotite average 15-20% rock volume. Mafic minerals locally form a weak penetrative foliation surface. Calcic plagioclase, 60% - 60%. Magnetite 3-5%. Well developed contact aureoles for 100 - 200 m external to the GD - supracrustal
- Dd Dioritic Intrusions
- Fine to medium grained, grey to cream weathering hornblende porphyritic diorites. Hornblende lathes occupy 10% rock volume, pyroxenes less than 5%. Generally good magnetite response, 2-3% magnetite. Commonly plug significant fault zones. Fracture controlled: dyke +/- trace clinocryite suphite phases noted proximal to major fault zones. A single phase of this rock may have elevated quartz contents. Dgph, and becomes gradation to quartz diorites. A variation of this unit is MD Monzonite Diorites.
- Orange buff weathering, locally iron carbonate altered, fine to medium grained plagioclase and potassium feldspar rich monzonite diorites.
- uD Micro Diorite
- Very fine grained light buff weathering diorites. Homogeneous, minor 2-4%, mm to sub mm feldspar aggregates.

**AMARC\_Soils\_Au\_ppb\_**

- 70 to 420 (14)
- 30 to 70 (48)
- 15 to 30 (200)
- 10 to 15 (176)
- 5 to 10 (359)
- 2 to 5 (236)


UTM NAD 83 Z9  
Scale 1:10,000



Symbols and Abbreviations	Lithologies	Intrusive Rocks (mid-Triassic to Jurassic)	Dolerite
<ul style="list-style-type: none"> <li>Joint surface</li> <li>Bedding Plane</li> <li>Fault Orientation (ball on down thrown block and movement sense indicated)</li> <li>Fault trace</li> <li>Orientation of Glacial Stria</li> <li>Geological Contact</li> <li>Outcrop Boundary</li> <li>Rubble or Talus: NEX = no exposure</li> <li>Vein Orientation</li> <li>Trench</li> <li>Claim Boundary: LOM (limit of mapping)</li> </ul>	<ul style="list-style-type: none"> <li><b>Quaternary Till</b></li> <li>Unstratified clay rich tills and related glacial fluvial deposits.</li> <li><b>Supracrustal Rocks (Buhini Group - mid-Triassic)</b></li> <li><b>Ma-1 Mafic Agglomerates and Lapilli Pyroclastics</b></li> <li>Poorly sorted coarse grained, heterolithic mafic pyroclastics. Sub-rounded to sub-angular volcanic, sedimentary and intrusive matrix. Metasomatized volcanic rocks are dominated by masses of clinoclase-feldspar +/- magnetite, no primary textures are preserved.</li> <li><b>MT Mafic Tuffs and Sillites</b></li> <li>Well bedded pale green - grey mafic tuffs and fine grained locally quartz rich, brown weathering siltites. Sporadic graded beds.</li> <li><b>CI Crystal Tuffs</b></li> <li>Crossbedded plagioclase phyric crystal tuffs. Plagioclase commonly exceeds 60-70% rock volume. Minor, less than 15% hornblende and 5-10% quartz grains. Locally well bedded.</li> </ul>	<ul style="list-style-type: none"> <li><b>Gp Gabbric Sills - Plagioclase Phyrics</b></li> <li>Medium to coarse grained strongly plagioclase phyric sills. Locally gnomonophyric textural features. Calcic plagioclase phenocrysts are embayed within a fine grained green-grey matrix. Plagioclase, 1.5 - 5 mm, form typically less than 50% rock volume.</li> <li><b>Mh-D Hybrid Mafic Volcanic - Dioritic Intrusions (southeast map area)</b></li> <li>Transitions between moderately plagioclase phyric light grey-green diorites and completely recrystallized rocks of probable volcanic origin. Metasomatized volcanic rocks are dominated by masses of clinoclase-feldspar +/- magnetite, no primary textures are preserved.</li> <li><b>MG Monzonite Gabbro</b></li> <li>Intrusive lithology dominated by calcic plagioclase. Plagioclase phenocrysts frequently form megacrysts, greater than 2.0 mm in length and forming more than 40-45% of the rock volume, forming interstitial to rhythmic textures with minor mafic mineral phases. Fine quartz, &lt;3%.</li> <li><b>GD Gabbric Diorites</b></li> <li>Compact fine grained gabbro-diorites, reddish brown weathering surfaces. Equigranular fine (&lt;1.0 mm) and mg, (1-2 mm) phenocrysts phases common, occasionally gradational to gabbroic sills.</li> <li><b>QD Quartz Diorites</b></li> <li>Medium grained, locally foliated quartz diorites. Quartz averages 5-10% rock volume. Hornblende and biotite average 15-20% rock volume. Mafic minerals locally form a weak penetrative foliation surface. Calcic plagioclase, 60% - 65%. Magnetite 3-5%. Well developed contact aureoles for 100 - 200 m external to the GD - supracrustal.</li> </ul>	<ul style="list-style-type: none"> <li><b>Dh Hornblende Porphyritic Diorites</b></li> <li>Fine to medium grained, grey to cream weathering hornblende porphyritic diorites. Hornblende lathes occupy 10% rock volume, pyroxenes less than 5%. Generally good magnetite response, 2-3% magnetite. Commonly plug significant fault zones. Fracture controlled, dyke +/- trace clinoclase suphite phases noted proximal to major fault zones. A single phase of this rock may have elevated quartz contents. Dgpl, and becomes gradation to quartz diorites. A variation of this unit is MD Monzonite Diorites.</li> <li>Orange buff weathering, locally iron carbonate altered, fine to medium grained plagioclase and potassium feldspar rich monzonite diorites.</li> <li><b>MD Monzonite Diorite</b></li> <li>Very fine grained light buff weathering diorites. Homogeneous, minor 2-4%, mm to sub mm feldspar aggregates.</li> </ul>

AMARC Soils_Cu_ppm_
640 to 2,680 (22)
290 to 640 (68)
190 to 290 (113)
120 to 190 (200)
90 to 120 (206)
30 to 90 (454)



339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE

6,446,000 mN

6,445,000 mN

6,444,000 mN

6,443,000 mN

6,442,000 mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

mN

339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE

339,000 mE

340,000 mE

341,000 mE

342,000 mE

343,000 mE

344,000 mE

345,000 mE


341,000 mE

342,000 mE

341,000 mE

342,000 mE

341,000 mE



SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)	SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)
2,629	341,914	6,444,199	100.9	12.7	0.3	1.0	2,723	342,005	6,443,401	177.2	6.9	0.2	1.2
2,630	341,845	6,444,197	143.9	7.4	0.3	2.3	2,724	341,948	6,443,400	306.4	13.2	0.1	1.0
2,631	341,801	6,444,197	154.0	20.6	0.2	6.3	10,462	341,550	6,442,400	49.3	1.8	0.2	2.4
2,632	341,748	6,444,204	258.0	14.1	0.5	7.1	10,463	341,605	6,442,401	69.4	4.2	0.2	1.2
2,633	341,699	6,444,196	91.7	8.8	0.6	1.6	10,464	341,651	6,442,393	140.3	4.3	0.2	0.9
2,634	341,649	6,444,201	138.4	30.1	0.4	1.7	10,465	341,700	6,442,395	143.1	5.8	0.1	1.1
2,635	341,604	6,444,197	400.6	13.5	0.3	0.9	10,466	341,750	6,442,399	140.5	2.8	0.3	1.4
2,636	341,604	6,444,095	48.0	1.4	0.2	2.0	10,467	341,803	6,442,396	66.3	1.2	0.3	3.3
2,637	341,543	6,444,099	48.7	3.4	0.2	1.4	10,468	341,852	6,442,404	154.0	1.9	0.4	3.8
2,638	341,504	6,444,101	42.2	1.3	0.2	1.8	10,469	341,922	6,442,404	235.0	10.1	0.5	2.5
2,639	341,448	6,444,098	149.1	4.7	0.1	0.5	10,470	341,954	6,442,398	263.2	4.9	0.2	1.3
2,640	341,382	6,444,103	72.2	3.5	0.3	1.1	10,471	341,995	6,442,405	185.1	7.7	0.2	1.2
2,641	341,350	6,444,099	163.9	4.6	0.1	0.7	10,472	342,051	6,442,402	245.1	14.3	0.3	1.5
2,642	341,298	6,444,099	57.2	5.4	0.2	2.0	10,473	342,098	6,442,404	91.5	7.1	0.6	1.5
2,643	341,250	6,444,099	61.4	11.6	0.2	1.7	10,474	342,150	6,442,402	182.6	9.3	0.1	1.8
2,644	341,203	6,444,105	312.2	5.5	0.1	0.8	10,475	342,203	6,442,408	1,473.7	87.1	0.8	4.1
2,645	341,147	6,444,097	210.8	6.2	0.1	3.2	10,476	342,258	6,442,402	219.2	2.2	0.3	4.7
2,646	341,100	6,444,105	100.0	6.1	0.1	1.4	10,477	342,300	6,442,400	83.8	8.9	0.3	2.8
2,647	341,052	6,444,093	216.8	14.4	0.1	0.9	10,478	342,338	6,442,401	99.1	4.5	0.1	1.7
2,648	340,999	6,444,102	308.9	13.1	0.2	2.4	10,479	342,400	6,442,400	101.4	11.4	0.1	1.1
2,649	342,075	6,444,105	140.3	7.2	0.2	0.8	10,480	342,450	6,442,399	80.3	3.8	0.1	0.6
2,650	342,100	6,444,100	137.6	4.6	0.1	0.6	10,481	342,510	6,442,397	151.1	24.6	0.1	0.6
2,651	342,153	6,444,100	165.3	11.5	0.1	1.4	10,482	342,550	6,442,400	99.7	12.0	0.1	1.1
2,652	342,199	6,444,099	78.5	3.0	0.1	0.8	10,483	341,953	6,444,450	192.8	46.7	0.2	0.8
2,653	342,251	6,444,093	162.0	5.1	0.1	0.6	10,484	341,905	6,444,452	174.8	14.3	0.2	2.2
2,654	342,298	6,444,098	150.2	3.7	0.3	1.0	10,485	341,857	6,444,445	261.1	61.3	0.2	3.0
2,655	342,352	6,444,102	82.3	23.3	0.1	0.7	10,486	341,794	6,444,445	77.0	51.0	0.2	1.7
2,656	342,405	6,444,091	113.8	5.3	0.2	1.0	10,487	341,749	6,444,444	87.4	37.9	0.2	3.7
2,657	342,451	6,444,116	124.7	2.6	0.2	0.9	10,488	341,750	6,444,546	115.1	8.9	0.7	1.5
2,658	342,501	6,444,102	83.3	2.5	0.1	1.1	10,489	341,796	6,444,551	92.3	19.0	0.4	1.1
2,659	342,552	6,444,099	137.3	6.4	0.1	1.1	10,490	341,850	6,444,548	178.4	28.6	0.6	2.1
2,660	342,599	6,444,103	87.9	3.5	0.1	1.0	10,491	341,894	6,444,552	118.3	8.3	0.4	1.6
2,661	342,650	6,444,094	84.2	7.5	0.2	0.8	10,492	341,950	6,444,548	141.0	10.8	0.5	1.2
2,662	342,694	6,444,106	214.0	10.0	0.3	1.5	43,714	341,100	6,444,205	113.7	3.6	0.1	1.0
2,663	342,754	6,444,115	85.3	1.2	0.4	1.3	43,715	341,150	6,444,197	157.5	9.4	0.1	0.9
2,664	342,742	6,444,203	150.9	109.8	0.6	1.3	43,716	341,201	6,444,202	131.1	8.2	0.2	0.7
2,665	342,709	6,444,209	138.1	69.2	0.4	1.2	43,717	341,250	6,444,202	107.1	8.5	0.2	0.9
2,666	342,652	6,444,203	96.8	459.7	0.4	4.4	43,718	341,303	6,444,190	159.8	5.9	0.1	1.1
2,667	342,610	6,444,198	133.4	7.7	0.5	3.2	43,719	341,359	6,444,206	180.8	6.1	0.1	0.9
2,668	342,549	6,444,202	98.5	6.1	0.3	1.4	43,720	341,400	6,444,209	155.0	14.0	0.1	0.3
2,669	342,492	6,444,194	83.5	5.6	0.3	1.7	43,724	341,900	6,444,299	203.9	19.4	0.2	6.5
2,670	342,448	6,444,206	45.1	1.1	0.4	2.1	43,725	341,850	6,444,301	188.0	5.8	0.5	2.5
2,671	342,401	6,444,205	34.6	1.0	0.3	2.2	43,727	341,798	6,444,310	304.9	39.6	0.1	1.3
2,672	342,350	6,444,198	65.1	4.4	0.4	1.6	43,728	341,748	6,444,304	109.0	27.0	0.2	4.0
2,673	342,302	6,444,201	75.8	5.0	0.2	1.3	43,729	341,695	6,444,297	133.2	11.0	0.2	1.6
2,674	342,248	6,444,199	207.9	0.7	0.6	1.4	43,730	341,625	6,444,297	203.2	38.3	0.1	0.6
2,675	342,209	6,444,200	88.6	2.6	0.1	0.6	43,731	341,599	6,444,300	376.3	18.2	0.1	1.2
2,676	342,168	6,444,198	75.4	1.4	0.2	1.3	43,732	341,548	6,444,296	273.9	307.0	0.2	0.8
2,677	342,201	6,444,200	99.9	14.1	0.2	0.6	43,733	341,501	6,444,300	97.1	4.1	0.5	1.9
2,678	341,764	6,444,296	222.5	8.1	0.2	3.1	43,734	341,450	6,444,297	196.4	4.8	0.3	0.8
2,679	341,800	6,444,287	238.1	9.9	0.1	2.3	43,735	341,404	6,444,304	487.5	25.9	0.2	0.3
2,680	341,847	6,443,296	213.7	7.5	0.2	4.1	43,736	341,349	6,444,300	288.9	37.9	0.3	1.3
2,681	341,902	6,443,298	265.5	9.3	0.1	1.0	43,737	341,296	6,444,308	168.7	31.3	0.2	0.5
2,682	341,961	6,443,305	111.5	20.5	0.1	1.3	43,738	341,256	6,444,300	182.4	5.9	0.2	1.8
2,683	342,000	6,443,297	122.6	10.4	0.1	1.4	43,739	341,190	6,444,290	137.4	4.8	0.2	1.5
2,684	342,048	6,443,248	84.9	4.7	0.1	1.3	43,740	341,146	6,444,291	179.5	17.7	0.1	1.0
2,685	342,098	6,443,300	121.6	6.4	0.3	2.0	43,741	341,103	6,444,302	117.7	3.3	0.4	1.5
2,686	342,154	6,443,299	86.1	1.7	0.4	3.4	43,742	341,041	6,444,308	168.5	12.2	0.2	1.1
2,708	342,199	6,443,302	164.9	11.9	0.2	2.4	43,743	340,992	6,444,310	296.9	5.3	0.1	0.3
2,709	342,256	6,443,299	156.5	25.8	0.7	2.2	43,744	341,012	6,444,200	193.5	8.2	0.1	0.9
2,710	342,297	6,443,301	119.5	19.0	1.1	3.3	43,745	341,048	6,444,198	204.1	6.7	0.2	0.7
2,711	342,350	6,443,301	147.8	16.0	0.2	2.1	43,791	341,451	6,444,201	173.2	9.9	0.3	0.9
2,712	342,401	6,443,298	79.1	8.9	0.4	3.6	43,792	341,504	6,444,195	327.6	16.6	0.2	1.3
2,713	342,449	6,443,298	226.9	83.1	0.2	5.5	43,793	341,558	6,444,210	151.2	10.9	0.2	1.3
2,714	342,446	6,443,396	97.8	9.1	0.2	1.5	43,794	341,650	6,444,098	175.8	15.1	0.2	0.7
2,715	342,395	6,443,397	80.9	9.3	0.3	1.5	43,795	341,697	6,444,098	434.0	189.5	0.3	0.9
2,716	342,350	6,443,395	92.0	1.9	0.1	0.6	43,796	341,748	6,444,105	199.3	1,146.2	0.5	1.1
2,717	342,298	6,443,392	106.5	6.4	0.4	1.1	43,797	341,796	6,444,103	251.9	6.8	0.2	1.3
2,718	342,248	6,443,396	92.8	6.5	0.3	1.8	43,798	341,851	6,444,099	137.7	5.1	0.2	2.3
2,719	342,191	6,443,401	107.5	2.3	0.3	0.9	43,799	341,883	6,444,104	115.9	22.3	0.3	2.3
2,720	342,168	6,443,403	85.8	25.3	0.6	1.3							
2,721	342,101	6,443,402	95.0	3.0	0.2	0.9							
2,722	342,051	6,443,400	214.8	7.4	0.1	1.1							

**LEGEND**

Copper in Soil (PPM)

- 400 to 1,480 (4)
- 200 to 400 (29)
- 150 to 200 (31)
- 100 to 150 (35)
- 50 to 100 (38)
- 0 to 50 (6)


— Property Outline  
 — Contours  
 — Existing Roads  
 — Rivers  
 — Lakes

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**

**Soil Geochem Map  
Copper (PPM)**

Date: Dec 2015

Scale: 1:10,000      Projection: UTM NAD 83 Zone 9



SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)	SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)
2,629	341,914	6,444,199	100.9	12.7	0.3	1.0	2,723	342,005	6,443,401	177.2	6.9	0.2	1.2
2,630	341,845	6,444,197	143.9	7.4	0.3	2.3	2,724	341,948	6,443,400	306.4	13.2	0.1	1.0
2,631	341,801	6,444,197	154.0	20.6	0.2	6.3	10,462	341,550	6,442,400	49.3	1.8	0.2	2.4
2,632	341,748	6,444,204	258.0	14.1	0.5	7.1	10,463	341,605	6,442,401	69.4	4.2	0.2	1.2
2,633	341,699	6,444,196	91.7	8.8	0.6	1.6	10,464	341,651	6,442,393	140.3	4.3	0.2	0.9
2,634	341,649	6,444,201	138.4	30.1	0.4	1.7	10,465	341,700	6,442,395	143.1	5.8	0.1	1.1
2,635	341,604	6,444,197	400.6	13.5	0.3	0.9	10,466	341,750	6,442,399	140.5	2.8	0.3	1.4
2,636	341,604	6,444,095	48.0	1.4	0.2	2.0	10,467	341,803	6,442,396	66.3	1.2	0.3	3.3
2,637	341,543	6,444,099	48.7	3.4	0.2	1.4	10,468	341,852	6,442,404	154.0	1.9	0.4	3.8
2,638	341,504	6,444,101	42.2	1.3	0.2	1.8	10,469	341,922	6,442,404	235.0	10.1	0.5	2.5
2,639	341,448	6,444,098	149.1	4.7	0.1	0.5	10,470	341,954	6,442,398	263.2	4.9	0.2	1.3
2,640	341,382	6,444,103	72.2	3.5	0.3	1.1	10,471	341,995	6,442,405	185.1	7.7	0.2	1.2
2,641	341,350	6,444,099	163.9	4.6	0.1	0.7	10,472	342,051	6,442,402	245.1	14.3	0.3	1.5
2,642	341,298	6,444,099	57.2	5.4	0.2	2.0	10,473	342,098	6,442,404	91.5	7.1	0.6	1.5
2,643	341,250	6,444,099	61.4	11.6	0.2	1.7	10,474	342,150	6,442,402	182.6	9.3	0.1	1.8
2,644	341,203	6,444,105	312.2	5.5	0.1	0.8	10,475	342,203	6,442,408	1,473.7	87.1	0.8	4.1
2,645	341,147	6,444,097	210.8	6.2	0.1	3.2	10,476	342,258	6,442,402	219.2	2.2	0.3	4.7
2,646	341,100	6,444,105	100.0	6.1	0.1	1.4	10,477	342,300	6,442,400	83.8	8.9	0.3	2.8
2,647	341,052	6,444,093	216.8	14.4	0.1	0.9	10,478	342,338	6,442,401	99.1	4.5	0.1	1.7
2,648	340,999	6,444,102	308.9	13.1	0.2	2.4	10,479	342,400	6,442,400	101.4	11.4	0.1	1.1
2,649	342,075	6,444,105	140.3	7.2	0.2	0.8	10,480	342,450	6,442,399	80.3	3.8	0.1	0.6
2,650	342,100	6,444,100	137.6	4.6	0.1	0.6	10,481	342,510	6,442,397	151.1	24.6	0.1	0.6
2,651	342,153	6,444,100	165.3	11.5	0.1	1.4	10,482	342,550	6,442,400	99.7	12.0	0.1	1.1
2,652	342,199	6,444,099	78.5	3.0	0.1	0.8	10,483	341,953	6,444,450	192.8	46.7	0.2	0.8
2,653	342,251	6,444,093	162.0	5.1	0.1	0.6	10,484	341,905	6,444,452	174.8	14.3	0.2	2.2
2,654	342,298	6,444,098	150.2	3.7	0.3	1.0	10,485	341,857	6,444,445	261.1	61.3	0.2	3.0
2,655	342,352	6,444,102	82.3	23.3	0.1	0.7	10,486	341,794	6,444,445	77.0	51.0	0.2	1.7
2,656	342,405	6,444,091	113.8	5.3	0.2	1.0	10,487	341,749	6,444,444	87.4	37.9	0.2	3.7
2,657	342,451	6,444,116	124.7	2.6	0.2	0.9	10,488	341,750	6,444,546	115.1	8.9	0.7	1.5
2,658	342,501	6,444,102	83.3	2.5	0.1	1.1	10,489	341,796	6,444,551	92.3	19.0	0.4	1.1
2,659	342,552	6,444,099	137.3	6.4	0.1	1.1	10,490	341,850	6,444,548	178.4	28.6	0.6	2.1
2,660	342,599	6,444,103	87.9	3.5	0.1	1.0	10,491	341,894	6,444,552	118.3	8.3	0.4	1.6
2,661	342,650	6,444,094	84.2	7.5	0.2	0.8	10,492	341,950	6,444,548	141.0	10.8	0.5	1.2
2,662	342,694	6,444,106	214.0	10.0	0.3	1.5	43,714	341,100	6,444,205	113.7	3.6	0.1	1.0
2,663	342,754	6,444,115	85.3	1.2	0.4	1.3	43,715	341,150	6,444,197	157.5	9.4	0.1	0.9
2,664	342,742	6,444,203	150.9	109.8	0.6	1.3	43,716	341,201	6,444,202	131.1	8.2	0.2	0.7
2,665	342,709	6,444,209	138.1	69.2	0.4	1.2	43,717	341,250	6,444,202	107.1	8.5	0.2	0.9
2,666	342,652	6,444,203	96.8	459.7	0.4	4.4	43,718	341,303	6,444,190	159.8	5.9	0.1	1.1
2,667	342,610	6,444,198	133.4	7.7	0.5	3.2	43,719	341,359	6,444,206	180.8	6.1	0.1	0.9
2,668	342,549	6,444,202	98.5	6.1	0.3	1.4	43,720	341,400	6,444,209	155.0	14.0	0.1	0.3
2,669	342,492	6,444,194	83.5	5.6	0.3	1.7	43,724	341,900	6,444,299	203.9	19.4	0.2	6.5
2,670	342,448	6,444,206	45.1	1.1	0.4	2.1	43,725	341,850	6,444,301	188.0	5.8	0.5	2.5
2,671	342,401	6,444,205	34.6	1.0	0.3	2.2	43,727	341,798	6,444,310	304.9	39.6	0.1	1.3
2,672	342,350	6,444,198	65.1	4.4	0.4	1.6	43,728	341,748	6,444,304	109.0	27.0	0.2	4.0
2,673	342,302	6,444,201	75.8	5.0	0.2	1.3	43,729	341,695	6,444,297	133.2	11.0	0.2	1.6
2,674	342,248	6,444,199	207.9	0.7	0.6	1.4	43,730	341,625	6,444,297	203.2	38.3	0.1	0.6
2,675	342,209	6,444,200	88.6	2.6	0.1	0.6	43,731	341,599	6,444,300	376.3	18.2	0.1	1.2
2,676	342,168	6,444,198	75.4	1.4	0.2	1.3	43,732	341,548	6,444,296	273.9	307.0	0.2	0.8
2,677	342,201	6,444,200	99.9	14.1	0.2	0.6	43,733	341,501	6,444,300	97.1	4.1	0.5	1.9
2,678	341,764	6,444,296	222.5	8.1	0.2	3.1	43,734	341,450	6,444,297	196.4	4.8	0.3	0.8
2,679	341,800	6,444,287	238.1	9.9	0.1	2.3	43,735	341,404	6,444,304	487.5	25.9	0.2	0.3
2,680	341,847	6,443,296	213.7	7.5	0.2	4.1	43,736	341,349	6,444,300	288.9	37.9	0.3	1.3
2,681	341,902	6,443,298	265.5	9.3	0.1	1.0	43,737	341,296	6,444,308	168.7	31.3	0.2	0.5
2,682	341,961	6,443,305	111.5	20.5	0.1	1.3	43,738	341,256	6,444,300	182.4	5.9	0.2	1.8
2,683	342,000	6,443,297	122.6	10.4	0.1	1.4	43,739	341,190	6,444,290	137.4	4.8	0.2	1.5
2,684	342,048	6,443,248	84.9	4.7	0.1	1.3	43,740	341,146	6,444,291	179.5	17.7	0.1	1.0
2,685	342,098	6,443,300	121.6	6.4	0.3	2.0	43,741	341,103	6,444,302	117.7	3.3	0.4	1.5
2,686	342,154	6,443,299	86.1	1.7	0.4	3.4	43,742	341,041	6,444,308	168.5	12.2	0.2	1.1
2,708	342,199	6,443,302	164.9	11.9	0.2	2.4	43,743	340,992	6,444,310	296.9	5.3	0.1	0.3
2,709	342,256	6,443,299	156.5	25.8	0.7	2.2	43,744	341,012	6,444,200	193.5	8.2	0.1	0.9
2,710	342,297	6,443,301	119.5	19.0	1.1	3.3	43,745	341,048	6,444,198	204.1	6.7	0.2	0.7
2,711	342,350	6,443,301	147.8	16.0	0.2	2.1	43,791	341,451	6,444,201	173.2	9.9	0.3	0.9
2,712	342,401	6,443,298	79.1	8.9	0.4	3.6	43,792	341,504	6,444,195	327.6	16.6	0.2	1.3
2,713	342,449	6,443,298	226.9	83.1	0.2	5.5	43,793	341,558	6,444,210	151.2	10.9	0.2	1.3
2,714	342,446	6,443,396	97.8	9.1	0.2	1.5	43,794	341,650	6,444,098	175.8	15.1	0.2	0.7
2,715	342,395	6,443,397	80.9	9.3	0.3	1.5	43,795	341,697	6,444,098	434.0	189.5	0.3	0.9
2,716	342,350	6,443,395	92.0	1.9	0.1	0.6	43,796	341,748	6,444,105	199.3	1,146.2	0.5	1.1
2,717	342,298	6,443,392	106.5	6.4	0.4	1.1	43,797	341,796	6,444,103	251.9	6.8	0.2	1.3
2,718	342,248	6,443,396	92.8	6.5	0.3	1.8	43,798	341,851	6,444,099	137.7	5.1	0.2	2.3
2,719	342,191	6,443,401	107.5	2.3	0.3	0.9	43,799	341,883	6,444,104	115.9	22.3	0.3	2.3
2,720	342,168	6,443,403	85.8	25.3	0.6	1.3							
2,721	342,101	6,443,402	95.0	3.0	0.2	0.9							
2,722	342,051	6,443,400	214.8	7.4	0.1	1.1							

**LEGEND**

Gold in Soil (PPB)

- 50 to 1,150 (10)
- 25 to 50 (12)
- 15 to 25 (13)
- 10 to 15 (22)
- 5 to 10 (47)
- 0 to 5 (39)

— Property Outline

— Contours

— Existing Roads

— Rivers

— Lakes


---

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**

**Soil Geochem Map  
Gold (PPB)**

Date: Dec 2015

Scale: 1:10,000      Projection: UTM NAD 83 Zone 9



SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)	SAMPLE_ID	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Ag (PPM)	Mo (PPM)
2,629	341,914	6,444,199	100.9	12.7	0.3	1.0	2,723	342,005	6,443,401	177.2	6.9	0.2	1.2
2,630	341,845	6,444,197	143.9	7.4	0.3	2.3	2,724	341,948	6,443,400	306.4	13.2	0.1	1.0
2,631	341,801	6,444,197	154.0	20.6	0.2	6.3	10,462	341,550	6,442,400	49.3	1.8	0.2	2.4
2,632	341,748	6,444,204	258.0	14.1	0.5	7.1	10,463	341,605	6,442,401	69.4	4.2	0.2	1.2
2,633	341,699	6,444,196	91.7	8.8	0.6	1.6	10,464	341,651	6,442,393	140.3	4.3	0.2	0.9
2,634	341,649	6,444,201	138.4	30.1	0.4	1.7	10,465	341,700	6,442,395	143.1	5.8	0.1	1.1
2,635	341,604	6,444,197	400.6	13.5	0.3	0.9	10,466	341,750	6,442,399	140.5	2.8	0.3	1.4
2,636	341,604	6,444,095	48.0	1.4	0.2	2.0	10,467	341,803	6,442,396	66.3	1.2	0.3	3.3
2,637	341,543	6,444,099	48.7	3.4	0.2	1.4	10,468	341,852	6,442,404	154.0	1.9	0.4	3.8
2,638	341,504	6,444,101	42.2	1.3	0.2	1.8	10,469	341,922	6,442,404	235.0	10.1	0.5	2.5
2,639	341,448	6,444,098	149.1	4.7	0.1	0.5	10,470	341,954	6,442,398	263.2	4.9	0.2	1.3
2,640	341,382	6,444,103	72.2	3.5	0.3	1.1	10,471	341,995	6,442,405	185.1	7.7	0.2	1.2
2,641	341,350	6,444,099	163.9	4.6	0.1	0.7	10,472	342,051	6,442,402	245.1	14.3	0.3	1.5
2,642	341,298	6,444,099	57.2	5.4	0.2	2.0	10,473	342,098	6,442,404	91.5	7.1	0.6	1.5
2,643	341,250	6,444,099	61.4	11.6	0.2	1.7	10,474	342,150	6,442,402	182.6	9.3	0.1	1.8
2,644	341,203	6,444,105	312.2	5.5	0.1	0.8	10,475	342,203	6,442,408	1,473.7	87.1	0.8	4.1
2,645	341,147	6,444,097	210.8	6.2	0.1	3.2	10,476	342,258	6,442,402	219.2	2.2	0.3	4.7
2,646	341,100	6,444,105	100.0	6.1	0.1	1.4	10,477	342,300	6,442,400	83.8	8.9	0.3	2.8
2,647	341,052	6,444,093	216.8	14.4	0.1	0.9	10,478	342,338	6,442,401	99.1	4.5	0.1	1.7
2,648	340,999	6,444,102	308.9	13.1	0.2	2.4	10,479	342,400	6,442,400	101.4	11.4	0.1	1.1
2,649	342,075	6,444,105	140.3	7.2	0.2	0.8	10,480	342,450	6,442,399	80.3	3.8	0.1	0.6
2,650	342,100	6,444,100	137.6	4.6	0.1	0.6	10,481	342,510	6,442,397	151.1	24.6	0.1	0.6
2,651	342,153	6,444,100	165.3	11.5	0.1	1.4	10,482	342,550	6,442,400	99.7	12.0	0.1	1.1
2,652	342,199	6,444,099	78.5	3.0	0.1	0.8	10,483	341,953	6,444,450	192.8	46.7	0.2	0.8
2,653	342,251	6,444,093	162.0	5.1	0.1	0.6	10,484	341,905	6,444,452	174.8	14.3	0.2	2.2
2,654	342,298	6,444,098	150.2	3.7	0.3	1.0	10,485	341,857	6,444,445	261.1	61.3	0.2	3.0
2,655	342,352	6,444,102	82.3	23.3	0.1	0.7	10,486	341,794	6,444,445	77.0	51.0	0.2	1.7
2,656	342,405	6,444,091	113.8	5.3	0.2	1.0	10,487	341,749	6,444,444	87.4	37.9	0.2	3.7
2,657	342,451	6,444,116	124.7	2.6	0.2	0.9	10,488	341,750	6,444,546	115.1	8.9	0.7	1.5
2,658	342,501	6,444,102	83.3	2.5	0.1	1.1	10,489	341,796	6,444,551	92.3	19.0	0.4	1.1
2,659	342,552	6,444,099	137.3	6.4	0.1	1.1	10,490	341,850	6,444,548	178.4	28.6	0.6	2.1
2,660	342,599	6,444,103	87.9	3.5	0.1	1.0	10,491	341,894	6,444,552	118.3	8.3	0.4	1.6
2,661	342,650	6,444,094	84.2	7.5	0.2	0.8	10,492	341,894	6,444,548	141.0	10.8	0.5	1.2
2,662	342,694	6,444,106	214.0	10.0	0.3	1.5	43,714	341,100	6,444,205	113.7	3.6	0.1	1.0
2,663	342,754	6,444,115	85.3	1.2	0.4	1.3	43,715	341,150	6,444,197	157.5	9.4	0.1	0.9
2,664	342,742	6,444,203	150.9	109.8	0.6	1.3	43,716	341,201	6,444,202	131.1	8.2	0.2	0.7
2,665	342,709	6,444,209	138.1	69.2	0.4	1.2	43,717	341,250	6,444,202	107.1	8.5	0.2	0.9
2,666	342,652	6,444,203	96.8	459.7	0.4	4.4	43,718	341,303	6,444,190	159.8	5.9	0.1	1.1
2,667	342,610	6,444,198	133.4	7.7	0.5	3.2	43,719	341,359	6,444,206	180.8	6.1	0.1	0.9
2,668	342,549	6,444,202	98.5	6.1	0.3	1.4	43,720	341,400	6,444,209	155.0	14.0	0.1	0.3
2,669	342,492	6,444,194	83.5	5.6	0.3	1.7	43,724	341,900	6,444,299	203.9	19.4	0.2	6.5
2,670	342,448	6,444,206	45.1	1.1	0.4	2.1	43,725	341,850	6,444,301	188.0	5.8	0.5	2.5
2,671	342,401	6,444,205	34.6	1.0	0.3	2.2	43,727	341,798	6,444,310	304.9	39.6	0.1	1.3
2,672	342,350	6,444,198	65.1	4.4	0.4	1.6	43,728	341,748	6,444,304	109.0	27.0	0.2	4.0
2,673	342,302	6,444,201	75.8	5.0	0.2	1.3	43,729	341,695	6,444,297	133.2	11.0	0.2	1.6
2,674	342,248	6,444,199	207.9	0.7	0.6	1.4	43,730	341,625	6,444,297	203.2	38.3	0.1	0.6
2,675	342,209	6,444,200	88.6	2.6	0.1	0.6	43,731	341,599	6,444,300	376.3	18.2	0.1	1.2
2,676	342,168	6,444,198	75.4	1.4	0.2	1.3	43,732	341,548	6,444,296	273.9	307.0	0.2	0.8
2,677	342,201	6,444,200	99.9	14.1	0.2	0.6	43,733	341,501	6,444,300	97.1	4.1	0.5	1.9
2,678	341,764	6,444,296	222.5	8.1	0.2	3.1	43,734	341,450	6,444,297	196.4	4.8	0.3	0.8
2,679	341,800	6,444,287	238.1	9.9	0.1	2.3	43,735	341,404	6,444,304	487.5	25.9	0.2	0.3
2,680	341,847	6,443,296	213.7	7.5	0.2	4.1	43,736	341,349	6,444,300	288.9	37.9	0.3	1.3
2,681	341,902	6,443,298	265.5	9.3	0.1	1.0	43,737	341,296	6,444,308	168.7	31.3	0.2	0.5
2,682	341,961	6,443,305	111.5	20.5	0.1	1.3	43,738	341,256	6,444,300	182.4	5.9	0.2	1.8
2,683	342,000	6,443,297	122.6	10.4	0.1	1.4	43,739	341,190	6,444,290	137.4	4.8	0.2	1.5
2,684	342,048	6,443,248	84.9	4.7	0.1	1.3	43,740	341,146	6,444,291	179.5	17.7	0.1	1.0
2,685	342,098	6,443,300	121.6	6.4	0.3	2.0	43,741	341,103	6,444,302	117.7	3.3	0.4	1.5
2,686	342,154	6,443,299	86.1	1.7	0.4	3.4	43,742	341,041	6,444,308	168.5	12.2	0.2	1.1
2,708	342,199	6,443,302	164.9	11.9	0.2	2.4	43,743	340,992	6,444,310	296.9	5.3	0.1	0.3
2,709	342,256	6,443,299	156.5	25.8	0.7	2.2	43,744	341,012	6,444,200	193.5	8.2	0.1	0.9
2,710	342,297	6,443,301	119.5	19.0	1.1	3.3	43,745	341,048	6,444,198	204.1	6.7	0.2	0.7
2,711	342,350	6,443,301	147.8	16.0	0.2	2.1	43,791	341,451	6,444,201	173.2	9.9	0.3	0.9
2,712	342,401	6,443,298	79.1	8.9	0.4	3.6	43,792	341,504	6,444,195	327.6	16.6	0.2	1.3
2,713	342,449	6,443,298	226.9	83.1	0.2	5.5	43,793	341,558	6,444,210	151.2	10.9	0.2	1.3
2,714	342,446	6,443,396	97.8	9.1	0.2	1.5	43,794	341,650	6,444,098	175.8	15.1	0.2	0.7
2,715	342,395	6,443,397	80.9	9.3	0.3	1.5	43,795	341,697	6,444,098	434.0	189.5	0.3	0.9
2,716	342,350	6,443,395	92.0	1.9	0.1	0.6	43,796	341,748	6,444,105	199.3	1,146.2	0.5	1.1
2,717	342,298	6,443,392	106.5	6.4	0.4	1.1	43,797	341,796	6,444,103	251.9	6.8	0.2	1.3
2,718	342,248	6,443,396	92.8	6.5	0.3	1.8	43,798	341,851	6,444,099	137.7	5.1	0.2	2.3
2,719	342,191	6,443,401	107.5	2.3	0.3	0.9	43,799	341,883	6,444,104	115.9	22.3	0.3	2.3
2,720	342,168	6,443,403	85.8	25.3	0.6	1.3							
2,721	342,101	6,443,402	95.0	3.0	0.2	0.9							
2,722	342,051	6,443,400	214.8	7.4	0.1	1.1							

**LEGEND**

Moly in Soil (PPM)

- 4.1 to 7.1 (8)
- 2.8 to 4.1 (12)
- 2 to 2.8 (18)
- 1.4 to 2 (29)
- 1.1 to 1.4 (31)
- 0.3 to 1.1 (45)

— Property Outline  
 — Contours  
 — Existing Roads  
 — Rivers  
 — Lakes

---

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**


---

**Soil Geochem Map  
Molybdenum (PPM)**

---

Date: Dec 2015

Scale: 1:10,000      Projection: UTM NAD 83 Zone 9



SAMPLE	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Mo (PPM)
GB-15-09	340,760.00	6,444,852.00	20.30	3.60	4.90	24.00	0.05	0.30
GB-15-10	340,852.00	6,444,818.00	60.70	3.90	1.20	14.00	0.05	0.10
GB-15-11	340,617.00	6,444,392.00	91.60	12.40	1.40	15.00	0.05	0.10
GB-15-12	340,506.00	6,444,307.00	76.20	14.50	1.40	25.00	0.05	0.20
GB-15-13	342,304.00	6,444,816.00	1,081.00	58.40	1.00	7.00	0.10	0.30
GB-15-14A	342,224.00	6,445,211.00	637.20	8.80	2.30	36.00	0.20	0.40
GB-15-14B	342,224.00	6,445,211.00	102.70	2.50	0.90	25.00	0.05	0.40
GB-15-15A	342,825.00	6,443,549.00	609.70	6.70	2.50	33.00	0.80	2.90
GB-15-15B	342,825.00	6,443,549.00	308.00	2.10	1.30	22.00	0.30	2.70
GB-15-16	342,300.00	6,443,319.00	56.40	4.60	2.10	32.00	0.05	0.50
GB-15-17	342,329.00	6,443,288.00	262.20	7.20	1.50	15.00	0.05	9.90
GB-15-18	342,302.00	6,443,185.00	200.80	102.40	0.80	15.00	0.05	8.20
GB-15-19A	341,850.00	6,443,004.00	313.80	44.40	1.10	16.00	0.05	0.50
GB-15-19B	341,850.00	6,443,004.00	406.20	58.40	5.60	58.00	0.20	0.50
GB-15-20	341,848.00	6,442,338.00	40.90	1.20	0.40	32.00	0.05	0.60
GB-15-21	341,499.00	6,442,028.00	168.30	7.70	0.50	20.00	0.05	0.05
GB-15-22	341,770.00	6,441,981.00	32.50	1.70	0.80	20.00	0.05	0.30
GB-15-23	342,113.00	6,442,074.00	459.90	4.70	0.80	22.00	0.10	0.20
GB-15-24	341,884.00	6,442,861.00	22.20	3.50	0.60	39.00	0.20	1.30
GB-15-25	341,904.00	6,442,413.00	10,001.00	130.50	7.90	125.00	7.50	1.00
GB-15-26	341,980.00	6,442,402.00	1,500.10	14.10	1.50	28.00	0.40	0.70
GB-15-27	342,229.00	6,445,180.00	121.60	1.00	1.30	29.00	0.05	2.40
GB-15-28A	342,217.00	6,445,081.00	5,113.20	98.60	7.90	74.00	1.70	390.80
GB-15-28B	342,217.00	6,445,081.00	529.30	14.10	13.70	20.00	2.50	415.50
GB-15-TRO1A	342,782.00	6,444,469.00	115.50	13.50	0.80	32.00	0.05	1.90
GB-15-TRO1B	342,781.00	6,444,469.50	34.10	17.70	1.40	32.00	0.05	0.40
GB-15-TRO1C	342,780.00	6,444,470.00	18.40	13.60	1.20	30.00	0.05	0.30
GB-15-TRO1D	342,779.00	6,444,470.50	17.90	12.20	1.40	31.00	0.05	0.20
GB-15-TRO1E	342,778.00	6,444,471.00	22.70	23.60	2.40	34.00	0.05	0.20
GB-15-TRO1F	342,777.00	6,444,471.50	88.30	20.00	1.60	42.00	0.05	0.70

**LEGEND**

Copper in Rocks (PPM)

- ▲ 530 to >10,010 (7)
- ▲ 360 to 530 (5)
- ▲ 150 to 360 (7)
- ▲ 80 to 150 (6)
- ▲ 40 to 80 (6)
- ▲ 0 to 40 (8)

— Property Outline

— Contours

— Existing Roads

— Rivers

— Lakes

---

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**


---

**Rock Geochem Map  
Copper (PPM)**

---

Date: Dec 2015

Scale: 1:10,000      Projection: UTM NAD 83 Zone 9



SAMPLE	EASTING	NORTHING	Cu (PPM)	Au (PPB)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Mo (PPM)
GB-15-09	340,760.00	6,444,852.00	20.30	3.60	4.90	24.00	0.05	0.30
GB-15-10	340,852.00	6,444,818.00	60.70	3.90	1.20	14.00	0.05	0.10
GB-15-11	340,617.00	6,444,392.00	91.60	12.40	1.40	15.00	0.05	0.10
GB-15-12	340,506.00	6,444,307.00	76.20	14.50	1.40	25.00	0.05	0.20
GB-15-13	342,304.00	6,444,816.00	1,081.00	58.40	1.00	7.00	0.10	0.30
GB-15-14A	342,224.00	6,445,211.00	637.20	8.80	2.30	36.00	0.20	0.40
GB-15-14B	342,224.00	6,445,211.00	102.70	2.50	0.90	25.00	0.05	0.40
GB-15-15A	342,825.00	6,443,549.00	609.70	6.70	2.50	33.00	0.80	2.90
GB-15-15B	342,825.00	6,443,549.00	308.00	2.10	1.30	22.00	0.30	2.70
GB-15-16	342,300.00	6,443,319.00	56.40	4.60	2.10	32.00	0.05	0.50
GB-15-17	342,329.00	6,443,288.00	262.20	7.20	1.50	15.00	0.05	9.90
GB-15-18	342,302.00	6,443,185.00	200.80	102.40	0.80	15.00	0.05	8.20
GB-15-19A	341,850.00	6,443,004.00	313.80	44.40	1.10	16.00	0.05	0.50
GB-15-19B	341,850.00	6,443,004.00	406.20	58.40	5.60	58.00	0.20	0.50
GB-15-20	341,848.00	6,442,338.00	40.90	1.20	0.40	32.00	0.05	0.60
GB-15-21	341,499.00	6,442,028.00	168.30	7.70	0.50	20.00	0.05	0.05
GB-15-22	341,770.00	6,441,981.00	32.50	1.70	0.80	20.00	0.05	0.30
GB-15-23	342,113.00	6,442,074.00	459.90	4.70	0.80	22.00	0.10	0.20
GB-15-24	341,884.00	6,442,861.00	22.20	3.50	0.60	39.00	0.20	1.30
GB-15-25	341,904.00	6,442,413.00	10,001.00	130.50	7.90	125.00	7.50	1.00
GB-15-26	341,980.00	6,442,402.00	1,500.10	14.10	1.50	28.00	0.40	0.70
GB-15-27	342,229.00	6,445,180.00	121.60	1.00	1.30	29.00	0.05	2.40
GB-15-28A	342,217.00	6,445,081.00	5,113.20	98.60	7.90	74.00	1.70	390.80
GB-15-28B	342,217.00	6,445,081.00	529.30	14.10	13.70	20.00	2.50	415.50
GB-15-TRO1A	342,782.00	6,444,469.00	115.50	13.50	0.80	32.00	0.05	1.90
GB-15-TRO1B	342,781.00	6,444,469.50	34.10	17.70	1.40	32.00	0.05	0.40
GB-15-TRO1C	342,780.00	6,444,470.00	18.40	13.60	1.20	30.00	0.05	0.30
GB-15-TRO1D	342,779.00	6,444,470.50	17.90	12.20	1.40	31.00	0.05	0.20
GB-15-TRO1E	342,778.00	6,444,471.00	22.70	23.60	2.40	34.00	0.05	0.20
GB-15-TRO1F	342,777.00	6,444,471.50	88.30	20.00	1.60	42.00	0.05	0.70

**LEGEND**

Gold in Rocks (PPB)

- ▲ 50 to 131 (6)
- ▲ 20 to 50 (4)
- ▲ 15 to 20 (1)
- ▲ 10 to 15 (10)
- ▲ 5 to 10 (5)
- ▲ 1 to 5 (13)

— Property Outline

— Contours

— Existing Roads

— Rivers

— Lakes

---

**Garibaldi Resources Corp.  
Golden Bear (Wolverine) Property**

---

**Rock Geochem Map  
Gold (PPB)**

---

Date: Dec 2015

Scale: 1:10,000      Projection: UTM NAD 83 Zone 9



## References

**Hilchey, G.R.**, 1972. Geochemical Report on the VI Group, Sumitomo Metal Mining Canada Ltd., Assessment Report 3972.

**Howe, J.M.**, 1992. Geochemical and Geological Assessment Report on the Wolverine and Quick Claims, North American Metals, Assessment Report 22,126

**Kasper, B.**, 1991. 1990 Geological and Geochemical Report on the JC 1-5 Claims, Pass Lake Resources, Assessment Report 21,209.

**Kerckhoff, A., Rebagliati, M., Travis, A.**, 2005. “Geochemical, geophysical, and Geological Assessment Report on the Wolverine 1 & 2 and GBR 1 to 28 Claims” Amarc Resources Ltd., Assessment Report 27,770.

**Southam, P.**, 1990. 1990 Exploration Report on the Wolverine and Quick Claims of the Golden bear Road Project, North American Metals and Chevron Minerals, Assessment Report 20,945.

**Souther, J.G.** 1971, “Geology and Mineral Deposits of the Tulsequah Map Area, British Columbia.”, Geological Survey of Canada, Memoir 362, 84p.

### Statement of Costs

Exploration Work type	Comment	Days			Totals
<b>Personnel (Name)* / Position</b>	<b>Field Days (list actual days)</b>	<b>Days</b>	<b>Rate</b>	<b>Subtotal*</b>	
Adrian Smith	August 5 - August 25	15	\$600.00	\$9,000.00	
Trevor Talarico		15	\$350.00	\$5,250.00	
Ed Long		15	\$450.00	\$6,750.00	
Jerry Asp		15	\$400.00	\$6,000.00	
			\$0.00	\$0.00	
			\$0.00	\$0.00	
				\$27,000.00	<b>\$27,000.00</b>
<b>Office Studies</b>	<b>List Personnel (note - Office only, do not include field days)</b>				
Literature search	Adrian Smith	2.0	\$350.00	\$700.00	
Database compilation	Adrian Smith	2.0	\$350.00	\$700.00	
Computer modelling			\$0.00	\$0.00	
Reprocessing of data			\$0.00	\$0.00	
General research	Adrian Smith	2.0	\$350.00	\$700.00	
Report preparation			\$0.00	\$0.00	
Other (specify)				\$2,100.00	
				\$4,200.00	<b>\$4,200.00</b>
<b>Airborne Exploration Surveys</b>	<b>Line Kilometres / Enter total invoiced amount</b>				
Aeromagnetics			\$0.00	\$0.00	
Radiometrics			\$0.00	\$0.00	
Electromagnetics			\$0.00	\$0.00	
Gravity			\$0.00	\$0.00	
Digital terrain modelling			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>Remote Sensing</b>	<b>Area in Hectares / Enter total invoiced amount or list personnel</b>				
Aerial photography			\$0.00	\$0.00	
LANDSAT			\$0.00	\$0.00	
Other (specify)			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>Ground Exploration Surveys</b>	<b>Area in Hectares/List Personnel</b>				
Geological mapping					
Regional					<i>note: expenditures here should be captured in Personnel field expenditures above</i>
Reconnaissance					
Prospect					
Underground	Define by length and width				
Trenches	Define by length and width			\$0.00	<b>\$0.00</b>
<b>Ground geophysics</b>	<b>Line Kilometres / Enter total amount invoiced list personnel</b>				
Radiometrics					

Magnetics  
 Gravity  
 Digital terrain modelling  
 Electromagnetics *note: expenditures for your crew in the field should be captured above in Personnel*  
 SP/AP/EP  
 IP *field expenditures above*  
 AMT/CSAMT  
 Resistivity  
 Complex resistivity  
 Seismic reflection  
 Seismic refraction  
 Well logging Define by total length  
 Geophysical interpretation  
 Petrophysics  
 Other (specify)

\$0.00 **\$0.00**

**Geochemical Surveying**      **Number of Samples**      **No.**      **Rate**      **Subtotal**

Drill (cuttings, core, etc.)      \$0.00      \$0.00  
 Stream sediment      \$0.00      \$0.00  
 Soil      143.0      \$20.00      \$2,860.00  
 Rock      39.0      \$25.00      \$975.00  
 Water      \$0.00      \$0.00  
 Biogeochemistry      \$0.00      \$0.00  
 Whole rock      \$0.00      \$0.00  
 Petrology      \$0.00      \$0.00  
 Other (specify)      \$0.00      \$0.00

\$3,835.00 **\$3,835.00**

**Drilling**      **No. of Holes, Size of Core and Metres**      **No.**      **Rate**      **Subtotal**

Diamond      \$0.00      \$0.00  
 Reverse circulation (RC)      \$0.00      \$0.00  
 Rotary air blast (RAB)      \$0.00      \$0.00  
 Other (specify)      \$0.00      \$0.00

\$0.00 **\$0.00**

**Other Operations**      **Clarify**      **No.**      **Rate**      **Subtotal**

Trenching      \$0.00      \$0.00  
 Bulk sampling      \$0.00      \$0.00  
 Underground development      \$0.00      \$0.00  
 Other (specify)      \$0.00      \$0.00

\$0.00 **\$0.00**

**Reclamation**      **Clarify**      **No.**      **Rate**      **Subtotal**

After drilling      \$0.00      \$0.00  
 Monitoring      \$0.00      \$0.00  
 Other (specify)      \$0.00      \$0.00

**Transportation**      **No.**      **Rate**      **Subtotal**

Airfare      \$0.00      \$0.00  
 Taxi      \$0.00      \$0.00

truck rental			\$0.00	\$0.00	
kilometers			\$0.00	\$0.00	
ATV			\$0.00	\$0.00	
fuel			\$0.00	\$0.00	
Helicopter (hours)	Camp and Crew		\$2,000.		
Fuel (litres/hour)	Mobilization	4	00	\$8,000.00	
Other					
				\$8,000.00	<b>\$8,000.00</b>
<b>Accommodation &amp; Food</b>	<b>Rates per day</b>				
Hotel	Travel from Vancouver	4.00	\$150.00	\$600.00	
Camp	Canvas tent and Geostove Rental	15.00	\$50.00	\$750.00	
Meals	25\$ per person per day (15 x 4)	60.00	\$25.00	\$1,500.00	
				\$2,850.00	<b>\$2,850.00</b>
<b>Miscellaneous</b>					
Telephone	Satellite Phone	15.00	\$25.00	\$375.00	
Other (Specify)					
				\$375.00	<b>\$375.00</b>
<b>Equipment Rentals</b>					
Field Gear (Specify)	Soil Sampling Gear	15.00	\$100.00	\$1,500.00	
Other (Specify)					
				\$1,500.00	<b>\$1,500.00</b>
<b>Freight, rock samples</b>					
			\$0.00	\$0.00	
			\$0.00	\$0.00	
				\$0.00	<b>\$0.00</b>
<b>TOTAL Expenditures</b>					<b>\$47,760.00</b>

## Statement of Qualifications

I, Adrian Smith, do hereby certify that:

1. I have a Bachelor of Science Degree from Simon Fraser University (Geology);
2. I have engaged in mineral exploration since 2007, for junior exploration and mining companies and as an independent geologist;
3. I am a Licensed Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia;
4. My most recent personal inspection of the Golden Bear (Wolverine) property was in August, 2015;
5. I have co-authored the report entitled “Geochemical and geological Assessment Report on the Golden Bear (Wolverine) Property”. The report is based on recent work carried out and on compilation of historical data;
6. I am not independent using the definition in Section 5 of National Instrument 43-101;
7. I am the President of Divitiae Resources Ltd.;
8. As of the effective date of this Report, to the best of my knowledge, information and belief, the Report contains all scientific and technical information that is required to be disclosed to make the Report not misleading.

Signed and dated at Vancouver, British Columbia, on the *20<sup>th</sup>* day of December 2015.

\_\_\_\_\_

Adrian Smith B.Sc., P.Geo.

## **APPENDIX A:**

### **List of Rock Samples and Descriptions**

SAMPLE	EASTING	NORTHING	Rock Type	DESCRIPTION		Analyte	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe (%)	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)
GB-15-01	341846	6444405	Andesite	Outcrop - dark grey-green fine grained volc 0.5% diss py + 0.5cm qtz veinlets magnetic (moderate)	GB-15-01	Rock	0.4	137.4	59.9	82	0.1	83.5	23.0	641	2.52	1.5	13.9	0.8	30	0.5	0.1
GB-15-02A	341798	6444403	Diorite	rock/talus float material, fragments sampled from small test pit; intense Fe-Ox on some, possible intrusive texture (relic?)	GB-15-02A	Rock	0.7	549.7	2.7	35	0.2	7.2	18.0	600	3.15	1.1	126.1	1.1	34	0.1	0.1
GB-15-02B	341798	6444403	Andesite	rock/talus float material, fragments sampled from small test pit; dark grey-green fire grained volc, chl alt minor diss py.	GB-15-02B	Rock	0.3	9.2	0.5	25	0.1	102.9	18.9	415	3.52	0.7	2.0	0.6	55	0.1	0.1
GB-15-03	341705	6444400	Diorite	rock from hole (fragments) heavy iron stain strongly magnetic. Drorite med grained intrusive 0.5% diss py w/ py along fractures	GB-15-03	Rock	0.5	55.1	1.1	19	0.1	6.2	12.3	264	4.37	0.5	1.2	0.4	180	0.1	0.1
GB-15-04	341648	6444397	Diorite	large angular boulders on surface, contact between intrusive & cooked volcnics, med feldspar phenas in fine grained dark grey, ground mass w/ minor diss-sulphides	GB-15-04	Rock	0.1	44.1	1.1	15	0.1	6.6	5.5	244	1.86	2.2	7.9	2.7	36	0.1	0.1
GB-15-05	341384	6444401	Diorite	(rock angular 20cm out of hole) possible intrusive fabric siticifred with <icm pods of py & minor malicite strongly magnetic minor diss chalco along fractures	GB-15-05	Rock	0.1	364.9	5.7	38	0.1	6.5	19.6	745	5.44	1.5	11.6	0.6	153	0.1	0.1
GB-15-06	341328	6444396	Diorite	Outcrop top of ridge 10x20m, fine grained gray equigranular diortre (mag) intrusive cut by more felsic qtz feld micro dylces up to 10cm angular xenoliths along larger dykes- minor blebs of sulphides(py)	GB-15-06	Rock	0.1	446.7	0.7	33	0.1	11.6	21.8	395	6.53	1.1	48.2	0.4	160	0.1	0.1
GB-15-07	341227	6444393	Diorite	Outcrop, intrusive altered between fractures, cprdote & potassic (pink) alteration, 2% sulphides pods & diss	GB-15-07	Rock	0.2	248.2	0.7	24	0.1	4.8	15.2	433	4.56	1.4	4.1	0.4	129	0.1	0.1
GB-15-08	341279	6444447	Diorite	outcrop, fine-med grained equigran Dronite with potassic rich inclusions + minor sulphides	GB-15-08	Rock	0.2	152.5	0.7	36	0.1	5.8	18.8	517	4.81	1.7	11.6	1.2	71	0.1	0.1
GB-15-09	340760	6444852	Andesite	outcrop (10x5m), mafic agglomerate fine grain dark green. Hornfelsed w/ 0.5% py along micro-qtz veinlets & rimmingfew 1mm qtz incl.	GB-15-09	Rock	0.3	20.3	4.9	24	0.1	39.8	9.2	262	1.59	0.7	3.6	0.5	108	0.1	0.1
GB-15-10	340852	6444818	Andesite	large outcrop- mafic agglomerate, dark green non-mag quartz veinlet w/ minor py. Close to high Cu soil	GB-15-10	Rock	0.1	60.7	1.2	14	0.1	56.8	13.7	248	2.05	1.7	3.9	0.7	24	0.1	0.1
GB-15-11	340617	6444392	Diorite	outcrop 5x10m, med grained mag diorite, chl epidote qtz py along fractures	GB-15-11	Rock	0.1	91.6	1.4	15	0.1	14.9	9.6	268	4.34	1.7	12.4	0.1	371	0.1	0.1
GB-15-12	340506	6444307	Diorite	outcrop, cont. ~100m to SE, diorite brecciating angl dark grey, clasts alt epidote qtz feld. Minor py (alt mafic aglom?) mostly diorite @ location	GB-15-12	Rock	0.2	76.2	1.4	25	0.1	1.9	15.4	345	5.68	1.6	14.5	0.4	214	0.1	0.1
GB-15-13	342304	6444816	Andesite	outcrop (road cut) heavily faulted iron stained & silicified with minor malechite. Sample from footwall close to large clay gouge fault	GB-15-13	Rock	0.3	1081.0	1.0	7	0.1	2.9	4.2	310	0.77	3.2	58.4	0.8	25	0.1	0.4
GB-15-14A	342224	6445211	Andesite	Outcrop volcanic rock pervasive silica & chlorite altn 5% py heavy iron stain minor 0.5cm qtz veins minor chalco adjacent to dyke contact	GB-15-14-A	Rock	0.4	637.2	2.3	36	0.2	9.7	42.6	589	9.41	2.8	8.8	0.5	22	0.1	0.2
GB-15-14B	342224	6445211	Diorite	Outcrop - hornblend porph diorite, cream watered 1m wide 160°/(90°?)	GB-15-14-B	Rock	0.4	102.7	0.9	25	0.1	3.8	11.9	487	3.24	2.3	2.5	0.9	29	0.1	0.1
GB-15-15A	342825	6443549	Diorite	Outcrop - micro-fine grain diorite FE carbonate Altn py along fractures >2% & quartz veins 1cm Gossanous zone along E-W valley	GB-15-15-A	Rock	2.9	609.7	2.5	33	0.8	13.7	37.0	406	6.20	0.6	6.7	0.8	9	0.1	0.1
GB-15-15B	342825	6443549	Diorite	Outcrop - iron stained diorite w/ 2-5% diss py	GB-15-15-B	Rock	2.7	308.0	1.3	22	0.3	7.1	14.9	381	3.95	0.3	2.1	0.7	140	0.1	0.1
GB-15-16	342300	6443319	Diorite	float maturial- test pit above historic 300pph Au sample. Diorite altered ~1%py fine-med equigranular, altered mafic tuff w/ few micro veinlets & py	GB-15-16	Rock	0.5	56.4	2.1	32	0.1	18.8	20.1	564	6.11	1.4	4.6	0.6	151	0.2	0.1
GB-15-17	342329	6443288	Diorite	outcrop - test pit down to outcrop, med grain diorite 2-5% py diss, possible secondary biotite weak-mag (mod)	GB-15-17	Rock	9.9	262.2	1.5	15	0.1	4.6	24.6	298	4.57	0.3	7.2	0.6	107	0.1	0.1
GB-15-18	342302	6443185	Diorite	talus (float) heavy iron stain med grain diorite 2-3% py diss chlorite altn	GB-15-18	Rock	8.2	200.8	0.8	15	0.1	4.4	16.0	307	3.23	0.6	102.4	0.5	42	0.1	0.1
GB-15-19A	341850	6443004	Diorite	test pit @ old soil location- fine grain diorite with 1% py diss & 1-5mm qtz vein, magnetic	GB-15-19A	Rock	0.5	313.8	1.1	16	0.1	10.4	9.2	135	1.70	7.4	44.4	0.3	85	0.1	0.1
GB-15-19B	341850	6443004		very broken iron oxide material, heavily weathered outcrop from 1.5m deep.	GB-15-19B	Rock	0.5	406.2	5.6	58	0.2	15.5	17.9	343	2.01	3.9	58.4	0.3	101	0.1	0.1
GB-15-20	341848	6442338	Diorite	outcrop 5x20m, fine to med grain diorite w/ quartz veinlets & minor breccia. Feld-qtz + chl + epidote 0.25% py- magnetic.	GB-15-20	Rock	0.6	40.9	0.4	32	0.1	2.6	18.6	558	5.76	2.0	1.2	0.8	269	0.1	0.1
GB-15-21	341499	6442028	Diorite	outcrop 10x10m, med grained diorite equigran- sheer/quartz rich zones w/ epidote, chlorite and minor py, magnetic altn to heamatite	GB-15-21	Rock	0.1	168.3	0.5	20	0.1	3.2	14.3	300	6.14	0.8	7.7	0.1	452	0.1	0.1
GB-15-22	341770	6441981	Diorite	outcrop 5x20m (east west) med grain diorite w/ more regular qtz epidote veinlets (10/m) sample of massive epidote vein w/ (hornblend?) megacrysts-chlalt, no visible sulphides	GB-15-22	Rock	0.3	32.5	0.8	20	0.1	2.7	8.1	252	2.36	0.3	1.7	0.6	245	0.1	0.1
GB-15-23	342113	6442074	Diorite	sub crop along river. Diorite w/ 1% diss sulphides med grain 1-2mm hornblend & bio	GB-15-23	Rock	0.2	459.9	0.8	22	0.1	8.2	15.8	339	4.38	1.4	4.7	0.9	74	0.1	0.1
GB-15-24	341884	6442861	Andesite	outcrop - Mafic tuff w/ massive pyrite veinlets 0.5cm wide (+1% diss py)	GB-15-24	Rock	1.3	22.2	0.6	39	0.2	37.0	5.0	911	5.41	4.4	3.5	0.6	81	0.1	0.2
GB-15-25	341904	6442413	Diorite	Outcrop - (Rx2)- med grain diorite 2-5% diss py, heavy iron stain chl altn	GB-15-25	Rock	1.0	>10000	7.9	125	7.5	17.0	151.6	315	11.65	5.0	130.5	0.9	22	0.3	0.2
GB-15-26	341980	6442402	Andesite	Outcrop - (Rx3) - mafic tuff w/ 2-5% py diss	GB-15-26	Rock	0.7	1500.1	1.5	28	0.4	22.7	31.2	263	7.27	0.9	14.1	1.7	26	0.1	0.1
GB-15-27	342229	6445180	Diorite	outcrop, Fine grain diorite few quartz stringers & 0.5% diss py qtz veinlets minor sulphides random orientation	GB-15-27	Rock	2.4	121.6	1.3	29	0.1	14.4	19.4	669	5.37	1.2	1.0	1.2	19	0.1	0.1
GB-15-28A	342217	6445081	Maffic Aglom	Outcrop. Massive sulphide stringers/pods in mafic agglomerotic. 10-40° strike ~90° dip	GB-15-28-A	Rock	390.8	5113.2	7.9	74	1.7	29.4	195.0	1423	21.74	5.3	98.6	0.3	11	0.1	0.1
GB-15-28B	342217	6445081	Maffic Aglom	Same as previous sample. Massive sulphide vein ~5cm wide intense iron carbonate altn zone.	GB-15-28-B	Rock	415.5	529.3	13.7	20	2.5	59.2	394.4	268	30.71	12.7	14.1	0.1	4	0.1	0.1
GB-15-TRO1A @	342782	6444469	Andesite	TRENCH1- 1.5m samples (6 samples 9m)	GB-15-TRO1-A	Rock	1.9	115.5	0.8	32	0.1	11.1	10.3	691	4.11	1.5	13.5	0.9	41	0.1	0.4
GB-15-TRO1B	342781	6444469.5	Andesite	SAMPLE A- silicified & heavy iron stain sed. Adjacent to small dyke - non mag	GB-15-TRO1-B	Rock	0.4	34.1	1.4	32	0.1	6.0	6.1	657	3.04	1.1	17.7	0.6	31	0.1	0.1
GB-15-TRO1C	342780	6444470	Dyke	SAMPLE B- silicified completely contact with fine-med grained diorite 0.5% py diss	GB-15-TRO1-C	Rock	0.3	18.4	1.2	30	0.1	4.9	5.1	596	2.82	0.8	13.6	0.6	32	0.1	0.1
GB-15-TRO1D	342779	6444470.5	Dyke	SAMPLE C&D- fine to med grain diorite	GB-15-TRO1-D	Rock	0.2	17.9	1.4	31	0.1	3.8	5.0	537	2.83	1.1	12.2	0.6	32	0.1	0.1
GB-15-TRO1E	342778	6444471	Dyke	SAMPLE E- same as B	GB-15-TRO1-E	Rock	0.2	22.7	2.4	34	0.1	3.1	5.6	593	2.89	2.7	23.6	0.6	26	0.1	0.1
GB-15-TRO1F	342777	6444471.5	Dyke	SAMPLE F- same as A	GB-15-TRO1-F	Rock	0.7	88.3	1.6	42	0.1	14.6	13.1	703	4.13	3.9	20.0	0.8	20	0.1	0.2

SAMPLE	Bi (PPM)	V (PPM)	Ca (%)	P (%)	La (PPM)	Cr (PPM)	Mg (%)	Ba (PPM)	Ti (%)	B (PPM)	Al (%)	Na (%)	K (%)	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S (%)	Ga (PPM)	Se (PPM)	Te (PPM)
GB-15-01	0.1	81	3.17	0.119	6	97	1.77	40	0.147	7	2.73	0.069	0.17	0.1	0.04	5.7	0.1	0.08	6	0.8	0.1
GB-15-02A	0.1	98	1.62	0.111	5	4	0.74	49	0.106	5	1.86	0.085	0.19	0.1	0.01	5.1	0.1	0.45	7	0.9	0.2
GB-15-02B	0.1	116	1.70	0.097	3	195	2.22	88	0.243	2	2.61	0.113	0.78	0.1	0.01	4.8	0.3	0.03	6	0.3	0.1
GB-15-03	0.1	188	3.05	0.088	3	11	0.60	77	0.082	5	3.49	0.208	0.15	0.1	0.01	4.3	0.1	0.09	7	0.3	0.1
GB-15-04	0.1	57	2.04	0.244	15	4	0.45	41	0.081	8	1.44	0.069	0.18	0.1	0.02	2.2	0.1	0.03	5	0.3	0.1
GB-15-05	0.1	257	4.11	0.039	2	5	0.70	98	0.083	20	4.23	0.153	0.24	0.1	0.03	4.5	0.1	0.11	9	0.3	0.1
GB-15-06	0.1	337	2.71	0.074	3	9	0.83	78	0.122	7	3.01	0.241	0.11	0.1	0.01	6.4	0.1	0.17	8	0.3	0.1
GB-15-07	0.1	210	2.52	0.089	3	10	0.89	56	0.155	3	2.27	0.156	0.13	0.1	0.01	5.7	0.1	0.03	6	0.3	0.1
GB-15-08	0.1	197	2.62	0.163	7	15	0.76	232	0.122	9	2.16	0.170	0.16	0.1	0.04	6.2	0.1	0.03	7	0.3	0.1
GB-15-09	0.1	48	2.18	0.084	4	81	1.11	140	0.081	3	2.07	0.292	0.16	0.1	0.01	6.1	0.1	0.05	4	0.3	0.1
GB-15-10	0.1	74	1.09	0.143	6	62	1.24	168	0.163	2	1.12	0.111	0.45	0.1	0.01	4.7	0.1	0.03	3	0.3	0.1
GB-15-11	0.1	252	4.84	0.022	1	11	0.73	63	0.062	9	6.20	0.320	0.16	0.1	0.01	5.3	0.1	0.03	10	0.5	0.1
GB-15-12	0.1	271	2.86	0.039	1	1	1.08	38	0.083	3	3.76	0.180	0.07	0.1	0.01	3.5	0.1	0.03	9	0.3	0.1
GB-15-13	0.1	18	6.15	0.054	4	6	0.07	5	0.002	1	0.28	0.087	0.01	0.1	0.13	2.6	0.1	0.23	1	0.3	0.1
GB-15-14A	0.5	190	1.33	0.081	3	18	1.23	39	0.162	4	2.71	0.038	0.15	0.1	0.01	4.9	0.3	3.30	9	4.3	0.1
GB-15-14B	0.1	85	2.56	0.103	5	6	0.67	56	0.074	5	2.25	0.091	0.15	0.1	0.01	3.1	0.1	0.37	8	0.7	0.1
GB-15-15A	0.6	111	0.73	0.143	5	5	0.56	15	0.141	1	1.04	0.034	0.10	0.7	0.01	2.7	0.1	3.39	6	4.7	0.9
GB-15-15B	0.2	80	2.37	0.160	6	11	0.70	45	0.124	4	2.73	0.325	0.15	0.2	0.01	6.0	0.1	1.30	5	2.1	0.1
GB-15-16	0.1	318	2.14	0.081	4	20	1.09	40	0.137	3	3.35	0.136	0.12	0.1	0.01	4.5	0.1	0.03	9	0.3	0.1
GB-15-17	0.2	106	2.52	0.116	3	8	0.57	47	0.104	3	3.01	0.290	0.17	0.2	0.01	4.5	0.2	1.32	6	0.3	0.1
GB-15-18	0.1	83	2.89	0.118	4	7	0.71	26	0.101	6	2.93	0.147	0.10	0.1	0.01	5.8	0.1	0.61	7	1.3	0.1
GB-15-19A	0.1	85	1.71	0.222	7	23	0.20	34	0.070	5	1.46	0.211	0.07	0.1	0.07	2.1	0.1	0.28	4	0.8	0.1
GB-15-19B	0.1	95	2.75	0.229	7	28	0.63	29	0.051	5	3.21	0.080	0.14	0.1	0.05	5.0	0.1	0.03	7	1.2	0.1
GB-15-20	0.1	324	3.78	0.046	2	1	0.99	38	0.121	7	4.62	0.406	0.09	0.1	0.01	8.1	0.1	0.08	10	0.3	0.1
GB-15-21	0.1	352	5.74	0.063	1	1	0.94	39	0.113	7	7.85	0.374	0.07	0.1	0.01	5.5	0.1	0.03	13	0.3	0.1
GB-15-22	0.1	86	2.70	0.048	2	1	0.97	18	0.123	4	2.46	0.017	0.01	0.1	0.01	3.1	0.1	0.03	6	0.3	0.1
GB-15-23	0.1	157	2.05	0.111	5	9	0.66	47	0.117	7	2.27	0.191	0.20	0.1	0.08	5.0	0.1	0.51	7	0.3	0.1
GB-15-24	0.1	134	1.44	0.106	2	2	2.23	12	0.145	5	3.36	0.060	0.07	0.2	0.08	6.2	0.1	0.25	9	0.3	0.1
GB-15-25	1.2	195	0.23	0.002	1	5	0.38	23	0.095	3	2.36	0.053	0.22	0.1	0.29	1.7	0.1	3.65	8	8.9	1.3
GB-15-26	0.1	300	0.79	0.094	5	29	0.61	37	0.162	2	1.15	0.108	0.16	0.1	0.02	3.4	0.1	1.12	7	1.4	0.1
GB-15-27	0.1	144	2.51	0.152	7	12	1.31	96	0.206	11	3.21	0.057	0.81	0.2	0.01	8.9	0.2	0.10	12	0.3	0.1
GB-15-28A	1.7	96	1.25	0.151	3	4	1.14	12	0.076	6	2.50	0.015	0.06	0.1	0.04	4.1	1.3	>10	12	10.3	1.3
GB-15-28B	2.1	81	0.66	0.039	18	1	0.30	4	0.039	4	0.78	0.029	0.05	0.1	0.05	1.9	1.0	>10	4	10.2	1.5
GB-15-TRO1A	0.1	159	1.94	0.253	9	17	0.92	33	0.206	4	2.09	0.136	0.13	0.4	0.07	7.1	0.2	0.11	10	0.7	0.1
GB-15-TRO1B	0.1	71	0.75	0.074	4	7	0.89	27	0.061	3	1.72	0.091	0.12	0.1	0.06	6.4	0.1	0.06	8	0.3	0.1
GB-15-TRO1C	0.1	62	0.86	0.066	4	6	0.85	33	0.009	3	1.62	0.078	0.18	0.1	0.02	5.8	0.1	0.03	6	0.3	0.1
GB-15-TRO1D	0.1	60	1.76	0.065	5	6	0.78	40	0.006	3	1.60	0.071	0.22	0.1	0.03	5.6	0.1	0.05	6	0.3	0.1
GB-15-TRO1E	0.1	71	2.18	0.073	4	6	0.83	32	0.022	3	1.60	0.088	0.15	0.1	0.04	6.3	0.1	0.06	7	0.3	0.1
GB-15-TRO1F	0.1	159	1.50	0.146	8	30	1.20	30	0.193	3	1.92	0.113	0.10	0.3	0.04	11.0	0.1	0.03	11	0.3	0.1



**APPENDIX B:**  
**List of Soil Samples**

SAMPLE ID	EASTING	NORTHING	SLOPE	DEPTH (CM)	Analyte	Mo (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	Ag (PPM)	Ni (PPM)	Co (PPM)	Mn (PPM)	Fe %	As (PPM)	Au (PPB)	Th (PPM)	Sr (PPM)	Cd (PPM)	Sb (PPM)	Bi (PPM)	V (PPM)	Ca %	P %	La (PPM)	Cr (PPM)	Mg %	Ba (PPM)	Ti %	B (PPM)	Al %	Na %	K %	W (PPM)	Hg (PPM)	Sc (PPM)	Tl (PPM)	S %	Ga (PPM)	Se (PPM)	Te (PPM)
2629	341914	6444199	15-25	40	Soil	1	1009.9	6.1	76	0.3	103.4	33.8	891	4.77	6.8	12.7	0.6	34	0.2	0.2	0.05	133	0.69	0.056	4	122	2.6	53	0.195	10	3.26	0.013	0.15	0.05	0.01	4.3	0.05	0.025	10	0.25	0.1
2630	341845	6444197	25-30	40	Soil	2.3	143.9	12.9	122	0.3	47.3	49.5	3027	5.31	4.9	7.4	0.5	50	1	0.2	0.1	145	1.07	0.123	5	74	1.03	135	0.171	10	2.24	0.012	0.13	0.1	0.04	3.6	0.05	0.025	11	0.25	0.1
2631	341891	6444197	40	Soil	6.3	154	12.1	66	0.5	83.3	38.3	976	6.12	12.4	20.6	0.6	29	3	0.2	0.1	162	0.7	0.099	4	118	1.72	49	0.252	10	2.63	0.012	0.09	0.05	0.03	4.8	0.05	0.025	10	0.25	0.1	
2632	341748	6444204	40	Soil	7.1	258	22.1	74	0.5	88.6	53.7	1639	6.36	10	14.1	0.7	33	0.2	0.1	147	0.8	0.076	5	125	1.62	53	0.179	10	2.89	0.012	0.12	0.05	0.03	5.4	0.05	0.025	10	0.25	0.1		
2633	341699	6444196	15-25	40	Soil	1.6	91.7	13.4	204	0.6	26.6	32.2	1450	7.1	2.9	8.8	1.9	38	1.3	0.2	0.3	171	0.42	0.08	10	54	0.68	73	0.476	10	2.16	0.017	0.11	0.05	0.02	3.7	0.05	0.025	21	0.25	0.1
2634	341649	6444201	15-25	40	Soil	1.7	138.4	11.5	118	0.4	46.3	36.3	870	6.14	4.2	30.1	0.8	59	0.5	0.2	0.2	181	0.71	0.063	5	85	1.42	64	0.18	10	2.93	0.018	0.06	0.1	0.03	4.6	0.05	0.025	13	0.25	0.1
2635	341604	6444197	15-25	40	Soil	0.9	4006.6	12.8	67	0.3	42	45	714	7	12.4	13.5	0.8	70	0.1	0.2	0.05	243	0.66	0.062	3	67	1.89	42	0.094	10	5.18	0.018	0.05	0.05	0.05	8.3	0.05	0.025	11	0.6	0.1
2636	341604	6444095	40	Soil	2	48	6.6	88	0.2	38.1	24.7	650	6.91	5.3	1.4	2.8	28	0.1	0.2	0.2	118	0.29	0.098	12	45	0.81	66	0.609	10	4.31	0.025	0.07	0.1	0.04	4.6	0.05	0.025	17	0.25	0.1	
2637	341543	6444099	40	Soil	1.4	48.7	11.7	72	0.2	15.8	21.8	923	5.47	5.6	3.4	1.4	46	0.2	0.3	0.3	175	0.44	0.07	6	27	0.64	109	0.209	10	2.65	0.014	0.04	0.1	0.03	3.7	0.05	0.025	15	0.25	0.1	
2638	341508	6444103	15-15	40	Soil	1.8	272.7	13.1	106	0.3	114.3	23.8	596	6.62	12.4	20.6	0.6	29	3	0.2	0.1	162	0.7	0.099	11	44	0.66	51	0.605	10	3.97	0.026	0.06	0.05	0.03	4.7	0.05	0.025	10	0.25	0.1
2639	341448	6444098	25-30	40	Soil	0.5	149.1	3.9	51	0.1	19.9	29.6	639	5.52	8	4.7	0.7	168	0.05	0.1	0.05	189	1.15	0.052	3	25	1.46	73	0.051	10	5.23	0.025	0.08	0.05	0.03	8.6	0.05	0.025	12	0.25	0.1
2640	341382	6444103	15-15	30	Soil	1.1	72.2	8.2	65	0.3	18.5	19	450	5.06	5.4	3.5	0.6	64	0.3	0.3	0.1	152	0.68	0.076	5	29	0.85	57	0.158	10	3.43	0.014	0.05	0.2	0.05	3.9	0.05	0.025	13	0.25	0.1
2641	341350	6444099	40	Soil	0.7	163.9	2.6	35	0.1	7.8	23.2	304	4.19	4.2	4.6	0.4	111	0.05	0.2	0.05	139	1.29	0.106	3	9	1.05	32	0.08	10	4.9	0.025	0.05	0.2	0.03	4	0.05	0.025	10	0.7	0.1	
2642	341298	6444099	50	Soil	2	57.2	8.5	101	0.2	14.9	21.8	722	6.92	4.7	5.4	1.6	38	0.3	0.2	0.2	160	0.37	0.076	10	33	0.49	58	0.483	10	2.21	0.014	0.06	0.1	0.03	2.9	0.05	0.025	20	0.25	0.1	
2643	341250	6444099	50	Soil	1.7	61.4	9.7	85	0.2	23.8	19.2	499	5.45	7.5	11.6	2	24	0.4	0.2	0.1	140	0.31	0.126	11	36	0.69	73	0.353	10	3.07	0.019	0.05	0.1	0.04	4.1	0.05	0.025	13	0.25	0.1	
2644	341203	6444105	40	Soil	0.8	312.2	9.2	59	0.1	37.5	20.6	659	3.88	9.4	5.5	0.5	70	0.1	0.2	0.05	111	1.47	0.086	9	57	1.13	46	0.148	10	2.25	0.03	0.08	0.05	0.09	5.6	0.05	0.025	7	1.1	0.1	
2645	341147	6444105	40	Soil	3.2	213.8	3.9	126	0.5	40.4	38.3	976	5.09	8	6.2	1.7	86	0.1	0.2	0.05	146	0.73	0.047	4	21	1.27	60	0.266	10	2.85	0.024	0.06	0.05	0.04	8.4	0.05	0.025	10	0.25	0.1	
2646	341100	6444105	15-25	40	Soil	1.4	100	10.3	81	0.1	39.3	30.3	726	5.68	9.2	6.1	1.7	59	0.1	0.2	0.1	141	0.69	0.058	8	43	1.35	81	0.251	10	4.2	0.025	0.06	0.05	0.03	4.5	0.05	0.025	14	0.25	0.1
2647	341052	6444093	40	Soil	0.9	216.8	6.9	54	0.05	22	36.5	450	4.92	11	14.4	0.9	76	0.05	0.2	0.05	157	1.26	0.037	3	17	1.6	78	0.079	10	5.4	0.024	0.04	0.05	0.04	6.5	0.05	0.025	11	0.25	0.1	
2648	340999	6444102	60	Soil	2.4	308.9	9.5	105	0.2	33.7	25.1	763	5.43	6.7	13.1	2	63	0.2	0.2	0.05	118	0.89	0.057	18	48	0.95	100	0.349	10	3.05	0.037	0.04	0.05	0.12	8.2	0.05	0.025	10	1	0.1	
2649	342075	6444105	15-25	50	Soil	0.8	140.3	5.7	68	0.2	46.1	28.2	1154	5.02	12.6	7.2	1	59	0.1	0.3	0.05	146	1.04	0.105	8	62	1.68	88	0.148	10	2.86	0.028	0.09	0.05	0.02	8.3	0.05	0.025	9	0.25	0.1
2650	342100	6444100	15-25	40	Soil	0.6	137.6	4.4	61	0.1	57	25.4	689	4.47	10.1	4.6	0.6	44	0.1	0.3	0.05	128	0.87	0.106	4	58	1.64	52	0.108	10	2.88	0.021	0.13	0.1	0.02	5.3	0.05	0.025	8	0.25	0.1
2651	342153	6444100	15-25	50	Soil	1.4	165.3	6.5	99	0.1	64.8	27.9	1098	5.65	12.3	11.5	2.4	48	0.2	0.3	0.1	130	0.78	0.072	14	70	1.5	102	0.306	10	3.24	0.03	0.1	0.05	0.03	8.5	0.05	0.025	11	0.25	0.1
2652	342199	6444103	25-30	40	Soil	0.8	78.5	4.6	83	0.1	109.6	33.4	102	4.86	12.2	3	0.6	34	0.2	0.3	0.05	116	0.75	0.097	3	73	2.89	94	0.153	10	2.98	0.026	0.06	0.1	0.01	4.6	0.05	0.025	10	0.25	0.1
2653	342199	6444093	40	Soil	0.8	162	5.6	64	0.05	83.3	30.3	101	4.68	12.4	6.1	1	45	0.05	0.3	0.05	123	0.74	0.079	6	91	1.32	49	0.126	10	2.9	0.025	0.11	0.05	0.03	9.8	0.05	0.025	10	0.25	0.1	
2654	342298	6444098	25-30	40	Soil	1	150.2	6	114	0.3	47.6	24.4	1169	4.73	9.1	3.7	1.1	52	0.2	0.4	0.1	117	1.15	0.061	6	66	1.54	110	0.144	10	2.74	0.022	0.11	0.05	0.03	9.3	0.05	0.025	9	0.25	0.1
2655	342352	6444102	25-30	50	Soil	0.7	82.3	2.7	55	0.1	86.6	24.7	717	4.59	7.9	23.3	0.5	68	0.05	0.2	0.05	98	0.64	0.082	3	71	2.3	89	0.128	10	2.82	0.018	0.14	0.05	0.02	4.5	0.05	0.025	9	0.25	0.1
2656	342405	6444091	25-30	40	Soil	1	113.8	7.6	123	0.2	73.7	29.8	807	5.55	21.1	5.3	1.5	37	0.2	0.4	0.2	146	0.46	0.127	6	71	1.82	126	0.146	10	3.8	0.016	0.08	0.05	0.02	8.4	0.05	0.025	12	0.25	0.1
2657	342451	6444116	15-25	40	Soil	0.9	124.7	6.4	84	0.2	73.3	26.8	778	5.25	23.1	2.6	1	36	0.05	0.5	0.1	137	0.67	0.092	8	90	1.79	112	0.177	10	3.27	0.018	0.17	0.1	0.02	7.1	0.05	0.025	11	0.25	0.1
2658	342501	6444102	25-30	40	Soil	1.1	83.3	6.6	108	0.1	60.3	28.3	783	5.48	18.7	2.5	0.9	30	0.2	0.5	0.1	147	0.45	0.073	5	87	1.64	106	0.161	10	3.32	0.016	0.1	0.05	0.02	6.7	0.05	0.025	12	0.25	0.1
2659	342552	6444099	15-25	40	Soil	1.1	137.3	7.3	96	0.1	77	33.4	783	6.67	16.6	6.4	1.1	41	0.2	0.5	0.1	167	0.54	0.063	4	90	2.16	100	0.158	10	4.13	0.017	0.09	0.1	0.03	8.7	0.05	0.025	13	0.25	0.1
2660	342591	6444093	40	Soil	1.3	113.8	3.9	159	0.5	40.4	25.9	808	5.09	8	6.2	1.7	86	0.1	0.2	0.05	146	0.73	0.047	4	21	1.27	60	0.266	10	2.85	0.024	0.06	0.05	0.04	8.4	0.05	0.025	10	0.25	0.1	
2661	342650	6444094	15-25	40	Soil	0.8	84.2	3.6	64	0.2	16.1	32.4	1398	5.42	7.4	7.5	0.2	94	0.2	0.2	0.2	137	1.05	0.114	3	24	1.12	78	0.071	10	2.95	0.015	0.11	0.2	0.06	5.6	0.05	0.025	9	0.25	0.1
2662	342694	6444106	15-25	50	Soil	1.6	214	5.7	111	0.3	39.6	25.5	952	5.12	20.8	10	1.1	60	0.5	0.5	0.2	122	1.43	0.093	12	56	1.24	86	0.21												

**APPENDIX C:**  
**Assay Certificates**



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Divitiae Resources**  
1304 Steeple Dr.  
Coquitlam BC Canada

Submitted By: Adrian Smith  
Receiving Lab: Canada-Vancouver  
Received: August 27, 2015  
Report Date: September 13, 2015  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

VAN15002199.1

## CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 39

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Divitiae Resources  
1304 Steeple Dr.  
Coquitlam BC  
Canada

CC: Steve Regoci

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	39	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ201	39	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DRPLP	39	Warehouse handling / disposition of pulps			VAN
DRRJT	39	Warehouse handling / Disposition of reject			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 13, 2015

Page: 2 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

VAN15002199.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
GB-15-01	Rock	0.83	0.4	137.4	59.9	82	<0.1	83.5	23.0	641	2.52	1.5	13.9	0.8	30	0.5	<0.1	<0.1	81	3.17	0.119
GB-15-02A	Rock	0.32	0.7	549.7	2.7	35	0.2	7.2	18.0	600	3.15	1.1	126.1	1.1	34	<0.1	<0.1	<0.1	98	1.62	0.111
GB-15-02B	Rock	0.39	0.3	9.2	0.5	25	<0.1	102.9	18.9	415	3.52	0.7	2.0	0.6	55	<0.1	<0.1	<0.1	116	1.70	0.097
GB-15-03	Rock	0.68	0.5	55.1	1.1	19	<0.1	6.2	12.3	264	4.37	0.5	1.2	0.4	180	<0.1	<0.1	<0.1	188	3.05	0.088
GB-15-04	Rock	0.48	0.1	44.1	1.1	15	<0.1	6.6	5.5	244	1.86	2.2	7.9	2.7	36	<0.1	0.1	<0.1	57	2.04	0.244
GB-15-05	Rock	0.84	<0.1	364.9	5.7	38	0.1	6.5	19.6	745	5.44	1.5	11.6	0.6	153	<0.1	<0.1	<0.1	257	4.11	0.039
GB-15-06	Rock	0.60	0.1	446.7	0.7	33	<0.1	11.6	21.8	395	6.53	1.1	48.2	0.4	160	<0.1	<0.1	<0.1	337	2.71	0.074
GB-15-07	Rock	0.62	0.2	248.2	0.7	24	<0.1	4.8	15.2	433	4.56	1.4	4.1	0.4	129	<0.1	<0.1	<0.1	210	2.52	0.089
GB-15-08	Rock	0.36	0.2	152.5	0.7	36	<0.1	5.8	18.8	517	4.81	1.7	11.6	1.2	71	<0.1	<0.1	<0.1	197	2.62	0.163
GB-15-09	Rock	0.49	0.3	20.3	4.9	24	<0.1	39.8	9.2	262	1.59	0.7	3.6	0.5	108	<0.1	<0.1	<0.1	48	2.18	0.084
GB-15-10	Rock	0.51	0.1	60.7	1.2	14	<0.1	56.8	13.7	248	2.05	1.7	3.9	0.7	24	<0.1	0.1	<0.1	74	1.09	0.143
GB-15-11	Rock	0.57	0.1	91.6	1.4	15	<0.1	14.9	9.6	268	4.34	1.7	12.4	0.1	371	<0.1	<0.1	<0.1	252	4.84	0.022
GB-15-12	Rock	0.57	0.2	76.2	1.4	25	<0.1	1.9	15.4	345	5.68	1.6	14.5	0.4	214	<0.1	<0.1	<0.1	271	2.86	0.039
GB-15-13	Rock	0.45	0.3	1081.0	1.0	7	0.1	2.9	4.2	310	0.77	3.2	58.4	0.8	25	<0.1	0.4	<0.1	18	6.15	0.054
GB-15-14-A	Rock	0.74	0.4	637.2	2.3	36	0.2	9.7	42.6	589	9.41	2.8	8.8	0.5	22	<0.1	0.2	0.5	190	1.33	0.081
GB-15-14-B	Rock	0.76	0.4	102.7	0.9	25	<0.1	3.8	11.9	487	3.24	2.3	2.5	0.9	29	<0.1	<0.1	<0.1	85	2.56	0.103
GB-15-15-A	Rock	0.60	2.9	609.7	2.5	33	0.8	13.7	37.0	406	6.20	0.6	6.7	0.8	9	0.1	<0.1	0.6	111	0.73	0.143
GB-15-15-B	Rock	0.26	2.7	308.0	1.3	22	0.3	7.1	14.9	381	3.95	<0.5	2.1	0.7	140	<0.1	<0.1	0.2	80	2.37	0.160
GB-15-16	Rock	0.61	0.5	56.4	2.1	32	<0.1	18.8	20.1	564	6.11	1.4	4.6	0.6	151	0.2	<0.1	<0.1	318	2.14	0.081
GB-15-17	Rock	0.66	9.9	262.2	1.5	15	<0.1	4.6	24.6	298	4.57	<0.5	7.2	0.6	107	<0.1	<0.1	0.2	106	2.52	0.116
GB-15-18	Rock	0.51	8.2	200.8	0.8	15	<0.1	4.4	16.0	307	3.23	0.6	102.4	0.5	42	<0.1	<0.1	<0.1	83	2.89	0.118
GB-15-19A	Rock	0.89	0.5	313.8	1.1	16	<0.1	10.4	9.2	135	1.70	7.4	44.4	0.3	85	<0.1	0.1	<0.1	85	1.71	0.222
GB-15-19B	Rock	0.37	0.5	406.2	5.6	58	0.2	15.5	17.9	343	2.01	3.9	58.4	0.3	101	0.1	<0.1	<0.1	95	2.75	0.229
GB-15-20	Rock	0.58	0.6	40.9	0.4	32	<0.1	2.6	18.6	558	5.76	2.0	1.2	0.8	269	<0.1	<0.1	<0.1	324	3.78	0.046
GB-15-21	Rock	0.33	<0.1	168.3	0.5	20	<0.1	3.2	14.3	300	6.14	0.8	7.7	<0.1	452	<0.1	<0.1	<0.1	352	5.74	0.063
GB-15-22	Rock	0.40	0.3	32.5	0.8	20	<0.1	2.7	8.1	252	2.36	<0.5	1.7	0.6	245	<0.1	0.1	<0.1	86	2.70	0.048
GB-15-23	Rock	0.34	0.2	459.9	0.8	22	0.1	8.2	15.8	339	4.38	1.4	4.7	0.9	74	<0.1	<0.1	<0.1	157	2.05	0.111
GB-15-24	Rock	0.44	1.3	22.2	0.6	39	0.2	37.0	5.0	911	5.41	4.4	3.5	0.6	81	<0.1	0.2	<0.1	134	1.44	0.106
GB-15-25	Rock	0.52	1.0	>10000	7.9	125	7.5	17.0	151.6	315	11.65	5.0	130.5	0.9	22	0.3	0.2	1.2	195	0.23	0.002
GB-15-26	Rock	0.73	0.7	1500.1	1.5	28	0.4	22.7	31.2	263	7.27	0.9	14.1	1.7	26	<0.1	<0.1	<0.1	300	0.79	0.094



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Client: **Divitiae Resources**  
1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given  
Report Date: September 13, 2015

Page: 2 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002199.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
GB-15-01	Rock	6	97	1.77	40	0.147	7	2.73	0.069	0.17	0.1	0.04	5.7	<0.1	0.08	6	0.8	<0.2
GB-15-02A	Rock	5	4	0.74	49	0.106	5	1.86	0.085	0.19	<0.1	0.01	5.1	<0.1	0.45	7	0.9	0.2
GB-15-02B	Rock	3	195	2.22	88	0.243	2	2.61	0.113	0.78	<0.1	<0.01	4.8	0.3	<0.05	6	<0.5	<0.2
GB-15-03	Rock	3	11	0.60	77	0.082	5	3.49	0.208	0.15	<0.1	0.01	4.3	<0.1	0.09	7	<0.5	<0.2
GB-15-04	Rock	15	4	0.45	41	0.081	8	1.44	0.069	0.18	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
GB-15-05	Rock	2	5	0.70	98	0.083	20	4.23	0.153	0.24	<0.1	0.03	4.5	<0.1	0.11	9	<0.5	<0.2
GB-15-06	Rock	3	9	0.83	78	0.122	7	3.01	0.241	0.11	<0.1	0.01	6.4	<0.1	0.17	8	<0.5	<0.2
GB-15-07	Rock	3	10	0.89	56	0.155	3	2.27	0.156	0.13	<0.1	<0.01	5.7	<0.1	<0.05	6	<0.5	<0.2
GB-15-08	Rock	7	15	0.76	232	0.122	9	2.16	0.170	0.16	<0.1	0.04	6.2	<0.1	<0.05	7	<0.5	<0.2
GB-15-09	Rock	4	81	1.11	140	0.081	3	2.07	0.292	0.16	<0.1	<0.01	6.1	<0.1	0.05	4	<0.5	<0.2
GB-15-10	Rock	6	62	1.24	168	0.163	2	1.12	0.111	0.45	<0.1	<0.01	4.7	0.1	<0.05	3	<0.5	<0.2
GB-15-11	Rock	1	11	0.73	63	0.062	9	6.20	0.320	0.16	<0.1	0.01	5.3	<0.1	<0.05	10	0.5	<0.2
GB-15-12	Rock	1	<1	1.08	38	0.083	3	3.76	0.180	0.07	<0.1	<0.01	3.5	<0.1	<0.05	9	<0.5	<0.2
GB-15-13	Rock	4	6	0.07	5	0.002	<1	0.28	0.087	0.01	<0.1	0.13	2.6	<0.1	0.23	1	<0.5	<0.2
GB-15-14-A	Rock	3	18	1.23	39	0.162	4	2.71	0.038	0.15	<0.1	<0.01	4.9	0.3	3.30	9	4.3	<0.2
GB-15-14-B	Rock	5	6	0.67	56	0.074	5	2.25	0.091	0.15	<0.1	0.01	3.1	0.1	0.37	8	0.7	<0.2
GB-15-15-A	Rock	5	5	0.56	15	0.141	<1	1.04	0.034	0.10	0.7	<0.01	2.7	<0.1	3.39	6	4.7	0.9
GB-15-15-B	Rock	6	11	0.70	45	0.124	4	2.73	0.325	0.15	0.2	<0.01	6.0	<0.1	1.30	5	2.1	<0.2
GB-15-16	Rock	4	20	1.09	40	0.137	3	3.35	0.136	0.12	<0.1	0.01	4.5	<0.1	<0.05	9	<0.5	<0.2
GB-15-17	Rock	3	8	0.57	47	0.104	3	3.01	0.290	0.17	0.2	<0.01	4.5	0.2	1.32	6	<0.5	<0.2
GB-15-18	Rock	4	7	0.71	26	0.101	6	2.93	0.147	0.10	<0.1	0.01	5.8	<0.1	0.61	7	1.3	<0.2
GB-15-19A	Rock	7	23	0.20	34	0.070	5	1.46	0.211	0.07	<0.1	0.07	2.1	<0.1	0.28	4	0.8	<0.2
GB-15-19B	Rock	7	28	0.63	29	0.051	5	3.21	0.080	0.14	<0.1	0.05	5.0	<0.1	<0.05	7	1.2	<0.2
GB-15-20	Rock	2	1	0.99	38	0.121	7	4.62	0.406	0.09	<0.1	0.01	8.1	<0.1	0.08	10	<0.5	<0.2
GB-15-21	Rock	1	1	0.94	39	0.113	7	7.85	0.374	0.07	<0.1	<0.01	5.5	<0.1	<0.05	13	<0.5	<0.2
GB-15-22	Rock	2	<1	0.97	18	0.123	4	2.46	0.017	<0.01	<0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
GB-15-23	Rock	5	9	0.66	47	0.117	7	2.27	0.191	0.20	0.1	0.08	5.0	<0.1	0.51	7	<0.5	<0.2
GB-15-24	Rock	2	2	2.23	12	0.145	5	3.36	0.060	0.07	0.2	0.08	6.2	<0.1	0.25	9	<0.5	<0.2
GB-15-25	Rock	1	5	0.38	23	0.095	3	2.36	0.053	0.22	<0.1	0.29	1.7	<0.1	3.65	8	8.9	1.3
GB-15-26	Rock	5	29	0.61	37	0.162	2	1.15	0.108	0.16	<0.1	0.02	3.4	<0.1	1.12	7	1.4	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 13, 2015

Page: 3 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

**VAN15002199.1**

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
GB-15-27	Rock	0.41	2.4	121.6	1.3	29	<0.1	14.4	19.4	669	5.37	1.2	1.0	1.2	19	<0.1	<0.1	<0.1	144	2.51	0.152
GB-15-28-A	Rock	0.36	390.8	5113.2	7.9	74	1.7	29.4	195.0	1423	21.74	5.3	98.6	0.3	11	0.1	0.1	1.7	96	1.25	0.151
GB-15-28-B	Rock	0.39	415.5	529.3	13.7	20	2.5	59.2	394.4	268	30.71	12.7	14.1	<0.1	4	<0.1	0.1	2.1	81	0.66	0.039
GB-15-TR01-A	Rock	0.67	1.9	115.5	0.8	32	<0.1	11.1	10.3	691	4.11	1.5	13.5	0.9	41	<0.1	0.4	<0.1	159	1.94	0.253
GB-15-TR01-B	Rock	0.72	0.4	34.1	1.4	32	<0.1	6.0	6.1	657	3.04	1.1	17.7	0.6	31	<0.1	<0.1	<0.1	71	0.75	0.074
GB-15-TR01-C	Rock	0.94	0.3	18.4	1.2	30	<0.1	4.9	5.1	596	2.82	0.8	13.6	0.6	32	<0.1	<0.1	<0.1	62	0.86	0.066
GB-15-TR01-D	Rock	0.70	0.2	17.9	1.4	31	<0.1	3.8	5.0	537	2.83	1.1	12.2	0.6	32	<0.1	<0.1	<0.1	60	1.76	0.065
GB-15-TR01-E	Rock	0.72	0.2	22.7	2.4	34	<0.1	3.1	5.6	593	2.89	2.7	23.6	0.6	26	<0.1	<0.1	<0.1	71	2.18	0.073
GB-15-TR01-F	Rock	0.50	0.7	88.3	1.6	42	<0.1	14.6	13.1	703	4.13	3.9	20.0	0.8	20	<0.1	0.2	<0.1	159	1.50	0.146



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 13, 2015

Page: 3 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002199.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
GB-15-27	Rock	7	12	1.31	96	0.206	11	3.21	0.057	0.81	0.2	0.01	8.9	0.2	0.10	12	<0.5	<0.2
GB-15-28-A	Rock	3	4	1.14	12	0.076	6	2.50	0.015	0.06	0.1	0.04	4.1	1.3	>10	12	10.3	1.3
GB-15-28-B	Rock	18	1	0.30	4	0.039	4	0.78	0.029	0.05	<0.1	0.05	1.9	1.0	>10	4	10.2	1.5
GB-15-TR01-A	Rock	9	17	0.92	33	0.206	4	2.09	0.136	0.13	0.4	0.07	7.1	0.2	0.11	10	0.7	<0.2
GB-15-TR01-B	Rock	4	7	0.89	27	0.061	3	1.72	0.091	0.12	<0.1	0.06	6.4	<0.1	0.06	8	<0.5	<0.2
GB-15-TR01-C	Rock	4	6	0.85	33	0.009	3	1.62	0.078	0.18	<0.1	0.02	5.8	<0.1	<0.05	6	<0.5	<0.2
GB-15-TR01-D	Rock	5	6	0.78	40	0.006	3	1.60	0.071	0.22	<0.1	0.03	5.6	<0.1	0.05	6	<0.5	<0.2
GB-15-TR01-E	Rock	4	6	0.83	32	0.022	3	1.60	0.088	0.15	<0.1	0.04	6.3	<0.1	0.06	7	<0.5	<0.2
GB-15-TR01-F	Rock	8	30	1.20	30	0.193	3	1.92	0.113	0.10	0.3	0.04	11.0	<0.1	<0.05	11	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Divitiae Resources**  
1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given  
Report Date: September 13, 2015

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

VAN15002199.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
GB-15-18	Rock	0.51	8.2	200.8	0.8	15	<0.1	4.4	16.0	307	3.23	0.6	102.4	0.5	42	<0.1	<0.1	<0.1	83	2.89	0.118
REP GB-15-18	QC		8.1	208.2	0.8	15	<0.1	4.6	15.7	307	3.25	<0.5	108.3	0.6	41	<0.1	<0.1	<0.1	83	2.85	0.115
Core Reject Duplicates																					
GB-15-TR01-A	Rock	0.67	1.9	115.5	0.8	32	<0.1	11.1	10.3	691	4.11	1.5	13.5	0.9	41	<0.1	0.4	<0.1	159	1.94	0.253
DUP GB-15-TR01-A	QC		1.8	137.7	1.0	33	<0.1	13.3	12.5	754	4.38	2.1	11.2	1.0	42	<0.1	0.4	<0.1	158	1.79	0.242
Reference Materials																					
STD DS10	Standard		15.5	148.9	150.7	365	1.9	72.0	12.4	892	2.78	45.4	81.4	7.6	73	2.3	8.9	12.4	45	1.11	0.077
STD DS10	Standard		14.4	153.4	155.4	385	2.0	72.8	12.8	920	2.86	45.8	88.9	8.0	73	2.2	8.9	13.0	46	1.16	0.083
STD OXC129	Standard		1.1	30.1	6.4	39	<0.1	79.5	20.8	425	3.10	<0.5	199.6	2.0	200	<0.1	<0.1	<0.1	53	0.66	0.100
STD OXC129	Standard		1.0	26.1	6.2	39	<0.1	74.2	20.3	417	3.03	<0.5	197.1	1.9	193	<0.1	<0.1	<0.1	52	0.62	0.101
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
BLK	Blank		<0.1	0.3	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-VAN	Prep Blank		0.8	4.9	1.9	36	<0.1	1.1	3.7	495	1.84	0.8	<0.5	2.0	34	<0.1	<0.1	<0.1	26	0.83	0.042
ROCK-VAN	Prep Blank		0.6	3.2	1.6	35	<0.1	1.3	3.3	492	1.88	0.6	1.5	2.1	38	<0.1	<0.1	<0.1	26	0.84	0.040



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Divitiae Resources  
1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given  
Report Date: September 13, 2015

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

VAN15002199.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
GB-15-18	Rock	4	7	0.71	26	0.101	6	2.93	0.147	0.10	<0.1	0.01	5.8	<0.1	0.61	7	1.3	<0.2
REP GB-15-18	QC	4	6	0.70	27	0.098	7	2.93	0.142	0.10	<0.1	0.01	5.5	<0.1	0.61	7	0.8	<0.2
Core Reject Duplicates																		
GB-15-TR01-A	Rock	9	17	0.92	33	0.206	4	2.09	0.136	0.13	0.4	0.07	7.1	0.2	0.11	10	0.7	<0.2
DUP GB-15-TR01-A	QC	10	18	0.97	32	0.203	4	2.15	0.129	0.13	0.5	0.07	7.8	0.2	0.09	11	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	18	54	0.77	359	0.080	6	1.06	0.065	0.34	3.7	0.31	3.2	5.2	0.27	4	2.4	5.2
STD DS10	Standard	20	54	0.81	393	0.080	9	1.10	0.066	0.35	3.4	0.29	3.2	5.6	0.28	4	1.7	5.3
STD OXC129	Standard	13	51	1.57	49	0.389	<1	1.56	0.568	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	13	51	1.52	52	0.392	<1	1.55	0.569	0.37	<0.1	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-VAN	Prep Blank	6	2	0.47	70	0.083	<1	1.19	0.078	0.08	<0.1	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2
ROCK-VAN	Prep Blank	6	3	0.45	81	0.086	<1	1.22	0.118	0.11	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Divitiae Resources**  
1304 Steeple Dr.  
Coquitlam BC Canada

Submitted By: Adrian Smith  
Receiving Lab: Canada-Vancouver  
Received: August 27, 2015  
Report Date: September 11, 2015  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

VAN15002198.1

### CLIENT JOB INFORMATION

Project: None Given  
Shipment ID:  
P.O. Number  
Number of Samples: 143

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Divitiae Resources  
1304 Steeple Dr.  
Coquitlam BC  
Canada

CC: Steve Regoci

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	143	Dry at 60C			VAN
SS80	143	Dry at 60C sieve 100g to -80 mesh			VAN
AQ200	143	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
DRPLP	143	Warehouse handling / disposition of pulps			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 2 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
43714	Soil	1.0	113.7	4.1	48	<0.1	13.9	17.1	355	4.25	6.0	3.6	1.8	32	0.1	0.3	<0.1	118	0.36	0.128	8
43715	Soil	0.9	157.5	5.1	56	0.1	21.3	30.2	890	5.91	7.3	9.4	0.6	120	<0.1	0.2	<0.1	183	1.35	0.086	6
43716	Soil	0.7	131.1	7.2	67	0.2	52.0	27.2	674	5.31	15.6	8.2	0.8	51	<0.1	0.3	<0.1	142	0.58	0.072	4
43717	Soil	0.9	107.1	6.4	62	0.2	92.3	30.0	594	5.37	13.6	8.5	0.9	57	0.1	0.3	<0.1	131	0.47	0.097	5
43718	Soil	1.1	159.8	4.1	61	<0.1	20.7	32.7	855	6.73	10.3	5.9	1.0	99	<0.1	0.2	<0.1	208	1.28	0.139	5
43719	Soil	0.9	180.8	6.8	80	0.1	34.0	28.6	608	5.65	10.9	6.1	0.9	77	0.2	0.2	<0.1	162	0.86	0.075	4
43720	Soil	0.3	155.0	4.0	54	0.1	33.1	28.5	746	5.30	10.3	14.0	0.8	129	<0.1	0.2	<0.1	162	0.90	0.047	6
43727	Soil	1.3	304.9	2.4	49	0.1	159.5	48.4	864	5.84	4.0	39.6	0.3	31	<0.1	0.1	<0.1	130	0.78	0.051	3
43728	Soil	4.0	109.0	7.3	55	0.2	42.3	29.6	522	6.08	4.9	27.0	0.7	28	0.1	0.2	0.2	146	0.60	0.052	4
43729	Soil	1.6	133.2	4.7	59	0.2	58.9	33.8	552	6.87	6.5	11.0	0.7	33	<0.1	0.2	<0.1	158	0.53	0.116	3
43730	Soil	0.6	203.2	3.8	41	<0.1	53.8	25.7	432	5.22	3.6	38.3	0.5	60	<0.1	<0.1	<0.1	141	0.94	0.061	3
43731	Soil	1.2	376.3	8.8	62	0.1	65.9	32.8	875	6.38	7.4	18.2	0.7	41	<0.1	0.2	<0.1	140	0.72	0.118	4
43732	Soil	0.8	273.9	5.2	54	0.2	95.1	29.9	620	4.96	3.0	307.0	0.6	34	<0.1	0.1	<0.1	133	0.49	0.065	3
43733	Soil	1.9	97.1	8.5	141	0.5	32.9	23.0	1165	5.85	7.7	4.1	2.2	29	0.4	0.3	0.2	119	0.42	0.131	14
43734	Soil	0.8	196.4	5.6	66	0.3	37.5	22.1	859	4.94	15.0	4.8	0.8	57	<0.1	0.4	<0.1	139	1.04	0.079	11
43735	Soil	0.3	487.5	1.7	66	0.2	16.5	46.4	1761	7.71	4.1	25.9	0.5	125	<0.1	<0.1	<0.1	267	1.61	0.105	3
43736	Soil	1.3	288.9	12.3	83	0.3	32.8	34.8	1481	6.30	10.1	37.9	0.7	44	0.2	0.3	0.1	178	0.60	0.102	3
43737	Soil	0.5	168.7	7.0	64	0.2	34.9	29.0	911	5.67	11.5	31.3	0.8	65	0.1	0.3	<0.1	173	0.76	0.053	4
43738	Soil	1.8	182.4	10.9	143	0.2	22.5	24.5	1525	5.95	5.5	5.9	1.2	48	0.7	0.3	0.1	131	0.61	0.108	12
43739	Soil	1.5	137.4	7.4	89	0.2	13.2	25.3	504	7.13	6.6	4.8	0.9	52	0.3	0.4	0.1	238	0.47	0.058	3
43740	Soil	1.0	179.5	5.7	61	<0.1	23.4	24.3	385	5.64	8.8	17.7	1.1	53	0.2	0.3	<0.1	179	0.50	0.057	4
43741	Soil	1.5	117.7	6.8	87	0.4	18.1	17.6	1160	5.43	3.7	3.3	1.8	62	0.3	0.2	0.2	114	0.94	0.088	15
43742	Soil	1.1	168.5	5.7	59	0.2	26.0	23.9	677	5.54	5.9	12.2	0.9	89	0.1	0.2	0.1	159	0.86	0.078	5
43743	Soil	0.3	296.9	3.7	51	<0.1	15.9	22.9	334	5.01	5.9	5.3	0.9	141	<0.1	0.1	<0.1	155	1.17	0.175	5
43744	Soil	0.9	193.5	3.2	54	<0.1	17.0	34.1	456	6.06	6.0	8.2	1.2	66	0.2	0.2	<0.1	162	0.50	0.078	6
43745	Soil	0.7	204.1	3.4	72	0.2	10.9	25.5	462	5.30	5.6	6.7	0.8	61	0.1	0.2	<0.1	177	0.54	0.122	4
43724	Soil	6.5	203.9	5.3	61	0.2	74.7	38.2	700	5.81	7.8	19.4	0.3	35	0.3	0.3	<0.1	125	0.73	0.076	3
43725	Soil	2.5	188.0	7.2	104	0.5	66.5	69.9	4033	4.43	2.4	5.8	0.4	58	1.5	0.2	0.1	93	1.70	0.230	6
10462	Soil	2.4	49.3	6.2	74	0.2	29.0	17.1	494	6.57	9.0	1.8	2.0	19	<0.1	0.2	0.1	114	0.22	0.104	12
10463	Soil	1.2	69.4	6.5	60	0.2	21.3	21.2	422	5.61	6.3	4.2	1.0	42	0.2	0.2	<0.1	160	0.42	0.055	6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 2 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
43714	Soil	18	0.65	59	0.162	<20	3.51	0.014	0.04	0.1	0.02	4.3	<0.1	<0.05	9	0.8	<0.2
43715	Soil	30	1.58	73	0.086	<20	3.56	0.027	0.06	<0.1	0.03	7.6	<0.1	<0.05	10	0.6	<0.2
43716	Soil	64	1.61	85	0.139	<20	3.35	0.013	0.17	0.1	0.01	5.8	<0.1	<0.05	10	<0.5	<0.2
43717	Soil	73	1.76	91	0.168	<20	3.64	0.023	0.08	<0.1	0.02	5.3	<0.1	<0.05	10	<0.5	<0.2
43718	Soil	25	1.97	76	0.170	<20	5.26	0.015	0.08	<0.1	0.02	10.7	<0.1	<0.05	12	0.5	<0.2
43719	Soil	43	1.58	72	0.118	<20	4.43	0.016	0.09	0.1	0.02	7.4	<0.1	<0.05	12	<0.5	<0.2
43720	Soil	42	1.64	91	0.072	<20	4.19	0.019	0.09	<0.1	0.02	8.7	<0.1	<0.05	10	<0.5	<0.2
43727	Soil	183	2.59	43	0.242	<20	3.27	0.024	0.34	<0.1	<0.01	5.3	0.1	<0.05	9	<0.5	<0.2
43728	Soil	57	1.17	36	0.231	<20	2.27	0.010	0.13	0.1	0.01	3.8	<0.1	<0.05	11	<0.5	<0.2
43729	Soil	84	1.59	53	0.155	<20	3.39	0.009	0.06	<0.1	0.02	5.7	<0.1	<0.05	11	0.8	<0.2
43730	Soil	74	1.69	63	0.141	<20	3.55	0.020	0.08	<0.1	0.01	4.3	<0.1	<0.05	10	<0.5	<0.2
43731	Soil	105	1.84	47	0.121	<20	3.58	0.012	0.05	<0.1	0.02	6.0	<0.1	<0.05	11	1.4	<0.2
43732	Soil	146	2.05	47	0.175	<20	2.54	0.009	0.04	<0.1	0.02	4.0	<0.1	<0.05	9	0.8	<0.2
43733	Soil	40	0.81	98	0.327	<20	3.27	0.019	0.07	0.1	0.03	6.1	<0.1	<0.05	13	0.6	<0.2
43734	Soil	51	1.33	95	0.138	<20	2.89	0.027	0.08	<0.1	0.07	8.7	<0.1	<0.05	9	1.3	<0.2
43735	Soil	24	2.42	42	0.104	<20	4.74	0.010	0.07	<0.1	0.04	15.4	<0.1	<0.05	11	<0.5	<0.2
43736	Soil	38	1.46	59	0.104	<20	3.56	0.009	0.05	<0.1	0.03	6.8	<0.1	<0.05	11	0.5	<0.2
43737	Soil	47	1.48	89	0.091	<20	3.46	0.014	0.08	<0.1	0.02	7.4	<0.1	<0.05	10	<0.5	<0.2
43738	Soil	29	0.75	91	0.287	<20	2.96	0.019	0.05	<0.1	0.04	5.7	<0.1	<0.05	11	0.8	<0.2
43739	Soil	19	1.13	75	0.166	<20	3.57	0.013	0.03	<0.1	0.03	6.4	<0.1	<0.05	15	0.7	<0.2
43740	Soil	31	1.18	50	0.140	<20	5.36	0.016	0.04	<0.1	0.03	6.9	<0.1	<0.05	12	<0.5	<0.2
43741	Soil	30	0.37	60	0.381	<20	3.62	0.023	0.04	<0.1	0.04	5.3	<0.1	<0.05	14	1.6	<0.2
43742	Soil	31	1.04	83	0.160	<20	3.95	0.020	0.05	<0.1	0.03	5.5	<0.1	<0.05	13	<0.5	<0.2
43743	Soil	20	1.08	88	0.084	<20	4.65	0.031	0.06	<0.1	0.02	5.3	<0.1	<0.05	11	0.7	<0.2
43744	Soil	18	1.11	84	0.108	<20	4.68	0.014	0.04	<0.1	0.22	6.9	<0.1	<0.05	11	0.5	<0.2
43745	Soil	11	1.40	102	0.145	<20	5.27	0.014	0.03	0.2	0.04	5.4	<0.1	<0.05	13	<0.5	<0.2
43724	Soil	104	1.60	49	0.170	<20	2.63	0.009	0.16	0.1	0.02	4.1	<0.1	<0.05	10	<0.5	0.2
43725	Soil	95	1.14	169	0.150	<20	2.06	0.010	0.24	0.1	0.08	3.2	<0.1	<0.05	8	<0.5	<0.2
10462	Soil	48	0.69	56	0.478	<20	4.32	0.015	0.05	0.1	0.06	4.3	<0.1	<0.05	16	<0.5	<0.2
10463	Soil	39	0.88	41	0.189	<20	2.85	0.010	0.06	<0.1	0.03	4.7	<0.1	<0.05	11	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## VAN15002198.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
10464	Soil	0.9	140.3	7.6	88	0.2	32.1	22.9	530	5.55	11.1	4.3	0.7	33	0.2	0.5	0.1	163	0.33	0.106	4
10465	Soil	1.1	143.1	5.3	54	0.1	20.2	25.9	465	5.97	7.7	5.8	0.9	56	0.1	0.2	<0.1	183	0.48	0.048	4
10466	Soil	1.4	140.5	6.2	59	0.3	24.0	24.0	413	5.44	9.0	2.8	0.8	41	<0.1	0.2	0.1	183	0.39	0.062	4
10467	Soil	3.3	66.3	12.4	73	0.3	14.1	12.4	322	5.20	6.5	1.2	2.2	24	<0.1	0.3	0.4	162	0.25	0.076	12
10468	Soil	3.8	154.0	7.0	92	0.4	23.0	20.9	838	5.38	5.1	1.9	0.9	36	0.3	0.2	0.1	107	0.58	0.103	13
10469	Soil	2.5	235.0	12.5	108	0.5	31.3	25.8	1060	5.57	6.5	10.1	0.5	46	0.6	0.2	0.1	149	0.64	0.062	11
10470	Soil	1.3	263.2	7.6	75	0.2	35.4	27.8	719	6.04	7.6	4.9	0.8	84	0.2	0.2	<0.1	169	0.48	0.071	7
10471	Soil	1.2	185.1	7.8	67	0.2	32.6	25.0	658	5.52	9.9	7.7	1.7	33	0.1	0.3	0.1	150	0.28	0.049	6
10472	Soil	1.5	245.1	11.2	66	0.3	35.4	30.6	631	5.61	9.5	14.3	1.1	42	0.4	0.3	0.1	157	0.34	0.073	6
10473	Soil	1.5	91.5	12.6	82	0.6	33.5	22.2	710	5.20	9.6	7.1	0.7	42	0.3	0.3	0.1	137	0.39	0.067	6
10474	Soil	1.8	182.6	10.4	66	0.1	25.3	23.9	549	6.01	6.6	9.3	1.2	39	0.2	0.2	0.1	207	0.33	0.049	4
10475	Soil	4.1	1473.7	10.9	35	0.8	32.1	144.8	949	10.13	7.3	87.1	1.0	79	<0.1	0.2	0.2	158	1.61	0.109	6
10476	Soil	4.7	219.2	6.5	108	0.3	34.7	21.6	1040	5.25	9.7	2.2	0.9	39	0.5	0.3	0.1	144	0.72	0.108	14
10477	Soil	2.8	83.8	8.2	85	0.3	29.5	18.2	627	4.69	11.4	8.9	1.6	38	0.2	0.3	0.1	115	0.37	0.074	8
10478	Soil	1.7	99.1	9.4	78	0.1	34.1	23.4	787	5.37	12.8	4.5	1.4	44	0.1	0.4	0.1	132	0.44	0.093	10
10479	Soil	1.1	101.4	6.3	59	<0.1	29.9	25.3	704	5.07	10.8	11.4	1.5	48	0.1	0.3	<0.1	152	0.44	0.109	10
10480	Soil	0.6	80.3	6.1	62	<0.1	37.5	23.3	775	4.67	10.4	3.8	1.3	56	<0.1	0.4	<0.1	129	0.52	0.089	12
10481	Soil	0.6	151.1	8.1	56	<0.1	37.9	28.3	742	4.68	11.3	24.6	1.1	45	0.1	0.3	<0.1	159	0.47	0.115	6
10482	Soil	1.1	99.7	6.2	67	<0.1	37.4	20.8	508	5.22	12.1	12.0	0.8	36	0.2	0.4	0.1	148	0.37	0.066	5
10483	Soil	0.8	192.8	5.3	43	0.2	78.2	25.7	534	4.16	6.8	46.7	0.6	31	0.1	0.1	<0.1	115	0.85	0.067	5
10484	Soil	2.2	174.8	16.6	72	0.2	76.0	35.5	1022	5.46	11.2	14.3	0.6	38	0.2	0.2	<0.1	126	0.74	0.059	4
10485	Soil	3.0	261.1	11.0	53	0.2	86.9	41.3	721	5.44	10.4	61.3	0.6	41	0.1	0.2	<0.1	121	0.82	0.046	3
10486	Soil	1.7	77.0	18.0	97	0.2	38.2	36.7	1674	5.06	5.7	51.0	0.4	22	0.8	0.2	0.1	122	0.53	0.068	4
10487	Soil	3.7	87.4	15.2	73	0.2	40.5	26.8	619	6.69	7.3	37.9	0.6	20	0.2	0.3	0.1	170	0.31	0.058	4
10488	Soil	1.5	115.1	13.9	153	0.7	55.1	28.7	681	6.14	7.6	8.9	1.5	22	0.4	0.2	0.2	126	0.48	0.080	12
10489	Soil	1.1	92.3	15.8	75	0.4	97.0	34.2	852	5.69	7.0	19.0	0.7	24	0.2	0.2	0.1	132	0.45	0.048	4
10490	Soil	2.1	178.4	25.3	95	0.6	68.0	35.2	714	5.94	13.2	28.6	0.8	32	0.3	0.3	0.1	124	0.47	0.043	5
10491	Soil	1.6	118.3	10.9	86	0.4	54.6	32.6	882	5.39	12.4	8.3	0.6	43	0.2	0.3	0.1	137	0.70	0.050	3
10492	Soil	1.2	141.0	16.1	91	0.5	57.3	27.5	631	5.06	12.4	10.8	0.5	36	0.4	0.2	0.1	122	0.75	0.060	5
02665	Soil	1.2	138.1	5.4	77	0.4	36.8	23.2	749	6.23	21.3	69.2	0.6	48	0.1	0.5	0.3	168	0.51	0.039	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 3 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
10464	Soil	50	1.21	65	0.147	<20	4.47	0.012	0.05	0.1	0.05	5.3	<0.1	<0.05	11	<0.5	<0.2
10465	Soil	39	1.14	47	0.129	<20	3.95	0.011	0.03	<0.1	0.05	5.9	<0.1	<0.05	10	<0.5	<0.2
10466	Soil	39	1.21	66	0.133	<20	4.92	0.012	0.04	0.1	0.07	6.0	<0.1	<0.05	13	<0.5	<0.2
10467	Soil	37	0.53	67	0.618	<20	2.82	0.012	0.04	0.1	0.04	3.5	<0.1	<0.05	22	<0.5	<0.2
10468	Soil	31	0.69	54	0.406	<20	3.80	0.016	0.06	0.1	0.05	4.2	<0.1	<0.05	15	<0.5	<0.2
10469	Soil	49	1.07	68	0.201	<20	3.53	0.012	0.04	<0.1	0.05	5.5	<0.1	<0.05	13	<0.5	<0.2
10470	Soil	45	1.51	98	0.143	<20	4.33	0.015	0.04	<0.1	0.04	6.2	<0.1	<0.05	11	1.6	<0.2
10471	Soil	46	1.43	119	0.153	<20	4.35	0.015	0.06	<0.1	0.05	7.0	<0.1	<0.05	11	0.8	<0.2
10472	Soil	51	1.33	120	0.133	<20	5.00	0.009	0.05	0.2	0.06	7.4	<0.1	<0.05	11	1.1	<0.2
10473	Soil	42	1.29	135	0.105	<20	3.82	0.011	0.04	<0.1	0.05	5.6	<0.1	<0.05	10	1.1	<0.2
10474	Soil	38	1.10	76	0.176	<20	3.62	0.012	0.03	0.1	0.03	6.1	<0.1	<0.05	11	<0.5	<0.2
10475	Soil	28	1.31	28	0.037	<20	4.03	0.013	0.05	0.1	0.23	8.7	<0.1	<0.05	10	5.8	0.5
10476	Soil	46	1.02	110	0.225	<20	2.70	0.016	0.07	0.1	0.05	5.4	<0.1	<0.05	10	1.8	<0.2
10477	Soil	39	1.25	120	0.134	<20	3.20	0.011	0.07	<0.1	0.04	6.3	<0.1	<0.05	9	0.9	<0.2
10478	Soil	50	1.15	117	0.172	<20	3.18	0.013	0.07	0.1	0.03	6.3	<0.1	<0.05	10	1.0	<0.2
10479	Soil	44	1.16	108	0.148	<20	3.29	0.013	0.05	<0.1	0.05	6.8	<0.1	<0.05	9	1.0	<0.2
10480	Soil	46	1.33	195	0.087	<20	3.34	0.016	0.06	<0.1	0.02	7.9	<0.1	<0.05	8	<0.5	<0.2
10481	Soil	51	1.21	113	0.086	<20	3.35	0.014	0.05	0.1	0.03	6.6	<0.1	<0.05	8	1.1	<0.2
10482	Soil	53	1.25	103	0.098	<20	3.12	0.011	0.06	0.1	0.04	6.0	<0.1	<0.05	9	0.7	<0.2
10483	Soil	101	1.70	49	0.171	<20	2.30	0.015	0.17	0.1	0.04	4.5	0.1	<0.05	7	<0.5	<0.2
10484	Soil	118	1.81	68	0.138	<20	2.71	0.010	0.27	0.1	0.02	5.8	<0.1	<0.05	9	0.6	0.2
10485	Soil	115	1.91	39	0.147	<20	2.98	0.011	0.11	<0.1	0.02	5.1	<0.1	<0.05	9	1.1	0.3
10486	Soil	59	0.82	53	0.174	<20	1.59	0.007	0.11	0.1	0.03	2.5	<0.1	<0.05	10	<0.5	<0.2
10487	Soil	66	1.12	40	0.262	<20	2.15	0.008	0.05	0.1	0.03	3.4	<0.1	<0.05	15	<0.5	<0.2
10488	Soil	76	1.08	36	0.330	<20	3.65	0.012	0.06	0.1	0.04	5.1	<0.1	<0.05	15	<0.5	<0.2
10489	Soil	137	2.21	58	0.231	<20	3.16	0.009	0.13	0.1	0.02	4.1	<0.1	<0.05	12	0.9	<0.2
10490	Soil	84	1.52	51	0.190	<20	3.15	0.010	0.06	0.1	0.02	5.0	<0.1	<0.05	11	0.5	<0.2
10491	Soil	71	1.78	68	0.131	<20	3.20	0.010	0.12	<0.1	0.09	6.1	<0.1	<0.05	11	<0.5	<0.2
10492	Soil	78	1.36	45	0.139	<20	2.70	0.013	0.06	0.1	0.03	5.5	<0.1	<0.05	9	0.6	<0.2
02665	Soil	55	1.48	82	0.118	<20	3.89	0.016	0.07	0.2	0.03	7.0	<0.1	<0.05	11	0.8	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 4 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method Analyte Unit MDL	AQ200																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
02666	Soil	4.4	96.8	8.6	112	0.4	24.5	29.6	634	6.32	19.0	459.7	0.5	200	0.3	0.6	1.4	141	0.91	0.073	4
02667	Soil	3.2	133.4	7.9	159	0.5	40.2	25.9	1278	5.09	25.2	7.7	0.4	42	0.7	0.6	0.2	136	0.74	0.082	6
02668	Soil	1.4	98.5	9.0	105	0.3	48.0	24.3	757	6.13	23.7	6.1	0.8	38	0.2	0.6	0.1	161	0.49	0.084	4
02669	Soil	1.7	83.5	6.7	103	0.3	52.0	20.4	642	5.79	19.7	5.6	0.6	32	0.2	0.6	0.1	152	0.44	0.049	4
02670	Soil	2.1	45.1	6.9	143	0.4	38.1	20.8	823	6.10	8.6	1.1	1.5	26	0.2	0.4	0.1	119	0.38	0.108	12
02671	Soil	2.2	34.6	9.8	126	0.3	32.2	25.7	1350	5.79	5.9	1.0	1.5	26	0.2	0.3	0.2	133	0.44	0.157	12
02672	Soil	1.6	65.1	7.1	160	0.4	54.1	27.1	1706	5.61	11.8	4.4	1.7	34	0.3	0.3	0.2	120	0.53	0.132	9
02673	Soil	1.3	75.8	4.8	102	0.2	87.4	31.3	610	5.68	10.0	5.0	1.2	44	0.2	0.3	0.1	119	0.53	0.069	6
02674	Soil	1.4	207.9	6.7	125	0.6	63.2	28.1	1457	5.07	6.4	0.7	1.0	49	0.6	0.4	0.2	144	0.98	0.086	10
02675	Soil	0.6	88.6	5.4	62	0.1	118.2	31.0	703	4.51	8.9	2.6	0.5	31	<0.1	0.2	<0.1	113	0.84	0.033	4
02676	Soil	1.3	75.4	4.4	86	0.2	104.8	31.9	776	5.23	7.3	1.4	0.7	30	0.2	0.2	0.1	120	0.57	0.062	4
02677	Soil	0.6	99.9	5.0	72	0.2	56.6	26.3	1073	4.56	7.9	14.1	0.7	47	0.2	0.3	<0.1	124	1.07	0.109	6
02678	Soil	3.1	222.5	6.6	71	0.2	69.7	30.2	768	4.10	10.6	8.1	0.4	42	0.3	0.2	<0.1	119	0.97	0.097	6
02679	Soil	2.3	238.1	16.2	76	<0.1	47.9	25.0	869	4.43	19.8	9.9	0.7	54	0.1	0.3	0.1	124	0.96	0.102	7
02680	Soil	4.1	213.7	6.7	59	0.2	74.6	31.0	941	4.13	8.5	7.5	0.5	45	0.2	0.2	0.1	112	1.07	0.077	7
02681	Soil	1.0	265.5	5.9	64	0.1	69.7	38.0	894	5.11	21.0	9.3	1.0	67	0.1	0.4	0.1	142	1.04	0.103	7
02682	Soil	1.3	111.5	11.3	60	0.1	44.9	25.7	603	4.86	12.4	20.5	0.7	37	0.2	0.3	<0.1	144	0.50	0.099	4
02683	Soil	1.4	122.6	7.1	61	0.1	57.4	28.2	548	4.94	13.6	10.4	0.9	40	0.1	0.4	0.1	137	0.47	0.084	5
02684	Soil	1.3	84.9	4.6	57	0.1	103.2	27.6	432	4.91	4.8	4.7	0.6	30	<0.1	0.2	<0.1	141	0.43	0.093	3
02685	Soil	2.0	121.6	6.1	61	0.3	95.6	30.9	658	4.40	6.6	6.4	0.4	32	0.1	0.2	<0.1	118	0.53	0.052	4
02686	Soil	3.4	86.1	8.2	79	0.4	63.3	24.3	835	4.74	5.7	1.7	0.6	29	0.3	0.3	0.2	133	0.68	0.050	5
02629	Soil	1.0	100.9	6.1	76	0.3	103.4	33.8	891	4.77	6.8	12.7	0.6	34	0.2	0.2	<0.1	133	0.69	0.056	4
02630	Soil	2.3	143.9	12.9	122	0.3	47.3	49.5	3027	5.31	4.9	7.4	0.5	50	1.0	0.2	0.1	145	1.07	0.123	5
02631	Soil	6.3	154.0	12.1	66	0.2	83.8	38.3	976	6.12	12.4	20.6	0.6	29	0.3	0.2	0.1	162	0.70	0.066	4
02632	Soil	7.1	258.0	22.1	74	0.5	88.6	53.7	1639	6.36	10.0	14.1	0.7	33	0.2	0.1	0.1	147	0.80	0.076	5
02633	Soil	1.6	91.7	13.4	204	0.6	26.6	32.2	1450	7.10	2.9	8.8	1.9	38	1.3	0.2	0.3	171	0.42	0.080	10
02634	Soil	1.7	138.4	11.5	118	0.4	46.3	36.3	870	6.14	4.2	30.1	0.8	59	0.5	0.2	0.2	181	0.71	0.063	5
02635	Soil	0.9	400.6	12.8	67	0.3	42.0	45.0	714	7.00	12.4	13.5	0.8	70	0.1	0.2	<0.1	243	0.66	0.064	3
02636	Soil	2.0	48.0	6.6	88	0.2	38.1	24.7	650	6.91	5.3	1.4	2.8	28	0.1	0.2	0.2	118	0.29	0.098	12
02637	Soil	1.4	48.7	11.7	72	0.2	15.8	21.8	923	5.47	5.6	3.4	1.4	46	0.2	0.3	0.3	175	0.44	0.070	6





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 4 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
02666	Soil	31	1.00	128	0.099	<20	3.07	0.013	0.11	6.0	0.03	5.3	0.1	<0.05	13	1.1	0.5
02667	Soil	57	1.23	93	0.135	<20	2.70	0.015	0.11	0.1	0.03	6.1	<0.1	<0.05	10	0.7	<0.2
02668	Soil	68	1.72	112	0.124	<20	3.42	0.014	0.09	0.1	0.02	7.6	<0.1	<0.05	12	<0.5	<0.2
02669	Soil	77	1.72	90	0.154	<20	2.89	0.013	0.09	0.1	0.02	6.4	<0.1	<0.05	11	<0.5	<0.2
02670	Soil	58	0.87	108	0.454	<20	2.47	0.017	0.08	0.1	0.03	4.7	<0.1	<0.05	15	<0.5	<0.2
02671	Soil	55	0.79	93	0.456	<20	1.98	0.013	0.10	0.2	0.02	3.5	<0.1	<0.05	17	0.6	<0.2
02672	Soil	73	1.43	120	0.334	<20	2.63	0.015	0.14	<0.1	0.02	5.3	<0.1	<0.05	14	<0.5	<0.2
02673	Soil	68	1.88	64	0.287	<20	3.21	0.018	0.13	<0.1	0.01	5.1	<0.1	<0.05	11	<0.5	<0.2
02674	Soil	67	1.50	98	0.288	<20	2.26	0.019	0.10	0.1	0.03	7.0	<0.1	<0.05	11	<0.5	<0.2
02675	Soil	76	3.13	74	0.168	<20	3.01	0.016	0.13	0.1	0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
02676	Soil	73	2.64	99	0.220	<20	3.06	0.018	0.12	0.2	<0.01	3.8	<0.1	<0.05	10	<0.5	<0.2
02677	Soil	66	1.75	92	0.123	<20	2.54	0.017	0.11	<0.1	0.02	7.1	<0.1	<0.05	9	<0.5	<0.2
02678	Soil	114	1.94	45	0.109	<20	2.52	0.018	0.08	0.1	0.05	7.0	<0.1	<0.05	8	<0.5	<0.2
02679	Soil	63	1.38	85	0.096	<20	2.44	0.024	0.10	0.1	0.05	7.5	<0.1	<0.05	8	<0.5	<0.2
02680	Soil	92	1.73	69	0.146	<20	2.63	0.018	0.08	0.1	0.06	5.9	<0.1	<0.05	8	0.7	<0.2
02681	Soil	88	1.73	71	0.144	<20	2.96	0.033	0.13	0.1	0.03	7.7	<0.1	<0.05	9	<0.5	<0.2
02682	Soil	70	1.24	51	0.138	<20	2.38	0.015	0.10	0.1	0.03	4.4	<0.1	<0.05	9	<0.5	<0.2
02683	Soil	73	1.48	77	0.143	<20	3.17	0.017	0.08	0.1	0.03	5.9	<0.1	<0.05	9	<0.5	<0.2
02684	Soil	128	2.61	52	0.268	<20	3.07	0.013	0.14	0.1	0.02	3.7	<0.1	<0.05	11	<0.5	<0.2
02685	Soil	101	2.12	64	0.194	<20	2.65	0.014	0.07	<0.1	0.02	3.9	<0.1	<0.05	10	<0.5	<0.2
02686	Soil	89	1.62	88	0.279	<20	2.47	0.012	0.09	<0.1	0.02	4.2	<0.1	<0.05	13	<0.5	<0.2
02629	Soil	122	2.60	53	0.195	<20	3.26	0.013	0.15	<0.1	0.01	4.3	<0.1	<0.05	10	<0.5	<0.2
02630	Soil	74	1.03	135	0.171	<20	2.24	0.012	0.13	0.1	0.04	3.6	<0.1	<0.05	11	<0.5	<0.2
02631	Soil	118	1.72	49	0.252	<20	2.63	0.012	0.09	<0.1	0.03	4.5	<0.1	<0.05	12	<0.5	<0.2
02632	Soil	125	1.62	53	0.179	<20	2.89	0.012	0.12	<0.1	0.03	5.4	<0.1	<0.05	10	<0.5	<0.2
02633	Soil	54	0.68	73	0.476	<20	2.16	0.017	0.11	<0.1	0.02	3.7	<0.1	<0.05	21	<0.5	<0.2
02634	Soil	85	1.42	64	0.180	<20	2.93	0.018	0.06	0.1	0.03	4.6	<0.1	<0.05	13	<0.5	<0.2
02635	Soil	67	1.89	42	0.094	<20	5.18	0.018	0.05	<0.1	0.05	8.3	<0.1	<0.05	11	0.6	<0.2
02636	Soil	45	0.81	66	0.609	<20	4.31	0.025	0.07	0.1	0.04	4.6	<0.1	<0.05	17	<0.5	<0.2
02637	Soil	27	0.64	109	0.209	<20	2.65	0.014	0.04	0.1	0.03	3.7	<0.1	<0.05	15	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	ppm	
02638	Soil	1.8	42.2	7.6	106	0.2	31.3	23.8	596	6.66	4.9	1.3	3.1	32	0.2	0.2	0.2	115	0.28	0.095	11
02639	Soil	0.5	149.1	3.9	51	0.1	19.9	29.6	639	5.52	8.0	4.7	0.7	168	<0.1	0.1	<0.1	189	1.15	0.052	3
02640	Soil	1.1	72.2	8.2	65	0.3	18.5	19.0	450	5.06	5.4	3.5	0.6	64	0.3	0.3	0.1	152	0.68	0.076	5
02641	Soil	0.7	163.9	2.6	35	0.1	7.8	23.2	304	4.19	4.2	4.6	0.4	111	<0.1	0.2	<0.1	139	1.29	0.106	3
02642	Soil	2.0	57.2	8.5	101	0.2	14.9	21.8	722	6.92	4.7	5.4	1.6	38	0.3	0.2	0.2	160	0.37	0.076	10
02643	Soil	1.7	61.4	9.7	85	0.2	23.8	19.2	499	5.45	7.5	11.6	2.0	24	0.4	0.2	0.1	140	0.31	0.126	11
02644	Soil	0.8	312.2	9.2	59	0.1	37.5	20.6	659	3.88	9.4	5.5	0.5	70	0.1	0.2	<0.1	111	1.47	0.086	9
02645	Soil	3.2	210.8	3.9	42	<0.1	17.1	33.3	720	6.01	8.0	6.2	1.2	86	0.1	0.2	<0.1	148	0.73	0.047	4
02646	Soil	1.4	100.0	10.3	81	<0.1	37.3	30.3	726	5.68	9.2	6.1	1.7	59	0.1	0.2	0.1	141	0.69	0.055	8
02647	Soil	0.9	216.8	6.9	54	<0.1	22.0	36.5	450	4.92	11.0	14.4	0.9	76	<0.1	0.2	<0.1	157	1.26	0.037	3
02648	Soil	2.4	308.9	9.5	105	0.2	33.7	25.1	763	5.43	6.7	13.1	2.0	63	0.2	0.2	<0.1	118	0.89	0.057	18
02649	Soil	0.8	140.3	5.7	68	0.2	46.1	28.2	1154	5.02	12.6	7.2	1.0	59	0.1	0.3	<0.1	146	1.04	0.105	8
02650	Soil	0.6	137.6	4.4	61	0.1	57.0	25.4	689	4.47	10.1	4.6	0.6	44	0.1	0.3	<0.1	128	0.87	0.106	4
02651	Soil	1.4	165.3	6.5	99	0.1	64.8	27.9	1098	5.65	12.3	11.5	2.4	49	0.2	0.3	0.1	130	0.78	0.072	14
02652	Soil	0.8	78.5	4.6	83	0.1	109.6	33.4	1012	4.86	12.0	3.0	0.6	34	0.1	0.3	<0.1	116	0.75	0.097	3
02653	Soil	0.6	162.0	5.6	64	<0.1	85.3	30.3	1011	4.68	17.2	5.1	1.0	45	<0.1	0.3	<0.1	123	0.74	0.079	6
02654	Soil	1.0	150.2	6.0	114	0.3	47.6	24.4	1169	4.73	9.1	3.7	1.1	52	0.2	0.4	0.1	117	1.15	0.061	6
02655	Soil	0.7	82.3	2.7	55	0.1	86.6	24.7	717	4.59	7.9	23.3	0.5	68	<0.1	0.2	<0.1	98	0.64	0.082	3
02656	Soil	1.0	113.8	7.6	123	0.2	58.7	29.3	807	5.55	21.1	5.3	1.5	37	0.2	0.4	0.2	146	0.46	0.127	6
02657	Soil	0.9	124.7	6.4	84	0.2	73.3	26.8	778	5.25	23.1	2.6	1.0	36	<0.1	0.5	0.1	137	0.67	0.092	8
02658	Soil	1.1	83.3	6.6	108	0.1	60.3	28.3	783	5.48	18.7	2.5	0.9	30	0.2	0.5	0.1	147	0.45	0.073	5
02659	Soil	1.1	137.3	7.3	96	0.1	77.0	33.4	783	6.62	61.6	6.4	1.1	41	0.2	0.5	0.1	167	0.54	0.063	4
02660	Soil	1.0	87.9	6.1	69	0.1	51.1	27.0	1001	5.43	15.4	3.5	0.6	56	0.2	0.4	0.1	144	0.57	0.074	4
02661	Soil	0.8	84.2	3.6	64	0.2	16.1	32.4	1398	5.42	7.4	7.5	0.2	94	0.2	0.2	0.2	137	1.05	0.114	3
02662	Soil	1.5	214.0	5.7	111	0.3	39.6	25.5	952	5.12	20.8	10.0	1.1	60	0.5	0.5	0.2	122	1.43	0.093	12
02663	Soil	1.3	85.3	6.7	101	0.4	44.2	22.7	740	4.71	22.9	1.2	0.8	35	0.2	0.5	<0.1	133	0.53	0.061	6
02664	Soil	1.3	150.9	6.1	98	0.6	34.9	27.4	681	6.28	41.8	109.8	0.6	59	0.2	0.4	0.3	174	0.63	0.042	4
02708	Soil	2.4	164.9	7.3	63	0.2	91.9	31.6	992	5.06	7.2	11.9	1.3	39	<0.1	0.2	<0.1	116	0.81	0.082	13
02709	Soil	2.2	156.5	17.0	82	0.7	84.1	37.2	1285	5.63	9.4	25.8	0.4	45	0.7	0.3	0.1	151	0.96	0.087	4
02710	Soil	3.3	119.5	44.7	205	1.1	76.1	33.8	980	5.82	24.1	19.0	0.5	48	2.0	0.4	0.3	148	0.84	0.067	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**  
1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given  
Report Date: September 11, 2015

Page: 5 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
02638	Soil	44	0.66	51	0.605	<20	3.97	0.026	0.06	<0.1	0.03	4.4	<0.1	<0.05	16	<0.5	<0.2
02639	Soil	25	1.46	73	0.051	<20	5.23	0.025	0.08	<0.1	0.03	8.6	<0.1	<0.05	12	<0.5	<0.2
02640	Soil	29	0.85	57	0.158	<20	3.43	0.014	0.05	0.2	0.05	3.9	<0.1	<0.05	13	<0.5	<0.2
02641	Soil	9	1.05	32	0.080	<20	4.90	0.025	0.05	0.2	0.03	4.0	<0.1	<0.05	10	0.7	<0.2
02642	Soil	33	0.49	58	0.483	<20	2.21	0.014	0.06	0.1	0.03	2.9	<0.1	<0.05	20	<0.5	<0.2
02643	Soil	36	0.69	73	0.353	<20	3.07	0.019	0.05	0.1	0.04	4.1	<0.1	<0.05	13	<0.5	<0.2
02644	Soil	57	1.13	46	0.148	<20	2.25	0.030	0.08	<0.1	0.09	5.6	<0.1	<0.05	7	1.1	<0.2
02645	Soil	21	1.70	60	0.066	<20	2.85	0.014	0.04	<0.1	<0.01	7.3	<0.1	<0.05	9	1.0	<0.2
02646	Soil	43	1.35	81	0.251	<20	4.30	0.025	0.06	<0.1	0.03	4.5	<0.1	<0.05	14	<0.5	<0.2
02647	Soil	17	1.60	78	0.079	<20	5.40	0.024	0.04	<0.1	0.04	6.5	<0.1	<0.05	11	<0.5	<0.2
02648	Soil	48	0.95	100	0.349	<20	3.05	0.037	0.04	<0.1	0.12	8.2	<0.1	<0.05	10	1.0	<0.2
02649	Soil	62	1.68	88	0.148	<20	2.86	0.028	0.09	<0.1	0.02	8.3	<0.1	<0.05	9	<0.5	<0.2
02650	Soil	58	1.64	52	0.108	<20	2.88	0.021	0.13	0.1	0.02	5.3	<0.1	<0.05	8	<0.5	<0.2
02651	Soil	70	1.50	102	0.306	<20	3.24	0.030	0.10	<0.1	0.03	8.5	<0.1	<0.05	11	<0.5	<0.2
02652	Soil	73	2.89	94	0.153	<20	2.98	0.017	0.24	0.1	0.01	4.6	<0.1	<0.05	10	<0.5	<0.2
02653	Soil	91	2.33	90	0.149	<20	2.90	0.025	0.11	<0.1	0.01	8.8	<0.1	<0.05	9	<0.5	<0.2
02654	Soil	66	1.54	110	0.144	<20	2.74	0.022	0.11	<0.1	0.03	9.3	<0.1	<0.05	9	<0.5	<0.2
02655	Soil	71	2.30	89	0.128	<20	2.82	0.018	0.14	<0.1	0.02	4.5	<0.1	<0.05	9	<0.5	<0.2
02656	Soil	71	1.82	126	0.146	<20	3.80	0.016	0.08	<0.1	0.02	8.4	<0.1	<0.05	12	<0.5	<0.2
02657	Soil	90	1.79	112	0.177	<20	3.27	0.018	0.17	0.1	0.02	7.1	<0.1	<0.05	11	<0.5	<0.2
02658	Soil	87	1.64	106	0.161	<20	3.32	0.016	0.10	<0.1	0.02	6.7	<0.1	<0.05	12	<0.5	<0.2
02659	Soil	90	2.16	100	0.158	<20	4.13	0.017	0.09	0.1	0.03	8.7	<0.1	<0.05	13	<0.5	<0.2
02660	Soil	79	1.55	87	0.145	<20	3.18	0.018	0.10	0.2	0.04	6.9	<0.1	<0.05	11	<0.5	<0.2
02661	Soil	24	1.12	78	0.071	<20	2.95	0.015	0.11	0.2	0.06	5.6	<0.1	<0.05	9	<0.5	<0.2
02662	Soil	56	1.24	86	0.215	<20	2.68	0.031	0.10	0.1	0.11	8.4	<0.1	<0.05	9	0.8	<0.2
02663	Soil	66	1.22	66	0.171	<20	2.49	0.015	0.12	0.1	0.03	6.0	0.1	<0.05	10	<0.5	<0.2
02664	Soil	50	1.35	68	0.124	<20	3.80	0.017	0.11	0.2	0.03	7.4	<0.1	<0.05	12	<0.5	<0.2
02708	Soil	92	2.14	86	0.272	<20	3.14	0.028	0.06	<0.1	0.04	5.8	<0.1	<0.05	10	<0.5	<0.2
02709	Soil	121	1.84	74	0.110	<20	2.96	0.014	0.06	0.2	0.04	5.1	<0.1	<0.05	11	<0.5	0.2
02710	Soil	109	1.94	61	0.147	<20	2.96	0.023	0.10	0.1	0.03	5.3	<0.1	<0.05	12	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
02711	Soil	2.1	147.8	12.9	56	0.2	136.2	37.2	486	4.99	8.3	16.0	0.9	44	<0.1	0.3	0.2	118	0.87	0.043	6
02712	Soil	3.6	79.1	9.8	110	0.4	57.4	29.0	591	6.94	8.2	8.9	1.5	30	0.4	0.4	0.3	161	0.45	0.066	9
02713	Soil	5.5	226.9	5.4	59	0.2	91.2	41.3	624	6.16	12.2	83.1	0.6	87	0.2	0.4	0.3	160	1.32	0.048	7
02714	Soil	1.5	97.8	4.3	66	0.2	92.7	34.3	563	5.73	6.4	9.1	0.8	38	0.1	0.3	0.2	151	0.68	0.079	5
02715	Soil	1.5	80.9	4.5	88	0.3	77.1	36.0	974	5.58	4.8	9.3	1.0	37	0.2	0.3	0.2	160	1.12	0.063	5
02716	Soil	0.6	92.0	3.0	42	0.1	176.8	44.1	538	4.05	3.1	1.9	0.3	27	<0.1	0.1	<0.1	112	0.87	0.053	2
02717	Soil	1.1	106.5	12.8	126	0.4	76.0	30.1	788	6.00	12.7	6.4	1.0	40	0.4	0.4	0.1	152	0.48	0.066	5
02718	Soil	1.8	92.8	14.3	130	0.3	85.6	32.9	912	5.19	10.5	6.5	0.5	46	0.5	0.4	0.1	135	0.79	0.044	4
02719	Soil	0.9	107.5	8.2	83	0.3	64.9	29.3	807	5.69	13.6	2.3	1.0	51	0.3	0.4	0.1	155	0.66	0.058	4
02720	Soil	1.3	85.8	14.4	86	0.6	69.0	41.8	967	6.02	7.5	25.3	1.0	41	0.3	0.3	0.2	163	0.48	0.052	4
02721	Soil	0.9	95.0	6.4	69	0.2	89.0	33.2	734	5.36	8.4	3.0	0.7	36	<0.1	0.3	0.1	152	0.52	0.050	4
02722	Soil	1.1	214.8	5.8	48	0.1	87.4	40.0	610	5.59	8.7	7.4	0.6	52	<0.1	0.2	0.1	149	0.59	0.057	5
02723	Soil	1.2	177.2	8.0	72	0.2	61.5	30.2	637	5.44	10.2	6.9	1.2	42	<0.1	0.3	0.1	151	0.52	0.056	7
02724	Soil	1.0	306.4	17.5	99	0.1	63.9	35.3	1081	4.81	19.2	13.2	1.1	63	0.3	0.4	0.1	132	1.09	0.106	7
43791	Soil	0.9	173.2	5.6	71	0.3	30.6	26.3	804	5.26	10.6	9.9	0.9	85	0.2	0.2	<0.1	160	1.17	0.071	16
43792	Soil	1.3	327.6	19.2	75	0.2	17.1	45.2	1895	6.80	4.3	16.6	0.5	72	0.2	0.1	<0.1	192	1.34	0.128	4
43793	Soil	1.3	151.2	8.9	70	0.2	32.0	28.9	508	5.89	11.5	10.9	0.9	61	0.1	0.3	0.1	177	0.69	0.040	4
43794	Soil	0.7	175.8	2.9	55	0.2	24.9	32.4	686	6.00	5.7	15.1	0.8	90	0.2	0.2	<0.1	204	0.87	0.071	3
43795	Soil	0.9	434.0	14.2	82	0.3	56.4	48.3	815	7.42	5.0	189.5	0.5	84	0.2	<0.1	<0.1	271	0.85	0.029	2
43796	Soil	1.1	199.3	5.1	67	0.5	26.5	37.7	1014	5.97	2.2	1146.2	0.4	117	0.3	0.1	0.1	212	1.52	0.070	3
43797	Soil	1.3	251.9	5.4	69	0.2	30.2	43.2	664	5.92	4.5	6.8	0.8	85	0.3	0.2	<0.1	208	1.10	0.044	4
43798	Soil	2.3	137.7	8.2	122	0.2	30.7	39.1	2507	5.59	3.9	5.1	1.1	93	0.9	0.3	0.2	141	1.42	0.084	7
43799	Soil	2.3	115.9	8.5	102	0.3	30.9	30.4	1283	5.62	6.0	22.3	0.9	76	0.4	0.2	0.2	145	1.10	0.112	7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Divitiae Resources**

1304 Steeple Dr.  
Coquitlam BC Canada

Project: None Given

Report Date: September 11, 2015

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

VAN15002198.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.1	0.01	0.1	0.1	0.05	1	0.5
02711	Soil	118	2.46	28	0.281	<20	3.31	0.033	0.14	0.2	0.02	4.8	<0.1	<0.05	10	<0.5	<0.2
02712	Soil	81	1.04	46	0.436	<20	3.03	0.020	0.12	0.2	0.04	4.7	<0.1	<0.05	16	<0.5	<0.2
02713	Soil	106	1.83	48	0.180	<20	3.35	0.042	0.13	0.1	0.04	6.0	0.1	<0.05	11	0.7	<0.2
02714	Soil	85	1.69	36	0.262	<20	3.49	0.021	0.14	0.2	0.04	4.9	0.1	<0.05	12	<0.5	<0.2
02715	Soil	81	1.66	47	0.242	<20	3.38	0.024	0.07	0.3	0.03	5.2	<0.1	<0.05	13	<0.5	<0.2
02716	Soil	136	3.62	17	0.140	<20	3.41	0.021	0.06	0.1	0.01	5.1	<0.1	<0.05	8	<0.5	<0.2
02717	Soil	87	2.02	80	0.167	<20	3.67	0.018	0.10	<0.1	0.03	7.0	<0.1	<0.05	12	<0.5	<0.2
02718	Soil	92	2.26	81	0.146	<20	3.52	0.017	0.13	<0.1	0.02	5.9	<0.1	<0.05	11	<0.5	<0.2
02719	Soil	93	1.99	108	0.150	<20	3.66	0.015	0.12	<0.1	0.02	6.9	<0.1	<0.05	12	<0.5	<0.2
02720	Soil	89	1.55	65	0.157	<20	3.40	0.013	0.14	<0.1	0.02	5.1	<0.1	<0.05	12	<0.5	<0.2
02721	Soil	106	2.28	81	0.234	<20	3.38	0.013	0.15	<0.1	0.02	5.1	<0.1	<0.05	12	<0.5	<0.2
02722	Soil	116	2.15	49	0.153	<20	3.23	0.013	0.15	0.1	0.02	5.4	<0.1	<0.05	9	<0.5	<0.2
02723	Soil	83	1.57	47	0.212	<20	3.42	0.014	0.13	<0.1	0.03	6.0	<0.1	<0.05	10	<0.5	<0.2
02724	Soil	90	1.73	72	0.113	<20	2.65	0.023	0.18	0.1	0.05	8.8	<0.1	<0.05	9	<0.5	<0.2
43791	Soil	40	1.20	94	0.180	<20	3.51	0.040	0.05	<0.1	0.05	7.4	<0.1	<0.05	10	0.7	<0.2
43792	Soil	13	1.44	44	0.038	<20	4.14	0.020	0.11	<0.1	0.07	8.6	<0.1	<0.05	9	0.9	<0.2
43793	Soil	42	1.26	90	0.175	<20	3.62	0.019	0.08	<0.1	0.02	5.4	<0.1	<0.05	13	<0.5	<0.2
43794	Soil	27	1.64	59	0.135	<20	5.73	0.015	0.09	<0.1	0.06	7.4	<0.1	<0.05	12	<0.5	<0.2
43795	Soil	126	2.04	39	0.135	<20	4.49	0.013	0.07	<0.1	0.04	6.9	<0.1	<0.05	13	<0.5	<0.2
43796	Soil	42	1.38	66	0.103	<20	3.61	0.018	0.14	0.1	0.06	5.0	<0.1	<0.05	11	<0.5	<0.2
43797	Soil	34	1.68	54	0.156	<20	4.42	0.014	0.10	<0.1	0.04	6.2	<0.1	<0.05	12	<0.5	<0.2
43798	Soil	45	1.01	133	0.280	<20	2.92	0.018	0.15	<0.1	0.04	4.7	<0.1	<0.05	13	<0.5	<0.2
43799	Soil	48	1.11	111	0.228	<20	3.17	0.014	0.15	<0.1	0.04	4.9	<0.1	<0.05	14	<0.5	<0.2



# QUALITY CONTROL REPORT

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
43724	Soil	6.5	203.9	5.3	61	0.2	74.7	38.2	700	5.81	7.8	19.4	0.3	35	0.3	0.3	<0.1	125	0.73	0.076	3
REP 43724	QC	6.1	210.4	5.6	63	0.2	72.9	38.0	712	6.20	7.5	12.8	0.3	34	0.2	0.2	<0.1	136	0.71	0.077	3
02668	Soil	1.4	98.5	9.0	105	0.3	48.0	24.3	757	6.13	23.7	6.1	0.8	38	0.2	0.6	0.1	161	0.49	0.084	4
REP 02668	QC	1.3	97.8	8.3	103	0.2	48.8	22.8	746	6.04	25.4	3.3	0.8	37	0.3	0.6	0.1	153	0.47	0.083	4
02646	Soil	1.4	100.0	10.3	81	<0.1	37.3	30.3	726	5.68	9.2	6.1	1.7	59	0.1	0.2	0.1	141	0.69	0.055	8
REP 02646	QC	1.5	98.4	10.1	79	<0.1	36.5	30.3	679	5.65	9.0	5.6	1.6	58	0.1	0.2	0.1	141	0.72	0.054	8
43791	Soil	0.9	173.2	5.6	71	0.3	30.6	26.3	804	5.26	10.6	9.9	0.9	85	0.2	0.2	<0.1	160	1.17	0.071	16
REP 43791	QC	0.9	177.8	6.0	72	0.3	30.3	26.8	833	5.48	11.0	6.4	1.0	87	0.2	0.2	<0.1	167	1.20	0.068	16
Reference Materials																					
STD DS10	Standard	12.4	148.5	148.8	373	1.9	71.6	11.9	917	2.87	49.9	54.1	7.4	64	2.9	9.7	13.7	42	1.05	0.083	16
STD DS10	Standard	11.4	163.6	150.6	362	1.9	72.7	12.6	862	2.75	46.6	67.0	7.1	65	2.7	11.5	13.1	43	0.92	0.083	16
STD DS10	Standard	14.2	165.4	155.9	370	2.1	75.9	13.1	903	2.76	48.7	64.6	8.4	69	2.7	10.3	14.0	46	1.05	0.082	19
STD DS10	Standard	14.5	175.6	159.7	404	2.1	81.2	14.3	885	2.83	47.9	60.0	8.5	68	3.0	10.6	14.4	45	1.06	0.073	19
STD OREAS45EA	Standard	1.5	646.3	14.7	33	0.3	351.8	50.9	413	24.13	10.8	55.0	9.9	4	<0.1	0.5	0.3	272	0.04	0.035	7
STD OREAS45EA	Standard	1.4	681.3	14.2	33	0.3	351.2	51.0	412	23.58	10.9	55.6	9.8	4	<0.1	0.6	0.3	268	0.03	0.031	7
STD OREAS45EA	Standard	1.5	637.3	14.6	29	0.2	333.5	50.3	375	20.73	11.3	50.1	11.0	4	<0.1	0.4	0.3	265	0.03	0.030	7
STD OREAS45EA	Standard	1.4	631.2	14.5	28	0.2	335.7	49.7	363	20.63	12.3	54.8	10.9	4	<0.1	0.4	0.3	260	0.03	0.031	7
STD DS10 Expected		14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	91.9	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073	17.5
STD OREAS45EA Expected		1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

# QUALITY CONTROL REPORT

VAN15002198.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
43724	Soil	104	1.60	49	0.170	<20	2.63	0.009	0.16	0.1	0.02	4.1	<0.1	<0.05	10	<0.5	0.2
REP 43724	QC	108	1.64	49	0.162	<20	2.69	0.009	0.15	0.1	0.02	3.7	<0.1	<0.05	10	0.5	<0.2
02668	Soil	68	1.72	112	0.124	<20	3.42	0.014	0.09	0.1	0.02	7.6	<0.1	<0.05	12	<0.5	<0.2
REP 02668	QC	67	1.72	109	0.124	<20	3.31	0.014	0.10	0.1	0.02	7.6	<0.1	<0.05	12	<0.5	<0.2
02646	Soil	43	1.35	81	0.251	<20	4.30	0.025	0.06	<0.1	0.03	4.5	<0.1	<0.05	14	<0.5	<0.2
REP 02646	QC	43	1.30	80	0.244	<20	4.39	0.025	0.06	<0.1	0.03	4.8	<0.1	<0.05	14	<0.5	<0.2
43791	Soil	40	1.20	94	0.180	<20	3.51	0.040	0.05	<0.1	0.05	7.4	<0.1	<0.05	10	0.7	<0.2
REP 43791	QC	40	1.22	95	0.195	<20	3.71	0.040	0.05	<0.1	0.05	8.0	<0.1	<0.05	10	0.7	<0.2
Reference Materials																	
STD DS10	Standard	53	0.80	433	0.073	<20	0.98	0.074	0.35	3.6	0.26	3.0	5.1	0.24	4	2.5	5.3
STD DS10	Standard	49	0.77	405	0.068	<20	0.90	0.065	0.34	3.8	0.28	2.5	5.3	0.24	4	2.7	4.7
STD DS10	Standard	54	0.77	415	0.078	<20	0.95	0.063	0.35	3.5	0.31	2.8	5.3	0.25	4	2.3	5.0
STD DS10	Standard	53	0.80	430	0.081	<20	1.00	0.063	0.35	3.2	0.32	3.2	5.4	0.31	4	2.1	5.2
STD OREAS45EA	Standard	840	0.10	156	0.093	<20	2.90	0.020	0.06	<0.1	<0.01	78.6	<0.1	<0.05	12	<0.5	<0.2
STD OREAS45EA	Standard	803	0.09	143	0.091	<20	2.84	0.019	0.05	<0.1	0.01	74.8	<0.1	<0.05	12	1.4	<0.2
STD OREAS45EA	Standard	766	0.10	133	0.092	<20	2.79	0.020	0.05	<0.1	0.01	70.6	<0.1	<0.05	12	1.1	<0.2
STD OREAS45EA	Standard	722	0.09	133	0.091	<20	2.59	0.018	0.05	<0.1	<0.01	72.4	<0.1	<0.05	11	0.9	<0.2
STD DS10 Expected		54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2