



Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

ASSESSMENT REPORTTITLE PAGE AND SUMMARY

TYPE OF REPORT (type of survey(s))	TOTAL COST \$
Geochemical Soil Sampling Report	17,111.39

AUTHOR(S) Dr. Mathias Westphal SIGNATURE(S) _____ 'SIGNED AND SEALED'

Westphal

NOTICE OF WORK NUMBER(S) / DATE(S) n/a YEAR OF WORK 2015

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBERS / DATE(S)
Event Number 5579274 / 2015/NOV/18

PROPERTY NAME Eagle

CLAIM NAME(S) (on which work was done) Eagle 1 - 1039204, Eagle 2 - 1039205

COMMODITIES SOUGHT Cu, Mo, Au, Ag

MINERAL INVENTORY MINFILE NUMBERS, IF KNOWN 93A059

MINING DIVISION	<u>Omineca</u>	NTS	<u>93N2</u>	TRIM (BCGS)	
LATITUDE	<u>55°11'21"</u>	LONGITUDE	<u>124°54'30"</u>		(at centre of work)
NORTHING	<u>6117500</u>	EASTING	<u>378500</u>	UTM ZONE	<u>10U</u>
				MAP DATUM	

OWNER 1 Rich Rock Resources Inc. OWNER 2 _____

MAILING ADDRESS
910-475 West Georgia St.
Vancouver, BC, V6B 4M9

OPERATORS (who paid for work)
Rich Rock Resources Inc.

MAILING ADDRESS
910-475 West Georgia St.
Vancouver, BC, V6B 4M9

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size, attitude)
Quesnellia, Upper Triassic to Lower Jurassic Takla Group volcanics and sediments intruded by Hogem batholith
Cu/Au and Cu/Mo porphyritic alteration

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS

00851, 01056, 01599, 03338, 19239, 20245, 20406, 21762, 24871A, 24871B, 29671, 31227, 31689, 33354, 35398

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (In Metric Units)	On Which Claims	Project Costs Apportioned (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo Interpretation			
GEOPHYSICAL (line kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Siesmic			
Other			
Airborne			
GEOCHEMICAL			
(number of samples analyzed for)			
Soil	150		17,111.39
Silt			
Rock			
Other			
DRILLING			
(total metres, number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / assaying			
Petrographic			
Mineralogical			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATION / PHYSICAL			
Line/grid (kilometres)			
Topographic / Photogrammatic			
(scale, area)			
Legal Surveys (scale, area)			
Road, local access (kilometres)			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST	17,111.38

**ASSESSMENT REPORT
GEOCHEMICAL SOIL SAMPLING REPORT
on the
EAGLE PROPERTY**

Eagle 1 and 2 Claims

Omineca Mining Division

NTS93N02

Latitude 55° 12, Longitude 124°52

UTM 381194E, 6118637N Zone 10U

RICH ROCK RESOURCES INC

910-475 West Georgia St.
Vancouver, BC
V6B 4M9

By

Dr. Mathias Westphal, P.Geo.

February 12, 2016

AR # 35927

EVENT # 5579274

TABLE OF CONTENTS

SUMMARY	1
INTRODUCTION	2
LOCATION AND ACCESS	2
CLAIMS	2
HISTORY.....	7
REGIONAL GEOLOGY	8
GEOLOGY	9
MINERALIZATION.....	9
WORK PROGRAM	10
INTERPRETATION.....	15
CONCLUSIONS AND RECOMMENDATIONS	15
EXPENDITURES	16
CERTIFICATE OF AUTHOR	17
BIBLIOGRAPHY	18
APPENDIX.....	19

LIST OF TABLES

TABLE 1 CLAIM DATA.....	2
TABLE 2 STATEMENT OF COSTS	16

LIST OF FIGURES

FIGURE 1 LOCATION MAP FOR THE EAGLE PROPERTY.....	3
FIGURE 2 CLAIM MAP EAGLE PROPERTY.....	4
FIGURE 3 REGIONAL GEOLOGY	5
FIGURE 4 PROPERTY GEOLOGY	6
FIGURE 5 SAMPLE LOCATION MAP.....	11
FIGURE 6 GEOCHEMICAL MAP FOR CU AND AU IN SOIL	12
FIGURE 7 GEOCHEMICAL MAP FOR ZN AND Pb IN SOIL.....	13
FIGURE 8 COMPILED MAP FOR ZN IN SOIL.....	14

SUMMARY

Volcanics and sediments of the Upper Triassic to Lower Jurassic Takla Group, which are intruded by diorite and granodiorite of the Hogem Batholith, underlie the Eagle property. The property has been the object of numerous geophysical surveys, soil geochemical surveys and two phases of diamond drilling. Previous work identified three areas of copper mineralization along a northwest-trending zone within the Hogem Batholith, known as the Vector, Mid, and Nighthawk Zones. Mineralization consists of chalcopyrite, pyrite, malachite and minor azurite along fractures and shear zones. The nearby Gibson gold-silver prospect lies in Takla sediments near the Hogem contact 400m southwest of the Nighthawk zone.

This report details a soil geochemical survey undertaken from Oct 19 to 24, 2015. The work comprised of 150 soil samples, and the results were also complied with older survey results. Expenditures are \$17,111.39.

INTRODUCTION

The Eagle property has been discovered in 1966, and received considerable exploration work since. Noranda Exploration in 1989-1991 and Birch Mountain Resources in 1996 have done work, which identified several porphyry targets and the Gibson gold-silver-base metal target in the southwest part of the property. Work this year geochemical soil sampling survey completed by Rich Rock Resources in 2015.

Work comprised of 150 soil samples from an area, that has been logged this and in the previous year. Results are detailed herein. Rich Rock Resources Inc paid for work.

LOCATION AND ACCESS

The property is located (Figure 1) on map sheet 93N02 at co-ordinates $55^{\circ} 12' N$ and $124^{\circ} 52' W$ in the Omineca Mining Division. Access to the property is by road from Fort St James to Tchlento Lake at a distance of 134 km.

CLAIMS

The property consists of five claims comprising 4,174.27 hectares as set out in Table 1. A claim map is shown in Figure 2. Expiry dates shown assume the work presented herein is accepted for assessment work purposes. Work was filed on November 18, 2015, as event 5579274.

Table 1 Claim Data

Claim	Name/Property	Issue	Good to	New Good to	Size [hectare]
1039204	EAGLE 1	2015/oct/09	2015/nov/25	2017/JAN/24	1015.4
1039205	EAGLE 2	2015/oct/09	2015/nov/25	2017/JAN/24	1902.3
1039206	EAGLE 3	2015/oct/09	2015/nov/25	2017/JAN/24	461.91
1039207	EAGLE 4	2015/oct/09	2015/nov/25	2017/JAN/24	277.22
1039208	EAGLE 5	2015/oct/09	2015/nov/25	2017/JAN/24	517.44




EAGLE PROPERTY


Albers Conical Equal Area
North American 1983 (mean for CONUS)
Albers Conical Equal Area
1:8700000


FIGURE 1

LOCATION MAP

May 2010







HISTORY

In 1966 West Coast Mining and Exploration Company completed an I.P. survey over the Nighthawk (now Eagle) copper showings. A second I.P. survey was carried out in 1967 to cover an expanded grid around the Nighthawk showings. Noranda Exploration optioned the property in 1971 and conducted EM, magnetometer, I.P. and geochemical surveys. About 915m of diamond drilling were completed in 1971 and 1974. A.D. Halleran staked the property in July 1988. Subsequently Noranda optioned the prospect and conducted an exploration program in 1989, including 57 km of line cutting, 35 km of magnetometer and 13 km of I.P. surveying. Noranda also collected 1362 soil samples.

In 1990, Noranda continued exploration with geological, geochemical and I.P. surveys, which outlined the Gibson zone to the west of the Hogem Batholith. A small hand trench here led to the discovery of the Gibson zone zinc-lead gold-silver mineralization. The showing was then followed up by detailed geochemical, geological and I.P. surveys. In 1991, Noranda conducted diamond drilling to test several coincident magnetic, induced polarization and geochemical anomalies. The program consisted of 1483.3m of diamond drilling in 17 holes, of which 9 holes (657.3m) were drilled to test the Gibson showing. All the drill holes at the Gibson zone intersected significant sections of volcanic rocks showing intense clay-sericite-quartz alteration and mineralization with pyrite, galena, and sphalerite.

In 1996 Birch Mountain Resources Ltd. optioned the property and completed geological mapping and soil geochemical sampling over most of the claim area. The grid was extended to the Gibson zone where 8.2 km of lines were cut. A ground magnetometer survey and a horizontal loop (Max-Min) survey were conducted along these grids in 1996. In early September, 1838.6m of diamond drilling were completed on the Vector and Nighthawk zones.

In 2007 Geoinfomatics Exploration optioned the property and compiled much of the prior data from Aris reports for the copper occurrences on the property.

On April 14, 2009, Arthur Derry Halleran sold the property to Eagle Peak Resources Inc., which transferred its rights and obligations to the Eagle property to Rich Rock Resources Inc.

In 2010 Rich Rock Resources Inc. completed 100 km of airborne surveying.

In August 2012 a 146 km Canadian Mining Geophysics Ltd. has completed airborne magnetic gradiometer and radiometric survey for Rich Rock Resources Inc.

In April 2015 a 17.5 km ground magnetic survey has been completed by Meridian Mapping Ltd.

This report details a geochemical program comprising of 150 soil samples in October 2015 on the Vector area of the Eagle Property conducted by Rich Rock Resources Inc.

REGIONAL GEOLOGY

The Eagle property is located within a northwesterly trending belt of largely volcanic strata comprising Upper Triassic to Lower Jurassic Takla Group volcanics and sediments that have been intruded by a series of felsic to ultramafic stocks and batholiths (Figure 3). These intrusions, which are associated with a number of copper-gold deposits, generally lie in a northwest belt from Inzana Lake in the south to Chuchi Lake (and beyond). The Takla Group rocks form part of a large Upper Triassic volcanic arc (the Quesnellia Terrane) lying offshore of the North American continental plate. Rocks at the Eagle property include greywacke, shale, and argillite of the Inzana Lake Formation cut by the regionally extensive Hogem Batholith. A regional geological map is given in Figure 3. Numerous copper-gold prospects occur throughout the district.

GEOLOGY

Rocks of the Hogem Batholith and siliceous siltstone of the Takla Group (Inzana Lake Formation, Figure 4) underlie the Eagle property. The dominant intrusive rock is a medium-gray, equigranular, medium-grained diorite consisting of 80% plagioclase, 10% hornblende, 5% augite, magnetite and 5% biotite, with minor or trace chlorite, epidote and actinolite. A less common intrusive is a light- to medium-grey, coarse- to medium-grained monzonite, consisting of 60% plagioclase, 20% K-feldspar, 10% hornblende, 5-10% augite, magnetite and 5% biotite, with minor chlorite, apatite, tourmaline and epidote. North of the Nighthawk zone, an irregularly shaped body of dark grey, coarse-grained gabbro contains plagioclase, augite, magnetite, biotite, minor chlorite, epidote, and hornblende.

The contact between the Hogem Batholith and the Takla rocks outcrops in the northeast part of the Gibson Zone where the volcanic rocks generally contain 2-5% disseminated pyrite and trace amounts of chalcopyrite. The Hogem diorite close to the contact is usually altered and contains minor or trace pyrite, chalcopyrite and malachite. Distal to the contact, the volcanic rocks are generally light purple to medium-gray, fine-grained, and siliceous. In some areas, remnant bedding indicates that the rocks are welded volcanic tuffs.

MINERALIZATION

A number of mineralized zones have been found on the Eagle property to date referred to as the Gibson Zone, the Nighthawk Zone, the Vector Zone and the Mid Zone (Stewart 1990). The latter three comprise the Main zone, which has received most of the exploration work and drilling to date. The Nighthawk showing consists of disseminated pockets and stockwork veinlets of chalcopyrite and pyrite in chlorite and epidote altered diorite. The Mid Zone is located in an area of very strong propyllitic alteration. The showing is a shear zone approximately 2 m wide that contains 10% pyrite and chalcopyrite in an alteration


zone dominated by chlorite. The Vector Zone in the north part of the property can be traced in outcrop for up to 350 meters along a small creek. This zone contains strong to intense propyllitic alteration through most of the strike length. The zones of propyllitic alteration invariably contain 2-3% pyrite and 2-5% chalcopyrite in fracture filling veinlets 1 mm to 8 cm thick surrounded by an albite-chlorite-magnetite alteration with pervasive, finely disseminated sulfides.


The Gibson zone is largely known from drilling work conducted by Noranda in 1991. Nine holes were drilled on the Gibson zone to test the size and continuity of the showing. All of the holes drilled intersected significant clay-sericite-quartz altered and pyrite-galena-sphalerite mineralized volcanics in an extensive northwest-trending composite zone some 400 meters long and 4.5 meters wide.


WORK PROGRAM

Rich Rock Resources Inc. completed a geochemical soil sampling survey approximately 5 km along new forest service roads and in adjacent recently logged areas. The survey consisted of 150 samples taken 40 to 30 meters apart (see Fig 5, 6, 7, and list with coordinates and values for Cu, Zn, and Au at the end of the Appendix). Areas covered by the 2015 and previous Zn surveys are shown in Figure 8.

The samples all were taken from the B-horizon at a depth of 10 to 20cm. In the southwestern section the B-horizon samples were gray-beige in color, whereas in the central and northeastern section the B-horizon samples were orange-beige in color. The change in color is due to the different rock type the soil developed on (see Fig. 4).










FIGURE 8
RICH ROCK RESOURCES
EAGLE PROPERTY
COMPILATION MAP
SOIL - ZINC ppm

INTERPRETATION

The assay results for Copper and Gold are plotted in Figure 6. The data in the northwestern area show a significant drop to the West of the sample area. Taken, that the background baseline value for copper is around 8ppm, the sample line to the west marks the border of the mineralization with elevated copper values to the east. The data in the middle and the southwestern area are patchy in copper values and being on the low side of the copper values.

The gold values of significant higher value than background baseline do not seem to correlate with high copper values and are sparse.

The assay results for Zinc and Lead are shown in Figure 7. The lead values are generally below 10ppm and a few are slightly higher. The zinc values are generally between 20 and 50ppm, which is the background baseline. There are two areas with significantly higher values of 100ppm and over in the middle and the southwestern areas.

The gold values do not correlate with high zinc values with the exemption of two samples.

CONCLUSIONS AND RECOMMENDATIONS

The 2015 soil sampling survey identified a zone of high copper in soil in the area of the Vector showing and two zones of zinc enrichment NW of the Gibson showing.

The copper mineralization is open to the east and need further work of soil sampling in order to define the mineralized area. However, this survey shows the western border of the mineralization. In addition, the patchy pattern in the middle and southwestern area needs some more work of soil sampling in order to verify some elevated copper values over a larger area.

The two areas of elevated zinc values seem to line up with two parallel areas of elevated zinc values striking NW-SE north of the Gibson vein showing on the compilation map Figure 8. Further soil sampling should follow up this finding.

EXPENDITURES

Expenditures for the work presented herein are listed in Table 2.

Table 2 Statement of Costs

			\$ Cdn
Wages	The work has been accomplished in 6 days, from October 19 to 24, 2016		
	Kevin Tattersall	\$500/d	3000.00
	Mathias Westphal, P.Geo.	\$1000/d	6000.00
Accommodation	Hotel New Caledonia		662.69
Meals			321.28
Groceries	Breakfast/ Lunch		74.85
Transportation	1430 kilometers	0.54/km	772.20
Equipment	Cable for GPS		19.99
Assay	Bureau Veritas (Acme)	150 samples	4260.38
Report writing	Mathias Westphal, P.Geo.		2000.00
		Total	17111.39

CERTIFICATE OF AUTHOR

White North West Consulting
 Dr. Mathias Westphal
 3712 1st Avenue, Smithers, B.C., Canada
 Po Box 2575 V0J 2N0

Cell : (250) 917-8715
 e-mail: mathiasw.geo@gmail.com

I, Dr. Mathias W. Westphal, P.Geo., do hereby certify that:


1. I am principal of:
 White North West Consulting
 3712 1st Avenue
 Po Box 2575
 Smithers, B.C., Canada
 V0J 2N0
2. I graduated with a Masters of Science degree in Mineralogy from Albert-Ludwigs-University at Freiburg, Germany in 1994. In addition, I have obtained a Masters of Arts degree in Geography from Albert-Ludwigs-University at Freiburg, Germany in 1992. Since 1998 I hold a Ph.D. in Mineralogy from Albert-Ludwigs-University at Freiburg, Germany.
3. I am a member of the:
 - APEGBC – Association of Professional Engineers and Geoscientists, British Columbia
 - AME BC – Association of Mineral Exploration, British Columbia
 - SEG – Smithers Exploration Group, British Columbia
 - DMG – German Mineralogical Society (Deutsche Mineralogische Gessellschaft).
4. I have worked as a Mineralogist/Geologist for a total of 21 years since my Masters of Science graduation from university.

I am the author of this report titled "ASSESSMENT REPORT, GEOCHEMICAL SOIL SAMPLING REPORT ON EAGLE PROPERTY; OMENICA, BC, CANADA" and dated February 12, 2016, and take responsibility for the entire report.

Dated at 12th Day of February 2016.



Dr. Mathias Westphal, P.Geo.



BIBLIOGRAPHY

Beauchamp, D.A., Fan, S.X., and Johnson, B.G., 1996. Final report on the Eagle Project, British Columbia. Aris report #24871A and B.

Fox, P.E., 2009. Geochemical Report on the Eagle Property. Aris report 31227.

Fox, P.E., 2010, Assessment Report, Geophysical Report on the Eagle Property. Aris report 31689.

Roney, C. and Maxwell G., 1989. Geochemistry report on the Eagle Property. Aris report # 19239.

Stewart, F. 1989. Geological, geochemical & geophysical report on the Eagle Property. Aris report 20245.

Stewart, F. and Walker, T. 1991. 1991 Diamond drilling report on the Eagle Property. Aris report # 21762.

Stewart, F. 1990. Geological, geochemical & geophysical report on the Eagle Property. Aris report 20406.

Veerman, H., 1968. Geophysical – Geochemical report on the Vector Group claims. Aris report 1599.

Worth, A. and Bidwell, G., 2008. Nighthawk property. Aris report #29671.

APPENDIX



**BUREAU
VERITAS** MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Rich Rock Resources Inc.
910 - 475 W. Georgia St.
Vancouver BC V6B 4M9 CANADA

Submitted By: Kevin Tattersoll
Receiving Lab: Canada-Smithers
Received: October 26, 2015
Report Date: January 12, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

SMI15000092.1

CLIENT JOB INFORMATION

Project: Eagle

Shipment ID:

P.O. Number

Number of Samples: 150

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days

DISP-RJT-SOIL Immediate Disposal of Soil Reject

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	150	Dry at 60C			SMI
SS80	150	Dry at 60C sieve 100g to -80 mesh			SMI
AQ202	150	1:1:1 Aqua Regia digestion ICP-MS analysis	30	Completed	VAN
SHP01	150	Per sample shipping charges for branch shipments			SMI

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Rich Rock Resources Inc.
910 - 475 W. Georgia St.
Vancouver BC V6B 4M9
CANADA

CC: Mathias Westphal



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU
VERITAS** MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Rich Rock Resources Inc.**

910 - 475 W. Georgia St.
Vancouver BC V6B 4M9 CANADA

Project: Eagle
Report Date: January 12, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

SMI15000092.1

		AQ202																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm							
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



BUREAU
VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Rich Rock Resources Inc.
910 - 475 W. Georgia St.
Vancouver BC V6B 4M9 CANADA

Project: Eagle
Report Date: January 12, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

SMI15000092.1

		AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202	AQ202
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

Soil Sample numbering with UTM Coordinates, elevation, and metal values

Sample	Easting	Northing	Elev	ZN [ppm]	Cu [ppm]	Au [ppb]
E15-001	377376	6117383	960 m	69	28.4	48.9
E15-002	377376	6117340	962 m	122	22.2	0.9
E15-003	377409	6117306	961 m	68	17.7	2.8
E15-004	377455	6117302	962 m	46	11.2	3.7
E15-005	377501	6117311	963 m	51	16.6	1.8
E15-006	377541	6117280	965 m	73	16.1	2.9
E15-007	377581	6117252	962 m	49	9.5	2
E15-008	377621	6117265	966 m	24	4.1	4.2
E15-009	377636	6117306	960 m	56	13.5	1.1
E15-010	377653	6117350	966 m	51	39.4	1.1
E15-011	377704	6117369	967 m	68	14	4
E15-012	377748	6117365	966 m	65	17.9	2.3
E15-013	377792	6117370	968 m	58	16.8	4
E15-014	377832	6117371	970 m	52	21.8	1.6
E15-015	377873	6117389	970 m	48	10.9	4.4
E15-016	377903	6117408	969 m	59	11.9	1.3
E15-017	377918	6117370	971 m	68	42.5	3.1
E15-018	377933	6117341	971 m	114	46.9	2.7
E15-019	377940	6117313	968 m	134	68.2	2.9
E15-020	377971	6117284	970 m	77	12.2	3
E15-021	377998	6117249	974 m	106	13.2	3.2
E15-022	378031	6117209	977 m	80	16.2	1.8
E15-023	378069	6117185	986 m	73	9.4	1
E15-024	378079	6117146	983 m	127	9.6	99.9
E15-025	378100	6117114	978 m	158	21.8	2.1
E15-026	378085	6117078	981 m	137	17	3.9
E15-027	378057	6117044	978 m	90	50.5	3.7
E15-028	377997	6117012	980 m	140	27.1	1.7
E15-029	377941	6116978	977 m	51	42.2	4.7
E15-030	377875	6116946	981 m	82	54.4	5.2
E15-031	378947	6119086	943 m	66	10.6	17.1
E15-032	378921	6119058	942 m	19	5.1	4.8
E15-033	378886	6119033	942 m	38	8.1	2.5
E15-034	378845	6119010	938 m	31	7.7	2.5
E15-035	378753	6118949	940 m	16	3.8	5.7
E15-036	378810	6118991	940 m	20	5.5	1.6
E15-037	378730	6118915	941 m	45	9.9	29.7
E150-38	378709	6118872	941 m	29	10.5	2.2
E15-039	378684	6118828	944 m	23	5	4
E15-040	378667	6118795	943 m	18	3.4	0.7
E15-041	378648	6118753	940 m	49	11.8	1.4
E15-042	378623	6118717	946 m	55	10.6	1.6
E15-043	378598	6118687	936 m	55	11.3	1
E15-044	378579	6118653	936 m	32	6.4	2.1
E15-045	378567	6118616	941 m	45	15.5	4
E15-046	378543	6118588	941 m	25	4.8	0
E15-047	378531	6118553	944 m	46	9.3	1.2
E15-048	378533	6118509	951 m	53	17.4	3.9
E15-049	378540	6118472	950 m	59	9.3	0.9

Sample	Easting	Northing	Elev	ZN [ppm]	Cu [ppm]	Au [ppb]
E15-050	378539	6118423	949 m	27	5.4	1.4
E15-051	378571	6118445	950 m	27	6.9	36.5
E15-052	378602	6118462	950 m	23	4.8	1.2
E15-053	378638	6118481	955 m	36	11.9	3.2
E15-054	378612	6118446	952 m	24	5.5	1.3
E15-055	378594	6118420	945 m	33	14.6	3.8
E15-056	378571	6118387	952 m	41	18.4	2.1
E15-057	378574	6118317	949 m	59	52.3	0
E15-058	378576	6118278	949 m	116	25.8	0
E15-059	378574	6118249	953 m	95	68.6	0.9
E15-060	378564	6118183	957 m	22	8.3	0.6
E15-061	378561	6118145	960 m	54	9.1	3.9
E15-062	378577	6118094	965 m	107	59.1	3.8
E15-063	378614	6118068	970 m	46	14.1	1.8
E15-064	378638	6118037	970 m	41	11.9	3.4
E15-065	378659	6118001	974 m	49	22.6	3.7
E15-066	378523	6118131	952 m	43	8.8	3.8
E15-067	378537	6118107	955 m	46	6.5	3.9
E15-068	378559	6118078	956 m	61	18.3	4.8
E15-069	378577	6118046	962 m	40	13.4	2.1
E15-070	378596	6118019	962 m	49	13.4	3.9
E15-071	378612	6117989	963 m	40	12	4.3
E15-072	378609	6117948	963 m	43	10.7	3.3
E15-073	378589	6117912	961 m	34	7	2.8
E15-074	378570	6117875	968 m	35	5.8	5.5
E15-075	378512	6117800	957 m	49	26.7	5.8
E15-076	378480	6117786	957 m	75	265.9	3.5
E15-077	378452	6117765	956 m	46	54.3	3.2
E15-078	378440	6117737	963 m	61	20	2
E15-079	378430	6117708	963 m	30	7.1	3.8
E15-080	378420	6117675	967 m	49	17.4	4.4
E15-081	378399	6117646	966 m	55	16.8	3.3
E15-082	378379	6117616	971 m	38	14.2	10.2
E15-083	378381	6117597	970 m	43	12.8	6.7
E15-084	378382	6117571	970 m	79	29.3	3.7
E15-085	378389	6117553	974 m	107	12.5	4.9
E15-086	378392	6117530	985 m	129	16.3	6.3
E15-087	378400	6117513	988 m	172	10.5	1
E15-088	378404	6117490	988 m	94	10.7	2.1
E15-089	378410	6117469	990 m	116	15.9	1
E15-090	378432	6117447	984 m	121	9.3	2.4
E15-091	378699	6118651	945 m	25	9.1	0
E15-092	378704	6118668	946 m	10	2.3	5.4
E15-093	378715	6118691	947 m	57	12.4	1.4
E15-094	378737	6118716	948 m	36	7.9	5.1
E15-095	378754	6118735	950 m	22	5.4	2.7
E15-096	378772	6118752	950 m	29	10.7	1.9
E15-097	378798	6118782	950 m	12	2.5	0
E15-098	378816	6118801	950 m	66	79	11.1
E15-099	378835	6118821	951 m	39	29.3	4.6
E15-100	378851	6118838	951 m	63	26.5	3.7

Sample	Easting	Northing	Elev	ZN [ppm]	Cu [ppm]	Au [ppb]
E15-101	378872	6118855	950 m	28	15.4	6.9
E15-102	378891	6118874	950 m	42	23.4	2.9
E15-103	378911	6118889	948 m	31	13.8	1.8
E15-104	378930	6118910	947 m	34	20.6	10.1
E15-105	378947	6118929	945 m	29	12.1	2.4
E15-106	378965	6118949	944 m	84	46.9	1.4
E15-107	378984	6118970	943 m	48	39.4	0
E15-108	379004	6118989	943 m	59	265.9	2.5
E15-109	379051	6119014	946 m	42	30.8	3.7
E15-110	379068	6119027	944 m	72	28.2	2.2
E15-111	379108	6119047	943 m	25	10.7	0
E15-112	379130	6119055	941 m	46	34.2	3.3
E15-113	379145	6119074	940 m	40	20	2.8
E15-114	379161	6119097	935 m	51	28	5.9
E15-115	379180	6119121	938 m	20	4.4	1.4
E15-116	379200	6119112	939 m	29	17.8	0.9
E15-117	379191	6119095	940 m	26	6.1	0
E15-118	379175	6119077	939 m	48	29.7	82.8
E15-119	379161	6119059	938 m	39	25.7	0
E15-120	379136	6119041	940 m	32	12.1	2.1
E15-121	379115	6119017	942 m	36	15	1.9
E15-122	379099	6118989	944 m	37	20.9	2.4
E15-123	379098	6118960	943 m	45	35.3	8.3
E15-124	379077	6118945	939 m	64	61.6	4.4
E15-125	379065	6118928	940 m	34	45.6	1
E15-126	379040	6118911	939 m	48	33.1	4.3
E15-127	379023	6118889	939 m	38	21.3	2.7
E15-128	379007	6118881	945 m	62	29	2.9
E15-129	378988	6118868	945 m	56	31.4	3.5
E15-130	378962	6118857	948 m	45	32.7	4.4
E15-131	378937	6118849	950 m	90	24.7	5.2
E15-132	378916	6118836	950 m	47	40.8	3.7
E15-133	378892	6118828	950 m	45	26.4	9.1
E15-134	378877	6118810	951 m	55	19.5	6.3
E15-135	378860	6118793	950 m	36	13.6	6.6
E15-136	378840	6118771	949 m	42	5.1	5.9
E15-137	378823	6118756	950 m	17	4.2	5.5
E15-138	378813	6118733	947 m	54	15.1	3.2
E15-139	378802	6118709	948 m	36	27.8	6.5
E15-140	378800	6118681	950 m	75	12.5	23.5
E15-141	378793	6118654	951 m	53	18.9	3.6
E15-142	378780	6118632	949 m	49	7.6	65.2
E15-143	378760	6118611	951 m	32	14.9	40.1
E15-144	378748	6118590	952 m	42	9.1	2
E15-145	378731	6118585	953 m	57	7.3	2.5
E15-146	378702	6118577	952 m	32	11.8	3.5
E15-147	378663	6118571	954 m	44	8.9	2.5
E15-148	378640	6118575	952 m	37	8	3.3
E15-149	378642	6118610	950 m	84	7.5	3.3
E15-150	378667	6118605	949 m	71	8.9	0