KEN ELLERBECK

(Owner & Operator)

TECHNICAL EXPLORATION REPORT

(Event 5600330) on

PROSPECTING and EXPLORING

Work done on

TENURES 1024218

of the 2 Claim

SACK CLAIM GROUP

Kamloops Mining Division BCGS Maps 0921.038 0921048

Centre of Work 5586012N, 682423E

AUTHOR KEN ELLERBECK, PMP

REPORT SUBMITTED May 27, 2016

TABLE OF CONTENTS

Introduction	3
Purpose	3
Access and Location	3
Property Description	3
History	6
Summary of Work Done	11
Regional and Property Geology	29
Technical Data and Interpretation	37
Interpretation and Conclusions	38
Summary and Recommendations	38
Itemized Cost Statement	39
Statement of Qualifications	40
Selected References	41
ILLUSTRATIONS	
Figure 1 Location Map	4
Figure 2 Claim Location Google Earth	5
Figure 3 Regional Location Map Google Earth	5
Figure 4 Claim and Index - Map ARIS MapBuilder	6
Figure 5 Commander Resources Ltd. Gold Discovery Anderson Lake / SACK area	8
Figure 6 Commander Resources Ltd. Location versus SACK Claims	9
Figure 7 TOTEM Minerals Inc. Gossan Alteration 2006	10
Figure 8 Sample Locations - Work Areas	12
Figure 9 Samples Pictures Rocks and Locations	13
Figure 10 COMMANDER Local and Regional Geology	31
Figure 11 SACK Local and Regional Geology	35
TABLES	
Table I: Particulars of Grab Samples 2016	13, 37
Table II: Summarized Assay Results- Grab Samples-Ellerbeck (2016) – SACK Claim Group	37
APPENDIX	
Sample Preparation and Method of Analysis	42
Certificate of Analysis	44

INTRODUCTION

PURPOSE

In April 2016 a prospecting program was completed on Tenures 10242218 of the two (2) claim SACK Claim Group.

The purpose of the prospecting program was to locate, if possible, and examine some historic reported geological features (gold bearing structures in particular) occurring within the SACK Claims as well as to examine the geology of the claims and compare those findings to the reported geology of the Commander Resources gold discovery (located adjacent north of claims) and to the Enterprise Mine. Information for this report was obtained from sources cited under Selected References and from a property examination made on April 23, 2016.

ACCESS AND LOCATION

Road access to the Claims from Kamloops, BC is by Highway 5A south for 70 km. to Stump Lake and then westerly via Long Lake Road for 5 km. and then via a series of logging roads. Access to the Claims is via ranch and logging roads. Access permission was obtained from the Frolek Cattle Company which owns the grazing rights where the SACK Claim Group is located. The Property is located within the dry belt of British Columbia with rainfall between 25 and 30 cm per year. Temperatures during the summer months could reach a high of 35°C and average 25°C with the winter temperatures reaching a low of -10°C and averaging 8°C. On the SACK Claim Group moderate snow cover on the ground could be from December to April and would not hamper a year-round exploration program. Elevations range from 800m to 1200 m. Merritt, BC, and Kamloops, BC both historic mining centers, could be a source of experienced and reliable exploration and mining personnel and a supply for most mining related equipment. Kamloops is serviced daily by commercial airline and is a hub for road and rail transportation. Vancouver, a port city on the southwest corner of, and the largest city in the Province of British Columbia, is four hours distant by road and less than one hour by air from Kamloops.


PROPERTY DESCRIPTION

Mineral Titles Online Report – SACK Claim Group

Tenure Number	<u>Type</u>	Claim Name	Good Until	<u>Area</u> (ha)
1024218	Mineral	SACKARILLIAC	20171004	185.3861
1024223	Mineral	SACKEAST	20171004	61.7954

Total Area: 247.1815 ha

Figure 1 LOCATION MAP from MTO Mapbuilder








Figure 2 CLAIM LOCATION MAP (Base Map GOOGLE EARTH)






Figure 3 Regional Location Map (Base Map GOOGLE EARTH)





Page **6** of **49**

HISTORY

Exploration by others on land in and near the current SACK Claim Group has been reported. **MICROGOLD** – to east of SACK Claim Group

From Drilling Report on the Stump Lake Project (Microgold), TOTEM Minerals Inc. October 31, 2009 J. T. SHEARER, M.Sc, P.Geo. Consulting Geologist. The Microgold property includes the present day SACK Claim Group.

"Epithermal style gold mineralization, hosted by Upper Triassic Nicola Group volcanic and sedimentary rock has been found on the property. The Microgold property demonstrates many features of classic epithermal deposits such as: the vein mineralogy and textures, the tendency for mineralization to occur in flat vein structures, the suite of geochemical indicator elements, and the presence of gold mineralization locally up to near economic levels. The reported presence of brecciation also fits this model although the exact nature or origin of the breccias is presently uncertain. All of these features create a target that in recent years has attracted the attention of numerous epithermal-oriented explorationists and companies. These rocks are part of the Quesnel Terrane within the Intermontane Tectonic Belt. Gold and silver exploration date back to the 1800's in the Stump Lake area and from the early 1980's on the Microgold Property." and "Hole TSL-09-02 targeted the extensive silicified West Zone. (within BAGEE Claim Group). The clay and carbonate altered volcanics are in fault contact. Malachite was observed on fractures near the end of the hole. All assay intervals contain very low gold values up to 381 ppb Au."..

"Recorded mineral exploration history in the Stump Lake area dates from the late 1800's. Narrow quartz veins at Mineral hill, southeast of Stump Lake, were mined primarily between 1916 and 1941. Total production is reported as 70395 tonnes averaging 3.74 grams per tonne gold, 111.75 grams per tonne silver, 0.03% copper, 1.42% lead, and 0.24% zinc. A small quantity of scheelite was recovered by re-working the tailings during the Second World War. During the 1960's and 1970's, sporadic base metal-oriented exploration targeted areas west and northwest of the Microgold Property. Most of this work investigated copper and coppermolybdenum showings along the fault contact between the Nicola Horst and the regional volcanic assemblages."

COMMANDER RESOURCES

In 2011 **Commander** Resources Ltd. conducted work on their Stump Lake gold property located adjacent north of the SACK Claim Group"Scattered showings of a gold-bearing breccia unit were initially identified over a 1.2 kilometre strike length in limited outcrop with gold values ranging from 0.5 to 6 g/t Au. Recent work has now extended the strike length of gold mineralization to over two and a half (2.5) kilometres." And "The breccia bodies have been emplaced at the western margin of a block of Triassic Nicola volcanics, a fault-bounded uplift that juxtaposes older, arc-related volcanics with younger (Upper Cretaceous) granitoid intrusives. The Moore Creek Fault forms the western boundary of the block less than one kilometre from the Stump lake Showings.

Preliminary interpretation of regional magnetic data indicates a series of small intrusives underlie the gold prospective area." News Release September 13, 2011, Commander Res Ltd. And

Norton, Cam; 2102: Prospecting, Sampling, Geophysical And Diamond Drilling, **Commander** Resources AR33180;......" The results of the 2011-2012 geological, geophysical, and diamond drilling program suggest that gold mineralization is hosted by multi-episodic chalcedonic quartz.

veins and quartz breccia. A complex faulting history has created a structural setting that is conducive for the occurrence of gold mineralization in fault zones. In addition, evidence exists that defines a possible poly-metallic vein system to the north of unknown quality. Geophysical data has shown that anomalous chargeability's extend to depths up to 320 meters below surface. Albeit no correlations are able to be drawn between the silicified breccia zone and chargeability or resistivity, the breccia zones were successfully intersected in drill core. Generally the Quartzcarbonate "discovery" vein had an apparent width of 1-2meters and was flanked by a region up to 10m wide containing repetitive 5-10cm wide lesser quartz-calcite veins. The highest assay achieved during the drill program occurred in a relatively shallow drill

hole, intersecting 4.79g/t Au over 1m (DDHSL 12-06). Evaluation of the Anderson Lake zones suggest that north, northeast striking structures displaying quartz-carbonate veining are best targets for deep drilling. Evidence from geological mapping and sampling in conjunction with petrographic analysis show these structures are host to epithermal style mineralization. The results of the geochemical, geophysical and drilling program support this model, showing

pervasive north, northeast trending anomalies can be intersected at depth." Figure 5. Commander Resources Ltd. Gold Discovery Anderson Lake / SACK area




Figure 6 Commander Resources Ltd. Location versus SACK Claims





Figure 7 TOTEM Minerals Inc. Gossan Alteration 2006



KEN ELLERBECK May 27, 2016 Page 10 of 49

SACK – Same Claim name - by previous owner. 2008 SAMPLING RESULTS - GLEN MACDONALD, P.GEO. 2008, FOR BRIAN ROBERTS.

During 2008 three samples of sulphide-rich vein material were collected and tested for precious metal content (682555-57). Two samples were selected of sulphide-rich veinlets cross-cutting massive carbonatized-sericitized volcanic rock units (682555 and 682557). These samples returned significant content of gold (32.30 and 33.33 GM/T).

Brian Robert's Sack property covers structurally-controlled epithermal alteration similar to that at the **geologically similar Enterprise Mine**.

The Enterprise Mine (which produced a modest 77,600 tons of ore intermittently from 1916 to 1944) has been categorized by subsequent academic study to be **a "classic" epithermal deposit** and provides a model for further work at the Sack. Further exploration at Brian Robert's project should be directed to testing for epithermal mineralization at depth and bulk-mineable silver+ gold occurrences near surface in the carbonatized region. Rock alteration studies and a geological review of the project setting should be undertaken to orientate a deep penetrating electromagnetic and/or IP geophysical survey. State-of-the-art geophysical equipment has the ability to investigate structures on the Sack property at depths comparable to the elevations mined at the Enterprise mine before selecting drill targets.


The SACK Claim Group was acquired by online staking by the Author and Current Owner. Tenures 1024218 AND 1024223 were acquired by online staking December 04, 2013.

SUMMARY OF WORK DONE 2016

The Tenure Numbers in the SACK CLAIM GROUP on which work was performed: Prospecting was conducted on 1024218 on April 23, 2016.

One (1) field day was spent on the SACK CLAIM GROUP project, including prospecting and travelling to and from the property. One (1) day was spent researching reference material, and a further two (2) days were spent compiling data, drafting and writing this report.

Sample Locations Area Figure 8



Page 12 of 49

2016 WORK PROGRAM

Sampling Program - The author was on the SACK Claim Group in April 2016 to select rock samples for verification of the reported mineralization and geology on the Property. Eight (8) grab samples were taken from 8 different sites. Three (3) grab samples were submitted for assay.

Table I. Particulars of Grab Samples taken by ELLERBECK (2014) Claim Claim Group


LOCATION	UTM LOCATION		DESCRIPTION
/ SAMPLE #	#		All OUTCROP unless indicated
SACK 1	682423	5586012	Quartz-float-fractured,multiple planes-green volcanics
SACK 2	682423	5586012	Quartz float-iron stain-cubes-crumbly-Galena?vugs
SACK 3 682423	692422	5586012	Altered volcanic-dump-sulphides-quartz vein-
	062423		pyrite, chalcopyrite, bornite-in quartz carbonate
SACK 4 682423	692422	5586012	Altered volcanic-pyrite disbursed-veinlets of
	062423		pyrite,chalcopyrite
SACK 5	682447	5586193	Quartz vein-pit-massive-barren-E-Wstrike-45degN dip
SACK 6	682446	5586202	Quartz vein-20m exposed-E-W strike-75 deg N
SACK 7	682429	5586207	Quartz boulder-Iron stain-some pyrite-fractured
SACK 8	682423	5586012	Adit portal-altered volcanic-N-Sstrike,75Edip-sulphides
			Stain,quartz veinlets with pyrite

FIGURE 9 LOCATION AND TYPICAL ROCK PICTURE



KEN ELLERBECK May 27, 2016 Page **13** of **49**






























SACK 8 ADIT





SUMMARY OF REGIONAL AND PROPERTY GEOLOGY

REGIONAL GEOLOGY

Regional Geology

From Norton, Cam; 2102: Prospecting, Sampling, Geophysical And Diamond Drilling, Commander Resources AR33180; and

Norton, Cam; 2011: Geochemical Report on Stump Lake Claims, Commander Resources AR 32753. The Commander gold property is adjacent north of the SACK Claim Group.

The Property occurs within the Intermontane Belt, a low lying north-north west striking region which lies between the rugged Coast Belt and the Omineca Belt. This former Island arc was accreted to present day North America about 180-175 million years ago, and is regionally comprised of weakly metamorphosed island arcs and ocean basins (Mathews and Monger, 2005). These three belts in part comprise the Quesnellia Terrain.

The region around Stump Lake is underlain by late Triassic arc-volcanics and sedimentary units designated to the Nicola group. Facies changes within these units are indicative of a depositional setting which rapidly fluctuated between a sub-areal and sub-aqueous environment. Shortly after deposition, the Nicola group was intruded by both coeval Triassic and Jurassic plutons (Moore et al, 1990). In the mid Jurassic the Nicola group was then obducted onto present day western North America resulting in moderate to steeply dipping fabric (Lindinger, 1996). Locally this fabric is cut and displaced by west and south dipping thrust faults. The metamorphic grade of the units is of lower greenschist type.

During the Tertiary period substantial faulting occurred creating the present day Nicola Horst, located on the west side of the property. This north trending horst contains fault bounded black schist which has been metamorphosed to Amphibolite facies along with lesser altered metagabbros and granites. The Paleocene aged Rocky Gulch granodiorite is the only unit to have not undergone deformation (Moore et al, 1990).

And from Drilling Report on the Stump Lake Project (Microgold), TOTEM Minerals Inc. October 31, 2009 J. T. SHEARER, M.Sc, P.Geo. Consulting Geologist.

The geology of the area surrounding Nicola Lake, including Stump Lake, has been mapped on a regional scale several times since 1896, starting with a classic study by G. M. Dawson. Mapping at a scale of 1:253440 was completed by Cockfield (GSC) in 1948 followed by more detailed mapping of selected areas in the 1960's and 1970's. A new regional map sheet was compiled by Monger and McMillan (GSC) in 1984. Geological mapping in 1988 and 1989, in conjunction with the LITHOPROBE multidisciplinary earth science project based on seismic surveys, was published by the BC government as Open File 1990-29 "Nicola Lake Region Geology and Mineral deposits" by J. M. Moore et.al. Regional geology is shown on Figure 4, after Gamble (1985), modified from Moore's work.

The area north of Stump Lake is underlain by mafic volcaniclastic rocks of the Late Triassic Nicola Group. These are bordered on the west by the Triassic Nicola Horst complex, unconformably overlain on the east by Eocene clastic and volcanic rocks of the Kamloops group, and obscured on the north by Miocene olivine basalts. Small tertiary intrusions of mainly

intermediate composition have been noted and a small Tertiary sedimentary basin occupies a structural depression at the south end of Kullagh Lake.

Structurally, the area is dominated by major faults trending north to northeasterly. The Quilchena-Moore Creek fault system, which marks the eastern edge of the Nicola Horst, passes a few kilometres west of the Microgold Property. This 015° trending system can be traced for at least 50km and has been tentatively dated as Tertiary. To the east, the contact of the Nicola and Kamloops formations is marked by the 345° trending Stump Lake fault which cuts along the eastern side of the Microgold claim block and appears to coalesce with the Quilchena-Moore Creek fault a few kilometres north of the property. South of Stump Lake, the Stump Lake fault curves westerly, joining the Quilchena fault at the northeast end of Nicola Lake. This faultbounded, 25km long elliptical block of mainly Nicola Group rocks is cut by numerous northerly and northeasterly trending faults. The recently expanded Microgold property covers nearly 10km of this block. Previous workers have suggested that the polymetallic sulphide assemblages mined at Mineral Hill are mesothermal equivalents of the epithermal gold-bearing quartz veins north of Stump Lake and postulated the presence of a fault structure coincident with the lake or a syncline bordering and parallel to the north shore of Stump Lake.

LOCAL GEOLOGY

KEN ELLERBECK

The claim blocks are indicated as being underlain by the Upper Triassic Nicola Group volcanic rocks. These rocks consist largely of andesite and basalt with very minor, thin-interbedded pyroclastic and sedimentary formations. Intrusive dykes of diorite to gabbro composition also occur within the Nicola sequence, possibly representing the intrusive feeders, to the extrusive flow rocks.

The Oldest rocks in the area are the Paleozoic or older chlorite schists and gneisses which outcrop in the western area of the property. Also to the west are the intrusive Nicola Batholith rocks of granite, granodiorite and quartz diorite composition.

Fracturing, faulting (including the regional scale Quilchena fault system) and topographic lineaments tend to exhibit generally north-south strikes.

Property Geology

The Sack claims are underlain by Triassic-Jurassic Nicola Group volcanics and sediments subdivided into five district lithologies.

Geological Units

(Macdonald 2008) Unit 1 consists of volcanics subdivided into Unit 1a, a fine to medium grained dark green, often amygdaloidal andesite-basalt, and Unit 1b, feldspar porphyry, and fine grained, dark green matrix with white to gray feldspar phenocrysts. Unit 2 is subdivided into Unit 2a, rhyolite which is fine-grained, white to grey colored, siliceous, often with well developed banding, and Unit 2b, a lapilli tuff, fine to medium grained, white to green colored, and siliceous. Unit 3 consists of coarse grained massive andesite to basalt locally with coarser grained gabbroic zones. This unit may represent a synvolcanic intrusive phase of Unit 1. Unit 4 is a coarse grained, polymictic volcanic brecciaagglomerate, with conglomeratic-like phases. The breccia matrix is fine grained, mafic and often epidote rich. Unit 5 is composed of a fine grained, aphanitic, grey to black, well bedded argillite. The unit is pervasively gossan stained.

MINERALIZATION

an epithermal vein.

"On the Sack claims, two styles of mineralizing events have occurred (Macdonald 2008): i) In the southwest corner of the property, a narrow (6-10 cm wide) quartz chalcedony sheeted vein occurs striking 305-310 degrees and dipping SW. Parallel, enechelon quartz-chalcedony veins up to 3 cm wide occur adjacent to the main vein. The vein structure is exposed intermittently in a creek bed. Overburden covers the vein structure at either end. Extensive clay, argillic alteration is present on either side of the vein. The vein may represent the upper level of

ii) Coincident with Unit 1a and 1b andesite-basalts in the central area of the claim group, intermittent quartz-carbonate veining occurs with brecciation, fracturing, silicification, pyritization (1-2%) and is weakly gossanized. Numerous quartz and quartzchalcedony veins were located, oriented at various azimuths but generally steeply to vertically dipping. The veins are narrow, generally less then 0.5 meters. During 2008 samples were collected from narrow (1-3 cm wide) arsenic and galena-rich veinlets."

Figure 10 Geology (1 of 2) from Commander AR33180

Figure 6. Local Geology of the Stump Lake Property and Section A-A' Location







Figure 14. Summary Cross Section of Local lithology, Structures and Surveys.






KEN ELLERBECK

Figure 11 SACK CLAIM GROUP Local and Regional Geology Local Geology





KEN ELLERBECK May 27, 2016

Page **36** of **49**

SUMMARY OF REGIONAL AND PROPERTY GEOLOGY (.....continued)

Prospecting on the two (2) claim SACK Claim Group confirmed the presence of altered volcanic rocks with mineralization and quartz veins in the Work Area.

Table I. Particulars of Grab Samples taken by ELLERBECK (2016) SACK Claim Group

LOCATION	UTM L	OCATION	DESCRIPTION
/ SAMPLE #			All OUTCROP unless indicated
SACK 1	682423	5586012	Quartz-float-fractured,multiple planes-green volcanics
SACK 2	682423	5586012	Quartz float-iron stain-cubes-crumbly-Galena?vugs
SACK 3	682423	5586012	Altered green volcanic-dump-sulphides-quartz vein- pyrite,chalcopyrite,bornite-in quartz carbonate
SACK 4	682423	5586012	Altered green volcanic-pyrite disbursed-veinlets of pyrite, chalcopyrite
SACK 5	682447	5586193	Quartz vein-pit-massive-barren-E-Wstrike-45degN dip
SACK 6	682446	5586202	Quartz vein-20m exposed-E-W strike-75 deg N
SACK 7	682429	5586207	Quartz boulder-Iron stain-some pyrite-fractured
SACK 8	682423	5586012	Adit portal-altered volcanic-N-Sstrike,75Edip-sulphides
			Stain, quartz veinlets with pyrite in green volcanics

TECHNICAL DATA AND INTERPRETATION

Table II. Summarized Assay Results- Grab Samples-Ellerbeck (2014) – SACK Claim Group

Sample No.	Sample Type	Cu ppm	Pb ppm	Zn ppm	Au ppm	Ag ppm	Mo ppm
SACK 3	Grab	1565	2	21	<0.005	2.8	5
SACK 4	Grab	3180	<2	16	0.011	3.0	9
SACK 8	Grab	627	2	43	<0.005	0.8	52

PURPOSE

In April 2016 a prospecting program was completed on Tenures 1024218 of the two (2) claim SACK Claim Group. The purpose of the prospecting program was to locate, if possible, and examine some historic reported geological features (gold bearing structures in particular) occurring within the SACK Claims as well as to examine the geology of the claims and compare those findings to the reported geology of the Commander Resources gold discovery (located adjacent north of claims) and to the Enterprise Mine. Information for this report was obtained from sources cited under Selected References and from a property examination made on April 23, 2016.

ASSAY RESULTS of Rock Samples:

SACK 3: Altered volcanic-anomalous Zn-Mo-Ag-Cu.

SACK 4: Altered volcanic-anomalous Zn-Mo-Ag-Cu.

SACK 8: Altered volcanic-anomalous Zn-Mo-Ag-Cu.

PROSPECTING RESULTS - Outcrops

Sample 1-8: confirmed historic local/property and regional geological mapping;

INTERPRETATIONS AND CONCLUSIONS

The Owner/Author did not confirm the reported presence of gold mineralization located in the SACK Claims per historic assessment report references, AR30510.

However the Author confirmed rock types and geology previously reported in historic assessment reports covering claims which are now in the SACK CLAIM GROUP.

Also, Elevated values of Zn-Mo-Ag-Cu were found in SACK 3, 4, and 8.

These results warrant further detailed investigation.

SUMMARY AND RECOMMENDATIONS

Reportedly the SACK Claim Group covers structurally-controlled epithermal alteration similar to that at the geologically similar Enterprise Mine. The Enterprise Mine (which produced a modest 77,600 tons of ore intermittently from 1916 to 1944) has been categorized by subsequent academic study to be a "classic" epithermal deposit and provides a model for further work at the SACK. Further exploration should be directed to testing for epithermal mineralization at depth and bulk-mineable silver+ gold occurrences near surface in the carbonatized region. Rock alteration studies and a geological review of the project setting should be undertaken to orientate a deep penetrating electromagnetic and/or IP geophysical survey. State-of-the-art geophysical equipment has the ability to investigate structures on the SACK CLAIMS at depths comparable to the elevations mined at the Enterprise mine before selecting drill targets.

In addition, Commander Resources Ltd in 2011 announced the discovery of a significant gold-bearing structure adjacent North of the SACK Claims. Within the Commander claims, scattered showings of a gold-bearing breccia unit were initially identified over a 1.2 kilometre strike length in limited outcrop with gold values ranging from 0.5 to 6 g/t Au. Recent work has now extended the srike length of gold mineralization to over two and a half (2.5) kilometres.

Therefore it is recommended by the Author that a comprehensive prospecting plan be created and executed in the field as soon as practical in order to confirm and map the extent of the Altered volcanic zone and to confirm and map the extent of the Enterprise Mine – Stump Lake geology within the SACK Claim Group.

Elevated values of Zn-Mo-Ag-Cu were found in SACK 3,4,8. These results warrant further detailed investigation.

ITEMIZED COST STATEMENT for SACK CLAIM GROUP PROSPECTING 2016

FIELD CALAIM GROUP FIELD Days (list actual days) April 23, 2016 April 23, 2016	Days Days	Rate	Subtotal*	
pril 23, 2016		Rate	Subtotal*	
pril 23, 2016			Jubcocai	
	1	\$500.00	\$500.00	
	1	\$250.00	\$250.00	
	0	\$0.00	\$0.00	
	0	-		
	0		The Contract of Co	
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	The second secon	\$750.00
ist Personnel (note - Office o	nly, do no	t include		4 7.00.00
		1/2-22-23		
	53155			
REIT EIICI DECK	1.0	\$300.00		
	_		NAME AND ADDRESS OF THE OWNER, TH	\$1,500.00
was in Mastavas /List Dawsannal			\$1,300.00	\$1,500.00
ee Personner Field Days				
			40.00	+0.00
			\$0.00	\$0.00
lumber of Samples	No	Rate	Subtotal	
	15.5155.51	17-17-18-18-18-18-18-18-18-18-18-18-18-18-18-		
	-			
ALS MINERALS VALICOUVEL	3.0	\$ 49.00	The second secon	\$147.00
	No	Data	The state of the s	\$147.00
neil 22, 2016		- (- (- (- (- (- (- (- (- (- (
April 23, 2016	195.00	1.000	The same of the sa	
11.20. 2016	F0.00	-		
April 28, 2016	50.00	\$0.95		+000 75
			\$232.75	\$232.75
Rates per day				
		100		
! man-days @\$30/day	2.00	\$30.00	The state of the s	
			\$60.00	\$60.00
		-201		
		\$0.00	\$0.00	
			10.00	
			\$0.00	\$0.00
		¢0.00	¢0.00	
		\$0.00	\$0.00	
			\$0.00	\$0.00
			ψ0.00	40.00
		\$0.00	\$0.00	
			\$0.00	
			\$0.00	\$0.00
				\$2,689.75
1	ist Personnel (note - Office of en Ellerbeck	ist Personnel (note - Office only, do note en Ellerbeck 1.0 en Ellerbeck 0.5 en Ellerbeck 1.0 en Ellerbeck 1	0	0

KEN ELLERBECK May 27, 2016 Page 39 of 49

STATEMENT OF AUTHOR'S QUALIFICATIONS

STATEMENT OF AUTHOR'S QUALIFICATIONS

KENNETH C. ELLERBECK, PMP

I hold a BSc in Mechanical Engineering, University of Alberta, Edmonton, 1973.

I have completed University level introductory geology courses.

I hold a Certificate in Project Management from University of British Columbia, Sauder School of Business, 2010.

I hold a Project Management Professional designation – PMP – 1391810 – 2011.

I have been actively involved in all aspects of mineral exploration since 1980 in the Province of British Columbia.

I have managed staking and exploration programs since 1980 on my own mineral tenures as well as for tenures held by both private and publicly-held junior exploration companies.

My mineral exploration experience includes staking, prospecting, trenching, trench mapping, line cutting and grid construction, geochemical surveys, geophysical surveys, diamond drilling supervision and general exploration program supervision.

SIGNED

KENNETH C. ELLERBECK

KEN ELLERBECK May 27, 2016

LIST OF SELECTED REFERENCES

BC Geological Survey, Ministry of Energy, Mines & Petroleum Resources – MINFILE: 092ISE107 British Columbia Survey Branch, The Map Place.

Norton, Cam; 2102:

Prospecting, Sampling, Geophysical And Diamond Drilling, Commander Resources AR33180 Norton, Cam: 2011:

Geochemical Report on Stump Lake Claims, Commander Resources AR 32753

Commander Resources News Release, September 13, 2011:

Commander Extends Strike Length of Gold Showings at Stump Lake, BC

Macdonald, P. Geo., 2008:

Technical Assessment Report 30510 on SACK Claims, November 2008

Debicki, L. 1983:

Geological, Geochemical, and Geophysical Report on the Bag 1-2 Claims, BC Ministry of Energy, Mines and Petroleum Resources, Assessment Report 11,719

Duffell, S. and McTaggart, K.Sc, 1952:

Ashcroft Map Area, British Columbia (921/NW). Geological Survey of Canada Memoir 262.

Dupre, D. G., 1987:

Diamond drill Report, Cindy Project for Asamera Inc., Assessment Report 16,075, March 19,1987.

Durfeld, 1997:

Drilling Report on the Microgold Project for CanQuest Resource Corp, Assessment Report 24,913 Fitzgerald, M.J., May 1973:

Minex Services Ltd. Geophysical Report on Ground Magnetic Survey Derby 1-22 Mineral Claims for Monitor Resources Ltd., BC Ministry of Energy, Mines and Petroleum Resources, AR# 4324 July 1973:

Minex Services Ltd. Geophysical Report on Geochemical Survey Derby 1-22 Mineral Claims for Monitor Resources Ltd., BC Ministry of Energy, Mines and Petroleum Resources, AR 4928

Gamble, A. P. D., Hoffman, S. J., 1985:

Soil Geochemical Survey, Ground Magnetometer and VLF-EM and Resistivity Test Surveys on the Cm, Dy and Microgold Claim for BP Minerals Ltd., BC-EMPR Assessment Report #14,650.

Lindinger, J. E. L., June 1995:

Geological and Geochemical Assessment Report on the Microgold Property for CanQuest Resource Corporation. BC Ministry of Energy Mines and Petroleum Resources, AR#23,967.

December 1995:

Geological and Geochemical Assessment Report on the Microgold Property for Can Quest Resource Corporation. BC Ministry of Energy, Mines and Petroleum Resources, AR 24205.

Rayner, G.H., 1992:

Geochemical Report on the Microgold Property for Canquest Resources Corp. AR #22,012. June 1993:

A report on the Microgold Property, CanQuest Resource Corporation, Assessment Report #22,424. Shearer, J.T., 2009:

AR#31316, Drilling Report on the Stump Lake Project (Microgold), TOTEM Minerals Inc. White, G.E., 1985:

Geophysical-Geochemical Exploration Report, Anderson 4 - Bag 1 & 2 Claims, BC Ministry of Energy, Mines and Petroleum Resources, Assessment Report 13,788.

Map 886 A, Nicola, (Geol.) Sc. Accomp. Memoir 249, Geol. Survey of Canada (1948).

LIST OF SOFTWARE PROGRAMS USED

ADOBE PHOTOSHOP 7.0, PAINT for WINDOWS, ARIS MAPBUILDER – Map Data downloads Imap BC – Map Data downloads MtOnline - MINFILE downloads.

KEN ELLERBECK May 27, 2016 Page 41 of 49

May 27, 2016

KEN ELLERBECK

OF ANALYSIS

PREPARATION AND METHOD

SAMPLE

APPENDIX



ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218 www.alsglobal.com

To: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8

Page: 1 Total # Pages: 2 (A - C) Plus Appendix Pages Finalized Date: 3-MAY-2016 Account: ELLERK

CERTIFICATE KL16061772

This report is for 7 Rock samples submitted to our lab in Kamloops, BC, Canada on

The following have access to data associated with this certificate: KEN ELLERBECK

SAMPLE PREPARATION						
ALS CODE	DESCRIPTION					
WEI-21	Received Sample Weight					
LOG-22	Sample login - Rcd w/o BarCode					
CRU-QC	Crushing QC Test					
PUL-QC	Pulverizing QC Test					
CRU-31	Fine crushing - 70% <2mm					
SPL-21	Split sample - riffle splitter					
PUL-31	Pulverize split to 85% <75 um					

	ANALYTICAL PROCEDUR	ES
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: KEN ELLERBECK ATTN: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

May 27, 2016

KEN ELLERBECK



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221
www.alsglobal.com

Fax: +1 (604) 984 0218

To: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8 Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 3-MAY-2016 Account: ELLERK

CERTIFICATE OF ANALYSIS KL16061772

		CERTIFICATE COM	MMENTS	
		LABOR	ATORY ADDRESSES	
	Processed at ALS Kamloo	ops located at 2953 Shuswap Drive, Ka	mloops, BC, Canada.	
Applies to Method:	CRU-31	CRU-QC	LOG-22	PUL-31
	PUL-QC	SPL-21	WEI-21	
	Processed at ALS Vancou	iver located at 2103 Dollarton Hwy, No	orth Vancouver, BC, Canada.	
Applies to Method:	Au-AA23	ME-ICP41		



ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218 www.alsglobal.com

To: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8

Page: 2 - A Total # Pages: 2 (A - C) Plus Appendix Pages Finalized Date: 3-MAY-2016 Account: ELLERK

mmera	13							1	С	ERTIFIC	CATE O	F ANAL	YSIS	KL160	61772	
Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 AI % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P3 P5 P7 P8 Sack 3		0.45 0.46 0.95 1.21 0.47	0.007 0.015 0.010 0.007 <0.005	<0.2 0.2 <0.2 0.2 2.8	0.73 0.47 0.48 0.40 0.65	3 5 21 13 <2	<10 <10 <10 <10 <10	100 90 90 70 10	<0.5 <0.5 <0.5 <0.5 0.6	<2 <2 <2 <2 <2	0.22 0.17 0.09 0.16 1.11	<0.5 <0.5 <0.5 <0.5 <0.5	9 7 4 6 29	9 6 7 9 40	32 20 22 19 1565	2.07 1.37 1.93 1.81 3.91
Sack 4 Sack 8		2.03	0.011 <0.005	3.0 0.8	0.72 1.55	<2 <2 <2	<10 <10	10 70	<0.5 <0.5	<2 <2	1.01	1.1 <0.5	66 48	60 46	3180 627	2.85 3.24

May 27, 2016

May 27, 2016

KEN ELLERBECK



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221
www.alsglobal.com

Fax: +1 (604) 984 0218

To: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8 Page: 2 - B Total # Pages: 2 (A - C) Plus Appendix Pages Finalized Date: 3-MAY-2016 Account: ELLERK

IIIInera	15							7.5	C	ERTIFIC	CATE O	F ANAI	YSIS	KL160	61772	
Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P3 P5 P7 P8 Sack 3		<10 <10 <10 <10 <10	1 <1 <1 <1	0.22 0.31 0.31 0.16 0.07	10 10 10 10 10 <10	0.33 0.15 0.13 0.05 0.41	334 158 99 182 118	<1 <1 <1 5	0.04 0.03 0.03 0.03 0.06	4 4 3 4 25	930 760 700 730 1280	8 5 6 2	0.01 0.01 0.03 0.02 2.05	5 3 5 4 <2	2 2 2 2 5	14 10 8 11 39
Sack 4 Sack 8		<10 <10	त त	0.06 0.66	<10 <10	0.60 1.37	125 276	9 52	0.05	22 14	1420 1340	-2 2 2	1.35 0.64	2 2	4 5	33 71



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218 www.alsglobal.com

To: KEN ELLERBECK 255 WEST BATTLE STREET KAMLOOPS BC V2C 1G8 Page: 2 - C Total # Pages: 2 (A - C) Plus Appendix Pages Finalized Date: 3-MAY-2016 Account: ELLERK

iiiiiiei a									CERTIFICATE OF ANALYSIS	KL16061772
Sample Description	Method Analyte Units LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2		
P3 P5 P7 P8 Sack 3	*	<20 <20 <20 <20 <20	<0.01 0.02 0.02 <0.01 0.08	<10 <10 <10 <10 <10	<10 <10 <10 <10 <10	29 16 17 24 39	<10 <10 <10 <10 <10	50 29 25 26 21		
Sack 4 Sack 8		<20 <20	0.10 0.11	<10 <10	<10 <10	43 64	<10 <10	16 43		

May 27, 2016

TITLE PAGE



Ministry of Energy, Mines & Petroleum Resources Mining & Minerals Division BC Geological Survey



Next Page

TOTAL COST: \$ 2689.75 TYPE OF REPORT [type of survey(s)]: TECHNICAL - PROSPECTING AUTHOR(S): KEN ELLERBECK SIGNATURE(S): NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): YEAR OF WORK: 2016 STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5600330 APRIL 23, 2016 PROPERTY NAME: SACK CLAIM NAME(S) (on which the work was done): 1024218 SACKARILLIAC COMMODITIES SOUGHT: Au Ag Pb Zn Cu MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: Mineral File Number: 092ISE166 Name: SACK MINING DIVISION: NICOLA, KAMLOOPS NTS/BCGS: 0921.038 and 0921048 LATITUDE: 50 LONGITUDE: 120 (at centre of work) OWNER(S): 1) KEN ELLERBECK MAILING ADDRESS: 255 BATTLE STREET WEST, KAMLOOPS, BC V2C 1G8 OPERATOR(S) [who paid for the work]: 1) KEN ELLERBECK MAILING ADDRESS: 255 BATTLE STREET WEST, KAMLOOPS, BC V2C 1G8 PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude): LITH-Andesite, Basalt, Agglom., Argillite, Biotite Chl Schist, Qtz Hornblende Feldspar Gneiss, Granodiorite, Quartz Chalcedony Breccia. AGE-Upper Triassic, Lower Jurassic-Nicola Alteration-Hornblende, Epidote, Chlorite, Feldspar-Argillic, Skarn, Propylitic. Vein, Stockwork Epithermal Type: H03: Hot spring 🟚 Mineralization-Pyrite, Molybdenite, Chalcopyrite, Pyrrhotite, Ferrimolybdite. Strike/Dip: 010/85W. Qtz veins to 20m. REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 4323, 8900, 8989, 9883, 11083, 11719, 13788, 14430

KEN ELLERBECK May 27, 2016 Page 47 of 49

	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation	**		
GEOPHYSICAL (line-kilometres)		1	
Ground			
Magnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL number of samples analysed for)			
Soil			
Silt			
Rock			
Other			
ORILLING total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area) 100m	- Secondary	1024218	\$ 2689.75
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
	T		
Other			. 2. 2720 - 22
		TOTAL COST:	\$ 2689.75
